# January 1983 Issue 32 Vol. 5, No. 1

The Leading Magazine Of Home, Educational, And Recreational Computing

# Music, Sound, And The Personal Computer

**Music And Sound** For VIC, Apple, Atari, PET/CBM, **And The** Sinclair/Timex


The Juggler, Thunderbird: **Two Exciting Game Programs For VIC-20.** Atari, And TRS-80 **Color Computer** 


**Writing Transportable BASIC Programs For Personal Computers** 

A New Monthly Column: **Programming** The TI-99/4A

A Home Energy Calculator For Atari, Apple, VIC-20, PET/CBM, And Commodore 64







# MORE THAN JUST ANOTHER PRETTY FACE.

Says who? Says ANSI.

Specifically, subcommittee X3B8 of the American National Standards Institute (ANSI) says so. The fact is all Elephant<sup>TM</sup> floppies meet or exceed the specs required to meet or exceed all their standards.

But just who is "subcommittee X3B8" to issue such

pronouncements?

They're a group of people representing a large, well-balanced cross section of disciplines—from academia, government agencies, and the computer industry. People from places like IBM, Hewlett-Packard, 3M, Lawrence Livermore Labs, The U.S. Department of Defense, Honeywell and The Association of Computer Programmers and Analysts. In short, it's a bunch of high-caliber nitpickers whose mission, it seems, in order to make better disks for consumers, is also to

make life miserable for everyone in the disk-making business.

How? By gathering together periodically (often, one suspects, under the full moon) to concoct more and more rules to increase the quality of flexible disks. Their most recent rule book runs over 20 single-spaced pages—listing, and insisting upon—hundreds upon hundreds of standards a disk must meet in order to be blessed by ANSI. (And thereby be taken seriously by people who take disks seriously.)

In fact, if you'd like a copy of this formidable document, for free, just let us know and we'll send you one. Because once you know what it takes to make an Elephant for ANSI...

We think you'll want us to make some Elephants for you.


# ELEPHANT HEAVY DUTY DISKS.

For a free poster-size portrait of our powerful pachyderm, please write us.

Distributed Exclusively by Leading Edge Products, Inc., 225 Turnpike Street, Canton, Massachusetts 02021

Call: toll-free 1-800-343-6833; or in Massachusetts call collect (617) 828-8150. Telex 951-624.

# IF YOU'RE WAITING FOR THE PRICE OF WORD PROCESSORS TO FALL WITHIN REASON,



Crommodore





Everyone expected it would happen sooner or later...with WordPro PLUS™ it already has! Now all the marvelous benefits of expensive and advanced word processing systems are available on Commodore computers, America's largest selling computer line. WordPro PLUS, when combined with the new 80 column CBM 8032, creates a word processing system comparable to virtually any other top quality word processor available—but at savings of thousands of dollars!

New, low cost computer technology is now available at a fraction of what you would expect to pay. This technology allowed Commodore to introduce the new and revolutionary CBM 8032 Computer.

WordPro PLUS turns this new CBM 8032 Computer into a sophisticated, time saving word processing tool. With WordPro PLUS, documents are displayed on the computer's screen. Editing and last minute revisions are simple and easy. No more lengthy re-typing sessions. Letters and documents are easily re-called from memory storage for editing or printing with final drafts printed perfectly at over five hundred words per minute!

Our nationwide team of professional dealers will show you how your office will benefit by using WordPro PLUS. At a price far less than you realize.

Invest in your office's future...
Invest in WordPro PLUS...
Call us today for the name of the WordPro PLUS dealer nearest you.

### Professional Software Inc.

51 Fremont Street Needham, MA 02194 (617) 444-5224 TELEX: 95 1579

TM WordPro is a Registered Trademark of Professional Software, Inc. WordPro was written by Steve Punter All specifications subject to change without notice.

# Introducing Snooper Troops™ detective series. Educational games that turn ordinary homes into Sherlock homes.


Where can you find educational games that your kids will really enjoy playing?

Elementary, my dear Watson. From Spinnaker.

Our Snooper Troops detective games are fun, exciting and challenging. And best of all, they have real educational value. So while your kids are having fun, they're learning.

As a Snooper Trooper, your child will have a great time solving the mysteries. But it will take some daring detective work. They'll have to question suspects, talk to mysterious agents, and even search dark houses to uncover clues.

The Snooper Troops programs are



Apple,® IBM® and Atari® computers and provide your kids with everything they need: a SnoopMobile, a wrist radio, a SnoopNet computer, a camera for taking Snoopshots and even a notebook for keeping track of information.

Snooper Troops detective games help your children learn to take notes, draw maps, organize and classify information and they help develop vocabulary and reasoning skills. All while your kids are having a good time.

So if you want to find educational games that are really fun, here's a clue: Snooper Troops games are available at your local software store, or by writing to: Spinnaker Software, 215 First Street, Cam-

bridge, MA 02142.

# Spinnaker's early learning games will help make your children as smart as you tell everyone they are.



After all, they're your kids.

Spinnaker can help make them even smarter. With a line of educational software that kids love to play.

Spinnaker games make the computer screen come to life with full color graphics and sound. And they're fun. Lots of fun. But they also have real educational value.

Some of our games help exercise your child's creativity. Others improve memory and concentration. While others help to improve your child's writing, vocabulary, and spelling skills.

And every Spinnaker game provides familiarity with the computer and helps your children feel friendly with the computer. Even if they've never used a computer before.

And Spinnaker games are compatible with the most popular computers: Apple, Atari and IBM.


Our newest game, KinderComp™ (Ages 3-8) is a collection of learning exercises presented in a fun and exciting manner.

Rhymes and Riddles™ (Ages 4-9) is a letter guessing game featuring kids' favorite riddles, famous sayings and nursery rhymes. Story Machine™ (Ages 5-9) lets children write their own stories and see them come to life on the screen. And FACEMAKER™ lets your children create their own funny faces and make them wink, smile, wiggle ears (not your kids' ears,


the ears on the screen), etc.

And we're introducing new games all the time.

So look for Spinnaker games at your local software retailer, or by writing to: Spinnaker Software, 215 First St., Cambridge, MA 02142. And show your kids how smart their parents really are.







#### January 1983 Vol. 5, No. 1 GUIDE TO ARTICLES AND PROGRAMS **FEATURES** Atari's Sound System John Scarborough VIC Sound Generator Robert Lee Easy Apple Disk Space Messages Beirne L. Konarski 48 52 EDUCATION AND RECREATION ATA Sound On The Sinclair/Timex Arthur B. Hunkins Thunderbird Dave Sanders 68 ZX C/AT/V Home Energy Calculator David Swalm Warehouse Automation With Personal Computers Timothy Stryker 84 P 101 Christmas Bird Count Jean B. Rogers High Resolution Turtle Graphics David D. Thornburg 126 AP REVIEWS Apple Educational Games Sheila Cory 136 138 AT ZX P 140 Player ZX-81 Arthur B. Hunkins PET/CBM Standard Terminal Communications Package Harvey B. Herman 142 143 COLUMNS AND DEPARTMENTS Ask The Readers The Editors And Readers of COMPUTE! Questions Beginners Ask Tom R. Halfhill 40 18 Computers and Society David D. Thornburg The Beginner's Page: Myths About Programming Richard Mansfield Friends Of The Turtle David D. Thornburg The World Inside The Computer: 44 108 116 New Improved Computer Friend For Your Apple Fred D'Ignazio Learning With Computers: Gentle Introductions To Programming Glenn M. Kleiman Micros With The Handicapped: 124 Developing A Communications Program Susan Semancik & C. Marshall Curtis AP/PN Insight: Atari Bill Wilkinson Telecommunications: Computers And Communication Michael Day Machine Language: Speed Demon Jim Butterfield AT 178 180 Programming The TI C. Regena Extrapolations: Tap Applesoft's Heartbeat Keith Falkner 183 THE JOURNAL 146 Automate Your Atari Joseph J. Wrobel All About Commodore's WAIT Instruction Louis F. Sander WAITing On The VIC-20 And Commodore 64 Doug Ferguson Apple Machine Language Memory Aid K. Lourash Supermon64 Jim Butterfield Copy VIC Disk Files Roger L. Smith Atari Lister Leroy J. Baxter Perfect Commodore INPUTs Blaine D. Standage PN/64 -153 V164 -156 AP 160 64 162 V 186 AT 191 PN/64 192 Atari Autonumber Barry Bernstein VIC Super Expander Graphics Tim Parker Download/Upload For The Atari Frank C. Jones Commodore 64 Architecture Jim Butterfield 196 AT 198 AT 202 64 208 213 216 217 AP Apple, AT Atari, P PET/ CBM, V VIC-20, O OSI, C Radio Shack Color Com-

**CAPUTE! Modifications Or Corrections To Previous Articles** 222 **How To Type COMPUTE!'s Programs** A Beginner's Guide To Typing In Programs 223

**News & Products** 

Calendar 236

220

NOTE: See page 222 before typing in programs.

COMPUTE! The Journal for Progressive Computing (USPS: 537250) is published 12 times each year by Small System Services, Inc., P.O. Box 5406, Greensboro, NC 27403 USA. Phone: (919)275-9809. Editorial Offices are located at 625 Fulton Street, Greensboro, NC 27403. Domestic Subscriptions: 12 issues, \$20.00. Send subscription orders or change of address (P.O. form 3579) to Circulation Dept., COMPUTE! Magazine, P.O. Box 5406, Greensboro, NC 27403. Second class postage paid at Greensboro, NC 27403 and additional mailing offices. Entire contents copyright € 1982 by Small System Services, Inc. All rights reserved. ISSN 0194-357X.

**TOLL FREE** Subscription Order Line 800-334-0868 In NC 919-275-9809



puter, 64 Commodore 64, ZX Sinclair ZX-81, \* All or

several of the above.

# EDITOR'S NOTES

nnouncing A Significant
New Magazine From
COMPUTE! Publications.
We've promised that 1983 would

be an exciting year and are now willing to divulge one of the reasons why. The Commodore Gazette™ will premiere as a monthly in the spring of 1983. The Gazette will not impact **COMPUTE!** editorially or alter the current scope of **COMPUTE!**. The Gazette is planned as a laypersons's guide to consumer computing. It will be written for beginning and intermediate level owners and users of the VIC-20, 64, and Ultimax computers. Regular features will include best seller lists for recreational and educational software, reviews, new products, tutorials on home and educational applications, and much more. Written for entertainment as well as education, The Commodore Gazette, while appealing to users wishing to learn more about programming and computers, will also have continuing appeal for those who simply want to obtain maximum use from their computers in a non-technical way. Next issue we'll give you full details on the new magazine. **COMPUTE!** will continue to present its normal excellent range of information for the VIC-20 and Commodore 64.

### **A Call For Editors**

compute! Publications, both our magazine and book publishing divisions, is looking for experienced staff members for our growing editorial needs. If you've been writing for compute!, or if you have meaningful editorial experience, we'd

like to see a resumé as soon as possible. We're specifically interested in writers with experience using Atari, VIC-20, and related computer hardware. We are a progressive and growing company, with an excellent working environment and benefits, located in the attractive Piedmont area of central North Carolina. If you're interested, please send a resumé along with work history, salary expectations, and other pertinent information to Kathleen Martinek, Managing Editor, COMPUTE! Publications, Post Office Box 5406, Greensboro, NC 27403. Your inquiry will be treated with complete confidence. Mark the envelope "Personal and Confidential," please. Remember to include samples of your writing.

We cannot accept any telephone calls prior to submission of a resume, and will deal only with the individual interested in the position. We do not wish to work with personnel agencies.

#### **Random Asides**

You'll notice several enhancements in this issue as part of our continuing quest to better serve our readers. Among these are additions aimed at beginners. "Questions Beginners Ask" and a revised section on using our program listing conventions will become regular features of COMPUTE!.... We're setting new records again. Press run for this issue is an astonishing 156,000 magazines. We had to declare October, November, and December sold-out within weeks of publication date. It was only a few months ago we were collectively applauding the 100,000 mark...

New personal computers are on the way from Mattel and NEC, among others... Atari may be dropping the rumored 600 given recent changes in competitor pricing. Look for a new competitor to the Commodore 64... Magnum publishes a monthly list of the 100 best-selling computer books in the US. It's compiled from industry sources.

COMPUTE! Books has five titles in the top 100, and COMPUTE!'s First Book of VIC is number one for the second month in a row.

## **Reader Service Cards**

A first for **COMPUTE!**. In the back of this issue, you'll find reader service cards for the very first time. Use them to request additional information from advertisers. Simply look up the advertiser in the advertising index and circle the appropriate number. Remember though, if you're in a hurry to contact a particular advertiser, it's probably best to write or call directly.

## **COMPUTE!'s New Look**

As you'll notice as you explore this issue, we've made some subtle and significant changes in the overall design of the magazine. We think you'll find **COMPUTE!** even easier to read and enjoy. Thanks to everyone here for helping implement these changes.

Robert Jock

# The Home Accountant. The #1 best-seller.



It sells the most, because it does the most!

Publisher/Editor-In-Chief Publisher's Assistant	Robert C. Lock Alice S. Wolfe
Senior Editor	Richard Mansfield
Managing Editor	Kathleen E. Martinek
Features Editor	Tom R. Halfhill
Technical Editor	Ottis R. Cowper
Editorial Assistant	Charles Brannon
Programming Assistant	Patrick Parrish
Administrative Assistant	Vicki Jennings
Copy Assistants	Juanita Lewis Mary Parker
Associate Editors	Jim Butterfield, Toronto, Canada
	Harvey Herman, Greensboro, NC
	Fred D'Ignazio;
c/o COI Greens	MPUTE!, P.O. Box 5406 boro, NC 27403
	David Thornburg
P.O. Box	1317, Los Altos, CA 94022

Contributing Editors	Marvin DeJong Bill Wilkinson Gene Zumchak	
Art Director/		

Art Director/	Oi- Ddd
Production Manager	Georgia Papadopoulos
Assistant	Irma Swain
Artists	De Potter Jean Hendrix
Typesetting	Terry Cash
Illustrator	Harry Blair
Production Assistant	DaiRees

National Advertising	
Sales Manager '	Andy Meehan
Advertising Coordinator	Alice S. Wolfe
Advertising Accounts	Bonnie Valentino
Sales Assistant	Rosemarie Davis

Associate Publisher

Operations/Customer Service Manager	CarolLock
Coordinator	Fran Lyons
Assistants	Christine Gordon Dorothy Bogan Gail Jones Chris Patty Patty Jones
Shipping & Receiving	Jim Coward

Larry O'Connor

Accounting Manager	W. Jerry Day
Bookkeeper	Ellen Day
Accounting Assistant Assistants	Linda Roquemore Doris Hall Ruth Granger Anna Harris

Small System Services, Inc. publishes:

# COMPUTE! COMPUTE! Books

Corporate office: 625 Fulton Street

Greensboro, NC 27403 USA

Mailing address: COMPUTE! Post Office Box 540 Greensboro, NC 27403 USA

Telephone: 919-275-9809

Robert C. Lock, President W. Jerry Day, Vice-President and Comptroller Kathleen E. Martinek, Assistant To The President Sonja Whitesell, Executive Assistant

# **Coming In February**

Special Games Issue:

**How The Professionals Program Games** 

**Four Exciting Games:** Mastermaze, Slalom, Copycat, And A Day At The Races

**VIC And PET High Resolution Plotters** 

**Atari SuperFont Plus And Left-handed Joysticks** 

Apple High Resolution **Painter** 

Color Computer Relocation Calculator


Subscription Information **COMPUTE! Circulation Dept.** P.O. Box 5406 Greensboro, NC 27403

> **TOLL FREE Subscription Order Line** 800-334-0868 In NC 919-275-9809

### **COMPUTE! Subscription Rates** (12 Issue Year):

US	(one yr.) \$20 (two yrs.) \$36 (three yrs.) \$54
Canada and	
Foreign Surface Mail	\$25
Air	
Europe, US Possessions	\$38
Middle East, Central America and North Africa	\$48
South America, South Africa, Far East and Australia	\$88

# **Advertising Sales**



#### Phoebe Thompson and Associates 101 Church Street Suite 13

Los Gatos, CA 95030 CA 90274 PHOEBE THOMPSON

and Associates 2556 Via Tejon Palos Verdes Estates. JOANN SULLIVAN

**Phoebe Thompson** 

**GB & Associates** P.O. Box 335 Libertyville, IL 60048 GORDON BENSON

COMPUTE! **Home Office** 625 Fulton Street Greensboro, NC 27403 HARRY BLAIR Southeastern Sales Representative

Statler Office Building Suite 518 20 Providence Street

Boston, MA 02116 AL DALTON

Summit Office Center

7266 Summit Avenue Fort Washington, PA 19034 SHARON BRÖDIE


The Gittelman Company The Gittelman Company Address all advertising materials to: Alice S. Wolfe

Advertising Production Coordinator **COMPUTE!** Magazine

625 Fulton Street Greensboro, NC 27403 USA

Authors of manuscripts warrant that all materials submitted to COMPUTE! are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTEI, authors acknowledge that such materials, upon acceptance for publication, become the exclusive property of Small System Services, Inc. No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright © 1982, Small System Services, Inc. Rights to programs developed and submitted by authors are explained in our author contract. Unsolicited materials not accepted for publication in COMPUTEI will be returned if author provides a self-addressed, stamped envelope. Program listings should be provided in printed form (new ribbon) as well as machine readable form. Articles should be furnished as typed copy (upper- and lowercase, please) with double spacing. Each page of your article should bear the title of the article, date and name of the author. COMPUTE! assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of COMPUTEL

PET is a trademark of Commodore Business Machines, Inc. Apple is a trademark of Apple Computer Company ATARI is a trademark of Atari, Inc.





# AN INFORMATION MANAGEMENT SYSTEM FOR YOUR COMMODORE COMPUTER

InfoPro is a menu driven and interactive "information management" system for the Commodore 8032 computer. InfoPro uses "friendly" screen prompts that "guide" you from function to function. This makes InfoPro unusually easy to learn and just as easy to operate.

For Mailing List applications InfoPro can print up to 8 labels across and even has a built in "structure" with fields already pre-set. This structure can easily be changed to fit many other types of office jobs.

Another extremely powerful feature of InfoPro is Super Scan. The Super Scan feature acts like an "electronic filing cabinet" and provides the user with almost instantaneous access to the data stored in a file. The powerful Report Generator allows you to "select" information for printing based on up to 5 different parameters or criteria and to perform various math functions.

Another powerful and indispensable feature is InfoPro's ability to interact with the WordPro family of word processing programs. This provides the user with a "link" from the area of data information

management to the area of word processing, allowing the user to manipulate, sort, and select data by certain criteria, which can then be inserted into "personalized" letters, documents, overdue notices, etc. InfoPro will also allow you to ADD, DELETE or CHANGE your information "fields" any time you wish. This means that as your business changes, InfoPro has the flexibility to change with it.

As with all Professional Software products, InfoPro comes complete with a professionally written and fully-tested user oriented manual. InfoPro also includes a program ROM, and InfoPro System Diskette.

Start managing your information today.

Call us today for the name of the Professional Software dealer nearest

# Professional Software Inc.

51 Fremont Street Needham, MA 02194 Tel: (617) 444-5224 Telex: 951579

WordPro<sup>™</sup> and InfoPro<sup>™</sup> are registered trademarks of Professional Software

# **ASK THE READERS**

The Editors and Readers of COMPUTE!

# **High Vs. Low Resolution**

Could you explain the difference between hi-res and low-res graphics?

Mike Porter

The essential difference is that when a computer does not have the high resolution option, you are limited to a set of built-in graphics characters. These characters, like the letters of the alphabet, will be crisp and clear, but you cannot create your own special characters.

A great deal can be accomplished, however, by combining the different symbols of a built-in set. Cubes, stairs, and many other pictures can be created. It's like having perhaps 128 different shapes of paper. You can put them together in thousands of ways, but you can't customize them individually by cutting them with scissors.

High resolution, on the other hand, permits you to control the individual pixels (dots) anywhere on the TV screen. This means that you can create detailed figures of your own design – perhaps the Greek alphabet or an image of a starship – and that curved lines will look more like true curves. High resolution generally adds to the price of a computer, but does provide more flexible graphics, more visual possibilities. Alternatively, it is usually possible to add an optional high resolution capability to computers which do not offer it as a standard feature.

# Typing Programs From COMPUTE!

I have seen several programs in **COMPUTE!** that have a "^" symbol in them and there is no such character on my keyboard. Did I miss it in the instruction manual (I triple-checked)? This upsidedown V has stumped me. Also, what is the "-" symbol for? I know that an underline means to type the shifted version of whatever character is underlined, but what do you do when "-" stands alone?

Jim Lockridge

The "^" symbol indicates an "up-arrow" symbol (^) on Commodore computers and represents "to the power of" something. Whenever you see it, type the key with the arrow pointing upwards with respect to the keyboard. Hold down the SHIFT key and hit the SPACE BAR when you see an underlined blank. See the "COMPUTE!'s Listing Conventions" page in each issue.

# Atari 400: Can You Add Memory?

I am getting a computer in a few months, but I have a problem. Can the Atari 400 be expanded to hold more memory than it comes with? I constantly see ads for RAM expansion boards, but the ads for the 400 computer itself say "16K RAM (non-expandable)." Well, which is it?

Scott Bonder

Officially, the Atari 400 cannot be internally expanded. However, you can replace the 16K memory board inside your computer with a 32 or 48K board. Atari does not manufacture them, but several third party vendors do. There is even a 64K RAM board sold. Be aware, however, that opening your Atari 400 to replace the board might void your warranty.

# **How Can Chips Address 128K?**

I have two questions, one of which has been bothering me for some time. How can an 8-bit chip such as the new MOS 6509 and 6510 address more than 64K? Commodore's new P128 computer will have 128K RAM. How is this possible? Although the Commodore 64 has 64K RAM, you have stated that only 38K (52K for M.L.) is available for programming. Does this mean that software that had been embedded in ROM in previous CBM machines must now be soft-loaded upon power-up, or is it contained in a plug-in ROM cartridge?

My second question is if programs written for the Commodore 64 will run on the P128, and vice versa. I am particularly interested in the compatibility of the various plug-in cartridges that will become available.

Ron Dagostino

The 6510 chip will not address more than 64K of memory. The 6509 can, however, through a technique known as "bank switching," whereby large blocks of memory (banks) may have the same addresses. The microprocessor must then select which to use from among the banks. Details on exactly how the 6509 makes this selection are not yet available.

In any case, the 64K limit on memory addressing is not because the 6500 family of chips are eight-bit processors. Rather, it is a result of the chips having 16 address lines (2<sup>16</sup> = 65536). For example, the 8086



# LAST NIGHT WE EXCHANGED LETTERS WITH MOM, THEN HAD A PARTY FOR ELEVEN PEOPLE IN NINE DIFFERENT STATES AND ONLY HAD TO WASH ONE GLASS...

## That's CompuServe, The Personal Communications Network For Every Computer Owner

And it doesn't matter what kind of computer you own. You'll use CompuServe's Electronic Mail system (we call it Email™) to compose, edit and send letters to friends or business associates. The system delivers any number of messages to other users anywhere in North America.

CompuServe's multi-channel CB simulator brings distant friends together and gets new friendships started. You can even use a scrambler if you have a secret you don't want to share. Special interest groups meet regularly to trade information on hardware, software and hobbies from photography to cooking and you can sell, swap and post personal notices on the bulletin board.

There's all this and much more on the CompuServe Information Service. All you need is a computer, a modem,

and CompuServe. CompuServe connects with almost any type or brand of personal computer or terminal and many communicating word processors. To receive an illustrated guide to CompuServe and learn how you can subscribe, contact or call:

# CompuServe

Information Service Division, P.O. Box 20212 5000 Arlington Centre Blvd., Columbus, OH 43220

800-848-8990 In Ohio call 614-457-865

An H&R Block Company

# Apple Computer Inc., 20525 Mariani Avenue, Cupertino, California 95014

For the authorized Apple dealer nearest you, call 800-538-9696 (800-662-9238 in California.)

# Fruitful Connections.

There are more people in more places making more accessories and peripherals for Apples than for any other personal computer in the world.

Thanks to those people in hundreds of independent companies - you can make the humblest 1978 Apple II turn tricks that are still on IBM's Wish List for 1984.

But now we're coming out with our very own line of peripherals and accessories for Apple® Personal Computers.

For two very good reasons. First, compatibility. We've created a totally kluge-free family of products designed to take full advantage of all the advantages built into every Apple.

Second, service and support.



Now the same kindly dealer who keeps your Apple PC in the pink can do the same competent job for your Apple hard-disk and your Apple daisywheel printer.

So if you're looking to expand the capabilities of your Apple II or III, remember:

Now you can add Apples to

# A joy to behold.

The new Apple Joystick II is the ultimate hand control device for the Apple II.

Why is it such a joy to use?

With two firing buttons, it's the first ambidextrous joystick just as comfortable for lefties as righties.

Of course, it gives you 360° cursor control (not just 8-way like some game-oriented devices) and full X/Y coordinate control.

And the Joystick II contains high-quality components and switches tested to over 1,000,000 life cycles.

Which makes it a thing of beauty. And a joystick forever.

# Gutenberg would be proud.


Old Faithful Silentype® has now been joined by New Faithfuls, the Apple Dot Matrix Printer and the Apple Letter Quality Printer.

> So now, whatever your budget and your needs, you can hook your Apple to a printer that's specifically designed to take advantage of all the features built into your Apple. With no compromises.

> The 7x9 Apple Dot Matrix Printer is redefining "correspondence quality" with exceptional legibility. With 144x160 dots per square inch, it can also create high resolution graphics.

The Apple Letter Quality Printer, which gets the words out about 33% faster than other daisywheel printers in its price range, also offers graphics capabilities. See your authorized

Apple dealer for more information and demonstrations. Because, unfortunately, all the news fit to print simply doesn't fit.



# Up the creek without a paddle?

Or lost in space? Or down in the dungeons?

Whatever your games, you'll be happy to know that someone has finally come out with game paddles built to hold up under blistering fire. Without giving you blisters.

Apple Hand Controller II game paddles were designed with one recent discovery in mind:

People playing games get excited and can squeeze very, very hard.

So we made the cases extra rugged. We used switches tested to 3,000,000 life cycles. We shaped them for holding hands and placed the firing button on the right rear side for maximum comfort.

So you'll never miss a shot.

# A storehouse of knowledge.

and reliability, you need only store If you work with so much data or so many programs that you find one word of wisdom: yourself shuffling diskettes con-Apple. stantly, you should take a look at Apple's ProFile™ the personal mass storage system for the Apple III Personal Computer. This Winchester-based 5-megabyte hard disk can handle as much data as 35 floppies. Even more important for some, it can access that data about 10-times faster than a standard floppy So now your Apple III can handle jobs once reserved for computers costing thousands more. As for quality

# Launching pad for numeric data.

Good tidings for crunchers of numerous numbers:

Apple now offers a numeric keypad that's electronically and aesthetically compatible with the Apple II Personal Computer. So you can enter numeric data faster than ever before.

The Apple Numeric Keypad II has a standard calculatorstyle layout. Appropriate, because unlike some other keypads, it can actually function as a calculator.

The four function keys to the left of the numeric pad should be

of special interest to people who use VisiCalc.® Because they let you zip around your work sheet more easily than ever, adding and deleting entries.

With one hand tied behind your back.

microprocessor used in the IBM Personal Computer provides a 20-bit address which can directly address one

megabyte of memory  $(2^{20} = 1048576)$ .

The Commodore 64 has 64K of memory. BASIC ROM takes up part of this space, and quite a bit of RAM is used by the computer for pointers, screen memory, sprites, etc. This is why only 38K is normally available to the user. (See **COMPUTE!**, October 1982, for a 64 memory map.) You can bank-switch the 64 by POKEing address 1. POKE 1,6, for example, makes BASIC go away and the RAM "behind" it is available. The bottom three bits of address 1 are memory control bits and direct the computer's attention to the available alternatives. Of course, what takes control of the machine when BASIC is gone is up to you.

Look for an article on controlling the 64's "hidden"

RAM in an upcoming COMPUTE!.

Commodore is not yet sure whether the P128 will be software compatible with the 64.

# Can Atari Make Tapes For Other Computers?

It is my understanding that the programmable tone generators in Atari also generate the baud rate and tones used for cassette recording. If this is so, it should be possible to save programs in Kansas City Standard or other two tone formats, making possible the use of Atari editing features to prepare cassette tapes for other computers. How can this be actually done?

Steven S. Coles

While the Kansas City standard cassette interface is in use by many computers, it should be noted that it is far from a full standard. Most computers deviate from the original standard one way or another. One nearly universal deviation is to operate at 1200 baud rather than

the original 300 band spec.

The Kansas City standard uses a frequency of 1200 Hz to indicate a "0" bit and a frequency of 2400 Hz to indicate a "1" bit. The frequency change is performed when the waveform crosses the zero voltage level. The actual data transfer is usually done through as USART, but it is quite possible to simulate this in software. At this point we run into a brick wall: just about everybody saves the data on the cassette in their own way, so you will have to find out what method is used for the computer you wish to adapt to. If at this point you are still interested in giving it a go, I suggest you go down to your local library and drag out the April 1977 issue of BYTE. On page 40 you will find an excellent article by Carl Helmers on how to do it.

# **VIC Custom Characters**

I recently added 8K to my VIC-20. This causes new locations in RAM to be assigned to the start

of BASIC, the screen area, and color control area.

There is a technique for using custom characters on the 5K VIC-20 that involves moving down the end of the BASIC RAM working area from page 30 to page 28 and loading pages 29 and 30 with the custom characters. Every custom character program that I've seen uses this technique – POKE 56,28:CLR.

Both the screen RAM and custom character area must be located below page 30 in RAM to work. Unfortunately, with the 8K expansion (and without 3K) there is no space available below page 30. The obvious thing to do is to relocate the start of BASIC text from page 18 to page 30, since with 8K the top of RAM is page 64. This appears possible by changing locations 44, 46, 48, and 50 from 18 to 30. Unfortunately, it doesn't work. The RUN command results in a Syntax Error and GO TO yields Syntax Error in statement 0. (LISTS do work though.)

This wordy prelude leads to my question: Is it possible to have custom characters (and alternate screens) with the 8K expansion (and without the

3K)? If yes, how?

Dick Gough

Several readers have inquired about this. Unfortunately, there is no known solution at this time. Several programmers are currently working on this problem and we'll publish the answer as soon as it is solved.

# A Time-saving Tip

I'd like to share a trick I learned from the programmers who did our business software.

Make the first line in your program a REMark statement containing your SAVE command. For example:

10 REM SAVE 6, "INVENTORY", D80

or


#### 1 REM SAVE "INVENTORY",1.1

Then, whenever you make a change you don't have to remember where and how to save your program. Just LIST the first line, blank out everything before the SAVE command, and execute. It works equally well with tape or diskette.

Linda Johnson

# Atari's Right Cartridge

Aside from "Monkey Wrench" [a programmer's aid package from Eastern House Software], does anyone know of any cartridge that goes into the right slot on the Atari 800? Does Atari have any



# We've Got More Than A **Fond Attachment For Your**

We've Got A Disk Drive For \$488.

Percom Data Corporation believes your Atari\* home computer is more than just fun and games. We believe you should be able to get a single-density, floppy-disk-system for your Atari 400 or 800 at a price that will take you into the future without knocking you into the next galaxy.

Percom Data has been manufacturing disk-drive systems, and other accessories for personal computers since the mid-1970's and is the industry standard to follow when it comes to data separation and system compatibility.

The Percom Data AT-88 combines Percom Data quality and reliability at a price that is not a budget-buster.

The Percom Data AT-88 offers 88 Kbytes (formatted) in single-density, with plugin ease of attachment to your Atari. The AT-88 has integral power supply, "nopatch" to Atari DOS and critical constant speed regulation.

Take advantage of this low introductory price of \$488 by calling Percom Data now to get more information, or the name of an authorized dealer nearby. Call toll-free 1-800-527-1222



# **Expanding Your Peripheral Vision**

DRIVES • NETWORKS • SOFTWARE

11220 Pagemill Road Dallas, Texas 75243 (214) 340-7081
1-800-527-1222

plans to ever utilize this slot, or was it an idea that didn't pan out?

Bill Lukeroth

The problem with the right slot is that the Atari 400 doesn't have one. Atari has evidently abandoned applications for the right slot since such an application could not be used on the 400. Atari is committed to supporting both machines equally. Also, because a full 16K can be put on the left cartridge, it alone is enough space for most applications.

## **Commodore Time**

I have a VIC-20. On several occasions I have attempted to tally the amount of computer time utilized via the TI and TI\$ functions.

Could you explain first the purpose of TI? Can it be modified manually – set to zero? What does a printout of 1429292 mean? What is its relationship to realtime and TI\$?

Secondly, is TI\$ supported to count realtime? If so, can you explain why 6 hrs. 31 mins. would show up on TI\$ as 063639?

Lastly, is there any way to maintain a cumulative tally on the system of aggregate "on-time"?

D. L. Branam

You can tell Commodore computer's special time variable, TI\$, what time it is (or set it to zero so it can keep track of how long the system has been on) by treating it like an ordinary string variable. For example:

TI\$="033000"

would let the computer know that it was 3:30. This can be done either from within a program or by just typing it in from the keyboard in "direct mode." The string is arranged "HHMMSS" for the positions of hours, minutes, and seconds. It will take anything up to 240000 hours and must include all six numbers, even if a zero is in the first position as in the example above.

You can print out the time in a variety of ways. Here's one:

?LEFT\$ (TI\$,2) "/" MID\$ (TI\$,3,2) "/" RIGHT\$ (TI\$,2 or just:

? TI\$

TI is the numeric clock variable. It is set to zero when power is first turned on or when you reset the clock: TI\$ = ''000000''. The number in TI is counting time in 1/60ths of a second. To see TI:

10 ?"[HOME]" TI: GOTO 10

Six hours 31 minutes should be 063100 when TI\$ is printed out.

# **Atari Memory Expansion Problems?**

I own an Atari 800 with 16K memory and am careful about the quality of products I buy for my com-

puter. There seems to be a rumor going around about the 32K RAM memory board made to fit the 800 model. I've heard that adding this board can cause errors to occur in the computer's performance. Please tell me if it's true and, if so, how or why it happens.

Allen Levy

We have heard of no problems related to the use of a 32K board on an Atari 800. These expansion boards are not manufactured by Atari, but rather by third party vendors. The requirements of an Atari board are fairly specific: they must not use too much power and they have to be fast enough (200 ns. or better). We haven't heard, though, of problems relating to expanding memory with these products.

# **INPUT That Puts Anything In**

Here's an interesting Commodore input routine that I'd like to share with you. Ever notice that when you INPUT a string which has a comma or colon that the computer only takes in the part before the punctuation and then prints EXTRA IGNORED?

Here's how to get around it. Say you want to INPUT C\$:

10 GOSUB1000:C\$=B\$

20 PRINTBS:END 1000 BS=""

1010 GETA\$: IFA\$=""THEN1010

1020 PRINTAS;

1030 IFA\$=CHR\$(13)THEN RETURN: REM 13 MEANS THE RETURN KEY WAS TYPED

1040 B\$=B\$+A\$

1050 GOTO 1010

When you run this, you don't get the normal question mark. Now you can put in anything you want, but don't use A\$ or B\$ any place except in this subroutine. Whenever you want to put in a string, GOSUB to 1000 and, when you come back with RETURN, just let the string you're looking for (C\$ in this example) be equal to B\$.

George Trepal

This INPUT routine is great for people who will want to use a computer program, but don't know about avoiding commas, etc. Whatever they type, the program will take it in without stopping and going to an error message and then saying READY. It's also possible to use delete and insert to correct errors (but these "characters" will be included in the final string).

To prove it, run this and type TEST the first time. Then, when the program ends, type: ?LEN(B\$) to see how long B\$ is. You will get four as the answer. Now run it again and type TESX and then use the delete key to change the X back to a T. ?LEN(B\$) will now give you a six because B\$ still contains the X and a character for a delete. You don't notice these extra characters, though, because when B\$ is PRINTed, it puts the X on the screen and then deletes X, replacing it with T. It's too quick to see.

# **HOW TO MAKE YOUR VIC-20**

# AWESOME



Right out of the box, your VIC-20\* from Commodore is one great little computer.
And it gets even better with DATA 20's easy to buy, easy to install, and easy to use enhancements. Here are four ways you can get new power

and more sophisticated capabilities from your VIC...

VIDEO PAK gives you a computer that outperforms systems costing twice as much. Plug our cartridge into your expansion port, and your display instantly goes to the industry-standard 24 lines, with a choice of 40 or 80 upper and lower-case characters. At the same time, you up your memory from 5K to 20K or 70K, so you can handle more sophisticated functions—including most 8032 software. Our package also includes a terminal emulator and a screen print feature. VIDEO PAK is a must for word processing—and your key to increased performance on everything from games to spread sheets. Suggested retail is just \$299.95 including 16K—or \$399.95 for 64K.

PRINTER INTERFACE is simple, yet sophisticated. Flexibility, continuous visual monitoring of the data transfer functions, and easy installation make this an exceptionally smart buy! A glance at the status lights, and you know if the printer is hooked up, if the data buffer is full, and if data is being transmitted.

Easily configured DIP switches match your VIC-20 to most popular printers. The DATA 20 interface comes with cable and connector, needs no assembly, and virtually troubleshoots installation for you. Suggested retail: \$69.95


EXPANSION CHASSIS lets you use 4 cartridges at once. Run a series of compatible memory, software, or game cartridges of any make. Just pop in any cartridge with the standard 22-pin edge connector. And don't worry about your VIC-20 power supply—our chassis protects it with a built-in 500ma fuse. Suggested retail: \$64.95

MEMORY CARTRIDGE boosts your brainpower to 20K. Here's an ideal first add-on for your VIC-20. And when DATA 20 gives you more memory, you can forget about headaches. Our cartridge is housed in a rugged plastic case and features 200ns RAM's for reliability. Suggested retail: \$99.95

Check out our AWESOME peripherals. Ask your computer dealer for a first-hand look at our extensive capabilities, high quality, and very reasonable prices. Or send \$3.50 for a copy of our current catalog on VIC-20 compatibles.

DATA 20 CORPORATION

23011 Moulton Parkway, Suite B10, Laguna Hills, California 92653.





Price/Performance Peripherals

VIC-20 is a registered trademark of Commodore Computer Systems.

# **Questions Beginners Ask**

Tom R. Halfhill, Features Editor

Are you thinking about buying a computer for the first time, but don't know anything about computers? Or maybe you just purchased a computer and are still baffled by what personal computing is all about. Starting this month, **COMPUTE!** will tackle some questions which we are most frequently asked by beginners.

of computer were clearly superior, and if we at **COMPUTE!** were in a position to know about it, then it stands to reason that all of our editors would own that computer. But in fact, both at work and at home, we own and use many different computers. 'Nuff said?

# **Q:** Which is the best computer to buy?

A: The best one for your needs.

Seriously, we're not trying to duck the question. People ask us this all the time, in letters, telephone calls, and at computer shows we attend. We get the feeling they are never really satisfied with our answers, since what they really want to hear is something like, "Buy the Atapple ZX-20, it's definitely the best one." Unfortunately, we cannot give such an answer. For one thing, since **COMPUTE!** covers many machines, the magazine must maintain objectivity. But more importantly, there is no one right answer. All the computers have their own strengths and weaknesses, and all computer buyers have - or should have - their own ideas of what they need in a computer. We think nearly anybody who buys one of the major brands with a clear idea of his or her needs will be satisified with the purchase.

The key is to identify your needs and desires. If game-playing will be a major use of your computer, then color graphics and sound will be important features. Someone primarily interested in word processing may well have no need for either feature.

If you've looked hard and long at the various computers in a certain price range and still can't decide between them, then perhaps the differences are too slight to matter anyway. Or maybe you should base your decision not on the hardware, but on the available software. If the computer will be used primarily for educational purposes, and you're attracted by a particular line of educational programs, you may lean toward the computer that those programs are designed to work on. The programs may not be compatible with or available for another machine.

If you still think we are sidestepping the whole question, then consider this: If one brand

#### Q: What are PEEK and POKE?

A: PEEK and POKE are words (instructions to the computer to do something for you) in a computer programming language known as BASIC (Beginner's All-purpose Symbolic Instruction Code). BASIC is the standard language on home/personal computers. PEEK and POKE allow you, as a programmer, to work directly with the computer's memory.


PEEK allows you to examine the contents of a single memory location (known as a "byte"). Each memory location in a computer has a numbered address, sort of like houses in a city. In turn, each memory location *stores* a number which usually has something to do with the operation of the computer or a computer program. If you type PRINT PEEK (8502), the computer will PRINT on the screen the number stored in that address. Therefore, PEEK is often used in programs to determine if a certain number is stored at a particular location, usually as a prelude to changing the number to achieve some desired result.

POKE is the word that allows you to make those changes, to change numbers stored in locations in Random Access Memory (RAM) – that part of a computer's "user memory" which can be changed by the programmer. For example, if you type POKE 82,0, the number 0 will be stored at memory location 82. POKEs can often change some facet of the computer's behavior. Since each model's memory is arranged differently, PEEKs and POKEs will not achieve the same results on different computers (in the above example, POKE 82,0 will make the left screen margin zero on an Atari).

Q: What is a CONTROL key?

A: A CONTROL key (often abbreviated CTRL) is

# OUR GAMES ARE WORLDS APART FROM THE ORDINARY.



Games for the Apple and Atari computers.

Gamesters everywhere are discovering the many worlds of Brøderbund's Apple and Atari programs, and they're not going back to anything less. Because Brøderbund's entertainment software offers pleasures and perils found nowhere else in the galaxy.

Only Brøderbund can take you on a desperate rescue mission aboard CHOPLIFTER, then give you a fast lesson in train robbing with TRACK ATTACK. Next, try battling the metamorphic maze and slithery monsters found only in

SERPENTINE and LABYRINTH. Or enjoy the lively pinball action of DAVID'S MIDNIGHT MAGIC. Trouble shooters will find plenty of targets with STAR BLAZER, while DUELING DIGITS will put your mind and reflexes to their ultimate test.

So next time you're looking for new worlds to conquer, remember Brøderbund. You'll find the experience most extraordinary.

Call or write for our free catalog.

# Broderbund Software

Brøderbund products are available at your retailer or by writing to: Brøderbund Software, Inc., 1938 Fourth Street, San Rafael, CA 94901, Tel: (415) 456-6424 a special key found on many computer keyboards. In effect, it works something like a SHIFT key. Just as a SHIFT key adds a function to a regular key – i.e., changes a lowercase letter to uppercase, or changes the "4" key to a dollar sign – the CONTROL key also is used in combination with another key to select an additional function or symbol.


These functions and symbols vary among different models of computers. For example, holding down the CONTROL and "C" keys on an Apple II will usually stop (or "break") a BASIC program which is running. CONTROL-C on an Atari will print on the screen a small graphics character resembling the lower right corner of a box. On a Commodore VIC-20, CONTROL-C has no effect; another special key is used instead to print graphics symbols. The manual which comes with every computer explains the functions of its special keys.

TOLL FREE Subscription Order Line 800-334-0868 In NC 919-275-9809

### **NEW CBM-64 AND VIC-20 PRODUCTS**

\*\*\* CBM-64/VIC-20 PRINTER INTERFACE \*\*\*
Model MW-302 \$119.95

This unit will interface your VIC-20 or CBM-64 to standard parallel printers such as Epson, Centronics, C. Itoh, and many others. Allows printing of full upper and lower case.



\*\*\* SYSTEM 310 \*\*\*

\$1195.00

Consists of CBM-64, MX-80, Printer interface MW-302, and C2N cassette (CBM-64 sold separately for \$595)

\*\*\* DIGITAL TO ANALOG CONVERTER OR 8 CHANNEL ANALOG TO DIGITAL CONVERTER \*\*\*

Model MW-304v

\$129.95


Allows your VIC or CBM to output analog signals or digitize up to 8 analog channels.

MICRO WORLD ELECTRONIX INC

6340 W. Mississippi Ave. Lakewood Colorado 80226

(303) 934-1973

# Very, very, difficult!



The definitive, super-fast, multiple skill, shoot-out game for Atari®400/800™ with superb arcade-type realism.

Retail price for 16K cassette or disk: \$39.95 One or two player game. Coming soon: Venus Voyager, TimeWarp, and more programs by fine English software designers and authors



FNGLISH SOFTWARE TA

The English
Software Company

PO BOX 3185 REDONDO BEACH CALIFORNIA 90277 (213) 372-3440

Direct orders welcome.

1982. The English Software Company • Atari is a trademark of Atari. Inc. English Software is not related to Atari. Inc.

# **Computers And Society**

David D. Thornburg, Associate Editor

# The Computer As A Tool For Discovery

The notion that the development of low-cost computers is "revolutionary" is not a new one, but the word revolutionary is used so much that one is likely to dismiss it as pure advertising hype along with words like "new" and "improved." And yet those of us who have been involved with this industry since its inception are aware that the development of the personal computer is not, by itself, revolutionary just because it may bring computer technology into people's homes.

"Revolutionary" is a special word – it implies that a technology or tool causes far-reaching

changes in many aspects of our lives.

The development of the steam engine was revolutionary; the development of steam cleaning for carpets was not. The development of the telephone was revolutionary; the development of the answering machine was not. The development of the airplane was revolutionary; the development of in-flight entertainment was not.

Computer technology has had an impact that reaches far beyond the world of the computer itself. Computer users in industry and academia have known this for many years. Now that the power of the computer has reached the home, can we expect that people will start thinking about their world differently?

their world differently?

I think so.

The computer will help people to explore ideas that they wouldn't begin to explore if the computer hadn't given them the leverage to start thinking about them.

# **Beauty And Practicality**

As an example of this, let's explore the development of a new field of mathematics called "fractal geometry." I have touched on this branch of mathematics in the "Friends of the Turtle" column a few times. I am intrigued by it because it deals with topics of considerable beauty and practical interest. Its seeds were planted a hundred years ago, but it was only after the development of the computer that anyone was able to begin to advance this field beyond the crudest level.

I realize the risk of illustrating a computer application based on mathemetics, since it tends to reinforce the erroneous concept that computers are primarily mathematicians' tools. The only


reason for pursuing this example is because it is an interesting story in its own right.


In the late 1800s mathematicians were exploring some questions that went to the very foundations of geometry. One question of interest was if one could construct a curve that would fill a plane. At first thought, the idea of filling a two-dimensional surface with a curve made from a one-dimensional line is as absurd as asking for a roll of optically flat steel, or asking how many angels can dance on the head of a pin.

To the Italian mathematician Guiseppe Peano, this was a most intriguing question. In 1890 he published a proof that space-filling curves were, in fact, possible – that one could construct a curve that has the dimension of a surface. While this proof attracted the attention of several other mathematicians, the bulk of the academic community abhorred the thought of such "ill-

behaved" curves.

In 1904 Helge von Koch continued the pursuit of strange types of functions by publishing the discovery of the "snowflake" curve. This curve is created by preparing successive generations from a simple motif. The rule to be followed is that each new generation is made by replacing each straight line in the previous generation with a copy of the motif itself.





If this process is carried on to infinity, one gets a very strange curve indeed. First, the curve is everywhere bumpy – there are no smooth regions. Second, even though the curve has clearly defined boundaries, it has infinite length. Third, the curve has a "dimension" that is intermediate between that of a line and a surface. To mathematicians of the early twentieth century, this curve was monstrous. To the contemporary mathematician Benoit Mandelbrot, it represented the need for a new field of mathematics, to be called fractal geometry.

The history and development of this field is beautifully illustrated in Mandelbrot's new book, *The Fractal Geometry of Nature* (W. H. Freeman, San Francisco). Through the pages of this richly illustrated volume, the reader is treated to a new way of thinking about geometry and nature.

For example, if you want to model a coastline, you are far better off to use a fractal curve than a smooth approximation, simply because coastlines are not smooth. Coastal lengths depend on the ability of the measuring stick to follow the nooks and crannies along the way. A coarse measuring stick gives a result corresponding to an early generation of a fractal curve. As the length of the measuring stick gets smaller, the total measured length of a coastline grows ever larger. This is also true for fractal curves.

Where does the computer fit in all of this? The notion of defining a curve in terms of itself may challenge the imagination, but it has a simple implementation in computer programming called recursion. Furthermore, the speed and accuracy with which computer-driven plotters can graph the various stages of curves free the mathematician to study their properties without being bogged down in drafting.

Computer graphics plays another pivotal role in the practical application of fractal geometry as well, since it is the tool that allows the creation of the simulated landscapes seen in movies such as *Star Trek II*. This practical application of a branch of mathematics would not have been possible

were it not for the computer.


Those of you who read "Friends of the Turtle" know that fractal curves can be created on home computer systems using turtle graphics. Their expression in languages such as Logo is quite simple, and Mandelbrot's book provides hundreds of challenges for the interested programmer.

It is important to keep the role of the computer in perspective. The reason that these curves were not explored in depth in the early 1900s is that there was no appropriate tool to aid in their exploration. Now that the computer has made the study of fractals accessible to millions of people, one can expect the field to advance rapidly.

# I Call It Kring

I saw a T-shirt that carried the message: "Recursion is a way of expressing the infinite in finite guise." My friend Sam Savage (the computer scientist/mathematician that invented the jigsaw puzzle called "Shmuzzles") likes to play with the infinite recursively. While I have used Logo to tinker with the latest of his ideas, you may wish to implement them mechanically.

# **Consider The Kite**



If you're ready to learn intermediate BASIC programming

# **ISREADY FOR YOU!**

In Each Parentheses. Choose One:

If you're one of the (happy, smart, ecstatic) thousands who learned (quickly, clearly, non-boringly) to use their APPLE computers with our beginners' BASIC tutorial, The New Step By Step, then we (know, believe, swear) that Step By

Step Two is ready to (ease, breeze, squeeze) you into the (advanced, intermediate, grown-up) world of PEEK and POKE, hexidecimal numbers, concatenations, and (much, much, much) more.

On the other (hand, foot) if you didn't (grow with, thrill to, involve the whole family in) the PDI (learning, hands-on, fun) experience, here's what you missed:

- Teaching techniques that teach
- Involvement you enjoy
- Sounds that spur you on
- Graphics that simplify the complex
- Animation that makes this tutorial a stimulating experience.
- A friendly voice that guides you to course completion

The Step By Step Two program works this way:

· the computer program sets up screen displays or sample programs for you.



the cassette voice tells you what's happening.

you (deal with, figure out, guess at) the answer.

- the computer (praises, pans) your work.
- · you (peruse, plunge into, practice in) the Work Book.
- after each lesson, you're (quizzed,

queried, questioned) · vou're then (prepared, practiced, primed) for the next lesson.

 the final exam reveals all (superstars. slackers).

There's lots to learn in Step By Step Two:

- · PEEK & POKE
- Default values
- · Memory map
- · CHR\$ and ASC functions
- · control
- CALL program characters · ASCII codes · RAM vs ROM
  - hexidecimal numbers
  - machine monitor
    - · string logic
    - string arrays
    - high resolution graphics
  - · screen memory

But don't take our (word. words, wordiness) about how (good, great, grand) the Step By Step

\*Apple is a trademark of Apple Computer Corp.

method is. Listen to our (critics. reviewers, friends):

"If you want to learn BASIC or would like a little guidance and encouragement added to what you already know, then the way to go is Step By

"The Step By Step approach is the next best thing to having an experienced programmer by your side... Step By Step is a superb example of a successful blend of various media. The teaching principles are sound, the execution is virtually flawless, and the whole thing works." —Popular Computing.

If you want to move ahead in BASIC programming, the next (simple, logical, shrewd) step is Step By Step Two.

Step By Step Two is available at fine retail stores or direct from PDI for \$89.95 plus \$3.00 shipping and handling. (The package includes backup discs.)

P.S. If you've yet to take your <u>first</u> step into BASIC, it's time to get *The* New Step By Step! Same great tutorial techniques, for \$79.95 plus \$3.00 shipping and handling.



Program Design, Inc. 11 Idar Court Greenwich, CT. 06830 203-661-8799

And so on, reducing the area of each kite and placing them closer and closer together.

If we keep repeating this process, we will end up with a substance I call kring – a combination kite/string that rises straight up in the air as it is unfurled.

Q popular

Now that's revolutionary!

# AREN'T YOU LUCKY GAME DESIGNERS

# THE MIRACLE OF CREATION CAN BE YOURS

# INTRODUCING A GAME DEVELOPMENT SYSTEM FOR THE ATARI® VCS

We call it the **FR0B**<sup>TM</sup> and we supply you with just about everything you need.\*

You get an Apple® accessory printed circuit board and an in-circuit emulation cable and two cartridge adapters and a diskette full of software subroutines and a user's guide to the system and a subscription to the FROBBER<sup>TM</sup> newsletter and a one-year software update service and licensing support for your game concepts.

## We call it the FROB

If you want to know more, call 408-429-1552 or write to: FROBCO, a Div. of Tri-Comp Polytechnical, Inc., P.O. Box 2780, Santa Cruz, CA 95063

\*Requires an Apple II and Atari VCS with no modification to either machine. Atari and Apple are registered trademarks of Atari. Inc. and Apple Computer Increspectively.

# 0

# PINBAL NOW AVAILABLE ATAR

#### Features:

- 10 selectable modes of play, including Easy, Competition, High Speed, and Cosmic.
- 40 user-adjustable parameters: create and save your own custom games.
- an instruction card, a hi-score disk label, and a 16-page manual explaining all of the variations available.
- o all for only \$29.95



713 Edgebrook Drive Champaign, IL 61820 (217) 359-8482 Telex: 206995



# See your dealer . .

or for direct orders, specify ATARI 400/800 (32K) cassette or disk. APPLE II (48K) disk. Add \$1.50 and indicate UPS or first class mail. Illinois residents add 5% sales tax. Visa and MasterCard accepted.

# JOURNEY THE PLANETSTM

A space, adventure, and arcade action game for your ATARI® 400/800™ personal computer.





What is your favorite type of game; space, arcade, or adventure? "Journey To The Planets" presents an intriguing combination of all three as you find yourself on a strange planet in a strange universe. Luckily, the local gods are friendly and supply you with energy, a spaceship, and weaponry. In turn, you agree to search the universe for treasures for the gods. Board your ship, take off, accelerate through the upper atmosphere and out into space. Your flight should take you past many other inviting planets. With a slow approach and skilled maneuvering, you drop down through the planet's sky to a soft landing on its surface. Disembark and wander through several TV screens full of mystery and excitement. A different adventure awaits you on each planet.

A 32K assembly language program written for your ATARI® 400/800<sup>™</sup> computer.

Planetary adventures are designed to exercise your puzzle solving intellect, with arcade action thrown in to enhance the excitement. Although you are given as much time as necessary to solve each adventure, your score, which is based on many factors, favors those who are speedy.

After you capture all the treasures this universe has to offer, return to your adopted planet. Who knows, the gods may be so happy that you can convince them to send you back to your real home. You can't get there without their help!

Available from your local Atari retailer or send \$29.95 in check or money order (California residents add  $6\frac{1}{2}$ % sales tax) to JV Software Inc.

Atari and 400/800 are trademarks of ATARI, Inc.

Other products by JV Software include Action Quest and Ghost Encounters, both 16K real time adventure games. Available on cassette or diskette for \$29.95.

JV SOFTWARE, INC

3090 MARK AVE. SANTA CLARA, CA 95051

# MISQUING SYNTHESIS.

Tom R. Halfhill, Features Editor

Synthesized computer music is a recent development, but inventors have been working on "synthesizers" for decades. Today's home computers and microchips are now starting to open a new world of music and sound for everyone.

Hal Chamberlin, a leading authority on computerized music, remembers the days when adventuresome programmers used transistor radios and even line printers to squeeze music from their early computers.

"People used to tune a little AM radio to an open frequency and hold it next to their spacebars and listen to the sound of [program] loops," recalls Chamberlin, vice president of engineering for Micro Technology Unlimited in Raleigh, North Carolina.

The method worked because pulses flowing through the computer's logic circuits would emit radio frequencies which "leaked" from the computer into the radio's receiver. The programmers on these early IBMs – fiddling around when the boss wasn't looking – soon learned they could play different notes and tones by writing little machine language programs with carefully timed loops.

"They even used to make music by 'playing' the printer," says Chamberlin. "They found out they could control the little hammers in the printhead with a machine language program. So they wrote programs to fire the printhead hammers in a certain pattern to create rhythms.

"Of course," he adds, "it wasn't so great on the printheads."

Such experiments seem crude, even quaint, in this day of computerized music synthesis and home computers with built-in, multiple-voice sound synthesizers on a chip. But these early efforts illustrate that today's "modern" sound devices are really the result of years of research, inventing, and just plain fooling around.

In fact, people have been working on sound synthesizers since the 19th century. And although today's computerized synthesizers seem incredibly advanced in comparison, the leading experimenters in the field believe electronic music is only starting to make itself heard.

# Telharmoniums, Theremins, And Rhythmicons

The first music "synthesizer" was built between 1896 and 1906 by American inventor Thaddeus Cahill. He called it a "Telharmonium." The Telharmonium is to modern synthesizers what ENIAC is to modern computers. The Telharmonium weighed more than 200 tons, and moving it to New York from Cahill's lab required several railroad flatcars.

Since the Telharmonium was a pre-electronic instrument, it functioned by means of electric drive motors, pulleys, belts, and gears. Yet it was similar in basic concept to today's synthesizers. It was *polyphonic* (as opposed to *monophonic*), meaning it could play more than one note at a time and thus create chords. It was equipped with a standard music keyboard, but the controls were so complicated that it took two people to play the thing.

The loudspeakers worked mechanically, and the machinery required to generate enough current to drive the speakers was so noisy that part of the Telharmonium had to be housed separately from the listening room. Unfortunately, after ten years of Cahill's work, the Telharmonium was a commercial failure.

For one thing, it was obsolete soon after it was finished. The diode tube was invented in 1904, followed by the triode tube in 1915, which made electronic amplifiers possible. It wasn't long before tube-powered electronic instruments began appearing.

The most successful of these was an instrument invented between 1920 and 1924 by Leon Theremin, originally called an "Etherophone" or "Thereminovox" but now known simply as a "Theremin." This odd instrument was played without being touched – the musician passed his or her hands through the air near two antennas which controlled the pitch and volume. To say the least, this made a Theremin very hard to play, since there were no pre-defined notes like the keys on a piano or the frets on a guitar. Still, Theremins became popular in the late 1920s.

Leon Theremin invented another electronic instrument in 1931 – the "Rhythmicon," the first electronic rhythm instrument. The Rhythmicon was quite sophisticated with features which have appeared on rhythm synthesizers only recently.

# A SPEECH SYNTHESIZER ADISK



# That's why Apples and Ataris are saying: "Talk Is Cheap"

# IT'S CALLED THE SOFTWARE AUTOMATIC MOUTH, S.A.M. FOR SHORT

It's a high quality speech synthesizer created entirely in software. You use it as a software utility, load it into RAM. and then use your machine as usual, except now you can make your programs talk. It generates the speech sounds on demand, so there is no limit to what it can say.

When you hear S.A.M., you'll probably agree that it sounds better than all the hardware speech synthesizers for Apple or Atari computers. And, it has a truly remarkable price.

# YOU CONTROL INFLECTION.

PITCH AND SPEED
With its user-variable inflection, S.A.M. can accent words on the right syllable and emphasize the important words in a sentence.

You can also make S.A.M.'s speech higher or lower, and faster or slower, over a wide range of settings.

# USE EASY PHONETIC INPUT OR PLAIN ENGLISH TEXT

S.A.M. understands a simple phonetic s.A.M. understands a shiple priorietic spelling system, not a mysterious alpha-numeric code. S.A.M. helps you learn phonetic spelling by showing you your mistakes, and the owner's manual gets you started with an English-to-phonetics dictionary of 1500 words. So it's easy to make S.A.M. produce exactly the sounds you

But suppose you want to type ordinary English, or you want your machine to read a word processor file aloud. The S.A.M. disk comes with RECI-TER, an English textto-speech conversion program that lets S.A.M. speak from plain English text.

#### ADD SPEECH TO YOUR PROGRAMS WITH EASE

with EASE
In a BASIC program, you add speech
with just a couple of commands. In a
machine language program, it's just as
easy. S.A.M. comes with four demonstration programs to show off its distinctive features and help to write your
own talking programs. Write adventure
games with talking characters, educational programs that

tional programs that explain aloud, or utilities with spoken prompts - put your imagination to work.

You can order S.A.M. directly from DON'T ASK. Add \$2.00 for shipping and handling to your check or money order (or order C.O.D.)

S.A.M. for the Apple II/II+ Includes an 8-bit digital-to-analog converter and audio amplifier on a board.

Only \$124.95 Requires 48K, disk. (S.A.M. takes up to 9K; RECITER 6K.) You will also need

#### S.A.M. for the Atari 400/800

S.A.M. for the Atari 400/800
S.A.M. talks through your television speaker. No additional hardware is required. Only \$59.95
Requires 32K, disk. (S.A.M. takes up 9K; RECITER 6K.) Note: to produce the highest quality speech, S.A.M. automatically blanks the screen during vocal output; the display is preserved. S.A.M. can talk with the screen on, but the speech quality is reduced. the speech quality is reduced.



2265 Westwood Boulevard, Suite B-150 Los Angeles, California 90064 Telephone (213) 397-8811

Hear S.A.M. at your favorite computer store today! Dealer inquiries welcome. Apple is a trademark of Apple Computer, Inc. • Atan is a trademark of Atan, Inc.

# THE 40/80 VIDE



# OCARTRIDGES

Quantum Data, Inc. (QDI) produces two (2) 40/80 Video cartridges, the 40/80 Video Combo Cartridge with 16K basic user memory, and the 40/80 Video Cartridge which does not contain memory.

The 40/80 Video Cartridge and Video Combo Cartridge is the means to upgrade the VIC-20 computer to a 40 x 24 or an 80 x 24 character display which provides a wealth of new uses for the VIC-20. With the appropriate software, you can now accomplish quality word processing and various business functions that previously were very difficult to achieve with only the VIC's standard 22 character video display.

- Features a high quality 8 x 8 dot matrix
- Character-by-character reverse video attributes allowing adjacent characters to have different attributes.
- Black & White composite video (6545 controller does not support color). The Black & White composite video output has the same connector as the VIC video output, 5 pin DIN jack.
- Includes two character sets: The ANSI standard 7-bit character set and the Commodore character set. The ASCII character set features all of the standard lower-case and upper-case letters, symbols and numbers. The character set is contained in a standard 2716 EPROM. It is used most often to allow the 40/80 column cartridge to display all of the Block Graphics supported by the VIC-20.
- Cannot be used with abbreviated commands nor does it support multiple line wrap around.
- Operates in VIC-20 Block Graphic mode.
- Features lower-case dot descenders.
- All features are accessible through BASIC using POKE commands (screen memory resides at \$B800 through \$BFFF).
- Contains 2K of CMOS internal video RAM; no system RAM is used by the Video Cartridge.
- Plugs directly into the VIC-20 memory expansion port or a Mini-Mother or Maxi-Mother board.
- Is small in size: 61/2 x 41/2 inches encased.

The 40 character mode may be easily viewed on most standard T.V. sets but a monitor is required for the 80 column mode to provide the necessary additional resolution.

Video Combo \$31995 Video Cartridge \$21995



The most popular electronic instrument of the past half-century was invented in 1935 by Laurens Hammond – the Hammond organ, still widely used.

But although these devices were electronic *instruments*, music historians trace the origin of electronic *music* back to Paris in 1947-48. Acoustical engineer Pierre Schaeffer and composer Pierre Henry began experimenting with new sounds by using electronic filtering, speed changes on tape recorders, and other manipulation tricks done in studios. Their technique became known as *musique concrète*, and was quickly picked up by tinkerers elsewhere. By 1952, the first concert of electronic music was sponsored by Columbia University at the New York Museum of Modern Art.

The problem with these techniques was that it took many hours of tedious tape splicing and other tricks to produce only a few brief minutes of sound. And musicians couldn't even hear the results until they were done. That's why there was a lot of interest during the late '50s and early '60s in instruments which could produce electronic music directly. Even the old Theremins from the '20s – updated with transistors – were resurrected.

## **Toward A New Form Of Music**

Robert A. Moog – whose name is virtually synonymous with sound synthesis – was selling kits for transistorized Theremins in the early '60s when he was inspired to invent his own electronic instrument. The result was the Moog Synthesizer, first built in the summer of 1964.

Although recognized by electronic musicians as an important development, the Moog Synthesizer was practically unknown to the general public until a few years later, when it was featured on a record album entitled *Switched-On Bach*. The album was a collection of Bach compositions performed entirely on a Moog Synthesizer by musician Walter Carlos. Almost instantly, *Switched-On Bach* catapulted up the charts like a pop record, and became the biggest-selling classical record of all time. It was especially popular with teen-agers, who astounded their parents by playing electronic Bach along with their Beatles and Rolling Stones records.

However, a few classical music devotees, stunned by the album's popularity, dismissed the electronic interpretations as "artificial." Some critics, although they are decreasing in number, argue that music which is synthesized by purely electronic means is somehow artificial or unnatural when compared to conventional instruments.

Today, Moog counters these arguments with: "The fact is, you don't find musical instruments in nature. The only 'natural' musical instrument is a human voice. The fact that a synthesizer produces its music by electronic means doesn't mean

it's 'artificial' in any sense. It's no more artificial than taking a bunch of wood and gluing it together into a box and stretching some strings over it to produce sounds."

Electronic musicians, of course, never had any doubt that their instruments deserved equal billing with violins and woodwinds. In fact, years ago they recognized synthesizers as a rare historical opportunity to open a new world in music. Although synthesizers are often used to mimic "conventional" instruments, the most exciting electronic music takes advantage of the synthesizer's power to create totally new sounds. This provides the possibility of entirely new forms of music.


For example, would rock 'n' roll have happened without electric guitars? Did the invention of a musical instrument with a totally fresh sound spur the rise of a new genre of music? For the members of a whole generation, rock has become the dominant musical style. Synthesizers are now used in virtually every form of music, but even Moog isn't sure if they will "liberate" themselves and spark a new form which could replace rock. "Musicians are moving in so many different directions these days that it's hard to say if a new musical form will emerge."

It may be too early yet for the birth of a dominant musical form based on synthesizers, since the instruments themselves are changing so rapidly. Not only are they advancing technologically almost day by day, but the rising use of microchips is just beginning to make them affordable for everyone. To return to the rock 'n' roll analogy, it would have been difficult for the teen-age groups of the '50s and '60s to arise if electric guitars had cost thousands of dollars. Or if radical new advances were constantly rendering three-year-old guitars obsolete.

Synthesizers, on the other hand, are still passing through important phases in their development. Moog foresees a trend away from analog sound synthesis to digital, or at least to digitally controlled analog instruments. "There's so much more you can do with digital sound synthesis, especially in small keyboard instruments like the little Casios or Yamahas you can buy very inexpensively."

About a year ago, Moog set up a new company – Big Briar, Inc. – and relocated to a small town in rural North Carolina to work on such developments. Among his frequently used tools, he says, is an Apple II microcomputer. Mindful of the baffling array of controls on modern synthesizers, he's experimenting with new types of control devices aimed at making synthesizers easier to play. But he warns that the complex instruments will never be a cinch.

"Musical instruments will never be easy to



VIC-20® The Wonder Computer of the 1980's. Less than \$300. One heckuva lot of fun. But if you're using your VIC-20 strictly for recreation and fun, we at Micro-Systems think you're not getting your money's worth. Because we've designed the Micro-Systems IEEE-488 Cartridge which allows you to interface VIC and CBM 64 to all existing Commodore IEEE peripherals (8050, 4040, 2031, and printers). In addition, we've designed the RS-232 Interface board to allow the VIC-20 and CBM 64 to communicate with various serial devices such as printers, modems, and other systems—NOT JUST A BUFFER DRIVER. Also available is Micro-Systems Modem for the VIC-20 and CBM 64 which allows your computer to utilize auto-dial and auto-answer control over the communication process. If you need to access more than one cartridge in your VIC-20 expansion port, we have the solution. The V-Expander is now available with 3 or 6 additional expansion ports. The 6-slot V-Expander is switch selectable.

CIE Cartridge [IEEE-488] VIE Cartridge [IEEE-488]		Available from Micro-Systems	VTE/CTE-Terminal Communicator program for VIC and C64
C-232 RS-232 C64 Interface V-232 RS-232 VIC Interface V-Modem V-Expander [3-slot] V-Expander [6-slot] VIC-1210 3K Expansion	_\$ 45.00 _\$ 45.00 _\$ 129.00 _\$ 49.95	VIC-20 Color Computer       \$ 195.00         VIC-1541 Single Disk Drive       \$ 475.00         VIC-1525 Graphic Printer       \$ 345.00         VAC-Audio Cassette Interface       \$ 29.95         VMC/CMC-VIC & C64       \$ 19.95         Monitor Cables       \$ 19.95         Joy Stick [Arcade Quality]       \$ 29.95	Cassette \$ 10.00 Diskette \$ 15.00 VT 40-VIC 40 Col Terminal Communicator Cartridge \$ 65.00 Super Expander \$ 65.00 Programmers Aid Cartridge \$ 55.00 VICMON Machine Language Monitor \$ 55.00 Intro to Basic Programming \$ 24.95

Yes, Please se	end me:		- IMMEDIA	ATE DELIVERY
QTY.	MODEL#	NAME	PRICE	Address
				CityStateZip
				payment method: Check  Card-Exp. Date  Master Card #
Er au				Visa #
TOTAL (In	n Texas, add 5%	sales tax)		American Express #Signature

play," he says. "If it's too easy to play, most musicians would say it's not a musical instrument, because you usually can't do much with an instrument that's 'easy to play.' It has too many limitations."

Still, as synthesizers get easier to manage and less expensive, they become more accessible to the average musician – and thereby more widely heard and appreciated by music listeners. Pop music historians may recognize this trend as the same sort of breeding ground for rock created by 45 rpm records in the '50s.

# SID: Synthesizer On A Chip

One important way in which synthesizers are becoming accessible to people is within home computers. Virtually every new model introduced in recent years has featured more sophisticated sound capabilities.

· Unfortunately, up to now, the sound capabilities have attracted less attention than the often more glamorous feature: graphics.

"Well, in terms of the human senses, sound inherently takes a backseat to sight," notes Frank Covitz, a New Jersey research scientist whose sideline is computer music. "Sight is the more important sense, so computer graphics naturally gets more attention."

For instance, very little has been written on the Atari computer's sound capabilities, although the built-in four-voice sound chip has represented the state-of-the-art in home computers for the last couple of years. Almost all the attention has been focused on the Atari's graphics. Perhaps this will change now that a computer with even more advanced sound has appeared on the market – the Commodore 64 with its SID (Sound Interface Device) chip.

The new SID chip is generating lots of interest among computer music enthusiasts. It may well be a herald of the sound capabilities of tomorrow's home computers. "I think machines of that class [home computers such as the 64] in the future will be expected to have sound chips, just as they are expected to have the BASIC built into them now," says Chamberlin, the MTU engineer. "For one thing, the sound chips are relatively cheap in large quantities, so there's no real reason not to."

SID is a hybrid digital/analog device with programmable attack, decay, sustain, and release for each of its three voices, a master volume control, a choice of four waveforms, 16-bit frequency resolution over a nine-octave range, and programmable high-, low-, band-, and notch-pass filters.

"The SID chip is basically a synthesizer on a chip," says its designer, Bob Yannes. "I played with synthesizers for years, so I'm quite familiar with them. I tried to put it all on a chip with the

SID chip."

Yannes designed SID while an engineer for MOS Technology, which is owned by Commodore. He recently left Commodore to form his own company, Peripheral Visions, Inc. Although he won't say for sure what new products his company will introduce, it seems likely that computerized sound devices will be among them. He says chips such as SID are the key.

"There's no reason we can't take music systems being sold now for \$4000 and bring them out for consumers for around \$400 or \$500 – a ten to one cost reduction. I consider the [Commodore] 64 to be only the first step. In the future I'd like to see something totally digital. I think that's the way to go.... I pretty much got the features that I wanted out of the SID chip in the 64, but not the performance I wanted. But now that I've done it once, I think I have a better idea about how to go about it next time."

Yannes says he was given specifications by Commodore only to develop a "sound chip," and then he decided to make it as much like a synthesizer as possible. But he had to work within the limitations of marketing considerations. For example, although SID allows each voice's envelope to be individually programmed, all three voices share the same volume control.

"I had to put separate envelope controls for each oscillator [voice] into the SID chip in order to satisfy the video game/sound effects marketing demands. If I had my way, the three oscillators would work in unison to create one voice. Anyway, that's why there're separate envelope controls for each oscillator but only one peak amplitude [volume] control – it was designed to function as one voice. You could vary the attack of the different oscillators, for example, to get a brassy sort of sound that way."

But Yannes bestowed SID with yet another feature to compensate for this limitation – an input line. It's possible to feed an outside sound source into a computer equipped with SID, process it through the chip's filters and volume controls, and output the extra source as a "fourth voice" in accompaniment with SID's regular three voices. In the case of the Commodore 64, for instance, the outside source would be routed through the RF modulator to the TV speaker – or a stereo system.

What kind of outside sources can be fed into SID? "You name it," says Yannes. "Tape recorders, radios, electric guitars, even another SID chip."

Note that last item: another SID chip. "One thing I thought you might be able to do is chain a bunch of SID chips together to get even better sound, without having to use external hardware," explains Yannes. "I designed the SID chip as a

From "The Editor's Feedback" Card, a monthly part of our continuing dialogue with readers of **COMPUTE!**. These are responses to the question,

# "What do you like best about COMPUTE!?"

1. "It is written so a beginner can read and understand it... it's layman oriented..." 2. "Clear, clean layout, good presentation..." 5. "The Atari game programs..." 4. "Best and most information on PET..." 5. "Cover to cover, and all in between..." 6. "Reviews of software and hardware..." 7. "Good balance of application and technical articles..." 8. "It is the best source of info about various levels of VIC/PET/CBM machines and applications..." 9. "The BASIC and machine language programs..." 10. "I like programs that can be typed into a computer, run, and then used right away (a program without bugs!)..." 11. "That it is organized well, and covers a broad range of information concerning Atari. Keep it up! please, I'm learning..." 12. "Table of contents listings and computer guide to articles is a great idea. Best magazine for personal home computer users..." 13. "Best I have found for VIC info..." 14. "Informative articles: 'Secrets of Atari', Game programs, especially programs that teach the reader about the Atari..." 15. "I like all the articles and programs for my computer, the PET. I've learned and found out things about it that I never even thought existed. Other magazines don't have too much material for the PET and, for that reason, I find COMPUTE! invaluable..." 16. "The up-to-date hardware reviews..." 17. "Machine language utilities for Atari..." 18. "Articles are terse but understandable and accurate. Utility and applications program listings very helpful..." 19. "The April, '82 issue is my first. I am impressed that you not only acknowledge the VIC-20, you even have applications for it..." 20."I really enjoy (since I am one) the Beginner's Page..." **21.** "The attention it gives to Atari and the easy-to-understand language it's written in..." **22.** "It is concerned with explaining programs, not just listing them. It is the best VIC magazine I could buy..." 23. "The new table of contents 'Guide to Articles and Programs' is excellent, particularly the indication of 'multiple computer' items..." 24. "Broad range (sophistication) of programs..." 25. "You don't speak over the average user's head..."

Whether you're just getting started with personal computers, or very advanced, you'll find useful, helpful information in every issue of **COMPUTE!** Magazine. We specialize in supporting the Atari, PET/CBM, VIC-20, and Apple computers. Editorial coverage is expanding to include the TI-99/4A, the Sinclair ZX-81, and the Radio Shack Color Computer.

Every issue of **COMPUTE!** brings you user-friendly articles, applications programs, and utilities you can type right into your computer and use. To subscribe to **COMPUTE!**, or to order a sample issue, use the attached reply card or call our toll-free number. **COMPUTE!**... We're the resource for thousands and thousands of home, educational, and small business computer users. Shouldn't you be one of them?

1 year, twelve issue subscription: \$20.00 in the US.

# Call Toll Free in the US 800-334-0868 In NC call 919-275-9809

standard 6502 peripheral chip with all the proper bus signals. You could put some SID chips in a cartridge and plug it into the 64, or the VIC-20, or the Atari – any 6502, 6809, or even 68000 system, even the Radio Shack Color Computer. It only requires 32 address locations, and the chips are pretty cheap, so there's not much to stop you."

It's an exciting prospect, but Commodore controls the SID chip, not Yannes. And for now, Commodore needs virtually all the SID chips it can make to meet demand for the new 64, plus the upcoming Max Machine, P Series, B Series, and BX Series computers soon to hit the market.

Still, a few SID chips have reached private hands, and the results are fulfilling their creator's hopes.

# The Synthesizers Of Tomorrow

Chamberlin, the MTU engineer, got four SID chips from his friend, Yannes. Chamberlin used them to make a prototype sound board for the MTU-130. a high-end personal computer for which he designed most of the circuitry. He then passed the board and SID chips along to another friend, Frank Covitz, the New Jersey research scientist. Covitz added four more SID chips to the board, for a total of 24 individually programmable voices. The board is plugged into an MTU-130 equipped with an organ keyboard which, in turn, is controlled by its own 6502 microprocessor.

The instrument made its first public appearance recently when Covitz's son, Philip, gave a performance at the Personal Computer in the

Arts Festival in Philadelphia.

Ironically, Covitz says he didn't play his own invention at the festival because he's not a good enough musician. But he's working on software which not only will exploit the instrument's souped-up capabilities, but which also will make it playable by mediocre musicians. This is called non-realtime playing.

Musical instruments are usually played in what's known as realtime: the music is heard instantaneously as the musician plays the instrument. When an instrument is played in nonrealtime, the keying of notes is a separate event from the playing of the music. Notes are entered (the computer instrument is programmed), and

then played back (the program is run).

An example of this on home computers is the Atari Music Composer cartridge. Essentially, it does for music composition what word processing does for writing. Notes are entered on the computer keyboard and plotted on staffs drawn on the screen. The notes, measures, and phrases can be edited and arranged at will, then played back at the touch of a key. Similar composition programs are available for other personal computers.

"One of the things that computers can do is

change music from a physical endeavor to a programming endeavor," says Chamberlin. "That's one of the reasons why I got into computer music - my total lack of dexterity. Even if you're a total butterfingers like me, you can experiment with computer music."

Covitz is striving to push the concept even further. He's added four special keys to his prototype board: Record, Play, Fast Forward, and Rewind. But don't mistake it for a conventional tape recorder – the keys are similar in function,

but not in method.

When the Record button is pressed, the computer will "remember" whatever music is played. But no recording tape is involved. Instead, each keypress on the organ keyboard generates information coded in four bytes: which key was pressed, the velocity (how hard the note was played), and the exact moment the key was pressed, accurate to a split-second. Another four bytes of information are generated when the key is released, for a total of eight bytes per note. All this information is stored in memory so the music can be reconstructed later.

After a musical part is "recorded," the Play button can be used to play it back - in accompaniment with a matching musical part played by the musician on the organ keyboard. And this duet, in turn, can be "recorded" in memory by a second unit. Using just two of these "memory recorders," the process can be repeated again and again, lay-

ering sound upon sound.

While the same thing can be done with conventional tape recorders, the sound would deteriorate with each generation of re-recording. Tape hiss and other defects would soon overcome the music. But since Covitz's instrument "records" the sound digitally, there is no degradation whatsoever. Beyond that, the music can be "edited." If a note is missed, the musician can correct it by rewriting the correct values into memory.

"This is what I see as the ultimate system," says Covitz. "Right now, this software doesn't exist anywhere except in my mind. I'm in the process of working on this now, and it's all being

done in machine language."

The brief history of home computing – and indeed, home computing itself – indicates that advanced technology eventually works its way down to the personal level. It's not hard to envision the day when plug-in organ keyboards and cartridges with add-on synthesizer chips will transform home computers into the kind of instruments Covitz is experimenting with now.

"Seeing what the SID chip can do, and do digitally, I expect you'll see an explosion of that sort of thing," says Covitz. "There has to be. It doesn't require very much hardware. There definitely will be an explosion in complexity."



# FAST ENOUGH FOR THE HUMAN RACE

Our alien won't hang around for slow software. He wants crisp responses and really fast processing.

For the human race too, slow PET BASIC is not good enough. When we run a program, whatever it is, we want fast efficient action.

PETSPEED, the compiler recommended by Commodore,

PETSPEED, the compiler recommended by Commodore, is now available for the 64 and CBM 2. It can make any BASIC program run many times faster. It even speeds up disk handling. We guarantee that PETSPEED is easier to use and generates faster code than any other BASIC compiler for Commodore Systems.

Using PETSPEED is simple. Just type in the name of the program, wait a few minutes and then watch your software run up to 40 times faster.

Petspeed is not simply a compiler, it contains a powerful OPTIMISER. While PETSPEED is compiling, it breaks your program down into tiny fragments and reassembles it removing the unnecessary and simplifying the complex. Dazzling graphics. Lightning sorts. With PETSPEED anything is possible.

Also available INTEGER BASIC COMPILER — 150 to 200 times

Also available INTEGER BASIC COMPILER — 150 to 200 times the speed of Basic. Integer Basic is for those applications where the speed of machine code is required without the inconvenience of assembly level programming. Ideal for scientific and educational users. Compatible with Petspeed.

PETSPEED (Commodore 64)	\$150
PETSPEED (8000 or 4000 series)	\$300
INTEGER BASIC (8000 or 4000 series)	\$175
SPECIAL OFFER: Petspeed PLUS Integer Basic	\$435

(415) 964-8201 SMALL SYSTEMS ENGINEERING

# Part I:

# Writing Transportable BASIC

Edward T. Ordman
Department of Mathematical Sciences
Memphis State University

If you think your programs might ever be used on another computer with a different dialect of BASIC – the suggestions in this two-part article can go a long way towards easing the transition. This month the author covers documentation, vocabulary, and readability. The article concludes next month with an overview of highly machine-sensitive issues such as inputoutput and graphics.

So you finally got your own computer. Unfortunately, it is not the same model you had at school. Or you've arrived at high school or college and the computer there is not the same one that your junior high school or high school had. What are you going to do with all the programs you have accumulated? My own school has just bought several of the new IBM Personal Computers – but most of the programs we have on hand were written for a mainframe or for our OSI microcomputers. Come to think of it, we are changing mainframes next semester, too!

Of course, all of these machines have a version of BASIC. (Some of them, in fact, have several versions of BASIC.) But, as is clear to anyone who has read a program written in Apple BASIC and wished he could run it on his Atari (or PET or TRS-80 or ...), all BASIC interpreters are not the same.

What is the solution? There is no ideal solution, for all cases. Some published programs are difficult to convert from one dialect to another. We can, however, in writing programs for ourselves, for friends, and perhaps even for publication, try to make our programs *transportable*. That is, we can write the programs so that they can be adapted to another machine with a minimum of difficulty.

# Self-documenting

A program is easily transportable from one machine to another if it can be entered and run in the second machine with no substantial rewriting – certainly no changes in the underlying logic or

algorithms – and a minimum of minor changes. The program should be self-explanatory so that it can be rewritten without knowledge of the original machine – a knowledge of the machine we are rewriting it for should be enough.

I have one fairly complex simulation program that was first written about 12 years ago for a PDP-8. It has since been rewritten, by me or by others, for S-100 bus machines in CBASIC, Apple, TRS-80, IBM Personal Computers and IBM 370's, Xerox Sigma 9, PDP-11, and enough other machines that I have lost count. I suspect that it would have been forgotten after the second or third transportation to a new machine, if it had not been written so that it was usually just a matter of typing it in again.


I should warn you at the outset that all this article considers is how to write the BASIC program. It does not address the problems of getting a program from one machine to another without having to key it in again. Increasingly, it is possible to connect the two computers over a phone line, directly or via one of the dial-up timesharing services, and move the program as a text file to avoid retyping. Nevertheless, the focus of this article is transportable *programming* techniques.

What can you do, when writing a program, to make it easily transportable? We will divide the strategy into five main parts: 1) minimal vocabulary; 2) in-program readability; 3) formal structuring; 4) careful attention to input-output; and 5) limited graphics.

# **Minimal Vocabulary**

First, let's consider the question of vocabulary – what features of BASIC we should use. Apparently, whenever a company produces a new computer or a new version of BASIC, it feels compelled to add features not found in anyone else's BASIC. Often these features are convenient and may make programming for that machine easier. However, they make transporting a program much harder. If at all possible, such features should be avoided when writing with transportability in mind.

# MEET THE NEW KID ON THE BLOCK.



If we must use special features, they should be isolated in a subroutine near the end of the program and clearly labelled. The main program should stick to features found in virtually all versions of BASIC. This does not mean that string handling must be restricted to the limitations of Radio Shack Level 1 BASIC, which is an extreme example; nor are there universal rules as to what constructions are allowed. Some textbooks define "minimal BASIC" or restrict themselves in a similar way.

Educational institutions often belong to groups (consortia) which promote standards for exchanging programs; CONDUIT is one such educational group with a nice pamphlet on standard BASIC. If you have worked with several versions of BASIC, sticking to common features is a good guide for what will be transportable between them. For informal use, however, or for the individual who has just worked on one machine, here are the standards I have found useful in working with perhaps a dozen different machines, large and small.

### **Variables And Commands**

Figure 1 suggests some guidelines for variable names, numbers, line numbers, DIM statements. Clearly, the list could be made much longer. For instance, how big can a real number be and not overflow? How small can a positive number be and still be distinguished from zero? Most BASIC programs do not depend critically on these figures, which may differ dramatically from one system to another.

# Figure 1: Variables and Numbers

Line numbers: 1 to 9999

Variable names: One letter or one letter and one digit. Strings, one letter and \$. Examples:

A B2 C9 F\$ Z\$

Dimensions: Always declared if needed; execute the DIM statement once, before using the variables. If possible, stick to one subscript for strings, two for numbers. Do not use variable sizes or reuse letters. DIM C\$(50),D(20,10) is good; DIM B(N), A(50),A\$(20) is bad.

If your program does depend on them, you should probably make this explicit (and include a REMark giving the limits on your system). For instance, if your program has a variable X that gets closer and closer to zero as you go around a loop, and you exit the loop by testing IF X=0 THEN ..., the program may behave very differently or even fail on another computer. Changing this to

500 IF ABS(X)<1E-50 THEN ... : REM USE A SMALL NON-ZERO NUMBER

will make the program transportable: the person converting it can check to see if the new computer will accept 1E-50. If it will not, he can substitute an acceptable number, e.g., 1E-30.

# Figure 2: The most common statements

DATA LET
DIM NEXT
END ON...GOTO
FOR...TO...STEP PRINT
GOSUB READ
GOTO RESTORE
IF...THEN... RETURN
INPUT

Figure 2 shows a limited list of BASIC commands – a very limited list. While almost every BASIC accepts more commands than these, they differ on which statements those are. For each command not on this list, there is some computer around that will not accept it. To make matters worse, computers differ substantially in how they interpret some of these commands. Some, for instance, do strange things on a STOP but allow END only as the last line of a program. The cure: place 9999 END as the last line of the program, and terminate anywhere else by GOTO 9999.

GOTO and GOSUB should be followed just by a line number. GOTO 500 is fine; avoid GOTO A even if your computer likes it. In the statement FOR X = A TO B STEP C, it is best to restrict A, B, and C to integers (or expressions evaluating to integers) and to avoid changing them inside the loop. NEXT must name just one variable for the corresponding FOR, e.g., NEXT X.

IF...THEN statements require special attention, since so many computers have so many different extensions. A few computers accept only statements such as IF Y> = Z THEN 830, prohibiting calculations, logical operations, and not allowing anything but a line number after THEN. I am not seriously suggesting that you keep things this simple: the extensions are extremely helpful. However, it is a good idea to keep things simple enough so that your statements can be translated into this form. This will be discussed further in the section on structure, next month.

# **Numeric And String Functions**

Figure 3 shows the most commonly implemented numeric functions. Either most BASICs have these functions, or the programmer using the machine will be prepared to fake them somehow. Two deserve special mention: RND and TAB.

RND is implemented differently on almost every computer. Some use X = RND, some use

# THE ULTIMATE IN FAST ACTION FOR YOUR VIC-20

### Dive Into a Fearsome Fight!

Grab your gloves, survival pack and headgear! Your Sidewinder commandos are whooshing off into the most frenzied fight in the far side of the galaxy! You've got to out-maneuver deadly Battle pods, dodge destructive Stalker bombs and go head-to-head with alien Oblitojets...all at speeds you wouldn't imagine possible!
Suggested Retail Price \$29.95

### Blast An Insect Invasion!

Dive into the most awesome all-out battle ever! You'll be attacked from all directions by a barrage of deadly android wasps and alien creatures like you've never encountered before! Any contact means instant destruction! If it's not the fastest game you've ever played, you're from another planet.

Suggested Retail Price \$29.95

## Attack Crazy Aliens!

Fall back into the far fields of the galaxy! That bumbling formation coming at you is the crazy Galactic Blitz. These aliens have 15 different play patterns. And each time you take one out of the game they come back mad as ever! So go for the galactic score full speed ahead! If you're merely a spectator, find another sport.

Suggested Retail Price \$24.95

Dealer inquiries invited. Tronix Publishing, Inc., 701 W. Manchester Blvd., Inglewood, CA 90301. (213) 671-8440.



# Figure 3: The most common numeric functions ABS COS INT RND SIN TAB ATN EXP LOG SGN SQR TAN

X=RND(0), some use RND(1), some use RAN-DOMIZE to start (seed) the random number generator and some do not. You should assume that every line containing RND will have to be rewritten. You should make this as easy as possible, by minimizing the number of lines involved and making your intention clear. If you need a random number in 20 different places in your program, do not have RND appear in 20 places; place it in a subroutine. That is, incorporate in your program

9000 REM \*\*\* GET RANDOM NUMBER, CHANG E FOR OTHER COMPUTERS \*\*\* 9010 X=RND(1):REM RANDOM,O<X<1,NEW S EQUENCE EACH RUN 9020 RETURN

and then place GOSUB 9000 wherever needed in your program. Here is a more typical use, near the start of a game program:

#### 

Here the string of asterisks warns you, when transporting the program, that the line is likely to change. The remark tells what is wanted and will save a lot of time if the new computer achieves this by N = RND(100).

Turning briefly to TAB: there are computers that like TAB(N) (go to column N), those that like SPC(N) (print N spaces), those that like both, and those that like neither. Most people know how to juggle spacing on their own machine, so making your intention clear (by remarks or a sample printout) is probably more important than the exact way you write your PRINT statements. There will be more on this in the discussion of input-output, next month.

# Figure 4: The most common string functions

ASC(X\$)	LEFT\$(A\$,N)
CHR\$(N)	RIGHT\$(A\$,N)
VAL(X\$)	MID\$(A\$,I,J)
STR\$(X)	

The functions given in Figure 4 are now remarkably widespread in *microcomputers*. It is probably safe to use all of them freely in that context. That is, if the person rewriting the program

does not have LEFT\$, he probably has a reasonbly direct substitute. You cannot count on the format produced by STR\$ being the same from one machine to another – some pad with blanks on the left, some on the right, some not at all. Functions that match a substring are present on many machines, but absent on many others. Many systems will crash if you call LEFT\$(A\$,N) and A\$ has less than N characters, so you should always test for this before you call LEFT\$ even if your system does not insist on it.

Large computers differ substantially in how they handle strings, and are often *more* restrictive than small computers. ASC and CHR\$ are frequently absent; many large computers do not even use the ASCII character set. Avoid extensive string manipulations, or at least place them in a subroutine, if your program may have to run on a large mainframe next year.

## Readability

Next, if our program is to be readily transportable to another version of BASIC, it must be readable. First, can the reader understand our individual lines, and translate them for the new system? Second, can the reader understand our general strategy or procedure (our *algorithm*) well enough to debug the program if errors creep in, or if his BASIC interprets some command very differently than expected?

The most important consideration, for the second of these, is to make the program sufficiently modular and to provide appropriate REMarks for each module; this is addressed more in the discussion of structure, later. There are a number of "tricks of the trade" that make individual lines easier to read, however. Here are a few principles:

1. Leave plenty of space between line numbers. Even if you have only one command per line, some one-line commands on your system may become multiple commands on another. If you use several commands per line, the situation gets far worse. This is not to condemn all multiple-command-per-line statements, since they can add to the clarity of the program. Just remember that while your computer may allow:

500 INPUT "WHAT IS YOUR NAME?"; N\$

someone else's may require

500 PRINT "WHAT IS YOUR NAME"; 501 INPUT N\$

This is an easy change if you left a line number available. It is quite possible for a complex one-line statement on one system to require six or eight lines on another.

2. Leave plenty of blanks in your commands, where appropriate. You may have no trouble understanding 250PRINTT5 or 300FORI5 = PTOM

PET/CBM

# Paper Clip

# Professional Word Processor at a Breakthrough Price

PaperClip<sup>™</sup> performs all the advanced features found in Word Processors costing much more. . .

1) Full screen editing. 2) Copy/Transfer sentences and paragraphs. 3) Insert/Delete sentences and paragraphs.

4) Headers/Footers/Automatic page numbering. 5) Justification/Centering.

6) User defineable keyphrases.

7) Supports both cassette and disk.

8) Variable data – Form letters.

9) Horizontal scrolling up to 126 characters.

10) Insert/transfer/erase

Also available for Commodore 64

Requires
Basic 4.0, 32K memory.

\$12500 U.S.

Dealer enquiries welcome

BATTERIES

71 McCaul Street Toronto, Ontario Canada M5T 2X1 (416) 596-1405 columns of numbers. 11) Add/subtract columns of numbers. 12) Supports most dot matrix and letter quality printers. In fact, a printer set-up routine is supplied to take the best advantage of the printer at hand. 13) French and Math technical

character sets available.



# WE'VE MADE RECKLESS DRIVING AN INDOOR SPORT.

Grab the wheel in *Hazard Run*, our high-speed cross-country chase . . . and watch the feathers fly! This exciting game features four progressively tougher runs, plus one random run. Smash through the brush, snake around trees and boulders, leap

ponds in a single bound, and maneuver on just two wheels. It's all part of the fast moving, fine-scrolling white-knuckle action of Hazard Run, 100% assembly language play that flexes your Atari graphics to the

max! For more fun than the Program by Dennis Zander law should allow, get Hazard Run at your local computer store, or write or call today.

100% assembly language program for the ATARI 400/800 16K Cassette \$27.95\* 25K diskette \$31.95\*

ALSO AVAILABLE: Strip Poker, Adult fun for the **ATARI 400/800** and **APPLE II** 40K diskette \$34.95\*
\*Add \$2. for postage and handling. N.Y. residents add 7% sales tax.

*		rport, NY 14450 (716) 425-283
	Hazard Run prog Strip Poker progr	
☐ Enclosed is my che	eck for \$ Bill m	ny 🗆 VISA 🗆 MasterCard
		KP. DATE
Signature		
Name (please print)		
Address		
City	State	Zip



but a reader will find 250 PRINT T5 and 300 FOR I5 = P TO M much easier to copy or edit. Many BASICs do insist on the spaces; the new IBM Personal Computer is one that does. Your computer may allow a larger program or run faster if you delete spaces and remarks, but you make the program much harder to transport when you delete them. It may be worth keeping two programs, a transportable copy and a condensed, quick-run copy.

3. Avoid unprintable characters. Where a few are necessary, find a way to make their presence visible. For instance, a disk read in Applesoft requires that you PRINT a CONTROL-D followed by a string. You can make this readable by

200 D\$ = CHR\$(4) :REM CONTROL-D

#### 540 PRINT D\$;"OPEN FILENAME": REM DOS COMMAND STARTS CTRL-D

It is a good idea to indicate what other CHR\$ characters are when they are created, too - for instance when CHR\$ is used to put a quote mark into a string, or manipulate carriage returns or line feeds.

4. Identify specific features you depend on. This happens most often in connection with PRINT and INPUT statements. Most of us can guess what someone else's PRINT statements are supposed to do, but the INPUTs are another matter.

Some systems input a sentence like "TODAY IT RAINS" by INPUT A\$ and the response ?TODAY IT RAINS; others by INPUT A\$ and response ?"TODAY IT RAINS"; others by INPUT LINE A\$ or by LINPUT A\$ or even by INPUT (FIELD 40) A\$. You can make this clear to the reader – so that he can try to do the appropriate thing on his system – by remarks, but clear user instructions within the program are probably even better. For example,

#### 110 PRINT "TYPE IN A SENTENCE SURROUNDED BY QUOTE MARKS" 120 INPUT A\$ :REM SAMPLE "HELLO, JOE, WADDAYA KNOW."

5. Make cues to the user extremely clear. Remember that you won't be around to show people how to use it; in fact, no expert on the program will be around. Give sample answers whenever possible, and protect against invalid answers.

130 PRINT"DO YOU WANT TO PLAY AGAIN ( Y/N)":

140 INPUT A\$

150 IF A\$="N" THEN 9999 160 IF A\$<>"Y" THEN 130

Note that invalid answers will cause the question to be asked again.

Next month, examples of portable program structure, input-output, and graphics programming.

# Mattel's New Home Computer

Tom R. Halfhill, Features Editor

Judging from the inquiries we've been receiving at **COMPUTE!**, people are having a tough time choosing between the current crop of low-end home computers: the Atari 400, Commodore VIC-20, Radio Shack Color Computer, Sinclair/Timex, and Texas Instruments TI-99/4A.

Well, it's about to get even tougher.

Mattel Electronics has announced a home computer aimed squarely at the low-end market. It is *not* to be confused with the long-delayed Intellivision keyboard attachment – which has been redesigned again, incidentally. Mattel says the new computer, dubbed the Aquarius, is due "very early in 1983."

The Aquarius will sell for under \$200 retail. The price is expected to vary because the machine will be sold through mass consumer outlets. This means it will be available at a wide range of TV-electronics stores, audio/video shops, department stores, discount stores, and catalog showrooms. As we've seen with the other low-end home computers being marketed this way, prices are greatly discounted because competition is so fierce.

# Expands To 52K RAM And CP/M

The Aquarius will come with 4K of Random Access Memory (RAM), expandable to 52K RAM in 4K and 16K steps with plug-in cartridges. Microsoft BASIC is built-in. There is one voice for sound effects or music, and an expansion option (described below) provides three voices. The maximum graphics resolution is 320 by 200 pixels (screen dots) in 16 colors.

The Aquarius can display 256 characters. This includes a 128-character ASCII set with upper- and lowercase, and 128 user-programmable characters, similar to the redefinable character sets on the Atari, Commodore 64, VIC-20, and TI-99/4A computers.

For the Central Processing Unit, the central "brain" of the computer, Mattel chose the Z-80A, an eight-bit microprocessor chip. The use of this chip allowed Mattel to give the Aquarius CP/M capability. CP/M (Control Program for Microcomputers) is an operating system primarily used for

business applications. The Aquarius can run CP/M with the addition of a disk drive and disk controller card. It is very unusual that a low-end home computer would have CP/M capability, but a Mattel official explained, "Some home users will be professionals who will prefer to work at home." With CP/M, a huge library of existing business programs will work on the Aquarius.

The keyboard has 49 keys. It's more than the membrane keyboard found on the Atari 400, but is not quite a full-stroke typewriter keyboard like the VIC-20's. The keystroke travel is 1.5 to 2 millimeters, and the keys are made of a rubber-like material instead of hard plastic, similar to the keys on Sinclair's new ZX Spectrum (see **COM-PUTE!**, August 1982). The keyboard accepts overlays for special applications. For example, an overlay for BASIC programming allows one-key entry of BASIC commands.

While all of these features are standard in the under-\$200 Aquarius, Mattel says it will offer a complete system "in the \$500 range" which will include a data recorder (tape drive), a printer, and the Aquarius Mini-Expander. The Mini-Expander is an attachment which adds three-voice sound, two game controllers on eight-foot cords, and two slots for plug-in cartridges. One slot is for memory expansion and the other accepts cartridge programs.

All of the software initially released for the Aquarius will be on cartridges. Mattel promises that eight to ten cartridges will be available when the Aquarius is introduced. This will include education, home management, personal improvement, and entertainment software.

One cartridge will be a low-cost Logo with turtle graphics, the acclaimed learning language for children. Mattel says its Logo is designed to work on a minimum system without extra accessories. Another cartridge will be *FileForm*, a word processor. Mattel says more cartridges will be released monthly after the computer is introduced, and that additional software may be available on cassette in the future. All the software has been developed at Mattel, although the company is now talking to outside developers.

Other expected add-ons include a disk drive and a 40-column thermal printer. No prices have been disclosed for these extras, but a Mattel official did say that the memory expansion boards would be "extremely price-competitive."

Apparently, the Aquarius will lack special function keys, sprite graphics, and full-screen editing. Reportedly, it will have 8K of ROM (Read Only Memory), a 40 by 24 screen display, dimensions of 13 by 6 by 2 inches, and weigh four pounds. It will come with simplified instruction cards so beginners can get the machine working without reading the manual.

# THE BEGINNER'S PAGE

Richard Mansfield, Senior Editor

# **Myths About Programming**

Whenever someone says that they are "not the type" or they "weren't good in math" as a reason for not learning to program in BASIC, I like to compare learning BASIC to learning how to drive a car. A few people never learn to drive, but most of us do. What's more, it takes a few weeks at most to catch on to either driving or BASIC. You improve over the years, but the essentials can be grasped pretty quickly. And in the coming Age of Information, not knowing how to program could well be as inconvenient as not having a driver's license is today.

After all, there are only some 50 BASIC words to learn. Several of them are very rarely needed (you can look through hundreds of programs and never find WAIT, POS, or TAN). Also, many BASIC words mean exactly what they say: STOP stops a program, RUN runs, END ends.

If someone is still doubtful, the most convincing argument is a demonstration. You can say: "Let's try something complex. How about printing your name 1,000 times on the screen?" Then type: 10? "Alan"; : GOTO 10.

# **Could It Explode?**

Another factor which causes hesitation about learning programming is a fear of the unknown. It's not hard to see where this nervousness comes from. There is a category in movies which changes each generation, but could be called the Frankenstein Slot. A scientist gets too big for his britches, tampers with unknown forces, and his creation runs amok while the villagers, in their ancient wisdom, ineffectually stone the laboratory.

During the fifties there were dozens of films in which atomic radiation filled this slot. It caused moths and ants to grow to enormous size, rampaging through cities. When people learned that radiation, dangerous as it can be, could not cause insect giantism, popular entertainment found a new monster. Dozens of movies in the sixties (some of them excellent, like 2001, The Forbin Project, and more recently, The Demon Seed) portrayed the computer as Frankenstein.

When people buy their first personal computer, they are not generally worried that it might destroy their house, but they often worry about the computer getting out of their control and damaging itself. They sense, correctly, that a computer is a powerful machine.


You'll see this hesitancy when people look up, their first time in front of the keyboard, and ask, "What should I be careful of? Can I hurt it?" We get letters from beginners wanting to know if they should use POKE, the BASIC word-that changes what's in the computer's memory. They have a perfectly understandable fear that, as one New Yorker recently wrote, "I might damage the BASIC ROM chips."

Your computer watches out for most kinds of errors. It simply won't allow you to POKE into BASIC ROM chips. If you try to send a POKE to an address that's in ROM (Read Only Memory), it will just bounce off. Nothing happens. These addresses can only be read, not written (POKEd) to.

We always used to say that nothing you could type into the computer could hurt it in any way. If it doesn't understand what you write, or can't carry out your instructions, it will stop and tell you where it stopped and, in general terms, why. The worst that could happen would be an "endless loop," and you would have to turn power off and back on to get control. None of this, however, would start the computer smoldering.

This advice, unfortunately, is not 100 percent correct. It was discovered that there was one POKE to PETs with Original or Upgrade BASIC versions which would make the video display about six times faster. It's POKE 59458,62. PET/CBMs with the most recent 4.0 BASIC chips, however, can be damaged by this POKE if left running without turning off the power. Since there are about 17 million combinations of POKEs you can make into your computer, the odds are clearly against your accidentally making this error. Nevertheless, it does make it impossible to tell someone that nothing you type into any computer could hurt it.

# NOT EVERYONE CAN TEACH THEIR ATARI™NEW TRICKS...



# **WE MAKE USING AND LEARNING ABOUT COMPUTERS FUN!**

PROGRAMMING GUIDE FOR BEGINNERS OR EXPERTS — MASTER MEMORY MAP.™ A 32 page book with hundreds of hints on how to use your computer. Over 500 memory locations! \$6.95.

LEARN SOUND AND GRAPHICS with our exciting lessons called TRICKY TUTORIALS.™ Each comes with a tape or disk full of examples, and a 12 to 64 page manual written in an easy to understand manner. #1 DISPLAY LISTS - Put several graphics modes on your screen at once. #2 SCROLLING - Move text or graphics smoothly up, down, sideways, or diagonally. #3 PAGE FLIPPING - Change TV screens as quickly as flipping pages in a book. #4 BASICS OF ANIMATION - A beginner's lesson in animation using PLOT, PRINT, and a surprise game. #5 PLAYER MISSILE GRAPHICS - Learn the basics of writing your own arcade games. #6 SOUND & MUSIC — Simple methods to play complete songs, with graphics. Includes PLAYER PIANO free! #7 DISK UTILITIES - 7 programs to help you use your disk drive. 32K. #8 CHARACTER GRAPHICS — The best editor available with examples using special characters YOU CREATE and ANIMATE. #9 GTIA. GRAPHICS 9 to 11 — New tricks you can do with these 16 color modes. #10 SOUND EFFECTS — Many examples, from rainfall to laser blasts.

with ample explanation. #11 MEMORY MAP TUTORIAL — 30 colorful examples of tricks your computer can do.

TUTORIALS cost only \$19.95 each, except 5 and 7 which cost \$29.95 each. 16K Tape/24K Disk required.

SPECIAL: Tutorials 1 through 6 in a binder for \$99.95. SAVE \$30.00!

#### **USER SUBMITTED PROGRAMS**

We sell many fine programs written by dedicated computer owners, such as INSTEDIT, SPACE GAMES, MINI WORDPROCESSOR, DATABASE DIALER, PROTO'S ADVENTURES, and many more.

**OUR GUARANTEE: Your money back if unsatisfied!** 



NO LOCAL DEALER? CALL FOR A FREE CATALOG, OR ORDER DIRECT (CHARGE OR COD): 800-692-9520 OR (408) 476-4901

## The Math Myth

When autos were first becoming popular, there were doubtless many people who refused to try driving, saying, "That's one thing that I will never try to learn. I could never control our horse." A weakness in math is often given as the reason for not trying programming. In fact, the two activities are hardly related. Mathematical words are available in BASIC, but programming does not need to involve much math beyond simple arithmetic unless you choose to solve mathematical problems. You will need to search a long time to find any use of the word SIN in the dozens of BASIC programs published each month in **COMPUTE!**.

Personal computers are general-purpose tools. They *can* be used to solve complex equations, but to call programming "mathematical" would be too narrow it down to only one of its countless applications. And it would also mislead people into thinking that they need a special talent in math to become competent programmers.


Several years ago one of America's largest corporations undertook a study to find out what its best programmers had studied in college. To nearly everyone's surprise, English and music were the most common majors among the top computerists. Perhaps this is because these disciplines stress creativity and attention to detail.


Perhaps they combine logical thinking with imagination. No one has yet given a satisfactory explanation.

In any case, you don't need to become an ace programmer any more than you need to drive at the Indianapolis 500. To get where you want to go, ordinary driving or programming knowledge will suffice. There are very few people who can't learn the necessary skills.


If there is a topic that you would like to see discussed in this column, send a card or letter to: The Beginner's Page, **COMPUTE!** Magazine, P.O. Box 5406, Greensboro, NC 27403.








SERPENTINE



APPLE PANIC




CHOPLIFTER



**PIUSO WADIA** 

and these are just the games!






ASTROBLITZ



TRASHMAN



YOUR FULL LINE VIC-20® SOFTWARE COMPANY



# Atari's Sound System

John Scarborough, Novato, CA

If you're interested in the improvements to Atari sound and music possible via machine language – this will get you started. These simple demonstrations might convince you to abandon the SOUND command entirely.

Many programmers who decide to make the jump from BASIC programming to machine language programming find frustration in their attempt to print to the screen or produce sound. The problem is that there are now no print or sound statements. Machine language deals entirely with retrieving, manipulating, and storing data.

But even after the programmer discovers this it won't do him much good unless he knows where and what to store to produce results. Furthermore, this information is often not provided in the manuals that come with the computer. So how does he obtain this information? He must turn to other methods. Four common ones are:

- 1. The trial and error method (very inefficient, but sometimes necessary).
- 2. Advanced user's manuals.
- 3. Information obtained from a human source, such as from friends or teachers.
- 4. A magazine.

This article is in category four. After studying this article, you will have more control over the four voices provided by the Atari. The article will also briefly cover the built-in speaker.

#### Sound Commands

Look at the following sound command:

SOUND 0,121,X,X

This instructs the computer to store a value of 121, which will produce a middle C note, into Audio Frequency Control register 0. This register is located at memory location 53760 (\$D200 hex). Thus, the following two commands will function identically:

SOUND 0,121,X,X POKE 53760,121

The three remaining Audio Frequency Con-

trol registers are located at 53762 (\$D202), 53764 (\$D204), and 53766 (\$D206). A POKE 53764,128 would store a value of 128 (a B note) into the Voice 2 Audio Frequency Control register. SOUND 2,128,X,X will do the same. (See Figure 1 for a clearer representation of the four Audio Frequency Control registers.)

Now you can store a given frequency (note) into any of the four Audio Frequency Control registers. But what about distortion and volume? Look at the following sound command:

#### SOUND 0, X, 10, 12

This tells the computer to produce a pure tone (10) and a volume level of 12. Upon execution, the computer will convert the number 10 to 160 (160 is the actual pure tone code. See Figure 2 to find the corresponding distortion codes for the eight additional distortion levels), add 12 to it, and then store the result into Audio Control register 0. This register is located at memory location 53761 (\$D201 hex). Thus, the next two commands will perform the same task:

SOUND 0,X,10,12 POKE 53761,160+12

The three remaining Audio Control registers are located at 53763 (\$D203), 53765 (\$D205), and 53767 (\$D207). A POKE 53767,160 + 7 would store a pure tone and volume level of 7 into Audio Control register 3. SOUND 3,X,160,7 will do the same. (See Figure 1 for a clearer representation of the four Audio Control registers.)


You should now know how to store any given note, tone and volume level into any of the four voices provided by the Atari (and without using sound statements). The following two BASIC programs function identically:

10 SOUND 0,121,10,12 20 GOTO 20 10 POKE 53760,121 20 POKE 53761,160 + 12 30 GOTO 30

# The Built-in Speaker


That is an overview of the sound that is channeled to the television speaker, but what about the built-

# YOU'RE GOING TO HAVE FUN WITH YOUR ATARI!!



## AND THE FUN GETS ROLLING WITH BUG OFF!

Yikes! The bugs are swarming here, there and everywhere and only a strong whiff of DDT can put 'em away. The object of the game is to control the seven different kinds of pests that are running helter-skelter over everything. The Army can airlift in more DDT to fill your bug sprayer . . . but will they make it in time?



The action builds to a furious frenzy as an awesome assortment of insects attack anything and everything in sight. A definite case of "spray first and ask questions later." All this and hi-res graphics, too!

# TUTTI FRUTTI — by Alan Newman "GRAPE FUN" FOR THE WHOLE FAMILY!

Somewhere between Never Never Land and next Thursday, there's a wild and wacky place where your joystick-controlled "Hungry" snacks on an orchard of goodies. But there are some nasty ol' bugs who'd just as soon snack on YOU, so look sharp and beware. Funtastic action for all ages!

TUTTI FRUTTI ... Wow! A crazy cast of characters in vivid hi-res color all performing in their natural habitat, otherwise known as TUTTI FRUTTI Land. Grape fun for ages 6 and up!

16K TAPE ... 050-0160 \$24.95

32K DISK ... 052-0160 \$24.95






To order, see your local dealer. If he does not have the program, then call 1-800-327-7172 (orders only please) or write for our free catalog.

Published by ADVENTURE INTERNATIONAL

a subsidiary of Scott Adams, Inc.

BOX 3435 • LONGWOOD, FL 32750 • (305) 862-6917

PRICES SUBJECT TO CHANGE



in speaker? The built-in speaker is controlled via location 53279 (\$D01F).

Program 1 will make the built-in speaker randomly click. (Not a very spectacular sound effect, to be sure, but that's not to be expected from BASIC statements.) Program 2A and 2B (which function identically) will also make the built-in speaker randomly click, but they do not use BASIC statements to produce the sound and will therefore click the speaker much faster than will Program 1. compare the two for yourself. The comparison will give you some idea of the speed available to you from machine language programming.

If you compared Programs 1 and 2, you might have thought: "If machine language can do that much for that little built-in speaker...." Yes, by using machine language you can greatly increase the quality of the sound that comes out of your

television speaker.

I leave you with a simple machine language program that will demonstrate this increase in quality. The program is written in both assembly language (3A) and BASIC (3B). This is a simple program; it would have been half as long without the delay routine. However, the sound would not be audible if there were no delay built into the machine language program!

# Figure 1.

The Four Voices Provided By The Atari

Audio Frequency Control Register - 53760 (\$D200) Audio Control Register -53761 (\$D201)

Audio Frequency Control Register -53762 (\$D202) Audio Control Register -53763 (\$D203)

Audio Frequency Control Register -53764 (\$D204) **Audio Control Register** - 53765 (\$D205)

Audio Frequency Control Register -53766 (\$D206) **Audio Control Register** -53767 (\$D207)

# Figure 2.

**Examples Of The Eight Distortion Levels Using Random Voices** 

SOUND 0, X, 0, V = POKE 53761, 0 + VSOUND 0, X, 2, V = POKE 53761, 32 + VSOUND 3, X, 4, V = POKE 53767, 64 + VSOUND 1, X, 6, V = POKE 53763, 96 + VSOUND 0, X, 8, V = POKE 53761, 128 + VSOUND 1, X, 10, V = POKE 53763, 160 + VSOUND 2,X,12,V = POKE 53765,192 + VSOUND 0, X, 14, V = POKE 53761, 224 + V

## Program 1.

5 REM -THIS PROGRAM UTILIZES THE BUIL T-IN SPEAKER USING BASIC STATEMENTS 10 A=INT(256\*RND(1)): REM -LOAD A WITH A RANDOM NUMBER FROM 0 TO 255

20 POKE 53279, A: REM -STORE A AT 53279

30 GOTO 10: REM -START OVER

## Program 2a.

5 ; THIS PROGRAM UTILIZES THE BUILT-IN SPEAKER FROM MACHINE LANGUAGE USIN G THE ASSEMBLER-EDITOR CARTRIDGE

10 \*=\$600

20 LOOP LDA \$D20A ;LOAD A WITH A RAND OM NUMBER FROM 0 TO 255
30 STA 53279 ;STORE A AT 53279
40 JMP LOOP ;START OVER

# Program 2b.

5 REM -THIS PROGRAM UTILIZES THE BUIL T-IN SPEAKER FROM MACHINE LANGUAGE USING THE BASIC CARTRIDGE

10 FOR LOOP=1536 TO 1544

20 READ DATA

30 POKE LOOP, DATA

40 NEXT LOOP

50 X=USR(1536)

60 DATA 173,10,210,141,31,208,76,0,6

# Program 3a.

THIS PROGRAM UTILIZES THE TELEVISI ON SPEAKER FROM MACHINE LANGUAGE US ING THE ASSEMBLER-EDITOR CARTRIDGE

10 \*=\$600

20 FREQ=\$660

30 ; STORE A PURE TONE (160) AND A VOL UME LEVEL OF 15 (160+15) INTO VOIC E O

40 LDA #175

50 STA \$D201

60 ; STORE CURRENT FREQUENCY INTO VOIC E O

70 START LDX FREQ

80 STX \$D200

90 INX ; INCREMENT FREQUENCY LEVEL

100 STX FREQ

110 ; DELAY PROGRAM EXECUTION

120 DELAY LDX #15 130 LOOP1 LDY #15

140 LOOP2 DEY

150 BNE LOOP2

160 DEX

170 BNE LOOP1

JMP START ; CONTINUE

# Program 3b.

5 REM -THIS PROGRAM UTILIZES THE TELE VISION SPEAKER FROM MACHINE LANGUAG E USING THE BASIC CARTRIDGE

10 FOR LOOP=1536 TO 1563

20 READ DATA


30 POKE LOOP, DATA

40 NEXT LOOP

50 X=USR(1536)

60 DATA 169,175,141,1,210,174,96,6,14 2,0,210,232,142,96,6,162,15,160,15 ,136,208,253,202,208,248,76,5,6





A fantasy role-playing adventure for one or more players

By Stuart Smith

ALI BABA AND THE FORTY THIEVES is written in high resolution color graphics and includes music and sound effects. Adventures can be saved to disk and resumed at a later time.

Available for Apple II and Apple II Plus 48K or Atari 800 32K.

On diskette only — \$32.95



6660 Reseda Blvd., Suite 105, Reseda, CA 91335 (213) 344-6599

# **VIC Sound Generator**

Robert Lee, Vancouver, B.C.

Adding sounds to VIC can significantly slow down a BASIC program. The action stops and waits for the sound to finish. This could be especially annoying when you want a game to run as fast as possible. With this sound generator, you can add sounds in BASIC easily and without a speed penalty.

Among the novel features of the VIC-20 are its sound capabilities. These give it an advantage over the PET, bringing a new dimension to game programs. However, one of the problems I and undoubtedly other VIC owners have encountered is that, while manipulating the sound generators in a BASIC program, it is not possible to do anything else.

This is especially a problem in game programs written in BASIC and using extensive graphics. Either you have to write such programs without complex sound effects, or you have to settle for slow motion.

### **Faster Sound**

Faced with this problem, I decided to write a machine language (ML) program for the VIC which adds speed to its sound generation capabilities. Most of the sound effects we use in game programs are sounds with increasing or decreasing tones. For example, a simple way to simulate the sound of a laser with the VIC is:

#### FOR K = 250 TO 240 STEP -1 : POKE36876, K: NEXT

The ML program works along these lines, except that it is necessary to use only one POKE command. It generates sounds with increasing or decreasing frequency to make almost any kind of sound effect possible.

The program "VIC Sound" places a machine language program in the cassette buffer of the VIC. This means, of course, that you cannot transfer data using the cassette player while you are running the program. By changing the contents of memory locations 788-789 (decimal), the interrupt system of the computer is used to run the ML program.

As you know, the VIC has four "speakers" to make music and noise. The first and second speakers, activated by POKEing memory locations 36874 and 36875, are used for sounds with increasing

tones. The third speaker (36876) is used for sounds with decreasing tones. The fourth speaker, activated by memory location 36877, is used mainly for explosions.

The ML program stores a starting number into the appropriate location and increases or decreases it for the period specified by the user. The interrupt of the computer will run through the program 60 times a second, which means that the starting number or tone will increase or decrease 60 times in one second.

#### **Sound Duration**

To make this a little clearer, let me explain that four memory locations have been assigned in the ML program to activate the four speakers, and four others to control the duration of the sounds.

Speaker	Toactivate	Duration
1st	846	858
2nd	847	888
3rd	848	918
4th	849	948


The number POKEd into locations 846-849 is the starting number which is stored in location 853 (dec); the initial value is 222, but this may be changed for the kind of sound you require. Locations 858, 888, 918, and 948 control the duration of the sounds. The program will generate the sounds for the number of jiffies (the 1/60th of a second interval used to measure time in Commodore machines) specified in these locations.

For a demonstration, RUN the program and then type SYS828; this will trap the interrupt. It will also set the volume control (location 36878) to maximum. Now POKE 846,222.

Location 858 contains 10 (dec), so the sound you heard was for ten jiffies. What the program has done is store 222 in location 36874 (first speaker), incremented it by one every 60th of a second until ten jiffies elapsed, then stored 0 into the memory location to switch off the speaker. To change the duration of the sound to, say, 20 jiffies, POKE 858,20. Now POKE 846,222.

The same method can be used for the other speakers. POKE 858,10. To change the starting number (i.e., to get a tone which starts higher or lower), simply POKE into memory location 853. For example, POKE 853,240. Now POKE 846,240.

# Your VIC 20 never had it so good!



VIC 20 owners rejoice! HES presents a complete range of software from our exciting series of games to our professional group of utility and language programs.

Our new cartridge programs include: HES MON, an indispensible monitor for assembly language programmers; HES WRITER, a

word processing program; Turtle Graphics, a fun and easy way to learn computer programming; and VIC FORTH, a powerful language that is many times faster than BASIC, yet easier to use than assembly language.

HES is committed to offering high-quality, well-documented computer programs on a continual basis. Look for our cartridge and cassette based software at your local dealer. HC5

Human Engineered Software 71 Park Lane Brisbane, California 94005 Telephone 415-468-4110

## **Explosion Simulation**

It is necessary to POKE the starting number into locations 846-849; any other number will give only silence. Try POKE 847,240 (second speaker); it gives a sound of increasing frequency like the first. Now POKE 853,222:POKE 848,222. You notice this gives a sound that decreases in frequency. POKE 849,222 will simulate an explosion. By manipulating the durations and starting number, you can get almost any kind of sound from the first three speakers and explosions from the fourth. However, when you are changing the duration of the sounds, make sure it is not too long; e.g., if you POKE 853,50:POKE 846,222 the program will store 222 in location 36874 and increment by one every jiffy for 50 jiffies. But in this case the contents of 36874 would increase to 255 and then cycle back to zero. You would hear a note for only 33 jiffies, since a number less than 128 in the sound generators of the VIC produces

When using this program, you cannot generate sounds the normal way. To do so, you must first reset the interrupt vector by SYS996. This will also set the volume control to zero. To use the ML program, add the subroutine starting at line 8900 to your own BASIC program; and you can create sound effects using just one POKE, which would otherwise require a series of

In a BASIC program with lines 8900-9240 added, you would first have a line like this in the main program to enter the ML into memory:

10 GOSUB 8900: REM SOUND GENERATOR

```
10 PRINT" {CLEAR}"
20 PRINT" [03 DOWN] [08 RIGHT] {REV}V
    IC2Ø{OFF}"
30 PRINT" {02 DOWN} {06 RIGHT} VIC SO
    UND"
800 GOSUB8900
900 END
8900 FORJ=828TO1019:READF:POKEJ,F:NE
9000 DATA169, 15, 141, 14, 144, 120, 169, 8
9010 DATA141,20,3,169,3,141,21,3
9020 DATA88,96,10,15,16,64,160,0
9030 DATA162,222,173,78,3,201,10,176
9040 DATA9, 238, 78, 3, 238, 10, 144, 76
9050 DATA116,3,140,10,144,236,78,3
9060 DATA208,6,140,78,3,142,10,144
9070 DATA173,79,3,201,25,176,9,238
9080 DATA79,3,238,11,144,76,146,3
9090 DATA140,11,144,236,79,3,208,6
9100 DATA140,79,3,142,11,144,173,80
9110 DATA3,201,16,176,9,238,80,3
9120 DATA206,12,144,76,176,3,140,12
9130 DATA144,236,80,3,208,6,140,80
```

9140 DATA3,142,12,144,173,81,3,201 9150 DATA64,176,28,238,81,3,173,81 9160 DATA3,201,22,208,7,169,176,141 9170 DATA13,144,240,25,201,43,208,21 9180 DATA169,160,141,13,144,240,14,1 9190 DATA13,144,236,81,3,208,6,140 9200 DATA81,3,142,13,144,76,191,234 9210 DATA169,0,141,14,144,120,169,19 9220 DATA141,20,3,169,234,141,21,3 9230 DATA88,96,0,0,0,0,0,0 0 9240 RETURN

#### VIC 20/PET/CBM OWNERS

ROADTOAD - Hop your toad across 5 lanes of traffic, avoid deadly snakes, and dodge the dreaded toad-eaters. Cross a raging river full of logs, turtles, alligators, and park your toad in the safety of a harbor. Each time you park 5 toads, you enter a tougher level where the action is faster and the toad-eaters are more numerous. ROADTOAD is written in machine language and uses high resolution graphics. The sound effects are excellent and you can use a joystick or the keyboard to control your toad. CASS/5K/VIC 20

[CALIF. RES. ADD 6% SALES TAX]

WALLBANGER - Blast your way through the dodge'm, blast'm, and attack modes. If you destroy the bouncing balls before they destroy you, the walls close in for the next round. WALLBANGER is written in machine language, has great sound, and encourages complex strategies.


CASS/SK/VIC 20/CBM 8032

Write for FREE catalog:

NIBBLES & BITS, INC. P.O. BOX 2044 ORCUTT, CA 93455

# VIC-20 OWNERS

Expand your System with these **Exclusive Factory Direct Products** 



#### A. DATASPAN-20

- . 5 slot-switch selectable (not an inconvenient DIP switch) allows control between computer mode and game mode
- Fully buffered
- Reset button
- Auxiliary power supply jack
   Fuse protection
- · Write protection on one slot
- DATASPAN Kit \$54.95 DATASPAN Assembled \$79.95

#### C. RAMcharger

- Turn your Commodore 8K cartridge into a full 16K cartridge
- Sockets allow future EPROM substitution

#### RAMcharger Kit \$29.95

P.O. Box 8715

Full address switching capabilities

Digital Interface Systems Co.

Portland, Oregon 97207 (503) 295-5890

# D. BREEZE MACHINE

RAMraider Kit \$24.95

RAMraider Assembled \$34.95

B. RAMraider

· Extend the life of your computer with our Whisper Quiet FAN

Makes your 3K or \*Superexpander cartridge a full 4K RAM

moves it into Expansion memory

(lower half of Blocks 1, 2, or 3)

Recaptures your RAM for BASIC and

- · Plugs directly into your expansion port
- · Designed to work with any VIC compatible cartridge or expansion board

#### BREEZE MACHINE Assembled \$59.95

All assembled units have full 90-day limited guarantee.

#### TERMS:

Shipping and Handling \$3.00
VISA/MASTERCARD — Add 3%
Most orders shipped within 48 hours.
(Personal checks — allow 2 weeks.)

#### VIC TIP OF THE MONTH


Tightly wrap R.F. modulator and connectors with tin foil to help eliminate T.V. interference. \*VIC-20 is a trademark of Commodore Business Machines.

Exterminator by Ken Grant First the bad news...this game is literally full of bugs. The good news? We guarantee hours of exciting entertainment trying to remove them. Some bugs you are likely to come up against are spiders, snails, fleas and centipedes in this rapidfire, 100% machine language, exceptional quality game. Exterminator runs in standard 5K VIC. \$24.95

Antimatter Splatter! A more dastardly alien could scarcely be found than one who would wipe out an entire civilization by dropping antimatter anti-canisters, right? If your opinion of this alien troublemaker is the same as ours, probably your first thought was, get some matter! We say calm down! All is not lost. A mobile rapid splatter cannon capable of both breaking through his standard alien moving force fields and laying waste to the ever-increasing number of anti-canisters is even now hovering above us. If only our cannoneer hadn't called in sick...say, what are you doing today? Anti-Matter Splatter is 100% machine language and runs in standard 5K VIC. \$24.95

3-D Man The exact maze from probably the most popular arcade game ever with perspective altered from overhead to eye level. The dots...the monsters...the power dots...the side exits. New on-screen radar. This game is amazing. 3-D Man requires at least 3K memory expander but will run with any memory add-ons (8K, 16K, 24K, etc.) that we have come \$19.95 across.

Defender on Tri As pilot of the experimental Defender-style ship "Skyes Limited," you are the only hope for an advance party of scientists trapped in ancient alien sphere which suddenly (heat from collision course with sun presumably-G.E.) came to life. Four screens worth of unique defenses, on-off shields, fuel deposits, alien treasures, running timer, energy, score and very nice graphics display make this one that does not quickly wax old. Defender



expander, but will run with any memory add-on (8K, 16K, 24K, etc.) we have come across. \$19.95

# \* \* SPECIAL \* \*

Another NUFEKOP Big Deal to close this year out RIGHT! We at NUFEKOP want to celebrate by giving you a gift. Our catalog...FREE. No, seriously, if you order both Antimatter Splatter and Exterminator, or three of the lesser-priced games, you may pick ONE FREE GAME from any of the above (except Exterminator.) Happy New Year!!

on TRI requires at least 3K memory Alien Panic Standard 5K VIC 20/combination stick & keyboard. This arcade-type game pits you against time and an alien on a six level construction sight with ladders and pitfalls, but not to worry! You have a shovel. \$12.95

> Krazy Kong The crazy gorilla has taken three fair maidens up to the top of the giant stairway. And you (the valiant hero) will attempt to rescue them at the risk of your own life. Your timing must be totally accurate as you jump the barrels that Kong is rolling down at you. \$12 95

Rescue From Nufon Adventure \$12.95 Collide Crunch......s12.95 Vikman Classic ..... \$12.95 Search Challenging ...... \$12.95

SPECIAL OFFER! With any order of Exterminator and Anti-Matter Splatter we'll send you a FREE 17" X 22" poster like the one shown above. Also available separately for

UFEKOP

P.O. Box 156, Shady Cove, Oregon 97539-0156 C.O.D. Orders...call (503) 878-2113

> Mastercard and Visa cards accepted Ask for our new FREE catalog!

Games will be on tape unless you request disk.

VIC is a trademark of Commodore Business Machines, Inc.

# Easy Apple Disk Space Messages

Beirne L. Konarski, Kent, OH

As diskettes fill up, it is useful to know how much room is left on them. Two methods exist for finding this number. One is to get a calculator or pencil and paper and add the figures. This seems pointless, since the computer is supposed to do those tasks. The alternative is to run the FID program from the system master. This is a nuisance, though, because you often change diskettes.

Since many people incorporate a CATALOG command into their greeting program, this would be the most useful place for a sector-counting subroutine. The *DOS Manual* contains two sections which help to solve this problem. The first is the RWTS (Read or Write a Track and Sector) machine language program (p. 94). The second is the listing of sector allocation (p. 129). The RWTS subroutine can be used to read the sectors containing the catalog and tally the amount of sectors used.

The diskette directory is located in track \$11. It contains 15 sectors of catalog information, each holding the names and sizes of seven programs. The program reads one sector at a time beginning with sector \$F\$ and places it into the memory range beginning at \$2000. The sector is then checked before the next one is read from the disk.

The seven program titles are checked for two things. The first is to see if the program is current. When a program is deleted, its catalog entry is not erased, but instead the first byte of the listing becomes \$FF. If the program is current, then the bit containing the length is added to the running total. The Least Significant Byte of the total is stored in location \$6074, or 24692. If there is a carry, it is placed in \$6075. When all seven listings have been checked, the next sector is loaded, and the process continues until all fifteen sectors are read. The computer then returns to BASIC.


The rest of the BASIC program PEEKs the two locations containing the sum of the sectors used. The Most Significant Byte is multiplied by 256 and added to the LSB. This total is displayed and then subtracted from 496 to give the figure for the space remaining.

The program reads the DATA lines and enters the numbers beginning at \$6000. It displays the CATALOG, then gives the results of the count. It can be substituted for your HELLO program,

with your own personal touches like name and date placed before or after line 20, or after line 110.

```
10 D$ = CHR$ (4)
   PRINT D$: "CATALOG"
20
    FOR K = 24576 TO 24694
40
    READ A
    POKE K.A
60
    NEXT
    CALL 24576
80 X = PEEK (24692):Y =
                           PEEK (24693)
90 Z = X + 256 * Y
     PRINT : PRINT "SECTORS USED: ": Z
     PRINT "SECTORS REMAINING: ": 496 - Z
110
120
     END
130
     DATA
            169, 96, 160, 76, 32, 217, 3, 17
     3, 11, 32
DATA 20
140
            201, 255, 240, 3, 32, 99, 96, 23
     8, 118, 96
     DATA
             173, 118, 96, 201, 7, 208, 28, 1
     69, 0, 141
            118, 96, 169, 44, 141, 104, 96,
     DATA
160
     169, 11, 141
     DATA
            8, 96, 173, 2, 32, 201, 0, 240,
     25, 141
     DATA
            81, 96, 76, 0, 96, 173, 104, 96,
180
      105.
     DATA
            141, 104, 96, 173, 8, 96, 105, 3
200
     DATA
            96, 76, 7, 96, 96, 0, 1, 96, 1,
     DATA
210
            17, 15, 94, 96, 0, 32, 0, 0, 1,
     DATA
            0, 96, 1, 0, 0, 1, 239, 216, 0,
220
     24
230
     DATA
            173, 116, 96, 109, 44, 32, 141,
     116, 96, 144
             3, 238, 117, 96, 96, 0, 0, 0, 0
     DATA
```


Use the handy reader service cards in the back of the magazine for information on products advertised in **COMPUTE!** 



# Juggler

Doug Ferguson, Elida, OH

For Atari and VIC (with or without expansion), this game will challenge anyone's dexterity. If you can score 50 with two balls or 500 with three, there is an extra surprise.



The purpose of Juggler is to use the joystick to control the arms of a cartoon juggler in his attempt to keep two or three balls in the air. The juggler's hands move in tandem and can be positioned to catch the three colored balls (inside, middle, and outside). Since this game is not for the timid, it requires a joystick because only game addicts know how to work them.


The balls are as random as I could make them and, contrary to the opinion of novice players, cannot land at the catching stage at the same time. The most important playing strategy is to make sure you hear the ball being caught before you move the hand toward another catch. The game can be slowed down merely by adding a few extra GOSUB 150 statements in the main loop, preferably at lines 860, 900, and 940.

The game will run on either the unexpanded or expanded VIC-20. I would rather not explain how it all works, mainly because it often follows inconsistent logic and layout. One technical footnote for those curious enough to investigate the program: instead of using zeros as values, I used a period (as in Y = .) because I read somewhere that this is faster and still zeros out the variable.

To start a game, push the joystick up or left for the three-ball or two-ball games, respectively. To repeat the same game, press the fire-button, or move the stick to change games. If you want to quit, hit Q.

# Program 1: VIC-20 Version

- 100 POKE36879,75:X=RND(-TI):Y=2:GOT
- 110 POKEV,15:POKEV-2,N:FORT=1T010:N EXT:POKEV-2,0
- 120 O=O+1+ABS(C)\*9
- 130 PRINTTAB(7)"{WHT}SCORE "O"{HOME HOME}";:RETURN
- 140 DEFFNJ(X) =- ((PEEK(37151)ANDX) =.
  ):RETURN
- 150 IFFNJ (16) ANDU=1THENGOSUB360
- 160 IFFNJ (16) ANDU=2THENGOSUB420
- 170 POKEG+2,127:Q=PEEK(G):POKEG+2,2
- 180 IFQ=119ANDU=1THENGOSUB480
- 190 IFQ=119ANDU=.THENGOSUB420
- 200 RETURN
- 210 IFPEEK (H) < 64THEN 330
- 220 RETURN
- 23Ø IFPEEK (H+2) < 64THEN 34Ø
- 240 RETURN
- 250 IFPEEK (H+4) < 64THEN 350
- 260 RETURN
- 27Ø IFPEEK (H+16) < 64THEN 33Ø
- 280 RETURN
- 290 IFPEEK (H+14) < 64THEN 340
- 300 RETURN
- 310 IFPEEK (H+12) < 64THEN 350
- 320 RETURN
- 330 POKEJ% (K-A),32:D=K-1:GOSUB630:G OTO540
- 340 POKEU% (L-B), 32:D=L:GOTO540
- 35Ø POKEG% (M-C), 32:D=M+1:GOSUB64Ø:G OTO54Ø
- 360 POKEH+2,32:POKEH+3,32:POKEH-1,7 4:POKEH,64:POKEH+1,75
- 37Ø POKEH+4,32:POKEH+5,32:POKEH+24, 32:POKEH+23,77:POKEH+25,32



SUNDAY DRIVER gives you four scenarios to choose from. You must beat the clock as you drive along while avoiding pedestrians, other cars, and obstacles. In other versions it's winter and you're on ice-slicked roads. In game three it's nighttime (don't hit the ghosts). If this sounds too easy try the 007 option — it's you against **them** on twisty roads.


SEND CHECK OR MONEY ORDER TO:



P.O. Box 23 Worcester, MA 01603

MasterCard and VISA accepted (617)892-3488 16K cassette or disk \$29.95.


- 380 POKEH+14,32:POKEH+15,32:POKEH+1 1,74:POKEH+12,64:POKEH+13,
- 390 POKEH+16,32:POKEH+17,32:POKEH+37,32:POKEH+35,77:POKEH+36,
- 400 POKEH+187,77:POKEH+188,78:POKEH +209,32:POKEH+181,103:POKE H+203,122:POKEH+180,32:U=.
- 410 RETURN
- 420 POKEH+1,74:POKEH+2,64:POKEH+3,7 5:POKEH,32:POKEH-1,32
- 430 POKEH+4,32:POKEH+5,32:POKEH+25, 32:POKEH+23,32:POKEH+24,72
- 440 POKEH+13,74:POKEH+14,64:POKEH+1 5,75:POKEH+12,32:POKEH+11, 32
- 450 POKEH+16,32:POKEH+17,32:POKEH+37,32:POKEH+35,32:POKEH+36,
- 460 POKEH+181,103:POKEH+203,122:POK EH+187,101:POKEH+209,76:PO KEH+188,32:POKEH+180,32:U=
- 470 RETURN



A fumbled ball crashes in "Juggler," VIC-20 version.

- 480 POKEH+3,74:POKEH+4,64:POKEH+5,7 5:POKEH+2,32:POKEH+1,32
- 490 POKEH, 32: POKEH-1, 32: POKEH+25, 78 : POKEH+23, 32: POKEH+24, 32
- 500 POKEH+15,74:POKEH+16,64:POKEH+17,75:POKEH+14,32:POKEH+13,32
- 510 POKEH+12,32:POKEH+11,32:POKEH+3 7,78:POKEH+35,32:POKEH+36, 32
- 520 POKEH+181,78:POKEH+180,77:POKEH

- +203,32:POKEH+187,101:POKE H+209,76:POKEH+188,32:U=2
- 53Ø RETURN
- 540 GOSUB650:PRINTTAB(D)"{21 DOWN}{
  WHT}CRASH{HOME}";:POKEV-1,
  N:POKE7954-SC,15:POKEH-36,
  34
- 550 FORT=15TO0STEP-1:POKEV,T:POKEV+ 1,PEEK(V+1)AND248ORT
- 560 FORW=1T0100:NEXT:NEXT:POKEV-1,. :POKE36879,75
- 570 PRINTTAB(7)"{YEL}{02 DOWN}GAME ~ OVER{DOWN}":POKEH-14,64:GO TO590
- 580 PRINT" {BLK}^{YEL} 3 BALLS
  DOWN}":PRINT" {BLK} 
  YEL} 2 BALLS {DOWN}":PRINT"
  PRESS {REV}Q{OFF} TO Q
  UIT":GOSUB140
- 590 GETA\$:IFA\$="Q"THENSYS65234
- 595 IFFNJ(32)ANDY<>2THENRESTORE:E=Ø:0=Ø:GOTO71Ø
- 600 IFFNJ(16)THENCLR:Y=1:GOTO700
- 610 IFFNJ (4) THENCLR: GOTO 700
- 62Ø GOTO59Ø
- 630 FORT=38884TOT+6:POKET-CO,7:NEXT:FORT=38900TOT+6:POKET-CO,7:NEXT:RETURN
- 640 FORT=38884TOT+6:POKET-CO,6:NEXT:FORT=38899TOT+6:POKET-CO,6:NEXT:RETURN
- 650 FORT=8165+DTOT+2:POKET-SC,123:N EXT
- 660 RETURN
- 670 PRINT"{CLEAR}{DOWN} {YEL}V
  IC JUGGLER{WHT}"
- 680 PRINT" {03 DOWN} {03 RIGHT}USE JO YSTICK ONLY {04 DOWN}"
- 690 PRINT" {YEL} {04 RIGHT} CHOOSE GAM E {DOWN} ": GOTO580
- 700 V=36878:H=7968:G=37152:DIMJ%(18),U%(16),G%(13)
- 710 PRINT" {CLEAR}";:IFPEEK(36869)=1 92THENSC=3584:CO=512
- 720 H=7968-SC:GOSUB140
- 730 FORX=8015T08025:POKEX-SC,64:NEX T:POKEX-6-SC,104
- 740 POKEH-37,93:POKEH-35,93:POKEH+7,74:POKEH+9,75:POKEH+30,93:POKEH+118,102
- 750 POKEH-15,93:POKEH-13,93:POKEH-5 9,85:POKEH-57,73
- 760 POKEH-36,114:POKEH-14,82:POKEH+ 8,114:POKEH-58,64:POKEH+74 ,102
- 770 POKEH+139,78:POKEH+141,77:POKEH +160,78:POKEH+164,77:POKEH +96,102
- 78Ø GOSUB36Ø
- 790 FORK=2T016:READJ%(K):J%(K)=J%(K)
  )-SC:POKEJ%(K)+30720+SC-CO



,7:NEXT 800 FORK=2TO14:READU%(K):U%(K)=U%(K ) -SC: NEXT 810 FORK=2TO12: READG% (K): G% (K) = G% (K )-SC:POKEG% (K)+30720+SC-CO ,6:NEXT 820 K=INT(RND(1)\*8)+2:A=1 830 L=INT(RND(1)\*7)+2:B=1 840 IFY=0THENM=INT(RND(1)\*6)+2:C=1 850 IFO>49+450\*ABS(C)THENE=1:Y=. 860 GOSUB150 870 N=220:IFK=17THENGOSUB270:A=-1:G OSUB110:K=15-E 880 IFK=1THENGOSUB210:A=1:GOSUB110: 890 POKEJ% (K-A), 32:POKEJ% (K), 81:K=K 900 GOSUB150 910 IFL=15THENGOSUB290:B=-1:GOSUB11 Ø:L=13-E 920 IFL=1THENGOSUB230:B=1:GOSUB110: L=3+E930 POKEU% (L-B), 32: POKEU% (L), 81: L=L 940 GOSUB150 950 IFM=13THENGOSUB310:C=-1:GOSUB11 Ø:M=11-E 960 IFM=lTHENGOSUB250:C=1:GOSUB110: M=3+E970 POKEG% (M-C), 32:POKEG% (M), 81:M=M +C:IFE=.THEN850 980 POKEJ% (K-3\*A), 32: POKEJ% (K-2\*A), 990 POKEU% (L-3\*B), 32: POKEU% (L-2\*B), 1010 POKEG% (M-3\*C), 32: POKEG% (M-2\*C), 81:GOT0860 1020 DATA 7946,7902,7858,7815,7772,7 730,7710,7712,7714,7738,77 84,7829,7874,7918,7962 1030 DATA7948,7904,7860,7817,7774,77 54,7756,7758,7782,7827,787 2,7916,7960 1040 DATA7950,7906,7862,7819,7798,77

# **Program 2: Atari Version**

78,7802,7825,7870,7914,7958

E:"; BALLS

200 POSITION 10,1:? #6; "(8 SPACES)":I
F PRACTICE THEN POSITION 10,1:? #
6; "EXTEMBEGE"

210 K=PEEK(53279):IF K=7 THEN 210

220 IF PEEK(53279)=K THEN 220

230 IF K=5 THEN BALLS=5-BALLS

240 IF K=3 THEN PRACTICE=1-PRACTICE

# **Atari Notes**

Use your joystick to move the Juggler's arms to any of three positions (far left, center, or far right) to catch and deflect the balls. You can select a game with either two balls or three balls by pressing SELECT when the game is RUN. If you press OPTION, you can play a "practice" game. In a practice game, you cannot make any points, but you can't lose, either. It's a good way to learn how to play without becoming frustrated.

A successful catch is greeted with a "bleep," but a miss gets you a raspberry. If you're not playing a practice game, it's all over when you miss a ball. The rest come tumbling down!

A note on strategy: let go of the joystick after each move. This will return the Juggler to the center position, where it is easiest to quickly react.

```
250 IF K<>6 THEN 190
260 POSITION 1,1:? #6; "(9 SPACES)"
270 GOSUB 1190
280 REM MAIN LOOP
290 GOSUB 320: GOSUB 320
300 GOSUB 440: GOSUB 320
310 GOTO 290
320 REM MOVE ARMS
330 IF PEEK (53279) = 6 THEN RUN
340 POS=2-(1-PTRIG(0))+(1-PTRIG(1))
350 ON POS GOSUB 370,390,410
360 RETURN
370 POSITION 6,7:? #6; "<([□)(□)(□))
    : POKE 77,0
380 POSITION 8,9:? #6; "$ +": RETURN
390 POSITION 6,7:? #6;" <((☎)() >
400 POSITION 8,9:? #6; "$ %": RETURN
410 POSITION 6,7:? #6;"
                         <(E)(E)(E)>"
    : POKE 77,0
420 POSITION 8,9:? #6;" * %": RETURN
430 REM MOUE BRILL
440 INDEX=(INDEX+1)*(INDEX<BALLS-1)
450 BPOS=BPOS(INDEX)
460 WHICH=WHICH(INDEX):BDIR=BDIR(INDE
    X):BIN=BIN(INDEX)
470 POKE BPOS, 0
480 BPOS=BPOS+PB(WHICH, BIN) *BDIR
490 POKE BPOS, ASC (BALL$ (INDEX+1))
500 BIN=BIN+BDIR: IF BIN=0 OR BIN>PB(W
    HICH, 0) THEN 530
```

# For the Atari 400/800 Home Computer

ou are Sentinel I, the latest in highly maneuverable strike aircraft, and you have a mission, to protect the metropolis, but the alien attack will stop at nothing to destroy your very last lines of defense. Your senses are tuned for battle and the attack begins.

Aliens will block your path, destroy your ship, deplete your fuel and sacrifice their lives to stop your mission. You must destroy the aliens with your rapid

fire lasers before they home in and destroy you. There is no escape — you must destroy them all for they will stop at nothing.



- ▼ 100% machine language
  - ✓ 1 or 2 player option
  - ✓ joy stick controls
- ✓ lateral scrolling screen
  - ✓ superb graphics
  - ✓ extensive color
- ✓ finest sound utilization
- ✓ available in 16K tape \$29.95 U.S. funds
  - √ 24K disc \$34.95 U.S. funds
- ✓ call your local dealer for more information

- 510 BIN(INDEX)=BIN
- 520 BPOS(INDEX)=BPOS:RETURN
- 530 REM MEND OF TRAVEL... MISSEDS
- 540 P=PEEK(BPOS+20): IF P<>28 AND P<>3 0 THEN 580
- 550 FOR W=14 TO 0 STEP -2: SOUND 0,50,
- 10,W:SOUND 1,60,10,W:NEXT W
  IF NOT PRACTICE THEN SCORE=SCORE 560 IF +1+9\*(BALLS=3):POSITION 10-LEN(ST R\$(SCORE))/2,1:? #6;SCORE;" "
- 570 POKE BPOS, 0: BDIR (INDEX) = -BDIR (IND EX): GOSUB 1260: RETURN
- 580 SOUND 0,100,12,8:FOR W=1 TO 50:NE XT W: SOUND 0,0,0,0: IF PRACTICE TH EN 570
- 590 FOR I=1 TO 10:FOR J=0 TO BALLS-1
- 600 POKE BPOS(J), ASC(BALL\$(J+1))
- 610 BPOS(J) = BPOS(J) + 20 BDIR(J): SOUND O, I #BALLS+J, 12, 10-I: NEXT J: NEXT I
- 620 POSITION 9,6:? #6; "₽"
- 630 POSITION 5,0:? #6; "press 31211"
- 640 IF PEEK (53279) <>6 THEN 640
- 650 RUN
- 660 REM MANAGEMENT ON



Reaching with an outstretched arm in the Atari version of "Juggler."

- 670 GRAPHICS 2+16:DIM M\$(10)
- 680 M\$="JUEgUEr"
- 690 FOR I=1 TO LEN(M\$): A=ASC(M\$(I)):P OKE 712, INT(A/16) \*16+14
  700 FOR J=1 TO 11:COLOR 32:PLOT I+J-1
- ,J-1:COLOR A:PLOT I+J,J:SOUND 0,J +I \*10,10,8:NEXT J:COLOR 32:PLOT I +J-1, J-1
- 710 FOR J=10 TO 6 STEP -1:COLOR 32:PL OT I+J/2+3.5, J+1: COLOR A: PLOT I+3 +J/2, J:SOUND 0, J+I \*10, 10, 8: NEXT J
- 720 NEXT I
- 730 FOR I=0 TO 240 STEP 10:POKE 712,0
- 740 A=PEEK (708): POKE 708, PEEK (709): PO KE 709, PEEK (710) : POKE 710, PEEK (71 1): POKE 711, A
- 750 PBKE 711, PEEK (53770): PBKE 53279,0
- 760 SOUND 0, I, 10, 4: SOUND 1, I+10, 10, 4: NEXT I
- 770 SOUND 0,0,0,0:SOUND 1,0,0,0
- 780 GRAPHICS 2+16: POSITION 7,6:? #6;M
- 790 CHSET=(PEEK(106)-8) \*256:FOR I=0 T O 7: POKE CHSET+I, 0: NEXT I
- 800 RESTORE 840: IF PEEK (CHSET+8)=60 T **HEN 1030**

- 810 FOR I=128 TO 207: POKE CHSET+I.PEE K (57344+I): SOUND 0, I, 10, 8: POKE 53 274, I: NEXT I
- 820 FOR I=1 TO 14:READ A, B:FOR J=0 TO 7:POKE CHSET+A\*8+J, PEEK (57344+B\* 8+J): SOUND 0, A, 10, 8: SOUND 1, B, 10,
- 830 POKE 53274, A: NEXT J: NEXT I: SOUND 0,0,0,0:SOUND 1,0,0,0
- 840 DATA 34,34,33,97,44,108,51,115,26 ,26,42,42,53,117,39,103,37,101,50 ,114,48,48,35,99,52,116,41,105
- 850 READ A: IF A=-1 THEN SOUND 0,0,0,0 :GOTO 1030
- 860 FOR J=0 TO 7: READ B: POKE CHSET+A\* 8+J, B: SOUND 0, B, 10, 8: POKE 53274, B : NEXT J
- 870 GOTO 850
- 880 DATA 1,60,126,219,255,189,195,126 . 60
- 890 DATA 2,24,102,165,219,231,126,122 . 126
- 900 DATA 3,0,126,126,126,126,231,195, 195
- 910 DATA 4,3,6,12,24,16,112,0,0 920 DATA 5,192,96,48,24,8,14,0,0
- 930 DATA 6,60,90,219,255,231,231,126, 60
- 940 DATA 7,0,0,0,24,24,0,0,0
- 950 DATA 8,0,0,0,0,63,224,0,0
- 960 DATA 9,0,0,0,0,252,7,0,0
- 970 DATA 10,1,67,166,28,0,0,0,0
- 980 DATA 11,128,194,101,56,0,0,0,0
- 990 DATA 28,128,130,68,60,7,0,0,0
- 1000 DATA 30,1,33,18,60,224,0,0,0
- 1010 DATA 127,16,24,28,30,30,28,24,16 1020 DATA -1
- 1030 REM MORE INITALIZATION
- 1040 REM Read in parabolas
- 1050 DIM PB(4,15): RESTORE 1060
- 1060 DATA 0,-19,-20,-21,-21,-1,19,19, 20,20,0,-99
- 1070 DATA 0,-20,-21,-21,-21,-1,-1,19, 20,21,21,0,-99
- 1080 DATA 0,-19,-20,-21,-21,-1,-1,19, 19,20,21,0,-99
- 1090 DATA 0,-19,-20,-20,-21,-1,19,19, 19,20,0,-99
- 1100 DATA 0,-20,-21,-21,19,19,20,0,-9
- 1110 FOR I=0 TO 4
- 1120 FOR J=1 TO 15
- 1130 READ A: IF A<>-99 THEN PB(I, J)=A: NEXT J
- 1140 PB(I, 0) = J-1
- 1150 NEXT I
- 1160 DIM BPOS(2), BPEEK(2), WHICH(2)
- 1170 DIM BDIR(2), BIN(2): RETURN
- 1180 REM TRITTALIZE BALLS
- 1190 FOR I=0 TO 2: WHICH(I) =-1: NEXT I
- 1200 FOR I=0 TO BALLS-1
- 1210 BDIR(I)=-1+2\*(RND(1)>0.5)
- 1220 INDEX=I:GOSUB 1260
- 1230 NEXT I
- 1240 RETURN
- 1250 REM TINTETTALTZE ONE BALL
- 1260 WHICH=INT(5\*RND(0)):WHICH(INDEX)
- 1270 BPOS(INDEX)=SCR+130+INT(3\*RND(0) )-4\*(BDIR(INDEX)=-1)
- 1280 FOR J=0 TO BALLS-1
- 1290 IF WHICH(J)=WHICH THEN J=BALLS:N EXT J: GOTO 1260
- 1300 NEXT J: WHICH (INDEX) = WHICH
- 1310 BIN(INDEX)=1+(PB(WHICH, 0)-1) \* (BD IR(INDEX) = -1)
- 1320 RETURN

# ...and so there were keys for the Atari 400.



n the beginning there was the membrane keyboard.

So it was to be done that Inhome Software would create a full-stroke keyboard for the Atari 400 Home Computer and it would be called the B Key 400, and would sell for \$119.95 U.S. funds.

The new B Key 400 was made so easy to install that the owner could do it himself in a miraculous two minutes.

With the B Key 400 keyboard from Inhome Software, you will follow into the land of professional home computers that are powerful, easy to program and have a great capacity that can be made even greater with Inhome Software 48K and 32K memory boards. It was done and it was good.





SOFTWARE

#### KMMM Pascal for PET/CBM

A subset of standard Pascal with extensions

Machine language Pascal Source Editor with cursor oriented window mode

Machine Language P-Code Compiler

- P-Code to machine language translator for optimized object code
- Run-time package
- Floating point capability

- User manual and sample programs

Please specify configuration. Requires 32K

#### EARL for PET (disk file based) \$65

Editor, Assembler, Relocator, Linker

Generates relocatable object code using MOS Technology mnemonics. Disk file input (can edit files larger than memory). Links ,multiple object programs as one memory load. Listing output to screen or printer. Enhanced editor operates in both command mode and cursor oriented 'window' mode

## RAM/ROM for PET/CBM

4K or 8K bytes of soft ROM with optional battery backup.

RAM/ROM is compatible with any large keyboard machine. Plugs into one of the ROM sockets above screen memory to give you switch selected write protectable RAM.

Use RAM/ROM as a software development tool to store data or machine code beyond the normal BASIC range. Use RAM/ROM TO LOAD A ROM image where you have possible conflicts with more than one ROM requiring the same socket. Possible applications include machine language sort (such as SUPERSORT), universal wedge, Extramon, etc.

RAM/ROM – 4K	\$75	
RAM/ROM – 8K	90	
Battery Backup Option	20	

SUBSORT by James Strasma

Subsort is an excellent general purpose machine language sort routine for PET/CBM computers. Sorts both one and two dimensioned arrays at lightning speed in either ascending or descending order. Other fields can be subsorted when a match is found, and fields need not be in any special order. Sort arrays may be specified by name, and fields are random length. Allows sorting by bit to provide 8 categories per byte. The routine works with all PET BASICs, adjusts to any memory size, and can co-exist with other programs in high memory.

#### SuperGraphics 2.0 **NEW Version with TURTLE GRAPHICS**

SuperGraphics, by John Fluharty, provides a 4k machine language extension which adds 35 full featured commands to Commodore BASIC to allow fast and easy plotting and manipulation of graphics on the PET/CBM video display, as well as SOUND Commands. Animations which previously were too slow or impossible without machine language subroutines now can be programmed directly in BASIC. Move blocks (or rocketships, etc.), or entire areas of the screen with a single, easy to use BASIC command. Scroll any portion of the screen up, down, left, or right. Turn on or off any of the 4000 (8000 on 8032) screen pixels with a single BASIC command. In high resolution mode, draw vertical, horizontal, and diagonal lines. Draw a box, fill a box, and move it around on the screen with easy to use BASIC commands. Plot curves using either rectangular or polar co-ordinates (great for Algebra, Geometry and Trio classes)

The SOUND commands allow you to initiate a note or series of notes (or even several songs) from BASIC, and then play them in the background mode without interfering with your BASIC program. This allows your program to run at full speed with simultaneous graphics and music.

Seven new TURTLE commands open up a whole new dimension in graphics. Place the TURTLE anywhere on the screen, set his DIRECTION, turn him LEFT or RIGHT, move him FORWARD, raise or lower his plotting pen, even flip the pen over to erase. Turtle commands use angles measured in degrees, not radians, so even elementary school children can create fantastic graphic displays.

Specify machine model (and size), ROM type (BASIC 3 or 4) SuperGraphics in ROM

Volume discounts available on ROM version for schools.



\$85

## NFW **VERSION II**

FLEX-FILE is a set of flexible, friendly programs to allow you to set up and maintain a data base. Includes versatile Report Writer and Mail Label routines, and documentation for programmers to use Data Base routines as part of other pro-

#### RANDOM ACCESS DATA BASE

Record size limit is 256 characters. The number of records per disk is limited only by record size and free space on the disk. File maintenance lets you step forward or backward through a file, add, delete, or change a record, go to a numbered record, or find a record by specified field (or partial field). Field lengths may vary to allow maximum information packing. Both subtotals and sorting may be nested up to 5 fields deep. Any field may be specified as a key. Sequential file input and output, as well as file output in WordPro and PaperMate format is supported. Record size, fields per record, and order of fields may be

#### MAILING LABELS

Typical mail records may be packed 3000 per disk on 8050 (1400 on 4040). Labels may be printed any number wide, and may begin in any column position. There is no limit on the number or order of fields on a label, and complete record selection via type code or field condition is supported.

#### REPORT WRITER

\$35

Flexible printing format, including field placement, decimal justification and rounding. Define any column as a series of math or trig functions performed on other columns, and pass results such as running total from row to row. Totals, nested subtotals, and averages supported. Complete record selection. including field within range, pattern match, and logical functions can be specified.

#### FLEX-FILE II by Michael Riley \$110

Please specify equipment configuration when ordering.

# DISK I.C.U.

Intensive Care Unit by LC. Cargile COMPLETE DISK RECOVERY SYSTEM FOR CBM DRIVES

\$40

- edit disk blocks with ease
- duplicate disks, skipping over bad blocks
- complete diagnostic facilities
- un-scratch scratched files
- check and correct scrambled files
- recover improperly closed files
- extensive treatment of relative files
- optional output to IEEE488 printer
- comprehensive user manual (an excellent tutorial on disk operation and theory).

Furnished on copy-protected disk with manual. Backup disk available, \$10 additional.

# PROGRAM YOUR OWN EPROMS

Branding Iron EPROM Programmer for PET/CBM software for all ROM versions. Includes all hardware and software to program or copy 2716 and 2532 EPROMs.

#### PORTMAKER DUAL RS232 **SERIAL PORT**

Two ports with full bipolar RS232 buffering. Baud rates from 300 to 4800. For PET/CBM, AIM, SYM.

#### CRM Software

TCL Pascal Version 1.6	135
Petspeed BASIC Compiler	225
Integer BASIC Compiler	110
CMAR Record Handler	110
UCSD Pascal (without board)	135
Wordcraft 80	300
BPI Accounting Modules	300
Professional Tax Prep Sys.	600
Intelligent Terminal Emulator	25
ASERT Data Base	375
Personal Tax Calc	55
Dow Jones Portfolio Mgmt.	110
Assembler Development	80
Legal Time Accounting	445

## FORTH for PET

BY L C. Cargile and Michael Riley

\$50

Features include

full FIG FORTH model.

all FORTH 79 STANDARD extensions

structured 6502 Assembler with nested decision making macros

full screen editing (same as when programming in BASIC)

auto repeat key.

sample programs.

standard size screens (16 lines by 64 characters). 150 screens per diskette on 4040, 480 screens on 8050. ability to read and write BASIC sequential files.

introductory manual.

reference manual.

Runs on any 16K or 32K PET/CBM (including 8032) with ROM 3 or 4, and CBM disk drive. Please specify configuration when ordering

#### Metacompiler for FORTH

simple metacompiler for creating compacted object code which can be executed independently (without the FORTH system).

### **PaperMate 60 COMMAND** WORD **PROCESSOR** by Michael Riley



Paper-Mate is a full-featured word processor for CBM/PET by Michael Riley. Paper-Mate incorporates 60 commands to give you full screen editing with graphics for all 16K or 32K machines (including 8032), all printers, and disk or tape drives. Many additional features are available (including most capabilities of Professional Software's WordPro 3).

For writing text, Paper-Mate has a definable keyboard so you can use with either Business or Graphics machines. Shift lock on letters only, or use keyboard shift lock. All keys repeat

Paper-Mate text editing includes floating cursor, scroll up or down, page forward or back, and repeating insert and delete keys. Text block handling includes transfer, delete, append, save load and insert

All formatting commands are imbedded in text for complete control. Commands include margin control and release, column adjust, 9 tab settings, variable line spacing, justify text, center text, and auto print form letter (variable block). Files can be linked so that one command prints an entire manuscript, Auto page, page headers, page numbers, pause at end of page, and hyphenation pauses are included.

Unlike most word processors, CBM graphics as well as text can be used. Paper-Mate can send any ASCII code over any secondary address to any printer.

Paper-Mate functions with all CBM/PET machines with at least 16K, with any type of printer, and with either cassette

To order Paper-Mate, please specify machine and ROM type.

Paper-Mate (disk or tape) for PET, CBM, VIC, C64 \$40

#### SM-KIT for PET/CBM Enhanced ROM based utilities for BASIC 4. Includes both pro-

gramming aids and disk handling commands.

#### BASIC INTERPRETER for CBM 8096 A full interpreter implementation to automatically take advan-

tage of the extra memory available with 8096.

#### PEDISK II Systems from cgrs Microtech available. FILEX IBM 3741/2 Data Exchange Software available.

JINSAM Data Base Management System for CBM. Comprehensive version available for most configurations.

COPY-WRITER Word Processor for PET/CBM. Works like expensive word processors, plus has added features like double column printing and shorthand generator.

#### CASH MANAGEMENT SYSTEM

\$40

Easy to use disk system. Keeps track of cash disbursements, cash receipts, cash transfers, expenses for up to 50 cate-

#### WRITE FOR CATALOG

# EAGLE COMPUTERS (



USI Video Monitors-Green or AMBER 20 MHz hi-res. Dealer and OEM inquiries invited



#### SPECIALS ON INTREGATED CIRCUITS

6502	7.45	10/ 6.95	50/ 6.55	100/6.15
6502A/6512A	8.40	10/ 7.95	50/ 7.35	100/ 6.90
6520 PIA	5.15	10/4.90	50/ 4.45	100/4.15
6522 VIA	6.45	10/6.10	50/ 5.75	100/ 5.45
6532	7.90	10/7.40	50/ 7.00	100/6.60
2114-L200	No.	2.45	25/ 2.30	100/ 2.15
2716 EPROM		4.90	5/ 4.50	10/4.00
2532 EPROM		8.90	5/ 8.45	10/ 7.90
6116 2KX8 CMOS	RAM	8.90	5/ 8.45	10/ 7.90
4116 RAM		0.00	-, -, -	8 for 14
Zero Insertion Force	24 pi	Socket (S	canbe)	2.00



#### Signalman Modems **Anchor Automation** FREE SOURCE MEMBERSHIP WITH SIGNALMAN

All Signalman Modems are Direct Connect, and include cables to connect to your computer and to the telephone. Signalman Modems provide the best price-performance values, and start Dealer and OEM inquiries invited at less than \$100.

Mark I BS232 Mark II for Atari 850 Mark IV for CBM/PET with software Mark V for Osborne (software available) Mark VI for IBM Personal Computer Mark VII Auto Dial/Auto Answer Mark VIII Bell 212 Auto Dial/Answer

DC HAYES Smartmodem	229
RS232 MODEM — Accoustic	119
RS232 MODEM — CCITT frequencies	175

We carry Apple II+ from **Bell & Howell** 



Apple Dumpling (Microtek) Printer Interface

Apple Dumpling with 16K Buffer

PIE Writer Word Processor

252 Bethlehem Pike

Colmar, PA 18915

115

160

120

# **C**commodore

See us for Personal Business, and Educational requirements. Educational Discounts available

PETSCAN \$245 base price

Allows you to connect up to 35 CBM/PET Computers to shared disk drives and printers. Completely transparent to the user. Perfect for schools or multiple word processing configurations. Base configuration supports 2 computers. Additional computer hookups \$100 each.

Commodore COMMUNICATES!

# COMPACK

\$129

Intelligent Terminal Package includes: ACIA hardware based interface; DB25 Cable and STCP Software with remote telemetry, transfer to/from disk, printer output XON-XOFF control, user program control, and status

# VE-2 IEEE to Parallel Interface

Includes case, power supply, full 8-bit transmission, and switch selectable character conversion to ASCII.

VIC 20	189	VIC Sargon II Chess	32
VIC Printer	335	VIC GORF	32
VIC 3K RAM	32	Meteor Run (UMI)	39
VIC 8K RAM	53	VIC Radar Ratrace	24
VIC 16K RAM	99	Amok (UMI)	20
VIC Disk Drive	395	Snakman	15
VIC Pinball	32	Rubik's Cube	13
VIC Omega Race	32	Programmers Reference	15
Spiders of Mars (UMI)	39	Renaissance (UMI)	39
VIC Draw Poker	24	VIC Superslot	23
		tware for VIC	
0	10	Mara in 2 D	10

VIC Draw Poker	24	VIC Supersion	23
VICTO	RY Sof	tware for VIC	
Street Sweepers	12	Maze in 3-D	12
Night Rider	11	Cosmic Debris	12
Treasures of Bat Cave	12	Grave Robbers Advent.	11
Games Pack I	12	Games Pack II	12
Victory Casino	8	Adventure Park I	12
Adventure Pack II	12	Trek	11
TANAL ARRIADS with DA	10		450

INW 488/103 WITH DAA	430
Computel's First Book of PET/CBM	11
POWER ROM Utilities for PET/CBM	78
WordPro 3+ - 32K CBM, disk, printer	195
WordPro 4+ - 8032, disk, printer	300
SPELLMASTER spelling checker for WordPro	170
COPY-WRITER Professional Word Processor	159
VISICALC for PET, ATARI, or Apple	190
PETRAX PET to Epson Graphics Software	35
SM-KIT enhanced PET/CBM ROM Utilities	40
Programmers Toolkit - PET ROM Utilities	35
PET Spacemaker II ROM Switch	36
2 Meter PET to IEEE or IEEE to IEEE Cable	40
Dust Cover for PET, CBM, 4040, or 8050	8
VIC or C64 Parallel Printer Interface	85
CmC IEEE-RS232 Printer Interface — PET	120
SADI Intelligent IEEE-RS232 or parallel	235
Library of PET Subroutines	12
Programming the PET/CBM (Compute!) — R. West	20
Compute! First Book of VIC	11
Whole PET Catalog (Midnight Gazette)	8
Color Chart Video Board for PET	125
PET Fun and Games (Cursor)	11
REVERSAL (Spracklen) Apple or Atari	25
SARGON II — Apple or TRS-80	26
Apple II User's Guide (Osborne)	12
Introduction to Pascal (Sybex)	13
Pascal Handbook (Sybex)	16
Musical Applications of Micros (Chamberlin)	20
Starting FORTH	14
Discover FORTH	12
User Guide to the Unix System	13

6502 Assembly Language Subroutines

KAMIKAZE (Heyden Software-Apple)

PET Fun and Games

# DISK SPECIALS



10/ 2.30 50/ 2.10 SCOTCH (3M) 5" 100/215 SCOTCH (3M) 8" 10/245 50/220

#### We stock VERBATIM DISKS Write for Dealer and OEM prices.

10/ 2.00 20/ 1.95 BASE 5" or 8" 10/ 1.80 50/ 1.75 Wahash 5" 10/ 2.25 50/ 2.20 100/2.10 Wahash 8"

# We stock MAXELL DISKS

Write for dealer and OEM prices.

Disk Storage Pages 10 for \$5 Hub Rings 50 for \$6 Disk Library Cases 3"-3.00 5"-2.25 Head Cleaning Kits 11

### CASSETTES—AGFA PE-611 PREMIUM

High output, low noise, 5 screw housings. 50/.58 100/.50 C-10 10/ 61 100/.70 10/.85 50/.82 C-30

#### SPECIALS

Timex/Sinclair Computer	95
Zenith ZVM-121 Green Phosphor Monitor	109
INTEX Talker Text to Speech System	265
Epson, Okidata, Prowriter printers available	
Brother Daisy Wheel Printer	880
STARWRITER Daisy Wheel Printer F10	1445
We Stock AMDEK Monitors	
Watanabe Intelligent Plotter 995	6-pen 1295
Staticide anti-static spray	6
dBASE II	445

#### ALL BOOK and SOFTWARE PRICES DISCOUNTED A P Products

Synertek SYM-1 Microcomputer **SALE 189** 349 KTM-2/80 Synertek Video and Keyboard 385 KTM-3/80 Synertek Tubeless Terminal

# Alspa Computer, Inc.

The price-performance leader. Includes Z80A, 1 or 2 full 8" drives (double density, double sided), 3 serial and 1 parallel port, and winchester port. Prices start at less than \$2000. DEALER and OEM inquiries invited.



1995 Z90-80 64K Z90-82 64K, 1 double dens. drive 2245 Z37 1.3 Megabyte Dual Drive 1355 Z19 Video Terminal (VT-52 compatible) 695 550 ZT-1 Intelligent Communications Terminal Z100 16-bit/8-bit System CALL





800 Computer	649	Microsoft BASIC	72
400—16K	269	MISSILE COMMAND	29
810 Disk Drive	440	ASTEROIDS	29
825 Printer	625	STAR RAIDERS	34
850 Interface	170	Space Invaders	29
Inside Atari DOS	18	Music Composer	35
Joysticks or Paddles	19	Caverns of Mars	33
16K RAM (Microtek)	69	PAC-MAN	36
32K RAM (Microtek)	99	CENTIPEDE	36
Pilot	65	First Book of Atari	11
Super Breakout	29	Anchor Modem-Atari	85
APX Software	Call	Other Atari products	Call

WRITE FOR CATALOG

9

28

# SOUND On The Sinclair/Timex

School of Music, UNCG, Greensboro, NC

Sound on the Sinclair/Timex? Beethoven symphonies, no; simple melodies, yes! All you need is one of the programs below, and a high-gain amplifier/speaker connected to the computer's mike output. (Radio Shack's battery-operated mini- or telephone-amplifier/speakers at \$10-12

work fine.)

The software secret is a short Z-80 machine language (ML) routine buried in a REM statement at the beginning of a BASIC program. It is important that the routine be the FIRST program statement; if it isn't, all the USR and POKE addresses that follow must be changed. We'll make our opening REMark statement number 10, and leave it!

After typing 10 REM, press the following sequence of CHARACTERS (ignore commas, periods, and spaces): NEXT, A, /, I, =,:, COPY, INKEY\$, PEEK, COPY, (, RETURN, INKEY\$, <=, RETURN, (, RETURN, H, 4, LET, 9, 4, GOTO, TAN. Remember, these are Characters – single keystrokes. Spaces will appear in the display, but you don't type any in.

Some of the characters are FUNCTIONS; to register them, you first hit the function key. Others are KEYWORDS, a bit trickier. First hit THEN, which causes the K cursor to appear; then press the keyword; finally go back and delete THEN. Presto, a keyword in a REM statement! When you are finished entering characters, be sure to hit

ENTER.

Now we'll add a second statement: 30 LET A = USR 16514. Attach the amplifier to the mike output, turn up the volume, and we're ready for a test. (You might want to save the program first machine language crashes make you start over.) Be sure you are in FAST mode; sound doesn't work in SLOW. (In your own applications, you may switch back and forth from SLOW to FAST whenever you wish.)

RUN the short program. If all is well, you should hear a slightly low B above middle C for approximately one second. The screen display goes berserk during the note, showing horizontal black streaks similar to a LOAD. When the sound

is finished, the previous display returns.

Note that the computer hum, which is quite audible except during the note itself, is caused by the screen display. When the screen is "off," including black during computer calculations, there is no hum. This program produces one note per subroutine call – a square wave, limited in range to pitches from B above middle C on up. (More sophisticated routines that extend the range into the bass register, and permit a variety of tone colors, are discussed later.)

## Frequency And Duration

Let's construct a simple BASIC program to play our choice and length of note:

10 REM (as above) 12 LET B = 255 14 LET D=5 17 POKE 16520, B 22 POKE 16518, D\*1000/B 30 LET A = USR 16514

B is the frequency value, POKEd into location 16520; D is the duration value, which - converted to be constant for varying frequencies - is placed in 16518. B must be between 1 and 255, and D must be greater than 0. For higher frequencies, it is possible to ask for too long a duration; one may receive a report code of B in statement 22 here (an attempt to POKE a number larger than 255 into location 16518).

For longer tones, adjust tempo location 16516, which normally contains value 24. POKEing a smaller value speeds up the tempo, while a larger value makes everything last longer. Note that these three memory locations – for frequency, duration, and tempo – are the same for all programs in this article. So is the USR subroutine call address.

The single-byte frequency values for pitches from the B above middle C up through two octaves are given in the table. These are the values with zero as the high byte (ignore the zero and use only the low byte). For this particular program, add three to each value listed; thus a low B (the first pitch with high byte = 0) should be 250 instead of 247. Experiment with different frequency and duration values.

Now let's explore a routine that permits a full range of pitches, down to two octaves below middle C or lower, if you wish. Here we require a two-byte frequency value. The machine language is more extensive. Again begin with 10 REM, adding the following sequence of character strokes: NEXT, A, /, I, = , upper left quarter square graphic, upper left quarter square graphic, COPY, VAL, PEEK, COPY, lower left quarter square graphic, left half square graphic, C, upper right quarter square graphic, (, RETURN, £, \$, C, upper half square graphic, \$, /, RUN, AT, <=, RETURN, lower left quarter square graphic, left half square graphic, C, upper right quarter square graphic, (, RETURN, £, \$, C, upper half square graphic, \$, /, RUN, H, 4, AND, 9, 4, STR\$, TAN.

Whew! Again conclude by hitting ENTER, and double or triple-check the entry. Be sure to identify the correct graphics characters, preceding and following them by pressing the GRAPHICS key to obtain or cancel the G cursor. To get the graphics character rather than a reverse field letter,

you must use the shift key.

This routine may be quick-checked also by adding the statement: 30 LET A = USR 16514. This time you should hear a slightly low B below middle C, for about two seconds. The complete BASIC program is listed below.

10 REM (as above)
12 LET B = 1
13 LET C = 255
14 LET D = 10
15 LET X = B\*256 + C
17 POKE 16520,B
18 POKE 16521,C
22 POKE 16518,D\*1000/X
23 IF PEEK 16518 = 0 THEN POKE 16518,1
30 LET A = USR 16514

Here B and C are the two-byte frequency values (high-low order). X sums the two values for purposes of calculating the duration to be POKEd into 16518. Statement 23 may seem problematic. It is needed because very low notes (high B and C values) may cause 16518 to contain zero, which will produce a very long tone in combination with a small D value. Statement 23 protects against this possibility. To obtain accurate rhythms on low short tones, speed up the tempo (POKE a value less than 24 into 16516) so that you can work with larger values of D. Again, try different frequencies and durations, using the frequency table at the end of the article. B is the high byte, C, the low. Use the values straight out of the table (do not add 3).

# **Varying Tone**

Next we have a modification of the above ML routine that permits variation in tone color. It is more complex and difficult to use, but permits any width of pulse (rectangular) wave by changing a single variable. While requiring considerable additional overhead, only one more variable is specified (pulse width). Frequency values are the same as in the previous program. It will be easiest to enter this routine as a modification of the previous one.

Start, as usual, with 10 REM then: NEXT, A,

/, I, =, upper left quarter square graphic, upper left quarter square graphic, COPY, PEEK, COPY, lower left quarter square graphic, left half square graphic, C, upper right quarter square graphic, (, RETURN, £, \$, C, upper half square graphic, upper left quarter square graphic, upper left quarter square graphic, left half square graphic, COPY,  $\langle = \rangle$ , RETURN, lower left quarter square graphic, left half square graphic, C, upper right quarter square graphic, (, RETURN, £, \$, C, upper half square graphic, \$, \/, RUN, H, 4, OR, 9, 4, USR, TAN. Conclude with ENTER. Adding the statement 30 LET A = USR 16514 should result in the same tone as previously, since a square wave (50 percent pulse width) is specified.

As the BASIC overhead for this routine is fairly extensive, it may not run on the 1K ZX-81.

All other programs should.

11 LET P = 50 12 LET B = 1 13 LET C = 255 14 LET D = 10 15 LET X = B\*256 + C 16 LET Y = P\*.02\*X 17 POKE 16520,INT (Y/256) 18 POKE 16521,Y-PEEK 16520\*256 19 LET Y = (100-P)\*.02\*X 20 POKE 16538, INT (Y/256) 21 POKE 16539,Y-PEEK 16538\*256 22 POKE 16518,D\*1000/X 23 IF PEEK 16518 = 0 THEN POKE 16518,1 30 LET A = USR 16514

P is the new variable, representing pulse width expressed as a percentage (greater than zero and less than 100). The other statements are needed to calculate, from a single two-byte frequency number, the two sets of timing loop values for the top and bottom portions of the pulse wave. Suffice it to say that the two pairs of loop values go into locations 16520-16521 and 16538-16539, and that if the two pairs are identical, you get a square wave; otherwise, a variable-width pulse results. Incidentally, these variable pulse widths may be monitored on the screen, where the thicker streaks of white represent greater positive pulse widths at the same frequency. Note, too, that spacing of the streaks is proportional to frequency.

# **A Short Melody**

Finally, let's return to our first sound routine – the one with one-byte frequency values, square waves, and high pitches only – and attempt a short melodic phrase. To do this, we define a series of frequency and duration variables in arrays, inserting them in order during a FOR/NEXT loop that calls the notes one at a time.

Observe that this program is not designed to perform entire compositions (though, given enough memory, it could). I will review two commercial programs in an upcoming issue of **COMPUTE!** which allow you to code or perform, then play back, extended melodies.

10 REM (as above, first sound routine) 12 DIM B(6) 13 DIM D(6) 14 LET B(1) = 157 15 LET D(1) = 316 LET B(2) = 186 17 LET D(2) = 118 LET B(3) = 23519 LET D(3) = 420 LET B(4) = 186 21 LET D(4) = 422 LET B(5) = 157 23 LET D(5) = 424 LET B(6) = 117 25 LET D(6) = 826 FOR I = 1 TO 6 27 POKE 16520, B(I) 28 POKE 16518, D(I)\*1000/B(I) 35 LET A = USR 16514 40 NEXT I

After SAVEing the program to prevent possible catastrophe, RUN it. Do you recognize the tune? If the tempo is too slow, you can always POKE the tempo location, 16516 – insert the statement, 11 POKE 16516,15 (or POKE any other number below 24). Experiment with different speeds between 1 and 255.

You may have noticed that there is no provision for rests. Rests are a bit awkward. Perhaps you might want to work out something inside the play loop that checked for a B (frequency) array variable of zero, and converted the D (duration) array variable into an index for a "do nothing" FOR/NEXT loop. Yes, it sounds complicated. Perhaps the following suggestion is some improvement.

Add two statements to the program above: 30 IF B(I) = 255 THEN POKE 16528,255, and 32 IF B(I)↔255 THEN POKE 16528,254. Now, if you code a FREQUENCY value of 255, you'll get a rest of the specified duration rather than a pitch. Make sure to reserve the "pitch" of 255 for a rest. Or you may choose, and reserve, any other value greater than zero to 255 for this purpose. Unfortunately, zero won't work. After inserting this code, try substituting 255 for one of the B array values in the melody. You should get a note hole.

Comparable additions to the BASIC code for the other sound routines are also possible. I suggest reserving the value of 255 for the lower frequency byte. In the routine that deals with square waves throughout the frequency range, add the statements IF C(I) = 255 THEN POKE 16540,255 and IF C(I)↔255 THEN POKE 16540,254 during the play loop. Note the change in memory location. The C array represents the lower frequency byte. For the routine with variable pulse width, use the same two statements, but POKE 16541 instead of 16540.

What follows is a list of delay loop (frequency)

through five octaves around middle C. The first pitch is two octaves below middle C, the last, three octaves above middle C. Be sure to add three to these values when using the one-byte, simple sound routine. This routine handles only pitches with a high byte of zero, which is omitted.

## **Pitch Values**

PITCH	HIGH BYTE	LOW BYTE
C	7	105
C#/DF	6	250
D #/FF	6	145
D#/EF	6 5	35 218
F	5	130
F#/GF	5	50
G	4	228
G#/AF	4	155
A	4	90
A#/BF	4	23
В	3	225
c c#/dF	3	167 114
d d	3	65
d#/eF	3	17
e	2	230
f	2	188
f#/gF	2	149
g	2 2 2	110
g#/aF	2	75
a #/L-F		42
a#/bF b	2	11
c1 (middle c)	1	238 210
c#1/dF1	1	184
d1	1	159
d#1/eF1	1	136
e1	1	113
f1	1	92
f#1/gF1	1	72
g1	1	53
g#1/aF1	1	36
a1 a#1/bF1	1	19
b1	0	247
c2	0	232
c#2/dF2	0	219
d2	0	207
d#2/eF2	0	195
e2	0	183
f2	0	173
f#2/gF2 g2	0	163 154
g#2/aF2	0	145
a2	0	136
a#2/bF2	0	128
b2	0	121
c3	0	114
c#3/dF3	0	107
d3	0	101
d#3/eF3 e3	0	95 89
f3	0	84
f#3/gF3	0	79
g3	0	74
g#3/aF3	0	70
a3	0	66
a#3/bF3	0	62
b3	0	58
c4	0	55

# THUNDERBIRD

Dave Sanders, Garland, UT

For TRS-80 Color Computer, Atari and Unexpanded VIC, this game should prove a challenge for all age levels. So far, none of the players who've tried it have been able to get past the second level. But if you do, the game will keep getting harder.

"Thunderbird" will demand your undivided attention and all of the memory the unexpanded VIC-20 has to offer. The object of Thunderbird is to score as high as possible. The high score will be kept from game to game. The scoring is as follows: 200 points for taking out a tree, 50 points for taking out a saucer, 75 points for deflecting off either wing of the Thunderbird, 25 points for deflecting off the main body of the Thunderbird, and 1000 points for breaking out the bottom of the playing field. When the satellite drops into a well, 125 points are subtracted from the score.

You score these points by keeping the satellite in the playing field. The satellite can break out the top and the bottom of the screen. When it breaks out the bottom, you score 1000 points, and a new and more difficult playing field is set up for you. If the satellite breaks out the top of the field, your game is half over. You can lose only two satellites out the top. You prevent the satellite from breaking out the top by deflecting it back into the field with the Thunderbird. The Thunderbird is moved across the top of the field with the cursor control keys.

The display on the right side of the screen tells you if you are playing the first or second satellite. When the satellite drops into a well, the Thunderbird lasers down from one to three multicolored saucers to further hinder the satellite from breaking out the bottom. You will notice that the Thunderbird deflects the satellite one way off its main body and a different way off its wings. You have to keep the Thunderbird moving across the screen in conjunction with the direction the satellite is moving, or you will not play for very long.

With a little practice, the first breakout is not too hard. The second breakout will not be out of reach either, but no one in our neighborhood has broken out the third time. Just in case you are a whiz though, the game will continue to get harder.

# Crunching It Into The VIC

Because of the length of the program, I had to use a technique known as "crunching." You can pack more instructions – and power – into your BASIC programs by making each program as short as possible.

Crunching programs lets you squeeze the maximum possible number of instructions into your program. It also helps you reduce the size of programs which might not otherwise run in a given size.

A list of keyword abbreviations is given in the Appendix D in the *Personal Computing Guide* that you received with your VIC-20. This is helpful when you program because you can actually crowd more information on each line by using these abbreviations. In this program it is mandatory to use this technique on many of the lines when you type them in. The most frequently used abbreviation in this program is PO (P shifted-O) which is the BASIC abbreviation for the POKE command. However, if you LIST a program that has abbreviations, the VIC-20 will automatically print out the listing with the full-length keywords.

If any program line exceeds 88 characters (four lines on the screen) with the keywords unabbreviated, and you want to change it, you will have to re-enter that line with the abbreviations before saving the program.

SAVEing a program incorporates the keywords without inflating any lines because BASIC keywords are tokenized by the VIC-20. Usually, abbreviations are added after a program is written and do not have to be LISTed any more before SAVEing.

REM statements are helpful in reminding yourself – or showing other programmers – what a particular section of a program is doing. However, when the program is completed and ready to use, you probably will not need those REM statements any more; you can save quite a bit of space by removing them. If you plan to revise or study the program structure in the future, it is a good idea to keep a copy on file with the REM statements intact.





# 400

16K	\$199
32K. Non Atar	Rami \$274
48K (Non Atar	Rami \$359

410 Recorder	74.00
610 Disk Drive \$4	29.00
822 Printer\$2	69.00
825 Printer	89.00
830 Modem	59.00
820 Printer \$2	
850 Interface	69.00
CX40 Joysticks (pair)	
CX853 Atari 16K Ram\$	

# 800

# 48K.....

New low price effective January 1, 1983.

Microtek 16K Ram	\$ 74.95
Axlon Ramdisk (128K)	
Intec 48K Board	\$159.00
Intek 32K Board	\$ 74.00
One Year Extended Warranty	\$ 70.00
CX481 Entertainer Package	\$ 69.00
CX482 Educator Package	\$130.00
CX 483 Programmer Package	
CX 484 Communicator Package	\$344.00

# ATARI COMPUTERS

S1 Single Drive	\$549.00
A1 Add-On Drive	\$339.00
S2 Dual Drive	\$879.00
Single Side Dual Head	\$679.00
Dual Drive Dual Head	1046.00



		Option of the	100		-
D	ISK	DF	SIVI	ES F	OR
FFIA	NK	LIP	3 L	APP	LE
A2				\$29	9.00
A40				\$36	9.00
A70				\$49	9.00
C2 C	ontrol	ler		\$7	9.00
C47	Contr	oller.		\$8	9.00

RO-SCI

### SOFTWARE FOR ATARI

1	PI
Control of the	Missile Command\$29
	Star Raiders \$35
	Galaxian \$33
	Defender \$33
	501511401111111111111111111111111111111
N-L	INE
27	Mission Asteroid \$22
27	Mouskattack\$31
29	Frogger\$31
	27

SYN	APBE
File Manager 800\$89	Shamus\$26
Chicken\$26	Protector\$26
Dodge Racer \$26	Nautilus\$26
Synassembler\$30	Slime \$26
Page 6\$19	Disk Manager \$24

The Next Step ......\$34 Cross Fire (ROM) ... \$36

DATA	SOFT
Pacific Highway\$25	Graphic Generator\$13
Canyon Climber\$25	Micro Painter \$25
Tumble Bugs \$25	Text Wizard \$79
Shooting Arcade \$25	Spell Wizard \$64
Clowns & Balloons \$25	Bishop's Square \$25
Graphic Master \$30	Sands of Egypt \$25

	EP	/X	
Crush, Crumble	\$24	Morloc's Tower	\$16
Undead Crypt	\$24	Rescue at Rigel	\$24
Curse of Ra	\$16	Ricochet	\$16
Datestones	\$16	Star Warrior	\$29
Invasion Orion	\$19	Temple Apshai	\$29
Arthur's Heir	. \$24	Upper Reaches	\$16

	AP	X	
Text Formatter.	\$18.50	Holy Grail	\$24
Family Budget	\$18.50	Prayer Piano	\$18.50
Eastern Front	\$24	Keyboard Piano.	\$18.50
Family Cash	\$18.50	Number Blast	\$13
Jukebox	\$13	Frogmaster	\$18.50
Downhill	\$18.50	747 Land Simul.	\$18.50
Outlaw .	\$1850	Word Processor	\$40

K-razy Shoot Out	. \$32	K-razy Antics\$32
K-razy Kritters	. \$32	K-star Patrol \$32

STICK STAND



# VISICORP

For Ap	ple, IE	BM & Fra	nklin
Visidex			\$189.00
Visifile			\$189.00
Visiplot			\$159.00
Visiterm			\$89.00
Visitrend/Plot			\$229.00
VisiSchedule.			\$229.00
Desktop Plan			\$189.00
VISICALC for	Apple II plu	s, Atari, CBM &	BM 179.00
	CONTI	NENTAL	
The Home Acc	untant(Ap	ple/Franklin)	\$59.00
The Home Acc	ountant (II	BM)	\$119.00
1st Class Mail	(Apple/Fra	nklin)	\$59.00
	BIRI	UB	
Free Fail	\$24	Space Eggs	\$24
Beer Run	\$24	Sneakers	
Snake Byte	\$24	Bandits	\$28

Apple Panic	\$23	Arcade Machine	. \$34
David's Magic	\$27	Choplifter	\$27
Star Blazer	\$25	Serpitine	\$27
The state of the s	NFO	COM	
Deadline	\$35	Zork I	. \$29
Star Cross	\$29	Zork II or III	\$29
	MI	PC	
Bubdiek (128K Pa	ml	\$71	9.00

Visidex			189.00
Visifile		s	189.00
Visiplot			159.00
Visiterm			\$89.00
Visitrend/Plot		S	229.00
		s	
Desktop Plan		s	189.00
VISICALC for Ap	ple II plu	is, Atari, CBM & IBM	179.00
C	ONTI	NENTAL	
The Home Acou	ntant(Ap	ple/Franklin)	\$59.00
The Home Acco	untant (II	3M) \$	119.00
1st Class Mail (A	Apple/Fra	nklin)	\$59.00
	SIRI	US	
ee Fail	\$24	Space Eggs	\$24
eer Run	\$24	Sneakers	. \$24
nake Byte	\$24	Bandits	\$28
BR	ODER	RBUND	
pple Panic	\$23	Arcade Machine	\$34
avid's Magic	. \$27	Choplifter	. \$27
tar Blazer	\$25	Serpitine	\$27
	INFO	COM	
eadline	\$35	Zork I	\$29
tar Cross	\$29	Zork II or III	\$29
	M	PC	

# PRINTERS

Smith Corona TP 1..... ..... \$599.00

с.ітон (ті	EC)
Starwriter (F10-40CPS)	\$1399.00
Printmaster (F10-55CPS)	\$1749.00
Prowriter 80 Col (P)	\$499.00
Prowriter 80 Col (S)	\$629.00
Prowriter 2 (132 Col)	\$799.00
OKIDATA	A
82A	\$429.00
83A	\$659.00
84P	\$1079.00
84S	\$1199.00
IDS	
MicroPrism	\$649.00
132 (fully configured)	\$1599.00
80 (fully configured)	\$1399.00
Call for other config	urations.

# DAISYWRITER

Letter Quality	. \$1049.00
DIABLO	
620	. \$1179.00
630	\$1849.00

# FLOPPY DISKS

MAXELL	VERBATUM
MD I (Box of 10) \$32	5¼" SS DD\$26
MD II (Box of 10)\$44	5¼" DS DD \$3€
MFD I (8")\$40	ELEPHANT
MFD II (8" DD) \$50	5¼" SS DD \$19.99

# MONITORS

	Œ	

300G\$169.00	,
Color I\$339.00	,
Color II\$699.00	,
Color III	,
BMC	
12" Green \$85.00	,
13" Color 1400 \$279.00	
13" Color 1401 (Mid Res) \$369.00	
ZENITH	
ZVM121\$99.00	
SHARP	
Sharp 13" Color TV\$275.00	
PANASONIC	
TR-120 MIP (High Res. Green) \$159.00	
CT-160 Dual Mode Color	

# MODEMS

### HAYES .....\$239.00 Smart 1200 (1200 Baud) ..... \$549.00

Chronograph	\$100.00	
Micromodem II (with Term)		
Microdem 100	\$309.00	
NOVATION		
Cat	\$144.00	
D-Cat	\$159.00	
Auto Cat	\$219.00	
212 Auto Cat	\$589.00	
Apple Cat II	\$279.00	
212 Apple Cat II	\$609.00	
ANCHOR		
Mark I (RS-232)	\$79.00	
Mark II (Atari)	\$79.00	
Mark III (TI-99)	\$109.00	
Mark IV (CBM/PET)	\$125.00	
Mark V (OSBORNE)	\$95.00	
Mark VI (IBM-PC)	\$179.00	
Mark VII (Auto Answer Call)	\$119.00	
TD0 00 0-1 0	****	

TRS-80 Color Computer.....\$99.00 

west

IN NV. CALL (702) 588-5654 P.O.BOX 6689 STATELINE, NV. 89449

INTERNATIONAL ORDERS: All shipments outside continental United States must be pre-paid by certified check only! Include 3% (minimun \$3.00) shipping and handling. EDUCATIONAL DISCOUNTS: Additional discounts are available from both Computer Mail Order locations to qualified Educational Institutions.



ACE 10 with Controller Card ACE Writer Word Processor

FOR SYSTEM PRICE.

# RANA DISK DRIVES

for price and availability on the Rana Disk Drives for the Apple and Franklin Computer Systems

# commodore

8032	\$999.00
CBM 64	CALL
4032	\$749.00
8096 Upgrade Kit	\$369.00
Super Pet	\$1599.00
2031	\$369.00
8250 Double Sided Disk Drive	. \$1699.00
D9060 5 Megabyte Hard Disk	. \$2399.00
D9060 7.5 Megabyte Hard Disk	\$2699.00
8050	. \$1299.00
4040	\$969.00
8300 (Letter Quality)	\$1549.00
8023	\$599.00
4022	\$399.00
New Z-Ram, Adds CP/M and 64K Ram.	\$549.00
The Manager	\$209.00
Magis	CALL
Word Pro 5 plus	\$319.00
Word Pro 4 plus	\$299.00
Word Pro 3 plus	\$199.00
The Administrator	\$379.00
InfoPro Plus	\$219.00
Fower	\$79.00
VIC 20 Dust Cover	\$6.99
CBM 8032 Dust Cover	\$14.99
CBM 8050/4040 Dust Cover	\$10.99



5¼" 160K DISK Drive	\$329
5¼" 320K Disk Drive	\$449
AMDEK	
310A Amber Monitor	\$179
Amdisk(31/4") Drive	\$729
DXY Plotter	\$759

Peachtree Peach Pal														
MPC Bubdisk			•••		٠.				• •		•	•		. C
	Sint	77		30		h	5	ø	G	B		S.	N	110

# PERCOM DRIVES

SOFTWARE

I.U.S. Easywriter II\$249
I.U.S. Easyspeller\$129
Peachtree Peach Pak (GL/AP/AR)\$419
MPC Bubdiskcall

# HEWLETT PACKARD HP 41CV CALCULATOR

HP 41C	\$149.00
HP 10C	\$69.00
HP 11C	\$79.00
HP 12C	\$114.00
HP 15C	\$109.00
NEW 16C	\$114.00



72	116.			.,,											×		÷	ě.			 ٠	è	-			. 3	1	9.(	JI
HP	12C.																					2/1				\$1	1	4.0	00
HP	15C.													*:												\$1	0	9.0	00
NE	W 160								1.0							. ,										\$1	11	4.0	00
NAME OF TAXABLE PARTY.	or and the same of	100	~	200	20		8		8		7				9							PR .		es.		100	000	100	
		ī		ī	Ī	7	Ī	Ī		Ī		Ī	7	Ī	Ī	Ī		Ī	Ī	Ī		Ī		i		T	ī	_	






PC-1500

POCKET COMPUTER

CE 150 Printer, Plotter and	
Interface Unit	\$172.00
CE152 Cassette Recorder	\$69.00
CE 1558K Ram Expansion Mo	

# eagle



64K RAM 780 KB Disk Storage Word Processing, Ultracalc CP/M C-Basic Software

Smith Corona TP1 Letter Quality Printer

\$2995.00 Retail Value

HEWLETT PACKARD



HP•85 \$1969

TELEVIDEO TERMINALS 910.

912C

920C

925C .....

950.....



\$4895.00

HP-125	\$1969.00
HP-85 16K Memory Module	\$169.00
51/4"Dual Master Disk Drive	\$1799.00
Hard Disk w/Floppy	\$4349.00
Hard Disk	\$3549.00
"Sweet Lips" Printer	\$1199.00
80 Column Printer	





\$209	
-------	--

800A	\$1319.00
802	\$2649.00
802H	\$4695.00
806	\$5495.00
816	\$9495.00

\$579.00

\$699.00

\$749.00

\$950.00

749.00

# VIC 20



VIC 1530 Commodore Datassette	\$69.00
VIC 1540 Disk Drive	\$339.00
VIC 1541 (64 Disk Drive)	CALL
VIC 1525 Graphic Printer	
VIC 1210 3K Memory Expander	
VIC 1110 8K Memory Expander	\$53.00
VIC 1111 16K Expansion	\$94.00
VIC 1011 RS232C Terminal Interface .	
VIC 1112 VIC IEEE-488 Interface	\$86.00
VIC 1211 VIC 20 Super Expander	\$53.00
VIC Mother Board	THE RESERVE OF THE PARTY OF THE

# Timex Sinclair 1000



16K Memory Mod	ule	***********	\$44.95
Vu-Calc	. \$17.95	The Organizer	\$14.95
Super Math	\$12.95	The Budgeter	\$13.95
Check Book Manager.	.\$13.95	Stock Option	\$14.95
The state of the s		Amostives \$17.05	

8001A	\$729.00
8031	\$729.00
8012	\$549.00
PRINTERS	
8023	\$499.00
7710/7730	\$2399.00
3510/3530	\$1599.00
MONITORS	
JB-1260	\$129.00
JB-1201	\$159.00
JC-1201	\$319.00
IC-1202	£720.00

east

IN PA. CALL (717) 327-9575 477 E. THIRD ST., WILLIAMSPORT, PA. 17701

In-stock items shipped same day you call. No risk, no deposit on C.O.D. orders. Pre-paid orders receive free shipping within the continental United States with no waiting period for certified checks or money orders. Add 3% (minimum \$3.00) shipping and handling on all C.O.D. and Credit Card orders. NV and PA residents add sales tax. All items subject to availability and price change. NOTE: We stock manufacturer's and third party software for most all computers on the market! Call today for our new catalogue

Following is a list of REM statements that would have been in my program if there had been room.

Program Line No.	Description
4-17	Routine to set up playing field.
25-26	Subroutine for printing score.
50-54	Routine for making game more difficult.
55-59	Routine for displaying instructions and a short
65-80	game. Routine for firing laser and starting satellite back at a random location.
85	Routine for the graphics when satellite takes out saucers.
90-91	Routine for sounds and points on breakout.
95-98	Routine for sounds and colors on losing satellite ou the top of the field.
100-103	Routine for moving Thunderbird across screen.
104-118	This section moves satellite and has all the PEEKs for the other routines in the program.

One of the easiest ways to reduce the size of your program is to eliminate all the spaces. Although programmers often include spaces in sample programs to provide clarity, you actually do not need any spaces in your program and will save memory if you eliminate them.

Instead of PRINTing several cursor commands to position a character on the screen, it is often more economical to use the TAB and SPC instructions to position words or characters on the screen. Well, that's enough on "crunching." You can find these and many other useful instructions in the VIC-20 *Programmers Reference Guide* VM110 published by Commodore.

On line 68 a couple of saucers are lasered down by the Thunderbird. The screen code POKEd for the saucers is the same as all the other saucers, but they certainly look different. This effect is achieved by POKEing a 9 into the color code location for these saucers. POKEing a color location with a number above eight will switch that location into multicolor mode. You can get some very interesting shapes and colors by using multicolor.

In lines four through seven, the (Q) is the ball graphic, and the (W) is the circle.

If you do not want to punch the program in, I will be happy to make a copy (VIC only) for you on tape. Send a cassette with a self-addressed, stamped (requires 40 cents postage) envelope, and a check for \$3 to:

Dave Sanders P.O. Box 533 Garland, UT 84312

# **Program 1: VIC-20 Version**

- 2 VD=36874:F=125:OX=30742:OF=30720:P1=1:L=1: SC=0:HI=0:K=1:M=7703:RS=1:VA=VD+2:C=V A+3
- 4 PRINT" {CLEAR} ": POKEC, 105: FORR=1T017: PRINT:

- 8 FORR=8142T08186:POKER,65:NEXT:J=87:G=81:FO RR=38423T038442:POKER,7:NEXT:POKE3687 8,15
- 9 FORR=38863T038882:POKER,5:NEXT:FORR=38885T 038904:POKER,5:NEXT:POKE8165,J:POKE81 68,J:POKE8171,J
- 10 POKE8178, J:POKE8181, J:POKE8184, J:FORR=7987
   TO8141STEP22:POKER+OF, 1:NEXT:FORR=768
   0TO8164STEP22
- 11 READA:POKER,A:NEXT:FORR=7701T08185STEP22:R EADA:POKER,A:NEXT:FORR=7681T07700:REA DA:POKER,A:NEXT
- 12 FORR=7966T0812ØSTEP22:POKER+OF,1:NEXT:REST
   ORE:IFP1=>2THEN5Ø
- 13 PRINTSPC(6) "{REV} {WHT} {22 UP} "SC:POKE7686, 189:PRINTSPC(14) "{REV} {WHT} {UP} "HI:PO KE7694,189
- 14 X=1:Y=1:DX=1:DY=1:POKEM+1,85:POKEM+2,88:PO KEM+3,73:IFRS=1THENRS=RS+1:GOTO55
- 15 IFTT=500THENTT=1:X=12:L=1:SC=0:PRINT"{HOME HOME}{07 RIGHT}{REV} ":GOTO104"
- 16 IFL<>2THEN104
- 17 POKE7767,147:POKE7789,133:POKE7811,131:POK E7833,143:POKE7855,142:POKE7877,132:G OTO104
- 25 PRINTSPC(6) "{UP}{REV}"SC:POKE7686,189:IFSC > HITHENHI=SC:PRINTSPC(14) "{REV}{UP}"H I:POKE7694,189
- 26 RETURN
- 50 FORR=7945T07964:POKER,G:NEXT:POKE8059,J:POKE8070,J:FORR=7945T07964:POKER+OF,7:NEXT
- 51 IFP1=>3THENPOKE8012,J:POKE8029,J
- 52 IFP1=>4THENPOKE8105,J:POKE8112,J
- 53 IFP1=>5THENPOKE7951,J:POKE7958,J
- 54 GOTO13
- 55 POKE7754,8:POKE7755,9:POKE7756,20:POKE7799 ,153:POKE7840,20:POKE7841,15:POKE7843 ,16:POKE7844,12
- 56 POKE7845,1:POKE7846,25:POKEM+1,85:POKEM+2, 88:POKEM+3,73:POKE7783,42:POKE7903,21 :POKE7904,19:POKE7905,5
- 57 POKE7907,3:POKE7908,21:POKE7909,18:POKE791 0,19:POKE7911,15:POKE7912,18:POKE7914 ,11:POKE7915,5
- 58 POKE7916,25:POKE7917,19:POKE7925,6:POKE792 6,15:POKE7927,18:POKE7929,18:POKE7930 ,9:POKE7931,7
- 59 POKE7932,8:POKE7933,20:POKE7935,38:POKE7937,12:POKE7938,5:POKE7939,6:POKE7940,2
- 60 GETA\$:IFA\$="Y"THENSC=0:L=1:GOTO4
- 61 IFA\$<>="Y"THENPOKEVA,Ø:TT=TT+1:IFTT=500THE N4
- 62 GOTO60
- 65 SC=SC-F:G=M+2:IFHI=SC+FTHENHI=HI-F
- 66 POKEG+22,77:POKEC,10:POKEG+OF+22,1:G=G+22
- 67 IFPEEK (G+22) =810RPEEK (G+22) =65THENPOKEG,81 :POKEG+OF,9:GOTO72
- 68 IFPEEK(G+22)=87THENPOKEG,81:POKEG-22,81:G= G-22:POKEG+OF,9:POKEG+OX,9:GOTO74
- 69 IFG>8185THENPOKEG,81:POKEG+OF,9:GOTO72
- 70 IFPEEK(G)=77THENPOKEG+22,78:POKEG+22+OF,1: G=G+22:GOTO67
- 71 GOTO66
- 72 IFPEEK (G-1) = 32THENPOKEG-1,81:POKEG-1+OF,9
- 73 IFPEEK (G+1) = 32THENPOKEG+1,81:POKEG+1+OF,9
- 74 POKEG-22, 32:G=G-22:IFPEEK (G-22) =88THEN76

# FIRST and FINEST

# In Systems Software for Atari and Apple

### MAC/65

First we delivered Atari's Assembler/Editor (the cartridge).

Then we produced our enhanced "EASMD."

Now OSS is introducing the finest integrated assembly language development system yet! In addition to being ideal for writing small, "quick and dirty" subroutines and programs, MAC/65 shows its full power and speed when used with even the most complex of large assembly language source files.

Naturally, MAC/65 is upward compatible with both EASMD and the Atari cartridge. And, of course, the object code output is also compatible with OS/A+, Atari DOS, and/or Apple DOS, as appropriate.

MAC/65 ..... \$80.00\*

### OS/A+

Optimized Systems Software — the group that produced **both** the **first** Apple DOS **and** the **first** Atari DOS — now brings you OS/A+, which combines the **finest** features of these and other successful personal computer operating systems

OS/A+ is the **first** and **finest** operating system available for **both** Apple II and Atari computers and features a keyboard-driven, easy-to-use command processor. In addition to several simple resident commands, OS/A+ allows logical and readable requests for even the most sophisticated utility commands. In fact, the user can even add system commands as desired.

But the real power and flexibility of OS/A+ is its ability to easily interface to devices and disk drives of virtually any kind and size. File compatibility (with Apple DOS or Atari DOS, as appropriate), device independence, batch processing, easy of use — OS/A+ truly brings the finest in operating systems to your computer.

**AND NOW** OS/A+ (for standard Atari or Apple drives) is included as a part of **every** standard OSS language package. Versions of OS/A+ for some higher capacity drives available at extra cost.

Unless otherwise noted, all OSS products require 48K and at least one disk drive. We recommend 64K for the Apple version of OS/A+.

# SpeedRead+

The first and still finest speed reading tutor designed for you to use on your computer is available only from OSS.

SpeedRead+ uses time-proven techniques to train you to instantly recognize words and phrases, and yet it goes far beyond what mere mechanical devices are capable of.

**SpeedRead**+ exercises your peripheral vision, improves your eye movement and timing, and generally works **with you** at your pace... now and in the future.

NOTE: The Atari version of SpeedRead+ needs only 16K of RAM.

SpeedRead+ ..... \$59.95

### C/65

### NOW AVAILABLE!

The **first** native mode **C** compiler ever produced for Atari **and** Apple computers.

C/65 supports a very usable subset of the extremely powerful and popular C language. Just as C is used by the most sophisticated programmers from the professional and academic communities, so shall C/65 prove to be a powerful and much-needed tool for 6502 software developers.

C/65 supports integer and character types (and arrays), pointers, fully recursive functions, and much more.

NOTE: C/65 requires MAC/65 or an equivalent assembler. Two disk drives recommended but not required.

/65 ..... \$80.00

# BASIC A+

### "From the authors of Atari BASIC ... "

It's a fact! OSS gave you that first and most popular language for Atari Home Computers. But why be content with the first when you can have the finest?

BASIC A+ is the **only** logical upgrade available to the Atari BASIC programmer. While retaining **all** the features which make Atari BASIC so easy to use, we've **also** given BASIC A+ features that place it at the forefront of modern interpretive languages. BASIC A+ will let **you** explore the worlds of structured programming, superior input/output, helpful programming aids, and even a very comprehensive PRINT USING command. **And**, exclusively for the Atari computer, an almost unbelievable array of PLAYER/MISSILE GRAPHICS commands and functions.

BASIC A+ ..... \$80.00

# tiny

As a product of Tiny C Associates, tiny-c was the first structured language interpreter for microcomputers. Now OSS brings this innovative interpretive language to your home computer. While not having the speed and power a true C compiler, tiny-c is an excellent choice for the programming student who is ready to begin learning the valuable techniques of structured languages.


tiny-c provides an easy-to-use, easy-tomodify environment that encourages experimentation while promoting proper programming style. The tiny-c package includes not only a comprehensive and instructional user manual but also complete source.

tiny-c ..... \$99.95\*


\*REMEMBER: Standard OS/A+ is included at no extra charge with BASIC A+, MAC/65, C/65, and tiny-c.

ATARI, APPLE II, and TINY C are trademarks of Atari, Inc., Apple Computer, Inc., and Tiny C Associates, respectively. **SpeedRead** +, MAC/65, C/65, BASIC A+ and OS/A+ are trademarks of Optimized Systems Software, Inc.

Optimized Systems Software, Inc., 10379 Lansdale Ave., Cupertino, CA 95014, (408) 446-3099



- 75 GOTO74
- 76 FORR=255T0128STEP-.9:POKEVA,R:NEXT:POKEVA,
- 77 X=INT(RND(1)\*18)+1:DY=1:Y=1:DX=1:IFX=>11TH ENDX=-DX
- 78 IFX=<12THENDX=+DX
- 79 IFDX=>50THENDX=1
- 80 GOSUB25: FORR=1T0750: POKEC, 105: GOTO105
- 85 POKEBD,91:POKEBD,90:DX=+DX:DY=-DY:POKEBD,9
  1:GOSUB25:POKEBD,32:GOTO105
- 90 FORR=1T015:FORW=250T0240STEP-1:POKEVA,W:NE XT:FORW=240T0250:POKEVA,W:NEXT:POKEVA,0:NEXT:P1=P1+1



Getting ready to play another game of the VIC-20 version of "Thunderhird."

- 91 FORR=1T0100:SC=SC+10:POKEVA,245:GOSUB25:FO RW=1T010:NEXT:POKEVA,0:NEXT:GOT04
- 95 IFL>1THENP1=1:FORR=ØTO255:POKEC,R:POKEVA,I NT(RND(0)\*128+127):NEXT:POKEC,105:POK EVA,0:GOTO55
- .96 IFL<3THENL=L+K:POKE7767,147:POKE7789,133:P OKE7811,131:POKE7833,143:POKE7855,142 :POKE7877,132:X=17
- 97 DX=1:Y=1:DY=1:POKEC,47:FORR=1TO28:READA:PO KEVA,A:POKEC,A:FORW=1TO50:NEXTW,R
- 98 POKEVA, Ø: RESTORE: POKEC, 105: DX = -DX: DY = +DY: G OTO104
- 100 IFM<7703THEN104
- 102 IFM>7718THEN104
- 103 POKEM+2,85:POKEM+3,88:POKEM+4,73:POKEM+1,3
  2:M=M+1
- 104 POKEBO, 32:BO=7703+X+22\*Y:POKEBO, 42
- 105 X=X+DX:IFX=0ORX=19THENDX=-DX:POKEVA,240
- 106 Y=Y+DY: IFY=-1THEN95
- 107 IFY=22THEN90
- 108 IFDX=0THENDX=1
- 109 POKEVA, 0: POKEVD, 0: BD=7703+X+22\*Y
- 110 IFPEEK (BD) = 32THEN116
- 111 POKEBO, 32: IFPEEK (BD) = JTHEN65
- 112 IFPEEK (BD) =81THENPOKEVA, 238:POKEVD, 238:SC= SC+50:GOTO85
- 113 IFPEEK (BD) =65THENSC=SC+200:FORR=128T0255ST EP2:POKE36875,R:NEXT:POKE36875,0:GOTO
- 114 IFPEEK (BD) =850RPEEK (BD) =73THENPOKEVA,140:S C=SC+75:GOSUB25:DX=+DX:DY=-DY:GOTO105
- 115 IFPEEK (BD) = 88THENPOKEVA, 212:SC=SC+25:GOSUB
  25:DX=Ø:DY=-DY:GOTO1Ø5
- 116 IFPEEK (197) = 31THEN100
- 117 IFPEEK (197) = 23THEN102
- 118 GOTO104

- 125 DATA 218,218,218,218,160,148,136,149,142,1 32,133,146,130,137,146,132,160,218,21 8,218
- 126 DATA218,218,218,218,218,218,218,134,137,14 6,147,148,160,147,129,148,133,140,140 ,137
- 127 DATA148,133,218,218,218,218,147,131,143,14 6,133,160,160,160,160,160,160,160,136,137
- 128 DATA160,160,160,160,160,160

# **Program 2: Atari Version**

- 100 REM THUNDERBURD
- 110 REM Atari Version
- 120 GRAPHICS 0:BASE=(PEEK(106)-16) \*25 6:GOSUB 1560:REM remove old players from screen
- 130 DIM A\$(40),BALL\$(4):POKE 82,0:BAL L\$="\*國(J)(更)":BALLS=4
- 140 CHSET=BASE: IF PEEK(CHSET+9)<>252
  THEN GOSUB 1200: REM If not initia
- 150 GRAPHICS 0:POKE 752,1:POKE 559,0: REM Turn off cursor, screen
- 160 DLIST=PEEK(560)+256\*PEEK(561)+4:R EM location of display list
- 170 FOR I=3 TO 24:POKE DLIST+I,4:NEXT
  I:REM Change mode zero lines to
  IRG 4 (mulicolor character)
- 180 POKE DLIST-1,6+64:POKE DLIST+2,6: REM top two lines GRAPHICS 1
- 190 POKE 756, CHSET/256: REM turn on ch aracter set
- 200 SETCOLOR 0,0,12:SETCOLOR 1,3,6:RE M white and red
- 210 RESTORE 240:REM draw brick area
- 220 POSITION 0,0:? BALL\$(1,BALLS):REM display # of balls (birds) left
- 230 REM Pattern of wall:
- 240 DATA 1,1,2,3,14,129,130,131
- 250 SCR=PEEK(88)+256\*PEEK(89):REM loc ate screen memory
- 260 REM put bricks on screen
- 270 FOR I=SCR+520 TO SCR+800 STEP 40: READ A:FOR J=I TO I+39:POKE J,A:N EXT J:NEXT I
- 280 POSITION 5,0:? #6; "THUNDERDORD"
- 290 PO=BASE+1024:PADR=PO+48:REM playe r zero.
- 300 POKE 704,28+176\*(DIFF=1)+80\*(DIFF =2):REM Gold, green, or violet
- 310 POKE 54279, BASE/256: REM single-li
- 320 POKE 53277,3:POKE 53256,3-2\*(DIFF =1)-3\*(DIFF=2):REM Start P/M DMA, select width according to difficulty
- 330 RESTORE 370
- 340 FOR I=0 TO 21:POKE PADR+I,0:NEXT I:REM clear out player
  350 FOR I=0 TO 7\*(3-DIFF) STEP 3-DIFF
- :READ A:FOR J=0 TO 3-DIFF:POKE PA DR+I+J,A:NEXT J:NEXT I
- 360 REM bird pattern
- 370 DATA 0,24,8,107,28,8,0,0
- 380 IF PEEK(547)<>6 THEN A=USR(1536): REM turn on VBLANK if necessary
- 390 POKE 559,62:GOSUB 750:REM turn on screen (single-line res. P/M), w ait for START
- 400 DY=1:DX=0.5:IF RND(1)>0.5 THEN DX =-0.5:REM Set up ball direction
- 410 BX=INT(40\*RND(0)):BY=INT(7\*RND(0) +3):REM select random starting po

# AARDVARK

OSI VIC-64 VIC-20 TRS-80 COLOR SINCLAIR TIMEX



QUEST — A NEW IDEA IN ADVENTURE GAMES! Different from all the others. Quest is played on a computer generated map of Alesia. Your job is to gather men and supplies by combat, bargaining, exploration of ruins and temples and outright banditry. When your force is strong enough, you attack the Citadel of Moorlock in a life or death battle to the finish. Playable in 2 to 5 hours, this one is different every time. 16k TRS-80, TRS-80 Color, and Sinclair. 13K VIC-20. \$14.95 each.



These Adventures are written in BASIC, are full featured, fast action, full plotted adventures that take 30-50 hours to play. (Adventures are interactive fantasies. It's like reading a book except that you are the main character as you give the computer commands like "Look in the Coffin" and "Light the torch.")

Adventures require 16k on TRS80, TRS80 color, and Sinclair. They require 8k on OSI and 13k on Vic-20. Derelict takes 12k on OSI. \$14.95 each.



CATERPILLAR

O.K., the Caterpillar does look a lot like a Centipede. We have spiders, falling fleas, monsters traipsing across the screen, poison mushrooms, and a lot of other familiar stuff. COLOR 80 requires 16k and Joy-sticks. This is Edson's best game to date. \$19.95 for TRS 80 COLOR.

PROGRAMMERS! SEE YOUR PROGRAM IN THIS SPACE!! Aardvark traditionally pays the highest commissions in the industry and gives programs the widest possible coverage. Quality is the keyword. If your program is good and you want it presented by the best, send it to Aardvark.

### **ESCAPE FROM MARS**

(by Rodger Olsen)

This ADVENTURE takes place on the RED PLANET. You'll have to explore a Martian city and deal with possibly hostile aliens to survive this one. A good first adventure.

PYRAMID (by Rodger Olsen) This is our most challenging ADVENTURE. It is a treasure hunt in a pyramid full of problems. Exciting and tough!

HAUNTED HOUSE (by Bob Anderson) It's a real adventure - with ghosts and ghouls and goblins and treasures and problems but it is for kids. Designed for the 8 to 12 year old population and those who haven't tried Adventure before and want to start out real easy.

### DERELICT

(by Rodger Olsen & Bob Anderson) New winner in the toughest adventure from Aardvark sweepstakes. This one takes place on an alien ship that has been deserted for a thousand years - and is still dangerous!

**TUBE FRENZY** (by Dave Edson)

This is an almost indescribably fast action arcade game. It has fast action, an all new concept in play, simple rules, and 63 levels of difficulty. All machine code, requires Joysticks. Another great game by Dave Edson, TRS 80 COLOR ONLY, 16k and Joysticks required, \$19.95.



CATCH'EM (by Dave Edson)

One of our simplest, fastest, funnest, all machine code arcade games. Raindrops and an incredibe variety of other things come falling down on your head. Use the Joysticks to Catch'em. It's a BALL! - and a flying saucer! - and a Flying Y!- and so on. TRS 80 COLOR, \$19.95.


BASIC THAT ZOOOMMS!! AT LAST AN AFFORDABLE COMPILER! The compiler allows you to write your programs in easy BASIC and then automatically generates a machine code equiv-

alent that runs 50 to 150 times faster. It does have some limitations. It takes at least 8k of RAM to run the compiler and it does only support a subset of BASICabout 20 commands including FOR, NEXT, END, GOSUB, GOTO, IF, THEN, RETURN, END, PRINT, STOP, USR (X), PEEK, POKE, \*, /, +, -, >, <, =, VARIABLE NAMES A-Z, SUBSCRIPTED VARIABLES, and INTEGER NUMBERS FORM 0-64K.

TINY COMPILER is written in BASIC. It generates native, relocatable 6502 or 6809 code. It comes with a 20-page manual and can be modified or augmented by the user. \$24.95 on tape or disk for OSI, TRS-80 Color, or VIC.


Please specify system on all orders

ALSO FROM AARDVARK - This is only a partial list of what we carry. We have a lot of other games (particularly for the TRS-80 Color and OSI), business programs, blank tapes and disks and hardware. Send \$1.00 for our complete catalog.



2352 S. Commerce, Walled Lake, MI 48088 (313) 669-3110





sition

420 REM | Main Loop

430 IF STRIG(0)=0 THEN GOSUB 800:REM allow "thunder"

440 IF STICK(0)<>15 THEN POKE 77,0

450 TX=BX+DX:TY=BY+DY:REM update ball

460 IF TY<1 THEN GOSUB 600:GOTO 430:R EM check for miss

470 IF TY>20 THEN DY=-DY:GOSUB 920:GO TO 430:REM check for breakthrough

480 IF TX<0 OR TX>39 THEN DX=-DX:REM bounce off wall

490 TPOS=SCR+TX+40\*TY:REM check for o

500 IF PEEK(TPOS)=0 THEN POKE TPOS,5: POKE SCR+BX+40\*BY,0:BX=TX:BY=TY:G OTO 430

510 REM Rebound tiles (lasered down)

520 IF PEEK(TPOS)=4 THEN GOSUB 890:SC DRE=SCORE-50:DY=ABS(DY):GOTO 560

530 DY=-ABS(DY): IF RND(0)>0.5 THEN DX =-DX

540 FOR W=14 TO 0 STEP -2:SOUND 0, W\*5

550 SCORE=SCORE+(BY-11) \*5:BLOCKS=BLOC

KS+1:REM score according to row 560 POKE TPOS,0:POSITION 29-LEN(STR\$( SCORE))/2,0:? " ";SCORE;" ";

570 IF BLOCKS=320 THEN 1000:REM BREAK -OUT!

580 IF SCORE (0 THEN 720

590 GOTO 500

600 REM Hit bird?

610 IF PEEK(53252) THEN DY=-DY: Z=1:GO TO 630

620 GOTO 660

630 FOR W=14 TO 0 STEP -2: SOUND 0, W+1 0, 10, W: NEXT W

640 POKE SCR+BX+40\*BY,0:BX=BX+DX:BY=B Y+DY

650 POKE 53278, 255: RETURN


660 REM Ball out of bounds (past bird )

670 POKE SCR+BX+40\*BY, 0

680 FOR W=100 TO 0 STÉP -5:SOUND 0,W, 12,8:NEXT W:FOR W=W=0 TO 100 STEP 5:SOUND 0,W,12,8:NEXT W:SOUND 0, 0,0,0

690 POKE 53278,255

700 BALLS=BALLS-1:POSITION BALLS,0:?



Unleashing a lightning bolt in the Atari version of "Thunderbird."

710 IF BALLS>0 THEN 400

720 REM GRME OVER

730 POSITION 5,0:? " GEME OFER "

740 GDSUB 750: RUN

750 IF PEEK(53279)=6 THEN POSITION 20 ,0:? "(5 SPACES)":RETURN

760 IF PEEK(20)>20 THEN POSITION 20,0 :? "PRESS"

770 IF PEEK(20)>40 THEN POSITION 20,0
:? "Start": POKE 20,0

780 GOTO 750

790 REM MASER DOWN

800 XPOS=(PEEK(1664)-48)/4+4:FLIP=0:R EM equate player pos. to screen p

810 FOR I=3 TO 12: WHERE=SCR+XPOS+40\*I

820 P=PEEK(WHERE):POKE WHERE,6+FLIP:F LIP=1-FLIP:REM zig-zag line

830 SOUND 0, I\*10, 0, 15-I:POKE 710, PEEK (53770):REM scintillate color

840 NEXT I

850 FOR I=3 TO 12:POKE SCR+XPOS+40\*I, 0:NEXT I:REM erase lightning

860 WHERE=SCR+12\*40+XPOS:SOUND 0,0,0, 0:POKE WHERE-1,4:POKE WHERE+1,4:P OKE WHERE,4:REM lay down tiles

870 SETCOLOR 2,9,4:RETURN

880 REM sound effect:

890 FOR W=0 TO 240 STEP 30:SOUND 0,W, 12,15-W/17:SOUND 1,W+10,10,15-W/1 7:NEXT W:SOUND 0,0,0,0:SOUND 1,0, 0,0

900 RETURN

910 REM break-through

920 IF DONE THEN RETURN

930 FOR I=1 TO 100:POKE 53274,PEEK(53 770):SOUND 0,I,0,15-I/10:NEXT I

940 SOUND 0,0,0,0:POSITION 4,0:? "BRG
ENGINE":POSITION 22,0:? "1000
point BONUS"

950 FOR I=1 TO 10:POSITION 22,0:? "10 00":FOR W=1 TO 20:NEXT W:POSITION 22,0:? "(4 SPACES)":FOR W=1 TO 2 0:NEXT W:NEXT I

970 FOR I=1 TO 10:FOR J=0 TO 15 STEP 5:SOUND 0,50+10-I,0,15-J:NEXT J:S CORE=SCORE+100

980 POSITION 29-LEN(STR\$(SCORE))/2,0:
? " ";SCORE;" ";

990 NEXT I:DONE=1:RETURN

1000 REM All bricks cleared

1010 GOSUB 1100:REM do "BLAST"

1020 FOR I=1 TO 50:FOR J=0 TO 3:POKE 708+J,PEEK(53770):NEXT J:Z=Z\*(Z< 5)+1

1030 SOUND 0, I+Z, 10, I/10: SOUND 1, I+Z+ 10, 10, I/10: NEXT I

1040 SOUND 0,0,0,0:SOUND 1,0,0,0:GOSU B 1560

1050 GRAPHICS 18:POSITION 0,6:? #6;"
(Q)(P)(L)(3 P) point SOMES(E)"

1060 FOR W=1 TO 100:SOUND 0,PEEK(5377 0),0,15-W/10:POKE 712,(3-FLIP\*2) \*16+FLIP\*4+4:FLIP=1-FLIP:NEXT W

1070 SCORE=SCORE+10000:SOUND 0.0.0.0

1080 DIFF=DIFF+1: IF DIFF>2 THEN DIFF=

1090 GOTO 150

1100 POKE 82,5: POSITION 5,10

1110 ? "!!!! #(6 SPACES) (4 SPACES).

1120 ? "!(3 SPACES)! #(5 SPACES) # # (3 SPACES) # # (5 SPACES) # # (6 SPACES) # # (7 SPACES) # (7 SPACES)

# Atari® Games On Your VIC-20?

The "CARDAPTER/1" will allow Video Game Cartridges designed for use on the Atari Video Computer System to be played on a standard VIC-20®

SUGGESTED RETAIL \$89.95

# DEALER INQUIRIES INVITED

# **United States:**

Cardco, Inc. 3135 Bayberry Wichita, KS 67226 (316) 685-9536

# West Canada:

LSI Distributing
Attn: Mr. Wong
2091 W. 61st Avenue
Vancouver, BC. CA V6J 1Z2
(604) 733-0211


# **England & Europe:**

Audiogenic Martin Manary 34-36 Crown St. Reading, Berkshire England (0734) 595647

# East Canada:

Hobby Craft Canada 24 Ronson Drive Rexdols Ontario M9W1B4 (416) 241-2661

1130 ? "!(3 SPACES)! #(4 SPACES) # (3 SPACES) . (7 SPACES) . #(4 SPACES) W(3 SPACES) W 1140 ? "!!!! .. (4 SPACES) []" 1150 ? "!(3 SPACES)! #(4 SPACES) (5 SPACES). (3 SPACES) []" 1160 ? "!(3 SPACES)! #(4 SPACES)@ (3 SPACES) . (3 SPACES). (3 SPACES) []" 7 "!!!! #### E(3 SPACES) E 1170 (4 SPACES) II" 1180 POKE 82,0: RETURN 1190 END 1200 REM Initialization stuff 1210 POKE 88,0:POKE 89,BASE/256:? " (CLEAR) ": GRAPHICS 2+16: REM CLEAR S OUT P/M AND CHARACTER MEMORY 1220 POSITION 5,0:? #6; "Hounderbird": POSITION 6,4:? #6; "patience": POS ITION 5,8:? #6; "READING ML" 1230 RESTORE 1260 1240 FOR I=1536 TO 1611: READ A: SOUND 0, A, 10, 8: POKE 712, A: POKE I, A: NEX 1250 A=USR(1536):GDTO 1400 1260 DATA 104,173,34,2,141,74 1270 DATA 6,173,35,2,141,75 1280 DATA 6,169,6,162,6,160 1290 DATA 23,32,92,228,96,24 1300 DATA 173,128,6,141,0,208 1310 DATA 173, 124, 2, 208, 6, 206 1320 DATA 128,6,206,128,6,173 1330 DATA 125,2,208,6,238,128 1340 DATA 6,238,128,6,173,128 1350 DATA 6,201,1,176,5,169 1360 DATA 200,141,128,6,201,250 1370 DATA 144,5,169,32,141,128 1380 DATA 6,76,73,6 1390 REM 1400 POSITION 3,8:? #6; "[ORDING CHSE D" 1410 FOR I=128 TO 510:POKE CHSET+I,PE EK (57344+I): SOUND 0, I/2, 12, 8: POK E 712, I/2: NEXT I 1420 RESTORE 1460 1430 READ A: IF A=-1 THEN SOUND 0,0,0, 0: SDUND 1,0,0,0: RETURN 1440 FOR J=0 TO 7: READ B: SOUND 0, B, 10 ,8:SOUND 1,B+10,10,8:POKE 712,B: POKE CHSET+A\*8+J, B: NEXT J



Making a "wing shot" in the TRS-80 Color Computer version 640 PRINTQINT (TX/2) + INT (TY/2) \*32, CHR\$ of "Thunderbird."

1460 DATA 1,0,252,168,84,252,168,252, 1470 DATA 2,0,168,168,252,252,168,168 1480 DATA 3,0,216,120,184,228,180,212 1490 DATA 4,0,0,0,219,150,0,0,0 1500 DATA 5,0,0,0,16,32,0,0,0 1510 DATA 6,192,192,48,48,12,12,3,3 1520 DATA 7,3,3,12,12,48,48,192,192 1530 DATA 10,24,40,24,153,126,255,20, 1540 DATA 14,0,126,126,126,126,126,12 6,0 1550 DATA -1 1560 REM KILL P/M GRAPHICS 1570 POKE 53277,0:FOR I=0 TO 3:POKE 5 3261+I,0:NEXT I 1580 RETURN

# Program 3: TRS-80 Color Computer Version

100 ' THUNDERSORE 110 ' COLOR COMPUTER VERSION 120 CLS 0 125 BL\$=CHR\$(128)+CHR\$(128)+CHR\$(128) +CHR\$(128) 130 PRINT 210, "THUNDERBIRD"; 140 H1\$=CHR\$(128)+CHR\$(157)+CHR\$(154) 150 H2\$=CHR\$(128)+CHR\$(149)+CHR\$(158) 160 BD\$=CHR\$(156)+CHR\$(157)+CHR\$(158) +CHR\$ (156) 165 BALLS=4 170 ' DRAF MAIN DE BRICKS 180 FOR I=2 TO 7 190 PRINT @(I+7) \*32, ""; 200 FOR J=1 TO 32:PRINTCHR\$(143+1\*16) ; : NEXT 210 NEXT 220 ' INITIALIZE OTHER VARIABLES 230 BY=RND(10)+6:BX=RND(32)-1 240 DY=1:DX=-1:IF RND(0)>.5 THEN DX=1 245 PRINT@23, "BALLS: "; BALLS; 299 ' MINE LONE 300 X=INT(JOYSTK(0)/2) 310 IF X>28 THEN X=28 320 IF X=DLDX THEN 360 325 PRINT@OLDX+32, BL\$; : PRINT@OLDX+64, BL\$; 330 IF X<OLDX THEN PRINT@X+32, H1\$; EL SE PRINT @X+32, H2\$; 340 PRINT@X+64, BD\$; 350 OLDX=X 360 IF PEEK (65280) = 126 OR PEEK (65280) =254 THEN GOSUB 4000 499 ' MOUS BRILL 500 TX=BX+DX:TY=BY+DY 515 IF TY=31 THEN DY=-DY:GOT0700 520 IF TY>5 THEN 600 530 IF TX<X\*2 OR TX>X\*2+LEN(BD\$) \*2 TH EN 1000 540 DY=-DY: IF RND(0) > . 5 THEN DX=-DX 550 GOTO 700

600 IF TX<0 OR TX>63 THEN DX=-DX:GOTO

620 IF P=0 THEN RESET(BX, BY): SET(TX, T Y, 0): BX=TX: BY=TY: GOTO300

630 SCORE=SCORE+P\*5: PRINT@0, SCORE;

700 610 P=POINT(TX, TY)

(128);

625 IFP=1 THEN P=-5

# the Connection

# FOR ALL YOUR SOFTWARE NEEDS AT THE LOWEST PRICES

We have one of the largest selections of software available for your home computer at the lowest prices. You will find all of the top games and office management software in our catalog at from 20% to 30% below retail.

ATA	ARI®		
	Retail	Our Price	
Monster Maze (Rom)	\$39.95	\$29.95	
Platter Mania (Rom)	\$39.95	\$29.95	
Chopliffer (Disk)	\$34.95	\$25.95	
Embargo (Rom)	\$49.95	\$34.95	
Raster Blaster (Disk)	\$29.95	\$18.00	
Frogger (D/C)	\$34.95	\$24.95	
Wizzard of Wor (D/C)	\$39.95	\$29.95	
Slime (D/C)	\$34.95	\$24.95	
Serpentine (D/C/Rom)	\$34.95	\$24.95	
Steller Shuttle (D/C)	\$29.95	\$20.95	

Atari® & Atari APX® programs now available at 25% off suggested retail if you mention this ad.

TG Trackball \$64.95 \$51.95 Wico Trackball \$69.95 \$57.95

And many, many more. Call for an update of new titles, including Atari VCS®.

1	IBM		<b>通报</b>
		Retail	Our Price
	Apple Panic	\$29.95	\$23.95
	Call to Arms	\$29.95	\$23.95
	Curse of Ra	\$19.95	\$15.95
	Frogger	\$34.95	\$27.95
	Jabber Talky	\$29.95	\$23.95
	Temple of Apshai	\$39.95	\$29.95
	Upper Reaches of Apshai	\$19.95	\$15.95
	Oil Barons	\$100.00	\$75.00
	*MatheMagic	\$89.95	\$67.50
	*Graphmagic	\$89.95	\$67.50
	*Combo Rack	\$159.90	\$119.95
1	Visicorp/Micr	opro - 259	6 of all titles

including Visicalc & Wordstar.

\$64.95

\$49.95

\$24.95

# DISKETTE SPECIAL

Box of 10 with Plastic Library Case

Single-sided/Double Density (40 track) with reinforced hub-ring. Call for Prices on

Call for Prices or Maxell and Verbatim.

ensity	The second secon	THE RESIDENCE	
rced (	APPLE	Retail	Our Price
	Sea Fox	\$29.95	\$22.45
	Serpentine	\$34.95	\$26.25
	MatheMagic	\$89.95	\$67.50
	Graphmagic	\$89.95	\$67.50
	*Combo Pack	\$149.95	\$112.50
Oil Baror		\$100.00	\$70.00
New Wor	ld	\$29.95	\$22.45
Snooper	Troops	\$44.95	\$33.75
Wizardry		\$49.95	\$37.50
Star Blaze	er	\$31.95	\$20.00
Ruski Du	:k	\$34.95	\$18.00
	Rescue at Rigel		
3-Pack	Morlock's Tower Datestone of Ryn	\$49.95	\$37.50
Raster B	aster	\$29.95	\$18.00
	ick Apple II®	\$59.95	\$46.00
	Joystick Apple III®	\$64.95	\$48.95
	TG Select-g-Port	\$59.95	\$46.00

TG Joy Stick

### VIC

Call for more information on new software for the fastest growing Home Computer today.

Comput	er today	
	Retail	Our Price
Crush, Crumble & Chomp (Cass.)	\$29.95	\$23.95
Astroblitz (Cart)	\$46.95	\$37.50
Chopliffer (Cart.)	\$44.95	\$35.95
Martian Raider (Cass.)	\$19.95	\$15.95
Ricochet (Cass)	\$19.95	\$15.95
Sword of Fargoal (Cass.)	\$29.95	\$23.95
Serpentine (Cart.)	\$44.95	\$35.95
Apple Panic (Cart )	\$44.95	\$35.95
Shark Trap (Cass.)	\$19.95	\$15.95
Trashman (Cart.)	\$46.95	\$37.50
Rescue at Rigel (Cass.)	\$29.95	\$23.95
Multisound Synthesizer (Cass.)	\$19.95	\$15.95
Monster Maze (Cart.)	\$39.95	\$31.95

# CALL TOLL FREE 1-800-828-2838 (For Placing Orders Outside California)

For Inside California and Other Inquiries Call 1-916-925-2666

MAIL ORDERS: For fast delivery, send certified check, money orders, or Visa or MasterCard number and expiration date, for total purchase price plus 1% or \$2 minimum for postage and handling. Add \$5 for shipment outside the continental U.S. California Residents add 6% sales tax.

COD: and Chargecard orders call 1-800-828-2838. In California call 1-916-925-2666.

Subject to stock on hand. Prices subject to change.

Catalog free with any order or send \$2 postage and handling and please specify computer type.



5133 Vista Del Oro Way Fair Oaks, CA 95628

```
641 IF TY=28 THEN GOSUB 2000
                                           2070 SCORE=SCORE+1000
645 IF P=-5 THEN DY=ABS(DY): GOTO700
650 DY=-ABS(DY)
                                           2080 PRINTOO, SCORE; : PRINTO23, "BALLS: "
                                                 ; BALLS;
660 HIT=HIT+1: IF HIT=192 THEN 3000
                                           2090 RETURN
700 SOUND 240,1
                                           2999 ' FILE BRICKS HOL
710 GOTO 300
                                           3000 FOR I=1 T050
1000 FORI=1T010:SOUND1,1:SOUND255,1:N
                                           3010 CLS RND(8)-1
      EXT
                                           3020 PRINT@263, "10,000 POINT BONUS!";
1010 RESET (BX, BY)
                                           3030 NEXT: CLS 0
1020 BALLS=BALLS-1: IF BALLS>0 THEN 23
                                           3040 SCORE=SCORE+10000
                                           3050 DIF=DIF+1
1030 FORI=255T01STEP-15:SOUNDI,1:NEXT
                                           3060 IF DIF=3 THEN DIF=2
1040 CLS5
                                           3070 ON DIF GOTO 3100,3200
1050 PRINT@267, "GAME OVER";
                                           3100 H1$=""
1055 PRINTOO, SCORE;
                                           3110 H2$=H1$
1060 IF PEEK(65280)<>126 AND PEEK(652
                                           3120 BD$=CHR$(169)+CHR$(166)
     80) <>254 THEN 1060
                                           3130 GOTO 180
1070 RUN
                                           3200 H1$="": H2$=""
1999 ' BRERGHROUEL
                                           3210 BD$=CHR$(243):GOTO180
                                           4000 ' HUNDER DOEN
2000 IF FIRST=1 THEN RETURN
                                           4010 FORI=3TD7
2010 FIRST=1
                                           4020 PRINT@X+1+1*32, CHR$ (233);
2015 PRINT@6, "1000 POINT BONUS";
2020 FOR J=1 TO 10 STEP 2
                                           4050 NEXT
                                           4060 SOUND245, 10
2025 T=1-T: IF T THEN PRINT@6, "1000";
                                           4070 FORI=3T07
     ELSE PRINTO6, BL$;
                                           4080 PRINT@X+1+I #32, CHR$ (128);
2030 FOR I=200+J TO 210+J
                                           4090 NEXT
2040 SOUND I.1
                                           4100 PRINT@X+I $32, CHR$ (131); CHR$ (131)
2050 NEXT: NEXT
                                                ; CHR$ (131);
2060 PRINTO6, BL$; "THUNDERBIRD"; BL$;
                                           4110 RETURN
```

# **Atari Notes:**

# **Thunderbird**

Charles Brannon, Editorial Assistant

Thunderbird for Atari requires a joystick and 16K of memory. You move the bird left and right with your joystick, using it to bounce a ball into a wall of bricks. As in Breakout, the object of the game is to clear out all the bricks, without letting the ball escape past you. A 1,000 point bonus is awarded when you break out the bottom of the wall (a "breakthrough"); and if you're really good, you get 10,000 points for clearing out all the bricks (no mean feat!).

# **Shades Of Zeus**

But the Thunderbird is no mere Breakout paddle! It can unleash the most awesome power of nature – lightning – at the touch of a button (the fire button). Thunderbird will "beam down" several luminous "tiles" that serve to deflect the ball downwards when hit. You can lay down tiles like a cap over a hole the ball has created, to force it to widen the hole. Every time the ball hits a tile, it swoops downward, but 25 points are subtracted from your score. That should discourage overuse of this miraculous feature.

# **Vertical Blank And IRG 4**

Here's a bit of information about the programming. The playing field is a mixed-mode display consisting of two rows of GRAPHICS 1

text, and 21 rows of a multicolored character mode, IRG 4. This lets us have multicolored bricks.

Player/missile graphics are used to represent the bird, which can be any of three sizes, depending on the skill level. The bird is moved left and right by a small machine language routine that is executed every 1/60 second during the TV's vertical blank (when the electron beam is traveling from the lower right-hand corner to the upper left-hand corner of the screen).

IRG mode 4, the multicolor mode, is quite interesting. A single character can be any of three colors. To design these colored characters, divide the character horizontally into four two-bit zones. Each two-bit block controls one pixel of color within the character (a multicolor character's resolution is 4x8). No color would be 00, color one is 01, two 10, and three 11 (simple two-bit binary). For example, one of the bricks consists of several colored bands:

The numbers correspond to a "COLOR" statement. One side and the bottom row are left blank, so the blocks won't touch. The pattern, when

expanded into binary, would look like:

Such a "custom character" would look strange on a normal screen (although you would see some semblance of multicolors, due to artifacting). But when displayed on either an IRG 4 or IRG 5 mode screen, each character is like a tiny 4x8 block of GRAPHICS 7 pixels. Also, any character printed in inverse (with the Atari logo key) will look different. The COLOR 3 pixels in such a character will be displayed as COLOR 4 (normally available only in GRAPHICS 1 or 2).

To create an IRG 4 screen, you must replace the bytes for GRAPHICS 0 by modifying the display list. Luckily, the resolution of IRG 4 is identical to GRAPHICS 0, 40x24.

DL = PEEK(560) + 256\*PEEK(561) + 4POKE DL-1,4+64 FOR I = 2 TO 24:POKE DL + I,4:NEXT I

See lines 160-180 of Thunderbird. You can also try out IRG 5, which displays these characters in double-height (40x12).

	VIC * COMMODORE 64 *	PI	ET)
	* SPRITE - AID for CBM-64\$	15	[\$20]
	*SYNTHY-64 Music & Sound Synthesizer	35	[\$40]
	GRAPHVICS Super full-screen Vic graphics\$	25	[\$30]
	VIC or PET VIGIL games language W/9 games\$	35	[\$40]
	VIC or PET PIPER-THE MUSIC MACHINE\$	25	[\$30]
	VIC HIRES/MULTICOLOR GRAPHICS UTILITIES\$		
- 71	TINY BASIC COMPILER Vic. CBM-64 or Pet \$		
	* VIC JOYSTICK PAINTER\$	15	[\$20]
	*SUPER EXPANDER SCREEN DUMP\$		
	I-CHING FOR VIC\$		
	*VIC TINY PILOT\$	25	\$301
	*BUDGETEER Vic. CBM-64 or Pet\$	25	\$301
	BASIC REFERENCE CARD\$2.50		
	*VIC MACHINE LANGUAGE GUIDE		
	PET TINY Pascal PLUS\$		
	PET MACHINE LANGUAGE GUIDE		
	* NEW	•	
	Look for Commodore 64 Software Coming	SOC	INC

Look for Commodore 64 Software Coming SUUN! Write for our FREE Catalog

or for fast service, call our Order Line. Abacus

VISA

Software

P.O. Box 7211, Grand Rapids, MI 49510

616/241-5510

FREE POSTAGE. Unless noted. prices are for cassette. Add \$3.00 per DISK package. Foreign prices in [ ]. Manuals available seperately for inspection, creditable towards purchase of software \$5.00 each [\$7.00 foreign]. All orders must be prepaid in U.S. Dollars via check or International Money order or by VISA, MC, ACCESS, Eurocard.



# 32k RAM TARI 400/800

Only Tech Data can offer such top quality at so low a price. Our Ram board features:

- Lifetime Warranty
- Gold-plated edge connectors
- Compatability with Atari 400/800

Dealer Inquiries Invited

800-237-8931 Fla.: 813-577-2794



Tech • Data Corporation

3251 Tech Drive North, St. Petersburg, FL 33702



### Quit Playing Games . .

Disk Based Software to Make Your Computer Get Down to Business

Disk Based Data Manager—Create and manage your own data base. Allows you to create, add, change, delete, search, sort, print, etc. Available for VIC-20, Commodore 64, any CBM or Pet, and IBM Personal Computer. VIC-20 59.95 All others 79.95

Inventory Control Manager—Fast, efficient inventory package which will manage your day to day inventory requirements. Provides information on sales and movement of items.

Mailing List Manager—4,050 items per 8050 disk, 1,300 on 4040 disk and 1,200 on 1540/1541 disk. User defined label format (1—4) across.

Payroll System—Full featured complete Payroll System. Up to 350 employees on a 8050 disk. Prints checks, 941's and W-2's. For the CBM 8032/8050, 4032/4040, Commo-dore 64/1541.

Hospitality Payroll—The most complete payroll system written specifically for the Restaurant Industry available today. Recognizes tip and meal credits, pay advances, salaried and hourly employees, etc. For the CBM 8032/8050

# CONTACT US FOR ALL YOUR DISK BASED SOFTWARE NEEDS

Call for specifics on Hardware Configurations. Send Self-Addressed Stamped Envelope for Catalogue of Games and other Applications

DEALER INQUIRIES WELCOME



2905 Ports O'Call Court Plano, Texas 75075 (214) 867-1333

terCard

VISA and MASTERCARD Accepted

# HOME ENERGY CALCULATOR

David Swaim, Atlanta

You (and your computer) could become pretty popular when word gets out that you can analyze the benefits of home improvements on fuel bills. This program is in Microsoft (Apple, PET, OSI, etc.) and Atari BASIC.

Lately there has been a great deal of interest in saving energy in the home. Nobody needs to be reminded that fuel costs are rising. We all want to reduce our energy bills. The way to do this is simple: reduce household energy consumption. There are a number of ways this can be done.

The cheapest way is to change habits. An example would be setting the thermostat back to a lower temperature and wearing heavier clothes. If you're not too keen on that, the next alternative is to improve the ability of the house to protect you from the elements. Insulation could be added to the walls, floors, attic, and heat ducts. Weatherstripping could be applied to windows and doors. Storm windows and doors could be added.

Improvements such as these reduce the amount of heat that the house will lose to the outside. But which of the above items would save us the most money? Which one would cost the least to implement? Or, better yet, which will give the greatest savings for the least amount of cost? It's this last question we really want to answer.

The best measure of the cost effectiveness of an energy saving improvement is the payback period. That is simply the amount of time (in years) it takes for the savings in energy costs to add up to the total cost of installing the improvement. Obviously, the item with the shortest payback period is the best candidate for implementation. To determine the payback period, we must know two things: how much it will cost to make the improvement, and how much it will save us on utility bills for a year (a heating season). Obtaining the improvement cost requires consulting a contractor or, if we plan to do it ourselves, a building supply store.

# **Predicting Effectiveness**

Finding out how much the improvement will

save us in heating costs over a season is not quite as easy to determine. One way would be to keep records of our heating bills for one season, make the improvement, and then keep records of our heating bills for the next heating season. There are two drawbacks to this method.

First, the severity of the weather will vary from one year to the next. If the first year is severe and the second is mild, our heating bills would be less even if we made no improvements. This problem can be corrected by adjusting the heating costs using weather data for the two years.

The second and biggest drawback to this method is that you can't find out if an improvement is cost effective until after you have installed it. If it turns out not to be cost effective, it is too late to decide not to implement it!

What we need is a way of *predicting* savings. If we know the weather and the heat loss characteristics of the house, we can estimate the heating cost. By calculating the heating costs based on heat loss characteristics of the house both before and after the improvements, we can obtain the estimated savings due to the improvements. This is what the program here does.

To gather the data needed by the program, you will need to make some measurements and observe insulation levels in your house. The first thing the program calculates is the heat loss of the house. Heat loss of a house depends on three things: the thermal resistance, known as the R-value, of the structure; the total area of the structure exposed to the elements; and the temperature difference between the inside and outside of the house. So we simply need the area, R-value, and the difference in temperature.

The only problem is that different parts of the house have different R-values. Windows will have a lower R-value than walls, for example. In general, you can divide the external area of the house into five categories: windows, doors, walls, ceiling, and floor. The program requests information on each of these five categories in turn.

For windows it requests height, width, number of windows (it calculates total window

# Now the VIC 20 and 64 can communicate with PET peripherals



# VIC and 64 users

Would you like to be able to access **any** of these peripherals from your computer?

- ½ megabyte disks (Commodore 4040 drive)
- 1 megabyte disks (Commodore 8050 drive)
- 10 megabyte disks (Commodore 9090 hard disk)
- Printers including a wide range of inexpensive IEEE and RS232 matrix and quality printers
- IEEE instruments such as volt meters, plotters etc.

Now you are no longer limited by the VIC or the 64's serial bus. Simply by attaching INTERPOD you can vastly increase the power of your VIC 20 and when used with the new 64, INTERPOD turns the computer into a really powerful system.

With INTERPOD the VIC and 64 become capable of running really professional quality software such as Word-processing, Accounting, Instrument control and many more.

INTERPOD will work with any software. No extra commands are required and INTERPOD does not affect your computer in any way.

# Using INTERPOD is as easy as this:

Simply plug INTERPOD into the serial port of your computer, power-up and you are ready to communicate with any number of parallel and serial IEEE devices and any RS232 printer.

INTERPOD costs \$180





Want a
Word Processor
that '3 Simple
to understand,
fast, and easy
bouse...

text, a wide, clear seven, and be able to spell!

# She needs 'Superscript'!

# Superscript Features

- Provides full screen edit, delete, erase, insert, transfer and document merge facilities. Over 240 columns.
- Simple facilities to send mailshots to standard address lists.
- Powerful aids to produce tables with wide screen, horizontal, decimal and vertical tabs.
- Search with optional replace
- Comprehensive printer controls with control of margins, lines per page, underlining, bold print, super and sub scripts, variable line and character pitch.

# Superspell Features

- Dictionary in excess of 30,000 words.
- User definable dictionary with facilities to add, delete, print or merge with standard dictionary.
- Spelling checker verifies largest 'Superscript' document in less than two minutes.
- Displays totals of words, different words and unrecognized words.
- Editing of unrecognized words in document includes options to accept, ignore, change or add to user dictionary.

'Superscript' transforms your Commodore computer into a true Word Processor, enabling your secretary to turn out high quality letters, mailshots, quotations, etc., faster and easier than ever before.

**But spell?** — Adding 'Superspell' gives you access to an extensive dictionary with automatic checking of any document entered, enabling recognition of spelling errors and mistypes.

If she wants a better machine, and you want the very best of Word Processing, then you both need a Commodore with 'Superscript' and 'Superspell' available from your local Commodore dealer.

Superscript and Superspell run on the 2001, 3016/32, 4016/32, 8032 and 8096 Commodore computers, 2040, 3040, 4040 and 8050 disk drives, all Commodore printers and a wide range of letter quality printers.

Supersory



A Professional's Word Processor
Precision Software Limited,
4, Park Terrace, Worcester Park,
Surrey KT4 7 JZ, England.
Telephone 01-330 7166

# For further information concerning these outstanding software products contact your local SUPERSCRIPT distributor as shown.

Alabama
To Be Announced
Alaska
B. G. Systems
Anchorage
907 276 2986

Arizona Gerald Hasty & Co. Las Vegas Nevada 702 737 5670

702 737 5670

Arkansas

To Be Announced

California (North)

To Be Announced

California (South)

P. E. C.

Anaheim 714 778 3007 Colorado To Be Announced Connecticut

Multi Business Computer Systems

Portland 203 342 2747 Delaware

Professional Micro Services

Baltimore Maryland 301 325 5725 Florida

To Be Announced

Georgia M. A. G. Athens 404 353 8090 Hawaii

To Be Announced

Idaho To Be Announced

Illinois Cambridge Business Systems

Chicago 312 525 3900 Indiana Srepco Dayton Ohio

513 224 0871 lowa

To Be Announced Kansas To Be Announced

Kentucky Srepco Dayton Ohio 513 224 0871

Louisiana To Be Announced Maine

Best Business Equipment Worcester Massachusetts 617 755 1077

Maryland Professional Micro Services Baltimore

301 325 5725

Massachusetts

Best Business Equipment Worcester 617 755 1077

Michigan Newman Audio Video Grand Rapids 616 243 3300

Minnesota
To Be Announced
Mississippi

To Be Announced

Missouri

To Be Announced

Montana To Be Announced Nebraska To Be Announced

Nevada Gerald Hasty & Co. Las Vegas 702 737 5670

New Hampshire
Best Business Equipment
Worcester
Massachusetts

617 755 1077 New Jersey Geneva Technology Cranford 201 276 1144 New Mexico

To Be Announced
New York State (North & West)

Upstate Computer Shop Whitesboro (Nr. Uttica) 315 768 8151

New York State (South) Computer Emporium Middletown 914 343 4880

New York State (Long Island) Centerbrook Software Livingston Manor

914 439 3591 New York City Geneva Technology Cranford

Cranford New Jersey 201 276 1144 North Carolina To Be Announced

North Dakota To Be Announced

Ohio Srepco Dayton 513 224 0871 Oklahoma To Be Announced

Oregon The Computer Place Klamath Falls 503 882 9603

Pennsylvania (East) Mainline Computer Center Wayne 215 687 8500 Pennsylvania (West)

Srepco Dayton Ohio 513 224 0871

Rhode Island Multi Business Computer Systems

Multi Business Computer System Portland Connecticut 203 342 2747 South Carolina

To Be Announced
South Dakota
To Be Announced
Tennessee

To Be Announced

Texas
To Be Announced
Utah
Gerald Hasty & Co.

Las Vegas Nevada 702 737 5670 Vermont

Best Business Equipment Worcester Massachusetts 617 755 1077

Virginia Professional Micro Services Baltimore Maryland

301 325 5725 Washington State Computer Sales & Service Moses Lake 509 765 9751

Washington D.C.
Professional Micro Services
Baltimore
Maryland

301 325.5725

West Virginia

Professional Micro Services
Baltimore

Maryland 301 325 5725 **Wisconsin** Combridge Business Systems Chicago

Illinois 312 525 3900 **Wyoming** To Be Announced

Canada Canadian Micro Distributors Milton

Ontario 416 878 7277

Precision Software

If a SUPERSCRIPT distributor is not shown for your area, contact your nearest Commodore dealer for more information. If he does not stock SUPERSCRIPT or SUPERSPELL, write to Precision Software in England at the address shown opposite and we will send you the full distribution list.

area from these items), and type of frame and number of layers of glass. The number of types and/or sizes of windows is requested first. Most houses will have several sizes of windows, and there may be storm windows on some and not on others. The program allows for up to ten different types and/or sizes of windows. If you need more, change the dimension of S in statement 180.

Only one size and type of door is allowed. If you have sliding glass doors, you should consider them another type of window. You need to get the height, width, and number of doors. Remember: these are exterior doors only.

Information needed for the walls consists of type of construction and R-value of the insulation in the wall. If you enter a negative number for the R-value of the wall insulation, the program will give you a list of typical R-values for wall insulation. To get the area of the wall, the program asks for the ceiling height, total perimeter of the house, and the number of stories in the house. The program will calculate the gross wall area from this data and subtract the total window and door area to obtain the proper wall area.

# **One Hand Calculation**

The only time you have to calculate area yourself is for ceiling and floor. For the ceiling, you will be asked for the number of inches of insulation in the attic and the type of insulating material. For the floor, the type of foundation is requested.

In addition to the heat losses mentioned so far, there are two others. The first of these is infiltration of outside air through cracks in windows and doors. The program asks if the windows and doors are weather-stripped. It uses this information and the total length of the cracks around windows and doors to calculate infiltration. The other heat loss is in the heat ducts from the furnace to the heat registers. The program asks if your heat ducts are insulated and where they are located. This concludes the input needed for calculating the total heat loss of the house. At this point the heat losses are displayed, and you are asked if you wish to make improvements to the house.

If the answer is "Y", you will be asked if you wish to improve each item. You can make improvements to one item or to any number of items. As you probably noticed, the first question you are asked is what the outside design temperature is. The outside design temperature for my area (Atlanta, Georgia) is 23 degrees. The outside design temperatures for other areas are tabulated in Table 1. For a more complete list, consult one of the references listed at the end of this article.

Actually, you do not need to put any specific temperature in here as long as it is less than 75 degrees, the inside design temperature used by

the program. The program will still give you valid results for savings and payback. However, using the correct outside design temperature gives you the advantage of seeing what the furnace size would be for your house with and without the improvements. In fact, heating engineers use the same basic method as this program does to size furnaces for houses.


When the program finishes calculating the heat loss of the house after improvements, it is ready to do the cost analysis. First you are asked for the type of heating fuel you use: electricity,

**Table 1: Winter Design Temperatures** 

Table I. Willie	besign remperatures
CITY	
	TEMPERATURE
MONTGOMERY	AL 26
JUNEAUAK	-4
PHOENIX AZ	34
LITTLE ROCK AI	
SACRAMENTO	CA 32
DENVER CO	3
HARTFORD CON	N 5
DOVER DEL	15
TALLAHASSEEF	
ATLANTA GA	23
HONOLULUHI	62
BOISE ID	10
SPRINGFIELD IL	4
INDIANAPOLISI	N 4
DES MOINES IA	-3
TOPEKA KS	6
LEXINGTON KY	10
BATON ROUGE L	A 30
AUGUSTAME	-3
BALTIMOREMD	20
BOSTONMA	10
LANSING MI	6
ST. PAUL MN	-10
JACKSON MS	24
JEFFERSON CITY	MO 6
HELENA MT	-13
LINCOLNNE	on the contract of 0 production contractions
CARSON CITY NY	7
CONCORDNH	-7
TRENTONNJ	16
SANTA FE NM	11
ALBANYNY	5
RALEIGHNC	20
BISMARCKND	-19
COLUMBUS OH	7
OKLAHOMA CITY	
SALEMOR	25
HARRISBURG PA	13
PROVIDENCERI	10
COLUMBIASC	23
PIERRESD	-9
NASHVILLETN	16
AUSTINTX	29
SALTLAKECITYU	
BURLINGTON VT	-7
RICHMOND VA	18
OLYMPIA WA	25
CHARLESTON WY	
MADISONWS	-5
CHEYENNEWY	-2

# 1983 - Take Control

A FINANCIAL WIZARD 1.5



# THE HIGHLY ACCLAIMED PERSONAL FINANCE SYSTEM FOR ATARI\*

- Budget Forecast 26 expense categories
- · Check Entry-easy data entry-scan & modify 26 major & 36 sub-categories - information block
- Check Search single or multiple parameters -(up to seven) to search entries
- · Tabulations detailed expense vs. budget comparisons by month, year-to-date, category
- · Bar Graphs-screen displays in graph form expenses vs. budget-by month or categoryprinting with graphic capable printers
- Check Reconciliation fast clearing of resident checks & deposits, complete summary report
- Checkwriter-prints your custom checks
- Printouts most popular printers
   Audit Report
- Multi-Colored Graphics Audio Enhancements
- 7 Utility Programs User-Friendly Operation
- Easy To Use Instruction Manual
- Handsome Tinted Plastic Storage Case

The system is designed for Atari computers having a minimum of 24K and operating from a disk drive. The price is only \$59.95 plus \$3 for handling/postage. If your dealer does not have A Financial Wizard . . . Telephone orders are accepted on

Mastercharge or Visa credit cards. Mail order must be accompanied by check or money-order or credit card #. Dealer Inquiries invited. (405)751-2783.

\*trademark of Atari Inc. OK residents ad 4% Tax. A Financial Wizard **Exclusively thru** 

10944 North May Oklahoma City, OK 73120

(405) 751-2781 CHECK ENCLOSED ☐ VISA

☐ MASTERCHARGE

NAME (Print) \_

Address

Card #

City .

\_\_ State\_

Exp. Sig. fuel oil, or natural gas. Next you must input the cost per fuel unit of the heating fuel.

Note that this unit cost is in dollars, so if natural gas in your area is 35 cents per therm, you should input .35 dollars per therm.

Using this data and the heating degree days, the program calculates the total energy needed to heat the house for the entire heating season. The degree days and name of the city are on line 7010. You should change this line to reflect your own location. Some sample degree days for different cities are listed in Table 2, and a more complete

# **Table 2: Yearly Heating Degree Days**

CITY	DEGREE DAYS
MONTGOMERYAL	2291
JUNEAU AK	9075
PHOENIX AZ	1765
LITTLE ROCK AR	3219
SACRAMENTO CA	2419
DENVERCO	5524
HARTFORD CONN-	6235
WILMINGTONDEL	4930
TALLAHASSEEFL	1485
ATLANTA GA	2961
HONOLULU HI	0
BOISEID	5809
SPRINGFIELD IL	5429
INDIANAPOLISIN	5699
DES MOINES IA	6588
	5182
TOPEKAKS	4683
LEXINGTON KY	
BATON ROUGE LA	1560
PORTLANDME	7511
BALTIMOREMD	4111
BOSTONMA	5634
LANSINGMI	6909
MINNEAPOLISMN	8382
JACKSON MS	2239
ST. LOUIS MO	4484
HELENA MT	8129
LINCOLN NE	5864
RENONV	6332
CONCORD NH	7383
TRENTON NJ	4980
ALBUQUERQUENM	4348
ALBANYNY	6201
RALEIGHNC	3393
BISMARCK ND	8851
COLUMBUS OH	5211
OKLAHOMA CITY OK	3725
SALEM OR	4754
HARRISBURGPA	5251
PROVIDENCERI	5954
COLUMBIASC	2484
RAPID CITY SD	7345
NASHVILLETN	3578
AUSTINTX	1711
SALTLAKECITYUT	6052
BURLINGTON VT	8269
	3865
RICHMOND VA	5236
OLYMPIA WA	
CHARLESTON WV	4476
MADISONWS	7863
CHEYENNE WY	7381

list can be found in any of the references. The last thing you must input is the total cost of the improvements you made. From this data the program calculates the payback period in years.

I got pretty popular in my neighborhood when word got out that my home computer could calculate how cost effective it would be to add insulation. I have also learned a great deal about my own home from running this program. Much of what I concluded was what I expected, but some conclusions surprised me. The program can definitely help home owners in assessing home energy improvements; it can also enable a home owner to spot dishonest "energy-saving" schemes pretty quickly.

### References

- 1. ASHRAE Handbook 1981 Fundamentals. Atlanta, Georgia: American Society of Heating, Refrigerating and Air-conditioning Engineers, Incorporated, 1981.
- 2. Other Homes and Garbage, Jim Leckie, Gil Masters, Harry Whitehouse, and Lilly Young. San Francisco, California: Sierra Club Books, 1975.
- 3. Refrigeration and Air-Conditioning, Air-Conditioning and Refrigeration Institute. Englewood Cliffs, New Jersey: Prentice-Hall, 1979.

# **Program 1: Microsoft BASIC**

100 PRINT" {CLEAR} {02 DOWN} HOME EN ERGY PROGRAM 110 PRINT: PRINT 120 PRINT" BY DAVID SWAIM 130 PRINT" P. O. BOX 720126 ATLANTA, GEORGIA 303 140 PRINT" 58 150 GOSUB 8000 160 REM COPYRIGHT 1981 DAVID C. SWA IM II 170 REM 180 DIM A(6), Q(6), R(6), RW(4,3), D(4), IW(2,3), S(10)190 DIM RF(3), TC(3), N\$(5), IC(5), DM( 2,3,3), IN(2) 200 REM WINDOW R VALUES 210 DATA 1.01,2.22,1.815,3.155 220 DATA .909,1.667,1.437,2.137 230 DATA .909,2,1.724,2.564 240 REM DOOR R VALUES 250 DATA .41,.75,.95,1.1 260 REM FLOOR R VALUES AND TEMP COR 270 DATA 3.2,0,3.2,30,1.23,0 280 REM CEILING INSULATION R PER IN 290 DATA 3.5,3,2.5,4.5,5.5 300 N\$(1)="WINDOWS":N\$(2)="DOORS":N \$ (3) = "WALLS" 310 N\$ (4) = "CEILING": N\$ (5) = "FLOOR \*" 320 REM DUCT MULTIPLIERS

330 DATA .2,.15,.1,.15,.1,.05,.1,.0

5,.05



Potential into practical reality. This is the core of DISKEY — a remarkable utility program that gives ATARI disk drive owners the flexibility to accomplish tasks that other utilities either ignored or only hinted at. With DISKEY, the user will be able to actually examine a disk and its directory, and repair some files that might otherwise have been lost. DISKEY also performs a multitude of other practical functions, including the following:

- \* Automatically lists any unreadable or destroyed sectors
- \* Sends contents of disk to printer selectively
- ★ Up to four separate drives may be addressed
- ★ Can be used to backup some of those "unbackupable" disks
- \* Allows direct examination of any file
- ★ Over 50 separate key functions available

As an ATARI 400 or 800 owner, you have extraordinary power and versatility at your disposal. Tap into those resources effectively with DISKEY - new from Adventure International.

> ATARI 400/800 32K DISK 052-0158 \$49.95

(Note: Some features will require 40K)

Select file sub-menu Set automatic function lower limit (OS) Modify Sector Map

New destination sector Toggle originate drive

ZOPG Print screen to printer Query (search for hex key, drive OD, sector OS to DS)

Read new OS, set DS to match

Search for ASCII key, drive OD, sector OS to DS

Upper case conversion of printer lower case

Toggle write verify
Write memory buffer to sector DS, drive DD
Select EOR Sector Map screen print mask

Zero memory buffer Read upward, next sector on disk

Read downward

read downward
Directory information
Select directory sub-menu
Byte compare, D1 to D2, whole disk
Copy D1 to D2, whole disk
Decimal to hex, ASCII conversion

Erase disk (without new format)
Modify sector forward sector chain reference
Hex to decimal, ASCII conversion

Locate bad sector on drive OD Modify sector file number reference

Select one-drive functions sub-program

Print current Disk Map RPM test drive OD

Special file copy, no directory reference from source

VTOC update and repair, drive OD

Toggle Sure Response prompt enable File binary load address headers to printer

Select filename for all file functions

Lock file Show memory address load position in file

Relative Query Rename file Relative Search FOR THE ATARI

White

Finally, a self-help system that cuts through the stuffy technical jargon and allows the user to learn effective programming techniques fast! BASIC ROUTINES FOR THE ATARI has been written especially for ATARI 400 or 800 users who wish to write programs in BASIC. This package comes complete with an extensive manual and your choice of a tape or disk which contains all of the routines from the manual which means you'll be able to actually see each of them in action on your ATARI. Some of the BASIC routines include joystick, sound, player missile strings and much more — and presented in a way that you'll quickly be able to learn and apply to your own programs.

If your programming ability lies somewhere between beginning and advanced, then look no further - BASIC ROUTINES FOR THE ATARI is the system for you.

BASIC ROUTINES book with 16K TAPE 051-0154 \$24.95

BASIC ROUTINES book with 24K DISK 052-0154 \$24.95


**Published** by



BOX 3435 • LONGWOOD, FL 32750 • (305) 830-8194

To order, see your local dealer. If he does not have the program, then call 1 (800) 327-7172 (orders only please) or write for our free catalog.

```
340 DATA .2,.15,.1,.1,.05,.05,.0
                                         830 INPUT" {CLEAR} {02 DOWN}DO YOU WI
    5,.05
                                             SH TO IMPROVE FLOOR"; A$
350 REM AIR CHANGES PER FOOT OF CRA
                                         840 IF LEFT$ (A$,1) = "Y" THEN GOSUB 5
360 DATA 39,74,52,24,32,33
                                         850 INPUT" {CLEAR} {02 DOWN} DO YOU WI
370 REM READ WINDOW R VALUES
                                             SH TO IMPROVE DUCTS"; A$
38Ø FOR F=1 TO 3
                                         860 IF LEFT$ (A$,1) = "Y" THEN GOSUB 5
390 FOR G=1 TO 4
400 READ RW(G,F)
                                         870 GOSUB 6000: REM REPORT RESULTS
410 NEXT G,F
                                         880 Q2=TQ/DT
420 REM READ DOOR R VALUES
                                         890 PRINT: PRINT" HIT RETURN TO GET S
430 FOR I=1 TO 4:READ D(I):NEXT I
                                             AVINGS"
440 REM READ FLOOR R VAL AND TEMP C
                                         900 GET A$:IF A$="" THEN 900
    ORR
                                         910 GOSUB 7000: REM CALCULATE A YEAR
450 FOR I=1 TO 3: READ RF(I), TC(I): N
                                              OF SAVINGS
    EXT I
                                         999 END
460 REM READ INSULATION R PER INCH
                                         1000 REM WINDOW SUBROUTINE
470 FOR I=1 TO 5: READ IC(I): NEXT I
                                         1010 I=1:IF PK>1 THEN 1040
480 REM READ DUCT MULTIPLIERS
                                         1020 PRINT" {CLEAR} {DOWN} HOW MANY DIF
490 FOR KD=1 TO 2
                                             FERENT TYPES OF WINDOWS";
500 FOR K=1 TO 3
                                         1030 INPUT NX
510 FOR J=1 'TO 3
                                         1040 \text{ IX=1:CW=0:A(I)=0:Q(I)=0}
520 READ DM(KD,J,K)
                                         1050 PRINT" (DOWN) ARE WINDOWS WEATHE
530 NEXT J,K,KD
                                             RSTRIPPED";
540 REM READ AIR CHANGES FOR INFILT
                                         1060 INPUT WW$
    RATION
                                         1070 IF LEFT$ (WW$,1) = "Y" THEN IX=2
550 FOR I=1 TO 2
                                         1080 FOR J=1 TO NX
560 FOR J=1 TO 3
                                         1090 PRINT"SIZE"; J: IF PK>1 THEN 1160
570 READ IW(I,J)
                                        1100 PRINT"NUMBER OF WINDOWS";
580 NEXT J,I
                                        1110 INPUT NW
590 REM INSIDE DESIGN TEMPERATURE
                                        1120 PRINT"SIZE OF WINDOWS (H,W) FT"
600 IT=75:PK=1
605 GETAS: IFAS=""THEN605
                                        1130 INPUT H.W
610 PRINT" {CLEAR} {DOWN} WINTER OUTSI
                                        1140 S(J) = H*W*NW
    DE DESIGN TEMPERATURE";
                                        1150 CW=CW+ (H+W) *NW
620 INPUT OT
                                        1160 A(I) = A(I) + S(J)
630 DT=IT-OT
                                        1170 PRINT"TYPE OF WINDOWS"
640 GOSUB 1000: REM WINDOWS
                                        1180 PRINT"
                                                      1. SINGLE GLASS"
650 GOSUB 2000: REM DOORS
                                        1190 PRINT"
                                                      2. SINGLE + STORM"
                                        1200 PRINT"
660 GOSUB 3000: REM WALLS
                                                      3. DOUBLE PANE"
                                        1210 PRINT" 4. TRIPLE (DOUBLE + ST
670 GOSUB 4000: REM CEILING
                                             ORM) "
680 GOSUB 5000: REM FLOOR
690 GOSUB 5200: REM DUCTS
                                        1220 INPUT G
                                        1230 PRINT"TYPE OF WINDOW FRAME"
700 GOSUB 6000: REM REPORT RESULTS
                                        1240 PRINT"
                                                      1. WOOD"
710 O1=T0/DT
                                        1250 PRINT"
                                                       2. METAL OR JALOUSE"
720 PRINT" {DOWN}DO YOU WISH TO MAKE
                                        1260 PRINT"
     IMPROVEMENTS?"
                                                       3. FIXED"
73Ø GET A$: IF A$="" THEN 73Ø
                                        1270 INPUT F
740 PK=2:IF A$="N" THEN 999
                                        1280 RM=RW(G,F)
750 INPUT" {CLEAR} {02 DOWN} DO YOU WI
                                        1290 Q(I) = Q(I) + S(J) * DT/RM
    SH TO IMPROVE WINDOWS"; A$
                                         1300 R(I)=RM
760 IF LEFT$ (A$,1) = "Y" THEN GOSUB 1
                                         1310 PRINT" {CLEAR} {DOWN}";
                                         1320 NEXT J
                                         1330 IN(I) = 0.018*DT*IW(IX,F)*CW
770 INPUT" {CLEAR} {02 DOWN} DO YOU WI
    SH TO IMPROVE DOORS"; A$
                                         1340 RETURN
780 IF LEFT$ (A$,1) = "Y" THEN GOSUB 2
                                         2000 REM DOORS SUBROUTINE
                                         2010 I=2:IF PK>1 THEN 2080
    000
                                         2020 PRINT" {CLEAR} {DOWN} NUMBER OF DO
790 INPUT" {CLEAR} {02 DOWN} DO YOU WI
    SH TO IMPROVE WALLS"; A$
                                             ORS";
                                         2030 INPUT N
800 IF LEFT$ (A$,1) = "Y" THEN GOSUB 3
                                         2040 PRINT"SIZE OF DOORS (H,W) FT";
    000
810 INPUT" {CLEAR} {02 DOWN} DO YOU WI
                                         2050 INPUT H,W
                                         2060 A(I)=H*W*N
    SH TO IMPROVE CEILING"; A$
820 IF LEFT$ (A$,1)="Y" THEN GOSUB 4000 2070 CD= (H+W) *N
```



WORDERAFT...A First! Word Processing for VIC 20®

Never be at a loss for words again! Expressing yourself is easier, faster, and less expensive than ever before ... thanks to Wordcraft 20® from United Microware. Wordcraft 20® has all the features found on bigger systems costing a lot more — all the features you'll need to prepare "picture-perfect" documents, letters, personalized mailers, lists, and many other projects that have you juggling words.

Wordcraft 20<sup>®</sup> is easy to use; it won't confuse you. Your words will appear on the screen just as you've written them. This fully featured system lets you do what you need to do . . . change a character, a word, or an entire block of copy . . . arrange and

rearrange the text . . . set the tabs and margins . . . adjust the line lengths . . . move the copy up and down, left or right, so you see every word on the screen . . . before you print. Wordcraft 20® gives you personal word processing with professional results. Plug Wordcraft 20® into your MC® today . . . see for yourself just what words will do. Available exclusively from your local UMI dealer.



United Microware Industries, Inc. 3503-C Temple Avenue Pomona, CA 91768 (714) 594-1351

Commodore and VIC 20 are registered trademarks of Commodore Business Machines, Inc. Wordcraft 20 $^{\circ}$  copyright held by P.L. Dowson.

```
2080 PRINT" {DOWN} TYPE OF DOORS"
                                         3350 RETURN
2090 PRINT"
                                         3500 REM LIST OF INSULATION R VALUES
              1. WOOD"
2100 PRINT"
                                         3510 PRINT" {CLEAR} {DOWN}LIST OF INSU
              2. WOOD + STORM"
2110 PRINT"
                                             LATION R VALUES, WALLS"
               3. METAL URETHANE CORE
                                         3520 PRINT" {DOWN}
                                                                   NO INSULATI
                                             ON (AIR) = .94"
2120 PRINT"
               4. METAL POLYSTYRENE C
                                         3530 PRINT"
                                                         BATT INSULATION IN WA
    ORE"
                                             LL = 11"
2130 INPUT T
                                         3540 PRINT"
                                                         HALF INCH ASPHALT BOA
2140 R(I) = D(T)
                                             RD = 2.4
2150 Q(I) = A(I) *DT/R(I)
                                         3550 PRINT"
                                                        1/2 IN GYPSUM OR PLAST
2160 DW=138
                                             ER = 1.39
2170 PRINT" [DOWN] ARE DOORS WEATHERST
                                         3560 PRINT"
                                                        1/4 IN WOOD FIBER BOA
    RIPPED";
                                             RD = 1.12
2180 INPUT DW$
                                         3570 PRINT"
                                                           FIR OR PINE SHEATHI
2190 IF LEFT$ (DW$, 1) = "Y" THEN DW=69
                                             NG = 1.92
2200 \text{ IN}(I) = 0.018 * DT * DW * CD
                                         358Ø PRINT"
                                                           3/4 IN PLYWOOD PANE
2210 RETURN
                                             LS = 1.88
3000 REM WALLS SUBROUTINE
                                         3590 PRINT"
                                                                  1/2 IN PLYWO
3010 I=3:HO=.17:HI=.68
                                             OD = 1.57
3020 PRINT" {CLEAR} {DOWN} TYPE OF WALL
                                         3600 PRINT: PRINT
     CONSTRUCTION"
                                         3610 RETURN
3030 PRINT" {DOWN}
                     1. BRICK VENEER"
                                         4000 REM CEILING ROUTINE
3040 PRINT "
              2. STONE"
                                         4010 I=4
3050 PRINT "
               3. WOOD SHINGLES"
                                         4020 HI=.61:HO=.61:IF PK>1 THEN 4060
3060 PRINT "
               4. STUCCO"
3070 PRINT "
               5. MASONRY BLOCK"
                                         4030 PRINT" {CLEAR} {DOWN} WHAT IS TOTA
3080 PRINT "
                6. LOG"
                                             L CEILING AREA"
3090 PRINT "
               7. OTHER:"
                                         4040 PRINT"OF THE HOUSE";
3100 PRINT "
                                         4050 INPUT A(I)
                  ENTER CALCULATED R
     VALUE DIRECTLY"
                                         4060 PRINT"HOW MANY INCHES OF INSULA
3110 PRINT "
                                             TION IN CEILING";
                  WHEN ASKED FOR INS
                                         4070 INPUT CI
    ULATION R VALUE"
                                         4080 PRINT"TYPE OF INSULATING MATERI
3120 INPUT TY
                                             AL"
3130 ON TY GOTO 3140,3150,3160,3170,
                                         4090 PRINT" {DOWN} 1. FIBERGLASS"
    3180,3190,3200
                                         4100 PRINT " 2. MINERAL WOOL"
3140 RM=.2*3.5:GOTO 3210:REM BRICK
                                         4110 PRINT " 3. VERMICULITE OR PERL
3150 RM=.08*5: GOTO 3210:REM STONE
                                             ITE"
3160 RM=.87:
               GOTO 3210:REM
                               WOOD
                                         4120 PRINT "
                                                       4. CELLULOSE FIBER"
3170 RM=.2*2: GOTO 3210:REM
                               STUCCO
                                         4130 PRINT "
                                                        5. U-F FOAM{DOWN}"
               GOTO 3210:REM
318Ø RM=2:
                               MASONR
                                         4140 INPUT T
                                         4150 RM=CI*IC(T)
3190 RM=1.25*8:GOTO 3210:REM
                               LOG
3200 RM=0:REM
                               OTHER
                                         4160 R(I) = HO + RM + HI
3210 PRINT"
             FOR LIST OF R VALUES F
                                         4170 Q(I) = A(I) *DT/R(I)
    OR INSULATION"
                                         4180 RETURN
3220 PRINT"
              ENTER -1 FOR INSULATIO
                                         5000 REM FLOOR ROUTINE
    N R VALUE"
                                         5010 I=5:IF PK>1 THEN 5040
3230 PRINT"INSULATION R VALUE";
                                         5020 PRINT" {CLEAR} {DOWN} WHAT IS TOTA
                                             L FLOOR AREA";
3240 INPUT RI
                                         5030 INPUT A(I)
3250 IF RI<0 THEN GOSUB 3500:GOTO 32
                                         5040 PRINT"HOW MANY INS OF INSULATIO
    30
                                             N IN FLOOR";
3260 \text{ R(I)} = \text{HO+RM+RI+HI:IF PK>1 THEN } 3
                                         5050 INPUT FI:IF PK>1 THEN 5110
    340
                                         5060 PRINT"TYPE OF FOUNDATION"
3270 PRINT"HOW MANY STORIES IN HOUSE
                                         5070 PRINT"
                                                      1. OPEN CRAWLSPACE"
                                         5080 PRINT"
                                                      2. ENCLOSED CRAWLSPACE
328Ø INPUT NT
                                              OR BASEMENT"
3290 PRINT"WHAT IS THE CEILING HEIGH
                                         5090 PRINT"
                                                        3. CONCRETE SLAB"
    T (FT)";
                                         5100 INPUT TF
3300 INPUT CH
                                         5110 R(I) = HO + FI * 3.1 + RF(TF) + HI
3310 PRINT"WHAT IS TOTAL PERIMETER (
                                         5120 Q(I) = A(I) * (DT-TC(TF))/R(I)
    FT) ";
                                         5130 RETURN
3320 INPUT P
3330 A(I) = NT*CH*P-A(1)-A(2)
                                         5200 REM DUCTS
                                         5210 DI=.1
3340 O(I) = A(I) * DT/R(I)
```

94 COMPUTE! January, 1983



Over thirty years of down-to-earth experience as a precision parts manufacturer has enabled Star to produce the Gemini series of dot matrix printers—a stellar combination of printer quality, flexibility, and reliability. And for a list price of nearly 25% less than the best selling competitor.

than the best selling competitor.

The Gemini 10 has a 10" carriage and the Gemini 15 a 15½" carriage. Plus, the Gemini 15 has the added capability of a bottom paper feed. In both models, Gemini quality means a print speed of 100 cps, high-resolution bit image and block graphics, and extra fast forms feed.

Gemini's flexibility is embodied in its diverse specialized printing capabilities such as super/sub script, underlining, backspacing, double strike mode and emphasized print mode. Another extraordinary standard

feature is a 2.3K buffer. An additional 4K is optional. That's twice the memory of leading, comparable printers. And Gemini is compatible with most software packages that support the leading printers.

Gemini reliability is more than just a promise. It's as concrete as a 180 day warranty (90 days for ribbon and print head), a mean time between failure rate of 5 million lines, a print head life of over 100 million characters, and a 100% duty cycle that allows the Gemini to print continuously. Plus, prompt, nationwide service is readily available.

So if you're looking for an incredibly high-quality, low-cost printer that's out of this world, look to the manufacturer with its feet on the ground—Star and the Gemini 10, Gemini 15 dot

matrix printers.



**MAKING A NAME FOR OURSELVES** 

1120 Empire Central Place, Suite 216, Dallas, TX 75247
For more information, please call Bob Hazzard, Vice President, at (214) 631-8560.

```
5220 IF TF=3 THEN KD=3:RETURN
                                               EL USED"
5230 PRINT" [DOWN] IS YOUR DUCTWORK IN
                                          7040 PRINT"
                                                        1. ELECTRICITY"
                                          7050 PRINT" 2. NATURAL GAS"
    SULATED";
                                          7060 PRINT" 3. FUEL OIL"
5240 INPUT D$:IF PK>1 THEN 5310
5250 PRINT" {DOWN} LOCATION OF HEAT DU
                                          7070 INPUT FT:PC=.55
                                           7080 ON FT GOTO 7100,7200,7300
    CTS:"
5260 PRINT"
                1. ATTIC OR CRAWLSPAC
                                           7090 GOTO 7030
    E"
                                           7100 REM ELECTRICITY
5270 PRINT"
                2. UNCONDITIONED BASE
                                           7110 PRINT"IS HEATING UNIT A HEAT PU
    MENT"
                                               MP";
5280 PRINT"
                3. IN SLAB FLOOR"
                                           7120 INPUT HP$: ER=3413
5290 PRINT"
                4. INSIDE CONDITIONED
                                           7130 IF LEFT$(HP$,1)<>"Y" THEN 7150
     SPACE"
                                           7140 INPUT"ENTER EER OF HEAT PUMP"; E
5300 INPUT KD
                                               R:ER=ER*1000
5310 RETURN
                                           7150 INPUT"AVERAGE $ COST PER KWH"; C
6000 REM WRITE A REPORT
                                               O:FU$="KWH"
6010 PRINT" {CLEAR}", "HEAT LOSS EVALU
                                           7160 El=INT(El/ER+.5)
    ATION"
                                           7165 M1=E1*CO
6020 PRINT:PRINT:TQ=0
                                           7170 E2 = INT(E2/ER + .5)
6030 PRINT" ITEM"," AREA"," R-VALUE"
                                           7175 M2=E2*CO
    , "HEAT LOSS"
                                           718Ø MS=M1-M2
6040 PRINT ," SQ.FT.",," BTU/HR":PRI
                                           7190 GOTO 7400
    NT
                                           7200 REM NATURAL GAS
6050 FOR I=1 TO 5
                                           7210 INPUT"AVERAGE $ COST PER THERM ~
6060 \text{ A(I)} = INT(A(I) * 100 + .5) / 100
                                               OF NATURAL GAS"; CO
6070 \text{ R(I)} = \text{INT(R(I)} * 100 + .5) / 100
                                           7220 El=INT(E1/(103000*PC)+.5)
6080 Q(I) = INT(Q(I) + .5)
                                           7225 M1=E1*CO
6090 PRINT N$(I), A(I), R(I), Q(I)
                                           7230 E2=INT(E2/(103000*PC)+.5)
6100 \text{ TA=TA+A(I):TQ=TQ+Q(I)}
                                          7235 M2=E2*CO
6110 NEXT I
                                          7240 MS=M1-M2
6120 REM PRINT INFILTRATION LOSS
                                          7250 FU$="THERMS":GOTO 7400
6130 PRINT"INFILTRATION",, INT((IN(1)
                                           7300 REM FUEL OIL
    +IN(2))/2+.5)
                                           7310 INPUT"AVERAGE $ COST PER GALLON
6140 \text{ TO}=\text{TO}+(\text{IN}(1)+\text{IN}(2))/2
                                                OF FUEL OIL"; CO
6150 REM CALCULATE DUCT LOSS
                                          7320 El=INT(E1/(138000*PC)+.5)
6160 \text{ X=TQ/(A(5)*CH*NT):J=3:K=3}
                                          7325 M1=E1*C0
617Ø IF X<45 THEN K=2
                                          7330 E2=INT(E2/(138000*PC)+.5)
618Ø IF X<35 THEN K=1
                                          7335 M2=E2*CO
6190 DI=.15+.05*(3-K)
                                          734Ø MS=M1-M2:FU$="GALLONS"
6200 IF LEFT$ (D$,1) = "N" AND KD<2 THE
                                          7400 REM GIVE RESULTS
    N 6240
                                          7410 M1=INT(M1*100)/100
6205 IF KD>2 THEN DI=0:GOTO 6240
                                          7420 M2=INT(M2*100)/100
6210 IF OT<15 THEN J=2
                                          7430 MS=INT(MS*100)/100
6220 IF OT<0 THEN J=1
                                          7440 INPUT" {DOWN} TOTAL $ COST OF YOU
6230 DI=DM(KD,J,K)
                                               R IMPROVEMENTS"; CI
6240 PRINT"DUCT LOSS",,, INT(DI*TQ+.5)
                                          745Ø PB=INT(CI/MS*1000)/1000
6250 TO=TO+TO*DI
                                          7460 REM REPORT SAVINGS AND PAYBACK
6260 PRINT , "00000000", , "00000000"
6270 PRINT" TOTAL", INT(TA), , INT(TQ)
                                           7470 PRINT" {CLEAR}", "ANALYSIS OF IMP
                                               ROVEMENTS"
6280 PRINT: PRINT
                                           7480 PRINT: PRINT
                                          7490 PRINT, "ENERGY NEEDED"
6290 PRINT"DESIGN CONDITIONS:"
                                          7500 PRINT"ORIGINAL HOUSE", E1; FU$
6300 PRINT"
              OUTSIDE DESIGN TEMP"; O
                                           7510 PRINT"IMPROVED HOUSE", E2; FU$
    T
                                           7520 PRINT,,"@@@@@@@@"
6310 PRINT"
               INSIDE DESIGN TEMP"; I
                                           7530 PRINT, "SAVINGS", E1-E2; FUS
                                           7540 PRINT
6320 PRINT"TEMPERATURE DIFFERENCE"; D
                                           7550 PRINT,, "OPER. COSTS"
    T
                                           7560 PRINT"ORIGINAL HOUSE", "$"; M1
6330 RETURN
                                          7570 PRINT"IMPROVED HOUSE", "$"; M2
7000 REM FIND SAVINGS USING DEGREE-D
                                           7580 PRINT,,"<u>@@@@@@@@</u>"
                                           7590 PRINT, "SAVINGS", "$"; MS
7010 DD=2961:DD$="ATLANTA GA"
                                           7600 PRINT: PRINT, "PAYBACK", PB; "YEARS
7012 E1=INT(Q1*DD*24)
7014 E2=INT(Q2*DD*24)
7030 PRINT" {CLEAR} TYPE OF HEATING FU
                                          7610 PRINT: PRINT
```

	7620 PRINT"ABOVE IS BASED ON ONE YEA	230	DATA .909,2,1.724,2.564
			REM DOOR R VALUES
		250	DATA .41,.75,.95,1.1
	7630 PRINT"IN "; DD\$	260	REM FLOOR R VALUES AND TEMP CORR
	7640 RETURN	270	DATA 3.2,0,3.2,30,1.23,0
	8000 REM DRAW HOUSE	280	REM CEILING INSULATION R PER INCH
	8010 PRINTCHRS (142): PRINT: PRINT: PRIN	290	DATA 3.5.3.2.5.4.5.5.5
	T	300	N\$(1) = "WINDOWS": N\$(11) = "DOORS": N\$
			(21)="WALLS"
	8020 PRINTSPC(8);",;"	310	N\$(31)="CEILING":N\$(41)="FLOOR *"
	8030 PRINISPC(O); (REV)/	315	NL(1)=7:NL(2)=5:NL(3)=5:NL(4)=6:N
	OFF}"	010	L(5)=7
	8040 PRINTSPC(8); "T,;,;,;,;Y	320	REM DUCT MULTIPLIERS
			DATA .2,.15,.1,.15,.1,.05,.1,.05,
	{OFF}"	330	
		740	.05 DATA .2,.15,.1,.1,.1,.05,.05,.05,
	8060 PRINTSPC(8); "T,;,;,;,;,;,,,,,,,,,,,,,,,,,,,,,,,,,,	340	
		750	.05 REM AIR CHANGES PER FOOT OF CRACK
	8070 PRINTSPC(8); "T<><> {REV}! {OFF}!<		
	><>Y{REV}! {OFF}!Y"	360	DATA 39,74,52,24,32,33
	8080 PRINTSPC(7);"####################################		REM READ WINDOW R VALUES
			FOR F=1 TO 3
	###"		FOR G=1 TO 4
100	8090 RETURN		READ TEMP: RW(G,F)=TEMP
			NEXT G: NEXT F
		420	REM READ DOOR R VALUES
	Program 2:	430	FOR I=1 TO 4: READ TEMP: D(I) = TEMP:
	Make these changes in Program 1 for the Apple II.		NEXT I
		440	REM READ FLOOR R VAL AND TEMP COR
	100 HOME : VTAB 2: PRINT " HOME		R
	ENERGY PROGRAM"	450	FOR I=1 TO 3:READ TEMP:RF(I)=TEMP
	3510 HOME : PRINT "LIST OF INSUL		:READ TEMP:TC(I)=TEMP:NEXT I
	ATION R VALUES, WALLS"	460	REM READ INSULATION R PER INCH
	3520 PRINT : PRINT " NO INS	470	FOR I=1 TO 5: READ TEMP: IC(I)=TEMP
	ULATION		: NEXT I
	4030 HOME : PRINT "WHAT IS TOTAL	480	REM READ DUCT MULTIPLIERS
	CEILING AREA	490	FOR KD=1 TO 2
	4090 PRINT : PRINT " 1. FIBERGL	500	FOR K=1 TO 3
	ASS	510	FOR J=1 TO 3
	4130 PRINT : PRINT " 5. U-F FOA		READ TEMP: DM(KD, J+K*4) = TEMP
	M": PRINT		NEXT J:NEXT K:NEXT KD
	5020 HOME : PRINT "WHAT IS TOTAL	540	REM READ AIR CHANGES FOR INFILTRA
	FLOOR AREA?";		TION
	5230 PRINT : PRINT "IS YOUR DUCT	550	FOR I=1 TO 2
	WORK INSULATED?";		FOR J=1 TO 3
	5250 PRINT "LOCATION OF HEAT DUC		READ TEMP: IW(I, J) = TEMP
	TS:		NEXT J:NEXT I
	6010 HOME : PRINT "HEAT LOSS EVA		REM INSIDE DESIGN TEMPERATURE
	LUATION"		IT=75:PK=1
	7440 PRINT : INPUT "TOTAL \$ COST		?:?:? "Press Ranum to begin:";
	OF YOUR IMPROVEMENTS"; CI		
	7470 HOME : PRINT "ANALYSIS OF I		GET #1,A
	MPROVEMENTS"	610	PRINT "(CLEAR) (DOWN) WINTER OUTSID
	7520 PRINT ,,""		E DESIGN TEMPERATURE";
	7580 PRINT ,,""		INPUT OT
	8000 RETURN		DT=IT-OT
	8010 - 8090"DELETE"		GOSUB 1000: REM WINDOWS
	SOTO BEELIE		GDSUB 2000: REM DOORS
			GDSUB 3000: REM WALLS
	Program 3: Atari Version		GDSUB 4000: REM CEILING
			GOSUB 5000: REM FLOOR
	100 POKE 82,0:PRINT "(CLEAR) (2 DOWN)		GOSUB 5200: REM DUCTS
	HOME ENERGY PROGRAM"	700	GOSUB 6000: REM REPORT RESULTS
	110 PRINT : PRINT	710	Q1=TQ/DT
	150 GOSUB 8000	720	PRINT "DO YOU WISH TO MAKE IMPROV
	170 OPEN #1,4,0,"K:"		EMENTS?:";
	180 DIM A(6),Q(6),R(6),RW(4,3),D(4),I	730	
	W(2,3),S(10)		K=2: IF A\$="N" THEN 999
	190 DIM RF(3),TC(3),N\$(5*10),IC(5),DM		
	(2,15), IN(2), A\$(1), NL(5)		TO IMPROVE WINDOWS"; : INPUT A\$
	191 DIM WW\$(1), DW\$(1), D\$(1), DD\$(20), H	760	
	P\$(1),FU\$(10)	770	PRINT "{CLEAR} (2 DOWN) DO YOU WISH
		,,0	TO IMPROVE DOORS";: INPUT A\$
	200 REM WINDOW R VALUES 210 DATA 1.01,2.22,1.815,3.155	790	IF A\$="Y" THEN GOSUB 2000
	220 DATA .909,1.667,1.437,2.137		PRINT "{CLEAR}(2 DOWN)DO YOU WISH
		170	THE TOPPOSITE DOMINATION TOO MISH
	220 BHIH :707,1:087,1:437,2:137		

TO IMPROVE	WALLS";: INPUT A\$	2100	PRINT "(3 SPACES)2. WOOD + STORM
800 IF A\$="Y" T	HEN GOSUB 3000		•
810 PRINT "{CLE	AR) (2 DOWN) DO YOU WISH	2110	PRINT "(3 SPACES)3. METAL URETHA
DO IT AT IVE	CEILING";: INPUT A\$		NE CORE"
820 IF A\$="Y" T	HEN GUSUR 4000	2120	PRINT "(3 SPACES)4. METAL POLYST
TO IMPROVE	AR) (2 DOWN) DO YOU WISH	2170	YRENE CORE"
PAO IE OF-IVII 7	FLOOR";: INPUT A\$		INPUT T
840 IF A\$="Y" T			R(I) = D(T)
830 PRINT "{CLE	AR) (2 DOWN) DO YOU WISH		Q(I) = A(I) *DT/R(I)
DI IMPRUVE	DUCTS";: INPUT A\$		DW=138
860 IF A\$="Y" T		21/0	PRINT "(DOWN) ARE DOORS WEATHERST
	REM REPORT RESULTS	2100	RIPPED";
880 Q2=TQ/DT	T		INPUT DW\$
	IT "HIT RETURN TO GET S		
AVINGS"			IN(I)=0.018*DT*DW*CD
900 GET #1,A	DEM DALGUE ATE A VEAS O		RETURN
	REM CALCULATE A YEAR O	3000	REM WALLS SUBROUTINE
F SAVINGS		3010	I=3:H0=0.17:HI=0.68
1000 REM WINDOW	SUBBOUTING	3020	PRINT "(CLEAR) (DOWN) TYPE OF WALL
1010 I=1: IF PK>		7070	CONSTRUCTION"
	EAR} (DOWN) HOW MANY DIF	2020	PRINT "(DOWN) (3 SPACES) 1. BRICK
	ES OF WINDOWS":	3040	VENEER" PRINT "{3 SPACES}2. STONE"
1030 INPUT NX	ES OF WINDOWS ;		PRINT "(3 SPACES)3. WOOD SHINGLE
1040 IX=1:CW=0:	A(I)=0.0(I)=0	3030	S"
	WN) ARE WINDOWS WEATHE	3040	PRINT "(3 SPACES)4. STUCCO"
RSTRIPPED"		3070	PRINT "(3 SPACES)5. MASONRY BLOC
1060 INPUT WWS		0070	K"
1070 IF WW\$="Y"	THEN IV-2	3080	PRINT "{3 SPACES}6. LOG"
1080 FOR J=1 TO			PRINT "(3 SPACES)7. OTHER:"
	E "; J: IF PK>1 THEN 116		PRINT "(6 SPACES)ENTER CALCULATE
0	L , O. II FRAT THEN TIE	0.00	D R VALUE DIRECTLY"
	BER OF WINDOWS";	3110	PRINT "(6 SPACES) WHEN ASKED FOR
1110 INPUT NW	DER DI WINDOWS ,		INSULATION R VALUE"
	E OF WINDOWS (H, W) FT"	3120	INPUT TY
;	2 0. 41,420,40 (1,4,4,7)		ON TY GOTO 3140,3150,3160,3170,3
1130 INPUT H.W			180,3190,3200
	W	3140	RM=0.2*3.5:GOTO 3210:REM BRICK
1140 S(J)=H*W*N			KN-0.243.3: BUIU 3210: KEN BRICK
1140 S(J)=H*W*N 1150 CW=CW+(H+W		3150	RM=0.08*5:GOTO 3210:REM STONE
1140 S(J)=H*W*N 1150 CW=CW+(H+W 1160 A(I)=A(I)+	) *NW	3150	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP	) *NW S(J) E OF WINDOWS"	3150 3160 3170	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP	) *NW S(J) E OF WINDOWS"	3150 3160 3170 3180	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3	) *NW S(J) E OF WINDOWS" SPACES) 1. SINGLE GLASS	3150 3160 3170 3180 3190	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3	) *NW S(J) E OF WINDOWS"	3150 3160 3170 3180 3190 3200	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 " 1190 PRINT "(3 RM"	) *NW S(J) E OF WINDOWS" SPACES) 1. SINGLE GLASS SPACES) 2. SINGLE + STO	3150 3160 3170 3180 3190 3200	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 " 1190 PRINT "(3 RM" 1200 PRINT "(3	) *NW S(J) E OF WINDOWS" SPACES) 1. SINGLE GLASS SPACES) 2. SINGLE + STO SPACES) 3. DOUBLE PANE"	3150 3160 3170 3180 3190 3200 3210	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "{3 SPACES}FOR LIST OF R V ALUES FOR INSULATION"
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 " 1190 PRINT "(3 RM" 1200 PRINT "(3 1210 PRINT "(3	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB	3150 3160 3170 3180 3190 3200 3210	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 " 1190 PRINT "(3 RM" 1200 PRINT "(3 1210 PRINT "(3 LE + STORM	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB	3150 3160 3170 3180 3190 3200 3210 3220	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE"
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 " 1190 PRINT "(3 RM" 1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB)	3150 3160 3170 3180 3190 3200 3210 3220 3230	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE";
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 " 1190 PRINT "(3 RM" 1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G 1230 PRINT "TYP	) *NW S(J) E OF WINDOWS" SPACES) 1. SINGLE GLASS SPACES) 2. SINGLE + STO SPACES) 3. DOUBLE PANE" SPACES) 4. TRIPLE (DOUB ) "	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 " 1190 PRINT "(3 RM" 1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G 1230 PRINT "TYP 1240 PRINT "(3	) *NW S(J) E OF WINDOWS" SPACES) 1. SINGLE GLASS SPACES) 2. SINGLE + STO SPACES) 3. DOUBLE PANE" SPACES) 4. TRIPLE (DOUB ) " E OF WINDOW FRAME" SPACES) 1. WOOD"	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 " 1190 PRINT "(3 RM" 1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G 1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3	) *NW S(J) E OF WINDOWS" SPACES) 1. SINGLE GLASS SPACES) 2. SINGLE + STO SPACES) 3. DOUBLE PANE" SPACES) 4. TRIPLE (DOUB ) "	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM""  1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G 1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3	) *NW S(J) E OF WINDOWS" SPACES) 1. SINGLE GLASS  SPACES) 2. SINGLE + STO  SPACES) 3. DOUBLE PANE" SPACES) 4. TRIPLE (DOUB ) "  E OF WINDOW FRAME" SPACES) 1. WOOD" SPACES) 2. METAL OR JAL	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM""  1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G 1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 OUSE" 1260 PRINT "(3	) *NW S(J) E OF WINDOWS" SPACES) 1. SINGLE GLASS SPACES) 2. SINGLE + STO SPACES) 3. DOUBLE PANE" SPACES) 4. TRIPLE (DOUB ) " E OF WINDOW FRAME" SPACES) 1. WOOD"	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 0 R(I)=HO+RM+RI+HI:IF PK>1 THEN 33
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM"  1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G 1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 OUSE" 1260 PRINT "(3 1270 INPUT F	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS  SPACES)2. SINGLE + STO  SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB )" E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL  SPACES)3. FIXED"	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 O R(I)=HO+RM+RI+HI:IF PK>1 THEN 33
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM"  1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G 1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 OUSE" 1260 PRINT "(3 1270 INPUT F 1280 RM=RW(G,F)	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB) " E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL SPACES)3. FIXED"	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 O R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE ";
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM"  1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G 1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 OUSE" 1260 PRINT "(3 1270 INPUT F 1280 RM=RW(G,F) 1290 Q(I)=Q(I)+	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB) " E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL SPACES)3. FIXED"	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 O R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE "; INPUT NT
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM"  1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G  1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1270 INPUT F  1280 RM=RW(G,F) 1290 Q(I)=Q(I)+ 1300 R(I)=RM	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB )" E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL SPACES)3. FIXED"  S(J)*DT/RM	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 O R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE ";
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM"  1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G  1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1270 INPUT F  1280 RM=RW(G,F) 1290 Q(I)=Q(I)+ 1300 R(I)=RM 1310 PRINT "(CL	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB )" E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL SPACES)3. FIXED"  S(J)*DT/RM	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280 3290	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 O R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE "; INPUT NT PRINT "WHAT IS THE CEILING HEIGH
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM"  1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G  1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1270 INPUT F  1280 RM=RW(G,F) 1290 Q(I)=Q(I)+ 1300 R(I)=RM 1310 PRINT "(CL	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB) " E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL SPACES)3. FIXED"  S(J)*DT/RM EAR)(DOWN)";	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280 3290	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 O R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE "; INPUT NT PRINT "WHAT IS THE CEILING HEIGH T (FT)"; INPUT CH
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM"  1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G  1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1270 INPUT F 1280 RM=RW(G,F) 1290 Q(I)=Q(I)+ 1300 R(I)=RM 1310 PRINT "(CL 1320 NEXT J 1330 IN(I)=0.01	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB )" E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL SPACES)3. FIXED"  S(J)*DT/RM	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280 3290	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 O R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE "; INPUT NT PRINT "WHAT IS THE CEILING HEIGH T (FT)";
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM"  1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G  1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1270 INPUT F  1280 RM=RW(G,F) 1290 Q(I)=Q(I)+ 1300 R(I)=RM 1310 PRINT "(CL 1320 NEXT J 1330 IN(I)=0.01 1340 RETURN	)*NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB) " E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL SPACES)3. FIXED"  S(J)*DT/RM EAR)(DOWN)"; 8*DT*IW(IX,F)*CW	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280 3290 3310	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 O R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE "; INPUT NT PRINT "WHAT IS THE CEILING HEIGH T (FT)"; INPUT CH PRINT "WHAT IS TOTAL PERIMETER ( FT)"; INPUT P
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM"  1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G  1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1270 INPUT F 1280 RM=RW(G,F) 1290 Q(I)=Q(I)+ 1300 R(I)=RM 1310 PRINT "(CL 1320 NEXT J 1330 IN(I)=0.01 1340 RETURN 2000 REM DOORS	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB) " E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL SPACES)3. FIXED"  S(J)*DT/RM EAR)(DOWN)"; 8*DT*IW(IX,F)*CW SUBROUTINE	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280 3290 3310	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 0 R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE "; INPUT NT PRINT "WHAT IS THE CEILING HEIGH T (FT)"; INPUT CH PRINT "WHAT IS TOTAL PERIMETER ( FT)";
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 "  1190 PRINT "(3 RM"  1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G 1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1270 INPUT F 1280 RM=RW(G,F) 1290 Q(I)=Q(I)+ 1300 R(I)=RM 1310 PRINT "(CL 1320 NEXT J 1330 IN(I)=0.01 1340 RETURN 2000 REM DOORS 2010 I=2:IF PK>	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS  SPACES)2. SINGLE + STO  SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB )" E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL  SPACES)3. FIXED"  S(J)*DT/RM EAR) (DOWN)"; 8*DT*IW(IX,F)*CW SUBROUTINE 1 THEN 2080	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280 3290 3310 3320 3330	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 O R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE "; INPUT NT PRINT "WHAT IS THE CEILING HEIGH T (FT)"; INPUT CH PRINT "WHAT IS TOTAL PERIMETER ( FT)"; INPUT P
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM"  1200 PRINT "(3 1210 PRINT "(3 LE + STORM 1220 INPUT G  1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1270 INPUT F 1280 RM=RW(G,F) 1290 Q(I)=Q(I)+ 1300 R(I)=RM 1310 PRINT "(CL 1320 NEXT J 1330 IN(I)=0.01 1340 RETURN 2000 REM DOORS 2010 I=2:IF PK> 2020 PRINT "(CL	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB) " E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL SPACES)3. FIXED"  S(J)*DT/RM EAR)(DOWN)"; 8*DT*IW(IX,F)*CW SUBROUTINE	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280 3290 3310 3320 3330 3340	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 O R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE "; INPUT NT PRINT "WHAT IS THE CEILING HEIGH T (FT)"; INPUT CH PRINT "WHAT IS TOTAL PERIMETER ( FT)"; INPUT P A(I)=NT*CH*P-A(1)-A(2) Q(I)=A(I)*DT/R(I)
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM"  1200 PRINT "(3 LE + STORM 1220 INPUT G  1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1270 INPUT F 1280 RM=RW(G,F) 1290 Q(I)=Q(I)+ 1300 R(I)=RM 1310 PRINT "(CL 1320 NEXT J 1330 IN(I)=0.01 1340 RETURN 2000 REM DOORS 2010 I=2:IF PK> 2020 PRINT "(CL ORS";	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS  SPACES)2. SINGLE + STO  SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB )" E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL  SPACES)3. FIXED"  S(J)*DT/RM EAR) (DOWN)"; 8*DT*IW(IX,F)*CW SUBROUTINE 1 THEN 2080	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280 3290 3310 3320 3330 3340 3350	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 0 R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE "; INPUT NT PRINT "WHAT IS THE CEILING HEIGH T (FT)"; INPUT CH PRINT "WHAT IS TOTAL PERIMETER ( FT)"; INPUT P A(I)=NT*CH*P-A(1)-A(2) Q(I)=A(I)*DT/R(I) RETURN
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM""  1200 PRINT "(3 LE + STORM 1210 PRINT "(3 LE + STORM 1220 INPUT G 1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1270 INPUT F 1280 RM=RW(G,F) 1290 Q(I)=Q(I)+ 1300 R(I)=RM 1310 PRINT "(CL 1320 NEXT J 1330 IN(I)=0.01 1340 RETURN 2000 REM DOORS 2010 I=2:IF PK> 2020 PRINT "(CL 0RS"; 2030 INPUT N	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS  SPACES)2. SINGLE + STO  SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB )" E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL  SPACES)3. FIXED"  S(J)*DT/RM EAR) (DOWN)"; 8*DT*IW(IX,F)*CW SUBROUTINE 1 THEN 2080 EAR) (DOWN) NUMBER OF DO	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280 3290 3310 3320 3330 3340 3350 3500	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 0 R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE "; INPUT NT PRINT "WHAT IS THE CEILING HEIGH T (FT)"; INPUT CH PRINT "WHAT IS TOTAL PERIMETER ( FT)"; INPUT P A(I)=NT*CH*P-A(1)-A(2) Q(I)=A(I)*DT/R(I) RETURN REM LIST OF INSULATION R VALUES
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 "  1190 PRINT "(3 RM"  1200 PRINT "(3 LE + STORM 1220 INPUT G  1230 PRINT "TYP 1240 PRINT "(3 LE + STORM 1250 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1270 INPUT F 1280 RM=RW(G,F) 1290 Q(I)=Q(I)+ 1300 R(I)=RM 1310 PRINT "(CL 1320 NEXT J 1330 IN(I)=0.01 1340 RETURN 2000 REM DOORS 2010 I=2:IF PK> 2020 PRINT "(CL 0RS"; 2030 INPUT N 2040 PRINT "SIZ	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS  SPACES)2. SINGLE + STO  SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB )" E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL  SPACES)3. FIXED"  S(J)*DT/RM EAR) (DOWN)"; 8*DT*IW(IX,F)*CW SUBROUTINE 1 THEN 2080	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280 3290 3310 3320 3330 3340 3350 3500	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 O R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE "; INPUT NT PRINT "WHAT IS THE CEILING HEIGH T (FT)"; INPUT CH PRINT "WHAT IS TOTAL PERIMETER ( FT)"; INPUT P A(I)=NT*CH*P-A(1)-A(2) Q(I)=A(I)*DT/R(I) RETURN REM LIST OF INSULATION R VALUES PRINT "{CLEAR} (DOWN)LIST OF INSU
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 " 1190 PRINT "(3 RM" 1200 PRINT "(3 LE + STORM 1210 PRINT "(3 LE + STORM 1220 INPUT G 1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1270 INPUT F 1280 RM=RW(G,F) 1290 Q(I)=Q(I)+ 1300 R(I)=RM 1310 PRINT "(CL 1320 NEXT J 1330 IN(I)=0.01 1340 RETURN 2000 REM DOORS 2010 I=2:IF PK> 2020 PRINT "(CL ORS"; 2030 INPUT N 2040 PRINT "SIZ 2050 INPUT H,W	)*NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB )" E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL SPACES)3. FIXED"  S(J)*DT/RM EAR) (DOWN)"; 8*DT*IW(IX,F)*CW SUBROUTINE 1 THEN 2080 EAR) (DOWN) NUMBER OF DO E OF DOORS (H,W) FT";	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280 3290 3310 3320 3330 3340 3350 3510	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 0 R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE "; INPUT NT PRINT "WHAT IS THE CEILING HEIGH T (FT)"; INPUT CH PRINT "WHAT IS TOTAL PERIMETER ( FT)"; INPUT P A(I)=NT*CH*P-A(1)-A(2) Q(I)=A(I)*DT/R(I) RETURN REM LIST OF INSULATION R VALUES PRINT "(CLEAR)(DOWN)LIST OF INSU LATION R VALUES, WALLS"
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 " 1190 PRINT "(3 RM" 1200 PRINT "(3 LE + STORM 1210 PRINT "(3 LE + STORM 1220 INPUT G 1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1270 INPUT F 1280 RM=RW(G,F) 1290 Q(I)=Q(I)+ 1300 R(I)=RM 1310 PRINT "(CL 1320 NEXT J 1330 IN(I)=0.01 1340 RETURN 2000 REM DOORS 2010 I=2:IF PK> 2020 PRINT "(CL ORS"; 2030 INPUT N 2040 PRINT "SIZ 2050 INPUT H,W 2060 A(I)=H*W*N	)*NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB )" E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL SPACES)3. FIXED"  S(J)*DT/RM EAR) (DOWN)"; 8*DT*IW(IX,F)*CW SUBROUTINE 1 THEN 2080 EAR) (DOWN) NUMBER OF DO E OF DOORS (H,W) FT";	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280 3290 3310 3320 3330 3340 3350 3510	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 O R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE "; INPUT NT PRINT "WHAT IS THE CEILING HEIGH T (FT)"; INPUT CH PRINT "WHAT IS TOTAL PERIMETER ( FT)"; INPUT P A(I)=NT*CH*P-A(1)-A(2) Q(I)=A(I)*DT/R(I) RETURN REM LIST OF INSULATION R VALUES PRINT "{CLEAR} (DOWN)LIST OF INSU
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM"  1200 PRINT "(3 LE + STORM 1210 PRINT "(3 LE + STORM 1220 INPUT G  1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1270 INPUT F  1280 RM=RW(G,F) 1290 Q(I)=Q(I)+ 1300 R(I)=RM 1310 PRINT "(CL 1320 NEXT J 1330 IN(I)=0.01 1340 RETURN 2000 REM DOORS 2010 I=2:IF PK> 2020 PRINT "(CL 0RS"; 2030 INPUT N 2040 PRINT "SIZ 2050 INPUT H,W 2060 A(I)=H*W*N 2070 CD=(H+W)*N	) *NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB )" E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)1. WOOD" SPACES)2. METAL OR JAL SPACES)3. FIXED"  S(J)*DT/RM EAR) (DOWN)"; 8*DT*IW(IX,F)*CW SUBROUTINE 1 THEN 2080 EAR) (DOWN) NUMBER OF DO E OF DOORS (H,W) FT";	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280 3290 3310 3320 3330 3340 3350 3510	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 0 R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE "; INPUT NT PRINT "WHAT IS THE CEILING HEIGH T (FT)"; INPUT CH PRINT "WHAT IS TOTAL PERIMETER ( FT)"; INPUT P A(I)=NT*CH*P-A(1)-A(2) Q(I)=A(I)*DT/R(I) RETURN REM LIST OF INSULATION R VALUES PRINT "(CLEAR) (DOWN)LIST OF INSU LATION R VALUES, WALLS" PRINT "(DOWN) (B SPACES) NO INSULA
1150 CW=CW+(H+W 1160 A(I)=A(I)+ 1170 PRINT "TYP 1180 PRINT "(3 """  1190 PRINT "(3 RM"  1200 PRINT "(3 LE + STORM 1210 PRINT "(3 LE + STORM 1220 INPUT G  1230 PRINT "TYP 1240 PRINT "(3 1250 PRINT "(3 1250 PRINT "(3 1270 INPUT F  1280 RM=RW(G,F) 1290 Q(I)=Q(I)+ 1300 R(I)=RM 1310 PRINT "(CL 1320 NEXT J 1330 IN(I)=0.01 1340 RETURN 2000 REM DOORS 2010 I=2:IF PK> 2020 PRINT "(CL 0RS"; 2030 INPUT N 2040 PRINT "SIZ 2050 INPUT H,W 2060 A(I)=H*W*N 2070 CD=(H+W)*N 2080 PRINT "(DO	)*NW S(J) E OF WINDOWS" SPACES)1. SINGLE GLASS SPACES)2. SINGLE + STO SPACES)3. DOUBLE PANE" SPACES)4. TRIPLE (DOUB )" E OF WINDOW FRAME" SPACES)1. WOOD" SPACES)2. METAL OR JAL SPACES)3. FIXED"  S(J)*DT/RM EAR) (DOWN)"; 8*DT*IW(IX,F)*CW SUBROUTINE 1 THEN 2080 EAR) (DOWN) NUMBER OF DO E OF DOORS (H,W) FT";	3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280 3290 3310 3320 3330 3340 3350 3510	RM=0.08*5:GOTO 3210:REM STONE RM=0.87:GOTO 3210:REM WOOD RM=0.2*2:GOTO 3210:REM STUCCO RM=2:GOTO 3210:REM MASONRY RM=1.25*8:GOTO 3210:REM LOG RM=0:REM OTHER PRINT "(3 SPACES)FOR LIST OF R V ALUES FOR INSULATION" PRINT "(3 SPACES)ENTER -1 FOR IN SULATION R VALUE" PRINT "INSULATION R VALUE"; INPUT RI IF RI<0 THEN GOSUB 3500:GOTO 323 0 R(I)=HO+RM+RI+HI:IF PK>1 THEN 33 40 PRINT "HOW MANY STORIES IN HOUSE "; INPUT NT PRINT "WHAT IS THE CEILING HEIGH T (FT)"; INPUT CH PRINT "WHAT IS TOTAL PERIMETER ( FT)"; INPUT P A(I)=NT*CH*P-A(1)-A(2) Q(I)=A(I)*DT/R(I) RETURN REM LIST OF INSULATION R VALUES PRINT "(CLEAR)(DOWN)LIST OF INSU LATION R VALUES, WALLS" PRINT "(DOWN)(8 SPACES)NO INSULA TION (AIR) = .94"

```
3540 PRINT "(4 SPACES) HALF INCH ASPHA 5310 RETURN
                                        6000 REM WRITE A REPORT
     LT BOARD = 2.4"
3550 PRINT "(3 SPACES)1/2 IN GYPSUM O 6010 PRINT "(CLEAR)", "HEAT LOSS EVALU
                                              ATION"
     R PLASTER = 1.39"
3560 PRINT "{4 SPACES}1/4 IN WOOD FIB 6020 PRINT :PRINT :TQ=0
                                        6030 PRINT " ITEM", " AREA", " R-VALUE"
     ER BOARD = 1.12"
                                              , "HEAT LOSS"
3570 PRINT "(6 SPACES)FIR OR PINE SHE
                                        6040 PRINT ," SQ.FT.",," BTU/HR":PRIN
     ATHING = 1.92"
3580 PRINT "(6 SPACES)3/4 IN PLYWOOD
     PANELS = 1.88"
                                        6050 FOR I=1 TO 5
3590 PRINT "(13 SPACES)1/2 IN PLYWOOD 6060 A(I)=INT(A(I) $100+0.5)/100
                                        6070 R(I)=INT(R(I) *100+0.5)/100
     = 1.57"
                                        6080 Q(I) = INT(Q(I) + 0.5)
3600 PRINT : PRINT
                                        6090 PRINT N$(I$10-9, (I-1)$10+NL(I)),
3610 RETURN
                                              A(I),R(I),Q(I)
4000 REM CEILING ROUTINE
                                        6100 TA=TA+A(I): TQ=TQ+Q(I)
4010 I=4
4020 HI=0.61:HD=0.61:IF PK>1 THEN 406 6110 NEXT I
                                        6120 REM PRINT INFILTRATION LOSS
4030 PRINT "(CLEAR) (DOWN) WHAT IS TOTA 6130 PRINT "INFILTRATION",, INT ((IN(1)
     L CEILING AREA"
                                              +IN(2))/2+0.5)
                                        6140 TQ=TQ+(IN(1)+IN(2))/2
4040 PRINT "OF THE HOUSE";
4050 INPUT TEMP: A(I) = TEMP
                                        6150 REM CALCULATE DUCT LOSS
4060 PRINT "HOW MANY INCHES OF INSULA 6160 X=TQ/(A(5)*CH*NT):J=3:K=3
     TION IN CEILING";
                                        6170 IF X<45 THEN K=2
                                        6180 IF X<35 THEN K=1
4070 INPUT CI
4080 PRINT "TYPE OF INSULATING MATERI 6190 DI=0.15+0.05*(3-K)
                                        6200 IF D$="N" AND KD<2 THEN 6240
     AL"
                    1. FIBERGLASS"
                                        6205 IF KD>2 THEN DI=0:GOTO 6240
4090 PRINT "(DOWN)
4100 PRINT " 2. MINERAL WOOL"
                                        6210 IF DT<15 THEN J=2
4110 PRINT "
              3. VERMICULITE OR PERLI 6220 IF OT<0 THEN J=1
     TE"
                                        6230 DI=DM(KD, J+K*4)
4120 PRINT "
4130 PRINT "
              4. CELLULOSE FIBER"
5. U-F FOAM(DOWN)"
                                        6240 PRINT "DUCT LOSS",,, INT (DI *TQ+0.
                                              5)
4140 INPUT T
                                        6250 TQ=TQ+TQ*DI
4150 RM=CI*IC(T)
                                        6260 PRINT ,"(8 R)",,"(8 R)":?
6270 PRINT " TOTAL ",INT(TQ),,INT(TQ
4160 R(I)=HD+RM+HI
4170 Q(I) = A(I) * DT/R(I)
4180 RETURN
                                         6280 PRINT
5000 REM FLOOR ROUTINE
                                         6290 PRINT "DESIGN CONDITIONS:"
5010 I=5: IF PK>1 THEN 5040
                                         6300 PRINT "(3 SPACES) OUTSIDE DESIGN
5020 PRINT "(CLEAR) (DOWN) WHAT IS TOTA
                                              TEMP: "; OT
      FLOOR AREA"
                                         6310 PRINT "(4 SPACES) INSIDE DESIGN T
5030 INPUT TEMP:A(I)=TEMP
5040 PRINT "HOW MANY ITEMS OF INSULAT
                                              EMP: "; IT
                                         6320 PRINT "TEMPERATURE DIFFERENCE:";
     ION IN FLOOR";
                                              DT
5050 INPUT FI: IF PK>1 THEN 5110
                                         6330 RETURN
5070 PRINT "(3 SPACES)1. OPEN CRAWLSP 7000 REM FIND SAVINGS USING DEGREE-DA
     ACE"
                                         7010 DD=2961:DD$="ATLANTA GA"
5080 PRINT "(3 SPACES)2. ENCLOSED CRA
                                         7012 E1=INT(Q1*DD*24)
     WLSPACE OR BASEMENT"
                                         7014 E2=INT(Q2*DD*24)
5090 PRINT "(3 SPACES)3. CONCRETE SLA
                                         7030 PRINT "(CLEAR) TYPE OF HEATING FU
     R"
                                              EL USED"
5100 INPUT TF
                                                        1. ELECTRICITY"
                                         7040 PRINT "
5110 R(I)=HO+FI*3.1+RF(TF)+HI
                                         7050 PRINT "
                                                        2. NATURAL GAS"
5120 Q(I) = A(I) * (DT - TC(TF)) / R(I)
                                         7060 PRINT "
                                                        3. FUEL DIL"
5130 RETURN
                                         7070 INPUT FT:PC=0.55
5200 REM DUCTS
                                         7080 ON FT GOTO 7100,7200,7300
5210 DI=0.1
                                         7090 GOTO 7030
5220 IF TF=3 THEN KD=3:RETURN
                                         7100 REM ELECTRICITY
5230 PRINT "(DOWN) IS YOUR DUCTWORK IN
                                         7110 PRINT "IS HEATING UNIT A HEAT PU
     SULATED";
                                              MP";
5240 INPUT D$: IF PK>1 THEN 5310
                                         7120 INPUT HP$: ER=3413
5250 PRINT "(DOWN)LOCATION OF HEAT DU 7130 IF HP$<>"Y" THEN 7150
     CTS: "
5260 PRINT "(4 SPACES)1. ATTIC OR CRA 7140 PRINT "ENTER EER OF HEAT PUMP";:
     WLSPACE"
                                              INPUT ER: ER=ER*1000
5270 PRINT "{4 SPACES}2. UNCONDITIONE 7150 PRINT "AVERAGE $ COST PER KWH";:
                                              INPUT CO: FU$= "KWH"
     D BASEMENT"
5280 PRINT "{4 SPACES}3. IN SLAB FLOO 7160 E1=INT(E1/ER+0.5)
                                         7165 M1=E1*CO
5290 PRINT "{4 SPACES}4. INSIDE CONDI 7170 E2=INT(E2/ER+0.5)
     TIONED SPACE"
                                         7175 M2=E2*C0
5300 INPUT KD
                                         7180 MS=M1-M2
```

```
7190 GDTD 7400
7200 REM NATURAL GAS
7210 PRINT "AVERAGE $ COST PER THERM
      OF NATURAL GAS";: INPUT CO
7220 E1=INT(E1/(103000*PC)+0.5)
7225 M1=E1*CO
7230 E2=INT(E2/(103000*PC)+0.5)
7235 M2=E2*C0
7240 MS=M1-M2
7250 FU$="THERMS":GOTO 7400
7300 REM FUEL DIL
7310 PRINT "AVERAGE $ COST PER GALLON
       OF FUEL OIL"; : INPUT CO
7320 E1=INT(E1/(138000*PC)+0.5)
7325 M1=E1*CO
7330 E2=INT(E2/(138000*PC)+0.5)
7335 M2=E2*C0
7340 MS=M1-M2:FU$="GALLONS"
7400 REM GIVE RESULTS
7410 M1=INT(M1*100)/100
7420 M2=INT(M2*100)/100
7430 MS=INT(MS*100)/100:IF MS=0 THEN
      MS=1.0E-05
7440 PRINT " (DOWN) TOTAL $ COST OF YOU
      R IMPROVEMENTS";: INPUT CI
7450 PB=INT(CI/MS*1000)/1000
7460 REM REPORT SAVINGS AND PAYBACK
7470 PRINT "(CLEAR)", "ANALYSIS OF IMP
      ROVEMENTS"
7480 PRINT : PRINT
7490 PRINT ,, "ENERGY NEEDED"
7500 PRINT "ORIGINAL HOUSE ",E1;" ";F
7510 PRINT "IMPROVED HOUSE ",E2;" ";F
     U$
7520 PRINT ,,"(9 R)":?
7530 PRINT , "SAVINGS", E1-E2; " "; FU$
7540 PRINT
7550 PRINT ,,"OPER. COSTS"
7560 PRINT "ORIGINAL HOUSE","$";M1
7570 PRINT "IMPROVED HOUSE","$";M2
7580 PRINT ,,"(9 R)":?
7590 PRINT , "SAVINGS", "$"; MS
7600 PRINT : PRINT , "PAYBACK ", PB; " YE
7610 PRINT :PRINT
7620 PRINT "ABOVE IS BASED ON ONE YEA
     R OF OPERATION"
7630 PRINT "IN "; DD$
7640 RETURN
8000 REM DRAW HOUSE
8010 PRINT : PRINT : PRINT : PRINT
8020 POKE 85,8:?;"(5 SPACES)(1)(0)"
8030 POKE 85,8:?"(H)(10 EDECES)(J)"
8040 POKE 85,8:?"(V)(1)(0)(1)(0)(1)
      (0)(1)(0)(1)(0)(B)"
8050 POKE 85,8:? "(V)(K)(L)(K)(L)(K)
      (L)(K)(L)(K)(L)(B)(5 SPROSS)(J)"
8060 POKE 85,8:? "(V)(I)(O)(I)(O)(I)
      (0)(I)(0)(I)(0)(B)(I)(4 U)(B)"
     POKE 85,8:? "(V)(K)(L)(K)(L)(E)
      (Y) (K) (L) (K) (L) (B) (M) (4 SIPHOSS)
      (B)"
8080 POKE 85,7:? "{21 M}"
                                         0
8090 RETURN
```

To receive additional information from advertisers in this issue, use the handy reader service cards in the back of the magazine.

# FACTORY PRICING

IN STOCK!

NOW

MMS

MICRO MODULE

FAMILY

AVAILABLE

IMMEDIATE DELIVERY!

ALL MOSTECHNOLOGY MPS 6500 ARRAYS -

# PLUS

- MPS 6550 RAM for PET
- MPS 6530-002, -003 for KIM-1
- MANUALS
- MICROCOMPUTER KIM-3 8K STATIC RAM MEMORY BOARD
  - KIM-4 MOTHERBOARD
  - KIM PROMMER KIM-1 & 4 Compatible Eprom Programmer
  - KIMATH Chips with Listing
  - KIMEX-1 EXPANSION BOARD KIM-1 Plugable PROM, Ram and I/O Board
  - RS-232 ADAPTER For KIM-1
  - POWER SUPPLIES
  - KIM REPLACEMENT KEYPAD

# STANDARD MICROSYSTEMS

**★UART's** 

**★FLOPPY DISC CONTROLLERS** 

**★BAUD RATE GENERATORS** 

\*CRT CONTROLLERS

# **FALK-BAKER ASSOCIATES**

382 FRANKLIN AVE. • NUTLEY, NEW JERSEY 07110 (201) 661-2430

WRITE OR CALL FOR CATALOG

# Warehouse Automation With Personal Computers

Timothy Stryker, Pompano Beach, FL

While this is not a home application – it does demonstrate the capabilities and sophistication of today's personal computers. This is the story of how a Commodore 8032 runs a large warehouse.

Maybe you use your personal computer for balancing your checkbook, or maybe you use it mainly for playing games. Maybe you even use it to control your furnace or air conditioning system. But did you ever use a personal computer to control a sophisticated industrial automated warehousing system? We did, and it worked out great

Today's personal computers are sometimes belittled by professional engineers who feel that any computer suitable for home use could not possibly be appropriate for use in an industrial environment. In many cases, they are right: some personal computers are not designed, mechanically, for a great deal of wear and tear, and others have numerous games-related features that would prove less than valuable in an industrial setting. Some personal machines, however, are reliable enough, both mechanically and electrically, not ony to survive, but also to excel when used in industry. The Commodore CBM 8032 is one such machine.


# The Project

Our customer originally started out with an ancient (vintage 1974) automated warehousing system based largely on hard-wired controls. The system consisted of three automatic "cranes" running along tracks in the floors of three separate "aisles," one crane per aisle (see Figure 1).

Each crane could move horizontally up and down its aisle, and had a "bed" that could be moved vertically up and down a 20 foot "mast" to reach packages at different heights (see Figure 2). Packages were arrayed in racks on both the left and the right face of each aisle, and each bed incorporated a "shuttle" which could move left and right, energizing an electromagnet when necessary to pull a package on board.

Each of the three cranes communicated, over a 300-baud asynchronous link, with a single mas-

Figure 1: The Warehouse Layout



ter controller, which sent out commands to the cranes to retrieve various packages, replace others, and so forth. The packages being stored and retrieved contained bins of loose parts. The idea was to fill orders for these loose parts by bringing their respective bins to the front of the aisles, where human "parts pickers" would extract the appropriate parts and then send the bins back into the racks until the next time they were needed.

Our mission was to replace virtually all of the electronic portions of this system with modern, programmable equipment. This involved replacing each of the hard-wired control systems in the cranes with microprocessor-based hardware, as well as coming up with a new master controller, a so-called "Head-of-Aisle Terminal" (HAT).

The HAT would have to communicate with



Figure 2:
A crane, as seen from the front of an aisle, with its bed partway up its mast

each of the three cranes, and would in addition have to communicate over a 4800-baud "bisync" line with the customer's remote IBM mainframe. Simultaneously, it would have to provide for operator input of bin

requests, display of system status, diagnostics, and the like.

We had had good results previously with a Motorola 6800-based approach to the replacement of the crane hardware, so this is what we used for the cranes. When it came to replacing the HAT, however, we were momentarily stumped. We knew we wanted a CRT console for operator input, and it had to be reliable. In addition, the computer part of it had to be easy for us to program, and it had to be fast.

We would need the ability to augment the basic system with things like special-purpose synchronous (bisync) communications hardware. We considered the possibility of using an M6800 in an EXOR-bus configuration, with a high-speed asynchronous line going out to a semi-intelligent terminal of some kind, but we realized that this would tend both to bog down the display and to overload the processor.

What we eventually settled on was, of course, the CBM 8032. This fine personal computer combines a 6502 processor, 32K of RAM, a couple of spare 2532-compatible ROM sockets, and a complete memory-mapped video driver circuit, including the CRT tube itself, in a single enclosure.

One major advantage of the 8032, from my standpoint, was that I could use it to write most of the software needed in RPL, a language of my own design that I had specifically optimized for the development of high-speed, memory-critical applications like this one. You may have seen Robert Baker's review of RPL in the February 1982 issue of *Microcomputing*; everything he says in that review is the gospel truth.

By using RPL, I could see that I would have the luxury of writing virtually all of the code in high-level terms, resorting to assembly language only for extraordinarily time-critical functions such as interrupt servicing, block POKEs to the screen, and the like. In addition, the use of the RPL Symbolic Debugger would allow me to test and debug the software in record time, which, since I was working on a fixed-price contract basis, was important.

So, we cut our costs significantly by making use of the machine we planned to sell as its own development system. The fact that the video was memory-mapped meant that updating of the display could proceed at processor speed, yielding instant, random screen updating without any interrupt overhead. The fact that the computer and its display were integrated in a single cabinet lessened the potential mechanical problems of upset and breakage.

Also, the 8032's "memory expansion bus" allowed us to augment the machine's built-in capabilities with boards and other components of our own design, physically located in a separate enclosure. Figure 3 shows the external appearance of the resulting HAT: sharp and professional looking enough for the most discriminating of tastes.

# **Trials And Tribulations**

No project of this magnitude, of course, is without its share of problems. The first was that we would need at least 8K of ROM space, thus consuming the two spare 4K ROM sockets, for our control software. Not only did this consume the available


Figure 3: The HAT



# ATR8000: THE VERSATILE 4MHz Z80 DOUBLE DENSITY DISK INTERFACE FOR THE ATARI® 800/400

Connect the ATR8000 to convert your ATARI 800/400 into a viable business machine. Open the doors to a further dimension by adding the 64K CP/M upgrade—then you can enter the vast CP/M marketplace to select programs tailored to your specific needs.

The ATR8000 is versatile, so it can grow as you need it to. Its handling of disk drives is revolutionary . . . it runs four 51/4" or 8" drives, single or double or quad density, single or double-sided AND allows you to mix them!



SPECS: 4MHz Z80 processor • 16k RAM standard • Connects to expansion port of the ATARI 800/400 • 121/2" x 111/2" x 21/2" gray and beige enclosure . Runs four drives of mixed definition

- Centronics parallel and RS-232 serial port (and printer drivers)
  - Runs single density ATARI DOS and existing ATARI software
  - With OSA+, Ver. 4, is double density
     64K upgrade includes CP/M.

PRICING: ATR8000 51/4" Drive

\$499.95 OSA+, Ver. 4 \$399.95 Printer Cable 51/4" Drive Cable \$49.95 \$29.00 \$35.00

64K Upgrade (with CP/M)

\$250.00 8" Drive Adapter

-CALL-

CONTACT: SOFTWARE PUBLISHERS, INC.

2500 E. Randol Mill Rd., Suite 125 Arlington, TX 76011

(817) 469-1181

ATARI is a registered trademark of ATARI, Inc. CP/M is a registered trademark of Digital Research, Inc.

# LET'S GET SERIOUS

The ATARI® is a Powerful Personal Computer. It's time to get down to business.

# FORECASTER - Disk - \$49.00

# STAT PLUS - Disk - \$49.00

Forecast future events based on past information. Forecast profits, costs, sales trends, prices, test scores, virtually anything. Edit, save on disk and test various elements to determine the outcome. Forecaster effectively uses the ATARI® color and sound capabilities. Forecaster is a powerful "what if" program - a must for business, 24K disk,

Stat Plus is the most powerful statistic tool we have seen. Run sample space, mean, variance and standard deviation. Do probabilities using binomial, poisson or normal distribution. Also, do students' t-test, Mann-Whitney U test and Chi Square. Do linear regressions; may use 1-12 independent variables. Interact a sample from one module to another, edit, rank and print out. Minimum 24K.

# The Programmers Workshop

5230 Clark Ave., Suite 23 Lakewood, CA 90712 Phone Orders (213) 804-1475 TO ORDER: VISA/MasterCard, check or money order accepted. If charge, please include expiration date of card. Add \$1.50 for shipping and handling. California residents add sales tax. Phone or mail.

® ATARI is a registered trademark of Warner Communications

sockets, but, more importantly, it also consumed (so we thought) the only remaining, non-dedicated portion of the 8032's address space. As shown in Figure 4, Commodore supplies the 8032 with 32K of user RAM occupying addresses 0 through \$7FFF, the memory-mapped video display RAM from \$8000 to \$8FFF, and the main operating system and BASIC interpreter ROMs from \$B000 through \$FFFF.

Now, there is actually a little gap, running from \$E800 to \$EFFF, which the 8032 decodes as I/O space rather than ROM. It is in this range that


Commodore has placed its PIAs ("Peripheral Interface Adapters", i.e., parallel I/O ports) and VIAs ("Versatile Interface Adapters", another flavor of same) for communicating with the outside world via keyboard, tapes, the IEEE bus, etc.

What we did not realize at first is that not all of the address space up there is consumed by Commodore's built-in devices: in particular, the range from \$EA00 up would appear to be available for user use. By the time we perceived this, though, we had already committed to a bank-switched approach involving the \$C000 ROM (why it had to be the \$C000 ROM is too complicated to go into here).

In so doing, however, we ran afoul of another little peculiarity of the 8032's design, which you may need to know about if you attempt anything like this yourself. This applies whether you use the \$EA00 area for I/O or not. What it is, is that the 74LS244's (8-bit tri-state bus drivers) that Commodore uses to bidirectionally buffer the memory expansion data bus are hard-wired to point in the CPU-write direction for all memory accesses to addresses \$A000 and above (for addresses in the \$9000 to \$9FFF range, interestingly enough, this is jumper-selectable).

This leads to the disconcerting problem that, whenever you try to *read* from anything above \$A000 on the memory expansion bus, the data comes in as garbage because the bidirectional bus drivers are stupidly driving the wrong way. Our solution to this was to jumper the direction-control inputs of the 74LS244's to a signal we generated off-board which "knew" when a read to the expansion bus was occurring and inverted the drive

# Figure 4: 8032 Memory Map



direction appropriately.

Another little quirk worth noting (forgive me if I'm being overly technical here, but these little insights will be worth about \$2000 apiece to you if you ever get involved in this sort of thing) is that the R/W inputs to the ROMs in the 8032 are hardwired to  $V_{cc}$ , implying that you cannot expect a write to a ROM address to disable the ROM, or for that matter to do anything reasonable at all.

Why would you want to write to ROM, you may ask? Well, suppose you wanted to substitute a 2532-compatible RAM chip for one of the ROMs, for example? It won't work unless you jumper the socket's R/W line to the CPU's R/W line (and, of course, cut the  $V_{cc}$  trace while you're at it). Remembering this can save you days of frenzy and heartburn, when the time comes.


Once these problems were out of the way, the rest of the project went fairly smoothly. Figure 5 shows what the display looked like during actual operation. If you are a Commodore buff, you will notice that some of the characters in the "Bisync Communications Line" box are not part of the standard Commodore character set – this was achieved by substituting a custom 2532 EPROM for the standard character generator chip in the 8032.

This is remarkably easy to do if your character generator chip is socketed (some of the newer ones, unfortunately, are not): you just pop out the existing chip, copy it, with whatever changes you like, into a 2532 (or, if you like, a 2716), and pop the 2532 into the socket. We used a model 2704 PROM programmer/editor from Micro-Link, Inc., of Carmel, Indiana, and found it easy as pie and very satisfying at that.

# **Software Design**

As you can see in Figure 5, our HAT has to keep track of a fair number of things at once. In order to make the system easy for operators to control, I used the "soft-key" technique for input of com-

Figure 5: A Closeup of the HAT's Screen



# BATTERIES

village by the grange, 71 mccaul st. (f6) toronto m5t 2x1 telephone 596-1405

\$150°00 per unit

# ARBITER 1.4 MULTI-USER DISK SYSTEM FOR COMMODORE 4.0 COMPUTERS

OVER THREE HUNDRED IN USE ACROSS ONTARIO

Since September 1981 BATTERIES INCLUDED has been installing the ARBITER system in classrooms of Commodore BASIC 4.0 computers. The computers are connected to CBM Disk Drives and printers. All users have access to all disk drives and printers plus a host of commands to make this system configuration really usable!

THE ARBITER 1.4 SYSTEM IS READY TO GO!

### **FEATURES**

- 1) Easy installation.
- 2) Uses no RAM or Utility Sockets.
- 3) Up to 32 computers in one system.
- 4) System self initializes on power up.
- 5) Operation is completely transparent to the user.
- 6) Extended commands allow a friendly multi-user environment.
- 7) System design virtually eliminates interleaved printer output.

### SPECIAL COMMANDS

- @ S Allows students to protect files with a five character password. A three character user ID is forced into the file name.
- Allows the students to load protected files if the password code is known.
- LISTC Used to produce program listings with a Commodore printer. Clumsy OPEN, CMD, LIST, PRINT#, CLOSE sequence not needed. It overcomes the listing problems found on other multi-user hardware systems.
- LISTP Used to get program listings on systems which have an ASCII printer. The cursor control characters are expanded and displayed in brackets. e.g. (home)
- ALL FILE TYPES ARE SUPPORTED During relative or sequential file access a delay has been built in so the computer will retain control of the system until the file is closed.
- TEACHER UTILITY A utility is supplied on disk to allow the teacher to produce a hardcopy listing and output from any of the protected or unprotected files selected. Once the files are chosen from the disk directory the teacher may do other tasks while the job is completed.

IF YOUR CLASSROOM WAS DESIGNED TO TEACH COMPUTER LITERACY OR STRUCTURED BASIC THEN THIS SYSTEM WAS DESIGNED FOR YOU.

Arbiter and Arbiter 1.4 are copyrights of Batteries Included.

# Announcing ... THE WHOLE PET CATALOG

A two year compendium of the Midnite Software Gazette and other resources for users of Commodore, CBM, PET, and VIC computers.

# The Whole PET Catalog contains:

- Over 500 independent reviews of commercial products.
- Over 700 education programs reviewed & organized by course.
- Over 200 reviews of free games.
- Information on over 1,800 free programs.
- Information about dozens of PET and VIC user groups.
- Many pages of hints and helps for all Commodore users.
- "Commodore's Family Tree", by Jim Butterfield.
- Completely reorganized and greatly expanded edition.
- Typeset and printed full-size on bond paper.
- In all, 320 pages of useful information.

If you've seen Midnite before, directly or reprinted in the TorPET newsletter, here it is, complete in one volume, completely reorganized for easy reference, and greatly expanded with new information from members of the Toronto PET Users' Group.

"I still use my copy of The Best of the PET Gazette regularly. It was a treasure trove of information, and a great bargain for \$10 three years ago. I hope you'll feel the same way about my Whole PET Catalog someday. Considering that it's three times as long, completely organized by topic, printed on bond paper instead of newsprint, typeset instead of dot matrix printed, bound instead of stapled, and still only \$10, in spite of inflation, I'm sure you will." -Jim Strasma, Contributing Editor, Micro

Whole PET Catalog

WRITE FOR CATALOG

252 Bethlehem Pike Colmar, PA 18915

215-822-7727 A B Computers Add \$1.25 per order for shipping. We pay balance of UPS surface charges on all prepaid orders. Prices listed are on cash discount basis Regular prices slightly higher Prices subject to change

mands. This unsung hero of a technique, used by Hewlett-Packard in much of their equipment, will, I predict, become the standard commandinput technique of the future. The idea behind it is to combine the best features of menu-driven operation with the best features of random-command-driven operation by providing a set of "soft-keys," which, in effect, present the operator with a menu of the currently allowable command options at all times.

Normally, a keyboard must be designed with soft-key operation in mind in order to be so used, but one can sometimes improvise. In the case shown here, for example, the soft-keys are the keys 1 through 9 in the 8032's numeric keypad. The little block of legends in the lower right-hand corner of the display can be thought of as appearing directly on the keys themselves, and the only difference between these legends and normal, "hard" legends is that these legends *change* once you have hit a particular soft-key.

For example, if you hit the "enable" soft-key on the HAT, the word "enable" is echoed onto the bottom line of the "Text Area" shown to the left, and the soft-key legends change to offer you the option of enabling aisle one, aisle two, or aisle three. When you select the aisle you want enabled, your choice is echoed to the Text Area, and the soft-key legends change again to tell you that the only thing you can now do is to hit RETURN (or CLEAR, in case you have changed your mind).

Once you hit RETURN, the command is executed, and the Text Area display scrolls up, retaining a record for you of what you did, in the king's English. Very little possibility for confusion here, especially when you consider that this arrangement makes it *physically impossible* for you to enter a command with invalid syntax!

A fair amount of "human-engineering" (that always sounds to me like android design) also went into the rest of the display shown in Figure 5. The "Bisync Communications Line" box acts as a continuous window onto the line connecting the HAT with its remote IBM mainframe, so that communications problems can be easily diagnosed and corrected. Bytes received are displayed here in normal field (green on black), while bytes transmitted are displayed in reverse field.

Since the HAT is on a multi-drop, shared communications line, it is "polled" in various ways by a network controller. These polling sequences cause the little circles beside the legends POLL, ACTIVATE, and DATA to light up from time to time. This ability to easily simulate LEDs, discrete scrolling windows, and so forth – as though designing a real, mechanical front panel – is one of the big advantages of a direct memory-mapped video display. I made the most of it.

The upper part of the HAT display is devoted

to system status, which is logically grouped by aisle. A queue of pending bin requests is maintained for each side of each aisle, and bins currently active in each case are highlighted through the use of reverse field. Aisle mode and status are displayed in English, with highlighting where appropriate.

These fields are all continuously updated in realtime on the screen – the memory-mapped video of the 8032 makes it possible to maintain a high data rate to the tube with very little processor overhead, while the graphics and reverse field capabilities of the machine allow this information to be organized and presented in a clear and aesthetically pleasing way. The fact that the 8032's display is a full 80 columns wide was certainly a boon to us too, as you can see.

No static photograph can really give you an adequate idea of what the HAT screen looks like when the system is in operation. The bytes in the bisync window are constantly whizzing around, while the status fields for each of the aisles are continually changing as the cranes go through their paces. Meanwhile, the bin queues are constantly filling up and emptying out, allowing you to watch as each bin request gradually moves up in sequence until it becomes current.

The little POLL, ACTIVATE, and DATA lights blink on and off like mad. And, in spite of all this activity, the operator can enter commands to add new queue entries, purge old ones, enable and disable aisles, and so forth whenever he or she likes, without regard to what else the system might be doing at the time. Operating the HAT actually has a lot in common with playing a realtime video arcade game. It's (dare I say it?) actually fun.

# **Everybody's Happy**

There is a good deal more to the HAT, and to the system as a whole, than I have been able to address here, but I hope that this has given you some feel for what a personal computer is really capable of when pressed to its limits. The HAT and its M6800-controlled cranes have been in operation for several months now and, so far, have run virtually trouble-free. Our customer reports system throughput on the order of double what it was before, and his operators are happy because their jobs are now easier and less confusing.

All of this makes my boss happy that we went with the CBM 8032, and that makes me happy because I'm the one that talked him into it. I'm also happy that I could use this project to demonstrate the viability of RPL in a highly demanding and cost-sensitive application. The next time you're designing a process control system for serious industrial use, think twice about the possibility of rounding it out with a "personal" computer.


# THE BUSINESS MANAGER

FULLY INTERACTIVE ACCOUNTING SYSTEM, NO DISKETTE CHANGING! FINALLY ALL THE FEATURES YOU'VE BEEN WAITING FOR - IN ONE COMPLETE INTERACTIVE SYSTEM.

# **FULL SOFTWARE SYSTEM** ONLY \$995.00

MANUAL ONLY - \$40.00 REFUNDABLE UPON SYSTEM PURCHASE.





### HARDWARE REQUIREMENTS:

- Commodore Model 8032 or SuperPET or 8096 Micro-computer
- Commodore Model 8050 One Megabyte Dual Disk Drive
- Commodore Model 4022 (or Larger) Printer .
- Commodore PET IEEE cable
- Commodore IEEE IEEE cable

# VERSACALC

TUTORIAL UTILITIES AND FILE MANAGER

(but thought you couldn't).

ERSACALC Everything you always wanted to do with Visicalc, YES! We said VISICALC"!

NOW YOU CAN:

- \* SORT a Visicalc screen on any column, ascending or descending; all related formulas and labels are sorted too.
- \* put the entire disk CATALOG on the screen at once!
- \* easily do Year-To-Date accumulations! \* "pound" formulas to expose the full formulas in place on the screen!<sup>1</sup>
  \* append two Visicalc files!<sup>1</sup>
- \* print the contents of a /SS file!
- \* print the contents of a /PF file!
- \* AND our EASEL BINDER is so nice that you will put your other manual in it!

Apple II\* \$100 PET & CBM-1 125 IBM PC 1 150 Apple III 1 150 \*specify DOS

If you use Visicalc™ but you are bumping into its limitations, then you need Versacalc™! Versacalc runs within Visicalc but uses no extra memory; in fact, it effectively increases memory by letting you call in modules from disk as needed.

A Tutorial section makes clear such features as @LOOKUP, DIF, @NA, @ERROR, which are not well explained in the Visicalc manual.

A Utilities section makes it easy to create your own menu-driven modules which condense hundreds of commands into four keystrokes. You can build in sophisticated error checking (e.g. Is the input value between certain limits?). Now it is possible for people untrained in Visicalc to perform the weekly updating without constant instruction.

> Anthro-Digital Software P.O. Box 1385 Pittsfield, MA 01202 413-448-8278

Apple II is a trademark of Apple Computer, Inc Versacalc is a trademark of Versacalc Enterprises, Inc. Visicalc is a trademark of Visicorp Inc

# FRIENDS OF THE TURTLE

David D Thornburg, Associate Editor

# **Turtle Graphics For The VIC**

Judging from the amount of mail I have received on this topic, there are thousands of VIC owners who are waiting for the chance to see turtle graphics on their computer. It was thus with excitement that I viewed the chance to try the Turtle Graphics program cartridge from HES.

This cartridge comes nicely packaged with a thorough manual that contains both a tutorial and a reference section. The cartridge contains an 8K byte program that loaded immediately when the VIC was turned on. Since the program worked on my vintage VIC from Japan, I'm sure it works

on every VIC ever made.

I have used this program for a month and am quite ambivalent about it. As someone who uses turtle graphics packages of all sizes and vintages for a host of computers, I confess to having a predefined set of expectations. In order to help you assess my review, it is only fair that I list what I feel are the important aspects of WSFN, Atari PILOT, Apple SuperPILOT, Logo, and the Big Track toy with a felt-tip pen attached to the back:

- 1. Turtle graphics is just that a graphics environment. It is capable of drawing continuous lines on a screen (or a sheet of paper).
- 2. Turtle graphics is richly endowed with commands that allow the incremental movement along a heading and the incremental rotation of the heading by amounts whose values can be stored in variables.
- 3. The highly interactive and experimental nature of those who use turtle graphics most effectively requires that graphics commands and user-defined procedures be capable of execution directly from the keyboard. A true immediate mode is present in all my favorite turtle systems including the \$40 Big Trak.

Unfortunately, the Turtle Graphics package from HES fails all these tests – and I could have made the list longer with the same result. My biggest complaint is that this program does not use the VIC graphics mode at all, but builds pictures by printing trails of characters on the 22 column by 23 row display screen. This restricts one to very primitive pictures.

This does not mean that the program isn't useful. I feel that, under a new name, this program can find tremendous application in another field, but more on that later.

Structurally, the program is quite nice. It contains its own line editor that performs some error checking before accepting each line. The language itself uses English language commands that, in most cases, are instantly understood by the user. For example, TURTLE COLOR RED changes the turtle's color to red.

When the system is turned on, the user is presented with a menu that allows the addition, insertion, deletion and replacement of program lines, the listing and printing of programs, and the execution and tracing of programs. All aspects of this menu driven system work well.

To get a feel for the language's syntax, let's examine a simple program from the manual:

SCREEN COLOR YELLOW
BORDER COLOR PURPLE
TURTLE COLOR BLUE
PEN DOWN
TEXT HI THERE
PEN UP
CHARACTER TO +
TURTLE COLOR GREEN
MOVE TO 6-3
PEN DOWN
RIGHT 5
DOWN 5
LEFT 5
UP 5
STOP

The first three commands set colors. Any of the standard VIC colors can be used. The turtle starts with the pen up (unlike all the other turtle systems with which I am familiar), so if you want to see something, you must remember to put the pen down first. The TEXT command functions somewhat like the PILOT T: command in that it prints whatever follows the command. It does not, however, allow you to print out the contents of variables, so it can't be used to print out the results of calculations. Also, unfortunately, there is no INPUT command to allow data to be entered interactively during the execution of a program.

# Apple\* Franklin\*

Krell's College Board

Preparation Series

> New for

A COMPREHENSIVE PREPARATION PACKAGE / MORE THAN 40 PROGRAMS

- 1. Diagnostic analysis
- Prescription of individual study plans
- 3. Coverage of all SAT\* skills
- 4. Unlimited drill and practice
- 5. SAT\* Exam Question simulator
  6. All questions in SAT\* format and at SAT\* difficulty level
- 7. Instantaneous answers, explanations and scoring for problems
- 8. Worksheet generation and performance
- monitoring (optional) 9. A complete record management system-
- (optional) 10. Systematic instruction in pertinent math,
- verbal & test taking skills (optional)

Krell's unique logical design provides personalized instruction for each student according to individual needs.

Krell's College Board SAT\* 81/82 Prep. Series has demonstrated a mean combined math and verbal score increase of more than 100 points by using sophisticated drill & practice techniques alone. This new series is much expanded and updated. In addition extra cost options are now available to provide worksheet generation, record management, and systematic instruction in all math and verbal areas tested by the SAT\*.

All versions of Krell College Board SAT\* Preparation Series provide answers, explanations and instantaneous raw scor-Standard package \$299.95

APPLE, ATARI, COMMODORE, CP/M, IBM, AND RADIO SHACK\*

# SWORD OF ZEDEK

Fight to overthrow Ra, The Master of Evil. Treachery, deceit, and witchcraft must be faced in your struggles as you encounter wolves, dwarves, elves, dragons, etc. Each of the twelve treasures will enhance your power by making you invisible, invulnerable, etc. Each game is unique in this spectacular and complex world of fantasy. \$24.95 Atari\*


Commodore\* TRS-80\*

©M.I.T. 1981

NO FRILLS for Apple II®

NO FRILLS PAK

- 1. Two copies of Krells LOGO for Apple II\* 2. Utility Disk with M.I.T.'s valuable
- demo programs including Dynatrack
  3. The official M.I.T technical manual LOGO FOR APPLE II by H. Abelson & L. Klotz No Frills Turtle Price \$99.00



# LOGO FRILLS ONLY

FRILLS FOR LOGO / Support Pak for: M.I.T. LOGO, KRELL & TERRAPIN INC.

- 1. Krell utility disk
- 2. Alice in LOGOLAND
- 3. LOGO for Apple II by H. Abelson
- 4. Alice in Logoland Primer
- 5. Comprehensive wall chart
- 6. LOGO & Educational Computing Journal

\$89.95

NO FRILLS LOGO AND ALL THE FRILLS COMBO FOR APPLE II\* \$149.95

SPRITES NOW AVAILABLE FOR LOGO Call for Information

Prices slightly higher outside U.S.

# TIME TRAVELER

Using the Time Machine, players must face a challenging series of environments that include: The Athens of Pericles, Imperial Rome, Nebuchadnezzar's Babylon, Ikhnaton's Egypt, Jerusalem at the time of the crucifixion, The Crusades, Machiavelli's Italy, the French Revolution, the American Revolution, and the English Civil War. Deal with Hitler's Third Reich, Vikings, etc. Players may set level of difficulty. Each game is unique.

Shelby Lyman Chess\*



Shelby's Socrates Chess Tutorial Series uses the latest Al techniques to customize each lesson for you. Instruction modules cover every aspect of the game. For all micro's. Call or write for details.

**Amazing Ben** The Royal Road to Artificial Intelligence. \$79.95 Connections

A complete game system. Learn the principles of scientific reasoning in your choice of game formats. Expand minds at all ages. Subject areas include: Geography, Biology, Everyday Objects, etc.

Game System \$99.95 Data Base, \$24.95 per subject, 3 for \$50

# Isaac Newton + F.G. Newton

Perhaps the most fascinating and valuable educational game ever devised - ISAAC NEWTON challenges the players to assemble evidence and discern the underlying "Laws of Nature". FULL GRAPHICS NEWTON presents all data in graphic form. This game is suitable for children. Players may select difficulty levels challenging to the most skilled adults. Both Games \$49.95

# Pythagoras and the Dragon

Mathematics in a fantasy game context. Based on THE SWORD OF ZEDEK introduces Pythagoras as a mentor to the player when called on for aid, Pythagoras poses math questions and depending on the speed and accuracy of response, confers secret information. With Pythagoras as an ally, the quest to overthrow Ra, The Master of Evil, assumes a new dimension of complexity. Depending on the level chosen problems range from arithmetic through plane geometry. APPLE, TRS-80, PET, ATARI\* 32K \$39.95

The state of the art in educational computing
1320 Storry Brook Road / Storry Brook NY 11790
Telephone 51e-751-5139
Krell Software Corp. has no official tets with the College
Entrance Examination Board or the Educational Testing Service
Krell is, however, a supplier of products to the ETS \*Tracemarks of Apple Comp. Corp., Tandy Corp., Commodore Corp. Digital Research Corp., I. B. M., Atari Corp., Terragia Inc.

Socrates Chess Corp. N.Y.S residents add sales tax

MSA



The command CHARACTER TO + tells the turtle to leave a trail of + marks as it moves. It is better to think of the turtle as carrying a rubber stamp rather than a pen. As it moves, it stamps images of characters on the screen. The command MOVE TO 6-3 moves the turtle to the sixth column and third row of the screen. The commands RIGHT, DOWN, LEFT, UP move the turtle the indicated number of spaces in the indicated direction. Note that RIGHT and LEFT are *not* turn commands. They shift the turtle to the right or left. Movement is allowed to take place only along columns or rows, and there is no command that lets the turtle move incrementally along a diagonal.

The user can create labeled procedures with this system and can then invoke the procedures with the USE command. Among other valuable features, the user can have the program check to see if a particular symbol is underneath the turtle. This allows the creation of simple maze-following programs, and is quite valuable.

The conditional branching command, IF, is quite non-standard in its use. Consider this example from the manual:

IF (X>2)
SCREEN COLOR BLUE
JUMP DONE
LABEL FALSE
SCREEN COLOR RED
LABEL DONE

If the value of X is greater than 2, then the commands immediately following the IF command will be executed. If it is false, execution branches to the next label. I would guess that the reason this was done was to make sure that each program line did only one thing. The IF command then starts to look like the Logo TEST command. I would have been happier if HES had used TEST, IFT and IFF, as does TI Logo. The present construction is quite convoluted and cumbersome, in my opinion.

While no fault of HES, the aspect ratio of the display screen makes any accurate correspondence between a procedure and a drawn figure hard to detect. Suppose, for example, that a child draws a square on a sheet of paper and then translates this square to the procedure:

LABEL SQUARE RIGHT 10 DOWN 10 LEFT 10 UP 10 ROUTINE END

When this procedure is executed, a wide rectangle will be drawn on the screen. The procedure *should* give a square, but the aspect ratio of

the VIC's character screen will never let you plot a square with this procedure. Does this adversely affect the child's understanding of programming? I think so. This hunch has been reinforced by my limited testing of this package with an eight-year-old boy who certainly knew what a square looked like. This might seem like a minor point to some, unless they are expecting to use this program in an educational environment.

On the positive side, I think that Turtle Graphics is an excellent program for the creation of animated titles and text displays. The user can create musical sounds and can adjust the rate at which characters are placed on the screen. Any VIC owner who makes home video tapes or who needs an inexpensive, eye-catching attraction for a retail display can benefit from this package. In fact, the cost of the VIC plus the \$39.95 Turtle Graphics program is far less expensive than the titling systems presently being sold to VCR owners. The VIC's video output connects easily to all VCR's, making this a natural application for the system.

My recommendation is for HES to market this program to the massive number of home video users who can use it to title their recordings. HES should use the proceeds from these sales to develop a *true* turtle graphics package for the VIC.

It is sorely needed.

[See manufacturer's statement, p. 112.]

# **Microworlds For Atari PILOT**

I recently heard from Martin Suey, an elementary school teacher in Tulare, California who has been making good use of Atari's turtle graphics in his second grade classroom. After reading about the creation of microworlds – user-controlled environments which one can change at will – he decided to see if he could implement such an environment with Atari PILOT. His program, *Day and Night*, is designed for primary-aged children. The computer displays a scene showing a house with a movable pet (dog or cat) that can be made to walk in front of or behind the house. Pressing the button on the joystick changes the scene slowly from day to night (or from night to day).

Of technical interest to those of you who use this language, Martin's program uses player graphics, priority data registers, and color registers. The program is controlled with a joystick in port #1. Holding the joystick to the left or right moves the player in the indicated direction (with wraparound).

Pushing the joystick up moves the player "behind" the playfield image (behind the house, for example), and pulling the joystick down moves the player to the front of the image. Pressing the button causes the scene to change from day to

Cardco, Inc. announces five All-American ways to . . .

# Expand your VIC® at affordable prices



All Cardco products are **Made in the U.S.A.** and are individually tested to ensure quality and reliability. Superior technological engineering optimizes the value/performance ratio of all of our products.

interface designed to allow the user

cartridges Inow available. It will accept

to access more than one of the

plug-in-type memory or utility

up to three cartridges at once.

Suggested Retail — \$29.95



The CARDBOARD 6 is a fuse protected expansion interface designed to allow the user to access more than one of the plug-in-type memory or utility cartridges now available. Additionally it allows switch selection of games and other programs now available in the cartridge format, without the necessity of turning the computer off and on again, thereby saving a great deal of stress on your VIC-20 and on your television or monitor.

Suggested Retail — \$139.95

Specifications and prices subject to change.

A light pen for the VIC-20 and C-64

and 6 good programs.

Suggested Retail — \$29.95

computers with a switch on the barrel

Cardco, Inc. - 3135 Bayberry - Wichita, KS 67226 - (316) 685-9536

Compuserve® E-Mail Address: Cardco, Inc. • 73575, 1325

# **Manufacturer's Reply**

In the interests of providing readers with a fair and balanced report on the features of a product, we asked the manufacturer of VIC Turtle Graphics to reply to David Thornburg's remarks. The following comments are from the author of VIC Turtle Graphics, David Malmberg, and from Human Engineered Software.

While I was developing VIC Turtle Graphics, I had a number of design objectives in mind. Specifically, I wanted TURTLE to be:

 Inexpensive to buy, yet offer a good value for the price,

 Easy to use, yet "bullet proof" and friendly enough for first-time programmers not to get frustrated when they make a mistake,

• Usable with a standard VIC with only 3.5K of available user memory and no disk drive,

 Capable of fully exploiting the VIC's great sound, color and graphics characters,

 An effective vehicle for teaching programming concepts to children and other first-time programmers,

• Fun and educational to use.

On the whole, I believe these objectives have been met or exceeded in the final TURTLE product. Specifically, at \$39.95 for a cartridge-based system with a 72-page tutorial instruction manual, TURTLE is an economical and highly effective means of introducing programming concepts.

However, several of the above design objectives are clearly incompatible with Mr. Thornburg's "predefined set of expectations." The most significant incompatibility is obviously TURTLE's lack of high-resolution graphics. This omission was a conscious decision on my part. Hi-res graphics would have required that approximately 4K of the 3.5K available to the user in a standard VIC be set aside for a bit-mapped video display area. This would mean that it would take extra memory and a cartridge slot expander for it to work. None of the Atari or Apple Logo or PILOT systems that Mr. Thornburg cites as his standards of comparison had to deal with the VIC's limited memory - all have at least 16K of usable memory and several are 64K with a required system disk drive. As a result, such a comparison is quite unfair. Had the developers of these systems had only 3.5K to work with, they probably would not have opted for hires either.

Furthermore, it is not clear that hi-res is as important to the child who is being introduced to programming concepts as it is to Mr. Thornburg. Does the novice programmer learn more and/or have more fun if his turtle draws a line in hi-res than if it draws a "line" made of VIC graphic characters, such as red hearts or green diamonds? I think not. The acts of planning and debugging the drawing seem to me to be much more important to developing skills in the child than the aesthetics or resolution of the lines used.

Let me correct a few possible misunderstandings that might result from reading the review:

1. The VIC, like all Commodore computers, has an extensive graphic character set. When combined with the VIC's palette of eight colors, it is possible to create some dramatic displays. Only if you lack imagination would you be restricted to "very primitive pictures."

2. TURTLE does have turn commands; and the square in the example could also have been drawn with:

LOOP 4 FORWARD 5 TURN RIGHT (OR TURN LEFT) LOOP END

- 3. Movement on the diagonal is possible by using the MOVE TO ROW COL-UMN (not COLUMN ROW as explained by Mr. Thornburg). This command causes the Turtle to move to the specified location by the most direct path. If the PEN is DOWN, a trail of graphic characters will be left behind.
- 4. If someone is bothered by the VIC display screen's aspect ratio and its inability to draw perfectly square squares, I suggest they relabel the procedure as BOX, rather than SQUARE. The aspect ratio is certainly not enough of a problem to conclude that TURTLE has no value in an educational environment as Mr. Thornburg implies.

Even though I disagree with the overall tenor and conclusions of the review, Mr. Thornburg did make several good observations. His identification of the need for INPUT and PRINT statements that can handle variables is quite valid. His suggestions on ways to improve the IF statement are good. These and other improvements are currently being incorporated into a version of Turtle Graphics for the Commodore 64.

ONE STOP CENTER

# commodore

# SOFTWARE VIC-VIL

division of Data Equipment Supply Corporation

**BOSS (c) by Kavan Software** 

Exclusive distributors of Kavan Software



★ 10 Levels of Play

☆ Beats Sargon II

\* Two Clocks

☆ Wide range of opening moves

★ En passant, queening, castling

☆ Change screen and board colors

★ Cassette

☆ Requires 8K minimum expansion

★ 100% machine language

\$39.95

The Definitive Chess Game for the VIC-20



0.02.15

SIH

0.00.00


Z000

# BONZO (c) by Kavan



One of the most popular games in Europe. You control BONZO as he climbs the ladders and picks up the point blocks. Watch out for the alien guards. 100% machine language, cassette based. Joystick or keyboard, minimum 8k expansion.

### HOPPER



Avoid the cars, dragsters, buildings, logs and other obstacles to bring the frog safely home. Machine language for fast and smooth arcade action. Joystick, stan-\$20.00 dard VIC.

# PIT (c) by Kavan



BONZO strikes again as he takes money bags out of the pit. Avoid the alien rain by standing under the shields. Every successfully removed bag of money reinforces your sheilds. 100% machine language, cassette based. Joystick or keyboard, standard VIC.

# Commodore 64 YAHTZEE



Commodore 64 version of the famous dice game. 10 player capacity. Watch dice roll across the screen. Automatic tabulation of score and bonuses. Sprite graphics and sound. Cassette based.

### Night Crawler

### \$25.00

by Interesting Software Shoot down centipedes, spiders, mushrooms and all kinds of bugs before they get you. Machine language arcade action on standard VIC with joystick.

The Black Castle \$20.00 Adventure, travel the countryside, fight demons, buy

goods, storm the castle. Requires 3k or more expansion. A Maze Ing

Travel through the maze. Game of skill and tense action. Standard VIC. Gobbler

Sounds easy? You have 25 seconds to get him and the time gets shorter at each higher level. Standard

Hang U
Traditional Hangman plays against the VIC's 250 word dictionary or another person. Standard VIC Coggle

Computerized version of Boggle. Standard VIC.

Many levels of play, sound, and color.

Complete descriptive catalog \$2.00

# 3-D Labyrinth

Escape from the labyrinth. Shown in 3-D perspective view with randomly generated mazes. Standard VIC

Fly the new super bomber V-20 on a mission. Stan-

dard VIC.
Attack on Silo III You are the commander of Silo III. Defend your country. Standard VIC.

Baseball Strategy
The excitement of baseball as a video strategic \$12.00 game. Standard Vic.

Vic Poker \$14.00 Play poker against the VIC. Hi-res graphics and sound, Standard VIC.

Frogger by (c) Kavan
Eat the flies and avoid the car. Standard VIC.
Space Phreeks \$14.00 \$25.00

by Interesting Software

Pilot the spaceship "Infinity" and fight the "Space Phreeks". 15 different attack patterns, 33 levels Machine language, arcade quality. Standard VIC

Dealers Welcome - Authors Wanted!

Mailing List

\$25.00 Keep mailing list, print reports, labels. 8k expansion

or 16k expansion required.

Astro-Miners Hi-res graphics and sound space game. Requires 3k

or 8k expansion.

Panzer Attack Enemy tanks are attacking and you must destroy them. Hi-res graphics. Standard VIC.

\$14.00 Pedestrian Polo Drive your car thru the streets. Based upon Death

Race. Standard VIC.

Solitaire version of this famous dice game. Standard

Available Now !! Commodore 64 Software

64 Monopoly from AP Software
64 Mailing List from VIC-VILLE™ Software
64 Finance from VIC-VILLE™ Software

64 Time Manager 2.0 from TOTL Software

Look for more 64 Software from VIC-VILLE™ & get on our mailing list for all 64 updates and users' group.

Add \$3.00 for shipping & handling

Network your CBM, VIC and COMMODORE 64 with the PET SWITCH and VIC SWITCH from DATATRONICS. Distributors for Datatronic AB

Data Equipment Supply Corp. 8315 Firestone Blvd., Downey, CA 90241

night or vice versa. Michael is interested in hearing 590 GR: B(DRAW 5; TURN 90; GD 2; TURN 90; from those of you interested in these types of educational applications. I will gladly forward any comments to him.

```
10 GR: QUIT
20 R: WRITTEN SEPTEMBER 11,1982
30 C: @B1373=16
40 C: @B1374=2
50 WRITE:S;
60 WRITE:S:
70 WRITE:S;
80 WRITE:S; (4 SPACES) Day and Night
90 WRITE:S;
100 WRITE:S: (9 SPACES) by
110 WRITE:S;
120 WRITE:S; (5 SPACES) Martin Suey
130 *COUNT
140 C: #C=#C+1
150 J(#C=500): *CLEAR
160 J: *COUNT
170 *CLEAR
180 GR: CLEAR
190 *TURTLE
200 C: 9B70B=20
210 C: 3B709=196
220 C: 9710=16
230 C: #L=126
240 *LITE
250 C: #P=0
260 C: #L=#L+2
270 C: @B712=#L
280 J(#L=134): *DAY
290 *KNT
300 C: #P=#P+1
310 J(#P=100): *LITE
320 J: *KNT
330 *DAY
340 GR:PEN ERASE
350 GR:GOTO -74,10;5(DRAW 4;TURN 144)
360 GR:GOTO -50,30;5(DRAW B;TURN 144)
370 GR:GOTO -30,15;5(DRAW 8;TURN 144)
380 GR: GOTO 0,40;5(DRAW 6;TURN 144)
390 GR:GOTO 50,25;5(DRAW 8;TURN 144)
400 GR: GOTO 74, 42; 5 (DRAW 4; TURN 144)
410 GR: PEN RED
420 GR:GOTO 10,-20; TURNTO 0
430 GR: 2 (DRAW 30; TURN 90; DRAW 40; TURN
     90)
440 GR: PEN BLUE
450 GR: GO 30; TURN 30
460 GR: 3 (DRAW 40; TURN 120)
470 GR: FILL 39
480 GR: PEN YELLOW
490 GR:GOTO 26,-20; TURNTO 0
500 GR:2(DRAW 10; TURN 90; DRAW 10; TURN 1180 *KOUNT
510 GR:GOTO -79, -32; FILL 11
520 GR:GOTO 26,-20; FILL 10
530 GR:PEN RED
540 GR:GOTO 10,-20; FILL 30
550 GR:GOTO 36,-20; FILL 10
560 GR:GOTO -30, -20; TURNTO 0
570 GR:10(DRAW 5; TURN 90; GD 2; TURN 90 1270 C:@B712=#B
    ; DRAW 5; TURN -90; GD 2; TURN -90)
580 GR: GOTO 51, -20; TURNTO 0
```

```
610 C: #I=@B106-32
620 C: @B54279=#I
630 C: 0B53277=3
640 C: 0B704=208
650 C: 0B53256=0
660 C: 0B53248=125
670 C:#J=#I*256+1024
680 C: #Y=#J+160
690 C: @B#Y=3
700 C: #Y=#J+161
710 C: 2B#Y=5
720 C: #Y=#J+162
730 C: 2B#Y=6
740 C: #Y=#J+163
750 C: @B#Y=58
760 C: #Y=#J+164
770 C: @B#Y=100
780 C: #Y=#J+165
790 C: @B#Y=212
800 C: #Y=#J+166
810 C: 2B#Y=76
820 C: #Y=#J+167
830 C: @B#Y=126
840 C: #Y=#J+168
850 C: @B#Y=202
860 C: #X=125
870 *MOVET
880 J(%T8=1): *CAT
890 J(%J0=2): *PLAYERT
900 J(%J0=1):*PFT
910 J(%J0=4): *LEFTT
920 J(%J0=8): *RIGHTT
930 J: *MOVET
940 *LEFTT
950 C: #X=#X-1
960 C: 0B53248=#X
970 J: *MOVET
980 *RIGHTT
990 C: #X=#X+1
1000 C: 0B53248=#X
1010 J: *MOVET
1020 *PLAYERT
1030 C: @B623=1
1040 J: *MOVET
1050 *PFT
1060 C: 9B623=8
1070 J: *MOVET
1080 *CAT
1090 C: 9B708=228
1100 C: 9B709=192
1110 C: 0B710=16
1120 C: #D=134
1130 *DARK
1140 C: #P=0
1150 C: #D=#D-2
1160 C: 9B712=#D
1170 J(#D=128):*NITE
1190 C: #P=#P+1
1200 J(#P=100):*DARK
1210 J: *KOUNT
1220 *NITE
1230 C: #B=4
1240 *BLACK
1250 C: #P=0
1260 C: #B=#B-2
1280 J(#B=0): *SCENE
1290 *CNT
```

DRAW 5; TURN -90; GO 2; TURN -90)

600 C: 0B559=62

```
1300 C: #P=#P+1
1310 J(#P=100): *BLACK
1320 J: *CNT
1330 *SCENE
1340 GR: PEN RED
1350 GR:GOTO -74,10;5(DRAW 4;TURN 144 2010 C:#X=#X+1
1360 GR:GOTO -50,30;5(DRAW 8;TURN 144 2030 J:*MOVE
1370 GR: GOTO -30, 15; 5 (DRAW 8; TURN 144
1380 GR: GOTO 0,40;5(DRAW 6; TURN 144)
1390 GR:GOTO 50,25;5(DRAW 8;TURN 144) 2080 C:08623=8
1400 GR:GOTO 74,42;5(DRAW 4;TURN 144) 2090 J:*MOVE
1410 GR: GOTO 10, -20; TURNTO 0
1420 GR: 2 (DRAW 30; TURN 90; DRAW 40; TUR .
     N 90)
1430 GR:PEN ERASE
1440 GR: GOTO -30, -20; TURNTO 0
1450 GR: 10 (DRAW 5; TURN 90; GD 2; TURN 9
     0; DRAW 5; TURN -90; GO 2; TURN -90)
1460 GR: GOTO 51, -20; TURNTO 0
1470 GR:8(DRAW 5; TURN 90; GO 2; TURN 90
     ; DRAW 5; TURN -90; GD 2; TURN -90)
1480 GR: PEN BLUE
1490 GR: GD 30: TURN 30
1500 GR: 3 (DRAW 40; TURN 120)
1510 GR: FILL 39
1520 GR: PEN YELLOW
1530 GR: GOTO 26, -20; TURNTO 0
1540 GR: 2 (DRAW 10; TURN 90; DRAW 10; TUR
     N 90)
1550 GR: GOTO -79, -32; FILL 11
1560 GR: GOTO 26, -20; FILL 10
1570 GR: PEN RED
1580 GR: GOTO 10, -20; FILL 30
1590 GR:GOTO 36,-20; FILL 10
1600 C: 0B559=62
1610 C: #I=@B106-32
1620 C: 0B54279=#I
1630 C: 9B53277=3
1640 C: 3B704=6
1650 C: 0B53256=0
1660 C: 9B53248=125
1670 C: #J=#I*256+1024
1680 C: #Y=#J+160
1690 C: 3B#Y=10
1700 C: #Y=#J+161
1710 C: 2B#Y=14
1720 C:#Y=#J+162
1730 C: 3B#Y=21
1740 C:#Y=#J+163
1750 C: 3B#Y=219
1760 C: #Y=#J+164
1770 C: 3B#Y=68
1780 C: #Y=#J+165
1790 C: 3B#Y=124
1800 C: #Y=#J+166
1810 C: 3B#Y=124
1820 C: #Y=#J+167
1830 C: 9B#Y=68
1840 C: #Y=#J+169
1850 C: 3B#Y=170
1860 C: #Y=#J+168
1870 C: 3B#Y=202
1880 C: #X=125
1890 *MOVE
1900 J(%T8=1): *TURTLE
1910 J(%J0=2): *PLAYER
1920 J(%J0=1): *PF
1930 J(%JO=4): *LEFT
```

1940 J(%J0=8): \*RIGHT

1950 J: \*MOVE

1960 \*LEFT 1970 C: #X=#X-1 1980 C: 0B53248=#X 1990 J: \*MDVE 2000 \*RIGHT 2020 C: 0B53248=#X 2040 \*PLAYER 2050 C: 0B623=1 2060 J: \*MOVE 2070 \*PF

0

# VIC-20USERS

FINALLY!

The idea VIC users have been looking for! A place to turn to for help & information devoted exclusively to the VIC-20! Write TODAY for free details! NATIONAL VIC-20USERS GROUP P.O. BOX 34575 OMAHA, NE 68134

(VIC-20 Reg. TM of Commodore)



Choose From Programs Such As:

- \* DIVISION DERBY
- ★ ALPHABET TUTOR
- ★ GEOGRAPHY SMASH

ASK FOR COMM\*DATA SOFTWARE AT YOUR LOCAL DEALER

For FREE Program Catalog Call or Write:

COMM\*OATA COMPUTER HOUSE, INC.



P.O. BOH 325 MILEORO, MICHIGAN 48042 [313] 685 0113



We Handle Games For Your VIC. Too! CAVES OF ANNOD • ESCAPE MCP SKETCH AND PAINT • AND MORE!

PET and 64 Software Also Available

# THE WORLD INSIDE THE COMPUTER

# A New, Improved Computer Friend For Your Apple

Fred D'Ignazio, Associate Editor



This column catches me in the midst of a move from Chapel Hill, North Carolina, to Roanoke, Virginia. Most of my dozen computers are still in Chapel Hill being looked after by a trusted babysitter.

My roof leaks, my shower floods the bathroom floor, my study is buried in boxes, and Catie and Eric just came down with ear infections.

In addition to their sore ears, Catie and Eric are going through something you might call "computer-starvation shock." They think they are still a multi-computer family, and they brag about it to all their friends. They gather a horde of neighborhood kids with the promise of a dozen beeping, flashing computers. They climb the stairs, peek into my study, and what do they see? One lone computer. A rather sad-looking machine, vintage 1977. It doesn't talk, doesn't make pictures, doesn't play music. What a letdown!

# Thanks, Chuck!

It's times like these when you readers come in handy. Thanks to one reader – Chuck Johnston of Manhattan Beach, California – I can still provide

Fred D'Ignazio is a computer enthusiast and author of several books on computers for young people. He is presently working on two major projects: he is writing a series of books on how to create graphics-and-sound adventure games. He is also working on a computer mystery-and-adventure series for young people,

As the father of two young children, Fred has become concerned with introducing the computer to children as a wonderful tool rather than as a forbidding electronic device. His column appears monthly in **COMPUTE!**.

you with a useful column this month.

Chuck recently sent me a program he wrote that modifies my "Talking Head" program for the Apple. In my opinion, Chuck's program is a substantial improvement on the original version. It's exactly the kind of feedback I'd like to get from my readers. Thanks, Chuck!

Below is Chuck's letter and his program:

I am writing in regard to your column which appears in the September issue of **COMPUTE!** Magazine. I found your article interesting, but the changes you suggest for the Apple II were, in my opinion, inadequate.

The Apple is incapable of printing a reverse slash (as is this ancient typewriter), so the head shape you designed does not work. Also, you suggest deleting the sound subroutine, but it makes the program much more interesting. I have revised your program to run on the Apple and thought you might like to see it. I also failed to understand why you didn't draw the head using graphics; as you can see, the resulting animation is much more effective.

Included also is a sound driver program for the Apple in line 20, since, as we know, the Apple is only capable of rudimentary buzzes and clicks in Applesoft. It is POKEd into memory at \$0300 and the POKEs in the sound subroutines are as follows: POKE 768,x (where x is a number between 1 and 255) sets the tone frequency. POKE 769,y (y also between 1 and 255) sets the tone duration. In the program enclosed I used the same values as the original program; whether it sounds the same is unlikely, but with some adjustment it could come close. Well, I hope you like the program and thank you for your time.

Chuck Johnston

10 REM \*\*\* POKE SOUND DRIVER INTO MEMORY 20 FOR I = 770 TO 795: READ M: POKE I,M: NEXT

# THE LEARNING CENTER

"Perhaps the finest educational software that I have ever had the pleasure of reviewing. It's easy for kids to use and effective in teaching basic concepts and skills.... My kids are learning with it right now!"

Fred D'Ignazio, Associate Editor—*Compute!*, Associate Editor—*Softside*, Author of bestseller—*Katie and the Computer* 

We hope you've been using your ATARI for more than just games ... it is, and can be, a valuable educational tool for you and your children.

Bruce and Dianne Mitchell realized this potential and designed a series of programs for use in their Small World Preschool & Kindergarten located in Durham, N.C. Presented on TV's PM Magazine these unique educational programs will introduce your 3-9 year olds to the era of learning with computers. Using the graphics and sound capabilities of the Atari, each program develops a particular skill and reinforces correct responses with happy faces and music.

Beginning with basic concepts such as colors, shapes and the alphabet, your child will progress to an understanding of counting, arithmetic, and language skills.

Widely acclaimed, classroom designed and tested, these unique educational tools are now available to you ... for your children.

SPECIAL SKILLS			Preschool	K	1	2
* Color For The Non-Reader				•		
* Name That Color						68375
* Like Shape Identification	<b>电压器</b>	A PARTY	0			
* Different Shape Identification	of Carrier Street	5-2759	•	0		
Cave Game	<b>美华第6</b> 章					10.00
MATH AND NUMBER SKIL	LS	****	<b>在这里是为</b>		A PARKET	
Count With Me						
Number Recognition	<b>建筑基本</b>					
Addition	A Section		Sense on A. D	S. O. T.		AT MAN
Subtraction		(BIX.) 2 TO				
Add.—Vertical/Horizontal				0		
Sub.—Vertical/Horizontal	AND THE PARTY OF	Fire Albura	THE SECOND SECOND	0.	0	
Advanced Addition/Subtractio	n		是是数据的	0	0	. 0
Ones and Tens	ALTERNAL MARKET					
LANGUAGE SKILLS		agrant to				
* Alphabet Recognition	in the second	THE RESERVE	O. N. S. P. S. S. S.			
* Letter Sequence				0.		
* Like Symbol Discrimination				•		
<ul> <li>Different Symbol Discrimination</li> </ul>		in a second		0	TT A ZEATA	<b>医肾</b> 腺
Pricing Information	Cass.	Disk		A CONTRACTOR	Cass.	Disk
Single Program	6.95 .	9.95	Pre-School		36.95 .	41.95
Single Program Special Skills	24.95 .	29.95	Kindergarten.		54.95 .	59.95
Language Skills	19.95 .	24.95	First Grade		49.95 .	54.95
Math and Number Skills	34.95 .	39.95	Second Grade			
Complete Set	59.95 .	64.95				
Edumate™ Light Pen			Add \$2.00 for p	oostage &	handling	

Compatible with our Edumate™ Light Pen NOTE: All software requires 8K cassette/16K disk

Start competing with your 4-year-old for computer time. Enroll in THE LEARNING CENTER, it could be the best investment you ever make ... in your children's future. See your local dealer or order direct.

Available now for the
ATARI 400/800
COMING SOON for the
TRS-80 Model I, III, Color
Apple, VIC, TI-99
Free Catalog Upon Request



THE PROGRAMMER'S INSTITUTE

—a division of **FUTUREHOUSE™**P.O. Box 3191 Dept C
Chapel Hill, NC 27514

1-919-967-0861 10 am - 9 pm, Monday - Saturday

40 GR : HOME FOR P = 1 TO 800: NEXT 50 REM \*\*\*DIMENSION VARIABLES 100 120 N = 1: REM \*MESSAGE POINTER REM \*\*\* FRIEND MASTER 500 510 GOSUB 1010: REM \*FRIEND WAKE UP GOSUB 2010: REM \*FRIEND TALK 520 \*STORE CHILD'S NAME GOSUB 3210: REM 530 GOSUB 2010: REM \*FRIEND TALK 540 PRINT : PRINT : PRINT : PRINT : 550 END REM \*\*\* FRIEND WAKE UP 1000 GOSUB 5010: REM \*DRAW FACE 1010 1020 GOSUB 5410: REM \*DRAW SLEEPING EYES FOR P = 1 TO BOO: NEXT 1035 GOSUB 4000: REM \*WAKE UP BELL 1040 GOSUB 5460: REM \*DRAW OPEN EYES 1050 FOR P = 1 TO 600: NEXT 1060 1070 GOSUB 5320: REM \*WINK EYE FOR P = 1 TO 100: NEXT 1080 1085 M = 0: GOSUB 4820: REM \*WINK NOISE 1090 GOSUB 5460: REM \*DRAW OPEN EYES 1100 FOR P = 1 TO 800: NEXT 1110 RETURN REM \*\*\* FRIEND TALK 2000 2005 REM \* SELECT MESSAGE 2006 N = N + 1: REM \* SET POINTER TO NEXT M ESSAGE READ SNUM: REM \* SNUM = NO. OF MESSAG 2010 ES IN SET FOR K = 1 TO SNUM 2020 GOSUB 3010: REM \*FRIEND TALK--1 SCREEN 2033 FOR P = 1 TO 1000: NEXT GOSUB 5510: REM \* CLEAR MESSAGE WINDOW 2035 2040 NEXT 2050 RETURN REM \*\*\* FRIEND TALKING--1 SCREEN 3000 3010 PY = 21: REM #SET VERTICAL TAB FOR TEXT 3040 READ M\$ IF M\$ = "-1" THEN RETURN 3050 IF M\$ = "\*" THEN M\$ = N\$ 3051 VTAB PY 3060 PRINT M\$; " ":: GOSUB 5250 3070 GOSUB 4810: REM \*FRIEND SOUND 3075 FOR P = 1 TO 50: NEXT : REM \*KEEP MOU 3080 TH OPEN 3090 GOSUB 5200: REM \*CLOSE MOUTH FOR P = 1 TO 100: NEXT : REM \*KEEP MO 3095 UTH CLOSED **GOTO 3040** 3110 3200 REM \*\*\* FRIEND ASKS CHILD'S NAME 3210 REM 3220 VTAB 21: HTAB 10: INPUT N\$ FOR P = 1 TO 75: NEXT 3265 GOSUB 5510: REM \* CLEAR MESSAGE WINDOW 3267 3270 RETURN 4000 REM \*\*\*WAKE UP BELL 4010 POKE 768,30: POKE 769,105: CALL 770 4020 FOR P = 1 TO 100: NEXT 4030 POKE 768,20: POKE 769,132: CALL 770 RETURN 4040 4080 RETURN FOR P = 1 TO 15: NEXT 4625 REM \*\*\* FRIEND'S VOICE 4800 4810 M = INT ( RND (1) \* 51) + 15 FOR A = M + 25 TO M STEP - 8 4820 4830 POKE 768,3: POKE 769,A: CALL 770 4840 NEXT 4880 RETURN 5000 REM \*\*\* FRIEND'S FACE 5010 5020 COLOR= 9: PLOT 20,10: PLOT 20,12: HLIN 19,21 AT 11 COLOR= 7: PLOT 20,13: HLIN 19,21 AT 14 5025 : HLIN 17,23 AT 16: HLIN 17,23 AT 18 COLOR= 2: HLIN 18,22 AT 15: HLIN 17,23 5030 AT 17: HLIN 17,23 AT 19 5035 COLOR= 11: FOR I = 20 TO 31: HLIN 17,2 3 AT I: NEXT : PLOT 16,24: PLOT 24,24: HL

IN 18,22 AT 32: HLIN 18,22 AT 33 COLOR= 12: HLIN 16,24 AT 34: HLIN 15,2 5 AT 35: HLIN 15,25 AT 36: HLIN 14,26 AT 5050 COLOR= 1: HLIN 19,21 AT 28 REM \*\*\*CLOSE MOUTH POKE 1852,177 5200 5220 RETURN 5230 5250 REM \*\*\* OPEN MOUTH 5260 POKE 1852,16 5280 RETURN 5300 REM \*\*\*LEFT EYE WINK POKE 1467, 176: POKE 1469, 190 5320 FOR I = 1 TO 150: NEXT 5330 5340 RETURN 5400 REM \*\*\*EYES ASLEEP POKE 1467,190: POKE 1469,190 5410 5420 RETURN 5450 REM \*\*\*EYES AWAKE 5460 POKE 1467, 176: POKE 1469, 176 5470 RETURN 5500 REM \*\*\*CLEAR MESSAGE WINDOW 5510 HOME 5550 RETURN REM \*\*\* SOUND SUBROUTINE 5600 DATA 172,01,03,174,01,03,169,04,32,168 5610 , 252, 173, 48, 192, 232, 208, 253, 136, 208, 239 ,206,0,03,208,231,96 4000 REM \*\*\*MESSAGES 6010 DATA 3 HI, I'M, GEB, -1 DATA 6011 YOU, TURNED, ME, ON, -1 6012 DATA 6013 DATA WHO'S, OUT, THERE?, -1 6020 DATA 2 DATA I'M, SO, HAPPY, -1 6021 DATA TO, SEE, YOU, \*,-1 0 6022

# FOR THE VIC-20®

# \*RATED THE TOP EDUCATIONAL PROGRAM FOR THE VIC-20 BY CREATIVE COMPUTING MAGAZINE.

TYPING TUTOR\* - \$12.95

If you've ever wanted to learn touch typing, this is for you! Makes learning the keyboard much easier. 4 programs on one tape teach the keys in the correct progression starting with the easy "home keys." Automatically advances to new keys as your skills develop. Ideal for beginning children, old "hunt & peck" typists, and to refresh old typing skills. Highly praised by customers: "Typing Tutor is great," "Fantastic," "Excellent," "High Quality."

WORD INVADERS - \$10.95

Put excitement into your touch typing practice! Blast the invading words out of the sky before your base is destroyed. Four levels of difficulty match the letters as learned on our TYPING TUTOR program. Typing can be fun!

SAVE. ORDER BOTH OF THE ABOVE PROGRAMS AS "TYPING TUTOR PLUS" FOR ONLY \$21.95

FLASHCARD MAKER & FLASHCARD QUIZ - \$10.95

2 programs. Prepare your own study material and make it easier to learn. Use for English/Foreign words, etc. Quiz program has options for study, full test, and easy learning mode. Keeps score and allows re-test of missed questions or of entire set. Includes sample data on tape with 50 States and their Capitals.

(ALL PROGRAMS ON CASSETTE TAPE AND RUN IN THE UNEX-PANDED VIC)

# FOR THE COMMODORE 64®

SPRITE DESIGNER by Dr. Lee T. Hill — \$16.95
Save hours of work when designing sprites. Helps you create multiple sprites, copy and alter them to create views from different perspectives automatically for 3-D or animated effects. Options include: copy any of the previous sprites, reflection, rotation, translation of the previous sprites, reflection, rotation, translation, shearing, reverse image, merge & intersect. Saves all sprite data for easy merge into your program.

Shipping & handling \$1.00 per order. California residents add 6% sales tax.

Visa and Mastercard orders must include card number and expiration date.

ACADEMY SOFTWARE

VISA P.O. BOX 9403 SAN RAFAEL, CA 94912 (415) 479-4703

Programmers. Write to our New Program Manager concerning any exceptional VIC-20 or C64 game or other program you have developed.

# **Learning With Computers**

Glenn M. Kleiman

# Gentle Introductions To Programming

Everyone should understand the fundamentals of programming; learning about programming is an important step towards becoming computer literate. Without a good concept of programming, one cannot really understand the nature of computers, their capabilities, and their limitations.

In addition, programming is an excellent vehicle for developing thinking skills. Many teachers have reported that when children learn to program, their work in other subjects improves. The teachers attribute this general improvement to the students learning to approach problems more systematically and to pay greater attention to detail.

While they acknowledge its importance, few teachers are experienced programmers, and fewer still are well prepared to teach programming. Many dedicated teachers, realizing the need for computer literacy, are making extraordinary efforts to learn about computers and programming so that they can help their students learn. In this month's column, I discuss two courseware packages which can be extremely valuable for such teachers.

The two packages, *Kidstuff* and *Karel the Robot*, are designed to be "gentle introductions to programming." They each contain a simplified programming language and a book with step-by-step lessons for teaching it. With *Kidstuff* or *Karel the Robot*, students (and teachers) can learn many of the fundamental concepts of programming. Both packages can also serve as stepping-stones for students who want to go on to learn BASIC, Logo, PILOT or Pascal.

Kidstuff and Karel are not the only existing gentle introductions to programming, and I expect more will be developed in the next few years. Therefore, before turning to the specifics of these two packages, I will discuss in general what we might expect from courseware designed to introduce students to programming.

# **Structuring Programming**

We can think of creating a computer program as involving three main activities. First, we must design the program. Recommended approaches to design have been labeled structured programming, successive refinement, top-down programming, and modular programming. In brief, the recommended approach is to start with the most general aims of the program and successively refine them into more and more specific sub-tasks. We want to design the program so that we can work on one sub-task at a time, handling each in a separate module of the program. The modules are then combined to form the program.

Some languages encourage structured programming more than others. For example, in some languages, variables can be local to a module, so you do not have to worry about using the same variable name in different modules of a program. Introductions to programming should encourage structured programming so that students acquire proper habits from the beginning.

The second main activity of programming is to code the instructions – translate them into a language the computer can follow. We can discuss computer languages in terms of three types of elements: (1) Commands, such as those which print words and text on the screen, accept inputs from the users of programs, perform mathematical operations, and manipulate text; (2) Control Elements, which are used to iterate (repeat) sets of commands (e.g., FOR/NEXT loops in BASIC), follow commands when a given condition is true (e.g., IF-THEN conditionals), branch to other parts of the program (e.g., GOTO), or use a module (subroutine or procedure) and then return to the current part of the program (e.g., GOSUB); and (3) Data Structures, or ways information can be organized and stored (e.g., simple variables, subscripted variables, hierarchical trees).

# **DYNACOMP**

Quality software for\*:

APPLE II Plus OSBORNE-1 NORTH STAR\*\*\* ATARI PET/CBM

ALTAIR\*\* **NEC PC-8000** TRS-80 (Level II)\*\* SUPERBRAIN\*\*\*\*\* CP/M Disks/Diskettes

( See Availability box MBASIC/CBASIC )

### CARD GAMES

BRIDGE MASTER (Available for all computers)

If you liked DYNACOMP'S BRIDGE 2.0, you will also laterly love BRIDGE MASTER. BRIDGE MASTER is a comprehensive bridge program designed to provide hours of challenging competition. Bidding features include the Blackwood convention, Stayman convention, pre-emptive openings, and recognition of demand bads and jump-shift responses. After playing a specific hand, you may replay the sun fideling single properties. Brigge and the properties of the properti

BACCARAT (Atari only)

Price: \$18.95 Cassette: \$22.95 Diskette
This is the European card game which is the favorite of the Monte Carlo jet set. Imagine yourself at the gaming table
with 007 to your left and Goldfinger to your right. Learn and play BACARAT at your lesure on the Atari. Contains full
high resolution color graphics and matching yound. Runs in 168. Requires one jostick.

GIN RUMMY (Apple diskette only)
This is the best micro computer implementation of GIN RUMMY existing. The computer plays exceptionally well, and the HIRES capables are superb. What else can be said?

POKER PARTY (Available for all computers)

Price: \$19.95 Cassette: \$23.95 Diskette
POKER PARTY is a draw poker simulation based on the book, POKER, by Oswald Jacoby. This is the most
comprehensive version available for mirricomopulers. The party consists of vourself and six other (computer) players.

Each of these players (you will get to know them) has a different personality in the form of a varying propessity to bluff or
fold under pressure, Practice with POKER PARTY before going to that expensive game tonight! Apple cassette and
diskette versions require a 2EK (or larger) Apple II.

GO FISH (Available for all computers)

Price: \$14.95 Cassette \$18.95 Diskette
GOTISH is a classic children's card game. The opponent is a briendly computer with user inputs that are simple enough
for small children to zasily master. The Apple and Atari versions employ high resolution graphics for the display of
hands. A must for children' Runs in 16K.

BLACKJACK COACH (32K TRS-80 only) INCLOACE COACH (ASK TISS-80 only)

Price: \$59.95 Cassette \$33.95 Diskett
BLACKACK COACH teaches and evaluates professional playing methods. This program will creace you using the
Basic and the Copplete Card Counting Methods. The BLACKACK COACH can be used in automatic, unattended play
to less the playing and othering strategies you select. Extensive summary reports playing into the trengths and be salesseed
of various methods of play. All the standard player choices are included, Insurance, splitting pairs, double downs and
surrender (optional), A line printer may be used to collect data. Byou risk money at the tables, increase your skills with
the BLACKACK COACH.

# THOUGHT PROVOKERS

MANAGEMENT SIMULATOR (Available for all computers)

Price: \$25.95 Cassette: \$29.95 Diskette
This program is both an excellent traching tool as well as a stimulating intellectual game. Based upon similar games
played air graduate business schools, each player or team controls a company which manufactures three products.

Lach player attempts to outperform his competitors by setting selling prices, production volumes, marketing and
design experioures set. The most successful firm is the one with the highest stock price when the simulation ends.

owayn expenditures etc. The most successful firm is the one with the highest stock price when the simulation ends. FLIGHT SIMULATOR (Available for all computers)

A realistic and extensive mathematical simulation of take-off, flight and landing. The program stillizes aerodynamic equations and the characteristics of a real airfoil. You can practice instrument approaches and navigation using radials and compass heddings. The most ead under offer can also perform toops, half-rolls and stilling aerobatic measurers. Although this program does not employ staphics, it is exciting and very addictive. See the software review in COMPCHINONICS. Rous in 16 A Auri.

COMUTIONICS. Runs in 10s. Mats.

VALDEZ (Available for all computers)

VALDEZ (as a computer simulation of superranker navigation in the Prince S17.95 Cassette: S21.95 Diskette

VALDEZ is a computer simulation of superranker navigation in the Prince William Sound/Valder Narrows region of

Alaxka. Included in this simulation in a realistic and extensive 256. \$256 relement map, portions of which may be viewed

using the ship's alphanumeric radar display. The motion of the ship itself is accurately modelled mathematically. The

simulation also contains a model for the tidal patterns in the region, as well as other traffic (outpoing lankers and
drifting icebergis. Chart your course from the Gall of Alaxka to Valdez Harbort See the software reviews in 80 Software

Critique. Personal Computing and Creative Computing.

BACKGAMMON 2.0 (Available for all computers)

Price: \$19.95 Cassette/\$23.95 Diskette
This program tests your backgammon skills and will also imprave your game. A human can compete against a
computer or against another human. The computer can ever play against itself. Either the human or the computer can
double or generate diec rolls. Board positions can be created or saved for replay. BACKGAMMON 2.0 plays in
accordance with the official rolls of hackgammon and is sure to provide many lacationing sessions of backgammon

play.

Price: \$17.95 Cassette: \$21.95 Diskette
FROG MASTER (Atari only)

Price: \$17.95 Cassette: \$21.95 Diskette
The Atari APEX first prior einner. FROG MASTER contains exciting acrade features in addition to being a highly
obtained program. It is a desimoning high-concentration game for 1-diplayers. You score by making touchdown son
the opponents' goal line: if his goale doesn't get there first. Beautiful the prior of the prior of the atarial from the atarial from the prior of the atarial from the atarial from

FOREST FIRE: (Atari only)

Discrete gracelist graphics and sound effects, this simulation puts you in the middle of a forest fire. Your job is to direct operations to put out the fire while compensating for changes in wind, weather and terrain. Not protecting valuable structures can result in startling peralities; Life-like variables are provided to make FOREST FIRE very suspenseful and challenging. No ton games have the same setting and there are 2 levels of difficulty.

CRANSTON MANOR ADVENTURE. Norther strong and there are a severe of dimensity.

CRANSTON MANOR ADVENTURE IN CONTROL OF A SECTION OF A SE

SPACE EVACUATION: (Available for all computers)

Price: \$15,95 Cassette: \$19,95 Diskette
Can you colosize the galaxy and evacuate the Earth before the sun explode? Your computer so, you explore the universe to relocate millions of people. This simulation is particularly interesting as it combines many of the exciting elements of classic space games with the mystery challenge of ADVENTURE.

MONARCH (Atari only)

Price: \$14.95 Cassette: \$18.95 Diskette
MONARCH is a fascinating economic simulation requiring you to survive an 8-year term as your nation's leader. You
determine the amount of acreage devoted to industrial and agricultural use, how much food to distribute to the
populace and how much should be spent on pollution control. You still find that all decisions involve a compromise and
that it is not cray to make everyone happy. Rans in 16K Atari.

RUBIK'S CUBE SOLVER (Available for all computers)

Solving the Rubik's cube puzzle is an exercise in algorithmic logic, and is a "natural" for computer calculation. The
RUBIR'S CUEES SOLVER permits you to input the starting state of the 24 lacing elements of the cube. It then solves the
problem one virg at a time, with early virga shown as a unfolded vire of the cube. Canyou solve the cube in fewer steps, In
ony case, it time beart disassembling the cube to preling off and replacing the color? Requires 16A:

# AVAILABILITY

DYNACOMP software is supplied with complete documentation containing clear explanations and examples. Unless otherwise specified, all programs will run within 16K program memory space (ATARI requires 24K). Except where noted, programs are available on ATARI PLET. ITRS-50IL-veIII. NEC and Applet Applessor its cases and diskerter as well as North Star single density (double density compatible) diskerte. Additionanty, most programs can be obtained on standard (BM 3740 single density) double density compatible format? S' C.P/M Gypt disks for systems running under MBASIC or CBASIC (for example, Altos, Xeros 820, Heath, Zenith and many others). 5 W.\* CP/M diskettes are available for the North Star. Superfixm and Osborne computer systems.

ATARL PET CBM, NORTH STAR, CP M, IBM, OSBORNE, SUPERBRAIN, NEC PC-8000 and XEROX are registered to

\*\*Except where noted, all TRS-80 Model I software is available on cassette (only) for the TRS-80 Model III. Exceptions: VALDEZ.
CRIBBAGE. GRAFIX. CHESSMASTER, TRS-80 diskettes are not supplied with either DOS or BASIC.

For most North Stor disk-based systems
"For Altair systems having Microsoft BASIC."
"For Altair systems having Microsoft BASIC or CBASIC (state which).

# DYNACOMP OFFERS THE FOLLOWING

- Widest variety
- Friendly service • Free catalog\*
- Guaranteed quality
- Fastest delivery • Toll free order phone

\*\$2.00 U.S. funds for foreign mailing

### AND MORE...

STARBASE 3.2 (Available for all computers)

Price: \$13.95 Cassette: \$17.95 Diskette
This is the classic space simulation, but with several new features. For example, the Croylins now shoot at the Instinctible
without warning while also attacking starbases in other quadrants. The Croylins also attack with both light and when
cruisers and move when shot at The situation is believed by three heavy cruisers and a
sarbase \$0.05 is received? The Croylins get even? See the software reviews in A.N.A.L.O. G. 80 Software Critique and
Game Merchandising.

LIL' MEN FROM MARS (Atari only)

Price: \$19.95 Cassette:\$23.95 Diskette
Defendyourself The little men from Mars are out to get you if you don't get them first. This is a hillarious high resolution
animated graphics (areade) game which exercises much of the Atari's power. Requires one joystic

animated graphics tarradel game which exercises much of the Atlan's power, requires one jositick.

ALVIN (Atlan's only)

ALVIN (as great arcade game. You are commanding a highly maneurerable ship seeking to destroy several enemy
critics. You are attempting to both these cities while at the same time trying to anoth their deteins the Policy of the COMMAND or in every of the Atlant of the Atla

and query vertext in the state. An angaine, requires 10m.

ESCAPE FROM VOLANTIUM (Matri only)

Bring the action and excitement of an arcade into your home with ESCAPE FROM VOLANTIUM To excape yor must manenew your space ship around obstacles and faser blast the guardian (without being caten). If he is killed with a direct shot from just a kip lopped offl, a door opers to the outside. However, the door does not stay open indefinitely, if you fall to excape in time, the door closes and a new guardian appears. Sometimes you can smash through the door by repeatedly chipping away at it. Other times it is impervious. At the higher levels of play more obstacles and quardians appear, adding to the excitement. Uses high resolution graphics and yound Runs in 16K.

ALPHA FIGHTER (Atari only)

ALPHA FIGHTER (Atari only)

Two excellent graphics and action programs in one! ALPHA FIGHTER requires you to destroy the alien starships passing through your sector of the galaxy, ALPHA BASEL is in the part of an alien UTO insusion. left feet UTO's get by and the game ends. Bight james require the joystick and get progressively more difficult the higher you score! ALPHA FIGHTER will run on 16% system.

THE RINGS OF THE EMPIRE (Atari only)

Price: \$14.95 Cassette: 5

The empire has developed a new battle station protected by rotating rings of energy. Each time you rings and destroy the station, the empire develops a new station with more protective rings. This section lifest systems, employs extensive graphics and sound and can be played by one or two players. Price: \$14.95 Cassette/\$18.95 Diskette

INTRUDER ALERT (Atari only)

Price: \$15.95 Cassette:\$19.95 Diskette
This is a fast paced graphics game which places you in the middle of the "Dreadstar" having just stolen its plans. The
droids have been alerted and are directed to destroy you at all costs, you must find and entery your ship to escape with the
plans. Five levels of difficulty are provided. INTRUDER ALERT requires a postick and will run on 16% systems.

MIDWAY (Atari 32K only)

Price: \$14.95 Cassette:\$18.95 Diskette
MIDWAY is an exciting extension of the game of Battleship. It mixes the challenges of strategy and chance. Your
opponent can be another human or the computer. Color graphics and sound are both included. Hums in 164.

GOLF PRO (Atari only)

Price: \$17.95 Cassette. \$21.95 Diskette
Both realism and beautiful graphics are joined together in GOLF PRO to produce the best golf simulation available. To
really appreciate this game, you should have a color TV so that you can see the green of the fairway, the blue of the water
hazards, and the white sand of the traps. You ree off with a wood, use your wedge in the sand trap, and putt on the green
just as would be done on the course. Show of the Atari to your friends with OGLF PRO, Requires 16 Ata and no pystick.

GAMES PACK I (Available for all computers)

Price: \$14.95 Cassette!\$18.95 Diskette
GAMES PACK I contains the classic computer games of BLACKIACK, LUNAR LANDER, CRAPS, HORSERACE,
SWITCH and more. These games have been combined into one large program for ease in loading. They are individually
accessed by a convenient mem. This collection is worth the price; just for the DNNACOMP version of BLACKIACK.

GAMES PACK II (Available for all computers)

GAMES PACK II (Available for all computers)

GAMES PACK II includes the games (RAZY EIGHTS. JOTTO. ACTY-DUCEY, LIPE, WUMPUS and others. As with

GAMES PACK II, all the games are loaded as one program and are called from a mean, You will particularly enjoy

DYNACOMP's version of CRAZY EIGHTS.

Why pay 93-95 or more per program when you Can buy a DYNACOMP collection for just \$14.95?

MOON PROBE (Available for all computers)

Price: \$12.95 Cassette:\$16.95 Diskette
This is an extremely challenging "lunar lander" program. The user must drop from orbit to land at a predetermined
target on the moon's surface. You control the thrust and orientation of your craft plus direct the rate of descent and
approach angle. Runs in 164 Matri.

SPACE TRAP (Atari only, 16K)

This galactic "shoot 'em up" arcade game places you near a black hole. You control your spacecraft using the justick and attempt to blast as many of the alien ships as possible before the black hole closes about you.

SUPER SUB CHASE (Atari only)

Price: \$19.95 Cassette: \$23.95 Diskette
SUPER SUB CHASE simulates a search and destroy mission. Set your course and keep an eye on the sonar readings as
you hunt for the hidden submarine. Set the depth charge explosion depth and watch them sist towards the sub. This is
an addictive game which takes advantage of the Atari's graphics and sound capabilities. One or two players. Josystick(s)
required.

# TWO PLAYER GAMES

TWO PLAYER GAMES (Available for all computers; 32K disk/diskette only)
DYNACOMP has acquired the distribution rights to the best eight of Xitron's war games. These two-player games were
originally written for the York Issac computer, but have since here nonwerted to play on all of the computers currently
supported by DYNACOMP. Because our licensing and development costs were so low: DYNACOMP offers these
programs two to a disketted from \$5.19.5 to \$1.50.5 to

PANZER
Date 23 Nov. 1943 Place: Several miles west of Kiev, Russia. The flustians have just liberated Kiev and are moving quickly to reach the German forces which are preparing for a last desperate attempt to halt the Russian advance.
BUTZRREG.

BITZKRIEG

Date: Spring 1940 Place: Northern France. The German blitzkrieg in the east was complete. Germany had turned its attention to the west France. The German forces has penetrated the Ardennes and Meuse. The heroism of Dunkirt, the defense of the Armes Somme position, and the final collapse of the French armies in the south has all passed. And, now.

\*2: STARSHIP TROOPERS and INVASION OF THE MUD PEOPLE

STARSHIP TROOPERS
Date: Fortieth Century Place: Arachnid planet of Sheol. The first all-out battle on the planet Sheol which will match
equal forces of I erran and allen units. The outcome will set the course of the conflict, for the planet of Sheol is a key

position in the solar war.

NASSON OF THE MUD PEOPLE

A Peruvian army battalion has been dispatched to a remote village area to investigate the destruction of many local dwellings and the disappearance of most of the villagers. Eye-witnesses have reported strange creatures appearing from scores of slinny mud holes which have oddly begin forming across the terrain.

Set <2: FALL OF THE THIRD REICH and ARMORCAR
FALL OF THE THIRD REICH
Date: March, 1435 Place: Remagen, Germany. The allies under General Essenbower had reached the Rhine. The
Bate: March, 1435 Place: Remagen, Germany. The allies under General Essenbower had reached the Rhine. The
finally collapsed on March 172... and so, the allies began their drive on Berlin.
ARMORCAR

MUNCAR

re: 2 Feb. 1944 Place: Minsk, Russia, A German front-line unit is hard pressed for radio equipment and medical
plies. A relief convoy of armored cars must reach them through partisan-infested territory.

#4: MOUNT SURIBACHI and MIDDLE EARTH

MOUNT SURBACHI
Date: 16 Feb. 1959 Place: Iwo Jima. The Japanese opened fire from Mount Surbachi as the marines landed on the porkchop-shaped island. Gunffee from the hill could cover the entire island, thus it was a critical objective if the Americans were to capture and utilize the all-important air field. Mount Surbachi proved to be one of the most strongly defended positions in the Japanese theatre of war.

defended positions in the Japanese theatre of war. MIDDLE EARTH.

Date: 1997 Place: MIDDLE EARTH. Through a maze of tunnels, crevices, and rocky passageways discovered leading from an inactive voicano in South America, a team of United Nations' researchers have undertaken a mission to an uncharted frontier: the center of the Earth. After a perilous journey spanning a period of several months; the mission has arrived at the Earth's core, a land of flames, steam, oceans, and underseen vegetation. And then the creatures of MIDDLE EARTH appeared ... unmatched by the most frightening horror stories created by man...

### MISCELLANEOUS

CRYSTALS (Atari only)

Price: \$14.95 Cassette:\$18.95 Diskette
A unique algorithm randomly produces fascinating graphics displays accompanied with inners which vary as the
patterns are built. No two patterns are the same, and the combined effect of the sound and graphics are meatmertring.
CRYSTALS has been used in local stores to demonstrate the sound and color features of the Atair. Runs in 16K.

NORTH STAR SOFTWARE EXCHANGE (NSSE) LIBRARY
DYNACOMB new dathers the 23 volume NSSE library. These diskettes each contain many programs and offer an
outstanding value for the start of the

514" DISKETTES (soft sectored/ten sectored)
As you might imagine. DYNACOMP purchases diskettes in large quantities and at wholesale prices. We want to pass

### **BUSINESS and UTILITIES**

PORTFOLIO MANAGEMENT (Apple only)

The PORTFOLIO MANAGEMENT package was written by a stock broker to help manage portfolios for individual customers. With this plogram data files can be easily created and kept up to date. A variety of reports can be generated for clients which are attractively and professionally laid out. The user may define his/her own investment catagories. PORTFOLIO MANAGEMENT is a top quality, professional tool which will not only provide you with nee conveniences but will also serve to enhance your appearance as an efficient and up to date advisor to your clients. Comes complete on

PERSONAL FINANCE SYSTEM (Available for all computers)
PFis is a single diskette, memo-oriented system composed of ten different programs. Besides recording your responses any of 26 wave defined codes by month or by payee. PFs will even produce monthly be graphs of your expenses any of 26 wave defined codes by month or by payee. PFs will even produce monthly be graphs of your expenses category? This powerful package requires only one disk drive, minimal memory (24k Atart, 32k North Staf and store up to 860 records per disk by making a few simple changes to the programs). As one record checks plus cash expenses so that you can linally see where your money goes and eliminate guessook A. Call and a calculations. Contains high speed mechine language oner PFs has been demonstrated on network CI. The produce of the programs of the programs of the produce of the produce of the programs of the produce of the produce

NEW

FAMILY BUDGET (Apple and Alari only)

Fries: \$1.495 Diskette
FAMILY BUDGET is every convenient financial record-keeping program. You will be able to keep track of each and
credit expenditures as well as income on a daily basis. You can record tax deductible items and charitable donations.
FAMILY BUDGET also provides a continuous record of all credit transactions. You can make daily cash and charge
entries to any of 21 different expense accounts as well as 10 payroll andstax accounts. Data are easily retrieved giving
the user complete control over an otherwise complicated fand womagained? subject.

The user complete control over an otherwise computated land unorganized; subject.

IEXT MASTER (apple 32K, diskette only)

TEXT MASTER is a general purpose test editor for the Apple II computer, it features powerfit, English-oriented commands which permit the complete manipulation of testural information. The information treated may be correspondence, computer programs, data to be used by other programs, and more. TEXT MASTER also interfaces with any printer connected to your Apple. The minimum system requirements are 21K of RAM, Apples both on ROM, at least one disk, and a lower case adapter. TEXT MASTER can process any length file segment by segment. Thus it is possible to process files as large as a disketer. Connect complete with an efficient 16 page manual. TEXT MASTER is possible to process files as large as a disketer. Connect complete with a efficient 16 page manual. TEXT MASTER is COLECT. USE. EXECUTE. NOTHIN, INSURT. MERG. STOP. RENUM, DILLETE, SAME, COPY. FREE. REPLACE. WAIT. MOSTER INSURT, LIST, RESNEY, CLEAR, AUIO, RETRY, APPEND. SET. MANUAL, CHANGE, SCRATCH, SHOW, CATALOG, MODIFY, COMPARE. NUM. DISPLAY, HELP.

MANIAL, CHANGE, SCRATCH, SHOW, CATALOG, MODIFY, COMPARE, NUM. DISPLAY, THEIR

INTELINK, (Attair only)

This software package contains a memodriven collection of programs for facilitating efficient neoway communications through a full displex modern frequire for use), none mode of operation you may comment to a data service (e.g., The SOUREE or MicroNerl and quickly load data such as stock quotations onto your diskette for later viewing. This greatly reduces," connect time "and this beservice charge," You may also record the complete contents of a communications session. Additionally, programs written in BASIC, FORTRAN, etc. may be built off-line using the support test editor and later "uploaded" to another computer, masking the Atria every mast terminal. Ever Atria BASIC programs may be uploaded. "Lea nother computer, masking the Atria every mast terminal. Ever Atria BASIC programs may be uploaded." The content computer, masking the Atria every mast terminal. Ever Atria BASIC programs may be uploaded. "Lea nother computer, and such as the programs of the Atria will transmit them as needed, batch processing. All this adds up to saving both connect time and your time.

\*\*Price S.149 85\*\*

PAYFIVE (Apple II plus diskette, two drives required)

This is an enormously flexible employee payroll system with extraordinarily good human engineering features.

PAYFIVE prints checks and complies the required referral, sate and local forms for up to 148 employees. The pay methods may be hourly, salary, commission or any combination. There are multiple options for pay periods, and they also can be used in any combination. PAYFIVE includes mony other features and comes extremely well documented with a 200 page manual. The manual may be purchased separately for \$30, and that payment later applied to the software purchase.

SHOPPING LIST (Atari only)

Price: \$12.95 Cassette \$16,95 Diskette
SHOPPING LIST stores information on items you purchase at the supermarket. Before going shooping, it will remind
you of all the hithings you might need, and then display (or optionally print) your shopping list and the total cost. Adding,
deleting, changing and storing data is very easy. Runs with 16K.

TAX OPTIMIZER (Available for all computers or sive asy, rous win 100.

TAX OPTIMIZER (Available for all computers of software package which provides a convenient means for analyzing survivois income tas strategies. The program is designed to provide a quick and easy data entry, income tas is computed by all tax methods (regular, income averaging, maximum and alternate minimum tax). The user may immediately observe the tax effect of critical financial decisions. TAX OPTIMIZER has been thoroughly field tested in CPA offices and comes complete with the current tax tables in its data files. TAX OPTIMIZER is tax deductible!

STOCK MASTER:STOCK PLOT (Apple 48K)

This is full-statized sixely perfulion management and catalysis system. Ten pears of records on up to thirty stocks may long show the remaining the

TURNEY AND MENU (Atari only)
TURNEY as a utility program which allow you to create autoboot/autorum diskettes easily, Simply load and rum
TURNEY; load the program diskette to be modified, and answer the questional The TURNEY disketter easily comes
TURNEY; load the program diskette to be modified, and answer the questional The TURNEY disketter easile comes
permits the running of any BASIC program on the diskette by hippig as single key, TURNEY and MENU provide you
with the ability to run any program on your diskette by simply training on the computer and pressing a single key.

STOCKAID (Atari only)

Price: \$29.95 Diskette
STOCKAID provides a queerful ere of tools for stock market analysis. With STOCKAID you and display point and
STOCKAID provides a queerful ere of tools for stock market analysis. With STOCKAID and display point and
stockaid price of the stockaid of the stoc

NYINDEX (Atari only)

NYINDEX is a comprehensive subsease package for storing, retrieving and plotting been feet. St.9.95 Diskette
NYINDEX is a comprehensive subsease package for storing, retrieving and plotting been feet. St. St. St. Exchange
Graphical displays include the above plus the index socialization, canalization advances, decilien of the strength of the properties of the proper

PLAYER-MISSILE GRAPHICS TABLET (Atari only)
The PLAYER-MISSILE GRAPHICS TABLET was designed to take the drudgery out of developing four color displays in
GRAPHICS MODE 7. No longer will you have to read the locations of those tiny blocks on your graph paper and
calculate PLOTs and DRAWTO. With PMG you will be able to easily design colorful graphic displays with your joystick
and save them on diskette for later recall.

and save them on disserter that there recall.

IFE CYCLE NALLYSIS AND DEPRECIATION (Apple diskette only)

Price: \$39.95 Diskette
This software package creaters a data file of business expenses for equipment which can later be used to calculate and
display a variety of reports. You may project annual costs, find the present worth, create deprecation schedules and
justify tax deductions. The evaluation techniques conform to standards set by federal agencies. This is an invaluable
package for any businessnass who has invested integrupment. IEE CVCLE NAVLYSIS statures as ways to use data file
creation section and provides formatted hardcopy reports for use appreciation or close to use data file
creation section and provides formatted hardcopy reports for use appreciation or close that the
When used for generating as in information, this package is tax deductible. Requires 48k. Comes on two disketters.

When used for generating tax information, this package is tax deductible? Requires 48K, Comes on two disketters.

MICROMAGIC (Apple diskette only)

The emphasis of this program is clearly the MAGIC MICROMAGIC offers outstanding versatility in its ability to the emphasis of this program is clearly the MAGIC MICROMAGIC offers outstanding versatility in its ability to inche programs. The secret lies in MICROMAGIC's special on screen graphics editor. You control a graphics curse in chery programs. The secret lies in MICROMAGIC's special on screen graphics editor. You control a graphics curse in chery long the keyboard, retain phigh resolution images using all 16 available colors. When you are done with a picture, it can be saved on disk with a single kay command. Up to 24 images can be saved as "frames" of a movie, and then played back at high spect to creat short animated sequences. The effects are ruly stunning.

This package comes complete with demonstration programs so that even notice users can get immediate results. No programming skills are necessary to use MICROMAGIC. If you have been frustrated by the effort required to creat graphics images with your computer, MICROMAGIC will delight you.

SHAPE MAGICIAN (Apple II, 48K, diskette only)
At last An utility for painlessly creating graphics shapes for the Apple. Create, edit and save up to 30 shehe be used to develop acted games or to simply enhance your programs. Add that professional

# ORDERING INFORMATION

All orders are processed and shipped within 48 hours. Please enclose payment with order and include the appropriat computer information. If paying by VISA or Master Card, include all numbers on card, Purchase orders accepted.

Shipping and Handling Charges Within North America: Add \$2.00 Outside North America: Add 15% (Air Mail) Delivery All orders (excluding books) are sent First Class

Quantity Discounts

Deduct 10% when ordering 3 or more programs; 20% when ordering 5 or more. Dealer discount schedules avail

8" CP.M. Disk. Add \$2.50 to the listed diskette price for each 8" floppy disk (IBM soft sectored CP/M format). Programs run Microsoft MBASIC or BASIC-80.

5% CP/M Disks
All software available on 8° CP/M disks is also available on 5% disks, North Star, Osborne, Superbrain and NEC

Ask for DYNACOMP programs at your local software dealer. Write for detailed descriptions of these and other progr from DYNACOMP.

DYNACOMP, Inc. (Dept. E) 1427 Monroe Avenue Rochester, New York 14618 24 hour message and order phone: (716) 442-8731 Toll free order phones: (800) 828-6772 (800) 828-67

Office phone (9AM-5PM EST): (716) 442-8960

# **EDUCATION**

HODGE PODGE (Apple 48K only)

Let HODGE PODGE be your child's teacher. Pressing any key on your Apple will result in a different and intriguing Thappening 'related to the letter or number of the chosen key. The program 'g apples, color and soon after a delight for children from ages 1\(\text{in}\) in 7. HODGE PODGE is a non-intimalaring teaching drive which brings are different on the color of the children from ages 1\(\text{in}\) in 7. HODGE PODGE is a non-intimalaring teaching driver which brings are different on the color of the children free seed that they applied program in NYOMORED and 5 OFFALK.

Price 13.39 Castette \$17.95 Diskette TEACHER'S AIDE consists of three basic modules contained in one program. The first module provides addition and statement of the provided here as well. The third module consists of division problems; one particularly nice feature of the division module is that the long hand division steps can be displayed along with the remainder in order to clearly demonstrate the procedure by which the remainder is derived. Using TEACHER'S AIDE is not merely a drill, but rather a learning experience. TEACHER'S AIDE (Atari and PET only)

# STATISTICS and ENGINEERING

DIGITAL FILTER (Available for all computers)

Price: \$39.95 Cassette:\$43.95 Diskette
DIGITAL FILTER is a comprehensive data processing program which permits the user to design his own filter function
or choose from a menum filter froms. Inthe explicit design mode the shape of the frequency transfer function is specified
by directly entering points along the desired filter curve. In the menu mode, ideal low pass, high pass and bandpass
filters may be appressimated to avaing degrees according to the number of points used in the calculation. These filters
may optionally also be smoothed with a Hanning function. In addition, multi-stage Butterworth filters may be selected.
Features of DIGITAL FILTER include plorting of the data before and after filtering, as well as display of the chosen filter
functions. Also included are convenient data storage, retrieval and editing procedures.

DATA SMOOTHER (Not available for Atari)

Price: \$19.95 Cassette: \$23.95 Diskette
This special data uncorbing program may be used to rapidly derive useful information from noisy business and
engineering data which are equally spaced. The software features choice in degree and range off, it, availed as smoothed
first and second derivative calculation. Also included is automatic plotting of the input data and smoothed results.

FOURIER ANALYZER (Available for all computers)

Price: \$19.95 Cassette: \$23.95 Diskette
Use this program to examine the frequency spectra of limited duration signals. The program features automatic scaling
and plotting of the input data and results. Practical applications include the analysis of complicated patterns in such
fields as electronics, communications and business.

TFA (Transfer Function Analyzer)

This is a special software package which may be used to evaluate the transfer functions of systems such as held amplifiers and filters by examining their response to pulsed inputs. TFA is a major modification of FOURIER ANALYZER and contains an engineering-oriented decibel versus log-frequency plot as well as a data editing features. Whereas FOURIER ANALYZER, designed for exactional and scientific use, TFA is a major engineering tool. Available for

HARMONIC ANALYZER (Available for all computers)

Price: \$24.95 Cassette.\$28.95 Diskette HARMONIC ANALYZER was designed for the spectrum analysis of repetitive waveforms. Features include data file generation, editing and storage; retrieval as well adata and spectrum plotting. One particularly unique lateflijs is that the input data need not be equally spaced or in order. The original datasis sorted and a cubic spline interpolation is used to create the data file required by the FFT algorithms.

FOURIER ANALYZER, ITA and HARMONIC ANALYZER may be purchased together for a combined price of \$51.95 (there closestics) and \$63.95 (there diskettics).

REGRESSION I (Available for all computers)

REGRESSION I is a unique and exceptionally versatile one-dimensional least squares "polynomial" curve fittis program. Features include very high accuracy, anatomatic degree determination option, an extensive internal libra of fitting functions, data editing, automatic data, curve and residual plotting; a statistical analysis (e.g.: standa deviation, correlation, coefficient, etc.) and much more. In addition, one fits may be tried without reentering the dat REGRESSION I is certainly the cornerstone program in any data analysis software library. Price: \$19.95 Cassette \$23.95 Diskette

REGRESSION II (Available for all computers)
PARAIT is designed to handle those cases in which the parameters inhedded (possibly nonlinearly in the fitting function. The user simply inserts the functional form, including the parameters (All, AZ), etc.) as one or more BASIC statement lines. Data, results and residuals may be manipulated and plotted as with REGRESSION I. Use REGRESSION IN pt polynomial fitting, and PARAIT for those complicated functions.

MULTILINEAR REGRESSION (MLR) (Available for all computers) Price \$24.95 Cassette \$28.95 Diskette MLR its a professional software package for analyzing data sets containing two or more linearly independent variables. Besides performing the basic regression calculation, this program also provides easy to use data entity, storage, retrieval and editing functions. In addition, the sure may interrogate the solution by supplying values for the independent variables. The number of variables and data size is infinited only by the available memory. RECRESSION I. II and MULTILINEAR REGRESSION may be purchased together for \$51.95 (three cassettes) or \$6.395 (three diskettes).

A NOVA. In Out available on Atari cassette or for PET. CBM.

Price: \$19.95 Cassette \$43.95 Diskette in the past the ANOVA (analysis of variance) procedure has been limited to the large maintrame computers. Now the ANOVA (the Price: \$19.05 Cassette \$43.95 Diskette in the past the ANOVA (the Price: \$19.05 Cassette \$19.

BASIC SCIENTIFIC SUBROUTINES, Volumes 1 and 2 (Not available for Atari)
DYNACOMP is the exclusive distributor for the software keyed to the popular texts BASIC SCIENTIFIC SUBROUTINES.
Volumes 1 and 2by F. Ruckeben (see advertisements in BYTE magazine). These withoutines have been assembled according to chapter. Included with each collection is a menu program which selects and demonstrates each subroutine.

Volume 1
Collection +1: Chapters 2 and 3 - Data and function plotting: complex variables and functions.
Collection +2: Chapter 4 - Extended matrix and vector operations.
Collection +3: Chapters 5 and 6 - Handond 5 or general content (Polisson, Gaussian, etc.): series approached the collection +3: Chapters 5 and 6 - Handond 5 or general collection +3: Chapters 6 and 5 or general collection +3: Chapters 6 and 5 or general collection +3: Chapters 1 - Linear, polynomial, multidimensional, parametric least squares.
Collection +2: Chapter 4 - Functional approximations by iteration and recursion.
Collection +3: Chapter 4 - CORDIC approximations by iteration and recursion.
Collection +4: Chapter 4 - CORDIC approximations to trigonometric, hyperbolic, esponential and functions.

Collection \*5. Chapter 5 - Table interpolation, differentiation and integration (Newton, LaGrange, splines).
Collection \*6. Chapter 6 - Methods for finding the real roots of functions.
Collection \*7. Chapter 7 - Methods for finding the complex roots of functions.
Collection \*8. Chapter 8 - Optimization by steepest descent.
Price per collection: \$14.95 Cassette: \$18.95 Diskette
All eight collections are available for \$99.95 (right cassettes) and \$12.95 (right diskettes).
Because the texts are available for \$99.95 (right cassettes) and \$12.95 (right diskettes).
Because the texts are available for \$99.95 (right cassettes) and \$12.95 (right diskettes).
Because the texts are available for \$99.95 (right cassettes), and \$12.95 (right diskettes).
Because the texts are available for \$99.95 (right cassettes), and \$12.95 (right diskettes).
Because the texts are available for \$99.95 (right cassettes), and \$12.95 (right diskettes).
Because the texts are available for \$99.95 (right cassettes), and \$12.95 (right diskettes).
Because the texts are available for \$99.95 (right cassettes), and \$12.95 (right diskettes).
Because the texts are available for \$99.95 (right cassettes), and \$12.95 (right diskettes).
Because the texts are available for \$99.95 (right cassettes), and \$12.95 (right diskettes).
Because the texts are available for \$99.95 (right cassettes), and \$12.95 (right diskettes).
Because the texts are available for \$99.95 (right cassettes), and \$12.95 (right diskettes).
Because the texts are available for \$99.95 (right cassettes), and \$12.95 (right diskettes).
Because the texts are available for \$99.95 (right cassettes), and \$12.95 (right diskettes).
Because the texts are available for \$99.95 (right cassettes), and \$12.95 (right diskettes).
Because the texts are available for \$99.95 (right cassettes), and \$12.95 (right cassettes), and \$12.95 (right cassettes).
Because the texts are available for \$99.95 (right cassettes), and \$12.95 (right cassettes).
Because the texts are available for \$99.95 (right cassettes), and \$12.9

SOFTNET (Apple II and TRS-80 48K diskette only)

SOFTNET (Apple III and TRS-80 48K diskette only)

SOFTNET may be used to create models of liquid pipeline systems to evaluate their flow performance. Up to 150 nodes
with up to 150 connecting elements may be similated, and models have be combined to form yet larger models. If you
are involved in water distribution systems, chemical fluid flow problems, building plumbing, or similar situations, this
is an ideal analysis tool.

FILTER ANALYSIS (Apple only)
Price: \$19.95 Cassette: \$23.95 Diskette
FILTER ANALYSIS is the ideal program for determining the frequency response of passive filters. Any number of RIC
components may be included, and any number of poles treated. FILTER ANALYSIS features in own mini-danguage
which makes circuit description simple. Results may be printed in tabular form or plotted in HIRES graphics (decebels
versus log-frequency).

COGIC SIMULATOR (Available for all computers)

Price: \$35.95 Cassette(\$3.95 Diskette
Test your complicated digital logic design with respect to given set of inputs to determine how well the circuit will
operate. The elements which may be simulated include multiple input AND, OR, NOR, EXOR, EXORA and ANAD
gates, as well as inverters, J-K and D flip-flops, and one-shots, logust may be clocked in with varying clock cycle
eighght displacements and delays may be introduced to propic for glickness and race conditions. A timing diagram for
any given set of nodes may be plotted. Save your breadboarding until the circuit is checked by LOGIC SIMULATOR.
Requires 488.

Requires 48K.

BEAM DEFLECTION (Available for all computers) (disk. disketteonly) Price: \$29.95 Diskette \$32.45 Disk BEAM DEFLECTION is the first in DYNACOMP's new series of structural analysis software packages. It consists of two programs. The first program permits the development of data files which describe the problem. For example, the odd of the beam may be primed, clamped of the Dearn may be repressed to the program series of the problem. For example, the odd of the beam may be repressed to the problem of the problem o

STATEST (Not available on Ataricassette or for PET (BM) Price: \$19.95 Cassette: \$23.95 Diskette This is a statistical inference package which helps you make wise decisions in the face of uncertainty, In an interactive fashion for contractive or the statistical inference package which helps you make wise decisions in the face of uncertainty, In an interactive fashion for contractive or the statistical work of the statistical work of the statistical work of the statistical workhorse is rounded out with a chi-square contingency text and a (uniform and normal) random xample generator. The documentation is written by a college professor who guides you through the various texts.

# ABOUT DYNACOMP

DVNACOMP is a leading distributor of small system software with sales spanning the world (currently in excess of 56 countries). During the past three years we have greatly enlarged the DVNACOMP product line, but have maintained and improved our high level of quality and customer support. The achievement in quality is apparent from our many repeat customers and the software reviews in such publications as COMPUTRONICS, 80 Software Critique. A N.A.L.O.G. Softalk, Creative Cemputing and Kiloband, DVNACOMP pofisare has also been choice for demonstration on reductive television. Our customer support is as close as your phone. It is always friendly. The staff is highly trained and always willing to discuss products or give addict.

No matter which language is being taught, in introducing programming to students we generally use a few simple commands, control structures for iteration, conditionals, branching and modules, and only the simplest (if any) data structures. These are the elements we would expect to

make up a simplified language.

The third activity of programming is *testing* and *debugging*. Beginners often suffer a great deal of frustration in finding and correcting errors. Some programming languages facilitate debugging by such things as catching syntax errors as the program is entered and allowing the program to be run one step at a time so it can be analyzed carefully. Languages designed to introduce programming should contain such debugging aids.

Kidstuff and Karel the Robot provide simple languages so students can learn programming fundamentals with a minimal amount of frustration and delay. They can help students master recommended principles of program design while making the coding and debugging stages as pain-

less as possible.

# **Kidstuff**

Kidstuff, by Thomas R. Smith, is suitable for children as young as first or second grades. It is also appropriate as an easy introduction to programming for older children. Kidstuff operates on PET computers, and a version for Commodore 64 com-

puters is being developed.

The commands of the *Kidstuff* language let children write programs to create pictures on the computer screen and play music. The language itself is a mix of turtle graphics-like commands (e.g., DF for draw forward, TR for turn right), modules like those in Logo, branches and loops similar to those of BASIC, a command to use any of the PET graphics symbols, a music command, and special features to aid debugging.

This sounds like a mish-mash, but it has been blended into a coherent teaching tool. A particularly good feature of the *Kidstuff* package is the manual, which contains 13 tutorial lessons, demonstration programs, and suggested projects. The *Kidstuff* language and manual make it possible for all teachers to introduce programming to their students. The manual can be an extremely valuable aid for teachers who are not themselves knowledgeable about programming.

The commands of the Kidstuff language are:

DF - draw forward

JF – jump forward without drawing

TR – turn right 90 degrees

TL – turn left 90 degrees

P – select a symbol for drawing (any letter, number, or PET graphics symbol can be used)
B# – play a note of a specified pitch and duration

There are also two control elements similar to GOTO branches and FOR/NEXT loops in BASIC, as well as two simple variables, X and Y.

In addition, *Kidstuff* lets you "teach" the computer new commands. For example, you can tell the computer how to draw a square of size 5:

# TOSQUARE

BL [begin a loop]
DF5 [draw forward 5 steps]
TR [turn right 90 degrees]
RL4 [repeat the loop 4 times]

Once this is entered, SQUARE can be used just like any of the built-in commands. This capability, similar to the use of procedures in Logo, encour-

ages modular programming.

Kidstuff has several features to facilitate debugging. First, syntax errors are caught as the program is entered, and friendly, clear error messages are given. It's much easier for children to deal with an error message which says "OOPS! THE COMPUTER DOESN'T UNDERSTAND" or "OOPS, LINE NUMBER ERROR" than messages such as "SYNTAX ERROR" or "ERROR 112" found in other languages.

Also, *Kidstuff* has a WALK option which tells the computer to follow the instructions in the program one at a time. When walking, the computer displays an instruction, follows it, and then waits for the child to press the SPACE BAR before going on to the next instruction. This option, similar to TRACE or STEP options in some versions of other languages, is very valuable for helping children analyze their programs and find bugs.

This simple language (I have described all of it) can introduce children to most of the fundamental concepts of programming. The only main concept missing is that there are no conditional

(IF-THEN) commands.

Kidstuff is not a powerful language. It is very limited in the number of variables, loops, and new commands possible. However, these limits do not distract from its intended purpose. Once children find the limits of Kidstuff constraining, they are ready to go on to learn BASIC or Logo. Having mastered Kidstuff first, they will find it easier to learn other languages.

# Karel The Robot

Karel the Robot, by Richard E. Pattis, is designed for high school and college students. It teaches concepts of structured programming and can serve as an excellent bridge to learning Pascal, a language now taught in many colleges and universities and becoming increasingly popular in high schools. There is a book about Karel the Robot's language and a "simulator" for Apple II computers that lets you explore the language.

Karel the Robot's world consists of a grid of streets and avenues, walls which block Karel's paths, and beepers which Karel can pick up, carry, and place on street corners. Karel, like all well-behaved robots, obeys simple commands. These are:

MOVE – go forward 1 block TURNLEFT – pivot 90 degrees to the left PICKBEEPER – pick up a beeper PUTBEEPER – put a beeper on a corner TURNOFF – end the program

In addition, Karel's language contains control elements for repeating instructions (the Pascal ITERATE-TIMES and WHILE-DO commands), conditional tests (IF-THEN-ELSE), and grouping instructions into blocks (BEGIN/END). It also lets you define new instructions. These are some of the most important elements of Pascal, and Karel's language also uses Pascal-like syntax.

The Karel the Robot book contains six chapters which present Karel's world and language with example programs, suggested problems, and valuable information about good programming practices. The book is very well done and can be used without the simulator. However, the

simulator adds a great deal.

The Karel simulator has a number of excellent features. After you enter your program, it is checked for syntax errors, and useful diagnostic messages are given. There is even a spelling check routine – for example, if you type "MIVE" the computer will display a message saying "I ASSUME YOU MEAN MOVE". Once your program is syntactically correct, you can create the world in which you want Karel to run your program.

You assign Karel a starting location and specify the locations of walls and beepers. You then have many options as to how to run the program. For example, you can select high, medium, or low speed, and you can have Karel leave a trail as he moves. Karel's world is stark, with Karel looking like an arrowhead on the screen. But watching Karel move clearly shows how your

program operates.

A "monitor mode" option is an extremely valuable learning aid. In this mode, you can control exactly how Karel proceeds through your program. You can tell Karel how many steps to execute; he does so and then pauses for your next command. At any point you can tell Karel to run the program in reverse, display each command as it is executed, run the program until reaching a specified command, and use other options which make it easy to analyze and debug programs.


Karel the Robot is a well-designed, gentle introduction to programming, as well as a solid stepping-stone for people interested in learning

Pascal.

Course disks, which contain solutions to all the problems in the Karel book, are available for \$150. The *Karel the Robot* book, published by John Wiley and Sons, is also available separately.

Kidstuff
Thomas R. Smith
P.O. Box 345
Dedham, MA 02026
\$59.95 cassette
\$69.95 disk (including backup)

Karel The Robot Cybertronics 999 Mount Kemble Ave. Morristown, NJ 07960 \$85





# **Micros With The Handicapped**

Susan Semancik & C. Marshall Curtis

# Developing A Communications Program

This is Part 3 of a series of columns to help the handicapped communicate. The program is for the Apple, PET, and VIC.

The following outline shows the progress we've made so far in developing a program to help non-verbal, motor impaired individuals in their communication needs:

- I. Introduction (COMPUTE!, April 1982)
- II. Menu setup (COMPUTE!, June 1982)
- III. Selection process
  - A. Menu selection
    - 1. Menu storage
      - a. Subscripted variables
      - b. DATA lists
      - c. Screen values
      - d. Peripheral devices
      - e. Memory blocks
    - 2. Multiple menus
      - a. Access
      - b. Display

# Selection Of Menu

Example 9 uses subscripted variables and adds lines to the programs of Example 8 (June, 1982) in order to display a chosen entry of the menu at the top of the screen. The user indicates an entry by giving its menu row number and column number (menu row numbers start at one and increase from top to bottom, and menu column numbers start at one and increase from left to right).

In general, the following changes to Example 8 will produce Example 9: change lines 5, 25, 70, and 130: and add lines 300, 310, and 360. Also, the menu is changed so it will fit on all three computers. Example 9 will work on the VIC if W is changed to 22 in line 20. The Apple computer

requires the following changes.

10 TEXT: HOME: REM CLEAR TEXT SCREEN 75 P = S(C) + TP

95 IF BR = 0 THEN TP = TP + W:IF TP>39 THEN TP = 0:REM UPDATE TAB IF LINE ENDS WITH

300 VTAB 2: INPUT"ROW #, COLUMN #?"
;RN,CN: REM INPUT ON 2ND LINE

310 VTAB 1: PRINT M\$(RN,CN): REM DESIRED MENU ENTRY PRINTED ON TOP LINE

Since most home computers use memorymapped video, when you PRINT characters on the computer's display screen, these characters are stored as screen values in a block of memory. Usually, changing the values within this block of memory will change the screen contents faster than using PRINT commands will.

If you PRINT a menu to the screen from DATA statements, as is done in Example 9, you actually have the menu stored in memory twice: once within the program storage area of memory, and once in the video-mapped area of memory. If you also save the menu using subscripted variables, then you've increased the memory areas to three, since it is now also stored in the variables-storage area of memory. This can be disastrous if your computer has only a small amount of memory and/or your program or menu is large!

# **Entry Selection**

We can eliminate subscripted variables by using the RESTORE statement to pick the words out from the program's DATA statements when we need them. This is implemented for the PET and VIC computers in Example 10, which lists the changes to be made to Example 9. Make the same changes to the Apple version of Example 9, along with the following change:

350 READ M\$: VTAB 1: PRINT M\$: REM DESIRED MENU ENTRY PRINTED ON TOP LINE

This program also allows an entry to be selected by its menu row and column numbers and displayed at the top of the screen. The advantage here is that no extra memory is required to store the entries as would be needed by using subscripted variables. The disadvantage is that no other DATA statements can be read in the program without careful checking on where the RESTORE and rereading have left the DATA pointers.

Note that previous non-menu DATA entries are bypassed in line 310 of Example 10. If there had been any non-menu DATA entries needed after the menu selection, we would have had to read through the rest of the menu to get to the right DATA statement after it. (Some computers don't have this problem, since their extended BASIC allows restoration to a particular DATA statement.)

An alternative to the use of the RESTORE statement and its possible DATA pointer problem is to pick the selected menu entries from the videomapped area of memory. This will, however, cause loss of program mobility between different home computers, since this area of memory is not a standardized location. This can be seen by examining the differences between the versions of Example 11, which uses the PEEK statement to pick up the screen values of the selected entry, and uses the POKE statement to display the entry at the top of the screen. In particular, the VIC needs to add the following lines, the last of which is used to set the color register for text to be visible when POKEing the top line of the screen:

130 SP = 7680: P = SP + (SR-1)\*W: GOTO 300 312 CL = PEEK(646): FOR I = 38400 TO 38422: POKE I,CL: NEXT I

The Apple also needs to add the following lines, the last of which is used to help account for the non-linear mapping of the screen:

130 SP = 1024: GOTO 300 312 R = SR + RN - 1 + (RN - 1) \* BR : REM R = SCREENROW # 315 P1 = SP + 128\*(R-1)-984\*INT(R/8) + 980\*INT(R/24)

The DATA statements in Example 11 are used only once to initially display the menu. We should be able to save this memory space by eliminating the DATA statements and entering the menu directly to the screen from peripherals, such as tape recorders or disk units. This concept will be further explored in our next article.

Example 9: For the PET computer – displays a menu by rows from DATA statements, and uses subscripted variables to allow a user to select by menu row and column numbers an entry for display at the top of the screen.

5 REM EXAMPLE 9A) PET COMPUTER 10 PRINT CHR\$ (147); : REM CLEAR TEXT SCREEN

```
20 W=40:RM=6:BR=1:CM=4:BC=1:RI=2:SR=3:SC=1:RE
    M SET MENU PARAMETERS
25 DIM S(CM), L(CM), M$ (RM,CM):S(1)=SC 30 DATA 3,3,5,8:REM COLUMN WIDTHS
35 IF CM=1 THEN 50
38 REM CALCULATE STARTING POSITION OF EACH CO
    LUMN
   FOR I=2 TO CM:READ L(I-1):S(I)=S(I-1)+L(I-1)
    1) +BC:NEXT I:READ L(CM)
50 IF SR=1 THEN 70
   FOR X=1 TO SR-1:PRINT:NEXT X:REM POSITION ~ CURSOR TO 1ST ROW OF MENU
65 LP=S(CM)+L(CM)-1:IF LP>W THEN 200
70 TP=0:FOR R=1 TO RM:FOR C=1 TO CM:READ MS:M
     $ (R,C) =M$
75 P=S(C)-1+TP
80 PRINT TAB(P); M$;:NEXT C
90 IF S(CM)+LEN(M$)-1<W THEN PRINT: TP=0:GOTO1
     00: REM WRAPAROUND ADVANCES A LINE
95 IF BR=0 THEN TP=TP+W:IF TP>87 THEN TP=0:RE
    M UPDATE TAB IF LINE ENDS W/NO LF
100 IF BR=0 THEN 120
110 FOR B=1 TO BR:PRINT:NEXT B:REM SKIP BLANK ~
     ROWS BETWN COLUMN ENTRIES
120 NEXT R
130 GOTO 300
139 REM ENTER DATA BY ROWS
140 DATA DR., IS, COLD, INGEDS12
145 DATA I, AM, WHEN, " AOTFR34"
150 DATA YOU, ARE, DRINK, . ULHCP56
155 DATA MOM, EAT, WANT, ?MYWKB78
160 DATA DAD, NO, TIME, ", VJQZX90"
165 DATA HOT, YES, SLEEP, "; $% () '+-"
```

200 PRINT "MENU SIZE ERROR!": END 300 PRINT CHR\$(19): INPUT "ROW #, COLUMN #"; RN CN: REM INPUT ON 2ND LINE 310 PRINT CHR\$ (19); M\$ (RN, CN): REM DESIRED MENU ~

ENTRY PRINTED ON TOP LINE 360 GOTO 360:REM DISPLAY ISN'T DISTURBED UNTIL USER BREAKS PROGRAM

**Example 10:** For the PET computer – changes to Ex. 9, so RESTORE can be used instead of subscripted variables.

25 DIM S(CM), L(CM):S(1)=SC 70 TP=0:FOR R=1 TO RM:FOR C=1 TO CM:READ M\$ 310 RESTORE: FOR I=1 TO CM: READ N: NEXT I: REM BY PASS PREVIOUS DATA

315 IF RN=1 THEN 330: REM BYPASS PREVIOUS MENU ~ ROWS

320 FOR R=1 TO RN-1:FOR C=1 TO CM:READ M\$:NEXT C:NEXT R

330 IF CN=1 THEN 350:REM BYPASS PREVIOUS COLUM N ENTRIES

340 FOR C=1 TO CN-1: READ M\$: NEXT C 350 READ M\$:PRINT CHR\$(19); M\$:REM DESIRED MENU

ENTRY PRINTED ON TOP LINE

Example 11: For the PET computer – changes to Ex. 10, so PEEK and POKE can be used instead of RESTORE.

129 REM SP=STARTING MEMORY AREA FOR SCREEN, P= STARTING SCREEN POSITION FOR MENU

130 SP=32768:P=SP+(SR-1)\*W:GOTO 300

310 REM Pl=STARTING SCREEN POSITION FOR DESIRE D ENTRY

315 P1=P+(RN-1)\*W+(RN-1)\*BR\*W

320 P1=P1+S(CN)-1

330 REM P2=ENDING SCREEN POSITION FOR DESIRED ~ ENTRY

340 P2=P1+L(CN)-1

350 J=0:FOR I=P1 TO P2:POKE SP+J, PEEK(I):J=J+1 : NEXT I

# or the Common Murre, might be tallied in the thousands. The main data processing task related to a CBC thus is a tabulation of sums of species Bird Count Jean B. Rogers Eugene, OR

Personal computers can make any hobby more rewarding. Here's how a PET contributed to the author's bird watching, along with some hints on effective preplanning when writing large programs.

Every year, during a two-week period near Christmas, thousands of bird watchers spend whole days surveying all the birds around them. This event, the annual Audubon Christmas Bird Count, provides large amounts of information about bird populations throughout North and Central America.

The first Christmas Bird Count (CBC) was held on Christmas Day, 1900, when 27 birders noted all the birds they saw during the day. Those birders covered 25 different areas, mostly in cities in the Northeastern USA. CBC's have been held every year since then; currently about 34,000 birders survey nearly 1360 different count areas each year. Results from these CBC's are submitted to the National Audubon Society and are published in its journal, American Birds.

In 1979, my teen-aged son and my husband decided to establish a CBC in the area near our home, Port Orford, Oregon. To initiate a CBC, a circular area 15 miles in diameter is chosen, separate from an existing CBC area. This circle is then subdivided into sections, and a group of people is assigned to scour each section, recording every bird identified by sight or sound. Each group tallies the birds according to the number of each species seen. After the count, the number of different species seen by each party of observers and the number of species seen by the total group are counted. For CBC's held in 1979, these totals varied from the Atlantic area of the Panama Canal Zone with 320 species, to Bethel, Alaska, with 4. A reasonable expectation for the Port Orford area is 100 to 120.

Additionally, the observers record the number of individual birds of each species seen on the count. For some species such as Screech Owl, only one individual might be found in the whole count area. Others, like the American Robin or the Common Murre, might be tallied in the and individuals seen. A count report including this information is provided for each participant in the count as well as being sent to the National Audubon Society.

Since we wanted an easy-to-read, attractive report, and needed to do some simple numerical calculations, I concluded that this would be a very reasonable task for a microcomputer using BASIC. I had available a PET with 8K of memory and cassette for storage, and a CBM printer. We designed software that worked successfully for the 1979 Port Orford CBC and have used the same programs for CBC's since.

# **Designing The Project**

I think that many amateur programmers have a bigger problem analyzing the project they've undertaken than they do coding it. Thus, I propose to explain how I attacked the problem rather than to provide the BASIC code I used. While the code might be useful to some people with projects very much like mine, the information on problem analysis will possibly be helpful to many people with a wide variety of interests.

The first step in working on the project was to sit down with my son and find out specifically what information he wanted on the output report, as well as approximately what he expected it to look like. The report would essentially consist of a list of the names of birds seen on the count, the number of individuals of that species seen by each of the parties (people assigned to a sub-area of the count circle), and the total seen by the whole

In discussing the report, we realized that, with little additional work, we could produce a field form for use on the count. This is a recording sheet listing the birds one might expect to see, with spaces for tallying the number of individuals of each species seen. Each party has one person designated as recorder who keeps track of the tallies. On the field form and on the final report, birds are listed in phylogenetic order. This is a standard order based on evolutionary progression, and is used in field guides, ornithological research, and scientific documents.

So the overall task was divided down into subtasks: build a bird list, tabulate the results of the count, print the report. A basic list of the birds one might expect to see in our area, then, was the first thing we would need. Having this list on a separate file stored on a tape would make it easily available for whatever future need we had of it.

# The Master Bird List

The program to build the list and store it on the

# YOU ARE GOING TO SMILE!

--When you see over 2000 books, programs, and accessories we carry for All Major Brands in our Computer 'SOURCE BOOK'. From introductory level to professional, we cover it all.
Listed Below is just a sample of what we carry.
DEALER INQUIRIES WELCOME



# INTRODUCTORY BOOKS Introduction to Word Processing. Plain language book for those considering a purchase. 4795-000076 300 pgs,140 illus \$12.95

How to Buy the Right Small Business Compter. Easy to follow book with 'checklist'. 4925-008494 225 pgs, \$8.95

Business System Buyers Guide. This guide cuts thru the jargon and simplifies your task. 4665-000047 166 pgs \$7.95
Using Micros in Business. Essential background briefing for any buyer of hard-or software 4410-005152 192 pgs \$9.95

Your Home Computer. Meant for the person who has no technical background, buying tips 4250-000022 211 pgs \$12.95

Home Computers: Beginners Glossery & Guide. Terminology, number systems, symbols 4250-000002 147 pgs, 20 illus. \$10.95

Why do YOU need a Personal Computer? Learn the 100's of everyday applications. 4925-004784 320 pages \$8.95

Computer Dictionary & Handbook. More than 22,000 definitions,acronyms,abbreviations. 4760-021632 928 pages \$34.95

Computer Dictionary. More than 12,000 definitions clear up almost any question you have. 4760-021652 624 pages, \$15.95

How to Computerize Your Small Business. Shows how to plan a tailored computer system 4690-403857 171 pages \$7.95

How to make MONEY with Your Micro. This book gives you dozens of money making ideas. 4250-000074 154 pages \$12.95

Playing the Stock & Bond Markets w/ Micros. Learn the principals of investing in the markets 4800-001251 308 pgs,35 illus \$9.95

### GENERAL INTEREST BOOKS

Background Math for a Computer World. All the basic math facts, techniques, & concepts 4925-008086 308 pages \$ 7.95

Micro's and the 3R's. This book educates the educator on ways to teach with computers. 4410-005113 192 pages \$ 9.75

Intro to Computer Music. The book explains in detail computer music, non-technical 'how to'. 4925-086839 313 pages \$14.95 1001. Things to do with your Personal Comp

Time saving, money saving & just plain fun ideas 4800-000160 336 pages \$ 7.95 Computer Graphics Primer. Only book on the

market that shows how to do comp. animation! 4760-021650 184 pgs, \$14.95

How to Troubleshoot and Repair Micro's. How to locate & repair common problems. 4725-002981 290 pages \$ 7.95

Visicalc\*: Home & Office Companion. A compendium of 50 VisiCalc\* models & samples 4665-000050 182 pgs, 12 illus \$15.99 Wordstar Made Easy. In 14 east lessons this

handy book will teach you the powerful features 5664-00069 125 pages \$11.95

### ATARI" BOOKS

rs030A Guide to Atari \* 400/800 Computers Provides invaluable material for Atari \* users. 4665-000065 458 pages \$16.95\*

PAINT. Create 'paintings' of your own on the 400/800 systems. Both begining and pro levels 4725-005425 \$29.95

The Atari\* Assembler. Master assembly language, you will need some BASIC experience. 4690-000236 270 pages \$ 9.95

Atari Games & Recreations. Provides begin-ning or advanced users with games & 'how to'. 4690-000242 252 pgs,225 illus \$12.95

Computers For People. This book outlines the benefits and uses of Atari\* 400 or

Computers for People. This book outlines the benefits and uses for Atari\* 400 & 800 systems 4250-000064 200 pgs, 47 illus. \$7.95

Atari Basic. A fine intro to BASIC programming. Turn from novice to pro in week or so. 4925-006496 \$ 8.95

Atari 'Sound & Graphics. This is a self-paced book to fully explore the expressive potentials.
4925-009593 160 pages \$ 9.95

The VisiCalc Book: Atari Edition. Make the most of VisiCalc capabilities on the Atari . 4725-008393 400 pages \$14.95

Inside Atari DOS. Step by Step guide to the DOS software. Complete with source code. 4105-000002 120 pges \$19.95

GOT SOMETHING YOU WANT TO SELL?

JMC is always looking for new items to add to our Computer Source Book '. Ifyou have a book, or software for one of the popular personal/home computer systems please write to us with details. Perhaps we can add it to the thousands of items we are currently selling to computer retailers all over the USA

If you have a productyou would like to market -but don't want all the hassle of packaging, promoting, and producting the producting tetus know, perhaps we can work out a generous Royalty arrangement with you.

### TRS-80° COLOR COMPUTER BOOKS

55 Color Computer Programs for the Home, School & Office. Includes lots of color graphics 4080-000005 128 pgs \$9.95 School & Office. Includes lot 4080-00005 128 pgs

55 More Color Computer Programs. Companion volume to above,more useful programs. 4080-000008 112 pgs \$ 9.95

Love Poems from the Digital Heart of an electronic Computer, An ideal Valentine! 4080-000013 96 pgs \$ 4.95

TRS-80 Color Computer Graphics. Comprehensive coverage of color and graphics avail. 4725-007864 \$14.95

Color Computer Graphics. A must have book for owners of the TRS-80 Color Computer. 4080-000012 128 pgs \$ 9.95

Color Computer Songbook. Book of favorite songs and classics to be played on Color Comp. 4080-000011. 96 pgs \$7.95

TRS-80° Color Computer Applications. A beginners handbook loaded with examples. 4690-007870 240 pgs \$12.95

TRS-80° Color BASIC, Self-teaching guide leads novices step by step into programming

TRS-80 Color BASIC. Self-teaching guide leads novices step by step into programming. 4925-009644 256 pgs \$ 9.95

TRS-80° Color Programs, 37 programs are fully documented in this easy to follow book. 4250-000061 323 pgs \$19.95

101 Color Computer Programming Tips & Tricks. Practical useful techniques & shortcuts 4080-000007 128 pgs \$ 7.95

### LANGUAGE BOOKS

Introduction to BASIC. Extremely popular introduction to BASIC, emphasis on fundamentals 4515-000022 206 pgs, 20 illus \$10.95

50 More Programs in Basic for the Home, School & Office. All fresh programs in this vol. 4080-000003 96 pgs \$ 9.95

BASIC Programming Primer. User-friendly fundamentals book for both novices and pros. 4760-021586 240 pgs \$11.95

Sixty Challenging Problems with BASIC solution. Learn more by solving problems. 4410-005180 144 pgs \$ 8.50

Beat the Odds. Micro simulation of Casino Games. Painless way to gamble your money 4410-005181 128 pgs \$8.70

Introduction to Texas Instrument BASIC. A must for any TI\* owner. 4410-005185 320 pgs \$11.95

BASIC for Home Computers. A sensible and complete beginning guide to BASIC. 4925-003204 336 pgs \$ 9.50

BASIC, Vol II. Picks up where above book left off,needs no special math or science knowledge 4925-003500 325 pgs \$ 9.95

Inside BASIC games. Teaches the reader how to design error-free interative games, etc. 4795-000055 350 pgs, 120 illus \$14.95

BASIC Programs for Home Financial Management. 33 Useful programs for you. 4690-066514 250 pgs, illus \$12.95

BASIC-BASIC-English Dictionary. This book will help you translate between BASIC dialects 4250-000054 150 pgs \$10.95

Basic Programming Worksheets. Printed worksheet forms 40 sheets to pad 80 columns 4080-000802 For Color Computer \$2.95 4080-000801 For Pocket BASIC \$2.95 4080-000804 For IBM\* PC \$2.95 4080-000805 Universal BASIC form \$2.95

BASIC for Business. Shows how easy it is to use a computer for general business tasks. 4795-00080 250 pgs \$12.95

A to Z Book of Computer Games. Here are 26 exciting and instructive BASIC game programs 4800-001062 308 pgs.73 illus. \$7.95

40 Computer Games. Unbeatable game collection from Kilobaud Micro Magazine. 4910-000023 \$7.95

The BASIC conversions Handbook For Pet, Apple ',TRS-80' users. Guide to converting. 4410-005534 80 pgs \$ 7.95

# SINCLAIR ZX-81 BOOKS

Programming the ZX-81 for Real Applications. Practical programs to show ability of ZX-81 4250-000090 166 pages \$ 9.95

Making the Most of Your ZX-81. Information on how to write programs games tricks,etc. 4725-004188 128 pages \$10.95

The ZX-81 Pocket Book, Handy programming manual that gives you everything you need. 4725-009524 128 pages \$9.95

Mastering Machine Code on Your ZX-81. First simple english guide to machine code. 4725-004261 180 pages \$12.95

49 Explosive Games for the ZX-81. Complete easy to read game rules and program instruct. 4725-002086 140 pages \$10.95 **NEW Vic 20™ GAMES** 

Direct from England, JMC is proud to announce that we have been appointed the exclusive U.S. importer for the following Vic-20 games.

MINEFIELD, A game for the 5K Vic 20. For Ages 6 and over. Your task is to drive an ambulance around a battle ground and pick up injured soldiers—racing the clock, and avoiding touching off the buried mines. You can adjust the complexity of the game by choosing to play against 25 to 100 mines.

4002-000001

MAZE OF DEATH.For 5K Vic-20. For ages 8 and over. You have to travel across the screen thru a maze of walls blocking your path. Unseen hobgobblens and monsters may path. Unseen noogoobiens and monsters may capture you before you reach your safe havenon the other hand you may find buried treasure to add to your fortune. Full details scroll on the 
screen when you start game. 7 skill levels and 
10 sensitivity levels to choose from. 
4002-000002 \$15.98

SPLOTTER<sup>6</sup> For 5K Vic-20. For ages 8 and over. You control a worm type animal that moves over the screen to gobble animal that moves over the screen to gobble up the ugle spots-a race against time. If you bump into a wall, or turn back on yourself to quickly-you LOSE. You choose skill level from #1 (hardest) to #20 (easiest). If you really want to drive someone crazy, buy him this game! 4002-000003

GUZZLER® For 5K Vic-20.
For ages 8 and over. You must pilot you space shuttle thru a maze of asteroids to your mothership. But if you are not careful you will awaken the Guzzler®'s space bouys. You have to reach your mothership before running out of fuel, GOOD LUCK \$15 98

DELUX 6-PAK® For 5K Vic-20.

DELUX 6-PAK\* For 5K Vic-20. Here is your chance to buy 6 games on one cassette for the price of one game! You get all six of the following games for ONE low price! War. You are defending against waves of enemy tanks. 3 levels of play...we bet you can't win at level 3! Smashout. This version of bricks game tests skill not reaction time plan shard!

Smashout. This version of bricks game tests skill,not reaction time, plan ahead!
Blackjack Popular card game '21', if you practice long enough maybe you can plan a system to beat Las Vegas!
Logic: You have 12 tries to break the code of 5 balls in random color sequence.
Pickupgame. You have to remove logs from the pile without disturbing any other logs.
Alarm Clock: Use the Computer as a REAL 24 hour alarm clock, bet you can't ignore its call when the alarm goes of!!
4003-000001
\$19.98

4003-000001

ANT RAIDERS<sup>c</sup> For 5K Vic-20
Ages 8 and up. An army of ants is marching its way across the land leading to your home. The land is littered with rocks which make the ants change direction often. You must shoot the ants before one gets to your door. If you shoot a rock it will divide into more rocks. If you trap all the group, then more will come until you trap all the group, then more will come until...well you get the idea...have FUN!

4003-000003
\$15.98

MORE GAMES COMING! We are working on more Vic-20" games which we will be importing in the near future...watch our ads for details!

### VIC-20" BOOKS

Understanding Your Vic.Vol 1. Beginners guide to programing on the Vic-20". Tips & tech. 4840-00003 148 pages \$11.95 4840-00004 Cassette Supplement \$7.95

Compute!'s First Book of Vic. Collection of the best articles from Compute! Magazine. 4105-000007 Fall 1982 \$12.95

Starting with BASIC on the Vic-20". Helps novices learn all the capabilities of the Vic-20 4725-007070 128 pgs, due Fall 82 \$12.95 IBM"BOOKS

IBM BOOKS
IBM's" Personal Computer. Background on the giants entry into field, with evaluations. 4700-000111 303 pages \$14.95

Using the IBM\* Personal Computer. A complete handbook showing what it can do. 4725-008183 300 pages \$12.95

CONFUSED? No one book may offer all the answers,we suggest buying more than one book on a subject toget as many different views and opinions as possible. Books are cheap if you consider the frustrations they can avert.

### APPLE" BOOKS

Apple II\* Users Guide. This guide is the key to unlocking the full power of your Apple II. 4665-000046 385 pgs \$16.95

APPLE\*! Collection of BASIC programs that have been converted to run on the Apple II. 4665-000068 200 pages. \$14.99

Assembly Lanquage Programming for the Apple II\*. Comprehensive introduction. 4665-000051

Apple Machine Language. A machine language book that's fun and entertaining.
4690-000230 296 pages/ illus. \$12.95

Apple Interfacing. Helps you to interface your Apple to a variety of electronic devices. 4760-021862 208 pgs \$10.95

Apple Programming Exercies. 17 Easy to read,easy to use exercies including music. 4925-086598 192 pages \$ 9.95

Computer 'Source Book' '. Over 2000 books programs, and accessories for all micro brands 0001-198207 72 pgs \$2.00 ppd.



--With ANY order of \$50.00 or more you can receive a 1983 Computer Calendar FREE,--A \$ 7.95 VALUE!

OTY	NUMBER	DESCRIPTION OF ITEM	COST	10111
			Mont	
	The second second			
-				_
	64 8 8 8 8			
Order	s Under \$25 Please Add \$2	50 Post & Handling - Illinois Residents L CATALOGS SHIPPED POST PAID	TOTAL	T.A.
		CASH CHECK MONEY		_
PLEA	SE CHARGE TO MY	MASTERCARD VISA (MIN	Chg S2	51
CA	RD NUMBER		0.000	
EX	PIRES	INTRBNK #		
1				
SHI	то:			
SHII	EET ADDR			
		STATEZIP		
CITY	-	STATEZIF		
-	W. A	DEPARTMENT: G-8	3	
	MMIG		ALL THE CO.	AL VEDSKA ST



1025 INDUSTRIAL DR. BENSENVILLE. IL 60106-1297

# ATARI \*



# 800 48K..\$619

# 400 16K..\$259

410 Recorder				1	Į.								\$	7	5
810 Disk Drive .													\$4	11	9
825 Printer												*	\$5	7	9
830 Modem													\$1	5	5
850 Interface													\$1	16	5
481 Entertainer													5	7	9
482 Educator										1			\$1	1	9
483 Programmer	r											17.00	\$	5	5
484 Communica	to	וכ	1	*								000	\$2	9	9
853 16K Ram									10				\$	7	5
The Bookkeeper	1	Ci	t										\$1	6	9

### ATARI Software

CX4104 Mailing List	\$	19
CX404 Word Processor . :	\$1	05
CXL4007 Music Composer	\$	45
Programming 2 & 3		
Conversational Languages	\$	45
CX4018 Pilot	\$	59
CX405 Pilot	\$	99
CXL4003 Assembler Editor	\$	45
CX8126 Microsoft Basic	\$	67
CXL4022 Pac-Man	\$	33
CX8130 Caverns of Mars	\$	29
CXL4020 Centipede	\$	33
CXL4006 Super Breakout	\$	28
CXL4008 Space Invaders	\$	28
CXL4009 Computer Chess		
CXL4011 Star Raiders		
CXL4012 Missile Command	s	28
CXL4013 Asteroids		
The Bookeeper		
Home Filing Manager		
Atari Speed Reading		
My First Alphabet		

### **Business & Utilities**

VISICAIC		-					8.0	*				. 0	105
Mail Merge												.\$	20
Data Perfect								-				. \$	75
Letter Perfect													
Text Wizard													
Disk Detective .													
Datasm 65 2.0 .													
File Manager 800	0	4	+									.\$	65
Syn Assembler.													
Page 6													
Atari World													
K-Dos												S	59
Micropainter													
Color Print													
Lisp Interpreter													
Bishops Square													
Graphic Master													
Graphic General													
Basic Compiler													

# **Programming Techniques**

Display Lists	17
Horiz/Vert Scroll	17
Page Flipping	17
Basics of Animation\$	17
Player Missile Graphics \$	24
Sound\$	17
Data Files	24

For Fast Delivery, send certified or cashier checks, money orders, or direct bank wire transfers. Personal checks allow 2 to 3 weeks to clear. Prices reflect a cash discount only and are subject to change. Shipping—Software (\$2.00 Minimum). Hardware—call. Foreign inquiries invited — add 15% for shipping. Nevada residents add sales tax.

# **NEW LOWER PRICES**

# **TOP SELLERS**

### Atari Raster Blaster \$ 20 Apple Panic \$ 20 Lunar Lander ..... Crossfire..... Mousekattack ..... Dragon's Eye ..... Krazy Shootout ..... Crush, Crumble & Chomp . . . . . . . Jawbreaker ..... Pathfinder ..... \$ 23 Tanktics ... \$ 20 Match Racers ... \$ 20 Wiz & Princess . \$ 22 Mission: Asteroid . \$ 17 Ali Baba & the Forty Thieves . \$ 22 Wiz & Princess. Dodge Racer ..... The Shattered Alliance \$ 27 Bug Attack \$ 20 Canyon Climber \$ 20 Alien Hell ..... Alien Swarm..... Intruder. Lords of Karma B-1 Nuclear Bomber \$ 20 Ghost Hunter .... \$ 23 Rescue at Rigel .....



# \*\*\* SPECIALS OF THE MONTH \*\*\*

ELEPHANT DISKS (BOX)				 			 \$ 2	22
HAYES SMARTMODEM				 			 \$20	9
MOSAIC 32K RAM								
RAMDISK (128K)								
AMDEK COLOR I MONITOR								
PERCOM DOUBLE DENSITY DRIVE								
NEC 8023A PRINTER							\$47	79
BASIC A +					0.0		\$ 5	59
FLIP N' SORT DISKETTE BOX								
(Holds 50 Diskettes)								
FLIP-SORT CARTRIDGE BOX				 			\$ 2	21
(Holds 10 Atari Computer Cartridges)								
AXIOM GP-100 GRAPHICS PRINTER							\$29	99
AXIOM IMP-4 GRAPHICS PRINTER								
MOSAIC 64K RAM								
BIT 80 COLUMN BOARD								
ALL APX SOFTWARE								

# **Computer Outlet**

Park Place — Upper Level 1095 E. Twain — (702) 796-0296 Las Vegas, Nevada 89109

Call Toll Free 800-634-6766
We accept Major Credit Cards

Mon.-Fri. 8 A.M.-6 P.M. Sat. 9 A.M.-5 P.M.

# **NEW** Atari

Automated Simulations  Upper Reaches of Apshai (D, C) \$ 15 Curse of Ra (D, C) \$ 20 King Arthur's Heir (D) \$ 20 Escape from Vulcan's Isle (D) \$ 20 Crypt of the Undead (D) \$ 20 The Nightmare (D) \$ 20 Danger in Drindisti (D, C) \$ 15 Armor Assault (D) \$ 27 Monster Maze (CT) \$ 27 Alien Garden (CT) \$ 27 Plattermania (CT) \$ 27
Broderbund
David's Midnight Magic (D)       \$ 23         Track Attack (D)       \$ 20         Star Blazer (D)       \$ 22         Choplifter (D)       \$ 23         Deadly Secrets (D)       \$ 23         Stell ar Shuttle (D, C)       \$ 20         Genetic Drift (D, C)       \$ 20         Labyrinth (D, C)       \$ 20         Serpintine (D)       \$ 23         Sea Fox (D)       \$ 20
Datasoft Spell Wizard (D)
Sands of Egypt (D)       \$ 27         O'Riley's Mine (D, C)       \$ 23         Rosen's Brigade (D, C)       \$ 23         Fathoms Forth (D)       \$ 23
Gebelli
Doctor Goodcode's Cavern (D)         \$ 20           Firebird (CT)         \$ 34           Embargo (CT)         \$ 34
Innovative Design
Pool 400 (CT)
JV Software Ghost Encounters (D, C)
K-Byte
K-razy Kritters (CT) \$ 34 K-Star Patrol (CT) \$ 34 K-Razy Antiks (CT) \$ 34
L & S Computerware Crossword Magic (D) \$ 34
Lightning Software
Master Type\$ _ On-Line
Frogger (D) \$ 23 Ulysses and The Golden Fleece (D) \$ 23 Ultima I (D) \$ 27 Ultima II (D) \$ 39
Roklan Corp.
Gorf (D) \$27, (CT) \$30 Wizard of Wor (D) \$27, (CT) \$30 Anti Sub Patrol (D) \$20, (C) \$15
Sentient           Cyborg (D)         \$ 23           Gold Rush (D)         \$ 23
Sirius
Space Eggs (D)       \$ 20         Sneakers (D)       \$ 20         Cyclod (D)       \$ 20         Snake Byte (D)       \$ 20         Bandits (D)       \$ 23         Way Out (D)       \$ 27         Fast Eddy (CT)       \$ 20         Deadly Duck (CT)       \$ 20         World War I (CT)       \$ 23         Beanie Bopper (CT)       \$ 23
Strategic Simulations           Battle of Shiloh (D, C)         \$ 27           Tigers in the Snow (D, C)         \$ 27           The Cosmic Balance (D)         \$ 27
Big Five Software

Bram Inc.

Attack at EP-CYG-4.....(D) \$22, (C) \$20

# NEW **ATARI**

# FRIENDLY SERVICE **COMMODORE VIC 20**

NEW

Odesta Corporation
Chess (D)
Checkers (D)
Odin (D)
Canatravisian
Spectravision Nexar (CT)\$ 24
Cave In (CT)
Number Crunch (CT)
neagationiics (C1)
Calanakas
Spinnaker Snooper Troops #1 (D)\$ 30
Snooper Troops #2 (D)
Story Machine (D)         \$ 23           Face Maker (D)         \$ 23
Tabe Maker (b)
Swifty Software
Haunted Hill (D) \$20, (C) \$ 17
Trivia Trek (D)\$ 20 Datalink (D)\$ 27
Space Shuttle (D) 20
Space Shuttle (D)
Swifty Tach Master (D) \$20, (C) \$ 17
Curanas
Synapse Projector II(D) \$23, (CT) \$ 29
Chicken (D) \$23, (CT) \$ 29
Slime (D) \$23, (CT) \$ 29 Shamus (D) \$23, (CT) \$ 29
Picknick Paranoia (D) \$23, (CT) \$ 29
Claim Jumper (D) \$23, (CT) \$ 25 Acocalypse (D, C) \$ 23
Raptillian (D, C)
Tronix
Kid Grid (D, C)
Milliken Publishing Aliencounter (Face Flash (D, C) \$ 26
The Jar Game/Chaos (D, C) \$ 26
Gulp/Arrow Graphics (D, C) \$ 26 Golf Classic/Compubar \$ 26
Golf Classic/Compubar\$ 26 Frenzy/Flip Flop (D, C)\$ 26
Battling Bugs/Concentration (D, C) \$ 26
Thorn EMI
Submarine Commander (CT)
Soccer (CT)
Kickback (CT)
Darts (C)
Pool (C)
Dominoes and Cribbage (C) \$ 22 Humpty Dumpty and Jack and
Jill (C) \$ 22 Hickory Dickory Dock and Baa
Baa Black Sheep (C)\$ 22
British Heritage Jigsaw
Puzzles (C)\$ 22 European Scene Jigsaw Puzzles (C) .\$ 22
Owari and Bull and Cow (C)\$ 22
Avalon Hill
Andromeda Conquest(D) \$16, (C) \$ 13 GFS Sorceress(D) \$23, (C) \$ 21
VC (D)
Legionnaire (C)\$ 23
Datamast
Datamost           Pig Pen (D)         \$ 20
ibao is inclusioned
Infocom
Starcross (D)\$ 27 Zork III (D)\$ 27
2
In-Home Software
The Guardian of Gorm(D) \$23, (C) \$ 20 Sentinel I(D) \$23, (C) \$ 20
Baseball

Creative Software	Tronix
lack Hole (CT)	Galactic Blitz (C) \$ 17
rashman (CT)	Swarm (C)
stroblitz (CT)\$ 36	Sidewinder (C)
ity Bomber & Minefield (CT) \$ 20	
pple Panic (CT) \$ 36	HES Software
Choplifter (CT)	VIC Forth (CT)\$ 45
erpentine (CT)\$ 36	HES Mon (CT)
ideomania (CT) \$ 36	Turtle Graphics (CT) \$ 29
erraguard (CT)	HES Writer (CT) \$ 29
emagdand (OT)	Aggressor (CT)
Thorn EMI	Shamus (CT)\$ 29
	Protector (CT)\$ 33
liver Rescue (CT)\$ 29	Synthesound (Music Synthesizer)
IC Music Composer CT)\$ 29	(CT)\$ 49
	Skier (C)\$ 15
Automated Simulations	Maze of Mikor (C)
Rescue at Rigel (C) \$ 20	Tank Wars (C)
Ricochet (C)	Victrek (C)
Monster Maze (CT)	Pinball (C)
Sword of Fargoal	Simon (C)
sword or rangoar 27	Fuel Pirates (C)
	Pak Bomber (C)
Spectravision	Laser Blitz (C)
Cave In (CT)\$ 27	Tank Trap (C)
Number Crunch (CT) \$ 27	Concentration (C) \$13
Reaganomics (CT)	Dam Bomber (C)



# \*\*\* SPECIALS OF THE MONTH \*\*\*

SLAGH 24K MEMORY BOARD — VIC 20	\$ 145
VERBATIM DISKS (BOX)	\$ 27
HAYES SMARTMODEM 1200	\$ 519
WICO TRACKBALL	\$ 49
WICO JOYSTICK	\$ 23
WICO JOYSTICK DELUXE	\$ 26
WICO FAMOUS RED BALL JOYSTICK	\$ 24
CARDCO 6 SLOT EXPANSION MOTHER BOARD	\$ 79
CARDCO 3 SLOT EXPANSION MOTHER BOARD	\$ 39
CARDRITER LIGHT PEN (VIC 20)	\$ 29
POINTMASTER JOYSTICK	\$ 15
USI AMBER MONITOR (12")	\$ 169
KIDS AND THE VIC (BOOK)	\$ 18
KIDS AND THE ATARI (BOOK)	\$ 18

# **Computer Outlet**

Park Place - Upper Level 1095 E. Twain - (702) 796-0296 Las Vegas, Nevada 89109

Call Toll Free 800-634-6766 We accept Major Credit Cards Mon.-Fri. 8 A.M.-6 P.M. Sat. 9 A.M.-5 P.M.



# ( commodore VIC 20 .....\$179

VIC 1530 Datasette		50
VIC 1530 DataSette	52	99
VIC 1525 Graphics printer	\$3	09
VIC 1530 Dalaserte VIC 1540 Disk Drive VIC 1525 Graphics printer VIC 1210 3K Memory Expander VIC 1110 8K Memory Expander VIC 1111 16K Memory Expander VIC 1011 RS 232 Terminal Interface	S	34
VIC 1110 8K Memory Expander	5	52
VIC 1111 16K Memory Expander	5	92
VIC 1011 BS 232 Terminal Interface	s	43
VIC 1211 Super Expander	s	52
VIC 1212 Programmers Aid Cartridge .	s	45
VIC 1213 Vicmon Machine Language		
Monitor		45
VL 102 Introduction to Basic		
Programming	\$	21
VT 106A Recreation Pack	\$	45
VT 107 A Home Calculation Pack	\$	45
VT 106A Recreation Pack	\$	12
VIC 1600 Vicmodem	\$	89
VIC 1311 Joystick VIC 1312 Game Paddles	\$	8
VIC 1312 Game Paddles	\$	16
VM Programmers Reference Guide	\$	14
VIC Software		
	_	
Avenger	2	23
Supersiot	9	23 23
Super Alien	9	23
Jupiter Lander	9	23
Draw Poker	9	23
Radar Rat Race	8	23
Raid on Fort Knox		23
Sargon II Chess		29
Cuper Cmach		23
Cosmic Cruncher Gorf	s	23
Gorf	\$	29
Omega Bace	3	29
Money Wars	\$	23
Monagorio	\$	23
Cosmic Jailbreak	\$	23
Cosmic Jailbreak Clowns Garden Wars	\$	23
Garden Wars	\$	23
Sea Wolf	. 4	23
Adventureland	\$	29
Pirate Cove	\$	29
Mission Impossible		29
The Count		29
Voodoo Castle		29 23
The Sky is Falling		23
Mole Attack	9	23
Home Babysitter		23
Visible Solar System	\$	23
Personal Finance	\$	29
Torona Timeno		
United Microwave		
Spiders of Mars (CT)		34
Meteor Run (CT)		34
Amok (C)	.\$	17
Alien Blitz (C)	.\$	17
Skymath (C)	.\$	12
Space Division (C)	.5	12
Super Hangman (C)	\$	14
The Alien (C)		12
Kosmic Kamikaze (C)		17
		1/



Cloud Burst (CT)

The Computer Outlet is an

\$ 27

associate of The Computer August Learning Center For Children. We are experts in educational technology and can customize educational software curriculums for school districts, individual schools, or for the child at home. Please contact us about your software and equipment requirements and feel free to stop by our school in Las Vegas.

Sub Chase (C) .....

Amok (CT) ......\$ 27 Renaissance (CT) ......\$ 34 

Satellites and Meteorites (CT) . . . . . 

We have one of the world's largest educational software inventories featuring our own Computer Learning Center software.

Ten Little Robots (ATARI) \$12.95 Pre-School Math (ATARI) \$19.95

cassette was very simple.

- 1. Open the cassette file for writing
- 2. While there are more birds to go onto the list
  - 2.1 Input a bird name
  - 2.2 If the name does not have typos
    - 2.2.1 Then write the name on the tape file
    - 2.2.2 Else request re-entering that bird name
- 3. Close the file

We'd need to be able to make changes in the list when the count results were being tabulated as some unexpected birds would appear, and other

expected ones would not.

For creating the field form, however, this list would be used directly. We wanted the complete form to fit on one page for convenience in the field. By reading the whole list into an array in memory, then printing the list in two columns, one from the beginning of the array and one from the midpoint of the array, all the names fit on one sheet.

There was even space for eight unexpected birds to be noted on the bottom of the form. To divide up the tally space, a row of dashes was printed in front of each bird name. The procedure was this:

- 1. Initialize array space for names
- 2. Initialize dash string to correct number of dashes
- 3. Open name file
- 4. Read complete list into array
- Close name file
- 6. Specify format to printer
- 7. While more copies of the form are needed 7.1 For number of birds from one to half of total
  - 7.1.1 Print dash string; bird name (counter); dash string; bird name (counter + halfnumber)
  - 7.2 Print four lines of pairs of double-dash strings

By using the formatting capability of the CBM printer, it was easy to line up the strings in even rows. This could have been done by padding the name strings with blanks so they would be an even length, as I did later in this project, doing the report.

# **Processing The Results**

After the day of the count we were ready to tabulate the data that had been collected. The primary subtasks of the tabulation and report writing process were these:

1. Get the bird list and edit it

- 2. Input the numbers of species seen by party
- 3. Calculate the cross totals and species counts
- 4. Print the report
- 5. Save the data for future use

Each of these would be divided further.

The list of names of expected birds was stored on a cassette tape, but some of these birds had not been found on the count day, while a few unexpected others did appear. Using a simple editing program, we read in the original list and wrote out a new list of all the birds sighted on that year's count. The procedure was this:

- 1. Initialize an array for the names
- 2. Open the master list file
- 3. Read names into the array
- 4. Close master list file
- 5. Open list file for this year
- 6. While not at end of list in array
  - 6.1 Print next name on list for user
  - 6.2 If a new name should be inserted before next name
    - 6.2.1 Then accept input of name to be inserted

Write new name to year file

- 6.2.2 Else if next name should be kept
  Then write name to year file
  Move to next name
- 7. Close the file with this year's list

This procedure deletes birds not seen by simply skipping over them and not writing them on the current year list file.

The next step required entering the data on sightings of each bird by each party. The input mechanism I chose for this portion of the project was the READ-DATA combination. With this method, the data is specified in the program in non-executable statements that look like this:

# 2001 DATA 5,0,4,14,6,3,9

They are read by an executable statement (READ) elsewhere in the program. I think of this method as attaching a data file onto the end of the program. When using a PET, there is a very good reason for doing this: the PET screen editor.

The built-in editor on Commodore computers is very flexible and easy to use, not only for correcting typos, but also for duplicating lines or parts of lines. I find that entering a lot of numerical data is hard to do accurately, even when using a number pad. If such data is being input interactively, the user must be asked to confirm each item for correctness, making data entry very boring.

Using the screen editor, however, makes it relatively painless to get a complete set of correct

data via DATA lines within the program.

For this project, we needed the number of birds of each species seen by each party. I used one DATA statement for a set of three birds, with the line numbers of the statements keying back to the birds on the list. I then ran the program to combine the names from the cassette file with the data on the sightings.

- Open name file
- 2. Initialize array for names
- 3. Read in names
- 4. Close name file
- 5. Open results file on cassette
- 6. For birds from 1 to end of list in array do 6.1 Read a set of data from the sequential DATA statements
  - 6.2 Get the next name from the array 6.3 Write the name plus the data to the
  - results file
- 7. Close results file

By now you have noticed that I write intermediate steps of my processing out to cassette files frequently. This is not because I enjoy waiting for the tape read and writes. It is my insurance against radical loss. I am cautious enough about my machine and the perfection of my programs that I never want to get too far away from my last plateau. Additionally, by dividing the total project into chunks, each of the parts did not come up against the size limitation of 8K memory, while a program to do the complete project undoubtedly would have.

# Creating The Report

The next step was to actually process the data. This cycle, I read each line of data including the name from the cassette file and processed the numbers in it. I then packed it into a string variable and put it temporarily in an array. It was necessary to do this in sections because the memory is insufficient to hold the complete set of data in the array.

This was still quite convenient, though, because we found that 25 lines of data, plus a heading, fit nicely on a page for the report. We processed it in units of this size, ending up with a report with five pages of results (see the chart).

After each set of 25 was processed, we printed the needed number of copies of that page of the report, then proceeded to the next. The last page was somewhat different because of the totals, but the general process was this:

- 1. Open input file
- 2. Initialize
  - a) a string array of 25 elements
  - b) an eight-element array to read the data into (seen)

Bird Count Re	sults						
		NUMBE	ER SEE	N BY PA	ARTY		
	1	2	3	4	5	6	TOTAL
COMMON LOON	- Ø	3	Ø	Ø	0	1	4
ARCTIC LOON	- Ø	0	Ø	1	Ø	1	2
RED-THROATED LOON	- 1	Ø	Ø	4	3	1	9
LOON SP.	- Ø	40	Ø	15	Ø	8	55
RED-NECKED GREBE	- 0	Ø	0	1	0	1	2
HORNED GREBE	- 15	2	Ø	5	Ø	2	24
EARED GREBE	- 2	Ø	Ø	1	Ø	0	3
WESTERN GREBE	- 6	2	Ø	4	Ø	2	14
PIED-BILLED GREBE	- 0	7	8	2	1	14	24
DBL-CRSTD CORMORANT	- 2	12	1	2	1	1	19
BRANDT'S CORMORANT	- Ø	Ø	Ø	2	Ø	Ø	2
PELAGIC CORMORANT	- Ø	14	Ø	61	Ø	8	83
GREAT BLUE HERON	- 3	2	3	3	1	1	13
GREEN HERON	- 0	Ø	Ø	ø	Ø	1	1
GREAT EGRET	- 0	Ø	Ø	ø	1	1	2
CATTLE EGRET	- 1	Ø	Ø	ø	2	ø	3
WHISTLING SWAN	- 0	Ø	Ø	ø	1	Ø	1
GOOSE SP.	- 0	20	Ø	Ø	Ø	Ø	20
MALLARD	28	0	37	Ø	ø	Ø	65
BADWALL	- ø	6	Ø	Ø	Ø	Ø	6
PINTAIL	- 0	28	ø	ø	ø	ø	28
GREEN-WNGD TEAL	- 6	10	ø	2	ø	ø	18
AMERICAN WIGEON	- 8	ø	23	ø	Ø	2	33
RING-NECKED DUCK	- 3	ø	ø	Ø	ø	10	13
CANVASBACK	- 1	0	ø	ø	ø	2	3
YELLOW-RMPD WARBLER	- 76	34	5	46	1	650	812
PALM WARBLER	- 1	ø	ø	Ø	ø	0	1
HOUSE SPARROW	- 25	0	ø	ø	ø	20	45
	- 20	0	36	72	12	0	140
REDWINGED BLACKBIRD	- 0	ø	100	ø	6	ø	106
BREWER'S BLACKBIRD		Ø	5	ø	13	40	61
HOUSE FINCH	- 1						
PINE SISKIN			ø			5	
AMERICAN GOLDFINCH						5	
RED CROSSBILL	- ø			ø		ø	13
		2		2	1	1	
RUFOUS-SIDE TOWHEE				12	ø		
SAVANNAH SPARROW			9 70				
OREGON JUNCO					36		
WHITE-CRND SPARROW						10	
GOLDN-CRND SPARROW							
FOX SPARROW						4	
LINCOLN'S SPARROW			Ø	1		0	1
	- 17			35	1	9	
LAPLAND LONGSPUR	- 0		Ø	3	0	Ø	3
SPECIES SEEN		54		74		61	

- c) an eight-element array to count species seen by party (count)
- 3. Create the heading strings
- 4. For the first hundred birds (four sets) do
  - 4.1 For 25 data lines do
    - 4.1.1 Read a data line (name and eight numbers into seen (party))
    - 4.1.2 For each of the eight parties
      - 4.1.2.1 If bird seen by the party (not 0) Then increment count (part) by 1
    - 4.1.3 Sum numbers seen across the eight parties
    - 4.1.4 Make strings of the numbers seen and the total
    - 4.1.5 Build a string of the name, number strings, total string
    - 4.1.6 Place this output string in the string array
    - 4.1.7 Accumulate grand total of numbers seen
  - 4.2 For the number of copies of the report needed
    - 4.2.1 Print heading
    - 4.2.2 Print the set of 25 output lines
  - 4.3 Write the set of 25 output lines to a file

The process was repeated in a similar manner for the last page. Here there were fewer data lines, and at the bottom of that page, the total number of species seen by each party and the grand total of individuals and of species seen were printed.

When building the output string, the name and number strings were padded with blanks, effectively formatting the printed output. BASIC's string functions make this quite simple, and storing in one string array again saves space in memory.

Using these programs, we have been able to get reports out to participants within a week of the count. We have been pleased with the quality and attractiveness of the reports, as well as appreciating the use of our personal computer to make another hobby, birding, even more enjoyable.

# **PSST...HEY, SOFTWARE PIRATE!**

So you think you're good, huh? So you think you can crack anything ever protected on any disk, anywhere. Ha! Then just try to decode the secret message hidden on this disk. If you're the first to do it, there's a \$200 reward waitin for you at Concom Enterprises' hideout. Feel lucky? Think you're hot stuff? Go ahead. Try it...

# THE FINAL CHALLENGE

For your 16K + Atari computer with 810 disk drive \$19.95 plus \$2.00 postage and handling. Dealer inquiries invited. CONCOM ENTERPRISES. 2626 W. Touhy Avenue, Chicago. IL 60645. USA.

Members of Concom Enterprises will be the sole judges of who is the first to find the secret message. Aaron Contorer, president.

# VIC-20 CLUB

# SOFTWARE LOAN LIBRARY

Join our unique VIC-20 users club and get unlimited use of our extensive loan library of major VIC-20 software. Borrow any program for up to one month for only 10% of the list price (plus shipping and handling).

# TRY BEFORE YOU BUY

Software loan fee may be applied to later purchase if you want to keep a loaned program.

# SPECIAL PRICES

Members also get a free subscription to 20/20, the VIC-20 newsletter, and special purchase prices on all VIC-20 hardware and software from our huge catalog featuring all major producers. Membership fee only \$15 to join, plus \$10 per year dues (total of \$25 first year). Call or write for detailed information.



Rt. 3 Box 309 A 52, Clinton, TN 37716

To Order Dial 615-457-5068 For Technical Assistance 615-584-0022 After 6 p.m. EST and Weekends

Visa and Mastercard Accepted Commodore-64 Support Too!

# **COMMODORE USERS**

Join the largest, active Commodore users group in North America and get —

- Access to club library of over 3000 free programs.
- Informative club newsletter.
- The latest information about the PET, CBM, VIC, Super-PET and Commodore-64.

Send \$20.00 (\$30.00 overseas) for Associate Membership to:

# **Toronto Pet Users Group**

P.O. Box 100, Station 'S'
Toronto, Ontario, Canada M5M 4L6

### PRODUCTS FOR ATARI\* 400/800 FROM ELCOMP

### BOOKS:

ATARI BASIC - Learning by Using

An excellent book for the beginner, Many short programs and learning exercises. All important features of the ATARI computers are described (screen drawings, special sounds, keys, paddles, joysticks, specialized screen routines, graphics, sound applications, peeks, pokes, and special stuff). Also suggestions are made that challenge you to change and write program routines. Order #164

Games for the ATARI Computer

This book describes advanced programming techniques like player-missile-graphics and use of the hardware-registers. Contains many ready to run programs in BASIC and one called GUNFIGHT in machine language.

\$7.95 Order #162





Programming in 6502 Machine Language on your PET+CBI 2 complete Editor/Assemblers (Source code 3 hexdump ur PET+CBM description plus a powerful machine language monitor

ogram your ATARI in 6502 machine language on to machine language for the BASIC program

# SOFTWARE IN BASIC FOR ATARI

Invoice Writing for Small Business

This program makes writing invoices easy. Store your products in DATA statements with order-number, description, and price. The program later retrives the description and price matching to the entered order-number. The shipping cost and the discount may be calculated automatically depending on the quantity ordered or entered manually. The description to the program tells you how to change the program and adapt it to your own needs. Comes with a couple of invoice forms to write your first invoices on to it.

Order #7201 cassette version \$2!

Order #7201 Order # 7200 disk version \$39.95

Mailing List

This menu driven program allows the small business man to keep track of vendors and customers. You can search for a name or address of a certain town or for an address with a certain note, 50 addresses are put into one file.

Order #7212 cassette version \$19.95 Order #7213 disk version

**Inventory Control** 

This program is menu driven. It gives you the following options: read/store data, define items, entry editing, inventory maintenance (incomingoutgoing), reports. The products are stored with inventory number, manufacturer, reorder level, present level, code number, description.

\$19.95 Order #7214 cassette version Order #7215 disk version

Programs from Book # 164

The programs from book no. 164 on cassette. (Book included)

Order #7100

Game Package

Games on cassette. (Bomber, tennis, smart, cannon fodder, etc.) Order #7216 \$9.95

Microcomputer Hardwar landboo

Handbook (845 pages) Descriptions, pinouts and

\$29.00

specifications of the most popular microproand support chips. A MUST for the hard-

ware buff,

Order-No. 29 \$14.95

Care and Feeding of the Commodore PET

Eight chapters exploring PET hardware. Includes repair and interfacing information. Programming ricks and schematics.

Order # 150

# 

Payment: check, money order, VISA, MASTER-CHARGE, Euroscheck.
Orders from outside USA: add 15% shipping. CA residents add 6.5% tax
\*ATARI is a registered trademark of ATARI line.

VIC-20 is a registered trademark of Commo

# SOFTWARE IN MACHINE LANGUAGE for ATARI ATMONA-1

This is a machine language monitor that provides you with the most important commands for programming in machine-language, Disassemble, dump (hex and ASCII), change memory location, block transfer, fill memory block, save and load machine-language programs, start programs. Printer option via different interfaces.

cassette version \$19.95 Order #7023 disk version \$24.95 Order # 7024 cartridge version \$59,00

ATMONA-2

This is a tracer (debugger) that lets you explore the ATARI RAM/ROM area. You can stop at previously selected address, opcode, or operand. Also very valuable in understanding the microprocessor. At each stop, all registers of the CPU may be changed. Includes ATMONA-1.

Order #7049 Order #7050 cassette version \$49.95 disk version

ATMAS

Macro-Assembler for ATARI-800/48k. One of the powerful editor assemblers on the market. Versatile editor with scrolling. Up to 17k of source-Code. Very fast, translates 5k source-code in about 5 seconds. Source code can be saved on disk or cassette. (Includes ATMONA-1)

Order #7099 Order #7999 disk version \$89.00 \$129.00 cartridge version

ATAS

Same as ATMAS but without macro-capability. 32k RAM Order #7098 \$49.95

48k RAM

\$49.95

ATEXT-1

This wordprocessor is an excellent buy for your money. It features screen oriented editing, scrolling, string search (even nested), left and right margin justification. Over 30 commands. Text can be saved on disk or cassette.

Order #7210 \$29.95 Order #7216 disk version \$34.95 Order #7217 cartridge version

GUNFIGHT

This game (8k machine-language) needs two joysticks. Animation and sound. Two cowboys fight against each other. Comes on a bootable cassette.

Order #7207 \$10.05

# FORTH for the ATARI

FORTH from Elcomp Publishing, Inc. is an extended Fig-Forth-version, Editor and I/O package included. Utility package includes decompiler, sector copy, Hex-(ASCII), ATARI Filehandling, total graphic and sound, joystick program and player missile.

Extremely powerful! Order # 7055 disk Floating point package with trigonometric functions

Order #7230 \$29.95 disk

Learn-FORTH from Elcomp Publishing, Inc. A subset of Fig-Forth for the beginner. On disk (32k RAM) or on cassette (16k RAM).

\$19.95

# Expansion boards for the APPLE II



The Custom Apple + Other Mysteries A complete guide to customizing the Apple Software und Hardware Order-No. 680 \$24.95

We also stock the boards which are we also stock the board used in the book "T Apple..." (barebords) 6522 I/O Board No. 605 EPROM Burner No. 607 8K EPROM/RAM Board "The Custom

No. 609 \$29.00

Prototyping board for the Apple II No. 604
Slot repeater board for the Apple II No. 604
Order two boards and set the book free I \$29.00 \$49.00

COMING SOON! ORDER NOW!

A Look in the future with your ATARI (Astrology and how to do your own horoscope ATARI BOO, Order No. 171
FORTH on the ATARI — Learning by Using

**ELCOMP PUBLISHING, INC** 53 Redrock Lane Pomona, CA 91766 Phone: (714) 623 8314

Software for ATARI VIC-20 OSI SINCLAIR

TIMEX

**Books** 

# Hardware - ADD-ONS for ATARI

PRINTER INTERFACE

This construction article comes with printed circuit board and software. You can use the EPSON printer without the ATARI printer interface, (Works with nameports 3 and 4).

Order #7211

RS-232 Interface for your ATARI 400/800
Software with connector and construction article.

Order #7291 \$19 95

**EPROM BURNER for ATARI 400/800** Works with gameports. No additional power supply needed. Comes compl. assembled with software

(2716, 2732, 2532). Order #7042

**EPROM BURNER for ATARI 400/800 KIT** 

Printed circuit board incl. Software and extensive construction article. Order #7292

EPROM BOARD (CARTRIDGE)
Holds two 4k EPROMs (2532). EPROMs not included. Order #7043 \$29 95





EPROM BOARD KIT Same as above but bare board only with description.

# ATARI, VIC-20, Sinclair, Timex and OSI

New - for your ATARI 400/800

Astrology and Biorythm for ATARI (cass. or disk). Order #7223 \$29.95 \$29.95

Birth control with the ATARI (Knaus Ogino) Order #7222 cass, or disk \$29.95

Books + Software for VIC-20 (requires 3k RAM Exp.) # 4870 Wordprocessor for VIC-20, 8k RAM \$19.95 # 4883 Mailing List for VIC-20, 16k RAM \$19.95 # 141 Tricks for VICs - The VICstory Progr. \$9.95

# 4881 GAMEPACK I (3 Games) \$14.95 #4885 Dual Joystick Instruction \$9.95 INPUT/OUTPUT Programming with your VIC

\$9.95 Order # 4886 \$19.95 #4896 Miniassembler for VIC-20 #4881 Tennis, Squash, Break #4894 Runfill for VIC \$9.95

Universal Experimenter Board for the VIC-20

(Save money with this great board). This board plugs right into the expansion slot of the VIC-20. The board contains a large prototyping area for your own circuit design and expansion. The construction article shows you how to build your own 3k RAM expander and ROM-board.

Order # 4844 \$18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9.95 #2398 Mailing List \$19.95

Programming in BASIC and machine language with the ZX-81 (82) or TIMEX 1000. Order # 140 (book)

\$9.95 Books for OSI The First Book of Ohio \$7.95 The Second Book of Ohio

#158 \$7.95 \$7.95 The Third Book of Ohio \$7.95 \$7.95 #160 The Fourth Book of Ohio #161 The Fifth Book of Ohio \$9.95 #151 8K Microsoft BASIC Ref. Man. # 152 Expansion Handbook for 6502 and 6802 \$9.95 #153 Microcomputer Appl. Notes

Complex Sound Generation
New revised applications manual for the Texas
Instruments SN 76477 Complex Sound Generator.
\$6.95

Small Business Programs Order # 156

Complete listings for the business user. Inventory, Invoice Writing, Mailing List and much more. Introduction to Business Applications.

# **High Resolution Turtle Graphics**

# Connecting The Strobe Pen Plotter To Apple Turtle PILOT

David D Thornburg, Associate Editor

There comes a time when most users of turtle graphics wish they could get higher resolution pictures than those shown on the display screen. The easiest way to accomplish this is to connect the computer to a graphic pen plotter. Pen plotters have been available for many years, but it is only recently that their cost has dropped to the point that they are affordable to home computer users.

Of the various low-price plotters, the Strobe Model 100 has a price of under \$800 (including Apple interface card and software), and has a resolution of 0.002 inches in both axes. It uses inexpensive fine-point pens from the corner drugstore, and plots on plain 8½ x 11 paper. With special pens, it can also plot directly onto plastic sheets for overhead transparencies.

While Strobe provides several application packages for various business and other graphic applications, the plotter can also be interfaced to any program written in Applesoft BASIC. In order to use the plotter with your own programs, you must first load the printer driver program (supplied). Since this program resides just above memory location 35071 and is executed with the Applesoft CALL command, I have not found a way to use this plotter directly from Logo. Anyone who has solved this problem is invited to write about it!

# **Modify PILOT**

Devout turtlers need not feel depressed, however, since the Turtle PILOT language by Alan Poole (published in the September 1982 issue of **COM-**

**PUTE!**) is written in Applesoft.

This language system consists of two programs – an editor for creating PILOT listings, and a translator that converts the PILOT program to Applesoft and appends the necessary BASIC utilities needed to make everything work properly. To interface the plotter to the language, one needs only to modify two subroutines and add one new subroutine to the translator program. To keep these programs clear, I will show only the changes that are to be made in the program published in Poole's original article. If you used different line numbers in your version, in order to see where you should put them you will have to compare these changes with the original listing.

The modifications to the translator perform

three tasks:

- 1. We must load the plotter driver routine and initialize the system. Since the routine starting at line 50000 is used at the beginning of every translated program, this is where we will add these tasks.
- 2. We must add plotter commands after the screen drawing commands so that our plotted image will appear at the same time it is being drawn on the screen. The screen drawing routine begins at line 55000, so this is where we will make these changes.
- 3. Finally, we need to add a routine that scales the plot commands for the paper size and plotter resolution, sets the pen in the up or down position as appropriate, and ships this assemblage of data to the plotter for execution. We will create this routine starting at line 56000.

Because all the changes are in that portion of the translator appended to each translated program, only one tiny change needs to be made in the PILOT programs themselves. As implemented, the command G:GOTO x,y will only be executed when the next G:DRAW command is given. If you are moving the turtle to a new loction X,Y with the pen up, you can execute this on the plotter with the sequence:

# G:PEN UP;GOTO X,Y;DRAW 0;PEN DOWN

The function of the DRAW 0 command is to force the plotter to carry this motion out before setting

the pen down.


Except for the small inconvenience of adding the extra DRAW 0 commands after each GOTO, any of your existing PILOT turtle graphics programs will run on the plotter as soon as they have been re-translated. I recommend using the original translator for making sure the picture fits on the screen and otherwise does what you want. Once this is done, you can use the modified translator (called, for example, TRANSPLOT) to generate the BASIC program that will both draw pictures on the display and plot them on the plotter at the same time.

To try out the plotter, I entered the following PILOT program:

\*SQUIRAL

G: CREAL
C:A=0
\*LABEL
G:DRAW A
G:TURN 91
C:A=A+1
J(A<100):\*LABEL
E:

When this was translated and run, I was able to get a beautiful squiral pattern that was devoid of the jaggies one gets with a raster display screen.




As you create pictures of your own, you will want to change pen colors every so often in the middle of a drawing. An easy way to do this is to use the following procedure when you want to change colors:

\*QUERY
T:CHANGE PEN AND PRESS RETURN
A:
E:

This will stop the execution of the program while you change pens. When you are ready to start plotting again, just press RETURN.

The following figures are but a small indication of the pleasures that await those of you who want to increase the resolution of your turtle



The changes to be made in the *Translator* program of Apple Turtle PILOT include:

1. Set up procedure:

50000 PRINT CHR\$(4);"BLOAD PLOT1.8" 50002 HIMEM: 35071 50004 CALL 35081 50006 DIM Q\$(25),QS(31) 50008 QP=1:QX=0:QY=0:GOSUB 56000:QP=0

2. Modify drawing routine:

55004 GOSUB 56000 55045 IF QP = 1 THEN GOSUB 56000 55060 HPLOT TO QX + 139.0005, -QY + 80.0005: GOSUB 56000 55070 RETURN

3. Add plotter routine:

56000 XI = 20\*(QX + 137.5): YI = 20\*(QY + 106.25):P% = OP + 256010 IF XI < 0 THEN XI = XI + 65536 56020 IX% = XI/25656030 POKE 35085,IX% 56040 IX% = XI-IX%\*256 56050 POKE 35084,IX% 56060 IF YI < 0 THEN YI = YI + 65536 56070 IY% = YI/256 56080 POKE 35087,IY% 56090 IY% = YI-IY% \*256 56100 POKE 35086,IY% 56110 IF P% < 0 THEN P% = P% + 255 56120 POKE 35088,P% 56130 CALL 35072 **56140 RETURN** 

*Note:* If you are extremely picky about plotting accuracy, add the line:


# 56005 XI = XI\*1.0007506:YI = YI\*1.0198781

Any disk that contains programs generated with *Transplot* also needs to have a copy of the Strobe program *Plot*1.8. To copy this program to your disk, place any Strobe disk in your Apple and enter:

# **BLOAD PLOT1.8**

Next, insert your program disk and enter:

BSAVE PLOT1.8, A\$8900, L\$6E0



0

# REVIEWS

# **Apple Educational Games**

Sheila Cory, Chapel Hill, NC

f you are either a teacher or a parent of young children and have access to an Apple II + computer with 48K and a disk drive, there is some software available that you should know about. Produced by The Learning Company, it's specifically designed for preschool and elementary-school youngsters.

This review covers three packages of programs. The first, Juggles' Rainbow, is designed for children aged three to six. The second, Bumble Games, is for ages four to ten, and the third, Bumble Plot, eight to thirteen. All three packages are well designed, and the sequence of the material progresses logically.

# **Juggles' Rainbow**

Juggles' Rainbow is a welcome addition to the small amount of good software for the preschool, kindergarten, and first grade set. Frequently, teachers of very young children are left out when computers are discussed in faculty meetings or workshops, and feel that there's not much that can be done with the computer for children who don't yet have reading skills. It takes great sensitivity to the particular qualities of children of this age to produce software that is interesting, challenging without being too difficult, and educationally sound. Juggles' Rainbow shows this sensitivity.

Juggles' Rainbow consists of three programs for children, and one program for teachers or par-

ents. The children's programs are Juggles' Rainbow (the name is used for the entire package and for one of the programs within the package), Juggles' Butterfly, and Juggles' Windmill. The adults' program, called The Big Question Mark, allows the setting of options such as whether sound should be included in the program, whether the child should be given picture and word or just word clues, and gives instructions for dividing the keyboard into halves and quarters for some of the exercises.

Juggles' Rainbow is designed to reinforce the teaching of the concepts of above and below. The program divides the keyboard into an upper and a lower section with a blue strip of cardboard that is provided with the diskette. A blue line appears on the screen. Children find that when they depress a key below the keyboard divider, a colorful vertical line appears below the blue screen line, and when a key is depressed above the keyboard divider, a colorful line appears above the screen line.

The next segment of this program prompts the user to depress keys above and below the keyboard divider to color in outlined bars above and below the blue screen line. The third segment allows the child to apply his skill with above and below to create a colorful rainbow.

Juggles' Butterfly reinforces the concepts of *left* and *right*.

Again the keyboard is divided with a provided blue strip, but this time the division is in a vertical direction, creating a left and right section of the keyboard. The program works basically the same way as Juggles' Rainbow, but the final segment allows the child to create a marvelous butterfly by applying color to the right and left sides of the butterfly body as keys to the right or left of the keyboard divider are depressed.

Juggles' Windmill takes the learning one step further by having the child depress keys above (or below) the horizontal keyboard divider and to the left (or right) of the vertical divider. The culmination of this activity is the creation of a windmill that would delight a very young child.

Luring our four-year-old visitor, Christopher, away from his LEGO project to try out these programs was difficult, but they quickly absorbed him. This was not only his first opportunity to use the programs, but was also his first time using a computer. A good deal of adult guidance was needed to help him figure out what he was supposed to do, and to extend the learning. This program could make ideal use of a classroom volunteer or older child whose role would be to talk through the concepts, exclaim over the results, and guide the discoveries made using the computer.

One problem Christopher had was keeping the cardboard keyboard dividers in place. I recommend that a piece of heavy blue yarn be used instead of the cardboard. The yarn could be

placed between the second and third rows of the keyboard, rather than over the third row as suggested in the manual, and the varn could be securely taped in place at each end. A similar procedure could be used for the vertical keyboard divider. Christopher's interest in the activity lasted about ten minutes, giving him time to get through Juggles' Rainbow and begin Juggles' Butterfly. His enjoyment of the activity was evident when he asked me if he could play the rainbow game again before he went home.

# **Bumble Games**

Bumble Games introduces the delightful Bumble, who is the central character in all of the programs in Bumble Games and Bumble Plot. The learning objective in Bumble Games is to teach the graphing of positive numbers. Some of the concepts covered are also covered in the MECC (Minnesota Educational Computing Consortium) game of Hurkle. The Bumble Games diskette contains six programs, each one progressively more sophisticated. The sequence is excellent, extending the learning by a small degree with each successive game.

The program Find Your Number begins the sequence by giving practice in finding a number between zero and five that Bumble has secretly chosen. The child is shown a horizontal or a vertical number line with the numbers zero to five on it, and makes a guess. Bumble responds with a left or right arrow in the case of a horizontal number line, and an up or down arrow in the case of a vertical number line, indicating whether the next number guessed should be more or less than the present guess. The horizontal and vertical number lines begin preparing children for an X and Y axis that they'll see in a later program. When the number is guessed, the child gets a colorful display

of the number, accompanied by tones representing the number. If two children want to play this game, Bumble will select two numbers.

Find the Bumble introduces a four-by-four grid, cleverly differentiating the X and Y axes by labeling one with letters and one with numbers. Bumble hides in one of the boxes formed by the grid, and the child must find Bumble by naming the coordinates of his box. Bumble is very helpful, telling the child to pick bigger or smaller numbers for the Y axis, and letters to the left or to the right for the X axis. When Bumble is found, his friendly, bigger-than-life image appears on the screen.

Butterfly Hunt has Bumble out searching for his lost butterfly. This game works very much like Find the Bumble, but a slightly larger grid prepares the child for the next game, Visit


From Space.

Visit From Space introduces the idea that the intersection of two lines in a grid can be named by using a number on the bottom of the grid and one at the side. In this game, both X and Y axes are labeled with numbers. The object of the game is for the child to find Bumble's cousin who has flown in from outer space and is hiding in his spaceship somewhere on the grid. Very clear graphic and written clues help the child learn to locate exactly the intersection he wants to guess. When the spaceship is finally found, it zooms across the screen, making appropriate outer-space noises!

Tic Tac Toc is a game for two players, similar to the more conventional tic tac toe. The idea is for the child to get four markers in a horizontal, vertical, or diagonal line before his or her opponent does. The game screen consists of a five-by-five grid, and a marker is placed by naming the coordinates of the desired position.

The board is somewhat con-

# Join the parade to



# educational software

Send for free catalogs Specify: Pet • VIC • TI • Apple

- Commodore 64
- TRS-80 Color Computer
- TRS-80 Model III
- Atari

telephone us at 612-926-2292

Micro-Ed Inc. P.O. Box 24156 Minneapolis, MN 55424 fusing to the beginning player; it would be helpful for the teacher to make a similar board on a transparency and use the overhead projector to play the game a few times with the whole class before children begin to play the game on the computer. The game does give excellent practice in naming points on a grid. It is just different enough from tic tac toe to be interesting.

Bumble Dots extends the grid to ten-by-ten. In this game, Bumble helps the child draw dot-to-dot pictures. A dot appears on the grid, and the child is asked to name it. When the first dot is successfully named, a second dot appears, and when that is successfully named, a line is drawn to connect the dots. This procedure continues until a whole picture is drawn.

The child can also make his own picture by naming coordinates for Bumble to connect. Bumble first asks the child how many dots will be in his picture. Since this is difficult for a child to ascertain in advance, it would be helpful if the teacher had the children first draw a picture using three to nine dots on a piece of graph paper, and then bring that picture to the computer when their turn comes. Children would then be all set to answer Bumble's question about the number of dots needed for the picture. The Learning Company, in developing this program, recognized the fact that generations of children have loved dot-to-dot pictures, and that a natural progression of learning can take place by tapping into this love.

# **Bumble Plot**

Bumble Plot extends the learning about grids to include negative numbers. It consists of five programs, again carefully sequenced to take the child comfortably through the steps culminating with naming points on a ten-byten grid where negative numbers are used and the 0,0 point is in

the middle. The sequence starts with Trap and Guess, where the child tries to trap Bumble's secret number on a minus three to plus three horizontal or vertical number line. Bumblebug has Bumble hopping around on a grid; the object is to set traps for him to jump into! In Hidden Treasure, the child searches for invisible treasures on a ten-byten grid with negative numbers. I found a ship's anchor, a diamond ring, a friendly octopus, and a golden crown! Children would enjoy a worksheet where they could show what they found and where they found it when they played the game. These worksheets could be displayed on the bulletin board above the computer.

Bumble Art is similar to
Bumble Dots, but contains negative numbers in the grid. The
most action-packed game of the
series is Roadblock. The object
of this game is to build
roadblocks to surround the bank
robber before he gets away. This,
of course, all takes place on a
minus-five by plus-five grid,
providing wonderful practice in
the skills that have been developed through all of the other
games.

All three of the packages reviewed here share some very positive qualities. They all contain excellent graphics; they use sound appropriately to enhance the learning or entertainment value of the program, and sound can be turned off if it provides a distraction in the classroom. The programs are very user friendly, take all kinds of input without bombing, give the user excellent prompts, and have very carefully formatted screen displays.

Manuals are well illustrated and appealing. Each one gives instructions on how to load the diskette and a little information about each program. It would have been very useful to have included suggestions for teachers about things to talk about before each program, and

appropriate worksheets for follow-up activities.

The company will send you a set of activity cards for free when you send back the owner registration card. This card also entitles you to purchase a backup diskette for \$12. No teacher should ever use software in the classroom without having a backup diskette.

I suspect that schools that purchase software from The Learning Company will have a new little character joining Snoopy and The Cat In The Hat in adorning their bulletin boards. Bumble has great personal appeal and represents software that is both educationally sound and fun to use.

Juggles' Rainbow (\$45) Bumble Games (\$60) Bumble Plot (\$60) The Learning Co. 4370 Alpine Road Portola Valley, CA 94025

# PROMQUEEN

(VIC-20 Hardware)

Harvey B. Herman, Associate Editor

he hardware reviewed here will be of interest to a select group of **COMPUTE!** readers. If you own a VIC and have the need to "burn EPROMs," you should consider this cartridge. On the other hand, if you are completely befuddled by the previous sentence, go to the next article; save \$200.

I was excited when I received the PROMQUEEN for review, as it was just what I needed. Several pieces of computer-related equipment which I use daily contain EPROMs (Erasable Programmable Read Only Memory chips). What would I do if one failed and I had no way to replace it? The PROMQUEEN promised to solve this potential problem, even for one like myself, who had never programmed an EPROM before.

It is misleading to think of the PROMQUEEN exclusively as

hardware. What is visible, of course, is a cartridge (hardware), which plugs into the memory expansion port of the VIC. But it also comes with essential software (actually firmware on EPROM) without which the hardware would be useless. A 25-page instruction manual is included as well.

The major function of this product is to allow the user to conveniently burn EPROMs. That is, data is to be stored into an erased EPROM so that it will be there the next day even after power has been turned off. This data can be copied from a previously programmed EPROM or typed in from scratch using the monitor program provided.

I was a little apprehensive on my maiden EPROM burning session. First, an EPROM had to be erased. No problem here. I used a shortwave ultraviolet mineral lamp (2537 A wavelength). The shortest erase time I tried was 40 minutes. If you don't have one of these lying around, there are several advertised units which should be satisfactory.

Next, I attempted a copy of the EPROM Hexkit program which comes with the PROM-OUEEN. The instructions were somewhat confusing. It was not immediately clear that there is both RAM and ROM memory in the package and that you have the option of moving these around by switches. The ROM memory is only there if an EPROM is plugged into the external socket. However, I was using a preliminary manual. The manufacturer promises that an improved manual will be available shortly.

The burning of an EPROM is actually easy once you know what you are doing. The procedure is:

- 1. Insert the Hexkit EPROM in the zero insertion force socket (ZIF).
- 2. Set the switches correctly.
- **3.** Transfer the program to the VIC RAM with a SYS call.

- 4. Insert the EPROM to be copied.
- 5. Transfer the EPROM data to the PROMQUEEN RAM using the transfer function of Hexkit.
- **6.** Insert the erased EPROM (2716, 2732 or 2732A a 2532 will not work).
- 7. Use the burn function of Hexkit. The software first checks for a properly erased EPROM and later verifies the burn. After several false starts, I had successfully burned my first EPROM.

I have not described all of the features of the PROM-QUEEN. The Hexkit program has many other features in addition to the burn function. It also uses color effectively: red screen when burning, for example. The hardware has lights (LEDs) which minimize the chance of error. It can also be used to emulate a ROM when working with other computers.

As with most equipment, I can cite good and bad features. The cartridge is well-constructed and easy to use once you know how. However, the version I tested included confusing directions and it is priced at more than twice what a similar system for the PET goes for. Nevertheless, if you need an EPROM burner and already own a VIC, this could be the best way to get one.

**PROMQUEEN** 

Gloucester Computer Bus Co. 6 Brooks Road Gloucester, MA 01930 \$199

To receive additional information from advertisers in this issue, use the handy reader service cards in the back of the magazine.

VIC-20 w/8K & CBM-64

# RAPIDWRITER

# The Finest Word Processor For VIC Computers

From Mailing Labels To Manuscripts
Editing Freedom - Editing Speed
It Does It All

For VIC-1515/25 Serial or Parallel Printers Rapidwriter Wordprocessing On Disk or Tape Program w/manual and tutorial \$39.95

# NOW RAPIDWRITER PLUS!

Mail Merge, Acct'g & Communications Complete The System

Everything You Need To Put Your VIC to Work Incld. Disk Utilities \$79.95

# RAPIDWRITER

91 Long Hill Rd. Leverett, MA 01054 413-549-3744

Rapidwriter (c) H.D. Mfg. Inc. 1982
All rights reserved

# DYNABYTE SOFTWARE TM

By TSASA, INC.

EXPLODING!!

WITH
BUSINESS AND
HOME SOFTWARE
For The

- COMMODORE 64
- VIC 20


0

- TRS-80 CC
- ATARI 400/800

Over 65 Cassettes Avail. \$8.95-\$29.95

# FREE CATALOG

DYNABYTE SOFTWARE



# **Preppie! For Atari**

Mike Kinnamon, Stillwater, OK

ook out, Star Raiders! Move over, Pac-Man! Preppie! is here. It is time to return from patrolling the deep fringes of space and reduce your gluttonous intake of caloric maze candies. Now you can work off those extra pounds and breathe clean fresh air right here on Earth at your local golf course retrieving golf balls.

Preppie!, an arcade game for one or two players, embodies all the arcade game characteristics that take a player beyond mere enjoyment to truly enthusiastic excitement. The author, Russ Wetmore, is to be highly commended for the thoroughness and detail of his programming efforts. This program easily ranks among the best games to appear for the Atari computer to date.

# **Superb Graphics**

Preppie! fully exploits the Atari graphics capabilities. I have seen no other game use as many different colors as this one. The detail given the objects is superb. The golf carts have steering wheels and bumpers. The treads of the bulldozers rotate. The alligators have wrinkled skin and sharp, white teeth. The logs display growth rings and peeling bark. The frog extends his limbs when leaping. Preppie's knees flex when he jumps. He even has the obligatory knit emblem on his shirt. The blades of the lawnmowers rotate. Even the title page and scoreboard are unique. Add all these details together, and you get a graphics display that commands everyone's attention.

As if graphics weren't enough, there is some fine music as well. As your Preppie moves,

a bell rings to indicate passage from one line to the next and increases in your score. Should your Preppie be mauled by a marauding mower or poisoned by the infamous frog, a short funeral march is played. Falling into the water elicits yet another sound, as does retrieving or returning a golf ball from the rough.

# **Deadly Water Hazards**

Enough aesthetics. How do you play *Preppie!*? The object of the game is to maneuver your Preppie across the fairway and the treacherous river into the rough, retrieving golf balls and returning them safely to the greens. You begin play by selecting one or two players. If two are playing, you have the option of using one or two joysticks. Now press the START key and begin the fun.

You start with three Preppies. Your journey is fraught with many dangers. You must negotiate a path that avoids contact with speeding golf carts, razor-sharp lawnmowers, killer bulldozers, and a poisonous frog. Then you must ford the river using moving boats, logs, and alligators as stepping stones. Should you survive to this point, you will find yourself in the rough, where most of the golf balls will appear. Pick up a golf ball, but be careful you don't fall into a water hole.

Now you must make your way back to the green via the same mobile hazards as before. Upon retrieving all the golf balls on the green, you will be advanced to the next higher level and will increase your score according to the amount of time

increments remaining on the timer bar. Should the timer expire before you complete your mission, you lose a Preppie and must repeat the level you are on.

There are ten levels of play in Preppie!. You may start the game at level one or choose a higher level up to nine by pressing the appropriate number on your keyboard before hitting the START key. Each successively higher level increases the speed of the hazards. At certain levels you will be confronted with new hazards or an increase in the number of golf balls, up to four. Level ten can be reached only after you have successfully completed level nine. An extra Preppie is awarded when you reach a score of 8000.

Be sure to take the time to read the short story at the front of the instruction book. It gives you an uproariously entertaining and irreverent view of what a Preppie is.

The most surprising aspect of *Preppie!* is that Adventure International is the marketer of the program. AI, famous for its excellent text and graphics adventure programs, makes its first excursion into the world of arcade gaming with *Preppie!*.

The disk version contains a high-resolution picture not found on the tape version at the opening of the game. Disk users are offered a chance to purchase a back-up copy for \$3.99.

If you are looking for a game that will please all ages, *Preppie!* is it. I have used this game in my school classrooms with kids ranging in age from five to thirteen, and they all loved to play it. It has replaced *Pac-Man* as their favorite game. Get *Preppie!*. It will entertain the kids and impress your friends.

Preppie!
Adventure International
Box 3435
Longwood, FL 32750
16K Tape
32K Disk
\$29.95

# ATARI PRICE WAR APPLE

# WE WILL NOT BE UNDERSOLD

**ATARI HARDWARE** 

# **ATARI SOFTWARE**

Pacman Cart .....

ATARI, INC.

# **APPLE SOFTWARE**

4195

# 800 48K 619.95



810 Disk Drive	41995
400 16K	25995
400 48K	40995
850 Interface	15595
410 Program Recorder	7195
INTEC RAM BOARDS	
(Lifetime Warranty)	
16K 800	4495
32K 400/800	6495
48K 400	14495
PRINTERS	
Encon MYROFT	47095

	-)	
		S
810 Disk Drive	419 <sup>95</sup> 259 <sup>95</sup>	D
400 48K	40995	T
850 Interface	15595	S
410 Program Recorder	7195	0
INTEC RAM BOARDS		F
(Lifetime Warranty)		R
16K 800	4495	
32K 400/800	6495	S
48K 400	14495	0
PRINTERS		S
Epson MX80FT	47995	ı
Epson MX100	66995	-
NEC 8023AC	45995	Z
Cable for 850 to printer	2995	
		(
PERCOM DISK DRIVES	The second second	F
Atari 1st Drive	57995	U
Atari 2nd Drive	35995	F
BOOKS		G
BOOKS	4.405	V
Your ATARI Computer	14 <sup>95</sup> 11 <sup>95</sup>	
ATARI Games & Recreation	1122	5
BLANK DISKS 51/4" S.S., S.D.		S
Elephant Box of 10	2195	В
Verbatim Box of-10	2995	٧
Verbatilii Box 01-10	29.0	5
JOYSTICKS		F
Wico (1 Year Warranty)		C
Red Ball	2495	A
TrackBall	4995	P
monban	70	

Centipede Cart	2995
Educator	11995
Programmer	5495
Entertainer	6995
BRODERBUND	
Choplifter 48KD	2495
David's Midnight Magic 48KD	2495
Star Blazer 32KD	2295
COSMI	
Crypts of Plumbous 16KC	795
16KD	1235
Spider Invasion 16KC	1035
16KD	1595
DATASOFT	
Text Wizard 32KD	6995
Spell Wizard 48KD	5595
O'Riley's Mine 16K D/C	2495
Fathoms Forty 16K D/C	2495
Rosen's Brigade 16K D/C	2495
Sands of Egypt 16KD	2795
Canyon Climber 16K D/C	2195
Shooting Arcade 16K D/C	2195
DON'T ACK COETWARE	
DON'T ASK SOFTWARE	4405
S.A.M. (Software Automatic Mouth) 8KD	4195
INFOCOM	
Zork I or II 32KD	2795
Deadline 32KD	3495
ONLINE	
ON-LINE	0.405
Frogger C/D	2495

Ultima I D	2795
ROKLAN	
Gorf D	. 2795
Wizard of Wor 32KD	2795
SIRIUS	
Sneakers 48KD	. 2195
Bandits 48KD	. 2495
Way Out 48KD	
SYNAPSE	
File Manager + 40KD	6995
Claim Jumper C/D	

SYNAPSE	
File Manager + 40KD	69
Claim Jumper C/D	24
Apocalypse C/D	24
Picknick Paranoia C/D	24
Raptillian C/D	24

BRODERBUND				
Arondo Machino				

2995

	Alcaue Macillie	
	David's Midnight Magic	2495
	Choplifter	2495
	Star Blazer	2295
	Track Attack	2195
	Payroll	27495
	General Ledger W/Payables	34495
,	General Ledger W/Receivables	34495
,	Sea Fox	2195
)	Hard Hat Noah	2195

# ONLI INE

195 195
195
100
995
595
995
495
195
195
995

SIRIUS	
Way Out	279
Free Fall	219
Bandits	249
Borg	219
Sneakers	219
Joy Port	549
MISC	

MISC.	
Bookeeper Master	629
Bookeeper Check Writer	279
Visicalc 3.3	1749
Visifile	1749
Financial Partner	1749
Zork I or II	279
Wordstar	2599
Data Star	2199
HADDWADE	
HARDWARE	

System Saver	6995
Microsoft Softcard	27995
Microsoft Ramcard	14995
Versawriter	22995
DAMA DOMES	

UNIA DUIATO	
1st Drive W/Controller	38995
2nd Drive	31495

ORDERING INFORMATION: ABOVE PRICES ARE FOR PREPAID ORDERS. VISA, M/C ADD 3%. ADD \$2.50 FOR SOFTWARE ORDERS. 3% FOR HARDWARE ORDERS.
FOREIGN INQUIRIES INVITED — ADD 10% SHIPPING (INCLUDES CANADA) CALIFORNIA RESIDENTS ADD 6% SALES TAX. 30% DISCOUNTS ON ATARI, APPLE, IBM & TRS-80 SOFTWARE.



290 North 10th Street Post Office Box 1516 Colton, CA 92324-0821



Order Number Call TOLL FREE 800-652-8391
Inside California & All Other Inquiries (714) 783-0556
PRICES ON AD EXPIRE JANUARY 31, 1983

CALL OR WRITE FOR FREE CATALOG, PLEASE SPECIFY COMPUTER TYPE.

# Player ZX81 A Tune-Playing Program For The Sinclair/Timex

Arthur B. Hunkins, School of Music, University of North Carolina, Greensboro

layer ZX81 is a 1K tune-playing program available in versions for all Sinclair/
Timexes (including 4K ROM).
Although each cassette is specific to a single version, the six pages of instructions cover them all. For anyone interested in coding tunes into the Sinclair and playing them back – over and over again if you wish – the \$6.95 spent on this program is a bargain.

This is especially true considering the fact that you also get 81 Space Muse-AK, a program

that randomly generates and plays 127 pitches and rhythms, generates another set, etc. In short, it's guaranteed to drive you and your neighbors batty – a kind of mindless musical autopilot.

The procedure in *Player ZX81* is to code a duration number (all durations are relative) and pitch value (from the handy pitch table) for each note. You can have, even on a 1K machine, up to 127 notes. The limitations are these: 1) The single tone color available is a square wave; 2) Only pitches from the B above middle C on up are available (i.e., *high* pitches); 3) You can't easily do rests, but I'll describe a fix for this presently.

The external hardware required is a high-gain amplifier/speaker. A Radio Shack mini- or telephone amplifier/speaker at \$10-\$12 will do the job nicely. Or you can use a regular hi-fi amplifier, connecting to its

phono input.

# **Versatile Modifications**

Several program modifications lend further versatility.

All modifications start with two steps: 1) Omit the recommended protecting of high memory while making the modification; and 2) Immediately after loading, POKE 16544,28 and POKE 16600,28 – this renders the BASIC code accessible.

One thing you may want to do is to relocate the note table according to how much memory you have and what you may want to add to the program. First, POKE 16549 with the same value you'll POKE into 16389. namely the page number for the beginning of the table. The lowest possible number is 67, the top page of 1K. Each additional K of memory is four pages; for example, the top page of a 2K Timex is 71. Whatever starting page you choose, change the memory location in statements 105 and 120 to 256\*page number, and to this value + 1 in line 117.

If you want a single play, instead of infinite repeat, delete statement 150. Or insert a PAUSE statement, a do-nothing FOR/NEXT loop, between 140 and 150 in order to space the repeats. Or again, use a statement 145 IF INKEY\$ = "" THEN GOTO 145, to wait until you press a key.

If you have more than 1K memory, you may wish to use it to code longer songs. What you have to change here is line 95. The principle is this: a page of memory holds 127 notes; two pages hold 255. Subtract one from these numbers, and multiply by two to get the loop value to plug in line 95. Given available memory, there is no limit to the number of notes you may specify.

I mentioned the problem of rests. Here we have to modify the machine language routine itself, by changing statement 10 (in the process you can lop off the final zero in the statement, if you like). Be sure to follow these instructions *precisely*; any mis-

# When You Buy Quality . . .



Protect With Quality.

# **AVAILABLE FOR**

North Star Super Brain Vector Graphic Kay Pro II Osborne TRS 80 II, III M. T. I. CBM 8032 Epson MX Series Okidata ML Series TRS 80 V-VIII

Leave your computer set up and ready for instant access; provide protection for your investment with a custom designed, professional touch for your home or office.

The best in its class, our new concept PROTECTIVE COVERS were designed to be functional with the user and observer in mind.

# COMPARE THESE FEATURES:

- protects against dust, dirt and surface scratches
- unlike vinyl, plastic or nylon covers, static electricity is not a problem
- lint free, top quality broadcloth (65% polyester, 35% cotton) allows ventilation; minimizes risk of condensation
- durable; washable needs no ironing; maintains proper size and shape
- designed, manufactured and packed in U.S.A.; comes with a warranty against defects in material and workmanship.
- available in Cranberry, Navy or Pewter (each piped in contrasting color) to compliment any decor.

AN IDEAL GIFT: HELP KEEP YOUR INVESTMENT LOOKING AND PERFORMING LIKE NEW!

Custom Designers and Manufacturers of Computer Dust Covers —

City	State	Zip.	Phone	
Select Color: Navy MONOGRAMMING: (Add \$6.00 delivery. We cannot accep	Pewter Cranbei per cover, and allow 5 extra d t returns on monogrammed	rry 🗆	Shipping Monogramming (TN residents add .90 sales tax)	15.00

takes or omissions will cause a system crash. The idea is to reserve the frequency value of 255 as a flag for the rest specified as the duration value. In other words, every time a frequency of 255 is specified, you get a rest instead.

Bring statement 10 down to the bottom of the screen for editing. Locate the <= character. Add the following sequence of three characters immediately before <=: a lower left quarter square graphic, a C, and an upper right quarter square graphic. (Graphics characters are shifted, and must be preceded and followed by pressing the graphics key.) Then, after the RETURN that follows  $\langle = \rangle$  insert a left half square graphic. In addition, change the following three characters: LOAD to FOR, DIM to FAST, and the last PEEK to INT.

INT is a function, and is prepared by pressing the function key. FOR and FAST are keywords, and are registered by pressing THEN, the keyword, and finally deleting THEN. Double check the code, and SAVE the program before RUNning it. If all is well, a frequency of 255 should now produce a (clickless) rest!

Finally, I recommend substituting the following list of "Pitch Nos." for those given by the author. Note that names duplicate Mr. Maples', but add two pitches on the top end: 250, 235, 222, 210, 198, 186, 176, 166, 157, 148, 139, 131, 124, 117, 110, 104,, 98, 93 or 92, 87, 82, 77, 73, 69, 65, 61 (B2), and 58 (C3). These values have been checked with a frequency counter.

Player ZX81 is a most useful program; the above modifications can make it even more so. Anyone interested in a "voice" for the Sinclair/Timex will find this a real value.

Player ZX81 Wm. Maples 688 Moore St. Lakewood, CO 80215 \$6.95

# PET/CBM Standard Terminal Communications Package

Harvey B. Herman, Associate Editor

hy did you buy a personal computer?" I have been asked this question several dozen times. **COMPUTE!** readers, as a group, should be able to reply with a dozen answers. One of my answers, "I wanted to use it as a terminal to communicate with other computers," would probably be a popular response.

How so, you ask? Well, the basic ingredients of a terminal are present in any small computer, e.g., a keyboard and a display screen. Thus, by paying a little more for terminal software and hardware, the user has the best of both worlds. That is, the computer can be used standalone for games or word pro-

cessing, but also for accessing bulletin boards and large data bases over the telephone line.

Where does one find a good terminal program? There are several choices for PET/CBM computers, ranging from gratis (only a copying fee) up to \$300 or more. However, the free program, attractive as it may sound, does require construction of hardware, which may be beyond many people's abilities.

The Standard Terminal Communications Package, reviewed here, is priced intermediately between those two extremes. It comes with all necessary hardware and software, ready to run on any Commodore system (except the 2001 PET with Origi-

### CBM/PET? SEE SKYLES ... CBM/PET?

# "Should we call it Command-O or Command-O-Pro?"

That's a problem because this popular ROM is called the Command-O-Pro in Europe. (Maybe Command-O smacks too much of the military.)

But whatever you call it, this 4K byte ROM will provide your CBM BASIC 4.0 (4016, 4032) and 8032 computers with 20 additional commands including 10 Toolkit program editing and debugging commands and 10 additional commands for screening, formatting and disc file manipulating. (And our manual writer dug up 39 additional commands in the course of doing a 78-page manual!)

The Command-O extends Commodore's 8032 advanced screen editing features to the ultimate. You can now SCROLL up and down, insert or delete entire lines, delete the characters to the left or right of the cursor, select TEXT or GRAPHICS modes or ring the 8032 bell. You can even redefine the window to adjust it by size and position on your screen. And you can define any key to equal a sequence of up to 90 key strokes.

The Command-O chip resides in hexadecimal address \$9000, the rightmost empty socket in 4016 and 4032 or the rearmost in 8032. If there is a space conflict, we do have Socket-2-ME available at a very special price.

Skyles guarantees your satisfaction: if you are not absolutely happy with your new Command-O, return it to us within ten days for an immediate, full refund.

Command-O from Skyles Electric Works \$75.00

Complete with Socket-2-Me 95.00

Shipping and Handling......(USA/Canada) \$2.50 (Europe/Asia) \$10.00 California residents must add 6%/6½% sales tax, as required.



SKYLES

S

Skyles Electric Works 231E South Whisman Road Mountain View, California 94041 (415) 965-1735 Visa/Mastercard orders: call tollfree (800) 227-9998 (except California). California orders: please call (415) 965-1735

CBM/PET? SEE SKYLES ... CBM

nal ROMs). The hardware, based this is a very worthwhile packon a 6850 ACIA chip, plugs easily into an empty ROM socket; clip on a few wires, connect your modem, and you're ready to run the terminal software supplied on disk. (Specify what computer and disk drive in your initial order to receive the proper version.)

The initial program loaded is written in BASIC, and is used to load, partially configure, and run the machine language terminal program. For example, you are prompted for the printer device number and the communication format (device four and eight bits-no parity, in my case).

#### **Fifteen Different Options**

The terminal program also offers a full configuration menu. You can specify full- or half-duplex. set a timer, toggle a printer on or off, etc. I counted 15 options. A status line at the top of the screen informs the user of the current state of the program, just as a much higher-priced, dedicated terminal would.

This package has some very attractive features. The best one is the ease with which it uploads and downloads BASIC programs. I have previously published in COMPUTE! two "howto" articles on this subject. This program simplifies that process to the point where anyone, even a complete novice, can do it. So much for my arcane knowledge!

There are a number of minor points which I didn't like:

- 1. No end-of-line bell.
- 2. No option for line feed with an ASCII printer.
- 3. Does not always tokenize "IF" during downloading.
- 4. The manual did not make it clear that the modem must be off when configuring.
- 5. The delete key sends a backspace (change \$23DE from \$08 to \$7F, if desired).

Let there be no mistake -

age. It is reasonably priced and is offered by a very reputable company which promises updates and program maintenance. Do not underestimate the importance of this service, particularly if you don't have the time or expertise to do it yourself. My wife and I have been using STCP regularly since it was received for review. Unlike most people, we have a choice of terminal software, and the fact that we continue using this program is our highest recommendation.

Standard Terminal Communications

Package Eastern House Software 3239 Linda Drive Winston-Salem, NC 27106 \$129.95

COMPUTE! The Resource.



- -Available for Commodore 40 or 80 column computers with 8050, 4040, 2040 or 8250 disk drives.
- -Available for IBM PC
- -250 employees maximum
- -Prints T4's and year-end reports
- -Interface to any accounting system with one monthly journal
- -Overtime and piece rates
- -Automatic updating available for \$75 a year.

#### Skeena Computer Services Ltd.

P.O. Box 305 Terrace, B.C. V8G 4B1

> Call: 604-635-9056 Terms: Cash or Visa

GCG Canadian Payroll \$695 Chequewriter Option<sup>5</sup>150

Dealer Inquires Welcome



0

### A Financial Wizard For Atari

Tina Halcomb, Carrollton, TX

f you want to use a finance system, but don't want to spend several days trying to learn how to use one, then A Financial Wizard by Computari of Dallas, Texas may be just what you need.

A Financial Wizard is an autoboot program that requires an Atari 400 or 800, an 810 disk drive, and at least 24K of memory. A printer is optional. It works with the Epson with Graftrax, NEC, Prowriter or Centronics 739.

The illustrated manual that comes with this program is clear, direct, and very thorough. It won't take long to get the system set up and working for you. Procedures appear in the manual in the order in which they should be followed, so you can just learn as you go. On the back cover of the manual you will find a (tearout) command reference card.

To prevent costly errors that will result in data damage and/or loss, error warnings appear throughout the manual and on the screen during program execution.

It appears that this finance system was designed to achieve the best and most comfortable working relationship between the user and the program.

The Check Entry routine (item #1, main menu) is the most attractive feature of this finance system. Data prompts are very clear, and the category item names are displayed at all times during data entry for your convenience. It keeps track of the number of the last check entered and displays it for you. The balance of your checking account is kept current as checks are entered.

Also, if you make a mistake while recording your checks, you can correct it immediately.

You are given the ability to split one check into more than one expense category. If you write a check at your bank for cash and want to account for everything it was used for, then you will be allowed to itemize it using this feature; and you will want to use it if you are striving for accuracy in your accounting. Scanning your entries is made possible by pressing START. You can see records very quickly this way. The correction capability is offered during scanning also.

Menu item #2 - Budget Entry allows you to set up a projected budget on a monthly basis. The category names provided by the program are generally used by almost all of us. However, if Spot is sick more often than you are, you could change the "Medical" category to "Vet" with the category change routine in the Utilities program.

The same applies to all categories. If your budgeted allowance for one category is the same for more than one month, you can replicate a budget from one month to the next by entering a "/" next to the category letter. An entire budget plan can also be replicated when you start to set up a new month by entering a "C" and the number of the month you want to copy from in the salary block.

#### Superior File Searching

The file search capabilities of this program are superior. You are offered seven ways to look up the checks. You may search by Name of Payee, Category Name, Sub-Category Name, a range of Check #'s, a range of Months, a range of Days, and a range of Amounts.

The Tabulation section figures what percentage of your salary is spent on each category. This can be very revealing. The Bargraphs clearly display what you have spent with respect to your planned expenses. A thick colored bar represents your expenses and a thin contrasting line overlays this bar to show your budgeted amounts. You have a choice of seeing either one month's expenses in all categories or one category shown over a 12-month period.

The Checkbalancer routine follows the standard procedure shown on the back side of your bank statement. Marking cancelled checks has been made extremely simple. The checks are addressed sequentially and displayed on the screen for you. To mark a check that has cleared your bank, you type an asterisk next to it. If you accidentally cancel a check that has not cleared the bank, you can reverse it by typing an "X".

The Checkwriter routine will print your checks for you, with custom checks available through Abacus Software.

The Utilities program, item #8, consists of seven utilities that you will need to maintain accurate records. With this program you will transfer records to a permanent storage disk at the end of a financial period and prepare the disk for the new year.

This system is disk intensive. All data is saved automatically and immediately following all routines that either enter data or modify it.

Overall, this is an excellent finance system – entertaining, accurate, and fun to use.

A Financial Wizard Available From: On-Line Computer Center 10944A N. May Avenue Oklahoma City, OK 73120 (405)751-2701 \$59.95

(An earlier version of A Financial Wizard, known as Personal Finance for the Atari, may be upgraded for \$10. Users should return their master disk and a check or money order to On-Line Computer Center.)

# Automate Your Atari

Joseph J. Wrobel, Rochester, NY

The Atari Disk Operating System (DOS) supports the use of a file named AUTORUN. SYS that has a very special characteristic. At system start-up, the DOS loads and runs this file automatically if it exists on the mounted diskette. This allows you to arrange for your Atari to come up smart.

#### The Potential

The AUTORUN. SYS file could contain a machine language program that loads and runs. It could also contain just a short program to do some routine operations like setting the screen margins or color before passing control to BASIC. However, the major use I've seen for AUTORUN. SYS is to direct the system to load and run a BASIC program. Not only does this type of operation save you some time and effort, but it also allows an unskilled operator, like a student, to turn on the machine and interact with an application program without getting into the details of the LOAD or RUN instructions.

#### **The Problem**

So far, so good. Why doesn't everyone use the AUTORUN.SYS file? Apparently the major obstacle to its more widespread use is the fact that it is a machine language routine. Thus, it requires knowledge of 6502 machine language and, for complex operations, some knowledge of the intricacies of the Atari Operating System to create a functional AUTORUN.SYS file. Unless someone were to come up with a program to do it for you.

Automate (Program 1) is just such a program. If you key in this program correctly and run it, Automate will help you create your own personal AUTORUN.SYS file, and it won't hurt a bit. The program starts by asking you to input the series of commands you wish to be executed at start-up. You enter the commands exactly as you would if the machine came up in its normal ready state. The only limit on the number of commands is that the total number of characters entered may not exceed 196 (including the Atari end-of-line character added each time you hit RETURN). The program keeps track of the number of characters entered and will prevent you from exceeding this limit. After you've entered the final command in the sequence, the program will create an AUTO-RUN. SYS file on the mounted diskette. Note that any previous AUTORUN.SYS file will be overwritten by this operation.

The next time you boot up from the diskette bearing the AUTORUN.SYS file, the AUTORUN.SYS program will be run. This will cause the commands you entered to be executed in the order they were entered (although they will not be displayed), then control will be returned to the system. The commands, of course, must be compatible with the cartridge in use (BASIC, Assembler Editor, etc.) or an error will result. If at any time you wish to boot up from a diskette and circumvent the AUTORUN.SYS file, just hold the OPTION key down until system initialization is complete. The AUTORUN.SYS file created by Automate checks that key and, if it finds it depressed, the command list will not be executed.

#### A BASIC Example

To demonstrate the use of the program, a single command BASIC example will be presented. Let us suppose there exists a BASIC program entitled BEGIN which you would like to run automatically at start up. Using AUTOMATE, you enter (as Command #) the statement:

GR.0:?"Autoboot in progress.":RUN"D:BEGIN" then press RETURN. Assuming you entered the command correctly, you respond to the question:

Is that correct (Y/N)?

by pressing Y. When the program asks if there are:


More commands (Y/N)?

respond by pressing N. The program then creates the AUTORUN.SYS file and displays READY when it's done. If you now turn off your computer and switch it on again, you will find that it "comes up" running program BEGIN. How simple can you get?

#### **Description Of Operation**

This section is for those who are not satisfied with just running the program, but are also interested in knowing how it works. Let's first take another look at Program 1. Automate consists of three major sections. The first section (lines 50 through 130) are for documentation and initialization. The program employs two key numeric variables: I, which counts the number of commands entered, and L, which counts the total number of characters in the command list. The second program section (lines 140 through 350) INPUTs the commands one at a time. As each command is entered, the program allows for error correction, checks command list size, packs the command into B\$ and tacks on an Atari end-of-line (EOL) character, namely CHR\$(155). The third section of the program (lines 360 through 600) actually creates the AUTORUN.SYS file.

Before this third section is discussed, I direct your attention to Program 2. This is the assembly



© 1981, 1982 SWIFTY SOFTWARE, INC.

SWIFTY SOFTWARE, INC. 64 Broad Hollow Road Melville, New York 11747







# A January Jubilee of

For Your Atari 400/800

repenetaction: a place in the public esteem or regard: a good name.

The Program Store, one of the original software companies of the '70s, began to develop its solid reputation for selection and service right from the start. Today, it offers the largest selection of Atari software in America, and backs every piece of inventory with the trusted Program Store name.



By Schwab from On-Line

Play an exciting game of golf without getting up at dawn! GOLF CHALLENGE features a moveable golfer on your choice of 18 holes or the front or back 9. True to its name, there are lots of challenges: water hazards, sand traps, trees. Screen shows the fairway or a close-up of the green for teeing off and putting. 1-4 players. Requires joystick.



#### LEGIONNAIRE

By Chris Crawford from Avalon Hill

The NEWEST from Chris Crawford, famous author of EASTERN FRONT, Winner of the Best Computer Game of 1981!

One of the most realistic war games ever created for the home computer! It's 58 B.C., and you're Julius Caesar, commanding your legions against the Bar-barian tribes. The battlefield scrolls before you, displaying the 10 square foot map of the battle area. Are you up to the challenge? A real-time war game with hi res graphics and realistic sound effects. 16K Tape, \$34.95 32K Disk, \$39.95



You must transport all your people from the city under attack by Fraxullan Slimehordes. You must lift them one by one first to the City of Hope on the far side of the volcano; then to safety at the Verdann

Fortress. Beware the Xytonic Pulse Trackers, meteoroid showers and the Laser Caves of Fear. But hurry, before the volcano erupts!! 32K Disk, \$34.95 Save 20%



### ANDROMEDA

Exciting strategy simulation in which 1-4 players compete to form and protect their galactic empires. Each player starts with 10 resource points, accumulating more through skillful selection and management of far-flung star systems.

32K Tape, \$17.95 40K Disk, \$22.95



#### GFS SORCERESS

From Avalon Hill

It's 2582, and you're Joe Justin on the Galactic Federation Starship SORCERESS. Can you clear yourself of the unjust charge of mutiny? And what part will be played by the lovely Selena Sakarov?

40K Tape, \$29.95 40K Disk, \$34.95



#### **STARCROSS**

Tell your ship's computer your course coordinates, and strap in for your exciting adventure into space in search of the legendary black holes. Board the drifting artifact ship; explore its many rooms and ringed corridors. Encounter alien beings like the large spider who bubbles with conversation, and enjoys gadgets. Some, however, are not so friendly! 32K Disk, \$39.95 Save 20%

Now Thru Jan. 31 You Pay Only \$31.96

# SURVIVAL D OF THE



Fascinating program based on the game of "Life." It uses—and extends—the "rules of the universe" from "Life" (included in the package). Both players start with 99 seed cells which they try to "plant" in the most effective shapes on the playfield. The computer keeps continuous count of the cells as shapes grow or shrink according to the rules. Vivid color and sound effects. 2 joysticks required.

Save 15% ROM Cartridge (16K), \$39.95 Now Thru Jan. 31 You Pay Only \$33.96



From Avalon Hill Can you change history? You command the South Vietnam army; the computer controls the Viet Cong (VC) and North Vietnamese Army. Can you win the hearts and minds of the people, and destroy the VC units in your province? Challenging operational level combat game with hi res graphics.

40K Disk, \$24.95



By Jyym Pearson from Med Systems \*\*

Five games in one! You begin in an institution, and must successfully negotiate not just the Institute itself, but four other dream adventures as well. Objects in each dream help solve problems in the next. Concentrate, or you may never escape the nightmare of the Institute!

16K Tape, \$19.95 32K Disk, \$22.95



TAX DODGE

By Freeman & Westfall from Island Graphics The "truly taxing" maze game: negotiate the maze, collect your money, survive inflation, and avoid those trying to tax you. Each round represents a year in the life of the taxpayer—you must keep more money each round to go into the next one.

32K Disk. \$39.95

Over 1500 Programs for TRS-80,

For Information Call 202-363-9797

Visit our other stores: 829 Bethel Rd., Columbus OH Seven Corners Center, Falls Church, VA W. Bell Plaza, 6600 Security Blvd., Baltimore MD



ATARI 400/800, APPLE & IBM.

To Order Call Toll-Free VISA 800-424-2738

MAIL ORDERS: Send check or M.O. for total purchase price, plus \$2.00 postage & handling. D.C., MD. & VA.: add sales tax. Charge cards: include all embossed information © 1982 The Program Store, Inc.

4200 Wisconsin Avenue, NW, Dept. 10-01-3 Box 9582 Washington, D.C. 20016

# **Great Games and Books**

For Your Atari 400/800



#### YOUR ATARI COMPUTER

By Poole, McNiff & Cook from Osborne/McGraw-Hill Comprehensive, all-in-one guide for Atari 400/800 computers that is helpful to the beginning and advanced programmer. Complete operating instructions; detailed BASIC programming, including a handy alphabetical glossary of BASIC statements and functions; advanced BASIC; computer graphics; and tips on hardware, peripherals and compatible

Softcover, \$16.95

#### COMPUTE!'S SECOND BOOK OF ATARI

From Compute! Books

An all new collection of never-before published articles on the Atari for beginner to advanced users. Topics include: Utilities, Programming, Graphics, Applications and Beyond BASIC.

Spiral-bound, \$12.95

#### **GAMES &** RECREATIONS

From Reston

This new book is packed with games and ideas on how to create your own. You'll discover the special Atari capabilities of the keyboard, graphics, sound and color. The book provides an entertaining way to learn more about general programming, too.

Part I: Learning Through Games. Part II: Games for the Atari. Part III: The Atari Special. Plus seven appendices.

Softcover, \$14.95

Hardcover, \$19.95

#### MASTER MEMORY MAP

From Santa Cruz Software

If you are serious about programming the Atari, this booklet could become one of your most important tools. A highly detailed map of the Atari's memory, it details thousands of locations and routines. Using this booklet makes easier the use of display list, player/missile, and interrupt graphics. The "Miscellaneous Notes" section contains a wealth of knowledge picked up by Santa Cruz in their explorations of the Atari. Also included are notes on the new GTIA graphics chip.

Softcover, \$6.95

#### VISICALC HOME AND OFFICE COMPANION



By Castlewitz and Chisausky from Osborne/McGraw Hill

Fifty VisiCalc models for home and office, including: investments, inventory, sales forecasts, payroll, personal net worth, home budget planning, family insurance needs. Each comes with model listings,


#### 6502 **ASSEMBLY** LANGUAGE SUBROUTINES



By Leventhal and Saville from Osborne/McGraw-Hill you're interested in using assembly language quickly, this book is ideal. It describes general 6502 programming methods, provides code for more than 40 subroutines to help you improve your programming skills, debug or revise an existing program; add instructions and addressing modes.

Softcover, \$15.95

#### ATARI SOUND AND GRAPHICS



PICTURE THIS!

By Moore, Lower and Albrecht from John Wiley This self-paced, self-teaching guide will have you seeing and hearing things on your Atari in no time even if you're a complete beginner. You'll learn to compose and play melodies, draw cartoons, create sound effects and games. Each section teaches something new in BASIC, the most commonly used

Softcover, \$9.95

#### PICTURE THIS!

An Introduction to Computer Graphics for Kids of All Ages

By David D. Thornburg from Addison-Wesley

This book promises to become the "modern replacement for coloring books and crayons". It's a learn-bydoing manual that uses PILOT, a simpler language than BASIC, and Turtle Geometry to teach kids to create pictures in full color from simple lines to complex angles and curves. Recommended for use in conjunction with PILOT Cartridge.


Spiral-bound, \$14.95



#### ATARI **ASSEMBLER**

By Don & Kurt Inman from Reston While the Atari Assembler Cartridge comes with an operating manual, it assumes that you already know assembly language. If you're new to the Atari or its 6502 processor, this book is a must. The Inmans guide you through the rudiments of this fascinating type of programming in clear, easy steps. Includes full listing and description of 6502 mnemonics and addressing modes. Recommended for use in conjunction with Assembler Cartridge.

#### INSIDE ATARI DOS



The comprehensive manual on the disk File Manager System (FMS), commonly known as Atari DOS 2.0S. Contains the only complete and official listing for the system, plus a full description of: the external view, charts & tables, various interfaces and functions of individual subroutines.

Spiral-bound, \$19.95



INSIDE ATARL DOS

#### DE RE ATARI

From APX

Translated from Latin, the title of this book is "All About Atari" and it means what it says! Used in combination with Atari's Technical Reference Manual, advanced programmers will be able to learn to exploit the many hardware and operating system features that make the Atari 400/800 so tremendously versatile. Includes a useful discussion of the new GTIA chip. Once you know Atari BASIC and assembler, this book is a must.

Loose leaf (binder not supplied), \$19.95

#### COMPUTERS FOR KIDS

Atari Edition By Sally Larsen from Creative The BASIC programming manual written for kids, from flowcharts to color graphics, including the sure-to-please program, "Scare Mom with an Elephant." Detailed instructions and sketches plus glossary of statements and commands. With lesson plans and tips for parents and teachers

Softcover, \$4.95

#### STIMULATING SIMULATIONS

Atari Version, 2nd Edition

By C.W. Engel from Hayden

A handbook of 12 simulation games including Art Auction, Starship Alpha, Monster Chase and Devil's Dungeon — each complete with listing, sample run, instructions and program documentation, including flowchart and ideas for variations.

oftcover,	\$15.95	Sonce	over, \$12.95		SoftCover, \$5.9	
THEPR	OGRAM STORE • De	pt. 10-01-3 • B	ox 9582 • 4200	Wisconsin Av	enue, NW • Was	hington, D.C. 20016
Item	.Tape/Disk/Book			Name Address City Card#	State	Zip Exp
		Com	puter	Land Bridge	all the state of the state of	

listing for the core of the AUTORUN.SYS program. What this machine language program does, in a nutshell, is to temporarily take over the task of supplying screen editor data by substituting a new device handler table and "get character" routine for the default ones provided by the operating system. At system start-up while the AUTORUN.SYS program is active, it intercepts all the keyboard entry requests and feeds out, one character at a time, the commands which you have entered. When it has sent out the last character of the last command in the list, it re-installs the default screen editor handler table, and the system takes over from there.

Returning to the section of the BASIC program which creates the AUTORUN.SYS file, you will find that it consists primarily of three loops. Loop one (lines 490 through 510) PUTs the core program and its associated six byte header into the file as READ from the DATA statements in lines 430 through 480.

Note that in line 500 of Automate, two numbers are changed from the values shown in the DATA statements before putting them into the AUTORUN.SYS file. The first is a byte in the AUTORUN.SYS file header which gives the end of the program when loaded in memory. This is the sum of the core program length and the number of bytes in the command list. Automate also alters the value of the immediate argument of the CPY instruction in line 370 of Program 2. This byte is set equal to the total number of characters (including EOL's) in the command list. Loop two (lines 530 through 550) PUTs in the command list which resides in B\$. Finally, loop three (lines 580 through 590) adds a twelve byte postscript to the file which provides the system with the initialization and run locations for the

The BASIC program here provides an easy way to create a useful AUTORUN.SYS file. There are dozens of ways this file can be used. It doesn't necessarily have to be a serious application. For example, it's sort of fun just to start up my machine, listen to it go through its disk machinations, then see it automatically display the personalized greeting:

READY WHEN YOU ARE, J.W.!

#### Program 1.

```
50 I=0:L=0:MAX=196
60 DIM A$(MAX),B$(MAX),R$(1)
70 OPEN #1,4,0,"E:":OPEN #2,4,0,"K:"
80 ? "This program helps you to creat
e"
90 ? " a personalized AUTORUN.SYS fil
e"
100 ? " which, following the disk bo
ot"
110 ? "(3 SPACES)process, automatical
ly issues"
```


E400

```
120 ? "{4 SPACES}a set of commands th
    at Pin"
130 ? "(5 SPACES) specify."
140 I=I+1
150 ? :? "Please enter command #"; I; "
160 ? : INPUT #1; A$
170 POKE 766,1:? :? "Command #";I;":"
;A$:POKE 766,0
180 ? :? "Is that correct (Y/N)? ";:G
ET #2, X:? :R$=CHR$(X)
190 IF R$="Y" OR R$="y" THEN 220
200 IF R$="N" OR R$="n" THEN 150
210 GOTO 170
220 X=L+LEN(A$)+1-MAX
230 IF X<=0 THEN 260
240 ? :? "Command #";I;" is ";X;" cha
    racter(s)"
250 ? "too long.": I=I-1:GOTO 270
260 B$(L+1)=A$:L=LEN(B$):B$(L+1)=CHR$
    (155):L=L+1
270 ? :? "Current command list:"
280 POKE 766,1:? :? B$:POKE 766,0
290 IF L>=MAX-1 THEN ? "Command list
    is full.":? :GOTO 370
300 ? "Command list can hold ";MAX-L-
1;" more"
310 ? " character(s)."
320 ? :? "More commands (Y/N)? ";:GET
     #2, X: R$=CHR$(X)
330 IF R$="Y" OR R$="y" THEN 140
340 IF R$="N" OR R$="n" THEN 360
350 GOTO 300
360 ? CHR$(125);
370 ? "Mount diskette which is to bea
380 ? " the AUTORUN.SYS file, then"
390 ? "
        press RETURN. ";:GET #2, X:CL
    OSE #1:CLOSE #2
400 ? CHR$(125);:? "Writing AUTORUN.S
    YS file."
410 OPEN #1,8,0,"D:AUTORUN.SYS"
420 REM PUT OUT THE HEADER AND THE CO
    RE MACHINE LANGUAGE PROGRAM
430 DATA 255,255,0,6,59,6
440 DATA 173,31,208,41,4,240,10,169,1
    8,141,33,3
450 DATA 169,6,141,34,3,96,251,243,51
    ,246,33,6
460 DATA 163,246,51,246,60,246,76,228
    ,243,0,238,33
470 DATA 6,172,33,6,192,0,208,10,169,
    0,141,33
480 DATA 3,169,228,141,34,3,185,59,6,
    160,1,96
490 FOR I=1 TO 66: READ X
500 IF I=5 OR I=48 THEN X=X+L
510 PUT #1, X: NEXT I
520 REM ADD THE COMMAND LIST
530 FOR I=1 TO L
540 X=ASC(B$(I,I))
550 PUT #1, X: NEXT I
560 REM APPEND INITIALIZE AND RUN VEC
    TORS
570 DATA 226,2,227,2,0,6,224,2,225,2,
    17,6
580 FOR I=1 TO 12: READ X
590 PUT #1, X: NEXT I
600 CLOSE #1:? CHR$(125);:END
Program 2.
DO1F
             0100 CONSOL =
                                $DO1F
0320
             0110 DEVTAB =
                                $0320
```

0120 OLDDHT =

\$E400

# LEARN TO TYPE OR GET BLOWN TO BITS.



# MasterType™ and Atari™ make typing a blast.

Now anyone can learn to type and have hours of fun at the same time. With MasterType. We've combined the fast-action of blow 'em up video games with the best instructional program available. You either learn to type or the aliens ZAP your spaceship into oblivion. The results? Highly motivated and enjoyable learning.

#### MasterType earns a ten-gun salute.

MasterType is fast becoming the best selling educational software product designed for use with the Atari 800 home computer.

It's no wonder, when you consider what InfoWorld magazine had to say:

"MasterType is an excellent instructional typing game. We had fun reviewing it, and we highly recommend it to those who want to learn typing in an unconventional but motivating way."

InfoWorld also went on to rate MasterType as "excellent" in all four of its categories.

#### MasterType teaches your fingers to fly.

Face it. If you're like most people, the most inefficient components on your computer are probably your fingers. But you can change all that with MasterType. In just a few easy lessons your fingers will be doing things you thought them incapable of.

MasterType. With 18 explosive learning levels. You'll either learn to type or get blown to pieces.

\$39.95. Requires disk drive 32k and basic.



0130 ;	061E 4C 0300 .BYTE \$4C
0000 0140	ingints to the replacement
0600 AD1FDO 0150 INIT LDA CONSC	061F E4F3 0310 WORD \$E3E4
;Load the console swit	ch ;routine below.
register	0320 :
0603 2904 0160 AND #\$04	0621 00 0330 COUNTR .BYTE 0
; and check for the OPT	
key.	0340 :
0605 F00A 0170 BEQ RUN	0622 EE2106 0350 GET INC COUNTR
; If it's pressed, bran	:Increment the character
to the RTS.	0625 AC2106 0360 LDY COUNTR
0507 A912 0180 LDA #NEWE	ATH
\$00FF ;Otherwise, install th	; codificer: compare it with
ector	
0609 BD2103 0190 STA DEVTA	BEGLST ; the command list length. BH1 062A D00A 0380 BNE CONT
to the new device han	DEZH DOOM OSBO BNE CONT
r table	; If not equal, branch to C
060C A906 0200 LDA #NEWD	
256 ; in the appropriate pla	CBZC H700 0370 LDH #ULDDHI&
in the	, otherwise, reflistate the
060E 8D2203 0210 STA DEVTA	5.6
:device table and	;default screen editor han
0611 60 0220 RUN RTS	
;return.	0631 A9E4 0410 LDA #OLDDHT/
0230 ;	256 ;table vector at the prop
0612 FBF3 0240 NEWDHT . WORD \$F3F	er B 0/77 OPRO07 0400
:This is the replaceme	SIH DEVINETZ
0614 33F6 0250 .WORD \$F63	, spot in the device table.
screen editor handler	COSO DISDOO 0430 CONT LDA BEGLST-1
0616 2106 0260 .WORD GET-	, recent the next character
;vector table. All th	- 000, 11001 0440 EDI #1
0618 A3F6 0270 .WORD \$F6A	, the command 1130 Bild
vectors have their de	NIS
1t	74au ;return. 0460 ;
061A 33F6 0280 .WDRD \$F63	
; values except for the	OTTO BEDEST
061C 3CF6 0290 .WORD \$F63	0480 ; The command list go
GET routine, which	
, oc. , odcine, whiteh	063C 0490 ENDLST .END



### PRICKLY-PEAR SOFTWARE

THE MOST INTERESTING AND PROFESSIONAL SOFTWARE AVAILABLE FOR THE VIC-20, ATARI, AND TRS-80 COLOR COMPUTER.

#### Astrology

Truly a classic, this program will accurately cast your complete horoscope. You just enter the date, time, and place of birth. The sun sign, rising sign, mid heaven (MC), lunar nodes, and planetary influences including houses and aspects between the planets will all be calculated, and a full chart drawn. You can also do progressed charts and transits. It will even tell you the day of the week you were born. The accompanying book will help you interpret this chart of your horoscope. The extent of the documentation is tremendous, even by our exceptionally high standards, and no previous knowledge of the subject is required. You can share in this wisdom which has been used for thousands of years in many cultures. This program was written by a professional Astrologer. Requires 16K memory (8K or bigger expander on Vic). \$34.95 tape — \$39.95 disk

+++

Many other Programs, such as: Fantasy Gamer's Package, Gangbusters, Tarot, I Ching, Numerology, Great Word Game, Mathpac I, Football, and more!!!

#### Viking!

A simulation for 1 to 4 persons. Each begins as a land-owner, and by farming their land, buying and selling land, expanding their fishing fleet, building on to their manufactory, increasing their population, equiping and training more soldiers, and regulating their taxes, each player tries to increase their economic power and rank until one becomes ruler over all. But beware plagues, rats, raiders, revolts, bad weather, and other misfortunes which may lie along the road to success. As you progress, see the map of your holdings increase. Playable in 1 to 2 hours, and different every time, you may have an addiction problem. Requires 16K memory (16K or bigger expander on Vic) \$19.95 tape — \$24.95 disk

\* \* \*

You won't find better programs! Ours are debugged, user friendly, accurate, and fun to use. We have games, utilities, educational, and useful programs, and you will like doing business with us. If you have an **Atari, Vic-20**, or **Color Computer**, we want you as a customer.

SEND A STAMPED, SELF-ADDRESSED LONG ENVELOPE FOR COMPLETE CATALOGUE

#### SPECIFY SYSTEM

Your Personal check is welcome—no delay. Include \$1.50 shipping for each program ordered. (Shipping free on \$50.00 or larger orders). Az. residents add 4% sales tax. Orders shipped within two days.

At Your Local Dealer, or

Send Order To: PRICKLY-PEAR SOFTWARE 9822 E. Stella Road Tucson, Arizona 85730 (602) 886-1505

# All About Commodore's WAIT Instruction

Louis F. Sander, Pittsburgh

WAIT is one of Commodore BASIC's most mysterious instructions – seldom seen in programs, rarely mentioned in magazines, and nearly impossible to understand in manuals. But it's available for VIC-20, PET/CBM, and 64 users. To find out how helpful it can be for all kinds of applications (program debugging, single-stepping, even a superior form of the common pause GET K\$: IF K\$=""THEN"), read on.

WAIT allows a BASIC program to communicate with hardware and with certain software external to itself. It causes PET to suspend all apparent activity on receipt of a signal from the keyboard, an external device, or the computer's internal timers. PET's normal activity resumes when the signal is removed. Thus, WAIT provides a simple means of pausing until a key is pressed, an interval ends, or contacts open or close. We'll soon get to some useful examples.

When executed, WAIT examines a selected memory location and halts the program if the location contains a specified "trigger value." The program continues if, or as soon as, any other value appears in the selected location. Optionally, WAIT can be made to ignore some of the bits in the location it is testing.

In other words, WAIT halts a program if, and for as long as, selected bits in a chosen location have one specific pattern. Note carefully: the program waits *if* a specific pattern exists, not *for* a specific pattern to appear.

WAIT's format is:

#### WAIT ADDR, MASK, TRIG

ADDR, MASK, and TRIG can be any numeric constants, expressions, or variables in the range 0-65535 for ADDR, and 0-255 for MASK and TRIG. TRIG and its leading comma may be left out of the statement if desired, in which case TRIG defaults to zero.

Technically speaking, the WAIT statement reads the status of memory location ADDR, exclusive ORs it with TRIG, then ANDs the result with MASK, repeating these steps until a nonzero result is obtained. *Practically* speaking, few human minds can *follow* such logic, let alone comprehend its effect on their programs. If you prefer simplicity, think of WAIT as saying this: "Pause if the MASK bits in the contents of ADDR are the same

as those in TRIG. Otherwise, continue." But let's illustrate some of its specific uses.

ADDR is the address of the memory location to be tested. WAIT halts the program if ADDR contains a preselected trigger value, resuming execution if and when ADDR's contents change. It follows that ADDR must be a location whose contents can change independently of the program, or there will be no way to resume program execution. Relatively few memory locations meet this criterion – mainly they are associated with the keyboard, the user and IEEE ports, and the computer's internal timers. Table 1 is a partial listing of such locations.

MASK determines whether WAIT tests all, or only some, of the bits in ADDR. If a given bit in MASK is set to one, the corresponding bit in ADDR will be tested. Otherwise, the bit will be ignored. If the entire contents of ADDR are to be tested, MASK must equal 255; any lower number will cause WAIT to ignore one or more bits. The various powers of two are often used in MASK, to monitor a single bit for a one or a zero. Zero is a legal value for MASK, but should never be used, since it always causes an endless halt. (Any number and zero equals zero.)

TRIG is the value that triggers a halt. If WAIT is executed when ADDR contains TRIG, the program will stop until TRIG is replaced by another value. Of course, if MASK is blocking out one or more bits, any number whose unblocked bits are identical to those in TRIG will have the same effect as TRIG, and will cause the program to halt. TRIG's default value is zero, so when TRIG is omitted from the WAIT statement, a halt occurs whenever all the unblocked bits are zero.

WAIT has three other notable properties. First, just as PRINT can be abbreviated as "?", WAIT can be abbreviated as "W shifted A". You can use this property to save keystrokes and line space. Second, the STOP key will not terminate a WAIT. That can only be done by satisfying the logical conditions in the argument; if a programming error has made this impossible, you must reset your machine to recover. So as soon as you put a WAIT statement into a program, save a copy on tape or disk; that will save you if you've made an error. Finally, WAIT does not affect the jiffy clock – TI and TI\$ continue during WAITs, even

though the computer and the STOP key are ostensibly dead. So by using the memory locations of the jiffy clock, you can precisely control WAIT's pauses.

#### **Real World Applications**

Table 2 lists some of WAIT's uses, along with the arguments used to implement them. To demonstrate these applications, the following examples can be inserted as line 25 of this little program:

10 TI\$="000000" 20 PRINT TI 30 GOTO 20

Lines 20 and 30 cause a continuous screen printout while the program is running, making it easy to observe the effects of the WAIT in line 25. (The following examples use ADDResses from Original ROMs; if you have PET Upgrade, 4.0, or a VIC or a 64, use Table 1 to find the right ADDResses for your machine.)

WAIT 59410,255,251 stops the program when SPACE is depressed, and continues execution when it's released. No other key can make the program pause if these arguments are used. Different TRIGs, of course, will activate different "59410 keys."

WAIT 59410,255,255 stops the program until

SPACE or one of the other "59410 keys" is depressed. Only these keys can change the contents of 59410, and any one of them will do it, thus ending the WAIT.

WAIT 516,255 is a simple way to pause until a key is pressed. Since 516 contains a zero until SHIFT is pressed, this line halts the program until you press SHIFT. Notice that the STOP key has no effect unless SHIFT is pressed and the program is running. Also notice that WAIT 516,1 would have the same effect, using fewer bytes.

WAIT 59411,8,8 waits for a button on the tape drive to be pressed. While all the buttons are up, 59411's eight-bit is set, and the program halts. Depressing PLAY or any other recorder button clears the eight-bit, resuming execution of the program.

WAIT 59411,8 halts the program when the eight-bit is cleared, resuming when it's set. So, unlike the last example, this one stops when a button is *down*. Together, these two examples show how to use a one or a zero in any bit position to stop your program – just block out all the other bits and use TRIG to look for a one or a zero in the position of interest. This technique can be used to wait for a peripheral to signal that it is ready to proceed, assuming that the signal comes


PET Orig. ROMs	PET Upgrade or 4.0 ROMs	VIC-20	64	C	ontents
512	141	162	162	Increments every jiffy (1	1/60 second).
513	142	161	161	Increments every 256 jif	
514	143	160	160	Increments every 65536 j Zeroing TI\$ zeros all thr	jiffies (18.2 minutes).
515	151		197 ns keyboard matrix ASCII value)	Unique value for the key No key = 255. Other value	y pressed at the current jiffy. ues differ with ROMs.
516	152	653	653	Status of SHIFT key. Up	0=0, Down=1.
525	158	198	198	Number of characters in	the keyboard buffer (0 to 9).
59410	59410	N/A	N/A	Senses certain keys. The and ROMs, but these are	e keys vary with keyboards e the most common:
				For BASIC 1.0 and 2.0 RVS = 254 '['key = 253 SPACE = 251 '('key = 247 STOP = 239 '.'key = 191 '='key = 127	For BASIC 4.0  '←' key = 254  '3' key = 253  '6' key = 251  '9' key = 247  STOP = 239  ':' key = 223
59411 59471	59411 59471	37151 (Button dov all buttons 37136	wn = 62 up = 126)	Note that pressing a key Pressing multiple keys a The eight-bit of this loc tons on TAPE #1. Button Parallel User Port.	

# WORD PROCESSOR?



You bet! Quick Brown Fox word processing software has more features than Word Star and runs on your VIC or Commodore 64. And it can grow and grow. Add memory, 80 column display, disks, even a letter quality printer. We'll show you how a 1st-class word processor can be yours for less than \$2000! You can even have a "student" system for less than \$700!

It all starts with the Quick Brown Fox at \$65.



Call or write for our free brochure

Quick Brown Fox 548 Broadway New York NY 10012 (800) 547-5995 Ext 194

Dealer Inquiries Invited (212) 925-8290

by way of a line going high or low.

WAIT 514,128 pauses until the jiffy counter hits 128. See Table 2 for other valid MASKs for this purpose (WAIT ADDR,T).

WAIT 525,1: POKE 525,0 waits for any key to be pressed. This is simpler than the more common

25 GET A\$: IF A\$="" THEN 25

and it allows other statements to follow it on the

same program line. The POKE is there to clear the keyboard buffer and can be omitted if there are no subsequent GETs or INPUTs in your program.

WAIT 525,2: POKE 525,0 waits for two keys to be hit. There is no easy way to wait for three.

WAIT 513,255, PEEK (513) waits for the 4.2 second timer to increment. The screen display will prove that this happens every 256 jiffies.

WAIT 516,1,PEEK(516) illustrates an interesting technique. Whether SHIFT is up or down,

# WAITing On The VIC-20 And Commodore 64

Doug Ferguson, Elida, Ohio

#### **Joysticks Can WAIT**

One of my pet peeves involves a game that uses a joystick for virtually all movement, but when it's time to indicate whether to play again, I have to put aside the joystick and hit a function key, type Y for YES, or hit the space bar. Why not use the joystick?

End-of-the-program questions are well suited for the WAIT command. To replay or not to replay is hardly a "menu" of choices. With WAIT, the computer "waits" for the replay signal. Even if the player wants to quit, he can always RUN/STOP-RESTORE or turn off the power.

The most suitable replay signal is the fire button, as in this VIC-20 example:

6000 PRINT "YOU WIN!!": PRINT" PRESS FIRE-BUTTON TO PLAY AGAIN" 6005 WAIT 37137,32: REM IN CASE BUTTON IS ALSO USED IN THE GAME ITSELF 6010 WAIT 37137,32,32 6020 RUN

Here is a table showing the specific test values not only for the VIC-20 but also for the Commodore 64:

#### **COMMODORE 64**

	VIC-20	Joystick 1	Joystick 2
FIRE	WAIT 37137,32,32	145,16,16	56464,16,16
LEFT	WAIT 37137,32,32	145,4,4	56464,4,4
DOWN	WAIT 37137,16,16	145,2,2	56464,2,2
UP	WAIT 37137,4,4	145,1,1	56464,1,1
*RIGHT	WAIT 37152,128,128	145,8,8	56464,8,8
ANY (except	WAIT 37137,62,62	145,31,31	56464,31,31
RIGHT	on		
the VIC			

\*POKE 37154,127 before and POKE 37154,255 after the WAIT statement on the VIC.

This table assumes you want to test if the joystick is pressed a certain way. If you want to test that a certain position is not pressed, just leave off the last number (as in line 6005).

#### Tracing With WAIT

Another way to use WAIT is in FOR/NEXT loops in either program or direct mode. For example, to examine the contents of the ROM memory containing BASIC, type in the following program:

100 FOR X = 12 \* 4096 TO X + 8191: PRINT X, PEEK (X)

110 WAIT 197,64 120 NEXT

or the direct statement

FOR X = 12 \* 4096 TO X + 8191: PRINT X, PEEK (X): WAIT 197,64: NEXT

(In both examples, substitute 10\*4096 for the Commodore 64.)

A list of memory addresses and contents will begin to scroll by. To stop printing, press any key (except RESTORE, SHIFT, CTRL, or the Commodore key). Printing resumes when the key is released. If the WAIT is changed to WAIT 653,1,1, the SHIFT key alone becomes the control key. This has the advantage of providing a "hands off" pause by using the SHIFT LOCK key.

It is also possible to single-step (go through a program line by line) using the WAIT command. Simply change the WAIT to

WAIT 197,64: WAIT 197,64,64

for "any key" control or

WAIT 653,1,1: WAIT 653,1

for SHIFT key control, although the SHIFT LOCK is of no consequence when single-

Escape from examining memory by hit-

ting the RUN/STOP key.

# NOW. The only real limitation for your VIC 20 is imagination.



The ARFON MICRO VIC 20 EXPANSION CHASSIS allows you to fully expand the VIC 20 memory, plug in interfaces, other computer peripherals, cartridges for expanded Basic language functions, programming utilities and even ROM cartidges of your own design to turn the VIC 20 into a sophisticated computer control system. In fact, with your VIC installed in the AFRON MICRO VIC 20 EXPANSION CHASSIS the only real limitation to the uses you can find for the VIC 20 is imagination.

#### VIC 20 SOFTWARE FROM ARFON MICRO, U.S.

TOTL TIME MANAGER is a set of two programs which allow you to create personal or business schedules, calendars of events, and checklists of activities. Organize reports by: person, project, or activity. Sort reports by: beginning or ending dates, or activity number. Print 56 different bar chart formulas, \$25.

RESEARCH ASSISTANT 2.0 is a set of programs which allow you to keep track of reference data and create keyword cross reference lists. Keep data on reference sources: author, title, bibliography. Keep reference notes: page(s), text, up to 12 keyword cross reference, print data and or cross reference lists. \$25.

TOTL LABEL 2.0 is a very useful mailing list and label program. TOTL LABEL 2.0 features easy editing, add or delete labels, define your own labels (width, length, number of printed lines), sort alphabetically or numerically and more. \$20.

TOTL TEXT 2.0 is a complete word processing program which allows you to create and format professional looking documents. There is no limit to the length of a document. TOTL TEXT features: page numbering, paragraph control, right and left margin control, VIC printer expanded characters, skip to top of page, single, double, or triple spacing, centered title lines, tab position control, character and line spacing, upper and/or lower

case, use of graphic characters, full screen editing, full cursor control while editing, scroll up and down through text, add, change and delete characters, insert and delete blocks of text. \$25

TOTL TEXT 2.5 has all the features of TOTL TEXT 2.0, plus up to 4 heading lines per page, footing line every page, footnotes, keyboard imput for form letters (up to 6 80column lines), special characters for printer, right justify, and 3K additional working memory for editing. \$35.

ALL TOTL 2.0 series programs work with tape and/or disk and require VIC 20, 8K expansion, cassette deck and/or disk drive, VIC printer or RS-232 printer.

TIME WANAGER MOW TOTLAND TOTLTHE MANAGER WOLLD BALDOR'S CASTLE is a fast-moving real time adventure—can you fight off 11 different types of monsters with just your bare hands, or will you need bow and arrow, magic sword, potions, and more to steal Baldor's gold? Game cartridge by Martin Kennedy. (More fun with joystick.) ARFON VIC EXPANSION CHAS-

SIS comes complete with aluminum cover/monitor shelf.

# AIM

#### FOR EFFICIENCY

Accounting + Integration

"MAGIS PLUS"

The one-step accounting system! MAGIS PLUS Software by MAG, Inc.


This software is the superior alternative to an incomplete accounting system.

Available through:

# South Eastern Computer Outlet

P.O. Box 127 Comer, GA. 30629

SECO specializes in Commodore, Digilog, Texas Instruments & Victor hardware.



### **SECO AIMS TO PLEASE!**

Call collect: (404) 783-5011
MasterCard and Visa accepted.

this line waits for it to change. (Careful – if you changed ADDR to accommodate your ROMs, the PEEK must be changed to match it.)

WAIT 515,255,PEEK(515) does the same for

any other key.

WAIT 59471,1,1 waits for the PA0 line on the user port to go low. Don't try this or the following examples unless you've configured the port for inputs and can control the lines.

WAIT 59471,1 waits for PA0 to go high. WAIT 59471,1,PEEK(59471) waits for PA0 to

change state.

WAIT 59471,3,2 waits if PA0 is low and PA1 is high. Otherwise, the program continues to

Of course, there are hundreds of other ways to use WAIT. If you understand the ones we've looked at here, you're ready to find and exploit the others. Here's one of them, to check your understanding: If X means we don't care whether a bit is 0 or 1, and if we want our program to pause as long as XXXX0101 appears in location 59471, but to continue on any other value, the proper statement is WAIT 59471,15,5. If you understand exactly why 15 and 5 are the proper arguments, you really do know all about WAIT.

#### Table 2: Some Useful Applications

ADDR is the memory location to be tested. CONT is ADDR's contents when tested.

Argument	Effect
WAIT ADDR,255,N	For N of 0 - 255, waits while CONT = N. Continues when CONT does not equal N.
WAIT ADDR,255,255	Waits as long as all bits in CONT are ones. Continues when any bit goes to zero.
WAIT ADDR,255	Waits as long as all bits in CONT are zeros. Continues when any bit goes to one.
WAIT ADDR,B,B	Where B is 1,2,4,8,16,32,64 or 128, waits while CONT's B-bit is one. Continues when the B-bit is zero.
WAIT ADDR,B	Where B is as above, waits while CONT's B-bit is zero. Continues when the B-bit is one.
WAIT ADDR,T	Where a counter in ADDR cycles from 0 to 255, and where T is 128, 192, 224, 240, 248, 252, or 254, waits while CONT is less than T. Continues as soon as CONT = T.



#### @ commodore

п			=	ã.			
ı	1	т	-	•	EA	r	ES
Ш	1	ш	-		F #4	U	-

ADA-1450 Serial	149
	149
RS232 cable for Vic or 64, 2m	30
Video/Audio cable for 64 & monitor	25

### MONITORS — Great resolution for the CBM 64 or VIC

Panasonic, 13" Color Amdek Color I	
NEC JB 1201M, 12" Color	330
NEC JB 1201, 12" green phosphor	170
Amuek video 300L, green phosphor	175

#### **BUSINESS SOFTWARE**

Spellmaster Dictionary (great for WordPro!)	\$199
OZZ Data Base System (8050)	240
Silicon Office (database, wp)	995 (New)
Wordcraft 80	289
VisiCalc (new expanded)	
Dow Jones Portfolio Management System (RS232)	120
WordPro 4+ or 5+	299
The Manager	199
Legal Time Accounting	
I.R.M.A.	295

#### SJB will service any VIC or CBM64.

### MasterCard, Visa, Money Order, Bank Check COD (add \$5) accepted.

Add 3% surcharge for credit cards. In stock items shipped within 48 hours, F.O.B., Dallas, TX. All products shipped with manufacturer's warranty.

#### TO ORDER CALL TOLL FREE 800-527-4893 800-442-1048 (Within Texas)

SJB will meet any competitive price under similar in-stock conditions.

#### SJB DISTRIBUTORS, INC.

10520 Plano Road, Suite 206 Dallas, Texas 75238 (214) 343-1328

Prices are subject to change without notice.



325/pkg

#### SOFTWARE FOR CBM 64

Word Processing	\$90
Computer Tutoring Game (COCO)	50
General Ledger	199
General Ledger	30
CBM EasyCalc (for the 64)	99
CBM EasyFinance	50
CBM EasyPlot	80
CBM EasyScan (appointment manager)	80
Sprite-Magic (build sprites on screen with	
Joystick, save to disk or cassette)	30
Assembler Package for CBM 64 (cassette)	
Editor (creates and updates source code),	
Assembler, Loader, Disassembler	50-
Mail Mate	50
IEEE Interface (64)	100
Parallel Interface	90
RS232 Interface (modems, printers)	45
VIC PRODUCTS	
VIC 20 Computer, 5K	\$199
Vic Datasette Recorder	60
Vic 1541 Disk Drive	395
VIC MODEM (for CBM 64)	100 325
VIC 1525 Graphic Printer (for CBM 64) 8K Memory Expansion Cartridge	49
16K RAM	99
24K RAM	155
IEEE Interface (VIC)	85
Gorf (great arcade game)	30
Omega Race	30
Midnight Drive	23
VIC 3 slot Expander	43
VIC 6 slot Expander	83
Seawolf	23
Cosmic Cruncher	23

#### Arcade Joysticks — Heavy duty with 2 firing buttons! Great for the VIC or 64.

SuperPET (5 languages, 2 processors)	\$1409
CBM 8032 Computer, 80 column	1029
CBM Memory Expansion, 64K	359
PET 4032, 40 Column	950
CBM 8050, 1 Mg. Dual Drive	
CBM D9060, 5 Mg. Hard Disk	2240
CBM D9090, 7.5 Mg. Hard Disk	2600
CBM 4040, 340K Dual Drive	919
CBM 2031, 170K Single Drive	
DDINTEDS LETTED GHALITY	

CBM	8300,40cps							á					\$1450
Diablo	620,25cps											ě	1350
	pinwriter 7700,55cps												2350
Nec S	pinwriter 3500,35cps					i							1600

#### PRINTERS — DOT MATRIX

	395
CBM 8023,150 cps/graphics	599
Okidata 82A, 120cps/serial or par	449
Nec 8023A(parallel)	499

# Apple Machine Language Memory Aid

K Lourash, Decatur, IL

"ML Helper" is a utility developed to assist fledgling Apple machine language programmers in studying 6502 object code when the original source code is not available, and also in adapting that code to their particular needs and systems. This program also works as is on OSI and can easily be modified for any Microsoft BASIC.

Options are offered in this program to list and modify zero page usage, to list and modify absolute addressing references, and to relocate the code under examination. Although written in Microsoft floating-point BASIC, this utility is readily converted to the other popular dialects. In fact, while my system is OSI, the listing is for Apple simply to involve a wider audience.

You may save ML Helper without REMarks. If you do, notice that line 31 may be incorporated into line 29, and line 35 into line 33, for increased program optimization. However, do not tamper with the "NEXT A" statement of line 51, since ML Helper will exit a loop without completing it; a simple "NEXT" there is insufficient.

In the interest of brevity, I chose to do no error checking of input from the keyboard. Thus it's easy to become careless and obtain seemingly inexplicable program performance. Also, when using hexadecimal notation, I assumed you won't prefix an address with the "\$" symbol. Furthermore, leading zeros are harmless, but quite unnecessary. No relocate is foolproof. Hence, ML Helper does not resolve the indirect JMP or the technique of jumping with an RTS once the stack has been prepared. In other words, jump tables and data blocks are moved unchanged.

#### Disassemble And Relocate

When up and running, ML Helper emulates a disassembler, examining the address range you've specified for valid 6502 operation codes. When they are found, the program logic proceeds to list or modify the zero page references, to list external absolute references, to modify absolute references, or to move code and modify addresses for a successful relocate, whichever option is operative.

Bytes determined to be invalid instruction code sequences are assumed to form data tables. A data table finder, as such, is always active and can actually become an unspecified sixth option

to locate unknown data table areas.

At this point I set an arbitrary criterion – namely, that wherever there occurs a block of six or fewer consecutive bytes of executable code, the data table finder should, nonetheless, report that block of code as part of a data table area. If this standard proves unsuitable for your requirements, then change the "A-7" expression in line 350. The absence of data tables is reported as an address range of 0-0 (\$0000-0000 hexadecimal).

Menu item 4 may not be immediately clear. The "EXTERNAL" references that ML Helper will list are those absolute addresses referencing memory outside the body of the program module being examined. Displaying all absolute addressing usage produces a counterproductive volume of screen clutter which I thought best to avoid.

Menu item 5, by which you elect to change absolute references, is not similarly restricted. If during a run it appears that interesting data might scroll away, then Apple users are reminded to invoke the CTRL S Stop-List feature of their system; others may have to rely on CTRL C or divert all output to hard copy. Have fun exploring uncharted machine language programs with ML Helper pointing the way.

```
Ø DATA 232,200,202,136,72,104,24,56,96,170,1
68,138,152,234,10,74,42,106,186
1 DATA 154,64,120,88,184,248,216,8,40,0,208,
    240,144,176,48,16,80,112,169,162
2 DATA 160,201,224,192,105,233,41,9,73,165,1
66,164,133,134,132,230,198,197,228
3 DATA 196,101,229,36,37,5
10 DATA 69,38,102,6,70,181,182,180,149,150,14
8,246,214,213,117
11 DATA 245,53,21,85,54,118,22,86,177,145,209
     ,113,241,49,17,81,161,129,193,97
12 DATA 225,33,1,65,32,76,108,44,173,174,172,
    141,142,140,238,206,205,236,204
13 DATA 109,237,45,13,77,46,110,14,78,189,190
20 DATA 188,157,254,222,221,125,253,61,29,93,
    62,126,30,94,185,153,217,121,249
21 DATA 57,25,89: GOTO 530
30 REM *** LIST ADDRESSES ***
40 IF A(Z) >
                = S THEN IF A(Z) < = E THEN
    RETURN
50 \text{ IF } Z = 0 \text{ GOTO } 80
60 FOR X = 0 TO Z - 1: IF A(X) = A(Z) THEN R
    ETURN
68 S(T) = VAL (H\$) : E(T) = VAL (E\$)
80 PRINT "ADDR REF'D: ";: IF H THEN D = A(Z)
    : GOSUB 220: PRINT "$"H$: GOTO 100
90 PRINT A(Z)
```

100 Z = Z + 1 - (Z > 29): RETURN 110 REM \*\*\* ZERO PAGE CHANGE \*\*\* 120 FOR I = 0 TO X: IF C(I) = A(Z) THEN POKE A + 1,D(I) 130 NEXT : RETURN 140 REM \*\*\* RELOCATE \*\*\* 150 IF A(Z) < TS OR A(Z) > TE THEN RETURN 160 I = PEEK (A + 1) + T3: IF I > 255 THEN I= I - N:T4 = T4 + 1170 POKE A + 1, I: POKE A + 2, PEEK (A + 2) + T 4: RETURN 180 REM \*\*\* CHANGE ABSOLUTE ADDR \*\*\* 190 FOR I = 0 TO X: IF C(I) = A(Z) THEN K =NT (D(I) / N) 195 POKE A + 1, D(I) - N \* K: POKE A + 2,K 200 NEXT : RETURN 210 REM \*\*\* DEC-HEX \*\*\* 220 H\$ = "":F = 4096: FOR J = H TO 4:K = INT ~ (D / F) : D = D - K \* F225 H\$ = H\$ + MID\$ (G\$,K + H,H):F = F / 16: NEXT : RETURN 230 REM \*\*\* HEX-DEC \*\*\* 240 D = 0:F = H: FOR J = LEN (H\$) TO H STEP -H:M = ASC (MID\$ (H\$,J,H)) - 48245 D = D + F \* (M - 7 \* (M > 9)):F = 16 \* F:NEXT : RETURN 250 REM \*\*\* PRINT DATA TABLES \*\*\* 260 PRINT "DATA TABLE: ";: IF H THEN D = T1: ~ GOSUB 220: PRINT "\$"H\$"-";:D=T2 265 GOSUB 220: PRINT H\$: RETURN 270 PRINT T1"-"T2: RETURN 280 REM \*\*\* MAIN ROUTINE \*\*\* 290 FOR A = S TO E 300 REM \*\*\* SKIP DATA TABLES \*\*\* 310 FOR I = 0 TO T: IF S(I) THEN IF A > = S(I)THEN  $A = E(I) + 1:S(I) = \emptyset$ 320 NEXT : FOR I = 0 TO 150: READ M: IF PEEK ( A) = M GOTO 390330 NEXT 340 REM \*\*\* PRINT DATA TABLES \*\*\* 350 IF A - 7 > T2 THEN IF T1 THEN GOSUB 260:T1 = A 360 IF Tl = 0 THEN Tl = A370 T2 = A: GOTO 510 380 REM \*\*\* 1-BYTE IGNORE \*\*\* 390 IF I < 29 GOTO 510 400 REM \*\*\* 2-BYTE IGNORE \*\*\* 410 IF I < 48 GOTO 500 420 REM \*\*\* ZERO PAGE \*\*\* 430 IF I > 102 OR C > 2 GOTO 470 440 IF C < 3 THEN A(Z) = PEEK (A + 1): ON C GO SUB 50,120 450 GOTO 500 460 REM \*\*\* 3-BYTE \*\*\* 470 IF I < 103 GOTO 500 480 IF C > 2 THEN A(Z) = PEEK (A + 1) + PEEK (A ~ + 2) \* N: ON C-2 GOSUB 150,40,190 490 A = A + 1500 A = A + 1510 RESTORE : NEXT A: GOSUB 260: END 520 REM \*\*\* END OF MAIN ROUTINE \*\*\* 530 PRINT "1= LIST ZERO PAGE REFERENCES": PRINT "2= CHANGE ZERO PAGE REFERENCES"

580 TS = VAL (H\$) 590 REM \*\*\* CALCULATE OFFSET \*\*\* 600 TE = TS + E - S:I = ABS (TS - S):T4 = INT(I / N):T3 = I - T4 \* N 605 IF TS < S THEN T3 = - T3: T4 = - T4 610 REM \*\*\* MOVE ROUTINE \*\*\* 620 IF T3 > 0 THEN K = TE: FOR I = E TO S STEP - 1: POKE K, PEEK (I):K=K-1 625 NEXT : GOTO 650 630 K = TS: FOR I = S TO E: POKE K, PEEK (I): ~ K = K + 1: NEXT 640 REM \*\*\* SWAP TS & S, TE & E \*\*\* 650 K = TS:TS = S:S = K:K = TE:TE = E:E = K660 PRINT "LIST UP TO 11 KNOWN DATA TABLES IN ~ THE PROGRAM. TYPE Ø,Ø WHEN DONE.":P RINT 670 PRINT "DATA TABLE "T" START, END: ";: INPU T ""; H\$, E\$ 675 IF H THEN GOSUB 240:S(T) = D:H\$ = E\$: GOSU B 240:E(T) = D: GOTO 690680 S(T) = VAL (H\$) : E(T) = VAL (E\$)690 IF E(T) THEN I = T3 + T4 \* N:S(T) = S(T) + I:E(T) = E(T) + I:T = T + 1695 IF T < 11 GOTO 670 700 IF C < > 2 THEN IF C < > 5 THEN PRINT : GO TO 290 710 PRINT :PRINT "LIST UP TO 11 ADDRESSES TO B E CHANGED. TYPE Ø,Ø WHEN DONE.":PRINT
720 PRINT "#"X". OLD,NEW ADDRESSES: ";: INPUT ""; H\$, E\$ 725 IF H THEN GOSUB 240:C(X) = D:H\$ = E\$: GOSU B 240:D(X) = D: GOTO 740730 C(X) = VAL (H\$):D(X) = VAL (E\$)740 IF C(X) = D(X) OR X = 10 THEN PRINT : GOTO 290 750 X = X + 1: GOTO 7200

#### TIRED OF WRITING BORING BUSINESS DATA PROCESSING PROGRAMS?

THE ALIEN GROUP needs an imaginative Programmer to create interesting software for its Voice and Music Synthesizer Peripherals. He/she must be capable of writing in Assembly Language and have detailed knowledge of at least one of the popular home computers and its operating system. Send Resume to: THE ALIEN GROUP, 27 W. 23rd St., NY, NY 10010

Use the handy
reader service cards
in the back of the
magazine for
information on products
advertised in **COMPUTE!** 

540 PRINT :H = H\$ = "Y":N = 256:G\$ = "01234567 89ABCDEF": DIM A(30) 541 INPUT "INPUT START, END ADDRESSES: "; H\$, E\$: PRINT 542 IF H THEN GOSUB 240:S = D:H\$ = E\$: GOSUB 2 40:E = D: GOTO 560 550 S = VAL (H\$):E = VAL (E\$) 560 IF C < > 3 GOTO 660

570 INPUT "INPUT TARGET ADDRESS: ";H\$: PRINT: IF H THEN GOSUB 240:TS=D:GOTO600

531 PRINT "3= RELOCATE": PRINT "4= LIST EXTERN

532 PRINT "5= CHANGE ABSOLUTE REFERENCES": PRI
NT: PRINT "CHOOSE ONE: ";: GET H\$
533 PRINT H\$:C = VAL (H\$):PRINT :PRINT "WANT H
EX NUMBERS, Y/N? ";: GET H\$:PRINT H\$

AL ABSOLUTE REFERENCES"

# Supermon64

Jim Butterfield, Associate Editor

Supermon64 is your gateway to machine language programming on the Commodore 64. Supermon, in several versions, has been popular over the years as a major programming tool for Commodore users. With this adaptation for the 64, a good book on 6502 programming, and patience, you can learn to write programs or subroutines which are capable of running at extraordinary speeds. You can learn machine language programming.

Supermon64 itself is in machine language, but you can type it in without knowing what it means. Using the Tiny Peeker/Poker (Program 1), or via the built-in monitor of a PET, type it in and SAVE it. The fastest way to check for errors is to type in Program 3 on a regular PET (or use the portioning techniques described in the article to make room for the checksum program the same way you made room for the Tiny Peeker). Then load Supermon64 into the PET. It will come in above your BASIC. Then RUN the checksum and it will report the location of any errors.

The easiest way to type in Supermon64 is by using a monitor. Unfortunately, you won't have a monitor until Supermon64 is typed in. This leads to a chicken-and-egg situation. It's no good my suggesting that you should borrow a friend's Supermon64 to type this in; if he's got it, you can just make a copy and save a lot of work. There's gotta be another way.

The Commodore 64 has lots of memory. We can waste some of it to create an easy method which will allow us to enter this program. Maybe we'll even learn something along the way.

You may have noticed that when you power up the 64, it tells you that you have 38911 bytes free. For the moment, I'm not going to tell you what happened to the rest of the 64K (it's there, but BASIC won't use it). The baffling thing is that if you ask the machine to PRINT FRE(0), it will tell you that it has -26627 bytes free. Don't be confused: this is a bug and you can get the right number by adding 65536. Whip out your trusty calculator, do the addition, and do you get 38911? Of course not, but it's close enough (another story for another time).

Now: we're going to trim some memory away from the computer, so as to give ourselves space to stage Supermon64. First, we must prepare the

new space so that it will be able to hold a BASIC program. Type POKE 8192,0 and the space is ready. Next, we are going to move BASIC to this new area. Type POKE 44,32 followed by NEW and the deed is done. At this point we seem to have a perfectly normal Commodore 64 machine. Everything will work as before. But, if you ask PRINT FRE(0) you'll find that your free space has dropped to 32765 bytes. We have sectioned off the space where we will plant Supermon64. [You can use this same technique, then type in Program 3 and run the checksum on your program – Ed.]

Now we are ready for a simple input program. Enter the following:

#### Program 1. Tiny Peeker/Poker.

```
100 PRINT "TINY PEEKER/POKER"
110 X$="*":INPUT X$:IF X$="*" THEN END
12Ø GOSUB 5ØØ
13Ø IF E GOTO 28Ø
140 A=V
150 IF J>LEN(X$) GOTO 300
160 FOR I=0 TO 7
170 P=J:GOSUB 550
18Ø C(I)=V
190 IF E GOTO 280
200 NEXT I
210 T=0
220 FOR I=0 TO 7
230 POKE A+I,C(I)
24Ø T=T+C(I)
250 NEXT I
260 PRINT "CHECKSUM="; T
27Ø GOTO 11Ø
28Ø PRINT MID$(X$,1,J); "??":GOTO 11Ø
300 T=0
310 FOR I=0 TO 7
320 V=PEEK(A+I)
33Ø T=T+V
340 V=V/16
350 PRINT " ";
360 FOR J=1 TO 2
37Ø V%=V
38Ø V=(V-V%)*16
390 IF V%>9 THEN V%=V%+7
400 PRINT CHR$ (V%+48);
410 NEXT J
420 NEXT I
430 PRINT "/"; T
440 GOTO 110
500 P=1
```

#### 64 \*\* ALL NEW!!! \*\* 64

#### SOFTWARE FOR COMMODORE 64

WORD-PAC	\$74.95
Print up to 99 pages of text.	
Automatic tabbing/Centering/Underlining.	
Copy Lines/Merge/Plus More!	
Coded in Machine language.	
CALC-PAC	\$74.95
Interfere Competible with WORD BAC & DATA	DAC

Interface-Compatible with WORD-PAC & DATA-PAC. Coded in our own Unique Spread-Sheet language. User-Friendly Mathematical Applications.

DATA-PAC ...... \$39.95 Interface-Compatible with WORD-PAC & CALC-PAC. User defined Formats/Search & Sorts.

Printer compatable.

EDITOR-PAC ...... \$69.95 Complete Programmer's Editor.

Auto-Number/Renumber including goto & gosub. Program Merge/Global Search and Replace. Plus Much More!

ASSEMBLER-PAC ..... \$59.95

Programmers take note! Mnemonic format to Machine Language. Link Modules/External references, More!

HOME-ACCOUNTANT ..... \$29.95

Checkbook with reconciliation routine. Hard-Copy listing option. Search and Review/Chart of Accounts. Income and Expense.

#### ANNOUNCING ...

The PCS/8064 Upgrade Module for the 64

On power-up the PCS/8064 provides:

80-column video output. WORD-PAC word processing.

CALC-PAC spread sheet mathematics.

DATA-PAC data base system.

Exit to BASIC.

All Applications Interface-Compatible.

Check local dealers or Call Pacific Coast Software for retail pricing.

Plus Full line of Games/Home Software for 64 Free Catalog Offer.

#### PACIFIC COAST SOFTWARE

3220 S. Brea Canyon Rd. Diamond Bar, CA 91765 (714) 594-8210

218 S. Main/Box 147 LeSueur, MN 56058 (612) 665-6724

Mid-Eastern Distribution:

PERIPHERALS PLUS ...... (215) 687-8540 155 E. Lancaster Ave. - Wayne, Penn. 19087

New England Distribution:


OMICRON ......(617) 769-6867 1416 Providence Highway - Norwood, Mass. 02062

> Dealer Inquires Encouraged. Commodore 64 and 64 are trademarks of Commodore Business Machines

## **ARE YOUA** SMART BUYER?

For \$89.95 this is a smart buy if you're looking for a place to store your computer, peripherals, and accessories without spending a fortune.





The CS 1632 computer storage cabinets compact yet functional design fits almost anywhere while housing your computer monitor, joysticks, software, books and peripherals all for only \$89.95.

The slide out shelf puts the computer at the right height and position for easy comfortable operation. The fold up locking door keeps

unwanted fingers off the key board when not in use. To store joysticks just turn them upside down and slide them into the inverted storage rack. Twist tabs on the back of center panel allow for neat concealed grouping of wires, while power packs rest hidden behind center

The slide out software tray has room for 14 cartridges or cassettes and up to 30 diskettes. Most brands of software will fit between the adjustable partitions with a convenient hook for the spare key at rear. Stand fits Atari 400 & 800, Commodore 64 & VIC 20, Ti 99/4A and TRS-80.

Cabinet dimensions overall 36" high x 33-7/8" wide x 16" deep. Cabinet comes unassembled. Assembly requires only a screwdriver, hammer, and a few minutes of your time.

Choice in simulated woodgrain, of warm golden oak or rich natural walnut finish.

IALE OSWEGO, OR 97034
INDUSTRIES CORPORATION
Phone orders call, (503) 636-6888

To order CS1632, send \$89.95 to: P.O. Box 528

panel on shelf.

Address \_\_ \_State \_ City \_

☐ Golden oak finish ☐ Natural walnut finish My personal check, cashiers check or money order is enclosed.

Bill my VISA # \_ Exp. Date\_ Bill my Mastercard # \_\_ Exp. Date Card Holders Signature\_

Immediate shipment if in stock. If personal check is sent, allow additional 2 weeks. Prices subject to change. Shipment subject to availability. Cabinet shipped unassembled in 2 cartons. Ships UPS frt. collect FOB Portland, Oregon.

510 L=4 520 GOTO 600 55Ø P=J 56Ø L=2 600 E=0 61Ø V=Ø 620 FOR J=P TO LEN(X\$)  $630 \times ASC(MIDS(XS,J))$ 640 IF X=32 THEN NEXT J 650 IF J>LEN(X\$) GOTO 790 66Ø P=J 670 FOR J=P TO LEN(X\$)  $680 \times ASC(MIDS(XS,J))$ 690 IF X<>32 THEN NEXT J 700 IF J-P<>L GOTO 790 71Ø FOR K=P TO J-1 720 X = ASC(MID\$(X\$,K))730 IF X<58 THEN X=X-48 740 IF X>64 THEN X=X-55 75Ø IF X<Ø OR X>15 GOTO 79Ø 76Ø V=V\*16+X 77Ø NEXT K 78Ø RETURN 790 E=-1 800 RETURN

This program is a very tiny monitor. It will allow you to enter information into memory, eight bytes at a time. To do this: wait for the question mark, and then type in monitor-format the address and contents:

#### ? 0800 00 1A 08 64 00 99 22 93

The program will return a checksum value to you, which you can use to insure that you have entered the information correctly. To view memory, type in only the address: the contents will be displayed.

#### **Completing The Job**

When you have finished entering all that data, you can make Supermon64 happen quite easily. Three last POKE commands and a CLR:

POKE 44,8 232 POKE 45,232 POKE 46,17 CLR

You have Supermon64. Save it with a conventional BASIC SAVE before you do anything else.

Now you may RUN it – and learn how to use

#### **Supermon64 Summary**

**Commodore Monitor Instructions:** 

G GO RUN
L LOAD FROM TAPE OR DISK
M MEMORY DISPLAY
R REGISTER DISPLAY
S SAVE TO TAPE OR DISK
X EXIT TO BASIC

Supermon64 Additional Instructions:

A SIMPLE ASSEMBLER

D DISASSEMBLER F FILL MEMORY H HUNT MEMORY P PRINTING DISASSEMBLER T TRANSFER MEMORY

#### Simple assembler

.A 2000 LDA #\$12 .A 2002 STA \$8000,X .A 2005 (RETURN)

In the above example the user started assembly at 2000 hex. The first instruction was load a register with immediate 12 hex. In the second line the user did not need to type the A and address. The simple assembler prompts with the next address. To exit the assembler type a return after the address prompt. Syntax is the same as the disassembler output.

#### Disassembler

.D 20	ØØØ				
(SCRI	EEN	CLI	EARS)		
2000	A9	12		LDA	#\$12
2002	9D	ØØ	8Ø	STA	\$8000,X
2005	AA			TAX	
2006	AA			TAX	

#### (Full page of instructions)

Disassembles 22 instructions starting at 2000 hex. The three bytes following the address may be modified. Use the CRSR keys to move to and modify the bytes. Hit return and the bytes in memory will be changed. Supermon64 will then disassemble that page again.

#### Printing disassembler

.P 20	ØØØ,	,204	10		
2000	A9	12		 LDA	#\$12
2002	9D	ØØ	8Ø	STA	\$8000,X
2005	AA			TAX	

203F A2 00

LDX #\$ØØ

To engage printer, set up beforehand: OPEN 4,4:CMD4

#### • Fill memory

#### .F 1000 1100 FF

Fills the memory from 1000 hex to 1100 hex with the byte FF hex.

#### • Go run

.G

Go to the address in the PC register display and begin RUN code. All the registers will be replaced with the displayed values.

#### .G 1000

# **Programming The PET/CBM**

by Raeto Collin West

The book described by Jim Butterfield as

# "...unquestionably the most comprehensive and accurate reference I have seen to date..."

The Reference Encyclopedia for Commodore 2000, 3000, 4000, and 8000 series computers and peripherals.

#### Here's just a sample of reviewer and reader reaction:

#### From reviewers:

**Educational Computing Review** by Stephen Potts "Of all the books I have read on the PET this book *Programming the PET/CBM* by Raeto West must rank as one of the most comprehensive and readable accounts on the PET that I have ever had the pleasure to see...

"If you wish to get more from your PET than arcade games and simple teaching programs then this book is a must for your bookshelf. It does not matter whether you run on BASIC 1, BASIC 2, or BASIC 4 since all routines are supplied with addresses and changes to make them run on any machines wherever possible...

"...this book, with its lucid explanations of the PET, its useful routines and programming hints, is an essential purchase."

**IPUG Magazine Review** (British PET User Group) by Ron Geere "This publication represents over a year's intensive research ... and the resulting product is a valuable work of reference. A tremendous amount of useful information has been packed in this 500 + page work at which I was so over-awed that I did not know how to

start this review at first...

"This book is a must for every CBM/PET user."

#### From readers:

"...a book the average to advanced user cannot afford not to possess..."

"My copy of your 'Programming the PET/CBM has been in daily use for nearly a month and I am finding it totally addictive, suffering severe withdrawal symptoms whenever I try half-heartedly to move on to other reading matter. It is without doubt the best book on its subject available today..."

"I have recently acquired a copy of your book *Programming the PET/CBM* and must congratulate you on its concept and on packing in so much detail. It's so very much better than anything I have had up to now that it'll be my constant reference manual."

"I have received my copy of *Programming the PET/CBM* by Raeto West and I have recommended it to several of my students. This book is so valuable that I cannot now afford to be without it."

# Published exclusively in North America by **COMPUTE! Books**. The book is an astonishing reference manual of useful information. Contents include this and much more:

- 1 Introduction and overview: Plan of the book, sources of information, features and chronology of CBM hardware.
- **2 BASIC and how it works:** Storage of BASIC and its variables; tokens, pointers, syntax; optimising BASIC.
- **3 Program and system design:** Capabilities of the equipment; charts, algorithms, space, timing.
- 4 Effective programming in BASIC: Seventeen examples, including subroutines, dates, DATA, INPUT, rounding.
- 5 Alphabetic reference to BASIC keywords: Full descriptions, with examples, of all keywords, with methods for adding additional commands not present in CBM BASIC, e.g. AUTO, DEL, OLD, POP, PRINT USING, SORT, VARPTR.
- 6 Disk drives: Descriptions of operation and workings of disk drives, with BASIC and machine-code examples; bugs.
- 7 Alphabetic reference to disk BASIC commands: BASIC 4 disk commands with examples and notes.
- 8 Other peripherals and hardware: Tape storage and handling; printers; modem; keyboard; EPROMs; reset switches.
- 9 Graphics and sound: Tables of CBM characters; CRT chip;

- animation, bar plots, 80 by 50 etc.; user-port sound.
- 10 The transition to machine-code: Introductory concepts; a BASIC monitor; use of MLM, Supermon, Extramon; easy examples.
- 11 More 6502 machine-code: 6502 hardware features; eighteen common problems in programming; debugging.
- 12 Alphabetic reference to 6502 opcodes: Examples, notes, and explanations on each opcode from ADC to TYA.
- 13 Using ROM routines: IRO, NMI, RESET; the Kernel; examples – modifying LIST; ordinary and relocating loaders.
- **14 Effective 6502 programming:** Assemblers; CHRGET and wedges: PIAs, VIA, IEEE; common mistakes.
- 15 Index to BASIC ROMs and RAM: Memory map of RAM and ROM, detailing and comparing BASICs 1, 2, and 4.
- **16 Mathematical programming:** Precision; equations; statistics; simulation; finance; calculus; machine-code.
- 17 Programming in business and education: Examples, applications and pitfalls in business and education. Appendices: 6502 reference charts; Supermon listings; ASCII; glossary

Plus many programs, diagrams and charts. Paperback, 504 pages. ISBN 0 942386 04 3. \$24.95.

To Order

#### Programming The PET/CBM

Call

TOLL FREE 800-334-0868 In NC Call 919-275-9809

Or send coupon to

COMPUTE! Books, P.O. Box 5406, Greensboro, NC 27403

In England, order from Level Limited, P.O. Box 438, Hampstead, London, NW3 1BH. Price in England is £14.90, including P & P.

Please send	copy (copies) of	Programming The			
PET/CBM at \$24.9	5 each. (In the US ar				
shipping and hand	ling. Outside North	America add \$10 for air			
mail delivery, \$3 for	surface delivery).				
All orders must be	All orders must be prepaid in US funds (money order, check,				
or charge).					
Payment Enclos	ed				
Please charge my	□ VISA □ Maste	rCard  Am. Express			
Account No.		Expires /			
		Expires /			
Name					
Address					
City	State	Zip			
A STATE OF THE PARTY OF					
Country					
Allow 4-6 weeks for deliv	ery. Foreign surface delivery	allow 2-4 months.			

#### Program 2. Supermon64.

0800 00 1A 04 64 00 99 22 93 0808 12 1D 1D 1D 1D 53 55 50 0810 45 52 20 36 34 2D 4D 4F 0818 4E 00 31 04 6E 00 99 22 0820 11 20 20 20 20 20 20 20 20 20 20 20 20 20	ØAØØ         Ø2         2Ø         48         FA         ØØ         AD         3A         Ø2           ØAØ8         2Ø         48         FA         ØØ         2Ø         B7         F8         ØØ           ØA1Ø         2Ø         8D         F8         ØØ         FØ         5C         2Ø         3E           ØA1Ø         2Ø         8D         F8         ØØ         FØ         5C         2Ø         3E           ØA18         F8         ØØ         2Ø         79         FA         ØØ         9Ø         3E         F8         ØØ           ØA2Ø         20         69         FA         ØØ         9Ø         28         2Ø         69           ØA3Ø         FA         ØØ         9Ø         28         2Ø         69           ØA3Ø         FA         ØØ         A9         9Ø         2Ø         D2         FF         2Ø           ØA3Ø         FA         ØØ         A9         9Ø         2Ø         D2         FF         2Ø           ØA4Ø         A5         C3         C5         C1         A5         C4         E5         C2           ØA4B	ØCØØ         6Ø         A2         Ø2         2C         A2         ØØ         ØØ         B4           ØCØ8         C1         DØ         Ø8         B4         C2         DØ         Ø2         E6           ØC1Ø         26         D6         C2         D6         C1         6Ø         2Ø         3E           ØC18         F8         ØØ         C9         2Ø         FØ         F9         6Ø         A9           ØC2Ø         ØØ         ØØ         ØØ         ØØ         DØ         Ø1         2Ø         CC           ØC28         FA         ØØ         2Ø         8F         FA         ØØ         2Ø         7C           ØC3Ø         FA         ØØ         ØØ         6Ø         2Ø         3E         F8           ØC3Ø         FA         ØØ         ØØ         BØ         DØ         DØ         DE         AE           ØC4Ø         3F         Ø2         9A         A9         9Ø         2Ø         D2         FF           ØC4Ø         3F         ØØ         DØ         CA         DØ         FA         Ø         DØ         CA         DØ         FA     <
Ø88Ø       A5       2D       85       22       A5       2E       85       23         Ø888       A5       37       85       24       A5       38       85       25         Ø89Ø       AØ       ØØ       A5       22       DØ       Ø2       C6       23         Ø898       C6       22       B1       22       DØ       3C       A5       22         Ø8AØ       DØ       Ø2       C6       23       C6       22       B1       22         Ø8AØ       C6       23       C6       A5       22       DØ       Ø2         Ø8BØ       C6       23       C6       A5       A2       DØ       Ø2         Ø8BØ       C6       23       C6       A5       A2       DØ       Ø2         Ø8BØ       24       AA       A5       26       65       25       48       A5         Ø8CØ       37       DØ       Ø2       C6       38       C6       37       DØ       Ø2         Ø8DØ       C6       37       C8       91       37       18       Ø8       M8       37       DØ       Ø2	ØA8Ø       DØ       F8       4C       47       F8       ØØ       2Ø       CF         ØA88       FF       C9       ØD       FØ       ØC       C9       2Ø       DØ         ØA9Ø       D1       2Ø       79       FA       ØØ       9Ø       Ø3       2Ø         ØA98       8Ø       F8       ØØ       A9       9Ø       2Ø       D2       FF         ØAAØ       AE       3F       Ø2       9A       78       AD       39       Ø2         ØAAØ       AE       AB       AD       3A       Ø2       48       AD       3B       Ø2         ØABØ       48       AD       3A       Ø2       AE       3D       Ø2       AC         ØABØ       48       AD       3C       Ø2       AE       3D       Ø2       AC         ØABØ       48       AD       3C       Ø2       AE       3D       Ø2       AC         ØABØ       48       AD       3C       Ø2       AC       Ø2       AØ       AØ         ØACØ       AE       3F       Ø2       9A       6C       Ø2       AØ       AØ	ØC8Ø         4C         33         FB         ØØ         A5         C3         A4         C4           ØC88         38         E5         C1         85         1E         98         E5         C2           ØC9Ø         A8         Ø5         1E         6Ø         2Ø         D4         FA         ØØ           ØC98         2Ø         69         FA         ØØ         2Ø         E5         FA         ØØ           ØCAØ         2Ø         ØC         FB         ØØ         2Ø         69         FA         ØØ           ØCAØ         2Ø         2F         FB         ØØ         2Ø         69         FA         ØØ           ØCBØ         9Ø         15         A6         26         DØ         64         2Ø         28           ØCBØ         9Ø         5F         A1         C1         81         C3           ØCCØ         2Ø         5F         BØ         Ø         2Ø         33         F8         ØØ           ØCCØ         2Ø         6E         BØ         5         C3         98         65         C4           ØCDØ         1E         65
0900 00 00 D8 68 8D 3E 02 68 0908 8D 3D 02 68 8D 3C 02 68 0910 8D 3B 02 68 AA 68 A8 38 0918 8A E9 02 8D 3A 02 98 E9 0920 00 00 8D 39 02 BA 8E 3F 0928 02 20 57 FD 00 A2 42 A9 0930 2A 20 57 FA 00 A9 52 D0 0940 02 E6 26 60 20 CF FF C9 0948 0D D0 F8 68 68 A9 90 20 0950 D2 FF A9 00 00 85 26 A2 0958 0D A9 2E 20 57 FA 00 A9 0960 05 20 D2 FF 20 3E F8 00 0968 C9 2E F0 F9 C9 20 F0 F5 0970 A2 0E DD B7 FF 00 D0 0C 0978 8A 0A AA BD C7 FF 00 48		ØDØØ         20         E5         FA         ØØ         20         69         FA         ØØ           ØDØØ         20         3E         F8         ØØ         20         88         FA         ØØ           ØD10         90         14         85         1D         A6         26         DØ         11           ØD18         20         2F         FB         ØØ         90         ØC         A5         1D           ØD20         81         C1         2Ø         33         F8         ØØ         DØ         EE           ØD28         4C         ED         FA         ØØ         4C         47         F8         ØØ           ØD3Ø         2Ø         D4         FA         ØØ         4C         47         F8         ØØ           ØD3Ø         2Ø         D4         FA         ØØ         2Ø         69         FA         ØØ           ØD3Ø         2Ø         E5         FA         ØØ         A2         ØØ         ØØ         2Ø           ØD4Ø         3E         F8         ØØ         C9         27         DØ         14         2Ø           ØD5Ø
0980         BD         C6         FF         00         48         60         CA         10           0988         EC         4C         ED         FA         00         A5         C1         8D           0990         3A         02         A5         C2         8D         39         02         60           0998         A9         08         85         1D         A0         00         00         20           09A0         54         FD         00         B1         C1         20         48         FA           09A8         90         20         33         F8         00         C6         1D         D0           09B0         F1         60         20         88         FA         00         90         0B           09B8         A2         00         00         81         C1         C1         C1         F0           09C0         03         4C         ED         FA         00         20         33         F8           09C0         03         4C         ED         FA         00         20         33         F8           09C8	0BA8 06 60 A2 02 B5 C0 48 B5 0BB0 C2 95 C0 68 95 C2 CA D0 0BB8 F3 60 20 88 FA 00 90 02 0BC0 85 C2 20 88 FA 00 90 02 0BC8 85 C1 60 A9 00 00 85 2A	ØD8Ø         2Ø         DØ         EC         86         1C         A9         9Ø         2Ø           ØD88         D2         FF         2Ø         57         FD         ØØ         A2         ØØ           ØD9Ø         ØØ         AØ         ØØ         ØØ         B1         C1         DD         1Ø           ØD98         Ø2         DØ         ØC         C8         E8         E4         1C         DØ           ØDAØ         F3         2Ø         41         FA         ØØ         2Ø         54         FD           ØDA8         ØØ         2Ø         33         F8         ØØ         A6         26         DØ           ØDBØ         BD         2Ø         2F         FB         ØØ         BØ         DD         4C           ØDBØ         AD         2Ø         2F         FB         ØØ         BØ         DD         4C           ØDBØ         AD         2Ø         2Ø         DQ         FF         AØ         ØØ         85           ØDCØ         2Ø         AB         2Q         2B         DQ         FF         AP         9         AØ         ØØ

# WHAT'S SMALLER THAN A BUSINESS CARD?

# FASTER THAN CASSETTES?

# AND FAR LESS EXPENSIVE THAN DISKS?

Why the ESF-20/64 Stringy Floppy from Exatron, of course. Our exciting little storage alternative gives you near floppy disk speed and reliability at a budget-minded price. Our high quality digital mass storage system is the perfect product to fill the gap between cassettes and floppy disks. And that's especially true in the case of the Commodore VIC-20® and Commodore 64® microcomputers.

The Exatron Stringy Floppy system is based on a small endless loop tape cartridge we call "The Wafer". This wafer measures only 2 3/4" x 1" x 3/16" — or about the dimensions of a standard business card. Wafer was born to run fast — at

around 7200 baud, or 14 times faster than a standard cassette and has a memory capacity of 64K bytes. The ESF-20/64 system costs less than \$200 and wafers are less than \$3.00 each. No wonder computer people call us the "poor man's disk system".

If you'd like to get the world on a string, and bring your VIC-20® or Commodore 64® into the 20th Century, just fill out the coupon below and mail it to EXATRON, 181 Commercial Street, Sunnyvale, CA 94086. If you need to place an order call (408) 737-7111, outside

California (800) 538-8559 and ask for Chrissy or Natalie.



The ESF-20/64 Stringy Floppy System from Exatron for use with the Commodore VIC-20® and Commodore 64® microcomputer.



For exciting alternatives in mass storage.

Name	
Address	
City/State/Zip	

Mail today for information on the ESF-20/64 from EXATRON, 181 Commercial St., Sunnyvale, CA 94086

```
ØEØØ 54 FD ØØ A2 ØØ ØØ A1 C1
                                    1000 00
                                             BD
                                                 2A FF 00
                                                           20
                                                               B9 FE
             FC 00
                    48
                       20
                           1F
                               FD
                                    1008
                                         00
                                             DØ
                                                 B5
                                                     CA
                                                        DØ
                    FD
                           A2
                                    1010
                                          20
                                             B8
                                                 FE
                                                     00
                                                        DØ
                                                            AB
                                                                   B8
ØE18
      EØ
         03
             DØ
                    A4
                 12
                        1F
                           FØ
                               OF
                                    1018
                                                    A6
                                                       A5
                                                                   1D
      A5
          2A
             C9
                    B1
                        Cl
                           BØ
                                    1020
                                          DØ
                                             AØ
                                                     69
                                                 20
                                                        FA
                                                            00
      20
         C2
             FC
                 aa
                    88
ØE28
                        Da
                           FO
                               06
                                    1028
                                             28
                                                 A5
                                                     29
                                                        C9
                                                            9D
                                                               DØ
                                                                   1A
                    2A
                               20
                                    1030
                                          20
                                             1C
                                                 FB
                                                     99
                                                        90
                                                               98
ØE38
     A5
             aa
                 BD
                    30
                               FØ
                                    1038
                                             A5
                                                     10
                                                            4C
                                                               ED
      93
             A5
                 FD
                    00
                        CA
                           DØ
                               D5
                                    1040
                                         99
                                             C8
ØE48
      60
         20
             CD
                 FC
                    00
                        AA
                           E8
                               DØ
                                    1048
                                          A4
                                             1F
                                                 DØ
                                                     03
                                                        B9
                                                            C2
                                                               00
                                                                  00
ØE50
         C8
            98
                 20
                    C2
                       FC
                           00
                              8A
                                          91
                                    1050
                                             Cl
                                                 88
                                                    DØ
                                                               26
                                                                   91
      86
             20
                 48
                    FA
                        00
                              10
                                    1058
                                          Cl
                                             20
                                                 CA
                                                    FC
                                                           85
                                                        00
                                                               C1
                                                                  84
Ø E 6 Ø
      60
         A5
             1F
                38
                    A4
                       C2
                           AA
                              10
                                    1060
                                         C2
                                             A9
                                                 90
                                                    20
                                                       D2
                                                                  41
         88
             65
                    90
                        01
                           C8
                               60
                                    1068
                                         20
                                             C2
                                                 F8
                                                    00
                                                        20
                                                           54
                                                               FD 00
         4A 90
     A8
                ØB
                    4A
                       BØ
                           17
                              C9
                                    1070
                                          20
                                             41
                                                 FA
                                                    00
                                                        20
                                                           54
                                                               FD ØØ
             13
                29
                    07
                        09
                           8Ø 4A
                                    1078
                                         A9
                                             05
                                                 20
                                                    D2
                                                        FF
ØE8Ø AA BD D9 FE ØØ BØ Ø4
                              4A
                                    1080
                                         00 A8 20 BF
                                                       FE 00 D0 11
ØE88 4A 4A
            4A
                29
                    ØF DØ Ø4
                              AR
                                    1088
                                         98
                                             FØ
                                                 ØE
                                                    86
                                                        10
                                                           A6
                                                               1D
                                                                  DD
         A9
                00
                   AA
                           10
                                    1090
                                                    E8
                                         10
                                             02
                                                08
                                                       86
                                                           1D
                                                               A6
                                                                  1C
         85
                                    1098
      00
            2A
                29
                    03
                       85
                           1F
                              98
                                         28
                                             60
                                                 C9
                                                    30
                                                        90
                                                           03
                                                               C9
      29
         8F
             AA
                98
                    AØ
                       03
                           EØ
                              8A
                                    10A0
                                         60
                                             38
                                                 60
                                                    40
                                                        02
                                                           45
                90
ØEA8
      FØ
         ØB
            4A
                    08
                       4A
                           4A
                              09
                                    10A8
                                         08
                                             40
                                                 09
                                                    30
                                                        22
                                                           45
                                                               33
                                                                  DØ
ØEBØ
      20
         88
            DØ
                FA
                    C8
                       88
                           DØ
                              F2
                                    10B0
                                         08
                                             40
                                                 09
                                                           45
                                                    40
            Cl
                20
                    C2
                           00
                                    10B8
                                         08
                                            40
                                                99
                                                       02
                                                    40
                                                           45
ØECØ
     01
         20
            FE
                    90
                FA
                       C4
                           IF
                                    1000
                                         08
                                            40
                                                                  33
ØEC8
     90
         Fl
            A2
                03
                    CØ
                       04
                           90
                                    1008
                                         DØ
                                            8C
                                                44
                                                    00
                                                               22
                                                                  44
         A8
                    FF
                           85
                              28
ØEDØ
     60
            B9
                37
                       00
                                    10D0
                                                               22
                                         33
                                             DØ
                                                8C
                                                    44
                                                        9A
                                                           10
                                                                  44
ØED8 B9
            FF
                00
                    85
                       29
                           A9
                                         33
                                   10D8
                                            DØ
                                                08
                                                    40
                                                        99
                                                           10
                                                               22
                                                                  44
ØEEØ ØØ AØ Ø5
                06
                    29
                       26
                           28
                              2A
                                   10E0
                                         33
                                            DØ
                                                08
                                                    40
                                                       09
                                                               13
                                                           62
                                                                  78
         DØ
            F8
                69
                          D2
ØEE8 88
                    3F
                       20
                              FF
                                   10E8 A9
                                            00
                                                    21
                                                       81
                                                           82
                                                00
         DØ
            EC
                A9
                    20
                       2C
                           A9
                              ØD
                                   10F0 00
                                            00
                                                59
                                                    4D 91
                                                           92
                                                              86 4A
                   D4
ØEF8 4C D2 FF
                20
                       FA ØØ
                              20
                                    10F8 85
                                             9D
                                                2C
                                                    29
                                                       2C
ØFØØ 69 FA ØØ 20 E5 FA ØØ
                                   1100 59 00 00 58 24
                                                           24 00 00
                       00 86
ØFØ8 69
         FA
            00
                A2
                    00
                              28
                                   1108
                                         10
                                             8A
                                                10
                                                    23
                                                       5D
                                                           8B
                                                              1R
                                                                  A1
ØF1Ø A9
         90
            20
                D2
                    FF
                       20
                          57
                              FD
                                         9D
                                   1110
                                             8A
                                                1D
                                                    23
                                                       9D
                                                           8B
                                                              10
                          CA
            72
                              FC
                                   1118
                                        00
                                            00
                                                29
                                                           69
                                                    19
                                                       AF
                                                              A8
                                                                 19
                84
                   C2
                       20 El
                              FF
ØF2Ø ØØ
        85 C1
                                   1120
                                         23
         05
             20
                2F
                       aa
                           BØ
                              E9
                                   1128
                                             00
                                                00
                                                           5B
                                        Al
                                                       5B
                                                              A5
                                                                  69
ØF3Ø
     4C
         47
             F8
                00
                    20
                       D4
                           FA
                              00
                                   1130
                                         24
                                             24
                                                AE
                                                    AE
                                                       A8
                                                           AD
ØF38 A9
         03
            85
                1D
                   20
                       3 E
                          F8
                              00
                                             7C
                                                           90
                                   1138
                                         00
                                                00
                                                    00
                                                       15
                                                              6D
     20
            F8
                00
                   DØ
                       F8
                          A5
                              20
                                   1140
                                        A5
                                            69
                                                29
                                                    53
                                                       84
                                                           13
                                                              34
                                                                  11
                    85
                       C2
                           4C
                              46
ØF48
     85
        CI
            A5
                21
                                   1148 A5
                                            69
                                                23
                                                       D8
                                                           62
                                                              5A
                                                                  48
                                                   AØ
                    FØ
                           20
ØF50
         90
            C5
                28
                       03
                              D2
                                   1150
                                         26 62
                                                94
                                                    88
                                                       54
                                                           44
                                                              C8
                                                                  54
ØF58
     FF
         60
            20
                D4
                    FA
                       00
                           20
                              69
                                   1158
                                         68
                                            44
                                                E8
                                                    94
                                                       00
                                                           00
                                                              B4
                                   1160 84 74
ØF60
     FA 00 8E
                11
                    02
                       A2
                          03
                              20
                                                B4
                                                    28
                                                       6E
                                                           74
                                                              F4
                                                                 CC
            00
                48
                   CA DØ
                          F9 A2
                                   1168 4A 72
                                                F2
                                                    A4
                                                       8A
                                                          00
                                                              00
               E9
                                   1170 A2 A2 74 74
ØF7Ø Ø3 68 38
                   3F
                       AØ
                          Ø5 4A
                                                       74
                                                           72
                                                                 68
                                                              44
        11
            02
                6E
                    10
                       02
                          88
                              DØ
                                   1178 B2 32
                                               B2
                                                    00
                                                       00
ØF80 F6 CA D0 ED A2 02 20 CF
                                   1180 1A 1A 26 26 72 72 88 C8
         C9
            ØD
                FØ
                    1E
                       C9
                           20
                              FO
                                   1188 C4 CA
                                                       44
                                                           44 A2
                                                26
                                                    48
                                                                  C8
                           ØF
         20
             DØ
                FE
                    00
                       BØ
                              20
                                                           58
                                                              4C
                                   1190
                                         3A
                                             3B
                                                52
                                                    4D
                                                                  53
                           C2
                              85
                                   1198
                    CI
                       84
                                                       50
                                                           20
                                                              41
ØF98
     90
         FA
            aa
                A4
                                         54
                                             46
                                                48
                                                    44
                9D
                           E8
                              9D
ØFAØ
     C1 A9
            30
                   10
                                   11AØ
                                         F9
                                             00
                           28
                                                           00
        Ø2 E8
                DØ DB 86
                              A2
                                   11A8 F7
                                             F8
                                                    56
                                                       F9
            86
                26
                    FØ
                       04
                           E6
                              26
                                             F4
                                                F9
                                                    00
                                                       ØC
                                                           FA
                                                               99
                                                                  3E
     00
         00
                                   11BØ
                                        00
                00
                    00
                       86
                           1D
                              A5
                                         FB
                                             00
                                                92
                                                    FB
                                                       00
                                                           CØ
                                                               FB
         75
            A2
                                   11B8
                              86
                                                       FD
                                                           00
                                                              8A
                                                                  FD
                    00
                       A6
                           2A
                                         38
                                            (FC
                                                00
                                                    5B
ØFCØ
     26
         20
            D9
                FC
                                   11CØ
                37
                       00
                          BD
                              77
ØFC8
        AA BC
                    FF
                                   11C8
                                        00
                                            AC
                                                FD
                                                       46
            20
                B9
                   FE
                       00
                           DØ
                                                       00
                                                           ØD
                                                              20
                                                                  20
ØFDØ
        00
                                   11DØ
                                        F7
                                             00
                                                ED
                                                   F7
            EØ
                03
                   DØ
                       19
                           A4
                                   11D8
                                         20
                                             50
                                                43
                                                    20
                                                       20
                                                           53
                                                               52
ØFD8 A2
         06
                              30
         15
            A5
                2A
                   C9
                       E8
                           A9
                                   11EØ
                                         41
                                             43
                                                20
                                                    58
                                                       52
                                                           20
                                                              59
                                                                  52
ØFEØ
     FØ
                BF FE
                       00
                          DØ
                              CC
             20
                                               50 AA AA AA AA
                                   11E8 20 53
ØFE8
     BØ
         21
     20 Cl
            FE 00 D0
                       C7 88 DØ
OFFO
ØFF8 EB Ø6 2A 9Ø ØB BC 3Ø
```

# This Publication is available in Microform.



#### University Microfilms International

Please send addit	ional information
for	
Name	
Institution	
Street	
City	
State	Zip

300 North Zeeb Road Dept. P.R. Ann Arbor, Mi. 48106 Go to address 1000 hex and begin running code.

#### Hunt memory

#### .H CØØØ DØØØ 'READ

Hunt through memory from C000 hex to D000 hex for the ASCII string read and print the address where it is found. A maximum of 32 characters may be used.

#### .H CØØØ DØØØ 2Ø D2 FF

Hunt memory from C000 hex to D000 hex for the sequence of bytes 20 D2 FF and print the address. A maximum of 32 bytes may be used.

#### • Load

·L

Load any program from cassette #1.

#### .L "RAM TEST"

Load from cassette #1 the program named RAM TEST.

#### .L "RAM TEST", Ø8

Load from disk (device 8) the program named RAM TEST. This command leaves BASIC pointers unchanged.

#### Memory display

.M ØØØØ ØØ8Ø

- . ØØØØ ØØ Ø1 Ø2 Ø3 Ø4 Ø5 Ø6 Ø7
- . ØØØ8 Ø8 Ø9 ØA ØB ØC ØD ØE ØF

Display memory from 0000 hex to 0080 hex. The bytes following the .: can be altered by typing over them, then typing a return.

#### Register display

.R

PC IRQ SR AC XR YR SP ØØØØ E62E Ø1 Ø2 Ø3 Ø4 Ø5

Displays the register values saved when Supermon64 was entered. The values may be changed with the edit followed by a return.

#### Save

.S "PROGRAM NAME", Ø1, Ø8ØØ, ØC8Ø

SAVE to cassette #1 memory from 0800 hex up to but not including 0C80 hex and name it PROGRAM NAME.

#### .S "Ø:PROGRAM NAME", Ø8, 1200, 1F50

SAVE to disk drive #0 memory from 1200 hex up to but not including 1F50 hex and name it PROGRAM NAME.

#### Transfer memory

#### .T 1000 1100 5000

Transfer memory in the range 1000 hex to 1100 hex and start storing it at address 5000 hex.

#### Exit to BASIC

.X

Return to BASIC ready mode. The stack value SAVEd when entered will be restored. Care should be taken that this value is the same as when the monitor was entered. A CLR in BASIC will fix any stack problems.

#### Program 3. Supermon64 Checksum.

- 100 REM SUPERMON64 CHECKSUM PROGRAM
- 110 DATA 10170,13676,15404,14997,15136, 16221,16696,12816,16228,14554
- 120 DATA14677,15039,14551,15104,15522, 16414,15914,8958,11945 :S=2048
- 130 FORB=1TO19:READX:FORI=STOS+128:N=P EEK(I):Y=Y+N
- 140 NEXTI:IFY<>XTHENPRINT"ERROR IN BLOCK #"B:G OTO160
- 150 PRINT"BLOCK #"B" IS CORRECT"
- 160 S=I:Y=0:NEXTB:REM CHECK LAST SHORT BLOCK BY HAND

#### ...PET/CBM/VIC? SEE SKYLES...

# PET owners everywhere sing Thanks for the Memories to good old Bob Skyles

. . . they should . . . because Bob Skyles is the only complete source for memory boards for *any* PET ever sold. Old Bob won't forget you.

And the Skyles memory systems have the highest quality control of any computer product ever. Over 100 million bits of Skyles memory boards are already in the field. First quality static and dynamic RAMS, solid soldered on first quality glass epoxy. That is why they are guaranteed—in spite of the new lower prices—for a full two years.

The boards, inside the PET/CBM, install in minutes without special tools or equipment...just a screwdriver.

Because of our new dynamic memory design, and to celebrate old Bob's 30<sup>th</sup> birthday, here are the smashing new prices:

 8K Memory System
 orig. \$250.00
 now \$200.00
 Save \$50.00

 16K Memory System
 orig. \$450.00
 now \$300.00
 Save \$150.00

 24K Memory System
 orig. \$650.00
 now \$400.00
 Save \$250.00

... For any PET ever made. When ordering, just describe your PET by model number and indicate the amount and type (or brand) of memory currently in the unit.

Shipping and Handling....(USA/Canada) \$3.50 (Europe/Asia) \$15.00 California residents must add 6%/6½% sales tax, as required.

Visa/Mastercard orders: call tollfree (800) 227-9998 (except California). California orders: please call (415) 965-1735.



Skyles Electric Works 231E South Whisman Road Mountain View, California 94041 (415) 965-1735

#### ...PET/CBM/VIC? SEE SKYLES..

# Peripherals Unlimited... our fast service, product

#### **FANTASTIC PRICES!**

SELECTION AND OUR CUSTOMERS' SATISFACTION MAKE US #1.

#### **NEC PRINTERS**

7710 Spinwriter R/O	\$2295
7720 Spinwriter KSR	\$2649
7730 Spinwriter R/O	\$2295
7700 Bi-directional Tractor	\$250
7700 Ribbons	\$5
3510 Spinwriter	\$1689
3515 Spinwriter	\$1699
3530 Spinwriter	\$1689
3550 Spinwriter	\$2149
3500 Bi-directional Tractor	\$225
3500 Ribbons	\$14
NEC Thimbles – All Styles	\$18

#### **NEC DOT MATRIX**

PC-8023 A-C	\$474
PC-8023 Ribbons	\$14

#### **OKIDATA PRINTERS**

Okidata Microline 82A	\$459
Okidata Microline 83A	\$699
Okidata Microline 84P	\$1069
Okidata Microline 84S	\$1099
Tractor (Oki 80 & 82 Only)	\$60
Okidata Okigraph	\$85
Call for prices on ribbons	

#### **DIABLO PRINTERS**

Diablo 620	\$1349
Diablo 620 Bi-Directional Tractor	\$175
Diablo 630 RO	\$1999
Diablo 630 KSR	\$2700
Diablo 630 Bi-Directional Tractor	\$275
RS232 Cable	\$35
Call for prices on ribbons	

#### **NEC MONITORS**

NEC JB1201 GRN Phosphor	\$149
NEC JC1201 Color	\$339

#### **EPSON PRINTERS**

MX-80 w/Graphtrax Plus	\$469
MX-80FT w/Graphtrax Plus	\$529
MX-100 (15" Carriage)	\$699
Grappler Plus Interface	\$129
MX-80 Ribbons	\$12
MX-100 Ribbons	\$18
Call for prices on interfaces &	cables

#### **IDS PRINTERS**

IDS Microprism	\$539
IDS Prism 132	\$1449
IDS Prism 132 Color	\$1659
IDS Grappler	\$129

#### **AMDEK**

Amdek 12" 300 GRN Phosphor	\$149	
Amdek 13" Color I	\$319	
Amdek 13" Color II	\$739	
Amdek 13" Color III	\$429	
Amdisk No. 3	\$749	
(3" dual microfloppy storage		
for the Apple II and IBM PC)		

FOR SERVICE, QUALITY & DELIVERY,

### CALL TOLL FREE 1-800-343-4114

#### ORDERING INFORMATION

Our order lines are open 9AM to 5:30PM EST Monday thru Friday. Phone orders are welcome; Free use of Mastercard and VISA. Personal checks require 2 weeks clearance. Manufacturer's warranty included on all equipment. Prices subject to revision. C.O.D.'s accepted. All U.P.S. shipments are subject to a shipping charge of 1% of the total purchase, with a minimum charge of \$5.00.

### PERIPHERALS UNLIMITED

(617) 655-7400

Natick, MA 01760 62 North Main St.

# **INSIGHT: Atari**

Bill Wilkinson

No gossip to start with this month. Instead, let's start right off into a whole series of interesting tidbits (and even a few tidbytes).

#### Which is it? GTIA Or CTIA?

Several articles have been written on how to tell whether you have a GTIA or CTIA in your system. Most of them suggest that you use a GRAPHICS 9 statement and observe the screen (it turns black with a GTIA, remains blue with a CTIA).

But suppose you want to write a program that takes advantage of all the capabilities of the GTIA. What does the poor user with only a CTIA do? If you are commercially clever, you will have your program sense which chip is in use and adapt itself accordingly. This program will enable you to do just that:

100 GRAPHICS 0: REM ALWAYS USE THIS MODE 110 PRINT "NOW TESTING FOR CTIA VERSUS GTIA" 130 POKE 559,58:POKE 53277,2:REM ENABLE PLAYERS 140 POKE 54279,240: REM USE ROM FOR PLAYER DATA 145 POKE 53248,80:REM CENTERED PLAYER 150 POKE 53278,0: REM CLEAR COLLISION REGISTERS 160 POKE 623,65: REM ENABLE GTIA, IF IT EXISTS 17Ø POKE 20, Ø 18Ø IF PEEK(2Ø)<2 THEN 18Ø 190 POKE 623,1: REM DISABLE GTIA 200 POKE 559, 34: POKE 53277, 0: REM TURN OFF PLAYERS 210 FOR A=53261 TO 53265: POKE A, 0: NEXT A: REM (AND PLAYER DATA) 220 IF PEEK (53252) THEN PRINT "SORRY, ONLY A CTIA":GOTO 240 230 PRINT "AHA! A GTIA." 24Ø END

First of all, to give credit where it is due, I should mention that I was inspired to try this by a remark I read in one of Craig Chamberlain's articles in the *M.A.C.E.* newsletter (Michigan Atari Computer Enthusiasts, in the Detroit area). Portions of that article were also reprinted recently in **COMPUTE!**.

But let's now discuss the program. First, we must explain why and how it works: there is no way to inquire of the chip itself which it is. Even the operating system does not know which is installed. But .... (There had to be a "but," or there wouldn't be this article.)

There are a few subtle differences between how the two chips view players and missiles. In particular, the GTIA doesn't believe that players can collide with "printed" characters, so it never reports such a collision. The CTIA, though, considers a character to be just another kind of COLORed (and SETCOLORed) display.

The first thing our listing does is insure that we have some mode zero characters on the screen (lines 100 - 120). Then we enable the player DMA and the players themselves (line 130). And we tell the chips that the player data memory is smack in the middle of the ROMs! (Why? To insure that lots of data bits will be on, forcing lots of collisions between the player and the playfield screen characters.)

With line 145, we place the player somewhere left of the center of the screen, insuring that it will collide with our printed message. Then, after clearing the collision registers (to insure that the later results will be valid), we enable the special modes of the GTIA (lines 150 and 160).

We wait for at least one full screen scan (lines 170 and 180), to be sure that the collision will "take" (if it's going to). Then we turn everything back off again (lines 190 - 210).

Finally, we inspect the collision register for player zero. If a collision did occur, it must be because the older CTIA was installed. If no collision occurred, we presume that we have a GTIA.

All of this is a little complicated, but I sincerely hope that some of you game developers out there will start designing some good GTIA-based games, now that you can have them modify themselves for the CTIA owner.

#### A Few Abbrev'd REMs. Period.

In his article on "The Atari Wedge" (in the November 1982 **COMPUTE!**), Charles Brannon mentions that BASIC treats a line beginning with a period as a REMark, claiming that it is a lucky fluke. Well, it really isn't a fluke. It's just one of those things that got designed into Atari BASIC and then forgotten about.

The rule for using abbreviations in Atari BASIC (and BASIC A + , naturally) is fairly simple: when a statement begins with an abbreviation (any alphabetic characters followed by a period), BASIC searches the keyword name table for the first statement name which matches the abbreviation, starting at the first character of the abbreviation and ending at the period.

This means, for example, that "L." will match "LIST" only because LIST is the first word in the

keyword name table that begins with an "L". If "LET" had been placed before "LIST" in this table, then "L." would have been interpreted as a LET statement. Boy, aren't we lucky that LIST comes before LET!

Luck had nothing to do with it. The order of those keywords was carefully chosen to provide the maximum usability of the shortest abbreviations. (Actually, I now believe that there are a few variations in the order that might be more useful; but remember that the order was set by intuition, not experience, since the language didn't then actually exist.)

Anyway, Atari had asked for a very short abbreviation for REMark statements (e.g., "!", as is used by most Microsoft BASICs). But what could be shorter than a single period? It's even easier to use than "!" (no shift key needed). How to produce that result? Trivial! Place REM as the first statement name in the keyword table.

So try it sometime. Why type in three characters ("REM") when one will do? Of course, because of the tokenizing nature of Atari BASIC, any abbreviated statement(s) are LISTed in their full form. So "." will be LISTed as "REM".

And a P.S. for those of you into BASIC internals: note that this implies that the token value for REM must be zero, since the token values relate directly to the order of the names in the keyword table.

Page 6 Preached Again

I kind of promised myself that I would get down off my soap box this month and quit ranting and raving. But I couldn't go one whole column without a little preaching, could I?

Stay out of page 6! I can't believe it! It seems that every other article and/or utility program and/or device driver that I run across wants to place itself in page 6 (memory locations \$600 to \$6FF, 1536 to 1791 decimal). It won't work!

How can I possibly install a printer driver in page 6 and then put my player vertical move routine there and my disk block input and output and .... Ah, come on, folks. Give us a break.

If you are writing a complete "system" (a game, or data base program, or whatever), then you are naturally free to configure memory as you wish, including doing whatever you want to page 6. But if you are going to publish a utility in a magazine or include a device driver with your printer interface board or do anything that others might use or modify, *please* don't make it fixed-assembled in page 6. *Please*.

Besides, it is *not* true that BASIC leaves all of page 6 alone. If you do an INPUT from disk (or cassette or anything other than the screen), and if the data you input exceeds 128 bytes, BASIC will use at least a portion of page 6 as its buffer. (How-

ever, it is probably – not surely, just probably – safe to use memory from \$680 to \$6FF.)

A little history: If you examine your Atari BASIC reference, you will find that there are two memory usage tables. One claims that all of page 6 is available for the user. The other claims that only the upper half is available. In general, you should believe the latter. It is not a design flaw nor an error that BASIC sometimes uses the bottom half of page 6. It is necessary and documented.

I think it was someone at Atari (my rumor sources say Chris Crawford, but this is unconfirmed) who began using all of page 6 for assembly language routines. And, as I stated above, there is really nothing wrong with doing so within a "closed" environment (where you write all the software, both BASIC and assembler). Just don't do it for public consumption.

So what should you do, instead? The best solution is to write self-relocatable code and load it wherever there is free memory (e.g., in a BASIC string). (Showing how to write self-relocatable code might be an instructive article, in and of itself. Any takers?)

The second best solution is to perform my favorite trick: place your code at LOMEM and move LOMEM up. Even here, though, it is best to use relocatable code, so you can run under a variety of operating system configurations and varying heights of LOMEM (as I documented in last month's column).

And, last but not least, I have some good, practical (and a little bit selfish) reasons for avoiding page 6: BASIC A + uses a good portion of it (\$610 through \$642, actually). Does that make us a villain? Perhaps a little, to the article writers. But we aren't that terrible: I understand that Microsoft BASIC uses *all* of page 6. And who knows what other languages and operating systems and peripheral devices and whatever will also use page 6? Why complicate both your and others' lives by putting your routines there also?

#### **Some FORTH-Right Comments**

I received a very well written and thought-out letter from Steven Weston, of Del Mar, California, regarding the benchmarks I reported in my September 1982 column. Mr. Weston shares the predilections of some others, considering FORTH to have been slighted in that column (and in the following one, I presume).

First, I should like to report that he translated the BASIC benchmark to FORTH and obtained a time of a little under 118 seconds. Which is interesting, since ValFORTH (the version he used) makes use of the Atari floating point routines, I believe. So why should it be slower than Atari BASIC? If I were guessing (which means I'm about

# WIN \$5,000 Plus Royalties!\*

### For the best Talking Game



THE ALIENGROUP

speech synthesizer For the Atari® or Apple®II+

# Using the VOICE BOX TO Nowyou can make your

Nowyoucan makeyour
Atari® 400/800 or
Apple® II games and
other programs come
alive with the VOICE BOX
by the Alien Group — the first
low-cost, smart speech synthesizer
with unlimited vocabulary.

with unlimited vocabulary.

Add jokes to your programs. Insults.

Compliments. Help messages. Stories.

Alien voices. Animal roars. Have your computer talk to the fire department or police in emergencies. To kids. Or blind people. Teach touch typing with immediate spoken feedback. Or just about any other subject — the fun way. Or help a speech-impaired friend communicate . . . the possibilities are limitless.

The VOICE BOX plugs into your Atari's serial port. And talks directly through your TV set. Or into any Apple II slot. No power supply or special interfaces needed.

Just select from its simple screen menu. A dictionary with thousands of common words (on diskette or cassette) automatically translates your text into speech. It's that easy.

But don't let its friendliness fool you. The VOICE BOX has all 64 phonemes (basic sounds, like "ah") built in. So you can precisely create any word or sound you can imagine. And store it all on diskette or tape. Names or foreign language words, for example. Or wierd non-human languages.

Let me entertain you — The VOICE BOX is creative too. It will crack you and your friends up with non-stop random, grammatically correct sentences, using words you specify. It

#### Speech Synthesizer

also has an amusing talking face with lip-sync animation
— a real crowd-stopper. Best of all, you can call the VOICE BOX from any BASIC program and make your program really hum —literally!

Singing Apples? — Apple owners get all these capabilities too — as a plug-in card plus diskette. Or there's a deluxe version with the dictionary in ROM (no diskettes to bother with). speaker, and ability to "sing" (hey we're not making this up folks) in any key. (Both Apple versions require 32K or more. Applesoft and DOS 3.3).

Don't confuse the VOICE BOX with "dumb" speech synthesizers that can't learn new words. Or software-based ones with lower speech quality — and an annoying tendency to blank out the display when they talk. The VOICE BOX is a true breakthrough in speech synthesis. Small wonder thousands of Atari and Apple owners have already bought the VOICE BOX.

The VOICE BOX is available now at leading computer stores throughout the world. Or direct from the Alien Group, with 10-day money back guarantee if you're not completely satisfied.

VOICE BOX For Atari. \$169.00 16K and 32K versions included (Specify diskette or cassette).

VOICE BOX for Apple II.+ \$139.00. (Requires speaker.)

VOICE BOX for Apple II+. \$215.00 (Includes dictionary in ROM and singing capability. Comes with speaker.)

Enclose check or money order.

CHECK YOUR LOCAL COMPUTER STORE FOR TALKING "VOICE BOX" VERSIONS OF YOUR FAVORITE GAMES FROM LEADING GAME COMPANIES

\*Win a \$5,000 prize — plus royalties — for the best Atari 400/800 or Apple II+ game using the VOICE BOX. Deadline: May 30, 1983. Write for contest details.

Please mail to: The Alien Group, Department PT-6, 27 W. 23 St., N.Y., N.Y. 10010 Or call in order to (212) 741-1770 to take a flyer), I would presume that the floating point words for ValFORTH are written in FORTH words, instead of being written as low-level (assembly language) words. The very operation of stacking and unstacking the floating point numbers must then be relatively slow and painstaking.

If this is indeed true, then my comment is a positive one: the FORTH user indeed has the choice of implementing "commands" (words) either way, with other FORTH words or with assembly language. This flexibility is poorly supported by most other languages. (Although many C compiler implementations come close to having such accessible assembly code. C/65 functions, for example, need very little overhead in the assembly language code to "unstack" their parameters.) Want a faster FORTH instead of a smaller one? Recode some routines in assembly language.

#### **What Benchmarks Really Test**

Before going on to the second point of Mr. Weston's letter, I should like to note that I feel that perhaps he (and many other readers) missed part of the point of the benchmarks: I was really trying to show how useless any one benchmark is, since it is so easy to dream up benchmarks which show off the best features of a given language. I would be hard pressed to construct even a set of ten benchmarks which would adequately compare languages.

And even if I thought I succeeded, how much is the human interface to a language worth? PILOT is still the easiest language on the Atari to learn and interface to. *By definition*, it therefore outbenchmarks every other language for beginners. But would anyone seriously propose using PILOT for generating prime numbers? I think not. Benchmarks are usually worth the paper they are printed on and no more.

So now to Mr. Weston's second point. I quote: "...the bottom line on languages is to use that language which is best suited to the task. [With Atari BASIC] the lack of integer based math is a serious deficiency which can preclude its use by professional software authors." He goes on to ask why I don't provide a "toolbox" of integer math routines to be interfaced to Atari BASIC "instead of defending an inadequate situation."

Well. Kudos and jibes all in one it seems. Anyway, he is absolutely right: pick the language that fits the job instead of making the job fit the language. You will remember, I hope, that in a recent column I mentioned that I collect languages like some people collect games. I keep hoping to find one that will be useful to me.

But now let me disagree a little on a couple of points. And I do so because I have received too

many comments in this same vein. (1) Integer math is not needed by all "professional software authors." The person writing a financial package needs integer math about as much as the game writer needs floating point. If you need integer math, choose a language which supports it. (2) BASIC is, unfortunately, a non-extensible language. Sure, we could put integer math routines in memory somewhere and use them from BASIC. But BASIC would still insist on thinking of its variables and constants as floating point, and the conversion time (from floating point to integer to floating point, ad nauseam) would wipe out all speed advantages gained. (3) I don't think Atari BASIC is an "inadequate situation." Sure, I think there are other solutions. Why else would our company produce languages such as BASIC A + and C/65 (and probably more to come)? But "inadequate"? I think not, if it is used for and how it was meant to be used. (If anything is inadequate, it is the 6502 microprocessor, which does not lend itself to the implementation of powerful language compilers.)

But, if you are a beginner, don't let anyone (including me) pressure you into trying to learn a new language before you are ready. It is true that you are not going to write "Super Invading Packers with Tronic Fighters" with Atari BASIC. But just look at what you can write! Ten years ago, a computer fanatic would have sacrificed his left thumb for what we now take for granted. Seven short years ago, the "hot" computer game that everybody was rewriting (to make it fit in their expanded memory 8K byte gigantic machine) was Wumpus. Today, I seldom see a published program that doesn't make Wumpus look like something out of the dark ages. Hang in there, folks, you ain't seen nuthin' yet.

#### The New BASIC Standard?

Well, I finally got time to take a long, hard look at the new ANSI BASIC specification. Whew! I think the tower of Babel must have seemed organized by comparison. Even ADA and PL/1 look like closely designed languages compared to ANSI BASIC. I think that the rule in designing it was "If someone wants it, let's put it in."

You certainly won't see any microcomputer interpreter implementations of it in the near future. I estimate it would take over 80K bytes of Z-80 code to do it (which translates to maybe 100K to 120K of 6502 code). It is definitely designed to be compiled, not interpreted, and then only by big machines.

The error descriptions alone would take a few kilobytes (and they are required!). And what do lines like the following mean?



#### MAGIC MAIL\*

iting New Data Base Mailing and Personal Information System for your Atari 400/800\*\* Personal Computer. Never before have all these features been designed into a single Mailing and Information System, so easy to use and so powerful.

#### COMPARE THESE FEATURES:

- Data Fields: Name, Address, City, State, Zip Code, Area Code, Phone Number, Birthday (m/d/y) and Entry Type.
- Up to 1027 records per Diskette!
- Less than I second Search Time over 95% of your Data, and 2-4 seconds over the other 5%.\*\*\*
- . Up to 62 SEPARATE and UNIQUE files permitted per Diskette
- Single or Double Disk Drive Capability.
- Built in SORT, capable of Sorting ANY Data File by ANY Field with up to 10 Sub-
- Command-Driven with simple English-like commands: FIND, MODIFY, PRINT, ADD, SORT, etc.
- Position Independent & Position Dependent Fields.
- Files compatible with Atari DOS IL\*\*
- Recorded on High-Quality Verbatim Diskettes
- Every Diskette Pre-tested for Bad Sectors and recording integrity.
- Versions for: Epson MX-80, Prowriter, Centronics
- Print Single-width Mailing Labels or Directory Listing.
- 100% Machine Language.
- 16 K Minimum Memory
- 60-Page User Manual.
- 90 Day Buyer Protection Guarante Call or write for FREE additional inform

\*MAGIC MAIL is a Trademark of A-BIT-BETTER Software
\*\*ATARI is a Registered Trademark of Atari Inc.
\*\*Search time is for an Indexed File.



Laurel Md 20707 (301) 953-7256

Dealer Inquiries Invited.



Use the handy reader service cards in the back of the magazine for information on products advertised in **COMPUTE!** 

# Maxell Floppy Disks

The Mini-Disks with maximum quality.



Dealer inquiries invited. C.O.D's accepted. Call FREE (800) 235-4137.



PACIFIC EXCHANGES 100 Foothill Blvd. San Luis Obispo. CA 93401 In Cal. call (800) 592-5935 or (805)543-1037





### A True Story

Not so long ago, there was a kingdom called US. All of US had been happy until one day they were attacked by the neighboring kingdom of Bad Games . . . which rendered all of US bored. East of US there fortunately lived a wise and imaginative wizard named NEXA. With his magical powers, NEXA created two games for US. There was SUPERBOWL FOOTBALL (Atari 400/800 w/ 48K and IBM PC) with pro-ball punch. And then there was DELTA SOUADRON (Apple II 64K w/DOS 3.3), launching US light years ahead into the heart of a sizzling starbase attack. X-citing, X-plosive, and X-emplary new games. The Bad Games just couldn't compare with the powers of NEXA. And so in the end, all of US played happily ever after. (Fortunately



for us, NEXA created 7

other games that year.)

MAT PRINT #N, SAME, IF THERE EXIT FOR: A\$; B\$, C

ASK #3: access outin, organization org\$, rectype internal, pointer p\$

I am disappointed. I had hoped that the committee would distill the best of the various BASICs and come up with a somewhat enhanced version of the original ANSI standard BASIC. Instead, they seem to have distilled out the biggest features of the biggest BASICs they can find. And who will use the standard? Not the micros. (At least not in the near future. I understand that Microsoft's representative on the committee dropped out. From frustration? I would have.) Not those who need to contract with the government. (Soon, you will have to use ADA if you work with the defense department and various allied agencies.) Not the big business computer users. (They can't afford to go from COBOL, a clumsy but eminently maintainable language, to a BASIC as kludged up by the committee, with a lack of the data structures that made COBOL successful.)

I guess I believed that the only BASIC users that would be left in a few years would be the hobbyists and the time-sharing companies. Now, I think the only ANSI BASIC users will be the time-sharing companies. Maybe.

As much as I disagree with much of what Microsoft has done, I would rather have seen Microsoft BASIC (version 5, on the CP/M machines) become the standard than the hodgepodge the ANSI committee has selected. ANSI, on a scale of 10, I give you a 2.

#### **The New Atari Computers**


Perhaps by the time you read this, the new Atari computers will be on display at the Consumer Electronics Show (early January, in Las Vegas). Don't expect any real surprises. I expect to hear of a 64K machine (with no software to take advantage of the extra 16K). And probably a low-end 16K machine.

Obviously, Atari needs to get in there and fight with Commodore, both on price and features. Price is easy. Features? Well, if Commodore follows through as they claim they will, it could be a tough fight. And I think the 400 replacement might outstrip the VIC-20. I guess I should note that I am not as much of an Atari loyalist as this paragraph makes me sound. It's just that I like a good, competitive race. The consumer is bound to win.

Oh, yes, one more thing. No more right-hand cartridge slot in the new machines. And no memory board slots at all. Ouch? I don't know. I hope there will be a good way to expand the new machines, but we will all have to wait to see what it is.

#### **Basically BASIC**

All this talk about benchmarks and ANSI BASIC has made me regain interest in a project I thought of doing a while back. So, starting next month, we will begin writing a BASIC interpreter right here in this column. And we will write it in BASIC. Interested? I am.





**GORF** \$29.95 cartridge WIZARD OF WOR \$29.95 cartridge

KICKBACK \$34.95 cartridge

SOCCER \$34.95 cartridge JUMBO JET PILOT \$34.95 cartridge

SUBMARINE COMMANDER \$34.95 cartridge

Prices effective January 1 through January 31, 1983

### Buy any 3 programs and receive a FREE\* SLIK STIK

ATARI CONVERSATIONAL LANGUAGES T	APX ALL ITEMS - 20% OFF RETAIL. WE CARRY THE ENTIRE APX	BRODERBUND APPLE PANIC · D/T 23.95	*COUPON PROGRAM The purchase of each program (with the
INVITATION TO	CATALOG!	STELLAR SHUTTLE - D/T 23.95	exception of Super Specials, Atari and APX)
PROGRAMMING 2 & 3 · T 21.95	AUTOMATED SIMULATIONS	DAVID'S MIDNIGHT MAGIC - D	will earn you 1 COMPUTABILITY DIVI- DEND COUPON. Save 3 coupons and re-
MUSIC COMPOSER - C 32.95	TEMPLE OF APSHAL D/T 31.95	STAR BLAZER · D 25.50	deem them for your choice of Slik Stik, a
MY FIRST ALPHABET - D 28.95	UPPER REACHES OF APSHAI · D/T 16.95	TRACK ATTACK - D 23.95	Lefty Adaptor, or an Extension Cable. You
TOUCH TYPING - T 18.95	APSHAI-D/I 16.95	LABYRINTH D/T 23.95	pay only a \$2.50 shipping & handling charge.
WORD PROCESSOR D 112.95 BOOKKEEPER D 112.95	CRUSH, CRUMBLE & CHOMP - D/T	SERPENTINE D	I.D.S.I.
HOME FILING MANAGER D 37.95	RICOCHET - D/T 16.95	DEADLY SECRETS - D 23.95	POOL 1.5 · D 27.95
MAILING LIST · T 18.95	CRYPT OF THE	CHOPLIFTER - D 27.95	POOL 400 · Cart
ASTEROIDS - C 26.95	CRYPT OF THE UNDEAD D	GENETIC DRIFT - D/T 23.95	SPEEDWAY BLAST - Cart 31.95
CAVERNS OF MARS D 28.95	DRAGON'S EYE - D	SEAFOX D 23.95	ROKI AN
COMPUTER CHESS C 26.95 MISSILE COMMAND C 26.95	ESCAPE FROM VULCAN'S	COSMI	DELUXE INVADERS - Cart 31.95
SPACE INVADERS · C 26.95	ISLE · D 23.95	AZTEC CHALLENGER - D 16.95	GORF - Cart
SUPER BREAKOUT C 26.95	KING ARTHUR'S HEIR D 23.95	AZTEC CHALLENGER - T 11.95 CRYPTS OF PLUMBOUS - D 13.95	WIZARD OF WOR Cart 35.95
STARRAIDERS - C 32.95	MONSTER MAZE - Cart 31.95	CRYPTS OF PLUMBOUS - T 8.95	SENTIENT CYBORG D 27.95
ASSEMBLY EDITOR · C 44.95	PLATTERMANIA - Cart 31.95 THE NIGHTMARE - D 23.95	GALACTIC AVENGER · D 13.95	GOLD RUSH - D/T 27.95
BASIC · C	DATASOFT	GALACTIC AVENGER - T 8.95	
MICROSOFT BASIC D 65.95	SHOOTING ARCADE · D/T . 23.95	SPIDER INVASION D 16.95	SIRIUS SNAKEBYTE-D 23.95
PILOT (HOME PACKAGE) - C . 58.95		SPIDER INVASION - T 11.95	
ADVENTURE INTERNATIONAL	PACIFIC COAST HIGHWAY - D/T 23.95	FIRST STAR ASTRO CHASE · D/T 23.95	CYCLOD · D 23.95
REAR GUARD D 20.95	CLOWNS & BALLOONS D/T 23.95	ASTROCHASE D/T 23.95	SNEAKERS - D
PREPPIE · D/T 23.95	MICROPAINTER - D 23.95	ON-LINE JAWBREAKER D/T 23.95	BANDITS - D
S.A.G.A. ADVENTURES D . 23.95	CANYON CLIMBER - D/T 23.95	ULTIMAI-D	
ANALOG	FATHOMS FORTY D 27.95	CROSSFIRE - D/T 23.95	SYNAPSE PROTECTOR D/T 23.95
ANALOG RACEIN SPACE - D/T 20.95	O'RILEY'S MINE - D/T 27.95	THRESHOLD - D	SLIME · D/T
CARNIVAL - D/T 20.95	ROSEN'S BRIGADE D/T 27.95	ULTIMA II D 44.95	SHAMUS - D/T 23.95
SUNDAY DRIVER - D/T 23.95	SANDS OF EGYPT D 31.95	MOUSKATTACK - D 27.95 FROGGER - D/T	FORT APOCALYPSE · D/T 23.95
CRASH DIVE! - D/T 23.95	SPELL WIZARD · D 63.95	FROGOEN-D/1 21.93	CLAIM JUMPER · D/T 27.95 NAUTILUS · D/T 23.95
BIG FIVE	D D'I T C	C C (:1	
COAL MINER 2049 ER - Cart . 39.95	D - DISK I - C	assette C - Cartridge	RAPTILIAN - D/T 27.95
WE CARRY HUNDREDS OF I	TEMS FOR ATARI 400/800, AS	K FOR OUR FREE CATALOG	ATARI is a trademark of ATARI, Inc.

#### Starfighter

The Ultimate Joystick

- 2 Year Warranty
- More Accurate \$16.95 Easier to Hold

LEFTY JOYSTICK ADAPTOR

Adapts to any Atari Joystick.

SLIK STIK





Suncom

Adapts to any Atari controller.

Moves fire button to top Right. \$9.95 \$6.95 ALL JOYSTICKS WORK WITH: Atari VCS, Sears Telegame, Commodore VIC 20, Atari 400 800 (All products have

30 Day Money Back Guarantee on all Suncom Products

#### **EXTENSION CABLE (5 ft.)**

\$97.95

PERCOM D/D

DISK DRIVE

\$579.00

**MOSAIC 32K** 

RAM BOARD

Mastercard/VISA Order Toll Free



800-558-0003



#### ORDERING INFORMATION

To order by mail send money order, certified check or personal check (allow 14 days to clear) to COMPUTABILITY. Include \$2.00 shipping on software orders and \$2.50 shipping on hardware orders (FREE OR PURCHASED). Mastercard & VISA please include card number and expiration date. WI residents please add 5% sales tax. Outside of continental U.S.A. please add 15% shipping (U.S. Funds only). Prices subject to change without notice.

Order Hours Monday - Friday 12 pm - 9 pm C.S.T. ComputAbility P.O. Box 17882 Milwaukee, WI 53217

In Wisc. Call 414/351-2007

### **TELECOMMUNICATIONS**

Michael Day

# Computers And Communication

Like the brains of animals, computers have evolved from dedicated, single-mindedness into general-purpose information processors. This month's column takes us through a brief survey of the changes in the capabilities of micro-, mini-, and mainframe computers, concluding with how telecommunications are generally used with each type of computer.

When computers were first introduced, they were designed and *wired* to perform a particular job. When the job was done, either it was performed again with new information inserted, or the computer was *rebuilt* to run a different job. A patch board reprogrammed the computer by reconfiguring the way the hardware was put together. Such reprogramming was necessary because there was just not enough memory available to hold both the program and data at the same time. (1K of memory was a lot back then.)

#### **Batch Processing**

Later, as the available memory size increased (to a whole 4K), software programmable machines were built. This improvement allowed the machine to be automatically "built" by the same mechanism that was used to load the data into the machine. Since most of the time spent on the computer was in "building" it for the particular job at hand, this improvement also permitted an interesting approach to processing, called batch processing.

Batch processing involves loading the program and data into the machine from a mass storage device (usually a tape drive) and running the program. The results are then saved (printed, put back on the tape or on punch cards). The program and data are then purged from the system, and a new program/data job is loaded into the machine. Batch processing helped increase the popularity of these very expensive machines. But they re-

quired intensive use to make them worth the cost.

#### **Using The Computer's Time**

As computer costs increased, even batch processing was insufficient to offset the costs of the computer. Analysis of computer operations showed that much of the computer's time was spent waiting for information to be given to it. If the computer could be subdivided into individually operating parts (or *subprocessors*), it would be possible to request the information from a slow external device, such as a tape drive, and while the information was being retrieved, another job could be loaded into the computer and operated on. The processor could later return to the original job and finish it.

Eliminating the computer's inactive or waiting times greatly contributed to the efficient utilization of the computer. By sharing the computer's resources, several different jobs could run at the same time. Careful control of access to the various parts of the system could actually make the computer work like several different computers at the same time. Several users could therefore use the computer without interfering with or being aware of each other. This brought into being time-share computers. Since a user seldom uses the system continuously, someone else could use it when it would otherwise be idle.

#### **Patterns Of Development**

When the minicomputer (bigger than a "micro," smaller than a "mainframe") came into being, it went through the same sequence of development. It started out as a computer designed to solve a particular problem and developed into a general purpose machine. The difference: by the time the minicomputer was developed, it was cheaper to design it to be program-controlled rather than to have fixed control. This was true because many parts of the machine could be shared by many parts of the program. Because it was not necessary

to have individual parts available for each action the computer performed, the computer could actually "rebuild" itself on the fly.

The result was a shift from the mainframe concept of computing. Since large mainframe computers operate best where there are large chunks of data to be processed, they tend to be run mostly as batch processing machines where an entire job, or a large portion of it, is operated on before moving on to something else. The minicomputer, however, is more suitable to applications where the job requirements are varied and rapidly shifting. They are thus most often found in time-share applications where the ability to handle a large number of jobs simultaneously is more important than the actual processing time. The minicomputer can't meet the raw crunch power of the mainframe, but it surpasses the mainframe in adaptability.

#### A Rapid Change In Microcomputers

When the microcomputer came along, again the same development pattern was followed. Like the mainframes and minicomputers, the microcomputer was initially developed for single-job applications. But it moved on to more generalized applications more rapidly than either of the other computers. Since the microcomputer was developed as a result of Large Scale Integration (LSI chips), the computers could be created at a very low development cost and an unbelievably low production cost.

The microcomputer too does not have the crunch power of the mainframe, nor does it have the adaptability of the mini. What it does have is low cost of implementation, which makes it the first computer ideally suited to fixed job applications. Some of these applications are found in the calculator, smart thermostats, microwave oven controllers, etc.

In between these fixed applications and the minicomputer are the high level microcomputers (which are coming to be called personal computers). These computers, though sometimes not suitable to the rapidly changing job environment of the mini, do have general processing capabilities. This makes them ideal for personal computing since only a single job generally needs to be run at one time, but the types of jobs that the computer is required to perform are varied.

#### **Telecommunications Needs**

You might be wondering, "That's all very fine, but what has this got to do with telecommunications?"

Actually, there is a very definite relationship between the type of computer and its needs in telecommunications. Large mainframes seldom need extensive telecommunications. When they do have such a need, it generally involves special communication circuits designed specifically for the computer system, such as airline or hotel reservation systems, or banking systems. Minicomputers, because they are highly adaptive, tend to use a wide variety of communications capabilities. Examples are the many time-share systems and service bureaus.

Microcomputers, as opposed to *personal* computers, generally don't have a need for telecommunications. When they do, the telecommunications tend to be specific to the device or application. In fact, in some applications, the microcomputer is the communications device, as it is with some of the high-powered modems available.

Finally, with the personal computer, communications vary depending on the use to which the computer is put. Generally, the application consists of machine to machine communications between users or connection to a large data base service like Micronet or The Source.

These are only generalizations, of course, and it is quite easy to find exceptions to the rule. You can find microcomputers handling multiple communications devices, and fully dedicated minicomputers that have no outside communications at all. As a general rule, however, these basic patterns prevail.

### MODEM

#### for the ATARI 400/800™ Computer

- NO ATARI 850<sup>TM</sup> INTERFACE MODULE NEEDED
- SMART TERMINAL SOFTWARE
- 16K TAPE/DISK
- DIRECT CONNECT
- CONNECTS TO JOYSTICK PORT

#### "Everything you need to plug in and use"

MODEM. The inexpensive communications package for Atari computers. State-of-the-art electronics and advanced programming make it easy to use and dependable. The smart choice for Atari owners. Ask for it by name: MODEM.

#### **MICROBITS**

434 W. 1st Albany, OR 97321 (503) 967-9075 \$199.00

### **MACHINE LANGUAGE**

Jim Butterfield, Associate Editor

## Speed Demon

Machine language programs are fast. So fast, in fact, that for many applications we can consider them to be instantaneous. That's good, of course, but sometimes we have to take steps to restrain the program's speed.

The first moon lander program that I wrote was carefully coded, and the calculations were carefully checked to see that they were correct. I was rather taken aback to discover that the instant I pressed GO I found myself crashed on the lunar surface. All the calculations had taken place correctly, but everything worked too fast.

#### **Waiting For The World**

In most cases, your machine language program is controlled by the speed of external events. If you're waiting for a user to type a line at the keyboard, chances are that machine language is running at about a ten thousandth of its potential speed. It can do nothing until the next key is pressed; and chances are that it will do little until a line has been completed by pressing the RETURN (or ENTER) key.

Even when we're not waiting for the operator, we are usually waiting for some external process. Using the printer? Your program will spend most of its time waiting for the printer to be ready for the next character. Disk? Same thing. Communications lines fall into the same category, but there's a difference: even though the transfer rate of characters to and from the communications interface is relatively slow, there will often be a need to check it very frequently.

The result is that your program speed is usually determined by the speed of external events. In this case, the "instantaneous" assumption is quite legitimate.

Let's take another example: you're printing

material on the screen. Now you can deliver characters at blinding speed; but there's a limit to how fast a user can read. Better slow it down, or your program will be useless.

#### **Compute Bound**

Programs that spend most of their time waiting for external events are called *I/O-bound*. Sounds like a good name for a sailing ship, but it really means that if you could get a faster printer, disk, or whatever, your program would run significantly faster. Your speed is bound to the speed of these devices.

There are other programs that do a great deal of computation: they tend to be compute-bound. No, that doesn't mean that you plan to submit them to your favorite magazine; it means that if you could calculate faster, you'd get more work done. Compute-bound programs are often mathematical in nature: to calculate the millionth prime number you won't care much about your printer speed; you want the computation to be fast. Sorting programs are often compute-bound: there's a lot of calculation needed there.

It's often wise to think about your program in terms of its potential: will it be I/O-bound or compute-bound? It will give you an idea of where you might place extra effort in order to speed things up.

#### **Slowing Down**

There are many cases where we deliberately wish to slow down the speed of a machine language program. Animation is a prime example: you don't want your space ships, bombs, or cats to always travel at supersonic speed. Indeed, if you used maximum speed you'd never see them.

There are technical reasons to want to slow

#### **COMPUTE! Back Issues**

Here are some of the applications, tutorials, and games from available back issues of **COMPUTE!**. Each issue contains much, much more than there's space here to list, but here are some highlights:

February 1981: Simulating PRINT USING, Using the Atari as a Terminal for Telecommunications, Attach a Printer to the Atari, Double Density Graphing on C1P, Commodore Disk Systems, PET Crash Prevention, A 25¢ Apple II Clock.

May 1981: Named GOSUB/GOTO in Applesoft, Generating Lower Case Text on Apple II, Copy Atari Screens to the Printer, Disk Directory Printer for Atari, Realtime Clock on Atari, PET BASIC Delete Utility, PET Calculated Bar Graphs, Running 40 Column Programs on a CBM 8032.

June 1981: Computer Using Educators (CUE) on Software Pricing, Apple II Hires Character Generator, Ever- expanding Apple Power, Color Burst for Atari, Mixing Atari Graphics Modes 0 and 8, Relocating PET BASIC Programs, An Assembler In BASIC for PET, QuadraPET: Multitasking?

July 1981: Home Heating and Cooling, Animating Integer BASIC Lores Graphics, The Apple Hires Shape Writer, Adding a Voice Track to Atari Programs, Machine Language Atari Joystick Driver, Four Screen Utilities for the PET, Saving Machine Language Programs on PET Tape Headers, Commodore ROM Systems, The Voracious Butterfly on OSI.

August 1981: Minimize Code and Maximize Speed, Apple Disk Motor Control, A Cassette Tape Monitor for the Apple, Easy Reading of the Atari Joystick, Blockade Game for the Atari, Atari Sound Utility, The CBM "Fat 40," Keyword for PET, CBM/PET Loading, Chaining, and Overlaying.

October 1981: Automatic DATA Statements for CBM and Atari, VIC News, Undeletable Lines on Apple, PET, VIC, Budgeting on the Apple, Switching Cleanly from Text to Graphics on Apple, Atari Cassette Boot-tapes, Atari Variable Name Utility, Atari Program Library, Train your PET to Run VIC Programs, Interface a BSR Remote Control System to PET, A General Purpose BCD to Binary Routine, Converting to Fat-40 PET.

December 1981: Saving Fuel \$\$ (Multiple Computers: versions for Apple, PET, and Atari), Unscramble Game (multiple computers), Maze Generator (multiple computers), Animating Applesoft Graphics, A Simple Printer Interface for the Apple II,

A Simple Atari Wordprocessor, Adding High Speed Vertical Positioning to Atari P/ M Graphics, OSI Supercursor, A Look At SuperPET, Supermon for PET/CBM, PET Mine Maze Game.

January 1982: Invest (multiple computers), Developing a Business Algorithm (multiple computers), Apple Addresses, Lowercase with Unmodified Apple, Cryptogram Game for Atari, Superfont: Design Special Character Sets on Atari, PET Repairs for the Amateur, Micromon for PET, Selfmodifying Programs in PET BASIC, Tinymon: a VIC Monitor, Vic Color Tips, VIC Memory Map, ZAP: A VIC Game.

February 1982: Insurance Inventory (multiple computers), Musical Transposition (multiple computers), Multitasking Emulator (multiple computers), Disassemble Apple Programs from BASIC, Plotting Polar Graphs on Apple, Atari P/M Graphics Made Easy, Atari PILOT, Put A Rainbow in your Atari, Marquee for PET, PET Disk Disassembler, VIC Paddles and Keyboard, VIC Timekeeping.

March 1982: Word Hunt Game (multiple computers), Infinite Precision Multiply (multiple computers), Atari Concentration Game, VIC Starfight Game, CBM BASIC 4.0 To Upgrade Conversion Kit, Apple Addresses, VIC Maps, EPROM Reliability, Atari Ghost Programming, Atari Machine Language Sort, Random Music Composition on PET, Comment Your Apple II Catalog.

April 1982: Track Down Those Memory Bugs (multiple computers), Shooting Stars Game (multiple computers), Intelligent Input Subroutines (multiple computers), Ultracube for Atari, Customizing Apple's Copy Program, Using PET/CBM In The High School Physics Lab, Grading Exams on a Microcomputer (multiple computers), Atari Mailing List, Renumber VIC Programs The Easy Way, Browsing the VIC Chip, Disk Checkout for PET/CBM.

May 1982: VIC Meteor Maze Game, Atari Disk Drive Speed Check, Modifying Apple's Floating Point BASIC, Fast Sort For PET/CBM, Extra Atari Colors Through Artifacting, Life Insurance Estimator (multiple computers), PET Screen Input, Getting The Most Out Of VIC's 5000 Bytes.

June 1982: Outpost Game (multiple computers), Apple Pascal Lister, Income Property (multiple computers), VIC Intelligent Videodisc System, Atari Disk Operating Systems, PET/Apple Search, A Self-modifying Atari P/M Utility, Use Atari Joysticks with VIC, VIC/PET Program Transfers.

July 1982: Gold Miner Game (Atari and VIC), IRA Planner (multiple computers), Atari Video Graphics, Apple DOS Changer, Super QuadraPET, VIC Overview, Maze Race (multiple computers), Direct Access File Editor (PET and Atari), VIC Super Expander Memory Map, Using The 6560 Video Interface Chip, PET Compactor, Headless FORTH Metacompilation, Test RAM Nondestructively (multiple computers).

August 1982: The New Wave Of Personal Computers, Household Budget Manager (multiple computers), Word Games (multiple computers), Color Computer Home Energy Monitor, Intelligent Apple Filing Cabinet, Guess That Animal (multiple computers), PET/CBM Inner BASIC, VIC Communications, Keyprint Compendium, Animation With Atari, VIC Curiosities, Atari Substring Search, PET and VIC Electric Eraser.

September 1982: Apple and Atari and the Sounds of TRON, Commodore Automatic Disk Boot, VIC Joysticks, Three Atari GTIA Articles, Color Computer Graphics, The Apple Pilot Language, Sprites and Sound on the Commodore 64, Peripheral Vision Exerciser (multiple computers), Banish INPUT Statements (multiple computers), Charades (multiple computers), PET Pointer Sort, VIC Pause, Mapping Machine Language, Editing Atari BASIC With the Assembler Cartridge, Process Any Apple Disk File.

Home and Educational COMPUTING!
(Fall 1981 and Summer 1981 – count as one back issue): Exploring The Rainbow
Machine, VIC As Super Calculator, Custom
Characters, Alternate Screens, Automatic
Line Numbers, Using The Joystick (Spacewar
Game), Fast Tape Locater, Window, VIC
Memory Map.

Back issues are \$3 each or six for \$15. Price includes freight in the US. Outside the US add \$1 per magazine ordered for surface postage. \$4 per magazine for air mail postage. All back issues subject to availability.

#### In the Continental US call TOLL FREE 800-334-0868 (In NC Call 919-275-9809)

Or write to **COMPUTE!** Back Issues, P.O. Box 5406, Greensboro, NC 27403 USA. Prepayment required in US funds. MasterCard, Visa and American Express accepted. North Carolina Residents add 4% sales tax.

down certain activities. Some types of interfaces want you to hold a voltage at a certain level for a minimum amount of time before you take it away again. You may need to "stall" for a few instructions (or a few dozen) to make sure that you're doing the job right.

#### The Stall Loop

The simplest way to slow things down is to kill time in a stall loop. If you're not doing anything else anyway, this is quite sensible and easy to do. We might code:

LOOP DEX BNE LOOP

At a typical clock rate of 1 Mhz (a million cycles per second) the above routine will waste a little over a millisecond of time. You could make the time shorter by changing the LDX value at the start. For longer delays, you use a loop within a loop:

LOY #\$00 LDX #\$00 LOOP DEX BNE LOOP DEY BNE LOOP

This will waste almost a third of a second as written above; change the LDY to reduce the delay.

#### **The Timer**

If the time is moderately long and you have other things to do, you may set the desired time into a timer and check it occasionally to see how the time has been going. Timers are part of the interface chips – the 6522 VIA has two of them, for example. They work a little like kitchen timers: you put the desired time in and it runs downward toward zero, showing you the time remaining. Time runs very quickly in these, however: the maximum time is often something like a fifteenth of a second. Don't try to time a boiled egg unless you either call the timer many times or you like it really soft-boiled.

When you have more than one event to time, it's nevertheless often best to stay with just one timer. Juggling various timers can be more work than just setting the next expected event into a single one. When you have numerous different things going on, you can often still work by a single timer, as we'll explain.

#### Countdowns

It's often convenient to have a single timer, and clock all events on a "countdown" basis. The timer can run at fixed intervals – on the PET, you can often use the interrupt timing of 1/60 second to clock many events.

The trick is this: whenever your timer signals, count one for each event you have going. You can count up or down; but when you have counted a fixed value, it's time to handle that particular process.

An example: you have a game involving tanks, planes, bombs and bullets (the usual destructive thing). On a sixtieth-of-a-second timer, you might move a tank every 20 time units; a plane, every 10 time units; a bomb, every eight; and a bullet every five. You don't need a dozen different timers: every time the bullet counter reaches five, you move it to the next spot of the screen and see what you've shot down.

Machine language is fast, and often seems instantaneous. It's often so much faster than other processes in the computer that we don't need to worry about speed calculations at all.

Sometimes machine language is too fast. When that happens, there are ways of slowing it down.

It's hard to believe that you can be so speed rich that you have to rein back your program, but it can happen.

#### COMSTAR VIC=2N VIC-20 \$189 400 (WITH 16K) 16K RAM 85 CARDBOARD (3 SLOT EXP.) 410 RECORDER 28 850 INTERFACE 170 CARDBOARD (6 SLOT EXP.) 12" MONITOR CARDETTE (CASSETTE INTERFACE) PRINTER INTERFACE (SERIAL) 29 60 AXIOM PRINTER PROWRITER PRINTER 490 460 RS232C SERIAL INTERFACE 47 48K RAM (INTEC) 32K RAM (INTEC) 145 LIGHT PEN VIDEOPAK WITH 16K (40/80 COL) 75 250 ANCHOR MODEM VIDEOPAK WITH 64K (40/80 COL) 330 NEWPORT PROSTICK 31 VIDEO MONITOR CABLE 12 WICO JOYSTICK TOTL WORD PROC. (D.T) 13K 32 WICO REDBALL TOTL MAILING LIST 19 VIC FORTH (C) WICO TRACKBALL 49 33 49 33 35 35 35 37 17 HES WRITER (WORD PROC.) (C) HES MON (ASSEMBLER) (C) FLIP N FILE **ELEPHANT DISKS (10)** VOICE BOX (D.T) STEREODAPTER FOR 800 (26 FT) SYNTHESOUND (MUS. SYNTH.) (C) 139 TURTLE GRAPHICS (C) 10 VALFORTH (D) 24K 36 METEOR RUN (C) 26 29 SPIDERS OF MARS (C) FROGGER (D.T) 16K TEMPLE OF APSHAI (D,T) 32K SHAMUS (C) CANYON CLIMBER (D.T) 16K 23 PROTECTOR (C) SUBMARINE COMMANDER (C) AGGRESSOR (C) SHAMUS (D.T) 16K 24 SKIER (T) 5K BANDITS (D) 48K MAZE OF MIKOR (T) 5K RICOCHET (T) 8K 17 CHOPLIFTER (D) 48K CENTIPEDE (C) TANK WARS (T) 5K 17 VICTREK (T) 8K PACMAN (C) PREPPIE (D,T) 16K 17 23 PINBALL (T) 5K 15 29 8K RAM THRESHOLD (D) 40K 60 C = CARTRIDGE T = CASSETTE ORDERS: 800-558-8803 COMSTAR or send check or money order. VISA, MC add P.O. BOX 1730 GOLETA, CA93116 3%. Shipping-\$2 for software [call for

(805) 964-4660

hardware). Calif add 6% tax. COD add \$2.50.

### **PROGRAMMING THE TI**

C. Regena

We are happy to welcome C. Regena and her new, monthly TI-99/4A column to the pages of **COMPUTE!**. She has extensive experience in personal and educational computing and has written numerous articles on TI computers. To start things off, here is an overview of hardware, software, and miscellaneous resources for the TI.

Welcome to the world of the TI-99/4A computer! (This column is also addressed to TI-99/4 owners and users, but since the "A" is the newer and more plentiful model, I'll refer to both computers when I write "TI-99/4A.") For home, personal, and educational applications, the TI-99/4A computer is a very powerful machine. In this column I'd like to illustrate some of the features unique to this microcomputer.

#### **Extraordinary Graphics And Sound**

Graphics. You may easily define your own high-resolution (detailed) graphics characters. There are 16 colors, and you may use all 16 on the screen at the same time in high-resolution graphics (unlike other computers). You may also use text anywhere on the screen at the same time you use high resolution graphics. Most other microcomputers are limited when combining text with graphics.

Music. You may play up to three notes and one noise for a specified time using one statement. The music is specified by a number which represents a frequency of 110 Hz to 44733 Hz, tones from low A on the bass clef up to out of human hearing range. The tone may be between regular musical notes. An example which plays a three-note, C-major chord for three seconds is:

#### CALL SOUND(3000,262,6,330,4,440,2)

The first number is the duration in milliseconds, in this case 3000. The next numbers are frequency and loudness for each note. You may also add a "frequency" of -1 through -8 and a loudness for the noise generator. You may combine tones and noises for all kinds of sounds – everything from classical music to sound effects from outer space.

Combining music and graphics. "Computer choreography" is possible because other state-

ments (including graphics) may be executed while music is played. You may illustrate a song, for example. Or if you have a game program, you may make calculations while you are making a noise. The computer will play music and execute statements until the duration runs out or until the program comes to another CALL SOUND statement with a positive duration. A negative number for the duration will start that CALL SOUND statement even if the first duration has not finished. Try using a FOR/NEXT loop to vary any of the parameters for special effects. Here is a sample using just one tone:

100 FOR N=500 TO 880 STEP 20

110 CALL SOUND (-99, N, 2)

120 NEXT N

130 FOR N=880 TO 500 STEP -20

140 CALL SOUND (-99, N, 2)

150 NEXT N

160 GOTO 100

Noises. Using negative durations and combinations of music and noise numbers for frequency, you can make all sorts of synthesized noises. Quite often with noises you will want to use a FOR/NEXT loop and vary the loudness parameter.

Built-in BASIC. The programming language of TI BASIC is built into the main console – nothing extra to buy. The TI BASIC language is an excellent language for learning how to program, yet it is powerful enough for an experienced mathematician because of the built-in functions.

String manipulations. String (non-number) manipulations are also very powerful. Here is a sample program to print a phrase A\$ on the screen starting at row R and column C:

100 FOR I = 1 TO LEN(A\$) 110 CALL HCHAR(R,C+I-1,ASC(SEG\$(A\$,I,1))) 120 NEXT I

The loop will go from 1 to the LENgth of the phrase A\$. String variable names must always end with a dollar sign. SEG\$ takes a SEGment of the phrase. In this case we are starting at the left side and taking one letter at a time. ASC gets the ASCII character code value of the character in

the phrase. CALL HCHAR uses a graphic method to place the character on the screen at a certain row and column.

#### No Variable Name Worries

Variable naming. In your own programming on the TI-99/4A you may use meaningful variable names, although in many microcomputers the BASIC language recognizes only two letters – or a letter and a number – for a variable name. For example, if you have a program with the variable name BLUE and another variable name BLACK, other computers may recognize only one variable, BL, but the TI-99/4A knows you are using two variables. You also do *not* have to worry about embedded reserved words in variable names.

Documentation. Two excellent manuals are included with the computer. One teaches you programming in TI BASIC. The manual is very easy to understand, and a person with no previous computer experience can learn to program with this book. Also included is the *User's Reference Manual*, which may cost over \$15 for other computers. The reference manual, which is in looseleaf form, includes all the commands along with explanations and sample programs.

Plug-in modules. The easiest way to use the TI-99/4A is to insert a command module which contains a program. Modules are available for a variety of applications. The variation in price is largely dependent on the amount of memory built into the module. The modules actually add memory to the computer while they are being used.

Speech. Even though this feature is not built in, I am going to include speech in this list of unique features of the TI-99/4A because it is very easy to use and because, if you purchase six command modules before January 31, you can get the TI Speech Synthesizer free. The speech synthesizer is a small box that attaches to the side of your console. Command modules are available for you to program your own speech.

16-bit microprocessor. The TI-99/4A uses a 9900, 16-bit microprocessor, which offers more computing power and greater expansion and configuration flexibility than an eight-bit microprocessor. You can get higher numeric precision and simplified memory addressing.

Programmer's aids. Programmers will enjoy the easy line editing features. Various function keys allow you to insert or delete characters or to erase or clear a line. There is also a TRACE command to help in debugging.

Another feature programmers like is the builtin automatic numbering. Just type in NUM, press ENTER, and you can start programming. The line numbers start with 100 and automatically increment by 10. You may specify any starting number and increment. NUM 5,2 will start with line 5 then increment by 2.

After you have programmed and added or deleted statements here and there, you'll enjoy the automatic resequencing command, RES, which will automatically renumber your statements, including all statement numbers referenced by other statements.

There is a lot built into the TI-99/4A, and I have only touched on some features this month. Future columns will go into more detail, and I hope to be able to answer your questions and present programs and ideas to help you really enjoy your computer.

Since many readers may be new TI-99/4A owners and users, let's also describe some peripherals – hardware you can add on to your basic console. You may have noticed that buying a computer is much like buying a house – you can buy the basic house (computer), but then you need to add furniture (programs or software) to make it livable (usable), and soon you want to make major improvements (add peripherals).

#### **Using The Cassette Recorder**

Cassette. Probably one of the first items you'll need is a cassette cable to connect a cassette recorder to the computer to save your own programs or to use cassette programs available on a variety of subjects and applications. Nearly any cassette recorder is acceptable; however, the TI-99/4A is more critical on how you set the volume control than is the TI-99/4. In general, a battery-operated recorder does not work well enough for accurate data retrieval. Also, your recorder should have a tone control and a volume control. I have had the greatest success using the Panasonic RQ2309A cassette recorder.

Page I-9 in the *User's Reference Guide* tells how to connect the cassette cable, and the pages following describe how to save and load data from modules. Page II-42 shows an example of how to load a program that you have saved or purchased. Some other hints for using the cassette recorder are:

Turn the tone control to the highest setting. Start with the volume about mid-range. Follow the instructions after you type in OLD CS1.

If you get the message NO DATA FOUND, increase the volume.

If you get the message ERROR IN DATA, decrease the volume.

Sometimes a fraction of a change in volume can make all the difference in your success in reading a program. Once in a while, if I alternate

between the two error messages at a volume setting near 2 or 3, I turn the volume to about 8 or 9

and the program will load.

The smallest jack of the cassette cable goes into the remote switch of the cassette recorder so the computer can turn the recorder on and off automatically. If the recorder does not turn on and off properly, simply remove the remote jack from the plug. You can operate the cassette recorder manually to save and load programs. For programs using the cassette recorder for data entry, you will need the remote capability. An adapter is available for the remote switch.

Disk drives. You can save and retrieve data or programs on a diskette much more quickly than by using a cassette system. The TI-99/4A uses 5½-inch, single-sided, soft-sectored diskettes. To connect a disk drive, you also need a disk controller. One disk controller can handle up to three disk drives. Many business applications require two disk drives.

Memory Expansion. The TI Memory Expansion is for 32K RAM, and you need a module that will access it. You cannot use it with console BASIC. Extended BASIC does not require the memory expansion but can use it. Pascal, TI Logo, and Editor/Assembler require the memory expansion.

Peripheral Box. The "old" method had each peripheral in a separate "box" connected to the computer or the previous peripheral; each had its own power cord. The "new" system is the peripheral box, which has its own power supply and slots for cards for the RS-232 interface, memory expansion, disk controller, P-code, one disk drive, and possible future cards.

Monitor. Although the TI-99/4A may be connected to your regular television set, Texas Instruments has a very attractive, ten-inch, color monitor. The monitor gives a very clear, sharp picture and may be connected to other microcomputers as well as the TI-99/4A.

#### **Making The Computer Speak**

Speech. The TI Speech Synthesizer allows you to hear the computer speak to you. You will need a command module with built-in speech to hear the computer speak.

To program your own speech or to use any cassette or disk programs that use speech, you will need a module. Speech Editor and Extended BASIC have speech capabilities with a given list of words. Terminal Emulator II allows unlimited speech; the accompanying documentation gives you ideas for programming speech using this module. You may vary the pitch and slope and inflections. You may use allophones to create words, or you may have the computer speak words which you spell phonetically.

#### **Telecommunications And Languages**

Terminal. The Terminal Emulator II command module (or Terminal Emulator I, which does not have speech) allows you to use your TI-99/4A to act as a terminal either to another computer or to a large telecommunications service. You will also need the TI RS-232 Interface and a telephone modem.

The SOURCE is an on-line information service from Source Telecomputing Corporation. TEXNET is a special edition of The SOURCE especially for the Texas Instruments home computer.

Printer. You may use a number of different brands of printers with your microcomputer. To connect your TI-99/4A to a printer, you'll need the TI RS-232 Interface and a cable to go from the interface to the printer (the cable is usually sold with the printer).

RS-232. The RS-232 Interface has two ports so you may be connected to a modem and a printer at the same time. An instruction book comes with the RS-232 so you'll know how to operate the

computer under different conditions.

Extended BASIC. TI Extended BASIC (XBASIC) is a programming language contained on a module. A manual (over 200 pages) and a programmer's reference card come with the module. No other peripherals are necessary to use XBASIC. If a program has been written in XBASIC, the XBASIC module must be inserted for the program to run. Some of the advantages of XBASIC are multi-statement lines, complex IF-THEN-ELSE logic, subroutine and MERGE capabilities, DIS-PLAY AT and PRINT USING, program security (SAVE protection), speech (with speech synthesizer), and moving sprites with greater graphics capabilities.

Logo. TI Logo is a fascinating programming language designed especially for young children. TI Logo is contained in a module, and the 32K memory expansion is required. Logo I can print using the TI thermal printer only. Logo II has music and also RS-232 capability so you can print listings on a regular printer.

Editor/Assembler. For machine language programmers, it requires the memory expansion, disk controller, and one disk drive.

USCD PASCAL. This language requires the memory expansion, P-code peripheral card, disk controller, and at least one disk drive.

#### Software

Software. I've mentioned software (programs) last, although it's probably the first extra purchase you will make for your computer. Software is what you need to use your computer. Software is available on command modules, cassettes, and diskettes, and in a variety of subjects. Scott, Fores-

man educational courseware is available for grade levels kindergarten through eighth grade, Texas Instruments has several educational modules, and other educational and publishing companies are also developing modules for all grade levels.

In addition, there are modules for all types of home use (budget, finances, decision making, record keeping) and, of course, games from chess to soccer, from *Hunt the Wumpus* to *TI Invaders*.

Cassette and diskette programs are available for many applications, including programs for two-year-olds learning colors to sophisticated business programs. When you purchase, a software's documentation should tell you what hardware is required. For example, much of the business software requires a printer and two disk drives (and thus the peripheral box, RS-232 Interface, and disk controller) plus perhaps the Extended BASIC module and/or the 32K memory expansion.

Current literature. Texas Instruments sends an informative newsletter to all owners (be sure to send in your registration card). Many user groups have formed which have their own newsletters and catalogs. Other magazines are available that support the TI-99/4A. Now **COMPUTE!** will offer you a monthly column dedicated to the TI-99/4A, and other articles and programs to help you enjoy your TI-99/4A home computer to the fullest.

# Copy VIC Disk Files

Roger L. Smith, Mesa, AZ

The "Copy 2031 Files" program by G. H. Watson (**COMPUTE!**, August 1982) was greatly appreciated. It was suggested that the program might run on the VIC-20 if appropriate changes were made. The following program makes those changes.

The program will work with either VIC-1540 or the new VIC-1541 disk drives. However, your VIC *must* have a 3K memory expansion plugged in since the program uses memory beginning at the expansion start-of-BASIC address (\$0400) to handle the file transfer.

As noted in the original article, the program will handle BASIC program files. To copy sequential files (data files, ASM/TED files), replace the appended P with an S by using POKE 7672,83. Program files use POKE 7672,80. If you want to

transfer more than one file, you will have to type SYS 7354 each time.

```
500 FOR ADRES=7354T07674: READ DATTA
    : POKE ADRES, DATTA: NEXT ADR
    ES
600 SYS7354
634 DATA 169,1,133,184,32,195
640 DATA 255,169,8,133,186,169
646 DATA 15,133,185,169,0,133
652 DATA 183,32,192,255,160,29
658 DATA 169,179,32,30,203,32
664 DATA 96,197,169,0,133,187
670 DATA 169,2,133,188,160,255
676 DATA 200,177,187,208,251,162
682 DATA 4,189,245,29,145,187
688 DATA 200,202,208,247,132,183
694 DATA 169,2,133,184,32,195
700 DATA 255,169,8,133,186,169
706 DATA 2,133,185,32,192,255
712 DATA 32,141,29,162,2,32
718 DATA 199,242,169,4,133,1
724 DATA 169,3,133,0,160,0
730 DATA 32,14,242,145,0,166
736 DATA 144,208,7,200,208,244
742 DATA 230,1,208,240,132,5
748 DATA 165,1,133,6,169,2
754 DATA 32,195,255,32,204,255
760 DATA 160,29,169,191,32,30
766 DATA 203,32,228,255,240,251
772 DATA 164,183,136,169,87,145
778 DATA 187,32,192,255,32,141
784 DATA 29,162,2,32,9,243
790 DATA 169,4,133,1,169,3
796 DATA 133,0,160,0,177,0
802 DATA 32,122,242,165,1,197
808 DATA 6,208,4,196,5,240
814 DATA 14,200,208,238,230,1
820 DATA 208,234,160,29,169,228
826 DATA 32,30,203,169,2,32
832 DATA 195,255,169,1,32,195
838 DATA 255,32,204,255,76,116
844 DATA 196,162,1,32,199,242
850 DATA 32,14,242,141,240,29
856 DATA 32,14,242,141,241,29
862 DATA 32,204,255,173,240,29
868 DATA 201,48,208,206,173,241
874 DATA 29,201,48,208,199,32
880 DATA 204,255,96,13,70,73
886 DATA 76,69,78,65,77,69
892 DATA 63,32,0,13,83,87
898 DATA 73,84,67,72,32,68
904 DATA 73,83,75,69,84,84
910 DATA 69,83,44,13,84,72
916 DATA 69,78,32,72,73,84
922 DATA 32,82,69,84,85,82
928 DATA 78,46,13,0,13,68
934 DATA 73,83,75,32,69,82
940 DATA 82,79,82,32,0,0
946 DATA 33,13,0,0,82,44
952 DATA 80,44,246,230,1,76
```

### **EXTRAPOLATIONS**

Keith Falkner

### Tap Applesoft's Heartbeat

You can use machine language routines to enable Applesoft to read and rapidly process incoming data.

Imagine that your Apple is connected to some gizmo which feeds the Apple some data rapidly. The device could be, for example, a modem or some newfangled digital geiger counter monitoring an atomic reactor. In an example below, we will simulate this device with the game paddle buttons, or, if you have no paddles, with a mere piece of wire. The essential idea is that the attached device offers data to the Apple sporadically, and the data will be lost if it is not noticed and processed within a few milliseconds.

If you try to support this device with a program written in Applesoft BASIC, you will likely miss some of the data offered by the device, because Applesoft is rather slow. Assuming that such a problem does arise and must be solved, here's how.

#### Machine Language Patch Into CHRGET

Here is an intriguing exercise: type in and run the listing in Program 1. If you type it correctly, it will say "OK"; make sure you fix it if it says "OOPS." This program installs, but does not run, three tiny machine language routines. Now type CALL 909 and then run the program again. Inexplicably, it will make an irritating buzz for the 0.37 seconds it takes to run. Indeed, you can load and run almost any Applesoft program and listen to it run.

You may notice that difficult computations and lengthy array references are accompanied by buzzes, whereas fast-running code such as FOR/ NEXT loops that do little more than count will produce brief musical tones. I do not suggest that this is a useful effect, but I hope it sparks your interest, for what is coming is a bit dull and difficult but results in a very powerful technique which you can harness to produce utterly amazing results at zero cost.

By the way, you can deactivate the noisemaking routine and restore your Apple to normal by typing CALL 896. The DOS command FP is even more powerful; issue that if your Apple seems confused.

#### A Look Into CHRGET

Here is how the noise is caused. The Applesoft interpreter uses a tiny routine to fetch each byte of your program in turn as the program runs. The (valid) BASIC statement IF BAD THEN STOP is stored as six bytes, specifically the token for IF, the letters B, A, and D, and the tokens for THEN and STOP. The character-getting routine, which is known by the name CHRGET, will be invoked a total of seven times to execute all of this statement (the token for THEN is fetched twice, once to detect the end of the variable name BAD, and once to be executed).

Program 1 and the routine installed at location 909 introduce a detour into CHRGET so that the Apple's speaker is tweaked each time a character of the program is fetched. This of course makes the noise and accounts for the various buzzes and squeaks made by slow- and fast-running code. To see the actual machine language routine, enter the monitor via CALL-151 and enter 380L (number 380 followed by letter L) to see the routines at 896 (\$0380), 909 (\$038D), and 922 (\$039A).

The CHRGET routine starts in location 177 (\$00B1), and can be listed by B1L (letter B, digit 1, letter L). You can verify if you wish that CALL 909 installs a JMP instruction at location 186 (\$00BA), and CALL 896 restores the CMP and BCS instructions which belong there. You can return from the monitor to Applesoft by typing CTRL-C and pressing RETURN.

Now let's put this technique to use. If you have game paddles, identify PDL (1) and skip the rest of this paragraph. To simulate the button on PDL(1), you will need a piece of slender wire at least two feet long. Solid wire works better than multi-strand. Strip about one-eighth inch from each end. You shuld now *turn off* the Apple and open the cover carefully. Locate the GAME I/O connector at coordinates J8 on the motherboard,

and stick an end of the wire into hole number three, which is third from the front on the right side.

Do be careful with this, because disaster awaits you if you pick the wrong hole, or are careless with the other end of the wire. Now close the cover of the Apple, letting the free end of the wire hang down away from the computer. Reach under the front edge of the keyboard and you will find the heads of some bolts. You will be touching the free end of that wire to one of these to simulate a press of the button. If you choose, you can loosen one of these, attach another piece of wire, tighten the bolt, and attach the two loose ends of wire to any type of switch, but this is not essential. When these preparations are complete, turn the Apple on again.

#### **Catching Every Count**

Now type in Program 2 and run it. Please note the lengthy loop in lines 130-140. This takes over half a minute to run and obviously contains none of the PEEK statements necessary to test for a press of button number one. Those tests are done by the machine language routine patched into CHRGET, at locations 922 through 965. When the program is running, press the button (or touch the wire to the bolt) as fast as you can count, and you will find that the Apple catches every single one. Actually, when you try to touch the wire to the bolt once, you almost certainly cause it to bounce and touch the bolt more than once, so the count will be higher than you expect, and never lower.

In this example the switch was tested by a few instructions in machine language. This powerful technique is possible only in machine language. Perhaps it is possible to devise a routine that would permit a few lines of BASIC to be invoked by the routine which interrupts CHRGET, but what would be the point? Our objective here is to support a rapid-fire device, and any attempt to do this in BASIC will, it is assumed, lead to missed data. At least that is where this article started.

#### Using The Keyboard Buffer

A totally practical application of intercepting CHRGET is a keyboard buffer, except for one troublesome detail. From time to time, in any program which handles strings, Applesoft must pause to accomplish "garbage collection" – in other words, to make available again some memory which has been used for storage of strings which were later discarded. This process usually takes from one to thirty seconds, but in an artificial and extreme case it could take over an hour!

During "garbage collect," Applesoft is totally out of touch with all external events, so the

keyboard buffering routine has no way to service the keyboard. Nonetheless, the routine is of genuine help when a speedy typist is using a slow data entry program. In fact, even a moderately slow hunt-and-peck typist like me can occasionally leave Applesoft behind. With the buffer running, I never lose a key.

There are two other limitations. During processing of the LIST command, Applesoft is not using CHRGET, so the buffering routine has no chance at the keyboard. Also, when DOS is active, all BASIC functions are inactive, so again the keyboard cannot be serviced.

Program 3 shows the complete keyboard buffer program. The program occupies the first 512 points of the BASIC program area, so it destroys any Applesoft program already present.

Briefly, here is how the program works. A preliminary test verifies that Applesoft is active, for this program is inapplicable to Integer BASIC. Next, the program sees if the beginning-of-BASIC pointer has been altered to \$0A01 (from the usual \$0801). If so, a warm start is done, retaining the current Applesoft program; if not, the pointer is so altered, and the new routine of Applesoft is called. Then the "patch" to CHRGET is made, as in Programs 1 and 2.

The next step is a connection to the keyboard-servicing routine at the "hook" known as KSW. Whenever such a connection is what you need, you must let DOS know your intentions, or it will patiently remove your connection and restore its own hook. This is very easy – just CALL 1002 (or JSR \$3EA in machine language). The program ends by entering Applesoft at the warm-start entry \$E003.

By this point, the program really has not done anything except insinuate itself into the system and protect itself from harm. The actual buffer is the 256-byte area from \$0900 to \$09FF (2304 to 2559), and two one-byte counters look after data in the buffer. The counter BIX points to the next place where a key can be stored, and the counter BOX points to the next byte to be sent to whoever asks for a key.

For example, if BIX contains \$2E and BOX contains \$28, the operator has keyed six bytes ahead, and they are stored in locations \$0928 through \$092D. If the operator now keys exactly 250 more bytes before the running program asks for any more, the keyed bytes will be stored in \$092E through \$09FF, then the buffer will "wrap around" and more keys will be stored in \$0900 through \$0926. By this time the value in BIX will be \$27, one less than that in BOX. That's 249 in addition to the six already there, and now the buffer is full, so the buffering routine will sound the "bell" when it cannot store the last byte keyed.

At this point the operator must pause and wait for the program to catch up. I think this event is

very unlikely.

Keys are detected and stored by the routine patched into CHRGET. A word of caution to anyone patching CHRGET: since BASIC uses this routine dozens or thousands of times a second, the patch must execute as fast as possible, else the program may be slowed to an unacceptable degree.

#### **Does It Function?**

When a key is wanted, the code at INLINK sees if one is in the buffer. If not, the standard ROM routine is called. If a key is available in the buffer, it is delivered, and the counter, BOX, is updated to account for the departed key. It is all very simple, mainly because of the eight-bit indexing automatically provided by the 6502's X-register. Indeed, if the buffer were any size but 256 bytes, the program would have been noticeably harder to write and debug.

OK, how do you key this program into your Apple? You could CALL -151 to get to the monitor, then type in all the hex stuff, 803:4C 09 08 4C 99 08, and so on. If you did the "homework" I assigned in last month's column, there is an easier way. Key in the pure Applesoft program in Program 4, then SAVE it, RUN it, and finally EXEC GEN KEYBUF. This final step will invoke the miniassembler to build KEYBUF, save the result, and return control to the keyboard eventually. This process must destroy any Applesoft program in memory, so be sure you have saved Program 4 before typing the EXEC command!

To verify all this work, peer closely at the screen – the command JMP \$083C should be in location 08A8. The acid test, of course, is "does it work?" Follow the instructions below to test your

#### Table: How to use the Keyboard Buffer

- 1. To load and initialize the routine, BRUN KEYBUF
- 2. Now use your Apple as usual, but be sure that you do not switch to Integer BASIC!
- To suspend use of the buffer, CALL 2054
- 4. To resume use of the buffer, CALL 2051
- To recover memory used by the buffer, after suspending it via CALL 2054,
   FP (or INT, if you choose)
- 6. To copy the routine from disk to disk, BLOAD KEYBUF
  Insert the disk to receive a copy.
  BSAVE KEYBUF,A\$803,L\$F8

work, and when you actually make it work, you'll have a potent and versatile tool which makes your Apple a little bit better than it was before!

Homework Assignment. Boot your System Master and LOAD BRIAN'S THEME. That is the program which displays pretty moiré patterns in high resolution. Here is some code to add a fascinating effect! Type in the few lines in Program 5 and RUN the changed program. When the display starts acting oddly, play with the keyboard. The most recently pressed key controls the timing in a tiny machine language routine at location 600 (\$258).

In my particular Apple, the keys W, K, 8, question mark, and especially CTRL-D, produce interesting effects. The machine language routine is completely relocatable, so it can be used without change in any place in memory where 26 bytes are free. So if you wish to use the routine in another program, change the variable ML to whatever suits you. The timing is so delicate that the effects change greatly when ML is just under a multiple of 256, so that a branch instruction crosses a page boundary. To stop this demonstration, you must press RESET, because the machine language routine treats CTRL-C as any other key.

#### Program 1.

```
'TAP' DEMO 1
10 REM
20 FOR I = 896 TO 935
30 READ X
40 Z = Z + X
50 POKE I,X
60 NEXT
70 IF Z < > 5155 GOTO 90
80 PRINT "OK": END
90 PRINT "OOPS. Z="; Z: END
896 DATA 169,201,133,186,169,58
902 DATA 133,187,169,176,133,188
908 DATA 96, 169,76,133,186,169
914 DATA 154,133,187,169,3,133
920 DATA 188,96,141,48,192,201
926 DATA 58,176,3,76,190,0
932 DATA 76,200,0,0
```

#### Program 2.

```
'TAP' DEMO 2
10 REM
20 REM
3Ø FOR I = 896 TO 955
40 READ X
50 Z = Z + X
60 POKE I,X
70 NEXT
80 IF Z <> 7425 THEN PRINT "OOPS. Z="; Z: STOF
90 HOME : GR
100 PRINT "WHILE I SCRIBBLE AIMLESSLY,"
110 PRINT "PRESS BUTTON 1 SEVERAL TIMES."
120 POKE 24,0: POKE 25,0: POKE 26,0: CALL 909
130 FOR I = 1 TO 1000: COLOR= 16 * RND (I)
140 PLOT 40 * RND (I),40 * RND (I): NEXT
150 CALL 896:T = PEEK (25) + 256 * PEEK (26)
160 TEXT : PRINT CHR$ (7): REM BELL!
170 HOME : PRINT "YOU PRESSED IT "; INT (T / 2
    ); " TIMES. "
```

```
896 DATA 169,201,133,186,169,58
902 DATA 133,187,169,176,133,188
908 DATA 96, 169,76,133,186,169
914 DATA 154,133,187,169,3,133
920 DATA 188,96,72,152,72,173
926 DATA 98,192,41,128,197,24
932 DATA 240,8,133,24,230,25
938 DATA 208,2,230,26,104,168
944 DATA 104,201,58,176,3,76
950 DATA 190,0,76,200,0,0
```

#### Program 3.

```
0002 0000
                       THIS PROGRAM USES 512 BYTES FROM 2048 TO 2559 TO CONTAIN AND LOOK
0003 0000
0004 0000
                       AFTER A 256-BYTE KEYBOARD BUFFER.
0005 0000
0006 0000
                        'BRUN KEYBUF' TO CREATE THE BUFFER.
9997
      9999
                       'CALL 2054' TO DISABLE THE BUFFER.
'CALL 2051' TO RE-ENABLE THE BUFFER.
0008
0009 0000
0010
                       HOW TO SAVE THE PROGRAM:
0011 0000
                       BSAVE KEYBUF, A$803, L$F8
0013 0000
                            *=$803
                                               :START AT 2051.
0014 0803
0015 0803
0016 0803
                       JUMP-TABLE OF ENTRY-POINTS:
0017 0803 400908
                             JMP STARTS
                                               ; ENABLE BUFFER
ØØ18 Ø8Ø6 4C99Ø8
                                               ; DISABLE BUFFER
0019 0809
0020 0809 AD00E0 STARTS LDA $E000
0021 080C C94C CMP #$4C
                                                 ; WHICH LANGUAGE?
                                               : APPLESOFT?
0022 080E D036
0023 0810
                             BNE STEXIT
                                               ; NO, SO QUIT!
0024 0810 A90A
0025 0812 A001
                             LDA #>BASIC
LDY #1
                                                 -> NEW START
                                               ; OF BASIC (+1)
0026 0814
0027 0814 C467
                             CPY S67
                                               ; WARM ENTRY TO ME?
0028 0816 D004
                             BNE STCOLD
                                               ; NO
ØØ29 Ø818 C568
                             CMP $68
                                               ; WARM FOR SURE?
0030 081A F00C
                             BEO STLINK
                                               :YES!
0031 081C
0032 081C 8467
                    STCOLD STY $67
STA $68
                                                SET UP THE NEW
ØØ33 Ø81E 8568
                                               ;START-OF-BASIC
0034 0820 A900
                             LDA #Ø
0035 0822 8D000A
                             STA BASIC
                                               ; TRADITION
ØØ36 Ø825 2Ø4BD6
                             JSR $D64B
                                               : EXECUTE 'NEW'.
                    STLINK LDA #$4C
STA $BA
0038 0828 A94C
ØØ39 Ø82A 85BA
0040 082C A949
0041 082E 85BB
                             LDA #<CHLINK
STA $BB
                                               ; TIE IN TO
                                               : CHRGET.
0042 0830 A908
                             LDA #>CHLINK
ØØ43 Ø832 85BC
                             STA SBC
0044 0834
0045 0834 A97C
                             LDA #<INLINK
0046 0836 8538
                             STA $38
                                               ; TIE IN TO THE
0047 0838 A908
                             LDA #>INLINK
                                               ; INPUT HOOK 'KSW'
                             STA $39
     Ø83A 8539
0049 083C
     083C ADEA03 STTIES LDA $3EA
0050
0051 083F C94C
0052 0841 D003
                                               ; IS DOS PRESENT?
; NO, NO DISK HERE!
; TELL DOS ABOUT TIE-IN
                             CMP #$4C
                             BNE STEXIT
0053 0843 20EA03
                             JSR $3EA
           4C03E0 STEXIT JMP SEGG3
0054 0846
                                                :WARM START
                    ; THIS ROUTINE IS ENTERED EVERY TIME
0057 0849
                    ; APPLESOFT FETCHES A BYTE OF BASIC.
0058
     0849
0059 0849 2C00C0 CHLINK BIT $C000
                                                 KEY PRESSED?
                                               ;NO, NOT YET
;SAVE BASIC BYTE
;SAVE X-REGISTER
0060 084C 1026
                             BPL CHCOLO
0061 084E 48
                             PHA
0062 084F 8A
                             TXA
0063
     0850 48
0064 0851 AEAC08
                             LDX BIX
                                               :GET INPUT POINTER
                                               ; PREPARE TO STEP UP
0065
     0854
           E8
                             INX
                                               ;BUT IS BUFFER FULL?
;NO, GO & STASH
ØØ66 Ø855 ECADØ8
                             CPX BOX
     Ø858 DØØA
                             BNE CHSTOW
0067
                                               ; BUFFER FULL:
; (BELL USES Y-REG)
ØØ68 Ø85A 98
                             AYT
                             PHA
ØØ69 Ø85B 48
     Ø85C
           20E2FB
                             JSR $FBE2
                                               ; RING THE BELL!
0071 085F 68
                             PLA
0072
     Ø86Ø A8
                            JMP CHRETR
0073
     Ø861 4C6EØ8
0074
     0864
                                                ; SAVE NEW POINTER
0075 0864 8EAC08 CHSTOW STX BIX
                                               ;-> PLACE FOR THE KEY
;GET THE KEY
;SAVE IN BUFFER
0076 0867 CA
                            DEX
     0868 AD00C0
                             LDA $C000
0078 086B 9D0009
                            STA BUF.X
0079
     Ø86E
                                                : RESET KEYBOARD
0080 086E 8D10C0 CHRETR STA $C010
                            PLA
0081 0871 68
0082 0872 AA
                             TAX
                                               : RECOVER X-REG
                                               ; & BYTE OF BASIC
0083 0873 68
                             PLA
     0874
                                                (CHRGET REPLACEMENT)
0085 0874 C93A
                    CHCOLO CMP #$3A
0086 0876 B003
                            BCS CHBACK
0087 0878 4CBE00
                            JMP SBE
ØØ88 Ø87B 60
                    CHBACK RTS
0089 087C
```

```
; THIS ROUTINE IS USED WHENEVER A ; KEY IS NEEDED FROM THE KEYBOARD.
0090 087C
0091 087C
0092 087C
0093 087C 8EAB08 INLINK STX SAVX
                                                ;GET OUTPUT POINTER;ANYTHING IN BUFFER?;YES, GO SEND IT!;NO, RESTORE X-REG
0094 087F AEAD08
                              LDX BOX
0095 0882 ECAC08
                              CPX BIX
0096 0885 D006
                              BNE INSEND
0097 0887 AEAB08
                              LDX
                                  SAVX
0098 088A 4C1BFD
                              JMP $FD1B
                                                 ; NORMAL KEY HANDLER
ØØ99 Ø88D
0100 088D 9128
                     INSEND STA ($28),Y
                                                  ; STOP FLASHING
0101 088F BD0009
                                                ;GET KEY FROM BUFFER
;UPDATE POINTER
                              LDA BUF, X
0102
      0892 EEAD08
                              INC BOX
0103 0895 AFAROS
                              LDX SAVX
                                                 ; RESTORE X-REG
      0898 60
                              RTS
0106
      0899
                     ; DISABLE THE KEYBOARD BUFFER
0107
      0899
0108 0899 A9C9
                     CANCEL LDA #$C9
0109 089B 85BA
                              STA SBA
0110
      Ø89D A93A
                              LDA #$3A
                                                : RESTORE CHRGET
Ø111 Ø89F 85BB
                              STA $BB
                                                ; ORIGINAL STUFF
      Ø8A1 A9BØ
0112
                              LDA #SBØ
Ø113 Ø8A3 85BC
                              STA SBC
0114 08A5
0115 08A5 2089FE
0116 08A8 4C3C08
                                                ; EXECUTE "IN#0".
                             JMP STTIES
Ø117 Ø8AB
Ø118 Ø8AB ØØ
                                                ;SAVE AREA FOR X-REG
;-> PLACE FOR NEXT BYTE
                     SAVX
                              BYT Ø
      Ø8AC
                     BIX
                              .BYT Ø
0120
     Ø8AD ØØ
                     BOX
                              .BYT Ø
                                                ;-> NEXT ONE TO DELIVER
      Ø8AE
                     ; (BIX=BOX) MEANS BUF IS EMPTY
; (BIX+1=BOX) MEANS IT'S FULL!
Ø122 Ø8AE
0123
      Ø8AE
0124 08AE
0125 08AE
                     : THE ABOVE MUST END BY SAFF
0126 08AE
0127 08AE
                     ; OR IT WILL BE OVERWRITTEN!
Ø128 Ø8AE
                     BUF=$900
                                                ; BUFFER IS $900-$9FF
Ø129 Ø8AE
                     BASIC=SAGO
                                                ; NEW START-OF-BASIC
                     ;
0131 08AE
                             FND
```

SYMBOL TABLE

SYMBOL VALUE

BASIC	ØAØØ	BIX	Ø8AC	BOX	Ø8AD
BUF	0900	CANCEL	Ø899	CHBACK	Ø87B
CHCOLO	Ø874	CHLINK	Ø849	CHRETR	Ø86E
CHSTOW	Ø864	INLINK	Ø87C	INSEND	Ø88D
SAVX	Ø8AB	STARTS	0809	STCOLD	Ø81C
STEXIT	Ø846	STLINK	Ø828	STTIES	Ø83C

#### Program 4.

```
100 REM MAKE "GEN KEYBUF"
110 D$ = CHR$ (4)
120 F$ = "GEN KEYBUF"
130 PRINT D$"OPEN "F$
140 PRINT D$"WRITE"F$
150 PRINT "FP"
160 PRINT "MON I"
170 PRINT "BRUN MINI-ASSM"
   PRINT "803:";: REM NOTICE SEMICOLON
180
190 READ Z$
200 IF Z$ = "END" GOTO 230
210 PRINT " "Z$
220 GOTO 190
230 PRINT "FP"
240 PRINT "BSAVE KEYBUF, A$803, L$F8"
250 PRINT D$"CLOSE"
260 END
270 DATA JMP809, JMP899, LDAE000
280 DATA CMP#4C, BNE846, LDA#A
290 DATA LDY#1, CPY67, BNE81C
300 DATA CMP68, BEQ828, STY67
310
   DATA STA68, LDA#0, STAA00
320 DATA JSRD64B, LDA#4C, STABA
330 DATA LDA#49, STABB, LDA#8
340 DATA STABC, LDA#7C, STA38
350 DATA LDA#8,STA39,LDA3EA
360 DATA CMP#4C,BNE846,JSR3EA
370 DATA JMPE003, BITC000, BPL874
380 DATA PHA, TXA, PHA
390 DATA LDX8AC, INX, CPX8AD
```

400 DATA BNE864, TYA, PHA
410 DATA JSRFBE2, PLA, TAY
420 DATA JMP86E, STX8AC, DEX
430 DATA LDAC000, "STA900, X", STAC010
440 DATA PLA, TAX, PLA
450 DATA CMP#3A, BCS87B, JMPBE
460 DATA RTS, STX8AB, LDX8AD
470 DATA CPX8AC, BNE88D, LDX8AB
480 DATA JMPFDIB, "STA(28), Y", "LDA900, X"
490 DATA INC8AD, LDX8AB, RTS
500 DATA LDA#C9, STABA, LDA#3A
510 DATA STABB, LDA#B0, STABC
520 DATA JSRFE89, JMP83C, BRK
530 DATA BRK, BRK, END

If you have Integer BASIC in ROM or in a Language Card, substitute:

150 PRINT "INT" 170 PRINT "CALL -2667" : REM MINI-ASSM

#### Program 5.

460 ML = 600 : FOR I = ML TO ML+25 470 READ X: POKE I,X: NEXT 480 LIST (... OR PRINT SOME STUFF) 490 CALL ML 500 DATA 173,80,192,173,0,192 510 DATA 41,127,170,202,208,253 520 DATA 173,81,192,173,0,192 530 DATA 41,127,170,202,208,253 540 DATA 240,230

#### Micro Power Bench™



- Single Switch Control of CPU and Peripherals
- Built in circuit breaker protects your system
- Four power expansion outlets
- Choice of high quality oak or walnut
- Compatible with IBM, APPLE, TRS-80 and others



0

#### Order Direct 800-343-4311

Master Charge and Visa Accepted

### CAB-TEK, Inc. Riverside St., Nashua NH 03062 CIVILIZING COMPUTERS

MX 80

ACOUSTIC ENCLOSURE \$99!

DEALER INQUIRIES INVITED

### Atari Lister

LeRoy J. Baxter, Milwaukie, OR

Debugging a long program listing can be tedious. Most of us have typed in a long program and then had to hunt for errors when it wouldn't RUN. This utility routine can make the job a little easier.

Make a copy of this program and LIST it to tape or disk. When you need it, load it with the ENTER command (the line numbers shouldn't conflict). Then type GOTO 32700. A prompt will appear. Press RETURN, and the first set of six program lines will be LISTed to the screen, regardless of their line numbers, with spaces between the lines. Then with a touch of RETURN, it LISTs the next set of six lines.

Enter "EDIT," and the program goes to the Editing Subroutine. It asks for the line number of the offending line, then LISTs the line and prints

the command "CONT" below it. You can then edit the line using the screen editor keys.

When you press RETURN, the line will be entered into the program. You can enter or delete complete lines using standard techniques. Simply move the cursor up and enter your new line between the LISTed line and CONT. When you are done, enter "ERASE," and the utility program will erase itself.

32700 DIM A\$ (5):T=0 32705 Z=0:INPUT A\$: DN (A\$="EDIT")+(A\$ ="ERASE") \$2 GOTO 32730,32745 32710 ? CHR\$(125):ADDR=PEEK(136)+PEEK (137) \*256: FOR X=0 TO T: ADDR=ADD R+PEEK (ADDR+2) \* (T>0): NEXT X 32715 LINENO=PEEK (ADDR) +PEEK (ADDR+1) \* 256: Z=Z+1: IF LINENO>=32700 THEN ? "\* END OF LISTING \*":60T0 32 710 32720 LIST LINENO: T=T+1: ADDR=ADDR+PEE K(ADDR+2): IF Z(6 THEN 32715 32725 GOTO 32710 32730 ? "WHAT LINE #";: INPUT X 32735 ? CHR\$(125):POSITION 2,4:LIST X :? :? :? :? "CONT": INPUT A\$:POS ITION 2,0:POKE 842,13:STOP 32740 POKE 842,12:T=T-6:GOTO 32705 32745 ? CHR\$(125):POSITION 2,4:FOR X= 32700 TD 32750 STEP 5:? X:NEXT X:? "POKE 842,12" 32750 POSITION 2,0:POKE 842,13:STOP Q

### **Perfect Commodore INPUTs**

A one-line cure for accidental program exits during keyboard input.

Blaine D. Standage, Orange, CA

Solve the problem of inputting from the VIC, PET/CBM, 64 keyboard once and for all with one simple line of BASIC code. Why clutter your program with complex subroutines when there is a better way?

I waited a long time for someone to write this article, but no one did. Meanwhile, I kept seeing involved subroutines offered as solutions to the

"input problem."

The "problem" is that when you hit the RETURN key in response to an INPUT statement without first giving a Commodore computer some data, it promptly dumps you out of the program – often a very undesirable result. The same thing happens if you accidentally hit the STOP key while the computer is in a GET loop waiting for data. (10 GET A\$: IF A\$="" THEN 10"). Since most of the proposed solutions use GET loops, it seems that they only move the problem by a keywidth rather than solve it.

Following the KISS (Keep It Simple, Sam) method, let's define our ideal objectives and try to take a completely fresh approach to the problem.

#### **Avoid Subroutines**

The highest probability of an operator disrupting a program occurs when he is responding to an INPUT or a GET command. At that time we need to simplify his task by preventing him from accidentally halting the computer.

To keep it simple for the programmer, we need to avoid subroutines, particularly large ones or those written in machine language which may

require some form of special handling.

As to the fresh approach, remember that when a thing doesn't work the way you want it to, one alternative is to simply not use it! Oddly enough, that is exactly the way out of this problem. Don't use INPUT or GET.

When we remove INPUT and GET from the instruction list, we are left with only two commands which might take their place, INPUT# and GET#. But aren't they for use with external devices like tape or disk drives? Not exactly. They

are the complete form of the commands for inputting. INPUT and GET are just simplified forms which allow easy access to the keyboard.

#### **Using GET#**

The results of investigating GET# showed that, overall, it operates very much like GET. We can't completely solve our problems with it because the program can always be halted with the STOP key.

The most obvious difference occurs when we press a non-numeric key while trying to get a numeric value (i.e., GET#1 A). The computer responds with:

?SYNTAX ERROR READY.

"SYNTAX ERROR" doesn't seem a reasonable response, and I haven't found out why it happens. Nor can I see any way to take advantage of it, but maybe someone else can.

Perhaps the biggest potential advantage to GET# becomes evident by recalling that we commonly open output files to both the printer and the screen. We then direct the PRINT# output by selecting the appropriate file with a variable value. Similarly, the keyboard could be included in a selectable group of input devices through the use of GET# or INPUT# with a variable defining the file number.

#### **How About INPUT#?**


Using INPUT# proved to be the answer, but a lot was learned along the way.

When you enter and run the simple program:

10 OPEN 1,0 20 INPUT#1,A\$: PRINT A\$: GOTO 20

all the inputs are echoed back, and there seems to be no way out of the program. RETURNs are ignored, and the STOP key has no effect. Most of my test group (victims, to hear them tell it) decided there was no way to regain control short of cycling computer power. Only the most determined ones discovered that the SHIFTed RUN/STOP would cause a break. (On VIC, this would be Commodore Key/RUN\STOP.) This combination is so unlikely in an input situation that we can almost disregard it as an accidental response.

### GAME PROGRAM DEVELOPMENT KIT





for the



VIC - 20 is a registered trademark of Commodore Business Machines, Inc.

### SIX TOOLS TO HELP YOU WRITE YOUR OWN FAST ACTION ARCADE-STYLE GAMES

**DECODER** — Decodes programs written in machine language (like game cartridges, utility cartridges, and even the computer's own internal operating programs). Produces a program in an English-like language (Assembler) which can be studied to figure out how they did it. The programs created with the decoder can be customized with the **EDITOR** AND INCORPORATED INTO YOUR OWN NEW GAME PROGRAM. The **ASSEMBLER** turns your programs created with the Decoder and the Editor back into machine language and puts them out to tape or disk so the **LOADER** can load them into the computer's memory to be tested and RUN. The **MONITOR** assists you in debugging your new game program by allowing you to run it a step at a time and making modifications if you need to. The **INSTRUCTION GUIDE** is written so that even a beginner can learn the skills needed to become a pro!!!

\$49.95 plus \$2.00 p&h buys the kit that could make you rich. Why wait?

Send check, M.O., VISA/MC (\$2.00 s.c., please include expiration date), or specify COD (add \$3.00) to:

French Bilk

P.O. Box 207, Cannon Falls, MN 55009

507-263-4821

When I first performed this experiment, my impulse was to consider the problem solved and go on with my programming. What a variety of interesting possibilities I would have missed!

Go to your computer and follow this easy exploration of INPUT#. It will be worth your time.

First, enter the following test program. Use the line numbers as shown because we will be adding to the program.

10 OPEN 1,0 20: 30 INPUT#1,A 70 PRINT A 80 FOR J=1 TO 1500: NEXT J 90 GOTO 20

Line 80 has no direct bearing on the problem. It gives you a way to halt the program by providing time to press the STOP key after an input.

When the program is run, notice that the customary question mark is not printed. If we want the question mark we must include it in the input prompting. But we are also free to leave it out for inputs where it is not appropriate.

Next, enter a few numbers and notice they are printed back on the same line as the input even though we made no special provision for that. It seems we will have to print a "return" after inputting to get back to the left margin.

Now press RETURN without any data, and the computer responds as though you had entered a zero. Here is a feature we have wished for. But don't get too excited yet, because when we enter non-numeric characters the computer responds:

#### ?FILE DATA ERROR IN 30 READY.

and we see that we can't solve our problem with a numeric variable input. Why a "file data error"? Remember, the computer thinks it is getting data file inputs from an external device.

Now let's make some changes to our test program to correct the defects we have seen. Unlike INPUT, the INPUT# command has no provisions for built-in prompting, so we must provide it in a separate PRINT command (line 20).

20 PRINT "ENTER DATA?"
30 INPUT#1,A\$: PRINT
70 PRINT A\$

Running this now reveals that we won't stop the program during the input process either with a bad input or with the STOP key. Also notice that a simple RETURN is interpreted as a null (nothing there) string. We can really make use of this feature. (You can prove that the string is really null by manually creating a field of characters, a line of reversed spaces, for example, where the printing will be done. Observe that they are not altered during the execution of line 70.)

#### **Several Handy Features**

Of course, we neglected the semicolon at the end of line 20 to force the input to follow its prompt, so let's put it in and re-test.

20 PRINT "ENTER DATA ? ";

Careful now – something important has changed. A simple RETURN is no longer treated as a null string. It is just ignored. Another feature we can use; no more tests for null inputs – they simply can't happen with this program structure. And so we have RETURN = "ignored" or RETURN = "null" by including or deleting a single semicolon after the prompting message. Very handy.

Let's add lines 40-60 and change 70 to complete our test program for INPUT#. Now it will accept only numeric inputs. The full test program is:

10 OPEN 1,0
20 PRINT "ENTER DATA?";
30 INPUT#1,A\$: PRINT
40 IF A\$="0" THEN 60
50 IF VAL(A\$)=0 THEN 20
60 B=VAL(A\$)
70 PRINT A\$;B
80 FOR J=1 TO 1500: NEXT J
90 GOTO 20

This structure rejects non-numeric inputs and (because of the semicolon in line 20) will not accept null inputs.

If you want a simple RETURN to be accepted as a zero, delete the semicolon in line 20 and change line 40 to read:

So we have solved our problem quite nicely for inputs and come up with several very useful options in the process.

Let's make a general observation on the lack of built-in prompting with INPUT#. Neither the double question mark requesting additional inputs nor the "extra ignored" warning is printed. This suggests that you should keep the structure of your input commands as simple as possible, because the operator will not get the usual warnings when he enters incorrect data patterns.

At last, as promised, here is the one-line, noaccidental-exit, solution to the long-standing input problem.

10 OPEN1,0:PRINT"PROMPT ? ";:INPUT #1,A\$:PRINT:CLOSE 1

Obviously, the OPEN and CLOSE commands could span a group of inputs or even the entire

program. You can safely leave the "file" open while doing other things.

As a bonus, you can accept null inputs by deleting the semicolon in the first print command. This allows you to convert the nulls to zeros for

numeric applications.

Finally, I think you will find it interesting to watch your experienced friends try to terminate a program which uses the INPUT# technique. They tend to get very frustrated, which suggests that maybe you shouldn't build escape-proof programs unless they are really needed.

#### **COMMODORE 64 Software**

Introducing ... "Spritewriter"

Take advantage of the 64's most exciting graphic feature.

Full screen design and edit of Sprites. Display and return to edit mode. Catalog your Sprites on tape or disk. Recall at any time and edit and overlay.

\$18.95 + \$1.00 for shipping & handling Dealer inquiries welcome

pixell software

6595 W. Mississippi Place Lakewood, CO 80226

(303)922-9197

#### FOR YOUR VIC-20. SEND FOR GAME CATALOG AND FOR INFORMATION ABOUT COMMODORE 64 PROGRAMS.

KILLER CATERPILLAR! Here he comes...the dreaded Killer Caterpillar! He's weaving his way dreaded Killer Caterpillar! He's weaving his way through the mushrooms trying to get to you. You can't let him through! If that isn't enough, you occasionally get visits from crazed spiders leaving a trail of mushrooms behind. Shoot them for extra points. Great graphics. For 5K VIC 20, requires joystick. Cassette \$9.95, Disk \$12.95

MAD PAINTER! This game is a little unique and a lot of fun. You control a paint brush, moving it around a colorful maze. Your job is to paint the entire maze. This is not as easy as it sounds, because in the maze with you are two voracious Bristle Biters (they love paint brushes). Occasionally you will receive a visit from an Invisible Stomper who leaves footprints in your fresh paint. Requires joystick. Cassette \$9.95, Disk \$12.95

SNAKE! A fast and fun action game for one player. You're a big snake roaming around the screen. Mice, rabbits, eggs. and feet appear at random. Your mission in life is to bite these targets. You have to be quick—the targets don't stay for long. The main problem is; you always seem to be unpring into the wall or into yourself the longer you. running into the wall or into yourself (the longer you play, the longer, and harder to avoid your own tail)! Snake! Keeps high score and requires a joystick. Cassette \$9.95, Disk \$12.95

■ Price includes postage & handling. ■ Catalog is included with order. ■ Foreign orders & COD's, please add \$3.00. ■ Prices are subject to change without notice. At your dealer or send check or money order to:

WUNDERWARE, P.O. Box 1287, Jacksonville, OR 97530 \$503-899-7549.
VIC-20 is a registered trademark of Commodore Business Machines

### At Last!

A great printer for the VIC-20 and Commodore 64 at an affordable price. \$179.95

CAI introduces the affordable PRINTER.

This new printer prints the computer's (VIC 20 and Commodore 64) entire library of alpha-numerics and graphics on clean, white, inexpensive thermal paper.

The printer uses a dependable, rugged yet whisper-quiet mechanism which prints a 40-character width at 80 characters (two lines)

per second.

The Sprinter 42 is a certified Commodore attachment and is designed to be compatible

with all Commodore peripherals.

Only \$179.95. Includes interface cable, user's manual, learner's cassette and a 30-day replacement warranty. Add \$5 U.S. for postage, handling. Extra paper is \$1.95/137'-roll. Add \$3 U.S. for postage, handling for each multiple of four rolls.

Order now. VISA, MasterCard, please include card number, expiration date.

Undecided? Write or call for literature.

© Copyright 1982 CAI Instruments



### Atari Autonumber

Barry M. Bernstein, Willowdale, Ontario

This provides quite a convenience when using Atari BASIC. AUTONUM adds automatic line numbering to Atari BASIC. It is used in much the same way as the Atari ASSEMBLER/EDITOR NUM function is used.

The program creates a cassette boot program to be loaded in when you turn the computer on with the BASIC cartridge in place. Once in, it can be called at any time and can quite easily be disengaged or reactivated.

Type in the BASIC program, being especially careful to get the DATA statements correct, and then execute the following statement in direct mode:

#### A = USR(12288)

You will hear two beeps, signalling you to press PLAY and RECORD on the 410 (with a tape in place) and then pressing the RETURN key. You have just made a boot tape.

To use BASIC AUTONUM, load the boot tape in the 410 tape player, make sure the BASIC cartridge is in place, press the START console switch and turn the computer on. When it beeps, press PLAY on the 410 and then RETURN. The AUTONUM program is now in memory. To activate it execute the following in direct mode:

#### A = USR(1550,a,b)

where a is the line number to begin at and b is the step size. If b is omitted then a is the step size and it will begin where it left off. If both a and b are omitted then it will begin numbering where it left off (ten to begin with) and increment by tens. You may have to press RETURN twice to activate AUTONUM. To disengage the automatic numbering simply press RETURN twice in a row. It is reactivated by repeating the above procedure.

Though BASIC AUTONUM may take up to half an hour to type in, you will find that it is well worth the effort for the great convenience that it offers, especially when typing in large programs.

- 10 DIM A\$(100), B\$(2), H\$(23): H\$="{,} (A) (B) (C) (D) (E) (F) (G) (H) (I) !!!!!!! (J)(K)(L)(M)(N)(O)":REM ALL CHARAC TERS IN BRACKETS ARE CONTROL CHARA CTERS
- 20 MEM=1536: M=-1
- 30 READ A\$

- 40 FOR I=0 TO 49:B\$=A\$(I\*2+1,I\*2+2) 50 IF B\$="YY" THEN RESTORE 700: MEM=12
- 288: M=-1: GOTO 30
- 60 IF B\$="ZZ" THEN ? "ALL DONE": END
  - N=0:FOR J=1 TO 2:N=N\*16+ASC(H\$(ASC (B\$(J))-47)): NEXT J: M=M+1: POKE MEM
- 80 NEXT I
- 90 GOTO 30
- 100 DATA 000200060D06A93C8D02D3186060 68C900D00BA90085CBA91085CC4C4F068 5CFC901F00B20D306A5D585CDA5D485CE 200306
- 200 DATA A5D585CBA5D485CCA5CFC902D00F F838A5CEE5CC85CEA5CDE5CB85CDD8A98 08510A9628D0802A9068D0902A9C08510 60A5CF
- 300 DATA C9FFF011AD09D2C90CF0034CBEFF A9FF85CF4CBEFFAD09D2C90CD015A9808 510A9BE8D0802A9FF8D0902A9C085104C BEFFA9
- 400 DATA 0085CFF818A5CE65CC85CEA5CD65 CB85CDD820BD06A5CD20CA06A5CE20BD0 6A5CE20CA064CBEFF29F04A4A4A4A1869 3020A4
- 500 DATA F660290F18693020A4F6606885CC 6885CB6885D56885D420AAD9A5D4C941F 00BA5D585D4A90085D54CF706A5D685D4 A5CB48
- 600 DATA A5CC4860YY
- 700 DATA A210A9039D4203A9089D4A03A908 9D4B03A94A9D4403A9309D45032056E43 028A90B9D4203A9009D4403A9069D4503 A9009D
- 800 DATA 4803A9019D49032056E4300AA90C 9D42032056E430006860433A9BZZ

#### **COMPUTE!** The Resource

#### TAR TRIAL BALANCE INCOME STATEMENT Microsoft Base BALANCE SHEET \$219.95 - includes Microsoft Compiler VISA - MASTER CHARGE - CHECK - MONEY ORDER 4712 CHASTANT ST. METAIRIE, LA. 70002 (504)454-2421

\*Trademark ATARI, INC.

\*\*\*NECESSITIES\*\*\*\*\*\*

DISK COMMANDER II - Just save this program on your BASIC disks and it will autoboot and automatically list all programs from the disk into your screen. Simply run any BASIC or Machine Language program by typing a single number.

BASIC COMMANDER - An all machine language program which occupies only 4K of RAM and is co-resident with your BASIC program. It is an indispensable tool for every ATARI BASIC programmer. Basic Commander allows single key access to DOS functions, BASIC file manipulation commands such as LOAD, LIST, ENTER, RUN, SAVE and more! Never need to access DOS again. RENUMBER allows you to renumber all Basic lines and all references instantaniously! In addition, BLOCKDELETE allows deletion of any range of lines, eliminating computer lock-up. AUTONUMBER automatically provides line numbers for your BASIC program, increasing program entry speed from 25 to 75%. If we've omitted your favorite commands, Basic Commander even provides 3 PROGRAMMABLE KEYS!

THE MOST POWERFUL PROGRAMMING AID AVAILABLE FOR THE ATARI BASIC PROGRAMMER

Requires 16K, Disk Only . RAM TEST II - The fastest and most thorough memory test available for the ATARI has now been further improved! Tests not only all locations, but also tests the memory addressing system. This all machine language program takes 4 min. to test 48K. It's the only program that tests the cartridge area of RAM. Good for new 400/800 computer owners, for testing new RAM boards and for use in computer stores to test

for any bad memory locations. Bad memory locations are pinpointed so repair is as 

\*\*\*\*\*\*\* BUSINESS/HOME\*\*\*\*\*\*\*


MAIL LIST - Extremely fast BASIC and machine language program. Each data disk holds over 500 files. Sort on any of 6 fields at machine language speed or search on any fragment of a field! Use any size lables or envelopes.

Requires 40K, Disk Only .....

ASTEROID MINERS - This 50 page book and program provide for a unique intermediate-to-advanced tutorial. A 32K BASIC game utilizing over 25 players in player-missile graphics, machine language subroutines, a redefined character set, multiprocessing utilizing the vertical blank interrupt interval, and much more! The 50 page book included with the program documents each part of the entire program and contains the fully documented source code for both the BASIC and assembly language parts of the program. Use these routines in your own programs. These examples make it easy

Requires 32K, Disk or Cassette ......\$34.95

ATARI is a registered trademark of ATARI, INC. N.J. Residents add 5% sales tax.



WITH INTELLIGENT MONSTERS!

This arcade style game is sure to become an ATARI classic. Chomper requires 16K RAM, 1 joystick and nerves of steel. Available on Disk or Cassette ...... \$29.95

Available at your favorite computer store or Send a check or money order directly to:

#### MMG MICRO SOFTWARE

P.O. BOX 131 • MARLBORO, NJ 07746

or call (201) 431-3472

for MasterCard, Visa or COD deliveries

You've invested a lot of time and money into your computer . . . It's time that investment paid off!

#### THE COLOR ACCOUNTANT

The Programmer's Institute introduces THE COLOR ACCOUNTANT, the only complete personal financial package specifically designed for the Atari 400/800 and VIC-20 computers. This unique package includes:

- 1. Complete Checkbook Maintenance
- 2. Chart of Accounts Maintenance
- 3. Income/Expense Statement
- 4. Net Worth Statement
- 5. Payments/Appointments Calendar
- 6. Color Graph Design Package (graphs any files)
- 7. Check Search

- 8. Home Budget Analysis
- 9. Decision Maker
- 10. Mailing List

After the initial setup, THE COLOR ACCOUNTANT requires less than an hour of data input each month.

The checkbook maintenance program is the key to the entire package. Once your checkbook is balanced, the checkbook summary file will automatically update the home budget analysis, net worth, and income/ expense statements. You can then graph any file, record bills and appointments, make decisions, print a mailing list, and analyze various accounts.

All programs are menu-driven and allow add/change/delete. Files and statements can be listed to screen or printer, and saved to casette or

diskette. THE COLOR ACCOUNTANT also comes with 60 pages of documentation that leads you step-by-step through the entire package. The Atari 400/800 requires 24K cassette and 32K diskette; the VIC-20 requires 13K. (\$74.95 cassette, \$79.95 diskette).


Add \$3 for postage and handling.

See your local dealer or order direct:

#### THE PROGRAMMER'S INSTITUTE



a division of FUTUREHOUSE P.O. BOX 3191, DEPT. C CHAPEL HILL, NC 27514



Mon-Fri 10-6; Sat 11-3

The perfect supplement to THE COLOR ACCOUNTANT, The Tax Handler includes:

- 1. Complete From 1040
- 3. Schedule G (Income Averaging)
- 2. Schedule A (Itemized Deductions)
- 4. Schedule B

This year let The Tax Handler prepare your taxes (\$34.95 cassette, \$39.95 diskette).

### VIC Super Expander Graphics

Tim Parker, Kanata, Ontario

Want to see some stunning graphics on your VIC? Type in these short programs and you might be surprised to see what's possible with the Super Expander cartridge.

The VIC-1211A Super Expander is a plug-in cartridge for the VIC-20 that provides several extra features to the graphics and sound abilities. It also adds an extra three kilobytes of memory, giving a power-up of 6519 bytes free. (The missing bytes are used by the expander.)

Program 1 is a short routine that draws a grid on the screen, then selectively erases parts. This is done by drawing vertical and horizontal lines in a character color, then redrawing at a random interval with the screen's color. When RUN for several cycles, the patterns produced can be quite complex. Changing the color of the character in line 20 and the STEP interval in lines 100, 200, 300 and 400 can alter the complexity and appearance.

A variation on this program is to draw the lines on the graphics display diagonally, as Program 2 does. Here, lines 100-220 draw a circular pattern, skipping dots at intervals set by the STEP command. Then, lines 300-420 redraw at intervals in the screen color. The effects are produced as a consequence of the 1024x1024 graphics screen being shortened to 160x160. As the coordinates are altered, some dots will lie on either side of the line. As a result, some dots that are on are turned off, and vice versa.

A long routine to accomplish the above could be arranged using the RDOT(x,y) command, to see if a dot is on, then reverse it. Needless to say, this is an extremely time-consuming task, even in machine language.

Program 3 provides a pattern familiar to most people, although here it is generated in four corners. To see the pattern by itself, leave out lines 110-130. The simple routine here can be enhanced by adding circles concentrically in the center, or by repeating sections in the screen color, as above.

Program 4 draws rectangles on the screen concentrically and is then repeated to color in some areas. Again, when this is elaborated, it can have the effect of a moiré pattern, almost achieving movement of its own.

An alternate method of obtaining the concentric rectangles of Program 4 requires drawing squares with multiple TO's in the DRAW statement (Program 5). Repeating the pattern without a screen-clear command (SCNCLR) produces overlapping bands in the pattern. The pattern can be inverted (i.e., have the rectangles drawn from the outside in) by rewriting lines 100-140 to step down, instead of up. Naturally, concentric circles can be done the same way, by changing line 120 to read:

#### 120 CIRCLE1,511,511,X,X

This actually produces ellipses, as the axes are not of equal length. This can be changed to produce true circles by adding a constant parameter to the X-axis value.

These programs are by no means as sophisticated as can be achieved with the Super Expander, but they do fill the need for a basic subroutine library on which to base future graphics displays. Combining these with PAINT commands can produce some interesting effects. The Super Expander cartridge's graphics abilities are limited only by the resolution of the graphics screen.

Possible future work for examination of the commands available includes drawing Archimedes' spiral, a herringbone-grid of diagonals, and changing to multicolor graphics to build up a quilt-like display.

#### Program 1.

- 10 GRAPHIC 2
- 20 REGION 5
- 50 DEFFNA(X)=INT(RND(1)\*X)+1
- 100 FOR X=1 TO 1023 STEP FNA(40)+10
- 110 DRAW1, X, 0TOX, 1023
- 120 NEXT
- 200 FOR Y=1 TO 1023 STEP FNA(40)+10
- 210 DRAW1,0,YT01023,Y
- 220 NEXT
- 300 FOR X=1 TO 1023 STEP FNA(40)+20
- 310 DRAWO, X, 0TOX, 1023
- 320 NEXT
- 400 FOR Y=1-TO 0123 STEP FNA(40)+20
- 410 DRAWØ, Ø, YTO1023, Y
- 420 NEXT
- 500 GOTO 100

### 40-Column VIC- \$29.95!

But . . . there's a catch.

We found a way to transform your cramped VIC screen into a 40-column, smooth scrolling text display. So we created Terminal-40, a program for communicating by modem with networks such as CompuServe and Source. It's inexpensive, powerful, and a pleasure to use.

But we created a problem, too. Now everyone wants all their programs in 40 columns. That's the catch. Terminal-40 is only for telecommunications. But don't despair...you'll have the finest VIC terminal available.

So, plug in your modem and . . .



TERMINAL-40 . . . \$29.95

Requires 8K or larger memory expansion and modem. VIC printer optional. On cassette.

This is just one of our good ideas. Send for a free brochure describing others.



PO BOX 6148, KANSAS CITY, MO 64110

ORDER DESK: open 9 am - 4 pm. (816) 254-9600

astercard add 3% (card # and exp. date) C.O.D. add \$3.50

MAIL ORDER: Add \$1.25 shipping and handling. Missouri residents include 4.6% sales tax. Foreign orders payable U.S.\$, U.S. Bank ONLY; add \$5 shipping/handling. Dealer inquiries invited.



#### **NEW** VIC SOFTWARE VIC



COMPUTERMAT • BOX 1664, DEPT C LAKE HAVASU CITY, ARIZONA 86403 NEW COMMODORE 64 SOFTWARE - FREE CATALOG

(602) 855-3357

WRITE FOR FREE CATALOG OF VIC SOFTWARE

WARNING — BUYERS OF THESE GAMES HAVE BEEN KNOWN TO BECOME ADDICTS **RUNS IN STANDARD VIC-20** 

ADVENTURE PAK



ADVENTURE - REQUIRES 8K OR 16K MEMORY CARTRIDGE CAVES OF SILVER-REQUIRES 8K OR 16K MEMORY CARTRIDGE

\$12.95 Each

ADD \$1.00 FOR SHIPPING AND HANDLING

TARGET COMMAND Color By Cliff Dudzik JOYSTICK Graphics KEYBOARD Sound 10

> SOFTWARE FROM COMPUTERMAT WILL TURN YOUR VIC-PET-CBM INTO A HOME ARCADE!

WE WELCOME YOUR PERSONAL CHECK

#### Program 2.

10 GRAPHIC 2
20 REGION 5
50  DEFFNA(X) = INT(RND(1)*X)+1
100 FOR X=1 TO 1023 STEP FNA(10)+10
110 DRAW1, X, 0TO1023-X, 1023
120 NEXT
200 FOR X=1 TO 1023 STEP FNA(10)+10
210 DRAW1,1023,XT00,1023-X
220 NEXT
300 FOR X=1 TO 1023 STEP FNA(10)+20
310 DRAW0, X, 0TO1023-X, 1023
320 NEXT
400 FOR X=1 TO 1023 STEP FNA(10)+20
410 DRAW0,1023,XTO0,1023-X
420 NEXT
500 GOTO 100

#### Program 3.

10 GRAPHIC 2
20 REGION 5
50 DEFFNA(X)=INT(RND(1)*X)+1
100 FOR X=1 TO 1023 STEP FNA(70)+10
110 DRAW1, X, 0TO1023, X
120 DRAW1,0,XTOX,1023
130 DRAW1, X, 0TO0, 1023-X
140 DRAW1,1023,XT01023-X,1023
150 NEXT

#### Program 4.

10 GRAPHIC 2
20 REGION 5
50 DEFFNA(X)=INT(RND(1)*X)+1
100 FOR A=1 TO 2
110 FOR X=1 TO 1023 STEP FNA(10)+10
120 DRAW1,1023-X,XTOX,0+X
130 DRAW1, X, 1023-XTO0+X, X
150 NEXTX, A

#### Program 5.

10 GRAPHIC 2

20 R	REGION 5
50 D	PEFFNA(X) = INT(RND(1)*X)+1
100	X=FNA(20):X1=X
	120 DRAW1,511-X,511-XTO511+X,511
	-XT0511+X,511+XT0511-X,511+XT05
	11-X,511-X
130	X=X+X1

0

TOLL FREE Subscription Order Line 800-334-0868 In NC 919-275-9809

### NEW SOFTWARE

#### PractiCalc® VIC-20 16K RAM

#### Sensational and International Software for Unexpanded VIC-20.

#### Sinclair Timex 1000 16K RAM Required

MUGSY – You are the boss of a Chicago gang operating a protection racket. Can you survive rival gangs, the cops, and Nick the Greek?.....\$6.95

Other programs for the VIC-20 or SINCLAIR TIMEX 1000 in the areas of home use, business applications educational needs, and other games are available.

Order direct by calling 1-800-343-1078.

#### We're looking for new software

CSA is searching for programmers who are creating software for Commodore, Timex, or Atari. We offer you an immediate, wide distribution network. Contact us at the address below.

#### We're looking for new dealers

CSA is a distributor for U.S. and foreign software. Call or write us for a complete list of programs.



50 Teed Dr., Randolph, Massachusetts 02368 617-961-5700

140 IFX<511THEN120

### VIC20 PERSONAL COMPUTER

### TOP 10 SALE!! **ARCADE GAMES**

(VIC-20 TAPE PROGRAMS)

Rank 1.	Name Super Paratrooper	<b>List</b> \$24.95	<b>Sale</b> \$19.95
2.	(Fantastic) Exterminator-Plus (Better than Centipede)	\$24.95	\$19.95
3.	Cricket (Better than Frogger)	\$24.95	\$19.95
4.	3-D Hackman (3-Dimensional)	\$24.95	\$19.95
5.	Snackman (Better than Packman)	\$19.95	\$15.95
6.	Bug Blast (Creepy)	\$19.95	\$16.95
7.	Anti Matter Splatter (Nuclear Disaster)	\$24.95	\$19.95
8.	Bombs Away (Great)	\$18.95	\$15.95
9.	3-D Maze-Escape	\$16.95	\$14.95
10.	Krazy Kong	\$16.95	\$14.95

#### **BUY ANY FOUR — DEDUCT 10% MORE**

#### VIC-20 **ACCESSORY SALE!!**

- 1. TRACTION-FRICTION LINE PRINTER This new COM-STAR deluxe printer, prints 81/2" x 11" full size letter quality single, roll or fan fold paper, labels and etc. Impact dot matrix bidirectional 40, 66, 80, 132 columns. Includes interface cable that plugs direct into the VIC-20 computer, no other costly interface is needed. List \$599.00 - Sale \$399.00.
- 2. UP TO 60K EXPANSION MODULE Aero Space designed-6 slot-add up to 6 cartridgesswitch select any program. Start and stop any program with reset button-not necessary to remove cartridges or turn off computer, saves time, television and computer (one year warranty) List \$149.00 - Sale \$89.00.
- 10 DAY FREE TRIAL
- WE HAVE THE LOWEST PRICES
- ONE DAY DELIVERY EXPRESS MAIL
- **FREE CATALOGS**
- WE LOVE OUR CUSTOMERS!

#### ROTEC ENTERPRIZES (FACTORY-DIRECT)

**BOX 550, BARRINGTON, ILLINOIS 60010** Phone 312/382-5244 to order



#### VIC-20

#### CASSETTE SOFTWARE

new challenge every time



CRABS
Agility is the key to successfully guiding HER-BIE (the halibut) through the maze, avoiding the deadly gaze of SONIC CRABS while feeding on delectable night crawlers.

The more you eat, the higher your score. Each time you clear the maze of tasty morcels, you will receive more time, additional lives, and a new group of night crawlers, as the game of SURVIVAL continues.

But beware! With the passing of time your presence becomes increasingly aggravating to the KILLER crabs who lurk within, improving the accuracy of their menacing sonic waves. Set at beginner or advanced levels, each game is played in a totally new maze, and may consist of any number of rounds that start identically for each player.

CRABS can be played using your VIC-20 keyboard or joystick, and will work on all standard VIC-20 memory configurations.

Exciting action for two players



#### TANK WAR

Your opponent watches closely as the BAT-TLEFIELD unfolds, and you both carefully plan strategies for the pending CONFLICT. Sud-denly, both LASER TANKS fire to initiate move-ment. You begin to thread the way through your home territory, avoiding obstructions and buildings, as you proceed toward enemy ground.

Outscore the rival tank by destroying enemy buildings as well as placing direct hits on your opponent during one to one combat. Higher skill levels will add additional targets, mountain ranges and landmines to the battle zone for increasing EXCITEMENT.

One of three skill levels, with a new battlefield created for each game, provides a new challenge for both players every time.

TANK WAR may be played using your VIC-20 keyboard or paddles, and will work on all standard VIC-20 memory configurations

#### CYCLONS

The ultimate inter-stellar conflict



#### Full Hi-Res Graphics, Arcade-Like Action

Continuing with their plan to conquer the universe, the CYTRON EMPIRE has chosen your sector as the first target in our galaxy. As COMMANDER of the protective forces, you must manoeuvre your craft, avoiding collision and enemy missiles, to attack and destroy enemy war ships.

The CYCLON fighters relentlessly enter the battle zone, attempting to lure you into making errors that will lead to your destruction. The menacing PULSAR DEATH SHIP also begins to attack, its only purpose to zero in on your location, chase you down, and put an end to

your defense of civilization as we know it

Our future lies with your skill.

CYCLON requires memory expansion to function. When loaded on a system with a 3K expander (or Super Expander) you will play an advanced level game. Loading the cassette onto a system with 8K or more expansion, you will be allowed to choose between a variety of difficulty/game-feature options. The game is controlled with the VIC-20 joystick.

Skill-testing defense against a new evil



#### CRITTERS Full Hi-Res Graphics, Arcade-Like Action

While inspecting his prize pumpkin patch, Mr GREENSLEEVES becomes aware of a flock of strange CRITTERS hovering in the sky above. Without warning small groups begin to leave

the formation and dive in order to knock him down and STEAL the fruits of his labour. Armed only with a revolver, he must now DEFEND his crop against this new blight.

You will guide Greensleeves in his COURAGEOUS effort to save the patch. Run or crouch in order to avoid the swooping MENACE, and attempt to exterminate the critters before they can loot the entire crop. Most important, once a pumpkin is stolen, destroy the thief before he can reach the flock (taking care not to hit the pumpkin) or his prize will be your

As the struggle progresses, larger flocks will arrive and the speed of their attack will increase. But don't despair. New pumpkins will grow with your point total providing additional opportunities to successfully fend off the raid. When they succeed in clearing the field, the conflict is over

CRITTERS requires a minimum of 8K memory expansion and is controlled with your VIC-20 joystick

Check for availability with your local dealer, or use the order form provided. Dealer enquiries are invited.

#### FORWARD TO: SYNTAX SOFTWARE INC, 33 ELMHURST AVE., SUITE 502 WILLOWDALE, ONTARIO, CANADA M2N 6G8 PHONE (41) PHONE (416) 221-8008 CERTIFIED CHEQUE

MONEY ORDER	PLEASE SE
ease Forward	CRABS
harges To VISA	TANK V
MASTER-CARD	CYCLO
AMERICAN EXPRESS	The state of the s

@ \$15.95 (U.S.)/\$18.95 (CDN.) VAR@ \$15.95 (U.S.)/\$18.95 (CDN.) NS @ \$19.95 (U.S.)/\$23.95 (CDN.)

CRITTERS @ \$19.95 (U.S.)/\$23.95 (CDN.) Shipping and Handling @ \$1.00 per Cassette EXPIRY DATE

Ontario Residents Please Add 7% Sales Tax SIGNATURE TOTAL = Please Print

NAME. ADDRESS

POSTAL CODE/ZIP

### Download/Upload For The Atari

Frank C. Jones, Silver Spring, MD

Use this to transfer programs and text files to or from your Atari using a modem and the telephone lines.

The program described in this article was developed over several months, with feedback from many people. I started writing it primarily because I was too cheap to go out and buy one. I wanted to try out my new communications hardware and look into some of the electronic bulletin boards that I had heard about. Furthermore, I used a mainframe computer in my work, and I thought that it would be convenient to be able to access it from the privacy of my home.

My first approach was to copy a short BASIC program by Henrique Veludo from **COMPUTE!** (February 1981, #9). This worked fine until I realized that a lot of the text went by too fast for me to read. I tried POKEing the incoming characters into a string, hoping to print it out later, but this was too slow; characters were being dropped, making things a bit hard to read. This led to an assembly language routine to speed things up a bit, and before I knew it I was on my way.

It wasn't long before I had added the upload capability so that I could transfer programs and text files to friends who had computers and modems. About this time I joined the downtown Atari club of Washington, D.C., and discovered their ARMUDIC bulletin board, developed and operated by Frank Huband.

After several weeks of enjoying the capabilities of this system and downloading lots of useful programs, I discovered that some of the members did not have terminal programs that would do some of the things that mine would do. I offered to give my program to the club and subsequently uploaded it to the ARMUDIC BBS.

I got calls about problems. I got calls with complaints. I got calls with suggestions. When I next talked to Frank Huband, I discovered that he had picked up a few suggestions and complaints too. We started working together to incorporate as many of the more reasonable ideas as we could, and over the next few months the program grew.

Since this article was intended to be utilitarian rather than tutorial, I have included no discussion of how the program does what it does. Instead, I have included complete instructions on its use and the BASIC listing. There are, however, a few peculiarities about the program that should be pointed out before we get into its operation.

#### **Two Cautions**

You may have already noticed that the statements on line 90 are preceded by a REM so that they are not executed. This line is to be used only by those people who find that the BREAK function does not work as described on their machines. The fault lies not in the computer, but in the 850 Interface Module.

Whenever concurrent I/O is turned on, the RS-232 port handler substitutes its own interrupt handlers for the ones in the OS ROM. This is necessary because concurrent I/O handles the serial bus interrupts differently from the way the operating system handles them. The machine language portion of JTERM detected pressing of the BREAK key by sensing what the 850 interrupt handlers did with it. Of course, this was too good to last: newer versions of the 850 Module handle the BREAK key by ignoring it (undocumented).

This leads us to line 90; it's a patch into the interrupt handler (new version) that enables the BREAK key. *Warning:* if the BREAK function works on your machine without line 90, *don't use it;* it will cause a crash if used with the older version handlers. So try it without line 90 first, and remove the REM if you find the BREAK key does nothing when you press it.

A further warning: this program should not be renumbered unless the subroutine at lines 2080-2110 is changed. This routine removes all of the data statements and initialization code after they are used to gain as much memory space as possible for the text buffer. If the program is renumbered and this routine is not changed accordingly, it will perform fatal surgery, and whatever is left won't be of much use. (To find out more about how this routine works, see my article in COMPUTE!'s Second Book Of Atari.)

For those of you who have some download capability already, the latest version of this program is available (free) from the ARMUDIC BBS (202) 276-8342. The program is available under the name of JTERM32 (or JTERM33 or... who knows what version will be available by now; this thing seems to have a life of its own). For the rest

# Experience the Magazine of the Future.



for the Atari 400/800

The Programmer's Institute's magnetic magazines will entertain, educate, and challenge you.

Each issue features ready-to-load programs ranging from games, adventures, home applications and utilities to personal finance, educational, and our unique teaching programs. Our magazines include fully listable programs, a newsletter containing descriptions and instructions for all programs, and notes on programming techniques used.

Vicvideo for the VIC-20 is here. Call for details.

#### ORDERING INFORMATION

ORDERING IN ORMANIO		111011
Subscriptions*	Cassette	Diskette
Year (10 issues)	\$50.00	\$75.00
1/2 Year (5 issues)	\$30.00	\$45.00
Trial Issue	\$10.00	\$15.00
* Add \$2.00 pc	stage and ha	ndling.

ALL SOFTWARE REQUIRES 16K.

orders only, toll free number:

1-800-334-SOFT

See your local dealer or order direct:

#### THE PROGRAMMER'S INSTITUTE

a division of FUTUREHOUSE P.O. BOX 3191, DEPT. C CHAPEL HILL, NC 27514





for information:

1-919-967-0861

ATARI ATARI



800 (16K)	\$649.00
400 16K	279.00
400 YOURS to 32K or 48K	CALL
410 RECORDER	79.00
810 DISK DRIVE	449.00
850 INTERFACE	165.00
830 MODEM	149.00
825 PRINTER	575.00
481 ENTERTAINER KIT	79.00
484 COMMUNICATOR KIT	309.00
PRINTERS - Atari, Epson, Smith C	CoronaCALL

Prices subject to change without notice.

Shipping extra. No tax out of state.

Ca. residents add appropriate taxes.

WE ARE AN AUTHORIZED ATARI SALES AND SERVICE CENTER



COMPUTERTIME, INC.

P.O. Box 216 Kentfield, CA 94914

CALL TOLL-FREE In California

800-227-2520 800-772-4064

For product and price list: send \$2.00 for shipping.



of you, type it in, being very careful with the data statements; an error here will probably make the system crash. Then read the instructions and start communicating.

#### Starting Up

JTERM is a download/upload terminal program for the Atari. It was written in BASIC and assembly language to combine ease in setting up and speed when in the actual terminal mode.

Note that an AUTORUN.SYS file with the RS-232 handler boot routine *must* be on disk and booted when you turn on your machine, if you are using a disk. The DOS command will cause the RS-232 handlers to be overwritten, so you must either have a MEM.SAV file on your disk or re-boot the handler after making a DOS call. Furthermore, it appears that the NEW command damages or wipes out the port handler as well. Therefore, you should always reboot the handler after using this command. An additional note: JTERM assumes that the modem is connected to RS-232 port #1. Also, the 850 Interface must be switched on *before* booting the disk.

JTERM is LOADed as a BASIC program, and when RUN it POKEs the machine language routine into a string called PROG\$. While this is going on, the screen is black. After this set-up period is over, the first menu appears on the screen, along with information about the size and location in RAM of the available text buffer. All menu choices are made by simply typing the appropriate key that is highlighted in inverse video. (Type an ordinary character, not an inverse video one.)

The first choice to make is whether you wish to Download a file from the host computer or Upload a file to the host computer. If you wish to do simple communication without file transfer, Download is the proper mode to choose. After you choose between the Download and Upload modes, your next choice is between no translation (None), Light translation, and ATASCII. With Light translation, all high order bits are stripped from all outgoing and incoming characters, and the ATASCII EOL character (155) is changed to the ASCII CR character (13) on output and vice versa on input. No translation and ATASCII modes means that the 850 Interface Module does no changing of characters during either input or output. However, be warned that the program does some translation itself - more about that later.

The next choice is between the various modes of outgoing parity setting. (Note: incoming parity is not checked or changed by this program.) You should always select None if you have selected no translation because setting the parity on output will change the high order bit that was presumably

to be preserved. This option was included for the users who wish to access mainframe computers that require certain parity configurations.

At this point, if you choose Upload you will be asked for the filespec of the file to be uploaded. When this has been entered, the file will be loaded into RAM and then listed to the screen as a check. You will then enter the terminal mode. But if you choose Download, you will go directly from the parity choice to the terminal mode without going through the file loading routine.

#### **Terminal Operations**

Whenever you enter the terminal mode, the flag (i.e., inverse video word) TERMINAL will appear at the top of the screen. This informs you that you are now in the machine language portion of JTERM. While you are in this mode, you may send data to and receive data from a host computer, provided all of the appropriate connections have been made. You may toggle the memory save function off and on by pressing the SELECT button; the flags MEMSTORE ON and MEMSTORE OFF will be printed on the screen as you toggle the memory.

While the memory save option is in effect, all incoming characters will be stored in sequence until the buffer is full. If the buffer should fill up, the flag MEMORY FULL will be printed on the screen. Note: If you have filled your buffer prior to an Upload, you should *not* turn on the memory save feature until you have completed the Upload. Otherwise, the incoming characters will overwrite your file.

When you enter the terminal mode, you will be in full duplex (i.e., only those characters that are received are printed on the screen and stored in memory). If the host computer echoes all characters that it receives, these characters will be incoming and will be printed and saved if desired. If the host computer operates in half duplex, it cannot send and receive at the same time, so it will not echo the characters that it receives from you. In this case you should turn on the half duplex mode. You can toggle between half and full duplex by pressing the OPTION button. Whenever you do, the flags HALF DUPLEX and FULL DUPLEX will be printed on the screen as appropriate.

#### **Leaving Terminal Mode**

When you are ready to leave the terminal mode, you may do so by pressing the START button. When you do, one of three things will happen, depending on the circumstances. If you have chosen the Upload option and have not yet uploaded the file, you will go into the upload mode. The flag UPLOADING will appear on your screen, and the buffer will be printed, 25 characters at a

time, to the computer on the other end of the line. During this period you will still see all incoming characters displayed on your screen, so, if the host computer is echoing your transmission, you can watch the upload progress. When the upload is complete, you will reenter the terminal mode, this time in Download mode.

If you exit the terminal mode without saving anything to memory, you will automatically bail back out to the main menu, and you may start another session with different parameters if you

wish.

If you were in Download mode and saved anything at all in memory, when you press START you will be asked for the filespec of the file to which you wish to save your memory, or you can type RETURN for further options (more about this in a moment). If you enter a filespec, this can be the cassette (C:), the printer (P:), the screen editor (E:), or a disk file (D:FILENAME). After you enter the filespec, the saved memory will be written to the file, and you will be told that you may reenter the terminal mode by pressing START.

If, however, you wish to save the memory to another file before returning to the terminal mode, press START and, before releasing the start button, press the OPTION button. This will bring you back to the request for a filespec. This may be

repeated as many times as wished.

If you simply type RETURN instead of a filespec, you will be presented with a menu of three alternative choices. Pressing OPTION will erase your memory buffer and return you immediately to the terminal mode without changing any parameters. Pressing START will erase the buffer and return you to the main mode selection menu where you may reset any or all parameters. Finally, pressing SELECT will return you to the main mode menu while *preserving* everything saved in the memory buffer.

### Internal Translations And Other Features

When you choose between Light and No translation in the second menu, you are choosing the configuration of your 850 Interface Module RS-232 ports. You should read your 850 instruction manual for information about these configurations. This program does some additional translation of its own, however.

First of all, nothing that comes in from the port is changed at all before it is stored in memory. Therefore, if you choose ATASCII or No translation for your port, you will save in memory everything *exactly* as it was sent. There will be some translation, however, before it is displayed on the screen. For example, no control characters (ASCII values < 32) are displayed. This means, for in-

stance, that you will not see line feeds; they will, however, be stored and can mess up a program that you are downloading. You should *not* ask for line feeds; you do *not* need them even if the test

messages are single spaced.

The carriage return character (ASCII 13) is translated to the ATASCII EOL character. The printer bell character (ASCII 7) is translated to the console bell (ATASCII 253). Finally, the ASCII backspace character (ASCII 8) is changed to the ATASCII DELETE/BACKSPACE (ATASCII 126). Again, none of this translation affects what is stored in memory; everything is stored exactly as it is received.

In ATASCII mode, no translation is done on any outgoing characters; everything is sent exactly as it comes from the keyboard. In the No translation mode, two characters are changed. The DELETE/BACKSPACE character is changed to the ASCII backspace character so that the key will have the same function with most host computers that it does in the Atari. Also, the RETURN key or EOL (ATASCII 155) is changed to the ASCII carriage return (ASCII 13) before it is sent. In light translation, the 850 module would do this translation automatically, but in the no translation mode it would not be done. There were enough situations in which inverse video characters (ASCII values  $\Rightarrow$  = 128) could be sent and received, but the host computer would still not recognize the EOL character to warrant this feature.

In half duplex operation, after a character has been sent to the port it is handed over to the input routine and handled just like any other

incoming character.

An additional feature of JTERM is the ability to send a computer "BREAK" by simply pressing the BREAK key. This will cause the screen to flash, a beep to sound, the flag BREAK to be printed on the screen, and, last, a true break signal (approx. 0.5 sec. of SPACE tone) to be sent. (If all of this doesn't happen, see the discussion in the introduction.) Sending the BREAK signal will not be of much use when you are connected to a BBS since most of them do not recognize it, but it can be essential when you are connected to a mainframe computer whose attention cannot be gotten any other way.

You should note, however, that the BREAK routine passes briefly through BASIC. Should it be pressed more than once in rapid succession, you can cause a standard BASIC BREAK and terminate the program. If you should terminate the program, accidentally or on purpose, do not attempt to re-RUN it. Instead, restart it with GOTO 100. When the program is RUN for the first time, all of the DATA statements and most of the initialization statements are removed to make more room for the buffer; it cannot, therefore, be re-

initialized without crashing.

One added note: when the terminal mode is entered for the first time, the DTR line on RS-232 port #1 is set for those modems that monitor this line.

#### Guidelines For Using JTERM

The JTERM menus were designed to provide maximum flexibility in communicating with many different types of computers, terminals, and bulletin board systems. This may cause some confusion, so here are some general guidelines:

 Most often, you will select Download, Light Translation, No Parity, and Full Duplex. This should work fine when communicating with information utilities such as CompuServe and The Source, as well as with most bulletin boards.

 For communicating between Ataris, choose the ATASCII mode instead of Light Translation. This allows full compatibility between characters sent and received. Also select half duplex instead of full duplex.

 For downloading TRS-80 graphics from TRS-80 bulletin board systems, choose No Translation.

 Usually you won't have to select a Parity option unless communicating with a mainframe computer.

 The half/full duplex option accomplishes with software what the half/full duplex switch on some modems does with hardware. This option was included for those users whose modems lack the duplex switch.

- 10 REM JTERM(3 SPACES) (VERSION 3.2) {12 SPACES} by Frank C. Jones July1 0,1982
- 20 DIM PROG\$ (379), PROG2\$ (7), SPOOL\$ (15 ), IN\$ (26)
- 30 CON=53279:POKE 559,0:IF PEEK(ADR(P 350 IF A=ADR(TXT\$) AND ROG\$))=104 AND PEEK(ADR(PROG\$)+378 )=216 THEN 50
- 40 FOR I=1 TO 379:READ A:PROG\$(I,I)=C 370 IF UPLD THEN UPLD=0:TXT\$="":GOTO HR\$(A): NEXT I
- 50 DIM MSG\$ (65): RESTORE 2000: FOR I=1 TO 65: READ A: MSG\$ (I, I) = CHR\$ (A): NEX
- 60 DIM S\$(5),T\$(8),U\$(9):FOR I=1 TO 5 400 IF PEEK(CON)=6 THEN 400 :READ A:S\$(I, I)=CHR\$(A):NEXT I:FOR 410 IF PEEK(CON)=2 THEN 360 I=1 TO 8:READ A:T\$(I,I)=CHR\$(A):N 420 GOTO 320 EXT I
- 70 FOR I=1 TO 9: READ A: U\$(I, I)=CHR\$(A ):NEXT I:DIM BR\$(7):FOR I=1 TO 7:R EAD A: BR\$(I, I) = CHR\$(A): NEXT I
- 80 FOR I=1 TO 7: READ A: PROG2\$(I, I)=CH 435 R\$(A):NEXT I:FLAG=0
- 90 REM FOR I=1 TO 3: READ A: POKE 8457+ I, A: NEXT I: FOR I=1 TO 8: READ A: POK 440 E 1663+I, A: NEXT I
- 95 GOSUB 2080: N=FRE(0)-256: DIM TXT\$(N
- 100 SETCOLOR 2,9,0:PROG\$(200,200)=CHR 445 I=PEEK(CON):IF I=5 THEN FLAG=1:GO \$(13):PROG\$(192,192)=CHR\$(8) 110 POKE 82,0:PRINT "(CLEAR)";
- 120 PRINT N-1; " BYTES OF MEMORY AVAIL 460 IF I=3 THEN 320 ABLE": PRINT "FROM-"; ADR(TXT\$); " T 465 GOTO 445

0-"; ADR (TXT\$)+N-2

130 CLOSE #1:OPEN #1,4,0,"K" 140 POKE 752,1:PRINT "{2 DOWN}{TAB}Op eration Mode: ": PRINT : PRINT (TAB)"; CHR\$(196); "ownload": PRINT : PRINT "(TAB)"; CHR\$(213); "pload"

- 150 POKE 559,34:POKE 752,0:GET #1,ANS : IF ANS=68 THEN UPLD=0:GOTO 180
- 160 IF ANS=85 THEN UPLD=1:GOTO 180

170 GOTO 110

- 180 POKE 752, 1: PRINT "{CLEAR} (2 DOWN} (TAB) Translation Mode: ": PRINT : PR INT "{TAB}";CHR\$(206);"one":PRINT :PRINT "{TAB}";CHR\$(204);"ight"
- 190 PRINT :PRINT "(TAB)"; CHR\$(193); "T ASCII"
- 200 POKE 752,0:GET #1,ANS:IF ANS=76 T HEN MODE=0:GOTO 240
- 210 IF ANS=78 THEN MODE=32:GOTO 240
- 220 IF ANS=65 THEN MODE=32:PROG\$ (200, 200) = CHR\$ (155): PROG\$ (192, 192) = CHR \$(126):GOTO 240
- 230 GOTO 180
- 240 POKE 752,1:PRINT "(CLEAR) (2 DOWN) (TAB) Parity: ": PRINT : PRINT " (TAB) "; CHR\$ (206); "one": PRINT : PRINT (TAB) "; CHR\$ (207); "dd"
- 250 PRINT :PRINT "(TAB)"; CHR\$(197); "v en":PRINT :PRINT "{TAB}";CHR\$(211 ); "et"
- 260 POKE 752,0:GET #1,ANS:IF ANS=78 T HEN PARITY=0: GOTO 310
- 270 IF ANS=79 THEN PARITY=1: GOTO 310 280 IF ANS=69 THEN PARITY=2:GOTO 310
- 290 IF ANS=83 THEN PARITY=3:GOTO 310

300 GDTD 240

310 IF UPLD THEN GOSUB 490

- 320 PRINT "{CLEAR} (2 TAB)"; T\$: POKE 65 , 0: IF NOT FLAG THEN A=ADR(TXT\$)
- 330 CLOSE #2: OPEN #2,13,0, "R": XIO 38, #2, MODE+PARITY, 0, "R": XIO 34, #2, 19 2,0,"R":XIO 40,#2,0,0,"R"
- 340 A=USR(ADR(PROG\$), A, ADR(TXT\$)+N-1, ADR(MSG\$)): IF PEEK(207)=128 THEN 590
- NOT UPLD THEN CLOSE #2:60TO 100
- 360 ON UPLD+1 GDSUB 430,650
- 320
- 380 PRINT "PRESS "; S\$; " TO RE-ENTER T ERMINAL MODE"
- 390 IF PEEK(CON)<>6 THEN 390

- CLOSE #2:? "(CLEAR) (4 DOWN) (TAB) E NTER OUTPUT FILENAME":? " (4 SPACES) OR HIT (RETURN) FOR OPT IONS":? :? "(TAB)";
  - POKE 702,64:POKE 65,3:TRAP 560:IN PUT SPOOL\$:FLAG=0:IF SPOOL\$<>" T **HEN 470**
  - ? "{CLEAR}{2 DOWN} (START) erases buffer; to menus":? "<SELECT> ret ains buffer; to menus":? "<OPTION > erases buffer; to terminal"
- TO 100 450 IF I=6 THEN 100

141,66,3,162,0,32,86,228,169,0,2 470 CLOSE #3: OPEN #3, B, O, SPOOL\$: IF SP 40, 2, 240, 137, 173, 252 OOL\$ (1,1) = "E" THEN SETCOLOR 2,9,0 TXT\$(A-ADR(TXT\$)+1)=" ":PRINT #3; 1060 DATA 2,201,255,240,54,162,32,169 ,11,157,66,3,169,0,157,72,3,157, TXT\$: CLOSE #3: RETURN 73, 3, 162, 16, 157, 72, 3 490 PRINT "{CLEAR}{4 DOWN}{TAB}ENTER 1070 DATA 157,73,3,169,7,157,66,3,32, UPLOAD FILENAME": PRINT : PRINT " 86,228,201,126,208,4,169,8,208,6 (TAB)";:POKE 702,64:INPUT SPOOL\$: ,201,155,208,2,169,13 500 TRAP 560:CLOSE #3:OPEN #3,4,0,SPO 1080 DATA 162,32,32,86,228,164,226,20 TXT\$="" 8,50,165,17,208,9,169,128,133,17 OL\$: TRAP 4: POKE 65,3 133, 207, 96, 240, 243, 162, 32, 169 510 AD=ADR(TXT\$):XX=INT(AD/256):WW=AD 1090 DATA 13,157,66,3,32,86,228,173,2 -XX\*256: ZZ=INT((N-1)/256): YY=(N-1 35, 2, 201, 0, 240, 163, 169, 7, 157, 66, ) -ZZ \* 256 3,169,0,157,72,3,157 IOCB=3:GOSUB 620:TXT\$(QQ+1)="" DATA 73,3,32,86,228,192,154,240, 1100 530 IF PEEK(883)=136 THEN 550 210, 164, 216, 208, 10, 162, 0, 129, 212 PRINT "ERROR "; PEEK (883); " DURING ,230,212,208,2,230,213,201,13 TEXT LOAD":STOP 550 CLOSE #3:PRINT TXT\$:FOR I=1 TO 50 1110 DATA 208, 4, 169, 155, 208, 20, 201, 7, 208, 4, 169, 253, 208, 12, 201, 8, 208, 4 O: NEXT I: RETURN ,169,126,208,4,201,32,144 560 PRINT "(CLEAR) (4 DOWN) (TAB) UNABLE 1120 DATA 18,160,11,140,66,3,160,0,14 TO OPEN "; SPOOL\$: PRINT " (TAB) PRE 0,72,3,140,73,3,162,0,32,86,228, SS ";S\$;" WHEN READY" 165, 215, 197, 213, 144, 16 570 IF PEEK(CON)<>6 THEN 570 1130 DATA 240,2,208,136,165,214,197,2 580 GOTO PEEK(186)+256\*PEEK(187)-10 12, 144, 6, 240, 4, 169, 0, 240, 135, 169 590 CLOSE #2: SETCOLOR 2, 13, 10: SOUND 0 , 255, 133, 216, 165, 224, 141, 68, 3 ,30,10,15:XIO 34,#2,2,15,"R":FOR DATA 165, 225, 141, 69, 3, 169, 13, 141 I=1 TO 20:NEXT I:XIO 34, #2, 3, 0, "R ,72,3,169,0,141,73,3,169,11,141, 66,3,162,0,32,86,228 600 SOUND 0,0,0,0:SETCOLOR 2,9,0 1150 DATA 169,0,240,216 610 PRINT BR\$: GOTO 330 2000 DATA 155,205,197,205,207,210,217 620 POKE 834+IOCB \* 16,7: POKE 836+IOCB \* ,160,198,213,204,204,155,205,197 16, WW: POKE 837+IOCB \* 16, XX: POKE 84 ,205,211,212,207,210 0+IOCB\*16, YY: POKE 841+IOCB\*16, ZZ 2010 DATA 197,160,207,206,160,155,205 630 K=USR(ADR(PROG2\$), IOCB\$16) ,197,205,211 640 QQ=PEEK(840+IOCB\*16)+256\*PEEK(841 DATA 212, 207, 210, 197, 160, 207, 198 2020 +IOCB\*16):RETURN , 198, 155, 200, 193, 204, 198, 160, 196 650 PRINT "{CLEAR} (4 DOWN) (2 TAB)"; U\$ 213, 208, 204, 197, 216, 160, 155 660 LL=LEN(TXT\$):LN=INT(LL/25)+1 2030 DATA 198,213,204,204,160,196,213 670 FOR I=1 TO LN ,208,204,197,216,160,155 680 IF I=LN THEN PRINT #2; TXT\$ ((I-1) \* 2040 DATA 211,212,193,210,212 25+1);:GOTO 700 2050 DATA 212,197,210,205,201,206,193 690 PRINT #2; TXT\$ ((I-1) \*25+1, I \*25); , 204 STATUS #2, B: BY=PEEK (747): IF BY TH EN GET #2, A: PRINT CHR\$(A);:GOTO 7 2060 DATA 213,208,204,207,193,196,201 ,206,199,155,194,210,197,193,203 00 ,155,104,104,104,170,76,86,228 710 NEXT I 2070 DATA 32,128,6,141,14,210,169,0,1 720 FOR I=1 TO 20 33,17,96 730 STATUS #2, B: BY=PEEK (747): IF BY TH 2080 POKE 842,13:? "(CLEAR)": POSITION EN GET #2, A: PRINT CHR\$(A); : GOTO 7 2,6:FOR I=1000 TO 1150 STEP 10: 30 ? I:NEXT I:? "CONT":POSITION 0,0 740 NEXT I 750 PRINT "{TAB}UPLOAD COMPLETE":FOR :STOP :LIST 100,200 I=1 TO 500: NEXT I: RETURN ? "{CLEAR}":POSITION 2,6:FOR I=1 1000 DATA 104,104,133,213,104,133,212 O TO 90 STEP 10:? I:NEXT I:? "CO NT": POSITION 0,0:STOP : LIST 100, ,104,133,215,104,133,214,104,133 , 225, 104, 133, 224, 169, 128, 133, 216 200 ? "(CLEAR)":POSITION 2,6:FOR I=2 ,169,0 2100 000 TO 2100 STEP 10:? I:NEXT 1010 DATA 133,226,133,207,172,31,208, "G.2110":POSITION 0,0:STOP 192,7,240,112,192,6,208,1,96,192 2110 POKE 842, 12: RETURN ,5,208,32,172,31,208,192,5 1020 DATA 240,249,164,216,192,255,240 ,90,152,73,128,133,216,208,6,169 ,12,133,217,208,36,169,25,133,21 1030 DATA 208,30,192,3,208,67,172,31, **COMPUTE!** 208, 192, 3, 240, 249, 164, 226, 152, 73

, 128, 133, 226, 208, 6, 169, 51, 133

1040 DATA 217,208,4,169,38,133,217,24 ,165,224,101,217,141,68,3,165,22 5,105,0,141,69,3,169,14,141 1050 DATA 72,3,169,0,141,73,3,169,11,

### **COMPUTE!**The Resource

### Commodore 64 Architecture

Jim Butterfield, Associate Editor

This guided tour of the new Commodore 64 allows you a peek inside the computer's structure and demonstrates some of its extraordinary features.

Let's build a Commodore 64 – at least in principle. We'll put the memory elements together and see how they all fit.

#### **RAM - 64K**

We start with a full 64K of RAM. That's the maximum amount of memory that the 6510 chip can address.

If we stopped at this point, we'd have problems. First of all, the screen is fed from memory, but it would contain nonsense. We'll need to put in two extra things: a video chip, and a character generator for the video chip to use. Then again, we have no programs of any sort, and no way to get them into RAM.

#### **Building It Out**

Here's what we will do: we'll add the extra features we need by piling them on top of RAM. That way, RAM will be "hidden" – if we look at that part of memory, we will see the new memory elements. But we'll include a set of switches which will allow us to "flip away" the overlaying material and expose the RAM beneath any time we choose. More about these later.

Keep in mind: the RAM is still there, but it's hidden behind the new memory chips.

#### Input/Output

We'll take the block of memory at hexadecimal D000 to DFFF and reserve it for our interface chips. This includes: two CIA's for timing and input/output, a SID chip for sound, and a video chip to deliver a screen to the television set.

About the 6566 video chip: its "registers" are located at hex D000 to D02E; these locations control how the chip works. But when the video chip needs information to put on the screen, it gets it

directly from RAM memory. For example, the usual place for the screen characters is hex 0400 to 07E7. There's a distinction here: we control or check the chip by using its register addresses, but the chip gets information from almost anywhere it likes.

The video chip needs to look at RAM to get characters for the screen. It also needs to look somewhere else to get a "picture" of each character; this allows it to light up the individual dots, or "pixels," that make up a character. There needs to be a table which gives details of each character: what it looks like, and how to draw it. This table is called the "Character Base" table; hardware types may just call it the "character generator."

We could put this character base table in RAM and point the video chip to it. In fact, we are likely to do this if we want to define our own graphics. But on a standard 64, we'd just as soon have these characters built in – in other words, we'll put the character base table into ROM memory.

Now comes the tricky bit. We will put our ROM character base (it's 4K long when we allow for both graphics and text) into locations hex D000 to DFFF. Wait a minute! We just put our interface chips there!

No problem. We just pile the memory elements higher. The ROM character base sits above the RAM, and then we put the I/O on top. Any time we peek these locations, we'll see the I/O. The video chip, by the way, has a special circuit allowing it to go directly to the ROM character base, so there's no confusion there.

If you wanted to look at the character ROM, you'd have to flip it to the top somehow. It turns out you are allowed to do this: clearing bit two (mask four) of address one to zero will do the trick. But be sure you disable the interrupt first, or you're in serious trouble. After all, the interrupt routines expect the I/O to be in place. Bit 2 of address 0 is called the CHAREN control line.

Let's look at a small part of the character base – in BASIC! Be sure to do this on a single line, or as part of a program. First, to turn the interrupt off and back on again:

POKE 56333,127: ... .: POKE 56333,129

Now, while the interrupt is in force, flip in the character base:

POKE 56333,127:POKE 1,51: ... POKE 1,55:POKE 56333,129

Finally, let's PEEK at part of a character:

POKE 56333,127:POKE 1,51:X = PEEK(53248): POKE 1,55:POKE 56333,129:PRINT X

You should see a value of 60; this is the top of the "@" character. To see its pixels, we would write it in binary as ..xxxx.. and to see the next

### """COMPU SENSE":"

or CBM-64.

1/1	0	01	16
VI	C-	-/(	10

	20	
VIC-20®	Personal Computer	\$179.95
VIC-1011A	RS232C Interface	39.95
VIC-1515	Printer	334.95
VIC-1530	Datasette	67.50
VIC-1540	Disk Drive	349.95
VIC-1111	16K RAM Exp.	99.95
VIC-1110	8K RAM Exp.	52.50
VIC-1210	3K RAM Exp.	34.95
VIC-1010	Expansion Module	139.95
VIC-1311	Joystick	9.95
VIC-1312	Game Paddles	19.95
VIC-1600	Telephone Modem	99.95

#### BUSINESS & HOME APPLICATIONS

VIC-20®	VIC-20® Personal Computer	\$179
VIC-20®	RS232C Interface	39
VIC-1515	Printer	334
VIC-1530	Datasette	67
VIC-1540	Disk Drive	349
VIC-1111	16K RAM Exp.	99 52
VIC-1110 VIC-1210	8K RAM Exp. 3K RAM Exp.	34
VIC-1210	Expansion Module	139
VIC-1311	Joystick	9
VIC-1312	Game Paddles	19
VIC-1600	Telephone Modem	99
BUGINES	S & HOME APPLIC	ATION
WB101	Total Text 2.5	
WB101	Total Labels	19
WB103	Total Research	
WB104	Predicator-Linear Regr	ession 16
PB105	Billing Solver (20 & 64)	
PB106 WB107	Utility Bill Saver (20 & 6 The Gasoline UnGuzzlo	
VVB107	(20 & 64)	
WB107	Accounting	29
WB108	Accounts Receivable	21
WB109	Calculator	
WB110	Order Tracker	
WB111 WB112	Business Inventory Depreciation	
WB112	Ratios	
WB114	Cash Flow	
WB115	Net Worth	
WB116	Lease / Buy	
WB117	Mortgage Calculator . Mortgage Comp	10
WB118 WB119	Loan Amortiser	
WB120	Loan Repayer	
WB121	Phone Directory	
WB122	Client Tickler	
WB123	Estimates & Bids	
WB124	Bar Charts Stock Ticker Tape	
WB125 WB126	Regress on VIC-20, 64	
WB127	P.E.R.T. MY VIC	
WB128	Business Appointment	s 13
WB129	The Predictor-Linear .	
PT130	Billing Solver VIC-20, 6 Utility Bill Solver	64 19
PT132	VIC-20, 64	12
WB134	Nuismatic Panatic VIC-20, 64	
WB135	The Pill Box VIC-20,64	14
PT136	Club Lister VIC-20, 64	
WB137	Mother's Recipes VIC-20, 64	12
WB139	Terminal 40	
WB140	Minimon	11
WB141	Typewriter	
WB142	Data Files	14
SB143SS	Mailing List (Tape) (Disk)	19
	(DISK)	2

CARDBOARD 6	\$79.95
(Special Christmas Price — after Dec.	15, back to \$99.95)
An expansion interface for the VIC-20	- allows expansion

to 40K or accepts up to six games - may be daisy chained for more versatility.

\$29.95 CARDBOARD 3 Economy expansion interface for the VIC-20

CARD "?" CARD/PRINT \$79.95 Universal Centronics Parallel Printer Interface for the VIC-20 or CBM-64. Use an Epson MX-80 or OKIDATA or

TANDY or just about any other. \$39.95 CARDETTE Use any standard cassette player/recorder with your

VIC-20 or CBM-64.

CARDRITER A light pen with six good programs to use with your VIC-20

#### GAMES FOR ALL

	CANCOT OTTALL
WG101 WG102 WG103 WG104 WG105 WG106 WG107 WG108 WG109 WG110 WG111 WG112 WG113 WG114 WG115 WG116 WG117 WG118 WG119 WG120 WG121 WG122 WG123 WG124 WG125 WG125 WG126 WG125 WG126 WG126 WG127 WG127 WG128 WG129 WG129 WG120 WG121 WG120 WG121 WG120 WG121 WG122 WG123 WG124 WG125 WG126 WG126 WG126 WG126 WG126 WG127 WG126 WG127 WG127 WG128 WG128 WG129 WG129 WG120 WG121 WG120 WG121 WG120 WG121 WG122 WG123 WG124 WG125 WG126 WK101 WK102 WK103 WK104 WK105 WK106 WK106 WK107	Adventure Land (Cart.) \$37.95 Mission Impossible (Cart.) 37.95 Gorf (Cart.) 37.95 Omega (Cart.) 37.95 Money Wars 28.95 Breakout 9.95 Hangman 9.95 Monks 7.95 Tank 17.95 Simmon 15.95 Pac Bomber 15.95 Dam Bomber 15.95 Cube 14.95 Spider from Mars 37.95 Exterminator Plus 19.95 3-D Hackman 19.95 Anti-Matter Splatter 19.95 Bombs Away 15.95 Anti-Matter Splatter 19.95 Krazy Kong 14.95 Krazy Kong 14.95 Krazy Kong 14.95 Mescue from Nufon 14.95 Rescue from Nufon 14.95 Rescue from Nufon 14.95 Mole Attack 19.98 Mole Attack 19.98 Blue Meanies 19.98 Blue Meanies 19.98 Space Math 11.95 Space Spitcher 19.98 Space Math 11.95 Spiders of Mars 11.95 Cribbage 14.95
WS101	EDUCATION
WE101 WE102 PE103 PE104 WE105 WE106 WE107 WE108 WE109 WE110 WE111 WE111 WE112 WE113 WE115	EDOCATION Find the Words (20 & 64)

Prices subject to change.

TO ORDER: P.O. Box 18765 Wichita, KS 67218 (316) 684-4660





Personal Checks Accepted (Allow 3 Weeks), or C.O.D. (Add \$2.00) Handling Charges \$2.00

VIC-20 is a registered trademark of Commodore, Inc.

line of pixels we would repeat the above code with X = PEEK(53249).

Remember that this is ROM; we can PEEK but can't POKE. If we wanted a new character set, we would point the video chip to some new location.

#### **Kernal ROM**

To allow the computer to work at all, we must have an operating system in place. The 64's system is called the Kernal: it's in ROM, and placed above RAM at addresses E000 to FFFF.

We can flip the Kernal away and expose the RAM beneath by clearing bit one (mask two) of address one. Be very careful! The computer can't exist for long without an operating system. Either put one into the RAM, or be prepared for a crash.

Even if you flip out the Kernal for a moment, you must be sure to disable the interrupt. The interrupt vectors themselves are in the Kernal; if the interrupt strikes while the Kernal is flipped away, we'll have utter confusion.

Flipping out the Kernal automatically flips out BASIC as well. So bit 1 of address 1, called the HIMEM control bit, switches out both ROMs. We can switch BASIC alone, however, by using bit 0 – the LOMEM control bit.

#### **BASIC ROM**

To run BASIC, we have another ROM which is placed above RAM at addresses A000 to BFFF. We may flip it out by clearing bit zero (mask one) of address one.

This is a very useful thing to do. When a word processor, spread sheet calculator, or other program is in the computer, we may not need BASIC at all. Flip it away, and we have extra memory for our program.

#### Do Your Own BASIC

We can do even more. If we copy BASIC – carefully! – from its ROM into the RAM behind it, we can get BASIC-in-RAM ... a BASIC we can change to meet our own needs.

Let's do this, just to show how. Write the following program into your Commodore 64:

100 FOR J = 40960 TO 49151 110 POKE J, PEEK(J) 120 NEXT J

Run the program. It will take a minute or so. While it's running, let's talk about that curious line 110. What's the point in POKEing a value into memory identical to what's already there? Here's the secret: when we PEEK, we see the BASIC ROM; but when we POKE, we store information into the RAM beneath.

The program should say READY; now we have made a copy of BASIC in the corresponding RAM. Flip the ROM away with POKE 1,54. If the cursor is still flashing, we're there. BASIC is now in RAM. How can we prove this?

Let's try to fix one of my pet peeves (PET peeves?). Whenever I try to take the ASC value of a null string, BASIC refuses. Try it:

PRINT ASC(" ") .. will yield an ?ILLEGAL QUANTITY ERROR.

Now, it's my fixation that you should be able to take the ASCII value of a null string, and have BASIC give you a value of zero. (Don't ask why; that would take a couple more pages). By peering inside BASIC, I have established that the situation can be changed by modifying the contents of address 46991. There is usually a value of eight there. Normally, we couldn't change it: it's in ROM. But now BASIC is in RAM, and we'll change the ASC function slightly by:

POKE 46991,5

Now try PRINT ASC(""); it will print a value of zero. In every other way, BASIC is exactly the same.

Just for fun: you can change some of BASIC's keywords or error message to create your own style of machine. For example, POKE 41122,69 changes the FOR keyword ... you must type the new keyword to get the FOR action. Say LIST and see how line 100 has changed. Alternatively, POKE 41230,85; now you must say LUST instead of LIST.

You may go back to ROM BASIC at any time with a POKE 1,55.

#### **Combination Switch**

When we use the HIMEM control to flip out the Kernal, BASIC ROM is also removed. Is there any point in flipping both HIMEM and LOMEM? If you do, the I/O and character generator also disappear, giving you a solid 64K of RAM. You can't talk to anybody, since you have no I/O ... but you can do it.

We have named three control lines: CHA-REN, which flips I/O with the character base; HIRAM, which flips out Kernal and BASIC ROMs; and LORAM, which controls BASIC. In my memory maps (**COMPUTE!** #29, October 1982), I've called them D-ROM switch, EF-RAM switch, and AB-RAM switch in an attempt to make them more descriptive.

But there are two other control lines, and your program cannot get to them. They are called EXROM and GAME and may be changed only by plugging a cartridge into the expansion slot. When these lines are switched by appropriate wiring

#### ·····¢ompu \$EN\$E::.

CARDBOARD 6 \$79.95

(SPECIAL CHRISTMAS PRICE -

after December 15, back to \$99.95) An expansion interface for the VIC-20. Allows expansion to 40 K or accepts up to six games. May be daisy chained for more versatility.

#### CARDBOARD 3 \$29.95

Economy expansion interface for the VIC-20

#### CARD "?" CARD/PRINT \$79.95

Universal Centronics Parallel Printer Interface for the VIC-20 or CBM-64. Use an Epson MX-80 or OKIDATA or TANDY or just about any other.

#### CARDETTE \$39.95

Use any standard cassette player/recorder with your VIC-20 or CBM-64

#### CARDRITER \$29.95

A light pen with six good programs to use with your VIC-20 or CBM-64

> Prices subject to change TO ORDER: P.O. BOX 18765 WICHITA, KS 67218 (316) 684-4660

Personal Checks Accepted (Allow 3 Weeks) Handling Charges \$2.00 or C.O.D. (Add \$2)

#### YOU DON'T HAVE TO BE A PIRATE TO AFFORD TOTL SOFTWARE for the VIC 20\* and COMMODORE 64\*



WORD PROCESSING

Full capability word processing. Word-oriented—not a line editor. Menu-driven. Outstanding features including: footnotes, headings, footing, keyboard input, special printer control, and 64 TOTL TEXT 2.6 more. VIC: TOTL.TEXT 2.5 \$20.00

MAILING LIST and LABELS

Easy editing, automatically sorted, optional non-printing data line(s), browse and select VIC or 64: TOTL LABEL 2.0 functions. Menu-driven.

KEYWORD CROSS REFERENCE

Students and authors: keep track of reference notes and bibliographies. Quick reference by keyword. Requires printer.

VIC or 64: RESEARCH ASSISTANT 2.0

TIME MANAGEMENT

Keep track of activities by date (and time). Screen inquiry by date, person, project. 56 different bar chart formats available. VIC or 64: TOTL TIME MANAGER 2.0

**BUSINESS ACCOUNTING** 

USINESS ACCOUNTING (To be announced)
Accounts receivable and payable. Inventory and expense tracking. Print invoices, statements, reports. Disk only.

SPECIAL VERSIONS AVAILABLE for QUANTUM DATA INC. 40/80 COLUMN VIDEO BOARD.

All programs work with disk and/or tape; VIC or RS-232 printers. VIC requires minimum 8K expansion.

LOOK for TOTL Software at your Dealer or order direct—shipping included.

Send check or money order and be sure to specify machine. California residents add 6% sales tax.

software P.O. Box 4742 • Walnut Creek, CA 94596

VISA

Call (415) 943-7877

\*VIC 20 and COMMODORE 64 are trademarks of Commodore Business Machines

#### COMPUTE! **Subscriber Services**

Please help us serve you better. If you need to contact us for any of the reasons listed below, write to us at:

#### **COMPUTE!** Magazine

P.O. Box 5406 Greensboro, NC 27403

or call the Toll Free number listed below.

Change Of Address. Please allow us 6-8 weeks to effect the change; send your current mailing label along with your new address.


Renewal. Should you wish to renew your **COMPUTE!** subscription before we remind you to, send your current mailing label with payment or charge number or call the Toll Free number listed below.

New Subscription. A one year (12 month) US subscription to COMPUTE! is \$20 (2 years, \$36; 3 years, \$54. For subscription rates outside the US, see staff page). Send us your name and address or call the Toll Free number listed below.

**Delivery Problems.** If you receive duplicate issues of **COMPUTE!**, if you experience late delivery or if you have problems with your subscription, please call the Toll Free number listed below.

> COMPUTE! 800-334-0868 In NC 919-275-9809

#### VIC-20®



TREASURES OF THE BAT CAVE \$14.95 Explore the ancient caves filled with treasures and guarded by deadly vampire bats. The realistic 3-D display brings out your claustrophobia. Machine code for fast action: keyboard or joystick. Over 6x10<sup>23</sup> different caves to explore!

ENCODER \$14.95 Use your VIC to keep prying eves away from your personal matters. Encoder uses your password to scramble whatever you store in the computer: bank account numbers, household inventory, where you hid the jewelry. The scrambled data can be saved, or retrieved from tape. A 90 minute tape holds approximately 120 double spaced typed sheets. Keep a copy in your safety deposit box.

ONLY ADVENTURES ARE AVAILABLE FOR THE COMMODORE 64

#### ADVENTURES\*

The best adventures at the best prices! Controlled from the keyboard.

GRAVE ROBBERS\* \$14.95 Introducing the firstGRAPHIC ADVENTURE ever available on the VIC-20! Explore an old deserted graveyard. Actually see the perils that lie beyond.

#### ADVENTURE PACK I\*

\$14.95 (3 Programs) MOON BASE ALPHA-Destroy the meteor that is racing towards your base. COMPUTER ADVENTURE-Re-live the excitement of getting your first computer. BIG BAD WOLF-Don't let the wolf gobble you up.

#### ADVENTURE PACK II\*

\$14.95 (3 Programs) AFRICAN ESCAPE-Find your way off the continent after surviving a plane crash. HOSPITAL ADVENTURE-Written by a medical doctor. Don't check into this hospital! BOMB THREAT-Get back to town in time to warn the bomb squad of the bomb.

#### COMMODORE 64® \*



ANNIHII.ATOR Protect your planet against hostile aliens in this defender-like game. All machine code for fast arcade action. Joystick required.

KONGO KONG \$19.95 Climb ladders; avoid barrels the crazy ape is rolling at you. Rescue the damsel. Partially machine code for smooth, fast action. Keyboard or joystick.

Send for free catalog All programs fit in the standard VIC memory, and come on cassette tape.

Ordering-Please add \$1.50 postage & handling per order. PA residents add 6% sales tax. Foreign orders must be drawn in U.S. funds or use credit card.

Credit card users-include number and expiration date.

VICTORY SOFTWARE CORP. 2027-A S.J. RUSSELL CIRCLE **ELKINS PARK, PA 19117** (215) 576-5625


inside the cartridge, the memory map changes once again.

But that's another story.

For the first time, the machine's architecture is at your disposal. If you don't like BASIC, throw it out and replace it with your own. The same is true of the Kernal operating system; it's accessible or replaceable.

New horizons are opening. We'll need to do

a lot of traveling to reach them.





Your VIC-20 Will Smile...

Warp

Volume Three

Pilot a spaceship on a hazardous journey. A fast-paced game that will keep you coming back for more.

(Needs joystick. Works on a 5K VIC-20.)

#### Rail

You are the chief engineer in this tricky train yard. You control twelve switches, and up to eight trains. (Needs 3K or 8K RAM memory board.)

#### **Fifteen**

The classic puzzle: try to arrange 15 numbered tiles within a 4×4 grid. (Needs joystick. Works on a 5K VIC-20.)

The VIXEL #3 cassette costs only \$12.95 in the US. Foreign orders add \$3.00 for shipping. California residents add 6% tax. Visa and MasterCard welcome.

#### The Code Works

Box 550, Goleta, CA 93116 805/683-1585

### VIC-20\*

Spiders of Mars ......

#### **GAMES**

\$40.00

15.00

#### Cartridge:

Outworld 40.00
Cloud Burst 32.00
Alien Blitz 32.00
Renaissance 40.00
Amok 32.00
Meteor Run 40.00
Sats & Mets 40.00
Skibbereen 32.00
Cassette:
Simon \$12.00
Amok 20.00
Subchase 20.00
Alien Blitz 20.00
The Alien 20.00
3-D Maze 12.00
Raceway 12.00
Kosmic Kamikaze 20.00

Super Driver .....



\*VIC-20 & Commodore-64 are registered trademarks of Commodore Business Machines.

\*\*Prices and Availability Subject to Change Without Notice

### SOFTWARE

#### Business:

VICaic		,	٠	,	٠	٠		×	٠		\$12.00
ViCat											20.00
ViCheck											20.00
ViTerm A									٠		16.00

#### **Educational:**

Skymath								,			\$20.00
Space Div	1.										12.00
Super Har	16	gr	Υ	10	11	1					16.00

#### Hardware:

Buti-3K ROM \$	372.00
Spokesman 1	
Voice Synthesizer for (Commodore-64*)	, VIC-20°
VIC-STUFF	\$5.00
	Spokesman

A comprehensive overview of virtually all hardware and software items currently available for the VIC-20\* \* \*

ALL ORDERS ADD \$2.00 SHIPPING California Residents Add 6% Sales Tax / Dealers Please Inquire

TO ORDER SEND CHECK OR MONEY ORDER TO:

#### MOOSEWARE INCORPORATED

Post Office Box 17868, Irvine, California 92713

WRITE FOR FREE BROCHURE & ASK ABOUT THE MOOSE CLUB.
CLUB MEMBERS RECEIVE SPECIAL DISCOUNTS ON ALL PRODUCTS SOLD.

### **VIC Pencil**

Ken Bowd, Huntsville, Ontario


This High Resolution Drawing Program will run on a 5K VIC with 1K in reserve. When the RUN command is given, the screen will turn black (POKE 36879,8). You will have to allow a few seconds for the VIC to execute the loops. Hit the "D" key, and one pixel will light on the screen;

hitting "E" will extinguish it.


The pencil can be moved either continuously or one pixel at a time. The continuous movement is controlled by the function keys, while singlepixel writing is done with the "," "." "\" and cursor control keys. The pencil will write left, right, up, or down, as well as in four directions diagonally. The "S" key stops all movement of the pencil. It is also possible to move the pencil without writing by hitting the "M" key.

#### **Pencil Control**

Single Pixel Drawing



Continuous Drawing



You can clear home or clear the screen by using standard VIC operating procedures. Line 50 reserves some memory from BASIC; line 60 tells the VIC to go to RAM location 7168 for description of characters. Line 70 clears our reserved memory, and line 80 turns the screen black and clears the screen. Lines 100 through 120 set up a mini screen.

Line 130 is the beginning of the main program. It asks the operator for instructions, and from this point down to line 380 the values of X and Y are assigned according to what character was "gotten" from the keyboard. Lines 390 to 420 check to make sure the pencil is on the screen. On down to line 490 the proper bit is selected, and the proper POKE is made to either turn the bit on or turn it off.

Although this is really a novelty program, the kids will probably enjoy drawing on the computer. You will also find after a little practice that it is possible to draw arcs and curves. It should be noted that, although you can't draw on the entire screen, you can address 4096 different spots as compared to the usual 506.

```
50 POKE56,24:POKE52,24
60 POKE36869,255
70 FORI=7168T07679:POKEI,0:NEXT
80 POKE36879,8:PRINTCHR$ (147)
90 FORI=7680T08191:POKEI,160:NEXTI
100 FORL=0T07:FORM=0T07
110 POKE7841+M*22+L,L*8+M
120 NEXT: NEXT
130 GETB$
140 IFB$="D"THENC$="D"
150 IFB$="E"THENC$="E"
160 IFB$="M"THENC$="M"
170 IFB$="{HOME}"THENX=0:Y=0
180 IFB$="S"THENA$=""
190 IFB$="{F1}"ORB$="{F2}"ORB$="{F
    3 | "ORB$=" {F4} "ORB$=" {F5}
    "ORB$="{F6}"ORB$="
    {F7}"ORB$="{F8}"THENA$=B$
200 IFB$="{CLEAR}"THEN220
210 GOTO230
220 FORI=7168TO7679:POKEI, 0:NEXT
230 IFB$="{RIGHT}"THENX=X+1
240 IFB$="{LEFT}"THENX=X-1
250 IFB$="{UP}"THENY=Y-1
```

260 IFB\$="{DOWN}"THENY=Y+1 270 IFB\$=","THENX=X-1:Y=Y+1 280 IFB\$="<"THENX=X-1:Y=Y-1 290 IFB\$="."THENX=X+1:Y=Y+1 300 IFB\$=">"THENX=X+1:Y=Y-1 310 IFA\$="{F1}"THENX=X+1 320 IFA\$="{F3}"THENY=Y+1 330 IFA\$="{F5}"THENX=X-1 340 IFA\$="{F7}"THENY=Y-1 350 IFA\$="{F2}"THENX=X+1:Y=Y+1 360 IFA\$="{F4}"THENX=X-1:Y=Y+1 370 IFA\$="{F6}"THENX=X-1:Y=Y-1 380 IFA\$="{F8}"THENX=X+1:Y=Y-1 390 IFX<OTHENX=0 400 IFX>62THENX=62 410 IFY<OTHENY=0 420 IFY>62THENY=62 430 CH=INT(X/8) \*8+INT(Y/8) 440 RO = (Y/8 - INT(Y/8)) \* 8450 BY=7169+8\*CH+RO 460 BI=7-(X-(INT(X/8)\*8)) 470 IFC\$="D"THENPOKEBY, PEEK (BY) OR (21BI) 480 IFC\$="M"THENPOKEBY, OORPEEK (BY) 490 IFC\$="E"THENPOKEBY, 0 500 GOTO130



PILOT THE SCOOP SHIP VOYGER INTO THE RINGS OF SATURN TO BECOME A MULTIMILLIONAIRE CALL

(408) 738-1751.

MAIL

D. SMITH & CO.

1164 ANDOVER DR.

SUNNYVALE, CAL. 94087


VISA & MASTERCARD WELCOME

ONLY \$ 19.95

FOR THE UNEXPANDED VIC-20

### EXPAND

VIC-20



PLUGS INTO THE SINGLE EXPANSION PORT OF THE VIC-20. AND PROVIDES THREE SWITCHED EXPANSION PORTS FOR SELEC-TIVE OR SIMULTANEOUS USE OF ANY VIC-20 CARTRIDGES. ADD MEMORY, PROGRAMMERS AID, SUPER EXPANDER, GAMES, WORD PROCESSOR, OR WHATEVER YOU CHOOSE. SEE YOUR DEALER OR ORDER FROM:

PRECISION TECHNOLOGY, INC.

COMPUTER PRODUCTS DIV. 2970 RICHARDS ST. SALT LAKE CITY, UTAH 84115

COD VISA M/C

(801)487-6266

#### SIMULATIVE STRATEGY GAMES

**VIC-20** AT THE TRACK: Horserace gambling game for 1 to 4 players. VIC gives odds. You bet to AT THE IRACA: Floriserace gamming 5 11.95 win, place and show.

SKY PILOTS (avail. Jan. 1983): Pilot a WWI Biplane. Over 10 Allied and German aircraft to choose from.

\$11.95
DUNGEONS OF KAL: A fantasy adventure in the realm of the Evil Two-Headed Ruler Kal.

\$11.95 Not for the timid at heart! \$11.95 \$TAR DEFENDER: Protect your Star Systems from the Alien Invasion. Over 15 separate Starship commands! \$11.95 Starship commands! 511.95
CONVOY RAIDER: Seek out and destroy the enemy merchant fleet. Commands include
SONAR, PERISCOPE, TORPEDO and more! \$11.95
BOXER'S CORNER: Unique simulation allows you to match great fighters on your VIC. Pick
ting strategy. Ratings included. \$11.95
CONVOY ESCORT: Escort your fleet to safety. Commands include SONAR, FORMATION,
SUB TRACK and more! \$11.95 SUB TRACK and more!

COMPUTER BASEBALL: Use real life stats as you field a team against your VIC.

unique options for batters and pitchers. \$11.95
FOOTBALL CHALLENGE (8K expander req.) Manage an NFL team against Vic or an opponent. All 1981 NFL teams included! \$14.95
GALACTIC CONQUEST (8K expander req.) by Scott Jensen. Interactive strategy game for 1 to 6 players. A classic struggle for existence! \$15.95 All Programs On Cassette. No Memory Expansion Required Unless Specified. Send check or money order plus \$1.50 postage and handling to: P.R. Software, P.O. Box 169, South San Francisco, CA 94080 Calif. Res. add 6% sales tax

Dealer Ing. Invited \* Programmers sought VIC is a reg.T.M. of CBM

EXPANDED VIC-20 SOFTWARE 888945 946 946 \$35946 946 946 ₩\$PACE CHALLANGE: A space adventure with 333 a difference, for 16k expanded vic ‱\*DUNGON OF ARITHMA:an educational adventure **≋**for kids of all ages,8k expanded vic ₩\$CI CAL:Science calculator with all ₩functions, tri9, metric conv., 8 memorys, ∰3k expander needed ‱#COLOR T.V. TEST & SETUP: all color ‱test Patterns needed to setuP color & ≋convergence, no expander needed #All are \$9.95ec.or any two for \$12.95 one tape, Please add 75cents Postage & handling MORRIS SOFTWARE P.O.BOX 85261 LAS VEGAS NV., 295 89185-0261

(Fantastic!!)

# **VIC-20 COMPUTER WILL PLAY ATARI GAMES CARTRIDGES**

when you plug in our

## **GAME LOADER!**

Wow!! Now you can play all Atari game cartridges on your "VIC-20 Computer." Atari VCS cartridge video games, Activision, Imagic, M-Network cartridges will all play on your "VIC-20 Computer," when you use our new "GAME LOADER" plus you get fantastic VIC-20 sound and graphics.

LIST PRICE \$99.00 SALE \$79.00

"15 DAY FREE TRIAL"

- · We have the lowest VIC-20 prices
- · We have over 500 programs
- Visa Mastercharge C.O.D.
- We love our customers!

# PROTECTO

FNTERPRIZES (FACTORY-DIRECT)

**BOX 550, BARRINGTON, ILLINOIS 60010** Phone 312/382-5244 to order


VIC-20\*

SOFTWARE SPECIALS



**VIC-20\*** 

#### FROM TRONIX



#### GALACTIC BLITZ

Destroy the aliens that descend in 15 different attack patterns. Super fast action arcade game. Machine Language - Joystick

Cassette .... ... \$24.95



FREE GAME See

Below

From Interesting Software Bring the fun of the shooting gallery into your own home with Quackers! Cassette \$12.95

FROM TRONIX

#### SIDEWINDER



Cassette

Maneuver chopper to destroy and avoid various attacking space beings. 8K Ram Exp. Req. Machine Language -**Joystick** 

\$29.95

FROM TRONIX



#### SWARM!

Another fast action game written entirely in machine language from Tronix. Insects invade your Vic!

Cassette \$29.95

**DUST COVERS - \$7.95** 

For Vic-20 or Vic-64

- · Waterproof
- Brown Color

\* Commodore Logo Protect your investment!

MARTIAN SOFTWARE



STAR COMMAND

Intergalactic Combat! Space Conflict \* All Machine Language

Cassette



#### WICO **JOYSTICKS**

Regular or Famous Red Ball

Backed by a 1 year Warranty, these are the best joysticks we have seen for the Vic-20 or Atari. Now priced at \$27.50.





#### INTERESTING SOFTWARE

21101 S. Harvard Blvd., Torrance, CA 90501 (213) 328-9422

Visa/MC/Check/Money Order CA residents add appropriate sales tax Write for free Catalog

Add \$2.00 Postage & Handling Dealer Inquirers Invited

HOLIDAY SPECIAL -Orders received before Jan. 1, 1983 receive free "Rader Tank Game"

# Atari's **Exponents**

Matt Giwer, Annandale, VA

The exponential operator, ^, performs a very standard mathematical function, although if you are not familiar with mathematics you may not be aware of its potential. Also, there is another byte-

saving use that I will save for the end.

The key to making full use of ^ is to realize that in mathematical notation the square root of four is the same as four to the one-half power. In BASIC you can write either SQR(4) or  $4^{(1/2)}$ . So what good is that? Well, you might want to do a cube root, which would be 8^(1/3). Get the idea? Not believing that this works, you might have tried this by now and have noticed that the machine insists that  $4^{(1/2)}$  is not 2 but rather 1.998... something. It seems strange to accept a wrong answer from a very slow function.

To correct for this inaccuracy, we simply write the instruction INT  $(4^{(1/2)} + 0.01)$ , and this will return the number 2. In return for this inaccuracy we get the ability to calculate very unusual powers and roots. The above could have been written 4^ 0.5 and the same answer returned. Also we could just as easily have written 4^0.4321 or 2^2.223 and have gotten an answer correct enough for many calculations. Also, those complex problems such as two to the five-thirds power 2^(5/3) can be calculated with ease. So not only can we do the more common cube roots by using ^(1/3), but we can now also do an entire range of mathematical functions.

It is not only faster but more accurate to write 2\*2 rather than 2^2. If we are not doing mathematics, how do we make use of this? How about instead of writing a byte-consuming timing loop for a beep, we simply write  $A = 1^1$ ? If the beep should last longer, then there is always  $A = 1^1$ 1^1^1^1, etc. It takes quite a while before this simple statement equals the number of bytes consumed by a timing loop. Thus the major drawback to more frequent use of ^ can be turned to our advantage.

### **COMPUTE!**

The Resource

Use the handy reader service cards in the back of the magazine for information on products advertised in **COMPUTE!** 

an

#### ATARI® Cartridge Storage Case

is ideal for anyone.

So don't wait for the attractive 8 Cartridge Storage System \$15.95

by Data Faire

Here is what you have been looking for

ASTRO

Can you choose any of the planetiods in our solar system and land on it? Choose any of the planets or the large moons and try to land safely. Each one has it's own description and gravitational pull and is a simulation of an actual landing. Atari 32K, Disk \$15.95.

**DATA FAIRE** 1614 SPEYER REDONDO BEACH, CA 90278 (213)374-8743 (213)379-5798

DEALER INQUIRIES INVITED Atari\* is a registered trademark of Atari, Inc.

PLEASE ADD \$2.00 SHIPPING FOR MAIL ORDERS. C.O.D. ORDERS ACCEPTED.

# RAN

#### For ATARI 48K RAM BOARD FOR THE 400 with Lifetime Warranty

- · Highest quality available
- Reduces power consumption
- Reduces heat

48K Board

(400)

\$175

32K Board

(400/800)

90

16K Board

(800)

FREE SHIPPING ANYWHERE IN U.S.A.

NTEC

PERIPHERALS CORP

906 E. Highland Ave. San Bernardino, CA 92404

VISA

(714) 881-1533



ATARI, 400, 800 are Trademarks of ATARI, Inc.

(Fantastic!!)

## **VIC-20 COMPUTER WILL PLAY ATARI GAMES CARTRIDGES**

when you plug in our

## **GAME LOADER!**

Wow!! Now you can play all Atari game cartridges on your "VIC-20 Computer." Atari VCS cartridge video games, Activision, Imagic, M-Network cartridges will all play on your "VIC-20 Computer," when you use our new "GAME LOADER" plus you get fantastic VIC-20 sound and graphics.

LIST PRICE \$99.00 SALE \$79.00

"15 DAY FREE TRIAL"

- We have the lowest VIC-20 prices
- We have over 500 programs
- Visa Mastercharge C.O.D.
- We love our customers!

## PROTECT

ENTERPRIZES (FACTORY-DIRECT)

**BOX 550, BARRINGTON, ILLINOIS 60010** Phone 312/382-5244 to order

**VIC-20\*** 

SOFTWARE SPECIALS

FREE

GAME


See

Below



**VIC-20\*** 

#### FROM TRONIX



#### GALACTIC BLITZ

Destroy the aliens that descend in 15 different attack patterns. Super fast action arcade game. Machine Language - Joystick

Cassette ..... .... \$24.95



From Interesting Software Bring the fun of the shooting gallery into your own home with Quackers!

#### FROM TRONIX SIDEWINDER



Maneuver chopper to destroy and avoid various attacking space beings. 8K Ram Exp. Req. Machine Language -**Joystick** 

#### FROM TRONIX



#### SWARM!

Another fast action game written entirely in machine language from Tronix. Insects invade your Vic!

..... \$29.95 Cassette

#### **DUST COVERS - \$7.95**

For Vic-20 or Vic-64

- · Waterproof
- \* Brown Color
- \* Commodore Logo

Protect your investment!

**FROM** MARTIAN



#### STAR COMMAND

Intergalactic Combat! \* Space Conflict \* All Machine Language

#### **WICO** JOYSTICKS

Regular or Famous Red Ball

Backed by a 1 year Warranty, these are the best joysticks we have seen for the Vic-20 or Atari. Now priced at \$27.50.



INTERESTING SOFTWARE

21101 S. Harvard Blvd., Torrance, CA 90501 (213) 328-9422

Visa/MC/Check/Money Order CA residents add appropriate sales tax Write for free Catalog

Add \$2.00 Postage & Handling Dealer Inquirers Invited

HOLIDAY SPECIAL -Orders received before Jan. 1, 1983 receive free "Rader Tank Game"

# Atari's Exponents

Matt Giwer, Annandale, VA

The exponential operator, ^, performs a very standard mathematical function, although if you are not familiar with mathematics you may not be aware of its potential. Also, there is another byte-

saving use that I will save for the end.

The key to making full use of  $^$  is to realize that in mathematical notation the square root of four is the same as four to the one-half power. In BASIC you can write either SQR(4) or  $4^{(1/2)}$ . So what good is that? Well, you might want to do a cube root, which would be  $8^{(1/3)}$ . Get the idea? Not believing that this works, you might have tried this by now and have noticed that the machine insists that  $4^{(1/2)}$  is not 2 but rather 1.998... something. It seems strange to accept a wrong answer from a very slow function.

To correct for this inaccuracy, we simply write the instruction INT  $(4^{(1/2)}+0.01)$ , and this will return the number 2. In return for this inaccuracy we get the ability to calculate very unusual powers and roots. The above could have been written  $4^{(0.5)}$ 0.5 and the same answer returned. Also we could just as easily have written  $4^{(0.5)}$ 0.4321 or  $2^{(0.5)}$ 2.223 and have gotten an answer correct enough for many calculations. Also, those complex problems such as two to the five-thirds power  $2^{(0.5)}$ 3) can be calculated with ease. So not only can we do the more common cube roots by using  $2^{(0.5)}$ 4, but we can now also do an entire range of mathematical functions.

It is not only faster but more accurate to write 2\*2 rather than  $2^2$ . If we are not doing mathematics, how do we make use of this? How about instead of writing a byte-consuming timing loop for a beep, we simply write  $A = 1^1$ ? If the beep should last longer, then there is always  $A = 1^1$   $1^1$ , etc. It takes quite a while before this simple statement equals the number of bytes consumed by a timing loop. Thus the major drawback to more frequent use of a can be turned to our advantage.

### COMPUTE!

The Resource

Use the handy reader service cards in the back of the magazine for information on products advertised in **COMPUTE!** 

an

#### ATARI® Cartridge Storage Case

is ideal for anyone.

So don't wait for the attractive 8 Cartridge Storage System \$15.95 by Data Faire Here is what you have been looking for ASTRO

Can you choose any of the planetiods in our solar system and land on it? Choose any of the planets or the large moons and try to land safely. Each one has it's own description and gravitational pull and is a simulation of an actual landing. Atari 32K, Disk \$15.95.

DATA FAIRE 1614 SPEYER REDONDO BEACH, CA 90278 (213)374-8743 (213)379-5798

DEALER INQUIRIES INVITED Atari\* is a registered trademark of Atari, Inc.

PLEASE ADD \$2.00 SHIPPING FOR MAIL ORDERS. C.O.D. ORDERS ACCEPTED.

# RAM

# For ATARI 48K RAM BOARD FOR THE 400 with Lifetime Warranty

- · Highest quality available
- Reduces power consumption
- Reduces heat

48K Board (400

(400) \$175

32K Board (400/800)

\$ 90

16K Board

(800)

\$ 60

FREE SHIPPING ANYWHERE IN U.S.A.

NTEC

#### Peripherals Corp

906 E. Highland Ave. San Bernardino, CA 92404



(714) 881-1533



ATARI, 400, 800 are Trademarks of ATARI, Inc.

# **VIC Personal Accountant**

Peter Mendall, Monmouth, ME

Much ado is made about IRA accounts these days. Can you really be a millionaire, or is this a fantasy even less real than an eight-color printer for your home computer? For unexpanded or expanded VICs.

Here is a program with a four-option menu which demonstrates the growth power of an exponential function. This is especially true if it is non-taxed money!

Remember that IRA money will be taxed sometime and carries a penalty for early withdrawal. However, a 10% one-time "linear" deduction can be offset by an investment compounded exponentially.

This program will provide you with instantaneous delight at the thought of investing ten dollars out of your weekly pay check for 40 years

(if you are 25 or younger).

1 REM PETER MENDALL

100 REM PROGRAM

Option one gives you the future value of your choice of payment, interest rate, and payment per year. Option two gives you the payment needed for your choice of future value. The third option prints a table showing how quickly you can multiply your money by factors of two through ten given your interest rate and the frequency it is compounded. The fourth option shows what happens to a one-time investment under compounded interest.

```
2 REM NO. MAIN ST
3 REM MONMOUTH, ME
5 PRINT" {CLEAR}
10 REM: COMPOUND INTEREST
15 PRINT" {CLEAR}
20 P=PM=I=N=0
30 PRINT"COMP INTEREST MENU"
35 PRINT
40 PRINT" <1>FUT VAL: REG DEP"
45 PRINT
50 PRINT" < 2> REG PMT FOR FUT VAL"
55 PRINT
60 PRINT"<3>COMPOUNDING TIME"
65 PRINT
70 PRINT" <4>FUT VAL:SINGLE DEP"
80 PRINT
85 PRINT" <5>END"
92 PRINT
95 PRINT"MENU CHOICE";
97 INPUT X
```

```
110 ON X GOTO 1000, 2000, 3000, 4000, 10000
230 FOR W=2TO10
1000 REM FUTURE VAL
1005 PRINT"{CLEAR}
1010 P=PM=I=N=0
1100 PRINT"P=# OF PER/YR:P=";
1102 INPUT P
1105 PRINT
1110 PRINT"PM=PMT/PER:PM=";
1112 INPUT PM
1115 PRINT
1120 PRINT"I=RATE/YR:(.XX)";
1122 INPUT"I=";I
1125 PRINT
1130 PRINT"N=# OF YR:N=";
1132 INPUT N
1135 PRINT
1140 PRINT"IS INPUT OK? Y OR N"
1145 PRINT
1150 GET A$
1160 IF A$="" GOTO 1150
1170 IF A$="N" THEN 1000
1200 REM CALC I/PER=IR
1210 IR=((1+I)\uparrow(1/P)-1)
1220 N=N*P
1300 REM CALC FUT VAL=FV
1310 FV=(PM*(((1+IR)^N-1)/IR))
1320 FV=(INT((FV+.005)*100))/100
1400 REM PRINT FUT VAL
1410 PRINT"# PER", N
1415 PRINT"PMT", PM
1420 PRINT"I/YR", I
1425 PRINT"FV", FV
1430 PRINT
1440 PRINT" <1>FV <2>MAIN MENU"
1450 GET X
1460 IF X=0 GOTO 1450
```

#### 1470 ON X GOTO 1000,5 FOX 20: The magazine for \*VIC-20 users FOX 20 will provide you, each month, with 5 or more readyto-run programs on cassette-exciting, imaginative game, educational, and utility programs for all VIC memory configurations. In addition, you will receive Foxtales, an informative Video Newsletter, on Side 2. Novice and pro alike, FOX 20 is the magazine for you. Be a sly little fox for only \$43 a year - Subscribe to: FOX 20:" P.O. Box 507, Deer Park, Texas 77536 FOX 20 is a division of: Foxfire Systems, Inc. 3811 Newton, Pasadena, Texas 77503 Dealer Inquiries Invited (713) 473-6723 Texas residents add 5% Sales Tax Canada and overseas \$53 Orders pre-paid U.S. Dollars only \*VIC-20 is a trademark of Commodore Business Machines, Inc.

# Commodore VIC-20™ Computer

VIC'S MOM-MOTHER BOARD EXPANDER

Expand your vic to full limit: provisions for switches in board VIC-20 to IEEE-488 Interface allows VIC to use PET/CBM Peripherals

3 slot \$39.95 with switches \$45.95 \$79.95

CHARACTER BUILDER— UTILITY AID will save and load from disk or tape design your own CUSTOM

CHARACTERS
use with any memory

configuration \$25.00
RS-232 bi-directional INCLUDES SECOND

\*NEW\*SECOND JOY STICK PORT \$20.00

JOY STICK PORT

ROM EXPANSION BOARD

put your own programs on 2K or 4K EPROM'S we can put your program in ROM call for info \$19.50

8K RAM BOARD can be daisy chained

to four \$49.95 4K RAM BOARD \$39.95 VIC DUST COVER

\$12.95

VISA

NEW CARTRIDGE VIDEO GAMES FROM MACHINE LANGUAGE, INC.—SUPER FAST\*\*COLORFUL AVAILABLE THRU OEM, INC. \$25.00



\$40.00

CLOSE ENCOUNTERS OF THE WORST KIND • BLACK JACK ACID RAIN • BLOCK BUSTER • DOT GOBBLER • FROGMAN SPIN TOIDS • CHESS

we need good new machine language games - royalty paid CALL FOR DETAILS

Completely Tested, 100% Guaranteed

Dealer inquiries invited

**MasterCard** 

order from OEM Inc. 2729 South U.S. #1 Ft. Pierce, Florida 33450

TO ORDER CALL 305-464-7549

Personal checks accepted, allow time to clear—add \$2 for shipping—add \$5 for COD Florida residents add 5% state sales tax—Master Card & Visa add 5%

#### Cxcommodore

\*VIC 20 \$176 16K RAM \$ 69



MEMORY EXPANSION			
VIC 1540 DISC DRIVE \$	29	9.95	
VIC 1530 DATASSETTE \$	6	4.95	
VIC 1515 GRAPHIC PRINTER \$	29	9.00	
VIC 1213 MACHINE LANGUAGE MONITOR \$			
4 SLOT FULLY BUFFERED EXTENDER \$			
VIC MODEM\$			
8K RAM MEMORY EXPANSION\$			
2Kx8 STATIC RAM CHIPS (200 NSEC) QTY ea. \$			

ORDER FORM

VISA	(Circle Above Items		
NAME			
STREET	the same of the sa		
CITY			
STATE	ZIP		

U.S. TECHNOLOGIES

P.O. Box 7735 San Diego, CA 92107 (619) 224-8016

PHONE

WE WILL NOT BE UNDERSOLD!



☐ VISA ☐ MASTERCARD
☐ Check Enclosed ☐ C.O.D.
Credit Card #\_\_\_\_\_
Expiration Date\_\_\_\_\_

Expiration Date\_

Add 3% Shipping Charge; COD's add \$1.50 plus 20% Deposit Required. CA Res. 6% Tax Credit Cards add 3% Personal checks accepted (Allow 3 weeks extra)

DEALERS: REDUCED
PRICES OFFERED ON
LARGER ORDERS
CALL FOR DETAILS

\*Trademark of Commodore

2000 REM PMT FOR FUT VAL

2010 PM=FV=IR=N=P=I=0

2020 PRINT"{CLEAR}

2100 PRINT"FV=TOT AMT DESIRED"

2110 INPUT"FV=";FV

2115 PRINT

2120 PRINT" I=INT/YR: (.XX)";

2130 INPUT"I=";I

2135 PRINT

2140 PRINT"N=# OF YR:N=";

2150 INPUT N

2155 PRINT

2160 PRINT"P=#PMTS/YR:P=";

2170 INPUT P

2175 PRINT

2180 PRINT"INPUT OK? YORN"

2185 GET A\$

2190 IF A\$="" THEN 2185

2195 IF A\$="N" THEN 2000

2200 REM CALC I/PER=IR

2210 IR= $((1+I)\uparrow(1/P)-1)$ 

2220 N=P\*N

2300 REM CALC PMT FOR FV

2310 PM=((FV\*IR)/((1+IR) ↑N-1))

2320 PM=((INT((PM+.005) \*100))/100)

2400 REM PRINT PM

2410 PRINT"FV", FV

2415 PRINT"#/Y",P

2420 PRINT"I",I

2425 PRINT"PMT", PM

2430 PRINT"<1>PMT<2>MAIN MENU"

2440 GET X

2450 IF X=0 THEN 2440

2460 ON X GOTO 2000,5

3000 REM COMPOUNDING TIME

3003 DIM A(12)

3010 P=I=IR=N=0

3030 PRINT" {CLEAR}

3100 PRINT"COMPOUNDING TIME"

3105 PRINT

3110 PRINT"I=INT/Y:(.XX):I=";

3120 INPUT I

3125 PRINT

3130 PRINT"P=COMPOUND FREQ /Y:P=";

3140 INPUT P

3145 PRINT

3145 PRINT

3150 PRINT"INPUT OK? YOR N"

3155 GET A\$

3160 IF A\$=""THEN 3155

3170 IF A\$="N"THEN 3010

3200 REM CALC I/PER=IR

3204 PRINT"CALC TIME=20-50 SEC"

3210 IR= $((1+I)\uparrow(1/P)-1)$ 

3220 N=1

3230 FOR W=2T010

3240 N=N+1

3250  $X=((1+IR)\uparrow(N))$ 

3260 IF X>=W THEN 3280


3270 GOTO 3240

3280 A(W) = N

3290 NEXT W

3300 REM PRINTING
3400 PRINT"FACT #PER#OF YRS"

#### 3405 PRINT 3410 FOR W=2TO 10 3412 NY=A(W)/P 3414 NY=(INT((NY+.05)\*10)) /10 3420 PRINTW; TAB(5)A(W); TAB (11)NY 3430 NEXT W 3435 PRINT 3440 PRINT"<1>COMP TIME" 3450 PRINT" < 2>MAIN MENU" 3460 GET X 3470 IF X=0 THEN 3560 3480 IF X=1 THEN 3010 3490 GO TO 5 3560 GET X 3570 IF X=0 THEN 3560 3580 IF X=1 THEN 3010 3590 GO TO 5 4000 REM SINGLEDEPOSIT 4010 FV=PV=IR=N=0 4020 PRINT" {CLEAR} 4100 PRINT"PV=SINGLEDEP:PV=" 4110 INPUT PV 4115 PRINT 4120 PRINT"I=INT/YR:(.XX):I="; 4125 INPUT I 4127 PRINT 4130 PRINT" # PER/YR: P="; 4135 INPUT P 4137 PRINT 4140 PRINT"# OF YR:N="; 4145 INPUT N 4147 PRINT: PRINT 4150 PRINT"INPUT OK? Y/N" 4160 GET A\$



..Leaves your new Vic (or CBM 64) with 42 additional commands.

... Branches out to most BASIC 4.0 programs.

... Roots into most printers.

New Irom Skyles: the VicTree, a coordinated hardware and software package that allows your Vic to branch out in unbelievable directions and makes it easier than ever to do BASIC programming, debugging and to access your disk. (Inbelievably simple to use and to install, the VicTree gives you all the additional BASIC 4.0 commands to allow most BASIC 4.0 programs to work on your new Vic or CBM 64.

From Skyles, the best friend you and Commodore ever had...Skyles, the largest specialist in designing and marketing peripherals, software, expansion, memory for all Commodore computers.

Now only \$89.95...or \$109.95 complete with Centronics standard printer cable. (Cable alone \$29.95.) Available now from your local dealer or order through your Visa or MasterCard toll free: (800) 227-9998 (California, Canada, Alaska, Hawaii: (415) 965-1735) or send check or



Skyles Electric Works

231E South Whisman Road Mountain View, CA 94041 (415) 965-1735

A REAL light pen for the VIC, easy to install, easy and comfortable to handle.

- lightweight barrel

## **Programs Now Available**

1. PLAY IT AGAIN! TOUCH-N-LIGHT PEN \$75.00 \$ 9.95 Programs - each 3. NUMBER ONE Shipping \$ 1.50

Send Check or Money Order

New York residents add tax

unshine Peripherals Incorporated 1229 East 28th Street Brooklyn NY 11210

# **TOUCH-N-LIGHT PEN**

### for the VIC

- three foot flexible cable
- touch switch to activate
- ability to independently read touch switch
- small p.c. board plugs into user port

2. ALPHA ONE

4440 PRINT"FV", FV

4420 PRINT"DEP", PV

4430 PRINT"I/YR",I

4450 PRINT 4455 PRINT

4460 PRINT" <1>SINGLE DEP"

4170 IF A\$= ""THEN 4160 4180 IF A\$="N" THEN 4000

4210 IR= $((1+I)\uparrow(1/P)-1)$ 

4310 FV=(INT((FV+.005)\*100)

4405 PRINT"FUT VAL SINGLE

4300 FV=PV\*((1+IR) 1N)

4410 PRINT" #PER/YR", P

4416 PRINT"# OF YR", N

4190 PRINT"3"

)/100 4400 REM PRINT FV

DEP"

4220 N=P\*N

4407 PRINT

4412 PRINT

4414 PRINT 4415 N=N/P

4418 PRINT

4425 PRINT

4435 PRINT

4462 PRINT

4465 PRINT" < 2>MAIN MENU"

4470 GET X

4480 IF X=0 THEN 4470 4490 ON X GOTO 4000,5

10000 PRINT"END PROGRAM"

10010 END

# CAPUTE!

Modifications Or Corrections To Previous Articles

#### **UXB On VIC**

To produce the correct alternate character set for the VIC version of UXB (November 1982, p. 56) the following lines must be added to Program 1:

596 POKE51, Ø:POKE58, 28:POKE55, Ø:POKE56, 28:CLR: CB=7168

597 READ A: IF A=-1 THEN 600

598 FOR N=ØTO7: READ B: POKE (CB+A\*8+N), B: NEXT

599 GOTO 597

900 DATA 1,153,219,189,153,129,66,36,36

910 DATA 17,126,255,199,203,211,227,255,126

920 DATA 24,36,36,36,36,60,36,66,129

930 DATA 26,4,24,24,60,126,126,126,60

940 DATA 32,0,0,0,0,0,0,0,0

950 DATA -1

#### Pack Up Your DATA

There is an error in line 130 of the example program which condenses PET or VIC data for files (October 1982, p. 162). The line should read:

130 v%=v/256:L=v-(v%\*256)

#### **VIC Superchase**

The VIC version of this game (October 1982, p. 66) requires several changes. Lines 10 and 22 should be removed from the program. In line 12100, a semicolon should be added after the CHR\$(142). Also in that line, the characters shown as underlined ampersands (&) are typed in by holding down the Commodore logo key and hitting the "+" key. The characters shown as underlined dollar signs (\$) in line 14010 are typed in by holding down the logo key and hitting the "@" key.

#### **VIC Pixelator**

The author sent in some additions and clarifications on his custom character editor (October 1982,

p. 141):

Under certain circumstances, the "Pixdata" program will not adjust the end-of-program pointers causing the program to reappear and interfere with the newly written DATA statements. This can be taken into account by changing two lines in the program and adding two new lines. Notice that you must type the abbreviations pO and pE for POKE and PEEK to fit line 170 into the computer:

10 C=PEEK(56):POKE51,0:POKE52,20:POKE55,0:POK E56,20

170 A2=INT(AA/256):A1=AA-A2\*256:B=PEEK(43)+256
\*PEEK(44):POKEB,A1:POKEB+1,A2:POKE56,C

180 ZZ=ZZ+257-AA+B:Z2=INT(ZZ/256):Z1=ZZ-Z2\*256

190 POKE251, Z1:POKE174, 0:POKE175, 0:POKE46, Z2:POKE45, PEEK(251)

Also, memory expansion of 8K or more on the VIC usually moves the screen memory so that there is not enough room between the end of the screen and the beginning of the last available character map area in RAM for the "Pixelator" to operate. Before loading the Pixelator, 8K users should enter the following as a single line and then hit RETURN:

POKE43,0:POKE44,2244::POKE45,00:POKE46,24:POKE 47,0:POKE48,24

This moves the start-of-BASIC memory to 6144. Now type:

POKE6143,0:POKE6144,0:POKE6145,0

and hit RETURN. This simply cleans up the area. Now LOAD the Pixelator, delete line 30, and make this change:

20 XX=5120:SC=4096:CL=37888 4010 SYSXX-16:PRINT"{HOME}":PRINT"LOOKING AT ;S5\$:POKESC+33,C0

SAVE the program before using it. Make the following change in both Pixaver and Pixeloader:

Make these changes in Pixdata:

1Ø C=PEEK(56):POKE51,Ø:POKE52,32:POKE55,Ø:POK
E56,32

20 XX=5120

1Ø XX=512Ø

40 ZZ=8192:AA=ZZ

8K users can access the RAM character set by typing:

POKE36869, PEEK (36869) ANDNOT150R13

Finally, the symbols appearing in lines 70, 80, and 90 of the printed listing of Pixelator might be confusing. A more attractive display can be achieved by changing the underlined slashes to Commodore-P (hold down the Commodore logo key while typing "P"); the underlined apostrophe (-) should be Commodore-M; the underlined percent sign (%) should be Commodore-G; and the underlined 7 should be Commodore-Y.

#### **Atari Mathman Improvements**

Our thanks to John Bergen for the following enhancements to this program (October 1982, p. 72). With these changes, Mathman can recover the incorrect answer after it is sent off the screen, print the correct response, turn the screen a new color after each trial, and also show a student the current question number:

11 Y=INT(RND(0) \*15):SETCOLOR 4,Y,6:SE

TCOLOR 2, Y, 4
375 POSITION 0, 22: ?"SCORE-"; SCO; "
{3 SPACES} TURNS-"; 0

1070 POSITION 8,10:?"(4 SPRES)":POSI TION 10,10:? B\*C;"-Correct Answe

1071 POSITION 8,12:?"(4 SPACES)":POSI TION 10,12:? AS;"-Your Roswer Wa

1072 FOR Z=1 TO 200: NEXT Z

# **COMPUTE! Publications**

COMPUTE!'s First Book of Atari. 192 pages of useful informative applications and programs from COMPUTE! Magazine issues now out of print. Includes previously unpublished information including Memory Map. Contents include such articles and programs as "Adding a Voice Track to Atari Programs," "Designing Your Own Atari Graphics Modes," and "Inside Atari BASIC." Spiral bound for ease of access to listings. For beginner level to advanced Atari users. ISBN 0-942386-00-0. Paperback. \$12.95.

COMPUTE!'s First Book of PET/CBM. 256 pages of Commodore PET and CBM articles from COMPUTE! Magazine issues now out of print. Includes such classic articles and programs as "Feed Your PET Some Applesoft," "Disk Lister: A Disk Cataloging Program," and "Cross Reference For The PET." Spiral bound for ease of access. ISBN 0-942386-01-9. Paperback. \$12.95.

The Beginner's Guide To Buying A Personal Computer.

A novice's handbook of useful, helpful information designed to teach you the basics of evaluating and selecting a personal computer. Written in plain English for the interested beginner. Complete with personal computer specification

beginner. Complete with personal computer specification charts and buyer's guide. Applicable to home, educational, and small business buyers. ISBN 0-942386-03-5. Paperback. \$3.95.

**Inside Atari DOS.** From the author of the Atari Disk Operating System, an exciting step-by-step guide to the DOS software. Complete with listings of commented source code and detailed explanations of each module of code. Author: Bill Wilkinson, Optimized Systems Software, Inc. Spiral bound for ease of access to listings. For intermediate to advanced Atari Users. ISBN 0-942386-02-7. Paperback. \$19.95.

**Programming The PET/CBM,** by Raeto Collin West. Described by one reviewer as "... unquestionably the most comprehensive and accurate reference I have seen to date...," this reference encyclopedia for Commodore computer users is packed with useful information, programs, diagrams, and charts. ISBN 0-942386-04-3. Paperback, 504 pages. \$24.95.

**COMPUTE!'s Second Book of Atari.** With over 200 pages of unpublished Atari information specially selected by the editors of **COMPUTE!** Magazine, this new release from **COMPUTE! Books** is an excellent resource for Atari owners and users. Spiral bound for ease of access to listings. ISBN 0-942386-06-X. Paperback. \$12.95.

Every Kid's First Book of Robots and Computers. This exciting book, complete with exercises for teachers, parents, and children, uses turtle graphics to introduce kids to robots and computers. Exercises are presented for use with graphics languages, such as Atari PILOT. Additional exercises are presented throughout the fully-illustrated book, allowing users to learn turtle graphics through the Milton Bradley "Big Trak,"™ or the built-in "Turtle Tiles"™ that are provided with each book, for children who don't yet have access to a computer. ISBN 0-942386-05-1. Paperback, \$4.95.

**COMPUTE!'s First Book of VIC.** In the style of our First Books of Atari and PET/CBM, this book contains many of the articles and applications featured in past issues of **COMPUTE!** Magazine. Approximately 20-30% of the book is material that has not been previously published. An excellent resource book for Commodore VIC-20 owners. Spiral bound for ease of access to listings. ISBN 0-942386-07-8. Paperback. \$12.95.

**COMPUTE! Magazine** A monthly encyclopedia of informative applications articles and programs. **COMPUTE!** features articles, programs, and columns covering the spectrum of home and educational computing. Monthly reviews, complete BASIC and machine language listings of games, utilities, applications such as "Programming Your Home Insurance Inventory," "Real Estate Investment Analysis," "Telecommunications: How To Use A Modem," and much more. Written for children and parents, educators, novices to advanced programmers. Principal editorial coverage is Atari, Apple, Commodore PET/CBM, and VIC-20. Editorial coverage is expanding to include TI-99/4A, Sinclair ZX-81, and Radio Shack Color Computer.

Atari is a registered trademark of Atari, Inc. PET and CBM are trademarks of Commodore Business Machines, Inc. Turtle Tiles is a trademark of David D. Thornburg and Innovision, Inc. Big Trak is a trademark of the Milton Bradley Company.

Mail coupon to: COMPUTE! Publications, P.O. Box 5406, Greensboro, NC 27403

COMPUTE! MAGA	ZINE	COMPUTE! BOOKS
My Computer Is:    PET	For Fastest Service Call Our Toll-Free US Order Line 800-334-0868 In NC Call 919-275-9809	For fastest service, in the US call Toll Free 800-334-0868.  In NC call 919-275-9809.  Quan. Title
\$36 Two Year US Subscription \$48 Middle \$54 Three Year US Subscription \$68 Elsewh	e, Australia Air Delivery e East nere, Air Delivery ational Surface Mail	Every Kid's First Book of Robots   4.95 + 1.00*
	☐ American Express  XPIRES /	All orders must be prepaid (money order, check, or charge). All payments must be in US funds. NC residents add 4% sales tax.  Payment Enclosed VISA MasterCard American Express ACCT. NO.
NAME ADDRESS		NAME ADDRESS
CITY STATE COUNTRY	ZIP	CITY STATE ZIP  COUNTRY  Allow 4-6 weeks for delivery, Foreign surface delivery 2-3 months.

# **How To Type COMPUTE!'s Programs**

Many of the programs which are listed in **COMPUTE!** contain special control characters (cursor control, color keys, inverse video, etc.). To make it easy to tell exactly what to type when entering one of these programs into your computer, we have established the following listing conventions. There is a separate key for each computer. Refer to the appropriate tables when you come across an unusual symbol in a program listing. If you are unsure how to actually enter a control character, consult your computer's manuals.

#### Atari 400/800

Characters in inverse video will appear like: ENGLESE: ULDEO Enter these characters with the Atari logo key, (A).

When you see	Туре	See	
(CLEAR)	ESC SHIFT <	P5	Clear Screen
(UP)	ESC CTRL -	+	Cursor Up
(DOWN)	ESC CTRL =	+	Cursor Down
(LEFT)	ESC CTRL +	+	Cursor Left
(RIGHT)	ESC CTRL #	+	Cursor Right
(BACK S)	ESC DELETE	4	Backspace
(DELETE)	ESC CTRL DELETE	[]	Delete character
(INSERT)	ESC CTRL INSERT	D	Insert character
(DEL LINE)	ESC SHIFT DELETE	0	Delete line
(INS LINE)	ESC SHIFT INSERT		Insert line
(TAB)	ESC TAB	•	TAB key
(CLR TAB)	ESC CTRL TAB	3	Clear tab
(SET TAB)	ESC SHIFT TAB	•	Set tab stop
(BELL)	ESC CTRL 2	G.	Ring buzzer
(ESC)	ESC ESC	Ę.	ESCape key

Graphics characters, such as CTRL-T, the ball character ● will appear as the "normal" letter enclosed in braces, e.g. {T .

#### Commodore PET/CBM/VIC

Generally, any PET/CBM/VIC program listings will contain bracketed words which spell out any special characters: {DOWN} would mean to press the cursor-down key; {3DOWN} would mean to press the cursor-down key three times

To indicate that a key should be *shifted* (hold down the SHIFT key while pressing the other key), the key would be underlined in our listing. For example, <u>S</u> would mean to type the S key while holding the shift key. This would result in the "heart" graphics symbol appearing on your screen. Some graphics characters are inaccessible from the keyboard on CBM Business models (32N, 8032).

Sometimes in a program listing, especially within quoted text when a line runs over into the next line, it is difficult to tell where the first line ends. How many times should you type the SPACE bar? In our convention, when a line breaks in this way, the ~ symbol shows exactly where it broke. For example:

100 PRINT "TO START THE GAME ~ YOU MAY HIT ANY OF THE KEYS ON YOUR KEYBOARD."

shows that the program's author intended for you to type two spaces after the word *GAME*.

#### **All Commodore Machines**

Clear Screen {CLEAR}	Cursor Left {LEFT}
Home Cursor { HOME}	Insert Character { INST}
Cursor Up {UP}	Delete Character { DEL}
Cursor Down { DOWN }	Reverse Field On {RVS}
Cursor Right {RIGHT}	Reverse Field Off {OFF}

#### VIC/CBM 64 Conventions

Set Color To Black {BLK}	Function Two	{F2}
Set Color To White {WHT}	Function Three	{F3}
Set Color To Red {RED}	<b>Function Four</b>	{F4}
Set Color To Cyan {CYN}	Function Five	{F5}
Set Color To Purple { PUR}	Function Six	{F6}
Set Color To Green {GRN}	Function Seven	{F7}
Set Color To Blue {BLU}	Function Eight	{F8}
Set Color To Yellow {YEL}	Any Non-implem	ented
Function One {F1}	Function	{NIM}

To enter any color code, hold down CTRL and press the appropriate color key. Use CTRL-9 for RVS on and CTRL-0 for RVS off.

#### 8032/Fat 40 Conventions

Set Window 7	Top {SET	TOP }	<b>Erase To Beginning</b>	ERASE	BEG }
Set Window I				{ ERASE	END}
Scroll Up	{ SCR	UP}	Toggle Tab	TGL TA	AB}
Scroll Down	{ SCR DOWN	}	Tab	{TAB}	
Insert Line	{INST LIN	E }	Escape Key	{ESC}	
Delete Line	{DEL LINE	}			

When you see an underlined character in a PET/CBM/VIC program listing, you need to hold down SHIFT as you enter it. Since the VIC-20 and Commodore 64 have fewer keys than the PET/CBM, some graphics are grouped with other keys and have to be entered by holding down the Commodore key. If you see any of the symbols in the left column underlined in a listing, hold down the Commodore key and enter the symbol in the right column. Just use SHIFT to enter all other underlined characters.

!	K	-	*	1	E
"	I	•	PI	2	R
#	T		S	3	W
\$	(a)	-	Z	4	H
%	G	=	X	5	J
,	M	<	C	6	L
&	#	>	V	7	Y
1	-	,	D	8	U
;	F	1	P	9	I
?	В	*	N	(a)	SHIFT*
(	£	+	0	1	SHIFT+
)	SHIFT-£	0	Ã	1	SHIFT-

#### Apple II / Apple II Plus

All programs are in Applesoft BASIC, unless otherwise stated. Control characters are printed as the "normal" character enclosed in brackets, such as {D} for CTRL-D. Hold down CTRL while pressing the control key. You will not see the special character on the screen.

#### **TRS-80 Color Computer**

No special characters are used, other than lowercase. When you see letters printed in inverse video (white on black), press SHIFT-0 to enter the characters, and then press SHIFT-0 again to return to normal uppercase typing.

#### Texas Instruments 99/4

No special control characters are used. Enter all programs with the ALPHA lock on (in the down position). Release the ALPHA lock to enter lowercase text.

#### Timex TS-1000, Sinclair ZX-81

Study your computer manual carefully to see how to enter programs. Do not type in the letters for each command, since your machine features single-keystroke entry of BASIC commands. You may want to switch to the FAST mode (where the screen blanks) while entering programs, since there will be less delay between lines. (If the blanking screen bothers you, switch to the SLOW mode.)

# A Beginner's Guide To Typing In Programs

The first few times you type in a computer program, things can be quite confusing. We have prepared this guide to help new readers adjust to the novelties of program entry.

#### What Is A Program?

A computer cannot perform any task by itself. Like a car without gas, a computer has potential, but without a program, it isn't going anywhere. Most of the programs published in **COMPUTE!** are written in a computer language called BASIC. BASIC is easy to learn and is built into most computers (on some computers, you have to purchase an optional BASIC cartridge).

#### **BASIC Programs**

Each month, **COMPUTE!** publishes programs for many machines. To start out, type in only programs written for your machine, e.g., "TI Version" if you have a TI-99/4. Later, when you gain experience with your computer's BASIC, you can try typing in and converting certain programs from one computer to yours.

Computers can be picky. Unlike the English language, which is full of ambiguities, BASIC usually has only one "right way" of stating something. Every letter, character, or number is significant. A common mistake is substituting a letter such as "O" for the numeral "0", a lowercase "I" for the numeral "1", or an uppercase "B" for the numeral "8". Also, you must enter all punctuation such as colons and commas just as they appear in the magazine. Spacing can be important. To be safe, type in the listings *exactly* as they appear.

#### **Brackets And Special Characters**

The exception to this typing rule is when you see the curved bracket, such as "{DOWN}". Anything within a set of brackets is a special character or characters that cannot easily be listed on a printer. When you come across such a special statement, refer to the appropriate key for your computer. For example, if you have an Atari, refer to the "Atari" section in "How to Type COMPUTE!'s Programs."

#### **About DATA Statements**

Some programs contain a section or sections of DATA statements. These lines provide information needed by the program. Some DATA statements contain actual programs (called machine language); others contain graphics codes. These lines are especially sensitive to errors.

If a single number in any one DATA statement is mistyped, your machine could "lock up," or "crash." The keyboard, break key, and RESET (or STOP) keys may all seem "dead," and the screen may go blank. Don't panic – no damage is done. To regain control, you have to turn off your computer, then turn it back on. This will erase whatever program was in memory, so always SAVE a copy of your program before you RUN it. If your computer crashes, you can LOAD the program and look for your mistake.

Sometimes a mistyped DATA statement will cause an error message when the program is RUN. The error message may refer to the program line that READs the data. *The error is still in the DATA statements, though*.

#### **Get To Know Your Machine**

You should familiarize yourself with your computer before attempting to type in a program. Learn the statements you use to store and retrieve programs from tape or disk. You'll want to save a copy of your program, so that you won't have to type it in every time you want to use it. Learn to use your machine's editing functions. How do you change a line if you made a mistake? You can always retype the line, but you at least need to know how to backspace. Do you know how to enter inverse video, lowercase, and control characters? It's all explained in your computer's manuals.

#### **A Quick Review**

- 1) Type in the program a line at a time, in order. Press RETURN or ENTER at the end of each line. Use backspace or the back arrow to correct mistakes.
- 2) Check the line you've typed against the line in the magazine. You can check the entire program again if you get an error when you RUN the program.
- 3) Make sure you've entered statements in brackets as the appropriate control key (see "How To Type COMPUTE!'s Programs" elsewhere in the magazine.)
- 4) Save the program to tape or disk before you RUN it. Consult your computer manuals if you aren't sure how to do this.
- 5) If you get an error when you RUN the program, check your listing against the published program.



#### tele soft, inc.

P.O. BOX 3456, TROY, MICH 48099 Complete line of Computers . . . Software Video Games and Accessories **CALL TODAY** 



16K	\$279.95	59.00
48K	499.00 7	99.00
	<b>ACCESSORIES</b>	
410	Cassette Recorder	
810	Disk Drive	499.99
850	Interface Module	169.95
825	80 Column Printer	699.95
MOSAIC	32K Ram	113.00

800

Bell & Ho	Well (Black Apple)
Annie II nius 48K	\$1287.00
Disk Drive w/Cont	roller 550.00
Disk Drive without	Controller 475.00
ACE 16K Expansi	on 165.00
Parallel Interface	

HOLLEWALL (Plack Apple)

#### @commodore . 215:00 Commodore Vic 20 Disk Drive ..... ......69.00 Datassette 49.95 8K Memory Expander .....

RS232 Interface45.00
Vic 20 Cartridge Games
BUSINESS MACHINES
CBM 8032 \$1100.00
CBM 8050 Dual Disk
TRS 80 Model III 1650.00

Υ!
TIMEX Home Computer
SANYO Small Business Computer 1700.00
NEC Computer 32K Ram 834.00
XEROX <sub>820</sub> System I 2600.00
TeleVideo 64K Computer 1500.00
Texas
Instruments Ti99200.00 (with\$100.00 rebate)
HAYES MODEM 1200

ACCESSORIES	

Stick Stand
2 For
Atari-lov Stick
Wico Joy Stick
Wico Red Ball Joy Stick 24.80
Wico Track Ball Atari/Commandor 52.00
Many More Accessories CALL
Many More Accessories CALL



	-	PRESE	 -
Centipede			 . \$34.75
Pac Man			 34.75
Super Breakout			
Missile Comman	d		 28.50

STICK STAND with FASTBALL (With purchase of \$60.00 or more. A \$6.99 value!)



A WRIST



#### CBS Software

CDS SOTIMATE
razy Shootout\$36.00
razy Krtters
-Star Patrol 36.00
razy Antiks
EDIX
crush, Crumble, Chomp\$23.00
Ricochet
star Warrior
Rescue at Rigel
Broderbund

#### **SYNADSE**

Nautilus															Į	23.00
Slime											+					23.00
Dodge Ra	IC	e	r							,					ļ	23.00
Protector																23.00
Chicken															ı	23.00

IDSI.

#### VISA & MASTERCARD

Choplifter Apple Panic

Star Blazer

Stellar Shuttle

Pool 1.5

David's Midnightmagic

**ACCEPTED** 



#### Adventure

Preppie
Rear Guard
Treasure Quest
3D Tic Tac Toe
Adventure Series
War19.50
Diskey 37.00
N-LINE systems
Ultima I
Ultima II
Frogger
Jaw Breaker
00.00

sfire	23.00
Datagoli: Ins.	
iting Arcade	23.00
ic Coast Highway	23.00
ns and Balloons	23.00
Character Generator	15.50

/				
Andromeda			 	27.00
Doctor Goodeode's Cavern .				
Pathfinder				
Match Racers				
WEICAL	-	-		

(For Apple, Atari, Commodore, and IBM)

#### ORDERING INFORMATION

Check, Money Order, MasterCard, Visa and C.O.D. Orders accepted. Add \$2.00 for C.O.D. All other orders shipped U.P.S. collect. Michigan residents add 4% sales tax. Hours 9 a.m. to 8 p.m. daily.

Shoo

Pacif Clow


Atari



**CALL FREE 1-800-255-2000** MICHIGAN 1-800-742-4242



#### **BAYLIS BIG STICK**



The BAYLIS BIG STICK for Atari® and Vic-20® computers by R. Allen Baylis.

Available at Computer Store Int'l. Glendale. CA and other fine dealers.

Released through Torrey Engberg Smith Co. P.O. Box 1075, Glendale, CA 91209 (213) 247-6484. Dealer and distributor inquiries welcome.



**ATARI** 400 MEMORY

48K+4

- O 52 K BYTES TOTAL MEMORY CAPACITY
- 4K BYTES MORE THAN OTHERS
- USES 64K RAMS FOR REDUCED POWER CONSUMP.
- GOLD PLATED CONTACTS FOR RELIABILITY
- SOLDER MASK AND PARTS LEGEND
- O 90 DAY WARRANTY
- COMES WITH ILLUSTRATED"HOW TO "MANUAL AND SPECIAL JUMPERS

BARE BOARD KIT ASSM/ TESTED

> ECRL, INC. **PO BOX 387 CANBY, OR 97013** (503) 266-4982

ADD \$3 SHIPPING PER BOARD . DELIVERY FROM STOCK WITH MONEY ORDER, 3 WEEKS FOR PERSONAL CHECKS. ATARI 400 IS A TRADEMARK OF ATARI, INC.

# **NEWS&PRODUCTS**

# Peripherals For The VIC

DATA 20 corporation has introduced its new line of four peripherals for the VIC-20: Video Pak, Printer Interface, Expansion Chassis, and Memory Cartridge. All are designed to give the VIC-20 added capability at an affordable price.

The Video Pak cartridge plugs right into the VIC-20 expansion port, instantly giving a standard 24-line display with a choice of 40 or 80 upper-and lowercase characters. It also increases memory from 5K to 20K or even 70K, enabling the VIC-20 to run Commodore business software. Video Pak also includes a terminal emulator and screen print feature.

Printer Interface matches the VIC-20 to most popular printers and gives a continuous visual monitoring of the data transfer functions. Status lights indicate if the printer is hooked up, if the buffer is full, and if data is being transmitted. The Printer Interface comes complete with cable and connector and needs no assembly.

Expansion Chassis lets the VIC-20 run a series of four compatible memory, software, or game cartridges with the standard 22 pin edge connector at the same time, while protecting the VIC-20 power supply with a built-in 500ma fuse.

Memory Cartridge boosts the brainpower of the VIC-20 to 20K and features 200ns RAMs for added reliability. Housed in a rugged plastic case, the Memory Cartridge is an ideal first add-on to any VIC-20.

For further information on these four VIC-20 peripherals, contact:

DATA 20 Corporation 20311 Moulton Parkway Suite B10 Laguna Hills, CA 92653 (714)770-2366

#### New Products From Krell Software

Krell Software has announced several new products. *Connections* is a game system designed to extend and develop the mental capacities of children of all ages. Users select from a variety of game formats as they search for logical connections and learn the



Screen display options with Data 20's Video Pak Cartridge.



principles of scientific reasoning. Connections draws subject matter from all fields of science and the humanities. Connections may be played competitively or cooperatively. Players may set difficulty levels and may add additional data as desired.

Available disks for on Atari, Commodore, Apple, Franklin, Radio Shack, and IBM personal computer systems, Connections costs \$99.95 (includes one data base).

The Amazing Ben is designed to introduce programmers of all ages to the art of artificial intelligence. Extensive documentation is provided to help users create programs which learn from their environment. Ben's language enables him to sense his surroundings, to write and read messages, to ask questions and interpret answers, to move at will across the screen, and to create his own memory structures.

grams starts by teaching you Ben's language. It guides the user in writing a series of increasingly difficult programs to help Ben traverse mazes that he has never seen before. The user can control Ben and see what he sees as he follows the different mazes while both the user and Ben are learning.

The Amazing Ben sells for \$79.95. It is available for Apple, Atari, Commodore, Franklin, Radio Shack, and IBM personal

computer.

The Ciarcia High-Resolution Sprite Graphics board enables you to maintain as many as 32 sprites (single-color figures of 8x8 or 16x16 pixels) at one time or hires alphanumerics, all with a solid-color backdrop.

Apple (C) slot-compatible. Since it comes with Krell's Multi-Video Board, only one monitor is needed to display both normal The Amazing Ben set of pro- Apple (C) video or sprites.

The Sprite Graphics Board comes with two disks (demonstration software and the sprite editor), with full documentation. The price is \$325.

The College Board 1983 SAT Exam Preparation Series includes 42 programs covering vocabulary, reading comprehension, word relationships, mathematics, and the test of standard written English. It is available for Atari, Commodore, Franklin, IBM and Radio Shack microcomputers for \$299.95.

Krell is also the marketing agent for the Socrates Chess Corporation's Shelby Lyman Chess Tutorial Series for Apple, Atari, Commodore, Franklin, and IBM

personal computers.

The series uses the latest and The Sprite Graphics Board is most effective methods of chess instruction programming techniques to provide truly individualized instruction. All aspects of the game are covered, from basic chess weaponry to the

Why would anyone want to mur-

der Mr. Pym?

MERLIN ENTERPRISES

P.O. BOX 2876, TORRANCE, CA 90509 213/316-0945

#### Capple VIC-20 MIND LEXICA (16K)... LASER ARENA (16K)..... A compendium of familiar and futuristic challenges Be a Laser Gladiator; Race a Laser Chariot; Battle your opponent or the computer in a fight to the for everyone to enjoy. Watch out . . . may be addictive. ARTHUR DAVIS DETECTIVE CODENAME: COBALT (48K).....\$2495 **ENCOUNTER SERIES — TWO** FOR ONE SPECIAL ......\$1995 This is the one you've been waiting for! Not a text game! Experience the ultimate adventure Scotland Yard is baffled! Can you as Arthur Davis in this 3-D, full-color, high-resolu- famous Welsh detective — untion future-world. Can you outwit ravel these tangled webs of inthe guardians of this behemoth trigue? labyrinthion: a hurtling, living #3 Murder in the Manor (48K) COBALT BOMB! Find and arm the Does everyone have a motive?! self-destruct before the Earth is #4 Death for Dessert (48K)

vaporized . . . but can you escape

with your life?!

California residents add 6% Sales Tax. UPS, C.O.D. Prepaid orders shipped FREE!

Send check or money order to:



#### COMMODORE \* PET OWNERS \*

#### NEW AUTHENTIC PROGRAMS CASINO CRAPS

- Any bet made in Vegas, now can be made at home.
- The Field Hardways-Place Bets-Come-Pass Line
- Find a winning system, without losing a dime.

8K version (1 player)\$10.95 16K version (5 players) \$12.95

#### **KONNECT FOUR**

- Now play this popular game against your pet.
- Excellent sound & graphics
- Real time clock
- Three levels of play
- Can fit into 8K
- Fun & Educational for all ages ONLY \$10.95

**GPMicrosystems** 72-31 67th Place Glendale, N.Y. 11385

Please include \$1.50 shipping & handling for each program. Indicate version.

#### Memory Expansion Boards for the ATARI\* Computer

- Completely compatible with ATARI hardware and software
- No modifications necessary (16K & 32K)
- Fully assembled and tested
- User installable
- Gold connector tabs and sockets
- One year warranty

16K Memory Board (800)-\$49.95 32K Memory Board (400/800)-\$89.95 48K Memory Board (400)-\$169.96

We Will Meet Advertised Prices

#### **Build Your Own Memory**

16 K board · no components · \$10.00 32K board - no components - \$30.00 48K board - no components - \$50.00

#### - NEW ATARI SOFTWARE -

Add \$2 Shipping and handling Visa & MasterCard Accepted ATARI is a trademark of Atari Inc.

Dealer Inquiries Welcome

#### Tiny Tek, Inc.

P.O. Box 820249 Dallas, TX 75382-0249 214-373-8926

# Eric Martin's Where prices are born, not raised!



# Atari 800 se

810 Disc Drive	\$439.
410 Recorder	\$74.
825 Printer	\$578.
850 Interface	\$168.
481 Entertainer	\$76.
482 Educator	\$118.
483 Programmer	\$54.
484 Communicator	s295.

ATARI Software	
CX4104 Mailing List	. \$17
CXL4007 Music Composer	. 43
Programming 2 & 3	. 20
Conversational Languages	. 43
CX4018 Pilot	. 57
CX405 Pilot	. 97
CS8126 Microsoft Basic	. 65
CXL4022 Pac-Man	. 31
CXL4020 Centipede	. 31
CXL4009 Computer Chess	. 26
CSL4011 Star Raiders	. 33
CXL4012 Missile Command	
CSL4013 Asteroids	. 26

#### Orders shipped in 24 hours

For fast delivery, send certified or cashier checks, money orders, or direct bank wire transfers. Personal checks allow 2 to 3 weeks to clear. Prices reflect cash discount and are subject to change. Add 2% for credit card purchases. Shipping-Software \$2 Minimum. Hardware—call. Foreign inquiries invited-add 15% for shipping. Ohio residents add 6.5% sales tax.

# Eric Martin's

5485 Warrensville Center Road Maple Heights, Ohio 44137 216/663-2032

> Call Toll Free 1-800-482-7254 outside Ohio

Mon.-Sat. 10-6 EST

game's most subtle points. The series also offers a chance to match wits against international grandmasters.

Each instruction module interfaces with the Socrates Chess Player. The price of each module is \$39.95.

Krell Software 1320 Stony Brook Road Stony Brook, NY 11790 (516)751-5139

#### **ZX-81 Software**

RAK Electronics has announced a new line of software for the Sinclair ZX-81. Three recent releases are *Math Drill*, *Golf*, and *Towers of Hanoi*.

An educational program, Math Drill allows the user to select addition, subtraction, multiplication, or division. Written for elementary school aged children, Math Drill displays

flashcard-style math and keeps score.

Golf allows up to four players to play 18 holes.

In *Towers of Hanoi*, the player tries to move all the discs to the last tower in the least number of moves possible.

Each program is available for \$4.95. There is also a \$2 (per order) shipping and handling charge. Each program requires a 16K memory expander. A free catalog of ZX-81 software is available on request.

RAK Electronics P.O. Box 1585 Orange Park, FL 32073

#### Airstrike Game For Atari 400/800

English Software announces the release of *Airstrike*. Available on 16K cassette and disk, *Airstrike* 

SOFTWARE

Psychoanalysis by

computer? - well,

not quite, but Dr.

Floyd will carry on

a conversation with you

using psychoanalytic techniques

giving the appearance of artificial

intelligence. Requires 16K or more.

WORD PLAY

Includes: "Jargon" - a jargon word

generator. "Animal" - a fun game

where the player teaches the com-

puter about animals. "Story" - the

computer writes stories using the

players input names, places, etc.

"Haiku" - the computer writes HAIKU

like poetry. Requires 16K or more.

DR. FLOYD

provides arcade realism and demands a high level of skill from the game-player within a fast shoot-out scenario.

Game features include: superb fine-scrolling graphics; top-notch color; multiple skill levels (each denoted by a different color playfield); 100% machine program; one- or two-player mode. The suggested retail price is \$39.95.

English Software Company 934 Hermosa Avenue Suite 13, Sandcastle Plaza Hermosa Beach, CA 90254 (213)372-3440

#### A 40/80 Character Expansion For The VIC

Computer World has designed an expansion to make the VIC suitable for professional applications, e.g., accounting and word processing, especially when using the Brother 8300 daisy wheel printer/typewriter, adapted to operate with the VIC-20.

When using the video cartridge, you may choose between a 25 x 40 and a 25 x 80 character mode (25 lines of 80 characters each). This enables you to use the programs written for the 2000, 3000, 4000 and 8000 CBM computers without major alterations.

The Computer World video cartridge for the VIC-20 has the following features:

- 40 or 80 column display (switchable with BASIC, without losing any program in memory).
- VIC and PET/CBM graphics.
- 32K RAM expansion (instead of 27.5K). Note: All you need is the expansion box with the 3, 8 and 16K RAM cartridges.
- Upper- and lowercase with true descenders.
- Full cursor control.
- Program editing in 40 or 80 column mode.
- No alterations needed in VIC.

# Apropos introduces RAMAX The only RAM your VIC-20® will need FEATURES

- A FULL 27K bytes. (Added to VICs 5K)
- Fully switchable in sections. (may be used with Super Expander and games, and other plug-ins
- · Built in reset button.
- Fuse protected.
- Totally self contained
- 2 extension connectors for any device normally plugged into the expansion port
- Very low power useage
- High reliability, gold plated connectors

THIS SUPERB PLUG-IN GIVES YOUR VIC-20 REAL POWER AND EXPANDABILITY

FOR ONLY \$165.00

6 month parts and labor warranty WE SERVICE WHAT WE SELL

#### TO ORDER:

Send Check or Money Order For the Total, plus Shipping; \$2.00 (Software) or \$4.00 (Hardware), max \$5.00. Calif. residents add 6% tax.

Phone orders: CALL (805) 484-3604
For credit card orders, include all information on card



Foreign orders, add \$8.00.
All items shipped from stock.



\$12.95

All software is on high quality cassettes and is replacement quaranteed.

VIC-20 is a registered trademark of Comodore Business Machines, Inc.

TAPROPOS TECHNOLOGY\_\_\_

Camarillo, CA 93010 350 N. Lantana Ave., Suite 821



Telex: 67 34 77 Toll-Free Phone Orders: Toll-free (m. CA) 800-252-2153 800-421-8045 (out of CA)
Order Desks open 6 days a week! 7:00 AM to 6:00 PM Mon-Sat
P.O. Box 74545 216 So. Oxford Ave. Los Angeles, CA 90004
Phone: (213) 739-1130 Cable: "OLYRAV" LSA

PACKARD LCD

HP-16C Computer Scientist
for Programmers & Digital
127.50 WE ARE AUTHORIZED
127.50 WE ARE AUTHORIZED FULL LINE HP Dealers.

for typographical errors; all orders subject to verification; minimum shpg & hndlg \$5.95. Send \$2 (or \$5 foreign) for our famous catal FRANKLIN ACE 1000

64K Computer, Apple Compatible uses all Apple software, peripherals & accessories.

ACE 1000 including disk drive w/ controller plus 'ACE Writer' word processor software. RE:\$1776.00 Your Cost:\$1299.95

ATARI°800™ - 48K

We carry close to \$5,000,000 inventory at a time. Corp. accts. Invited.
Good subject to availability, this ad supercedes inject to change without notice, not responsible tor typographical errors; all orders subject to wrification, minimum thyp 6 holdy \$5.95. Disk dr - no controller

79.95

Disk drive 449.95
Interface module 189.95
Acoustic modem 169.95
Computer \$

Program recorder

Minimum purchase 3 BASF Chrome topes can be mixed.

NEW

Similar to the Epson 80 FT

Video Tapes
T 120 VHS 2-4-6-hr 10.95
L 750 Beta 2-4-6-hour 10.95
L 500 Beta 1-2-3-hour 7.95

**COMEX Printer** 

Cartridge.

from COLECO

48K Plus

Disk dr w/controller 419.95 TIMEX/SINCLAIR

TS1000 2K Computer TS1600 Memory expansion 99.95 MEMOTECH Memopak Peripherals MT64K 64K MT32K 32K MT16K 16K \$179.95

More peripherals available

49.95 Only 109.95 59.95

1069.95

\$199.95

With Chinese lang. \$479.95 5%" Disk drive w/cont. 269.95 179.95

Sound generation board 129.95

ARCADE QUALITY

TELEVISION GAME

16K

APPLE COMPUTER Texas Instruments

Now

\$49.95

TI-99/4A

16K \$19995 AFTER MFG'S REBATE-you pay OSC \$299.95, TI rebates you \$100. (offer good thru 1/31/83)

**Home Computer** 

\$100.00 REBATE

FROM TI

Plus FREE \$50 RF Modulator with purchase of TI-99/4A
Call & ask about FREE Speech

Synthicizer OFFERI

	OVIILIIISIZCI OI I LII	
	10" color monitor high res	339.95
ATARI 400°	Extended Basic	75.00
AIANI TUU	Speech synthesizer	129.95
MULTITECH	Telephone coupler (modem)	189.95
	Printer (solid state)	319.95
Computer \$349.95	TI-LOGO	99.95
64K Apple compatible with ta	PE TI EXPANSION BOX SYS	STEM
software, available with Apple	Peripheral expansion box	199.95
compatibility with diskette in	RS 232 card	139.95
January 1983, great unit. Plent	Y Disk control card	199.95
of educational & other softwar	e. Mem. exp. 32K card	239.95
L	OF ID	

Peripheral expansion box RS 232 card 199.95 139.95 Disk control card 199.95 Mem. exp. 32K card P-code card (1270 req) 239.95 199 95

Disk memory drive 379.95 An enormous amount of peripherals, accessories & software, at great prices

Programmable T1-59 Your Cost:\$169.95 plus-\$20.00 rebate from TI plus Free Library TI LCD Programmer 59.95

DISKETTES Box of 10 Verbatym SS SD 40 track 29.95 3M SS DD 744D 29.95 Maxell SS DD Soft sect 34.95 Dysan 104 Soft sect BASE Soft sectored OMNI SS SD 44.95 28.95 19.95 Head cleaning kit Refill 19.95

VICTOR YOUR COST. \$395.00

VICTOR 5080 80 Column Printer A real work horse! 100 cps, graphics, buffer, 4 interfaces including HP-IB Retail:\$995.00 Wholesale:\$670.00

Fully guaranteed by Victor, in business since 1918 ( commodore

VIC=2N

5K Personal Computer (Expands to 32K) Works with any TV!

COMMODORE VIC-20

1525E Printer, great unit

WE ARE A FULL-LINE

P.O. Box 10516

COMMODORE DEALER &

We carry an enormous amount of

software & games for the VIC-20.

1530 Datasette rec.

1600 Phone modem

1541 Disk drive

Atari IN STOCK D ma 850 830 Printer Centr. 737/739 499.95

olivetti "PRAXIS 35" \$429.95 ELECTRONIC TYPEWRITER Interchangeable 'Daisy Wheel' type element,

3 sizes-Pica, Elite & Micro plus cartridge ribbon & more! **WE CARRY THE** 

**FOLLOWING** 59 95 MONITORS 339.95 BMC as low as \$89.95

339.95

99 95

SANYO all models COMREX all models AMDEK all models **NEC** all models Texas Instruments & more! CARRY IN STOCK ALL
COMMODORE MODELS MOST OF THE TIME.

PRINTERS . . . Epson, the whole line

OLIVETTI C ITOH DIABLO ANADEX NEC COMREX OKIDATA VICTOR

San Jose, CA 95157

Has 80 cps, tractor feed, block graphics, great unit \$399.95 & speech synthesizer \$199.95 including FREE Donkey Kong

A80

Full size keyboard

Cassette recorder



To order send check or money order to:

SPECIFIC SOFTWARE

For COD orders call (408) 241-0181

ATARI NECESSITIES We now have in stock the fabulous Me ATR8000. Look for Software Publishers ad (Nov. pg. 193) for details. Look to us for COMPUTER PL price!! Save 15% and more. DISKEY 39.95 (d) VALFORTH 39.95 GENERAL UTILITY PACKAGE 35.95 (d) PLAYER MISSILE, CHAR. & SOUND 35.95 (d) DISPLAY FORMATTER 29.95 TURTLE GRAPHICS & FP ROUTINES (d) 39.95 TEXT COMPRESSION & FORMATTING 14.95 HEAVY DUTY BINDER 11.95 ALL SEVEN ITEMS ABOVE (d) 179.95 TRICKY TUTORIALS 1, 2, 3, 4, 6, 8 16.95 (c.d) TRICKY TUTORIALS 5, 7 24.95 (c,d) TRICKY TUTORIALS 9, 10, 11, 16.95 (c,d) (b) 17.95 TECHNICAL REFERENCE NOTES (b) 24.95 DOS UTILITIES SOURCE LISTING 5.95 (b) INSIDE ATARI DOS 16.95 (b) YOUR ATARI COMPUTER 14.95 (b) ATARI GAMES & RECREATIONS 12.95

CHRISTMAS SPECIAL — THE ENTIRE MONTH OF DECEMBER ON ANY BOOK IN STOCK - HUNDREDS OF TITLES - GIVE US A CALL



#### COMPUTER PLACE

P.O. Box 6007-169 1698 Market St. Redding, CA 96001 Ph. 916-221-1312



COMPUTER PLACE has the largest selection of items for Atari, Apple, Commodore and Radio Shack computers that you are ever likely to see. Try us for obscure and hard to get items that your local dealer might not stock. Mail Order Terms: Cashier's check or M.O. Charge cards add 3%. Add 3% shipping and handling (minimum \$2.50) UPS ground. No. C.O.D.'s. CA residents add 6% sales tax. Prices subject to change without notice.

- needed.
- Fits in the Arfon or Commodore expansion box.
- Operates with all ROM cartridges, except those located in the area from A000 hex to C000 hex.

The price is \$249 US.

The company was incorrectly identified in the November 1982 new product release in COMPUTE!. The correct information is:

Computer World Hilvertsweg 99. 1214 IB Hilversum Holland Tel: 035-12633

#### Color Video For PET/CBM, AIM, SYM

Color Chart is a color video RAM board designed for Commodore CBM, Rockwell AIM and Synertek SYM type systems. The small

- No external power supply 2 1/2 x 5 inch board plugs into a display for AIM or SYM and has 2532 ROM socket. Two control wires clip to read/write signals in the system and convert the ROM socket into a 4K video RAM.

Color Chart operates in eight CGRS Microtech different modes, ranging from an alphanumeric 32 x 16 display with built-in character generator to a high resolution graphics mode with 128 x 192 pixels. Up to eight different colors are available, depending on mode. Based on the 6847 video controller, Color Chart reads information that the computer writes to video RAM and translates it into a standard RS170 type composite video output. This can directly drive most color video monitors or can be used with a RF modulator and color TV set.

Color Chart can be used to present independent color graphics displays on a PET/CBM while the main screen displays corresponding text. Business graphs and game graphics can be displayed. Color Chart provides an inexpensive full screen video been used to convert these machines into remote computer terminals.

Color Chart sells for \$139.95.

P.O. Box 102 Langhorne, PA 19047 (215)757-0284

#### **Disk Utility For** The Apple

Central Point Software, Inc., has introduced The Filer, an Apple disk utility system for 35, 40, and 70 track drives. The Filer package contains a disk drive speed check, disk drive test, fast copy program (35 seconds), and a sophisticated file manager. Options include: Catalog with space on disk, Copy Files, Copy Disk, and Copy DOS, Delete, Lock and Unlock Files, and Change Booting Program (name and file type).

#### YOU'RE GONNA LOVE THESE ROCK BOTTOM PRICES— HONEST!

#### SOFTWARE 34 95 22 95 29 95 29 95 29 95 34 95 99 95 34 95 29 95 34 95 29 95 34 95 29 95 34 95 29 95 34 95 29 95 34 95 39 95 34 95 39 95 34 95 39 95 39 95 39 95 39 95 39 95 39 95 39 95 39 95 39 95 39 95 39 95 39 95 Deluxe Invaders Dog Daze Downhill Dr Goodcode's Cavern Eastern Front (1941) Embargo — cart Escape from Vulcan's Isle Family Cash Flow RETAIL SALE Escape from Victors Isle Estable from Victors Isle Family Cash Flow Fast Eddy — cart Fathems Forly File Manager 800-4 Ferbard — cart Gern White's Music Lesson Chest Encounters Chost Hunter Gold Rish Gold Isle Fathems Gold Rish Gold Isle Fathems Gold Rish Gold Lister Fathems Letter Perfect Letterman Letter Perfect Letter Parisc W Mail Merge Lost Colony Mash Natter Master Type Master Hype Master Asteroid Mousekattack My First Alphabet Crossfire Crossword Magic Crush, Crumble & Chomp 49 95 34 49 29 95 21 95 29 95 21 95 19 95 13 95 Crypt of the Undead Curse of the Ra 29 95 21 95 34 95 24 49 49 95 34 49 24 95 17 49 29 95 21 95 34 95 24 49 29 95 21 95 34 95 24 49 49 95 34 49 Cyclod David's Midnight Magic Deadline Deadly Secrets # 1 Deadly Duck — cart



#### TOP SELLERS CANYON CLIMBER 29.95 21.95

CENTIPEDE - CART	44.95	31.	
CHOPLIFTER	34.95	24.	
COMMBAT	24.95	17.	95
DATA PERFECT	99.95	74	95
FROGGER	34.95	24	49
GRAPHIC GENERATOR	24.95	17	49
PAC MAN - CART	44.95	31	95
PREPPIE	29.95	21	95
RASTER BLASTER	29.95	21	95
SHAMUS	34.95	24	49
SLIME	34.95	24	49
TEXT WIZARD II	99.95	68	95
WIZARD OF WOR	39.95	27	95
ZORK I. II. OR III	39.95	27	95
AXLON 128K RAMDISK	699.00	464	95
MPC 32K MEM MODULE	199.50	109	95
PROWRITER I PRINTER	795.00		
WICO JOYSTICK	29.95	21	95
WICO REDBALL STICK	34.95	24	49

Nautilus	24.05	24 49	
Number Blast		11 95	
O'Riley's Mine		24 49	
Outlaw Howitzer		16.95	
Pacific Coast Highway		21.95	
Page 6		21 95	
Picknick Paranoia		24 49	
Pogoman		27.95	
Pool 1 5		24 49	
Pool 400 — cart		27.95	
Protector		24.49	
Raphilan		24.49	
Rear Guard		17.95	
Rescue at Rigel		21 95	
Robbie the Robot Chaser		17.49	
Rosen's Brigade		24.49	
Saga He res Adventures	39.95	27.95	
Salmon Run	22.95	16.95	
Sammy the Sea Serpent	23 95	16.95	
Sands of Egypt	39.95	27.95	
SCRAM	24 95	17.95	
Seven Card Stud	15.95	11.95	
747 Landing Simulator	22.95	16.95	
Shattered Alliance	39.95	27.95	
Shootout at the O.K. Galaxy	20.00	13.95	
Snake Byte	29.95	21.95	
Sneakers	29.95	21.95	
S.A.M. (Software Auto-Mouth)	59 95	41.49	
Space Eggs	29.95	21.95	
Speedway Blast - cart	39.95	27.95	
Spell Wizard	79 95	55 49	
Star Blazer	31.95	21.95	

Tank Arcade	15.00	10 49
Temple of Apshai	39.95	27.95
The Next Step	39.95	27.95
The Nightmare	29.95	21.95
Threshold	39.95	27.95
Tigers in the Snow	39.95	27 95
Track Attack	29.95	21.95
Ultima I	39.95	27.95
Ulysess and the Golden Fleece	34.95	24 49
Upper Reaches of Apshar	19.95	13 95
Video Math Flash Cards	15.95	11 95
Visicale	250.00	183 95
War	24 95	17.49
Warlock's Revenge	34.95	
Way Out	39.95	27.95
Wizard & the Princes Hi- res Adv	32.95	22.95
Worm War I — cart	34.95	

#### HADDIMADE

HANDW	An		
Atari 800 Home Computer 48	K 899 00	624 95	
Atari 810 Disk Drive	599.95	424 95	
Atari 825 80 Column Printer	799.95	579 95	
Atan 830 Acoustic Modem	199 95	149 95	
Atan 850 Interface Module	219 95	169.95	
Atari Numerical Keypad	124.95	94 95	
Epson MX80FT w Graphics	945.00	699.95	
Hayes Smartmodem 300 Bau	d 289 00	194 95	
NEC 12" He res Green Screen	285.00	149.95	
NEC 8023 Printer	695 00	459.95	
Printmaster ( Daisy Wheel)	2595 00	1599 95	
Prownter II Printer	995.00	649.95	
Starwriter ( Daisy Wheel)	1995 00	1325 95	
Percom Dbl Sql Density Drive	799 00	599 95	
Elephant Brand Diskettes	10 Box	18 95	
Verbatim Datalife Diskettes	10 Box	25.00	

#### CALL US ... WE CAN HELP!

TERMS: WE ACCEPT VISA/ MASTERCARD) please include name, address, phone number, card number, 6 expiration date), casher's check, personal check (allow 10 working days to clear), or C.0.0 | add \$2.C.0.0. charge! Unless otherwise requested, he are number of surface; steers address requested. Please include \$5.c.0.0 km (whichever is greated for shipping 6 handling. U.P.S. blue label slighth higher; please call. Please add \$10.o.0.0 km (whichever is greated for shipping 6 handling. U.P.S. blue label slighth higher; please call. Please add \$10.o.0.0 km (whichever is greated for shipping 6 handling of montocks due to the receives weight. Foreign orders please include \$10.o.0.0 km (line).



#### (619) 765-0239

Star Blazer -Star Raiders - cart

6 handling. Please INCLUDE PHONE NUMBER WITH ALL ORDERS. All ritems are new and carry manufacturer's warranty. Apple Country, Ltd. cannot guarantee the metchantability of any product. Prices are subject to availability and change withour none. Call before estimating goods for pean or profacement, RMA number required. California residents add 5% tax. Please send S.A.S.E. for free catalog. WE CARRY A FULL LINE OF SOFTWARE FOR APPLE, ATAIL TISES OVIC, AND SOFTWARE FOR APPLE ATA

31 95 21 95 44 95 31 95

P.O. Box 1099, 2225 Main Street, Julian, Calif. 92036

Apple Country, Ltd. is A DISCOUNT MAIL ORDER HOUSE for the micro computer industry

and is a California corporation not affiliated with Apple Computer Inc. Apple is a trademark of Apple Computer Inc. Atari is a trademark of Atari Inc.

#### THE MONKEY WRENCH™ FOR ATARI



\$49.95 (See the many reviews.)

A BASIC and machine language programmers aid for 800 users. Plugs into right slot and works with ATARI BASIC. Adds 9 new direct mode commands including auto line numbering. delete lines, change margins, memory test, renumber BASIC, hex/dec conversion, cursor exchange, and machine language monitor.

The monitor contains 15 commands used to interact with the 6502. Some are display memory/registers, disassemble, hunt, compare, hex/dec convert, transfer memory. Uses screen editing

#### ATARI AND PET **EPROM PROGRAMMER**

Programs 2716 and 2532 EPROMs. Includes hardware and software. PET = \$75.00 -ATARI (includes sophisticated machine language monitor) = [ \$119.95



Prowriter Printer - Excellent dot matrix print. Parallel = \$489.00 Serial = \$600.00. IEEE = \$589.00

#### VIC PET VIC PET VIC PET VIC PET

Are you tired of long waits to load and save on Cassette? Like to have the standard LOAD/SAVE plus an extremely fast and reliable capability? Then you need

#### The Rom Rabbit

Rabbit on ROM Cartridge for VIC. Can be used with other cartridges since it has a piggy back connector which saves "wear and tear" on your VIC's connector Easy to install

Loads and saves an 8K program in about 30 seconds. Try it - your Pet or VIC normally takes 3 minutes!

plugs in

I. Much faster cassette load/save Memory test

3. 12 commands in all VIC

or PET \$39.95

and M.C Specify 3.0 (2001 PET) or 4.0 (4001 or 8032)

Quantity

Discounts for

educational

institutions

#### PET TERMINAL SOFTWARE


A buy you RS-232 users can't pass-up. Includes RS-232 hardware with a sophisticated software package. May be controlled via keyboard or from BASIC. A super buy. \$129.95

DC Hayes Smart Modem = \$235 00 DC Hayes Micro Modem II = \$289 00

Rana Disk Drive - 375 4 Drive Controller - 114

#### More than just an Assembler/Editor!

It's a Professionally Designed Software Development System



PET APPLE **ATARI** \$169.95

Blast off with the software used on the space shuttle project!

- Designed to improve Programmer Productivity.

  Similar syntax and commands No need to relearn peculiar syntaxes and commands when you go from PET to APPLE
- Coresident Assembler/Editor No need to load the Editor then the Assembler then the Editor, etc.

  Also includes Word Processor, Relocating Loader, and much
- Options: EPROM Programmer, unimplemented opcode circuitry
- . STILL NOT CONVINCED: Send for free spec sheet

#### 5% INCH SOFT SECTORED DISKETTES

Highest quality. We use them on our PETs, APPLEs, ATARIs, and other computers. \$22.50/10 or \$44.50/20



EPROMS: 2716 = \$6.50, 2532 = \$12.50 Over 40 Commodore Programs by Baker (on 4040) = \$25.00

3239 Linda Dr. Winston-Salem, N.C. 27106 (919) 924-2889 (919) 748-8446 Send for free catalog!



#### **TECHNICAL** SALES



ATARI Special of the Month 800 48k Now \$659.

ATARI 810 Disk Drive



**ATARI** 

**NEW PERCOM** Disk Drive for ATARI IN STOCK



Compatible with ALL APPLE II\* Software & Hardware

#### STANDARD FEATURES

- 64K RAM
- UPPER & LOWER CASE
- 50 WATT PWR. SUPPLY
- NUMERIC KEYPAD
- ALPHA SHIFT LOCK
- BUILT IN FAN

\*Apple II is a trademark of Apple Computer Co.

#### PRINTERS & PERIPHERALS

C. ITOH 8510 PROWRITER \$495 STARWRITER F-10 1449 SMITH CORONA TP-1 649 OKIDATA 82A 485 PERCOM 1st DRIVE 649 PERCOM 2nd DRIVE 375 SIGNALMAN MODEM 84 **BOX 10 DISKETTES** 20

CALL TOLL FREE 1-800-343-0854 FOR ORDERS ONLY

> LOW, LOW SOFTWARE PRICES FOR ALL COMPUTERS

#### Ccommodore VIC-20



PRICE \$339

365

1525 PRINTER 1540 DISK DRIVE

> OTHER VIC-20 PRICES ON REQUEST

> > WICO **JOYSTICKS &** TRACKBALLS ON SALE \*\*CALL\*\*



**Technical Sales** 281 Needham St., Newton, MA 02164 Out of State 800-343-0854-In MA 617-969-1799

Do not send cash. Personal checks take two weeks to clear. Add 3% for MasterCard or VISA. Add shipping charges to all orders. We cannot ship to P.O. Box. Delivery subject to availability. Prices may change without notice. In-store prices may vary. Not responsible for typographical errors. Minimum charge for shipping and handling is \$3.95.

IN STOCK ITEMS SHIPPED WITHIN 24 HOURS

WE MEET OR BEAT ANY CURRENTLY ADVERTISED PRICE. CALL FOR PRICES

The suggested retail price is \$19.95. Available at computer and software stores or direct from:

Central Point Software, Inc. P.O. Box 19730-#203 Portland, OR 97219 (503)244-5782

#### **Word Processing** On Commodore VIC And 64

A full-featured, letter quality word processing package is available for the Commodore VIC and 64 computers from Quick Brown Fox.

With this package, a user can edit even with the VIC's standard 22-column width. Features include full line and global edit capabilities, text moving, boilerplating, tab and margin settings, right justification, and pro-

portional spacing. Quick Brown Fox also automatically reformats edited text, without using the paragraph-by-paragraph method.

The cost of the package is \$65.

With Quick Brown Fox software, a user can put together a workstation that includes letterquality printing, 80-column display, and ample internal and disk storage.

Quick Brown Fox 548 Broadway, Suite 4F New York, NY 10012 (212)925-8290

#### **Space Game For** Atari

K-Star Patrol is a game which has space ships confronting alien attack ships and an intergalactic The package, graphics, contains one ROM Car-



K-Star Patrol, space game from K-Byte.

tridge and a 12-page, full-color instruction booklet with complete rules of the game. The cartridge fits Atari 400 and 800 personal computer systems.

For more information on K-Star Patrol (Model No. ATR1002) and other computer games and products, contact:

K-Byte Division of Kay Enterprises Co. 1705 Austin Street Troy, MI 48084 (313)524-9878

# Sit Back With

The Auxiliary Keyboard for the "Atari 400 or 800", which gives you the advantage of a Portable full stroke keyboard.

Whether you use the Sidewriter as a second point of

entry or you just wish to sit back with your feet up, the Sidewriter goes where you go to give you the most from your Atari computer.

INFORMATION CONTACT:





14416 S. OUTER 40 RD. / CHESTERFIELD, MO. 63017 (314) 434-0433 DEALER INQUIRIES INVITED

#### **Color Computer Expansion Unit**

Maple Leaf Systems announces the Multiport, the first multipleslot expansion unit for the Color Computer. This device allows simultaneous connection of up to four separate Color Computer compatible peripherals. For example, a disk, modem, program cartridge, printer, and clock cartridge can now be on-line at once. The computer can switch between peripherals under software control, allowing one program to access any or all of the peripherals at any time.

The Multiport is a powerful hardware circuit which allows selection of any of the four sockets with a simple POKE command. It connects directly to the expansion port of all models of the Color Computer.

The Multiport comes completely assembled and tested,



#### 800 COMP. (48K) \$619.00 ★ PERCOM D/D DISK DRIVE \$559.00 \*

810 DISK DRIVE	\$428.00	32K RAM (Mosaic) \$99.00
410 RECORDER	\$74.00	32K RAM (Intec) \$69.00
850 INTERFACE	\$164.00	48K RAM (Intec/400) \$139.95
400 COMP (16K)	\$265.00	RAMDISK \$425.00
ENTERTAINER	\$66.95	SIGNALMAN MK II \$78.95
COMMUNICATOR	\$298.00	WICO JOYSTICK \$22.95
BOOKKEEPER KIT	\$169.00	WICO TRACKBALL \$48.95

\* \* \* \*

化安全 化安全 医克克氏氏征 医克克氏 医克克氏 医克克氏 医克克氏氏征 医克克氏氏征 医克克氏征 医加克氏征 计

\* \* \* \*

#### SUPER DISCOUNT SOFTWARE

	out con invalle
ADVENTURE INTERNATIONAL	INFOCOM
Rear Guard (D) \$16.95	Zork I (D)       \$26.95         Zork II (D)       \$26.95         Deadline (D)       \$33.95
Adventures (per set) (D) \$28.95	Zork II (D) \$26.95
Adventures (per set) (D) \$28.95 Adventures 1-12 Each (C) \$17.95	Deadline (D) \$33.95
Preppie (C/D) \$19.95 War (D) \$16.95	JV SOFTWARE
War (D)\$16.95	Action Quest (C/D) \$19.95 Ghost Encounters (C/D) \$19.95
APX	Ghost Encounters (C/D) \$19.95
Eastern Front 1941 (C/D) \$22.95	
Fam. Cash Flow (D) \$16.95 747 Landing Sim. (C/D) \$16.95 ATARI INCORPORATED Microsoft Basic (D) \$65.95 Macro Assem. & Editor (D) \$64.95	K-BYTE
747 Landing Sim. (C/D) \$16.95	K-Razy Shootout (R) \$33.95
Migrosoft Basis (D)	K-Star Patrol (R) \$33.95 K-Razy Kritters (R) \$33.95 K-Razy Antics (R) \$33.95
Macro Assem & Editor (D) 664.05	K-Hazy Kritters (H) \$33.95
Assembler Editor (R) \$44.95	K-Dos (D)
Rasic Cartridge (R) \$44.95	
Basic Cartridge (R)       \$44.95         Pac Man (R)       \$32.95         Centipede (R)       \$32.95	ON-LINE
Centinede (R) \$32.95	HI RES Wiz & Princess (D) \$21.95
	Crossfire (C/D) \$19.95
Missile Command (R) \$25.95	Frogger (C/D)\$22.95
Star Raiders (R) \$32.95	Infeshold (D)\$26.95
Asteroids (R)	Ultima II (D)\$26.95
Conversational Lang.Ea.(C) \$43.95	Froggler (C/D) \$22.95 Threshold (D) \$26.95 Ultima I (D) \$38.95 Ultima II (D) \$38.95 The Next Step (D) \$26.95
Missile Command (R) \$25.95 Star Raiders (R) \$32.95 Asteroids (R) \$25.95 Conversational Lang.Ea.(C) \$43.95 Music Composer (R) \$29.95	The Next Step (D) \$26.95
Super Breakout (R)         \$26.95           Computer Chess (R)         \$26.95           My First Alphabet (D)         \$25.50	OPTIMIZED SYSTEMS
Computer Chess (R) \$26.95	Basic A + (D)
My First Alphabet (D) \$25.50	OS/A + (D)\$58.95
Programming 2 & 3 (ea.) (C) . \$21.00	Speed Read Plus (D) \$42.95
Word Processor (D) \$107.00	ROKLAN
My First Alphabet (D)	Deluxe Invaders (D) \$22.95 Deluxe Invaders (R) \$26.95
Home File Manager (D) \$36.95	Deluxe Invaders (R) \$26.95
Bookkeeper Program (D) \$98.95	Gorf (D)\$26.95
AUTOMATED SIMULATIONS	Gorf (D)
Invasion Orion (C/D) \$16.95 Rescue at Rigel (C/D) \$19.95 Temple of Apshai (C/D) \$26.95	Wizard of Wor (D) \$26.95
Temple of Angle (C/D) \$19.95	Wizard of Wor (R) \$29.95
Star Warrior (C/D) \$26.95	SIRIUS
Datastones of Pun (C/D) \$14.05	Space Engs (D) \$10.05
Datestones of Ryn (C/D) \$14.95 Dragon's Eye (D) \$19.95 Crush Crumber Ch. (C/D) \$19.95	Space Eggs (D)
Crush Crumber Ch (C/D) \$19.95	Way Out (D) \$26.95
AVALON HILL	
Empire of Overmind (D) \$22.95	STRATEGIC SIMULATIONS
Empire of Overmind (D) \$22.95 Voyager (D) \$17.95	The Shattered Alliance (D) . \$26.95
B-1 Nuclear Bomber (C) \$11.95	Tigers In The Snow (C/D) \$26.95
B-1 Nuclear Bomber (C) \$11.95 Lords of Karma (C) \$14.95	Battle of Shiloh (C/D) \$26.95
Tanktics (D)	SYNAPSE SOFTWARE
BRODERBUND SOFTWARE	File Manager 800 + (D) \$64.95
Apple Panic (C/D)	Protector (C/D) \$22.95 Shamus (C/D) \$22.95 Nautilus (C/D) \$22.95
Star Blazer \$21.95	Shamus (C/D)\$22.95
Choplifter (D) \$22.95	Nautilus (C/D) \$22.95
Choplifter (D) \$22.95 Davids Midnight Magic (D) \$22.95 HI RES Deadly Secrets (D) \$22.95 Steller Shuttle (C/D) \$19.95	
Steller Chuttle (C(D) . \$22.95	MISCELLANEOUS SOFTWARE
DATA SOFT	Ali Baba & 40 Thieves (D) \$21.95
Text Wizard II (D) \$64.95	Crypts of Terror (D) \$22.95 Dr. Goodcodes Cavern (D) . \$19.95
Chall Winord (D) CEO DE	Master Type (D) \$26.05
Canyon Climber (D)	Master Type (D) \$26.95 Pool 1.5 (D) \$22.95 Raster Blaster (D) \$19.95 Sam (D) \$40.95
Pacific Coast Hwy (D) \$19.95	Raster Blaster (D) \$19.95
	Sam (D) \$40.95
Compu-Read (D) . \$20.95	Sammy the Sea Serpent (C) \$12.95
Compu-Math Frac. (D) \$27.95	Warlocks Revenge (D) \$23.95
Compu-Math Dec. (D) \$27.95	Sammy the Sea Serpent (C) \$12.95 Warlocks Revenge (D) \$23.95 Visicalc (D) \$168.95
Compu-Read (D)       \$20.95         Compu-Math Frac. (D)       \$27.95         Compu-Math Dec. (D)       \$27.95         Compu-Read (C)       \$13.95	3-D Supergraphics (C/D) \$28.95

D = DISK C = CASSETTE R = ROM (CARTRIDGE)

\*\*\*\*\*\*\*\*

VIC-64 - C	ALL
VIC-20	\$178.95
1530 RECORDER	\$58.95
1525 PRINTER	\$296.00
1540 DISK DRIVE	\$298.00

VIC 16K RAM ..... \$87.95

#### **PRINTERS**

NEC 8023A-C	\$469.00
SMITH CORONA TPI .	\$589.00
AXIOM GP-100	\$269.00
MONITOR	96

BMC 12" GRN .... \$83.95 BMC 13" COLOR ... \$269.95

MPUTERS

ORDER LINES OPEN MON-SAT 8 am - 9 pm

228 N. PROSPECTORS RD. DIAMOND BAR, CA. 91765

FREE PRICE LIST THE ABOVE PRICES ARE FOR PREPAID ORDERS SOVE PRICES ARE FOR PREPAID ORDERS Add \$2.00 Shipping per software order anywhere in U.S. Non-U.S. software orders, add \$5.00. Hardware Shipping, call for cost. Calif. residents add 6½% sales tax. Cashiers Checks or Money Orders filled same day. Personal checks require 4 weeks to clear. Master Card and Visa OK for software only, add 3% surcharge. Include card no., expiration date and signature. Prices subject to change.

14) 861-1265

ATARI IS A TRADEMARK OF ATARI, INC

# **WORLD STANDARD TAPE**



MONEY BACK GUARANTEE

**COMPUTER GRADE** PREMIUM 5-SCREW SHELL FITS ALL STANDARD RECORDERS BLANK CASSETTES

DATA TRAC / C-05, C-10, C-20

CASSETTE STORAGE CADDY NEW! ORGANIZE YOUR TAPES! Comments.







#### INTRODUCTORY OFFER!

ORDER 2 DOZ. CASSETTES AND 1 CADDY GET 1 CADDY FREE! ORDER 4 DOZ. CASSETTES AND

HERE'S WHAT USERS SAY ABOUT YORK 10 CASSETTES: We monitored the output to the computer with a specially built meter and found absolutely no dropouts throughout the tape ... Stace Papadopoulos Beaverton, OR

"It's nice to have a tape you can rely on 100% of the time to perform with such quality. And the fast, courteous service was a pleasant surprise." Tom Parkinson Madison, OH

"YOU'VE TRIED THE REST, NOW BUY THE BEST"



\*

\* \* \* \*

Call: 213/710-1430 for IMMEDIATE SHIPMENT on Credit Card Orders.

ORDER NOW ... YORK 10™ Computerware MAIL TO: 24573 Kittridge St., #CO, Canoga Park, CA 91307

ORDER FORM

ITEM	1 DOZEN	2 DOZEN	TOTAL	
C-05	7.50	□ 13.50	AND THE REAL PROPERTY.	
C-10	8.00	□ 14.40		
C-20	□ 10.00	□ 18.00		
Hard Box	2.50	□ 4.00		
Storage Cadd	y @ \$2.95 ea. Qua FREE: Qua			
Blank labels	4.00/100	30.00/1000	The latest	
		SUB TOTAL		
Calif. resident	s add 6% sales tax		The same	
	dling 1 doz. \$2; 2 d each additional doz			
For Parcel Post instead of UPS ADD \$1				
Outside Conti	nental USA, ADD \$	2	CYATO	
		TOTAL	10.0	

Check or M.O. enclosed |

harge to		
redit Card:	□ VISA	MASTERCAL

☐ PLEASE SEND QUANTITY DISCOUNTS

Each cassette includes two YORK 10 labels only Boxes are sold separately. Shipments are by U.P.S. unless Parcel Post requested. Boxes. caddies, and blank labels are free of shipping charges when ordered with cassettes. When ordered without cassettes, shipping charges Boxes-Caddies \$1 00 each. MINIMUM SHIPPING/ HANDLING ON ANY ORDER-

THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.		
Card No.		Exp.
Name		
Address		
City	State/Zip	
Signature		
Computer make & model		Disk?(v/n)

with full instructions, for \$99.50.

Maple Leaf Systems P.O. Box 2190, Station 'C' Downsview, Ontario Canada M2N 2S9

#### **Music And Sound** For The Apple II/II +

Passport Designs has added Turbo-Traks to the expanding library of software available for the Soundchaser Computer Music System.

The Soundchaser package, for the 48K Apple II+ with one disk drive, includes a polyphonic synthesizer, multi-track recorder, computer-aided instruction device, and realtime music transcriber. It may be purchased as a complete analog/digital system (suggested retail price, \$1450) or as individual modules. Manuals are available separately for \$8 each.

Turbo-Traks includes a 16-



The Soundchaser Computer Music System.

track digital recorder that simulates an analog tape deck. It also has a variable number (up to 16) of oscillators per voice, sync to tape or drum machine, and extended recording time. Turbo-Traks is a live performance synthesizer and 16-track recording studio all in one package.

Another recent release of Passport Designs is Kaleido-Sound,

a realtime graphics program that synchronizes to any audio input. The four full-color kaleidoscopes change color, pattern, and location on a CRT monitor, television, or video screen as the music changes frequency and loudness. Kaleido-Sound (including connecting cable) has a suggested retail price of \$39.95.

Passport Designs 116 North Cabrillo Hwy. Half Moon Bay, CA 94019 (415)726-0280



and tape recorders, telephone answering machines, video Technics SL-5 illustrated. games, tapes, and Pioneer CT9R cassette deck .......\$417 movies. \$199 Pioneer SX6 receiver ... \$CALL Sony hifi, car, video equipment ... \$145 Technics SLQ30 turntable ... \$125 Pioneer SX6 receiver.....

\$124 Shure V15 Type 5 cartridge Atari 800 home computer w/48K \$CALL Commodore VIC-20 home computer. \$179 Jensen RE518 car stereo .....\$249 \$232 Pioneer KE6100 car stereo..... Aiwa HSJ02 AM/FM cassette portable....\$159 Prices subject to change after 1/30/83. Mattel

Magnavox

Technics SL5 turntable ... Akai GXF66R cassette deck..... THE BRANDS WE SELL: JVC, Alwa equipment .... \$CALL AND JUST SOME OF Mitsubishi

Nikko Sony Akai JVC Aiwa Technics Pioneer

10 to 5 Sat.

Hours: 9 to 9 Mon.-Fri.

Panasonic Jensen

Atari Stanton Concord Commodore Dual

67 Teed Drive, SRE183, Randolph, MA 02368.

#### **EPYX Expands Line** Of VIC-20 Software

EPYX has released two new action games, Crush, Crumble and Chomp! and Rescue at Rigel, for the VIC-20.

Crush, Crumble and Chomp!, a movie monster game, lets the player assume the role of any one of six hungry man-eating beasts in more than 100 possible scenarios. To satisfy his enormous appetite, the player snacks on his opponents, while doing battle with National Guard tanks, infantry, helicopters, and even a team of mad scientists. The player can wreak havoc on any one of four major cities -New York City, San Francisco, Tokyo and Washington, D.C.

Rescue at Rigel, a space adventure, takes the player into a maze-like, six-floor, 60-room complex inhabited by an alien in-

# Heartland Software 1983 Specials

Tank Arcade **16K Cassette** \$13.95

Sea Fox 48K Disk \$23.95

Picnic Paranoia 16K Cassette \$27.95

#### We Stock

Broderbund APX Synapse PDI

Avalon Hill JV Software

On-Line Strategic Simulations Datasoft Big-Five

**Automated Simulations** Adventure International

Sirius New Games Arriving Every Day! **Call For Information** 

/ ATARI

TRS-80"

Happy New Year
from
The Heartland

Title	List	Our Price	Title	List	Our Price	Title	List	Our Price
Action Quest	29.95	23.95	Frogger	34.95	25.95	Ricochet	19.95	15.95
Adventure 12-Pack	129.95	100.00	Galaxy Invasion	15.95	12.95	S.A.G.A. 1-12	39.95	29.95 ea.
Andromeda Conquest	23.00	18.95	Genetic Drift	29.95	23.95	Sammy The Sea Serpent	16.95	13.95
Apple Panic	29.95	23.95	Graphics Composer	39.95	29.95	Scartman	19.95	15.95
B-1 Nuclear Bomber	16.00	12.95	Ghost Encounter	29.95	23.95	Serpentine	34.95	27.95
Battle of Shiloh	39.95	29.95	Invasion Orion	24.95	18.95	Sea Fox	29.95	23.95
Claim Jumper	34.95	27.95	K-Razy Shootout	49.95	37.95	Shamus	34.95	27.95
Commbat	24.95	19.95	Labyrinth	29.95	23.95	Shooting Arcade	29.95	23.95
Convoy Raider	16.00	12.95	Legionnaire	35.00	27.95	Slime	34.95	27.95
Cosmic Balance	39.95	29.95	Micropainter	34.95	27.95	Softporn Adventure	29.95	23.95
Crossfire	29.95	23.95	Mission: Asteroid	24.95	18.95	Space Eggs	29.95	23.95
Curse of Ra	19.95	15.95	Moon Base 10	29.95	23.95	Star Blazer	31.95	24.95
Cyclod	29.95	23.95	Morloc's Tower	19.95	15.95	Star Warrior	39.95	29.95
Datestones of Ryn	19.95	15.95	Mousekattack	34.95	27.95	Stellar Escort	15.95	12.95
Deadly Secrets	34.95	27.95	Midway Campaign	16.00	12.95	Stellar Shuttle	29.95	23.95
Deadline	49.95	37.95	Nautilus	34.95	27.95	Super Nova	15.95	12.95
Defense Command	15.95	12.95	OK Galaxy	20.00	14.95	Tanktics	24.00	18.95
Dnieper River Line	30.00	24.95	Pacific Coast Hwy	29.95	23.95	Temple Of Apshai	39.95	29.95
Dodge Racer	34.95	27.95	Protector	34.95	27.95	Text Wizard	99.95	75.95
Dog Daze	22.95	19.95	Preppie	29.95	23.95	Tigers In The Snow	39.95	29.95
Eastern Front	29.95	23.95	Reptilian	34.95	27.95	Track Attack	29.95	23.95
Fort Apocalypse	34.95	27.95	Rescue At Rigel	29.95	23.95	Visicalc	250.00	199.95

Indicate type of computer, disk or cassette. For fast delivery, send Certified Check or Money Order.

Personal checks require two weeks to process. C.O.D. orders add \$1.50.

Master Charge or Visa orders add 3% (Include all embossed information on card) Add \$2.00 shipping and handling.

Prices subject to change.

Make Checks and Money Orders payable to: HEARTLAND SOFTWARE DISTR. P.O. Box 25517

Cleveland, Ohio 44125 Ohio Residents add 6.5% Tax

(216) 641-5055

Order Lines Open 10 a.m. - 9:00 p.m. Mon.-Fri. Noon - 6:00 p.m. Sat.

Send \$1.00 for complete catalog





sectoid race, the Tollah. As Sudden Smith, the player has 60 minutes to find ten humans held captive inside the labyrinth and beam them up to a rescue ship.

During the mission, the player is up against hostile Tollahs, two types of armed robots, a huge amoebic slug called a plasmoid, and a dangerous sixlegged cerbanth. The player must find his way through the alien complex and rescue the prisoners – all in one hour.

Crush, Crumble and Chomp! and Rescue at Rigel are available on cassette for the VIC-20 (16K expander required), Atari 400/800 (32K), and TRS-80 (Level II, 16K), and on disk for the Atari 400/800 (32K), Apple (48K with Applesoft in ROM), and TRS-80 (TRSDOS 32K). The suggested retail price is \$29.95.

EPYX / Automated Simulations, Inc. 1043 Kiel Court Sunnyvale, CA 94086

# Futuristic Game For The Apple

Interactive Fantasies has released *Empire II: Interstellar Sharks*, the second system in its Empire Gaming Trilogy. *Interstellar Sharks* is set in a futuristic civilization at the height of its material prosperity and monopolistic bureaucracy.

The game system provides a bureaucratic jungle; the player must navigate through webs of red tape and survive the sometimes clandestine dealings of big monopolies to achieve, not wealth, but the rewards of wealth. The player's ultimate goal is buying and outfitting his own spacecraft.

A manual and a softcover novella accompany the system. *Interstellar Sharks* is available in Applesoft, 48K, DOS 3.3, and retails for \$32.95.

Interactive Fantasies P.O. Box 22222 Agoura, CA 91301 (213)706-0661

## CALENDAR

March 10-12, 1983. National conference on the Use of Microcomputers in Special Education, Hartford, Connecticut. Program chairperson: Kathleen M. Hurley, Vice President of Research and Development, Developmen-Learning Materials, Inc. (DLM), Allen, Texas. The conference will focus on the use of microcomputers in special education programs, and on adaptations and creation of software programs for specific exceptional needs. For further information, and preregistration housing forms, contact: John Grossi, Conference Manager, The Council for Exceptional Children, Department of Field Services, 1920 Association Drive, Reston, VA 22091.

March 14-15, 1983. Seventh annual conference of the Michigan Association for Computer Users in Learning, Dearborn, Michigan. Features sessions with Arthur Luerhman, Ramon Zamora, and David Moursund. It is expected to attract over 2,000 educators from the midwest. For information, contact: Betty VandenBosch Shaw, Coordinator of Mathematics, Flint Community Schools, 923 East Kearsley, Flint, MI 48502. (313) 762-1007.

March 17-19, 1983. Third annual Microcomputers in Education Conference - "Forward to the 3 C's: Communicating, Calculating and Computing" - directed by Paul Field, Chris Titus, Jon Titus, and David Larsen. State Arizona University, Tempe. A variety of workshops, demonstrations, and presentations is designed for anyone interested in innovative microcomputer applications in education. For information and registration materials, contact: Marilyn Sue Ford, B-47 Payne Hall, College of

Education, Arizona State University, Tempe, AZ 85287. (602)965-3322 or (602)965-7363.

March 21-24, 1983. Workshop: Personal Microcomputer Interfacing and Scientific Instrumentation Automation. \$595. The workshop is hands-on, with the participant designing and testing concepts with the actual hardware. For more information, call or write Dr. Linda Leffel, C.E.C., Virginia Tech, Blacksburg, VA 24061. (703)961-4848.

April 28-30, 1983. Ed · Com/ Spring '83, national computer conference and exposition for of levels. educators all Washington, DC. Nationally recognized educators to address, evaluate, and analyze the developments of computers in education in more than 300 session hours featuring demonstrations, seminars, hands-on sessions, panels and MicroCourses. There will be exhibits of hardware, software and publications. For information contact: Carol Houts, Judeo Computer Expos, Inc., 2629 North Scottsdale Road, Suite 201, Scottsdale, AZ 85257. (602) 990-1715 or (800) 528-2355 outside Arizona.

**COMPUTE!** welcomes notices of upcoming events and requests that the sponsors send a short description, their name and phone number, and an address to which interested readers may write for further information.

Please send notices at least three months before the date of the event to: Calendar, P.O. Box 5406, Greensboro, NC 27403.

New Product releases are selected from submissions for reasons of timeliness, available space, and general interest to our readers. We regret that we are unable to select all new product submissions for publication. Readers should be aware that we present here some edited version of material submitted by vendors and are unable to vouch for its accuracy at time of publication.

## Lyco Computer Marketing & Consultants

TO ORDER

TOLL FREE

800-233-8760

CALL US

In PA 1-717-398-4079

**ATARI**SPECIALS

810 Disk Drive ... \$ 429.00 32K RAM ..... \$ 79.00 400 32K RAM ... \$179.00

80048K...\$539.00



A Warner Communications Company

#### PERCOM: In Stock Single Drive ...... CALL

#### **PRINTERS**

Okidata 82A \$479.00
Okidata 83A \$719.00
Okidata 84 \$1089.00
Citoh CALL
Prowriter I
Prowriter II CALL
SMITH CORONA TP-1 \$625.00
NEC CALL
(Interfacing Available)

#### JOYSTICKS : In Stock

Atari CX-40	\$18.00
LeStick	\$34.00
Wico Command Control	\$24.00
WICO RED BALL	\$27.95
STICK STAND	\$ 6.75

#### **Computer Covers**

810	 \$6.99

#### **DISKETTES: In Stock**

Maxell MD1(10)	\$34.00
Maxell MD2(10)	
Elephant (10)	\$21.00

#### THIRD PARTY SOFTWARE

Allam Filodisis Endison	
Eastern Front 1941	\$25.50
Avalanche	\$15.50
Outlaw/Howitzer	. \$15.50
Dog Daze	. \$15.50
Wizard of War	\$31.00
Gorf	\$31.00
Frogger	\$26.00
BUSINESS SOFTWARE : In Stoc	
Atari Word Processing	\$109.00
Letter Perfect	\$129.00
Test Wizzard	\$ 89.00

# Monkey Wrench \$ 42.00 Utility Disk \$ 36.50 Ultimate Renumber \$ 15.50

Datasam/65 ..... \$125.00

Interlisp ..... \$125.00

#### ATARI HARDWARE

410 Cassette Recorder	875 00
825 Printer	
830 Phone Modem	
850 Interface	
	\$104.00
PACKAGES	
CX481 Entertainer	\$69.00
CYAR2 Educator	\$125.00

#### 

	SOFTWARE	
CXL4012	MISSILE COMMAND	\$28.75
CXL4013	ASTEROID	\$28.75
CXL4020	CENTIPEDE	\$32.75
CXL4022	PACMAN	\$32.75
CXL4011	STAR RAIDER	\$34.75
CXL4004	BASKETBALL	
CXL4006	SUPER BREAKOUT	\$28.75
CXL4008	SPACE INVADER	\$28.75
CX8130	CAVERNS OF MARS	\$31.75
CX4108	HANGMAN	\$12.75
CX4102	KINGDOM	\$12.75
CX4112	STATES & CAPITALS	
CX4114	EUROPEAN COUNTRIES.	
CX4109	GRAPHIT	\$16.75
CX4121	ENERGY CZAR	Part of the Control of the Control
CX4123	SCRAM	
CX4101	PROGRAMMING I	
CX4106	PROGRAMMING II	
CX4117	PROGRAMMING III	
CXL4015	TELELINK	
CX4119	FRENCH	
CX4118	GERMAN	
CX4120	SPANISH	
CX4120	SPANISH	
CXL4007	MUSIC COMPOSER	
CXL4002	ATARI BASIC	
CX8126	MICROSOFT BASIC	
CXL4003	ASSEMBLER EDITOR	
CX8126	MACROASSEMBLER	
CXL4018	PILOT HOME	
CX405	PILOT EDUCATOR	
CX415	HOME FILING MANAGER	
CX414	BOOKEEPER	119.75

# CHOP LIFTER \$27.75 APPLE PANIC \$23.75 PREPPIE \$19.95

**NEW RELEASES** 

#### THIRD PARTY SOFTWARE

for atari 800 or 400

K-BYTE	
KRAZY SHOOTOUT	\$35.00
K-DOS	\$65.00
K-STAR PATROL	\$37.75
K-RAZY ANTICS	\$37.75
K-RAZY KRITTERS	\$37.75
Q-BALL JOYSTICK KIT	.\$6.75

AUTOMATIED SIMULATIONS	
Star Warrior	\$28.00
Crush, Crumble & Chomp	\$23.00

WE CARRY MANY OTHER THIRD PARTY PRODUCTS
YOU CAN CALL FOR PRICES ON AND ASK FOR
YOUR FREE ATARI PRODUCT CATALOG.

#### **Commodore**

VIC-20 \$189.0	
VIC1530 DATASSETTE \$6	7.00
VIC1540 DISK DRIVE \$49	
VIC1515 PRINTER \$35	
VIC1210 3K RAM \$3	
VIC1110 8K RAM \$5	
VIC1211A SUPER EXPANDER \$5	
VIC-20 SOFTWARE	
VIC1212 PROGRAMMER AID \$4	5.00
VIC1213 VICMON \$4	5.00
VIC1906 SUPER ALIEN \$2	3.00
VIC1914 ADVENTURE	
LAND ADVENTURE \$3	5.00
VIC1915 PRIVATE COVE	
ADVENTURE \$3	5.00
VIC1916 MISSION IMPOSSIBLE \$3	5.00
VIC1917 THE COUNT ADVENTURE \$3	5.00
VIC1919 SARGON II CHESS\$3	5.00
THIRD PARTY SOFTWARE	
ALIEN BLITZ \$2	1.00
Omega Race \$3	5.00
Gorf	2.00
16K RAM/ROM \$9	9.00
AMOK\$2	
SUPER HANGMAN	
SPIDERS OF MARS \$4	5.00



POLICY

VESA

In-Stock items shipped within 24 hours of order Personal checks require four weeks clearance before shipping. PA residents add sales tax. All products subject to availability and price change. Add 4 % for Mastercard and Visa.

TO ORDER CALL TOLL FREE 800-233-8760 In PA 1-717-398-4079

or send order to Lyco Computer P.O. Box 5088 Jersey Shore, PA 17740

#### PROGRAMMING A VIC-20?

Beginner or Expert,

PAI®

Programmers Aids and Logs



#### Can Help YOU!

Look what you get!

- EZ KEY Quick Guide to all keys, pokes, reverses. CHR\$, set 1 - set 2
- FULL COLOR color combination chart
- EZ GRAPH graphics programming aid
- LOTS of tear-out SCREEN LAYOUT forms and various programming forms and worksheets
- BAS/C-LY EZ condensed basic dictionary
- SOFTWARE & HINTS Log Sheets
- TAPE CASSETTE Log Book and MORE!

#### **EVERYTHING YOU NEED FOR EZ Programming!**

Send \$9.95 + \$1.50 shipping (CA res. add 6% tax) Check, Money Order, Bankcard - no C.O.D.'s to:

#### PM PRODUCTS

4455 Torrance Blvd., #177, Torrance, CA 90503 ☆ dealer inquiries invited ☆



We are dedicated to supporting the VIC-20 and 64. Write for a FREE CATALOG containing all our products

#### **NEW ITEMS!** HARDWARE

UPA-20 Standard Centronics Cable. . . . \$19.95
Driver Listing Included!
UCA-20 Universal Cassette Cable . . . . \$19.95
Use any cassette machine!
16K RAM/ROM Board Jumpered for any 8K block
Socketed Board with support chips . . . \$18.95 Populated with 8K.
Populated with 16K.
2732 EPROMs for RAM/ROM Board. 3 Slot Memory Port Expander . . . . . . . \$14.95

SOFTWARE
WORDWIZ for the Unexpanded VIC-20... \$14.95
A nice small Word Processor
Mailing List requires 8K minimum..... \$14.95
Sorts, selects, and prints labels

FREE DISASSEMBLER PROGRAM when you send for our FREE CATALOG. Please specify make and model computer with your request.

WORLD ELECTRONICS

177 27th Street Brooklyn, N.Y. 11232 A Division of World International Trading Corp









#### CARTRIDGE & "VOCAL CHORD" SOFTWARE ......\$54.95

Watch major software houses for products which are decoded for SPEAKEASY

#### ALSO: BARE BONES BOARDS

16K Ram Expander For VIC-20 Kit \$54.95 Assembled & Tested \$69.95

3 Slot Expansion Board for VIC-20 Switched and Fused Kit \$29.95

Assembled & Tested \$39.95
ADD \$2 00 Total Order Handling/III Residents Add 6% Sales Tax

#### PERSONAL PERIPHERAL PRODUCTS

P.O. BOX 3423

FOX VALLEY MALL AURORA. IL 60505 • (312) 961-2347 VIC IS A TRADEMARK OF COMMODORE

#### BACKGAMMON

A great game! Our best seller. **BLACKJACK TUTOR** 

Not just a game! Teaches best strategy. MAZE-MAN

Munching action. Key or joystick.

CHECKERS

A defensive game.

\$29.95

#### **8K BACKGAMMON**

4 Levels with Doubling. \$19.95

24hr Order line: 1(313) 456-8581 Send check or money order plus 50c to:

RAR-TECH -

Box 761, Rochester, Michigan 48063 \*VIC-Registered Trademark of Commodore

VIC-20 INTERFACING BLUE BOOK

Did you know that your VIC can be used to control a 99¢ toy motor so effectively that it runs like a precision machine? Or that you can build an accurate digital thermometer using the VIC and four parts costing less than \$5?

These and other 18 issued.

These and other 18 interfacing projects selected for usefulness, ease of construction and low cost are detailed in the VIC-20 Interfacing Blue Book, a veritable gold mine of practical information on how to build a variety of in-

tical information on how to build a variety of in-terfaces for your computer.

Projects include: Connecting VIC to your stereo; Pickproof digital lock; Capacitance meter; Liquid level sensor; Telephone dialer; Voice output; 8K/16K RAM/ROM expansion; 128K RAM expansion; 8-bit precision D/A; 8-bit A/D converter; MX-80 interface and more.

Written by a college professor in a triandle.

Written by a college professor in a friendly and informative style, the Blue Book gives you theory of operation, schematics, program listings, parts list, construction hints and sources of materials for each one of the 20 pro-

If you want to get the most out of your VIC this book is a must. Cost is \$14.95 (less than 75¢ per project!). Price includes postage.

MICYOSIGNAL Dept C P.O. BOX 22 MILLWOOD NY 10546

VIC-20

#### **VIC-20**

SNAKMAN	\$19.95 ne)
TUNNEL PATROL(Arcade game)	\$12.95
HOME INVENTORY	\$12.95
TAPEWORM	\$12.95 es)
TICKERTAPE (Maintain profile of investments)	\$16.95

#### **EMBASSY** COMPUTER PRODUCTS

HOME BUDGET ..... \$12.95

(Profile personal income)

P.O. Box 88 Little Neck, N.Y. 11363

Check or money order, No COD's, N.Y. Residents add 8.25% sales tax. Add. \$1.50 for postage and handling.

> - DEALER INQUIRIES INVITED -- PROGRAMMERS WANTED -

#### Fantastic NEW Programs for your COMMODORE 64=

MUSIC MAGIC: The easy and fun way to use 64's marvelous sound system. delay the tone, sustain or release it or change the pitch. Sound generators in the form of triangle, sawtooth, square waves and white noise are all accessed directly from your keyboard.

SPRITE WRITER: A simple means of creating sprite graphics. Sprites are moveable, high-resolution programmable objects that can be made into nearly any shape. With the 64, up to 8 different Sprites can be created as moveable figures for simultaneous display on 3 sepaable figures roughly able figures roughly figures roughly figures roughly figures for figures roughly figures for figures roughly figures for figures roughly figures for figures roughly figu

A.1 Services

7103 W. Clearw	ater, H-111	Commodore Dealer)
Kennewick, WA		
(509) 783-4980	or (509) 783-95	66
Name:		
Address:	de la constant	
City:	St.:	Zip :
	FREE	
Softwa	re catalog included	with your order.
Music Magic:	Tapes @ \$19.95	or Disks @ \$24.95 ea.
Sprite Writer:	Tapes @ \$19.95	or Disks @ \$24.95 sa.

Or see your Commodore Dealer (Dealer inquiries invited)



#### Software and Books

for your PET, VIC and Commodore 64

Box 921 Dept. C Los Alamos, NM 87544

#### ATARI\*OWNERS \* \* \* \* \* \*

Two convenient utilities on a high quality Memorex diskette for only \$14.95. And we'll pay postage

A44444444444444 D: CAT Put this file on all your disks and you'll have an automatic catalog of all files on your disk, plus you'll be 주able to run, load, or enter any BASIC A program at the push of a key.

なD: RENUMBER This program will 女 숙 automatically renumber your BASIC 숙 ☆ programs at your selected increment. 숙 Automatically changes GOTO, GOSUB, and TRAP references, and gives warning on all nonnumeric line numbers. 

Send check or money order for \$14.95 to: **Family Computers** 

P O Box 1160 Stinnett, TX 79083

(806) 878-2139

\*Trademark of Atari, Inc. \* \* \* \*



word and data processing supply center. Dealer inquiries invited.

> Call Toll Free 1-800-237-8931. In Florida, call 813-577-2794.



Tech • Data Corporation

3251 Tech Drive North St. Petersburg, FL 33702

#### ATARI® 810 DISK DRIVE ADJUSTMENT KIT

It takes more than a speed adjustment to properly set up an Atari® 810 Disk Drive.

DO IT RIGHT

#### STARTER KIT \$29.00

Test Disk - Cleaner - Tools Special Oil - Swabs and Complete Instructions

#### **REPLACEMENT KIT \$6.95**

Cleaner - Special Oil - Swabs

#### The Programmers Workshop



5230 Clark Ave., Suite 23 Lakewood, CA 90712 Phone (213) 804-1475

ATARI\* is a registered trademark of Warner Communications

SOFTWARE FOR

### COMMODORE for 64 & VIC:

the Staff: Polyphonic Music Editor & generator. Enter up to 93 measures of 3 part harmony on easy to use graphic display. Specify disk or cassette, \$19.95 for 64, \$14.95 for VIC (requires min. 3K exp)

#### for CBM Pet, 4000 & 8000 series:

Superscript Word Processor by Precision Software Ltd. Beats anything on the market. \$249.00

Check or Visa, MasterCard accepted

PROFESSIONAL MICRO SERVICE 100 W. 22nd St., Baltimore, Md. 21218 301-366-0010

Dealer inquiries invited.

#### VIC PET VIC PET VIC PET VIC PET

Are you tired of long waits to load and save on Cassette? Like to have the standard LOAD/SAVE plus an extremely fast and reliable capability? Then you need

#### The Rom Rabbit



Loads and saves an 8K program in about 30 seconds. Try it - your Pet VIC normally takes 3 minutes!

Quantity

1. Much faster cassette Memory test 12 commands in all

VIC or PET

\$39.95

Discounts for educational institutions.

and M.C. Specify 3.0 (2001 PET) or 4.0 (4001 or 8032) or VIC

3239 Linda Dr Winston Salem N C 27106 19191 924 2889 19191 748 844

#### INTELLIGENT SOFTWARE FOR COMMODORE COMPUTERS

At last, an affordable electronic spreadsheet. Copycalc turns your video screen into a window on a matrix of numbers. Cursor around the matrix, enter numbers; the totals reflect the changes. You can save the matrix to disk or tape, or print it on your printer. For \$20 (\$15 with another program), this program can justify the cost of your Commodore. Requires 6k; version available for standard VIC.

Word Processor Plus was not designed to demonstrate what computers are capable of doing, to be an expensive toy, or to instill awe or fear or even admiration into its user; W/P + was designed solely to facilitate correspondence, for a wide range of personal and business uses, quickly and easily, with a minimum of training and frustration on the part of its user, and at the least possible cost, both in hardware and software. The most thoroughly tested, useable word processor available at anywhere near the price, for all the Com-modore computers (R8-232C version available for VIC and 64); \$30 (10k RAM, printer req'd). Upgrades for old W/P copies (below V4.0) \$15. Prices include documentation and shipping; Calif. residents add 6%. Please specify hard-

ware configuration when ordering. Other programs available (sorry, no games).
William Robbins, Box 3745, San Rafael, CA 94912

# **Advertisers Index**

Rec	ider service number/ Advertiser Page		der service Number/ Advertiser	-
102	A-1 Services	166	GP Microsystems	227
103	AB Computers 66,67,105	167	Gator Marketing Enterprizes Inc	203
104	Aardvark-8077		Heartland Software Distributors	
	Abacus Software		Human Engineered Software	
	A-Bit-Better Software		In Home Software	
	Academy Software		Intec Peripherals Corp.	
	Adventure International		Intelligent Software	
		472	Interesting Software	207
109	The Alien Group			
110	ANALO.G. Software	174	JMC	12/
	Anthro-Digital Software			
	Apple Computer Inc 12,13		Krell Software Corp	
113	Apple Country Limited 230		Leading Edge Products, Inc	
114	Apropos Technology 228		Lightning Software	
115	Arfon Microelectronics	179	Lyco Computer	237
	Artworx 42		MTG Technical Sales	
116	Batteries Included 41,105	181	Macrotronics	176
117	B. L. & W	182	Merlin Enterprises	226
118	Böegner Industries Corp	183	Microbits	179
	Brøderbund Software		Micro-Ed Inc	
	CAI Instruments	184	Micro Magic Software	
	CE Software	185	Microsignal	238
	Cab-Tek Inc. 191		Microspec Ltd	
	Cardco, Inc		Micro-Systems	
	The Code Works		Microsystems Exchange	
			Micro World Electronix Inc.	
	Comm*Data Computer House, Inc 115		Midwest Micro Associates	
	Commodore Business Machines BC			
	Compusense		MMG Micro Software	
	Compuserve	192	Mooseware Incorporated	212
	Computability	193	Morris Software	214
	Computer Discount of America 144		Mosaic Electronics	
	Computer Mail Order72,73		National VIC-20 Users Group	
	ComputerMat199	196	NEXA Corporation	175
	Computer Outlet	197	Nibbles & Bits, Inc.	54
134	Computer Place		Nüfekop	
135	Computer Software Associates 200	199	OEM Inc	218
	Computertime, Inc 203	200	Olympic Sales Co	229
137	Concom Enterprises	201	On Line Computer Centers of OK	C 89
138	Cosmic Computers Unlimited 223	202	Optimized Systems Software Inc.	75
	Comstar		Optomam Consumer Products	
	Continental Software Co		Oxford Computer Systems Ltd	
	Creative Software		P.R. Software	
	Data-20		P.R.I.C.E.	
	Data Equipment Supply Corp 113		Pacific Coast Software	
	Data Faire		Pacific Exchanges	
	Datamost Inc		Percom Data	
	Digital Interface Systems Co		Peripherals Unlimited	
	Don't Ask Computer Software		Personal Peripheral Products	
	Duke's Digital Den		Pixell Software	
			PM Products	
149	Dynabyte Software			
	Dynacomp, Inc		Precision Software	
	Eastern House Software 231,239		Precision Technology	
Berlin Street	ECRL		Prickly Pear Software	
	Educational Software		Professional Micro Service	
	Elcomp Publishing Inc		Professional Software Inc	
	Embassy Computer Products 239		Program Design, Inc.	
	The English Software Company 20		The Program Store	
	EPYX / Automated Simulations, Inc 61		The Programmer's Institute 117	
158	Eric Martins	222	The Programmer's Workshop	103,239
159	EXATRON		Protecto Enterprizes	
160	Falk-Baker Associates100		Quality Software	
161	Family Computers		Quantum Data Inc.	
	F.C.C. Inc		Questar International, Inc.	
	Foxfire Systems, Inc		Quick Brown Fox	
	French Silk		Rapidwriter	
	FROBCO		Rar-Tech	

leader Service Number/ Advertiser	Page
30 Robec, Inc	123
31 SJB Distributors, Inc.	
32 Screensonics Inc.	
33 Skeena Computer Services Ltd	144
34 Skyles Electric Works143	,169,219
35 Small Systems Engineering	35
35 Small Systems Engineering	214
37 The Software Connection	81
38 Software Publishers, Inc.	
39 Software To Go	132
40 South Eastern Computer Outlet	158
41 Specific Software	
42 Spinnaker	
Sport 'N' Sound	141
43 Star Micronics Inc.	95
44 subLogic Communications	
45 Sunshine Peripherals	
46 Swifty Software Inc.	147
47 Syntax Software Inc.	
48 Tech Data Corp	83,239
49 Tele Soft, Inc	
50 Tiny Tek, Inc	
<b>!51</b> TIS, Inc	239
52 Toronto Pet Users Group	132
53 Torrey Engberg Smith Co	
54 Totl Software	211
55 Tronix Publishing, Inc	37,39
56 U.S. Technologies	
57 United Microware Industries, Inc	93
University Microfilms International	168
58 Victory Software Corp	
59 World Electronics	
60 Wunderware	195
61 York 10 Computerware	233

COMPUTE! Back Issues	181
COMPUTE! Books	221
COMPUTEI Magazine	
COMPUTE! Subscriber Service	211
	165

Don't yet have one... 800-334-0868 In NC call 919-275-9809 For Fastest Service, Call Our Toll-Free see our foreign readers subscription **US Order Line** Readers outside of the US, please □ PET □ Apple □ Atari □ OSI □ VIC-20 □ TI 99/4A □ Sinclair ZX-81 card or inquire for rates). | Bill me diZ American Express ☐ Radio Shack Color Computer ☐ Other State \$36.00 Two Year US Subscription \$54.00 Three Year US Subscription \$20.00 One Year US Subscription **∠** NISA Payment Enclosed COMPUTE My Computer Is: MasterCard Address Vame

# COMPUTE

Subscription rates outside the US:

Readers

Foreign

\$25.00 Canada

\$38.00 Europe, Australia/Air Delivery \$48.00 Middle East/Air Delivery

\$68.00 Elsewhere/Air Delivery \$25.00 International Surface Mail (lengthy, unreliable delivery)

9	
$\succeq$	
O	

Address	
City	Postal Code
Country	
Payment must accompany this card.  Payment in US Funds drawn on a US Bank; International Money Order; or charge card: \( \text{\tint{\tex{\tex	ank; International Money Order; or
ACCOUNT NO.	Explica
	331101

# The Editor's Feedback:

331101

Expires

Account No.

Computer: $\square$ Pet $\square$ Apple $\square$ Atari $\square$ OSI $\square$ WC-20 $\square$ 11 99/4A $\square$ Sinclair ZX-81 $\square$ Radio Shack Color Computer $\square$ Other $\square$ $\square$ Don't yet have one	I would like to see:	More   Fewer Reviews of game software.   More   Fewer Reviews of business software.   More   Fewer Reviews of educational software.   More   Fewer Reviews of hardware.	
OSI   VIC	oN \ \ \	More More More	^
Computer: ☐ Pet ☐ Apple ☐ Atari ☐ OS ☐ Radio Shack Color Computer ☐ Other.	Are you a <b>COMPUTE!</b> Subscriber? Yes No I would like to see:	More   Fewer Specific applications programs.   More   Fewer BASIC programs.   Machine language programs.   More   Fewer Intoials.   More   Fewer Educational articles.   More   Fewer Educational articles.   More   Fewer Detailed explanations of programs.	What do you like best about COMPUTE!?
omputer.   Pet   Radio Shack Co	re you a <b>compu</b>	More Fewer More Fewer More Fewer More Fewer More Fewer	hat do you like t
ОЦ	A		>

charge). All payments must be in US funds. NC residents add 4% sales tax.

3.00 2.00.

> 24.95 + 4.95 + 12.95 +

> > **Every Kid's First Book of Robots**

and Computers

COMPUTE!'s First Book of VIC

COMPUTE!'s Second Book

12.95 +

COMPUTE!'s First Book

of PET/CBM PET/CBM

Inside Atari DOS

Programming the

All orders must be prepaid

2.00 2.00

12.95 +

19.95

\$1.00

+

\$3.95

The Beginner's Guide to Buying A Personal Computer

COMPUTE!'s First Book

of Atari

money order, check, or

800-334-0868 In NC call 919-275-9809

Call Our TOLL FREE

Total

S/H

Price

**COMPUTE!** Books

US Order Line

For Fastest Service

Please charge my: \( \text{\tin}\text{\texi}\text{\text{\text{\text{\texi}\text{\text{\texi}\text{\text{\texi}\text{\texi}\tint{\text{\texi}\text{\text{\texi}\text{\text{\texi}\text{\text{\text{\tex

Payment enclosed

☐ MC ☐ Am. Express

2.00 2.00

12.95 +

or air mail outside US: \*\$5.00 / \*\*\$10.00

Address

Cit

Vame

1.00

Acc't No.

expires

What do you like least?

diZ

State

Allow 4-5 weeks for delivery.

Country

Place Stamp Here

# **COMPUTE!** Magazine

P.O. Box 914 Farmingdale, NY 11737

Place Stamp Here

# **BUSINESS REPLY MAIL**

UNITED STATES

NO POSTAGE NECESSARY

IF MAILED

IN THE

IRSI CLASS PERMIT NO. 2312 GREENSBORO, P

POSTAGE WILL BE PAID BY ADDRESSEE

# **COMPUTE!** Magazine

P.O. Box 914 Farmingdale, NY 11737



POSTAGE WILL BE PAID BY ADDRESSEE

FIRST CLASS PERMIT NO. 2312 GREENSBORO, NC

BUSINESS REPLY MAIL

# **COMPUTE! Books**

Post Office Box 5406

**COMPUTE! Magazine** 

Greensboro, NC 27403

Post Office Box 5406 Greensboro, NC 27403

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

# Introduce A Friend To COMPUTE! Save \$10.00 Off The Newsstand Price

One year, 12 issue subscriptions	YOUR NAME					
are \$20.00 in the U.S., \$25.00 (U.S.	ADDRE					
funds) in Canada.	CITY					
PLEASE PRINT.		STATE ZIP				
Please charge my:  VISA  MasterCard  American Express  Acc't No.  Exp. /		spayment enclosed				
GIFT TO		GIFT TO				
ADDRESS		ADDRESS				
CITY		CITY				
STATE ZIP		STATE	ZIP			
Renewal New subscription		Renewal New subscription				
SIGN CARD:		SIGN CARD:	631101			
Save \$10.00 Off	YOUR		stand Price			
One year, 12 issue subscriptions are \$20.00 in the U.S., \$25.00 (U.S.						
funds) in Canada.		ADDRESS CITY				
PLEASE PRINT.			ZIP			
Please charge my:  VISA MasterCard American Express Acc't No.  Exp. /	5		payment enclosed Bill me later RENEWAL NEW SUBSCRIPTION at the			
GIFT TO		GIFT TO				
ADDRESS		ADDRESS				
CITY		CITY				
STATE ZIP		STATE	ZIP			
Renewal New subscription	Renewal New subscription					

631101



#### BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 2312 GREENSBORO, NO

POSTAGE WILL BE PAID BY ADDRESSEE

#### **COMPUTE!**

P.O. Box 914 Farmingdale, NY 11737 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



#### **BUSINESS REPLY MAIL**

FIRST CLASS PERMIT NO. 2312 GREENSBORO, NO.

POSTAGE WILL BE PAID BY ADDRESSEE

#### COMPUTE!

P.O. Box 914 Farmingdale, NY 11737 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

### COMPUTE!'s FREE Reader Information Service

Use these cards to request FREE information about the products advertised in this issue. Clearly print or type your full name and address. Only one card should be used per person. Circle the numbers that correspond to the key number appearing in the advertisers index.

Send in the card and the advertisers will receive your inquiry. Although every effort is made to insure that only advertisers wishing to provide product information have reader service numbers, **COMPUTE!** cannot be responsible if advertisers do not provide literature to readers.

Please use these cards *only* for subscribing or for requesting product information. Editorial and customer service inquiries should be addressed to: **COMPUTE!**, P.O. Box 5406, Greensboro, NC 27403. Check the expiration date on the card to insure proper handling.

#### **COMPUTE!**

101	102	103	104	105	106	107	108	109	110	111	
112	113	114	115	116	117	118	119	120	121	122	
123	124	125	126	127	128	129	130	131	132	133	
134	135	136	137	138	139	140	141	142	143	144	
145	146	147	148	149	150	151	152	153	154	155	
156	157	158	159	160	161	162	163	164	165	166	
167	168	169	170	171	172	173	174	175	176	177	
178	179	180	181	182	183	184	185	186	187	188	
189	190	191	192	193	194	195	196	197	198	199	
200	201	202	203	204	205	206	207	208	209	210	
211	212	213	214	215	216	217	218	219	220	221	
222	223	224	225	226	227	228	229	230	231	232	
233	234	235	236	237	238	239	240	241	242	243	
244	245	246	247	248	249	250	251	252	253	254	
255											
100000000000000000000000000000000000000		75.00						The same of the sa	200		
1100000											
								340	341	542	
343	344	345	340	34/	348	349	350				
	112 123 134 145 156 167 178 189 200 211 222 233	112         113           123         124           134         135           145         146           156         157           167         168           178         179           200         201           211         212           222         223           233         234           244         245           255         256           266         267           277         278           288         289           299         300           311         321           321         322           333         333	112     113     114       123     124     125       134     135     136       145     146     147       156     157     158       167     168     169       178     179     180       189     190     191       200     201     202       211     212     213       222     223     224       233     234     235       244     245     246       255     256     257       266     267     268       277     278     279       288     289     290       299     300     301       310     311     312       321     322     323       332     333     334	112         113         114         115           123         124         125         126           134         135         136         137           145         146         147         148           156         157         158         159           167         168         169         170           178         179         180         181           189         190         191         192           200         201         202         203           211         212         213         214           222         223         224         225           233         234         235         236           244         245         246         247           255         256         257         258           266         267         268         269           277         278         279         280           288         289         290         291           299         300         301         302           310         311         312         313           321         322         323         324	112         113         114         115         116           123         124         125         126         127           134         135         136         137         138           145         146         147         148         149           156         157         158         159         160           167         168         169         170         171           178         179         180         181         182           189         190         191         192         193           200         201         202         203         204           211         212         213         214         215           222         223         224         225         226           233         234         235         236         237           244         245         246         247         248           255         256         257         258         259           266         267         268         269         270           277         278         279         280         281           288         289         <	112         113         114         115         116         117           123         124         125         126         127         128           134         135         136         137         138         139           145         146         147         148         149         150           156         157         158         159         160         161           167         168         169         170         171         172           178         179         180         181         182         183           189         190         191         192         193         194           200         201         202         203         204         205           211         212         213         214         215         216           222         223         224         225         226         227           233         234         235         236         237         238           244         245         246         247         248         249           255         256         257         258         259         260	112         113         114         115         116         117         118           123         124         125         126         127         128         129           134         135         136         137         138         139         140           145         146         147         148         149         150         151           156         157         158         159         160         161         162           167         168         169         170         171         172         173           178         179         180         181         182         183         184           189         190         191         192         193         194         195           200         201         202         203         204         205         206           211         212         213         214         215         216         217           222         223         224         225         226         227         228           233         234         235         236         237         238         239           244         245	112         113         114         115         116         117         118         119           123         124         125         126         127         128         129         130           134         135         136         137         138         139         140         141           145         146         147         148         149         150         151         152           156         157         158         159         160         161         162         163           167         168         169         170         171         172         173         174           178         179         180         181         182         183         184         185           189         190         191         192         193         194         195         196           200         201         202         203         204         205         206         207           211         212         213         214         215         216         217         218           222         223         224         225         226         227         228         229 <td>112         113         114         115         116         117         118         119         120           123         124         125         126         127         128         129         130         131           134         135         136         137         138         139         140         141         142           145         146         147         148         149         150         151         152         153           156         157         158         159         160         161         162         163         164           167         168         169         170         171         172         173         174         175           178         179         180         181         182         183         184         185         186           189         190         191         192         193         194         195         196         197           200         201         202         203         204         205         206         207         208           211         212         213         214         215         216         217         218&lt;</td> <td>112         113         114         115         116         117         118         119         120         121           123         124         125         126         127         128         129         130         131         132           134         135         136         137         138         139         140         141         142         143           145         146         147         148         149         150         151         152         153         154           156         157         158         159         160         161         162         163         164         165           167         168         169         170         171         172         173         174         175         176           178         179         180         181         182         183         184         185         186         187           189         190         191         192         193         194         195         196         197         198           200         201         202         203         204         205         206         207         208         20</td> <td>112         113         114         115         116         117         118         119         120         121         122           123         124         125         126         127         128         129         130         131         132         133           134         135         136         137         138         139         140         141         142         143         144           145         146         147         148         149         150         151         152         153         154         155           156         157         158         159         160         161         162         163         164         165         166           167         168         169         170         171         172         173         174         175         176         177           178         179         180         181         182         183         184         185         186         187         188           189         190         191         192         193         194         195         196         197         198         199           200         20</td>	112         113         114         115         116         117         118         119         120           123         124         125         126         127         128         129         130         131           134         135         136         137         138         139         140         141         142           145         146         147         148         149         150         151         152         153           156         157         158         159         160         161         162         163         164           167         168         169         170         171         172         173         174         175           178         179         180         181         182         183         184         185         186           189         190         191         192         193         194         195         196         197           200         201         202         203         204         205         206         207         208           211         212         213         214         215         216         217         218<	112         113         114         115         116         117         118         119         120         121           123         124         125         126         127         128         129         130         131         132           134         135         136         137         138         139         140         141         142         143           145         146         147         148         149         150         151         152         153         154           156         157         158         159         160         161         162         163         164         165           167         168         169         170         171         172         173         174         175         176           178         179         180         181         182         183         184         185         186         187           189         190         191         192         193         194         195         196         197         198           200         201         202         203         204         205         206         207         208         20	112         113         114         115         116         117         118         119         120         121         122           123         124         125         126         127         128         129         130         131         132         133           134         135         136         137         138         139         140         141         142         143         144           145         146         147         148         149         150         151         152         153         154         155           156         157         158         159         160         161         162         163         164         165         166           167         168         169         170         171         172         173         174         175         176         177           178         179         180         181         182         183         184         185         186         187         188           189         190         191         192         193         194         195         196         197         198         199           200         20

Circle 101 for a one year new subscription to **COMPUTE!**: 12 monthly issues for \$20.

Please print or type your full name and address. Limit one card per person.

Name		
Address	1372:01:50	
City		
State/Province	Zip	
Country		

C0183

Please include zip code. Expiration: 3/31/83



# BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 27346 PHILADELPHIA, PA

POSTAGE WILL BE PAID BY ADDRESSEE

COMPUTE

Philadelphia, PA 19101 P.O. Box 11747

> UNITED STATES NO POSTAGE NECESSARY IF MAILED IN THE



#### **COMPUTE!**

101	102	103	104	105	106	107	108	109	110	11
112	113	114	115	116	117	118	119	120	121	122
123	124	125	126	127	128	129	130	131	132	133
134	135	136	137	138	139	140	141	142	143	144
145	146	147	148	149	150	151	152	153	154	155
156	157	158	159	160	161	162	163	164	165	160
167	168	169	170	171	172	173	174	175	176	17
178	179	180	181	182	183	184	185	186	187	188
189	190	191	192	193	194	195	196	197	198	199
200	201	202	203	204	205	206	207	208	209	210
211	212	213	214	215	216	217	218	219	220	22
222	223	224	225	226	227	228	229	230	231	232
233	234	235	236	237	238	239	240	241	242	243
244	245	246	247	248	249	250	251	252	253	25
255	256	257	258	259	260	261	262	263	264	26
266	267	268	269	270	271	272	273	274	275	270
277	278	279	280	281	282	283	284	285	286	28
288	289	290	291	292	293	294	295	296	297	298
299	300	301	302	303	304	305	306	307	308	309
310	311	312	313	314	315	316	317	318	319	32
321	322	323	324	325	326	327	328	329	330	33
332	333	334	335	336	337	338	339	340	341	34:
343	344	345	346	347	348	349	350			

### Circle 101 for a one year new subscription to **COMPUTE!**: 12 monthly issues for \$20.

Please print or type your full name and address. Limit one card per person.

Name	
Address	
City	
State/Province	Zip
Country	

Please include zip code. Expiration: 3/31/83

#### COMPUTE

343

Name

C0183

344

345

346

	UN	IPU	4     115     116     117     118     119     120     121     122       5     126     127     128     129     130     131     132     133       6     137     138     139     140     141     142     143     144       17     148     149     150     151     152     153     154     155       8     159     160     161     162     163     164     165     166       9     170     171     172     173     174     175     176     177       0     181     182     183     184     185     186     187     188       14     192     193     194     195     196     197     198     199       2     203     204     205     206     207     208     209     210       3     214     215     216     217     218     219     220     221       4     225     226     227     228     229     230     231     232       5     236     237     238     239     240     241     242     243       6     247     248							
101	102	103	104	105	106	107	108	109	110	111
112	113	114	115	116	117	118	119	120	121	122
123	124	125	126	127	128	129	130	131	132	133
134	135	136	137	138	139	140	141	142	143	144
145	146	147	148	149	150	151	152	153	154	155
156	157	158	159	160	161	162	163	164	165	166
167	168	169	170	171	172	173	174	175	176	177
178	179	180	181	182	183	184	185	186	187	188
189	190	191	192	193	194	195	196	197	198	199
200	201	202	203	204	205	206	207	208	209	210
211	212	213	214	215	216	217	218	219	220	221
222	223	224	225	226	227	228	229	230	231	232
233	234	235	236	237	238	239	240	241	242	243
244	245	246	247	248	249	250	251	252	253	254
255	256	257	258	259	260	261	262	263	264	265
266	267	268	269	270	271	272	273	274	275	276
277	278	279	280	281	282	283	284	285	286	287
288	289	290	291	292	293	294	295	296	297	298
299	300	301	302	303	304	305	306	307	308	309
310	311	312	313	314	315	316	317	318	319	320
321	322	323	324	325	326	327	328	329	330	331
220	222	221	225	224	227	220	220	240	2 44	210

### Circle 101 for a one year new subscription to **COMPUTE!**: 12 monthly issues for \$20.

347

Please print or type your full name and address. Limit one card per person.

348

350

C0183

Address	
City	
State/Province	Zip
Country	

Please include zip code. Expiration: 3/31/83



UNITED STATES

NO POSTAGE NECESSARY

IF MAILED

NTHE

# BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 27346 PHILADELPHIA, PA

POSTAGE WILL BE PAID BY ADDRESSEE

Philadelphia, PA 19101 P.O. Box 11747 COMPUTE




# BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 27346 PHILADELPHIA, PA

POSTAGE WILL BE PAID BY ADDRESSEE

Philadelphia, PA 19101 COMPUTE O. Box 11747

> UNITED STATES NO POSTAGE NECESSARY IF MAILED NTHE



# THE LEADING EDGE IN PRINTERS

#### ONE GREAT LINE. ONE GREAT WARRANTY.

Finally, there's one full family of printers that covers every business or word processing application—all from C. Itoh, a company known for packing more product into less price; and all distributed exclusively by Leading Edge, a company known for searching out and providing that very thing. Which means that one call to one source can get you any printer, any time you need it, for any purpose. All backed by a full years' warranty from Leading Edge. (Try that on any other line of printers.)


#### THE PRO'S.

The Prowriters: business printers—and more. The "more" is a dot-matrix process with more dots. It gives you denser, correspondence quality copy (as opposed to business quality copy, which looks like a bad job of spray-painting).

Prowriter: 120 cps. 80 columns dot matrix compressable to 136. 10" carriage. Parallel or serial interface.

Prowriter 2: Same as Prowriter, except 15" carriage allows full 136 columns in normal print mode.

Parallel or serial interface.



#### THE STAR.

The Starwriter F-10. In short (or more precisely, in a sleek 6" high, 30-pound unit), it gives you more of just about everything—except bulk and noise—than any other printer in its price range. It's a 40 cps letter-quality daisy-wheel with a bunch of built-in functions to simplify and speed up word processing.

It plugs into almost any micro on the market, serial or parallel.



#### THE MASTER.

The Printmaster F-10. Does all the same good stuff as the Starwriter except, at 55 cps, the Master does it faster.



Distributed Exclusively by Leading Edge Products, Inc., 225 Turnpike Street, Canton, Massachusetts 02021. Call: toll-free 1-800-343-6833; or in Massachusetts call collect (617) 828-8150. Telex 951-624.

# WHEN WE ANNOUNCED THE COMMODORE 64 FOR \$595, OUR COMPETITORS SAID WE COULDN'T DO IT.

#### THAT'S BECAUSE THEY COULDN'T DO IT.

The reason is that, unlike our competitors, we make our own IC chips. *Plus* all the parts of the computer they go into.

So Commodore can get more advanced computers to market sooner than anybody else. And we can get them there for a lot less money.

#### WHAT PRICE POWER?

For your \$595,\* the Commodore 64™ gives you a built-in user memory df 64K. This is hundreds of dollars less than computers of comparable power.

Lest you think that the Commodore 64 is some stripped-down loss leader, a look at its available peripherals and interfaces will quickly convince you otherwise.

#### SOFTWARE THAT WORKS HARD.

The supply of software for the Commodore 64 will be extensive. And with the optional plug-in Z80 microprocessor, the Commodore 64 can accommodate the enormous amount of software available in CP/M.®

Add in the number of programs available in BASIC and you'll find that there are virtually no applications, from word processing to spreadsheets, that the Commodore 64 can't handle with the greatest of ease.

#### PERIPHERALS WITH VISION.

The Commodore 64 interfaces with all the peripherals you could want for total personal computing: disk drives, printers and a telephone modem that's about \$100, including a free hour's access to some of the more popular computer information services. Including Commodore's own Information Network for users.

#### RUN YOUR BUSINESS BY DAY. SAVE THE EARTH BY NIGHT.

At the end of a business day, the


Commodore 64 can go into your briefcase and ride home with you for an evening's fun and games.

Because of its superior video quality (320x200 pixel resolution, 16 available colors and 3D Sprite graphics), the Commodore 64 surpasses the best of the video game machines on the market. Yet, because it's such a powerful computer, it allows you to invent game programs that a game machine will never be able to play; as well as enjoy Commodore's own video game cartridges.

#### ATTACK, DECAY, SUSTAIN, RELEASE.

If you're a musicologist, you already know what an ADSR (attack, decay, sustain, release) envelope is. If you're not, you can learn this and much more about music with the Commodore 64's music synthesizing features.

It's a full-scale compositional tool. Besides a programmable ADSR envelope generator, it has 3 voices (each with a 9-octave range) and 4 waveforms for truly sophisticated composition and playback—through your home audio system, if you



wish. It has sound quality you'll find only on separate, music-only synthesizers. And graphics and storage ability you won't find on any separate synthesizer.

#### DON'T WAIT.

The predictable effect of advanced technology is that it produces less expensive, more capable products the longer you wait.

If you've been waiting for this to happen to personal computers, your wait is over.

See the Commodore 64 soon at your local Commodore Computer dealer and compare it with the best the competition has to offer.

You can bet that's what the competition will be doing.

Personal System P.O. Box 500, Co	
Please send me	more information on the Commodore 64!™
Name	Title
Company	and the same of the same
Address	
City	State
Zip	Phone
C	commodore COMPUTER
	CPI