Programming Languages: Communicating With Your Computer

# COMPUTE

\$2.95 November 1985 Issue 66 Vol. 7, No. 11

\$3.75 Canada 02193 ISSN 0194-357X

The Leading Magazine Of Home, Educational, And Recreational Computing

## Amiga's Amazing Graphics

Telecommunications
Software Overview:
72 Inexpensive Packages
For Commodore, Atari,
Apple, Macintosh, IBM

Commodore 64
3-D Animated Graphics
Simple Commands
To Create And Move
Your Own Shapes


Apple Program Protector
Shield Your Programs
From Prying Eyes

Atari REMover
Automatically Delete
REMs From BASIC



A message from a leading software publisher.

## WHY ELECTRONIC ARTS



### IS COMMITTED TO THE AMIGA.

In our first two years, Electronic Arts has emerged as a leader of the home software business. We have won the most product quality awards—over 60. We have placed the most *Billboard* Top 20 titles—12. We have also been consistently profitable in an industry beset by losses and disappointments.

Why, then, is Electronic Arts banking its hard won gains on an unproven new computer like the Amiga?

#### The Vision of Electronic Arts.

We believe that one day soon the home computer will be as important as radio, stereo and television are today.

These electronic marvels are significant because they bring faraway places and experiences right into your home. Today, from your living room you can watch a championship basketball game, see Christopher Columbus sail to the New World, or watch a futuristic spaceship battle.

The computer promises to let you do much more. Because it is interactive you get to participate. For example, you can play in that basketball game instead of just watching. You can actually be Christopher Columbus and feel firsthand what he felt when he sighted the New World. And you can step inside the cockpit of your own spaceship.

But so far, the computer's promise has been hard to see. Software

has been severely limited by the abstract, blocky shapes and rinky-dink sound reproduction of most home computers. Only a handful of pioneers have been able to appreciate the possibilities. But then, popular opinion once held that television was only useful for civil defense communications.

#### A Promise of Artistry.

The Amiga is advancing our medium on all fronts. For the first time, a personal computer is providing the visual and aural quality our sophisticated eyes and ears demand. Compared to the Amiga, using some other home computers is like watching black and white television with the sound turned off.

The first Amiga software products from Electronic Arts are near completion. We suspect you'll be hearing a lot about them. Some of them are games like you've never seen before, that get more out of a computer than other games ever have. Others are harder to categorize, and we like that.

For the first time, software developers have the tools they need to fulfill the promise of home computing.

Two years ago, we said, "We See Farther." Now Farther is here.





Dr J and Larry Bird Go One-On-One The number one software sports game of all time. Shoot as accurately as Larry Bird, slam dunk like the Doctor, while you're cheered on by the victory chants of the Boston Garden crowd.



Skyfox™

Get in the spaceship and fly. Out your window or on your radar screen you have but split-seconds to appreciate the fierce beauty of enemy jets and tanks.



Seven Cities of Gold<sup>14</sup>
Be Christopher Columbus and discover the New World. Learn history and geography, or generate your own random new worlds to explore.



Archon


A new kind of computerized board game, like chess with wizards and dragons for pieces. But when one lands on another, they have to fight a white-knuckled action battle.



Deluxe Video Construction Set™
Be your own video director for business
presentations or just for fun. Set up
special effects, animated computer
graphics, sound effects and titles — even
record them to videotape for use
with a VCR.



Arcticfox™
You command the advanced and deadly tank of the future – the Arcticfox. A first person tank combat game with all the sturning graphics and sound of the best 3-D simulations.



Return to Atlantis™
Play Indiana Cousteau, oceanic hero, in
this three dimensional simulation under
the seven seas.




Marble Madness™

For the first time, the home version of a coin-op arcade game is just as good as the original. Same graphics. Same sound. And you can play it in your bathrobe.

For details about availability, see your Amiga software dealer or call us at (415) 572-ARTS. For a product catalog send \$.50 and a stamped, self-addressed envelope to: Electronic Arts, Amiga Catalog Offer, 2755 Campus Drive, San Mateo, CA 94403. Amiga is a trademark of Commodore Business Machines. Skyfox, Sever Cities of Gold, Deluxe Video Construction Set, Arcticfox, Return to Atlantis and Electronic Arts are trademarks of Electronic Arts. Marble Madness is a trademark of Atari Games, Inc.

# Left Brain.



Rational. Functional. Precise.

Introducing the OKIDATA 120, the logical printer for your Commodore\* computer.

Get results fast. With a utility mode that zips through letters and reports at twice the speed of any Commodore printer.

Switch to the enhanced mode. And print your most important ideas with typewriter clarity. Or illustrate your rationale with the 120's bit image graphics for high resolution charts, graphs and drawings.

Stay on target. With a self-inking "Clean Hands" ribbon cartridge. And Okidata's famous full year warranty on parts, labor and printhead.

The OKIDATA 120. At \$269\*, it's the only Commodorecompatible printer that makes sense.

For more information, call 1-800-OKIDATA (in New Jersey 609-235-2600). Mt. Laurel, NJ 08054.

#### at these fine stores: Advantage Computer Accessories (Canada) Childworld/Children's Palace Consumers Distributing Crazy Eddie David Weis Electronics Boutique/ Games & Gadgets Federated Fred Meyer Lionel/Kiddie City/ Lionel Playworld Montgomery Ward (at participating stores) S.E. Nichols Service Merchandise

Toys 'R Us

Get the OKIDATA 120

OKIDATA®
an OKI AMERICA company
We put business on paper.

Commodore is a registered trademark of Commodore Business Machines, Inc. OKIDATA is a registered trademark of OKI AMERICA, INC.

\*Manufacturer's suggested retail price.

# Right Brain.



Effervescent, Colorful, Outrageous,

Meet the OKIMATE 10, the \$208\* color printer that takes your Atari® or Commodore® computer over the rainbow!

Dazzle 'em. With brilliant printing in over 36 eye-tickling colors. Reds, greens, golds and blues that breathe life into everything: from charts and graphs to original drawings and overhead transparencies.

And when you're forced to work in black and white, the OKIMATE 10 prints crisp, clean reports and papers-at 240 words per minute. You can even add spice with wide, bold and fine print.

Everything you need for color printing comes with the OKIMATE 10 and its Plug 'n Print package. Including a data cable, Learn to Print and Color Screen Print software diskettes, a color ribbon cartridge, a black ribbon cartridge and paper.

So c'mon, print on the wild side. With the OKIMATE 10

Personal Color Printer from Okidata.

For more information, call 1-800-OKIDATA (in New Jersey 609-235-2600). Mt. Laurel, NJ 08054.

#### We put business on paper.

\*Manufacturer's suggested retail price. Atari is a registered trademark of Atari, Inc. Commodore is a registered trademark of Commodore Business Machines, Inc. OKIDATA is a registered trademark of OKI AMERICA, INC. OKIMATE and Plug 'n Print are trademarks of OKI AMERICA, INC. To run Plug 'n Print software, the Commodore 64, 128 and PLUS 4 require disk drive. Atari requires disk drive and a 48K memory.

#### **Buy Now!** \$15 Manufacturer's rebate on OKIMATE 10.

Offer good from October 1, 1985 through January 31, 1986. See the following participating stores for details.

Advantage Computer Accessories (Canada) Arthur's Jewelers Best Catalog Showrooms Brendle's Caldor Childworld/Children's Palace Consumers Distributing Crazy Eddie David Weis Dolgins Catalog Showrooms Electronic Boutique/ Games & Gadgets Ellman's Evans Federated Fred Meyer Fred P. Gattas G.C. Murphy/Murphy Mart G.I. Joe Great Western Catalog Showrooms J. Triesman Jafco Catalog Showrooms LaBelles Catalog Showrooms Lionel/Kiddie City/ Lionel Playworld McDade Meijers (Michigan only) Montgomery Ward (at participating stores) Prange Save-Rite Sears, Roebuck & Co. (at participating stores) Service Merchandise Stereo Village Stokes Toys 'R Us

Videoland Witmark

Zayre

Wizards Electronics

### IF YOU CAN FIND A BETTER PROGRAM WE'LL BUY IT FOR YOU!



#### WORD WRITER With Spell Checker

#### Now with 85,000 word Spelling Checker

- · An efficient, 80-column professional word processing system which includes a spelling checker and built-in calculator.
- Contains all the features you'll need for everyday word processing, plus most of the sophisticated features found in more expensive programs: document chaining, form letter printout, page separations, horizontal and vertical scrolling, and more.

#### With Timeworks you get more power for your dollar

You can use each program alone. Or interface this trio - one at a time if you like - into a completely integrated productivity system that delivers all the power and features most of you will ever need . . . at a cost that lets you enjoy their use.

Look for these and other Timeworks programs at your favorite dealer. Or contact Timeworks, 444 Lake Cook Road, Deerfield, IL 60015. Phone: (312) 948-9200.

#### DATA MANAGER 2

#### Faster, more efficient, more versatile

- A complete general information storage and retrieval system with report-writing, graphics, statistics, and label-making capabilities.
- · Exclusive X-SEARCH, X-SORT, and X-CHART features allow you to crosssearch any category of information; sort items alphabetically, numerically, or by date; break down statistical information into categories; and graphically view your results.

#### With Timeworks you get more than software

#### You Get Our Customer Technical Support Team

At the other end of our toll-free hotline, you'll find our full-time Customer Technical Support Team. Free of charge to all registered users.

#### You Get Our Liberal Trade-Up Policy

You'll find the details inside each package.

#### SWIFTCALC with SIDEWAYS

#### New easy-to-use spreadsheet for home and small business use

- . The SIDEWAYS option lets you print all your columns on one, continuous sheet . . . sideways.
- 250 rows and up to 250 columns (128K) version) provide up to 62,500 cells (locations on the spreadsheet) in which to place information.
- Performs mathematical functions up to 17 digits. Allows the use of minimum and maximum values, averages, sums, integers, absolute values and exponential notation.

#### \* With Timeworks you get our **Money Back Guarantee**

If you can find anything that works better for you, simply send us your Timeworks program, your paid receipt, and the name of the program you want, along with your check or credit card number for any retail price difference. If it's available, we'll buy it for you.\*\*

#### For Apple, IBM, Commodore 128 (128K) & Commodore 64 Computers

# TIMEWOR

#### More power for your dollar.

- " Offer valid for 90 days from date of purchase.
- Registered trademarks of Apple Computer, Inc., International Business Machines Corporation, and Commodore Computer Systems
   1985 Timeworks, Inc. All rights reserved.

#### Other Timeworks Programs:

- The Evelyn Wood Dynamic Reader
- Sylvia Porter's Personal Finance Series
- Swiftax Cave of the Word Wizard
- Business Systems Wall Street
- The Electronic Checkbook
- The Money Manager

These programs interface for Now available for Now available 128

### VOLUME 7 NUMBER 11 ISSUE 66 COMPU

NOVEMBER 1985

FEATURES	GUIDE TO ARTICLES AND PROGRAMS
18 Trends in Telecomputing	•
30 Programming Languages: Communicating with Your Computer Todd Heimarck and Kathy Yakal 44 Puzzler Mark Tuttle and Kevin Mykytyn	64/VIC/+4/16/AT/AP/ PC/PCjr/TI
<b>62</b> Skyscape	64/AT/AP/PC/PCjr,Tl
REVIEWS	
80 Crossword MagicKaren McCullough80 ColorasaurusSteve Hudson87 Grolier Online EncyclopediaDan Gutman88 BASIC Lightning & White Lightning for Commodore 64Roark Dority90 Gato for Apple and IBMMichael B. Williams	AP/64/AT/PC/PCjr AT/64/128 64 AP/PC/PCjr/Mac
90 Atari PaperClip	AT
COLUMNS AND DEPARTMENTS	
6 The Editor's Notes	
60 HOTWARE: Software Best Sellers	
132 Computers and Society: Personal Computers and Personal Freedom	
The Case of the Phantom Programmers Fred D'Ignazio  135 INSIGHT: Atari—Deactivating BASIC Bill Wilkinson  136 IBM Personal Computing: A Promise of Things to Come Donald B. Trivette  137 Programming the TI: The States of the Union C. Regena	AT PC/PCjr TI
THE JOURNAL	
92Commodore 64 3-D Animated GraphicsChristian-Marc Panneton102IBM Graphics on a Monochrome MonitorThomas G. Hanlin, III106Commodore Dynamic Keyboard, Part 2Jim Butterfield108Simple Assembling with IBM DEBUGTim Victor111Save-with-Replace: Debugged at Last, Part 2P. A. Slaymaker115Atari REMoverJeff Stefanski116Plus/Term for Commodore 1660 ModemMark Wood117Atari Animation with P/M Graphics, Part 3Robert Powell119Amiga's Amazing GraphicsCharles Brannon125A Better Way to POKE on the Commodore 64Matthew MacKenzie127Adding TIME\$ to AtariKenneth S. Szajda129Apple Program ProtectorBoris Troyanovsky	64 PC 64/128/V/+4/16/P PC/PCjr 64/128/V/+4/16/P AT 64 AT AM 64 AT AP
139 COMPUTEI's Guide to Typing In Programs 142 MLX Machine Language Entry Program for Commodore 64 144 CAPUTEI Modifications or Corrections to Previous Articles 145 News & Products 160 Advertisers Index  TOLL FREE Subscription Order Line 800-334-0868 (In NC 919-275-9809)	AP Apple, Mac Macintosh, AT Atan, V VIC-20, 64 Commodore 64, +4 Commodore Plus/4, 16 Com- modore 16, 128 Commodore 128, P PET/CBM, TI Texas Instruments, PC IBM PC, PCJr IBM PCJr, AM Amiga. *General interest.

COMPUTE! Publications,Inc. obcone of the ABC Publishing Companies:
ABC Publishing, President, Robert G. Burton

1330 Avenue of the Americas, New York, New York 10019

Address all inquiries to: P.O. Box 5406, Greensboro, NC 27403

COMPUTE! The Journal for Progressive Computing (USPS: 537250) is published monthly by COMPUTE! Publications, Inc., P.O. Box 5406, Greensboro, NC 27403 USA. Phone: (919) 275-9809. Editorial Offices are located at 324 West Wendover Avenue, Greensboro, NC 27408. Domestic Subscriptions: 12 issues, \$24. POSTMASTER: Send address changes to: COMPUTE! Magazine, P.O. Box 10955, Des Moines, IA 50950. Second class postage paid at Greensboro, NC 27403 and additional mailing offices. Entire contents copyright ©1985 by COMPUTE! Publications, Inc. All rights reserved, ISSN 0194-357X.

#### Editor's Notes

This month's Editor's Notes are written by Richard Mansfield, senior editor. We suggest that he does not mean to imply that "mouseketeers" are mousy; perhaps a rebuttal in the months ahead?

-Robert C. Lock, Editor in Chief

Ever since the Macintosh was introduced, the computing community has been debating about ease of learning versus ease of use: mice, menus, and icons are easy to learn, but typewriter keys, written commands, and control codes are often easier to use in the long run.

These two philosophies are represented rather neatly by two manufacturing giants, IBM and Apple. When you turn on an IBM, you are in the DOS environment. It's much like a programming language. There are dozens of words you can type which control the computer's behavior. Type DIR and you see a list of all the files on a disk. TIME will give you the time of day. CLS clears the screen. Beyond this, you can combine some of the commands: DIR > FILE sends a copy of the directory into a file named FILE. DIR | SORT will print a sorted directory. Essentially, you are given a rich language with which to communicate your particular instructions to your machine. But you pay a price for this richness-it takes longer to learn how to work with PC-DOS than it does to learn to use menu-driven systems like the Macintosh.

You may have seen the ads. A formidable tome crashes down next to a PC, graphically illustrating that running PC-DOS is a complicated affair. Then the Macintosh manual, light as a leaf, softly settles next to Apple's menudriven computer. They're right, of course. You can be mousing around with the Macintosh within minutes, effortlessly deleting files, sorting directories, and activating applications programs.

Atari has chosen to configure its new ST computer quite like the Macintosh. The familiar elements are all in place. The ST displays icons (pictorial representations) so you can tell at a glance when something's a data file. It will look like a tablet with the edges of the pages turned up. On an IBM, by contrast, you must learn that filename extensions like .EXE or .COM signify a program that can be run. Extensions like .DOC indicate a data or text file.

On the IBM, you delete a file by typing DEL NAME. On the ST, it's a bit difficult to describe. You use the mouse controller to move a pointer on the screen to open a disk directory. Then you move the mouse to the target filename and click the mouse, highlighting the name. Then you click the mouse again and drag a picture of the filename until it's on top of a picture of a trash can. A warning window opens and asks you if you, in fact, do want to delete the file. You must either click the mouse in a box labeled CANCEL or in another box labeled OK. During this process, you must be able to see the filename and the trash can. Thus, if something is covered up, you must move it to some available space on the screen before you can access it. This can add steps to the above process. You might need to make some windows smaller or move them to a different part of the screen.

It sounds pretty intimidating, but skilled mouseketeers can fly around the screen, popping windows open and closed at quite a clip. You do need a fair amount of clear desk space to the side of the computer where you might otherwise have a book. But, one of the ideas behind windows, icons, and mice is that you won't need a book. Everything is on screen: windows covering older windows, menus popping out of other menus, "dialog" boxes appearing on top of menus. Your desktop is clean (for the mouse), but your screen can get pretty busy.

Although early STs are currently being shipped without software or documentation offering an alternative to the mouse environment, there is a command program which allows you to talk to the ST directly in the IBM style. In this mode, you can list a directory with the simple command LS. And you can quickly see everything in any data file via TYPE NAME. It's too early to tell whether or not this facility will be made part of the ultimate ST package. But that is the solution to the debate: offer both styles. For people who prefer not

to type, offer mice. For people who don't like mice, offer command control. For people who prefer words like DEL, offer text-only screens. For people who prefer pictures, offer the trash can illustration.

Similarly, when you go to buy a word processor, one of the major factors in your decision will be whether you want a menu-driven or controlcode-driven package. For example, some software pops up with a menu every time you want to change the margin: 1. Indent? 2. Flush right? 3. Single line? and you type the number signifying your choice. Additional menus might then appear asking how much you want to indent. Conversely, control-code style software requires that you memorize a pattern. To indent ten spaces, you might type CONTROL-I 10. This is a lot faster than responding to menus, but it is harder to learn and remember. If you indent often and are a good typist, however, you will likely prefer the efficiency of control codes. For one thing, your fingers don't leave the keyboard so commands to the word processor don't require that you look at the keys.

The best software offers the user a choice of either menus or control codes. Perhaps the best computers will offer optional mice, windows, and icons, but will provide a command-driven mode as well. When both styles are available, we can have the best of worlds.

Richard Manufield

Senior Editor

# Netversond of scores abull's-eye with critics and you!

"Until Your Personal Net Worth came into our lives, our budget was non-existent, and our financial planning was reminiscent of the Stone Age."

Betsy Byrne Albuquerque, NM

"...this comprehensive package is much more than a method of adding up one's accumulated financial worth as its title might imply. It's an extremely flexible home-budgeting and accounting program, with a well-written manual that explains simple accounting principles for the uninitiated."

Family Computing

"Congratulations!
Your Personal Net
Worth is the best home
budget program I have
seen yet..."

Walter C. Repak Bloomfield, NJ

"A program that is powerful and versatile, yet very easy to use..."

Tribune, San Diego

The home money manager. The program that manages your family smost and budgets ... quickly and easily it's all you'll ever need in a home financial program.

IBM PC, XT, PCir (128K, 80 column display): Apple II, II + IIe, IIc, (64K): Alari display): Apple II, II + IIe, IIc, (64K): Commodore 64 800, 1200 and all XLs (48K): Commodore 64 800 and 1200 a

"Your Personal Net Worth, from Scarborough Systems, is easy to like, if not love. It's home accounting without tears...Best of all, the program's probably tax-deductible."

PC World

"First, let me congratulate you on an excellent program... yours is by far the most professional, fastest, and most comprehensive."

Ronald J. Misk Beaverton, OR "This program was written exclusively for individuals... It has scored a bull's eye by providing them with a helpful, flexible, easy-to-understand financial program that makes money management simple and fast."

PC Magazine

**Try Your Personal Net** Worth yourself and see how versatile and infinitely usable it is. It's only business is managing your home finances. No other program does it more quickly, more easily, more directly. You can even track your investments and household inventories. With more great features than programs selling at twice the price, Your Personal Net Worth is sure to score points with you too.

> Get a free subscription to **Money** or **Fortune** when you buy this program.

# The Scarhorough Systems, Inc., 55 S. Broadway, Tarrytown, N.Y. 10591.

Publisher Editor In Chief Director of Administration

James Casella Robert C. Lock Alice S Wolfe

Senior Editor Managing Editor Editor Assistant Editor Production Director Production Editor Editor, COMPUTEI'S GAZETTE Technical Editor Assistant Technical Editors Program Editor Features Editor Assistant Editor, COMPUTEI's

GAZETTE Assistant Features Editor Programming Supervisor **Editorial Programmers** Submissions Reviewer Programming Assistant Copy Editors Executive Assistant Administrative Assistants

Associate Editors

Richard Mansfield Kathleen Martinek Tom R. Halfhill Philip Nelson Tony Roberts Gail Cowper Lance Elko Ottis R Cowner John Krause, George Miller Charles Brannon Selby Bateman

> Todd Heimarck Kathy Yakal Patrick Parrish Tim Victor, Kevin Mykytyn Mark Tuttle David Florance Joan Rouleau, Ann Davies Debi Nash Julia Fleming, Iris Brooks, Jan Kretlow Jim Butterfield Toronto, Canada Harvey Herman Greensboro, NC Fred D'Ianazio Roanoke, VA

David Thornburg Los Altos, CA

Bill Wilkinson

Stephen Levy

Contributing Editor

COMPUTEI's Book Division Editor Assistant Editor Administrative Assistant Director, Book Sales & Marketing Assistant

Gregg Keizer Laura MacFadden Steve Voyatzis Carol Dickerson

Production Manager Art & Design Director Assistant Editor, Art & Design Mechanical Art Supervisor Artists Typesetting

Janice R. Fary Lee Noel De Potter Debbie Bray, Dabney Ketrow Terry Cash, Carole Dunton

Irma Swain

Kathleen Hanlon

Philippa Kina

Liz Krusenstjerna, Rhonda

Betty Atkins, Gayle Benbow, Mary Hunt, Jenna Nash, Chris

Harold Avers Steve Rowman

Larry O'Connor, David Hensley

Gail Jones

Judy Taylor

Anita Armfield

Lonnie Arden

Leon Stokes

Paul J. Megliola

R. Steven Vetter

Robert L. Bean

Karen K. Rogalski

Dale Branch, Jill Pope

Chris Cain

Savage

Patty

Illustrator Harry Blair Director of Advertising Sales Ken Woodard Patti Stokes

Production Coordinator Administrative Assistant

Caroline Dark Promotion Assistant

Customer Service Manager Dealer Sales Supervisor Assistants

Individual Order Supervisor Assistants

Receptionist

Warehouse Manager Staff

Data Processing Manager Assistant

Vice President, Finance & Planning

Director, Finance & Planning Accountant Financial Analyst Staff

Credit Manager Barry L. Beck

Sybil Agee, Anne Ferguson, Pat Fuller, Doris Hall, Linda Miller, Mary Waddell, Jane Wiggs

Greg L. Smith

**Purchasing Manager** 

Robert G. Burton, President Paul J. Megliola, Vice President, Finance and Planning





#### Coming In Future Issues

All Machine Language Spreadsheet With SpeedScript Integrator For Commodore 64/128, Apple, Atari

**Balloon Crazv:** Frantic Arcade Game For Atari, Commodore 64, Apple, IBM PC/PCir, TI

SpeedScript Revisited: **Updates And Hints** For Commodore 64, VIC, Atari, Apple

**Million-Color Palette** For IBM PC & PCjr

Computed GOTOs & GOSUBs For Commodore 64

**Atari Fine Scrolling** 

Apple Hi-Res Screen Dump

COMPUTEL Publications. Inc. publishes:

COMPUTE! COMPUTE'S GAZETTE

COMPUTE! Books COMPUTE'S

Corporate office: 324 West Wendover Avenue Suite 200 Greensboro, NC 27408 USA Mailing address: COMPUTEI Post Office Box 5406 Greensboro, NC 27403 USA Telephone: 919-275-9809

#### Subscription Orders

COMPUTE P.O. Box 10955 Des Moines, IA 50950

TOLL FREE Subscription Order Line 800-334-0868 In NC 919-275-9809

#### **COMPUTE! Subscription Rates** (12 Issue Year):

(one yr.) \$24 (two yrs.) \$45 (three yrs.) \$65 Canada and Foreign Surface Mail \$30 Foreign Air \$65 Delivery

**Advertising Sales** 1. New England Jonathan M. Just

2. Mid Atlantic John Saval Eastern Advertising Manager 212-315-1665 Kathy Hicks Marsha A. Gittelman 215-646-5700 Brian S. Rogers 212-674-0238

Regional Manager

212-315-1665

3. Southeast & Foreign Harry Blair 919-275-9809

4. Midwest Gordon Benson 312-362-1821

5. Northwest/ Mountain/Texas Phoebe Thompson 408-354-5553

6. Southwest Ed Winchell 213-378-8361 Director of Advertising Sales Ken Woodard

COMPUTEI Home Office 919-275-9809.

Address all advertising materials to: Patti W. Stokes Advertising Production Coordinator COMPUTEI Magazine 324 West Wendover Avenue, Greensboro, NC 27408

The COMPUTEI subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please send an exact copy of your subscription label to: COMPUTEI P.O. Box 10955, Des Moines, IA 50950. Include a note indicating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to COMPUTEI are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTEI, authors acknowledge that such materials, upon acceptance for publication, become the exclusive property of COMPUTEI Publications, inc. No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright © 1985, COMPUTEI Publications, inc. Rights to programs developed and submitted by authors are explained in our author contract. Unsolicited materials not accepted for publication in COMPUTEI be returned if author provides a self-addressed, stamped envelope. Programs (on tape or disk) must accompany each submission. Printed listings are optional, but helpful. Articles should be furnished as typed copy (upper- and lowercase, please) with double spacing. Each page of your article should bear the title of the article, date and name of the author. COMPUTEI assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of COMPUTEI.

PET, CBM, VIC-20 and Commodore 64 are trademarks of Commodore Business Machines, Inc. and/or Commodore Electronics Limited
Apple is a trademark of Apple Computer Company
IBM PC and PCjr are trademarks of International Business Machines, Inc. ATARI is a trademark of Atari, Inc. TI-99/4A is a trademark of Texas Instruments. Inc. Radio Shack Color Computer is a trademark of Tandy, Inc.



Apple Mac 512™



IBM PCAT™



Commodore Amiga™

# THERE'S ONLY ONE WORD FOR THESE PRICES: RIP-OFF.

#### Introducing the Atari 520ST personal computer system. \$799.95\*complete.

Go ahead. Compare those other machines with the new Atari 520ST.™
They cost hundreds of dollars more, but you don't get much in return. That's what we call a rip-off.

For \$799.95,\* the 520ST comes complete with high-resolution monochrome

	ATARI™ 520ST	IBM™ PCAT™	APPLE™ Macintosh™	COMMODORE™ AMIGA™
Price	\$799	\$4675	\$2795	\$1795
CPU Speed MHz	68000 8.0	80286 6.0	68000 7.83	68000 7.16
Standard RAM	512K	256K	512K	256K
Number of Keys	95	95	59	89
Mouse	Yes	No	Yes	Yes
Screen Resolution (Non-Interlaced Mode) Color Monochrome	640 x 200 640 x 400	640 x 200 720 x 350**	None 512 x 342	640 x 200*** 640 x 200***
Color Output	Yes	Optional	None	Yes
Number of Colors	512	16	None	4096
Disk Drive	3.5"	5.25"	3.5"	3.5"
Built-in Hard Disk (DMA) Port	Yes	Yes	No	No
MIDI Interface	Yes	No	No	No
No. of Sound Voices	3	1	4	4


<sup>\*\*</sup>With optional monochrome board (non bit-mapped)


\*\*\*Interlace Mode - 640 x 400

monitor, 2-button mouse, 3.5" disk drive, TOS™ Operating System, including GEM™ Desktop, plus Logo™ and Atari BASIC programming languages. \$200 more gives you an RGB color monitor with 512 glowing colors.

Choose innovative business, entertainment, education, systems management, and integrated package software. Expand your 520ST with industry standard parallel printers, modems, MIDI controlled synthesizers and key-







For the dealer nearest you, write Atari Corp., Customer Services, 1196 Borregas Ave., Sunnyvale, CA 94086.

\*Plus applicable local taxes. \$999.95 with color monitor.

All prices are manufacturer's suggested retail list.







#### Readers Feedback

The Editors and Readers of COMPUTE

If you have any questions, comments, or suggestions you would like to see addressed in this column, write to "Readers" Feedback," COMPUTE!, P.O. Box 5406, Greensboro, NC 27403. Due to the volume of mail we receive, we regret that we cannot provide personal answers to technical questions.

#### **Falling Through Trapdoors**

I have a question about the placement of NEXT in a program. After typing in "Devastator" (COMPUTE!, August 1984) I made a few changes. In lines 1293-1294 (shown here) I tried moving the NEXT from line 1294 to the end of 1293. But now the program doesn't erase text the way it should. I thought it wouldn't make any difference which line the NEXT was on. Can you explain?

1293 FORT=1024T01400:IF PEEK(T ) <160THEN POKE T, 32 1294 NEXT: GOSUB1300

Alfred Glasser, Jr.

The answer to your question applies to virtually every computer with BASIC. When the computer finds an IF statement, it immediately tests the expression after IF to determine whether it's true or false. If the expression is true, the computer performs whatever comes after THEN on that line. If the expression is false, the computer ignores everything after THEN and goes directly to the next program line. When an IF test proves false, it's as though a trapdoor opens at THEN. The computer immediately falls through (proceeds) to the next program line and performs what it finds there.

The lines shown here test screen memory locations 1024-1400. In plain English the part before GOSUB 1300 means "Check every location from 1024 to 1400. If a location doesn't contain a reverse space character (160), replace it with a blank (32). Otherwise ignore it." If the expression PEEK(T)<160 is true, the computer executes POKE T,32 before going to NEXT in line 1294. If the expression is false—if the location contains a reverse space—the computer skips the part after THEN and immediately falls through to 1294. Note that NEXT is always performed whether the IF statement is true or

false. Moving NEXT to the end of 1293 causes it to be executed only when the IF test is true-clearly not what the programmer intended.

Because the computer falls through an IF-THEN statement when the test proves false, be careful what you add to IF lines. Don't add statements to the end of the line unless you want them to be performed only when the IF test is true. For similar reasons you shouldn't put anything on the same line after a GOTO statement (which immediately sends the computer somewhere else in the program). These two lines demonstrate the error: The GOTO in line 10 prevents NEVER from being printed.

10 GOTO 20: PRINT "NEVER" 20 PRINT "ALWAYS"

#### Atari Disk Speedup

I have a solution for Duyen Nguyen, who asked for a way to speed up his Atari disk drive ("Readers' Feedback," July 1985). Enter POKE 1913,80 to disable the verify function. Your drive will run faster.

Jim Noland

Thanks for pointing this out. This POKE dramatically speeds up write operations and has been widely used by Atari owners for years. In fact, some Disk Operating Systems, such as OS/A+ and DOS XL, incorporate this modification by default. The POKE works by modifying DOS to turn off the write-with-verify function. Normally, location 1913 contains the value 87, which tells DOS to verify each sector as it is written. This assures an error-free SAVE but also slows things down considerably. Disabling this function with POKE 1913,80 can make a noticeable difference. Although you might expect the modification to increase the likelihood of errors, in practice this is extremely rare. Atari programmers at COMPUTE! have been using this technique for many years without problems.

To save yourself the trouble of performing this POKE each time you boot your system, you can save the modified DOS on disk. After entering the POKE, type DOS. When the DOS menu appears, select option H, "Write DOS Files."

The new Atari DOS 2.5 disables

write-with-verify by default. It also lets you change this function without making any POKEs. Simply run the DOS 2.5 utility file SETUP.COM and select the option "Change System Configuration." This is safer than POKEing around in DOS, because a mistyped POKE command could mess up something.

#### **ProDOS Date And Time**

I have numerous books covering my Apple IIc and the ProDOS operating system, but nowhere have I been able to find out how to set the ProDOS date and time. Can you help me with this?

Stanley Moody

ProDOS keeps information about the current date and time in its System Global Page, a 256-byte block of memory starting at location 48896 (\$BF00). On an Apple He this information can be updated by a clock card. The Apple IIe User's Disk also has a utility to let you set these locations. The following program permits you to set date and time on the IIc.

- 99 10 REM SET TIME AND DATE
- 95 20 PRINT "TODAY'S DATE (MM/DD /YY) ->";: INPUT D\$ 6C 3Ø IF LEN (D\$) < > 8 THEN GOS
- UB 1000: GOTO 20
- 2A + 40 Y = VAL (MID\$ (D\$,7)) \* 2:M = VAL (MID\$ (D\$,1,2)):IF M > 12 THEN GOSUB 1000 : GOTO 20
- 68 5Ø IF M > 7 THEN Y = Y + 1:M = M - 8
- B3 55 D = VAL ( MID\$ (D\$,4,2)): IF D > 31 THEN GOSUB 1000: GOTO 20
- BC 60 D = D + M \* 32
- 92 70 POKE 49041, Y: POKE 49040, D
- 19 80 PRINT "TIME TO STAMP ON FI LES (HH/MM) ->";: INPUT T\$
- C9 9Ø IF LEN (T\$) < > 5 THEN GOS UB 1010: GOTO 80
- 4D 100 H = VAL ( MID\$ (T\$,1,2)): IF H > 24 THEN GOSUB 101 Ø: GOTO 8Ø
- EF 110 M = VAL ( MID\$ (T\$, 4, 2)): IF M > 59 THEN GOSUB 101 Ø: GOTO 8Ø
- 00 120 POKE 49043, H: POKE 49042,
- 8F 13Ø END
- CD 1000 PRINT "BAD FORMAT FOR DA TE": RETURN
- D2 1010 PRINT "BAD FORMAT FOR TI ME": RETURN

# You've Stumbled Into An Unknown Computer System. Now What?

Welcome To The Next Generation Of Home Computer Software.

"Plunge into every hacker's dream." -Rick Manning/Louisville Times

"Just like in real life, there are no rules, no clues, no instructions."

"... the most mysterious game ever."

—Rawson Stovall/"The Vid Kid"

"An open screen says 'logon please." That's it, no instructions." -Technology Notebook/Gannett News Service

Hacker<sup>™</sup>

TEMPTATION. To stumble into get to start with. somebody else's That's it. From computer system there, it's up to you. if you're clever enough and place you're really not sup smart enough, you could your computer. -David Greising/Technology Memo

What more can we say? Well, someone as clever and smart as you certainly wouldn't want any hints, right? So all we'll say is it was created by legendary designer, Steve Cartwright.



The Next Generation.

#### You can find Mindscape's The Halley Project at these fine stores:

Illinois (cont)

National Available at all Child World and Children's Palace Stores Federated Group Sears — Most larger stores Waldenbooks - Most locations

Alabama Software City Huntsville The Computer Shoppe

Alaska Computer Express Fairbanks

Arkansas The Computer Shoppe Little Rock

California California
Access to Software
San Francisco
Affordable Computer Systems
Santa Clara and San Jose Alamo Computer Center Alamo Electronic Components San Jose Applied Computer Skills Van Nuys

B. Dalton Software Etc. Concord, San Diego, Bakersfield, Torrance, Montclair, Northridge Books & Bytes Cypress
Boot's Camera Electronics
Fresno

Border Software Chulavista

Brown Knows Computer Redlands Candy Computer Elk Grove Computer Outlet San Diego

Computermart Diamond Bar Computertime Citrus Hts.

Computeratine Citrus Hts. Corporate Micro Services San Francisco Crown Book & Software Los Angeles, Santa Monica, Marina Del Rey, Studio City, Santa Ana, Redondo Beach, Hollywood, Glendale, Culver City, South Pasadena, Thousand Oaks, Torrance, Huntington Beach, Downey, Sherman Oaks, Encino, Long Beach, Palos Verdes, Northbridge, Pasadena, Westminster, Woodland Hills, Ventura, Lakewood Computer Generation Plantation Computers, Etc. Lakeland Discount Disks Shalimar Florida Micro Media Pompano Beach Games 'N Gadgets Clearwater, Jacksonville, Tallahassee, Orange Park Maxicat

Program Store Clearwater, Pinellas Park Lakewood Egghead Software Lawndale, Pasadena, Orange, Sherman Oaks, San Diego Software Cellar Fort Lauderdale Software Shops Brandon

Family Discount Computer Escondido Future Vision San Louis Obispo **Futurvision** 

H.T. Electronic, Inc. Home Computing Centers San Bruno, San Leandro Learning Tree Computer Santa Ana Sunnyvale Softwaire Centre Int'l Costa Mesa, Santa Ana

Softwaire Shoppe Huntington Beach Software First San Rafael and Santa Rosa Software Galeria Orange

Software House Fresno Software Service Center Tustin

Novato

Sysware San Diego

Colorado

Software Library Honolulu Software Solution Chico Idaho Software Galeria Software Solutions El Cerrito Software Station Costa Mesa

Colorado Computer Systems Westminster

Stokes Brothers, Inc. Boise Illinois ABC Diskette Software Supermarket Lawndale, Los Angeles, Sherman Oaks Asoftware Store Oaklawn Software World Redding Apprat Computers Arlington Heights Software, Etc. B. Dalton Software Etc. Chicago C02 Enterprises Chicago Citadel Computer Colorado Springs Colborn School Supply Co. Complete Computing Lombard

Colorado (cont) DMA Computer Solutions Colorado Springs Kazoo & Company

Denver

Software Center Concord

Connecticut

Crazy Eddie Norwalk

Kiddytown

Norwich

Petzold's Seymour

Danbury

Softown Inc.

Software City Stamford, Orange

Video Connection

Delaware Software Kingdom Dover

District of Columbia

Crown Book & Software (3 locations)

Bridgeport

Florida

Computer Chip Sarasota

Georgia Academic Software Roswell

Alpha Information Systems Fayetteville Cardinal Computers Dalton

Electronics Boutique Atlanta — Lenox Square, Cumberland Mall

Garnes 'N Gadgets Atlanta — North Lake Mall, Perimeter Mall

Software Atlanta Atlanta (2 locations)

Versatile Video Atlanta and Roswell

Computer Outpost Schaumburg

Software City Atlanta

Hawaii

Software Kingdom E. Hartford, E. Windsor

Danbury Video & Computer Danbury Derric Electronics Hamden

Norwalk Personal Computer Center

ComputerLand Niles Niles
Computerworld
Chicago
Crown Book & Software
Orland Park, Niles, Wheaton,
Evanston, Oaklawn, Oak Park,
Chicago, Skokie, Deerfeld,
Downers Grove, Highland
Park, Naperville, Hoffman
Estates, Arlington Heights,
Calumet City
Disk-N-Tech
Orland Park
Software & CADS

St. Loui
Montana
Colborn
Colborn
Compute
Century
Compute
Carsoni
Ca Connecticut Caldor West Norwalk, Old Saybrook, Enfield, Millord, W. Hartford, Vernon, Riverside, Norwalk, Brookfield, Tumbul, Mansfield, Norwich, Hamden, Waterbury, Manchester, Stamford, Wallingford, Avon, Rocky Hill, Ridgefield, Corrington, Branford, Bristol, Meddletown, Fairfield, Groton, New Britain, Derby, Southington F.D. Software & C.A.D.S. Roselle

Family Software Glendale Heights Software and Beyond Schaumburg Software City Arlington Heights Software Plus West Hanover Park Susie Software Mount Prospect

Indiana B. Dalton Software Etc. B. Dailon So. Indianapolis Burkat Computer Center South Bend Computer Corner Merrillville Microcomputer, Inc.

Kentucky Software Source Louisville The Computer Shoppe Louisville (2 locations) Videovisions Louisville

Louisiana B. Dalton Software Etc. New Orleans PFL Computer Center Monroe Software Mart Metairie

Maryland Buried Treasure Rockville Caldor Caldor Timonium, Baltimore, Severna Park, Ellicott City Crown Book & Software Wheaton, Columbia, Laurel, Kensington, Silver Springs, Bowie, Bethesda, Greenbelt, Gaithersburg, Annapolis, Rockville Rockville

Electronics Boutique Baltimore

Massachusetts Atlantic Computers Waltham Barnes & Noble Bookstore Boston Computer Concepts Hanover

Computer, Etc. Peabody Electronic Boutique Holyoke Softpro Burlington Software City West Springfield Software Galeria Boston The Whiz Westboro

Michigan Micro-World Livonia and Milford Vor-Tech Computer Center Pontiac

**Minnesota** B. Dalton Software Etc. Brooklyn Park, Minnetonka, Roseville, Edina, Minneapolis

Missouri Forsyth Computers St. Louis Missouri (cont) Software To Go St. Louis and Clayton

Montana Colhorn School Supply Co.

Century 23 Las Vegas Computer House Sparks Sparks Computer-Video-Electronic Carson City Software City Las Vegas

New Hampshire Caldor Bedford Micon Computer Londenderry Neba Computer Plaistow Portsmouth Computer Center Portsmouth Soft Spot Manchester

New Jersey Bamberger's Menlo Park, Cherry Hill, Paramus, Livingston, Wayne Eatontown, S. Plainfield, West Orange, Toms River, Watchung, Paramus, Morris Plain, Woodbridge, Brick Town, N. Brunswick, W. Paterson CIA Caldor CIA S. Plainfield Circuit Services Newton

Computer Pro's Wayne Computer Software Ocean Crazy Eddie Paramus, E. Brunswick, Union, Totawa, Woodbridge Disk-of-the-Month Club Fair Lawn

Prince Range

Bloomfield Village Computer Center Cedar Knolls

Wayne Software Wayne

Livingston
Program Store
Eatontown and Wayne

Electronics Boutique Voohrhees, Rockaway, Woodbridge Family Computer Centres Fairfield, South Orange Gemini Enterprises Cedar Knolls Golden Hedge Inc. Cherry Hill Igor Software Teaneck Kearny Electronics Kearny

Games 'N Gadgets Columbia, Baltimore (White Marsh Mall, Security Square Mall, Eastern Ave.) Greetings and Readings Towson

Softec Newton Boston
Caldor
Chelmsford, Westborough,
Swansea, Pembroke,
Westfield, Auburn, Malden,
Norwell, Brockton, Canton,
Brighton, Jaunton, Salem,
Chicopee, Stoneham,
Springfield, Framingham,
Northampton, Worcester,
Weymouth, Saugus, Methuen,
Burlington
Computer Concepts Software Station Morristown and Rockaway Video Dynamics Ridgewood Videomania/Computers Plus

Wolsten's Inc. East Orange New Mexico Academy Computer Albuquerque B. Dalton Software Etc. Albuquerque Colborn School Supply Co. Albuquerque

New York 17 Software Street Vailsgate 45th Electro New York 47th St. Photo, Inc. New York (3 locations) Advanced Camera New York Annex Outlet New York Barnes & Noble Bookstore New York (2 locations)

New York (cont) B. Daiton Software Etc. Yonkers and New York Yonkers and New York Big L Electronics W. Hempstead, W. Babylon, Syosset, New Hyde Park, Patchogue Binary Orchard Inc. Hamburg, West Seneca Broadway Computers New York

Broadway Computers
New York
Byte Shop
Merrick
Caldor
Lake Ronkonk, East Patchogue,
Wappingers Palls, Riverhead,
Rocky Point, Bridgehampton,
Valis Gate, Glens Falls, Kingston,
Middletown, Latham, Mahopac,
Bedford Hills, Albany, Vorktown
Heights, Peekskill, Pelham
Manor, Schenectady, Namuet,
White Plains, Yonkers,
Newburgh, Port Chester,
Poughkeepsie, W. Batylon,
Levittown, Coram, Clifton Park
CIA Software
Flushing
Computer Discount of America
Huntington

Huntington Computer Software Plus Brooklyn Computer Tech. Brooklyn

Computerware East Meadow Computerworld Bayshore Crazy Eddie Nesconset, Mass, New York, Syosset, Elmhurst, Brooklyn, Carle Place, Hartsdale, Bronx, Nanuet East 33rd Typewriter New York

Electronic Man New York Electronics Boutique Albany Executive Photo & Supply New York Focus Electronic Brooklyn (2 locations) Four Guys New York

Garnes 'N Gadgets Garden City, Huntington, Nanuet Fairfield, South Grange Games 'N Gadgets Livingston, Burlington, Wayne Glossy Photo New York Great American Software Flushing Home Software Albany Intercontinental Flushing Island Video & Computer

Coram J&R Computer Outlet New York J&S Electronic New York Leigh's Computers, Inc. New York Newton Leigh's CC Software City New York Redbank, Limwood, Ridgefield, Lloyd's Summit, Teaneck, Bergenfield, New York Parsippany, Limwood Lloyd Cor Software Spectrum New York North Plainfield London Li

Lloyd Corner New York London Luggage New York Micro Co. New York Micro Electronics Valley Stream Montgomery Grant New York Park Avenue Video New York Photo Sound New York Programs Plus Brentwood Quartz Electronics New York

Quo Vadis Ridgewood Show & Tell Video Bayshore Softwaire Centre Forest Hills Forest fills
Software City
Mount Kisco, Syracuse,
Wappinger Falls, Brooklyn,
Flushing, Tonawanda,
Spring Valley
Software Link
White Plains Software Seller Harrison Staten Island Software Staten Island Sysut-I, Inc. Brooklyn

Thruway Market Walden

New York (cont) Wall Street Camera New York Willoughby's New York World Trade Bayside

North Carolina Byte Shop Greensboro Games 'N Gadgets Raleigh Oasis Software Wilmington

North Dakota Colborn School Supply Co. Grand Forks Software House Fargo

Ohio Abby's Software Fairborn B. Dalton Software Etc. Columbus Big Bytes Computers Poland Computers Plus of Ohio Mansfield Disk Drive Toledo Electronic Connexion Kettering Electronic One Columbus Games 'N Gadgets N. Randall Magic One Computer Barberton Microwave Magic Fairfield North Coast Programming Willoughby and Solon Program Store Columbus

Software and More Cincinnati

Sylvan Enterprises Cincinnati

Video Computer World

Software City Columbus Swallens Cincinnati

Oregon Video H.Q. Cleveland Oklahoma Computer Software Center Oklahoma City Home Software Tulsa and Oklahoma City Videocomp

Lawton Oregon At Computers Klamath Falls Egghead Software Beaverton Link Three, Inc. Beaverton Software Galeria Beaverton

Pennsylvania B. Dalton Software B. Danon Monroeville Bamberger's Whitehall, King of Prussia Black Sun Emmause De Re Computers Harrisburg
Electronics Boutique
Langhorne, King of Prussia,
Whitehall, Exton Floppy Disk Mechanicsburg Games 'N Gadgets Lancaster, West Mifflin, King of Prussia, Media, Philadelphia

Rhode Island Caldor Woonsocket, Warwick, Lincoln Future Images Woonsocket Software Connections Warwick

South Carolina Horizon Commodore Super Store Greenville (2 locations) Software Solutions Charleston

Tennessee Games 'N Gadgets Memphis

Tennessee Inacomp Brentwootl Software Store Memphis The Computer Shoppe Nashville, Knoxville, Memphis, Chattanooga, Madison Texas B. Dalton Software Etc.

Houston Babbages Dallas, Houston, Plano, Mesquite, Fort Worth, Irving, Hurst Casa Computer Lubbock Compurite Houston (2 locations) Computer City San Antonio Computer Experience San Antonio The Computer Store
San Angelo
Data Pro Computer Center
Wichita Falls Edu-Tron Fort Worth Floppy Wizard Houston Frisco Electronics San Antonio, Austin Home Software Friendswood National Video Austin Austin (4 locations) Software & Things Austin Software Store San Antonio Videoland

All locations Utah Software Center Salt Lake City Software Hut Salt Lake City Stokes Brothers, Inc. Salt Lake City, West Valley, Orem, Ogden, Layton

Virginia Virginia
Computer Works
Petersburg
Crown Book & Software
Alexandria, Woodbridge,
Reston, Springfield, Vienna,
Manassas, Molean, Falls
Church, Fairfax Family Computer Center Fairfax Games 'N Gadgets Hampton, Virginia Beach

L&Y Electronics Woodbridge Next Generation Computer Williamsburg Program Store Falls Church Software Central Norfolk Software Mart Springfield Softwarecenter, Inc. Vienna

Washington Butler's T.V. and Computer Service Federal Way Egghead Software Tukwila, Bellevue Nibbles and Bites Tacoma

University Bookstore Blacksburg

Wisconsin Computer Software Center Milwaukee Computer Warehouse Milwaukee Romeyn Software Janesville Software Source Brookfield TMW Software Wausau

Wyoming Colborn's of Wyoming Casper

Compusoftware Vancouver, BC

Note: Not all formats available at all locations.



# Just tell your friends you're going on a very long trip.

Kiss your earthbound buddies goodbye and travel the solar system in the most exciting space program ever envisioned.

The Halley Project: A Mission In Our Solar System™ is history's first real-time space simulation. Its challenge provides out-of-this-world stimulation.

Lightweight space jockeys need not apply, this one's for qualified star pilots. A rigorous ten-mission training program will test your knowledge and skill as you navigate

by the stars from planet to planet.
Complete all ten missions and be invited to face the ultimate challenge: the incredible secret eleventh mission.
So take off to a software dealer and join an elite group of space explorers. As for your chums, tell them you'll wave as you fly over.

Mindscape
Software that challenges the Pmind.



The Halley Project is available on: Apple," Atari\* and Commodore.

#### Hi-Res Characters On The 64

I have written a program that draws charts and graphs on the Commodore 64's high-resolution screen, but have trouble putting numbers and letters on the screen. Plotting every character pixel by pixel takes much too long. Is there any easy way to do this?

Sean Wood

One solution is to copy the character definitions directly from the ROM (Read Only Memory) character set into the bitmap. The following program demonstrates the technique. Lines 10-30 enter hi-res mode, lines 100-180 contain the character plotting routine, and line 40 shows how to call the routine. Define the message you want to print as A\$. Variables X and Y determine the row and column where printing begins. Keep X within the range 0-39 and Y in the range 0-24. DX controls the direction of printing. If DX = 1, the string prints from left to right; if DX=40, it prints from top to bottom. Other values can be used to print diagonally, from bottom to top, and so on. BK and CH set the background color and character color, respectively. After these variables are defined, GOSUB 100 puts the string on the screen.

Another solution is to look up the article "64 Multicolor Graphics Made Easy" in the October issue of COMPUTE!. It includes a program called "Color Plotter 64" that adds 14 commands to Commodore BASIC for drawing multicolor hi-res graphics and text.

- 10 POKE53265, PEEK(53265)OR32
- 20 POKE 53272, PEEK(53272) OR8: PRINT "{CLR}"
- 30 BASE=8192:FORA=BASETOBASE+8 192:POKEA, Ø:NEXT:REM CLEAR {SPACE}HIRES SCREEN
- 4Ø A\$="ABCDEFGHIJKLMNOPQRSTUVW XYZ1234567890":X=0:Y=0:DX=1 :BK=1:CH=6:GOSUB100
- 5Ø WAIT198,1:POKE53272,21:POKE 53265,27:PRINT"{CLR}":END
- 100 S=X\*8+Y\*320+BASE:D=1024+X+ 40\*Y
- 120 IF B>63 AND B<96 THEN B=B-64:GOTO 140
- 13Ø IF B>95 THEN B=B-32
- 140 C=B\*8+53248:POKE56334,0:PO KE1,51:POKED,BK+16\*CH
- 150 FORQ=0TO7: POKES+Q, PEEK(C+Q): NEXT
- 160 POKE1,55: POKE56334,1
- 17Ø S=S+DX\*8:D=D+DX:NEXT
- 180 RETURN

#### **Commodore Screen Splitting**

Is there any way to split the Commodore 64's screen between multicolor bitmapping on the top and uppercase text on the bottom?

Brian Sullivan

The picture on your TV or monitor is composed of many horizontal lines called raster lines. The 64 permits you to set up an interrupt at any raster line. When the computer reaches that line, it stops what it's doing and performs a special machine language routine (which you must have prepared in advance). This technique, known as raster interrupt programming, is covered thoroughly in COMPUTE!'s First Book Of Commodore 64 and Mapping The 64. Here's a program that puts a multicolor bitmap display at the top of the screen and uppercase text at the bottom. POKE location 2 with the number of the raster line where you want the change to occur (only lines 50-249 are visible on the

- 10 FORA=828TO913:READB:POKEA,B
  :C=C+B:NEXT:IFC<>9673THENPR
  INT"{CLR}DATA ERROR":STOP
- 15 SYS828
- 20 DATA 120,169,88,141,20,3,16 9,3,141,21
- 3Ø DATA 3,169,1,141,26,208,169,27,141,17
- 40 DATA 208,88,169,127,141,13, 220,96,169,1
- 50 DATA 141,25,208,162,59,160, 216,173,18,208
- 60 DATA 197,2,176,9,169,29,141 ,24,208,165
- 70 DATA 2,208,11,162,27,160,20 0,169,21,141
- 80 DATA 24,208,169,0,142,17,20
- 8,140,22,208 90 DATA 141,18,208,173,13,220, 41,1,240,3
- 100 DATA 76,49,234,76,188,254

#### **Commodore Countdown**

I am writing a Commodore program and want to add a timer that counts down in minutes and seconds. My problem is that when the timer reaches 0 it flips to 99 instead of 59. Can you help?

Chaiyos Gosolsatit

In many cases it's easiest to treat time as seconds rather than minutes and seconds. Then you have only one number to worry about. When you need to display the time, convert the number of seconds into appropriate minute and second values. For instance, if TM represents the number of seconds, the statements MN = INT (TM/60) and SE = TM - 60\*INT (TM/60) calculate the minutes and seconds, respectively.

The following routine demonstrates a simple countdown timer that should work on any Commodore computer. Line 10 sets the computer's internal clock to 000000. The reserved variable TI\$ returns the time (in hours/minutes/seconds format) elapsed since reset. As shown, the example provides a countdown of three minutes (180 seconds). To modify this, change the value of SS (line 10) to the desired number of seconds.

10 TI\$="000000":SS=180

20 T\$=TI\$:TM=SS-(VAL(MID\$(T\$,3,2))\*60+VAL(MID\$(T\$,5,2)))

30 MN=INT(TM/60):SE=TM-MN\*60 40 PRINT"{HOME}"MN"{LEFT}"SE" {LEFT} ":GOTO20

#### Atari Cartridge Dilemma Solved

Like many other Atari owners, after suffering from the bugs in revision B BASIC, I ordered the new revision C BASIC cartridge for my 800XL. However, with the BASIC cartridge in place I can't use the Monkey Wrench II cartridge (a useful BASIC editing aid). My solution is this program, which copies the old BASIC from ROM into underlying RAM with a fast machine language routine, then changes rev B into rev C (only 12 bytes are different). This program runs so fast that it's almost as convenient as plugging in a cartridge, and now I can use my editing cartridge along with the new BASIC. Pressing RESET switches ROM BASIC back in; enter POKE 54017,255 to go back to rev C BASIC in RAM.

- 1 FOR I=0 TO 43:READ A:PO KE 16384+I,A:NEXT I:A=U SR(16384)
- 2 DATA 104,169,0,133,203, 169,160,133,204,162,32, 160,0,177,203,72
- 3 DATA 169,255,141,1,211, 104,145,203,169,253,141 ,1,211,136,208,237
- 4 DATA 230,204,202,48,6,2 ØB,230,160,0,208,226,96
- 5 FOR J=1 TO 13:READ A,B: POKE A,B:NEXT J
- 6 DATA 54017,255,43231,23 4,43232,240,43233,17 7 DATA 43234,234,47913,0,
- 49139, Ø, 4914Ø, Ø, 49141, Ø B DATA 49142, Ø, 49143, Ø, 49
- 144,0,49145,0
  9 PRINT "BASIC VERSION C
  ACTIVATED":PRINT "POKE
  54017,255 TO REACTIVATE

Gregory Latta

Thanks for the program, which should prove useful to Atari owners who wish to use other cartridges with the new BASIC. The revision B bugs, found in the BASIC built into the 600XL and 800XL, are familiar to many Atari users by now. See Bill Wilkinson's "INSIGHT: Atari" column in June 1985 COMPUTE! for a demonstration of the bug that mangles strings. To demonstrate the bug that adds 16 bytes to a program when you load it, run the program above, then enter POKE 54017,253 (or press RESET) to switch the ROM BASIC back in. Now type in and run the following program (a disk drive is required):

1 ? "PROGRAM ENDS AT ";PE EK(140)+256\*PEEK(141):? "# OF BYTES FREE ";FRE (0)

# Choose the SAT ram with less nanua

The idea behind choosing a computerized SAT program over a manual is to save you from piles of paperwork. But surprisingly, two of the best-known programs come with big, fat manuals

and only 2 or 3 double-sided disks.

When that much information is put into the manual, what's left to put into the computer?

Why not buy a computer program that's really a computer program? Buy The Perfect Score from Mindscape for iust \$69.95.\*

It has 6 double-sided disks and a real skinny manual. It even has printout capability and a continuous on-screen clock. All this makes The Perfect Score more computerized

than those others.

Now, if this cold logic fails to convince you, perhaps an emotional appeal to your sense of patriotism and social consciousness will. Your choice is this. Either you buy their SAT, which kills innocent trees to make all that paper. Or you

buy our SAT with 6 disks and Save America's Trees.

The Perfect Score, \$69.95, from Mindscape

The Perfect Score

2 SAVE "D:EXPANDER": IF PE EK(53279)<>6 THEN RUN " D:EXPANDER"

The program saves, reloads and runs itself over and over, growing 16 bytes longer every time when rev B BASIC is present. Press the START key when you've seen enough. Now enter POKE 54017,255 (to switch in rev C BASIC), then run it again to confirm that it saves and reloads without changing in size.

#### **Atari ML Addresses**

I own an Atari 800XL and was interested in the "Commodore ML Addresses" program in "Readers' Feedback," September 1985. Do you have a program for Atari computers that finds the starting and ending addresses of machine language programs on disk and tape?

Adam Mercadante

This program prints the starting and ending addresses of most machine language files. Be sure to include the C: prefix (for tape) or D: prefix (for disk) when entering the filename.

10 DIM A\$(14)
20 PRINT "ENTER FILENAME
 (INCLUDE C: OR D:)":IN
 PUT A\$
30 OPEN #1,4,0,A\$:GET #1,
 A:GET #1,A
40 GET #1,SLB:GET #1,SHB
50 GET #1,ELB:GET #1,EHB
60 PRINT "START ADDRESS =
 ";SLB+256\*SHB
70 PRINT " END ADDRESS =
 ";ELB+256\*EHB
80 CLOSE #1

#### **IBM** Compatible Coverage

Now that the PCjr has died, I begin to worry anew about what little support and information has been forthcoming for the IBM-compatible home computers. (I define that as an MS-DOS-based 8088 chip computer which can be purchased for less than an Apple IIe system.) So far I have been able to run all the PCjr programs in COMPUTE! on my Tandy 1000. And all the programs in your book Easy BASIC Programs for the IBM PC and PCjr run beautifully on my Tandy. I recently bought your machine language book for the PCjr and have not run into problems yet. But now I fear for the future of those books; you might be tempted to pull them off the shelves before they even become available. Please don't. I appeal to your business sense to broaden the spectrum of your coverage and pay some attention to the market so strikingly similar to the IBM market you already cover. Why not change your PCjr coverage into PC/MS-DOS coverage? This surely requires only a minimum of effort and I

think it will pay off.

Christopher L. Herd

Our home-oriented IBM coverage in COM-PUTE! already is directed toward compatibles as well as both the PC and PCjr. If your "IBM-compatible" computer is truly compatible, it should run the programs we publish for the PC and PCjr without modifications—as your experience with the Tandy 1000 bears out. The Tandy has proven to be highly compatible with IBM computers. But not all so-called compatibles are created equal. If a program doesn't run, there's almost certainly a slight compatibility problem with your computer, BASIC, or DOS. Since there are dozens of IBM compatibles on the market, it isn't practical for us to test every program on every system. Instead, we design the programs to work on what is considered the common denominator in the IBM-compatible world—the IBM PC itself.

#### Commodore ML Keyboard Input

I'm writing a Commodore 64 machine language program that requires input from the keyboard to be printed on the screen. Neither the CHRIN routine (\$FFCF) nor GETIN (\$FFE4) seem to work properly, and after several weeks of work I'm stumped. The bug in question occurs only when I call the CHROUT routine with JSR \$FFD2. When I JSR to \$F1CA (the address \$FFD2 jumps to), my program works fine. What's the difference between calling CHROUT at \$F1CA instead of \$FFD2?

Jerry Ford

Under normal circumstances it makes no difference which address you use. Since the Kernal call at \$FFD2 simply performs JMP (\$0326) to get to \$F1CA, the result is the same unless you've disturbed the vector at \$0326-0327. We can't debug your program without seeing the code, but you should know that CHRIN and GETIN handle keyboard input quite differently. Here are two brief examples that do the job you describe and show how the two routines differ. You'll need a machine language assembler to type them in (the comments are optional).

LDX #0 ;Set counter STX TEMP ;at zero. LINE ;Input line/char. JSR \$FFCF RETURN CMP #13 character **BEO EXIT** :terminates. STORE LDX TEMP ;Get counter. STA BUFFER,X INC TEMP ;Store char. ;Bump counter. **BNE LINE** ;Always branch. EXIT RTS TEMP .BYTE 0

BUFFER = '

This routine puts the input string in memory starting at BUFFER and records its length in the variable TEMP. The code may look confusing unless you understand that CHRIN performs two different functions depending on when it's called. The first time you call CHRIN, the computer simply lets you enter a logical line (up to two screen lines). It displays a blinking cursor and allows you to type on the screen, waiting until you press RETURN. When CHRIN terminates, the accumulator holds the first character from the input line. At this point, the routine falls through to STORE to put the first character in BUFFER. BNE LINE goes back to do another JSR \$FFCF, but this time CHRIN doesn't input a line. Instead it puts the second character in the accumulator. Subsequent calls to CHRIN retrieve the remaining characters, so the routine keeps storing and branching back until a carriage return appears. Calling CHRIN after the whole input line has been retrieved starts the process over again.

LDX #0 STX TEMP GETIT JSR \$FFE4 ;Get character. BEQ GETIT ;Ignore nulls. CMP #13 **BEQ EXIT ISR \$FFD2** LDX TEMP STA BUF-FER,X INC TEMP **BNE GETIT** RTS TEMP .BYTE 0 BUFFER = \*

GETIN does nothing but pull a character from the keyboard buffer and return it in the accumulator. Thus, if you want a cursor or editing keys, your program must provide them (we don't have space for a complete example here).

At first, CHRIN seems more useful than GETIN because it provides so many features (cursor, editing keys, etc.) automatically. But you pay a price for all that convenience. The first call to CHRIN traps you in the ROM routine until RE-TURN is pressed. If you type only what the program expects, all is well. But there's nothing to prevent a user from moving the cursor to the wrong line, clearing or scrolling the screen, typing graphics garbage rather than letters, or wreaking other sorts of havoc. To avoid such problems, it's often preferable to write a custom input routine with GETIN, adding code to handle editing keys, screening out unwanted characters, and displaying a cursor. The commented source code in SpeedScript: The Word Processor for the Commodore 64 and VIC-20 (published by COMPUTE! Books) includes two fairly elaborate keyboard routines built around GETIN.

#### COMPUTE! FOR CHRISTMAS.

Give a gift subscription to Compute! and you'll be giving a lot more than just another computer magazine. That's because Compute! comes complete with over 20 FREE programs in each big issue.

Send Compute! today and your gift recipient can depend on a steady supply of high quality fun-filled programs like Cash Flow Manager, Speed Ski, Turtle Pilot, Boggler, Text Plot, Retirement Planner and hundreds of other educational, home finance, and game programs the entire family can use all year long.

The free programs alone are worth much more than the low holiday gift subscription price. But there's much more to *Compute!* than just free programs.

Compute!'s superb editorial delivers the latest inside word on everything from printers

to interfaces...joy sticks to disc drives.

And our up-to-the-minute software reviews are "must reading" for any home user.

So whether that "certain someone" is a novice or an experienced user, Compute! makes a great stocking stuffer. Especially when you can give twelve big issues for just \$18...that's 25% off the regular subscription rate... less than 8¢ per program.

Compute! It's the perfect holiday gift. Give a subscription today by returning the attached subscription card... or by calling 1-800-247-GIFT.

COMPUTE!

MAGAZINE

STUFF THEIR
STOCKINGS WITH
HUNDREDS OF NEW
PROGRAMS FOR JUST
PENNIES APIECE...

WITH A GIFT SUBSCRIPTION TO COMPUTE!

To Order, Call Toll-Free 1-800-247-GIFT

In Iowa Call 1-800-532-1272

# rends in Telecomputing

If you're a telecomputing enthusiast, how would you like to dial all the long-distance calls you want for only a modest monthly fee? Or access an online information service with color graphics for pennies a day? These and similar experiments may soon boost personal telecomputing to new heights of popularity.

any companies are betting that telecommunications holds the key to the future of personal computing. Some of these companies are now experimenting with innovative ideas and lower prices.

For example, when you log onto an electronic bulletin board or online information service, minutes have traditionally been measured in dollars and cents. In effect, a meter is running for every moment you spend on the long-distance telephone line or carrier systems such as Telenet, Tymnet, and Uninet.

But now one of those carriers, GTE Telenet, is experimenting in a dozen major cities with a system that could drastically change the telecomputing landscape. For the first time, people in those cities will be able to call bulletin boards, other computer users, and noncommercial databases over the Telenet system for a flat monthly fee of \$25. Without flat-rate billing, many telecomputing fans can amass \$25 in charges in just one evening. The new service is called PC Pursuit.

There are limits to this experiment, however. PC Pursuit is available only during evenings and weekends, and cannot be used to access the commercial online services which have direct links with Telenet, such as CompuServe, The Source, Dow Jones, and others. Those systems have their own hourly rates which include access through Telenet and other long-distance carriers.

Still, PC Pursuit is a significant development for those who frequently call local bulletin boards and fellow computerists. The experiment is now under way in Atlanta, Boston, Chicago, Dallas, Denver, Detroit, Houston, Los Angeles, New York, Philadelphia, San Francisco, and Washington, D.C. Whether or not PC Pursuit expands into a national service depends on how much interest is generated.

#### **Measuring Demand**

"We've seen this as a need, but whether the potential market is great enough, we weren't sure—we still aren't totally sure," says Claudia Houston, a GTE Telenet spokesperson. "We're the first ones to have done this, so there's no proof."

Telenet's primary business is not the evening and weekend access which it makes available to consumers, Houston says. "The reason we're able to offer a rate like this is because we have the Telenet data network in place, a major value-added network service supplying business customers during the day. We're able to handle a billion packets of data a month, equivalent to about 28 million typed pages. So when business closes up at the end of the day, there's plenty of room for other uses."

To use PC Pursuit, you first call the local Telenet number, then enter your name and phone number. Next you enter the name of the city you're calling and the phone number, then hang up. PC Pursuit makes the contacts and calls you back with the connection already established. The service prevents illegal use of the long-distance network for voice connection. Each month, PC Pursuit customers are billed automatically on their Visa or MasterCard accounts.

GTE Telenet is eager to hear

from people who are interested in PC Pursuit, even if you don't live in one of the 12 cities involved in the experiment. A toll-free bulletin board has been set up to distribute more information, and you can also leave a private message about PC Pursuit for Telenet's ongoing market research. The bulletin board number is 1-800-835-3001. For voice phone inquiries between 8 a.m. and 5 p.m. Eastern time, call 1-800-368-4215.

If PC Pursuit catches on, it can be easily extended to other metropolitan areas, Houston adds. In one form or another, the idea behind PC Pursuit will eventually be established, agree observers: easier, cheaper access for nonbusiness personal telecomputing.

#### The Quantum Connection

People who use computers at home are beginning to wake up to the possibilities of telecommunications, says Owen Davies, co-editor of The Omni Online Database Directory, an annual compendium of more than a thousand electronic databases. Business people may now make up the bulk of the traffic, but individuals are finding new applications almost every day. Davies, who closely watches the telecomputing field, has seen plenty of growth during the past year: new online databases in many different areas of interest, easier access for home users, and telecomputing software that's simpler to learn.

Another innovative experiment is QuantumLink, a new telecommunications network to be operated jointly by Commodore International and Control Video Corporation. The official launch date for QuantumLink was scheduled for October 1, although testing has been going on for several months.

"What we'll be doing, initially for the Commodore 64 and 128, is offering a set of services, mostly on a flat-fee basis for \$9.95 a month," says Stephen Case, vice president of marketing for Quantum Computer Services. QuantumLink's offerings will include previews of commercial software that can be downloaded, bulletin boards, a computer information center, news, teleshopping, and interactive telegaming with full-color graphics, says Case. "The \$9.95 a month includes communications charges for some of the services—like the encyclopedia, for example. You can use it [Grolier's American Academic Encyclopedia all you want and there's no extra charge."

Some services, such as software downloading and the Chat feature—an interactive online conversation—cost an extra six cents a minute. QuantumLink can be accessed through the Uninet carrier network.

Computer owners who register for QuantumLink before the end of 1985 will get Quantum's special terminal software without charge plus a free month of access. After January 1, the signup fee will be \$25, says Case. The special software is necessary because QuantumLink has a graphics interface similar to that of the Macintosh, and telegames such as chess, backgammon, and hangman—which feature full-color graphics and sound—are stored on the disk. (To register online for a free trial, call 1-800-833-9400.)

#### Online Previews

Commercial programs are not the only products that can now be previewed online. On CompuServe, science fiction fans can read chapters from new books published by Baen Books. There's no charge other than the usual CompuServe connect fees. CompuServe subscribers can reach the Science Fiction and Fantasy Forum by typing GO HOM 29. Baen Books is currently in the forum's Data Library 3 (although that may change by the time you read this). To enter that library, type DL3 and hit RETURN or EN-TER. Then type BRO to browse through the various filenames. Subcommands let you retrieve and read a file. You can even comment on what you've read by leaving a message for Baen Books via its CompuServe user number: 70307,541.

The Baen Books files can be read, copied, and distributed freely, as long as they aren't altered or sold. Local bulletin boards can retrieve the files from CompuServe and offer them to their members without charge.

These experiments and others are changing the ways in which people use their personal computers. In two particular areas—immediate acquisition of information and communication among like-minded individuals—telecomputing is becoming easier every day, says Matthew Lesko, an authority on the use of electronic databases and president of Information U.S.A., a database information company.

"Now I can hook up my computer terminal and be on the floor of the stock market even 5,000 miles away. That's a wonderful application."

Immediate communication among members of different professions has already become a commonplace event, reaping extraordinary results, Lesko adds. "It's like-minded people communicating, getting together and talking. It's how our society takes leaps and bounds."



Ben's Mom also bought Bowater's 500 sheet package of computer paper with a FREE Christmas Window Ornament that looks like stain glass. She knows Bowater gives her family **MORE** than just computer paper.

Ask for Bowater Computer Forms at your local office supply, computer dealer, discount or specialty department store. Or, call us and we'll help you locate the Bowater dealer nearest you.

Bowater *Paper & Files* come in 500, 1000, and 2900 sheet packages in 9½x11 - 20# bond computer paper.

Bowater Better Image brand with Christmas Window Ornament comes in 500 and 1000 sheet packages of 91/2x11 20# bond computer paper.





800/527-3412 outside Texas • 214/578-2000 P. O. Box 869020 • Plano, TX 75086-9020

#### An Overview Of

#### Telecommunications Software

The following chart contains information on a variety of telecommunications programs for several different computer systems. There are hundreds more available, but we have limited this guide to software in the under-\$100 price range.

Choose carefully when shopping for a terminal program. The most expensive, multifeatured modem is helpless without adequate software.

Data for this guide was supplied by .MENU—The International Software Database Corporation. For further information and ordering, contact .MENU, 1520 South College Avenue, Fort Collins, CO 80524. Call toll-free 1-800-THE-MENU or 303-482-5000 (in Colorado or outside the U.S.). Telex ISD 454590. When ordering, please use the International Standard Program Number (ISPN).

Product	Price	ISPN	Publisher/ Vendor	Systems	Description
Apple Sourcelink	\$29.95	74737- 0500	Source Telecomputing Corp.	Apple II, II+, IIc, IIe	Communications software designed to supplement use of The Source
ASCII Express II	\$59.95	75100- 2100	Roger Wagner Publishing	Apple II, II+, IIe	
Basic Terminal	Cassette \$14.95	17512- 0600	Practicorp International	VIC-20	Allows the user with either a plug-in modem or RS- 232/modem combination to communicate with a remote time-sharing system
BITS (Basic Interactive Terminal Software)	\$54.95	73612- 1000	Software Sorcery	Apple II+, IIc, IIe	
Busiterm	\$59.95		Skyles Electric Works	Commodore 64	
CHAT	\$40	45537- 1000	Lovells	Apple II, II+	
COMMTALK Ver. 2	\$89.95	29393- 1000	Enhanced Technology Assoc.	IBM PC	Has automated communication and information retrieval
Copylink PC	\$99.95	84616- 1000	U.S. Digital Corp.	IBM PC	
Copylink Ver. 2.41	\$99.95	83208- 2000	U.S. Digital Corp.	Apple II, IBM PC	
CW/Term Ver. 1.0	\$60	13300- 0500	The Code Works	IBM PC	
Data Capture IIe	\$90	74850- 1100	Southeastern Software	Apple IIc, IIe	
Data Capture Ver. 5.0	\$90	74850- 1050	Southeastern Software	Apple II, II+	
Data Express	\$75	50500- 0970	Microlab Inc.	Apple II, II+, IIc, IIe	Has an unattended answer mode
Datalink	\$99.95	44850- 2000	Link Systems	Apple II, II+, IBM PC	
Datalink (enhanced version)	\$99.95 \$175.00	44850- 2500	Link Systems	Apple II, II+, IBM PC	
Direct.Connect	\$95	25975- 1000	Direct.Aid	IBM PC	
Dow Jones Spreadsheet Link	\$99	26725- 4000	Dow Jones & Company Inc.	Apple II, II+, IIe, Macintosh, IBM PC	Download information from Dow Jones News/Retrieval directly into a spreadsheet template set up for analysis
Dow Jones Straight Talk	\$95	26725- 4250	Dow Jones & Company Inc.	Mac	Designed to help the user obtain, store, and organize information from Dow Jones News/Retrieval
Flex-I-Term	\$95.95	70675- 2000	Source View Corp.	Apple II, II+, IIe	
Genterm Ver. 2.60	\$79.95	37600- 1000	Information Analysis Sys. Corp.	IBM PC	Asynchronous communications system with optional terminal evaluation
Habacom	\$69.95	33987- 0500	Haba Systems Inc.	Mac	
Hello Central	\$99.95	67731- 2700	Howard W. Sams and Company Inc.	Apple II	
Home Connection	\$49.95		Penguin Software	Apple II	
HomePak	\$49.95	07075-295	Batteries Included	Commodore 64	Integrated telecommunications-database-word processor




#### MacTalk: Telecomputing on the Macintosh

Sheldon Leemon Arlan Levitan

A complete guide to telecomputing on the Macintosh from choosing a modem and software to accessing information services and electronic bulletin boards.

\$14.95 ISBN 0-942386-85-X




#### COMPUTE!'s Telecomputing on the IBM

Arlan R. Levitan Sheldon Leemon

The ins and outs of telecomputing on the IBM PC or PCjr, selecting a modem and evaluating terminal software, how to go online with the major information services.

\$14.95 ISBN 0-942386-96-5






#### COMPUTE!'s Telecomputing on the Commodore 64 Edited

Introduces readers to telecommunications, with sections on buying and using modems, accessing information services and bulletin boards, and uploading and downloading files. There is also a disk available which includes the programs in the book.

\$12.95 ISBN 0-87455-009-2



Telecomputing lets you call up computers around the world through a network of telephone lines.

To get you started in telecomputing, COMPUTE! Books offers you five top-selling books. Written for the Apple II-series, Commodore 64, IBM PC and PCjr, and Macintosh, the books give you all the information you need, from selecting software to dialing large databases.


To order your complete guide to telecomputing, give us a call. In the U.S., call toll free 800-334-0868 (North Carolina residents call 919-275-9809).

#### COMPUTE!'s Personal Telecomputing

Don Stoner

This comprehensive general guide to the world of telecomputing shows how to access databases, receive software, and communicate with others using a personal computer.

\$12.95 ISBN 0-942386-47-7




#### COMPUTE!'s Guide to Telecomputing on the Apple

Thomas E. Enright Joan Nickerson Anne Wayman


An informative, easy-to-understand guide to telecomputing on the Apple: covers everything from selecting hardware and software to accessing large databases.

\$9.95 ISBN 0-942386-98-1





COMPUTEI books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN, England.



# SOME HISTORIC BREAKTHROUGHS DON'T TAKE AS MUCH EXPLAINING AS COMPUSERVE.

But then, some historic breakthroughs could only take you from the cave to the tar pits and back again.

CompuServe, on the other hand, makes a considerably more civilized contribution to your life.

It turns that marvel of the 20th century, the personal computer, into something useful.

Unlike most personal computer products you read about, CompuServe is an information service. It isn't software. It isn't

hardware. And you don't even have to know a thing about programming to use it. You subscribe to CompuServe—and 24 hours a day, 7 days a week, it puts a universe of information, entertainment and communications right at your fingertips.

A few of the hundreds of things you can do with CompuServe.

#### COMMUNICATE

**EasyPlex™** Electronic Mail lets even beginners compose, edit, send and file messages the first time they get online. It puts friends, relatives and

business associates—anywhere in the country—in constant, convenient touch.

**CB Simulator** features 72 channels for "talking" with thousands of other enthusiastic subscribers throughout the country and Canada. The chatter

is frequently hilarious, the "handles" unforgettable, and the friendships hard and fast.

More than 100 Forums welcome your participation in "discussions" on all sorts of topics. There are Forums for computer owners,

gourmet cooks, veterinarians, pilots, golfers, musicians, you name it! Also, Electronic Conferencing lets businesses put heads together without anyone having to leave the shop.

**Bulletin Boards** let you "post" messages where thousands will see them. You can use our National Bulletin Board or the specialized Bulletin Boards found in just about every Forum.

#### HAVE FUN

Our full range of games includes "You Guessed It!", the first online TV-style game show you play for real prizes; and MegaWars III, offering the ultimate in interactive excitement. And there are board, parlor, sports and educational games to play alone

or against other subscribers throughout the country.

**Movie Reviews** keep that big night at the movies from being a five star mistake.

#### SHOP

THE ELECTRONIC MALL™ gives you convenient, 24-hour-a-day, 7-day-a-week shopping for name brand goods and services at discount prices from nationally known stores and businesses.

#### SAVE ON TRIPS



Travelshopper s™ lets you scan flight availabilities (on virtually any airline — worldwide), find airfare bargains and order

tickets right on your computer.

Worldwide Exchange sets you up with the perfect yacht, condo, villa, or whatever it takes to make your next yacation a vacation.

A to Z Travel/News Service provides the latest travel news plus complete information on over 20,000 hotels worldwide.

#### MAKE PHI BETA KAPPA

Grolier's Academic American Encyclopedia's Electronic Edition delivers a complete set of encyclope-

dias right to your living

room just in time for today's homework. It's continuously updated ... and doesn't take an inch of extra shelf space.

The College Board, operated by the College Entrance Examination Board, gives tips on preparing for the SAT, choosing a college and getting financial aid.

#### KEEP HEALTHY

Healthnet will never replace a real, live doctor—but it is an excellent and readily available source of health and medical information for the public.

Human Sexuality gives the civilization that put a man on the moon an intelligent alternative to the daily "Advice to the Lovelorn" columns. Hundreds turn to it for real answers.

#### BE INFORMED

All the latest news is at your fingertips. Sources include the AP news wire (covering all 50 states plus



national news), the Washington Post, USA TODAY Update, specialized business and trade publications and more. You

can find out instantly what Congress did yesterday; who finally won the game; and what's happening back in Oskaloosa with the touch of a button. And our electronic clipping service lets you tell us what to watch for. We'll electronically find, clip and file news for you...to read whenever you'd like.

#### **INVEST WISELY**

Comprehensive investment help just might tell you more about the

stock you're looking at than the company's Chairman of the Board knows. (Don't know who he is? Chances are, we can fill you in on that,

too.) CompuServe gives you complete statistics on over 10,000 NYSE, AMEX and OTC securities. Historic trading statistics on over 50,000

stocks, bonds, funds, issues and options. Five years of daily commodity quotes. Standard & Poor's. Value Line. And more than a dozen other investment tools.

> Site II facilitates business decisions by providing you with demographic and sales potential information by state, county and zip code for the entire country.

National and Canadian business wires provide continuously updated news and press releases on hundreds of companies worldwide.

#### **GET SPECIALIZED INFORMATION**

Pilots get personalized flight plans. weather briefings, weather and radar maps, newsletters, etc.

Entrepreneurs use CompuServe too for complete step-by-step guidelines on how to incorporate the IBMs of tomorrow.

Lawyers, doctors, engineers, military veterans and businessmen of all types use similar specialized CompuServe resources pertinent to their unique needs.

#### And now for the pleasant surprise.

Although CompuServe makes the most of any computer, it's a remarkable value. With CompuServe, you get low start-up costs, low usage charges and local phone-call access in most major metropolitan areas.

#### Here's exactly how to use CompuServe.

First, relax.

There are no advanced computer skills required.

In fact, if you know how to buy breakfast, you already have the know-how you'll need to access any subject

> in our system. That's because it's "menu-driven," so beginners can simply read the menus (lists of options) that appear on their screens and then type in their selections.

Experts can skip the menus and just type in "GO" followed by the abbreviation for whatever topic they're after.

In case you ever get lost or confused, just type in "H" for help, and we'll immediately cut in with instructions that should save the day.

Besides, you can either ask guestions online through our Feedback service or phone our Customer Service Department.

#### How to subscribe.

To access CompuServe, you'll need a CompuServe Subscription Kit, a computer, a modem to connect your computer to your phone, and in some cases, easy-to-use communications software. (Check the

information that comes with your modem.)

With your Subscription Kit, you'll receive:

- a \$25 usage credit.
- a complete hardcover Users Guide.
- your own exclusive user ID number and preliminary password.
- a subscription to CompuServe's monthly magazine, Online Today.

Call 800-848-8199 (in Ohio, 614-457-0802) to order your Subscription Kit or to receive more information. Or mail this coupon.

Kits are also available in computer stores, electronic equipment outlets and household catalogs. You can also subscribe with materials you'll find packed right in with many computers and modems sold today.

Please send me additional information.
☐ Please send me a CompuServe Subscription Kit.
I am enclosing my check for \$39.95, plus \$2.50 handling. (Add sales tax if delivered in Ohio.)
Please make check payable to CompuServe Information Services, Inc.
☐ Charge this to my VISA/MasterCard
#
Expiration Date
Signature
Name
Address
City
State Zip
MAIL TO:
CompuServe
Compagerve
Customer Service Ordering Dept.
Columbus, Ohio 43260   PRI-511

EasyPiex and ELECTRONIC MALL are trademarks of CompuServe, Incorporated, Travelshopper is a service mark of TWA.

Product	Price	ISPN	Publisher/ Vendor	Systems	Description
ICOMM	\$100	71550- 1000	Smith Educ. Engineering Ser. Inc.	IBM PC	
Intelink	\$59.95	27050- 4600	Dynacomp Inc.	Atari 24K RAM	
Kimber-Link	\$29.95, plus \$3 shipping		Kimbertek, Inc.	Commodore 64	Compatible with auto-dial modems
Kwik-Phone	\$19.95	23700- 0540	Datamost Inc.	Commodore 64	Has automatic answer, built-in phone book, and bulletin board
MacMail	\$59.95	01718- 6000	Aegis Development Inc.	Mac	Send or receive electronic mail (data/program files) automatically. Interact with Apple-Talk and other networks or person to person
MacTerminal	\$99	03900- 4150	Apple Computer, Inc.	Mac	
Micro Link II	\$99	25400- 7600	Digital Marketing	IBM PC	
Micro Link II with Newsnet	\$99	25400- 3700	Digital Marketing	IBM PC	Will auto-dial, auto-logon, and capture onto disk any information retrieved
Modem-86	\$89	18600- 1250	Compuview Products Inc.	IBM PC	
Mouse Exchange Terminal	\$39.95	26769- 5500	Dreams of the Phoenix Inc.	Mac	
MTerm Ver. 1.40	\$79.95	51537- 6000	Micro-Systems Software Inc.	IBM PC	
Omnicomm	\$39.95 \$34.95	73925- 2000	Oakridge Micro Computer	Commodore 64, VIC-20	
Online	\$89.95	75100- 4400	Roger Wagner Publishing	Apple II, II+, IIe	
OwlTerm	\$50	59000- 5500	Owl Micro- Communications Ltd.	Apple II	Asynchronous communications package allowing the Apple to behave as a dumb teletype terminal
PC-Dial	\$25	09856- 1000	Jim Button	IBM PC	
PCModem	\$49.95	74412- 1000	Solution Software Systems	IBM PC	
PC-Talk Version 2.0	\$35	34987- 1000	The Headlands Press Inc.	IBM PC	
PC-Talk III	\$35	31418- 1000	Freeware	IBM PC	
PFS:Access Ver. A.0	\$70 \$95	73300- 1250	Software Publishing Corp.	Apple IIc, IIe, IBM PC	
Pits (PASCAL Interactive Terminal Software)	\$54.95	73612- 2000	Software Sorcery	Apple II, II+, IIc,	
Pretty Good Terminal	\$35	13087- 6500	Club Mac User Group	Mac	Has Mac-to-Mac and XMODEM (Christensen) file transfer protocols
Procom-M Ver. 1.6	\$99	63273- 4000	Prometheus Products Inc.	Apple II, II+, IIc, IIe, Mac	Has XMODEM protocol, phone directory, log-on macro capability, XON/XOFF, capture buffer, text editor, phone log
PTP 1.1	\$69.95	82790- 1000	Trutec Software	Apple II, IIe	
Reach/86	\$39.95	73950- 4190	The Software Toolworks	IBM PC	
ReadiTerm	\$75	65378- 2000	Readiware Systems, Inc.	IBM PC	
Sixth Sense	\$89.95	53625- 0750	Microtechnic Solutions, Inc.	Commodore 64	Communications package with the capability to perform complex tasks including decision-making
Skiwriter II	\$49.95	70387-665	Prentice-Hall	Commodore 64	Cartridge-based telecommunications/word processor
Smart 64 Talking Terminal	\$39.95	53625- 0950	Microtechnic Solutions, Inc.	Commodore 64	Operates with the Comvoice Speech Synthesizer for visually impaired people
Smart 64 Terminal +3	\$39.95	53625- 1000	Microtechnic Solutions Inc.	Commodore 64	
Smart 64 Terminal +4	\$39.95	53625- 1050	Microtechnic Solutions Inc.	Commodore 64	
SourceLink	\$49.95	74737- 1000	Source Telecomputing Corp.	IBM PC	Communications package designed by The Source for communication to this and other time-sharing services
Syncomm	\$44.95	77500- 7880	Synapse Software	Atari 400/800, XL, XE	
Talking Termexec	\$95	30345- 1000	Exec Software, Inc.	Apple II, II+, IIc, IIe	A communications package for the visually impaired
Telelink I	16K-\$29.95 8K-\$24.95	05750- 8400	Atari Corp.	Atari 400/800, XL, XE	
Telelink II	\$19.95	05750- 8500	Atari Corp.	Atari 400/800, XL, XE	

Product	Price	ISPN	Publisher/ Vendor	Systems	Description
Tele-Porter	\$79.95	69200- 6000	Sensible Software, Inc.	Apple II+, IIe	
TeleText	\$49.95	53425- 9000	Microsparc, Inc.	Apple II, II+, IIe	
Teletext Ver. 1.0	\$79.95	51500- 6000	Microsparc, Inc.	Apple II, II+, IIe	
Telpac Ver. 2-0	\$99	84619- 1000	U.S. Robotics, Inc.	Apple II, IIe, III	Can automatic call, logon, transfer files, and make timed calls
Telstar 64	\$29.95		Eastern House Software	Commodore 64	
TermExec	\$95	30345- 2000	Exec Software, Inc.	Apple II, II+, IIc, IIe	
TermExec	\$79.95	64475- 4000	Quinsept, Inc.	Apple II+, IIc, IIe	
Terminal.II	\$60	80950- 6900	Telephone Software Connection	Apple II+, IIc, IIe	Features auto-logon/logon-memorization, automatically records online sessions, review, print, and save to disk
Transend	\$89	75500- 1000	Transend Corporation	Apple II+, IIe, IBM PC	
Videolink 88	\$59.95	86878- 1000	Windmill Software, Inc.	IBM PC	<b>为其他的国际</b>
VIP Terminal	\$59.95		Softlaw, Inc.	Commodore 64	
XL	\$75	03184- 9000	AML	Commodore 64	
Z-Term	\$99.95	75100- 8000	Roger Wagner Publishing	Apple II, II+, IIe	

# What's New Online?

Kathy Yakal, Assistant Features Editor

The major telecommunications services have added several new features over the past year, and a few new services oriented toward personal computer users have come online. Here are the highlights.

#### American People/Link

Last December, American Home Network premiered American People/Link, a telecommunications network focusing on family entertainment and online conversations. Electronic mail, a CB simulation, and a wide variety of telegames are its main features.

In mid-August, American People/Link started adding online clubs to its other services. Similar to special interest groups (SIGs) on other telecommunications networks, they provide an electronic forum for people with similar interests to share information. Initial clubs cater to such interests as sports, aviation, humor, women's issues, and health.

Subscriber fees are as follows: For the first three hours of nonprime-time use each month, the hourly charge is \$4.78 for 300 bps and \$7.78 for 1200 bps. Additional time costs \$2.95/hour for 300 bps and \$5.95/hour for 1200 bps. Prime-time access is \$9.95 for both 300 and 1200 bps (\$14.95 in some cities).

For more information, contact: American Home Network, Inc., Arlington Ridge Office Center, 3215 N. Frontage Road, Suite 1505, Arlington Heights, IL 60004. 800-524-0100 (Illinois residents call 312-870-5200).

#### CompuServe Information Service

CompuServe, the nation's largest consumer information service, experienced tremendous growth in 1985. Its subscriber base grew by more than 70 percent to nearly a quarter-million, and several new services were added.

Travelshopper gives subscribers access to Trans World Airlines' reservation system. You can find the lowest rates and most convenient flights, then make a reservation while online. Tickets can be sent to your home or to the airline ticket counter, or issued by a local travel agency.

The Executive Service Option (formerly called Executive Information Services) is a database of sophisticated financial information

which is now available to all subscribers. It offers a variety of tools for investment and financial planning, as well as special merchandise offers and discounts. There is a one-time charge of \$10 (\$5 for new users) and a \$10 minimum monthly usage fee.

CompuServe has also upgraded and simplified its electronic mail service. *Easyplex* features different modes for different levels of expertise; online instructions; easy editing; and an "address book" which stores names and user IDs of up to 50 people.

Gannett Co., Inc., is now distributing USA TODAY Update through CompuServe. Hotlines, updated hourly from 8 a.m. to 11 p.m., offers business, financial, local, and international news, plus weather reports. Decisionlines, updated daily, is targeted to specific industries and professions such as travel, technology, law, and energy.

Since August 1983, the NCR Universal Credit Union has allowed its members to conduct transactions electronically from anywhere in the world through CompuServe's Companion at-Home. In the last year, three additional major credit unions have announced an intention to do the same: Northwest Orient Airlines Employee Credit Union, Pacific IBM Employees Credit Union, and Oak Ridge National Laboratories Employees Credit Union.

For more information, contact: Compu-Serve, P.O. Box 20212, Columbus, OH 43220. 800-848-8199.

#### Delphi

Since June, Delphi has offered service at 2400 bps, for an additional \$5 an hour.

Two new areas of the service have also been developed. Subscribers can now get current news, sports, and financial information on Delphi through AP News Services. And owners of Commodore, Apple II-series, Macintosh, and Atari computers can share information and get technical help through several new online SIGs.

For more information, contact: Delphi, 3 Blackstone Ct., Cambridge, MA 02139. 800-544-4005.

#### **Dow Jones News/Retrieval**

Dow Jones has added two new databases to its information service. Peterson's College Selection Service has profiles on more than 3,000 two- and four-year colleges and universities. And a new medical and drug reference database addresses the diagnosis of hundreds of diseases and offers information on many pharmaceutical drugs.

American Express Advance lets cardholders look up previous statements on their accounts. American Express Shopping And Travel Service offers online shopping and travel information.

In June, Dow Jones' perminute fees for 300 bps changed to 90 cents (prime time) and 20 cents (nonprime time). The 1200 and 2400 bps rates are double the 300 bps rate. Certain business-related databases require an additional 30 cents (prime) and 60 cents (nonprime) per minute. In addition to the \$75 standard membership fee, there's also a \$12 annual service fee.

For more information, contact: Dow Jones News/Retrieval, P.O. Box 300, Princeton, NJ 08540. 800-257-5114.

#### The Source

Over the past year, The Source simplified use of its telecommunications network. The updated menu incorporates a self-teaching design to help users find what they're looking for more quickly.

Online assistance has always been available on The Source, but now it's expanded and it's free. The tutorial includes four lessons of graduated difficulty to familiarize new users with the system. Unlimited free access to this assistance allows both new and experienced subscribers to explore areas of the system that they may not have known about before.

In August, officials at The Source announced that individual SIGs would soon be online. Though details have not been fully developed at this writing, the SIGs are expected to address the special interests of personal computer owners. An additional per-minute fee will be charged for this service.

In August, 2400 bps service began in ten major cities. Additional cities will soon be added via Uninet and Telenet. The base rate for prime-time 2400 bps service is 46 cents per minute; nonprime time is 20 cents per minute.

A new database contains updated listings for 14,000 domestic and 8,000 international hotels. Each listing contains the hotel's address and telephone number, as well as information on restaurants, convention facilities, sports and leisure services, and rates.

For more information, contact: The Source, 1616 Anderson Road, McLean, VA 22102. 800-336-3366.

#### Viewtron


Viewtron is a new videotex service scheduled to begin this fall for Commodore, Apple, and IBM owners. Operated by Viewdata Corporation, a subsidiary of Knight-Ridder Newspapers, Inc., Viewtron was to start October 1 in most areas of the U.S. with access to a Telenet, Tymnet, or Uninet number, except Massachusetts, New Hampshire, Vermont, and Maine. Viewtron plans to offer news, weather, sports, and current stock prices; book, movie, and software reviews; communication with other subscribers through electronic mail and a CB simulator; and online shopping and banking.

Viewtron is to be the first major news and information service in the U.S. to display color graphics, though only for Commodore users. Because of this feature, Commodore owners need special terminal software designed for the system. IBM and Apple owners can use any terminal software with VT-100 emulation (or Viewtron's package).

To subscribe, you must buy a Viewtron Software Starter Kit (\$9.95) which contains terminal software, one free hour of service, an ID and password, and a user manual. Rates after the first hour are nine cents a minute (after 6 p.m. weekdays, all day weekends) and 22 cents a minute (weekdays before 6). There is no monthly minimum and no extra charge for 1200 bps access.

Viewdata is offering free starter kits with the purchase of some Anchor Automation modems. A 300 bps Westridge 6420 modem with software is \$49.95; a 1200 bps Volksmodem 12 is \$189.95.

For more information, contact: View-data Corporation of America, Inc., 1111 Lincoln Road, 7th Floor, Miami Beach, FL 33139. 800-543-5500, Department 9401.





The Spartan<sup>™</sup> is the Apple<sup>™</sup> II + emulator for your Commodore 64<sup>™</sup> that will open up a whole new world of hardware and software for you! Imagine adding these features to your Commodore 64<sup>™</sup> for the Spartan<sup>™</sup> price of \$599: ☐ Apple<sup>™</sup> II + hardware and software capabilities ☐ 64K RAM expansion ☐ four software selectable Commodore 64™ cartridge slots ☐ non-dedicated 8-bit parallel port 

standard audio cassette deck capabilities for your C-64™. The suggested retail value of comparable products offering only these capabilities is over \$2200.00\* — but the Spartan™ gives you much, much more! By building on your investment in your Commodore 64™— an excellent introductory computer — you create a whole new system with both C-64™ and Apple™ II + capabilities. There is a whole other world out there! The huge selection of Apple™ II + hardware and software is now yours to explore! Call toll free for the Spartan™


dealer nearest you.

\*All prices quoted are in U.S. funds, freight and taxes not included. Value of components equivalent to the Spartan "system are quoted from Apple" II + CPU and Apple" II + single disk drive 1983 Ilst prices, and from current suggested list prices and component specifications of other peripheral manufacturers. Commodore 64" and Commodore logo are trademarks of Commodore Bectronics U.d. and/or Commodore Business Machines, Inc. Apple" II + is a trademark of Apple Computer Inc. Spartan" is a trademark of Mimic Systems Inc. and has no association with Commodore Electronics or Apple Computer Inc. The Spartan" is manufactured by Mimic Systems Inc. under license granted by ATG Electronics Inc. of Victoria, B.C. Canada.

FOR INFORMATION WRITE: MIMIC SYSTEMS INC. 1112 FORT ST., FL. 6N VICTORIA, B.C. CANADA V8V 4V2

TO ORDER CALL: 1-800-MODULAR

(663-8527)



# **Programming** Languages

Communicating With Your Computer

Todd Heimarck, Assistant Editor Kathy Yakal, Assistant Features Editor

BASIC, Logo, Pascal, FORTRAN, COBOL, Forththese and a hundred other odd-sounding names are the languages we use to communicate with computers. Since the beginning of the computer age, scientists and programmers have been striving to make this human-machine interaction easier, faster, and more powerful. Why are there so many languages? Which are best? And what will tomorrow's languages be like? The answers may help you decide which language is best for you.

magine that if every time you asked someone to do something, you had to tediously explain each step of the procedure. Outlining something as simple as taking out the garbage could take ten minutes:

Walk to the garbage can by placing one foot in front of the other and moving forward, Stop. Bend over at the waist, extending both arms out in front of you. Put your hands on either side of the garbage bag and grasp it by curling your fingers and applying pressure to get a good grip. Stand up straight again, holding the bag in front of you. Turn around and face the opposite direction, still holding the bag. Walk toward the back door. Stop. Bend over again and release your grip on the bag. Stand up, extend your right arm, and grasp the doorknob. Apply pressure, twist, and pull until the door opens .... And so on.

Human beings don't need that kind of step-by-step instruction for most tasks. But computers require it for all tasks. Technically, the only way to make a computer do something is to rearrange its internal pathways of electricity by flipping the equivalent of thousands of microscopic on/off switches. By programming at the computer's most fundamental level, —a binary code of ones and zeros which controls those switches—programmers can instruct computers to carry out very simple tasks, like adding two numbers or storing a number in memory. When hundreds or even thousands of these simple commands are combined to form a program, computers can seem to handle tasks of great complexity.

But programming a computer in binary codes can be a daunting job. To make it easier and faster, computer scientists and engineers have spent the last four decades developing scores of programming languages as alternatives to communicating with computers on the binary level. Many of these languages are composed of familiar English words, and they serve as translators or interpreters between the language of the programmer and the language of the machine. For example, many of today's personal computers come with a language called BASIC, which stands for Beginner's All-purpose Symbolic Instruction Code. A typical Englishlike BASIC command is PRINT. When PRINT is followed by some text inside quotation marks, such as PRINT "HELLO", the computer prints the text on the monitor screen. To do the same thing directly in machine language, a programmer might have to write a halfdozen or more commands.

For this reason, languages such as BASIC are known as high-level languages—they are relatively far removed from the binary level of the machine. Programming in a high-level language versus programming in machine language is somewhat like the difference between saying "Please take out the garbage" or outlining the whole process step-by-step as shown above.

There are other reasons why high-level languages are continual-

Special programming jobs require specialized tools; the language for writing an accounting program might not be the best for writing an adventure game.

ly being developed, too. Different people have different programming styles, so more languages provide more choices. Also, special programming jobs require specialized tools; the language for writing an accounting program might not be the best for writing an adventure game.

The evolution of these languages, however, has distanced programmers from the inner workings of computers. High-level languages make it easier to write programs, but fewer and fewer people understand what's really happening inside the box-how the electrons are zipping in and out of logic gates. It's like driving a car without thinking about how the gas and air are exploding inside the cylinders, pushing the pistons up and down. Whether or not it's important to know these details is a matter of debate within the computing community.

oday, you can run a program on just about any personal computer without knowing anything about programming. Usually it's as simple as inserting a floppy disk or program cartridge, switching on the system, and perhaps typing a single command to get things started.

This is quite a jump from 40 years ago, when the first electronic digital computer, ENIAC, was built.

ENIAC (Electronic Numeric Integrator and Calculator) was a 30-ton, 100-foot-long machine which contained almost a hundred thousand vacuum tubes, resistors, and capacitors. ENIAC had to be programmed by hard-wiring-engineers rewired it for each new program they wanted to run. There was no memory inside the computer to store programs. And today's mass-storage devices, such as floppy disks and tapes, were not yet imagined. Hard-wiring ENIAC could take days as engineers prepared the monster to solve one type of complex calculation. Once programmed, ENIAC could solve the equations far faster than people. But if a different type of calculation was required, the hard-wiring had to start all over again.

The difficulty of programming a behemoth such as ENIAC meant that only a handful of scientists and engineers could really "talk" to the computer. And they had to communicate completely in the machine's own primitive language of wires and connections.

In addition to being enormously expensive to build and maintain, these early computers were expensive to use because hard-wiring took so much time-time that could be spent on calculations. So engineers borrowed an idea from computer pioneer John von Neumann-stored programs. Adding memory to a computer to temporarily store a program as it runs is much faster and easier than rewiring the hardware. You can change programs simply by replacing the program in memory with a new one.

By mid-1948, British computer scientists had completed the Mark I, commonly recognized as the first stored-program computer. By flipping switches on the front of the Mark I, engineers could enter short programs into the machine. This was a major improvement, but still clumsy. Reportedly, the codes had to be entered backward.

ext, a way had to be found to store programs between jobs; there isn't nearly enough memory in a computer to permanently keep all the possible programs that could be written. Also, many programs require data





You've just discovered the Eidolon—a curious 19th century machine whose inventor vanished without a trace. Only his journals and sketches remain.

They tell of an incredible

magical realm—a maze of caverns populated by strange creatures noted as Greps, Biter Birds and Bottlenecks. And "intelligent" Guardian Dragons—who hurl colored fireballs of energy?

The machine itself belies its quaint Victorian charm. For the Eidolon glows with the power of enchanted energy. It awaits, pristine and gleaming—perfectly preserved for over a hundred years by the powerful forces that propelled it and its pilot to another dimension.

With the fascinating first-person point of view, you

can climb into the pilot's chair and fly this mysterious magical machine. And the haunting fractal graphics take you deeper and deeper into an endless maze of mystical caverns.

An adventure so real, it'll make you wonder: What ever happened to the Eidolon's mysterious inventor? Only the adventurous of spirit will know his fate. The Eidolon—scientific curiosity, or passport to a magical dimension?

C64/128

**EPYX** 

1043 Kiel Ct., Sunnyvale, CA 94089



See specially marked boxes for details No purchase necessary. Sweepstakes ends Dec. 31, 1985. Official rules available at participating dealers.

Strategy Games for the Action-Game Player®

The Eidolon

which changes from job to job and can't be stored as part of the program, such as the monthly electric bills of utility company customers.

This time, engineers borrowed a piece of nineteenth-century technology—cardboard punch cards. This idea was originally developed by nineteenth-century mathematician Charles Babbage, who took the concept from an earlier system used by the French to control weaving looms. Punch cards had proven their worth in data processing during the 1890 U.S. census, when they were used to speed up tabulation on mechanical adding machines.

By adapting punch cards to computers, it became possible to write and store programs without tying up the machine itself. Programmers typed their programs on keypunch machines, then waited their turn to feed the stack of cards into the computer. After the results were printed out, the computer was prepared to accept another batch of cards. This system was called batch processing.

For the first time, programmers were physically separated from computers. There were software experts, who wrote programs on batches of cards, and hardware experts, who fed the cards into computers.

The first real software breakthrough was an assembler program. An assembler translates mnemonics like LD (load a number from memory) and ST (store a number in memory) into the binary ones and zeros the computer understands. Each assembler operation code (or opcode) corresponds directly to a machine language instruction.

Soon, programmers began collecting useful pieces of programs written with assemblers. For example, if someone needed a routine to calculate square roots, they could borrow one from another programmer who had already figured out the math, rather than waste time reinventing the wheel. Such a fill-in-the-blanks routine is called a macro-instruction, or macro for short.

A library of macros isn't quite a language, because it's not organized or standardized. But macros were the first step toward highlevel languages.

As computer education began seeping downward from colleges, for the first time there was a need for languages tailored especially for young people.

ne of the first high-level languages was FORTRAN (FORmula TRANslator), developed in 1954. Before FORTRAN, engineers and scientists who were unfamiliar with computers had to describe a problem to a computer programmer, who would then write a program to solve it. FORTRAN made it easier for scientists and engineers to write their own programs.

Just as FORTRAN was written for engineers, COBOL (COmmon Business Oriented Language) was created for accountants. Developed in the 1950s by U.S. Navy Captain Grace Hopper, COBOL is still one of the most popular languages for large business computers, and is often used to write payroll programs and other applications in large data processing departments.

In 1964, when FORTRAN and COBOL were the most popular programming languages, two Dartmouth University professors formulated a couple of important ideas. First, they suggested that instead of processing programs in batches, a single computer could be hooked up to several terminals, sharing its time among many users. A fast typist works at perhaps 100 words per minute, while a computer can accept keystrokes much faster—in millionths of a second. A time-sharing system of terminals would allow more than one person to use the computer simultaneously. Because the computer works so fast, each person could have the

illusion that he was the only one working with the machine.

Their second idea was a new language, BASIC, a general computing language which would be easier to learn than FORTRAN or COBOL and more flexible.

Dartmouth became the first university to make computer time generally available to undergraduates, thanks to time-sharing and BASIC. (The two professors, John Kemeny and Thomas Kurtz, recently released a new version of BASIC called *True BASIC*.)


With batch processing, programmers had to write a program by punching it onto cards, then submit it for processing, collect the results the next day, find out there was a bug, rewrite it, submit it again, and so on. Time-sharing allowed programmers to begin debugging a program immediately. It also made computers accessible to more people and paved the way for personal computing.

Soon after BASIC was developed, many more programming languages began appearing. Computers were being adapted to more applications, and more people began using computers, so demand grew for better and more specialized languages.

In the late 1960s, a debate heated up within the academic and computer communities over structured programming. This is a method intended to keep programmers more organized and programs more readable and easily modified. The first language specifically designed to encourage structured programming was Pascal-invented by Niklaus Wirth in Switzerland and named after the French mathematician and logician, Blaise Pascal. Today, Pascal is popular in high schools and colleges because instructors say it teaches good programming style. It's also easier to follow the flow of a program written in Pascal.

Meanwhile, computer education began seeping downward from colleges into high schools, junior highs, and even elementary schools. For the first time, there was a need for languages tailored especially for young people. In the late 1960s, Seymour Papert of the Massachusetts Institute of Technology





1985 LFL

It takes all kinds to make a galaxy interesting. Like you, a techno-scavenger. Your kind are out to get rich scavenging Ancient technology. And now you've found the fabled

Koronis Rift—the weapons testing grounds of the Ancients. The chance of a lifetime awaits you.

Abandoned war hulks litter the Rift—crammed with exotic weapons and technology. The lifelike fractal graphics take you to this mythical land of the Ancients. The mind's-eye point of view puts you right in the driver's seat of a Surface Rover. A hulk looms before you—your mind races, feverishly planning a strategy. What weapons do you need to survive? What technology will fetch the highest price? If you can pack your battered Rover full—you'll be rich beyond your wildest dreams.

But it won't be easy. The Guardians—genetically

engineered mutants—stand watch over their creators' technology. And they deal swiftly and ruthlessly with characters like techno-scavengers.

But you've got a plan. If you and your trusty Science Droid can scavenge the right combination of weapons and technology—and get off the planet alive—you'll make it big. Destroy the Guardian base and you'll even be a hero! The treasures of the Ancients are yours . . . if you've got what it takes.

C64/128 ATARI APPL





See specially marked boxes for details No purchase necessary. Sweepstakes ends Dec. 31, 1985. Official rules available at participating dealers.

Strategy Games for the Action-Game Player®

developed Logo. Many of Logo's commands give directions to a *turtle* on the computer screen, a small object whose movements define and execute a graphics program. The onscreen turtle was adapted from Papert's original Logo, which attached the computer to an actual robotic turtle which children could program to draw designs on paper. Many elementary schools now teach Logo as the first programming language for young children.

New approaches to programming languages also were being explored. For example, Forth is an unusual language originally developed to control telescopes in observatories. It's roughly halfway between machine language and high-level languages like BASIC, and is extensible—you can define new functions and commands which then become part of the language. In a sense, it's a language that lets you create your own personal language. If you want, you can build up the language piece by piece, until you finally define a single word that runs the whole program.

Although there are hundreds of programming languages, most are not available for personal computers. Some languages were designed for large mainframe computers and cannot fit into small amounts of memory. Others are just too specialized for general use. If you'd like to explore the alternatives, here are some issues to consider:

### • What types of programs will you be writing?

One language might offer lots of commands for handling files and variables, but very little in the way of graphics. Another might be strong in mathematical functions, but weak in handling strings and text. Look for a language that is suited for the kind of programs you want to write. There are always books and manuals which list the commands available in a language and describe what they do.

• How much control do you want over the hardware and software? Is the language high-level, low-level, or somewhere in between?

A low-level language like machine language puts you in direct control of the computer. Individual instructions do very simple things, The commands
in high-level
languages look more
like words in a
human language, so
they're easier
to learn.

like fetching and storing numbers in memory, comparing two numbers, and basic addition and subtraction. To multiply two numbers, you might need several instructions. (However, on the newer chips, multiplication requires only a single instruction.)

High-level languages take you several steps away from machine language and the hardware. The commands look more like words in a human language, so they're easier to learn. Also, individual commands are usually broader, performing tasks which might require dozens of commands in machine language. But you pay a price: Direct control over the finer points of the computer may be more difficult, and the finished programs run more slowly and often consume more memory. Remember, the only language the computer really understands is machine language-at some stage, it has to translate programs written in another language into its native tongue.

#### How fast is the language?

Speed is important in some programs. A certain part of a program may take 1/20 second to execute in one language and 1/2 second in another, not a noticeable difference if it's used once or twice. But if it's executed several thousand times, the difference could become significant.

Machine language is the fastest, and most commercial software is written in machine language. (In fact, most high-level languages themselves are written in machine language.) Mid-level languages such as Forth and C, while not as fast as machine language, are generally quicker than higher-level languages.

Because the faster languages are usually low-level, they may be more difficult to learn and use. High-level languages are fine for many programs, and here's where you must strike a balance: Would you rather spend five hours working with a low-level language to write a program that runs in one minute, or spend one hour working with a highlevel language to write the same program that runs in 15 minutes? If you're going to run the program every day, you might choose to spend the extra time writing it with the faster language. But for an infrequently used program, you might prefer the language that's easier and slower.

In some cases, the speed of a language doesn't matter. If a printer seems to take forever to print reports or mailing labels, rewriting the program with a faster language may not help. The printer is probably the limiting factor on speed, not the language.

• What are the system requirements? And how much free memory for programs remains after the language is loaded into the computer?


You may find languages that require a certain operating system. C, for example, was originally written for the Unix operating system, although that has changed—other versions of C are now available. On a Commodore 64, certain languages work only with the CP/M cartridge. And some languages won't work without two disk drives.

Check the memory requirements. You may have to install additional memory boards or controller cards. Even if you have the minimum memory specified for a certain language, you may be left with very little space for your programs.

• What programming style are you most comfortable with? Scientific and structured? Or creative and artistic?

Some people write programs methodically, step by step. They draw a flowchart on paper, diagramming the program in modules. They fully document each section, describing exactly what happens when. Not until they finish the preliminary planning and structuring do they enter the program into the computer. In business, the structured approach is preferable. If a programmer quits for





#### SUMMER GAMES.®

Want some great play action? This award winning best seller brings you eight great events, including Swimming, Diving, Track, Gymnastics, and more. Compete against world records. Or get together with a group of up to eight for some good competitive fun. Realistic, graphics and action will challenge you again and again to go for the gold.

#### SUMMER GAMES II.™

You asked us for more great events. Here they are. Rowing, Triple Jump, Javelin, High Jump, Fencing, Cycling, Kayaking, even Equestrian. Like SUMMER GAMES, you get spine tingling action and challenge for one to eight players. These aren't just games. They're the games. And you're the star.

#### WINTER GAMES.™

You've got to see the graphics, and feel the knot in your stomach as your bobsled careens along the walls of the run

to know why people are wild over WINTER GAMES. Seven events give you a variety of action-from the endurance of the Biathlon to the timing of the Ski Jump, and more.

#### What are you waiting for?

Play your favorite events over and over. Play all 22. Set up teams. Challenge your friends. These great actionstrategy games are sure to be the stars of your collection.

At your local Epyx dealer.

	APPLE	MAC	ATARI	C64/128
Summer Games	~		-	~
Summer Games II	~			~
Winter Games	~	~		-



No purchase necessary. Sweepstakes ends Dec. 31, 1985, Official rules

Strategy Games for the Action-Game Player®

# ANNOUNCING THE FAMILY SOFTWARE SPECTACULAR.

BUY 3, GET 1 FREE.

#### **CHOOSE FROM** OVER 50 LEADING TITLES.

What do you call an offer that brings together, for the first time ever, five leading brands of home software?

The Family Software Spectacular!

And it's your opportunity to choose a free software program from the best titles on the market today. All you have to do is buy any combination of three titles from any participating brands during this special offer period. And we'll send you another one of your choice-free!

It's a one-of-a-kind value your family shouldn't miss.

#### FISHER-PRICE® A NAME YOU CAN TRUST.

For years Fisher-Price has been known for helping children develop skills as they play. With Fisher-Price™ Learning Software, your child can develop skills in five key areas: math, language, creativity, basic learning and computer literacy.

Your child will love developing and testing language

They're great for kids, yet fun for all ages.

The full line also includes

FILE & REPORTand

that represent the best

values on the market

SPREADSHEET-titles

Enjoy "THE WIZARD OF OZ.™" You are Dorothy, and each of your decisions determines your adventure. There's more than one adventure to be had as you meet old friends and new in the land of Oz.

#### WORK BETTER WITH BETTER WORKING."

Constantly erasing and retyping? Unsure of your spelling? WORD PROCESSOR WITH SPELLCHECKER is exactly what you need. This full featured word processor includes the 50,000 word AMERICAN HERITAGE DICTIONARY™ spellchecker which detects over 99% of misspelled words.



### SPINNAKER® THE LEADER IN FAMILY LEARNING SOFTWARE.

From pre-school counting to high-school compositions, Spinnaker offers the high quality educational programs you have come to expect. For example, there's the HOME-WORK HELPER™ series which provides step-by-step methods for improving writing and math skills and helps kids tackle otherwise troublesome school assignments.


### TELARIUM.™ INTERACTIVE FICTION AT ITS BEST.

Here's graphic interactive fiction by famous writers of science fiction, fantasy, and mystery like Ray Bradbury, Arthur

C. Clarke and Erle Stanley Gardner. Each story unfolds with you in the center of the action—and completely in control. In PERRY MASON: THE CASE OF THE MANDARIN MURDER,™ you are the world famous criminal lawyer. Challenge the evidence. Cross-examine the witness. Only you can prove your client's innocence. And time is running out.

#### A SOFTWARE OFFER FOR ALL AGES.

Any software offer including something for everyone in the family is certainly fantastic. But combine that with a free product offer and what you have is something spectacular. Look for the specially marked boxes of The Family Software Spectacular at your retailer.



#### SEE PREVIOUS PAGE

#### **HERE'S HOW YOUR FAMILY CAN** PARTICIPATE IN

#### The Family Software Spectacular

REMEMBER, TO RECEIVE A FREE PRODUCT YOU MUST PURCHASE ANY THREE TITLES FROM THE PAR-TICIPATING BRANDS (IN ANY COMBI-NATION) AND MAIL YOUR ENTRY NO LATER THAN JANUARY 31, 1987.

- 1. Start by saving the receipt(s) from your software program purchases. (It is not necessary for software purchases to appear on one receipt. Photocopies of the receipt(s) are accepted. Receipts must be dated BETWEEN JULY 1, 1985, AND JANUARY 31, 1987.)
- 2. Cut the proof-of-purchase tab from each of the three user manuals that come with the programs. (Photocopies not accepted.)
- 3. Attach the purchase receipt(s) and the three original proof-of-purchase tabs to one separate sheet of paper.
- 4. Fill in the form below and place the completed form in an envelope with:
  - a. A sheet of paper with three original proof-of-purchase tabs and your purchase receipt(s)
  - b. A check or money order for \$3.50 to cover postage and handling. (Canada residents please send \$5.00 for postage and handling.)

Make check payable to THE FAMILY SOFTWARE SPECTACULAR and mail envelope to:

THE FAMILY SOFTWARE **SPECTACULAR** 

P.O. Box 1327, Cambridge, MA 02238

#### ORDER FORM

To receive your free program, this form must be filled out completely. Please print.

Free Product Cl	nosen:
Title/Brand	
MAKE SURE THE PE AVAILABLE ON THE YOU HAVE SELECTE	RODUCT YOU CHOOSE IS E COMPUTER SYSTEM ED.
Name	
Phone ()	
Address	
City	State Zip
TITLES	PURCHASED
1	
3	
BRANDS	DATE OF PURCHASE
1	_ 1
2	2

Allow 6-8 weeks for delivery of your free software program. Note: All receipts and envelope postmark must be dated prior to January 31, 1987. Offer good in the US and Canada only. Void where taxed, restricted or prohibited by law.

some reason, the company needs to know how the programs are put together.

Others prefer a looser, more improvisational style. They type a few lines, run the program, make some changes, test it again, and so on. Then they write and test a new section. The programs are not necessarily unstructured or illogical; it's just that the program ideas are not written down. The program may change as it develops, evolving into something quite different from the original plan.

There are advantages and disadvantages to each style. Planning ahead takes a lot of time up front, before a single line is entered. And it locks you into a certain structure. But the programs are generally easy to follow and debug. When teams of programmers work together, they generally use the planned-out approach.

More casual programmers who work interactively with the computer can see immediate results, positive feedback that the program is progressing. There's also an element of creative experimentation: "I'll try this and if it doesn't work, I'll try something else." Less time is spent on planning, and more time on actual programming. The casual approach can be carried too far, however. If the program is written sloppily, even its author might not understand how it works if modifications are required a few months later.

· If you need to write fast programs, but don't want to use machine language, will a compiler do the job?

There are two general ways in which commands in higher-level languages are translated into the machine language that the computer can understand.

An interpreter language translates the commands as the program runs, on the fly. The BASICs built into personal computers are interpreters.

A compiler, on the other hand, translates all the high-level commands into machine language before running the program. This compilation step may take several minutes, but when it's done, the finished program usually runs much faster than an interpreted program (though not as fast as programs written directly in machine language).

Some languages (including BASIC) are available as both interpreters and compilers. There are tradeoffs either way. Compiled programs run faster than interpreted programs, but usually require much more memory-sometimes too much for small computers. Interpreters are more interactive, because you can type in a few statements, quickly try them out, and continue. A compiler might take ten minutes to compile a program. The choice between an interpreter and a compiler depends a great deal on your personal programming style, the amount of memory in your computer, and your need for speed in the finished product.

ltimately, the language you choose for communicating with your computer depends on a great number of things. After reviewing all the options, you may find it desirable to learn more than one language, especially if you plan to write different kinds of programs.

During recent years, computer scientists, programmers, and linguists have been working in the field of artificial intelligence to develop methods for computers to more closely mimic human thought. An important part of this work has been research into socalled natural languages—those languages which humans use. We may see a day when the perfect natural language interface is developed, and we need only tell the computer, in our own tongue, what we want it to do. The latest generation of personal computers—such as the Apple Macintosh, Atari 520ST, and Commodore Amiga represent another small step in that direction.

For now, however, control over a computer means meeting the machine at least halfway—learning a language which gives the computer something intelligible to work with. No longer must people learn to program to use a computer enjoyably and productively. But for thousands of computer owners, learning to communicate with their machines in a common language opens up the world of computing in ways which are better experienced than explained.

## BATTERIES



# INCLUDED

#### "The Energized Software Company!"

We started with Commodore, designing programs that quickly became industry success stories. Now we're moving on, applying our expertise to other systems.

Look for Apple, Atari, IBM, and Commodore

software with the Batteries Included label!



"The best Atari wordprocessor ever." ANTIC MAGAZINE



30 Mural Street Richmond Hill, Ontario

L4B 1B5 CANADA

Telex: 06-21-8290

(416) 881-9941



"...capable of very large and complicated searches ... a very good system." **TPUG MAGAZINE** 



Calkit: problem-solving spreadsheet program with built-in templates for the most-needed home and business applications - including income tax, budgets and many more.

B/Graph: professional-quality graphics/charting and statistical analysis package turns your data into superb visuals.

Sales Force: professional sales management and reporting program saves you valuable hours.

"Keys To Typing": easy to follow tutorial program typing teacher.



"Performance: excellent... Error-Handling: excellent... Value: excellent' **FAMILY COMPUTING** (a "Billboard" magazine #1 best seller)



"quite simply the best .. the highest rating possible." ANALOG COMPUTING



"Literature Challenge — Introduction To Shakespeare": learn about the bard's three most-taught plays - and have fun! (Other authors on the way.)

Look forward to excellence, in every respect. Power and performance, ease of use, incredibly low prices, for programs that help you in so many ways.









**B.I.-80 Column Display:** 

add-on module doubles your screen capacity and improves visibility.

#### **HOME ORGANIZER**

SERIES home database managers. (8 programs including Home Inventory, Recipes, CheckBook, Address Book, Audio/ Video Catalogue and more)

17875 Sky Park North, Suite P

Irving, California

(416) 881-9816

Telex: 509-139

USA 92714

BATTERIES



"The Energized Software Company!"

FOR TECHNICAL SUPPORT OR PRODUCT INFORMATION PLEASE PHONE (416) 881-9816.

SOME PROGRAMS ARE NOT AVAILABLE FOR ALL SYSTEMS.

WRITE TO US FOR FULL COLOUR CATALOGUE of our products for COMMODORE, ATARI, APPLE and IBM SYSTEMS.



COMPUTER

Centers of America Mail Order Ltd.

# Holiday Gift Giving at Distributor LOW, LOW PRICES!

Computers • Printers • Monitors • Compact Discs • Robots • Modems

Computer Centers of America has it all...and much, much
more at distributor's low, low discount prices! Why pay more
when you can buy & save! Check out these prices!

#### **WE'RE PROUD OF OUR PRICES - SATISFACTION GUARANTEED**

Check, Money Order, MC or Visa accepted / No additional charge for MasterCard and Visa / Call for shipping and handling information / NYS residents add applicable sales tax / Prices and availability are subject to change without notice / All factory fresh merchandise with manufacturer's warranty. Dealers Welcome. Call for recent price reductions and new rebate information. Plus shipping and handling. No returns without return authorization number.

- IN NEW YORK STATE CALL TOLL FREE

1-800-631-1003

1-800-221-2760 OR 516-349-1020

1-800-548-0009

Or Write: Computer Centers of America, 81 Terminal Drive, Plainview, NY 11803

# Cx commodore PERSONAL COMPUTERS

<b>NEW!</b> Commodore 128 Perso	onal
Computer System	Call For Price
1101 Letter Quality Printer	274.95
1702 Monitor	174.95
Commodore 64 Computer	144.95
1541 Disc Drive	169.95

#### **PRINTERS**

Same	Λ
Cardco LQ/3 Daisy Wheel Printer Letter Quality Printer with Built-in Interface. Free Cardco Mail Now.	ee
Interface. Free Cardco Mail Now,	1
Spell Now, Write Now Included 199.	J
Gemini SG 10	98
Gemini SG 15	98
Gemini SG 10C with Built-in	
Commodore Interface	al
New! Gemini SR 10115 Ca	al
New! Gemini SB 10	al
Silver Reed 400 249.9	98
Panasonic 1091 Ca	

#### MONITORS

Sharp 13" Color Composite Monitor 13M31U	. 144.95
BMC Color	149.95
Pan 1300 RGB & Comp	289.95
Sharp Green	64.95
Sharp Amber	69.95

#### **DISC DRIVES**

#### TOMY ROBOTS

Unleash the Power of Your Computer Directly Into the Tomy Robots

Includes: •Computer, Interface, and	
Disk •Create, Edit, Save, Retrieve	
and Mix Your Programs •For Tomy	Call
Omnibot, Omnibot 2000 and Verbot	for
All on the Same Disk	Price

Interfaces	
Telesys Turboprint GT	
Prints inhanced Graphics	59.95
Cardcc G+	Cal
Microworld	Cal
PPI	44.95

DISCS		
20 Memorex	SS/DD w/Storage	Case 2495
Diskettes		

Scotch	11.95
Maxell	11.95
Memorex	11.95
BASF	8.95
Modems	
Mighty Mo	64 95
Commodore 1660	
Total Telecommunications	Cell

Total Telecommunications
Wico Joysticks
The Boss
The Bat
3-Way 10.88

# HOLIDAY SOFTWARE SPECIALS AT UNREAL PRICES!

Software Special # 1

(zcommodore \$088

Simon's Basic or Commodore's Programmer's Reference Guide

Software Special # 2

ACTIVISION
HOME COMPLIER SCHWARE

Decathlon
Pitfall I or II
Zone Ranger
Space Shuttle

Master of the Lamp

Star League Baseball On Field Football On Court Tennis H.E.R.O.

Software Special #3

ACTIVISION HOME COMPUTER SOFTWARE

\$1488

Ghostbusters
New! Fast Trax
New! Pet Person
New! Hacker

New! Alcazar New! Countdown to Shutdown

Software Special # 4

*Ерух* \$**19**99

Fastload Wintergames Hot Wheels Breakdance Jet Combat Simulator G.I. Joe Summer Games I or II. Barbie Hot Wheels Baseball

Software Special # 5

ЕРУХ

288

**Penguin Software** 

Movie Musical Madness

uuest	19.99
Transylvania	19.99
Sword of Kadash	19.99
Xyphus	19.99
Graphics Magician Picture Painter	
Professional Software	
Fleet System 2 - Word Processor	
with built-in 70,000 Word Spell Check	59.95
CBS Software	
Dr. Seuss Fix up The Mix-up Puzzler	19.99
Sesame Street Letter-Go-Round	19 99
Big Bird's Fun House	19.99
The Sea Voyager	
Manthar Tamera	40.00

Success w/Decimals (Add/Subt) D-T	14.99
Success w/Decimals (Mult/Div) D-T	
Success w/Fractions (Add/Subt) D-T	
Success w/Fractions (Mult/Div) D-T	
Ducks Ahoy	
Ernie's Magic Shapes	
Murder by the Dozen	
Peanut Butter Panic	
Access Software	
Neutral Zone D-T	20.95
Spritemaster D-T	
Beachhead D-T	
Master Composer-D	23 95
	. 20.30
Commodore Software	07.05
Assembler D.	
Easy Finance I, II, III, IV-D	
Easy Calc-D	
Easy Script-D	
Easy Spell-D	
Logo-D	
The Manager-D	
General Ledger	37.95
Accts. RecD	37.95
Accts. PayD	37.95
Magic Desk-D	52.95
Silent Butler	24.95
Sky Travel	

# SPECIAL HOLIDAY WAS HARDWARE PACKAGES FOR COMMODORE USERS

Commodore 64
Commodore 1541
Disc Drive
Commodore 803
Printer

R Commodore 64 Commodore 1541 Disc Drive Color Monitor

YOUR 44995

#### **COMPACT DISCS**

CCA Now Has An Exclusive Line of Compact Disc Players ADC

Emerson Sherwood Magnavox and Many More


Priced From 159.95

We Have a Huge Selection of Compact Discs - CBS, WEA, Delos, Telarc, Denon, Second Hearing, Mobile Fidelity and Much More! Call For Our Low. Low Prices



Call Toll Free:

1-800-631-1003 1-800-221-2760 (in N.Y.S.) 1-800-548-0009



Here's a game that tests your skill in pattern-matching and visualization. It runs on the Commodore 64; unexpanded VIC-20; Plus/4 and 16; IBM PC with color/graphics adapter and BASICA; PCjr with Cartridge BASIC; Apple II-series computers; TI-99/4A with Extended BASIC; and Atari 400/800, XL, and XE computers with at least 16K RAM for tape or 24K for disk. The Commodore 64 and Atari versions also require a joystick.

How good are you at recognizing patterns? Many intelligence tests measure this important conceptual skill. "Puzzler" challenges your ability to find matching patterns in a background of similar shapes. It displays two puzzle grids composed of multicolored blocks (see photos). Both grids contain exactly the same blocks, but those in the left grid have been scrambled. Your job is to rearrange the blocks in the left puzzle grid until they match those on the right. You must solve the puzzle before time runs out.

Because all versions of Puzzler are similar, we've printed general game instructions followed by specific notes for each computer. Read the general instructions as well as the section for your machine, then type in the program listed for your computer. Don't forget to save a copy of the game before you run it.

#### **Puzzle Building**

Puzzler begins by letting you choose the size of the puzzle grid. Enter values for the number of rows and columns in the grid. The maximum puzzle size differs among the various versions. Of course, larger puzzles are more difficult to solve than small ones. Next, enter the number of colors the puzzle will use. Two-color puzzles are the easiest. The maximum number of colors depends on which version you're playing. The more colors you choose, the harder your job becomes.

Puzzler then spends a short time building the two grids. Since the blocks are arranged at random, each new puzzle is different from the last. While you try to solve the puzzle, the computer keeps track of the time and alerts you when the puzzle is solved or time runs out. The time limit depends on the size of the puzzle.

Puzzler allows three different operations. You can move within the puzzle grid from one block to another, pick up a block and move it to a new position, or rotate a block in its current position. Use the cursor keys (or joystick in some versions) to move around in the grid. Your position is indicated by a colored cursor (or index arrows in some versions). To pick up a block, press RETURN (or the joystick but-

ton) once. The cursor or arrow changes color to show that you're carrying the piece. Then move to the position where you want to place the block, and press RETURN (or the button) once. The block in the current position trades positions with the block you're carrying.

Each block consists of four colored squares. To rotate a block in its current position, press RETURN (or the joystick button) twice. The block rotates 90 degrees. You may rotate a block as many times as you want.

Continue moving and rotating blocks until both puzzle grids match. Every block must match in color and be turned in the right direction.

#### Commodore 64 Version

Plug a joystick into port 2. The puzzle may contain as many as seven rows and columns, and up to 16 different colors. The box-shaped cursor shows your position on the puzzle grid. Press the joystick button twice without moving the joystick to rotate the block under the cursor. Press the button once to pick up the piece under the cursor: The cursor changes color to show that you're carrying the block. Now you may move to any other place in the grid. When you find the spot

SubLOGIC Scenery Disks expand the potential flying environment of Flight Simulator II and Microsoft Flight Simulator.

Twelve separate Scenery Disks cover the entire continental United States. Each disk covers a geographical region of the country, and includes the major airports, radio-nav aids, cities, highways, rivers, and lakes located in that region. Enough detail is available on each disk for either visual or instrument cross-country navigation.

A STAR Scenery Disk (available 4th quarter 1985) covers a smaller area with a relatively dense amount of scenery. STAR Scenery Disks are primarily intended for visual flight sight-seeing. They include buildings and landmarks, as well as detailed renditions of all major airports in the area.

Individual Scenery Disk price: \$19.95 Western U.S. (Disks 1-6): \$99.95 — Coming Soon — Eastern U.S. (Disks 7-12): \$99.95

See Your Dealer . . .

or write or call for more information. For direct orders please specify which disk or disk-set you want. Enclose the correct amount plus \$2.00 for shipping (\$6.00 for the six-disk set) and specify UPS or first class mall delivery. Visa, Master-Card, American Express, and Diners Club cards accepted.

Commodore 64 is a trademark of Commodore Electronics Ltd.
IBM is a registered trademark of International Business Machines Corp.

For the Commodore 64™ and IBM PC®



SUDLOGIC Corporation 713 Edgebrook Drive

713 Edgebrook Drive Champaign IL 61820 (217) 359-8482 Telex: 206995

Order Line: (800) 637-4983 (except in Illinois, Alaska, and Hawaii) you want, press the button again to set down the block. It changes places with the block in that position.

#### VIC-20 Version

VIC-20 Puzzler is played with the cursor keys. The maximum puzzle size is four columns by six rows, with up to six colors. Your position in the grid is shown by two index arrows, normally colored black. Press RETURN twice to rotate a block. Press RETURN once to pick up a block, then move it with the cursor keys and press RETURN to put it down. The arrows turn blue when RETURN is pressed once, and red when it is pressed a second time.

#### Plus/4 And 16 Version

Puzzler for the Commodore Plus/4 and 16 permits up to seven rows and columns and seven different colors. It is played exactly like the VIC-20 version.

#### **Atari Version**

Plug a joystick into port 1. Atari Puzzler lets you build puzzles with as many as eight rows and columns and up to four different colors. Manipulate the joystick as explained in the Commodore 64 instructions.

#### **IBM Version**

IBM Puzzler allows grids as large as seven rows and columns with up to seven different colors. Index arrows indicate your position in the grid, as explained in the VIC-20 instructions. Use the cursor keys to move within the grid. Press Enter to move or rotate a block.

#### TI-99/4A Version

You have the option of playing with either a joystick or keyboard controls. Puzzles can be as large as six rows and six columns with as many as six different colors. The box-shaped cursor shows your position in the puzzle grid and changes colors to indicate when you're carrying a block. When using the keyboard, make sure the Alpha Lock key is down. Move the cursor with the arrow keys and press Enter to rotate or move a block.

#### **Apple Version**

Puzzler runs on any Apple II-series computer with either DOS 3.3 or ProDOS. Press the space bar to l

move or rotate a block, and press I, J, K, and L to move up, left, down, and right, respectively. Your position in the grid is indicated by small white highlights in the corners of the block.

#### Program 1: Commodore 64 Puzzler

Version by John Krause, Assistant Technical Editor

refer	structions on entering this listing, please to "COMPUTEI's Guide to Typing In ams" published bimonthly in COMPUTEI.
	GOSUB460 :rem 171
110	
	OTO79Ø :rem 185
120	A=INT(T-TI/60+.5):B=INT(A/
	6Ø) :rem 89
130	PRINT" [HOME] [3 DOWN] "SPC(1
	7)B"{LEFT}:"; :rem 226
140	
	Z\$, LEN( $Z$ \$)-1): IFLEN( $Z$ \$)=1T
	HENPRINT"Ø"; :rem 236
150	PRINTZS :rem 161
	A=NOTPEEK(5632Ø) :rem 124
	R=R+SGN((AAND2)-(AAND1))
110	
100	:rem 55 C=C+SGN((AAND8)-(AAND4))
180	
	:rem 35
190	IFR<ØTHENR=Ø :rem 213
200	IFR>=R3THENR=R3-1 :rem 20 IFC<0THENC=0 :rem 176
210	IFC<ØTHENC=Ø :rem 176
220	
23Ø	
	9, RS+16*R :rem 218
240	IF(AAND16)=ØTHEN110:rem 31
250	
	RR=R:CC=C:WAIT56320,16:GOT
	0110 :rem 115
260	F=0:IFRR=RANDCC=CTHENGOSUB
	300:GOTO280 :rem 111
270	GOSUB330 :rem 175
280	POKE53287, 15:WAIT56320, 16:
	IFA\$<>B\$THEN110 :rem 53
290	
300	B=C1+8Ø*R+C+C+41:GOSUB42Ø
	:rem 81
310	
	(A+1) :rem 46
320	
320	41, PEEK(A+NC+1): RETURN
	:rem 132
330	GOSUB360:B=C1+80*R+2*C+41:
330	GOSUB310 :rem 147

:rem 147 340 B=C1+80\*RR+2\*CC+41:A=AA:GO T0310 :rem 201 350 REM \*\*\* MOVE :rem 49 360 AA=SS+2\*NC\*RR+2\*CC:A=SS+2\* NC\*R+C+C :rem 191

37Ø D=PEEK(A):POKEA, PEEK(AA):P :rem 251 OKEAA, D 38Ø D=PEEK(A+1):POKEA+1, PEEK(A

A+1):POKEAA+1,D :rem 108 390 D=PEEK(A+NC):POKEA+NC, PEEK (AA+NC): POKEAA+NC, D :rem 237

400 D=PEEK(A+NC+1):POKEA+NC+1, PEEK(AA+NC+1): POKEAA+NC+1, D: RETURN :rem 111 410 REM \*\*\* ROTATE :rem 198 :rem 42 420 A=SS+2\*NC\*R+C+C 430 D=PEEK(A): POKEA, PEEK(A+NC)

:rem 24 440 POKEA+NC, PEEK (A+NC+1) rem 191 450 POKEA+NC+1, PEEK(A+1): POKEA

+1, D: RETURN :rem 240 460 POKE53269, 0:A\$="":POKE5328 Ø,6:POKE53281,6 :rem 233 470 PRINT" [CLR] "CHRS (14) SPC(16 )"{2 DOWN}{WHT}PUZZLER":PR INTSPC(16)"&7 T}" :rem 153 48Ø FORT=54272TO54295: POKET, Ø: NEXT:POKE54296,15 :rem 91 490 INPUT"[HOME][7 DOWN]NUMBER OF ROWS (2-7)";R3:rem 203 500 IFR3<20RR3>7THEN490 :rem 126 510 INPUT" [HOME] [10 DOWN] NUMBE R OF COLUMNS (2-7)"; C3 520 IFC3<20RC3>7THEN510:rem 91 530 INPUT" [HOME] [13 DOWN] NUMBE R OF COLORS (2-14)"; CO :rem 238

540 IFCO<20RCO>14THEN530 :rem 197

550 PRINT" {2 DOWN}PLEASE WAIT [SPACE] ..." :rem 134 560 S1=1473-40\*R3-C3:C1=S1+542 72:S2=S1+20:C2=C1+20:NR=2\* R3:NC=2\*C3 :rem 120

570 FORA=1TONR\*NC:A\$=A\$+CHR\$(R ND(1)\*CO):NEXT:B\$=A\$ :rem 203

58Ø A=256\*PEEK(46)+PEEK(45) :rem 204 59Ø SS=256\*PEEK(A+4)+PEEK(A+3)

:rem 158 600 FORR=OTOR3-1:FORC=OTOC3-1: B=INT(RND(1)\*4):rem 195

610 IFBTHENGOSUB420:B=B-1:GOTO 610 :rem 16 620 NEXT: NEXT :rem 80 630 FORR=OTOR3-1:FORC=OTOC3-1

:rem 13 640 RR=INT(RND(1)\*R3):CC=INT(R ND(1)\*C3):GOSUB360:NEXT:NE :rem 8Ø

65Ø PRINT" [CLR] "SPC(17)" [DOWN] PUZZLER :rem 141

660 FORA=1TONR:FORB=1TONC:POKE C1+40\*A+B, PEEK(SS+E)

:rem 118 67Ø POKES1+4Ø\*A+B, 16Ø:E=E+1:NE XT: NEXT :rem 201

680 FORA=1TONR:FORB=1TONC:POKE C2+40\*A+B, ASC(MID\$(B\$,G+1) :rem 153

690 POKES2+40\*A+B, 160:G=G+1:NE XT: NEXT :rem 208 700 POKE2040, 14: POKE53287, 15: P

OKE53277,1:POKE53271,1 :rem 183 71Ø FORA=896TO924:READB:POKEA,

:rem 15 B:NEXT 720 FORA=925T0958: POKEA, 0: NEXT :rem 102

73Ø RS=144-4\*NR:CS=102-4\*NC:R= Ø:C=Ø :rem 223 740 T=NR\*NC\*3:POKE53269,1:TI\$=

"ØØØØØØ":RETURN :rem 105 75Ø DATA255,192,0,128,64,0,128


.64.0 :rem 232 760 DATA128, 64, 0, 128, 64, 0, 128, :rem 182

64,0 770 DATA128, 64, 0, 128, 64, 0, 128, 64,0 :rem 183

780 DATA255, 192 :rem 29 79Ø Z1=5Ø:Z2=1Ø:Z3=-2:GOSUB83Ø :PRINT" [HOME] [DOWN] "SPC(15

)"{YEL}TIME'S UP":GOTO820 :rem 114 800 Z1=10:Z2=50:Z3=2:GOSUB830

:rem 180 81Ø PRINT" [HOME] [DOWN] "SPC(13) "{YEL}YOU SOLVED IT!" :rem 19



# Give your 1541 Disk Drive a brain transplant!

Simply plug the STARDOS ROM Chip into the drive unit and insert the STARDOS cartridge. That's all you need to do to complete a transplant procedure that will give your Disk Drive and Computer higher intelligence.

Other Quick Loaders and Fast Loaders try to 'Patch' the DOS of the Disk Drive. This does not significantly speed up much of today's Software and sometimes it fails to load altogether.

But, STARDOS electronically replaces the entire DOS and KERNAL. This means STARDOS will speedup finding records in your Database, any changes you wish to make to your Spreadsheet and playing your favorite adventure or other Disk Intensive work with your C-64\*.

The STARDOS transplant offers:

Speed..... for 'All Types' of Disk Access at an

incredible 600%-1000% faster!

Reliability ...... end overheating and "SAVE @ O:"

woes!

Convenience.. with single key load, SAVE, and

Directory Etc. Built in File and Disk

Copiers!

Power..... full Word Processor, M.L. Monitor and Sector Editor, Screen Dumps to Printer

and lots more!

Compatibility. STARDOS works with virtually all C-64\* Software and Hardware!

Guarantee...... 120 day repair or replacement warranty. Your satisfaction guaranteed or your money is refunded!

The power of a Computer is a terrible thing to waste. Help your C-64\* live up to its full potential...Transplant with the very best!...Transplant with STARDOS!

Personalize your C-64\* for a \$10 (non-refundable) charge. We will include a 21 character power-on message with your favorite screen, border and text colors. Example:

KE16 COMMODORE-64 Border GREEN Text RED Background

Write or phone for additional information.

### STARPOINT SOFTWARE

Gazelle, California 96034 Star Route 10

When ordering by mail: \$64.95 + 3.00 shipping \$64.95 + 4.00 COD orders Shipping out of USA \$6.00 California residents add 6% sales tax VISA or Mastercard accepted

Please allow 4-6 weeks for delivery

82Ø PRINTTAB(8)"{DOWN}FIRE BUT TON TO PLAY AGAIN{HOME}":W AIT5632Ø,16,16:RUN:rem 238

83Ø A=15:D=1Ø7:POKE53248+21,Ø: POKE54277,A:POKE54284,A:PO KE54291,A:POKE54278,D


:rem 165 84Ø POKE54285,D:POKE54292,D:PO KE54286,5Ø:POKE54287,4Ø:PO KE54276,33 :rem 43

B5Ø POKE54283,33:POKE5429Ø,33: FORF1=Z1TOZ2STEPZ3:POKE542 73,F1:POKE54287,F1:rem 226


86Ø FORF2=3ØTO1STEP-5:POKE5428 Ø,F2:POKE5328Ø,F2:NEXTF2,F 1 :rem 194

870 POKE54276, 32: POKE54283, 32: POKE54290, 32: RETURN : rem 127

88Ø POKE54277,26:POKE54276,23: POKE54273,30:RETURN :rem 133



"Commodore 64 Puzzler" permits large puzzles with up to 16 different colors.



Index arrows indicate your position in "VIC-20 Puzzler."

#### Program 2: VIC-20 Puzzler

Version by Kevin Mykytyn, Editorial Programmer

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTE!.

10 X\$="{RVS} {OFF}":CO(0)=0:CO (1)=6:CO(2)=2:DN\$="{HOME} {22 DOWN}" :rem 53

20 PRINT" [RED] [CLR] [4 DOWN] "SP C(8) "PUZZLER": PRINT" [4 DOWN] [BLK] [4 SPACES] ENTE R GRID SIZE":LN=2:HN=4

:rem 87
30 PRINT"{2 DOWN}{4 SPACES}COL
 UMNS? (2-4)":GOSUB370:COL=A
 :HN=6 :rem 199

40 PRINT" {2 DOWN} {4 SPACES} ROW S? {4 SPACES} (2-6)": GOSUB370 : ROW=A : rem 203

50 PRINT" {2 DOWN} HOW MANY COLO RS? (2-6)":GOSUB370:CR=A

:rem 19
70 PRINT"[CLR] [BLK] CONSTRUCT
ING PUZZLE":PRINTDN\$SPC(5)"
[BLU]PLEASE WAIT[BLK]";

:rem 238 80 PRINTLEFT\$(DN\$,11-ROW):GOSU B390 :rem 84

90 FORI=1TOROW\*2:PRINTLEFT\$(DN \$,I+12-ROW);:PRINTSPC(5-COL )X\$;:PRINTSPC(COL\*2)X\$;

:rem 98
95 PRINTSPC(9-2\*COL)X\$;:PRINTS
PC(2\*COL)X\$;:NEXT:IFCOL<>4T
HENPRINT :rem 2

100 GOSUB390:A\$="":FORA=1TOROW \*COL\*4:A\$=A\$+CHR\$(INT(RND( 1)\*CR)+2):NEXTA:B\$=A\$

:rem 22 110 FORA=1TOROW\*COL:Q=(A-1)\*4+ 1:Q2=INT(RND(1)\*ROW\*COL)\*4 +1:GOSUB400:NEXT :rem 132

120 FORA=1TOROW\*COL:R=RND(1)\*4 :Q=(A-1)\*4+1:GOSUB410:NEXT :IFA\$=B\$THEN110 :rem 37

130 FORA=1TOROW\*COL:Q=(A-1)\*4+ 1:T\$=B\$:XBAS=17-COL:YBAS=1 3-ROW:GOSUB440:XBAS=6-COL :rem 19

135 T\$=A\$:GOSUB44Ø:NEXT

:rem 126

140 PRINT" {HOME} {OFF} {21 SPACES}": PRINTDN\$" {BLK} {8 SPACES}TIME {4 SPACES}"; :rem

{4 SPACES}"; :rem 198 150 A=1:PB=1:OA=1:FL=0:TM=ROW\* COL\*2.5+30 :rem 85 160 IFFL=1THENQ2=(OA-1)\*4+1:FL

=2 :rem 73 170 ZZ=A:A=OA:GOSUB460:A=ZZ:XP =XBAS-2:YP=YBAS+Y1\*2:GOSUB 600:PRINT" ; :rem 116

175 YP=YBAS-2:XP=XBAS+X1\*2:GOS UB600:PRINT" ";:GOSUB460 :rem 88

18Ø POKE646, CO(FL): YP=YBAS+Y1\*
2: XP=XBAS-2: GOSUB600: PRINT
">";: XP=XBAS+X1\*2: YP=YBAS2: rem 244

190 GOSUB600:POKE646,CO(FL):PR INT"V";:OA=A:MAX=ROW\*COL:G ETK\$ :rem 36

200 IFK\$="{UP}"THENA=A-COL:GOT 0240 :rem 164 210 IFK\$="{LEFT}"THENA=A-1:GOT

0240 :rem 4 220 IFK\$="{RIGHT}"THENA=A+1:GO TO240 :rem 131

230 IFK\$="{DOWN}"THENA=A+COL:G OTO240 :rem 37

235 GOTO25Ø :rem 106

240 IFA>MAXORA<1THENA=OA :rem 22

250 IFK\$=OK\$THEN290 :rem 90 260 OK\$=K\$:IFK\$=CHR\$(13)ANDFL= 0THENFL=1:GOTO290 :rem 60

270 IFK\$=CHR\$(13)ANDFL=1THENQ= (A-1)\*4+1:R=1:GOSUB410:T\$= A\$:GOSUB440:FL=0:GOTO290 :rem 250

28Ø IFK\$=CHR\$(13)ANDFL=2THENGO SUB47Ø:FL=Ø :rem 226

290 PRINTDN\$SPC(12)INT(TM)"
{LEFT} ";:TM=TM-.08
:rem 237

300 IFTM<0THENPRINTDN\$"[BLU] {OFF}{7 SPACES}TIME'S UP {3 SPACES}";:Z1=255:Z2=150

:GOTO33Ø :rem 95 310 IFA\$=B\$THENPRINTDN\$" [BLU] [OFF] [3 SPACES] YOU SOLVED {SPACE}IT{3 SPACES}";:Z1=1 50:Z2=255:GOTO330 :rem 116 32Ø IFA<>OATHEN16Ø :rem 53 322 IFK\$=CHR\$(13)THEN170 :rem 79 325 GOTO19Ø :rem 109 33Ø GOSUB36Ø:PRINTDN\$" [4 SPACES] PRESS ANY KEY"; :rem 9 340 POKE198,0:WAIT198,1:RUN :rem 97 36Ø POKE36878, 15: FORA=Z1TOZ2ST EP2\*SGN(Z2-Z1):POKE36875,A :rem 255 : POKE36874, A-5 365 POKE36879, (PEEK (36879) AND 2 48)ORRND(1)\*8:NEXTA:FORT=1 5TOØSTEP-1:POKE36878,T:NEX :rem 109 367 POKE 36879, 27: RETURN :rem 143 37Ø Z=RND(1):GETK\$:A=VAL(K\$):I FA<LNORA>HNTHEN370:rem 218 38Ø RETURN :rem 123 390 PRINTSPC(5-COL);:FORI=1TO( COL+1)\*2:PRINTX\$;:NEXT:PRI NTSPC(9-2\*COL); :rem 13 395 FORI=1TO(COL+1)\*2:PRINTX\$; : NEXT : RETURN :rem 218 400 T\$=A\$:GOSUB500:FORZ=0TO3:T =PEEK(Q+Z+BP):POKEQ+Z+BP,P :rem 242 EEK(O2+Z+BP) 405 POKEQ2+Z+BP, T:NEXT:A\$=T\$:R :rem 244 ETURN 410 IFR=ØTHENRETURN :rem 242 420 T\$=A\$:GOSUB500:FORX=1TOR:T =PEEK(BP+Q):POKEBP+Q, PEEK( BP+Q+2): POKEBP+Q+2, PEEK(BP +0+3) :rem 144 430 POKEBP+Q+3, PEEK(BP+Q+1):PO KEBP+Q+1, T: NEXT: A\$=T\$: RETU RN :rem 120 440 GOSUB460:XP=XBAS+X1\*2:YP=Y BAS+Y1\*2:GOSUB600:FORT=0TO 3: IFT=2THENYP=YP+1: GOSUB60 :rem 109 450 POKE646, ASC (MID\$ (T\$,Q+T,1) ):PRINTX\$;:NEXT:RETURN :rem 237 460 Z=A-1:Y1=INT(Z/COL):X1=Z-Y 1\*COL: RETURN :rem 167 470 Q=(A-1)\*4+1:GOSUB400:T\$=A\$ :GOSUB440:ZZ=A:AA=Q:Q=Q2:A =(Q2-1)/4+1:T\$=A\$:GOSUB440: A=7.7. :rem 131 480 Q=AA: RETURN :rem 198 500 T\$=T\$:BP=PEEK(51)+256\*PEEK (52)-1: RETURN :rem 238 600 PRINTLEFT\$ (DN\$, YP) SPC(XP); :rem 130

### Program 3: Puzzler For Commodore Plus/4 And 16

Version by Patrick Parrish,
Programming Supervisor
For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.

10 X\$="{RVS} {OFF}":CO(Ø)=1:CO
 (1)=7:CO(2)=3:DN\$="{HOME}
 {22 DOWN}":COLORØ,2:COLOR4,
 2

20 PRINT" [7] {CLR} [6 DOWN] "SPC(
16) "PUZZLER": PRINT" [3 DOWN]



99.9%

#### **EFFECTIVE**

Shadow is a new and revolutionary way to back up your most protected software. It encompasses all the latest advances in software, as well as a highly sophisticated piece of hardware. This is absolutely **the best** utility available today. You may not even need updates, but if you do, the Shadow's unique design allows for updates to be available for a nominal fee.

By the time you place your order we expect the Shadow to back up 100% — that's right, 100% – of all software available for the C-64.

Order by phone 24 hrs./7 days or send cashier's check/money order payable to Megasoft. Visa. MasterCard include card # and exp. date. Add \$3.50 shipping/handling for continental U.S., \$5.50 for UPS air. CODs add \$7.50. Canada add \$10.00 Other foreign orders add \$15.00 and remit certified U.S. funds only. Distributors invited and supported.

MegaSoft

INTRODUCTORY OFFER \$89.95

P.O. Box 1080 Battle Ground, Washington 98604
Phone (206) 687-5116 • BBS 687-5205 After-Hours Computer-to-Computer Ordering

# ATARI JI OPPIC COMMODORE

10 10 10 10 85	10 Rec 20 Prin 25 Prin 27 Prin 0 Interf	order ter ter ter	CA CA 1	42 W 55 A 59 A
Correction of the Correction o	ewrite ewriter eportwrite enuwrite ome Inte nall Bus alesman ics Rec/	eregrator	RE (NEV 35, 20, 20, 20, 19, 19, 11, 11, 11, 15, 18,	V) KCDSNSFH
Co Fie Ka Ob Ma Six Wa Co Ge 50	plonial Color of Find Mission	conquest re		75 75 5 T G G B W
PE	Ita Draw smic Lif for Gra	AL PERI	PHERAL 29. 14. 25. bm55.	5 S
Su	per Sketo	ch Apple/I	bm55.	00

CALL CALL 165 42 55 159 179	ADVENTURE INT'L (Atari) Diskey 32.75 Ultradissambler 32.75 Maxi Golf. 18.75 Ralley Speedway 26.75 Whomper Stomper 18.75 Adventures 1-12 each 14.50 Adv. Hint Book 5.50
	MICROPROSE (Atari)
RE (NEW)	Kennedy Approach 21.75
35.75	Crusade in Europe 24.75
20.75 20.75 20.75	Kennedy Approach 21.75 Crusade in Europe 24.75 Decision in Desert 24.75
20.75	Solo Flight20.75 Nato Commander20.75
19.75	Spitfire Ace 18 75
v11.75	F-15 Strike Eagle20.75
ś11.75	Hellcat Ace18.75
11.75	
15.75	SVNADSE (Atari)
18.75	SYNAPSE (Atari)           SynFile.         33.75           SynCalc (AT/C-64).         33.75           SynComm.         26.75           SynTend.         26.75           SynChron.         26.75           SynChron.         26.75
11.75	SynCalc (AT/C-64) 33.75
ri)	SynComm26.75
24.75	SynTrend26.75
24.75 36.75	SynChron
36.75	
24.75 29.75	
24.75	BRODERBUND (Atari)
49.75	The Print Shon 28 05
24.75 ack24.75	Graphics Library18.95
22.75	Rank St Writer 42.75
24.75	Graphics Library
29.75	
ER	Slealth       18.95         Serpent's Star       24.95         Mask of the Sun       24.95
19.95	Mask of the Sun24.95
19.95	
19.95	SCARROROLIGH (Atari)
	NET WORTH (ATIC 64) 49.75
UEDALO	SCARBOROUGH (Atari) NET WORTH (AT/C-64)48.75 Mastertype22.75 Improved Mastertype23.75 Mastertype Filer22.75
PHERALS	Improved Mastertype23.75
29.95	Mastertype Filer22.75
14.99	

SCARBOROUGH (A NET WORTH. Improved Mastertype Mastertype Filer	.4 .2	ole B. T	7575
BRODERBUND (A The Print Shop Graphics Library, Graphics Library II Paper Refill Bank St Writer 64K Bank St Writer 128K Bank St Writer 128K Bank St Filer Bank St Speller Carmen Sandiego Karateka Captain Goodnight Muppey Cruise	.10	1.5	500555555555555555555555555555555555555
SUB LOGIC (Ap Flight Simulator II Night Mission Pinball	32 .20	.7	) 5 5
MICROPROSE (A Crusade in Europe Decision in Desert F-15 Strike Eagle Nato Commander	pp 22222	16	55555
SSI (Apple) Mech Brigade Norway 1985. Market Garden Six Gun Shootout 50 Mission Crush Phantasie	.29	. /	5
Spinnaker			
Alphabet	\$1	8.	75
Story Machine	\$1	9.	75
Kids on Keys	\$1	8.	75
Snooper Troop	\$1	2.	75 75
		-	

	COMMODO C-128 NEW	CALL CALL CALL CALL CALL 189 LOW 199 24.75 34.75 22.75 49.75 34.75 34.75
	CARDCO	)
	Digitizer Camera 32K Printer Buffer. Numeric Keypad CB/5 5-slot Board(64 CB/2 2-slot Board(64 Si More Basic Rom. Write Now-64. Mail Now-64. Spell Now-64. File Now-64. Paint Now-64. Calc Now-64. Tax Survival. Super Printer Utility. Write Now-Vic-20	189.95 59.95 34.95 1)54.00 1)25.00
	SDINNAKED IC	ADOM
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	SPINNAKER (C-6 Cosmic Life ROM. Jukebox. Alphabet Zoo. Alf in Color Caves. Up for Grabs. Delta Drawing. Kids on Keys. Kindercomp. Facemaker. Fraction Fever.	19.75 19.75 17.75 19.75 19.75
	ANCHOR	
7	Volksmodem Volksmodem 12 Wark 12	55 186 229

### BRODERBUND The Print Shop		Paper Clip Spell Pak Consultant Paper Clip w/Spell Pak Home Pak Bus Card 80 Column Board	75.95 34.95 75.95 34.95 129.95 109.95
HES Games 84		BRODERBU The Print Shop Graphics Library Graphics Library III Graphics Library III Karateka Castles Dr. Creep Bank St. Writer Loderunner Mask of the Sun Spelunker Serpent's Star Whistler's Brother Raid Bungeling Bay	ND 28.755 19.755 19.755 19.755 19.755 320.755 124.755 18.75
Microsoft Multiplan		HES	
Build A Book 24.75 Improved Mastertype 23.75 NET WORTH 48.75 Mastertype Filer 22.75 Boston 64 Diet 27.75	THE REPORT OF THE PARTY OF THE	Microsoft Multiplan Type N Write Turtle Graphics II Cell Defense Paint Brush Tri Math	55.00 . 19.95 . 23.95 . 22.95 . 12.95 . 22.95 . 27.95
MICROPROSE (C-64) Kennedy Approach .21.75 Crusade in Europe .24.75 Decision in Desert .24.75 Solo Flight .20.75 Nato Commander .20.75 Spitfire Ace .18.75 F-15 Strike Eagle .20.75 Helicat Ace .18.75		HES Kit	29.95
		HES Kit Millionaire HES Writer 64 SCARBOROUGH (	29.95 23.95 24.95
		HES Kit Millionaire HES Writer 64  SCARBOROUGH ( Build A Book Improved Mastertype NET WORTH. Mastertype Filer Boston 64 Diet.	29.95 23.95 24.95 <b>C-64)</b> .24.75 .23.75 .48.75 .22.75 27.75

BATTERIES INCLUDED

### 850 Interface......109 CONTINENTAL TRONIX

SUB LOGIC (Atari) Flight Simulator II....32.75 Night Mission Pinball.....20.75

ATARI

US ROBOTIC	S
Password 1200M	229
Password 1200F Password 300M	120
Password 300F	130
Autodial 212A	359
PCM64	519
PCM256	769
S-100 Courier	469
Microlink Telpac Ms-DOS	469
Telpac Ms-DOS	79
BACAL VADI	_
RACAL-VADI	C

					- 41
400PA					79
400V					55
200PC					32
300V				2	20
SOUPC.	Cott				19
	400PA	2400PC	2400PC	2400PC 2400PA	RACAL-VADIC 2400PC 2400PA 2400PC 200PC 000V 300PC George Software

MODEMS
HAYES SMARTMODEM 300 SMARTMODEM 1200 SMARTMODEM 1200B SMARTMODEM 2400 MICROMODEM IIE

TELE LEARNING
Total Telecommunications (C-64)
MICRORITS

IB-250 (300 Baud IBM)69.95
MICROBITS 1064 Modem57
THE RESERVE OF THE PERSON NAMED IN COLUMN 1

	Mark 12	186
9	NOVATION IBM-300/1200 MS-DOS ext	319
99995	IBM-300/1200 CPM-86 ext IBM 300/1200/2400 ext IBM 300/1200/2400 MS-DOS IBM MS-DOS int IBM CPM-86 int	529 579 325
	Macmodem 300/1200 Macmodem 300/1200/2400 Apple Cat II Upgrade Apple Cat II Cat 300 Acoustic	585
5	J-Cat RS232	139
,	WESTRIDGE MODEM (C-64) MITEY MO MODEM (C-64) Compuserve	69

ı	Hellcat Ace18.75
	PERSONAL PERIPHERALS Super Sketch 64
	SUB LOGIC (C-64) Flight Simulator II32.75 Night Mission Pinball20.75
ı	ODOD

QH & D	
GPC Printer Interface	27.95
arc Frinter Interrace	.,65.00

AMDEK	Title .
300 Green	118
300 Amber	128
310 Amber IBM	155
Color 300 Audio	234
Color 500 Composite	369
Color 600	
Color 700	495
Color 710	569
TEKNIKA	
MJ-10 Composite	. 179
MILOO DOD	

NEC JB-1260 Green 95 JB-1201 Green 135 JC 1215 Color 235 JC 1216 RGB 375 JC1460 Color 265 JB-1205 Amber 139 PRINCETON GRAPHICS MAX-12 Amber 185	SAKATA  SG1000 12" Green	ZENITH  ZVM 122A Amber 75  ZVM 123G Green
HX-12 RGB 465	PANASONIC	X-TRON
SR-12 RGB 595	DT 1300 RG1 composite 247	Comcolor I Composite Green. 177

SA	KATA
SA1000 12' SG1500 12' SA1500 12' SC100 13''	Green
PAN	IASONIC

ZVM 123G Green
Y-TRON

IAXAN
115 12" Green Composite CALL 116 12" Amber Composite CALL 121 12" Green TTL
122 12" Amber TTL 145 220 14" Color Composite 259 410 12" RGB Hi Res IBM 329
420 12" RGB Super Hi IBM409 440 12" RGB Ultra Hi Res555 Tilt Stand35
Till Stariu35

AMERICA'S MAIL ORDER HEADQUARTERS LYCO COMPUTER **WORLD'S LEADER IN SALES & SERVICE** 

TO ORDER CALL TOLL FREE 800-233-8760 In PA 1 717-327-1824 **Lyco Computer** P.O. Box 5088 Jersey Shore, PA 17740

### Lyco Computer Marketing & Consultants

ON THESE



7500AR

SAVE
CARDCO 32K BUFFER(C-64)59
CORONA
LP300 Laser Printer 2686
200361 Toner Cartridge89
EPSON
FX85 (New)
LX80
FX185 (New)
LX90 (New)
JX80
JX80
CR-20-Atari
CR-220-C-64
DX-20 (New)
HS-80 (New)
LQ1500P
LQ1500S
FX-100+ CALL

CARDCO  EK BUFFER. (C-64)59  CORONA  P300 Laser Printer2686  20361 Toner Cartridge89  EPSON  X85 (New)333  X80224  X80 (New)286  Q2000 (New)	SAVE	
EPSON  X85 (New)	CARDCO EK BUFFER(C-64)59	
X85 (New). 333 X80 212 X85 (New). 464 X90 (New). 226 Q2000 (New). 1555 X80 467 iomewriter 10 193 R-20-Atari 153 R-20-C64 153 XX-10 (New). 207 XX-20 (New). 297 IX-20 (New). 297 IX-80 (New). 298		
Q1500S 1039	X85 (New) 333 X80 212 X185 (New) 464 X90 (New) 226 G02000 (New) 1555 X80 467 Iomewriter 10 193 R-20-Atari 153 R-20-C64 153 XX-10 (New) 297 XX-20 (New) 297 IS-80 (New) 288 G1500P 975	

IN STOCK			
MSP-10.	CITIZ	The second second	
MSP-10. MSP-15. MSP-20. MSP-25. Sheetfdr Sheetfdr			
	OKID		
Okimate Okimate 182 192			
193 92P 93P			
92 Imag	ewriter M vers		
	-	The same of	OIL S

	E	3R	0	T	۲	lE	ΞΙ	2		
HR-	15XI	L-P								 3
HR-	15XI	L-S								 3
	35P.									
HR-	35S.									 Š.
202	4L-P									 9
M10	009-F	·			***			**	**	 11

JUKI	
Juki         6100         347           RS232         Serial         Board         .55           6100         Tractor         .119           6100         Sheet         Feeder         .205           Juki         6300         .757	)
LEGEND	
880 196 1080 222 1380 266 1385 296	
DIGITAL DEVICES	

64K	BUF	FER	125
	1	DIABLO	)
6304 6308 D80 P320 P38	CS CO1		1599 1759 2395 699



1091	\$233.00
PANA	SONIC
1091	183
1092	373
3151 Letter	
SILVE	R REED
EXP400	249 295
EXP550	399 749
The state of the s	ICRONICS
SG-15 SD-10	373
SD-15 SR-10	442
SR-15	583
SB-10 SG-10C-64 (	NEW)CALL

#### PRINTER INTERFACING

557

**TOSHIBA** 

#### **AXIOM**

	CHUBIIS	
MPP-1150	(Atari)	54
MPP-1150	XL (Atari)5	35
MicroPrint	(Atari)3	38
64K RAM	Board (600xl)6	35

#### DIGITAL DEVICES

Aperace ALP (Alan)49
ApeFace 12XLP (1200xl)49
U-Print A (Atari)54
U-Print C (C-64)49
U-Print A16K Buffer74
U-Print A64K Buffer99
U-Print AP16K (Apple)99 U-Print AP64K (Apple)139 U-CALL RS232 (Atari)37
U-Print AP64K (Apple)139
U-CALL RS232 (Afari)37
(r. marry)

#### MICROTEK

	TYMAC
Dumpling RV-611C	16K (Apple)

Tackler (Apple PPC-100 (App	C-64)
ORANG	E MICRO

# GRAPPLER + (Apple).....85 Grappler 16K (Apple).....149 ORANGE (Apple).....59 Grappler CD (C-64).....79

CARDCO	
G-Wiz (C-64)	54
C/? + G (C-64)	45
C/?PS (C-64)	49
C/?B.(C-64)	39
C/?AP (Apple)	49
C/?AP (Apple)	29

#### PRINTING PAPER

3000 SHEETS
FANFOLD \$42.75
1000 SHEETS
FANFOLD \$19.75
1000 SHEETLETTER \$21.95
200 SHEETS LETTER \$8.99
150 RAG STATIONARY \$10.99
MAILING LABELS (1in.) \$9.95
14 x 11 1000
FANFOLD \$24.75

#### **WICO Joysticks**

15-9714	Bat Handle	16.75
50-2030		11.99
50-2002	Super 3-Way.	19.99
50-0110	IBM-Analog	29.95
50-1030	Apple-Analog. Trackball	29.95
72-4545	Trackball	29.95

INNOVATI	<b>VE CONCEPTS</b>
Flip-n-File 1	03.50
Flip-n-File 1	58.25
Flip-n-File 2	5 Lock17.95 017.25
Flip-n-File 5	017.25
Flip-n-File 5	0 Lock22.95
Flip-n-File F	om17.25

#### DRIVES

INDUS	
GT ATARI	199
GT COMMODORE	.199

		MSI	0
SD1	Drive	(C-64	229
SD2	Drive	C-64	

#### DISKETTES

SKC (Box 10)			
(Qty.)	10	100	500
5¼" SSDD13			11.99
5¼" DSDD1	5.75	4.99	14.25
ELEPHANT (Bo	x 10)		
5¼" SSSD1	3.50	12.99	11.99
5¼" SSDD1	4.99	13.99	12.99
5¼" DSDD1			14.99
Premium SSDD1	5.95	4.95	13.95
Promium DSDD 1	7 95	6 95	15 95

MA	XELL (B	lox 10)		
514"	The second second	16.75	15.75 21.99	
VFF	BATIM	(DataLi	fe) (Bo	x 10

18.99

#### NO LABEL DISKETTES

NL 51/4" SSDD...10.99 (Box 10) NL 51/4" DSDD...15.99 (Box 10) \*Free Diskette Writer Pen!
\*Free Storage Case!
\*Lifetime Warranty!

#### IBM-PC SOFT-WARE

*ASHTON-TATE
Framework385.00
d Base II289.00
d Base III385.00
d Base II upgrade 135.00

#### PARADISE

Multi-Display Card	289
Multi-Display Card Modular Graphics	Card275
Five-Oak	155

_					
	*1	OT	110		
		TO.			
tu	s 1-2-3			309	9.00
m	phony.			439	9.00

#### IBM-PC COMPATABLE

	_		-	_
N(-	_		C	_
			•	-
table				aı
	NG	NG E	NG ED	NG EDG

	-	_		 		
	Z	ᆮ	N		ы	_
7-150	SHOP					C

#### **TECHMAR**

First Mate-64K	.249
Captain-64K	199
Second Mate	209
Captain JR-128K Graphics Master	309
Graphics Master	465

#### **OMEGA**

10 Meg Bernoulli Box (IBM)...1899 5 Meg Bernoulli Box (MAC).1499

#### **TALLGRASS TECHNOLOGIES**

25mb	arive	CALL
35mb	drive	CALL
50mb	drive	CALL
	drive	
	AST	
Civ D	ook Dive SAK	CALL

Six Pack Plus 64K	.CALL
Mega Plus II 64K	269
Memory 128K (mega) Memory 256K (Mega)	199
Memory 256K (Mega)	335
Mono-Graph Plus	339
Mono-Graph Plus Advantage-AT-128K	389

# \*QUADRAM Quad Jr. Exp. Chassis....519.00 Quad Jr. Exp. Memory....209.00 Quad Memory Jr.......209.00

*LEADING ED	GE
Nutshell	69.95
LEWP Basic	
LEWP Merge Print	99.00
I - Spell Correction 1	RQ M



TO ORDER

**CALL TOLL FREE** 800-233-8760 Customer Service 1-717-327-1825




or send order to Lyco Computer P.O. Box 5088 Jersey Shore, PA 17740

#### RISK FREE POLICY

In-stock items shipped within 24 hours of order. No deposit on C.O.D. orders. Free shipping on prepaid cash orders within the continental U.S. Volume discounts available. PA residents add sales tax. APO. FPO. and international orders add \$5.00 plus 3% for priority mail service. Advertised prices show 4% discount for cash, add 4% for MasterCard or Visa. Personal checks require 4 weeks' clearance before shipping. Ask about UPS Blue and Red label shipping. All merchandise carried under manufacturer's warranty. Free catalog with order. All items subject to change without notice.

- {BLK}"SPC(12)"ENTER GRID SI ZE:":LN=2:HN=7
- 30 PRINT" { DOWN } "SPC(12) "COLUMN S? (2-7)": GOSUB430: COL=A
- 40 PRINT" DOWN SPC (12) ROWS? {4 SPACES}(2-7) GOSUB430R OW=A
- 50 PRINT" [DOWN] "SPC(10)" HOW MA NY COLORS? (2-7)": GOSUB430: CR=A
- 60 PRINT" [CLR] "SPC(10) "CONSTRU CTING PUZZLE": PRINTDN\$SPC(1 4) "E73PLEASE WAIT[BLK]";
- 70 PRINTLEFT\$ (DN\$, 11-ROW): GOSU B450
- 80 FORI=lTOROW\*2:PRINTLEFT\$(DN \$,I+12-ROW);:PRINTSPC(9-COL )X\$;:PRINTSPC(COL\*2)X\$;
- 90 PRINTSPC(17-2\*COL)X\$;:PRINT SPC(2\*COL)X\$;:NEXT:PRINT
- 100 GOSUB450:A\$="":FORA=1TOROW \*COL\*4:A\$=A\$+CHR\$(INT(RND( 0)\*CR)+2):NEXTA:B\$=A\$
- 110 FORA=ITOROW\*COL:Q=(A-1)\*4+
   1:Q2=INT(RND(1)\*ROW\*COL)\*4
   +1:GOSUB470:NEXT
- 120 FORA=1TOROW\*COL:R=RND(1)\*4
  :Q=(A-1)\*4+1:GOSUB490:NEXT
  :IFA\$=B\$THEN110
- 130 FORA=1TOROW\*COL:Q=(A-1)\*4+ 1:T\$=B\$:XBAS=29-COL:YBAS=1 3-ROW:GOSUB520:XBAS=10-COL
- 14Ø T\$=A\$:GOSUB52Ø:NEXT
- 150 PRINT" [HOME] [OFF] "SPC(10)"
  [19 SPACES] ": PRINTDN\$SPC(1
  4)" [2 SPACES] [6 SPACES] ";
- 160 A=1:PB=1:OA=1:FL=0:TM=ROW\* COL\*3+30
- 170 IFFL=1THENQ2=(OA-1)\*4+1:FL =2
- 180 ZZ=A:A=OA:GOSUB540:A=ZZ:XP =XBAS-2:YP=YBAS+Y1\*2:GOSUB 580:PRINT" ";
- 190 YP=YBAS-2:XP=XBAS+X1\*2:GOS UB580:PRINT" ";:GOSUB540
- 200 COLOR1,CO(FL),4:YP=YBAS+Y1
   \*2:XP=XBAS-2:GOSUB580:PRIN
   T">";:XP=XBAS+X1\*2:YP=YBAS
   -2
- 21Ø GOSUB58Ø:COLOR1,CO(FL),4:P
  RINT"V";:OA=A:MAX=ROW\*COL:
  GETK\$
- 220 IFK\$="{UP}"THENA=A-COL:GOT 0270
- 230 IFK\$="{LEFT}"THENA=A-1:GOT 0270
- 240 IFK\$="{RIGHT}"THENA=A+1:GO
- 250 IFK\$="{DOWN}"THENA=A+COL:G OTO270
- 260 GOTO280
- 27Ø IFA>MAXORA<1THENA=OA
- 28Ø IFK\$=OK\$THEN32Ø
- 290 OK\$=K\$:IFK\$=CHR\$(13)ANDFL= 0THENFL=1:GOTO320
- 300 IFK\$=CHR\$(13)ANDFL=1THENQ= (A-1)\*4+1:R=1:GOSUB490:T\$= A\$:GOSUB520:FL=0:GOTO320
- 310 IFK\$=CHR\$(13)ANDFL=2THENGO SUB550:FL=0
- 320 PRINTDN\$"{BLK}"SPC(20)INT( TM)"{LEFT} "::TM=TM-.08
- 330 IFTM<0THENPRINTDN\$SPC(10)"

  [73](OFF)[5 SPACES]TIME'S U
  P[3 SPACES]";:Z1=1023:Z2=0
  :GOTO380
- 340 IFA\$=B\$THENPRINTDN\$SPC(10)
  "[7]{OFF}{3 SPACES}YOU SOL
  VED IT!{2 SPACES}";:Z1=0:Z
  2=1023:GOTO380
- 350 IFA<>OATHEN170



"Puzzler" for the Commodore Plus/4 and 16 uses keyboard controls.

- 360 IFK\$=CHR\$(13)THEN180
- 37Ø GOTO21Ø
- 380 GOSUB400:PRINTDN\$SPC(10)" {3 SPACES}PRESS ANY KEY";
- 390 POKE239, 0:WAIT239, 1:RUN
- 400 VOL 8:FORA=ZlTOZ2STEP10\*SG N(Z2-Zl):SOUND 1,A,2
- 410 COLORØ, RND(1)\*15+1:NEXTA:F ORT=8TOØSTEP-1:VOL T:NEXT
- 420 COLORO, 2: COLOR4, 2: RETURN
- 430 Z=RND(1):GETK\$:A=VAL(K\$):I FA<LNORA>HNTHEN430
- 440 RETURN
- 45Ø PRINTSPC(9-COL);:FOR1=1TO(
   COL+1)\*2:PRINTX\$;:NEXT:PRI
   NTSPC(17-2\*COL);
- 460 FORI=1TO(COL+1)\*2:PRINTX\$; :NEXT:RETURN
- 470 T\$=A\$:GOSUB570:FORZ=0TO3:T =PEEK(Q+Z+BP):POKEQ+Z+BP,P EEK(Q2+Z+BP)
- 480 POKEQ2+Z+BP, T: NEXT: A\$=T\$:R ETURN
- 49Ø IFR=ØTHENRETURN
- 51Ø POKEBP+Q+3, PEEK(BP+Q+1):PO KEBP+Q+1, T:NEXT:A\$=T\$:RETU RN
- 52Ø GOSUB54Ø:XP=XBAS+X1\*2:YP=Y
  BAS+Y1\*2:GOSUB58Ø:FORT=ØTO
  3:IFT=2THENYP=YP+1:GOSUB58
- 530 P=ASC(MID\$(T\$,Q+T,1)):COLO R1,P+(P=4)\*2,P-1-(P=4)\*4:P RINTX\$;:NEXT:RETURN
- 540 Z=A-1:Y1=INT(Z/COL):X1=Z-Y 1\*COL:RETURN
- 550 Q=(A-1)\*4+1:GOSUB470:T\$=A\$
  :GOSUB520:ZZ=A:AA=Q:Q=Q2:A
  =(Q2-1)/4+1:T\$=A\$:GOSUB520
  :A=ZZ
- 56Ø Q=AA: RETURN
- 570 T\$=T\$:BP=PEEK(51)+256\*PEEK (52)-1;RETURN
- 580 PRINTLEFT\$(DN\$, YP)SPC(XP); :RETURN

#### Program 4: Atari Puzzler

Version by Kevin Mykytyn, Editorial Programmer

For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.

A6 10 OPEN #1,4,12,"K:":POKE 106,PEEK(106)-8:GRAPH

- ICS Ø:CHBAS=PEEK(106) \* 256:POKE 82,Ø:SOUND Ø, Ø,Ø,Ø
- CI 20 POKE 752,1:POSITION 14 ,11:PRINT "PLEASE WAIT
- IJ 30 FOR A=0 TO 1023:POKE C HBAS+A, PEEK (57344+A):N EXT A:FOR A=CHBAS+8 TO CHBAS+39:READ B:POKE A.B:NEXT A:GRAPHICS Ø
- 8) 40 SPRBAS=PEEK(106)+4:POK E 53277,3:POKE 623,1:P OKE 704,0
- HM 50 SPR=SPRBAS\*256+512:0Y= SPR:FOR A=SPR TO SPR+1 27:POKE A,0:NEXT A:POK E 53256.1
- HD 60 DIM T\$(256), A\$(256), B\$
  (256), T2\$(1), R(4), SP(8)
  ): FOR A=1 TO 8: READ Z:
  SP(A)=Z: NEXT A
- # 70 GRAPHICS 17: POSITION 7 ,6: PRINT #6; "PIPPAGE": FOR A=1 TO 3: R(A) = 32+A : NEXT A: R(4) = 161
- E 80 POSITION 3,10:PRINT #6 ;"enter grid size":LN= 3:HN=8
- H6 90 POSITION 3,14:PRINT #6; "COLUMNS ? (3-8)":GOS
  UB 480:COL=A
- LK 100 POSITION 3,14:PRINT # 6;"ROWS(3 SPACES)":GO SUB 480:ROW=A
- 80 110 POSITION 3,10:PRINT # 6;"HOW MANY COLORS ?" :LN=2:HN=4
- IN 120 POSITION 3,14:PRINT #
  6;"(5 SPACES)(2-4)
  (6 SPACES)":GOSUB 480
  :COLR=A
- FD 13Ø GRAPHICS Ø:DL=PEEK(56 Ø)+256\*PEEK(561):POKE DL+3,66:FOR I=DL+6 T O DL+27:POKE I,4:NEXT
- EN 140 POKE I,6:I=I+1:POKE I
  ,65:POKE I+1,0:POKE I
  +2,DL/256:POKE 82,0
- GP 150 POSITION 11,0:PRINT "
  CONSTRUCTING PUZZLE":
  POSITION 5,23:PRINT "
  PLEASE WAIT";:POKE 75
  6,CHBAS/256
- 0 160 POKE 559,46:POKE 5427 9,SPRBAS:POSITION Ø,1 2-ROW:GOSUB 520
- IF 17Ø FOR I=1 TO ROW\*2:PRIN
   T :POKE 85,10-COL:PRI
   NT "\$";:POKE 85,11+CO
   L:PRINT "\$";:POKE 85,
   29-COL:PRINT "\$";
- B 180 POKE 85,30+COL:PRINT
  "\$";:NEXT I:PRINT :GO
  SUB 520
- FD 190 FOR A=1 TO ROW\*COL\*4: A\*(A,A)=CHR\*(R(INT(RN D(1)\*COLR+1))):B\*(A,A )=A\*(A,A):NEXT A
- MJ 200 FOR A=1 TO ROW\*COL:Q= (A-1)\*4+1:Q2=INT(RND( 1)\*ROW\*COL)\*4+1:GOSUB 530:NEXT A
- K 21Ø FOR A=1 TO ROW\*COL:R=
  RND(1)\*4:Q=(A-1)\*4+1:
  GOSUB 54Ø:NEXT A:IF A
  \*=B\* THEN 2ØØ
- KC 22Ø FOR A=1 TO ROW\*COL:Q= (A-1)\*4+1:T\*=B\*:XBAS= 3Ø-COL:YBAS=13-ROW:GO SUB 57Ø:XBAS=11-COL:T \*=A\*:GOSUB 57Ø:NEXT A
- KM 23Ø POSITION 11, Ø: PRINT

# SOLO FLIGHT

"The only Flight Simulator that gives you the real feel and thrill of Primary Flight Training with the FUN. Ease of Use and challenge even for the best fighter pilot!"



Major Bill 3.000 Flying Hours



NOW INCLUDES:

#### MAIL PILOT MISSION

Brave the wind, weather, and mechanical failures in an exciting and increasingly challenging race to deliver the mail to 21 different airports from Kansas to Colorado!

#### INSTRUCTOR PILOT OPTION

On screen guidance from a real instructor pilot to help you make your first Solo!

#### **CESSNA and MICRO PROSE**

present the

Great American

#### LEARN TO FLY A REAL AIRPLANE

Contest

\$30 OFF COUPON AND FREE FLYING LESSONS!!!

You get a coupon worth up to \$30 towards a Cessna "Discovery Flight" in every flying simulation product box — Plus you can win a complete flight training course from Cessna. Details in every box, or see your local dealer.

#### A Truly Unique Flying Experience -

Solo Flight is an exciting and sophisticated Primary Flight Training Simulator that makes learning to fly Fun and Easy! Designed by a real fighter pilot, who taught more than 200 Air Force Lieutenants how to fly, Solo Flight takes you from your first taxi to take-off; through your first solo; and all the way up to the challenge of the Mail Pilot Mission!

Solo Flight features full instrumentation, multiple air navigation maps, emergency procedure practice, the unique "in-the-slot" 3-Dimensional flight perspective, and fun and challenge for pilots of all ages!

#### USA TODAY - SOLO FLIGHT

'... there's a revised pecking order in the air... easier to master (than another famous flight simulator) (Solo Flight) ... loses none of the subtlety of flight, even when you've logged dozens of hours Marc Randolph

#### CREATIVE COMPUTING - SOLO FLIGHT

is a flight simulator designed with fun in mind... it's easier to fly than Sublogic's Flight Simulator and...it is more fun to play. John Anderson

#### COMPUTE!'s GAZETTE - SOLO FLIGHT

... The word that best describes Solo Flight is Fun... it's (for those who) don't wish to spend a lot of time reading, but would rather be flying.

David Florance



Experience the reality of these other great simulations from Micro Prose:

# only - \$39.95. Call or write for more information or MC/VISA orders.

Solo Flight is available for Commodore 64/128, Apple II Family, IBM PC/Jr., and Atari XL/XE and Macintosh computers. Suggested retail is only \$34.95. For Macintosh

SIMULATION

120 Lakefront Drive

Hunt Valley, Maryland 21030

Submarine Simulation

CHENT




Challenging and Exciting
Air Combat from the
Modern Electronic Cockpit!

Challenging and Exciting
You are in Command
D-Day to the
Battle of the Bulge!



COMMODORE 64, ATARI, APPLE and IBM are registered trademarks of Commodore Business Inc., Atari Inc., Apple Computer Inc., and International Business Machines Inc., respectively.



Play "Atari Puzzler" with a joystick.

(22 SPACES)": POKE DL+3 ,68: POSITION 3,23: PRI NT " (4 SPACES) TIME (7 SPACES)":

E0 24Ø A=1:PB=1: DA=1:TIME=1Ø 999

FN 25Ø IF PEEK (7Ø4) = 15 THEN Q2=(OA-1) #4+1: POKE 70 4,47

HK 260 GOSUB 590: POKE 53248 Ø:FOR X=OY TO OY+7:PO KE X,Ø:NEXT X

KD 27Ø 0Y=Y1\*8+16+YBAS\*4+SPR :FOR X=1 TO 8:POKE OY +X-1,SP(X):NEXT X:POK E 53248,46+XBAS\$4+X1\$

HD 28Ø OA=A: MAX=ROW\*COL: J=ST ICK(Ø)-6: ON J GOTO 29 Ø,34Ø,34Ø,34Ø,3ØØ,34Ø,31Ø,32Ø:GOTO 34Ø

LP 290 A=A+1:GOTO 330 A=A-1:GOTO 33Ø LJ 300

6F 31Ø A=A+COL: GOTO 330

FP 32Ø A=A-COL

IF A>MAX OR A<1 THEN BG 33Ø A=DA

NJ 340 IF STRIG(Ø) = PB THEN 3 80

11 350 PB=STRIG(0): IF STRIG( Ø) =Ø AND PEEK (7Ø4) =Ø THEN POKE 704, 15: GOTO 380

PC 360 IF STRIG(0) = 0 AND PEE K(7Ø4)=15 THEN Q=(A-1 ) #4+1:R=1:GOSUB 54Ø:T \$=A\$:GOSUB 570:POKE 7

04,0:GOTO 380 NB 370 IF STRIG(0)=0 AND PEE K(7Ø4)=47 THEN GOSUB 600:POKE 704,0
18 380 POSITION 12,23:PRINT

INT (TIME); " "; : TIME=T IME-Ø. 1

JK 390 IF TIME (Ø THEN POSITI ON 3,23: PRINT (3 SPACES) TIME'S UP ";: Z1=2Ø: Z2=7Ø: GOTO 4 30

DB 400 IF A\$ (1, ROW\*COL\*4) = B\$ (1,ROW\*COL\*4) THEN PO SITION 4,23:PRINT "YO U SOLVED IT";:Z1=70:Z 2=20:GOTO 430

60 41Ø IF A<>OA THEN GOTO 25

6J 42Ø GOTO 28Ø

PI 430 GOSUB 460: POSITION 2, 23: PRINT "PRESS FIREB UTTON"

PI 44Ø IF STRIG(Ø) THEN 44Ø AE 450 POKE 53248,0:GOTO 70

FC 460 FOR A=Z1 TO Z2 STEP S GN (Z2-Z1): SOUND Ø, A, 1 Ø, 15: FOR T=A-1 TO A+1 ISOUND 1, T, 10, 15: NEXT

T:POKE 712,A AL 470 NEXT A:POKE 712,0:FOR A=15 TO Ø STEP -1:50 UND Ø, Z2, 1Ø, A: SOUND 1 , Z2, 10, A: NEXT A: RETUR

MM 480 GET #1, A: IF A<LN+48 0 R A>HN+48 THEN 48Ø AP 490 A=A-48: RETURN

KL 500 DATA 255, 255, 255, 255, 255, 255, 255, 255, 170, 1 70,170,170,170,170,17 0,170,85,85,85,85,85, 85,85,85

JK 510 DATA 220,220,220,220, 220,220,220,220,252,1 32, 132, 132, 132, 132, 13 2,252

E 520 FOR I=1 TO (COL+1) \*2: POKE 85,9-COL+I:PRINT "\$";:POKE 85,28-COL+ I:PRINT "\$";:NEXT I:R ETURN

BN 53Ø T\$=A\$(Q,Q+3):A\$(Q,Q+3 )=A\$(Q2,Q2+3):A\$(Q2,Q 2+3) =T\$: RETURN

P6 54Ø IF R=Ø THEN RETURN

IE 55Ø T = A (Q, Q+3) : FOR X=1TO R: T2\$=T\$(1,1):T\$(1 ,1)=T\$(3,3):T\$(3,3)=T \$(4,4):T\$(4,4)=T\$(2,2 ):T\$(2,2)=T2\$

BN 560 NEXT X: A\$ (Q,Q+3)=T\$:R FTURN

IC 570 GOSUB 590: POSITION XB AS+X1\*2, YBAS+Y1\*2: PRI NT T\$(Q,Q+1):POSITION XBAS+X1\*2, YBAS+Y1\*2+

J6 58Ø PRINT T\$ (Q+2, Q+3):RET URN

KL 590 Z=A-1: Y1=INT (Z/COL): X 1=Z-Y1 COL: RETURN

00 600 Q=(A-1) \*4+1:GOSUB 530 :T\$=A\$:GOSUB 570:ZZ=A : AA=Q: Q=Q2: A= (Q2-1) /4 +1:T\$=A\$:GOSUB 570:A= ZZ: Q=AA: RETURN

#### Program 5: Puzzler For IBM PC/PCjr

Version by Kevin Mykytyn, Editorial Programmer

For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.

HP 10 DEF SEG=0:POKE 1047,64:WID TH 40:KEY OFF: SCREEN Ø, Ø:C LS: X\$=CHR\$ (219): CO(Ø)=15: C O(1)=14:CO(2)=12

KF 20 COLOR 12:LOCATE 5,18,0:PRI NT "Puzzler": COLOR 9: LOCAT E 10.14:PRINT "Enter grid size":LN=3:HN=7


OM 30 LOCATE 14,14:PRINT "Column s? (3-7)":GOSUB 370:COL=A

CF 4Ø COLOR 10:LOCATE 14,14:PRIN ": GOSUB 370: ROW "Rows? Т =A

EO 50 COLOR 14:LOCATE 10,14:PRIN T "How many colors?":LN=2: HN=7

PM 60 LOCATE 14, 14: PRINT " 2-7) ":GOSUB 370:COLR=

DF 70 CLS:LOCATE 1,12:PRINT "Con structing puzzle":LOCATE 2



"IBM PC/PCjr Puzzler."

5,16:COLOR 11:PRINT "Pleas e wait";:COLOR 14

OL BØ LOCATE 12-ROW, 1: GOSUB 390 CD 90 FOR I=1 TO ROW#2:PRINT:PRI NT TAB (10-COL) X\$; : PRINT TA B(11+COL) X\$; : PRINT TAB(29-COL) X\$; : PRINT TAB (3Ø+COL) X \$::NEXT:PRINT:GOSUB 390

MH 100 A\$="":FOR A=1 TO ROW\*COL\* 4: A\$=A\$+CHR\$ (INT (RND (1) \*C OLR)+1):NEXT A:B\$=A\$

KN 11Ø FOR A=1 TO ROW\*COL:Q=(A-1 ) \$4+1: Q2=INT (RND(1) \$ROW\$C OL) #4+1: GOSUB 400: NEXT A

DH 120 FOR A=1 TO ROWECOL: R=RND ( 1) #4: Q= (A-1) #4+1: GOSUB 41 Ø: NEXT: IF AS=B\$ THEN 110

QN 13Ø FOR A=1 TO ROW\*COL:Q=(A-1 ) \$4+1: T\$=B\$: XBAS=3Ø-COL: Y BAS=13-ROW: GOSUB 440: XBAS =11-COL:T\$=A\$:GOSUB 440:N EXT

EP 140 LOCATE 1,12:PRINT STRING\$ (20,32):LOCATE 25,13:COLO R 12: PRINT " Time

PB 15Ø A=1:PB=1:OA=1:FL=Ø:TIME=R OW#COL#2.5+3Ø

DD 160 IF FL=1 THEN Q2=(OA-1)\*4+ 1:FL=2

KA 170 COLOR CO(FL): ZZ=A: A=OA: GO SUB 460: A=ZZ:LOCATE YBAS+ Y1\*2, XBAS-2: PRINT " ";:LO CATE YBAS-2, XBAS+X1\*2:PRI NT ";

CJ 18Ø GOSUB 46Ø: LOCATE YBAS+Y1\* 2, XBAS-2: PRINT CHR\$ (26);: LOCATE YBAS-2, XBAS+X1\*2:P RINT CHR\$ (25);

BA 190 DA=A: MAX=ROW\*COL: K\$=INKEY \$:K\$=RIGHT\$(K\$,1):J=ASC(K \$+CHR\$(Ø))-71:ON ABS(J) G OTO 200,250,250,210,250,2 20,250,250,230:GOTO 250

₽K 200 A=A-COL: GOTO 240

LO 21Ø A=A-1:GOTO 24Ø

KA 22Ø A=A+1:GOTO 24Ø

DP 23Ø A=A+COL

PL 240 IF A>MAX OR A<1 THEN A=DA

EG 25Ø IF J=PB THEN 29Ø

00 260 PB=J:IF J=-58 AND FL=0 TH EN FL=1:GOTO 290

DM 270 IF J=-58 AND FL=1 THEN Q= (A-1) #4+1: R=1: GOSUB 410: T \$=A\$:GOSUB 440:FL=0:GOTO 290

EP 280 IF J=-58 AND FL=2 THEN GO SUB 470:FL=0

KB 290 LOCATE 25,21:COLOR 12:PRI NT INT(TIME) " ";:TIME=TIM E-. Ø25

KA 300 IF TIME<0 THEN LOCATE 25, 13:PRINT " Time's up Time's up ";: Z1=500: Z2=100: GOTO 3 30

# FOR YOUR



Sharon Aker Paul Freiberger Arlan Levitan Selby Bateman Vahé Guzelimian Dan McNeill Charles Brannon

This newest release from COMPUTE! Books shows you how to get the most out of your Macintosh and software. Practical demonstrations teach you how to fully utilize several commercially available programs, such as Microsoft's Word, Chart, File, and Multiplan, Apple's MacTerminal, and others. You'll see how to:


- · Create form letters with Word,
- · Use Multiplan for your accounting,
- Share information between offices with MacTerminal.

Here are the ins and outs, hints and tips on how to use each program most efficiently, and previously undocumented techniques.

Extensively illustrated with actual Macintosh-created documents and graphics, *MacOffice* shows you how you can integrate programs, let them share information, making it even easier to manage your business with a computer. You'll also learn about networks—where computers, printers, and other devices are connected to create an office-wide working environment—with details on how to create a network, and what to look for in network software.


\$18.95 ISBN 0-87455-006-8

# personal computer






Look for these new titles at your local book or computer stores or order directly from COMPUTE! Books.



COMPUTE! Books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN 21 3UN England.



#### **COMPUTE!'s Second Book of Apple**

Edited

With over 30 programs, this collection for Apple II+, IIe, and IIc owners contains arcade-style games, games of logic and education, applications, graphics generators, and programming utilities. Compiled from the most recent issues of *COMPUTE!* magazine and *COMPUTE's Apple Applications Issue*, these programs include dazzling graphics, high-speed game play, and valuable programming techniques. All the programs are ready to type in.

Applications calculate your financial situation and turn your computer into a remote terminal for accessing sophisticated databases. Action games put you in a jet fighter and in a bowling alley. Educational games range from a five-level chess game to a program which lets you write quizzes on any subject. Graphics and programming utilities help you design custom graphics or put a RAM disk in your IIc.

\$12.95 ISBN 0-87455-008-4

There is also a disk available which includes the programs in the book. You can order this disk directly from COMPUTE! for only \$12.95 plus \$2.00 shipping charges.


To order, call toll-free 800-334-0868 (in NC 919-275-9809) or mail your payment (including \$2.00 shipping charges) to COMPUTE! Books, P.O. Box 5058, Greensboro, NC 27403.

- OC 31Ø IF A\$=B\$ THEN LOCATE 25.1 5:PRINT "You solved it";: Z1=100: Z2=500: GOTO 330
- NF 320 IF A<>OA THEN 160 ELSE IF J=-58 THEN 170 ELSE 190
- PB 33Ø GOSUB 36Ø:LOCATE 25,13:PR INT " Press any key
- EM 340 AS=INKEYS: IF AS="" THEN 3 40
- 6H 35Ø RUN
- PD 360 FOR A=Z1 TO Z2 STEP 20\*SG N(Z2-Z1):SOUND A, 2: COLOR Ø, Ø, RND (1) \$6+1: FOR TD=1 T 0 99: NEXT: NEXT: COLOR 15, Ø .Ø: RETURN
- LE 370 Z=RND(1):K\$=INKEY\$:A=VAL( K\$): IF A<LN OR A>HN THEN 370
- NN 38Ø RETURN
- @I 39Ø FOR I=1 TO (COL+1) #2:LOCA TE ,9-COL+I:PRINT X\$;:LOC ATE ,28-COL+I:PRINT X\$;:N EXT I:RETURN
- 6K 400 T\$=MID\$(A\$,Q,4):MID\$(A\$,Q ,4)=MID\$ (A\$,Q2,4):MID\$ (A\$ , Q2, 4) =T\$: RETURN
- B6 41Ø IF R=Ø THEN RETURN
- PK 42Ø T\$=MID\$(A\$,Q,4):FOR X=1 T O R: T2\$=MID\$ (T\$, 1, 1):MID\$ (T\$, 1, 1) = MID\$ (T\$, 3, 1) : MID \$(T\$,3,1)=MID\$(T\$,4,1):MI D\$(T\$,4,1)=MID\$(T\$,2,1):M ID\$(T\$,2,1)=T2\$
- OF 43Ø NEXT: MID\$ (A\$, Q, 4) =T\$: RETU RN
- 6C 44Ø GOSUB 46Ø:LOCATE YBAS+Y1\* 2, XBAS+X1\*2: COLOR ASC (MID \$(T\$,Q,1)):PRINT X\$::COLO R ASC (MID\$ (T\$, Q+1, 1)):PRI NT X\$;:LOCATE YBAS+Y1\*2+1 , XBAS+X1\*2
- DH 45Ø COLOR ASC (MID\$ (T\$,Q+2,1)) :PRINT X\$;:COLOR ASC (MID\$ (T\$,Q+3,1)):PRINT X\$;:RET URN
- EB 46Ø Z=A-1:Y1=INT(Z/COL):X1=Z-Y1\*COL: RETURN
- CP 47Ø Q=(A-1) \$4+1:GOSUB 4ØØ:T\$= A\$: GOSUB 440: ZZ=A: AA=Q: Q= Q2: A= (Q2-1) /4+1: T\$=A\$: GOS UB 44Ø: A=ZZ: Q=AA: RETURN

#### Program 6: TI-99/4A Puzzler

Version by Patrick Parrish, Programming Supervisor

- 100 RANDOMIZE :: CALL CLE AR :: GOSUB 380 :: CA LL MAGNIFY (3)
- 11Ø GOSUB 37Ø :: CALL SCR EEN(2):: DISPLAY AT(7 11): "PUZZLER !" :: D ISPLAY AT (12, 4): "INPU T GRID SIZE (3-6)
- 12Ø DISPLAY AT (14, 11): "RO WS ?" :: ACCEPT AT (14 ,18):R :: IF R<3 OR R >6 THEN 120
- 13Ø DISPLAY AT (16, 10): "CO LUMNS ?" :: ACCEPT AT (16,20):C :: IF C<3 D R C>6 THEN 130
- 140 DISPLAY AT (18,3): "HOW MANY COLORS (2-6)?" :: ACCEPT AT (18, 26):C OLS :: IF COLS<2 OR C OLS>6 THEN 140
- 150 CALL CLEAR :: FOR I=1 TO 8 :: CALL COLOR(I



"Puzzler" for the TI-99/4A can be played with a joystick or the keyboard.

- ,2,1):: NEXT I :: CAL L SCREEN(15):: U=C\*2+ 3 :: U=INT((19-U)/2): : D=R\*C\*10
- 160 TE=12-R :: DISPLAY AT (2,5): "CONSTRUCTING P UZZLE" :: DISPLAY AT( 23,9): "PLEASE WAIT"
- 17Ø MT=C\*2+2 :: CALL HCHA R(TE, U, 35, MT):: CALL HCHAR (TE, U+16, 35, MT): : A=R\*2
- 18Ø CALL VCHAR (TE+1, U, 35, A):: CALL VCHAR (TE+1, U+C\*2+1,35,A):: CALL VCHAR (TE+1, U+16, 35, A) :: CALL VCHAR (TE+1, U+ C\*2+17, 35, A)
- 190 CALL HCHAR (A+TE+1, U, 3 5, MT):: CALL HCHAR(A+ TE+1, U+16, 35, MT):: Y=
- TE+1 :: X=U 200 A\$="" :: FOR I=1 TO R \*C\*4 :: RANDOMIZE :: A\$=A\$&CHR\$(INT(RND\*CO LS) \*8+96):: NEXT I :: B\$=A\$ :: FOR I=1 TO R\*C
- 21Ø R1=INT(R\*C\*RND)\*4+1 : : R2=INT(R\*C\*RND) \*4+1 :: IF R1=R2 THEN 210
- 220 TEM\$=SEG\$(A\$,R1,4):: TEM2\$=SEG\$ (A\$, R2, 4):: GOSUB 490 :: NEXT I :: FOR T=1 TO R\*C\*4-3 STEP 4
- 23Ø TEM\$=SEG\$(A\$, T, 4):: R 1=INT(RND # 4):: FOR J= 1 TO R1 :: GOSUB 520 :: NEXT J :: GOSUB 53 Ø :: NEXT T :: IF A\$= B\$ THEN 200
- 24Ø FOR I=Ø TO R-1 :: FOR J=Ø TO C-1 :: GOSUB 420
- 25Ø DISPLAY AT (Y+2\*I, X+2\* J+15):SEG\$(B\$,J\$4+1+I NT((2\*I+1)/2)\*C\*4,2);:: DISPLAY AT (Y+2\*I+1 X+2\*J+15):SEG\$(B\$,J\* 4+3+INT((2\*I+1)/2)\*C\* 4,2);
- 260 NEXT J :: NEXT I :: C ALL HCHAR (2,7,32,19): : CALL HCHAR (23, 11, 32 ,11):: SC=2 :: LY=TE\* 8+1 :: LX=U\*8+1 :: SY =LY :: SX=LX :: Q=1 :  $F, I, J=\emptyset$
- 270 DISPLAY AT (2, 10): "TIM E : "; D
- 280 CALL SPRITE (#1,100,CS (F),SY,SX):: D=D-.25

- :: DISPLAY AT(2,16):I NT(D):: IF INT(D) = Ø T HEN GOTO 340
- 290 CALL KEY(0,K,ST):: CA LL KEY(1, KK, ST):: IF ST=Ø THEN CALL JOYST ( 1, H, V):: H=SGN(H):: V =SGN(-V)ELSE H=(K=83) -(K=68):: V=(K=69)-(K =88)
- 300 J=J+H :: I=I+V :: J=J  $+(J>C-1)*C-(J<\emptyset)*C:$  $I = I + (I > R - 1) *R - (I < \emptyset) *$ R :: SX=LX+J\*16 :: SY =LY+I\*16 :: IF KK=18 OR K=32 THEN GOSUB44Ø
- (OX<>SX OR OY<>SY) 310 IF AND F=1 THEN F=2 :: G OSUB 47Ø
- 320 IF A\$<>B\$ THEN 280 330 FOR I=1 TO 30 STEP 3 :: CALL SOUND (75, 220+ 20 \* I, 4):: CALL SCREEN (INT(I/2)+1):: NEXT I
- :: REM WIN GAME 340 FOR I=30 TO 1 STEP -3 :: CALL SOUND (75, 220 +20 \* I , 4) :: CALL SCREE N(INT(I/2)+1):: NEXT I :: CALL SCREEN(15)
- 350 DISPLAY AT (23,6): "PLA Y AGAIN (Y/N)?" :: AC CEPT AT (23, 24) BEEP VA LIDATE("YNyn"):A\$ :: IF A\$="N" OR A\$="n" T HEN STOP
- 360 CALL DELSPRITE(#1)::
- GOTO 110 370 CALL CLEAR :: FOR I=1 TO B :: CALL COLOR(I 16,1):: NEXT I :: RE TURN
- 380 CALL CHAR (100, "FF8080 80808080808080808080808 Ø8ØFFFFØ1Ø1Ø1Ø1Ø1Ø1Ø1 Ø1Ø1Ø1Ø1Ø1Ø1Ø1FF")
- 390 FOR I=96 TO 136 STEP 8 :: CALL CHAR(I, "FFF FFFFFFFFFFFF"):: NEX TI
- 400 FOR I=9 TO 14 :: READ A :: CALL COLOR(I, A, 1):: NEXT I :: CALL C HAR (35, RPT\$ ("F", 16)): : FOR F=Ø TO 2 :: REA D CS(F):: NEXT F :: R **ETURN**
- 41Ø DATA 3,5,7,8,11,14,2, 16,10
- 420 DISPLAY AT (Y+2\*1, X+2\* J-1): SEG\$ (A\$, J\*4+1+IN T(([\*2+1)/2)\*C\*4,2);: : DISPLAY AT (Y+2\*I+1, X+2\*J-1):SEG\$(A\$, J\*4+ 3+INT((2\*I+1)/2)\*C\*4, 2):
- 43Ø RETURN
- 44Ø IF F=Ø THEN OX=SX :: OY=SY :: GOSUB 510 :: R1=T :: F=1 :: GOSUB 47Ø :: OJ=J :: OI=I :: RETURN
- 45Ø IF F=1 THEN GOSUB 51Ø :: TEM\$=SEG\$ (A\$, T, 4) :: GOSUB 520 :: GOSUB 53Ø :: GOSUB 42Ø :: F=Ø :: GOSUB 47Ø :: R ETURN
- 460 GOSUB 510 :: R2=T :: GOSUB 480 :: GOSUB 42 Ø :: TJ=J :: TI=I :: I=OI :: J=OJ :: GOSUB

# A SPECIAL OFFER from COMPUTE! Books

for Owners and Users of Commodore Computers

Buy any 2 of these books and receive a **15% Discount**. You pay \$22.00 and save \$3.90! Buy all 3 books and get a **25% Discount**. You pay only \$29.00, a savings of \$9.85!

An excellent resource for users of the 64, with something for everyone: BASIC programming techniques, a memory map, a machine language monitor, and information about writing games and using peripherals. This 264-page, spiral-bound book includes many ready-to-type-in programs and games. \$12.95

SECOND BOOK OF COMMODORE

COMPUTER'S

THIRD

BOOK

OF

COMMODORE

64

The best games, applications, utilities, and BASIC futorials from COMPUTE Publications. Solve a mutote mystery, create an 80-column display, perform disk surgery, paint in hivres, and improve programming style.

COMPUTEI Books Publication

\$12.95

Continues in the tradition of the First Book of Commodore 64 in presenting some of the best programs and articles from COMPUTEI Publications, many revised or never before published. There's something for almost any Commodore 64 user in this 289-page book: arcade and text adventure games in BASIC and machine language, a commercial software-quality word processor, a program which adds 41 new commands to BASIC, an electronic

spreadsheet, tutorials about programming sound and graphics, and utilities for saving, copying, and retrieving files. \$12.95

tions, tutorials, and utilities from the most recent issues of *COMPUTE!* magazine and *COMPUTE!'s Gazette*, including several programs never before published. Commodore 64 users of all ages and experience will find this book informative, entertaining, and educational. Create an 80-column display, play educational and arcade-quality games, compose music, move sprites easily and quickly, and see how to program more efficiently and

A collection of outstanding games, applica-

effectively. \$12.95

Buy Now—This Offer Expires December 15, 1985.

COMPUTE!'s Second COMPUTE!'s Third Bo All Orders Must Be Prepaid Payment Enclosed (check of Charge MasterCard	ok of Commodore 64, \$12.95 I Book of Commodore 64, \$12.95 ook of Commodore 64, \$12.95 or money order)	To Order Call Toll Free 800-334  (in NC call 919-275-4)  or mail this coupon with your payme COMPUTE! Books, P.O. Box Greensboro, NC 27403  Please send me 1 Book for 2 Books for 3 Books for	
Name		— NC residents add 4.5% sales tax	<u>Lus</u>
Address		— Add \$2.00 per book for shipping —	-
City		Total Paid	
State	Zip	Please allow 4-6 weeks for delivery.	75D1121

420 :: F=0 :: GOSUB 47Ø :: J=TJ :: I=TI : RETURN 47Ø CALL COLOR(#1,CS(F)): : RETURN IF R1=R2 THEN RETURN 480 :: REM TRANSPOSE 490 IF R2>R1 THEN A=R1 :: B=R2 ELSE A=R2 :: B= R1

500 A\$=SEG\$(A\$,1,A-1)&SEG \$ (A\$, B, 4) &SEG\$ (A\$, A+4 B-A-4) &SEG\$ (A\$, A, 4) & SEG\$ (A\$, B+4, LEN (A\$) -B +5):: RETURN T=J\*4+1+INT((I\*2+1)/2 510

) \*C\*4 :: RETURN :: RE M CALC STRING POINTER TEM\$=SEG\$ (TEM\$, 3, 1) &S 520 EG\$ (TEM\$, 1, 1) & SEG\$ (TE M\$,4,1)&SEG\$(TEM\$,2,1 ):: RETURN :: REM ROT ATE

A\$=5EG\$(A\$,1,T-1)&TEM 530 \$&SEG\$ (A\$, T+4, LEN (A\$) -T-3):: RETURN :: REM SUBSTITUTE ROTATED S UBSTRING



"Puzzler" runs on any Apple II-series computer.

#### Program 7: Apple Puzzler

Version by Kevin Martin, Editorial Programmer

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTEI.

29 100 A\$ = "": IF PEEK (24576) = 162 THEN 140 55 11Ø FOR I = 24576 TO 24872 B2 12Ø READ A: POKE I, A FE 13Ø NEXT C5 14Ø HIMEM: 24576 50 150 GOSUB 550 58 160 IF T = Ø THEN VTAB 21: PR INT TAB( 14) "OUT OF TIME" : GOTO 38Ø DB 170 HTAB 17: VTAB 23: PRINT T 47 18Ø T = T - 1 2A 19Ø IF PEEK ( - 16384) < 128 THEN 160 98 200 GET C\$: IF (C\$ < "I" OR C \$ > "L") AND C\$ < > " " T **HEN 160** (C\$ = "I") + (C\$81 21Ø R = R -

59 22Ø C = C - (C\$ = "J") + (C\$

9E 24Ø IF R > = R3 THEN R = R3 -

7E 23Ø IF R < Ø THEN R = Ø

AF 25Ø IF C < Ø THEN C = Ø

DE 260 IF C > = C3 THEN C = C3 -61 27Ø POKE 773, X1 + C \* 2 -POKE 772, Y1 + R \* 2 - 1: CALL 24671 C# 28Ø IF C\$ < > " " THEN 16Ø 46 29Ø IF F = Ø THEN 44Ø F = Ø: IF RR = R AND CC = 8A 300 C THEN GOSUB 510: GOTO 3 20 48 31Ø GOSUB 46Ø C3 35Ø 59 380 AC 43Ø RUN 2

02 32Ø CALL 24691 C4 330 POKE 768, X1: POKE 769, Y1: CALL 24576 88 34Ø POKE 773, X1 + C \* 2 - 1: POKE 772, Y1 + R # 2 - 1: POKE 774,255: CALL 24753 IF A\$ < > B\$ THEN 160 DA 360 CALL 24691 74 370 HOME : PRINT TAB( 16); "CO RRECT!" HTAB 13: VTAB 22: PRINT " PRESS ANY KEY." IC 390 HTAB 17: VTAB 23: PRINT T #F 400 POKE - 16368,0 IF PEEK ( - 16384) < 128 THEN 410 04 42Ø GET A\$ 30 44Ø F = 1:RR = R:CC = C: POKE 773, X1 + C \* 2 - 1: POKE 772, Y1 + R \* 2 - 1: POKE 774,119: CALL 24671 90 45Ø GOTO 16Ø 88 46Ø AA = SS + 2 \* NC \* RR + 2 \* CC: A = SS + 2 \* NC \* R + C # 2 84 470 D = PEEK (A): POKE A, PEE K (AA): POKE AA, D C# 48Ø D = PEEK (A + 1): POKE A + 1, PEEK (AA + 1): POKE AA + 1,D 98 490 D = PEEK (A + NC): POKE A + NC, PEEK (AA + NC): PO KE AA + NC.D A4 500 D = PEEK (A + NC + 1): PO KE A + NC + 1, PEEK (AA + NC + 1): POKE AA + NC + 1, D: RETURN 4E 51Ø A = SS + 2 \* NC \* R + C \* 48 520 D = PEEK (A): POKE A, PEE K (A + NC) 4E 53Ø POKE A + NC, PEEK (A + NC + 1) 6F 54Ø POKE A + NC + 1, PEEK (A + 1): POKE A + 1,D: RETUR 62 550 TEXT : HOME

68 560 PRINT TAB( 16); "PUZZLER" F2 570 INPUT "NUMBER OF ROWS (2-7):";R3 BB 58Ø IF R3 < 2 OR R3 > 7 THEN 57Ø 77 59Ø INPUT "NUMBER OF COLUMNS (2-7):";C3 IF C3 < 2 OR C3 > 7 THEN 6F 600 59Ø 8C 61Ø INPUT "NUMBER OF COLORS ( 2-15):";CO FD 62Ø IF CO < 2 OR CO > 15 THEN #0 63Ø PRINT "PLEASE WAIT..." FC 64Ø NR = 2 \* R3:NC = 2 \* C3 7E 65Ø FOR A = 1 TO NR \* NC:B = INT ( RND (1) # CO + 1):A \$ = A\$ + CHR\$ (B + B \* 16 ): NEXT :B\$ = A\$ A2 660 A = PEEK (105) + PEEK (10 6) \$ 256 CF 67Ø SS = PEEK (A + 3) + PEEK

(A + 4) \* 256

X2 = X1 + 20

54 68Ø X1 = 1Ø - C3:Y1 = 9 - R3:

58 690 POKE 24600, PEEK (A + 3):

POKE 24601, PEEK (A + 4) % 700 POKE 768, X2: POKE 769, Y1: POKE 770, NC: POKE 771, NR + Y1 49 71Ø GR F4 72Ø CALL 24576 ED 73Ø FOR R = Ø TO R3 - 1: FOR C = Ø TO C3 - 1:B = INT ( RND (1) # 4) 48 74Ø IF B THEN GOSUB 51Ø: B = B - 1: GOTO 74Ø CA 75Ø NEXT : NEXT 42 76Ø FOR R = Ø TO R3 - 1: FOR C = Ø TO C3 - 1 84 77Ø RR = INT ( RND (1) \* R3): CC = INT ( RND (1) \* C3): GOSLIB 460: NEXT : NEXT D2 78Ø POKE 768, X1: POKE 769, Y1: CALL 24576 5E 79Ø HOME : PRINT TAB( 16); "PU ZZLER" 28 800 POKE 772, Y1 - 1: POKE 773 , X1 - 1: POKE 774, 255: CA LL 24753 B3 810 R = 0:C = 0:T = NR \* NC \* 75: RETURN € 82Ø DATA 162, Ø, 172, 1, 3, 185 C9 83Ø DATA 47,96,24,109,0,3 93 84Ø DATA 133,251,185,71,96,1Ø 72 85Ø DATA Ø,133,252,16Ø,Ø,189 BB 860 DATA 140,89,145,251,232,2 99 AF 870 DATA 204,2,3,208,244,238 78 88Ø DATA 1,3,173,1,3,205 DD 890 DATA 3,3,208,212,96,0 7E 900 DATA 128,0,128,0,128,0 39 910 DATA 128,40,168,40,168,40 F5 920 DATA 168,40,168,80,208,80 #5 93Ø DATA 2Ø8,8Ø,2Ø8,8Ø,2Ø8,4 4A 94Ø DATA 4,5,5,6,6,7 21 950 DATA 7,4,4,5,5,6 IE 960 DATA 6,7,7,4,4,5 JE 97Ø DATA 5,6,6,7,7,32 CA 98Ø DATA 115,96,76,177,96,24 E3 99Ø DATA 121,47,96,133,251,18 4C 1000 DATA 71,96,105,0,133,252 88 1010 DATA 96,172,7,3,173,8 FA 1020 DATA 3,32,101,96,160,0 67 1030 DATA 162,0,189,9,3,145 DI 1040 DATA 251,232,200,200,200 . 189 A5 1050 DATA 9,3,145,251,232,173 8C 1060 DATA 7,3,24,105,3,141 31 1070 DATA 7,3,168,173,8,3 72 1080 DATA 32,101,96,160,0,189 90 1090 DATA 9,3,145,251,232,200 CD 1100 DATA 200,200,189,9,3,145 BD 1110 DATA 251,232,96,172,4,3 CA 1120 DATA 140,7,3,173,5,3 89 1130 DATA 141,8,3,32,101,96 1140 DATA 160,0,162,0,177,251 67 115Ø DATA 157,9,3,232,41,15 BD 1160 DATA 145, 251, 173, 6, 3, 41 51 1170 DATA 240, 17, 251, 145, 251, 200 IF 1180 DATA 200, 200, 177, 251, 157 FE 1190 DATA 3,232,41,15,145,251 11 1200 DATA 173,6,3,41,240,17 JA 1210 DATA 251,145,251,173,4,3 FB 1220 DATA 24,105,3,141,4,3 AF 1230 DATA 168, 173, 5, 3, 32, 101 1240 DATA 96,160,0,177,251,15 DF 1250 DATA 9,3,232,41,240,145 31 1260 DATA 251, 173, 6, 3, 41, 15

ØF 127Ø DATA 17,251,145,251,200,

EE 1280 DATA 200,177,251,157,9,3

% 129Ø DATA 232,41,24Ø,145,251,

C# 1300 DATA 6,3,41,15,17,251

23 131Ø DATA 145, 251, 96

200

173

= "K")

= "L")

"If you know BASIC and want to learn machine language, this is the place to start . . . . Building on your experience as a BASIC programmer, Mansfield very gently takes you through the fundamentals of machine language."

-Whole Earth Software Catalog

# COMPUTE! Books' Best-selling Machine Language Books

"Understandable"—The New York Times

"Presents the machine language novice with a very good tutorial in simple, understandable terms."


-Antic

"I highly recommend Machine Language for Beginners as your first introduction to the world of machine language."

—Commodore Power/Play

#### The LADS Disk

LADS, the assembler used in *The Second Book of Machine Language*, is available on disk for only \$12.95. This is a great accompaniment to the book, saving you hours of typing time by providing the complete source and object programs for all versions of the assembler, and more. And LADS disks are specific to your Apple, Atari, or Commodore computers.




### Machine Language for Beginners

Richard Mansfield

Most commercial software is written in machine language because it's far faster and more versatile than BASIC. Machine Language for Beginners is a step-by-step introduction. Includes a simple assembler, a disassembler, and utilities, to help beginners write programs more quickly and easily. \$14.95

ISBN 0-942386-11-6



Machine Language for Beginners and The Second Book of Machine Language: everything you need to learn machine language programming on your Apple, Atari, and Commodore personal computers.

#### The Second Book of Machine Language

Richard Mansfield

The follow-up to the best-selling Machine Language for Beginners, this book leads the programmer deeper into the most powerful and efficient programming techniques available for personal computers. Fully tutorial, with easy step-by-step explanations, the book shows how to construct significant, effective machine language programs. Included is a highspeed, professional-quality, label-based assembler. Everything that's needed for optimized programming on the Commodore 64, Apple, Atari, VIC-20, and PET/CBM computers. \$14.95

To Order: Call Toll Free 800-334-0868 (in NC 919-275-ment to COMPUTE! Books, P.O. Box 5058, Greensboro,		n with your pay-
The Second Book of Machine Language, \$14.95	1 Book for	\$14.95


LADS Disk (Apple) \$12.95 LADS Disk (Atari) \$12.95	
LADS Disk (Commodore),	\$12.95
☐ Payment Enclosed (check	or money order)
☐ Charge ☐ MasterCard [	☐ Visa ☐ American Express
Acct. No.	
Signature	
Name	
Address	

1 Book for 2 Books for	\$14.95 \$25.00
LADS Disk for	\$12.95
NC residents add 4.5% sales tax	\$
Shipping and handling (\$2.00 per book	\$

ISBN 0-942386-53-1

\$1.00 per book \$1.00 per disk) Total Paid \$\_\_\_\_


All orders must be prepaid. Please allow 4-6 weeks for delivery.



7501111

HOTWARE: Software Best Sellers systems									
This Month Enterta	Last Month	Title	Publisher	Remarks	Apple	Afari	Commodore	IBM	Macintosh
1. 2. 3.	2. 3.	F-15 Strike Eagle Flight Simulator II Gato Karateka	MicroProse SubLogic Spectrum Holobyte Brøderbund	Air combat simulation Aircraft simulation Submarine simulation Action karate game		•	• •	•	
5. Educat		Flight Simulator	Microsoft	Aircraft simulation				•	
1. 2. 3.	2. 3.	Typing Tutor III Math Blaster!  New Improved	Simon & Schuster Davidson Scarborough	Typing instruction program Introductory math program, ages 6-12 Typing instruction program	•	•	•	•	
4. 5.	5.	MasterType Charlie Brown's ABC's Music Construction Set	Random House	Letter and word introduction, ages 3-4 Music composition program	•	•		•	
Home I			Electronic Arts	Music composition program					
1. 2. 3. 4. 5.	1. 4. 2.	Print Shop The Newsroom Print Shop Graphics Library Print Master Bank Street Writer	Brøderbund Springboard Brøderbund Unison World Brøderbund	Do-it-yourself print shop Do-it-yourself newspaper 100 additional graphics At-home print shop Word processor	•		•	•	

Copyright 1985 by Billboard Publications, Inc. Compiled by the Billboard Research Department and reprinted by permission. Data as of 8/31/85.



Order by phone 24 NS 77 days or send cashledy check/money order payable to BASIX Visa. Masterdard & American S. Comas Ne card # an exp. date. CA reside its add 6% fax. Allowy 2 weeks for clearance of person and co. checks. Add 53.59 shippings/haridko. Section and Visa of the COD's shippings/haridko. Section and Visa of the CoD's

# MORE FANTASTIC

This fall COMPUTE! Books brings you the best in games, utilities, graphics, music generators, applications, and programming tutorials for your Commodore, Atari, Apple, and IBM PC personal computers.

# FALL TITLES from COMPUTE! BOOKS

Advanced Macintosh BASIC Programming

COMPUTEI's Atari Collection, Vol. 2
Edited

More than 30 never before published programs and articles make COMPUTEI's Atari Collection, Vol. 2 an outstanding value and an excellent addition to any software library. Packed full of games like "Speedway," "Electronic Football," "Termite," and "Granite Cracker," applications such as "Personal Net Worth Statements," and numerous tutorials and utilities, this book brings you the variety and value you've come to expect from COMPUTE! Publications. A disk is also available for \$12.95 which includes programs in the book.

\$14.95 ISBN 0-87455-029-7

#### 40 Great Flight Simulator Adventures

Charles Gulick

Forty exciting, customized flight simulator scenarios put you in the pilot's seat as you fly under bridges, around skyscrapers, and land at mysterious airports. Flight Simulator (IBM) PC) and Flight Simulator II (Apple II, Commodore 64, Atari 800 XL) are two of the most popular games/simulations for personal computers. With this book, you can experience flight adventures from the moment you load the program. Parameters set up each flight and a running commentary describes what you'll see (and where to look to see it). You'll land in San Clemente without engine power, sightsee over the Hudson River, practice night flying, and put your aircraft through its aerobatic paces. Ranging from the simple and straightforward to the advanced and even mystical, these 40 flights will open a new dimension to an already outstanding program.

\$9.95 ISBN 0-87455-022-X

Philip Calippe
The Macintosh is an exciting machine

The Macintosh is an exciting machine—and Microsoft BASIC 2.0 lets you put it to work for you. This tutorial and reference guide to Microsoft BASIC 2.0 shows you how to use the computer's advanced features to create impressive programs of your own. You'll quickly learn how to access everything from keyboard input and graphics to the Macintosh's sophisticated ROM routines. Sample programs are built one piece at a time. and individual subroutines will easily find their way into your own programs. Macintosh-specific features, like creating pull-down menus, windows, and dialog boxes, are explained. You'll build a set of software tools, which will aid in developing such working applications, as a mailing list and business graphics. You'll even write an arcadestyle game on the Macintosh. Everything you need to become a proficient Macintosh programmer is here, ready for you to explore.

\$16.95 ISBN 0-87455-030-0

#### The Elementary Atari ST

William B. Sanders
This friendly, easy-to-use guide to the Atari
ST will step you through the process of
connecting your computer, loading
programs, creating graphics and music,
and writing your own programs. Written by
the author of the bestselling The
Elementary Commodore 64, The Elementary
Atari ST contains lots of helpful information
for both the novice computer user and the
seasoned programmer.
\$16.95 ISBN 0-87455-024-6

Order any of COMPUTE!'s new books today.


Call toll free 800-334-0868 (in North Carolina 919-275-9809).

Or write COMPUTE! Books, P.O. Box 5058, Greensboro, NC 27403.

(Please add \$2.00 per item for shipping and handling in the U.S. or surface mail; add \$5.00 per item air mail.)

COMPUTE! Publications, Inc. obc
One of the ABC Publishing Companies
324 W. Wendover Avenue, Suite 200. Greensboro, NC 27408. 919-275-9809.

COMPUTE! books are available in the U.K., Europe, the Middle East, and Africa from Holf Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN, England.



This unique program, written by a planetarium director, presents the sky as it can be viewed at any date and time from the year 1977 onward including zodiac constellations and all the visible planets. It also calculates planet tables, positions of the sun, and phases of the moon for any date and time from 1977 into the future. As an extra (and timely) bonus, it can even display Halley's Comet, due to become visible in late 1985 and early 1986. "Skyscape" is both educational and entertaining. The original version is for the Commodore 64, and we've written additional versions for Apple II-series computers with DOS 3.3 or ProDOS; the TI-99/4A with Extended BASIC; the IBM PC with color/graphics adapter; the PCjr with Cartridge BASIC; and Atari 400/800, XL, and XE computers with at least 24K RAM for tape or 32K for disk.

For thousands of years the sun, moon, and planets in our solar system have excited human imagination. In ancient times they were regarded as gods whose distant motions influenced the course of earthly events. Though we now understand more about the true nature of celestial objects, many facts remain unknown, and a brilliant nighttime sky still presents an inspiring spectacle.

Whether you're seriously interested in the sky or just casually curious, "Skyscape" is a convenient tool for extending your knowledge. It opens a movable window on the heavens, displaying the position of our sun, moon, and neighboring planets from almost any location on Earth, at any point in time from 1977 into the distant future. Since it performs all the necessary calculations, you can enjoy and learn from this program even if you're not an expert in astronomy. In addition to providing data about the position of celestial objects, it draws a sky map on the screen, showing each object as it would appear to you at the chosen location and time.

To get started, type in the appropriate version of Skyscape for your computer and save a copy before running it.

#### Past, Present, Or Future

Skyscape begins by asking you to answer several questions. Enter the year, choosing any year from 1977 forward. In some ways this is the most important input of all, since objects in our solar system move significantly from one year to the next. After you choose the year, Skyscape allows you to enter the month and day.

Next you must enter the latitude (north/south position on Earth) from which you wish to view the sky. Latitude 0 places you, the observer, at the equator. Latitudes 1–90 place you in the northern hemisphere (north of the equator). To choose a southern latitude (south of the equator), enter a negative number from -1 to -90. Skyscape generally represents southerly locations with negative values.

Whenever Skyscape asks for information, it checks your entry to make sure it's in the acceptable range. If you enter an illegal value, the program displays an error message and gives you another chance.

#### The Sun And Moon

Though very different in size and composition, the sun and moon are alike in being the largest celestial objects visible from Earth. After you enter the date and latitude, Skyscape displays a table of data for the sun and moon. In addition to the date, day of the year, and latitude north or south, you'll see the following information:

• Sun's geocentric angle. This figure represents the sun's position as a number of degrees relative to the vernal equinox. The vernal equinox is where the sun is located when spring begins in the northern hemisphere (the same time that autumn begins in the southern hemisphere).

# FEEL WHAT IT'S LIKE TO BE IN THE FIELD OF FIRE.

When you play FIELD OF FIRE, you'll lead one of the finest fighting forces of World War II—Easy Company of the First Infantry Division—into eight historical battles.

Dividing your company into fireteam units of six men, you'll engage in such exciting combat as a night raid in North Africa, the storming of Omaha Beach on D-Day, or a defensive delaying action in the Battle of the Bulge — all against German forces controlled by your cunning computer.

Special attention has been paid to the Hi-Res graphics and lively sound effects. Realistic rules cover every aspect of the fighting: Line-of-sight, hidden movement, weapons ratings. Even your soldiers'

abilities will improve through time.

To experience the heart-pounding thrill of commanding these heroic men, run to your nearest game or computer/software store today!

If there are no convenient stores near you, VISA and M/C holders can order this \$39.95 game direct by calling 800-227-1617, ext. 335 (toll free). In California, call 800-772-3545, ext. 335. Please specify computer format and add \$2.00 for shipping and handling.

To order by mail, send your check to: STRATEGIC SIMULATIONS, INC., 883 Stierlin Road, Bldg. A-200, Mountain View, CA 94043. (California residents, add 7% sales tax.) All our games carry a "14-day satisfaction or your money back" guarantee.


WRITE FOR A FREE COLOR CATALOG OF ALL OUR GAMES. On diskette for COMMODORE 64™ and 48K ATARI° home computers. APPLE° version coming in fall '85.



STRATEGIC SIMULATIONS, INC.

© 1985 by Strategic Simulations, Inc.

# THE #1 BACKUP COPY SYSTEM IS NOW BETTER THAN EVER!



- The LATEST breakthrough in copy technology!
- · Copies NEW custom G.C.R. code protection
- Accesses & copies NEW no-sync data blocks!
- · Now includes NEW long data-block logic
- Copies normal & PROTECTED data up to track 40
- 3 New IMPROVED copiers! Includes FAST Copier, VARI-SECTOR Copier, and AUTO-LOGIC NIbbler
- Actually copies a FULL disk in only 2.75 minutes!

- · Includes one FREE Masterkey Module!
- Inexpensive MODULE releases keep you up-to-date
- MODULES available individually or by subscription
- Works with DiskMaker TOOLKIT and FAT-TRACK Kit
- · Requires standard 1541 disk drive or SX-64
- Special version available for INDUS GT drive!
- PRODUCT SUPPORT tel. # & future module updates
- · You've tried the rest, now get the BEST!!

#### THE FASTEST NIBBLE COPIER YOU CAN BUY!

ONLY

\$49.95 for copier system To order CALL 805-687-1541 ext. 94

Technical line 805-682-4000 ext. 55





Order by phone 24 hrs. /7 days or send cashier's check/money order payable to BASIX. Visa, MasterCard & American Express include 1 and exp. date. CA residents add 6% Dax. Allow 2 weeks for clearance of personal and co. checks. Add 53:50 shipping/handling for continental U.S. 35:50 for UPS air. COD's shipped to 48 states only, add 54:00. AK, HI, APO, EPO, add 37:50. CANADA and ST 100 for the foreign payables and 55:50 and premier central U.S. foreign raid orders from cardiad North America. Dealers & Distributors invited & supported.

#### DISKMAKER...THE ONLY COPY SYSTEM YOU'LL EVER NEED!



- Sun's declination. The number of degrees north or south of the equator. Negative values indicate a southerly location.
- Sun's altitude at noon. The location of the sun in degrees from the northern or southern horizon at noon.
- Sun's right ascension. Just as longitude and latitude indicate locations on the Earth, right ascension and declination are used to pinpoint locations in the sky. For this purpose the sky is visualized as a gigantic sphere surrounding the Earth. Declination locates a point vertically in the celestial sphere and right ascension locates it horizontally. Right ascension values are given in hours and minutes in the range 0:00-23:59. Right ascension 0:00 is exactly at the vernal equinox. Larger right ascension values lie to the east of smaller ones.
- Right ascension at 9 p.m. The right ascension which would be on the meridian at 9 p.m. This coordinate system would be found on star charts. By comparing this number with those charts, you can tell what stars and constellations would be visible at that time.
- Moon's age. The number of days since the last new moon.
- Moon's elongation. The location of the moon in degrees east or west of the sun.
- Moon's phase. The phase of the moon on this particular day.

#### The Planet Table

After viewing the sun and moon display, press P to continue to the next display screen, which contains the planet table. (Press D if you wish to enter a new date.) The planet table shows vital information about the visible planets (through Uranus, which is at the limit of our visibility). The table shows the position of each planet in right ascension and degrees east or west of the sun. It also shows the distance of each planet from Earth in millions of miles.

If you'd rather see the distance in kilometers, modify the program to change the value of ES=93 to ES=149.6 (the program line which defines the value of ES varies with the version of Skyscape: Commodore 64—line 220; Atari—line 190; IBM—line 130; Apple—line 80;

TI—line 150).

Some planets have an asterisk to the left of the right ascension figure. This signifies that they are visible at 9 o'clock this evening. For reference, the planet table also includes the sun's present right ascension and its right ascension at 9 p.m. Press D to input a new date or S to view a graphics display of the sky at any time in the current day.

#### The Visible Skyscape

After selecting the sky display, you must enter the hour when you wish to view the sky. The hour value should be a whole number from 0–23 (enter 22 for 10 p.m., etc.). You'll also need to enter the minutes (0–59). Skyscape then displays the time and offers you a chance to enter different values. Press RETURN or Enter when you're satisfied with the time.

Skyscape now displays the sky as it would appear at the chosen latitude, date, and time. Since the sky looks very different from different places on Earth, the latitude affects the display considerably. If your latitude is in the range 24-90 degrees north or south, the sky shows a dashed line representing the position of the celestial equator, along with symbols representing the sun, moon, and planets visible at that time. If your latitude is in the tropical region—from 231/2 degrees north to 231/2 degrees south—the dashed line indicates a position directly overhead.

If you're viewing in the northern hemisphere, north is above the dashed line and south is below it. In the southern hemisphere these directions are reversed. Below the sky display is a key that interprets the symbols used to represent celestial objects. If more than one object is positioned at the same spot, the symbols are displayed above each other.

At the bottom of the sky you may see two-letter abbreviations. These represent zodiac constellations that would be visible from your chosen vantage point. Skyscape uses the abbreviations AR (Aries), PI (Pisces), AQ (Aquarius), CP (Capricorn), SA (Sagittarius), SC (Scorpio), LI (Libra), VI (Virgo), LE (Leo), CA (Cancer), GE (Gemini) and TA (Taurus). Each constellation is located above the spot where its

abbreviation appears. In northern latitudes, the border of each constellation's zone begins at its abbreviation and extends left. In southern latitudes, the constellation extends right from the position of its abbreviation.

Daytime skies are shown in blue and nighttime skies in black. Skyscape does not calculate the actual rising or setting time of the sun. Average rising and setting times of 6 a.m. and 6 p.m. are used in every case. You may obtain exact rising and setting times from local newspapers. However, keep in mind that there is usually about an hour of twilight before sunrise and after sunset.

#### Halley's Comet


In addition to permanent objects, Skyscape's graphics display includes Halley's Comet, which should be visible during late 1985 and early 1986. If you choose a date from November 1, 1985 to May 29, 1986, Skyscape calculates the position of Halley's Comet and includes it in the graphics display (if it would be visible at the place and time you select). The comet's position is based on the best predictions available at the time of this writing (summer 1985). These positions may differ slightly from the comet's actual position when it finally makes its appearance.

While Skyscape is generally accurate, it bases most position calculations on circular orbits. This introduces a certain element of error, since no object in our solar system has a perfectly circular orbit. The position error is most pronounced for Mercury and Mars (whose orbits are quite elliptical), but does not significantly affect other objects. I've found Skyscape accurate enough for my own purposes, which include planning astronomy classes and planetarium displays.

For instructions on entering these listings, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.

#### Program 1: Commodore 64 Skyscape

110 IFX<>9923THENPRINT"ERROR I N DATA STATEMENTS.":STOP :rem 187



Halley's Comet blazes across the sky in the graphics display of "Skyscape" for the Commodore 64.

120 DATA 173, 14, 220, 41, 254, 141


,14,220,173,24 :rem 93

	,14,220,173,24 :rem 93
130	
100	67 160 000 122
	67,169,208,133 :rem 102
140	DATA 252,173,0,221,41,3,73
1.0	2 12 12 12 12
	,3,10,10,10,10 :rem 69
150	DATA 10,10,5,167,133,254,1
100	CF 1 41 251
	65,1,41,251 :rem 205
160	DATA 133,1,169,0,133,251,1
100	22 252 162 162
	33,253,168,162 :rem 109
170	DATA 8,177,251,145,253,200
1,0	200 212 220
	,208,249,230 :rem 21 DATA 252,230,254,202,208,2
180	DATA 252.230.254.202.208.2
100	10 165 1 2
	42,165,1,9 :rem 168
190	
	1 141 14 220 06 144
	1,141,14,220,96 :rem 144
200	POKE53281,1:POKE646,Ø:GOSU
210	D\$="0000310590901201511812
	100420722994224H - 11-1449 - DT
	12243273304334":K1=1440:DI
	MHC(22):MM\$="Ø41Ø81Ø4Ø"
	:rem 225
220	M\$="286317345Ø11Ø41Ø721Ø21
	33164194225255":D\$(1)="S":
	33164194225255 : D\$(1)= 5 :
	D\$(2)="N":ES=93 :rem 28
220	A\$="JANFEBMARAPRMAYJUNJULA
230	A\$= JANFEBMARAPRMAIJUNJULA
	UGSEPOCTNOVDEC":00\$="
	{DOWN}OUT OF RANGE!!{DOWN}
	(DOWN) OUT OF RANGE!! (DOWN)
	" :rem 232
240	MD\$="3128313Ø313Ø31313Ø313
240	MD2= 3120313031313130313
	Ø31":D9=1/18Ø:READEE:READM
	9:DIMP(6,6) :rem 66
	9:DIMP(0,0)
250	DEFFNR(X)=INT( $X*100+.5$ )/10
	Ø :rem 207
260	DEFFNS(X)=INT( $X*10+.5$ )/10
	:rem 113
270	FORY=1TO2:FORX=1TO6:READP(
	X,Y):NEXT:NEXT:Y=Ø:rem 162
	A, I): NEAT: NEAT: I-D: IEM 102
280	FORX=1T06:READP\$(X),P(X,3)
	:NEXT:FORX=1TO8:READA:POKE
	:MEXI:FORX-1100.READA:FORE
	14335+X, A: NEXT : rem 187
290	FORX=15024T015079:READA:PO
290	FORA-IJDZ4101JD/J:READA:10
	KEX, A: NEXT: FORX=1TO7: PP(X)
	=X+85:NEXT :rem 228
Section 1	
300	J\$="SATSUNMONTUEWEDTHUFRI"
	:FORX=1TO12:READF\$:rem 151
310	CC\$=CC\$+"{5 SPACES}"+F\$:NE
	XT:CC\$=CC\$+CC\$:F\$=RIGHT\$(C
	Al.cco-ccolcoolly Right
	C\$,9):CC\$=F\$+CC\$ :rem 133
320	
320	
	:rem 81
220	FORX=1TO22:READHC(X):NEXT:
330	FORK-11022. KEADIIC (N) . HEILT.
	POKE53281,7:GOTO920:rem 42
210	POKE53281,7:GOTO920:rem 42
340	POKE53281,7:GOTO920:rem 42 CC=MT-720:IFCC <othencc=cc+< th=""></othencc=cc+<>
	POKE53281,7:GOTO920:rem 42 CC=MT-720:IFCC<0THENCC=CC+ K1 :rem 155
	POKE53281,7:GOTO920:rem 42 CC=MT-720:IFCC<0THENCC=CC+ K1 :rem 155
	POKE53281,7:GOTO920:rem 42 CC=MT-720:IFCC<0THENCC=CC+ K1 :rem 155 CC=CC/120:CD=CC-INT(CC):CC
	POKE53281,7:GOTO920:rem 42 CC=MT-720:IFCC<0THENCC=CC+ K1 :rem 155 CC=CC/120:CD=CC-INT(CC):CC
	POKE53281,7:GOTO920:rem 42 CC=MT-720:IFCC<0THENCC=CC+ K1 :rem 155 CC=CC/120:CD=CC-INT(CC):CC =INT(CC):CD=INT(CD*7+.2):C
35Ø	POKE53281,7:GOTO920:rem 42 CC=MT-720:IFCC<0THENCC=CC+ K1 :rem 155 CC=CC(120:CD=CC-INT(CC):CC =INT(CC):CD=INT(CD*7+.2):C C=81-(CC*7+CD) :rem 255
35Ø	POKE53281,7:GOTO920:rem 42 CC=MT-720:IFCC<0THENCC=CC+ K1 :rem 155 CC=CC/120:CD=CC-INT(CC):CC =INT(CC):CD=INT(CD*7+.2):C C=81-(CC*7+CD) :rem 255 GOSUB2000:PRINTCHR\$(18);CD
35Ø	POKE53281,7:GOTO920:rem 42 CC=MT-720:IFCC<0THENCC=CC+ K1 :rem 155 CC=CC/120:CD=CC-INT(CC):CC =INT(CC):CD=INT(CD*7+.2):C C=81-(CC*7+CD) :rem 255 GOSUB2000:PRINTCHR\$(18);CD
35Ø	POKE53281,7:GOTO920:rem 42 CC=MT-720:IFCC<0THENCC=CC+ K1 :rem 155 CC=CC/120:CD=CC-INT(CC):CC =INT(CC):CD=INT(CD*7+.2):C C=81-(CC*7+CD) :rem 255 GOSUB2000:PRINTCHR\$(18);CD \$;CHR\$(146);:IFLL<0THENGOS
35Ø 36Ø	POKE53281,7:GOTO920:rem 42 CC=MT-720:IFCC<0THENCC=CC+ K1 :rem 155 CC=CC/120:CD=CC-INT(CC):CC =INT(CC):CD=INT(CD*7+.2):C C=81-(CC*7+CD) :rem 255 GOSUB2000:PRINTCHR\$(18);CD \$;CHR\$(146);:IFLL<0THENGOS UB2590 :rem 242
35Ø 36Ø	POKE53281,7:GOTO920:rem 42 CC=MT-720:IFCC<0THENCC=CC+ K1 :rem 155 CC=CC/120:CD=CC-INT(CC):CC =INT(CC):CD=INT(CD*7+.2):C C=81-(CC*7+CD) :rem 255 GOSUB2000:PRINTCHR\$(18);CD \$;CHR\$(146);:IFLL<0THENGOS UB2590 :rem 242
35Ø 36Ø	POKE53281,7:GOTO920:rem 42 CC=MT-720:IFCC<0THENCC=CC+ K1 :rem 155 CC=CC/120:CD=CC-INT(CD):CC =INT(CC):CD=INT(CD*7+.2):C C=81-(CC*7+CD) :rem 255 GOSUB2000:PRINTCHR\$(18);CD \$;CHR\$(146);:IFLL<0THENGOS UB2590 :rem 242 FORX=55976TO56015:POKEX,2:
35Ø 36Ø	POKE53281,7:GOTO920:rem 42 CC=MT-720:IFCC<0THENCC=CC+ K1 :rem 155 CC=CC/120:CD=CC-INT(CC):CC =INT(CC):CD=INT(CD*7+.2):C C=81-(CC*7+CD) :rem 255 GOSUB2000:PRINTCHR\$(18);CD \$;CHR\$(146);:IFLL<0THENGOS UB2590 :rem 242
35Ø 36Ø 37Ø	POKE53281,7:GOTO920:rem 42 CC=MT-720:IFCC<0THENCC=CC+ K1 :rem 155 CC=CC/120:CD=CC-INT(CD):CC =INT(CC):CD=INT(CD*7+.2):C C=81-(CC*7+CD) :rem 255 GOSUB2000:PRINTCHR\$(18);CD \$;CHR\$(146);:IFLL<0THENGOS UB2590 :rem 242 FORX=55976TO56015:POKEX,2:

380	PRINT"{CLR}{DOWN}"TAB(10)" ** DAYS SKY **":GOSUB1770:
	PRINT :rem 253
390	PRINT:PRINT"INPUT THE TIME :":PRINT" [15 Y]":T1=0:T2=0
400	:rem 43
400	PRINT: INPUT" {5 SPACES} HOUR (Ø-23) ";T1:IFT1 < ØORT1 > 23
	THENPRINTOO\$: GOTO400
410	:rem 72 PRINT:INPUT"{3 SPACES}MINU
	TE (Ø-59) ";T2:IFT2<ØORT2> 59THENPRINTOO\$:GOTO410
	:rem 243
420	R\$=STR\$(T1):T\$=STR\$(T2):T\$ =RIGHT\$(T\$, LEN(T\$)-1):IFLE
	N(T\$)=1THENT\$="Ø"+T\$
430	:rem 133 PRINT"{2 DOWN}TIME "R\$":
110	"T\$ :rem 127
440	PRINT:GOSUB2230:IFZ\$="N"TH EN380 :rem 134
45Ø	PRINT" {CLR}":T3=T1*60+T2+A A-720:IFT3<0THENT3=T3+K1
	:rem 17
460	IFT3>K1THENT3=T3-K1 :rem 141
470	MT=T3-360: IFMT < ØTHENMT=MT+
480	K1 :rem 241 PT=T3+360:IFPT>K1THENPT=PT
	-K1 :rem 76
490	GOSUB1770:PRINTTAB(27)R\$": "T\$ :rem 176
500	C9\$="{BLU}":TM=VAL(R\$+"."+
	T\$):IFTM<60RTM>18THENC9\$=" {BLK}" :rem 124
510	XX=7+LC:FORX=1T014:IFX=XXT
520	PRINTC9\$+"[RVS][40 SPACES]
530	";"{BLK}";:GOTO540:rem 155 PRINTC9\$+"{RVS}
	{SPACE}
	{2 SPACES}";"{BLK} "; :rem 231
540	NEXTX: GOSUB340: IFLL < 0THEN5
550	70 :rem 25 IFLL>24THENPRINT"{BLU}E"SP
	C(18) "S"SPC(19) "W{BLK}":GO
560	TO590 :rem 221 PRINT"{BLU}UP-{BLK}NORTH
	[5 SPACES] [BLU] {BLK}OV ERHEAD [5 SPACES] {BLU}DOWN-
	[BLK]SOUTH":GOTO590
570	:rem 225 IFABS(LL)>24THENPRINT"
3.0	{BLU}W"SPC(18)"N"SPC(19)"E
580	(BLK)":GOTO590 :rem 1 PRINT"(BLU)UP-(BLK)SOUTH
	{5 SPACES} {BLU} {BLK}OV ERHEAD {5 SPACES} {BLU} DOWN-
	{BLK}NORTH" :rem 210
590	T4=AA:GOSUB800:Y8=888:IFY9 =999THEN630 :rem 242
600	Y8=Y9:GOSUB2450:IFA1 < OTHEN
610	63Ø :rem 234 IFPK>17Ø3ORPK<1144THEN63Ø
	:rem 212
630	T4=AA+M2*K1:IFT4>K1THENT4=
640	T4-K1 :rem 96 GOSUB8ØØ:IFY9=999THEN68Ø
	:rem 194
65Ø	MM=INT(M1/9.83333)+1:GOSUB 900:IFY9=999THEN680
71.75	:rem 133
	GOSUB2450:IFPK>1703ORPK<11 44THEN680 :rem 99
670	POKEPK, MM+128: PRINTCHR\$ (146): IFABS (Y8-Y9) <=.5THENPOK
	EPK, 81 :rem 81
	DOD IL IMOT THY-THURNING OF
680	FOR X=1T07:IFX=7THEN2350 :rem 179

```
9THEN75Ø
                         :rem 31
700 U9=SIN(P(X,6)*D9/4):U9=-3*
    U9+.5:U9=INT(U9):U(X)=U9*4
71Ø PK=1423-Y9+U(X)+LB:GOSUB24
    60
                         :rem 97
720 IFPK>1703ORPK<1144THEN750
                        :rem 217
730 Z=PEEK(PK): TFZ<>160ANDZ<>1
    73THENPK=PK+SGN(LL)*4Ø+(LL
    =Ø)*4Ø:GOTO73Ø
                         :rem Ø
740 POKEPK, PP(X)
                        :rem 218
750 NEXTX: PRINT" [HOME]
    [19 DOWN]"
                        :rem 148
760 PRINT" [UP] VMERCURY
    {2 SPACES} WVENUS {4 SPACES}
    XMARS [5 SPACES ] YJUPITER"
                        :rem 107
770 PRINT"ZSATURN{4 SPACES}+UR
    ANUS[3 SPACES] {RVS} * {OFF}s
    UN [6 SPACES] [RVS])Q([OFF]M
    OON"
                        :rem 162
780 PRINT" [2 SPACES] QNEW MOON
    [SPACE] + SUN[2 SPACES] "B$
                        :rem 235
790 PRINT: PRINT"T- NEW TIME, P-
     P. TABLE, D- DATE, L- LAT":G
    OTO1920
                       :rem 225
800 Y9=999: IFMT < PTTHEN850
                         :rem 40
810 IFT4>=MT OR T4<=PTTHEN830
                       :rem 220
820 RETURN
                        :rem 122
830 IFT4>=MT AND T4<=K1THEN870
                        :rem 236
840 T4=T4+K1:GOTO870 :rem 162
850 IFT4>=MT AND T4<=PT THEN87
    a
                        :rem 22
860 RETURN
                       :rem 126
87Ø Y9=INT((T4-MT)/18+.5):IFY9
    =4ØTHENY9=39 :rem 221
88Ø RETURN
                       :rem 128
890 U9=SIN(T4/4*D9):U9=-3*U9+.
    5:U9=INT(U9):U9=U9*40:RETU
    RN
                       :rem 238
900 MM=VAL(MID$(MM$, 3*MM-2, 3))
    :IFLL < ØANDMM <> 81 THENMM = ABS
    (MM - 81)
910 RETURN
                        :rem 122
920 PRINT" [CLR] [DOWN]
    [6 SPACES] ******* SKYSC
    APE ******** : PRINT"
    {DOWN}DATE INPUT":S1=0
                        :rem 176
930 PRINT" [10 Y]": IFY <> OTHENGO
    SUB1770: PRINT: PRINT
                       :rem 107
940 INPUT"YEAR [2 SPACES]";Y:IF
    Y<1977THENPRINT"MUST BE GR
    EATER THAN 1977":GOTO940
                         :rem 89
950 GOSUB1820: PRINT: INPUT"MONT
    H (1-12) "; M: IFM < 10RM > 12TH
    ENPRINTOO$: GOTO950: rem 127
96Ø DI=VAL(MID$(MD$,2*M-1,2)):
DI=DI-(M=2)*LY:DI$=STR$(DI
    ):DI$=RIGHT$(DI$,2):rem 25
970 PRINT" { DOWN } DAY (1-"DI$")
    {SPACE}";:INPUTD:IFD<1ORD>
    DITHENPRINTOO$: GOTO 970
                          ·rem 8
980 H$=MID$(A$, M*3-2, 3):PRINT:
    PRINT"LATITUDE (-90 TO 90)
    ";:INPUTLL
                        :rem 8Ø
990 GOSUB2480
                        :rem 240
1000 IFABS(LL)>90THENPRINTOO$:
     GOTO98Ø
                         :rem 72
1010 PRINT: PRINT" {2 DOWN}
     {4 RIGHT}"H$; D" {LEFT}, "Y:
     PRINT: GOSUB2230: IF Z$="N"
     THEN920
                        :rem 105
```


69Ø T4=P(X,6):GOSUB8ØØ:IFY9=99



1020	D2=VAL(MID\$(M\$, M*3-2, 3))+		P\$(X);TAB(14-Q1);Q1\$	1740	IFP(X,6) <psthen1760 146<="" :rem="" td=""></psthen1760>
	D:GOSUB1860:IFM>2THEND1=D 1+LY:Y1=Y1+LY :rem 253		22-Q2);Q2\$;:IFQ3=-1T RINT"@W"; :rem 25	1750	GOTO1720 :rem 208
1030	D3=D2-185:IFM=3ANDD<2ØTHE		-ITHENPRINT"@E";	1760	QQ\$="*":RETURN :rem 89
	ND2=D2+LY:D3=D3+LY:rem 81	1270 0000	:rem 11	1770	PRINT:PRINT K\$" "H\$;D" {LEFT}, "Y;TAB(20)ABS(LL)L
1040	S=0:IFD3<=0THENA=180*D2/1 85:GOTO1060 :rem 91		31680:Q4\$=STR\$(Q4):Q5 R\$(Q5):IFQ5<10THENQ5\$		L\$;:RETURN :rem 22
1050	A=180*D3/(180+ZY)+180		RIGHT\$(Q5\$,1)	The second secon	A3\$=STR\$(A3):A3\$=RIGHT\$(A
	:rem 57		:rem 221		3\$,2):A4\$=STR\$(A4):A4\$=RI GHT\$(A4\$,2) :rem 108
1060	IFA<>180THENS=23.43333333 *SIN(D9*D2*180/185)		RIGHT\$(Q5\$,2):Q4\$=Q4\$ -Q5\$:Z=LEN(Q4\$)	1790	IFA4<1ØTHENA4\$="Ø"+RIGHT\$
	:rem 167		:rem 159		(A4\$,1) :rem 255
1070	IFA>180THENS=-23.43333333		TAB(26)QQ\$TAB(34-Z)Q	1800	A3\$=A3\$+":"+RIGHT\$(A4\$,2) :A5\$=STR\$(A5):A5\$=RIGHT\$(
1080	*SIN(D9*D3) :rem 10 IFA>=360THENA=A-360		EXT:PRINT"{2 DOWN}* -		A5\$,2)+":"+A4\$ :rem 82
1000	:rem 97	VIS.	:rem 65	1810	Q8=7-LEN(A3\$):Q9=7-LEN(A5
	A=FNR(A) : rem 192		"{2 DOWN}SUN'S R.A.	1000	\$):RETURN :rem 5
1100	S=FNR(S):A1=(SGN(LL)-(LL= Ø))*S+9Ø-ABS(LL):A1=FNR(A		E}"SPC(Q8)A3\$ IT"R.A. AT 9:00PM	1820	LY=0:IFY/4=INT(Y/4)THENLY =1 :rem 217
	1):GOSUB1470:GOSUB1420		Q9)A5\$ :rem 139	1830	IFY/100=INT(Y/100)ANDY/40
	:rem Ø	1410 PRIN	"[DOWN]-S- FOR DAYS		Ø<>INT(Y/400)THENLY=0
1110	W=1-(SGN(LL)<0):IFA1>90TH		E)SKY -D- FOR NEW DA	1940	:rem 8 IFY/1000=INT(Y/1000)ANDY/
	ENA1=18Ø-A1:W=ABS(W-3) :rem 231		GOTO1920 :rem 48 .*A/360:IFA2>KlTHENA2	1040	4000=INT(Y/4000)THENLY=0
1120	PRINT" (CLR) [DOWN] ": GOSUB1	=A2-I			:rem 140
	770:PRINT:PRINT"[32 Y]":I		T(A2/60):A4=A2-A3*60		RETURN :rem 174 Y9=Y+1:IFY9/4=INT(Y9/4)TH
1130	\$="{LEFT}@" :rem 121 PRINT:PRINT"DAY OF THE YE	:A5=1	3+9:IFA5>23THENA5=A5	1000	ENZY=1 :rem 207
1130	AR", D1:rem 114		:rem 223 IT(A2-A3*60+.5):IFA4=	1870	IFY9/100=INT(Y9/100)ANDY9
1140	PRINT"SUN'S GEOCENTRIC AN		NA4=0:A3=A3+1		/400 <> INT (Y9/400) THENZY=0
1150	GLE",A;I\$ :rem 26 PRINT"SUN'S DECLINATION		:rem 150	1880	:rem 254 IFY9/1000=INT(Y9/1000)AND
1130	",S;I\$ :rem 238		=24THENA3=Ø :rem 128		Y9/4000=INT(Y9/4000)THENZ
1160	PRINT"SUN'S ALTITUDE AT N	1460 AA=A.	3*6Ø+A4:GOTO178Ø :rem 113	1000	Y=0 :rem 130
	OON",A1;I\$;D\$(W) :rem 121	147Ø M1=(	1/M9-INT(Y1/M9))*M9+	1890	Y1=Y-1977:Y1=Y1*365+INT(Y 1/4)+D1:IFY<2000THEN1910
1170	PRINT"SUN'S RIGHT ASCENSI	10:11	M1>M9THENM1=M1-M9		:rem 88
	ON",A3\$ :rem 208	1480 COSIII	:rem 33 32260:M8=360*M2:IFM8>	1900	Y1=Y1-INT((Y-2001)/100)+I
1180	PRINT"R.A. AT 9:00PM		HENL\$="W" :rem 241		NT((Y-2001)/400)-INT((Y-1)/4000) :rem 6
1190	PRINT"MOON'S AGE	1490 IFM8	=18ØTHENL\$="E"	1910	)/4000) :rem 6 RETURN :rem 171
	",M1;"DY" :rem 178	1500 5000	:rem 89	1920	GETI\$:IFI\$=""THEN1920
1200	PRINT"MOON'S ELONGATION	1500 IFM8	18ØTHENM8=36Ø-M8 :rem 237		:rem 203
1200		1510 Ml=F	:rem 237 IR(M1):M8=FNR(M8):YY=	1930	:rem 203 IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1
	",M8;"{LEFT}@";L\$: I\$="" :rem 172	1510 M1=FN	:rem 237 WR(M1):M8=FNR(M8):YY= *(Y1/7-INT(Y1/7))+.2	193Ø 194Ø	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97
		1510 Ml=Fi INT(' ):IF'	:rem 237 IR(M1):M8=FNR(M8):YY=	193Ø 194Ø 195Ø	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145
1210	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET	1510 M1=F1 INT(' ):IF1 1520 K\$=M1 RN	:rem 237 RR(M1):M8=FNR(M8):YY= 0*(Y1/7-INT(Y1/7))+.2 Y=ØTHENYY=7 :rem 23 D\$(J\$,YY*3-2,3):RETU :rem 68	193Ø 194Ø 195Ø	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530
1210	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA	1510 M1=F1 INT(' ):IFY 1520 K\$=M: RN 1530 Q3=0	:rem 237 IR(M1):M8=FNR(M8):YY= *(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 :D\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE	1930 1940 1950 1960	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOTO1920 :rem 214
121Ø 122Ø	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159	1510 Ml=FI INT(' ):IFY 1520 K\$=M' RN 1530 Q3=0 N1576	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 'Y=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE :rem 218	1930 1940 1950 1960	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOTO1920 :rem 214 P5=1.376344086:K5=A2*4
121Ø 122Ø	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO192Ø :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **"	1510 Ml=FI INT('):IFY 1520 K\$=M: RN 1530 Q3=0 N1570 1540 IFA2:	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 'Y=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE S :rem 218 EANDA2 <q1then156ø 78<="" :rem="" td=""><td>193Ø 194Ø 195Ø 196Ø 197Ø 198Ø</td><td>IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOTO1920 :rem 214 P5=1.376344086:K5=A2*4 :rem 148</td></q1then156ø>	193Ø 194Ø 195Ø 196Ø 197Ø 198Ø	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOTO1920 :rem 214 P5=1.376344086:K5=A2*4 :rem 148
121Ø 122Ø	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO192Ø :rem 159 PRINT"{CLR} {DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB177Ø:PRINT:PRINT:S1	1510 Ml=FI INT(' ):IFY 1520 K\$=M: RN 1530 Q3=0 N1570 1540 IFA2:	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 'Y=ØTHENYY=7 :rem 23 .D\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE :rem 218 EANDA2 <q1then156ø 215<="" 78="" :rem="" :return="" td=""><td>193Ø 194Ø 195Ø 196Ø 197Ø 198Ø</td><td>IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOTO1920 :rem 214 P5=1.376344086:K5=A2*4</td></q1then156ø>	193Ø 194Ø 195Ø 196Ø 197Ø 198Ø	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOTO1920 :rem 214 P5=1.376344086:K5=A2*4
1210 1220 1230	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE, -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188	1510 M1=F1 INT('):IF' 1520 K\$=M: RN 1530 Q3=0: N1570 1540 IFA2: 1550 Q3=1 1560 Q3=-1	:rem 237 IR(M1):M8=FNR(M8):YY= *(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 :D\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE (EANDA2 <q1then156ø 215<="" 78="" :rem="" :return="" td=""><td>193Ø 194Ø 195Ø 196Ø 197Ø 198Ø</td><td>IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOTO1920 :rem 214 P5=1.376344086:K5=A2*4 :rem 48 K5=ABS(K5-1233.73)*90/K1:K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN</td></q1then156ø>	193Ø 194Ø 195Ø 196Ø 197Ø 198Ø	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOTO1920 :rem 214 P5=1.376344086:K5=A2*4 :rem 48 K5=ABS(K5-1233.73)*90/K1:K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN
1210 1220 1230	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN	1510 M1=F1 INT('):IF' 1520 K\$=M' RN 1530 Q3=0: N1570 1540 IFA2: 1550 Q3=1 1560 Q3=-1 1570 Q1=Q: ETHEI	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 :D\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE :EANDA2 <q1then156ø -36ø:ifa2<="36ØANDA2" 215="" 218="" 5="" :rem="" :return=""> I156Ø :rem 23Ø</q1then156ø>	1930 1940 1950 1960 1970 1980	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 145 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOT01920 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1: K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62
121Ø 122Ø 123Ø 124Ø	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO192Ø :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB177Ø:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255	1510 M1=F1 INT('):IF' 1520 K\$=M' 1530 Q3=0 N1574 1540 IFA2: 1550 Q3=1 1560 Q3=-1 1570 Q1=Q1 ETHEI 1580 IFQ3	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU	1930 1940 1950 1960 1970 1980 1990	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOTO1920 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1:K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=1THENCC=CC+84 :rem 144
121Ø 122Ø 123Ø 124Ø	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN	1510 M1=F1 INT('):IF' 1520 K\$=M' 1530 Q3=0 N1574 1540 IFA2: 1550 Q3=1 1560 Q3=-1 1570 Q1=Q1 ETHEI 1580 IFQ3	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 :D\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE :EANDA2 <q1then156ø -36ø:ifa2<="36ØANDA2" 215="" 218="" 5="" :rem="" :return=""> I156Ø :rem 23Ø</q1then156ø>	1930 1940 1950 1960 1970 1980 1990	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOT01920 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1:K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=1THENCC=CC+84 :rem 144 CD\$=MID\$(CC\$,CC-1,42)
1210 1220 1230 1240 1250	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR} {DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"§38 Y\$":PRINT :rem 138 FORX=1T06:A2=Y1/P(X,2)-IN	1510 M1=F1 INT('):IF' 1520 K\$=M: RN 1530 Q3=0: N1570 1540 IFA2: 1550 Q3=1 1560 Q3=-1 1570 Q1=Q: ETHEN 1580 IFQ3: 1590 IFA2:	:rem 237 IR(M1):M8=FNR(M8):YY= *(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 :D\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE EANDA2 <q1then156ø -36ø:ifa2<="36ØANDA2" 215="" 218="" 5="" :rem="" :return="" return=""> 1156Ø :rem 23Ø :&gt;ØTHENRETURN:rem 154 :ØANDA2&lt;=Q1THEN156Ø :rem 123 :&gt;ØTHENRETURN:rem 147</q1then156ø>	1930 1940 1950 1960 1970 1980 1990 2000	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOTO1920 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1:K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=1THENCC=CC+84 :rem 144 CD\$=MID\$(CC\$,CC-1,42) :rem 70
1210 1220 1230 1240 1250 1260	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"&38 Y\rightarrow\ri	1510 M1=F1 INT('):IF' 1520 K\$=M' RN 1530 Q3=0: N1570 1540 IFA2: 1550 Q3=1 1560 Q3=-1 1570 Q1=Q: ETHEN 1580 IFQ3: 1590 IFA2:	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE EANDA2 <q1then156ø -36ø:ifa2<="36ØANDA2" 215="" 218="" 5="" :rem="" :return="" ireturn=""> ID\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1&gt;36ØTHE IT = IT =</q1then156ø>	1930 1940 1950 1960 1970 1980 1990 2000	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOT01920 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1:K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=ITHENCC=CC+84 :rem 144 CD\$=MID\$(CC\$,CC-1,42) :rem 70 IFMID\$(CD\$,2,1)<>" "ANDMI
1210 1220 1230 1240 1250 1260	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR} {DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"§38 Y\$":PRINT :rem 138 FORX=1T06:A2=Y1/P(X,2)-IN	1510 M1=F1 INT(' ):IF' 1520 K\$=M' RN 1530 Q3=0: N1576 1540 IFA2: 1550 Q3=1: 1560 Q3=-1: 1570 Q1=Q: ETHEN 1580 IFQ3: 1590 IFA2: 1600 IFQ3: 1610 IFA2: 1620 RETUR	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 :D\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE S:RETURN :rem 218 :RETURN :rem 215 :RETURN :rem 5 -36Ø:IFA2<=36ØANDA2> IS6Ø :rem 23Ø :>ØTHENRETURN:rem 154 :ØANDA2<=Q1THEN156Ø :rem 123 :>ØTHENRETURN:rem 147 -Q1THEN155Ø :rem 132 IN :rem 169	1930 1940 1950 1960 1970 1980 1990 2000	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOT01920 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1: K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=ITHENCC=CC+84 :rem 144 CD\$=MID\$(CC\$,CC-1,42) :rem 70 IFMID\$(CD\$,2,1)<>" "ANDMID\$(CD\$,3,1)=" "THENCD\$=MID\$(CD\$,1,40):GOT02050
1210 1220 1230 1240 1250 1260 1270	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"[\$38 Y]":PRINT	1510 M1=F1 INT('):IF' 1520 K\$=M: RN 1530 Q3=0: N1570 1540 IFA2: 1550 Q3=1 1560 Q3=-1 1570 Q1=Q: ETHEN 1580 IFQ3: 1590 IFA2: 1600 IFQ3: 1610 IFA2: 1620 RETUI 1630 Q5=Q: HENQ:	:rem 237 IR(M1):M8=FNR(M8):YY= IX(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE EANDA2 <q1then156ø .return="" 218="" 25="" 536ø:ifa2<-36øanda2="" :rem="" ireturn=""> I156Ø :rem 23Ø INFERETURN:rem 154 INFERETURN:rem 154 INFERETURN:rem 154 INFERETURN:rem 147 INFERETURN:rem 147 INFERETURN:rem 147 INFERETURN:rem 147 INFERETURN:rem 147 INFERETURN:rem 147 INFERETURN:rem 169 IN</q1then156ø>	1930 1940 1950 1960 1970 1980 1990 2000 2010 2020	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOT01920 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1: K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=ITHENCC=CC+84 :rem 144 CD\$=MID\$(CC\$,CC-1,42) :rem 70 IFMID\$(CD\$,2,1)<>" "ANDMID\$(CD\$,3,1)=" "THENCD\$=MID\$(CD\$,1,40):GOTO20500 :rem 8
1210 1220 1230 1240 1250 1260 1270 1280	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO192Ø :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB177Ø:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"§38 Y\rightarrow\text{":PRINT}  FORX=1TO6:A2=Y1/P(X,2)-IN T(Y1/P(X,2)):Q3=1:rem 238 A2=A2*36Ø+P(X,1):IFA2>36Ø THENA2=A2-36Ø :rem 92 E=18Ø+A:IFE>36ØTHENE=E-36 Ø :rem 243	1510 M1=F1 INT('):IF' 1520 K\$=M: RN 1530 Q3=0: N1570 1540 IFA2: 1550 Q3=1 1560 Q3=-1 1570 Q1=Q: ETHEN 1580 IFQ3: 1590 IFA2: 1600 IFQ3: 1610 IFA2: 1620 RETUI 1630 Q5=Q: HENQ:	:rem 237 IR(M1):M8=FNR(M8):YY= *(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 :D\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE EANDA2 <q1then156ø -36ø:ifa2<="36ØANDA2" 215="" 218="" 5="" :rem="" :return="" return=""> 1156Ø :rem 23Ø :&gt;ØTHENRETURN:rem 154 :ØANDA2&lt;=Q1THEN156Ø :rem 123 :&gt;ØTHENRETURN:rem 147 :Q1THEN155Ø :rem 132 :N :rem 169 :*P(X,5)*4+AA:IFQ5&lt;ØT :=Q5+K1 :rem 122 :K1THENQ5=Q5-K1</q1then156ø>	1930 1940 1950 1960 1970 1980 1990 2000 2010 2020	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOT01920 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1: K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=1THENCC=CC+84 :rem 144 CD\$=MID\$(CC\$,CC-1,42) :rem 70 IFMID\$(CD\$,2,1)<>" "ANDMI D\$(CD\$,3,1)=" "THENCD\$=MI D\$(CD\$,1,40):GOT02050 :rem 8 IFMID\$(CD\$,41,1)<> " "ANDM
1210 1220 1230 1240 1250 1260 1270 1280	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR} {DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"[\$38 Y\]":PRINT	1510 M1=F1 INT(' ):IF' 1520 K\$=M' RN 1530 Q3=0 N1570 1540 IFA2: 1550 Q3=1 1560 Q3=- 1570 Q1=Q1 ETHEN 1580 IFQ3 1590 IFA2: 1600 IFQ3: 1610 IFA2: 1620 RETUI 1630 Q5=Q1 HENQS: 1640 IFQ5:	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE EANDA2 <q1then156ø 218="" 25="" 536ø:ifa2<="36ØANDA2" :rem="" :return="" eanda2<q1then156ø=""> ID\$(J\$,YY*3-2,3):RETU :rem 218 EANDA2<q1then156ø 123="" 125="" 132="" 147="" 154="" 218="" 23ø="" :pem="" :pøthen155ø="" :pøthen15<="" :pøthen15ø="" :pøthenreturn:rem="" :q1then155ø="" :rem="" :return="" td="" øanda2<="Q1THEN156Ø"><td>1930 1940 1950 1960 1970 1980 1990 2000 2010 2020</td><td>IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="P"THEN1230 :rem 87 GOT01920 :rem 214 P5=1.376344086:K5=A2*4</td></q1then156ø></q1then156ø>	1930 1940 1950 1960 1970 1980 1990 2000 2010 2020	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="P"THEN1230 :rem 87 GOT01920 :rem 214 P5=1.376344086:K5=A2*4
1210 1220 1230 1240 1250 1260 1270 1280 1290	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"\$38 Y}":PRINT :rem 138 FORX=1T06:A2=Y1/P(X,2)-IN T(Y1/P(X,2)):Q3=1:rem 238 A2=A2*360+P(X,1):IFA2>360 THENA2=A2-360 :rem 92 E=180+A:IFE>360THENE=E-36 0 :rem 243 E1=ABS(E-A2):IFEI>180THEN E1=360-E1 :rem 191 GOSUB1530:E1=E1*D9:P5=P(X	1510 M1=F1 INT(' ):IF' 1520 K\$=M' RN 1530 Q3=0 N1576 1540 IFA2: 1550 Q3=1 1560 Q3=-1 1570 Q1=Q: ETHEN 1580 IFQ3: 1690 IFA2: 1600 IFQ3: 1610 IFA2: 1620 RETUN 1630 Q5=Q: HENQ: 1640 IFQ5: 1650 P(X,65=INT)	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 :D\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE S:RETURN :rem 218 :RETURN :rem 215 :RETURN :rem 5 -36Ø:IFA2<=36ØANDA2> IS6Ø :rem 23Ø :>ØTHENRETURN:rem 154 ØANDA2<=Q1THEN156Ø :rem 123 :>ØTHENRETURN:rem 147 Q1THEN155Ø :rem 132 IN :rem 169 :*P(X,5)*4+AA:IFQ5<ØT :=Q5+K1 :rem 122 IN :rem 123 IN :rem 169 :*P(X,5)*4+AA:IFQ5<ØT :=Q5+K1 :rem 122 IN :rem 169 :*P(X,5)*4+AA:IFQ5<ØT :=Q5+K1 :rem 187 IN :rem 187 IN :P(X,5)*4+INT(Y,5)*6	1930 1940 1950 1960 1970 1980 1990 2000 2010 2020	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOTO1920 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1:K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=ITHENCC=CC+84 :rem 144 CD\$=MID\$(CC\$,CC-1,42) :rem 70 IFMID\$(CD\$,2,1)<>""ANDMID\$(CD\$,3,1)=""THENCD\$=MID\$(CD\$,1,40):GOTO2050 :rem 8 IFMID\$(CD\$,40,1)=""THENCD\$=MID\$(CD\$,40,1)=""THENCD\$=MID\$(CD\$,3,42):GOTO2050 :rem 113
1210 1220 1230 1240 1250 1260 1270 1280 1290	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"E38 Y2":PRINT :rem 138 FORX=1T06:A2=Y1/P(X,2)-IN T(Y1/P(X,2)):Q3=1:rem 238 A2=A2*360+P(X,1):IFA2>360 THENA2=A2-360 :rem 92 E=180+A:IFE>360THENE=E-36 Ø :rem 243 E1=ABS(E-A2):IFE1>180THEN E1=360-E1 :rem 191 GOSUB1530:E1=E1*D9:P5=P(X,3):IFX=3THENGOSUB1980	1510 M1=F1 INT(' ): IF' 1520 K\$=M' 1530 Q3=0 N1576 1540 IFA2: 1550 Q3=1 1560 Q3=-1 1570 Q1=0 ETHEN 1580 IFQ3 1590 IFA2: 1600 IFQ3 1610 IFA2: 1620 RETUI 1630 Q5=Q: HENQE 1640 IFQ5: 1650 P(X,6	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU	1930 1940 1950 1960 1970 1980 1990 2000 2010 2020	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOTO1920 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1:K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=ITHENCC=CC+84 :rem 144 CD\$=MID\$(CC\$,CC-1,42) :rem 70 IFMID\$(CD\$,2,1)<>""ANDMID\$(CD\$,3,1)=""THENCD\$=MID\$(CD\$,1,40):GOTO2050 :rem 8 IFMID\$(CD\$,40,1)=""THENCD\$=MID\$(CD\$,40,1)=""THENCD\$=MID\$(CD\$,3,42):GOTO2050 :rem 113 CD\$=MID\$(CD\$,2,40)
1210 1220 1230 1240 1250 1260 1270 1280 1290 1300	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"\$38 Y}":PRINT :rem 138 FORX=1T06:A2=Y1/P(X,2)-IN T(Y1/P(X,2)):Q3=1:rem 238 A2=A2*360+P(X,1):IFA2>360 THENA2=A2-360 :rem 92 E=180+A:IFE>360THENE=E-36 0 :rem 243 E1=ABS(E-A2):IFEI>180THEN E1=360-E1 :rem 191 GOSUB1530:E1=E1*D9:P5=P(X	1510 M1=F1 INT(' ): IF' 1520 K\$=M' 1530 Q3=0 N1576 1540 IFA2: 1550 Q3=1 1560 Q3=-1 1570 Q1=2 1570 Q1=2 1580 IFQ3 1590 IFA2: 1600 IFQ3 1610 IFA2: 1620 RETUI 1630 Q5=Q: HENQ: 1640 IFQ5: 1650 P(X,6 5=INT ØTHEI	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU	1930 1940 1950 1960 1970 1980 1990 2000 2010 2020	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOT01920 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1: K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=ITHENCC=CC+84 :rem 144 CD\$=MID\$(CC\$,CC-1,42) :rem 70 IFMID\$(CD\$,2,1)<>" "ANDMID\$(CD\$,3,1)=" "THENCD\$=MID\$(CD\$,1,40):GOT02050 :rem 8 IFMID\$(CD\$,40,1)=" "THENCD\$= MID\$(CD\$,3,42):GOT02050 MID\$(CD\$,3,42):GOT02050 :rem 113 CD\$=MID\$(CD\$,2,40) :rem 150
1210 1220 1230 1240 1250 1260 1270 1280 1290 1300	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"§38 Y\rightarrow\ri	1510 M1=F1 INT(' ):IF' 1520 K\$=M' RN 1530 Q3=0 N1570 1540 IFA2: 1550 Q3=1 1560 Q3=- 1570 Q1=Q: ETHEN 1580 IFQ3: 1590 IFA2: 1600 IFQ3: 1610 IFA2: 1620 RETUI 1630 Q5=Q: HENQ: 1640 IFQ5: 1650 P(X,6) 5=INT ØTHEN 1660 IFQ4= 1670 RETUI 1680 SU=A!	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE EANDA2 <q1then156ø 218="" 25="" 536ø:ifa2<-36øanda2="" :rem="" :return="" eanda2<q1then156ø=""> VI56Ø :rem 23Ø EXTHENRETURN:rem 154 ØANDA2&lt;-Q1THEN156Ø :rem 123 EX # 124 EX # 125 EX # 125 EX # 125 EX # 125 EX # 126 EX # 127 EX # 127 EX # 127 EX # 128 EX # 129 EX</q1then156ø>	1930 1940 1950 1960 1970 1980 1990 2000 2010 2020 2030 2040 2050	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOT01920 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1:K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=1THENCC=CC+84 :rem 144 CD\$=MID\$(CC\$,CC-1,42) :rem 70 IFMID\$(CD\$,2,1)<>" "ANDMID\$(CD\$,3,1)=" "THENCD\$=MID\$(CD\$,3,1)=" "THENCD\$=MID\$(CD\$,1,40):GOT02050 :rem 8 IFMID\$(CD\$,40,1)=" "THENCD\$=MID\$(CD\$,3,42):GOT02050 :rem 113 CD\$=MID\$(CD\$,2,40) :rem 150 CD\$="{YEL}"+CD\$+" {BLK}":R
1210 1220 1230 1240 1250 1260 1270 1280 1290 1300	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"&38 Y\rec{3}":PRINT FORX=1TO6:A2=Y1/P(X,2)-IN T(Y1/P(X,2)):Q3=1:rem 238 A2=A2*360+P(X,1):IFA2>360 THENA2=A2-360 :rem 92 E=180+A:IFE>360THENE=-36 0 :rem 243 E1=ABS(E-A2):IFE1>180THEN E1=360-E1 :rem 191 GOSUB1530:E1=E1*D9:P5=P(X,3):IFX=3THENGOSUB1980 :rem 125 P(X,4)=SQR(1+P5\cdot2-2*P5*CO S(E1)):XX=(P5\cdot2-1-P(X,4)\cdot2 2)/(-2*P(X,4)) :rem 90	1510 M1=F1 INT(' ):IF' 1520 K\$=M' RN 1530 Q3=0 N1576 1540 IFA2: 1550 Q3=1 1560 Q3=-1 1570 Q1=Q: ETHEN 1580 IFQ3: 1690 IFQ3: 1600 IFQ3: 1610 IFA2: 1620 RETUI 1630 Q5=Q: HENQ: 1640 IFQ5: 1650 P(X,6) 5=INT 0THEN 1660 IFQ4: 1670 RETUI 1680 SU=A: SU-36	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE EANDA2 <q1then156ø -36ø:ifa2<="36ØANDA2" 215="" 218="" 5="" :rem="" :return="" eeanda2<q1then156ø=""> ID\$(J\$,YY*3-2,3):RETU :rem 218 EANDA2<q1then156ø -36ø:ifa2<="36ØANDA2" 5="" 78="" :rem="" ireturn=""> ID\$(J\$,YY*3-10) IRETURN :rem 154 IRETURN :rem 154 IRETURN :rem 154 IRETURN:rem 154 IRETURN:rem 154 IRETURN:rem 154 IRETURN:rem 123 IRETURN:rem 123 IRETURN:rem 123 IRETURN:rem 147 IRETURN:rem 147 IRETURN:rem 147 IRETURN:rem 147 IRETURN:rem 128 IRETURN:rem 129 IRETURN:rem 187 IRETUR</q1then156ø></q1then156ø>	1930 1940 1950 1960 1970 1980 1990 2000 2010 2020 2030 2040 2050	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="P"THEN1230 :rem 214 FI\$="L"ANDS1=1THEN2530 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1:K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=ITHENCC=CC+84 :rem 144 CD\$=MID\$(CC\$,CC-1,42) :rem 70 IFMID\$(CD\$,2,1)<>" "ANDMID\$(CD\$,3,1)=" "THENCD\$=MID\$(CD\$,1,40):GOTO2050 :rem 8 IFMID\$(CD\$,40,1)=" "THENCD\$=MID\$(CD\$,3,42):GOTO2050 :rem 113 CD\$=MID\$(CD\$,2,40) :rem 150 CD\$="{YEL}"+CD\$+"[BLK]":RETURN :rem 150 CD\$="{YEL}"+CD\$+"[BLK]":RETURN :rem 128 DATA365.26,29.53059,59.81
1210 1220 1230 1240 1250 1260 1270 1280 1290 1300	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"§38 Y\$]":PRINT :rem 138 FORX=1TO6:A2=Y1/P(X,2)-IN T(Y1/P(X,2)):Q3=1:rem 238 A2=A2*360+P(X,1):IFA2>360 THENA2=A2-360 :rem 92 E=180+A:IFE>360THENE=E-36 Ø :rem 243 E1=ABS(E-A2):IFE1>180THEN E1=360-E1 :rem 191 GOSUB1530:E1=E1*D9:P5=P(X,3):IFX=3THENGOSUB1980 :rem 125 P(X,4)=SQR(1+P5\(^12-2*P5*COS)(E1)):XX=(P5\(^12-1*P(X,4)\)\(^12-2*P(X,4)) :rem 90 P(X,5)=-ATN(XX/SQR(-XX*XX)	1510 M1=F1 INT(' ):IF' 1520 K\$=M' RN 1530 Q3=0 N1576 1540 IFA2: 1550 Q3=1 1560 Q3=-1 1570 Q1=Q: ETHEN 1580 IFQ3: 1600 IFQ3: 1600 RETUI 1630 Q5=Q: HENQ: 1640 IFQ5: 1650 P(X,6) 5=INT: 0THEN 1660 IFQ4: 1670 RETUI 1680 SU=A8 SU-A8	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE EANDA2 <q1then156ø -36ø:ifa2<="36ØANDA2" 215="" 218="" 5="" :rem="" :return="" eanda2<q1then156ø=""> ID\$(J\$,YY*3-2,3):RETU :rem 218 EANDA2<q1then156ø -36ø:ifa2<="36ØANDA2" 23ø="" 5="" :peturn="" :rem=""> ID\$(J\$,YY*3-10):PETURN</q1then156ø></q1then156ø>	1930 1940 1950 1960 1970 1980 1990 2000 2010 2020 2030 2040 2050	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1:K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=ITHENCC=CC+84 :rem 144 CD\$=MID\$(CC\$,CC-1,42) :rem 70 IFMID\$(CD\$,2,1)<>""ANDMID\$(CD\$,3,1)=""THENCD\$=MID\$(CD\$,1,40):GOTO2050 :rem 8 IFMID\$(CD\$,40,1)=""THENCD\$=MID\$(CD\$,40,1)=""THENCD\$=MID\$(CD\$,3,42):GOTO2050 :rem 113 CD\$=MID\$(CD\$,2,40) :rem 150 CD\$="{YEL}"+CD\$+"{BLK}":rem 128 DATA365.26,29.53059,59.81 8184,42.719626,262.364294
1210 1220 1230 1240 1250 1260 1270 1280 1290 1300 1310	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET[3 SPACES]DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"§38 Y\rec{3}":PRINT	1510 M1=F1 INT(' ):IF' 1520 K\$=M' RN 1530 Q3=0 N1576 1540 IFA2: 1550 Q3=1 1560 Q3=-1 1570 Q1=Q: ETHEN 1580 IFQ3: 1600 IFQ3: 1600 RETUI 1630 Q5=Q: HENQ: 1640 IFQ5: 1650 P(X,6) 5=INT: 0THEN 1660 IFQ4: 1670 RETUI 1680 SU=A8 SU-A8	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE EANDA2 <q1then156ø -36ø:ifa2<="36ØANDA2" 215="" 218="" 5="" :rem="" :return="" eeanda2<q1then156ø=""> ID\$(J\$,YY*3-2,3):RETU :rem 218 EANDA2<q1then156ø -36ø:ifa2<="36ØANDA2" 5="" 78="" :rem="" ireturn=""> ID\$(J\$,YY*3-10) IRETURN :rem 154 IRETURN :rem 154 IRETURN :rem 154 IRETURN:rem 154 IRETURN:rem 154 IRETURN:rem 154 IRETURN:rem 123 IRETURN:rem 123 IRETURN:rem 123 IRETURN:rem 147 IRETURN:rem 147 IRETURN:rem 147 IRETURN:rem 147 IRETURN:rem 128 IRETURN:rem 129 IRETURN:rem 187 IRETUR</q1then156ø></q1then156ø>	1930 1940 1950 1960 1970 1980 1990 2000 2010 2020 2030 2040 2050 2060	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="P"THEN1230 :rem 214 FI\$="L"ANDS1=1THEN2530 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1:K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=ITHENCC=CC+84 :rem 144 CD\$=MID\$(CC\$,CC-1,42) :rem 70 IFMID\$(CD\$,2,1)<>" "ANDMID\$(CD\$,3,1)=" "THENCD\$=MID\$(CD\$,1,40):GOTO2050 :rem 8 IFMID\$(CD\$,40,1)=" "THENCD\$=MID\$(CD\$,3,42):GOTO2050 :rem 113 CD\$=MID\$(CD\$,2,40) :rem 150 CD\$="{YEL}"+CD\$+"[BLK]":RETURN :rem 150 CD\$="{YEL}"+CD\$+"[BLK]":RETURN :rem 128 DATA365.26,29.53059,59.81
1210 1220 1230 1240 1250 1260 1270 1280 1290 1300 1310	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"§38 Y\rightarrow ":rem 138 FORX=1T06:A2=Y1/P(X,2)-IN T(Y1/P(X,2)):Q3=1:rem 238 A2=A2*360+P(X,1):IFA2>360 THENA2=A2-360 :rem 92 E=180+A:IFE>360THENE=E-36 0 :rem 243 E1=ABS(E-A2):IFE1>180THEN E1=360-E1 :rem 191 GOSUB1530:E1=E1*D9:P5=P(X,3):IFX=3THENGOSUB1980 :rem 125 P(X,4)=SQR(1+P5\f2-2*P5*CO S(E1)):XX=(P5\f2-1-P(X,4)\f1) 2)/(-2*P(X,4)) :rem 90 P(X,5)=-ATN(XX/SQR(-XX*XX +1))+\f/2:P(X,4)=INT(P(X,4) *ES+.5) :rem 55 P(X,5)=P(X,5)/D9:P(X,5)=F	1510 M1=F1 INT(' ):IF' 1520 K\$=M' RN 1530 Q3=0 N1570 1540 IFA2: 1550 Q3=1 1560 Q3=-1 1570 Q1=Q1 ETHEN 1580 IFQ3 1590 IFA2: 1600 IFQ3: 1610 IFA2: 1620 RETUI 1630 Q5=Q1 HENQ! 1640 IFQ5: 1650 P(X,6 5=INT ØTHEN 1660 IFQ4= 1670 RETUI 1680 SU=A! SU-36 1 1690 IFMS	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE EANDA2 <q1then156ø -36ø:ifa2<="36ØANDA2" 218="" 25="" 5="" :rem="" eanda2<q1then156ø="" ireturn=""> VI56Ø :rem 23Ø INTERETURN:rem 154 INTERETURN:rem 154 INTERETURN:rem 147 INTERETURN:rem 169 INTERETURN:rem 187 INTERETURN:rem 187 INTERETURN:rem 187 INTERETURN:rem 187 INTERETURN:rem 187 INTERETURN:rem 187 INTERETURN:rem 189 INTERETURN:rem 165 INTERETURN:rem 165 INTERETURN:rem 174 INTERETURN:rem 174 INTERETURN:rem 174 INTERETURN:rem 174 INTERETURN:rem 190 INTERETURN:r</q1then156ø>	1930 1940 1950 1960 1970 1980 1990 2000 2010 2020 2030 2040 2050 2060	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 87 GOT01920 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1: K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=ITHENCC=CC+84 :rem 144 CD\$=MID\$(CC\$,CC-1,42) :rem 70 IFMID\$(CD\$,2,1)<>" "ANDMID\$(CD\$,3,1)=" "THENCD\$=MID\$(CD\$,3,1)=" "THENCD\$=MID\$(CD\$,1,40):GOT02050 :rem 8 IFMID\$(CD\$,40,1)=" "THENCD\$= MID\$(CD\$,3,42):GOT02050 :rem 113 CD\$=MID\$(CD\$,2,2,4) :rem 150 CD\$="{YEL}"+CD\$+"{BLK}":R ETURN :rem 128 DATA365.26,29.53059,59.81 8184,42.719626,262.364294 ,52.916763 :rem 23 DATA134.69697,218.79464,8 7.97,224.7,686.98:rem 146
1210 1220 1230 1240 1250 1260 1270 1280 1290 1300 1310	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"§38 Y\rem !rem 138 FORX=1T06:A2=Y1/P(X,2)-IN T(Y1/P(X,2)):Q3=1:rem 238 A2=A2*360+P(X,1):IFA2>360 THENA2=A2-360 :rem 92 E=180+A:IFE>360THENE=-36 0 :rem 243 E1=ABS(E-A2):IFE1>180THEN E1=360-E1 :rem 191 GOSUB1530:E1=E1*D9:P5=P(X,3):IFX=3THENGOSUB1980 :rem 125 P(X,4)=SQR(1+P5\f2-2*P5*CO S(E1)):XX=(P5\f2-1-P(X,4)\f1) 2)/(-2*P(X,4)) :rem 90 P(X,5)=-ATN(XX/SQR(-XX*XX+1))+\f2:P(X,4)=INT(P(X,4)) *ES+.5) :rem 55 P(X,5)=P(X,5) P9:P(X,5)=F NS(P(X,5)):Q1STR\$(P(X,4))	1510 M1=F1 INT(' ):IF' 1520 K\$=M' RN 1530 Q3=0 N1570 1540 IFA2: 1550 Q3=1 1560 Q3=- 1570 Q1=Q: ETHEN 1580 IFQ3: 1690 IFQ3: 1610 IFA2: 1620 RETUI 1630 Q5=Q: HENQ: 1640 IFQ5: 1650 P(X,6) 5=INT ØTHEN 1660 IFQ4: 1670 RETUI 1680 SU=A! SU-30 1 1690 IFMS: 1700 IF MS: 1700 IF MS: 1710 IFP()	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE EANDA2 <q1then156ø -36ø:ifa2<="36ØANDA2" 218="" 25="" 5="" :rem="" eanda2<q1then156ø="" ireturn=""> VI56Ø :rem 23Ø INTERETURN:rem 154 INTERETURN:rem 154 INTERETURN:rem 147 INTERETURN:rem 169 INTERETURN:rem 187 INTERETURN:rem 189 INTERETURN:rem 189 INTERETURN:rem 189 INTERETURN:rem 165 INTERETURN:rem 165 INTERETURN:rem 165 INTERETURN:rem 174 INTERETURN:rem 174 INTERETURN:rem 174 INTERETURN:rem 174 INTERETURN:rem 174 INTERETURN:rem 174 INTERETURN:rem 190 INTERETURN:rem 210 INTERETURN:r</q1then156ø>	1930 1940 1950 1960 1970 1980 1990 2000 2010 2020 2030 2040 2050 2060	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="P"THEN1230 :rem 87 GOT01920 :rem 214 P5=1.376344086:K5=A2*4
1210 1220 1230 1240 1250 1260 1270 1280 1290 1300 1310	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"§38 Y½":PRINT :rem 138 FORX=1T06:A2=Y1/P(X,2)-IN T(Y1/P(X,2)):Q3=1:rem 238 A2=A2*360+P(X,1):IFA2>360 THENA2=A2-360 :rem 92 E=180+A:IFE>360THENE=E-36 Ø :rem 243 E1=ABS(E-A2):IFE1>180THEN E1=360-E1 :rem 191 GOSUB1530:E1=E1*D9:P5=P(X,3):IFX=3THENGOSUB1980 :rem 125 P(X,4)=SQR(1+P5\(^12-2*P5*CO) S(E1)):XX=(P5\(^12-2*P5*CO) S(E1):XX=(P5\(^12-2*P5*CO) S(E1):XX=(P5\(^12-2*P5*CO) S(E1):XX=(P5\(^12-2*P5*CO) S(E1):XX=(P5\(^12-2*P5*CO) S(E1):XX=(P5\(^12-2*P5*CO) S(E1):XX=(P5\(^12-2*P5*CO) S(E1):XX=(P5\(^12-2*P5*CO) S(E1):XX=(P5\(^12-2*P5*CO) S(E1):XX=(P5\(^12-2*P5*CO) S(E1):XX=(P5\	1510 M1=F1 INT(' ):IF' 1520 K\$=M' RN 1530 Q3=0 N1576 1540 IFA2: 1550 Q3=1 1560 Q3=-1 1570 Q1=Q: ETHEN 1580 IFQ3: 1690 IFA2: 1600 IFQ3: 1600 IFQ3: 1600 IFQ3: 1610 IFA2: 1620 RETUI 1630 Q5=Q: HENQ: 1640 IFQ5: 1650 P(X,60) 5=INT: 07HEN 1660 IFQ4: 1670 RETUI 1680 SU=A: SU-36 1700 IF MS: 1700 IF MS: 1710 IFP() EN176	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE EANDA2 <q1then156ø -36ø:ifa2<="36ØANDA2" 218="" 25="" 5="" :rem="" eanda2<q1then156ø="" ireturn=""> VI56Ø :rem 23Ø INTERETURN:rem 154 INTERETURN:rem 154 INTERETURN:rem 147 INTERETURN:rem 169 INTERETURN:rem 187 INTERETURN:rem 189 INTERETURN:rem 189 INTERETURN:rem 189 INTERETURN:rem 165 INTERETURN:rem 165 INTERETURN:rem 165 INTERETURN:rem 174 INTERETURN:rem 174 INTERETURN:rem 174 INTERETURN:rem 174 INTERETURN:rem 174 INTERETURN:rem 174 INTERETURN:rem 190 INTERETURN:rem 210 INTERETURN:r</q1then156ø>	1930 1940 1950 1960 1970 1980 1990 2010 2020 2030 2040 2050 2060 2070 2080	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="L"ANDS1=1THEN2530 :rem 214 P5=1.376344086:K5=A2*4 :rem 148 K5=ABS(K5-1233.73)*90/K1:K5=K5*D9:K5=SIN(K5)*.3225 81224:P5=P5+K5:RETURN :rem 62 IFCC<=ITHENCC=CC+84 :rem 144 CD\$=MID\$(CC\$,CC-1,42) :rem 70 IFMID\$(CD\$,2,1)<>""ANDMID\$(CD\$,3,1)=""THENCD\$=MID\$(CD\$,1,40):GOTO2050 :rem 8 IFMID\$(CD\$,40,1)<"""ANDMID\$(CD\$,40,1)=""THENCD\$=MID\$(CD\$,3,42):GOTO2050 :rem 113 CD\$=MID\$(CD\$,2,40) :rem 128 CD\$="{YEL}"+CD\$+"{BLK}":rem 128 DATA365.26,29.53059,59.81 8184,42.719626,262.364294,52.916763 :rem 23 DATA134.69697,218.79464,8 7.97,224.7,686.98:rem 146 DATA4332.79813,10759.7195,30686.5884 :rem 90
1210 1220 1230 1240 1250 1260 1270 1280 1290 1300 1310	",M8;"{LEFT}@";L\$: I\$="" :rem 172 PRINT"MOON'S PHASE - "PH\$ (M3) :rem 115 PRINT"{2 DOWN}-P- PLANET {SPACE}TABLE , -D- NEW DA TE":GOTO1920 :rem 159 PRINT"{CLR}{DOWN}":PRINTT AB(7)"** PLANET TABLE **" :GOSUB1770:PRINT:PRINT:S1 =1 :rem 188 PRINT"PLANET{3 SPACES}DIS T.{2 SPACES}ANG. W/ SUN {4 SPACES}R.A" :rem 255 PRINT"§38 Y\$]":PRINT FORX=1TO6:A2=Y1/P(X,2)-IN T(Y1/P(X,2)):Q3=1:rem 238 A2=A2*360+P(X,1):IFA2>360 THENA2=A2-360 :rem 92 E=180+A:IFE>360THENE=E-36 0 :rem 243 E1=ABS(E-A2):IFE1>180THEN E1=360-E1 :rem 191 GOSUB1530:E1=E1*D9:P5=P(X,3):IFX=3THENGOSUB1980 :rem 125 P(X,4)=SQR(1+P5\f2-2*P5*CO S(E1)):XX=(P5\f2-1-P(X,4)\f1) 2)/(-2*P(X,4)) :rem 90 P(X,5)=-ATN(XX/SQR(-XX*XX+1))+f/2:P(X,4)=INT(P(X,4)) *ES+-5) P(X,5)=P(X,5)/D9:P(X,5)=F NS(P(X,5)):Q1\s=STR\secondox(P(X,4)) ):Q2\s=STR\secondox(P(X,5))	1510 M1=F1	:rem 237 IR(M1):M8=FNR(M8):YY= '*(Y1/7-INT(Y1/7))+.2 YY=ØTHENYY=7 :rem 23 ID\$(J\$,YY*3-2,3):RETU :rem 68 Q1=E+18Ø:IFQ1>36ØTHE :rem 218 EANDA2 <q1then156ø -36ø:ifa2<="36ØANDA2" 218="" 25="" 5="" :rem="" :return="" eanda2<q1then156ø=""> ID\$6Ø :rem 23Ø EXPETURN:rem 154 EXPETURN:rem 154 EXPETURN:rem 154 EXPETURN:rem 147 EXPETURN:rem 147 EXPETURN:rem 147 EXPETURN:rem 147 EXPETURN:rem 147 EXPETURN:rem 122 EXPETURN:rem 122 EXPETURN:rem 125 EXPETURN:rem 126 EXPETURN:rem 127 EXPETURN:rem 128 EXPETURN:rem 129 EXPETURN:rem 165 EXPETURN:rem 165 EXPETURN:rem 165 EXPETURN:rem 165 EXPETURN:rem 189 EXPETURN:rem 165 EXPETURN:rem 165 EXPETURN:rem 174 EXPETURN:rem 23Ø EXPETURN:rem 23Ø EXPETURN:rem 23Ø EXPETURN:rem 23Ø EXPETURN:rem 19Ø EXPETURN:rem 19Ø EXPETURN:rem 155 EXPETURN:rem 43 EXPETURN:rem 43 EXPETURN:rem 43 EXPETURN:rem 43</q1then156ø>	1930 1940 1950 1960 1970 1980 1990 2010 2020 2030 2040 2050 2060 2070 2080	IFI\$="D"THEN920 :rem 88 IF(I\$="S"ORI\$="T")ANDS1=1 THEN380 :rem 97 IFI\$="P"THEN1230 :rem 145 IFI\$="P"THEN1230 :rem 87 GOT01920 :rem 214 P5=1.376344086:K5=A2*4

2100	
2110	
	255,239,199,131,131,199,2 39,255 :rem 6
2120	DATA195,129,153,153,195,2 31,129,231,252,249,195,15
2130	3,153,153,199,255 :rem 40 DATA255,195,189,129,129,1
	89,195,255,252,193,145,13 7,153,131,63,127 :rem 2
2140	DATA255,153,153,153,219,2 31,255,255 :rem 230
2150	DATA 245, 234, 213, 202, 213, 1 39, 7, 31 :rem 66
21.60	DATA"SA", "SC", "LI", "VI", " LE", "CA", "GE", "TA", "AR", " PI", "AQ", "CP" :rem 220
2170	PI", "AQ", "CP" :rem 220 DATA"NEW", "WAXING CRESCEN
2170	T", "1ST QUARTER", "WAXING [SPACE] GIBBOUS", "FULL"
	:rem 255
2180	DATA"WANING GIBBOUS", "3RD QUARTER", "WANING CRESCEN
2190	T" :rem 224   DATA1770,1719,1620,1500,1
	418,1365,1335,1310,1290,1 275,1260 :rem 96
2200	DATA1238,1220,1200,1178,1 115,915,720,660,640,625,6
2210	10 :rem 39 PRINT"{CLR}{11 DOWN}"SPC(
2220	11)"**** SKYSCAPE ****" :rem 116
2220	
2229	,7:RETURN :rem 32 PRINT"-N- TO RE-INPUT OR
2230	{SPACE}RETURN TO CONTINUE
2240	":rem 192 GETZ\$:IFZ\$=""THEN2240
2250	:rem 229 RETURN :rem 169
2260	M2=M1/M9:IFM1<10RM1>28.5T HENM3=1 :rem 180
2270	IFM1>=1ANDM1<6.9THENM3=2 :rem 204
2280	IFM1 <= 8. ØANDM1 >= 6.9THENM3
2290	IFM1>8.ØANDM1<14.2THENM3=
2300	
2310	
2320	=6 :rem 77   IFM1>=21.6ANDM1<=22.6THEN
233Ø	M3=7 :rem 203   IFM1>22.6ANDM1<=28.5THENM
	3=8 :rem 150   RETURN :rem 169
2350	B\$="":IFY<>1985ANDY<>1986 THEN750 :rem 109
2360	IF(Y=1985ANDD1<305)OR(Y=1 986ANDD1>149)THEN750
2370	:rem 131 HD=D1+365:IFHD>516THENHD=
	HD-365 :rem 81 H1=(HD-295)/10:HD=INT(H1)
2390	:H1=H1-HD :rem 151
2390	T4=HC(HD)-HC(HD+1):T4=HC( HD)-H1*T4:IFT4>K1THENT4=T
2400	
2410	:rem 236 GOSUB890:IFT4>1115ANDT4<1
2420	200THENU9=U9+40 :rem 176 IFT4>1290THENU9=U9-40
	:rem 2 IFT4>615ANDT4<=1115THENU9
2440	=U9+8Ø :rem 113
	OMET":GOTO710 :rem 43

2450	GOSUB890:PK=1423-Y9+U9+LB
2460	:rem 249 IFLL<ØTHENPK=2247+8Ø*XX-P
2400	K :rem 106
2470	RETURN :rem 173
2480	LL\$="{LEFT}@N":IFLL <othen< td=""></othen<>
2490	LL\$="{LEFT}@S" :rem 159
2490	L1=ABS(LL):IFABS(LL)<24TH ENL1=40 :rem 191
2500	
	C*40:D1=VAL(MID\$(D\$, M*3-2
16984	,3))+D :rem 30
2510	
2520	(ABS(LL)/7+.5) :rem 47 RETURN :rem 169
2530	
2330	[6 SPACES]******* SKYS
THE DE	CAPE *********":PRINT"
0001	{DOWN}LATITUDE CHANGE"
2540	:rem 8 PRINT"[15 Y]":GOSUB 1770
2540	:rem 222
2550	PRINT" {3 DOWN}": INPUT"INP
	UT NEW LATITUDE"; LL: PRINT
	:PRINT :rem 21
2560	
To be and	{SPACE}00\$:GOTO 2550
2570	:rem 127 GOSUB223Ø:IFZ\$="N"THEN248
23,2	Ø :rem 40
2580	GOSUB2480:I\$="S":GOTO1940
	:rem 217
2590	
	):U2=PEEK(3447-X):POKEX,U 2:POKE(3447-X),U1:NEXT
	:rem 206
2600	FORX=1704T01742: IFPEEK(X)
	=160THEN2620 :rem 229
2610	U1=PEEK(X):U2=PEEK(X+1):P
100 34	OKEX, U2:POKEX+1, U1:X=X+1 :rem 72
2620	NEXT:RETURN :rem 35



A view of the night sky in the Atari version of "Skyscape."

#### Program 2: Atari Skyscape

Version by Kevin Mykytyn, Editorial Programmer

- CG 100 POKE 106, PEEK(106)-5: GRAPHICS 0:OPEN #1,4, 8,"K:" HO 110 DIM D\$(36), MM\$(9), M\$(
- HO 110 DIM D\$ (36), MM\$ (9), M\$ (36), A\$ (36), DD\$ (16), MD \$ (24), ZZ\$ (20), P\$ (43), J\$ (21), F\$ (200), CC\$ (200), SPC\$ (30), Q\$ (1)
- 80 120 DIM PH\$(120), HC(22), R \$(10), T\$(10), Q1\$(10), Q2\$(10), Q3\$(10), Q4\$(1 0), Q5\$(10), L\$(10), QQ\$ (10), A1\$(10), A2\$(10), A4\$(10)

CH 13Ø	DIM A3\$(1Ø), I\$(2), CD\$
CH 1310	(5Ø), PP(8), DI\$(3), H\$(
	5), LL\$(3), DIR\$(2), Z\$
	1),K\$(21),A5\$(1Ø),U(1
	Ø),P(6,6),B\$(15)
KI 140	
	TO 6:P(A,B)=Ø:U(A)=Ø:
	TO 6:P(A,B)=Ø:U(A)=Ø: NEXT B:NEXT A POKE 82,Ø:PI=3.1415:S
6N 15Ø	POKE 82, Ø: PI=3.1415:5 CREEN=PEEK(88)+256*PE
	EK(89):FOR X=1 TO 30:
	SPC\$(X, X) = " ": NEXT X
EB 160	
	)=P\$:PH\$=" ":PH\$(12Ø)
	=PH\$:PH\$(2)=PH\$
NO 170	
J0 18Ø	
	11812122432733Ø4334":
	K1=144Ø:MM\$="ØØ9Ø84ØØ
BD 190	
00 1 7 10	2102133164194225255":
	DIR\$(1,1)="S":DIR\$(2,
	2) = "N": ES=93
PN 200	
	NJULAUGSEPOCTNOVDEC":
	OO\$=" (DOWN) OUT OF RAN
	GE!!(DOWN)"
PO 210	MD\$="3128313Ø313Ø3131 3Ø313Ø31":D9=3.141592
	65/18Ø:READ EE:READ
	9:GOTO 240
MI 220	
	Ø:RETURN
6J 23Ø	
	RETURN
CP 240	
	TO 6: READ $ZZ:P(X,Y)=Z$
10.050	Z:NEXT X:NEXT Y:Y=Ø
LP 25Ø	FOR X=1 TO 6: READ ZZ9 :P\$((X-1)*7+1, X*7)=ZZ
	\$: READ ZZ: P(X, 3) = ZZ: N
	EXT X: FOR X=1 TO 8: RE
	AD A
LB 260	POKE CHBAS+256+X.A: NE

LB 260 POKE CHBAS+256+X, A: NE

MN 270 FOR X=CHBAS+608 TO CH BAS+663:READ A:POKE X ,255-A:POKE X+1024,A: NEXT X:FOR X=1 TO 7:P P(X)=X+75:NEXT X

JO 28Ø J\$="SATSUNMONTUEWEDTH UFRI":FOR X=1 TO 12:R EAD F\$

P0 29Ø CC\$((X-1)\*7+1,(X-1)\*7 +5)="{5 @QIDES}":CC\$( (X-1)\*7+6,X\*7)=F\$:NEX T X:CC\$(LEN(CC\$)+1,2\* LEN(CC\$))=CC\$

KC 300 F\$=CC\$(LEN(CC\$)-8,LEN
 (CC\$)):F\$(LEN(F\$)+1,L
 EN(F\$)+LEN(CC\$))=CC\$:
 CC\$=F\$

H0 31Ø FOR X=1 TO 8:READ ZZ\$
:PH\$((X-1)\*15+1,X\*15)
=ZZ\$:NEXT X

NN 320 FOR X=1 TO 22:READ ZZ :HC(X)=ZZ:NEXT X:FOR X=CHBAS+680 TO CHBAS+ 687:READ B:POKE X,B:N EXT X:GOTO 920

JK 330 CC=MT-720: IF CC<0 THE N CC=CC+K1

CO 34Ø CC=CC/12Ø:CD=CC-INT(C C):CC=INT(CC):CD=INT( CD\*7+Ø.2):CC=B1-(CC\*7 +CD)

M0 350 GOSUB 2010:PRINT CD\$; :IF LL<0 THEN GOSUB 2 620

HJ 360 RETURN

IA 370 PRINT "(CLEAR)":POSIT ION 10,1:PRINT "\*\* DA YS SKY \*\*":GOSUB 1770 :PRINT

161380	R\$="":T\$="":ZZ\$="":PR		HEN 238Ø	JH 1020	D2=VAL (M\$ ((M*3)-2, M*
	INT : PRINT "INPUT THE	BP 690	T4=P(X,6):GOSUB 800:I	1515	3))+D:GOSUB 1870:IF
	TIME ":PRINT "(15 U)		F Y9=999 THEN 750		M>2 THEN D1=D1+LY:Y1
	":T1=Ø:T2=Ø	N 700	U9=SIN(P(X,6)/4*D9):U		=Y1+LY
RP 390	PRINT : PRINT "	311 7 2 2	9=-3*U9+Ø.5:U9=INT(U9	FR 1030	D3=D2-185: IF M=3 AND
10.076	(5 SPACES) HOUR (Ø-23)	ST-1 N	):U(X)=U9*4Ø	A CONTRACTOR	D<20 THEN D2=D2+LY:
	":: INPUT T1: IF T1<0	CV 710			D3=D3+LY
1007 50		CK / 1 B	PK=SCREEN+399-Y9+U(X)	FI 1040	S=Ø:IF D3<=Ø THEN A=
	OR T1>23 THEN PRINT O	55 700	+LB:GOSUB 249Ø	IL ID TE	180*D2/185:GOTO 1060
24613	O\$:GOTO 390	FU / 210	IF PK>SCREEN+679 OR P	IV 1050	A=(180*D3/(180+ZY))+
	DRINT - PRINT "		K <screen+12ø 75ø<="" th="" then=""><th>IN TECE</th><th></th></screen+12ø>	IN TECE	
11 400	PRINT : PRINT "	NL /30	Z=PEEK(PK): IF Z<>RF A	50 4 67 6	180
1 1	(3 SPACES) MINUTE (Ø-5		ND Z<>13+RF THEN PK=P	69 1 8 9 8	IF A<>18Ø THEN S=23.
10 May 10	9) ";: INPUT T2: IF T2<		K+SGN(LL) *40-(LL=0) *4		433333*SIN(D9*D2*18Ø
11011	Ø OR T2>59 THEN PRINT	-	Ø:PRINT "A":GOTO 73Ø		/185)
	00\$:GOTO 400		POKE PK, PP(X)+RF	NH 19/9	IF A>180 THEN S=-23.
P6 4 1 Ø	R\$=STR\$(T1):T\$=STR\$(T		NEXT X: POSITION Ø, 19		4333333*SIN(D9*D3)
- STE 18 S 1	2): IF LEN(T\$)=1 THEN	LC 760	PRINT "(E) MERCURY	88 1 88 8	IF A>=360 THEN A=A-3
S WEST	ZZ\$="Ø":ZZ\$(2,LEN(T\$)		(E) VENUS (4 SPACES)		60
0.0000	+1)=T\$:T\$=ZZ\$		([]) MARS (5 SPACES) ([]) J		ZZ=A:GOSUB 220:A=ZZ
EH 420	PRINT "{2 DOWN}TIME		UPITER"	OK 1100	ZZ=S:GOSUB 22Ø:S=ZZ:
THE REAL	";R\$;":";T\$	AJ 77Ø	PRINT "(E)SATURN	9,150	$A1 = (SGN(LL) + (LL = \emptyset)) *$
IH 43Ø	PRINT : GOSUB 2260: IF		(4 SPACES) (E) URANUS		S+90-ABS(LL): ZZ=A1:G
1 1 1 2 1	Z\$="N" THEN 37Ø		(3 SPACES) SUN		OSUB 220: A1=ZZ: GOSUB
PK 440	PRINT "(CLEAR)": T3=T1		(6 SPACES) ENOON"		147Ø: GOSUB 142Ø
Alv. S	*60+T2+AA-720: IF T3<0	6J 78Ø	PRINT " (T) NEW MOON	06 1110	W=1+(SGN(LL)<Ø): IF A
The same	THEN T3=T3+K1		+SUN "; B\$		1>9Ø THEN A1=18Ø-A2:
IN 450	IF T3>K1 THEN T3=T3-K	BN 790	PRINT :PRINT "T- NEW		W=ABS(W-3)
	1		TIME, P- P. TABLE, D- DA	JC 112Ø	PRINT "(CLEAR) (DOWN)
PA 440	MT=T3-360: IF MT<0 THE		TE, L- LAT"; : GOTO 1930		": GOSUB 1770: PRINT :
1,100	N MT=MT+K1	CI BØØ	Y9=999: IF MT <pt td="" then<=""><td></td><td>PRINT "(32 U)": I\$="@</td></pt>		PRINT "(32 U)": I\$="@
FIATO	PT=T3+360: IF PT>K1 TH		850		u .
12 478	EN PT=PT-K1	NN 810	IF T4>=MT OR T4<=PT T	HC 113Ø	PRINT : PRINT "DAY OF
11 400	GOSUB 1770: PRINT SPC\$		HEN 830		THE YEAR
LK 400	(1,3);R\$;":";T\$	HK 820	RETURN		", D1
10 400	RF=128: ZZ\$=R\$: ZZ\$(LEN		IF T4>=MT AND T4<=K1	BK 114Ø	PRINT "SUN'S GEOCENT
HF 470	(ZZ\$)+1,LEN(ZZ\$)+1)="		THEN B7Ø		RIC ANGLE", A: I\$
	": ZZ\$(LEN(ZZ\$)+1,LEN	KC 840	T4=T4+K1:GOTO 87Ø	00 1150	PRINT "SUN'S DECLINA
	(ZZ\$)+LEN(T\$))=T\$:TM=		IF T4>=MT AND T4<=PT		TION", S; I\$
	VAL (ZZ\$)		THEN 87Ø	JH 1160	PRINT "SUN'S ALTITUD
		HD 840	RETURN		E AT NOON", A1; I\$
LE DAM	IF TM<6 OR TM>18 THEN RF=Ø		Y9=INT((T4-MT)/18+Ø.5		;DIR\$(W,W)
11516		MM 47 2	): IF Y9=40 THEN Y9=39	NA 1170	PRINT "SUN'S RIGHT A
01510	XX=7+LC:FOR X=1 TO 14	14 000	RETURN		SCENSION", A3\$
	: IF X=XX THEN 530		U9=SIN(T4/4/(1/D9)):U	HB 1180	PRINT "R.A. AT 9:00P
H6 520	FOR A=1 TO 40: PRINT C	ML 0 72	9=-3*U9+Ø.5:U9=INT(U9		M", A5\$
A STATE OF THE STA	HR\$ (RF+32); : NEXT A: GO			LC 1190	PRINT "MOON'S AGE
FF = 7.0	TO 540	VE DOG	):U9=U9*4Ø:RETURN		".M1:"
11 226	FOR ZZ=1 TO 4Ø:PRINT	KF 900	MM=VAL (MM\$ (3*MM-2,3*M		DY"
NEAG	CHR\$ (45+RF); NEXT ZZ		M)):IF LL<Ø AND MM<>8 1 THEN MM=ABS(MM-17)	PI 1200	PRINT "MOON'S ELONGA
81 540	NEXT X: GOSUB 330: IF L				TION", MB; I\$
OF FER	L<Ø THEN 57Ø	The state of the s	RETURN		;L\$: I\$=""
BF 228	IF LL>24 THEN PRINT "	NH 920	PRINT "(CLEAR) (DOWN)	IF 1210	PRINT "MOON'S PHASE
	E(18 SPACES)S		(5 SPACES)*******		- "; PH\$ ((M3-1) *15+1,
	(19 SPACES) W": GOTO 590		SKYSCAPE ********		M3*15)
WE 200	PRINT "UP-NORTH		:PRINT "(DOWN) DATE IN	11 1220	PRINT "{2 DOWN}-P- P
	(5 SPACES) OVERHEA		PUT": S1=Ø		LANET TABLE , -D- NE
	D(5 SPACES)DOWN-SOUTH	BH 420	PRINT "(10 U)": IF Y(>		W DATE":GOTO 1930
11577	": GOTO 590		Ø THEN GOSUB 1770: PRI	FD 1230	PRINT "(CLEAR) (DOWN)
11 5/8	IF ABS(LL)>24 THEN PR		NT : PRINT		":PRINT "(7 SPACES)*
	INT "W(18 SPACES)N	CA 940	PRINT "YEAR ";: INPUT		* PLANET TABLE **":G
W. FOR	(19 SPACES)E":GOTO 590		Y: IF Y<1977 THEN PRI		OSUB 1770: PRINT : PRI
שב מאם	PRINT "UP-SOUTH	1 , 4,4	NT "MUST BE GREATER T		NT :S1=1
	(5 SPACES) OVERHEA		HAN 1977": GOTO 940	PP 1240	PRINT "PLANET
	D(5 SPACES) DOWN-NORTH	EH 950	GOSUB 1830: PRINT : PRI	11 12 70	(3 SPACES) DIST. ANG
00 500			NT "MONTH (1-12) ";:I		
11 590	T4=AA: GOSUB 800: Y8=88		NPUT M: IF M<1 OR M>12		. W/ SUN(4 SPACES)R. A"
04 4 7 7	8: IF Y9=999 THEN 630		THEN PRINT 00\$: GOTO	Un 1050	
UN 600	Y8=Y9:GOSUB 2480:IF A		950	Un 1720	PRINT "(38 U)":PRINT
F0.4.4.5	1<Ø THEN 63Ø	DK 960	DI=VAL (MD\$ (2*M-1,2*M)	00 1317	EOR V-1 TO 4 TO 4
10610	IF PK>SCREEN+679 OR P		):DI=DI+(M=2)*LY:DI\$=	00 1260	FOR X=1 TO 6: A2=Y1/P
	KKSCREEN+12Ø THEN 63Ø		STR\$(DI)		(X,2) - INT(Y1/P(X,2))
	POKE PK, 10+RF	IK 97Ø	PRINT "(DOWN) DAY (1-"		:Q3=1
6A 63Ø	T4=AA+M2*K1: IF T4>K1		;DI\$;") ";:INPUT D:IF	FR 1270	A2 = A2 * 360 + P(X, 1) : IF
	THEN T4=T4-K1		D<1 OR D>DI THEN PRI		A2>360 THEN A2=A2-36
MC 640	GOSUB 800: IF Y9=999 T		NT 00\$:GOTO 97Ø		Ø
	HEN 68Ø	JN 980	H\$=A\$ (M*3-2, M*3): PRIN	PD 1280	E=18Ø+A: IF E>36Ø THE
IF 65Ø	MM=INT(M1/9.83333)+1:		T :PRINT "LATITUDE (-		N E=E-360
	GOSUB 900: IF Y9=999 T		90 TO 90)";: INPUT LL	LP 1290	E1=ABS(E-A2): IF E1>1
100	HEN 68Ø		GOSUB 2510		8Ø THEN E1=36Ø-E1
0A 660	GOSUB 2480: IF PK>SCRE	EG 1ØØØ	IF ABS(LL) >90 THEN P	HO 1300	GOSUB 1530:E1=E1*D9:
	EN+679 OR PK <screen+1< td=""><td></td><td>RINT 00\$: GOTO 780</td><td></td><td>P5=P(X,3): IF X=3 THE</td></screen+1<>		RINT 00\$: GOTO 780		P5=P(X,3): IF X=3 THE
The second	20 THEN 680	BP 1010	PRINT :PRINT "		N GOSUB 1990
MY 670	POKE PK, MM+RF: IF ABS (		(2 DOWN) (4 RIGHT)";H	FK 1310	$P(X,4) = SQR(1+P5^2-2*$
100 85	Y8-Y9) <= Ø.5 THEN POKE		\$; " "; D; ", "; Y: PRINT		P5*COS(E1)): XX=(P5^2
TEN DE	PK,84		:GOSUB 2260: IF Z\$="N		-1-P(X,4)^2)/(-2*P(X
L6 68Ø	FOR X=1 TO 7: IF X=7 T		" THEN 920		,4))

1	NI 1320	P(X,5)=-ATN(XX/SQR(- XX*XX+1))+PI/2:P(X,4) =INT(P(X,4)*ES+0.5)	ON 1650	P(X,6)=Q5:Q4=INT(Q5/ 60):Q5=INT(Q5-Q4*60+ 0.5):IF Q5=60 THEN Q		CD\$(3,3)=" <b>E</b> " THEN C D\$=CD\$(1,40):GOTO 20
1				5=Ø:Q4=Q4+1	JH 2040	IF CD\$(41,41)<>"B" A
	14 4 7 7 7	:P(X,5)=P(X,5)/D9	VF 1 / / A			ND CD\$ (4Ø, 4Ø) = "■" TH
	TH 1226	ZZ=P(X,5):GOSUB 230:		IF Q4=24 THEN Q4=Ø	000110	EN CD\$=CD\$ (3,42):GOT
		P(X,5)=ZZ:Q1\$=STR\$(P		RETURN	10 0122	0 2060
-		(X,4)):Q2\$=STR\$(P(X,	06 1 6 8 6	SU=A5*6Ø+A4: PS=SU+36	60 2050	CD\$=CD\$(2,41)
		5))		Ø: MS=SU-36Ø: IF PS>K1	The state of the s	
	LC 1340	Q1=LEN(Q1\$):Q2=LEN(Q		THEN PS=PS-K1	The second secon	RETURN
1		2\$):GOSUB 1630	LO 1690	IF MS<Ø THEN MS=MS+K	81 20 70	DATA 365.26,29.53059
	DG 135Ø	PRINT P\$((X-1)*7+1,X		1		,59.818184,42.719626
1		*7);:POKE 85,14-Q1:P	NC 1700	IF MS>PS THEN 173Ø		,262.364294,52.91676
		RINT Q1\$;:POKE 85,22	JL 1710	IF P(X,6) <ps and="" p(x<="" td=""><td></td><td>3</td></ps>		3
		-Q2:PRINT Q2\$;:IF Q3		,6)>MS THEN 1760	10 2080	DATA 134.69697,218.7
		=-1 THEN PRINT "aW";	CL 1720	QQ\$=" ":RETURN		9464,87.97,224.7,686
	AL 1360	IF Q3=1 THEN PRINT "	6K 1730	IF P(X,6) (K1 AND P(X		.98
-		aE";		,6)>MS THEN 2000	FL 2090	DATA 4332.79813,1075
-	LN 137Ø	GOSUB 1680: Q4\$=STR\$(	11 1 7 4 0	IF P(X,6) (PS THEN 17		9.7195,30686.5884
-		Q4):Q5\$=STR\$(Q5):IF	00 17 10	60	HM 2100	DATA MERCURY, . 3871, V
		Q5<10 THEN ZZ\$="0":Z	WA 1750	GOTO 1720		ENUS, .7233, MARS, 1.52
- 1		Z\$(2, LEN(Q5\$)+1)=Q5\$		QQ\$="*":RETURN		37, JUPITER, 5.2028
		:Q5\$=ZZ\$		PRINT :PRINT K\$;"	IH 2110	DATA SATURN , 9.5308,
-	BL 1380	Q4\$ (LEN (Q4\$)+1, LEN (Q	MA 1//8	PRINT PRINT NO.		URANUS, 19.182
-		4\$)+1)=":":Q4\$(LEN(Q		";H\$;" ";D;",";Y;:PO	AH 2120	DATA 56,68,68,68,56,
1		4\$)+1, LEN(Q4\$)+LEN(Q		KE 85,20:PRINT ABS(L		0,0,0,255,239,199,13
		5\$))=Q5\$: Z=LEN(Q4\$)	W 4 7 7 7 6	L); LL\$; : RETURN	THE LETTER	1,131,199,239,255
	AD 1390	PRINT :: POKE 85, 26: P	HK 178Ø	A3\$=STR\$(A3):A4\$=STR	CJ 213Ø	DATA 195,129,153,153
		RINT QQ\$;:POKE 85,34		\$(A4)		,195,231,129,231,252
		-Z:PRINT Q4\$:NEXT X:	NL 1790	IF A4<10 THEN ZZ\$="0	I make a	,249,195,153,153,153
		PRINT "(2 DOWN)* - V		": ZZ\$(2,2)=A4\$: A4\$=Z	KI TING	,199,255
		ISIBLE AT 9:00 P.M."		Z\$	AD 2140	DATA 255,195,189,129
	10 1 4 4 4 4	PRINT "{2 DOWN}SUN'S	NL 1800	A3\$ (LEN(A3\$)+1, LEN(A	W LITE	,129,189,195,255,252
1	10 1400	R.A": SPC\$(		3\$)+1)=":":A3\$(LEN(A		
				3\$)+1,LEN(A3\$)+LEN(A	Company of the Compan	,193,145,137,153,131
1		1,Q8);A3\$:PRINT "R.A		4\$))=A4\$:A5\$=STR\$(A5	04 21 50	,63,127
		. AT 9:00PM"; SPC			UN 2130	DATA 255, 153, 153, 153
-		\$(1,Q9);A5\$	PD 1810	A5\$(LEN(A5\$)+1,LEN(A	50.5446	,219,231,255,255
-	DN 1416	PRINT "(DOWN)-S- FOR		5\$)+1)=":":A5\$(LEN(A	ED 2160	DATA 245,234,213,202
		DAYS SKY -D- FOR NE		5\$)+1,LEN(A5\$)+LEN(A		,213,139,7,31
		W DATE": GOTO 1930		4\$))=A4\$	KN 2170	DATA SA, SC, LI, VI, LE,
-	BH 142Ø	A2=K1*A/36Ø: IF A2>K1	A6 1820	Q8=7-LEN(A3\$):Q9=7-L		CA, GE, TA, AR, PI, AQ, CP
		THEN A2=A2-K1		EN(A5\$):RETURN	KM 2180	DATA NEW, WAXING CRES
-	NP 1430	A3=INT(A2/6Ø):A4=A2-	NK 1830	LY=0: IF Y/4=INT (Y/4)	A CONTRACTOR OF	CENT, 1ST QUARTER, WAX
1		A3*60:A5=A3+9:IF A5>		THEN LY=1		ING GIBBOUS, FULL
1		23 THEN A5=A5-24	AJ 1840	IF Y/100=INT(Y/100)	BF 219Ø	DATA WANING GIBBOUS,
-1	MG 1440	A4=INT(A2-A3*60+0.5)		AND Y/400<>INT(Y/400		3RD QUARTER, WANING C
		: IF A4=60 THEN A4=0:		) THEN LY=Ø	The state of	RESCENT
-		A3=A3+1			FI 2200	DATA 1770,1719,1620,
-	IA 145Ø	IF A3=24 THEN A3=Ø	IN 1850	IF Y/1000=INT(Y/1000	100000000000000000000000000000000000000	1500, 1418, 1365, 1335,
-	HB 1460	AA=A3*6Ø+A4:GOTO 178		) AND Y/4000=INT(Y/4		1310,1290,1275,1260
-		Ø		ØØØ) THEN LY=Ø	0A 221Ø	DATA 1238, 1220, 1200,
-	CB 147Ø	M1 = (Y1/M9 - INT(Y1/M9)		RETURN		1178,1115,915,720,66
		) *M9+1Ø: IF M1>M9 THE	NA 187Ø	Y9=Y+1: IF Y9/4=INT (Y		0,640,625,610,255,25
		N M1=M1-M9		9/4) THEN ZY=1		5,0,0,0,0,0
-	PE 1480	GOSUB 2290: M8=360*M2	PP 188Ø	IF Y9/100=INT(Y9/100	RF 2220	POKE 756, PEEK (106) +1
		: IF M8>180 THEN L\$="		) AND Y9/400<>INT(Y9		:PRINT "(CLEAR)
		W"		/4ØØ) THEN ZY=Ø		(6 DOWN) (11 SPACES) **
	FJ 149Ø	IF M8<=180 THEN L\$="	ID 189Ø	IF Y9/1000=INT (Y9/10		** SKYSCAPE ****"
		E"	ALL PARTY	ØØ) AND Y9/4ØØØ=INT(	IN 2230	PRINT "(2 DOWN)
	ON 1500	IF M8>180 THEN M8=36		Y9/4000) THEN ZY=0	2200	(10 SPACES) REDEFINING
		Ø-M8	FB 1900	Y1=Y-1977: Y1=Y1*365+	11 (2)	CHARACTERS"
	00 1510	ZZ=M1:GOSUB 220:M1=Z	Contract to	INT (Y1/4) +D1: IF Y<20	FF 2240	CHBAS= (PEEK (106)+1)*
		Z: ZZ=M8: GOSUB 220: M8	1000	ØØ THEN 192Ø	2270	256: FOR I=Ø TO 1023:
		=ZZ:YY=INT (7*(Y1/7-I	AH 1910	Y1=Y1-INT((Y-2ØØ1)/1		POKE CHBAS+I, PEEK (57
		NT(Y1/7))+Ø.2):IF YY	The state of	ØØ) + INT ((Y-2ØØ1) /4ØØ	1	344+1):NEXT I
		=Ø THEN YY=7		)-INT((Y-1)/4000)	K1 2250	RETURN
	PG 152Ø	K\$=J\$(YY*3-2,YY*3):R	KH 1920	RETURN		PRINT "-N- TO RE-INP
		ETURN	P6 193Ø	XX=VAL(STR\$(Ø)):GET	11 2200	UT OR RETURN TO CONT
	NK 1530	Q3=Ø:Q1=E+18Ø:IF Q1>		#1, I:Q\$=CHR\$(I)		INUE"
		360 THEN 1570	6B 194Ø	IF Q\$="D" THEN 920	W 2276	GET #1, ZZ: Z\$=CHR\$(ZZ)
	E0 154Ø	IF A2>E AND A2 <q1 th="" th<=""><th>HB 195Ø</th><th>IF (Q\$="S" OR Q\$="T"</th><th>The second second</th><th></th></q1>	HB 195Ø	IF (Q\$="S" OR Q\$="T"	The second second	
	Walter	EN 1560	Maria La	) AND S1=1 THEN 370		RETURN
	NH 1550	Q3=1:RETURN	JK 1960	IF Q\$="P" THEN 1230	LH 229Ø	M2=M1/M9:IF M1<1 OR
		Q3=-1:RETURN		IF Q\$="L" AND S1=1 T		M1>28.5 THEN M3=1
		Q1=Q1-360: IF A2<=360	The state of the state of	HEN 2560	MG 2300	IF M1>=1 AND M1<6.9
		AND A2>E THEN 1560	NI 1980	GOTO 193Ø		THEN M3=2
	JK 1580	IF Q3<>Ø THEN RETURN	THE RESERVE OF THE PARTY OF THE	P5=1.376344Ø8:K5=A2*	MP 2310	IF M1<=8 AND M1>6.9
		IF A2>Ø AND A2<=Q1 T		4		THEN M3=3
		HEN 1560	FN 2000	K5=ABS(K5-1233.73) *9	LH 232Ø	IF M1>8 AND M1<14.2
	JD 1600	IF Q3<>Ø THEN RETURN		Ø/K1:K5=K5*D9:K5=SIN		THEN M3=4
		IF A2>Q1 THEN 1550	A STATE OF	(K5) *Ø.322581224:P5=	MG 233Ø	IF M1>=14.2 AND M1<=
		RETURN	11.07	P5+K5: RETURN		15.2 THEN M3=5
		Q5=Q3*P(X,5)*4+AA:IF	JB 2010	IF CC<=1 THEN CC=CC+	FA 2340	IF M1>15.2 AND M1<21
	1000	Q5<Ø THEN Q5=Q5+K1		84		.6 THEN M3=6
	LL 1640	IF Q5>K1 THEN Q5=Q5-	MN 2020	CD\$=CC\$(CC-1,CC+41)	MO 2350	IF M1>=21.6 AND M1<=
	11040	K1		IF CD\$(2,2)<>"=" AND		22.6 THEN M3=7
1			2202			

JJ 2360 IF M1>22.6 AND M1<=2 8.5 THEN M3=8 KM 237Ø RETURN HA 238Ø B\$="": IF Y<>1985 AND Y<>1986 THEN 750 I6 239Ø IF (Y=1985 AND D1<3Ø 5) OR (Y=1986 AND D1 >149) THEN 75Ø EL 2400 HD=D1+365: IF HD>516 THEN HD=HD-365 JB 2410 H1=(HD-295)/10:HD=IN T(H1):H1=H1-HD NF 2420 T4=HC(HD)-HC(HD+1):T 4=HC(HD)-H1\*T4: IF T4 >K1 THEN T4=T4-K1 OP 243Ø GOSUB 8ØØ: IF Y9=999 THEN 75Ø LD 2440 GOSUB 890: IF T4>1115 AND T4<1200 THEN U9 =119+40 AF 245Ø IF T4>129Ø THEN U9=U 9-40 HE 2460 IF T4>615 AND T4<=11 15 THEN U9=U9+8Ø 0E 247Ø U(7)=U9:B\$="(E)HALLE Y'S COMET": GOTO 710 MC 2480 GOSUB 890: PK=SCREEN+ 399-Y9+U9+LB !! 2490 IF LL<0 THEN PK=2\*SC REEN+199+80\*XX-PK KH 2500 RETURN FP 2510 LL\$="@N": IF LL<0 THE N LL\$="05" LJ 2520 L1=ABS(LL): IF ABS(LL ) < 24 THEN L1=40 OP 2530 LC=INT ((L1-40)/7+0.5 ): LB=LC \* 40: D1 = VAL (D\$ ((M\*3)-2,M\*3))+D60 2540 IF ABS(LL) < 24 THEN L B=40 \* INT (ABS (LL) /7+0 5) KM 255Ø RETURN 68 2560 PRINT "(CLEAR) (DOWN) (6 SPACES) \*\*\*\*\*\*\* \* SKYSCAPE \*\*\*\*\*\* \*\*":PRINT "(DOWN)LAT ITUDE CHANGE"

10 2570 PRINT "(15 U)": GOSUB 1770 AD 2580 PRINT "{3 DOWN}":PRI NT "INPUT NEW LATITU DE":: INPUT LL: PRINT : PRINT IF 2590 IF ABS(LL) >90 THEN P RINT 00\$: GOTO 4560 BP 2600 GOSUB 2260: IF Z\$="N" THEN 2510 GOSUB 2510: I\$="S":GO MO 2610 TO 1950 01 2620 FOR X=SCREEN+680 TO SCREEN+699: U1=PEEK (X ): U2=PEEK (2\*SCREEN+1 399-X):POKE X,U2:POK E 2\*SCREEN+1399-X,U1 :NEXT X 6J 263Ø FOR X=SCREEN+68Ø TO SCREEN+718: IF PEEK (X

#### Program 3: IBM PC/PCjr Skyscape

HO 2650 NEXT X: RETURN

)=128 THEN 2650

+1):POKE X,U2:POKE X

EL 264Ø U1=PEEK(X):U2=PEEK(X

+1, U1: X = X+1

Version by Tim Victor, Editorial Programmer



"Skyscape" on the IBM PC/PCjr.

2122432733Ø4334":K1=144Ø: DIM HC(22):MM\$="Ø41Ø79Ø4Ø

LI 130 M\$="286317345011041072102 133164194225255":D\$(1)="S ":D\$(2)="N":ES=93

IJ 140 A\$="JANFEBMARAPRMAYJUNJUL AUGSEPOCTNOVDEC":00\$="0UT OF RANGE!":DG\$=CHR\$(248)

## 150 MD\$="31283130313031313031 3031":D9=ATN(1)/45:READ E E:READ M9:DIM P(6,6)

MM 160 DEF FNR(X)=INT(X\*10+.5)/1

JA 170 DEF FNS(X)=INT(X\*100+.5)/ 100

AA 180 FOR Y=1 TO 2:FOR X=1 TO 6
:READ P(X,Y):NEXT:NEXT:Y=

HM 19Ø FOR X=1 TO 6:READ P\$(X),P (X,3):NEXT

IF 200 FOR X=1 TO 7:READ PP(X):N

IK 210 J\$="SATSUNMONTUEWEDTHUFRI ":FOR X=1 TO 12:READ F\$

FF 220 CCs=CCs+" "+F\$:NEXT:C C\$=CC\$+CC\$:F\$=RIGHT\$(CC\$, 9):CC\$=F\$+CC\$

IL 230 FOR X=1 TO 8: READ PH\$(X): NEXT

JH 240 FOR X=1 TO 22:READ HC(X): NEXT:GOTO 880

JE 250 CC=MT-720:IF CC<0 THEN CC

MI 260 CC=CC/120:CD=CC-INT(CC):C C=INT(CC):CD=INT(CD\*7+.2) :CC=81-(CC\*7+CD)

JP 270 GOSUB 2060: IF LL<0 THEN G OSUB 2610

MM 280 PRINT CD\$: RETURN

LC 290 LOCATE 24,20:PRINT SPC(40):

EH 300 LOCATE 4, SL:PRINT "\*\* DAY
S SKY \*\*":LOCATE 5, SL:PRI
NT "-----"

LH 310 LOCATE 7, SL:PRINT "INPUT THE TIME: ":LOCATE 8, SL:PR INT "-----"

NH 320 LOCATE 9, SL:PRINT "HOUR ( 0-23)";:GOSUB 2450:IF I\$< >"" THEN T1=VAL(I\$)

HM 330 IF T1<0 OR T1>23 THEN LOC ATE 10,SL+3:PRINT 00\$:GOT 0 320

PC 340 LOCATE 11, SL:PRINT "MINUT E (0-59)";:GOSUB 2450:IF I\$<>"" THEN T2=VAL(I\$)

NK 350 IF T2<0 OR T2>59 THEN LOC ATE 12,5L:PRINT 00\$:GOT0

IA 360 R\$=RIGHT\$(STR\$(T1),2):T\$= RIGHT\$(STR\$(T2),2):IF T2< 10 THEN T\$="0"+RIGHT\$(T\$,

KP 37Ø LOCATE 14,SL:PRINT "TIME-- "R\$":"T\$

CN 380 LOCATE 24,20:GOSUB 2230:I

F I\$="N" THEN 290

KN 390 COLOR 3,4:CLS:T3=T1\*60+T2
+AA-720:IF T3<0 THEN T3=T
3+K1

LK 400 IF T3>K1 THEN T3=T3-K1

JL 410 MT=T3-360:IF MT<0 THEN MT
=MT+K1

OD 420 PT=T3+360:IF PT>K1 THEN P
T=PT-K1

SKY-- ";:GOSUB 1800:PRIN T " "R\$":"T\$ JG 440 LOCATE 3,18:PRINT"-----

HN 430 LOCATE 2,18:PRINT "DAY'S

IH 450 COLOR 7,1:TM=VAL(R\$+"."+T \$):IF TM<6 OR TM>18 THEN COLOR 7,0

DB 460 XX=7+LC:FOR X=1 TO 14:LOC ATE 3+X,20:IF X=XX THEN 4 80

IE 490 NEXT:LOCATE 18,20:COLOR 0,6:GOSUB 250:LOCATE 19,20:COLOR 7,1:IF LL<0 THEN 5

20

EJ 500 IF LL>24 THEN PRINT "E"SP C(18) "S"SPC(19) "W":GOTO 5

F 510 PRINT "UP-NORTH ----O VERHEAD DOWN-SOUTH":G

BJ 52Ø IF LL<-24 THEN PRINT "E"S PC(18)"N"SPC(19)"W":GOTO 54Ø

66 53Ø PRINT "UP-SOUTH ----(
VERHEAD DOWN-NORTH"

PE 540 T4=AA: GOSUB 780: Y8=888

GN 550 IF Y9=999 THEN 590

PC 560 GOSUB 2460:Y8=Y9:IF A1<0 THEN 590

EM 570 IF U9>17 OR U9<4 THEN 590 CL 580 COLOR 7,1:LOCATE U9,59-Y9 :PRINT CHR\$(42)

08 59Ø T4=AA+M2\*K1:IF T4>K1 THEN T4=T4-K1

EM 600 COLOR 7,1:IF TM<6 OR TM>1 8 THEN COLOR 7,0 HJ 610 GOSUB 780:IF Y9=999 THEN

65Ø

KF 62Ø MM=INT(M1/9.83333)+1:GOSU

B 86Ø

MK 630 GOSUB 2460: IF U9>17 OR U9 <4 THEN 650

OK 640 LOCATE U9,59-Y9:PRINT CHR \$(MM):IF ABS(Y8-Y9)<=.5 T HEN COLOR 1,7:LOCATE U9,5 9-Y9:PRINT CHR\$(79):COLOR 7,1

AC 650 FOR X=1 TO 7: IF X=7 THEN 2350

JN 660 T4=P(X,6):GOSUB 780:IF Y9 =999 THEN 730

!K 67Ø U9=SIN((P(X,6)/4)/(1/D9))
:U9=-3\*U9+.5

HD 680 GOSUB 2470

KA 69Ø IF U9<4 OR U9>17 THEN 73Ø

DB 700 Z=SCREEN(U9,59-Y9)

PL 710 IF Z<>32 AND Z<>45 THEN U 9=U9+SGN(LL)+(LL=0):GOTO 700

P 72Ø LOCATE U9,59-Y9:PRINT CHR
\$(PP(X));

0J 73Ø NEXT

DE 740 LOCATE 21,14:COLOR 3,4:FO R X=1 TO 6:PRINT CHR\$(PP( X));P\$(X);" ";:NEXT

JA 750 LOCATE 22,14:PRINT "\*SUN )0(MOON NEW MOON + SUN ";B\$

PC 760 LOCATE 22,33:COLOR 4,3:PR INT "O":COLOR 3,4

HM 770 LOCATE 24, 20: PRINT "T- NE

AF 1130 W=1-(LL<0): IF A1>90 THEN W TIME, P- P. TABLE, D- DAT A1=18Ø-A1: W=3-W E,L- LAT";:SL=62:GOTO 198 PE 1140 LOCATE 7,36: PRINT "DAY C F THE YEAR----MI 78Ø Y9=999: IF MT<PT THEN 82Ø "; D1 NH 79Ø IF T4<MT AND T4>PT THEN R JO 1150 LOCATE 8,36: PRINT "SUN'S **ETURN** GEOCENTRIC ANGLE----FK 800 IF T4<MT OR T4>K1 THEN T4 "; STR\$ (A); DG\$ =T4+K1 JM 1160 LOCATE 9,36: PRINT "SUN'S HM 810 GOTO 830 DECLINATION---LB 82Ø IF T4<MT OR T4>PT THEN RE "; STR\$ (S); DG\$ THRN 0A 117Ø LOCATE 10,36:PRINT "SUN" FA 83Ø Y9=INT((T4-MT)/18+.5):IF S ALTITUDE AT NOON----Y9=4Ø THEN Y9=39 "; STR\$ (A1); DG\$; D\$ (W) NK 84Ø RETURN NM 1180 LOCATE 11,36:PRINT "SUN" FC 85Ø U9=SIN((T4/4)/(1/D9)):U9= S RIGHT ASCENSION----INT (-3\*U9+.5): RETURN ": A3\$ FL 860 MM=VAL (MID\$ (MM\$, 3\*MM-2, 3) ): IF L<Ø AND MM<>81 THEN HF 1190 LOCATE 12,36: PRINT "R.A. AT 9:00PM-----MM=ABS (MM-81) ": A5\$ NA 870 RETURN BC 1200 LOCATE 13,36:PRINT "MOON S AGE---"; STR\$ (M1); "DY" HN 1210 LOCATE 14,36:PRINT "MOON CATE 4, 10: PRINT "DATE INP 'S ELONGATION --UT": S1=Ø CA 890 LOCATE 5,10:PRINT "-------":IF Y<>0 THEN LOCATE "; STR\$ (M8); DG\$; L\$ 6M 122Ø LOCATE 15,36:PRINT "MOON 'S PHASE - "PH\$(M3) 4,40:GOSUB 1800 LD 1230 LOCATE 24,20:PRINT "-P-LI 900 LOCATE 7,4:PRINT "YEAR";: GOSUB 2450: IF I\$<>"" THEN PLANET TABLE, -D- NEW DA TE"::GOTO 1980 Y=VAL(I\$) JK 1240 COLOR 7,5:CLS:LOCATE 2,2 0:PRINT "SKYSCAPE- ";: MC 910 IF Y<1977 THEN PRINT "MUS T BE AFTER 1977": GOTO 900 N 920 GOSUB 1880:LOCATE 9,4:PRI GOSUB 1800:S1=1 MF 1250 LOCATE 4,12:PRINT"\*\* PLA NT "MONTH (1-12)";:GOSUB NET TABLE \*\*": LOCATE 5,1 2450: IF I\$<>"" THEN M=VAL 2: PRINT "-----(I\$) MB 93Ø IF M<1 OR M>12 THEN PRINT PD 1260 LOCATE 7,4: PRINT "PLANET 00\$:GOTO 920 DIST. ANG. W/ SUN N 940 DI=VAL (MID\$ (MD\$, 2\*M-1, 2)) R. A. " :DI=DI-(M=2) \*LY:DI\$=STR\$( H6 1270 LOCATE 8,4:PRINT "-----DI) 10 950 LOCATE 11,4:PRINT"DAY (1-"DI\$")";:GOSUB 2450:IF I\$

AF	1130	W=1-(LL<Ø): IF A1>9Ø THEN			);A5\$
		A1=18Ø-A1:W=3-W	FO	1430	SL=52:LOCATE 24,20:PRINT
PE	1140	LOCATE 7,36:PRINT "DAY O	18		"-S- FOR DAY'S SKY, -D- FOR NEW DATE";:GOTO 198
		"; D1	H		Ø
JO	1150	LOCATE 8,36: PRINT "SUN'S	FD	1440	A2=K1*A/36Ø: IF A2>K1 THE
		GEOCENTRIC ANGLE ";STR\$(A);DG\$			N A2=A2-K1
JM	1160	LOCATE 9,36:PRINT "SUN'S	HU	1450	A3=INT(A2/60):A4=A2-A3*6 Ø:A5=A3+9:IF A5>23 THEN
		DECLINATION	196		A5=A5-24
04		"; STR\$ (S); DG\$	PM	1460	A4=INT(A2-A3*60+.5):IF A
UH	11/9	LOCATE 10,36:PRINT "SUN' S ALTITUDE AT NOON	10	1470	4=60 THEN A4=0:A3=A3+1 IF A3=24 THEN A3=0
		";STR\$(A1);DG\$;D\$(W)			AA=A3*6Ø+A4:GOTO 184Ø
NM	1180	LOCATE 11,36:PRINT "SUN"	EN	1490	M1 = ((Y1/M9) - INT(Y1/M9)) *
		S RIGHT ASCENSION	37		M9+10:IF M1>M9 THEN M1=M
HF	1190	LOCATE 12,36:PRINT "R.A.	PK	1500	GOSUB 2260:M8=360*M2:IF
		AT 9:00PM			M8>18Ø THEN L\$="W"
חם	1200	"; A5\$			IF M8<=18Ø THEN L\$="E"
DL	1200	LOCATE 13,36:PRINT "MOON 'S AGE			IF M8>18Ø THEN M8=36Ø-M8 M1=FNR(M1):M8=FNR(M8):RE
		";STR\$(M1);"DY"		1000	TURN
HN	1210	LOCATE 14,36:PRINT "MOON	FL	1540	YY = INT (7*(Y1/7 - INT(Y1/7))
		'S ELONGATION ";STR\$(M8);DG\$;L\$	NH	1550	)+.2):IF YY=Ø THEN YY=7 K\$=MID\$(J\$,(YY*3)-2,3):R
61	1220	LOCATE 15,36:PRINT "MOON	INII	1336	ETURN
	1270	'S PHASE - "PH\$ (M3)	CN	156Ø	Q3=Ø:Q1=E+18Ø:IF Q1>36Ø
LD	1230	LOCATE 24, 20: PRINT "-P- PLANET TABLE, -D- NEW DA	15	1570	THEN 1600 IF A2>E AND A2 <q1 1<="" td="" then=""></q1>
		TE";:GOTO 1980	16	13/6	59Ø
JK	1240	COLOR 7,5:CLS:LOCATE 2,2			Q3=1:RETURN
		Ø:PRINT "SKYSCAPE- ";: GOSUB 1800:S1=1	-		Q3=-1:RETURN Q1=Q1-360:IF A2<=360 AND
MF	1250	LOCATE 4,12:PRINT"** PLA	LH	1600	A2>E THEN 1590
		NET TABLE **":LOCATE 5,1	NK	1610	IF Q3<>Ø THEN RETURN
		2:PRINT "	EM	1620	IF A2>Ø AND A2<=Q1 THEN
PD	1260	LOCATE 7,4:PRINT "PLANET	NΔ	1430	159Ø IF Q3<>Ø THEN RETURN
		DIST. ANG. W/ SUN			IF A2>Q1 THEN 1580
uc	1270	R.A."			RETURN
по	12/0	LOCATE 8,4:PRINT "	NK	1660	Q5=Q3*P(X,5)*4+AA:IF Q5< Ø THEN Q5=Q5+K1
			NN	1670	IF Q5>K1 THEN Q5=Q5-K1
PO	1280	FOR X=1 TO 6:A2=Y1/P(X,2)-INT(Y1/P(X,2)):Q3=1	EL	1680	P(X,6)=Q5:Q4=INT(Q5/60):
6E	1290	A2 = (A2 * 360) + P(X, 1) : IF A2			Q5=INT(Q5-Q4*6Ø+.5):IF Q 5=6Ø THEN Q5=Ø:Q4=Q4+1
		>36Ø THEN A2=A2-36Ø	IH	1690	IF Q4=24 THEN Q4=0
NK	1300	E=18Ø+A: IF E>36Ø THEN E= E-36Ø	1777	100	RETURN
JL	1310	E1=ABS(E-A2):IF E1>18Ø T	nn	1710	SU=A5*6Ø+A4:PS=SU+36Ø:MS =SU-36Ø:IF PS>K1 THEN PS
27		HEN E1=36Ø-E1			=PS-K1
MP	1320	GOSUB 1560:E1=E1*D9:P5=P (X,3):IF X=3 THEN GOSUB	2.00		IF MS<Ø THEN MS=MS+K1
		2040			IF MS>PS THEN 1760 IF P(X,6) (PS AND P(X,6))
KI	1330	P(X,4)=SQR(1+P5^2-2*P5*C	-		MS THEN 179Ø
		OS(E1)): XX=((P5^2-1-P(X,	71.00		QQ\$=" ":RETURN
NE	1340	4)^2)/(-2*P(X,4))) P(X,5)=-ATN(XX/SQR(-XX*X	6K	1769	IF P(X,6) <k1 and="" p(x,6)=""> MS THEN 1790</k1>
		X+1))+ATN(1) *2:P(X,4)=IN	LJ	1770	IF P(X,6) (PS THEN 1790
		T(P(X,4)*93+.5):P(X,5)=P	1 17739		GOTO 175Ø
JH	1350	(X,5)/D9 P(X,5)=FNS(P(X,5)):Q1\$=S	50000		QQ\$="\$":RETURN LL\$=RIGHT\$(STR\$(ABS(LL))
	1000	TR\$(P(X,4)):Q2\$=STR\$(P(X	bit	1000	,2):IF ABS(LL)<10 THEN L
		,5))			L\$=" "+RIGHT\$(LL\$,1)
AI	1360	Q1=LEN(Q1\$):Q2=LEN(Q2\$): GOSUB 1660	MK	1810	PRINT K\$;" ";H\$;STR\$(D);",";Y;" ";LL\$;DG\$;:PRI
FM	137Ø	LOCATE X+8,4:PRINT P\$(X)			NT MID\$("SN", (LL<Ø)+2,1)
		;TAB(18-Q1);Q1\$;TAB(28-Q			, and the same of
		2);Q2\$;:IF Q3=-1 THEN PR INT DG\$"W";			IF D<10 THEN PRINT " "; RETURN
BE	1380	IF Q3=1 THEN PRINT DG\$"E			A4\$=RIGHT\$(STR\$(A4),2)
		"1			IF A4<10 THEN A4\$="0"+RI
KH	1390	GOSUB 1710:Q4\$=STR\$(Q4): Q5\$=STR\$(Q5):IF Q5<10 TH	ND	1940	GHT\$(A4\$,1)
		EN Q5\$="Ø"+RIGHT\$(Q5\$.1)	Mr.	1000	A3\$=STR\$(A3)+":"+A4\$:A5\$ =STR\$(A5)+":"+A4\$

NE 1340 P(X,5) =-ATN(XX/SQR(-XX\*X 40: GOSUB 1800: LOCATE 5,4

BM 1400 Q5\$=RIGHT\$(Q5\$,2):Q4\$=Q4

60 1410 PRINT TAB (32); QQ\$; TAB (40

JA 1420 LOCATE 17,4:PRINT "SUN'S

\$+":"+Q5\$: Z=LEN(Q4\$)

-Z);Q4\$:NEXT:LOCATE 15,4

:PRINT "# - VISIBLE AT 9

R.A. ----"; SPC (Q8); A

3\$:LOCATE 18,4:PRINT "R.

A. AT 9:00PM ---"; SPC (Q9

P.M. "

- HN 1020 LOCATE 24,20:GOSUB 2230: IF I\$="N" THEN 880
- BB 1030 LOCATE 24, 20: PRINT SPC (4

Ø:PRINT "----

<>"" THEN D=VAL (1\$)

FE 960 IF D<1 OR D>DI THEN PRINT

LB 97Ø H\$=MID\$(A\$, (M\*3)-2,3):LOC

FB 990 IF ABS(LL) >90 THEN PRINT

00\$:GOTO 97Ø @P 1000 D1=VAL(MID\$(D\$, (M\*3)-2,3

\$<>"" THEN LL=VAL(I\$)

ATE 13,4: PRINT "LATTITUDE

(Ø-9Ø)";:GOSUB 245Ø:IF I

))+D:GOSUB 1920:IF M>2

00\$:GOTO 950

CH 98Ø GOSUB 25ØØ

- FN 1040 D2=VAL (MID\$ (M\$, (M\*3)-2,3 ))+D:GOSUB 1920::IF M> 2 THEN D1=D1+LY: Y1=Y1+
- AD 1050 D3=D2-185: IF M=3 AND D<2 Ø THEN D2=D2+LY: D3=D3 +LY
- 9M 1Ø6Ø IF D3<=Ø THEN A=18Ø\*D2/1 85:GOTO 1080
- II 1070 A=(180\*D3/(180+ZY))+180 LC 1080 IF A<180 THEN S=23.43333
- \*SIN(D9\*D2\*180/185) LD 1090 IF A>180 THEN S=-23.4333
- 3\*(SIN(D9\*D3)) HO 1100 IF A>=360 THEN A=A-360
- LC 111Ø A=FNR(A)
- KA 112Ø S=FNR(S):A1=(SGN(LL)-(LL =Ø)) \*S+9Ø-ABS(LL):A1=FNR (A1):GOSUB 1490:GOSUB 14 40

JA 1910 RETURN NB 1920 Y9=Y+1: IF Y9/4=INT (Y9/4)

THEN ZY=1 LO 1930 IF Y9/100=INT(Y9/100) AN D Y9/400<>INT(Y9/400) TH EN ZY=Ø

QI 1940 IF Y9/1000=INT(Y9/1000) AND Y9/4000=INT(Y9/4000) THEN ZY=Ø

BF 1950 Y1=Y-1977: Y1=Y1\*365+INT( Y1/4)+D1: IF Y<2000 THEN 1970

DC 1960 Y1=Y1-INT((Y-2001)/100)+ INT ((Y-2001) /400) - INT ((Y -1)/4000)

KC 1970 RETURN

JB 1980 GOSUB 2240

JC 1990 IF I\$="D" THEN 880

JH 2000 IF (I\$="S" OR I\$="T") AN D S1=1 THEN 290

NK 2010 IF I\$="P" THEN 1240

IF I\$="L" AND S1=1 THEN 66 2020 2540

EE 2030 GOTO 1980

AB 2040 P5=1.376344:K5=A2\*4

LC 2050 K5=ABS(K5-1233.73) \$90/K1 :K5=K5\*D9:K5=SIN(K5) \*.32 25812: P5=P5+K5: RETURN

FP 2060 IF CC<=0 THEN CC=CC+84

CD 2070 CD\$=MID\$(CC\$,CC-1):IF MI D\$(CD\$,2,1)<>" "AND MID \$(CD\$,3,1)=" " THEN CD\$= " "+CD\$

6C 2Ø8Ø IF MID\$(CD\$,4Ø,1)=" " AN D MID\$(CD\$,41,1)<>"" THE N CD\$=MID\$(CD\$,2)

JF 2090 CD\$=MID\$ (CD\$, 2, 40) : RETUR

HO 2100 DATA 356.26,29.53059,59. 818184,42.719626,262.364 394,52.9196763

OP 2110 DATA 134.69697, 218.79464 ,87.97,224.7,686.98

PO 2120 DATA 4332.79813,10759.71 95,30686.5884

NA 2130 DATA "MERCURY", . 3871, "VE NUS",.7233,"MARS",1.5237 ,"JUPITER",5.2028

6K 214Ø DATA "SATURN", 9.53Ø8, "UR ANUS", 19.182

JL 2150 DATA 4,232,229,21,237,15 7,231

00 2160 DATA "SA", "SC", "LI", "VI" , "LE", "CA", "GE", "TA", "AR ", "PI", "AQ", "CP" 00 2170 DATA "NEW", "WAXING CRESC ENT", "1ST QUARTER", "WAXI

NG GIBBOUS", "FULL"

HI 2180 DATA "WANING GIBBOUS", "3 RD QUARTER", "WANING CRES CENT'

HM 2190 DATA 1770,1719,1620,1500 ,1418,1365,1335,1310,129 0,1275,1260

PO 2200 DATA 1238,1220,1200,1178 ,1115,915,720,660,640,62 5,610

LI 2210 CLS:LOCATE 7,12:PRINT "\*
\*\*\* SKYSCAPE \*\*\*\*"

IG 222Ø RETURN

NH 2230 PRINT "-N- TO RE-INPUT D R RETURN TO CONTINUE";

EL 224Ø I\$="": WHILE LEN(I\$)=0: I\$ =INKEY\$: WEND: IF I\$>"Z" HEN I\$=CHR\$(ASC(I\$)-32)

JP 225Ø RETURN

MM 2260 M2=M1/M9:IF M1<1 OR M1>2 8.5 THEN M3=1

EL 227Ø IF M1>=1 AND M1<6.9 THEN M3 = 2

IH 228Ø IF M1>=6.9 AND M1<=8 THE N M3=3

DA 2290 IF M1>8 AND M1<14.2 THEN M3 = 4

IC 2300 IF M1>=14.2 AND M1<15.2 THEN M3=5

OK 2310 IF M1>=15.2 AND M1<21.6 THEN M3=6

FC 232Ø IF M1>=21.6 AND M1<=22.6 THEN M3=7

DA 233Ø IF M1>22.6 AND M1<=28.5 THEN M3=8

JO 2340 RETURN

JL 2350 B\$="": IF Y<>1985 AND Y<> 1986 THEN 73Ø

NO 2360 IF (Y=1985 AND D1<305) O R (Y=1986 AND D1>149) TH EN 730

9M 237Ø HD=D1+365: IF HD>516 THEN HD=HD-365

DB 238Ø H1=(HD-295)/10:HD=INT(H1 ):H1=H1-HD

MA 239Ø T4=HC(HD)-HC(HD+1):T4=HC (HD)-H1\*T4: IF T4>144Ø TH EN T4=T4-1440

NG 2400 GOSUB 780: IF Y9=999 THEN 730

PH 2410 GOSUB 850: IF T4>1115 AND T4>1200 THEN U9=U9+1

HM 242Ø IF T4>129Ø THEN U9=U9-1

IP 2430 IF T4>615 AND T4<1115 TH EN U9=U9+2

PI 2440 U(7)=U9:B\$=CHR\$(PP(7))+" HALLEY'S COMET": GOTO 680

N 2450 INPUT ""; I\$: RETURN

PJ 2460 GOSUB 850

BM 247Ø IF LL>=Ø THEN U9=LC+1Ø+U 9:GOTO 249Ø

CL 248Ø U9=LC+1Ø-U9: Y9=39-Y9

KP 2490 RETURN

IK 2500 LL\$="@N": IF LL<0 THEN LL \$="05"

10 251Ø L1=ABS(LL): IF ABS(LL) <24 THEN L1=4Ø

KK 252Ø LC=INT((L1-4Ø)/7+.5):D1= VAL(MID\$(D\$, (M\*3)-2,3))+

JP 253Ø RETURN

CP 2540 LOCATE 24,20:PRINT SPC (4 Ø);

EH 2550 LOCATE 7, SL: PRINT "NEW L ATTITUDE":LOCATE 8, SL:PR INT "-

00 2560 LOCATE 9, SL:PRINT "LAT ( Ø-9Ø)";:GOSUB 245Ø:IF I\$ <>"" THEN LL=VAL(I\$)

BJ 257Ø IF ABS(LL)>9Ø THEN LOCAT E 10, SL+3: PRINT 00\$: GOTO 2560

LO 2580 LOCATE 24,20:GOSUB 2230: IF I\$="N" THEN 2540

IE 2590 LOCATE 9, SL:PRINT SPC(80 -SL):

GK 2600 GOSUB 2500: I\$="S":GOTO 2 ØØØ

JI 2610 CI=1:C2\$=""

DB 262Ø C1\$=MID\$(CD\$,CI,1):IF C1 \$<>" " THEN 2640

FA 2630 C2\$=C1\$+C2\$:CI=CI+1:GOTO 2650

MN 264Ø C2\$=MID\$(CD\$,CI,2)+C2\$:C I=CI+2

IC 265Ø IF CI<41 THEN 262Ø

LD 2660 CD\$=C2\$: RETURN

#### Program 4: Apple Skyscape


Version by Tim Victor, Editorial Programmer

10 60 GOSUB 1940

40 70 D\$ = "00003105909012015118 12122432733Ø4334":K1 = 144 Ø: DIM HC(22):MM\$ = "Ø41Ø8 1949"

84 BØ M\$ = "286317345Ø11Ø41Ø721Ø 2133164194225255":D\$(1) = "S":D\$(2) = "N":ES = 93

23 9Ø A\$ = "JANFEBMARAPRMAYJUNJU LAUGSEPOCTNOVDEC":00\$ = "0



"Skyscape" on an Apple II-series computer.

UT OF RANGE!!"

2A 100 MD\$ = "312831303130313130 313Ø31":D9 = ATN (1) / 45 : READ EE: READ M9: DIM P (6.6)

C# 11Ø DEF FN R(X) = INT (X \* 1Ø 0 + .5) / 100

46 12Ø DEF FN S(X) = INT (X \* 1Ø + .5) / 10

08 130 FOR Y = 1 TO 2: FOR X = 1 TO 6: READ P(X,Y): NEXT : NEXT :Y = Ø

73 14Ø FOR X = 1 TO 6: READ P\$(X ),P(X,3): NEXT

14 150 FOR X = 1 TO 7:PP(X) = X + 85: NEXT

IF 16Ø J\$ = "SATSUNMONTUEWEDTHUF RI": FOR X = 1 TO 12: REA D F\$

88 17Ø CC\$ = CC\$ + " " + F\$: NEXT : CC\$ = CC\$ + CC\$:F\$ = RIGHT\$ (CC\$,9):CC\$ = F \$ + CC\$

CI 180 FOR X = 1 TO 8: READ PH\$( X): NEXT

2E 19Ø FOR X = 1 TO 22: READ HC( X): NEXT :R\$ = "Ø":T\$ = " ØØ": GOTO 72Ø

38 200 CC = MT - 720: IF CC < 0 THEN CC = CC + K1

2C 210 CC = CC / 120:CD = CC - I NT (CC):CC = INT (CC):CD = INT (CD \* 7 + .2):CC = 81 - (CC # 7 + CD)

5! 22Ø GOSUB 177Ø: IF LL < Ø THE N GOSUB 5000

92 225 VTAB 17: PRINT CD\$;: RETU RN

DB 23Ø HOME : HTAB 1Ø: PRINT "\*\* DAYS SKY ##": VTAB 3: GO SUB 1550: HTAB 31: PRINT R\$": "T\$

OF 240 VTAB 5: HTAB 1: PRINT "IN PUT THE TIME: ": PRINT "--

BB 245 PRINT : PRINT " HOUR (Ø-23) ";: GOSUB 2240: IF I\$ < > "" THEN T1 = VAL (I\$)

83 25Ø IF T1 < Ø OR T1 > 23 THEN PRINT 00\$: GOTO 245

A3 255 PRINT : PRINT " MINUTE (0-59) ";: GOSUB 2240: IF I\$ < > "" THEN T2 = VAL (I\$)

90 26Ø IF T2 < Ø OR T2 > 59 THEN PRINT 00\$: GOTO 255

85 27Ø R\$ = STR\$ (T1):T\$ = STR\$ (T2): IF LEN (T\$) = 1 THE N T\$ = "Ø" + T\$

E8 280 VTAB 13: PRINT "TIME-- "R

AA 290 PRINT : GOSUB 2020: IF I\$ = "N" THEN 230

18 300 HOME : T3 = T1 \* 60 + T2 + AA - 720: IF T3 < Ø THEN T3 = T3 + K1

- 28 310 IF T3 > K1 THEN T3 = T3 K1
- B7 320 MT = T3 360: IF MT < 0 THEN MT = MT + K1
- FF 33Ø PT = T3 + 36Ø: IF PT > K1 THEN PT = PT - K1
- 16 340 HTAB 4: GOSUB 1550: HTAB 31: PRINT R\$": "T\$
- F7 350 TM = VAL (R\$ + "." + T\$): IF TM > = 6 AND TM < = 1 8 THEN INVERSE
- 04 360 XX = 7 + LC: VTAB 3: HTAB 1: FOR X = 1 TO 14: IF X = XX THEN GOTO 380
- CE 370 PRINT SPC( 40);: GOTO 390 86 380 PRINT " - - - - - - -
- 02 390 NEXT X: NORMAL : GOSUB 20 0: INVERSE : IF LL < 0 TH EN 395
- 31 393 IF LL > 24 THEN PRINT "E" SPC( 18)"S" SPC( 19)"W": GOTO 400
- 30 394 PRINT "UP-NORTH" SPC( 5)" ----OVERHEAD" SPC( 5)"DOW N-SOUTH": GOTO 400
- D5 395 IF LL < 24 THEN PRINT "
  W" SPC( 18)"N" SPC( 19)"E
  ": GOTO 400
- C# 397 PRINT "UP-SOUTH" SPC(5)"
  ----OVERHEAD" SPC(5)"DOW
  N-NORTH"
- 89 400 T4 = AA: GOSUB 610:Y8 = 8
- 43 41Ø IF Y9 = 999 THEN 45Ø
- A6 420 GOSUB 4000:Y8 = Y9: IF A1 < 0 THEN 450
- 06 43Ø IF U9 > 16 OR U9 < 3 THEN 45Ø
- 80 440 VTAB U9: HTAB 40 Y9: PR INT CHR\$ (42)
- 97 450 T4 = AA + M2 \* K1: IF T4 > K1 THEN T4 = T4 - K1
- EB 46Ø GOSUB 61Ø: IF Y9 = 999 TH EN 5ØØ
- 97 47Ø MM = INT (M1 / 9.83333) + 1: GOSUB 71Ø
- 10 480 GOSUB 4000: IF U9 > 16 OR U9 < 3 THEN 500
- 68 490 VTAB U9: HTAB 40 Y9: PR INT CHR\$ (MM);: IF ABS (Y B - Y9) < = .5 THEN NORMA L: HTAB 40 - Y9: PRINT C HR\$ (81);: INVERSE
- 70 500 FOR X = 1 TO 7: IF X = 7 THEN 2140
- 60 510 T4 = P(X,6): GOSUB 610: I F Y9 = 999 THEN 560
- 87 52Ø U9 = SIN ((P(X,6) / 4) / (1 / D9)):U9 = INT ( - 3 \* U9 + .5)
- 13 530 GOSUB 4005: IF U9 < 3 OR U9 > 16 THEN 560
- A8 545 IF Z < > 32 AND Z < > 45 THEN U9 = U9 + 2 \* (LL > = 0) - 1: GOTO 540
- 2A 55Ø VTAB U9: HTAB 4Ø Y9: PR INT CHR\$ (PP(X));
- EB 560 NEXT X: NORMAL
- F3 570 VTAB 20: HTAB 1: PRINT "V MERCURY WVENUS XMARS YJUPITER"
- 2F 58Ø PRINT "ZSATURN [URANUS \*SUN ) Q (MOON"
- 99 590 HTAB 3: INVERSE : PRINT " Q";: NORMAL : PRINT "NEW MOON + SUN "B\$
- 92 600 PRINT: PRINT "T- NEW TIM E,P- P. TABLE,D- DATE,L-LAT";: GOTO 1700

- 7F 61Ø Y9 = 999: IF MT < PT THEN 66Ø
- 36 62Ø IF (T4 > = MT) OR (T4 < = PT) THEN 64Ø
- IC 63Ø RETURN
- 87 64Ø IF (T4 > = MT) AND (T4 < = K1) THEN 68Ø
- 7C 65Ø T4 = T4 + K1: GOTO 68Ø
- C4 660 IF (T4 > = MT) AND (T4 < = PT) THEN GOTO 680
- 24 67Ø RETURN
- 7A 68Ø Y9 = INT ((T4 MT) / 18 + .5): IF Y9 = 4Ø THEN Y9 = 39
- 28 69Ø RETURN
- 6A 700 U9 = SIN ((T4 / 4) / (1 / D9)):U9 = INT ( - 3 \* U9 + .5): RETURN
- 56 710 MM = VAL ( MID\$ (MM\$,3 \* MM 2,3)): IF LL < 0 AND MM < > 81 THEN MM = ABS (MM 81)
- 20 715 RETURN
- DA 720 HOME : VTAB 2: HTAB 7: PR INT "\*\*\*\*\*\*\*\*\* SKYSCAPE \*\*\*\*\*\*\*\*\*\*\*\* VTAB 4: PRIN T "DATE INPUT"
- 56 730 PRINT "-----": IF Y < > 0 THEN VTAB 6: GOSUB 1550: PRINT : PRINT
- 1550: PRINT : PRINT E5 740 PRINT "YEAR ";: GOSUB 22 40: IF I\$ < > "" THEN Y = VAL (I\$)
- 14 745 IF Y < 1977 THEN PRINT "M UST BE AFTER 1977": GOTO
- 03 750 GOSUB 1600: PRINT : PRINT "MONTH (1-12) ";: GOSUB 2240: IF I\$ < > "" THEN M = VAL (I\$)
- 85 755 IF M < 1 OR M > 12 THEN P RINT 00\$: GOTO 750
- 65 760 DI = VAL ( MID\$ (MD\$,2 \* M 1,2)):DI = DI + (M = 2) \* LY:DI\$ = STR\$ (DI):D
  I\$ = RIGHT\$ (DI\$,2)
- 38 770 PRINT : PRINT "DAY (1-"DI \$") ";: GOSUB 2240: IF I\$ < > "" THEN D = VAL (I\$)
- 8A 775 IF D < 1 OR D > DI THEN P RINT OO\$: GOTO 770
- F2 78Ø H\$ = MID\$ (A\$,(M \* 3) 2 ,3) + " ": PRINT : PRINT "LATITUDE (Ø-9Ø)";: GOSUB 224Ø: IF I\$ < > "" THEN LL = VAL (I\$)
- F8 786 GOSUB 4500
- E9 790 IF ABS (LL) > 90 THEN PRI NT 00\$: GOTO 780
- 68 800 PRINT : HTAB 5: GOSUB 129 5: GOSUB 1550: PRINT : PR INT : GOSUB 2020: IF I\$ = "N" THEN 720
- 80 820 D2 = VAL ( MID\$ (M\$, (M \* 3) 2,3)) + D: GOSUB 164 0: IF M > 2 THEN D1 = D1 + LY:Y1 = Y1 + LY
- 20 830 D3 = D2 185: IF M = 3 A ND D < 20 THEN D2 = D2 + LY:D3 = D3 + LY
- F8 840 S = 0: IF D3 < = 0 THEN A = 180 \* D2 / 185: GOTO 8
- E2 85Ø A = 18Ø \* D3 / (18Ø + ZY) + 18Ø
- 82 860 IF A < > 180 THEN S = 23. 43333333 \* ( SIN (D9 \* D2 \* 180 / 185))
- D4 87Ø IF A > 18Ø THEN S = 23. 43333333 \* ( SIN (D9 \* D3
- E9 88Ø IF A > = 36Ø THEN A = A 36Ø
- 83 885 A = FN R(A)
- EI 890 S = FN R(S):A1 = ( SGN (L

- L) + (LL = Ø)) \* S + 9Ø -ABS (LL):A1 = FN R(A1): GOSUB 125Ø: GOSUB 120Ø
- 87 895 W = 2 (LL < Ø): IF A1 > 9Ø THEN A1 = 18Ø A1:W = 3 W
- 25 900 HOME : VTAB 2: GOSUB 1550 : PRINT : PRINT "-----
- 64 910 PRINT : PRINT "DAY OF THE YEAR---- "; D1
- 12 920 PRINT "SUNS GEOCENTRIC AN GLE---- "; A; "@"
- 8D 93Ø PRINT "SUNS DECLINATION--";S;"@"
- 39 940 PRINT "SUNS ALTITUDE AT N 00N---- ";A1;"@";D\$(W
- 48 950 PRINT "SUNS RIGHT ASCENSI ON----- "; A3\$
- 55 96Ø PRINT "R.A. AT 9:ØØPM----
- FB 98Ø PRINT "MOONS ELONGATION------- ";M8;"@";L\$
- ØE 99Ø PRINT "MOONS PHASE "PH\$ (M3)
- 63 1000 VTAB 17: PRINT "-P- PLAN ET TABLE ,-D- NEW DATE": GOTO 1700
- F3 1010 HOME : HTAB 11: PRINT "\*
   \* PLANET TABLE \*\*": VTAB
   3: GOSUB 1550:S1 = 1
- CE 1020 VTAB 5: HTAB 1: PRINT "P LANET DIST. ANG. W/ S UN R.A"
- AA 1030 VTAB 6: PRINT "-----
- 04 1Ø4Ø FOR X = 1 TO 6:A2 = Y1 / P(X,2) - INT (Y1 / P(X, 2)):Q3 = 1
- 19 1050 A2 = (A2 \* 360) + P(X,1): IF A2 > 360 THEN A2 =
- A2 360 81 1060 E = 180 + A: IF E > 360 THEN E = E - 360
- FD 1070 E1 = ABS (E A2): IF E1 > 180 THEN E1 = 360 - E
- 24 1080 GOSUB 1310:E1 = E1 \* D9: P5 = P(X,3): IF X = 3 TH EN GOSUB 1750
- 10 1090 P(X,4) = SQR (1 + P5 ^ 2 - 2 \* 1 \* P5 \* COS (E1) ):XX = ((P5 ^ 2 - 1 - P( X,4) ^ 2) / (-2 \* P(X, 4)))
- 70 1100 P(X,5) = ATN (XX / SQR (- XX \* XX + 1)) + ATN (1) \* 2:P(X,4) = INT (P (X,4) \* 93 + .5):P(X,5) = P(X,5) / D9
- 56 1110 P(X,5) = FN S(P(X,5)):Q1 \$ = STR\$ (P(X,4)):Q2\$ = STR\$ (P(X,5))
- D8 112Ø Q1 = LEN (Q1\$):Q2 = LEN (Q2\$): GOSUB 141Ø
- ## 1130 PRINT P\$(X); TAB( 14 Q 1);Q1\$; TAB( 24 - Q2);Q2 \$;: IF Q3 = - 1 THEN PRI NT "ƏW";
- DA 1140 IF Q3 = 1 THEN PRINT "2E
- 78 1150 GOSUB 1460:Q4\$ = STR\$ (Q 4):Q5\$ = STR\$ (Q5): IF Q 5 < 10 THEN Q5\$ = "0" + RIGHT\$ (Q5\$,1)
- 90 1160 Q5\$ = RIGHT\$ (Q5\$,2):Q4\$ = Q4\$ + ":" + Q5\$:Z = L EN (Q4\$)
- 71 1170 PRINT TAB( 28)QQ\$ TAB( 3 6 - Z)Q4\$: NEXT: VTAB 1 4: PRINT "\* - VISIBLE AT 9 P.M."

- 5F 118Ø VTAB 17: PRINT "SUNS R.A | 42 157 ----" SPC( Q8) A3\$: PRINT "R.A. AT 9:00PM --" SPC ( Q9) A5\$ 15 1190 VTAB 21: PRINT "-S- FOR DAYS SKY -D- FOR NEW DAT E": GOTO 1700 04 1200 A2 = K1 \* A / 360: IF A2 > K1 THEN A2 = A2 - K1 77 121Ø A3 = INT (A2 / 6Ø):A4 = A2 - A3 \* 60: A5 = A3 + 9 : IF A5 > 23 THEN A5 = A 5 - 24 27 1220 A4 = INT (A2 - A3 \* 60 + .5): IF A4 = 60 THEN A4  $= \emptyset: A3 = A3 + 1$ 93 1230 IF A3 = 24 THEN A3 = 0 ØC 124Ø AA = A3 \* 6Ø + A4: GOTO 1560 8D 125Ø M1 = ((Y1 / M9) - INT (Y 1 / M9)) \* M9 + 10: IF M 1 > M9 THEN M1 = M1 - M9 BC 1260 GOSUB 2050: MB = 360 \* M2 : IF M8 > 180 THEN L\$ = "W" 84 1270 IF M8 < = 180 THEN L\$ = "F" EE 1280 IF M8 > 180 THEN M8 = 36 Ø - M8 56 1290 M1 = FN R(M1):M8 = FN R( MB) 88 1295 YY = INT (7 \* (Y1 / 7 - INT (Y1 / 7)) + .2): IF YY = Ø THEN YY = 7 48 1300 K\$ = MID\$ (J\$, (YY \* 3) -2,3): RETURN 14 1310 Q3 = 0:Q1 = E + 180: IF Q1 > 360 THEN 1350 61 1320 IF A2 > E AND A2 < Q1 TH EN 1340 02 133Ø Q3 = 1: RETURN 10 1340 Q3 = - 1: RETURN 6E 1350 Q1 = Q1 - 360: IF A2 < = 36Ø AND A2 > E THEN 134 Ø 80 1360 IF Q3 < > 0 THEN RETURN 6A 137Ø IF A2 > Ø AND A2 < = Q1 THEN 1340 95 138Ø IF Q3 < > Ø THEN RETURN 44 1390 IF A2 > Q1 THEN 1330 09 1400 RETURN F8 1410 Q5 = Q3 \* P(X,5) \* 4 + A A: IF Q5 < Ø THEN Q5 = Q
  - 30 158 EB 159 50 169 49 16 CF 162 E9 163 48 164 88 165 CB 166 88 16 DC 168 82 169 50 176 F1 17 F9 17 A9 17 86 17 76 17 EB 175 97 17 85 17 47 178 ØF 178 BC 1420 IF Q5 > K1 THEN Q5 = Q5 30 178 92 1430 P(X,6) = Q5:Q4 = INT (Q5 / 6Ø):Q5 = INT (Q5 - Q4 03 178 80 179 08 1460 SU = A5 \* 60 + A4:PS = S U + 360:MS = SU - 360: I 91 186 F PS > K1 THEN PS = PS -39 18 96 1470 IF MS < 0 THEN MS = MS + 25 183 26 1490 IF P(X,6) < PS AND P(X,6 86 183 DE 1510 IF P(X,6) < K1 AND P(X,6 A5 18 46 1520 IF P(X,6) < PS THEN 1540 15 199 88 1550 PRINT K\$"-- "H\$; D", "Y;" ";: IF LL < 10 THEN PRI NT " "; E4 19 AB 1555 PRINT ABS (LL); LL\$;: RET 85 192 EF 1560 A3\$ = STR\$ (A3):A3\$ = RI

42	1570 IF A4 < 10 THEN A4\$ = "0" + RIGHT\$ (A4\$,1)	,610
3D	158Ø A3\$ = A3\$ + ":" + RIGHT\$	04 1940 PRINT CHR\$ (17): HOME : VTAB 7: HTAB 12: PRINT "
	(A4\$,2):A5\$ = STR\$ (A5)	**** SKYSCAPE ****"
	:A5\$ = RIGHT\$ (A5\$,2) + ":" + A4\$	F7 1950 RETURN AC 2020 PRINT "-N- TO RE-INPUT D
EB	1590 QB = 7 - LEN (A3\$):Q9 =	R RETURN TO CONTINUE"
50	7 - LEN (A5\$): RETURN	6F 2030 GET I\$: RETURN
חר	1600 LY = 0: IF Y / 4 = INT ( Y / 4) THEN LY = 1	36 2050 M2 = M1 / M9: IF M1 < 1 OR M1 > 28.5 THEN M3 = 1
49	1610 IF Y / 100 = INT (Y / 10	CA 2060 IF M1 > = 1 AND M1 < 6.9
	Ø) AND Y / 400 < > INT ( Y / 400) THEN LY = 0	THEN M3 = 2
CF	1620 IF Y / 1000 = INT (Y / 1	36 2070 IF M1 < = 8.0 AND M1 > = 6.9 THEN M3 = 3
	000) AND Y / 4000 = INT	09 2080 IF M1 > 8.0 AND M1 < 14.
E9	(Y / 4000) THEN LY = 0 1630 RETURN	2 THEN M3 = 4 BB 2090 IF M1 > = 14.2 AND M1 <
	1640 Y9 = Y + 1: IF Y9 / 4 =	= 15.2 THEN M3 = 5
4D	INT (Y9 / 4) THEN ZY = 1	69 2100 IF M1 > 15.2 AND M1 < 21
00	1650 IF Y9 / 100 = INT (Y9 / 100) AND Y9 / 400 < > IN	.6 THEN M3 = 6 6F 211Ø IF M1 > = 21.6 AND M1 <
	T (Y9 / 400) THEN ZY = 0	= 22.6 THEN M3 = 7
CB	1660 IF Y9 / 1000 = INT (Y9 / 1000) AND Y9 / 4000 = I	34 2120 IF M1 > 22.6 AND M1 < =
	NT (Y9 / 4000) THEN ZY =	28.5 THEN M3 = 8
	Ø	12 214Ø B\$ = "": IF Y < > 1985 A
88	1670 Y1 = Y - 1977:Y1 = Y1 *	ND Y < > 1986 THEN 560
	365 + INT (Y1 / 4) + D1: IF Y < 2000 THEN 1690	4! 2150 IF (Y = 1985 AND D1 < 30 5) OR (Y = 1986 AND D1 >
DC	1680 Y1 = Y1 - INT ((Y - 2001	149) THEN 560
	) / 100) + INT ((Y - 200 1) / 400) - INT ((Y - 1)	AB 216Ø HD = D1 + 365: IF HD > 5 16 THEN HD = HD - 365
	/ 4000)	02 2170 H1 = (HD - 295) / 10:HD
	169Ø RETURN	= INT (H1):H1 = H1 - HD
	1700 GET I\$ 1710 IF I\$ = "D" THEN 720	FA 218Ø T4 = HC (HD) - HC (HD + 1)
	1720 IF (I\$ = "S" OR I\$ = "T"	:T4 = HC(HD) - H1 * T4: IF T4 > 144Ø THEN T4 = T
	) AND S1 = 1 THEN 23Ø	4 - 144Ø
	1730 IF I\$ = "P" THEN 1010 1735 IF I\$ = "L" AND S1 = 1 T	A8 219Ø GOSUB 61Ø: IF Y9 = 999 T
00	HEN 4550	HEN 560 3A 2200 GOSUB 700: IF T4 > 1115
	174Ø GOTO 17ØØ	AND T4 < 1200 THEN U9 =
EB	1750 P5 = 1.376344086:K5 = A2	U9 + 1
97	1760 K5 = ABS (K5 - 1233.73)	87 221Ø IF T4 > 129Ø THEN U9 = U
	* 90 / K1:K5 = K5 * D9:K	A3 222Ø IF T4 > 615 AND T4 < 111
	5 = SIN (K5) * .32258122 4:P5 = P5 + K5: RETURN	5 THEN U9 = U9 + 2
B5	1770 IF CC < = 0 THEN CC = CC	6E 223Ø U(7) = U9:B\$ = CHR\$ (PP( 7)) + "HALLEY'S COMET":
17	+ 84	GOTO 53Ø
	178Ø CD\$ = MID\$ (CC\$,CC - 1) 1785 IF MID\$ (CD\$,2,1) < > "	40 224Ø INPUT I\$: RETURN
	" AND MID\$ (CD\$, 3, 1) = "	BB 225Ø VTAB 17: PRINT CD\$;: RET
70	" THEN CD\$ = " " + CD\$	2F 4ØØØ GOSUB 7ØØ
20	1786 IF MID\$ (CD\$,41,1) = " " AND MID\$ (CD\$,42,1) < >	27 4005 IF LL > = 0 THEN U9 = LC + 9 + U9: GOTO 4008
	" " THEN CD\$ = MID\$ (CD	EE 4006 U9 = LC + 9 - U9: Y9 = 39
0.3	\$,2)	- Y9
03	1788 CD\$ = MID\$ (CD\$,2,40): R ETURN	15 4008 RETURN A8 4500 LL\$ = "@N": IF LL < 0 TH
80	1790 DATA 365.26,29.53059,59.	EN LL\$ = "0S"
	818184, 42.719626, 262.364 4,52.916763	F3 4510 L1 = ABS (LL): IF L1 < 2
91	1800 DATA 134.69697,218.79464	4 THEN L1 = 40 44 4515 LC = INT ((L1 - 40) / 7
	,87.97,224.7,686.98	+ .5):D1 = VAL ( MID\$ (D
34	1810 DATA 4332.79813,10759.71 95,30686.5884	\$, (M * 3) - 2,3)) + D
25	1820 DATA "MERCURY", . 3871, "VE	EA 453Ø RETURN 53 455Ø HOME : VTAB 2: HTAB 7: P
	NUS",.7233,"MARS",1.5237	RINT "######## SKYSCAP
86	,"JUPITER",5.2028 1830 DATA "SATURN",9.5308,"UR	E ************************************
	ANUS", 19.182	RINT "LATTITUDE CHANGE"
A5	1890 DATA "SA", "SC", "LI", "VI" , "LE", "CA", "GE", "TA", "AR	83 4560 VTAB 8: PRINT "ENTER NEW
	","PI","AQ","CP"	LATTITUDE";: GOSUB 2240 : IF I\$ < > "" THEN LL =
15	1900 DATA "NEW", "WAXING CRESC	VAL (I\$)
	ENT", "1ST QUARTER", "WAXI	09 4565 IF ABS (LL) > 90 THEN PR
E4	NG GIBBOUS", "FULL" 1910 DATA "WANING GIBBOUS", "3	INT 00\$: GOTO 4560 E2 4570 GOSUB 2020: IF I\$ = "N"
	RD QUARTER", "WANING CRES	THEN 4550
25	CENT"	AB 4580 GOSUB 4500: I\$ = "S": GOT
63	1920 DATA 1770,1719,1620,1500 ,1418,1365,1335,1310,129	0 1720 28 5000 CI = 1:C2\$ = ""
	0,1275,1260	25 5010 C1\$ = MID\$ (CD\$,CI.1): I
4A	1930 DATA 1238, 1220, 1200, 1178	F C1\$ < > " " THEN 5030
	,1115,915,720,660,640,625	AA 5020 C2\$ = C1\$ + C2\$:CI = CI

5 + K1

\* 60 + .5): IF Q5 = 60

THEN  $Q5 = \emptyset: Q4 = Q4 + 1$ 29 1440 IF Q4 = 24 THEN Q4 = 0

- K1

ED 145Ø RETURN

K1

K1

6A 153Ø GOTO 15ØØ

URN

5A 148Ø IF MS > PS THEN 151Ø

) > MS THEN 1540

) > MS THEN 1540


GHT\$ (A3\$, 2): A4\$ = STR\$ (A4):A4\$ = RIGHT\$ (A4\$,2)

02 1500 QQ\$ = " ": RETURN

A3 154Ø QQ\$ = "\*": RETURN

+ 1: GOTO 5040 85 5030 C1\$ = MID\$ (CD\$,CI,2):C2 \$ = C1\$ + C2\$:CI = CI + 2

F8 5Ø4Ø IF CI < 41 THEN 5Ø1Ø 58 5Ø5Ø CD\$ = C2\$: RETURN



The TI-99/4A version of "Skyscape."

#### Program 5: TI-99/4A Skyscape

Version by Patrick Parrish, Programming Supervisor

100 GOTO 130

110 PK=PK-1023 :: PKROW=I NT(PK/40)-1 :: PKCOL= PK-(PKROW+1)\*40 :: RE TURN

120 FOR I=1 TO LEN(QQ\$):: CALL HCHAR(ROW,COL+I ,ASC(SEG\$(QQ\$,I,1))): : NEXT I :: RETURN

130 MM\$="098108099" :: CA LL CLEAR :: CALL SCRE EN(15):: DISPLAY AT(1 1,6):"\*\*\*\* SKYSCAPE \* \*\*\*" :: DISPLAY AT(22 ,8):"INITIALIZING..."

140 D\$="00003105909012015 1181212243273304334" :: K1=1440 :: DIM HC( 22):: M\$="28631734501 104107210213316419422 5255"

15Ø ES=93 :: D1\$(1)="S" : : D1\$(2)="N"

160 A\$="JANFEBMARAPRMAYJU NJULAUGSEPOCTNOVDEC" :: 00\$="OUT OF RANGE! !" :: MD\$="3128313031 30313130313031" :: D9 =PI/180 :: READ EE,M9

170 DIM P(6,6):: DEF R(X) =INT(X\*100+.5)/100 :: DEF S(X)=INT(X\*10+.5)/10

180 FOR Y=1 TO 2 :: FOR X =1 TO 6 :: READ P(X,Y ):: NEXT X :: NEXT Y :: Y=0

190 FOR X=1 TO 6 :: READ

P\$(X),P(X,3):: NEXT X 200 FOR X=1 TO 7 :: PP(X) =X+99 :: NEXT X

210 J\$="SATSUNMONTUEWEDTH UFRI" :: CALL SCREEN( 12):: FOR X=1 TO 12: : READ F\$

220 CC\$=CC\$&RPT\$(CHR\$(128 ),5)&F\$:: NEXT X:: CC\$=CC\$&CC\$:: F\$=SEG \$(CC\$, LEN(CC\$)-8,9):: CC\$=F\$&CC\$

230 FOR X=1 TO 8 :: READ

PH\$(X):: NEXT X :: FO R X=1 TO 22 :: READ H C(X):: NEXT X :: GOSU B 2300 :: GOTO 830

240 CC=MT-720 :: IF CC<0 THEN CC=CC+K1

25Ø CC=CC/12Ø :: CD=CC-IN T(CC):: CC=INT(CC):: CD=INT(CD\*7+.2):: CC= 81-(CC\*7+CD)

26Ø GOSUB 189Ø :: QQ\$=CD\$ :: ROW=16 :: COL=Ø : : GOSUB 12Ø

27Ø IF LL>=Ø THEN RETURN 28Ø FOR I=1 TO 16 :: CALL

GCHAR(16,I,Z):: CALL GCHAR(16,33-I,Z1):: CALL HCHAR(16,I,Z1):: CALL HCHAR(16,33-I,Z ):: NEXT I

):: NEXT I 290 FOR I=1 TO 31 :: CALL GCHAR(16,I,Z):: IF Z =128 THEN 310

300 CALL GCHAR(16, I+1, Z1)
:: CALL HCHAR(16, I, Z1)
):: CALL HCHAR(16, I+1, Z):: I=I+1

310 NEXT I :: RETURN

320 CALL CLEAR :: DISPLAY AT(2,9):"\*\* DAYS SKY \*\*" :: Q=1 :: GOSUB 1680

330 DISPLAY AT(6,1):"INPU T THE TIME:" :: DISPL AY AT(7,1):"-----

-----":: T1,T2=0
340 DISPLAY AT(9,4):"HOUR
(0-23) ?":: ACCEPT
AT(9,18):T1:: IF T1<
0 OR T1>23 THEN Q=10
:: GOSUB 2290:: GOTO
340

350 DISPLAY AT(11,4):"MIN UTE (0-59) ?" :: ACCE PT AT(11,20):T2 :: IF T2<0 OR T2>59 THEN Q =12 :: GOSUB 2290 :: GOTO 350

360 R\$=STR\$(T1):: T\$=STR\$
(T2):: IF LEN(T\$)=1 T
HEN T\$="0"&T\$

370 DISPLAY AT(15,1):"TIM E-- ";R\$;":";T\$

380 GOSUB 2050 :: IF Z\$=" R" THEN 320

390 CALL CLEAR :: T3=T1\*6 0+T2+AA-720 :: IF T3< 0 THEN T3=T3+K1

400 IF T3>K1 THEN T3=T3-K

410 MT=T3-360 :: IF MT<0
THEN MT=MT+K1

420 PT=T3+360 :: IF PT>K1
THEN PT=PT-K1

430 DISPLAY AT(1,1):K\$;"";TEM\$;STR\$(Y);TAB(17
);STR\$(ABS(LL));LL\$;"
";R\$;":";T\$;

440 CALL COLOR(9,1,5,10,1,5):: TM=VAL(R\$&"."&T \$):: IF TM<6 OR TM>18 THEN CALL COLOR(9,1,

2,10,1,2)
450 FOR X=2 TO 15 :: CALL
HCHAR(X,1,107,32)::
NEXT X :: XX=7+LC ::
FOR I=2 TO 32 STEP 2
:: CALL HCHAR(XX+1,I,
96):: NEXT I

460 GOSUB 240 :: ROW=17 : : COL=0 :: IF LL<0 TH EN 490

47Ø IF LL>24 THEN QQ\$="E

(14 SPACES)S (15 SPACES)W" :: GOSUB 120 :: GOTO 510

48Ø QQ\$="UP-N{6 SPACES}-O VERHEAD-{6 SPACES}DOW N-S":: GOSUB 12Ø:: GOTO 51Ø

490 IF ABS(LL)>24 THEN QQ \$="W(14 SPACES)N (15 SPACES)E" :: GOSUB 120 :: GOTO 510

500 QQ\$="UP-S(6 SPACES}-O VERHEAD-(6 SPACES)DOW N-S" :: GOSUB 120

510 T4=AA :: GOSUB 710 :: Y8=888 :: IF Y9=999 THEN 550

520 Y8=Y9 :: GOSUB 2380 : : IF A1<0 THEN 550

530 IF PK>1703 OR PK<1144 THEN 550

54Ø GOSUB 11Ø :: IF PKCOL >4 AND PKCOL<37 THEN CALL HCHAR(PKROW,PKCO

L-4,97)
550 T4=AA+M2\*K1 :: IF T4>
K1 THEN T4=T4-K1

560 GOSUB 710 :: IF Y9=99 9 THEN 600

570 MM=INT(M1/9.83333)+1 :: GOSUB 810 :: IF Y9 =999 THEN 600

58Ø GOSUB 238Ø :: IF PK>1 7Ø3 OR PK<1144 THEN 6

590 GOSUB 110 :: IF PKCOL
>4 AND PKCOL<37 THEN
CALL HCHAR(PKROW,PKCO
L-4,MM):: IF ABS(Y8-Y
9)<=.5 THEN CALL HCHA
R(PKROW,PKCOL-4,108)

600 FOR X=1 TO 7 :: IF X= 7 THEN 2170

610 T4=P(X,6):: GOSUB 710 :: IF Y9=999 THEN 67

620 U9=SIN(P(X,6)\*D9/4):: U9=-3\*U9+.5 :: U9=IN T(U9):: U(X)=U9\*40

63Ø PK=1423-Y9+U(X)+LB :: GOSUB 239Ø :: IF PK> 17Ø3 OR PK<1144 THEN 67Ø

64Ø GOSUB 11Ø

65Ø IF PKCOL>4 AND PKCOL<br/>
37 THEN CALL GCHAR(PK<br/>
ROW,PKCOL-4,Z):: IF Z<br/>
<>1Ø7 AND Z<>96 THEN<br/>
PK=PK+1Ø23+SGN(LL)\*4Ø<br/>
+(LL=Ø)\*4Ø:: GOTO 64

660 IF PKCOL>4 AND PKCOL<br/>
37 THEN CALL HCHAR(PK<br/>
ROW,PKCOL-4,PP(X))

670 NEXT X :: QQ\$="dMERCU RY eVENUS fMARS gJUPI TER" :: ROW=18 :: COL =1 :: GOSUB 120

680 QQ\$="hSATURN iURANUS aSUN blcMOON":: RO W=19 :: GOSUB 120 :: QQ\$="mNEW MOON + SUN ":: ROW=20 :: GOSUB

690 IF B\$<>"" THEN QQ\$=B\$
:: ROW=21 :: COL=8 :
: GOSUB 120

700 QQ\$="NEW (T)IME, (P) T AB, (D)ATE, (L)AT." :: ROW=23 :: COL=0 :: GO SUB 120 :: GOTO 1810

710 Y9=999 :: IF MT<PT TH EN 760

720 IF T4>=MT OR T4<=PT T HEN 740

- 73Ø RETURN IF T4>=MT AND T4<=K1 740 THEN 78Ø T4=T4+K1 :: GOTO 78Ø IF T4>=MT AND T4<=PT 760 THEN 78Ø 77Ø RETURN 78Ø Y9=INT((T4-MT)/18+.5) :: IF Y9=40 THEN Y9=3 79Ø RETURN 800 U9=SIN(T4/4\*D9):: U9= INT (-3\*U9+.5) \*40 :: R ETURN MM=VAL (SEG\$ (MM\$, 3\*MM-2,3)):: IF LL<Ø AND M M<>108 THEN MM=197-MM 82Ø RETURN 83Ø Q=1 840 CALL CLEAR :: DISPLAY AT (2,6): "\*\*\*\* SKYSCA PE \*\*\* :: DISPLAY A T(4,1): "DATE INPUT" : : DISPLAY AT(5,1):"--85Ø IF Y<>Ø THEN GOSUB 16 80 860 DISPLAY AT (Q+5,1): "YE AR?" :: ACCEPT AT (Q+5 ,7):Y :: IF Y>=1977 T HEN 88Ø 87Ø DISPLAY AT (Q+5, 14): "M UST BE >1977" :: FOR I=1 TO 250 :: NEXT I :: GOTO 860 88Ø GOSUB 173Ø :: DISPLAY AT (Q+7,1): "MONTH (1-12) ?" :: ACCEPT AT (Q+ 7,15):M :: IF M<1 OR M>12 THEN Q=Q+8 :: GO SUB 2290 :: Q=Q-8 :: GOTO BBØ 89Ø DI=VAL (SEG\$ (MD\$, 2\*M-1 ,2)):: DI=DI-(M=2)\*LY :: DI\$=STR\$(DI) 900 DISPLAY AT(Q+9,1): "DA Y (1-"; DI\$; ")?" :: AC CEPT AT (Q+9, 13):D :: IF D<1 OR D>DI THEN Q =Q+10 :: GOSUB 2290 : : Q=Q-10 :: GOTO 900 910 H\$=SEG\$ (A\$, M\*3-2, 3) 92Ø DISPLAY AT(Q+11,1):"L ATITUDE (-9Ø TO 9Ø)?" :: ACCEPT AT (Q+11,23 ):LL :: IF ABS(LL) >90 THEN Q=Q+12 :: GOSUB 229Ø :: Q=Q-12 :: GO TO 920 93Ø GOSUB 241Ø 94Ø TEM\$=H\$&" "&STR\$(D)&" " :: DISPLAY AT (Q+14 8):TEM\$;Y :: GOSUB 2 Ø5Ø :: IF Z\$="R" THEN Q=4 :: GOTO 840 95Ø D2=VAL (SEG\$ (M\$, M\$3-2, 3))+D :: GOSUB 1760 : : IF M>2 THEN D1=D1+L Y :: Y1=Y1+LY 96Ø D3=D2-185 :: IF M=3 A ND D<20 THEN D2=D2+LY :: D3=D3+LY 97Ø S5=Ø :: IF D3<=Ø THEN A=18Ø\*D2/185 :: GOTO 990 98Ø A=18Ø\*D3/(18Ø+ZY)+18Ø 99Ø IF A<>18Ø THEN S5=23. 433333333\*SIN(D9\*D2\*18 0/185)1000 IF A>180 THEN S5=-23 .43333333\*SIN(D9\*D3) 1010 IF A>=360 THEN A=A-3
- A1=(SGN(LL)-(LL=Ø))\* S5+90-ABS(LL):: A1=R (A1):: GOSUB 1380 :: GOSUB 133Ø 1030 W=1-(SGN(LL)(0):: IF A1>9Ø THEN A1=18Ø-A 1 :: W=ABS(W-3) 1040 CALL CLEAR :: PRINT :: PRINT K\$: "-": TEM\$ ; Y; TAB (19) ; ABS (LL) ; L L\$ :: PRINT RPT\$ ("-" ,28) 1050 PRINT :: PRINT "DAY THE YEAR--- ";ST OF R\$(D1):: PRINT :: PR INT "SUN'S DATA: ": : 1060 PRINT "GEOCENTRIC AN "; STR\$ (A); "@" GLE--1070 PRINT "DECLINATION --"; STR\$ (S5); "a 1080 PRINT "ALTITUDE AT N ";STR\$(A1);"@ 00N--"; D1\$(W) 1090 PRINT "RIGHT ASCENSI ON---"; A3\$ 1100 PRINT "R.A. AT 9:00 "; A5\$ :: PRIN PM---T :: PRINT "MOON'S D ATA: ": : 1110 PRINT "AGE-----"; STR\$ (M1); " ";"DY"; 1120 PRINT "ELONGATION---"; STR\$ (M8); "a 1130 PRINT "PHASE - "; PH \$(M3): : : : 1140 PRINT "(P)LANET TABL E OR NEW (D) ATE" :: PRINT :: GOTO 1810 CALL CLEAR :: PRINT 1150 TAB(6); " \*\* PLANET TA BLE \*\*" :: PRINT :: PRINT K\$; "-- "; TEM\$; Y; TAB (20); STR\$ (ABS (L L)); LL\$ :: PRINT :: S1=1 1160 PRINT "PLANET DIST. ANG.W/SUN R.A." :: PRINT RPT\$ ("-", 28): 117Ø FOR X=1 TO 6 :: A2=Y 1/P(X, 2) - INT(Y1/P(X,2)):: Q3=1 118Ø A2=A2\*36Ø+P(X,1):: I F A2>360 THEN A2=A2-36Ø 119Ø E=18Ø+A :: IF E>36Ø THEN E=E-360 E1=ABS(E-A2):: IF E1 1200 >18Ø THEN E1=36Ø-E1 GOSUB 1440 :: E1=E1\* D9 :: P5=P(X,3):: IF X=3 THEN GOSUB 1870 1220 P(X,4)=SQR(1+P5^2-2\* P5\*COS(E1)):: XX=(P5 ^2-1-P(X,4)^2)/(-2\*P (X,4)) 1230 P(X,5) =-ATN(XX/SQR(-XX\*XX+1))+PI/2 :: P( X, 4) = INT(P(X, 4) \*ES+.5):: P(X,5)=P(X,5)/D124Ø P(X,5)=S(P(X,5)):: Q 1\$=STR\$(P(X,4)):: Q2 \$=STR\$(P(X,5)) 125Ø Q1=LEN(Q1\$):: Q2=LEN (Q2\$):: GOSUB 154Ø 1260 PRINT P\$(X); TAB(13-Q 1);Q1\$;TAB(2Ø-Q2);Q2 \$;:: IF Q3=-1 THEN P RINT "@W"; 127Ø IF Q3=1 THEN PRINT " aE";

```
128Ø GOSUB 159Ø :: Q4$=ST
     R$(Q4):: Q5$=STR$(Q5
     ):: IF Q5<10 THEN Q5
     $= "Ø"&Q5$
129Ø Q4$=Q4$&":"&Q5$ :: Z
     =LEN (Q4$)
1300 PRINT TAB(22); QQ$; TA
     B(29-Z);Q4$;:: NEXT
     X :: PRINT :: PRINT
     :: PRINT :: PRINT "*
       - VISIBLE AT 9 P.M.
1310 PRINT :: PRINT :: PR
     INT "SUN'S R.A.
             "; A3$ ::
                       PRI
     NT "R.A. AT 9:00 P.M
            "; A5$
1320 PRINT :: PRINT TAB(3
     ); "DAYS (S)KY
     (3 SPACES) NEW (D) ATE
     " :: GOTO 1810
133Ø A2=K1*A/36Ø :: IF A2
     >K1 THEN A2=A2-K1
134Ø A3=INT(A2/6Ø):: A4=A
     2-A3*60 :: A5=A3+9 :
: IF A5>23 THEN A5=A
     5-24
135Ø A4=INT(A2-A3*6Ø+.5):
     : IF A4=60 THEN A4=0
      :: A3=A3+1
1360 IF A3=24 THEN A3=0
137Ø AA=A3*6Ø+A4 :: GOTO
     1690
138Ø M1=(Y1/M9-INT(Y1/M9)
     ) *M9+1Ø :: IF M1>M9
     THEN M1=M1-M9
139Ø GOSUB 2Ø8Ø :: MB=36Ø
     *M2 :: IF M8>180 THE
     N I $= "W"
1400 IF M8<=180 THEN L$="
     E"
141Ø IF M8>18Ø THEN M8=36
     Ø-MA
1420 M1=R(M1):: M8=R(M8):
     : YY=INT(7*(Y1/7-INT
     (Y1/7))+.2):: IF YY=
     Ø THEN YY=7
1430 K$=SEG$(J$, YY$3-2,3)
     :: RETURN
144Ø Q3=Ø :: Q1=E+18Ø ::
     IF Q1>360 THEN 1480
1450
    IF A2>E AND A2<Q1 TH
     EN 1470
1460 Q3=1 :: RETURN
147Ø Q3=-1 :: RETURN
148Ø Q1=Q1-36Ø :: IF A2<=
     36Ø AND A2>E THEN 14
     70
149Ø IF Q3<>Ø THEN RETURN
    IF A2>Ø AND A2<=Q1 T
1500
     HEN 1470
1510
       Q3<>Ø THEN RETURN
    IF
    IF A2>Q1 THEN 1460
1520
153Ø RETURN
    Q5=Q3*P(X,5)*4+AA ::
      IF Q5<Ø THEN Q5=Q5+
     K1
155Ø IF Q5>K1 THEN Q5=Q5-
     K1
1560 P(X,6)=Q5 :: Q4=INT(
     Q5/6Ø):: Q5=INT(Q5-Q
     4*6Ø+.5):: IF Q5=6Ø
     THEN Q5=Ø :: Q4=Q4+1
1570 IF Q4=24 THEN Q4=0
158Ø RETURN
159Ø SU=A5*6Ø+A4 :: PS=SU
     +360 :: MS=SU-360 ::
      IF PS>K1 THEN PS=PS
     -K1
1600 IF MS<0 THEN MS=MS+K
1610 IF MS>PS THEN 1640
    IF P(X,6) <PS AND P(X
     ,6)>MS THEN 1670
163Ø QQ$=" " :: RETURN
```

1020 A=R(A):: S5=R(S5)::

60

```
1640 IF P(X,6)<K1 AND P(X,6)>MS THEN 1670
                                      9.7195,30686.5884
                                 1980 DATA "MERCURY", . 3871
                                       ,"VENUS",.7233,"MARS
",1.5237,"JUPITER",5
1650 IF P(X,6) <PS THEN 16
      70
1660 GOTO 1630
                                       2028
1670 QQ$="*" :: RETURN
                                 1990 DATA "SATURN", 9.5308
                                 ,"URANUS",19.182
2000 DATA "SA","SC","LI",
"VI","LE","CA","GE",
"TA","AR","PI","AQ",
1680 DISPLAY AT (Q+3,1):K$
      ; "-- "; TEM$; Y; TAB (20
      ):STR$ (ABS(LL)):LL$:
      :: RETURN
1690 A3$=STR$(A3):: IF A3
<10 THEN A3$=" "&A3$
                                       "CP"
                                 2010 DATA "NEW", "WAXING C
RESCENT", "1ST QUARTE
1700 A4$=STR$(A4):: IF A4
      <10 THEN A4$="0"&A4$
                                       R", "WAXING GIBBOUS",
1710 A3$=A3$&":"&A4$ :: A
                                       "FULL"
      5$=STR$(A5):: IF A5<
10 THEN A5$=" "&A5$
                                 2020 DATA "WANING GIBBOUS
                                         "3RD QUARTER", "WAN
172Ø A5$=A5$&":"&A4$ :: Q
                                       ING CRESCENT"
      B=7-LEN(A3$):: Q9=7-
                                 2030 DATA 1770, 1719, 1620,
      LEN(A5$):: RETURN
                                       1500, 1418, 1365, 1335,
1730 LY=0 :: IF Y/4=INT(Y
                                       1310,1290,1275,1260
      /4) THEN LY=1
                                 2040 DATA 1238, 1220, 1200,
1740 IF V/100=INT(V/100) A
                                       1178, 1115, 915, 720, 66
      ND Y/400=INT(Y/400)A
                                       0,640,625,610
      ND Y/1000=INT (Y/1000
                                 2050 DISPLAY AT (20,3): " (R
      ) AND Y/4000=INT (Y/40
                                       ) E-INPUT OR (C) ONTIN
      ØØ) THEN LY=Ø
                                       UE"
175Ø RETURN
                                 2060 CALL KEY (0, KK, SS)::
1760
     Y9=Y+1 :: IF Y9/4=IN
                                       IF SS=Ø THEN 2060
      T(Y9/4) THEN ZY=1
                                 2070 Z$=CHR$(KK):: RETURN
        Y9/100=INT (Y9/100
177Ø IF
                                 2080 M2=M1/M9 :: IF M1<1
      ) AND Y9/400<>INT(Y9/
                                       OR M1>28.5 THEN M3=1
      400) AND Y9/1000=INT(
                                 2090 IF M1>=1 AND M1<6.9
      Y9/1000) AND Y9/4000=
                                       THEN M3=2
      INT (Y/4ØØØ) THEN ZY=Ø
                                 2100 IF M1<=B AND M1>=6.9
178Ø Y1=Y-1977 :: Y1=Y1*3
                                        THEN M3=3
      65+INT(Y1/4)+D1 :: I
                                 2110 IF M1>8 AND M1<14.2
       Y<2000 THEN 1800
                                       THEN M3=4
179Ø Y1=Y1-INT((Y-2ØØ1)/1
      ØØ) + INT ((Y-2ØØ1) /4ØØ
                                 212Ø IF M1>=14.2 AND M1<=
                                       15.2 THEN M3=5
      )-INT((Y-1)/4000)
                                 213Ø IF M1>15.2 AND M1<21
1800 RETURN
                                       . 6 THEN M3=6
1810 CALL KEY(0, KK, SS)::
                                 214Ø IF M1>=21.6 AND M1<=
      IF SS=Ø THEN 181Ø
                                       22.6 THEN M3=7
1820
      I$=CHR$(KK):: IF I$=
                                 215Ø IF M1>22.6 AND M1<=2
      "D" THEN Q=4 :: GOTO
                                      8.5 THEN M3=8
      840
1830 IF (I$="S" OR I$="T"
                                 216Ø RETURN
                                 217Ø B$="" :: IF Y<>1985
      ) AND S1=1 THEN 320
1840 IF I$="P" THEN 1150
                                      AND Y<>1986 THEN 67Ø
                                         (Y=1985 AND D1<3Ø
                                 218Ø IF
     IF I $= "L" AND S1=1 T
185Ø
                                      5) OR (Y=1986 AND D1>1
     HEN 2460
                                       49) THEN 67Ø
1860 GOTO 1810
                                 219Ø HD=D1+365 :: IF HD>5
1870
     P5=1.376344Ø86 :: K5
                                      16 THEN HD=HD-365
     =A2 * 4
188Ø K5=ABS(K5-1233.73) #9
                                 2200 H1=(HD-295)/10 :: HD
                                      =INT(H1):: H1=H1-HD
     Ø/K1 :: K5=K5*D9 ::
                                 221Ø T4=HC(HD)-HC(HD+1)::
     K5=SIN(K5) *. 32258122
                                       T4=HC(HD)-H1*T4 ::
     4 :: P5=P5+K5 :: RET
                                      IF T4>K1 THEN T4=T4-
     URN
189Ø IF CC<=1 THEN CC=CC+
                                      K1
                                 2220 GOSUB 710 :: IF Y9=9
     84
1900 CD$=SEG$(CC$,CC+3,34
                                      99 THEN 670
                                 223Ø GOSUB 8ØØ :: IF T4>1
                                      115 AND T4<1200 THEN
1910 IF SEG$(CD$, 2, 1) <> CH
                                       U9=U9+4Ø
     R$ (128) AND SEG$ (CD$.
                                 224Ø IF T4>129Ø THEN U9=U
     3,1)=CHR$(128)THEN C
     D$=SEG$(CD$,1,32)::
                                      9-40
                                 225Ø IF T4>615 AND T4<=11
     GOTO 1940
                                      15 THEN U9=U9+8Ø
1920 IF SEG$(CD$, 33, 1) <>C
                                 226Ø U(7)=U9 :: B$="jHALL
     HR$ (128) AND SEG$ (CD$
                                      EY'S COMET" :: GOTO
     ,32,1)=CHR$(128)THEN
                                      630
      CD$=SEG$(CD$, 3, 32):
                                 227Ø B$=" HALLEY'S COMET"
     : GOTO 194Ø
                                 228Ø GOTO 63Ø
```

229Ø DISPLAY AT(Q,1):00\$

2300 CALL CHAR (64, "384444

2310 FOR I=0 TO 3 :: READ

("Ø",16))

:: FOR I=1 TO 250 ::

R(Q, 3, 32, 14):: RETUR

4438000000",128,RPT\$

SS :: CALL CHARPAT (

NEXT I :: CALL HCHA

1930 CD\$=SEG\$(CD\$, 2, 32)

1950 DATA 365.26,29.53059

1960 DATA 134.69697,218.7

1970 DATA 4332.79813,1075

,262.364294,52.91676

9464,87.97,224.7,686

1940 RETURN

. 98

SS, QQ\$):: CALL CHAR( I+96,QQ\$):: NEXT I 2320 DATA 45,42,41,40 2330 FOR I=0 TO 9 :: READ QQ\$ :: CALL CHAR(10 Ø+I,QQ\$):: NEXT I :: CALL COLOR (13, 2, 9) 234Ø DATA ØØ1Ø387C7C381ØØ Ø.3C7E66663C187E18,Ø 306306666663800 235Ø DATA ØØ3C427E7E423CØ Ø, Ø33E6E76667CCØ8Ø, Ø Ø666662418ØØØØ, ØA15 2A352A74F8FØ 2360 DATA ØØØØØØØØØØØØØØ Ø. ØØ3C7E7E7E3CØØ, FFC 381818181C3FF 237Ø RETURN 238Ø GOSUB 8ØØ :: PK=1423 -Y9+U9+LB 239Ø IF LL<Ø THEN PK=2247 +8Ø\*XX-PK 2400 RETURN 2410 LL\$="@N" :: IF LL<0 THEN | | \$="25" 2420 L1=ABS(LL):: IF ABS( LL) <24 THEN L1=4Ø 243Ø LC=INT((L1-4Ø)/7+.5) :: LB=LC #40 :: D1=VA L(SEG\$(D\$, M\*3-2, 3))+ 2440 IF ABS(LL) < 24 THEN L B=40\*INT (ABS(LL) /7+. 51 245Ø RETURN 2460 GOSUB 2510 :: DISPLA Y AT(6,1): "LATITUDE CHANGE" :: DISPLAY A T(7,1):RPT\$("-",16) 2470 DISPLAY AT (9, 1): "INP UT NEW LATITUDE: " :: ACCEPT AT (9, 21):LL 2480 IF ABS(LL) >90 THEN 2 470 249Ø GOSUB 2050 :: IF Z\$= "R" THEN 2410 2500 GOSUB 2410 :: I\$="S" :: GOTO 183Ø 2510 CALL CLEAR :: DISPLA Y AT (2,6): "\*\*\* SKYS CAPE \*\*\*\*" :: Q=1 :: GOSUB 1680 :: RETUR 0

# This Publication is available in Microform.

#### University Microfilms International

for		March .
Name		
Institution		
Street		
City	a tribbt il sh	the bests
State	Zip	

# Reviews

# **Crossword Magic**

Karen McCullough

Requirements: Apple II-series computer with at least 48K RAM (or Apple III in emulation mode); Apple Macintosh; Commodore 64/128; IBM PC/PCjr with at least 128K RAM; or an Atari 400/800, XL, or XE (memory requirements not available at presstime). All versions require a disk drive, and a printer is recommended. The Apple II version was reviewed; other versions are similar.

Crossword Magic does for the process of creating crossword puzzles what a word processor does for writing. It can't replace the thinking, planning, and research needed to create a satisfying puzzle, but it does simplify the process of organizing and moving the material from brain to paper. Crossword Magic lets you create a puzzle on the screen, edit it in various ways, play it, and print it out. The program's authors have provided ways to do everything you can think of with a crossword puzzle.

The program comes on a two-sided disk. One side is called the Maker Disk, and the other the Player Disk. The Maker disk contains the options for creating, editing, printing, deleting, and moving puzzles. The Player disk lets you play a previously created puzzle, or create a new storage disk.

When you start to create a new puzzle, the program first asks if you want automatic sizing. If you answer no, you must enter the size of the grid you desire. However, automatic sizing provides more flexibility, since it allows the grid to grow from its initial size as needed.

Each word you enter is placed in a suitable position on the display grid, highlighted so you always know which word was placed last. Words that don't fit into the grid are added to a list of unused words. If adding a word later allows any unused word to fit into the puzzle, that word is placed on the display and highlighted along with the word just entered. If you don't like where the program placed your word, you can press a key to make the program search for another suitable place, or press another key to remove it.

#### **Menus And Help Screens**

A group of special functions also are available at the touch of a key. You can save a partial or complete puzzle; gain access to a help screen that explains your options; return to the main menu (you lose whatever work you've just done on the screen if you don't save it first, however); look at the list of unused words; start entering clues; or go into manual mode. Manual mode lets you add, remove, or change letters in the puzzle.

Crossword Magic comes with a 23page manual, well-written but not as well organized. Each menu function has its own section in the manual, with clear, comprehensive explanations and directions-until you get to the explanation of the special functions. At that point, each section merely gives you a list of the functions and refers you to a separate section of the manual that explains them in greater detail. The manual would be easier to use if the special functions were explained at the end of each section, even at the expense of some duplication. Also, the special function section begins in the middle of a page, making it difficult to find without referring to the index.

Aside from this, Crossword Magic deserves top marks for ease of use, smooth functioning, and good errorhandling. It works quickly, finding places for words in seconds, even on large grids. Everything works exactly as described, and the program never failed; it resolutely ignores inappropriate actions. After only a few minutes with the manual, I pulled out a review list of basic Spanish vocabulary words and created a puzzle. However, it's a good idea to read the list of helpful hints in the back of the manual before creating a puzzle; there's a lot of valuable information there.

Crossword Magic is ideal for schools. It's an excellent tool for testing and reinforcing vocabulary in subjects such as English, foreign languages, and science. And anyone who enjoys working with crossword puzzles will find the program a pleasant pastime.

Crossword Magic Mindscape 3444 Dundee Road Northbrook, IL 60062

#### Colorasaurus

Steve Hudson


Requirements: Commodore 64 with a disk drive and a joystick; or an Atari 400/800, XL, or XE computer with at least 48K RAM, a disk drive, and a joystick. The Atari version was reviewed.

If you ask a child what makes a good computer game, the answer will probably be that it has to be fun. Ask a parent the same question, and you'll hear words like "enriching" and "educational." But why not get both by creating a game that's captivating enough to hold a child's attention, but stimulating enough to help develop a young mind?

One such game is Colorasaurus, an educational program aimed at the three- to six-year-old set. Its goals are straightforward—to help young children develop color discrimination and visual memory skills—and it achieves them with style.

The program actually offers three games in one, and each features lively graphics and ear-catching sound. The first game, "Match," allows the child to match a brightly colored dinosaur (the so-called colorasaurs) with one of three appropriately colored landscapes. Each round presents three new colorasaurs,

# The Source Is Illuminating.



At last, a beacon to help you navigate the vast sea of personal computer technology.

It's The Source. The online information service that can guide you to the best deals in the PC market. Shed light on your software problems. And signal the latest developments in micros.

With The Source, you can buy, sell or swap hardware and software. Learn new applications from a Special Interest Group. See what's been written about the printer you're planning to buy. Or send out an SOS to thousands of other PC

The Source

users when you need advice.

What's more, The Source can enlighten you with current information on everything from business to travel, investments to world news.

The Source is a service mark of Source Telecomputing Corporation, a subsidiary of The Reader's Digest Association, Inc. © 1985 Source Telecomputing Corporation.

Whatever kind of help you're after, you can find it faster on The Source. With a system of easy commands and menus. Plus a tutorial—free of online charges—that'll bring you up to speed in a snap.

To sign up today, call **1-800-336-3366**. For more information, mail this coupon, or

visit your nearest dealer.

Then, no matter how many waves of new technology rock your boat, you'll stay right on course.



Show me the light.
Please send more information about The Source.
Name

Address

/02/31/

City, State

Zip

Mail to: Source Telecomputing Corporation, P.O. Box 1305, McLean, VA 22102. In Virginia, or outside the U.S., call (703) 821-6666.

# **COMMODORE 64** COMPUTER

- 170K Disk Drive \$149.95
- Tractor Friction Printer \$159.95
- 13" Hi-Res Color Monitor \$169.95

#### COMMODORE 64 COMPUTER \$139.95

You pay only \$139.95 when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your computer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied, your net computer cost is \$39.95!!

#### 170K DISK DRIVE \$149.95

You pay only \$149.95 when you order the 170K Disk Drive! LESS the value of the SPECIAL SOFTWARE Drive! LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your disk drive that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied, your net disk drive cost is \$49.95.

#### 13" HI-RES COLOR MONITOR \$169.95

You pay only \$169.95 when you order this 13" COLOR MONITOR with sharper and clearer resolution than any other color manitors we have tested! LESS value the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your monitor that allows you to save over \$500 off software sale prices!! With only \$100 of savings applied, your net color monitor cost is only \$69.95. (16 Colors).

#### 80 COLUMN 80 CPS TRACTION/FRICTION PRINTER \$159.95

You pay only \$159.95 when you order the Comstar T/F deluxe line printer that prints 81/2 x11 full size, single sheet, roll or fan fold paper, labels, etc. Impact dot matrix, bidirectional. LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your printer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied your net printer cost is only \$59.95.

#### **80 COLUMN BOARD \$59.95**

Now you program 80 COLUMNS on the screen at one time! Converts your Commodore 64 to 80 COLUMNS when you plug in the 80 COLUMN EXPANSION BOARD!! PLUS 4 slot expander!

#### 80 COLUMNS IN COLOR PAPERBACK WRITER 64 WORD PROCESSOR \$39.95

This PAPERBACK WRITER 64 WORD PROCESSOR is the finest available for the COMMODORE 64 computer!
The ULTIMATE FOR PROFESSIONAL Word Processing. DISPLAYS 40 or 80 COLUMNS IN COLOR or black and white! Simple to operate, powerful text editing complete cursor and insert/delete key controls line and paragraph insertion, automatic deletion, centering, margin settings and output to all printers! List \$99.00. **SALE \$39.95**. Coupon \$29.95.

# COMPUTER AND SOFTWARE SALE

CALL BEFORE YOU ORDER

PRICES MAY BE LOWER

# C128 COMMODORE COMPUTER

(Order Now)

**89**95

- 340K 1571 Disk Drive \$259.00
- Voice Synthesizer \$39.95
- 12" Green or Amber Monitor \$69.95
- Printer/Typewriter Combination \$249.95

#### SPECIAL SOFTWARE COUPON

We pack a SPECIAL SOFTWARE DISCOUNT COUPON with every COMMODORE 64 COMPUTER, DISK DRIVE, PRINTER, or MONITOR we sell! This coupon allows you to SAVE OVER \$500 OFF SALE PRICES!!

(Examples)

#### PROFESSIONAL SOFTWARE **COMMODORE 64**

Name	List	Sale	Coupon
Paperback Writer 64	\$99.00	\$39.95	\$29.95
Paperback Data Base	\$69.00	\$34.95	\$24.95
Paperback Dictionary	\$24.95	\$14.95	\$10.00
Practicale II	\$69.95	\$49.95	\$44.95
Print Shop (Disk)	\$44.95	\$32.95	\$26.95
Practicalc	\$59.95	\$24.95	\$19.95
Programmers Reference Guide	\$20.95	\$16.95	\$12.50
Programmers Helper (Disk)	\$59.95	\$29.95	\$19.95
80 Column Screen (Disk)	\$59.95	\$29.95	\$19.95
Disk Filer (by Flip-N-File)	\$39.95	\$14.95	\$12.95
Deluxe Tape Cassette	\$89.00	\$44.95	534.95
Pro Joy Stick	\$19.95	\$12.95	\$10.00
Light Pen	\$39.95	\$14.95	\$ 9.95
Dust Cover	\$ 8.95	\$ 6.95	\$ 4.60
Simon's Basic	\$29.95	\$22.95	\$19.95
Pitstop II Epyx	\$39.95	\$22.95	\$19.95
Super Graphics Expander	\$29.95	\$22.95	\$19.95
Music Calc 1	\$59.95	\$29.95	\$12.95
Filewriter	\$59.95	\$29.95	\$24.95

(See over 100 coupon items in our catalog)

Write or call for Sample SPECIAL SOFTWARE COUPON!

# ATTENTION

Computer Clubs We Offer Big Volume Discounts

CALL TODAY!

#### PROTECTO WARRANTY

All Protecto's products carry a minimum 90 day warranty. If anything fails within 90 days from the date of purchase, simply send your product to us via United Parcel Service prepaid. We will IMMEDIATELY send you a replacement at no charge via United Parcel Service prepaid. This warranty proves once again that We Love Our Customers.

#### C128 COMMODORE COMPUTER \$289.95

We expect a limited supply for Christmas. We will ship on a first order basis. This all-new revolutionary 128K computer uses all Commodore 64 software and accessories plus all CPM programs formatted for the

List \$349.00. SALE \$289.95.

#### 340K 1571 COMMODORE DISK DRIVE \$259.00

Double Sided, Single Disk Drive for C-128 allows you to use C-128 mode plus CPM mode. 17 times faster than 1541, plus runs all 1541 formats. List \$349.00. Sale \$259.00.

#### SUPER AUTO DIAL MODEM \$39.95

Easy to use. Just plug into your Commodore 64 computer and you're ready to transmit and receive messages. Easier to use than dialing your telephone. just push one key on your computer! Includes loading to printer and disk drives. Best in U.S.A.
List \$129.00. SALE \$39.95.

#### **VOICE SYNTHESIZER \$39.95**

For Commodore-64 computers. Just plug it in and you can program words and sentences, adjust volume and pitch, make talking adventure games, sound action games and customized talkies!! FOR ONLY \$19.95 you games and TEXT TO SPEECH, just type a word and hear your computer talk — ADD SOUND TO "ZORK", SCOTT ADAMS AND OTHER ADVENTURE GAMES!! (Disk or tape.) List \$89.00. SALE \$39.95

#### 12" GREEN OR AMBER MONITOR \$69.95

Your choice of green or amber screen monitor, top quality, 80 columns x 24 lines, easy to read, anti-glare! PLUS \$9.95 for connecting cable. Com-64 or VIC-20. List \$159.00. SALE \$69.95.

#### PRINTER/TYPEWRITER COMBINATION \$249.95

"JUKI" Superb letter quality, daisy wheel printer/typewriter combination. Two machines in one — just a flick of the switch. 12" extra large carriage, typewriter keyboard, automatic margin control and relocate key, drop in cassette ribbon! (90 day warranty) centronics parallel or RS232 serial port built in (Specify). List \$349.00. SALE \$249.95. (Ltd. Qty.)

#### 13" RGB & COMPOSITE COLOR MONITOR \$279.00

Must be used to get 80 columns in color with 80 column computers (C128 & Atari ST). (Add \$14.50 shipping) List \$399.00. **SALE \$279.00.** 

 LOWEST PRICES
 15 DAY FREE TRIAL BEST SERVICE IN U.S.A. ONE DAY EXPRESS MAIL

#### PHONE ORDERS

- 8 a.m. 8 p.m. Weekdays 9 a.m. 12 noon Saturdays
- 90 DAY FREE REPLACEMENT WARRANTY
- OVER 500 PROGRAMS
   FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax, Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA - MASTER CARD - C.O.D.

No C.O.D. to Canada, APO-FPO.

# PROTECTO

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010

312/382-5244 to order

# Famous Canon National Brand


10" Carriage

HI-SPEED

15" Carriage

# **Below Wholesale Cost Prices!!!**

- 160-180 CPS High Speed Dot Matrix Letter Quality Modes
- Tractor/Friction 4 Character Styles Business or Personal
  - Programmable Characters
     2K Buffer
     15 Day Free Trial
    - ONE YEAR IMMEDIATE REPLACEMENT WARRANTY



**Print Sample** 

\*\*\* NLQ PICA PRINTING \*\*\*

CANON IMPACT MATRIX PRINTER CANC

CANON IMPACT MATR Check these features & prices

10" Printer

List \$499.00

Call for Volume Discounts

Printer

List \$699.00

Call for Volume Discounts

#### (IBM - Commodore)

#### **Printing Method**

Impact dot matrix

#### **Printing Speed**

160 CPS at standard character printing 27 CPS at NLQ character printing

#### **Printing Direction**

Text Mode — Bi-directional Graphic Mode — Unidirectional

#### **Print Head Life**

100 million characters

#### **Printing Characters**

Standard 11 x 9 dot matrix NLQ 23 x 18 dot matrix

Character size: 2 x 2.42 mm (standard)

Character set: Full ASCII character set (96), 32 special European characters

## **Down Loading**

11 x 9 dot matrix; NLQ 23 x 18 dot matrix optional

#### **Print Buffer**

2K-byte utility buffer

#### **Image Printing**

Image Data: Vertical 8, 9 and/or 16 dot Resolution: Horizontal 60 dots/inch Horizontal 120 dots/inch (double density) Horizontal 240 dots/inch (quadruple density)

8-bit parallel interface (Centronics type)

#### Paper

Plain paper, Roll paper, Single sheet, Fanfold, Multipart paper: max. 3 sheets (original plus 2)

- Interfaces -

# SPECIFICATIONS (Apple - Atari - Etc.)

#### Ink Ribbon Cartridge

Ribbon Life: 3 million characters/cartridge

#### **Maximum Number of Characters**

80 cpl Standard: 10 cpi Enlarged: 5 cpi 40 cpl 17.1 cpi Condensed: 136 cpl Condensed enlarged: 8.5 cpi 68 cpl 96 cpl 12 cpi Flite: 48 cpl Elite enlarged: 6 cpi 80 cpl NLQ pica: 10 cpi 40 cpl NLQ pica enlarged:

#### **Physical Dimensions**

Size: 15¾" x 12 5/8" x 4 3/8" (10") Weight: 17.6 lbs. (10")

#### Cartridge Ribbon.

List \$29.95. Sale \$19.95.

IBM \$89.00

Apple \$59.00

Atari \$59.00

Commodore \$39.00

Add \$13.50 (\$15.00 for 15" Printers) for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! No C.O.D. to Canada, APO-FPO

VISA - MASTER CARD - C.O.D.

# COMPUTER DIRECT

We Love Our Customers 22292 N. Pepper Rd., Barrington, Ill. 60010

312/382-5050 to order

# 88K Lowest Price In The USA! 152K

omputer System Sale

Students • Word Processing • **Home** • Business



LOOK AT ALL YOU GET FOR ONLY \$ 3 LIMITED QUANTITIES

(1) Atari 800XL 88K Computer 2 Atari 1050 127K Disk Drive

3 Atari 1027 Letter Quality 20 CPS Printer Letter Perfect Word Processer Atari BASIC Tutorial Manual

All connecting cables & T.V. interface included. A Monitors sold separetly.

TOTALS

INDIVIDUAL LIST PRICE SALE PRICE

\$179.00 \$ 6995 299.00 17995 299.00 19995

59.95 3995 16.95 1295

\$852.90 \$482.75 **SAVE \$100** All 5 ONLY

SYSTEM SALE PRICE

152K SYSTEM \$39900

	_	
Other	Acces	sories

12" Hi Resolution Green or Amber Screen Monitor \$199.00 13" Hi Resolution Color Monitor

\* ATARI 130XE 152K Computer

List Sale

69.95 \$399.00 179.95 \$249.00 134.95

Add \$9.95 for Connection Cables (Monitors Only) (Ltd. Qty)

Add \$10 for UPS

15 DAY FREE TRIAL. We give you 15 days to try out this ATARI COMPUTER SYSTEM!! If it doesn't meet your expectations, just send it back to us prepaid and we will refund your purchase price!! 90 DAY IMMEDIATE REPLACEMENT WARRANTY. If any of the ATARI COMPUTER SYSTEM equipment or programs fail due to faulty workmanship or material within 90 days of purchase we will replace it IMMEDIATELY with no service charge!!

Best Prices • Over 1000 Programs and 500 Accessories Available • Best Service One Day Express Mail
 Programming Knowledge
 Technical Support

#### Add \$25.00 for shipping and handling!!

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery. 2 to 7 days for phone orders. 1 day express mail! We accept Visa and MasterCard. We ship C.O.D. to continental U.S. addresses only. Add \$10 more if C.O.D.

# COMPUTER DIRECT

We Love Our Customers 22292 N. Pepper Rd., Barrington, Ill. 60010 312/382-5050 to order

# 240K Apple Compatible Computer System

APlus 3000 computer system includes 192K RAM, 48K ROM (32K Microsoft Basic plus 16K ROM Emulator), 144K Laser 51/4" Disk Drive (Runs Apple II Software), Magic Window Wordprocessor, MagiCalc spreadsheet, Magic Memory Database. All for only \$499.00

Complete System

# 15 Day Free Trial



"Aplus 3000" System

CP/M CARTRIDGE

RS232 PRINTER DISK DRIVE



MAGICMEMORY MAGICALC

Runs Apple II Software

**Double Immediate Replacement Warranty** 

If any of the Aplus 3000 computer system equipment fails due to faulty workmanship or material within 180 days of purchase we will REPLACE it immediately with no service charge!!

Over 10,000 existing Apple programs

 Centronics printer interface included 240K (192K RAM, 48K ROM)
 ArtSci's Magic Window II, Magic Memory, and MagiCalc included

144K Laser 51/4" Disk Drive (Runs Apple II software)

RGB (80 columns in color) and composite included

#### SPECIFICATIONS

A plus 3000 is a complete, self-contained computer based on the popular 6502A microprocessor and can tap into the tremendous software library of Apple II. Features include 192K Bytes RAM, 32KB Enhanced Microsoft BASIC, 80 column text, 560H X 192V color graphic display, 81 key sculptured keyboard and high efficiency switching power supply. Also included as standard are Centronics bus printer interface, Cassette interface, 4 channel sound generator, and 51/4 Apple Compatible Disk Drive.

- 40 columns X 24 rows or 80 columns X 24 rows software selectable
- 5 X 7 characters in 7 X 8 matrix.
- Upper and lower case characters.
- One of Eight colors for characters/graphics and background, Red, Green, Blue, Cyan, Magenta, Yellow, Black and White.
- Character set with normal, inverse and flashing capabilities.

#### . GRAPHICS

- 280H X 192V 6 colors Black, White, Violet, Green, Blue, Orange.
- 280H X 192V 8 colors bit image Black, White, Red, Green, Blue, Cyan, Magenta, Yellow.
- 560H X 192V 6 colors Black, White, Violet, Green, Blue, Orange. (High resolution color monitor required)

#### Super Apple Compatible Disk Drive Sale

Quieter, Cooler, Better Disk Drives for your Apple II plus, He, Hc (specify when ordering). List \$299.95. Sale \$149.95.

15 Day Free Trial — If it doesn't meet your expectations within 15 days of receipt, just send it back to us UPS prepaid and we will refund your purchase price!!

#### Add \$25.00 for shipping and handling!!

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery. 2 to 7 days for phone orders. 1 day express mail! We accept Visa and MasterCard. We ship C.O.D. to continental U.S. addresses only. Add \$10 more if C.O.D.

More Features than Apple 1	for less than Co	mmodore	Commodore
Features	Aplus 3000	Apple IIe	128
RAM	192K	64K	128K
Runs Apple II Software	Yes	Yes	No
Function Keys	24	None	16
4 Voice, 6 Octave Sound	Yes	No	Yes
Composite Video	Yes	Yes	Yes
Disk Drive	included	Extra Cost	Extra Cost
Numeric Keypad	included	Extra Cost	Included
Video Cable	included	Extra Cost	Extra Cost
RGB Color Card	included	Extra Cost	Included
80 Column Card	included	Extra Cost	Included
Centronics Printer Interface	included	Extra Cost	Extra Cost
Drive Controller	included	Extra Cost	Included
\$150 Wordprocessor (Magic Windov	v) included	Extra Cost	Extra Cost
\$150 Spreadsheet (MagiCalc)	included	Extra Cost	Extra Cost
\$60 Database prg. (Magic Memory)	included	Extra Cost	Extra Cost
Your Cost	\$499.00	\$1745.00	\$1117.90

ACCESSORIES	LIST	SALE
2nd Disk Drive	\$299.95	\$149.95
2 professional analog joysticks	\$ 39.95	\$ 24.95
Z-80 cart. allows CP/M use	\$ 99.95	\$ 59.95
RS232 adapter	\$ 99.95	\$ 59.95
R/F Modulator (TV hookup)	\$ 29.95	\$ 19.95
RGB cable (RGB Monitor hookup)	\$ 24.95	\$ 19.95
Centronics cable (for Centronics printer)	\$ 34.95	\$ 24.95
Technical reference manual	\$ 29.95	\$ 19.95
Comstar 10x 120-140 CPS dot matrix printer	\$399.00	\$189.00
80 columns Hi-Res Amber Monitor	\$199.00	\$ 89.95
80 column Hi-Res RGB Monitor	\$399.00	\$279.00

# COMPUTER DIRECT

We Love Our Customers

22292 N. Pepper Rd., Barrington, Ill. 60010

312/382-5050 to order

APPLE and COMMODORE are registered trademarks of Apple Computer Inc. and Commodore Business Machines, Inc., respectively

and (as the child's responses improve) the three colors become increasingly similar.

The second game, "Find," carries the idea one step further. Like "Match," it asks the child to match colors. However, there are six landscapes instead of three. In addition, it encourages the child to relocate the colorasaurs by recalling which colors were involved. Again, the difficulty increases with the accuracy of the child's responses.

#### **Painting Dinosaurs**

The third game, "Colorasaurus," gives the child a chance to personally color a colorasaurus. The child can dip paint from various "paint pots" and then apply it to a large (and by then familiar) colorasaurus that dominates the screen. It's even possible to mix colors or to lighten or darken them (by adding white or black). That gives the child virtually complete control over the resulting colors. The result? Captivated fascination, a great deal of fun, and some worthwhile learning, too.

Each game is controlled with the joystick. Even a young child can move the large, easy-to-see cursor and effectively play any of the games.

The program also uses the keyboard for two special commands. The question mark (?) is a help key that calls up onscreen instructions. Another key returns the player to the main menu. Using either key, it's possible for the child to select various play options—a valuable feature that some educational programs still lack.

Although it's designed for a particular age range, Colorasaurus may prove captivating to younger children, too. Although my 17-month-old is too young to manipulate the joystick herself, she loves to sit in my lap and watch the colorasaurs while listening to the dinosaurish music. It's entertaining for older children, too, including us Daddytypes. There's just something about multicolored dinosaurs that appeals to young and old alike.

Colorasaurus The Learning Company 545 Middlefield Road, Suite 170 Menlo Park, CA 94025 \$29.95

HELP OUR STANDS OF THE STANDS

Now there's a way parents can help their children climb to the heights of success.

It begins with an Apple,<sup>®</sup> IBM,<sup>®</sup> Commodore<sup>™</sup> or Atari<sup>®</sup> computer. It takes off with CBS Software.

Our Success with Math™ series has met with sales success second to none in its field. Along with our new Success with Algebra™ series, your home computer will become a patient, private tutor—using serious drill and practice to help your children over the obstacles in their way.

Mastering the SAT has also become a best seller. With its counterpart, Mastering the ACT, it's the comprehensive test preparation program that's proven to be the first choice for thousands of students who want acceptance from their

first choice college. They are the only programs of their kind created with the National Association of Secondary School Principals. And they're designed to provide the competitive edge that can help put your

kids over the top.

SOFTWARE
Making you the best.

IBM, Apple and Alari are registered trademarks of International Business Machines Corp., Apple Computer Inc., and Atari Corp., respectively. Commodore is a trademark of Commodore Electronics Ltd.

© 1985 CBS Inc. All rights reserved. CBS Software, A Unit of CBS Educational and Prolessional Publishing Division, CBS Inc. One Fawcett Place, Greenwich, CT 06836. (203) 622-2525.

# **Grolier Online Encyclopedia**

Dan Gutman

Requirements: Virtually any computer with a modem, telecommunications software, and access to one of 11 major telecommunications services (including CompuServe, The Source, Dow Jones, Dialog, and others).

I just looked up LINCOLN, ABRAHAM in the encyclopedia. There's nothing particularly amazing about that, except that I don't own an encyclopedia. With an "electronic encyclopedia" on a mainframe computer that I can tap into anytime I want with my personal computer, I don't need one.

The Academic American Encyclopedia from Grolier can be accessed easily on any of 11 different online services by anyone with a modem and a computer. After you log on and hit a few keys, you're dropped into an encyclopedic wonderland of 30,000 articles and 10 million words. Just type SE (for SEarch) and the item you want to look up. The text jumps on the screen in seconds.

An electronic encyclopedia has a few big advantages over a paper one. I can't look up JACKSON, MICHAEL in my parents' old encyclopedia, because he wasn't even born when it was written. Grolier's encyclopedia gets updated every three months. In fact, a week after Leonid Brezhnev died, they had a listing for ANDROPOV, YURI. Also, with the Grolier encyclopedia, I can print out entire articles in seconds on my printer.

On the other hand, while Andropov is covered, there are no listings for LASERDISK, OPTICAL MEMORY, COMPACT DISC, or INTERACTIVE FICTION—terms you'd expect to find in an up-to-date electronic reference source for the 1980s. Michael Jackson gets a paragraph, but you'll find nothing more about recent idols—Prince and Madonna. And the encyclopedia refers to the canceled IBM PCjr as "among the nation's best-selling computers." Of course, any encyclopedia has its limitations.

#### No Pictures - Yet

There are a few other disadvantages to the Grolier online encyclopedia that are related to its medium. The retrieval commands are picky, so if you misspell a subject you're looking up, the computer may mistakenly tell you there is no listing. For example, if you look up NEWSPAPERS, you'll find nothing. But there is a listing for NEWSPAPER. With a printed encyclopedia, you

would discover that by flipping through the pages. Also, because of the wide variety of incompatible computers and the limitations of modem communications, the online encyclopedia can't give you the photographs or illustrations you see in a printed encyclopedia.

Someday this may change. Grolier recently announced it is publishing the encyclopedia in the new CD-ROM format (Compact Disc-Read Only Memory). The CD-ROM version, scheduled for release this fall for \$199, is quite similar to the online version, except it's stored on a single 4.7-inch compact disc. It requires a special CD-ROM player connected to your computer, such as the one announced last summer by Atari (see "Report from the Summer Consumer Electronics Show" and "Monster Memory," COMPUTE!, August 1985). The CD-ROM encyclopedia has all the search and retrieval features of the online encyclopedia and moreplus it's faster. And although the initial CD-ROM version is text-only, there is plenty of room on the disc to add graphics and digitized illustrations in the future.

Still, even with its current limitations, the Grolier online encyclopedia is worthy of consideration. A conventional encyclopedia might cost \$600 or more. On the CompuServe Information Service, Grolier's costs \$50 per year plus the regular connect time rates. Depending on how often you access the encyclopedia and how long you stay online, it might take several years before you've spent as much as the conventional encyclopedia would cost. By that time, much of the information in the paper encyclopedia would be out of date and you'd have to buy another one anyway.

If you have school-age children, or if you do a lot of research at home, consider Grolier's online encyclopedia. The convenience of looking things up in seconds is incredible. This is one of the true practical uses for a computer in the home. Besides, think of all the trees you'll save.

Grolier Electronic Publishing 95 Madison Avenue New York, NY 10016 (Cost varies among information services)

# Free Catalog!

Your 80-page guide to computer supplies and accessories-including complete new product descriptions.



- Packed with over 1600 products for microcomputers, minicomputers, and word processors – many available nowhere else.
- Big special section devoted to new supplies and accessories.
- Comprehensive product descriptions including more than 475 full-color photos clearly explain features and benefits.
  - Easy-to-use cross reference guides to magnetic media, ribbons, and more—along with the industry's most complete cable guide.
    - Helpful suggestions and tips, ranging from flexible disk care to proper ribbon selection to useful application ideas.

Phone toll-free 1-800-547-5444

# inmac in the second of the sec

Inmac Catalog Dept. 2465 Augustine Drive Santa Clara, CA 95054

Please rush my free copy of the Inmac Catalog. I understand there is no obligation whatspeyer

#### Phone toll-free 1-800-547-5444 or send coupon today.

NAME
COMPANY
ADDRESS
CITY

my free copy of tatalog. I underson obligation STATE ZIP PHONE

#### **Amiga Software Dealers Electronic Arts**

#### Alabama

Huntsville: Endicott.
Mobile: Mall Tel Home Communications St.

California

All Wherehouse stores.

Concord: Softwaire Centre Int'l. Costa Mesa: Gamesmanship. Fresno: Alpha Omiga. Los Angeles: Computer-Ease. West Los Angeles: Software Supermarket. Monterey: Right Byte.
Napa: Liberty Systems.
Pleasanton: Home & Business Computer Center. Redlands: Brown Knows Computer. Riverside: Software Service Center San Bruno: Home Computer Center San Diego: Computer Age, Byte Shop, Computerland. San Francisco: Access to Software San Jose: Affordable Computer Systems. San Leandro: Home Computer Center, Santa Ana: The Home Computer Store. Santa Rosa: Software First

Colorado

Thousand Oaks: Thor Audio Video. Aurora: Sobernheim Enterprises. Colorado Springs: Softwareland, Renaissance

Computerware. Westminister: Colorado Computer Systems. Denver: Contemporary Computer Concepts. Lakewood: Micro World.

St. Petersburg: New Age Electronics. Tampa: Computer Corner-Sound Trader.

Georgia

Augusta: Future Systems Gainesville: Preferred Systems.

Hawaii

Honolulu: Data One Microcomputer.

Indiana

Ft. Wayne: Bytrex, Inc. New Albany: Kwik Service Electronics.

Massachusettes

Acton: Instant Software. Boston: Instant Software. Littleton: Software Plus Wellesley: Instant Software.

Michigan

Okemos: Pro Video Plymouth: Strom Computer.

Brooklyn Center: Zim Computers, Inc. Roseville: Softwaire Center Int'l.

New York

Albany: France Enterprises of Northway New York: Computerland, Leighs Computer, Computer Factory. Oyster Bay: Pine Hollow Video.

**New Jersey** 

Wyckoff: Yudins.

**New Mexico** 

Albuquerque: Page One.

New Hampshire Hudson: Instant Software. Keene: Instant Software. Manchester: Wayne Green Enterprises. Nashua: Instant Software.

North Carolina

Raleigh: Audio Buys, Inc. Winston-Salem: Triad Computers.

Ohio

Fairborn: Fairborn Home Computer.

Beaverton: Softwaire Centre Int'l. Eugene: Software Express.
Portland: Computron Business Systems, IB Computers.

Pennsylvania

Hershey: East Coast Software. McMurray: Toy Store. Norristown: Electronics Boutique.

Rhode Island

Warwick: Software Connections.

South Carolina

Charleston: Software Solutions.
Charleston Heights: Software Haus. Greenville: Horizon Computers.

Tennessee

Nashville: Software First.

Texas

Tyler: Computer Time

Washington

Washington
Battleground: Software Express.
Everett: Com-Soft
Kent: Computer Software Warehouse.
Renton: A.P.P.L.E. Coop.
Spokane: Bits, Bytes & Nibbles.
Tacoma: Nybbles & Bytes. Tukwila: Programs Plus, Softwaire Centre Int'l.

Oshkosh: Fox Valley Personal Computers

## **BASIC Lightning & White Lightning** For Commodore 64

Roark Dority

Requirements: Commodore 64 and a 1541 disk drive or a tape drive.

You've probably heard of several different software packages which enhance or extend your Commodore 64's BASIC language. BASIC Lightning, a graphics development system for the 64, is one of the most exciting such programs I've seen.

BASIC Lightning is much more than a BASIC extension. It's practically a whole new language. Besides all the usual Commodore BASIC commands, BASIC Lightning offers more than 150 new commands. They make structured programming possible, let you run up to five parts of a BASIC program simultaneously, and may change your attitude toward using graphics and sound

If you've ever programmed in Pascal or a similar language, you'll be happy to know that BASIC Lightning includes all the control commands found in Pascal. Control structures include IF-THEN-ELSE, REPEAT -UNTIL, WHILE-WEND, CASE-OF, and procedures and functions with full parameter-passing.

The graphics commands in BASIC Lightning are in a class all their own. You can create up to 255 sprites of any size, and these sprites can be scrolled, spun, rotated 90 degrees, enlarged, contracted, and mirrored vertically and horizontally. You can individually design each sprite, place them anywhere on the screen, move part of one sprite into another, copy part of the screen into a sprite, or copy an entire sprite into another.

There are also commands for combining two sprites at once in four different ways, and commands to control the sprite colors when two sprites are combined. Another useful feature is the ability to print characters and doublesized characters inside the sprites.

However, I did find it difficult to design sprites with the sprite editor. You can edit only one 8 × 8 grid at a time, and the editor reacts slowly to commands. To design sprites larger than 8 × 8 pixels, the grid must be copied to a larger area on the screen. After several grids have been placed side by side, your sprite begins to take form. Then it's possible to edit more

sprites, and even show them in sequence to simulate animation.

#### Multitasking In BASIC

What BASIC Lightning does for graphics, it does for sound as well. For example, music data can be stored in sprites and played in the background with the commands PLAY and RPLAY. This means your music can be playing while the rest of your program is doing other things.

One of the most exciting features of BASIC Lightning is its multitasking capability. The TASK command allows up to five things in your program to happen at once. Each task has its own set of variables which are independent of the others. Special commands let you pass values between tasks.

Another product from Oasis Software is White Lightning, a Forth-based language. If you have some background in Forth, or are willing to learn a new language, White Lightning is certainly a worthwhile package. (Incidentally, White Lightning includes BASIC Lightning, with all the commands mentioned above.)

BASIC Lightning and White Lightning both include a disk and two tapes, so tape users as well as disk users can program with the packages. BASIC Lightning is especially ideal for anyone who writes programs in BASIC and is interested in structured programming, sprite graphics, and sound. It's easy to use, too. In minutes it's possible to know enough to handle the screen windows, and everything appears and changes faster than in Commodore BASIC with the POKE commands. White Lightning takes longer to learn because it's an entirely different language.

If you're interested in machine language programming, Oasis Software also makes Machine Lightning, an advanced machine language system.

Oasis Software 377 Oyster Point Blvd. Unit 15 San Francisco, CA 94080 BASIC Lightning \$39.95 White Lightning \$49.95 Machine Lightning \$84.95 Only NRI teaches you to service and repair all computers as you build your own 16-bit IBM-compatible

As computers move into offices and homes by the millions, the demand for trained computer service technicians surges forward. The Department of Labor estimates that computer service jobs will actually *double* in the next ten years—a faster growth than any other occupation.

#### **Total System Training**

micro

As an NRI student, you'll get total hands-on training as you actually build your own Sanyo MBC-550 series computer from the keyboard up. Only a person who knows all the underlying fundamentals can cope with all the significant brands of computers. And as an NRI graduate, you'll possess the 'up-to-the-minute combination of theory and practical experience that will lead you to success on the job.

You learn at your own convenience, in your own home, at your own comfortable pace. Without classroom pressures, without rigid night-school schedules, without wasted time. Your own personal NRI instructor and NRI's complete technical staff will answer your questions, give you guidance and special help whenever you may need it.

# The Exciting Sanyo 16-bit IBM-compatible Computer—Yours To Keep

Critics hail the new Sanyo as the "most intriguing" of all the IBM-PC compatible computers. It uses the same 8088 microprocessor as the IBM-PC and the MS/DOS operating system. So, you'll be able to choose thousands of off-the-shelf software programs to run on your completed Sanyo.

As you build the Sanyo from the keyboard up, you'll perform demonstrations and experiments that will give you a total mastery of computer operations and servicing techniques. You'll do programming in BASIC language. You'll prepare interfaces for peripherals such as printers and joysticks. Using utility programs, you'll check out 8088 functioning. NRI's easy step-by-step directions will guide you all the way right into one of today's fastest growing fields as a computer service technician. And the entire system, including all the bundled software and extensive data manuals, is yours to keep as part of your training.



home study school that trains you as you assemble a top-brand micro-computer. You'll install and check keyboard, power supply, disk drive and monitor, following step-by-step directions.

#### 100-Page Free Catalog Tells More

Send the coupon today for NRI's big 100page color catalog, which gives you all the facts about NRI training in Microcomputers, Robotics, Data Communications, TV/Video/ Your
NRI course
includes a
Sanyo 16-bit micro
computer with 128K RAM,
monitor, with double-density/doublesided disk drive, and "Intelligent"
Keyboard; The NRI Discovery Lab®,
Teaching Circuit Design and Operations;
a Digital Multimeter; Bundled Spread
Sheet and Word Processing Software
Worth over \$1000 at Retail—and More.

Audio Servicing, and other growing hightech career fields. If the coupon is missing write to NRI, 3939 Wisconsin Ave., Washington, D.C. 20016.

IBM is a Registered Trademark of International Business Machine Corporation.

AcGraw-Hill Continuing Education Cen 939 Wisconsin Avenue, Washington, D Ve'll give you tomorrow.  CHECK ONE FREE CATALOG ONLY  Computer Electronics with Microcomputers  Data Communications  Robotics & Industrial Controls  Video Electronics Servicing  Electronic Design Technology  Digital Electronics	Satellite Communications Communications Electronics Industrial Electronics Basic Electronics Telephone Servicing Small Engine Servicing Appliance Servicing	Automotive Servicing Air Conditioning, Heating, Refrigeration, & Solar Technology Building Construction Locksmithing & Electronic Security
Name (Please Print)		Age

# Gato For Apple And IBM

Michael B. Williams

Requirements: Apple IIe or IIc with a disk drive; Apple Macintosh; IBM PC with at least 128K RAM and color/graphics adapter; or an Enhanced Model PCjr. The Apple II version was reviewed; other versions are similar.


Just as flight simulators take the danger out of flying while retaining much of the excitement, *Gato* lets you fight for your country in a submarine from the safety of your desktop. You patrol the South Pacific in your Gato-class submarine, a type of ship actually deployed during World War II.

Your mission begins with a coded message detailing your assignment in enemy territory. At *Gato's* higher difficulty levels (there are ten), the message is transmitted in Morse code; it's up to you to decipher it. (A Morse code table is included in the manual, but you won't have time to use it without memorizing it first.) You may be ordered to intercept an enemy fleet, cut off enemy supply lines, or rescue allies from enemy territory.

Your patrol area covers 20 allied, enemy, and neutral quadrants of the South Pacific. The patrol chart display offers a view of this entire area, including your sub, the allied subtender, enemy ships, and the area's dozen islands, although not all this information is available on the upper difficulty levels. You can view your position within a quadrant with the quadrant chart, which also shows in greater detail the islands and their surrounding shoals and reefs.

Other displays are the radar screen, the damage report screen, the captain's log (which holds data for eight players), and the main control screen. The damage screen shows a port-side view of your sub, highlighting the damage in any of eight major areas. The main screen demands most of your attention—it contains depth, speed, and heading gauges as well as a full-color view of objects in your area. The Apple version of *Gato* displays these graphics in the extended high-resolution mode; the graphics are adequate, but could be improved.

A nice touch in *Gato* is the fake spreadsheet screen: You can flip to this display to make it look as if you're working whenever the boss strolls by.



#### Coming Up For Air

Gato promises realism, and it delivers. While the lower difficulty levels are excellent for learning to control the submarine, the upper levels offer extreme challenge and give you no unfair advantages over the enemy as the lower levels do. Attention to detail is very good. You run aground if you get too near an island, and the sub's speed is affected by the ship's depth, the periscope position, and whether the torpedo tube doors are open or closed. Because oxygen is constantly consumed below depths of 20 feet, you must surface occasionally to prevent your crew from suffocating. In addition, depth and speed play a role in how soon you are detected by enemy ships during sneak attacks.

The extensive list of factors the program must calculate and recalculate inevitably slows down the game. The

screen updates only about once per second, and takes even longer when ships or islands are nearby.

If one of your torpedos finds its target, you can see the explosions on the display if you're surfaced. The explosion graphics are fair, although the sound effects could use some improvement. Each time you sink a ship, the program updates your captain's log to credit your achievement. The log is reset every time you are sunk—it goes down with the ship.

Gato also includes screens with historic and technical information, plus a demonstration mode (the demo mode explains the submarine but does not show actual game play). The manual moves quickly in an effort to be thorough, including a discussion of strategy and tactics against the five different types of enemy ships. It offers help on attack patterns, defense tactics, avoiding depth charges, and using the radar and periscope.

Gato requires a serious approach if you want to play it well. For those willing to commit themselves to service in the Pacific Fleet, Gato lives up to its claims. Just don't expect to sink the entire Japanese fleet on your first (or even fifth) mission.

Gato Spectrum HoloByte, Inc. 1050 Walnut, Suite 325 Boulder, CO 80302 \$39.95 Apple/IBM \$49.95 Macintosh

# Atari PaperClip

Robert L. Riggs

Requirements: Atari 400/800, XL, or XE with at least 48K RAM, a disk drive, and a printer.

Word processors for Atari computers are reaching an amazing level of sophistication. In many ways, the Atari version of *PaperClip* from Batteries Included is the most sophisticated to date.

Besides all the usual features we've come to expect, *PaperClip* offers a number of capabilities not found in most other Atari word processors. These range from major features such as multiple windows to lesser ones such as character- and word-swap commands. The windows are particularly useful: You can load and edit two different documents simultaneously, and cut and paste text between them.

Typical of the program's flexibility is a configuration menu that lets you customize your own version of Paper-Clip. For instance, you can change the screen background and character colors; choose the screen line lengthfrom 15 to 132 characters-and then determine whether the entire screen window will scroll or just the line being typed; change the left screen margin to correct for TV sets which overscan; elect to use the cursor keys without pressing CTRL; and switch the XL/XE key click and alarm bell on or off. You can even tell PaperClip to automatically save the text file you're working on after a predetermined number of keystrokes.

Once you've customized *Paper-Clip*, you can save it on disk for future use. The program disk isn't copyprotected, so you can make as many backups as you need. You can, for example, create several *PaperClip* disks with different configurations and preferences. To prevent this feature from

being abused by software pirates, *Paper-Clip* comes with a key that must be plugged into a joystick port to make it work.

The configuration menu offers other choices, too, such as a mini-DOS and options to create, save, and load macro files. A macro is a block of previously defined text—such as a letterhead—that can be placed on the screen with a single keystroke. You can define several macro files, each containing blocks of frequently used text.

PaperClip does not come with a quick reference card for its many commands, but pressing CTRL-SHIFT-? calls up either a disk menu or the online help files (assuming the disk containing these files is inserted in the default drive). The help files contain a list of all PaperClip commands necessary for file manipulation, printer control, and screen editing.

#### **Math And Graphics**

PaperClip can manipulate numbers and pictures as well as letters. Its built-in calculator can add, subtract, multiply, and divide, printing the answer at the appropriate place in the document. And a screen dump utility on the program disk prints out images created with any of the well-known graphics programs, including the KoalaPad and Atari Touch Tablet or Light Pen. If you want, these pictures can be embedded in your documents, and the program disk contains B/Graph and KoalaPad files for practice.

Other useful utilities are included on the disk, too. One program converts AtariWriter word processor files to Paper-Clip format. PaperClip—like AtariWriter and most other Atari word processors—saves text in standard ASCII format, but there are differences between formatting codes and so forth. The conversion utility automatically replaces the AtariWriter codes with appropriate PaperClip codes.

There's also a mail-merge feature, a typewriter mode which is ideal for addressing envelopes, a word counter, and the ability to search and replace up to six pairs of text strings in a single pass.

One extra feature of *PaperClip* which I especially enjoyed was the rapid cursor movement. The cursor begins repeating sooner when you hold down a cursor key, and it zips across the screen considerably faster than your average Atari cursor.

#### **Versatile Printing**

PaperClip is flexible enough to work with virtually any printer. The program disk contains printer drivers for more than 30 of the most popular models. If necessary, you can create your own printer driver by using a program which lets you modify an existing driver or build one from scratch. Therefore,

PaperClip should be compatible with any future printers.

During my testing, I found that *PaperClip* did not fully support the proportionally spaced font of the Atari 825 printer. *PaperClip* would print the proportional font, but without proportional spacing. However, I was using the early version 1.0 of the program; Batteries Included says the newer version 1.1 does add microspacing for proportional printing, though it still cannot handle true proportional spacing with this printer.

PaperClip has several printing features that will be appreciated for specialized applications—such as a table of contents creator, an option to print any range of pages in a document, the ability to print multiple copies, and a batchfile capability for printing several documents in sequence. It's also the only Atari word processor I've seen that can print in double-column format without forcing you to roll the paper back into the printer—great for newsletters.

#### **Future Features**

Because *PaperClip* has such a large number of commands and capabilities, it takes a while to master. The manual is lengthy, and the original edition needs an index and more assistance for first-time users. Batteries Included says a new edition of the manual corrects these deficiencies and adds the muchneeded index. It is being shipped with later copies of *Paperclip* 1.1.

Even newer versions of *PaperClip* were scheduled for release this fall. Version 1.2 supports the full 128K RAM in the Atari 130XE, treating the four extra 16K banks as one continuous block of memory. The text area is about 90K long, and the windowing feature lets you load two documents up to 45K long. *PaperClip* 1.2 also will support the extra memory in any future XE models, such as the 256K XE that Atari has hinted about. If this computer ever becomes a reality, *PaperClip* 1.2 would allow more than 200K for text memory.

Batteries Included also planned to make *PaperClip* work with its announced 80-column cartridge, the B.I. 80, but the cartridge was recently canceled due to chip supply problems.

Updates to newer versions of *Paper-Clip*, incidentally, are available to owners for \$10.

Overall, *PaperClip* is without doubt a superb word processor for Atari computers. You won't be sorry you bought it.

PaperClip Batteries Included 30 Mural Street Richmond Hill, Ontario Canada L4B 1B5 \$59.95

# Davidson is "1, "1, "1, & "1 in Education

For math, speed reading, spelling and vocabulary, Davidson's award winning software outsells all others. Why? Because enough people choose to buy the educational software that works.

MATH BLASTER makes it more fun to add, subtract, multiply, divide, and learn fractions, decimals



and percents. First through sixth graders master 600 math facts with exciting graphics, animation, sound effects...even an arcade game.

Apple™, Macintosh™, IBM™,
Commodore 64/128™, Atari™. 49.95.

**SPEED READER II** can quadruple your reading speed and improve your comprehension. Develop



good reading habits, chart your progress, and have fun! For high school age through adult. Apple II™, Macintosh™, IBM™, Commodore 64/128™. 69.95

**WORD ATTACK** lets students ten through adult discover the meanings and usages of 675 new words.



Includes a fun, fast-action arcade game and add-your-own-words editor. Apple™, IBM™, Commodore 64/128™, Atari™. 49.95

**SPELL IT** teaches ten year olds and older how to spell a thousand and one of our most commonly



misspelled words. Vivid graphics, animation, sound effects, a lively arcade game and add-your-ownwords editor, too! Apple™, IBM™, Commodore 64/128™, Atari™. 49.95

Davidson & Associates, Inc. 800-556-6141 (In Calif., 213-534-4070)

Davidsor					
1 107110001		1	• 1	D	
	1	1501	7771 <i>A</i>	1)	



Davidson & Associates, Inc. 3135 Kashiwa St. / Torrance, CA 90505

Please send me a FREE COLOR BROCHURE and the name of my nearest Davidson Dealer.

City		State	7in	
Address _				
Hume	The second second			ŕ

Educational Software that Works

0

# Commodore 64 3-D Animated Graphics

Christian-Marc Panneton

This BASIC enhancement for the Commodore 64 makes it easy to draw and animate impressive threedimensional graphic figures. While the commands are designed for creating 3-D shapes, they're useful in any high-resolution graphics application.

Nearly everyone has seen threedimensional computer drawings, but have you ever tried to create one yourself? Since complex math is needed to calculate a 3-D shape and plot it on the high-resolution screen, BASIC takes a long time to draw even relatively simple objects. For this reason, 3-D animation is rarely seen, even in commercial software.

With "3-D Graphics Package," however, you can add several new commands to BASIC for creating sophisticated 3-D graphics—even if you're not a programming wizard.

Type in Program 1 using "MLX," the machine language entry program published elsewhere in this issue. Read the MLX instructions carefully before typing the program, and be sure to save a copy when you're done. Here are the addresses required for MLX:

Starting address: 34000 Ending address: 39381

Because this is a machine language (ML) program, you'll need to load it with LOAD"FILE-NAME",8,1 for disk or LOAD-"FILENAME",1,1 for tape. Activate it by typing SYS 34000 and pressing RETURN. A startup message at the top of the screen

reminds you that an enhanced version of BASIC is present. Now type in and save Program 2, a short 3-D graphics demonstration. You must activate Program 1 before typing in Program 2. If the enhanced BASIC is not present, the special graphics commands won't work, even if you later reload Program 2 with the enhanced BASIC.

#### 3-D Animation


Program 2 displays two complex, multicolored objects rotating around a common axis. When a rotation is finished, the objects are redisplayed and rotated in a different plane. Notice how short the program is. If you've never tried creating such displays in BASIC, it's difficult to appreciate just how fast and efficient these new commands are. Although objects of this complexity usually take several minutes to draw in BASIC, the ML routines draw and redraw them quickly enough to create a convincing illusion of movement in threedimensional space.

This program will be easier to use if you understand a few simple concepts. Three-dimensional objects are usually defined in terms of three dimensions or planes relative to you, the observer. The X plane defines horizontal location. The Y plane defines vertical location. The Z plane defines depth. You can locate any point in this system by specifying a coordinate for each of the three planes.

As shown in the figure, coordinate (0,0,0) defines the spot where

all three planes intersect. In the X plane, negative coordinates lie to the left of the X axis and positive coordinates to the right. In the Y plane, positive coordinates are up and negative ones down. And positive Z coordinates are nearer to you than negative ones.

The 3-D drawing grid is composed of three dimensions or planes. Each point in space has three coordinates on the grid.



Don't worry if that sounds a bit confusing. The best way to learn about these commands is to experiment. Since they all work in direct mode (when you're not running a program), you can type in one command at a time and see the result right away. If it's not what you expect, change one or two values and try again. After a while you'll learn how to draw what you want, even if you're not an expert in geometry.

# 八 ATARI

# COMMODORE 64 & 128

	Atari is a trademark of ATARI IN	C.	ATARI SUF
	SLIDER DRINTER DAC	KACEC	
	SG-10 Printer	Citoh 8510AP +	Prices effecti Novembe
	and U-Print A 285	& U-Print A399	Micro League Baseball 24 95
	and U-Print A 315	Citoh 8510AP + & U-Print A 399 Powertype & U-Print A 379	On Track Racing 16.95 Starbowl Football 18.95 Winter Games 24.95
	Legend 880 & U-Print A287	0-1 mit A	Starbowl Football 18.95 Winter Games 24.95
			Willer dames
	Super Printer Packages ha	ve no extra charges when	
	shipped in Continental USA		GEN
	ATARI INTERFACES		
	U-Print A 59.95	R-Verter Modem Adapter	HARD
	U-Print A-16K	Adapter	The state of the s
	INDUS GT	U-Call Modem Adapter	ELOIS
	for Atari Call	Pocket Modem 94.95	SEGIE THE POWER BOHIND THE PRINTED WORD.
			THE POWER BEHIND THE PRINTED WORD.
	ATARI 5	20 ST*	SG-10
	Atari 520 ST-Monochrom	e System Call	SD-10 339
	Atari 520 ST-RGB System		SD-15 449
	Atari 130XE Computer		SR-10 Call
	Atari 1050 Disk Drive	Call	SR-15 Call
	4710100		PRINTER BUFFERS
	Gem Write79.95	ST Business Tools 49.95	U-Print-16K79.95
	Gem Paint	Calculator 19.95	U-Print-64K99.95
	Spreadchapt 70.05	Centipede 24.95	AMIGA C
	2 Key Accounting 64.95	Missile Command 24.95	CALL FOR
	DB Master 79.95 2 Key Accounting 64.95 Home Planetarium 39.95 ST Cobol 39.95	Missile Command	AND SOFTW
	ST Cobol 39.95	Asteroids 24.95	AND SUFTW
	MISCELLA	NEOUS ST	\D
1	Monday Morning Manager 34.95 VIP Professional 69.95	Keyboard Cadet 27.95	
-	VIP Professional 69.95	Halley Project 34.95 PC/Intercom 89.95	
1	Financial Time Machine 41.95	Mince Text Editor 129.95	BRODERBUND
1	Deja Vu	Haba Systems Call	Print Shop-D 33.95
1	Zork I II or III OO OO	DM ST	Karateka-D
-	Witness 27 Q5	Hitchhiker	Bank Street Writer-D 44.95
1		Wishbringer 27.95	Print Shop Graphics-D 17.95
	Sorcerer	Wishbringer 27.95 Enchanter 27.95	Dazzle Draw 39.95
	*Please call for stock availability	on Atari ST products before	APPLE MIS Ghostbusters 25.95
	ordering by mail		Flight Simulator II 34.95
1	ATARI SO	FTWARE	F-15 Strike Eagle 21.95
	BRODERBUND		Summer Games 25.95
	Karateka-D 20.95	MISC. ATARI (cont'd.) Strip Poker-D23.95	Micro League Baseball 29.95
	Champ Loderunner-D . 23.95 Print Shop-D 34.95	Halley Project-D 29.95	We stock hundred
1	Bank Street Writer-D . 34.95	Micro League Baseball-D 29.95 Ultima I-D 23.95	the Apple, Atari, C
1	Bank Street Writer-D . 34.95 Print Shop Graphics I-D 19.95 Print Shop Graphics II-D 19.95	Ultima I-D	you don't see it lis
-	Print Shop Graphics II-D 19.95 Print Shop Paper 16.95	F-15 Strike Eagle-D 23.95	hesitate to call.
1	ELECTRONIC ARTS	Ultima IV-D	T — Cassette D — D
1	Archon	Alien Voice Box 99.95	EST.
1	Archon II 24.95	Omnimon         69.95           Paper Clip-D         39.95           Home Pak-D         34.95	ES1.
	Mule	Home Pak-D 34.95	-
	Murder/Zinderneuf 19.95	OSS	Comput
	Music Construction . 19.95	Basic XE-Cart52.95	
	Pinball Construction . 19.95 One on One 24.95	Mac 65 XL-Cart 49.95 Action-Cart	P.O. Box 17882, M
	One on One 24.95 Seven Cities of Gold . 24.95 Financial Cookbook . 29.95	Basic XL-Cart	ORDER LI
1			Mon-Fri 11 a.m 7 p.m. CS1
	INFOCOM Enchanter-D 24.95	SSI Carrier Force D 27.05	To Order Ca
	Zork I-D 24.95	Carrier Force-D 37.95 Combat Leader-D 24.95	000
	Hitchiker-D 24.95	Cosmic Balance-D 24.95 Broadsides-D 24.95	800-55
	Zork I-D         24.95           Hitchiker-D         24.95           Cutthroats-D         24.95           Wishbringer-D         29.95	Broadsides-D 24.95 50 Mission Crush-D . 24.95	
	See C-64 section for rest of	Rails West-D 24.95	For Technica
	items and prices	Computer Ambush-D 37.95 Computer Baseball-D 24.95	Inquiries, or fo
-	MISCELLANEOUS	Computer Baseball-D 24.95 Breakthrough/	4446-
ı	ATARI	Ardennes-D 37.95 Imperium Galatium-D 24.95	414-35
	Panzer Grendier-D 24.95	Oper Market	717-00
1	Hacker-D 19.95 Cross Country Road	Garden-D	ORDERING INFORMA
- 1	Race-D 19.95	Kampfgruppe-D 37.95	For fast delivery send cashier's o
- 6		Computer	transfers. Personal and compar
1	Master of Lamps-D 19.95 Flight Simulator-D 34.95	Quarterback-D 24.95	
	Flight Simulator-D 34.95 Compuserve Starter Kit 21.95	Quarterback-D 24.95 Colonial Conquest-D . 24.95	Charges for COD are \$3.00. Sch
COLUMN DESIGNATION OF THE PERSON NAMED IN COLUMN DESIGNATION OF THE PERS	Flight Simulator-D 34.95 Compuserve Starter Kit 21.95 Monkey Wrench-Cart 23.95	Colonial Conquest-D 24.95 Gemstone Warrior-D 21.95 Six Gun Shootest D	CONTINENTAL USA, include \$3
Committee of the last of the l	Flight Simulator-D 34.95 Compuserve Starter Kit 21.95 Monkey Wrench-Cart 23.95	Gemstone Warrior-D . 24.95 Six Gun Shootout-D . 24.95	CONTINENTAL USA, include \$3 Include 4% shipping on all Hai Mastercard & Visa please include
OCCUPATION OF THE PERSON OF TH	Flight Simulator-D	Colonial Conquest-D . 24.95 Gemstone Warrior-D . 21.95 Six Gun Shootout-D . 24.95 SYNAPSE	CONTINENTAL USA, include \$3 Include 4% shipping on all Hai Mastercard & Visa please includeresidents please add 5% sales to
OCCUPATION NAMED AND POST OF PERSONS NAMED A	Flight Simulator-D 34,95 Compuserve Starter Kit 21,95 Monkey Wrench-Cart 23,95 Ultima III-D 37,95 Sargon III-D 34,95 Odesta Chess-D 49,95 Ramrod XL 69,96	Colonial Conquest-D 24.95 Gemstone Warrior-D 21.95 Six Gun Shootout-D 24.95 SYNAPSE Syncalc-D 34.95 Synfile-D 34.95	CONTINENTAL USA, include \$3 Include 4% shipping on all Har Mastercard & Visa please includ residents please add 5% sales t orders — add 5% shipping, m orders, please add 15% shippin
The state of the s	Flight Simulator-D 34,95 Compuserve Starter Kit 21,95 Monkey Wrench-Cart 23,95 Ultima III-D 37,95 Sargon III-D 34,95 Odesta Chess-D 49,95 Ramrod XL 69,96	Colonial Conquest-D 24.95 Gemstone Warrior-D 21.95 Six Gun Shootout-D 24.95 SYNAPSE Syncalc-D 34.95 Synflie-D 34.95 Syntend-D 27.95	CONTINENTAL USA, include \$3 Include 4% shipping on all Hat Mastercard & Visa please includ residents please add 5% sales t orders — add 5% shipping, m orders, please add 15% shippi are new and include factory wa
	Flight Simulator-D   34.95	Colonial Conquest-D 24.95 Gemstone Warrior-D 21.95 Six Gun Shootout-D 24.95 SYNAPSE Syncalc-D 34.95 Syntile-D 34.95 Syntend-D 27.95 Syncalc Templates-D 16.95 Relax-D 79.95	CONTINENTAL USA, include S3 Include 4% shipping on all Har Mastercard & Visa please includ residents please add 5% sales to orders — add 5% shipping, m orders, please add 15% shippi are new and include factory wa sales are final. All defective retu
The state of the s	Flight Simulator-D 34.95 Compuserve Starter Kit 21.95 Monkey Wrench-Cart 23.95 Ultima III-D 37.95 Sargon III-D 34.95 Odesta Chess-D 49.95 Ramrod XL 69.96 Universe-D 69.95 Beachead-D 21.95 Letter Perfect-D 39.95 Data Perfect-D 39.95	Colonial Conquest-D 24.95 Gemstone Warrior-D 21.95 Six Gun Shootout-D 24.95 SYNAPSE Syncalc-D 34.95 Syntile-D 34.95 Syntend-D 27.95 Syncalc Templates-D 16.95 Relax-D 79.95	CONTINENTAL USA, include S3 Include 4% shipping on all Har Mastercard & Visa please includ residents please add 5% sales to orders — add 5% shipping are new and include factory wa sales are final. All defective retu tion number. Please call 414-35 return will NOT be accepted for
	Flight Simulator-D   34.95	Colonial Conquest-D 24.95 Gemstone Warrior-D 21.95 Six Gun Shootout-D 24.95 SYNAPSE Syncalc-D 34.95 Synflie-D 34.95 Syntend-D 27.95	CONTINENTAL USA, include S3 Include 4% shipping on all Hal Mastercard & Visa please includ residents please add 5% sales to orders — add 5% shipping, m orders, please add 15% shipping are new and include factory was sales are final. All defective retution number. Please call 414-35

Prices effectiv November Accepted Baseball 24 95 In Track Racing 16 95 tarbowl Football 18 95 Vinter Games 24 95		
GENERAL HARDWARE		
star	MODEMS Volksmodem 1200 189	

ATARI SUPER SPECIAL

CIE COLOR	MODEMO
THE POWER BOHNO THE PRINTED WORD.	Volksmodem 1200 189
mitronics-inc	Racal-Vadic 300/1200 319
	Prometheus 1200 319
SG-10 215	
SG-15 369	PRINTERS
	Panasonic 1091 245
SD-10 339	
	Citoh 8510AP + 329
SD-15 449	
SR-10 Call	Legend 880
	Legend 1080219
SR-15 Call	Citoh 7500AP + 219
PRINTER BUFFERS	
FUINTEN DUFFERS	Epson
U-Print-16K 79.95	Panasonic 1090 199
	Powertype 309 309
U-Print-64K 99.95	
	Juki 5510
ARRICACO	MIDITED

#### AMIGA COMPUTER **CALL FOR HARDWARE** AND SOFTWARE PRICES

### **APPLE**

BRODERBUND	ELECTRONIC ARTS
Print Shop-D 33.	
Karateka-D 21.5	
Champ Loderunner-D 21.5	
Bank Street Writer-D 44.5	
Print Shop Graphics-D 17.9	
Dazzle Draw 39.9	
APPLE M	ISCELLANEOUS
Ghostbusters 25.9	95 Star League Baseball . 23.95
Flight Simulator II 34.9	
F-15 Strike Foole 21 (	

Bruce Lee ...........25.95 Conan .....

Sideways ..... 39.95

tock hundreds of programs for Apple, Atari, C-64 and IBM if don't see it listed here don't ate to call.

Cassette D - Disk Cart - Cartridge EST. 1982 -

omput Ability

P.O. Box 17882, Milwaukee, WI 53217 ORDER LINES OPEN ri 11 a.m. - 7 p.m. CST • Sat. 12 p.m. - 5 p.m. CST

To Order Call Toll Free

00-558-0003

For Technical Info, Order Inquiries, or for Wisc. Orders

14-351-200

RING INFORMATION: Please specify system. delivery send cashier's check, money order or direct bank s. Personal and company checks allow 2 weeks to clear. s for COD are \$3.00. School Purchase Orders welcome. In IENTAL USA, include \$3.00 shipping per software order, 4% shipping on all Hardware orders, minimum \$4.00. ard & Visa please include card # and expiration date. WI and & visa please include and # and explication and with the state of the please add 5% sales tax. HI, AK, FPO, APO, Canadian — add 5% shipping, minimum \$5.00. All other foreign please add 15% shipping, minimum \$10.00. All goods and include factory warranty. Due to our low prices, all e final. All defective returns must have a return authorizanber. Please call 414-351-2007 to obtain an RA# or your vill NOT be accepted for replacement or repair. Prices and ity are subject to change without notice.

C-128 Computer Call
1571 Disk Drive Call
1902 MonitorCall
Call for our special package price
SUPER PRINTER PACKAGES
SG-10 & G-WIZ
Panasonic 1091 & G-WIZ 309
Panasonic 1090 & G-WIZ
Legend 880 & G-WIZ 271
Legend 1080 & G-WIZ 282
Citoh 8510AP + & G-WIZ 395
Super Printer Packages have no extra charges
added when shipped in Continental USA
MODEMS Animation Station

MODEMS	Animation Station
Westridge AA/AD	for C-64 49.95 PRINTER INTERFACES
INDUS GT for C-64 Call	G-Wiz

C-64 SUPER SPECIALS Super Special Prices effective now thru November 30, 1985
Baseball 24.95 Star Rank Boxing Micro League Baseball 24.95 18.95 21.95 On Track Racing One on One

On Field Football 18.95 On Court Tennis 18.95 Star League Baseball 18.95	X-Country Road Race 18.95 Batter up 24.95 Racing Destruction Kit 21.95
COMMODOR	E SOFTWARE
SSI           Questron-D         24,95           Phantasie-D         24,95           Germany 1985-D         37,95           Wings of War-D         24,95           Figher Command-D         37,95           Mech Brigade-D         37,95           Norway 1985-D         21,95           See Atan Section for Rest of Items and Prices           ELECTRONIC ARTS           Sky Fox-D         24,95	ACCESS Beachhead-D 21.95 Beachhead II-D 24.95 Raid/Moscow-D 24.95
Mail Order Monster-D 24.95 Adv. Construction-D 29.95 Racing Destruction-D 24.95 Golden Oldies-D 19.95 See Atari Section for Rest of	INFOCOM   27.95   29.95   29.95   Witness-D   29.95

Adv. Construction-D 29.95 Racing Destruction-D 24.95 Golden Oldies-D 19.95 See Atari Section for Rest of Items and Prices INSTA Insta-Calc/Graph Combo-D 24.95 Insta-Ledger-D 39.95 Insta-Writer-D 14.95 Management Combo-D 39.95 Insta-Speed-D 39.95	Zork   I or   III-D
---	---------------------

COMDO-D		
Insta-Speed-D	39.95	
MISCELLA	NEOU	S COMMODORE
Ultima III-D	37.95	Batter-Up-D 29.95
Flight Simulator II-D	34.95	Amer. Cross Country
Castle Wolfenstein-D	20.95	Race-D 20.95
Superbase 64-D	47 95	Syncalc-D 34.95
Strip Poker-D	23 95	Superbowl Sunday-D 24.95
Slap Shot Hockey-D .	14 95	Railroad Works-D 24.95
Mastertype-D		VIP Terminal-D 29.95
Star League		Compuserve Starter
Baseball-D	20.95	Kit 21.95
S.A.MD		Reach for the Stars-D 29.95
Alien Voice Box		Carriers at War-D 34.95
Sargon III-D	34.95	Compubridge-D 19.95
Ultima IV-D	41.95	Grand Master Chess-D 19.95
Typing Tutor III-D	34.95	Voice Messenger-D 44.95
On Field Football-D		Main Event Boxing-D 20.95
Ultima II-D	37.95	On Court Tennis-D 20.95
Blue Max-D	23.95	Crimson Crown-D 23.95
Blue Max 2001-D	20.95	The Works-D 34.95
Relax-D	79.95	Perry Mason-D 22.95
Microleague Baseball-D		Sherlock Holmes-D 23.95
Baseball-D	29.95	Frank & Ernest Adv-D 23.95
Stunt Flyer-D	27.95	Kobayashi Alternative-D 27.95
Expedition Amazon-D	23.95	Kobayashi Alternative-D 27.95 Hacker-D
Xyphus-D	27.95	Brimstone-D 27.95
Transylvannia-D		Fast Tracks-D 23.95
Halley Project-D	29.95	The Hobbit-D 23.95
Bounty Bob-Cart	29.95	Cave of Time-D 23.95
Fleet System II-D	44.95	Escape-D
Space Shuttle-D		Europe Ablaze-D 23.95
Ghostbusters-D	24.95	Karate Champ-D 25.95
		Disk Notcher 7.95

# COMPUTE! Back Issues

Here are some of the applications, tutorials, and games from available back issues of COMPUTE!. Each issue contains much, much more than there's space here to list, but here are some highlights:

May 1981: Named GOSUB/GOTO in Applesoft, Generating Lower Case Text on Apple II, Copy Atari Screens to the Printer, Disk Directory Printer for Atari, Realtime Clock on Atari, PET BASIC Delete Utility, PET Calculated Bar Graphs, Running 40 Column Programs on a CBM 8032, A Fast Visible Memory Dump, Cassette Filing System, Getting to a Machine Language Program, Epidemic Simulation.

June 1981: Computer Using Educators (CUE) on Software Pricing, Apple II Hires Character Generator, Ever Expanding Apple Power, Color Burst for Atari, Mixing Atari Graphics Modes 0 and 8, Relocating PET BASIC Programs, An Assembler in BASIC for PET Quadra PET: Multitasking?, Mapping Unknown Machine Language, RAM/ROM Memory, Keeping Tabs on a Printer.

July 1981: Home Heating and Cooling, Animating Integer BASIC Lores Graphics, The Apple Hires Shape Writer, Adding a Voice Track to Atari Programs, Machine Language Atari Joystick Driver, Four Screen Utilities for the PET, Saving Machine Language Programs on PET Tape Headers, Commodore ROM Systems, Using TAB, SPC, and LEN.

August 1981: Minimize Code and Maximize Speed, Apple Disk Motor Control, A Cassette Tape Monitor for the Apple, Easy Reading of the Atari Joystick, Blockade Game for the Atari, Atari Sound Utility, TI CBM "Fat 40," Keyword for PET, CBM/PET Loading, Chaining, and Overlaying, Adding a Programmable Sound Generator, Converting PET BASIC Programs to ASCII Files.

October 1981: Automatic DATA Statements for CBM and Atari, VIC News, Undeletable Lines on Apple, PET, and VIC; Budgeting on the Apple, Atari Cassette Boot-tapes, Atari Variable Name Utility, Atari Program Library, Train Your PET to Run VIC Programs, Interface a BSR Remote Control System to PET, A General Purpose BCD to Binary Routine, Converting to Fat-40 PET.

December 1981: Saving Fuel \$\$ (multiple computers), Unscramble Game (multiple computers), Maze Generator (multiple computers), Animating Applesoft Graphics, A Simple Atari Word Processor, Adding High Speed Vertical Positioning to Atari P/M Graphics, OSI Supercursor, A Look at SuperPET, Supermon for PET/CBM, PET Mine Maze Game, Replacing the INPUT # Command, Foreign Language Text on the Commodore Printer, File Recovery.

January 1982: Invest (multiple computers), Developing a Business Algorithm (multiple computers), Apple Addresses, Lowercase with Unmodified Apple, Cryptogram Game for Atari, Superfont: Design Special Character Sets on Atari, PET Repairs for the Amateur, Micromon for PET, Self-modifying Programs in PET BASIC, Tinymon: A VIC Monitor, VIC Color Tips, VIC Memory Map, ZAP: A VIC Game.

May 1982: VIC Meteor Maze Game, Atari Disk Drive Speed Check, Modifying Apple's Floating Point BASIC, Fast Sort for PET/CBM, Extra Atari Colors Through Artifacting, Life Insurance Estimator (multiple computers), PET Screen Input, Getting the Most out of VIC's 500 Bytes.

August 1982: The New Wave of Personal Computers, Household Budget Manager (multiple computers), Word Games (multiple computers), Color Computer Home Energy Monitor, A VIC Light Pen for Under \$10, Guess That Animal (multiple computers), PET/CBM Inner BASIC, VIC Communica-

tions, Keyprint Compendium, Animation with Atari, VIC Curiosities, Atari Substring Search, PET and VIC Electric Eraser.

September 1982: Apple and Atari and the Sounds of TRON, Commodore Automatic Disk Boot, VIC Joysticks, Three Atari GTIA Articles, Commodore Disk Fixes, The Apple PILOT Language, Sprites and Sound on the Commodore 64, Peripheral Vision Exerciser (multiple computers), Banish INPUT Statements (multiple computers), Charades (multiple computers), PET Pointer Sort, VIC Pause, Mapping Machine Language, Commodore User-defined Functions Defined, A VIC Bug.

January 1983: Sound Synthesis and the Personal Computer, Juggler and Thunderbird Games (multiple computers), Music and Sound Programs (multiple computers), Writing Transportable BASIC, Home Energy Calculator (multiple computers), All About Commodore WAIT, Supermon 64, Perfect Commodore INPUTs, VIC Sound Generator, Copy VIC Disk Files, Commodore 64 Architecture.

May 1983: The New Low-Cost Printer/Plotters, Jumping Jack (multiple computers), Deflector (multiple computers), VIC Kaleidoscope, Graphics on the Sinclair/Timex, Bootmaker for VIC, PET, and 64, VICSTATION: A "Paperless Office," The Atari Musician, Puzzle Generator (multiple computers), Instant 64 Art, 64 Odds and Ends, Versatile VIC Data Acquisition, POP for Commodore.

June 1983: How to Buy the Right Printer, The New, Low-Cost Printers, Astrostorm (multiple computers), The Hawkmen of Dindrin (multiple computers), MusicMaster for the Commodore 64, Commodore Data Searcher, Atari Player/Missile Graphics Simplified, VIC Power Spirals, UnNEW for the VIC and 64, Atari Fast Shuffle, VIC Contractor, Commodore Supermon Q & A.

# COMPUTE! Back Issues

July 1983: Constructing the Ideal Computer Game, Techniques for Writing Your Own Adventure Game, SpeedSki and Time Bomb (VIC), Castle Quest and Roadblock (Atari), RATS! and Goblin (64), How to Create a Data Filing System (multiple computers), How to Back Up Disks for VIC and 64, Atari Artifacting, All About the Commodore USR Command, TI Mailing List.

August 1983: Weather Forecaster (multiple computers), First Math and Clues (multiple computers), Converting VIC and 64 Programs to PET, Atari Verify, Apple Bytechanger, VIC and 64 Escape Key, Banish Atari INPUT Statements, Mixing Graphics Modes on the 64, VICplot, VIC/64 Translations: Reading the Keyboard, Musical Atari Keyboard, VIC Display Messages.

September 1983: Games That Teach, Caves of Ice, Diamond Drop, Mystery Spell, and Dots (multiple computers), VIC Pilot, Ultrasort (VIC, 64, PET), Easy Atari Page Flipping, Computer Aided Design on the TI, Relative Files on the VIC/64, Atari Fontbyter, TI Sprite Editor, All About Interrupts (multiple computers), Cracking the 64 Kernal, Making Change on the Timex/Sinclair, Build Your Own Random File Manager (multiple computers).

October 1983: Computer Games by Phone, Coupon File (multiple computers), Dragon Master and Moving Maze (multiple computers), Merging Programs from Commodore Disks, Atari Master Disk Directory, Sprites in TI Extended BASIC, Commodore EXEC, Multicolor Atari Character Editor, High Speed Commodore Mazer, Apple Sounds, Extra Instructions (multiple computers), Commodore DOS Wedges, Invisible Disk Directory for VIC and 64.

February 1984: What Makes a Good Game, Circus (multiple

computers), Quatrainment (multiple computers), Commodore 3-D Drawing Master (Apple version also included), Speedy BASIC for VIC and 64, Dr. Video 64.

March 1984: All About Adding Peripherals, Modern Memory: The Future of Storage Devices, Roader (multiple computers), Barrier Battle (multiple computers), Programming the TI: File Processing, Sound Shaper (multiple computers), Commodore Floating Subroutines, Big Buffer for Atari.

April 1984: Apple's Macintosh Unveiled, Securities Analysis (multiple computers), Worm of Bemer (multiple computers), Programming the TI: File Processing, Part 2, 1540/1541 Disk Housekeeping, Hidden Atari DOS Commands, Function Keys for the Apple, TI Tricks and Tips, Super Directory (multiple computers).

May 1984: The Digital Palette: Fundamentals of Computer Graphics, The Inside Story: How Graphics Tablets and Light Pens Work, Picture Perfect for Atari and Commodore 64, 64 Hi-Res Graphics Editor, Snertle (multiple computers), Pentominos: A Puzzle-Solving Program (multiple computers), A BASIC Cross-Reference (PET, 64).

June 1984: Choosing the Right Printer: The Easy Way to Hard Copy, Pests (multiple computers), Olympiad (multiple computers), Programming the TI: TI Graphics, MacroDOS for Atari, Part 1, Apple Variable Save, Programming 64 Sound, Part 1, Apple Input and Menu Screens.

July 1984: Evolutionary to the Core: The Apple IIc Heads for Home, The ABC's of Data Bases, Statistics for Nonstatisticians (multiple computers), Bunny Hop (multiple computers), Blueberries (multiple computers), Atari Artist, Applesoft Lister, Program Conversion with Sinclair BASIC and TI BASIC, Commodore 64 ROM Generations.

September 1984: New Trends in Educational Computing, Choosing the Best Educational Software, Missile Math (multiple computers), Lightsaver (multiple computers), Multiple Choice Quiz Generator (multiple computers), Lightning Sort (multiple computers), Commodore Autoboot, Apple Editing Hints, Atari Paddle Fixer, Musical TI Keyboard.

January 1985: VIC/64 TurboTape: Tape at Disk Speeds, Music in the Computer Age, Inside MSX, Paratrooper (multiple computers), Rescue of Blondell (Commodore/Atari), Guitar Tuner (multiple computers), Which Computer Language Is Best?, Machine Language Multiplication, Part 1, Enhanced Applesoft Input, Atari Terminal Program, IBM Pie Chart Maker.


February 1985: Special Games Issue, The New Atari, Fame Games, Birth of a Computer Game, Acrobat (multiple computers), Terminal Program for VIC & 64, Programming the TI Without a Math Background, Adding Sound Effects to Atari, Rebound: Machine Language IBM Game, Apple Bowling Champ, 64 Sound Effects.

Back issues are \$6 each. Price includes freight in the US. Outside the US add \$1 per magazine ordered for surface postage, \$4 per magazine for airmail postage. All back issues are subject to availability.

In the Continental US call TOLL FREE 800-334-0868 (919-275-9809 in NC)

Or write to:
COMPUTE! Back Issues
P.O. Box 5058
Greensboro, NC 27403 USA

Prepayment required in US funds. MasterCard, Visa, and American Express accepted. NC residents add 4.5% sales tax.



These figures are redrawn rapidly at different angles to create the illusion of rotation in space.

Following is a description of what each command does. Except for SWAP, every command must be followed by one or more numeric values (numbers or numeric variables).

#### Large-Scale Commands

These commands are used to prepare the computer for drawing and to perform other general tasks:

SCREEN determines which of three screens is displayed. SCREEN 0 selects the normal text screen. SCREEN 1 switches you to the first graphics screen, and SCREEN 2 displays the second graphics screen. Switching to a graphics screen automatically sets up multicolor high-resolution mode. Animation is simulated by flipping back and forth between the two graphics screens. For instance, you can display a figure on screen 1 while redrawing it on screen 2, then display screen 2 while redrawing the shape on screen 1, and so on. SCREEN 0 restores the text screen when a program is finished.

It's important to remember which screen you're working on. When a graphics screen is displayed, arawing commands appear on that screen. When you're using the text screen, drawing commands take effect on the last graphics screen shown.

Use the function keys f1, f3, and f5 to switch from one screen to another in direct mode. For instance, try pressing f1. The computer prints SCREEN0 followed by a carriage return to execute that command (if you're already in the text screen, nothing changes). Press f3 to perform SCREEN1, f5 to perform SCREEN2, and f1 to return to

the text screen. Don't press these keys while a program is running.


DCLEAR clears a graphics screen. Use DCLEAR 1 to erase graphics screen 1 and DCLEAR 2 to clear screen 2. Both screens are cleared when you start up the program.

COLOR sets the screen and drawing colors, using color numbers from 0-15 as listed in the 64 manual. This command is followed by five values in the general form COLOR BO,BA,C1,C2,C3. The first two values (BO and BA in this case) set the screen border and background colors. The last three values select drawing colors. In multicolor hi-res mode you can draw in up to three different colors. Thus, COLOR 0,0,1,3,6 sets the border and background colors to black and sets the drawing colors 1, 2, and 3 to white, cyan, and green, respectively. Since drawing commands refer to the drawing colors by number (1, 2, or 3), you should always execute a COLOR command before drawing.

ANGLE is an important command that sets the *observation angles*—your (the observer's) position in space relative to the X-Y-Z grid. Look at the figure again and imagine a cube is drawn there. If you remain stationary and rotate the grid—or if the grid remains stationary and you change your position—the cube's appearance changes. (Since the positioning is relative, you can visualize the change either way.)

ANGLE takes three values, which refer to the Y plane, X plane, and Z plane, respectively. These values represent degrees of rotation around the axis of each plane and must each be in the range —360–360. Program 3 demonstrates a simple use of ANGLE. By redrawing the same shape at different observation angles, you can achieve the illusion of movement in space. Note that ANGLE changes the effect of subsequent drawing commands. It does not change the appearance of existing objects.

PARAM sets four general parameters and should also be used before you begin to draw. It takes four values in the general form PARAM X,Y,SC,DI. The first two values (X and Y in this example) locate the *origin* or center of the 3-D grid on



Only three program lines are needed to draw this spherical surface.

the screen. Coordinate (0,0,0) of the grid is located wherever you put the origin. Since the graphics screen contains 160 horizontal pixels (screen dots) and 200 vertical pixels, the X value must be in the range 0–159 and the Y value must be in the range 0–199. Use an X value of 80 and a Y value of 100 to center the origin in the middle of the screen.

The third PARAM value (SC) is scale, which controls the overall size of the image. The larger the scale, the bigger the picture, and vice versa. This number must be in the range 0–100; a scale value of 20 works well in many cases. The final PARAM value (DI) is the distortion value, a number in the range of 0-250. On most monitors and TVs the pixels are actually wider than they are high, causing a mathematically perfect circle to look elliptical on the screen. This value adds a correction factor to eliminate the distortion. A distortion value of 165 works well in most instances. If your circles still look squashed, experiment with other values.

#### **Drawing Commands**

These commands draw points, straight lines, and circles or ellipses:

DPLOT draws a point on the current graphics screen and is followed by four values. The first three values set coordinates for the point in Z-X-Y order, and the fourth selects one of the three drawing colors defined in an earlier COLOR command.

DLINE draws a line from one point to another. It requires seven values: three coordinates for the starting point, three coordinates for the ending point, and the drawing color. Both sets of coordinates are in

Here are 145 reasons to buy at Elek-Tek, not to mention the fastest delivery anywhere.

Save 30% to 43% off Manufacturer Suggested Retail prices on

EPSON • Okidata • Star TOSHIBA • COMREX • OLYMPIA

Sitar

# **BERNOULLI BOX**

	DEITHOOLE DOX
1.	5 meg Drive for MacIntosh \$ 1375
1a.	Cartridges for above43
2.	10 meg Drive for IBM-PC/XT/ AT & compatibles 1790
3.	20 meg Drive for IBM-PC/XT/ AT & compatibles 2490
4.	10 meg Drive w/ Auto Boot for IBM-PC/XT & compatibles 1890
5.	20 meg Drive w/ Auto Boot for IBM-PC/XT & compatibles 2590
6.	10 meg cartridges for above (3 pak special) 125

		EPSON FX 85
	EPSON®	17.00
16. 17.		\$ 215
18. 19.	FX 85	475
20. 21.	DX10 Daisy Wheel 10CF	CALL S 230
22. 23.	DX20 Daisy Wheel 20Ch Comrex II Comriter	S CALL269

PRODUCTS FOR IBM-PC

46.	SG 10	CALL
47.	SR 10/15	CALL
	OKIDATA	
48.	Oki 182	CALL
49.	Oki 192/193	
	Oki 84	
	OTHER PRINTE	RS
51.	Olympia Compact 2	\$ 350
52.		
53.	Toshiba P351	
54.	Toshiba P1340	CALL

	HEWLETT-PACKARD
73. 74.	HP-71B Computer \$ 399 HP-82400A
75.	Series 70 card reader 125 HP-82401A
	HP-IL interface 95
76.	<b>HP-82402A</b> 4K memory module 60
77.	HP-82700A
78.	8K memory module 150 HP-82441A
79.	Assembly/Forth
	HP-71 math pac
80.	HP-82482A HP-71 finance pac 60
81.	HP-82483A Surveying Pac
82.	HP-82484A
83.	Curve Fitting
	Text Editor60
84.	HP-82488A Data Com. Pac120
1215	ADDRESS DUBOUAGE

#### **SPECIAL PURCHASE**



HP-41C \$105

While Limited Quantities Last

86.	HP-41CV\$168
87.	HP-41CX245
88.	Optical Wand 95
89.	Card Reader145
90.	Printer
91.	Quad R.A.M. (for HP41C) 60
92.	Ext. Memory Module 60
93.	Ext. Function Module 60
94.	Time Module60
95.	HP-IL Loop Module 95
96.	Digital Cassette Drive 400
97.	Printer/Plotter (HP-IL) 335
98	HP-2225B
	ThinkJet Printer
99.	HP-9114A
	Disk Drive 600

#### SLIMLINE Shirtpocket Styled **Power Packed Programmable** LCD PROBLEM SOLVERS

100.	HP-11C	
	Scientific	58
101.	HP-15C	
	Scientific	90
102.	HP-12C	
	Financial	90
103.	HP-16C	
	Programmer	90



#### PRINTER BUFFERS DDP-16 16K Par./Par. (exp. to 64K) . . . 70 QUADRAM 8. QRMP8 8K Parallel/Parallel . . . . . . 125 QRMPS8 8K Parallel/Serial . . . . . . . . 139 QRMSP8 8K Serial/Parallel . . . . . . . . 139 **ORMSS8** 8K Serial/Serial . . . . . . . . . . . . 139 POWER PROTECTORS

	FUWEN PROTECTION	
12.	PowerMite PG600-S9	
	6 outlet Surge Suppressor	30
13.	ISOBAR 8	
	8 outlet Surge Suppressor	50

# 74/11

#### Standby Power Systems

Protects your computer hardware and data when the power goes out.

14.	400VA (3.3A) 475
	<ul> <li>Transfertime—4-6 Mil. Sec.</li> </ul>
	<ul> <li>Waveform—rectangular</li> </ul>
	Runtime—up to 24 min.
15.	1000VA875
	Switches to battery powered

- back-up in 1/2 mil. sec. Clean sine wave output
- AC line synchronized Regulated output voltage

•	Surge Suppr
	EFI/RFI filter

24. Amdek 310A Amber Monitor . \$ 150 25. Generic Multi Multifunction Board, 64K . 150 26. AST SIx Pak + Multifunction Board, 64K . 229 27. AST SIx Pak + (loaded) Multifunction Board, 384K . 289 28. AST Megaplus II Multifunction Board, 64K . 270 29. Quadram Quadboard Multifunction Board, 0K . 195 30. Quadram Quadboard Multi Board, 64K/384K . 210/267 31. Orchid Tech. PC Turbo 186 . 570 32. Paradise
Amber Monitor \$150 25. Generic Multi Multifunction Board, 64K 150 26. AST Six Pak + Multifunction Board, 64K 229 27. AST Six Pak + (loaded) Multifunction Board, 384K 289 28. AST Megaplus II Multifunction Board, 64K 270 29. Quadram Quadboard Multifunction Board, 0K 195 30. Quadram Quadboard Multi Board, 64K/384K 210/267 31. Orchid Tech. PC Turbo 186 570 32. Paradise
25. Generic Multi Multifunction Board, 64K 150 26. AST Six Pak + Multifunction Board, 64K 229 27. AST Six Pak + (loaded) Multifunction Board, 384K 289 28. AST Megaplus II Multifunction Board, 64K 270 29. Quadram Quadboard Multifunction Board, 0K 195 30. Quadram Quadboard Multi. Board, 64K/384K 210/267 31. Orchid Tech. PC Turbo 186 570 32. Paradise
Multifunction Board, 64K
26. AST SIx Pak + Multifunction Board, 64K 229 27. AST SIx Pak + (loaded) Multifunction Board, 384K 289 28. AST Megaplus II Multifunction Board, 64K 270 29. Quadram Quadboard Multifunction Board, 0K 195 30. Quadram Quadboard Multi Board, 64K/384K 210/267 31. Orchid Tech. PC Turbo 186 570 32. Paradise
Multifunction Board, 64K
27. AST SIx Pak + (loaded) Multifunction Board, 384K 289 28. AST Megaplus II Multifunction Board, 64K 270 29. Quadram Quadboard Multifunction Board, 0K 195 30. Quadram Quadboard Multi, Board, 64K/384K 210/267 31. Orchid Tech. PC Turbo 186 570 32. Paradise
AST Megaplus II Multifunction Board, 64K
AST Megaplus II Multifunction Board, 64K
Quadram Quadboard     Multifunction Board, OK
Multifunction Board, 0K 195 30. Quadram Quadboard Multi. Board, 64K/384K 210/267 31. Orchid Tech. PC Turbo 186 570 32. Paradise
30. Quadram Quadboard Multi. Board, 64K/384K 210/267 31. Orchid Tech. PC Turbo 186
Multi. Board, 64K/384K 210/267 31. Orchid Tech. PC Turbo 186
31. Orchid Tech. PC Turbo 186
31. Orchid Tech. PC Turbo 186
32. Paradise
32. Paradise
1
Modular Graphics Card 275
33. Hercules Monochrome Card 329
34. Hercules Color
Color Graphic Card 170
35. Novation 490605-1
2400BPS inc. Mite Software 620
26 Novetion 400603
1/2 Card Modem 2400BPS No software
No software 425
37. Novation 490603-1
As above inc. MS-DOS Software . 490
38. Haves 1200B
Internal modem w/software 379
39. AT&T 4000
300/1200 Ext. Modem 335
40. Hayes 1200
External modem 399
41. Hayes 2400
External modem 599 42. US Robotics Courier 2400
42. US Robotics Courier 2400
Ext. 2400B Smart Modem 460
43. US Robotics Telpac
Telecomm. Software75 44. TEAC FD55B
1/2 ht. DSDD Disk Drive 90
72 IIL DODD DISK DIIVe 90
The state of the s

86.	PRODUCTS FOR APPLE
55.	U—Print IIc-16K
	Par Interface external \$ 85
56.	Grannler PI US
	Graphics Interface 80
57.	Buffered Grappler
	16K Buffer (Expand to 64K) . 150
58.	Kensington System Saver
-	Fan and Surge Suppr 69
59.	Super Cooling Fan
	Fan and Surge Suppr 29
60.	Gamma
	Disk Controller Card 48
61.	Gamma II
1794	SS Disk Drive for II, IIe, IIplus 125
62.	Gamma IIc
	SS Disk Drive for Ilc125
63.	Rana ELITE 2
	DSSD Disk Drive 335
64.	Rana FLITE 3
	DSDD Disk Drive 420
65.	
	80 col; 64K RAM for Ile 115
66.	Novation Apple Cat II
-	Novation Apple Cat II 300 Baud Modem 200
67.	Novation 212
	300/1200 Baud Modem 390
68.	Nov 49059112
-	Mod. & Soft. for MacIntosh . CALL
69.	Hayes Micromodem Ile
	300 Baud Modem 145
70.	Hayes Smartmodem IIc
	300 Baud Modem for Ilc 240
71.	Wico 501030
-	Analog Joystick
72.	Amdek Monitors CALL
16.	Zenith Monitors CALL
73.	

## **HUGE SAVINGS ON DISKETTES**

	o Dysan	maxell.	3M	SONY	wabash	MEMOREX
3½" SSDD	28.00	25.00	25.00	25.00		
DSDD	37.00	37.00	37.00	37.00	D H W STEET	EN SE
5¼ " SSDD	17.00	14.00	14.50	13.00	11.50	11.50
DSDD	21.00	18.00	18.00	16.00	12.50	14.00
SSDD96TPI	28.00	24.00	24.00	ting embl		ra Mer.
DSDD96TPI	37.00	29.00	29.00	SEN LINE	CONTRACTOR OF THE PARTY.	or Lake
51/4 " DSDDHD (For IBM AT)	45.00	39.00	40.00	de la visa	24.00	1) - III 15
8" SSDD**	25.00	29.00	25.00		19.00	S BEY
8" DSDD**	29.00	32.00	29.00	I	20.00	

Call for Quantity pricing for 10 boxes or more.

CALL TOLL FREE 800-621-1269 EXCEPT Illinois, Alaska

**3M** DATA CARTRIDGES

DC100 .													. !	\$	14.00
<b>DC300A</b>															18.00
DC300X	L														21.00
DC300X	L	F	•												22.00
DC600A															23.50
DC1000															15.00
	DC300A DC300X DC300X DC600A	DC300A . DC300XL DC300XL DC600A .	DC300A DC300XL/F DC300XL/F DC600A	DC300A DC300XL DC300XL/P DC600A	DC300A DC300XL DC300XL/P . DC600A	DC300A DC300XL DC300XL/P DC600A	DC300A	DC100 \$ DC300A DC300XL DC300XL/P DC600A DC1000							

Call for Quantity pricing for 10 cartridges or more

ELEK-TEK, inc. 6557 N Lincoln Ave Chicago IL 60645 [312] 631 7800 [312] 677 7660

b. Actis. Invited. Min. Drd. \$15.00. Vias or Master-Card by Mail or Physia, Mail. Cashier's Check, Mon. Drd. Personal Desket (2 hocker). Add \$0.01 till tem (AK. H. P.R. Canada and \$10.00 find burn) \$1.00 and \$70.00 find \$1.00 find the Armonia Desket (2 hocker). Add the Armonia Desket (2 hocker) which was a subject to Armonia Milker (2 hocker) and the Armonia Desket (2 hocker). Add the Armonia Desket (3 hocker) and the Armonia Desket (3 hocker) and the Armonia Desket (3 hocker). ceys or purchase with identical merchandise only. Computer and large peripherals replaced only when defective on arrival (within work days of delivery). Other problems covered by mit, warranty, ALL ELEKTEK MERCHANDISE IS BRAND NEW, FIRST QUALL AND COMPLETE. Delivery subject to availability. DUBS 109-118-0517

Z-X-Y order. The following program demonstrates a simple use of DLINE:

- 10 COLORØ,0,1,10,3:PARAM80,100
  ,20,165:DCLEAR1:SCREEN1:FOR
  J=0T0360STEP5
- 20 ANGLEJ, 90, 0: DLINE 3500, 0, 0, 4 500, 0, 0, 3: NEXT

Press f1 to return to screen 0 when the program is finished. Change the 90 in line 20 to 12 and run it again to see how a different observation angle affects the object's appearance.

DDRAW works like DLINE but starts drawing at the point where a previous DPLOT, DLINE or DDRAW command left off. Since the beginning point is already defined, this command needs only four values: three coordinates for the ending point and a drawing color. For example, DDRAW —500,0,0,1 draws a line from the previous point to (-500,0,0) in color 1.

**DCIRCLE** draws a circle or ellipse and requires eight values. The first three values are Z-X-Y coordinates that define the center of the circle. The fourth value sets the *radius*, or distance from the center to the circle's edge. The next three values define orientation angles for the circle, and the last value sets the drawing color.

This command takes the general form DCIRCLE Z,X,Y,R,AY, AZ,AX,C. As with ANGLE, the DCIRCLE orientation angles control which way the circle faces. When all three angles are zero, the circle is drawn in the Z-Y plane. Increasing the value of AY causes a counterclockwise rotation around the Y axis. If AY is 90, AZ is 0, and AX is 0, the circle is drawn in the X-Y plane. Increasing the value of AZ rotates the circle counterclockwise around the Z axis. When AY is 0, AZ is 90, and AX is 0, the circle is drawn in the X-Z plane. Increasing the value of AX rotates the circle counterclockwise around the X axis.

DCIRCLE uses integer computations to speed up the drawing process. Though the command accepts noninteger (fractional) values, it only uses the integer part of the number. This program shows how a spherical surface can be formed out of many circles.

- 10 COLORØ, Ø, 1, 10, 3: PARAM8Ø, 100, 20, 165: DCLEAR1: SCREEN1
- 20 FORJ=90TO 0STEP-5:ANGLE0,J, 0:DCIRCLE0,0,0,4500,0,90,0, 2:NEXT
- 30 FORJ=5T075STEP10:ANGLE0,90, 0:DCIRCLE0,0,0,4500,0,J,0,3 :NEXT



"3-D Graphics Package" helps you draw complex shapes like these.

#### **Animation Commands**

This group of commands simplifies the process of drawing and redrawing complex objects:

ANIM stands for animate and takes one value corresponding to the screen you want to affect. ANIM 1 displays graphics screen 2, clears screen 1, and lets you draw on screen 1. ANIM 2 does the reverse: Screen 1 is displayed, screen 2 is cleared, and you're ready to draw on screen 2. Program 2 demonstrates a typical use of ANIM.

SWAP exchanges the contents of screen 1 and screen 2, providing another means of animation. For instance, you might display screen 1 at all times, redrawing the figure on screen 2 (which is not seen), then quickly move the new figure into screen 1 with SWAP. This command requires no parameters.

FSET is a very powerful command that lets you define up to three figures. Once a figure is defined, it can be drawn quickly at any time with a FIGURE command (see below). A figure consists of a series of drawing instructions, and each use of FSET lets you add one drawing instruction to the figure.

The general form of the command is FSET FN,Z,X,Y,C,I. In this example, FN sets the figure number that determines which of the three possible figures you are working on. Z, X, Y, and C represent three coordinates and a drawing color,

and I represents the drawing instruction. The instruction can be either a DPLOT or a DLINE command. If I is 0, then FSET performs DPLOT, drawing a point at (Z,X,Y) in the color C. If I is 1, FSET performs DLINE, drawing a line from the last coordinate defined to the point (Z,X,Y) in the color C. The first of the three figures defined by FSET may contain up to 120 separate drawing instructions. Figures 2 and 3 are limited to 80 instructions each.

FIGURE is used to draw an entire figure previously defined with an FSET command. It takes a single value corresponding to the figure number. For instance, FIGURE 1 draws the first figure defined with FSET. FIGURE 2 draws the second, and so on.

FCLEAR clears any of the three figure definitions, permitting you to create new figures with FSET. FCLEAR 1 clears the figure 1, FCLEAR 2 clears the figure 2, and so on.

#### **Memory Allocation**

Here are the various memory areas used by this program:

 32768-33791
 Screen 2 color memory

 33792-40959
 Program code

 40960-49151
 Screen 2 bitmap

 49152-52223
 Figure definitions

 52224-53247
 Screen 1 color memory

 57344-65535
 Screen 1 bitmap

#### **Ouick Reference Table**

ANGLE Y,X,Z
ANIM N
COLOR BO,BA,C1,C2,C3
DCIRCLE Z,X,Y,R,AY,AZ,AX,C
DCLEAR N
DDRAW Z,X,Y,C
DLINE Z,X,Y,Z1,X1,Y1,C
DPLOT Z,X,Y,C
FCLEAR FN
FIGURE FN
FSET FN,Z,X,Y,C,I
PARAM X,Y,SC,DI
SCREEN N
SWAP

# Program 1: 3-D Graphics Package

Please refer to the "MLX" article in this issue before entering the following listing.

34000 :032,189,137,032,193,137,160
34006 :032,015,153,032,036,153,123
34012 :032,055,153,169,000,141,002
34018 :084,003,141,085,003,141,171
34024 :086,003,141,087,003,141,181
34030 :088,003,141,087,003,032,082
34036 :101,141,169,080,141,099,207
34042 :003,169,100,141,100,003,254

```
34054 :165,141,102,003,169,160,234
                                       34600 :024,134,141,063,003,076,225
                                                                              35146 : 221, 169, 009, 141, 024, 208, 078
34060 :141,078,138,032,068,166,123
                                       34606 :117,137,032,027,134,141,122
                                                                              35152 :169,059,141,017,208,169,075
34066
      :169,012,141,064,003,169,064
                                       34612 :084,003,140,085,003,032,143
                                                                              35158 : 024, 141, 022, 208, 096, 173, 238
      :011,141,060,003,169,010,162
34072
                                       34618
                                              :024,134,141,086,003,140,074
                                                                                    :000,221,041,248,009,007,106
                                                                               35164
34078
      :141,061,003,169,013,141,046
                                       34624
                                              :087,003,032,024,134,141,229
                                                                              35170 :141,000,221,169,021,141,023
34984
      :062,003,169,014,141,063,232
                                       34630
                                              :088,003,140,089,003,076,213
                                                                              35176
                                                                                    :024,208,169,027,141,017,178
34090
      :003,032,117,137,032,091,198
                                       34636
                                              :101,141,032,027,134,140,139
                                                                              35182 : 208, 169, 008, 141, 022, 208, 098
34096
      :137,024,162,255,160,127,145
                                       34642 :156,003,141,155,003,032,060
                                                                              35188
                                                                                    :096,173,064,003,141,032,113
34102
       :032,153,255,032,191,227,176
                                       34648 :024,134,140,158,003,141,176
                                                                              35194 : 208, 173, 060, 003, 141, 033, 228
34108 :120,169,019,141,004,003,004
                                                                              35200 :208,173,061,003,010,010,081
35206 :010,010,013,062,003,160,136
                                       34654 :157,003,032,024,134,140,072
34114 :169,136,141,005,003,169,177
                                       34660 :160,003,141,159,003,032,086
34120 : 201, 141, 006, 003, 169, 135, 215
                                                                              35212 :250,153,255,203,153,249,123
35218 :204,153,243,205,153,237,061
                                       34666 : 024, 134, 140, 162, 003, 141, 198
34126
      :141,007,003,169,163,141,190
                                       34672
                                              :161,003,032,024,134,140,094
      :008,003,169,135,141,009,037
34132
                                       34678
                                              :085,003,141,084,003,032,210
                                                                              35224 : 206, 153, 255, 127, 153, 249, 015
34138 :003, 169, 228, 141, 024, 003, 146
                                       34684
                                              :024,134,140,087,003,141,141
                                                                              35230 :128,153,243,129,153,237,177
      :169,133,141,025,003,169,224
                                       34690
                                              :086,003,032,024,134,140,037
                                                                              35236 :130,136,208,229,173,063,079
34150
      :001,141,022,003,169,134,060
                                       34696
                                              :089,003,141,088,003,032,236
                                                                              35242 :003,160,250,153,255,215,182
34156
      :141,023,003,169,074,141,147
                                       34702 :024,134,141,065,003,076,073
                                                                              35248 :153, 249, 216, 153, 243, 217, 127
34162
      :143,002,169,153,141,144,098
                                       34708 :251,145,032,027,134,201,170
                                                                              35254 :153,237,218,136,208,241,095
34168
      :002,088,160,000,185,138,181
                                       34714 :001,208,003,076,189,137,000
                                                                              35260 :096,169,224,208,002,169,032
34174
      :133,032,210,255,200,192,124
                                       34720 :076,193,137,032,115,000,201
                                                                              35266 :160,133,088,169,224,133,077
34180 :090, 208, 245, 076, 116, 164, 007
                                       34726 : 201, 204, 144, 025, 201, 217, 134
                                                                              35272 :089,169,000,133,087,168,078
      :147,153,018,032,032,032,040
34186
                                       34732 :176,021,032,180,135,076,024
                                                                                    :145,087,200,208,251,230,047
                                                                              35278
34192
      :051,045,068,073,077,069,015
                                       34738 :174,167,233,203,010,168,109
                                                                              35284 :088, 230, 089, 208, 245, 096, 144
34198 :078,083,073,079,078,032,061
                                       34744 :185,014,137,072,185,013,022
                                                                              35290 :165,026,074,074,074,133,252
34204 :080,073,067,084,085,082,115
                                       34750 :137,072,076,115,000,032,110
                                                                              35296 :087,010,010,024,101,087,031
34210 :069,032,065,078,065,076,035
                                       34756 :121,000,076,231,167,016,039
                                                                              35302 :133,087,074,074,133,088,051
34216 :089,083,073,083,032,032,048
                                       34762 :066,201,255,240,062,036,038
                                                                              35308 :165,087,010,010,010,010,016
34222 :032,032,032,032,032,032,110
                                       34768 :015,048,058,170,132,073,192
                                                                              35314 :010,010,133,087,169,007,146
34228 :032,146,154,153,018,032,203
                                       34774 : 201, 204, 176, 010, 160, 160, 101
                                                                              35320 :037,026,024,101,087,133,144
34234 :032,032,032,032,032,032,122
                                       34780 :132,035,160,158,132,034,103
                                                                              35326
                                                                                    :087,096,165,025,074,074,007
34240 :032,032,032,066,089,032,219
                                             :208,011,233,076,170,160,060
                                       34786
                                                                              35332 :133,089,074,074,074,074,010
34246 : 067, 072, 082, 073, 083, 084, 147
                                             :136,132,035,160,199,132,002
                                                                              35338
                                                                                    :074,133,090,165,089,010,059
                                       34798 :034,160,000,010,240,016,186
34804 :202,016,012,230,034,208,178
34252 :073,065,078,032,077,046,063
                                                                              35344 :010,010,133,089,169,003,174
34258 :032,080,065,078,078,069,100
                                                                              35350
                                                                                    :037,025,170,169,000,133,044
34264
      :084,079,078,032,032,032,041
                                       34810 :002,230,035,177,034,016,232
                                                                              35356 :091,173,065,003,240,024,112
34270 :032,032,032,146,154,013,119
                                       34816 :246,048,241,200,177,034,178
                                                                              35362
                                                                                    :106,144,005,189,104,138,208
                                       34822 :048,008,032,071,171,208,032
34276
      :072,138,072,152,072,169,135
                                                                              35368 :133,091,173,065,003,106,099
34282 :127,141,013,221,172,013,153
                                       34828 :246,076,243,166,076,239,034
                                                                              35374
                                                                                    :106,144,009,024,189,104,110
34288 : 221, 016, 003, 076, 114, 254, 156
                                       34834 :166,166,122,160,004,132,000
                                                                              35380 :138,010,101,091,133,091,104
34294 :032, 188, 246, 032, 225, 255, 200
                                       34840 :015,189,000,002,016,007,253
                                                                              35386
                                                                                    :096,152,072,120,169,048,203
34300 :240,003,076,114,254,165,080
                                       34846 :201,255,240,062,232,208,204
                                                                              35392
                                                                                    :133,001,024,165,089,101,065
34306 :055,133,001,032,163,253,127
                                       34852 :244,201,032,240,055,133,173
                                                                              35398 : 087, 133, 093, 165, 090, 101, 227
34312 :032,024,229,032,018,133,220
                                       34858 :008,201,034,240,086,036,135
                                                                              35404 :088,105,224,133,094,160,112
34318 :108,002,160,230,122,208,076
                                       34864 :015,112,045,201,063,208,180
                                                                              35410
                                                                                    :000,177,093,061,100,138,139
34324 :002,230,123,096,032,017,008
                                       34870 :004,169,153,208,037,201,058
                                                                              35416
                                                                                    :005,091,145,093,169,055,134
34330 :134,032,138,173,032,191,214
                                       34876 :048,144,004,201,060,144,149
                                                                              35422 :133,001,088,104,168,096,172
35428 :063,207,243,252,064,016,177
34336 :177,032,121,000,164,100,114
                                       34882 :029,132,113,160,000,132,120
34342 :165,101,096,162,000,165,215
                                                                                    :004,001,032,218,137,032,018
:000,138,076,059,138,198,209
                                       34888 :011,136,134,122,202,200,109
                                                                              35434
34348 :100,016,015,162,001,056,138
                                       34894 :232,189,000,002,056,249,038
                                                                              35440
34354 :169,000,229,101,133,101,015
                                       34900 :158,160,240,245,201,128,192
                                                                              35446 :028,056,165,101,229,099,028
35452 :133,101,165,028,229,100,112
34360 :169,000,229,100,133,100,019
                                       34906 :208,048,005,011,164,113,127
34366 : 096, 032, 027, 134, 032, 041, 168
                                       34912 :232,200,153,251,001,185,094
                                                                              35458 :133,028,032,000,138,164,113
34372 :134,142,092,003,165,100,192
                                       34918 :251,001,240,089,056,233,204
                                                                              35464 : 026, 200, 136, 132, 026, 032, 176
34378 :141,091,003,165,101,141,204
                                      34924 :058,240,004,201,073,208,124
                                                                              35470
                                                                                    :218,137,032,059,138,196,154
34384 :090,003,032,024,134,032,139
                                       34930 :002,133,015,056,233,085,126
                                                                              35476 :028, 208, 243, 096, 032, 000, 243
34390 :041,134,142,095,003,165,154
                                       34936 :208, 159, 133, 008, 189, 000, 049
                                                                                    :138,164,026,136,200,132,182
                                                                              35482
34396 :100,141,094,003,165,101,184
                                       34942 :002,240,223,197,008,240,012
                                                                              35488 :026,032,218,137,032,059,152
34402 :141,093,003,032,024,134,013
                                      34948 :219,200,153,251,001,232,164
                                                                              35494 :138,196,028,208,243,096,051
34408 :032,041,134,142,098,003,042
                                       34954 :208,240,166,122,230,011,091
                                                                              35500 :230,027,024,165,101,101,052
34414 :165,100,141,097,003,165,013
                                      34960
                                            :200,185,157,160,016,250,088
                                                                                    :099,133,101,165,027,101,036
                                                                              35506
34420 :101,141,096,003,076,000,021
                                      34966 :185,158,160,208,180,160,177
                                                                              35512 :100,133,027,032,218,137,063
                                                                                    :164,025,136,200,132,025,104
:032,000,138,032,059,138,083
34426 :144,032,063,134,165,038,186
                                      34972 :255,202,200,232,189,000,210
                                                                              35518
34432 :133, 251, 133, 025, 165, 040, 107
                                      34978 :002,056,249,199,136,240,020
                                                                              35524
34438 :133, 252, 133, 026, 032, 024, 222
                                      34984
                                            :245,201,128,208,002,240,168
                                                                              35530
                                                                                    :196,027,208,243,096,198,146
34444 :134,165,101,141,065,003,237
                                      34990 :173,166,122,230,011,200,052
                                                                              35536
                                                                                   :027,056,165,101,229,099,117
34450 :076,108,138,032,063,134,185
                                      34996 :185,198,136,016,250,185,126
                                                                              35542 :133,101,165,027,229,100,201
34456 :165,038,133,251,165,040,176
                                      35002 :199,136,208,226,189,000,120
                                                                              35548 :133,027,032,218,137,164,163
                                      35008
                                            :002,016,155,076,009,166,104
34462 :133,252,032,017,134,032,246
                                                                              35554 :025,200,136,132,025,032,008
                                      35014 :032,068,080,076,079,212,233
34468 : 063, 134, 165, 038, 133, 253, 182
                                                                              35560
                                                                                    :000,138,032,059,138,196,027
34474 :165,040,133,254,032,024,050
                                      35020 :068,076,073,078,197,068,252
                                                                              35566
                                                                                    :027,208,243,096,165,251,204
34480 :134,141,065,003,076,242,069
                                      35026 :068,082,065,215,080,065,017
                                                                              35572
                                                                                    :133,025,165,252,133,026,210
34486 :138,032,027,134,141,099,241
                                      35Ø32
                                            :082,065,205,083,067,082,032
                                                                              35578 :197,254,144,012,032,039,160
34492 :003,032,024,134,141,100,110
                                      35038 :069,069,206,065,078,073,014
                                                                              35584
                                                                                    :139,165,253,133,251,165,082
34498 :003,032,024,134,141,101,117
                                      35044 : 205, 067, 079, 076, 079, 210, 176
                                                                              35590
                                                                                    :254,133,252,096,165,253,135
                                      35050 :065,078,071,076,197,068,021
34504 :003,032,024,134,141,102,124
                                                                              35596
                                                                                    :133,251,165,025,133,253,204
                                      35056 :067,073,082,067,076,197,034
34510 :003,096,032,027,134,208,194
                                                                                    :165,251,133,025,165,254,243
                                                                              35602
                                      35062 :068,067,076,069,065,210,033
                                                                                    :133,252,165,026,133,254,219
34516 :003,076,091,137,201,001,209
                                                                              35608
                                      35068 :070,083,069,212,070,073,061
                                                                                    :165,252,133,026,056,032,182
                                                                              35614
34522 :208,011,169,224,141,078,025
                                      35074 :071,085,082,197,070,067,062
34528 :138,032,117,137,076,039,251
                                                                              35620
                                                                                   :039,139,096,229,254,133,158
                                      35080 :076,069,065,210,000,122,038
                                                                              35626 :102,165,251,197,253,144,130
34534 :137,169,160,141,078,138,029
                                      35086 :134,148,134,162,134,182,140
                                                                              35632 :060,229,253,197,102,144,009
34540 :032,117,137,076,065,137,032
                                      35092 :134,207,134,241,134,014,116
                                                                              35638 : 027, 133, 098, 165, 102, 133, 200
34546 :032,027,134,201,001,208,077
                                                                              35644 : 097, 032, 174, 139, 165, 251, 150
                                      35098 :135,047,135,077,135,149,192
34552
     :011,032,039,137,169,160,028
                                                                              35650 :133,027,230,027,032,207,210
                                      35104 :135,078,151,057,152,007,100
34558 :141,078,138,076,193,137,249
                                                                              35656 :138,198,026,165,027,197,055
     :032,065,137,169,224,141,004
                                      35110 :153,173,000,221,041,248,106
34564
                                      35116 :009,004,141,000,221,169,076
                                                                              35662 :253,208,245,096,133,097,086
34570 :078,138,076,189,137,032,148
                                                                              35668 :165,102,133,098,032,174,020
34576 : 027, 134, 141, 064, 003, 032, 161
                                      35122 : 057,141,024,208,169,059,196
                                                                              35674 :139,165,252,133,028,230,013
                                      35128 :141,017,208,169,024,141,244
34582 : 024, 134, 141, 060, 003, 032, 160
                                                                              35680 :028,032,117,138,198,025,122
                                      35134 : 022, 208, 096, 173, 000, 221, 014
34588 :024,134,141,061,003,032,167
                                      35140 :041,248,009,005,141,000,000
                                                                              35686 :165,028,197,254,208,245,175
34594 : 024, 134, 141, 062, 003, 032, 174
```

36238 :003,173,081,003,133,087,110 36784 :141,108,003,173,066,003,158 35692 :096,056,165,253,229,251,134 36790 :172,067,003,032,081,141,166 35698 :197,102,144,029,133,098,049 :473,082,003,133,088,173,032 36244 36796 35704 :165,102,133,097,032,174,055 :174,108,003,208,021,024,214 :066,003,172,067,003,032,241 36250 35710 :139,230,099,165,251,133,119 :081,141,141,103,003,140,001 36802 :109,106,003,141,106,003,150 36256 35716 :027,198,027,032,172,138,214 :104,003,173,083,003,077,097 :152,109,107,003,141,107,051 36808 36262 35722 :198,026,165,027,197,253,236 36814 :003,016,046,238,108,003,108 :071,003,141,108,003,173,159 36268 35728 :208,245,096,133,097,165,064 :069,003,172,070,003,032,015 36820 :016,024,056,173,106,003,078 36274 35734 :102,133,098,032,174,139,060 36826 :229,091,141,106,003,173,193 36280 :081,141,141,106,003,140,028 35740 :165,252,133,028,230,028,224 :107,003,173,083,003,077,124 36832 :107,003,229,092,141,107,135 36286 36838 :003,048,005,206,108,003,091 :077,003,073,001,141,120,099 35746 : 032,117,138,230,025,165,101 36292 :003,173,075,003,172,076,192 36844 :016,017,056,169,000,237,219 35752 :028,197,254,208,245,096,172 36298 36304 :003,032,081,141,141,118,212 36850 :106,003,141,106,003,169,002 35758 :230,097,230,098,162,008,231 36310 :003,140,119,003,173,074,214 36316 :003,077,108,003,141,114,154 36856 :000,237,107,003,141,107,075 35764 :165,098,133,100,169,000,077 36862 :003,096,173,092,003,077,186 35770 :006,100,042,197,097,144,004 35776 :004,229,097,230,100,202,030 36322 :003,173,072,003,133,087,185 36868 :105,003,133,105,173,103,114 :173,073,003,133,088,173,107 36874 :003,133,087,173,104,003,001 35782 :208,242,133,098,162,008,025 36328 36334 :106,003,172,107,003,032,149 36880 :133,088,173,090,003,172,163 35788 :169,000,133,099,165,098,100 36340 :081,141,174,114,003,208,197 36886 :091,003,032,041,141,165,239 :006,099,042,197,097,144,027 35794 :008,141,112,003,140,113,255 :003,240,015,056,169,000,227 36892 :091,164,092,166,105,208,086 35800 :004,229,097,230,099,202,053 36346 36898 :006,133,038,132,039,240,110 36352 35806 :208,242,198,100,169,000,115 36358 :229,091,141,112,003,169,239 36904 :013,056,169,000,229,091,086 35812 :133,101,096,000,000,001,047 36364 :000,229,092,141,113,003,078 36910 :133,038,169,000,229,092,195 35818 :030,002,060,003,089,004,166 36370 :173,074,003,077,105,003,197 36916 :133,039,173,095,003,077,060 35824 :119,005,148,006,177,007,190 36922 :108,003,133,105,173,106,174 36376 :073,001,141,117,003,173,020 35830 :205,008,232,010,003,011,203 36928 :003,133,087,173,107,003,058 35836 :029,012,054,013,078,014,196 36382 :103,003,172,104,003,032,191 36934 :133,088,173,093,003,172,220 :102,015,124,016,144,017,164 36388 :081,141,174,117,003,208,248 35842 36940 :094,003,032,041,141,165,040 35848 :164,018,182,019,199,020,098 36394 :008,141,115,003,140,116,053 36946 :091,164,092,166,105,208,140 35854 : 214, 021, 228, 022, 240, 023, 250 36400 :003,240,015,056,169,000,019 36952 :013,024,101,038,133,038,179 35860 :250,025,002,026,008,027,102 36406 :229,091,141,115,003,169,034 36958 :152,101,039,133,039,076,122 35866 :012,028,014,029,014,030,153 36412 :000,229,092,141,116,003,129 36964 :115,144,056,165,038,229,079 36418 :174,105,003,240,017,056,149 :012,031,007,032,000,032,146 35872 36970 :091,133,038,165,039,229,033 36424 :169,000,237,103,003,141,213 35878 :246, 033, 234, 034, 219, 035, 071 36430 :103,003,169,000,237,104,182 36976 :092,133,039,173,098,003,138 :202,036,181,037,158,038,184 35884 36982 :077,111,003,133,105,173,208 35890 :132,039,103,040,071,041,220 36436 :003,141,104,003,174,108,105 36988 :109,003,133,087,173,110,227 36442 :003,240,017,056,169,000,063 35896 :035,041,253,042,211,043,169 36994 :003,133,088,173,096,003,114 35902 :166,044,117,045,065,046,033 36448 :237,106,003,141,106,003,180 37000 :172,097,003,032,041,141,110 36454 :169,000,237,107,003,141,247 35908 :010,046,206,047,144,048,057 37006 :165,091,164,092,166,105,157 36460 :107,003,173,080,003,077,039 35914 : 212, 049, 007, 049, 189, 050, 118 37012 :208,016,024,101,038,133,156 37018 :038,152,101,039,133,039,144 36466 :068,003,073,001,141,114,002 35920 :111,051,029,051,199,052,061 35926 :109,053,015,053,173,054,031 35932 :070,054,220,055,109,055,143 36472 :003,173,078,003,133,087,085 37024 :016,036,230,105,016,019,070 36478 :173,079,003,133,088,173,007 35938 : 250, 056, 130, 057, 006, 057, 142 37030 :056,165,038,229,091,133,110 36484 :066,003,172,067,003,032,219 37036 :038,165,039,229,092,133,100 36490 :081,141,174,114,003,208,091 35944 :134,058,001,058,120,058,021 37042 :039,048,004,198,105,016,076 36496 :021,024,109,112,003,141,042 35950 :234,059,087,059,192,060,033 36502 :112,003,152,109,113,003,130 37048 :013,056,169,000,229,038,177 35956 :036,060,131,060,222,061,174 :133,038,169,000,229,039,030 35962 :052,061,133,061,210,062,189 35968 :025,062,092,062,154,062,073 36508 :141,113,003,016,046,238,201 37054 36514 :114,003,016,024,056,173,036 37060 :133,039,165,038,133,087,023 35974 :211,063,007,063,054,063,083 35980 :097,063,134,063,166,063,214 36520 :112,003,229,091,141,112,088 37066 :165,039,133,088,173,101,133 36526 :003,173,113,003,229,092,019 37072 :003,160,000,032,041,141,073 37078 :165,090,133,087,165,091,177 36532 :141,113,003,048,005,206,184 :194,063,216,063,234,063,211 35986 :133,088,173,102,003,160,111 36538 :114,003,016,017,056,169,049 37084 :246,063,254,064,000,239,250 35992 35998 :132,238,231,246,254,255,234 36004 :246,231,132,143,149,142,183 36544 :000,237,112,003,141,112,029 37090 :000,032,041,141,165,105,198 36550 :003,169,000,237,113,003,211 37096 :208,011,024,173,099,003,238 36004 37102 :101,090,133,038,076,253,161 36010 :148,150,142,134,145,242,107 :141,113,003,173,080,003,205 37108 :144,056,173,099,003,229,180 36562 :077,071,003,073,001,141,064 36016 :146,134,149,132,231,151,095 :117,003,173,069,003,172,241 :070,003,032,081,141,174,211 36022 :134,145,145,138,150,144,014 37114 :090,133,038,173,092,003,011 36568 37120 :077,114,003,133,105,173,093 36574 36028 :145,133,106,132,107,169,212 36034 :000,157,068,003,157,071,138 37126 :112,003,133,087,173,113,115 36580 :117,003,208,021,024,109,198 37132 :003,133,088,173,090,003,246 36949 :003, 152, 016, 013, 024, 169, 065 36586 :115,003,141,115,003,152,251 37138 :172,091,003,032,041,141,242 36046 : 104, 101, 106, 133, 106, 144, 132 :109,116,003,141,116,003,216 37144 :165,091,164,092,166,105,039 36052 :002,230,107,230,107,056,176 36598 :016,046,238,117,003,016,170 36058 :165,106,233,180,168,165,211 36604 :024,056,173,115,003,229,084 37150 : 208,006,133,040,132,041,078 36064 :107,233,000,144,005,132,077 36610:091,141,115,003,173,116,129 37156 :240,013,056,169,000,229,231 36070 :106, 254, 068, 003, 165, 106, 164 36616 :003,229,092,141,116,003,080 37162 :091,133,040,169,000,229,192 36076 :201,090,144,014,189,068,174 36622 :048,005,206,117,003,016,153 37168 :092,133,041,173,095,003,073 37174 :077,117,003,133,105,173,150 36082 :003,208,003,254,071,003,016 36628 :017,056,169,000,237,115,102 37180 :115,003,133,087,173,116,175 36088 :169,180,229,106,176,008,092 36634 :003,141,115,003,169,000,201 37186 :003,133,088,173,093,003,047 36094 :189,068,003,157,071,003,233 36640 :237,116,003,141,116,003,136 37192 :172,094,003,032,041,141,043 36100 :165,106,010,133,106,168,180 36646 :173,080,003,077,077,003,195 :073,001,141,111,003,173,034 37198 :165,091,164,092,166,105,093 36106 :185,231,139,157,067,003,024 36652 36658 :075,003,172,076,003,032,155 37204 : 208, 013, 024, 101, 040, 133, 091 :185,232,139,157,066,003,030 :081,141,141,109,003,140,159 37210 :040,152,101,041,133,041,086 36118 : 056, 169, 180, 229, 106, 168, 162 36664 36670 :110,003,173,072,003,172,083 37216 :076, 112, 145, 056, 165, 040, 178 36124 :185,231,139,157,070,003,045 37222 : 229, 091, 133, 040, 165, 041, 033 :073,003,032,081,141,133,019 36130 :185,232,139,157,069,003,051 36676 36136 :096,133,089,132,090,169,237 36682 :087,132,088,173,080,003,125 37228 :229,092,133,041,173,098,106 36142 :000,133,091,133,092,162,145 36688 :077,074,003,077,071,003,129 37234 :003,077,120,003,133,105,043 36148 :017,024,102,092,102,091,224 36694 :141,105,003,173,069,003,068 37240 :173,118,003,133,087,173,039 36154 :102,090,102,089,144,013,086 :172,070,003,032,081,141,079 37246 36700 :119,003,133,088,173,096,226 36160 :024,165,087,101,091,133,153 36706 :174,105,003,208,021,024,121 37252 :003,172,097,003,032,041,224 37258 36166 :091,165,088,101,092,133,228 36712 :109,103,003,141,103,003,054 :141,165,091,164,092,166,189 36172 :092,202,208,230,096,032,168 36718 :152,109,104,003,141,104,211 37264 :105,208,016,024,101,040,126 :133,040,152,101,041,133,238 36178 :041,141,006,090,038,091,233 36724 :003,016,046,238,105,003,015 37270 36184 :038,092,006,090,038,091,187 36730 :016,024,056,173,103,003,241 37276 :041,016,036,230,105,016,088 36190 :038,092,165,091,164,092,224 36736 :229,091,141,103,003,173,100 37282 :019,056,165,040,229,091,250 36196 :096,173,084,003,172,085,201 36742 :104,003,229,092,141,104,039 37288 :133,040,165,041,229,092,100 36202 :003,162,000,032,189,140,120 :003,048,005,206,105,003,254 36748 37294 :133,041,048,004,198,105,191 36208 :173,086,003,172,087,003,124 36754 :016,017,056,169,000,237,129 37300 :016,013,056,169,000,229,151 36214 :162,006,032,189,140,173,052 36760 :103,003,141,103,003,169,162 37306 :040,133,040,169,000,229,029 36220 :088,003,172,089,003,162,129 36766 :000,237,104,003,141,104,235 37312 :041,133,041,165,040,133,233 36226 :012,032,189,140,173,083,247 37318 :087,165,041,133,088,173,117 36772 :003,173,080,003,077,074,062 36232 :003,077,068,003,141,105,021 36778 :003,077,068,003,073,001,139 37324 :101,003,160,000,032,041,029

```
38410 :173,083,003,141,098,003,255
37330 :141,165,105,208,011,024,096
                                      37870 :146,003,141,154,003,133,050
37336 :173,100,003,101,090,133,048
                                      37876 :254,032,242,138,165,106,157
                                                                              38416 :208,026,024,173,081,003,019
                                      37882 :201,090,240,003,076,122,214
                                                                              38422
                                                                                    :109.096.003.141.096.003.214
37342 :040,076,234,145,056,173,178
                                                                                    :173,082,003,109,097,003,239
37348 :100,003,229,090,133,040,055
                                      37888 :147,096,056,169,090,229,019
                                                                              38428
                                      37894
                                             :106,032,066,151,173,123,145
                                                                              38434
                                                                                    :141,097,003,016,048,238,065
37354 :169,159,197,038,176,002,207
                                                                              38440
                                                                                    :098,003,016,026,056,173,156
                                      37900 :003,141,068,003,173,121,009
37360 :133,038,169,199,197,040,248
                                                                              38446
                                                                                    :096,003,237,081,003,141,095
                                      37906 :003,172,122,003,032,081,175
37366 :176,002,133,040,096,173,098
                                                                              38452
                                                                                    :096,003,173,097,003,237,149
                                      37912 :141,141,066,003,140,067,070
37372
     :084,003,172,085,003,162,249
                                                                              38458
                                                                                    :082,003,141,097,003,048,176
                                      37918 :003,173,129,003,141,074,041
37378 :000,032,189,140,173,086,110
                                                                                    :005,206,098,003,016,017,153
                                      37924 :003,173,127,003,172,128,130
                                                                              38464
37384
      :003,172,087,003,162,006,185
                                                                              38470
                                                                                    :056,169,000,237,096,003,119
                                       37930 :003,032,081,141,141,072,000
37390 :032,189,140,173,088,003,127
                                            :003,140,073,003,173,135,063
                                                                              38476
                                                                                    :141,096,003,169,000,237,210
                                      37936
37396
     :172,089,003,162,012,032,234
                                      37942 :003,141,080,003,173,133,075
                                                                              38482
                                                                                    :097,003,141,097,003,173,084
37402 :189,140,173,077,003,077,173
                                      37948 :003,172,134,003,032,081,229
                                                                              38488
                                                                                    :161,003,133,087,173,162,039
37408 :080,003,141,126,003,173,046
                                      37954 :141,141,078,003,140,079,136
                                                                              38494
                                                                                    :003,133,088,173,090,003,072
37414 :075,003,133,087,173,076,073
                                                                              38500
                                                                                    :172,091,003,032,081,141,108
                                      37960 :003,165,106,032,066,151,083
37420 :003,133,088,173,078,003,010
                                       37966 :173,126,003,141,071,003,083
                                                                              38506
                                                                                    :173,092,003,240,013,056,171
37426 :172,079,003,032,081,141,046
                                      37972 :173,124,003,172,125,003,172
                                                                              38512
                                                                                    :169,000,229,091,133,091,057
37432 :141,124,003,140,125,003,080
                                      37978 :032,081,141,141,069,003,045
37984 :140,070,003,173,132,003,105
                                                                              38518
                                                                                    :169,000,229,092,133,092,065
37438 :173,077,003,077,068,003,207
                                                                              38524
                                                                                    :024,165,091,109,155,003,159
37444 :141,129,003,173,066,003,071
                                      37990 :141,077,003,173,130,003,117
                                                                              38530
                                                                                    :141,090,003,165,092,109,218
37450 :172,067,003,032,081,141,058
                                                                              38536
                                                                                    :156,003,141,091,003,169,187
                                      37996 :172,131,003,032,081,141,156
     :141,127,003,140,128,003,110
37456
                                      38002 :141,075,003,140,076,003,040
                                                                              38542
                                                                                    :000,141,092,003,173,091,130
37462 :173,077,003,077,083,003,246
                                                                              38548
                                                                                    :003,016,020,238,092,003,008
                                      38008 :173,138,003,141,083,003,149
37468 :141,138,003,173,081,003,119
                                                                              38554
                                                                                    :056,169,000,237,090,003,197
37474 :172,082,003,032,081,141,097
                                      38014 :173,136,003,172,137,003,238
                                                                              38560
                                                                                    :141,090,003,169,000,237,032
37480
      :141,136,003,140,137,003,152
                                       38020 :032,081,141,141,081,003,099
                                                                              38566
                                                                                    :091,003,141,091,003,173,156
                                      38026 :140,082,003,032,010,149,042
37486 :173,074,003,073,001,141,063
                                                                              38572
                                                                                    :093,003,172,094,003,032,057
37492
     :132,003,173,072,003,141,128
                                      38032 :165,038,141,139,003,165,027
                                                                              38578
                                                                                    :081,141,173,095,003,240,143
37498 :130,003,173,073,003,141,133
                                       38038 :040,141,140,003,173,071,206
                                                                              38584
                                                                                    :013,056,169,000,229,091,230
     :131,003,173,071,003,077,074
                                       38044 :003,073,001,141,071,003,192
37504
                                                                              38590
                                                                                    :133,091,169,000,229,092,136
37510 :080,003,073,001,141,135,055
                                       38050 :173,077,003,073,001,141,118
                                                                                    :133,092,024,165,091,109,042
                                                                              38596
                                       38056 :077,003,173,083,003,073,068
37516 :003,173,069,003,133,087,096
                                                                              38602
                                                                                    :157,003,141,093,003,165,252
                                       38062 :001,141,083,003,032,010,188
37522 :173,070,003,133,088,173,018
                                                                              38608 :092,109,158,003,141,094,037
                                       38068 :149,165,038,141,141,003,049
37528 :078,003,172,079,003,032,007
                                                                              38614
                                                                                    :003,169,000,141,095,003,113
                                       38074 :165,040,141,142,003,173,082
37534 :081,141,141,133,003,140,029
                                      38080 :068,003,073,001,141,068,034
38086 :003,173,074,003,073,001,013
                                                                              38620
                                                                                    :173,094,003,016,020,238,252
37540 :134,003,173,071,003,077,113
                                                                              38626
                                                                                    :095,003,056,169,000,237,018
37546 :083,003,141,123,003,173,184
                                       38092 :141,074,003,173,080,003,166
38098 :073,001,141,080,003,032,028
                                                                              38632
37552 :081,003,172,082,003,032,037
                                                                                    :093,003,141,093,003,169,222
                                                                              38638
                                                                                    :000,237,094,003,141,094,039
37558 :081,141,174,123,003,208,144
                                                                              38644
                                                                                    :003,173,096,003,172,097,020
                                       38104 :010,149,165,038,141,145,096
37564 :008,141,121,003,140,122,211
                                       38110 :003, 165, 040, 141, 146, 003, 208
                                                                              38650
                                                                                    :003,032,081,141,173,098,010
37570 :003,240,015,056,169,000,165
                                                                              38656
                                                                                    :003,240,013,056,169,000,225
37576 :229,091,141,121,003,169,186
                                       38116 :173,071,003,073,001,141,178
                                      38122 :071,003,173,077,003,073,122
38128 :001,141,077,003,173,083,206
38134 :003,073,001,141,083,003,038
                                                                              38662
                                                                                    :229,091,133,091,169,000,207
37582 :000,229,092,141,122,003,025
37588 :173,068,003,077,074,003,098
37594 :077,080,003,141,123,003,133
                                                                                    :229,092,133,092,024,165,235
                                                                              38668
                                                                              38674
                                                                                    :091,109,159,003,141,096,105
                                      38140 :032,010,149,165,038,141,019
37600 :173,066,003,133,087,173,091
                                                                              38680
                                                                                    :003,165,092,109,160,003,044
                                                                              38686 :141,097,003,169,000,141,069
37606 : 067, 003, 133, 088, 173, 072, 254
                                       38146 :143,003,165,040,141,144,126
                                                                              38692
                                                                                    :098,003,173,097,003,016,170
37612 :003,172,073,003,032,081,088
                                      38152 :003,096,173,066,003,141,234
                                                                              38698 : 020, 238, 098, 003, 056, 169, 114
37618 :141,133,087,132,088,173,228
                                      38158 :090,003,173,067,003,141,235
37624 :078,003,172,079,003,032,103
                                                                              38704
                                                                                    :000,237,096,003,141,096,109
                                       38164 :091,003,173,068,003,240,086
                                                                              38710 :003,169,000,237,097,003,051
37630 :081,141,174,123,003,208,216
                                       38170 :017,056,169,000,237,090,083
                                                                              38716 :141,097,003,076,000,144,009
37636 :021,024,109,121,003,141,167
                                      38176 :003,141,090,003,169,000,182
37642 :121,003,152,109,122,003,008
                                      38182 :237,091,003,141,091,003,092
                                                                              38722 :010,168,185,231,139,133,164
37648 :141,122,003,016,046,238,070
                                      38188 :173,071,003,141,092,003,015
                                                                              38728 :088,185,232,139,133,087,168
37654 :123,003,016,024,056,173,161
                                      38194 : 208, 026, 024, 173, 069, 003, 041
                                                                              38734
                                                                                    :096,032,027,134,201,001,057
37660 :121,003,229,091,141,121,222
                                      38200 :109,090,003,141,090,003,236
                                                                              38740 : 208, 047, 173, 164, 003, 240, 151
37666 :003,173,122,003,229,092,144
                                      38206 :173,070,003,109,091,003,255
                                                                              38746
                                                                                    :003,076,053,164,238,165,021
37672 :141,122,003,048,005,206,053
                                      38212 :141,091,003,016,048,238,093
                                                                              38752 :003,169,119,205,165,003,248
37678 :123,003,016,017,056,169,174
                                      38218 :092,003,016,026,056,173,184
                                                                              38758
                                                                                    :208,003,238,164,003,173,123
37684 :000, 237, 121, 003, 141, 121, 163
                                      38224 :090,003,237,069,003,141,111
                                                                              38764
                                                                                    :170,003,172,171,003,032,147
37690
      :003,169,000,237,122,003,080
                                      38230 :090,003,173,091,003,237,171
                                                                              38770
                                                                                    :231,151,173,170,003,105,179
37696 :141,122,003,169,000,133,120
                                      38236 :070,003,141,091,003,048,192
                                                                              38776
                                                                                    :011,141,170,003,173,171,021
37702 :106,032,002,148,173,139,158
                                      38242 :005, 206, 092, 003, 016, 017, 181
                                                                              38782 :003,105,000,141,171,003,037
37708 :003,141,147,003,173,140,171
                                      38248 :056,169,000,237,090,003,147
                                                                              38788 :096,201,002,208,047,173,091
37714 :003,141,148,003,173,141,179
                                      38254 :141,090,003,169,000,237,238
                                                                              38794
                                                                                    :166,003,240,003,076,053,167
37720 :003,141,149,003,173,142,187
                                      38260 :091,003,141,091,003,173,106
                                                                              38800 :164,238,167,003,169,080,197
                                                                              38806
37726 :003,141,150,003,173,143,195
                                      38266 :072,003,141,093,003,173,095
                                                                                    :205,167,003,208,003,238,206
37732 :003,141,151,003,173,144,203
                                      38272 :073,003,141,094,003,173,103
                                                                              38812 :166,003,173,172,003,172,077
      :003,141,152,003,173,145,211
                                      38278 :074,003,240,017,056,169,181
                                                                              38818 :173,003,032,231,151,173,157
37738
37744
      :003,141,153,003,173,146,219
                                      38284 :000,237,093,003,141,093,195
                                                                                    :172,003,105,011,141,172,004
                                      38290 :003,169,000,237,094,003,140
      :003,141,154,003,024,165,096
                                                                              38830 :003,173,173,003,105,000,119
37750
37756 :106,105,010,133,106,032,104
                                      38296 :141,094,003,173,077,003,131
                                                                                    :141,173,003,096,173,168,166
                                                                              38836
37762 :002,148,173,147,003,133,224
                                      38302 :141,095,003,208,026,024,143
                                                                                    :003,240,003,076,053,164,213
                                                                              38842
37768 :251,173,148,003,133,252,072
                                      38308 :173,075,003,109,093,003,108
                                                                              38848
                                                                                    :238,169,003,169,080,205,032
37774
      :173,139,003,141,147,003,236
                                      38314 :141,093,003,173,076,003,147
                                                                              38854
                                                                                    :169,003,208,003,238,168,219
37780 :133,253,173,140,003,141,223
                                      38320 :109,094,003,141,094,003,108
                                                                              38860 :003,173,174,003,172,175,136
37786
      :148,003,133,254,032,242,198
                                      38326 :016,048,238,095,003,016,086
                                                                              38866 : 003, 032, 231, 151, 173, 174, 206
37792
      :138,173,149,003,133,251,239
                                                                              38872
                                                                                    :003,105,011,141,174,003,141
                                      38332 :026,056,173,093,003,237,008
                                      38338 :075,003,141,093,003,173,170
38344 :094,003,237,076,003,141,242
     :173,150,003,133,252,173,026
                                                                                   :173,175,003,105,000,141,051
37798
                                                                              38878
37804 :141,003,141,149,003,133,230
                                                                              38884 :175,003,096,133,029,132,028
      :253,173,142,003,141,150,016
                                      38350 :094,003,048,005,206,095,145
                                                                                    :030,032,024,134,032,041,015
37810
                                                                              38890
37816 :003,133,254,032,242,138,218
                                      38356 :003,016,017,056,169,000,217
                                                                              38896 :134,160,002,138,145,029,080
37822 :173,151,003,133,251,173,050
                                                                              38902
                                                                                    :136,165,100,145,029,136,189
                                      38362 :237,093,003,141,093,003,020
                                                                              38908 :165,101,145,029,032,024,236
37828 :152,003,133,252,173,143,028
                                      38368 :169,000,237,094,003,141,100
37834 :003,141,151,003,133,253,118
37840 :173,144,003,141,152,003,056
                                      38374 :094,003,173,078,003,141,210
38380 :096,003,173,079,003,141,219
                                                                              38914
                                                                                    :134,032,041,134,160,005,252
                                                                              38920
                                                                                    :138,145,029,136,165,100,209
37846 :133,254,032,242,138,173,162
                                            :097,003,173,080,003,240,070
                                                                                    :145,029,136,165,101,145,223
                                      38386
                                                                              38926
                                                                              38932 :029,032,024,134,032,041,056
38938 :134,160,008,138,145,029,128
                                      38392
                                            :017,056,169,000,237,096,055
37852 :153,003,133,251,173,154,063
                                      38398 :003,141,096,003,169,000,154
38404 :237,097,003,141,097,003,070
37858 :003,133,252,173,145,003,167
                                                                              38944 :136,165,100,145,029,136,231
37864 :141,153,003,133,253,173,064
```

-	
20054	:165,101,145,029,032,024,022
38950	
38956	:134,160,009,145,029,032,041
38962	:024,134,160,010,145,029,040
38968	:024,096,032,027,134,201,058
38974	:001,208,025,173,165,003,125
38980	:208,003,076,053,164,173,233
38986	:165,003,141,176,003,169,219
38992	:000,133,029,169,192,133,224
200000000000000000000000000000000000000	
38998	:030,076,141,152,201,002,176
39004	:208,025,173,167,003,208,108
39010	:003,076,053,164,173,167,222
39016	:003,141,176,003,169,029,113
39022	:133,029,169,197,133,030,033
39028	:076,141,152,173,169,003,062
39034	:208,003,076,053,164,173,031
39040	:169,003,141,176,003,169,021
39Ø46	:141,133,029,169,200,133,171
39052	:030,160,000,177,029,141,165
39058	:090,003,200,177,029,141,018
39064	:091,003,200,177,029,141,025
39070	:092,003,200,177,029,141,032
39076	:093,003,200,177,029,141,039
100000000000000000000000000000000000000	
39082	:094,003,200,177,029,141,046
39088	:095,003,200,177,029,141,053
39094	:096,003,200,177,029,141,060
39100	:097,003,200,177,029,141,067
39106	:098,003,200,177,029,141,074
39112	:065,003,200,177,029,208,114
39118	:021,032,000,144,165,038,094
39124	122 251 122 025 165 040 101
The second second second second	:133,251,133,025,165,040,191
39130	:133,252,133,026,032,108,134
39136	:138,076,242,152,032,000,096
39142	:144,165,038,133,253,165,104
39148	:040,133,254,032,242,138,051
39154	:206,176,003,240,016,024,139
39160	:165,029,105,011,133,029,208
39166	165 020 105 000 122 020 205
2012372730	:165,030,105,000,133,030,205
39172	:076,141,152,096,032,027,016
39178	:134,201,001,208,017,169,228
39184	:000,141,164,003,141,165,118
39190	:003,141,170,003,169,192,188
39196	:141,171,003,096,201,002,130
39202	:208,019,169,000,141,166,225
39208	:003,141,167,003,169,029,040
39214	:141,172,003,169,197,141,101
Committee of the Commit	
39220	:173,003,096,169,000,141,122
39226	:168,003,141,169,003,169,199
39232	:141,141,174,003,169,200,124
39238	:141,175,003,096,173,003,149
39244	:220,240,027,165,198,208,110
39250	:020,164,190,177,195,240,044
39256	:009,141,119,002,230,198,019
39262	
	:230,190,208,005,169,000,128
39268	:141,003,220,076,066,235,073
39274	:173,141,002,208,035,165,062
39280	:203,201,004,208,007,169,136
39286	:183,160,153,076,149,153,224
39292	:201,005,208,007,169,193,139
39298	
	:160,153,076,149,153,201,254
39304	:006, 208, 007, 169, 203, 160, 121
39310	:153,076,149,153,076,072,053
39316	:235,133,195,132,196,165,180
39322	:198,208,023,032,072,235,154
39328	:165,198,240,016,198,198,151
39334	:169,016,141,003,220,169,116
39340	:000,141,001,220,169,000,191
39346	:133,190,076,066,235,083,193
39352	:067,082,069,069,078,032,069
39358	:048,013,000,083,067,082,227
39364	:069,069,078,032,049,013,250
39370	:000,083,067,082,069,069,060
39376	:078,032,050,013,000,013,138

# Program 2: Complex Animation Demo

For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.

```
10 REM SET FIGURE 1 :rem 36
20 FCLEAR 1 :rem 64
30 FOR I=1 TO 33 : READ X,Y,Z,
CO,A :rem 238
```

			-	
40	FSET 1,	X*500	Y*500,	Z*500,CO
	, A			:rem 190
	NEXT I			:rem 237
60	REM SET	FIGUI	RE 2	:rem 42
				:rem 164
		TO 33	B : REA	AD X,Y,Z,
	CO, A	27.23		:rem 243
90	FSET 2,	Y*500	7, X*50	00,-Z*500
	,4-CO,A			:rem 82
100				:rem 25
110				ATION OF
	{SPACE	THE (	CROSS	:rem 22
	A=1:B=			:rem 26
130	PARAM	80,100	3, 25, 16	55
				:rem 133
140	COLOR	12,11,	10,13,	14
				:rem 179
150	FORJ=1			:rem 10
160	FORI=1	ØTO8ØS	STEP10	:rem 13
170				S):ANIM1
	:FIGUR			:rem 30
180	ANGLEI	+5, J, I	+5:AN	M2:FIGUR
	El:FIG			:rem 224
190	NEXTI,	J		:rem 152
200	FORI=1	TO2000		:rem 14
210				:rem 106
220	END			:rem 107
230	REM CO	-ORDIN	ATES C	F THE CR
	oss			:rem 225
240	DATA -	1,-1,-	-1.1.Ø.	-1,-4,-1
	,1,1,-	1, -4, -	3.1.1	:rem 147
250	DATA -	1,4,-3	1.1.1	1,4,-1,1
	.1.1.4	1.1.	1.1.4	:rem 161
260	DATA -	3.1.1.	14	3,1,1,1,
	-4,-1,	1.1.1.	-11.	1
				:rem 248
270	DATA 1	14	1.1.	0,1,-4,-
	1.1.1.	-14.	-3.1.0	:rem 200
280	DATA 1	43	.1.1	1,4,-3,1
	.0.1.4	3.1.	1.1.1	:rem 164
290	DATA -	1.1.0.	1.41	,1,1,-1,
36	11.1	01	4 -1 1	· rem 200
300	DATA 1	-1 -1	-1 2	:rem 200 0,1,-1,-
500	1 2 1	1 -1 -	2 2 1	.rom 142
310	DATA -	1 -1	2 2 1	:rem 143 -1,1,-2,
310	2,1,-1	1 -1	2 1 1	1,1,-2,
	2,1,-1	, , , -, ,	211111	
320	- משמח	1 2 1	1 1 . 2	:rem 239
320	1,-2,2	1 1 1	-2 2	0,2,1,1,-
	1,-2,2	11,1,1	1-2,2,	:rem 244
330	DATE -	1 1 -2	2 1	1,-1,-1,
330	2 0 -1	-1 -2	2,1,-	:rem 99
	2,0,-1	, -1, -2	1211	:rem 99

#### Program 3: Observation Angles Demo

For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.

```
10 PARAM 80,100,30,165 :rem 78
20 COLOR 12,11,10,13,14
                         :rem 128
3Ø FORJ=5TO355STEP1Ø :rem 227
4Ø FORI=ØTO34ØSTEP2Ø :rem 217
50 ANGLE J, I, I (6 SPACES): ANIM2
   :GOSUB100
                         :rem 220
60 ANGLE J, I+10, I+10: ANIM1: GOS
                        :rem 244
70 NEXTI, J
                        :rem 101
80 FORI=1TO500:NEXT :rem 183
90 SCREENO: END
                        :rem 106
100 DLINE-500,0,0,2000,0,0,1
                         :rem 122
110 DLINEØ, -500, 0, 0, 2000, 0, 2
                         :rem 124
120 DLINEØ, Ø, -500, Ø, Ø, 2000, 3
```

13Ø RETURN

:rem 126

:rem 116 @

# IBIM Graphics On A Monochrome Monitor

Thomas G. Hanlin III

Though advanced IBM graphics require a color/graphics adapter, you can create simple graphics and even animation on a monochrome system as well. Here's a short program to show how it's done.

IBM PC computers can generate stunning graphics, but advanced BASIC graphics features are available only on PCjrs or PCs with a color/graphics adapter. However, with the right programming methods, your monochrome system can produce graphics, too. Granted, they are fairly low resolution—and no amount of programming skill can make your monochrome monitor display more than one colorbut they are graphics nonetheless. You may find them handy for utilitarian purposes (for example, adding interest to bar graph displays), or you may enjoy making simple graphic screens, animated figures, or games. Once you master the basic technique, more and more applications will come to mind.

#### **Character Graphics**

When an IBM PC boots up, it checks to see if the system contains

a color/graphics adapter and configures itself accordingly. If a color/ graphics adapter is present, you may use advanced BASIC graphics commands like PUT and GET. If not, those commands cause an error. However, even a monochrome system has the ability to display a large set of special characters. IBM graphics characters have ASCII values of 128 to 255 and include a number of different shapes useful in creating boxes, borders, and so on.

The characters we're interested in are those which consist of a solid block. All computer graphics are produced by turning pixels (picture elements) on or off to light up different parts of the screen. The smaller the size of the pixel dots, the more detailed the image. Although the IBM character set doesn't include any pixel-sized characters-each character is composed of several pixels—it does include some we can use like giant pixels.

#### **Giant Pixels**

For example, CHR\$(219) is a solid block character, the inverse of CHR\$(32), the blank space. Using these two characters together provides a graphics screen with 80 X 25 resolution. To turn on a "dot" within this coarse screen, print the solid block at the desired spot. To turn off a dot, print a space. The BASIC function SCREEN(Y,X) tells you whether a given location contains a dot or an empty space. Though you're limited to simple, quite blocky shapes, this system is fast and simple to use. However, it's possible to do much better.

Besides the block and space characters which light up or blank out an entire screen location, there are some which light up only part of a screen position. For instance, CHR\$(220) is solid on the bottom half and blank on the top. The reverse is true of CHR\$(223). By using these characters, we can double our resolution to  $80 \times 50$  pixels. This complicates matters a bit, since we want to use only half a screen position, and BASIC lets you print only to an entire screen position. Here's a point-plotting routine that handles the tricky details for you:

10000 GR. Y=Y\2+1: GR. SC=SCREEN (GR.Y, X+1): GR. OFFSET= (Y MOD 2) \$3: IF Z=Ø THEN 1 ØØ2Ø ELSE IF GR.SC=32 T HEN GR. SC=223-GR. OFFSET ELSE IF GR.SC+GR.OFFSE T<>223 THEN GR. SC=219

10010 LOCATE GR.Y, X+1: PRINT C HR\$ (GR. SC) ; : RETURN

10020 IF GR.SC+GR.OFFSET=223 THEN GR. SC=32 FLSE IF G R.SC<>32 THEN GR.SC=220 +GR. OFFSET

10030 GOTO 10010

10040 GR. Y=Y\2+1: S9=SCREEN (GR .Y, X+1): Z=(GR.SC=219 OR GR.SC+(Y MOD 2) \*3=223) : RETURN

To plot a point with this routine, set the variable X to the desired horizontal coordinate (0-79) and the variable Y to the vertical coordinate (0-49). Now you've set the screen location for the giant pixel. To turn it on, set the variable Z to 1. Set Z to 0 to turn the pixel off. Then call the subroutine with GOSUB 10000. Line 10040 is a separate routine that tells you whether a given location is lit up or blank. To test any point on the screen, set the variables X and Y to the appropriate coordinates; then GOSUB 10040. The variable Z equals -1 if that point is lit or 0 if it's blank.

#### An Animated Snake

Though this system emulates a simple graphics screen, keep in mind that you are still printing characters. Thus, there are four screen locations that cause everything to scroll upward if you plot a point there: locations (79,46), (79,47), (79,48), and (79,49). To avoid scrolling your display, either do not use these particular locations or restrict your screen to 79 × 50 pixels (use horizontal locations 0-78). Note that you can mix text and graphics freely, but putting graphics on top of text causes some surprising results. The following program demonstrates how to animate a simple figure. Add these lines to the point-plotting routine and save the program. Make sure the numeric keypad is in numeric mode before you run it.

10 KEY OFF: CLS: DEFINT A-Z: Y=0 : Z=1: FOR X=Ø TO 24: SNAKE\$= SNAKE\$+CHR\$(X)+CHR\$(Y):GOS UB 10000: NEXT: DX=1: DY=0: X=

- 20 Is=INKEYs:IF Is<>"" THEN D X=SGN(INSTR("369", Is)-INST R("147", I\$)):DY=SGN(INSTR( "123", I\$)-INSTR("789", I\$)) : IF IS=" " THEN CLS: END
- 3Ø X=ASC (RIGHT\$ (SNAKE\$, 2))+DX : Y=ASC (RIGHT\$ (SNAKE\$, 1))+D Y: IF X>78 THEN X=Ø ELSE IF X<Ø THEN X=78
- 40 IF Y>49 THEN Y=0 ELSE IF Y
  <0 THEN Y=49
- 5Ø Z=1:GOSUB 1ØØØØ:SNAKE\$=SNA KE\$+CHR\$(X)+CHR\$(Y): X=ASC( LEFT\$ (SNAKE\$, 1)): Y=ASC (MID \$ (SNAKE\$, 2, 1)): Z=Ø: GOSUB 1 ØØØØ: SNAKE\$=MID\$ (SNAKE\$, 3) : GOTO 20

Control the direction of the wandering animated snake by using the numeric keypad. Press the space bar to end the program. To improve its speed, the pointplotting routine is as short as possible. However, if you don't require fast drawing, you might want to add other features. Perhaps you'd like to color or shade the points to introduce different degrees of brightness (of course, since each two-pixel pair corresponds to a single character, there's a limit to this technique). You might add range checking to check for valid coordinates before you plot a point. And you could also modify the routine to place graphics on top of text correctly.

To receive additional information from advertisers in this issue, use the handy reader service cards in the back of the magazine.



NEW FOR ( commodore **ENHANCER 2000 DISK DRIVE** 


Super high speed slim sign construction commodore compatable direct drive motor.



**AUDO TAPES** TDK-SA90 MAXELL XL2 YOUR CHOICE

EA.

Min. purchase 10



**VIDEO TAPES TDK T120** SCOTCH T120 **JVC T120 PANASONIC T120** YOUR CHOICE

EA. Min. purchase 10

SUPER SPECIAL! MODEMS ANCHOR HIGH SPEED 1200-BAUD **VOLKSMODEM-12** 

A mark

(COMMODORE COMPATABLE)



NASHUA  $\mathbf{0}95$ 



**ELEPHANT** 95



SCOTCH

MIX OR MATCH 10 BOXES



SUPER SIZE STORES

**PATCHOGUE** 437 Sunrise Hwy. 516-475-0560

BAYSIDE 191-28 Northern Blvd. 718-539-9555

W. BABYLON 358 Sunrise Hwy. 516-587-1010 **NEW HYDE PARK** 2075 Jericho Tpke. 516-437-3020

SYOSSET 27 Jackson Ave. 516-921-5454









**OUR PRICE** 

69



MAIL ORDERS TO: WORLD TRADE 2075 JERICHO TURNPIKE, NEW HYDE PARK, NEW YORK 11040

# SPECIAL SOFTWARE FOR THE 128

	Our	Cost Ou	Price
Data Manager		36.93	69.95
sideways		36.93	69.95
checker		36.93	69.95

### **FOR COMMODORE 64**



	Ou	r Cost	Ou	r Price
Dr. Seuss Fix Up The				
Mix-Up Puzzle		. 1	7.00	29.95
Many ways to say				
I Love You		. 1	7.00	29.95
Astro-grover		2	0.00	34.95
Big Bird's Funhouse		2	0.00	34.95
Ernie's Magic			-	
Shapes		. 1	4.00	24.95
Weather Tamers			1.00	19.95
Forcast			8.00	49.95
Dinosaur dig			3.00	39 95
Coast to Coast		2	3.00	39.95
Mastering the SAT		. 4	7.94	77.95
Success with Math				
Series		. 1	5.00	24 95
Success with Algebra			0.00	
Series		. 2	0.00	34 95
Muppet Learning			0.00	
Keys	400		2 00	89 95

					0	u	1 (	Cost	0	ur Price
Fleet system 2										
Word spellpak										89.95
Front master.		٠						12.0	O	24.95

Master MOD	EM	S	es y
	Our	Cost O	ur Price
Video 7		40.00	79 95
compuserve time)	:::	55.00 54.00	89.95 89.95
mestinoge		34.00	00.00

ACCE	S	Š	8	Į	S	ć	b	F	1	Ä	WAR	E
	7	ī	ī	ī	Ī	ī	7	0	ú	r (	Cost O	ur Price
Neutral Zone .				,							20.00	34.95
Mach 5											21.00	34.95
Beach-Head II											24.00	34.95

THE NAME OF THE PERSONS OF	Our 0	Cost Ou	r Price
Data Manager II Evelyn Wood Dynamic		29.97	49.95
Reader		29.97	49.95
Spelicheck	:::	29.97	49.95
Cave of the Word Wizards			34 95

									Cost O	ar Pri
Hot Wheels .									17.97	29.
Summer Gam	e:	8	ш				1	-	10 00	39.
rast Load			٠						19.00	29.
Barbie									17.97	29.9
Breakdance .						3			19.00	29
Baseball			٠	٠					19.00	34.5
Pitstop II				٠	*				19.00	34.9
9 to 5 Typing				٠		٠			23.97	34



					0	ur Price
Xetec Super Graphix 8K Buffer 10 printing					50.00	89.95
Super Graphix Jr					30.00	59.95
Tymac Connection . G-Wiz		:	:		45.00	69.95

#### DISKETTES



FREE EXTRA DISK INSIDE Featuring Success with Math, and Success with Algebra by CBS.

(For Commodore Only!)

(box of 10) DD/DS	1000	1190
Nashau DD/DS	Our Cost	Our Price
(box of 10)	9.	00 12.95
Nashua diskettes 3½" DD/SS (box of 10)	8	00 14.95
Nashua (box of 10) DD/SS	22	50 34.95
Scotch (3M) (box of 10) DD/SS	10	99 14.95
Scotch Head Cleaner Kit	8	70 14.95



NIBBLE NOTCH

Turns your 5½" single Disk into A 2 Sided Disk Our Cost Our Price \$5 \$1495

100000	DISK FILES	
	Our Cost Ou	r Pric
Tin.	10 Disk Holder 4.70 60 Disk Holder	7.0
Charles of the	(stackable) 8.00	14.9

Our Cost O	ur Price
Commodore 1702 168.00 Sharp 13" Color	189.00
Compsite 148	169.00
Sharp green 12" 50 00	79.00
Sharp amber 12" 55.00 Teknika RGB/Composite	89.00
13" 225	275

C			r Price
Wico Boss		9.00	19.95
Wico Bat	. 1	1.00	15.95
Wico Threeway .	. 1	8.00	27.95
Gim 1000-left/right		a	
button			14.95

Blue Chip M150/10	
Tractor/Friction 130pcs	Our Cost Our Price
	180.00 249.00
StarSG10 Tractor/Fric-	
tion 130cps	195.00 259.00
Blue Chip 120/NLQ	175.00 239 00
Blue Chip 120/NLQ	180.00 249.00
SG10-C w/built in Com-	
modore Interface	210.00 269 00
Okimate 10 color	180.00 249.00
Legende 808	148.00 179.95
Legende 880	205.00 239.95
Legende 1080	
Legende 1380	272.00 300.95
Legende 1385	342.00 379.95
Cardco LQ3	

#### PAPER & RIBBON



Delivery on paper included in price

paper size

1000 x 3 boxes	
Microperf 35.00	70.00
2700 microperf 28.00	62.00
Ribbon bluechip 7.00	14.95
M120/M150	
Ribbon SG10/SG15/	
Okidate 82A 2.00	4.95

# SURGE PROTECTORS

Our Cost Our P 17.00 29.95 22.00 34.95

USS SUFTWARE								
	Our Cost Our Price							
Basic XL	47.00 79.00							
Basic XE	57.00 99.00							
Mac 65	57.00 99.00							
Action								
Dos XL w/Bug 65								
Bug 65								
Writers Tool								
Action Tool Kit								
Basic XL Tool Kit								
Mac 65 Tool Kit	24.00 34 95							

## BATTERIES

						C	u	r	Cost Ou	r Price
aper Clip									50.00	79.00
Graph .					*			×	41.00	69.00
ome Pak									29.00	45.00

# BRODERBUND

a think do		4	4	¥	v	4	-	116	0 . 0
								Our Cos	Our Price
rint Shop								- 25.00	39.95
rint Shop	LID I							- 14.00	
rint Shop	LIB II							- 14.00	24.95

#### TK SOFTWARE

Monday Morning	i	Ī	i	Ī	i	Our	Cost Ou	
Manager Bowling Version 2								29 95 29 95

#### **PROFESSIONAL** SOFTWARE

.. 50.00 89.95



TO ORDER

-800-722-400

ORDER LINE ONLY

OUTSIDE N.Y.



NEW! BIG FIVE SOFTWARE PRESENTS "BOUNTY BOB STRIKES BACK!" CALL FOR USE WITH BOTH ATARI & COMMODORE

IN NEW YORK 1-718-895-2388

WHEN IN THE NEW YORK AREA VISIT OUR
5 BIG L
• West Babylon • New Hyde Park • Syosset
STORES.
• Patchogue • Bayside
• Patchogue • Bayside
• Patchogue • Bayside
• Patchogue • Bayside



C.O.D

# COMMODORE Dynamic Keyboard

# Part 2

Jim Butterfield, Associate Editor

Part 1 discussed the fundamentals of dynamic keyboard programming, which in effect allows the computer to "type on its own keyboard." Now let's look at some important applications for this technique.

As we saw in Part 1, dynamic keyboard programming uses a two-step method to let a program give itself direct-mode commands. Step 1 is to print the command at a specific location on the screen. Step 2 is to put a RETURN character in the computer's keyboard buffer, then stop the program with the cursor flashing over the screen command. The RETURN character makes the computer execute the command just as if you'd pressed RETURN.

It's worth mentioning that you may print more than one command on a screen line. Just as in a program line, separate the multiple direct-mode commands with colons. You can use more than one screen line of direct-mode commands as well. However, you must be careful to put the commands in exactly the right place, and make sure the cursor flashes directly over the line to be executed when the program stops.

Here are some applications for the dynamic keyboard technique:

- Allow a user to enter a formula that the program will use;
- Allow a program to load another program;
- Allow a program to modify itself (tricky);
- Run test programs to determine,

for instance, how the computer responds to certain direct commands and calculations.

#### **Keyboard Buffer Locations**

The following table shows the location of the keyboard buffer counter and the start of the keyboard buffer on most Commodore computers:

Counter	Buffer
198	631
239	1319
158	623
525	527
209	939
	198 239 158 525

Usually your program must POKE a value of 1 into the counter and a value of 13 (the character code for RETURN) into the buffer. That tells the computer there's one RETURN character in the buffer waiting to be processed. If there's more than one line of direct-mode commands on the screen to be performed, you need a higher count and more characters. On the B128, it's wise to execute a BANK 15 command before the POKEs.

#### **Entering A Formula**

Let's write a brief program that allows a student to enter a formula and then generates a table of values based on the formula. More complex versions of the program might solve an equation or draw a graph, but we'll keep the example simple. In practice, it would be wise for your program to check for valid syntax before evaluating the formula. Again, for the sake of brevity, we'll do only the dynamic keyboard portion.

This program is for VIC-20 and Commodore 64 only. If you have another Commodore model, use the table above to change the POKE addresses in line 140. Also, don't forget the colon that appears just before the GOTO statement in line 130.

- 100 PRINT"{CLR}{DOWN}FORMULA E
  VALUATION.":PRINT"INPUT A
  {SPACE}FORMULA" .rem 52
- {SPACE}FORMULA" :rem 52
  110 PRINT"BASED ON VARIABLE X"
  :PRINT"SUCH AS:":PRINT"
  {DOWN}{2 SPACES}Y= X\*7-SQR
  (X)":PRINT :rem 7
- 120 PRINT"YOUR FORMULA:":INPUT
  "{DOWN}{2 SPACES}Y=";F\$:PR
  INTCHR\$(147):PRINT:PRINT
- 130 PRINT"Y=";F\$;":GOTO150":DI MV(10):FORX=1T010:PRINTCHR \$(19) :rem 178
- 140 POKE 198,1:POKE631,13:END :rem 103
- 150 V(X)=Y:NEXT X:FOR X=1 TO 1 Ø:PRINT X,V(X):NEXT X :rem 2

Notice how this program does a task which would be difficult or impossible without using the dynamic keyboard technique.

#### **Loading Another Program**

If you put a LOAD command in a program, the new program doesn't load in the usual way. Instead, it's chained to the old program. The new program retains the variables and arrays (if certain rules are observed), and the effect is that of two successive programs working continuously on a single job. That's not always what is wanted. Especially with menu programs or bootstraps (program-loading programs), your goal may be simply to start the new program without preserving

variables or data from the old one. That's what happens when you perform LOAD as a direct command. With the dynamic keyboard technique, we can simulate this from within a program.

Let's write a simple dynamic keyboard loading sequence. Again, the program is given for VIC-20 and Commodore 64 only. For other Commodore models, use the table above to change the POKE addresses in line 120.

100 PRINT"{CLR}{DOWN}PROGRAM L
OADING":PRINT"PROGRAM
{2 DOWN}":PRINT"PROGRAM NA
ME":INPUTP\$

1.10 PRINT"{CLR}":PRINT:PRINT:P
RINT"LOAD";CHR\$(34);P\$;CHR
\$(34);",8":PRINT:PRINT

120 PRINT:PRINT:PRINT"RUN":PRI NTCHR\$(19):POKE198,2:POKE6 31,13:POKE632,13

Note that there are two separate command lines: one for LOAD and one for RUN. Of course, it's important to position the lines correctly, but that's not hard to work out when you set up the program. You see everything happening on the screen, and, if you've placed your command a line too high or

low, the problem is easy to spot. (For the VIC, you must limit the length of the filename you enter to seven or fewer characters. Otherwise, an unrelated bug built into the VIC's INPUT statement causes the program to fail.)

### Tricks And Advanced Points

On computers with color capabilities, you can hide your dynamic keyboard tricks if you wish. If you print the direct-mode commands in the same character color as the screen background, they won't be visible to you, but the computer can still see and execute them. Your program can even change colors as it runs so that some parts of the commands are visible and some are not.

Occasionally, you'll want to use the dynamic keyboard technique to change a program as it runs. That's tricky, since any time you add or change a program line, the values of all variables are lost. It's hard to run a program when its variables disappear, but it can be done if handled carefully. The criti-

cal variables can be reentered using the dynamic keyboard technique, using lines such as X=7:L=120: GOTO 580. Another, somewhat more cumbersome method is to POKE the value of each variable into spare memory and PEEK the value later when needed.

Why would a program need to change itself? The most usual situation involves converting an ASCII program listing into tokenized BASIC format. It's common to list programs in ASCII (untokenized) form when translating from one computer to another. This is especially true when you transfer programs over the phone line with a modem. As each line of the ASCII listing arrives, it must be entered as if it were being typed, to store it in tokenized format. While it's possible to do the whole job by hand (by printing each line on the screen and pressing RETURN), the dynamic keyboard technique lets the computer do this busywork for you.

Next month, in Part 3, we'll cover the use of the dynamic keyboard technique for self-modifying programs in more detail.

Corporations rated 3A2 or better and government accounts are accepted on a Net 30 basis. C.O.D. orders add \$5.00

special handling charge. APO, SPO, AK, HI & PR order additional 5 percent of the total amount of order to cover PAL and

insurance. Illinois residents add 61/4 percent tax. Minimum order \$45.00

### **Program Your Own EPROMS**

promenade

JASON-RANHEIM

VIC 20 \$99.50

PLUGS INTO USER PORT. NOTHING ELSE NEEDED. EASY TO USE. VERSATILE.

 Read or Program. One byte or 32K bytes!

D

a

0

0

0

OR Use like a disk drive. LOAD, SAVE, GET, INPUT, PRINT, CMD, OPEN, CLOSE—EPROM FILES!

Our software lets you use familiar BASIC commands to create, modify, scratch files on readily available EPROM chips. Adds a new dimension to your computing capability. Works with most ML Monitors too.

Make Auto-Start Cartridges of your programs.

- The promenade™ C1 gives you 4 programming voltages, 2 EPROM supply voltages, 3 intelligent programming algorithms, 15 bit chip addressing, 3 LED's and NO switches. Your computer controls everything from software!
- Textool socket. Anti-static aluminum housing.
- EPROMS, cartridge PC boards, etc. at extra charge.
- Some EPROM types you can use with the promenade™

  2758 2532 462732P 27128 5133 X2816A\*
  2516 2732 2564 27256 5143 52813\*
  2716 27032 2764 68764 2815\* 48016P\*
  27016 2732A 27064 68766 2816\*

Call Toll Free: 800-421-7731

In California: 800-421-7748





\*Denotes electrically eraseabl types



7 to 7 Central Time

In Illinois 1 (312) 351-9700

135 N. Brandon Dr., Glendale Heights, IL 60139

## Simple Assembling With IBM DEBUG

Tim Victor, Editorial Programmer

You don't need to buy an expensive assembler to write short machine language programs on an IBM PC or PCjr—a copy of PC-DOS already contains the basic tools you require. This article, which assumes some familiarity with hexadecimal numbers and machine language theory, shows how to make the most of the DEBUG utility when you're ready to tackle 8088 machine language.

Tucked away on the DOS Supplemental Programs disk that came with your copy of PC-DOS is a file called DEBUG. DEBUG is a simple but powerful development tool for exploring your computer and writing short machine language (ML) programs. It includes a miniassembler, which converts assembly language instructions into machine language directly in memory, and a disassembler, which allows you to reverse this process and examine ML programs already in memory. DEBUG also has trace and breakpoint functions for testing ML programs, utilities for loading and saving programs on disk, and several other valuable features. Using these tools, we'll show how to write a small ML program.

To get started with DEBUG, boot up DOS from your master disk. When the DOS prompt A> appears, insert the DOS Supplemental Programs disk into drive A:, type DEBUG, and press ENTER. DEBUG loads and runs, replacing the DOS prompt with its own prompt, a hyphen (-). You can return to DOS at any time by putting your master disk back in the drive, typing Q for Quit, and pressing ENTER.

Since you should preserve your DOS Supplemental Programs disk as an archival backup, let's ask DEBUG to copy itself onto another disk. You could use the DOS COPY command, but using DEBUG is a good way to learn how to load and save machine language program files

### Cloning DEBUG

DEBUG has three commands for disk operations: L (Load), W (Write), and N (Name). N creates a data structure called a file control block (FCB) that DOS uses for all disk operations, including DEBUG's Load and Write. The FCB contains the name of a file, along with information such as size and file organization. To learn more about the FCB, consult Appendix E of the DOS 2.00 Manual, or Chapter 6 of the DOS 2.10 Technical Reference Manual.

The first step in backing up DEBUG is to load another copy of it into memory. Type N DEBUG.COM and press ENTER. (You need to include the .COM extension because DEBUG doesn't make any assumptions about the file type.) DEBUG responds with another hyphen. Next, type L and press ENTER. The disk drive whirs, and then another hyphen appears. You've loaded a second copy of DEBUG.

Remove the Supplemental Programs disk. Replace it with a formatted disk that you'll be using for ML programs. Type W and press ENTER. The drive comes on again, and then DEBUG displays the message "Writing 2E80 bytes" and the hyphen prompt. You now have a copy of DEBUG.COM on your ML disk.

### A Sample Program

Let's try assembling a program with DEBUG. Start by typing A 100 to start assembling at address 100H. (IBM programmers generally denote hexadecimal numbers by appending an H to the number. All input and output with DEBUG is expressed in hexadecimal.) DEBUG responds with xxxx:0100, where xxxx is a four-digit hexadecimal number. This number is the current value of the code segment register. It's of minor importance right now and will be discussed in detail later.

Now type in the following program. DEBUG displays the memory address of each instruction for you. All you need to enter are the instructions.

MOV AH,09 MOV DX,109 INT 21 INT 20 DB "HELLO THERE\$"

Press ENTER to leave the assembler. This program is the ML equivalent of everyone's first BASIC program:

### 10 PRINT "HELLO THERE"

The ML version looks quite a bit longer, but it would be even more involved if it weren't for the INT 21H instruction, which calls a DOS function routine (Print String) by executing a software INTerrupt. Before calling this routine, the program takes two preparatory actions. The first instruction loads the AH register (an internal 8088 register) with the value 9. In 8088 machine language, instructions with two operands like MOV AH,09 operate from right to left—just as A=9 in

BASIC moves the value 9 into the variable A. You specify the destination operand first, then the source operand. This might seem a little backwards, but it's a common convention and you'll soon adjust to it.

AH is the high (most significant) byte of AX, the 16-bit (twobyte) accumulator register of the 8088. When a program calls Interrupt 21H, the value in AH indicates the function you're asking DOS to perform. Function 9, Print String, displays a string on the screen, starting with the character at the address contained in the DX register and ending with the character \$. The second instruction moves the address 109H into the DX register. The last instruction, INT 20H, ends the program by returning control to the program that called it—in this case, DEBUG.

Finally, we create the string we want to print using DB, a pseudoopcode (pseudo-op). When the assembler sees a pseudo-op such as DB, it performs a function instead of generating code. This particular pseudo-op tells the assembler to store bytes of data in memory, beginning at the current location. The data can be either a list of hexadecimal numbers between 00 and FF. separated by spaces or commas, or a quoted string, as shown above. If the data is a string, the ASCII code for each character is entered in memory. The dollar sign at the end of the string is very important. Without this delimiter, the Print String function will keep printing whatever bytes it happens to find in memory following the message. It might be a long time before it comes across a \$ and stops.

### 8088 Memory Addressing

Now that the program is in memory, we can use the disassembler to examine it. Type U for Unassemble, and DEBUG displays several rows of text on the screen (the number of rows differs between 40- and 80-column displays). Notice that the disassembled code is aligned in four columns. The first column shows the address of each instruction as two four-digit hexadecimal numbers separated by a colon, just as was displayed when you entered the program. The first four-digit number is the current value of the

code segment register mentioned before, and the second is the value of the *instruction pointer*. To understand why two registers are needed to point to a single memory location requires some understanding of the 8088's addressing scheme.

The 8088 microprocessor can access up to one megabyte (1024K) of memory using 20-bit addresses. However, for compatibility with older Intel processors, the 8088 has only a 16-bit instruction pointer. Because a 16-bit (four hexadecimal digit) register can only have values between 0 and 65,535, another register, the code segment register, is needed to address the entire 1,048,576 bytes allowed by the 8088. The code segment register is also a 16-bit register, but instead of addressing individual bytes, it points to blocks of 16 bytes, called paragraphs. Any five-digit hexadecimal address that ends in a zero is the beginning of a paragraph. For example, the byte of memory at 5D320H is at the beginning of the paragraph addressed by a segment register containing 5D32H.

The code segment register points to the first paragraph of a 64K block of memory called the code segment (CS). There are three other segments, the data segment (DS), stack segment (SS), and extra segment (ES), plus a register that points to the beginning of each. In simple programs, however, all the segment registers usually have the same value as CS. To find the next byte of code to be fetched, the value in the instruction pointer is added to the address of the beginning of the code segment. The physical address of this byte can be found with this formula:

### Physical Address = IP+(CS\*16)

The effect of organizing memory this way is that a programmer doesn't have to know where the program will be loaded. When DOS loads a .COM program, it starts the code segment at the beginning of any available paragraph in memory. The program is loaded at an offset of 100H bytes above the start of the segment and the instruction pointer is set to 100H. The four segment registers, CS, DS, SS, and ES, all point to the start of the code segment.

The second instruction of the example program moves an address, 109H, into DX. This address is an offset into the current data segment. The string to be printed is located at an offset of 109H only if the data segment register is equal to the code segment register and the program starts at offset 100H. In practice, the CS register is rarely changed except by DOS and needs little or no attention in most programs.

### **Displaying Binary Code**

The second column of the disassembled listing on the screen contains four- or six-digit hexadecimal numbers. These are the contents of the memory locations, the binary code which the 8088 can execute. Notice that the first MOV instruction is one byte shorter than the second. The first instruction only loads half of a 16-bit register (AH is the upper half of AX), so the data occupies one byte, but the second MOV loads all of DX, which takes two bytes of data (a word).

The third column shows the mnemonics-symbolic names for each opcode instruction. The fourth column displays the operands. This program consists of four opcodes: two MOV instructions followed by two INT instructions. Notice that the DB pseudo-op doesn't show up in a disassembly. Instead of displaying your characters, DEBUG tries to convert the string into assembler mnemonics, and therefore prints several meaningless instructions. DEBUG is frequently fooled this way because program instructions and data are both stored as binary bytes. DEBUG has no way of knowing where the program ends and the data begins.

If you type another U, DEBUG continues to disassemble and display the next 16 or 32 bytes in memory (depending on your screen width). Since the program is only 21 bytes long, DEBUG starts displaying part of itself, still in memory from when you copied it. Type U 100 to disassemble from the beginning of your program again. DEBUG'S U command also accepts both starting and ending addresses if you separate them with a space.

It's a good idea to save your program on disk before running it.

If the program causes something unexpected, like an infinite loop or a complete system crash, it's nice to have a copy saved. Then you can load it and search for the error without typing the program again from scratch.

As before, you need to tell DE-BUG the name of your file. Type N HELLO.COM. Now there's one more thing to consider: How many bytes of memory should DEBUG write to disk? When we used the W command to copy DEBUG, it wrote the same number of bytes that it had loaded, but now we're saving a new program which has never been loaded. When DEBUG loads a file, it stores the size of the file in the CX register and the four least significant bits of the BX register. The same registers are used when DE-BUG writes a file. So if your program is less than 65,536 bytes long (most are), the BX register should be set to zero.

To examine and change CX, type R CX. DEBUG prints the contents of CX (probably 2E80H, left over from copying DEBUG), then prints a colon at the beginning of the next line. You can press ENTER to leave the value unchanged, or type a new value. Since the new program is 21 bytes long, type 15 (the hexadecimal equivalent of 21) and press ENTER. Now type W to write the program to disk. DEBUG responds with the message "Writing 0015 bytes," then returns the prompt.

### Running And Debugging

Now that your program is safe on disk, run it by typing G and pressing ENTER. The screen should display HELLO THERE. Then DEBUG prints "Program completed normally" followed by its usual prompt. If your program completed but didn't print correctly, disassemble starting from 100H and check that all instructions are correct. If your program locked up the computer, reboot, restart DEBUG, and thank yourself for saving the program. Reload the program with N and L, then disassemble it to see what it looks like. If you don't know what's wrong, one technique is to try setting a breakpoint. This halts the program at a predetermined point so you can check the

contents of the registers.

For instance, to make the program stop before the INT 20H instruction, you can set one or more breakpoints. To set a breakpoint, type G followed by the addresses of one or more instructions in your program. If you set more than one breakpoint, separate the addresses with spaces. The program begins executing, but stops when the instruction pointer equals the address of a breakpoint. DEBUG displays the contents of all registers and flags and disassembles the instruction at the breakpoint (the instruction pointed to by the instruction pointer, the next instruction to be executed). Type G to restart the program at the instruction that the instruction pointer references.

If you stopped your program with a breakpoint but want to restart it from the beginning, type G =100. DEBUG sets the instruction pointer to 100H (or whatever address you specify) before starting. You can also set both the starting address and one or more breakpoints. Just include the breakpoint addresses on the same command line, separating them from the starting address and each other with spaces.

Keep this in mind: Before DE-BUG executes a G command, it saves the values of all the registers, including the instruction pointer. If the program runs normally, and completes by executing INT 20H, DEBUG restores all the registers. This is great if your program runs all the way from beginning to end. You just type G and your program runs again. If, however, your program has just completed after being restarted from a breakpoint, the instruction pointer now points to the location where the breakpoint was set. Typing G starts it from the breakpoint again. To run the program from the beginning, type G =100.

### Learning More About DEBUG

You've now used DEBUG to load and store program files, to assemble and disassemble a new machine language program, and to execute a program. Some other useful commands we don't have room to cover are D (Dump), which displays the contents of a block of memory as hexadecimal numbers and ASCII characters; E (Enter), to examine and change the contents of individual memory locations; and T (Trace), which executes an ML program one instruction at a time, displaying all registers and flags between instructions.

As you learn more about 8088 machine language, you'll find DE-BUG a big help in testing your programs. Though you might use a separate assembler when your programs get larger, DEBUG remains useful for testing and modifying the assembled programs. If you want to know more, there is a complete description of each DEBUG command in Chapter 12 of the DOS 2.00 Manual and Chapter 8 of the DOS 2.10 Manual. Information on the DOS functions and interrupts can be found in Appendix D of the DOS 2.00 Manual and Chapter 5 of the DOS 2.10 Technical Reference Manual. To learn more about machine language programming on the IBM PC and PCjr, see COMPUTE!'s Beginner's Guide to Machine Language on the IBM PC & PCjr.

### IT MUST BE MAGIC! **AFFORDABLE COMPUTER ACCESSORIES** by MAGITRONIC®

BM PC/XT COMPATIBLE	512K RAM CARD
MOTHERBOARD	#92300 \$65.00
with BIOS & 128K Memory installed.	CHARTEAN MODELL 4000 000
Assembled & tested.	
Assembled & tested. #92250 \$219.00	BAUD #91990 \$179.00
DISC NOTCHER	KEYBOARD COVER FOR IRM
	5 #90110 \$4.90
COMPUTER TO PRINTER	S' COMPLITED TO MODEL
SHIELDED CABLE #90230 \$9.90	#90250 \$8.50
‡90230 <b>\$9.9</b> 0	KEYBOARD IBM COMPATIBLE
RS232 CABLE 25 PIN	#90130 \$69.00
Male to male #90240 \$9.90	MULTIPLE OUTLET .
	#90140 \$13.00
COLOR GRAPHIC CARD FOR	150 W. POWER SUPPLY
BM	#00150 005 00
\$92280 \$80.00	SERIAL INTERFACE SWITCH
folds 100 pcs.	#90160 \$36.00
DISKETTE FILE	
#90060 \$11.95 folds 100 pcs.	SWITCH
fala to Mala #00000	IBM PC/XT TYPE CASE.
ample to Female #90080	Accepts PC/XT type motherboards.
BENDER CHANGERS fale to Male - #90080 emale to Female - #90070 7.95 each (10 or more \$6.95	#90180 \$59.00

### \* MANY OTHER CABLES & ACCESSORIES AVAILABLE \* LET YOUR COMPUTER DO THE TALKING

#10005 MURA MODEM - FSK telephone interface allows computers to talk to each other over telephone lines Compatible with all major personal & home computers & most time sharing systems Sugg. Retail \$79.95 #10005 NOW JUST \$18.00



### THE WHOLESALE OUTLET

DEPT. C, 1-Interstate Ave., Albany, NY 12205 1-800-344-4387 (non NYS residents). All other calls ÷ NYS residents (518) 459-7883. (Our 800 # is a direct line to Order Operators only, who cannot transfer calls).

Customer pays freight & handling FOB Albany, NY
VISA & MASTERCARD accepted, Personal & Company checks on
mail-in orders only, \$25.00 MINIMUM ORDER.

# Save-With-Replace: Debugged At Last Part 2

P.A. Slaymaker

Last month, Part 1 proved that a longsuspected bug in the Commodore Save-with-Replace command really exists. Using a program that demonstrated the bug on a 1541 disk drive, the article showed how disks can be scrambled when files are scratched and rewritten with Save-with-Replace. The article also offered a brief explanation of the bug and how to avoid it. This month, Part 2 examines the Save-with-Replace bug in greater detail for technically advanced readers. The author is the president of Quantum Software, which produces the Peek a Byte disk utility for the Commodore 64.

What actually causes the Savewith-Replace bug? When and how does it occur and is there a fix for it? We have performed extensive testing to determine exactly how the bug happens. As explained last month, we've determined that the bug is avoidable if the drive number (drive 0) is specified in *all* disk commands. If you don't always specify drive 0, the bug occasionally bites. That's significant information in itself—but we wanted to know *why*.

### **DOS Thievery**

First, we should note that although the SAVE@ command deletes a disk file and saves a replacement in a single operation, it works differently than if you issued separate SCRATCH and SAVE commands. SAVE@ calls entirely different DOS routines—the SCRATCH and SAVE are executed as part of a con-

tinuous procedure, and the SAVE@ command therefore requires that more drive buffers be available.

DOS V2.6 has five internal buffers, numbered 0 to 4. These buffers start at memory pages \$300, \$400, \$500, \$600, and \$700, respectively. Normally an image of the disk's BAM (block availability map) is stored in the page at \$700, an image of the directory sector in use is stored at \$600, and the other three buffers are available for file use. As long as a buffer is active, it cannot be used for anything else. If DOS has assigned an internal channel to the BAM at \$700, then trying to open a direct channel to buffer 4 (from BASIC: OPEN 2,8,2,"#4") will produce a 70,NO CHANNEL,00,00

Similarly, DOS assigns channels and buffers to the directory sector and file sectors which are being read or written. Normally DOS assigns two read or two write channels and uses only three of the five buffers. The SAVE@ command, however, requires all five buffers—two read, two write, and the BAM. If DOS can't find a free buffer, it tries to steal an assigned but inactive buffer. This thievery causes the SAVE@ command to occasionally fail—for reasons which will be discussed shortly.

Why does omitting the drive number in disk commands cause DOS to steal a buffer? When a file is opened or loaded via the OPEN routine (\$D7B4), DOS searches the internal directory to look for the specified filename (DOS routine names and addresses in this article conform to those listed in *Inside* 

Commodore DOS, Datamost, 1984). ONEDRY (\$C312) determines whether a drive was specified. OPTSCH (\$C3CA) assigns a default or specified drive for each file in the command, and also calls AUTOI (\$C63D). AUTOI reads the BAM of the disk in the specified drive, and also tries to initialize drive 1 if no drive was specified. Usually buffer 3 (\$600) is allocated for the phantom drive 1 BAM, and a B1 SEEK command is issued to the disk controller. This results in an internal DRIVE NOT READY error in the disk controller. The error is trapped by AUTOI but not reported outside the disk drive. This leaves buffer 3 allocated but inactive. FFST (\$C49D) then reads the directory and tries to find the file.

The reason this inactive buffer assignment is important is that the SAVE@ command requires all five buffers, but only four are now available. Whenever DOS needs to allocate a buffer, it calls GETBUF (\$D28E). If one is not free, GETBUF tries to steal an inactive one by calling STLBUF (\$D339). If the drive number is always specified and no direct access buffers are allocated, STLBUF is never called. We verified this by modifying GET-BUF after copying DOS onto an EPROM (Eraseable-Programmable Read Only Memory). If a channel can't be stolen, then a NO CHAN-NEL error occurs. But if STLBUF is called, the SAVE@ bug sometimes

### Stealing The Wrong Buffer

STLBUF can be called several times during a SAVE@ command. The







### THE BEST PRICES!

- Next day shipping on all in stock items
- Free easy access order inquiry.
- ✓ Orders from outside Pennsylvania and Nevada save state sales tax.
- Free technicial support with our factory trained technical staff.
- ✓ There is no limit and no deposit on C.O.D. orders.
- There's no extra charge for using your credit card. Your card is not charged until we ship.
- No waiting period for cashiers
- We accept purchase orders from qualified corporations. Subject to approval.
- Educational discounts available to qualified institutions.
- FREE CATALOG MEMBERSHIP

### ORDER LINE

1-800-233-8950 In PA 1-800-242-4215

**CUSTOMER SERVICE** & TECH SUPPORT 1-717-327-1450

Dept. A211

### **MAILING ADDRESS**

Computer Mail Order Dept. A211

477 East Third Street Williamsport, PA 17701




MEMBER DIRECT MARKETING ASSOCIATION

### CREDIT CARDS









Add 3%, minimum \$5.00 shipping and handling on all orders. Larger shipments may require additional

All items subject to availability and price change.

Returned shipments may be subject to a restocking fee.

### CANADIAN ORDERS

1-800-268-3974 Ontario/Quebec

1-800-268-4559 Other Provinces

1-416-828-0866 In Toronto

**TELEX: 06-218960** 

2505 Dunwin Drive Mississauga, Ontario Canada L5L1T1

All prices shown are for U.S.A. Call The Canadian Office for Canadian prices.

### ATARI 130XE (128K)......CALL



800XL 64K	CALL
850 Interface	\$119.00
1010 Recorder	\$49.99
1050 Disk Drive	\$169.00
1025 Dot Matrix Printer	\$199.99
1027 Letter Quality Printer	\$269.99
1030 Direct Connect Modem.	\$59.99

8036 Atari Writer	\$29.99
Star Raiders	\$4.99
Missile Command	
Defender	\$4.99
Galaxian 19 SUPF	\$4.99
Dig DugWhile asis.	\$4.99
Donkey Kong	\$4.99
Joust	\$4.99
Eastern Front	\$4.99

### **BOARDS FOR ATARI**

Axlon 32K		\$39.99
Axlon 48K (	400)	\$69.99
Axlon 128K		\$269.99
Bit 3 Full Vi	ew 80	\$169.00

**MacIntosh Software** 

Microsoft Business Pak......\$375.00

CALL

...CALL

\$40.00

\$59.99

\$40 00

### APPLE



APPLE	Ile	CALL
APPLE	IIc	CALL
MacINT	rosh	CALL
IIC LCD	Display	CALL

### Living Videotext ThinkTank 512

Lotus Jazz...

Microsoft Excel.....

THINK TOTAL
Manhatten Ready, Set, Go\$79.99
Creighton Development
Mac Spell\$69.99
Monogram Dollars & Sense\$99.99
Peachtree Back to Basics - GL\$109.00
PFS File & Report (New Version)\$129.00
Silicon Beach Airborn\$25.99

### **Professional Software**

Crommodore	Fleet System II w/Spell
	Trivia Fever
C128 Computer\$299.00	Word Pro 4 Plus/5 Plus each
C1571 (Disk Drive for C128)\$NEW	Info Pro
C1902 (RGB 13" Monitor for C128)\$NEW	Administrator
C1670 (Modern for C128)\$NEW	

\$179.00

\$189.00

\$59 99

\$339.00

File (64).

### Commodore Plus 4... \$199.00 \$149.00 CBM 64... C1541 Disk Drive.... \$199.00 C1530 Datasette... ...\$39.99 M-801 Dot Matrix Printer...... .\$169.00

MCS 803 Dot Matrix.....

DPS 1101 Daisy Printer...

C1702 Color Monitor...

C1660 Auto Modem...

ricet dystem ii wopone	
Trivia Fever	\$29.99
Word Pro 4 Plus/5 Plus each.	\$239.00
Info Pro	\$179.00
Administrator	\$399.00
BRODERBUND	
The Print Shop	\$29.99

Порон (0-)	
BATTERES (C) NCLLOED	
PaperClip w/Spell Pack	
The Consultant DBMS	\$69.99
Bus Card II	\$139.00
80 Col Display	\$129.00

ps:

### NCHOR Volksmodem \$59 99 Volksmodem 300/1200.....\$189.99 Mark XII (1200 Baud)..... .\$259.00 Signalman Express.... .\$299.00 Lightning 2400 Baud.....\$399.00

### Hayes

Smartmodem 300	\$139.00
Smartmodem 1200	\$389.00
Smartmodem 1200B	\$359.00
Smartmodem 2400	\$629.00
Micromodem IIe	\$149.00
Smart Com II	\$89.99
Chronograph	\$199.00
Transet 1000	\$309.00

### AST

Reach 1200 Baud Half Card....\$399.00

me MICROBITS	
PP-1000E AD/AA (Atari)	\$79.99
D TOCA ADIAA IC CAL	660 00

11-1-1	004	ADIAA (0-04)	
		Novation 3	
mart	Cat	Plus	\$319.00
Cat			599 99

Smart Cat Plus	\$319.00
J-Cat	\$99.99
Novation 2400	CALL
Apple Cat II	\$229.00
212 Apple Cat II	\$379.00
Apple Cat 212 Upgrade	\$229.00
Macmodem	\$319.00
47	

### QUADRAM

Quadmodem II	
300/1200	\$339.00
300/1200/2400	\$499.00

### TELELEARNING

C64 300 Baud.....(Closeout).....\$39.99

### GRAPHICS

### **™**Koala

IBM	\$89.99
Apple/Franklin	\$79.99

### Polaroid

.... \$1299.00 Palette

### PORTABLE COMPUTERS

### PACKARD

41CV	\$189.99
41CX	\$249.99
HP 71B	\$419.99
HP 11C	\$62.99
HP 12C/15C/16C	\$89.99
HP 75D	\$949.00
HPIL Module	\$98.99
HPIL Cassette or Printer	\$359.99
Card Reader	\$143.99
Extended Function Module	\$63.99
Time Module	\$63.99

### We stock the full line of **HP** calculator products

### NEC

PC-8401	CALI
PC-8201 Portable Computer.	\$289.00
PC-8231 Disk Drive	\$599.00
PC-8221A Thermal Printers	\$149.00
PC-8281A Data Recorder	\$99.99
PC-8201-06 8K RAM Chips	\$105.00

### SHARP

PC-1350	\$159.99
PC-1261	\$159.99
PC-1260	\$109.99
PC-1500A	\$165.99
PC-1250A	\$88.99
CE-125 Printer/Cassette	\$128.99
CE-150 Color Printer Cassette	\$171.99
CE-161 16K RAM	\$134.99

### DISKETTES mayell

	IIIOAGII	
31/2"	SS/DD	\$39.99
31/2"	DS/DD	\$54.99
51/4"	MD-1 w/Hardcase	\$17.99
51/4"	MD-2 w/Hardcase	\$23.99
51/4"	MD-2-HD for AT	\$44.99

### Verbatim. 51/4" SS/DD \$21.99 \$29.99 51/4" DS/DD 524 99 Disk Analyzer

Elephant	51/4" 5	SS/SD	\$13.99
Elephant	51/4" 5	SS/DD	\$15.99
Elephant	51/4" D	OS/DD	\$16.99
Elephant	Premiu	ım DS/DD	\$23.99

### IBM

51/4" DS/D	D Floppy Disks	
(Box of	10)	\$25.99

### **DISK HOLDERS**

### INNOVATIVE CONCEPTS

Flip-in-File	10	.\$3.99
Flip-in-File	50	17.99
Flip-in-File	50 w/lock	24.99
Flip-in-File	(400/800 ROM)	11.99
	AMADAY	

AMARAY					
50	Disk	Tub	51/4	·	\$9.99
30	Disk	Tub	31/2		\$8.99

### DRIVES HARD

ALLOY

CALL

\$1999.00

PC Stor. DEAssociates

### 5 meg Removable/Internal.....\$1399.00 10 meg Fixed/Internal... \$1249.00 15 meg 5 Removable/10 Fixed \$2149.00 25 meg 5 Removable/20 Fixed \$2499.00

L.MEGA.

10 meg Bernoulli Box.

2	) me	g bernoulli	BOX	\$2599.00
5	meg	"MacNoulli	"	.\$1499.00
		MI TAL	LGRASS	

### 12, 25, 35, 50, 80 meg (PC)

.. from \$1499.00 **FLOPPY** 

Atari	GT. LINDUS	\$219.00
C-64	GT	\$229.00
	μ-sci	
A1.5	Apple	\$179.00
A2	Apple	\$179.00

	20000		
		ZEO:	
SDI	C-64	Single	\$219.00

D2	C-64	Dual	.\$469.00
		7====	

Spanner Comp.
TEAC

320K 51/4" (PC).....

320K 51/4".....\$109.00

\$119.00

Super Project.....\$195.00

THOUGHTWARE

 Trigger
 \$289.00

 Sell, Sell, Sell
 Training

 \$299.00

....\$379.00

Open Access.....SPI

Application...

T1850.....\$529.00

T1855.....\$799.00

T1865.....\$1049.00

1340 (80 column).....\$589.00

P351 (132 column).....\$1149.00

TOSHIBA

U-Print C (C64).....\$49.99

P-16 Print Buffer.....\$74.99

U-Print II Apple IIc.....\$89.99

TYMAC

C64 Epson.....\$59.99

C64 Okidata.....\$59.99

C64 Star.....\$57.99

Liberty \$309.00

QuadSprint \$499.00

QuadLink \$399.00

QuadClor 1 \$199.00

QuadJr. Expansion Chassis \$469.00

Expansion Chassis Memory.....\$199.00

Chronagraph.....\$79.99

Parallel Interface Board......\$64.99

result is that the BAM and directory sectors can be reassigned to different buffers during a single SAVE@. We have found the BAM and directory sectors in every drive buffer after different SAVE@ commands. We have found copies of the current directory sector in two different buffers, one an old sector and one properly updated, but the wrong one had been written to the disk. Somehow, the pointers to the BAM and directory sectors are not properly accounted for. Which buffer is stolen by STLBUL depends on prior buffer usage and the values stored in LRUTBL,Y (\$FA,Y), the least recently used table. It appears that STLBUF updates all pointers except LRUTBL, Y. This means that multiple calls to STLBUF may steal the wrong buffer—in this case the wrong buffer to steal is the BAM!

The BAM is stored in the drive in one of the buffers. STLBUF should not steal the drive 0 BAM, but should instead take back the unused buffer incorrectly assigned to drive 1. It never steals the drive 1 BAM, buffer 3 at \$600, because STLBUF cannot take a buffer which encountered a drive error. Remember that an internal DRIVE NOT READY error did occur, because there is no drive 1!

To test this, we copied into EPROM an altered version of DOS with STLBUF modified to allow stealing a buffer with this error. This allowed the phantom drive 1 BAM buffer to be freed, and the SAVE@ bug did not strike during tests with this modified DOS.

If this buffer-stealing occurs, why does SAVE@ work most of the time? We must dig deeper into DOS to answer this question. When a file is opened and blocks (or sectors) are written to a disk, the BAM is not directly updated in the drive memory. Instead, a BAM image for each of two tracks is stored at BAM (\$2A1-\$2B0). Each time a new block is allocated by WUSED (\$EF90), it is recorded in the BAM image. When a new track is tested for free sectors, DOS checks if it has a BAM image for it. If not, it calls SWAP (\$F05B), which first updates the BAM with the BAM image from the next-to-last track, copies the new track's BAM map into the BAM image, and then zeros that track in the BAM. This all works perfectly—most of the time.

After the last file sector is written to the disk, the BAM still has not been written to the disk. In fact, the BAM in the drive is wrong because it has not yet been updated from the BAM images. When a file is closed, the disk directory is closed, CLSDIR (\$DBA5), by reading in the file's directory sector, testing for a replace file type, and then rewriting it to the disk. MAP-OUT (\$EEF4) is called to read the BAM off the disk, if necessary, and to then update it from the BAM images by calling PUTBAM (\$F0A5). The updated BAM is then written back to the disk.

During a SAVE@ command, DOS performs an additional step after reading the directory sector. The file type is designated as replace, so DELFIL (\$C87D) is called to delete the original version of the file from the BAM. It reads in the BAM if necessary when freeing the first sector, FRETS (\$EF5F), and then proceeds to trace through the file and delete sectors in the BAM images. The BAM is then written to the disk.

### **Bungled BAM**

Normally this procedure works correctly. But havoc results if the BAM buffer is stolen while the file is being closed. This can happen during a SAVE@ command because DEL-FIL requires two additional buffers. The BAM can be stolen at different points during the procedure, depending on which buffers were previously used—which, in turn, depends on the number of sectors in the file and the tracks on which it is stored.

After the BAM is stolen, it is read back in when needed and updated from the BAM images. Only two tracks can be updated, however, since there are only two images. If more than two tracks have been accessed by SAVE@, the BAM may not be correctly updated. A track could be updated correctly, left unchanged, or fully allocated, depending on when the BAM was stolen.

If extra sectors are allocated, the BAM is incorrect, but no permanent harm is done. A validate command will cure the problem. If sectors are not allocated, then a

new file will be saved on top of the old file's sectors. In the example program listed in Part 1, a fourth SAVE@ command would result in the file being written on top of the old file's first four sectors, and then the whole new file would be scratched—a tragic result, indeed.

Based on these findings, we recommend that you avoid the SAVE@ command when direct access channels to the drive are open or if you don't always specify the drive number in disk commands. You should also avoid SAVE@ when using programs or cartridges intended to speed up access on the 1541 disk drive. These programs often reserve internal drive buffers and may cause problems even if the drive number is specified. If you're using the DOS Wedge, we recommend issuing a >UI or >UJ command before each SAVE@ command to be sure all the buffer pointers are reset. Many word processors also allow you to send these commands to the drive. Otherwise, the drive should be turned off and then on before using SAVE@. (On the SX-64, press the drive reset button.)

During our studies we found several other minor bugs in DOS V2.6, including the subroutine which puts the value 2 at the drive memory location \$197. This bug does no harm since it affects a normally unused section of drive memory. However, we have found it can affect DOS routines downloaded into the drive. There may be other bugs or quirks which we have not found, so the Commodore DOS controversy may never be fully closed.

In Part 1 of this article, there was a minor error in the example to illustrate the problems caused by not specifying a drive number (using the DOS Wedge program). The article stated that giving the Wedge command >\$TEST results in a blinking disk error light if the file TEST does not exist on the disk. Actually, >\$TEST does not cause the error light to blink unless it is used twice in succession. The first >\$TEST correctly prints a blank directory of drive 0, but leaves the 1541 looking for the nonexistent drive 1 so that the second >\$TEST results in the DRIVE NOT READY error described last month.

## Atari REMover

Jeff Stefanski

This short BASIC utility automatically removes REM statements from programs. It runs on the Atari 400/800, XL, and XE series computers.

Many programmers use REMark statements to document how their programs work—a good programming practice. Once the program is finished and debugged, however, the REMs can be deleted to save memory and slightly increase execution speed (although it's a good idea to save a version with the REMs in case you have to make modifications later). Scanning through a program and deleting REM statements one by one has always been a tedious job. But it's easy with "Atari REMover."

This short routine automatically removes the REMs from BASIC programs, leaving everything else intact. Type in Atari REMover as listed below, then save the program by LISTing it to disk or cassette. You must store the program with LIST, rather than SAVE. (Example: LIST "C:" for cassette or LIST"D:filename.ext" for disk.) Since Atari REMover deletes itself from memory after running, be sure to save a copy before using it for the first time.

REMover is easy to use. First load the program from which you want to delete the REMs. Then ap-

pend REMover to the end of the first program by ENTERing it from disk or cassette. (Example: ENTER "C:" for cassette or ENTER"D:filename.ext" for disk.) Type GOTO 32000 and press RETURN to activate REMover. The routine looks through your program and deletes each line that contains nothing but a REM statement. If a multistatement line ends with REM, the REM portion is cut off and the line is reentered.

It may take a while for REMover to delete all the REMs in a large program, so be patient. After the job is done, REMover deletes itself.

Note that REMover uses line numbers above 32000. If your program uses the same line numbers, renumber it before using this routine. If your program contains a GOTO or GOSUB to a REM line (poor programming practice in any case), change the line reference yourself after using REMover.

### Atari REMover

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTEI.

00 32000 CLR :GRAPHICS 0:STM TAB=PEEK(136)+PEEK( 137)\*256:POKE 82,2: POKE 83,39:DIM L\$(1

CL 32001 LINE=PEEK (STMTAB)+P EEK (STMTAB+1) \*256 AK 32002 IF LINE=32000 THEN 32015

FA 32003 PRINT CHR\$(125):POS ITION 2,6:LIST LINE

HH 32004 LOCATE 3+LEN(STR\$(L INE)),7,A:LOCATE 4+ LEN(STR\$(LINE)),7,B :LOCATE 5+LEN(STR\$( LINE)),7,C

CA 32005 IF A=82 AND B=69 AN D C=77 THEN 32009

P 32006 L=1:FOR X=7 TO 9:FO R Y=2 TO 39:LOCATE Y,X,M:L\$(L)=CHR\$(M) :L=L+1:NEXT Y:NEXT

6132007 FOR X=1 TO 110:IF L \$(X,X+3)=":REM" THE N 32012

ND 32008 NEXT X:STMTAB=STMTA B+PEEK(STMTAB+2):GO TO 32001

KH 32009 PRINT CHR\$(125):POS ITION 2,6:PRINT LIN

NC 32010 POSITION 0,0:POKE 8 42,13:POSITION 2,7: PRINT "CONT":POSITI

ON 2,4:STOP LM 32011 POKE 842,12:GOTO 32

IM 32Ø12 PRINT CHR\$(125):POS ITION 2,6:PRINT L\$( 1,X-1):PRINT "CONT"

FC 32013 POSITION 0,0:POKE 8 42,13:POSITION 2,4: STOP

JF 32014 POKE 842,12:STMTAB= STMTAB+PEEK(STMTAB+ 2):GOTO 32001

BI 32015 PRINT CHR\$(125):POS ITION 2,6:FOR X=320 00 TO 32016:PRINT X :NEXT X:PRINT "PRINT T CHR\$(125):POKE 84 2,12:END"

81 32016 POKE 842, 13: POSITIO N 2,2: STOP

## Plus/Term For Commodore 1660 Modem

Mark Wood

By adding a few lines to COMPUTE!'s popular "Plus/Term" program, you can use it with a Commodore 64 and the Commodore 1660 direct-connect modem, dialing and hanging up under program control.

"Plus/Term," published in COM-PUTE!, February 1985 (and in Telecomputing on the Commodore 64, COMPUTE! Books), is an excellent terminal program, offering an 80column display mode (with "Screen-80,"COMPUTE!'s GAZETTE, September 1984) and many other desirable features. However, since my Commodore 1660 is a directconnect modem which doesn't allow manual dialing, I had no way to use Plus/Term. My solution was to add auto-dialing and hang-up routines to the program.

To include these new features in Plus/Term, you'll first need to type in the original program. Then type in the additional lines listed below. Once you're finished, resave the program (perhaps with a different name to distinguish it from the original Plus/Term).

Plus/Term now offers two additional options: You can dial a number from within the program (press D) or hang up the line whenever you want (H). After selecting Dial, type in the number you want, then choose between rotary and

tone dialing, depending on which service you have on your phone system. You may add spaces or dashes between the numbers if you like, but they're not necessary. If you press RETURN without entering a number, or enter a string that contains no numbers, Plus/Term simply returns you to terminal mode. Rotary dialing is simulated by rapidly disconnecting and reconnecting the line the correct number of times for each number. Tone dialing signals are generated with the 64's SID chip.

### Plus/Term Modifications

For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.

10 DATA152,85,74,60,117,77,168 ,44,152,85,168,44,161,94,16 8,44,117,77,85,49 :rem 156

0/11/22////00/11
20 DATA152,85,85,49,161,94,85,
49,117,77,150,54,152,85,150
,54,161,94,150,54 :rem 140
271 PRINTA\$"H. HANG UP";
:rem 68
272 PRINTAS"D. DIAL"; :rem 152
281 IFM1\$="H"THENPOKE56577, (PE
EK(56577)OR32) :rem 8
282 IFM1\$="D"THEN2020 :rem 133
685 DIMDIG(15):FORWXE=ØTO9:FOR
COL=1TO4: READSID(WXE, COL):
NEXT:NEXT :rem 33
2020 ZX\$="":AZ\$="":INPUT"{CLR}
[6 DOWN] [2 RIGHT] NUMBER T
O DIAL"; AZ\$: IFLEN(AZ\$)=ØT
HEN1760 :rem 120
2030 FORJ=1TOLEN(AZ\$):G\$=MID\$(

AZ\$, J, 1): IFG\$=> "Ø" ANDG\$ <= "9"THENZX\$=ZX\$+G\$:rem 190

040	
050	:rem 62 PRINT"{DOWN}{2 SPACES}
.030	[RVS]R[OFF]OTARY OR [RVS]
	T{OFF}ONE?" :rem 232
060	GETTY\$:IFTY\$<>"R"ANDTY\$<>
300	"T"THEN2060 :rem 208
Ø7Ø	FORWXE=1TOLEN(ZX\$):DIG(WX
212	E)=VAL(MID\$(ZX\$,WXE,1)):N
	EXT :rem 154
Ø8Ø	POKE56579, (PEEK(56579)OR3
	2):POKE56577, (PEEK(56577)
	AND223):FORJ=1TO600:NEXT
	:rem 127
090	PRINT" [3 DOWN] [5 RIGHT] DI
	ALING":IFTY\$="R"THEN21
	60 :rem 71
100	POKE54296, 15: POKE54276, 16
	:POKE54283,16:POKE54277,Ø
	:POKE54284,Ø :rem 46
110	
	40:POKE54295,0:FORWXE=1TO
	LEN(ZX\$) :rem 236
120	POKE54272, SID(DIG(WXE), 1)
	:POKE54273,SID(DIG(WXE),2
	) :rem 13
130	POKE54279, SID(DIG(WXE), 3)
	:POKE5428Ø,SID(DIG(WXE),4
	) :rem 23
140	POKE54276, 17: POKE54283, 17
	:FORDEL=1TO75:NEXT
1.50	:rem 129 POKE54276,16:POKE54283,16
שכוו	:FORDEL=1TO75:NEXT:NEXT:P
	OKE54296, Ø:GOTO1760:rem 9
160	FORWXE=1TOLEN(ZX\$):VA=DIG
1.00	(WXE):IFVA=ØTHENVA=10
	:rem 19
170	FORCL=1TOVA: POKE56577, (PE
	EK(56577)OR32):FORDEL=1TO
	26:NEXT :rem 78
180	POKE56579, (PEEK(56579)OR3
	2):POKE56577, (PEEK(56577)
	AND223):NEXT :rem 110
190	FORDEL=1TO250:NEXT:NEXT:G
	OTO1760 :rem 99
	0101100

2

## Atari Animation With P/M Graphics

Robert Powell

Animation with Atari player/missile graphics involves a number of programming techniques. Parts 1 and 2 in this series showed how to design a player/missile object, display it on the screen, control its color, and animate it horizontally. This month's article shows one method of vertical animation without resorting to machine language.

As we saw in Part 2, horizontal animation with player/missile graphics is quite simple: A single POKE into the horizontal position register moves the P/M strip to any place on the screen. Last month, Program 2 demonstrated how easy it is to move a player horizontally with a joystick.

Vertical animation, however, is not so simple. There is no such thing as a vertical position register which corresponds to the horizontal position register. Since P/M objects are strips of memory taller than the screen, a vertical register wouldn't make sense—you couldn't see the strip moving, anyway. Instead, to achieve vertical animation your program must move the P/M shape you've designed through the strip of player memory.

Program 1 below is a slightly modified version of last month's program which defined player 0 as a happy face. It shows how a shape can be moved through P/M memory with a FOR-NEXT loop in

BASIC. Plug a joystick into port 1 to control the player's vertical movement. As you'll see, vertical animation in BASIC is disappointingly slow. BASIC just isn't fast enough to move the player shape through memory without a rippling "inchworm" effect.

There are two solutions to this problem. One is to write a machine language subroutine for vertical animation. Over the past five years, COMPUTE! has published several such routines which require no knowledge of machine languageyou just drop the routine into your BASIC program and call it with a USR statement. The back issues are now out of print, but these and various other routines for vertical motion are discussed in several books (COMPUTE!'s First Book of Atari Graphics; Mapping the Atari; COMPUTE!'s First Book of Atari Games; and COMPUTE!'s Second Book of Atari Graphics).

Another solution which avoids machine language yet is comparable in speed takes advantage of BASIC's fast string-manipulation routines. We'll cover this method here.

### A Few Strings Attached

The string-animation technique depends on making the computer think that a BASIC string is located in the P/M memory area, rather than in the usual memory area where the computer stores strings. Therefore, when you redefine the string, P/M memory changes—and the P/M object changes along with it. You can use this technique to rapidly change the shape of a player, move it vertically, or erase it off the screen.

Program 2 shows how to fool the computer into thinking a long string is located in the P/M memory area. A full explanation is beyond the scope of this article; however, even if you don't understand this technique, you can use it in your own programs by copying lines 10-100. This module adjusts itself for single- or double-line P/M resolution when you change the statement in line 20. Set MODE=1 for single-line resolution, or MODE = 2 for double-line resolution.

When you run this program, several things become apparent. First, it eliminates the usual delay

### Player/Missile Addresses Using String Animation

10	Double-Line Resolution	Single-Line Resolution
Missiles 0-3	1-128	1-256
Player 0	128-256	256-512
Player 1	256-384	512-768
Player 2	384-512	768-1024
Player 3	512-640	1024-1280

caused by using a FOR-NEXT loop to clear out P/M memory with zeros. Instead, the three statements in line 100 clear out P/M memory instantly. This trick works by setting A\$ to zeros after lines 10–90 fool the computer into thinking that A\$ coincides with P/M memory.

Second, the program does not define the player shape by POKEing into P/M memory, as does Program 1 and last month's programs. Instead, the bytes which form the player shape in line 120 are read into a string (B\$) in line 110. This is the key to the string-animation technique. Since the computer thinks that A\$ overlays P/M memory, the statement in line 130 copies the player shape in B\$ into the middle of the player 0 memory area. This places the shape at midscreen.

With a statement like A\$(Y,Y +LEN(B\$))=B\$, you can instantly change the player's vertical position. For an example of vertical animation, replace lines 130 and 140 in Program 2 with the following lines:

13Ø FOR Y=256 TO 512 14Ø A\$(Y,Y+LEN(B\$))=B\$ 15Ø NEXT Y 16Ø GOTO 13Ø

It's a convincing demonstration that fast vertical motion can be easily achieved in BASIC using strings.

### **Self-Erasing Players**

If you look closely at the player shape bytes in line 120, you'll notice that a pair of zeros precedes and follows the series of numbers. Ordinarily, it doesn't make sense to see zeros in player shape data, because zeros show up blank on the screen. But these zeros have a special purpose. As the player shape moves through P/M memory, it would leave a trail of itself on the screen unless you erased it after every movement. Although it would be easy to erase the player shape by filling B\$ with zeros (using a formula like the one in line 100), this extra step would slow down the animation by a fraction of second. By tacking a zero onto each end of the player data, the shape erases itself as it moves.

In this case, two zeros surround the player data. This allows even faster vertical motion by moving the player shape *two* steps at a

time. To see this in action, add the above changes to Program 2 with this alteration to line 130:

13Ø FOR Y=256 TO 512 STEP

Now change STEP 2 to STEP 15. As you can see, you can have as many shapes displayed in the vertical band as will fit.

Another important advantage of string-animation is that you can store several different shapes in different strings (such as B\$, C\$, D\$, and so on). You can instantly flip between the shapes simply by reassigning A\$, as in A\$(Y,Y+LEN(D\$))=D\$.

### **What About Diagonals?**

Once you learn how to move P/M objects horizontally and vertically, it's easy to animate them diagonally as well. Just combine a horizontal step with each vertical step, interweaving them to achieve a diagonal path.

For an example, start with Program 2 and add these changes:

13Ø FOR Y=256 TO 511 14Ø A\$(Y,Y+LEN(B\$))=B\$:PO KE 5324B,Y-256 15Ø NEXT Y 16Ø GOTO 13Ø

If you experiment with these programs, you should be able to take it from here. All these examples use player 0, but the other players and missiles can be used in a similar manner. Just calculate the vertical screen position by figuring where A\$ overlaps the appropriate player/missile area, then position the player shape data at that point in A\$. (Refer to the accompanying table for a guide.)

Trying drawing a background screen with PLOT and DRAWTO, then move your players above or beneath it. Also, although P/M graphics are commonly used for games, try using these techniques to add interest and variety to your text programs as well. You can turn players or missiles into thin vertical lines to delineate data columns, or change them into cursors that change color to signal for input. This three-part series merely covers the basics—there's a lot more to Atari P/M graphics, such as priority registers and collision registers. The possibilities are endless.

For instructions on entering these listings, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.

### Program 1: Vertical Movement With FOR-NEXT

MF 10 POKE 106, PEEK (106) -8 NF 20 POKE 54279, PEEK (106) HD 3Ø GRAPHICS Ø: SETCOLOR 2, CH 40 PMBASE=PEEK (106) \$256 ML 50 POKE 559,62 PM 60 POKE 53277,3 P 70 POKE 704,68:POKE 705,1 98: POKE 706, 168: POKE 7 Ø7,148 PA 80 POKE 53248, 160: POKE 53 249,170:POKE 53250,180 :POKE 53251,190
NB 90 FOR X=PMBASE+1024 TO P MBASE+2048: POKE X, Ø: NE XT X LB 95 VERTICAL=PMBASE+1152 KD 100 RESTORE : FOR X=1 TO 1 OP 110 READ A AM 120 POKE VERTICAL+X, A CL 130 NEXT X LP 140 DATA 0,24,60,126,90,2 19, 255, 219, 195, 102, 60 ,24,0 CF 15Ø S=STICK (Ø) JK 160 IF S=13 THEN VERTICAL =VERTICAL+1:GOTO 100 JO 170 IF S=14 THEN VERTICAL =VERTICAL-1:GOTO 100

### Program 2: Vertical Movement With Strings

60 18Ø GOTO 1ØØ

6L 10 DIM A\$(1),B\$(15)
0A 20 MODE=2:REM MODE=2 FOR
DOUBLE-RES, MODE=1 FOR
SINGLE-RES
FH 30 PMPAGE=PEEK(106)-4\*MOD

E:POKE 106,PMPAGE:POKE 54279,PMPAGE

CE 40 GRAPHICS 0:SETCOLOR 2, 0,0:PMBASE=256\*PMPAGE

EH 50 POKE 559,30+16\*MODE:PO KE 53277,3:POKE 53248, 160:POKE 704,68

HH 60 VTAB=PEEK(134)+256\*PEE K(135):ATAB=PEEK(140)+ 256\*PEEK(141)

070 OFFSET=PMBASE+384\*MODE -ATAB:REM FIND DISTANC E FROM ATAB START TO P LAYER ZERO START

F8 80 HI=INT(OFFSET/256):LO= OFFSET-256\*HI:L=640\*MO DE:HL=INT(L/256):LL=L-256\*HL

AN 90 POKE VTAB+2,LO:POKE VT AB+3,HI:POKE VTAB+6,LL :POKE VTAB+7,HL

JD 100 A\$(1)=CHR\$(0):A\$(640\* MODE)=CHR\$(0):A\$(2)=A

BB 110 FOR I=1 TO 15:READ A: B\$(I,I)=CHR\$(A):NEXT

HF 12Ø DATA Ø,Ø,24,6Ø,126,9Ø,219,255,219,195,1Ø2,6Ø,24,Ø,Ø

KM 13Ø A\$(19Ø\*MODE, 19Ø\*MODE+ LEN(B\$))=B\$ 60 14Ø GOTO 14Ø ©

## Amiga's

## mazin

## Graphics

Charles Brannon, Program Editor

Commodore's Amiga presents programmers with more graphics features than ever before-both an exciting prospect and a bewildering abundance. This overview covers the fundamentals of the Amiga's graphics capabilities and shows how they differ from those on previous personal computers.

Graphics make the Amiga special. Although the Amiga's other features—such as its stereo sound, high-speed 68000 microprocessor, built-in 880K disk drive, and multitasking operating system—are certainly noteworthy, it's the graphics that first catch your eye. The 4,096 color variations allow nearly seamless transition between colors; the 640 × 400 high-resolution bitmap mode is close to broadcast TV quality; and the custom chips permit fast, complex animation. The Amiga is a machine for the artist in

Making the most of these features requires programmers to master some new techniques, however. There are some important differences between the way the Amiga handles graphics and the methods used on previous personal computers. Of course, there are many similarities, too.

### Mixing A Rainbow

Understanding any computer's graphics is easier if you know some

background about video displays. In any monitor or TV, video images are electronically painted by electron guns on the inside of the CRT (cathode ray tube, commonly known as the picture tube). From our point of view when looking at the screen, three electron beams sweep left to right, top to bottom, across the inside of the CRT. The CRT is coated with special phosphors that glow either red, green, or blue when hit by the stream of particles from the electron guns. Each phosphor dot can glow bright, dim, dark, or anywhere in between.

Once painted on the screen, the video image quickly fades away, so the electron beams repeat the cycle to draw a new frame 60 times per second. This refresh rate is more than fast enough to fool our eyes into seeing motion when the video images are changing each frame, as they are with TV shows and animated computer graphics.

Unlike most computers, the Amiga does not limit you to a fixed set of colors. Instead, you mix three primary colors-red, green, and blue-to create your own custom colors. Each primary color has 16 luminance, or brightness, levels, from 0 (no color) to 15 (very bright). This makes up to 4,096 combinations possible (16 \* 16 \* 16 = 4,096).


To display all these colors, the Amiga requires a special monitor called analog RGB (red-green-blue).


The Amiga also works with another type of RGB monitor, called digital RGB, but these devices can display only 16 colors. (Digital RGB monitors are the type used with IBM computers and the Commodore 128.) If you plug the Amiga into a regular TV via its built-in RF modulator, 3,616 colors can be displayed.


With a maximum of 4,096 color combinations available using analog RGB, almost any hue can be closely approximated. Most colors can be separated into red, green, and blue components. Because video images appear as transmitted, not reflected light, the red-blueyellow primary color mixing you may have learned does not always apply. For example, red, blue, and green combine to form white, not dark brown. To get brown you'd need to combine red and green to get a greenish red color which appears to be brown. Turning up the brightness of green and red gives yellow. Combine dark red and dark blue to get violet. Bright red and dark blue yields a pastel shade of purple.


### Color Indirection

In most of the Amiga's graphics modes, you cannot display all 4,096 colors simultaneously. Instead, you're limited to a palette of 16 or 32 colors, depending on the mode. However, you can choose which of the 4,096 colors will be available in the palette.









### Cadpak Enhanced Version

Graphics design and drawing package. Create detailed designs with dimensioning, scaling, text, rotating, more. Use with or without lightpen. Hardcopy. \$39.95

PowerPlan - "one of the best programs ever written for the C-64" Commodore Magazine, Nov 1985. Complete spreadsheet with builtin graphics. Cell formatting, protection, windowing, HELP. \$39.95

Chartpak - Make professional quality pie, bar and line charts/graphs directly from your data. Instantly draw or redraw charts to your specifications. Statistics capabilities. Hardcopy. \$39.95

Super C - Complete C language development system. Enhanced full-screen editor, compiler, linker, library and extensive handbook. Used by thousands in schools and industry. \$79.95

Xper - First expert system for C-128 and C-64. Ordinary data bases play back facts, but XPER's knowledge base help you identify, diagnosis and select - in short helps make decisions. \$59.95


Super Pascal - Complete Pascal language development system. Full-screen editor, compiler, integrated assembler, graphics toolkit, fast DOS (3X faster than 1541) and handbook. \$59.95

Call now, for the name of your nearest dealer. Or order directly from ABACUS with your Mastercard, VISA or AMEX card. Add \$4.00 for postage and handling. Foreign orders add \$10.00 per product. Other software and books are also available. Call or write for free catalog. Dealer inquiries welcome - over 1200 dealers nationwide.




Tel. 616/241-5510 Telex 709-101

AUTHORATATIVE, COMPREHENSIVE, DEFINITIVE



C-128 TRICKS & TIPS निगगड 114- 0000






With ROM listings

For the programmer Avail. Nov. \$19.95 Avail. Nov. \$19.95 With ROM listings

Especially for the '128 Avail. Dec. \$19.95 Avail. Dec. \$19.95

## more



For two years a best seller. C-64 internals w/ROM listings. \$19.95







Ouickhitting, easy-to-use routines for every Revised & expanded, C-64 owner. \$14.95 ROM listings. \$19.95



maintenance and repair procedures. \$19.95







BOOKS COMING SOON!



Most in depth treatment available. Dozens of techniques. \$19.95



Intro to machine Ian-guage geared to C-64. Assembler incl. \$1.495. controllers, etc. \$1.495. interfaces. \$19.95











Write your own adventures. Learn strategy, motivation. \$14.95 Dozens of interesting pro-ects for your '64. Easy to read. \$12.95

OPTIONAL DISKETTES are also available for each of our book titles. Each diskette contains the programs found in the book to save you the time of typing them in at the keyboard. Price of each diskette is \$14.95.

SAVE! Thru Nov 30th, receive the optional diskette for 1/2 price when ordered at the same time as any book. Only \$7.50 Call now, for the name of your nearest dealer. Or order directly from ABACUS with your MC, VISA or AMEX card. Add \$4.00 for postage and handling. Foreign orders add \$6.00 per book. Other software and books are also available. Call or write for free catalog. Dealer inquiries welcome over 1200 dealers nationwide. Call 616 / 241-5510

## acus IIIIIII So

P.O. Box 7211 Grand Rapids, MI 49510 Phone 616/241-5510 Telex 709-101

The colors in the Amiga palette are determined by 32 memory registers. Each register is 12 bits wide (1½ bytes), the number of bits needed to hold a number from 0 to 4,095.

When the Amiga draws a video image, the dots that make it up derive their colors from the color registers. In the 320 × 200 or 320 × 400 modes, each dot on the screen can be colored from any of the 32 color registers. Therefore, 32 simultaneous colors are possible in these modes.

Some computers, such as the Commodore 64, store color information for the screen in a section of memory known as color memory. Color memory is a grid of memory cells. Each cell defines the color of an 8 × 8 pixel zone. The number in color memory is a number representing 1 of 16 fixed colors. Other computers, such as the Atari machines, store color information by another method known as color indirection. The Amiga uses the latter technique. The number representing the dot on the screen does not encode the color directly, but instead selects a particular color register. The dot gets its color indirectly through the color register. If you change the color register, everything drawn with that register instantly changes.

Color indirection is extremely powerful. Unique glowing effects are possible by cycling between all the colors at high speed. You don't have to redraw the entire screen, which takes a lot of time. You can merely change a color register to instantly modify the appearance of everything drawn in that color. A single memory change affects an entire screen, which makes possible some high-speed effects even in a relatively slow language like BASIC.

For example, if you draw a series of concentric circles, each circle deriving its color from a different color register, you could create a 3-D tunnel illusion by changing the color registers in sequence. You could fill all color registers with the same color, then change one color register at a time to create the illusion of growing circles. Objects can be made invisible by changing their color to the same color as the screen

background, then made to appear instantly by giving them a contrasting color.

### A Nybble Of Color

Color information is stored in the color registers by flipping certain bits on and off. Each 12-bit register assigns 4 bits for each primary color. (A group of 4 bits is called a nybble—half of a byte.) In the 320  $\times$  200 and 320  $\times$  400 modes, here is the format of the color registers:

11 10 9 8 | 7 6 5 4 | 3 2 1 0 bit number blue | green | red primary color

A handy formula for setting a color register in this mode is:

BLUE\*256+GREEN\*16+RED

where the luminance values of BLUE, GREEN, and RED range from 0–15.

The color registers for the hires  $640 \times 400$  mode with an analog RGB monitor are a little trickier:

11 10 9 8 7 6 5 4 3 2 1 0 bit number blue green rm rl rh b g r color

As you can see, the color bits have been scattered all over the 12-bit range. Bits 9–11 define 3 bits of data for blue (range of 0–7); bits 6–8 define 3 bits of data for green (range 0–7). Bits 4 and 5 are the low and medium bits of data defining red, and bit 3 is the high bit of red data. (You would think the red bits would be arranged high-medium-low instead of high-low-medium, but the Amiga engineers must have had some reason for this strange order.) Bits 0–2 are the enable bits for the red, green, and blue electron guns.

The formula for setting a color register in this mode is also more complicated:

BLUE\*512+GREEN\*64+INT(RED/2)\*
16+(RED AND 4)\*2+BEN\*4+GEN
\*2+REN

This formula assumes RED, GREEN, and BLUE range from 0–7; REN, GEN, and BEN (the RGB enable bits) are either 0 or 1; that INT takes the integer result of its argument (as in BASIC); and that AND performs a bitwise AND.

### **A Binary Tower**

Each screen dot, or *pixel*, derives its color from one of these color registers. How are these dots laid out in memory? For a 32-color mode, each pixel is represented by a five-bit

binary quantity (2<sup>5</sup>=32). However, a five-bit quantity does not pack into a byte very well. Therefore, the Amiga maps its screen memory in a different way from most computers.

Traditionally, computers have laid out their screen memory serially, left to right, top to bottom. For instance, the Commodore 64's multicolor graphics mode fits four pixels into a byte, with each bit pair representing one pixel (00=color 0, 01 = color 1, 10 = color 2, 10 = color3). That's why the Commodore 64's 160 × 200 multicolor mode reguires 8K of screen memory. With this memory scheme, to get more colors you would have to group more pixels together. But with five bits needed to store a single pixel on the Amiga, three bits would be wasted in every byte. If the Amiga used a serial scheme to store its display, it would take 64K to hold a  $320 \times 200$  screen with 32 colors.

This problem was solved by grouping the bits a different way. Instead of using horizontally adjacent bits within the same byte to select a color register, the Amiga overlays bytes and reads the bits vertically. For example, all bits in bit position 7 from each of five overlaid bytes form a five-bit quantity. It's as if each pixel were a five-bit tower rising above the screen map. If you cross-section the vertical bytes making up the screen, you get five layers of bits called bit planes.

Each bit plane permits one bit of color definition. The simplest screen has only one bit plane, with one bit per pixel. This arrangement permits only on/off possibilities for each pixel. To get a broader range, you need to add another bit plane. That way, the bit on the primary bit plane and the bit in the corresponding position in the second bit plane permit two bits, or four possibilities of color definition. The accompanying figure shows how the Amiga uses bit planes for color selection, and the table gives a summary of the Amiga's screen modes.


Incidentally, the Amiga has no true text modes like those found on earlier computers. Text is drawn as graphics objects, usually in 640 × 200 graphics, the default mode used by the Amiga's operating system, Intuition.



0000	0001	0010	0011
		12822333	

0000	0000	0000	0000	0000	0000	0000	0000	0000	000
0000	0000	0000	0000	0000	0011	0011	0010	0000	000
0000	0000	0000	0000	0011	0011	0011	0010	0000	000
0000	0000	0000	0011	0011	0000	0011	0010	0000	000
0000	0000	0011	0011	0000	0000	0011	0010	0000	00
0000	0011	0011	0001	0001	0001	0011	0010	0000	90
0011	0011	0000	0000	0000	0000	0011	0010	0000	(
0011	0000	0000	0000	0000	0000	0011	0010	0000	
					nnnn				

This shows how screen memory is mapped serially. Every pixel is represented by a four-bit binary number. We can pack two pixels per eight-bit byte. This scheme is not efficient for packing pixel sizes of three, five, or seven bits.



A more flexible and efficient way of representing multiple-bit objects (pixels) is to layer the bits "vertically." Each bit-plane is equivalent to one high-resolution screen. A pixel is represented by a single bit position, hence eight pixels per byte. To permit a pixel to represent more than just on or off, additional bit fields are layered. All bits in a corresponding bit position together define a four-bit value.

### Amiga Screen Modes

Mode	Pixels	Bit Planes	Memory	Onscreen Colors
Normal res, noninterlaced	320 × 200	1 to 5	8K-40K	2 to 32
Normal res, interlaced	320 × 400	1 to 5	16K-80K	2 to 32
Hi res, noninterlaced	640 × 200	1 to 4	16K-64K	2 to 16
Hi res, interlaced	640 × 400	1 to 4	32K-128K	2 to 16
Hold and modify	320 × 200	5 or 6	48K	256 to 4,096
Hold and modify	320 × 400	5 or 6	96K	256 to 4,096

### **Bit Planes Save Memory**

Although the bit planes are stacked together, don't think of them as multiple, transparent screens. The pile of bit planes creates only one screen. Bit planes are merely a way to make more efficient use of memory. If you don't need 32 colors, use fewer bit planes. Since each bit plane uses 8K in 320 × 200 resolution, memory usage can range from 8K (one bit plane, 2 colors) to 40K (five bit planes, 32 colors). Memory usage for the 320 × 400 mode can be up to 80K; for  $640 \times 200$ , 64K; and  $640 \times 400$  uses as much as 128K. Again, these are only if all allowed bit planes are used. The mininum memory requirement for  $640 \times 200$  is 16K, for a two-color mode.

The Amiga permits up to six bit planes, though only five are used at a time in  $320 \times 200$  or  $320 \times 400$  resolution. The hi-res  $640 \times 200$  and  $640 \times 400$  modes use only four bit planes, for a total of 16 colors. Although six bit planes are available, the video circuitry can't fetch more than five bits per pixel in  $320 \times 200$  mode, or it would lag behind the speeding video beam. The video beam that refreshes the picture can't wait, so the video circuitry must keep up with the beam.

That's why  $640 \times 200$  and 640× 400 modes are limited to four bit planes, or 16 onscreen colors. The video circuitry just can't fetch memory fast enough to change twice as many pixels per line. In fact, adjacent pixels cannot always have different colors in the 640 modes. The adjacent values may point to different color registers, but it's not possible to fully change the hardware color output between even and odd pixels in the 640 mode. A dark green pixel to the right of a bright white one may appear gray ("dark white"). Only the luminance information can be effectively changed before the beam has left that pixel position.

### Interlaced Modes

Most personal computers up to now have been limited to a vertical resolution of 200 scan lines (a scan line is the thin horizontal line painted on the CRT by the electron guns as they scan from left to right). However, the Amiga can make use of interlacing to double the number of scan lines. A TV or monitor displays more than 400 visible scan lines, but normally uses only every other scan line of a screen, filling in the odd lines with data from the even lines. In interlace mode, alternate screen refreshes are shifted up or down by one scan line, permitting full vertical resolution.

Interlacing on the Amiga works like this: In 1/60 second, the first  $320 \times 200$  or  $640 \times 200$  screen is scanned. Before the phosphors fade, a second  $320 \times 200$  or  $640 \times 200$  screen is scanned, shifted down one line to interweave it with the previous screen. The first screen displays even lines, and the second displays the odd lines. The result is doubled resolution—400 scan lines instead of 200.

Because the total picture takes twice as long to display, the phosphors in the even lines begin to fade as the odd lines are drawn. Therefore, some flickering and jittering in the  $640 \times 400$  mode is visible. The only way to avoid this would be to redesign the monitor to refresh its screen at a faster rate than 1/60 second (a technique used by the Macintosh and Atari ST monochrome monitors).

The Amiga's video chip is smart enough to handle interlacing with ease. The bit planes are laid out in memory as if there were just one continuous 320  $\times$  400 or 640 × 400 screen. You tell the video chip how far to skip ahead in memory to display the next line. By choosing an offset twice the normal line width, you can make the chip skip the odd lines of data for the first scan, then display the next screen from the odd lines, skipping the even lines. This greatly simplifies screen layout. The operating system actually takes care of these details, so you needn't even know how 320  $\times$  400 or 640  $\times$  400 are supported.

### **Dual Playfield Mode**

In the normal-res modes, you can set up and overlay two independent graphics screens. A portion of one screen can be transparent to show the underlying screen. You can specify which screen has priority over the other. Each screen can be manipulated independently, even resized and moved over or

under the other.

The overlay screens can use up to three bit planes each, since there are six available. However, you can use fewer bit planes if you want to save memory at the expense of color selection. Three bit planes permit only eight colors per screen, but each screen has its own color palette. And the palettes can contain any of the 4,096 hues, of course.

Dual playfields raise some exciting possibilities. In a game, one screen could show your cockpit window or starship control panel, with the windshield or viewport simply a transparent hole. The secondary screen could show your view of the sky or of the depths of space, visible through the transparent part of the primary screen.

Intuition uses this feature to let you slide down the top screen to see another behind it. For business applications, you could have two spreadsheets or documents running on the two screens simultaneously. Each screen can have its own windows, too.

### **Fine Scrolling**

Scrolling is a technique that lets an actual screen pan across a much larger virtual screen. The actual screen is what you see on the monitor; the virtual screen includes the portions which won't fit on the monitor but can be scrolled into view. Scrolling lets you work with a very large document, spreadsheet, or page of graphics, and also makes for exciting computer games (such as Defender or Eastern Front).

Some computers are limited to coarse scrolling—the actual screen can be scrolled over the virtual screen only in character-sized increments. Fine scrolling is a more difficult technique that scrolls the actual screen pixel by pixel.

Fine scrolling is easy on the Amiga. The start of the screen map is found in two memory registers which are bit plane pointers. To scroll the screen up, just change the registers to point one line higher in memory. To scroll down, you subtract the line width from the bit plane pointers, displaying from the previously off-screen line of data.

For horizontal scrolling, a single register lets you shift the screen by up to 16 positions. You must

fetch an extra data word per line to provide the pixels that should appear as the screen is scrolled. After you've scrolled 16 times, the program must perform a coarse scroll by repointing the bit plane pointer to the next word of memory. The whole display appears to move, but you're really just displaying a different section of memory.

### 4,096 Colors At Once

A special video mode lets you display more than just 32 colors at a time. *Hold and modify* mode can display 4,096 colors simultaneously in the normal-res modes.

It's a difficult mode to use, though. Each pixel is defined as a modification of the color of the previous pixel. You can hold this value, and modify a portion of it (hence hold and modify). Instead of bit plane data defining a color register, the bits from bit planes 5 and 6 determine which portion of the previous color output should be modified, and the bits from bit planes 0–4 are substituted in the selected portion of the color output.

You can define an entire screen of color, even the background color, just by modifying a single color register in this mode. You could start with bright white, then set the blue bits to zero to select yellow. From yellow you can decrease the red level to get green. You could then turn off the green bits to get black, which can in turn be modified to get bright blue. You can modify only the R, G, or B portion, or start over with data from a new color register.

Since color in the hold and modify mode is dependent on previous values, changing one pixel could change the colors of all following ones. It's a difficult mode to use for dynamic displays, so it is best suited for static pictures that need 4,096 colors.

There's much more to the Amiga's graphics than we can cover in this article. We haven't even begun to discuss blitter animation, sprites, the copper (video coprocessor), and options like external video mixing, video digitizing, and framegrabbing. It will probably be a while before programmers learn to take advantage of all these features. In the meantime, we'll have a lot to look forward to.

## A Better Way To POKE On The Commodore 64

Matthew MacKenzie

This "program-writing program" for the Commodore 64 can speed up any BASIC routine that uses POKE to fill large areas of memory. Using clever programming techniques, it writes a new routine that employs fast PRINT statements in place of POKEs.

BASIC programs often require that you fill a certain memory area with data. The data may be a machine language routine, sprite shape definitions, a high-resolution graphics screen, or whatever. In most cases, the job is done with POKE statements: The program READs values from DATA statements and POKEs each value into the computer's memory. Unfortunately, POKE is one of BASIC's slower statements. In fact, it's so slow that some programs display countdown timers during memory-filling operations to tell you how much longer you'll have to wait.

PRINT, on the other hand, is very fast. Though it's intended for a different purpose than POKE, PRINT also puts new values into certain memory locations. After all, the screen is just another memory area in the computer: It consists of

1000 locations numbered from 1024 to 2023, with 1024 at the upper-left corner. When you PRINT the letter *A* in the upper-left corner of the screen, you're storing a new value in memory location 1024. Because of this similarity, it's possible to store values in memory with PRINT instead of POKE.

However, PRINT's memory-changing ability has certain limitations. Usually, you can print only in the 1000-character screen memory area. And after you've changed character 999, the screen begins to scroll. The top line of the screen disappears, and everything below that line moves up. Finally, POKE and PRINT use different codes to represent characters, requiring conversion from Commodore ASCII (for PRINT) to screen code values (for POKE).

### POKEING With PRINT

"Print Poker" solves all those problems. If you already have a routine that uses POKEs to fill memory, Print Poker can write a new, faster routine that does the same job with PRINTs. You don't have to understand how the special PRINT technique works to use Print Poker; it automatically creates new BASIC program lines containing everything you need. Type in the program listed below, and then save it. Because this program does some unusual things, be sure to read the following instructions *before* you try to run it.

As an example, say you've written a routine that puts eight sets of sprite shape data in memory locations 12288–12798. Your routine works fine, but POKEing the data into those 511 locations causes a noticeable delay. The Print Poker program can write a new BASIC routine that uses PRINT to do the same job more quickly. Before you run it, however, you must run your own routine to put the sprite data in memory. (Print Poker works only when the needed data is already in the proper memory area.)

Once that's done, enter NEW. Now you can load and run Print Poker. The program first asks you for beginning and ending addresses. In this case, you want the special PRINT statements to fill locations 12288–12798, so you enter 12288 for the beginning address and 12798 for the ending. This tells the program which memory area to look at when creating the special PRINT statements.

Next, you're asked to enter a starting line number. This is the

first line number of the routine Print Poker is about to write for you. Use whatever line number is appropriate for your routine. Since Print Poker itself uses line numbers from 60000 to 60380, use numbers considerably below 60000 to prevent a conflict. The program also asks you for a line increment. Since you won't have any reason to edit the new routine after it's made, line increments of two or five are fine.

Finally, you're asked whether Print Poker should delete itself when it's finished. If you're creating only one new routine, press Y to answer yes. Press N for no if you're creating two or more sets of special PRINT statements in a single session. (Use RUN 60000 to run Print Poker a second time. You should always delete Print Poker the last time it's used.)

### One Program Writes Another

After you answer all the prompts, Print Poker goes to work, using the dynamic keyboard technique to write each line of your new routine. The program itself is writing another program. First, it puts a line number and the needed characters on the screen. Then it stores the line in BASIC memory just as if you'd moved the cursor to that line and pressed RETURN. When large memory areas are involved, this may take a couple of minutes. After the program stops and the blinking cursor reappears, your new routine is complete, ready to be saved and incorporated into a program.

The special PRINT statements look quite strange, of course. Because POKE can take any value from 0 to 255, the equivalent PRINT statement is usually a collection of graphics characters, including some nonprinting character values like CHR\$(2). Such lines are difficult if not impossible to edit. Thus, it's best to use Print Poker only when your data is in final form (after you've finished making changes in the sprite shapes and so on). If you must make a change, you'll find it much easier to change and rerun the POKE version of your routine, and then run Print Poker again.

It took some creative programming to overcome PRINT's limita-

tions. The value stored in location 648 tells the 64 where in memory PRINT should put its data. By carefully manipulating the value in 648, you can divert PRINT's output to any memory location in the computer and defeat screen scrolling as well. When Print Poker has finished its work, it sets everything back to normal with POKE 648, 4. Note that this technique does not work correctly in the highest 256 bytes of memory used by BASIC (locations 40740-40959). Use the conventional POKE method to put data in those locations. In addition, if you intend to put data at the top of BASIC user space, with Print Poker or without it, remember to move down the top-of-BASIC and top-of-string storage pointers to protect your data.

### **Print Poker**

For instructions on entering this listing, please

refer to	"COMPUTEI's Guide to Typing In
Program	ns" published bimonthly in COMPUTE!.
60000	POKE53281,14:PRINT"{CLR}
	[DOWN] [BLK] [9 SPACES]P R
	I N T{3 SPACES}P O K E
	{SPACE}R" :rem 6
60010	INPUT" [5 DOWN] STARTING A
00010	DDRESS";S :rem 32
60020	INPUT" {2 DOWN } ENDING ADD
ODDZD	RESS";E :rem 41
60030	
00000	INE NUMBER";L :rem 211
60040	
	MENT"; I :rem 65
60050	INPUT" {2 DOWN } SELF- DEST
00000	RUCT (Y/N)";D\$ :rem 128
60060	V1=INT(S/256):V2=S-256*V
ODDOD	1:IFLEFT\$(D\$,1)="Y"THEND
	=1 :rem 209
60070	PRINT" {CLR}"L"
00070	{11 SPACES}P1=PE(648):P0
	648, "V1": A\$=CH(34)+CH(34
	)+CH(2Ø)" :rem 31
60080	
00000	{11 SPACES}?"CHR\$(34)"
	{HOME}"CHR\$(34)";";:IFV2
	=ØTHEN6Ø1ØØ :rem 11
60090	PRINT":FORX=1TO"V2":?"CH
00000	R\$(34)"[RIGHT]"CHR\$(34)"
	::NE":PRINT:RL=60110:GOT
	06Ø37Ø :rem 133
60100	PRINT: PRINT: RL=60110:GOT
COLOD	060370 :rem 203
60110	PRINT" {CLR} "L"PRINT"CHR\$
ODITO	(34);:PS=1024+POS(X):FOR
	X=1TO12:PRINT"[6 SPACES]
	V-TIOIS: LKIMI (O DLUCED)

+CHR\$(34),X+1,1):NEXT :rem 196 60130 S1=PEEK(S): IFS=ETHEN6024 60140 S1=PEEK(S):IFS1AND128AND R=ØTHENPOKEPS, 146:PS=PS+

60120 PRINT: PRINT: FORX=0T03:A\$

(X)=MID\$(CHR\$(34)+"{A}\$"

1:R=1:GOTO60160 :rem 29

:rem 192

";:NEXT

60150 IF(SlAND127)=SlANDR=1THE NPOKEPS, 210:PS=PS+1:R=0 :rem 243 60160 IFS1=340RS1=162THENFORX= ØTO3:POKEPS+X,ASC(A\$(X)) :NEXT:PS=PS+3:GOTO60180 60170 POKEPS,(SlAND127):rem 62 60180 IF(S+1)/256=INT((S+1)/25 6)THENS2=INT(S/256)+1:GO T06Ø22Ø :rem 180 60190 IFPS>1090THEN60210 :rem 98 60200 PS=PS+1:S=S+1:GOTO60130 :rem 189 60210 POKEPS+1, 34: POKEPS+2, 59: RL=60110:S=S+1:GOTO60370 :rem 182 60220 POKEPS+1, 34: POKEPS+2, 59: L=L+I:PRINT:PRINT:PRINTL "P0648, "S2":?:?:?"; :rem 130 60230 PRINTCHR\$ (34) " [HOME] "CHR \$(34)";":RL=60110:PRINT: S=S+1:GOTO 60370:rem 144 60240 POKEPS+1,34:POKEPS+2,59: PRINTL+I"{11 SPACES}"; :rem 198 60250 PRINT"PO648, P1:?"CHR\$(34 )"{HOME}"CHR\$(34):RL=-1: IFDTHENRL=60280 :rem 8 60260 GOTO60370 :rem 55 60270 RL=60300: PRINT" {CLR}6000 0":PRINT"60010":PRINT"60 Ø20":PRINT"60030" :rem 112 60280 PRINT"60040":PRINT"60050 ":PRINT"60060":PRINT"600 70 { DOWN } ": GOTO 60380 :rem 101 60290 RL=60320:PRINT"{CLR}6008 Ø":PRINT"60090":PRINT"60 100":PRINT"60110" :rem 130 60300 PRINT"60120":PRINT"60130 ":PRINT"60140":PRINT"601 60 ( DOWN ) ": GOTO 60380 :rem 91 60310 RL=60340: PRINT" [CLR] 6017 Ø":PRINT"6Ø18Ø":PRINT"6Ø 135":PRINT"60200" 60320 PRINT"60210":PRINT"60220 ":PRINT"60230":PRINT"602 40 ( DOWN ) ": GOTO 60380 :rem 92 60330 RL=60360:PRINT" (CLR) 6025 Ø":PRINT"60260":PRINT"60 270":PRINT"60280" :rem 143 60340 PRINT"60290":PRINT"60300 ":PRINT"60310":PRINT"603 20 [ DOWN ] ": GOTO60380 :rem 99 60350 RL=-1:PRINT"[CLR]60330": PRINT"60340": PRINT"60350 ":PRINT"60360" :rem 236 60360 PRINT"60370":PRINT"60380 ":PRINT"60390":PRINT"601 Ø5 [DOWN] " :rem 1 60370 PRINT"S="S" [LEFT] : E= "E" {LEFT}:L="L+I"{LEFT}:I=" I"{LEFT}:D="D"{LEFT}:R=" 60380 PRINT" {LEFT}: GOTO"RL" {DOWN} ": POKE631, 19: FORX= 632T064Ø: POKEX, 13: NEXT: P OKE198,10 :rem 94

## Adding TIME\$ To Atari

Kenneth S. Szajda

Here's a useful routine that adds a missing feature to Atari BASIC: TIME\$. Now your programs can have realtime clocks and timed loops without PEEKs or POKEs. Requires only 8K RAM for cassette or 16K RAM for disk (with DOS 2.0, 2.5, and 3.0).

Atari BASIC is a very versatile and useful language. However, like all computer languages, it is not perfect. One useful feature that Atari BASIC lacks is the TIME\$ function. For beginners, TIME\$ provides a method to accurately time loops; for advanced programmers, TIME\$ is a useful tool for avoiding the system timers, saving a lot of extraneous coding.

Timing from BASIC usually comes in two forms: TIME\$ and TI (or some other appropriate numeric variable). Both supply the same information, but TIME\$ represents the time as "HH:MM:SS" (or "HHMMSS") and TI represents the time in jiffies (1/60 second). In general, TIME\$ is more useful because it is already formatted and ready for printing. Program 1 adds the TIME\$ function to Atari BASIC, giving you easy access to the time without ever touching the system timers.

### A Few Rules

Since we're patching this function into Atari BASIC, there are a few rules to follow for it to work properly. First, TIME\$ must be DIMensioned like any other string variable, and it *must* be the first variable of any kind to appear in

your program. To DIMension it, always use DIM TIME\$(8). To activate the routine, use A=USR(1536) after it has been loaded into memory. (The routine automatically changes the dimension to eight and the length to eight no matter what you specify in the DIM statement, but it is best to use the correct value to avoid slight inaccuracies rippling throughout BASIC as a result.)

Second, TIME\$ must always be the first variable BASIC sees when you LOAD or ENTER a program. If a new program is typed in with TIME\$ as the first variable, no problems will result. However, adding TIME\$ to a program already on tape or disk is a little tricky, but not very difficult. First, load your program into the computer (using LOAD or ENTER). When the READY prompt appears, add DIM TIME\$ (8): A = USR(1536) as the very first executable (non-REM or DATA) line in your program. Then add any features using TIME\$ to your program. (This step can be done at any time as long as the first line is already in the program.) Then store the program on tape or disk with the LIST command.

Using SAVE instead of LIST disables TIME\$ when the program is loaded, because TIME\$ will not be the first variable in BASIC's variable name table (which holds the name of every variable in your program). If you want to store the program with SAVE rather than LIST, just type NEW (to clear the variable name table) and reENTER the program after you have LISTed it to tape or disk. This rewrites the variable name table in the order that

the variables appear in the program: TIME\$ should be first.

Once TIME\$ is first in the variable name table, subsequent SAVEs will not change its position, and everything will work smoothly.

The last rule, and probably the most important, is to avoid the CLR command. When CLR is executed while TIME\$ is activated, the time will be lost and TIME\$ will show "junk." Then you'll have to either type NEW and repeat the steps above or simply rerun the program (since RUN clears all variables and cleans things up).

### **An Autoboot Routine**

The A=USR(1536) statement after the DIM statement actually sets TIME\$ to "00:00:00" and activates the routine. The time will be expressed in military format, from 00:00:00 to 23:59:59. Then it returns to 00:00:00 and begins to count upward again.

The TIME\$ program was written to be used as an autoboot file—AUTORUN.SYS with disk and a boot tape with cassette. For a disk-based system, run Program 1 and specify disk at the prompt. Remember, however, that this will erase an existing AUTORUN.SYS file on the disk, unless the AUTORUN.SYS file is locked, in which case the SAVE will fail.

For cassette-based systems, run Program 1 and specify cassette. The loader program will modify the TIME\$ routine to make a boot tape.

In either case, loading the program on power up is simple. For disk, just boot up with the disk containing the AUTORUN.SYS file.

The routine loads into memory and can be activated with the DIM TIME\$ (8):A=USR(1536) sequence. For cassette, boot the program by holding down the START button while turning on the computer. Press RETURN when the buzzer sounds, and the program automatically loads into memory. Again, activate the routine with the DIM TIME\$(8): A = USR(1536) sequence.

You can set the time by using normal string manipulations. For example, to set TIME\$ to 11 a.m., just type TIME\$="11:00:00". If you press SYSTEM RESET, the time will not be stopped. Once started, the only way to stop the time is to use NEW. As long as TIME\$ remains first in the variable name table, the counter will continue to update the time. No other special commands or techniques are required.

To see TIME\$ at work, try running Program 2 after TIME\$ is activated. The program asks for the current time and the time to sound an alarm (both in HH:MM:SS format). The computer displays the time until the alarm time arrives and then sounds five bell characters. Program 2 shows how TIME\$ can be used like any other string variable.

### **How TIME\$ Ticks**

The TIME\$ routine takes advantage of the Atari's timers. Atari computers contain many timers, but the ones most often used are the five two-byte timers at memory addresses 536-545 (\$218 to \$221 hex). Each timer is set up in the usual 6502 least significant byte (LSB), most significant byte (MSB) order.

Unlike most of the other system timers, however, these timers count down to zero instead of counting up from zero. During each vertical blank period, each timer is decremented. Since a vertical blank occurs every 1/60 second and the highest timer value possible is 65535, the timers can time a maximum of 18 minutes, 121/4 seconds each. When a timer counts down to zero, one of two things happens: Either a flag is set or a JSR (machine language Jump to SubRoutine) is executed. For timers 3, 4, and 5, a flag is set: CDTMF3 (address 554, \$22A hex) for timer 3, CDTMF4 (556, \$22C hex) for timer 4, and CDTMF5 (558, \$22E hex) for timer 5. When timer 1 or 2 counts down to 0, a ISR is executed through CDTMA1 (550 and 551, \$226 and \$227 hex) for timer 1, and CDTMA2 (552 and 553, \$228 and \$229 hex) for timer 2.

TIME\$ uses timer 2. Timer 3, 4, or 5 would require another routine to monitor the appropriate flag. Timers 2 through 5 are stopped during critical vertical blanks, which occur during input/output with peripherals. Timer 1 seems ideal, since it's the only timer that isn't affected by the critical vertical blanks. However, the serial input/ output handler (SIO) uses it as a device timeout timer (to provide us with the ever-famous ERROR-138). So the TIME\$ routine is forced to use timer 2.

Furthermore, to create an interrupt every second, the routine stores a value of 60 into the timer (remember, the timer is decremented every 1/60 second), and the interrupt service routine resets the timer to 60 at each interrupt. The only drawback is that input/output with peripherals temporarily stops the timer, and TIME\$ will be slightly behind the true time (but can be easily changed as shown above).

### Startup Routines

The initial call to the startup routine checks to see if TIME\$ is the first variable and, if so, sets up the vector for the interrupt update routine, intercepts the SYSTEM RESET initialization vector (to keep the interrupt routine going after a SYSTEM RESET), determines the address of TIME\$, sets its length and dimension to eight, initializes TIME\$ to 00:00:00, and returns to BASIC. The interrupt service routine again checks to make sure TIME\$ is the first variable (just in case a NEW was executed), determines the address of TIME\$ again (since its address may change as a result of additions and corrections to the program in memory), sets the length and dimension to eight (just in case), and resets the timer value to 60 to cause another interrupt one second later.

Of course, during this entire process, TIME\$ is updated to reflect the change in time. If a NEW has been executed since the last interrupt, the value of TIME\$ is not updated and the timer is not reset to 60. In other words, if a NEW occurs, the routine effectively dismantles itself. The routine must be restarted with another DIM TIME\$(8):A= USR (1536) sequence.

The program traps NEW but not CLR because it is difficult to tell when a CLR has been executed-CLR does not cause any actions within BASIC's tables that could not be caused by some other command or routine. Since NEW effectively blocks the variable name table, it is relatively simple to check

Please refer to "COMPUTEI's Guide to Typing In Programs" before entering these listings.

### Program 1: TIME\$ BASIC Loader

- BH 10 DIM TIME\$ (8) IL 20 GRAPHICS Ø: POKE 752, 1: ? "PROCESSING... 18 30 CHECKSUM=0: RESTORE
- E6 4Ø FOR X=1536 TO 1758:REA D A: CHECKSUM=CHECKSUM+ A: POKE X, A: NEXT X
- DL 50 IF CHECKSUM<>25068 THE N ? :? "{2 BELL}\*\*\*ERR OR IN DATA STATEMENTS\* \*\*": END
- JI 60 OPEN #2,4,0,"K":? :? " Eassette or Eisk ?";:G ET #2, A
- ON 70 IF A<>67 AND A<>68 THE
- N CLOSE #2:GOTO 60
  KI 80 IF A=67 THEN 160
  LL 90 ? :? "Type Y to create AUTORUN.SYS":? "COME Existing AUTORUN.SYS
- will be deleted"
  CO 100 GET #2, A: IF A<>89 THE N END
- 6N 11Ø TRAP 12Ø: XIO 33, #1, Ø,
- Ø, "D: AUTORUN. SYS" BM 120 TRAP 65535: OPEN #1,8, Ø, "D: AUTORUN. SYS": PUT #1,255:PUT #1,255:PU
- T #1,0 HF 13Ø PUT #1,6:PUT #1,222:P UT #1,6
- KO 14Ø FOR X=1536 TO 1758:PU T #1, PEEK(X): NEXT X:C LOSE #1
- CM 150 ? :? "AUTORUN. SYS is now on disk":POKE 752
- ,Ø:NEW EM 16Ø ? :? "Position tape, press ဩ⊒€ and ⊇≣ऋ™":? "and press REDURY ...
- ";:GET #2,A KN 17Ø POKE 1528,Ø:POKE 1529 , 2: POKE 1530, 248: POKE 1531,5:POKE 1532,255 :POKE 1533,5
- N 180 POKE 1534, 24: POKE 153 5,96
- HH 190 POKE 1601, 2: POKE 1605 ,3:POKE 1741,234:POKE

1742,234: POKE 1743,2 68 36Ø DATA 4,177,13Ø,217,21 IN 548 DATA 134, 168, 2, 177, 13 34 8,6 4,24 MM 37Ø DATA 208,66,136,16,24 81 200 POKE 764,0: OPEN #1,8, BN 550 DATA 101,140,133,176, 128, "C: ": POKE 764, 255 6,216 200,177 6A 21Ø POKE 85Ø,11:POKE 852, 248:POKE 853,5:POKE 8 6M 38Ø DATA 32,156,6,169,58, P8 560 DATA 134, 101, 141, 133, 160 177,96 56,231: POKE 857,Ø 60 390 DATA 2,145,176,160,5, NC 57Ø DATA 169, 255, 133, 178, ME 220 A=USR (ADR ("hhheat VE"). 145 32,17 JJ 400 DATA 176, 160, 7, 177, 17 16) MA 580 DATA 6,32,64,21,24,96 AH 230 CLOSE #1:? :? "Boot f 6,24 AP 590 DATA 51,52,48,54,58,4 LH 410 DATA 105,1,145,176,21 ile is now on tape":P OKE 752, Ø: NEW 7,210 BF 600 DATA 54,58,84,73,77,6 DATA 104, 169, 0, 133, 17 LP 240 61 420 DATA 6, 144, 25, 169, 48, 8,160 145 EN 618 DATA 164 PO 43Ø DATA 176, 136, 177, 176, FP 25Ø DATA 4,177,13Ø,217,21 24,105 JF 260 DATA 208, 56, 136, 16, 24 FK 440 DATA 1,145,176,217,21 Program 2: Sample TIMES 6,32 0,6 HA 27Ø DATA 156,6,165,178,20 Program KE 450 DATA 144, 8, 169, 48, 145 . 176 KD 280 DATA 160,8,169,48,145 N 460 DATA 136, 136, 16, 219, 1 AD 10 DIM TIME\$ (8), A\$ (8): A=U . 176 69,2 SR (1536) MO 290 DATA 136,16,251,169,5 CH 47Ø DATA 162, Ø, 160, 60, 32, 00 20 GRAPHICS Ø ? "Enter current time ";:INPUT TIME\$ 8,160 00 30 92 FJ 300 DATA 2,145,176,160,5, DI 480 DATA 228, 96, 169, 2, 162 145 JA 40 ? :? "Enter time to so FM 310 DATA 176, 169, 71, 141, 4 und alarm "; : INPUT A\$ DF 490 DATA 160,0,32,92,228, OH 50 GRAPHICS 1 0.2 CO 32Ø DATA 169,6,141,41,2,1 MA 500 DATA 160,0,169,129,14 EL 60 POSITION 5,9:? #6; TIME \$: POKE 708, INT (PEEK (53 49 5,134 N 330 DATA 2,162,0,160,60,3 68 51Ø DATA 160,4,169,8,145, 770)/16) \$16+8 134 ON 70 IF TIMES=AS THEN POSIT ION 5,9:? #6; TIMEs:? " (5 BELL) (CLEAR) It's ti BN 520 DATA 200, 200, 145, 134, NA 34Ø DATA 92,228,169,198,1 33,12 136, 169 6F 35Ø DATA 169,6,133,13,96, KO 53Ø DATA Ø, 145, 134, 200, 20 me...": POKE 708, 40: END 0,145 AH BØ GOTO 60

## **Apple Program Protector**

Boris Troyanovsky

Do you have an Applesoft BASIC program you want to protect from prying eyes? With this technique, you can keep other people from listing your programs—while still giving them the freedom to make copies. For all Apple II-series computers with DOS 3.3.

"Apple Program Protector" is an easy to use utility that keeps other people from listing your BASIC and machine language programs. It works by moving the disk catalog on the protected disk to another track, and by preventing users from breaking out of the program by pressing CTRL-C or RESET. The only requirement is that your program must run itself when the user boots the disk.

It's easy enough to ensure that

the program runs automatically when the disk is booted. DOS 3.3 always loads and runs a BASIC program whenever a disk is booted if the program is named HELLO. Only a single BASIC program can be started in this way. If you wish to have more than one BASIC program on the protected disk, you must make HELLO a menu program that allows you to select the desired program from the disk. If the program you wish to protect is written in machine language, you can use HELLO to start it. For example, if you want to protect a program named MLGAME, your HELLO program might be simply:

### 10 PRINT CHR\$(4);"BRUN MLGAME"

The next step is defend against CTRL-RESET and CTRL-C. In each BASIC program on the disk you

wish to protect, add these two lines: 0 POKE 1011,0:ONERR GOTO 63999 63999 RESUME

The POKE in line 0 defends against the CTRL-RESET key (or just RESET on some Apples). If the CTRL-RESET key is pressed, any Applesoft BASIC program in memory is erased and the computer reboots.

Since the CTRL-C interrupt code (which is used to stop program execution) is considered an error by Applesoft BASIC, the ONERR GOTO statement in line 0 transfers program control to line 63999 when CTRL-C is encountered. If your program uses ONERR to test for other conditions, include the statement IF PEEK(222)=255 THEN 63999 in your error testing. This ensures that CTRL-C is still trapped.

Machine language programs can be protected in this way, too. Just add these lines to your source code:

LDA #\$00 STA \$03F3

Like the BASIC lines above, these instructions erase the program from memory and reboot the computer if CTRL-RESET is pressed.

### Preparing A Protected Disk

Begin by preparing a disk containing the program or programs you wish to protect. If the disk is to contain only one program, load it into memory, insert a new disk, type INIT HELLO, and hit RE-TURN. If you wish to have several programs on the disk, the HELLO program must be a menu program and the others can simply be saved on disk in the usual manner. Remember to add to each program the lines mentioned above to protect against CTRL-RESET and CTRL-C. Make sure all programs are fully tested and debugged before you run Program Protector. To be safe, you should always keep backup copies of the programs on an unprotected disk.

Next, type in Program 1 below and save a copy on a separate disk. Use the filename PROTECTOR. With the built-in machine language monitor, enter the data from Program 2. (If you are unsure about using the monitor, consult your user's manual.) Save the machine language onto the same disk with Program 1 using the command BSAVE IOB, A\$0300, L\$40.

The Program Protector disk is now ready to use. To protect one of your disks against intrusion by outsiders, follow these steps:

1. Insert the Program Protector disk into the drive (the drive should be addressed as slot 6, drive 1).

2. Type BLOAD IOB.

3. Type RUN PROTECTOR.

4. Program Protector is now loaded into memory. You should see the prompt DESTINATION TRACK: on the screen. Remove the disk with Program Protector and insert the disk that you'd like to protect into drive 1. Type the number of the track to which you want to move the catalog and press RETURN. The number must be

greater than or equal to 3 (DOS occupies tracks 0–2), and less than or equal to 34, since there are only 35 tracks (numbered 0–34) on the disk. Also, the number can't be 17, because that's where the catalog is already.

5. The disk drive whirs a bit, then the Applesoft ] prompt reappears. The disk is now protected. If you type CATALOG, you'll be shown an empty directory. If you try to load a program from the protected disk or save an additional program to it, you'll get nothing but a DISK FULL error message. However, if you now boot the protected disk, the HELLO program loads and runs normally, except that CTRL-C no longer stops the program and CTRL-RESET only reboots the system.

There is a way to regain access to the programs on the protected disk. Boot a normal disk, then enter POKE 44033,n (substitute for n the number of the track to which the catalog was moved). You can now display the catalog and load and save programs. You can also use this technique if the program you're protecting needs to access another program on a different disk. To let the program know where the catalog of the new disk is, POKE 44033 with the catalog track of the disk you'd like to access.

Don't try to relocate the catalog on a disk more than once. The results are unpredictable.

### Program 1: Apple Program Protector

For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.

78 1Ø HIMEM: 8191

E8 20 HOME : HTAB 11: INVERSE :
PRINT "PROGRAM PROTECTOR":
NORMAL : VTAB 10: INPUT "
DESTINATION TRACK: ";DT

ED 3Ø IF DT < 3 OR DT > 34 OR DT = 17 THEN PRINT "ILLEGAL TRACK NUMBER": FOR A = Ø T O 6ØØ: NEXT A: RUN

9E 4Ø REM \*\*MOVE TRACKS\*\*

31 5Ø SS = Ø:SE = 15:TR = 17:BU = 8192:OP = 1: GOSUB 38Ø: REM READ CATALOG TRACK

51 60 GOSUB 180

AA 70 D1 = PEEK (DT \* 4 + 56 + 8 192):D2 = PEEK (DT \* 4 + 5 7 + 8192):D1 = PEEK (17 \* 4 + 56 + 8192):D2 = PEEK (

17 \* 4 + 57 + 8192)

18 80 POKE 17 \* 4 + 56 + 8192,D1

: POKE 17 \* 4 + 57 + 8192,

D2: POKE DT \* 4 + 56 + 819

2,01: POKE DT \* 4 + 57 + 8

192,02

```
EA 90 SS = 0:SE = 15:TR = DT:BU
     = 16384:OP = 1: GOSUB 380:
      REM READ NEW TRACK
64 100 REM **ALTPOINT ROUTINE**
C9 11Ø TV = 8192
56 120 FOR TX = 0 TO 15: POKE TV
       + 1, DT: TV = TV + 256: NE
       XT TX
CD 13Ø SS = Ø:SE = 15:TR = DT:BU
       = 8192:OP = 2: GOSUB 38Ø
       : REM WRITE CATALOG TRACK
50 140 SS = 0:SE = 15:TR = 17:BU
= 16384:OP = 2: GOSUB 38
       Ø: REM WRITE NEW TRACK
F8 15Ø SS = 11:SE = 11:TR = 1:BU
= 8192:OP = 1: GOSUB 38Ø
       : POKE 8193, DT:SS = 11:SE
        = 11:TR = 1:BU = 8192:OP
        = 2: GOSUB 380: REM CHAN
       GE DOS
48 16Ø GOSUB 23Ø
97 17Ø END
# 180 REM **ALTER CATALOG'S T/S
        POINTERS##
BE 190 BF = 8192 + 256
DD 200 FOR PR = 11 TO 221 STEP 3
       5: IF PEEK (BF + PR) = DT
THEN POKE BF + PR,17
38 210 NEXT PR:BF = BF + 256: IF
       BF < > 12288 THEN GOTO 2
       99
16 22Ø RETURN
99 23Ø REM **CHANGE T/S LISTS**
B5 24Ø BF = 8192 + 256
CC 250 FOR PR = 11 TO 221 STEP 3
5: IF PEEK (BF + PR) < >
       Ø THEN GOSUB 29Ø
41 260 NEXT PR
86 270 BF = BF + 256: IF BF < >
       12288 THEN GOTO 25Ø
22 28Ø RETURN
AI 290 REM **DIRTY WORK**
ED 300 LT = PEEK (BF + PR):LS = PEEK (BF + PR + 1)
A8 31Ø SS = LS:SE = LS:TR = LT:B
       U = 16384: OP = 1: GOSUB 3
       80: BU = BU - 256
90 320 FOR CT = 12 TO 254 STEP 2
       : IF PEEK (BU + CT) = DT
       THEN POKE BU + CT, 17
B7 33Ø NEXT CT
B9 340 IF PEEK (BU + 1) = DT THE
       N POKE BF + 1,17
30 350 OP = 2:SS = LS:SE = LS:TR
        = LT:BU = 16384: GOSUB 3
       8Ø: BU = BU - 256
53 36Ø IF PEEK (BU + 1) < > Ø TH
       EN LT = PEEK (BU + 1):LS
       = PEEK (BU + 2): GOTO 310
21 37Ø RETURN
7E 38Ø REM **DISK ACCESS**
91 390 FOR SA = SS TO SE
F# 400 POKE 788, TR: POKE 789, SA:
        POKE 796, OP
CØ 41Ø HB = INT (BU / 256):LB =
BU - (HB * 256)
67 420 POKE 792, LB: POKE 793, HB
20 430 CALL 768: BU = BU + 256: N
       EXT SA
 IC 44Ø RETURN
Program 2: IOB Routine
Enter this listing with the machine language
```

monitor.

Ø3ØØ- A9 Ø3 AØ 1Ø 2Ø D9 Ø3 6Ø
Ø3Ø8- ØØ ØØ ØØ ØØ ØØ ØØ
Ø31Ø- Ø1 6Ø Ø1 ØØ 11 ØF 3Ø Ø3
Ø318- ØØ 2Ø ØØ ØØ Ø1 ØØ FE 6Ø
Ø32Ø- Ø1 ØØ ØØ ØØ ØØ ØØ ØØ ØØ
Ø328- ØØ ØØ ØØ ØØ ØØ ØØ

0330- 00 01 EF D8 00 00 00 00 0338- 00 00 00 00 00 00 00

## The Beginners Page

om R. Halfhill, Editor

### Variable Accuracy

There are a few more points about integer variables that we didn't cover last month-including some important exceptions to general rules.

Note that in some versions of BASIC, such as Commodore BASIC, you aren't allowed to use integer variables as counters in FOR-NEXT loops. In other words, a statement such as FOR X%=1 to 10:NEXT X% would cause an error. However, integer variables can be used as counters in IBM BASIC. Just remember that because integer variables are restricted to a minimum value of -32,768 and a maximum of 32,767, you'll have to make sure your loops don't exceed those limits.

In some BASICs, there's also one exception to the rule about denoting all integer variables with the % symbol. In IBM BASIC, for instance, you can insert a DEFINT (define integer) statement near the beginning of the program to define a whole group of variable names as integer variables by default. The statement DEFINT A-M declares that all variable names beginning with the letters A through M are automatically integer variables. Since integer variables execute faster and consume less memory on the IBM than regular variables, a DEFINT statement can improve a program's performance. (Remember from last month that integer variables don't save memory and actually run slower on Commodore and Apple computers.)

Incidentally, another way to speed up your programs is to replace frequently used constants with variables. In most Microsoft BASICs, variables execute faster than constants (the reverse is true of Atari BASIC). By predefining the most commonly used numbers (usually 0-10) as variables, statements such as Y=Y+1 can be changed to Y = Y + C1. And if you're programming on an IBM, you can define them as integer variables and pick up even more speed. Try this technique in your next program and see if it adds a little zip.

### Improving Precision

Another type of variable is provided in some BASICs to improve mathematical accuracy. Called double-precision variables, they can help avoid the small rounding errors that sometimes accumulate and cause strange results. (Rounding errors are slight discrepancies that can crop up when the computer converts our everyday decimal numbers to its internal system of binary numbers, performs some arithmetic, and then converts the answer back into decimal again.)

Double-precision variables are available in IBM BASIC and some versions of TRS-80 BASIC, but not in Commodore BASIC, Applesoft, Atari BASIC, or TI BASIC. Even if your BASIC doesn't have doubleprecision variables, however, they're worth learning about. As personal computers grow more powerful, you're sure to encounter such features sooner or later.

Here's an example which demonstrates a common type of rounding error—in this case, on the IBM PC/PCjr. This program initializes the variable Y to 100, then subtracts the value .05 ten times using a FOR-NEXT loop. The final value of Y is printed after the loop is finished.

10 Y=100 20 FOR X=1 TO 10 30 Y = Y - .0540 NEXT X 50 PRINT Y

The answer, of course, should be 99.5. Instead, here's the program's answer:

### 99,49997

If you swap the statements in lines 40 and 50 so the program prints the current value of Y after each pass through the loop, you'll see that the rounding error starts with the second calculation and keeps increasing until the final result is off by .00003. That's not a huge discrepancy—but still, if this were some kind of banking program that was subtracting a nickela-day service charge from customer accounts over a period of time, someone might be cheated out of a penny now and then. (It's happened to me, by the way.)

Fortunately, you can program the computer to deliver a better answer. To convert Y from a regular (single-precision) variable into a double-precision variable, add the # symbol to every occurrence of Y in lines 10, 30, and 50. The modified program yields this result:

### 99.49999999254942

Well, even computers aren't perfect. This time the rounding error starts with the first calculation, although the errors are smaller and the final answer is off by only .0000001192093. For even greater accuracy, we can define the value of .05 as a double-precision constant by adding the # symbol to .05 in line 30. Here's the result:

### 99,4999999999999

This is even more accurate; now the computer is off by only .00000000000001. Furthermore, by switching lines 40 and 50 to see the results of each calculation through the loop, you'll notice that all the intermediate answers are exactly correct. That still leaves us with an infinitesimal error in the final answer, however. If you're a stickler for absolute accuracy, there are ways to get around these runaway fractions-but that's a topic for a future column.



## Computers and Society

vid D. Thornburg, Associate Editor

### Personal Computers And Personal Freedom

Last July I spent a day in Colonial Williamsburg, Virginia, catching a glimpse of life as it was in the mid-1700s. The publishing exhibit particularly caught my attention. One could see paper being made by hand—a process that required skill and strength on the part of the craftsman, and which took a long time. In the print shop one could see the pages of a book being printed from hand-set type-another expensive and time-consuming process. The bindery exhibit showed how the printed pages were folded into signatures and stitched together by hand before being bound in leather.

It was clear from this exhibit that access to books was limited to the wealthy. The cost of spreading the printed word was quite high, and yet this period gave us a rich collection of people who had much of importance to say—Patrick Henry and Thomas Paine, to name just two.

As I thought about our advances in communication technology since that period-typewriters, copiers, computers, and so on-it became clear that the reduced cost of communication was one of the main reasons that literacy could spread to the public at large. The printed word has spread like wildfire, carrying messages into homes that would have been bookless in the 1700s.

The freedom to communicate is one of our most treasured freedoms. There are nations on this planet where individual ownership of copiers and computers is forbidden. It is easy to see why-it's important for a totalitarian government to control the flow and distribution of information. Otherwise, individuals could create, publish, and distribute their own ideas without the censorship of the state.

### Computer Publishing

Prior to the widespread sale of personal computers, we had restrictions of our own that limited the widespread dissemination of ideas.

Before an opinion can be expressed in printed form, the author must either convince a publisher that it is worth expressing, or must elect to publish it alone. Even if a publisher accepts a work, it will reach an audience only if stores decide to stock it.

Suppose you've written something you think others might like to read—a collection of poetry, for example, or a political treatise. You may find that traditional publishers are not interested in your material because your market is too specialized. Or, you may find that they are interested, but that if you wait the four to six months (or longer) that it takes for your words to be printed, your material will have lost its currency and impact.

In this case, you may elect to publish the material yourself.

Prior to the personal computer, you might be restricted to running copies of your material at the local print shop. Depending on the size of your document, you may find that it costs several dollars per copy to have it printed.

But, in an era where personal computers are increasingly commonplace, there's another way of publishing your ideas—especially if what you have to say is of particular value to others who own computers. You can publish your ideas on a disk! Disks are inexpensive, reusable, and can be duplicated as needed. Publishing your material on disk lets you fix mistakes quickly without having to wait for a new printing. Your material might consist of text files that can be read with a word processor, or you can write your own program that lets people read or print your files as they choose.

However, along with the freedom to publish your own materials in the privacy of your home using nothing more than your personal computer there comes a responsibility. It is correctly said that the pen is mightier than the sword. As your own publisher, you can say anything you wish, but you must always keep in mind that the printed (or displayed) word is very powerful. Think your ideas through carefully before publishing them.

### Talking Books

I recently used this publication technique for my book In Search of the One-Minute Megatrends—Surviving the Bad Times in Silicon Valley (Innovision Press, \$12.95). While the information in this book is of potential interest to a broader audience, I initially made it available on a Macintosh disk, since that's the computer with which I do most of my writing. As I was creating the book, it occurred to me that this method of publishing had much greater flexibility than the printed page. For example, readers could change the typeface and size if they desired.

I also included a set of files on the disk that lets the book read itself aloud to the user with the Smooth-Talker speech synthesizer from First Byte. This not only provides another alternative for reading the book, but also makes the material available to those with impaired vision.

While this book is not available in stores, I have been able to sell it quite well through direct mail by placing inexpensive advertisements in regional computer-interest newspapers. The success of this venture convinces me that anyone with a message of interest to computer owners can be an author and a publisher as well.

If only the founding fathers could see us now!



## Telecomputing Today

### Faster Than A Speeding Byte

Last month I mentioned Fastlink, a new 10,000 bits per second modem from Digital Communications Associates. Not only is it five times faster than the latest "high-speed" 2400 bps modems, it even works over regular telephone lines. Until now, anything close to 10,000 bps required you to lease special datagrade lines from the phone company. But not the DCA Fastlink. Although the Fastlink's \$2,000 price tag is a little rich for most casual users' blood, there has been a fair amount of incredulous reaction like "how the heck can they do 10,000 bits per second?" from readers of this column (and even from my editor).

While the subject is a bit technical, I've distilled an explanation that will either satisfy your curiosity or teach you never to ask me about this sort of thing again. To get started, let's review our old friend, the ordinary 300 bps modem.

Modems exchange information over phone lines by transmitting and receiving audio tones. A 300 bps modem transmits over two channels, one for each direction. Each second of time is divided into 300 slices, and each slice is called a baud. A 300 bps modem packs one bit into each baud (1200 and 2400 bps modems both operate at 600 baud and pack 2 and 4 bits into each baud, respectively). One channel transmits signals in the audio range of 1070-1270 hertz, and the other at 2025-2225 hertz. That means each channel has a fairly wide bandwidth (200 hertz), and they're separated by a guard band of no signal (755 hertz wide) that makes it easy for the modem circuitry to differentiate between the two channels.

DCA's Fastlink uses a very low 7.3 baud rate, so it can drastically narrow the channel bandwiths and guard bands. The Fastlink also uses the entire 0-4000 hertz audio spectrum of normal phone lines. When two Fastlink modems link up, they attempt to establish a maximum of 512 separate channels, each 7.8 hertz apart. They analyze each channel to determine which ones are noise-free enough to handle transmission techniques that pack 4 or 6 bits into each time slice, or baud.

Then the Fastlink transmits data by using a hybrid parallel/serial system (300 bps modems send data in a serial stream of bits—one bit after another with one bit per baud). The bits carried by all channels in use during one baud are considered a single packet of information. Outgoing data bits are assigned to channels as they're prepared for sending (with either 4 or 6 bits per channel), beginning with the channels at the lowest frequencies. Once the packet is assembled, it's sent across the active channels. So the data is sent in parallel within the packets, and the packets themselves are sent serially.

### **Blistering Speed**

Using the Fastlink method, the maximum theoretical throughput is 512 channels × 6 bits per baud × 7.3 baud per second, or more than 20,000 bps. Given the quality of most voice-grade lines, that limit is very theoretical. Most channels operate at only 4 bits per baud, and throughput is further limited by the overhead of error detection and correction, which is automatically handled by Fastlink. All these factors reduce the Fastlink's actual throughput to a blistering 10,000 bps on local phone lines. A Fastlink modem operating on lines provided by the most popular long-distance carrier should work at about 8,000 bps. On the lines provided by other common carriers, the Fastlink averages about 7,000 bps.

The Fastlink monitors the quality of the phone line during the linkup, shutting down channels that become marginally acceptable or opening up channels if quality improves. DCA refers to the process as DAMQAM, or Dynamically Adaptive Multicarrier Quadrature Amplitude Modulation (say it five times fast). To handle all this data manipulation and line monitoring, the Fastlink is actually a fullfledged, highly specialized computer with a megabit of memory and two central processing units—a Motorola 68008 working in tandem with a Texas Instruments 320.

There are some fine points to keep in mind while daydreaming about cruising along at 10,000 bps. The Fastlink dynamically assigns channels to incoming or outgoing data based on the volume going back and forth. If there is an equal amount of data moving in both directions, the Fastlink channels would be equally divided between incoming and outgoing data, resulting in an effective maximum speed of only 5,000 bps for each data stream.

In practice, the data flow is usually quite lopsided, with ratios of 99 to 1 more common than 50:50. So the bulk of data flow on a Fastlink is assigned the lion's share of channels, resulting in throughput that is very close to the 10,000 bps ideal.

Fastlink modems currently come in two flavors. An internal version for the IBM PC and compatibles goes for \$1,995 and includes a special version of Microstuf's Crosstalk program adapted for the Fastlink. An outboard RS-232 Fastlink is priced at \$2,395. Both modems are also capable of communicating at plain old 300 or 1200 bps with non-Fastlink modems. If you're still curious, you can get even more information by contacting DCA at 1000 Alderman Drive, Alpharetta, GA 30201.



### The World Inside the Computer

Fred D'Ignazio, Associate Editor

### The Case Of The Phantom Programmers

Earlier this year I wrote about one of my high school assistants—Howard Boggess, my "Computer Handyman." This time I'd like to introduce you to another one of my assistants—Hunter Baker, my "Phantom Programmer."

Like Howard, Hunter came to me from David James's computer science class at Patrick Henry High School, here in Roanoke, Virginia. When Hunter arrived at my house on the first day, I took him and his mother to the dark, hot attic where Howard had rescued several brokendown computers (see "The World Inside The Computer," COMPUTE!, January 1985). "This is your first task," I said, with a sweep of my arm. "If you can clean this attic, then I know you can do anything."

Hunter is a quiet, mildmannered person. He simply nodded when I told him to clean the attic. But this was no ordinary attic. And I worried about him every day when he trudged up the attic stairs.

I shouldn't have worried. Sending Hunter into the attic was like sending Cinderella into her stepmother's kitchen, or Hercules into the Augean stables. In a month, Hunter had the attic better organized than the rest of the house. He had everything filed away in labeled filing cabinets and had built a computer database so we could instantly know where to look for our long underwear, computer manuals, extension cords, extra paper, Christmas tree lights, winter gloves and mittens, and RS-232 cables.

Then Hunter moved downstairs. When he first confronted the downstairs office, computer software was piled to the ceiling and computer cables and circuit cards spilled out the door into the middle of the living room. But, for Hunter, after facing the horrors of the attic, this awful mess was no more than a tasty dessert. In only a couple of weeks everything was cataloged, labeled, and filed. The mess had vanished, and Hunter was hard at work at one of the computers.

### **Computer Trivia**

One day I walked into the room, looked over Hunter's shoulder at a BASIC program on the display screen, and asked him what he was doing. He explained that he and his friend Amy Powell were doing a computer project for National History Day. They planned to create a history trivia game on the IBM computer, and Hunter asked if he and Amy could start coming over to our house after hours to work on the program. "Of course," I said, since I was sure he was only talking about a couple of evenings and maybe a weekend or two.

Ha! After watching Hunter clean the attic and the office, I should have been wiser. Hunter doesn't do anything halfway, and this project was no exception. For the next month, he and Amy came over almost every night after dinner, and most Saturdays and Sundays. They rarely left until the wee hours of the morning.

One night I was awakened around 2 a.m. by strange clicking noises. Alarmed, I tiptoed to the bedroom closet and grabbed the machete my parents had bought me in the Dominican Republic. (The machete was duller than a letter opener, and it had a parrot inscribed on its side, but it looks deadly, especially when I wave it threateningly above my head.)

I made my way cautiously down the stairs. I noticed a light was switched on in the downstairs office. I guessed that a thief must be inside stealing one of my beloved computers!

Leaping down the remaining stairs, I burst into the office, screaming and waving the machete.

It took a moment for my eyes

to adjust to the bright lights in the room. When they did, I noticed Hunter and Amy seated at two IBM computers, working on their History Day program. "We're sorry we're here so late," said Hunter politely.

"Tomorrow's the competition," explained Amy.



### Deactivating BASIC

My coworkers and I have received many requests from owners of the Atari 600XL, 800XL, and 130XE for a simple way to turn off the BASIC built into those computers. Of course, the method recommended by Atari is to hold down the OP-TION button when you boot the system. If you forget to do this when booting a program that doesn't require BASIC, the ROMbased BASIC occupies address space that costs you more than 8,000 bytes of RAM. There are other reasons for turning off BASIC as well. For instance, you might like to turn it off temporarily to gain extra memory while duplicating a few files or disks. These jobs take less time and fewer disk swaps if the computer can use the 8K of memory vacated by disabling BASIC. And avoiding a reboot or two can save time, too.

Our solution is a pair of short machine language programs that let you turn BASIC on and off from DOS. (Note that they can't turn off a BASIC cartridge—or any other cartridge, for that matter-so they serve no purpose on the Atari 400, 800, and 1200XL computers.) Atari manuals suggest that turning off the built-in BASIC is as simple as changing one bit in the XL/XE memory control location (which used to control joystick ports 3 and 4 in the 400 and 800). That may be true if you're writing a machine language program that takes over complete control of the computer, but in many cases it doesn't work.

First, whenever you press the RESET button, the operating system restores the built-in BASIC to the state in which you booted it. Second, if you're using ordinary graphics mode screens (without a custom display list, etc.), the screen handler doesn't use the memory freed by removing BASIC. It thinks you're still using a 40K machine.

Going the other way-turning on BASIC after booting without itcan be even messier. If you suddenly enable BASIC without doing something about the screen, you'll find yourself staring at garbage as BASIC blithely wipes out the display list, screen memory, and perhaps more. Fortunately, all of these problems can be solved by following these few steps:

- Turn the built-in BASIC off or on.
- 2. Tell the operating system you did
- 3. Change the master top-of-RAM pointer.
- 4. Close channel 0, the screen editor.
- 5. Reopen channel 0.

We can tell the operating system we changed the state of BASIC via the flag in memory location 1016 (\$3F8). The master top-of-RAM pointer is RAMTOP at location 106 (\$6A). Channel 0 is closed and reopened to force the screen driver to use the highest available memory. Don't worry if that sounds a bit arcane. The program listed here automatically creates two machine language programs that do all the work for you. Be sure to save a copy before you run it.

```
60 100 DIM NAME$ (20)
      LINE=800: GOSUB 210
NH 110
NO 120
     LINE=900: GOSUB 210
6L 13Ø
     END
OF 210
     CHECK=Ø: RESTORE LINE
6H 22Ø FOR CNT=1 TO 57: READ
      BYTE
EL 23Ø CHECK=CHECK+BYTE: NEXT
       CNT
EI 240 READ TEST: IF CHECK <> T
      EST THEN STOP
N 250 READ NAMES: OPEN #1,8,
      Ø, NAME$
0 260 RESTORE LINE
6M 27Ø FOR CNT=1 TO 57: READ
      BYTE
KF 28Ø PUT #1, BYTE: NEXT CNT
6F 29Ø CLOSE #1
HD 300 RETURN
IN 810 DATA 255, 255, 0, 4, 44, 4
      ,173,1,211,9,2,141,1
```

```
N 830 DATA 211,169,1,141,24
8,3,169,12,32,24,4
06 84Ø DATA 169, 192, 133, 1Ø6,
      169, 3, 141, 66, 3, 169, 42
ID 860 DATA 141,68,3,169,4,1
      41,69,3,162,0,76,86
OK 87Ø DATA 228,69,58,Ø,226,
      2,227,2,0,4
HM 88Ø DATA 5Ø45, D: BASICOFF.
      COM
MF 910 DATA 255, 255, 0, 4, 44, 4
       173,1,211,41,253,141
JI 930 DATA 1,211,169,0,141,
      248, 3, 169, 12, 32, 24, 4
00 940 DATA 169, 160, 133, 106,
      169, 3, 141, 66, 3, 169, 42
ID 950 DATA 141,68,3,169,4,1
      41,69,3,162,0,76,86
OL 970 DATA 228,69,58,0,226,
      2,227,2,0,4
E6 98Ø DATA 5295, D: BASICON. C
```

The program writes two binary files to disk on drive 1, naming them BASICON.COM and BASIC OFF.COM. The first turns BASIC on and the second turns it off. To use either of them from DOS, simply choose the L (load binary file) option and enter the filename when prompted. (OS/A+ and DOS XL users need only type BASICON or BASICOFF in response to the D1: prompt.)

The next time you need to duplicate a disk or large file, load BASICOFF.COM first, copy the disk or file, then load BASICON-.COM to reactivate BASIC. You'll save time, especially on a singledrive system. If you're writing machine language programs, call BASICOFF as a subroutine when you start your program.



## IBM Personal Computing

Donald B. Trivette

### A Promise Of Things To Come

When I saw the advertisement for the Key Tronic KB 5152V, I knew it was a product designed with me in mind. Who hasn't dreamed of using a typewriter that will type every word you speak-or better yet, a computer that can understand spoken commands? The KB 5152V speech-recognition keyboard for the IBM PC, manufactured by Key Tronic of Spokane, Washington, seemed to hold just that promise. While waiting for a demonstration unit to arrive, I had visions of a new, laid-back life. Since my hands would no longer be needed for typing, I could dictate prose while holding a beverage and munching pretzels. Nor would I be restricted to a sitting position. This very column-in the interest of evaluating the product, of course-would be written from my bed.

The new keyboard arrived and plugged right into the socket vacated by the original IBM keyboard. It's an enhanced keyboard with separate numeric keypad and LED indicator lights on the Caps Lock and Num Lock keys. And, of course, there's one other enhancement: A telephone operator's headset that plugs into the back of the keyboard. Without bothering to read the manual, I spoke: "Now type this." Nothing happened, nor had I really thought it would.

The first step to using the keyboard is to teach it a vocabulary. Key Tronic supplies a menu-driven BASIC program that creates a standard ASCII text file-the vocabulary. For example, the vocabulary entry for the color BLUE might appear as BLUE; BLUE. The word to the left of the semicolon is the prompt-the word you speak; the word to the right of the semicolon is what is sent to the PC, just as though it had been typed on the keyboard. It's called the response. Thus, saying "blue" types BLUE. But that doesn't have to be true. You can teach the keyboard that blue is red and red is white, and it won't be the wiser.

The response characters can be more than one word and may contain characters in braces to represent keys, such as Enter, Backspace, and the special function keys. You can also define responses by keyboard scan codes or ASCII codes, so every key and key combination is accessible.

Once the written vocabulary is defined, the keyboard must be taught to recognize each word—or, more accurately, how the user pronounces each word. This is accomplished with a training session using the same BASIC program. As the computer displays each word from the vocabulary, you pronounce it at least three times. Of course, the keyboard doesn't know whether the pronunciation is correct—it can't even distinguish English from Greek or Chinese. It merely associates your pronunciation with the vocabulary word.

### Voiceprinting

How does this work? The keyboard converts the sound into a pattern of zeros and ones called a *voiceprint*. As you speak, the keyboard tries to match what it hears with a previously recorded voiceprint stored in its memory. If it finds a match, the keyboard sends the appropriate word to the PC, just as though the word had been typed.

Voiceprints are stored on disk so you won't have to retrain the keyboard each morning, and the keyboard lets you mix spoken and typed input.

Following this procedure, I trained my keyboard for six words and said, "Now type this." The screen remained blank.

The manual advises, "Your voiceprints in the morning are slightly different from your voiceprints in the afternoon. Therefore

you can train a vocabulary in the morning, then in the afternoon update it a few passes to build some variation into the voiceprints." With that in mind, I built variation into my vocabulary, and tried again: "Now type this." The keyboard responded by typing this on the computer screen.

On the subject of recognition, the manual continues, "First-time users of speech recognition products usually have poor recognition for the first few days. After working with the equipment, the ability to achieve good recognition improves dramatically. The reason for this improvement is learning to relax." When I relaxed and spoke more slowly (and stopped eating pretzels and drinking beer), the keyboard performed beautifully: type this now type blue now type this blue. But there's only so much that can be written with six or even 160 words. And 160 words is the vocabulary limit.

Of course, the keyboard has more serious uses than accommodating a lazy writer. As a relatively inexpensive (\$995) speech-recognition product for the IBM PC, it has both industrial and personal applications. Voice recognition can be a big help to the physically handicapped. One of Boeing Computer Systems' sharpest programmers is a quadraplegic who uses a workstation built around an IBM PC-XT and a Key Tronic speech-recognition keyboard. He writes programs in BASIC and Pascal and develops spreadsheets using Lotus 1-2-3.

Voice recognition for the IBM PC is not advanced enough that I could comfortably write this column from a horizontal position—but surely the Key Tronic keyboard is a promise of things to come.

0

### The States Of The Union

I have previously written programs to identify the states and their capitals in certain regions ("Southern States," COMPUTE!, August 1984; "Western States" and "New England States," Programmer's Reference Guide to the TI-99/4A, COMPUTE! Books). Now, after numerous requests, I'll demonstrate a program for the middle Atlantic states.

The central portion of the United States can be outlined on a map as I did with the Southern States and Western States programs. However, some of the middle Atlantic states such as Delaware, Maryland, and New Jersey are too small to outline adequately on the TI-99/4A. The color-blinking method used in the New England States program won't work, either, because more color sets are needed than are available. Therefore, I've used a slightly different method for the region which includes Delaware, Maryland, New Jersey, New York, Pennsylvania, Virginia, and West Virginia. The states are drawn in high-resolution graphics with some color sets used for more than one

When a question mark appears on a state, the student types in the state's name. If the response is correct, the program asks for the state capital.

Be careful typing the DATA statements—make sure the commas are placed correctly. Lines 290-380 contain definitions for graphics characters. Lines 820-840 contain sets of row, column, and character numbers for drawing the graphics.

If you wish to save typing effort, you can obtain a copy of this program by sending a blank cassette or disk, a stamped, selfaddressed mailer, and \$3 to:

C. Regena P.O. Box 1502 Cedar City, UT 84720

Please be sure to specify the title ("Middle Atlantic States") and that you need the TI version.

### Middle Atlantic States

100 REM NORTH ATLANTIC

110 CALL CLEAR

\*\*\*\*\*\*\*\*\* 12Ø PRINT " \*\*\*\*\*\*\*\*\*\*":" \*";TA

B(25); "\*"
130 PRINT " \* IDENTIFY T HE STATES #": " #"; TA B(25); "\$"

14Ø PRINT " \*\*\*\*\*\*\*\* \*\*\*\*\*\*\*\*\*\*

150 PRINT :: "{3 SPACES}NO RTH ATLANTIC STATES"

160 PRINT ::: "TYPE THE NA ME OF THE STATE PRESS (ENTER)."

170 PRINT : "IF THE STATE IS CORRECT, (4 SPACES) TYPE THE CA PITAL CITY."

180 PRINT : "NAMES MUST BE SPELLED (7 SPACES) COR RECTLY TO BE ACCEPTED

190 PRINT : "PRESS FCTN 8 REDO TO ERASE."

200 CALL CHAR (33, "3F3F3F3 F3F3F3F3F")

210 CALL CHAR (35, "FFFFFFF FFFFFFFF")

220 CALL CHAR(43, "F8F8F8F BFØFØFØF")

23Ø CALL CHAR (45, "FØFØFØF

8F8FCFCFE") 240 CALL CHAR (47, "FFFFFFF

FFFFFFFF") 25Ø FOR C=96 TO 159

269 READ C\$ 270 CALL CHAR(C,C\$)

28Ø NEXT C

29Ø DATA FFFFFEFEFCFCFCF8 ,FØFØFØFØFØF8FEFF,FFF FFEFCFCFCF8F8,3F3F3F3 F3F3F3F3F,Ø

300 DATA 0,,,00000103073F

FFFF, Ø3Ø3Ø7Ø7676FFFFF 31Ø DATA ØØØØØ1Ø1Ø3Ø3ØFØF ,ØFØFØFØFØFØFØ7Ø3,CØC Ø8Ø8Ø8Ø8ØEØEØ, F8F8F8F ØFØEØCØB, FFFFFFFFFCFC F8F

320 DATA FØEØ602,80F8FEFF FFFFFFF, F7EØCØCØ8Ø8, FØEØCØ8, FFFFFFFFFF2F

33Ø DATA FFFFFFFFFFFFFF

,FØFØFØFØC,FFFFFFFFF FB, FF3F3F3F3F1F, Ø3Ø 3030303030303

34Ø DATA FFFFFFFCF8FØC, FF FF,,,,,,FFFFFFFFF3F1 F1F, ØFØ7Ø3Ø1, FF7FFFF FF3F1FØF,FFFEFE,,,,,F FFFFFFFFFFFF

35Ø DATA DFDF9F9F9F9F9F9F ,9F9F9F9F9F8FCFC7,,,, ,,FFFFFFFFFFFFF,ØØ 000000000030F3F,000000 Ø1Ø71FFFFF

36Ø DATA ØØØØØØ98FCFFFFF ,F8FCFEFFFFFFFFF,FFF FFFFFFFEFEC7E, CØEØEØFØ CØØØ8ØC,ØØØØØØ8ØCØEØF

37Ø DATA FFFFFE7E1EØE, FCF CFCFCFCFCFCFC, Ø1Ø3Ø7Ø F1F3F7FFF, Ø1Ø3Ø71F3FF FFFFF, ØØØØØØØØØØØFFF

38Ø DATA ØØØØØØØØØØ3F3F1F ,1FØFØFØFØF1F3FFF,Ø1Ø 3Ø3Ø7ØFØFØFØF

390 CALL COLOR(1,7,1)

CALL COLOR (9, 7, 12) 400 CALL COLOR (10, 12, 1) 410

42Ø CALL COLOR(11,12,3) CALL COLOR (12, 14, 12) 430

44Ø CALL COLOR(13,14,3) 45Ø CALL COLOR(14,14,1)

460

CALL COLOR(15,3,1) CALL COLOR(16,3,1) 470

48Ø RESTORE 49Ø

490 DATA NEW YORK, ALBANY, 7,25, PENNSYLVANIA, HAR RISBURG, 10, 21, NEW JER SEY, TRENTON, 11, 26

500 DATA WEST VIRGINIA, CH ARLESTON, 15, 17, MARYLA ND, ANNAPOLIS, 13, 23

510 DATA DELAWARE, DOVER, 1 4,25, VIRGINIA, RICHMON D, 17, 21

520 FOR L=1 TO 7

530 READ S\$(L), CAP\$(L), X( L), Y(L)

54Ø NEXT L

PRINT : "PRESS (ENTER) TO START. ";

560 CALL KEY(0,K,S) 570 IF K<>13 THEN 560

58Ø CALL CLEAR 590 CALL SCREEN(8)

600 CALL COLOR(2,16,1)

61Ø PRINT TAB(16); "!#####

62Ø PRINT TAB(16);"!##### # 'p"

63Ø PRINT TAB(16); "!##### #ad1"

```
64Ø PRINT TAB(16); "c#####
    #bdm"
650
    PRINT TAB(15); "hdxyz
    (3 SPACES)+n"
    PRINT TAB(14); "iddddq
     (3 SPACES) -o"
670
    PRINT TAB(13); "jdddsr
     (4 SPACES)/'
680
    PRINT TAB(13); "kddt"
    PRINT TAB(14); "wvu"::
690
    ....
    CALL VCHAR (3, 27, 153, 3
700
71Ø CALL VCHAR(6,27,144,4
720 CALL VCHAR (3, 26, 144, 7
    CALL VCHAR (4, 25, 144, 5
74Ø CALL VCHAR (5, 24, 144, 4
750
    CALL HCHAR (7, 21, 144, 3
760 CALL HCHAR (8, 20, 144, 4
770
    RESTORE 820
78Ø
    FOR I=1 TO 28
    READ R, C, G
790
ROO
    CALL HCHAR (R, C, G)
810
    NEXT
820 DATA 3,25,154,4,24,15
    4,6,23,155,6,22,156,6
,21,156,6,20,157,7,20
    ,158,8,19,159,10,27,1
    52, 10, 28, 146
83Ø DATA 10,29,147,13,22,
    128, 13, 23, 136, 13, 24, 1
    36, 14, 22, 129, 14, 23, 13
    6, 14, 24, 137, 15, 23, 130
     15,24,138
84Ø DATA 16,25,131,16,24,
    151, 16, 23, 144, 17, 24, 1
    50, 17, 23, 149, 18, 23, 14
    8, 18, 24, 147, 18, 14, 146
     , 17, 15, 145
850
    CALL VCHAR (15, 22, 144,
    4)
    CALL VCHAR (15, 21, 144,
    CALL VCHAR (16, 20, 144,
87Ø
    3)
880
    CALL VCHAR (16, 19, 144,
890
    CALL HCHAR (18, 15, 144,
    FOR C=1 TO 7
900
910
    T=Ø
920
    RANDOMIZE
930
    R=INT(7*RND)+1
    IF S$(R)="" THEN 930
QAG
    CALL GCHAR (X(R), Y(R),
950
    G)
960
    CALL HCHAR (20, 1, 100, 1
    60)
970
    FOR L=1 TO 7
980
    CALL HCHAR (21, 2+L, ASC
     (SEG$ ("STATE ?", L. 1))
990 CALL HCHAR (X(R), Y(R),
    32)
1000 CALL HCHAR (X(R), Y(R)
      , 63)
1010 NEXT
1020 CALL HCHAR(21,11,100
      . 15)
1030
     S1$=""
1040
     CALL SOUND (150, 1397,
      2)
```

```
1050 FOR L=1 TO 15
1060 CALL KEY(0,K,S)
1070
    IF S<1 THEN 1060
1080 IF K=13 THEN 1130
    IF K=6 THEN 1020
1090
1100 CALL HCHAR (21, 10+L, K
     S1$=S1$&CHR$(K)
1120 NEXT L
1130 CALL SOUND (100,880,2
1140 IF S$(R)=81$ THEN 12
     60
1150 CALL SOUND (100,330,2
1160 CALL SOUND (100, 262, 2
1170
118Ø IF T<2 THEN 1020
1190 CALL HCHAR (21, 11, 100
      15)
1200 FOR L=1 TO LEN(S$(R)
1210 CALL HCHAR (21, 10+L, A
     SC(SEG$(S$(R),L,1)))
1220 NEXT L
1230 GOSUB 1600
124Ø C=C-1
125Ø GOTO 157Ø
126Ø GOSUB 167Ø
1270 FOR L=1 TO 9
1280 CALL HCHAR (23, 2+L, AS
     C(SEG$("CAPITAL ?",L
     ,1)))
1290 NEXT L
1300 T=0
1310 CALL HCHAR (23, 13, 100
     , 15)
1320 51$=""
1330 CALL SOUND (150, 1397,
134Ø FOR L=1 TO 15
1350 CALL KEY(Ø,K,S)
1360 IF S<1 THEN 1350
     IF K=13 THEN 1430
1370
138Ø IF K=6 THEN 131Ø
1390 CALL HCHAR (23, 12+L, K
1400 S1$=S1$&CHR$(K)
141Ø NEXT L
1420 CALL SOUND (100,880,2
1430 IF CAP$(R)=S1$ THEN
     1550
144Ø CALL SOUND (100,330,2
1450 CALL SOUND (100.262.2
146Ø T=T+1
147Ø IF T<2 THEN 131Ø
1480 CALL HCHAR (23, 12, 100
     . 15)
1490 FOR L=1 TO LEN(CAP$(
     R))
1500 CALL HCHAR (23, 12+L, A
     SC (SEG$ (CAP$ (R), L, 1)
     1 1
1510 NEXT L
1520 GOSUB 1600
153Ø C=C-1
154Ø GOTO 157Ø
155Ø GOSUB 167Ø
1560
     S$(R)=""
1570 CALL HCHAR (X(R), Y(R)
     , G)
158Ø NEXT
159Ø GOTO 172Ø
1600 FOR L=1 TO 11
```

```
1610 CALL HCHAR (24, 20+L, A
     SC (SEG$ ("PRESS ENTER
     ",L,1)))
1620 NEXT L
1630 CALL KEY (0, K, S)
164Ø IF K<>13 THEN 163Ø
1650 CALL HCHAR (24, 21, 100
     ,11)
166Ø RETURN
1670 CALL SOUND (100,262,2
1680 CALL SOUND (100,330,2
1690 CALL SOUND (100,392,2
1700 CALL SOUND (200,523,2
171Ø RETURN
1720 CALL CLEAR
1730
     PRINT "TRY AGAIN?
      OR N"
1740 CALL KEY (0, K, S)
1750
    IF K=89 THEN 480
    IF K<>78 THEN 1740
1760
177Ø CALL CLEAR
                          0
178Ø END
```

### **COMPUTE!'s Guide** To Typing In Programs

Before typing in any program, you should familiarize yourself with your computer. Learn how to use the keyboard to type in and correct BASIC programs. Read your manuals to understand how to save and load BASIC programs to and from your disk drive or cassette unit. Computers are precisetake special care to type the program exactly as listed, including any necessary punctuation and symbols, except for special characters as noted below. To help you with this task, we have implemented a special listing convention as well as a program to help check your typing-the "Automatic Proofreader." Please read the following notes before typing in any programs from COMPUTE!. They can save you a lot of time and trouble.

Commodore, Apple, and Atari programs can contain some hard-toread (and hard-to-type) special characters, so we have developed a listing system that indicates the function of these control characters. (There are no special control characters in our IBM or TI-99/4A listings.) You will find Commodore and Atari special characters within curly braces; do not type the braces. For example, {CLEAR} or {CLR} instructs you to insert the symbol which clears the screen on the Atari or Commodore machines. For Commodore, Apple, and Atari, a symbol by itself within curly braces is usually a control key or graphics key. If you see {A}, hold down the CTRL key and press A. This will produce a reverse video character on the Commodore (in quote mode), a graphics character on the Atari, and an invisible control character on the Apple. Commodore computers also have a special control key labeled with the Commodore logo. Graphics characters entered with the Commodore logo key are enclosed in a special bracket that looks like this: [A]. In this case, you would hold down the Commodore logo key as you type A. Our Commodore listings are in uppercase, so shifted symbols are underlined. A graphics heart symbol (SHIFT-S) would be listed as  $\underline{S}$ . One exception is {SHIFT-SPACE}. When you see this, hold down SHIFT and press the space bar. If a number precedes a symbol, such as {5 RIGHT}, {6

S, or [<8 Q>], you would enter five cursor rights, six shifted S's, or eight Commodore-O's. On the Atari, inverse characters (printed in white on black) should be entered after pressing the inverse video key.

Since spacing is sometimes important, any more than two spaces will be listed. For example, {6 SPACES} means to press the space bar six times. Our listings never leave a space at the end of a line, instead moving it to the next printed line as {SPACE}. For your convenience, we have prepared this quick-reference chart for the Commodore and Atari special characters:

### Atari 400/800/XL/XE

When you see	Туре	See	
(CLEAR)	ESC SHIFT <	F.	Clear Screen
(UP)	ESC CTRL -	1	Cursor Up
(DOWN)	ESC CTRL =	+	Cursor Down
(LEFT)	ESC CTRL +	+	Cursor Left
(RIGHT)	ESC CTRL #	+	Cursor Right
(BACK S)	ESC DELETE	4	Backspace
(DELETE)	ESC CTRL DELETE	CI .	Delete character
(INSERT)	ESC CTRL INSERT	L)	Insert character
(DEL LINE)	ESC SHIFT DELETE	0	Delete line
(INS LINE)	ESC SHIFT INSERT		Insert line
(TAB)	ESC TAB	•	TAB key
(CLR TAB)	ESC CTRL TAB	6	Clear tab
(SET TAB)	ESC SHIFT TAB	Đ	Set tab stop
(BELL)	ESC CTRL 2	GI .	Ring buzzer
(ESC)	ESC ESC	Æ	ESCape key

### Commodore PET/CBM/VIC/64/128/16/+4

When You Read:	P	ress:	When You See: Read:		Press:	See:
{CLR}	SHIFT	CLR/HOME	#	[ 1 ]	COMMODORE	1 4
{HOME}		CLR/HOME	5	E 2 3	COMMODORE	2
{UP}	SHIFT	† CRSR ↓		[ 3 ]	COMMODORE	3
{DOWN}		↑ CRSR ↓	0	£ 4 3	COMMODORE	4 🕡
{LEFT}	SHIFT	← CRSR →		E 5 3	COMMODORE	5
{RIGHT}		← CRSR →		E 6 3	COMMODORE	6
{RVS}	CTR	L 9	R	E 7 3	COMMODORE	7
{OFF}	CTRI	L O		[8]	COMMODORE	8
{BLK}	CTRI	L 1		{ F1 }	fı	
{WHT}	CTRI	L 2		{ F2 }	SHIFT fi	N
{RED}	CTRI	L 3	建	{ F3 }	f3	
{CYN}	CTRI	L 4		{ F4 }	SHIFT f3	
{PUR}	CTRI	L 5		{ F5 }	f5	
{GRN}	CTRI	L 6	6	{ F6 }	SHIFT f5	
{BLU}	CTRI	7	€	{ F7 }	f7	
{YEL}	CTRI	8		{ F8 }	SHIFT f7	
				4		*

### The Automatic Proofreader

We have developed a series of simple, yet effective programs that can help check your typing. Type in the appropriate Proofreader program listed below, then save it for future use. On the VIC, 64, or Atari, run the Proofreader to activate it, then enter NEW to erase the BASIC loader (the Proofreader remains active, hidden in memory, as a machine language program). Pressing RUN/STOP-RESTORE or SYSTEM RESET deactivates the Proofreader. You can use SYS 886 to reactivate the VIC/64 Proofreader, or PRINT USR(1536) to reenable the Atari Proofreader. On the Apple, the Proofreader automatically erases the BASIC portion of itself after you activate it by typing RUN, leaving only the machine language portion in memory. It works with either DOS 3.3 or ProDOS. Disable the Apple Proofreader by pressing CTRL-RESET before running another BASIC program. The IBM Proofreader is a BASIC program that simulates the IBM BASIC line editor, letting you enter, edit, list, save, and load programs that you type. Type RUN to activate.

Once the Proofreader is active, try typing in a line. As soon as you press RETURN, either a decimal number (on the Commodore), a hexadecimal number (on the Apple), or a pair of letters (on the Atari or IBM) appears. The number or pair of letters is called a checksum. Try making a change in the line, and notice how the checksum

All you need to do is compare the value provided by the Proofreader with the checksum printed in the program listing in the magazine. In Commodore listings, the checksum is a number from 0 to 255. It is set off from the rest of the line with rem. This prevents a syntax error if the checksum is typed in, but the REM statements and checksums need not be typed in. It is just there for your information.

In Atari, Apple, and IBM listings, the checksum is given to the left of each line number. Just type in the program one line at a time (without the printed checksum) and compare the checksum generated by the Proofreader to the checksum in the listing. If they match, go on to the next line. If not, check your typing: You've made a mistake. On the Commodore, Atari, and Apple Proofreaders, spaces are not counted as part of the checksum, so be sure you type the right number of spaces between quote marks. The Commodore and Atari Proofreaders do not check to see that you've typed the characters in the right order, so if characters are transposed, the checksum still matches the

listing. Because of the checksum meth-

od used, do not type abbreviations, such as ? for PRINT. The IBM Proofreader is the pickiest of all; it will detect errors in spacing and transposition. Be sure to leave Caps Lock on, except when typing lowercase characters.

### **IBM Proofreader Commands**

Since the IBM Proofreader replaces the computer's normal BASIC line editor, it has to include many of the direct-mode IBM BASIC commands. The syntax is identical to IBM BASIC. Commands simulated are LIST, LLIST, NEW, FILES, SAVE, and LOAD. When listing your program, press any key (except Ctrl-Break) to stop the listing. If you type NEW, the Proofreader prompts you to press Y to be sure you mean yes.

Two new commands are BASIC and CHECK. BASIC exits the Proofreader back to IBM BASIC, leaving the Proofreader in memory. CHECK works just like LIST, but shows the checksums along with the listing. After you have typed in a program, save it to disk. Then exit the Proofreader with the BASIC command, and load the program in BASIC as usual (this replaces the Proofreader in memory). You can now run the program, but you may want to resave it to disk. The version of your program that you resave from BASIC will take up less space on disk and will load faster, but it can no longer be edited with the Proofreader. If you want to convert a program to Proofreader format, save it to disk with SAVE "filename", A.

### Special Proofreader Notes For Commodore Cassette Users

The Proofreader resides in a section of memory called the cassette buffer, which is used during tape LOADs and SAVEs. Therefore, be sure to press RUN/STOP-RESTORE to get the Proofreader out of the way before saving or loading a program. If you want to use the Proofreader with tape, run the Proofreader, then enter these two lines exactly as shown, pressing RETURN after each one:

A\$="PROOFREADER.T":B\$="{10 SPACES\":FOR X=1 TO 4:A\$=A\$ +B\$:NEXT

FOR X=886 TO 1018:A\$=A\$+CHR\$ (PEEK(X)):NEXT:OPEN 1,1,1,A\$: CLOSE1

Then insert a blank tape and press RE-CORD and PLAY to save a special version of the Proofreader. Anytime you need to reload the Proofreader after it has been erased—for example, after you reload a paritally completed program-just rewind the tape, type OPEN1:CLOSE1, then press PLAY.

You'll see the message FOUND PROOFREADER.T, but not the familiar LOADING message. Don't worry; the Proofreader is in memory. When READY comes back, enter SYS 886.

### Program 1: VIC/64 Proofreader

By Charles Brannon, Program Editor

- 10 PRINT" (CLR) PLEASE WAIT ... ": FORI=886T01Ø18:READA:CK=CK+ A: POKEI, A: NEXT
- 20 IF CK<>17539 THEN PRINT" [DOWN]YOU MADE AN ERROR":PR INT"IN DATA STATEMENTS. ": EN
- 30 SYS886:PRINT"[CLR][2 DOWN]P ROOFREADER ACTIVATED. ":NEW
- 40 DATA 173,036,003,201,150,20 8,001,096,141,151,003,173
- 50 DATA 037,003,141,152,003,16 9,150,141,036,003,169,003
- DATA 141,037,003,169,000,13
- 3,254,096,032,087,241,133 70 DATA 251,134,252,132,253,00 8,201,013,240,017,201,032
- 80 DATA 240,005,024,101,254,13 3,254,165,251,166,252,164
- 90 DATA 253,040,096,169,013,03
- 2,210,255,165,214,141,251 100 DATA 003,206,251,003,169,0 00,133,216,169,019,032,210
- 110 DATA 255,169,018,032,210,2 55,169,58,032,210,255,166
- 120 DATA 254,169,000,133,254,1
- 72,151,003,192,087,208,006 130 DATA 032,205,189,076,235,0
- 03,032,205,221,169,032,032 140 DATA 210,255,032,210,255,1 73,251,003,133,214,076,173
- 150 DATA 003

### Program 2: Atari Proofreader

By Charles Brannon, Program Editor

- 100 GRAPHICS 0
- 110 FOR I=1536 TO 1700:RE AD A: POKE I, A: CK=CK+A : NEXT I
- 120 IF CK<>19072 THEN ? " Error in DATA Stateme Check Typing.": nts. END
- 13Ø A=USR (1536)
- 140 ? :? "Automatic Proof reader Now Activated.
- 15Ø END
- 160 DATA 104, 160, 0, 185, 26
- ,3,201,69,240,7 170 DATA 200,200,192,34,2 08,243,96,200,169,74
- 180 DATA 153, 26, 3, 200, 169 , 6, 153, 26, 3, 162
- 190 DATA Ø, 189, Ø, 228, 157,
- 74,6,232,224,16 200 DATA 208,245,169,93,1
- 41,78,6,169,6,141 210 DATA 79,6,24,173,4,22 8,105,1,141,95

220 DATA 6,173,5,228,105, 0,141,96,6,169 230 DATA 0,133,203,96,247 ,238,125,241,93,6 240 DATA 244, 241, 115, 241, 124,241,76,205,238 DATA Ø, Ø, Ø, Ø, Ø, 32, 62, 250 246,8,201 260 DATA 155, 240, 13, 201, 3 2,240,7,72,24,101 27Ø DATA 2Ø3,133,2Ø3,1Ø4, 40,96,72,152,72,138 280 DATA 72,160,0,169,128 ,145,88,200,192,40 DATA 208,249,165,203, 74,74,74,74,24,105 300 DATA 161,160,3,145,88 165,203,41,15,24 DATA 105, 161, 200, 145,

### Program 3: IBM Proofreader

88,169,0,133,203,104

320 DATA 170,104,168,104,

By Charles Brannon, Program Editor

- 10 'Automatic Proofreader Ver sion 2.00 (Lines 270,510,5 15,517,620,630 changed fro m V1.Ø)
- 100 DIM L\$(500), LNUM(500):COL OR 0,7,7:KEY OFF:CLS:MAX= Ø: LNUM (Ø) =65536!
- 110 ON ERROR GOTO 120:KEY 15, CHR\$ (4) +CHR\$ (7Ø): ON KEY (1 5) GOSUB 640:KEY (15) ON: GOTO 13Ø
- 12Ø RESUME 13Ø
- 13Ø DEF SEG=&H4Ø: W=PEEK (&H4A) 140 ON ERROR GOTO 650:PRINT:P RINT"Proofreader Ready."
- 15Ø LINE INPUT L\$: Y=CSRLIN-IN T(LEN(L\$)/W)-1:LOCATE Y,1
- 160 DEF SEG=0:POKE 1050,30:PO KE 1052,34:POKE 1054,0:PO KE 1055,79:POKE 1056,13:P OKE 1057, 28: LINE INPUT L\$ :DEF SEG: IF LS="" THEN 15
- 170 IF LEFT\$(L\$,1)=" " THEN L \$=MID\$(L\$,2):GOTO 170
- 180 IF VAL(LEFT\$(L\$,2))=0 AND MID\$(L\$,3,1)=" " THEN L\$ =MID\$(L\$,4)
- 19Ø LNUM=VAL(L\$): TEXT\$=MID\$(L \$, LEN(STR\$(LNUM))+1)
- 200 IF ASC(L\$)>57 THEN 260 'n o line number, therefore command
- 21Ø IF TEXT\$="" THEN GOSUB 54 Ø: IF LNUM=LNUM(P) THEN GO SUB 560:GOTO 150 ELSE 150
- 22Ø CKSUM=Ø:FOR I=1 TO LEN(L\$ ): CKSUM= (CKSUM+ASC (MID\$ (L \$, I)) \*I) AND 255: NEXT: LOC ATE Y,1:PRINT CHR\$ (65+CKS UM/16) + CHR\$ (65+ (CKSUM AND 15))+" "+L\$
- 23Ø GOSUB 54Ø: IF LNUM(P)=LNUM THEN L\$(P)=TEXT\$: GOTO 15 Ø 'replace line
- 24Ø GOSUB 58Ø:GOTO 15Ø 'inser t the line
- 260 TEXT\$="":FOR I=1 TO LEN(L \$):A=ASC(MID\$(L\$,I)):TEXT \$=TEXT\$+CHR\$ (A+32\* (A>96 A ND A<123)): NEXT

- 27Ø DELIMITER=INSTR(TEXT\$," " ):COMMANDS=TEXTS:ARGS="": IF DELIMITER THEN COMMAND \$=LEFT\$ (TEXT\$, DELIMITER-1 ): ARG\$=MID\$(TEXT\$, DELIMIT ER+1) ELSE DELIMITER=INST R(TEXT\$, CHR\$(34)): IF DELI MITER THEN COMMANDS=LEFT\$ (TEXT\$, DELIMITER-1): ARG\$= MID\$ (TEXT\$, DELIMITER)
- 28Ø IF COMMAND\$<>"LIST" THEN 410
- 290 OPEN "scrn:" FOR OUTPUT A
- 300 IF ARG\$="" THEN FIRST=0:P =MAX-1:GOTO 340
- 31Ø DELIMITER=INSTR(ARG\$,"-") : IF DELIMITER=Ø THEN LNUM =VAL(ARG\$):GOSUB 540:FIRS T=P:60T0 340
- 320 FIRST=VAL(LEFT\$(ARG\$, DELI MITER)):LAST=VAL (MID\$ (ARG \$.DELIMITER+1))
- 33Ø LNUM=FIRST:GOSUB 54Ø:FIRS T=P:LNUM=LAST:GOSUB 540:I F P=Ø THEN P=MAX-1
- 34Ø FOR X=FIRST TO P:N\$=MID\$( STR\$(LNUM(X)),2)+" "
- 350 IF CKFLAG=0 THEN A\$="":GO TO 37Ø
- 36Ø CKSUM=Ø: A\$=N\$+L\$(X): FOR I =1 TO LEN(A\$):CKSUM=(CKSU M+ASC(MID\$(A\$,I))\*I) AND 255: NEXT: A\$=CHR\$ (65+CKSUM /16) +CHR\$ (65+ (CKSUM AND 1 5))+" "
- 37Ø PRINT #1, A\$+N\$+L\$(X)
- 38Ø IF INKEY\$<>"" THEN X=P
- 39Ø NEXT :CLOSE #1:CKFLAG=Ø
- 400 GOTO 130
- 41Ø IF COMMAND\$="LLIST" THEN OPEN "1pt1:" FOR OUTPUT A S #1:GOTO 300
- 420 IF COMMAND\$="CHECK" THEN CKFLAG=1:GOTO 290
- 43Ø IF COMMAND\$<>"SAVE" THEN 450
- 440 GOSUB 600: OPEN ARG\$ FOR D UTPUT AS #1:ARG\$="":GOTO
- 450 IF COMMAND\$<>"LOAD" THEN 490
- 46Ø GOSUB 6ØØ: OPEN ARG\$ FOR I NPUT AS #1:MAX=Ø:P=Ø
- 470 WHILE NOT EOF(1):LINE INP UT #1, L\$: LNUM(P) = VAL(L\$): L\$(P)=MID\$(L\$, LEN(STR\$(VA L(L\$)))+1):P=P+1:WEND
- 48Ø MAX=P:CLOSE #1:GOTO 13Ø
- 49Ø IF COMMAND\$="NEW" THEN IN PUT "Erase program - Are you sure";L\$:IF LEFT\$(L\$, 1) = "y" DR LEFT\$ (L\$, 1) = "Y" THEN MAX=0:GOTO 130:ELSE 130
- 500 IF COMMAND\$="BASIC" THEN COLOR 7,0,0:ON ERROR GOTO Ø: CLS: END
- 510 IF COMMAND\$<>"FILES" THEN 520
- 515 IF ARG\$="" THEN ARG\$="A:" ELSE SEL=1: GOSUB 600
- 517 FILES ARG\$: GOTO 130
- 520 PRINT"Syntax error":60TO 130

- 540 P=0: WHILE LNUM>LNUM(P) AN D P<MAX:P=P+1:WEND:RETURN
- 560 MAX=MAX-1:FOR X=P TO MAX: LNUM(X) = LNUM(X+1) : L\$(X) = L\$(X+1):NEXT:RETURN
- 58Ø MAX=MAX+1:FOR X=MAX TO P+ 1 STEP -1:LNUM(X)=LNUM(X-1):L\$(X)=L\$(X-1):NEXT:L\$( P)=TEXT\$: LNUM(P)=LNUM: RET LIRN
- 600 IF LEFT\$ (ARG\$, 1) <> CHR\$ (34 ) THEN 520 ELSE ARGS=MIDS (ARG\$, 2)
- 61Ø IF RIGHT\$ (ARG\$, 1)=CHR\$ (34 ) THEN ARGS=LEFTS (ARGS, LE N(ARG\$)-1)
- IF SEL=Ø AND INSTR(ARG\$," .")=Ø THEN ARG\$=ARG\$+".BA S"
- 63Ø SEL=Ø:RETURN
- 64Ø CLOSE #1: CKFLAG=Ø: PRINT"S topped.": RETURN 150
- 650 PRINT "Error #"; ERR: RESUM F 15Ø

### Program 4: Apple Proofreader

By Tim Victor, Editorial Programmer

- 10 C = 0: FOR I = 768 TO 768 + 68: READ A:C = C + A: POKE I A: NEXT
- 20 IF C < > 7258 THEN PRINT "ER ROR IN PROOFREADER DATA STAT EMENTS": END
- 30 IF PEEK (190 \* 256) < > 76 T HEN POKE 56, Ø: POKE 57, 3: CA LL 1002: GOTO 50
- 4Ø PRINT CHR\$ (4); "IN#A\$3ØØ"
- 50 POKE 34,0: HOME : POKE 34,1: VTAB 2: PRINT "PROOFREADER INSTALLED"
- 60 NEW 100 DATA 216,32,27,253,201,141
- 110 DATA 208,60,138,72,169,0
- 120 DATA 72,189,255,1,201,160 130 DATA 240,8,104,10,125,255
- 140 DATA 1,105,0,72,202,208 15Ø DATA 238, 104, 170, 41, 15, 9
- 160 DATA 48, 201, 58, 144, 2, 233
- 170 DATA 57,141,1,4,138,74
- 18Ø DATA 74,74,74,41,15,9
- 190 DATA 48,201,58,144,2,233
- 200 DATA 57,141,0,4,104,170
- 210 DATA 169,141,96

0

### Machine Language Entry Program For Commodore 64 Charles Brannon, P Charles Brannon, Program Editor

MLX is a labor-saving utility that allows almost fail-safe entry of machine language programs published in COM-PUTE!. You need to know nothing about machine language to use MLX-it was designed for everyone. At least 8K expansion memory is required.

MLX is a new way to enter long machine language (ML) programs with a minimum of fuss. MLX lets you enter the numbers from a special list that looks similar to BASIC DATA statements. It checks your typing on a line-by-line basis. It won't let you enter illegal characters when you should be typing numbers. It won't let vou enter numbers greater than 255 (forbidden in ML). It won't let you enter the wrong numbers on the wrong line. In addition, MLX creates a ready-to-use tape or disk file.

### Using MLX

Type in and save the appropriate version of MLX (you'll want to use it in the future). When you're ready to type in an ML program, run MLX. MLX for the 64 asks you for two numbers: the starting address and the ending address. These numbers are given in the article accom-

panying the ML program.

When you run MLX, you'll see a prompt corresponding to the starting address. The prompt is the current line you are entering from the listing. It increases by six each time you enter a line. That's because each line has seven numbers-six actual data numbers plus a checksum number. The checksum verifies that you typed the previous six numbers correctly. If you enter any of the six numbers wrong, or enter the checksum wrong, the computer rings a buzzer and prompts you to reenter the line. If you enter it correctly, a bell tone sounds and you continue to the next line.

MLX accepts only numbers as input. If you make a typing error, press the INST/DEL key; the entire number is deleted. You can press it as many times as necessary back to the start of the line. If you enter three-digit numbers as listed, the computer automatically prints the comma and goes on to accept the next number. If you enter less than three digits, you can press either the space bar or RETURN key to advance to the next number. The checksum automatically appears in inverse video for emphasis.

To simplify your typing, MLX redefines part of the keyboard as a numeric keypad (lines 581-584):

	U					7	8	9
	J	K	L	become	0	4	5	6
	M	,				1	2	3

### 64 MLX Commands

When you finish typing an ML listing (assuming you type it all in one session), you can then save the completed program on tape or disk. Follow the screen instructions. If you get any errors while saving, you probably have a bad disk, or the disk is full, or you've made a typo when entering the MLX program itself.

You don't have to enter the whole ML program in one sitting. MLX lets you enter as much as you want, save it, and then reload the file from tape or disk later. MLX recognizes these commands:

SHIFT-S: Save SHIFT-L: Load SHIFT-N: New Address SHIFT-D: Display

When you enter a command, MLX jumps out of the line you've been typing, so we recommend you do it at a new prompt. Use the Save command to save what you've been working on. It will save on tape or disk, as if you've finished, but the tape or disk won't work, of course, until you finish the typing. Remember what address you stop at. The next time you run MLX, answer all the prompts as you did before, then insert the disk or tape. When you get to the entry prompt, press SHIFT-L to reload the partly completed file into memory. Then use the New Address command to resume typing.

To use the New Address command, press SHIFT-N and enter the address where you previously stopped. The prompt will change, and you can then continue typing. Always enter a New Address that matches up with one of the line numbers in the special listing, or else the checksum won't work. The Display command lets you display a section of your typing. After you press SHIFT-D, enter two addresses within the line number range of the listing. You can abort the listing by pressing any key.

### 64 MLX: Machine Language

10 REM LINES CHANGED FROM MLX [SPACE] VERSION 2.00 ARE 750 765,770 AND 860 20 REM LINE CHANGED FROM MLX V ERSION 2.01 IS 300 :rem 147 100 PRINT"{CLR}&63";CHR\$(142); CHR\$(8);:POKE53281,1:POKE5

3280,1

:rem 67

9\*F)

TO310

101 POKE 788,52: REM DISABLE RU N/STOP 110 PRINT" [RVS] [39 SPACES]"; 120 PRINT" [RVS] [14 SPACES] [RIGHT] [OFF] [\*] £[RVS] [RIGHT] [RIGHT][2 SPACES] E\*3[OFF]E\*3£[RVS]£[RVS] [14 SPACES]"; :rem 25 [\*3[OFF] [\*3] [RVS] [14 SPACES]"; :rem 140 PRINT" [RVS] [41 SPACES]" 200 PRINT" [2 DOWN] [PUR] [BLK] M ACHINE LANGUAGE EDITOR VER SION 2.02[5 DOWN]":rem 238 210 PRINT" [5] [2 UP] STARTING AD DRESS? [8 SPACES] [9 LEFT]"; 215 INPUTS:F=1-F:C\$=CHR\$(31+11 220 IFS<2560R(S>40960ANDS<4915 2) ORS > 53247 THENGOSUB3000:G OTO210 225 PRINT:PRINT:PRINT :rem 180 230 PRINT"[5][2 UP]ENDING ADDR ESS?[8 SPACES][9 LEFT]";:I NPUTE: F=1-F: C\$=CHR\$ (31+119 240 IFE < 256 OR (E> 40960 ANDE < 4915 2) ORE > 53247 THENGOSUB3000:G ОТО230 250 IFE < STHENPRINTCS; " [RVS] END ING < START[2 SPACES]":GOS UB1000:GOTO 230 260 PRINT:PRINT:PRINT :rem 179 300 PRINT" [CLR]"; CHR\$(14): AD=S 310 A=1:PRINTRIGHT\$("0000"+MID \$(STR\$(AD),2),5);":"; 315 FORJ=ATO6 320 GOSUB570:IFN=-1THENJ=J+N:G **OTO320** 390 IFN=-211THEN 710 400 IFN=-204THEN 790 410 IFN=-206THENPRINT: INPUT" [DOWN]ENTER NEW ADDRESS"; Z 415 IFN=-206THENIFZZ < SORZZ > ETH ENPRINT"[RVS]OUT OF RANGE" :GOSUB1000:GOTO410:rem 225 417 IFN=-206THENAD=ZZ:PRINT:GO 420 IF N<>-196 THEN 480 430 PRINT: INPUT"DISPLAY: FROM"; F: PRINT, "TO"; : INPUTT 440 IFF < SORF > EORT < SORT > ETHENPR INT AT LEAST ; S; " {LEFT }, N OT MORE THAN "; E: GOTO 430 450 FORI=FTOTSTEP6:PRINT:PRINT RIGHT\$("0000"+MID\$(STR\$(I)

,2),5);":";

2),3);",";

451 FORK=ØTO5:N=PEEK(I+K):PRIN

TRIGHT\$("ØØ"+MID\$(STR\$(N),

:rem 119

:rem 176

:rem 250

:rem 35

:rem 120

:rem 143

:rem 166

:rem 235

:rem 20

:rem 176

:rem 56

:rem 33

:rem 33

:rem 228

:rem 62

:rem 64

:rem 238

:rem 133

:rem 159

:rem 66

		London Contract
460	GETA\$:IFA\$>""THENPRINT:PRI	
470	NT:GOTO31Ø :rem 25 NEXTK:PRINTCHR\$(20);:NEXTI :PRINT:PRINT:GOTO310	76
	:rem 50 IFN<0 THEN PRINT:GOTO310 :rem 168	76
490 500	A(J)=N:NEXTJ :rem 199 CKSUM=AD-INT(AD/256)*256:F ORI=1TO6:CKSUM=(CKSUM+A(I)	70
510	)AND255:NEXT :rem 200 PRINTCHR\$(18);:GOSUB570:PR	76
511	INTCHR\$(146); :rem 94 IFN=-1THENA=6:GOTO315 :rem 254	76
515	PRINTCHR\$(20):IFN=CKSUMTHE N530 :rem 122	7
520	PRINT: PRINT"LINE ENTERED W	7
Service Control of	UB1000:GOTO310 :rem 176 GOSUB2000 :rem 218	71
540	FORI=1T06:POKEAD+I-1,A(I): NEXT:POKE54272,0:POKE54273 ,0 :rem 227	7
550	AD=AD+6:IF AD <e 212<="" 310="" :rem="" td="" then=""><td></td></e>	
	GOTO 710 :rem 108 N=0:Z=0 :rem 88	7
58Ø 581	N=0:Z=0 :rem 88 PRINT"E£3"; :rem 81 GETA\$:IFA\$=""THEN581	7
	:rem 95 AV=-(AS="M")-2*(AS=".")-3*	8
583	(A\$=".")-4*(A\$="J")-5*(A\$= "K")-6*(A\$="L") :rem 41 AV=AV-7*(A\$="U")-8*(A\$="I") )-9*(A\$="0"):IFA\$="H"THENA	8
504	\$="0" :rem 134 IFAV>0THENA\$=CHR\$(48+AV)	8
	:rem 134 PRINTCHR\$(20);:A=ASC(A\$):I	8
	FA=130RA=440RA=32THEN670 :rem 229	8
	IFA>128THENN=-A:RETURN :rem 137	
	IFA<>20 THEN 630 :rem 10 GOSUB690:IFI=1ANDT=44THENN =-1:PRINT"(OFF){LEFT}	8
620	[LEFT]";:GOTO690 :rem 62 GOTO570 :rem 109	8
	IFA<480RA>57THEN580 :rem 105	8
	PRINTA\$;:N=N*10+A-48 :rem 106	8
	IFN>255 THEN A=20:GOSUB100 0:GOTO600 :rem 229	8
66Ø 67Ø	Z=Z+1:IFZ<3THEN580 :rem 71 IFZ=0THENGOSUB1000:GOTO570 :rem 114	8
68Ø 69Ø	PRINT",";:RETURN :rem 240 S%=PEEK(209)+256*PEEK(210)	
691	+PEEK(211) :rem 149 FORI=1TO3:T=PEEK(S%-I)	10
695	:rem 67 IFT<>44ANDT<>58THENPOKES%-	10
700	I,32:NEXT :rem 205 PRINTLEFT\$("{3 LEFT}",I-1)	10
710	;:RETURN :rem 7 PRINT"[CLR][RVS]*** SAVE * **[3 POLIN]"	
715	RETURN[OFF] ALONE TO CANCE	26
720	L SAVE) [DOWN] : rem 106 F\$="":INPUT" [DOWN] FILENAM	20
700	E";F\$:IFF\$=""THENPRINT:PRI NT:GOTO310 :rem 71	26
/30	PRINT:PRINT" {2 DOWN } {RVS}T {OFF}APE OR {RVS}D{OFF}ISK	36
740	Univaria	
750	HEN740 :rem 36 DV=1-7*(A\$="D"):IFDV=8THEN	
		-

	F\$="Ø:"+F\$:OPEN15,8,15,"S" +F\$:CLOSE15 :rem 212
760	T\$=F\$:ZK=PEEK(53)+256*PEEK (54)-LEN(T\$):POKE782,ZK/25
	6 :rem 3
762	POKE781, ZK-PEEK(782)*256:P OKE780, LEN(T\$):SYS65469
	:rem 109
	POKE780,1:POKE781,DV:POKE7 82,1:SYS65466 :rem 69
765	82,1:SYS65466 :rem 69 K=S:POKE254,K/256:POKE253,
	K-PEEK(254)*256:POKE780,25
766	3 :rem 17 K=E+1:POKE782,K/256:POKE78
	1,K-PEEK(782)*256:SYS65496
	:rem 235
770	IF(PEEK(783)AND1)OR(191AND ST)THEN780 :rem 111
775	PRINT" [DOWN] DONE. [DOWN]":G
Toa	OTO310 :rem 113
780	PRINT" [DOWN] ERROR ON SAVE. [2 SPACES] TRY AGAIN. ": IFDV
	=1THEN720 :rem 171
781	OPEN15,8,15:INPUT#15,E1\$,E 2\$:PRINTE1\$;E2\$:CLOSE15:GO
	TO720 :rem 103
790	PRINT"{CLR}{RVS}*** LOAD *
705	**{2 DOWN}" :rem 212
795	PRINT" (2 DOWN) (PRESS (RVS) RETURN (OFF) ALONE TO CANCE
	L LOAD)" :rem 82
800	F\$="":INPUT"[2 DOWN] FILEN
	AME"; F\$:IFF\$=""THENPRINT:G OTO310 :rem 144
810	PRINT: PRINT" [2 DOWN] [RVS]T
	{OFF}APE OR {RVS}D{OFF}IS $\overline{K}$ : (T/D)" :rem 227
820	: ( <u>T</u> / <u>D</u> )" :rem 227 GETA\$::IFA\$<>"T"ANDA\$<>"D"T
	HEN820 :rem 34
830	DV=1-7*(A\$="D"):IFDV=8THEN F\$="0:"+F\$ :rem 157
840	T\$=F\$:ZK=PEEK(53)+256*PEEK
	(54)-LEN(T\$):POKE782,ZK/25
841	6 :rem 2 POKE781,ZK-PEEK(782)*256:P
	OKE780, LEN(T\$):SYS65469
845	:rem 107
845	POKE780,1:POKE781,DV:POKE7 82,1:SYS65466 :rem 70
850	POKE780,0:SYS65493 :rem 11
860	IF(PEEK(783)AND1)OR(191AND ST)THEN87Ø :rem 111
865	ST)THEN870 :rem 111 PRINT"(DOWN)DONE.":GOTO310
	- :rem 96
870	PRINT" [DOWN] ERROR ON LOAD. [2 SPACES] TRY AGAIN. [DOWN]
	":IFDV=1THEN800 :rem 172
880	OPEN15,8,15:INPUT#15,E1\$,E
	2\$:PRINTE1\$; E2\$:CLOSE15:GO TO800 :rem 102
	REM BUZZER :rem 135
1001	POKE54296,15:POKE54277,45
1002	:POKE54278,165 :rem 207 POKE54276,33:POKE 54273,6
	:POKE54272,5 :rem 42
1003	FORT=1TO200:NEXT:POKE5427 6,32:POKE54273,0:POKE5427
	2,0:RETURN :rem 202
2000	REM BELL SOUND : rem 78
2001	POKE54296,15:POKE54277,0: POKE54278,247 :rem 152
2002	POKE54278,247 :rem 152 POKE 54276,17:POKE54273,4
	Ø:POKE54272.0 :rem 86
2003	FORT=1TO100:NEXT:POKE5427 6,16:RETURN :rem 57
3000	6,16:RETURN : rem 57 PRINTC\$;"{RVS}NOT ZERO PA
	GE OR ROM":GOTO1000
	:rem 89
	C

### Software That Works For Generations

6 Types of Charts and Sheets Indices User Fields Notes, Footnotes and Sources No Limits Adapts to Your Hardware Comprehensive Easy to Use And Much, Much More

Send for brochure and sample printouts.

Family Roots includes detailed manual and 2 full diskettes of programs for your Apple II, IBM PC, Commodore 64 and CP/M.\*

Other genealogy software also available.

Price \$185. Satisfaction Guaranteed.

American Express, Visa & Mastercard Accepted

· Trademarks for Apple Computer, Inc., International



**Business Machines** CBM, Inc., & Digital Research.

OUINSEPT, INC. P.O. Box 216, Lexington, MA 02173 (617) 641-2930

## **CONVERSE WITH** YOUR COMPUTER

AT LAST! A FULL IMPLEMENTATION of the original ELIZA program is now available to run on your personal computer

Created at MIT in 1966. ELIZA has become the world's most Created at MII in 1966, ELIZA has become the words most celebrated artificial intelligence demonstration program. ELIZA is a non-directive psychotherapist who analyzes each statement as you type it in and then responds with her own comment or question—and her remarks are often amazingly appropriate!

Designed to run on a large mainframe, ELIZA has never before been available to personal computer users except in greatly stripped down versions lacking the sophistication which made the original program so fascinating.

Now, our new personal computer version possessing the FULL power and range of expression of the original is being offered at the introductory price of only \$45. And to let you find out how she does it (or teach her to do more) we have included the complete SOURCE PROGRAM (written in BASIC) at no extra cost.

Order your copy of ELIZA today and you'll never again wonder how to respond when you hear someone say, "Okay, let's see what this computer of yours can actually do!"

#### READ WHAT THE EXPERTS SAY ABOUT OUR VERSION OF ELIZA:

"Much more than a mere game ... You'll be impressed with ELIZA... A convincing demonstration of Artificial Intelligence."

—PC MAGAZINE

"Delightful entertainment...An ideal medium for showing off your system."

—MICROCOMPUTING MAGAZINE

"ELIZA is an astounding piece of software... A fascinating program to use and study."

—BARON'S MICROCOMPUTER REPORTS use and study."

"ELIZA is a great way to introduce your friends to computers... A very funny party game."

— PETER A. McWILLIAMS

"ELIZA is an exceptional program, one that's fun to use, shows off your machine, and has great historical interest."

— POPULAR COMPUTING MAGAZINE

"This version of ELIZA is the best we have seen. As a party game, it is unmatched."

—HOME APPLICATIONS FOR THE C-64

#### ELIZA IS AVAILABLE IN THE FOLLOWING FORMATS:

- · IBM PC, PCjr., PC-XT and all compatibles.
- · All Apple II computers (II, II Plus, IIe, IIc)
- Apple Macintosh (Microsoft BASIC required)
- . Commodore 64 (specify disk or cassette) . 5¼ inch or 8 inch disk for all CP/M systems

All versions are \$45 and include a six page users manual. Please add \$2.00 shipping and handling to all orders (California residents please add 6½% sales tax)

ARTIFICIAL INTELLIGENCE RESEARCH GROUP



921 North La Jolla Avenue, Dept. M Los Angeles, CA 90046 (213) 656-7368 (213) 654-2214 MC, VISA and checks accepted





Copy Atari 400/800/XL Series Cartridges to Disk and run them from a Menu

#### ATARI CARTRIDGE-TO-DISK COPY SYSTEM \$69.95

Supercart lets you copy ANY cartridge for the Atari 400/800/XL Series to diskette, and thereafter run it from your disk drive. Enjoy the convenience of selecting your favorite games from a "menu screen" rather than swapping cartridges in and out of your computer. Each cartridge copied by Supercart functions exactly like the original. Supercart includes:

• DISKETTE with:

KETTE with: COPY PROGRAM - Copies the cartridge to a diskette (up to 9 cartridges will fit on one MENU PROGRAM - Automatically runs and displays a menu prompting user for a ONE VENTICLE: keystoke selection of any cartridge on the disk.

CARTRIDGE:
 "Tricks" the computer into thinking that the original "copy protected" cartridge has be a computed into thinking that the original "copy protected" cartridge has be a computed into thinking that the original "copy protected" cartridge has be a computed into thinking that the original "copy protected" cartridge has be a computed into thinking that the original "copy protected" cartridge has be a computed into thinking that the original "copy protected" cartridge has be a computed into thinking that the original "copy protected" cartridge has be a computed into thinking that the original "copy protected" cartridge has be a computed into thinking that the original "copy protected" cartridge has be a computed into thinking that the original "copy protected" cartridge has be a computed into thinking that the original "copy protected" cartridge has be a computed into thinking that the original "copy protected" cartridge has be a computed into thinking that the original "copy protected" cartridge has be a computed into thinking that the original "copy protected" cartridge has be a computed into thinking that the original "copy protected" cartridge has be a computed into the computed int

CATRIDGE:

"Tricks" the computer into thinking that the original "copy protected" cartridge has been inserted.

To date there have been no problems duplicating and running all of the protected cartridges that we know of. However, FRONTRUNNER cannot guarantee the operation of all future cartridges. Supercart is user-friendly and simple to use and requires no modifications of your hardware. PIRATES TAKE NOTE:

SUPERCART is not intended for illegal copying and/or distribution of copyrighted software. ..Sory!!!

SYSTEM REQUIREMENTS:

Atari 400/800 or XL Series Computer / 48K Memory / One Disk Drive

Available at your computer store or direct from FRONTRUNNER. DEALER INQUIRIES ENCOURAGED.

TOLL FREE ORDER LINE: 124 Hrs. 1 - 3800-884-8780/In Nevada or for questions Call: (702) 786-4600

Personal checks allow 2-3 weeks to clear,

M/C and VISA accepted. A FIRE UNDER LINE: (24 Hrs.) 1-800-648-4780/In Nevada or for questional checks allow 2-3 weeks to clear, do 83.50 (87.50 Foreign orders) for shipping, in NTRUNNER COMPUTER INDUSTRIES
California Ave., Suite #712, Reno, Nevada 89509 - (702) 786-4600

Chers Make Claims. . SUPERCART makes copies!!!

To receive additional information from advertisers in this issue. use the handy reader service cards in the back of the magazine.

#### PARTS / SERVICE FOR ATARI\*COMPUTERS

Flat Service Rates Below Include Parts & Labor, 60-Day Warranty

800 Computer Repair	\$49.50	810 Disk Drive Repair	\$79.50
850 Interface Repair	\$49.50	800XL Computer Repair	\$49.50
600XL Computer Repair	\$49.50	1050 Disk Drive Repair	\$85.00
1200XL Computer Repair	\$49.50	800 Keyboard Repair	\$35.00

Above units repaired or exchanged with rebuildable exchange. Include \$7.00 return shipping and

INTEGRATED CIRCUITS

upgrade w												
10K Rev. 3-Chip RO												
												. \$8.50
CO12296												\$9.50
CO14795												
CO14806			į	í								\$9.50
CO10745		Ġ	Û	1								\$10.00
C010750	Ċ		ì	ĺ				-				\$9.50

#### MODULES/CIRCUIT BOARDS

complete with IC's	
complete with IC's	
16KRAM Memory Module - CX853 .	\$15.00
800 10K Rev. B OS Module	\$15.00
800/400 CPU Board with GTIA	\$19.50
800 Main Board	\$24.50
400 Main Board	\$20.00
800 Power Supply Board	\$10.50
810 Data Separator Board	
upgrade with instructions	\$25.00
	\$43.50
810 Rear Power Board	
810 Analog Board	\$16.00

#### 800 48K Board Set ... \$79.50

#### BARE BOARDS With parts lists 850 MTERFACE BOARD . . . . . \$16.50

Build your own interface!!	
810 Analog Board \$3.50	
810 Rear Board	
DISK DRIVES, Etc.	
810 Custom Disk Drive \$145.00	
850 Custom Interface \$79.50	
Replacement 810 Drive Mech \$70.00	
Replacement transformer for 800/400,	
810, 1050, 1200XL, 1020 \$15.00	
800XL/600XL, 130XE	
Power Supply \$25.00	
SAMS Service Manual	
for 800/400 or 800XL \$19.95	
De Re Atari \$12.50	
Inside Atari Basic	
SOFTWARE	
Basic Cartridge \$15.00 Editor/Assembler \$15.00	
O*Bert Cartridge \$12.50	

\$12.50

#### Popeye Cartridge Kindercomp Cart. 810 Rear Board/Analog Board Upgrade with 10-pin jumper \$10.00 Buck Rogers Cart. . \$65.00 \$99.50 Jumbo-Jet Pilot . . . Crossfire Cart. . . . \$10.00 Chicken Cartridge

#### — 415 · 352·3787 **AMERICAN TV**

Terms: We accept money orders, personal checks or C.O.D.s. - VISA, MasterCard okay on

orders over \$20.00 . No personal checks on C.O.D. Shipping: \$4.00 shipping and handling on orders under \$150.00. Add \$2.00 for C.0.D. orders. California residents include  $6^{1/2}$ % sales tax. Overseas shipping extra.

Prices subject to change without notice. We reserve the right to limit quantities. Sales limited to stock on hand. Foreign shipping extra.

Much more! Sent SASE for free price list.

\*Atari is a registered trademark of Atari Corp

#### Modifications or Corrections To Previous Articles

#### Commodore 64 Disk Commander

This program from the September issue (p. 80) has a bug in the DOPEN command. Do not use DOPEN until you correct the problem. If you disassemble the relocated "Disk Commander" code, you'll notice the instruction CMP \$062D,X at location \$A797 in the DOPEN routine. The instruction should be CMP \$026D,X. This portion of the routine is intended to assign a unique secondary address to each opened file, but the bug causes all files to be opened with the same secondary address. If you never DOPEN more than one file at a time, there's no problem. However, multiple DOPENs lead to improperly closed files, which are denoted in the disk directory by an asterisk next to the filename. If you see any of these so-called poison files on your disk, you should remove them with the VALI-DATE command (OPEN 1,8,15,"V0:" :CLOSE 1), not the SCRATCH command.

To fix "Disk Commander," first enter POKE 44,20:POKE 5120,0:NEW to reconfigure memory, then load and run "MLX". Use the MLX Load command (SHIFT-L) to load your existing version of Disk Commander. Next, use the New Address command (SHIFT-N) to move to line 3591, then enter the following new data:

3591 :048,007,221,109,002,240,122

Now press SHIFT-S to call the MLX Save feature and save a copy of the corrected program.

Our thanks to reader Franz Paulsen for uncovering this bug.

#### Atari Animation With P/M Graphics, Part 2

Part of line 90 is missing in the program example in the first column on page 102 of this article from the October issue. It should read as follows:

NB 90 FOR X=PMBASE+1024 TO PMBASE+2048: POKE X, Ø: NEXT X

#### The Last Warrior

A number of readers have had difficulties with line 480 in the IBM version of this game program from the September issue (p. 54). The first character within quotes in that line is the lowercase letter 1, not the numeral 1. The two characters do have a similar appearance in the listing, but 164 is not a reasonable parameter for a PLAY statement, while 164 is.

# News & Products ■

#### Word Processor For IBM

Professional Software has introduced Write 'n Spell, a \$149 word processor which contains an integrated 90,000word dictionary that checks and corrects spelling. In addition to standard features found in most sophisticated word processors, Write 'n Spell also contains built-in mail-merge, graphing, and simultaneous typing-while-printing capabilities. The program will merge with Lotus 1-2-3, pfs:File, Multiplan, and many other popular application programs. The word processor also has pull-down HELP and OPTION

Write 'n Spell is available for the IBM PC, PCjr, AT, and compatible computers.

Professional Software, Inc., 51 Fremont Street, Needham, MA 02194. Circle Reader Service Number 220.

#### World War II Air War

Strategic Studies Group (SSG), creators of Reach for the Stars and Carriers at War strategy games, has released Europe Ablaze: The Air War Over England and Germany 1939-1945. This historical simulation contains three major scenarios, selected from the various phases of the air war, and also a game design kit that lets you create your own scenarios. Major bombing missions are planned twice each day, and players are required to select targets, plot course and speed, determine H-hour, and allocate squadrons. Fighter aircraft patrol and intercept in response to ground and radar sightings.

Europe Ablaze is available for Apple II-series computers (with 64K RAM) and for the Commodore 64, at a suggested retail price of \$50.

Strategic Studies Group, 1747 Orleans Court, Walnut Creek, CA 94598. Circle Reader Service Number 221.

#### Apple II Spreadsheet

Mouse Calc, a mouse-controlled spreadsheet for the Apple IIc and 128K Apple IIe, has been announced by International Solutions, Inc. The program includes integrated graphics, mouseoperated editing and selecting techniques, pull-down menus, and color display. Mouse Calc is the first in a series of application programs from International Solutions.

Users can perform 24 of the most commonly used arithmetic, logical, search, and other spreadsheet functions with Mouse Calc. The program provides rounding and logical functions such as AND/OR and TRUE/FALSE. Mouse Calc can merge two or more files, and it can read files created with VisiCalc, AppleWorks, and other programs using the DIF format.

The program requires a mouse controller, such as the AppleMouse II, and a second disk drive is recommended. Suggested retail is \$149.95, and includes a 90-day warranty.

International Solutions, Inc., 910 West Maude Avenue, Sunnyvale, CA 94086

Circle Reader Service Number 222.

Educational, Entertainment Programs Among the software titles recently in-

troduced by CBS Software are several educational and entertainment programs. Included are The Body in Focus, a self-paced color-graphics human anatomy program for the Apple II+, IIe, IIc, Commodore 64, and IBM PC (\$39.95 each); Success with Math, a series of math tutorials for ages 6 through 18 for the Apple II+, IIe, IIc, Commodore 64, and IBM PC/PCjr (\$24.95 each); Success with Algebra, a similar series covering algebra for grades 7-12 for the Apple II series, Commodore 64, and IBM (\$34.95); and Quink, a game of pattern recognition and knowledge for ages ten and older, for the Apple II series, 64, and IBM PC/PCjr (\$34.95).

CBS Software, One Fawcett Place, Greenwich, CT 06836.

Circle Reader Service Number 223.

#### 64 Bulletin Board

Bozart Co. has introduced two telecommunications packages for the Commodore 64: Bozboard, a full-featured bulletin board program, and Bozterm, an all-purpose terminal program. Bozboard is set to run with one or two 1541 disk drives or the MSD SD-2 dual drive. It is compatible with the Commodore 1650 Automodem and also with the Westridge 6420, TeleLearning, Mitey Mo, and HES II modems. The system requires a printer.

With Bozboard (\$40), you have a choice of eight subboards, public messages, electronic mail, uploading, downloading, and a magazine feature which allows the system operator (sysop) to publish a color/graphics electronic magazine on the BBS. The program transfers files using the standard XMODEM protocol and its own Bozart protocol. The Bozart protocol is capable of transferring high-resolution graphics and allows the bulletin board user to view the graphics screen as it is downloaded.

Bozterm (\$20) offers the user the option of automatic dialing or manual dialing. Seven of the function keys can be defined to automatically transmit any 80-character message, read the disk directory, upload buffer contents, capture incoming data to the buffer, print it to the screen or a printer, or save it to disk as an edited or unedited file.

Bozart Co., 7818 Summerfield Road, Summerfield, NC 27358.

Circle Reader Service Number 224.

#### Atari Interface

Integrated Computer Equipment Company (ICECO) has introduced the ICE-PIC (ICE's Parallel Interface Converter), a printer interface for Atari computers which also includes graphics software drivers.

The ICEPIC converts parallelinterface (Centronics-compatible) printers to a joystick interface (joystick port 2 or 4) which can be used by Atari 400/800 and XL computers with no hardware modifications. The ICEPIC requires no 850 Interface Module, no cable, and no external power supply. The software supports any printer in text mode and provides graphic functions for Epson or Okidata 92/93 graphics compatible printers. The ICE-PIC works with most Atari programs, such as most BASIC programs, Atari-Writer, Letter Perfect, B/GRAPH, Koala Micro Illustrator, and AtariArtist. Several utility programs are included with

the software, including a diagnostic checkout program, a warm reboot program, and a *MicroPainter* file display program.

Suggested retail is \$49.95 for the interface, software, and manual. There is a 30-day money back guarantee, a 90-day replacement warranty, and a lifetime \$19 repair/replacement policy.

Integrated Computer Equipment Company, 8507 Natural Bridge Road, St. Louis, MO 63121.

Circle Reader Service Number 225.

64, Apple Karate

Data East has converted its arcade action game, *Karate Champ*, to a new computer version for the Commodore 64 and Apple II series. The \$29.95 game features two-player and player-versus-computer modes as you guide your karate fighter through successive matches. Using the joystick, you can make your fighter lunge, kick, spin, somersault, reverse-punch, and block.

Data East USA, Inc., 470 Gianni Street, Santa Clara, CA 95054.

Circle Reader Service Number 226.

#### Pascal For 64 & 128

A complete Pascal development system for the Commodore 64 and 128 has been released by Abacus Software. Super Pascal includes an extensive compiler, a source file editor, an integrated assembler, and a comprehensive utility package for file and disk management.

Also included are a handbook with more than 200 pages and a systems disk. Suggested retail price is \$59.95.

Abacus Software, 2201 Kalamazoo SE, P.O. Box 7211, Grand Rapids, MI 49510.

Circle Reader Service Number 227.

New From Epson

Epson has developed several new printers for home users. Among these are the DX-10 (\$399), a daisywheel printer which prints at ten characters per second (cps); and the DX-20 (\$499), a daisywheel with a 1K byte print buffer, 20 characters-per-second (cps) print speed, and a Diablo All Purpose Interface (RS-232C, IEEE-488, and parallel).

Also new from Epson is the Spectrum LX-90, a dot-matrix printer with draft and near-letter-quality (NLQ) modes. It comes with a printer interface cartridge that makes it ready for use with the IBM PC, PCjr, or Apple IIc. Draft copy is printed at 100 cps; NLQ at 16 cps. The Spectrum LX-90 retails for \$389.

Comrex, a division of Epson, has released the CR-128 intelligent printer buffer. Features include 128K buffer memory and built-in serial-to-serial, serial-to-parallel, parallel-to-parallel, and parallel-to-serial interfaces. Suggested retail is \$299. Another new Comrex product is the CR-700 series of bidirectional A-B switch boxes, which simplify connections to the computer and eliminate the need to swap cables when changing peripherals. The switch boxes retail for \$39.95.

Epson America, 2780 Lomita Blvd., Torrance, CA 90505.

Circle Reader Service Number 228.

#### World War II Combat Game

Under Fire, from Avalon Hill, combines the depth of a war game simulation with the colorful graphics of an arcade game. Authentic armies, weapons, and maps from World War II add to the game's realism. Different maps and scenarios are included on disk; players can also create their own.



A sample screen from Avalon Hill's Under Fire strategy game.

Under Fire is available for the Apple II series. A joystick is optional for the Apple IIc and IIe, but required for the II+. Suggested retail price is \$59.95.

Avalon Hill Game Company, 4517 Hartford Rd., Baltimore, MD 21214. Circle Reader Service Number 229.

TI Disk Organizer

TI programs can be organized on a single disk with *Disk Data Base* from Asgard Software. The program lets you sort and print a catalog by either disk name or filename, to print it out unsorted, or to selectively print out all entries that contain a certain string. The catalog can also be broken up into blocks of 250 entries for easy management.

Data files can be converted from the Master Disk File to the *Disk Data Base* format. Also featured are numerous prompts and an online dictionary of terms. *Disk Data Base* requires Extended BASIC, a 32K memory expansion unit, and a disk drive and controller. A printer and second disk drive are recommended. Price: \$15.

Asgard Software, P.O. Box 10306, Rockville, MD 20850.

Circle Reader Service Number 230.

#### **Bulletin Board Directory**

A new directory of computer bulletin boards, called *Plumbline*, is now available from the publishers of *Plumb*, a newsletter about personal telecommunications. The directory lists over 1,000 bulletin boards available to the public. Each entry includes a brief description of the bulletin board, the type of computer it runs on, and its primary area of interest.

Plumbline is included with a subscription to Plumb, \$26.50; or can be purchased separately for \$8.

Plumb, P.O. Box 300, Harrods Creek, KY 40027

Circle Reader Service Number 231.

Pascal Tutorial For Apple

Wiley Software's new Visible Pascal uses graphics, word processing, and music to teach the Pascal programming language on Apple II computers. Programs are displayed while they're being created, at a speed controlled by the programmer. The system has more than 80 error messages for pointing out mistakes. Users can create "productions," with animated characters and a soundtrack. The package also includes 56 sample programs that are ready to run.

No prior computing knowledge is needed. Visible Pascal runs on Apple IIseries computers with at least 64K RAM. A joystick is recommended.

Wiley Professional Software, 605 Third Ave., New York, NY 10158.

Circle Reader Service Number 232.

#### **Boolean Games**

Sunburst has introduced *High Wire Logic*, a game for teaching Boolean logic to youngsters in grades 5 through 12. Two sets of colored shapes appear on the screen: one on a high wire and another set that falls to the net below. Using the logical functions AND, OR, AND-AND, OR-OR, and EXCLUSIVE OR, students earn points by writing rules to fit the shapes on the high wire but not the shapes in the net.

High Wire Logic is available for Apple II computers with at least 48K RAM; retail price is \$59.

Sunburst Communications, Inc., 39 Washington Ave., Pleasantville, NY 10570

Circle Reader Service Number 233.

Life/Time Manager

A new program from Psychometric

Software provides assistance in identifying goals and organizing time. Developed by a psychiatrist, Life/Time Manager is based on psychological and time management principles. It consists of three sections: Goals, Activities, and Schedules. Included are a prioritized daily To Do List and a weekly schedule

The program runs on the IBM PC, PCjr, or AT, with at least 128K RAM; or on the Apple II+, IIc, or IIe. Suggested price is \$49.95.

Psychometric Software, Inc., 2050 S. Patrick Dr., Indian Harbour Beach, FL 32937.

Circle Reader Service Number 234.

Nutrition And The Apple

The Center for Science in the Public Interest, a nonprofit consumer group, has developed Nutrition Express. This game teaches the basic concepts of nutrition and diet through a series of questions and clues. Action takes place in the land of FodaFoda, where the student answers questions correctly in order to earn currency for the grocery store and to invite friends from Foda-Foda back home. The game is geared toward youngsters aged nine and up.

Nutrition Express comes with a user's guide, teaching suggestions, and a "Nutrition Scoreboard" wall chart. For the Apple II series; price is \$39.95.

Center for Science in the Public Interest, 1501 Sixteenth St., NW, Washington, DC 20036.

Circle Reader Service Number 235.

#### Titling Videos

A new program from Videoware can put titles, custom messages, colored screens, and leaders onto videotapes. Video Title Editor offers a menu of more than 20 different displays, including some for weddings, birthdays, and video mail. Also included are displays for Presented By, Starring, and Credits.

The program requires a videocassette recorder and either an Apple II, Atari, Commodore 64, VIC-20, or IBM PC/PCjr. Price is \$29.95.

Videoware, 19777 W. 12 Mile Rd., Suite 180, Southfield, MI 48076.

Circle Reader Service Number 236.

#### New IBM Telecommunications Utility

Mastercom, a new release from The Software Store, is a full-featured smart terminal and file transfer utility for the IBM PC and PCjr. It turns the computer into a terminal on a time-sharing system, captures data onto a disk and/or printer from almost any computer, and can send files to almost any type of computer. Mastercom supports most communication protocols including Christensen XMODEM, xon/xoff, line at a time, and no protocol. Other features of Mastercom include auto dial, auto answer, batch file transfer, and host mode unattended operation.

For the IBM PC, PCjr, and most compatibles. Suggested retail price is

The Software Store, 706 Chippewa Square, Marquette, MI 49855.

Circle Reader Service Number 237.

#### Multi-Color Printing Package

A black-and-white printer can now make up to 80 full-color prints using an Apple computer and Prince, a new program from Baudville. The program's library of fonts can be used to make color T-shirt transfers, banners, letterheads, and labels. Prince can also capture any standard or double hi-res picture for editing and printing.

Four color ribbons are included for the following printers: Imagewriter, DMP, C. Itoh 8510/Prowriter, 8510 SC, NEC 8023, and Epson MX-80, RX-80, and FX-80. Prince sells for \$69.95.

Baudville, 1001 Medical Park Dr. SE, Grand Rapids, MI 49506.

Circle Reader Service Number 238.

#### Electronic Trivia

Mentor Learning Systems has introduced Ultimate Trivia, a game featuring 4,000 facts and 200 color graphics. The facts are divided into nine categories: Music, Cinema, Geography, Sports, General Information, People, Art, History, and Television. The graphics are revealed piece by piece as each category is answered correctly. Ultimate Trivia can be played individually or in teams.

The program sells for \$49.95 and runs on all Apple computers (with at least 64K RAM) and the IBM PC/PCjr.

Mentory Learning Systems, Inc., 1825 De La Cruz Blvd., Santa Clara, CA

Circle Reader Service Number 239.

#### New Infocom Adventures

Infocom has added two new products to its interactive fiction line. In A Mind Forever Voyaging, you play the role of a computer that has been raised as a human being up to the age of 20. You must enter a simulation of the future to see whether a plan proposed by current government and industry leaders will be beneficial for the country. Due to Infocom's new development system and an expanded 1,700-word vocabulary, the emphasis in this game is less on solving puzzles and more on revealing the story's details. (Requires at least 128K RAM; Apple II series, IBM PC/ PCjr/XT/AT, Atari ST, Amiga, and Macintosh; \$44.95.)

Spellbreaker completes Infocom's Enchanter trilogy of adventures. When a world based on sorcery finds its magic failing, you, as the leader of the Circle of Enchanters, must find and destroy the cause of this failure. (Apple II series, Amiga, IBM PC/PCjr/XT/AT, Macintosh, and MS-DOS compatibles, \$49.95; Atari 400/800, XL/XE, ST, Commodore 64/128, \$44.95.)

Infocom, Inc., 125 Cambridge Park Drive, Cambridge, MA 02140.

Circle Reader Service Number 240.

#### Parallel Printer Converters

Two new serial-to-parallel printer converters have been released by Practical Peripherals. The Switchport IIc was designed especially for the Apple IIc and allows the computer to be interfaced with a parallel printer. The Switchport 232 transforms serial data into parallel, allowing any RS-232 computer to be interfaced with a Centronics parallel printer.

Both units come with a five-year limited warranty and retail for \$109.

Practical Peripherals, 31245 LaBaya Drive, Westlake Village, CA 91362. Circle Reader Service Number 241.

#### Productivity, Education, Entertainment Software


Brøderbund Software has introduced a hardware/software combination that turns your home computer into a science lab. The Science Toolkit Master Module includes a temperature-sensing probe, a light-sensing probe, and a special interface that connects them to an Apple II via the joystick port. Using the software's thermometer, light meter, timer, and strip chart, you can perform a wide variety of scientific experiments. (At least 64K RAM required; Apple IIe/IIc, II + with joystick port adapter; \$59.95.)

Two new packages have been added to the Bank Street series of productivity software. Bank Street Mailer is a combination letter-writing/mailing list program. Bank Street Filer is a database manager/report-generating program. There are two versions of each program: a 64K version for the Apple II+ and IIe offers a 40-column screen display, and a 128K version for the Apple IIc and 128K IIe offers a 40- or 80-column display and includes an onscreen calculator. They are compatible with the Bank Street Writer word processor. All retail for \$69.95 each.

Captain Goodnight and the Islands of Fear is an arcade game that plays like an adventure movie. In your role as

Captain Goodnight, you must pilot helicopters, airplanes, tanks, trucks, and a submarine in your attempt to save the world from destruction. (Apple II series with at least 48K RAM; \$34.95.)

Brøderbund Software, 17 Paul Drive, San Rafael, CA 94903.



A strip chart from Brøderbund's Science Toolkit.

Circle Reader Service Number 242.

## Computerized Diet Plan From Bantam

The Complete Scarsdale Medical Diet, based on the bestselling book by the same name, is now available in a software package from Bantam Electronic Publishing. Based on sound nutritional principles, the program offers healthy, controlled weight loss. Diet features a meal-planning calendar, shopping list, expandable food directory, meal planner and analysis, and comparison charts.

Available for the Apple II series and IBM PC/PCjr, the program retails for \$39.95.

Bantam Electronic Publishing, 666-5th Ave., New York, NY 10103.

Circle Reader Service Number 243.

Koalapad+ For Apple II

Koala Technologies has announced an enhanced version of the Koalapad, called Koalapad+, for the Apple IIc and IIe. The new version offers enhanced product styling, a gridded tablet surface, and additional graphics software. The software, Graphics Exhibitor, lets users edit images they have created.

Suggested retail price for the Koala-

pad + is \$125.

Koala Technologies, 2065 Junction Ave., San Jose, CA 95131.

Circle Reader Service Number 244.

## Productivity Software For Commodore 64

Datamost has announced the KWIK line of home productivity software for the Commodore 64. Each package includes KWIK-LOAD! (a Datamost fast-loading program) and retails for \$19.95.

The series includes KWIK-WRITE!,

a word processor; KWIK-SPELL!, a spelling checker; KWIK-FILE!, a database manager; KWIK-CALC!, a spreadsheet program; KWIK-PAINT!, a graphics editor; KWIK-CHECK!, a checkbook balancing and maintenance program; KWIK-PAD!, a desk secretary program; and KWIK-PHONE, a communications program.

Datamost, 19821 Nordhoff Street, Northridge, CA 91324.

Circle Reader Service Number 245.

Foreign Language Vocabulary Programs

Gessler Educational Software has produced three foreign language versions of its bestselling vocabulary program Word Attack!. Bataille De Mots (French), Batalla De Palabras (Spanish), and Wortgefecht (German) are available for the Apple II series, IBM PC/PCjr, and Commodore 64 for \$49.95.

Word Attack!, as well as its foreign language versions, teaches vocabulary words and grammar with word displays, quizzes, sentence completion, and an arcade game.

Gessler Educational Software, 900 Broadway, New York, NY 10003.

Circle Reader Service Number 246.

Inexpensive Accounting Software

DAC-Easy Accounting, from DAC Software, is a seven-in-one accounting package offered at a special introductory price of \$49.95. Its seven individual modules—general ledger, accounts receivable, accounts payable, billing, purchase order, inventory, and forecasting—are integrated, allowing automatic posting between modules.

The system also has spreadsheet capability, letting the user experiment with "what-if" scenarios without entering actual data. It is compatible with the IBM PC and PCjr.

DAC Software, Inc., 5580 Peterson, Suite 130, Dallas, TX 75240.

Circle Reader Service Number 247.

MIDI Editor

RolandCorp has released MUSE (MIDI Users Sequencer/Editor) for the Apple II series and Commodore 64. The program features eight independent tracks for recording and overdubbing sequences, track merging capability, track muting, looping by song or track length, and selectable time signatures. The editing functions can be used to insert, delete, move, copy, and rearrange measures of any track so that a composition can be changed after it has been recorded.

MUSE is compatible with any MIDI instrument and can be synchronized with drum machines, other sequencers,

and multitrack tape decks. An interface is required. Suggested retail price is \$150 for each version.

RolandCorp US, 7200 Dominion Circle, Los Angeles, CA 90040. Circle Reader Service Number 248.

New PCjr Drive

A second disk drive can now be added to the IBM PCjr without adding extra circuitry or another power supply. The Junior Drive II System, from PC Enterprises, includes a 360K double-sided double-density 5-1/4 inch floppy disk drive with power supply, an adapter module, a software patch, a two-drive signal cable, and an instruction manual. The system is compatible with existing external modems, parallel printer ports, and memory expansions.

The Junior Drive II System lists for \$395. For those who wish to connect their own IBM-compatible drive, the adapter module and software patch are

available separately.

PC Enterprises, P.O. Box 292, Belmar, NJ 07719.

Circle Reader Service Number 249.

The Smoking Decision

A new program from Sunburst was created to alert students to the dangers of cigarette smoking. It begins by presenting facts about health risks related to smoking, and then explores issues such as peer pressure. Throughout the program, students are confronted with a series of incremental decisions, leading to a final decision whether to smoke.

The Smoking Decision is suitable for youngsters in grades 6 through 12. It runs on any Apple II computer with at least 48K memory. The \$59 retail price includes a backup disk and teacher's guide.

Sunburst Communications, Inc. 39 Washington Ave., Pleasantville, NY

Circle Reader Service Number 250.

#### Arcade And Adventure Games For Commodore 64

Artworx has released two new games for the Commodore 64 and 128. Falcon Patrol II puts the user in the pilot's seat of a Falcon fighter, fully equipped with air-to-ground and air-to-surface missiles. The object of the game is to ward off the enemy's helicopter attack squadrons. Its 16 levels of play are enhanced by 3-D graphics and sound effects.

In Sorcery, you are the last of the great sorcerers, given new strength and powerful spells. You must use them to regain your conquered homeland and restore its previous quality of life. Sorcery resembles an arcade game, but

plays much like an adventure game.

Both games retail for \$19.95. Artworx Software Company, Inc., 150 N. Main St., Fairport, NY 14450.

Circle Reader Service Number 251.

#### Educational Software For The Classroom

Focus Media, Inc. publishes an extensive line of classroom programs for a variety of computers. In Za-Zoom, The Geography Genie, students take the role of explorer as they try to determine where they are by examining the culture around them. The two programs in this package, Travels with Za-Zoom: The World and Travels with Za-Zoom: The U.S. retail for \$129; either program can be purchased separately for \$79. (Apple II series, Commodore 64, IBM PC/PCjr.)



Students learn about such concepts as latitude and longitude with The Language of Maps.

Students can go back in time with The Time Tunnel: America Series Package. During each journey, students must use clues to gather facts and guess the identities of historical figures. The package contains six programs: Early America (2), A Nation Emerges (2), and The Presidents (2). Suggested retail price for the complete package is \$179; each series can be purchased individually for \$79. (Apple II series, Commodore 64, IBM PC/PCjr.)

The Language of Maps is a series of six programs that helps students learn about maps and map terminology. Topics covered include oceans and continents; land areas and water bodies; highlands and lowlands; and finding places on maps. The Instant Computerized Glossary explains unfamiliar terms. The Surface of the Earth and Location and Distance retail as a package for \$159; individually, each costs \$79. (Apple II series.)

A Teacher's Lesson Planner and free backup disks are included with all packages.

Focus Media, Inc., 839 Stewart Ave., Garden City, NY 11530.

Circle Reader Service Number 252.

# OW DEALER COST!



#### **PUBLIC NOTICE**

INTENSE COMPETITION IN THE COMPUTER INDUSTRY LEADS TO **UNPROFITABLE LINE FOR BELL & HOWELL** 

C.O.M.B. authorized to liquidate recent model printers at BELOW dealer

> Fast, 100 characters per second! (for faster model. see below.)

Heavy-duty for constant use on big iobs!

Compatible with Commodore 64 & SX64!

## Save hundreds of dollars on a top name brand!

Here's a sensational value on a fast-operating, excellent quality, heavy-duty printer. It INCLUDES an interface for hookup to your Commodore 64 or Commodore SX64.

Compared to many competitive models, THESE printers are FASTER! Virtually trouble-free. Built to handle BIG office jobs. The P-100 has a memory which allows data storage WHILE the printer is running! And it can print in a variety of type styles, from large and bold to small and light!

Other special features include: Easy loading, longlife cartridge ribbon. Crisp printing. And, with your purchase, you get a TOLL-FREE phone number to call for useful tips or questions you might have.

CHARACTER SET: Full upper and lower case 96 character ASCII set with descenders and underlining. Software selectable single or double wide character fonts. GRAPHICS: High resolution dot addressable graphics.

PRINT FORMAT: 8" line length; 80 characters per line at 10 CPI; 136 characters per line at 17 CPI.

PAPER SLEW (ADVANCE): 10 lines per second, stepper motor controlled. User selectable pressure roller or tractor feed.

DATA INPUT: Parallel. Centronics type 7-bit ASCII. TTL level with STROBE. ACKNOWLEDGE returned to indicate data was received. SERIAL: RS232C. With BUSY handshake. 10 or 11 bits: 110, 150, 300, 1200 Baud. INPUT POWER: 115 volts.

PRINT RATE: 100 characters/second. Data Buffer: 1K (Optional expandable to 2K).

OPERATIONAL CONTROLS: Power on/off, set top of form, select/deselect, line/forms, feed.

MEDIA: Roll paper: 81/2"W x 5" dia. single ply or pressure sensitive multiple copy paper. .012' max. thickness. Fan fold paper: 1" to 91/2"



Credit card members can order by phone. 24 hours a day, 7 days a week!

Toll-Free: 1-800-328-0609

Authorized Liquidator 14605 28TH AVENUE NORTH MINNEAPOLIS, MINNESOTA 55441-3397

sprocket (including sprocket margins). .012" max. thickness.

CUT SHEET PAPER: max. width. 91/2"

TYPE OF PRINTING: Impact bidirectional, 7x9 dot matrix for data printing, 11 x 9 matrix for correspondence printing

RIBBON: Continuous loop cartridge, 20 yards by 1/2" ribbon, 5 million character life.

90 Day Limited Factory Warranty on Printer Parts and Labor!

(with interface) Includes Commodore

Interface! Price Now Only:

Mfr. List Price

§644.95

Item H-726-63327-10 Ship, handling: \$10

#### HI-SPEED MODEL P-150 150 characters per second!

Same specifications as P-100 above, but with following special features: Tractor feed. 2K data buffer (optional: expandable to 4K and/or 68K). Paper advance of 20 lps. 141/8" maximum paper width. Impact logic seeking printing. 50 yd. loop cartridge ribbon: 10 million characters. Size: 23" W x 15½" D x 7½" H. Weight: 25 lbs. Interface included.

Item H-726-63327-11 Ship, handling: \$14

Price subject to change after 60 days. Sales outside continental U.S. are subject to special conditions. Please calll or write to inquire.

C.O.M.B. CO.®	Item H-726
14605 28th Ave. N./Minneapolis, MN 5 Please send items indicated below. (Minneson	5441-3397
sales tax. Allow 3-4 weeks for delivery, Sorry,  —P-100 Printer(s) with interface at \$238 e for ship, handling: Item H-726-63327-10  —P-150 Printer(s) with interface at \$288 e for ship, handling: Item H-726-63327-11	, no C.O.D. orders.) each plus \$10 each ) each plus \$14 each
☐ My check or money order is enclosed. (No d orders paid by check, thanks to TeleCheck.)	delays in processing
Charge my: ☐ MasterCard™ ☐ VISA	
Acct. No.	Exp
PLEASE PRINT CLEARLY	
Name	
Address	
City	
State Z	
Phone	
Sign here	

# presenting ... CAPTURE A NEW WAY TO UNLOCK THE POWER OF YOUR C64 OR C128\*

- CAPTURE IS A CARTRIDGE THAT PLUGS INTO YOUR COMPUTER'S EXPANSION PORT.
- CAPTURE DOES NOTHING UNTIL YOU PRESS ITS CAPTURE BUTTON. UNTIL THEN, A RUNNING PROGRAM CANNOT DETECT ITS PRESENCE.
- CAPTURE THEN TAKES CONTROL NO IFS, ANDS OR BUTS AND PRESENTS A MENU.
- CAPTURE WILL NEATLY SAVE EVERYTHING IN YOUR COMPUTER TO YOUR 1541 OR COMPATIBLE DISK DRIVE - ALL 64K OF RAM, CPU, VIC AND SID CHIP REGISTERS - EVERYTHING. IN EASY TO VIEW CHUNKS.
- CAPTURE WILL, IF YOU WANT, PRE-CONFIGURE YOUR COMPUTER'S RAM SO THAT ONLY MEMORY ALTERED BY YOUR PROGRAM NEED BE SAVED.
- CAPTURE WILL WRITE A BOOT ON YOUR DISK SO YOU CAN RELOAD AND BEGIN EXECUTION RIGHT WHERE YOU LEFT OFF.
- CAPTURE DOES ALL THIS AT A COST OF JUST \$39.95

### **BUT HERE'S THE BEST PART**

 CAPTURE WILL MAKE AN AUTO-START CARTRIDGE OF YOUR PROGRAM. IT'S EASY! JUST FOLLOW THE DIRECTIONS ON THE SCREEN. NOW PLUG IN YOUR CARTRIDGE AND TURN ON YOUR COMPUTER. IN LESS THAN TWO SECONDS YOUR PROGRAM BEGINS AGAIN AT PRECISELY THE POINT WHERE YOU CAPTURE'D IT. MAGIC!

> BESIDES CAPTURE, YOU NEED A promenade C1 AND A SUPPLY OF CPR3 CARTRIDGE KITS.

### ORDERING INFORMATION

•	CAPTURE CARTRIDGE — COMPLETE WITH INSTRUCTIONS \$	39.95	
•	promenade C1 — EPROM PROGRAMMER WITH DISK SOFTWARE	99.50	į.
•	CPR3 CARTRIDGE KIT — PC BOARD, CASE AND 3 EPROMS	29.95	
	DR—EPROM ERASER, TWO AT A TIME, 3 TO 10 MINUTES	34.95	
	STARTER SET — CAPTURE, promenade C1 AND 1 CPR3	149.95	
	DELUXE SET — CAPTURE, promenade C1, DR AND 2 CPR's	199.95	

SHIPPING AND HANDLING — USA: UPS SURFACE \$3.00 **NEXT DAY AIR \$13.00** BLUE LABEL \$5.00 CANADA: AIR MAIL \$7.00 **OTHER FOREIGN AIR \$12.00** 


CALIFORNIA RESIDENTS ADD APPLICABLE SALES TAX COD ORDERS, USA ONLY, ADD \$3.00

C64 AND C128 TM COMMODORE ELECTRONICS, LTD.

\*WHEN OPERATING IN 64 MODE

TO ORDER: TOLL FREE 800-421-7731 FROM CALIFORNIA 800-421-7748

TECHNICAL SUPPORT AND 408-287-0259 FROM OUTSIDE THE US: 408-287-0264









# **DISK WORLD!** is proud to introduce the lowest-priced, LIFETIME-WARRANTY

And they're BRAND NAME PRODUCT to boot!

5.25"SSDD $\rightarrow$ .69 ea. 5.25" DSDD $\rightarrow$ .79 ea. 5.25" DSDD-HD→\$2.25 ea.

3.50" SSDD→\$2.09 ea. 3.50" DSDD→\$2.55 ea.

Boxed in 10's with heavy-duty cardboard sleeves, user ID labels reinforced hubs (where appropriate) and write-protect tabs.

#### Introducing Wabash Pinnacle Series Diskettes

Two years ago, if you'd told me I'd be writing this ad, I would

At that time, Wabash diskettes were synonymous with

Just saying that quality control was poor would be charitable So much was wrong that DISK WORLD wouldn't sell them.

That was yesterday.

Kearney-National Inc., a \$202-million division of a much larger company, came into Wabash.
Out went the old management, the old methods, the old production techniques...and in went a lot of new people, ideas, production lines and some really imaginative thinking.

#### The end result.

Today, I'm proud to offer you the Wabash Pinnacle Series of diskettes at the prices shown.

This isn't evolution in diskette manufacturing: it's revolution.

#### Here's what you get.

Wabash Pinnacle diskettes are

.. certified 100% Error Free

are coverd by a LIFETIME WARRANTY meet or exceed all industry specifications (by quite

some distance) and are simply the best value in diskettes available

#### The torture test.

Considering Wabash's earlier dubious reputation, I wasn't exactly a true believer when their Director of Marketing came into my office with samples.

So I took a box at random, selected a disk, bent the thing every which way and slipped it into my IBM-PC. It formatted. It booted. It stored and retrieved data.

#### That wasn't enough.

I gave samples of the diskettes to Curt Rostenbach and, in turn, to Tom Streit, both hackers of long experience and mem-bers of the Waukegan (Illinois) Apple Users Group. Tom really went at it

He took a quartz-halogen lamp, aimed it at the diskette until it started to smoke (and melt)...and then formatted, booted

the diskette and stored and refrieved data!

The same terribly (and intentionally) mutilated diskette ran on an ITT, Corona and IBM. Curt was nicer.

He simply bent the diskette every which way...and it still formatted, booted and ran on his Apple.

#### The best buy I've ever seen.

DISK WORLD!, Inc. sells more flexible magnetic media by

mail-order than anyone else in the world.

I, as President of the corporation, won't tolerate a product with a failure rate of more than 1/1000th of 1 percent.

I also don't like companies who try to milk a "quality" or "premium" image for a higher price like Dysan and Verbatim did. until they failed.

As President of DISK WORLD!, Inc., my motto is simple: "the best diskette for the least amount of money.


#### Wabash is it.

Right now, there is no better value than the Wabash Pinnacle Series of diskettes

Granted, you have to buy a hundred at a time, but so what? Split the order with friends, relatives, co-workers or even your worst enemies

The key thing is to get the most diskette for the money.

(Incidentally, as a corporation, we put our money where our



mouth is. Our first order for Wabash Pinnacle Diskettes was 1.5-million units.)
That's an awful lot of faith and confidence.

But, then again, I have the diskette that Tom Streit literally melted...and kept on running.

#### The truth about \$1.00 or less diskettes.

More and more ads are popping up offering diskettes for \$1.00 or less.

By the same token, more and more people who were selling used cars a few months ago are now selling diskettes by mail. We did a little survey of current ads for diskettes advertised for a dollar or less and did some analysis of the market and here's what we found as it applies to 5.25" DSDD diskettes "curposed with colling for a dollar or less.

"supposedly" selling for a dollar or less. ACTUAL

VENDOR:	LOW PRICE:	PRICE PER 100:	MFGR.:
Unitech	.89 ea.	.92 ea.	Unspecified.
Datatech	.99 ea.	.99 ea.	Unspecified.
Computer Club	.95 ea.	.98 ea.	Unspecified.
	.99 ea.		Unspecified.
Communications			
& Electronics	.49 ea.	.80 ea.	Unspecified.
Precision Data	.89 ea.		Unspecified.
Diskette Connec.	.93 ea.		Unspecified.
Comp Soft Serv.	.77 ea.		Unspecified.
FAMILY TANKS THE		+ shpq.	
Computer/Computer	.99 ea.		Unspecified.
DISK WORLD	.89 ea.		Wabash
	.00 00.	.02 00.	Datatech

#### The real truth about \$1.00 or less diskettes.

It costs all diskette manufacturers about the same to produce a diskette. Some may charge more because they want to project a "premium quality" image, ala the late, lamented Dysan who bought their basic media from 3M.

Some charge less because they sell a sub-standard product...and we're not foolish enough to name names here.

But here's the truth about the \$1.00 or less diskette market.

It falls into four categories: The DISK WORLD's of the universe who simply are so big that they can buy first quality product in massive quantities and choose to pass on the savings to you. (Precision Data and Diskette Connection on BRAND NAME products also fall into this category.)

2. The people who buy "cosmos"... stuff from major manufacturers that usually hits quality control standards, but is cosmetically blemished and thus can't be packaged and sold under the manufacturers are some fixed.

cosmetically blemisned and flus can't be packaged and sold under the manufacturer's own name.

3. "Duplicator Quality". Uncertified media, usually below manufacturer's own standards and frequently below ANSI and IBM standards. Sold on an "as-is" basis with the understanding that the manufacturer's name will never be divulged. Usually about a 20% reject rate...as compared to DISK WORLD's standard of less than 1/1000th of 1% reject/return rate. Next to ashade, this is the surge of most diskettes advertised at a garbage, this is the source of most diskettes advertised at a dollar or less.

They may work...and then again they may not. (Frankly, the odds at the Blackjack table in Las Vegas are more in your favor.)
4. Garbage. Stuff that shouldn't be sold at all. But some manufacturers are hurting for cash, so they sell it anyway. (After all, they want to meet their payroll. Look what happens when you don't: you become a Dysan or Verbatim. Lots of history, but no money.) More and more garbage is being dumped into the market as manufacturers become pressed for cash and are motivated into selling anything and everything they can manufacture. (Read the article in FORBES about Verbatim and its "Bonus" brand.)

Finally, the Taiwanese counterfeiters are moving into the act. Perfect duplicates of the packaging of major manufacturers with one exception: the quality isn't there.

#### The Critical Factor.

Only DISK WORLD!, Inc. offers fully brand-identified, LIFETIME-WARRANTY product for less than a dollar. Every one else offering 5.25" product for less than a buck

doesn't tell you who makes it.

And that ought to tell you a lot right there.

#### Ordering & Shipping Instructions

SHIPPING: Wabash Pinnacle Diskettes are sold in multiples of 100 only. Shipping charges are \$3.00 per 100, regardless of type or size

PAYMENT: VISA, MASTERCARD and PREPAID orders accepted. Corporations rated 3A2 or better and govern-ment and quasi-government open accounts are accepted

on a NET 15 basis.
C.O.D. orders are subject to a \$5.00 special handling charge. (Sorry for the increase, but too many people have been refusing C.O.D. orders or using bad checks. It's a classic example of a few "bad eggs" making life more expensive for everyone else.)

APO. FPO. AK, HI & PR ORDERS: Include shipping as

shown and an additional 5% of the total amount of the order to cover PAL and insurance.

No other non-continental U.S. orders are accepted.

TAXES: Illinois residents only, add 7%

MINIMUM ORDER: \$35.00 All orders subject to acceptance. Not responsible for typographical errors.

ORDERS ONLY: 1-800-621-6827 (In Illinois: 1-312-256-7140) **INQUIRIES & INFORMATION** 


1-312-256-7140 FOR FASTEST SERVICE, USE MCI MAIL:

Just address "DISKORDER" (24-hour shipping on any item in stock if you order via MCI MAIL.)

SK WORLD!, Inc.

629 Green Bay Road Wilmette, Illinois 60091





PRESENTED BY PROFESSOR JONES

# MARKET YOUR SOFTWARE INEXPENSIVELY

Professor Jones will be reviewing 3rd party software for our newest catalogue

If you currently market or plan to market PROFES-SIONAL software dedicated to handicapping, stock market analysis, sports, accounting, or business application, Prof. Jones is now reviewing software for the Spring '86 catalogue. ALL software will be reviewed and developers will either receive a letter of review and/or a multilevel contract proposal.

(Sorry, we will review software but it cannot be returned)

Call (208) 342-6939 or Mail to:

Professor Jones 1940 West State Street Boise, Idaho 83702



#### \$50 for your old NEW! interface Universal Parallel Graphics Interface

- Built-in self-test with status report
- · Optional RAM printer buffer
- Provides virtually total emulation of Commodore printers for compatability with popular software
- ASCII conversion, total test, Emulate & tranparent mode
- Fully intelligent interface that plugs into standard Commodore printer socket
- · Exclusive graphic key-match function

Micrografix MW-350 ...... \$129 ...... \$79.00 with any trade in

#### Universal Input/Output Board for C-64 & C-128

 16 Channel 8-bit A/D converter with 100 microsecond sampling time.

mode for Epson, StarMicronics, C. Itoh,

Prowriter, Okidata, Seikosha, Banana,

BMC, Panasonic, Mannesman Talley

1 D/A output

& others

- 16 high voltage/high current discrete output
- 1 EPROM socket
- Use multiple boards for additional channels up to 6 boards

CBM-64 used MW-611 ..... \$225.00

Dealer Inquiries invited

Micro World Computers, Inc. (303) 987-9531



3333 W. Wadsworth Blvd. #C105 Lakewood. CO 80227

#### COMPUTE! Subscriber Services

Please help us serve you better. If you need to contact us for any of the reasons listed below, write to us at:

COMPUTEI Magazine

P.O. Box 10955 Des Moines, IA 50950

or call the Toll Free number listed below.

Change Of Address. Please allow us 6–8 weeks to effect the change; send your current mailing label along with your new address.

Renewal. Should you wish to renew your COMPUTEI subscription before we remind you to, send your current mailing label with payment or charge number or call the Toll Free number listed below.

New Subscription. A one year(12 month) US subscription to COMPUTEI is \$24.00 (2 years, \$45.00; 3 years, \$65.00. For subscription rates outside the US, see staff page). Send us your name and address or call the Toll Free number listed below.

**Delivery Problems.** If you receive duplicate issues of **COMPUTEI**, if you experience late delivery or if you have problems with your subscription, please call the Toll Free number listed below.

COMPUTE! 800-334-0868 In NC 919-275-9809

# What the world really needs is a 69 cent Double Sided, Double Density Diskette with a LIFETIME WARRANTY!

# And DISK WORLD! has it.

#### **Introducing Super Star Diskettes:** the high quality diskette with the lowest price and the best LIFETIME WARRANTY!

In the course of selling more than a million diskettes every month, we've learned something: higher prices don't necessarily mean higher quality.

In fact, we've found that a good diskette manufacturer simply manufactures a good diskette...no matter what they charge for it. (By way of example, consider that none of the brands that we carry has a return rate of greater than 1/1,000th of 1 percent!)

In other words, when people buy a more expensive diskette, they aren't necessarily buying higher quality.

The extra money might be going toward flashier advertising, snazzier packaging or simply higher profits.

But the extra money in a higher price isn't buying better

quality.
All of the good manufacturers put out a good diskette. Period.

#### How to cut diskette prices ...without cutting quality.

Now this discovery posed a dilemma: how to cut the

price of diskettes without lowering the quality.
There are about 85 companies claiming to be "diskette" manufacturers.

Trouble is, most of them aren't manufacturers

Rather they are fabricators or marketers, taking other company's components, possibly doing one or more steps of the processing themselves and pasting their labels on the finished product.

The new Eastman Kodak diskettes, for example, are one of these. So are IBM 514" diskettes. Same for DYSAN, Polaroid and many, many other familiar diskette brand names. Each of these diskettes is manufactured in whole or in part by another company!

So, we decided to act just like the big guys. That's how we would cut diskette prices...without lowering the

We would go out and find smaller companies to manufacture a diskette to our specifications...specifications which are higher than most ... and simply create our own 'name brand" diskette

Name brand diskettes that offered high quality at low

DISKETTE STORAGE CASES

DISK CADDIES

10 51/4" diskettes. Beige or Grey

\$1.65 ea. + .20 Shpng.

**DISKETTE 70 STORAGE** 

diskettes. Six dividers included.

\$9.95 ea. +\$3.00 Shpng.

An excellent value.

Dust-free storage for 70 51/4'

The original flip-up holder for

#### SUPER STAR DISKETTES 51/4" 51/4" DSDD SSDD .69 ea. 55 ea. Qty. 50

Super Star diskettes are sold in multiples of 50 only. Diskettes are shipped with white Tyvec sleeves, reinforced hubs, user ID labels and write-protect tabs.

#### Boy, did we get lucky. Our Super Star Diskettes are the same ones you've been using for years...without knowing it.

In our search for the low priced, high quality diskette of our dreams, we found something even more interesting.

We found that there are several manufacturers who don't give a hoot about the consumer market for their diskettes. They don't spend millions of dollars in advertising trying to get you, the computer user, to use their diskettes

Instead, they concentrate their efforts on turning out the highest quality diskettes they can...because they sell them to the software publishers, computer manufacturers and other folks who (in turn) put their name on them...and sell them for much higher prices to you! After all, when a software publisher or computer manu-

facturer or diskette marketer puts their name on a diskette, they want it to work time after time, everytime. (Especially software publishers who have the nasty habit of copyprotecting their originals!)

1-800-621-6827 (In Illinois: 1-312-256-7140) INQUIRIES: 1-312-256-7140

#### Super Star Diskettes. You already know how good they are. Now you can buy them...cheap.

Well, that's the story. Super Star diskettes don't roll off the boat from Pago-Pago or emerge from a basement plant just east of Nowhere.

Super Star diskettes have been around for years...and you've used them for years as copy-protected software originals, unprotected originals. Sometimes, depending on which computer you own, the system master may have been on a Super Star diskette. And maybe more than once, you've bought a box or two or more of Super Star diskettes without knowing it. They just had some "big" company's name on them.

Super Star Diskettes are good. So good that a lot of major software publishers, computer manufacturers and other diskette marketers buy them in the tens or hundreds of thousands

We buy them in the millions. And than we sell them to you. Cheap.

#### When every little bit counts, it's Super Star Diskettes.

You've used them a hundred times...under different names

Now, you can buy the real McCoy, the same diskette that major software publishers, computer manufacturers and diskette marketers buy...and call their own.

We simply charge less.

#### Super Special!

Order 50 Super Star Diskettes and we'll be happy to sell you an Amaray Media-Mate 50 for only shipping included...a lot \$8.75, shipping included...a lot less than the suggested retail price



Regular DISK WORLD! price: \$9.69 ea. + \$2.00 Shpng

# The Super Star LIFETIME WARRANTY!

Super Star Diskettes are unconditionally warranted against defects in original material and workmanship so long as owned by the original purchaser. Returns are simple: just send the defective diskettes with proof of purchase, postage-paid by you with a short expla-nation of the problem, and we'll send you the replace-ments. (Incidentally, coffee stained diskettes and diskettes with staples driven through them don't qualify as "defective".)

WE WILL MEET OR BEAT ANY NATIONALLY ADVERTISED PRICE
ON THE SAME PRODUCTS AND QUANTITIES

SUBJECT TO THE SAME TERMS AND CONDITIONS.

#### **HOW TO ORDER:**

ORDERS ONLY.

FOR FASTEST SERVICE, USE NO-COST MCI MAIL: Our address is DISKORDER. It's a FREE MCI MAIL letter. No charge to you. (Situation permitting, we'll ship these orders in 24 hours or less.)

SNIP These orders in 24 nours or less.)

SHIPPING: 5\mathbb{\text{S}} \times \t

MINIMUM ORDER: \$35.00.

HOURS: Human: 8AM-6PM Central Time, Monday through Friday Answering Machine: 6PM-8AM, All Times MCI MAIL: 24 hours a day.

ISK WORLD!, INC.

**629 Green Bay Road** Wilmette, Illinois 60091 Incredible value!

C ea. 51/4" SSDD 51/4" DSDD

These are poly-bagged diskettes packaged with Tyvek sleeves, reinforced hubs, user identification labels and write-protect tabs. NASHUA Corporation is a half-billion dollar corporation and a recognized leader in magnetic media

SOFT SECTOR ONLY! Sold in multiples of 50 only!

OR ORDERS ONLY 1-800-621-6827 Illinois: 1-312-256-7140) INFORMATION &

1-800-621-6827 INQUIRIES: Illinois: 1-312-256-7140) 1-312-256-7140 HOURS: 8AM-5PM Central Time, Monday-Friday WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc. 629 Green Bay Road • Wilmette, Illinois 60091

DISK WORLD!

**Authorized Distributor** 

#### ATHANA DISKETTES The great unknown!

G ← 5¼" SSDD

You've used these diskettes hundreds of times...as copy-protected originals on some of the most popular software packages. They're packed in poly-bags of 25 with Tyvek sleeves, reinforced hubs, user identification labels and write-protect tabs.

#### LIFETIME WARRANTY!

SOFT SECTOR ONLY! Sold in multiples of 50 only.

FOR ORDERS ONLY: 1-800-621-6827

**INFORMATION &** INQUIRIES: 1-312-256-7140

nois: 1-312-256-7140) 1-312-256-71
HOURS: 8AM-5PM Central Time, Monday-Friday WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES! DISK WORLD!, Inc.

629 Green Bay Road • Wilmette, Illinois 60091

DISK WORLD!

**Authorized Distributor** 

ATHANA MAGNETIC MEDIA

## DISKETTE STORAGE CASES

AMARAY MEDIA-MATE 50: A REVOLUTION IN DISKETTE STORAGE



Every once in a while, someone takes the simple and makes it elegant! This unit holds 50 5¼ diskettes, has grooves for easy stacking, inside nipples to keep diskettes from slipping and several other features. We \$9.69 ea. Shpng.

DISKETTE 70 STORAGE: STILL A GREAT BUY.

Dust-free storage for 70 5¼" diskettes.
Six dividers included. An excellent value.

DISK CADDIES \$9.95 shong

The original flip-up holder for 10 514" diskettes. Beige or grey only \$1.65 ea.

1-800-621-6827 (In Illinois: 1-312-256-7140)

+ 20¢ St INFORMATION & INQUIRIES: 1-312-256-7140

HOURS: 8AM-5PM Central Time, Monday-Friday WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES! DISK WORLD!, Inc. 629 Green Bay Road • Wilmette, Illinois 60091

# FANTASTIC LOW PRICES ON

Buy in bulk and save. 150 to the carton with envelopes, write-protect tabs and user ID labels. Boxed product is the same, except in cardboard boxes of 10.

-		Qtv. 50	Qtv. 150
5.25" SSDD		.83 ea.	.80 ea.
5.25" DSDD		.94 ea.	.92 ea.
5.25" DSDD-HD		2.13 ea.	N/A
5.25" SSDD-96T	PI	.94 ea.	N/A
5.25" DSDD-96T	PI	1.06 ea.	N/A
3.50 SSDD-135T	PI	1.84 ea.	1.68 ea.
3.50 DSDD-135T	PI	2.40 ea.	2.28 ea.
NOTE: 3 50"	dickattac in	Quantity 50 are r	

library cases. That's why they seem to be a better buy. But there are only 5 diskettes to a case...so the bulk diskettes are really a better deal, unless you like expensive little library cases.

FOR ORDERS ONLY: 1-800-621-6827 1 Illinois: 1-312-256-7140)

**INFORMATION &** 1-312-256-7140

HOURS: 8AM-5PM Central Time, Monday-Friday
WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE
ON THE SAME PRODUCTS AND QUANTITIES!

Authorized Reseller Information Processing 3 BASF

# DISK WORLD!

#### **Ordering & Shipping** Instructions

Shipping: 5¼\* & 3.5" DISKETTES—Add \$3.00 per each 100 or fewer diskettes. Other Items: Add shipping charges as shown in addition to other shipping charges. Payment: VISA and MASTER-CARD accepted. COD Orders: Add additional \$5.00Special Handling charge. APO, FPO, AK, HI & PR Orders: Include shipping charges as shown and additional 5% of total order amount to cover PAL and insurance. Taxes: Illinois residents only, add 7% sales tax.

Prices subject to change without notice.
This ad supercedes all other ads.
Not responsible for typographical errors
MINIMUM TOTAL ORDER: \$35.00

FOR ORDERS ONLY: 1-800-621-6827 (In Illinois: 1-312-256-7140)

**INFORMATION &** INQUIRIES: 1-312-256-7140

HOURS: 8AM-5PM Central Time Monday-Friday WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc. 629 Green Bay Road • Wilmette, Illinois 60091

DISK WORLD!

### PRINTER RIBBONS:

#### at extraordinary prices!

Brand new ribbons, manufactured to Original Equipment Manufacturer's specifications, in housings. (Not re-inked or spools only.)

LIFETIME WARRANTY!

Epson MX-70/80 . . \$2.70 ea. + 25¢ Shpng. Epson MX-100 ....\$4.08 ea. + 25¢ Shpng. Okidata Micro83 . \$1.37 ea. + 25¢ Shpng. Okidata Micro84 . \$2.98 ea. + 25¢ Shpng. INFORMATION & FOR ORDERS ONLY: 1-800-621-6827 (In Illinois: 1-312-256-7140) 1-312-256-7140

HOURS: 8AM-5PM Central Time, Monday-Friday
WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE
ON THE SAME PRODUCTS AND QUANTITIES!

**DISK WORLD!**, Inc. 629 Green Bay Road • Wilmette, Illinois 60091



The best deal on 3M diskettes you've ever seen!

FLIP 'N FILE 15 with every order for 5.25" SSDD and DSDD.



5.25" SSDD with FREE Flip 'n File 15 5.25" DSDD with FREE Flip 'n File 15...\$1.67 ea. MINIMUM ORDER: 50 Diskettes (Orders less than 50 are \$1.39 and \$1.70, respectively.)

#### 100% LIFETIME WARRANTY!

This is a Super Special Promotion. It was supposed to end May 31, 1985.

But we decided to buy more than 1,000,000 3M diskettes packed in the FREE Flip 'n File 15...and give you the benefits of this terrific

One word of warning: this offer is limited only to supplies on hand. Once this inventory is gone, that's it. The prices stay the same...but there's no FREE Flip 'n File.

The last time we ran an offer like this, everything sold out in about six weeks.

So don't wait. Order now.

Other 3M diskettes

	Qty. 20	Qty. 50
5.25" SSDD-96TPI	\$2.07 ea.	\$2.04 ea.
5.25" DSDD-96TPI	\$2.51 ea.	\$2.48 ea.
5.25" DSDD-HD FOR AT	\$3.18 ea.	\$3.14 ea.
3.50"SSDD-135TPI (Mac)	\$2.29 ea.	\$2.26 ea.

DATA CARTRIDGES

100% certified 3M data cartridges

\$12.62 ea. DC-1000 \$19.38 ea. DC-300XLP DC-600A \$20.61 ea.

Sold in cases of 10 only Add \$5.00 shipping per 10.



FIRST TOUCH KEYBOARD STRIP

The best way we've ever seen to avoid static danger. Adheres to the front ledge of your keyboard. Overpriced at \$19.95, so we cut the price to \$10.95 + \$1.50 Ship-



A VERY SPECIAL OFFER 3M POST-IT NOTES & DISPENSER

Suggested Retail: \$20.95. Includes dispenser, 12 pads of 3" x 5" Post-It notes and Pilot Ball Point Pen. Order it with 50 3M diskettes or 10 data cartridges and it's only \$9.75 + \$3.00 Shipping.

# LIQUIDAT L Personal Co



Sorry, we're not permitted to PRINT the famous brand-name. BUT, we CAN "tell all" if you call us TOLL FREE: 1-800-328-0609!

#### THE COMPUTER

Snap-on computer keyboard! 64K RAM, 20K ROM, Fullsize typewriter keyboard. Upper and lower case letters, numerals, symbols, reverse characters. 2 cursor control keys, 4 function keys, programmable to 8. Music synthesizer with 3 independent voices, each with 9 octave range. Input/output ports accommodate . . . user, serial, ROM cartridge, joysticks, external monitor, phone modem.

Built-in disk drive! Intelligent high speed unit with 5¼" floppy disk recorder, 170K formatted data storage; 35 tracks, 16K ROM. Uses single sided, single density disk. Serial interface. Second serial port to chain second drive or printer.

Built-in color monitor! Displays 40 columns x 25 lines of text on 5" screen. High resolution. 320 x 200 pixels. 16 background, character colors.

Built-in ROM cartridge port! Insert ROM program cartridge. Multitude of subjects available in stores across the nation!

Original List Price . . . Liquidation Priced At Only

Item H-725-63631-00 Ship, handling: \$20.00

Item H-725-63622-00 S/H: \$6.00 pr.

#### THE PRINTER

Print method: Bi-directional impact dot matrix. Character matrix: 6 x 7 dot matrix.

Characters: Upper and lower case letters, numerals and symbols. All PET graphic characters.

Graphics: 7 vertical dots - maximum 480 columns. Dot addressable.

Character codes: CBM ASCII code.

Print speed: 60 characters per second. Maximum columns: 80 columns.

Character spacing: 10 characters per inch.

Line feed spacing: 6 lines per inch in character mode or 8 lines per inch selectable. 9 lines per inch in graphics mode.

Line feed speed: 5 lines per second in character mode. 7.5 lines per second in graphics mode.

Paper feed: Friction feed.

**64 MODEM** 

Liquidation Price .

Mfr. List: \$124.95

Compatible with above Computer System (Not included in package price.)

Paper width: 4.5" to 8.5" width.

Multiple copies: Original plus maximum of two copies. Dimensions: 13"W x 8"D x 31/4"H. Wt.: 61/2 lbs. Power: 120V AC, 60 Hz.

Original List Price: \$200.00

Liquidation Priced At ...

Item H-725-63831-00 Ship, handling: \$7.00

Item H-725-63646-00 S/H: \$4.00

#### THE SOFTWARE

"Easy Script" One of the most powerful word processors at any price! Cut re-typing, create documents from standard paragraphs, do personalized letters, see and change a document before it is printed. Instruction manual has extensive training section that simplifies use . . . even for someone who has never used a computer or word processor before!

"The Manager" A sophisticated database manager for business or home use. Business uses: accounts payable/receivable, inventory, appointments, task manager. Home uses: mailing lists, home inventory, recipes, collection organizer, investment tracking, checkbook balancing. School uses: research article index, gradebook.

Original List Price: \$73.98

Liquidation Price . Item H-725-64011-03 Ship, handling: \$3.00

**BUY INDIVIDUAL UNITS OR GET THIS ULTRA-FAMOUS** SYSTEM AT ONE LOW PACKAGE PRICE!

**TOTAL Personal Computer System** available at FAR BELOW dealer cost!

Original List Price . . . . .

TOTAL PACKAGE PRICE ...

Item H-725-64011-02 Ship, handling: \$24.00



JOYSTICKS (Set of 2)

Mfr. List: \$59.90 pr.

Liquidation Price . .

Credit card members can order by phone, 24 hours a day, 7 days a week.

Toll-Free: 1-800-328-0609



**Authorized Liquidator** 14605 28TH AVENUE NORTH MINNEAPOLIS, MINNESOTA 55441-3397

SEND ME THE ITEMS I HAVE LISTED BELO
Price subject to change after 60 days. Sales outside continental U.S. are subject to special conditions.  Please call or write to inquire.

Item No.	#	Item	Price	S/H
			1	
				ar
		T. man		
V S TO STORY OF THE PARTY OF		TOTA		

C.O.M.B. CO.®	Item H-725
14605 28th Ave. N./Mini	neapolis, MN 55441-3397
Send the items indicated at sales tax. Please allow 3-4	left. (Minnesota residents add 69 weeks delivery. Sorry, no C.O.D.
	is enclosed. (No delays in process
Charge: ☐ MasterCard® ☐	VISA
Acct No	Eva

Acct. No.	Exp
Acct. No	схр
Name	
Address	
City	
State	ZIP
Phone	
Sign here	

WHITE HOUSE COMPUTER
P.O. Box 4025, Williamsport, PA 17701
"Where Prices Are Born, Not Raised"
TOLL FREE 1-800-351-3442

CALL 1-717-322-7700

PA Residents FREE Shipping -

#### PRINTERS

EPSON	1	OKIDA	TA
RX 80	209.00	Okimate 10	179.95
RX 100	369.00	182	219.95
JX 80	479.00	84	640.95
FX 85	345.00	192	349.95
FX 185		193	525.95
LQ 1500 PAR	979.00	COMMOD	ORE
LQ 1500 SER	1039.00	MPS 801	
LX 80		802	199.95
Homewriter		803	
Comrex 220 Atari .	199.00	DPS 1101	
Comrex 220 Comm	199.00	STAR MICR	ONICS
LX 90	245.00	SG-10	
SQ 2000	1525.00	SG-15	
DX 10 Daisywheel	235.00	SD-10	
DX 20 Daisywheel	319.00	SD-15	
HS 80 Letterjet	359.00	SR-10	
ATARI		SR-15	
XTM 201		Powertype	307.00
XTC 201		LEGEN	
XDM 121		1380	
XMM 801		1385	
STC 504		1080	
STD 121		880	
SMM 801		PANASO	
CITIZEN		1090	
MSP 10		1091	
MSP 15		1092	
MSP 20		1093	
MSP 25	575.00	3151	455.00

#### INTERFACES

	INTERFACE	5
8	50 (Atari)	108.95
U	Print/port	49.95
U	Print/16k Buffer	69.95
U	Print/64k Buffer	89.95
C	ardco G	39.95
G.	Wiz	.48.95
A	pple Dumpling GX	.59.95
UUCG	Print/16k Buffer Print/64k Buffer ardco G Wiz	69.95 89.95 39.95

#### PRINTER PAPER 2500 Sheets

Lazor Edge	. 24.95
1000 Shts Lazor	14.95
500 Shts Lazor	9.95
Color Paper	
Assorted Paste	Is
2500 Shts Lazor	42.05

## 1000 Shts Lazor..... 23.95 SOFTWARE

500 Shts Lazor.

Print Shop	28.95
Graphics Library I	17.50
Graphics Library II	17.50

VIDEO CASSETTE RECORDER \$279.00

#### MONDAY - FRIDAY 9 AM - 6 PM VISA & MC ACCEPTED 4%

POLICY: No deposit on COD orders. Free freight on all prepaid cash orders over \$300 in the continental USA, APO & FPO add \$5.00 per hundred. For priority mail add \$8.00 per hundred. PA residents add sales tax. Defective products must have Prior RA number. Schools net 15.

#### DISK DRIVES Indus GT ..... 205.95

ATARI

1050	164.95
Happy 1050	335.95
Happy Enhancer	
MSD Dual	459.00
C-64	
Indus GT	.229.00
1541	195.00
1571	. 249.95
1572	
MODEMS	

C-1650	54.95
C-1670 300/1200	185.95
MPP 1064	54.95
Tele Learning	39.95
Hayes 300	149.95
Hayes 1200	385.95
Mitey Mo	59.95
Westridge	59.95
Compuserve	19.95
Micro Stuffer	. 95.95
MPP 1000E	.69.95

#### DISKETTES

SKC	200
SS/DD	10.95
DS/DD	14.9
BONUS	
SS/DD	9 50
DS/DD	13.50
MAXELL	
MD 1	15.95
MD 2	20 95

#### MONITORS

122 A 82.9	5
123 G 75.9	5
AMDEK	
300 G119.0	0
300 A 129.0	
Color 300229.0	0
Color 500 339.0	0
Color 600 399.0	0
Color 700 469.0	0
Color 710 539.0	0
310A145.0	0
ATARI	
XC 141199.9	5
SM 124 135.9	5
SC 1224 335.9	
TEKNIKA	
MJ-10185.9	5
MJ-22 RGB269.9	
SAKATA	
SC-100	0
50 100	0
COMMODORE	
C-1702	5
C-1902 RGB 259.9	
C-1901	

#### COMPUTERS

COMMODULE	
C-64	139.95
C-128	275.95
ATARI	
800 XL	89.95
130 XE	
520 ST Monochrome	
& More	CALL

520 ST Color RGB

# IT'S LIKE



S

ALSO

Your 51/4" single side disks are usable on the other side. You paid for one side, why not use the other... IT'S FREE!

Nibble Notch will open your new disk. It's easy...won't harm existing data. Try it!

## nibble notch I I nibble notch II

For Apple, Franklin, Commodore & Atari (w/Atari Drives); square notch.

For all other computers; square notch & index hole.

only

## DISK OPTIMIZER

Apple II Series Software Pro DOS • DOS 3.3 • Pascal Examines your new disk, locks out bad sectors and certifies it 100% ERROR-FREE in 30 seconds or less! Also checks drive speed...and more!

SUPER SAVER PACKAGE Nibble Notch I and Disk Optimizer Combo (Optimizer alone reg. \$24.95)

#### **OUALITY DISKETTES** low as

add \$2 (\$5 frgn) for P & H. Fl. Res add 5% Sales Tax




FL 1-305-748-3770 OR SEND CHECK OR MONEY ORDER TO:



4211 NW 75th TERRACE, • DEPT. 6 62 LAUDERHILL, FL 33319

# PROFESSIONAL



1/



CALL

• PRESENTED BY PROFESSOR JONES •

GLD. Thoroughbred "Gold" Edition™

A "Full" featured thoroughbred analysis designed for the profet the serious novice. \$159.9

EGLD. Enhanced "Gold"\_Edition™

"Gold" Edition with complete Master Bettor ™ system integrated onto the same disk. This powerful program will transfer all horses and scores to the bet analysis with a "single keystroke." (Master Bettor ™ included) \$199.95 complete

GLTD. Limited "Gold"™

GLTD, Limited "Gold" in Enables Professional Handlcappers to assign specific values to the racing variables "they" feel are important. Create program weight based on a particular track and fine tune it for maximum win percentage. This program is designed for "ease of use". The user needs no programming experience.

(contains Integrated Bettor ">\$299.95 complete

GD. Gold Dog Analysis™

The "ONLY" professional greyhound analysis available that evaluates ALL variables.

\$149.95 w/interrated Retror \$100.05 \$149.95 w/integrated Bettor \$199.95 Limited Version \$299.95

MHH. Master Harness

Handicapper™

oftware designed to provide a thorough analysis of all trotter and pacer races in North America and Canada. \$159.95 complete
\$199.95 w/Integrated Bettor Limited \$299.95

Professor Pix Football™

Complete STATISTICAL ANALYSIS on Data Base allowing "Designated" previ games to be evaluated. Statistical Series \$99.95 w/Win-Loss Power Ratings \$149.95

NBA. Basketball™

NBA \$99.95 w/college \$129.95 w/power ratings \$149.95

LOT. Lottery Analysis™

Statistical comparison program designed to detect subtle patterns in winning numbers and digits. Lottery (3-4 digit) \$79.95 w/Lotto (Max. 99 Digit) \$99.95

PC-3 Portable Computer (4k) with choice of Thoroughbred, Grey-

hound or Trotter™ \$249.95 (Includes portable computer and program.)

M-100 Portable (24k) w/choice of Thoroughbred, Greyhound, or Trotter. \$649.95 (Includes portable computer and program.)

BROCHURE AVAILABLE



Prof. Jones 1940 W. State St. Boise, ID 83702





48 HR. FREE SHIPPING



CALL 208-342-6939

TERMS: FREE SHIPPING ALL SOFTWARE. Add \$6.00 hard-ware / \$6.00 C.O.D. / UPS Blue \$6.00 / Out of Country \$9.00 / ID Residents 4% / 3 weeks personal checks / Cash price only, add 2% Visa, MC / Prices sub-ject to change.



# \$699 Computer Breakthrough

IBM compatible computer with 128K memory and two disk drives is more than a bargain.

A It carries like a briefcase.

B With LCD lid open.

The Visual Commuter sells for only \$699.
The IBM mono-chrome monitor is optional.





It's a new concept. And if my hunches are correct, the new Visual Commuter will take years for others to copy.

#### By Joseph Sugarman, President

First, it is a tremendous bargain. At \$699 nothing even comes near. Secondly, it's powerful. You get 128K memory that's expandable to 512K. And finally, it's totally IBM compatible. It will even run the Flight Simulator program and Lotus Symphony! But there's more.

The unit can be used as a stand-alone office computer as shown above or it can be packed up and used as a portable—but without all the weight. There's an optional 16-line x 80 character LCD display that pops up to replace the heavy CRT monitor. Unlike the smaller portable computer keyboards, the Commuter keyboard is a full-size replica of the IBM with its ten function keys and numeric key pad. And the Commuter uses 51/4" disks so you have full access to all the popular IBM software.

It's lighter (only 18 lbs), flatter (only 3½'' thick) and carries like a briefcase. In short, the Visual Commuter is a combination of all the good features of a portable computer (size, weight, portability), all the good features of a traditional desktop computer (full-size keyboard, 5½'' disks, full power) and none of the disadvantages of either.

#### **USE IBM PROGRAMS**

Even if you have another computer but miss some of the IBM programs, for only \$699 and an IBM compatible monitor, you've got a complete MS/DOS system.

It was also made modular so you can select just those components that you need for your particular application. For example, you may not need the 16 line x 80 column LCD display which adds 2 lbs to the unit's weight (a blank lid comes with the unit). Or you may not need a monitor because your other computer may already have one. But you may want more power—256K or 512K—so you order just what you need.

For all you technical people, listen to these specs. There's a 16-bit 8088 processor, 128K memory with parity, parallel printer port, serial ASYNC RS 232C port, Din connector RF modulator orcomposite video output for TV and composite video input monitors, RGB/direct drive output for high resolution monochrome or color monitors, IBM compatible color graphic support, support logic for 80x25 or 40x25 character display and LCD display, connector to IBM expansion unit, disk controller

supporting two 51/4" disk drives, ANSI standard ROM-based terminal emulation, and ROM-based extended diagnostics. The dual disk drives are double sided-double density (360 Kbytes). The Commuter runs at the same clock speed as the IBM PC (4.77 MHz) but because of its new design, it runs between 8 to 10 percent faster.

#### ATTRACTIVE CASE

There's an attractive carrying case made by American Tourister that holds your software, your power cord, your documents and even our optional 1200 baud modem. The compatible Maxwell modem lets you communicate with other data banks. Made by the world's largest modem manufacturer, Racal-Vadic, it is normally a \$500 value but our price is only \$249 which includes a complete communications software package. There's also a toll free, online warranty service and a customer hotline to answer any of your technical questions.

You may have recently heard of Visual Technology Incorporated. They are innovators in the design and manufacture of smart alphanumeric terminals and some of the finest graphic terminals in the country.

The Visual Commuter was scheduled to sell for over \$2500 with the LCD display. And even at that price, when compared to the IBM system, it was a good value. But JS&A and Visual (in a joint venture with SGD Holding Corp.) saw the opportunity of having just one customer. Together, by selling directly to you, we've eliminated the distributors, dealers and all the sales, administration and advertising costs and have passed the savings on to you. But there are a few catches.

#### JUST A FEW THOUGH

Once we install the memory, you'll have to send the unit back to us to add more memory. So we ask that you estimate, in advance, the maximum power that you'll require for your needs. 128K memory is plenty for most applications but if you want to run Lotus Symphony, you'll need all 512K. Secondly, we ask that you act quickly. Although we have most of the product in stock right now, there's always the chance that we'll run out.

The Visual Commuter measures only 3½ x 15½ x 18" wide and comes complete with power cord (it only operates on standard AC current), the operating system (Micro-Soft's MS/DOS ver. 2.1) complete with basic and utilities, two beautifully written manuals, lid (without LCD display) and a limited 90-day warranty. There are service centers throughout the United States set up to service the unit in addi-

tion to the service-by-mail facility at Visual's home office near Boston.

lurge you to give the Visual Commuter a test. Order one from JS&A and use it for 30 days without risk. Plug in your IBM monitor and load any of the IBM software you currently have. See how the large keyboard matches the IBM perfectly and how its handle makes a perfect hand rest while typing or a comfortable handle for carrying the unit. See how convenient the unit is to take home or bring with you on a trip with its fold open LCD monitor. If you don't feel that the Visual Commuter is more than you expected, pack it up and ship it back within 30 days for a prompt and courteous refund including the \$25 postage charge. You can't lose.

#### **PERSONALLY USED**

I have personally used the Visual Commuter. I have taken it with me on trips, set it up as a stand alone by plugging in my IBM monitor. I have run everything from Symphony™ to Wordstar®—from 1-2-3® to the Flight Simulator program. I strongly recommend the system.

To order, send your check or money order to the address below listing the items and order numbers (shown in parentheses) or order by credit card using our toll free number below.

Thanks to the latest in technology and a direct-to-consumer marketing program, this system can be yours at a tremendous value. Order your Visual Commuter at no obligation, today.

louay.
Visual Commuter with 2 Disk Drives
and 128K Memory (6105)\$699
16 x 80 LCD Alphanumeric
Display (6106)
IBM 12" Green Monitor (6107) 229
Zenith 12" Amber Monitor (6114) 99
Expansion to 256K (6110) 199
Expansion to 512K (6111)399
Maxwell 1200 Baud Modem (6112) 249
Carrying Case (6115) 69
Add \$25 postage and handling per system.
IBM is a Trademark of International Business
Machines Corporation.



Dept. PT One JS&A Plaza Northbrook, II 60062

QUESTIONS ONLY: (312) 564-7000 CALL TOLL FREE 806 228-5000 IL residents add 7% sales tax. @JS&A Group, Inc.,1985

# Classified

#### SOFTWARE

ATARIWARE FROM THE LIBRARY OF JAX ATARI - Computer Enthusiasts! Over 70 disks to choose from. \$7.95 ea. Catalog with SASE. JACE, 1187 Dunbar Ct., Orange Park, FL 32073

COMMODORE: TRY BEFORE YOU BUY. Top 25 best-selling games + classics, new releases. Visa, Mastercard. Free brochure. Rent-A-Disc, 908 9th Ave., Huntington, WV 25701. (304) 522-1665

ATARI ST USERS - Life organizer & entertainment jackpot. Big software package. Write: MC, 94 Macalester Bay, Winnipeg, Manitoba R3T 2X5 Canada

BASICally SIMPLE, a fast, easy method to learn programming in basic on your Commodore 64. Clear, concise instruction in the use of all commands. No gobblede-gook. Send \$20 for this tutorial and reference disk to: Free Spirit Software, Inc., 5836 S. Mozart, Chicago, IL 60629

TI-99/4A SST Expanded Basic Compiler \$49.00. Converts Basic to machine language. Requires E/A or MM, Disk, Memory Expansion. Compiler and Graphics Utility \$59.00. SST SOFTWARE, P.O. Box 26, Cedarburg, WI 53012

HOW GOOD A COACH ARE YOU? CALL THE plays against Atari or a friend. Football text game features varied team strength, weather, overtime, 2 pt. conversions, team stats, standings + more! Easy to play. For Atari 800 + Basic. \$25 disk. James Franklin, 1600 NE 135 St., Apt. 803, N. Miami, FL 33181

Free Educational Software Catalog

158 pp, color pictures, 1000+ programs for Com., Apple, IBM, Atari. Send name & address to: Interstate Software, P.O. Box 8952, Boise, ID 83707, (208) 342-3347

ATARI MICROSOFT Basic I/II: Try ACEY DUCEY, a great casino card game for 1–4 players. ACEY DUCEY is designed as a tutorial, utilizing Microsoft Basic's best features. Full documentation explains every detail. 400/800/XL/XE disk or tape + docum. Send \$8.50. CALTECH, Box 136, Kenilworth, NJ 07033-0136

ORGANIZE YOUR GENEALOGY with BRANCHES on your C-64 & 1541 drive. Send \$14.95 to Inventure Soft., 3353 South Main, Suite 101, Salt Lake City, UT 84115

TI-99/4A QUALITY SOFTWARE for Business, Home and Entertainment \*\* BONUS Software Offer! \*\* Send for FREE Catalog to MICRO-BIZ HAWAII, Box 1108, Pearl City, HI 96782

AT BAT STATS 64 - Baseball stats for C64. Keeps 22 offensive stats, holds 162 games and 40 players. Prints 7 reports. On disk \$32.95 postpaid. THE 43RD ST. SOFTWARE SHOP, 720 43rd St., Ashland, KY 41101. Ideal for coach or player! (606) 324-7403.

GOMUKO — Compiled basic program 15 by 15 board, Unmove, load/save game user changable logic for 64. Send \$14.95 to: W. L. Schneider, 6027 S. High, Suite 410, Oklahoma City, OK 73149

IBM PCjr. OWNERS: We have the software you want. We also have kits for easy 2nd drive addition. Free catalog. OOWL SOFTWARE, 1435 Burnley Sq. N., Columbus, OH 43229

#### TEACHERS: ELECTRONIC GRADEBOOK

for Atari. Powerful, simple to use. Record keeping, grade averaging. Screen display and variety of pre-formatted printed reports. Clear instructions. Requires 48K and one disk drive. \$29.95. GRADESCAN, 1722 Golden Ct., Crofton, MD 21114

TI-99/4A Software/Hardware bargains. Hard-to-find items. Huge selection. Fast service. Free catalog. D.E.C., Box 690, Hicksville, NY 11801

REAL ESTATE SOFTWARE for C64, Apple II, IBM-PC. Includes Mortgage Payments, Amortization, Depreciation, Cash Flows and Taxable Income Effects. All for \$35 pp. J.A.I., Box 234, East Texas, PA 18046. (215) 398-0434

APPLE II SERIES, COMM 64, TI 99/4A, IBM/PC Discount Entertainment Software. Specify which free catalog. New titles. The Adventure Store, Roscoe, IL 61073-0320

TOR FIGHTER: You are entrusted with the daring adventure of defending earth, \$12. C64, C16, +4 (disk), TI (cass.). Check or money order to: Computex, Box 7245, Ponce, PR 00732

TIM, The Investment Manager and COMEX Gold and Silver Management, plus Fun-Anl Analyze Stock Program for 64. All three \$19.95 or write for free details to: W. L. Schneider, 6027 S. High, Suite 410, Oklahoma City, OK 73149

LOTTO PICKER. Go for Million Dollar Jackpots! Picks all USA Lotto games +! PRO FOOTBALL ANALYST. Beat the points consistently and easily! They pay for themselves! Each \$35. IBM-PC/TI99 ver. RIDGE, 170 Broadway, #210-C NYC, NY 10038. 718-833-6335. Free Catalog.

#### HARDWARE

Trade in your used Commodore or Atari on a brand new C-128 or Atari ST. This offer may not be available through retail outlets.

Brochure \$2.00 and SASE. NEW WEST TECHNOLOGY, 4B Monroe Pkw., Box 200, Ste. 134, Lake Oswego, OR 97034

HARDWARE & SOFTWARE 30% BELOW RETAIL. Apple, Atari, C64, IBM-PC, TI-99. Over 1000 titles. Hard to find items. Send \$1.00 for catalog. Specify computer. Multi-Video, P.O. Box 246, East Amherst, NY 14051

#### MISCELLANEOUS

64 AUTHOR'S CLUB - We get you published. Send for free details or send \$25.00 (a 50% savings) to: AUTHOR'S CLUB, 6027 S. High, Suite 410, Oklahoma City, OK 73149

**1986 CALENDAR.** The history of computers 1592–1985, especially micros. \$6 ch or m.o. Spiral, 3 holes,  $8\frac{1}{2} \times 11$ . HEATSTROKE SOFTWARE, P.O. Box 62171, Tucson, AZ 85734-6171

#### HELP IS ON THE WAY!

Just call 1-800-334-0868 to get your free copy of the latest COMPUTE! Books Catalog! If you need help in getting information on all of the latest COMPUTE! book titles available plus all COMPUTE! backlist titles, call us today!

NATIONWIDE BBS DIRECTORY. 250 exciting network numbers. Computer to computer. Coast-to-coast and Canada. Send \$3 to: Compuquest, Box 267, Fairfax, VA 22030-0267.

RIBBONS for ANY PRINTER at LOW PRICES!! DELTA MICRONICS BOX 10933, ERIE, PA 16514 (814) 455-5667

MR. SOFTWARE CO. ALL POPULAR TITLES \*

Pritners, Monitors, Drives, VISA, MC
 heavy discounts - Send \$1.00 for catalog
 11-9 Exton Complex, Somers Point, NJ 08244

FREE! USE YOUR MODEM! Call our innovative electronic shopping center, FANTASY PLAZA. VISA and MASTERCARD accepted. 300 BAUD. You've never seen anything like it! Use your Modem NOW! (818) 840-8066

EARN MONEY, PART OR FULL TIME, AT HOME with your computer. 50 page manual with forms. Money back guarantee, \$9.95, JV Tech, P.O. Box 563, Ludington, MI 49431

# COMPUTE! Classified is a low-cost way to tell over 350,000 microcomputer owners about your product or service.

Rates: \$25 per line, minimum of four lines. Any or all of the first line set in capital letters at no charge. Add \$15 per line for boldface words, or \$50 for the entire ad set in boldface (any number of lines.)

**Terms:** Prepayment is required. Check, money order, American Express, Visa, or MasterCard is accepted. Make checks payable to COMPUTE! Publications.

**Form:** Ads are subject to publisher's approval and must be either typed or legibly printed. One line equals 40 letters and spaces between words. Please underline words to be set in boldface.

**General Information:** Advertisers using post office box numbers in their ads must supply permanent address and telephone numbers. Orders will not be acknowledged. Ad will appear in next available issue after receipt.

Closing: 10th of the third month preceding cover date (e.g., June issue closes March 10th). Send order and remittance to: Harry Blair, Classified Manager, COMPUTE!, P.O. Box 5406, Greensboro, NC 27403. To place an ad by phone, call Harry Blair at (919) 275-9809.

**Notice:** COMPUTE! Publications cannot be responsible for offers or claims of advertisers, but will attempt to screen out misleading or questionable copy.

#### maxell disks LIFETIME WARRANTY

TIRED OF WAITING FOR SERVICE AND PRICE? 9 out of 10 SURVEYED DISK BUYERS PREFERRED

NORTH HILLS #1 IN SERVICE AND PRICE 1-800-328-3472

Formatted and hard sectored disks in stock-Dealer inquiries invited. COD, VISA, MASTERCARD All orders shipped within 24 hrs.



NORTH HILLS CORP. INTERNATIONAL

3564 Rolling View Dr. White Bear Lake, MN. 55110 MN. call collect-612-770-0485

## **Maxell Floppy Disks**

The Mini-Disks with maximum quality.



Dealer inquiries invited. C.O.D's accepted. Call FREE (800) 235-4137.



PACIFIC EXCHANGES

100 Foothill Blvd., San Luis San Luis Obispo, CA 93401. In Cal. call (800) 592-5935 or (805)543-1037

## STATE-OF-THE-ART MAGNETIC MEDIA

#### 51/4" DISKETTES



- · With Hub Rings
- With Write Protect Tabs
- With Static-Free, **Dust-Free Envelopes**
- With User ID Labels In Factory Sealed Poly Packs

69¢ Single Side Double Density 79¢

100% ERROR FREE - LIFETIME WARRANTY MEET OR EXCEED APPLICABLE ANSI, ECMA, ISO STANDARDS

Minimum quantity: 50 diskettes. Discount for 300 or more diskettes. Shipping and Handling: \$4.00 per 100 diskettes. Reduced shipping charge for larger quantities. C O.D. add \$4.00. Cash or certified check. MI residents add 4% sales tax. Prices subject to change without notice.



COD

Precision Data Products
P.O. Box 8367, Grand Rapids, M1 49508
(616) 432-3457 • Michigan 1-800-632-2468
Outside Michigan 1-800-258-0028

#### 3M Diskettes Lifetime Warranty

TIRED OF WAITING FOR SERVICE AND PRICE? 9 out of 10 SURVEYED DISK BUYERS PREFERRED

NORTH HILLS #1 IN SERVICE AND PRICE 1-800-328-3472

Formatted and hard sectored disks in stock-Dealer inquiries invited. COD, VISA, MASTERCARD All orders shipped within 24 hrs.



#### NORTH HILLS CORP. INTERNATIONAL

3564 Rolling View Dr. White Bear Lake, MN. 55110 MN. call collect-612-770-0485

QUALITY MEDIA Because we huv LIFETIME REPLACE **GUARANTEE** HUB RINGS, TYV. EPS. WRITE PROTECTS

in huge volume to supply software manufacturers, our prices can't be beat.

		50+	250+	500+	1000+
5.25"SSDD	1.00	.90	.85	.80	.75
5.25* DSDD	1.15	1.05	1.00	.95	.85
PC FORMATTED	1.45	1.35	1.25	1.15	1.10
3.5" 1D (For Mac)	2.70	2.60	2.45	CALL	CALL
3.5*2D (For HP)	3.50	3.25	3.15	CALL	CALL



#### BLACKSHIP COMPUTER SUPPLY

P.O. Box 883362 • San Francisco, CA 94188 Inquiries + No. Cal. orders 415-550-0512 So. Cal. orders 800-235-6647 x31 USA orders 800-431-6249

Add \$3.00 shipping and handling (CA residents add 6.5% sales tax) VISA/MC/COD



Catalog of Computers and Supplies Our Prices are WHOLESALE +10%

Call. Write or send an E-Letter for our Free Catalog!

We support the complete ATARI and COMMODORE product lines. Ask for our free price list.

(408) 353-1836

(Ask about our Free Software.)

Instant shipping (or as fast as we can), Mastercard & Visa accepted (no extra charge). Shipping & handling add 6%. California customers add 6.5% sales tax. Order by phone (Mon. - Fri. 10 am - 5 pm PST). Order by modem (daily 6 pm-9am) from our online TeleCatalog Prices subject to change without notice.

#### COMPUCAT

24500 Glenwood Hwy., Los Gatos, CA 95030

ORDER 800-221-8180 F CANADA CALL TOLL FREE 800-221-8180 F CANADA CALL TOLL FREE 893-3396

maxell COLD STANDARD

MAXELL MD1D Single sloed double \$199 MAXELL MD2D Double sided double \$2495

ATARI 520ST COLOR COMPUTER SYSTEM



\$89.95 169.95 ATARI 1050 DSIK DRIVE DISS OF PERSONAL COMPANY AND PROPERTY OF PERSONAL COMPANY AND PROPERTY OF PERSONAL COMPANY AND PERSONAL COMPANY AN PC PERSONAL COMPUTER 1799.95 COMMODINE TIPE COMMODINE TO COM

CATO Spectrum Holiobyte
Cato S TOP 10' APPLE SOFTWARE Write your own must: EAP MUSC O
TYPING TUTOR III Simon & Schuste
Learn touch typing ISSP TYPINGE
F-15 STRIKE EAGLE Microprosi
Air Duttle simulation IMAP F19
KARATEKA Broderbund
Mortos arts action ISSP KARATEKA \$29.95 \$24.95 124,95 TOP 10' ATARI SOFTWARE

SYNFILE PLUS Synapse
SYNFILE PLUS Synapse
SYNFILE PLUS Synapse \$29.95 SYN SYNFLED

5'N SYNFLED

F-15 STRIKE EACLE Microprose
Amborn adventure MPA F15 DI

RESCUE ON FRACTELUS EDYX

Cooker Adventure (AUS FRACTELUS) \$24.95 SARCON II CHESS Hayden
Play mends or complete MAA SARCONIO 15.95 The ments or contacter that SMACONO 113.39
BALL BLAZER EBYX
HIGH SHEET BLAZE 124.95
APPERCEUP BATTERIES BALLBEATE 124.95
APPERCEUP BATTERIES BALLBEATE 144.95
CHOSTBUSTERS ACTIVISION
HOWER AT BATTERIES ACTIVISION
HOWER AT BATTERIES INCIDION
HOWER AT BATTERIES HOWER 133.95 LL BLAZER EDYX

COMPUTER BASEBALL MICRO LEAGUE \$24.95 TOP 10' MACINTOSH SOFTWARE

**BLotus** Development



New powerful versatile \$37995

AACTRONES Forethought 119.95
AACTRONES FOREThought 134.95
AACTRONES FORETH MAC VISION Koala Technologies \$199.95

Cr commodor NEW 128 128K PERSONAL COMPUTER 

Call For Price TOP 10 COMPUTER PRINTERS

STAR MICRONICS SG-10 DOT MATRIX COMPUTER PRINTER

\$24995 CANON PW1080A IMPACT MATRIX 5279.95
FX CONTRACTOR 100 COS
AXIOM ELITE-5 LETTER QUALITY 189.95 1369.95 JUNE 100 LETTER GUALITY 1369,95 COMMODE MESSAS DOT MATER 139,95 CS LETTER QUALITY ASIA COMMODE 12 DECT 105HBB 7130 DOT MATER 1529,95 LETTER QUALITY ASIA COMMODE 12 DECT 105HBB 7130 DOT MATER 1529,95 LETTER QUALITY ASIA COMMODE 12 DECT 1520 DOT MATER 1529,95 LETTER QUALITY ASIA COMMODE 1520 DECT 180 cos. 80 column bi-directional EPSON SPECTRIM LL-80 MATRIX 80 column 100 cos. NEW MODE OKIDATA OKIMATE-10 4-COLOR C84 Interface included EPSON FX-185 DOT MATRIX Friction Tractor 186 columns: graphics \$219.95 179.95

\$499.95 TOP 10' COMMODORE 64 SOFTWARE

FASTLOAD EDYX
DISK UTINTY ALSO FASTLOAD
SUPER HUEY COSMI \$24.95 \$14.95 Helicober Institutori (COS SUPERVILLY)
BASEBALLI MICTO LEGIQUE
REI DIOVETS & SIZES MILE BASEBALLI
PRINTSHOP Broderbund
Create print fonts (BAS PRINTSHOP DI
GRAPHICS URRARY Broderbund
100 fonts Fuprinshop (BAS CARHICS)
SUMMER CAMES II EDYX
ONYMOR EVENTS DUS BUS SUMMERIO 24.95 \$29.95 14.95 924.95 19.95 The lost kingdom MOE (VOIANA PAPERCLIP Batteries Inclu \$79.95 \$24.95 MACH 5 Access
Day drive unity lass maches
FLIGHT SIMULATOR II Sub Logic
\$34,95

LOTUS 1-2-3 Lotus Development \$279.95
The integrated package (LOT 128 - 129.95
FLIGHT SIMULATOR Microsoft simulation great graphics (MSI RUCHT) 129.95 TUBBO PASCAL BOTTAIN TO THE TOTAL TO THE PASCAL BOTTAIN TO THE PASCAL BOTTAIN TO THE PASCAL TO THE PASCAL BOTTAIN TO THE PASCAL TO THE BOTT THE PASCAL TO THE BOTTAIN THE PASCAL TO THE BOTTAIN THE PASCAL TO THE BOTTAIN THE BOTTAIN THE PASCAL THE BOTTAIN THE B KINGS QUEST SIETTA
Fantasy adventure (ONE KINGS)

dBASE III ASTRON-TATE
Advanced durable system (AS DBAS -5379.95 SYMPHONY Lotus Development \$399.95

Integrated business package

ASI FRAMEWORD

MATH BLASTER Davidson Assoc.

129.95

discwasher' SPIKEMASTER SURGE SUPRESSOR



14.95 14.95 DISK PERSONNE CLARING KIT HEAD 2.25 GHAS PRASENIE COMPUTER PAPER PAROTARD SUD SPEED 8 7211 PAROLILLE PRINTER INTERFACE Cardeo G-WIZ FOR COMPUTER STORAGE RING KING DISKETTE STORAGE RING KING SPECCULUM PRINTER STAND RING KING LINEARS STANDER MODEL HAVE CHARLES STAND RING KING CHARLES STAND RING KING CHARLES STAND RING KING CHARLES STANDER MODEL HAVE CHARLES STANDER STANDER STANDER STANDER CHARLES STANDER STANDER STANDER STANDER STANDER CHARLES STANDER STANDER STANDER STANDER STANDER CHARLES STANDER STANDER STANDER STANDER STANDER CHARLES STANDER STANDER STANDER STANDER CHARLES STANDER STANDER STANDER STANDER STANDER STANDER CHARLES STANDER STANDER STANDER STANDER STANDER STANDER STANDER CHARLES STANDER STAND 914.95 129.95 559 95

SMALL COMPUTER TABLE BUSH 179.95

WE CARRY A FULL LINE OF AUDIO, VIDEO, AND COMPUTERS IN EVERY MAJOR BRAND. THIS LISTING IS JUST A SMALL SAMPLE IN OUR "10.0000 ON WENTONY PLEASE CALL US TOLL FREE OR WRITE TO US FOR PRICES ON ITEMS NOT LISTED IN THIS AD.

**ALL PRODUCTS CARRY U.S. WARRANTIES** ALL DEFECTIVE PRODUCTS EXCHANGED WITHIN 30 DAYS

NOW TO DODGE BY MAN, YOU REMOVE AND COLUMNS IN MANY TO DOGGE BY MAN, YOU REMOVE AND COLUMNS IN MANY TO DOGGE CENTER OF THE MANY TO AND THE MANY TO AND THE MANY TO AND THE MANY THE MAN TO MEN SHOULD AND PROCESS AND BLOCKS CHICK MUST NO EXPENDED DATE OF THE MEN SHOULD AND TH

ALL NEW FOR 1985



LREADY RECEIVED OUR LATEST CATALOGS PLEASE FILL OUT COUPON TOLL FREE 2-800-426-6027 AND WE'LL SEND THEM OUT IMMEDIATELY

PLEASE CHECK WHICH CATALOGS YOU WANT

23 PARK ROW, DEPT. C11, NYC, NY 10038 NAME:

ADDRESS: STATE: ZIP:

# ■Advertisers Index

Read	der Service Number/Advertiser	Page
102	Abacus Software	120
103	Abacus Software	121
104	Activision	11
105	American TV	144
100	Atari Corp	143
107	Basix	60
108	Basix	64
	Batteries Included	41
109	Blackship Computer Supply	159
	Bowater Computer Forms, Inc	
111	Cardco, Inc.	IBC
	CBS Software	86
	C.O.M.B. Co	
	Commodore	RC
112	Compucat	159
	CompuServe	
	ComputAbility	93
	Computer Centers of America	
115	Computer Direct	83–85
	Computer Mail Order	
117	Davidson & Associates	
	Disk World! Inc.	153
	Disk World!, Inc	154
118	Electronic Arts	IFC-1
119	Electronic Arts	
	Elek-Tek, Inc	
121	EPYX	
	EPYX	
123	EPYX Frontrunner Computer Industries	144
124	Inmac	
	J&R Music World	
	Jason-Ranheim	
127	Jason-Ranheim	150
	JS&A	157
	Lyco Computer	50–51
	MegaSoft, Ltd.	
129	Micro Prose Simulation Software	
100	Micro World Computers, Inc.	
130	Mimic Systems, Inc	29

Read	er Service Number/Advertiser	Page
132	Mindscape, Inc	15
133	Nibble Notch Computer Products	156
	North Hills Corp.	159
	North Hills Corp.	159
	NRI Schools	89
134	Okidata	2–3
135	Pacific Exchanges	159
136	Professor Jones	152
137	Professor Jones	156
138	Protecto	82
139	Precision Data Products	159
140	Quinsept, Inc.	143
141	Scarborough Systems, Inc	7
142	The Source	81
	Spinnaker	38-39
	Spinnaker	40
143	Strategic Simulations, Inc	63
144	Timeworks, Inc.	4
145	subLOGIC Corporation	45
146	T & D Electronics	152
147	Starpoint Software	47
148	USA★Flex	107
149	White House Computer	156
	The Wholesale Outlet	110
150	World Trade Wholesale Outlet 10	

Classified Ads
Offer
Machine Language for Beginners & Second Book of Machine Language 59



This holiday season put your fellow PC users on line with

# **COMPUTE!**

The magazine for Home, Education and Recreational Computing.

#### SPECIAL HOLIDAY GIFT SAVINGS

For each gift you give, save 25% off the regular \$24 subscription rate. You pay only \$18 per gift subscription.

#### A SEASONAL CARD WILL ANNOUNCE EACH GIFT

YOUR NAME		A SPECIAL OFFER FOR YOU  I HAVE GIVEN AT LEAST I GIFT PLEASE					
ADDRESS	APT#	LOW RATE	SUBSCRIPTION AT THE SAME				
CITY/STATE/ZIP		☐ PAYMENT ENCLOSED☐ PLEASE BILL ME					
<b>1.</b> TO:		2. TO:					
	APT#	2. TO:	APT #				
TO: ADDRESS CITY/STATE/ZIP	APT #		APT#				



## **BUSINESS REPLY MAIL**

FIRST CLASS

PERMIT NO. 7478

DES MOINES, IOWA

POSTAGE WILL BE PAID BY ADDRESSEE

**COMPUTE!** 

PO BOX 10954 DES MOINES, IOWA 50347 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

#### **COMPUTE!'s** FREE Reader Information Service

Use these cards to request FREE information about the products advertised in this issue. Clearly print or type your full name and address. Only one card should be used per person. Circle the numbers that correspond to the key number appearing in the advertisers index.

Send in the card and the advertisers will receive your inquiry. Although every effort is made to insure that only advertisers wishing to provide product information have reader service numbers, COMPUTE! cannot be responsible if advertisers do not provide literature to readers.

Please use these cards only for subscribing or for requesting product information. Editorial and customer service inquiries should be addressed to: COMPUTEI, P.O. Box 5406, Greensboro, NC 27403. Check the expiration date on the card to insure proper handling.

Use these cards and this address only for COMPUTEI's Reader Information Service. Do not send with payment in any form.

#### **COMPUTE!**

101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	
118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	
135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	
152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	
169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	
186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	
203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	
220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	
237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	
					THE STREET												

Circle 101 for a one year new U.S. subscription to COMPUTEI: you will be billed for \$24.

Please let us know. Do you	
own: plan to buy:  □ Apple □ 271 □ Atari □ 272 □ Commodore □ 274 □ IBM □ 276 □ I-99/4A □ 277 □ Other □	Please printlimit one of Name Address City State/Provice Country
280 (specify model) 281	Please inclu

t or type name and address. card per person. ince Zip C01185

de zip code. Expiration date 12/31/85 SUBSCRIBE TO COMPUTE! For Fastest Service, Call Our Toll-Free US Order Line 800-334-0868 My Computer Is: 01 Apple 02 Atari 03 ☐ Commodore 64 In NC call 919-275-9809 04 D VIC-20 05 🗆 IBM 06 TI-99/4A □ Other □ Don't yet have one. (Readers outside of the US, please □ \$24.00 One Year US Subscription see our foreign readers subscription \$45.00 Two Year US Subscription card or inquire for rates). Name Address City State Zip ☐ Payment Enclosed ☐ Bill me Charge my: ☐ VISA ☐ MasterCard ☐ American Express Account No. **Expires** 

Your subscription will begin with the next available issue. Please allow 4-6 weeks for delivery of first issue. Subscription prices subject to change at any time.

The COMPUTEI subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please check this box .

## **COMPUTE! Reader Service**

P.O. Box 2141 Radnor, PA 19089



## **BUSINESS REPLY MAIL**

FIRST CLASS

PERMIT NO. 7478

DES MOINES, IOWA

POSTAGE WILL BE PAID BY ADDRESSEE


COMPUTE! PO BOX 10954

PO BOX 10954 DES MOINES, IOWA 50347 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES





# Breakthrough



# Price and performance no other printer interface can touch!

Only CARDCO would dare improve on its own best seller (the +G has far out-sold any other printer interface, and has set the industry standard by which competitors are judged). The G-Wiz is even better — and costs 30% less.\* Our 27th major innovation in Commodore accessories has all the +G's features, and more...

Built-In Buffer for More Speed
The G-Wiz buffer dumps high-resolution
screens up to 18 times faster than competitive
interfaces without buffers. No more waiting! A
complex 50-minute printout now takes just 2.5
minutes with the G-Wiz.

Exclusive! Aspect Ratio Selection
Only the G-Wiz matches graphics characters to
standard characters on Okidata, Epson, Star
'Actual price may vary according to dealer and region.

Micronics, Prowriter, Smith Corona, C-ITOH, Gorilla Banana, and many other dot matrix printers. Now you can perfectly align high resolution graphics characters within text blocks, or in columns.

CARDCO excellence triumphs again! The G-Wiz is the "best bang for the buck" on the printer interface market today — and it's backed by CARDCO'S exclusive lifetime warranty! G-Wiz: another distant target for the competition to shoot at.

CARDCO, Inc. 300 S. Topeka/Wichita, KS 67202



# **HOW TO EVOLVE** TO A HIGHER INTELLIGENCE.



#### THE COMMODORE 128.

The first step is buying the Commodore 128™ Personal Computer. The smartest computer available for the price. It's like getting three computers for less than one usually costs. You can run CP/M® business software, the new programs written for the 128, and over 3,000 Commodore 64° programs. You start out with more software than most machines give you after years on the market.



#### THE COMMODORE 128 WORKS FASTER.

To run all that software and run it faster, you'll want the 1571 Disk Drive. You can't find a faster drive at the price. It transfers nearly 1,000 words a second (5200 cps), so you can load most programs instantly.



#### **THE COMMODORE 128** GETS SMARTER.

Now try improving your memory. Plug in our 1750 RAM Expansion Module and your 128 moves up to a powerful 512K. That's enough to handle just about anything you can dish out, from complicated business forecasting to giant data bases.



#### THE COMMODORE 128 LEARNS TO COMMUNICATE.

There's no real intelligence without the ability to communicate. So you'll want our 1670 Modem/1200. It puts you in touch with a new world of shopping, banking, communications and information over your telephone line. And it operates at a lightning-fast 1200 baud to save on your phone bill.



#### THE COMMODORE 128 LEARNS TO WRITE.

Looking good in print could be your next move with the MPS 1000 Printer. It's a new dot matrix printer designed to make the most of the 128's speed and high-resolution graphics. The MPS turns out about 1200 words a minute (100 cps) of draft-quality printing, or gives you near-letter-quality at about 240 words a minute (20 cps).



#### **THE COMMODORE 128** IMPROVES YOUR VISION.

Brains aren't enough without good looks, so improve your vision with Commodore's new 1902 RGB Color Monitor. The high-resolution screen gives you a sharper image and better color than your standard TV, so you can really appreciate the 128's great graphics.

All these evolutionary steps ahead won't set you back when it comes to paying for them. Additions to your Commodore 128 are available at a store near you and are as affordable as the 128 itself. We think that's a smart way to help you build a computer system. ®CP/M is a registered trademark of Digital Research, Inc. © 1985, Commodore Electronics Limited

# **COMMODORE 128 PERSONAL COMPUTER**

A Higher Intelligence