

Just for your
TANDY
COLOR COMPUTER

December 1985

Canada \$4.95 U.S. \$3.95

The RAINBOW®

THE COLOR COMPUTER MONTHLY MAGAZINE

HOLIDAY ISSUE



RAINBOW 27453 BC

RAINBOW

12

44254 00001

The Best Money Can Buy . . . HDS Floppy Drive Controller Board



Features*

- * Gold Plated Edge Cards
- * Dual Selectable ROM Banks
- * Compatible with CODO 1 & II
- * 120 Day Warranty
- * Double and Single Density

	SINGLE SIDED	DOUBLE SIDED
Drive 0 Complete	\$249. \$199.	\$289. \$229.
Drive 1 Complete	\$169.	\$209.
Drive 0 & 1 Dual Drive	\$399.	\$479.

Reduce your I/O errors with the Hard Drive Specialist Floppy Drive Controller for the Color Computer. Gold edge card connectors, advanced design, and the absence of potentiometers make it the best available. Our newest version controller allows the use of either (two 24 pin ROMs), or (one 24 pin and one 28 pin ROM). Using this board with the standard Radio Shack ROM gives you 100% compatibility with all Radio Shack software.

- Completed and Tested Board with Radio Shack ROM** \$139.
(Includes Case, and DOS Instructions)
- Completed and Tested Board without ROM** . . . \$119.
(Includes Case)
- Bare Board with Instruction manual** \$40.
- Parts Kit For Bare Board without ROM** \$40.
- Radio Shack ROM (current version)** \$20.
- Radio Shack ROM 1.0** \$40.

ADOS ROM (24 or 28 pin PROM) \$40.

ADOS is a product of SpectroSystems of Miami Florida and is fully supported by the author. The HDS version of ADOS supports 2 drives, 40 track, 6ms trk-to-trk drives only, either Single Sided or Double Sided.

TKBUG Monitor and DOS 1.0 on PROM (24 or 28) \$40.

New, unique CoCo software monitor in ROM designed for a minimum of key strokes and fully compatible with the 1.0 version of disk basic. Features 33 single key commands, allowing the user to quickly display and screen edit RAM in either hex or ASCII format. Also allows the user to dump screen or memory to printer, set break points, alter baud rate, set 64K RAM mode, and more. TKBUG by TOMMY KEETON.

HARD DRIVE SPECIALIST

1-713-480-6000
Order Line 1-800-231-6671
16208 Hickory Knoll
Houston, Texas 77059

Ordering Information:

Use our WATS line to place your order via VISA, MasterCard, or Wire Transfer. Or mail your payment directly to us. Any non-certified funds will be held until proper clearance is made. CDD orders are accepted as well as purchase orders from government agencies. Most items are shipped off the shelf with the exception of hard drive products that are custom built. UPS ground is our standard means of shipping unless otherwise specified. Shipping costs are available upon request.

From Computer Plus to YOU...

PLUS after PLUS after PLUS



Tandy 200 24K \$649*
Model 100 24K \$425*



Color Computer II
w/16K Ext. Basic \$79*
w/64K Ext. Basic \$149*



Tandy 1000 \$710
Tandy 1000HD \$1539
Tandy 1200HD \$1599



Smith Corona L-1000
\$259



Color Computer Disk Drive
Drive 0 \$179* Drive 1 \$189



DMP105 \$160

BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS

COMPUTERS

Tandy 1000 1 Drive 128K	710.00
Tandy 1000 HD 10 Meg. 256K	1539.00
Tandy 1200 HD 10 Meg. 256K	1599.00
Model IVD 64K with Deskmate	889.00

PRINTERS

Radio Shack DWP-105	160.00
Radio Shack DMP-130	269.00
Radio Shack DMP-430	660.00
Radio Shack CGP-220	359.00
Radio Shack DWP-220 Daisy Wheel	469.00
Silver Reed EXP-550 Daisy Wheel	425.00
Star SG-10	245.00
Star SG-15	410.00
Panasonic P-1091	275.00
CITOH Prowriter 8510AP + NLQ	345.00
Toshiba 1340	469.00
Okidata 192	375.00
Epson LX-80	245.00
Epson FX-85	369.00

MODEMS

Radio Shack DCM-3 Modem	52.00
Radio Shack DCM-5 Modem	99.00
Radio Shack DC Modem 2212	315.00

COLOR COMPUTER MISC.

Radio Shack Drive Controller	139.00
Extended Basic Rom Kit	39.95
64K Ram Upgrade Kit	39.00
Radio Shack Deluxe Keyboard Kit	24.95
H.J.L. Keyboard Upgrade Kit	79.95
COCO Max Y Cable	27.95
Batek Serial to Parallel Conv.	69.95
Radio Shack CCR-81 Recorder	52.00
Radio Shack Deluxe Joystick	26.95
Amdek Color 300 Monitor	265.00
Amdek Video 300 Green Monitor	139.00
Amdek Video 300 Amber Monitor	149.00
Taxan Color 220 Monitor	245.00
Tatung DM-12VLG Green Monitor	139.00
Tatung DM-12VLA Amber Monitor	149.00
Radio Shack VM-2 Green Monitor	129.00
Mark Data Universal Video Driver	29.95

COLOR COMPUTER SOFTWARE

	TAPE	DISK
Approach Control Simul.	29.95	34.95
Worlds Of Flight	29.95	32.95
Mustang P-51 Flight Simul.	29.95	34.95
Spectral Typing Tutor	19.95	22.95
Dungeon Quest	24.95	27.95

Major Istar	24.95	27.95
Sam Siueth Private Eye	24.95	27.95
Mark Data Graphic Adven.	24.95	27.95
Graphicom (disk only)		29.95
COCO Max by Colorware	69.95	69.95
Color ComE (rom)	49.95	49.95
AutoTerm by PXE Computing	39.95	49.95
Key-264K by Key Color	39.95	44.95
TeleWriter 64	49.95	59.95
Deft Pascal Workbench		89.95
Deft Extra		39.95
Pro Color File Enhanced 2.0		59.95
Telegraphics by Derringer		24.95
Elite Calc	69.95	69.95
Elite Word	69.95	69.95
Elite File (disk only)		74.50
DynaCalc (disk only)		99.95
Word Pack II by PBJ		134.95
VIP Writer (tape & disk)		69.95
VIP Integrated Library (disk)		149.95

Order any 2 software pieces listed and take 10% off their listed price. All Radio Shack software 10% off list. Send for complete list.

*Sale prices good thru 12/15/85

**CALL TOLL FREE
1-800-343-8124**

- LOWEST POSSIBLE PRICES
- BEST POSSIBLE WARRANTY
- KNOWLEDGEABLE SALES STAFF
- TIMELY DELIVERY
- SHOPPING CONVENIENCE



computer plus

P.O. Box 1094
480 King Street
Littleton, MA 01460

SINCE 1973

IN MASSACHUSETTS CALL (617) 486-3193

Under
The

RAINBOW



179



204



212

FEATURES

- Rudolph/Ellen and George Aftamonow** _____ **18**
HOLIDAY SPECIAL *A tribute to the most famous of reindeer*
- The Rainbow's Holiday Shopping Guide/Rainbow Staff** _____ **25**
HOLIDAY SPECIAL *Great Color Computer gift ideas!*
- CoCo Bells/Joseph M. Urbas** _____ **36**
HOLIDAY MUSIC *Computerized chimes ring out seasonal tunes*
- Burglar Alarm, Part 1/Dennis H. Weide** _____ **58**
HOME HELP *Use CoCo to keep an eye on the home front*
- Trivia Tic-Tac-Toe/Rick Pitel** _____ **69**
GAME *'X' (or 'O') marks the spot*
- Puzzle/Dennis Teague** _____ **110**
GAME *A word-hunt crossword puzzle*
- Quickzap/Jeffry Dwight** _____ **118**
DISK UTILITY *"Zapping" disks with confidence*
- CoBBS, Part 2/Richard Duncan** _____ **153**
COMMUNICATIONS *A look at the system's commands*
- Which Award Is Which?/Burt Witham** _____ **179**
HAM UTILITY *Keep track of those Ham awards*
- Brain Games/Kraig Brockschmidt** _____ **190**
GAME *A potpourri of games to challenge your wits*
- Chanukah Lights/Aryeh Glaberson** _____ **196**
HOLIDAY SPECIAL *Observing the menorah candle lighting*
- Alpine Slopes/Mark Sabbatini** _____ **204**
GAME *A small amount of memory for a big skiing thrill*
- Christmas Pageantry/Mike Hall** _____ **212**
HOLIDAY SPECIAL *A celebration with music and graphics*

Cover illustration copyright © 1985 by Fred Crawford

NEXT MONTH: Since January marks new beginnings, our Beginners issue will have the premier of a new column on assembly language by Bill Barden. For our new CoCo owners, there'll be plenty of games, graphics and helpful programs to get you acquainted with your new friend. Whether you're an experimenting beginner or a veteran programmer, make a resolution to have THE RAINBOW on hand, and you'll start the new year right with the best, most comprehensive Color Computer magazine!

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION
 1A) Title of publication: The Rainbow, The Color Computer Monthly Magazine. B) Publication No.: 709050. 2) Date of filing: September 27, 1985. 3) Frequency of issue: Monthly. 3A) No. of issues published annually: 12. 3B) Annual subscription price: \$31.00. 4) Complete Mailing Address of known office of publication: 9525 U.S. Highway 42, Prospect, Jefferson County, Kentucky 40059. 5) Complete Mailing Address of headquarters or general business offices of the publisher: Same. 6) Names and complete addresses of publisher, editor, and managing editor: Publisher and Editor: Lawrence C. Falk, 9525 U.S. Highway 42, Prospect, Kentucky 40059; Managing Editor: James E. Reed, 9525 U.S. Highway 42, Prospect, Kentucky 40059. 7) Owner: Falstaff, Inc., 9525 U.S. Highway 42, Prospect, Kentucky 40059. 8) Known bondholders, mortgagees and other security holders owning or holding 1 percent or more of total amount of bonds,

mortgages or other securities: None. 9) For completion by nonprofit organizations authorized to mail at special rates (Section 423.12 (JMM)): The purpose, function and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one): Not applicable. 10) Extent and nature of circulation: (X) Average No. copies each issue during preceding 12 months; (Y) Actual No. copies of single issue published nearest to filing date. A) Total No. of copies printed: (X)79,995 (Y)74,300. B) Paid circulation: 1) Sales through dealers and carriers, street vendors and counter sales: (X)20,956 (Y)22,522. 2) Mail subscription: (X)44,960 (Y)37,313. C) Total paid circulation: (X)65,036 (Y)59,835. D) Free distribution by mail, carrier or other means, samples, complimentary and other free copies: (X)1,270 (Y)2,473. E) Total distribution: (X)66,306 (Y)62,308. F) Copies not distributed: 1) Office use, left over, unaccounted, spoiled after printing: (X)1,112 (Y)11,962. 2) Returns from news agents: (X)9,577 (Y)0. G) Total: (X)75,995 (Y)74,300.

COLUMNS

— BASIC Training/Joseph Kolar _____	100
<i>Maximum learning with minimum effort</i>	
Building December's Rainbow/Jim Reed _____	16
<i>Managing Editor's comments</i>	
— Education Notes/Steve Blyn _____	30
<i>Working with the Electronic Book, part 2</i>	
Education Overview/Michael Plog, Ph.D. _____	45
<i>Organizational factors for integrating computers in school</i>	
PRINT#-2./Lawrence C. Falk _____	12
<i>Editor's notes</i>	
School Is In The Heart Of A Child/Bob Albrecht and Ramon Zamora _____	56
<i>It's been a great two years!</i>	
Turn Of The Screw/Tony DiStefano _____	251
<i>What is a VDG, anyway?</i>	
— Wishing Well/Fred Scerbo _____	86
<i>Fun for the whole family with Galloping Gamblers</i>	
<i>"Byte Master," "Earth to Ed" and "Custom Color" do not appear in this month's issue.</i>	

DEPARTMENTS

Advertiser Index _____	288	Reviewing Reviews _____	222
Back Issue Information _____	89	Scoreboard _____	186
CoCo Gallery _____	210	Scoreboard Pointers _____	188
Corrections _____	208	Submitting Material	
Letters To Rainbow _____	6	To Rainbow _____	198
The Pipeline _____	94	Subscription Information _____	214
Rainbow Info _____	200	These Fine Stores _____	286
Received And Certified _____	220		

RAINBOWTECH

Accessible Applications/Richard White _____	267
<i>An explanation and review of spreadsheet functions</i>	
Downloads/Dan Downard _____	256
<i>Answers to your technical questions</i>	
KISSable OS-9/Dale L. Puckett _____	272
<i>A time for reflection</i>	
The Utility Room/Brian A. Lantz _____	258
<i>Adding more features to the LIST command, part 2</i>	

PRODUCT REVIEWS

Product Review Contents _____	219
--------------------------------------	-----

RAINBOW

December 1985 Vol. V No. 5

Editor and Publisher
Lawrence C. Falk

Managing Editor James E. Reed
Senior Editor Courtney Noe
Technical Editor Dan Downard
Submissions Editor Jutta Kapfhammer
Copy Editor Tamara Renee Dunn
Reviews Editor E. Monica Dorth
Editorial Assistants Wendy Falk,
Judi Hutchinson, Shirley Morgan
Technical Assistants Ed Eilers, John Gurl
Contributing Editors Bob Albrecht,
R. Bartly Betts, Steve Blyn, R. Wayne Day,
Tony DiStefano, Dennis Kitz, Joseph Kolar,
Michael Plog, Dale Puckett, Fred Scerbo,
Richard White
Consulting Editors Danny Humphress,
Belinda C. Kirby, T. Kevin Nickols

Art Director Sally A. Gellhaus
Assistant Art Director Jerry McKiernan
Designers Tracey Jones, Heidi Maxedon,
Kevin Quiggins

Chief of Typography Debbie Hartley
Typography Services
Jody Doyle, Angela Kapfhammer,
Suzanne Benish Kurowsky

Falsoft, Inc.

President Lawrence C. Falk

General Manager Patricia H. Hirsch

Editorial Director James E. Reed
Asst. Editorial Director Jutta Kapfhammer
Executive Editor Courtney Noe
Creative Director Sally A. Gellhaus
Manager of Public Relations Wayne Fowler

Administrative Assistant to the Publisher
Judy Brashear

Asst. General Manager for Finance
Donna Stuck

Bookkeeper Diane Moore

Advertising Accounts Beverly Taylor

Dealer Accounts Judy Quashnock

Accounts Payable/ADP Lisa Ragan

Director of Fulfillment Services

Bonnie Frowentfeld

Asst. Dir. of Fulfillment Services Sandy Apple

Asst. Customer Service Manager Diane Justice

RAINBOW ON TAPE Subscriptions

Monica Wheat

Word Processor Manager Patricia Eaton

Chief of Production Services Melba Smith

Dispatch Janice Eastburn

Research Assistants Beverly Bearden,
Laurie Falk, Sharon Smith

Advertising Coordinator Doris Taylor

Advertising Assistant Debbie Baxter
(502) 228-4492

**For RAINBOW Advertising
and Marketing Office
Information, see Page 288**

THE RAINBOW is published every month of the year by FALSOFT, Inc., The Falsoft Building, 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY, 40059. Phone (502) 228-4492. THE RAINBOW, RAINBOWest and THE RAINBOW and RAINBOWest logotypes are registered trademarks of FALSOFT, Inc. Second class postage paid Prospect, KY and additional offices. USPS N. 705-050 (ISSN No. 0746-4797). POSTMASTER: Send address changes to THE RAINBOW, P.O. Box 385, Prospect, KY 40059. Forwarding Postage Guaranteed. Authorized as second class postage paid from Hamilton, Ontario by Canada Post, Ottawa, Ontario, Canada. Entire contents copyright © by FALSOFT, Inc., 1985. THE RAINBOW is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever. Tandy, Color BASIC, Extended Color BASIC and Program Pak are registered trademarks of the Tandy Corp. CompuServe is a registered trademark of CompuServe Inc. Subscriptions to THE RAINBOW are \$31 per year in the United States. Canadian rates are U.S. \$58. Surface mail to other countries is U.S. \$68, air mail U.S. \$103. All subscriptions begin with next available issue. Limited back issues are available. Please see notice for issues which are in print and costs. Payment accepted by VISA, MasterCard, American Express, cash, check or money order in U.S. currency only.

LETTERS TO THE RAINBOW

Making A Good Thing Better

Editor:

If you haven't already reviewed *Telepatch*, please do so quickly. *Telewriter-64* is surely one of the most popular programs available for CoCo. However, Cognitec has left oversights and shortfalls unaddressed for some years now. I just purchased *Telepatch* from Spectrum Projects and found that it ties up all the loose ends.

Before I could afford a disk drive I used *Telewriter* to write a term paper — some 400 pages on cassettes! I purchased a disk drive and a *Telewriter* upgrade immediately. The results were dramatic. *Telepatch* is exactly the ticket for me — my disk purrs along at six ms access time, my printer at 9600 Baud, my keyboard is buffered (my typing speed is higher than *Telewriter* would otherwise permit). Further, much of my programming is done by using the ASCII filing system of *Telewriter*, and *Telepatch* greatly enhances *Telewriter's* abilities in that regard. The keyboard clicks if I would like, and the cursor fairly races around the screen now.

I am very pleased with *Telepatch*. Two suggestions to the authors of *Telepatch*, *Wiz* and *Telewriter*. First, publish a "deluxe version" soon. Second, get me *Telewriter* on OS-9 (then stand back!).

Michael L. Brant
Concord, CA

Editor's Note: *Telepatch* was reviewed in the October 1985 issue, Page 209.

Addressing the Problem

Editor:

May I submit a solution to a major problem? The problem: addressing an envelope. The CoCo word processor does a great job on the letters, but when it comes to the envelope it is a pain to remove the fan-fold paper and line up the envelope. My answer is an envelope with a window, like the envelopes bills come in each month.

The other half of the solution is to type, and save to disk or tape, a heading for your

letters, along with a format line for your printer. Mark the spot with some X's where you want to type the addresses so, when folded, it ends up in the window. This is a great opportunity to display your artistic use of the printer's different fonts and graphics displays.

Thank you for bringing in Dennis Kitz, I'm sure he will be an asset to RAINBOW.

Bill Frame
Niceville, FL

A Tool for any Trade

Editor:

This is in response to the letter from William Sill in the September 1985 issue [Page 8].

Mr. Sill states that when we have grown out of games, we will see that the CoCo will shine as an appliance. I play games on my CoCo, but I also use it for serious tasks. Why can't you see that a computer, any computer, can be used for serious things and for recreation. A computer is nothing more than a tool. A tool can be used for different things. You probably consider your car a tool. That car gets you to work. Yet that same car can take you on vacations. Computers are the same as cars. They can be used for many things.

David Moulton
Cody, WY

Hobby Link

Editor:

I recently discovered THE RAINBOW and it has renewed my enthusiasm in personal computers. It is the best magazine of its kind around and I find its approach very refreshing.

My interests lie mainly in interfacing, construction projects and applications programs. Having been a shortwave listener and Ham radio operator (K2AZ) for over 30 years, I found your recent *WEFAX* program

[February 1985, Page 42] very interesting and would like to see similar articles that link my two hobbies. I receive Morse code, radioteletype (RITTY), *WEFAX* and other facsimile information regularly on a CoCo, Model 1 and IBM PC. I would like to exchange frequency lists with other readers. Write to me at 3 Sherman Avenue, 07950. Perhaps you could also occasionally print some station listings from readers similar to your BBS information.

John C. Maikisch
Morris Plains, NJ

COMMENTS

Editor:

I typed in the "Simple Text Processor" in the January 1985 issue [Page 103] of THE RAINBOW. I was wondering if there have been any improvements on it yet. If anybody has any, would you please write me at 6321 Bosker Lane, 48444.

I would also like to support Mr. Carroll. He mentioned [August 1985, Page 6] that he would like you to encourage your authors to write or modify their programs to work on tape-based systems. I think this is a good idea since many of us have only a tape-based system. It would be nice to have most if not all programs work with cassette-based systems.

While running the Text Processor on its printing subroutine my Radio Shack DMP-105 printer will lock up. I have to turn the printer offline and then back online before it will continue. When I use the greater than and less than signs to underline, the printer underlines but prints a [p] around the underlined area. Why do these things happen and how can I correct them?

John Gormley
Inlay City, MI

Editor's Note: Your problem is due to the fact that the program uses printer codes for a Brother Correctronic 50 typewriter and must be changed for use with your printer.

A Good Word for Mr. White

Editor:

I find Richard White's treatment of spreadsheets to be most informative, particularly with the comparisons of different sheets where he shows the strong and not so strong points of those that are the most popular. However, he did make a statement in the October 1985 issue of RAINBOW that *VIP Calc* will not take a leading space (Page 238, right column, Line 9). I find that *VIP Calc* will take a leading space if you first invoke the Label format using inverted commas (shift 2), which is the same command that *VisiCalc* uses for that purpose, then enter the space. The same command allows you to enter numbers as text.

The one thing I find most annoying with *VIP Calc* is when you make a new entry, or do a recalculation, the whole screen goes blank and then the sheet unfolds down the screen again. (Is that what is called "screen refresh"?) Does this happen with *DynaCalc*?

Why not have a similar column (columns) that gives the same treatment to word processors, database managers, accounting packages, etc., and even hardware, where appropriate.

A working comparison with an experienced user can be of infinitely more value to a prospective user than a short review, no matter how harsh, or generous, the review may be. This may lead to software producers attempting to incorporate more features than is now the case, because of what the individual packages are demonstrated to be capable of and, even if this is not the case, a user can choose the package that fulfills their purpose.

RAINBOW magazine is really the proverbial "pot of gold" — the only difference being that the treasure is found at the beginning as well as the end of THE RAINBOW.

Ray S. Preston
Rarotonga, Cook Islands

SPECIFIC PROGRAM SEARCH

Editor:

I would like to know if anyone has come up with a good program that works with Radio Shack X-pad. I would appreciate it if anyone would send me what information you have. My address is 6681 Marsh Road, 48039.

I would also like to hook up my CoCo to a Lionel train and would like to know if anyone has any information on this. If you do, please send me any information you have.

Brian Van Peteghem
Marine City, MI

Dr. CoCo

Editor:

Hopefully you can help me with two problems I am having. I own two TRS-80s, with Extended Color BASIC, dual disk drive, Tandy DWP-220 and DMP-110 printers. I am looking for a business-oriented package for a medical office, for patient records, accounts receivable and payable, spread-

sheet capability, invoice generating, inventory control, etc. Does such a program exist for the CoCo? I have *Desktop*, *Scriptit on Disk*, *Small Business Accounting* by Colorsoft, and their *Accounts Receivable* program, but they do not seem to fit my application. Please, if you or any of your readers know of such software, contact me at 3340 Tully Road, Suite C-1, 95350, or phone (209) 571-3453.

Also, is there a full-size screen dump program for the DMP-110? If your readers can help me out, it would be greatly appreciated. I have owned my CoCos for less than one year and have graduated from games and Adventures to using it in my business for letter writing and other report writing, but would like to fully utilize the power of CoCo. Thanks for the help, RAINBOW has been a great help in learning how to use both my new toys.

Jack R. Morris, D.C.
Modesto, CA

Editor's Note: Please read the following letter from Chuck Hawley.

Editor:

From month to month, as I thumb through THE RAINBOW's "Letters to the Editor" and "Downloads" columns, I notice many people looking for graphics screen dumps. Also, many of the screen dumps I have seen have been for the Line Printer VII or similar. None for the Radio Shack DMPs.

So, after a few tries I came up with *FastDump*, which I use with my DMP-120. It's a rather short program so it could be used as a subroutine in a graphics program. The only drawbacks are that it takes about 10 to 15 minutes to print up a graphics screen, and the printout is a rather small version of the screen. But you can't expect a miracle in 15 lines!

```

1999 REM WORKS IN PMODES 0, 2, AND 4
2000 PRINT#-2,CHR$(18)
2010 CH=0
2020 FOR R=0 TO 191 STEP 7
2030 COL=0
2040 IF PPOINT(COL,R) <> 0 THEN
    CH=CH+1
2050 IF PPOINT(COL,R+1) <> 0 THEN
    CH=CH+2
2060 IF PPOINT(COL,R+2) <> 0 THEN
    CH=CH+4
2070 IF PPOINT(COL,R+3) <> 0 THEN
    CH=CH+8
2080 IF PPOINT(COL,R+4) <> 0 THEN
    CH=CH+16
2090 IF PPOINT(COL,R+5) <> 0 THEN
    CH=CH+32
2100 IF PPOINT(COL,R+6) <> 0 THEN
    CH=CH+64
2110 PRINT#-2,CHR$(128+CH);
2120 COL=COL+1:CH=0:F COL<255 THEN
    2040
2130 PRINT#-2,CHR$(128)
2140 NEXT R

```

Chuck Hawley
Parma Heights, OH

Martial Bliss

Editor:

I would like to tell you that I enjoy receiving each issue of THE RAINBOW; I read them from cover to cover. I would also like to tell you how much I enjoy RAINBOW ON TAPE.

I wondered if any company has ever made a martial arts program for the CoCo. I have searched through your magazines and haven't seen one yet. Is there anyone out there who has made a martial arts program and would like to sell it to me? If so, please contact me at 7489 Kellogg Road, 44077.

Kevin Nasky
Painseville, OH

HINTS AND TIPS

Editor:

I ordered a 64K conversion for my 16K CoCo from Skyline Marketing in Chicago. It arrived, I installed it and it worked. They also included a "pager program." With this combination, I have two banks of 22,823 bytes of memory.

By combining my business programs and a menu, I use 20,649 bytes on Page 1. This leaves Page 2 open with 22,823 bytes for personal programs; I have managed to merge programs and add a menu using only 14,766 bytes.

Each of the two programs contains an "escape" line to "exec" the alternate page of programs. Just how many of your readers keep 35,415 bytes ready and on-call at all times?

L. Jackson
Forest Park, OH

'Relatively' Helpful

Editor:

Here is a little program I concocted after hearing from a former classmate that he was very busy during his retirement with tracing his ancestry. He has found 6,000 so far, not all of them completely documented, I assume. In any event, running the program should prove interesting to some of your readers.

```

1 REM:ANCESTRY
2 REM:KONRAD H. KOSSMANN
3 REM:ENTIRE WORLD POPULATION
  AT BEGINNING OF CHRISTIAN
  ERA ESTIMATED AT 250 TO 350 MILLION
4 X=2:W=1880:PRINTX,W
5 Y=2*X:W=W-30:PRINTY,W
6 W=W-30:Z=2*Y:PRINTZ,W
7 X=2
8 GOTO 5
9 REM:CONCLUSION A: INCEST MUST HAVE
  BEEN QUITE COMMON CONCLUSION B:
  WE ARE ALL RELATED
10 REM:W=YEAR,30=ONE GENERA
  TION

```

Konrad H. Kossmann
Columbus, OH

RAINBOW Superlatives

Editor:

As much as I appreciate your magazine it is unfortunate (for me) that I discovered THE RAINBOW just within the past year. I say unfortunate because I know I've missed many good programs and/or tips and advice on using the CoCo. Therefore, I would like to suggest to you to put together a "best of" issue or series. I hope you will seriously consider the concept.

The following one-line program will center any title or heading on an 80-column printer.

```
1 CLS:INPUT "TITLE";T$:L=INT(80-LEN(T$))/2:PRINT#-2,TAB(L);T$:RUN
```

I hope this one-liner will be helpful to your readers. Thank you for a great magazine and keep up the excellent work.

P. Giordano
Quebec, Canada

The Gang's All Here!

Editor:

Congratulations on adding Dennis Kitsz to your staff. You picked up a valuable asset. We already know what he looks like from his ads, and we've all seen pictures of Mr. Falk. As for the rest of the staff, I only have a mental picture of what they might look like. Personally, I'd like a chance to match

up the voices and/or bylines with the faces. Do you think you could print pictures of: Jim Reed, Jutta Kapfhammer, Dan Downard, R. Bartly Betts, Steve Blyn, Frank Hogg, Joseph Kolar, Michael Plog, Dale Puckett, Fred Scerbo, Richard White and Richard Ramella.

I realize this doesn't cover everybody, but they're the names I most often see and wonder about.

Bill Bernico
Sheyogon, WI



Recent staff portrait

Prolific Pokes

Editor:

I have wanted, for some time, a list of CoCo POKEs and their functions. Every month there is someone who has found a new POKE to use with a computer game or in programming. If anyone who knows of any POKES would send them to me, I'd be more than happy to return a list of all the POKES I receive. Be sure to include the name of the program and company if the POKE helps you in a program (e.g., additional

turns). My address is R.D. #2, Box 751, 13167.

Because of the cost, I can only give lists to the original contributors. Include as many as possible to be sure a new one is there.

Dave Mount
West Monroe, NY

INFORMATION PLEASE

Editor:

I have a DWP-210 printer and love it. It's a bit slow, but the printout is beautiful. My problem is the only print wheels available through Radio Shack are basic "typewriter" faces. What I need is something to use as italics. For two years, I've been trying to find out who made the DWP-210 for Radio Shack and/or who makes compatible daisy wheels, but to no avail; now my problem is even greater, since the DWP-210 printer is an orphan because it has been replaced by the DWP-220. If anyone can tell me where I can get other print wheels, I'd be greatly appreciative. Please write to me at 7410 NW 11 Court, 33313.

A second question is whether there is a program that will support right-hand justification of proportional spacing for the DWP-210. I use *VIP Writer* for word processing (work letters, law school papers and general correspondence), and have managed to make it do just about whatever I want. It would be perfect if I could use propor-

DIECOM PRODUCTS

MARBLE MAZE



Move your marble around the mazes in your search for the finish line! Avoid the marble eaters, acid puddles and other creatures that inhabit the mazes. Avoid falling into holes or off the edges of the maze. Enter the **MARBLE MAZE contest**: the first five people to solve all the levels and identify the message and number win a free game from DIECOM PRODUCTS!

64 k and joystick required

tape or disk **\$28.95 U.S.**
\$38.95 Can.

KNOCK OUT



Fight against five different boxers in this great boxing game! At first the boxers are easy to knock out, but beware, it gets harder as you move on. The boxers are out to stop you in your quest to become champion of the world. But once you become champion your task is not over. You will then have to defend your title against those trying to regain the championship from you. Outstanding graphics make this a must for your collection!


64 k required

tape or disk **\$28.95 U.S.** **\$38.95 Can.**

DIECOM PRODUCTS

6715 FIFTH LINE, MILTON, ONT., CANADA L9T 2X8

We accept:



24 hr. order line:
(416) 878-8358
personal service 9-5

Please add \$2 for shipping & handling. Ontario residents add 7% sales tax. Dealer inquiries invited. Looking for new software. Coming soon Karate & Paper Route

tional spacing, because it would almost look typeset. Such a program would not need all of the features of a word processing program — you could do the basic work with *VIP* or something else — just make it print out "pretty."

Phillip H. Snaith
Plantation, FL

Editor:

I really enjoy reading *RAINBOW*. I especially liked *Rockfest II*, which was featured in "Wishing Well" (July 1985, Page 162). Could you please tell me the issue in which you featured *Rockfest I*?

Chris Leazer
Moorestville, NC

Editor's Note: *Rockfest I* can be found in the May 1984 issue, Page 89.

Assembly Acclimation

Editor:

I would like to know how to do the equivalent of `PMODE4,1:SCREEN1,1` in pure assembly language. Send correspondence to 21 Prospect Avenue, 01940. Thank you.

Jon Fabris
Lynnfield, MA

What Next?

Editor:

I am writing a program that uses the disk drive but I can't figure it out. I am making it say "Hello, I'm your Color Computer," then "What is your name?" Then it says "Hi, Greg." Next, I have it ask "Would you like to play a game?" You type "yes" or "no." Then it says "What game would you like to play — drawing/zodiac/pop/bigfoot?" I can't figure out when you type in what game you would like to play and how to load it from the disk drive.

```

Here is a listing of my program.
10 PRINT "HI, I'M YOUR COLOR
  COMPUTER"
20 PRINT "WHAT IS YOUR NAME?"
30 INPUT A$
40 PRINT "HI, "A$
50 PRINT "WOULD YOU LIKE TO PLAY A
  GAME?"
60 INPUT B$
65 IF B$="YES" THEN 70
70 PRINT "WHAT GAME WOULD YOU LIKE
  TO PLAY, MUSIC/DRAWING/
  ZODIAC/POP/ OR BIGFOOT?"
80 INPUT C$
90 C$="?"
100 LOAD "--
  
```

Greg Garnett
Florence, KY

Editor's Note: Try changing lines 90 and 100 to:
90 C\$=C\$+"BAS"
100 RUN C\$

KUDOS

Editor:

I could not resist this opportunity to tell you how much your magazine has meant to me and increased my knowledge and interest in my CoCo. Until I discovered *THE RAINBOW*, other magazines did not inspire or assist me nearly as much as yours has. I have also trusted your judgments and used your advertisers almost exclusively when ordering software and hardware. Thanks millions.

I would also like to commend and recommend two of your advertisers: Software Plus in Citrus Heights, Calif., and Reitz Electronics in Toledo. Both have rendered excellent service and satisfaction thus far.

Stan Weaver
Toledo, OH

Making Sparks

Editor:

I believe in giving credit when and where it's due. But first, let me explain. I have been a CoCo owner for a little over a year and enjoy every opportunity I have to use it. However, I have tried everything to spark an interest in computers among my wife and three daughters.

Then came *THE RAINBOW*. I think it's great. Now my wife occasionally helps me type in a program and the girls will come in and watch the results, but nothing further.

I liked Dave Koscinski's "One-Liner" [February 1985, Page 233] so much that I saved it and showed it to the family. My wife and oldest daughter have not left my CoCo alone since. *RAINBOW*, you're doing a great job and a special thanks to Dave Koscinski.

Jim DeCarlo
Wilmington, DE



triad pictures corp.
P.O. Box 1299 Sequim, WA 98282



REVIEWED IN THE JANUARY '85 ISSUE OF THE RAINBOW

THE ANIMATOR SERIES

Create your own FULLY ANIMATED CARTOON!!
"THE ANIMATOR" contains a one-of-a-kind package — 19 never seen something like this on any other home computer — a very good buy for the CoCo! — \$4.95 plus \$4.95 *RAINBOW* Technical Writer.
READ THE REVIEW IN JANUARY'S *RAINBOW*

NEW LOW PRICES!

THE ANIMATOR — Contains a professional style animation studio. 32 cels & 600 frames for over 1.5 min. of animation! Extensive manual & 3 cassettes. **DISK/EXT. CASE \$29.95**

ANIMATOR JR. — A simplified version in semigraphics. 16 cels, 500 frames (1.5 min.). Animation can be called from your own BASIC program. **DISK/EXT. CASE \$15.95**



REVIEWED IN THE JUNE '85 ISSUE OF THE RAINBOW

THE TRIAD PRESCHOOL SERIES

Used in hundreds of preschools & day care centers

CENTIPEDE ABC's & 123's

Children 3 & up learn letters & numbers. Each correct response adds another animated cent to a smiling dancing centipede. **DISK/EXT. CASE \$17.95**

ALPHABET STEW

KEYBOARD EXPLORATION FUN. Children 18 months & up can command the computer. Use 10 different animated responses. **DISK/EXT. CASE \$17.95**

ETCH 'A' DOT

Easy drawing program for children 4 & up. Block graphics (semigraphics). **DISK/EXT. CASE \$17.95**

PRESCHOOLS CALL (206) 963-4495 OR SEND PURCHASE ORDER. GENEROUS VOLUME DISCOUNTS AVAILABLE.

WAR OF THE WORLDS

A 100% JOYSTICK-DRIVEN ILLUSTRATED ADVENTURE!
OVER 200 CHALLENGING SITUATIONS PER CHAPTER!



The mighty alien invasion of Earth! Now you're going to beat them! You're going to be the hero of the hour. The brave hero who saves the world from the alien invasion. You're ready to take on the ultimate battle for the future.

The mighty alien invasion of Earth! Now you're going to beat them! You're going to be the hero of the hour. The brave hero who saves the world from the alien invasion. You're ready to take on the ultimate battle for the future.

WAR OF THE WORLDS Chrome Disk — The Leading SPECIAL INTRODUCTORY OFFER — \$19.95

SOLD SEPARATELY — \$19.95 each:
WAR OF THE WORLDS Chrome Disk — The Quest
WAR OF THE WORLDS Chrome Disk — The Last Hour
SPECIAL PACKAGE PRICE — All 3 Chrome Disks \$39.95

SUPPLIED ON CASSETTE
REQUIRES EAR AND ONE BANG SHACK TYPE JOYSTICK

SEND NO MONEY

We'll bill you with your shipment. A \$3 shipping and handling fee will be charged per shipment.

Send your order to:
TRIAD PICTURES
P.O. Box 1299
Sequim, WA 98282

CALL OR WRITE FOR CATALOG



ORDER HOTLINE
(206) 963-4495
24 HRS

IN AUSTRALIA
ORDER TRIAD PICTURES SOFTWARE FROM
SOFTWARE SPECIALIST P.O. BOX 720
ADELAIDE, SOUTH AUSTRALIA 5001
(08) 25 6262 08 51 4888

December 1985 THE RAINBOW 9

Editor:

I am writing to congratulate you on your excellent magazine. I have seen two other magazines just for the CoCo. I thought they were good magazines, but when compared to THE RAINBOW, well, let me say I haven't bought any other CoCo magazines since I got my first RAINBOW. It is everything I wanted: a computer catalog, a list of reviews, an informative book and all the great programs. It really is a "pot of gold."

David Harris
Idaho Falls, ID

BULLETIN BOARD SYSTEMS

Editor:

We have a BBS that is maintained by Valley Micro Systems. This BBS supports down-/uploads as well as a message base. Call (209) 526-2030 9 a.m. to 9 p.m. PST. My phone is (209) 523-5176 anytime after 9 a.m. PST. For more information write to 801 W. Roseburg Avenue, Suite 200, 95350.

Ken Denny
Modesto, CA

• Custom Key Computer Services supports a BBS at (305) 281-0082 as long as Color Computer people desire to use it.

Dan Mills
Orlando, FL

• There is a BBS in Brunswick called the "Port City Underground." Call (912) 265-5045. The SysOp is Robert Callahan.

Tommy Donovan
Brunswick, GA

• I am pleased to announce a new BBS called CoCo Creations running 24 hours a day, seven days a week. It supports 300/1200 Baud. The number is (201) 928-9488.

Howard Walk
Jackson, NJ

• This is to inform all CoCo users of the Fido BBS of Ann Arbor. It runs on an IBM PC, supports 300/1200 pbs. We have a large library of CoCo programs. Call (313) 662-2184.

Jason Johnson
Milan, MI

• Call the Kings Byte Computer Club, Inc. BBS at (718) 837-2881, 24 hours a day.

Morty Libowitz
Brooklyn, NY

• The Rainbord BBS is online 24 hours a day, seven days a week. The system supports up- and downloading and many more features. Call (513) 236-8307.

David D. Phillips
Dayton, OH

• The new number for the BBS in Morristown is (615) 581-9752 and voice calls will be taken on (615) 581-2904.

Marty Cline
Morristown, TN

• I would like to inform your readers of a new BBS. "Chroma-com 80" is online 24 hours a day, seven days a week. The number is (804) 853-2080.

Harry Lee Perkins, III
Norfolk, VA

• I would like to inform your readers of the new Robotech BBS, which is online from 11 p.m. to 4 p.m., Monday through Friday, 24 hours on weekends. Call (304) 287-2341.

Jeff Frost
Carltonia, WY

THE RAINBOW welcomes letters to the editors. Mail should be addressed to: Letters to Rainbow, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. Letters should include the writer's full name and address. Letters may be edited for purposes of clarity or space.

ARTS AND LETTERS



Envelope Of The Month

P. Langlois
Montreal, Canada

These Introductory Level stories are now available for TRS-80 Color Computers.

If you have a TRS-80 Color Computer with disk drive, the stories below offer the perfect introduction to the addictive pleasures of Infocom™ interactive fiction.



WISHBRINGER™

In this fantasy story you start out as an ordinary mail clerk delivering a mysterious ransom note and end up—magic stone in hand—embarking on a series of whimsical adventures that take you to a destination beyond your wildest dreams.

PLANETFALL®

In this sci-fi comedy you're a mop-wielding ensign on a Stellar Patrol ship which promptly explodes, stranding you on a mysterious deserted world with only Floyd the mischievous robot to help you save it.



THE WITNESS®

In this classic 1930's whodunit, a case of blackmail turns to murder before your eyes. You'll have to look for clues, question suspects, and analyze evidence to solve the case. If you live that long.

THE FOUR-IN-ONE INFOCOM SAMPLER™

Still not convinced? This sampler, which contains portions from PLANETFALL®, ZORK® I, The WITNESS®, and INFIDEL®, will give you a taste of our stories for just \$7.95. If you don't love it, we'll give you a refund. If you do, we'll give you \$8 toward any regular Infocom story. You can't lose.



Call 1-800-262-6868 to order.

The TRS-80 Color Computer versions of these stories and the ones shown on the opposite page are not available in any store. Call toll-free to order yours now.

INFOCOM™

©1985 Infocom, Inc. WISHBRINGER is a trademark of Infocom, Inc. ZORK, PLANETFALL, The WITNESS, and INFIDEL are registered trademarks.

Earth will be destroyed in 12 minutes to make way for a hyperspace bypass.

Should you hitchhike into the next galaxy? Or stay and drink beer?

Slip the disk in your computer and suddenly you are Arthur Dent, the dubious hero of *THE HITCHHIKER'S GUIDE TO THE GALAXY*, a side-splitting masterwork of interactive fiction by novelist Douglas Adams and Infocom's Steve Meretzky. And every decision you make will shape the story's outcome. Suppose for instance you decide to linger in the pub. You simply type, in plain English:

>DRINK THE BEER

And the story responds:

YOU GET DRUNK AND HAVE A TERRIFIC TIME FOR TWELVE MINUTES; ARE THE LIFE AND SOUL OF THE PUB, THEY ALL CLAP YOU ON THE BACK



>WRAP THE TOWEL AROUND MY HEAD

And the story responds:

THE RAVENOUS BUGBLATTER BEAST OF TRAAAL IS COMPLETELY BEWILDERED, IT IS SO DIM IT THINKS IF YOU CAN'T SEE IT, IT CAN'T SEE YOU.

AND
TELL YOU

WHAT A GREAT
CHAP YOU ARE AND

THEN THE EARTH GETS

UNEXPECTEDLY DEMOLISHED. YOU

WAKE UP WITH A HANGOVER WHICH LASTS FOR ALL ETERNITY. YOU HAVE DIED.


Suppose, on the other hand, you decide to:

>EXIT THE VILLAGE PUB THEN GO NORTH

In that case you'll be off on the most mind-bogglingly hilarious adventure any earthling ever had.

You communicate—and the story responds—in full sentences. So at every turn, you have literally thousands of alternatives. If you decide it might be wise, for instance, to wrap a towel around your head, just say so:

Simply staying alive from one zany situation to the next will require every proton of puzzle solving prowess your mere mortal mind can muster. So put down that beer and hitchhike down to your local software store today. Before they put that bypass in.



Comes complete with Pencil Sensitive Sunglasses, a Microscopic Space Fleet, a DON'T PANIC Button, a package of Multipurpose Fluff and orders for the destruction of your home and planet.



INFOCOM™

For more information call 1-800-262-6868. Or write to us at 125 CambridgePark Drive, Cambridge, MA 02140.

These and the Introductory Level stories on the opposite page are now available for TRS-80 Color Computers with disk drive.

©1985 Infocom, Inc. THE HITCHHIKER'S GUIDE TO THE GALAXY is a trademark of Douglas Adams. ZORK I, ENCHANTER and INFIDEL are registered trademarks of Infocom, Inc.



Many of you have probably heard by now in one way or another — through friends, on Delphi, at RAINBOWfest, on CompuServe or in other ways — about the plans of *Hot CoCo* to discontinue publication after its February issue.

Those who have a subscription to *Hot CoCo* will start to get a magazine called *80 Micro* to “fulfill” their subscription. The editors promise there will be a “Color Computer Section” in *80 Micro*.

80 Micro is the “flagship” magazine of a company called CW Communications/Peterborough, which used to be Wayne Green, Inc. In fact, *80* was the first magazine to support the Radio Shack computers, beginning with the Model I, and now primarily supports the Model I, III and IV computers. Hence the “80” from the Z-80 central processor on which those machines are based.

A long time ago, in the CoCo’s infancy, there were some articles in *80* about the Color Computer. It was *80 Micro*’s dearth of coverage of the CoCo that inspired me to start a newsletter for the Color Computer. That newsletter, of course, grew into THE RAINBOW.

Knowing the people at CW Communications pretty well, I would suspect those who have subscribed to *Hot CoCo* will get more than a smattering of Color Computer news. It certainly won’t be like having a whole magazine, but I believe there will be a genuine effort to bring CoCo information to *80 Micro*, at least for as long as the subscriptions have to run. Contrast this, if you will, to the demise of *The Color Computer Magazine*, which “fulfilled” with *Creative Computing*, carrying one column on all Tandy products.

I want to make THE RAINBOW’s position clear. And I think it is important. I have received a couple of letters and quite a few telephone calls from people who have heard the news about *Hot CoCo* and are concerned that this constitutes an erosion of support/popularity/utility for the Color Computer. I happen to not think so. I want to make it clear that no one at CW Communications/Peterborough has said this as of this writing, but there has — in the past — been a tendency to blame the market, not the products themselves, for the failure of a product.

The truth of the matter is that both *Hot CoCo* and *The Color Computer Magazine* came into the market too late to have a great impact. They were facing an established product, THE RAINBOW, with an established record. They were publishing magazines of around 100 pages while we were running between 250 and 300. They were able to sell 50 or so advertisements an issue, while we were able to sell over 100. Their subscription rolls, and single-copy sales, never came close to THE RAINBOW’s.

I wouldn’t like to see anyone equate the end of *Hot CoCo* to a problem in the market. The end of *Hot CoCo* merely means that a product has failed. There are many other products for the Color

Telewriter-64

the Color Computer Word Processor

- 3 display formats: 51/64/85 columns × 24 lines
- True lower case characters
- User-friendly full-screen editor
- Right justification
- Easy hyphenation
- Drives any printer
- Embedded format and control codes
- Runs in 16K, 32K, or 64K
- Menu-driven disk and cassette I/O
- No hardware modifications required

THE ORIGINAL

Simply stated, Telewriter is the most powerful word processor you can buy for the TRS-80 Color Computer. The original Telewriter has received rave reviews in every major Color Computer and TRS-80 magazine, as well as enthusiastic praise from thousands of satisfied owners. And rightly so.

The standard Color Computer display of 32 characters by 16 lines without lower case is simply inadequate for serious word processing. The checkerboard letters and tiny lines give you no feel for how your writing looks or reads. Telewriter gives the Color Computer a 51 column by 24 line screen display with *true lower case characters*. So a Telewriter screen looks like a printed page, with a good chunk of text on screen at one time. In fact, more on screen text than you'd get with Apple II, Atari, TI, Vic or TRS-80 Model III.

On top of that, the sophisticated Telewriter full-screen editor is so simple to use, it makes writing fun. With single-letter mnemonic commands, and menu-driven I/O and formatting, Telewriter surpasses all others for user friendliness and pure power.

Telewriter's chain printing feature means that the size of your text is never limited by the amount of memory you have, and Telewriter's advanced cassette handler gives you a powerful word processor without the major additional cost of a disk.

...one of the best programs for the Color Computer I have seen...
— Color Computer News, Jan. 1982

TELEWRITER-64

But now we've added more power to Telewriter. Not just bells and whistles, but major features that give you total control over your writing. We call this new supercharged version Telewriter-64. For two reasons.

64K COMPATIBLE

Telewriter-64 runs fully in any Color Computer — 16K, 32K, or 64K, with or without Extended Basic, with disk or cassette or both. It automatically configures itself to take optimum advantage of all available memory. That means that when you upgrade your memory, the Telewriter-64 text buffer grows accordingly. In a 64K cassette based system, for example, you get about 40K of memory to store text. So you don't need disk or FLEX to put all your 64K to work immediately.

64 COLUMNS (AND 85!)

Besides the original 51 column screen, Telewriter-64 now gives you 2 additional high-density displays: 64 × 24 and 85 × 24! Both high density modes provide all the standard Telewriter editing capabilities, and you can switch instantly to any of the 3 formats with a single control key command. The 51 × 24 display is clear and crisp on the screen. The two high density modes are more crowded and less easily readable, but they are perfect for showing you the exact layout of your printed page, *all on the screen at one time*. Compare this with cumbersome "windows" that show you only fragments at a time and don't even allow editing.

RIGHT JUSTIFICATION & HYPHENATION

One outstanding advantage of the full-width screen display is that you can now set the screen width to match the width of your printed page, so that "what you see is what you get." This makes exact alignment of columns possible and it makes hyphenation simple. Since short lines are the reason for the large spaces often found in standard right justified text, and since hyphenation is the most effective way to eliminate short lines, Telewriter-64 can now promise you some of the best looking right justification you can get on the Color Computer.

FEATURES & SPECIFICATIONS

Printing and formatting: Drives any printer (LPVII/VIII, DMP-100/200, Epson, Okidata, Centronics, NEC, C. Itoh, Smith-Corona, Terminal, etc).

Embedded control codes give full dynamic access to intelligent printer features like: underlining, subscript, superscript, variable font and type size, dot-graphics, etc.

Dynamic (embedded) format controls for: top, bottom, and left margins; line length, lines per page; line spacing, new page, change page numbering, conditional new page, enable/disable justification.

Menu-driven control of these parameters, as well as pause at page bottom, page numbering, baud rate (so you can run your printer at top speed), and Epson font. "Typewriter" feature sends typed lines directly to your printer, and Direct mode sends control codes right from the keyboard. Special Epson driver simplifies use with MX-80.

Supports single and multi-line headers and automatic centering. Print or save all or any section of the text buffer. Chain print any number of files from cassette or disk.

File and I/O Features: ASCII format files — create and edit BASIC, Assembly, Pascal, and C programs, Smart Terminal files (for uploading or downloading), even text files from other word processors. Compatible with spelling checkers (like Spell 'n Fix).

Cassette verify command for sure saves. Cassette auto-retry means you type a load command only once no matter where you are in the tape.

Read in, save, partial save, and append files with disk and/or cassette. For disk: print directory with free space to screen or printer, kill and rename files, set default drive. Easily customized to the number of drives in the system.

Editing features: Fast, full-screen editor with wordwrap, block copy, block move, block delete, line delete, global search and replace (or delete), wild card search, fast auto-repeat cursor, fast scrolling, cursor up, down, right, left, begin line, end line, top of text, bottom of text; page forward, page backward, align text, tabs, choice of buff or green background, complete error protection, line counter, word counter, space left, current file name, default drive in effect, set line length on screen.

Insert or delete text anywhere on the screen without changing "modes." This fast "free-form" editor provides maximum ease of use. Everything you do appears immediately on the screen in front of you. Commands require only a single key or a single key plus CLEAR.

...truly a state of the art word processor...
...outstanding in every respect.
— The RAINBOW, Jan. 1982

PROFESSIONAL WORD PROCESSING

You can no longer afford to be without the power and efficiency word processing brings to everything you write. The TRS-80 Color Computer is the lowest priced micro with the capability for serious word processing. And only Telewriter-64 fully unleashes that capability.

Telewriter-64 costs \$49.95 on cassette, \$59.95 on disk, and comes complete with over 70 pages of well-written documentation. (The step-by-step tutorial will have your writing with Telewriter-64 in a matter of minutes.) To order, send check or money order to:

Cognitec
704 Nob Street
Del Mar, CA 92014

Or check your local software store. If you have questions, or would like to order by Visa or Mastercard, call us at (619) 755-1258 (weekdays, 8AM-4PM PST). Dealer inquiries invited.

(Add \$2 for shipping. Californians add 6% state tax.)

Now available at
Radio Shack stores
via express order

Apple II is a trademark of Apple Computer, Inc.; Atari is a trademark of Atari, Inc.; TRS-80 is a trademark of Tandy Corp.; MX-80 is a trademark of Epson America, Inc.



WHITE HOUSE COMPUTER

P.O. Box 4025

Williamsport, PA 17701

1-800-351-3442

(717) 322-7700 (In Pennsylvania)

HOURS: Monday thru Friday
9:00 am till 6:00 pm

PRINTERS		DISKETTES	
STAR MICRONICS		SKC Lifetime Warranty	
SG 10	214.00	SS/DD	10.95
SG 15	379.00	DS/DD	14.95
SD 10	345.00	BONUS Lifetime Warranty!	
SD 15	450.00	SS/DD	9.50
SR 10	485.00	DS/DD	13.50
PowerType	307.00		
MANNESMAN TALLY		MAXELL	
Small 80	249.00	MD 1	15.95
MT 140L	495.00	MD 2	20.95
MT 140L	595.00		
EPSON		MODEMS	
RX 80	209.00	Volkmodem/Cable	58.95
RX 100	359.00	Volk 12	179.95
JX 80	479.00	Hayes 300	149.95
FX 85	345.00	Hayes 1200	385.95
FX 105	499.00	CompuServe Starter Kit	19.95
LQ 1500 PAR	979.00		
LQ 1500 SER	1039.00		
LX 80	222.00		
HomeWriter	209.00		
Comrex 320 Alarm	199.00		
Comrex 322 Comm	199.00		
LX 90	245.00		
SO 2000	1925.00		
DX 10 Daisywheel	235.00		
DX 20 Daisywheel	319.00		
HS 80 LetterJet	359.00		
OKIDATA		INTERFACES	
Okimate 10	179.95	SP-3 Serial to Parallel	57.95
182	219.95	1 Year Warranty	
84	540.95		
192	349.95		
193	525.95		
PANASONIC		DUST COVERS	
1090	187.00	PRINTER RIBBONS	
1091	237.00	INNOVATIVE CONCEPTS	
1092	385.00	Flip-N-File 10	2.50
1093	475.00	Flip-N-File 15	6.50
3151	455.00	Flip-N-File 25/Lock	12.50
LEGEND		Flip-N-File 50	
1380	269.00	12.50	
1385	305.00	Flip-N-File 50/Lock	
1060 Square Dot	229.00	16.50	
880 Square Dot	199.00		
CITIZEN		MONITORS	
MSP 10	305.00	TEKNIKA	
MSP 15	450.00	MJ-10 Composite/	
MSP 20	450.00	Separate Video	185.95
MSP 25	675.00	MJ-20 RGB/Composite/	
PRINTER PAPER		Separate Video	
2500 Sheets Laser	24.95	259.95	
1000 Sheets Laser	14.95		
500 Sheets Laser	9.95		
Mailing Labels			
1000 City	9.95		
COLOR PAPER		ZENITH	
ASSORTED PASTELS		ZVM 122 Amber	82.95
500 Sheets Laser	42.95	ZVM 123 Green	75.95
1000 Sheets Laser	23.95	ZVM 131 RGB Color/	
500 Sheets Laser	23.95	Green 80 Col.	239.00
TEAC DISK DRIVE		ZVM 133 RGB Color/	
FD 55V 320K/Half Height		Green 80 Col.	289.00
GS/DD	149.00	ZVM 130 Color/	
FD 55F 320K/Half Height		Green	259.00
96 T.P.1	189.00	ZVM 135 RGB Color/	
Software for FD 55V	39.95	Green 80 Col.	439.00
POLICY		SAKATA	
No deposit on COD orders. Free freight on all		SC 100 Color	179.00
prepared cash orders over \$300 in the continental USA.		SG 1000 Green	99.95
APO & FPO add \$5.00 per hundred. For priority mail add		SA 1000 Amber	105.95
\$5.00 per hundred. PA residents add 6% sales tax.			
Defective products must have Prior RA number. Schools		NEC	
net 15.		1305	95.00
		1760	139.95
		1201	139.95
		AMDEK	
		300 G	119.00
		300 A	129.00
		Color 300	209.00
		Color 500	339.00
		Color 600	399.00
		Color 700	469.00
		Color T10	539.00
		310 A	148.00

1-800-351-3442

Computer — and for every other computer — that have failed as well.

Here at THE RAINBOW we see the CoCo future as bright. Tandy has announced new, lower, Christmas prices for the CoCo, we foresee a new Color Computer sometime next year, and our own business remains healthy. I expect the Color Computer — and THE RAINBOW — to be here for a long time to come.

The other reaction we have been hearing to the *Hot CoCo* announcement is that some members of the CoCo Community are concerned that we are now the only Color Computer magazine available.

As a message on CompuServe noted the other day: "What will Lonnie do now that he has a monopoly?" While I hardly see that we have a "monopoly," I think it might be interesting to you to

(\$31 in the United States, U.S. \$38 in Canada, U.S. \$68 other foreign surface mail or U.S. \$103 other foreign air mail) you can order a set of RAINBOW Binders for \$11 instead of \$13.50 (plus \$2.50 shipping and handling via UPS or \$4.50 shipping and handling foreign and to a post office box). That's a savings of over 18 percent and it will not only ensure you of another year of THE RAINBOW, but also give you a set of two attractive binders in which to store them. THE RAINBOW is so big it takes two binders to store a year's worth.

There are two rules to this offer: First, you have to have both your subscription renewal and binder order in by December 31, 1985 (that means post-marked by that date), and second, you must order *both* at the same time.

We won't repeat this price on the binders. We've found that many

"I believe that holding the line on all our prices expresses much more than mere words our confidence in the CoCo and the CoCo Community."

know some of the things we are, indeed, going to do.

For the first time since we have been in business, we do not plan to increase subscription prices at the end of the year. Based on our business and budget projections, and assuming they are right, we plan to keep subscription prices the same throughout 1986. The same goes for single-copy prices. And, as an aside, we will not be increasing our advertising rates, either.

I believe that holding the line on all our prices expresses much more than mere words our confidence in the CoCo and the CoCo Community. We have always been devoted to the betterment of the CoCo Community and I see this plan — despite some rising costs here — as a good one for all of us.

In the past, when we did increase prices at the end of the year, we offered everyone an opportunity to renew their subscription to THE RAINBOW at the old subscription rate so long as they did so by the end of the year. Since we won't increase prices this time around, we have another deal that I hope will be just as attractive.

If you renew your subscription before December 31, 1985, at the present rate

members of the CoCo Community wait until the end of the year to renew to take as much advantage of our "old rate" subscription offer as possible. Since there will not be a "new rate" for subscriptions this time, we thought the binders and subscriptions would make a nice package for you.

In fact, it may be a perfect holiday gift, too. And if it is a gift, we'll even send a gift certificate!

Which brings me to wish you and yours a most happy, healthy and prosperous holiday season and New Year from me, personally, and all of us at THE RAINBOW.

At this time of the year, I think we all seem to be closer to one another. And I have always had this special feeling for all of the CoCo Community, too. After all, despite the fact that we are scattered all across the world, that we come from many backgrounds and that we have a wide variety of interests, we all "belong" — and I think that is important.

Happy holidays to everyone!

— Lonnie Falk

TOP RATINGS
HOT COCO MAGAZINE
SEPTEMBER 1984 AND MAY 1985



NEW
DISK FILE
TRANSFER VIA
XMODEM

YOU COULD FALL IN LOVE WITH
AUTOTERM!

IT TURNS YOUR COLOR COMPUTER INTO THE

**WORLD'S
SMARTEST
TERMINAL**

AND
MOST
LOVABLE

GOOD LOOKIN'

AUTOTERM shows true upper/lower case in screen widths of 32, 40, 42, 51, or 64 characters with no split words. The width of 32 has extra large letters. Scrolling is forward, backward, and fast. Block graphics pictures are displayed automatically and can be scrolled.

The screen's top line shows operating mode, unused memory size, memory on/off, and caps-lock on/off. It also gives helpful prompts.

SWEET TALKIN'

KEY-BEEP can be on/off. Unacceptable keystrokes cause a lower pitched BOPI. This ERROR-BEEBOP can be on/off.

Talks to other computers with Full or Half Duplex; Baud Rate of 110, 150, 300, 600, 1200; Parity as even, odd, mark, space, none; 7 or 8 bit Word; any Stop Bits; all 128 ASCII characters; true line Break; XON/XOFF protocol; and optional line-at-a-time transmission. Able to send and receive text, block graphics, BASIC and ML programs. A 64K machine holds up to 45,000 characters (33,300 in HI-RES).

DUAL PROCESSING lets you review & edit while more data is coming in.

XMODEM for disk file transfer.

Fully supports D.C. Hayes and other intelligent modems.

Talks to your printer with any page size, margins, line spacing, split word avoidance. Embed your printer's control sequences for boldface, underlining, etc. Narrow text can be automatically spread out.

You'll also use Autoterm for simple word processing and record keeping

You can display directories, delete files, transmit directly from disk, and work with files larger than memory. Easily maintain a disk copy of an entire session.

Compatible with TELEWRITER (ASCII) & other word processors.

SMOOTH WALKIN'

AUTOTERM moves smoothly and quickly between word processing and intelligent terminal action. Create text, correct your typing errors; then connect to the other computer, upload your text, download information, file it, and sign-off; then edit the received data, print it in an attractive format, and/or save it on file.

Editing is super simple with the cursor. Find strings instantly, too! Any operating parameter, such as screen width, can be altered at any time. Uncompleted commands can be cancelled.

PUTTY IN YOUR HANDS

The word processor can be used to create, print, and/or save on file your personal KSMs. They let AUTOTERM act like you. For example, it can dial through your modem, sign-on, interact, perform file operations, & sign-off; an entire session without your help. KSMs can answer the phone, prompt the caller, take messages, save them, hang-up, and wait for the next call. The KSM potential is unbelievable!

**NO OTHER COMPUTER IN
THE WORLD CAN MATCH
YOUR COCO'S AUTOMATIC
TERMINAL CAPABILITIES!!!**

WHAT THE REVIEWERS SAY

"AUTOTERM is the Best of Class."
Graham, RAINBOW, 6/83

"The AUTOTERM buffer system is the most sophisticated — and one of the easiest to use..."
Banta, HOT CoCo, 9/84

"Almost a full featured word processor..."
Eilers, RAINBOW, 11/84

"AUTOTERM's excellent error-handling routines, thorough documentation, and logical, easy-to-use command structure make it stand out."
Parker, HOT CoCo, 5/85

AVAILABLE IN CANADA

from
Kelly Software Distributors
Edmonton, Alberta

**CASSETTE \$39.95
DISKETTE \$49.95**

Add \$3 shipping and handling
MC/VISA/C.O.D.

PXE Computing
11 Vicksburg Lane
Richardson, Texas 75080
214/699-7273

Please hire the mentally retarded. They are sincere, hard working and appreciative. Thanks!
Phyllis.

REAL TIME CLOCK

Full featured, yet very easy to use, RTC-10 is a quartz-based, Time/Date clock contained in a compact ROM case. Supplied with simple to use basic and machine code programs. A 2-year+ replaceable battery backup is included.



NOW ONLY \$49.95

Compatible with any Color Computer I or II with or without a Radio Shack or any other Multi-Slot unit.

Compatible with all known plug-in packs. To use it with another plug-in pack without using a Multi-Slot, order the Y-cable below.

Completely assembled, tested and ready to plug-in and use, with programs included to set, read, and display the Time/Date on the screen.

RTC-10 NOW \$49.95

ROM/PROJECT CASES

3 piece unit with hardware.

ONLY \$5.50

PC BOARDS for 27XX type proms for above case. ONLY \$4.00

DISK CONTROLLER PACK

by HDS. For Coco I & II Gold contacts w/ROM ONLY \$9

COCO CABLES

All connectors have GOLD plated contacts.

MULTI-SLOT EXTENDER CABLE - 40 conductor, 6" to 15" (specify), 1 Male, 1 Female. - STOP THOSE LOST CONTACT BLUES. - ONLY \$21.95

Y-CABLE - 40 conductor, 1 ft. long, 1 Male, 2 Females. Lets you connect the RTC-10 to a disk, voice or any other plug-in pack. ONLY \$27.95

DISK PACK EXTENDER CABLE - 40 conductor, 2 ft. long, 1 Male, 1 Female. Not for use with Multi-Slot. ONLY \$22.95

DISK DRIVE EXTENDER CABLE - 34 conductor, 2 ft. long, 1 Male, 1 Female. ONLY \$21.95

CUSTOM FLAT CABLES - Call

Custom Computer Products
6 Dogwood Court
Goshen, N.Y. 10924

ccp

(516) 783-7426

ADD \$3.00 PER ORDER FOR SHIPPING & HANDLING
FOR C.O.D., INCLUDE AN ADDITIONAL \$3.00
NY RESIDENTS MUST INCLUDE SALES TAX.

BUILDING DECEMBER'S RAINBOW

Our Holiday Issue . . .

With Great Gift Suggestions . . .

And the Promise of a Prosperous New Year

A holiday greeting to our readers and a salute to the postal people who help deliver THE RAINBOW to your home: our December cover. Many of you will immediately recognize the work as that of our talented artist **Fred Crawford**, who came through, as always, when we asked him to create a warm, friendly painting to serve as a greeting card from all of us to all of you, wishing you the very best for the holiday season and the coming new year!

Yes, this is our Holiday issue. And, though there's a jack-o'-lantern lit up tonight in my office window at this mid-October writing, there's been a Santa's workshop atmosphere about THE RAINBOW editorial offices as we've scurried about to pull this month's package together.

Chanukah lights, holiday music and graphics, an *Alpine Slopes* game, assorted Christmas pageantry and a salute to the most famous reindeer of all are part of our stocking stuffer issue. As with holiday shopping, it was hectic, but fun. We turned the entire place (especially my office) upside down to do **Lonnie Falk's** last minute idea — our "Rainbow Holiday Shopping Guide" — but that just added to the festivity!

Some of our staff members were hastily drafted to serve as models in our holiday shopping layout, providing a partial answer to one of this month's "Letters to Rainbow" asking what we look like. Let me introduce three of those who help build THE RAINBOW each month (see Page 25). That's designer **Tracey Jones** smiling at us with the EARSphone on. Designer (and camera ham) **Kevin Quiggins** holds a JDOS drive, while editorial assistant **Angela Kapfhammer** (Jutta's sister) appears to be wrapping a gift in her living room; actually, she's in Bond Pharmacy next door, just out of reach of row upon row of drugstore items. Oh yes, the hands belong to advertising representative **Kim Vincent**. We hope the gift suggestions help you pick the right thing for the CoCo lover in your life.

Along with our holiday theme we have some hard-hitters in our editorial mix: **Richard Duncan** continues with his *CoBBS* program development; veteran contributor **Dennis Weide** begins developing a CoCo burglar alarm; and, the newly-elected president of the national OS-9 Users Group, **Brian Lantz**, joins our "RainbowTech" staff. How's that for rounding out the year with a bang!

The new year has its own special beginnings for THE RAINBOW, too. We're pleased to announce that **William Barden, Jr.**, author of some 30 computer books, is adding new distinction to our eminent corps of contributing editors. No wonder we're in a mood for revelry around here.

Lastly, a gift idea of my own. I recently received a review copy of the revised and updated edition of **Alfred Glossbrenner's** excellent work, *The Complete Handbook of Personal Computer Communications*. I sincerely believe it lives up to its billing that it covers "Everything you need to go online with the world." At 552 pages, it's more than 200 pages longer than the original 200,000-copy bestseller, and I commend it to your attention. It is so filled with useful tips and solid information that our reviews editor, **Monica Dorth**, can't pry it out of my hands: hence, this mini-review. It is just what I needed to go online in RAINBOW's new Color Computer group on Delphi. Which brings me to my holiday invitation: Check our ad in this issue about free membership and free time on Delphi for RAINBOW subscribers, both old and new. We're bringing the CoCo Community closer together — and want you to join us!

— Jim Reed

COCO TIME

A monthly magazine on tape and disk

Now every month you can get 8-10 ready-to-run utilities, programming tips & hints, business applications, home management, tutorials, and educational programs. Also a Buy 'N Sell section and much, much more. **NO GAMES, ONLY REAL STUFF!**

Each issue shipped to you by first-class mail.

Programs written by computer wizards like Kishore M. Santwani and Gary T. Jes.

SUBSCRIBER BENEFITS

- Free advice/help on your Basic and ML programs, whenever possible.
- Free Buy 'N Sell ads on computers and software
- 10% off on all Microcom software/books
- Subscribers encouraged to submit programs for inclusion. (Contact us.)

EVERY YEAR YOU GET OVER \$1500 WORTH OF SOFTWARE. So Act Now!

PREMIERE ISSUE

(October 1985)

- Ram Disk (30K)
- CoCoDiskZap
- Memory Monitor
- Educational Hangman
- Basic Program Packer
- Tape Encryption (Basic)
- Disk Encryption (Basic)
- Basic Speedup Tutorial
- DMP (100/110/120) Graphics Dump

The market value of these programs is **OVER \$150, DOUBLE** the price of our annual subscription.

Subscription Rates (USA & Canada)

	Tape	Disk
1 Year	\$65	\$75
6 Months	\$40	\$50
Single	\$10	\$15

(Other countries add 25%)
Pay by VISA/MC/Check/MO

6-HOUR SHIPPING

(for all orders received between 8 A.M. to 4:30 P.M. EST)

UTILITY ROUTINES for the TANDY & TRS-80 COLOR COMPUTER (Vol. 1)



This powerful book for Basic and ML Programmers, includes program explanation, memory requirements, and an annotated source listing for the utility routines given below. These routines if bought individually will cost you **HUNDREDS OF DOLLARS.**

These are 100% Position Independent ML Utilities and require no ML programming knowledge.

COMMAND KEYS: Access most Basic commands with 2 keystrokes.

CURSOR STYLES: Create OVER 85000 Cursor Styles.

FULL LENGTH ERRORS: Get full length error messages.

KEY CLICKER: Ensure key input accuracy.

PAUSE CONTROL: Put Basic/most ML programs "on hold."

REPEAT KEY: Repeat ANY key, 5 different key speeds.

REVERSE VIDEO (Green and Red): Eliminate eye strain.

SPOOLER (16K, 32K, 64K): Don't wait for those printouts, 32K Spooling Buffer in 64K.

SUPER SCROLLER (64K Only): Save and examine everything that scrolls off the text screen.

AND MUCH, MUCH MORE!

Compatible with 16K/32K/64K ECB/Cassette and Disk Systems and CoCo I and CoCo II.

BOOK \$19.95

THESE ROUTINES (READY-TO-RUN) ON CASSETTE/DISK: \$24.95

BOTH BOOK & CASSETTE/DISK: \$36.95

DISK ANTI-PIRATE



(A Breakthrough in Disk Protection)
Your Only Weapon Against Software Piracy! Here is a chance for you to copy-protect your Basic and ML programs. **DISK ANTI-PIRATE** does much more than any other program in the market.

MIN. 16K ECB Disk System.

(Works with CoCoI and CoCoII)

Only \$59.95

HIDE-A-BASIC 1.1

(A Breakthrough in Cassette Protection)

AT LAST! A program that combines auto-start with complete protection of your valuable Basic programs.



WITH HIDE-A-BASIC 1.1 THERE IS PRACTICALLY NO WAY ANYONE CAN 'GET INTO' YOUR PROGRAM.

Buy Now & Protect your Profits.

For 16K ECB Cassette System.

Tape Only \$24.95

Buy BOTH for ONLY \$79.95

500 POKES, PEEKS 'N EXECs for the TRS-80 COLOR COMPUTER



NEVER BEFORE has this information of vital significance to a programmer been so readily available to everyone. This book will help you **'GET UNDERNEATH THE COVER'** of the color Computer and develop your own **HIGH-QUALITY** programs. **SO WHY WAIT?**

This book includes POKES, PEEKs, and EXECs to:

- Auto start our Basic programs.
 - Disable most Color Basic/ECB/Disk Basic commands.
 - Disable BREAK KEY, CLEAR KEY and RESET BUTTON.
 - Generate a Repeat-Key.
 - Merge two Basic programs.
 - Transfer Rompaks to tape (for 64K only).
 - Speed up your programs.
 - RESET, MOTOR ON/OFF from keyboard.
 - Restart your Basic program thru the RESET BUTTON.
 - Produce Key-Clicks and Error-Beeps.
 - Recover Basic programs lost by NEW, ?10 ERRORS and faulty RESET.
 - Set 23 different GRAPHIC/SEMIGRAPHIC modes.
 - Set 15 of the most commonly used Baud Rates.
 - Allow you more plays in 23 of your favorite arcade games.
 - **AND MUCH, MUCH MORE!**
- COMMANDS COMPATIBLE WITH 16K/32K/64K COLOR BASIC/ECB/DISK BASIC SYSTEMS and CoCoI and CoCoII.**
- ONLY \$16.95**

Basic Programming Tricks Revealed - \$14.95

Color Basic Unravelled - \$19.95

Extended Basic Unravelled - \$19.95

Disk Basic Unravelled - \$19.95

All 3 Unravelled Books - \$49.95

FACTS - \$14.95

Telewriter-64 CAS. \$49.95
DISK \$59.95

CoCo Max \$69.95
Y Cable for CoCo Max \$27.95

DISKETTES



5 1/4" SS/DD Diskettes with tearless sleeves, hub rings, write-protect tabs, and jackets.

Quantity	Price	Shipping
10	\$17.95	\$2.00
100	\$162.95	\$7.00

FREE!! CoCoDiskZap program (a \$24.95 value) on additional disk with purchase of 10 or more disks.
NO SHIPPING charges on disks if ordered with any other software.



MICROCOM SOFTWARE

P.O. Box 214
Fairport, N.Y. 14450
Phone (716) 223-1477

Our software/books are available at all leading dealers in USA & Canada. To Order: **Order by phone & get a \$2 refund for our phone call.** VISA, MC, Check, MO. Please add \$3.00 shipping and handling (USA & CANADA, other countries \$5.00). COD add \$2.50 extra. NYS residents please add Sales Tax. Call for discounts on bulk quantities. Dealer inquiries invited.



24-HOUR ORDER HOT LINE (7 DAYS A WEEK): (716) 223-1477

RUDOLPH

The Red-Nosed Reindeer

A tribute to "the most famous reindeer of all"

By Ellen and George Aftamonow



Christmas is a joyous, festive time of year, and a good time to sit back and let the CoCo display its colorful capabilities. In the tradition of the season, this feature uses "Rudolph the Red-Nosed Reindeer" as the background for a story-telling graphics and music program. Your computer's screen will present a series of graphics illustrations, which match the song's lyrics, while playing the famous holiday tune. *Rudolph the Red-Nosed Reindeer* takes advantage of the POKE 178 command, which allows a brilliantly colored screen that otherwise would not be possible.

While written on a 64K ECB computer, *Rudolph* should work on any ECB with 16K or greater. There is a speed-up POKE in Line 750. If your computer cannot handle the POKE 65495,0 command, it may be deleted without causing any appreciable effect on the animation portion of the program.

When the program first starts, you will see a large dot on your screen. This dot should be red. If not, press Reset and RUN until you get a red dot, or instead you'll have "Rudolph the Blue-Nosed Reindeer." □

(The Aftamonows are a husband and wife team of self-taught programmers who live in Milford, Conn. Ellen holds a degree in math and concentrates on the inner makeup of the program, while George comes up with the ideas and designs the graphics. Their combined efforts have resulted in the publication of several of their programs in computer magazines.)



VERSADRIVE

NEW 1 MEG 40-80 TRACK COLOR COMPUTER DISK DRIVE
STORES OVER 4 TIMES THE DATA OF THE STANDARD RADIO SHACK® DISK DRIVE
READY TO RUN ON ANY COLOR COMPUTER WITH EXTENDED BASIC CO CO DOS, OS9, JDOS AND FLEX

INTRODUCTORY OFFER

\$349.00 (Model CC801)

MAKE
THE
RIGHT MOVE



Model CC802 shown

- Each Drive Switchable 40 or 80 Tracks
- Reads 35 or 40 Track Radio Shack® Disks
- Four Surge Protected Outlets
- Operates with Radio Shack® or J&M controller
- Copies 40 and 80 Track with One Drive
- Protects Software and Controller Investment
- Serves as a heavy gauge monitor stand
- Large Capacity for Hard Disk Backup
- Drive Address switch selectable from front panel

CC801: Single 1 Meg Drive	\$349.00*	CC801-A: \$369.00*
CC802: Dual 1 Meg Drives	\$569.00*	CC802-A: \$589.00*
CC801-A1: Add on Drive for V1	\$250.00	CC801-AA: \$374.00*
J&M: JFD-CP Disk Cont w/JDOS	\$139.00	CC802-AA: \$594.00*
J&M: JFD-CO CO Disk Cont. w/JDOS	\$ 99.00	

*Price Includes:

Cable to Controller • Large Dual Drive Cabinet
Four Surge Protected Switch Controlled Outlets • Complete Instructions

INCREASE YOUR DATA STORAGE

Store over four times the data of a Standard Radio Shack® FD-501 disk drive with each Versadrive disk drive. Versadrive's quality features include a transformer power supply, gold connectors, surge protected duplex outlets that allow all your peripherals to be powered on and off with the Versadrive power switch, and a heavy gauge versatile all-metal cabinet with high spec components to provide trouble free operation.

The Model CC801 (single disk drive) can load and format disks with either 35 or 40 tracks, and copy your 35 or 40 track disks to 80 track, saving valuable disk space.

Versadrive requires a controller and is compatible with the standard Radio Shack® and J&M disk controllers. We highly recommend the J&M controller. Our experience has shown their gold contacts to be a real plus for reliability. You may order J&M controllers from us at a discount.

If you have a Radio Shack® disk drive or drives, they may be used with Versadrive by ordering our A or AA models. All models are shipped with complete instructions and necessary cables.

Protect your CPU, printer and other devices by using Versadrive's surge protected outlets and also enjoy the convenience of turning all your peripheral devices on and off with one switch. A quick glance at Versadrive's LED shows you the power status of all devices using Versadrive's outlets.

Versadrive will run on TRS 80, Models III & 4 as drives III and 4 in 40 track mode.

Performance Specifications 40 Track 80 Track

	Mode	Mode
Capacity (in bytes) Unformatted		
Per Disk	500,000	1,000,000
Per Surface	250,000	500,000
Per Track	6,250	6,250
Access Time		
Track to Track	6 msec	3 msec
Average	93 msec	94 msec
Settling Time	15 msec	15 msec

Order Toll Free
800-882-0004

In Massachusetts Call (617)-369-1175
or Send Payment with order to:

Carlisle Computer
26 Oak Knoll Road
Carlisle, MA 01741

MA residents add 5% sales tax



Visa & Mastercard Accepted
All Prices in U.S. Dollars



90	43
220	236
330	12
410	36
520	143
670	67
END	57

The listing: RUDDOLPH

```

1 'GEORGE & ELLEN AFTAMONOW
2 '46 HOWE ST.
3 'MILFORD, CT 06460
4 DIMS(1),R(100)
5 P1$="T303L8GAL4GEO4CO3AL2.GL8
GAGAL4GO4CO3L1B":P2$="L8O3FGL4FD
BAL2.GL8GAGAL4GAL1E":P3$="O3L8EF
L4EDBAL2.GL8GAGAL4GO4DL1C":P4$="
O2L4AAO3CO2AGEL2GL4FAGFL1E":P5$="
O2L4DEGABBL2BO3L4CCO2BAGL8FL2D"
6 R1$="R9U2E3U2 R4ENR4BL6NFLH2L
D2G2DG5 L9E3UE3UE2UEU2EU7 ER4EUH
3LHLHLHL2HL8G2D3F4R2FRFR5ERBU9 N
GR6FRBR3NGR5NFBR3UER5ER6"
7 R2$="ERERD5GDG2LG2L6D3GNDLHUN
UERNFBENU2L2NGBE2HLUE2R2ER2EREBL
12BD8 NE2D6FREDF2NL2RF2DGDND2GL3H
2UENEL2H4U6H3L3G3D2GD3FD2FDF4RFR
5F2R2E2REBLBH10 FDL5HUHN RUE3R2FD
4GL2H2ENEFREUNL2R"
8 HN$="U3H11L2H3RF2R2EU2FD4F2RE
D3F2R3FL2F3D4"
9 R$="NR2U8R5FD2GFD3L2U3HLND4BU
R2U2L2D2BR7BD5"
10 U$="NR4HU7R2D6R2U6R2D7GBR3"
11 D$="NR5U8BF2D4R2EU2HL2BH2R5F2
D4G2BR5"
12 O$="NR4HU6ER4FDBL2L2D4R2U4BR2
D5GBR3"
13 L$="NR6U8R2D6R4D2BR2"
14 P$="NR2U8R5BGL2D2R2U2BEFD2GL
3D4BR6"
15 H$="U8R2D3R2U3R2D8L2U3L2D3L2
"
16 ST$="U4NL2R2BR2BD4":SH$="U4B
R3D2NL3D2BR2":SE$="NR3U2NR2U2R3B
R2BD4":SR$="U2NRU2R3D2L2F2BR2":S
D$="NR2U4R2FD2GBR3":SN$="U4FDF2N
U4BR2":SU$="NU4R3NU4BR2":SL$="NU
4R3BR2"
17 SO$="BRNRHU2ERFD2GBR4":SS$="
NHREUL3UERFBR2BD3":SI$="NU4BR3":
SB$="BR6"
18 PMODE4,1:SCREEN1,1:PCLS:CIRC
LE(128,70),10,1:POKE178,1:PAINT(
128,70),,1
19 POKE178,3:DRAW"BM40,100S8;XS

```

```

R$;XSE$;XSS$;XSE$;XST$;XSB$;XSU$
;XSN$;XST$;XSI$;XSL$;XSB$;XSD$;X
SO$;XST$;XSB$;XSI$;XSS$;"
20 DRAW"BM36,120;XSR$;XSE$;XSD$
;XSB$;XST$;XSH$;XSE$;XSN$;XSB$;X
SH$;XSI$;XST$;XSB$;XSE$;XSN$;XST
$;XSE$;XSR$;"
21 EXEC44539
22 PMODE4,1:SCREEN1,1:PCLS
23 DRAW"BM108,110S8XR1$;XR2$;"
24 DRAW"BM127,50"+HN$:DRAW"BM14
3,50"+HN$
25 DRAW"BM20,150S16XR$;XU$;XD$;
XO$;XL$;XP$;XH$;"
26 DRAW"BM24,170S8XST$;XSH$;XSE
$;":DRAW"BM63,170XSR$;XSE$;XSD$;
":DRAW"BM102,170XSN$;XSO$;XSS$;X
SE$;XSD$;"
27 DRAW"BM164,170XSR$;XSE$;XSI$
;XSN$;XSD$;XSE$;XSE$;XSR$;"
28 POKE178,1
29 PAINT(23,143),,1:PAINT(62,14
7),,1:PAINT(102,144),,1:PAINT(13
8,146),,1:PAINT(172,146),,1:PAIN
T(188,146),,1:PAINT(220,146),,1
30 POKE178,3
31 PAINT(126,100),,1:PAINT(100,
60),,1:PAINT(164,54),,1:PAINT(1
34,84),,1:PAINT(138,68),1,1:PAIN
T(152,72),1,1
32 CIRCLE(155,66),2:CIRCLE(138,
66),1:CIRCLE(138,66),3:DRAW"BM16
0,90C0NL3GL2":POKE178,3:DRAW"BM1
60,90C0NL3GL2"
33 PLAY"XP1$;XP2$;"
34 POKE178,1:FORX=1TO6STEP2:CIR
CLE(159,83),X:NEXTX:POKE178,2
35 FORQ=1TO200:NEXTQ
36 SA$="ERFDNR4DGF2R2NF2G2NL4R6
NE2R4NH2R3EUBL3NL9UE3NFLG3L2H2NR
3HNR3NH4L2H2U2EREUNE2HNE2UHLU2R2
DREDGDENFR4FND3L3DNR3GNU2DNR2FG2
R4EUEL2DLUBFBRNHFR3NG2RDRFDL2HNE
GLUHNG3D2G2"
37 DR$="E4REUNR3NL10U2FR5E3H3NL
F3RDFGHL3FDG2URU2L5HLG2L2GLDL"
38 SD$="C8L2ULU6HE2U3H2U2EU3F2R
10EU3ELHLURNDENUL2H2R3FENR2U3E3B
R3G4D2RERDGD2DGD7G2D3F4DG4U2RE2H4
D3GD7FL2ULEU12G2L4HD2G3D6F2L"
39 SC$="NR5HUER2UNR4LU3RNR4U5NF
2HUERNF2EFR2U5L3D4L2HUER2UHU2BRB
D3R2E2U2H2ENULGDLULGRND2BUU2NU2R
5U2L3NL2ER3FDFR2F2GHEL4GRF3DFG5L
2DR5E3HG2L2E4D2F2ND4GDG2LNL7BD3N
L8ERNE2G2LD2NL5RD3L2NL4D3GL4HUER
2ULU5"
40 D1$="U5EU6H2URFUHL4BUR3F2UFR

```



Quick File

Managing Information Storage And Retrieval

OWL-WARE announces MISAR QUICK FILE

the Fastest, Easiest to Learn Data Base System Available for the Color Computer!!!

YOU CAN EASILY CREATE A FILE OF ANYTHING YOU WISH TO KEEP TRACK OF OR ORGANIZE. THE ONLY COCO DATA BASE WHICH ALLOWS RECORDS IN THE SAME DATA FILE TO HAVE DIFFERENT FORMATS. YOU MAY PUT ADDRESS FILES, APPOINTMENT FILES, MEMOS, COLLECTIONS, ETC. IN ONE FILE! EACH OF THESE MAY BE ORGANIZED WITH A DIFFERENT FORMAT. A COMPREHENSIVE MANUAL IS INCLUDED BUT THE DEMO FILE AND PROGRAM MENUS ARE SO CLEAR YOU CAN ALMOST DO WITHOUT IT.

YOU DONT NEED TO KNOW ANYTHING ABOUT DATA BASES TO QUICKLY AND EFFECTIVELY USE MISAR. This is a very easy to use, very compact and very fast filing system.

Example Using 300 Address Memos



MISAR	"BEST KNOWN COCO DATA BASE"
SORT: 2 1/4 min	210 min.
DISK FILE SIZE: 10 gran.	32 gran.

only... \$44.95



"WE BELIEVE THAT THIS PROGRAM IS SO GOOD AND EASY TO USE THAT WE DARE TO GIVE A...
15 DAY MONEY BACK GUARANTEE"

"TIGRESS"... The Winner of Compuserve's COCO SIG Graphics Programming Contest.
DRAWN USING MASTER ARTIST BY THE AUTHOR OF THE PROGRAM



- GET IT ALL IN ONE PROGRAM:
- * TOUCH-PAD INPUT
 - * X-PAD INPUT
 - * MOUSE INPUT
 - * JOYSTICK INPUT
 - * PRINT COMMAND
 - * TEXTURES
 - * "RUBBER STAMP" PRINTBRUSHES
 - * LETTERING IN ANY SIZE
 - * COLOR SCREEN DUMP TO INK-JET
- MASTER ARTIST (V.2.0) 29.95
64K disk 29.95


NEW

COLOR COMPUTER HARD DRIVE SYSTEMS

Disk Access is at Least... *5 Times Faster than Floppy Drives.*
Control up to 2 Drives. EACH with Continuous Massive Memory!!! Complete OS-9 Hard Drive System Includes... Software, Hard Drive, Controller and L.R. Tech Interface.

INTRODUCTORY PRICE...
\$495.5MEG \$649.10MEG
(19,500+ sectors) (39,100 sectors)

OWL-WARE is pleased to announce an exclusive arrangement to Distribute the L.R. TECH Hard Drive Interface and Software.



Interface & Software Only \$99.

NOTE: Interface is not Interrupt Driven Like Our Competition. Therefore, the System Clock does not Lose Time During Hard Drive Access.

INSTALL IN ANY SLOT OF MULTI-PAK OR USE Y CABLE.

DEALERS INQUIRES INVITED

OWL-WARE'S TOLL FREE ORDER LINE (800) 245-6228



DISK DRIVES

TECHNICAL ADVICE
(215) 682-6855

All Prices Include
Case and Power
Supply

DRIVE 0 \$209. \$239.

...Call for *SPECIAL PRICES* on Drive 0,1 Combos.

DRIVE 1 \$115. \$145.

Double
Sided
or
Double
Sided
Quad

NOW AVAILABLE !!!
SUPER-TROLL



OWL-WARE'S version of the Distro (CRC) Controller by Tony DiStefano. This has sockets for 4 ROM Chips. ...only \$5.00 additional with a Drive 0 System.

ADD ON OPTIONS:

CDOS	\$9.
Parallel Printer Port	\$20.
Real Time Clock	\$9.
80 Column Card	\$49.

Just Controller \$99. with RSDOS to \$195. with ALL options

All drives are new, direct drive, 40 track and 6 ms. We ship **FULLY TESTED and CERTIFIED DRIVES** at NO ADDED CHARGE!

EPSON and TEAC are known as the highest quality made.

STATE-OF-THE-ART
TECHNOLOGY

not Full-height belt-driven drives.

We have RSDOS, JDOS, OWL DOS, ADOS available on ROM. Call about Double Sided or Special Needs.

**TOLL FREE
ORDER LINE
(800) 245-6228**

Call for
LATEST
PRICES!!!



M.C. & VISA Accepted

OWL-WARE

P.O. Box 116-D
Mertztown, PA.
19539

PA Res. include 6% Tax
PA (215) 682-6855

See
Special
Bundled
Software
with
Disk Drive
Purchase!

**NEW!!!
OWL-WARE SOFTWARE
BUNDLE: DISK TUTORIAL
2 UTILITIES
2 GAMES**

DISK TUTOR

LEARN EVERYTHING ABOUT DISK BASIC FROM THIS MACHINE LANGUAGE PROGRAM. THE TUTOR TAKES YOU STEP BY STEP THROUGH THE LESSONS AND CORRECTS YOUR MISTAKES A MULTI-LESSON TUTORIAL THAT WILL GIVE YOU QUICK, PAINLESS KNOWLEDGE OF DISK BASIC (THIS PROFESSIONALLY WRITTEN TUTOR IS EASILY WORTH THE BUNDLE'S TOTAL PRICE).

OWL DOS

AN OPERATING SYSTEM THAT GIVES 25% FASTER DISK ACCESS AND ALLOWS USE OF DOUBLE SIDED DRIVES. CORRECTS FLOATING POINT NUMBER ERROR.

COPY-IT

QUICKLY COPIES SELECTED PROGRAMS FROM DISK. USE WILD CARD OPTION SEARCH TO SELECT GROUPS OF PROGRAMS FOR COPY (NOT FOR PROTECTED PROGRAMS)

2 GAMES

FROM A SELECTION OF GAMES WHICH HAVE SOLD FOR \$17.95 OR MORE.

**IF SOLD SEPARATELY OVER
\$125.00 WORTH OF SOFTWARE!!!**

only \$24.95!!!

(or even better)

**\$4.95 with
DISK DRIVE PURCHASE!!!**

**1 YR. WARRANTY
ON ALL ITEMS!!!**

```

BLDLURBRRDGL2FDFD2E5DLDG2DG2D4GF
2D4FL2U4H2GD4FL2U6EHR"
380 D2$="U2E2HU2NHR5E3U2NH2BR2NU
2G2RFRDL2G2RFR2F2D2G2L2H2U2EFUL
7F2G2FL2UE2H2DG3FL"
390 T1$="NR9EUEU13BR3UNEL2GL8GL3
HLH2LUE2R2ER5ER3FU3HLHL4HER2EHLH
LHR3ER5FR3FR4FDGFRFDG2R2FDL5H2LG
D2FR5FR4FRFDGL4GL2HL2H2D11FD3FRF
"
400 T2$="NR2U13HD2G2L3GL3GL4E2R2
ERE3REUL2GL2GLGL2ERUEREUR3E5L3G3
LGL2E6R2UE2UG3L2E5UG3LEUEUEUEUEU
EFD2FDF2L2H2DFDRF3RGL4FRFRF3L4
H2LHD2RFRF2RDRF3L2HLHL2HLHD2FRFR
2FRFRFRF2RFL8HL4HLNH2D11"
410 PMODE4,1:SCREEN1,1:PCLS
420 DRAW"BM50,150S8;XD1$;":DRAW"
BM90,160;XD2$;":PAINT(114,156),1
,1:POKE178,155:PAINT(52,146),,1:
PAINT(100,148),,1:POKE178,3
430 CIRCLE(160,140),10:CIRCLE(16
0,124),7:CIRCLE(160,114),4:PAINT
(160,138),1,1:PAINT(160,122),1,1
:PAINT(160,114),1,1
440 CIRCLE(158,114),1,0:CIRCLE(1
62,114),1,0:CIRCLE(160,122),1,0:
CIRCLE(160,126),1,0:CIRCLE(160,1
38),1,0:CIRCLE(160,142),1,0
450 DRAW"BM156,124H2L2H2BR18BDGL
G2NR5L3"
460 DRAW"BM154,110R2U3R2D3NL2R2"
470 DRAW"BM16,124S4;XT1$;":DRAW"
BM40,110;XT1$;":DRAW"BM186,120;X
T1$;":DRAW"BM210,174S8;XT2$;"
480 POKE178,2:PAINT(212,142),,1:
PAINT(188,100),,1:PAINT(18,100),
,1:PAINT(44,84),,1
490 FORQ=1TO20:X=RND(255):Y=RND(
90):CIRCLE(X,Y),1,1:NEXTQ
500 PLAY"XP1$;XP2$;"
510 FORX=1TO2:CIRCLE(71,126),X,1
:NEXTX
520 GET(67,124)-(73,130),S,G
530 Y=124:FORX=67TO156STEP2:PUT(
X,Y)-(X+6,Y+6),S,PSET:Y=Y-.5:NEX
TX
540 COLOR0:LINE(154,102)-(166,11
0),PSET,BF
550 FORQ=1TO200:NEXTQ

```

```

560 PCLS:PMODE3,1:SCREEN1,1:PCLS
1
570 COLOR6:LINE(0,0)-(255,78),PS
ET,BF
580 DRAW"BM81,140S8"+SD$:PAINT(9
0,112),8,8
590 DRAW"BM161,140S8XSC$;":PAINT
(178,100),7,8:PAINT(178,118),5,8
:PAINT(178,112),7,8:PAINT(178,12
4),7,8:PAINT(178,138),6,8:PAINT(
164,136),6,8
600 DRAW"BM104,86C6E":DRAW"BM96,
89S4C7HGFE"
610 DRAW"BM226,118C6"+T2$:DRAW"B
M30,180S8"+T2$:POKE178,1:PAINT(3
5,150),,6
620 FORX=1TO30:CIRCLE(RND(255),R
ND(80)),RND(2),1:NEXT
630 PLAY"XP4$;XP5$;"
640 PCLS:PMODE4,1:SCREEN1,1
650 DRAW"BM50,40S4"+DR$:DRAW"BM7
0,40"+DR$
660 DRAW"BM90,40"+DR$:DRAW"BM110
,40"+DR$
670 DRAW"BM24,34"+SA$:POKE178,1:
PAINT(32,38),,1:POKE178,3
680 DRAW"BM40,170S4C1;XT1$;":DRA
W"BM80,176;XT2$;":DRAW"BM116,180
;XT2$;"
690 DRAW"BM130,170;XT2$;":DRAW"B
M150,182;XT2$;"
700 DRAW"BM0,118S8E10RE6NE3F2EF3
E2NH5F12DF5R3FR8F2R2F2R3FR2":DRA
W"BM158,154R10FR5FR40H10LH2LH6G8
L2G2NG6H4LHLHG4LG5"
710 DRAW"BM198,170S4;XT2$;":DRAW
"BM216,166;XT2$;":DRAW"BM232,188
;XT2$;"
720 PAINT(38,84),1,1:POKE178,2:P
AINT(40,150),,1:PAINT(80,156),,1
:PAINT(130,150),,1:PAINT(232,168
),,1:PAINT(198,150),,1:PAINT(130
,134),,1:PAINT(232,152),,1:POKE1
78,3:PAINT(198,134),,1
730 FORQ=1TO30:X=RND(255):Y=RND(
100):PSET(X,Y):NEXTQ
740 PLAY"XP1$;XP3$;"
750 POKE65495,0:GET(20,22)-(130,
42),R,G:FORX=20TO140STEP2:PUT(X+
2,22)-(X+112,42),R,PSET:PLAY"T12
005BBB":NEXTX
760 FORZ=1TO56:GET(140,22)-(252,
42),R,G:PUT(142,22)-(254,42),R,P
SET:NEXTZ:POKE65494,0
770 PLAY"T302L4DGL8GAGF+L4EEEAL8
ABAGL4F+DDBL8BO3CO2BAL4GEL8DDL4E
AF+L1G"
780 GOTO780

```

See You AT
RAINBOWfest Palo Alto
Feb. 14-16, 1986

The Rainbow's

Holiday Shopping Guide

NEED A HOLIDAY GIFT FOR THAT SPECIAL COCO ENTHUSIAST?

We here at THE RAINBOW have taken special care to select some great Color Computer gift ideas. And we've brought them all together to help you through the maze of holiday shopping for the CoCo lover in your life.

There are many useful and just plain fun products in this special Holiday Shopping Guide — all of interest to CoCo owners — and we're sure there's at least one item (if not more) that's perfect for your gift-giving needs.

Here's one for the nimble-fingered, quick-witted game lover. *The Sailor Man* pits our hero against Bigfatbadguy for the heart of the fair Elsie. From Tom Mix Software, cassette \$29.95, disk \$34.95, requires 64K.



A must-have for any game-loving CoCo owner is a deluxe joystick. Pictured is the Mach II, available from Spectrum Projects, Inc., \$39.95.



For computer-aided education, Tandy Corporation offers many programs for use with the Electronic Book, such as *Solar Explorer*. The Electronic Book is available in Radio Shack stores nationwide, \$19.95. (See Steve Blyn's article on Page 30.)

Put a complete work station at your CoCo owner's fingertips with *DeskMate*, a comprehensive package of six applications, including word processing, spreadsheets and telecommunications. Available in Radio Shack stores nationwide, \$99.95, requires 64K and disk drive.





Here's an arcade game favorite for your favorite CoCo owner. *Marble Maze* needs a joystick and quick reflexes to guide a marble through a maze filled with monsters, acid-puddles and electric snakes. From Diecom Products, \$28.95, requires 64K.



Need a perfect gift for the "printer's devil"? *CoCo Calligrapher* allows your Gutenberg and his CoCo to produce typescripts for all occasions in a variety of fonts. Available from Sugar Software, cassette \$24.95, disk \$29.95.

This lucky CoCo 2 has a friend that's true blue To keep it cool While playing school It's REM's CoCo Cooler Too!

CoCo Cooler Too from REM Industries, Inc., \$44.95. *Count to 100* from CY-BURNET-ICS, \$29.95.



For CoCo enthusiasts with programming ambitions, there's hands-off ease with EARS from Speech Systems, \$99.95



Got a budding composer on your gift list? Give your music lover *Symphony 12* music synthesizer to make a CoCo sound like any of 10 preset instruments in 12 voices! From Speech Systems, \$79.95.



Shopping for a Simulations aficionado? *The Rainbow Book of Simulations* features award-winning programs, such as *Civil War*, which puts you in the role of Commander-in-Chief of the Confederate Army during the war between the states. Available from The Rainbow Bookshelf, book \$9.95, tape \$9.95.




The perfect gift for a chess-playing CoCo owner is *Cyrus World Class Chess*. This state-of-the-art program offers the challenge of tournament conditions as well as analysis options to help sharpen playing strategies. Available in Radio Shack stores nationwide, \$39.95.

For a neophyte Adventurer, there's *Adventure Starter*, which comes in a talking version to help introduce one to the wonderful world of Adventure games. Available from Owls Nest Software, \$17.95.



For the efficiency-minded CoCo owner, there's *Pro-Color-File* (enhanced Version 2.0), a serious database program that even boasts its own support group of satisfied users. Available from Derringer Software, \$59.95.



Shopping for a young astronomer? *Solar Explorer* shows and tells all the facts about the planets and moons in the Solar System. Available in Radio Shack stores nationwide, \$19.95, requires 32K and Electronic Book.

Pictured with the HJL-57 Keyboard are Amdek's Dual three-inch drives. Check the pages of THE RAINBOW for our advertisers offering these drives on sale.



Delight your CoCoist with the new JDOS drive system. Comes with cable and manual from J&M Systems, \$289.



A joystick-driven Adventure with hundreds of thrilling situations awaits your CoCoist in the illustrated chapters of *War of the Worlds*. Available from Triad Pictures Corp., package of three chapters, \$39.95, requires 64K and a Radio Shack-type joystick.



Just in time for holiday gift-giving — *The Second Rainbow Book of Adventures*. Twenty-four exciting Adventures await your CoCo-lot, such as the musical *Yellow Submarine*. Available from The Rainbow Bookshelf, book \$13.95, tape \$13.95.


Here's one gift suggestion we know will be a hit. Always useful, always welcome are diskette storage boxes, such as this one from Tandy Corp., available in Radio Shack stores nationwide, \$14.95.



Here's an Adventure with Hi-Res graphics complex enough to test the heartiest Adventurer on your list. *To Preserve Quandlc* involves parallel universes, time machines and mad scientists. On two disks from Prickly-Pear Software, requires 32K and disk drive, \$39.95.



Professor Chance takes the CoCo-Adventurer on a hazardous quest for the Great Secret of the Erebus Islands. The suspense is marvelous and the treasure glorious in *Ghana-Bwana*. Available from Radio Shack stores nationwide, disk \$29.95, requires 64K.



For the bold Adventurer in your life, there's *Trekboer* with the challenge to save all life on Earth from a deadly virus by combing the frontiers of space for a cure. From Mark Data Products, cassette \$24.95, disk \$27.95, requires 32K.



Here's a "family" grouping of products that will delight any CoCo owner.

The HJL-57 Keyboard is engineered for easy installation and comes with a one-year warranty, available from HJL Products, \$79.95.

Supporting a Gorilla Green Screen monitor, available from Spectrum Projects for \$99.95, is a 19-inch monitor stand from Howard Medical Computers, \$39.50.

To keep issues of THE RAINBOW neatly and conveniently at hand, there are THE RAINBOW binders, available from Faisoft, Inc., set of two \$13.50.

DISK
\$44.95

NEW

Introducing The "Super Smart"

DATA PACK II

NEW

TAPE
\$34.95

TERMINAL COMMUNICATIONS SOFTWARE

Also Supports The PBJ 80 Column "Word Pak", Deluxe RS-232 Pak, Parallel Printer Card and PBJ 2SP Pak

"FEATURES"

28-64x24
Hi-Resolution
Display

- No Lost Information When Using Hi-Resolution Display On Line
- ASCII Compatible File Format
- Full Text Buffering
- Terminal Baud Rates 300 to 9600
- Automatic Word Wrap Eliminates "soft" Words
- Full/Half Duplex
- Automatic File Capture
- Programmable Word Length, Parity and Stop Bits
- Save and Load Text Buffer and Program Key Buffers to Tape or Disk
- 9 Hi-Resolution Display Formats, 28 to 255 x 24
- True Upper/Lower Case Display
- RGB Graphics Option for an Extra \$60
- Supports Line Break

- Freeze Display and Review Information On Line
- Send Files Directly from Buffer or Disk
- Full Disk Support for Disk Version
- Send Control Codes from Keyboard
- Separate Printer Baud Rates 110-9600
- Display on Screen or Output Contents of Buffer to Printer
- Automatic Memory Sense 16-64K
- 9 Programmable Function Key Variable Length Macro Buffers
- Programmable Prompt Character or Delay to Send Next Line
- Programmable Control Character Trapping
- Programmable Open/Close Buffer Characters
- Automatic Key Repeat For Editing
- Program and Memory Status Displays

9 Unlimited
Variable Length
Macro Key Buffers

BUFFER
EDITOR
Insert, Delete
or Add
To Buffer

64K Support
Up To 55K
Text Buffer

"The Source"
has arrived!

Starship Falcon
Graphics Adventure Game

The Source brings the cost of Disassembler and Assembler Source code generation down to Earth.

Now you can Disassemble Color Computer machine language programs and generate beautiful Assembler Source Code for a fraction of the cost of other Disassembler/Source Generator programs.

The Source has all the features and functions you are looking for in a Disassembler.

- Automatic label generation
- Allows specifying PCB, FCC and FDB areas
- Disassembles programs directly from Disk
- Supports multiple origin disk files
- Output complete Disassembled listing with labels to the Printer, Screen or both
- Generates Assembler compatible source files directly to disk
- Generated source files are in standard ASCII format that can be edited by most word processors
- Built in Hex/Ascii dump/display to help locate PCB, FCC and FDB areas in a program
- Fast Disassembly mode for testing & checking PCB, FCC and FDB mapped areas
- Built in Disk Directory and RGB file commands
- Menu display with single key commands for smooth, easy, almost foolproof operation

Six months ago a terrorist group demanded to be designated the rulers of Alpha Sigma III, under the threat of world starvation on the planet Earth. The Federation denied their demands, so they released a biological weapon which has destroyed all known edible plant species from throughout the known galaxy. To date no plant life has been able to survive on Earth. Recently, Federation undercover agents have reported a story told by a roving space trader, of a planet with abundant edible plant life. These plants have a reputation of being able to survive in all climates and in fact, are supposed to grow at an incredible rate. The Federation is desperate! If Earth's food source is not replaced soon, the Federation will have to evacuate all animal and Human life. Your mission is to go to the planet Zephyr and obtain the seed of these plants and return to Earth. Several Federation agents have been sent to obtain the seeds and none has returned! Can you get the seed and survive??? GOOD LUCK!

32K Disk \$34.95

32K Disk \$21.95

HI - RES II
SCREEN UTILITY

NEW IMPROVED VERSION

- UP TO 85 CHARACTERS PER LINE READABILITY
- ADJUSTABLE AUTOMATIC KEY REPEAT
- PROTECT 1-23 SCREEN LINES
- CONTROL CODE KEYBOARD



- FULLY BASIC COMPATIBLE
- DISPLAY FORMATS OF 28 to 255 CHARACTERS PER LINE
- FULL 96 UPPER/LOWER CASE CHARACTERS
- MIXED GRAPHICS & TEXT OR SEPARATE GRAPHIC & TEXT SCREENS
- INDIVIDUAL CHARACTER HIGHLIGHTING
- REVERSE CHARACTER HIGHLIGHT MODE
- WRITTEN IN FAST MACHINE LANGUAGE
- AUTOMATIC RELOCATES TO TOP OF 16/32K
- AUTOMATICALLY SUPPORTS 64K OF RAM WITH RESET CONTROL
- REVERSE SCREEN
- ON SCREEN UNDERLINE
- DOUBLE SIZE CHARACTERS
- ERASE TO END OF LINE
- ERASE TO END OF SCREEN
- HOME CURSOR
- BELL TONE CHARACTER
- HOME CURSOR & CLEAR SCREEN
- REQUIRES ONLY 2K OF RAM
- COMPATIBLE WITH ALL TAPE & DISK SYSTEMS

\$24.95 TAPE **\$29.95** DISK

ALL ORDERS SHIPPED FROM STOCK
ADD \$2.50 POSTAGE

**CER
COMP**

5566 Ricochet Avenue Las Vegas, Nevada 89110

(702) 452-0632

Circle Reader Service card #335

Screen Enhancement Program Comparison Chart

PROGRAM FEATURES	HI-RES II NEW	HI-RES I OLD	BRAND X
Upper/Lower case characters	Yes	Yes	Yes
Mixed Text and Graphics	Yes	Yes	Yes
Separate Text & Graphics	Yes	Yes	No
Print all fully implemented	Yes	Yes	Yes
Print @ on all line lengths	Yes	Yes	51 only
Different line lengths	28 to 255 (9/28 to 216/30)	28 to 216 (9)	51 only (1)
Automatic Key Repeat	Yes	Yes	Yes
Adjustable Key Repeat	Yes	No	No
Auto Repeat Disable	Yes	No	No
Erase to end of line/screen	Yes	Yes	Yes
Home Cursor	Yes	Yes	Yes
Solid or Blinking Cursor	Yes	No	Yes
CLS command supported	Half/Blank	Half/Blank	Half/Blank
X,Y Coordinate Cursor	Yes	Yes	No
Positioning	Yes	Yes	No
Double Size Characters	Yes	Yes	No
Individual/Continuous	Yes	Yes	No
Highlighting	Yes	Yes	No
On Screen Underlining	Yes	Yes	No
Clear Key functional	Clear/L-Inv/Clr-Inv	Yes	No
16, 32 & 64K Supported	Yes	Yes	Yes
Green or Black Background	Yes	No	No
Color	Yes	No	No
Dual Character sets for Enhanced 64 and 95	Yes	No	No
Characters per line display	Yes	No	No
Protected Screen Lines (programmable)	1 to 23	No	No
Full Control Code Keyboard for Screen control directly from the keyboard	Yes	No	No
Programmable Tab Character Spacing	Yes	No	No
Full Screen Reverse Function Switch to & from the Standard 16 by 32 Screen for full compatibility	Yes	No	No
On Error Goto Function, Extended Basic Required	No	No	Yes
All Machine Language Programs	Yes	Yes	Yes
RAM Required in addition to Screen RAM	2K	2K	2K
Program Price (Tape)	\$24.95	\$19.95	\$29.95



VISA, MASTERCARD AND C.O.D. ACCEPTED

Working With The Electronic Book

Part 2

By Steve Blyn
Rainbow Contributing Editor

This month we present the second of a two-part series on Radio Shack's Electronic Learning Book. Last month, we described how to use this new peripheral; in this installment, we will demonstrate a practical educational application for it.

Just to review briefly, it is our contention that the Electronic Book is a wonderful idea and a pleasure to use with certain students. These include the preschool set and many physically disabled individuals. Both of these groups often have motor dexterity problems and find it difficult to use the computer's keyboard. The Electronic Book offers them an alternative means of entering data. It is also useful for those who thrive and learn best through a new medium.

It was difficult narrowing down to just one subject area to demonstrate the book's use. We feel that Radio Shack often makes the decision to direct their CoCo software almost exclusively to

(Steve Blyn teaches both exceptional and gifted children, holds two master's degrees and has won awards for the design of programs to aid the handicapped. He owns Computer Island and lives in Staten Island, N.Y.)

younger children. This decision has caused hoards of overpriced Apples and even TRS-80 Model IIIs to be purchased by middle school classrooms instead of the better and less expensive CoCo.

We felt on safe ground with an arithmetic program. The level chosen is two-digit addition examples. This is often taught in second and third grades. The



program can be altered fairly easily to a higher or lower level. Converting to a subtraction or multiplication program would similarly be a simple task. We will explain how to alter the program after discussing how it works.

Lines 110 and 120 tell the computer to check the right joystick port values, JOYSTK(0) and JOYSTK(1). These values are read in and altered by pres-

sure on the Electronic Book's surface. Lines 130-220 read the joystick values to determine if any of the numbers have been pressed. When a number is pressed, it is drawn by Line 250 and a tone is played on Line 260. Since the answers are all two digits, this process is repeated twice by the FOR/NEXT loop created by lines 80 and 300.

Line 310 checks to see whether the child's answer is correct. If correct, a happy tune is played. If incorrect, the real answer is converted to strings and drawn underneath the example by lines 320-370. A pause in the action occurs, then it goes back to Line 70 for the next example.

No scorecard is included in this program as we are concerned mainly with getting our user to become familiar and then comfortable with the apparatus. No timer or limit on the number of examples was included for the same reason. Please feel free to add any of these enhancements as you see fit for your own purposes.

This program can easily be converted to a different degree of difficulty. The numbers in the examples are randomly chosen on Line 640. 'Q' and 'S' are the 10's place digit values. 'R' and 'T' are the unit's place digit values. In our pro-



OWLS NEST SOFTWARE

'WE GIVE A HOOT'

CHRISTMAS IS COMING!

Put your computer to work on that Christmas card list. You will be done in a jiffy with our LABEL64 or LABELIII programs! While you're at it let us help with your gift list. An Owls Nest adventure makes an excellent gift.

LABEL64 - LABEL64 is a name and address file/print system that takes advantage of your 64K. You can develop and maintain a mailing list. Print lists or mailing labels in your choice of 1, 2, or 3 wide. Supports 3 or 4 line addresses with phone optional. You can sort by last name, first name, and/or zip code. You can work with up to 300 records in memory at a time. We include a second copy for back up at no additional charge. Take advantage of your 64K with LABEL64.
Cassette - 64K EXT Postpaid \$24.95

FILE64 - FILE64 is a data management system designed to take advantage of a 64K machine. You can create and maintain records on anything you choose. Recipes, coupons, household records, financial records - you name it. You create records containing up to five fields you define. You can search, sort, modify, add, delete, save on tape, display on the screen and print on a printer. The program could cost you much more and we include a back up copy at no additional charge.
Cassette - 64K EXT Postpaid \$24.95

SAVE \$\$ Take both our LABEL64 and FILE64 for only \$40.00 Postpaid. Don't miss this special offer!

ALCATRAZ ADVENTURE Our newest and we think most involved adventure. You have been unjustly imprisoned and sentenced to death. You must escape to prove your innocence. You will face many unique problems as you work on your goal. If you liked our BASHAN adventure you will love ALCATRAZ. Your adventure contains a large vocabulary and some unique features. This is a tough one recommended for advanced players.
32K EXT Postpaid Disk \$20.95 Cassette \$17.95

CUBE ADVENTURE - Cube is a non violent adventure for a minimum 16K EXT system. You must locate and enter the "CUBE" gathering treasures along the way. You will encounter some unique problems as you work on your goal. CUBE is an intermediate to hard adventure suitable for everyone.
16K EXT postpaid Disk \$20.95 Cassette \$17.95

GOOD NEWS FOR OUR FRIENDS FROM DOWN UNDER!

We are pleased to announce that our customers in Australia can now purchase our programs from our Australian distributor. This will avoid long shipping delays. Remit in Australian Dollars to COMPUTER HUT SOFTWARE 21 WILLIAMS St. BOWEN QLD. 4805 Phone (077) 862220

GOOD NEWS FOR OUR FRIENDS FROM UP NORTH!

Now our friends from Canada can purchase our programs direct from our Canadian distributor. Remit in Canadian dollars to KELLY SOFTWARE DIST. LTD. P.O. Box 11932 EDMONTON, ALBERTA T5J 3L1 (403) 421-8003

NOW LABELIII IS AVAILABLE ON DISK!

LABELIII - (Reviewed in Nov 83 Rainbow) With LABELIII you can develop and maintain a mailing list. Print lists or mailing labels in your choice of 1, 2, or 3 wide. Supports 3 or 4 line addresses with phone optional. Sort by last name, first name or zip code.
16K EXT Postpaid Disk \$21.95 Cassette \$19.95

FILEIII - Data management system. With FILEIII you can create and maintain records on anything you choose. Recipes, coupons, household records, financial records - you name it. You create records containing up to five fields that you define. You can search, sort, add, delete, modify, display on the screen or send to a printer. The program is user friendly and user proof. Prompting is extensive. A comparable program could cost you much more. This one is a bargain!
16K EXT Postpaid Disk \$21.95 Cassette \$19.95

PROGRAM FILE - (rev Oct 83 Rainbow) Organize your programs. With PROGRAM FILE you create a file of your computer programs. You can search, sort, add, modify, delete, save to tape and display on the screen or send to a printer.
16K EXT Postpaid Disk \$16.95 Cassette \$14.95

DATA MANAGEMENT PACKAGE - Save \$\$ Take the three above on disk or tape (specify) for only \$40.00 Postpaid

ESPIONAGE ISLAND ADVENTURE - (reviewed in June 84 Rainbow) You have been dropped off on an island by submarine. You must recover a top secret microfilm and signal the sub to pick you up. Problems abound in this 32K EXT adventure.
32K EXT Postpaid Disk \$20.95 Cassette \$17.95

FOUR MILE ISLAND - You are trapped in a disabled nuclear power plant. The reactor is running away. You must bring the reactor to a cold shutdown and prevent the "China Syndrome". Can you save the plant (and yourself)? It's not easy!
16K EXT Postpaid Disk \$20.95 Cassette \$17.95

KINGDOM OF BASHAN - Our flagship adventure. Bashan has a very large vocabulary and some unique features. You must enter BASHAN (not easy), gather the ten treasures of the ancient kingdom (even harder) and return to the starting point (harder yet). If you can score the maximum 200 points in BASHAN you are an expert!
32K EXT Postpaid Disk \$20.95 Cassette \$17.95

ADVENTURE COMBO Save \$\$ The three above adventures on three cassettes or one disk (specify) postpaid for only \$40.00

ATLANTIS ADVENTURE - This one is not easy - in fact we challenge you to complete it in 30 days. If you do we will send you any adventure we sell - postpaid - at absolutely no charge. You start on a disabled sub near the lost city of Atlantis. You must get the sub (and yourself) safely to the surface. Do you think Atlantians are friendly?
Postpaid 32K EXT Disk \$24.95 16K EXT Cassette \$21.95

ADVENTURE STARTER - Learn to play those adventures the painless way. You start with an easy adventure and move to an intermediate. Two complete separate non violent adventures plus hints and tips on adventuring in general. Finish this and you will be ready for ATLANTIS!
16K EXT Postpaid Disk \$20.95 Cassette \$17.95

C.O.D. orders please add 1.50
No Delay For Personal Checks
In a Hurry? Call (615) 238-9458

OWLS NEST SOFTWARE
P O BOX 579
COLTEWAH, TN 37363



gram, we arranged their random values so the sum of the two two-digit numbers does not exceed 98. This means we will always have a two-digit answer. You may change the level of difficulty by altering these values. You would, of course, also adjust the value of YY in Line 80 for the proper number of digits in the answer.

The program can easily be changed for other arithmetic operations. "AN" is the answer the program is looking for. It is computed on Line 660. The answer in our example is $AN = (Q*10)+R + (S*10)+T$. To change to a subtraction program, for example, change Line 660 to read $AN = ((Q*10)+R) - ((S*$

$10)+T)$. You should also be careful to keep the value of 'Q' larger than 'S' to avoid negative answers.

Last month, we challenged those readers who also have a Tandy 1000. Although not designed to work on the Tandy 1000, the Computer Island staff found the Electronic Book works fairly well on it. The joystick values are, of course, different. Our challenge was for you to determine those values. The answers are as follows:

AN = 1 if A = 26 and B = 10
 AN = 2 if A = 2 and B = 10
 AN = 3 if A = 17 and B = 11
 AN = 4 if A = 24 and B = 12

AN = 5 if A = 44 and B = 12
 AN = 6 if A = 65 and B = 12
 AN = 7 if A = 14 and B = 28
 AN = 8 if A = 14 and B = 3
 AN = 9 if A = 14 and B = 16
 AN = 10 if A = 14 and B = 24

The Tandy 1000 also uses the left rather than the right joystick port at the front of the computer. Joystick, incidentally, is called STICK on the Tandy 1000 rather than JOYSTK.

In conclusion, we feel the Electronic Learning Book can be a valuable educational aid to many. We hope we have helped to convince you to pursue this avenue and, also, that Radio Shack continues to support this device. □

```

190 .....27
410 .....168
END .....4
  
```

The listing: ADDITION

10 REM"ADDITION WITH THE ELECTRO
 NIC BOOK"
 20 REM"STEVE BLYN, COMPUTER ISLAN
 D, NY, 1985

```

30 DIM E$(10)
40 CLEAR2000
50 FY=RND(-TIMER):REM"RANDOMIZE"
60 GOSUB 400
70 GOSUB 590:RA=0
80 FOR YY= 1 TO 2
90 N=0
100 X=A:Y=B
110 A=JOYSTK(0)
120 B=JOYSTK(1)
130 IF A=63 AND B=0 THEN N=1:DB$
  =E$(1)
140 IF A=53 OR A=52 AND B=0 THEN
  N=2:DB$=E$(2)
150 IF A=41 OR A=42 AND B=0 THEN
  N=3:DB$=E$(3)
160 IF A=8 AND B=0 THEN N=4:DB$=
  E$(4)
170 IF A=19 AND B=0 THEN N=5:DB$
  =E$(5)
180 IF A=30 AND B=0 THEN N=6:DB$=E
  $(6)
190 IF A=0 AND B=63 THEN N=7:DB$
  =E$(7)
200 IF A=0 AND B=52 THEN N=8:DB$
  =E$(8)
210 IF A=0 AND B=40 THEN N=9:DB$
  =E$(9)
220 IF A=0 AND B=7 THEN N=10:DB$
  =E$(10)
230 IF N<1 THEN 110
240 IF RA=0 THEN RR=150 ELSE RR=
  130
250 DRAW"C7BM"+STR$(RR)+"",110"+D
  B$
260 PLAY"O4L8CDE"
270 IF RA=0 THEN GU=N:IF GU=10 T
  HEN GU=0
280 RA=1:GG=(N*10)+GU
290 REM"GG IS THE CHILD'S ANSWER
  "
  
```

LOWEST PRICES

64K UTILITIES

HI-BASIC—RUN your BASIC program from the upper 32K of RAM. This opens up the lower 32K for large amounts of data such as mailing lists, data bases, graphic arrays, etc.

MULTITASK—An interrupt-driven, multi-tasking utility. MULTITASK allows you to RUN two BASIC programs at the SAME time, or you can use the two 32K pages independently.

ROM-BOOT—Allows the user to access the full 64K RAM Map. After ROM to RAM transfer, you can POKE and PEEK data, LOAD M/L code into high RAM, and alter the ROMs.

SOFT-VID—Provides four different text screen formats. Green/Black or Orange/Red text in Normal or Reversed video.

TYPEAWAY—An interrupt-driven keyboard buffer which captures all of your keystrokes. Allows you to type ahead of your computer. Works with both line input and INKEYS.

VIDSPOOL—An interrupt-driven printer spooler that utilizes the 32K of RAM that is normally unavailable to the user. Gives maximum buffer space at no cost to BASIC.

DISK—One for \$14, Two or more for \$10 each.
CASS.—One for \$12, Two or more for \$8 each.

Terms: Cashier's checks and Money Orders for immediate delivery • Personal checks allow 2 weeks • Orders over \$100 save 10% • California residents add 6% Sales Tax • Orders under \$25 add \$2 shipping • U.S. C.O.D. orders add \$4

4418 E. Chapman Ave., Suite 284
 Orange, CA 92669
 (714) 639-4070



VIDTRON

FREE
 CATALOG


```

300 NEXT YY
310 IF GG=AN THEN PLAY"O3L20CDEF
GCDEFG":GOTO 380
320 REM"DRAW THE CORRECT ANSWER"
330 AN$=STR$(AN)
340 A2$=LEFT$(AN$,2):M=VAL(A2$)
350 A1$=RIGHT$(AN$,1):N=VAL(A1$)
:IF N=0 THEN N=10
360 DRAW"BM130,160"+E$(M)
370 DRAW"BM150,160"+E$(N)
380 FOR T=1 TO 3000:NEXT T
390 GOTO 70
400 REM"THE LETTERS AND NUMBERS
NEEDED ARE DRAWN HERE"
410 A$="BEHUNU2R4NU2DGL2BGBL6"
420 D$="BEHU2ER3D4L3BGBL6"
430 I$="BR2BUU4BU2BD7BL8"
440 N$="BUU4F4U4BG5BL5"
450 O$="BEHU2ER2FD2GL2BGBL6"
460 T$="BUR2NU4R2BDBL10"
470 E$(1)="BEHU2ER2FD2GL2BGBL6"
480 E$(1)="BE2NU3DEBFBGBL9"
490 E$(2)="BENR3HER3U2L4BG5BL"
500 E$(3)="BENR3HENR2HER3BG5BL5"
510 E$(4)="BENU4E3L4BG4BL2"
520 E$(5)="BER4U2L3HER3BG5BL5"
530 E$(6)="BU2FR2EU2NHGL2HER2BG5
BL4"

```

```

540 E$(7)="BUNR4UE3BG5BL4"
550 E$(8)="BER2EHEHL2GFNR2GFBGBL
6"
560 E$(9)="BER2EHL2GNFU2ER2FBG4B
L6"
570 SP$="BE4BUBG5BL5":'*SPACER
580 RETURN
590 PCLS:PMODE3,1:SCREEN1,1:PCLS
5
600 COLOR6:LINE(20,25)-(235,152)
,PSET,B
610 LINE(15,20)-(240,157),PSET,B
620 PAINT(17,22),7,6
630 DRAW"S12A2BM65,2"+A$+D$+D$+I
$+T$+I$+O$+N$
640 Q=RND(4):R=RND(9):S=RND(4):T
=RND(9)
650 REM"THE ANSWER"
660 AN=(Q*10)+R+(S*10)+T
670 DRAW"C6BM130,50"+E$(Q)
680 DRAW"BM150,50"+E$(R)
690 DRAW"BM130,80"+E$(S)
700 DRAW"BM150,80"+E$(T)
710 LINE(85,90)-(95,90),PSET:LIN
E(90,85)-(90,95),PSET
720 LINE(85,100)-(170,102),PSET,
BF
730 RETURN

```

PAYROL/BAS™

By Bernie Litton

A dynamic tool for businesses and accountants, PAYROL/BAS™ cuts checks and keeps records for companies up to 100 employees. All you need is a computer with 64K Extended Basic, one disk drive and a printer, and PAYROL/BAS™ lets you:

- **Enter employee data** (name, address, SS#, FICA, taxes, deductions, profit sharing, insurance).
- **Cut checks.** (The program works with both pin-feed and friction-feed printers and we can even supply the checks if you need them.)
- **Automatically calculates and stores** seven deductions, including federal, FICA, state, three of your choosing (such as city, profit sharing or insurance) and one miscellaneous.
- **Will calculate tax** and print to screen for approval before printing check.
- **Keep ledgers** (including monthly listings of all checks, gross income, FICA, taxes, profit sharing, insurance).
- **Error correcting routine** lets you change data if you have made a mistake.
- **Handles weekly, bi-weekly, semi-monthly and monthly** pay periods.
- **Calculates state tax** automatically.
- **Each state has custom code** included.
- **We have New York City withholding.** \$29.95/extra.

Only **\$79.95** (\$2 shpg)

OTHER PROGRAMS FROM HOWARD

SAP II STOCK ANALYSIS PROGRAM: Stores and tracks your stock portfolio's performance. A Howard exclusive! **\$19.95** (\$2 shpg)

EPSON PRINTER TUTORIAL: Menu driven program that teaches you how to use the different commands to unleash the full potential of your Epson printer. **\$29.95** (\$2 shpg)

BLOOD PRESSURE ANALYSIS: Studies show that daily tracking of blood pressure will actually lower it. **\$24.95** (\$2 shpg)

HOSPITAL GRADE BLOOD PRESSURE KIT: Includes adult cuff, aneroid, bladder, tubing and bulb, plus carrying case. 108-M **\$25** (\$2 shpg)

Both for **\$39.45** (\$2 shpg)

1-800-443-1444

VIP SERIES

VIP WRITER: Powerful word processing program has all standard word-processing features PLUS automatic justification, pagination, centering options, as well as Error Detection and Undo Mistake features. A "flawless" program, according to *Rainbow*. **\$68.88** (includes VIP Speller) (\$2 shpg)

VIP CALC: Create business spread sheets, get up to 33K of work space in 64K. Calculation functions include trigonometry and sorting. **\$68.88** (\$2 shpg)

VIP DATABASE: Stores data and files of all kinds and allows you to combine VIP Writer files as well. Do mailing lists, inventories, menus and recipes, and more! **\$56.88** (\$2 shpg)

VIP LIBRARY: Includes all of the above plus terminal & Disk-ZAP in one integrated package **\$125** (\$2 pkg)

WITH PAYROL/BAS™ YOU'LL ALSO WANT...

941 Program: Gives individual summaries and totals of check information to prepare 941 and state unemployment forms. **\$29.95** (\$2 shpg)

W-2 Program: To cut year-end W-2's. **\$29.95** (\$2 shpg)

Illinois residents add 8% tax. American Express, MasterCard, VISA accepted.

SEND TO: Howard Medical Computers
Box 2, Chicago IL 60690 312/278-1440

Name _____
Address _____
City, State, Zip _____
Please send (desc. & qty.—Ill. res. add 8% sales tax):



include card # _____

exp. date _____

DEALER INQUIRIES INVITED

RB1284a

The All-New Epson LX-80 Dual Mode Printer and J&M Controller

LOWER PRICES ★



New Dual Mode EPSON

The new Epson LX-80 offers printing flexibility in two modes: one mode allows you to print in a quick (100 cps) dot-matrix style for programming and graphics, and the Near Letter Quality mode (16 cps) produces precise (240 dots per inch), beautiful type for correspondence, reports, and similar purposes. The LX-80 offers 160 different type-style combinations, including Pica, Elite, Enlarged, Emphasized, Condensed, Subscripts and Superscripts, and type-styles can be selected quickly from the top control panel or from program control. Comes standard in friction feed; tractor option is also available.

LX-P package includes LX-80 with a serial interface with 2K buffer, a Color Computer to Epson cable, and Printer Tutorial that teaches you how to program the different type styles (\$29.95 value).

LX-P: LX-80 package \$317 (\$7 shpg)

ET-1 tractor option for LX-80, \$29.50.

SF-1 Single-sheet feeder for the LX-80, \$145 (\$7 shpg)

★ EPSON RX-80F/T+

RX-P package includes Epson RX-80F/T+ printer, Epson serial interface, a serial Color Computer to Epson cable, and free Printer Tutorial. \$255 (\$7 shpg)

MONITORS

123 Zenith 12" Green Screen, 640 dots x 200 dots resolution, 15 MHz band width. \$114 (\$7 shpg)

123A Zenith 12" Green Screen Special, \$67.50 (\$7 shpg)

122 Zenith 12" Amber Screen, 640 dots x 200 dots resolution, 15 MHz band width. \$134 (7 shpg)

131 Zenith 13" Color Monitor with speaker, composite & RGB jack, 240 dots x 200 dots resolution, 2.5 MHz band width. \$168 (\$14 shpg) *CLOSEOUT

141 Roland 13" Color Monitor with speaker, 270 dots x 200 dots resolution, 4MHz band width \$247 (\$12 shpg)

All monitors require video controller. Reverse video free with monitor order.

★ MEMORY

64K Upgrades—1 Year Warranty

64-E1 for E Boards with complete instructions. Remove old chips and replace with preassembled package—no soldering or trace cuts. \$28.45 (\$2 shpg)

64-F1 for F Boards. No soldering needed. Capacitor leads must be cut. \$24.45 (\$2 shpg)

64-2 for COCO 2. Kit requires one solder point, no trace cuts. \$24.45 (\$2 shpg)

CONTROLLERS

New Controller from J&M: Has switch that allows either JDOS or RS DOS to be the disk operating system; eliminates software compatibility problems, while preserving the advantages of J&M's gold contacts and data separator. Also added to the DC-2 is a parallel port, which means a serial interface is no longer needed to make a parallel printer (like the Epson) work.

★ DC-2 Disk Controller with JDOS \$128 (\$2 shpg)

RS-1: RS DOS ROM Chip. \$20.00 (\$2 shpg)

DC-1 Disk Controller reads and writes to 35 and 40 track single and double-sided drives for all models of the Color Computer w/ JDOS. \$128 (\$2 shpg)

VC-1 Video Interface mounts inside Color Computer by piggy-backing IC on top of interface—no soldering, no trace cuts. All models give composite video & sound. \$24.45 (\$2 shpg)

VC-2 for COCO 2—mono only. \$26.45 (\$2 shpg)

VC-3 for COCO 2—both color or monochrome. \$39.45 (\$2 shpg)

VC-4 for new Color Computer (no sockets, chips are soldered to mother board). Attaches with spring-loaded clips. Color or mono. \$39.45 (\$2 shpg)

THE OWL™

Make your Color Computer into the smartest, the most compatible, the most complete home computer on the market today. **THE OWL™** contains everything in the EJ-P package plus our 359,424 byte drive and cable, RS-1 ROM chip, and **BOTEK** serial to parallel converter.

OWL-P package \$665 (\$14 shpg)

HOWARD QUALITY STANDS



New TS-1X Monitor Stand: Designer-beautiful stand with clear corner posts, easy side access to ROM port, reset and on/off buttons. \$39.50 (\$3 shpg)

TS-1: Standard 13" monitor stand for the original Color Computer. Specify black, ivory or clear. 15" x 11" x 4". \$29.50 (\$3 shpg)

TS-2: Same as above for the COCO 2. \$29.50 (\$3 shpg)

PS-1X Printer Stand features new noise-suppressing foam top and cork base. 15" x 11" x 2 1/4". \$24.95 (\$3 shpg)

EPSON AND J&M

The EJ-P Package

The Epson LX-80 Printer teamed with our new J&M DC-2 Controller gives you top printing capabilities plus built-in switch gives JDOS or Radio Shack DOS so all software can run on your Color Computer. Package includes: Epson LX-80 Printer with ET-1 tractor; DC-2 controller; parallel Color Computers to J&M cable; Epson Printer Tutorial (\$29.95 value).

Complete EJ-P package \$425.00 (\$7 shpg)

GUARANTEE

Howard Medical's 30-day guarantee is meant to eliminate the uncertainty of dealing with a company through the mail. Once you receive our hardware, try it out; test it for compatibility. If you're not happy with it for any reason, return it in 30 days and we'll give you your money back—no questions asked.

*LIMITED QUANTITIES

1-800-443-1444 for orders					
Howard Medical Computers					
1690 Eiston, Chicago 60622					
Telephone (312) 278-1440 for questions Computer Bulletin Board (312) 278-9513					
Cat. No.	Quantity	Description	Unit cost	Cost	
_____	_____	_____	\$	\$	
_____	_____	_____	\$	\$	
_____	_____	_____	\$	\$	
My check or money order is enclosed. Send T.O.T.			<input type="checkbox"/> MC	<input type="checkbox"/> VISA	<input type="checkbox"/> RF
Credit Card # _____			Total Cost _____		
Expire date _____			Shipping _____		
Name _____			Ill res add 8% _____		
Address _____			COD (add 1.90) _____		
City, State, Zip _____			Total order \$ _____		



The Biggest

The Best



The Indispensable

The RAINBOW

It's called the premier Color Computer magazine for sportswomen. **THE RAINBOW** is the biggest, best, most practical and most colorful feminine publication in the CoCo land. Here, you'll find all the news, we get letters daily, primarily **THE RAINBOW** for the Indispensable and readable. A perfect guide for the Color Computer.

THE RAINBOW features more programs, more information, and more in-depth treatment of your daily Color Computer than anyone else.

A monthly magazine comes up to 200 pages and as much as two dozen programs. It requires nothing, and more than two dozen product reviews. And advertisements. **THE RAINBOW** is always available for advertising — which makes every month a hotbed of information, information anywhere else about new products, thousands of programs are advertised in the pages every month.

But what makes **THE RAINBOW** is its people. Friends like Fran Scario, who writes special programs of the editors of readers. Experts like Bob White and George Kott, and all the most knowledgeable writers on public communications like Dr. Maryn Day, who brings about telecommunications seminars. Or Dan Dowland, **RAINBOW** general editor, who receives our readers' local questions. Educators like Dr. Michael Piro and Steve Blyn who show how CoCo's can be used in home or school. Advanced programmers like Dale Pleasant, who guides you through the sophisticated OS-9 operating system. Showroom experts like Tony DiStefano, who explains the wonders of the CoCo. These people and many others, just get you monthly through columns available only in **THE RAINBOW**.

Every single issue of **THE RAINBOW** comes with more attention of interest by the Tandy Color Computer — from longform, features and articles devoted to telecommunications and software and finance to more helpful advice and if you're a beginner, projects make it easy and fun to expand your CoCo's capabilities. More than two dozen reviews, mostly by independent, fellow reviewers like the guestwork out of buying made software and hardware products.

Just the start of programs who know from **THE RAINBOW** to be the absolute necessity for your CoCo. Will all the going for it, it's subscription that more than 90 percent of **THE RAINBOW** subscribers renew their subscriptions!

Write today to get that a year from now, you'll be doing the same. For more information call (800) 525-5242.

Get Your Very Own Pot O' Gold!

Here's your chance to have a Pot O' Gold full of programs, articles and information about CoCo every month of the year! A subscription to **THE RAINBOW** is only \$31* and you won't miss a single chock-full issue.

As the premier magazine for the Tandy Color Computer, **THE RAINBOW** has more of everything — and greater variety, too. Do yourself and your CoCo a favor and subscribe to **THE RAINBOW** today!

We accept VISA, MasterCard and American Express. Non-U.S. rates higher. U.S. currency only, please.

YES! Sign me up for a year (12 issues) of **THE RAINBOW**.

NEW RENEW (Attach Label)

Name _____

Address _____

City _____ State _____ ZIP _____

Payment Enclosed (Payment must accompany order)

Charge: VISA MasterCard American Express

Account Number _____

Signature _____ Card Expiration Date _____

*Subscriptions to **THE RAINBOW** are \$31 a year in the United States. Canadian rate is \$38 U.S. funds. Surface rate elsewhere is \$68 U.S. funds. Air mail \$103 U.S. funds. All subscriptions begin with the current issue. Please allow up to 5-6 weeks for delivery. Kentucky residents add 5% sales tax.

Rainbow On Tape Tops Typing

Tired of spending all your valuable computer time typing in those long, but wonderful, **RAINBOW** programs each month? Now there is **RAINBOW ON TAPE** to help ease the pain.

Each month all the lengthy programs (over 20 lines) in **THE RAINBOW** can come to you ready-to-run, thanks to **RAINBOW ON TAPE**. At \$80* per year — or \$10 a tape** — it is the biggest bargain going. (Note: **RAINBOW ON TAPE** will not run on Dragon or MC-10 computers.)

Back issues are available beginning with April 1982 (except May 1983). Each month's tape will arrive at approximately the same time as that month's issue of **THE RAINBOW**.

YES! Sign me up: NEW RENEW (Attach Label)

A Full Year A Month (Specify Month & Year _____)

Name _____

Address _____

City _____ State _____ ZIP _____

Payment Enclosed (Payment must accompany order)

Charge: VISA MasterCard American Express

Account Number _____

Signature _____ Card Expiration Date _____

*Subscriptions to **RAINBOW ON TAPE** are \$80 in the United States, \$90 U.S. funds in Canada and \$105 U.S. funds in all other countries. In order to hold down non-editorial cost, we do not bill. Kentucky residents add 5% sales tax.

** Individual back issues of the tapes are \$10 in the United States, \$12 U.S. funds for Canada and all other countries.

What goes well with the *Rainbow*?



Rainbow On Tape!

We call it the other side of THE RAINBOW and we may have to raise the price just to call your attention to it. With as many as two dozen programs every month, *Rainbow On Tape* is a luxury service at a bargain basement price.

What is it? *Rainbow On Tape* is a monthly, cassette tape adjunct to THE RAINBOW and it's brimming with all the programs (those over 20 lines long) that fill the pages of the magazine. All you do is pop the cassette in your tape recorder and they're ready to run. No more lost weekends — or weeknights — typing, typing, typing. With *Rainbow On Tape*, you can read the article in the magazine then, in seconds, you load it up and run it.

Yes, *Rainbow On Tape* is brimming with the programs that fill THE RAINBOW's pages each month. And, yes, you could type them in yourself, as many people do. But all of them? Every month? There simply isn't enough time.

Isn't it time your CoCo became a fulltime computer instead of a typewriter? Think how your software library will grow. With your first year's subscription, you'll get almost 300 new programs: games, utilities, business programs, home applications — the full spectrum of THE RAINBOW's offerings without the specter of keying in page after page and then debugging.

Rainbow On Tape — the "meat" of THE RAINBOW at a price that's "small potatoes." Food for thought. To get your first heaping helping, just fill out and return the attached reply card. No postage necessary.

Discover the other side of THE RAINBOW. It's not only a time-saver, it's the key to a whole new outlook!

BUSINESS REPLY CARD

First Class

PERMIT No. 1

Prospect, KY

POSTAGE WILL BE PAID BY ADDRESSEE

RAINBOW

P.O. Box 385

Prospect, KY 40059



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY CARD

First Class

PERMIT No. 1

Prospect, KY

POSTAGE WILL BE PAID BY ADDRESSEE

RAINBOW

P.O. Box 385

Prospect, KY 40059



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES





64K EXT. BASIC 134⁹⁵

Color Computer II



KEYBOARD 34⁹⁵

Newest Color Computer II keyboard to fit your old style Color Computer I (silver or white case), TDP-100, and older CoCo II. Just drop in, no soldering or cutting necessary. Adaptor for 1982 and previous computer (D&E Boards) 12.95



Drive 1 89⁹⁵

Bare drive kit for upgrading the new R.S. Horizontal 3.5" High Drive II (26-3129) to a two drive system. Simple 3 minute installation. Instructions included to save 100.00!

Monitor Interface for above CoCo II 29.95 plus 7.50 installation (color & green compatible)



Drive 1 **115⁹⁵**

Your Choice
Silver or White

179⁹⁵ Drive 0

SUPER DRIVE SALE

Special prices on new first quality disk drives. They even have GOLD connectors on the back. . . Some other places charge 229.00 for dr. 1 and 299.00 for dr. 0, not us! Drive 1 is for mod I, Second Color Computer drive, or external mod III, IV. Drive 1 just plugs into the extra connector on your Drive 0 cable. Both drives are compatible with any version of the Color Computer and all versions of drives. Drive 0 is your first Color Computer drive and comes complete with cable, manual, and R.S. controller. For double-sided, add 45.00 (only for those who have DS-DOS, boards and knowledge) Bare Full Height drive SSDD only 79.95


THE COMPUTER CENTER

901-761-4565, 5512 Poplar, Memphis, TN 38119

Add \$4.90 for shipping and handling — Visa, MC & money orders accepted

Allow an additional 2 weeks for personal checks — Prices subject to change without notice.

CoCo Bells



Ringing out some traditional tunes of the season are these charming computerized chimes







By Joseph M. Urbas

Taking on a seasonal "note," this program is composed of five Christmas songs. Each note goes through a machine language routine that loops through a sound envelope to produce a bell sound.

There are 48 values in the sound envelope located at lines 180 and 190. These values may be changed to obtain sounds other than a bell tone, but to run the songs I've typed in, the values in lines 180 and 190, which are 162, 96, 74, 58, 34 and 0, must remain that value and in the same location. These values are what terminate the machine language

(Joe Urbas has two drives, cassette, modem, printer and a 64K Color Computer with ADOS. He lives in Cecil, Pa., and enjoys the computer as one of his hobbies.)

routine each time through. They are what equals the note length.

162	Eighth note	
96	Quarter note	
74	Dotted quarter note	
58	Half note	
34	Dotted half note	
0	Whole note	

Example: If a whole note is being played, the machine language routine continues till it reaches a '0' in the sound envelope. If a half note is being played, the machine language routine continues till it reaches a '58' in the sound envelope.

Lines 90-110: Turn on the digital-to-analog converter and output the sound to the television speaker.

Lines 120-170: The machine language routine that is poked into memory locations \$3600-\$365A to loop through a sound envelope poked in at memory locations \$365B-\$368A.

Lines 230-380: This is the menu, choice, direct to play and return to menu.

Lines 460-1340: Data is read and poked into memory locations \$368B and \$365A to be found by the machine language routine when the USR function is called.

Data is read and poked two per cycle, 'F', the note and 'D', the length of the note.

'F' — The Notes

22	25
29	31
35	40
45	48
55	62

Flats and sharps are between these values, 51, 42, 38, 33 and 27.

'D' — The Note Length

These are 162, 96, 74, 58, 34 and 0, as previously explained. However, you may change all of the values in the sound envelope in lines 180 and 190, but you must also change the note length value in the data line of your song to its own unique value.

The third value in Line 200 controls the speed that the song moves; it may be changed to whatever you prefer.

(Questions about *Christmas Songs* may be directed to the author at RD 1 Box 238, Winderest Dr., Cecil, PA 15321, phone 412-746-4537. Include an SASE when writing.)



180152
40061
560243
740151
8800
1050150
1200208
END77

The listing: XMASONGS

```

10 *****
20 * JOSEPH M. URBAS *
30 * 107 VINE STREET *
40 * CANONSBURG, PA. *
50 * 15317 *
60 * 412-746-4537 *
70 *****
80 GOTO 1340
90 POKE&HFF01, (PEEK(&HFF01)AND &
HF7)
100 POKE&HFF03, (PEEK(&HFF03)AND
&HF7)
110 POKE&HFF23, (PEEK(&HFF23)OR &
H08)
120 FOR X=&H3600 TO &H368F
130 READ Z: POKE X,Z
140 NEXT X
150 DATA 26,80,206,54,139,174,65
,191,54,88,174,67,166,159,54,88,
177,54,90,39,66,198,128,61,132,2
52,183,255,32
160 DATA 230,196,48,31,38,12,16,
190,54,88,49,33,16,191,54,88,174
,67,90,38,237,166,159,54,88,18,1
8,198,128,61

```

```

170 DATA 132,252,127,255,32,230,
196,48,31,38,12,16,190,54,88,49,
33,16,191,54,88,174,67,90,38,237
,32,181,57,0,0,0
180 DATA60,95,230,95,47,81,162,7
1,35,62,124,55,27,48,96,42,21,37
,74,33,17,29,58,26,13,23
190 DATA46,20,10,15,34,14,7,12,2
4,10,5,8,16,7,3,6,12,5,10,1,10,0
200 DATA 0,54,91,11,0
210 RESTORE
220 DEFUSR=&H3600
230 CLS
240 PRINT@68,"1. SILVER BELLS
250 PRINT@132,"2. THE FIRST NOEL
260 PRINT@196,"3. HARK! THE HERA
LD"
270 PRINT@234,"ANGELS SING"
280 PRINT@260,"4. O COME, ALL YE
FAITHFUL"
290 PRINT@324,"5. WE WISH YOU A
MERRY"
300 PRINT@362,"CHRISTMAS"
310 PRINT@423,"CHOOSE NUMBER?"
320 A$=INKEY$:IF A$="" THEN320
330 IF A$<CHR$(49) OR A$>CHR$(53
) THEN310
340 K=VAL(A$)
350 PRINT@437,K
360 ON K GOSUB 390,630,800,970,1
140
370 RESTORE
380 A$=INKEY$:GOTO310
390 *****SILVER BELLS*****
400 FOR W=1TO144
410 PRINT@0,W

```

CHRISTMAS SPECIALS

PROGRAM	SALE PRICE	SAVINGS
PRO-COLOR-FILE	\$49.95	\$10.00
PRO-COLOR-SERIES (ALL 3)	\$89.95	\$41.90
MASTER DESIGN	\$24.95	\$ 5.00
TELEGRAPHICS	\$17.95	\$ 7.00
SIDE WISE (RS-DOS)	\$17.95	\$ 7.00
SIDE WISE (OS2)	\$24.95	\$10.00
DYNAGRAPH	\$14.95	\$ 5.00
SIMON	\$17.95	\$ 7.00
DYNACALC + DYNAGRAPH + SIDE WISE	\$79.95	\$84.00
COCO MAX + TELEGRAPHICS	\$69.95	\$24.95
TELEWRITER + TELEGRAPHICS	\$58.95	\$24.95

Valid good November 15, 1985 thru January 15, 1986
No other discounts apply

PRO-COLOR-FILE

ENHANCED 2.0

© 1984 by Derringer Software, Inc.

\$59.95

The first serious database program available for the Color Disk System and, since its introduction in November 1982, it has remained the popular choice of the Color Computer user.

- 60 Data Fields for each record
- 1020 spaces available per record if needed
- Maximizes multiple drive operation
- 28 equation lines (+ - * /)
- IF-THEN-ELSE logic tests in equations
- Full Screen editing on up to 4 data entry screens
- Key click and auto key repeat
- Stores custom designed report formats
- Obtain totals, averages, or summaries for any field
- Output reports to printer, screen, or disk file
- Send data out to a DYNACALC compatible file
- Separate label generator for up to 10 across labels.
- Pre-define up to 16 indexes for searching/reporting file
- Sorts 750 records in under 5 minutes
- User defined selection menus
- Repeated tasks performed with one keystroke using SIMON*
- Comes with 75 pages of documentation in a 3 ring binder
- Supported by a national users group
- Full time programmer support
- Supplied on an unprotected disk
- Supports P.R.O. Systems 10 Meg hard drive (Specify)
- * SIMON included free with your order

PRO-COLOR-FORMS 2.0

© 1984 by Derringer Software, Inc.

PRO-COLOR-FORMS will access data files created with PRO-COLOR-FILE and merge them with a letter or place them on pre-printed forms.

• STORE UP TO 6 FORMATS • USER DEFINED PAGE SIZE • SUPPORTS SPECIAL PRINTER CONTROL CODES • RIGHT JUSTIFICATION • PASSWORD PROTECTION • MERGES WITH GRAPHICS FROM MASTER DESIGN OR TELEGRAPHICS •

You can use the built in ML text editor for creating the form or use your favorite word processor.

\$29⁹⁵

MASTER DESIGN

© 1984 by Derringer Software, Inc.

This graphics program does more for you than just hi-res graphic editing. It will generate lettering in hi-res graphics that can be different sizes, skinny, bold, textured, drop shadowed, raise shadowed or tall. It will also interface with the Telewriter-64 word processor for printing hi-res displays with your letters.

As a graphics editor, it takes full advantage of all the extended BASIC hi-res graphic commands. Create boxes, circles, lines, copy displays and utilize GET and PUT features. Some added commands include mirror reflection, turn displays backwards or upside down, Squish displays, create dot patterns for shading or diagonal lines for creative backgrounds.

Special text files created with the Letter Head Utility allow you to access hi-res graphics from Telewriter-64, your own BASIC programs or PRO-COLOR-FORMS.

Interfaces with all popular dot matrix printers that have dot addressable graphic ability.

See reviews in,
July '84 Rainbow, Oct. '84 Hot CoCo

\$29⁹⁵

SIMON

© 1984 by Derringer Software, Inc.

SIMON will "watch" you run through any BASIC program and keep track of every keystroke you make. The keystrokes can be saved in a disk file so the next time you want to perform the same procedure, SIMON will do it for you.

A custom menu can be created so that the press of one key will have SIMON run your BASIC program(s) and select the appropriate command file to use. You can even have SIMON pause at any input so that you can enter information that won't be the same each time.

SIMON is perfect for any type of reporting, file maintenance or any other program that requires a sequence of prompts to be answered each time it's used. Included free with PRO-COLOR-FILE.

Requirements: BAK Color Computer with Disk.

(Disk Only) **\$19⁹⁵**

PRO-COLOR-DIR

© 1984 by Derringer Software, Inc.

PRO-COLOR-DIR will read your directories and create a master data file that can be accessed by PRO-COLOR-FILE for sorting and reporting. 1000+ records can be stored on one diskette with valuable information about each program.

• DISK ID NAME • FILENAME/EXT • TYPE OF FILE • DATE CREATED • DATE UPDATED • NUMBER OF GRANS ALLOCATED • NUMBER OF SECTORS ALLOCATED AND USED • MACHINE LANGUAGE ADDRESSES •

You can obtain hard copies of the information and create labels of the filenames for placing on the diskette itself.

\$21⁹⁵

DYNAGRAPH

© 1984 by Derringer Software, Inc.

A Utility program for owners of DYNACALC™

DYNAGRAPH will transfer graphic files from DYNACALC to standard graphic files for further enhancing and labeling by graphic editing programs such as MASTER DESIGN, CoCo Max or Graphicom.

DYNAGRAPH can also reduce a graph vertically and horizontally so that multiple displays can be combined into one.

\$19⁹⁵

(Included FREE with DYNACALC™)

TELEGRAPHICS

© 1984 by Derringer Software, Inc.

PRINT HI-RES GRAPHICS WHILE USING TELEWRITER-64!

Use your CoCo Max, Graphicom or any other graphics editing program to create your own letter heads or sales charts and then print them while you're using Telewriter-64. It's the perfect way to add that personal touch to your correspondence.

Telegraphics interfaces with Radio Shack, Epson, Gemini, G-Itoh and Okidata printers having dot-addressable graphics. A simple modification to Telewriter-64 will allow you to exit Telewriter via the DISK I/O MENU and print out the graphic without affecting any of your text in the buffer.

This is the same feature that is included in our MASTER DESIGN program. Since we felt you don't need to buy two graphics editing programs, we have made this feature available at a reduced price.

\$24⁹⁵

Telewriter-64 + TELEGRAPHICS - \$64.95
(Save \$20)

CoCo Max + TELEGRAPHICS - \$74.95
(Save \$20)

ALL 3 PROGRAMS - \$129.90
(Save \$24.95)

(Available Only On Disk)

No Other Discounts Applicable

Buy all 3
in the
PRO-COLOR-SERIES

\$99⁹⁵

SIDEWISE

© 1984 by Derringer Software, Inc.

SIDEWISE makes your printer do something you never thought possible—print side ways! Print out an ASCII stored spreadsheet file that has up to 255 characters per row for easier viewing. No more hassles with trying to hold sheets together!

SIDEWISE will read in any ASCII text file and print it out side ways using a Radio Shack, Epson, Okidata, G-Itoh or Gemini printers having dot-graphics ability. SIDEWISE reads any ASCII file including BASIC programs and word processor files.

Add a new "twist" to your printer's capabilities!

(Disk Only) **\$24⁹⁵**

DYNACALC.

SPREAD SHEET FLEXIBILITY

Telewriter-64.
WORD PROCESSOR POWER

CoCo Max
GRAPHICS SUPERIOR

\$89⁹⁵

\$54⁹⁵

\$69⁹⁵

10 AM-5 PM EDT
Order by Phone
(803) 665-5676

Derringer Software, Inc.

P.O. Box 5300 - Florence, S.C. 29502-5300

Include \$3.00 for UPS Shipping - \$5.00 U.S. Mail - \$9.00 Air Mail
Checks, Money Order, VISA or MasterCard

```

42Ø READ Q
43Ø NEXT W
44Ø PRINTØ
45Ø FOR M=1TO148
46Ø READ F,D
47Ø POKE &H368B,F:POKE &H365A,D
48Ø A=USRØ(Ø)
49Ø NEXT M
50Ø DATA29,162,35,162,4Ø,96,48,9
6,29,162,35,162,4Ø,96,48,96,22,1
62,25,162,29,96,35,96,35,96,35,5
8
51Ø DATA25,162,29,162,31,96,4Ø,9
6,42,96,45,96,4Ø,74,45,162,45,96
,48,34
52Ø DATA29,162,35,162,4Ø,96,48,9
6,29,162,35,162,4Ø,96,48,96,22,1
62,25,162,29,96,35,96,35,96,35,5
8
53Ø DATA25,162,29,162,31,96,4Ø,9
6,42,96,45,96,4Ø,96,25,96,29,Ø
54Ø DATA48,162,45,162,4Ø,Ø,35,16
2,31,162,29,Ø,31,96,31,96,29,96,
25,58,29,162,31,162,29,96,4Ø,Ø
55Ø DATA48,162,45,162,4Ø,Ø,35,16
2,31,162,29,Ø,31,96,31,96,29,96,
25,96,29,96,31,96,29,Ø
56Ø DATA29,162,35,162,4Ø,96,48,9
6,29,162,35,162,4Ø,96,48,96,22,1
62,25,162,29,96,35,96,35,96,35,5
8
57Ø DATA25,162,29,162,31,96,4Ø,9
6,42,96,45,96,4Ø,74,45,162,45,96
,48,34
58Ø DATA29,162,35,162,4Ø,96,48,9
6,29,162,35,162,4Ø,96,48,96,22,1
62,25,162,29,96,35,96,35,96,35,5
8
59Ø DATA25,162,29,162,31,96,4Ø,9
6,42,96,45,96,4Ø,96,25,96,29,Ø
60Ø DATA48,162,45,162,4Ø,Ø,35,16
2,31,162,29,Ø,31,96,31,96,29,96,
25,58,29,162,31,162,29,96,4Ø,Ø
61Ø DATA48,162,45,162,4Ø,Ø,35,16
2,31,162,29,Ø,31,96,31,96,29,96,
25,96,29,96,31,96,29,Ø
62Ø RETURN
63Ø '*****THE FIRST NOEL*****
64Ø FOR W=1TO44Ø
65Ø PRINTØ,W
66Ø READ Q
67Ø NEXT W
68Ø PRINTØ
69Ø FOR M=1TO72
70Ø READ F,D
71Ø POKE&H368B,F:POKE&H365A,D
72Ø A=USRØ(Ø)
73Ø NEXT M

```

```

74Ø DATA48,162,55,162,62,74,55,1
62,48,162,45,162,4Ø,58,35,162,31
,162,29,96,31,96,35,96,4Ø,58,35,
162,31,162
75Ø DATA29,96,31,96,35,96,4Ø,96,
35,96,31,96,29,96,4Ø,96,45,96,48
,58,48,162,55,162,62,74,55,162,4
8,162,45,162
76Ø DATA4Ø,58,35,162,31,162,29,9
6,31,96,35,96,4Ø,58,35,162,31,16
2,29,96,31,96,35,96,4Ø,96,35,96,
31,96
77Ø DATA29,96,4Ø,96,45,96,48,58,
48,162,55,162,62,74,55,162,48,16
2,45,162,4Ø,58,29,162,31,162,35,
58,35,96
78Ø DATA4Ø,34,29,96,31,96,35,96,
4Ø,96,35,96,31,96,29,96,4Ø,96,45
,96,48,Ø
79Ø RETURN
80Ø '*HARK! THE HERALD ANGELS SI
NG*
81Ø FOR W=1TO584
82Ø PRINTØ,W
83Ø READ Q
84Ø NEXT W
85Ø PRINTØ
86Ø FOR M=1TO76
87Ø READ F,D
88Ø POKE&H368B,F:POKE&H365A,D
89Ø A=USRØ(Ø)
90Ø NEXT M
91Ø DATA62,96,45,96,45,74,48,162
,45,96,35,96,35,96,4Ø,96,29,96,2
9,96,29,74,33,162
92Ø DATA35,96,4Ø,96,35,58,61,96,
45,96,45,74,48,162,45,96,35,96,3
5,96,4Ø,96,29,96,4Ø,96,4Ø,74,48,
162
93Ø DATA48,96,55,96,62,58,29,96,
29,96,29,96,45,96,33,96,35,96,35
,96,4Ø,96,29,96,29,96,29,96,45,9
6
94Ø DATA33,96,35,96,35,96,4Ø,96,
25,96,25,96,25,74,29,162,33,96,3
5,96,33,58,4Ø,96,35,162,33,162,2
9,74,45,162,45,96,4Ø,96,35,58
95Ø DATA25,96,25,96,25,74,29,162
,33,96,35,96,33,58,4Ø,96,35,162,
33,162,29,74,45,162,45,96,4Ø,96,
45,Ø
96Ø RETURN
97Ø '**O COME, ALL YE FAITHFUL**
98Ø FOR W=1TO736
99Ø PRINTØ,W
100Ø READ Q
101Ø NEXT W
102Ø PRINTØ

```



Escape: 2012

by BJ Chambless

SCENARIO: You are on an alien prison ship behind the enemy lines, captured while on a recon mission for the United Earth Forces.

OBJECT: The same for any prisoner of war—to escape and return back to your side!

SETTING: In the year 2009 the Earth solar system was attacked by hostile forces from another solar system. The battle has raged for 3 years. Even with faster-than-light star ships and planet-covering force fields, the war remains a stalemate. Both sides use their spies, scouts, and ultimate weapons to gain an edge, but, as in any war, the turning point can be the actions of a few or even one person!

In this graphics adventure there are over 35 objects to deal with, 137 rooms arranged in a 3 dimensional maze of 4 levels to traverse, and at least 2 arcade sequences to master before you can proceed. The graphics and action are superb!

Requires 64K

Cassette \$24.95

Disk \$27.95



TREASURE of the aztecs



by John Sandberg

The year is 1520. After taking the emperor Montezuma hostage, Hernando Cortes storms Mexico City. Cortes conquers the Aztecs, but when the Spaniards search the fallen city the great Treasure of the Aztecs cannot be found!

As a greedy Spanish soldier under the Cortes, you take a small force to search the jungles in hopes of finding the missing treasure. While following a faint trail, your team is ambushed by Aztec warriors. Knocked unconscious during the battle, you awaken alone and disoriented. You must assume your men are dead and now face the relentless jungle alone; but your greed won't let you forget the Treasure of the Aztecs! Can you, a lone soldier, survive the perils of the jungle... and recover the great Treasure of the Aztecs?

Treasure of the Aztecs is unique, featuring special sound effect and four voice music, over 50 hires graphic screens, input with arrow keys or joystick, and allows use of the Radio Shack SSC Speech Cartridge!

Requires 64K

Cass \$24.95

Disk \$27.95



To Order:
Add \$2 shipping.

COMPUTERWARE®

Box 668 •
Encinitas, CA 92024
(619) 436-3512



Pro Golf

by John Sandberg

Are you ready to tee off into a challenging computer simulation of America's most played sport? WARNING!!! This is NOT a game, but a simulation that will make you work for your score! It offers practice sessions with the Putting Practice and Driving Range options. Then you must tee off to play either the front nine or back nine. You will face real situations with wind factor, lies in the rough or out-of-bounds, careful club choice decisions, coordination problems, trees and water and traps, and more! But do not despair, with practice you can certainly improve your score.

Pro Golf provides an entertaining challenge to the beginner and the pro with 2 disks with a total of 36 holes to practice on!

Requires 32K Disk & Extended Basic

\$29.95



OMNIVERSE

by Scott Cabit




During your research as a theoretical physicist, you discover a way to warp space and time, allowing you to pass from one dimension to another. By using these "gateways" you can go anywhere in the multidimensional universe! But during your travels through time and space, you uncover an alien plot to take over the entire omniverse by controlling networks of these gateways! You must be careful, but since you are the only person on Earth who knows about the gateways, you must find a way to save Earth! It isn't easy passing through the different dimensions—and you don't know when you may pass through an alien gateway!

Enjoy the graphics of the many different time periods and the suspense of this complex challenge! If you have the Radio Shack Speech and Sound Cartridge, it will even speak every word displayed!

Requires 64K

Cass \$24.95

Disk \$27.95



Call or write
for our FREE catalog!

NEW

CO-CO
64 K
DISC DRIVE

"House Doc"



Rx

TREAT ILLNESS AT HOME

MEDICAL PROGRAM DESIGNED BY
DARRELL WELLS, M.D., PhD.

CUT MEDICAL COSTS !

LEARN ABOUT DISEASES

- | | |
|----------------------|--------------------|
| Nose bleeds | Anxiety |
| Impotency | Sore throat |
| Emphysema | Sinusitis |
| Chest pain | Fatigue |
| Arthritis | Headache |
| Angina | Indigestion |
| Bronchitis | Vaginitis |
| Obesity | Gall bladder |
| Abdominal pain | Allergy |
| Nervousness | Blood pressure |
| Dizziness | Alzheimers disease |
| Coughing | Osteoporosis |
| Endometriosis | Anemia |
| Ulcers | Hot flashes |
| Urinary problem | Prostate gland |
| Shortness of breath | "PMS" |
| Varicose veins | Yeast vaginitis |
| Diarrhea | Depression |
| Constipation | Fibroids |
| Low sex drive | Painful periods |
| Low back pain | Hemorrhoids |
| Mental deterioration | Vaginal dryness |
| Diabetes | Arm or leg pain |
| Breast cysts | Heart failure |

— AND MUCH MORE —

Send \$59.95 To:
HOUSE DOC
58A Star Rt.
Coalmont, TN 37313
INFO: (615) 779-3862



For Your Health Software ©

```

1030 FOR M=1T062
1040 READ F,D
1050 POKE&H368B,F:POKE&H365A,D
1060 A=USR0(0)
1070 NEXT M
1080 DATA40,96,40,58,55,96,40,96
,35,58,55,58,31,96,35,96,31,96,2
9,96
1090 DATA31,58,35,96,40,96,40,58
,42,96,48,96,42,96,40,96,35,96,3
1,96,42,58,48,74,55,162
1100 DATA55,0,25,58,29,96,31,96,
29,58,31,58,35,96,31,96,40,96,35
,96
1110 DATA42,74,48,162,55,96,40,9
6,40,96,42,96,40,96,35,96,40,58,
55,96,31,96,31,96,35,96,31,96,29
,96
1120 DATA31,58,35,96,31,96,29,96
,31,96,35,96,40,96,42,58,40,96,2
9,96,31,58,35,74,40,162,40,0
1130 RETURN
1140 '*WE WISH YOU A MERRY CHRIS
TMAS*
1150 FOR W=1T0860
1160 PRINT0,W
1170 READ Q
1180 NEXT W
1190 PRINT0
1200 FOR M=1T082
1210 READ F,D
1220 POKE&H368B,F:POKE&H365A,D
1230 A=USR0(0)
1240 NEXT M
1250 DATA62,96,45,96,45,162,40,1
62,45,162,48,162,55,96,55,96,55,
96
1260 DATA40,96,40,162,35,162,40,
162,45,162,48,96,62,96,62,96,35,
96,35,162,33,162,35,162,40,162
1270 DATA45,96,55,96,62,162,62,1
62,55,96,40,96,48,96,45,58
1280 DATA62,96,45,96,45,96,45,96
,48,58,48,96,45,96,48,96,55,96,6
2,58,40,96
1290 DATA35,96,40,96,45,96,29,96
,62,96,62,162,62,162,55,96,40,96
,48,96,45,58
1300 DATA62,96,45,96,45,162,40,1
62,45,162,48,162,55,96,55,96,55,
96
1310 DATA40,96,40,162,35,162,40,
162,45,162,48,96,62,96,62,96,35,
96,35,162,33,162,35,162,40,162
1320 DATA45,96,55,96,62,162,62,1
62,55,96,40,96,48,96,45,0
1330 RETURN
1340 PCLEAR 3:GOTO 90

```

Personal Productivity Tools from



Computerware®



The Complete Electronic Organizer

by Warren Ulrich III

FREEFORM FILE DRAWER:

C.E.O.'s free-form data base keeps your important info a few keystrokes away. Just type in your notes (up to 4600 characters with a 48 character title line) the same way you'd jot them down on a scratch pad. Your notes will be neatly organized and saved for instant retrieval! The sophisticated keyword search can scan all of the titles for any occurrence of a given phrase, making it easy to find notes on any topic. And there's room for a lot of info—up to 479 entries can be stored on the data disk!

You can display or print any or all entries upon request. C.E.O.'s mini-formatter helps print it in easy-to-read style. Now you can keep track of clients, business notes, minutes of meetings, or "whatever" with ease!

MEMO PAD:

If you need to jot a note to yourself or someone else, just pull up C.E.O.'s convenient memo pad and type away! When you're done, save and/or print it as you see it! Use it for quick memos, business communications, or personal reminders. It's easy, quick, and organized!

REQUIREMENTS: \$49.95

64K and at least one disk drive are required. C.E.O. supports two drive operation when available.

With this desktop software your CoCo becomes your own personal administrative assistant. Load C.E.O. first thing each workday and everything you need is at your fingertips! Screens are shown in an easy-to-read 51x24 hires display with upper and lower case. The Macintosh-like icons (pictures for commands) make it simple and fun to be organized, efficient, and on time!

DATE BOOK:

You'll never miss an important occasion again! C.E.O.'s calendar stores an entire year's appointments. Each day has entries for one special occasion, one memo, and hourly notes for 8 am to 5 pm. You can display or print any daily schedule or a whole week at a time.

CALCULATOR:

A full four function calculator is at your fingertips!

CLOCK:

The accurate real-time software clock keeps date and time, beeps on every hour, and has a convenient alarm you can set to remind you of those important appointments. Let C.E.O. do your clock watching for you!

To Order

Add \$2 surface or \$5 air shipping. California residents add 6% sales tax. VISA and Mastercard welcome. Personal checks are held for bank clearance.

Call or Write to:
Computerware®
Box 982
Emeryville, CA 94604
(818) 438-3112

Ask for our complete catalog!
©1987 Computerware®
All rights reserved.

Personal Finance System



by Bill Chambers

Your CoCo is your personal book-keeper! Set a monthly budget, personal check of accounts, and then enter each transaction. PFS compares monthly expenses with your budget and prints personal finance reports. The investment gift loan module calculates details of financial transactions too!

32K Disk \$32.95

New Version!

CoCo Cookbook



by N. Manneville

CoCo Cookbook is more than just a recipe index! It is a free file format data base. Designed to store and retrieve a large number of recipes, each can last up to 2000 characters with title, ingredients, and instructions. To store other data just ignore the words recipe, etc. and enter whatever you want to store and retrieve! The powerful keyword search lets you find entries with any special word (an ingredient). A new, powerful binary feature will selectively copy recipes to a new database using the keyword search, helping you to organize your info easily and quickly! (This feature requires at least two drives.) Over 200 recipes are now included. These great dishes alone are worth the price!

32K Disk \$32.95

Merge 'n Mail

by Chris Ewing



Designed to maintain, merge, and print mail list information, it includes a mail merge feature that can insert your name and address info into letters created with your word processor. 64K Disk \$32.95



Flexi Filer

by Mike Loring

If you keep track of a lot of information—store it and retrieve it again and again—Flexi Filer makes it easy! With this comprehensive and flexible database system you can define your own file format and design your own reports. 32K Disk \$32.95

Don't Forget!



by Warren Ulrich III

With Don't Forget! you can record the anniversaries, birthdays, and daily appointments. Each day has a Special Occasion, 3 Memos, and hourly notes for 8 am-8 pm. Display or print any daily schedule—or a whole week. You'll remember every important event!

32K Disk \$32.95

DISTO

SUPER CONTROLLER



ONLY \$99.95 US



FEATURES:

- Gold contacts on all connectors.
- Shielded metal box for low RF noise.
- 4 28-pin sockets for software expandability.
- Uses 2764 or 27128 EPROMS.
- EPROMS are software selectable.
- Internal Mini-Expansion Bus interface for:
 - 80 Columns
 - Real Time Clock and/or
 - Parallel Printer or
 - EPROM Programmer or
 - User Projects.
- Complete Radio Shack compatibility.
- New technology, no adjustments needed.
- Very Accurate 16mhz High Speed Master Clock.
- Needs + 5 volts only, works on all COCOs or COCO IIs.

EXPANSION ADD-ONS:

There are currently four add-ons available from DISTO for this controller:

PPRINT

The first is a Centronics Compatible Parallel Printer adapter. This adapter will allow you to connect a Centronics compatible printer directly to your controller, leaving the serial port of your computer free for your modem. Printer driver software included.

RTIME

The second is a Real Time Clock. This is a clock chip that will keep the proper time, date and year. A small battery keeps the time when the Computer is off, retrieve and set the time by using simple Basic POKES. Also available with the Real Time Clock is the optional Centronics Compatible Parallel Printer adapter. Software to set the clock and printer driver included.

MPROM

The third is a Mini EPROM Programmer. Yes, a low cost programmer that attaches to the disk controller. A must for the DISTO Super Controller. Program those often used utilities into EPROM and plug them directly into your controller. Will program 2764's or 27128's, a perfect mate for the DISTO Super Controller.

DISPLAY80

The fourth is a real knock-out. This is a three in one card. It's major function is to add an 80* 24 display to your computer. A feature packed package also includes RTIME and PPRINT. All in one neat package that fits inside the controller. OS9 software available. Call for more information.

CREDITS:

The DISTO Super Controller, add-ons and all its documentation are conceived and designed by Tony Distelano. The DISTO Super Controller and add-ons are manufactured and distributed by: C.R.C. COMPUTER INC. 16802 Lajeunesse, Montreal, Quebec, Canada H3L 2E8 1-514-383-5293

*DISTO and CRC Computers are registered trade marks. The DISTO Super Controller and add-ons are copyrighted by DISTO.

Successful Organizational Factors For Integrating Computers In School

By Michael Plog, Ph.D.
Rainbow Contributing Editor

When we form a mental image of schools, we generally picture people and objects: students, teachers, administrators, books, chalk, desks, pencils, long hallways, or even playground equipment. The organizational factors of a school are much less visible, both in a mental image of remembered days of our own childhood and in observations of current school settings. Yet these organizational factors are extremely important to the process of educating. Books have been written and graduate courses offered in the approaches to organizational factors of educating.

Most schools are organized according to the preferences of community leaders. These preferences can vary dramatically from one community to another, and as much so within a community. The organization of a school district, including each building and classroom, determines how decisions are made, what activities are appropriate for classrooms, how spending priorities are established and a host of other characteristics that give schools their "flavor" as well as their day-to-day operational features.

(Michael Plog received his Ph. D. degree from the University of Illinois. He has taught social studies in high school, worked in a central office of a school district and currently is employed at the Illinois State Board of Education.)

School districts can be organized in such a way that decisions are "top down." The superintendent and a team of administrative experts make decisions about curriculum and experiences that are followed in all classrooms in the district. Some of these districts view the school as a "factory," with learning considered a manufactured product. Teachers are viewed as a cross between quality control specialists and line supervisors. Students are expected to complete the product (learn the assigned material) in an efficient, regulated manner and time span.

Other districts have more flexibility at the classroom level, so two classes in the same grade may appear vastly different from each other. Two different fourth grade teachers may have different class content and different expectations of students. This situation is accepted, even encouraged, by district administration.

Of course, there are an infinite number of variations between these two extremes. Most schools are a blend between flexibility and rigidity. Students can generally expect the same (or similar) curriculum if they move from one school to another.

Classrooms have a variety of organizational features, as do districts. I have heard of one teacher who has a "slow row." One row of student desks is reserved for students who do not perform as well as the other students in the class. (I personally find this distasteful

and insulting to students.) Some teachers organize the classroom so all students are doing exactly the same work at the same time. An opposite extreme type of organization may appear chaotic when first viewed. Desks and chairs may be placed in seemingly random order, with different students working on different assignments.

Researchers have examined the effects of school organization on all aspects of education. Findings from several sources relate school organizational features with positive student outcomes and positive teacher attitudes when using computer-based instruction. The way seats are arranged in class is determined by the type of organization in a school; the way computers are used for educational purposes is also determined by these organizational features.

There are several conditions associated with successful use of computer-assisted instruction. First, the school and classroom environment is considered. Flexible scheduling of students appears to be related with successful use of computers, as does individual student self-pacing. Computers are ideally designed for self-pacing of student learning. It is difficult to imagine successful implementation of computers in a school where all students are expected to be on the same page of the workbook at the same time.

Researchers also found that computers are more successful in schools if the

use is targeted with a specific group (e.g., handicapped, gifted, slow learners). This is not to say that all students will not demonstrate positive outcomes while using the computer. Trying to introduce computers to all students at the same time is less successful than concentrating on one group for one program. When introduced into a school, computers should be focused on a specific task, with a specific group of students.

Computers are more successful if the school environment provides opportunities for integrated use of hardware and software in a classroom setting, rather than a laboratory-type setting. This is not surprising, especially given the finding that computers are more successful when students set their own pace for learning and have a flexible schedule. A laboratory situation makes flexible scheduling difficult.

Students seem to produce more positive results when computers are available in their classrooms. One possible explanation for this finding is that students working with a computer in a classroom also have access to the teacher directing the lesson. In a laboratory setting, the teacher may not be knowledgeable about every computer lesson subject.

More positive student outcomes and teacher attitudes are related to the active support of computer use by the principal. Also, the computer tends to be more successful when principals view its role as instructional rather than administrative. In some settings, the role of the principal is primarily administrative — the job is to enforce and fulfill district policy and attend to administrative tasks. In other organizational settings, the principal is the instructional leader of the school. The

job in this case involves student contact and close interaction with teachers.

Factors other than classroom and school environment have been found to be related to successful use of computers in schools. The decision-making process is also important. More successful use is related to a more decentralized and flexible decision-making process, especially during implementation of educational computer uses, key teachers are crucial. If those key teachers have a role in the decisions made about implementation, then greater success is realized. Some of the decisions to be made by the teachers include courseware and, to a lesser extent, hardware. This is only reasonable. Teachers work harder to make students accept and achieve if they help select the courseware they will be teaching.

Finally, an important organizational feature of successful computer implementation is training. Teacher training in the use of the courseware packages before actual use in the classroom is very beneficial. Lessons are easily handled if the teacher is prepared. When both teachers and students are learning a particular courseware at the same time, confusion can be expected. This reduces the computer's benefit for students and teachers.

Another aspect of training is for the staff to provide the training. The most successful training is provided by people who are or have been in similar teaching situations. This finding does not decrease the importance of training by sales agents. There are times when a software package is unfamiliar to the staff, therefore training by sales agents, as well as the package developers, cannot be slighted.

Successful computer implementation

is also related to follow-up support for the instructional staff. Initial training may be important, but follow-up service helps ensure adequate use of the courseware. This might be especially important for a rather large package with several units of instruction included. The greater the number of components for a package, the greater the need for follow-up service.

Teachers who have had training in individualized instruction tend to produce better results than teachers without it. Since the computer works better in an individualized setting, training and familiarity with this technique is important for teachers.

If software producers take these findings to heart, we can expect some changes in courseware in the near future. It is logical to assume that future development will include comprehensive plans for implementation as part of the courseware. Also, we should expect more customization of software for local district curricula.

These findings only relate to computer-assisted instruction (CAI). We would expect similar findings if examining programs for computer-managed instruction (CMI). Unfortunately, those studies are not available at this time. We would also expect similar findings for packages related to other uses of computers in schools than just CAI or CMI.

While many factors are important in successful use of computers in schools, we should not overlook the organizational features of the school system. Any comments, thoughts or suggestions about these ideas are always welcome. If you want to share your thoughts, please write. My address is 829 Evergreen, Chatham, IL 62629. □

• TEMPERATURE MONITOR • MECHANICAL POSITION • LIGHT INTENSITY • SOUND LEVEL • DISTANCE • FREQUENCY

AUTOMATIC TESTING

SECURITY SYSTEMS

MEASUREMENT & CONTROL SYSTEMS

FOR THE POWERFUL 8800 BASED COLOR COMPUTER — FAST! ACCURATE! FLEXIBLE! AFFORDABLE!

ATM120 Data Acquisition and Control System • 12-Bit Analog-to-Digital Converter (2500) • Two Samples & Hold Circuit (Software Controllable Input Switch) • 32 Analog Input Channels with $\pm 5V$ Range • Compatible with MUX32 • Programmable Gain Amplifier • Two 8-Bit Digital-to-Analog Converters (Compatible with DAC08) • 4-Bit CMOS-Compatible Input-Output Port (Compatible with BCC32) • Real Time Clock-Calendar w/Battery Backup • Dual Power Supply with AC Adaptor Plug • Programmable Interrupts • Durable Plastic Enclosure • User's Manual • Powerful Control Software (Disk or Tape)	\$125.00
ATM80 Data Acquisition and Control System (ENHANCED) • 8-Bit Analog-to-Digital Converter with Speed of 2000 • 32 Analog Input Channels with $\pm 5V$ Range • Compatible with MUX32 • Programmable Gain Amplifier • Two 8-Bit Digital-to-Analog Converters (Compatible with DAC08) • 4-Bit VO Port (Compatible with BCC32) • Real Time Clock-Calendar w/Battery Backup • Dual Power Supply with AC Adaptor Plug • Programmable Interrupts • Durable Plastic Enclosure • User's Manual • Powerful Control Software (Disk or Tape)	\$250.00
CT100 Digital Control System • Two 8-Bit Input-Output Ports with Handshake Capability • TTL and CMOS Compatible • Compatible with BCC32 • Real Time Clock-Calendar w/Battery Backup • Powerful Control Software • Programmable Interrupts • Disk or Tape	\$150.00
BCC32 32-Bit Digital Expansion Board	\$125.00
MUX32 32-Channel Analog Expansion Board	\$115.00
DAC08 8-Channel Digital-to-Analog Expansion Board	\$150.00

Requires IBM or 64K Rapid Check Color Computer. Disk Systems Require Multi-Pak Interface.
 *Pay by Money Order, Cashier's Check or C.O.D. U.S. Funds or Fourstar®
 Personal Checks Allow 3 Weeks to Clear.
 *Radio Shack Color Computer and Multi-Pak are Trademarks of Tandy.
 *8800 is a Trademark of Motorola.

DEM Prices Available
Write for More Details

• ROBOTICS • CHEMICAL PROCESSING • POLLUTION CONTROL • WAVEFORM RECORDING • AIR PRESSURE •

**FROM THE PEOPLE THAT
BROUGHT YOU**



**COMPOSER
STEREO COMPOSER
MUSICA**

**STEREO PAK
MUSIC LIBRARY**

SYNTH 77 PLUS

MUSIC THEORY

SUPER SYNTH

PIANO KEYBOARD

COCO MIDI

MUSICA 2



COMES . . .

SYMPHONY 12™

A 12 VOICE POLYPHONIC STEREO MUSIC SYNTHESIZER

\$79.95

\$69.95 WHEN PURCHASED WITH MUSICA 2

\$59.95 WHEN PURCHASED WITH THE PIANO KEYBOARD

- 12 SIMULTANEOUS VOICES
- STEREO & MONO
- 4 NOISE GENERATORS
- SOUND EFFECTS
- PLAYS AND CREATES MUSICA 2 FILES



SUPER POLYPHONIC. Speech Systems is proud to bring you SYMPHONY 12, a polyphonic 12 voice hardware stereo music synthesizer for the Color Computer. SYMPHONY 12 also gives you 4 noise generators for percussion synthesis and sound effects. The PIANO KEYBOARD and MUSICA 2 (sold separately) turns your COCO into a real music machine with incredible flexibility.

STEREO and MONO. By connecting SYMPHONY 12 to your home stereo system, music is produced in stereo, 6 voices from each channel. However, you don't need to have a stereo system, all 12 voices also come out of your TV or monitor.

PICK AN INSTRUMENT. SYMPHONY 12 lets you choose from 10 preset instruments to synthesize chimes, violin, oboe, banjo, harpsichord, piano and more. You can even change instruments as the music plays.

SOUND EFFECTS. SYMPHONY 12 is a sophisticated sound generator. 12 voices and 4 noise generators give you incredible sound effect capability. We have included gun shot, explosion, racing car and more.

WATCH IT PLAY. As SYMPHONY 12 plays, a graphics display of a piano keyboard shows the notes playing. The display is entertaining as well as very educational.

PLAY MUSICA 2 FILES. Thousands of MUSICA 2 users will be excited to know SYMPHONY 12 plays all music developed using MUSICA 2 like you have never seen or heard it. In fact we highly recommend the use of MUSICA 2 as a composition development tool for SYMPHONY 12. Use MUSICA 2's superior graphics input capability and then play it through SYMPHONY 12. You can also take advantage of our MUSIC LIBRARY series (sold separately) to give you access to over 500 music pieces representing 20 hours of music.

ULTIMATE MUSIC DEVELOPMENT SYSTEM. SYMPHONY 12, MUSICA 2, and the PIANO KEYBOARD give you incredible flexibility. Imagine sitting down at the PIANO KEYBOARD, playing a piece and recording it as you play just as you would to a tape recorder. Save your masterpiece and then using MUSICA 2 edit it if you like and print it. If you have a MIDI synthesizer, you can take the music and play it using COCO MIDI (sold separately). Try that on an IBM, APPLE, or COMMODORE (good luck).

PIANO KEYBOARD. For those wishing to turn SYMPHONY 12 into a real polyphonic synthesizer we offer the extremely powerful and versatile PIANO KEYBOARD. The PIANO KEYBOARD was designed to be used in our entire music product line. You can use it with SYMPHONY 12, MUSICA 2, SYNTH 77 PLUS, and even our advanced speech synthesizer, SUPER VOICE.

When using MUSICA 2, you will be using 4 of the 12 voices available from SYMPHONY 12. To take advantage of the full 12 voice capability of SYMPHONY 12 you may use either the Color Computer's keyboard or the PIANO KEYBOARD.

Y-CABLE or MULTI-PAK. Tape users using both SYMPHONY 12 and the PIANO KEYBOARD will require a Y-CABLE. Disk users will require the Triple Y-Cable or MULTI-PAK.

SYMPHONY 12. You get over a dozen music and sound effect selections and complete documentation. Software is shipped on Tape or Disk.

OPTIONS
MUSIC LIBRARY (each volume) \$29.95
MUSICA 2 \$29.95
PIANO KEYBOARD 2½ octave \$79.95
PIANO KEYBOARD 4 octave \$119.95



Dealer Inquiries Invited



Speech Systems

38W 255 DEERPATH ROAD
BATAVIA, ILLINOIS 60510
(312) 879-6880 (VOICE)

1 MEGABYTE COLORAMA (312) 879-6811 (24 HR. BBS)

CALL ANY DAY TO ORDER. ALSO ORDER BY MAIL OR BBS.

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.
Shipping and handling US and Canada \$3.00
Shipping and handling outside the US and Canada \$5.00
COD charge \$2.00
Illinois residents add 6% sales tax

AWESOME **STEREO PAK™** **\$39.95**

Plug this gem into your computer, connect to your home stereo system and sit back and enjoy music realism. The STEREO PAK is a hardware music synthesizer that plays our MUSIC LIBRARY series and MUSICA 2 music in stereo. Because it was designed specifically with music reproduction in mind, the sound is superb. The highs are crisp and clear while the bass notes will rattle your walls. Internally we use two high performance 8 bit digital to analog converters to assure fidelity.

The STEREO PAK is all hardware. It is intended as an enhancement for MUSICA 2 and our MUSIC LIBRARY series. Disk users will require our Y-CABLE or a MULTI-PAK.



NEW **COCO MIDI™** **\$39.95**
Tape or Disk

Now your COCO can talk to your MIDI music synthesizer. Whether you have a Korg, Roland, Casio, or Yamaha, it doesn't matter as long as it's MIDI equipped.

COCO MIDI takes any MUSICA 2 music file and plays it through your music synthesizer. We offer you over 500 tunes from our MUSIC LIBRARY series (sold separately) or create your own music using the best music composition program available, MUSICA 2 (sold separately).

COCO MIDI includes: documentation, plenty of music, and the cable to connect between the COCO and your synthesizer.



20 HOURS OF MUSIC **MUSIC LIBRARY™** **\$29.95**
Tape or Disk

The MUSIC LIBRARY series consists of 5 volumes: 100, 200, 300, 400, and 500 each sold separately. Each contains over 100 four voice music selections with a playing time of over 3 hours each. The disk version is shipped on 5 full disks. When coupled with the STEREO PAK, the music is reproduced with unsurpassed realism.

A JUKEBOX program is included to allow you to select specific songs or automatically play each. These songs are ready to go, you don't need MUSICA 2 or a knowledge of music. MUSICA 2 users may customize each song. Requires minimum of 32K.

MUSIC LIBRARY 100

Stage, Screen, & TV	Classical
Music of the 70's	Christmas (popular)
Music of the 60's	Christmas (traditional)
Music of the 50's	Patriotic
Old Time Favorites	Polka Party

MUSIC LIBRARY 200 (another 100 selections)
MUSIC LIBRARY 300 (another 100 selections)
MUSIC LIBRARY 400 (another 100 selections)
MUSIC LIBRARY 500 (another 100 selections)

Each volume sold separately, specify tape or disk.

SAVE \$50!

Write for complete list.
ALL 500 \$99.95

CHRISTMAS FANTASIA **\$19.95**
Tape or Disk



Christmas Fantasia is a collection of traditional Christmas music combined with beautiful high resolution Christmas scenes. Christmas Fantasia picks one of more than a dozen Christmas scenes and music selections from tape or disk, displays the picture and plays the music. Upon completion, another scene and piece of music is loaded and played. The Christmas scenes are beautiful. One shows a chapel nestled in a valley with **snow actually falling**. The low price is our way of saying "SEASONS GREETINGS" from Speech Systems. 64K required.

FOR
MUSICA 2
SUPER VOICE
SYMPHONY 12
SYNTH 77

PIANO KEYBOARD



Now you can really play your Color Computer and pick any or all 4 instruments: MUSICA 2, SYNTH 77 PLUS, SUPER VOICE, and the ultimate SYMPHONY 12.

MUSICA 2 users can use the PIANO KEYBOARD as an easy method to input music. Version 2.7 is required. Previous users may obtain an update by returning original tape or disk with \$7.00.

SYNTH 77 PLUS turns your COCO into a music synthesizer without any additional hardware. You specify Vibrato, Bender, Volume, as well as Attack, Decay, Sustain, and Release (ADSR).

SUPER VOICE, COCO's most advanced speech synthesizer becomes a music synthesizer when connected to the PIANO KEYBOARD.

SYMPHONY 12 and the PIANO KEYBOARD gives you a professional 12 voice music synthesizer.

These Piano Keyboards are not toys. They are the same style, shape, size, and feel as professional synthesizer keyboards. Disk owners must use a Y-CABLE or MULTI-PACK.

2 1/2 octave (32 note) \$79.95 4 octave (49 note) \$119.95

MUSICA 2 \$29.95

Tape or Disk

- When in stereo mode, music is played through our STEREO PAK (purchased separately).
- Loudness of each voice may be individually specified.
- Memory available is constantly displayed.
- Voice waveshapes may be exchanged between voices at any point.
- Tempo may be specified and may even be altered as the music plays.
- Flats and sharps supported.
- Billions of timbre combinations.
- High resolution graphic display, looks just like sheet music.
- MUSICA 2 is 100% software, no need for hardware unless you want music produced in STEREO. In that case, the STEREO PAK may be purchased separately. It's a must for the audiophile!
- Repeat bars allow repeating of music without re-inserting music a second or third time.
- 30 page manual describes all.
- Requires minimum of 64K.



• Output music to your printer (Gemini 10X, Epson, R.S. printers).



- Allows you to specify key signature.
- Voice timbre (waveshape) may be altered by specifying harmonic content just like stops on an organ.
- During editing, voice being inserted is displayed.
- Each measure is numbered for easy reading of music.
- Measure bars aid in reading and developing music.
- Each voice may be visually highlighted for easy identification.
- 4 Voices produced simultaneously.
- Input notes from Coco keyboard, joystick, or Piano Keyboard.
- Play music from your own BASIC program.
- Block copy music for easy music development.
- 100% machine language so it is lightning fast.
- Vibrato effect easily produced.
- With STEREO PAK, voices may be switched between left and right speakers as music plays.
- Durations include: whole, half, quarter, eighth, sixteenth, thirty-second, sixty-fourth, and triplet.

MUSIC THEORY

An advanced music course that covers Major and Harmonic Minor scales, interval spelling, Triad (Chord) theory, Inversions, Dominant 7th chords, and interval ear training. Format of the course includes drill and practice sessions, a scorecard to measure progress, graphics and sound output, and a reviewing session.

32K Disk only \$49.95

'HOME COMMANDER'

The HOME COMMANDER easily connects to the cassette port of your Color Computer and lets you control appliances in your home.

NO WIRES NECESSARY

The HOME COMMANDER uses your home's existing electrical wiring to control virtually anything. Appliances are controlled via small control modules available at your local SEARS or Radio Shack store.

**ON FRIDAY 7:42 PM, OFF
SUNDAY 1:26 AM**

Included FREE is a program to allow you to control up to 256 devices and specify the time and date they are to be activated. That's right, the software has its own built in accurate clock.



\$59.95

VOICE CONTROL
APPLIANCES
WITH EARS

Imagine controlling a light or TV with your voice. When used with our Electronic Audio Recognition System, EARS, you can literally control any appliance.

PLUG'N POWER USERS

If you were disappointed in the software that came with the Radio Shack PLUG'N POWER unit, and you probably were, we'll offer you our powerful software separately. An early version is described in the Feb., April, June, and August 1983 issues of RAINBOW. Our current version is even better. **\$19.95**
PLUG'N POWER is a trademark of Radio Shack®

PRECISION TIME MODULE \$59.95

— INCLUDES OS9 DRIVER —



Now your computer will always know the correct time and date. This amazing precision time module is calibrated to the National Bureau of Standards (WWV) atomic clock and you should never have to change it.

Use the PRECISION TIME MODULE to add the time element to your games or use on BBS. If you like, purchase separately our BBS.

COLORAMA BBS (64 K, 1 drive minimum) \$99.95

BATTERY BACKUP

Even when your computer is off, the clock keeps correct time by operating using the internal battery backup system.

THE
TIMEPIECE
FOR THE
COLORAMA
BBS

FREE
TALKING CLOCK
PROGRAM
requires VOICE,
SUPER VOICE,
or
SPEECH & SOUND PAK

MONTHS, LEAP YEARS & DST

The PRECISION TIME MODULE automatically adjusts for the different number of days in each month as well as leap years. And believe it or not, it adjusts for DST so you don't have to remember if it's SPRING FORWARD or FALL FORWARD.

Y-CABLE \$28.95

Why pay \$100 to \$200 for a multi-pak. With the Y-CABLE, you can connect your disk system to your computer along with either our STEREO PAK music synthesizer, our VOICE, SUPER VOICE speech synthesizers, or our PRECISION TIME MODULE. All connectors gold plated.

TRIPLE Y \$34.95

We developed the Triple Y-Cable specifically for those interested in both speech synthesis and speech recognition. The Triple Y-Cable lets you connect EARS and SUPER VOICE to your color computer along with your disk system.



NEW! ATTENTION EXPERIMENTERS!

Need an
SC-01? **\$29.00**



Interested in building your own project? Our oversized board gives plenty of room for construction while the sturdy aluminum case with black satin finish assures protection and a professional appearance.

Prototype Board only **\$19.95**
Prototype Enclosure only **\$19.95**
Buy both for **\$29.95**

Advanced
Speech
Chip
SSI-263
(SC-02)
\$34.95

Disks (any quantity) **\$1.49**
Tape C-10, C-20 **\$0.69**
Hard Tape Box **\$0.29**
6821 **\$2.95**
74LS138 **\$0.79**
7407 **\$0.79**
IC sockets 14, 16, 22 pin **\$0.29**
IC sockets 24, 28, 40 **\$0.39**

FREE
BLANK DISK
OR TAPE
WITH EVERY
ORDER



Dealer Inquiries
Invited



Speech Systems


**38W 255 DEERPATH ROAD
BATAVIA, ILLINOIS 60510
(312) 879-6880 (VOICE)**

**1 MEGABYTE
COLORAMA (312) 879-6811 (24 HR. BBS)**

CALL ANY DAY TO ORDER, ALSO ORDER BY MAIL OR BBS.

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.
Shipping and handling US and Canada **\$3.00**
Shipping and handling outside the US and Canada **\$5.00**
COD charge **\$2.00**
Illinois residents add 6% sales tax

EARS



Electronic Audio Recognition System

EARS

Electronic
Audio
Recognition
System

\$99.95



- SPEECH RECOGNITION
- HANDS OFF PROGRAMMING
- HIGH QUALITY SPEECH REPRODUCTION

EARS Does It All!

INCREDIBLE!



Two Years In the Making. Speech Systems was formed to develop new and innovative speech products. After 2 years of intensive Research and Development, we have created a truly sophisticated speech recognition device. Recognition rates from 95% to 98% are typical. Until now, such a product was outside the price range of the personnel computer market, and even small businesses.

EARS is trained by your voice and capable of recognizing any word or phrase. Training EARS to your particular voice print takes seconds. Up to 64 voice prints may be loaded into memory. You may then save on tape or disk as many as you like so that your total vocabulary is virtually infinite.

Speech and Sound Recognition. EARS is really a sound recognition system, so it really doesn't matter whether you speak in English, Spanish, or French. In fact you do not have to speak at all, you can train EARS to understand sounds such as a musical note or a door slamming.

Hands Off Programming. Imagine writing your own BASIC programs without ever touching the keyboard. Everything that

you would normally do through a keyboard can now be done by just speaking.

Programming EARS Is Easy. LISTEN, MATCH and other commands have been added to BASIC so that programming EARS is a piece of cake! The single BASIC line: 10 LISTEN: MATCH will instruct EARS to listen to you and return the matching phrase.

It Talks. EARS is also capable of high quality speech. We mean REALLY high quality. The speech is a fixed vocabulary spoken by a professional announcer. Speech Systems is currently creating a library of thousands of high quality words and phrases. For a demonstration call (312) 879-6844, you won't believe your ears or our EARS.

DISK OWNERS. EARS will work with any disk system with either a MULTI-PAK or Y-CABLE. Our new Triple Y-CABLE was specifically developed for those wishing to add SUPER VOICE as a third device.

You Get Everything You Need. You get everything you need including a specially designed professional headset style noise

cancelling microphone. The manual is easy to use and understand. Several demonstration examples are included so you don't have to write your own programs unless you want to. EARS will work in any 32K or 64K Color Computer.

SUPER VOICE \$20 OFF

Imagine talking to your computer and it talking back to you. When you need an unlimited vocabulary, you can't beat SUPER VOICE. For a limited time, we will give you the SUPER VOICE for \$59.95 with your EARS purchase. Even if you already have another speech unit, here is your chance to buy the best and save \$20.

VOICE CONTROL

Applications for EARS are astounding. Here is our first of many listening programs to come. VOICE CONTROL is a program specifically designed to allow you to control any appliance in your house with your voice and our HOME COMMANDER (sold separately). For example, you can control your TV by saying "TV ON" or "TV OFF". \$24.95



Dealer Inquiries
Invited



Speech Systems

38W 255 DEERPATH ROAD
BATAVIA, ILLINOIS 60510
(312) 879-6880 (VOICE)

1 MEGABYTE COLORAMA (312) 879-6811 (24 HR. BBS)

CALL ANY DAY TO ORDER. ALSO ORDER BY MAIL OF BBS.

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.

Shipping and handling US and Canada	\$3.00
Shipping and handling outside the US and Canada	\$5.00
COD charge	\$2.00

Illinois residents add 6% sales tax

'SUPER VOICE' T.M.

**COCO'S MOST ADVANCED
SPEECH SYNTHESIZER.**

**IT TALKS, SINGS AND
MORE.**

only . . . \$79.95

**WITH EARS OR PIANO
KEYBOARD PURCHASE**

only . . . \$59.95



SUPER VOICE is no ordinary speech synthesizer. It uses Silicon Systems, Inc. SSI-263, the most advanced speech/sound chip available. SUPER VOICE is not only capable of highly intelligible speech, sound effects, and singing over a 6 octave range, but now we have turned SUPER VOICE into a monophonic Super Musio Synthesizer with our PIANO KEYBOARD.

IT TALKS. A free TRANSLATOR text-to-speech program makes writing your own talking program as easy as SAYING "HELLO."

SUPER VOICE works in any 32K or 64K computer. A disk system requires a Y-Cable or Multi-Pak.

**Here are the facts;
the decision is yours.**

	SUPER VOICE	REAL TALKER	RS SPEECH CARTRIDGE	VOICE-PAK
Synthesizer Device	SSI-263	SC-01	SP-256	SC-01
Speaking Speeds	18	1	1	1
Volume Levels	16	1	1	1
Articulation Rates	8	1	1	1
Vocal Tract Filter Settings	255	1	1	1
Basic unit of Speech	64 phonemes 4 durations each	54 phonemes	64 allophones 5 pause lengths	64 phonemes
Pitch Variations	4095 (32 absolute levels with 8 inflection speeds)	4	1	4



FOOL'S CROSSING

The world's first TALKING HI-RES GRAPHICS adventure. Finding the hidden treasure is the easy part, getting back home is another story.

32K Disk\$24.95



SUPER TALKING HEADS

When the SUPER VOICE speaks in a low pitched voice, the man speaks, when a high pitched voice is used the woman speaks.\$24.95



Dealer Inquiries
Invited



Speech Systems

**38W 255 DEERPATH ROAD
BATAVIA, ILLINOIS 60510
(312) 879-6880 (VOICE)**

**1 MEGABYTE (312) 879-6811 (24 HR. BBS)
COLORAMA**

CALL ANY DAY TO ORDER. ALSO ORDER BY MAIL OR BBS.

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.
Shipping and handling US and Canada\$3.00
Shipping and handling outside the US and Canada\$5.00
COD charge\$2.00
Illinois residents add 6% sales tax.

'TALKING SOFTWARE'

FOR THE VOICE, SUPER VOICE™, RS SPEECH & SOUND PAK

RADIO SHACK® SPEECH & SOUND TRANSLATOR



We believe that no COCO speech synthesizer gives you the power and flexibility of the SUPER VOICE. Nevertheless, some have decided to go with the Radio Shack SPEECH & SOUND PAK. For those we've decided to open our TALKING LIBRARY by offering the SPEECH & SOUND TRANSLATOR. Just load this program and our entire library is open to you.

But that's not all, this program adds features. You get increased intelligibility, the power of an exception table to specify specific pronunciations, \$12.81 is spoken in dollars and cents, 1,234,567 is spoken in millions, thousands, and hundreds, and much more. **\$24.95**

TERMTALK All the features of an intelligent telecommunications program plus what appears on the TV is spoken.

- Upload and Download programs
 - Control Xmit Protocols
 - Full or Split Screen
 - Buffer Editing
 - Normal or Reverse Video
 - It talks
- Please specify version (VOICE or RS SPEECH & SOUND PAK)
Tape **\$39.95** Disk **\$49.95**

TALKING BINGO BINGO was never like this. The VOICE or SUPER VOICE makes all the calls while you sit back and play. Comes with 20 playing cards and 200 markers. High Resolution graphic screen, 3 timing level, ball count and pause control. **\$24.95**

ESTHER the talking psychoanalyst. An excellent example of artificial intelligence. She may not solve all your problems, but her insight will amaze you. Just like the original Eliza. **\$24.95**

SCORE E-Z A yahtzee type game. Up to six can play. **\$24.95**

ADVENTURES

CULT OF THE CAVE BEAR You're a stranded time traveler 50,000 years in the past. Can you fix your time machine while still surviving in this alien environ, and make it back? **\$29.95**

SHIP HUNT Play Battleship with your CoCo. All status reports are spoken. Ready battery, aim, fire at will! **\$24.95**

FINAL COUNTDOWN You must stop the mad general from launching a missile at Moscow and causing WW III. Has multiple voices for added realism. **\$24.95**

STAR TALK You're the Star Fleet Captain. Your mission...destroy the enemies' Dragon Star Ships. All status reports are spoken! **\$24.95**

FOOL'S CROSSING The world's first TALKING HI-RES GRAPHICS adventure. Finding the hidden treasure is the easy part, getting back home is another story. **\$24.95**

ADVENTURE GENERATOR Create talking adventure games that are 100% Machine Language. Up to 99 rooms, 255 objects, 70 command words and 255 conditional flags. 64K Disk **\$39.95**

SUPER VOICE SONGBOOKS

These two songbooks were specifically designed for the SUPER VOICE, the only speech synthesizer flexible enough to allow singing.

VOLUME 1 (POTPOURRI) A collection of miscellaneous tunes for everyone. Songs include: How Much Is That Doggie in the Window, Daisy, Aloha Oe, Old McDonald and more. **\$19.95**

VOLUME 2 (NURSERY RHYMES) Includes: Twinkle Twinkle Little Star, Mary Had A Little Lamb, 3 Blind Mice, the Alphabet Song and more. May be used with SUPER TALKING HEADS so they (Paul & Pauline) sing the songs. **\$19.95**

EDUCATION

ANIMATED SENTENCES The child builds complete sentences from a graphic menu using keyboard or joystick. The action is then spoken and acted out graphically. It's a great way to learn the parts of speech (i.e. verb, subject, noun, etc.). **\$24.95**

KING AUTHOR'S TALES A creative writing tool to allow a child to write compositions, or short stories. Q & A option is also included. **\$29.95**

COLOR MATH Addition, Subtraction, Multiplication, and Division are mastered. Student may specify difficulty level. **\$24.95**

SPELL-A-TRON Student builds a dictionary of words to be quizzed on. Perfect for Spelling B. **\$24.95**

SPELLING TESTER A graphic spelling game. The student is shown objects to be spelled. **\$9.95**

POETRY CREATOR The VOICE speech unit is used to speak poetry that is created. **\$9.95**

SHORT STORY MAKER A program to create and speak stories created by the child. **\$9.95**

FOREIGN LANGUAGE Learn a foreign language. French dictionary is included. **\$9.95**

PRESIDENTS The student is able to master the Presidents of the U.S. **\$9.95**

STATES A program designed to aid the student in learning correct spelling of the states. **\$9.95**

CAPITALS Learning the State's Capitals is made more interesting using speech. **\$9.95**

HANGMAN A word guessing game. You must guess the word before you hang. **\$9.95**

MATH DRILL A program to help teach arithmetic. **\$9.95**

Season's
Greetings
From
Speech
Systems

All software, except as noted, shipped on tape but may be moved to disk.

Designating this final column as a
'graduation ceremony'

It's Been A Great Two Years

By Bob Albrecht and Ramon Zamora
Rainbow Contributing Editors

"School is In The Heart Of A Child" is for parents of quite young children. We want to help you work and play with your 3- to 8-year-old child and learn to use computers as a joyful family experience. We suggest ways to use the home computer as another means to encourage your child's independence, growth and control over her own life. See the pride on her face as she directs the computer to do what she selects with deliberation. See her head gears switch to "on" as she progresses step by step with your presence and caring guidance. We will explore (we hope, with your help) the following:

- Specific "teaching" techniques so the discovery can be the child's own.
- Critical evaluation of software based on extensive playtesting in family and related environments.
- Additional resources to consult: books, magazines, software publishers, networks, etc.
- Suggestions for interludes and fun times away from the computer (a must!): call the librarian for information; watch TV together and discuss it; work together as volunteers in a community project; take an "awareness" walk.
- Whatever we learn from families we work with in Menlo Park or from you, our readers. Let's pool our knowledge and share our experiences as we learn from our children.

Copyright© 1985 by DragonQuest, P.O. Box 7627, Menlo Park, CA 94026-7627. Portions of "School is In The Heart Of A Child" are extracted from *TRS-80 Color BASIC* by Bob Albrecht.

(Well-known author Bob Albrecht has written numerous articles and books on personal computers through his association with DragonQuest. Ramon Zamora is author and co-author of several books, co-founder of Computer Town USA!, and is currently designing computer games for kids at Child Ware Corp. in Menlo Park, Calif.)

The first episode of "School is in the Heart of a Child" in February 1984 began like this:

Hello, and Welcome

A long time ago, in a galaxy nearby, the home was the center of learning. Parents and children worked together to pass on knowledge to daughter and son. What was not learned at home was commonly learned by becoming an apprentice who learned from a master. There were few "schools" — institutions devoted to teaching instead of learning.

Time passed and schools flourished. In the U.S.A. today schools are becoming increasingly less adaptive to a changing world. Fortunately, something is happening, something that provides rich and highly motivating environments for learning outside of schools. Millions of people are buying computers for home and personal use. Within a few years nearly everyone will have a computer. There exists an unprecedented opportunity for learners to take control of the means of learning.

As learning moves out of the school into the direct control of learners, once again people are enjoying learning as an adventure — for themselves, their families, their friends and neighbors. Through the use of a home computer, the entire family can work and play together to learn anything from the mundane to the most esoteric subjects, and on a schedule and pace chosen by the learners.

This is the last "School is in the Heart

of a Child." Thanks to everyone at THE RAINBOW for giving us space and wonderful readers so we could experiment and develop these ideas. Our almost two years of writing for the best CoCo magazine has been a great experience. This ending is another beginning. We'll tell you about that at the end of this final installment.

DragonTown Library

Here are some additional sources of information that we find helpful, useful, entertaining, mind-stretching or inspirational.

You can learn how to help a kid learn.



A Book of Puzzlements: Play and Invention with Language by Herbert Kohl. If our house was burning down, we would save this book. It is a never-ending source of ideas. Open it anywhere and enjoy a wonderment of words. From: Shocken Books, 200 Madison Avenue, New York, NY 10016, \$14.95.

Edmund Scientific — Worlds of "It" indeed! The Edmund catalog is full of it! Imagine a school with everything in the *Edmund Scientific* catalog and a bunch of kids. Stand back and let them try everything. Stand close and learn with them. From: Edmund Scientific, 101 E. Gloucester Pike, Barrington, NJ 08007.

Computer Currents — We love good information. We find it all in *Computer Currents*. And, it's free! *Computer*

Currents is a bi-weekly tabloid that knows all and tells all in the San Francisco Bay area. You can pick it up at more than 1,300 places. To find the closest place, call and ask: (415) 848-6860. If you live elsewhere, you can subscribe: \$22 for six months (13 issues). From: Computer Currents, 2550 Ninth Street, Berkeley, CA 94710.

Grolier Encyclopedia on CD-ROM — Here it is, the beginning of the next revolution in home learning. Grolier's *Encyclopedia Americana* is now available on laser video disc and also on compact disc, read-only memory (CD-ROM). *KnowledgeDisc*, the laser video disc product, is compatible with any standard laser disc player. Users can scan or "browse" the disc, frame by frame, or use an index to get to specific entries — all this without a computer! The *KnowledgeDisc* containing the entire 21-volume *Encyclopedia Americana* costs \$89.95.

The CD-ROM (\$199) version hooks up to a computer and offers sophisticated search capabilities. The educational and entertainment possibilities far exceed any home computer capability from the BCDR (Before CD-ROM) era. We predict that encyclopedia adventuring, or just plain browsing, will become the next great indoor sport!

By the time you read this, low-cost CD-ROM drives will be available for the ATARI ST and IBM compatible computers. Let's hope Tandy will make a drive for the CoCo. For information, contact Grolier Electronic Publishing, Inc., Sherman Turnpike, Danbury, CT 06816.

Mail-File Games

At our house, we have a family mail

file. Each family member has a hanging file folder with his or her name on the tab. There are also file folders for several friends. We use the mail file for "mailing" information to each other.

We also use the mail file in another way — for in-home Play-By-Mail (PBM) games. Popular games are *Guess My Number*, *Guess My Letter*, *Guess My Word* and an assortment of two-dimensional games where the player must find an invisible something in a grid, a map, a tree, a network or whatever space someone dreams up.

One person is the GameMaster (GM); the other is the player. The GM prepares a game sheet and puts it in the player's file. When the player finds the game sheet, she or he makes a move and puts the game sheet in the GM's file. The GM records an appropriate hint and returns the game sheet to the player's file. This process continues until the player has won the game, solved the puzzle, found the invisible object, discovered the secret message or otherwise completed the game task. These games are played in a leisurely fashion, typically one move a day for each game.

Now here's the boggler: Many of our mail file games are available as expensive computer games! We are amazed by the prices charged for some educational software. For home use, many "educational" programs we have seen are overpriced. So, instead of using the \$29.95 or \$39.95 computer versions of our mail file games, we simply write simple programs in BASIC. We find the combination of playing by mail in the mail file plus playing a simple version of the same on the computer is much better than using high-priced software.

DragonSmoke

We will continue with *DragonSmoke*, our own periodical about personal and family learning. In *DragonSmoke*, we share our ideas about the following things.

- Computers for beginners: Anyone can learn how to read and understand computer programs. Think of it as a recreation — it can be fun! *DragonSmoke* will help make it fun.
- Role playing games: Millions of people, mostly kids, play role playing games: *Dungeons & Dragons*, *Champions*, *RuneQuest*, *Star Trek* and dozens more. Powerful ways to learn! We will develop games encouraging nonviolence, cooperation, exploration, story-telling and problem-solving. *DragonSmoke* will explore the bright side of "The Force."
- Play-by-Mail (PBM) games: A great way to use basic skills! We encourage you to explore this emerging world of computer-moderated, multi-player games that you can play by mail once or twice a month. Yes, you will also find games that can be played at home using your own mail file.

DragonSmoke is intended to be shared. You may copy anything in it for yourself or to give to others. Make and give away as many copies as you wish. For a sample copy, send \$1 to *DragonSmoke*, P.O. Box 7627, Menlo Park, CA 94026.

Farewell, RAINBOW. Thrive and remember: Reality expands to fill the available fantasies. ☺

One-Liner Contest Winner . . .

This program draws circles and fills them in a way that really shows off the CoCo's graphics capabilities!

The listing:

```
Ø CLS:Pmode3,1:SCREEN1,Ø:PCLS:FOR
RT=1ØTO96 STEPRND(1Ø)+3:X1=RND(Ø)
):X2=RND(X)+X:CIRCLE(126,96),T,2
,1,X1,X2:NEXTT:CIRCLE(126,96),T,
2:PAINT(126,96),3,2:GOTOØ
```

Art Kaplan
Lawrenceville, NJ

(For this winning one-liner contest entry, the author has been sent copies of both *The Second Rainbow Book Of Adventures* and its companion *The Second Rainbow Adventures Tape*.)

One-Liner Contest Winner . . .

This one-liner shows the extremely fine color resolution possible when different colors are on adjacent lines.

The listing:

```
1Ø O=16Ø:Pmode4:SCREEN1,1:POKE17
9,16Ø:PCLS:POKE65314,11:FOR Y=1TO
192:SOUND0,1:POKE178,O:LINE(Ø,Y)
-(255,Y),PSET:READO:IFO=ØTHENRES
TORE:READO:NEXTELSENEXT:FORX=ØTO
1STEP-Ø:NEXT:DATA16Ø,3,224,35,35
,83,99,51,243,8Ø,Ø:'(C)1985 RAY
LARABIE
```

Raymond Larabie
Whitelake, Ontario

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape*.)

SLEEP TIGHT

Your CoCo Is Awake Tonight

*In this first of a two-part series,
you'll learn how to use CoCo to keep an eye
on the home front while you're away*

By Dennis H. Weide

"Sleep Tight - Your Air Force Is Awake Tonight." Many may remember the picture of a wrinkled 99-year-old man in full flight gear. It hangs in almost every U.S. Air Force office around the world. While it isn't much of a confidence builder, it's always worth a good laugh.

This month, I'll show you how to sleep tight when away from home, because your CoCo will be awake. This is a program and hardware project that allows you to scan your house or apartment from a remote location.

What are the advantages of this? The next time you go out of town, a house-sitter can call your house at scheduled intervals to check security. If there's a terminal available, you can call and check yourself. The housesitter can leave messages to inform you of any major problems (i.e., the washing machine hose just broke and your house is flooded).

I always call my house and scan the alarms and messages at least once a day. It's a good feeling knowing the house is secure. Before you complain about long distance costs, they're really fairly inexpensive. Using an AT&T credit card and a Model 100, I can call from a motel room and not have to pay the motel charge for placing the call; an hour's worth of calls costs only \$10 per

(Dennis Weide is an avid computer hobbyist who teaches programming on the CoCo and IBM PC. He has written for all the major CoCo magazines, including many programs in RAINBOW. Dennis lives in Albuquerque, N.M.)

month — a small price to pay for knowing your home is secure. I stay on the line less than 10 minutes per call.

There is one thing that must be understood before we go any further: The program will only scan alarms upon command. If someone tries to break in, the alarm will be tripped and stay tripped until reset, but the computer will not recognize the alarm until it has been commanded to scan the circuit.

A Look at the Software

First let's take a look at the program required to scan the alarms. Listing 1 is the alarm program. It's menu driven and requires a password to sign onto the system. You can change the password (up to 200 alphanumeric characters) by changing PASSWORD in Line 7900. If the correct password isn't given, the system won't allow access to any other program section.

Once signed on, the program asks for the date, time and terminal width. Date and time are for disk reference only. The system doesn't have a real-time clock. The width of the terminal you're calling from determines screen formatting. Default is 32 characters wide. The menu is displayed at the beginning of the program and anytime the ENTER key is pressed.

The terminal program used is a modified version of Dan Downard's terminal program from the November 1983 RAINBOW. The modifications include changing the memory location and disabling the BREAK key. This prevents anyone from having access to the disk by interrupting the program. It is hand

A wooden control panel with four buttons of varying sizes arranged vertically on the left. On the right, a rectangular sign with a red border is mounted. The sign contains the text "BEWARE of the COMPUTER!" in red, bold, sans-serif font. The background behind the sign is a dark, textured surface with a light beam of light shining down from the top left.

BEWARE
of the
COMPUTER!

assembled (without an editor/assembler), so there is no assembly language listing. To make it simple, it's in BASIC so it can be loaded and run from one program.

Reading and writing messages is easy. It uses `DISK$` to read the directory so wrong filenames won't stop program execution. Duplicate message names are not allowed since the second message would erase the first. To keep messages short, use abbreviations whenever possible. The maximum message length is 200 characters. The time you signed on is added to the message before being written to disk. When messages are read, the date and time are displayed at the beginning of each message. Erase

messages via DOS using the `KILL` command.

Scanning Alarms

To activate the alarm system (turn it on), turn on the power supply switch and computer and load the program. When you run the program, sign on answering all prompts and request `RESET ALARM` to initialize the alarm circuits.

To scan the alarm circuit, request an `ALARM STATUS` from the main program menu. If the alarm system is turned off, an `ALARM DEACTIVATED` message appears and the program stops scanning. If the alarm system is on and no alarms exist, an

`ALARM ACTIVATED` message is printed on the screen. If an alarm switch is open, scanning the alarm circuit will detect the alarm.

The circuit is divided into four sectors: north, south, east and west. A message is printed whenever an alarm condition exists showing which side of the house it's on. To check if the alarm is clear, use the `RESET ALARM` command. If clear, an `ALARM CLEAR` message is printed when scanned. If not, the alarm is printed again.

There is a tamper switch located in the electrical box with the on/off key switch. Any attempt to defeat the alarm system at this box closes the tamper switch. The next time the circuits are scanned, a `TAMPER ALARM` message is printed on the screen. The only way to reset this alarm is to turn off the external power supply.

All responses to commands are written to disk along with the time you signed on the system. The alarm log can be reviewed by entering the command `ALARM LOG`. This will list all system activity. If the log gets too full, erase it with the `CLEAR LOG` command. The next time you read the log, the only entry will be `LOG CLEARED` and the date and time you signed on.

The last command is `SIGN OFF`. This, of course, signs you off the system and stops program execution until `ENTER` is sent from the remote end or from the CoCo keyboard. The next time you sign on, press `ENTER`. The program jumps to the `SIGN ON` routine and you can begin again. Any command not acceptable will result in an `INVALID COMMAND` message.

A Look at the Hardware

The hardware for this program is easy to build. All input to the computer is via the joystick ports with the exception of the alarm reset circuit, which uses the cassette motor relay to reset the alarm circuit. Layout of the components is not critical and they can be soldered or wire wrapped on perf board.

A Simple Circuit

The basic circuit for the alarm system is a simple voltage divider acting as a variable resistor. Look at Figure 1 to see how it works. Three resistors are connected between +5 volts of the joystick port and ground. Closing either switch, S1 or S2, shorts the associated resistor and changes the voltage fed to the output. This output is fed to `JOYSTK(0)`. Closing both switches puts the output at ground potential. Since





Figure 1

Table 1

Typical Joystick Values for Figure 1

Joystick	Configuration	Reading	Range
0 & 1	All switches open	31	> 28
0 & 1	S1 closed only	24	20-28
0 & 1	S2 closed only	12	9-15
0 & 1	S1 & S2 closed	0	0
2 & 3	All switches open	30	> 28
2 & 3	S1 closed only	23	20-28
2 & 3	S2 closed only	12	9-15
2 & 3	S1 & S2 closed	0	0



ON-OFF & TAMPER SWITCHES

the joystick port is the input to an analog-to-digital converter, voltage changes result in a corresponding change in the digital output of the converter. The digital output is then used to determine the alarm circuit status.

The entire alarm hardware works on this principle. Resistor R3 is used to ensure that the joystick port always sees at least 100K ohms of resistance. Anything less than that causes the other three joystick ports to vary erratically. Table 1 gives the values of the four joystick ports for all circuit configurations. Your readings will probably vary somewhat, but if they're within the range listed, you won't have to modify the program. Now let's look at the individual circuits to see what they do.

On/Off and Tamper Switches

Schematic 1 shows the on/off circuit and the tamper switch. You can see that the basic circuit of Figure 1 is used in this portion of the alarm circuit. Resistors R1 through R3, switch S1 and relay K1 make up the circuit. In addition, resistor R4 and a light emitting diode (LED) are used along with an external +5 volt supply to provide an alarm on/off indicator. All components are located on the alarm board except the on/off switch (S1), the tamper switch (S2) and the LED. These are located in the electrical box at the front door.

Closing the on/off switch (S1) turns on the alarm system by shorting R1. This lowers the voltage fed into the joystick port and the corresponding digital reading. This also places ground on the cathode of the LED, causing it to light. The LED is the on/off indicator at the front door.

The tamper switch (S2) is a push button switch that rests against the front plate of the electrical box at the front door. Any attempt to defeat the alarm system causes this switch to close momentarily operating relay K1. This relay shorts resistor R2, indicating to the computer that a tamper alarm exists. The relay has a self-holding path that keeps it operated until the power is removed. The tamper alarm can't be defeated from outside the house.

Remote Alarm Loops

The remote alarm loops are shown in Schematic 2. They are also similar to Figure 1 except they use two relays along with the switches. Again, these relays are used to hold the alarm activated until reset by program command. This prevents someone from opening a




Table 2

Alarm Circuit Parts List

Item	Price	Radio Shack Part #
N/C window switches	\$3.49 ea.	49-495
N/O tamper switch	1.39 ea.	49-528
Door lock switch	9.95 ea.	49-511
N/C 120 ft. foil	5.99 roll	49-502
N/C foil connectors	2.59 pkg/6	49-504
Joystick plugs (2 ea.)	1.19 ea.	274-020
Cassette plug (1 ea.)	1.49 ea.	274-003
5VDC DPDT mini-relay (5 ea.)	3.99 ea.	275-215
33K Ohm resistors (3 ea.)	.39 pkg/5	271-1341
68K Ohm resistors (3 ea.)	.39 pkg/5	271-1345
100K Ohm resistors (3 ea.)	.39 pkg/5	271-1347
220 Ohm resistor (1 ea.)	.39 pkg/5	271-1313
TLR-107 Hi-brite LED	.89 pkg/2	276-033
Hook-up and alarm wire	N/A	N/A

door or window and closing it before the alarm circuit can be scanned. Even though the door or window might be closed immediately, the relay stays released and the alarm condition remains until reset.

Switches S3 through S6 are the door and window switches located at each door and window. Each switch on the schematic consists of several switches in a series. The switch assignments are as follows:

- S3 = All switches on south side of house in series
- S4 = All switches on north side of house in series
- S5 = All switches on west side of house in series
- S6 = All switches on east side of house in series

The switches are closed when the door or window is closed. When the alarm circuit is turned on and a door or window is opened, that switch opens, releasing the associated relay and re-

moving the short across its resistor. When scanned, the alarm circuit indicates an alarm in this sector. Once released, the relay can't be operated again until the RESET ALARM command is sent.

Notice the relays are all wired to Pin 1 of the cassette jack on the back of the computer. Pin 3 of the jack is wired to +5 volts. When the RESET command is given by the program, a relay inside the computer operates, shorting Pin 1 and Pin 3 of the cassette jack together, applying +5 volts to one side of each relay in Schematic 2. This momentarily operates the relays. They stay operated as long as the associated switches (S3-S5) are closed.

Notice the pin assignments on the schematic. Some wires connect to the left joystick, some to the right joystick, some to the cassette jack and some to an external +5 volt supply. This +5 volt supply is used so that no internal connections have to be made to the computer. Table 2 is a list of Radio Shack parts.

The External Power Supply

Schematic 3 shows the external power supply. It uses a 7805 regulator chip (IC 1) to provide a regulated +5VDC. Switch S1 is the on/off switch for the power supply and a 1/2 amp fuse is used in the transformer primarily for overload protection. The rectifier is an IC bridge.

Capacitor C1 is an electrolytic capacitor used to provide better regulation. Capacitor C2 is a bypass capacitor and is not absolutely required. Ground on the power supply must be connected to ground on either joystick port (Pin 3) to provide a common system ground. Table 3 gives a list of Radio Shack parts for the power supply.

Connecting to the Computer

Before connecting the alarm circuit to the computer, breadboard all the components and test your wiring, then verify that the voltages fed to the joystick port never drop below zero (negative) or rise above +4.8 volts for all possible circuit configurations. The analog-to-digital converter inside the computer can't handle voltages outside this range. Voltages outside this range indicate an error in the circuit wiring.

While the alarm circuit doesn't have an audible alarm, you can modify it to activate an alarm bell outside the house. The secret to a good alarm system is one nobody else can figure out. You can modify this circuit to provide all sorts of configurations and options.

For those who wish to save money, shop around for parts. You can save quite a bit if you mail-order parts or buy them from Radio Shack when they are on sale.

Next Month: Something for Those without Modems

Next month, I'll show you how to use this information to provide a local alarm system that uses a hardware clock and has continuous alarm scanning.

If you have any questions or comments, you can address them to me at 14201 Marquette N.E., Albuquerque, NM 87123. If you wish an answer, please enclose a self-addressed, stamped envelope. I'll mail an answer back within 24 hours. Please include as much information about the problem as possible — I can't help much, for instance, if you only say you get an error when the program is run. Let me know what kind of error and what line it is in. Also, explain what you were doing when the error occurred. □




Table 3

Power Supply Parts List

Item	Price	Radio Shack Part #
12.6V Mini-transformer	\$3.59 ea.	273-1365
1000 Mfd. elect. capacitor	1.59 ea.	272-1019
.01 Mfd. epoxy capacitor	.59 pkg/2	272-1065
Full wave bridge rectifier	.89 ea.	276-1161
7805 Fixed IC regulator	1.59 ea.	276-1770
Submini SPST toggle switch	1.59 ea.	275-612
Fuse holder	.99 ea.	270-367
Fuses	.69 pkg/3	270-1271
Project box for power supply and alarm board	3.99 ea.	270-252

290027	13900234
380014	1640024
5900139	1860095
790079	2150024
9800251	END88
1210042		

The listing: RMTALARM

```

1000  ' REMOTE BURGLAR ALARM
1100  ' BY DENNIS H. WEIDE
1200  ' 14201 MARQUETTE N.E.
1300  ' ALBUQUERQUE, NM 8712
3
1400  ' (C) 1985
1500  '
1600  '
1700  CLEAR2000, &H7000
1800  FOR X=&H7CC7 TO &H7D7F
1900  READ A:POKE X,A
2000  NEXT X
2100  EXEC&H7CC7
2200  IF PEEK(&H7D80)=134 AND PEE
K(&H7D81)=184 THEN PK=1
2300  FOR X=&H7D80 TO &H7E09
2400  READ A
2500  IF PK=0 THEN POKE X,A
2600  NEXT X
2700  DATA 189,169,40,142,4,32,16
,142,124,223,166,160,167,128,16,
140,125,127,35,246,57,125,128,0,
96,96,96,82,69,77,79,84,69,96,67
2800  DATA 79,67,79,96,66,85,82,7
1,76,65,82,96,65,76,65,82,77,96,
96,96,96,96,96,96,96,96,104,67,1
05,96,113,121,120,117,96,66,89,9
6
2900  DATA 68,110,72,110,87,69,73
,68,69,96,96,96,96,96,96,96,96,9
6,96,96,96,113,116,114,112,113,9
6,77,65,82,81,85,69,84,84,69,96
3000  DATA 78,110,69,110,96,96,96
,96,96,96,96,96,96,96,96,96,96,9
6,65,76,66,85,81,85,69,82,81,85,
69,96,96,78,77,96,96,96,96,96,96
3100  DATA 96,96,96,96,96,96,96,9
6,96,96,96,96,96,96,96,120,11
9,113,114,115,96,96,96,96,96,96,
96,96,96,96,96,96,96,96,96
3200  DATA 134,184,151,230,190,1,
104,175,141,0,53,190,1,107,175,1
41,0,105,134,126,183,1,106,183,1
,103,48,141,0,11,191,1,104,48,14
1
3300  DATA 0,29,191,1,107,57,52,2
,13,111,38,14,129,13,38,7,134,10
,189,142,12,134,13,189,142,12,53
,2,126,125,168,15,112,13,111,38
3400  DATA 50,50,98,52,21,173,159

```

```

,160,0,39,2,32,36,246,255,34,86,
37,242,141,35,198,1,52,4,79,141,
26,246,255,34,86,36,2,170,96,104
3500  DATA 96,36,242,50,97,132,12
7,129,3,38,1,79,53,149,126,125,1
68,141,0,52,2,150,230,33,254,74,
38,251,53,130
3600  IF PK=0 THEN EXEC &H7D80
3700  FOR X=4 TO 9
3800  READ AM$(X)
3900  NEXT X
4000  DATA NORTH SIDE ALARM,SOUTH
SIDE ALARM,NORTH/SOUTH ALARM
4100  DATA EAST SIDE ALARM,WEST S
IDE ALARM,EAST/WEST ALARM
4200  DIM DR$(68)
4300  GOTO 7100
4400  '
4500  ' START OF ALARM SCAN
4600  '
4700  FOR X=0 TO 3
4800  A(X)=JOYSTK(X)
4900  NEXT X:Y=4
5000  '
5100  ' COMPUTE ALARM VALUE
5200  '
5300  PRINT STRING$(TW,"*");
5400  IF A(1)>39 THEN AR$="ALARM

```



MicroWorld II

Laneco Plaza Clinton, NJ 08809
(201) 735-9560
Call or write for Price List

LOW PRICES ON 100% Radio Shack Equipment

(with full warranty)

New Slimline Drive 0 \$175.00
Slimline Drive 0 & 1 installed \$365.00

Prices include shipping!

16K Standard \$ 77.00
64K Extended \$140.00
Sakata 13" Monitor \$199.00
With monitor driver \$230.00

Exclusive MicroWorld II Products:

64K Upgrade (150 NS) Top of the line \$29.95
Serial to Parallel Converter \$49.95
Diskettes, any quantity, lifetime Warranty ... \$ 1.50

10% off Computerware
10% off all Radio Shack Sale Items
15% off Radio Shack Hardware
20% off all Radio Shack Software

```

DEACTIVATED":GOSUB 20200:GOTO 65
00
5500 IF A(1)>9 AND A(1)<15 THEN
AR$="ALARM ACTIVATED":GOSUB 2020
0
5600 IF A(1)=0 THEN AR$="TAMPER
ALARM":GOSUB 20200
5700 IF A(1)>9 AND A(1)<15 THEN
AR$="TAMPER CLEAR":GOSUB 20200
5800 FOR X=2 TO 3
5900 IF A(X)=0 THEN AF(Y)=0:AF(Y
+1)=0:AF(Y+2)=0:FF=FF+1
6000 IF A(X)>9 AND A(X)<15 THEN
AR$=AM$(Y):GOSUB 20200:AF(Y)=1:F
1=1
6100 IF A(X)>20 AND A(X)<28 THEN
AR$=AM$(Y+1):GOSUB 20200:AF(Y+1
)=1:F1=1
6200 IF A(X)=>28 THEN AR$=AM$(Y+
2):GOSUB 20200:AF(Y+2)=1:F1=1
6300 Y=Y+3:NEXT X
6400 IF F1=1 AND FF=2 THEN AR$="
ALARM CLEARED":F2=0::GOSUB 20200
:F1=0
6500 FF=0
6600 PRINT STRING$(TW,"*")
6700 RETURN
6800 '

```

```

6900 '      PASSWORD AND COMMANDS
7000 '
7100 CLS
7200 INPUT"ENTER PASSWORD";PW$
7300 TW=32
7400 PRINT:INPUT"ENTER DATE (MM/
DD/YY)";DT$
7500 PRINT:INPUT"ENTER TIME (HH/
MM)";CL$
7600 PRINT
7700 CL$=LEFT$(CL$,2)+" "+RIGHT$(
CL$,2)
7800 CL$=DT$+" "+CL$
7900 IF PW$="PASSWORD" THEN AR$=
"SIGN ON":PRINT STRING$(TW,"#");
:GOSUB 20200 ELSE PRINT:GOTO 720
0
8000 PRINT STRING$(TW,"#")
8100 PRINT:INPUT"ENTER TERMINAL
WIDTH";TW:IF TW<20 THEN TW=32
8200 '
8300 '      COMMAND MODULE
8400 '
8500 CLS:PRINT:PRINT
8600 TW$="PROGRAM MENU"
8700 PRINTTAB((TW-LEN(TW$))/2) T
W$
8800 TW$="-----"
8900 PRINTTAB((TW-LEN(TW$))/2) T
W$
9000 PRINT
9100 TW$="1. WRITE MESSAGE"
9200 PRINTTAB((TW-LEN(TW$))/2) T
W$
9300 TW$="2. READ MESSAGE "
9400 PRINTTAB((TW-LEN(TW$))/2) T
W$
9500 TW$="3. ALARM STATUS"
9600 PRINTTAB((TW-LEN(TW$))/2) T
W$
9700 TW$="4. ALARM LOG "
9800 PRINTTAB((TW-LEN(TW$))/2) T
W$
9900 TW$="5. RESET ALARM "
10000 PRINTTAB((TW-LEN(TW$))/2)
TW$
10100 TW$="6. CLEAR LOG "
10200 PRINTTAB((TW-LEN(TW$))/2)
TW$
10300 TW$="7. SIGN OFF "
10400 PRINTTAB((TW-LEN(TW$))/2)
TW$
10500 PRINT
10600 LINEINPUT"GO >";CM$
10700 PRINT
10800 CM=VAL(CM$)
10900 IF CM>0 AND CM<9 THEN 1180
0
11000 IF CM$="" THEN 8600

```

THE SOFTWARE HOUSE



CHRISTMAS SPECIALS

SENTINEL COLORS

13 COLOR DISKS FOR \$13.95

Gift Boxed 12 Colors + Black

\$1.20 each 100/\$110.00

COLOR RIBBONS: Red, Green, Blue, Brown

GEM/OKI 4/\$10.00

EPSON 4/\$24.00

APPLE/NEC 4/\$24.00

VERBATIM PROGRAMMER'S DISKS

SS/DD 10/\$ 9.00 100/\$80.00

DS/DD 10/\$10.00 100/\$90.00

ALL ITEMS 100% GUARANTEED!

Add \$2.50 S/H in U.S.A. - Canada Add \$3.50

Michigan Residents Add 4% Sales Tax

Send Check/Money Order Payable to:

THE SOFTWARE HOUSE

9020 Hemingway, Redford, MI 48239

(313) 937-3442

Send Card Number & Exp. Date

Min. Charge Order \$20.00

OFFER ENDS 1/31/86



Special Christmas Savings!



Buy the sale-priced 64K Color Computer 2 and use the \$60 savings on exciting accessories!

The powerful 64K Extended BASIC Color Computer 2 (26-3127, Reg. \$219.95) is now just \$159.95. It's one gift the entire family will use the year round for education, entertainment, home management tasks and more. Just attach the Color Computer 2 to your TV and your family can enjoy the advantages of home computing right away—even if you've never used a computer!

The Perfect Accessories

The Color Computer 2 is easily expandable as your family's interests, skills and needs grow. You can add a 156K Disk Drive for only \$199.95 (26-3129, Reg. \$349.95), or give a new dimension to BASIC

programs with the Sound/Speech cartridge (26-3144). You can even create electronic music on your home stereo with the Orchestra 90 cartridge (26-3143). These instant-loading Program Paks are only \$79.95 each. And you can make computer games even more exciting with a pair of Deluxe Joysticks (26-3012, \$29.95 each).

Access Data By Phone

Take advantage of special holiday savings on our deluxe RS-232 Program Pak for only \$59.95 (26-2226, Reg. \$79.95). It lets you communicate with information services and other computers—just add the DCM-3 telephone modem

(26-1178, \$59.95). The DCM-3 plugs into any modular phone jack.

Add a Printer

Every computer buff needs a printer and the DMP 105 is an excellent choice for only \$199.95 (26-1276). It prints 80 characters per second and graphics, too.

Make this holiday season one of the best ever for everyone at home with a Color Computer 2 from Radio Shack. And don't forget to include accessories and software!

Radio Shack
The Technology Store™

A DIVISION OF TANDY CORPORATION

Sale ends 12/24/85. Prices apply at Radio Shack Computer Centers and participating stores and dealers. TV, printer, disk drive, joysticks, modem, Program Paks sold separately.

```

11100 TW$="INVALID COMMAND"
11200 PRINTTAB((TW-LEN(TW$))/2)
TW$
11300 GOTO 10500
11400 '
11500 ' START PROGRAM HERE
11600 ' USE "ON CM GOSUB"
11700 '
11800 ON CM GOSUB 14600,17300,47
00,21200,23800,24800,22700
11900 IF F5=1 THEN F5=0:GOTO 720
0
12000 IF AR$="SIGN OFF" THEN PRI
NT:GOTO 7200
12100 GOTO 10600
12200 '
12300 ' READ DIRECTORY
12400 '
12500 '
12600 Z=1
12700 TW$="CURRENT MESSAGES"
12800 PRINTTAB((TW-LEN(TW$))/2)
TW$
12900 TW$="-----"
13000 PRINTTAB((TW-LEN(TW$))/2)
TW$
13100 FOR Y=3 TO 11
13200 DSKI$ 0,17,Y,A$,B$
13300 FOR X=1 TO 128 STEP 32

```

```

13400 IF MID$(A$,X,1)=>"A" AND M
ID$(A$,X,1)=<"Z" AND MID$(A$,X+8
,3)="MSG" THEN DR$(Z)=MID$(A$,X,
8):PRINTTAB((TW-LEN(DR$(Z)))/2)
DR$(Z):Z=Z+1
13500 IF MID$(B$,X,1)=>"A" AND M
ID$(B$,X,1)=<"Z" AND MID$(B$,X+8
,3)="MSG" THEN DR$(Z)=MID$(B$,X,
8):PRINTTAB((TW-LEN(DR$(Z)))/2)
DR$(Z):Z=Z+1
13600 NEXT X
13700 NEXT Y
13800 RETURN
13900 '
14000 ' READ AND WRITE MSGS
14100 '
14200 '
14300 '
14400 ' WRITE MESSAGE
14500 '
14600 NA$="":A$="":PRINT:PRINT
14700 PRINT"SPLIT MESSAGE PROPER
LY ON SCREENUSE NO MORE THAN 200
CHARACTERS"
14800 PRINT:PRINT
14900 INPUT"ENTER MESSAGE NAME";
NA$:PRINT:IF NA$="" THEN RETURN
15000 NA$=NA$+" " :NA$=LEF
T$(NA$,8)

```



AT LAST!!

ARE YOU TIRED OF PLUGGING
AND UNPLUGGING PERIPHERALS?

WOULD YOU RATHER NOT SPEND
\$50.00 ON A SWITCHING BOX?

PLAN-NET FORMS now offers
complete plans (assembly
instructions, diagrams, and
parts lists by vendor) for
RS-232 port switching boxes.

All parts are available almost
everywhere locally at a small
fraction of the cost of most
commercially offered boxes.

ONLY \$5.00 PLAN-NET FORMS
PER SET!! P.O. BOX 1081
WILKES-BARRE, PA
18703-1081

Program Quickie . . .

4K Fit

Editor:

I have discovered a way to shorten the *USA Flag* program by J.E. Borger (July 1985, Page 113) to fit in a 4K ECB Color Computer. The following is my version of the program:

```

20 LINE(1,1)-(255,156),PSET,B
30 LINE(1,1)-(100,84),PSET,B
40 FOR Y=10 TO 74 STEP 16
50 FOR X=10 TO 90 STEP 16
60 CIRCLE(X,Y),5
70 NEXT X,Y
80 FOR Y=18 TO 66 STEP 16
90 FOR X=18 TO 90 STEP 16
100 CIRCLE(X,Y),5
110 NEXT X,Y
120 FOR Y=12 TO 84 STEP 24
130 LINE(100,Y)-(255,Y+12),PSET,BF
140 NEXT Y
150 FOR Y=84 TO 144 STEP 24
160 LINE(1,Y)-(255,Y+12),PSET,BF
170 NEXT Y
180 PRINT(5,5),3,4
190 FOR Y=5 TO 150 STEP 24
200 PRINT(250,Y),2,4
210 NEXT
220 LINE(1,1)-(255,191),PSET,B

```

Lines 1430 through END remain the same.

Chris Gesek
Woronoco, MA

```

15100 GOSUB 12600
15200 FOR X=1 TO 68
15300 IF NA$=DR$(X) THEN 15600
15400 NEXT X
15500 GOTO 16000
15600 PRINT:PRINT
15700 TW$="MESSAGE NAME ALREADY
IN USE"
15800 PRINTTAB((TW-LEN(TW$))/2)
TW$
15900 GOTO 14900
16000 NA$=NA$+".MSG"
16100 PRINT:PRINT"ENTER MESSAGE"
:PRINT
16200 INPUT A$
16300 IF LEN(A$)>190 THEN PRINT:
PRINT"warning 10 CHARACTERS REMA
INING"
16400 A$=CL$+" "+A$
16500 OPEN"O",#1,NA$
16600 WRITE#1,A$
16700 CLOSE#1
16800 PRINT
16900 RETURN
17000 '
17100 ' READ MESSAGE
17200 '
17300 GOSUB 12600:PRINT
17400 INPUT"ENTER FILE TO READ "
:NA$
17500 NA$=NA$+" "
17600 NA$=LEFT$(NA$,8)
17700 FOR X=1 TO 68
17800 IF NA$=DR$(X) THEN 18300
17900 NEXT X
18000 PRINTTAB((TW-LEN(TW$))/2)
TW$
18100 TW$="NO MESSAGE BY THAT NA
ME"
18200 RETURN
18300 PRINT:PRINT:NA$=NA$+".MSG"
18400 OPEN"I",#1,NA$
18500 INPUT#1,A$
18600 PRINT A$:PRINT
18700 CLOSE#1
18800 RETURN
18900 '
19000 ' READ AND WRITE ALARM
S TO DISK
19100 '
19200 '
19300 '
19400 ' OPEN BUF #1
19500 '
19600 OPEN"D",#1,"ALARM.DAT",33
19700 FIELD#1,18 AS AL$,15 AS TI
$
19800 RETURN
19900 '

```

```

20000 ' WRITE ALARMS TO DISK
20100 '
20200 PRINTTAB((TW-LEN(AR$))/2)
AR$
20300 GOSUB 19600
20400 LSET AL$=AR$
20500 LSET TI$=CL$
20600 PUT#1,LOF(1)+1
20700 CLOSE#1
20800 RETURN
20900 '
21000 ' READ ALARMS FROM DIS
K
21100 '
21200 GOSUB 19600
21300 PRINT
21400 FOR X=1 TO LOF(1)
21500 GET#1,X
21600 TW$="*****LOG ENTRY*****"
21700 PRINTTAB((TW-LEN(TW$))/2)
TW$
21800 PRINTTAB((TW-LEN(TI$))/2)
TI$
21900 PRINTTAB((TW-LEN(AL$))/2)
AL$:PRINT
22000 NEXT X
22100 CLOSE#1
22200 RETURN
22300 '
22400 ' SIGN OFF
22500 '
22600 '
22700 AR$="SIGN OFF"
22800 PRINT STRING$(TW,"#");
22900 GOSUB 20200
23000 PRINT STRING$(TW,"#");
23100 FOR X=1 TO 30
23200 PRINT STRING$(TW,"*");
23300 NEXT X
23400 INPUT X$:RETURN
23500 '
23600 ' RESET ALARM
23700 '
23800 MOTOR ON
23900 AR$="RESET ALARM"
24000 PRINT STRING$(TW,"#");
24100 GOSUB 20200
24200 PRINT STRING$(TW,"#");
24300 MOTOR OFF
24400 RETURN
24500 '
24600 ' ERASE ALARM LOG
24700 '
24800 KILL"ALARM.DAT"
24900 PRINT STRING$(TW,"#");
25000 AR$="LOG CLEARED"
25100 GOSUB 20200
25200 PRINT STRING$(TW,"#");
25300 RETURN

```

PRICKLY-PEAR SOFTWARE

QUALITY PROGRAMS FOR YOUR COCO & TDP-100

PROGRAMS REQUIRE 16K EXTENDED BASIC FOR TAPE, AND 32K DISK UNLESS OTHERWISE NOTED.



HALL OF THE KING

This program combines all the things you look for in a great two disk graphics adventure program. The Hi-Res graphics are superbly done. The text portion of the screen and the graphics change quickly as you move through the **HALL OF THE KING**. You can move freely from one portion of the adventure to another. Call up your inventory at any time. You can even save or load a game at ANY time. **HALL OF THE KING** will challenge even the most seasoned adventurer.

In an age long past, a dwarven race lived in their mountain home. They were forced to flee under threat of destruction leaving behind their most powerful possession, the Earthstone. As a prominent adventurer, you will be asked to undertake a perilous quest, the recovery of the Earthstone! This is your **FIRST** adventure in the search for what is deemed to have been the cornerstone of the legendary power of the dwarves.

HALL OF THE KING requires 64K EB and one disk drive. This exciting two disk adventure comes packaged in a vinyl library case. **\$39.95**

WARP FACTOR X

If you have been waiting for a game for your color computer that has everything, your wait is over. **WARP FACTOR X** is here. This all graphics simulation game requires strategy, fast thinking, an eye for detail, and above all experience in knowing the capabilities of your starship and its computer. You will begin your adventure into space as a cadet but your ultimate goal is to become Captain of the Enterprise. To do this you must neutralize the enemy planets and eliminate the Klingon starbases along with the Klingons themselves. The Klingon is not a "Robot." He has the same capabilities as your starship but he is also subject to the same problems. You will find that he is inclined to move around while you are attacking him and may even chase you when you find it prudent to retreat. You must form alliances with neutral planets and bring them into the federation. Many of the planets will have special resources which will help the federation.

WARP FACTOR X was written by an engineer for the Kennedy Space Center and has been three years in the making. You will appreciate the attention to detail and complex inner workings of the program. The program is supported by eight pages of documentation important to the success of your mission. Your progress through the eighteen sectors of the galaxy will be recorded and saved

for your next adventure into space. **WARP FACTOR X** includes versions for 32K, 64K, and COCO 2. It requires one disk drive and comes packaged in a vinyl library case. **\$34.95**



DR. WHO

DR. WHO is a graphics program based on Britain's number one longest running television series, "Doctor Who". As the game begins you are in control of the Tardis, a time machine disguised as a police call box, and you must find and recover the seven keys to time. To accomplish this feat you will travel around the Gallifrey Solar System from planet to planet. You must find each planet, fight your way through aliens, and land on each planet. The difficulty level increases with each planet. **DR. WHO** is a real time game. No matter what you are doing energy is being consumed and planets are moving in orbit. All controls and commands are entered through the keyboard. Move your Tardis through the galaxy as you search for far away planets and battle aliens in your quest for the seven keys of time. Your ultimate reward, however, lies out beyond the stars. Requires 32K. **Tape — \$24.95; Disk — \$29.95**

RTD TRIO

Take advantage of this special offer. This package of three utility programs includes our new **DISK TO TAPE**, **TAPE TO DISK** (version 2.0), and **ROMFREE** (version 2.0). **TAPE TO DISK** moves BASIC, ML and DATA files from tape to disk automatically — one program or an entire tape. It even fixes those programs that load at hex 600 so they work on a disk system. **ROMFREE** moves ROM packs to tape or disk easily, and fixes them so you just load and EXEC. **ROMFREE** now accommodates the larger 16K ROM packs. You won't believe how easy it is to protect your software library! These programs are shipped on tape. Require 16K. **\$49.95 (\$24.95 each if purchased separately)**



DISK TO TAPE

Move BASIC, Machine Language, and DATA files from disk to tape automatically — one program or an entire disk. Use the arrow keys to help make your selection. No machine language or data file is too large to handle. Protect those important disk programs by including them in your tape library. There is no better way to protect your investment! This all new utility is a "State of the Art" program making use of the most recent methods in transferring disk programs to tape. This program is written by the author of **TAPE TO DISK** and provides the user with the same easy to follow instructions and user friendly format. Don't be caught with your disks unprotected! **DISK TO TAPE** is shipped on tape and may be moved to disk. It works with any Radio Shack formatted disk and a 16K, 32K, or 64K disk system. **\$24.95**

POLICY ON PROTECTION — We believe our customers are honest — all of our software can be backed up using standard backup procedures.

Your personal check is welcome — no delay. Include \$1.50 shipping for each order. AZ residents add 5% sales tax. Orders shipped within two days.

Dealer and author inquiries are always welcome. Canadian dealers should contact Kelly Software Distributors, Ltd., P.O. Box 11932, Edmonton, Alberta T5J-3L1 (403) 421-8003.

FOR ORDERS CALL 1-800-223-5369 EXT. 256
FOR QUESTIONS OR ORDER STATUS CALL 602-749-2864
SEND FOR OUR FREE CATALOG OF
GREAT COCO PROGRAMS

Stocked by Quality Dealers, or
Send Order To: **PRICKLY-PEAR SOFTWARE**



2640 N. Conestoga Ave.
Tucson, Arizona 85749
(602) 749-2864



Trivia Tic-Tac-Toe

'X' (or 'O') marks the spot with this multiple-choice quiz

By Rick Pitel

O

ne of the problems with quiz or trivia games on the computer is that the answer must be exact. A misspelled word or failure to state the answer exactly the same way the computer sees it gets counted wrong. On the other hand, the multiple-choice type question lends itself very well to computer logic. This is the idea behind *Tic-Tac-Toe*.

The format is that of a tic-tac-toe game with nine categories from which to choose. It uses low resolution graphics and can be run from disk or tape. The program is generally self-explanatory and can be played from the keyboard or with joysticks. If done from the keyboard, first enter the number of the square to be chosen and then one through four to choose the answer. With joysticks, 'X' uses the right joystick and 'O' uses the left joystick. Choose the square by positioning the joystick according to the flashing indicator and push the button. Choose the answer in the same way.

If the answer is correct, an 'X' or 'O' will appear in the square. If the answer is wrong, the correct answer is shown and another category is placed in that square. The game works by pulling a data file holding 100 questions into an array, then feeding multiple-choice questions to the squares as needed.

(Rick Pitel is a design engineer with Freightliner Corporation and has been programming in BASIC on the Color Computer for about two and a half years. He lives in Brush Prairie, Wash.)

X

In order to create the data file it was necessary to write a utility program (Listing 2). The utility program is menu driven and allows for creating and saving the data file on disk or tape. If using disk, the data file is named to distinguish it from any others you may create. The utility program walks you through the creation of the data file

asking for "category," "question," "correct answer" and three "bogus answers." It then scrambles the answers into random order.

Because of the screen format, the category is limited to seven letters, the question is limited to one line and the four answers are limited to two lines. The program will let you know if the

entry is too long. I have included a data file that consists of 100 trivia questions.

(Any questions you may have about *Tic-Tac-Toe* can be directed to Mr. Pitel at 10416 NE 156th Street, Brush Prairie, WA 98606, phone 206-254-4638. Please include an SASE when writing.)

250	115
540	68
760	137
990	233
1160	112
1400	245
END	136

Listing 1: TICTACTO

```

100 REM ** TRIVIA TAC TOE **
110 REM * RICK PITEL 1984 *
120 CLEAR 12000
130 DIM QS(100,3):DIM AN(100):DIM SQ(9)
140 CLS:PRINT:PRINT
141 INPUT"DATA FILE ON 1-CASSETT
E OR      2-DISK";A
150 INPUT"NAME OF DATA FILE";F$
151 IF A=2 THEN 160
152 INPUT"TURN ON TAPE RECORDER
AND HIT  <ENTER>";A$
153 OPEN"I",-1,F$
154 FOR I=1 TO 100
155 INPUT#-1,Q$(I,1),Q$(I,2),Q$(
I,3),AN(I)
156 NEXTI
157 CLOSE-1:GOTO200
160 OPEN"I",1,F$
170 FOR I=1 TO 100
180 INPUT #1, Q$(I,1),Q$(I,2),Q$
(I,3),AN(I)
190 NEXT I
200 FOR I=1 TO 9
210 SQ(I)=I:NEXT
220 CLOSE 1
230 K=0
240 CLS:INPUT"CONTROL WITH <1>K
EYBOARD  OR  <2>JOYSTICKS";CC
250 IF CC>2 THEN 240
260 C$=CHR$(207)
270 BUF$=C$+C$+C$+C$+C$+C$+C$
280 ' INITIAL DRAW #
290 CLS5
300 FOR L=96 TO 127
310 PRINT@L,CHR$(204);
320 PRINT@L+128,CHR$(204);
330 NEXT L
340 FOR L=10 TO 362 STEP32
350 PRINT@L,CHR$(128);
360 PRINT@L+10,CHR$(128);
370 NEXT L
380 FOR S=1 TO 9
390 K=K+1
400 GOSUB 470
410 PRINT@BP,S;
420 PRINT@BP+31,Q$(K,1);
430 NEXT S
440 P=1:NF=0
450 GOTO 580
460 ' SUBROUTINE S TO BP
470 ON S GOTO 480,490,500,510,52
0,530,540,550,560
480 BP=3:RETURN
490 BP=13:RETURN

```

NO-STAT II



STOP STATIC ZAPI
28in. BY 28in.
ANTI STATIC PAD \$19.95

* TUFTED STATIC PROOF FABRIC
LAMINATED TO CONDUCTIVE
FOAM PAD

* ABSORBS DAMAGING STATIC
ELECTRICITY

* MAY BE CUT TO SIZE TO PROTECT
CPU and other PERIPHERALS

* PERMANENT ANTI STATIC
PROPERTIES



SC residents add 5% sales tax
TRIAL SIZE: 11in. BY 15in.
ANTI-STATIC PAD JUST \$5.95

SEND THIS ORDER FORM WITH
CHECK OR MONEY ORDER TO:

AMBER ENTERPRISES
P.O. BOX 7439
GREENVILLE, S.C. 29610

VISA MC AMEX no COD's
_____ EXP. _____
 11*15: \$5.95 28*28: \$19.95
outside of US add \$3.00 for shipping

NAME _____

ADDRESS _____

PHONE _____ ZIP _____


```

500 BP=23:RETURN
510 BP=131:RETURN
520 BP=141:RETURN
530 BP=151:RETURN
540 BP=259:RETURN
550 BP=269:RETURN
560 BP=279:RETURN
570 ' PLAY
580 PRINT@384
590 IF P=1 THENPRINT@384,"X TURN
";ELSE PRINT@384,"O TURN";
600 IF CC=2 THEN 1260
610 I$=INKEY$:IF I$=""THEN 610
620 S=VAL(I$):IF S=0 THEN 610
630 PRINT@480," ***** "S"
***** ";
640 IF S>9 THEN 590
650 IF ABS(SQ(S))>100 THEN 590
660 GOSUB 470
670 PRINT@BP+64,CHR$(191)+CHR$(1
91)+CHR$(191)+CHR$(191)+CHR$(191
);
680 PRINT@384,Q$(SQ(S),2)
690 PRINT@416,Q$(SQ(S),3)
700 IF CC=2 THEN 1450 'JOYSTICK
CONTROL
710 I$=INKEY$:IF I$=""THEN 710
720 A=VAL(I$):IF A=0 THEN 710
730 PRINT@480,A;
740 PRINT@BP+31,BUF$;:PRINT@BP+6
3,BUF$;
750 IF A=AN(SQ(S)) THEN 850 'RIG
HT
760 PRINT@485,"WRONG-IT WAS"AN(S
Q(S));
770 SOUND 1,6:K=K+1
780 IF K>100 THEN 1180
790 IF Q$(K,1)="X" THEN 1180
800 PRINT@BP,S;
810 PRINT@BP+31,Q$(K,1);
820 SQ(S)=K
830 IF P=1 THEN P=2 ELSE P=1
840 GOTO 580
850 PRINT@485,"CORRECT
";
860 SOUND 180,6:NF=NF+1
870 A$=CHR$(195):B$=CHR$(204):C$
=CHR$(207)
880 IF P=2 THEN SQ(S)=-300:GOTO9
40
890 SQ(S)=300:PRINT@384,"X WINS
THE SQUARE";
900 PRINT@BP,A$+B$+C$+B$+A$;
910 PRINT@BP+32,C$+C$+CHR$(128)+
C$+C$;
920 PRINT@BP+64,B$+A$+C$+A$+B$;
930 GOTO 990
940 PRINT@BP,C$+B$+CHR$(128)+B$+
C$;
950 PRINT@BP+32,CHR$(128)+C$+C$+

```

```

C$+CHR$(128);
960 PRINT@BP+64,C$+A$+CHR$(128)+
A$+C$;
970 PRINT@384,"O WINS THE SQUARE
980 ' CHECK FOR WINNER
990 A=SQ(1)+SQ(2)+SQ(3):IF ABS(A
)=900 THEN 1110
1000 A=SQ(4)+SQ(5)+SQ(6):IF ABS(
A)=900 THEN 1110
1010 A=SQ(7)+SQ(8)+SQ(9):IF ABS(
A)=900 THEN 1110
1020 A=SQ(1)+SQ(4)+SQ(7):IF ABS(
A)=900 THEN 1110
1030 A=SQ(2)+SQ(5)+SQ(8):IF ABS(
A)=900 THEN 1110
1040 A=SQ(3)+SQ(6)+SQ(9):IF ABS(
A)=900 THEN 1110
1050 A=SQ(1)+SQ(5)+SQ(9):IF ABS(
A)=900 THEN 1110
1060 A=SQ(3)+SQ(5)+SQ(7):IF ABS(
A)=900 THEN 1110
1070 IF NF=9 THENPRINT@384,"GAME
OVER":GOTO 1130
1080 IF P=1 THEN P=2 ELSE P=1
1090 GOTO 580
1100 ' WINNER
1110 IF A=900 THEN A$="X"ELSE A$
="O"

```

FOXFIRE DISCOUNT COMPUTER SUPPLIES

DISKETTES

ELEPHANT	55/50	17.00
	55/DD	17.50
	D5/DD	20.50
NASHUA	55/DD	17.00
	D5/DD	18.00
(file base)	D5/DD	19.50
XIDEX	55/DD	13.00
	D5/DD	13.80
VERBATIM	55/DD	18.70
	D5/DD	23.70

CUSTOM FORMATTED, 3.5" Diskettes,
and bulk available

FILING SYSTEMS

Diskfile	50	17.50
Media Mate 5	50	12.95
Flip "N" File (original)	50	16.40
Flip "N" File	50	22.00
Flip "N" File	25	16.40
Flip "N" File	10	3.50
SRW Files (state color)	10	2.70
MiniKos-ette	10	3.00

Files for 3.5" and 8" diskettes available.
Call for pricing. *Colors: beige, black,
blue, grey, red, yellow, green

PRINTER RIBBONS

Formwriter, Nec 8023A	5.40 ea
Epson MX70, 80; FX80	4.50 ea
Epson MX100, FX100	6.00 ea
Okidata 80, 82, 83A, 92, 93	2.30 ea
Okidata 84, 94	5.30 ea
R/S L/P III, V, TEC 850	5.20 ea
Vic 1525 R/S L/P VIII DMP 100	6.50 ea
Diablo Hitype II	4.00 ea
Qume I, Spring 3.5	2.90 ea
Qume IV, Sprint 7-11	5.50 ea
Ricoh 1200, 1300, 1400	5.10 ea
Nec Spinwriter 3500, 2000	6.90 ea
R/S DMP 120, 200	10.00 ea

If you don't see your printer mentioned,
call with model number and device type
handy.

PLASTIC PRINT WHEELS

Qume and Diablo Compatible 5.50 ea
Specify Type Style

FAN FOLD PAPER AND LABELS

SIZE	QUANTITY	DESCRIPTION	PRICE
9.5x11	500	15 lb white with dot marg	8.50
9.5x11	1000	15 lb white with dot marg	15.00
9.5x11	500	20 lb white with dot marg	9.50
9.5x11	1000	20 lb white with dot marg	18.00
3.5x15/16	1000	P5. LABELS 1 ACROSS	4.50
3.5x15/16	5000	P5. LABELS 1 ACROSS	19.95
Call for shipping charge on items below			
9.5x11	3300	15 lb white with dot marg	28.20
9.5x11	2550	20 lb white with dot marg	26.20
14 1/2x11	3500	15 lb green bar	40.50
14 1/2x11	2550	20 lb green bar	38.50

Ship to 48 Continental U.S. Only—Add \$2.00 shipping on orders under \$25.00 except
where noted. C.O.D. add \$2.00. Checks allow 2 weeks to clear. MA resident's add 5%
sales tax. Foxfire, P.O. Box 665, Millbury, MA 01527. Tel.: 617-865-1514. Mon.-Fri.
Noon-9 P.M. EST.

```

1120 PRINT@384,A$ " WINS THE GAME
!"
1130 PRINT
1140 IF K>90 THENPRINT"INSUFFICI
ENT QUESTIONS LEFT FOR ANOTHER G
AME":STOP
1150 INPUT"ANOTHER GAME <Y OR N>
";A$
1160 IF LEFT$(A$,1)="Y" THEN 121
0 ' REPEAT GAME
1170 STOP
1180 PRINT@384,"YOU ARE OUT OF Q
UESTIONS"
1190 STOP
1200 ' REPEAT GAME
1210 FOR I=1 TO 9
1220 SQ(I)=K+I
1230 NEXT I
1240 GOTO 290
1250 REM JOYSTICK CONTROL
1260 B$=CHR$(175)+CHR$(175)+CHR$
(175):C$=CHR$(207)+CHR$(207)+CHR
$(207)
1270 IF P=2 THEN 1360
1280 X=JOYSTK(0):Y=JOYSTK(1)
1290 S=INT(X/22)+1+INT(Y/22)*3
1300 IF ABS(SQ(S))>100 THEN 1280
1310 GOSUB470
1320 PRINT@BP+65,B$;
1330 B=PEEK(65280)
1340 IF B=126 OR B=124 OR B=254
OR B=252 THEN 670
1350 PRINT@BP+65,C$;:GOTO 1280
1360 A=JOYSTK(0)
1370 X=JOYSTK(2):Y=JOYSTK(3)
1380 S=INT(X/22)+1+INT(Y/22)*3
1390 IF ABS(SQ(S))>100 THEN 1360
1400 GOSUB470
1410 PRINT@BP+65,B$;
1420 B=PEEK(65280)
1430 IF B=125 OR B=124 OR B=253
OR B=252 THEN 670
1440 PRINT@BP+65,C$;:GOTO 1360
1450 B=PEEK(65280):IF B=127 OR B
=255 THEN 1460 ELSE 1450
1460 IF P=2 THEN 1520
1470 A=INT(JOYSTK(0)/16)+1
1480 PRINT@BP+65,A;
1490 B=PEEK(65280)
1500 IF B=126 OR B=124 OR B=254
OR B=252 THEN 730
1510 GOTO1470
1520 X=JOYSTK(0):A=INT(JOYSTK(2)
/16)+1
1530 PRINT@BP+65,A;
1540 B=PEEK(65280)
1550 IF B=125 OR B=124 OR B=253
OR B=252 THEN 730
1560 GOTO1520

```

180	165
406	229
530	105
700	75
850	126
1110	147
1250	4
1540	193
END	15

Listing 2: TRIVUTIL

```

10 REM **UTILITY PROGRAM**
15 CLEAR 12000
20 DIM Q$(100,3):DIM AN(100):DIM
R$(4)
50 A$="XXXXXXX"
60 B$="XXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXX"
100 CLS
110 PRINT"THIS IS THE PROGRAM TH
AT CREATES & MODIFIES THE QUESTI
ON/ANSWER
120 PRINT"FILES FOR THE TRIVIA-T
AC-TOE GAME"
125 PRINT"PICK ONE OF THE FOLLOW
ING"
130 PRINT"1-CREATE A NEW QUESTIO
N/ANSWER FILE"
135 PRINT"2-MODIFY OR CORRECT AN
EXISTING QUESTION/ANSWER FILE"
140 PRINT"3-ADD TO A FILE THAT I
S NOT FULL YET<LESS THAN 100 QUE
STIONS>"
150 PRINT"4-LOADING AND UNLOADIN
G TO DISK OR TAPE<MOVING THE DAT
A FILE>"
170 FOR I=1 TO 100
180 Q$(I,1)=A$:Q$(I,2)=B$:Q$(I,3
)=B$+B$:AN(I)=0
190 NEXT I
200 INPUT MC
210 IF MC=1 THEN 500
220 IF MC<4 THEN 290
230 CLS
260 PRINT"1-LOAD FILE"
270 PRINT"2-SAVE FILE"
280 INPUT A:IF A=2 THEN 410
290 GOSUB 340
300 ON MC GOTO 310,1300,1400,150
0
310 PRINT"ERROR":GOTO 100
340 ' LOAD FILE SUBROUTINE
345 INPUT"1-TAPE OR 2-DISK";A
347 IF A=2 THEN 390
350 INPUT"TURN TAPE RECORDER ON
& HIT <ENTER>";A$
355 OPEN"I",-1,"TTDATA"
360 FOR I=1 TO 100
365 INPUT#-1,Q$(I,1),Q$(I,2),Q$(

```

Elite Software

**WELL RESPECTED
&
HIGHLY ACCLAIMED**

Elite•Word is a terrific word processor with an impressive list of features, yet it's easy to learn and use.
—Stuart Hawkinson, HOT COCO

I like Elite•File . . . it's power and speed have to be seen to be appreciated.
—Ed Lowe, RAINBOW

Bruce Cook's Elite•Calc is, . . . potentially one of the great Color Computer programs. . . is the easiest to use and most intuitive of the major CoCo spreadsheet calculators."
—Scott Norman, HOT COCO

Too often, "power" is achieved at the expense of simplicity of operation. Elite Software has more than met that challenge with their Elite•Word . . .
—Don Lloyd, ONLINE TODAY—COMPUSERVE

Not all software "plays" the same . . .

Our programs have been widely recognized for their ease-of-use, powerful features, performance speed, and cross-file compatibility.

Elite Software DOES make a difference.

WORD PROCESSOR

Elite•Word is highly respected for its powerful features AND excellent ease-of-use. Don't compromise one for the other . . . Elite•Word is ready to do your letters and reports. 32K req.

Elite•Word (Disk)—Radio Shack #90-0184 . . . \$69.95
Elite•Word (Tape)—Radio Shack #90-0183 . . . \$69.95
Elite•Word / OS-9—Radio Shack #90-0186 . . . \$79.95
Elite•Word / PBJ* (Disk or Tape) 80 column display \$79.95



SPELLING CHECKER

Elite•Spel checks your text against its powerful 24,000 word dictionary, and does the job FAST. You won't wait long with Elite•Spel reading your text. 32K req.

Elite•Spel (Disk only)—Radio Shack #90-0185 . . . \$39.95
Elite•Spel (When purchased with
Elite•Word from ELITE) . . . \$15.00
Elite•Spel / PBJ* (Disk only) 80 column display \$49.95



TERMINAL PROGRAM

Elite•Comm turns your CoCo into a powerful 300 baud terminal, and it's smooth and easy to use.

Elite•Comm (Tape or Disk) . . . \$39.95
Elite•Comm / PBJ* (Tape or Disk)
80 column display . . . \$49.95



SPREADSHEET

Elite•Calc/3.0 gives you more features than the widely acclaimed Elite•Calc. You get Window Lock, 4 screen displays, expanded worksheet storage and more. 32K req.

Elite•Calc/3.0 (Disk)—Radio Shack #90-0188 . . . \$69.95
Elite•Calc/3.0 (Tape)—Radio Shack #90-0197 . . . \$69.95
Elite•Calc (Original ver. 1.2) Tape or Disk . . . \$39.95
Elite•Calc/3.0 / PBJ* (Disk only) 80 column display \$79.95



DATABASE MANAGER

Elite•File is the database manager that handles more total records, larger records, and manipulates data faster. Whether your data is inventory items or recipes, Elite•File is the correct choice. 32K req.

Elite•File (Disk only)—Radio Shack #90-0189 . . . \$74.50
Elite•File / PBJ* (Disk only) 80 column display . . . \$79.95

*Requires PBJ Word Pak hardware



Buy direct: Add \$3.00 shipping
PA residents add 6% sales tax

Elite Software

Elite Software
NOW AT **Radio Shack** STORES

Available via Express Order

Radio Shack is a trademark of Tandy Corporation

NEW!

Elite•Home™

Elite•Home lets your Color Computer manage some very important household items. In creating Elite•Home, we selected the most requested home database applications, and custom designed Elite•Home to handle them. All of these custom applications are completely finished, fully detailed and READY TO USE. Just load-in YOUR data. One major advantage is that Elite•Home contains a modified

version of our highly respected Elite•File program. This feature insures that you'll get fast and efficient processing of your information, without having to learn all the messy details about databases. Look at the applications below... at less than \$10 per application area, Elite•Home offers an exceptional user value.

- **COLLECTIONS** — complete catalog of all your personal collections, like Stamps, Photos, Records, etc.
- **IMPORTANT DATES** — Quickly! What dates are coming up that are important to you? See, you need Elite•Home already to remember Birthdays, Anniversaries, Quarterly payments, etc.
- **CREDIT CARD INVENTORY** — If you lost your wallet/purse tomorrow, who would you contact, and with what information? Elite•Home would remember.
- **HOME INVENTORY** — In case of fire or theft, could you remember all details for lost items? Why not let your children catalog your possessions on Elite•Home. You gain protection, they gain computer database experience.

- **MAILING LABELS** — Stop hand addressing the same envelopes when paying bills every month. Elite•Home is ready to do your mailing lists for Clubs, Church, Leagues, and Bill paying.
- **PHONE BOOK** — OK, so we all keep a personal phone book... whether it's in the kitchen drawer or our briefcase. If you used the Elite•Home phone book, you could ask for a display of all the card club phone numbers, do a search for the "contractor" that did that work last year (what was his name anyway?), etc.
- **CAR REPAIRS** — When was the last time you changed oil in that car(s) of yours? When is state inspection due? Let Elite•Home keep track of your service records, and inspection dates.
- **CHECKS** — At tax time, do you go back through your check book and total checks for donations? What about the total for medical expenses? With data from your checks stored on Elite•Home, you can quickly select any grouping of checks for a display and total.

INTRODUCTORY PRICE**\$49.95** Order Now! 32K, Disk Only

\$59.95 After January 1, 1986

Not available thru Radio Shack.

NEW!

Elite•Desk™

Elite•Desk brings a calculator, calendar, note pad, and ASCII table to your Color Computer. You can use Elite•Desk by itself, or have it run co-resident with any program in the Elite Software series. Imagine being able to "pull down" a calendar or calculator while typing text on Elite•Word, saving notes while using Elite•Calc, or "calling-up" an ASCII table while working on a Basic program.

We've made Elite•Desk fully re-locatable so you can try it with other programs as well. Whether you use Elite•Desk by itself, or along-side another program, it's a valuable addition to your software library. Remember, if you've ever reached for a calculator, calendar, or note pad while using your Color Computer... then you need Elite•Desk.

- CALCULATOR** — Full featured, with all standard functions... plus 3 memories. Also works in HEX as an added feature for programmers.
- CALENDAR** — Shows all days in any month. Lets you "scroll" through months and years with the arrow keys.

- ASCII TABLE** — Full table displays all hex and ASCII values. An excellent quick-reference tool.

- NOTE PAD** — Write and save a full screen of text for later reference. Also includes directory and kill-file capability.

16K if used alone
64K with other programsBuy direct: Add \$3.00 shipping
PA residents add 6% sales tax**INTRODUCTORY PRICE****\$39.95** Order NOW! Disk Only

\$49.95 After January 1, 1986

Not available thru Radio Shack.

Elite Software 201 Penn Center Blvd., Suite 301, • Pittsburgh, PA 15235 • (412) 795-8492

Move your CoCo into the "big leagues" with Elite Software and PBJ Word Pak II

• No Tools—Everything plugs together

• No Hardware modifications



Elite•Word/PBJ* (Disk or Tape) 80 column display
\$79.95



Elite•Calc/3.0/PBJ* (Disk only) 80 column display
\$79.95

Elite•Spel/PBJ* (Disk only) 80 column display
\$49.95. Only \$20.00 when purchased with
Elite•Word/PBJ. Elite•File/PBJ* (Disk only)
80 column display \$79.95. Elite•Comm/PBJ*
(Tape or Disk) 80 column display \$49.95.

Hardware required:

WORD-PAK II

Our Price \$125.00

\$3.00 Shipping/Handling

"Y" Cable Connector \$25.00

Disk Manager/PBJ* Lets you move files from
one disk to another. Also, purge files or move them
to tape. Works with one or more disk drives. List
\$39.95.

Not available thru Radio Shack.



CoCo-LISP

READY NOW! An excellent implementation of the famous
LISP language, now available for the Color Computer. Now
you can have the language that has been gaining much
attention in the field of artificial intelligence and other
applications. CoCo-LISP supports all the LISP primitives,
including data structure (LISTs), recursive functions, and

garbage-collection. CoCo-LISP has over 70 built-in func-
tions, super performance, and a high-res, full-screen
editor for program development. If you already know the
LISP language, and have been waiting for a Color Com-
puter version, CoCo-LISP is for you. 64K, RSDOS required.

- Use functions as data for other functions
- Permits functions to be called recursively
- Add your own functions; use as if built-in
- Write self-modifying programs
- Over 70 built-in functions

- Supports all LISP primitives
- High-res screen with true upper/lower case display
- Full screen editor for program development
- Full disk access and printer supported

INTRODUCTORY PRICE

\$69.95 Order NOW! 64K Disk only.

\$89.95 After January 1, 1986

Not available thru Radio Shack.

Elite Software 201 Penn Center Blvd., Suite 301, • Pittsburgh, PA 15235 • (412)795-8492

```

I,3),AN(I)
370 NEXT I
375 CLOSE-1
380 RETURN
390 INPUT"ENTER FILE NAME";F$
401 OPEN "I",1,F$
402 FOR I=1TO100
403 INPUT #1,Q$(I,1),Q$(I,2),Q$(
I,3),AN(I)
404 NEXT I
405 CLOSE 1
406 RETURN
410 ' SAVING THE FILE
415 INPUT"1-TAPE OR 2-DISK";A
420 IF A=2 THEN 460
425 INPUT"TURN TAPE RECORDER ON
RECORD & HIT <ENTER>";A$
430 OPEN"O",-1,"TTDATA"
435 FOR I=1 TO 100
440 PRINT#-1,Q$(I,1),Q$(I,2),Q$(
I,3),AN(I)
445 NEXT I
450 CLOSE-1
455 GOTO 470
460 INPUT"ENTER FILE NAME";F$
464 OPEN "O",1,F$
465 FOR I=1TO100
466 WRITE #1,Q$(I,1),Q$(I,2),Q$(
I,3),AN(I)
467 NEXT I
468 CLOSE 1
470 PRINT"DATA LOADED"
475 INPUT"1-CONTINUE 2-QUIT";A
480 IF A=1 THEN 1500
490 STOP
500 CLS
510 PRINT"OK, HERE'S THE DEAL"
520 PRINT"THIS NEW FILE CAN TAKE
100 MULTIPLE CHOICE QUESTIONS-E
ACH HAS 4 PARTS"
530 PRINT"1-CATEGORY OF QUESTION
-SUCH AS HISTORY,PEOPLE,TV,SPOR
TS,COMICS"
535 PRINT"---MUST 7 OR LESS LETT
ERS"
540 PRINT"2-THE QUESTION--KEEP T
O ONE LINE <32 LETTERS MAX>"
550 PRINT"3-THE CORRECT ANSWER"
560 PRINT"4-THREE BOGUS ANSWERS"
570 PRINT"THE COMPUTER WILL PUT
THESE ANSWERS IN RANDOM ORDER"
572 INPUT"HIT <ENTER> TO CONTINU
E";A$
575 PRINT"LENGTH OF THE 4 ANSWER
S MUST BE LESS THAN 2 LINES LONG
"
580 PRINT"BECAUSE OF THE WAY OUR
COMPUTER TAKES DATA--DON'T USE
ANY COMMAS"

```

```

585 PRINT"IF YOU WANT TO QUIT EA
RLY, TYPE IN STOP WHEN IT ASKS F
OR CATEGORY"
590 PRINT"IF YOU DON'T LIKE THE
WAY THE LAST QUESTION TURNED O
UT TYPE IN REDO"
600 A=TIMER
610 IF A>500 THEN A=A-500:GOTO61
0
620 FOR I=1 TO A:B=RND(A):NEXT
630 INPUT"PRESS <ENTER> TO START
";A$
700 K=1:CLS5
710 PRINT"QUESTION"K
720 INPUT"CATEGORY";A$
730 IF A$="STOP"THEN 1500
740 IF A$="REDO"THEN K=K-1:GOSUB
1100:GOTO950
750 IF LEN(A$)>7 THENPRINT"7 LET
TERS MAX PLEASE REDO":GOTO720
760 Q$(K,1)=A$
770 PRINT"ENTER THE QUESTION":IN
PUT A$
780 IF LEN(A$)>32 THENPRINT"THIS
CAN BE ONLY 1 LINE, ACE":GOTO77
0
790 Q$(K,2)=A$
800 PRINT"ENTER THE CORRECT ANSW
ER":INPUT A$
810 PRINT"ENTER FIRST BOGUS ANSW
ER":INPUT B$
820 PRINT"ENTER ANOTHER BOGUS AN
SWER":INPUT C$
830 PRINT"ENTER ONE MORE BOGUS A
NSWER":INPUT D$
840 B=LEN(A$+B$+C$+D$)
845 IF B>52 THENPRINT"YOUR ANSWE
R IS"52-B"LETTERS TOO LONG-TRY A
GAIN":GOTO800
850 GOSUB 1000
860 IF L<27 AND LL<27 THEN 920
870 GOSUB 1000
880 IF L<27 AND LL<27 THEN 920
890 GOSUB 1000
895 IF L<27 AND LL<27 THEN 920
900 Q$(K,3)="1-"+R$(1)+" 2-"+R$(
2)+" 3-"+R$(3)+" 4-"+R$(4)
910 GOTO 950
920 D=27-L:A$="1-"+R$(1)+" 2-"+R
$(2)
930 FOR I=1 TO D:A$=A$+" ":NEXT
940 Q$(K,3)=A$+"3-"+R$(3)+" 4-"+
R$(4)
950 CLS RND(8)
960 PRINT Q$(K,1),AN(K)
970 PRINT Q$(K,2):PRINT Q$(K,3)
980 K=K+1:IF K>100 THENPRINT"FIL
E FULL!":GOTO 1700

```

RAINBOW ON TAPE

Enjoy Your RAINBOW Programs With The Greatest of Ease Subscribe to RAINBOW ON TAPE!

Each month, RAINBOW ON TAPE gives you as many as two dozen ready-to-run programs from the current issue of THE RAINBOW, excluding OS-9 programs and those less than 20 lines. With just a one-year subscription, you'll receive more than 230 new programs. And, using the documentation provided by the magazine, all you have to do is load and run them.

RAINBOW ON TAPE is not a stand-alone product, but is intended as an adjunct and complement to the magazine. Even if you purchase RAINBOW ON TAPE, you will still need the magazine for loading and operating instructions.



Subscribe to RAINBOW ON TAPE Today!

**LOOK FOR OUR ORDER CARD
BETWEEN PAGES 34 AND 35**

The cost for a single copy of RAINBOW ON TAPE is \$10 within the United States; U.S. \$12 in all other countries. The annual subscription rate for RAINBOW ON TAPE is \$80 within the U.S.; U.S. \$90 in Canada; and U.S. \$105 for all other countries. **U.S. currency only, please.** In order to hold down non-editorial costs, we do not bill.

**Need a back issue of RAINBOW ON TAPE?
Issues available beginning with April 1982**

Programs From Our Past Holiday Issues:

December 1984 — *Holiday Music*, a fun program combining the CoCo's great sound and graphics capabilities; *Holiday Helper*, a Christmas card file and labeler to help you prepare holiday greetings; *Holiday Graphics*, a Christmas or Chanukah message presented as an electronic greeting card or a display. Also, *The Head of the Beast* Adventure game, information on expanding BASIC, an upgrade tutorial on expanding CoCo's memory, a tutorial on creating a disk mailing list program and more.

December 1983 — *Christmas Carols*, eight holiday favorites courtesy of your CoCo; *Xmasltr* and *Stdltr*, two programs to help with your Christmas cards; *The Dridl Game*, a traditional Chanukah favorite; *Merry Christmas To All* and *To All A Good Bye*, a totally animated and colorfully graphic Christmas card. Also, a printer graphics program that makes either Christmas or Easter greeting cards, how to create eye-catching title pages, a Ham radio utility listing Ham frequency authorization by operator class, a utility to alphabetically sort both filenames and extensions, a trivia game and more.

To order by phone, call: (502) 228-4492

```

990 GOTO 710
999 ' RANDOM ANSWER SUBROUTINE
1000 A=RND(4):AN(K)=A
1010 B=RND(3):IF B=A THEN B=B+1
1020 C=RND(2):IF C=B OR C=A THEN
  C=C+1
1030 IF C=B OR C=A THEN C=C+1
1040 D=10-A-B-C
1050 R$(A)=A$:R$(B)=B$:R$(C)=C$:
R$(D)=D$
1060 L=LEN(R$(1)+R$(2)):LL=LEN(R
$(3)+R$(4))
1070 RETURN
1100 CLS
1110 PRINT Q$(K,1):PRINT Q$(K,2)
:PRINT Q$(K,3)
1120 PRINT"DO YOU WANT TO CORREC
T"
1121 PRINT"1-CATEGORY 2-QUESTIO
N"
1130 PRINT"3-ANSWER 4-THE WHO
LE THING";
1140 INPUT A:ON A GOTO 1160,1190
,1230,1160
1150 RETURN
1160 INPUT"CATEGORY";A$
1170 IF LEN(A$)>7 THENPRINT"7 LE
TTERS OR LESS PLEASE":GOTO 1160

```

```

1180 Q$(K,1)=A$:IF A=1 THEN RETU
RN
1190 PRINT"QUESTION":INPUT Q$(K,
2)
1210 IF LEN(Q$(K,2))>32 THENPRIN
T"THIS ISN'T A NOVEL-1 LINE PLEA
SE":GOTO1190
1215 IF A=4 THEN 1230
1220 RETURN
1230 PRINT"ENTER ALL MULTIPLE CH
OICE ANSWERS & NUMBERS":IN
PUT A$
1240 IF LEN(A$)>64 THENPRINT"THA
T'S TOO LONG-REDUCE TO 2 LINES":
GOTO1230
1250 IF A=3 THEN 1270
1270 Q$(K,3)=A$
1280 INPUT"WHICH IS THE CORRECT
ANSWER";B
1290 IF B<1 THEN 1280
1295 AN(K)=B:RETURN
1299 'MODIFY OR CORRECT
1300 CLS:PRINT"ENTER 999 TO SCRO
LL THRU ALL QUESTIONS"
1310 PRINT"ENTER QUESTION # TO M
ODIFY 0 TO STOP";
1320 INPUT K
1330 IF K=999 THEN 1600
1340 IF K=0 THEN 1500
1350 GOSUB 1100
1360 GOTO 1310
1399 ' ADD TO EXISTING FILE
1400 PRINT"LOAD EXISTING FILE"
1420 K=1
1430 IF Q$(K,1)="XXXXXXXX" THEN 1
460
1440 K=K+1:IF K<=100 THEN 1430
1450 PRINT"FILE IS FULL":GOTO170
0
1460 CLS5
1470 GOTO 710
1499 ' SECONDARY MENU
1500 CLS 5
1510 PRINT"1-MODIFY OR CORRECT"
1520 PRINT"2-ADD TO THIS FILE"
1530 PRINT"3-SCROLL THRU A.T. OUE
STIONS"
1540 PRINT"4-TERMINATE PROGRAM"
1550 INPUT MS
1560 ON MS GOTO 1310,1420,1600,1
700
1570 GOTO 1500
1599 ' SCROLL
1600 PRINT"THIS OPTION WILL PAGE
THRU ALL QUESTIONS-4 AT A TIME
"
1610 PRINT"ENTER S TO STOP-ANY O
THER KEY TO CONTINUE"
1620 INPUT"HIT <ENTER> TO BEGIN

```

ADVENTURE & EXCITEMENT

*****For the Color Computer*****

RESCUE ON ALPHA II — 1984 Rainbow Adventure Contest Grand Prize winner and Graphics Best of Show. Classic adventure. Rescue the professor, save his equipment, and destroy the headquarters of the evil space wizard Zarkon. But, watch out for the Gormal!
32K Cassette or disk — \$14.95

WIZARDS TOWER — You become a warrior, wizard or elf questing for the 3 magical talismans of power hidden in the dungeon below the wizards tower. Powers grow as you adventure. Played on a computer generated map.
16K cassette, 32K disk — \$9.95

CONQUERING ARMIES — Large scale medieval warfare. Played on a Hi-Rez map. Retake your country and defend it against the armies of the enemy.
16K cassette, 32K disk — \$9.95

3 GAME SPECIAL — All three games above.
32K cassette or disk — \$24.95

**MITCHELL
SOFTWARE**
P.O. BOX 194
Tomahawk, WI 54487

All orders add
\$1.50 postage & handling
WI Residents add 5% sales tax


```

PAGING";A$
1625 CLS
1630 FOR I=1 TO 100
1640 PRINT I,Q$(I,1)
1650 PRINT Q$(I,2):PRINT Q$(I,3)
1660 IF INT(I/4)<>I/4 THEN 1690
1670 I$=INKEY$
1680 IF I$="" THEN 1670
1685 IF I$="S" THEN 1500
1690 NEXT I
1695 GOTO 1500
1699 ' TERMINATE
1700 INPUT"1-SAVE FILE      2-JUS
T STOP";A
1710 IF A=2 THEN STOP
1740 GOTO 410
1750 END

```

Editor's Note: The text that follows is the sample data file for this program. You can type it in using a word processor, and save it on disk in ASCII, or you can use it as a reference when running Listing 2 to create a file.

Listing 3: TRIVDATA

```

"PEOPLE","WHO WAS THE ELEPHANT MAN","1-
JOHN MERRICK 2-JIM MORRISON 3-BEN HOAR
Y 4-ORSON WELLS", 1
"HISTORY","LED RAID ON HARPERS FERRY 185
9","1-VALERIE HARPER 2-GEN SHERMAN 3-JOH
N BROWN 4-STONEWALL JACKSON", 3
"WORLD","IDI AMIN WAS DICTATOR OF","1-SW
EDEN 2-UGANDA 3-ANGOLA 4-L
IBYA", 2
"TV","MURRAY THE COP IS FROM","1-BARNEY
MILLER 2-MAYBERRY RFD 3-ODD COUPLE 4-AR
CHIE BUNKER", 3
"USA","STATUE OF LIBERTY IS MADE OF","1-
WOOD 2-COPPER 3-STONE 4-
MARSHMELLOWS", 2
"BOOKS","BILBO BAGGINS COUSIN","1-DONALD
2-GOLLUM 3-FRODO 4-ROLLO"
, 3
"MUSIC","BRIAN WILSONS GROUP","1-BEACH B
OYS 2-BEEGEES 3-DOORS 4-LED ZEP
PELIN", 1
"SPORTS","PANTHO GONZALES PLAYS","1-TENN
IS 2-BASEBALL 3-SOCCER 4-GOL
F", 1
"INVENT","INVENTED THE ELECTRIC RAZOR","
1-K GILLETTE 2-JACOB SCHICK 3-WILSON
YOUNG 4-GABBY HAYES", 2
"ANIMALS","WHICH IS NOT A REPTILE","1-SA
LAMANDER 2-IGUANA 3-CHAMELEON
4-RATTLESNAKE", 1
"CARS","WHO MAKES THE GLC","1-MAZDA 2-VO
LVO 3-AMC 4-GMC", 1
"GEOG","WHERE IS THE BLACK FOREST","1-GE

```

```

RMANY 2-USSR 3-FINLAND 4-
ANGOLA", 1
"MOVIES","STAR OF BECKET","1-PETER OTOOL
E 2-REX HARRISON 3-ED ASNER 4-R BURTON
", 4
"CAPITAL","CAPITAL OF AUSTRALIA","1-CANB
ERRA 2-AUCKLAND 3-SYDNEY 4-PER
TH", 1
"LEGENDS","SON OF SIR LANCELOT","1-JUNIO
R 2-ULYSSES 3-GUY 4-GALAHAD
", 4
"PRES","JACKIE KENNEDYS MAIDEN NAME","1-
BOUVIER 2-STAPLES 3-ONASSIS
4-FENWICK", 1
"SPOUSES","FORMER WIFE OF CARY GRANT","1-
DYAN CANNON 2-ANGIE DICKENSON 3-JEAN SI
MMONS 4-EVA GABOR", 1
"COMICS","BROOM HILDAS FRIEND","1-MAYNAR
D 2-FRED 3-GAYLORD 4-CASP
ER", 3
"MEDICAL","DISEASE OF GUMS","1-PHLEBITIS
2-DOUBLEMINT 3-PLEURISY 4-PYORRH
EA", 4
"DISNEY","VOICE OF DONALD DUCK","1-WALTE
R LANTZ 2-WALT DISNEY 3-CLARENCE NASH
4-MEL BLANC", 3
"PEOPLE","KNOWN AS GENTLEMAN JIM","1-JIM

```

New! **SUPER** *New!*
DIRECTORY CATALOG

CATALOG OVER 3800+ DIRECTORY
FILENAMES AT ONE TIME!

* SUPER FAST *

- Sort complete catalog quickly
- Print out all or part of catalog
- Selectively search for filenames

Now catalog over 3800+ of your directory filenames at one time. Written in 100% machine language for super speed, no need to wait for BASIC to catch up. Sort the entire catalog, then print it out in book form for easy access.



Disk \$24.95 + \$2.00 s/h

Check/COD/Visa/Master Card



metasoft



P.O. Box 7796
Independence Mo. 64054
(816) 833-2440

* 3850 with 64k/1700 with 32k * MS-808 1.0/1.1

MY SNYDER 2-JIM PRICE 3-JIM NAYBORS
 4-JAMES CORBETT", 4
 "HISTORY", "DEFEATED NAPOLEON AT WATERLOO", "1-HENRY 2-WELLINGTON 3-EDWARD 4-HANNIBAL", 2
 "WORLD", "WHERE IS COPACABANA BEACH", "1-RIO DE JANEIRO 2-HAWAII 3-CUBA 4-HOLLYWOOD", 1
 "TV", "ON WHAT SHOW IS PIGS IN SPACE", "1-SOLID GOLD 2-GREEN ACRES 3-STAR TREK 4-MUPPETS", 4
 "USA", "DISCOVERED THE COLUMBIA RIVER", "1-CAPT ROBT GRAY 2-WM COLUMBIA 3-LEWIS & CLARK 4-HARRY TRUMAN", 3
 "BOOKS", "AUTHOR OF BRAVE NEW WORLD", "1-H.G.WELLS 2-GERALD BROWN 3-ALDOUS HUXLEY 4-LAURA HOBSON", 3
 "MUSIC", "KAREN CARPENTERS BROTHER", "1-WILL 2-BOB 3-CLAUDE 4-RICHARD", 4
 "SPORTS", "LOCATION OF FENWAY PARK", "1-CHICAGO 2-BALTIMORE 3-SAN DIEGO 4-BOSTON", 4
 "SCIENCE", "OSTEOLOGY IS THE STUDY OF", "1-BLENDERS 2-FISH 3-BONES 4-BIRDS", 3
 "ANIMALS", "LARGEST LAND CARNIVORE", "1-JOHN BELUSHI 2-KODIAK BEAR 3-RHINOCEROS 4-GRIZZLY BEAR", 2
 "CARS", "WHO MAKES THE SILVER SPIRIT", "1-SUBARU 2-FORD 3-ROLLS ROYCE 4-TOYOTA", 3
 "GEOG", "WHERE IS BOTSWANA", "1-MIDDLE EARTH 2-SOUTH AFRICA 3-ASIA 4-ORIENT", 2
 "MOVIES", "WHO PLAYED THE WIZARD OF OZ", "1-DICK CLARK 2-FRANK MORGAN 3-RAY BOLGER 4-JACK HALEY", 2
 "CAPITAL", "CAPITAL OF WISCONSIN", "1-MILWAUKEE 2-ROCKFORD 3-MADISON 4-COLUMBUS", 3
 "LEGENDS", "GREEK KING WHO FOUGHT TROJANS", "1-AGAMEMNON 2-ULYSSES 3-ALEXANDER 4-APOLLO", 1
 "PRES", "KNOWN AS OLD ROUGH & READY", "1-HERBERT HOOVER 2-ZACH TAYLOR 3-F.D.ROOSEVELT 4-GERALD FORD", 2
 "SPOUSES", "FORMER HUSBAND OF JULIE LONDON", "1-JACK WEBB 2-JOHN WARNER 3-XAVIER CUGAT 4-WOODY ALLEN", 1
 "COMICS", "DAGWOODS BOSS", "1-LOU GRANT 2-MR BEASLEY 3-MR DITHERS 4-MR BIGDOME", 3
 "SPACE", "MAKEUP OF THE SUN", "1-HYDROGEN 2-OXYGEN 3-AMMONIA 4-URANIUM", 1
 "DISNEY", "DUMBOS MOUSE FRIEND", "1-THUMPER 2-SPEEDY 3-JERRY 4-TIMOTHY", 4
 "PEOPLE", "WHO WAS KNOWN AS SCARFACE", "1-

MUSSOLINI 2-BUGSY MALONE 3-AL CAPONE
 4-QUASIMOTO", 3
 "HISTORY", "TRIED TO BLOW UP HOUSE OF LORDS", "1-RICHARD STARKY 2-GUY FAWKES 3-O LIVER CROMWELL 4-JOHN CALVIN", 2
 "WORLD", "ANWAR SADAT'S COUNTRY", "1-TURKEY 2-IRAQ 3-EGYPT 4-ISRAEL", 3
 "TV", "D.A. IN PERRY MASON", "1-PERRY WHITE 2-IRONSIDE 3-HAMILTON BURGER 4-PAUL DRAKE", 3
 "USA", "TERM FOR A U.S. SENATOR", "1-4 YRS 2-2 YRS 3-6 YRS 4-LIFE", 3
 "BOOKS", "OCCUPATION OF BOB CRATCHET", "1-BANK TELLER 2-SCHOOL TEACHER 3-FARMER 4-CLERK", 4
 "MUSIC", "SONG BY THE COWSILLS", "1-SUZY Q 2-HAIR 3-DIZZY 4-GOIN UP TO THE COUNTRY", 2
 "SPORTS", "DIXIE WALKER PLAYS", "1-GOLF 2-TENNIS 3-BASEBALL 4-BASKETBALL", 3
 "INVENT", "INVENTOR OF THE CLOCK", "1-GEORGE WALTHAM 2-THE CHINESE 3-BEN FRANKLIN 4-WILL SMITH", 2
 "ANIMALS", "WHAT IS AN EMU", "1-REPTILE 2-ANTELOPE 3-LARGE BIRD 4-INSECT", 3
 "CARS", "WHO MAKES THE MONDIAL", "1-PEUGEOT 2-FERRARI 3-CHEVY 4-CADILLAC", 2
 "GEOG", "SHARES ISLAND WITH HAITI", "1-JAMAICA 2-NEW GUINEA 3-DOMINICAN REPUBLIC 4-BORNEO", 3
 "MOVIES", "DIRECTOR OF STAR TREK III", "1-GENE RODDENBERRY 2-GEO LUCAS 3-LEONARD NEMOY 4-ARTHUR HILLER", 3
 "CAPITAL", "CAPITAL OF PORTUGAL", "1-MADRID 2-PORTO 3-LISBON 4-GIBRALTER", 3
 "LEGENDS", "FLEW TOO CLOSE TO THE SUN", "1-PINOCCHIO 2-ICARUS 3-PROMETHEUS 4-JOHN GLENN", 2
 "PRES", "WHO SHOT PRESIDENT REAGEN", "1-MARK CHAPMAN 2-JAMES EARL RAY 3-SIRHAN SIRHAN 4-JOHN HINKLEY", 4
 "SPOUSES", "FORMER HUSBAND OF URSULA ANDRES", "1-JOHN HUSTON 2-DEAN MARTIN 3-DICK POWELL 4-JOHN DEREK", 4
 "COMICS", "BATMAN'S TRUE IDENTITY", "1-LAMONT CRANSTON 2-BRUCE WAYNE 3-DICK GRAYSON 4-CLARK KENT", 2
 "MEDICAL", "ADENOIDS ARE LOCATED IN THE", "1-FOOT 2-THROAT 3-INTESTINES 4-LIVER", 2
 "DISNEY", "WALT DISNEY'S MIDDLE NAME", "1-ELIAS 2-GORDON 3-FLETCHER 4-DONALD", 1

A steal at any price. Darn near a felony at these prices.

SDOS®

Real Disk Operating System
and Professional Software Tools

Full 2-Pass Assembler

Text Editor

6809 Debugger

Fully interrupt driven

Disk buffer pool/LRU cache

Supports up to 4 drives

Date-stamped file backup utility

Disk disaster recovery utility

RSDOS data file transfer utility

Friendly command interpreter

User-definable error messages

Keyboard typeahead at all times

(not just when disks are idle)

Screen-edit style input editing

Full ASCII keyboard (inc. CTRL)

Software selectable baud rates

Full serial I/O to 19.2Kb

thru RS Modem cartridge

400+ pages documentation

only \$49.95!

SD BASIC Compiler

Full-featured language

Tight code, fast execution

(3X times faster than RSBASIC

doing Prime Number search)

FOR I=1 to 10000/NEXT I

takes 1.8 second (12X faster)

A=1 takes 2 bytes of memory

(not counting Runtime Package)

Automatic runtime integer/

floating point optimization

32 letter variable/label names

True Subroutine/Functions with

named, multiple arguments

WHILE-DO and IF-THEN-ELSE

All execution errors trappable

Fast, 65K char string facilities

Assembly language interface

Fast Decimal f.p. arithmetic

(no money conversion errors!)

Cursor positioning

Print USING

Device-independent ASCII and

binary file I/O to the byte

Indexed file option available

\$49.95 (requires SDOS)

Not RSBASIC compatible

All products require Color Computer with 64K and at least one disk drive.



COMPUTER SYSTEMS DISTRIBUTORS

P.O. Box 9769

Anaheim, California 92802

(714) 772-1390

SEDIT/TYPE: Word Processing

SEDIT: full screen text editor

Place cursor and start typing!

What-you-see-is-what-you-get

Typeahead and autowrap on margin

"No wrap" mode for programs

Edits files up to 80Kb

Global Search/Change

SEDIT or SDOS can use 24 by 80

CRT via modem card with multipak

TYPE: Document Processor

Formats raw text mode with SEDIT

according to embedded commands

Automatic justification

Automatic pagination

Definable page titles/footings

Automatic page numbering

Centering

Foreign language accents

Multiple file merge

(for big documents or mailings)


Table of Contents generation

Semi-automatic index generation

150+ pages documentation

\$49.95 (requires SDOS)

CHESSD™: A REAL CoCo Chess Program



High resolution display

High quality play

Variable skills levels

Plays Black or White

Can act as referee

Accepts Algebraic-like notation

Handles and plays special moves

Castle, En Passant, Pawn Promote

Tournament/Rapid Transit Modes

Tournament timer logic built-in

32,000 move disk opening book

\$49.95 (does NOT require SDOS)



Visa and Mastercharge accepted.

Shipping charges \$2.00 per order.

Dealer inquiries invited.

Software consulting also available.

*SDOS is a registered trademark of Software Dynamics.

*CHESSD is a trademark of Software Dynamics.

DERBY CITY SOFTWARE

"The Place to Shop for ALL your COCO Needs"

Derby City is proud to announce that we carry the full hardware and software lines of the following companies:

SPECTRUM PROJECTS * J & M SYSTEMS, LTD. * DERRINGER SOFTWARE, INC.

All first time orders will receive the following discounts:

10% on SOFTWARE 5% on HARDWARE

Discounts apply to first time orders only - and do not apply to items already on sale



SOFTWARE

WORD PROCESSING

Teletwriter 54 (D) \$59.00
The best all around word processor for a CoCo. Compatible w/ DYNACALC and PRO-COLOR-FILE!

Telepatch (TW64 enhancement) (D) \$19.00
True block moves, Overstrike, TSPool mode, plus Key Repeat and faster disk access.

Telegraphics (D) \$24.00
Print Hi-Res graphics while in TW64! Interfaces without oct addressable printers.

MASTER DESIGN (D) \$29.00
See description in "GRAPHICS" of this ad.

DATABASE MANAGEMENT

Pro-Color-File enhanced 2.0 (D) \$59.00
The first serious professional database for the CoCo disk system! Compatible w/ Dynacalc & TW64!

Pro-Color-Forms 2.0 (D) \$29.00
Access data files created by Pro-Color-File and merge them with a letter or pre-printed forms. Merge graphics by Master Design & Telegraphics!

E-Z Base (D) \$24.00
User friendly w/ Hi-Res screen up to 500 records w/ 15 fields record. Search by record or field. Best "title" database. See review July of 84.

SPREADSHEET

Dynacalc (D) \$79.00
CoCo's best and fastest spreadsheet system. It will work with published Visicalc spreadsheets but has more features! P.C.F. TW64 compatible!

Dynagraph (D) \$18.00
Utility program for Dynacalc users. Transfer a Dynacalc graphics file to standard graphic file for further enhancement. Also reduce graphics for multiple displays.

Saleswise (D) \$24.00
Make a printer print sideways! No more hassles with trying to fold spreadsheets together! Any ASCII file read and printed out sideways.

COMMUNICATIONS

Colorcom-E (D) \$47.00
300/1200 baud - ASCII & binary file transfers! User friendly and efficient auto file controls. XMODEM, XON & XOFF control and DFT.

Coinrama BBS (D) \$99.00
The best file featured BBS for the CoCo.

GRAPHICS

CoCo Max (D) \$49.00
The most powerful and easiest graphics program available for CoCo. Requires 40 pin "Y" cable.

Graphicom (Cheshire Cat) (D) \$24.00
The first serious & affordable graphic program for the CoCo line.
With Spectrums Graphicom joystick - \$49.00

Graphicom Part II (WhiteSmith) (D) \$24.00
Stand alone program and/or utility program to greatly expand the capabilities of Graphicom.

Bjork Blocks (D) \$38.00
Steve Bjork's (Zaxxon & Sander of Egypt) graphic utility program for producing Hi-Res pictures quickly and easily on the CoCo.

Schematic Drafting Processor (D) \$29.00
480 X 540 pixel worksheet w/ 6 viewing windows. Over 30 electronic symbols w/ 10 user definable symbols. Even toggle & multi-pen chips! Reviewed 1-84.

Master Design (D) \$29.00
Interface w/ TW 64 for printing Hi-Res displays with your TW 64 letters. (characters can be of different sizes, skinny, bold, outline, drop or raised shadows or bit).

SCREEN DUMPS

Gemini/Epson (T/D) \$17.00
A full featured graphic screen dump. Includes Reverse image, 1/4 size & full page prints. 600 X 600 baud rates with high speed probe.

COP-115 Color Dump (T/D) \$21.00
The latest! User friendly, menu driven, even printout but artificial! PMODE 4 colors! Also dump all PMODEs and graphics pages. Compatible with Graphicom 2.0. Reviewed 2-85.

DMP Dump (D) \$19.00
For DMP-100 and compatible printers.

MAJOR UTILITIES

CoCo Checker (D) \$19.00
Best all around CoCo diagnostic. Review 1-85.

54K Disk Utility Package (D) \$21.00
Copy ROM packs. 32K spooler. Reviewed 7-83.

Disk Utility 2.1A (D) \$24.00
A must for any disk user - Reviewed 10-84.

Tape/Disk Utility (D) \$24.00
Send disk to tape - Tape to disk. Review 9-83.

Disk Sort & Order (D) \$20.00
Convert HS diskettes to JDOS 40 track format! Remove ALL censored data from your RS or JDOS diskettes. Also alphabetize directory at same time. Reviewed 5-85 (Hot CoCo).

Split-N-Image 3.1 (D) \$29.00
We haven't found any disk yet that can not handle! Boats most copy protection programs!

CoCo Util. (D) \$29.00
We transfer CoCo files to MS-DOS machines. 128K MS-DOS (IBM-PC) & two drives required.

OS-9 utilities

OS-9 Solution (D) \$39.00
Replaces 19 of the "user hostile" commands in OS-9 with single keystroke macros. No more of the typing in complex 1-0-9 patterns! The Solution requires version 1.01. Reviewed 5-85.

OS-9 Thunder Ram - RAM Disk (D) \$34.00
Creates a "RAMDISK" for use with OS-9 and the 256K Thunder Ram/CoCo. Requires 256K & OS-9.

FSBK: File System Backup
Similar to the Unix TAR ver. but is augmented with many "cues" and is designed with the OS-9 implementation in mind. In essence it will back-up a hard disk to a series of floppy diskettes for a restore operation.

FSRS: File System Restore
Essentially the complement of FSBK. Restores completely the file system given the multiple diskettes obtained from FSBK. Restored systems use standard faster disk accesses.

BOTH PROGRAMS FOR ONLY - \$69.00

MODTIME: Modify-time
An easy way to adjust the system time after by assigning new values or specifying increments to the hour, minute or second.

FINDF: Find a file
Scans the file system for what the user wants. Accepts a file name which can have wildcards & will list out info such as the filepathname, if the file(s) exist.

PERUSE: Self explanatory
Easy & friendly way to quickly peruse thru a file system without the tiresome "cd" and "ls" sequence. It has a few additional useful features which includes an "intelligent display".

ALL THREE PROGRAMS FOR ONLY - \$59.00

HARDWARE

COMPUTER

64K CoCo II w/Ext. Bas. \$168.00

DISK DRIVES (6ms, 40 track, 1/2 ht.)

From SPECTRUM PROJECTS

Drive 0 system \$276.00
Drive 0, 1 system \$346.00
Drive 1, 2 or 3 \$136.00
10 MEG Hard Drive \$295.00
Includes: Controller - Manual - Cable

AMDEK Twin 3" Drives \$199.00
AMDEK Drive System w/Controller \$299.00

From J & M SYSTEMS LTD. (JDOS)

Drive 0 system (55) \$287.00
Drive 0 system (DS) \$357.00
Drive 0, 1 system (55) \$427.00
Drive 0, 1 system (DS) \$497.00

DISK CONTROLLERS

SUPER CONTROLLER \$99.00
w/ 4 DOS ROM switches by software Pickers! Accepts 27129 or 2704 EPROM! Designed by "Turn of the screw" guru T. DiStefano.

JFD-CP CONTROLLER \$149.00
w/ 2 DOS ROM Switcher-Parallel Port-JDOS v. 1.2x and Memory Minder software in ROM.

PRINTERS

GEMINI 5G-10 \$249.00
120 cpi, True descenders, 2K Buffer, Tractor and Friction Feeds, Roll, fan fold and single page. One full year warranty & "Near Letter Quality" Mode! Full dot addressable graphics!

BRITE FACE INTERFACE \$59.00
First intelligent serial to parallel interface. Auto set 600 to 9600 baud rates! No switches!

MEMORY EXPANSIONS

256K THUNDER RAM \$129.00
Not available for CoCo II's. Load 4-32K p/m in 1/2 min. A 60K print spooler - 30 x Hi-Res graphic screens in memory! Emulate a 40 track RAMdisk! Reviewed 5-85.

84K Upgrade \$20.00
Set of 8 CMOS chips - 120ms Fast.

64K (26-3134A & 26-3136A Models only) \$40.00

MONITORS

Green Screen \$90.00
Amber Screen \$119.00
(Both of the above monitors include audio!)

Universal Video Driver \$29.00
Works with ALL monitors & ALL CoCos!

MODEMS

Mini Modem \$49.00
Direct connect - 300 baud - original answerer. Add \$14.95 for the modem cable.

J-CAT MODEM \$119.00
Lowest priced auto answer modem!

HAYES SM-300 \$199.00
"Programmable" - Auto Dial/Auto Answer!

300-1200 BAUD MODEM \$199.00
Add \$14.95 for the modem cable.

DOS SWITCHERS

Jumpers select any possible 24-28 pin combination. No soldering or trace cutting, all gold contacts. For J & M Controllers only!

DOS Switcher w/out ROM \$22.00
DOS Switcher w/RS 1.1 ROM \$60.00

RS-232C SWITCHES

2-Position Switch \$25.00
3-Position Switch \$36.00

MISCELLANEOUS

40 pin "Y" cable \$20.00
40 pin 3-way "Y" cable \$36.00
RS-232 15' extender cable \$15.00
RS-232 "Y" cable \$20.00
Disk ROMpak 3' extender cable \$25.00
Null modem cable - 4 pin to DB25 \$25.00
24 shielded Multi-Pak extender cable \$45.00
C-10 Tapes (any quality) 50 cents
5 1/4" Diskettes (55 DD) \$1.15
Video Reverser (green on black) \$25.00
Video Clear (reduces T.V. RF) \$20.00
Graphicom Joystick \$24.00
WICO Command Control Adapter \$19.00
If you don't see what you want - Call us today!

3825 Bardstown Road, Suite 232, Louisville, KY 40218
(502) 454-6809

All orders \$3.00 shipping & handling. Ky. residents add 5% sales tax.
C.O.D. (add \$2.00)/VISA/MasterCard/Cash

NEW

LOWEST PRICES

NEW

NEW

LOWEST PRICES

NEW

"PEOPLE", "HUNTER OF FUGITIVE NAZIS", "1-S
TEVE MCQUEEN 2-ALBERT SPEER 3-SIMON WIE
SENTHAL 4-A EICHMANN", 3
"HISTORY", "CONFEDERATE PRESIDENT", "1-ROB
T E LEE 2-JEFFERSON DAVIS 3-WM SHERMAN
4-BOSS HOGG", 2
"WORLD", "BELIZE IS A COLONY OF", "1-ENGLA
ND 2-FRANCE 3-USA 4-CHILE",
1
"TV", "HOME OF OLIVER WENDELL DOUGLAS", "1-
MAYBERRY 2-HONG KONG 3-WALNUT
GROVE 4-HOOTERVILLE", 4
"USA", "FIRST NATIONAL PARK", "1-SMOKEY MO
UNTAINS 2-YOSEMITE 3-YELLOWSTONE 4-ZIO
N", 3
"BOOKS", "WHO WROTE 'SAVING THE QUEEN'", "
1-ROBT GREEN 2-SIDNEY SHELTON 3-WM F B
UCKLEY 4-DAVID BOWIE", 3
"MUSIC", "WHO WROTE 'CLAIR DE LUNE'", "1-E
LTON JOHN 2-TOULOUSE LAUTREC 3-CHICK COR
EA 4-CLAUDE DEBUSSY", 4
"SPORTS", "CHICAGO HOCKEY TEAM", "1-RED SO
X 2-BLACK HAWKS 3-BEARS 4-BRUINS
", 2
"INVENT", "EDISON DID NOT INVENT THE", "1-
ELECTRIC LAMP 2-PHONOGRAPH 3-RADIO 4-
MOVIE CAMERA", 3
"ANIMALS", "A COATIMUNDI IS RELATED TO TH
E", "1-RACCOON 2-KIWI 3-PY
THON 4-OAK TREE", 1
"CARS", "WHO MAKES THE SKYHAWK", "1-ASTON
MARTIN 2-DODGE 3-PLYMOUTH 4-BUI
CK", 4
"GEOG", "WHERE IS THE TASMAN SEA", "1-THE
MOON 2-WEST AFRICA 3-INDIA 4-NEW
ZEALAND", 4
"MOVIES", "STAR OF 'SPARTACUS'", "1-WM CON
RAD 2-REX HARRISON 3-KIRK DOUGLAS 4-CHAR
LTON HESTON", 3
"CAPITAL", "CAPITAL OF NEW HAMPSHIRE", "1-
CONCORD 2-WEBSTER 3-MONTPELI
ER 4-BOSTON", 1
"LEGENDS", "HOME OF ULYSSES", "1-ITHACA 2-
CAMELOT 3-ROME 4-ATHENS", 1
"PRESDNT", "G WASHINGTON'S POLITICAL PART
Y", "1-FEDERALIST 2-WHIG 3-DE
MOCRATIC 4-REPUBLICAN", 1
"SPOUSES", "FORMER WIFE OF GEORGE PEPPARD
", "1-DINAH SHORE 2-ELIZ ASHLEY 3-HOP
E LANGE 4-AVA GARDNER", 2
"COMICS", "POGO'S TURTLE FREIND", "1-POULE
TT 2-CHURCHY 3-CHARLIE 4-MYR
TLE", 2
"SPACE", "FIRST DOG IN SPACE", "1-SNOOPY 2
-LAIKA 3-BEN 4-PLUTO", 2
"DISNEY", "PINOCCHIO'S CONSCIENCE", "1-JIM
INY CRICKET 2-TINKERBELL 3-GEPPETTO 4-
WOOD FAIREY", 1
"PEOPLE", "BIRTHPLACE OF DAVID NIVEN", "1-

CANADA 2-WALES 3-SCOTLAND
4-NEW YORK", 3
"HISTORY", "BABYLONIAN KING", "1-CYRUS 2-N
EBUCHADNEZZER 3-DARIUS 4-PTOLMY",
2
"WORLD", "PATRON SAINT OF SCOTLAND", "1-ST
CHRISTOPHER 2-ST ANDREW 3-ST LUKE 4-
ST BAGPIPE", 2
"TV", "MCLEAN STEVENSON PLAYED", "1-MARTIN
2-SHERMAN POTTER 3-ADAM CARTRIGHT
4-HENRY BLAKE", 4
"USA", "FIRST WOMAN IN CONGRESS", "1-JEANE
TTE RANKIN 2-SUSAN ANTHONY 3-SHIRLEY TEM
PLE 4-NEL ROSS", 1
"BOOKS", "EGG HATCHING ELEPHANT", "1-HORTO
N 2-DUMBO 3-GROUCHO 4-SID
NEY", 1
"MUSIC", "FOGERTY BROTHERS PLAYED WITH", "
1-DOORS 2-ALLMAN BROS 3-CREEDE
NCE 4-EAGLES", 3
"SPORTS", "CY YOUNG AWARD IS FOR", "1-PITC
HING 2-FIELDING 3-KICKING 4-TE
NNIS", 1
"SCIENCE", "ICHTHYOLOGY IS THE STUDY OF",
"1-REPTILES 2-DUNG 3-BUGS
4-FISH", 4
"ANIMALS", "WHICH IS A CARNIVORE", "1-ORYX
2-MONGOOSE 3-WALLABY 4-YA
K", 2
"CARS", "WHO MAKES THE BRAT", "1-SUBARU 2-
NISSAN 3-JEEP 4-ALPHA ROME
O", 1
"GEOG", "1ST COUNTRY SOUTH OF DETROIT", "1-
-HAITI 2-BRAZIL 3-CANADA
4-MEXICO", 3
"MOVIES", "STAR OF DUAL IN THE SUN", "1-GR
EG. PECK 2-DENNIS WEAVER 3-JIMMY STUA
RT 4-FRANKIE AVALON", 1
"CAPITAL", "CAPITAL OF ITALY", "1-FLORENCE
2-NAPLES 3-ROME 4-MILAN", 3
"LEGENDS", "ROMAN EQUIVALENT OF ZEUS", "1-
JUPITER 2-NEPTUNE 3-ODIN 4-A
POLLO", 1
"PRESDNT", "PRESIDENT IN 1999", "1-HOOVER
2-FDR 3-MCKINLEY 4-GRAN
T", 3
"SPOUSES", "FORMER WIFE OF DICK POWELL", "
1-JOAN BLONDELL 2-JUDY GARNE 3-JANE F
ONDA 4-ABBE LANE", 1
"COMICS", "THE MOLE & PRUNEFACE WERE IN",
"1-DICK TRACY 2-SPIDERMAN 3-STEVE
CANYON 4-BATMAN", 1
"MEDICAL", "WEAKENING OF ARTERY WALL", "1-
ACNE 2-ANEURYSM 3-APOPLEXY
4-AUTISM", 2
"DISNEY", "ABE LINCOLNS DISNEYLAND ADDRES
S", "1-ADVENTURELAND 2-FRONTIERLAND 3-MA
IN ST 4-NEW ORLEANS SQ", 3

It's not just

CHILD'S PLAY

but a total application software series.

It's a WORD PROCESSOR. It's a DATA BASE. It's a SPREAD-SHEET. And each program of the CHILD'S PLAY software series is available in three different levels of sophistication so you can custom fit CHILD'S PLAY to your individual needs.

Easy is Better!

It took us a year and a half to complete the CHILD'S PLAY series. Our goal was to produce software easy enough for a child to use, yet versatile enough for the home or professional user. The end result is software so easy, so much fun for everyone to use, it's like CHILD'S PLAY.

A Mouse and Click-Down Menus

CHILD WRITER, our elementary word processor, is currently being used in schools by second grade children with amazing ease. Teachers tell us that kids are fascinated with the total control they have with a mouse. Just point and click! And we incorporated click-down menus to eliminate having to memorize dozens of commands. Simple instructions are right there on the screen, but only when you want them. Click the menu in when you need help and click it out when you don't. CHILD WRITER is not only easy to use, it's more fun and powerful.

Does your word processor underline text on the screen? All of the CHILD'S PLAY word processor programs do. For the first time you can reproduce on paper exactly what you've created on the screen. It's neat!

More Sophistication

We could have stopped developing when we completed CHILD WRITER, but we knew that someone always wants more. So we developed MEMO WRITER, designed for the home user. And soon, we will have BUSINESS WRITER, the ultimate word processor designed for professional use.

MOUSE



CHILD WRITER'S MAIN MENU.



CHILD WRITER ON-SCREEN UNDERLINING.

1 800/4TC-4TCE or 301/963-3848

TCE Programs, Inc.
PO Box 2477
Gaithersburg, MD 20879 2477

More Power

CHILD FILER and CHILD CALC are our elementary database and spreadsheet programs. LIST MANAGER and SIMPLE CALC are designed for the home user. BUSINESS MANAGER and BUSINESS CALC are for professionals.



All of these programs, no matter what level of sophistication, are completely compatible with the other CHILD'S PLAY applications on the same level. And, data can be shared between applications by using our unique NOTE PAD feature.

Available through express order at Radio Shack®.

The CHILD'S PLAY Software Series is available for the Tandy 1000.*

*Tandy 1000 is a registered trademark of Tandy Corp.

TECHNOLOGY



NOTE PAD, DATA TRANSFER FEATURE.

NOTE PAD is the program vehicle we use to transfer data when you jump from one application to another, as well as move, cut, and paste text within your word processing program. Information from your database program is stored in NOTE PAD and made available for sharing with the other CHILD'S PLAY programs. It is a breeze to use and it sure beats retyping lots of data from one application program to another.

We have designed this software series for everyone. It doesn't matter if you are using a computer for the first time, or if you are a seasoned hacker, the CHILD'S PLAY application software series is for you. Write or call for more detailed information about the CHILD'S PLAY software series. Ask for the free TCE catalog with over 75 additional Educational Software titles. Ask about your RAINBOW discount too.

Educational Level for the Radio Shack® Color Computer

CHILD WRITER 32/64K disk \$54.95
(network version 32/64K) \$99.95

CHILD FILER 32/64K disk \$54.95
(network version 32/64K) \$99.95

CHILD CALC 32/64K disk \$54.95
(network version 32/64K) \$99.95
Elementary Level Series TBA

MEMO WRITER 64K disk \$64.95
(network version 64K) \$129.95
LIST MANAGER 64K disk \$64.95
SIMPLE CALC 64K disk \$64.95
Home Use Level Series TBA

BUSINESS WRITER 64K disk \$99.95
BUSINESS MANAGER 64K disk \$99.95
BUSINESS CALC 64K disk \$99.95
Business Level Series TBA

PROOFREADER (20,000 words) 32/64K \$34.95
MASTER PROOFREADER (50,000 words) 64K \$54.95

75 ADDITIONAL EDUCATIONAL SOFTWARE TITLES AVAILABLE



Call us!

800/4TC-4TCE



A special holiday gift . . .

Fun For The Whole Family With Galloping Gamblers

By Fred B. Scerbo
Rainbow Contributing Editor

Editor's Note: If you have an idea for the "Wishing Well," submit it to Fred c/o THE RAINBOW. Remember, keep your ideas specific, and don't forget that this is BASIC. All programs resulting from your wishes are for your use but remain the property of the author.

Christmas is traditionally a time for giving and sharing. While the "Wishing Well" is always a source of sharing for those who regularly read THE RAINBOW, I thought this holiday season would be an extra special time to offer all of my friends one of my most popular family game programs from the past: *Galloping Gamblers*.

The Wish

I don't like getting stuck with a label such as "game programmer," but I have to admit that if it weren't for microcomputer games, I might never have gotten this deeply involved with writing software for the Color Computer. In fact,

(Fred Scerbo is a special needs instructor for the North Adams Public Schools in North Adams, Mass. He holds a master's in education and has published some of the first software available for the Color Computer through his software firm, Illustrated Memory Banks.)

it was a desire to find the ultimate "Star Trek" microcomputer Simulation that originally led me to buy my first 16K CoCo.

A recent phone call from THE RAINBOW staff suggested that they were always thrilled to publish one of my game creations. (Hint, hint!) Well, this month I'll grant that wish along with all the other readers who have suggested the same thing. Since creating a new game from scratch always takes some time, this seemed like a good opportunity to raid the archives from one of my original IMB programs.

Not So Ancient History

The first program I ever published for the CoCo was a game called *Meteor Storm*, which was released under the publishing name of IMB (Illustrated Memory Banks). Most of my game writing is graphics, so my brother suggested the "Illustrated" title and chose IMB because it reminded him a little of another computer giant with similar letters. Since little software was available for the CoCo at the time, a number of people grabbed the opportunity to get a copy of *Meteor Storm* when it came out.

As a follow-up to *Meteor Storm*, I wrote a game that a number of people

could sit around the CoCo and enjoy. The result was a horse race game, which I entitled *Galloping Gamblers*.

While never a monster of a seller, people who played *Gamblers* all agreed that it was an exciting game to play. However, the advent of Hi-Res graphics machine language arcade games put the BASIC IMB games at an extreme disadvantage in the marketplace. People liked the BASIC games, they just didn't want to pay money for them. Finally, two years ago, IMB went the way of the dinosaur and was given a private burial. Thus, for the last two years, none of these programs have been available.

Even though BASIC games do not have a chance in the marketplace, BASIC programming is still a vitally important option available to all home computer owners. Only by showing what can be milked out of a computer in BASIC can we later appreciate what assembly code and machine language programming are capable of doing.

Even though the IMB programs couldn't compete for the dollar of CoCo owners, that does not mean they cannot be an interesting addition to a CoCo owner's software library. Besides, the number of CoCo owners has escalated since the last time these programs were available. A whole new audience of

CoCo owners never had a chance to try these and see what CoCo's humble beginnings were like. Therefore, as time and space permit, I will offer some of those better programs in these pages. *Gamblers* is the first of these IMB programs that will be given new life for those interested in trying them for the purchase price of a copy of THE RAINBOW or RAINBOW ON TAPE. (This doesn't mean I don't want your wishes. They will still provide the bulk of the "Wishing Well's" material.)

The Program

In giving new life to *Gallopig Gamblers*, there have been a number of changes made in the original program. The original *Gamblers* had an IMB game opening done totally in graphics. This slightly rewritten version uses a text graphics title page, which is now familiar to most RAINBOW readers. Other modifications have also been made to make the program run a little more efficiently.

You will notice that *Gamblers* is also not the most efficiently written code compared to the programs usually listed in the "Wishing Well." While I have cleaned up some of the most noticeably sloppy areas, you will see how confusing a program can be if GOSUBs are over-used. I could have taken the time to completely rewrite the code, but that would have defeated the purpose of listing *Gamblers*.

Therefore, consider the listing to be an example of how far we have all come in what can be accomplished with our built-in BASIC. Although the code does not follow completely from top to bottom, it does work without error. That is the beauty of BASIC. You can

break the rules of structure and still have an error-free program. (Structured programming advocates would also point that out as its weakness.)

Typing in the Program

Since the program does call several high number GOSUBs, be careful not to try running the program before it is all typed in. If the program should lock up on you, press Reset to regain control of the text screen. Any sections of the listing that appear in lowercase may be typed in by pressing SHIFT and '0' to enter that mode, and SHIFT and '0' to return from it.

Also, be sure to save the program before running it. If you make an error on one of the POKE commands, you could lose all your work in the blink of an eye. Be careful in the DATA statements as well, since some contain what may appear to be misplaced commas. These are not mistakes. The values READ here are simply zero, so we are trying to save a little memory.

Running the Program

On running *Gamblers*, a colorful title card appears asking you to select from one to four players; simply press the number you desire. The text screen displays a betting board. Located at the bottom of the screen are the pay-off odds for each of the four horses. Press the number of the horse you wish to wager on, but do *not* press ENTER. If you do, you may accidentally bet zero dollars on the horse.

When the prompt appears, enter your dollar bet in whole numbers and press ENTER. The next player may now bet as player two. If no others are playing, the pink screen will turn green and pause

while the graphics screen prepares the track.

When the track is ready, you will hear the familiar race track song. The race will start and you will hear each horse gallop around the screen. You may keep track of your horse by the number of the lane it is in. (Don't worry, the inside track is no advantage.) When one horse crosses the finish line, you will see a graphic flashing. Wait about 15 seconds and press ENTER to return to the betting card. You will now go on to the next race, of which there are 12.

Once you have lost your money, you must still select a horse for your turn, but you must enter zero (0) for your bet. After the last race, you may restart the game by pressing ENTER. Sorry, but your winnings may not be carried over to the next game.

Conclusion

One thing you will notice when playing this game is that the participants quite often forget it is a game and start screaming at their horse to move — that's the fun of *Gallopig Gamblers*. It can be played with almost any age, whether at a party or a family get-together. At a time when some people complain that families do not spend enough time together, consider *Gamblers* my Christmas gift to your family to help increase those leisure times. Happy holidays to all of you.

Next month: I am just putting the finishing touches on something that a number of you have been suggesting for a long time. Next month's "Wishing Well" will show my first Adventure game, which will be of an educational nature. Until then, keep those wishes coming. □

40	135	395	192
85	113	430	240
165	205	515	183
255	58	END	180
310	167			

The listing: GAMBLERS

```

1 '*****
2 '* GALLOPING GAMBLERS (V.2) *
3 '* COPYRIGHT (C) 1982,1985 *
4 '* BY FRED B. SCERBO *
5 '* 60 HARDING AV.N.ADAMS,MA *
6 '*****
10 CLEAR520:CLS0:PRINTSTRING$(32
,175);:GOSUB15:PRINTSTRING$(32,1

```

```

28);:GOSUB15:PRINTSTRING$(32,175
);:GOTO60
15 FORI=1TO4:FORY=1TO32:READA:PR
INTCHR$(A+128);:NEXTY:GOSUB520:N
EXTI:RETURN
20 DATA,83,83,82,81,83,83,,82,,,
82,,,83,83,83,,83,83,83,,82,,82,
,,82,81,83,83,
25 DATA,90,,,85,,85,,90,,,90,,,9
0,,85,,90,,85,,90,,94,82,,90,85,
,,
30 DATA,90,84,90,85,92,93,,90,,,
90,,,90,,85,,94,92,92,,90,,90,84
,,82,90,85,,93,
35 DATA,91,83,90,85,,85,,91,83,,
91,83,,91,83,87,,90,,,90,,90,,8

```

```

4,90,85,83,87,
40 DATA,126,124,120,117,124,125,
,123,,113,122,117,124,124,121,,
122,,126,124,120,117,124,124,12
2,117,124,124,
45 DATA,122,113,114,117,115,119,
,122,121,113,120,122,117,115,115
,118,,122,,123,115,114,117,115,
115,122,117,115,115,
50 DATA,122,,122,117,,117,,122,,
120,,122,117,,117,122,,122,,
117,,121,,117,
55 DATA,124,124,120,116,,116,,12
0,,120,116,124,124,120,,124,12
4,,124,124,120,116,,120,116,124
,124,
60 PRINT@391," BY FRED B.SCERBO
";PRINT@423," (C) 1982,1985
";PRINT@455," PLAYERS (1-4)
";
65 GN=1:V1=100:V2=100:V3=100:V4=
100:NA$="R3LU5G":NB$="R3NUL3E3UH
LGD":NC$="UFREUHNLEHLG":ND$="R3L
U5G2DR3"
70 PQ$="C7U5R2FDGL2D2RBR4NU5R3BR
2U4ERFD2NL3D2BR4U2LHNU2FR2EU2BR2
":PE$="NR2D2NR2D3R2BR2U5R2FDGNL2
FD":P$=PQ$+PE$:UP$="BR3NHREUHGHU

```

```

ERF"
75 DIMA(25),B(25),C(25),D(25),E(
25),F(25),G(25),H(25):M=0:FORI=7
2TO184STEP16:M=M+1:A(M)=I:C(M)=I
:E(M)=I:G(M)=I:B(M)=55:D(M)=63:F
(M)=73:H(M)=82:NEXT
80 FORI=8TO16:READX
85 A(I)=X:NEXT
90 DATA194,216,233,247,250,247,2
33,216,194
95 FORI=8TO16:READX
100 B(I)=X:NEXT
105 DATA56,64,78,98,120,142,162,
176,184
110 M=16:FORI=184TO72STEP-16:M=M
+1:A(M)=I:B(M)=186:C(M)=I:E(M)=I
:G(M)=I:D(M)=177:F(M)=168:H(M)=1
59:NEXT
115 FORI=8TO16:READX:C(I)=X:NEXT
120 DATA192,210,229,237,240,237,
229,210,192
125 FORI=8TO16:READX:D(I)=X:NEXT
130 DATA64,71,85,101,120,139,155
,169,176
135 FORI=8TO16:READX:E(I)=X:NEXT
140 DATA188,200,216,226,230,226,
218,202,190
145 FORI=8TO16:READX:F(I)=X:NEXT

```

Cosmos
COMPUTER SERVICES, INC.
P.O. Box 156 620 Stuart St.,
Green Bay, WI 54301 (414) 432-4635



Authorized Star Micronics Service Center * Call for return authorization number.

THE WAITING IS OVER!

THE SUPER COSMOS CONNECTION
SERIAL TO PARALLEL CONVERTER WITH BUFFER!

YOU JUST CAN'T BUY A BETTER
SERIAL/PARALLEL CONVERTER!
ORDER YOURS TODAY

- 8K SUPER COSMOS CONNECTION
— ONLY \$129.95 —

8K RAM CHIP SOLD SEPARATELY - \$15.95 each
3 FOR \$42.95

16K VERSION - \$144.95
24K VERSION - \$154.95
32K VERSION - \$169.95

TEST RESULTS: (19,056 BYTE PROGRAM
LISTING AT 9600 BAUD.)

32K SUPER COS-CON 36.8 Seconds
OTHER INTERFACE 4 min. 59.8 sec.

8K SUPER COSMOS CONNECTION
AND STAR SG-10 PRINTER
\$379.00 Package S&H Included!

- SERIAL TO PARALLEL CONVERSION
- 110 TO 19,200 BAUD, 7 OR 8 BIT
- 8K BYTES STANDARD BUFFER
(USER EXPANDABLE TO 32K IN 8K STEPS)
- COPY/CLEAR, LED PUSH BUTTON (MULTIPLE COPIES)
- MODEM SWITCH AND ALL CABLES
- COMPLETE WITH POWER PAK AND SIMPLE INSTRUCTIONS
- WORKS WITH ANY PARALLEL PRINTER OR YOUR MONEY BACK
- HIGHEST QUALITY CONSTRUCTION, TWO-YEAR WARRANTY

IF YOU'D RATHER BE USING YOUR COMPUTER THAN WAITING
FOR YOUR PRINTER THE WAIT IS OVER.



NO SURCHARGE FOR
CREDIT CARDS

SG-10 Package with Regular CosCon
Still Available Now at \$289.00
Shipping Included!

APPLE IIC VERSION AVAILABLE
Dealer Inquiries on Company Letterhead invited.

```

150 DATA74,79,88,105,120,135,149
,161,168
155 FORI=8TO16:READX:G(I)=X:NEXT
160 DATA186,198,210,216,220,218,
212,198,186
165 FORI=8TO16:READX:H(I)=X:NEXT
170 DATA83,87,96,108,120,132,144
,154,159
175 GAS="HLGD3FREUNLBRD2U4ERFD2N
L3D2BR":GLS="NU5R3U2DBR":OPS="NF
U3ERFD3GLBR3U5R2FDGL2D2BR4":INS=
"NU5BR3U5F3U3D5BR4EUNLDGLHU3ERF"
:GMS="U5F2E2D5BRU5R2FGNL2FDGL2BR
4":GES="U4NR3D2NR3D3R3BRU5R2FDGN
L2FD":GXS=GAS+GLS+"D"+GLS+OPS+IN
S:GYS=GAS+GMS+GLS+GES+UPS
180 LS=INKEY$:HU=RND(-TIMER):IFL
S="1"THEN190ELSEIFLS="2"THEN195E
LSEIFLS="3"THEN200ELSEIFLS="4"TH
EN205
185 GOTO180
190 Y=1:GOTO210
195 Y=2:GOTO210
200 Y=3:GOTO210
205 Y=4:GOTO210
210 GOTO410
215 PMODE3,1:PCLS1:SCREEN0,0
220 Q=78:Q1=.25:Q2=.75:GOSUB225:
Q=176:Q1=.75:Q2=.25:GOSUB225:GOT
O230
225 FORI=8TO40STEP-10:CIRCLE(Q,
120),I,4,.9,Q1,Q2:NEXT:RETURN
230 LINE(78,49)-(176,49),PSET:LI
NE(78,192)-(176,192),PSET:PAINT(
80,51),2,4
235 READA:IFA=9THEN255
240 LINE(78,A)-(176,A),PSET
245 GOTO235
250 DATA58,67,76,85,182,173,164,
155,9
255 PAINT(80,87),3,4
260 DRAW"S16BM69,100C2"+GXS:DRAW
"BM72,128"+GYS
265 FORI=12TO48STEP12:IS=STR$(I)
:DRAW"S8BM40,"+IS+"C7"+PS:NEXT
270 DRAW"S8BM110,12C6"+NAS:DRAW"
BM110,24"+NB$:DRAW"BM110,36"+NC$
:DRAW"BM110,48"+ND$
275 LINE(0,112)-(40,128),PRESET,
BF:LINE(0,112)-(40,128),PSET,B:F
ORI=9TO29STEP10:LINE(I,112)-(I,1
28),PSET:NEXT
280 DRAW"S8BM0,125C3"+NAS:DRAW"B
M10,125"+NB$:DRAW"BM20,125"+NC$:
DRAW"BM30,125"+ND$
285 LINE(80,49)-(80,85),PSET:LIN
E(80,192)-(80,155),PSET
290 FORI=12TO48STEP12:IS=STR$(I)
:DRAW"S8BM128,"+IS+"C7"+PQS+"D5C

```

THE RAINBOW

THE COLOR COMPUTER MONTHLY MAGAZINE

Back Issue Availability



Back copies of many issues of **THE RAINBOW** are still available.

All back issues sell for the single issue cover price. In addition, there is a \$3.50 charge for the first issue, plus 50 cents for each additional issue for postage and handling if sent by United Parcel Service. There is a \$5 charge for the first issue, plus a \$1 charge for each additional issue on orders sent by U.S. Mail. UPS *will not* deliver to a post office box or to another country.

Issues July 1981 through June 1982 are available on white paper in a reprint form. All others are in regular magazine form. VISA, MasterCard and American Express accepted. Kentucky residents please add 5 percent state sales tax. In order to hold down costs, we do not bill and no C.O.D. orders are accepted.

Due to heavy demand, we suggest you order the back issues you want now while supplies last.

To order, just fill out the form on the next page and mail it with your payment to:

THE RAINBOW
The Falsoft Building
P.O. Box 385
Prospect, KY 40059

BACK ISSUE ORDER FORM

(See overleaf for instructions.)

(Payment must accompany back issue orders. We do not bill.)

Please send me the following back issues:

VOLUME 1			
NO.	MONTH YEAR		PRICE
1	JULY '81	PREMIER ISSUE	\$2.00 <input type="checkbox"/>
2	AUG '81		\$2.00 <input type="checkbox"/>
3	SEPT '81	EDUCATION	\$2.00 <input type="checkbox"/>
4	OCT '81	PRINTER	\$2.00 <input type="checkbox"/>
5	NOV '81		\$2.00 <input type="checkbox"/>
6	DEC '81	HOLIDAY	\$2.00 <input type="checkbox"/>
7	JAN '82		\$2.00 <input type="checkbox"/>
8	FEB '82		\$2.00 <input type="checkbox"/>
9	MAR '82		\$2.50 <input type="checkbox"/>
10	APR '82		\$2.50 <input type="checkbox"/>
12	JUNE '82		\$2.50 <input type="checkbox"/>
VOLUME 2			
9	MAR '83	NUCLEAR	\$2.95 <input type="checkbox"/>
10	APR '83	SIMULATIONS	\$2.95 <input type="checkbox"/>
11	JUNE '83	PRINTERS	\$2.95 <input type="checkbox"/>
12	JULY '83	ANNIVERSARY	\$2.95 <input type="checkbox"/>
VOLUME 3			
1	AUG '83	GAMES	\$2.95 <input type="checkbox"/>
2	SEPT '83	EDUCATION	\$2.95 <input type="checkbox"/>
3	OCT '83	GRAPHICS	\$3.95 <input type="checkbox"/>
4	NOV '83	DATA COMM	\$3.95 <input type="checkbox"/>
5	DEC '83	HOLIDAY	\$3.95 <input type="checkbox"/>
7	FEB '84	ADVENTURE	\$3.95 <input type="checkbox"/>
8	MAR '84	BUSINESS	\$3.95 <input type="checkbox"/>
9	APR '84	GAMING	\$3.95 <input type="checkbox"/>
10	MAY '84	PRINTER	\$3.95 <input type="checkbox"/>
11	JUNE '84	MUSIC	\$3.95 <input type="checkbox"/>
12	JULY '84	ANNIVERSARY	\$3.95 <input type="checkbox"/>
VOLUME 4			
1	AUG '84	GAMES	\$3.95 <input type="checkbox"/>
2	SEPT '84	EDUCATION	\$3.95 <input type="checkbox"/>
3	OCT '84	GRAPHICS	\$3.95 <input type="checkbox"/>
4	NOV '84	DATA COMM	\$3.95 <input type="checkbox"/>
5	DEC '84	HOLIDAY	\$3.95 <input type="checkbox"/>
6	JAN '85	BEGINNERS	\$3.95 <input type="checkbox"/>
7	FEB '85	UTILITIES	\$3.95 <input type="checkbox"/>
8	MAR '85	BUSINESS	\$3.95 <input type="checkbox"/>
9	APR '85	SIMULATIONS	\$3.95 <input type="checkbox"/>
10	MAY '85	PRINTER	\$3.95 <input type="checkbox"/>
11	JUNE '85	MUSIC	\$3.95 <input type="checkbox"/>
12	JULY '85	ANNIVERSARY	\$3.95 <input type="checkbox"/>
VOLUME 5			
1	AUG '85	GAMES	\$3.95 <input type="checkbox"/>
2	SEPT '85	EDUCATION	\$3.95 <input type="checkbox"/>
3	OCT '85	GRAPHICS	\$3.95 <input type="checkbox"/>
4	NOV '85	DATA COMM	\$3.95 <input type="checkbox"/>
5	DEC '85	HOLIDAY	\$3.95 <input type="checkbox"/>

RAINBOW INDEX A complete index to our first three years, July 1981 through June 1984, is printed in its entirety in our July 1984 issue. Separately bound copies are also available. \$2.50

Note: Our Fourth Year Index, including an index to all editions of RAINBOW ON TAPE, is included in the July 1985 issue.

TOTAL _____
 SHIPPING & HANDLING _____
 U.P.S. CHARGE _____
 U.S. MAIL CHARGE _____
 KY RESIDENTS ONLY
 ADD 5% _____
TOTAL AMOUNT ENCLOSED _____

Name _____

Address _____

City _____ State _____ ZIP _____

Payment Enclosed, or charge to my:

VISA MC AE

CARD # _____

EXPIRATION DATE _____ PHONE # _____

SIGNATURE _____

7"+IN\$:NEXT

```

295 DRAW"BM2Ø2,12;C2"+JW$:DRAW"B
M2Ø2,24;"+JX$:DRAW"BM2Ø2,36;"+JY
$:DRAW"BM2Ø2,48;"+JZ$
3ØØ PMODE3,1:SCREEN1,Ø
3Ø5 R=1:Q=1:S=1:T=1
31Ø CIRCLE(A(1),B(1)),3,3:CIRCLE
(C(1),D(1)),3,3:CIRCLE(E(1),F(1)
),3,3:CIRCLE(G(1),H(1)),3,3:PLAY
"V3ØL8Ø3CFAØ4CL16CCCCØ3L8AL16AAA
AL8FAFCPI1F"
315 W=RND(4):IFW=1GOSUB33ØELSEIF
W=2THENGOSUB335ELSEIFW=3THENGOSU
B34ØELSEIFW=4THENGOSUB345
32Ø IFQ=24THEN355ELSEIFR=24THEN3
6ØELSEIFS=24THEN365ELSEIFT=24THE
N37Ø
325 GOSUB52Ø:GOTO315
33Ø CIRCLE(A(Q),B(Q)),3,2:Q=Q+1:
CIRCLE(A(Q),B(Q)),3,3:RETURN
335 CIRCLE(C(R),D(R)),3,2:R=R+1:
CIRCLE(C(R),D(R)),3,3:RETURN
34Ø CIRCLE(E(S),F(S)),3,2:S=S+1:
CIRCLE(E(S),F(S)),3,3:RETURN
345 CIRCLE(G(T),H(T)),3,2:T=T+1:
CIRCLE(G(T),H(T)),3,3:RETURN
35Ø FORI=1TO16:PMODE3,1:SCREEN1,
1:SOUNDRND(22Ø),1:PMODE4,1:SCREE
N1,1:SOUNDRND(22Ø),1:NEXT:RETURN
355 GOSUB35Ø:Ø5=Ø1:W8=1:GOTO375
36Ø GOSUB35Ø:Ø5=Ø2:W8=2:GOTO375
365 GOSUB35Ø:Ø5=Ø3:W8=3:GOTO375
37Ø GOSUB35Ø:Ø5=Ø4:W8=4:GOTO375
375 IF J1=W8 THEN V1=V1+(K1*Ø5)
ELSE V1=V1-K1
38Ø IF J2=W8 THEN V2=V2+(K2*Ø5)
ELSE V2=V2-K2
385 IF J3=W8 THEN V3=V3+(K3*Ø5)
ELSE V3=V3-K3
39Ø IF J4=W8 THEN V4=V4+(K4*Ø5)
ELSE V4=V4-K4
395 GN=GN+1:Q=1:R=1:S=1:T=1:REST
ORE
4ØØ FORI=1TO328:READA:NEXT
4Ø5 IFINKEY$<>CHR$(13)THEN4Ø5
41Ø CLSØ:POKE&H167,&H39:FORUD=1Ø
24TO1535:POKEUD,32:NEXTUD:SCREEN
Ø,1:WQ=49:FORUD=96TO288STEP64:PR
INT@UD,"player";:POKEUD+1Ø3Ø,WQ:
WQ=WQ+1:NEXTUD:PRINT@51,"bet";:P
RINT@57,"amount";:PRINT@43,"cash
";
415 PRINT@1Ø4,USING"$#####.##";
V1;:PRINT@168,USING"$#####.##";
V2;:PRINT@232,USING"$#####.##";
V3;:PRINT@296,USING"$#####.##";
V4;:IFGN=13THEN525
42Ø WQ=49:FORUD=354TO375STEP7:PR
INT@UD,"horse";:POKE1Ø29+UD,WQ:W
    
```

```

Q=WQ+1:NEXTUD:PRINT@459,"race"GN
;
425 O1=RND(25):O2=RND(25):O3=RND
(25):O4=RND(25):TA$=STR$(O1):TB$
=STR$(O2):TC$=STR$(O3):TD$=STR$(
O4):B$="1":PRINT@386,TA$+B$;:PR
INT@393,TB$+B$;:PRINT@400,TC$+B$
;:PRINT@407,TD$+B$;
430 GOSUB535:J1=QW:POKE1140,48+J
1
435 IFJ1=1THENJW$=NA$ELSEIFJ1=2T
HENJW$=NB$ELSEIFJ1=3THENJW$=NC$E
LSEIFJ1=4THENJW$=ND$
440 PRINT@119,"$ ";:LINEINPUTK$:
K1=VAL(K$)::IF K1>V1 THEN440
445 PRINT@119,"$K1:IFY=1THEN215
450 GOSUB535:J2=QW:POKE1204,48+J
2
455 PRINT@183,"$ ";:LINEINPUTK$:
K2=VAL(K$):IF K2>V2 THEN455
460 PRINT@183,"$K2
465 IFJ2=1THENJX$=NA$ELSEIFJ2=2T
HENJX$=NB$ELSEIFJ2=3THENJX$=NC$E
LSEIFJ2=4THENJX$=ND$
470 IFY=2THEN215
475 GOSUB535:J3=QW
480 IFJ3=1THENJY$=NA$ELSEIFJ3=2T
HENJY$=NB$ELSEIFJ3=3THENJY$=NC$E
LSEIFJ3=4THENJY$=ND$

```

```

485 POKE1268,J3+48::PRINT@247,"$
";:LINEINPUTK$:K3=VAL(K$):IFK3>
V3 THEN485
490 PRINT@247,"$K3
495 IFY=3THEN215
500 GOSUB535:J4=QW
505 IFJ4=1THENJZ$=NA$ELSEIFJ4=2T
HENJZ$=NB$ELSEIFJ4=3THENJZ$=NC$E
LSEIFJ4=4THENJZ$=ND$
510 POKE1332,J4+48:PRINT@311,"$
";:LINEINPUTK$:K4=VAL(K$):IF K4>
V4 THEN510
515 PRINT@311,"$K4:GOTO215
520 FORPP=1TO3:PLAY"V3101L155CP1
30":NEXTPP:PLAY"L130CDEF":RETURN
525 PRINT@461,"closed";
530 IFINKEY$<>CHR$(13) THEN530ELS
ERUN
535 QW$=INKEY$
540 IFQW$="1"THEN550ELSEIFQW$="2
"THEN555ELSEIFQW$="3"THEN560ELSE
IFQW$="4"THEN565
545 GOTO535
550 QW=1:RETURN
555 QW=2:RETURN
560 QW=3:RETURN
565 QW=4:RETURN
570 FORI=1TO600:NEXT:RETURN

```

SUPPORT:

(sə-pɔrt) v.t. **1.** To bear the weight of, especially from underneath; uphold in position; keep from failing, etc. **2.** To bear or sustain (weight; etc.) **3.** To keep from failing; strengthen: *PBJ, Inc. supports their product line with technical personnel that are always there to help you.* **4.** To serve, to uphold or corroborate (a statement, theory, etc.) substantiate; verify: *PBJ, Inc. receives testimonials on a daily basis that support their product line.* **5.** To provide (a person, institution) with maintenance; provide for: *PBJ, Inc. supports the CoCo user by consistently creating new advancements in their field.*

Synonym: **PBJ, Inc.**

A long description indeed, yet very applicable to the kind of service delivered by PBJ, Inc. When the serious CoCo user needs back-up support, technical information or assistance, PBJ, Inc. is there! From the products they manufacture through to the strategic solutions they offer, PBJ, Inc. has rightfully gained the reputation of "the company with *the most support* for the Color Computer."



inc.

"Innovative Products for the CoCo User"

Call or write today for our **FREE** Catalog . . .
P.O. Box 813 • North Bergen, N.J. 07047 • **201-330-1898**

* Derived from Funk & Wagnell's International Dictionary



MORETON BAY

MORE KEYS

At last a quality numeric keypad for your Color Computer. This 15 key numeric pad plugs inside your computer and gives you the convenience of rapid numeric data entry. Dimensions: length 6 1/2" (165mm), width 4" (101 mm), height 3" (76 mm). Baked black enamel finish. Specify computer model. MORE KEYS complete with cable and connector.

\$69.95



DOUBLE DRIVER

The BEST monitor driver available. Color composite, monochrome and audio output. For original CoCo D, E and F boards. \$24.95.

MONO II

Mono II for Color Computer 2. An excellent monochrome monitor driver that has audio output also. Specify model needed.

\$24.95.



RESET-POWER-SWITCHES A REAL IMPROVEMENT

Move the power switch and reset switch where they belong. An LED power on light too! High quality parts, D and E boards and CoCo2 totally solderless kit. F board requires soldering.

Reset 1 Coco 1 \$24.95
Reset 2 CoCo 2 \$27.95



Either kit add \$2.00 shipping and handling.

MINI MOUTH

Add sound to your mute monitor. Hear the bells and whistles of your software again. No batteries. Solderless installation.

All Color Computer Models
\$24.95



THE COCO-SWITCHER A QUALITY PIECE OF HARDWARE

The CoCo Switcher allows you to hook up three peripherals to your RS-232 jack. Connect your modem, printer and any other RS-232 compatible peripheral to the CoCo Switcher. An LED on the CoCo Switcher shows if your computer is on or off at a glance. The LED flickers when transmitting or receiving data.

Dimensions: 2 1/2" (64mm) x 4" (102 mm)
x 5 7/8 (150 mm)

\$39.95 plus \$2.00 shipping and handling



64K UPGRADES

Instantly access 64K via M/L totally solderless kit to upgrade E Boards. Kit includes eight 4164 prime chips and chips U29 and U11 already soldered. SPECIAL: E Board Kit \$39.95, F Board and Color Computer 2 \$26.95.



Guaranteed Pretested

FILE CABINET

Data base, alphabetizes, sorts numeric entries, searches for key words or numbers, computes totals & averages by categories, saves records, changes or deletes them. Up to 20 entries for each record, up to 256 characters for each entry. Mailing list included. Output to screen, printer or tape. Print all or selected records, +, -, x, + Numeric entries.

16K EXB Cassette \$29.95

PIEZO FAN

Two counter-oscillating mylar blades are driven at resonance by two piezo ceramic elements. No wearing parts. No RFI and no EMI. Consumes 0.11 watt at 120 VAC. Moves 5 cubic feet of air per minute. Mounts inside your CoCo. 3.2 cm. x 5.1 cm. x 8.4 cm. **Please** specify computer model number.

\$29.95



USE YOUR COLOR COMPUTER TO ORGANIZE YOUR BUSINESS

MORE BUSINESS

Version 3.2. The preferred business accounting package. A completely interactive system which features a general ledger you can customize for your own business. More than 900 accounts can be added. The accounts receivable routine will print invoices, record cash sales and automatically post to the general ledger. More than 400 customer balances can be maintained and automatically aged. Print customer statements and mailing labels. Profit and loss and balance statements printed at any time. Complete audit trails. Our most powerful business package. Buy the best!

32K Disk R/S DOS \$99.95

MORE INVENTORY

Maintain an inventory of over 1000 units. Total inventory value computed with a single key stroke. Print lists of stock on hand, stock on order and stock to be ordered. Can also be used by hobbyists and collectors. Now you can organize your collection in a professional manner.

32K Disk R/S DOS \$44.95

Having trouble with your CoCo? We have the chips you need. Call us. (805) 962-3127

SOFTWARE



THE VERY BEST IN GRAPHICS




SAM DIAMOND, P.I.

The first of our new Sam Diamond graphic adventures. More than 40 detailed high resolution graphic scenes. A killer is loose in the city. Can you bring him to justice before he gets you? Excellent graphics and a tough mystery to solve.

32K Disk Only \$29.95
plus \$2.00 shipping and handling.

ECLIPSE

Allows you to "Zoom" in on the pixels of your graphics. Precision editing for your graphic creations. With ECLIPSE you can refine detailed graphics in high resolution pictures. Design game characters. Edit fonts. Easy to use. Bonus: extra graphic screens included. Requires 32K, disk \$19.95



PLANETARIUM

A five program celestial package. A star gazer's aid. A program to familiarize you with the appearance of the major constellations. 21 first magnitude stars. Moon phases. Day or night sky. Any latitude. 33 constellations. Charts planet locations from A.D. 0 to the year 10,000. Requires 16K Extended Basic. \$19.95

PLANETARIUM



GET THE MOST FROM YOUR GRAPHIC PROGRAMS

How to integrate Graphicom and CoCoMax. Two tutorial disks full of examples and suggestions. See how to create graphics step by step. Learn how to display and even animate your graphics from Basic.

1 Disk \$14.95
2 Disks \$24.95




GRAPHICOM

Buy Graphicom from us and get one of our unique picture disks free! Get our improved Picture Disk One also. The first in the new generation of graphic utilities. An excellent utility. Requires: 64K EXB, Disk Drive and Joy Sticks. Three disks and the best bound documentation for only \$29.95.

Calligraphy STAMP DISK: Useful letters and designs for making your own signs and menu screens.

Adventure Disk 1: Indoor scenes and objects. Helps you draw pictures and learn more about Graphicom.

Adventure Disk II: Outdoor scenes and objects. A graphicom tutorial as well as a useful library of images you can use.



Calligraphy Disk II: 23
New letter stamp sets.



The object of this program is to help you create graphics for yourself. Each time you add a new drawing to your collection, you will be able to print it out. You can also use the program to create your own graphics.

Adventure Disk II

Adventure Disk 1

1 Picture Disk \$15.95
2 Picture Disks \$24.95
3 Picture Disks \$29.95
4 Picture Disks \$34.95

HOTSHOT

Own the hottest slots on the block! Run your own casino with 6 different slot machines. Control the payout Bet \$1.00 to \$5.00. Choose double and triple jackpots. Gamble to your heart's content. Play casino odds, moderate odds or get rich quick. Play a game of skill - SLAMSHOT! - try to stop the reels yourself.

32K EXB, Joystick optional
\$24.95 Specify Disk or Tape



MORETON BAY SOFTWARE

A Division of Moreton Bay laboratory



316 CASTILLO STREET
SANTA BARBARA
CALIFORNIA 93101
(805) 962-3127



Ordering information



Send \$2.00 shipping and handling per order. We ship within 1 working day on receipt of order. Blue Label Service available. California residents add 6% sales tax.

PIPELINE

VIDEO TECH — The IIA 17th Annual Convention and Exhibition, which will run Nov. 3 - 6, will feature a thorough examination of videotex developments, both in the U.S. and internationally.

The convention will also include videotex panel sessions, which were developed by Laurence Fuller, president of Gannett New Media Services. Some topics that will be highlighted at the convention are: what's new in home and office interactive videotex; progress in public access videotex; a look back and ahead at videotex; niche markets in videotex; new developments in teletex; and opportunities in the international videotex market.

Information Industry Association, 316 Pennsylvania Ave. S. E., Suite 400, Washington, D.C. 20003.

PCC FROM P.R.O. — P.R.O. Systems of Kansas City has taken the Tandy Color Computer 2 and created a completely portable version. The PCC is compatible with all Color Computer software because no changes were made in the ROMs or hardware. The processor card is custom-designed, but all standard functions, addresses, etc., have been retained.

The PCC is housed in a heavy, durable aluminum case. The detachable keyboard serves as the front cover and comes with a 24-inch cord. Front panel controls include contrast, brightness, color level and tint.

The PCC comes with 64K memory, Disk Extended BASIC operating system, full schematics and documentation, and a 90-day warranty.

P.R.O. Systems of Kansas City, 10601 West 63rd St., Shawnee, KS 66203.

DISK, TOO — Creative Technical Consultants, which has specialized in cassette-based educational programs for the Color Computer, has announced

that all of its educational software is now also available on disk.

Free catalogs are available by writing to *Creative Technical Consultants, 16-8 Sangre de Cristo, P.O. Box 652, Cedar Crest, NM 87008.*

PHOTOFARE — PhotoSource International now offers three publications — *PhotoBulletin*, *PhotoMarket* and *PhotoLetter* — on NewsNet, the nation's largest distributor of specialized business newsletter information.

PhotoBulletin is designed to save photographers research time through NewsNet's electronic clipping service. *PhotoMarket* is intended for part-time professional photographers or serious amateurs. Published twice a month, the service focuses on buyers who pay mid-range prices.

PhotoLetter is recommended reading for entry-level photographers. There are also marketing tips, pricing methods and other information for more experienced photographers. All listings include photo editors' needs, prices and contact information.

NewsNet, 945 Haverford Road, Bryn Mawr, PA 19010.

SOFTWARE CATALOG — Aquarius People Materials, Inc., publishers of a full line of educational software for the Tandy Color Computer and other computers, has released its latest catalog. The catalog includes over 200 programs in curriculum areas ranging from preschool through vocational education.

Aquarius People Materials offers networking versions, licensing agreements and volume discounts on bulk orders. For your free catalog or more information, write to *Aquarius People Materials, Inc., P.O. Box 128, Indian Rocks Beach, FL 33535.*

HOME BANKING — North Carolina National Bank has launched a home banking program that offers personal computer owners free use of the service until the end of the year.

NCNB's system is the first commercially available home banking program in North Carolina, the first video banking system to be run on CompuServe by VideoFinancial Services and the first outside Florida to run on Knight-Ridder's recently announced national Viewtron network.

The bank's program operates in ASCII on CompuServe with almost any personal computer and on Viewtron with some Commodore and Apple models, the IBM PC and its compatibles.

TANDY TUNES — Tandy Color Computers can now be turned into programmable music synthesizers with Orchestra-90 CC, a unique combination of hardware and software.

The Orchestra-90 CC cartridge slips into the Program Pak port of the Color Computer or into one port of a Multi-Pak Interface. Connector jacks built into the Orchestra-90 CC cartridge connect the Color Computer to a stereo system to produce a stereo synthesizer.

Files may be transmitted through an optional 300 Baud modem, and a built-in communications package permits communication with online services.

Tandy Corporation/Radio Shack, 1700 One Tandy Center, Fort Worth, TX 76102.

THE LOG — Cynwyn has recently released *The Log*, the latest in its Hamware series of software for amateur radio operators. *The Log* runs on the 16K or 32K ECB Color Computer and is available in cassette or disk versions.

When loaded, *The Log* tests for memory and configures itself to take maximum advantage of the available memory automatically. It also provides fields for entering all standard logbook data, as well as a remarks field.

Cynwyn, 4791 Broadway, Suite 2F, New York, NY 10034.

Season's Greetings



**FROM
SPECTRUM PROJECTS INC.**

VIDEO CLEAR



CLEANUP TV INTERFERENCE FOR GOOD !!! Long cables that connect to the I/O ports or disk controller cards on a computer can cause unwanted picture distortion. Video Clear is the answer to your computer interference problems. This simple, inexpensive device hooks up between the computer and your television set. It will reduce or eliminate completely picture interference created by the computer itself. The Video Clear system consists of a filter block, 300 ohm BALUN and cable. **BOOK \$19.95**

500 POKES & PEEKS

500 Pokes Peeks 'n More for the Radio Shack Color Computer by Kishore M. Santvani is a unique book inasmuch as it contains technical data which is of utmost significance to any programmer. It includes 80 pages of information on many POKE, PEEK and EXEC commands with full explanations and comments on the use of each command. Gain the power of Assembly Language thru Basic and make possible various intricate cassette, disk and printer operations. Includes such utility routines like Autostarting Basic programs from cassette, produce key-clicks and error-beeps, disabling various Color/Extended/Disk Basic commands and recovering lost programs. **BOOK \$16.95**



GUIDE TO OS-9



More than a book.... A new milestone!!! The Complete Rainbow Guide to OS-9 demystifies this state-of-the-art operating system for the Radio Shack Color Computer. Co-authored by Dale Puckett and Peter Dibble, two of the foremost authorities on OS-9, the Guide shows you how to take advantage of OS-9's multi-tasking and multi-user features, and realize the full potential of this exciting and efficient implementation of the UNIX operating philosophy. Includes an easy to read, step by step outline packed with hints and tips, tutorials and free software in the form of program listings. Discover the OS-9 system that sets new CoCo standards. **BOOK \$19.95**

64K UPGRADE

Now you can add the POWER of 64K to your Color Computer with a Spectrum Projects Memory Upgrade Kit! Comes complete with specifications and memory upgrade instructions for Revision Boards: D, E, F, MC, ME, TD1-100 and CoCo II. Fits catalog numbers: 26-3001, 26-3002, 26-3003, 26-3002A, 26-3003A, 26-3004A, 26-3026, 26-3027, 26-3134, and 26-3136. Kit includes documentation and eight (8) 64K chips. **\$19.95**



LIGHT PEN



The CoCo Light Pen plugs directly into your joystick port and comes with six fun and useful programs on tape. All six programs are contained within a single master menu program and can be easily selected by just holding the CoCo Light Pen up to one of the six flashing boxes. These programs demonstrate coding techniques and represent a sampling of some of the things that can be done with the Light Pen and a little Basic programming. The package includes such programs as Concentration and Kingman. **16K TAPE \$19.95**

TELEPATCH

A TELEWRITER-64 ENHANCER !!! Teletwriter-64 is the best word processor available for the Color Computer. Using a 64K Disk system you can add the following features with Telepatch: True block move, visible carriage returns, key beep, key repeat, a type-ahead keyboard buffer, PASTYR Disk I/O, modify Format menu defaults, Overstrike and TSPOL modes. Telepatch will make your favorite CoCo word processor more useful and productive NOW! **64K DISK \$19.95**

TELEPATCH TELEWRITER ENHANCER

VERSION 2.1

TRIPLE SWITCHER



One of the major bonuses of the Color Computer is the inclusion (at no extra cost) of an RS-232 interface for hooking up printers, modems, etc. as a standard computer component. However, most CoCo users run into the dilemma of always having to plug and unplug cables from the back of their CoCo to choose which RS-232 peripheral they want "on line". The Solution??? A Spectrum Projects Triple RS-232 Switcher! Now, select one of any three (3) RS-232 peripherals without cable swapping by merely turning a knob! \$39.95

UNRAVELLED SET

The complete disassembly of Color, Extended and Disk Basic ROMS is here! These books are an indispensable tool for the programmer who seeks a full, in-depth knowledge of Basic. All of the innermost operating processes are exposed. Contains a Memory Map with no missing spaces, everything is defined! Easy to understand and covers ALL ROM versions. A fully commented source listing of Color, Extended and Disk Basic is provided. The Basic UNRAVELLED SERIES will make it easy for you to write your own Basic commands or modify existing ones for whatever purpose you desire. Complete three (3) Book Set \$49.95



ADVENTURES



Twenty-four of the most challenging Adventure games ever compiled await you in the Second Rainbow Book and Tape of Adventures. Blast through time; fight World War III; win the heart of a mysterious and beautiful princess. Experience the chilling thrills of rugged adventures without ever leaving your seat!!! Order the Second Rainbow Book of Adventures and experience: Time Tripper, The Riddle of Radosar, Yellow Submarine, Crypt of Flodnar, plus many more. The Second Rainbow Adventures' Tape is a necessary complement to the Book and will save hours of typing! The Tape also contains a special BONUS of three (3) additional super Adventures!! BOOK & TAPE \$29.95

OS-9 SOLUTION



Finally a program that creates a "USER FRIENDLY" environment within OS-9! The OS-9 Solution replaces 19 of the old "USER HOSTILE" commands with single keystroke, menu driven commands. No more typing in complex, long pathnames or remembering complicated formats! The OS-9 Solution does multiple copying, killing and info printouts for whole or partial directories. Sets all XMODE parameters at the touch of keys! Uses separate source and destination directories for "single key" copies. All files are contained in a directory "WINDOW", allowing the use of the up and down arrow keys for instant access & execution of all command functions. Requires OS-9 Ver 01.01.00 \$39.95

MINI MODEM



Join the hottest CoCo Community Electronic Information Service (DELPHI) with the lowest cost CoCo modem on the market today - The Mini 300 Baud MINI MODEM! The MINI MODEM is a self-contained telephone interface that has full duplex operation, direct connection, standard RS-232 connector, carrier detect indication and selectable originate/answer mode. Setting a new standard for quality, reliability and value! Requires CoCo modem cable (\$14.95) Mini-Modem \$39.95

CARD DESIGNER

It's here just in time! The FIRST, stand alone, Greeting Card Designer for the Color Computer. Create custom greetings for any occasion: Birthdays, Anniversaries, Mothers' Day, Valentines, Christmas and others. The program can be used to make custom Thank-You, Invitations, Get-Well cards and Announcements! The CoCo Greeting Card Designer is easy to use and includes a library of pre-drawn Hi-Res graphic pictures for most holidays (a Christmas Tree, Birthday Cake, Turkey, Gift Box and others). You can also design your own graphic images to create just about any these greeting cards! Also includes eight (8) decorative borders, screen editor, font editor & more! 32K DISK \$24.95



SPECTRUM PROJECTS

COCO MAX

Feature packed hardware and software Graphics System! Includes: Pull-Down Menus, Icon processing, multiple Fontstyles, full graphic editing, a special Input Module for 256x192 joystick input, thirty-two (32) paint brush shapes, eight (8) different screen dump formats, Pat Bits "Zoom" and more! CoCo Max is the most exciting Color Computer product of the year and without a doubt on top of everyone's gift list for the Holidays! Requires 64K. Disk Systems require a Multi-Pak Interface or (\$29.95) *Y* Branching Cable. Specify 64K TAFE or DISK \$69.95

File Edit Goodies Font Style



SUPER CONTROLLER



The most AMAZING Color Computer Disk Controller ever! The Super Controller allows you to switch up to four (4) different DOSs (up to 16K each) via a single software POKE (POKE 65345,X). Now you can choose between Radio Shack DOS 1.0/1.1, Spectrum DOS, JDOS, ADOS, Stearns DOS, etc.. Compatible with 27128 or 2764 EPROMs. Gold contacts on all connectors, shielded metal box for low RF noise. Works with both CoCo I and CoCo II. Internal mini-expansion bus available for a Real Time Clock, EPROM Programmer, Parallel Printer, etc.. If ordered with the Super Controller, RS DOS available for \$19.95. The Super Controller \$99.95

THUNDER RAM



The first 256K Memory Board for the Color Computer ever! Load four 32K programs at once, emulate a 40 track RAM-DISK (great for Databases and Mailing List programs), 60K Print Spooler, FAST access, 30+ Hi-Res screens in memory at once (super for Graphics). Easy installation, software and tech information. NOT available for CoCo IIs. OS-9 Ramdisk Driver \$24.95 (a MUST for compiling under C) \$99.95

256K
256K
256K

HJL-57 KEYBOARD



Unlock the full potential of your Color Computer with the ergonomically superior HJL-57 Professional Keyboard. The HJL-57 has sculptured, low profile keycaps and full-travel bounce-proof key switches to help sail through lengthy listings with maximum speed and minimum errors! Now you can do real word processing with the LAST keyboard your CoCo will ever need. And as an extra bonus, the HJL-57 has four (4) user definable function keys with free software provided. Specify CoCo Model and Revision Board. \$69.95

PCF/DYNACALC

The Dynamic Duo for number crunching and information retrieval. Dynacalc is an electronic spread-sheet with its own built in operating system that provides up to 256 rows by 256 columns of cells for numbers, strings or expressions. Uses high speed 16-digit precision for numeric operations and a full package of Hi-Res Graphics (pie charts, bar graphs, etc..). Pro Color File is a flexible database system comprised of routines that permit the user to design his own information storage & retrieval program to enter records on disk, search the information for updating and to generate screen or printed reports. Holiday Special- Both for only \$99.95



BRITEFACE

The first INTELLIGENT serial-to-parallel printer interface for the Radio Shack Color Computer or MC-10. This small compact unit creates a parallel printer port suitable for most Centronics compatible printers (Epson, Gemini, Okidata, C-Itch, Radio Shack, etc..). BriteFace samples incoming data and instantly computes the correct baud rates for maximum efficiency and correct printer operation! Eliminates any and all guesswork or switches to turn. Compatible with transmission rates from 600 to 9600 Baud. \$59.95



SEE PAGE 107 FOR ORDERING INFORMATION

DISK DRIVE ϕ



Upgrade your Color Computer by adding a 5 1/4" floppy Disk Drive 0. All disk components are 40 tracks, single sided, double density, FAST (6ms) stepping rates and quality half-height drives. The systems include heavy duty power supply and case, filler plate, drive cable, manual and the Super Controller w/RS DOS 1.1. The Super Controller is state of the art with gold plated connectors and can switch up to 4 different DOSs via a single software POKE! And if they have been really good - Give them (or yourself) the works! A combination Disk Drive 0 & 1 System for only \$319.95. Also available are add on drive units 1, 2 or 3 for \$119.95. The complete Drive 0 System \$199.95

GEMINI SG-10 ϕ

There are lots of printers on the market from which to choose but the Gemini SG-10 shines above them all! Look at all these features: Lightning speed of 120 cps, outstanding Near Letter Quality (NLQ) print mode, tractor and friction feed, a 2K buffer, self test, bi-directional and logic seeking movement, 9-pin printhead and 96 standard, italic or NLQ ASCII characters. Requires Brita Face interface for CoCo (\$59.95). Find out why the Gemini SG-10 is the power behind the printed word. \$239.95



AMBER MONITOR

The right monitor at the right price! The Spectrum Projects Amber Monitor delivers the compatibility, resolution and reliability you need for any application from Word Processing to sophisticated Business Graphics. Our Amber monitor is a 12" Hi-Res (80x24 screen) unit with anti-reflecting tube and Video Bandwidth of 20kHz. And, as an extra bonus, it has the audio amplifier included. No need for additional hardware or go without sound! Requires the Universal Video Driver (\$29.95) which works with ALL monitors and CoCo! Dimensions (W12" x D11" x H11") \$119.95



J-CAT MODEM

The Novation J-Cat is the smallest, most versatile modem for Color Computer users on the market today! The J-Cat has big features in a very small package (5" x 2" x 1.3") Auto/answer, self-test diagnostics, LED indicators, audio beeper, automatic originate/answer mode selection, break key and more! The J-Cat is the perfect modem for running a CoCo BBS (Colorama, \$99.95, is the matching Bulletin Board software program for it)! The J-Cat comes complete with interfacing cable. Direct connect and 300 baud. \$119.95



64K COCO II



The perfect gift at the perfect price! Take advantage of Spectrum Projects' special holiday savings on a 64K Extended Basic Color Computer II. Includes the latest CoCo II keyboard with raised key caps instead of the old "chiclet" style! The 64K CoCo II has enough power and performance for advanced home and small business applications. Guaranteed the LOWEST price in the Rainbow magazine, period!!! \$129.95

SOFTWARE PACKAGE

A once-in-a-lifetime deal as the ULTIMATE Holiday special!! Create an instant library of Spectrum Projects TOP Colorful Utility software. Select any 12 programs to customize your own spectacular software bonanza! CoCo Checker, Multi-Pak Crak, CoCo Screen Dump, Disk Utility 2.1, Spectrum Font Generator, Spectrum DOS, Schematic Drafting Processor, Fast Dupe II, 64K Disk Utility Package, Tape/Disk Utility, Fast Tape, Graphicom, EZ Base, OS-9 Solution or Basic+ (a \$300 plus value) for only \$119.95



Maximum Learning With Minimum Effort

By Joseph Kolar
Rainbow Contributing Editor

BASIC allows the newcomer to create practical, interesting and educationally oriented computer programs. We shall examine a simple Color BASIC program that is ideal, but not limited to, self-study in the foreign language arts. As usual, the application of any educational program is limited only to the scope of the beginning programmer's imagination and inventiveness.

The heart of this program is remarkably short and simple. This "core" can be `CSAVEd` and `CLOADd` whenever the desire strikes you to create a program you deem suitable for self-study. It can be geared to your students'/children's school work, or just to see what can be created. The object is to create a text sentence on the screen, then add the translation.

And so to work! `CLOAD` Listing 1. (You may want to `CSAVE` it first, giving it a name such as "langcore" or "core.") It is very short but serves the purpose of formatting the text without much sweat. The text is displayed on a back-

(Florida-based Joseph Kolar is a veteran writer and programmer and specializes in introducing beginners to the powers of CoCo.)

ground of one of the eight colors available in Color BASIC, which are randomly chosen in Line 5 by `Z=RND(B)`. The color is called in a `GOSUB` routine in Line 2000.

The first sentence is displayed on one or more rows of text beginning at `PRINT@X,` located at 96 (Line 5, `X=96`). This is the left end of the fourth line from the top on the text screen.

The first panel presents a French sentence, without accent marks, at program Line 10. `EDIT10` and press 'X' to get to the end of the line. Space twice to allow for a two-space indentation. Key in the sentence: "C'est une idee excellent." Add appropriate punctuation marks. Space twice to allow for a blank trailing area so the last word stands out clearly; add the closing quotation mark. If you don't want the line to extend to the end of the row at the right side of the screen, and we don't, add a semi-colon (;). Add a colon (:) to separate the French text line from the next statement to create multiple-line statements. The purpose is to create each panel using one program line.

We will pause until any key is pressed by using `EXEC44539`, which is taken from Line 3000 by typing `GOSUB3000`. Instead of keying `GOSUB3000`, you

could type `EXEC44539`. Bitter experience indicates that repeatedly keying in `EXEC44539` leads to errors, such as 44439, 45439 and so forth. Both of these wrong numbers will hang up the CoCo, requiring `RESET` to put things right. It is possible that some wrong number can damage the program beyond salvaging. If you had completed about 20 panels, tears of frustration are apt to well in your eyes.

Thus, it is safer to place the `EXEC44539` into a subroutine and call it with `GOSUB3000`, which, if incorrectly entered, can be easily rectified without panic.

`RUN` the listing and check the sentence for correct spelling and punctuation. Check for two blank spaces at both the beginning and ending of the sentence. The background should be Color 8, orange, on the first panel. This was deliberately set in order to guarantee a contrasting background color to check the ribbon of text. Press any key (`ENTER` will do just fine) and a flicker will run through the ribbon of text. Now press `BREAK` and type `LIST`.

Note at this time that Line 6 creates an orange background followed by instructions to go to Line 10. More about this important line later.

A SPECTRUM PROJECTS SHOPPING LIST

A CHIP OFF THE OLD...

6821 Standard PIA\$9.95
 27128 Eprom - Fits new ctlrs*\$14.95
 6809E CPU Chip (NEW LOW PRICE) ...\$19.95
 Basic ROM 1.2 Chip (30% FASTER) ..\$19.95
 68766 (Fits Disk Basic Skt) Eprom.\$19.95
 Disk ROM 1.1 (New DOS Command) ..\$29.95
 New SAM Chip w/heatsink (74LS785).\$29.95
 Ext Basic 1.1 ROM - NEW LOW PRICE.\$29.95
 Tandy 1000 128K RAM Upgrade Kit ..\$39.95
 26-3134A & 26-3136A 64K Upgrade - 2 chip
 set (ONLY for new Korean CoCoIIA).\$39.95
 Eprom Eraser - 3 min erasure time.\$49.95
 Model 100 8K Upgrade - (SAVE \$70).\$49.95
 CoCo First Aid Kit - includes 2 PIAs,
 6809E & SAM (Be Prepared!!!)\$59.95
 64K CoCo II - w/NEW keyboard\$139.95
 Eprom Prgrmr (2ms speed/2K - 16K).\$149.95

COCO LIBRARY...

CoCo Memory Map\$14.95
 History of the CoCo/1980-1985\$14.95
 Basic Programming Tricks Revealed.\$14.95
 The FACTS - Inside "guts" of CoCo.\$16.95
 500 Pokes, Peeks 'N Execs\$16.95
 Basic 09 Tour Guide\$18.95
 Utility Routines- Top Pgm Secrets.\$19.95
 Rainbow Book/Tape of Simulations ..\$19.95
 Extended Basic Unraveled\$19.95
 Disk Basic (1.0/1.1) Unraveled ...\$19.95
 New! CoCo II Service Manual\$24.95
 SECOND Book & Tape of Adventures ..\$29.95
 The Complete Rainbow Guide to OS9.\$19.95
 W/Two Disk Package of demo pgms ..\$49.95
 Color/Extended/Disk Basic Unraveled -
 Complete 3 Book Set - Save \$10! ..\$49.95

MORE GOOD STUFF...

CoCo Light Pen - ~~\$24.95~~ Save \$5! ..\$19.95
 Computize "Y" Box - More positive
 connections than a "Y" Cable\$29.95
 Spectrum Voice Pak - SAVE \$30!! ..\$39.95
 Colorware Real Talker 1 (CoCo I) ..\$59.95
 Colorware Real Talker 2 (CoCo II).\$64.95
 PBJ WORD-PAK II - Hi-Res 80x24 display
 w/smooth scrolling-New LOW PRICE \$129.95
 * - J&M and the NEW Super Controller

All orders plus \$3.00 S/H (Foreign \$5.00)
 COD add \$2.00 extra
 NYS Residents add Sales Tax

COCO CABLES AND...

Printer/Modem 15' Extender Cable .\$.14.95
 Tired of unplugging devices from your
 RS232 port? Try a RS232 "Y" Cable.\$19.95
 Joystick/Mouse 10' Extender Cable.\$19.95
 Null Modem Cable - 4 pin to DB25 ..\$24.95
 Disk Interface/Rom Pak Extender - Move
 your disks & ROM Paks (3 feet) ..\$24.95
 40 Pin Dual "Y" Cable - Hook up a Disk
 w/Voice, Word Pak, CoCo Max, etc ..\$29.95
 Triple RS232 Switcher - Now select one
 of any three RS232 peripherals ...\$39.95
 Triple "Joyport" Switcher - Joystick,
 Mouse, Touch Pad or Light Pen\$39.95
 40 Pin Triple "Y" Cable - Hook up any 3-
 Voice/Word/RS232/Digitizer PAKS ..\$39.95
 Finally! 24" Multi-Pak Extender ..\$44.95

OTHER GOOD STUFF...

C-10 tapes in any quantity49 cents
 5 1/4" Diskettes in any quantity ..\$1.19
 32K, 64K or 128K RAM Button\$4.99
 Rompak w/Blank PC Brd-27xx series ..\$9.95
 CoCo Keybd - Raised keycaps w/2 Function
 Keys! (Add \$10 for D/E Bd adapter)\$19.95
 Video Clear - This cable will reduce TV
 interference created by CoCo!\$19.95
 Video Reverser -Reduce eyestrain w/green
 letters on black background**\$19.95
 The Magic Box - Load Mod I/III Basic
 program tapes into the CoCo\$24.95
 DOS Switcher - Select from any two DOSs
 (Disk 1.0 1.1, JDOS) in J&M ctlr ..\$24.95
 Learning The 6809 (D. Kitsz)\$99.95
 EARS-CoCo's first Voice Recognition unit
 w/95% accuracy & 64 Voice Prints! \$99.95
 Amdek Twin 3" Drive System\$199.95
 Amdek Drive System w/controller ..\$299.95
 ** N O T for 26-3134/36 CoCo II's

SPECTRUM PROJECTS
PO BOX 21272
93-15 86TH DRIVE
WOODHAVEN NY 11421

COD ORDER HOT LINE
718-441-2807

SPECIAL 64K RAM CHIPS \$1.05



SPECTRUM PROJECTS

SOFT AND HARD WARES FOR COLORFUL COMPUTING



COMMUNICATION

COLORCOM/E - A complete smart terminal package! Upload, Download, Hi-Res (51X24) screen, 300/1200 Baud, Offline Printing. Rompak/Disk* - \$39.95
 * - Now with CoCo Sig & TBBS XMODEM support!! Download ML! COMPUSERVE 5hr Start Kit \$39.95

**BUY COCO -
 Get RS232 Y Cable
 At HALF-PRICE!
 Reg \$20 Sale \$10**

**BUY BOTH
 SAVE \$10**

WORD PROCESSING

TELEWRITER-64 - Three Hi-Res screens, true lowercase char's right justify, full screen editor. Tape \$49.95 Disk \$59.95
TELEPATCH - A TW-64 enhancer!!! True block move, Overstrike & TSPool mode, Type Ahead Buffer
FASTER Disk I/O 64K Disk \$19.95

MODEMS

MINI-MODEM - Direct connect, 300 Baud, Orig/Answer - \$39.95*
J-CAT Modem - Lowest priced auto/answer modem - \$119.95
HAYES SM300 - "Programmable" auto-dial/auto answer - \$169.95
 300/1200 Baud Modem! - \$199.95*
 * - Add \$14.95 for Modem Cable



PRINTERS

GEMINI SG-10 - 120 cps w/true descenders, 2K buffer, tract-frict feed, Near Letter Quality mode, 1 Yr. warranty! - \$239.95
Briteface-The first INTELLIGENT Parallel Ptr Interface for CoCo Auto set Baud rates from 600 to 9600/NO switches to turn \$59.95

KEYBOARDS

SUPER-PRO (Mark Data) \$59.95*
KEYTRONICS keyboard - \$69.95**
HJL57 - Save \$10.00! - \$69.95**
 Specify Model/Revision Board.
 * Add \$5 for "F" board adapter
 ** Free function key software
CoCo II HJL version available!!
 15 key Numeric Keypad - \$59.95



**NOW
 WITH
 AUDIO!**

MONITORS

MONOCHROME Monitors - 80x24 screens plus Hi-Res w/AUDIO!
 Green - \$99.95 Amber - \$119.95
 13"COLOR was ~~239.95~~ NOW \$219.95
TAXAN Tuner-Receive TV channels on any composite monitor. \$99.95
Universal Video Driver - Works w/all monitors & CoCos! - \$29.95

SAVE \$10

OFF COLORCOM/E WITH ANY MODEM
 OFF TELEWRITER-64 WITH ANY PRINTER,
 KEYBOARD OR MONITOR

SAVE \$10

FOR EXPRESS ORDERING PLEASE CALL 718-441-2807



SPECTRUM PROJECTS

SOFT AND HARD WARES FOR COLORFUL COMPUTING



SPREADSHEET

	Competition	DYNACALC
Screen	32X16	51X24
Precision	9 digits	16 digits
Hi-Res Graphics	NO	YES
Visicalc cmd format	NO	YES
New low price!	64K Disk \$79.95	
Side Wise -Print	DYNACALC files up to 255 chars-sideways!	\$24.95

SAVE
\$60



DATA BASE MANAGER

PRO-COLOR FILE 2.0 - 60 Data Flds, 8 Report Fmts, 4 Screen Fmts, 1020 bytes/record, Sort 3 Fields, Global Search, FAST ML Sort, Create Files Compatible w/DYNACALC! - Disk \$59.95
PCF Forms 2.0- Merge DATA files From PCF to Letter/Forms. \$29.95

DISK DRIVES

DRIVE 0 System* - SS/DD, 6ms, 40 Tracks, Half Height	\$199.95
DRIVE 0 & 1 System* -	\$319.95
Disk Drive 1, 2 or 3 -	\$119.95
Disk Controller w/o ROM	\$99.95
Controller w/1.1 ROM -	\$119.95
10Meg OS-9 Hard Disk -	\$649.00
* PLUS: controller-manual-cable	



GAME CONTROLLERS

Graphicom Joystick - Has 2 Fire buttons (menu/pen), smooth and easy joystick control -	\$24.95
Mach II Joystick - 360 Degree control with center return or analog positioning. -	\$39.95
Wico Command Control - Hook up 2 Atari type joysticks -	\$19.95

GRAPHICS (DISK)

1. Telegraphics	\$24.95
2. Graphicom Part II ...	\$24.95
3. HARDCOPY (Specify PTR)	\$29.95
4. Master Design	\$29.95
5. CoCo Calligrapher ...	\$29.95
6. Super Screen Machine	\$29.95**
7. Bjork Blocks	\$34.95
8. VIZIDRAW	\$49.95



UTILITIES (DISK)

1. 64Col Mod I/II Emu'r.	\$19.95**
2. Dynagraph	\$19.95
3. Tape 'N Image	\$24.95
4. Blackjack Royale ...	\$24.95**
5. Spect'm Adv Generator	\$29.95**
6. Musica 2 (New price)	\$29.95
7. Color Forth	\$29.95**
8. Colorama BBS	\$99.95

Utilities & Graphics I

- Buy any 2 - Save 10%
- Buy any 3 - Save 15%
- Buy any 4 - Save 20%

SPECTRUM PROJECTS, Inc.

PO BOX 21272
93-15 86th DRIVE
WOODHAVEN NY 11421

** - Closeout prices !!!
Final SALE !!!
No Rainchecks !!!

All orders plus \$3.00 S/H (Foreign \$5.00) - COD add \$2.00 extra - NYS Residents add Sales Tax



COLORFUL UTILITIES



COCO CHECKER *

Something possibly wrong with your CoCo??? CoCo CHECKER is the answer!! Will test your ROMs, RAMs, Disk Drives & Controller, Printer, Keyboard, Cassette, Joysticks, Sound, PIAs, VDG, Internal Clock Speed, Multi-Pak Interface and more!! 16K TAPE/DISK \$19.95 (see Jan '85 Rainbow Review)

MULTI-PAK CRAK

Save ROMPAKs to your 64K Disk system using the RS Multi-Pak Interface. Eliminate constant plugging in of ROMPAKs now by keeping all your PAK software on disk. Includes POKEs for "PROBLEM" ROMPAKs. (Downland, Megabug, Micro Painter, Stellar Lifeline, etc.) 64K DISK \$24.95

NEW!

COCO KEYBOARD SOFTWARE

Finally! An ENHANCED Function Key software program for the HJL/Micronix Keybos. Provides 4 most wanted features: 9600 Baud POKE, Text Screen Dump, Program Listing & Cold Start! DISK \$14.95

SPIT 'N IMAGE

A super upgrade from Disk Omni Clone! Back everything up! This amazing program handles "non standard" disks with ease. We haven't found any disk yet that it can't handle. Don't ever be caught without a backup again! Lowest price tool Beats most "copy protection" programs! 32K DISK \$29.95

COCO SCREEN DUMP

The best screen dump program for the Panasonic, Epson & Gemini printers ever! Have the option of standard or reverse images w/regular or double sized proportional pictures. 600-9600 Baud tool A must for Graphicom and Bjork Block users. 16K TAPE/DISK \$19.95 (see Nov '84 Rainbow Review)

DISK UTILITY 2.1*

A multi-featured tool for USER FRIENDLY disk handling. Utilize a directory window to selectively sort, move, rename and kill file entries. Lightning fast Disk I/O for format, copy and backup. Examine contents of files, the Granule Table, plus the size, load addresses and entry points of all programs. Single command execution of both Basic and ML programs. 32K/64K DISK \$24.95 "Disk Utility has proven itself very quickly at my house" - Ed Eilers Oct '84 Rainbow Review pg. 220

NEW!

SPECTRUM FONT GENERATOR

Now you can write files using any CoCo Word Processor (Telewriter-64, VIP Writer, etc.) and convert them to special Highly Detailed character sets! Some of the character sets supported are Italics, Old English, Futuristic and Block. A character set editor is included to create custom sets or modify existing ones! Supports most dot-matrix printers! DISK \$29.95

SPECTRUM DOS

Add 24 NEW Disk commands with 2 Hi-Res screens! Supports 40 track & Double-Sided drives, 6 ms stepping, auto disk search, error trapping & "EPROMABLE". 64K DISK ~~\$49.95~~ New LOW price!! \$24.95

SCHEMATIC DRAFTING PROCESSOR

Save time and design pro looking diagrams using a 480X540 pixel worksheet w/6 viewing windows. Over 30 electronic symbols w/10 definable symbols. (Even Logic gates & Multipin chips!) Print hard copy and save to disk. 64K DISK ~~\$49.95~~ New LOW price!!! \$29.95 (see Jan '84 Rainbow Review)

NEW!

BASIC+

Exclusive!!! Basic+ gives you a 32 character interrupt driven, typahead keybd w/auto key repeat & click! Type in your next cmd while your disk is running! Restart your CoCo from the keybd without powering down! Also includes 23 single keystroke cmds, 32K Spooler & more! 64K DISK \$29.95

COCO CHECKBOOK

Use your CoCo to keep track of your checking and savings accounts! Printout individual personal checks! 32K/64K TAPE \$29.95 DISK \$39.95 (see April'85 & Sept'85 Rainbow Reviews)

*** NOW AVAILABLE BY EXPRESS ORDER AT YOUR LOCAL RADIO SHACK STORE -**

*** 90-0289 COCO CHECKER - * 90-0290 DISK UTILITY 2.1**

**BUY ANY 4 PROGRAMS
GET THE FIFTH FREE!**



**DEMAND TO SEE
THE DEMO DISK !!!**

⊕ ⊕ ⊕ COLORFUL UTILITIES ⊕ ⊕ ⊕

FAST DUPE II

The fastest Disk copier ever! Will format and backup a diskette in only one pass (up to 23 passes) and can make up to 4 Disk copies at once in 2 minutes! The must utility for every multiple Disk Drive owner. Fixes the "head-banging" bug! 32K/64K DISK **\$19.95** (see May '84 Rainbow Review)

COCO VIDEO TITLER

Start your VCR tapes with dazzling title frames followed by professional countdown to black fade-outs! Use a title page editor with several sizes of text & background colors! 16K TAPE **\$19.95**

NEW!

PENPAL

It's here! CoCo's answer to 1-2-3! PENPAL combines Word Processing, Communications, Graphics, Data Base & Spread-sheet into a single integrated software package! 64K DISK INTRO PRICE **\$69.95**

64K DISK UTILITY PACKAGE

Take advantage of an expanded 64K machine. Make an additional 8K of RAM available by relocating the Ext Basic ROM from \$8000 to \$D800. Copy ROMPAKS to disk (even "protected" PAKS) and create a 32K SPOOL buffer for printing. DISK **\$21.95** (see July '83 Rainbow Review)

TAPE/DISK UTILITY

A powerful package that transfers tape to disk and disk to tape automatically. Does an automatic copy of an entire disk of programs to tape. Ideal for Rainbow On Tape to disk. Also copies tape to tape & prints tape & disk directories. TAPE/DISK **\$24.95** (see Sept '83 Rainbow Review)

FAST TAPE

Save and load cassette files at twice the speed! Now you can run tape and printer I/O operations in the high speed mode without a locked up system or I/O ERRORS! Works great with the popular Telewriter-64 word processor tape by Cognitec. "If you are tired of waiting for those long tapes to load, I strongly recommend that you buy this fine utility." TAPE **\$21.95** July '83 Rainbow

GRAPHICOM

The ultimate CoCo graphics development tool with sophisticated editing, preview animation, telecommunications and printer support. Hi-Res graphics for only **\$24.95**. W/Spectrum's Menu Foot Switch **\$34.95** or W/Spectrum's Graphicom Joystick **\$49.95**. 64K DISK (see April '84 Rainbow Review)

EZ BASE

A truly user friendly data base program at an affordable price. Maintain inventories, hobby collections, recipes, greeting card lists and much, much more! Hi-Res screen, up to 500 records with 15 fields, record or field search, and a Mailing Labels option. Also converts EZ BASE data files to ASCII format for transmission via Modem! 32K DISK **\$24.95** (see July '84 Rainbow Review)

NEW!

COCO-UTIL

Now you can have the power to easily transfer Radio Shack Color Computer disk files to your MS-DOS machine - including the Tandy 1000 & IBM PC!!! You can also transfer MS-DOS files to your CoCo disk, even format CoCo disks! CoCo-Util will save you countless hours of retyping! No need to move your computer or printer anymore! Requires 128K MS-DOS computer w/2 disk drives - **\$29.95**

All orders plus \$3.00 S/H (Foreign \$5.00) - COD add \$2.00 extra - NYS Residents add Sales Tax

SPECTRUM PROJECTS
PO BOX 21272 93-15 86TH DR.
WOODHAVEN NY 11421
EXPRESS ORDERING 718-441-2807

SEE OUR COLORFUL UTILITY PROGRAMS IN THE DIRECTORY
OF REVIEWED SOFTWARE AT YOUR LOCAL
RADIO SHACK COMPUTER CENTER

Type EDIT10 and press 'X' to get to the end of the line. Add :PRINT@Y, " and space twice. Key in the English translation: "That is an excellent idea" and space twice. Add the closing quotation mark and semi-colon and colon to stop the green ribbon from extending to the right end, and to prepare to add another multiple statement.

Now, key in GDSUB2000. It picks a random color and waits for a key to be pressed so CoCo can set up a random color background for the next panel.

Type RUN and press ENTER once for the French sentence, then ENTER a second time to produce the translation. Check your work and correct as necessary. (Press ENTER or any other key.) You will get a new screen with the French sentence. Press BREAK and type LIST. Since there are no other sentences, the next instruction after Line 10 is Line 1000, which tells the CoCo to go back to Line 10 and repeat. We will maintain an increment of 10 for our program lines.

Type EDIT6 and press 'X' to go to the end of the line. Press the left arrow twice to erase 10, then key in 20 and ENTER. Or, EDIT6 and space over so the cursor is under '1'. Press 'C' and '2', then ENTER.

As soon as you finish this change, begin creating the new program line: 20 PRINT@X, ". Using the same technique you used to create Line 10, type in the Italian sentence, "Spenga le luci, per favore," making sure you have two leading and trailing spaces at each end. Add ";:GDSUB3000 and RUN. Check out your work!

Press ENTER a few times. Note that after the initial cycle, the color of Line 20 is randomly chosen. Line 2000 took care of that chore. That is why Line 20 on doesn't require a CLS(Z). Line 10 will always be on an orange background, unless you care to go back at this stage and change CLS(B) to CLS(Z). Of course, you could EDIT10 press '7', 'D' and ENTER, and get the same result.

Press BREAK and type EDIT20; press 'X' to go to the end of the line. Now, type :PRINT@Y, ", space twice and type in PLEASE TURN OFF THE LIGHTS. Space twice at the end of the line and type ";:GDSUB2000 and ENTER.

Type RUN and press ENTER twice. Check your work! Press BREAK, type EDIT6 and change 20 to 30 and ENTER.

Start the next line; type 30 PRINT@X, " and space twice. Key in "Haben sie verstanden was Ich gesagt habe?" and finish up as usual: space twice and type in ";:GDSUB3000.

Now run the program and if you keyed in this German sentence correctly, you will note that it requires two rows to display it. You will also note that GESAGT is split on both lines. You can readily see that it is simple to move 'G' to the next line by inserting a space in front of it. Press BREAK, type EDIT30, press 'I' (for insert), space, press ENTER and RUN. When you check it, it should be correct. Press BREAK, type EDIT30, press 'X' to go to the end of the line and type :PRINT@Y, " then space twice. Add the English translation: "Did you understand what I was saying?" Finish up, add the GDSUB and RUN.

Even though this translation required two program lines, no words split between rows. You win some and lose some!

On your own, edit Line 6 and create the next panel. Key in the Portuguese sentence: "Tere: que aumentar o meu vocabulario." RUN when you are ready. You will find that VOCABULARIO is split between two lines. It is better when keying in foreign words to avoid hyphenation, which can be confusing to the student.

Studying the text display, we note that we can move "VOCAB" down to the next row by inserting five blanks in front of 'V'. Type EDIT40 and space over until the cursor is under the 'V'. Press 'I' and space five times, then press ENTER and run to check it out. Next, press BREAK and add the translation in its proper format: "I will have to increase my vocabulary." When finished, run the program again. "VOC" is on one line and "ABULARY" is on the following line. The first syllable is "VO." We can insert a hyphen (-) in front of 'C' and push it to the next line. To do this, press BREAK, type EDIT40 and space over until cursor is under the 'C'. Press 'I', put in the hyphen, press ENTER and run.

This is OK. If you prefer, go ahead and edit Line 40 to push the "VO-" to the next line. See which you prefer. Type EDIT40 and space over until cursor is under 'V'. Press 'I' and space three times, press the SHIFT and up-arrow keys together and space twice, press 'D' to delete the hyphen, then ENTER and run.

Change Line 6 to 50, and use the same format type in the Spanish sentence, "Por favor, traigame otra taza de te con dos rodajas de limon."

Run the program. You notice that there is only one orange spot at the end of the sentence. It would look better if it was green. Make this change on your own so the entire line is green.

The word "rodajas" is unfamiliar to me and I gather from the context that it means "slices." If you have some doubt about the meaning of a word in the sentence, you can add a "gloss" (translation or commentary accompanying text) as a hint. Naturally, we would want the gloss to appear before we add the translation in English. To do this, press BREAK, type EDIT50, then press 'X' to get to the end of the line. Add :PRINT@A, " and space twice, then type DOS RODAJAS=TWO SLICES. Finish up as usual using GDSUB3000 because we want to remain on the same page. Now run and the gloss, reminding you of the definition, appears at the top of the screen.

You may want to locate it out of the way near the bottom. If so, change A=2 in Line 5 to A=482. Now run and the gloss is relocated inconspicuously. If the gloss required two lines at the bottom, the screen would scroll up in order to show the entire gloss. The semi-colon (;) won't help on the bottom line in this case. The trailing end will extend to the right side.

Now you can add the English translation, "Please bring me another cup of tea with two slices of lemon." When finished, run and note that there is one space indented on the second line. Move the line to the left margin. You may also want to take out the semi-colon (;) at the end of the translation to see how it looks with the rest of the row in green.

This is the end of our demo program. Run the entire program for a final check. You may lower a text line one row, such as the English translation line in Line 50, by adding 32 to the 'Y' value.

At this point, from Line 6, hack off :GDT050 so the program begins at Line 10. Type EDIT6 and space over so the cursor is under the colon (:). Press 'H' and ENTER. You may want to change '8' in Line 6 to 'Z' to generate a random color in Line 10.

To review: Change Line 6 to the current line you are creating. This will bring you directly to the proper line without the bother of beginning at the

MAIL THIS ORDER TO:
SPECTRUM PROJECTS, INC.
 PO BOX 21272
 93-15 86TH DRIVE
 WOODHAVEN NY 11421

ORDERED BY: (PLEASE TYPE OR PRINT PLAINLY)

NAME _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

DAYTIME TELEPHONE NO. () _____ - _____

All correspondence will be sent to the above address unless otherwise specified and we will call you if we have any questions about your order.

PRODUCT DESCRIPTION (TAPE or DISK)	QTY	PRICE	TOTAL
TOTAL MERCHANDISE			
SHIPPING (U.S. \$3.00 / Other \$5.00)			
NY RES. ADD SALES TAX			
COD ADD \$2.00			
TOTAL ORDER			



METHOD OF PAYMENT - U.S. FUNDS ONLY
 CASH/CHECK/MO COD

Simplify your Holiday Season and give a Spectrum Projects Gift Certificate good towards the purchase of any of our Soft and Hard Wares for Colorful Computing! Just fill out the above order form requesting a Gift Certificate and specify the amount desired.

★ ★ ★ ★ ★ **HAPPY HOLIDAYS** ★ ★ ★ ★ ★

Certificate credit for merchandise only.

first panel on Line 10 and working through all the intermediary panels to get to the one you want to study. The longer the program, the more useful Line 6 becomes.


Using the regular format, locate the first text sentence using the 'X' variable and use GOSUB3000 to remain on the same panel. Use the 'A' variable and GOSUB3000 for any glosses. Use the 'Y'

variable and GOSUB2000 to display the second sentence and continue on to the next panel. Remember, Line 10 is slightly different when you begin creating.

Listing 2 is what your program should look like after making suggested changes. If your demo program is OK, don't waste your time keying it in.

You may modify any line you create

to suit yourself. You can reverse the lines and have the English sentence pop up first, followed by the foreign translation. You can alter it into a question-and-answer format. It is apparent that countless educational programs can be created for you, your students or children with a minimum of effort. So, go on, create! □



Listing 1: CORE


```
0 '<CORE>
5 X=96:Y=224:Z=RND(8):A=2
6 CLS(8):GOTO10
10 CLS(8):PRINT@X,"
1000 GOTO 10
2000 Z=RND(8):EXEC44539:CLS(Z):R
ETURN
3000 EXEC44539:RETURN
```

Listing 2: LISTING2

```
0 '<LISTING2>
5 X=96:Y=224:Z=RND(8):A=482
6 CLS(Z)
10 PRINT@X," C'EST UNE IDEE EXC
ELLENT. ";;GOSUB3000:PRINT@Y,"
THAT IS AN EXCELLENT IDEA. ";;
GOSUB2000
20 PRINT@X," SPENGA LE LUCI, PE
R FAVORE. ";;GOSUB3000:PRINT@Y,
" PLEASE TURN OFF THE LIGHTS.
";;GOSUB2000
30 PRINT@X," HABEN SIE VERSTAND
EN WAS ICH GESAGT HABE? ";;GOS
UB3000:PRINT@Y," DID YOU UNDERS
TAND WHAT I WAS SAYING? ";;GOS
UB2000
40 PRINT@X," TEREI QUE AUMENTAR
O MEU VOCABULARIO. ";;GOS
UB3000:PRINT@Y," I WILL HAVE TO
INCREASE MY VOCABULARY. ";;
GOSUB2000
50 PRINT@X," POR FAVOR, TRAIGAM
E OTRA TAZA DE TE CON DOS RODAJA
S DE LIMON. ";;GOSUB3000:PRINT@A
," DOS RODAJAS=TWO SLICES ";;G
OSUB3000:PRINT@Y+32," PLEASE BR
ING ME ANOTHER CUP OFTEA WITH A
SLICE OF LEMON. ";;GOSUB2000
1000 GOTO 10
2000 Z=RND(8):EXEC44539:CLS(Z):R
ETURN
3000 EXEC44539:RETURN
```

Listing 3: JIGSAW

```
0 'JIGSAW
10 '(C) 1984, J.KOLAR
30 PMODE3:PCLS:PMODE4
40 A=164:B=102:P=6.28
50 DIM S(2),T(2),U(2),K(2),L(2)
60 CIRCLE(4,4),4,1
66 DRAW"BM50,4R8"
67 DRAW"BM20,0F8"
68 DRAW"BM70,8E8"
69 DRAW"BM80,0BR4D8"
70 GET(0,0)-(8,8),T,G
75 GET(20,0)-(28,8),S,G
76 GET(50,0)-(58,8),U,G
77 GET(70,0)-(78,8),K,G
78 GET(80,0)-(88,8),L,G
80 PCLS:SCREEN1,1
110 FOR Z=2000 TO 1712 STEP-16
111 FOR R=90 TO 50 STEP-10
120 C=C-P*270
200 X=INT(A-R*SIN(C)):Y=INT(B-R*
COS(C))
212 SOUND50,1
225 PUT(X-40,Y-10)-(X-32,Y-2),U,
OR:FORM=1TO30:NEXT
230 PUT(X-40,Y-10)-(X-32,Y-2),K,
OR:FORM=1TO30:NEXT
235 PUT(X-40,Y-10)-(X-32,Y-2),S,
OR:FORM=1TO30:NEXT
240 PUT(X-40,Y-10)-(X-32,Y-2),L,
OR:FORM=1TO30:NEXT
242 NEXTR
245 PUT(X-40,Y-10)-(X-32,Y-2),T,
PRESET
250 NEXTZ
251 FOR R=42 TO 8 STEP-5:FOR Z=8
0 TO 44 STEP-11:C=Z
252 X=INT(A-R*SIN(C+.158)):Y=INT
(B-R*COS(C+.158)):SOUND50,1
253 PUT(X-40,Y-10)-(X-32,Y-2),T,
NOT
254 PUT(X-40,Y-10)-(X-32,Y-2),T,
AND:NEXTZ,R
257 PLAY"V2002FACEL16ECAFFACEL8E
EL4CP8V2503ECAFL16ECAFFACEL8FFL4
AAL2CP8V20ACEFL16ACEFFECAL8AAL4F
P8V1502CAEFL16CAEFFEACL8EEL4C"
260 GOTO 260
```



HOW DO YOU GIVE A RAINBOW?

**It's simple —
Give a RAINBOW gift
certificate . . .**

Give your friends a piece of THE RAINBOW with a gift subscription to the premier information source for the Color Computer. Then, each month, all year-round, they'll enjoy the spectrum of RAINBOW programs, articles and information written exclusively for their CoCo!

First, they'll receive a handsome card announcing your gift. Then, they'll be reminded of you each month when they receive up to 300 pages of THE RAINBOW — including as many as 24 programs, 15 regular columns and more than two dozen product reviews.

When you give a RAINBOW gift certificate, you'll also be safeguarding your own collection. No more frantic searching for those back issues you've lent to a friend.

Give a RAINBOW gift certificate and let your friends in on something you already know — THE RAINBOW is the perfect companion for the Color Computer!

Get your order to us by Dec. 25 and we'll begin your friends' subscriptions with the February RAINBOW.

Please begin a one-year (12 Issues) gift subscription to THE RAINBOW for:

Name _____

Address _____

City _____ State _____ ZIP _____

From:

Name _____

Address _____

City _____ State _____ ZIP _____

- My payment is enclosed
 Please bill to my VISA MasterCard American Express

My account # _____ Exp. date _____

Signature _____

Mail to:

Rainbow Gift Certificate, The Falsoft Building, Prospect, KY 40059.

To order by phone, call: (502) 228-4492

Subscriptions to THE RAINBOW are \$31 in the United States; U.S. \$38 in Canada. The surface rate to other countries is U.S. \$68; the air rate, U.S. \$103. Kentucky residents add 5% sales tax. U.S. currency only, please. All subscriptions begin with the current issue. Please allow 5 to 6 weeks for delivery. In order to hold down non-editorial costs, we do not bill.

The Word-Hunt Crossword Puzzle

by Dennis Teague

Puzzle is an educational game requiring 32K and Extended Color BASIC. It may be reduced to a 16K non-Extended Color BASIC program with a few minor changes. These changes are listed in Table 1 and Table 2.

Puzzle hides up to nine words with a maximum of nine letters in length that you enter on a 10 by 16 grid. The program then asks you to find the words.

To do this, use the arrow keys to move the cursor to the first letter in the word, then press ENTER and the direction of the word (right-arrow key or down-arrow key only). Next, type the number of letters in the word. If the

(Dennis Teague, 20, is a junior at Indiana University-Purdue University in Indianapolis. He is a computer programming major and owns three Color Computers.)

computer finds a match, it prints the word on the grid in inverse video. When all words are found, the computer tells how long you took and asks if you wish to run the program again.

Feel free to modify any part of this program.

Table 1

For 16K Extended Color BASIC

Delete lines 5 through 55
Delete Line 75
Delete lines 685 through 850
Delete Line 870

Table 2

For 16K Non-Extended Color BASIC

Change Line 180 to:
180 PRINT " ";B\$(A);
Delete Line 245
Delete Line 585
Delete lines 615 through 625, 635, 650
Delete lines 855 through 935
Also, the same as 16K ECB
Also, change all LINE INPUTs to INPUTs

Program Outline

Variable List

Lines	Function
5-55	Remarks for names
60-95	Get program set up
100-135	Enter words
140	Send to fill routine
145-200	Put board on screen
205-280	Find out what key is pressed and what to do
285-305	Find out direction
310-360	Find out number of letters and create check word
365-435	If check word is the same as a word entered, then change screen to inverse video
440-540	Routine to place word into array A\$
545-590	Routine to fill space in array A\$
595-610	Routine to tell where cursor is located
615-625	Routine to keep track of how long on this puzzle
630-855	Instructions and title page
860-965	End routine

Variables	Function
A\$	Main array, also dummy variable
B\$	Word array
D\$	Test variable
I\$	INKEY\$ variable
A,B	FOR/NEXT variable
C	Counter
D	Direction of word
H	Hours on puzzle
M	Minutes on puzzle
N	Number of letters
O	Old position
P	New position
Q	Random number
R	Position for word
S	Position for word, also seconds on puzzle
U	Helps figure PRINT@ location for inverse video
X	Number of row
Y	Number of column

140109	740180
275124	79054
400158	875108
530166	END82
65054		

The listing: PUZZLE

```

5 ' *****
10 ' *** PROGRAM BY: ***
15 ' *** DENNIS TEAGUE ***
20 ' *** 455 THURSTON DR. ***
25 ' *** NOBLESVILLE, IN ***
30 ' *** 46060 ***
35 ' *****
40 ' ***DOCUMENTATION HELP***
45 ' *** BY: ***
50 ' *** KEITH REYNOLDS ***
55 ' *****
60 CLEAR 1200
65 GOSUB 630
70 DIM A$(16,10)
75 PRINT"PUZZLE";TAB(26);"PAGE 7
"
80 FOR A=1 TO 16
85 FOR B=1 TO 10
90 A$(A,B)=CHR$(255)
95 NEXT B,A
100 FOR A=1 TO 9
105 PRINT"ENTER WORD #";A;
110 INPUT B$(A)
115 IF A=1 AND B$(1)="" THEN 105
120 IF B$(A)="" THEN 140
125 IF LEN(B$(A))>9 THEN 105
130 GOSUB 440
135 NEXT A
140 GOSUB 545
    
```

```

145 PRINT:PRINT" ";
150 FOR A=1 TO 10
155 FOR B=1 TO 16
160 PRINTA$(B,A);" ";
165 NEXT B,A
170 PRINT
175 FOR A=1 TO 9
180 PRINT USING " %      %";B$(
A);
185 C=C+1:IF C=3 THEN PRINT:C=0
190 NEXT A
195 O=33
200 PRINT@480,"position cursor o
n first letter";
205 I$=INKEY$
210 IF I$=CHR$(8) THEN P=P-2
215 IF I$=CHR$(9) THEN P=P+2
220 IF I$=CHR$(10) THEN P=P+32
225 IF I$=CHR$(94) THEN P=P-32
230 IF I$=CHR$(13) THEN 285
235 IF P>351 THEN P=351
240 IF P<33 THEN P=33
245 GOSUB 615
250 IF P=0 THEN 265
255 GOSUB 595
260 PRINT@O,A$(Y,X);
265 PRINT@P,CHR$(192);:FOR A=1 T
O 50:NEXT A
270 PRINT@P,CHR$(255);:FOR A=1 T
O 50:NEXT A
275 O=P
280 GOTO 205
285 PRINT@480,"press arrow showi
ng direction ";
290 I$=INKEY$
295 IF I$=CHR$(9) THEN D=1
300 IF I$=CHR$(10) THEN D=2
    
```

Price Changes
Occur On A
Daily Basis.
Please Call
1-800-343-8841

PRICE BREAKTHROUGH

Price Changes
Occur On A
Daily Basis.
Please Call
1-800-343-8841

CO

Super Sale on New Hard Drives

MEGADISK™



Winchester Hard Drive Ready to
run on the TRS 80 Model I/III/IV/4P,
Color Computer, I.B.M.-PC, TANDY 1000,
Max/80.

Software Drivers: LDOS, NEWDOS/80,
DOSPLUS, OS9, TRSDOS 6.0, CP/M, COCODOS

Fully Warranted

DRIVE A HARD BARGAIN™ starting at \$499.95

Call Toll Free Ordering 1-800-343-8841



High Quality Lowest Price
Drive 0, 1, 2, 3
for the
Color Computer
Starting at \$199.95

SOFTWARE SUPPORT, INC.

1 Edgell Road, Framingham, MA 01701 (617) 872-9090 Telex-383425
Hours: Mon. thru Fri. 9:30 am to 5:30 pm (E.S.T.) Sat. 10:00 am to 3:30 pm

DEALER INQUIRIES INVITED.

TERMS:
M.C./Visa/Amex and personal checks
Shipping: Please call for amount.
Not responsible for typographical errors.
Prices subject to change.
Cash Discount Prices

CANADA

1720 CHARETTE STREET
BUBERNAY, LAVAL, CANADA H7E4L9
(514) 383-5293

Service! Service!

All in stock products are shipped within 24 hours
of order.
Repair/Warranty service is performed within 24
hours of receipt unless otherwise noted. We
accept C.O.D., foreign and APO orders. School
and D&B corporate PO's accepted.

IBM-PC Registered IBM Corp.
LDOS Reg. Logical System Inc.

TRS/80 Registered Trademark Tandy Corp.

Franklin Registered Trademark Franklin Corp.
Dosplus — Micro Systems Software

Apple Registered Trademark Apple Computer Corp.
Max/80 Registered Trademark Lobo
Newdos/80 — Apparatus

Prices Change
Every Day.
Please Call
1-800-343-8841
For Lower Prices.

PRICE BREAKTHROUGH

Prices Change
Every Day.
Please Call
1-800-343-8841
For Lower Prices.

DEALER INQUIRIES INVITED

MEGADISK™ HARD DISK DRIVE SYSTEMS

TOLL FREE ORDERING 1-800-343-8841

For the { IBM/PC, Tandy 1000, TRS/80 Models I/III/IV/4P, Compaq, Tava, PC Workalikes, Color Computers, Heath/Zenith, Max/80
Complete with Hardware, Cables, Software and Quikfit Installation

5 Megabytes Internal Mount IBM/PC	starting at \$ 249.95
10 Megabytes Internal Mount IBM/Tandy 1000	starting at 419.95
20 Megabytes Internal Mount IBM/Tandy 1000	starting at 519.95
5 Megabytes External System	starting at 499.95
10 Megabytes External System	starting at 749.95
20 Megabytes External System	starting at 899.95
Tape Backup System — Internal Or External (IBM/PC)	starting at 449.95

Wow! New Low Prices

DOS Systems Available: { IBM/Heath — DOS, 1.0, 2.0, 2.1, 3.0, or later
TRS/80-LDOS, TRSDOS 6.x, Newdos/80, Dosplus, CP/M, COCO DOS, Max/80 LDOS, OS9

FULLY WARRANTIED — PARTS AND LABOR — 24 HOUR SERVICE — CALL TOLL FREE — 1-800-343-8841

FLOPPY DISK DRIVES, POWER SUPPLIES AND CABINETS

Our Disk Drives are UL approved — Our Floppy Drive Cabinets and Power Supplies are Underwriters Laboratory Listed and have passed the required Federal Communications Part 15 Section B-EMI/RFI tests.
Warranty on all disk drives is one full year parts and labor. Warranty on floppy disk drive power supplies is five (5) years. In warranty or out of warranty service is 24 hour turn-a-round on all disk drives and power supplies.

Full Height — Tandon	
100-1 Single Sided 40 tk Bare	\$ 99.95
In Case with Power Supply	139.95
Dual Drives in One Cabinet	239.95
100-2 Dual Sided 40 tk Bare	109.95
In Case with Power Supply	149.95
Dual Drives in One Cabinet	259.95
Half High Drives — Tandon/TEAC	
Single Sided 40 tk Bare	79.95
In Case with Power Supply	119.95
Dual Drives in One Cabinet	209.95
Dual Sided 40 tk Bare	109.95
In Case with Power Supply	149.95
Dual Drives in One Cabinet	259.95

Apple/Franklin Disk Drive
35/40 Track in Case with Cable and Software 129.95

Commodore Disk Drives 236.95
Power Supplies and Cabinets 5 1/4" and Hard Drive Systems starting at 42.00

COLOR COMPUTER DISK DRIVE SYSTEMS AND ADD IN PRODUCTS

40 Track Single Head Drive with Case, Power Supply, Cable, Controller, Instruction Booklet, Diskettes	\$199.95
Above with Dual Drives in One Cabinet	289.95
40 Track Dual Head with Case, Power Supply, Cable, Controller, Instruction Booklet, Diskettes	259.95
Above with Dual Drives in One Cabinet	379.95
Dual DOS Switch	29.95
With Second DOS System — IDOS, RSDOS, and Booklet	69.95

MODEMS

Volkmodem 300 Baud	\$ 69.95
Mark XII 1200/300 Baud Autodial	299.95

ALL IN-STOCK ITEMS SHIPPED WITHIN 24 HOURS. SAME DAY SHIPPING PROVIDED BY REQUEST WITHOUT ANY EXTRA HANDLING CHARGES.

***** MEGADISK SPECIAL *****

With a 10 megabyte system, you can purchase a complete IBM or PC compatible host, adapter, software and cable for only \$15.00!!
PS. Ask about the MEGAPLEXER.

IBM - PC/XT WORKALIKE

All of our computers have: 8 slot motherboard, 640K, monochrome adapter, parallel printer port, 130 watt power supply, free software, monitor, serial port, clock/calendar — all with our full warranty.
/PC-2 Floppy Drives - Monochrome Monitor, MS-DOS \$1,299.00
5meg/XTtra - 1 Floppy Drive - Monochrome Monitor, MS-DOS \$1,599.00
10meg/XTtra - 1 Floppy Drive - Monochrome Monitor, MS-DOS 1,799.00
20meg/XTtra - 1 Floppy Drive - Monochrome Monitor, MS-DOS 1,995.00
Internal Tape Backup For Any Of Above systems Add \$449.95
Color for above systems 500.00

PRINTERS

Dot Matrix	
Citizen	\$ Call
Star Micronics — SG Series	starting at \$259.95
Panasonic 1090	249.95
Daisy Wheel	
Silver Reed 440 80 Column 12 CPS	315.95
550 132 Column 19 CPS	439.95
770 132 Column 36 CPS	895.00
Olympia 132 Column 14 CPS with Form and Tractor Feed	399.95
Apple/Franklin Printer Interface w/Graphics and Cable	84.95
Printer Cables	starting at 19.95
Printer Paper — Microperf Edge 1000 Sheets	16.95

ELECTRICAL

Surge Protectors — Line Filters — SL Waber — 6 Outlets with Switch	\$ 39.95
Uninterruptible Power Supplies	199.95

MISCELLANEOUS

Diskettes in 10 Pack	from \$ 9.95
Twoprint Switches	from 99.95
Disk Drive Cables	from 16.00
Maintenance Cleaning Kits	12.00
Parallel Printer Buffers 8K	149.95
Floppy Disk Drive Cables	
1 Drive	16.00
2 Drives	18.95
Heath/Zenith 2 Drive Cables — Shielded	24.95

80

© 1985 SOFTWARE SUPPORT, INC.

1 Edgell Road, Framingham, MA 01701 (617) 872-9090 Telex-383425

Hours: Mon. thru Fri. 9:30 am to 5:30 pm (E.S.T.) Sat. 10 am to 3:30 pm

SERVICE POLICY — Our Professional Technical Staff Is Available To Assist You Monday Through Saturday.

WARRANTIES — Up To One Full Year Parts And Labor. Floppy Disk Drive Power Supplies — Five (5) Years.

SERVICE — 24 Hour Turn-A-Round On All In-Stock Parts. Dealer Inquiries Invited. Call 617-872-9090

Please Call For Shipping,
Handling And Insurance.
Cash Discount Prices

Toll Free 1-800-343-8841

Please Call For Our Latest Price Saving Specials.

Not Responsible for Typographical Errors
Prices and Specifications May Change
Without Notice.

```

305 IF D=0 THEN 290
310 PRINT@480,"press number of 1
letters in word";
315 I$=INKEY$
320 N=VAL(I$)
325 IF N=0 THEN 315
330 GOSUB 595
335 IF D=1 AND Y+N-1>16 THEN 380
340 IF D=2 AND X+N-1>10 THEN 380
345 FOR A=0 TO N-1
350 IF D=1 THEN D$=D$+A$(Y+A,X)
355 IF D=2 THEN D$=D$+A$(Y,X+A)
360 NEXT A
365 FOR B=1 TO 9
370 IF D$=B$(B) THEN B$(B)="":GO
TO 390
375 NEXT B
380 D=0:D$=""
385 GOTO 200
390 GOSUB 595
395 FOR A=0 TO N-1
400 IF D=1 THEN A$(Y+A,X)=CHR$(A
SC(A$(Y+A,X))+32):PRINT@P+U,A$(Y
+A,X);:U=U+2
405 IF D=2 THEN A$(Y,X+A)=CHR$(A
SC(A$(Y,X+A))+32):PRINT@P+U,A$(Y
,X+A);:U=U+32
410 NEXT A
415 U=0:D=0:D$=""

```

```

420 FOR B=1 TO 9
425 IF B$(B)<>" THEN 200
430 NEXT B
435 GOTO 860
440 'PUT THE WORD SOMEPLACE
445 Q=RND(2)
450 IF Q=2 THEN 500
455 R=RND(16-LEN(B$(A)))
460 S=RND(10)
465 FOR B=R TO R+LEN(B$(A))
470 IF A$(B,S)<>CHR$(255) THEN 4
45
475 NEXT B
480 FOR B=R TO R+LEN(B$(A))-1
485 A$(B,S)=MID$(B$(A),B-R+1,1)
490 NEXT B
495 RETURN
500 R=RND(10-LEN(B$(A)))
505 S=RND(16)
510 FOR B=R TO R+LEN(B$(A))
515 IF A$(S,B)<>CHR$(255) THEN 4
45
520 NEXT B
525 FOR B=R TO R+LEN(B$(A))-1
530 A$(S,B)=MID$(B$(A),B-R+1,1)
535 NEXT B
540 RETURN
545 'FILL REMAINING SPACES
550 PRINT:PRINT"PLEASE WAIT..."

```

TRS-80 COMPUTER DISCOUNTS

COLOR COMPUTERS



26-3134 16k color II	110.00
26-3127 64k color comp	179.95
26-3129 1st disk drive	279.95
26-3024 Multipak interface	89.00

PRINTERS

26-1276 DMP-105	160.00
26-1277 DMP-430	799.00
26-1278 DWP-220	500.00
26-1280 DMP-130	289.95

MODEL 4 and 1000's

25-1000 mod 1000	800.00
25-1004 128K memory board	200.00
25-1005 2nd drive mod 1000	170.00
26-3211 Monochrome monitor	125.00
26-1070 mod 4D 64k 2dr.	950.00
26-5103 mod 2000 2dr.	1,400.00
26-5104 mod 2000 HD	2,200.00



**We Carry the Complete Line of TRS-80
Computer Products at Discount Prices**
CALL FOR A FREE PRICE LIST 800-257-5556
IN N.J. CALL 609-769-0551

WOODSTOWN ELECTRONICS

Rt. 40 E. WOODSTOWN, N.J. 08098

```

555 FOR A=1 TO 16
560 FOR B=1 TO 10
565 IF A$(A,B) <> CHR$(255) THEN 5
75
570 A$(A,B)=CHR$(RND(26)+64)
575 NEXT B,A
580 CLS
585 S=0
590 RETURN
595 'FORUMLA FOR POSITION
600 X=INT(O/32)
605 Y=((O+1)-(32*X))/2
610 RETURN
615 'TIMER SECTION
620 IF TIMER>61 THEN S=S+1:TIMER
=0
625 RETURN
630 CLS
635 PRINTSTRING$(32,"*");
640 PRINT"***";TAB(13);"PUZZLE";
TAB(29);"***";
645 PRINT"***";TAB(5);"COLOR COM
PUTER VERSION";TAB(29);"***";
650 PRINTSTRING$(32,"*")
655 PRINT:PRINT
660 PRINTTAB(15);"BY:"
665 PRINTTAB(10);"DENNIS TEAGUE"
670 PRINT@482,"PRESS <ENTER> TO
CONTINUE ";

```

```

675 LINE INPUT A$
680 CLS
685 PRINT"PUZZLE";TAB(26);"PAGE
2";
690 PRINT:PRINT:PRINT:PRINT
695 PRINT"THE OBJECT OF THIS PRO
GRAM IS TO FIND ALL OF THE
WORDS THAT YOU HAVE TOLD THE
COMPUTER TO HIDE (UP TO 9). TH
E WORDS MAY BE 9 OR LESS LETTE
RS IN LENGTH."
700 PRINT@482,"PRESS <ENTER> TO
CONTINUE ";
705 LINE INPUT A$
710 CLS
715 PRINT"PUZZLE";TAB(26);"PAGE
3";
720 PRINT
725 PRINT"STEP #1 ENTER THE
WORDS THAT YOU
WANT TO FIND."
730 PRINT"STEP #2 PRESS <EN
TER> WHEN DONE
ENTERING WORDS (IF
LESS THAN 9)."
735 PRINT"STEP #3 USING THE
ARROW KEYS, MOV
E THE CURSOR TO
THE FIRST LET

```



FOUR STAR SOFTWARE

SHRINKER

This is a very useful disk utility that will help eliminate wasted disk space. Shrinker will take a series of small programs saved on disk and convert them to a space-saving format. Why waste one whole granule of disk space if the program only requires part of one? Disk access will remain the same, the program is RS-DOS compatible, and very easy to use. No basisks, just improved use of disk space and more money in your pocket!

DISK \$18.95 (U.S.)

\$18.95 (CDN.)

GALACTIC FIGHTER

A fast-paced arcade game with great graphics and sound. CoGo at its best!

Save earth by fighting your way to Dracoz, the home world of the invaders. Fly earth's secret weapon, The Galactic Fighter.

30K, one joystick required.

CASS \$19.95 (U.S.)

\$24.95 (CDN.)

DISK \$24.95 (U.S.)

\$29.95 (CDN.)

BUGS II

An adventure game with all the excitement of arcade action.

Earth is infested with intelligent killer bugs. Find your way through the maze and destroy the reactor.

New and improved version of the game that won the Color Computer Magazine programming contest. 64K required.

CASS \$19.95 (U.S.)

\$24.05 (CDN.)

DISK \$26.95 (U.S.)

\$32.95 (CDN.)

Write for free catalogue
Dealer enquiries welcome
Overseas orders add 10%

COCO PAINT

A very advanced, easy-to-use graphics development system for a 64K, single-drive CoGo!

- Supports keyboard, single joystick, mouse or X-pad
- Mix graphics and text, using built-in or user-definable characters and textures
- Create stamps: rotate, mirror, shrink, expand or invert
- Screen dump to most common printers
- 300 - 1200 baud modem communications capabilities
- Plus many more efficient features

DISK \$39.95 (U.S.)

\$49.95 (CDN.)

COCO PAINT

PICTURE DISK

This is a picture disk filled to the brim with amazing pictures produced using COCO PAINT. Great for displays, users who wish to have artwork ready to go for use with COCO PAINT, or for those who want to see actual examples of artwork produced by COCO PAINT before buying the program.

DISK \$6.95 (U.S.)

\$9.95 (CDN.)

OS-9 UTILITIES

This is a set of three separate utility groups for use with the OS-9 disk operating system. You may purchase one of the groups separately, or buy two or three and save!

Group No. 1

Contains a series of utilities for programmers; it includes the following:

HEAD - displays a variable number of lines starting at the top of a file

TAIL - displays a variable number of lines at the end of a file

MV - moves a file from one directory or disk to any other directory or disk.

PFL - prints a formatted file listing that will add line numbers, pagination, etc.

FF - creates a list of functions from a "C" source listing

MERGE - will merge one or more files together into one single file

Group No. 2

A series of helpful general utilities for all OS-9 users and programmers. Included are:

HELP - disk resident help system that avoids tying up valuable memory but that provides on-line help

descriptions of almost all OS-9 commands that are commonly found in the OS-9 system and popular system upgrades

UNIT - this utility provides descriptions, units, and constant conversion factors for hundreds of scientific and technical terms, measures, constants, etc.

ERR - provides on-line descriptions of numeric error codes. Does not take any extra memory as the normal error routine does.

Group No. 3

This third group of utilities is written in BASIC09. It includes:

FILEDEL - will prompt you for deletions of all files resident on a disk without repetitive typing of file and path names.

DISKID - allows users to quickly review and/or change disk ID status.

FIND - searches all levels of directories for a file name and prints the full path name for any matches it finds.

BUY ANY ONE GROUP

\$12.95 (U.S.)

\$18.95 (CDN.)

BUY ANY TWO GROUPS

\$22.95 (U.S.)

\$28.95 (CDN.)

BUY ALL THREE

\$31.95 (U.S.)

\$35.95 (CDN.)

P.O. BOX 730
STREETSVILLE, ONTARIO
CANADA L5M 2C2
(416) 858-STAR

Cheque or Money Order
Add \$2.50 shipping

Ont. Residents add 7% tax

```

TER IN ONE OF TH
E WORDS."
740 PRINT@482,"PRESS <ENTER> TO
CONTINUE ";
745 LINE INPUT A$
750 CLS
755 PRINT"PUZZLE";TAB(26);"PAGE
4";
760 PRINT:PRINT:PRINT
765 PRINT"STEP #4 WHEN ON T
HE FIRST LETTER, P
RESS THE <ENTER> K
EY."
770 PRINT"STEP #5 THEN PRES
S THE DIRECTION
THE WORD IS G
OING WITH THE
UP-ARROW OR THE RI
GHT-ARROW.";
775 PRINT@482,"PRESS <ENTER> TO
CONTINUE ";
780 LINE INPUT A$
785 CLS
790 PRINT"PUZZLE";TAB(26);"PAGE
5"
795 PRINT:PRINT
800 PRINT"STEP #6 THEN PRES
S THE NUMBER OF

```

```

LETTERS IN THE WO
RD (IF THE COMPU
TER FINDS A MATCH I
T SHOWES IT IN INV
ERSE VIDEO).
805 PRINT"STEP #7 REPEAT ST
EPS #3-6 FOR THE R
EST OF THE WORDS
."
810 PRINT@482,"PRESS <ENTER> TO
CONTINUE ";
815 LINE INPUT A$
820 CLS
825 PRINT"PUZZLE";TAB(26);"PAGE
6";
830 PRINT:PRINT:PRINT
835 PRINT"FINAL NOTE: WHEN IN D
OUBT CHECK THE BOTTOM LINE
OF THE SCREEN FOR INSTRUCTION
S."
840 PRINT@484,"PRESS <ENTER> TO
START ";
845 LINE INPUT A$
850 CLS
855 RETURN
860 FOR A=1 TO 1000:NEXT A
865 CLS
870 PRINT"PUZZLE";TAB(26);"PAGE
8"
875 PRINT:PRINT
880 H=0:M=0
885 PRINT"PUZZLE FINISHED IN:"
890 IF S>3600 THEN H=H+1:S=S-360
0:GOTO 890
895 IF S>60 THEN M=M+1:S=S-60:GO
TO895
900 IF H=0 THEN 915
905 PRINTH;"HOUR";
910 IF H>1 THEN PRINT"S" ELSE PR
INT
915 IF M=0 THEN 930
920 PRINTM;"MINUTE";
925 IF M>1 THEN PRINT"S" ELSE PR
INT
930 PRINTS;"SECOND";
935 IF S>1 THEN PRINT"S" ELSE PR
INT
940 PRINT:PRINT
945 PRINT"DO YOU WISH TO RUN THI
S PROGRAM AGAIN (Y/N)";
950 INPUT A$
955 IF LEFT$(A$,1)="Y" THEN CLS:
RUN 70
960 PRINT:PRINT"THANKS FOR RUNNI
NG 'PUZZLE'"
965 END

```

The Coco Greeting Card Designer

The Coco Greeting Card Designer is the perfect program for the Holiday Season! You can Create and Print custom Greeting Cards to send to Friends and Relatives.

The Coco Greeting Card Designer can be used to design and print custom Greeting Cards for all occasions including: Thanksgiving, Christmas, New Years, Birthdays, Valentine's Day, Mother's Day and others. It can also be used to make custom Invitations, Thank-You Cards, Get-Well Cards and Announcements.

The Coco Greeting Card Designer is easy to use and includes a library of predrawn Hi-Res Graphic Pictures! You can write custom messages on the cover and inside your cards in a selection of character fonts and sizes. An easy to use screen editor allows you to pick your type style, font size and more. Two fonts are included, and the easy to use editors allow you to create many more! Also included is a selection of border patterns.

The Coco Greeting Card Designer requires a Coco or Coco II with a minimum of 32K, One Disk Drive (Compatible with: Disk BASIC 1.0 & 1.1 and JDOS.), and one of the following printers: EPSON RX/FX, GEMINI 10X or SG-10, C-ITOH 8510, RS DMP Series, GP-250 and GORILLA BANANA.

Only: \$24.95

plus \$3.00 Shipping & Handling
 NY Residents add sales tax
 UPS, GOD ADD \$3.00
 VISA/MC Accepted

**ZEBRA SYSTEMS,
 INC.**

76-06 Jamaica Avenue
 Woodhaven, New York 11421
 (718) 296-2385

Dealer Inquiries Invited



Help Us Battle the High Cost of Disk Drives



**NOW . . .
V-PRINT**
A utility to print
directory on paper
\$9.95



Un-DISK Drives ~~\$49.95?~~ **\$34.95**

You Bet! There are empty spaces in your 32K and 64K CoCo. The Preble VDOS Un-DISK helps you fill them up with PROGRAMS!

- Un-DISK uses your computer's extra memory like a fast disk drive.
- Un-DISK can store BASIC and MACHINE LANGUAGE programs.
- Un-DISK is INVISIBLE. Yup! Un-DISK does not interfere with normal Color Computer Operation.
- Un-DISK appears only when you type the magic word VDOS.
- Un-DISK comes with comprehensive instructions which you may not need because:
- Un-DISK is self-prompting and easy to use!
- Un-DISK is provided on cassette.
- Un-DISK is faster than a slow clumsy DISK DRIVE and best of all . . .
- Un-DISK is CHEAPER than a DISK DRIVE!
- Un-DISK will work even if you already own a disk but WHY BUY A DISK AT ALL?
- Un-DISK should be in the library of every serious CoCo user even if you own a disk says Frank J. Esser, independent reviewer for RAINBOW Magazine!

OK sure, disk drives ARE NICE, I own one. But if your finances are limited, the Un-DISK can give you much of the power of the mechanical drive. Even if you already own a disk the Un-DISK can work like a super fast extra disk.

EXTRA . . . EXTRA . . . EXTRA . . . EXTRA . . . Additional Power For \$14.95

Only with VDUMP for the Un-DISK!

- VDUMP lets you make a cassette backup copy of everything stored in the Un-DISK.
- VDUMP lets you save 5, 10, 15 or more programs on a single cassette tape file.
- VDUMP lets you switch Un-DISks. With a single load operation replace a group of financial programs with a set of children's programs. (The new VDUMP tape overwrites the old.)
- VDUMP can allow you to save a whole lot of RAINBOW ON TAPE in a SINGLE file.
- VDUMP is the perfect companion to the Preble VDOS Un-DISK.

Available from Doctor Preble's Programs, naturally! Bringing you fine Color Computer Products Since 1983!

The Preble VDOS Un-DISK **\$34.95**
The Preble VDUMP \$14.95
Shipping & handling
U.S. and Canada \$1.50
or \$5.00 to other foreign points

VISA and MasterCard accepted



Order From:
Dr. Preble's Programs
6540 Outer Loop
Louisville, KY 40228
(502) 966-8281

Canadians may order from Kelly Software



APPING

With Confidence

"The purpose of this program (aside from being a handy utility) is to help beginning machine language programmers hurdle a major obstacle of the interface between hardware and 'liveware': code conversions."

By Jeffrey Dwight

There are three major components in any computer system: hardware, software and "liveware." The hardware is the computer itself, the physical machine and its peripheral devices, such as the monitor or the printer. The software is the program the machine runs. The software must conform to the hardware's requirements and limitations; it can't, for example, access more RAM than is currently installed. The liveware, however, can be tricky to understand. By liveware, I mean the *people* using the computer.

Some people love computers — they walk around mumbling in binary, talking about MSBs and CPUs and the fantastic CPS of the latest LPT device, or just performing bit manipulations the way others twiddle their fingers. These are the so-called "hackers." Another group, called "users," only tolerates computers. They use them at the office because the boss says they must, or at home because they believe computers are educational for the kids.

But the fastest-growing percentage of computer aficionados is somewhere between the two extremes — the sort of people who like computers and want to know more about them, but don't know how to get past the basics.

The purpose of the following program (aside from being a handy utility) is to help beginning machine language programmers hurdle a major obstacle of the interface between hardware and liveware: code conversions. Why are code conversions necessary? Because the hardware "thinks" in binary, but people don't.

(Jeffrey Dwight lives in Wheaton, Ill., and is an author and programmer who also enjoys working with autistic children. His company, Jade Products, specializes in producing utilities and applications software. He is currently working on a manual of assembly language techniques for the 6809E and related microcircuits.)

Most people think in terms of decimal notation and don't know what to do when faced with something like "SB4FA," or worse yet, a string of ones and zeros. The task of software (and ergo, the software programmer) is to accept values from the user in whatever notation he finds appropriate and "translate" them into binary for the hardware to process. And of course, the software must do the same process in reverse. This is where code conversion comes in and, incidentally, where a lot of beginning programmers walk out.

A good, basic understanding of what numbers *are* does a lot to relieve beginners of their worries. The first thing to learn is that numbers are just *representations of values*. There are all sorts of ways to represent values, but all of them rely on quantification. That is, no matter what system is used, you are specifying a *quantity* when you name a value. Thus, if you have three apples in a bag, it's just as true to say, "I have three," as to say "I have 11." The difference is that in the former, the

representation of the value is expressed in decimal notation; the latter used binary notation. The *value* didn't change, but the numbers did. What is missing is the *radix designator*, the symbol that tells others what value you mean when you use those numbers.

A radix is a base. Decimal notation is also called "base 10." Technically, we should say the radix is 10, since 10 is the value arbitrarily chosen as the limit. There are 10 digits (0-9) available in decimal notation. When the value we wish to express exceeds nine, we must add another "column." Since our radix is 10, the value of the digits in this new column is multiplied by 10.

The radix of binary notation is two. This means there are two digits available per column (0 and 1). If the value we wish to express exceeds one, we add another column, and the value of the digits in that column is multiplied by two (remember that the radix is two). Therefore, "11" in binary has the same value as '3' in decimal. (See Example 1.)

The radix of hexadecimal notation is

16. Thus, there are 16 digits, and the value of the digits in the second column is multiplied by 16. In order to express 16 values in one column, it is necessary to use symbols other than the familiar 0, 1, 2, 3, 4, 5, 6, 7, 8 and 9. The letters A, B, C, D, E and F are used to express the values 10-15. So, "11" in hexadecimal has the same value as "17" in decimal, or "10001" in binary. (See Example 2.)

Of course, each additional column we add means the values in the new column should be multiplied by the radix again. (See Example 3.)

These three radices, or bases, are the three most commonly used in programming. We still need to know, however, which radix is being used. If you promised to give me "1111" dollars, I really need to know whether you mean \$4,369, \$1,111 or only \$15. Fortunately, there are some standard symbols, known as radix designators, that are recognized throughout the industry. When you encounter these symbols, you'll know how to interpret the value.

— A dollar sign (\$) means the following value is in hexadecimal.

— A percent sign (%) is used to indicate binary values.

There is no standard symbol to denote decimal values, probably because without a radix designator people assume the value is in decimal notation. Occasionally, you will encounter a 'T' after the value — this means decimal. Sometimes a 'D' is put before the value; this also denotes decimal.

Other symbols are also recognized. An 'H' that either follows or precedes an expression means hexadecimal. A 'B' preceding an expression means binary. If you look at Table 3 for a moment, you'll see how the following program uses these symbols. There is one symbol in Table 3 we haven't yet discussed: the symbol for ASCII.

ASCII (American Standard Code for Information Interchange) is not technically a radix, although it is included in Table 3. Each character (number, letter or otherwise) has an ASCII code by which it is known. This code bears a relation to the value expressed, but it is not a one-to-one correspondence. For instance, the value *one* is written '1' in almost any notation, but its ASCII code is \$31 (which translates to D49 — from now on, we'll use the radix designators just described. Whether the computer's user recognizes it or not, the software

Example 1

11
 — the value of this column is multiplied by 1, so $1 \times 1 = 1$
 — the value of this column is multiplied by 2, so $1 \times 2 = 2$
 $1 + 2 = 3$

Example 2

11
 — the value of this column is multiplied by 1, so $1 \times 1 = 1$
 — the value of this column is multiplied by 16, so $1 \times 16 = 16$
 $1 + 16 = 17$

Example 3

Decimal: radix 10	1111 = 1,111 (decimal)	
	— the value is multiplied by 1	1
	— the value is multiplied by 10 (1×10)	10
	— the value is multiplied by 100 (10×10)	100
	— the value is multiplied by 1000 (10×100)	1000
Hexadecimal: radix 16	1111 = 4,369 (decimal)	
	— the value is multiplied by 1	1
	— the value is multiplied by 16 (16×1)	16
	— the value is multiplied by 256 (16×16)	256
	— the value is multiplied by 4096 (16×256)	4096
Binary: radix 2	1111 = 15 (decimal)	
	— the value is multiplied by 1	1
	— the value is multiplied by 2 (2×1)	2
	— the value is multiplied by 4 (2×2)	4
	— the value is multiplied by 8 (2×4)	8

is always dealing with ASCII. Not only must values be "translated" from radix to radix, the resulting answer must be converted yet again into ASCII so it can be displayed on the screen!

To complicate matters further, the Video Display Generator chip (VDG) in your computer has its own ideas on how characters should be coded. The result is that the alphabet is stored according to its ASCII code, but numbers and special symbols (including the graphics characters) are interpreted differently.

Sometimes it is appropriate to denote an ASCII value rather than its corresponding hexadecimal or decimal equivalent. To do this, an apostrophe is commonly used just before the character. Therefore, these three assembler instructions are equivalent (that is, they indicate the same *value*):

```
LDA #Z      ;note the glitch, which
              means ASCII
LDA #$5A    ;the dollar sign indicates
              hexadecimal
LDA #90     ;this is decimal, since
              there is no symbol
```

The notion of "equivalence" can be misleading. \$5A does not equal D90 any more than my Volkswagen equals my Cadillac. They are but two names for the same thing — in this case, a value.

The various notations are for your convenience only. When thinking of addresses in a computer, hexadecimal seems most convenient. When thinking about the letters of the alphabet, 'A' is certainly more clear than \$41. And if you're trying to perform bit manipulations, then binary is best. Use whatever notation is clearest — that is, the notation that gives the most appropriate name for a given value in a given situation.

The following program, *Quickzap*, is a disk zap utility. You can change as little as one bit of one byte in a sector, or the entire sector with a few simple keystrokes. Furthermore, it allows you to see all those "invisible" characters stored on the disk in your choice of output formats. Each byte (eight bits) is translated into four notations: hexadecimal, decimal, ASCII and binary. *Quickzap* also accepts input from you in any of those four. It prints out an entire sector in your chosen notation, searches through an entire disk for a string of characters, and even copies, sector by sector, one disk to another (or to itself).

In addition, there is an eight-bit calculator built in that allows you to add, subtract, multiply, divide, logical AND, logical OR, exclusive OR and rotate (in either direction) any values you supply. The calculator is also handy for immediate code conversions: Set the output for one radix and give your input in another. Refer to Table 1 for an explanation of the calculator's functions.

Type in the assembler listing (if you are using Radio Shack's assembler, you must use *EDTASMOV* or there won't be room) and save it to disk, then assemble it to disk. If you have errors, correct them before running the utility; you don't want to risk destroying information on your disk! Use the name "QUICKZAP."

From BASIC, type LOADM"QUICKZAP" and press ENTER. The utility will

boot itself, so there's no need to type EXEC.

Table 2 shows how to move the cursors around on the screen. The lower cursor is your "offset location." When first loading the program, it is set to the first (or zero) location. Your input and output defaults are set to decimal (notice the top line on the screen), and the byte under your offset cursor is expanded into the four notations. The current track, sector and offset number are displayed in decimal. You have a choice of Hex or decimal for these three displays. If you choose either binary or ASCII as your output default, the track, sector and offset number will show up in Hex. Refer to Table 3 and try changing your input/output defaults.

Table 4 shows the one-letter commands that *Quickzap* recognizes. They are all fairly self-explanatory, and a little experimentation will clear up any

Table 1: The *Quickzap* Calculator

Symbol	Syntax	Description
+	A+B=	Adds value A to value B
-	A-B=	Subtracts value B from value A
*	A*B=	Multiplies value A times value B
/	A/B=	Divides value A by value B
&	A&B=	Logically ANDs value A with value B
:	A:B=	Logically ORs value A with value B
>	A>n=	Rotates A to the right 'n' times
<	A<n=	Rotates A to the left 'n' times

Note: These are all eight-bit (one-byte) operations. Thus, rotating a value nine times in either direction produces the original value. Since 255 is the maximum value any byte may contain, the operation 255+1 will yield a sum of zero (the carry is "hidden").

Table 2: *Quickzap* Cursor Control

Key	Operation
Down arrow	Move offset cursor forward one space
Up arrow	Move offset cursor back one space
SHIFT/Up arrow	Move offset cursor to the first position
SHIFT/Down arrow	Move offset cursor to the last position
Right arrow	Move input cursor forward one position
Left arrow	Move input cursor back one position
SHIFT/Right arrow	Insert a blank space under input cursor
SHIFT/Left arrow	Delete character under input cursor

Note: *Quickzap* has two cursors that may be moved independently of each other. The lower one is the offset cursor, and it signifies the offset (in bytes) from the zero byte of the currently displayed sector. The upper cursor is your input cursor. This blinks to show your place as you enter commands to *Quickzap*.

Word Triad
STOPS
the competition!

STOP & COMPARE!

WORD TRIAD — 3 IN 1	WORD TRIAD	PRICE
1. POWERFUL WORD PROCESSOR		
Four (4) Screens: 32x16, 51x24, 64x24, 85x24	Yes	
Written in High Performance, Powerful Machine code	Yes	
Available in 16K, 32K, 64 Versions	Yes	
Extended BASIC is NOT Required!	Yes	
"RAM DISC" extra test storage	Yes	
Loads in single load, does not occupy disk	Yes	
Menu-driven disk & cassette I/O	Yes	
Over 100 Support Function Keys	Yes	
Full Screen cursor control with auto repeat keys	Yes	
Compatible with ANY Printer	Yes	
Able to insert Control Codes	Yes	
5 separate printing modes	Yes	
Auto Double column printing	Yes	
Basic rate up to 9,600 baud	Yes	
Each key depression produces a sound, so you just type	Yes	
"Typewriter mode" saves paper	Yes	
"Programmable word/phrase" saves time	Yes	
Displays underlined words on Screen	Yes	
True lower & upper case characters — true descenders	Yes	
Perfect margin justification	Yes	
Auto centering — page numbering	Yes	
NO hardware modifications needed	Yes	
Select lines per page — force new page	Yes	
Three (3) Search modes	Yes	
Recall accidental deletions	Yes	
Block copy & Block move	Yes	
Page forward & Backward in memory	Yes	
"Margin Offset" allows any number of letters per line — artwork/text combined together	Yes	
Complete 96 page manual included	Yes	
2. CONVENIENT TERMINAL PROGRAM		
Select Host or terminal mode	Yes	
Upload or Download Programs	Yes	
Talk mode, open/close buffer, auto open/auto close buffer	Yes	
Send control letters, block control codes	Yes	
Use buffer for complete editing	Yes	
Send contents of buffer to printer	Yes	
3. HELPFUL UTILITIES PROGRAM		
Load any program into buffer for examination or changes	Yes	
Edit or examine ANY high level language, such as BASIC	Yes	
Allowed to view ALL the Computer's memory	Yes	
Language function key to help make writing high level language easier	Yes	
"RAM TEST," a complete memory diagnostic program	Yes	

WORD TRIAD™



- Disk version has ALL Options
Suggested Retail Price (S.R.P.) \$59.95
Special INTROductory price — NOW ONLY \$44.95
 - 32/64K cassette tape version
all options except disk (S.R.P.) \$49.95
Special INTROductory price — NOW ONLY \$34.95
 - 16K cassette tape version — memory limitations do not allow for Hi-Res Screens, double column print/RAM DISC (S.R.P.) \$39.95
Special INTROductory price — NOW ONLY \$24.95
Extra Special Introductory offer: We pay SCL product shipping & handling charges plus any applicable taxes.
- WORD TRIAD is Published by: Lewis & Clark Software
To order, send check or money order to:
Distributed by: COST PLUS ELECTRONICS
P. O. Box 6467 — 201 S. Staples St.
Corpus Christi, Texas 78411
(512) 881-9540
- For Visa and MasterCard orders only please call
Nationwide Toll Free 1-800-821-0728
or in TEXAS 1-800-292-5619
Write for free brochure — dealer and distributor inquiries welcome

questions. I strongly recommend, however, you practice on a disk that doesn't contain information you need to save. There is no protection built into *Quickzap* — you may change the directory and the file allocation table as easily as anything else. If you're not sure what you're doing at first, use *Quickzap* only to examine the contents of the disk — don't rewrite any sectors. If you rewrite the directory accidentally, BASIC would no longer be able to access your files!

There are two things to mention about printing out the contents of a sector. First, some printers (non-Radio Shack) require a line feed in addition to the carriage return. *Quickzap* provides for this in the assembly process; if you want line feeds, change Line 1546 to LFEED FCB \$0A before assembling the utility.

The other thing concerns Baud rates. *Quickzap's* command 'P' will print out a sector according to the preset Baud rate. If you want to change this rate, enter Pn, where 'n' equals the Baud rate desired. Since *Quickzap* only recognizes

eight-bit values, the following values are used.

- If n = 1, Baud is 120
- If n = 3, Baud is 300
- If n = 6, Baud is 600
- If n = 12, Baud is 1200
- If n = 24, Baud is 2400
- If n = 96, Baud is 9600

The subroutines that provide the code conversions are fairly simple. If you examine the listing, you'll see that they all operate on one byte at a time and proceed in a logical fashion. Four BASIC ROM calls are used: CLS, located at SA928; Printer-out, at SA2BF; POL CAT, called indirectly at SA000; and DSKCON, also called indirectly, at SC004. The first two are "undocumented" routines, but work on every version of BASIC I've encountered. The second two are documented, and therefore guaranteed by Microsoft.

The IRQ and RESET vectors are changed by the entry routine and normalized only when you terminate the

Table 3: *Quickzap* Input/Output Options

Command	Description
Ir	Sets input default to specified radix (r)
Or	Sets output default to specified radix (r)

'r' may be any one of these characters: A, B, D or H. These letters represent the desired radix (or base) you want *Quickzap* to use.

- A ASCII: values will be displayed as ASCII characters.
- B Binary: values will be displayed as a string of eight characters. Example: 00110010
- D Decimal: values will be displayed in decimal (base 10)
- H Hexadecimal: values will be displayed in hexadecimal (base 16). Example: FF

ASCII is not actually a radix, but is a useful display mode. Note that when displaying in ASCII, Bit 7 is undefined. Thus, only the least significant seven bits (0-6) determine the ASCII character that will be displayed.

You may override the input default by prefacing the value with one of the radix designators. Examples: HFF, B11110000, D255. If you do not use a radix designator, *Quickzap* assumes your value is to be interpreted according to the default radix.

To provide compatibility with accepted nomenclature, the following symbols are included in *Quickzap's* vocabulary:

- \$ Hexadecimal value (same as 'H')
- % Binary value (same as 'B')
- ' ASCII value (same as 'A')

If you are entering hexadecimal values alone (that is, without prefacing them with a radix designator) it is necessary to include a zero before any non-numeric characters. For example, if the input default is hexadecimal, any of the following is valid: SFF, HFF, OFF. The zero tells *Quickzap* that the following characters are values rather than commands.

utility. The only way to exit the utility is by entering the 'Q' (Quit) command. If you press the Reset button, *Quickzap* will reinitialize itself. The interrupt-driven parts of the utility control the disk drive motor, handle the booting process and allow for repeating keys.

There is not enough space here to detail all of the routines *Quickzap* uses, but if you're interested in code conversions, a careful study of the source listing explains how the various tasks

are accomplished. Of course, if all you want is to "zap" some disks, then ignore the listing and have fun.

I realize the listing requires a lot of typing, but when it's all assembled, it only uses 2.5K of RAM (\$AC0, to be precise), so it will work on any machine with at least 16K.

Several "tricks" have been used to keep the utility's size down to manageable levels. First, the text screen itself is used as the main I/O buffer. This saves

Table 4: Quickzap Command Functions

Key	Syntax	Description
T	T	Change track to 'n' (n = 0 to 34).
S	Sn	Change sector to 'n' (n = 1 to 18).
R	R:n	Read display track/sector from Drive 'n'. The drive number is optional. If included, the value of 'n' must be between zero and three.
W	W:n	Write out the data on the screen to the displayed track/sector on Drive 'n'.
+	+	Increase displayed sector by one. If necessary, also increase the displayed track number.
-	-	Decrease displayed sector by one. If necessary, also decrease the displayed track number.
I	Ir	Set input default to 'r' (see Table 3).
O	Or	Set output default to 'r' (see Table 3).
C	Cs,d,l	Copy data beginning at offset 's' to destination starting at offset 'd' for a length of 'l'.
X	Xs,d,l	Exchange data beginning at offset 's' with data starting at offset 'd' for a length of 'l'.
F	Fv,l	Fill sector, beginning at displayed offset, with value 'v' for length of 'l'.
M	Mstring	Match string. Search the disk, beginning with currently displayed track/sector, for a match; string may be any string of ASCII characters. Terminates a command line.
ENTER	=	Terminates request for eight-bit calculation (similar to Microsoft's ZBUG). Syntax is "value operation value =" for calculations, or "value =" for code conversion. See text and Table 1 for examples.
,	f,l	The comma is used to separate multiple functions within a single line of input.
P	P	Print sector to line printer.
P	Pn	Set printer Baud rate to 'n'. See text for values.
N	Nn	Change offset cursor number to 'n' (n = 0 to 255).
G	Gn	Calculate proper track and sector for granule number 'n' and set them accordingly (n = 0 to 67).
Q	Q	Quit. Performs a "cold" restart and returns control of the computer to BASIC.

Note: *Quickzap* does not allow any operations on a command line that follow a READ or WRITE operation. This is to help prevent mistakes. All other commands may be concatenated at your discretion. Examples are IH,OB,P03,P ENTER (set the input default to hexadecimal, the output default to binary, the Baud rate to 300 and print); ++R ENTER (increase the sector by two, and read the resulting track/sector); and FH20,H20,W:2 ENTER (fill 20 Hex bytes with Hex 20 and write the track/sector out on Drive 2).



**For All Your Projects
We Have The Full Spectrum
Of Software & Hardware
Always At Good Prices!**

Quadrature Fan Module B
Piezo Electric — .11 Watts
Fits IN Coco — No Surge
5 CFM — Low Noise — UL
\$26.95 + 2.50 S & H

6809 CPU Chip — \$ 17.95
RSDOS 1.1 Disk — \$ 22.95
Extended Basic 1.1 — \$ 22.95

Gold Rom "Y" Cable — \$ 22.95

We Stock Amdek Amdisks!

VIP Integrated Library — 10%
DynaCalc (RSDOS) — 10%
Data Pack II (The Best Term.) — 10%
Business Software — 10%

**E.D.C. carries the most
complete line of software
and hardware in the market.**

Green Mountain Micro!!
Computerware (All)
Custom Software (No Disc.)
Key Color Software (Key 264K)
Michtron
Tom Mix (All)
Moreton Bay (More)
Prickly Pear (Colorkit!)
Platinum Software (!)
Softlaw (VIP)
Spectral Associates
Speech Systems (All)
Sugar Software & (Super)
CoCoPro (V2)
Computer Systems Center
Cer-Comp

Metric HJL Elephant
Hayes Teac Star
Interfaces Monitors Controllers
Speech Music
ALWAYS MORE AND BETTER

232 Remote Plus See
\$24.95 + 2.50 S & H Rainbow review
September issue.



COLOR & MICRO COMPUTERS

Software • Hardware • Support
Educational • Small Business • Games
VOICE (213) 254-6809 10 A.M.-10 P.M.
BBS (213) 258-0640 24 HRS.
300 and 1200 Baud

Extended Hours+Call before coming.

6130 YORK BOULEVARD
POST OFFICE BOX 42718
LOS ANGELES, CA. 90042

MAKE CHECKS PAYABLE TO E.D.C.

bytes and also eliminates the need to move data around before and after accessing the disk. Second, most of the variables and buffers are kept on the "direct page" (addresses \$0000 - \$00FF), which makes for quicker, shorter code. Also, some of the routines — most notably GRAN, which calculates track and sector for a given granule — are elegant, avoiding conditional branches and thus saving time and memory. Elegant algorithms are harder to understand, but well worth the effort, since once you've puzzled them out, you


have an excellent grasp of the individual bit manipulations involved in each processor instruction.

Although *Quickzap* is a very useful utility as it stands, and may be used without understanding how it works, it was written primarily to demonstrate methods of converting different codes into binary and back. Therefore, it was written in a modular fashion, with the separate routines each performing one specific function. Feel free to borrow or adapt these algorithms in your own programs, or to modify *Quickzap* itself.

There are as many ways to approach code conversions as there are programmers and the right method for you may be different from the one I've chosen.

For those without an editor/assembler who, nevertheless, would like to have *Quickzap*, an assembled version is available on disk for \$10. You may write to me at 519 N. Scott Street, Wheaton, IL 60187, if you have any questions or would like a copy. □

Figure 1: Shows functions of three areas into which *Quickzap* divides the screen.




This is an illustration showing the functions of the three areas into which *Quickzap* divides your screen. Your input cursor is controlled with the right- and left-arrow keys; the offset cursor is controlled with the up- and down-arrow keys. The light gray area works just like an abbreviated screen in BASIC. The only difference is that it is only four lines deep. The lines will scroll within this area without affecting the other two areas.

The top (shown in white) contains status information and expansions of the bytes "under" the offset cursor. Whatever values are entered on the input line appear at the offset cursor location, and the offset cursor moves forward one position.

The dark gray area is where the 256 bytes of each sector are displayed. Since many of these bytes are non-ASCII, the screen may appear to be filled with "garbage." If you want to see the actual

value of a non-ASCII character, simply position the offset cursor over the byte you want to view. The status line reveals the contents of that byte in four notations: Hex, decimal, ASCII (if applicable) and binary. Non-ASCII characters show up on the bottom half of the screen either as block graphics or as inverted ASCII. For instance, the value zero shows up as a reversed '@' sign, and a space character (\$20) shows up as a dark block.

CoCo Max



Take your CoCo to the MAX.

COLORWARE

CoCo Max

This is one of those rare programs that will captivate everyone in your family.... No one can see CoCo Max and not want to try it!



We are all witnessing an exciting revolution in microcomputers; a radically new kind of computer and software that opens a whole new world of creative power to computer users.

It was inevitable that this exciting approach would be brought to the CoCo. With this in mind, Colorware chose to go all out and maximize this new concept for the color computer. That meant designing not just software but hardware too. It meant thousands of hours of pure machine language programming. Rarely has this much effort been applied to one product for the Color Computer.



UNMATCHED CAPABILITY...

Because we took the maximum approach: highly optimized machine code combined with hardware. CoCo Max truly stands above the rest as the ultimate creative tool for the Color Computer. It's unrivaled performance lets you create with more brilliance and more speed than any similar system — much more than you ever imagined possible. And, you can do it in black & white or color.



All the sophisticated power of the bigger systems is there: *Icons*, *Pull-Down Menus*, full *Graphic Editing*, *Font Styles*, and all kinds of handy tools and shortcuts.

Plug your joystick, mouse or touch pad into CoCo Max's Hi-Res Input Unit. Then use a delightfully simple *Point-and-Click* method to get any of CoCo Max's powerful graphic tools. It has them all:

You can *Brush*, *Spray* or *Fill* with any *Color*, *Shading* or *Pattern*. Use *Rubber Band Lines* and *Shapes* (square, rectangle, circle, ellipse, etc.) to create perfect illustrations with speed and ease. There's a *Pencil*, an *Eraser* and even a selection of *Calligraphy Brushes*. And, as you can see, CoCo Max can do a lot with text. All of the newest special effects are there: *Trace Edges*, *Flip*, *Invert*, *Brush Mirrors*, etc. And all of the very latest supercapabilities like: *Undo*, which automatically reverses your mistakes, and *Fat Bits* which zooms you way in on any part of your subject to allow dot-for-dot precision.



THE BIG PICTURE

The large image box in the middle of the CoCo Max screen is actually only a window on an even larger image. Use the Point-and-Click "Hand" to effortlessly move your window over any portion of the larger image. You have a working area of up to 3-1/2 times the area of the window itself.

FLEXIBLE PRINTING...

CoCo Max gives you many ways to print. Fill a whole page with your image or condense two full CoCo screens to less than 1/4 page for a finely detailed copy. "Dump" your CoCo Max screen full size or shrink it to 1/4 page size.

FREEDOM TO CREATE...

Anyone who wants to create anything at all on their CoCo screen or printer will certainly be very glad to meet CoCo Max. CoCo Max's friendly yet sophisticated graphic and text capabilities let you almost instantly produce illustrations, diagrams, charts,



graphs, and computer art — for serious use or just for creative fun.



tion by using software schemes such as sliding windows. Although clever, these schemes yield sluggish and awkward results. Only CoCo Max does it the right way. The CoCo Max Hi-Res Input Unit plugs into your ROM slot and adds an entirely new joystick input to your computer — a precision one with a 49,152 point resolution to match the CoCo screen exactly.

Plug your same joystick, mouse or touch

You may then use CoCo Max's graphic magic on it. The DS-69 is available as an option from Colorware from \$149.95 complete with its own software on disk or tape. Using the DS-69 with a disk requires an RS multi-pak adaptor.



COCO MAX REQUIREMENTS

The CoCo Max System includes the Hi-Res Input Unit, software on disk or cassette (please specify) and user manual. It will work on any 64K Extended or non-

THE COCO MAX SYSTEM

AN ABSOLUTE GUARANTEE

CoCo Max is a hardware/software system that no software-only system can match. Get CoCo Max and see your CoCo perform as it never could before. If you don't agree that CoCo Max is the ultimate creative tool for the Color Computer, simply return it within 20 days for a full, courteous refund from Colorware.

THE HARDWARE...

This is the key to CoCo Max's unmatched performance. Did you know the normal joystick input built into the Color Computer only allows access to 4,096 (64 x 64) points on the CoCo screen? Yet, the Color Computer's high resolution screen

pad into this new input and you have a whole new kind of control. The difference is remarkable.



A DIGITIZER OPTION...

We studied all the video digitizers available and picked the best of them to link with CoCo Max. The DS-69 from Micro Works was our choice. This optional device lets you capture the image from any video source (video recorder, camera, etc.) on your Color Computer.

extended Color Computer. You'll need a Radio Shack or equivalent joystick, mouse or touch pad. Disk systems require a Multi-Slot Interface or Y-Branching Cable.

THE COMPLETE COCO MAX SYSTEM,
with software on **DISK**.....\$69.95

with software on **CASSETTE** (Available
Mar '85).....\$69.95

Y-BRANCHING CABLE—If you have a disk system but do not have a Multi-Slot Interface, use this economical 40-pin, 1 male, 2 female cable to connect the CoCo Max Hi-Res input unit and your disk controller to your CoCo.\$27.95

Sorry, COCO MAX is not compatible with JDOS




has 49,152 (256 x 192) pixels. This means that a joystick, mouse or even a touch pad can, at best, only access about one tenth of the pixels on the CoCo screen.

Most graphic programs ignore this hardware limitation of the Color Computer and give you only low-res control. Others attempt to overcome the limita-



COLORWARE

Colorware Inc.
78-03F Jamaica Ave.
Woodhaven, NY 11421
(718) 647-2864



ORDERING INFORMATION

ADD \$1.00 PER ORDER FOR SHIPPING AND HANDLING.
C.O.D.'S ADD \$3.00 EXTRA.
SHIPPING AND HANDLING FOR CANADA IS \$5.00
WE ACCEPT VISA, MASTER CARD, M.O.'S, CHECKS
N.Y. RESIDENTS MUST ADD SALES TAX.

Why do more CoCo owners choose 'REAL TALKER'?

Sure it's priced right, but there's more...

Thousands of 'Real Talker' owners know 'Real Talker' beats ALL other CoCo voice synthesizers in ease of use and flexibility. And, NO other CoCo talker has a clearer, more intelligible voice. That's quite a lot of advantage when you consider Real Talker's unbeatable price. Yet, Real Talker has some important features that you simply will not find in other CoCo talkers:

'SAY' command - You'll have your computer talking brilliantly in just minutes thanks to this powerful new command. Type SAY "ANYTHING YOU WANT" and your words are instantly spoken. It's that simple. Think how easy this makes creating speaking Basic programs. Adding speech to your existing programs is a snap too.

'CONVERT' - This is a truly powerful command for the basic programmer. CONVERT automatically transforms a machine language dependent speaking program into a stand-alone Basic program. In other words, you can effortlessly write speaking Basic programs that do not require a machine language translator in memory. This is a unique feature of 'Real Talker'. No other voice synthesizer gives you anything even remotely approaching this type of capability - even synthesizers costing considerably more.

Other features include software controlled pitch, unlimited vocabulary text-to-speech, and even a program that will recite any ASCII file (such as from Telewriter-64 & other word processors). You also get Colorware's unique full-screen phoneme editor program that let's you experiment with and modify speech at it's most fundamental level.

'Real Talker' is compatible with any 16K, 32K, 64K Extended or non-extended Color Computer. It works with any cassette or disk system and comes complete and ready to talk through your T.V. or monitor speaker. Price includes the 'Real Talker' electronic voice synthesizer in a ROM pack, software on cassette (may be transferred to disk), and user manual.



'Real Talker' is a full-featured electronic voice synthesizer unit built into a compact cartridge case. You simply plug it into the side of your computer.

NOW INCLUDED WITH 'REAL TALKER'.....

1. **'DR. TALK'**-This interactive "Eliza" type psychoanalyst program will discuss your innermost problems at length.
2. **'TALKING BATTLESHIP'**-It's you vs. the computer in this speaking version of the classic game.
3. **'TALKING BLACKJACK'**- Play for big stakes against a rather talkative casino dealer.

ONLY
\$59.95

- 'REAL TALKER-1' (for the original Color Computer).....\$59.95
- 'REAL TALKER-2' (for the Color Computer-2).....\$64.95
- 'Y - BRANCHING CABLE' For disk systems. If you have a disk system but do not have a Radio Shack Multi-Slot unit, this economical cable will allow to connect and use your Real Talker and Disk system together.....27.95

TALKHEAD

If you have a 'Real Talker', do not deprive yourself of this absolutely incredible machine-language Talking Head simulation program. While other talking head simulations use a minimal cartoon-like face, TALKHEAD uses high resolution, full-screen, digitized images of an actual person's face to create a life-like animated effect.



SOFTWARE FOR THE 'REAL TALKER'

TALKHEAD can be easily commanded in Basic to appear on screen and say anything you want. Available on cassette or disk for only \$19.95, TALKHEAD requires 64K and a Colorware 'Real Talker'.

ONLY **\$19.95**

ACTUAL UNRETOUCHED PHOTO

COLORWARE COLORWARE INC.
78-03F Jamaica Ave.
Woodhaven, NY 11421
(718) 647-2864



*** ORDERING INFORMATION ***

ADD \$3.00 PER ORDER FOR SHIPPING AND HANDLING.
C.O.D.'S ADD \$3.00 EXTRA.
SHIPPING AND HANDLING FOR CANADA IS \$5.00
WE ACCEPT VISA, MASTER CARD, M.O.'S, CHECKS.
N.Y. RESIDENTS MUST ADD SALES TAX.

The listing: QUICKZAP

```

00100 *****
00101 *
00102 * QUICKZAP 1.0 *
00103 * Disk Zap Utility *
00104 * and 8-bit calculator *
00105 *
00106 * Copyright [c] 1985 *
00107 * by Jeffry Dwight *
00108 *
00109 *****
00110
00112
00114
00115 *
00116 *** DIRECT PAGE REFERENCE
00117 *
00118
0000 00119 OFFSET EQU $0000
0002 00120 STOP EQU $0002
0003 00121 OUT EQU $0003
0004 00122 IN EQU $0004
0005 00123 TEMP0 EQU $0005
0006 00124 TEMP1 EQU $0006
0007 00125 TEMP2 EQU $0007
0009 00126 LPTBUF EQU $0009
0014 00127 INPBUF EQU $0014
0036 00128 FLAG EQU $0036
0037 00129 PAUSE EQU $0037
0038 00130 KEYBUF EQU $0038
006F 00131 DEVICE EQU $006F
0071 00132 ROMTST EQU $0071
0072 00133 ROMJMP EQU $0072
0074 00134 MAXMEM EQU $0074
0088 00135 CURSOR EQU $0088
0095 00136 BAUD EQU $0095
009D 00137 EXECAD EQU $009D
00138
00139 *
00140 *** SYMBOLIC EQUATES
00141 *
00142
0012 00143 MAXSCT EQU $0012
0022 00144 MAXTRK EQU $0022
0043 00145 MAXGRN EQU $0043
0152 00146 ROLOVR EQU $0152
010C 00147 VECJMP EQU $010C
010D 00148 VECTOR EQU $010D
0985 00149 DELAY EQU $0985
A000 00150 POLCAT EQU $A000
A928 00151 ROMCLS EQU $A928
A2BF 00152 ROMLPT EQU $A2BF
C004 00153 DSKCON EQU $C004
C006 00154 PARMAD EQU $C006
FF02 00155 PIA1 EQU $FF02
FF03 00156 PIA2 EQU $FF03
FF22 00157 STATUS EQU $FF22
FF40 00158 MOTOR EQU $FF40
FFFE 00159 COLD EQU $FFFE
00160
00162
00163 *
00164 *** INITIALIZATION PROCS
00165 *
00166
00167 ORG $0000
00168
00169 *** CODE BEGINS HERE
00170

```

```

0000 12
0001 1A 50
0003 4F
0004 1F 8B
0006 10DE 74
0009 97 6F
000B 86 44
000D 97 03
000F 97 04
0011 8E 0E6D
0014 86 7E
0016 B7 010C
0019 BF 010D
001C 8E 0E00
001F 86 55
0021 97 71
0023 9F 72
0025 1C AF
0027 B6 FF03
002A 8A 01
002C B7 FF03
002F BD A928
0032 8E 1869
0035 BD 15C3
0038 8E 04C0
003B 9F 88
003D 86 0D
003F BD 10CD
0042 86 3E
0044 BD 10CD
0047 8E 04E0
004A CC 6D20
00171 ENTRY NOP
00172 ORCC #050
00173 CLRA
00174 TFR A, DP
00175 LDS <MAXMEM
00176 STA <DEVICE
00177 LDA #'D
00178 STA <OUT
00179 STA <IN
00180 LDX #IRQ
00181 LDA #07E
00182 STA >VECJMP
00183 STX >VECTOR
00184 LDX #ENTRY
00185 LDA #055
00186 STA <ROMTST
00187 STX <ROMJMP
00188 ANDCC #0AF
00189 LDA >PIA2
00190 ORA #1
00191 STA >PIA2
00192 JSR >ROMCLS
00193 LDX #FORM1
00194 JSR PRINT
00195 LDX #04C0
00196 STX <CURSOR
00197 LDA #00D
00198 JSR CHROUT
00199 LDA #03E
00200 JSR CHROUT
00201 LDX #04E0
00202 LDD #06D20
00203

```

Co Co - Cooler Too

- Brings operating temperature to ambient, regardless of accessory load
- Reduces temperature of ENTIRE computer... not just the SAM chip
- Easy 1-minute installation
- \$44.95



Companion Keyboard Cover \$9.95

Send For Free Catalog Of CoCo Software & Computerware

- For Fastest Service Send Money Order Or Certified Check
- Add \$2.50 Shipping For Continental U.S.
- Add \$4.00 Shipping For: AK, HI, APO's, P.O. Boxes, & Canada
- Add \$15.00 Shipping For Overseas
- Add \$3.00 For 220-250 Volt Model
- California Residents Add 6 1/2% Sales Tax
- Add \$3.00 For C.O.D.

REM Industries, Inc.

9420 "B" Lurline Ave., Chatsworth, CA 91311

(818) 341-3719

```

0E4D A7 80 00204 ENTRY1 STA ,X+
0E4F 5A 00205 DECB
0E50 26 FB 00206 BNE ENTRY1
0E52 10BE C006 00207 LDY >PARMAD
0E56 CG 1103 00208 LDD #S1103
0E59 ED 22 00209 STD 2 ,Y
0E5B 86 02 00210 LDA #2
0E5D ED 1241 00211 JSR DOIO
0E60 6D 26 00212 TST 6 ,Y
0E62 26 03 00213 BNE EXIT
0E64 ED 0EED 00214 JSR MAIN
00215
0E67 0F 71 00216 EXIT CLR <ROMTST
0E69 6E 9F FFFE 00217 JMP [COLD]
00218
00219
00220
00221
00222
00223 *
00224 *** INTERRUPT HANDLER
00225 *
00226
0E6D B6 FF03 00227 IRQ LDA >PIA2
0E70 2A 5F 00228 BPL IRQOUT
0E72 B6 FF02 00229 LDA >PIA1
0E75 8E 0E00 00230 LDX #ENTRY
0E78 9C 9D 00231 CMPX <EXECAD
0E7A 26 08 00232 BNE IRQ1
0E7C AF 6A 00233 STX $0A ,S
0E7E 8E B44A 00234 LDX #B44A
0E81 9F 9D 00235 STX <EXECAD
0E83 3B 00236 RTI

```

```

00237
00238 IRQ1 TST >DELAY
00239 BEQ IRQ2
00240 DEC >DELAY
00241 BNE IRQ2
00242 LDA >DELAY+1
00243 ANDA #B0
00244 STA >DELAY+1
00245 STA >MOTOR
00246
00247 IRQ2 LDX #ROLOVR
00248 LDU #KEYBUF
00249 LDB #8
00250 CLR <FLAG
00251 COM <FLAG
00252
00253 IRQ3 LDA ,X+
00254 CMPA ,U
00255 BEQ IRQ4
00256 CLR <FLAG
00257 PSHS A
00258 LDA #S10
00259 STA <PAUSE
00260 PULS A
00261
00262 IRQ4 STA ,U+
00263 DECB
00264 BNE IRQ3
00265 TST <FLAG
00266 BEQ IRQOUT
00267 DEC <PAUSE
00268 BNE IRQOUT
00269 LDA #2
00270 STA <PAUSE
00271 LDX #ROLOVR
00272 LDD #FFF08
00273
00274 IRQ5 STA ,X+
00275 DECB
00276 BNE IRQ5
00277
00278 IRQOUT RTI
00279
00280
00281
00282
00283
00284 *
00285 *** MAIN CONTROL LOOP
00286 *
00287
00288 *** CURSOR ADJUSTMENTS
00289 ADJ1 DEC <OFFSET+1
00290 DEC <OFFSET+1
00291
00292 ADJ2 INC <OFFSET+1
00293 BRA MAIN
00294
00295 ADJ3 CLR <OFFSET+1
00296 BRA MAIN
00297
00298 ADJ4 CLR <OFFSET+1
00299 DEC <OFFSET+1
00300 BRA MAIN
00301
00302 CLEAR CMPX #S4DF
00303 BEQ MAIN0
00304 STB ,X+
00305 BRA CLEAR
00306
0E84 7D 0985
0E87 27 10
0E89 7A 0985
0E8C 26 0B
0E8E B6 0986
0E91 84 B0
0E93 B7 0986
0E96 B7 FF40
0E99 8E 0152
0E9C CE 0038
0E9F C6 08
0EA1 0F 36
0EA3 03 36
0EA5 A6 80
0EA7 A1 C4
0EA9 27 0A
0EAB 0F 36
0EAD 34 02
0EAF 86 10
0EB1 97 37
0EB3 35 02
0EB5 A7 C0
0EB7 5A
0EB8 26 EB
0EBA 0D 36
0EBC 27 13
0EBE 0A 37
0EC0 26 0F
0EC2 86 02
0EC4 97 37
0EC6 8E 0152
0EC9 CC FF08
0ECC A7 80
0ECE 5A
0ECF 26 FB
0ED1 3B
0ED2 0A 01
0ED4 0A 01
0ED6 0C 01
0ED8 20 13
0EDA 0F 01
0EDC 20 0F
0EDE 0F 01
0EE0 0A 01
0EE2 20 09
0EE4 8C 04DF
0EE7 27 0B
0EE9 E7 80
0EEB 20 F7

```

The Color Link Incorporated Brings Power to Your Fingertips
Now you can do —

ROBOTICS! BURGLAR ALARMS! OPTICAL SCANNING! INDUSTRIAL CONTROL!

With our —
Data Acquisition and Output Board
and our —
Task Modules

No special skills necessary. No soldering required. Just plug it in, hook up a module, and you're off! The Color Link will take you by the hand into the world of computer control. Our modular expansion makes it easy to configure the system to your needs. Run your house, control a robot, make sophisticated burglar detection systems, scan in pictures or print. The DAOB can handle almost any job.

FREE SOFTWARE INCLUDED!!! Obviously, the DAOB is useless without a program to help you control it. The DAOB's power is only as limited as your own imagination, so we cannot provide software for every application but we can provide some good general routines that allow you to do most things.

One demonstration of the versatility of our DAOB is its ability for **OPTICAL SCANNING** (using the Optical Scanning Module). Never has this feature been so affordable. You can scan in pictures or print automatically by attaching our Optical Sensor Module to your printer (or manually scan in print).

The DAOB can do many other interesting and useful things utilizing its many Task Modules. You can use your computer for a low-cost, sophisticated **BURGLAR DETECTION** system just by plugging in our DAOB, one or more light sensors and an output device such as an alarm or auto-dial phone. Plug in a digital voltmeter module and convert your computer to a slow-speed **STORAGE OSCILLOSCOPE** or a **DIGITAL MULTIMETER!** Run your morning bath to exactly the temperature you like — before you get up — by computer control! Use your computer for an **EXPLOSIVE GAS SENSOR**, monitor the temperature in every room, measure **SOLAR INTENSITY**, **HUMIDITY**, **WINDSPEED**, check for moisture in your basement, get out a map and use your computer to measure distances on the map.

We don't have enough space to begin describing everything you can do with our DAOB but we can tell you that most things simply require roughly the same knowledge and skill that it takes to hook up a television antenna. It only requires one DAOB to do many tasks because it can handle most things simultaneously.

Our board is a highly sophisticated piece of electronic hardware but is easy to use for just that reason. For those of you who enjoy technical specs our board boasts 8 bit analog to digital accuracy with a full scale as low as 20 mv and 30us conversion time. It has 26 on board input channels (expandable with modules to 176) and 18 on-board output channels (expandable to 48) with output voltages from 0-5 volts dc in 20mv steps including 4 programmable interrupts. For flexibility our scales and channels are software selectable and its **DISK COMPATIBLE!!!**

At only \$99.95 you'll want to make the DAOB your next hardware purchase. Below are just a few of the modules available.

DAOB	\$99.95	Optical Scanner	\$49.95
Temperature Sensor 1	\$5.95	Temperature Sensor 2	\$8.95
AC Current Sensor	\$9.95	Digital Voltmeter	\$14.95
Voice Pickup	\$6.95	Solar Intensity Sensor	\$9.95
Light Sensor	\$6.95	Windspeed Sensor	\$12.95
Motor Controller	\$8.95-\$49.95	AC Device Switch	\$12.95

For a free brochure listing all add-on modules with application hints call or write to: The Color Link Incorporated, PO Box 748, Marissa IL 62257 ph: (618) 587-2441. Shipping and handling \$2.00. IL residence add 6.25% sales tax.

QEDD 86 Q5 QP397 *** INPUT NEXUS
 QEEF 97 QP QP398 MAIN LDA #5
 QEF1 BD 1548 QP399 STA <OFFSET
 QP310 JSR DISP
 QP311
 QEF4 BD 1094 QP312 MAIN JSR GETKEY
 QEF7 81 5E QP313 CMPA #55E
 QEF9 27 D7 QP314 BEQ ADJ1
 QEFB 81 QA QP315 CMPA #59A
 QEFD 27 D7 QP316 BEQ ADJ2
 QEFF 81 5F QP317 CMPA #55F
 QEP1 27 D7 QP318 BEQ ADJ3
 QEP3 81 5B QP319 CMPA #55B
 QEP5 27 D7 QP320 BEQ ADJ4
 QEP7 9E 88 QP321 LDX <CURSOR
 QEP9 C6 6P QP322 LDB #56P
 QEPB 81 QC QP323 CMPA #59C
 QEPD 27 D5 QP324 BEQ CLEAR
 QEPF 81 Q3 QP325 CMPA #3
 QF11 27 38 QP326 BEQ MAIN3
 QF13 81 QD QP327 CMPA #59D
 QF15 27 2P QP328 BEQ MAIN2
 QF17 81 Q8 QP329 CMPA #8
 QF19 27 17 QP330 BEQ MAIN1
 QF1B 81 Q9 QP331 CMPA #9
 QF1D 27 13 QP332 BEQ MAIN1
 QF1F 81 15 QP333 CMPA #515
 QF21 27 34 QP334 BEQ MAIN4
 QF23 81 5D QP335 CMPA #55D
 QF25 27 3F QP336 BEQ MAIN6
 QF27 81 3D QP337 CMPA #'=
 QF29 1Q27 QP46 QP338 LBEQ CALC
 QF2D 8C Q4DF QP339 CMPX #54DF
 QF3P 24 C2 QP340 BHS MAINP
 QP341
 QF32 BD 1QCD QP342 MAIN1 JSR CHROUT
 QF35 2P BD QP343 BRA MAINP
 QP344
 QF37 8E Q4DE QP345 MAIN2 LDX #54DE
 QF3A 9F 88 QP346 STX <CURSOR
 QF3C BD 1P39 QP347 JSR FILBUF
 QF3F 1F 31 QP348 TFR U,X
 QF41 BD 1Q23 QP349 JSR OK
 QF44 QD Q2 QP350 TST <STOP
 QF46 26 Q3 QP351 BNE MAIN3
 QF48 BD 1384 QP352 JSR COMM
 QP353
 QF4B 86 QD QP354 MAIN3 LDA #59D
 QF4D BD 1QCD QP355 JSR CHROUT
 QF5P 86 3E QP356 LDA #'>
 QF52 BD 1QCD QP357 JSR CHROUT
 QF55 2P 96 QP358 BRA MAIN
 QP359
 QF57 A6 Q1 QP360 MAIN4 LDA 1,X
 QF59 A7 8P QP361 STA ,X+
 QF5B 8C Q4DE QP362 CMPX #54DE
 QF5E 23 F7 QP363 BLS MAIN4
 QP364
 QF6P 86 6P QP365 MAIN5 LDA #56P
 QF62 A7 84 QP366 STA ,X
 QF64 2P 8E QP367 BRA MAINP
 QP368
 QF66 8E Q4DF QP369 MAIN6 LDX #54DF
 QP37P
 QF69 A6 82 QP371 MAIN7 LDA ,-X
 QF6B A7 Q1 QP372 STA 1,X
 QF6D 9C 88 QP373 CMPX <CURSOR
 QF6F 22 F8 QP374 BHI MAIN7
 QF71 2P ED QP375 BRA MAIN5
 QP376

QP377
 QP378
 QP379
 QP38P
 QP381 *
 QP382 *** 8-BIT CALCULATOR
 QP383 *
 QP384
 QP385 CALC JSR FILBUF
 QP386 LDA #'=
 QP387 JSR CHROUT
 QP388 LDX <OFFSET
 QP389 STX <TEMP2
 QP39P LDA #7
 QP391 STA <OFFSET
 QP392 BSR CALCQ
 QP393 LDX <TEMP2
 QP394 STX <OFFSET
 QP395 BRA MAIN3
 QP396
 QP397 CALCQ PULU A
 QP398 JSR VALUE
 QP399 STB <TEMPQ
 QP4P LDA -1,U
 QP4Q1 BMI CALC1
 QP4Q2 BEQ CALC2
 QP4Q3 JMP BPARMS
 QP4Q4
 QP4Q5 CALC1 STA <TEMP1
 QP4Q6 PULU A
 QP4Q7 JSR VALUE
 QP4Q8 LDA <TEMP1
 QP4Q9 STB <TEMP1
 QP73 BD 1P39
 QP76 86 3D
 QP78 BD 1QCD
 QP7B 9E QP
 QP7D 9F Q7
 QP7F 86 Q7
 QP81 97 QP
 QP83 8D Q6
 QP85 9E Q7
 QP87 9F QP
 QP89 2P CQ
 QP8B 37 Q2
 QP8D BD 13F8
 QP9P D7 Q5
 QP92 A6 5F
 QP94 2B Q5
 QP96 27 15
 QP98 7E 1441
 QP9B 97 Q6
 QP9D 37 Q2
 QP9F BD 13F8
 QFA2 96 Q6
 QFA4 D7 Q6

T-Shirt, Tote Bag or Computer Clock



• T-SHIRTS/\$5.00 ea. White Imprint Only

Size	SM	MED	LG	X-LG
Red				
Blue				
Green				

I ♥ MY COLOR COMPUTER
Indicate how many of each size & color

**Programmers Never Die—
They Just Lose Their Memory**
Indicate how many of each size & color

Total Number of T-Shirts Ordered x \$5.00 = _____

• TOTE BAGS/\$4.00 ea. Natural Color Only, 14" x 12" with Brown Imprint — Indicate how many of each bag

Size	SM	MED	LG	X-LG
Red				
Blue				
Green				

I ♥ MY COLOR COMPUTER
Indicate how many of each size & color

Programmers Never Die—They Just Lose Their Memory
Indicate how many of each size & color

Total Number of Tote Bags Ordered x \$4.00 = _____

• COMPUTER CLOCKS/\$10.00 ea. Mini Computer with Keyboard LCD clock in a solid, Silver aluminum base. Clock displays time & date. Padded Base. Size: 1 1/2" x 2" x 2 1/4"

How Many	SM	MED	LG	X-LG
Red				
Blue				
Green				

I ♥ MY COLOR COMPUTER
Indicate how many of each size & color

Programmers Never Die—They Just Lose Their Memory
Indicate how many of each size & color

Total Number of Clocks Ordered x \$10.00 = _____

Plus Shipping & Handling 1.50

Total Amount Due _____

Check or Money Order enclosed VISA MasterCard

Acct. No. _____

Ex. Date _____ Signature _____

Send Orders To:
Brown/Fangman Advertising
P. O. Box 5065
Louisville, Kentucky 40205
Give 14 Days for Delivery

*Order Yours
Today*

9FA6 8D 23	9G419 BSR CALC3	9FE2 4C	9G443 INCA
9FAB 9D 92	9G411 TST <STOP	9FE3 27 93	9G444 BEQ OR
9FAA 27 91	9G412 BEQ CALC2		9G445
9FAC 39	9G413 RTS		9G446 *** LOGICAL ARITHMETIC
	9G414		9G447 AND ANDB <TEMP1
9FAD BD 16BF	9G415 CALC2 JSR STORE	9FE5 D4 96	9G448 RTS
9FB9 DE 97	9G416 LDU <TEMP2	9FE7 39	9G449
9FB2 D7 99	9G417 STB <OFFSET		9G450 OR ORB <TEMP1
9FB4 A6 84	9G418 LDA ,X	9FE8 DA 96	9G451 RTS
9FB6 B1 29	9G419 CMPA #529	9FEA 39	9G452
9FB8 1926 9697	9G420 LBNE PRINT		9G453 XOR EORB <TEMP1
9FBC 39 91	9G421 LEAX 1,X	9FEB D8 96	9G454 RTS
9FBE A6 84	9G422 LDA ,X	9FED 39	9G455
9FC9 81 29	9G423 CMPA #529		9G456 PLUS ADDB <TEMP1
9FC2 1926 95FD	9G424 LBNE PRINT	9FEE DB 96	9G457 RTS
9FC6 39 91	9G425 LEAX 1,X	9FF9 39	9G458
9FCB 7E 15C3	9G426 JMP PRINT		9G459 MINUS SUBB <TEMP1
	9G427	9FF1 D9 96	9G460 RTS
	9G428 CALC3 LDB <TEMP9	9FF3 39	9G461
9FCD 4C	9G429 INCA		9G462 TIMES LDA <TEMP1
9FCE 27 46	9G430 BEQ ROR	9FF4 96 96	9G463 MUL
9FD9 4C	9G431 INCA	9FF6 3D	9G464 RTS
9FD1 27 36	9G432 BEQ ROL	9FF7 39	9G465
9FD3 4C	9G433 INCA		9G466 DIVIDE TST <TEMP1
9FD4 27 22	9G434 BEQ DIVIDE	9FF8 9D 96	9G467 LBEQ BPARMS
9FD6 4C	9G435 INCA	9FFA 1927 9443	9G468 TFR B,A
9FD7 27 1B	9G436 BEQ TIMES	9FFE 1F 98	9G469 CLR
9FD9 4C	9G437 INCA	1999 5F	9G470
9FDA 27 15	9G438 BEQ MINUS		9G471 DIV1 SUBA <TEMP1
9FDC 4C	9G439 INCA	1991 99 96	9G472 BLO DIV2
9FDD 27 9F	9G440 BEQ PLUS	1993 25 93	9G473 INCB
9FDF 4C	9G441 INCA	1995 5C	9G474 BRA DIV1
9FE9 27 99	9G442 BEQ XOR	1996 29 F9	9G475
			9G476 DIV2 RTS
			9G477
			9G478 ROL LDA <TEMP1
			9G479 LBEQ BPARMS
			9G480 ANDCC #5FE
			9G481
			9G482 ROLL ROLB
			9G483 DECA
			9G484 BNE ROLL
			9G485 RTS
			9G486
			9G487 ROR LDA <TEMP1
			9G488 LBEQ BPARMS
			9G489 ANDCC #5FE
			9G490
			9G491 RORL RORB
			9G492 DECA
			9G493 BNE RORL
			9G494 RTS
			9G495
			9G496 *
			9G497 *** COMMON SUBROUTINES
			9G498 *
			9G499
			9G500 OK LDA ,X+
			9G501 CMPA #5FA
			9G502 BEQ OK
			9G503 CMPA #5FB
			9G504 BEQ OK
			9G505 CMPA #5F9
			9G506 BEQ OK
			9G507 TSTA
			9G508 LBMI BPARMS
			9G509 BNE OK
			9G510 RTS
			9G511



SEMIGRAPHICS SYSTEM FOR EXTENDED COLOR BASIC USERS

POWERFUL, YET EASY TO USE UTILITY TO PERFORM GRAPHIC FUNCTIONS IN THOSE SEMIGRAPHIC MODES WHICH ARE NOT SUPPORTED BY EXTENDED COLOR BASIC. USE EIGHT COLORS ON BLACK BACKGROUND, UP TO A MAXIMUM RESOLUTION OF 64 x 192 POINTS. COMBINE TEXT AND GRAPHICS.

GRAPHICS UTILITY FUNCTIONS

#SET/TEST POINT #DRAW LINES #DRAW/FILL RECTANGLES
#DRAW CIRCLE/ELLIPSES #PAINT AREAS #TRANSFORM IMAGES
#PAGES ALLOCATED IN RAM #MOVE IMAGES AROUND #SELECT
SGS MODES/COLORS #SCROLL/SHIFT IMAGES #SAVE/LOAD
IMAGES on CASSETTE or DISKETTE #AND Much more...

PLUS: User-created Sounds, Diagnostics, SemiGraphic Screen printing (6EMINI or EPSON printers), Comprehensive Users Manual and Demo Programs.
SGS is a high-speed Machine Language system which adds 22 new graphic commands to your EXTENDED COLOR BASIC.
E X T E N D your CoCo graphics/animation projects with SGS by mailing your Check or Money Order TODAY!

CASSETTE...\$14.95

DISKETTE...\$17.95

MICRO COMPUTER SYSTEMS

1404 SUNSET DRIVE
FRIENDSWOOD, TX 77546





Looking for an Interface?

Look no further. Interfaces for as low as "39.95"

Model 101 Interface \$39.95

The Model 101 is a serial to parallel interface intended for use with a COCO and any Centronics compatible parallel input printer. The 101 has 6 switch selectable baud rates (300-9600). The 101 is only 4" x 2" x 1" and comes with all cables and connectors for your computer and printer.



Model 104 Deluxe Interface \$51.95 **NEW**

The Model 104 is a serial to parallel interface like the Model 101 but it has the added feature of a serial port (sometimes referred to as a modem switch). This feature allows the connection of a parallel printer and any serial device (modem, serial printer etc.) to your computer. You may then select either output, serial or parallel, with the flip of a switch. The 104 is only 4.5" x 2.5" x 1.25" and comes with all cables and connectors for your computer. You supply the serial cable for your modem or other serial device.



Model 103 Combo \$68.95

With the turn of a knob the model 103 switches your computer's RS232C serial port to any one of 3 outputs — 2 serial and 1 parallel. The serial ports may be used for modems, serial printers or even another computer. The parallel port can be used with any Centronics compatible printer. The 103 has the best features from the 101 and 102: color coded position indicator lights, 6 switch selectable baud rates, heavy anodized aluminum cabinet, and many more.



IMPORTANT!

THE 101, 103 AND 104 ALL REQUIRE POWER IN ORDER TO OPERATE. MOST PRINTERS CAN SUPPLY POWER TO YOUR INTERFACE. STAR, RADIO SHACK, AND OKIDATA ARE JUST A FEW THAT DO. EPSON DOES NOT. THE INTERFACES CAN ALSO BE POWERED BY AN AC ADAPTER (RADIO SHACK MODEL 273-1431 PLUGS INTO ALL MODELS). IF YOU REQUIRE A POWER SUPPLY, ADD A "P" TO THE MODEL NUMBER AND \$5.00 TO THE PRICE (MODEL 101P \$44.95, MODEL 104P \$56.95 AND MODEL 103P \$73.95)

Model 102 Switcher \$35.95

The Model 102 has 3 switch positions that allow you to switch your computer's serial output between 3 different devices (modem, printers or another computer). The 102 has color coded lights that indicate the switch position. These lights also act as power indicators to let you know your computer is on. Supplied with the 102 are color coded labels that can be applied to your accessories. The 102 has a heavy gauge anodized aluminum cabinet with non-slip rubber feet.



The Model 101, 102, 103 and 104 will work with any COCO, any level basic and any memory size. These products are covered by a 1 year warranty.

The Model 101, 103 and 104 work with any standard parallel input printer including Gemini, Epson, Radio Shack, Okidata, C. Itoh and many others. They support BASIC print commands, word processors and graphic commands.

Cassette Label Program \$6.95

This fancy printing utility prints 5 lines of information on pinteel cassette labels. "Cassette Label" is menu driven and is very easy to use. It uses the special features of your printer for standard, or condensed characters. Each line of text is automatically centered. Before the label is printed, it is shown on your CRT — enabling you to make changes if you like — then print 1, 2 or 100 labels. The program comes on tape and it is supplied with 24 labels to get you started. 16K ECB required.



Other Quality Items

High Quality 5 Screw Shell C-10 Cassette Tapes **\$7.50 per dozen**

Hard Plastic Storage Boxes for Cassette Tapes **\$2.50 per dozen**

Pin Feed Cassette Labels
White **\$3.00 per 100**
Colors **\$3.60 per 100** (Red, Blue, Yellow or Tan) **NEW**



To order call our 24 hour order line 513-677-0796 and use your VISA or MASTERCARD or request C.O.D.

Or send check or money order to
Metric Industries
P.O. Box 42396
Cincinnati, OH 45242

Free shipping on orders over \$50.00.
Ohio residents add 5.5% sales tax.
Orders under \$50.00 please add \$2.50 for shipping.
We manufacture these products. Dealer inquiries are invited.

```

1039 8E 04C1 00512 FILBUF LDX #04C1
103C 0F 02 00513 CLR <STOP
103E CE 0014 00514 LDU #INPBUF
00515
1041 A6 80 00516 F1 LDA ,X+
1043 5F 00517 CLR B
00518 CMPA #06C ", "
1044 81 6C 00519 BEQ F3
1046 27 42 00520 LDB #0F7
1048 C6 F7 00521 CMPA #066
104A 81 66 00522 BEQ F5
104C 27 41 00523 INCB
104E 5C 00524 CMPA #06E
104F 81 6E 00525 BEQ F5
1051 27 3C 00526 INCB
1053 5C 00527 CMPA #07A
1054 81 7A 00528 BEQ F5
1056 27 37 00529 INCB
1058 5C 00530 CMPA #06B
1059 81 6B 00531 BEQ F5
105B 27 32 00532 INCB
105D 5C 00533 CMPA #06D
105E 81 6D 00534 BEQ F5
1060 27 2D 00535 INCB
1062 5C 00536 CMPA #06A
1063 81 6A 00537 BEQ F5
1065 27 28 00538 INCB
1067 5C 00539 CMPA #06F
1068 81 6F 00540 BEQ F5
106A 27 23 00541 INCB
106C 5C 00542 CMPA #07C
106D 81 7C 00543 BEQ F5
106F 27 1E 00544 INCB
1071 5C

```

```

1072 81 7E 00545 CMPA #07E
1074 27 19 00546 BEQ F5
1076 5C 00547 INCB
00548
1077 81 60 00549 F2 CMPA #060
1079 26 10 00550 BNE F4
107B 8C 04DF 00551 CMPX #04DF
107E 25 C1 00552 BLO F1
1080 6F C4 00553 CLR ,U
1082 6F 41 00554 CLR 1,U
1084 6F 42 00555 CLR 2,U
1086 CE 0014 00556 LDU #INPBUF
1089 39 00557 RTS
00558
108A 4F 00559 F3 CLRA
00560
108B ED C0 00561 F4 STD ,U+
108D 20 B2 00562 BRA F1
00563
108F 1F 98 00564 F5 TFR B,A
1091 5F 00565 CLR B
1092 20 F7 00566 BRA F4
00567
1094 E6 9F 0088 00568 GETKEY LDB [CURSOR]
1098 34 04 00569 PSHS B
109A E6 9F 0000 00570 LDB [OFFSET]
109E 34 04 00571 PSHS B
00572 CLR B
00573
10A1 A6 9F 0088 00574 GETK1 LDA [CURSOR]
10A5 88 40 00575 EORA #040
10A7 A7 9F 0088 00576 STA [CURSOR]
10AB A6 9F 0000 00577 LDA [OFFSET]

```

PERRY COMPUTERS

CALL (517) 625-4161
CALL TOLL FREE 1-800-248-3823

COLOR COMPUTERS

COMPUTERS

	LIST PRICE	OUR PRICE
26-3136 16K Extended Color Computer 2	\$ 119.95	\$ 99.00
26-3127 64K Extended Color Computer 2	219.95	175.00
26-3129 Disk Drive 0 for Color Computer	349.95	290.00
26-3130 Disk Drive 1 for Drive 0	199.95	169.00
26-1276 DMP-105 80 cps Dot Matrix	199.95	169.00
Teletwriter 64 Tape	49.95	42.00
Teletwriter 64 Disk	59.95	49.00
VIP Writer	69.95	59.00

COMPUTERS

	LIST PRICE	OUR PRICE
26-1070 Model 4D Desktop 64K	\$ 1199.00	\$ 895.00
25-1000 Tandy 1000 1 Dr. 128K	999.00	705.00
25-3000 Tandy 1200 10 Meg H.D. 256K	1999.00	1525.00
26-5103 Tandy 2000 2 Dr. 256K	2499.00	1225.00
26-5104 Tandy 2000 1 Dr. 10 Meg H.D. 256K	3950.00	1885.00
26-3860 Tandy Portable 200 24K	999.00	725.00
26-1208 CCR 81 Tape Recorder	59.95	50.00
25-1001 Tandy 1000 10 Meg. H.D. 256K	1999.00	1495.00

SOFTWARE

	LIST PRICE	OUR PRICE
VIP Database	\$ 59.95	\$ 49.00
VIP Terminal Disk	49.95	45.00
VIP Integrated Library	149.95	139.00
RADIO SHACK Software	—	15% Off
Tom Mix Software	—	CALL
Comrex SS/DD 10 Pack Disks	21.00	14.00

PRINTERS

	LIST PRICE	OUR PRICE
Epson LX-80 Printer (Friction Feed)	\$ 299.00	\$ 250.00
Epson LX-80 Tractor Feed	49.95	40.00
OKI/DATA 182 Printer	299.00	245.00
STAR SG-10 Printer	299.00	250.00
C. ITOH 7500 Prowriter Printer	289.00	225.00
Botek Serial to Parallel Interface	69.00	59.00

MONITORS

	LIST PRICE	OUR PRICE
Comrex 12" Green Monitor	\$ 119.00	\$ 95.00
Comrex 12" Amber Monitor	129.95	110.00
Comrex 13" Color Monitor	329.95	285.00
Amdex 300A Monitor	199.95	155.00
TEKNIKA RGB/Composite Color Monitor	399.00	295.00
VIDEO Plus Monitor Adaptor	—	32.00

ACCESSORIES

	LIST PRICE	OUR PRICE
26-3018 Extended Basic Kit	\$ 39.95	\$ 37.00
26-3017 64K Memory Kit	59.95	51.00
26-3008 Joysticks (PAIR)	19.95	16.95
26-3012 Deluxe Joystick (EACH)	29.95	25.00
26-1178 DCM-3 Direct Connect Modem	59.95	50.00
Anchor-Signalman Modem 300/1200 Baud	399.00	275.00

All prices and offers may be changed or withdrawn without notice. Advertised prices are cash prices. C.O.D. accounts. (T.O.R. check or cash in C.O.D. Call for further C.O.D. information.) M.C. Visa and P.C. All non-deliverable items returned will be subject to 10% restocking fee. (Deliveries made within reasonable authorization. Call for R.M.A. Number before returning. Delivery is subject to product availability. Mon. Wed. & Fri. 9-9, Tues. & Thurs. 9-6, Sat. 9-3

PERRY COMPUTERS • 124 SOUTH MAIN STREET • PERRY, MI 48872

10AF 88	40	00578	EORA #540			00611	
10B1 A7	9F	00579	STA [OFFSET]	10EE 81	00	00612	CHR3 CMPA #9
		00580		10F0 27	36	00613	BEQ CHR10
10B5 AD	9F	00581	GETK2 JSR [POLCAT]	10F2 81	20	00614	CMPA #520
10B9 26	05	00582	BNE GETK3	10F4 25	30	00615	BLO CHR9
10BB 5A		00583	DECB	10F6 4D		00616	TSTA
10BC 26	F7	00584	BNE GETK2	10F7 2B	00	00617	BMI CHR5
10BE 20	E1	00585	BRA GETK1	10F9 81	40	00618	CMPA #540
		00586		10FB 25	06	00619	BLO CHR4
10C0 35	04	00587	GETK3 PULS B	10FD 81	60	00620	CMPA #560
10C2 E7	9F	00588	STB [OFFSET]	10FF 25	04	00621	BLO CHR5
10C6 35	04	00589	PULS B	1101 84	DF	00622	ANDA #5DF
10C8 E7	9F	00590	STB [CURSOR]			00623	
10CC 39		00591	RTS	1103 88	40	00624	CHR4 EORA #540
		00592				00625	
10CD 34	16	00593	CHROUT PSHS X,B,A	1105 A7	80	00626	CHR5 STA ,X+
10CF 9E	88	00594	LDX <CURSOR			00627	
10D1 81	08	00595	CMPA #8	1107 9F	88	00628	CHR6 STX <CURSOR
10D3 26	09	00596	BNE CHR1	1109 8C	04DF	00629	CMPX #54DF
10D5 8C	04C1	00597	CMPX #54C1	110C 23	18	00630	BLS CHR9
10D8 27	4C	00598	BEQ CHR9	110E 8E	0460	00631	LDX #5460
10DA 30	1F	00599	LEAX -1,X			00632	
10DC 20	29	00600	BRA CHR6	1111 EC	88 20	00633	CHR7 LDD \$20,X
		00601		1114 ED	81	00634	STD ,X++
10DE 81	0D	00602	CHR1 CMPA #50D	1116 8C	04C0	00635	CMPX #54C0
10E0 26	0C	00603	BNE CHR3	1119 25	F6	00636	BLO CHR7
		00604		111B 9F	88	00637	STX <CURSOR
10E2 86	60	00605	CHR2 LDA #560	111D C6	60	00638	LDB #560
10E4 A7	80	00606	STA ,X+			00639	
10E6 1F	10	00607	TFR X,D	111F E7	80	00640	CHR8 STB ,X+
10E8 C5	1F	00608	BITB #51F	1121 8C	04DF	00641	CMPX #54DF
10EA 26	F6	00609	BNE CHR2	1124 23	F9	00642	BLS CHR8
10EC 20	19	00610	BRA CHR6			00643	

★ ★ ★ ★ ★ SELECTED SOFTWARE ★ ★ ★ ★ ★

SOLDERLESS UPGRADE KITS

With easy-to-follow instructions

64K FOR E BOARD	\$39.95
64K FOR F BOARD	\$29.95
64K FOR COCO2*	\$29.95

* New CoCo2 Model 25-3134/35 requires one solder joint

NOTE: All ICs used in our kits are first quality 150 NS prime chips and carry one full year warranty.

ASSEMBLY LANGUAGE

COLOR BASIC UNRAVELLED	\$17.95
EXTENDED BASIC UNRAVELLED	\$17.95
DISK BASIC UNRAVELLED	\$17.95
ALL 3 BOOKS	ONLY \$39.95
THE FACTS (BOOK)	\$14.95
ULTRA 800 DISK EDITOR - ASSEMBLER	\$24.95
BUG OUT & THE ORACLE	\$14.95
ALL 6 ITEMS	ONLY \$59.95

MURA MINI MODEM* & AUTOTERM**

\$54.95 (disk add \$5.00) or \$29.95 each
CoCo Cable \$9.95

*Direct connect 300 Baud manual answer/originate with power supply & phone cable.

**Newest version

COCO MAX with tape or disk	\$64.95	CASE AND POWER SUPPLY	\$49.00
V BRANCHING CABLE	\$27.95	NEW J & M DISK CONTROLLER	
DS-89 DIGISECTOR with tape or disk	\$129.95	With J Dos 1.2	\$139.00
HIL 57 KEYBOARD	\$69.95	DISKETTE CAROUSEL	\$24.95
VOLKSMODEM 300 BAUD with all cables	\$64.95	ZENITH ZVM-123 GREEN	\$99.00
THE INTRONICS EPROM PROGRAMMER	\$129.95	ZENITH ZVM-123 AMBER	\$109.00
DATARASE	\$39.95	VIDEO PLUS	\$24.95
2764 HIGH SPEED COMPATIBLE	\$7.95	VIDEO PLUS IIC	\$34.95
27128 HIGH SPEED COMPATIBLE	\$12.00	VIDEO PLUS IIO	\$34.95
ROM PACK P.C. BOARD		REAL TALKER I	
With case for 27xx	\$9.95	With 3 talking games	\$49.95
TEAC 558 DS/DD Half Height Drive	\$109.95	REAL TALKER II	
		With 3 talking games	\$54.95
		CRAFT JOYSTICK	\$24.95

CHRISTMAS SPECIALS

10 SPECTRAL ASSOCIATES space games in one package for only \$21.95 tape or disk.

Top 5 SPECTRAL ASSOCIATES games

in one package: Galagon, Lancer, Cubix, Froggie & Lunar Rover Partol for only \$34.95 tape or disk.

Take a closer look...

	TAPE	DISK			
DYNACALC	\$79.95	\$74.95	SAILOR MAN (64K)	\$23.95	\$27.95
PROCOLOR FILE 2.0	\$49.95	\$49.95	WORLDS OF FLIGHT	\$23.95	\$26.95
MASTER DESIGN	\$29.95	\$29.95	DRAGON SLAYER		\$23.95
TELEWRITER 64	\$39.95	\$47.95	DRACONIAN	\$22.95	\$24.95
SUPER SCREEN MACHINE	\$35.95	\$36.95	SR-71	\$23.15	\$24.75
RAINBOW SCREEN MACHINE	\$23.95	\$26.95	BUZZARD BAIT	\$22.35	\$19.95
COLORCOM E	\$39.95	\$39.95	GALAGON	\$16.95	\$19.95
AUTOTERM	\$31.95	\$30.95	LUNAR ROVER PATROL	\$16.95	\$19.95
ADDS	\$27.95	\$27.95	MS GOBBLER	\$16.95	\$19.95
FAST TAPE	\$21.95		LANCER	\$16.95	\$19.95
THE PEPPER WITH SOURCE	\$24.95	\$26.95	CUBIX	\$16.95	\$19.95
GRAPHICOM	\$17.95	\$17.95	FROGGIE	\$16.95	\$19.95
			CANDY CO	\$24.95	\$24.95
			B-BALL ROM PACK (16K)		\$21.95
			GHOST GOBBLER ROM PACK (16K)		\$19.95
PIT MUSTANG	\$23.95	\$27.95			
Optional Cable	\$9.95				

32K GAMES

PIT MUSTANG	\$23.95	\$27.95
Optional Cable	\$9.95	

WE PAY SHIPPING in the United States, Canada & Mexico. Overseas please add 10%. (MN Residents add 6% sales tax.) We accept Visa, Mastercard, check or money order. U.S. funds only for foreign orders. C.O.D. please add \$2.00. (USA only).

Send to: **SELECTED SOFTWARE**

P.O. Box 32228, Fridley, MN 55432
24 HOUR ORDER LINE 612-757-2439
INFORMATION 612-757-1026 (11 A.M. - 2 P.M. C.S.T.)
SAME DAY SHIPPING BEFORE 1 P.M. C.S.T.

1126 35 96 99644 CHR9 PULS A,B,X,PC
99645
1128 39 91 99646 CHR19 LEAX 1,X
112A 8C 94DF 99647 CMPX #94DF
112D 22 F7 99648 BHI CHR9
112F 29 D6 99649 BRA CHR6
99650
99651 *
99652 *** PARSER SUBROUTINES
99653 *
99654
1131 DF 95 99655 MATCH STU <TEMP9
1133 AE 22 99656 LDX 2,Y
1135 9F 97 99657 STX <TEMP2
1137 1A 59 99658 ORCC #959
99659
1139 86 92 99660 M1 LDA #2
113B BD 1241 99661 JSR DOIO
113E 6D 26 99662 TST 6,Y
1140 26 43 99663 BNE M5
1142 8E 9599 99664 LDX #9599
99665
1145 DE 95 99666 M2 LDU <TEMP9
1147 34 19 99667 PSHS X
99668
1149 A6 C9 99669 M3 LDA ,U+
114B A1 89 99670 CMPA ,X+
114D 27 FA 99671 BEQ M3
114F 35 19 99672 PULS X
1151 4D 99673 TSTA
1152 26 9A 99674 BNE M4
1154 9F 99 99675 STX <OFFSET
1156 1C AF 99676 ANDCC #9AF

1158 8E 189C 99677 LDX #FOUND
115B 7E 15C3 99678 JMP PRINT
99679
115E AD 9F 9999 99680 M4 JSR [POLCAT]
1162 26 21 99681 BNE M5
1164 39 91 99682 LEAX 1,X
1166 8C 9699 99683 CMPX #9699
1169 25 DA 99684 BLO M2
116B CE 18AE 99685 LDU #END
116E BD 12B3 99686 JSR NEXT
1171 EC 22 99687 LDD 2,Y
1173 1993 97 99688 CMPD <TEMP2
1176 26 C1 99689 BNE M1
1178 86 92 99690 LDA #2
117A BD 1241 99691 JSR DOIO
117D 1C AF 99692 ANDCC #9AF
117F 8E 17EA 99693 LDX #NOLUCK
1182 7E 15C3 99694 JMP PRINT
99695
1185 8E 17FA 99696 M5 LDX #ABORT
1188 1C AF 99697 ANDCC #9AF
118A 7E 15C3 99698 JMP PRINT
99699
118D 37 92 99700 NUMB PULU A
118F BD 13F8 99701 JSR VALUE
1192 9D 92 99702 TST <STOP
1194 1926 91F9 99703 LBNE RET
1198 D7 91 99704 STB <OFFSET+1
119A 7E 1384 99705 JMP COMM
99706
119D 37 92 99707 THREE PULU A
119F BD 13F8 99708 JSR VALUE
11A2 D7 95 99709 STB <TEMP9
11A4 37 92 99710 PULU A
11A6 BD 13F8 99711 JSR VALUE
11A9 D7 96 99712 STB <TEMP1
11AB 37 92 99713 PULU A
11AD BD 13F8 99714 JSR VALUE
11B0 D7 97 99715 STB <TEMP2
11B2 8E 9599 99716 LDX #9599
11B5 1F 13 99717 TFR X,U
11B7 D6 95 99718 LDB <TEMP9
11B9 3A 99719 ABX
11BA D6 96 99720 LDB <TEMP1
11BC 4F 99721 CLRA
11BD 33 CB 99722 LEAU D,U
11BF 39 99723 RTS
99724
11C9 8C 9699 99725 MODUL CMPX #9699
11C3 25 96 99726 BLO MOD1
11C5 39 89 FF99 99727 LEAX -9199,X
11C9 29 F5 99728 BRA MODUL
99729
11CB 8C 9599 99730 MOD1 CMPX #9599
11CE 24 96 99731 BHS MOD2
11D0 39 89 9199 99732 LEAX 9199,X
11D4 29 F5 99733 BRA MOD1
99734
11D6 1183 9699 99735 MOD2 CMPU #9699
11DA 25 96 99736 BLO MOD3
11DC 33 C9 FF99 99737 LEAU -9199,U
11E0 29 F4 99738 BRA MOD2
99739
11E2 1183 9599 99740 MOD3 CMPU #9599
11E6 24 96 99741 BHS MOD4
11E8 33 C9 9199 99742 LEAU 9199,U
11EC 29 F4 99743 BRA MOD3
99744
11EE 39 99745 MOD4 RTS
99746

EUREKA!

L.A. We got it—you found us!

<p>Lifetime Guarantee</p> <p>DISKS</p> <p>Bulk .99¢ ea. Sentinel \$1.29 ea.</p>	<p>Dot Matrix</p> <p>PRINTERS</p> <p>as low as \$199</p> <p>Panasonic KXP1090 Daisy Wheel \$289</p>	<p>SOFTWARE</p> <p>over 180 titles discounted</p> <p>Games up to 50% Books .20% All others .10%</p>
<p>Hi Resolution</p> <p>MONITORS</p> <p>start at \$89</p> <p>Zenith 12" green Color/sound \$195</p>	<p>5 1/4 Half Height</p> <p>DISK DRIVES</p> <p>\$75</p> <p>Bare Hi-Tech W/Case/Pwr \$139 DSTeac. \$ 95</p>	<p>Direct Connect</p> <p>MODEMS</p> <p>\$59</p> <p>Volks 300 baud 1200 baud auto \$217 Hayes comp Smart 299</p>
<p>SYSTEMS</p> <p>64K Color Com- puter by Tano \$119</p> <p>Zenith 256k 2dr Ser/Par/RGB/Mon Turbo mode \$1599</p>	<p>MISCELLANEOUS</p> <p>Keyboards \$59 Disk Cases \$17 Printer Int \$48 Video Driver \$24 Power Strip \$19 Swivel Base \$19 more</p>	<p>PARTS</p> <p>•EPROMS •ROMS •CONTROLLERS •MEMORY DRAMS •CABLES •KITS •JCS •PAPER •LABELS •RIBBONS •DAISY WHEELS</p>



POLYGON COMPUTERS
1316 Wilshire Blvd., Suite 206
Los Angeles, CA 90017
(213) 483-8388



Ca. Res. 6 1/2% tax
Visit our Retail Store

Shipping: \$2 Software
Charges: \$5 Hardware

COLOR DISK MANAGER

Color Disk Manager will do selective initializations, verifies, backups, repairs and much more!

- will initialize single tracks, a range of tracks, or the entire disk to more than 35 tracks
- allows you to make a backup of the directory out of reach of basic and put it back if a directory crash occurs; has a recover file command which will load entire files off the disk if the directory crashes and the allocation table is good; will repair or salvage crashed disk several ways
- is 64K compatible allowing a 64K backup; does backups by track, a range of tracks, or the whole disk (will do more than 35 tracks)
- gives an allocation table map with granules x-referenced to tracks and sectors, and showing which granules are used; displays a file granule map showing which granules, tracks, and sectors the file uses, and the length
- will do a directory displaying file names in two columns, the number of free granules, and the free bytes if below 65535; has a kill file command
- loads and saves, sectors, tracks or files; loads files two ways, as done by basic, or with header bytes left in, which helps in studying how files are saved on disk; has an append sector command
- verifies tracks or the entire disk showing the track and sector if an error occurs; with the option of continue or stop
- is multiple drive compatible
- allows you to save a block of memory to disk; transfers programs from tape to disk
- has a rapid scan feature which allows you to scan the disk by tracks and sectors using the arrow keys
- will dump memory to the screen in ascii, good for listing basic programs or source files; has a move memory block command; and a transfer control command
- converts decimal to hex or hex to decimal
- allows you to examine memory using the arrow keys with displays in hex (or decimal) and ascii
- will load and execute rompac's saved on disk; has a move rom to ram command
- allows you to change origin (start addr.) of ML programs; displays the start, end, and execute addresses of ML programs

• 32K - 64K ECB \$34.95 Disk

RAINBOW SCREEN MACHINE

- Add these features to your computer/program: ML extension of Basic loads on top of 16, 32, or 64K machines to enable easy mixture of hi-res graphics and text in your programs. Dense text or large lettering for children, visually impaired or VCR title screens with no programming!
- User definable 224 character set featuring lower case descenders, Greek, cars, tanks, planes, etc., completely interfaced with all keys, commands, and PMODES. 12 sizes (most colored) from 16 x 8 to 64 x 24. PRINT (r), TAB and comma fields are fully supported.
- 2 distinct character sets automatically switch for sharpest lettering featuring underline, subscript, superscript, reverse video, top and bottom scroll protect, double width, colored characters in PMODE 4, and help screen.
- Simple 2-letter abbreviated commands inside your program or control key entry from keyboard, even during program execution!
- Includes demo program, character generator program and manual. 16K Basic required — 32K recommended. \$29.95 Tape; \$32.95 Disk.

COLOR TAPE MANAGER

- merges multiple basic programs into one; appends multiple machine language programs into one; appends machine language to basic (example included)
 - converts numbers from hex to decimal or decimal to hex; allows input in hex or decimal
 - rapidly scans memory using the arrow keys with auto-key repeat
 - displays memory in hex (or decimal) and ascii; allows the changing of memory in decimal or hex
 - deals with missing end of file blocks; loads and saves data with or without a filename block
 - handles programs with varying block lengths
 - displays the start, end, and execute addresses of ML programs; displays the buffer start, end and top addresses
 - converts ML programs into basic data statements which can be loaded as, or merged with, a basic program
 - turns the audio and cassette motor on and off with one key commands; has inverted displays which lessen eye fatigue
 - finds the end of programs on tape even from within a program with a skip file command; allows the transferring of control to other programs with a go command
 - moves blocks of memory from start through end address to new start address; allows the changing of the origin (start adds) or ML programs
 - has an 8,380 byte loading buffer with 16K systems and 24,760 byte loading buffer with 32K systems
- 16K ECB minimum \$19.95 Tape \$22.95 Disk

SUPER SCREEN MACHINE

All of the features of Screen Machine and more:

- Variable SMOOTH Scroll for professional displays, listings, business use.
- Variable volume KEY Click (tactile feedback).
- EDTASM+ command for instant compatibility with cartridge EDTASM.
- Superpatch+ command for instant compatibility with the Superpatch+ Editor-Assembler.
- True Break key disable and recognition.
- 10 User Definable commands used to activate your special drivers or subroutine.
- Dynamic Screen Dump command for use with Custom Software, Engineering's Graphic Screen Print program for simple printer "Snapshots" of your screen even during program execution!
- Super Screen Machine - \$44.95 Tape; \$47.95 Disk.

Screen Machine can be used in games, word processors, utilities, etc. In addition, the custom graphics characters can be used to develop easy, effective hi-res character-graphics programs. The potential is truly unlimited.

Screen Machine is fully interfaced with all keys and commands. Although some Basic programming knowledge is recommended just a few minutes spent studying and referencing your computer's Basic manuals will turn you on to the power of computing with Screen Machine.

Screen Machine can be used to directly create video recorder title screens or large lettering for children or the visually impaired simply by typing.

Dealer and author inquiries are always welcome. Canadian dealers should contact Kelly Software Distributors, Ltd., P.O. Box 11932, Edmonton, Alberta T5J-3L1, (403) 421-8003.

Disk software compatible with Radio Shack DOS only.

SUGAR SOFTWARE

1710 N. 50th Ave.
Hollywood, Florida 33021
(305) 981-1241

A complete catalog of other sweet Sugar Software products is available.

Add \$1.50 per program for postage and handling. Florida residents add 5% sales tax COD orders are welcome. CIS orders EMAIL to 70405, 1374. No refunds or exchanges.

MasterCard

VISA

11EF 8D AC	99747	SWAP BSR THREE	122B C1 03	99789	CMPB #3
11F1 0D 02	99748	TST <STOP	122D 22 0C	99781	BHI BDRIVE
11F3 1026 0191	99749	LBNE RET	122F E7 21	99782	STB 1,Y
	99750		1231 20 0E	99783	BRA DOIO
11F7 8D C7	99751	SWAP1 BSR MODUL		99784	
11F9 A6 84	99752	LDA ,X	1233 86 03	99785	WRITE LDA #3
11FB E6 C4	99753	LDB ,U	1235 E6 C0	99786	LDB ,U+
11FD E7 80	99754	STB ,X+	1237 26 E6	99787	BNE GDRV
11FF A7 C0	99755	STA ,U+	1239 20 06	99788	BRA DOIO
1201 0A 07	99756	DEC <TEMP2		99789	
1203 26 F2	99757	BNE SWAP1	123B 8E 179F	99790	BDRIVE LDX #ERR3
1205 39	99758	RTS	123E 7E 15C3	99791	JMP PRINT
	99759			99792	
1206 8D 95	99760	COPY BSR THREE		99793	*
1208 0D 02	99761	TST <STOP		99794	*** DISK INPUT/OUTPUT
120A 1026 017A	99762	LBNE RET		99795	*
	99763			99796	
120E 8D B0	99764	COPY1 BSR MODUL	1241 A7 A4	99797	DOIO STA ,Y
1210 A6 80	99765	LDA ,X+		99798	
1212 A7 C0	99766	STA ,U+	1243 8E 0500	99799	DOIO1 LDX #500
1214 0A 07	99767	DEC <TEMP2	1246 AF 24	99800	STX 4,Y
1216 26 F6	99768	BNE COPY1	1248 9F 00	99801	STX <OFFSET
1218 39	99769	RTS	124A 4F	99802	CLRA
	99770		124B 1F 8B	99803	TFR A,DP
1219 86 02	99771	READ LDA #2	124D AD 9F C004	99804	JSR [DSKCON]
121B E6 C0	99772	LDB ,U+	1251 C6 30	99805	LDB #30
121D 27 22	99773	BEQ DOIO	1253 F7 0985	99806	STB >DELAY
	99774		1256 A6 26	99807	LDA 6,Y
121F C1 F9	99775	GDRV CMPB #SF9 " : "	1258 26 01	99808	BNE DOIO2
1221 1026 021C	99776	LBNE BPARMS	125A 39	99809	RTS
1225 37 04	99777	PULD B		99810	
1227 C0 70	99778	SUBB #70	125B 8E 16E0	99811	DOIO2 LDX #IOERR
1229 25 10	99779	BLO BDRIVE	125E EA 21	99812	ORB 1,Y
			1260 F7 16FB	99813	STB >DRVN
			1263 34 02	99814	PSHS A
			1265 BD 15C3	99815	JSR PRINT
			1268 8E 16FE	99816	LDX #DNR
			126B A6 E0	99817	LDA ,S+
			126D 2B 09	99818	BMI DOIO3
			126F 8E 1717	99819	LDX #WRP
			1272 48	99820	LSLA
			1273 2B 03	99821	BMI DOIO3
			1275 8E 1735	99822	LDX #SYS
				99823	
			1278 BD 15C3	99824	DOIO3 JSR PRINT
				99825	
			127B 8E 174D	99826	DOIO4 LDX #OPT
			127E BD 15C3	99827	JSR PRINT
			1281 BD 1094	99828	JSR GETKEY
			1284 BD 10CD	99829	JSR CHROUT
			1287 81 52	99830	CMPA #'R
			1289 27 B8	99831	BEQ DOIO1
			128B 81 41	99832	CMPA #'A
			128D 26 EC	99833	BNE DOIO4
			128F 39	99834	RTS
				99835	
				99836	*
				99837	*** MORE PARSER ROUTINES
				99838	*
				99839	
			1290 37 02	99840	GRAN FULU A
			1292 BD 13F8	99841	JSR VALUE
			1295 0D 02	99842	TST <STOP
			1297 1026 00ED	99843	LBNE RET
			129B C1 43	99844	CMPB #MAXGRN
			129D 1022 0066	99845	LBHI ILLREQ
			12A1 4F	99846	CLRA
			12A2 54	99847	LSRB
			12A3 34 04	99848	PSHS B
			12A5 89 00	99849	ADCA #0

● **ORDER NOW AND SAVE !!!**
ALL PRICES REDUCED TO
CLEAR OUR INVENTORY.

● **COLOR BANKBOOK \$24.95**

● **BUSINESS BANKBOOK**

SYSTEM ONE
FOR ONE DISK DRIVE

\$54.95

SYSTEM TWO
FOR TWO DISK DRIVES

\$54.95

● **SUPER DISK UTILITY**

\$14.95

ADD \$2.00 FOR SHIPPING & HANDLING
FLORIDA RES. ADD 5% SALES TAX
OFFER EXPIRES DEC. 31, 1985.

**SUNRISE
SOFTWARE**

8901 NW 26 ST DEPT R
SUNRISE, FL 33322

12A7 C6	09	00850	LDB #9	1324 BD	13F8	00919	JSR VALUE
12A9 3D		00851	MUL	1327 0D	02	00920	TST <STOP
12AA 5C		00852	INCB	1329 26	5D	00921	BNE RET
12AB 35	02	00853	PULS A	132B C1	12	00922	CMPB #MAXSCT
12AD 81	11	00854	CMPA #17	132D 22	D8	00923	BHI ILLREQ
12AF 82	FF	00855	SBCA #5FF	132F 5D		00924	TSTB
12B1 20	0F	00856	BRA NEXT1	1330 27	D5	00925	BEQ ILLREQ
		00857		1332 E7	23	00926	STB 3,Y
12B3 EC	22	00858	NEXT LDD 2,Y	1334 20	4E	00927	BRA COMM
12B5 5C		00859	INCB			00928	
12B6 C1	12	00860	CMPB #MAXSCT	1336 8E	0004	00929	INP LDX #IN
12B8 23	08	00861	BLS NEXT1	1339 20	05	00930	BRA SET
12BA C6	01	00862	LDB #1			00931	
12BC 4C		00863	INCA	133B 8E	0003	00932	OUTPUT LDX #OUT
12BD 81	22	00864	CMPA #MAXTRK	133E 20	00	00933	BRA SET
12BF 23	01	00865	BLS NEXT1			00934	
12C1 4F		00866	CLRA	1340 37	06	00935	SET PULU D
		00867		1342 5D		00936	TSTB
12C2 ED	22	00868	NEXT1 STD 2,Y	1343 26	2F	00937	BNE BRAD
12C4 BD	1548	00869	JSR DISP	1345 81	41	00938	CMPA #'A
12C7 7E	1384	00870	JMP COMM	1347 27	18	00939	BEQ OUTP1
		00871		1349 81	67	00940	CMPA #567 ""
12CA EC	22	00872	PREV LDD 2,Y	134B 27	1B	00941	BEQ SYNA
12CC 5A		00873	DECB	134D 81	42	00942	CMPA #'B
12CD 26	F3	00874	BNE NEXT1	134F 27	10	00943	BEQ OUTP1
12CF C6	12	00875	LDB #MAXSCT	1351 81	65	00944	CMPA #565 ""
12D1 4A		00876	DECA	1353 27	17	00945	BEQ SYNB
12D2 2A	EE	00877	BPL NEXT1	1355 81	48	00946	CMPA #'H
12D4 86	22	00878	LDA #MAXTRK	1357 27	08	00947	BEQ OUTP1
12D6 20	EA	00879	BRA NEXT1	1359 81	64	00948	CMPA #564 "\$"
		00880		135B 27	13	00949	BEQ SYNH
12D8 37	02	00881	FILL PULU A	135D 81	44	00950	CMPA #'D
12DA 81	41	00882	CMPA #'A	135F 26	13	00951	BNE BRAD
12DC 27	29	00883	BEQ ILLREQ				
12DE 81	67	00884	CMPA #567 ""				
12E0 27	25	00885	BEQ ILLREQ				
12E2 BD	13F8	00886	JSR VALUE				
12E5 0D	02	00887	TST <STOP				
12E7 1026	009D	00888	LBNE RET				
12EB D7	05	00889	STB <TEMP0				
12ED 37	02	00890	PULU A				
12EF BD	13F8	00891	JSR VALUE				
12F2 96	05	00892	LDA <TEMP0				
12F4 5D		00893	TSTB				
12F5 26	05	00894	BNE FILL1				
12F7 8E	0500	00895	LDX #5500				
12FA 9F	00	00896	STX <OFFSET				
		00897					
12FC A7	9F 0000	00898	FILL1 STA [OFFSET]				
1300 0C	01	00899	INC <OFFSET+1				
1302 5A		00900	DECB				
1303 26	F7	00901	BNE FILL1				
1305 20	7D	00902	BRA COMM				
		00903					
1307 8E	177A	00904	ILLREQ LDX #ERR1				
130A 0C	02	00905	INC <STOP				
130C BD	15C3	00906	JSR PRINT				
130F 20	73	00907	BRA COMM				
		00908					
1311 37	02	00909	TRACK PULU A				
1313 BD	13F8	00910	JSR VALUE				
1316 0D	02	00911	TST <STOP				
1318 26	6E	00912	BNE RET				
131A C1	22	00913	CMPB #MAXTRK				
131C 22	E9	00914	BHI ILLREQ				
131E E7	22	00915	STB 2,Y				
1320 20	62	00916	BRA COMM				
		00917					
1322 37	02	00918	SECTOR PULU A				

5 1/4" DUAL FLOPPY DISK DRIVE



ONLY
\$149⁰⁰

SPECIAL

**BRAND
NEW**

- 368K of STORAGE CAPACITY
- RADIO SHACK MODEL 1, 4 and
- COLOR COMPUTER COMPATIBLE

The Digital Equipment RX180 contains two double density, 40 track, 5 1/4 inch Shugart compatible mini-floppy disk drives with power supply, cooling fan, and on/off switch and line cord.

Great Radio Shack add ons sure to sell fast
at this low price.



Master Charge, Visa, and American Express
For quick service order today by telephone
617-547-4005 • 800-892-9230

ELI HEFFRON & Sons inc.

139-145 HAMPSHIRE ST. CAMBRIDGE, MA. 02139

```

gg952
1361 A7 84 gg953 OUTP1 STA ,X
1363 BD 1548 gg954 JSR DISP
1366 2Q 1C gg955 BRA COMM
gg956
gg957
1368 86 41 gg958 SYNA LDA #'A
136A 2Q F5 gg959 BRA OUTP1
136C 86 42 gg960 SYNB LDA #'B
136E 2Q F1 gg961 BRA OUTP1
1370 86 48 gg962 SYNH LDA #'H
1372 2Q ED gg963 BRA OUTP1
1374 8E 17DB gg964 BRAD LDX #ERR6
1377 0C 02 gg965 INC <STOP
1379 7E 15C3 gg966 JMP PRINT
gg967
137C 8E 178B gg968 UNKNOW LDX #ERR2
137F 0C 02 gg969 INC <STOP
1381 7E 15C3 gg970 JMP PRINT
gg971
gg972 *
gg973 *** COMMAND PARSER
gg974 *
gg975
1384 A6 0Q gg976 COMM LDA ,U+
1386 26 01 gg977 BNE COMMQ
gg978
1388 39 gg979 RET RTS
gg980
1389 81 51 gg981 COMMQ CMPA #'Q
138B 26 03 gg982 BNE COMM1
138D 32 62 gg983 LEAS 2,S
138F 39 gg984 RTS

```

```

gg985
1390 81 52 gg986 COMM1 CMPA #'R
1392 1Q27 FE83 gg987 LBEQ READ
1396 81 57 gg988 CMPA #'W
1398 1Q27 FE97 gg989 LBEQ WRITE
139C 81 4F gg990 CMPA #'O
139E 1Q27 FF99 gg991 LBEQ OUTPUT
13A2 81 49 gg992 CMPA #'I
13A4 1Q27 FF8E gg993 LBEQ INP
13A8 81 43 gg994 CMPA #'C
13AA 1Q27 FE58 gg995 LBEQ COPY
13AE 81 4D gg996 CMPA #'M
13B0 1Q27 FD7D gg997 LBEQ MATCH
13B4 81 4E gg998 CMPA #'N
13B6 1Q27 FDD3 gg999 LBEQ NUMB
13BA 81 58 01000 CMPA #'X
13BC 1Q27 FE2F 01001 LBEQ SWAP
13C0 81 FA 01002 CMPA #SFA "+"
13C2 1Q27 FEED 01003 LBEQ NEXT
13C6 81 FB 01004 CMPA #SFB "-
13C8 1Q27 FEFE 01005 LBEQ PREV
13CC 81 54 01006 CMPA #'T
13CE 1Q27 FF3F 01007 LBEQ TRACK
13D2 81 53 01008 CMPA #'S
13D4 1Q27 FF4A 01009 LBEQ SECTOR
13D8 81 47 01010 CMPA #'G
13DA 1Q27 FEB2 01011 LBEQ GRAN
13DE 81 46 01012 CMPA #'F
13E0 1Q27 FEF4 01013 LBEQ FILL
13E4 81 50 01014 CMPA #'P
13E6 1Q27 0211 01015 LBEQ LP

```

```

01016
13EA 8D 0C 01017 BSR VALUE
13EC 0D 02 01018 TST <STOP
13EE 26 98 01019 BNE RET
13F0 E7 9F 01020 STB [OFFSET]
13F4 0C 01 01021 INC <OFFSET+1
13F6 2Q 8C 01022 BRA COMM
01023
01024 *
01025 *** INPUT CONVERSIONS
01026 *
01027
13F8 81 48 01028 VALUE CMPA #'H
13FA 1Q27 00B3 01029 LBEQ HV
13FE 81 64 01030 CMPA #S64 "$"
1400 27 7F 01031 BEQ HV
1402 81 42 01032 CMPA #'B
1404 27 43 01033 BEQ BV
1406 81 65 01034 CMPA #S65 "E"
1408 27 3F 01035 BEQ BV
140A 81 44 01036 CMPA #'D
140C 27 52 01037 BEQ DV
140E 81 41 01038 CMPA #'A
1410 1Q27 0097 01039 LBEQ AV
1414 81 67 01040 CMPA #S67 ""
1416 1Q27 0091 01041 LBEQ AV
141A A6 C2 01042 LDA ,-U
141C 81 70 01043 CMPA #S70
141E 25 17 01044 BLO VALUE1
1420 D6 04 01045 LDB <IN
1422 C1 41 01046 CMPB #'A
1424 1Q27 0083 01047 LBEQ AV
1428 C1 42 01048 CMPB #'B
142A 1Q27 001B 01049 LBEQ BV
142E C1 44 01050 CMPB #'D
1430 1Q27 002C 01051 LBEQ DV
1434 7E 1481 01052 JMP HV
01053
1437 32 62 01054 VALUE1 LEAS 2,S

```



Now, let your computer spend some time running programs, instead of waiting for printers, drives, eodas,

Universal Interface -- Connects your CoCo to our high performance peripherals and lets you use high level commands to talk to them. Includes interface power supply\$49.95

Each of our boards contains its own processor to handle interfacing details. All are designed to get data as quickly as possible, and then free your computer for its next task.

Floppy -- save multiple files or copy entire disks with a single command. Copying and formatting leave computer free for other work. Controls any mixture of 4 single, double, or quad density 5-1/4" drives, or use 8" drives\$124.95

Ramdisk -- transfer files at over 70K bytes/sec. Random access to any record at the same speed. Move multiple screen images for animation with one command. Contains 256K of RAM, expandable to 4 megabytes\$179.95 (256K)

Print Spooler -- NEVER wait for your printer again! Quickly moves files to on-board buffer, then frees computer for other tasks. Accepts commands for multiple copies, graphics characters, etc. Contains 64K buffer, expandable to 256K. Controls 2 parallel printers\$129.95

RS-232 Controller -- use on-board buffer to download files more quickly. Frees computer from waiting for serial transfers. 64K buffer, expandable to 256K. Controls 2 serial ports. Baud rates to 19,200. +/-12V supplies on-board\$149.95

To order or for information (ask for our free catalog):

WRITE: Research Service Labs CALL: (405)745-9322
P. O. Box 19124 Baw-Ape CST
OKC, OK 73144 Monday-Friday

DEFT Pascal Workbench

A MUST FOR:

High School Students

The College Entrance Examination Board (CEEB) has chosen Pascal for its college advanced placement computer science test. **DEFT Pascal Workbench** provides all the Pascal programming tools you need to prepare for this test on your Color Computer.

College Students

The **DEFT Pascal Workbench** gives you the software you need to do your Pascal programming homework at home on your Color Computer.

Professionals

Most of the programming features found on the mainframes and minis used in business and science are available on the Color Computer with **DEFT Pascal Workbench**.

Hobbyists

Has the extension necessary to quickly do any Color Computer programming go without giving up execution speed. **DEFT Pascal Workbench** helps you get the job done. Directly access assembler language routines and hardware registers from Pascal.

R.S. Cat.# 90-5002
\$89.95



\$39.95
RS#90-5001



\$59.95
RS#90-5000



S.S. - San Diego, CA

"In the three months since the purchase of DEFT Workbench, I have become increasingly pleased and impressed with the quality and professional performance of your software, which prompted me to write this letter."
"As a professional computer scientist and educator (I teach Pascal at the University of Southern California, San Diego), DEFT Pascal has provided me with an opportunity to develop my own Pascal programs at home."

HOT CoCo Magazine - (March 1985)

"What sets the DEFT Pascal apart is the extent of its language. It includes the CoCo user with a very reasonable implementation of standard Pascal along with many useful extensions for string handling, absolute memory access, and the compilation of assembly program modules. That's just a few of a system that can do a lot more. DEFT's Pascal inspires and that is, sharing your variables. Many CoCo assembler languages handle only integers. DEFT Pascal gives you full base computer capability."

RAINBOW Magazine - (November 1984)

"The DEFT systems people have put together a package which is a complete Pascal and/or assembly programming environment that is reasonable priced and works like a charm."

"DEFT Bench and DEFT Pascal remain an excellent example of what can be accomplished in the CoCo world. The entire package gives you all the necessary tools to learn Pascal. If you already know Pascal, then it gives you a total development environment. Nothing is missing, there is nothing else to buy."

"Any college applicant attempting to obtain advanced credit will be required to know Pascal in order to complete the exam. DEFT Bench and DEFT Pascal provide an excellent learning environment. The entire package is impressive. It is very well-written and extremely easy to use. In all the years I have been looking at software packages, never have I seen an equal effort for its price."

DEFT Extra Only \$39.95

The perfect addition to your DEFT Pascal or DEFT Pascal Workbench. **DEFT Extra** is a library of gaming and direct file I/O routines with graphics routines that provide Extended Basic's graphics capabilities in all 8 graphics modes. Full DEFT quality documentation and sample Paint program included. (requires 64K)

Available
By Express Order
At Your Local
Radio Shack Store!

Also Available in Canadian Radio Shack Stores!

All DEFT software and programs developed with DEFT software are BASIC ROM independent and use all of the memory in your Color Computer without OS-9. All you need is DEFT software and a Tandy Color Computer with Extended Disk BASIC, at least 32K of RAM and One Disk Drive. With DEFT Pascal (\$59.95) you will also need a text editor to write your programs. PBJ WORD-PAK compatible upgrades and Educational discounts available. Dealer inquiries welcome.

Orders and Sales Information 1-800-992-DEFT
Technical Assistance 1-301-253-1300

3-D Graphics Sampler Only \$29.95

Do 3 Dimensional Imaging from Pascal. Define an object by specifying points and lines. Then, with 3-D graphics library procedure calls, Rotate, Zoom and Move your 3-D Skeletal Object(s). All Source Files Included



DEFT
SYSTEMS, INC.

DEFT is a trademark of DEFT Systems, Inc.
OS-9 is a trademark of Microsoft

P.O. Box 359
Damascus, MD 20872

Quantity of Each: — DEFT Pascal — DEFT Bench
— DEFT Extra — DEFT Pascal Workbench — 3-D Graphics

Method of Payment (check one) Check Enclosed
 VISA Master Card COD

Account Number

Card Expiration Date /

Signature _____

Name _____

Street _____

City _____ State Zip

All orders are shipped UPS within 24 hours of receipt. Add 4% for shipping and handling. Maryland residents add 5% for State Sales Tax; add \$2.00 for COD.

1439 4D		01055 TSTA
143A 27	05	01056 BEQ BPARMS
143C 7E	137C	01057 JMP UNKNOW
		01058
143F 32	61	01059 VALERR LEAS 1,S
		01060
1441 0C	02	01061 BPARMS INC <STOP
1443 8E	1766	01062 LDX #ERR0
1446 7E	15G3	01063 JMP PRINT
		01064
		01065 *
		01066 *** CODE CONVERSIONS
		01067 *
		01068
1449 6F	E2	01069 BV CLR , -S
		01070
144B A6	C0	01071 BV1 LDA ,U+
144D 27	30	01072 BEQ OKAY
144F 2B	2E	01073 BMI OKAY
1451 80	70	01074 SUBA #570
1453 25	EA	01075 BLO VALERR
1455 81	01	01076 CMPA #1
1457 22	E6	01077 BHI VALERR
1459 44		01078 LSRA
145A 69	E4	01079 ROL ,S
145C 24	ED	01080 BCC BV1
145E 20	DF	01081 BRA VALERR
		01082
1460 6F	E2	01083 DV CLR , -S
		01084
1462 E6	C0	01085 DV1 LDB ,U+
1464 27	19	01086 BEQ OKAY
1466 2B	17	01087 BMI OKAY

1468 C0	70	01088 SUBB #570
146A 25	D3	01089 BLO VALERR
146C C1	09	01090 CMPB #9
146E 22	CF	01091 BHI VALERR
1470 34	04	01092 PSHS B
1472 E6	61	01093 LDB 1,S
1474 58		01094 LSLB
1475 58		01095 LSLB
1476 EB	61	01096 ADDB 1,S
1478 58		01097 LSLB
1479 EB	E0	01098 ADDB ,S+
147B E7	E4	01099 STB ,S
147D 20	E3	01100 BRA DV1
		01101
147F 35	84	01102 OKAY PULS B,PC
		01103
1481 6F	E2	01104 HV CLR , -S
		01105
1483 E6	C0	01106 HV1 LDB ,U+
1485 27	F8	01107 BEQ OKAY
1487 2B	F6	01108 BMI OKAY
1489 C1	41	01109 CMPB #'A
148B 24	16	01110 BHS HV3
		01111
148D C0	70	01112 HV0 SUBB #570
148F 25	AE	01113 BLO VALERR
1491 C1	09	01114 CMPB #9
1493 22	AA	01115 BHI VALERR
		01116
1495 34	04	01117 HV2 PSHS B
1497 E6	61	01118 LDB 1,S
1499 58		01119 LSLB
149A 58		01120 LSLB
149B 58		01121 LSLB
149C 58		01122 LSLB
149D EA	E0	01123 ORB ,S+
149F E7	E4	01124 STB ,S
14A1 20	E0	01125 BRA HV1
		01126
14A3 C1	46	01127 HV3 CMPB #'F
14A5 22	E6	01128 BHI HV0
14A7 C0	37	01129 SUBB #537
14A9 20	EA	01130 BRA HV2
		01131
14AB A6	C0	01132 AV LDA ,U+
14AD 27	18	01133 BEQ AV3
14AF 2B	16	01134 BMI AV3
14B1 81	40	01135 CMPA #540
14B3 22	04	01136 BHI AV1
14B5 8B	40	01137 ADDA #540
14B7 20	06	01138 BRA AV2
		01139
14B9 81	60	01140 AV1 CMPA #560
14BB 25	02	01141 BLO AV2
14BD 80	40	01142 SUBA #540
		01143
14BF A7	0F 0000	01144 AV2 STA [OFFSET]
14C3 0C	01	01145 INC <OFFSET+1
14C5 20	E4	01146 BRA AV
		01147
14C7 0A	01	01148 AV3 DEC <OFFSET+1
14C9 E6	0F 0000	01149 LDB [OFFSET]
14CD 39		01150 RTS
		01151
		01152 *
		01153 *** OUTPUT CONVERSIONS
		01154 *
		01155
14CE 34	04	01156 CONVA PSHS B
14D0 86	3F	01157 LDA #'7

FREE 10 DISKETTES OR 20 C-20 CASSETTES

A subscription to the 'Coco-Cassette' gets you a tape or disk full of 10 quality programs delivered to you by first class mail every month. The documentation included will help you run great utilities like 'Word Processor,' and 'Budget Analyzer,' or enjoy great games like 'Frogjump' and 'Caterpillar Cave' FOR AS LITTLE AS 46 CENTS EACH!

★ Limited offer ★ Subscribe for a year on cassette and receive 20 Free C-20 cassettes or subscribe for a year on disk and receive 10 Free 5 1/4 single sided double density diskettes!


Now available on disk!



PRICES	
	TAPE DISK
1 YR (12 ISSUES)	55 ⁰⁰ 70 ⁰⁰
6 MO (6 ISSUES)	30 ⁰⁰ 40 ⁰⁰
Single Copies	8 ⁰⁰ 8 ⁰⁰

- ★ 16K extended required
- ★ Some programs require 32K, and/or disk
- ★ Over 3000 satisfied customers
- ★ Back issues available from July '82 PERSONAL CHECKS WELCOME! (over 280 programs to choose from!)
- ★ Also available for Commodore 64

T & D Subscription Software
P.O. BOX 256-C
HOLLAND, MI 49423
(616) 396-7577



14D2 C4	7F	Ø1158	ANDB #S7F			Ø1191	
14D4 C1	2Ø	Ø1159	CMPB #S2Ø	15Ø6 34	14	Ø1192	CONVB PSHS B,X
14D6 24	Ø2	Ø116Ø	BHS CONVA1	15Ø8 C6	Ø8	Ø1193	LDB #8
14D8 1F	89	Ø1161	TFR A,B			Ø1194	
		Ø1162		15ØA 86	3Ø	Ø1195	CONVB1 LDA #S3Ø
14DA E7	84	Ø1163	CONVA1 STB ,X	15ØC 68	E4	Ø1196	LSL ,S
14DC 35	84	Ø1164	PULS B,PC	15ØE 89	ØØ	Ø1197	ADCA #Ø
		Ø1165				Ø1198	
14DE 96	Ø3	Ø1166	CONV LDA <OUT	151Ø A7	8Ø	Ø1199	CONVB2 STA ,X+
14EØ 81	44	Ø1167	CMPA #D	1512 5A		Ø12ØØ	DECB
14E2 27	33	Ø1168	BEQ CONVD	1513 26	F5	Ø12Ø1	BNE CONVB1
		Ø1169		1515 35	94	Ø12Ø2	PULS B,X,PC
14E4 34	Ø4	Ø117Ø	CONVB PSHS B			Ø12Ø3	
14E6 86	2Ø	Ø1171	LDA #S2Ø	1517 1F	98	Ø12Ø4	CONVD TFR B,A
14E8 A7	84	Ø1172	STA ,X	1519 34	Ø6	Ø12Ø5	PSHS D
14EA A6	E4	Ø1173	LDA ,S	151B 86	3Ø	Ø12Ø6	LDA #S3Ø
14EC 44		Ø1174	LSRA	151D A7	84	Ø12Ø7	STA ,X
14ED 44		Ø1175	LSRA	151F A7	Ø1	Ø12Ø8	STA 1,X
14EE 44		Ø1176	LSRA			Ø12Ø9	
14EF 44		Ø1177	LSRA	1521 CØ	64	Ø121Ø	CONVD1 SUBB #S64
14FØ 8B	9Ø	Ø1178	ADDA #S9Ø	1523 25	Ø6	Ø1211	BLO CONVD2
14F2 19		Ø1179	DAA			Ø1212	
14F3 89	4Ø	Ø118Ø	ADCA #S4Ø	1525 E7	E4	Ø1213	STB ,S
14F5 19		Ø1181	DAA	1527 6C	84	Ø1214	INC ,X
14F6 A7	Ø1	Ø1182	STA 1,X	1529 2Ø	F6	Ø1215	BRA CONVD1
14F8 A6	E4	Ø1183	LDA ,S			Ø1216	
14FA 84	ØF	Ø1184	ANDA #SØF	152B E6	E4	Ø1217	CONVD2 LDB ,S
14FC 8B	9Ø	Ø1185	ADDA #S9Ø			Ø1218	
14FE 19		Ø1186	DAA	152D CØ	ØA	Ø1219	CONVD3 SUBB #SØA
14FF 89	4Ø	Ø1187	ADCA #S4Ø	152F 25	Ø6	Ø122Ø	BLO CONVD4
15Ø1 19		Ø1188	DAA	1531 E7	E4	Ø1221	STB ,S
15Ø2 A7	Ø2	Ø1189	STA 2,X	1533 6C	Ø1	Ø1222	INC 1,X
15Ø4 35	84	Ø119Ø	PULS B,PC	1535 2Ø	F6	Ø1223	BRA CONVD3

LET US HELP YOU EDUCATE!




QUIZ ALL

Create and print a test for someone else or let them study on their own. Tests can be short answer, multiple choice, or true false. There is even an option for the computer to generate the multiple choice answers! June 84 Rainbow, "I found Quiz All to be an excellent program..."

16K tape/32K disk/Ext Bas - \$24.95

Puzzler



See your own list of words incredibly transformed into **CROSSWORDS**, **WORDSEARCHES**, and **WORD-SCRAMBLES**. Then print the puzzle and key with any dot-addressable or Okidata printer and save the words to use later for a different puzzle. 100% machine language.

32K tape or disk - \$29.95

Both for only \$45.95 - Save over 15%

Now these popular programs are better than ever! A file Utility adds advanced editing to Quiz All and transfers from one program to the other. You can even select items from separate files to create a comprehensive list for puzzles or quizzes. And PUZZLER is more sophisticated than ever! Upgrades available.



Call or write for our free catalog/newsletter • Dealer inquiries encouraged



TO ORDER: Specify tape or disk • Add \$2.00 shipping • COD \$2.00 extra • Utah res. add 5 3/4%

COLOR CONNECTION SOFTWARE

1060 Buddlea Drive—Sandy, Utah 84070—801-571-5023

Computer Island Educational Software

PROGRAM TITLE	GRADES	MEMORY	PRICE	PROGRAM TITLE	GRADES	MEMORY	PRICE
PRESCHOOL				MATH			
Preschool I - counting	Pre-K	16K-Ext.	11.95	Dollars & Sense	2-4	16K-Ext.	14.95
Preschool II - adding	Pre-K	16K-Ext.	11.95	McCoco's Menu	3-5	16K-Ext.	14.95
Preschool III - alphabet	Pre-K	16K-Ext.	11.95	Moneypak	2-5	32K-Ext.	24.95
Music Marvel-play songs	Pre-K,1	16K-Ext.	11.95	Graph Tutor	3-7	32K-Ext.	19.95
Arrow Games - 6 games	Pre-K,1	32K-Ext.	21.95	Graph-It	7-up	16K-Ext.	14.95
First Games - 6 games	Pre-K,1	32K-Ext.	24.95	Math Invaders	1-8	16K-Ext.	17.95
Mr. Cocohead-facemaker	K-3	16K-Ext.	16.95	Mathquiz - 4 operations	2-5	32K-Ext.	19.95
Bentley Bear	Pre-K	32K-Disk	29.95	Addition & Subtraction	2-3	16K	11.95
LANGUAGE ARTS				Skill Tutor Series			
Beyond Words 1-3 parts	3-5	32K-Ext.	19.95	Division Tutor	3-7	16K-Ext.	14.95
Beyond Words 2-3 parts	6-8	32K-Ext.	19.95	Multiplication Tutor	3-7	16K-Ext.	14.95
Beyond Words 3-3 parts	9-12	32K-Ext.	19.95	Factors Tutor	5-8	16K-Ext.	19.95
Vocabulary 1-1000 words	3-5	32K-Ext.	19.95	Fractions Tutors (3 programs)			
Vocabulary 2-1000 words	6-8	32K-Ext.	19.95	addition, subtraction or multiplication	4-8	16K-Ext.	19.95
Vocabulary 3-1000 words	9-12	32K-Ext.	19.95	Trigonometry	8-10	32K-Ext.	24.95
Context Clues	4,5,6,or 7	16K-Ext.	17.95	Equations Linear	7-9	32K-Ext.	19.95
Cocojot - jotto game	3-up	16K	11.95	Equations Quadratic	8-11	32K-Ext.	19.95
Reading Aids - 4 parts	2-4	16K-Ext.	19.95	Arith. Diagnostic Disk	3-8	32K-disk	49.95
King Author - writing tool	2-6	16/32 Ext.	29.95	Fraction Diagnostic Disk	4-9	32K-disk	49.95
Cocowheel of Fortune	4-up	32K-tape*	19.95	Verbal Problems Series			
FOREIGN LANGUAGES				Distance Problems	5-8	32K-Ext.	19.95
French Baseball-200wds.	4-up	16K-Ext.	11.95	Area & Perimeter	5-8	32K-Ext.	19.95
French Baseball-500wds.	4-up	32K-Ext.	19.95	Pizza Game	3-5	32K-Ext.	19.95
Spanish Baseball-200wds.	4-up	16K-Ext.	11.95	Sales & Bargains	6-8	32K-Ext.	19.95
Spanish Baseball-500wds.	4-up	32K-Ext.	19.95	SOCIAL STUDIES			
Italian Baseball-200wds.	4-up	16K-Ext.	11.95	Know Your States	5-up	32K-Ext.	19.95
Hebrew Alphabet	beginners	16K-Ext.	11.95	History Game	5-up	32K-Ext.	14.95
Hebrew Utility	drawing utility	16K-Ext.	15.95	States & Capitals	5-up	32K-Ext.	19.95
CRITICAL THINKING PROBLEMS				Explorers & Settlers	4-up	32K-Ext.	19.95
Factory by Sunburst	4-up	32K-disk	44.95	Famous American Women	6-up	32K-Ext.	19.95
Pond by Sunburst	2-up	32K-disk	44.95	Street Map Game	3-5	32K-Ext.	19.95
Teasers by Tobbs-Sunb.	4-up	32K-disk	44.95	MISCELLANEOUS			
Inner City - simulation	7-up	32K-disk	49.95	Name That Song 1,2,or 3	2-up	16K-Ext.	11.95
Find The Math Sequence	4-up	32K-Ext.	19.95	Circus Adventure	1-3	16K	11.95
Stranded-graphic advent.	4-up	32K-disk	24.95	Schoolmaze Adventure	1-4	16K	11.95
TEACHER/STUDENT AIDS				Treasure Hunt - joystick	1-5	16K-tape*	19.95
Colorgrade - gradebook	Adult	32K-disk	29.95	Picnic - 2 arcade games	3-up	16K-Ext.	11.95
Quizmaker - write quizzes	5-up	32K-Ext.	24.95	Music Drill	3-up	16K-Ext.	19.95
ETT typing tutor (ColorReference)	4-up	16K-Ext.	21.95	Science Game	8-up	32K-disk	29.95
The Puzzler (ColorCorrection)	4-up	32K-disk	23.95	Computer Literacy	6-up	32K-Ext.	19.95
				5 Educational Programs with Lightpen	1-2	32K-disk	44.95



tape* - indicates available on tape only.
add \$5.00 for any program on disk.

The Educational Answers

LIGHTPEN PROGRAMS

Grades 1-2, SPECIAL EDUCATION
LIGHTPEN PROGRAMS

Grades 3-6, SPECIAL EDUCATION
32K E.B. \$44.95 Each,
INCLUDING LIGHTPEN

Five menu driven educational programs on each disk designed for early elementary or upper elementary students, or as an alternative for those children who have difficulty using the keyboard. Grade appropriate material on each disk covering reading readiness and math for early grades, and math, social studies and sciences for the upper grades. Hi-res graphics and text combined on the screen. Light pen included.

LIGHT PEN

A top quality pen plus a first-class program.
The best value pen package available.



Introducing a NEW program for the Trojan Light Pen.
This new ADVANCED program includes the following graphics facilities:

- Draw Box
- Draw Circle
- Draw Line
- Draw Picture
- Colour Fill Designated Areas
- Save and load pictures to and from tape

All in Hi-Res Screen in any of four colours.
The following functions are for use on the Text Screen:

- Data entry and processing
- Menu selection and control
- Games playing — the reasoning game of NIM included on cassette

This is a first-class program which gives hints and tips on how to write programs for the pen. Ideal for many educational uses.

\$21.95



The Factory: FROM SUNBURST Strategies in Problem Solving

Grades 4-adult. Winner 1983 Learning Software Award. Recommended in Classroom Computer Learning, Courseware Report Card and Electronic Learning Unique three-level program challenges students to create geometric "products" on a simulated machine assembly line which the student designs.

Diskette for 32K TRS-80 Color Computer with Extended Color BASIC \$44.95

The Pond: FROM SUNBURST Strategies in Problem Solving

Grades 2-adult. Winner 1983 Learning Software Award. Recommended in Classroom Computer Learning. A small green frog, lost in a pond of lily pads, helps students recognize and articulate patterns, generalize from raw data and think logically.

Diskette for 32K TRS-80 Color Computer with Extended Color BASIC \$44.95

CHEM TUTOR

32K Disk Only \$29.95

A hi-res 4 part program that drills high school students in Elements and Symbols, Naming Compounds, Common ions, and Balancing Equations. Correct answer given after two incorrect responses. A valuable tool for studying Chemistry.

STRANDED

32K EB

32K EB

DISK ONLY

A fully graphic adventure in which you are an astronaut stranded on the moon. Your space ship cannot be repaired and you must get back to earth. Inventory displayed on screen at all times. Save and reload at any time. Map included, if you wish to use it. An entertaining way to improve critical thinking.

COCO WHEEL OF FORTUNE

32K EB \$19.95 TAPE ONLY

Hi-res graphics and screen in this version of the popular TV show. One or two players. Spin the wheel for points and guess a letter to solve the puzzle. Over 225 puzzles. Have fun while strengthening language arts skills.



FIRST GAMES by Penny Bryan

32K EB, tape \$24.95 disk \$29.95

First Games contains 6 menu-driven programs to delight and teach your early learners (ages 3-6). These games enrich the learning of colors, numbers, lowercase letters, shapes, memory, visual discrimination and counting.

CONTEXT CLUES Grades 2-3 32K

Tape \$19.95 Disk \$24.95

A reading program wherein the child uses the context to choose the correct answer. Multiple choice format. Hi-res screen.



Dealers Inquiries Invited.



(718) 948-2748

Dept. R 227 Hampton Green, Staten Island, N.Y. 10312

Send for catalog with complete descriptions.

Please add \$1.00 per order for postage. N.Y. residents, please add proper tax. FREE set of BINARY DICE, including full directions, with orders of 2 or more items. Authors: We are seeking quality children's software for leisure or learning. Write for details. Top Royalties.

TRS-80 Color Computer, TDPSystem 100.



All payment in U.S. funds.

1537 35	06	01224
1539 8A	30	01225 CONVD4 PULS D
153B A7	02	01226 ORA #S30
153D A6	84	01227 STA 2,X
153F 81	30	01228 LDA ,X
1541 26	04	01229 CMPA #S30
1543 86	20	01230 BNE CVD5
1545 A7	84	01231 LDA #S20
		01232 STA ,X
		01233
1547 39		01234 CVD5 RTS
		01235
		01236 *
		01237 *** KEYLINE GENERATOR
		01238 *
		01239
1548 9E	88	01240 DISP LDX <CURSOR
154A 34	57	01241 PSHS U,X,B,A,CC
154C 1A	50	01242 ORCC #S50
154E CE	1819	01243 LDU #FORM
1551 30	C8 21	01244 LEAX \$21,U
1554 E6	22	01245 LDB 2,Y
1556 BD	14DE	01246 JSR CONV
1559 30	C8 25	01247 LEAX \$25,U
155C E6	23	01248 LDB 3,Y
155E BD	14DE	01249 JSR CONV
1561 D6	01	01250 LDB <OFFSET+1
1563 30	C8 29	01251 LEAX \$29,U
1566 BD	14DE	01252 JSR CONV
1569 E6	9F 0000	01253 LDB [OFFSET]
156D 30	C8 2D	01254 LEAX \$2D,U
1570 BD	14E4	01255 JSR CONVH

1573 30	C8 31	01256 LEAX \$31,U
1576 BD	1517	01257 JSR CONVD
1579 30	C8 35	01258 LEAX \$35,U
157C BD	14CE	01259 JSR CONVA
157F 30	C8 37	01260 LEAX \$37,U
1582 BD	1506	01261 JSR CONVB
1585 CE	187D	01262 LDU #FORM1+\$14
1588 96	04	01263 LDA <IN
158A 8D	1B	01264 BSR RADIX
158C CE	1886	01265 LDU #FORM1+\$1D
158F 96	03	01266 LDA <OUT
1591 8D	14	01267 BSR RADIX
1593 8E	0400	01268 LDX #S400
1596 9F	88	01269 STX <CURSOR
1598 8E	1869	01270 LDX #FORM1
159B 8D	26	01271 BSR PRINT
159D 8E	1819	01272 LDX #FORM
15A0 8D	21	01273 BSR PRINT
15A2 35	57	01274 PULS CC,A,B,X,U
15A4 9F	88	01275 STX <CURSOR
15A6 39		01276 RTS
		01277
15A7 8E	18B4	01278 RADIX LDX #RADS
15AA C6	03	01279 LDB #3
15AC 81	41	01280 CMPA #'A
15AE 27	0B	01281 BEQ R1
15B0 3A		01282 ABX
15B1 81	42	01283 CMPA #'B
15B3 27	06	01284 BEQ R1
15B5 3A		01285 ABX
15B6 81	44	01286 CMPA #'D
15B8 27	01	01287 BEQ R1
15BA 3A		01288 ABX
		01289
15BB A6	80	01290 R1 LDA ,X+
15BD A7	C0	01291 STA ,U+
15BF 0A		01292 DECB
15C0 26	F9	01293 BNE R1
15C2 39		01294 RTS
		01295
		01296 *
		01297 *** PERIPHERIAL OUTPUT
		01298 *
		01299
15C3 A6	80	01300 PRINT LDA ,X+
15C5 BD	10CD	01301 JSR CHROUT
15C8 4D		01302 TSTA
15C9 26	F8	01303 BNE PRINT
15CB 39		01304 RTS
		01305
15CC A6	80	01306 LPRINT LDA ,X+
15CE 27	04	01307 BEQ LPR0
15D0 8D	19	01308 BSR LPT
15D2 20	F8	01309 BRA LPRINT
		01310
15D4 0D	06	01311 LPR0 TST <TEMP1
15D6 27	12	01312 BEQ LPR1
15D8 D6	03	01313 LDB <OUT
15DA C1	41	01314 CMPB #'A
15DC 27	0C	01315 BEQ LPR1
15DE 86	20	01316 LDA #S20
15E0 BD	A2BF	01317 JSR >ROMLPT
15E3 C1	42	01318 CMPB #'B
15E5 26	03	01319 BNE LPR1
15E7 BD	A2BF	01320 JSR >ROMLPT
		01321
15EA 39		01322 LPR1 RTS
		01323
15EB 81	0D	01324 LPT CMPA #S0D
15ED 26	09	01325 BNE LPT1

ADOS ENHANCED, EPROM-ABLE DISK BASIC

Now, you can supercharge Basic with an impressive array of extra features WITHOUT sacrificing compatibility! ADOS is compatible with virtually 100% of commercial software. Customizing utilities are provided to allow user-defined command abbreviations, baud rate, step rate, tracks per disk (35 or 40), support of double-sided drives, and more. After customizing ADOS, you can have it burned into an EPROM that plugs into the Disk Basic ROM socket, or just use it in RAM as a disk utility. (EPROM burning will cost about \$20—we provide information concerning this.) You can have this done. Features include: • Repeat and edit of the last direct mode command • 26 definable control key abbreviations • automatic line-number prompts • DOS command • lowercase command entry is fully compatible to a Powersoft of PBI WordPak • COPY filename to drive number • All error override option • RAM command (BANK) • RUN command • text echoing to printer • ML monitor • text file scan • enhanced directory • error trapping • mixed text utility (includes 02, 01, & 04 characters per line)

"I COULD NOT FIND ANY SOFTWARE THAT WOULD NOT RUN UNDER ADOS."
THE RAINBOW, December 1984

"I LOVE ADOS... A GENUINELY FIRST-RATE PRODUCT."
Color Micro Journal, February 1985

"I WON'T PART WITH MY ADOS EPROM FOR ANYTHING... NO COMPATIBILITY PROBLEMS."
Nov CoCo, May 1985

Disk \$27.00

THE PEEPER ML PROGRAM TRACER

Monitor machine-language programs AS THEY ARE RUNNING! Peeper actually timeshares with the target program, giving REAL CONTROL to ML programs run. Switch instantly between watching program output and Peeper if trace of registers and stack on screen or printer. Inspect memory in any of 26 display modes. Execution speed can be varied from full speed to the slowest crawl, or halted entirely as programs run. Single-stepping, breakpoints, memory or register examination. Miscellaneous supports 84K use, 16K required. See February 85 review.
Disk \$23.95 Tape \$21.95 Assembler source listing Add \$2.00

FASTAPE THE NEXT BEST THING TO A DISK DRIVE

Fastape allows cassettes to run AT 3000 baud—TWICE NORMAL SPEED. It uses the high-speed (POKE 85405) mode, and makes it convenient to stay in this mode throughout. Features automatic adjustment of cassette and printer parameters when speed mode is changed. Control key functions for many Basic commands and for changing speed modes. Compatible with all file types, and can be used with Teletype 64 and many other tape utilities.
Tape \$21.95 (16K required) See July 83 review

SPECTROSYSTEMS



11111 N. Kendall Drive,
Suite A10B
Miami, Florida 33178
(305) 274-3899 Day or
Even

No delay on personal checks

Please add \$2.00 shipping. Sorry — no credit cards or COD's

EDOS on EPROM

Replace your 1.1 or 1.0 Disk ROM with EDOS. Many great features:

- Auto line numbering
- DOS Command
- 20 ms Step Rate
- Auto Key Report
- 32K Print Spooler
- 1200 Baud
- RAM Command for 64K mode
- COLD command for COLD BOOT
- Compatible with almost all popular Software
- Can be Custom modified to your Specifications by the Author

Many more features and Commands.

In Canada \$49.95 plus \$2.00 Shipping
In USA \$39.95 plus \$2.00 Shipping



If you live in Canada and you own a Color Computer, you should have a copy of our latest Catalog. We distribute most of the software available for the Color Computer. Our Catalog also contains articles, reviews, and tips for the Canadian COCO user. We are also avid OS-9 and hard drive users.

Receive our **FREE** Catalog/Newsletter



Send for your free copy of our Catalog/Newsletter.

Canada's Largest Software Distributors for the Color Computer



Write to:

Kelly Software Distributors Ltd.

P.O. Box 11932, Edmonton,
Alberta - T5J 3L1
Tel: (403) 421-8003

The First Annual Canadian Color Computer Survey

Canadians - Stand up and be counted. FREE \$3.00 Discount Coupon. Results to be published in Kellynews Vol.-3

Describe your system:

- Basic
- Extended Basic
- 16K Memory
- 64K Memory
- Monitor
- Multipack
- Disk
- Modem
- Printer
- 80 Column Board
- Other _____

What hardware products you plan to buy this year?

- More Memory
- Modem
- Disk Drives
- Coco Max
- Printer
- Other _____

What software products are you interested in?

- Business
- Music and Sound
- Communication
- Graphics
- Utilities
- Home and Family
- Other _____

What software products do you plan to buy this year?

Do you consider yourself a programmer or a user?

Name _____
Address _____
City _____
Postal Code _____
Telephone _____

Visa, Master Card and Money Orders Accepted.

15EF BD A2BF 01326 JSR >ROMLPT
 15F2 B6 1800 01327 LDA >LFEED
 15F5 26 01 01328 BNE LPT1
 15F7 39 01329 RTS
 01330
 15F8 7E A2BF 01331 LPT1 JMP >ROMLPT
 01332
 01333 *** PRINTER DUMP & BAUD
 01334 LP LDA ,U+
 01335 BEQ LP0
 01336 JSR VALUE
 15FF BD 13F8 01337 STU <TEMP0
 1602 DF 05 01338 LDX #ERR5
 1604 8E 17C8 01339 LDU #S1CA
 1607 CE 01CA 01340 CMPB #1
 160A C1 01 01341 BEQ LPB
 160C 27 25 01342 LDU #SBE
 160E CE 00BE 01343 CMPB #3
 1611 C1 03 01344 BEQ LPB
 1613 27 1E 01345 LDU #S57
 1615 CE 0057 01346 CMPB #6
 1618 C1 06 01347 BEQ LPB
 161A 27 17 01348 LDU #S29
 161C CE 0029 01349 CMPB #12
 161F C1 0C 01350 BEQ LPB
 1621 27 19 01351 LDU #S12
 1623 CE 0012 01352 CMPB #24
 1626 C1 18 01353 BEQ LPB
 1628 27 09 01354 LDU #1
 162A CE 0001 01355 CMPB #96
 162D C1 60 01356 LBNE PRINT
 01357
 1633 DF 95 01358 LPB STU <BAUD

1635 DE 05 01359 LDU <TEMP0
 1637 7E 1384 01360 JMP COMM
 01361
 163A F6 FF22 01362 READY LDB >STATUS
 163D 54 01363 LSRB
 163E 24 08 01364 HCG LP01
 1640 8E 17B5 01365 LDX #ERR4
 1643 32 62 01366 LEAS 2,S
 1645 7E 15C3 01367 JMP PRINT
 01368
 1648 39 01369 LP01 RTS
 01370
 1649 0F 05 01371 LP1B CLR <TEMP0
 164B 0F 06 01372 CLR <TEMP1
 164D 8E 1899 01373 LDX #FMT
 1650 E6 22 01374 LDB 2,Y
 1652 BD 14DE 01375 JSR CONV
 1655 8E 18A6 01376 LDX #FMS
 1658 E6 23 01377 LDB 3,Y
 165A BD 14DE 01378 JSR CONV
 165D 8E 1859 01379 LDX #FORM0
 1660 BD 15CC 01380 JSR LPRINT
 1663 7E 15CC 01381 JMP LPRINT
 01382
 1666 8D D2 01383 LP0 BSR READY
 1668 8D DF 01384 BSR LP1B
 166A 0C 06 01385 INC <TEMP1
 166C CE 0500 01386 LDU #S500
 01387
 166F AD 9F A000 01388 LP1 JSR [POLCAT]
 1673 26 43 01389 BNE LP4
 1675 37 04 01390 PULU B
 1677 8D 46 01391 BSR STORE
 1679 BD 15CC 01392 JSR LPRINT
 167C 96 03 01393 LDA <OUT
 167E 81 41 01394 CMPA #'A
 1680 27 08 01395 BEQ LONG
 1682 1F 30 01396 TFR U,D
 1684 C5 0F 01397 BITB #S0F
 1686 26 25 01398 BNE LP2
 1688 20 15 01399 BRA LFCR
 01400
 168A 1F 30 01401 LONG TFR U,D
 168C C5 3F 01402 BITB #S3F
 168E 27 0F 01403 BEQ LFCR
 1690 C5 1F 01404 BITB #S1F
 1692 26 19 01405 BNE LP2
 1694 CC 2006 01406 LDD #S2006
 01407
 1697 BD A2BF 01408 LONG1 JSR >ROMLPT
 169A 5A 01409 DECB
 169B 26 FA 01410 BNE LONG1
 169D 20 0E 01411 BRA LP2
 01412
 169F 8D 12 01413 LFCR BSR LP3
 16A1 0C 05 01414 INC <TEMP0
 16A3 96 05 01415 LDA <TEMP0
 16A5 81 04 01416 CMPA #4
 16A7 25 04 01417 BLO LP2
 16A9 0F 05 01418 CLR <TEMP0
 16AB 8D 06 01419 BSR LP3
 01420
 16AD 1183 0600 01421 LP2 CMPU #S600
 16B1 25 BC 01422 BLO LP1
 01423
 16B3 86 0D 01424 LP3 LDA #S0D
 16B5 7E 15EB 01425 JMP LPT
 01426
 16B8 8D F9 01427 LP4 BSR LP3
 16BA 8D F7 01428 BSR LP3

PICOSOFT STRATEGY GAMES

BLOCKADE

A game of naval finesse. Player controls 28 ships in an attempt to break the British Blockade of Europe in 1805. Full scrolling map, 11 command functions, gamesave, and more. \$24.95



THE SPANISH ARMADA

Simulates the problems faced by the English Commanders in 1588 as they struggled to defeat the ARMADA. Cope with fickle winds. A relentless current. Difficulty of supply. \$24.95

DEBACLE

Command an 18th century army in the opening campaign of the French and Indian War. Build a road through the wilderness. Establish supply lines. Cope with Indian attacks. Capture a frontier fort. \$24.95



FEUER AND GASSE

Lead the American 2nd Division in a counter offensive against von Ludendorff's final drive on Paris in 1918. Recreates the battles of Belleau Wood and Chateau Thierry. Plays in real time. \$24.95

Games are 32K Tape and Disk compatible. Send check or money order to PICOSOFT GAMES, P.O. BOX 35, EIGHTY FOUR, PA 15330; (412) 267-3721. Games are shipped on cassette postage paid. PA residents add 6% Tax.

Distributed in Canada by Kelly Software Distributors Ltd., P.O. Box 11932, Edmonton, Alberta T5J 3L1; (403) 421-8003. Distributed in Australia by Computer Hut Software, 21 Williams Street, Bowen, QLD 4804, (077) 86-2220. Dealer and Author inquiries welcome.

NOVASOFT™

★ A TOM MIX COMPANY ★

TOP QUALITY SOFTWARE AT AFFORDABLE PRICES! WRITTEN BY WELL-KNOWN AUTHORS IN 6809 MACHINE LANGUAGE ESPECIALLY FOR NOVASOFT™

AT LAST!

NEW!

CO CO CROSSWORDS

Attention all crossword puzzle addicts! Now you can solve them on your color computer! Master set contains 27 puzzles with four levels of difficulty. A pull-down menu includes such features as SAVE, HELP, WORD or LETTER GIVEN, and CHEAT. Additional sets also available. 30 plus puzzles on each set.

REQUIRES 32K DISK
MASTER SET \$24.95
EACH ADDITIONAL SET \$12.95
SETS #2, #3 AND #4 NOW AVAILABLE.



BREWMASTER

Move along the end of the bar serving beer to your thirsty customers. Watch for falling glasses and rowdy customers. Loads of fun.

REQUIRES 32K & JOYSTICK
TAPE \$14.95
DISK \$17.95



BLACKBEARD'S ISLAND

A brand new high res graphic adventure. This one will blow your socks off! Wander around Blackbeard's Island being ever mindful of the hazards while your lust buds for Blackbeard's buried treasure. Taint easy, matey!

REQUIRES 32K DISK ONLY
DISK \$19.95

NEW!

SKYWAY

Maneuver your sky craft along the skyway avoiding enemy craft, mines and sky bugs! Jump over holes but don't run off the edge. We challenge anyone to make it through all 99 levels!

REQUIRES 32K & JOYSTICK
TAPE \$19.95
DISK \$22.95



MONEYOPOLY

Now! Play this popular board game on your computer. Probably the most realistic computer board game simulation ever. Contains all the features of the original. Buy, rent or sell properties and become a wealthy land baron with this program.

REQUIRES 32K & JOYSTICK
TAPE \$19.95
DISK \$22.95



THE MARTIAN CRYPT

All new graphic adventure - Man discovers that life once existed on Mars. Can you find the hidden Martian Crypt? With sound effects to over 30 screens of animated high res graphics.

REQUIRES 32K MACHINE
TAPE \$18.95
DISK \$21.95



GOLD RUNNER

Travel the maze, in your never ending search for GOLD. But be careful! There are hidden trap doors, burly guards, tricky ladders & slippery ropes. Sounds easy you say? Clear the 10 screens and 32 more await you!

REQUIRES 64K MACHINE
JOYSTICK OR KEYBOARD
TAPE \$14.95
DISK \$17.95

NEW!



THE MISADVENTURES OF EDDIE

Another great graphic adventure! This time you are exploring an old mine shaft when you stumble upon an old man - and into a different time! His rebellious son Eddie is roaming around time creating havoc and you must bring him home in order to return to your own time. Visit the apple orchard of Isaac Newton, the doomed Titanic - over 140 different locations and 60 plus commands! All in Hi-res graphics. Only for the very adventurous and those who enjoy being frustrated!

REQUIRES 64K
TAPE \$18.95
DISK \$21.95

VEGAS GAME PAK

Have you ever wanted to bring Las Vegas home with you? Now you can! Six different games in this package: Blackjack, Keno, Poker, plus three other slot machine lookalikes. The only thing missing is the voice of Wayne Newton!

REQUIRES 16K EXT. BASIC & Games
TAPE \$24.95
DISK \$27.95



COLOR CAR

You asked for it and now here it is! Fast-moving Grand Prix style racing. With your computer sit at the wheel of your racer through the difficult racecourse "Bump & Jump" other cars, but be careful because they'll return the favor!

REQUIRES 64K & JOYSTICK
TAPE \$19.95
DISK \$22.95



*Add \$2.00 shipping & handling

Phone Orders (616) 957-0444
4285 Bradford N.E.
Grand Rapids, MI 49506

We have more software available than listed. Write for our free catalog.

NO DEALERS PLEASE

MARK DATA DOES IT AGAIN!
Just in time for the holiday season!

SHOCK TROOPER

SUPER ACTION!

The Greatest Hi-Res Graphic Arcade Game Ever Written for Your CoCo

By Rob Shaw, Author of Tut's Tomb



Welcome Shock Trooper Squad Commander! Intelligence has intercepted a coded message revealing a plan to conquer Earth. Four of your Shocktroopers must infiltrate the heavily defended underground enemy base and steal all of their secret TRG-5 attack saucer sub-assemblies. Return them to our scientists for analysis. This secret information is crucial to our defense.



Good Luck!

Also: Presenting the Sixth and Most Challenging of our Adventures

By Bob Withers and Steve O'Dea

THE

VORTEX FACTOR

The Vortex Factor! What is it? What secrets does it hold? The seeker of treasures through time and space must find out! From the coliseum of ancient Rome to the futuristic world of tomorrow...



Join us in an unforgettable odyssey.



★ Other Exciting Adventures in Our Popular Series ★

Calixto Island
 Sea Search

Shenanigans
 Trekboer

Black Sanctum

All Games-Cassettes \$24.95/ Discs \$27.95
 32K required

HOLIDAY GIFT BONUS
 Receive a 64K Upgrade or 5 Diskettes
 Absolutely free with your software
 purchase of \$50 or more

Selection must be made at time of order.
 Limit one bonus per order, expires Jan. 15, 1986.

SHIPPING: All orders under \$100 please add \$2 regular, \$5 air. All orders over \$100 please add 3% regular, 8% air. California residents please add 6% sales tax. Orders outside the continental U.S. check with us for shipping amount; please remit U.S. funds. Software authors—contact us for exciting program marketing details. We accept MasterCard and VISA. Distributed in Canada by Kelly Software.

FREE—Send for our free catalog flier.

MD

Mark Data Products

Department C 24001 ALICIA PKWY., NO. 207 • MISSION VIEJO, CA 92691 • (714) 768-1551

16B0 7E	1185	Ø1429 JMP M5	17C8	ØD	Ø1498 ERR5 FCB ØD
		Ø143Ø	17C9	49	Ø1499 FCC "INVALID BAUD RATE"
16BF 86	ØA	Ø1431 STORE LDA #ØA	17DA	ØØ	Ø15ØØ FCB Ø
16C1 8E	ØØØØ	Ø1432 LDX #LPTBUF			Ø15Ø1
		Ø1433	17DB	ØD	Ø15Ø2 ERR6 FCB ØD
16C4 6F	86	Ø1434 STORE1 CLR A,X	17DC	49	Ø15Ø3 FCC "ILLEGAL RADIX"
16C6 4A		Ø1435 DECA	17E9	ØØ	Ø15Ø4 FCB Ø
16C7 26	FB	Ø1436 BNE STORE1			Ø15Ø5
16C9 96	Ø3	Ø1437 LDA <OUT	17EA	ØD	Ø15Ø6 NOLUCK FCB ØD
16CB 81	48	Ø1438 CMPA #'H	17EB	4E	Ø15Ø7 FCC "NO MATCH FOUND"
16CD 1Ø27	FE13	Ø1439 LBEQ CONVH	17F9	ØØ	Ø15Ø8 FCB Ø
16D1 81	42	Ø144Ø CMPA #'B			Ø15Ø9
16D3 1Ø27	FE2F	Ø1441 LBEQ CONVB	17FA	ØD	Ø151Ø ABORT FCB ØD
16D7 81	44	Ø1442 CMPA #'D	17FB	46	Ø1511 FCC "FUNCTION ABORTED"
16D9 1Ø27	FE3A	Ø1443 LBEQ CONVD	18ØB	ØØ	Ø1512 FCB Ø
16DD 7E	14CE	Ø1444 JMP CONVA			Ø1513
		Ø1445	18ØC	ØD	Ø1514 FOUND FCB ØD
		Ø1446 *	18ØD	4D	Ø1515 FCC "MATCH FOUND"
		Ø1447 *** MESSAGES AND PROMPTS	1818	ØØ	Ø1516 FCB Ø
		Ø1448 *			Ø1517
		Ø1449	1819	2Ø	Ø1518 FORM FCC " TRK SCT OFS "
16EØ	ØD	Ø145Ø IOERR FCB ØD	1826	48	Ø1519 FCC "HEX DEC A 7654321Ø"
16E1	49	Ø1451 FCC "I/O ERROR IN "	1838	2Ø	Ø152Ø FCC " ØØØ ØØØ ØØØ ØFF "
16EE	44	Ø1452 FCC "DRIVE NUMBER "	184A	32	Ø1521 FCC "255 ? ØØØØØØØØ"
		Ø1453	1858	ØØ	Ø1522 FCB Ø
		Ø1454 DRVN FDB ØØØE			Ø1523
16FB	3Ø2E	Ø1455 FCB Ø	1859	ØDØD	Ø1524 FORMØ FDB ØØØØD
16FD	ØØ	Ø1456	185B	4A	Ø1525 FCC "JADE PRODUCTS"
		Ø1457 DNR FCB ØD	1868	ØD	Ø1526 FCB ØD
16FE	ØD	Ø1458 FCC "=> DRIVE NOT "			Ø1527
16FF	3D	Ø1459 FCC "READY <=>"	1869	51	Ø1528 FORM1 FCC "QUICKZAP 1.Ø"
17ØD	52	Ø146Ø FCB Ø	1875	2Ø2Ø	Ø1529 FDB ØØØØØ
1716	ØØ	Ø1461	1877	2Ø2Ø	Ø153Ø FDB ØØØØØ
		Ø1462 WRP FCB ØD	1879	2Ø	Ø1531 FCC " IN=DEC OUT=DEC"
1717	ØD	Ø1463 FCC "=> DISK WRITE "	1889	ØØ	Ø1532 FCB Ø
1718	3D	Ø1464 FCC "PROTECTED <=>"	188A	2Ø	Ø1533 FCC " "
1727	5Ø	Ø1465 FCB Ø	1893	54	Ø1534 FCC "TRACK "
1734	ØØ	Ø1466	1899	3Ø	Ø1535 FMT FCC "ØØØ "
		Ø1467 SYS FCB ØD	189F	53	Ø1536 FCC "SECTOR "
1735	ØD	Ø1468 FCC "=> SYSTEM "	18A6	3Ø	Ø1537 FMS FCC "ØØØ "
1736	3D	Ø1469 FCC "FAILURE <=>"	18AC	ØDØD	Ø1538 FDB ØØØØD
1741	46	Ø147Ø FCB Ø			Ø1539
174C	ØØ	Ø1471	18AE	ØØØØ	Ø154Ø END FDB ØØØØØ
		Ø1472 OPT FCB ØD	18BØ	ØØØØ	Ø1541 FDB ØØØØØ
174D	ØD	Ø1473 FCC "ABORT OR RETRY? "	18B2	ØØØØ	Ø1542 FDB ØØØØØ
174E	41	Ø1474 FCC "<A/R>: "			Ø1543
175E	3C	Ø1475 FCB Ø	18B4	41	Ø1544 RADS FCC "ASCBINDECHX"
1765	ØØ	Ø1476			Ø1545
		Ø1477 ERRØ FCB ØD	18CØ	ØØ	Ø1546 LFED FCB Ø
1766	ØD	Ø1478 FCC "INVALID PARAMETERS"			Ø1547
1767	49	Ø1479 FCB Ø			Ø1548 *** CODE ENDS HERE
1779	ØØ	Ø148Ø			Ø1549
		Ø1481 ERR1 FCB ØD			Ø155Ø *
177A	ØD	Ø1482 FCC "ILLEGAL REQUEST"			Ø1551 *** BOOT TRAILER
177B	49	Ø1483 FCB Ø			Ø1552 *
178A	ØØ	Ø1484			Ø1553
		Ø1485 ERR2 FCB ØD	Ø1ØC		Ø1554 ORG VECJMP
178B	ØD	Ø1486 FCC "FUNCTION UNDEFINED"			Ø1555
178C	46	Ø1487 FCB Ø	Ø1ØC 7E	ØE6D	Ø1556 JMP >IRQ
179E	ØØ	Ø1488			Ø1557
		Ø1489 ERR3 FCB ØD			Ø1558 *
179F	ØD	Ø149Ø FCC "ILLEGAL DRIVE "			Ø1559 *** BASIC EXEC ADDRESS
17AØ	49	Ø1491 FCC "NUMBER"			Ø156Ø *
17AE	4E	Ø1492 FCB Ø			Ø1561
17B4	ØØ	Ø1493			Ø1562 END ENTRY
		Ø1494 ERR4 FCB ØD			
17B5	ØD	Ø1495 FCC "PRINTER NOT READY"	ØØØØØ	TOTAL ERRORS	
17B6	5Ø	Ø1496 FCB Ø			
17C7	ØØ	Ø1497			

NumberJack

The HJL Numeric Keypad
for Color Computers



Cuts number crunching down to size

Now you can enter and revise data twice as fast in spreadsheets, accounting and other number-intensive applications with the HJL numeric keypad, NumberJack.

A sleek addition to your personal computer

NumberJack has a streamlined, low-profile ABS enclosure that measures just 5-1/2 x 7-1/2 x 2-1/4 max. The full-travel keyswitches have the same comfortable feel and reliability that have made the HJL-57 everyone's favorite CoCo keyboard.

Much more than numbers

Besides the ten numeric keys, you get all four cursor keys, Clear, @, decimal point, Comma, Enter, and all four standard math keys.

Autoshifted Add and Multiply

One keystroke is all it takes to enter the Add and Multiply keys

without shifting. Meanwhile the colon and semicolon are still instantly accessible from your main keyboard. What's more, NumberJack has its own shift key to provide convenient access to all the numeric shifted symbols.

Quick and easy installation

The completely self-contained NumberJack keypad can be installed in five minutes or less. No soldering, no drilling, and no special tools are required. Comes with complete instructions, a 3-foot plug-in cable and all necessary connectors.

HJL performance-- You can count on it

Bounce-Proof keyswitches are rated for 50 million cycles per key minimum and mounted on a solid aluminum baseplate. Contacts are covered by a protective membrane to guard against dirt, dust, and accidental spills. The NumberJack is built so well it carries a full,

one-year warranty and the exclusive HJL Products 15-day money back guarantee.

Works with all color computers

Including Original, F-version, CoCo 2, TDP-100 and Dragon. Some CoCo 2 computers purchased after November, 1984 will require a special adapter (\$3.00); just let us know the model number and we will add it to your order if required.

Order yours today Just \$89.95

Cut the tedium out of numeric data work. The NumberJack gives your CoCo the input capability of machines that cost hundreds of dollars more.

Call Toll Free

1-800-828-6968

In New York 1-800-462-4891



PRODUCTS

Div. of Touchstone Technology Inc.
955 Buffalo Road • P.O. Box 24954
Rochester, New York 14624

Telephone: (716) 235-8358

Ordering Information: Specify model (Original, F-version, or CoCo 2 model #). Payment by C.O.D., check, MasterCard or Visa. Credit card customers include complete card number and expiration date. Add \$2.00 for shipping (\$3.50 for Canada). New York state residents add 7% sales tax. Dealer inquiries invited.

CoBBS:

A Look At The Commands

By Richard Duncan

In Part 2 of this series, we'll discuss the logon routine and provide the listings for logon, start-up and creating the RS-232 driver.

Welcome back! Last month we introduced you to *CoBBS*, a bulletin board program designed to give you, the SysOp, the power you need. This month we will look at the commands available, discuss the logon routine and provide the listings for logon, start-up and creating the RS-232 driver.

Table 1 is a list of the various commands available to the SysOp. When *CoBBS* boots up into the main system it goes out to disk and gets information from a file named *MENU/SYS*. This file contains the data required to set up a menu for the user. A menu can be any number up to 255. A discussion of the menu file will be done later with how to actually set up the menu.

What we need to remember now is that each menu consists of different

commands, which are called command types. A command type is an ASCII character. For instance, the command used to download is a Type 'D'. Certain types of commands require additional information and that is contained in the *DATA*. We will discuss the additional data required when needed.

Load Commands

Types !, #, \$, (and) are considered Load commands. These are used to allow access to the various editors (load and run them) from a BBS menu without the need to exit into BASIC. None of the editors have to be on the disk for the system to operate normally — whether they are or not depends on your convenience and disk space. No optional data is required for any of these types.

List Commands

Types 0, 1, 2 and 3 are LIST commands. These are used to list various text files on the disk. Type 0 is for HELP files. Additional information is required and the format is *BNAME*. Optional data can contain up to five characters, which this one does. The 'B'

part of it is for "buffer control." If *B=0* then the file will just list; if *B=1* then the system will send an open buffer control code to the user, list the file and close the buffer. The "NAME" part is a four-character name to specify which file to list.

The BBS creates the name of the file to list from the LIST type and the four-character name. If you specified the optional data to be "1CLUB," then the system takes the name CLUB and adds HELP in front of it since this is a HELP list. It also adds the suffix "/TXT." Since a '1' was specified, the system opens the user's buffer, lists the file *HELPCLUB/TXT* and closes the buffer. You do not need to specify the drive number as the BBS searches all of your drives for the file.

The only difference between the HELP type and the others is the first four letters of the filename. A Type 3 command that has the same information as above in its *DATA* will search for a file called *BULLCLUB/TXT*.

Leave Commands

There are three leave commands: types L, N and Y. A Type L command

(Richard Duncan is a broadcast technician for WMC-TV in Memphis, Tenn. His first CoCo was one of the units introduced to the dealers in Dallas. He is active in amateur radio (WB5CNY) and especially interested in packet communications. Richard lives in West Memphis, Ark.)

is the standard leave. It allows a user to leave a message to another user on the system. The menu number to post the message to is put in the optional data. If a 'P' is included in the data then the user may specify that the message be private, otherwise only public messages are allowed. Putting a 'K' in the data will tell the system to kill the message after it has been received.

Type N is the same as 'L' except this type only allows private messages. It is considered the "Email" type. Type Y is the SysOp message leave. It is posted to menu 255 and is always addressed to the SysOp. No one except those with SysOp privileges will be able to see this message.

You can specify that the message be posted to any menu other than 255. If you specify a menu between 0 and 249, then the message is posted to that number and a Read command is required, which allows viewing of that number. Specifying a number between 250 and 254 causes the system to ask which number the user wants to post that message to. He can specify any menu number that he is authorized on, including 250 through 254. If you specify 255 as the number, then another number must be given by the user and can be any active menu on which he is authorized.

Read Commands

Read commands allow the user access to messages posted to the system. There are four commands types: R, V, W and X. Type R is the standard read. It allows the user to read any message posted to the number specified in its data if that message is a public message. A private message may be read if it is *to* or *from* that user. A Type V is the same except it allows the user to read all messages (public and private) posted to the number specified in DATA, even if not addressed to him.

Types W and X take the privilege one step farther. A Type W allows the user to read all public messages and private messages (if to or from him) posted to any number on or below the number specified in DATA. This is a kind of combined message read. The Type X is the same except it allows the reading of all messages, like Type V, posted to the number specified in DATA or below.

Messages may be read in a forward or reverse scan, or individually. There is also a NEW mode in which the system shows the user all the messages that

have been posted since the last time he was on. While the message is being read, pressing a 'P' pauses the message scroll and pressing ENTER resumes it. Also, an 'N' stops that message and goes to the next one, while an 'S' stops the Read function and returns to the menu.

If a message is deleted the user is given the opportunity to reply. Make special note of one thing: The system determines who is authorized to reply to a message by the privilege of the *first* Leave command on the menu he is using. If a privilege of 30 is required to leave a message and the user has a privilege of 25, he may not reply to that message even if it is addressed to him. A menu may contain several different types of Leave commands, but the first one of the list is the one that determines the required privilege to reply to a message.

There are four additional Read commands. Types S, 7, 8 and 9 are SCAN types. These operate the same as their Read counterparts, except only the header of the message is printed and the user is then given the option of reading the text or continuing.

Download Commands

This is the standard download of the board, and all files must be in ASCII. A good understanding is required of the way the system determines the filenames.

The download type has a privilege level and 16 flags as do all commands of *CoBBS*. The DATA is formatted as follows: BNAME, where 'B' is the buffer code and "NAME" is the download's four-letter name.

The best way to understand how the downloads function is to take an example. Consider the following command specification.

```
Type: D
DATA: 0COCO
```

DATA is "0COCO." The buffer number is zero; this means when the directory of programs available is listed the user's buffer will not be opened and closed automatically. A '1' as a buffer number would specify "open buffer, list directory, close buffer."

The download's name is "COCO." The system takes the name COCO and adds the following: DOWN + name + /MNU so the name of the text that contains the directory of programs available is *DOWNCOCO/MNU*. The directory should contain a program number or designation for each item

listed. An example of a download directory is:

- 1) *INVENT/BAS* — Program to maintain your inventory.
- 2) *DIRPRINT/BAS* — Print out your disk directory.
- 3) *STREK/BAS* — Excitement of Captain Kirk.

The user is then prompted for the number to download. This is why you want to set up a directory preferably with numbers. The download command takes this number to specify the file to be downloaded. The format for this is NAME + number + /DOW. For our example, if the user chooses number '1', then the file the system looks for is *COCO1/DOW*.

There is a totally different type of download available and it is set up by using a '3' or '4' in the buffer code of the DATA statement. While a '0' or '1' determines whether or not the user's buffer is opened when the menu is listed, it takes on a different meaning when the code number is greater than two. The format for the DATA statement in these cases is: BDPxx, where 'B' = download type; 'D' = drive to access for downloads; 'P' — if a 'P' is included then the user may not download any program with an extension of "/SYS," "/BAK" or "/BIN."

When a '3' or '4' is specified in DATA the user is prompted with "FILE TO DOWNLOAD:" only. He supplies the filename desired. If a '3' is used the system limits the user's access to only the drive specified in DATA. If a 'P' is included the user may not download any program with extensions noted in the format above. A "B=4" allows full access to all drives. Information that is specified in DATA is ignored. A 'P' restriction may also be used in this type.

One other command is available when using a '3' or '4'. When prompted for the file to download, a directory may be obtained and listed by using the DIR command for the drive desired.

Upload Commands

All uploads are the same for any menu, but there are options available to the SysOp determined by DATA. The format of DATA is: TDxxx, where, T = type of upload; D = drive to upload to; xxx = ignored by system.

When T=1 the system uploads to the specified drive in DATA. The user provides an eight-character filename and the system adds a "/UPL" extension. If a file exists already it may not be overwritten. If T=2 the user specifies the

DIGISECTOR™ DS-69 VIDEO DIGITIZER FOR THE COCO

Give your COCO the gift of sight!

The Micro Works is happy to introduce the newest member of our Digisector™ family — the DS-69 Video Digitizer for your COCO. It has all the standard features of its big brothers but comes with a price tag that's right for you.

- **High Resolution** 256 by 256 spatial resolution.
- **Precision** 64 levels of grey scale.
- **SPEED!** 1/2 second for a full screen of video.
- **Compactness** Self contained in a plug in Rompack.
- **Ease of Use** Software on disk will get you up and running fast!



The DS-69 Digisector opens up a whole new world for you and your COCO. Your computer can be a security system, take portraits, analyze signatures, inspect assembly work . . . the DS-69 is your COCO's

eyes. Use the DS-69 and a TV camera to get fast, precise conversion of video signals into digital data.

Powerful C-SEE™ software.

C-See is a menu-driven software package included with your DS-69. It provides high speed 5 level digitizing to the screen, high precision 16 level digitizing for superb hard copy printout, and simple software control of brightness and contrast. Or call our driver routines from your own Basic program for easy 64 level random access digitizing. Pictures taken by the DS-69 may be saved on disk by C-See and then edited by our optional MAGIGRAPH package for enhancements and special effects.



The DS-69 comes with a one year warranty. C-See supports both cassette and disk operation with the Multi-Pak adaptor and requires 64K. Cameras and other accessories are available from The Micro Works. Let your COCO see the World!

- DS-69 Digisector & C-See Software \$149.95
 - MAGIGRAPH Graphics Package on disk \$ 39.95
- Terms: Visa, Mastercard, Check or C.O.D.

Purveyors of Fine Video Digitizers Since 1977.

The **MICRO
WORKS** Established 1977

P.O. Box 1110 Del Mar, CA 92014 (619) 942-2400



filename and extension. Upload goes to the drive specified in DATA. No overwrites are permitted. A T=3 allows the user to specify filename, extension and drive for the file to write to, but will not allow a file to be overwritten. A T=4 lets the user specify the filename, extension and drive for the file to write to. If the file exists, it will be overwritten.

Menu Control File

Type @ is a menu control command for the user. This command gives the user some control in how the menus list and which menu he will access the system when logging on. The first part is the Menu Control Editor. This allows the user to specify which menu he will initially use after getting through the logon routine. It is normally set to menu zero through SCF/EDI for new users, but may be changed by the user to any menu that he is authorized. If changed, the next time the user calls he automatically starts on that menu after logging in.

The second part of this command allows the user to determine how the various menus will prompt him from full menu listing to just seeing "COMMAND" only. Even if a user chooses a higher menu prompting, if he gets lost or cannot remember what the various commands are, he may hit the carriage return key to get a full listing of the menu.

System Movement

The following commands are used to move between menus and also out of the system.

Type A is considered an ABORT command. This will exit a menu and go to another one based on DATA. The following types are available:

- 0 — Return to menu the user last came from
- 1 — Return to menu specified as the logon menu
- 2 — Return to menu zero

Type E to exit and run the BASIC program specified in DATA. (Note: If no extension is given on a filename it is assumed to be "/BAS.")

Type G is a GOTO command. The system will "goto" the menu number specified in DATA.

Type Q is the same as END. It stops the board program and puts the user into BASIC.

- DATA: 0 — Exit immediately
- 1 — Exit with password

The format of DATA is TPASS, where T=type of quit; PASS=four-character password if Type 1.

Type T terminates the user's session. DATA specifies whether the user is asked if he wants to leave a SysOp message or not. DATA types are:

- 0 — Terminate immediately
- 1 — Allow the user to leave a private message to the SysOp

Type Z causes the system to restart as if the user has first called.

Miscellaneous Commands

Type * command shows the user start time, end time and time on system.

Type C is a "chat" command. It pages the system with audio tones, then prompts the user to continue using the system until the SysOp breaks in. Entry into chat is by pressing the space bar. To exit chat mode, press SHIFT and CLEAR, then ENTER on a line by itself.

Type O lists the user in the Userlog file (USERL/SYS). It either searches for a certain user or lists the whole file. New users will not be displayed. This way, a nuisance caller cannot access the system and see his "name" up in lights. It displays Probationary users and Registered users.

Type P is a password change command. It allows the user to change the password that he uses to access the system.

Logon Routine

After going through a BOOT process the system comes up with a screen that

has the BBS's name, copyright, message numbers, etc. The system waits until it either receives a carrier or gets one of the SysOp's key commands.

Upon receiving a carrier, the system prints the board's name and copyright. (I feel like it is very little to ask that this be retained. Since this is one of the few requirements I had when releasing it for distribution, I hope that you would be decent enough to give me credit for my time and work.)

After the copyright is displayed, the system checks to see if it has received a Control-C or an '*'. If so, before it lists a SIGNON/TXT, it prints the prompt PLEASE PRESS <ENTER> TO CONTINUE:. At this point, you may enter a password and exit directly into BASIC. This password is specified in Line 22 of USER/SYS and should be changed to whatever you want. Since it is a string the password may be up to 250 characters long. If no Control-C is received, the system goes on and lists SIGNON/TXT.

The system then asks for a user number. This feature allows a user to have quicker access. The user number is actually the record number of his entry and is given to the Registered users after he logs on and sees the system information. Note: The use of this type access requires that users must not be deleted from the userlog or all numbers past that point will be changed. If this type of access is not desired, then remove Line 68 from USER/SYS.

Users who do not have a number, or if it is not used, are requested to enter their name and where they are from. They may use a semi-colon to separate "name;from" to enter it all on one line. If there is no space in the name they are requested to enter it again, thus, hopefully requiring them to enter first and last name. If the information they entered is more than 90 characters long, then they are dropped. This is helpful

CoCo Cat



for the nuisance calls. The system then checks the *USERL/SYS* file for any record of them. If found, it will request their password and give access if entered correctly.

There are four different ways you can specify that a caller be handled when logging in:

- 1) If not already in the Userlog, the system disconnects.
- 2) User is requested registration information and then terminated.
- 3) Same as '2' but the system displays an ASCII text file, *NEWUSER/TXT*, and disconnects.
- 4) Normal operation. New user will register and access.

Of course, a caller who is in the Userlog will access the system normally.

After all the above has been completed, the user will be into the system. If specified by *SCF/EDI* (System Control File, to be discussed later) the system checks for any messages to the user. This routine may be aborted by the end user by pressing the 'S' key during the check. If a message is waiting, the user is shown its number, menu name, who it is from and the subject.

Access is now complete and the main BBS routine is loaded and run.

Starting Up

Some of the routines required to boot up the system will be presented in Part 3 of this series, which includes the System Control File Editor (*SCF/EDI*) and the editors to create the file *MENU/SYS*. Let's look though what is involved in booting up the BBS.

1) Format a disk for each drive to be used on the system. The one referred to as the "system disk" is the one in Drive 0.

2) Load and run the System Control File editor and create the system parameters you desire to match your equipment online.

3) There are three programs that are only used once when booting up the system. If you do not wish to keep them online and save disk space, format another disk for these files and copy them over. These are *64/BAS*, *STARTUP/BAS* and *COTERM/SYS*.

4) Copy the following files over to the system disk that will be in Drive 0: *USER/SYS* and *COBBS/SYS*.

5) Copy the following files to the disk that will keep that file as specified by *SCF*: *MENU/SYS*, *USERL/SYS*, *HDR/SYS* and *MSG/SYS*. For example, if you specified the message header to be on Drive 1, then copy *HDR/SYS* to the disk that will be in Drive 1.

6) If you are going to call up an editor

from the board then copy over the ones desired to Drive 0.

7) Get the system into 64K. Type *PCLEAR1* and press *ENTER*. *COBBS* must be run in 64K mode.

8) Load and run *STARTUP/BAS*. Enter the correct date, day (first three letters) and time. You are prompted as to whether or not you want to "PROTECT?" the system. If you answer "yes," the system's BASIC is modified. When under protection, if the board ever breaks into BASIC it locks up. The routine is crude but effective and secure.

You are asked if you want the "C/R Mod?" This modifies the RS-232 driver so the system puts out a *CHR\$(13)* when no carrier is being detected.

This mod requires a few additional steps for the SysOp to use the system locally. Before exiting the system, or using the SysOp logon, it is necessary to remove the modification. This is done within the system by using its exiting commands. To logon locally, you must first exit into BASIC with the *SHIFT* and up-arrow key, then type *RUN*. When the screen reappears, press the '@' key as you normally would. To reinstall the modification in either *USER/SYS* or *COBBS/SYS*, type *GOTO10000* from BASIC. Typing this in *USER/SYS* completely reboots and reprotects the system, including dropping the modem. Doing it while *COBBS/SYS* is loaded reprotects and starts *COBBS/SYS* again, but doesn't drop the modem.

If the boot programs are put on a separate disk, insert the system disk in Drive 0 before answering the protect question. After answering, the system loads the logon routine and presents you with the standby screen.

With the system protected, the SysOp may not break into BASIC with the *BREAK* key, but presses and holds the *SHIFT* key. Next, press the up-arrow key while still holding down the *SHIFT* key. Once you break into BASIC this way the system is no longer protected. To reprotect, type *GOTO10000* while the logon routine is in memory.

Conclusion

We will continue next month and look at all the editors required to get the system up and maintain the Userlog. I will be glad to provide you with a disk of all the programs and also a disk with expanded documentation for \$25. If you have any questions you can call my BBS at (501) 735-5614 online 24 hours a day, or write to me at 2504 N. Gathings Drive, West Memphis, AR 72301. □

TIME BANDIT

Bill Dunlevy & Harry Laffear

Tired of the same old screens? In *TIME BANDIT*, you pick from more than TWENTY places with over 15 levels in each place. That's over 300 screens! Visit *FANTASY WORLD*, *WESTERN WORLD*, & *SPACE WORLD*. Fight the Evil Guardians: Killer Smurfs, the Looking Lurker, Angry Elmo and more! Find the Keys and collect the treasures of time! Crisp Supergraphics, colorful SCROLLING landscapes, full animation, and over THREE HUNDRED SCREENS! The conquest of time and space awaits you!

32K Tape \$27.95/Disk \$29.95

CASHMAN

Bill Dunlevy & Doug Frayer

Explosive color, fast-moving animation and amazing sound make this non-violent game a classic! Different levels and more than FORTY screens offer as much challenge & good clean fun as you can take! Play solo or enjoy the challenge of two-player simultaneous competition. Scramble to get the loot first, but be careful: the KATS are prowling and your opponent is tossing eggs!

32K Tape \$27.95/Disk \$29.95



SUPER PAINT

by John Crane

Super Paint is an exciting new enhancement for your Graphicom drawing system. Break the chains restricting your creative freedom! Now you can draw and paint with every color your machine is capable of. Over 250 colors are available at all times! It's no longer impossible to find just the right shade or texture. Super Paint brings the COLOR back into your Color computer! Requires Graphicom system.

32K Disk \$19.95

Michigan

576 South Telegraph
Pontiac, Michigan 48053
(313) 334-6576

Table 1
Command Types

Type	Name	Data
!	LOAD "SMF/EDI",R	
"	Reserved	
#	LOAD "SUL/EDI",R	
\$	LOAD "SCF/EDI",R	
%	Reserved	
&	Reserved	
.	Print messages	0 or 1
(LOAD "LOOKTRAC/ BAS",R	
)	LOAD "LOOKREG/ BAS",R	
*	Time on system	
+	SysOp option	
,	SysOp option	
-	SysOp option	
.	SysOp option	
/	SysOp option	
0	List HELP file	BNAME
1	List INFO file	BNAME
2	List TEXT file	BNAME
3	List BULL file	BNAME
4	Reserved	
5	Reserved	
6	Reserved	
7	Scan, 1 menu, all messages	Menu #
8	Scan, menu down, private TO/FROM	Menu #
9	Scan, menu down, all mes- sages	Menu #
:	Reserved	
;	Reserved	
<	Reserved	
=	Reserved	
>	Reserved	
?	Reserved	
@	Menu control editor	
A	Abort out of menu	0,1,2
B	Reserved	
C	Chat. Page system	
D	Download a file	BNAME
E	Exit and run program	program name
F	Load and run file specified	
G	Goto menu #	Menu #
H	Reserved	
I	Reserved	
J	Reserved	
K	Kill messages	
L	Leave messages (standard)	Menu #, (P)
M	Read E-mail (private)	Menu #
N	Leave E-mail (private)	Menu #
O	List Userlog	
P	Password enter/change	
Q	Quit. Exit to BASIC	0,1
R	Read messages (standard)	Menu #
S	Scan messages (standard)	Menu #
T	Terminate	0,1
U	Upload an ASCII file	0,1,2,3,4
V	Read, 1 menu, all messages	Menu #
W	Read, menu down, TO/ FROM	Menu #
X	Read, menu down, all	Menu #
Y	Leave SysOp message	
Z	Restart logon	



Listing 1: STARTUP

```

5 CLEAR1000
10 POKE65386,106:CLS
20 PRINT"-COBBS BBS STARTUP-"
30 PRINT"-          BY          -"
40 PRINT"-RICHARD DUNCAN  -"
50 PRINT"-    <C> 1985      -"
60 PRINT:PRINT
70 LOADM"COTERM"
80 DEFUSR0=&H0ED0
90 DEFUSR1=&H0ED3
100 POKE65387,54
110 POKE65386,106
120 PRINT"PNPCLK/BAS - <C> A. B.
    TREVOR"
130 INPUT"DATE (MM,DD,YY)";MM,DD
    ,YY
140 POKE4608,MM:POKE4609,DD:POKE
4610,YY
150 LINEINPUT"DAY: ";A$
160 K=(INSTR(1,"SUMOTUWETHFRSA",
LEFT$(A$,2))-1)/2:X=USR0(K)
170 INPUT"TIME (HH:MM)";HR,MN
180 X=USR1(HR*256+MN)
190 X=VAL(HEX$(PEEK(&H0EFD))):PO
KE4611,X
200 EXEC&H1091:PRINT"AT S0=1 E0
S2=255":POKE&H110A,&H12:POKE&H11
0B,&H12:POKE&H113C,&H12:POKE&H11
3D,&H12:PRINT:PRINT
210 FOR A=&H10D5 TO &H10D7:POKE
A,&H12:NEXTA:GOTO250
220 PRINT"LOADING LOG-ON ROUTINE
"
230 GOSUB6000:GOTO590
240 PCLEAR1:GOTO70
250 PRINT:PRINT"ERROR TRAP - BY
ANDY KLUCK
260 CLEAR200:GOSUB500
270 AD=&H0E10
280 EX=AD
290 FOR AD=AD TO AD+&H7B
300 READD$
310 POKEAD,VAL("&H"+D$)
320 NEXT
330 EXEC EX
340 GOTO220
500 DEFNPL(X)=PEEK(X)*&H100+PEE
K(X+1):RETURN
510 DATA CC,7E,39,E7,8C,FA,30,8D
    ,0,15,F6,1,94,FE,1,95
520 DATA E7,8D,0,1E,EF,8D,0,1B,B

```



```

7,1,94,BF,1,95,39,1F
53Ø DATA A9,35,4Ø,81,54,27,1Ø,34
,4Ø,34,4,C6,39,F7,1,8E
54Ø DATA 35,1,7E,FF,FF,FF,FF,9D,
9F,BD,AF,67,C6,39,F7,1
55Ø DATA 8E,DC,2B,27,15,BD,AD,1,
25,11,AF,8D,FF,E7,3Ø,8D
56Ø DATA Ø,C,BF,1,8F,C6,7E,F7,1,
8E,39,7E,AE,D2,86,39
57Ø DATA B7,1,8E,9E,68,3Ø,1,27,F
1,D7,FD,DC,68,DD,FE,BD
58Ø DATA AD,33,AE,8D,FF,BF,BD,AE
,BB,7E,AD,9E
59Ø PRINT"INSERT SYSTEM DISK."
6ØØ LINEINPUT"PROTECT? ";A$:IFLE
FT$(A$,1)="Y" AND PEEK(4684) <>18
8 THENGOSUB64Ø
61Ø GOTO71Ø
62Ø LINEINPUT"C/R MOD? ";A$:IFLE
FT$(A$,1)="Y" THEN1ØØØØ
625 LOAD"USER/SYS",R
63Ø END
64Ø L=&HØEØØ
65Ø POKE&HAC7D,&HØE:POKE&HAC7E,&
HØØ
66Ø POKEL,&H86:POKEL+1,Ø
67Ø POKEL+2,&HB7:POKEL+3,&HFF:PO
KEL+4,&H4Ø
68Ø POKEL+5,&HB7:POKEL+6,&HFF:PO
KEL+7,&H6A
69Ø POKEL+8,&H7E:POKEL+9,&HA3:PO
KEL+1Ø,&H9Ø
7ØØ RETURN
71Ø '-SYSTEM CONTROL FILE-
715 CLEAR1ØØØ
72Ø DSKI$ Ø,17,18,S1$,S2$
73Ø POKE4629,ASC(MID$(S1$,9,1))
74Ø POKE4664,ASC(MID$(S1$,1Ø,1))
75Ø POKE4663,ASC(MID$(S1$,11,1))
76Ø FOR A=Ø TO 2:POKE466Ø+A,ASC(
MID$(S1$,12+A,1)):NEXT A
77Ø POKE4628,ASC(MID$(S1$,15,1))
78Ø POKE4666,ASC(MID$(S1$,16,1))
79Ø POKE4669,ASC(MID$(S1$,17,1))
8ØØ POKE4679,ASC(MID$(S1$,18,1))
81Ø POKE468Ø,ASC(MID$(S1$,19,1))
82Ø POKE4667,ASC(MID$(S1$,2Ø,1))
83Ø POKE4659,ASC(MID$(S1$,21,1))
84Ø POKE4694,ASC(MID$(S1$,22,1))
85Ø FORA=ØTO6:POKE467Ø+A,ASC(MID
$(S1$,23+A,1)):NEXT A
86Ø GOTO62Ø
6ØØØ PRINT:PRINT"DISK DOS TYPE"
6ØØ5 PRINT" A - DOS 1.Ø":PRINT"
B - DOS 1.1"
6Ø1Ø LINEINPUT" >";A$
6Ø15 IFA$="A" THEN6Ø3Ø
6Ø2Ø IFA$="B" THEN6Ø5Ø
6Ø25 GOTO6ØØØ

```

```

6Ø3Ø POKE4681,&HCB:POKE4682,&H4A
6Ø35 POKE4683,197:POKE4684,143
6Ø4Ø RETURN
6Ø5Ø POKE4681,&HCC:POKE4682,&H1C
6Ø55 POKE4683,197:POKE4684,188
6Ø6Ø RETURN
1ØØØØ REM
1ØØØ5 X=&H112B:POKE X,&H86:POKE
X+1,&HØD:POKE X+2,&HB7:POKE X+3,
&H11:POKE X+4,&H81:POKE &H1127,&
H1Ø
1ØØ1Ø GOTO625

```

37218	740178
70174	940239
110188	4125201
17521	70558
21175	8075189
240149	8120162
268234	9115174
30022	9440227
371229	9710184
45524	END59
53511		

Listing 2: USER SYS

```

Ø '-COBBS (USER/SYS) <C>1985
RICHARD DUNCAN (7/8/85)
5 '-LOGIN ROUTINE-
1Ø CLEAR5ØØ:RUNT9ØØ:GOSUB81ØØ
15 POKE65386,1Ø7:CLOSE:UNLOAD
2Ø CLEAR4ØØØ:DIM BN$(255):NU$=CH
R$(Ø):RUNT9ØØ:DEFUSRØ=&HØED3:CJ$
=CHR$(13)+CHR$(8):DR$(Ø)="Ø":DR$
(1)="1":DR$(2)="2":DR$(3)="3":PO
KE4658,255
22 PW$="EXIT PASSWORD"
24 POKE&HØ16B,&H1Ø:POKE&HØ16C,&H
CD:GOSUB82ØØ
25 CLS:PRINT:PRINT:Z=PEEK(65385)
:Z=Z AND 32:IF Z=Ø THEN 4Ø
26 GOSUB8ØØØ:TIMER=Ø
3Ø II$=INKEY$
31 IF II$="@" THENCLS:POKE4658,Ø:
GOTO66ELSEIFII$=" " THEN FOR X=&H
112B TO &H1136:POKE X,&H12:NEXT
X:IFPEEK(4684) <>188 THENPOKE&HAC7
D,&HA3:POKE&HAC7E,&H9Ø:ENDELSEEN
D
34 II=TIMER:IFII>19999ANDPEEK(46
94) <>Ø THEN CLSØ:IFII>6ØØØØ THEN T
IMER=2ØØØØ
35 IF II$="*" THENGOSUB8ØØ:GOTO26

```

SIMULATIONS

P51 Mustang Attack Flight Simulator



JUST IMAGINE! Your movements are shown at any remote CoCo across town or across the country. It's hard to believe it's simulation.

P51 Mustang

Attack Flight Simulator

Experience the ultimate video experience. For the first time ever, two computers can be linked together with action and re-action at either location, or play alone. The P-51 Mustang was the attack workhorse during WWII. To experience the flight of this beautiful plane in actual combat situation will give many hours of excitement. You can test your skill against the computer to defend your position or try your hand competing against your opponent at any remote location. Two CoCo's can be linked by cable for TRUE two-player adventure. With the use of a modem you can test your skill across town or across country!! (Each individual needs a copy of the program.) This program is another first from Tom Mix Software. Order your excitement today. Direct cable available separately for using two computers at the same location.

32K Machine Language Tape \$29.95 Disk \$34.95 Cable \$10.95

P40 shown.

Worlds of FLIGHT

Jump in the pilot seat - not a game - A realistic Flight Simulation

"World's of Flight is the best out-the-window simulation available for the CoCo!" Dr. Scott L. Norman, Hot CoCo, Dec. 1984.

Worlds of Flight (WOF) is a machine language, real-time flight simulation (of a sophisticated ultra-light aircraft). The program is available on DISK but was specifically designed to bring unprecedented detail and power to CASSETTE systems. WOF generates panoramic 3-D views of ground features as the pilot flies within one of nine different "worlds." Instrument light capability has been provided along with some aerobatic performance. The simulation models over 35 different aircraft and flight performance parameters including winds and cloud ceilings. Sound effects have been faithfully reproduced to provide an even greater sense of realism. A 25 page light manual explains the instrument panel, the basic of flight control, instrument navigation and even walks the pilot through a take off / landing sequence about the airport. Complete with charts bound in an attractive binder, the entire WOF package challenges you to find a more advanced flight simulation for any computer. You simply can't! If you are a serious simulation buff this one is for you!



JOYSTICKS REQUIRED
32K MACHINE LANGUAGE
TAPE \$29.95
DISK \$34.95



NEW!

APPROACH CONTROL SIMULATION

From Betasoft Systems



"Caught in a blinding snowstorm, two jet airliners are on a collision course. The pilots are completely unaware of the imminent danger. Hundreds of lives are at stake. A high-speed disaster is inevitable unless you act fast."

This and many other exciting scenarios await you as "Air Traffic Controller" with the APPROACH CONTROL SIMULATION. The thrills, challenges and frustrations you'll experience with this authentic, real-time simulation will lead to countless hours of discovery and adventure.

★ ★ A Complete Simulation Package ★ ★

- Software on Disk or Tape
- Comprehensive Manual
- Quick Reference Guide
- No Joysticks Required

32K MACHINE LANGUAGE TAPE \$29.95 DISK \$34.95



TOM MIX SOFTWARE

4285 BRADFORD N.E.
GRAND RAPIDS, MI 49506

• ADD \$3.00 POSTAGE & HANDLING • TOP ROYALTIES PAID •
• MICHIGAN RESIDENTS ADD 4% SALES TAX •

WE HAVE MORE SOFTWARE AVAILABLE THAN LISTED.

WRITE FOR OUR FREE CATALOGUE.

TO ORDER CALL 616/957-0444



VISA

THE SAILOR MAN
TAPE \$29.95
DISK \$34.95

GAMES

Requires 64K Machine Language

The first screen objective is to catch enough of Elsie's kisses (those Red Heart Shaped Things) to fill in the squares on the Sailorman's house. If you can time your punch just so, you can send the punching bag over to knock the bucket over and, with a little bit of luck, right on Bigfatbadguy's head. This will give you a little (but not much) time to catch all those R45T's.

You must avoid contact with Bigfatbadguy who is actively pursuing you. You must also be careful of Cloupyseawoman who will appear at higher difficulty levels to chuck empties at you. Either avoid the flying bottles or punch them (with the fire button) to keep from being knocked into the water.

The second screen objective is to collect enough notes to play Elsie a little love song. You may jump off and onto the other end of Fatguy's hamburger's tentacles to fly up a deck and even two decks if you manage to catch hold of Smartateck's grab handles. Time it right and away you go!

The third screen objective is to collect enough letters (shown by Elsie's cries for H-E-L-P) to complete a ladder all the way to the crow's nest where Elsie is calling you. Beware of the Crow, however, who thinks you are after her eggs!

On all screens, eating a can of colard greens (labeled "G") for Colard and grasped by punching the can just right will give you amazing speed, strength and agility and allow you to send Bigfatbadguy into the drink with a single punch.



DRAGON SLAYER



Save the villagers of Pendor! They live in fear of Icarus, the blood thirsty dragon. The dragon lives in a cave, way up in the mountains. The cave is a treasure chest, full of gems and cashbags. The trail to the cave is as menacing as Icarus himself. Outstanding graphics throughout. 160 screens of exciting action packed arcade excitement.



32K Disk \$29.95

THE KING	32K	FROG	16K
Tape \$26.95	Disk \$29.95	Tape \$27.95	Disk \$30.95
SR-71	32K	FANGMAN	16K
Tape 28.95	Disk \$31.95	Tape \$24.95	Disk \$27.95
DRACONIAN	32K	KATER PILLAR II	16K
Tape \$27.95	Disk \$30.95	Tape \$24.95	Disk \$27.95
MS. MAZE	32K	WAREHOUSE MUTANTS	16K
Tape \$24.95	Disk \$27.95	Tape \$24.95	Disk \$27.95



EDUCATIONAL

FACTPACK

FACTPACK is a set of 3 programs designed for home or school use. The programs provide drill and practice with basic addition, subtraction, multiplication and division facts and are appropriate in grades 1-6. Each program requires a 32K Extended BASIC Color Computer. Disk drive and printer are optional.

Requires 32 K Ext. Basic Tape \$24.95 Disk \$29.95

TEACHER'S DATABASE II

Teachers' Database (TDB) is a program designed to allow a teacher to keep a computerized file of information about his/her students.

The program requires a 64K Color Computer and at least one disk drive. This completely revised program includes all of the capabilities of the original TDB plus many new features.

- Information on as many as 100 students, or more, may be in the computer at one time.
- Each student may have as many as 20, or more, individual items of data in his/her record.
- The program has many easy to follow menus.
- Records may be easily changed, deleted, or combined.
- Information about students may be numerical or text.
- Records may be quickly alphabetized or re-ordered based on their contents.
- Records may be sorted by various criteria.
- A full statistical analysis of scores may be done and sent to the printer.
- Student test scores may be weighted, averaged, changed to a percentage or changed to a letter grade.
- Individual student progress reports and class gradebook sheets may be printed.
- Three methods of data entry speed the task of typing in student grades and test results.
- The program may be easily customized to work with any printer.
- Student seating charts may be created and printed.
- Graphs of student test results may be created using the computer's high resolution graphic screen.
- Grade distribution can be displayed numerically or as a histogram.

64K TDBII \$59.95 • 32K TDB Version - DISK \$42.95 TAPE \$39.95

VOCABULARY MANAGEMENT

Requires 16K Ext. Basic or 32K for printer output.

The Vocabulary Management System (VMS) is a series of programs designed to aid a parent or teacher in helping children to learn and practice using vocabulary and spelling words. The 11 programs that comprise the VMS include a full feature data entry/edit program, three printer output programs and 5 vocabulary/spelling game programs. The system's many outstanding features include:

- As many as 300 vocabulary words and definitions may be in the computer's memory at one time.
- Words and definitions may be saved on disk or tape.
- Remarks and/or comments can be saved with word files.
- A disk loading menu allows students to load disk files without typing file names.
- Word lists may be quickly alphabetized.
- The three printer segments allow you to create and print individualized tests, puzzles, word-searches and worksheets.
- The printer segments allow full use of your printer's special features.
- The 5 game programs are based on sound educational principles and provide practice in identifying words and matching them with their definitions in a fast-paced set of activities.

TAPE \$39.95 DISK \$42.95

FRACTIONS - A Three Program Package

MIXED & IMPROPER

1. Review converting mixed numerals and improper fractions.
2. Practice converting mixed numerals to improper fractions.
3. Practice converting improper fractions to mixed numerals.
4. Practice of both types. (Mixed to improper & improper to mixed)
5. Review converting mixed numerals to mixed numerals. (Used in regrouping in subtraction).
6. Practice converting mixed numerals to mixed numerals.

EQUIVALENCE

1. Definitions of terms and review of finding equivalent fractions.
2. Practice finding equivalent fractions.
3. Practice finding sets of equivalent fractions.
4. Review of finding if one fraction is equal to, not equal to, less than or greater than another.

LOWEST TERMS

1. Review of placing fractions into lowest terms by finding the greatest common factor (GCF) of the numerator and denominator.
2. Practice finding the GCF of pairs of numbers.
3. Practice placing fractions into lowest terms by finding the GCF of the numerator and denominator.

32K EXT BASIC TAPE \$30.95 DISK \$35.95

MATH DUEL

MATH DUEL is a challenging mathematics game that pits you against the computer in a game of wits. You must use all of your knowledge of factors, multiples and prime numbers to develop a strategy that allows you to log other more numbers and thus more points than the computer. The game is deceptively simple. You select the size of the playing field that is composed of from 6 to 100 numbers. You must then choose numbers that will give you the maximum number of points and the computer the least number of points. There are only 6 rules.

32K EXT. BASIC TAPE \$24.95 DISK \$29.95



UTILITIES

NOW! You can own the tools we've used to create "Donkey King", "Sailor Man", and others.

We are proud to announce our new utilities for the 64K Disk Color Computer, featuring:

- Full use of 64K RAM
- 100% Machine Language
- Parameters easily changeable in basic loader
- No ROM calls
- "Cold start" exit to basic
- Easy-to-read, informative documentation
- Keyklik
- Selectable drive stepping rate
- Support 1-4 drives
- Easy to use, with menu selected functions

To make life with your disks easier, may we suggest...

MAS — the finest assembler ever written for the Color Computer (includes EDT) \$74.95 Disk

EDT — effortless full (51x24) screen editing w/2 way cursor. Disk commands allow easy save/backup/append. Text files to 48K+. Copy, save, move, delete or print blocks. Much more. \$39.95 Disk

The Deputy Inspector — Alphabetize, re-sort, and backup directory; fast 3-swap backups, copy files or programs to same or other disks, can auto-reallocate granules during backup for faster loading, and more. \$21.95 Disk

The Sector Inspector — Alphabetize, backup, and printout directory; repair crashes; LLIST basic programs, name disks, read in and edit 23+ grants, 3-swap backups, and more. Has 16-page manual and gran table print program \$29.95 Disk

```

36 IF II$<>" THEN40
37 CD=PEEK(65385)AND32:IF CD=0TH
EN FOR A=1TO200:NEXT A:GOTO40
38 GOSUB9400
39 GOTO30
40 CLS:EXEC&H10DA:POKE4657,0
45 REM A=JOYSTK(0):SP=JOYSTK(2):
IF SP<5 THENPOKE65387,56ELSEPOKE
65387,54
50 FOR A=1 TO 10:PRINT:NEXT
60 CLS:PRINT"COLOR BBS SYSTEM":P
RINT"CoBBS VERSION 1.2":PRINT"<C
>1984 by Richard Duncan":GOSUB97
00:PRINT:PRINT"CoBBS #xx":PRINT:
PRINT:PRINT:GOSUB1200
61 RUNT65:D=0:POKE&H016B,197:POK
E&H016C,PEEK(4684)
62 F$="SIGNON/TXT:"+DR$(D)
63 OPEN"I",#1,F$
64 RUNT66:IFNOTEOF(1)THENGOSUB97
00:LINEINPUT#1,A$:PRINTA$:GOTO64
ELSECLOSE:D=5
65 D=D+1:IFD<4THEN62
66 RUN T 900:GOSUB9000:IFK1=0THE
N67ELSEGET#1,1:RE=CVN(H1$):GET#1
,2:RS=CVN(H1$):CLOSE
67 CLOSE:GOSUB9400:POKE4612,HR:P
OKE4613,MN:POKE4614,S:DT$=CHR$(P

```

```

EEK(4608))+CHR$(PEEK(4609))+CHR$
(PEEK(4610))+CHR$(HR)+CHR$(MN):P
OKE&H016B,16:POKE&H016C,205:TR=0
68 RUNT9810:EXEC&H10DA:TR=TR+1:I
F TR>3THEN9810ELSEPRINT:PRINT"US
ER # (0=NEW)":":GOSUB675:R5=VAL(
CH$):CH=R5:IF R5>1THEN110ELSE70
70 EXEC&H10DA:TR=TR+1:IF TR>3 TH
EN9810ELSEGOSUB9700:RUN T 70:CLO
SE:PRINT:PRINT:PRINT"ENTER FIRST
AND LAST NAME":PRINT"NAME: ":G
OSUB675:K=INSTR(CH$,CHR$(32)):IF
K=0ORCH$="" THEN70
71 NA$=CH$:IFLEN(NA$)>90THENPOKE
65387,106:RUN:ELSEIFLEN(NA$)<5TH
EN70
75 K=INSTR(CH$,";"):IFK>0THEN NA
$=LEFT$(CH$,K-1):CH$=RIGHT$(CH$,
LEN(CH$)-K):K=INSTR(CH$,";"):IFK
=0THEN LO$=CH$:GOTO90 ELSE LO$=L
EFT$(CH$,K-1):GOTO90
80 GOSUB9700:RUN T 80:PRINT"FROM
: ":GOSUB 675:IFCH$="" THEN70ELS
E LO$=CH$
90 PRINT:PRINT:PRINT:PRINTTAB(5)
"NAME: ";NA$:PRINTTAB(5)"FROM: "
;LO$:PRINT:PRINTTAB(5)"CORRECT (
Y/N) ";
95 GOSUB625
100 IFCH$="N" THENPRINT"NO":GOTO7
0
105 IFCH$<>"Y" THEN95 ELSE TR$=NA$
+CHR$(13)+LO$+CHR$(13):PRINT"YES
"
110 RUN T 900:PRINT:GOSUB9200:GE
T#1,1:C1=ASC(U7$):C2=ASC(U8$):CN
=C1*256+C2:PRINT:PRINT"CHECKING
USERLOG...":IF R5>1THEN R=R5:IF
R>LOF(1) THEN67ELSEGET#1,R:R6=R:
GOTO173
120 FOR R=2 TO LOF(1):GOSUB9700
130 GET#1,R:R6=R:K=INSTR(UN$,NU$
):IF LEFT$(UN$,K-1)<>NA$ THEN 17
0
140 L=INSTR(K+1,UN$,NU$):F$=MID$
(UN$,K+1,L-1-K):IF F$=LO$ THEN 1
80
150 PRINT:PRINT:PRINTLEFT$(UN$,K
-1):PRINT F$:PRINT"IS THIS YOU?
":T=0:EXEC4314
160 GOSUB 625:IF CH$="Y" THEN PR
INT"YES":GOTO180
165 IFCH$<>"N" THEN160 ELSEPRINT:P
RINT"USER NAME EXIST. PLEASE EN
TER":PRINT"YOUR NAME A LITTLE DI
FFERENT":GOTO70
170 NEXT R:PRINT:IFPEEK(4680)>0T
HENPRINT"WRITING USER...":GOTO46
0 ELSEPRINT"USER NOT FOUND":GOTO3


```

GRAF PLOT

TRY IT BEFORE YOU BUY IT!!

**FREE!!
DEMO!!**

TEST DRIVE GRAF PLOT
IN YOUR OWN HOME,
ABSOLUTELY FREE!!
YOU'LL WONDER HOW
YOU EVER GOT ALONG
WITHOUT IT!!



- * YOU CAN BE A GRAPHIC ARTIST!
- * PUNCH UP YOUR PRESENTATIONS!
- * PROFESSIONAL GRAPHS WITH EASE!
- * BUSINESS-FINANCE-SCIENCE-ENGRS
- * IRONCLAD MONEY-BACK GUARANTEE!

CALL NOW FOR YOUR FREE DEMO!

24 HOUR HOTLINE (415) 547-7557

HERE'S WHAT THE EXPERTS SAY ABOUT GRAF PLOT:

A great package gets even better ... totally impressed ...
equally useful in the home and office ... meticulous, hard-
holding documentation ... very easy to use! RAINBOW, 6/84, 4/7/83
"A high quality product ... slick presentations" Hot CoCo, 8/84

- * Easy to Use, Menu-Driven Operation with 37 Page Manual.
- * Nine Graphing Symbols and Unlimited Overlay of Data Sets.
- * Automatically Scales and Labels All Three of the Axes.
- * Calculates Math Functions, Integrals and Moving Averages.
- * Works with all CoCo models - requires Extended BASIC.

16K TAPE - \$35.00, 32K TAPE - \$40.00, 32K DISK - \$45.00 (UB)

ASK YOUR DEALER FOR GRAF PLOT OR ORDER DIRECT FROM:

HAWKES RESEARCH SERVICES, 809 STANFORD AVE, OAKLAND, CA 94608
YOUR PERSONAL CHECK IS WELCOME! SHIPMENT WITHIN 48 HOURS!
\$3.00 SHIPPING ON ALL ORDERS. CA. RESIDENTS ADD SALES TAX.



Special Christmas Savings!

'Tis the season to surprise your family with an exciting Color Computer for only \$88.

Save \$31.95 and make this holiday season one of your family's best ever with a 16K Standard BASIC Color Computer 2 (26-3134, regularly \$119.95). Your family will immediately start to enjoy the advantages of home computing together—even if you've never used a computer before!

A true family computer

Simply attach the Color Computer 2 to your television set, and add instant-loading Program Pak™ cartridges or ready-to-run cassette software (requires cassette recorder). The Color Computer 2 can help you set up personal and household budgets, keep track of

your investments, create an inventory of household items, store recipes, write letters and reports. With a wide selection of educational software available, your children can use the Color Computer 2 to help strengthen their math, spelling and reading skills. The family can even play exciting computer games.

Learn to program

You can learn to write your own programs in easy-to-understand and easy-to-use BASIC language (a 185-page beginner's manual is included). And you'll quickly be able to create spectacular graphics in eight vivid colors with exciting sound effects, too.

Easy to expand

As your family's interests, skills and needs grow, the Color Computer 2 is easily expandable with accessories. You can add a printer, telephone modem, joysticks and disk drives at any time.

Place the Color Computer 2 at the top of your family's gift list. Do your shopping early at Radio Shack and take advantage of special holiday savings!

Radio Shack®
The Technology Store™

A DIVISION OF TANDY CORPORATION

Sale ends 12/24/85. TV not included. Prices apply at Radio Shack Computer Centers and at participating Radio Shack stores and dealers.

```

00
173 IF UP$<>" " THEN 180E
LSEPRINT"NO PASSWORD IN LOG.":PR
INT"PLEASE ENTER A PASSWORD OF U
P":PRINT"TO 8 CHARACTERS: ";
175 GOSUB655:IF CH$="" OR LEN(CH
$)>8 THEN PRINT"ENTER A PASSWORD
: ";:GOTO175
177 LSET UP$=CH$:GOTO210
180 IF UY=1 THEN 210 ELSE PRINT:
EXEC&H10DA:PRINT"PASSWORD: ";:A$
="" :RUN T 180
190 EXEC4314:CH$=CHR$(PEEK(4481)
):IC$=INKEY$:IFIC$<>" "THEN CH$=I
C$:GOTO191ELSEIFCH$=CHR$(0)THEN1
90
191 K=INSTR(CJ$,CH$):ON K+1 GOTO
192,200,193:GOTO190
192 A$=A$+CH$:IFPEEK(4679)>0THEN
PRINTCH$::GOTO190ELSEPRINT"*":G
OTO190
193 IFLEN(A$)>0THENA$=LEFT$(A$,L
EN(A$)-1):PRINTCH$;
194 GOTO190
200 R5=R0:PRINT:A$=LEFT$(A$+STRI
NG$(8,0),8):IF A$=UP$ THEN 210 E
LSE T=T+1:TR$=TR$+CHR$(13)+A$:IF
T>2 THEN 9800 ELSE180

```

```

210 RUN T 900:TR$="":KK=INSTR(UN
$,NU$):NA$=LEFT$(UN$,KK-1):KL=IN
STR(KK+1,UN$,NU$):LO$=MID$(UN$,K
K+1,KL-1-KK):TR$=TR$+NA$+CHR$(13
)+LO$+CHR$(13)+A$:C2=C2+1:IFC2>2
55THEN C2=0:C1=C1+1:IFC1>255THEN
C1=0:C2=C2+1
211 LSET U7$=CHR$(C1):LSET U8$=C
HR$(C2):CN=C1*256+C2:GOSUB9700:IF
UY=1 THEN LSET UM$=CHR$(0)
215 PUT#1,1:FORA=1TO10:PRINT:NEX
TA:PRINT"WELCOME ";NA$:PRINT"PLE
ASE WAIT....":GOSUB9400:PRINT:PR
INT
220 PR=ASC(UA$):F$=U1$:GOSUB4100
:P1$=F$:F$=U2$:GOSUB4100:C3=0:P2
$=F$:BC=ASC(UE$):LG=CVN(U5$):LM=
CVN(UM$):DB$=UD$:TI=ASC(UO$):UL=
VAL(UL$):LSET UD$=DT$:POKE 4618,
ASC(UE$):POKE4619,ASC(UO$)
230 LSET U7$=CHR$(C1):LSET U8$=C
HR$(C2):F$=UR$:GOSUB4100:R$=F$:L
G=LG+1:LSET U5$=MKN$(LG):LSET UM
$=MKN$(RE):IF UY=1 THEN LG=1
234 IFASC(UR$)>0THENPUT#1,R
235 PRINT"LOW SYSTEM MESSAGE";RS
:PRINT"HIGH SYSTEM MESSAGE";RE:G
OSUB9700

```

**AVAILABLE
NOW**

DRAGON USER

To make the most of your new Dragon microcomputer from Dragon-Tano, you need *Dragon User* — the international, independent magazine for Dragon owners.

Each issue of *Dragon User* contains:

- reviews of the latest software
- programming advice for beginners
- hardware projects

- program listings covering games and utilities
- reviews of Dragon peripherals and add-ons
- technical advisory service
- programming articles for users

The Dragon microcomputer was launched in the UK last year. Since then we have developed a knowledge and mastery of the machine's abilities. You can benefit from our experience by subscribing to *Dragon User*, which is expanding its coverage to include all US developments.

To make sure that you receive a copy of *Dragon User* regularly, subscribe direct to us. This costs only \$29.95 for 12 issues airspeeded to you — or take advantage of our special offer to long-term subscribers. Individual copies of the magazine can be obtained from your Dragon dealer.

Subscription order form. Receive a free book and save money by taking out a long-term subscription — a two-year subscription saves 10%, a three-year subscription saves 20%. In addition, long-term subscribers will receive a free copy of either *The Working Dragon* or *Dragon Games Master*. Please send a check, made payable to *Dragon User*, with this form. Start my subscription from the following issue:

Name _____

Address _____

Signed _____

Date _____

Subscription rates US and Canada airspeeded: US\$29.95 for 12 issues/1 year
 US\$153.90 for 24 issues US\$190 for 36 issues. Send this form to
Dragon User, c/o Business Press International, 205 E. 42nd St., New York, NY 10017.

```

236 FORA=1TO5:A(A)=ASC(MID$(DB$,
A,1)):NEXTA:C4=1:PRINT"LAST ON:"
;STR$(A(1));"/";RIGHT$(STR$(A(2)
),2);"/";RIGHT$(STR$(A(3)),2);"
";STR$(A(4));":":A$=RIGHT$(STR$
(A(5)),2):IFVAL(A$)>9 THEN PRINT
A$ELSEMID$(A$,1,1)="0":PRINTA$
237 CN=C1*256+C2:PRINT"YOU ARE C
ALLER NUMBER";CN
240 PRINT"YOU HAVE LOGGED IN: ";L
G" TIMES":PRINT"LAST MESSAGE REC
EIVED: ";LM:PRINT:PRINT"YOU ARE A
UTHORIZED";ASC(UO$)*5;"MINUTES"
245 MW=0:IFL0F(1)<2THENPUT#1,2
250 CLOSE:PRINT"AS A ";:IFRIGHT$
(R$,1)="0"THENPRINT"NEW USER.":P
RINT:GOTO7000
255 IFMID$(R$,2,1)="1"THENPRINT"
REGISTERED USER #";R ELSEPRINT"P
ROBATIONARY USER."
259 PRINT:IFPEEK(4629)<4THEN9800
ELSEIFPEEK(4659)=0THEN UT=1:GOTO
7010
260 PRINT:PRINT:IFPEEK(4666)=0TH
EN292ELSEPRINT"CHECKING FOR MESS
AGES TO YOU.":CS$=NA$+NU$:GOSUB9
700:CLOSE:GOSUB9000:F=0:IFK1=0TH
ENCLOSE:GOTO293
265 FOR A=2 TO K1:GOSUB9700
266 EXEC&H10DA:CH=PEEK(4481):IFC
H=83ORCH=115THENPRINT"MESSAGE CH
ECK ABORTED.":GOTO292
267 GET#1,A:K=INSTR(H5$,CS$):IFK
=0THEN291ELSEK=INSTR(H5$,CHR$(0)
):L=INSTR(K+1,H5$,CHR$(0)):M=INS
TR(L+1,H5$,CHR$(0)):XX=L-K-1:IFX
X<1THEN N$=""GOTO268ELSEN$=MID$(
H5$,K+1,XX)
268 FR$=LEFT$(H5$,K-1):XX=M-L-1:
IFXX<1THENS$=""ELSES$=MID$(H5$,L
+1,XX)
269 IFN$<>NA$ THEN 291
270 '
271 M5$=STR$(ASC(H8$))
283 F$=H2$:GOSUB4100:RF$=F$:IFMI
D$(RF$,2,1)="1"ORMID$(RF$,3,1)="
1"THEN291
285 IFF3=0THENPRINT:PRINT"MESSAG
ES WAITING!":F3=1:PRINT:MW=1
287 IFMID$(RF$,1,1)="1"THENPRINT
"PRIVATE MESSAGE"
289 PRINT"#";CVN(H1$);" - ";H8=
ASC(H8$):IFLEN(BN$(H8))=0THENPRI
NT"MENU #";M5$ ELSE PRINTBN$(H8)
;" - "
290 PRINT"FROM: ";FR$:PRINT"SUBJ
": ";S$:PRINT
291 NEXTA:IF MW=0 THEN PRINT"SOR
RY, NO MESSAGES FOR YOU.":CLOSE:

```

The Accessible Computer Experts



DELKER

HARDWARE SPECIALS

25-1000 Tandy 1000 3-drive	\$ CALL
Tandy 1000 10MB Hd	CALL
26-3002 Model 100 24K	\$ 449.95
26-3000 Model 200	\$ 849.95
26-3016P BK Upgrade Model 100	\$ 55.95
26-3127 64K Extended Coco 2	\$ 149.95
26-3129 Coco Drive	\$ 189.95
26-1101 Coco Drive 1	\$ 179.95
26-3124 Multi-Pac Interface	\$ 89.95
Video Monitor Adapters	\$ 34.95
Botek Ser/Par Interface	\$ 69.95
NAP Video Monitor (Grn Amber)	\$ 109.95
Extended Basic w/bk	\$ 39.95
64K (DEI) Memory Upg	\$ 49.95
HJL Keyboard (D.E.F.2)	\$ 79.95
26-1276 OMP-105 Printer 80 cps	CALL
26-1278 DWP 220 Printer	CALL

MSI SOFTWARE

MSI DISKUTIL	NEW	\$ 19.95
COLOR FINANCE II	NEW	\$ 69.95
MSI NAMEFILE		\$ 24.95
MSI CALENDAR	NEW	\$ 19.95
MSI COLOR PAYROLL	NEW	\$ 99.95
COLOR FINANCE 4		\$ 89.95

ACCESSORIES

Volkmodem 1200	\$299.95
RS D.C. Modem IB	\$ 89.95
Novation J-Cat Modem	\$129.95
USR Password 300	\$179.95
Hayes SM 300 Modem	\$239.95
USR Password 1200	\$399.95
USR Password 2400	\$599.95
CoCo Switcher	\$ 39.95
Elephant Disks 5000	\$ 18.95
Mach II Joystick	\$ 39.95
26-3030 05-9 (64k)	\$ 64.95 (disk)
Basic-09 (req. 05-9)	\$ 87.95 (disk)
"C" Compiler (05-9)	\$ 87.95 (disk)
FHL O-Pak (req. 05-9)	\$ 34.95 (disk)
Elite Word	\$ 59.95 (d&c)
Elite Calc	\$ 59.95 (d&c)
Color Term Plus	\$ 29.95 (cass)
Deft Pascal	\$ 79.95
26-3012 Deluxe Joystick	\$ 34.95
Tandy 1000 options	CALL

NEW! Dual Double Sides Drives including case, power supply & cable \$375.95

NEW! 26-3126 64K Direct Video CoCo2 \$219.95

TRS-80 Trademark Tandy Corporation. Prices subject to change without notice. Write for our FREE newsletter.



Call for prices and availability of your favorite software and hardware. All advertised items subject to availability. Prices do not include shipping and handling. All of the above units are covered by our 120 day carry-in warranty.

DELKER ELECTRONICS, INC.
P.O. Box 897 408 C Nissan Blvd.
Smyrna, TN 37167

■ 800-251-5008 ■ 615-459-2636
(Tennessee)
■ 800-545-2502 ■ 615-254-0088
(Tennessee) (Nashville)

Visa, Mastercard and American Express

New Hard Drives

----- COMPLETE SYSTEM ----- JUST PLUG IN -----

Call For
BEST PRICE



Warranty - One Full Year

5 to 20 Megabyte, ready to run on the TRS
80 Model I/III/IV/4P, color computer,

64K UPGRADES \$39⁹⁵

star

PRINTERS

- * 100 - 120 - 160 CPS
- * Bidirectional Logic Seeking
- * Friction and Tractor
- * 9X9 Dot Matrix
- * True Descenders
- * High Res-Bit Image Block Graphics

PRINTER CABLES AND
INTERFACES AVAILABLE
Call for current pricing

- * Super Script-Subscript
- * Underlining
- * Backspacing Doublestrike
- * 5, 6, 8 1/2, 10, 12 and 17 Pitch
- * Programmable Line Spacing
- * SIX (6) MONTH WARRANTY

GEMINI 10X (9 Inch Carriage, 120cps) Friction and Tractor ... \$CALL

GEMINI 15X (15 Inch Carriage, 120cps) Friction and Tractor ... \$CALL

DELTA 10 (10 Inch Carriage, 160cps) Friction and Tractor ... \$CALL

POWER TYPE Letter quality



NEW
MODEL

\$239

SG-10

NEW QUALITY VIDEO MONITORS

Starting at \$79.⁹⁵

MONOCHROME
COLOR MONITORS



VIDEO DRIVER

ENABLES YOUR COCO TO OPERATE WITH A
VIDEO MONITOR INSTEAD OF A TELEVISION!

SCREEN DUMP PROGRAM

The best screen dump program for the Epson & Gemini
printers ever!! Have the option of standard images
or reverse w/regular or double sized pictures \$19⁹⁵

SP-3 INTERFACE for Color Computer

- 300-19,200 BAUD rates
- External to printer — No AC Plugs
- Built in modem/printer switch—no need for Y-cables or plugging/unplugging cables

Only:

~~\$59.95~~



COMPLETE SYSTEM

299⁹⁵

NEW
LOW
PRICE

now
with
screen
dump

Nothing more to buy!

Dealer inquiries invited



TRUE DATA PRODUCTS

195 Linwood Street, P.O. Box 546
Linwood, Massachusetts 01525



CALL US TODAY!!
ORDER TOLL FREE

(617)234-7047
1-800-635-0300

NEW DISK DRIVES

STARTING AT

\$ 89.⁹⁵

**WITH CASE &
POWER SUPPLY**

\$129.95


We carry only the finest quality disk drives • no seconds • no surplus



TANDON MPI TEAC

Speed 6 ms tk to tk and up
Capacity 250k unformatted
Tracks 40
Warranty **now 1 YEAR**

New Low Price!



40 Tks 6Ms
Double Sided
Double Density

40 or 80 Tracks

1/2 Hght. Teac/Panasonic



SATISFACTION GUARANTEED!!

ALL DRIVES FULLY TESTED & WARRANTED

Complete Disk Drive with Power Supply & Case Teac..... \$129.95

Two Drives in Dual Case & Power Supply Teac..... ~~\$279.95~~ CALL

1/2 ht double sided double density Disk Drives (Panasonic/Teac) ~~\$~~ **\$119.95**

1/2 ht double sided double density Disk Drive with ps & case..... ~~\$199.95~~ CALL



How to use your new drive system on audio cassette

Single ps & case \$44.95 Dual 1/2 ht ps & case \$54.95 Dual ps & case ... Call

Color Computer Controller (J&M)



\$129.95

DRIVE Ø FOR RADIO SHACK COLOR COMPUTER

TANDON, MPI OR TEAC DRIVE (SINGLE SIDED 40 TRACKS SPEED 5 MS TRK TO TRK & UP)

POWER SUPPLY and CASE, TWO DRIVE CABLE WITH ALL GOLD CONNECTORS

J&M CONTROLLER, MANUAL and DOCUMENTATION ~~\$249.95~~ **\$ SALE!**

DRIVE Ø FOR RADIO SHACK COLOR COMPUTER

PANASONIC 1/2 HEIGHT DOUBLE SIDED DOUBLE DENSITY DRIVE 500K unformatted

POWER SUPPLY and CASE, 2 DRIVE CABLE WITH ALL GOLD CONNECTORS

J&M CONTROLLER, MANUAL and DOCUMENTATION ~~\$279.95~~ **Super!! SALE!**

TAKE ADDED SAVINGS ON TWO DRIVE SYSTEMS

DISKETTES with free library case ~~\$~~ **\$17.95**

Unadvertised Specials ~~\$~~ **\$Call**

Drives cleaned, aligned & tested ~~\$~~ **\$29.95**



10 Diskettes

GD CONTAINS DATA

TECHNICAL STAFF ON DUTY, PLEASE CALL FOR ASSISTANCE.

**CALL US TODAY!!
ORDER TOLL FREE**

**(617) 234-7047
1-800-635-0300**

• DEALER INQUIRIES INVITED.
(617) 234-7047



TRUE DATA PRODUCTS


195 Linwood Street, P.O. Box 546

Linwood, Massachusetts 01525

(617) 234-7047

HOURS MON-SAT 9-6 (EST)

We welcome

- Visa / Master Charge 
- Checks (allow 2 weeks for clearing)
- C.O.D. Add \$2.00



```

GOSUB9700:PRINT
292 CLOSE:GOSUB9700:PRINT
293 TR$=CHR$(13)+STRING$(20,"=")
+CHR$(13)+STR$(CN)+" "+DA$+" "+
TI$+CHR$(13)+NA$+" / "+LO$+CHR$(
13):GOSUB9600:CLOSE
294 R1=INT(R6/256):R2=R6-(R1*256
):POKE4690,R1:POKE4691,R2
295 GOSUB9400:POKE4615,HR:POKE46
16,MN:POKE4617,S:PRINT:LOAD"COBB
S/SYS",R
300 '-NEW USER-
305 RUN T 900:IFPEEK(4629)<2THEN
9800
310 UY=0:'GOTO50000
315 PRINT:PRINT:PRINT:PRINT"SORR
Y, YOU ARE NOT ENTERED":PRINT"IN
THE USER LOG."
320 '
335 PRINT:PRINT:PRINT"PLEASE LEA
VE THE FOLLOWING":PRINT"INFORMAT
ION. ALL QUESTIONS":PRINT"MUST
BE ANSWERED TO BE REGISTERED"
340 PRINT:PRINT:GOSUB9700
345 PRINT"NAME: ";NA$:EXEC&H10DA
350 GOSUB9700:PRINT"ADDRESS: ";:
RUNT350
351 GOSUB650:IFCH$=""THEN350ELSE
AD$=CH$
355 PRINT"CITY: ";LO$
360 GOSUB9700:PRINT" ZIP: ";:GOS
UB650:IFCH$=""THEN360ELSE ZP$=CH
$
365 PRINT:PRINT"PHONE: ";:RUNT36
5
366 GOSUB9700:GOSUB650:IFCH$=""T
HEN365ELSE PH$=CH$
370 PRINT:PRINT"ENTER A PASSWORD
OF UP TO 8":PRINT"CHARACTERS.
NOTE: UPPER AND":PRINT"LOWER CAS
E IS TREATED DIFFERENTLY."
371 PRINT:PRINT"PASSWORD: ";:RUN
T371
372 GOSUB9700:GOSUB650:IFCH$=""O
RLEN(CH$)>8THEN371ELSEPW$=CH$
375 PRINT:PRINT:PRINT
380 PRINT"I HAVE IT AS:"
385 PRINTTAB(5)NA$:PRINTTAB(5)AD
$:PRINTTAB(5)LO$:PRINTTAB(5)PH$
390 PRINT:PRINTTAB(5)"PASSWORD:
";PW$:PRINT:PRINT
395 PRINTTAB(5)"IS THIS CORRECT
(Y/N)? ";
400 GOSUB9700:GOSUB600:IFCH$="Y"
ORCH$="y"THENPRINT"YES":GOTO430
405 IFCH$="N"ORCH$="n"THENPRINT"
NO"ELSE400
410 PRINT"NAME: ";:RUNT410
411 GOSUB9700:GOSUB675:IFCH$=""T
HEN410ELSENA$=CH$
415 PRINT"ADDRESS: ";:RUNT415
416 GOSUB650:IFCH$=""THEN415ELSE
AD$=CH$
420 PRINT"CITY, STATE: ";:RUNT42
0
425 GOSUB9700:GOSUB675:IFCH$=""T
HEN420ELSELO$=CH$:GOTO360
430 RUN T 460:FR=FREE(0):IFFR<2T
HEN460
450 OPEN"D",#2,"REGISTER/SYS",32
:FIELD#2,32 AS L$:K2=LOF(2):X$=S
TRING$(32,0):LSET L$=DA$+" "+TI
$+X$:K2=K2+1:PUT#2,K2
455 K2=K2+1:LSET L$=NA$+X$:PUT#2
,K2:K2=K2+1:LSET L$=AD$+X$:PUT#2
,K2:K2=K2+1:LSET L$=LO$+X$:PUT#2
,K2:K2=K2+1:LSET L$=ZP$+X$:PUT#2
,K2:K2=K2+1:LSET L$=PH$+X$:PUT#2
,K2:K2=K2+1:LSET L$=PW$+X$:PUT#2
,K2
460 CLOSE:UNLOAD:GOSUB500
465 IFPEEK(4629)<3THEN9850ELSE21
0
500 '-LSET NON REGISTERED USER-
505 GOSUB9400:POKE4615,HR:POKE46
16,MN:POKE4617,0
510 GOSUB9700:RUN T 900:GOSUB920
0
515 LSET UN$=NA$+CHR$(0)+LO$+CHR
$(0):LSET UP$=PW$+STRING$(8,0)
520 LSET UR$=CHR$(0):LSET UA$=CH
R$(PEEK(4660)):LSET U1$=CHR$(PEE
K(4661)):LSET U2$=CHR$(PEEK(4662
))
525 LSET UU$=NU$:LSET UE$=CHR$(P
EEK(4664)):LSET U5$=MKN$(0):LSET
UM$=MKN$(0)
530 LSET UD$=DT$:LSET U3$=NU$:LS
ET U4$=NU$:LSET UO$=CHR$(PEEK(46
63)):LSET UL$=CHR$(1)
535 LSET US$="" :LSET SP$=""
540 IFFREE(PEEK(4572))<2THEN545E
LSE R=LOF(1)+1:PUT#1,R
545 RETURN
600 '-SINGLE KEY ENTRY
605 EXEC4314:CH$=CHR$(PEEK(4481)
):IC$=INKEY$:IFIC$<>"THEN CH$=I
C$:GOTO615
610 GOSUB9700:IF CH$=CHR$(0)THEN
605
615 RETURN
625 GOSUB605:CH=ASC(CH$)

```

Somethings Are Important Enough For A BACKUP! - Rudolph the reindeer Merry Christmas



SUPER BACK-UP UTILITY ©

... WITH S.B.U. FROM COMPUTIZE
— YOU'LL NEVER NEED ANOTHER
BACK-UP UTILITY FOR YOUR COCO!!!
SUPER BACK-UP UTILITY WILL PER-
FORM ALL OF THE FOLLOWING FUNC-
TIONS:

1. TAPE TO TAPE (Regardless of most protection schemes!)
 2. TAPE TO DISK (Move Cassette programs to Disk!)
 3. AUTO RELOCATE (For those Cassette programs that conflict with Disk operating systems.)
 4. DISK TO TAPE (Place Disk programs onto Cassette)
 5. DISK TO DISK (Our powerful Split-N-Image Program, Copies regardless of protection schemes!)
- MENU DRIVEN
 - REQUIRES 32K EXTENDED COCO
 - REQUIRES 1 OR 2 DRIVES
 - ALL MACHINE LANGUAGE!!!

COMPARE WITH OTHER INDIVIDUAL
PROGRAMS COSTING IN EXCESS OF
\$100.00

DISK \$49.95 Cat. No. 107CD

NEW MASTER KEY II

New Improved Version! A hardware product that takes control of any program regardless of protection. Now use with RS Multi-pak, "Y" cable or optional extender cable. Captures register constants as they were when Master Key II was engaged. Complete disassembler, memory save, and much more. Requires some familiarity with Assembly Language.

ROM PAK Cat. No. 160HR \$ 99.95
With Ext. Cable Cat. No. 161HR . \$109.95
See Page 289 For More Holiday Values

SPIT-N-IMAGE ©

M/L Disk Back-Up Utility

There is no need to suffer the heartbreak of crashed disks any longer. Spit-N-Image will create a mirror image of your valuable disk programs which do not respond to normal back-up functions. Will also initialize and back-up in one pass. Data processing experts always insist on having a back-up — it's good a practice.

REQUIRES 32K CC

DISK \$34.95 Cat. No. 101CD

TRIPLE TRANSFER UTILITY ©

Transfer contents of disk to tape •
Transfer contents of tape to disk •
Automatically relocates cassette programs that conflict with the disk operating system • Displays machine language program addresses • Copies ASCII, Basic, & Machine Language Programs • All contained in 1 menu driven program!

REQUIRES 32K CC EXT.

Cassette \$19.95 Cat. No. 105CT
Disk \$24.95 Cat. No. 105CD



IF YOU HAVE EVER OWNED A "Y" CABLE YOU KNOW HOW EASY IT IS TO "BUMP" OR DISLODGE THE CABLE FROM THE COMPUTER. WITH THE POSITIVE MECHANICAL CONNECTION OF THE "Y BOX" CHANCES ARE GREATLY REDUCED OF THE "Y" COMING DISLODGED.

ONE OF THE MOST COMMON CAUSES OF A SHORTED DATA BUS IN THE COCO IS A MISALIGNED OR LOOSE "Y" CABLE. DON'T LET YOUR COMPUTER BE THE NEXT VICTIM OF A "Y" CABLE. ORDER THE "Y BOX" FROM COMPUTIZE.

- NOISE FREE "GOLD CONTACT" TO YOUR COMPUTER
- POSITIVE MECHANICAL AND ELECTRICAL CONNECTION
- ONLY \$24.95

Check or M.O.
Add \$3.00
shipping

Computize INC.
(215) 946-7260 P.O. BOX 207 • LANGHORNE, PA 19047

PA residents
add 6%
sales tax

HOLIDAY GIFT IDEAS FOR

Compact Computer Furniture

- Good-Looking Simulated Hickory Finish
- Keeps Computer System Organized



26 x 32 x 19³/₄"

49⁹⁵
Each

Our affordable Computer Stand (26-1354) and Compact Printer Stand (26-1355) are not only attractive additions to your home, but space savers as well. The Computer Stand includes a raised platform for a monitor or printer. The Printer Stand includes a bottom-feed paper slot and paper storage shelf.



26 x 26⁷/₈ x 19³/₄"

Computer, printer, monitor and accessories not included.

Computer Cassette Recorder

- Built-In Automatic Level Control
- Recorder Starts and Stops Automatically



49⁹⁵

The CCR-82 recorder (26-1209) is ideal for loading and saving programs and data. It features cue/review and tape counter. Requires four "AA" batteries.

Protect Your Diskettes



7⁹⁵



4⁹⁵

5¹/₄" **Wallet File.** Holds 10 diskettes. 26-1366, \$7.95.

5¹/₄" **Library Box.** Stores like a book when closed. Holds 10 disks. 26-1452, \$4.95.

5¹/₄" **Travel Tote (not shown).** Holds 5 disks. 26-1348, \$2.95.

Power Line Filter



49⁹⁵

The Power Line Filter (26-1244) filters line noise from nearby appliances and reduces interaction between peripherals. It also protects equipment from damaging transient voltage spikes.

Low-Priced Joysticks

19⁹⁵
Pair



Our lowest-priced joysticks (26-3008) make games even more exciting. Fast 360° movement!

Sound/Speech Cartridge

79⁹⁵



Just plug the Cartridge (26-3144) into a Color Computer's Program Pak™ port for sound and speech.

COLOR COMPUTER OWNERS

Save \$20 on a Thermal-Matrix Printer



- Ideal for the Color Computer 2
- Super-Quiet Operation

Reg.
99.95

79⁹⁵

The TP-10 (26-1261) is a perfect match for your Color Computer! It prints both graphics and alphanumerics at 32 characters per line, 30 characters per second on 4¹/₈" wide thermal paper. Features include elongation mode for expanded print and a special repeat function to make graphics programming easier. Measures 3 x 8 x 5". Color Computer-compatible serial interface only.

Low-Cost Dot Matrix Printer



- Bit Image and Graphics Mode
- Prints 80 Characters Per Second

199⁹⁵

A Radio Shack price breakthrough! The DMP 105 (26-1276) prints crisp 8 x 9 dot matrix characters on an 8" line. It's ideal for data processing and general-purpose use. Bi-directional—prints 80 or 132 characters on an 8" line.

Triple-Mode Printer



- Word Processing and Dot-Addressable Graphics
- Cursive and Microfont Styles

349⁹⁵

The DMP 130 (26-1280) makes correspondence-quality printing affordable. It prints in four character styles: standard or italic cursive in draft or correspondence modes.

Radio Shack[®]
The Technology Store[™]
A DIVISION OF TANDY CORPORATION

```

630 IFCH>96ANDCH<123THEN CH=CH-3
2
635 CH$=CHR$(CH):RETURN
650 '-REMOTE INPUT **KEYBOARD O
NLY
655 LINEINPUTCH$:GOSUB9700
665 RETURN
675 GOSUB655:G$="":IFCH$=""THENR
ETURN
680 FOR A=1 TO LEN(CH$)
685 G=ASC(MID$(CH$,A,1)):IFG>96A
NDG<123THEN G=G-32
690 G$=G$+CHR$(G):NEXTA:CH$=G$:R
ETURN
700 '-COMPARE FLAGS-
710 K7=0
720 FOR Q=1 TO 8
730 IFMID$(F$,Q,1)="0"THEN750
740 IFMID$(PX$,Q,1)<>"1"THEN K7=
1
750 NEXTQ:RETURN
800 '-SET TIME-
805 POKE65386,106:CLS:PRINT:PRIN
T:PRINT
810 INPUT"MM,DD,YY";MM,DD,YY
815 DC=VAL(HEX$(PEEK(&H0EFD))):P
OKE4611,DC
820 INPUT"HH:MM";HR,MN

```

```

825 X=USR1(HR*256+MN)
830 POKE4608,MM:POKE4609,DD:POKE
4610,YY
835 POKE65386,107
840 RETURN
900 '-ERROR ROUTINE-
905 RUN T 900:CLOSE:ET=ET+1:IF E
T>9 THEN 9900
910 '
915 ER=PEEK(&HFD):EL=PEEK(&HFE)*
&H100+PEEK(&HFF)
920 IF ER=>54 THEN EA=&HC242+ER:
GOTO935
925 IF ER=>50 THEN EA=&H88D9+ER:
GOTO935
930 EA=&HABAF+ER
935 ER$="**ERROR: TYPE "+CHR$(P
EEK(EA))+CHR$(PEEK(EA+1))+ " IN L
INE"+STR$(EL)+" :USER"
940 TR$=TR$+CHR$(13)+ER$:GOSUB96
00
945 '
950 '
955 '
960 TR$=TR$+CHR$(13):GOSUB9600
965 PRINT:POKE&H0168,PEEK(4681):
POKE&H0169,PEEK(4682)
970 PRINTER$:PRINT:FORA=1TO1000:
NEXTA
975 POKE&H0168,&H10:POKE&H0169,&
HE6
980 RUN T 900:GOTO24
1000 '-CD CKECK-
1005 IFPEEK(&HFF21)>100THEN RUN
1010 RETURN
1020 REM
1025 EXEC4314:IFPEEK(4481)<>42TH
ENRETURN
1210 PRINT:PRINT"PLEASE PRESS EN
TER TO CONTINUE: ";
1215 GOSUB650
1225 IF CH$=PW$ THEN II$=CHR$(95
):GOTO31
1230 RETURN
4100 '-DECIMAL TO BINARY
4105 F=ASC(F$):E=128:F$=""
4110 FOR Q=1 TO 8
4115 J=INT(F/E)
4120 IF J=0 THEN F$=F$+"0"ELSEF$
=F$+"1"
4125 F=F-(E*J):E=E/2
4130 NEXT Q
4140 RETURN
4200 '-BINARY TO DECIMAL
4205 W=LEN(F$):E=1:F=0
4210 FOR Q=W TO 1 STEP -1
4215 IFMID$(F$,Q,1)="1"THEN F=F+
E
4220 E=E*2:NEXTQ:F$=CHR$(F)

```

Hot CoCo II
Upgrade \$20



THE OTHER GUYS
Software

NEW FREE
CATALOG

'KEEP-TRAK' General Ledger Reg. \$69.95—ONLY \$24.95
"Double-Entry" General Ledger Accounting System for home or business. 15k, 32k, 64k. User-friendly, menu-driven. Program features: balance sheet, income & expense statement (current & YTD), journal, ledger, 899 accounts & 2350 entries on 32k & 64k (710 accounts & entries on 16k) (disk only). Version 1.2 has screen printouts. Rainbow Reviews 1.1 - 9/84 - 1.2-4/85

'OMEGA FILE' Reg. \$69.95—ONLY \$19.95
Filing data base. File any information with Omega File. Records can have up to 16 fields with 255 characters per field (4080 characters/record). Sort, match & print any field. User friendly menu driven. Manual included (32k/64k disk only). Rainbow Review 3/85, Hot CoCo 10/85

BOB'S MAGIC GRAPHIC MACHINE
Can generate BASIC code to use in your programs. Easy drawing and manipulation of circles, ellipses, boxes, lines and ARCS. Single joystick operation with on line HELPS at all times. Allows text on the graphics screen & movement of objects on the screen. Can be used as a stand-alone graphics editor. Instruction Manual **GRAPHICS EDITOR, Reg. \$39.95—ONLY \$19.95** for disk or tape. 64k ECB. Rainbow Review 7/85, Hot CoCo 9/85 "The graphics bargain of the year"

'KEEP-TRAK' Accounts Receivable, (Avail 10/01/85)
Features: auto interest calculation, auto aging of accounts, installment sales, total due sales, explanation spaces as long as you need, detailed statements. KEEP-TRAK' General Ledger tie-in, account number checking, credit limit checking & more. User friendly/menu driven. Includes manual. **\$39.95** or **\$49.95** General Ledger & Accounts Receivables. (Disk Only).

OS9 UTILITY DISK
Contains: Transfer utilities between RSDs and OS9 which also allows manipulation of RS files with OS9 programs. EXPANDABLE MULTILEVEL HELP OPTREE—copies directory structures with no temp. files. Two calculators, plus ten other utilities. **\$19.95** (Disk Only—Available 10/15/85) OS9 is Microware TM.

'COCO WINDOWS' Available 10/31/85
With hi-res character display and window generator. Features an enhanced key board (clicks) and 10 programmable function keys. Allows the user to create multiple windows from basic. Includes menu driven printer setup and auto line numbering. Four function calculator, with memory. The above options can be called anytime while running or writing in BASIC. APPLE PULL YOUR DRAPES, YOU DON'T WANT TO SEE THIS. **\$19.95** (disk or tape) includes manual.

THE OTHER GUY'S Software
P.O. Box H, 55 N. Main
Logan, UT 84321 (801) 753-7620

(Add \$2.50 for postage & handling)
C.O.D., Money Order, Check in U.S. Funds
(Please specify if J&M controller)

```

4225 RETURN
7000 'NEWUSER/POSTLOG/TXT
7005 IFPEEK(4667) <> 0 THEN 259 ELSEF
$="NEWUSER/TXT": GOTO 7015
7010 IFPEEK(4659) <> 0 THEN 260 ELSEF
$="POSTLOG/TXT:"
7015 D=-1: CLOSE: UNLOAD
7020 D=D+1: IFD>3 THEN 7045
7025 FT$=F$+DR$(D): RUNT7020: OPEN
"I", #1, FT$
7030 RUNT7045: IFNOTEOF(1) THEN LIN
EINPUT#1, S$ ELSE 7045
7035 EXEC&H10DA: CH$=CHR$(PEEK(44
81)): K=INSTR("pPSS", CH$): IFK>0 TH
EN 7050
7040 GOSUB 9700: PRINTS$: GOTO 7030
7045 CLOSE: UNLOAD: IFUT=1 THEN 260 E
LSE 259
7050 IFK>2 THEN 7045
7055 EXEC&H10DA: IFPEEK(4481) <> 13
THEN 7055 ELSE PRINTS$
7060 GOTO 7030
8000 '-SCREEN-
8005 RUN T 900
8010 POKE&H0168, PEEK(4681): POKE&
H0169, PEEK(4682)
8015 CLS3
8020 GOSUB 9000: IFK1=0 THEN 8045
8025 GET#1, 1: RE=CVN(H1$)
8030 GET#1, 2: RS=CVN(H1$): XY=LOF(
1)-1
8040 HR$=RIGHT$(STR$(PEEK(4615))
, 2): MN$=RIGHT$(STR$(PEEK(4616))
, 2): TZ$=HR$+"": +MN$
8041 FOR Q=1 TO 4
8042 IFMID$(TZ$, Q, 1)="" THEN MI
D$(TZ$, Q, 1)="0"
8043 NEXT Q
8045 CLOSE
8050 GOSUB 9200: GET#1, 1
8055 K=INSTR(UN$, CHR$(0)): N$=LEF
T$(UN$, K-1): L=INSTR(K+1, UN$, CHR$
(0)): L$=MID$(UN$, K+1, L-1-K): X=AS
C(U7$)*256+ASC(U8$): CA=LOF(1)-1
8060 PRINT@66, "COLOR BULLETIN BO
ARD SYSTEMS";
8065 PRINT@140, "<C> 1984";: PRINT
@167, "by RICHARD DUNCAN";
8070 PRINT@228, "STARTING MESSAGE
";: RS;: PRINT@260, " ENDING MESSA
GE:";: RE;: PRINT@328, "CALLS: ";: X;:
PRINT@360, "USERS: ";: CA;
8075 NN$="LAST CALLER: "+N$: A=LE
N(NN$): IFA>32 THEN B=0: GOTO 8080 E
LSE B=INT((32-A)/2)
8080 GOSUB 9400: PRINT@448+B, NN$;:
PRINT@490, "TIME: ";: TZ$;
8085 POKE&H0168, &H10: POKE&H0169,
&HE6

```

```

8090 CLOSE: RETURN
8100 '-SYSTEM CONTROL FILE-
8105 DSKI$ 0, 17, 18, S1$, S2$: IFLEF
T$(S1$, 5) <> "COBBS" THEN 9925
8110 POKE4629, ASC(MID$(S1$, 9, 1))
8111 POKE4664, ASC(MID$(S1$, 10, 1)
)
8112 POKE4663, ASC(MID$(S1$, 11, 1)
)
8113 FOR A=0 TO 2: POKE4660+A, ASC
(MID$(S1$, 12+A, 1)): NEXT A
8114 POKE4628, ASC(MID$(S1$, 15, 1)
)
8115 POKE4666, ASC(MID$(S1$, 16, 1)
)
8116 POKE4669, ASC(MID$(S1$, 17, 1)
)
8117 POKE4679, ASC(MID$(S1$, 18, 1)
)
8118 POKE4680, ASC(MID$(S1$, 19, 1)
)
8119 POKE4667, ASC(MID$(S1$, 20, 1)
)
8120 POKE4659, ASC(MID$(S1$, 21, 1)
)
8121 POKE4694, ASC(MID$(S1$, 22, 1)
)
8122 FORA=0 TO 6: POKE4670+A, ASC(MI

```



Get Your
Favorite
Teacher
CLASS.

\$49.95

A Radio Shack Color Computer with 32-64K and Extended BASIC becomes an electronic grade book. CLASS includes 7 programs and 2 data files to ease the entry, manipulation, and reporting of grades.

Grades entered may be letters or number correct. All entries are converted to, and stored as, percent scores. Individual incomplete grades are allowed. Each assignment or cumulative grade is assigned a weight. More than 2500 grades may be stored in memory. Any number of students and assignments that amounts to less than the memory limit is allowed, eg. 50 students with 50 assignments. The configuration may be modified later. As many as 1000 grades have been entered per hour during use.

Printed reports are confidential. Students are identified by number on the screen and printer. Accumulated average percent and grade are reported.

All information may be changed conveniently. Files compatible with Radio Shack's Colorstat may be created. Student names may be alphabetically sorted.

Sailors System Software CLASS on disk \$49.95
1943 N. Garfield Avenue
Pasadena, CA 91104 CLASS on cassette . . . \$50.00

```

D$(S1$,23+A,1):NEXT A
8199 RETURN
8200 '-MENU NAMES-
8205 GOSUB9100
8210 FOR R=1 TO K2 STEP 4
8215 GET#2,R:BN$=M5$:BN=ASC(M1$)
8220 K=INSTR(BN$,NU$):IFK=0THEN
K=LEN(BN$)+1:BN$(BN)=LEFT$(BN$,K
-1)
8225 BN$(BN)=LEFT$(BN$,K-1):NEXT
R:BN$(255)="SYSOP MSG"
8230 CLOSE:RETURN
9000 '-OPEN HDR/SYS-
9005 RUNT9900:FF$="HDR/SYS:"+DR$(
PEEK(4670))
9010 OPEN"D",#1,FF$,110
9015 FIELD#1,5 AS H1$,1 AS H2$,3
AS H3$,2 AS H4$,80 AS H5$,5 AS
H6$,5 AS H7$,1 AS H8$,8 AS SP$
9020 K1=LOF(1):RETURN
9100 '-OPEN BOARD MENU-
9105 FF$="MENU/SYS:"+DR$(PEEK(46
73))
9110 OPEN"D",#2,FF$,250
9115 FIELD#2,1 AS M1$,1 AS M2$,1
AS M3$,1 AS M4$,16 AS M5$,230 A
S M6$
9120 K2=LOF(2):RETURN

```

```

9200 '-OPEN USERLOG-
9205 FF$="USERL/SYS:"+DR$(PEEK(4
672))
9210 OPEN"D",#1,FF$,96
9215 FIELD#1,50 AS UN$,8 AS UP$,
1 AS UR$,1 AS UA$,1 AS U1$,1 AS
U2$,1 AS UU$,1 AS UE$,5 AS U5$,
5 AS UM$,5 AS UD$,1 AS U3$,1 AS
U4$,1 AS UO$,1 AS UL$,4 AS US$,1
AS U7$,1 AS U8$,7 AS SP$
9220 KX=LOF(1):K1=KX-1:RETURN
9400 '-GET TIME-
9405 DC=VAL(HEX$(PEEK(&H0EFD))):
HR=VAL(HEX$(PEEK(&H0EFE))):
9410 MN=VAL(HEX$(PEEK(&H0EFF))):
SS=VAL(HEX$(PEEK(&H0F00))):
9415 HR$=RIGHT$(STR$(HR),2):IFHR
<10THEN MID$(HR$,1,1)="0"
9420 MN$=RIGHT$(STR$(MN),2):IFMN
<10THEN MID$(MN$,1,1)="0"
9425 TI$=HR$+"":+MN$:IF SS<57 OR
MN>58 THEN 9440
9430 MN=MN+1:IF MN>59 THEN MN=0:
HR=HR+1:IF HR>23 THEN HR=0
9435 X=USR0(HR*256+MN)
9440 X=PEEK(4611):IF X<>DC THEN
9455
9445 DA$=RIGHT$(STR$(PEEK(4608))
,2)+"/"+RIGHT$(STR$(PEEK(4609))
,2)+"/"+RIGHT$(STR$(PEEK(4610))
,2)
9450 RETURN
9455 MM=PEEK(4608):DA=PEEK(4609)
:YY=PEEK(4610):DA=DA+1:IFDA>31TH
EN DA=1:MM=MM+1:IF MM>12 THEN MM
=1:YY=YY+1
9460 POKE4608,MM:POKE4609,DA:POK
E4610,YY:POKE4611,DC:GOTO9445
9600 '-TRACER-
9605 CLOSE:FF$="TRACER/SYS:"+DR$(
PEEK(4675))
9610 FR=PEEK(4669):IFFR=0THEN962
5ELSEIFFR=1THEN9640ELSEIFFR=3THE
N9660ELSERUNT9630:OPEN"D",#1,FF$
,128
9615 FIELD#1,128 AS X$:K1=LOF(1)
9620 LSET X$=TR$:K1=K1+1:PUT#1,K
1
9625 CLOSE:TR$="":RETURN
9630 POKE4669,0:GOTO295
9640 OPEN"O",#-1,"TRACER":WRITE#
-1,TR$:GOTO9625
9660 PT=PEEK(&HFF22)AND1:IFPT=1T
HEN9625ELSEPRINT#-2,TR$:GOTO9625
9700 '-CD CHECK-
9705 IFPEEK(4658)=0THEN9740
9710 CD=PEEK(65385)AND32
9715 IF CD<>0 OR PEEK(4657)<>0 T
HEN9750

```

(COLOR LISP)

Experiment in the exciting world of Artificial Intelligence on your **COLOR** computer with this **LISP** interpreter

This is a powerful but minimally implemented **LISP** interpreter that includes the following commands:

LISP - EVAL, CAR, CDR, LIST, CONS, NULL, ATOM, EQ, COND, PUT, GET, SETQ, OBLIST, READ, PRINT, PROG, PROGN, GO, RETURN, NUMBERP, ZEROP, GREATERP, LESSP, *- GC, MAPCAR, RPLACA, RPLACD

GRAPHICS - CLS, SET, POINT

CASSETTE - LOAD, SAVE, CLOSE, LOADWS, SAVES, AUDIO, MOTOR, SKIP

MISCELLANEOUS - BASIC, PRINTER, PEEK, POKE, USR, SOUND, JOYSTK, FIRE(BUTTON)

SUPPORTS: Recursion, Property Lists, Garbage Collection, FEXPRs, EXPRs, machine language subroutines, low resolution graphics, interger numbers, long error messages. LISP objects stored on cassette, node and stack area can be reconfigured.

Requires a 32K Radio Shack Color Computer with Extended BASIC.

Price: \$39.95 (cassette only) plus \$2.00 shipping and handling (\$5.00 foreign). VT residents add 4% sales tax. Send check or money order.

VISA

★ **FROST BYTE** ★
P.O. Box 169
Underhill, VT. 05490-0169




```

9740 RETURN
9750 CLOSE:RUN
9800 '-TERMINATE-
9805 GOSUB9600
9810 CLOSE:POKE65386,106:RUN
9850 PRINT"THANKS FOR CALLING Co
BBS.":PRINT"WE WILL CONTACT YOU
SHORTLY"
9855 PRINT"TO UPGRADE YOUR ACCES
S."
9860 GOTO9800
9900 '-UNABLE TO ACCESS-
9904 GOTO9000
9905 H$="PASSWORD"
9910 POKE65386,106:FORT=1TO100:N
EXTT
9915 POKE65386,107
9920 IFPEEK(65385)AND32<>0THEN99
20
9925 FOR A=1 TO 5:PRINT:NEXTA
9926 GOTO9000
9930 PRINT"THANKS FOR CALLING...
":PRINT:PRINT"WE ARE UNABLE TO A
CCESS THE"
9935 PRINT"SYSTEM PROPERLY AT TH
IS TIME.":FORT=1TO500:NEXTT
9940 PRINT:PRINT:PRINT
9945 PRINT"PLEASE CALL AGAIN LAT
ER.":PRINT:FORT=1TO1000:NEXTT
9950 PRINT"PLEASE HANG UP.":PRIN
T:PRINT:GOSUB675:IFCH$=H$ THEN I
I$=CHR$(95):GOTO31
9955 GOTO9900
10000 POKE65386,106
10005 IFPEEK(4684)<>188THENPOKE&
HAC7D,&H0E:POKE&HAC7E,&H00
10015 MOTOROFF
10020 X=&H112B:POKE X,&H86:POKE
X+1,&H0D:POKE X+2,&HB7:POKE X+3,
&H11:POKE X+4,&H81:POKE &H1127,&
H10
10025 RUN

```

100	148
210	150
300	203
480	246
END	87

Listing 3: COTERM

```

10 '-CREATES COTERM/BIN FOR COBB
S
20 DATA 204,126,57,231,140,250,4
8,141,0,21,246,1,148,254,1,149,2
31,141,0,30
30 DATA 239,141,0,27,183,1,148,1
91,1,149,57,31,169,53,64,129,84,
39,16,52

```

```

40 DATA 64,52,4,198,57,247,1,142
,53,1,126,255,255,255,255,157,15
9,189,175,103
50 DATA 198,57,247,1,142,220,43,
39,21,189,173,1,37,17,175,141,25
5,231,48,141
60 DATA 0,12,191,1,143,198,126,2
47,1,142,57,126,174,210,134,57,1
83,1,142,158
70 DATA 104,48,1,39,241,215,253,
220,104,221,254,189,173,51,174,1
41,255,191,189,174
80 DATA 187,126,173,158,255,0,25
5,0,0,77,39,5,204,255,255,32,65,
189,179,237
90 DATA 77,38,245,193,3,34,241,2
47,14,0,142,0,234,236,129,52,6,1
40,0,240
100 DATA 38,247,182,14,0,151,235
,142,160,0,159,238,134,2,151,234
,48,141,0,7
110 DATA 52,16,50,122,189,214,11
2,142,0,234,53,6,237,129,140,0,2
40,38,247,230
120 DATA 132,79,126,180,244,0,25
5,0,22,0,145,22,0,159,22,1,9,22,
1,178
130 DATA 79,106,141,0,32,46,100,

```

NEW

**ATTENTION
OS-9™ USERS**

NEW

EZ-MANAGER

- find J: scans through your file system to locate any specified file(s):
 - wild card expansion
 - shell forking
- peruse: quick and concise way to look through directories. No more tiresome chd - dir sequences. Artificial intelligence feature included to maximize the display information.
- mod time: modifies the time very accurately and fast with very simple procedures.

Disk \$ 49 (U.S.) \$ 59 (CAN.)

EZ-BACK

new back-up procedures which include file compaction leading to less disk wear and faster load time. Can be used with SSD up to hard disk drives.

Disk \$ 59 (U.S.) \$ 70 (CAN.)

All programs are user friendly, interactive and contain help features.

INSTRUCTIONS

Certified check or M.O.
For personal checks allow 3 weeks delivery.
Add \$2 for shipping.
Quebec residents add sales tax.
Overseas orders add 10%.

IVA ELECTRONICS
P.O. Box 615
Station K
Montreal, Que. H1N 3R2

Call us:
(514) 256-9942
Mon. - Sat. 9 - 6 PM EDT

No refunds or exchanges.

OS-9 is a trade mark of Microware corp.

48, 141, 0, 26, 134, 120, 167, 132, 166,
 130, 45, 88, 139
 140 DATA 1, 25, 167, 132, 161, 6, 45, 2
 8, 111, 132, 32, 239, 255, 255, 255, 255
 , 255, 0, 0, 7
 150 DATA 36, 96, 96, 0, 255, 0, 255, 0,
 106, 140, 242, 141, 203, 110, 156, 243,
 230, 140, 230, 88
 160 DATA 88, 48, 141, 0, 43, 58, 198, 4
 , 206, 4, 20, 189, 165, 154, 48, 140, 213
 , 141, 10, 134
 170 DATA 58, 167, 192, 141, 4, 134, 58
 , 167, 192, 166, 132, 68, 68, 68, 68, 138
 , 48, 167, 192, 166
 180 DATA 128, 132, 15, 138, 48, 167, 1
 92, 57, 19, 21, 14, 32, 13, 15, 14, 32, 20
 , 21, 5, 32
 190 DATA 23, 5, 4, 32, 20, 8, 18, 32, 6,
 18, 9, 32, 19, 1, 20, 32, 189, 179, 237, 7
 7
 200 DATA 45, 3, 231, 140, 144, 79, 230
 , 140, 140, 189, 180, 244, 57, 140, 32, 5
 5, 190, 255, 248, 238
 210 DATA 1, 239, 140, 135, 51, 140, 13
 7, 239, 1, 52, 2, 182, 255, 3, 138, 1, 183
 , 255, 3, 206
 220 DATA 1, 106, 166, 196, 174, 65, 16
 7, 141, 255, 111, 175, 141, 255, 108, 13

4, 126, 48, 141, 0, 148
 230 DATA 167, 196, 175, 65, 134, 18, 1
 67, 140, 200, 53, 2, 189, 179, 237, 77, 4
 5, 22, 52, 4, 141
 240 DATA 26, 231, 141, 255, 65, 53, 2,
 141, 18, 231, 141, 255, 58, 111, 141, 25
 5, 55, 28, 239, 236
 250 DATA 141, 255, 47, 189, 180, 244,
 57, 95, 140, 203, 16, 128, 10, 44, 250, 1
 39, 10, 52, 2, 234
 260 DATA 224, 57, 189, 179, 237, 52, 4
 , 141, 234, 231, 141, 0, 60, 53, 2, 141, 2
 26, 231, 141, 0
 270 DATA 53, 26, 16, 182, 255, 32, 133
 , 1, 38, 249, 142, 7, 208, 48, 31, 39, 44,
 182, 255, 32
 280 DATA 133, 1, 39, 245, 23, 254, 205
 , 236, 141, 254, 235, 16, 163, 141, 0, 17
 , 39, 17, 173, 159
 290 DATA 160, 0, 39, 215, 31, 137, 79,
 189, 180, 244, 28, 239, 57, 0, 255, 79, 9
 5, 189, 180, 244
 300 DATA 57, 204, 255, 255, 189, 180,
 244, 57, 50, 98, 23, 254, 204, 15, 112, 1
 3, 111, 16, 38, 0
 310 DATA 70, 52, 20, 174, 141, 254, 18
 8, 191, 1, 13, 134, 239, 167, 159, 0, 136
 , 182, 255, 32, 133
 320 DATA 1, 38, 249, 142, 7, 208, 48, 3
 1, 39, 31, 182, 255, 32, 133, 1, 39, 245,
 23, 254, 112
 330 DATA 173, 159, 160, 0, 39, 226, 19
 8, 96, 231, 159, 0, 136, 48, 141, 254, 14
 4, 191, 1, 13, 53
 340 DATA 148, 48, 141, 254, 135, 191,
 1, 13, 126, 161, 179, 126, 161, 127, 0, 2
 55, 67, 48, 141, 0
 350 DATA 81, 188, 1, 104, 39, 50, 182,
 1, 103, 167, 141, 0, 218, 190, 1, 104, 17
 5, 141, 0, 212
 360 DATA 182, 1, 106, 167, 141, 0, 207
 , 190, 1, 107, 175, 141, 0, 201, 134, 126
 , 183, 1, 106, 183
 370 DATA 1, 103, 48, 141, 0, 36, 191, 1
 , 104, 48, 141, 0, 4, 191, 1, 107, 57, 15,
 112, 13
 380 DATA 111, 16, 38, 0, 169, 127, 255
 , 64, 50, 98, 141, 44, 129, 3, 38, 2, 134,
 42, 183, 17
 390 DATA 129, 57, 52, 2, 18, 18, 18, 18
 , 18, 18, 18, 18, 18, 18, 150, 111, 53, 2,
 16, 38
 400 DATA 0, 129, 141, 62, 18, 18, 18, 1
 8, 18, 18, 18, 18, 18, 18, 32, 115, 52, 21
 , 26, 80
 410 DATA 173, 159, 160, 0, 39, 2, 32, 3
 6, 182, 255, 105, 132, 8, 39, 6, 182, 255
 , 104, 183, 17
 420 DATA 129, 246, 255, 105, 196, 32,

WORKBASE



BUSINESS SOFTWARE
\$ PORTFOLIO \$
BUSINESS DATABASE SYSTEMS

* Reviewed in HOT CoCo Dec. 1984 & RAINBOW Feb. 1985 *

- **DATABASE MANAGEMENT** - define, reorganized & update a database
- **SPREAD SHEET** - calculations to update database
- **REPORT MODULE** - customized report formats with headings & labels
- **WORD PROCESSOR** - merge database with custom letters, labels & reports
- **MACRO PROCEDURES** - store any report calculations with sorts & selectors.
- **UTILITIES** - generate, merge, summarize & summarize post
- **216 PAGE MANUAL WITH STEP-BY-STEP TUTORIAL**
- **WORKBASE I** (500 Records) \$49.95 - **WORKBASE II** (1200 Records) \$59.95

BUSINESS APPLICATION PACKAGES

- **READY-TO-USE** - 50 page manual, database, calculations & reports
- **SELF-CONTAINED** - purchase & use any package independently
- **BUILT-IN DATABASE FUNCTIONS** - selectively display/print records
- **COMPREHENSIVE** - all major accounting functions addressed
- **EASY TO USE** - all packages are entirely menu driven
- **EXPANDABLE** - use any application database with WORKBASE DATABASE
- **PROVEN** - currently used in businesses, churches, and accounting firms
- **COST EFFECTIVE** - \$29.95 per package - \$24.95 when 2 or more purchased

<ul style="list-style-type: none"> • INVENTORY CONTROL • SALES ORDER ENTRY • ACCOUNTS PAYABLE • PAYROLL • RENTAL PROPERTY 	<ul style="list-style-type: none"> • ACCOUNTS RECEIVABLE • GENERAL LEDGER • PURCHASE ORDER ENTRY • CHURCH MEMBERSHIP
--	--

ALL SOFTWARE REQUIRES 32KB/4K TRS-80 CoCo & 1 DISK DRIVE
 * FREE CATALOG AVAILABLE *

ORDERING: CHECK, MONEY ORDER, COD, MASTERCARD, VISA

Price includes shipping in USA
 NC residents add 4.5% sales tax

WORKBASE DATA SYSTEMS
 P.O. Box 3448
 Durham, NC 27702
 Phone: (919) 286-3445


New From Saguaro Software!



Fighter Pilot

An original arcade game! Wave after wave of attacking aircraft attempt to shoot you down as you maneuver your fighter into the wild blue yonder, blasting enemy fighters, bombers and paratroopers out of the sky. Joystick or keyboard operation. "Pause game" feature. Disk version saves high scores. 32K, 100% Machine Language.

Tape \$24.95 Disk \$29.95



Pumpman

You'll dig this 100% machine language arcade game! The Pumpman carries a pump that he fires at alien Pooky and Dragon as they change forms and chase him around under the ground. 15 different screens, "pause game" feature. As fun and challenging as the original arcade version! 32K, one joystick required.

Tape \$24.95 Disk \$29.95



EAGLE

A graphic-enhanced lunar lander simulator. The pilot breaks out of lunar orbit and attempts a landing on the lunar surface. Joysticks control thrust and craft altitude and information is continually displayed on horizontal and vertical velocities, acceleration values, fuel consumption and much more. Enhanced disk version allows choice of landing site between Mars and Earth's moon. Takeoffs from the surface can be made and the upper stage placed back in orbit. A great tool for that future astronaut or physicist. 32K, 2 joysticks required.

Tape \$24.95 Disk \$29.95

Send Your High Scores To The Rainbow Scoreboard!!!

Mission of Vengeance

A fantasy graphics adventure. You are Garotte Severinn, master thief, spy, and assassin. Your mission is to kill the evil wizard Neemon, recover the holy scepter of Tash, and escape from Neemon's castle. The reward is a fortune in gold, but beware many dragons and monsters stand between you and the gold! 32K, one disk drive required.

Disk or Amdek \$24.95

Menu Maker

The ultimate in easy disk access and organization! Menu Maker is a 100% machine language utility that allows you to place attractive, customized menus on all of your diskettes and, with only one key press, load any program of your choice. Menu Maker is compatible with IBM DOS 1.0 and 1.1 (soon with others!) and supports multiple-drive systems. 32K, one disk drive required. One of this year's best utilities!

Disk or Amdek \$24.95

Magazine Index System

M.I.S. helps you organize and keep track of those important magazine articles. Features include transfer utility insuring compatibility with other database programs, fast search routines, and the saving of data in a compressed format for more records per disk. 16K, one disk drive required.

\$14.95

HIRES +

High Resolution Screen Enhancer

HIRES + is a programmer's utility that adds a number of features to BASIC: a high resolution screen with true upper and lower case letters and variable screen width, scroll protect, key repeat, error-trapping, visual input routine, reset protection, true break disable and more! 16K tape.

\$19.95

Label Maker 3.0

A utility for printing labels, compatible with all types of printers. Features include Hi-Res screen preview before printing, automatic centering, up to nine lines of copy, changeable baud rates, variable font selection. All defaults can be customized. Supplied on tape, can be transferred to disk. 32K. Extended.

\$19.95

The Best Epson Screen Dump

An easy-to-use screen dump utility for Epson and compatible printers. Three sizes of printouts (11 by 7 cm., 17 by 17 cm., and 28 by 28 cm.), double-strike option, reverse printing switch, use of double-density, bit-image mode allows you to view the graphical screen before printing. 16K, supplied on tape, disk transferable.

\$14.95

Marooned!	\$29.95
<small>Adventure 32K Disk Only</small>	
Blackjack Dealer	\$24.95*
<small>With Dealer Dealer 32K</small>	
Sketchpad	\$19.95
<small>Graphics Drawing Program 32K Disk Only</small>	
Alpha -40+	\$19.95
<small>Formats 40+ Tracks, Mow! 32K Disk Only</small>	
Testmaker	\$29.95
<small>Creates T/F, M/C Tests Disk Only</small>	
Maycode	\$24.95*
<small>6809 Disassembler 32K</small>	
<small>* Add \$5.00 For Disk</small>	

Hardware

Amdek Dual 3 1/2" Disk Drive



While Supply Lasts! **\$189** While Supply Lasts!

Includes 2 Disquettes & Cable

HDS Disk Controller	\$129.00
Reverse Video Switch	\$11.95
MOP Video Driver	\$27.95
Amdek Color 300	\$259.00
Amdek Color 500	\$299.00

Software Closeout!

On All

**Tom Mix • Mark Data
Prickly-Pear • Sugar
Petrocci Freelance Assoc.**

Call For Special Closeout Prices

Send For Free Catalog!

Saguaro Software

VISA (303) 728-4937 MasterCard
P.O. Box 1864 • Telluride, CO 81435
 Colorado Residents Add 7% Tax • Add \$1.00 Shipping (Software Only)
 Dealer Inquiries Invited • Some Quantities Limited
AUTHORS! WE'RE SEEKING NEW SOFTWARE NOW!



CINSOFT
THE CENTRAL SOURCE FOR COCO SUPPORT

presents...

*Holiday
Gift
Ideas*



and Fast Delivery, too...

Second Day Air

NO EXTRA CHARGE ON ORDERS OVER \$50 - NOW THRU XMAS



**LATEST
VERSION!**

Features...
• 14 fonts
• Shrink, Stretch
• Rotate
• Multiple drives
Upgrade available
\$20

Order today!

star



PRINTER SPECIAL!

Star SG-10...
Metric Industries Model 104...
Handsome brown vinyl...
Spare replacement...
Starter pak of...

**PRINTER
INTERFACE
DUST COVER
RIBBON
PAPER**



319.00 COMPLETE
SAVE 31.00

"Authorized Star Micronics Service Center"

New! DELUXE JOYSTICK

EXCELLENT FOR COLOR COMPUTER
USE IT FOR GRAPHICS, GAMES, ETC.
CoCo owners will appreciate this high quality,
durable joystick. Open gimbal design... self-
centering or free-floating operation. Mechanical
trims on both axes... eight foot cable... firing
button has lifetime 5,000,000 presses. A two-
button version of the Deluxe Joystick is available
for the Tandy 1000.



**\$27.50 each
\$49.95/pair**

**CHOOSE FROM OUR LARGE
SELECTION OF COCO PRODUCTS**

B5... Colorware... Deft... Derringer... Dynacalc... Elite...
HJL... J & M... Mark Data... Metric Industries...
Michtrom... Microcom... Microworks... Tom Mix... PBJ... PXE...
Speech Systems... Sugar... TCE... VIP... and more!

Shipped immediately from stock!

• Call • 513-396-SOFT • Shop by Modem • 513-396-SHOP



• Write •

2235 Losantiville, Cincinnati, OH 45237

SHIPPING will be charged at our ACTUAL COST
Ohio residents add 5 3/4% Sales Tax. CDD #00200

```

39,3,247,18,49,53,149,18,18,18,1
8,18,18,18
43Ø DATA 18,18,18,18,53,149,52,2
3,26,8Ø,246,255,1Ø5,196,32,38,35
,246,255,1Ø5
44Ø DATA 196,16,39,242,183,255,1
Ø4,129,13,38,21,246,255,1Ø5,196,
32,38,14,246,255
45Ø DATA 1Ø5,196,16,39,242,134,1
Ø,183,255,1Ø4,18,18,18,18,18,18,
246,255,1Ø5,196
46Ø DATA 32,39,3,247,18,49,53,15
1,18,18,18,126,2Ø3,74,126,197,14
3,13,8Ø,1
47Ø DATA 1Ø3,134,68,69,86,78,85,
77,Ø,111,Ø,255,Ø,255,Ø,255,Ø,255
,Ø,255
48Ø DATA Ø,255,Ø,255,Ø,255,Ø,255
,Ø,255,Ø,255,Ø,255,Ø,255,Ø,255
,255
49Ø DATA Ø,255,Ø,255,Ø,255,Ø,255
,Ø,255,Ø,255,Ø,255,Ø,255,Ø,255
,255
50Ø DATA Ø,255,Ø,255,Ø,255,Ø,255
,Ø,255,Ø,255,Ø,255,Ø,255,Ø,255
,255
51Ø DATA Ø,255,Ø,255,Ø,255,Ø,255
,Ø,255,Ø,255,Ø,255,Ø,255,Ø,255
,255
52Ø DATA Ø,255,Ø,255,Ø,255,Ø,255
,Ø,255,Ø,255,Ø,255,Ø,255,Ø,255
,255
53Ø DATA Ø,255,Ø,255,248
54Ø DATA END
55Ø A= 3584
56Ø READ B$:IF B$="END" THEN 58Ø
57Ø POKE A,VAL(B$):A=A+1:GOTO 5
6Ø
58Ø PRINT"SAVING COTERM/BIN"
59Ø SAVEM"COTERM/BIN",&HØEØØ,&H1
22Ø,&H1Ø91

```

One-Liner Contest Winner...

This one-liner draws a nicely detailed picture of a comet.

The listing:

```

1Ø PMODE4:SCREEN1,1:PCLS1:FORX=1
TO139:U=U+Ø.Ø99:CIRCLE(128,192),
X,Ø,U:LINE(95+U*4,Ø)-(128,175),P
SET:CIRCLE(128,175),U*1.2:NEXT:P
ØKE178,2:DRAW"BM214,18ØD5BR8U5L4
D3R4U3BR4D5R4U3L4R4U2L4BR8D5R4U3
L4":FORX=ØTO1STEP-Ø:NEXT

```

*Raymond Larabie
Whitelake, Ontario*

(For this winning one-liner contest entry, the author has been sent copies of both *The Second Rainbow Book Of Adventures* and its companion *The Second Rainbow Adventures Tape*.)



Which Award Is Which?

This "generic" program, easily modified to individual needs, is designed to keep track of various awards for Ham radio operators

By Burt B. Witham, Jr.

Ham radio operators like to earn awards for operating their stations and confirming contact with other amateur radio stations all over the world. There are literally hundreds of awards offered by various radio publications, organizations and clubs. It would be impossible to out-guess the Hams and create a program to record individual desires insofar as award types, so I have designed a "generic" program that can be modified to suit the individual's needs.

(Burt Witham, holder of amateur radio license W4CNZ, has authored several programs for the Color Computerist who is also a "Ham." Burt retired from the U.S. Navy in 1973 as a captain after 31 years of service. He lives in Virginia Beach, Va.)

Awards includes a few of the most popular awards as examples. The program lines 10-40 initialize the program and present a menu for selection of the award data to be read. The program sections 100, 300, 400, 600 and 700 each present the data on a selected award. Since the data entries, or changes, occur at irregular intervals (often months apart), it was decided to store the data in DATA statements and have it read by the main program. This makes it easy to use and does not require disk or tape I/O functions. Thus, the program can be used with either tape or disk, as is, without modification.

Each award section consists of a simple data READ function and a screen printout of the required award data. Adding to or revising the data merely requires a rewrite of the appropriate DATA statement for BASIC (or an edit of the statement for Extended BASIC).

When revising these statements, be very careful to maintain the position of all of the commas, as they are the separators between the parts of the DATA statements. Changing their position causes the READ function to error. Several DATA statements have been filled in with "dummy" information (lines 750-790 and Line 810) to demonstrate how to record DATA in the data lines. The dummy information should be replaced with your own real information.

Using this program, the amateur operator can quickly and easily "let CoCo do it," and determine his status in earning any of the current awards desired.

Awards uses 12K of memory and Extended BASIC. It is available on disk or tape from the author at P.O. Box 2072, Virginia Beach, VA 23452, or through RAINBOW ON TAPE. □

The publishers of the Rainbow
are taking an interest
in a different type of programming

VCR

THE HOME VIDEO MONTHLY

That's right. We've decided that programs like *Shenanigans* and *Symphony 12* aren't the *only* great ones around. There are also *Silver Streak* and *Star Trek* and *Some Like It Hot* — software of a different sort.

That's why we are introducing **VCR, The Home Video Monthly**, the magazine for the new generation of home viewer.

Home video has evolved beyond the "hacker" era, when you needed a degree in electronics just for a little entertainment. Most people don't care about how the signal-to-noise ratio and wow-and-flutter specs of their equipment compare to the latest models. They simply want to know how best to use and enjoy the equipment that they have.

And that is what **VCR** will offer — how to get the very best in home entertainment from your equipment.

Each month, **VCR** will bring you previews and ratings of every new offering on tape and disc: music videos, children's shows, how-to guides, and movies, movies, movies.

We will tell you which shows the critics themselves will be taping on the networks and cable, along with tips from the experts on how to get the best possible reproductions. And



you can turn to us for the answers to your questions, ranging from the trivial to the technical.

Even more, each month we will feature exclusive interviews with the stars and the star-makers, along with articles designed to help you relive some of your fondest video "memories" of the past.

Yes, programming is more than spreadsheets and databases. And we know you'll want to be a charter subscriber to the guide to the very best in entertainment software.

VCR, The Home Video Monthly, debuts in January 1986.

Yes, I'm ready for some real entertainment! Send the next 12 monthly issues of VCR to my door.

Subscribe now for only \$15 and save 36% off the regular newsstand price.

Name _____

Address _____

City _____ State _____ ZIP _____

My check in the amount of _____ is enclosed. (In order to hold down costs, we do not bill.)

Charge to: VISA MasterCard American Express

Account Number _____ Exp. Date _____

Signature _____

*Subscriptions to VCR are \$15 a year in the United States. Canadian rate is U.S. \$22. Air mail rate elsewhere is U.S. \$60. All subscriptions begin with the current issue. Please allow 5 to 6 weeks for first copy. Kentucky residents add 5% sales tax. U.S. currency only, please. In order to hold down non-editorial costs, we do not bill.

120	172
210	191
380	125
620	130
760	36
830	189
END	7

The listing: AWARDS

```

1 REM *****
2 REM *   HAM AWARDS RECORD   *
3 REM * BY BURT WITHAM W4CNZ *
4 REM *   3501 SEA GULL RD.   *
5 REM * VIRGINIA BEACH, VA. 23452 *
6 REM *   (804)-340-2628     *
7 REM * VERSION 1.2   2/25/85 *
8 REM * ALL RIGHTS RESERVED *
9 REM *****
10 DIM S$(50), D$(300), C$(300), QS$(
300), QR$(300), CN$(6): G=484: GS="
PRESS <ENTER> FOR MENU.": GOTO 30
20 AS=INKEY$: IFA$="" THEN 20 ELSE IFA$=CHR$(13) THEN CLS: RETURN ELSE SOUND5, 5: GOTO 20
30 CLS: PRINT@104, "AWARDS RECORD S";: FOR T=1 TO 999: NEXT: CLS: PRINT@39, "MAIN MENU": PRINT@97, "1) WAS": PRINT " 2) WAZ": PRINT " 3) DXCC": PRINT " 4) WAC": PRINT " 5) EXIT": PRINT: INPUT " SELECT 1-5"; N
40 IF N<1 OR N>5 THEN 10 ELSE ON N GOTO 100, 300, 500, 600, 700
100 REM ** WAS
110 CLS: PRINT@33, "DO YOU WANT TO REVIEW ALL STATES OR DO YOU WANT A PARTICULAR STATE ... (A)/(P) ";: INPUT Z$
120 IF Z$="A" THEN 130 ELSE IF Z$="P" THEN 170 ELSE 110
130 CLS: PRINT@3, "WORKED ALL STATES RECORD": PRINT: PRINT "STATE--DATE---STATION---QSL/S--R": FOR S=1 TO 050: READ S$(S): NEXT: FOR R=1 TO 050: READ S$(R), C$(R), QS$(R), QR$(R): NEXT
140 FOR P=1 TO 050: IF QR$(P)="Y" THEN SOUND200, 2
150 PRINT " S$(P); TAB(5) "-"D$(P); TAB(14) "-"C$(P); TAB(24) "-"QS$(P); TAB(29) "-"QR$(P): FORTD=1 TO 600: NEXT TD, P
160 RESTORE: GOTO 30
170 CLS: PRINT@33, "ENTER TWO LETTER ABBREVIATION OF STATE DESIRED.": INPUT ST$: FOR S=1 TO 050: READ S$(S): NEXT: FOR N=1 TO 050: IF ST$=S$(N) THEN 190 ELSE NEXT

```

```

180 SOUND5, 10: CLS: PRINT@33, "NOT FOUND- WRONG ABBREVIATION? TRY AGAIN!": RESTORE: FORTD=1 TO 999: NEXT: GOTO 170
190 FOR W=1 TO 050: READ D$(W), C$(W), QS$(W), QR$(W): IF W=N THEN 200 ELSE NEXT
200 CLS: PRINT@33, "WORKED ALL STATES RECORD": PRINT: PRINT "STATE--DATE---STATION---QSL/S--R": PRINT: PRINT " S$(N); TAB(5) "-"D$(W); TAB(14) "-"C$(W); TAB(24) "-"QS$(W); TAB(29) "-"QR$(W)
210 PRINT@G, G$:; GOSUB 200
220 RESTORE: GOTO 30
300 REM ** WAZ
310 CLS: FOR S=1 TO 050: READ S$(S): NEXT: FOR K=1 TO 050: READ D$(K), C$(K), QS$(K), QR$(K): NEXT: PRINT@33, "DO YOU WANT TO REVIEW ALL ZONES OR DO YOU WANT A PARTICULAR ZONE ... (A)/(P) ";: INPUT B$
320 IF B$="A" THEN 330 ELSE IF B$="P" THEN 370 ELSE 310
330 CLS: PRINT@5, "WORKED ALL ZONES RECORD": PRINT: PRINT " ZONE--DATE---STATION---QSL/S--R": FOR Z=1 TO 40: READ D$(Z), C$(Z), QS$(Z), QR$(Z): NEXT
340 FOR P=1 TO 40: IF QR$(P)="Y" THEN SOUND200, 2
350 PRINT " P; TAB(5) "-"D$(P); TAB(14) "-"C$(P); TAB(24) "-"QS$(P); TAB(29) "-"QR$(P): FORTD=1 TO 600: NEXT TD, P
360 GOTO 30
370 CLS: PRINT@33, "ENTER NUMBER OF ZONE DESIRED.": INPUT N: IF N<1 OR N>40 THEN SOUND5, 5: GOTO 370
380 FOR Z=1 TO 40: READ D$(Z), C$(Z), QS$(Z), QR$(Z): NEXT: FOR ZN=1 TO 40: IF ZN=N THEN 390 ELSE NEXT ZN
390 CLS: PRINT@33, "WORKED ALL ZONES RECORD": PRINT: PRINT " ZONE--DATE---STATION---QSL/S--R": PRINT: PRINT " ZN; TAB(5) "-"D$(ZN); TAB(14) "-"C$(ZN); TAB(24) "-"QS$(ZN); TAB(29) "-"QR$(ZN)
400 PRINT@G, G$:; GOSUB 200
410 RESTORE: GOTO 30
500 REM ** DXCC
510 CLS: FOR S=1 TO 050: READ S$(S): NEXT: FOR K=1 TO 090: READ D$(K), C$(K), QS$(K), QR$(K): NEXT
520 CLS: PRINT@5, "WORKED DXCC RECORD": PRINT: PRINT " NR.---DATE---STATION---QSL/S--R": FOR Z=1 TO 130: R

```

GREAT COCO PRODUCTS

SUPER PRO KEYBOARD



WHY
PAY
MORE?

The best
is only
\$59.95*

- Original key layout
- Fast, easy installation—no soldering
- Individually boxed with full instructions
- Smooth "Touch Typist" feel—no sagging
- U.S. made—high quality, quad gold contacts
- Professional, low profile, finished appearance

* Computers produced after approximately October 1982 require an additional keyboard plug adapter. Please add \$3.95.

GREAT BARGAINS ON COCO DISC DRIVES!

COMPLETE SYSTEMS INCLUDE:

- Hi-Quality Teac Thin Line Drives
- Attractive, Beige Dual Drive Cabinet/Power Supply
- Full Panel for Single Drive Disc Systems
- Radio Shack or NEW TYPE J & M Disc Controller
Offering Switch Selectable Rom and Parallel Printer Port
- Cable and Operating Manual
- Full 90 Day Warranty



Single Drive (SSDD) in Dual Cabinet w/Controller	\$299.95
Additional Drive	89.95
Two Drives (SSDD) in Dual Cabinet w/Controller	384.95
Single Drive (DSDD) in Dual Cabinet w/Controller	339.95
Additional Drive	119.95
Two Drives (DSDD) in Dual Cabinet w/Controller	449.95
Dual Cabinet/Power Supply	79.95
Disc Controller (Radio Shack or J & M)	139.95
Connecting Cable	24.95
Radio Shack DOS ROM 1.1 or J/DOS w/Manual	39.95

QUALITY VIDEO MONITORS



SAKATA COLOR SC-100 \$199.95

The SC-100 is a streamlined 13" composite monitor which produces sharp, brilliant colors. The cabinet is made of durable styrene and is available in an attractive off-white color. Includes audio with speaker and earphone jack. We highly recommend this color monitor because of its excellent performance and beautiful styling.



CAMBRIDGE GRAPHICS AMBER
SCREEN MONITOR \$119.95

A 12" amber screen composite monitor of the highest quality with exceptional reliability and performance. 18 MHz bandwidth. Attractive off-white cabinet. We use this monitor in our offices.

We carry other brands also.
Call for additional information.

Order a quality monitor from us and get a
Universal Video Driver for only \$24.95

Save \$5.00

UNIVERSAL VIDEO DRIVER

- Works with Monochrome Monitors
- Works with Color Monitors
- Easy Installation—No Soldering

ENABLES YOUR COCO TO OPERATE WITH
A VIDEO MONITOR INSTEAD OF A
TELEVISION.

Carefully engineered to work with
ALL Color Computer models, including
the new COCO II.



• Great Price! ONLY \$29.95

\$ Save Money on Your Cassette & Disc Supplies \$

We buy cassettes and discs in large quantities for our own use and can pass the savings on to you.

C-10 Cassettes w/labels	39 ea	10 for \$5.50
Cassette storage box	25 ea	10 for 2.00
Basic 1.2 ROM		\$39.95
Extended 1.1 ROM w/Manual		49.95
Disc 1.1 ROM or J/DOS ROM w/Manual		39.95

5 1/4 Discs

High quality, nationally advertised brand. Guaranteed Performance. We will replace any disc that fails during normal use. Discs are double density, reinforced hub with sleeve. \$12.95 for 10 discs in an attractive storage box. • Great Price!

SERIAL TO PARALLEL PRINTER INTERFACE

300 to 9600 baud. Complete with all cables
and power supply.

NEW ITEM

Only \$49.95

NEED MORE MEMORY? 64K Memory Expansion Kit

All parts and complete instructions (for 'E' and 'F'
boards and CoCo II).

NOW ONLY \$14.95

PRINTERS

NEW Star Gemini
SG-10 model printer



Only \$249.95

120 cps w/true
descenders,
2K buffer,
proportional
spacing. New model for 1985.

NEW!

DISC STORAGE

Attractive, heavy duty, smoked acrylic case. Holds and protects
up to 75 5 1/4" discs with six moveable, indexed dividers.

SUPER BARGAIN — ONLY \$9.95

SPECIAL—Purchase this storage case
including 10 discs for only \$21.95



"The Connecting Link"

Only \$29.95

CoCo-Util is a valuable utility program that allows you to transfer Tandy Color Computer disc files to your MS-DOS machine. You may also transfer MS-DOS files to a Color Computer disc. CoCo-Util will save you countless hours of retyping... a great new utility.



PC-XT II

We now offer IBM PC-XT compatible computer systems. Don't settle for a Tandy 1000 or other standard PC until you check our systems and prices.

Starting at \$865.

SERIOUS STUFF

ACCOUNTING SYSTEM

The Mark Data Products Accounting System is ideal for the small businessman needing a fast, efficient means to process income and expenses, prepare detailed reports and maintain most of the information required at tax time. The system is a family of programs which operate by means of a "menu" selection scheme. When the operator selects a task to perform, the computer loads a program designed to handle that task from the system disc. The system disc contains all of the programs required to create, update and maintain data files and prepare the necessary accounting reports (including a transaction journal, GP & L, or income report; an interim or trial balance and a balance sheet). This accounting software equals or exceeds higher priced packages for other computers and includes a detailed operating manual. **ONLY \$99.95**

ORDER ENTRY SYSTEM

The Mark Data Product sales order processing system provides a fast, efficient means to enter orders, print shipping papers and invoices, prepare sales reports, and monitor receivables. The system automatically enhances the monitor screen to a 51 character by 24 line display. 32K of memory is required along with an 80-column printer and one or more disc drives.

This order entry software equals or exceeds higher priced packages for other computers and includes a detailed operating manual. **ONLY \$99.95**

EASY EDIT

Easy-Edit is a versatile, easy to use text editor which is particularly convenient for assembly language and BASIC programming. This editor offers powerful text handling capabilities along with many special features including a built-in disc operating system, 32/64K memory sense, a 51 character by 24 line screen, auto key repeat, extensive error reporting, and complete compatibility with popular assemblers. Requires 32K and at least one disc drive. Manual disc and instructions are packaged in an attractive 3-ring binder. **\$34.95**

EASY-FILE Data Management System

Rainbow, Nov. '84 "Easy File is one program that lives up to its name. . . Easy File is so easy it speaks for itself."

Hot CoCo, Feb. '85 "I've examined four database programs for the CoCo in the last few months. Easy File is the easiest to master and the one that best addresses my needs. If you need to organize the information in your life, Easy File might just be the best method."

Need a good mailing list or customer list program? How about a program to keep track of your investments, your computer magazines, or record collection? Do you have an inventory of all household items for insurance purposes? EASY-FILE will do all of these things and many more. The EASY-FILE master disc and instructions are packaged in an attractive 3-ring binder. Requires 32K and at least one disc drive.

Order Yours Now! Get Organized for Only \$59.95!

SUPER SCREEN

The Color Computer Supercharger

- A big 52 character by 24 line screen
- "PRINT" is fully implemented on the big screen
- Easily scrolling text with hi-res graphics
- Auto-key repeat for greater keyboard convenience
- The "ON ERROR GOTO" statement is fully implemented
- Control codes for additional function



Can't stand to be the most frequently used program in your software library . . . why you're (you won't be without it) **Cassette \$29.95 Disc \$32.95**

JUST FOR FUN

Adventures
Now Available
for IBM &
Jan'y 1985/1986

Adventure and Arcade Games • Cassette \$24.95 Disc \$27.95 • All require 32K



TREKBOER

This exciting hi-res adventure begins aboard the starship *Trekboer* in the 21st century. Life on Earth is threatened by a deadly virus and your mission is to search the frontiers of space and return with a cure to save mankind from disaster.



CALIXTO ISLAND

A valuable museum treasure has been stolen: can you recover it!!! This is a challenging adventure with an occasional twist of humor. You'll visit a secret laboratory, a Mayan pyramid, and you'll meet crazy *Trader Jack*—all in living color and exciting detail.



SHENANIGANS

Countless legends tell of a magnificent pot of gold hidden at the end of the rainbow. Many have attempted to find the marvelous treasure but success has eluded them and it remains hidden to this day. You, as a dedicated adventurer, have determined to search for the fabled riches.



TUT'S TOMB

Explore the ancient, mystical tomb of the great Pharaoh. Find the magical keys which lead you to unbelievable treasures as you outmaneuver the creatures that slither and swarm about you. Super fast arcade action—this one will knock your socks off.



SEA SEARCH

Get your shark repellent and scuba tanks ready! The graphics in this adventure are truly outstanding and the underwater scenes are unforgettable. You'll run into a pirate, a mermaid and some hungry sharks in this colorful and unique treasure hunt.



BLACK SANCTUM

Encounter the forces of black magic as you roam around an 18th century monastery. You'll see all the evil locations in this spooky adventure; you'll love searching for and destroying evil in this classic tale. A MUST for every adventure game fan!



SHIPPING: All orders under \$100 please add \$2 regular, \$5 air. All orders over \$100 please add 3% regular, \$5 air. California residents please add 6% sales tax. Orders outside the continental U.S., check with us for shipping amount; please remit U.S. funds. Software authors—contact us for exciting program marketing details. We accept MasterCard and VISA. Distributed in Canada by Kelly Software.

FREE—Send for our free catalog flier.

MD

Mark Data Products

Department C

24001 ALICIA PKWY., NO. 207 • MISSION VIEJO, CA 92691 • (714) 768-1551

DYNACALC®

CoCo's Best & Fastest Spreadsheet System

ACCLAIMED BY THE EXPERTS

"DYNACALC is my choice for a CoCo spreadsheet."

Dan Downard, RAINBOW, September, 1984.

"Eat your heart out, Lotus 1-2-3!"

Scott Norman, HOT CoCo, October, 1984.

**NOW
ONLY
\$99⁹⁵**

Built-in Features:

- 51 x 24 Display with Lower Case
- Super-fast Smart Screen Refresh
- Auto-Repeat Keyboard Driver
- Keysaver (TM) repeats last command x times
- Disk Operating System (works just like ROM DOS)
- Easy communication with BASIC/DOS programs
- Two-way communications with PRO-COLOR-FILE ★ Enhanced ★
- Outputs to ASCII Word Processors like Telewriter-64
- Fast 16-Digit Arithmetic with Scientific Functions
- Summation, Mean, and Standard Deviation Functions
- Logical Functions with String & Numeric Comparison
- String locate command to navigate large worksheets
- Sort full or partial worksheet by columns or rows
- Line, Bar, Hi/Lo/Close, Circle Graphs
- Full Graphics captioning and overlay facility
- Graphics Drivers for all popular Printers
- Joystick/Mouse Driver for Cursor Movement
- Works with any ROM versions, even JDOS
- 33k Available Worksheet Space
- Up to 256 Columns or 256 Rows
- Can use VisiCalc worksheets & training materials
- On-screen Help Messages



FOR 64K DISK SYSTEMS

available from

COMPUTER SYSTEMS CENTER

42 Four Seasons Center #122
Chesterfield, MO 63017 USA
(314) 576-5020

10 to 6 Mon.-Fri.

or your local DYNACALC dealer

Price US\$99.95

Outside North America add \$10 postage

DYNACALC Reg. U. S. Pat. Off.

Lotus and 1-2-3 are trademarks of Lotus Development Corp.

PRO-COLOR-FILE is a trademark of Derringer Software

Telewriter-64 is a trademark of Cognitech

VisiCalc is a trademark of VisiCorp.

CANADA-CDN \$129.95
DATAMAN INTERNATIONAL
420 FERGUSON AVE. N.
HAMILTON, ONT. L8L 4Y9
(416) 529-1319



AUSTRALIA
PARIS RADIO
161 BUNNERONG RD.
KINGSFORD 2032 NSW
(612) 344-9111



```

EADD$(Z),C$(Z),QSS(Z),QRS(Z):NEXT
T
530 FORP=1TO130:IFQRS(P)="Y"THEN
SOUND200,2
540 IF P>=100THENPRINTP; ELSEPRI
NT" P;
550 PRINTTAB(5)"-D$(P);TAB(14)"
-C$(P);TAB(24)"-QSS(P);TAB(29)
"-QRS(P):FORTD=1TO300:NEXTTD,P
560 RESTORE:GOTO30
600 REM **WAC
610 CLS:FORS=1TO50:READS$(S):NEX
T:FORK=1TO220:READD$(K),C$(K),QS
$(K),QRS(K):NEXT
620 CLS:PRINT@2,"WORKED ALL CONT
INENTS RECORD":PRINT:PRINT"CONT
--DATE---STATION---QSL/S--/R":FOR
Z=1TO6:READCN$(Z),D$(Z),C$(Z),QS
$(Z),QRS(Z):NEXTZ
630 FORP=1TO6:IFQRS(P)="Y"THENSO
UND200,2
640 PRINTCN$(P);TAB(5)"-D$(P);T
AB(14)"-C$(P);TAB(24)"-QSS(P);
TAB(29)"-QRS(P):FORTD=1TO100:NE
XTTD,P
650 PRINT@G,G$;:GOSUB20
660 RESTORE:GOTO30
700 REM **EXIT
710 CLS:PRINT@174,"END":FORTD=1T
O999:NEXT:CLS:END
720 END
730 REM WAS DATA
740 DATA AL,AK,AZ,AR,CA,CO,CT,DE
,FL,GA,HW,ID,IL,IN,IO,KS,KY,LA,M
E,MD,MA,MI,MN,MS,MO,MT,NE,NV,NH,
NJ,NM,NY,NC,ND,OH,OK,OR,PA,RI,SC
,SD,TN,TX,UT,VT,VA,WA,WV,WI,WY
750 DATA 5/23/71,K4AEB,Y,Y,6/4/7
1,KL7AIZ,Y,Y,4/3/71,W7IEB,Y,Y,5/
22/71,WA5YMW,Y,Y,4/6/71,WB6SLU,Y
,Y,5/12/71,K0SPR,Y,Y,5/12/71,WA1
GNX,Y,Y,5/22/71,WA3HGV,Y,Y,3/17/
71,K4BNC,Y,Y,6/4/71,WB4FYZ,Y,Y
760 DATA 6/20/71,KH6FLC,Y,Y,5/15
/71,W7CNL,Y,Y,5/23/71,WB9CGH,Y,Y
,5/22/71,WA9VGY,Y,Y,3/24/71,W0UT
D,Y,Y,5/22/71,WOJUV,Y,Y,5/12/71,
WA4CXJ,Y,Y,3/27/71,WB5BEZ,Y,Y,3/
17/71,K1FLY,Y,Y,5/22/71,WA3GTX,Y
,Y
770 DATA 3/14/71,W1DQK,Y,Y,3/23/
71,WABNDL,Y,Y,5/11/71,K0UBP,Y,Y,
6/25/71,K5MDX,Y,Y,5/16/71,W0SJE,
Y,Y,3/14/71,K7YIN,Y,Y,6/18/71,WA
0LRQ,Y,Y,5/6/71,W7GUO,Y,Y,5/26/7
1,K1DQM,Y,Y,3/13/71,W2COT,Y,Y
780 DATA 8/4/71,WA5YJX,Y,Y,5/10/

```

```

71,K2AMN,Y,Y,3/27/71,WA4AEB,Y,Y,
3/21/71,W0KZZ,Y,Y,3/20/71,W8KVF,
Y,Y,3/27/71,K5LIL,Y,Y,3/28/71,W7
DH,Y,Y,5/22/71,WA3HUP,Y,Y,5/21/7
1,W1CAB,Y,Y,5/22/71,W4CSP,Y,Y
790 DATA 5/19/71,WA0HMP,Y,Y,5/22
/71,WB4KYA,Y,Y,3/24/71,W5LZZ,Y,Y
,6/22/71,WA7GWU,Y,Y,4/3/71,K1IJJ
,Y,Y,5/22/71,K4AUL,Y,Y,3/25/71,W
7JWE,Y,Y,5/31/71,W8VIF,Y,Y,5/22/
71,WA9UNN,Y,Y,6/9/71,K7AHO,Y,Y
800 REM WAZ DATA
810 DATA -,-,-,-,-,3/22/83,
K6RIT,Y,Y,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
820 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
830 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
840 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
850 REM DXCC DATA
860 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
870 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
880 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
890 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
900 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
910 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
920 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
930 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
940 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
950 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
960 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
970 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
980 DATA -,-,-,-,-,-,-,-,-,-,-,-,
-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,
990 REM WAC DATA
1000 DATA AFR,-,-,-,ASA,-,-,-,EUR,
-,-,-,NA,-,-,-,OCE,-,-,-,SA,-,-,-
1010 GOTO30

```

RAINBOW

Give us your best! Join the ranks of these courageous CoCoists in showing the Color Computer world your high score at your favorite micro-diversion. We want to put your best effort on record in THE RAINBOW's "Scoreboard" column. All entries must be received 60 days prior to publication. Entries should be printed — legibly — and must include your full name, address, game title, company name and, of course, your high score. Each individual is limited to three score entries per month. Send your entries to Scoreboard, c/o THE RAINBOW.

★ Current Record Holder • Shutout

ANDRONE (Radio Shack) 54,300 ★Daphnie Phillips, Evansville, WI	549-0 ★Skipper Taday, East Lyme, CT	155,225 ★Daniel Thompson, St. Louis, MO
ASTRO BLAST (Mark Data) 53,950 ★Bill Fritsch, Whitehall, PA	343-0 ★Steve Mutton, Brewsbury, MA	FOODWAR (Arcade Animation) 155,950 ★Chris Cope, Central, SC
ATOM (Radio Shack) 54 ★Brent Heaton, Anderson, SC	147-1 Aiton Updike, Dalton, FL	FOOTBALL (Radio Shack) 265-0 ★Tim Hart, Salt Lake City, UT
53 Alan Drazen, Longwood, FL	105-0 ★Francis Yu, Calgary, Alberta	THE FROG (Tom Mix) 1,080 ★Mark Ferris, Deep River, Ontario
BASEBALL (Radio Shack) 525-50 ★Bob Dewitt, Blue Island, IL	525,550 ★Dan Bouges, Natick, CT	PROGGER (Cornsoft) 15,860 ★Erik Huffman, Rochester, MI
89-0 ★Skipper Taday, East Lyme, CT	3,107,194 ★John Ray, Goodlettsville, TN	FURY (MightTron) 172,300 ★Daniel D'Amour, Plincourt, Quebec
BATS AND BUGS (THE RAINBOW, 7/84) 24,500 ★Michael Rosenberg, Prestonburg, KY	COLOR POKER (THE RAINBOW, 4/83) 169,300 ★Earl La Jesse Foster, Lynchburg, VA	GALACTIC ATTACK (Radio Shack) 30,870 ★Oran Bergman, Herzlia, Israel
3,000 Michael Scott, Johnstown, NY	COSMIC INVADERS (Spectral Associates) 16,400 ★Mariano Frazzato, Blue Island, IL	GALAGON (Spectral Associates) 1,305,640 ★Jackie Maddox, Iron Station, NC
2,500 Steven Bullard, Allen, OK	CRASH (Tom Mix) 25,100 ★Jean-Francois Morin, Loretteville, Quebec	GHANA BWANA (Radio Shack) 218,420 ★Rupert Young, Sheffield, MA
BEAM RIDER (Spectral Associates) 1,198,408 ★James Oakley, Nashville, TN	CRYSTLE CASTLES (ThunderVision) 850,156 ★Michael Brennan, Calgary, Alberta	81,970 Larry Wick, Botkins, OH
BLACKBEARD'S ISLAND (NOVASOFT) 79 ★Jeff Roberg, Winfield, KS	800,060 Dan Milenko, Calgary, Alberta	81,000 Hollis Holcomb, Blanchard, OK
BLACKJACK (THE RAINBOW, 4/84) 510,000 ★Wayne Dewitt, Blue Island, IL	559,380 Jeff Dinger, Edgewood, MD	14,500 Erik Huffman, Rochester Hills, MI
BLACK SANCTUM (Mark Data) 109 ★James Stakelin, Cynthia, KY	545,000 Jay Roberg, Winfield, KS	76,900 ★Ghislain Chillis, Trois-Rivieres, Quebec
BLOC HEAD (Computerware) 156,700 ★Pierre-Jean Douillard, Granby, Quebec	532,000 Eric Roberg, Winfield, KS	75,130 Greg Erickson, Lowell, MA
29,875 Jeff Ray, N. Charleston, SC	CU'BER (Tom Mix) 19,550 ★Rodney Mullineaux, Gig Harbor, WA	77,950 Sylvain Castonguay, Chicoutimi, Quebec
BREWMASTER (NOVASOFT) 978,600 ★Alan Drazen, Longwood, FL	DALLAS QUEST (Radio Shack) 93 ★Tommy McClure, Doyline, LA	55,120 Jeff Webeck, Wetaekawin, Alberta
215,350 Jean-Francois Morin, Loretteville, Quebec	93 ★Robert Sunderland, Sacramento, CA	47,850 Alan Drazen, Longwood, FL
168,175 Scott Purrona, Roselle Park, NJ	DEFENSE (Spectral Associates) 55,720 ★Brett DuPont, Oregon, OH	GLAXXONS (Mark Data) 19,148 ★Terry Moore, St. Catharines, Ontario
98,875 Chris Cope, Central, SC	DEMOLITION DERBY (Radio Shack) 55,800 ★Skipper Taday, East Lyme, CT	GOLD RUNNER (NOVASOFT) 373,850 ★Carmen Izi, Jr., Waterbury, CT
78,100 Steve Leonard, Roselle Park, NJ	43,500 Hillel Morris, Chicago, IL	274,300 Andrew Reeves, Woodinville, WA
54,325 Jeff Ray, N. Charleston, SC	43,100 Chris Fox, Middleton, VA	243,500 Chris Cope, Central, SC
BROTAN THE BLUE (THE RAINBOW, 8/85) 1,364 ★Michael Scott, Johnstown, NY	37,000 Alexander Taday, East Lyme, CT	222,450 James Bower, Tuckerton, NJ
322 Brian Voges, Jasper, IN	DEMON ATTACK (Imagic) 18,265 ★Erik Huffman, Rochester Hills, MI	183,400 Jeff Roberg, Winfield, KS
BUSTOUT (Radio Shack) 18,403 ★Chris Zepks, North Adams, MA	10,830 Rupert Young, Sheffield, MA	160,250 Skipper Taday, East Lyme, CT
BUZZARD BAIT (Tom Mix) 4,455,150 ★Paul Rumlili, Gates Ferry, UT	21,325 ★Keith Schuler, Merritt Island, FL	GUARDIAN (Quasar Animations) 4,350 ★Jason Forbes, Mexico, NY
3,091,700 Blossom Mayor, East Greenbush, NY	DEVIL ASSAULT (Tom Mix) 159,300 ★Pierre-Antoine Lavekue, Sainte-Foy, Quebec	ICEMASTER (Arcade Animation) 85,225 ★Pierre-Antoine Lavesque, Sainte-Foy, Quebec
101,450 Jay Pribble, Davenport, IA	DOODLEBUG (Computerware) 825,370 ★Susan Bellinger, Uxbridge, Ontario	THE INTERPLANETARY FRUIT FLY (THE RAINBOW, 1/85) 37,000 ★Scott Perkins, Fort Orange, FL
75,700 Paul Bullman, Rocky Mountain House, Alberta	805,010 Bill Fritsch, Whitehall, PA	22,000 Steven Bullard, Allen, OK
55,450 Terry Pribble, Davenport, IA	565,070 Johnny Fritsch, Whitehall, PA	15,500 Michael Scott, Johnstown, NY
CALIXTO ISLAND (Mark Data) 115 ★Glenn Della-Monica, Sacramento, CA	374,390 Blossom Mayor, East Greenbush, NY	THE JUNGLE (THE RAINBOW, 8/84) 685,590,000 ★Jeff Lawrence, Cambridge, Ontario
CANYON CLIMBER (Radio Shack) 9,129,100 ★Gary Mohsen, Tucson, AZ	DOUBLE BACK (Radio Shack) 1,618,400 ★Diane Guernon, Montreal, Quebec	JUNIOR'S REVENGE (Computerware) 1,072,600 ★Matthew Ramsay, Detroit, MI
362,400 Chris Reynolds, Richmond, KY	514,450 Eugene Rooks, Stone Ridge, NY	JUNKFOD (THE RAINBOW, 11/84) 1,187,520 ★Larry Thompson, Menominee, MI
285,800 Beverly Harbers, Placentia, CA	450,800 Michael Brannan, Calgary, Alberta	KATERPILLAR II (Tom Mix) 155,317 ★Uwe Steingers, Essen, West Germany
184,200 John Guptill, Columbia, MO	DOWNLAND (Radio Shack) 30,900,800 ★Adam Peterson, Portland, OR	KEY BOMBER (THE RAINBOW, 8/84) 29,052 ★Tony Boring, Armagh, PA
162,500 Michael Sileo Jr., Glendale, NY	84,454 Tommy McClure, Doyline, LA	KEYS OF THE WIZARD (Spectral Associates) 562 ★John Fulton, Boynton, VA
155,450 Kevin Gallagher, Santa Monica, CA	68,345 Alain Cyr, Valcourt, Quebec	687 ★Ken Calner, Vancouver, WA
110,900 Andrew Thaler, Coalbrook, Quebec	67,456 Chris Mitchell, Byron, GA	THE KING (Tom Mix) 1,670,900 ★Yolanda Farr, Sayre, PA
49,900 Paul Dawson, Carlisbad, NM	67,141 Cliff Farmer, McGregor, TX	KING TUT (Tom Mix) 138,500 ★Martin Culver, San Francisco, CA
CASHMAN (MightTron) 431,260 ★Fred Naumanns, Healey, ID	27,575 Paul Dawson, Carlisbad, NM	KLENDATHU (Radio Shack) 1,177,550 ★Dan Franzen, Westlake, OH
27,530 Sally Naumanns, Healey, ID	DRACONIAN (Tom Mix) 828,470 ★Jeff Coladonato, Roalyn, PA	412,809 Jay Pribble, Davenport, IA
17,650 Matt Mendez, Ballimora, MD	DRAGON FIRE (Radio Shack) 5,827 ★Sison Coker, Austell, GA	296,352 Brian Ennis, Wilmington, NC
CAVERN COPTER (THE RAINBOW, 2/84) 2,431 ★Jay Beam, Louisville, KY	2,885 Steve Hice, Newton, NC	KRON (Oregon Color Computers) 33,000 ★Chris Cope, Central, SC
CHAMBERS (Tom Mix) 104,200 ★Blossom Mayor, East Greenbush, NY	1,520 Belle Hatcher, Norwalk, CA	LANCER (Spectral Associates) 663,000 ★Jay Roberg, Winfield, KS
CHUCKIE EGG (A&F) 418,250 ★Paul Hotz, Herzlia, Israel	65,900 ★Michael Drouin, Reeds Spring, MO	LASERWORM & FIREFLY (THE RAINBOW, 11/83) 36,300 ★Brian Voges, Jasper, IN
CLOWNS & BALLOONS (Radio Shack) 352,020 ★Pave Keeler, Augusta, GA	16,500 Baiju Shah, Deed River, Ontario	LEMANS (Spectral Associates) 0.70 ★Jeff Dinger, Edgewood, MD
45,450 Joyce Walcott, Mt. Clemens, MI	ELEC'TRON (Tom Mix) 40,650 ★Brad Gaucher, Hinton, Alberta	
31,770 Cameron Walcott, Mt. Clemens, MI	FALCON'S LAIR (THE RAINBOW, 8/85) 17,463 ★Michael Scott, Johnstown, NY	
30,190 Jason Smith, Ellijay, GA	12,497 Dick Tweter, Hawley, PA	
30,070 Paul Walcott, Mt. Clemens, MI	8,430 Brian Voges, Jasper, IN	
COLOR BASEBALL (Radio Shack) 707-0 ★Ghislain Chillis, Trois-Rivieres, Quebec	7,792 Steve Artmeier, Jasper, IN	
	6,980 David Breve, Bloomfield, CT	
	2,799 Robert Nozosa, Gloverville, NY	
	FANOMAN (Tom Mix)	

SCOREBOARD POINTERS

In conjunction with THE RAINBOW's Scoreboard, we offer this column of pointers for our game-playing readers' benefit. If you have some interesting hints and tips, we encourage you to share them by sending them to the Scoreboard, c/o THE RAINBOW.

FEEDBACK

Scoreboard:

I would like to respond to Charles Farris' letter (October 1985) concerning *Calixto Island*. I have solved the game, and as far as I know there is nothing in the pottery. Also, the specs are used to read the microfilm.

I have some other hints for *Calixto Island* that may be helpful to those of you who have been frustrated time and time again. To get across the water you need the ancient canoe paddles. To find them, bring the machete, the flashlight and the mice to the pyramid. Finding the paddles is up to you. One last hint: When going across the water, bring the bucket with you. It may prevent you from getting into the game *over your head*.

Edward Heinemann
Newton Centre, MA

Scoreboard:

In response to Chris Allbritton's letter (October 1985) concerning *Raaka-Tu*, when you leave the room with the statue in it, it states that you are at the south end of the Great Central Hallway. You simply go north to the north end of the Great Central Hallway and then travel west once. There you'll find the candle.

Mike Gaither
Clarence, NY

TIME FOR REBUTTLE

Scoreboard:

First to Ian Loeppky, I would like to point out one important fact about the game *Pyramid*: If you try to get the statue of the bird while holding the scepter, it will come alive and fly to the other side of the room. In fact, the only way to get the statue of the bird is if you have the box to carry it in. It is not possible to get the bird while holding the scepter unless you have a copy of the program that differs from mine.

Now, for Todd Harris, My letter [March 1985] said, "For *Pyramid* don't worry about the scepter, you'll find you don't need it, so why waste valuable moves getting it." At no point did I say it is useless. Sure, you can wave the scepter over one of the pits and a bridge will fall; however, if you go that way, and if you get the scepter, you are wasting at least six moves and the object of an Adventure game is to gather all the objects needed to complete the Adventure in the shortest moves possible.

David Oelhaupf
Calgary, Alberta

SNEAKING UP FROM BEHIND

Scoreboard:

For everyone who is having trouble with *Rommel 3-D* by MichTron, I have a hint you may find useful. Get the enemy tank behind you so that he is chasing you. Then, drive your tank off of the screen and you will come up behind him on the opposite side of the screen. While you are behind him and the enemy tank is turning around to face you, you can blast him.

Steve Smith
Ashdown, AR

OUTSMARTING THE ALIENS

Scoreboard:

I have a few hints for *Galagon*. The surest way to get two fighters on the screen is to get one fighter captured, shoot all remaining aliens except the one with the captured fighter, and then kill the alien with your fighter. This also works if there are two or less aliens on the screen. At the beginning of each stage, hold down the fire button and move back and forth. This will decimate the aliens in the first wave. Also, when you have two fighters on the screen at once, both of their shots only count as one. This will boost your hit/miss ratio.

I need some help with *Shenanigans*. How do you open the window in the dimly lit hall? What does the billboard say and what does it mean?

Also, does anyone out there live in the Netherlands or Belgium? I would like to find a fellow hacker here.

Please send any information to the "Scoreboard." All help would be appreciated.

Charles Farris
Schinveld, The Netherlands

OOPS...

Scoreboard:

To all the people who wrote to me for the solution to *Dungeons of Daggorath*, I made an error. The incantation of the third ring is not Power, but Energy. I hope the mistake didn't cause you any problems.

Mike French
Covington, VA

SO CLOSE

Scoreboard:

I've almost finished *Keys of the Wizard*, but I don't know what to do with the jester or unicorn. I'd appreciate any help.

Jimmy Doyle
Barrackville, WV

LEFT IN THE DARK

Scoreboard:

Does anyone know how to get past the trading post in *Dallas Quest*? I've been able to bribe the monkey to pull aside the rug in order to reveal the trapdoor. The problem is I don't have a flashlight to see anything.

Also, how do you get to the crossroads? In *Sands of Egypt*, could anyone please tell me how to get the treasure out of the secret chamber?

Jon Olson
Englewood, OH

STRIKING BACK

Scoreboard:

In *To Preserve Quandie*, if you are continuously killed by the guard in the den, try typing ATTACK GUARD. You may have to do this a few times to kill him. Sometimes he will kill you, but it is the only way you will be able to get into the safe behind the picture. If you aren't able to program the computer (and if you are in the closet on the second floor), try typing EXAMINE DOOR. This will give you the password to the computer.

In *Madness and the Minotaur* there are two crypts on the second level. To open a crypt, you must be carrying nothing at all. Type OPEN CRYPT and you will find a treasure.

In *Shenanigans*, if you are unable to get past the muggers in the street (and if you have the pocket knife), try typing OPEN KNIFE.

I am having trouble in *Szygy*. I am able to get the light saber, but I am unable to defeat Darth Vader with it. How is it done?

In *Sea Search*, I am unable to find the credit card. Where is it? Any help with these questions would be greatly appreciated.

Ric Miller
Winnipeg, Manitoba

ALLIED ASSAULT

Scoreboard:

After slaughtering the wizard for at least the 40th time, I'll share a foolproof way to quickly clean out the fifth level of *Dungeons of Daggorath* without getting hit or being chased by creatures. I call this way the "Allied Assault" strategy. The secret lies with the fact that the lower level creatures (spider, snake and blob) cannot kill you, even if you occupy the same cell without a shield! From the fourth level, descend through the hole near the northwest corner and turn east. Move to the second intersection and stop. Wait (or scurry about) until a lower level creature occupies the same cell as you. Do not kill it — it's your ally.

Creatures will line up along the east-west and north-south corridors from your intersection position. Creatures in adjacent cells

cannot attack you. Move (M) forward once. Hit twice with the Elvish sword and move back (MB) once — fast — so your ally does not have a chance to move. Continue slaughtering creatures until you kill the wizard.

If you are good on the keyboard and know the number of hits required to kill a creature, you can "steal" the dropped goody before your ally has a chance to move from the corridor intersection. Note: After the wizard is killed, you'll see the petrified ghosts of any remaining creatures, including your ally.

L. Grant Shideler
Lakewood, CO

KNOW YOUR NUMERALS

Scoreboard:

Here are a few hints for those of you having trouble with *Trekboer*.

Once you dig on the frozen planet, use the blanket to get the ice. Don't worry about the steel canteen — it's useless.

Don't throw away the amulet. It brings good luck on the garden planet, and if you want to find the coordinates of the secret planet, you need to know your Roman numerals.

In *Dungeons of Daggorath*, when you defeat the wizard's image you will go to the fourth level with only a torch and what you have in your hands. Don't try to attack the galdrogs right away. Go for easier things at first. Move around a lot on the fourth level or the monsters will "form a line" after a few minutes, waiting for their turn at you. Don't attack with the Elvish sword many times in a row. This is hazardous to your health.

I need help with *To Preserve Quandie*. How do I use the car or the helicopter? I am nearly sick of *Pyramid!* I can't find six treasures. Any help would be appreciated.

Tommy McClure
Doyline, LA

SAFETY LADDER

Scoreboard:

I know of a glitch in the game *Canyon Climber*. I can get the high scores listed in "Scoreboard" for *Canyon Climber* with the blink of my eyes. What you do is get past the first level (goats) and play the second.

Jump the arrows, but don't get the shield. After you climb the first ladder and the second Indian begins shooting, climb down and just start to jump arrows. The arrows shouldn't kill you if you don't move from under the ladder.

Jermaine Jackson
Tallulah, LA

RESISTING TEMPTATION

Scoreboard:

Here are a few interesting bits of information about Tandy's *Dragon Fire* and *Dallas Quest*.

In the *Dragon's Treasure Room* sequences of *Dragon Fire*, the points the player gathers for treasure are placed in a buffer and added one-by-one to the score. Therefore, on higher level screens, you must spend more time in the room to receive the points you've earned. Fight the natural tendency to grab the treasures and leave; play dodgeball with the dragon until your score stops increasing to get the maximum score for each castle.

Adventurers who have solved *Dallas Quest* may be interested in the program's demonstration mode. Pressing and holding down the 'T', 'R' and 'S' keys during the opening credits until the screen turns orange (SCREEN 0,1) causes the computer to run a movie trailer-like demonstration of the Adventure. Players who haven't solved it yet are advised not to try this because it gives away some of the climactic graphics and spoils the surprise. I assume that Radio Shack included the attract mode for display in stores, but it's a lot of fun and something to do when you've "finished" the program.

Dale Dobson
Menominee, MI

To respond to other readers' inquiries and requests for assistance, reply to Scoreboard Pointers, c/o THE RAINBOW, P.O. Box 385, Prospect, KY 40059. We will immediately forward your letter to the original respondent and, just as importantly, we'll share your reply with all Scoreboard readers in an upcoming issue.

— Debbie Hartley



A potpourri of games to challenge your wits

Brain Games

By Kraig Brockschmidt

A collection of five challenging and exciting programs combined into one, *Brain Games* requires 32K ECB for the full program. It can easily be altered to fit into a 16K machine with the deletion of a graphics display in one of the games, which has no effect on the program. The five games are *Towers of Hanoi*, *Jump 15*, *Flip-Over*, *Short-Term Memory Test* and *The Human Cannonball*. The first three are challenges for your insight; the last two are a test for your memory and a fun practice in trial and error.

Type in the program or load it from cassette using CLOAD and ENTER. If you need to make the 16K alterations, follow the steps below:

- 1) In Line 7, change the 65 after the ON. . .GOTO statement to read 69.

(Kraig Brockschmidt is a 16-year-old senior at Hazen High School in Renton, Wash. He has won in THE RAINBOW One-Liner contest and runs Stigma Software. He's had his CoCo for five years and plans a career in Astrophysics.)

- 2) Delete the X(900) after the DIM statement in Line 0 (make sure you also delete the comma preceding it).
- 3) Delete lines 65-68 and Line 73.
- 4) Remove the PUT statement in Line 71.

When you run the program, a title screen with the five individual program names appears. The line that reads TOWERS OF HANOI will be blinking alternately black and green. If you want to play that game, hit the ENTER key. If not, hit either the up- or down-arrow keys and the blinking will move accordingly. When you get to the title of the game you want, simply hit the ENTER key and it will play that game. If the title HUMAN CANNONBALL is blinking, hit the down-arrow key and the blinking will move up to TOWERS OF HANOI. Likewise, if you're on TOWERS OF HANOI, hit the up-arrow key and it will move to HUMAN CANNONBALL.

Each subprogram has completely different instructions and objectives. All five are outlined separately as follows.

Towers of Hanoi: The object is to transfer the stack of different-sized discs from the first peg to the third peg. As you begin, the computer asks you to select the number of discs you wish to play with, from two to six. Keep in mind that the more discs you choose, the longer and harder the game will be. You can place any disc on any peg, provided the disc underneath (if there is one) is not smaller than the one you are attempting to place on top.

To move the discs, the computer asks FROM? TO? and awaits your input. The first number should be the number of the peg from which you want to move the top disc, and the second number is where that disc is to be placed. When entering these numbers, separate them with a comma and check for typing errors to avoid a REDO? message, which will ruin the display. If you get all the discs from Peg #1 to Peg #3, you win. The computer tells how many moves you made and the minimum possible for that number of discs, given by the simple formula $(2^N)-1$, where 'N' is the number of discs.

If you get stuck, type in two zeros for your move. The computer asks PLAY

AGAIN (Y/N). If your answer is 'N', the program returns to the title page.

Jump 15: The object here is to eliminate all but one of the dots in the pyramid by jumping any other dot. The game starts with drawing the screen display and 14 dots, in the numbered spaces 2-15, and an open spot in Space 1. It then asks you FROM? TO?, to which you'll respond by typing in the number of the dot you wish to jump with, a comma and the number of the space you want it to jump into. Any jumping must be done in a straight line; you can't jump more than one dot or off the board. Once a dot is jumped over by another, it's taken off the board.

If you noticed that there aren't any DATA statements containing all the possible jump combinations, it's because of a simple twist of this puzzle. If you take the number of the space you're jumping from and add the number of the space you're jumping to, divide by two and drop all fractions, that is the number of the only possible space you can jump over in that line. While there are several routes to take, the last dot will always be in Space 13.

Flip-Over: This is the hardest of the first three games. To win, you must move the white dots on the left side to occupy the four spaces on the right side, which are occupied with either blue or red dots. You can move any white dot one space to the right or jump one dot, but white always moves to the right — it cannot move backwards. Likewise, the blue or red dots can only move to the left in the same manner.

Operation is fairly simple. To "pick up" the dot you want to move, hit the right- or left-arrow key until the small line under the bottom of the rectangular border is directly under the dot you

want to pick up. Press the ENTER key and it's been picked up. Next, move the small line under the space you want to move it to (this space must be black) and hit the ENTER key again. If it's a legal move, the dot will be moved, otherwise, you'll hear a short, low tone, and you must pick up a dot again and continue playing.

If you get stuck, which is not uncommon, press the 'Q' key and the familiar PLAY AGAIN appears. If you succeed in "flipping-over" the puzzle, you win. An amazing show of exceptional intelligence!

Short-Term Memory Test: This is simply to test your memory, and you can't win or lose. On start-up, you'll be asked to remember two numbers. When you're ready to have them flashed before you, hit the ENTER key. Two numbers will be shown quickly and you'll be asked to type in those numbers in the order they appeared on the screen. Be sure you put a space between each number and no space at the end or the computer will say you're wrong. If correct, you'll be told, then you have to remember one more number. If you're wrong, you still have two more chances to remember the right sequence. This keeps running until you miss the sequence three times in a row. The average amount of numbers memorized by a person is seven.

Human Cannonball: The object is to land the stunt man safely into the net by choosing the correct angle of elevation of the cannon so he'll fly just as far as the net, but not over- or undershoot it. If you're running the 32K version, you'll have to wait while it draws a circus tent and the audience before playing. After you wait once, however,

you don't have to wait again, unless you BREAK the program and rerun it. If you have 32K and wish to speed it up, you can make the 16K alterations.

Once the display is drawn, an entire half of the PMODE 4 screen is stored in Array X. Contrary to the ECB manual, you don't need to DIM X(256,96) as the manual says, but you only need one array variable ((DIM X(1) would be one array variable) for every 40 pixels being stored. Instead of "DIMMING" X(256,96), which is 24576 bytes of memory, you need only DIM one-fortieth of that, or 615. In the program I use 900 to be on the safe side, so there's no chance of getting a ?BS Error caused by not having enough array variables.

Once you type in an angle between one and 89 (decimals are allowed), you'll see a graphics display of the results. If you hit the net, you'll hear some peppy musical notes and are asked to PLAY AGAIN? If you missed, you'll be told how much you missed by and asked for another angle. If you missed by a negative number, it means the net was undershot; a positive number means it was overshoot. In either case, type in a smaller or larger angle and ENTER it. Muzzle velocity of the cannon is 110 meters per second.

Please realize that the first three games are rather challenging and it may take awhile to solve them. If you decide you can't figure them out, I'll be happy to send you the solutions for \$1 and an SASE. I can also send you listings of each and any of the five individual games which are self-running, for 25 cents each and an SASE. Finally, if typing is not your game, send me \$4 and I'll mail you a cassette with several copies of the program on it. My address is 14024 152nd Ave. S.E., Renton, WA 98056. □

9.....	47
18.....	47
28.....	57
37.....	5
51.....	241
62.....	78
69.....	137
END.....	172

The listing: BRAINGME

```
Ø CLS: CLEAR35Ø: DIMH(3), L(15), P(15), N$(15), X(9ØØ): K=Ø: R=RND(-TIME R): '16K users! Make all required changes before running
```

```
1 RESTORE:T=1: ' BRAIN GAMES
  (C) 1985 BY
  KRAIG BROCKSCHMIDT
  14Ø24 152ND AVE SE
  RENTON, WA 98Ø56
2 CLSRND(8): PRINT@1Ø, "BRAIN GAME
S";: PRINT@35, "<C>1985 KRAIG BROCK
SCHMIDT";
3 PRINT@135, " TOWERS OF HANOI ";
: PRINT@2Ø3, " JUMP 15 ";: PRINT@26
6, " FLIP-OVER ";: PRINT@326, " SHO
RT-TERM MEMORY ";: PRINT@39Ø, " HU
MAN CANNONBALL ";
4 FORG=1TO5: READC(G), J(G), J$(G):
```

```

NEXT:DATA1,136,"towers of hanoi"
,2,204,"jump 15",3,267,"flip-ove
r",4,327,"short-term memory",5,3
91,"human cannonball"
5 RESTORE:PRINT@J(T),J$(T);:A$=I
NKEY$:IFA$="^"THENT=T-1:IFT<1 TH
ENT=5:GOTO8
6 IFA$=CHR$(10)THENT=T+1:IFT>5 T
HENT=1:GOTO8
7 IFA$=CHR$(13)THEN ON C(T) GOTO
9,28,39,59,65
8 GOTO3
9 CLS:RESTORE:FORT=1TO15:READA$:
NEXT
10 U=0:INPUT"HOW MANY DISCS (2-6
)":B:IFB<2 OR B>6 THEN10ELSEFORX
=1TO6:FORZ=2TO3:A(Z,X)=0:NEXT:NE
XT
11 NL$=STRING$(5,CHR$(128))+CHR$(
245)+STRING$(5,CHR$(128)):FORC=
1TO6:READT,X:D$(C)=STRING$(X,CHR
$(T)):NEXT:DATA239,1,223,3,207,5
,191,7,175,9,159,11
12 CLS0:FORY=5TO18:SET(11,Y,8):S
ET(33,Y,8):SET(53,Y,8):NEXT:FOR
X=0TO63:SET(X,18,8):NEXT:PRINT@3
26,"1";:PRINT@336,"2";:PRINT@347
,"3";
13 S=1:FORZ=1TO6:IF7-Z>B THENA(1
,Z)=0ELSE A(1,Z)=S:S=S+1
14 BB(Z)=A(1,Z):NEXT:H(1)=7-B:H(
2)=6:H(3)=6
15 FORZ=1TO3:FORX=1TO6:READ Q(Z,
X):NEXT:NEXT:DATA 96,128,160,192
,224,256,107,139,171,203,235,267
,117,149,181,213,245,277
16 FORX=1TO6:FORZ=1TO3:PO=Q(Z,X)
+5-INT(LEN(D$(A(Z,X)))/2):IF A(Z
,X)>0 THENPRINT@PO,D$(A(Z,X));EL
SEPRINT@PO-5,NL$;
17 NEXT:NEXT
18 PRINT@448,STRING$(32,CHR$(128
));:PRINT@416,"FROM ? TO ";:INPU
TQ,W:IF Q>3 OR W>3 OR Q=W OR Q<1
OR W<1 THEN 23 ELSE IF A(Q,H(Q)
)>A(W,H(W)) AND A(W,H(W))>0 THEN
23 ELSE IFA(Q,H(Q))=0 THEN 23
19 IFH(W)=6 AND A(W,H(W))=0THEN
A(W,6)=A(Q,H(Q)):A(Q,H(Q))=0:H(Q)
)=H(Q)+1:IFH(Q)>6 THENH(Q)=6:GOT
O23ELSE23
20 A(W,H(W)-1)=A(Q,H(Q)):A(Q,H(Q)
)=0:H(Q)=H(Q)+1:IFH(Q)>6THENH(Q)
)=6
21 H(W)=H(W)-1:IFH(W)<1THENH(W)=
1
22 FORC=1TO6:IFA(3,C)<>BB(C)THEN
23ELSENEXT:U=U+1:GOTO25
23 IFQ<>0 AND W<>0 THENU=U+1ELSE

```

```

IFQ=0 AND W=0THEN27
24 PRINT@428," "":GOTO16
25 CLS:PRINT"YOU WIN!!!!":PRINT"
IT TOOK YOU";U;"TURNS":PRINT"MIN
UMUM TURNS POSSIBLE:";(2^B)-1:PR
INT:PRINT
26 GOSUB84:GOTO9
27 PRINT@384,"YOU'RE STUCK - YOU
LOSE!!!":GOTO26
28 XZ$=STRING$(32,CHR$(128)):FOR
T=1TO45:READ A$:NEXT:Z$=CHR$(19
6)+CHR$(200):X$=CHR$(128)+CHR$(1
28):FOR T=1TO15:L(T)=1:READ P(T)
:IF LEN(STR$(T))=2 THEN N$(T)="0
"+RIGHT$(STR$(T),1) ELSE N$(T)=R
IGHT$(STR$(T),2)
29 NEXT:DATA79,141,145,203,207,2
11,265,269,273,277,327,331,335,3
39,343
30 Q=0:L(1)=0:CLS0:FOR T=1TO15:P
RINT@P(T)+32,N$(T);:NEXT:FOR X=3
2TO55:Y=X-31:SET(X,Y,3):SET(63-X
,Y,3):NEXT:FOR X=9TO55:SET(X,24,
3):NEXT
31 FORT=1TO15:IFL(T)=1THENPRINT@
P(T),Z$;:NEXT ELSE PRINT@P(T),X$
;:NEXT
32 IFQ=1THENRETURNELSEPRINT@416,
"";:INPUT"FROM ? TO ";A,B:IF A>1
5 OR B>15 THENPRINT@429,"
";:PRINT@448,XZ$;:GOTO32
33 IFA=0 AND B=0THEN38ELSEIFL(A)
=0 OR L(B)=1 OR L(INT((A+B)/2))=0T
HENPRINT@429," "":PRINT@44
8,XZ$;:GOTO32
34 IFA=11 AND B=15THENPRINT@429,
" "":PRINT@448,XZ$;:GOTO32
35 L=0:L(A)=0:L(INT((A+B)/2))=0:
L(B)=1:FORT=1TO15:IFL(T)=1THENL=
L+1
36 NEXT:PRINT@429," "":PRIN
T@448,XZ$;:IFL>1THEN31ELSEQ=1:GO
SUB31:PRINT@448,"YOU WIN!!!
"
37 GOSUB84:FORT=2TO15:L(T)=1:NEX
T:GOTO30
38 PRINT@448,"SO YOU'RE STUCK -
YOU LOSE!":GOTO37
39 PMODE4:PCLS:SCREEN1,1:PMODE3:
COLOR3,1:LINE(30,76)-(226,116),P
SET,BF
40 FORX=47TO212STEP20:CIRCLE(X,9
6),8,1,.8:PAINT(X,96),1,1:NEXT
41 FORX=47TO107STEP20:PAINT(X,96
),0,3:NEXT:FOR X=147TO207STEP20:
PAINT(X,96),2,3:NEXT:H=127
42 GOSUB54:GOSUB50
43 X1=H
44 GOSUB50

```

Palo Alto

Feb. 14-16

RAINBOWfest®

Don't panic if you missed our October RAINBOWfest in Princeton, N.J., or if you were there and can't wait for our next show. The first RAINBOWfest of 1986 will be Feb. 14-16 in Palo Alto, Calif. The Hyatt Regency will again be our host and, as usual, they're offering a special room rate of \$71 per night, single or double. The advance ticket deadline for Palo Alto is Feb. 7.

The second RAINBOWfest of 1986 will be May 23-25 in Chicago. Rooms at the Hyatt Regency-Woodfield are \$60, single or double, and the advance ticket deadline is May 16.

Be one of the first five people in your state to order tickets for either RAINBOWfest, and you'll receive a free RAINBOWfest T-shirt. If your order is one of the first 500, you'll receive a free Rainbow poster.

RAINBOWfest is the only computer show specifically dedicated to the Tandy Color Computer. Nowhere else will you see as many products, have immediate access to the top experts, or be able to attend free seminars of such import. It's the next best thing to receiving the latest issue of THE RAINBOW in your mailbox!

Every RAINBOWfest features many delightful surprises because it's a great opportunity for commercial programmers to show

off new and innovative products for the very first time. You get the jump on new capabilities for your CoCo. In exhibit after exhibit, there are demonstrations, opportunities to experiment with software and hardware, and special RAINBOWfest prices.

To make it easier for you to participate, we schedule RAINBOWfests in three parts of the country. Since we've just met in Princeton, N.J., make plans now to join us in Palo Alto or Chicago next year. For members of the family who don't share your affinity for CoCo, you'll be glad to know that RAINBOWfest opens Friday evening. It is a daytime-only show Saturday. The CoCo Community Breakfast kicks off the festivities with a well-known speaker to keynote the highly popular affair. On Sunday the exhibit hall opens at 11 a.m. and closes at 4 p.m. These traditional gatherings allow you to catch up on significant happenings in the CoCo Community in an intimate setting.

Come to our next RAINBOWfest and help us all celebrate CoCo Community!

For more information contact our RAINBOWfest coordinator Judy Brashear, (502) 228-4492.

Show Schedule:

Friday evening — Exhibits open from 7 p.m. to 10 p.m.

Saturday — CoCo Community Breakfast at 8 a.m.

Exhibits open at 10 a.m. and close at 6 p.m.

Sunday — Exhibits open from 11 a.m. to 4 p.m.

YES, I'm coming to Palo Alto! I want to save by buying tickets now at the special advance sale price. Breakfast tickets require advance reservations.

Please send me:

___ Three-day tickets at \$9 each total _____

___ One-day tickets at \$7 each total _____

Circle one: Friday Saturday Sunday

___ Saturday Breakfast at \$12 each total _____

Handling Charge \$1 \$1.00

TOTAL ENCLOSED _____

(U.S. Funds Only, Please)

Also send me a hotel reservation card for the Hyatt Regency-Palo Alto (\$71, single or double room).

Make checks payable to: The RAINBOW. Mail to: RAINBOWfest, the Falsott Building, P.O. Box 385, Prospect, KY 40059. To make reservations by phone, call: (502) 228-4492.

Advance ticket deadline: Feb. 7, 1986. Orders received less than two weeks prior to show opening will be held for you at the door. Tickets will also be available at the door at a slightly higher price. Tickets will be mailed six weeks prior to show.

Name (please print) _____

Address _____

City _____ State _____

Telephone _____ ZIP _____

Company _____

Payment Enclosed, or Charge to:

VISA MasterCard American Express

Account Number _____

Exp. Date _____

Signature _____

```

45 X2=H:GOTO51
46 Z=H:A$=INKEY$:IFA$=CHR$(8)THE
NH=H-20ELSEIFA$=CHR$(9)THENH=H+2
0ELSEIFA$="Q"THEN57
47 IFH<47THENH=47ELSEIFH>207THEN
H=207
48 IFZ=H THENRETURN
49 LINE(Z-4,120)-(Z+4,120),PRESE
T:LINE(H-4,120)-(H+4,120),PSET:R
ETURN
50 GOSUB46:IFA$=CHR$(13)THENRETU
RNEELSE50
51 IFX1>X2 AND PPOINT(X1,96)=8TH
ENSOUND1,1:GOTO42ELSEIFX2>X1 AND
PPOINT(X1,96)=6THENSOUND1,1:GOT
O42
52 IFABS(X1-X2)>40THENSOUND1,1:G
OTO42
53 IF PPOINT(X2,96)<>5 THENSOUND
1,1:GOTO42ELSEC=PPOINT(X1,96):PA
INT(X2,96),C,3:PAINT(X1,96),1,3:
GOTO42
54 FORT=47TO107STEP20:IFPPOINT(T
,96)=6THENNEXT:GOTO55ELSERETURN
55 FORT=147TO207STEP20:IFPPOINT(T
,96)=8THENNEXT:GOTO56ELSERETURN
56 CLS:PRINT"YOU WIN!!!!":GOTO5
8
57 CLS:PRINT"YOU'RE STUCK - YOU
LOSE!!!"
58 PRINT:PRINT:GOSUB84:GOTO39
59 FORT=1TO60:READA$:NEXT:DATA "
R80D120L80U120R80M-80,120","BR40
D120","R80D60L80D60R80","R80D60L
50R50D60L80","D60R80L20U60D120",
"R80L80D60R80D60L80","D120R80U60
L80","R80M-80,120","R80D60L80U60
D120R80U60","R80D120U60L80U60"
60 WW=0:FORA=0TO9:READA$(A):NEXT
:PMODE2:PCLS:S=2
61 PCLS:CLS:PRINTS"NUMBERS":LINE
INPUT"HIT ENTER TO BEGIN ";D$:SC
REEN1,1:AN$="":FORT=1TOS:N=RND(1
0)-1:PCLS:DRAW"BM88,35;"+A$(N):A
N$=AN$+STR$(N):FORG=1TO250:NEXTG
,T:INPUT"NUMBER SEQUENCE":SQ$:IF
SQ$=RIGHT$(AN$,S+(S-1))THEN64
62 IFWW=2THEN63ELSEPRINT"WRONG,
TRY AGAIN":WW=WW+1:FORT=1TO1000:
NEXT:GOTO61
63 PRINT"SORRY, GAME'S OVER. HO
WEVER, YOU DID REMEMBER";S-1;"
NUMBERS!":PRINT:GOSUB84:RESTORE:
GOTO59
64 FORT=1TO3:PRINT@236,"CORRECT"
:FORP=1TO100:NEXT:PRINT@236,"
":FORP=1TO70:NEXTP,T:S=S+1:W
W=0:GOTO61
65 IFK=1THEN69ELSEPRINT@482,"40

```

```

SECONDS TO SET THE SCREEN";
66 LINE-(0,30),PRESET:PMODE4:PCL
S:PMODE3:COLOR3,0:FORX=0TO255:Y=
30*ABS(COS(X/27.1)):LINE-(X,Y),P
SET:IFX/20=INT(X/20)THENLINE-(X,
70),PSET:LINE-(X,Y),PSET:NEXTELS
ENEXT
67 LINE(0,110)-(255,110),PSET:LI
NE(0,70)-(255,70),PSET:FORX=10TO
255STEP20:T=T+1:IFT/2=INT(T/2)TH
ENC=2ELSEC=4
68 PAINT(X,50),C,3:NEXT:PAINT(12
8,96),3,3:FOR X=0TO255STEP10:R=.
4:FORY=75TO105STEP10:CIRCLE(X,Y)
,4,RND(4),R:R=R+.15:NEXTY,X:GET(
0,0)-(255,112),X,G:K=1
69 N$="";C3BR6U6D2L12U2D6E4F4E4D4
H4G4H4":XN=RND(200)+40:CLS
70 PRINT"THE NET IS";XN;"METERS
AWAY.":INPUT"ANGLE OF CANNON(1-8
9)":A:IF A>89 OR A<1 THEN PRINT"
CAN'T DO THAT ANGLE!":GOTO70
71 V=110:V1=V:Y=180:X=0:A1=A*.01
754:PMODE4:PCLS:PMODE3:PUT(0,0)-
(255,112),X,PSET:DRAW"BM"+STR$(X
N)+",180"+N$:LINE(0,191)-(0,191)
,PRESET:COLOR4,0:N=5:O=2:PLAY"L2
55"
72 COLOR2,0:LINE(0,180)-(255,191
),PSET,BF:S=1:Z=114
73 LINE(0,Z)-(255,Z),PSET:Z=Z+S:
S=S*1.5:IF Z>180 THEN 74 ELSE 73
74 PMODE4:SCREEN1,1:PMODE3
75 COLOR4,0:LINE(0,174)-(6,180),
PSET,BF:PLAY"L255O2CDO3CDO1CDO2C
D"
76 LINE-(X,Y),PSET:Y1=Y:X=X+(V1*
SIN(A1*2)/10):Y=Y-(V*SIN(A1)/10)
:V=V-10:IF Y<0 THEN Y=0 ELSE IF
Y>180 THEN X=X-(V1*SIN(A1*2)/10)
:GOTO82
77 IF Y<Y1 THEN N=N+1 ELSE N=N-1
78 IF N>12 THEN N=1:O=O+1:IF O>5
THEN O=5
79 IF N<1 THEN N=12:O=O-1:IF O<1
THEN O=1
80 PLAY"O"+STR$(O)+";"+STR$(N)
81 GOTO76
82 CLS:IF X<XN+6 AND X>XN-6 THEN
PLAY"O5L100CDEFGFEDCDEFGFEDCDEF
G":FOR T=1TO500:NEXT:PRINT"YOU G
OT IT!!!":GOTO 83 ELSE PLAY"L255
O1CDBBEBBFBGBBCBB":FOR T=1TO500
:NEXT:PRINT"YOU MISSED BY ";-INT
(XN-X);"METERS":GOTO70
83 GOSUB84:GOTO69
84 INPUT"PLAY AGAIN (Y/N)":A$:IF
A$<>"N" THEN RETURN ELSE 1


```

ATTENTION MODEM BUYERS!!!

**WE GUARANTEE LOWEST PRICE
AND BEST SUPPORT AROUND !!**

VOLKSMODEM 300 LIFETIME WARRANTY

SPECIFICATIONS



Data Interface	RS-232C compatible
Outputs	MARK (OFF) -4.0V min (typical) SPACE (ON) +4.0V min (typical)
Inputs	MARK (OFF) 0 to -25V SPACE (ON) +2.5 to +25V
Data Format	Serial, binary, asynchronous
Operate Mode	Manual dial, manual answer, auto- matic answer/originate mode select
Data Rate	0 to 300 tps, full duplex or half duplex
Modulation	Phase coherent, frequency shift- keyed (FSK)

REG. \$79.95 **NOW ONLY \$48.88**

VOLKSMODEM 1200

REG. \$299
**NOW ONLY
\$188**

- * 300-1200 BAUD SMARTMODEM
- * HAYES COMPATIBLE
- * AUTO-DIAL/AUTO-ANSWER
- * 5 YEAR WARRANTY



VOLKSMODEM CABLE FOR COCO \$9.95
REQUIRED FOR VOLKSMODEM 300 AND 1200



AUTOTERM
 TURNS YOUR COLOR COMPUTER INTO THE
**WORLD'S
 SMARTEST TERMINAL!**
 YOU'LL ALSO USE AUTOTERM FOR SIMPLE
 WORD PROCESSING & RECORD KEEPING.

**SPECIAL OFFER !!
 BUY A VOLKSMODEM
 GET AUTOTERM FOR
 ONLY \$25**

CASSETTE \$39.95 DISKETTE \$49.95

- Total Communications Capability
- Send/Receive Text, Graphics, & ML Programs
- Scroll, Search, Edit, Load, Save while On Line
- Built-in Word Processor
- HI-RES Lower Case is Optional & Fast
- Screen Widths of 32, 40, 42, 51, & 64
- Many Printer Options
- Optional Key-BEEP & Error Beebop
- Automatic Block Graphics
- Unbelievable Keystroke Multiplier Abilities



ORDERING INFORMATION

ADD \$2.00 PER ORDER FOR SHIPPING.
 WE ACCEPT VISA, MASTERCARD, CHECKS, M.O.
 C.O.D. ADD \$3.00 EXTRA.
California Residents, Add 6% Sales Tax to Orders



SALE PRICE GOOD THRU 1-31-86

SOFTWARE PLUS



6201 C GREENBACK LANE CITRUS HEIGHTS, CA. 95610
 PHONE (916) 726-8793 MON-FRI 10:30 - 5:30 SAT. 10:00 - 5:00

Observing the lighting of the menorah candles

The Eight Lights Of Chanukah

By Aryeh Glaberson

Menorah aids the user in lighting Chanukah candles and reciting the proper blessings. It gives a short history lesson of the origin of the eight-day observance and the menorah.

Chanukah commemorates the miraculous military and spiritual victories of the biblical Jewish people and the rededication of the Temple in Jerusalem.

Using the Program

After the history is given, press the numbers '1' through '8' consecutively for instructions on the ceremonial lighting of the menorah candles. Written directions include a graphics diagram to illustrate the appropriate procedure. After lighting is shown, the blessing recital appears on the screen in English along with the Hebrew phonetic pronunciation. When the flickering candles appear, press any key to continue.

(Any questions regarding this program may be directed to the author at 20 Celler Road, Edison, NJ 08817, phone 201-572-0324. Please include an SASE when writing.) □

(Aryeh Glaberson is a 12-year-old ninth grade student at Rabbi Jacob Joseph Yeshiva in Edison, N.J. He plans to become a Talmudic scholar.)



160237	960178
350164	1050217
54077	END11
800115		

The listing: MENORAH

```
5 REM ** CHANUKAH LIGHTS ***
6 REM ** BY ARYEH GLABERSON ***
10 PCLEAR6:P MODE3,1:PCLS
20 PRINT:PRINT"WAIT A MINUTE";
30 DIM CA(200),SH(300),FL(200),B
E(1000),AF(1000)
40 GOSUB 690:GOSUB 760:GOSUB 830
50 PCLS
60 CLS
70 PRINT:PRINT"CHANUKA CANDLE L
```

```
IGHTING GUIDE "
80 PRINT:PRINT" BY ARYEH GLABE
RSON"
90 PRINT:PRINT:PRINT:PRINT"
THIS PROGRAM AIDS THE USER IN L
IGHTING chanuka CANDLES AND
RECITING THE PROPER BLESS- INGS
."
100 PRINT:PRINT" PRESS A KEY
TO CONTINUE";
110 A$=INKEY$
120 IF A$="" THEN 110
130 CLS
140 PRINT:PRINT:PRINT:PRINT"WHAT
NIGHT OF CHANUKAH IS IT ? ";P
RINT" ENTER 0 FOR A SHORT HISTO
RY LESSON ";:PRINT"OR 1 THRU
8 FOR THE NIGHT OF CHANUK
```



The Rainbow Bookshelf



The Complete Rainbow Guide To OS-9

The book that demystifies the state-of-the-art operating system for the Tandy Color Computer. Authors Dale L. Puckett and Peter Dibble show you how to take advantage of OS-9's multi-tasking and multi-user features, and the capability of redirecting input and output commands at will. An easy-to-read, step-by-step guide packed with hints and tips, tutorials and free software in the form of program listings.

Book \$19.95, Disk \$31.00 (2 disks, book not included)

The Rainbow Book of Simulations

Features 20 award-winning entries from THE RAINBOW's first Simulation programming competition. You are the Commander-in-Chief of the Confederate Army during the Civil War, an air traffic controller at one of the nation's busiest airports, the owner of your own software business, a civil defense coordinator in charge of saving Rainbow City from a raging flood, a scientist conducting experiments on Mars . . . Your wits are on the line.

Book \$9.95, Tape \$9.95

First

The Rainbow Book of Adventures

A collector's item containing 14 winning programs from THE RAINBOW's very first Adventure contest. Includes such favorites as *Sir Randolf of the Moors*, *Search for the Ruby Chalice*, *Deed of the Yark*, *Horror House*, *One Room*, *The Door* and *Dr. Avaloe*. Plus, hints and tips on solving Adventures.

Book \$7.95, Tape \$7.95

The Second Rainbow Book of Adventures

Our newest arrival features 24 of the most challenging Adventure games ever compiled. Meet the Beatles and battle the Blue Meanies, find a hidden fortune, or win the heart of a beautiful and mysterious princess. Experience the thrills and chills of the most rugged Adventurer without ever leaving your seat. *Ring Quest*, *Secret Agent Man*, *Dark Castle*, *Curse of Karos*, *Island* and more!

Book \$13.95, Tape \$13.95

Keep your library up to date. Order now!

I want to start my own Rainbow Bookshelf!

Please send me:

- The Rainbow Book of Simulations \$ 9.95 _____
- Rainbow Simulations Tape \$ 9.95 _____
- The Complete Rainbow Guide to OS-9 (book only) \$19.95 _____
- Rainbow Guide to OS-9 Disk Package (2 disks) \$31.00 _____
- The Rainbow Book of Adventures (first) \$ 7.95 _____
- Rainbow Adventures Tape (first) \$ 7.95 _____
- The Second Rainbow Book of Adventures \$13.95 _____
- Second Rainbow Adventures Tape \$13.95 _____

Add \$1.50 per book Shipping and Handling in U.S. _____

Outside U.S., add \$4.00 per book _____

Kentucky residents add 5% sales tax _____

(Allow 4 weeks for delivery) Total _____

Name _____

Address _____

City _____

State _____ ZIP _____

Payment Enclosed, or Charge to:

VISA MasterCard American Express



Account Number _____

Card Expiration Date _____

Signature _____

Mail to: Rainbow Bookshelf, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. To order by phone, call: (502) 228-4492.

Please note: The tapes and disks offered by The Rainbow Bookshelf are not stand-alone products. That is, they are intended to be an adjunct and complement to the books. Even if you buy the tape or disk, you will still need the appropriate book.

OS-9® is a registered trademark of the Microware Systems Corporation.

```

AH";:INPUT N
150 IF N=0 GOTO 1050
155 IF N>8 THEN GOTO 130
160 'IF N=1 GOTO 200
170 CLS:PRINT:PRINT" TONIGHT WE
  LIGHT"N"CANDLES PLUS THE SHA
  MASH;"
180 IF N=1 THEN PRINT"WE ALSO SA
  Y THREE BLESSINGS."ELSE IF N<>1
  THENPRINT"WE ALSO SAY TWO BLESSI
  NGS."
190 PRINT:PRINT"FIRST PUT IN THE
  SHAMASH AND"N"CANDLES STARTING
  FROM THE EXTREME RIGHT EN
  D."
200 PRINT:PRINT"PRESS A KEY TO C
  ONTINUE"
210 IF INKEY$="" THEN 210
220 SCREEN1,0:GOSUB 560
230 PUT(40,55)-(50,100),CA,PSET
240 FOR I=200 TO 200-((N-1)*20)
  STEP -20
250 PUT(I,65)-(I+10,110),CA,PSET
260 FOR D=1 TO 250:NEXT D
270 NEXT I
280 FOR D=1 TO 250:NEXT D
290 CLS:PRINT:PRINT" THEN LIGHT
  THE SHAMASH.":PRINT" PRESS

```

```

A KEY TO CONTINUE"
300 IF INKEY$="" THEN 300
310 PCOPY 2 TO 5
320 SCREEN1,0
330 PUT(40,55)-(50,100),CA,PSET
340 PUT(40,40)-(50,60),FL,PSET
350 FOR I=1 TO 1500:NEXT I
360 CLS:PRINT:PRINT:PRINT" NOW
  RECITE THE TWO BLESSINGS":PRINT:
  PRINT" PRESS A KEY TO CONTINUE"
370 IF INKEY$="" THEN 370
380 GOSUB 890:GOSUB 950:IF N=1 T
  HEN GOSUB 1000
390 CLS:PRINT:PRINT:PRINT"LIGHT
  THE OTHER CANDLES WITH THESHAMA
  S, STARTING WITH THE LEFT-MOST C
  ANDLE":PRINT:PRINT" PRESS A KE
  Y TO CONTINUE"
400 IF INKEY$="" THEN 400
410 SCREEN1,0
420 FORKK=1TO1000:NEXTKK
430 LINE(40,100)-(50,40),PRESET,
  BF
440 FOR D=1 TO 300:NEXT D
450 FOR I=210-((N-1)*20) TO 210
  STEP 20
460 PUT(I-10,50)-(I+40,70),SH,PS
  ET
470 FOR D=1 TO 250:NEXT D
480 LINE(I,50)-(I+40,70),PRESET,
  BF
490 NEXT I
500 PUT(40,55)-(50,100),CA,PSET
510 PUT(40,40)-(50,60),FL,PSET
520 PCOPY 2 TO 6
530 GOTO 550
540 IN$=INKEY$:PCOPY 5 TO 2:PCOP
  Y 6 TO 2:IF INKEY$=""THEN 540 EL
  SE PCLS:GOTO130
550 GOTO 540
560 'MAKE MENORAH****
570 COLOR 4
580 LINE(100,170)-(150,170),PSET
590 LINE-(140,160),PSET
600 LINE-(110,160),PSET
610 LINE-(100,170),PSET
620 LINE(120,160)-(130,130),PSET
  ,B
630 LINE(40,130)-(210,120),PSET,
  B
640 LINE(40,120)-(50,100),PSET,B
650 FOR I=60 TO 200 STEP 20
660 LINE(I,120)-(I+10,110),PSET,
  B
670 NEXT I
680 RETURN
690 'MAKE CANDLE ****
700 COLOR 3
710 LINE(40,100)-(50,60),PSET,BF

```

Submitting Material To Rainbow

Contributions to THE RAINBOW are welcome from everyone. We like to run a variety of programs which will be useful/helpful/fun for other CoCo owners.

Program submissions must be on tape or disk and it is best to make several saves, at least one of them in ASCII format. We're sorry, but we do not have time to key in programs. All programs should be supported by some editorial commentary explaining how the program works. Generally, we're much more interested in how your submission works and runs than how you developed it. Programs should be learning experiences.

We do pay for submissions, based on a number of criteria. Those wishing remuneration should *so state* when making submissions.

For the benefit of those who wish more detailed information on making submissions, please send an SASE to: Submissions Editor, THE RAINBOW, The Falsoft Building, Prospect, KY 40059. We will send you some more comprehensive guidelines.

Please do not submit programs or articles currently submitted to another publication.


```

720 LINE(45,60)-(45,55),PSET
730 COLOR 4
740 GET(40,55)-(50,100),CA,G
750 RETURN
760 'MAKE FLAME ****
770 COLOR 2
780 CIRCLE(45,50),3,2,2
790 CIRCLE(45,50),5,2,2
800 CIRCLE(45,50),1,2,2
810 GET(40,35)-(50,60),FL,G
820 RETURN
830 'MAKE SHAMASH****
840 COLOR 3
850 LINE(170,60)-(210,70),PSET,B
F
860 PUT(160,50)-(170,70),FL,PSE
T
870 GET(160,50)-(210,70),SH,G
880 RETURN
890 '1ST BLESSING
900 CLS:PRINT"BAH-RUCH AH-TAH AH
-DO-NOY, ELO-HAY-NU ME-LECH HAH-
O-LAHM, AH-SHER KEED-SHAH-NU B-M
ITZ-VO-TAHV, V-TSI-VAH-NU L-HAHD
-LEEK NAYR SHEL CHANUKAH"
910 PRINT:PRINT:PRINT"BLESSED AR
T THOU, - THE ETERNAL OUR G-D, K
ING OF THE UNIVERSE WHO HAS SANC
TIFIED US WITH HIS COMMANDMENTS,
AND CHARGED US TO LIGHT THE CHA
NUKAH LIGHTS."
920 PLAY"O2T2GCDEDCCP4CDEEGGFEDP
4O1GO2FEDCO1BO2CDEDP4EFefGAGDFED
C"
930 FOR KK=1 TO 1000:NEXT KK
940 RETURN
950 '2ND BLESSING
960 CLS:PRINT"BAH-RUCH AH-TAH AH
-DO-NOY, ELO-HAY-NU ME-LECH HAH-

```

```

O-LAHM, SHE-AH-SAH NEE-SEEM LAH-
AH-VO-TAY-NU, BAH-YAH-MEEM HAH-H
AYM BAH-ZMAHN HAH-ZEH
970 PRINT:PRINT:PRINT"BLESSED AR
T THOU, - THE ETERNAL, OUR G-D,
KING OF THE UNIVERSE, WHO WROUGH
T MIRACLES FOR OUR FORFATHERS IN
FORMER DAYS, AT THIS SEASON."
980 PLAY"O2T2GCDEDCCP4CDEEGGFEDP
4O1GO2FEDCO1BO2CDEDP4EFefGAGDFED
C"
990 RETURN
1000 '3RD BLESSING
1010 CLS:PRINT"BAH-RUCH AH-TAH A
H-DO-NOY, ELO-HAY-NU ME-LECH HAH
-O-LAHM, SHE-HEH-CHEE-YAH-NU V-K
EE-EE-MAH-NU, V-HEE-GEE-YAH-NU L
AH-ZMAHN HAH-ZEH
1020 PRINT:PRINT:PRINT"BLESSED A
RT THOU, - THE ETERNAL, OUR G-D,
KING OF THE UNIVERSE, WHO HAS PR
ESERVED US ALIVE, SUSTAINED US,
AND CAUSED US TO ATTAIN THIS SEA
SON."
1030 PLAY"O2T2GCDEDCCP4CDEEGGFED
P4O1GO2FEDCO1BO2CDEDP4EFefGAGDFE
DC"
1040 RETURN
1050 CLS:PRINT"APPROXIMATELY 230
0 YEARS AGO A SMALL BAND OF JEWI
SH PATRIOTS MANAGED TO FREE THEI
R COUNTRY FROM GREEK DOMINATION
FIGHTING THE OVERWHELMING MILITA
RY SUPERIORITY OF THE GREEK EMPI
RE."
1060 PRINT"AFTER THE MILITARY VI
CTORY THE HOLY TEMPLE IN JERUSAL
EM WAS CLEANSED OF PAGAN INFLUEN
CES AND THE MENORAH - THE EIGHT
BRANCHED CANDELABRA - WAS KINDLE
D."
1070 PRINT:PRINT:PRINT"PRESS KEY
TO CONTINUE"
1080 IF INKEY$="" THEN 1080
1090 CLS:PRINT"ALTHOUGH RITUALY
PURE OIL, SUFFICIENT FOR ONLY O
NE NIGHT'S LIGHTING, WAS FOUND,
IT MIRACULASELY SUFFICED FOR EIG
HT DAYS."
1100 PRINT"THE HOLIDAY OF CHANUK
AH IS CELEBRATED IN COMMEMORATIO
N OF THE MIRACULOUS MILITARY AND
SPIRITUAL VICTORIES, THE REDEDI
CATION OF THE TEMPLE AND THE IND
EPENDANCE OF THE NATION."
1110 PRINT:PRINT:PRINT"PRESS KEY
TO RETURN"
1120 IF INKEY$="" THEN GOTO 1120
1130 GOTO 130

```

One-Liner Contest Winner . . .

Silly demonstrates the kind of fast animation that the CoCo can produce.

The listing:

```

10 PCLEAR8:PMODE4,5:PCLS:PMODE,1
:PCLS:P=2:X=4:Y=4:FORK=0TO6STEP.
128:PMODE0,0+1:0=0+1AND7:X=COS(K
)*90+128:Y=SIN(K)*20+96:XX=COS(6
-K)*20+128:YY=SIN(6-K)*90+96:LIN
E(X,Y)-(XX,YY),PSET:SCREEN1:NEXT
:FOR=1TO1E9:PMODE0,(7ANDE)+1:SC
REEN1:PLAY"P255":NEXT

```

Joe Porkka
Highland, MI

(For his winning one-liner contest entry, the author has been sent copies of both *The Second Rainbow Book Of Adventures* and its companion *The Second Rainbow Adventure Tape*.)

RAINBOW Info

How To Read Rainbow

Please note that all the BASIC program listings you find in THE RAINBOW are formatted for a 32-character screen — so they show up just as they do on your CoCo screen. One easy way to check on the accuracy of your typing is to compare what character "goes under" what. If the characters match — and your line endings come out the same — you have a pretty good way of knowing that your typing is accurate.

We also have "key boxes" to show you the *minimum* system a program needs. But, *do* read the text before you start typing.

Finally, the little cassette symbol on the table of contents and at the beginning of articles indicates that the program is available through our RAINBOW ON TAPE service. An order form for this service is on the insert card bound in the magazine.

What's A CoCo

CoCo is an affectionate name that was first given to the Tandy Color Computer by its many fans, users and owners.

However, when we use the term CoCo, we refer to both the Tandy Color Computer and the TDP System-100 Computer. It is easier than using both of the "given" names throughout THE RAINBOW.

In most cases, when a specific computer is mentioned, the application is for that specific computer. However, since the TDP System-100 and Tandy Color are, for all purposes, the same computer in a different case, these terms are almost always interchangeable.

The Rainbow Check Plus



The small box you see accompanying a program listing in THE RAINBOW is a "check sum" system, which is designed to help you type in programs accurately.

Rainbow Check PLUS counts the number and values of characters you type in. You can then compare the number you get to those printed in THE RAINBOW. On longer programs, some benchmark lines are given. When you reach the end of one of those lines with your typing, simply check to see if the numbers match.

To use *Rainbow Check PLUS*, type in the program and *CSAVE* it for later use, then type in the command *RUN* and press *ENTER*. Once the program has run, type *NEW* and *ENTER* to remove it from the area where the program you're typing in will go.

Now, while keying in a listing from THE RAINBOW, whenever you press the down-arrow key, your CoCo gives the check sum based on the length and content of the program in memory. This is to check against the numbers printed in THE RAINBOW. If your number is different, check the listing carefully to be sure you typed in the correct BASIC program code. For more details on this helpful utility, refer to H. Allen Curtis' article on Page 21 of the February 1984 RAINBOW.

Since *Rainbow Check PLUS* counts spaces and punctuation, be sure to type in the listing exactly the way it's given in the magazine.

```
10 DLS:X=256*PEEK(35)+178
20 CLEAR 25,X-1
30 X=256*PEEK(35)+178
40 FOR Z=X TO X+77
50 READ Y:W=Y:PRINT Z,Y;W
60 POKE Z,Y:NEXT
70 IF W<98 THEN GOTO 50 ELSE PRINT
  "DATA ERROR":STOP
80 EXEC X:END
90 DATA 182, 1, 106, 167, 140, 60, 134
100 DATA 126, 183, 1, 106, 190, 1, 107
110 DATA 175, 140, 50, 48, 140, 4, 191
120 DATA 1, 107, 57, 129, 10, 38, 38
130 DATA 52, 22, 79, 158, 25, 230, 129
140 DATA 39, 12, 171, 128, 171, 128
150 DATA 230, 132, 38, 250, 48, 1, 32
160 DATA 240, 183, 2, 222, 48, 140, 14
170 DATA 159, 166, 166, 132, 28, 254
180 DATA 189, 173, 198, 93, 22, 126, 0
190 DATA 0, 135, 255, 134, 40, 55
200 DATA 51, 52, 41, 0
```

Using Machine Language

Machine language programs are one of the features of THE RAINBOW. There are a number of ways to "get" these programs into memory so you can operate them.

The easiest way is by using an editor/assembler, a program you can purchase from a number of sources.

An editor/assembler allows you to enter mnemonics into your CoCo and then have the editor/assembler assemble them into specific instructions that are understood by the 6809 chip that controls your computer.

When you use an editor/assembler, all you have to do, essentially, is copy the relevant instructions from THE RAINBOW's listing into CoCo.

Another method of getting an assembly language listing into CoCo is called "hand assembly." As the name implies, you do the assembly by hand. This can *sometimes* cause problems when you have to set up an *ORIGIN* statement or an *EQUATE*. In short, you have to know something about assembly to hand-assemble some programs.

Use the following program if you wish to hand-assemble machine language listings:

```
10 CLEAR200,&H3F00:I=&H3F00
20 PRINT "ADDRESS: ";HEX$(I);
30 INPUT "BYTE":B$
40 POKE I,VAL("&H"+B$)
50 I=I+1:GOTO 20
```

This program assumes you have a 16K CoCo. If you have 32K, change the &H3F00 in Line 10 to &H7F00 and change the value of 1 to &H7F80.

The Rainbow Seal



The *Rainbow Certification Seal* is our way of helping you, the consumer. The purpose of the Seal is to certify to you that any product that carries the Seal has been physically seen by us, that it does, indeed, exist and that we have a sample copy here at THE RAINBOW.

Manufacturers of products — hardware, software and firmware — are encouraged by us to submit their products to THE RAINBOW for certification. We ascertain that their products are, in actuality, what they purport to be and, upon such determination, award a Seal.

The Seal, however, is not a "guarantee of satisfaction." The certification process is different from the review process. You are encouraged to read our reviews to determine whether the product is right for your needs.

There is absolutely no relationship between advertising in THE RAINBOW and the certification process. Certification is open and available to any product pertaining to CoCo. A Seal will be awarded to *any* commercial product, regardless of whether the firm advertises or not.

We will appreciate knowing of instances of violation of Seal use.

BARBAROSSA

THE WAR IN RUSSIA 1941-44

The first 64K wargame for the color computer. Barbarossa is total machine language so it's fast! Completely hi-res so it's beautiful. Scrolling map takes up more than two screens. Bit mapping allows for hi-res picto-character set consisting of panzer, grenadier, airflottes, infantry,

mechanized infantry, Russian armor and infantry. Commands include Normal Movement, Blitzkreig attack, Cityscan, Intelligence, Air Operations, Scrolling, Group transfer, Advance 2nd movement, Game save.

Player controls the German forces consisting of Army Groups North, Central and South, and must capture 16 Russian cities to win. In doing so he battles terrible weather conditions, attrition, Russian reserves and supply shortages.

Disk (\$33.95) and Cassette (\$30.95) versions are different.

PHALANX By John Galus. 32K Hi-res ML game circa Alexander the Great. Bit mapped graphics. Player controls Cavalry, Archers, Phalanxes in an attempt to out maneuver and out fox the enemy. Choose Attack, Defensive, Normal or Range stance for combat on any of three battlefields. Disk (\$30.95) and Cassette (\$27.95) versions are different.

D-DAY THE 6th of JUNE By Phil Keller. 64K Hi-Res ML game (See Barbarossa for graphics information). Player designs order of battle consisting of Rangers, Infantry, Armor, Recon, Fighter Bombers, Airborne and Artillery. Bit mapped graphics. A host of options including air support and naval battery fire. You even get to see things explode. Disk (\$33.95) and Cassette (\$30.95) versions are different.

ANIZO 32K By Carl Carpenter. Game of the Italian Campaign for 1 or 2 players where Churchill's "soft underbelly of Europe" became Mark Clarke's "tough old gut". Our first simultaneous movement game. All units historically portrayed. Disk (\$28.95) and Cassette (\$25.95) versions are different.

14 Other War Games Available — Write For Free Catalog

DEALER DISCOUNT AVAILABLE

Prices on all products include shipping on prepaid orders to USA, APO's and Canada. Others add 5%. COD's accepted (add \$3.50) in USA only. No bankcards, please. All orders shipped 1st Class within 24 hours. All programs available for use with Color Computer TM(Tandy Corp) or TDP System 100 ComPuter TM(RCA). Unless stated otherwise, program requires 32K and Extended Color Basic.

P. O. Box 14806
Jacksonville, FL 32238
(904) 786-8603





WE'RE BRINGING THE COCO

RAINBOW'S BROADENING ITS SPECTRUM

THE RAINBOW and the Delphi Information Utility have joined together to allow CoCo owners all over the world to connect with one another!

Delphi is a full-service information utility. It offers everything from up-to-the-minute news stories from The Associated Press to electronic mail services. But, *best of all*, it now has a special forum for Color Computer owners, and it's operated by the people who bring you THE RAINBOW each month.

The CoCo Special Interest Group (SIG) features a variety of services, including an open forum where you can send and receive messages from Color Computer owners all over the world. It also has several databases to which you can upload your favorite programs and from which you can download programs written by other CoCo enthusiasts. Some of these databases are BASIC programming, OS-9 and home applications.

When setting up your account with Delphi, if you do not have a credit card or prefer not to use it, Delphi requires that you send \$20 to give your account a positive balance. This will be refunded after your first free hour if you choose to no longer use the system or it will be applied to future connect charges.

PEEK INTO THE RAINBOW

The CoCo SIG's conference feature allows you to meet electronically with other members of the CoCo Community. You can join conferences with notables such as Fred Scarbo, Dan Downard, Ed Ellers, Lonnie Falk, Dick White, Tony DiStefano and others — on a regular basis. Conference schedules will appear in THE RAINBOW each month. Be sure to check online announcements for changes and additions.

THE OTHER SIDE OF THE RAINBOW

On Delphi, you also are able to buy RAINBOW ON TAPE — order a whole set, or download an individual program immediately. You can also renew your RAINBOW subscription, make a fast and easy order for software or hardware from a multitude of vendors, or inquire about products on the CoCo SIG.

We also have a number of programs that you can download and use, just for the cost of the time you spend transferring them. There'll also be corrections for RAINBOW articles, helpful hints and many other useful features.

FREE LIFETIME MEMBERSHIP

THE RAINBOW is offering subscribers a free lifetime subscription to Delphi — a \$29.95 value — and a free hour of connect time — a \$6 value at either 300 or 1200 Baud during evening, holiday and weekend hours — so you can sample Delphi and the brand new RAINBOW CoCo SIG. That's right. Your subscription to THE RAINBOW entitles you to this \$35.95 value as a free bonus!

If you're not a RAINBOW subscriber, just enter your order when you sign on with Delphi and you'll get the same great deal! For our \$31 subscription fee, you'll get the finest Color Computer magazine ever, a free lifetime subscription to Delphi and a free hour of connect time.

SAVE EVEN MORE

Want to save an extra \$15? While you're online, you can order the *Delphi Handbook and Command Card* (\$21.95) and three hours of connect time (\$18) for only \$24.95.

Delphi provides us all with **Immediate CoCo Community**. Check it out today. After all, you can sample it for free!

DELPHI

TYPE: GROUP COCO



COMMUNITY TOGETHER!

How to reach RAINBOW's Color Computer SIG . . .

There are several ways to connect to Delphi and THE RAINBOW's CoCo SIG. In most cities you will not even have to pay long distance charges; you can use special data communications networks, like Uninet, Tymnet and the Canadian Datapac network.

First, set your terminal program to operate at either 300 or 1200 Baud (depending on the modem you have), and also select either 7 bits with even parity or 8 bits with no parity, and one stop bit. (If one combination doesn't work, try another.)

Decide which network you should use (there is no charge for any of them, unless you have to make a long-distance call) and follow the instructions below:

On Uninet: Call (800) 821-5340 to get the Uninet number for your area. After you call the appropriate number for your own area and make connection, you'll see a prompt of "L?" Press ENTER, the period key (.) and ENTER again. At the "service:" prompt, type GVC (for General Videotex Corporation) and ENTER.

On Tymnet: Call (800) 336-0149 to get the Tymnet number for your area. After you dial your designated number and connect, you will see either "garbage" or a message saying "please type your terminal identifier." At this point, even if the screen is garbled, simply press 'A'. When "please log in:" appears, type DELPHI and press ENTER.

From Canada (on Datapac): Call Delphi Customer Service at (617) 491-3393 to get the Datapac number for your area. After you connect, press the period key (.) and ENTER (use two periods if you're using 1200 Baud), type SET 2:1, 3:126 and press ENTER. Now type p 1 3106, DELPHI; and press ENTER.

From other countries: Many countries have their own data networks that can connect to either Uninet or Tymnet. Check with the telephone authorities in your country for details on how to sign up for this service. When you have an account set up, you can reach Delphi with a "host code" of 312561703088 through Uninet, or 310600601500 through Tymnet. (You'll have to pay the toll charges for this connection.)

Type in Your Username

If you're already a subscriber to THE RAINBOW, at the "USERNAME:" prompt, type RAINBOWSUB and press

ENTER. At the "PASSWORD:" prompt, type your individual subscription number from the mailing label of your latest issue of THE RAINBOW. (If there are one or more zeros at the beginning of this number, include them.)

If you don't already have a subscription, at the "USERNAME:" prompt, type RAINBOWORDER and press ENTER. At the "PASSWORD:" prompt, type SENDSUB and press ENTER. Have your MasterCard, VISA or American Express card ready, because you'll be led through a series of questions that will enable us to put your RAINBOW and Delphi subscriptions into effect. In an effort to hold down non-editorial costs, we do not bill for subscriptions.

If you make a typing error, just press ENTER and start over. Remember that at any point, when you're on Delphi, you can type HELP to get help on how to use the system. To get off the system just type BYE.

Come Visit Us! Type: GROUP COCO

After you sign in, you'll be prompted to set up your own, personal "user name" — Delphi is a friendly service, no numbers to remember — and you'll be asked a number of questions so Delphi can set up your account. You'll also be assigned a temporary password. No time is assessed against your free hour of service while you answer these questions.

Delphi will tell you that your account will be ready after 6 p.m. the same day if you sign up before noon (Eastern time zone.) If not, your account will be ready at 6 p.m. the next day. Once an account is opened, *each RAINBOW subscriber will be credited with an hour of free time!*

When you log back in, use your chosen user name and your temporary password to access the system. At that point, you will meet Max, who will help you configure things and will change your temporary password into your own *personal* password. This is the password you will use for subsequent sessions — or until you change it. Again, there is *no charge* for the time you spend configuring your account. Your hour of free time starts after Max bids you goodbye.

You'll wind up at the Delphi Main Menu; type in GROUP COCO and join us on the CoCo SIG!

Alpine Slopes

A small amount of memory for the big thrill of skiing . . .

By Mark Sabbatini

The 4K Color Computer is all but ignored today. There is almost no software written or available for it and magazines pay little, if any, attention to it. *Alpine Slopes* is an action game that fits into 4K of memory. There are many programming techniques used to fit the program into 4K that should be helpful to beginning programmers.

When you first run the program, a title screen appears showing the present highest score and the score of the last game played. Upon pressing a key, you are asked several questions on what type of course you want to ski. The difficulty level allows you to start at zero, 200 and 400 yards down the course, depending on the level set. The fast or slow option can only be used if your computer can handle the POKE 65495,0. Otherwise, leave it out of the program. The third question determines what type of race you are running and your score is kept accordingly. The fourth question determines how far down the slope you can see.

After the fourth prompt, an orange block appears at the top of the screen. Use the left- and right-arrow keys to move the skier back and forth. There's no need to press the keys repeatedly, just hold them down. As you move down the slope different objects appear. The most common of these are trees. They start out as bushes, but continue to get larger. Also, as you move down the course your distance is marked every 10 yards. You must avoid these yard markers.

(Mark Sabbatini is a student at Mountain Open High School in Conifer, Colo. He enjoys skiing, backpacking and computer programming.)



"The CBASIC Compiler"

Now anyone can create fast efficient Machine Language Programs Easily and Quickly without having to use an Editor/Assembler

CBASIC is a fully integrated, easy to use Basic program Editor and Compiler package. CBASIC's 99% syntax compatibility with Disk Extended Color Basic programs, so most Basic programs can be loaded and compiled by CBASIC with little or no changes required. The compiler is an optimizing two-pass integer Basic compiler that can convert programs written in Disk Extended Color Basic into 100% pure 8087 Machine Language programs which are written directly to disk in a LOADM compatible format.

The programs generated by the compiler can be run as complete stand alone programs. A built-in linker/editor will automatically select one and only one entry of each subobject that is required from the internal run-time library and insert them directly in the program. This eliminates the need for cumbersome, often wasteful separate "run time" packages.

CBASIC WAS DESIGNED FOR BOTH BEGINNING & ADVANCED USERS

CBASIC is a Powerful tool for the Beginner or Novice programmer as well as the Advanced Basic or Machine Language programmer. The Beginner or Novice programmer can write and compile programs without having to worry about Stack Pointers, BP registers, memory allocation, and so on, because CBASIC will handle it for you automatically. All they have to do is write their programs using the standard Basic statements and syntax. For the advanced Basic and Machine Language programmer, CBASIC will let you take control and control every aspect of your program, even generating machine code directly in a program for specialized routines or functions.

CBASIC adds many features not found in Color Basic, like Interrupt, Reset, and On Error handling. It also has advanced programming features that allow machine level control of the Stack and Data Page registers, variable allocation, automatic 64K RAM control, program origin and even multiple origins. It can even have machine language code generated within a program that executes just like any other Basic program line.

FULL COMMAND SUPPORT & SPEED

CBASIC features will use 100 Basic Commands and Functions that fully support Disk, Tape, Printer and Screen I/O. It also supports ALL the High and Low Resolution Graphics, Sound, Play and String Operations available in Extended Color Basic, and all with 99.9% syntax compatibility.

CBASIC is FAST. Not only will CBASIC compiled programs execute 10 to 1000 times faster than Basic, but the time it takes to develop a CBASIC program versus writing a machine language program is much, much shorter. A machine language program that might take several months to write and debug could be created using CBASIC in a matter of days or hours, even for a well experienced machine language programmer. We had a report from a CBASIC user that claimed "a Basic program that used to take 3 hours to run, now runs in 7 to 8 minutes". Another user reported a program that took 1 to 1 1/2 hours to run in Basic, now runs in 5 to 6 minutes!

MORE THAN JUST A COMPILER

CBASIC has its own completely integrated Basic Program Editor. The Editor contained in CBASIC is used to Create and/or Edit programs for the compiler. It is a full featured editor with functions designed specifically for writing and editing Basic programs. It has built-in Block Move and Copy functions with automatic program renumbering. Complete, easy to use inserting, deleting, undoing and overtyping of existing programs. It is also used for Loading, Saving, Appending, Inserting, Killing disk files and displaying a Disk Directory. It also has automatic line number generation for use when creating programs or inserting sequential lines between existing lines. You can set the printer baud rate and direct normal or compressed listings to the printer for hard copy. The built-in editor makes program corrections and changes as easy as "falling off a log". If CBASIC finds an error when compiling, it points to the place in the program line where the error occurred. All you have to do is tell the editor what line you want to start editing and when it is displayed, move the cursor with the arrow keys to the place where the error is and correct it. Just like that. It's simple.

HI-RES & 80 COLUMN DISPLAYS

CBASIC is the only Color Basic Compiler that includes its own Hi-Resolution 51 (A) or 85 by 24 line display. It is also the only compiler that supports both the PEU "Word-Pak" and the Double Density 80 column cards. All of these display formats are part of the standard CBASIC compiler package. Not only can these display formats be used for normal program editing and compiling, but CBASIC will also include them in your compiled programs! If you want CBASIC to simulate the display driver in your program, all you have to do is use a single CBASIC command "HRES". The real-time display driver that CBASIC includes in your program is not just a simple display, but a full featured display package. With the Hi-Resolution display package you can use text & graphics, change characters per line, underline, character highlight, erase in end of line or screen, home cursor, home & clear screen, protect screen lines, and much more. All commands are compatible with your HI-RES II-Screen Commander so you can easily develop screen layouts using HI-RES and Color Basic before you compile your program. The same applies to using the 80 column card/drivers. What other Basic compiler offers you this kind of flexibility?

64K RAM SUPPORT

CBASIC makes full use of the power and flexibility of the 68K SAM (Synchronous Address Multiplexer) in the Color Computer. It will fully utilize the 96K of address space available in the Color Computer (64K installed) using program Creation, Editing and Compilation. CBASIC has a special command for automatic 64K RAM control. When used in a program, it allows the user to use the upper 32K of RAM space automatically for variables or even program storage at run-time. It will automatically switch the ROMs in and out when needed. There are also two other commands that allow you to control the upper 32K of RAM manually within program control. No other Color Basic compiler directly supports the use of 64K RAM like CBASIC.

ALL MACHINE LANGUAGE

CBASIC is completely written in fast efficient Machine Language, not Basic, like some other Color Basic compilers. Because of this, CBASIC can edit and compile very large programs. Even using the Hi-Resolution 51 by 24 line display, it can work with about a 34K program, and the 80 column card versions can handle almost 40K of program. Some of the other Basic compilers can only work with 16K or about 200 lines. Even working with large programs, CBASIC compiles programs with lightning fast speed. It will compile a 28K program to disk in less than 2 minutes! That's without a listing being generated. We've heard stories about some other compilers that take almost 10 minutes to compile a simple 2.5K program. You might inquire about this when you look at some of the other compilers available.

THE FINISHED PRODUCT

Since CBASIC contains statements to support ALL of the I/O devices (Disk, Tape, Screen & Printer), Hi-Res Graphics, Sound, and Enhanced Screen displays, it is well suited for a wide range of programming applications. It generates a complete, Ready to Run machine language program. The finished product or program does not have to be interfaced to a Basic program to perform some of its functions or commands. This may seem obvious to you, but some of the other Color Basic compilers don't necessarily work this way. Some of their compiler commands need a separate Basic program in order for them to work. In some cases, require that a separate Basic program be inserted to the compiled program to perform I/O functions, like INPUT, PRINT and so on. CBASIC doesn't do this. ALL of its commands are compiled into a single machine language program that does not require any kind of Basic program to make it work.

COMPATIBILITY

You may be wondering about those statements we made earlier concerning 99% or 99.9% syntax compatibility. What does that other 1% consist of? The biggest part of that 1% has to do with string arrays and variables. CBASIC does not use a "String Pool" like Color Basic. It uses absolute memory addresses to locate string variables and arrays. This is why CBASIC's string processing is so fast, it also eliminates the time consuming "Garbage Collector" problem. When CBASIC allocates space for strings, it must know how much space to use for each string. When you Dimension a string variable in CBASIC, you must tell it how much space you want to use for each element. To Dimension an array of 40 strings, 64 characters each, you would DIM DAS(40,64). If a string is not dimensioned, CBASIC will automatically allocate 32 bytes for it. If you want a single string to have enough room for 200 characters you would DIM A\$(200). For string arrays, you would still access the element you want the same as Color Basic, to get string #30 from the array DAS, you would still use DAS(30), the only real change is in the DIM statement. For unidimensional string arrays of 10 elements or less, CBASIC will automatically reserve space for 10 (0-9) strings of 32 characters. In some other Color Basic compilers, you have to declare EVERY string variable used in the program in a DIM statement. And, to create an array of 40 strings with 64 characters each, you would have to DIM AD\$(2560), and then to access array #30, you would have to manually 40 * 64 and use a special variable name format to access it one character at a time. Not very compatible or convenient to use and difficult to use.

CBASIC REQUIREMENTS

CBASIC requires a minimum of 32K RAM and at least one Disk drive. We strongly recommend that you have 64K. CBASIC is compatible with all versions of Color & Extended Basic and both Disk Drive V1.0 and V1.1. Programs compiled on other systems will run on systems with different ROMs. CBASIC is NOT compatible with JDOS.

DOCUMENTATION

The Documentation provided with any program is very important to the user. This is especially true when you take about a program as complete and complex as CBASIC. Even though CBASIC was designed to be the most User Friendly compiler on the market, we went to great lengths to provide a manual that is not only easy to use and understand, but comprehensive and complete enough for even the most sophisticated user. The manual included with CBASIC consists of approximately 120 pages of real information, not like some manuals that put just one or two short paragraphs on a page. If we did it that way, we could have easily created a three or four hundred page manual. The manual index breaks down each section of the manual and gives a 3 or 4 word description of each section and its items along with page numbers. The manual has three sections: the Editor, Compiler and Appendix. Each of these is divided into subsections with Section and Subsection titles printed at the top of each page. If you want to, you could find the information you are looking for by simply flipping through the pages and scanning the Section titles on the top of the pages. The Manual itself is an 8 1/2 by 11 Spiral Bound book with durable weather textured covers. Some of the editors we have had from CBASIC users describe the manual as being the Best program manual they have ever used!

COMPARE THE DIFFERENCE

CBASIC is not just another Color Basic Compiler. It is the only complete Basic Compiler System for the Color Computer. Compare CBASIC's features to what other compilers offer and you'll see the difference. When comparing CBASIC to other compilers, you might want to keep some of these questions in mind. Does it support I/O functions? You can't write much of a program without PRINT, INPUT and so on. What about complex string statements, or string statements at all? How large of a program can you write? Can you compile a complex string like: MID\$(RIGHT\$(ASCVAL(INV) LEN(LEB) 3) 3)? Can you use two character variable names for string & numeric variables, like Basic. Does it support all the Hi-Res graphics statements including PLAY, DRAW, GET and PUT, using the same syntax as Basic? Do you ever have to use a separate Basic program? Can you take complete Basic programs and compile them without extensive changes? Will they work? How do you add a program when it has errors compiling?

PRICE VERSUS PERFORMANCE

The price of CBASIC is \$149.00. It is the most expensive Color Basic Compiler on the market, and well worth the investment. We spent over 7 years writing and refining CBASIC, to make it the Best, most Compatible Color Basic compiler available. Most of our CBASIC users already bought one or more of the other compilers on the market and have since discarded them. We even ended in a few of them. If you want a cheap compiler, we'll sell you one of those traded in, in a good price. Before you buy a compiler, compare the performance of CBASIC against any Color Basic compiler. Dollar for Dollar, CBASIC gives you more than any other Color Basic compiler available.

ORDERING INFORMATION

To order CBASIC by mail, send check or money order in the amount of \$149.00 plus \$3.00 for shipping and handling to the address listed below.

To order by VISA, MASTERCARD or COOD, call us at (702) 452-0632 (Monday thru Saturday, 11am to 5pm PST).

CER-COMP
5566 Ricochet Ave.
Las Vegas, NV 89110
(702) 452-0632

Helpful objects include blue ski jumps, which move the skier ahead 50 yards. If you are racing slalom, gates will appear. Every gate you go through adds 100 points to your score. Once in a while the program will not give credit for hitting a slalom gate or a jump. Try to hit them head on to increase your chances of success. Once you run into something other than a ski jump or gate, the game is over.

Once the game is over, your yard total is added to the score one yard at a time. In a downhill race you will receive two points for every yard gained. If you want to skip the totaling process, press a key and the title screen appears. If your machine cannot handle the POKE here, leave it out. If you have the high score, it is indicated in reverse video. Press any key for another game.

Program Techniques

One of the most important requirements in an action game is speed. But in a game like this, there are often up

to 15 or 20 objects on the screen at the same time. How does a simple program such as this manage to attain its speed? The answer is simple and often overlooked. The screen scrolls up every time it is filled. By printing 31 black spaces at the bottom of the screen, the program simulates movement.

One of the biggest aggravations I suffer in some programs is that after the game is over, I often accidentally press a key, thus causing the title screen or other to be missed. I avoided this in *Alpine Slopes* by putting in extra INKEY\$ statements to help guard against accidental input.

The breakdown of the program lines is as follows:


- 130 — Set high score to zero
- 140-300 — Initialize game
- 340 — Check for keyboard input
- 350 — Position skier
- 360 — Print skier
- 370 — Check to see if skier hit

jump or gate and give appropriate result

- 380 — Check to see if skier hit tree or yard marker
- 390 — Print tree
- 410 — Random action to put gate or jump on screen
- 420 — Scroll screen
- 430 — Print yard marker
- 440 — Add one to yard score
- 450 — Determine tree size
- 480 — Erase skier
- 490 — Repeat loop
- 500-520 — Game over and title screen
- 530-540 — Set up new game

I think *Alpine Slopes* shows part of what can be done with 4K of memory. I hope this article inspires some 4K programmers. If you have any questions you may call or write me at 12139 Circle Drive, Conifer, CO 80433, (303) 838-7042. Please include an SASE when writing. □

The listing: ALPSLOPE



```

130 HI=0
131 GOTO510
140 CLS:Q=28:H=1:FORA=1 TO31:Y$
=Y$+CHR$(128):NEXT:P$=CHR$(175):
FORA=1TO2:P$=P$+P$:NEXT:SL=1:S=0
:N=0
141 IFQQ=2THENN=200ELSEIFQQ=3THE
NN=400
240 L$=CHR$(8):R$=CHR$(9)
260 J$(1)=CHR$(215)+CHR$(219):J$
(2)=CHR$(215)+CHR$(223)+CHR$(219
):J$(3)=CHR$(215)+CHR$(223)+CHR$
(223)+CHR$(219):J$(4)=CHR$(215)+
CHR$(223)+CHR$(223)+CHR$(223)+CH
R$(219)
300 A=15:B=30:M=1:C$=CHR$(128)
340 IF(PEEK(343)AND8)=0THENX$=L$
ELSEIF(PEEK(344)AND8)=0THENX$=R$
ELSEX$=CHR$(133)
350 IFX$=L$ANDA>0THENZ$=CHR$(246
):A=A-1:B=B-2ELSEIFX$=R$ANDA<30T
HENZ$=CHR$(249):A=A+1:B=B+2 ELSE
Z$=CHR$(245)
360 PRINT@A,C$+Z$+C$;
370 IFPOINT(B+2,2)=3THENN=N+40:E
=E+40:FORL=240TO1STEP-20:PRINT@4
80,Y$:SOUNDL,1:NEXTL:GOTO390ELSE

```

```

IFPOINT(B+2,2)=2THENS=S+100:SOUN
D150,1:GOTO390
380 IFPOINT(B+2,2)<>0ORPOINT(B+3
,2)<>0THEN500
390 PRINT@VI+RND(Q+1),J$(H);
410 P=RND(30):IFP=1THENPRINT@VI-
1+RND(26),P$;ELSEIFP<7 ANDSR=1 T
HENPRINT@VI-1+RND(32),CHR$(159);
420 PRINT@480,Y$
430 IFN/10=INT(N/10)THENPRINT@VI
+RND(Q),N;:FORT=1TO40:NEXT:PRINT
@480,Y$
440 N=N+1
450 IFN>199THENH=2ELSEIFN>399THE
NH=3ELSEIFN>699THENH=4
480 PRINT@A,C$+Z$+C$;
490 GOTO340
500 FORX=1TO15:SOUNDRND(10)*15,1
:SET(A+A+RND(3),RND(3),RND(8)):N
EXT
501 N=N-13:CLS:PRINT@139,"YARDS"
N:PRINT@267,"SCORE";S:FORXX=1TO5
00:NEXT:QQ$=INKEY$
502 POKE65495,0:FORZZ=1 TON:IFSR
=1 THENS=S+1:N=N-1ELSES=S+2:N=N-
1
503 PRINT@144,N" "":PRINT@272,
S:SOUND50,1:IFINKEY$<>" THEN505
ELSENEXTZZ
504 POKE65494,0:FORXX=1 TO200:NE
XTXX:GOTO510
505 S=S+N
506 IFSR=0 THENS=S+N

```


PARALLEL PRINTER INTERFACE

POWER SUPPLY
not needed with
Gemini printers

WORKS WITH ALL STANDARD
PARALLEL PRINTERS

SWITCH SELECTABLE
BAUD RATES FROM
300 TO 9600



COMPUTER
CONNECTOR

BUILT-IN MODEM
CONNECTOR
same pinouts as
Color Computer
serial I/O port

MODEM-PRINTER
SWITCH

PRINTER CONNECTOR
highest quality
with metal shell
and gold contacts

MODEL 1 49.95

WITH MODEM CONNECTOR
AND SWITCH

MODEL 2 39.95

WITHOUT MODEM CONNECTOR
AND SWITCH

ADD 3.00 FOR SHIPPING AND HANDLING

WITH POWER SUPPLY
ADD 5.00

DRIVE 0 DISK SYSTEMS

- * J&M DISK CONTROLLER
(JDOS or RSDOS)
- * DUAL CASE & POWER SUPPLY
- * DUAL DRIVE CABLE
- * OPERATORS MANUAL
- * ONE DISK DRIVE :

TEAC FD54A \$ 249

TEAC FD55A \$ 269

TEAC FD55B \$ 289

PLUS SHIPPING

DISK DRIVES & ACCESSORIES

TEAC FD54A \$ 95

TEAC FD55A \$ 110

TEAC FD55B \$ 120

New J&M CONTROLLER \$ 135

J&M DISK CONTROLLER \$ 115

Dual Case & Ps. \$ 59

Dual Drive Cable \$ 23

PLUS SHIPPING

DISK DRIVE SPECIAL COMPLETE DRIVE 0 SYSTEM

- * TEAC FD55B DISK DRIVE
- * New J&M DISK CONTROLLER
(JDOS ROM included)
- * DUAL DRIVE CASE &
POWER SUPPLY
- * DUAL DRIVE CABLE
- * OPERATORS MANUAL

\$ 299

PLUS SHIPPING

SG-10 PRINTER & INTERFACE SPECIAL

- * Ultra High Resolution Graphics
- * 120 cps. Draft Mode
- * 30 ops. Near-Letter-Quality
- * 2K Buffer (expandable to 8K)
- * with Model 2 Interface:
\$ 269
- * with Model 1 Interface:
\$ 279

PLUS SHIPPING

STAR PRINTERS

- * Ultra High Resolution Graphics
- * 16K Buffer on 15", 2K on 10"
- * Draft Modes from 120-200 ops.
- * NLQ Modes from 30-50 ops.
- * 100% IBM Compatible
- * SG-10.. \$ 249 * SG-15.. \$ 399
- * SD-10.. \$ 369 * SD-15.. \$ 479
- * SR-10.. \$ 499 * SR-15.. \$ 629

PLUS SHIPPING

TRI-TECH ELECTRONICS

P.O. BOX 8100

ROCHESTER, MI 48308

(313) 254-4242

```

510 POKE65494,0:CLS:PRINT@73,"al
pine slopes":PRINT@171,"SCORE"S:
IFS>HS THENHS=S:IV=1
511 IFIV=1THENPRINT@264,"high sc
ore";HS ELSEPRINT@264,"HIGH SCOR
E"HS
515 PRINT@389,"PRESS ANY KEY TO
PLAY"
520 IV=0:Q$=INKEY$
521 Q$=INKEY$:IFQ$=""THEN521
523 CLS:PRINT@133,"DIFFICULTY LE
VEL (1-3)"
524 QQ$=INKEY$
525 QQ$=INKEY$:IFQQ$=""THEN525
526 QQ=VAL(QQ$):IFQQ<1ORQQ>3THEN
525
527 PRINT@200,"(F)AST OR (S)LOW"
:QQ$=INKEY$
528 QQ$=INKEY$:IFQQ$=""THEN528EL
SEIFQQ$="F"THENPOKE65495,0ELSEIF
QQ$<>"S"THEN528
530 PRINT@261,"(S)LOLOM OR (D)OW
NHILL"
531 QQ$=INKEY$
532 QQ$=INKEY$:IFQQ$=""THEN532EL
SEIFQQ$="D"THENSR=0 ELSESR=1
533 PRINT@322,"VISIBLITY (1- GOO
D 4- BAD)"
534 QQ$=INKEY$
535 QQ$=INKEY$:IFQQ$=""THEN535
536 WW=VAL(QQ$):IFWW<1OR WW>4THE
N535
537 IFWW=1 THENVI=448ELSEIFWW=2
THENVI=354ELSEIFWW=3THEN VI=224E
LSEVI=128
540 Y$="":P$="":GOTO140

```

Corrections

"Screen Pokes Made Easy" (November 1985, Page 162): Bill Bernico has informed us that there are two minor errors in the text. The listing referred to as *SCRNPOKE* in the text should actually be called *TITLPOKE*; the reference made to Listing 1 should really be Listing 2 (*DEMOPOKE*).

CINCPAC — Battle Of Midway (August 1985, Page 198): H. Lawrence Elman tells us that the program fix he gave in his review is in error. The correct line should be:

```

1186 IF A$="S" THEN 1196 ELSE IF
A$<"1" OR A$>"9" OR IF VAL(A$)>
(UC+1) THEN 1185

```

Hint . . .

Cheap Keyboard

Most CoCo owners are disappointed over the lack of a good keyboard supplied with their machine. However, a lot of people do not want to spend \$80 on a keyboard for their \$160 CoCo. Look no further! Radio Shack is selling [while supplies last] a keyboard with 57 keys (2 function keys, Control and Alternate, Cat. No. 277-1019). The price? \$4.95!

The keyboard layout is slightly better than the CoCo keyboard, and the feel of it is almost as good as the Model 1000's keyboard. The arrow keys are arranged in a diamond pattern to the right of the ENTER key, with the BREAK key moved right to prevent accidentally hitting it. The two function keys are to the right of the space bar and the CTRL and ALT keys are where the vertical arrows were on the old keyboard. All software written for a 57-key keyboard upgrade will work with it.

Installation of the new keyboard is simple. Unplug the CoCo and flip it on its back. Unscrew all the screws (last one under the warning label) and put some tape over each screw hole so they won't fall out. Then flip it right-side-up and remove the cover. Lift the old keyboard off its posts and pull the keyboard's cable out of its connection. Save the keyboard someplace safe and remove the new keyboard from its packaging. If you have a newer CoCo (October 1985 or later) the new keyboard's cable will plug into the existing connector. Otherwise, you will need two pieces of cardboard (1/2 inch by 2 inches). Bend all the connector pins down against the board, making sure they are straight and parallel to each other. Then, slip the new keyboard's cable under the pins and line them up with the traces on the cable. Move the first piece of cardboard in between the cable and the board, and realign the cable with pins. Put the second piece of cardboard in between the first piece of cardboard and the cable. Make one last check to see that the cable is aligned with the connector pins, then put the keyboard on its posts.

After putting the new keyboard on its post, close your CoCo and power it up. Test every key — the cursor should at least turn back orange. If some or all of the keys don't work, unplug your CoCo and check the connector and cable. If you still have problems, I can be reached on Tuesday evenings at (315) 689-7864.

— Mike Sweet
Elbridge, NY

See You AT
RAINBOWfest Palo Alto
Feb. 14-16, 1986

Now from Falsoft, The RAINBOW MAKER, comes . . .



The monthly magazine that's reader-friendly

If you're interested in the highly popular Model 100, the brand new portable Tandy 200 or Tandy's new generation of MS-DOS computers — the 1000, 1200 or 2000 — PCM is for you!

PCM, The Personal Computer Magazine for Tandy Computer Users, is brought to you by the same people who bring you THE RAINBOW, the premier magazine for the Color Computer. Need we say more?

So, if you're ready to add portability or step up to MS-DOS, stay with Tandy and THE RAINBOW family by subscribing to PCM!

FREE PROGRAMS!

We learned from THE RAINBOW that readers want programs to type in, so, each month we bring you an assortment of them, including games, utilities, business applications and graphics.

BAR CODE, TOO!

Also, PCM is the only computer publication in the world (that we know of) that brings you programs in bar code, ready to scan into memory with the sweep of a wand!

TUTORIALS GALORE

Add to this our regular tutorials on telecommunicating, hardware and machine language, as well as BASIC programming tips and product reviews, and we think you'll find we're one of the most informative and fun magazines on the market today.

So if you're ready to add portability or step up to MS-DOS, stay with Tandy and THE RAINBOW family through PCM.

YES! Please send me a one year (12 issues) subscription to PCM for only \$28.* A savings of 22% off the newsstand price.

Name _____

Address _____

City _____ State _____ ZIP _____

In order to hold down costs, we do not bill.

My check in the amount of _____ is enclosed.

Charge to my: VISA, MasterCard American Express


Acct. # _____ Expiration Date _____

Signature _____

* Canadian subscribers add U.S. \$7. Surface rate elsewhere \$85. Allow 5 to 6 weeks for first copy. Kentucky residents add 5% sales tax. U.S. currency only, please.

Mail to: PCM, The Falsoft Building, P.O. Box 385, Prospect, KY 40059

The CoCo Gallery



1st

PRIZE

Charlie Fulp
Unicorn


Our Holiday edition of CoCo Gallery celebrates the sun with this striking rendition of a noble unicorn prancing in the golden rays. Charlie used *CoCo Max* to create our first prize winner. He lives in South Boston, Va.

Devon Capley
Sunset

Devon continues our paeon to Sol with this serene sunset from a thalassic point of view. Devon used Extended BASIC and *Micropainter* to achieve this beautiful scene. Devon lives in Amherst, N.Y.

2nd

PRIZE





3rd

PRIZE

Sean McDonough
Roadside Sunset

From Hillsboro, Ohio, Sean gives the gallery a picturesque representation of a sierra sunset beside an archetyp-ical highway. Sean used *Graphicom* and a BASIC program he wrote for this modern American vista.

Clinton Kajinami
Angelfish

Clinton used Extended Color BASIC for this submission to the gallery and informs us that he used the advantage of having four live models who share his home in Walton, Kan.



HONORABLE MENTION



George Aloia
A Small Byte for Mankind

George lives in Margate, Fla., and used *CoCo Max* to round out our Holiday Gallery with this delightfully surrealistic depiction of the Space Shuttle deploying its arm.



HONORABLE MENTION



SHOWCASE YOUR BEST!

You are invited to nominate original work for inclusion in upcoming showings of CoCo Gallery. Share your creations with the CoCo Community!

Be sure to send a cover letter with your name, address and phone number, detailing how you created your picture (what programs you used, etc.) and how to display it. Also, please include a few facts about yourself.

Don't send us anything owned by someone else; this means no game screens, digitized images from TV programs or material that's already been submitted elsewhere.

We will award a first prize of \$25, a second prize of \$15 and a third prize of \$10. Honorable mentions will also be given.

Send your entry on either tape or disk to:
CoCo Gallery
THE RAINBOW
P.O. Box 385
Prospect, KY 40059
Attn: Monica Dorth

A celebration with music and graphics . . .

Christmas Pageantry



By Mike Hall

*Let's trim the tree
And kiss under the mistletoe!
CoCo can dress up the festivities
With a Christmas Show —
Some music and graphics
That will add
To the season's glow.*

Christmas Show displays various holiday scenes accompanied with traditional tunes of the season. Songs include "We Wish You a Merry Christmas," "Deck the Halls" and "Frosty the Snowman."

(You may contact the author of this program with questions you may have at 3019 Sylvester Dr., Hartland, WI 53029, phone 414-367-6186. Please enclose an SASE when writing.)

(Mike Hall is a 19-year-old student at the University of Wisconsin-Madison. He is a self-taught programmer and an active participant in the CoCo-Mug, a Milwaukee users group.)



12025	670156
200147	820189
35057	END245
540185		

The listing: XMASSHOW

5 'CHRISTMAS SHOW 1985
6 'BY MIKE HALL
7 '3019 SYLVESTER DRIVE

```
8 'HARTLAND, WI 53029
9 '
10 CLEAR200, &H3D00: DIM SANTA(40)
, N$(60): PLAY"V30"
11 'merry christmas logo
12 CLS0: FORX=1024+69TO1024+90: GO
SUB50: NEXT: FORX=1024+101TO1024+1
22: GOSUB50: NEXT: FORX=1024+133TO1
024+154: GOSUB50: NEXT: FORX=1024+1
65TO1024+186: GOSUB50: NEXT
30 Y=1: FORX=1024+291TO1024+317: G
```

```

OSUB50:NEXT:FORX=1024+323TO1024+
349:GOSUB50:NEXT:FORX=1024+355TO
1024+381:GOSUB50:NEXT:FORX=1024+
387TO1024+413:GOSUB50:NEXT
40 GOTO190
50 READV:IFY=1THENV=V+48
60 IFV=0ORV=48THENV=128
70 POKEV,V:RETURN
80 V=V+1:IFV/2=INT(V/2)THENVV=14
3ELSEVV=191
90 POKEV,VV:RETURN
100 'text screen data
110 DATA 142,137,0,134,141,0,142
,140,140,0,142,140,141,0,142,140
,141,0,137,0,0,134
120 DATA 138,0,140,0,133,0,139,1
31,131,0,138,0,134,0,138,0,134,0
,0,137,134,0
130 DATA 138,0,0,0,133,0,138,0,0
,0,143,143,0,0,143,143,0,0,0,133
,138,0
140 DATA 138,0,0,0,133,0,139,131
,131,0,138,0,137,0,138,0,137,0,0
,133,138,0
150 DATA 142,140,136,138,0,133,1
33,140,141,133,138,142,140,136,1
40,142,136,139,0,135,133,140,140
,138,142,140,136
160 DATA 138,0,0,139,131,135,133
,131,134,133,138,139,131,130,0,1
38,0,138,140,133,133,131,131,138
,139,131,130
170 DATA 138,0,0,142,140,141,133
,140,137,133,138,0,0,138,0,138,0
,138,0,133,133,0,0,138,0,0,138
180 DATA 139,131,130,138,0,133,1
33,0,133,133,138,131,131,138,0,1
38,0,138,0,133,133,0,0,138,131,1
31,138
190 PRINT@485,"**AND HAPPY NEW Y
EAR**";FORX=1024TO1055:GOSUB80:
NEXT:FORX=1472TO1503:GOSUB80:NEX
T:FORX=1024TO1472STEP32:GOSUB80:
NEXT:FORX=1055TO1503STEP32:GOSUB
80:NEXT:FORX=1248TO1279:GOSUB80:
NEXT
200 'ml data for color changer
210 DATA 8E,3,FF,30,1,8C,6,0,27,
14,A6,84,81,80,25,F3,8B,10,81,80
,25,4,A7,84,20,E9,8B,80,20,F8,39
220 FORX=&H3F80 TO &H3F9E:READV$
:V=VAL("&H"+V$):POKEV,V:NEXT
230 DEFUSR1=&H3F80
240 FORX=1TO128:V=USR1(0):NEXT
250 PMODE4,1:PCLS
255 IFPEEK(188)=14THENLL=3583 EL
SELL=1535
260 FORZ=1TO15:FORL=1TO3:READR:P
OKELL+L,R:NEXTL:LL=LL+32:NEXTZ

```

```

270 GET(1,0)-(19,15),SANTA,G
280 PRINT@485,"** FROM THE RAINB
OW **";
290 'santa data
300 DATA 3,0,0,15,192,0,31,240,0
,28,248,0,24,254,0,121,255,0,124
,174,0,57,237,128,1,238,192,2,18
9,0,0,127,192,0,21,224,0,86,240,
0,85,112,0,85,0
310 'house
320 PMODE4,1:PCLS
330 LINE(0,191)-(255,191),PSET
340 LINE(100,190)-(250,125),PSET
,B
350 LINE(149,190)-(151,125),PSET
,BF
360 LINE(100,125)-(125,100),PSET
370 LINE-(150,125),PSET
380 LINE(250,125)-(225,100),PSET
390 LINE-(125,100),PSET
400 LINE(118,190)-(136,170),PSET
,B
410 CIRCLE(122,180),2
420 LINE(115,140)-(135,160),PSET
,B
430 LINE(170,140)-(190,160),PSET
,B:LINE(210,140)-(230,160),PSET,
B

```

About The One-Liner Contest . . .

THE RAINBOW's One-Liner Contest has now been expanded to include programs of either one or two lines. This means a new dimension and new opportunity for those who have "really neat" programs that simply just won't fit in one line.

Here are the guidelines: The program must work in Extended BASIC, have only one or two line numbers and be entirely self-contained — no loading other programs, no calling ROM routines, no poked-in machine language code. The program has to run when typed in directly (since that's how our readers will use it). Make sure your line, or lines, aren't packed so tightly that the program won't list completely. Finally, any instructions needed should be very short.

Send your entry (preferably on cassette) to:

THE RAINBOW One-Liner Contest
P.O. Box 385
Prospect, KY 40059

```

440 POKE178,2:PAINT(105,130),,1:
PAINT(165,135),,1
450 POKE178,1:PAINT(110,120),,1:
PAINT(165,120),,1
460 POKE178,3:LINE(170,115)-(195
,90),PSET,BF
470 FORX=0TO29:READN$(X):NEXT
480 FORX=0TO29:Z=USR1(0):PLAYN$(
X):Z=USR1(0):NEXT
490 'clouds
500 C1$="R5DR2DR2DR2D3R2DL2D2L2D
L5UL4UL4UL4UL4UL2UR2UR2UR4E3R2F2
"
510 C2$="R3F4D2G3LD4G3D2L2D2L3H3
UL2H2UERU3ER3U3ER2U2E2RE2"
520 C3$="R3FEFRFD4F2DGLHG2L4H2L3
UL2UL2U3E3R3ER2"
530 FORX=10TO240STEP30:Y=RND(20)
:GOSUB560:NEXT
540 FORX=13TO240STEP28:Y=RND(20)
+25:GOSUB560:NEXT
550 GOTO590
560 IFPOINT(X+3,Y+3)=5THENY=RND
(45):GOTO560
570 DRAW"BM"+STR$(X)+", "+STR$(Y)
:C=RND(3):IFC=1THENDRAWC1$ELSEIF
C=2THENDRAWC2$ELSEDRAWC3$
580 PAINT(X+3,Y+3),1,1:RETURN
590 'we wish you a merry xmas

```

```

600 DATA O3L4C,F,L8F,G,F,E,L4D,D
,D,G,L8G,A,G,F,L4E,C,C,A,L8A,B-,
A,G,L4F,D,L8C,C,L4D,G,E,L2F
610 FORX=1TO999:NEXT
620 SCREEN1,1:FORP=89TO75STEP-1:
SOUND225-P,2:PUT(174,P)-(192,89)
,SANTA,PSET:NEXT
630 HO$="D3ND3R4ND3U3BR2D6R4U6NL
4BR5":DRAW"BM200,80"+HO$+HO$+HO$
640 'deck the halls
650 DATA T2O3L4.C,O2L8B-,L4A,G,F
,G,A,F,L8G,A,B-,G,L4.A,L8G,L4F,E
,L2F
660 DATA O2L4.G,L8A,L4B-,G,L4.A,
L8B-,O3L4C,O2G,L8A,B,O3L4C,L8D,E
,L4F,E,D,L2C,L4.C,O2L8B-,L4A,G,F
,G,A,F,L8G,A,B-,G,L4.A,L8G,L4F,E
,L2F
670 Q=0:FORX=0TO50:READN$(X):NEX
T:SCREEN1,1
680 FORX=&H3D01 TO &H3D37:READA$
:A=VAL("&H"+A$):POKEX,A:NEXT
690 'tape conversions
700 IFPEEK(188)=6THENPOKE&H3D02,
6:POKE&H3D0D,14:POKE&H3D17,6:POK
E&H3D1E,14:POKE&H3D23,6:POKE&H3D
2E,14
710 DEFUSR2=&H3D01
720 FORX=0TO16:GOSUB940:NEXT:IFQ

```

XPNDR2 for the CoCo DISK SYSTEM



XPNDR2 \$39.95 each or 2/\$76

This prototype card features a 40 pin connector for projects requiring an on-line disk system or ROM paks. The CoCo signals are brought out to wire-wrap pins. Special gold plated spring clips provide reliable and noise-free disk operation plus solid support for vertical mounting of the controller. The entire 4.3x7 inch card is drilled for ICs. Assembled, tested and ready to run.

XPNDR1 \$19.95 each or 2/\$36

A rugged 4.3x6.2 inch bare breadboard that brings the CoCo signals out to labeled pads. Both XPNDR cards are double-sided glass/epoxy, have gold plated edge connectors, thru-hole plating and are designed with heavy power and ground buses. They're drilled for standard 0.3 and 0.6 inch wide dual in-line wirewrap sockets, with a 0.1 inch grid on the outboard end for connectors.

SuperGuide \$3.95 each

Here is a unique plastic insert that aligns and supports printed circuit cards in the CoCo cartridge port. Don't forget to **ORDER ONE FOR YOUR XPNDR CARDS.**

Included with each XPNDR card are 8 pages of APPLICATION NOTES to help you learn about chips and how to connect them to your CoCo.



To order or for technical information call

(206) 782-6809

weekdays 8 a.m. to noon

We pay shipping on prepaid orders. For immediate shipment send check, money order or the number and expiration date of your VISA or MASTERCARD to:

ROBOTIC MICROSYSTEMS



BOX 30807 SEATTLE, WA 98103

About Your Subscription

Your copy of THE RAINBOW is sent second class mail. If you do not receive your copy by the 5th* of the month of the publication date, send us a card and we will mail another. *Canadian subscribers and foreign airmail allow two additional weeks.

You must notify us of a new address when you move. Notification should reach us no later than the 15th of the month prior to the month in which you change your address. Sorry, we cannot be responsible for sending another copy when you fail to notify us.

Your mailing label also shows an "account number" and the subscription expiration date. Please indicate this account number when renewing or corresponding with us. It will help us help you better and faster.

For Canadian and other non-U.S. subscribers, there may be a mailing address shown that is different from our editorial office address. Do not send any correspondence to that mailing address. Send it to our editorial offices at Falsoft, Inc., The Falsoft Building, Prospect, KY 40059. This applies to everyone except those whose subscriptions are through our distributor in Australia.

ENDICOTT COMPUTER TREND

PRINTERS

OKIDATA 192 (PAR)	\$394.00
CITIZEN MSP-10 (160 CPS Draft - 40 CPS Correspondance Quality)	\$338.00
PANASONIC KX 1090 (PAR) (80 CPS F/T)	\$224.00
PANASONIC KX 1091 (PAR) (120 CPS Draft & 22 CPS Near Letter Quality)	\$306
STAR MICRONICS SG-10	\$269.00

PRINTER INTERFACE (Serial to Parallel)

pbh (Printer & Modem Connections)	\$65.95
PURCHASED WITH PRINTER	\$59.95

MODEMS

VOLKSMODEM WITH ALL CABLES (300 BAUD - Manual Answer/Dial)	\$69.95
VOLKSMODEM 1200 WITH ALL CABLES (300/1200 BAUD - Auto Answer/Dial)	\$224.95
AUTOTERM WITH	D
VOLKSMODEM (See Below)	\$95.95
VOLKSMODEM 1200	\$249.95

CoCo MAX

COCO MAX	\$56.45
Y BRANCH CABLE	\$25.95

MONITORS

AMDEK COLOR 300 (2 YR. Warranty - Color Composite, B&W)	\$262.00
VIDEO 300 (Green, No Glare)	\$149.00
VIDEO 300A (Amber, No Glare)	\$155.00
Samsung 12" Amber	\$95.00
Samsung 14" Color	\$199.50

MONITOR INTERFACES

VIDEO PLUS (Color Or Monochrome)	\$24.95
PURCHASED WITH MONITOR	\$20.95
VIDEO PLUS IIC (Color For Color II)	\$35.95
PURCHASED WITH MONITOR	\$31.95
UNIVERSAL VIDEO ADAPTOR (By Mark Data)	\$28.95
PURCHASED WITH MONITOR	\$24.95
WORKS WITH ALL COCOS	

TAPES

C-10 (One Dozen)	\$7.50
TWO OR MORE DOZEN	\$7.00 DOZ

KEYBOARD

SUPER PRO BY MARK DATA (COCO)	\$53.95
ADAPTOR (For Post - 10 #2 COCO)	\$3.65

DISKS

	1 BX	3 + BX
ELEPHANT SSSD	\$17.50	\$16.50
ELEPHANT SSSD	\$18.90	\$17.50
ELEPHANT DSSD	\$22.00	\$21.00
BASF QUALIMETRIC SSSD	\$19.00	\$18.00
BASF QUALIMETRIC DSSD	\$22.00	\$21.00

DISK STORAGE

FLIP N' FILE 10	\$5.45
FLIP N' FILE 25	\$16.95
FLIP N' FILE 50	\$23.95
DISK BANK 5 (Holds 50)	\$12.95

COMPUTIZE, INC.

GRAPHICOM I & II	\$23.50
------------------	---------

JOYSTICKS/ADAPTORS

WICO JOYSTICK ADAPTOR	\$18.95
WICO ANALOG JOYSTICK (No Adaptor Required - Free Float Or Self Centering Big Bat Handle - Rugged)	\$38.95

**Look at These Discounts and Compare...
ALL SOFTWARE DISCOUNTED AT LEAST 20%!**

SPECTRAL ASSOCIATES

	T	D
▶ ICE CASTLES	\$ 9.95	\$12.95
▶ GALAGON	\$14.95	\$17.95
▶ GEOGRAPHY PACK	\$14.95	\$17.95
▶ TYPE ASSAULT	\$9.95	\$12.95
▶ TECH PAC W/5 DISK BASED UTILITIES	\$14.95	
▶ EDUCATION PACK	\$17.95	
▶ ARCADE PACK	\$17.95	
▶ ADVENTURE PACK	\$14.95	

COMPUTERWARE

STAR TRADER 32K CASS/64K DISK	\$19.95	\$22.35
▶ MAJON IGTAH	\$10.05	\$20.05
▶ SAM SLEUTH (64K)	\$19.95	\$22.35
▶ COCO COOKBOOK		\$22.35
▶ MR. DIG	\$22.35	\$24.75
▶ COLOR BASIC COMPILER		\$31.95
▶ 84K SCREEN EXPANDER	\$19.05	\$22.35
▶ THE SOURCERER (R DOS)	\$27.95	\$31.95
▶ THE SOURCEROR (OS-9)		\$31.95
▶ MACRO ASSEMBLER & XREF (R DOS)		\$39.95
▶ MACRO ASSEMBLER & XREF (OS-9)		\$39.95
▶ OMNIVERSE	\$19.95	\$22.35
▶ PRO GOLF	\$23.95	\$23.95
▶ TREASURE OF THE AZTECS	\$19.95	\$22.35
▶ MOON HOPPER	\$18.95	\$22.35
▶ GRAN PRIX	\$17.55	\$21.55
▶ PERSONAL TIME MGT. SYSTEM		\$26.35

CSC

DYNA CALC	\$75.95
-----------	---------

SOFT LAW

▶ VIP WRITER (INC. SPELLER*)	\$55.95	
▶ VIP SPELLER	\$39.95	(DISK)
▶ VIP CALC	\$55.95	
▶ VIP TERMINAL	\$39.95	
▶ VIP DATA BASE	\$47.95	(DISK)
▶ VIP DISK-ZAP	\$39.95	(DISK)
▶ VIP INTEGRATED LIBRARY	\$119.95	(DISK)

COGNITEC

▶ TELEWRITER 64	\$39.95	\$47.95
-----------------	---------	---------

MIKE RO PRODUCTS

QUE BIT (REVIEWED IN JULY RAINBOW)	\$7.50
------------------------------------	--------

ELITE SOFTWARE

	T	D
▶ ELITE WORD	\$55.95	\$55.95
▶ ELITE WORD SPEL		\$69.95
▶ ELITE SPEL	\$23.95	\$23.95
▶ ELITE-CALC (VER 3.0)	\$55.95	\$55.95
▶ CALC-LIST	\$19.95	\$19.95
▶ ELITE-FILE		\$59.90

DEFT SYSTEMS

DEFT PASCAL	\$47.95
DEFT BENCH	\$31.95
DEFT PASCAL WORKBENCH (Both Above)	\$71.95
DEFT EXTRA	\$31.95

PXE COMPUTING

▶ AUTOTERM	\$31.95	\$39.95
(See page 15 of Rainbow)		

PRICKLY-PEAR SOFTWARE

▶ SCEPTER OF URSEA	\$22.45	\$22.45
▶ CITY WAR	\$18.75	\$22.45
▶ MICRO ARTIST	\$18.75	\$22.45
▶ SUPER ASTROLOGY	\$18.75	\$22.45
▶ TO PRESERVE QUANDIC		\$29.95

▶ SUPER SCROLL (64K)	\$22.45	\$22.45
▶ COLOR DISK TRIVIA		\$22.45
▶ BIBLE		\$14.95
▶ ENTERTAINMENT		\$14.95
▶ SPORTS		\$14.95
▶ CHILDREN		\$14.95
▶ JUMBO JET	\$18.75	\$22.45
▶ ERLAND	\$18.75	\$22.45
▶ OCKYWOKY	\$18.75	\$22.45
▶ ADVENTURE IN WONDERLAND	\$18.75	\$22.45
▶ THE DISK MANAGER		\$22.45
▶ THE DISK MASTER		\$17.45
▶ FLIGHT	\$18.75	\$22.45
▶ WARP FACTOR X		\$26.25
▶ CRYSTAL	\$18.75	\$22.45
▶ SATELLITE TRACKER		\$29.95
▶ ADDITIONAL TITLES		25% OFF LIST

TOM MIX

	T	D
▶ P51 FLIGHT SIMULATOR	\$23.20	\$27.20
▶ P51 FLIGHT SIMULATOR CABLE		\$9.95
▶ THE SAILORMAN (64K)	\$23.95	\$27.95
▶ WORLDS OF FLIGHT	\$23.95	\$26.35
▶ VOCABULARY MGT		\$34.50
▶ DRAGON SLAYER	\$20.95	\$24.95
▶ BUZZARD BAIT	\$22.35	\$24.75
▶ THE KING	\$21.55	\$23.95
▶ COLOR GOLF	\$14.35	
▶ DRACONIAN	\$22.35	\$24.75
▶ CATERPILLAR II	\$19.95	\$22.35
▶ TRAPFALL	\$22.35	\$22.35
▶ DRAGON SLAYER	\$19.95	\$23.95
▶ APPROACH CONTROL SIMULATOR	\$23.95	\$27.95

B & J SOFTWARE

SUPER UTILITY 2.1 (reviewed in August Hot CoCo)	D	\$22.95
--	---	---------

SPECTRUM PROJECTS

COCO CHECKER	\$15.95	\$15.95
SCHEMATIC DRAFTING PROC		\$23.95
DISK UTILITY 2.1		\$19.95
TELEPATCH		\$19.95
OS-9 SOLUTION		\$31.95

ADVENTURE INTERNATIONAL

	T	D
▶ SEA DRAGON		\$27.95
▶ ADVENTURE SERIES (EACH)	\$15.95	
▶ HINT BOOK	\$7.95	
▶ SAIGON THE FINAL DAYS	\$19.95	
▶ EARTHQUAKE	\$19.95	
▶ AIRLINE	\$19.95	
▶ DISKEY		\$39.95

MARK DATA

▶ TUT'S TOMB	\$19.95	\$22.35
▶ SHENANIGANS	\$19.95	\$22.35
▶ BLACK SANCTUM	\$19.95	\$22.35
▶ SEA QUEST	\$19.95	\$22.35
▶ CALIXTO ISLAND	\$19.95	\$22.35
▶ TREKBOER	\$19.95	\$22.35
▶ COCO UTIL		\$23.35
▶ EZ FILE		\$47.95
▶ ACCOUNTING SYSTEM		\$79.95

NOTE: ALL SALES FINAL. No returns unless defective.

ADDITIONAL LISTINGS IN OUR FREE CATALOG - CALL OR WRITE.

* Requires 16K Ext. Basic Minimum. ▶ Requires 32K Ext. Basic Minimum. ■ We Recommend 32K or 64K. Others 16K Ext. Std. Basic Minimum.

U.S. and CANADA add \$1.00 per order for shipping. C.O.D. Add \$2.00 (U.S.A. ONLY). Allow 2 weeks for checks to clear. NO P.O. BOXES. Must have street address. SHIPPING - Other countries add \$2.00 each software item and each joystick - add \$5.00 each all other items. NO monitors or printers shipped outside U.S.A. - Items are shipped air mail. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

ENDICOTT COMPUTER TREND

2806-A S. MEMORIAL PARKWAY
HUNTSVILLE, ALABAMA 35801
VISIT OUR STORE
PRICES IN AD ARE MAIL ORDER ONLY

PHONE ORDERS 205/536-4400

OPEN MON. - SAT.
10:00 a.m. - 8:00 p.m.

CoCo Tuner™

An easy-to-use tuning instrument of unbelievable precision



Actual Display

- Tunes like a Strobotuner* at a fraction of the cost!
- Both generates pitch and measures pitch.
- Real-Time strobe pattern displayed on screen.
- Full 7 octave range, including sharps & flats.
- Accurate to .003%* *
- Extremely friendly user interface.
- ROM pack works with any Color Computer.
- Accepts standard 1/8" microphone plug.
- Percent offset and direct frequency selection available.
- Optional piano tuning kit available — (professional tuning wrench, 4 mutes, 1 felt muting strip, and "How To" booklet).

Send or call for more information.



* Strobotuner is a trademark of C.G. Conn, Limited.
* with internal oscillator timing.

Mail To: Real-Time Specialties, Inc.
6384 Crane Road,
Ypsilanti, Michigan 48197

or call: (313) 662-6671

Shipping: add 2% UPS ground, 5% alt. of Canada
Sales Tax: Michigan residents add 4% Sales Tax

- CCT-1 CoCoTuner Module & Manual \$89
- CCT-2 Microphone with 6' cord \$14
- CCT-3 Piano Tuning Kit (wrench, mutes, felt, booklet) \$27

Shipping & Tax

Total

VISA MASTERCARD check

Card# Exp

Name

Address

City State Zip

Signature

```
=ØTHENQ=1:GOTO72Ø
73Ø FORX=17TO5Ø:GOSUB94Ø:NEXT
74Ø 'ml data for scroll routine
75Ø DATA 8E,E,Ø,1Ø,8E,3E,Ø,A6,84
,A7,AØ,8C,16,CØ,27,5,3Ø,88,2Ø,2Ø
,F2,8E,E,1,A6,8Ø,A7,1E,8C,16,EØ,
25,F7,8E,E,1F,1Ø,8E,3E,Ø,A6,AØ,A
7,84,8C,16,DF,27,5,3Ø,88,2Ø,2Ø,F
2,39
76Ø 'snowman
77Ø FORR=1TO12:CIRCLE(5Ø,18Ø),R:
NEXT
78Ø FORR=1TO9:CIRCLE(5Ø,163),R:N
EXT
79Ø FORR=1TO6:CIRCLE(5Ø,149),R:N
EXT
8ØØ DRAW"BM5Ø,143;CØ;R3DL6UR3":D
RAW"BM5Ø,14Ø;C1;R3D2R3D3L12U3R3U
2R3"
81Ø CIRCLE(5Ø,163),1,Ø:CIRCLE(5Ø
,158),1,Ø:CIRCLE(5Ø,168),1,Ø
82Ø DRAW"BM3Ø,163;R4NG3NH3;R7BR1
8;R7NE3NF3R4"
83Ø CIRCLE(47,148),1,Ø:CIRCLE(53
,148),1,Ø
84Ø CIRCLE(5Ø,151),4,Ø,.9,Ø,.5:P
RESET(5Ø,15Ø)
85Ø 'frosty the snowman
86Ø DATA O2L2G,L4.E,L8F,L4G,O3L2
C,O2L8B,O3C,L4D,C,O2B,A,L2.G,L8B
,O3C,L4D,C,O2B,L8A,A,C,O3L4C,O2L
4.E,L8G,A,L4G,F,E,F,L2.G,L4D,L2.
C
87Ø DATA T3O2L4C,A,A,O3C,C,O2B,A
,G,E,F,A,G,F,L2.E,L4E,D,D,G,G,B
,B,O3D,L8D,O2B,O3L4D,C,O2B,A,L2G,
G
88Ø FORX=ØTO6Ø:READN$(X):NEXT
89Ø PLAY"T3":J=1:FORX=ØTO28:GOSU
B94Ø:NEXT
9ØØ FORX=ØTO26:GOSUB94Ø:NEXT:FOR
X=29TO6Ø:GOSUB94Ø:NEXT:PLAY"T2":
FORX=ØTO26:GOSUB94Ø:NEXT:FORX=29
TO3Ø:GOSUB94Ø:NEXT:J=Ø
91Ø FORX=1TO15ØØ:NEXT
92Ø PRINT@487,"AND HAPPY NEW YEA
R";:SCREENØ,1:FORX=1TO99:Z=USR1(
Ø):FORY=1TO66:NEXT:Z=USR1(Ø):NEX
T
93Ø RESTORE:FORX=1TO196:READR:NE
XT:GOTO21Ø
94Ø F=USR2(Ø):U=RND(255):V=RND(1
91):PSET(U,V,1):PLAYN$(X):IFJ=1T
HENGOSUB96Ø
95Ø RETURN
96Ø IFPPOINT(47,148)=5THENB=ØELS
EB=1
97Ø PSET(47,148,B):PSET(53,148,B
):RETURN
```

or birthday

A GREAT HOLIDAY [^] GIFT IDEA!

DISTINCTIVE, DURABLE RAINBOW BINDERS



Do yourself and your RAINBOW friends a favor! Protect and showcase a valuable resource — each and every issue of THE RAINBOW — with high-quality, red-vinyl binders embossed with the magazine's name in gold lettering.

Spend more time enjoying the CoCo and less on frustrating searches for misplaced issues by organizing your RAINBOW library!

A set of two handsome binders holds a full 12 issues of THE RAINBOW and costs just \$13.50, plus \$2.50 for shipping and handling.

Order your sets today!

— **YES.** Please send me _____ set(s) of RAINBOW binders at \$13.50 per two-binder set (plus \$2.50 per set for shipping and handling). If your order is to be sent via U.S. Mail to a post office box or to another country, please add \$2. Kentucky residents add 5% sales tax. U.S. FUNDS ONLY, PLEASE.

Order one or more sets of binders and take advantage of these exciting offers:

— I also want to take advantage of a special savings of \$1 off the single issue cover price for back issues with the purchase of a set of binders. (Minimum order of 6 magazines. An order form from a recent issue indicating the back issues you wish to receive should accompany this order.)

— I want to purchase the first three year index to THE RAINBOW (July 1981 through June 1984) at the special price of \$1 (regular price \$2.50) with my purchase of one or more sets of binders.

Name _____

Address _____

City _____ State _____ ZIP _____

My check in the amount of _____ is enclosed. (In order to hold down costs, we do not bill.)

Charge to: VISA MasterCard American Express

Account Number _____ Expiration Date _____

Signature _____

Mail to: Rainbow Binders, The Falsoft Building, Prospect, KY 40059.

To order by phone, call: (502) 228-4492



WHEN QUALITY COUNTS

COMPLETE SG-10 PRINTER SYSTEM



INCLUDES

- SG-10 PRINTER
- 1 YEAR WARRANTY
- BLUE STREAK II INTERFACE WITH MODEM SWITCH
- SUPER GEMPRINT
- TYPE SELECTION/TUTORIAL
- WORD PROCESSOR 2.2

COMPLETE

\$279⁹⁵

+ \$10 Shipping
and Insurance
SG-15-439⁹⁵

**FREE
WITH SYSTEM
PURCHASE**

Drayon's **WORD PROCESSOR 2.2**

TAPE OR DISK VERSION

A feature packed program that turns your CoCo into an office machine. Create and save letters and documents with the word processor tailored for the SG-10.

BLUE STREAK II SERIAL TO PARALLEL INTERFACE

- RUN COCO I or II to PARALLEL PRINTER
- HIGH QUALITY TOGGLE SWITCH ELIMINATES CABLE SWITCHING
- 300, 600, 1200, 2400, 4800, 9600 SWITCHABLE BAUD RATES
- AC POWER OPTIONAL-NOT NEEDED WITH SG-10 PRINTER
- COMPLETE WITH ALL CABLES AND CONNECTORS
- THRU-PUT EQUIVALENT TO BUFFERED INTERFACES
- 180 DAY WARRANTY



\$54⁹⁵ SHIPPING PAID!



SUPER GEMPRINT

A FULL
8" x 11"

SCREEN DUMP PROGRAM

FOR ALL GEMINI, DELTA & RADIX PRINTERS

WITH USER
DEFINABLE
COLOR SHADING!

- Prints all 5 Primitives
- Machine language printer independence code
- Easy transferable to disk
- Requires 16K essential color trace



Professional Documentation

SUPER GEMPRINT CUSTOM SOFTWARE

"Overall, Super Gemprint is very well-written and documented."
—Rainbow December 84 review.

BONUS! TYPE SELECTION/TUTORIAL PROGRAM FREE WITH SUPER GEMPRINT

Menu driven program for the CoCo. Teaches and shows the new user the numerous features of the SG-10.

SUPER GEMPRINT AND
TYPE SELECTION/TUTORIAL PROGRAM

\$17⁹⁵ + \$2 Shipping
and Handling

DAYTON ASSOCIATES, INC.

star
MICROELECTRONICS
AUTHORIZED
DEALER

DUN & BRADSTREET LISTED
7201 CLAIRCREST BLDG. C
DAYTON, OHIO 45424
OHIO RESIDENTS ADD 6% SALES TAX
C.O.D. ADD \$2.00

AUTO-ORDER LINE
1-800-251 STAR
Personal Service
(513) 236-1454



Baseball Statistics Package	
Keeps Stats In Check/ <i>Sugar Software</i>	224
Blackjack Dealer And Feeler Dealer	
Sharpen Gambling Strategies/ <i>Saguaro Software</i>	245
Cash Prophet	
Provides Budget Forecasting/ <i>Everyone's Computer Co.</i>	229
ChesSD	
Makes A Formidable Opponent/ <i>Computer Systems Distributors</i>	228
Christmas Fantasia	
Let CoCo Set A Party Mood/ <i>Speech Systems</i>	239
City War	
Play War Games/ <i>Prickly-Pear Software</i>	246
The Complete Rainbow Guide To OS-9	
Thoroughly Covers Every Aspect Of OS-9/ <i>The Rainbow Bookshelf</i>	248
Corporation Plus	
Live The Tycoon's Lifestyle/ <i>DiamondStar Software</i>	238
Disk Pilot	
Uncomplicates Scroll Control/ <i>CMD Micro Computer Services, Ltd.</i>	233
EDOS 2.6 ROM	
Adds Useful Features To Disk BASIC/ <i>Micro Computer Services</i>	235
Gold Keys	
The Ultimate Keyboard Enhancement/ <i>Vidtron</i>	231
Magazine Index System	
Suits Many Purposes/ <i>CMD Micro Computer Services, Ltd.</i>	224
Microartist	
Graphics For The Computer Artist/ <i>Prickly-Pear Software</i>	240
OS-9 Ramdisk Driver	
Super Utility For Thunder RAM/ <i>Spectrum Projects, Inc.</i>	234
Scepter Of Ursea	
A "Handful" Of An Adventure/ <i>Prickly-Pear Software</i>	230
Spectrum Font Generator	
Gives CoCo More Versatility/ <i>Spectrum Projects, Inc.</i>	247
Super Cosmos Connection	
Cures Slow Printer Blues/ <i>Cosmos Computer Services, Inc.</i>	227
Super LOGO	
A Must-Have For Child Computer Education/ <i>Tandy Corp.</i>	241
ThunderDupe2	
Super Utility For Thunder RAM/ <i>Spectrum Projects, Inc.</i>	234
Time Master	
Venture Into The Past Or Future/ <i>Tothian Software</i>	243
The Wizard's Math Board	
Fun Learning For All Ages/ <i>MESA</i>	244
Young Writer's Notepad	
A Simplistic Word Processor For Children/ <i>MESA</i>	236

RECEIVED & CERTIFIED

The following products recently have been received by THE RAINBOW, examined by our magazine staff and approved for the *Rainbow Seal of Certification*, your assurance that we have seen the product and have ascertained that it is what it purports to be.

This month the *Seal of Certification* has been issued to:

Micro Illustrator, a 64K graphics program requiring a joystick or mouse and a disk drive. Possible are a variety of brush strokes, assorted patterns, colors, graphs, geometric figures and fantasy designs limited only by your imagination. Text is possible anywhere on the screen. *Tandy Corp., available in Radio Shack stores nationwide, disk \$29.95*

Spidercide, a 16K arcade game requiring a joystick wherein your spaceship is attacked over a planet populated by fast and deadly arachnids. Your mission is to stay alive by defeating the webs' strategy and destroying the spiders. *Tandy Corp., available in Radio Shack stores nationwide, cassette \$19.95*

CD Editor, a 64K full-screen editor requiring a disk drive and residing in the space of the current EDIT command in Extended Color BASIC. This short (400 bytes) program allows insertion and deletion of characters and is compatible with JDOS, Disk Color BASIC and Disk Extended Color BASIC. Possible are the user's choice of re-burning the ROM for constant full-screen editing or running from the BASIC loader that comes with the disk if the user doesn't wish to re-burn the ROM. *C & D Computer Products, 1706 Seabrook Avenue, Cary, NC 27511, disk \$19.95 plus \$2 S/H*

Super Directory Catalog, a 32/64K organizational utility to keep track of files, sort them in alphabetical order and give a printout of the user's personal disk catalog. Possible are the storage of up to 1,700 filenames for 32K and 3,800 for 64K. *Metasoft, P.O. Box 7796, Independence, MO 64054, disk \$24.95 plus \$2 S/H*

Color COMPAC, a communications utility to provide computer-to-computer access of information and/or perform data transfer operations. Requirements are 16K ECB, telephone and modem. Features include relocatable code for 32/64K CoCos, selection of Baud rate, full or half-duplex capability, selection of 7- or 8-bit word length, 1- or 2-stop bit selection and ability to transmit or receive BASIC or ML programs. *Tandy Corp., available in Radio Shack stores nationwide, cassette \$29.95*

Color Essential Math Volume 1, a supplement to regular classroom instruction requiring 32K ECB for cassette systems and Disk ECB for disk systems. Skill building exercises cover addition, subtraction, multiplication, division and number concepts. Documentation includes sample record sheets for students and appendices for planning applications, making backup copies and lesson content summaries. *Tandy Corp., available in Radio Shack stores nationwide, cassette and disk \$120*

VIDCODIT, a video digitizer requiring 16K for cassette systems and 32K or greater for disk systems. It is necessary to assemble the digitizer; some limited building experience and knowledge of electronics is recommended. The unassembled kit contains machine language software, a blank, pretinned and drilled printed circuit board, a full parts list, schematic diagram, parts layout, assembly and trouble-shooting instructions, and sample picture and image recall program (for disk version only). Possible are the selection of three, five or seven gray levels, recall of menu, image repeat or hold mode, right joystick and cassette port for signal and power, 256 horizontal by 192 vertical resolution PMODE4 and selectable negative or positive video repeat or hold mode. *Kinney Software, Dept. 1, 121 N. Hampton Road, Donnelsville, OH 45319, \$39.95 plus \$2 S/H*

CoCo Cooler Too, a hardware addition for CoCo 2. Made of high impact plastic and made to fit over the vents on the outside left half of the computer case, CoCo Cooler Too pulls air through the computer to keep temperature at a safe level. *REM Industries, Inc., 9420 B Lurline Avenue, Chatsworth, CA 91311, \$44.95 plus \$2.50 S/H*

Stylo-Pak, OS-9 versions of three programs. *Stylo-Graph* word processing system with cursor-based editing, dynamic screen formatting, text mobility, margin and tab sets, flexible format display, text control and varied printing options; *Stylo-Merge* mail merge program with these features: append files together, possible definition and insertion of variables and printing of individual

envelopes/labels; *Stylo-Spell* with a dictionary of 42,000 commonly used words and user-defined additions for a supplemental dictionary. *Stylo Software, P.O. Box 916, 482 C Street, Idaho Falls, ID 83402, three disks and manual \$199.95 plus \$4 S/H*

The CoCo Chronicles, a soft cover book detailing the history of the Color Computer. Included are anecdotes, a running Who's Who, dates and locations of major product and publication debuts and events, and the identity of the person who dubbed our friend "CoCo." *Spectrum Projects, Inc., P.O. Box 21272, Woodhaven, NY 11421, \$14.95 plus \$3 S/H*

BASIC-PLUS, a 32/64K ECB utility requiring a disk drive to allow users to enter most-used commands with single keystrokes. Features include a 32-character, interrupt-driven, type-ahead keyboard with auto-key repeat, audio key click and 32K printer spooler. *Spectrum Projects, Inc., P.O. Box 21272, Woodhaven, NY 11421, disk \$29.95 plus \$3 S/H*

CCZAP, a disk utility allowing modification of data the same way programs are modified in memory. Use of indirect addressing ensures compatibility with other Disk BASICs. Supported are up to four drives and up to 80 tracks. Possible are Hex mode entry, ASCII mode entry, writing modified sectors back onto disk, incrementing and decrementing sectors and use of CCZAP as a database not readily available to unauthorized persons. *Matrix Computing, P.O. Box 2011, 380 5th Avenue, Salmon Arm, British Columbia, CND., V0E 2T0, disk \$49.95, U.S. funds*

Vincent Van CoCo, a 32K ECB graphics utility requiring two joysticks but capable of accepting commands from either joysticks or keyboard. Possible are four-color sets, enlargement/reduction of graphics screen, scramble/unscramble the graphics screen, text and individual scrolls. Documentation comes with quick reference card. *Rococo Software, 3019 Sylvester Drive, Hariland, WI 53029, cassette \$17.95, disk \$18.95*

Knock Out, a 64K boxing game that pits you as Champion of the World against five challengers; each opponent becomes harder than his predecessor to knock out. The first challenger starts punching slowly with ample time for you to react, but speed increases and reaction time decreases with each opponent. *Diecom Products, 6715 Fifth Line, Milton, Ontario, Canada L9T 2X8, cassette or disk \$28.95 U.S. funds, \$38.95 Canadian funds*

House Doc, a 64K home utility requiring a disk drive that asks users personal medical history questions and offers advice on when to seek a physician's care and when and how to use home resources. Documentation includes descriptions of common tests and procedures, charts of nutrients and a glossary of terms. *For Your Health Software, 58-A Star Route, Coalmont, TN 37313, disk \$59.95*

Parts Per Million, a 16K or greater home utility requiring a disk drive to help horticulturists and gardeners calculate formulas for liquid fertilizers. Possible are the necessary formulas and ratios for any kind of dry, water-soluble ingredients. *Green Horizons, P.O. Box 768, Mooresville, NC 28115, disk \$17.95 plus \$1.50 S/H*

Puzzler, a 32K machine language game that will take any word list supplied into the built-in editor and create any of the following types of puzzles: a crossword puzzle complete with clues and small numbers to identify the words, a word search puzzle with the option of no backward or diagonal words (for the enjoyment of younger children) and a word scramble puzzle. All puzzles have an answer key that can be printed out. *Color Connection Software, 1060 Buddlea Drive, Sandy, Utah 84070, cassette or disk \$29.95*

Marble Maze, a 64K maze game requiring a joystick. The object is to move your marble through the maze to a finish line while successfully avoiding monster marble eaters, acid puddles and electric snakes, among other perils. *Diecom Products, 6715 Fifth Line, Milton, Ontario, Canada L9T 2X8, cassette or disk \$28.95 U.S. funds, \$38.95 Canadian funds.*

DOS Switcher, a hardware accessory for J&M controllers allowing users to switch back and forth from JDOS and Disk ROMs 1.0 or 1.1, thus permitting use of software such as *Telewriter* and *CoCo Max* with the J&M Controller in place. *Spectrum Projects, Inc., P.O. Box 21272, Woodhaven, NY 11421, \$24.95 plus \$3 S/H*

JFD-CP Disk Controller, a new generation of the J&M disk controller. The JFD-CP uses the WD1773 controller chip. Two selectable 28-pin ROM sockets, an 8-pin parallel port and JDOS 1.2 are included. Gold contacts and fully buffered I/O lines ensure maximum reliability. Hardware selectable step rates allow a wide selection of drives. JDOS 1.2 supports auto-line numbering, error trapping, Baud rate selection, OS-9 boot and *Memory Minder*. *J&M Systems, Ltd., 15100-A Central SE, Albuquerque, NM 87123, drive, controller, cable and manual \$289. Memory Minder disk \$26, plus \$6 S/H*

OS-9 Ramdisk Driver, for use with *Thunder RAM*, this is a RAM disk driver for OS-9 consisting of a device driver and device descriptor, which, after loading into memory, gives users, in effect, another disk drive online and enhances execution speed. *Spectrum Projects, Inc., P.O. Box 21272, Woodhaven, NY 11421, \$24.95 plus \$3 S/H*

ThunderDupe 2, a disk duplication program for use with *ThunderRAM* as a buffer for the master disk. Up to four disk drives can be used for duplication. *Spectrum Projects, Inc., P.O. Box 21272, Woodhaven, NY 11421, \$24.95 plus \$3 S/H*

Spectrum Font Generator, a printout utility requiring a disk drive and compatible with most dot-matrix printers. Users can print out any document previously saved in ASCII files with any of the five supplied fonts or create a personalized font with an included program. Font styles are Roman, Italic, Futuristic, Block and Old English. *Spectrum Projects, Inc. P.O. Box 21272, Woodhaven, NY 11421, \$29.95 plus \$3 S/H*

Symphony 12, a polyphonic 12-voice hardware stereo music synthesizer with four noise generators for percussion synthesis, sound effects and choice of 10 preset instruments such as violin, oboe, banjo, harpsichord, piano and chimes, among others. Possible is the connection to a home stereo system with six voices per channel or all 12 voices will sound from TV or monitor speaker. *Speech Systems, 38W 255 Deerpath Road, Batavia, IL 60510, \$79.95 plus \$3 S/H*

Don Pan, a 16K game requiring a joystick. You must help Don Pan, the magical flying puffer fish, stay away from danger as he flies through the air. You guide him to the balloons that contain the precious air he needs to survive and score points for yourself along the way. *Tandy Corp., available in Radio Shack stores nationwide, cartridge \$19.95*

One-on-One, a 64K game requiring a disk drive and joystick. There are four levels of play in this basketball game in which users can play against human opponents or against CoCo. Level one is "Park and Rec": the referee is asleep and shots are easy to make or block; level two is "Varsity": the ref is awake and paying attention and shots and blocks take finesse; level three is "College": there are the standard settings and conscientious refs; level four is "Pro": though the 24 second clock ticks 24 times, the ticks are faster and going one on one with CoCo at this level is playing a champion on his home court. *Tandy Corp., available in Radio Shack stores nationwide, \$39.95*

Panic Button, a 16K game requiring a joystick. You are in charge of an assembly line that produces robots, cakes, phones, houses, lamps and TV sets. The object is to fill the orders before time runs out to avoid getting fired. If things start piling up, push the Panic Button, instead of going into a frenzy. *Tandy Corp., available in Radio Shack stores nationwide, cartridge \$19.95*

Geography USA, a 16K educational program that deals with the 48 contiguous states, the state's capital, largest city, main product and neighboring states. *Viking, Inc., 910 Soo Blvd., Rice Lake, WI 54868, cassette or disk \$19.95*

The XPDR2 and SuperGuide, a CoCo breadboard card that extends the cartridge port signals to wirewrap pins on the bottom of a 40-pin disk controller/ROM pack connector. The package consists of over 24 square inches of drilled card for interface or prototype circuits to facilitate software development or tools available for the CoCo. *Robotic Microsystems, Box 30807, Seattle, WA 98103, XPDR2 \$39.95, SuperGuide \$3.95*

The *Seal of Certification* program is open to all manufacturers of products for the Tandy Color Computer, regardless of whether they advertise in THE RAINBOW.

By awarding a *Seal*, the magazine certifies the product does exist — that we have examined it and have a sample copy — but this does not constitute any guarantee of satisfaction. As soon as possible, these hardware or software items will be forwarded to THE RAINBOW's reviewers for evaluation.

— Monica Dorth



BASKETBALL STATISTICS

by Jeff Stevens

Coaches, let CoCo do the paperwork! Keeps each individual game, plus league, non-league and all game totals for a maximum of 16 players in up to 29 games. Stats can be kept in as many as 17 different categories — assists, steals, field goals, and free throw stats (made-attempted-percentages), offensive and defensive rebounds, turnovers, personal fouls, charges, playing time, quarters played and points. Totals for the opposition team and for your individual players are printable. Your season record and scores-to-date are available at any time. **Basketball Statistics** prints a year-end summary of each individual player on a game-by-game basis. Team stats for your team and the opponents' totals for the year are included. Menu driven — Easy to run — Excellent for most any basketball team.

Tandy Color Computer
requires Extended Basic.
32K Disk - \$29.95

Tandy Model III/IV/4P
32K Disk - \$29.95

LONG DIVISION

by John Ashurst

Provides practice in long division of whole numbers with tutorial help. A blinking cursor helps students with the correct placement of each digit. A special workspace is provided for multiplication. Whenever an error is made, students may ask for assistance. The reason for the error is given. Students may correct the error and continue on with the problem. **Long Division** is multi-leveled and includes scoring.

Grades 4-6
\$19.95 Cassette
\$21.95 Disk
Tandy Color Computer
requires Extended Basic
Also available for Commodore 64

Write for a free brochure
or ask for a dealer demonstration.
B5 Software Programs are also
available through Radio Shack®
Express Order.



B-5 Software Co.
1024 Bainbridge Place
Columbus, Ohio 43228
Phone (614) 276-2752

REVIEWING REVIEWS

WORD-PAK II

Editor:

I recently purchased a *Word-Pak II* [based] on the May 1985 *RAINBOW* review [Page 212]. For use with pre-packaged 80-column software on the CoCo, I think this product would be hard to improve. However, the software provided to link the hardware to BASIC is a weak one.

The screen editor provided is of such poor quality that I prefer not having it at all. (On my version of the software, the screen editor can be disabled by pecking the values in locations 363 and 364 prior to executing the *Word-Pak II* software, calling these values 'X' and 'Y', executing the software, then replacing the values with POKE 363,X:POKE 364,Y. The CHR\$ control codes will still function. Thanks to Art Flexor for the information.)

The documentation notes that the editor cannot be used for lines longer than 80 columns. The writer goes on to assure the user that such lines are not common. This is sloppy research. It also means that the editor is useless to me and most of the serious programmers I know.

While the *THE RAINBOW* review claims that the screen editor allows you to enter a BASIC program "in much the same manner as you use a word processor," the resemblance is poor. The screen editor is clumsy and slow compared to other editors I have used.

The obvious solution is to use the BASIC EDIT command to avoid the screen editor. Unfortunately, when using EDIT, the new cursor characteristics make it easy to completely ruin the line you are editing. Also, there are now certain combinations of keystrokes in EDIT that will lock up the software and require you to press Reset.

The much promoted, smooth scroll option is not satisfactory for program listings. It is either too slow or, if sped up, too choppy. Smooth scrolling only works in 80-column mode, not in the optional 32- or 64-column modes.

If for any reason you want to return to the CoCo's 32-column display you

must turn off both the computer and Multi-Pak. Since exiting from *Word-Pak* to the standard display would involve simply resetting a set of addresses to the original values, I feel the omission is inexcusable.

The documentation itself contains a good deal of information, but is not well-organized. It is also less than complete for the *Word-Pak II*, having been originally written for the first *Word-Pak*.

When I sent my product registration for the *Word-Pak* back to PBJ, I included a note mentioning many of the items noted here. I have not received a reply.

Anyone interested in more details may send an SASE to me at 4715 W. Wadley, #701, 79707.

D. Dean Rector
Midland, TX

P51 MUSTANG ATTACK FLIGHT SIMULATOR

Editor:

I would like to make some comments about *P51 Mustang Attack Flight Simulator* that were not mentioned in *RAINBOW*'s review [June 1985, Page 222]. In direct connect mode the program gives eight frames per second. By modem you get four frames per second. Extensive graphics on the ground were sacrificed in order to achieve a fast update rate that is necessary to have a good dog fight. The review describes the horizon as "a line." It does not mention that the sky is solid blue and the ground is black. This is very different than a white line drawn on a black background. The solid colors are important when doing loops and rolls to help you know when you are upside down or right side up.

The biggest reason I did not put in a rudder is because it is very difficult to hold and operate two joysticks while having a dog fight. What all the flight simulators need is two joysticks mounted on one box such as they do for remote control airplanes.

P51 is not meant to compete with standard flight simulators such as *Worlds of Flight*. *P51* is an excellent game but it should not be thought of as just a game because it is also an excellent acrobatic flight simulator. *P51* has fewer instruments and graphics but has much smoother controls. Loops, rolls, immelman turns, etc., can be performed more accurately than on any of the standard flight simulators.

Hopefully these comments will help readers know what *P51* is and what it is not.

Brian Bruderer
Author of *P51*

COOKBOOK

Editor:

I wholeheartedly agree with Howard Lee Ball's review of *Cookbook* [September 1985, Page 195]. It is an excellent program but needs a few patches, which I would like to share with your readers.

To the *.BAS program add: 5 POKE 150,18 for a 2400 Baud printer.

To the DISPLAY.BAS program add:

```
620 IF I$="P" THEN GOSUB 2000
2000 CC=0:FOR II=1088 TO
1439:CC=CC+1
2005 IF CC=33 THEN PRINT#-2,
CHR$(13);:CC=1
2010 FF=PEEK(II):IF FF>128 THEN
FF=239
2020 IF FF=96 THEN FF=32
2030 PRINT#-2, CHR$(FF);:NEXT
II:PRINT#-2, CHR$(13);:RETURN
```

This allows you to print the menu when it is displayed on the screen by typing P. The FF=239 in Line 2010 selects the border character that I chose; you can change it to suit your taste and printer.

I suggest you make these modifications to your working copy and leave the master copy intact.

Mark Sullins
Manhattan, KS

PROBALOTO

Editor:

I wanted to write and express my appreciation for your excellent review of *Probaloto* in the October 1985 issue (Page 196). It was obvious that the

reviewer took the time to work with and understand the program.

Even though the reviewer stated that his "criticisms of *Probaloto* were very minor," I would like to answer them. The weighted portion of *Probaloto* was set up to be as flexible as possible. Most of the time, *Probaloto* will be used to pick lottery numbers, but each state has different rules. States use six or seven numbers from one to 40. From one to 44, from one to 48 or other combination of numbers.

Probaloto will play these and more. The program will even sort the numbers in order if five or more numbers are being selected. In addition, an operator can use the weighted option to pick the first, or the first, second and third place horse in a race. By creating a data file that contains the published odds of each horse (20 to 1 = 20, 10 to 1 = 10, etc.), then weighting towards the least picked numbers, the operator makes a random selection weighted by the odds of the horses. If four or less numbers are selected then they will not be sorted, so he may ask for three numbers from one to, say, 11 (for first, second and third place in a race with 11 horses). There are numerous other ways *Probaloto* may be used.

The reviewer stated that the data printout was not formatted well enough, but not knowing how many numbers will be printed makes formatting difficult. The operator may be selecting from nine, 40, 48 or even 100 or more numbers. Besides, the printout from a lottery that uses numbers from one to 48 still takes less than one page. Flexibility is also the reason the program goes to the start rather than the main menu after printing or saving data files. This takes only a few seconds and forces the operator to set up the program properly. It is imperative that the operator does not play one state's lottery and then start on another state's without changing the parameters.

As far as the spelling error, well . . . I stand corrected and so does the program. If anyone who has already ordered the program is bothered by this error, I will, upon return of the original, send a corrected version and pay the postage both ways.

Thank you again for your review. Any questions concerning this program should be addressed to me at 322 Haymarket Pl., 43230.

Gary Olander
Gahanna, OH

16K Tape — Extended Color Basic
32K Disk convertible from tape*

Save 50%

OFF REGULAR PRICE of the

CASH PROPHECY

Your **BEST**
HOUSEHOLD BUDGET
system for —

PEACE-OF-MIND!

Alerts you up to 52 weeks before you will run out of cash. FORECASTS your future checking account balances EVERY WEEK along with balances of two interest-bearing savings accounts.

POCKET MONEY!

Calculates when you will have surplus money in your bank accounts so you know how much you can SPEND!

CONTROL OF YOUR CASH
IN ONE EVENING!

Easy-to-use. Menu-driven. Fast to learn. Saves your regular expenses on tape or disk. Type-overs update fast! 73 accounts possible. Eliminates always accounting after the fact: just compare the forecasted balance to your checkbook balance! You can enter repetitive weekly, bi-weekly, and monthly income or expenses with a single record! For example, all your electric bills for a full year fit on one screen display.

PAYMENT SCHEDULER. Your expenses vary from month to month. You can't possibly remember all of your bi-monthly, quarterly, semi-annual, and annual expenses. The CASH PROPHECY reminds you when each is due.

WEEKLY BALANCES FROM MONTHLY BUDGETS. If you are paid weekly or bi-weekly you will appreciate how the CASH PROPHECY's calendar logic automatically computes five-week months and leap years when needed.

1000's OF TRANSACTIONS
— in 16K RAM!!!

COMPLETE INSTRUCTION MANUAL

OPTIONS: 16-64K Tape, 32-64K Disk, printer/screen output.

* Two commands convert the program from the tape to a 32K disk system.

Previously \$39.95, NOW

FOR A LIMITED TIME ONLY —

Only \$19.95!

Shipping and handling INCLUDED!

To order, send check or money order to

Everyone's Computer Co.,
P.O. Box 771-R,
Chesterfield, MO 63017.



OR PHONE



(314)536-1118



MONEY BACK GUARANTEE!

Your money back if the CASH PROPHECY can't handle your household budget.

Magazine Index System's Flexibility Suits Many Purposes

"Now where did I read that article about a special DOS command?" How often have you asked yourself a similar question when you need to locate a specific article, program, review, PDKE, etc., and of course you need it *right now*?

To solve this problem there is *Magazine Index System*, a specialized database program to catalog magazine articles. "Oh no," you are thinking, "another database program!" I confess being somewhat skeptical myself, but this program has so many pluses that it has a legitimate *raison d'être*.

For starters, the author has included four files (albeit with typos as noted by the author) that encompass CoCo articles published between the years 1982 to 1985. This alone makes the program very attractive to purchase. Additionally, the program has an abundance of interesting and convenient operating features.

Magazine Index System requires 16K, one disk drive and the Radio Shack disk operating system. Since the program is not copy protected, backups are easily accomplished. Being a disk database, *Magazine Index System* accesses the disk drive quite often to store and retrieve data. According to the author, data is stored in a compressed format, thereby using only 75 percent of the space of a normal file.

The nine-page manual is printed on 8½ by 11-inch paper. Since the instructions are clear and the program is totally menu-driven, *Magazine Index System* is a snap to learn.

To operate the program, simply type RUN "INDEX" (16K users will need to do a PCLEAR1 first) and a colorful title screen appears. Upon pressing any key, a file menu is displayed, listing all the filenames that have the program-assigned lowercase "inx" extension. A maximum of 12 files can be on one disk. If a file is too large for one disk, additional data can be stored on other disks. Upon opening a file, the main menu is presented.

At the top of the main menu is the program's name, the filename, the number of records in the file and the number of free granules on the disk. Below this information are the six main functions of the program. Each of these also has a submenu.

"Add new data" permits entering new data in an opened file. There are two fields available for data entry. The first field is 60 characters in length and is for the article's title and a short description. The second field holds 20 characters and is recommended for the page number, the issue date and any other pertinent information. Since this field retains the data from the previous record, the page number should be listed first to facilitate easy editing of that number on additional records instead of typing in the entire field.

A nice feature of this screen (and the edit screen) is the ability to move the cursor left and right without destroying any of the data. To change a character, simply write over it; to delete a character, press BREAK. Pressing CLEAR inserts a space that can be changed to any other character. As a word of caution, if the number of characters exceeds the field's size, then the last characters in the field "fall off."

Another welcomed feature in these screens is a repeating key. Once the key is held down for one to two seconds, it will automatically repeat.

"Edit current file" displays both fields of the record in question. You can request a specific record number, edit a record, go to the next/previous record or return to the main menu. If the first or last record of a file is displayed, the previous and next record keys are inoperable.

"Search files" permits searching an opened file or all files. Up to nine separate search words or phrases (with each being up to 29 characters in length) may be used. Numerous search words require more time to complete the task, but as a speed test I used a non-word (ZXY) in one of the author's files; it searched the entire file of just under 1,000 records in about 90 seconds!

After entering the search word, you have the option of having the record displayed on the screen or on the printer. The screen display shows the record numbers being searched, the filename and the record once a match is found. You may then continue the search, print the record or end the search. If the printer option is chosen, only the record numbers and filename are shown, with all records being printed that contain the search word. A search can be terminated at any time by pressing BREAK.

"Change file" returns to the file menu and permits the opening of a different file.

"Open new file" creates a new file.

To exit the program, press the BASIC option. This closes all files, clears memory, resets the drive to Track 0 and does a cold start.

As an added benefit, the author provides an ASCII transfer program that permits files to be read by other programs. I did so using *Telewriter-64* and had no problems.

To test the program, I used the author's data as well as my own by entering all of the 1985 articles from an astronomical magazine. The program performed extremely well. Only two small problems were detected; both in the "Search files" routine. When requesting the next or previous record, the program occasionally incremented by two records instead of one. The other problem concerned searching all files: the record count was on the last file searched, not a count on all of the files.

A few routines would assist in making *Magazine Index System* a highly polished product. For example, there is no form feed command, which results in records being printed on the perforation. Also, words are cut in two on the first line if two lines are printed. A record deletion feature as well as a sort routine might also be beneficial. However, these items are not major distractions.

Even though the author has intended *Magazine Index System* to be used primarily as a magazine index, it is flexible enough for many other purposes that are only limited by the user's imagination. I really enjoyed using the program and recommend it for those who want a well-behaved database at a low price, with the added benefit of extensive CoCo article files already included.

(CMD Micro Computer Services, Ltd., 10447-124 Street,
Edmonton, Alberta, Canada T5N 1R7, \$14.95 plus \$2
S/H)

— Dan Smith

The HJL-57 Keyboard

Now available for all models,
including CoCo 2.



Compare it with the rest. Then, buy the best.

If you've been thinking about spending good money on a new keyboard for your Color Computer, why not get a good keyboard for your money?

Designed from scratch, the HJL-57 Professional Keyboard is built to unlock ALL the potential performance of your Color Computer. Now, you can do real word processing and sail through lengthy listings...with maximum speed; minimum errors.

At \$79.95, the HJL-57 is reasonably priced, but you can find other CoCo keyboards for a few dollars less. So, before you buy, we suggest that you compare.

Compare Design.

The ergonomically-superior HJL-57 has sculptured, low profile keycaps; and the three-color layout is identical to the original CoCo keyboard.

Compare Construction.

The HJL-57 has a rigidized aluminum baseplate for solid, no-flex mounting. Switch contacts are rated for 100 million cycles minimum, and covered by a spill-proof membrane.

Compare Performance.

Offering more than full-travel, bounce-proof keyswitches, the HJL-57 has RFI/EMI shielding that eliminates irritating noise on displays; and four user-definable function keys (one latchable), specially-positioned to avoid inadvertent actuation.

Free Function Key Program

Your HJL-57 kit includes usage instructions and decimal codes produced by the function keys, plus a free sample program that defines the function keys as follows: F1 = Screen dump to printer. F2 = Repeat key (latching). F3 = Lower case upper case flip (if you have lower case capability). F4 = Control key; subtracts 64 from the ASCII value of any key pressed. Runs on disc or tape; extended or standard Basic.

Compare Installation.

Carefully engineered for easy installation, the HJL-57 requires no soldering, drilling or gluing. Simply plug it in and drop it right on the original CoCo mounting posts. Kit includes a

new bezel for a totally finished conversion.

Compare Warranties.

The HJL-57 is built so well, it carries a full, one-year warranty. And, it is sold with an exclusive 15-day money-back guarantee.

Compare Value.

You know that a bargain is a bargain only so long as it lasts. If you shop carefully, we think you will agree...The HJL-57 is the last keyboard your CoCo will ever need. And that's real value.

Order Today.

Only \$79.95, the HJL-57 is available for immediate shipment for either the original Color Computer (sold prior to October, 1982) or the F-version and TDP-100 (introduced in October, 1982), and the new 64K CoCo. Now also available for CoCo 2.

Call Toll Free

1-800-828-6968

In New York 1-800-462-4891



PRODUCTS

Div. of Touchstone Technology Inc.
955 Buffalo Road • P.O. Box 24954
Rochester, New York 14624

Telephone: (716) 235-8358

Ordering information: Specify model (Original, F-version, or CoCo 2). Payment by C.O.D., check, MasterCard or Visa. Credit card customers include complete card number and expiration date. Add \$2.00 for shipping (\$3.50 for Canada). New York state residents add 7% sales tax. Dealer inquiries invited.

introducing...

PenPal

The Intelligent Choice...



69^{95*}
(89.95 CDN)

ADMIT IT! Your computer always had the power, but never the software. Now...Four Star Software presents a product unlike any other. PenPal! This is a package intelligent enough to help you reach new heights of personal productivity. Designed to be learned in less than a day, the entire program is quick and easy, powerful but elegant. A pleasure to use!

PenPal provides you with a package that combines the five most wanted computer applications into one incredibly easy-to-use integrated environment. This sets a new standard of excellence in applications software. What would you pay for a program that does it all, but does it easily?

We invite you to compare PENPAL'S list of outstanding features with any other software currently on the market for any computer! Packages like this cost hundreds more on other machines. PENPAL brings the power of a PC to your CoCo at an Unbelievable and Unbeatable price! We guarantee it...if you are not completely satisfied, return it within 30 days for a prompt refund.

For a limited time, take advantage of our low introductory price. You won't be disappointed you did!

Order your personal copy of PENPAL today to finally realize the full potential of your Color Computer. Available directly from Four Star Software or enquire at your local Computer dealer.

- Twelve function Keys and a continuously displayed reminder line make this program easy to use. No complicated key combinations or commands to remember!
- On-line help function
- Hi-res 31 x 24 display screen
- Common formats and commands in all five modules make this package easy to learn and user friendly.
- Fast and effective 255 by 255 spreadsheet is very versatile. Flexible text editor includes all common features found on others plus centering, justification, and pagination. Efficient database includes advanced indexed sorting capability and much, much more!
- Create full color, presentation quality graphs with variable size labels directly from your spreadsheet to file, line, dot or bar formats using the Graph-It function. Incredible!
- Upload and download files, access networks, or communicate with other users with built-in Trocram feature. This is not just a simple dumb terminal package!
- Modules interface with each other to form a truly integrated package unlike any you have ever experienced. There are not just separate programs that are selectable from central menu like others offer!
- Comes in an attractive binder set, with reference and tutorial manuals. Requires 64K and minimum of one disk drive.

Order Hotline
416-858-STAR



Four Star Software

P.O. Box 730
Streetsville, Ontario
Canada L5M 2L2

Dealer enquiries welcome
write or call for our
Free Catalogue. Add \$2.00
for shipping and handling
overseas order Add \$5.00

Special
Introductory Price

Super Cosmos Connection Cures Slow Printer Blues

One frustration for many CoCo users is waiting for long printouts to finish. Printing a listing for a 32K program seems to take an eternity, particularly if you are waiting to run or edit it. Wouldn't it be nice if you could print one chapter of your "World's Greatest Novel" while writing the next? The Super Cosmos Connection may be just what you have been looking for.

The unit acts as a buffer between your CoCo and a printer. It is capable of receiving data from the computer at 9600 Baud (19200 if you're lucky), storing it and sending it to the printer as fast as the printer can handle it. The output from the unit is made to go into a printer's Centronics compatible parallel port. There is no serial (RS-232) output available. The manufacturer claims the unit will work with any parallel printer or they'll give you your money back. I had no problems in hooking it up to an Okidata u82A printer.

How much can it store? The Super Cosmos Connection comes in an 8K, 16K, 24K and a 32K version. The unit tested for this review was a 32K model. 32K works out to nearly seven pages of solid text at 80 characters per line and 60 lines per page. In addition, the unit can act as an RS-232 switcher by providing a modem connection.

The buffer is built into a compact plastic case that measures 4 inches wide, 7 inches deep and 1 1/4 inches high. There are three top-mounted switches that add a half inch to the height. Power is supplied by a small plug in an AC power-pack that comes with the unit. Two 44-inch cables come out of the back and are terminated with color coded four-pin male DIN plugs. One plug goes to the computer and the other is for a modem. The modem plug is wired for a Radio Shack Modem I. A two-foot long ribbon cable with a 36 contact printer connector also comes out of the rear of the case.

A small, eight-page manual comes with the unit and covers the setup and operation of the unit. Unfortunately, if you have a problem with the hookup, there are no charts or diagrams to explain the signals on any of the connectors.

As mentioned before, there are three switches on top of the unit. The first is a power on/off toggle switch. With the power turned off, the modem is connected to the computer. With the power on, the modem is disconnected and the buffer is tied to the computer.

The next switch is a 10-position rotary that selects the input Baud rate. Available speeds are: 110, 150, 300, 600, 600/7 bit, 1200, 2400, 4800, 9600 and 19200 Baud. The Super Cosmos Connection's manual explains the POKEs required for the various Baud rates. The 19200 Baud setting requires the famous high speed POKE (POKE 65495,0) and may not work on all computers.

For those with BASIC 1.1 or later ROMs, setup is a matter of making sure the switch setting corresponds with the POKE information. For those with BASIC 1.0 ROMs, the setup takes one extra step because BASIC 1.0 sends seven bits of data while the unit normally expects to see eight. The buffer must be turned on with the selector set to the 600/7B position. You may then set the switch to the desired rate.

The last switch is a lighted pushbutton switch marked "copy/clear." The light indicates the unit is on, has passed an internal self-test and is ready for data from the computer. If the amount of data sent to the buffer is less than the capacity of the unit, you can make duplicate copies of your document. Pressing the button after printing has been completed produces a duplicate copy of the original. You have to be careful though; pressing the button during printer operation aborts the printing and clears the buffer.

If you turn the unit on with the button pressed, you get a printout that gives the version number of the unit, the amount of RAM installed and the Baud rate switch setting.

How well does it work? At 9600 Baud, it took the computer 20.6 seconds to print a listing for a 10K Adventure program. The printer, at 120 characters per second, took 160 seconds to finish.

I also wrote a test program to see what happened when there was more data than buffer space. The program sent the proper control codes to set the printer to 132 characters per inch (the unit had no problems with control codes) and then sent 324 full lines of a string of test characters. With the printer running, the program didn't slow down until it got to the 302nd line of printing. At that point, the buffer put in more data at the same rate it was being printed. The program finished in one minute, 39 seconds and the printing took a total of six minutes, 54 seconds.

For those who do label printing from data files, this unit could save quite a bit of time. You can search files and print at the same time. The RS-232 switching function may be a problem for some; you cannot print from the buffer and be connected to a modem at the same time because switching over to the modem kills the power.

If you do not wish to get a full 32K unit, you may buy a smaller capacity and upgrade at a later time. Upgrading is a matter of plugging more RAM ICs into the unit's sockets. A three-page instruction sheet for upgrades is available from the manufacturer. Super Cosmos Connection comes with a typical two-year limited parts and workmanship warranty. It doesn't cover accidents, abuse, unauthorized modifications or damage caused by improper user upgrades.

(Cosmos Computer Services, Inc., 620 Stuart Street, Green Bay, WI 54301. 8K \$129.95, 16K \$144.95, 24K \$154.95, 32K \$169.95, 8K upgrade RAM \$15.95 each)

— Chuck Wozniak

One-Liner Contest Winner . . .

This holiday one-liner plays the traditional "Silent Night."

The listing:

```
Ø FORT=1TO2:PLAY"T1L8.GL16AL8GL4
.E":NEXT:PLAY"L4O4DL8DL4.O3BL4O4
CL8CL4.O3G":FORT=1TO2:PLAY"L4AL8
AL8.O4CL16O3BL8AL8.GL16AL8GL4EP1
6":NEXT:PLAY"O4DL8DL8.FL16DL8O3B
L4.O4CL4EP16L8.CL16O3GL8EL8.GL16
FL8DL2C"
```

Fr. Tom Schmidt
St. Louis, MO

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape*.)

ChesSD Makes A Formidable Opponent

Ready for a good game of chess? Having trouble finding a worthy opponent? Thanks to Software Dynamics you can sit down to your CoCo, load *ChesSD* and enjoy a good game of chess against a competent opponent.

Like most computer chess games, *ChesSD* draws the board and displays the moves using the CoCo's Hi-Res graphics. But, unlike some other computer chess games I have seen, the graphics in *ChesSD* are excellent. All the pieces are easily and clearly recognizable.

The board is shifted slightly left on the screen and the right side is used to display the computer's move, the number of moves, a "score" based on pieces lost and taken, an estimated score that shows what the computer thinks the status will be several moves in the future, white and black clock times, and the skill level the computer is using. The space below the board is for messages from the computer and entry of moves and other commands. The game uses the standard column/row notation for entering and displaying moves. As we would expect from a good computerized chess game, it is capable of castling, *en passant* and pawn promotion.

ChesSD offers skill levels one through seven, although skill level one is an invalid entry. Default starting level, therefore, is level two. Normally the computer is black, meaning you, as white, start the game. However, if you prefer to have CoCo start, you can do so by entering "play" — this reverses the board. Play also works during the game if you want to see how *ChesSD* will play your next move.

Other features and capabilities include Tournament mode, which designates a certain number of moves within a specific amount of time and the ability to enter moves to get a previously started game back to a particular point. The game also provides the ability to set up a board to try different game situations.

What kind of player is *ChesSD*? First, let me explain that I am not a world class chess player, in fact, I'm not even a "neighborhood class" player. I fall into the class of "lunch time" players — finishing any game in less than a half hour. I personally found *ChesSD* to be unbeatable, so I called on a friend who has greater chess skills to see how he would fare against it. He also found it a difficult opponent. At this point, we wondered what would be a proper opponent for *ChesSD* and came up with an interesting idea — how about another computer?

My friend has an IBM PC (not everyone is smart enough to buy a CoCo!) and has two chess games for it, *PC-Chess* and *Sargon III*. *Sargon III* has generally been recognized as the best chess game for a PC. We set up our two systems and alternately entered the moves from one computer into the other, effectively having the computers play against each other.

I am happy to report that against *PC-Chess*, *ChesSD* played a good game, ultimately defeating *PC-Chess* in about 53 moves. However, when it came to playing against *Sargon III*, *ChesSD* met its match. With both games playing at their lowest skill levels, *Sargon* defeated *ChesSD* in about 18 moves. Does this mean *ChesSD* is not a good player?

I don't think so — no more than saying that your local chess champ is not a good player if he/she is soundly defeated by a Boris Spassky or Bobby Fischer.

So far, this review has been positive, and I try to tell it like it is. So, let's go over the game's less attractive points. Although the instructions that come with the package indicate the game recognizes checkmate, I found this is not true. On two occasions the game had me in checkmate and only said "check," allowing me to move. In the same way, when it was finally placed in checkmate in the games against *Sargon*, it also did not seem to recognize it and attempted to move. Although this is not a bug that affects the play of the game, it is not the "proper" way to finish.

One other "bug" I found was during one of the games against *Sargon*, when *ChesSD* made a move that I call "super pawn takes bishop." It moved a pawn forward four (yes, four!) rows and over one column and captured a bishop. This was done when an *en passant* would have been the logical move for the pawn in question. In fairness, I must add that I made three attempts to reproduce the circumstances and each time the game moved properly, so it may have just been a bug caused by some glitch when the game loaded.

Finally, if you insist on playing to the bitter end and *ChesSD* takes your king, it does it with a "Chomp, slurp, yum!" Although the author may think this gives it a cute touch, I do not think it's "cool" for a sophisticated game like chess.

To sum it up, I definitely recommend *ChesSD* as a good, playable chess game for the CoCo.

(Computer Systems Distributors, P.O. Box 9769, Anaheim, CA 92803, \$49.95)

— James G. Kriz

One-Liner Contest Winner . . .

This one-liner plays the well-known song, "Alley Cat."

The listing:

```
1Ø PLAY "L8O3T2V31;4;5;8;1Ø;L4;O
4;1;O3;12;1Ø;9;8;9;L2T2;1Ø;L4T2;
8;9;1Ø;11;L2T2;12;L4O4;1;O3;12;1
Ø;9;8;9;L2T2;1Ø;L4T2;8;9;1Ø;12;L
2O4T2;1":RUN
```

Danny Read
Pompano Beach, FL

(For this winning one-liner contest entry, the author has been sent copies of both *The Second Rainbow Book Of Adventures* and its companion *The Second Rainbow Adventures Tape*.)

Cash Prophet Provides Budget Forecasting

Cash Prophet, by Everyone's Computer Company, is an easy-to-use budgeting program that provides the user with both a weekly forecast and an annual budget. The program requires a minimum of 16K, Microsoft Extended BASIC and a cassette recorder. It is distributed on tape but may be easily modified for disk operation. A simple set of instructions is included to accomplish this. Including the time it takes to load the tape, it takes all of five minutes to create a disk version.

Included in the package is a 20-page, spiral-bound manual. The table of contents includes a quick reference guide to each individual menu option. The manual is written as a self-paced instruction guide and is best utilized by running *Cash Prophet* as you read the manual. Sample budget data and accounts are provided for this purpose.

The manual begins with simple definitions of some terms, such as "account," "bank account" and "transaction schedule." The term of interest here is transaction schedule. The manual defines it as "A set of information which estimates the amount of income or expense that will occur on a given day of the month throughout the year." Here is where *Cash Prophet* differs from most other budget programs I have seen. It is used to compare predicted income to predicted expenses over a 52-week period. Most programs compare a set budget with actual expenses, providing tax information as an additional side benefit. *Cash Prophet* identifies times when you may have extra cash available and more importantly, times when you will fall short of cash.

Page 2 in the manual states that you may use up to 90 accounts numbered from 10 to 99, while Page 13 states that you may use any 73 numbers from 10 to 99 for your account names. One thing is definite, however, it can only handle one checking and two savings accounts. The savings accounts must be numbered 11 and 12. Interest rates may be specified for the checking and savings accounts and the interest may be deposited into any of the three bank accounts.

Once *Cash Prophet* is loaded, modification instructions for the user with more than 16K are provided. According to the manual, this speeds up processing by more than 50 percent. After receiving the title screen and copyright notice you are prompted for a month and day. When using *Cash Prophet* for the first time, use 1023 as the month and day entry, otherwise, use the month and day of your last data file. The sample data files are identified as *CPN\$1023* and *CPD\$1023*. First-time users must load the sample data file and modify it to create their own customized version of *Cash Prophet*.

After loading the sample file, the main menu appears. There are eight options to choose from.

- 1) Transaction Schedule
- 2) Bank Balances, Interest Percents
- 3) Account Names
- 4) Tape/Disk Storage
- 5) Screen/Printer Option
- 6) Weekly Forecast
- 7) Annual Budget
- 8) Go To BASIC

Options 1 and 5 both have submenus. For Option 1 they are:

- 1) Specify Account
- 2) Display First Record
- 3) Add A New Record
- 4) Main Menu

and for Option 5 they are:

- 1) Display On Screen/Printer
- 2) Main Menu

Instead of simply explaining each menu option, let's walk through the steps required to build a prophecy of our own. The first records that need to be built are our bank accounts. Using Option 2, we enter our initial checking and savings account balances along with any interest information. The ENTER key is used to place the cursor in the field we wish to update, then we simply type our figures.

After this, we choose Option 3 to create our account names and assign them a number between 10 and 99. You may change an account name by using an account number that already exists and typing the new name. Delete an account by giving an account number and pressing ENTER with a blank name.

As our last step, we need to set up our transaction schedules. A transaction schedule simply sets up a dollar amount to be added or subtracted from our budget. Income is entered as a negative number while expenses are positive. A dollar amount is entered for each month. Typing an 'S' in a month copies the figure from the preceding month. The day of the month this transaction is to take place is also specified here. A day code of 77 indicates a weekly transaction, while 41 and 42 mean every other week beginning on either the first or second week of the budget year, respectively. Just to be safe, before requesting a forecast we use Option 4 to save our data.

With our data safely saved, we will now use Option 6 or 7 to request a weekly forecast or an annual budget. With Option 6, you may request a detailed forecast (one displaying every transaction processed) or just a summary providing only your bank account balances at the beginning of each week. The annual budget displays each account along with its weekly, monthly and yearly expense or income totals.

If you desire a printout, choose Option 5 and submenu Option 1 to toggle the display from the screen to the printer. This provides a forecast for 52 consecutive weeks without the option to terminate after each 13 weeks as the screen output allows.

For someone needing a forecast of their income and expenses, *Cash Prophet* will do the trick. Since the program is written in BASIC, the input/output routines are a little slow, however, the hare does not always win the race.

(Everyone's Computer Co., P.O. Box 771, Chesterfield, MO 63017, tape [convertible to disk] \$39.95)

— Larry Birkenfeld

See You AT
RAINBOWfest Palo Alto
Feb. 14-16, 1986

Scepter of Ursea Is A 'Handful'

As the autumn months fade away, the mighty Thorafin Crimsonblade realizes it is time. He must once again search for an Adventure that can challenge an Adventurer's most dreaded enemy: the winter blahs. It takes an Adventure with a special quality that will keep our thrill-seeker occupied during the snows of January. Our hero's hopes looked pretty dim until a special package arrived via Dragon Express. Pulling out his mighty broadsword (letter opener), the hardy Adventurer finds himself faced with Prickly-Pear Software's latest release, *The Scepter of Ursea*.

On booting up *Scepter*, the mighty dwarf's characteristics are generated. These attributes are the basis of our character's fighting prowess, and ability to take damage in battle. These characteristics include strength, dexterity and constitution. From these values the armor class, damage adjustment and number of "hit points" are calculated. These values are the basis of the Adventurer's success (or lack of) during his Adventure.

Entering commands is an adventure in itself. The character moves on the Lo-Res screen by using one-letter commands that do standard functions such as eating, inventory and updating weapon status. If the one-letter abbreviations are forgotten, a help screen is readily

available. While moving across the varied terrain, an Adventurer will encounter a host of friendly (and not-so-friendly) beings who each have their own set of abilities, strengths, weaknesses and dispositions. Sometimes the creatures attack on sight, others offer you advice (for a small fee). In my opinion (and Thorafin's, too), these creatures make the game much more interesting than some Adventures that merely state "you are being attacked by a red Warthog."

Another nice feature is the three dungeons it offers. Each dungeon contains several levels, each having its own tricks, traps and guardians. By exploring the dungeons, our hero can find potions, keys, weapons, armor, treasures and, most notably, great peril. Finding the dungeons is not easy; mastering them is even harder.

Combat with hostile encounters is handled through a random "die-rolling" method that is quite dramatic, but can get a little lengthy when large battles are going on, especially when both combatants have high armor ratings. Overall, however, this aspect is handled quite well, with a system highly reminiscent of the Dungeons & Dragons genre of games.

The wary Adventurer must keep in mind the possibility of fatigue and thus the necessity of rest and food to keep from running out of energy. Another concern is money. To really achieve any success, our hero must gather up enough money to purchase a boat. Horses and advice are always easy to gather, but they, too, have a price. The Adventurer must seek out encounters that have money and relieve them of their responsibility while still maintaining his vital organs in a working order.

The documentation is complete, although it has some minor bugs, and provides the Adventurer with the information on program operation. The game also includes (yea!) a game save/load feature, which prevents Adventures from being cut short by a need to use the word processor.

Although *Scepter* contains a few minor bugs, the staff at Prickly-Pear was very helpful and supportive, and promised to update future shipments. The Adventure on Ursea is very complete, but I think the program could be strengthened even more to make it comparable to games of this type played on (ahem!) other computers. The addition of a party of characters, each with their own identities and attributes, could add a "group involvement" to the game that it lacks right now. Also, using the remaining disk space to create a city where the Adventurer could wander would be very appealing.

I can wholeheartedly recommend *Scepter of Ursea* to anybody who enjoys Adventure/Simulation-type games. *Scepter of Ursea* takes weeks to master and provides a great deal of enjoyment.

(Prickly-Pear Software, 2640 North Conestoga Avenue,
Tuscon, AZ 85749, 32K disk \$29.95)

— Eric Oberle

EVERYDAY PROGRAMS

FREE FROM FREE

Bob's Software

LITTLE LETTERS

An Educational Program to Help Children
Learn the Lower Case Letters and Correlate
Them with the Upper Case Letters
(16K Extended Basic Required)

SKANCE

A Dice Game for the Whole Family
Play Against the Computer or Up to 3 Players
(16K Extended Basic Required)

MASTER DISK DIRECTORY

A Program for Finding which Disk You put that
Special Program on
Keeps Track of up to 250 Program Names Per
Master Disk File
Load the Program Name 1 at a Time or by the Disk
(32K Disk Basic Required)

Send a Tape or Disk in a
SELF-ADDRESSED STAMPED MAILER to:

Bob's Software

P.O. BOX 391
CLEVELAND, OHIO 44107
PLEASE REQUEST ONLY ONE PROGRAM

The RAINBOW extends
Season's Greetings!



GOLDKEYS Is The Ultimate Keyboard Enhancement

Many times I have wondered how companies come up with names for their products. In the case of Vidtron, their utility is named descriptively. *GOLDKEYS* is a keyboard enhancement utility for 64K Color Computers. I have used many enhancement programs before, including complete disk operating systems, however, *GOLDKEYS* is by far the best product I have come across. Unlike many other products of this type, it does not include useless options that serve only to waste valuable memory. Instead, every option is well thought out and practical.

GOLDKEYS boots up with its own copyright and replaces the CoCo's "OK" with its own prompt. The normal cursor is also replaced by a non-destructive cursor. This means you may backspace without destroying the text already entered. This is an immediate saving of time, especially if you are at the end of a 200-character BASIC line. (A good comparison of this feature would be to a word processor.)

GOLDKEYS supports inserting and deleting characters within a line. Yes, Extended BASIC has the same options with the EDIT command, but only on lines already entered in BASIC. Also, it has an auto-key repeat that makes getting to the error much quicker. Of course, the auto-repeat may be toggled on and off with a BASIC command.

Another efficient feature is its function keys. They can be defined as single commands or a whole string of commands. This enables a programmer to enter several to several hundred characters with a simple keystroke. Once all function keys have been defined, they may be saved to tape or disk.

Not only does *GOLDKEYS* support function keys, it also incorporates a type-ahead feature. This is a 100-character buffer that allows you to type ahead of the computer's current operation. For example, if you type CLOAD the computer will start loading a program from tape. While that is being done, you can type RUN and when the program is through loading, it will start immediately. As with normal input, a key click is incorporated in the type-ahead feature as well. (Key click may also be toggled on and off.)

One of the most frustrating problems a programmer faces is the chance of his software being halted either by the BREAK key or the Reset button. Preventing this is where *GOLDKEYS* shines! All of its commands are added to BASIC. These include BREAKOFF, ONBREAKGOTO and ONRESETGOTO. The first obviously disables the BREAK key. The second sends the CoCo to a specified BASIC line whenever the BREAK key is pressed. The third command allows you to do what all of those game writers love to do — disable the Reset button. After using this command, whenever Reset is pushed, BASIC jumps to whatever line you wish.

The last feature of *GOLDKEYS* is certainly not its weakest. This is the INPUTUSING command. This command adds a few new dimensions to the INPUT found in Radio Shack BASIC. First, if the variable being used already has a value, it will be displayed in the space where the user

is expected to input. Thus, the old contents of a variable or string will be displayed under the cursor and in the following spaces.

GOLDKEYS also allows a limit to be set to the number of characters that can be entered. Thus, if a date is supposed to be entered, only six characters can be typed. Also, if you wish for something in the string to remain the same regardless of what a person enters, it can be predefined as a non-destructive character. This means if someone is entering the date (i.e., 11/01/85), he will enter "11" and the cursor will automatically skip the slash and jump to the next number.

The one feature I rarely find in software packages is a graceful exit. *GOLDKEYS* has a command called UNBOOT that allows you to return to the BASIC ROM without having to press Reset or losing your BASIC program. Finally, since *GOLDKEYS* uses 64K, it takes up absolutely no BASIC memory.

Considering that *GOLDKEYS* takes no memory away from BASIC, and it adds so many features that are practical and flawless, this is one utility no serious programmer can afford to be without.

(Vidtron, 4418 E. Chapman Ave., Suite 284, Orange, CA 92669, requires 64K, tape \$20, disk \$22)

— Rick Rahim

YORK 10 CASSETTES



**COMPUTER GRADE
• DATA TRAC •
BLANK CASSETTES**

C-05, C-06, C-10, C-12, C-20, C-24, C-32

From the leading supplier of Computer Cassettes, new longer length C-12's (6 minutes per side) provide the extra few feet needed for some 16K programs.

- BASF-LHD (DPS) word standard tape
- Premium 5 screw shell with leader
- Internationally acclaimed. Thousands of repeat users
- Error Free • Money back guarantee.

BUY THE BEST, AT FACTORY-DIRECT PRICES

NEW C-12's or C-10's — 36¢ each
includes 4¢ shipping \$17.00
100 Boxes (24 ea.) • Shipping \$10.00
(Free Cash with orders over \$25)

NEW TWINNER FREE • 96-CUT
BLANK CASSETTE LABELS
WHITE \$2.00/100 \$20.00/1000
COLOR-INK LABELS • PAPER
Red, Blue, Green, Yellow, 1.4mm
\$4.00/100 \$30.00/1000

CASSETTE STORAGE CADDY
Holds 12 cassettes \$2.99
with screws
Includes extra labels
and 4000 card

FREE
1 CADDY WITH EVERY
4 BOX CASSETTES PURCHASED
(\$499.00 or more to \$100 quantity order)

Call: 818/700-0330
FOR IMMEDIATE DELIVERY
on Credit Card Orders

ORDER NOW... MAIL TO -
YORK 10 9525 Vassar Ave. #R1
Chatsworth, CA 91311

ITEM	QUANTITY	UNIT PRICE	TOTAL
C-05	7.00	13.00	
C-06	7.00	13.00	
C-10	7.00	14.00	
C-12	7.00	14.00	
C-20	3.75	14.00	
C-24	3.00	14.00	
C-32	11.00	21.00	
Head Rev	2.50	4.00	
Wtr Labels	1.00/100	20.00/1000	
Color Labels	4.00/100	36.00/1000	
Caddy			
Shipping/Handling			3.50
TOTAL			

Each cassette includes 2 labels only. Boxes sold separately. In Continental U.S. shipment by U.P.S. if Parcel Post preferred, check here

Check or M.O. enclosed Select Quantity Discounts

Charge to credit card: VISA MASTERCARD

Card No _____ Exp _____

Name _____

Address _____

City _____ State/Zip _____

Signature _____ Phone _____

Ask about our DUPLICATING SERVICE

Toll Free
Orders Only
800-245-6228



Information
301-521-4886

If You Pay Taxes You Need Coco-Accountant

"It's the most useful piece of software I own."

That's what we hear again and again from folks who buy Coco-Accountant II. This 32/64K single-entry accounting system for the home and small business is all you need to manage your finances and give you the information you need at tax time.

We wrote the original version for ourselves two years ago because we wanted to know three things: Where did the money come from, where did it go, and what can we deduct from our taxes?

As it turned out, we liked it better than anything else on the market, so we decided to sell it. And we've been improving it ever since.

People say they like it because it's easy to use. Just spend a few minutes each month entering your data: checks, cash outlays, credit card expenses or income. In any order. CoCo-Accountant takes the whole mess and makes sense out of it. Here's what it does:

- ◆ Lists and totals entries by month, offsetting income against expenses.
- ◆ Lists and totals entries by account, for a month or the whole year.
- ◆ Lists and totals entries by payee or income source, for a month or the whole year.



◆ Provides a year-to-date summary by account.

◆ Prints a spreadsheet showing activity by account and month for the whole year (seeing this one is believing).

- ◆ Flags deductible expenses.
- ◆ Flags expenses subject to sales tax and figures out how much sales tax you paid!
- ◆ Lets you define up to 48 accounts (in 64K version).

◆ Takes 900 entries in 64K version, 500 in 32K disk and 450 in 32K tape.

◆ Sorts entries by date.

◆ Stores your data to tape or disk.

You can use CoCo Accountant as a simple check-book register or make it into a comprehensive home accounting package. Our customers tell us they use it in the home, at school, for their clubs, churches and small businesses. In fact, they use it in ways we never dreamed of!

CoCo-Accountant II is so easy to use and flexible that you'll be delighted. So stop shoving all those records in a shoe box and join the computer age!

The price of CoCo-Accountant II is \$34.95. Please be sure to tell us your memory requirements and whether you want tape or disk.

Thoroughbred, Harness, Greyhound



HORSE RACES



HARNESS RACES



DOG RACES

Use your **Color Computer** to improve your performance at the track! These 16K programs for **Thoroughbred, Harness** and **Greyhound** racing rank the horses or dogs in each race quickly and easily, even if you've never handicapped before. All the information you need is readily available from the Racing form, harness or dog track program. We even provide diagrams showing you where to find each item!

Thoroughbred factors include speed, distance, past performance, weight, class, jockey's record, beaten favorite and post position. **Harness factors** include speed, post position, driver's record, breaking tendencies, class, park-

ed-out signs and beaten favorite. **Greyhound factors** include speed, past performance, maneuvering ability, favorite box, class, kennel record, beaten favorite and breaking ability.

We include complete instruction and a wagering guide that tells you which races to bet and which to avoid—one of the real secrets of good handicapping. You can buy a more expensive handicapper, but we don't think you can buy a better one! **Thoroughbred, Harness or Greyhound Handicapper**, \$34.95 each on tape or disk. Any two for \$54.95 or all three for \$74.95.



Federal Hill Software 8134 Scotts Level Rd. Baltimore, Md. 21208



Disk Pilot Uncomplicates Scroll Control

One of the things that has always exasperated me about the CoCo is the lack of scroll control. You know what I'm talking about. First type DIR, then take a deep breath and position your fingers over the 1) ENTER key, 2) SHIFT key and 3) '@' key. You press ENTER, then wait a second and press SHIFT and '@'. Hopefully, this does the trick and you are presented with approximately one-half the directory; if so, you may hit a key to continue. If your timing is a little off, you have to start all over.

Disk Pilot solves this problem by presenting one screen full of filenames, allowing you to move up or down the directory listing with the arrow keys, much the same way a screen editor allows you to move through text. This one feature alone makes the program worthwhile.

The *Disk Pilot* is a disk file maintenance utility with a strong accent on the user interface aspect, i.e., it is designed to link the user with the computer comfortably. In this respect it performs quite well.

The program has seven major functions:

- 1) Copy a file or all files
- 2) Kill a file
- 3) Rename a file
- 4) Get information about a file or all files
- 5) Print information about a file or all files
- 6) Run or execute a file
- 7) Format a disk

When you RUN "PILOT", the program reads the directory of the disk inserted in the drive. If you have two drives it reads from both of them. The filenames are sorted alphabetically, and the results are displayed on a split left-right screen with Drive 0 on the left. One of the filenames is displayed in reverse video. This is the working file. Another file may be selected with the arrow keys. Once the file is selected, simply press one key to execute any of the functions.

All of the functions perform well. According to the documentation, the format option is faster than DSKINI. I found this to be true but only slightly — 39.98 seconds for the DSKINI and 38.01 seconds for the format option. There is, however, a benefit to having the format option available. If you need to copy some files and find that all your disks are new, unformatted blanks, there is no need to exit the program, use DSKINI, then return to copying. Instead, just press 'F'.

The documentation supplied with the program is well-written and, although brief (five pages), is more than adequate. I spent approximately five minutes reading the information and this was all the time I needed to operate the program effortlessly. *Disk Pilot* has a help screen always available by pressing the CLEAR key, which gives a summary of the options and their codes. I did find one omission in the documentation. On the help screen I found an option 'S' not explained anywhere in the literature. Being adventurous, I tried it. Lo and behold! It gave me the alternative of having Drive 0 or 1 on the left side of the screen. I trust that later printing will correct this minor omission.

Disk Pilot was supplied on a cassette that CLOADed correctly the first time and all subsequent times. Using the

program this way has the advantage of immediate access to both drives, however, the CLOAD is so slow to those of us used to disk drives that I decided to save it on disk. It also LOADed and ran without problems this way, which is not always true with programs having embedded machine language routines. I was not able to make the program crash nor was I able to break out of it. The program is not copy protected in any way and comes with a plea from the authors to not distribute it to friends and acquaintances.

There are a few things I hoped the program would do, but it didn't. It will not create a disk file with the names of the files for use with a database management program. There is also no facility to print labels with the filenames. Further, there is no option to copy programs and change them from tokened code to ASCII. I know that's something many people need for use with communication programs.

I judge a utility program in five areas:

- 1) Does it really do something useful?
- 2) Does it do what it says it will do?
- 3) Is it user friendly?
- 4) Does it crash easily or frequently?
- 5) Is it a good buy for the money?

Disk Pilot rates well in all these areas. I recommend it to anyone who does not already own a similar program.

(CMD Micro Computer Services, Ltd., 10447-124 Street, Edmonton, Alberta, Canada, requires 32K, disk \$14.95 plus \$2 S/H)

— Larry Goldwasser

WANT A BARGAIN?

We have combined several programs from the May, June & July 1985 issues of our newsletters and are offering them as a package. Any one program would be worth the price we are asking. The package consists of the following 6 programs.

1. 64K ALL RAM PROGRAM
 2. 2-Bank Address File Program
 3. Alarm Clock Program
 4. Loan Interest Program
 5. Character Generator (3 sizes)
 6. Bank Switcher (Allows full use of other 32K bank for 64K computers)
- DCN-1 Tape \$9.95, Disk \$11.95

DYNAMIC COLOR NEWS

A Monthly Newsletter with Educational Material, Programs, New Product News, Product Reviews, Questions & Answers, Operating Hints plus much more.
\$15/yr postpaid. - Free Sample -

UNINTERRUPTED POWER SOURCE (UPS) \$59.95
(saves programs during power failure)
300 to 2400 baud Terminal PGM. \$14.95
Decimal Assembler - Disassembler \$19.95
MPM - Stack 5 programs in 32K CC \$14.95
AUTOREPEAT KEY - Hardware modification adds Autorepeat feature. \$34.95 (new)

Checks, VISA & MC Cards. Add \$3 Ship.
Free Catalog. 24 Hour Phone.

DYNAMIC ELECTRONICS
BOX 896 (205) 773-2758
HARTSELLE, AL 35640

OS-9 Ramdisk Driver And ThunderDupe 2 Are Super Utilities For Thunder RAM

I feel like the guy in the early 1900s who invested heavily in rail transportation because he felt airplanes would never fly. As soon as my review of Chris Erving's *Thunder RAM* hit the newsstands I received a package from Spectrum Projects containing a RAM disk driver for OS-9. I said it was difficult, but OS-9 guru Brian Lantz made it fly. Another utility for the *Thunder RAM* was written by Marty Goodman, *ThunderDupe 2*, a disk duplicating system that takes advantage of the TDOS RAM disk.

One thing about the review was accurate: *Thunder RAM* is gaining support extremely fast. Needless to say, to use these programs you must have *Thunder RAM* from Spectrum Projects.

Brian Lantz has written a super RAM disk driver for OS-9. It includes a device driver, "RAM," and device descriptor, "R0." After loading these two programs into memory you just type `FORMAT /R0 R "OS-9 RAMDISK"` and in about 10 seconds you have another disk drive online.

What's so great about a RAM disk using OS-9? Due to the intensive disk calls since OS-9 is a true DOS, there has been a great need to improve disk access speeds. With the *OS-9 Ramdisk Driver*, disk access is nearly instantaneous.

To point out the benefits, a procedure file named *INIT.RAMDISK* is included. This program formats the RAM disk and copies your current CMDS directory to the RAM disk "/R0." After running this program you can change the execution directory to R0 and remove your system disk. Entering a command such as `MDIR` will invoke an almost immediate response.

The *OS-9 Ramdisk Driver* was used with several programs, including Lantz's *Databank* and Spectrum's *OS-9 Solution*. It's like the difference between night and day as far as execution speed is concerned.

If you're anticipating mass production of disks, and can't afford a \$30,000 duplicator, *ThunderDupe 2* is your salvation. By using the *Thunder RAM* as a buffer for the master disk, up to four disk drives can be used as slaves for duplication. For 35-track, 30 ms drives, each copy takes about 45 seconds, including formatting!

A configuration program is included that allows the selection of:

- 1) Number of tracks
- 2) Drive speed
- 3) Normal or picture disks
- 4) Number of slave drives
- 5) Optional formatting

ThunderDupe 2 was tried on several different programs and worked like a charm. After loading the master disk into the *Thunder RAM* buffer, you are prompted to insert the blank, or formatted, disks into the slave drives, depending on your configuration.

During the process of duplication the status of your copies is displayed. If an I/O Error is encountered you are notified, but the duplication process does not stop. An audible beep alerts you to the fact that all of the copies are complete. You are then given the option of whether to make more or quit.

I only had two drives, but *ThunderDupe 2* is capable of handling four drives. If you are planning to make a lot of copies, this program is for you.

Who knows what's next for *Thunder RAM*, but if the rest of the programs are as good as the first two, we can look for some interesting software in the near future.

(Spectrum Projects, P.O. Box 21272, 93-15 86th Drive, Woodhaven, NY 11421, *ThunderDupe 2* \$24.95 plus \$3 S/H, *OS-9 Ramdisk Driver* \$24.95 plus \$3 S/H)

— Dan Downard

* PERSONAL BOOKKEEPING 2000 * WHAT OTHER PERSONAL BOOKKEEPING SYSTEM HAS ALL THESE FEATURES?

Quick-and-easy data entry — use day-to-day.
LOGICAL abbreviations for data entry — no special symbols.
ON-LINE help for data entry.
"INTELLIGENT" data entry minimizes keystrokes and rejects illogical keystrokes and entries.
CHANGE data at any time as easily as new entries.
45 accounts; user-definable expense categories.
CASH and credit card expenses easily entered.
Separate record of extraordinary expenses.
Monthly and yearly printed reports.
COLOR graph compares expenses.
Monthly table of expenses compares last 4 or 8 months and shows % changes.
Yearly report itemizes expenses, totals taxed and non-taxed expenses and income, prepares reports of interest on accounts and sales taxes on expenses.
DUPE latest entries in seconds (needs 2 drives).
Complete printed report of all accounts.
BALANCE checkbook in minutes.
SEARCH file by transaction, expense, check number, payee or note.

"Personal Bookkeeping 2000" is a powerful program that is user friendly. It provides the user with a wealth of information." *The Rainbow*, October 1985, Page 195.

Requires 32K ECB with disk drive and printer.
\$39.95 plus \$1.50 shipping
AMD-T-STANDANCERS, INC.
762 Brady Avenue
Bronx, New York 10462



Hint . . .

Recovering Fast Cassette Saves

I read Mr. Bourgeois' letter in the February 1985 issue about saving programs with the speed-up POKE. This happened to me once and I tried several things to get the program back. Here is a method that works:

```
POKE 143,8:POKE 149,24:POKE 145,4:CLOAD
```

This will load BASIC programs saved at high speed back into the CoCo so that a normal save can be made. I hope this helps the many people who have made this (formerly) fatal error.

Ryan Devlin
Louisville, KY

EDOS 2.6 ROM Adds Useful Features To Disk BASIC

By Tom Carl

Few who have worked on other computers have not wished once in a while that our CoCo had a certain feature seen elsewhere. A Canadian firm, Micro Computer Services, has recently issued an enhanced version of Disk Extended Color BASIC 1.0, which just might have some of the features on your wish list.

EDOS 2.6 ROM is shipped on a ROM that must be installed in your disk controller. It not only offers a nice selection of new features, but also corrects some annoying bugs in Disk BASIC. Auto-line numbering, print spooling, on-error trapping and repair of the bug that causes data loss from buffers during certain file-close procedures are, in my mind, the most important elements of this new product. But this is by no means the whole story.

To use features of this new ROM, one must have a 64K Color Computer, disk drive and a controller manufactured to work on the TRS-80, such as the J&M disk controller or Radio Shack's own controller. It comes in a 24-pin version, though a 28-pin version can be specially ordered should your controller require it. The EDOS 2.6 ROM can be updated with later versions at a cost of 20 percent of the original cost to you, and you can even have it customized in certain ways, provided you file your registration card, which gives a warranty of 30 days.

The manual is well-organized and gives very adequate instructions for installing the ROM and using each of the new features. Compatibility with Disk BASIC has been kept very high by using much of the original instruction base and inserting jumps out to addresses just beyond Disk BASIC, where the new features are efficiently coded.

Programs that auto-load above 5D800 in 64K RAM mode are the most likely to give you compatibility problems (*Elite*Calc* 64K version is one of these). Appendix A of the manual contains a program you can type in and store on disk that will restore EDOS 2.6 ROM back to Disk BASIC just before you start using programs that are not compatible with it. After using such a program, cold starting will bring the full EDOS 2.6 ROM back into use automatically, which is the main advantage of having DOS modifications stored in a ROM instead of on a disk that constantly has to be reloaded. This restore program can even be made a part of the incompatible program, so its use could also be transparent.

Installation is relatively easy. A small screw driver, a small amount of care and a small amount of patience are the only requirements. The controller comes apart, generally through releasing just one screw. Finding the ROM chip is no problem, and one can remove it with the small screw driver used as a pry on each end. The new chip goes in just about as easily, though be sure all legs of the chip are started in their holes before applying any pressure. The manual gives good step-by-step instructions and the necessary cautions.

When you come up with the EDOS 2.6 ROM, you are greeted with a new sign-on logo, and the OK prompt of Disk

BASIC is replaced with READY. Should you experience trouble at this point, there is a phone number in back of the manual to call for help. Except in the unlikely event of erasure of the ROM in shipping and handling, there is little that can go wrong provided you use the required care in installation.

EDOS 2.6 ROM sets the number of tracks at 40 as default for DSKINI and BACKUP, sets the default Baud rate to 1200 instead of 600 and initializes an error routine that gives an audible bell tone and full explanation error printout. In addition, about a half dozen bugs in Disk BASIC are automatically repaired and four little convenience sophistications are added to I/O commands (my favorite is one that warns you during a SAVE command there is already a program on the disk by that name). The rest of the new features are invoked by the user through typing one of the new commands, which are: AUTO, COLD, DIS, DOS, DPOKE, ERROR, HIDE, MRUN, NSPL, OLD, RAM, RST, SPL, WAIT, TRACK, MOD and DPEEK.

The 40-track default can be changed back to the 35 standard through use of the TRACK command, so your old disks will read just fine. Appendix B has a program you can type in that will modify 35-track disks to 40-track without affecting the data already on the disk. All new disks you initialize with the TRACK value set at 40 will have the extra five tracks immediately.

The new HIDE command puts a copy of the disk directory on Track 37 as a guard against *destroying* the directory. RSTore command recovers the directory from 37 and puts it back on Track 17 should you need such help.

The DOS command operates just as the Disk BASIC 1.1 command does, except it has an extra gimmick permitting you to say DOSXX, with XX specifying the track where the DOS routines are written (normally this always defaults to Track 34, as it does with EDOS 2.6 ROM, if you specify no track). For those with 1.0 BASIC or those who have never used their DOS feature of 1.1 BASIC, you are in for a real treat because this feature puts a boot-up command processor at your disposal. Many of the annoying commands can be eliminated that normally have to be entered by hand each time you start your system. EDOS 2.6 ROM extends this beautiful idea by letting you choose any of several such command strings to bring up your system.

The SPL command converts the unused 32K of RAM into a spooler or buffer for printing. This permits release of the material being printed at a rate much faster than your printer can handle; this data is stored in the spooler until your printer can handle it. The advantage is that you can begin using the computer for other work while the spooler finishes the printing automatically. The NSPL command disables the SPL command in cases where you wish to use the extra 32K RAM for other purposes.

DPEEK and DPOKE let you see and modify two consecutive addresses in memory at the same time, which is an operation many will have little use for, but there are a number of times when this can be a big time saver for some people.

MOD (short for modulus) is a handy instruction that has been around in computer languages for a long time. It is not a necessary instruction since it can be imitated in any language with three normal instructions, but it is handy. $A = \text{MOD}(X, Y)$ will return in 'A' an integer that is the remainder after having divided 'X' by 'Y'.

MRUN is another convenience instruction allowing you to load and run a machine language program with one

instruction, as RUN does for a BASIC program.

Those who change their minds as often as I do may find the OLD command handy; it restores a program erased via NEW.

If you are going to write programs commercially, one of the real musts is an on-error command. ERROR 5000 is an EDOS 2.6 ROM command that turns on error branching so every run-time error that occurs will sound a tone, print the full error message, then branch to Line 5000 where the programmer can process the error. This is the only command I found myself wishing had been implemented differently. I prefer the system to put the error number in a variable and the line number in a variable, then pass control directly to Line 5000 for handling, so that I, the programmer, could decide on what I wanted the user to see on the screen. Through use of various peeks, EDOS 2.6 ROM lets me see what error occurs and where, so I can still accomplish some of the things I want to do in recovery, but I didn't like the idea of having the screen messages forced on me.

WAIT is another command very handy for programs destined for the commercial market. X=WAIT("ABC") works like an INKEY\$ command, but it will accept as an answer only an 'A', 'B' or 'C'. Any other responses leave the user looped. If 'B' is pushed, the variable 'X' is set equal to two so the programmer can take appropriate action.

The AUTO command lets you specify where to start numbering and what increment to use, which is a better implementation than some AUTO functions I have seen. Plus the fact that all keys will repeat when you hold them down, I found this function is a very nice addition for supporting the overworked programmer.

Overall, I was impressed with the nice attention to detail and the smoothness of operation of the many enhancements. Micro Computer Services offers customizing of their EDOS 2.6 ROM chip, including adding other features, as well as fixing the sign-on logo to put your name up in lights, so you might want to ask them what it would cost to include other enhancements.

(Micro Computer Services, P.O. Box 1001, Angus, Ontario, Canada 10M 1B0, 5100)

One-Liner Contest Winner . . .

This one-liner, *Circname*, takes your name (or whatever word you type) and uses it as the basis for a unique circle pattern.

The listing:

```
Ø CLS:INPUT"NAME";N$:PCLS:FORT=1
TOLEN(N$):A=ASC(MID$(N$,T,1)):PM
ODE3,1:SCREEN1,1:CIRCLE(1Ø+T*2Ø,
96),A-31:PAINT(1Ø+T*2Ø,96),RND(4
),4:NEXT:EXEC44539:GOTOØ
```

Fr. Tom Schmidt
St. Louis, MO

(For this winning one-liner contest entry, the author has been sent copies of both *The Second Rainbow Book Of Adventures* and its companion *The Second Rainbow Adventures Tape*.)

Young Writer's Notepad — A Simplistic Word Processor

By Kenneth D. Peters

With the kids back in school, there is one more "notepad" you might consider — *Young Writer's Notepad*, from Middletown Educational Software Association (MESA). It is a word processing program designed to be easy enough for kindergartners to learn and use, yet versatile enough for fourth graders to be creative. Network users and teachers may also use it as a flexible, creative tool in just about any area of elementary education, from spelling and writing to math. This program may even be a fun introduction to the keyboard and word processing for preschool children. It has single key selections for printing documents on an attached printer in one of three modes/styles and for typing on the screen in any one of three colors.

Young Writer's Notepad is not a sophisticated word processor like *Telewriter-64*, *VIP Writer* and others of that caliber. It wasn't meant to be! As the name implies, the program is intended to be understood and used by "young writers" in grades K-4. I think it does an admirable job in holding kids' interest and in being so readily understood. When my kids use the other word processors I have, they come running to me constantly to help them do this or that. There is too much for them to remember when using more complex word processors. *Young Writer's Notepad* is simplicity. My kids, age 6 and 8, have learned how to use it to produce notes, letters and math worksheets completely without my help.

Young Writer's Notepad is written in BASIC, so you simply type RUN "NOTEPAD" (after loading either from disk or tape) and turn on the printer. After the initial title/copyright page, the screen is cleared and a solid non-blinking red cursor appears in the upper left of the screen and you can begin typing.

Young Writer's Notepad has its own graphics characters. The characters are large and easily read by young children (three-quarters inch high and three-eighths inch wide on a 13-inch TV), and include the full upper- and lowercase set as well as the numbers and special characters on the keyboard.

Being written in BASIC and having to form its own characters, the program has a relatively slow typing capability when compared to other word processors. Still, a young writer can type approximately 20 words per minute before getting ahead of the computer and losing characters. If you can use the high speed poke on your computer, you can increase that speed to between 30 and 40 words per minute.

In the simplest case, the child can type eight lines of text containing 16 characters per line, all on the first page/screen. If he reaches the bottom right-hand of the screen, a new page appears. There are a total of 16 pages available for use on a 32K machine (approximately 2K).

You can "change pens" while typing and type in a different color by pushing the '@' key. You are given a choice of three colors, yellow, blue and red. Initially, yellow characters appear on the screen's green background. Pushing '@' the first time gives a screen containing a yellow box, a blue box and a red box. Choose a color by moving

an arrow up or down to the colored box of your choice. Pushing '@' again returns to the document and characters appear on the screen in the selected color. This feature might be useful in applications such as writing, spelling or math worksheets where the problems are made up in one color and the changes or answers can be typed in another color to be easily recognized and checked. When you decide to print the text, simply push ENTER.

Pushing ENTER gives the "print" menu. Here you have four choices. There are four yellow boxes and an arrow. The arrow points to the first yellow box, which is empty, indicating that no printing is to occur. If you push ENTER the first time by mistake, pushing ENTER the second time will return to the document. The other three boxes contain black lines of varying lengths (short, medium, long) to indicate the type of printing desired. The first mode (short line) gives a print line 16 characters wide, centered on the line and in expanded/double-wide format. The text is printed exactly as it appears on the screen (what you see is what you get). The second mode (medium line) is 32 columns wide, centered and expanded, but the text is checked and adjusted to prevent splitting of words between lines. The last mode provides 64 characters wide in normal print (not expanded).

Editing of text in the simplest form consists of scrolling through the document using the four arrow keys and typing over the areas that need correction. Insert and delete functions are also available by using the SHIFT and right-arrow keys and the SHIFT and left-arrow keys. My kids usually corrected their mistakes on each page as they went along. Generally, the insert and delete capability would be used by more advanced users.

Advanced users also have additional features available. Pushing SHIFT and CLEAR brings up a special function menu where you can save and load documents on tape, save/load documents on disk (or send/receive through network, if you have this configuration), erase a document in memory, set the high speed poke (if your computer can handle it), return to the document, end the session or view online help screens. A disk index card is provided where you can keep a reference list of files/documents created on a particular disk. With the online help screens provided, you probably won't need the documentation. A help screen is provided for just about any available function with the stroke of a key, and you can return to your document at any point in the help pages.

The program was originally written for "network" users, using several CoCos tied together with a host and Radio Shack LP VIII or DMP-200 printers, and was then modified for individual home use. I did not have an opportunity to test the program under network conditions, as our school system does not use CoCos.

Aside from a couple of minor typos and one erroneous statement (which should be corrected in the near future), the excellent 15-page documentation thoroughly discusses network use and individual use. It provides a good description of all facets of the program and includes some good suggestions for applications.

The documentation says the program contains codes that are consistent with Radio Shack dot-matrix printers. This is not correct! Not all Radio Shack printers use the same codes for expanded (double-wide) characters. Therefore, if you don't have an LP VIII or DMP-200, you will probably have to substitute your printer's codes to turn expanded mode on and off in lines 960 and 1190.

In addition, most other users will have to add a line setting the Baud rate of the computer to your printer and selecting "emphasized or double-strike mode" to enhance the print quality of the document, if desired. These are easily added to the BASIC program and any other changes can be tailored to your individual needs. Printer codes and where to put them is probably the only major fault of the documentation and program. But, if there are problems you can't resolve, you are instructed to contact MESA and they will try to help. They also have a 30-day, money-back satisfaction guarantee.

I might make only one other suggestion. It is possible to erase a page in memory by pushing CLEAR while the cursor is in the "home" position (upper left of screen). It is also possible to scroll through your document and push CLEAR by accident, consequently losing your page. A prompt would be beneficial at this point to be sure you really want to delete the page.

If you are using a "network" of CoCos in your educational system, I highly recommend trying *Young Writer's Notepad*. There are many useful applications of this program in the educational environment, and young children appear to be quite comfortable using it. Outside the network environment, parents should find *Young Writer's Notepad* a good addition to the home library. My kids found *Young Writer's Notepad* easy and fun to use. I'm sure just about any young writer will find creation of his "masterpieces" just as easy and enjoyable through its use.

(MESA, Middletown High School, Valley Road, Middletown, RI 02840, 32K ECB tape \$20, disk \$22)

STOCK & FUND INVESTING with the TRS-80* COLOR COMPUTER USE FUNDGRAF AND FUNDFILE

FUNDGRAF is a stock market analysis program that not only graphs and analyzes funds or stocks, but also makes decisions on when to BUY and SELL. Improve market timing using your COCO.

GRAPHS fund's progress (up to 200 weeks), SUPERIMPOSES for comparison a line of constant percent growth or a graph of any other fund (or stock). CALCULATES over any time span: the percent price change and the moving average (any span). INDICATES BUY and SELL signals. FUNDGRAF requires 16 K ECB min.

16/32 K Tape \$49.95
16/32 K 5 in. Disk \$69.95
ADD \$2 handling on all orders.



FUNDFILE is a portfolio and account management program for securities. Manage single or multiple portfolios of stocks, mutual funds, bonds, money market funds, etc. FUNDFILE allows easy maintenance of all your records for accurate portfolio evaluation. NEW 32K VERSION of FUNDFILE summarizes all transactions (dividends, interest, purchases and sales) between any two dates of your choice - weekly, yearly, etc. Categorizes interest and dividends paid us to tax liability (tax free, etc.) and capital gains as long or short term. Great for tax reports.

FUNDFILE REQUIRES 16 K ECB min. and 80 COL PRINTER.
5-in. Diskette only for 16 K ECB \$27.05
5-in. Diskette only for 32 K ECB \$37.05
ADD \$2 handling on all orders.



Write for free brochure for details. Dealer inquiries invited.

**PARSONS SOFTWARE, DEPT. G
118 WOODSHIRE DRIVE
PARKERSBURG, WV 26101**

Live The Tycoon's Lifestyle With *Corporation Plus*

I think almost everyone would like to be able to make money by playing the "market" or buying investment property or gambling on long shots at the track. Unfortunately, for most of us, these activities have a very high admission price and we can only read about such lifestyles in the "fast lane." Now, for those of us lucky enough to own a Color Computer, there is a new game available that allows us to have fun playing the role of tycoon.

Corporation Plus is a board-style game designed for fast play in the world of high finance. We are talking millions here, folks — the numbers used in the game situations have so many digits they are almost hard to read.

Corporation Plus is modeled loosely after the popular board game "Monopoly." In *Corporation Plus*, one to seven people play to become the first billionaires (or the last to go bankrupt). Like "Monopoly," you lose or gain capital from situations that occur as you move around the board. Unlike "Monopoly," you move about a color maze on the computer screen; this maze is lined with a series of colored sections (32 in all). The color of the section indicates the type of action that can take place.

The corporations that can be purchased and developed are a hospital zone, a hard luck zone, a lottery square, a

city hall, etc. Because of the limitations of the Color Computer display, the color sections are not labeled and you must rely on color association to indicate the type of square on which you land.

The advantage of playing a game like this on a computer is its ability to keep track of your wealth (or lack of it) — no need to appoint a banker, sort the play money and keep track of the ownership deeds. All financial transactions are handled by CoCo and the player is prompted for various decisions (buy, sell, etc.) as the game progresses. The computer also rolls the dice and automatically moves your token. The game plays fast and is a lot of fun.

The instructions for *Corporation Plus* come on tape. They are an excellent description of the game, but they are not very convenient to refer to during play. This could, in some instances, create a problem since the game does not have a "save" feature. Another minor problem I had with the instructions is the appearance of several misspelled words. In my mind, this is almost unforgivable in a game likely to be played by children.

Both the instructions and the game are auto-loading. Because of the complexity of the game, it takes about three and a half minutes to load and requires 32K of memory. No joysticks are needed; all input comes from the keyboard.

Corporation Plus is not a true simulation of the stock market or the world of business. Almost all of the action in the game, with the exception of the decision to buy or improve a corporation, is determined by random events. But, this doesn't detract from the game. It is a fun game to play and represents a welcome variety in game software available for the Color Computer. If you are a board game fan and like to play tycoon, you may want to try this program. With the exception of the problems I mentioned about the instructions, I believe this is a very good piece of software.

(DiamondStar Software, P.O. Box 21580, St. Petersburg, FL 33742, 32K ECB, tape \$24.95 plus \$2.50 S/H)

— Tom Szlucha

E.T.T. Electronic Typing Teacher by CHERRYSoft

Learning to type the right way can save you hours of tedious work when entering programs into your CoCo, and this is just what ETT was designed to do. Devote a little time every day practicing with ETT and before you know it you will be typing with confidence. Entering those programs will no longer be the chore it use to be.

ETT's video keyboard lets you practice with all the keys labeled, all the keys blank or only the "home" keys labeled. The visual cues guide you while you learn to type without watching your fingers. ETT shows your accuracy, response time, and words per minute. You will quickly see that you are improving with practice.

With the sentences provided by ETT learning to type can be fun. Over 1000 variations chosen because they include every letter in the alphabet. You can also create your own practice sets. This outstanding program was written by a certified teacher and professional programmer and comes with a ten page student manual-study guide. Requires 16K Extended Basic.

Cassette **\$24⁹⁵** FREE SHIPPING Disk **\$29⁹⁵**

ETT is being used in schools throughout the U.S.
See ETT at your favorite dealer or order direct.
DEALER INQUIRES INVITED

 **CoCo
Warehouse**

Where Shopping By Mail is "USER FRIENDLY"
500A N. DOBSON - WESTLAND, MI 48185
Phone (313) 722-7957

One-Liner Contest Winner . . .

Here's a one-liner for ham radio operators and other electronics enthusiasts. This program figures the sizes and spacing of the elements of a delta loop antenna.

The listing:

```
Ø CLS:PRINT" DELTA LOOP ANTENNA
DIMENSIONS":PRINT:INPUT"XMIT FR
EQ. IN MEGAHERTZ";F:D=(1ØØ5/F)/3
:R=(1Ø3Ø/F)/3:SP=(3ØØ/F)*.17:PRI
NT"DIRECTOR=":PRINTD"FT. PER SID
E":PRINT"REFLECTOR=":PRINTR"FT.
PER SIDE":PRINT"APROX. SPACING B
ETWEEN ELEMENTS="SP"FT."
```

Timothy Johnson
Tulia, TX

(For this winning one-liner contest entry, the author has been sent copies of both *The Second Rainbow Book Of Adventures* and its companion *The Second Rainbow Adventure Tape*.)

Let CoCo Set A Party Mood With *Christmas Fantasia*

Speech Systems has come out with a delightful program for the Christmas season. *Christmas Fantasia* comes in two versions: one for disk and one for tape systems. Both require 64K and will support an optional Stereo Pak for enhanced sound reproduction.

Christmas Fantasia has 11 songs and 13 graphics screens that will help create a festive mood for any Christmas get-together. When *Christmas Fantasia* loads, you are asked to reset until the correct color appears. After that, the program is totally self-running.

As the tape or disk loads in, viewers are greeted with colorful Christmas pictures drawn in Hi-Res graphics, such as poinsettias, Frosty the Snowman, Santa Claus and Rudolph the Red-Nosed Reindeer, a band of carolers and other holiday scenes. After the picture loads, the program plays an accompanying yuletide song. *Christmas Fantasia* is an excellent program for those popular Christmas parties. Instead of just letting your little CoCo sit in the corner, give it a present by letting it show off to all of your friends.

The tape version of the program goes to the end and then needs rewinding. The disk version needs no rewinding; it simply repeats all 11 songs until you tell it to stop. If you have ever had any guests in your home say "Gee, what does that thing do?" in reference to your CoCo, invite them over for the holidays this year and show them a computer can be the "life of the party."

(Speech Systems, 38 W 255 Deerpath Rd., Batavia, IL 60510, cassette or disk \$24.95)

— Jim Sewell

Hint . . .

FCC Patch for Disk *EDTASM*

I recently purchased Radio Shack's Disk Editor/Assembler package and found some of its functions to be very useful, but I miss the features Roger Schrag has added to the cartridge version of *EDTASM+*. I have added one of his changes, the "FCC print" patch, to Disk *EDTASM* as follows:

- Start up Disk *EDTASM* and enter ZBUG.
- Enter 'B' for binary mode.
- Type 3C04/39 and ENTER to apply the patch.
- Type PD EDTASM+ 1600 4A7F 1600 and ENTER to save the new version to disk.

To execute the new version, run the DOS program in the usual way and specify *EDTASM+* instead of *EDTASM* on the Execute menu. This patch changes the way *EDTASM* handles the FCC instruction, so those long lists of Hex codes are no longer printed.

Glenn R. Beck, Jr.
Lebanon, PA

THE COLORSOFT® BUSINESS SYSTEM

QUALITY BUSINESS SOFTWARE FOR THE
COLOR COMPUTER SINCE 1982

SAMPLE TRANSACTIONS INCLUDED

USER FRIENDLY AND MENU DRIVEN

SMALL BUSINESS ACCOUNTING This sales-based accounting package is designed for the non-accounting oriented businessman. It also contains the flexibility for the accounting oriented user to set up a double entry journal with an almost unlimited chart of accounts. Includes Sales Entry, transaction driven Accounts Receivable and Accounts Payable, Journal Entry, Payroll Disbursement, and Record Maintenance programs. System outputs include Balance Sheet, Income Statement, Customer and Vendor Status Reports, Accounts Receivable and Payable Aging Reports, Check Register, Sales Reports, Account Status Lists, and a Journal Posting List. . . . \$59.95

ACCOUNTS RECEIVABLE Includes detailed audit trails and history reports for each customer, prepares invoices and monthly statements, mailing labels, aging lists, and an alphabetized customer listing. The user can define net terms for commercial accounts or finance charges for revolving accounts. This package functions as a standalone A/R system or integrates with the Small Business Accounting package. . . . \$49.95

PAYROLL Designed for maintaining personnel and payroll data for up to 200 hourly and salaried employees with 8 deductions each. Calculates payroll and tax amounts, prints checks and maintains year-to-date totals which can be automatically transferred to the SBA package. Computes each pay period's totals for straight time, overtime and bonus pay and determines taxes to be withheld. Additional outputs include mailing list, listing of employees, year-to-date federal and/or state tax listing, and a listing of current misc. deductions. Suited for use in all states except Oklahoma and Delaware. . . . \$49.95

All programs require a printer and a minimum of 32K and 1 disk drive but will take advantage of 64K and 2 drives. Each package features a hi-res 51 x 24 black on green screen.

INCLUDE \$5.00 Shipping/Handling Per Order.



BRANTEX, INC.
P. O. Box 1708
Greenville, Texas 75401

TELEPHONE ORDERS
(214) 454-3674
COD/VISA/MASTERCARD

Microartist — Graphics For The Computer Artist

CoCo is a powerful computer that can do the business work, but CoCo is also fun and that means graphics. Graphics are what the *Microartist* is all about. Try a circle in your graphics screen and move it higher, lower, left or right without thinking about the syntax of those wonderful BASIC graphics commands.

The disk version comes with a non-copy-protected diskette and five pages of instructions. The diskette contained the Artist program, two utility programs (stripes and convert) and four pictures. System requirements are 32K disk or cassette and Extended BASIC with mouse or joystick. The documentation recommends the use of a mouse with this program. I used both a mouse and joystick; the mouse was easier to work with on intricate designs.

Microartist is child's play. The program is executed from disk by typing RUN "ARTIST". The screen comes to life with a title page and pressing any key produces the menu screen. The menu presents 16 functions, called "modes" by the documentation: rectangle, line, ellipse, circle, rhombus, pencil, eraser, paint/texture, spray paint, zoom, get/put, view screen/print, save file, load file, erase screen and text. Move the blinking cursor to the mode you want and press the firebutton to enter that mode. To change modes, move the cursor to the upper left-hand corner of the graphics screen and press the firebutton; the menu screen will reappear.

STRING VARIABLE EQUATION SOLVER -- A "FIRST" IN MICROCOMPUTERS --

What is it??

It is a program in which YOU put ANY equation that YOU want solved, such as:
 $(A * N / B) + 2X = F + Y$

Then YOU put in what YOU want solved for such as "N".

Then your computer solves the equation and gives,
 $N = B * (F + Y - 2 * X) / A$

WOW, A GENUINE EQUATION SOLVER.

For students, technically minded & those who want to show their computers "brains".

M F ESTES SOFTHEAD co.
PO Box 335
Elba, N.Y. 14058

JUST \$49.00 plus \$3 shipping & handling

Create a picture by selecting one of the first six modes, which produce graphic shapes (circle, line, ellipse, rhombus, rectangle and pencil). Move the cursor to the place on your drawing you want to put the shape and press the firebutton to anchor the shape, then move the mouse around to shape and size the figure. When the firebutton is released, the figure becomes a part of the graphics page.

The paint/texture, spray paint, zoom, text and get/put functions are used to add richness to your creation. The paint/texture function is the most complex function in the program. To paint, move the cursor to the part of the figure you want to paint and press the firebutton. The cursor will disappear and wait for you to enter two digits (00 to 99) from the keyboard. The paint function fills the enclosed area with one of 100 different choices. Solid colors are 00-03 and striped combinations are 05-99.

Texture is a feature that functions similar to paint except it only paints down from the cursor position. Texture produces patterns and takes three inputs from the keyboard. A wide variety of patterns is available using texture. Texture does not paint around objects as easily as the paint function does, therefore, several tries may be necessary on a complex figure.

In the zoom mode a box about two inches square becomes the cursor and moves around the screen. When the firebutton is pressed, the area in the box is enlarged to a full screen and the cursor becomes a box one pixel in size. You can change any pixel by moving the cursor over it and pressing the '1', '2', '3' or '4' key. With this function you can repair any part of a picture.

There is a text mode for typing text on your graphics screen in four sizes. The view screen/print mode saves your creation. The documentation lists five printers that are supported: Gemini-10, Gemini-10X, Epson MX80, LP VIII and DMP-200. I used an Epson MX80 and got fine graphics prints. The printer drivers are in BASIC, and you can experiment with other printers.

There are two features that are uncomfortable to me. The get/put function has only one put for a get. I prefer a get that can have multiple puts. In trying to make a pile of rocks from a circle, multiple puts are a plus. The paint and texture choices cannot be viewed from the main program. You must run the utility stripes to view your choices and record the numbers for input into the main program. *Microartist* gives what it promises. It is not the equal of *CoCo Max*, but at one-third the price it gives a good value.

(Prickly-Pear Software, 2640 N. Conestoga Ave., Tucson, AZ 85749, tape \$24.95, disk \$29.95)

— John W. Robinson

NEW LOGIC 200 'Links in History'
#9 PARTHENON PERIL
A gruelling test of knowledge, and resourcefulness. Restore the ravaged PARTHENON and the peoples faith, to meet the encroaching Roman threat..Hi-res Graphics..true sentence structure ..people and world in constant flux..no gimmicks ..no magic words...not just a game. A UNIVERSE...64K disk required
\$29.95
Cheque
or M.O.

Stratton Industries
200 Madison Ave. 5.
Kitchener, Ont. N2G 3M8

Super LOGO: A Must-Have For Child Computer Education

Super LOGO is an expanded version of Radio Shack's original Color LOGO. I already have Color LOGO, and my three grammar school kids use it at home and in school.

There are books, columns, magazines and clubs with information about LOGO. It's a graphics oriented learning language where kids of all ages easily pick up math concepts and computer logic, while "just foolin' around."

Super LOGO has been upgraded to include list processing, decimal math, interactive programming and animation possibilities. Other improvements are a more sophisticated editor, the addition of duplicate commands for syntax compatibility with other variations and better disk features.

Most of what you learned in Color LOGO is carried over. We'll still use Break, Edit, Run and Doodle modes. Variable "turtle" shapes and multiple turtles are carried over along with all the old commands.

We still have a complete manual. It's grown to 192 printed and illustrated pages. I call it complete because everything is clearly explained step by step, with examples and lots of suggestions and tips for parents. The manual is well-organized with a table of contents, logical chapters, an index and a summary of all commands.

Let's look at the new features. List processing lets you teach the computer English words and program a response. You'll also be able to manipulate text on the screen and label your output. The manual suggests an interesting word game where words are put into a sentence at random. Nested lists are not included.

Our original LOGO lets you pass a value from a main procedure to a subroutine. Super LOGO allows you to send data to a subroutine for processing and return the new value. That's similar to processing allowed in higher level languages like FORTRAN and COBOL. You can write your own math functions. If this sounds complicated, there are several examples in the manual.

We still don't have a floating decimal, but Super LOGO does handle decimal arithmetic.

Super LOGO is now interactive. That is, it'll ask for and accept input from you at run time. It accepts input from the keyboard or joysticks.

Hint . . .

More about Moire Patterns

While playing with the program "Creating Moire Patterns in PMODE 4" (October 1984, Page 18), I discovered that if you change lines 90, 100 and 110 in Listing 4 to read as follows

```
90 A=A-V1
100 B=B-V2
110 X=X-V3
```

you will get a spectrum in the familiar order of red, orange, yellow, green, blue, indigo and violet.

James Darrin McDougald
Mt. Home AFB, ID

The Editor is more sophisticated in that it now provides search and line erase features. You can also change the Baud rate of output to your printer. Speaking of printers, Super LOGO now provides a screen dump to your dot-graphics printer.

One of the frustrations of the original Color LOGO was that some published programs were in various dialects of LOGO that wouldn't work with our version without some translating. Most of those "foreign" terms have been included in Super LOGO so you can copy and run programs from most other versions. I checked that against programs in back copies of "Turtle News" and didn't find any programs that wouldn't work now.

Some other new commands are TRACE (like BASIC), ECHO (sends output to both screen and printer) and full graphics or text screens to eliminate those lines at the bottom of your beautiful procedures. I also checked to make sure the kids' old procedures would still run in Super LOGO — no problems.

The disk operation has been improved by adding a directory (it'll work on your old disks, too), partial saves and merge. You still have to go out to BASIC for other disk features.

LOGO is a must-have if there are kids around, and Super LOGO is, in fact, super! I assume they'll be offering the upgrade to all of us far-sighted owners of Color LOGO — I sure hope so; I want it!

(Tandy Corp., available in Radio Shack stores nationwide, \$99.)

— Bob Dooman

BASIC COMPILER

WASATCHWARE believes that users of the Color Computer deserve the right to use all 64K of RAM that is available in the computer, and have fast machine language programs that use the full potential of the 6800 microprocessor. That is why the BASIC compiler, called SB-BASIC, was developed. Here are some of the reasons that make this computer one of the best bargains in this category:

- Programs can use all 64K of RAM for either program storage or for large numbers of variables and arrays like A(20000)
- Full Floating Point arithmetic expressions with functions
- SMOOTH TIME and CALL commands allow for structured programming and more independent program development
- Full sequential and direct access disk files allowed
- BASIC source and M.L. output I/O to disk, tape or memory

COMMANDS SUPPORTED

1. I/O Commands					
CLOSE	CLOADN	CRAYEN	DIR	DRIVE	DSKIS
DIRDB	FIELD	FILES	GET	INPUT	KILL
LIST	OPEN	PRINT	PUT	RSET	
2. Program Control Commands					
CALL	END	EXEC	FOR	STEP	NEXT
GOSUB	GOTO	IF	THEN	ELSE	ERROR
ON..GO	RETURN	STOP	SUBROUTINE		
3. Math Functions					
ABS	ASC	ATN	COS	CVN	EOF
EXP	FIX	INSTR	INT	LEN	LOG
LOC	LOF	PEEK	POINT	POINT	RND
SGN	SIN	SQR	TAN	TIMER	VAL
4. String Functions					
CHR	INKEYS	LEFTS	MIDS	MRNS	RIGHTS
STR	STRINGS				
5. Graphic/Sound Commands					
COLOR	CLS	CIRCLE	DRAW	LINE	PAINT
PCLEAR	PCLS	PLAY	PMODE	PRESET	PSET
RESET	SCREEN	SET	ROUND		
6. Other/Special Commands					
DATA	DIM	LLIST	WOTOR	POKE	READ
NEW	RESTORE	RUN	TAN	VERIFY	DLD
INT	INSHFT	LREG	PCOPY	PMOOD	PTY
REAL	SREG	SWP	VECTD	VECTI	

Tape— \$69.95

Disk— \$69.95 4K REQUIRED

Both— \$74.95



WasatchWare

7350 Nutree Drive
Salt Lake City, Utah
84121
Send check or money order.
No C.O.D. Utah res. add 5% tax. Call (801) 943-6263

Baseball Statistics Package Keeps Stats In Check

Baseball Statistics Package, by Sugar Software, is designed to keep team and player statistics for a baseball team. According to the accompanying manual, it will track little league, high school, college or softball teams. To accomplish this it maintains three different sets of statistics: team, pitcher and opponent.

The team stats are by player and contain their performance in each game by opponent. Numbers include At bats, Hits, Doubles, Triples, Home runs, Walks, Hit by pitcher, Sacrifices, Runs scored, RBIs, Steals made, Steals attempted, Strike outs and Errors. Team summary stats add Batting averages, On-base percentages, Strike-out percentages and Extra-base percentages. In addition, it gives a season total for each player.

Pitchers' stats are also by game and include Number of innings, Runs scored, Earned runs, Hits, Strike outs, Walks, Hit batters and Win-loss-save.

Opponents' stats include Total at-bats, Hits, Doubles, Triples, Home runs, Walks, Hit by pitch, Sacrifice outs, Runs, Stolen base attempts, Stolen bases made, Strike outs and Errors.

The software is menu driven and allows options to start new stats and continue adding stats for team, pitcher and opponent. There are also options to review and correct existing entries and to print out the various statistics.

In general, *Baseball Statistics Package* provides a computerized record of a team's statistics. However, most of these statistics are numbers that would be recorded by the team statistician anyway, so the question really is, "What does this program do that makes it worth buying and justifies the extra work of sitting down at my CoCo and entering all the data the statistician has already entered into the record books?" For me, it would have to provide several features that would save more work than is required to enter the data.

I teach systems analysis and programming, and some of the things I stress are that systems and programs should do all calculations (computers are good at that), they should help the user reduce errors and minimize the amount of entries a user has to make. Using these criteria, let's see how *Baseball Statistics Package* shapes up.

As far as doing calculations, *Baseball Statistics Package* calculates several averages (previously mentioned) and seasonal totals by player and team. It gets a passing grade here.

However, when it comes to reducing errors, *Baseball Statistics Package* falls a little short. It does not seem to do any edit checking on the input. I entered zero hits for a player, then said he had three triples and a home run. The program accepted it and hung on a /0 (divide by zero) error when it started printing out the stats. Since many of these entries could easily be cross-checked against each other, it would be valuable to provide that feature.

The third criterion, reducing the amount of data the user has to enter, also falls short. In entering stats, an entry must be made for every field rather than just those for which there is data. So if, for example, a player has no triples in a game the user must press '0' and ENTER, rather than just pressing ENTER to skip to the next field.

Finally, what could make this package above the rest, would be the ability to use the entries for more than one purpose. For example, why is it necessary to enter the stats for each opponent when the pitcher stats for a game are, for the most part, the same numbers that would be entered for an opponent in any given game? Why not carry over the entries for pitcher stats to the opponent stats, instead of entering them separately? It's this kind of thing that makes a program well worth buying.

To summarize, *Baseball Statistics Package* is a statistics-keeping software package that does as advertised. What does it give you that a stats book doesn't? It gives a much neater printout in several different formats and automatic calculation of all averages and totals.

(Sugar Software, 1710 N. 50th Avenue, Hollywood, FL 33021, \$29.95)

— James G. Kriz

256K FOR LESS THAN \$100.00

EASY SOLDERLESS INSTALLATION
INCLUDES 35/40 TRACK RAM DISK

(Compatible with RSDOS, DOS and ADOS)

THE 256K RAM "BANKER"

J&R proudly announces the "BANKER," a 256K internal board for COCO II or COCO II that can be upgraded to 32K/64K with the addition of 4164 type (if each) memory chips, socketed RAM and memory chips. SAM and memory chips must be socketed for solderless installation. The 26-2136 Korean version COCO II and COCO II with suffix A or B MAY require an adapter, call or write for information. The "BANKER" installs in the SAM (68K/74LS183) socket. The "BANKER" works with COLOR BASIC, EXTENDED BASIC, and DISK EXTENDED BASIC (DOS and ADOS), Cassette or Disk systems.

The "BANKER" was designed to be compatible with ALL hardware and absolutely compatible with any J&R software or hardware addressing.

RAM DISK
requires DISK BASIC

134 GRAPHICS PAGES
IN EC BASIC

Featured in Sept. '85
HOT COCO

40TRK SINGLE SWAP
MULTIPLE COPY
DISK BACKUP
PCOPY 134
BANKRPG

35/40 TRK RAM DISK



256K
MEMORY TEST
RAM DISK WITH
TELEWRITER-64
32K to 192K
PRINT SPOOLER
OS9BTFX

INTRODUCTORY SPECIALS

- \$29.95 BARE BOARD (ETCHED & DRILLED), SOFTWARE and DOCUMENTATION
- \$54.95 BARE BOARD & PARTS, SOFTWARE and DOCUMENTATION (NO MEMORY CHIPS)
- \$69.95 ASSEMBLED & TESTED BOARD, SOFTWARE and DOCUMENTATION (NO MEMORY CHIPS)
- \$99.95 ASSEMBLED & TESTED BOARD, MEMORY CHIPS, SOFTWARE and DOCUMENTATION
- \$24.95 NEW SAM (74LS785) plus shipping and handling
- *74LS783 (old SAM) MAY work, deduct \$15 if you don't want 74LS785 (Except BARE BOARD)

J & R ELECTRONICS

P.O. BOX 2572 • COLUMBIA, MD 21045

Hours: Weekends Noon - 8 pm EST; Weekdays 7 pm - 10 pm EST

(301) 987-0578 or (301) 788-6540

Add \$3.00 Shipping & Handling (FOREIGN ORDERS ADD \$7.00) plus COD charge (if any). Maryland Residents Add 5% State Tax. CHECKS, MONEY ORDERS OR C.O.D.'S Only please (personal checks, 2 weeks for clearance). IMMEDIATE DELIVERY: One COCO Radio Shack model no. 26-3136 Disk or tape when ordering. QUANTITY DISCOUNT AVAILABLE, write us (include SASE please). We value your patronage, most upgrades will be at a nominal fee, customer returns original disk/tape and pays shipping and handling.

Hint . . .

DMP-105 Ribbons

The cartridge ribbon for the Tandy DMP-105 printer is apparently only available from Radio Shack. Ribbon life is rated at one-million characters, but this can easily be extended two- or three-fold.

Gently pry off the top cover of the cartridge and invert the large foam ink wheel. The constant re-inking process can be further enhanced by putting a few drops of matrix printer ink on the foam.

Melvin L. Mauck
Lexington, VA

Venture Into The Past Or Future With *Time Master*

Have you ever wondered on what day the first Fourth of July fell? How about how many shopping days until next Christmas? Would you like to know what your good and bad days are according to your biorhythms? Are you and your mate compatible?

Time Master tells you all of this and more. This program is written in BASIC and is made for a 16K ECB computer. With the calendar and biorhythm sections, you have the option of sending the output to the screen or to a printer. The instructions state that almost any 80-column printer will work.

The program is on cassette, so all you need to do is CLOAD "TIMEMASTER" and, when it is loaded, type RUN. The title screen comes up and you may choose one of the following six options.

- 1) Day of Week - Enter any date and the computer tells what day of the week that it was/is/will be.
- 2) Days between Dates - Enter two dates and find out how many days are between them.
- 3) Calendar - This prints a calendar, on screen or paper, of any months you specify. On-screen calendars are limited to one month at a time.
- 4) Biorhythms - This prints out a chart of your three states, physical, emotional and intellectual, on screen or printer.
- 5) Human Compatibility - Enter two persons' birthdates and learn their compatibility rating, based on their biorhythms.
- 6) Quit - End the program.

After making your selection, follow the prompts on the screen.

The first section, Day of Week, asks for the numerical month, day and year. The second section, Days between Dates, asks for the earliest month, day and year, then for the later date. You will get the number of days between those dates.

The third section, Calendar, asks if you want the output on the screen or printer. After choosing, you are asked for a month and year and the computer will show that month. If you choose a hard copy, the computer will ask how many months you want listed.

The fourth section, Biorhythms, also asks for a choice of screen or printer. Next, the program asks you to enter your birthdate and a current date. The screen changes and the computer tells how many days you have been alive and shows a chart of your biorhythms.

The fifth section, Human Compatibility, asks for two birthdates, the earliest one first. After entering both

birthdates, the computer then compares them, based on how well their biorhythms match (my wife and I got 5.9 on a scale of 1 to 10). We are happily married for 12 years now with two lovely children. We must remember that biorhythms are as scientifically acceptable as astrology.

The sixth section, Quit, allows you to end the program.

All sections of the program accept years in A.D. or B.C. I tried entering a lot of different years; the highest I could go in A.D. years is 3E35, which means a '3' followed by 35 zeros. That's a long time into the future! Would you like to know what day it was on June 8, 5635 B.C.? It was a Tuesday. You can amaze your friends and really stand tall in academic circles!

When I read the instructions, they stated that *Time Master* had "numerous, useful and entertaining, calendar-related functions." I was skeptical at first, but after using the program, I was impressed. There are a couple of things I should mention, however. When you enter the date, be sure to enter the entire year. I made the mistake of entering only the last two digits and was getting the wrong days and monthly calendars. Also, if you use Function 2, be aware that the computer automatically calculates the extra day in leap years.

I recommend *Time Master* for anyone who has some extra "time" on his hands.

(Tothian Software, P.O. Box 663, Rimersburg, PA 16248, cassette \$19.95)

— John Appel

Use your CoCo to control devices and instruments



Learn the simple techniques for putting your computer to work sensing and controlling external events. Construct and use input and output ports, analog-to-digital and digital-to-analog converters to control signals using BASIC programs.

***TRS-80 Color Computer Interfacing, with Experiments**, Book No. 21893, clearly explains interfacing even if you have no experience at it. **\$12.75**

***The Expansion Connector Breadboard, CC-100**, connects directly to the computer for constructing interfaces. **\$29.75**

***The Experiment Component Package, CC-150**, contains all of the parts needed to do the experiments in the book. **\$76.50**

Add \$1.50 per item for shipping, or get all three for **\$105.00** plus \$2.50 shipping.

Virginia residents, add 4% tax. VISA and Master Card accepted. 703-651-3153.

Our new catalog is now available.

PUTTING
HANDS
AND
MINDS
TOGETHER



Group Technology, Ltd.

P.O. BOX 87 • CHECK, VIRGINIA 24072



TRS-80 is a trademark of Radio Shack, a Tandy corporation.



Rainbow Gift Ideas for Happy CoCoing!

see Page 25

Fun Learning For All Ages With Wizard's Math Board

This one surprised my kids, ages 13, 10 and 6; they enjoyed playing *The Wizard's Math Board* even though they know it is an educational program.

The Wizard's Math Board is available on either disk or cassette and runs on a 32K Color Computer with Extended BASIC. For one to four players (ages 10 through adult), it is similar to a board-type game. Movement is based on the computer's random roll of two dice. Money is awarded to each player for correctly answering a problem, with the game objective being to accumulate enough money to purchase three keys. Purchasing the three keys gives the winner the opportunity to try to solve the wizard's final riddle.

The type of mathematical problem — addition, subtraction, multiplication, division or a word problem — is determined by the square on which a player lands. In addition to the mathematical problem squares, there are also several game-related squares: the "pit" (landing here costs you \$75), "lose a turn," "teleport" and 'S'. Landing on the 'S' square allows a player the opportunity to purchase one or more keys, depending on the amount of money earned.

To accommodate players of different ages and skill levels, a menu allows each player to select an appropriate level of

difficulty. At the lowest level, problems use only the digits 1 through 9, the second level uses digits 1 through 20, the third level uses digits between 10 and 50, and the fourth (most difficult) level uses digits between 99 and 999. The menu also allows each player to select one of four bonus levels. The first level awards a player a \$5 bonus if he answers the problem within 30 seconds; the fourth level awards a \$20 bonus for answering the problem within five seconds. (The second and third levels give intermediate bonuses.)

This software arrived (disk version) packaged safely within an attractive, five-page instruction booklet. The instructions are well-written and very complete. Included at the back of the booklet is a Program Evaluation Form, pre-addressed for mailing to the authors.

Every detail of this package, program and manual, is carefully executed. The four difficulty levels allow children to play along with adults, each competing at an appropriate level. Word problems as well as the numerical problems are generated using random numbers (within the selected difficulty range).

The game board is attractive. Each player's move is shown first on dice, then on the board. The correct answer is displayed for problems answered incorrectly. Scores (money accumulated) are displayed for each player.

The manual is well-done — easily read, complete and neatly packaged. (And being a technical writer by profession, I tend to be extremely critical of written documentation.) I was very impressed with this program, with respect to both form (program execution) and content (educational value).

Also included is a price list (with order blank) of the 12 educational programs produced by the Middletown Educational Software Association (MESA). Prices are given for both disk and cassette versions, and additional charges are itemized for networking rights and the license to make copies. Other programs teach keyboard skills (grade three through adult); music composition (grade four through adult); handling money (grades two through nine); counting skills (preschool and kindergarten); letter and shape matching (preschool and kindergarten); addition and subtraction (grades one through six); and word processing.

(Middletown Educational Software Association, Middletown High School, 114 Valley Road, Middletown, RI 02840, cassette \$20, disk \$22 plus \$2.50 S/H)

— Jerry Oefelein

SPRITE GRAPHICS

You can have hi-res (64x192) semigraphics-24 sprites with 8 REAL colors in each sprite (twice as many as Commodore-64 multi-color sprites), smooth scrolling, easy to call from your BASIC program. **SPRITE EXEC** is a 100% machine language program that loads into top of memory and runs transparently in the background to enable the sprites. **SPRITE EDITOR** is a powerful menu-driven, user-friendly graphics development system that allows you to quickly and easily create and save 8-color sprites that can be used to simplify animation, game, educational and computer art programs. Both of the above plus sample sprites, animation demo programs and complete documentation only \$24.95.

COLOR COMPUTER GRAPHICS TUTOR

Teaches and demonstrates mathematical graphics techniques that can be used to create beautiful geometric graphics displays, 3-D spheres, hyperboloids, paraboloids, etc. The advantage of this tutor program over textbooks is that all of the programming examples are already typed in for you, error-free and ready to run at the press of a single key. Includes booklet that lists the BASIC source code for all the demos that accompany each topic. \$15.95

Programs are on disk and require minimum of 16K and Extended Color Basic. We pay postage. Send check or money order to:

REDTRONIX
4247 Makyes Rd.
Syracuse, NY 13215

ANALOG AND DIGITAL I/O PORT KITS

Parallel 8 bit input & output for your CoCo, and Models 1, III, 4.

- * MODULAR DESIGN FOR ADDITION OF MULTIPLE PORTS
- * LATCHED OUTPUT * STATUS MONITORED BY LEDs
- * SWITCH SELECTABLE I/O ADDRESS * SOFTWARE DIAGNOSTIC

I/O PORT KIT INCLUDES...

8 1/2" x 8" Printed circuit board, All components, Cable (Plug to CoCo Adapter)
Diagnostic software using BASIC and Manual, Resource IV, 800 no. 333331

Complete I/O port kit (J107H) \$25
A-D-D-A Interface (J092H) \$20
CoCo Adapter required for CoCo (J110K) \$15
5 Volt Power Supply (D100K) \$25
Complete Enclosure Kit (D100E) \$30

SOFTWARE (APPLICATIONS)

DIGITAL AND MEMORY SCOPE—Converts the CoCo TV display into an oscilloscope screen. (S101M)—LISTING
DIGITAL RECORDER and DELAY—Record and play back audio signals up to 100 seconds. (S102M)—LISTING

D & A Research
400 Wilson Avenue
Satellite Beach, FL 32037
305/777-1726

Sharpen Gambling Strategies With *Blackjack Dealer* And *Feeler Dealer*

If you are planning to go by Las Vegas on your next vacation, Saguaro Software has a program you need before you go. There are actually two programs in the package, *Blackjack Dealer* and *Feeler Dealer*. *Blackjack Dealer* lets you play against CoCo, the computerized house, without the chance of losing any real money. *Feeler Dealer* lets you test a gambling strategy you have devised.

In *Blackjack Dealer*, the house rules are those commonly used by most gambling casinos. The house will stand on 17 and must hit on 16. If a tie or "push" occurs, the bets are canceled. In some casinos the house wins all ties. The house will pay three to two on a blackjack. This means if you bet \$10, you will win \$15 if you get 21 on the first two cards.

The manual with the package is quite good. It explains the different house rules and which ones are in effect in this version of "Blackjack." It also explains some of the rules that different casinos use and why you should not play with these rules. The manual suggests the different strategies you should use for the different house rules and what to do when different numbers of card decks are used. If you have your own method, it can be tested out with *Feeler Dealer*.

Feeler Dealer allows testing of different strategies and you can go through hands very quickly. First, pick the number of hands you want played. You are given the options to have the results of each hand go to the screen, printer or just have the computer play each hand using your strategy, then display how you fared at the end of all the hands. At that time, you again have the option to have it printed out, start over with a new strategy or run it again using the same one.

You enter your strategy from a series of menus of the most commonly used strategies. Therefore, you can mix and match to the different ones. If your method uses some really special features, the program allows you to go inside the program to enter different betting strategies, how and when to split pairs and different strategies on when to take a hit. The program is designed to be very versatile.

One of the things *Blackjack Dealer* shows very quickly is how easy it is to lose money. The "dealer" or "house" has the advantage most of the time. This package tries to teach you when the dealer does not have the advantage, thus giving you a better chance of winning. Now nothing can

guarantee winning, but knowing how the game is played and when it is advantageous to make larger bets could possibly make a big difference in your pocketbook.

I am not much of a gambler, but I really had fun with *Blackjack Dealer* and *Feeler Dealer*. There is a lot of thinking behind this simple-looking game. It is not all luck, as few things really are. Mainly, these programs helped me learn to slow my losses down some. I guess if it can do that in just a short time, with a little more practice, maybe I could actually start breaking even, or who knows, maybe I could win!

But seriously folks, I did have a lot of fun with this package and I learned a lot more about the game of "Blackjack" than I knew before. If you are interested in really learning how to play "Blackjack," I recommend this package. It makes you aware of when the odds are with you and when they are against you. I recommend playing *Blackjack Dealer* before reading the manual on the different strategies, then compare your previous winnings to playing the game after you study the instructions. If you just like playing and do not want to lose any money, then I can still recommend this package — just remember to play it on the computer and stay away from the casinos. *Blackjack Dealer* and *Feeler Dealer* require 32K Extended Color BASIC and are available on both disk and cassette.

(Saguaro Software, P.O. Box 1864, Telluride, CO 81435, cassette \$24.95, disk \$29.95 plus \$1 S/H)

— Dale Shell

CANADIAN PAYROLL OPTION 4 1-2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

RAINBOW EXCEPTIONAL... EXCELLENT... SOFTWARE... EASY TO USE EVEN FOR NON-TECHNICAL TO COMPUTERS... A DEFINITE ASSET TO ANY COMPANY!

OPTION 4

C.C.H.S.G. 10 FOR 100... NO CHANGE OF OWNERSHIP... LOSSING DATA... IS A SPECIALIZED PRODUCT... MANUAL WELL ORGANIZED EASY TO FOLLOW!

FEATURES
CALL PROVINCES & TERRITORIES AUTO. S.I.N. VALIDATION
FORMATTED SCREENS FULL FORMAT TRAPPING ANY PRINTER
YEAR PAY PERIOD BATCHED CHECKS KEY TABLED PAY RATES
TOTAL COST/DUTY ALLOCATION YEARLY USER UP-DATEABLE
CALL MEDIA TRANSFERBACK-UP FILE PASSWORD PROTECTED

REQUIRES 32K COLOUR COMPUTER/TOP 100/SINGLE DISK
CONDENSED PRINTER MODE... ONLY \$149.95 CASH
UNITS PRICED ON P.P.S.T.

CALCULATES
SIX OR MULTIPLE PAY RATES C.F.P. HEALTHCARE & CHILLAGE
PROCESSES PAY ANY PERIOD ACCUMULATED HOURS REVERSE

YGS IN ALL BUSINESS VISA 1-700-484-5471 6PM-7PM EST ONLY PLEASE PO BOX 208 BRECHIN, ONTARIO L0N 1W0

CHRISTMAS SPECIAL



NUTRIGUIDE

Analyze your eating habits in terms of thirteen nutrients. Keep regular weight charts. Recommends calorie intake, compares eating style with recommended calorie, protein, fat and carbohydrate intake. Over 650 foods on file. Make your recipes from combinations of foods on file! 64K DISK REQUIRED.
\$34.95 after Nov. 30 — until then \$29.95 \$15.00



MECHANIC

Be sure you are not caught with a flat spare tire or a dry battery again! Use this program once a month. Input date and odometer reading, get a maintenance due list based on time since last maintenance and miles driven. These records will help your car maintain its value!
\$24.95 \$10.00



DISKS 97¢

SS/DD for your CoCo. Fully warranted. Great Christmas gift! Minimum order 10. While supply lasts! ea. 97¢

Add \$2.00 shipping and handling for orders under \$50.00. We ship within 24 hours. NC residents add 4% sales tax.

VISA
New Location
MASTERCARD

Homesoft Company
P.O. Box 8
Supply, NC 28462
(919) 842-4436 (7 days, 24 hours)



Play War Games With *City War*

"Let's play global thermonuclear war," was the premise in the movie *War Games* and now Prickly-Pear Software is offering *City War*, which is a scenario of that premise.

The game has the United States and the Soviet Union as the combatants in a nuclear exchange. The objective is to obliterate the population of an enemy city where their president or premier is located; this, then, ends the game.

City War is designed to be played by two or more players. The program requires 16K and is available on either tape or disk. I received a tape version that loaded in 75 seconds

and ran with no problem at all. The program only has one copy on tape (but is not copy protected) and is easily transferred to disk.

The instruction manual is eight pages of 5½ by 8½-inch sheets. The commands for the game are shown in Table 1.

There are also commands for saving and loading a game in progress since a game may take several hours to play.

Upon running the game, the title page displays the program's name, a mushroom cloud graphic, the authors and the distributor. Upon pressing any key, you are prompted to enter the access code for the U.S.A. and then your opponent is requested to do the same for the U.S.S.R.

The next screen displays the cities of each country, their total populations, and their total missile inventory. Each country has eight cities with 'X' number of offensive and defensive missiles in them. Play commences in the year 1960

Table 1

Key	Usable In Peacetime	Usable In Wartime	Uses Turn	Access Code	Explanation
A	Yes	Yes	Yes	Yes	Arms missiles
B	Yes	No	Yes	Yes	Increases each missile in a city by one or a specified missile by two
C	Yes	No	No	Yes	Changes your access code
H	Yes	No	No	Yes	Reveals the location of your leader
I	Yes	No	Yes	Yes	Reveals whether your opponent is armed or unarmed but is only effective 50 percent of the time
L	No	Yes	Yes	Yes	Places you in wartime status and launches a specified number of missiles from a city to an enemy city
M	Yes	No	No	Yes	Moves your leader to a specified city
P	No	Yes	Yes	No	Requests peace with your opponent
R	Yes	No	No	Yes	The opposite of 'B' but can be an unlimited number not exceeding the city's inventory
S	Yes	No	No	Yes	Status of cities including their populations, missile inventory and arming status
U	Yes	Yes	Yes	Yes	The opposite of 'A'
Y	Yes	Yes	No	No	The year being played

SOFTWARE



- Color Computer MACHINE MONITOR - professional software and manuals published by R.C.I. EDIT memory Content, TRACE program Instructions, TRAP data References, 3 display Formats. Program distribution includes both [2K] CoCo-dependent and [4K] stand-alone Versions. #10101/Tape = \$14.45, #10102/Disk = \$16.95; User Guide #20101/Small manual = \$9.95

HARDWARE



- Color Computer PCBoards, FR4, [4x8]", 40 Pin, gold plated Connectors, design by R.C.I. #30101/A Bus Extender, cartridge Slot width (4.25"), 40 parallel signal Lines = \$14.00 #30102/A Prototype "P", [3.5X6]" grid, .042" PTH, .1" spacing, 34 pin Connector = \$20.00 #30103/A Prototype "L", 5.8" Rows for .3/6"DIPs, .042" PTH, 34 pin Connector = \$20.00

SUPPLIES



- Z-RING™ Coil twists thru pin-feed Holes of printer Paper to form a rigid book Binding. #40101/Z-ring .5" DIA. helix Form, 11" long, brite plated finish = \$.50/ea, \$5.00/doz #40103/Acetate 7.5 MIL plastic Cover, 9"X11", clear, Punched = \$.80/ea, \$8.00/doz #40104/Board 6 PLY coated board Cover, 9"X11", white, Punched = \$.40/ea, \$4.00/doz

RESOURCE



***** product Catalog, data Sheets, mail Updates available on request *****
the Zellerbach GROUP, 1335 Pacific Ave. #216, San Francisco, CA 94109 (415) 673-3485
TERMS: 3% LESS for Money Order, Cashier Check; \$3 MORE for Cash On Delivery (C.O.D.).
FUNDS: U.S. SALES: 6.5% TAX in Calif. SHIP: \$2 to U.S., \$3 to Canada, \$6 to Overseas.

t h e Z e l l e r b a c h G R O U P

Spectrum Font Generator Gives CoCo More Versatility

and each turn takes "one year," except for nuclear exchanges, which are in real time.

During peacetime, it is beneficial to increase your arsenal since numerous offensive missiles are needed to eliminate a city and defensive missiles are required to knock out offensive missiles.

Once you are engaged in warfare, the offensive player chooses the number of missiles to be launched, the launch site and the target. The defensive player can launch defensive missiles to intercept the incoming missiles. However, defensive missiles are only effective half of the time and they can only destroy an equal number of offensive missiles. If you choose not to defend, your losses are potentially much higher but you have the opportunity for immediate retaliation.

Once the incoming missiles detonate, the monitor screen flashes and then displays a body count. If a city's population is totally obliterated and your head-of-state is there, the game ends. If your head-of-state is not there, the game continues but the destroyed city is no longer usable.

While playing the game, there are some random variations. For example, a militant group may overtake a missile silo and launch missiles toward an enemy site. Also, as the years pass, the populations increase, making it more difficult to eliminate them. Additionally, during wartime, missiles may malfunction and not render any effect.

While I played the game, I found some illogical moves as well as a few irritants.

First, the 'A' or armed code is usable even though the missiles are already armed. As mentioned above, this code uses a turn. Likewise, the 'U' or unarmed code is usable even though the missiles are unarmed and this also uses a turn.

Second, if you accidentally enter anything other than a number in the launch menu, you are asked to redo the input when the message repeats itself; upon doing this, a second request overwrites a portion of the first request. Also in the launch menu, if you do not have any offensive missiles remaining, the program goes into an endless loop wanting to know which city is the launch site. If this happens, you have to **BREAK** the program.

Third, I see no use for the access code unless it is to make the game appear more realistic. I feel it is a time waster.

Also, since you have to destroy the city where the head-of-state is located in order to win, there appears to be no use for the 'R' (reduce missile inventory) command. And, if you accidentally try to defend a city with no defensive missiles (which is easy to do), you use a turn.

Lastly, there are misspellings in the text, and abbreviations are used for some cities in the main menu even though there is ample room to spell them out. Some of these items may seem like nitpicking, but the game would play better and appear more polished if these changes were made. Fortunately, some changes are easily implemented by the user.

Overall, I give the game a five out of a possible 10. It would be interesting to some, but failed to hold my interest.

(Prickly-Pear Software, 2640 N. Conestoga Ave., Tucson, AZ 85749, tape \$24.95, disk \$29.95)

— Dan Smith

This recent offering from Spectrum Projects incorporates some interesting and powerful features. First, it allows the user to print out letters, documents or most anything else from previously saved disk ASCII files. This means you can simply use your favorite word processor program to create a letter or other printed text. Then, after saving it as an ASCII file, send it to your dot-matrix printer in any one of the five supplied fonts.

Secondly, if you would like to create your own personalized font or edit any of the five supplied, the software incorporates a program that provides a grid on which you specify just how you want each character to look. Obviously, this is a slow process, but nonetheless possible, and even challenging!

Most dot-matrix printers are compatible with this program. Specific character sets are included on the disk for use with most Radio Shack, Epson, Gemini and Okidata printers. I should point out that the resultant printed text is larger than the normal text output to these printers. Of the five fonts supplied, Roman is the smallest at $\frac{1}{4}$ inch high. The other four fonts, Old English, Futuristic, Block and Italic, all measured $\frac{3}{16}$ inch high.


Since the printed text is larger, it's much easier to read than the normal text output from my Gemini-10X printer. I printed out a letter using the Italics font from my *Teletwriter-64* disk and it reminded me of the print style and size in my old family Bible. Because of the larger printing, the instructions recommend selecting 60 characters per line with the *Teletwriter-64* format menu if you're using either Gemini or Epson printers. If you're using one of the other compatible printers, 30 characters per line is recommended.

It's not necessary to use this software only with a word processor. You can simply load in the font of your choice and **LLIST** or **PRINT#-2** will result in some very interesting program listings.

The *Spectrum Font Generator* only works on disk systems. The package consists of the diskette and a two-page instruction sheet. The disk is not copy protected, so backup copies for your own use are no problem. I was impressed with this program. It offers a variety of uses and provides even more versatility for our favorite computer. I recommend it highly.

(Spectrum Projects, Inc., P.O. Box 21272, 93-15 86th Drive, Woodhaven, NY 11421, \$29.95 plus \$3 S/H)

— Jerry Semones



The Complete Rainbow Guide to OS-9 Thoroughly Covers Every Aspect Of OS-9

By George Dorner

Where was this book when I needed it? I needed it the first day I got OS-9, I needed it last fall, and I needed it last week. I will need it again, and I am delighted to have it next to my CoCo and other OS-9 systems. It will stay there for a long time, except for the excursions to my bedside, to the hammock or to other leisure-reading locales. I plan to order a couple of copies for use at the college where I work — where OS-9 is used regularly by faculty and students.

The chief rap against OS-9 has been the lack of printed aids, such as this one. Many have criticized the OS-9 documentation from Tandy (it was a great improvement over the originals from Microware), but those manuals are reference documents. *The Complete Rainbow Guide to OS-9* is the supplement one needs to really get a handle on just what OS-9 is and what it is good for.

I have been fond of referring to the difficulties of learning OS-9 as a "shallow learning curve." Dale Puckett and Peter Dibble have been on the curve a long time and have a wealth of varied computer experience between them. They have distilled their experiences onto the pages of this book for us all. In fact, there is enough in Chapter 16 to justify the cost of the book to those who have spent hours reconfiguring a new system or changing the stepping rate on their drives.

Who are these knowledgeable authors? Dale Puckett is well-known to readers of this magazine and to most of the 68XX community for his articles and programs in a variety of media. He is also the president of the OS-9 Users Group. Peter Dibble is a columnist for '68 *Micro Journal* where his "OS-9 User Notes," appears monthly. Peter has taught programming and has worked in the instructional use of computers at a university. He returned to graduate school about a year ago to pursue a Ph.D. in computer science and is the vice-president of the OS-9 Users Group.

Let me give my unbiased opinion: This is an excellent and useful book. It has something for everyone who wants or needs to know about OS-9, the sophisticated UNIX-like operation system, which became available for the Color Computer almost two years ago. Those who bought OS-9 because it just seemed to be the next thing to do with their CoCos, professionals who use UNIX at work and who want to compare OS-9, and even those from the SS-50 buss crew who have had OS-9 for a couple more years will all be able to study it with profit or dip into it for pleasure. The book's accompanying diskettes enhance both the learning and the pleasure.

Falsoft did a dandy job of production on the book and diskettes. The book is attractive in soft cover, and its 420-some pages, 32 chapters, seven "Workshops" and other parts are laid out well, have wide margins for making notations, and make use of a cartoon character to highlight the themes and break the monotony of the printed page. They reproduced actual program listings and output rather

than resetting into type, thus avoiding the errors that always accompany such attempts to make the listings look better.

Roughly the first half of the book will be useful to the OS-9 neophyte; the bulk of the material is tailored to the CoCo OS-9 environment. The second half is for programmers who want to "work within the system" or for the technically curious who want to know what is going on behind the scenes. Surprising to me is the amount of Level II OS-9 material here. It is well-known that Tandy has licensed Level II and there is a Level II CoCo somewhere in the making, but for most CoCo folk, this material only serves at this point as extra study material ("honors work") or as a presentiment of things to come.

The presence of Level II material makes the book genuinely useful to the entire OS-9 community. At this moment I am typing on a CoCo sitting next to a terminal that is hooked into a system running OS-9/68K on a 68008, and in the next room is my Apple II with a 6809 board, which can also run OS-9. Dale and Peter's book can help me in many ways on all three systems and on the six-terminal Level II system at work.

Occasionally, there are terms mentioned (like the module named ACIA or the ESCAPE key) that may be mysterious to CoCo users, and likewise there may be "phasing errors" (what is CCIO?) in some of the text for non-CoCo readers. But I laud and commend the authors and publishers for giving us a book that not only targets the audience THE RAINBOW obviously wants to hit, but that will be useful to so many more, as well. I will mention some of the high points of the book, then, in order to maintain the pose as a real critic, I'll criticize a few things.

I liked the idea of starting the book with an overview: "The Historical Connection." Most new users of OS-9 who can't understand what all the shouting is about have very little experience with any other "real" operating system. What comes on a CoCo or Atari or Apple and is integrated with Microsoft BASIC hardly gives an adequate reference point for the subtleties and power of OS-9. Users familiar with CP/M or just about any mainframe operating system know or quickly come to appreciate the rationale and the nuances of how OS-9 lets you control the computer.

The first review of OS-9 I ever saw referred to OS-9 as "a finely tuned Ferrari." If you've been driving a '68 Ford Fairlane, you might be in awe of a Ferrari the first time you get behind the wheel. The initial historical approach, a discussion of hardware and a look at memory are a good start at laying down "a foundation that will let you build a staple of OS-9 programming skills with ease."

There are a couple of chapters that serve as a thumbnail sketch or overview for what is to be covered in detail in the rest of the book. It is hard to present a simple linear description of OS-9, even when you know your audience has the necessary background. This material helps, but readers should not be concerned if every detail isn't understood on first reading. Some of this discussion assumes the reader has experience as an assembly language programmer.

The rest of "Part I" covers the essential topics related to the file system under OS-9. This includes directories, pathlists, anonymous directories, working directories and standard I/O paths. A picture of the directory tree structure would have been helpful here. Also, the cartoon character could have been worked in to fix in the reader's mind this important concept and its relation to the data and execution directories.

"Part II" is the actual tour guide, a walk-through of the

use of the system from the initial boot. This is the user's manual, which might save hours for new users, especially Color Computer users, for whom this part is very much tailored. The only thing I have to criticize here is the light coverage of what is called the "Repeat Key," the Control A/Clear A function that is so useful and seems to be unique to OS-9. I hoped the authors would write the definitive work on this little function, which OS-9ers "in the know" have been talking about, but nobody has yet written.

"Part III" continues the tour through the command set, those utilities that reside in the CMDS directory on the distribution disk of OS-9. I liked the classification of the command set into those that give information, those that work on files, those that work with directories, those that are used to create or copy disks, and those that change the system. The last two chapters of this section cover Shell commands and procedure files, and by this time the reader should realize the power and enormous flexibility of the OS-9 system.

The gears are shifted for "Part IV," where various toolkits, which make an OS-9 user's life easier, are presented, use of the assembler is covered and the BASIC09, C and PASCAL languages are discussed. Six of the popular packages of tools, filters and other programs are reviewed in detail. There is a discussion of the various approaches toward overcoming the disk format and screen shortcomings that Tandy presented with OS-9.

It is always a help to see working programs in the language you are studying, and there are a number of excellent assembly language programs and fragments. Several of the fragments have typos that prevent them from working. These are mostly in the spelling of the system calls, though some formatting was disturbed when the typesetter transferred the listings to nice bold print. There are, however, some useful programs written by a computer science student from the University of Iowa, Tim Harris.

The program examples for BASIC09 are each presented twice, once in "normal" BASIC and once in BASIC09. Studying how a familiar program may be restructured and simplified gives the best type of tutorial in this powerful PASCAL-like extension of the most popular hobbyist computer language. There are also some listings of very useful utility commands written in BASIC09. The fact that these could be made to look like other commands by packing them and using *RunB* did not receive any attention here. This point seems to have been missed in the book.

There are eight listings of programs written in C. These are from Tim Harris and from William H. Ball of Indianapolis. The rest of the material on C is terse, but study of these well-documented and useful programs will help those who are starting off with this powerful and enigmatic language. Only a cursory discussion of PASCAL09 is given, since the language was not available for the CoCo when the book was written.

At this point, we are on Page 232. A beginning OS-9er should probably put down the book for a while and gain some familiarity with OS-9 before proceeding. The rest of the book is intended for real hackers in the old sense and for those with a computer science background or who wish to peer into the innards of OS-9. Not only the thrust, but the writing style changes here. This is Peter's part of the book and his style is less folksy than Dale's. While such differences in style are apparent throughout the book, I feel they are appropriate. The expert who will get the most from the latter half of the book needs less space devoted to the

handholding that is designed into the earlier part of the book.

"Part V" covers the details and some of the philosophy of OS-9 operation. The use of memory, the management of disk space and the details of the various modules that reside in memory are discussed. Device descriptors and drivers and the various managers in the system are discussed as they are in no other source and as could only be done by someone who knows about several other operating systems. There is also a chapter on disk formats and a comparison between the standard format and the one that Tandy produced because of their investment in disk duplication machines.

"Part VI" continues with a more detailed look at modules and memory management. The last two chapters are devoted to memory management in a Level II system. If you haven't seen a Level II system work, be assured that just about all the memory constraints and thus, the other shortcomings of Level I on the CoCo, go away in that setting. We can hope we will see it on an upgraded CoCo soon.

In an appendix there are diagrammatic memory maps of both Level I and Level II systems. These could have used more explanation in text, but they are invaluable to inveterate hackers.

That wraps up the review of the traditional part of the book, and *The Complete Rainbow Guide to OS-9* would indeed be complete if it stopped there. But there is a really nice bonus just near the end of the book in the form of seven "Workshops." A Workshop is a significant program or two with a very brief discussion, all presented with the intent that inquisitive people will want to study good, non-trivial,



Digital Equipment Corporation®/TEAC®
Dual SS/DD • 5.25" • 40 Track • Up to 6 MS Step Rate... \$225.00

MODEMS

 Hayes Smartmodem 300 Baud (Auto) \$188.00
Hayes Smartmodem 300/1200 Baud (Auto) \$480.00

 ANCHOR AUTOMATION
Anchor Signalmat 300 Baud \$ 89.00
Anchor Mark XII 300/1200 Baud (Auto) \$340.00
Anchor Mark X 300 Baud (Auto) \$150.00

 Novation J-Cat 300 Baud \$140.00
Novation 103 Smartcat 300 Baud (Auto) \$216.00
Novation 103/212 (300/1200) Baud Smartcat (Auto) \$480.00

Memory Chips 4164-150NS (64K) Set of 8 \$ 12.00
Disk Drive Head Cleaner Kit - Wet Type, 30 Cleanings \$ 15.95
Surge Protection - 6 Outlet - UL® Listed - EMI & RFI Protected \$ 39.95

10 SS/DD Diskettes with Free Disk File \$ 16.95
10 DS/DD Diskettes with Free Disk File \$ 18.95

 AMDEK MONITORS
Video-300 12" Green \$147.95
Video-300A 12" Amber \$154.95
Color-300 Color, Composite \$260.00

Universal Video Driver (Mark Data) \$ 29.95

After Hour "Members Only" Shop by Modem
Call For More Info (312) 964-8209
Shipping Will Be Added To All Orders
Illinois Residents Add 6.25% Sales Tax

 Sofco Computer Supply

P.O. Box 9232, Downers Grove, IL 60515 Phone: (312) 964-8209

proven programs for style, techniques and tricks. These are good programs — all of them are very interesting.

There are two programs in Workshop 1, *The Cookie Monster* and *The Daemon*. *Cookie* is a program that "takes over your system" by demanding "I want a cookie" until you offer it one. The utility of the program is nil, but the techniques used in the assembler listing to avoid exit from this program by the usual methods are interesting and applicable in other programs you may write. Incidentally, be sure you have the lowercase enabled before you run this program, for the *Cookie Monster* doesn't like COOKIES.

The Daemon is a more interesting and a much more useful program. This "guardian spirit" lives in your system and runs programs every so often according to instructions you have previously given. The program sleeps for 10 seconds, wakes up, checks its duty list, does the work and goes back to sleep. This program and the one in Workshop 2, a *Notepad*, which stores short messages in memory without going to the disk, use "data modules." These are modules that have been dummied up to be loadable into memory (OS-9 only will load valid memory modules), but with storage space allocated for use by a program. Peter wrote several columns about this concept, and these two programs give you an opportunity to see them at work.

Workshops 3 and 4 contain useful programs to conveniently read files at the terminal, to change priorities of programs that are executing, or to absorb the output of a process and letting it disappear. Again, these are both useful and worthy of close study.

The last three workshops are simply assembler listings for OS-9 device drivers, pieces of code that will be written by very few hobbyists, but are excellent examples of how to

tap the system resources. I won't say more about them, but this is the first time I recall seeing anything like them in print in wide distribution or for this price. (You may, if you wish, buy copies of source code directly from Microware.)

You only retain what is learned from a book like this if you put it into practice. Unless you like copying long programs and searching for typos, you should also buy the two diskettes that are available from Falsoft. They contain the listings and the executable code for just about all the programs in the book. There are a few "bonus programs" thrown in as well, and these are useful utilities in assembler or C. The package includes a booklet listing all the programs. I counted over 50 BASIC09, assembler and C source files, and executable code is included for all those you desire. There are also good instructions on how to use the diskettes to the best advantage. These diskettes make it possible to "test out" a program or an idea illustrated by a program in the book without the delay of doing the data entry and worrying about your typing skills getting in the way.

That's the package! With *The Complete Rainbow Guide to OS-9* at hand, you, too, can conquer OS-9 . . . at whatever level you wish. With the diskettes at hand, you will be able to concentrate on using and understanding excellent examples of programming on the most sophisticated operating system available for small machines.

(The Rainbow Bookshelf, The Falsoft Building, P.O. Box 385, Prospect, KY 40059, book \$19.95, disk \$31 (2 disks, book not included) plus \$1.50 S/H)

Formaker

the fastest, most complete office package yet!

Totally Menu Driven
Customize with company information
Complete "on screen" instructions

FORMS

letter
invoice
quote
purchase order
mail order
confirm order
receipt

STORES

complete forms
item list
subquotes
letters
footnotes
customer info

FIGURES

quantity
list
net
discount
subtotals
tax
freight, etc.

SEPARATE CONFIGURE PROGRAM

for company info
printer options
quote & inv. #
w/auto sequencing
auto date

PRINTS

form feed
letterhead
envelope
multiple copy
emphasized

send for more information

\$49 32k ECB disc

Challenger Software

42 4th Street
Pennsburg, PA 18073
Call (215) 679-8792 (Evenings)



SUPER TUTOR

**Makes learning so much FUN . . .
. . . that kids think it's a game!**

LEVEL 1: Echoes each key pressed in solid block letters and plays a random melody.

LEVEL 2: The user echos the random number or letter. The computer responds with a random melody.

LEVEL 3: The user echos random words displayed. The computer echos with a random melody.

send for more information:

\$24 16k ECB disc or tape

Challenger Software

42 4th Street
Pennsburg, PA 18073
Call (215) 679-8792 (Evenings)

A helpful list of some computer acronyms and abbreviations

What Is A VDG, Anyway?

By Tony DiStefano
Rainbow Contributing Editor

I wrote an article on how to add a video output to the CoCo in the May 1984 issue of RAINBOW. To this very day, I still get letters about it; I decided to take a moment and answer the most common questions. The single most-asked question is "Where (or what) is a VDG?"

All the chips in the Color Computer have part numbers that identify them. While numbers are good for ordering and sorting, they say very little about what the chip does. The makers of these chips have given names to them that describe their respective functions. For instance, the heart of the CoCo is a microprocessing unit designed and manufactured by Motorola. Motorola gave this part the code number of MC6809. For technicians who are very familiar with chip numbers, it is no problem to remember that a MC6809 is a microprocessing unit.

There are so many different chips made by different companies (which do basically the same thing) that numbers no longer have a clear meaning. Especially when talking about computers in

general and not about one specific model. People started calling chips with a specific function by nicknames. A MicroProcessing Unit soon came to be known as an "MPU." This is known as an *acronym*. An acronym is a word formed from the first letter or group of letters of a series of words. There are a lot of abbreviations and acronyms in computer jargon. Some of them are directly related to the CoCo and some are not.

I have compiled a list of all the

Acronyms and Abbreviations

ACIA (*used in the Deluxe RS-232 Pak) — Asynchronous Communications Interface Adapter. Used for serial data.

A/D — Analog-to-Digital. A chip that converts an analog voltage to a digital value.

ALU — Arithmetic Logic Unit. Used to perform binary arithmetic functions.

ANSI — American National Standards Institute.

"There are so many different chips made by different companies (which do basically the same thing) that numbers no longer have a clear meaning."

abbreviations and acronyms for computer parts I could think of. The ones marked with an asterisk (*) mean that the CoCo has one of them inside or uses it in one of its add-ons, such as a disk drive. Along with the acronyms is a full name and short description. Not all of the acronyms represent one chip — some may represent a group of chips and some represent a type of standard. I am open to letters for the ones I may have missed and will write an update as soon as I can.

ASCII — American Standard Code for Information Interchange. Better known as ASCII characters. The format is such that all alphanumeric and special characters on a typical computer keyboard are given a specific numeric value. Anyone using the ASCII standard will use the same values.

BASIC (The language, as in Color BASIC 1.1) — Beginners' All-purpose Symbolic Instruction Code. (Bet you didn't know that one, ay?)

BCD — Binary Coded Decimal.

(Tony DiStefano is well-known as an early specialist in computer hardware projects. He lives in Laval Oust, Quebec.)

Sugar and Spice and Everything Nice . . .
We have the gift for everyone on your list!

. . . for the Arcade Game Player

Flying Tigers



16K Tape - \$24.95
32K Disk - \$27.95

- Try your skill and strategy against 7 different kinds of aliens
- 5 levels of difficulty
- Super hi-res graphics and animation
- Sensational space sound effects
- 100% Machine Language
- Joystick required

The aliens will materialize from hyperspace, at first, only a few at a time . . . then more . . . and more . . .

. . . for your Preschooler

PreReader




Level I - your child will work with colors, shapes, numbers, capital letters and small letters

Level II - your child will learn to associate individual letters and consonant blends with the sounds they make

Songs and happy faces for each correct answer!

32K ECB; Joystick Required
Tape - \$19.95; Disk - \$24.95


. . . for the Programmer in the Family



AUTO RUN 64 - \$24.95
AUTO RUN - \$19.95
Tape

- Creates a ML loader which automatically starts up your Basic or ML program
- Title screen utility
- Provide an audio introduction
- Locates your program at the desired address

. . . for the Amateur Radio Enthusiast



Radio System Design Calculations

Helps design or evaluate:

- Land mobile radio systems
- Satellite TV
- Satellite data acquisition systems
- Aircraft radio systems
- Microwave systems
- Microvolt/DBM conversions
- Frequency/Wave length conversions
- System received signal levels
- Gain of parabolic antenna
- Propagation Calculations

32K ECB

\$29.95 - Tape

\$32.95 - Disk

. . . for the Rental Property Manager

Rental Property Income and Expense Management Package



Disk - \$34.95
32K Required

- Keeps track of all your rental properties
- Provides instant screen or printer summary of all your properties
- Maintains and prints a detailed, itemized listing of each of 28 expense categories
- Gives you a schedule of the Accelerated Cost Recovery System depreciation allowed for each tax year for 3, 5, 10 and 15 year property

PIRATECTOR!TM

You write the Basic or ML program. PiratectorTM:

- Supplies protection scheme
- Includes Semigraf graphics editor
- Incrementing serial numbers
- Many user subroutines included
- Effective against popular piracy/protection cracking programs

32K Disk
\$99.95

Last Minute Gift?

Call (614) 861-0565 for Same Day Service.

We will include a gift card if you wish.

Best Wishes for a Happy, Healthy Holiday Season from Sugar Software

We make all of our holiday greeting cards with

The CoCo Calligrapher

and so can you!

The CoCo Calligrapher works on these printers:

- Epson:** MX80, FX80, 100 (8 1/2 x 11 size only), and all models with graphtrax
- Gemini:** 10, 10X, 15, 15X (8 1/2 x 11 size only)
- Radio Shack:** LP7, LP8, DMP100, 110, 120, 200, 420, 510, 2100
- Okidata:** 92A - unless it is version 4. The ROM has a bug and the dealer should replace it for you.
- Banana:** Behaves like a Radio Shack
- Prowriter:** 8510

These type styles come on the CoCo Calligrapher program tape or disk:

Old English Gay Nineties Cartoon

Tape - \$24.95

Disk - \$29.95

Both require 32K ECB

These additional type styles are also available — \$19.95 each, or \$49.95 for all on tape or disk.

Tape 1

Old English-reduced	Cartoon-reduced	Gay Nineties-reduced
Old English-reverse	Cartoon-reverse	Gay Nineties-reverse
Old English-reverse/reduced	Cartoon-reverse/reduced	Gay Nineties-reverse/reduced

Old English Cartoon Gay Nineties

Tape 2

Broadway

Broadway

Broadway
Broadway-reduced
Broadway-reverse
Broadway-reverse/reduced

Tape 3

Business

Business

Business
Business-reduced
Business-reverse
Business-reverse/reduced

Old Style Antique

Old Style

Old Style
Old Style-reduced
Old Style-reverse
Old Style-reverse/reduced

Antique

Antique
Antique-reduced
Antique-reverse
Antique-reverse/reduced

Simplify all of your Holiday Mailing

with
TIMSMAIL



\$19.95 - Tape
32K ECB
Disk
Compatible

- User friendly
- Detailed tutorial & guide
- No blank line!
- Send formatted file to tape, disk, or printer
- Upper and lower case
- Up to 230 characters per record

Address all your holiday greeting cards in minutes! Update your list in seconds!

- Designed for 80 column printers
- Continuous feed or single sheet labels
- 1, 2 or 3 labels wide
- 2.5, 2.75, 3, 3.5 and 4 inch labels
- Sort by zip code
- Sort by name
- Select records to print
- About 200 records will fit in 32K

Spend some quality time with your family and play

Bible Stories Adventure


Tape -
16K ECB - \$19.95
Disk -
32K ECB - \$24.95

A very simple graphics adventure game for young children and their families.

All of these stories are included:

- Adam and Eve
- Noah's Ark
- Abraham and Isaac
- The Exodus
- David and Goliath

Intriguing sound effects. Exciting high-res graphics and animation. The one adventure game that's fun to play over and over again!



Disk software compatible with Radio Shack DOS only.
A complete catalog of other sweet Sugar Software products is available.

SUGAR SOFTWARE
1710 N. 50th Ave.
Hollywood, Florida 33021
(305) 981-1241

No refunds or exchanges.



Add \$1.50 per program for postage and handling. Florida residents add 5% sales tax. COD orders are welcome. C/S orders EMAIL to 70405, 1374. Dealer inquiries invited.

Dealer and author inquiries are always welcome. Canadian dealers should contact Kelly Software Distributors, Ltd., P.O. Box 11932, Edmonton, Alberta T5J-3L1 (403) 421-8003.

CPU (*the CoCo uses an MC6809) — Central Processing Unit. Basically the same as MPU described earlier.

CRT — Cathode-Ray Tube.

CRTC — Cathode-Ray Tube Controller. A chip used when an 80 by 24 character display is needed. Sometimes referred to as a CRT.

CTM (*the CoCo uses an MC1372) — Color Television Modulator. It takes the signals from the VDG and converts them into a signal that is suitable for a color TV.

D/A — Digital to Analog. A chip that converts a digital value to an analog voltage.

DMA — Direct Memory Access. A process of moving data from one device or memory area to another device or memory area without the use of the CPU.

EIA — Electronic Industries Association. An agency that sets standards.

FDC (*the older Radio Shack disk controller uses the WD 1793 by Western Digital and the newer Radio Shack uses the WD 1773 by the same company) — Floppy Disk Controller. This is the main chip used when a computer talks to a floppy disk.

EEPROM — Electrically Erasable, Programmable, Read-Only Memory. It is the same as an EPROM except that electricity rather than ultraviolet light is used to erase it.

EPROM — Erasable, Programmable, Read-Only Memory. More permanent than RAM but less than ROM.

IC — Integrated Circuits. It means all chip-like components.

IIA — (*the CoCo 'F' board and the CoCo 2 use an MC6822) — Industrial Interface Adapter. It is much like a PIA but has slightly different input capabilities. Used in conjunction with the newer keyboards.

LCD — Liquid-Crystal Display. Usually seen on a digital watch.

LED — Light Emitting Diode. The indicator on almost any disk drive.

LSI — Large Scale Integration. Many transistors in one package.

MMU — Memory Management Unit. Something that is lacking in our CoCo, this chip lets a CPU handle more memory than it could without it.

MSI — Medium-Scale Integration. Smaller than the LSI.

MSO — Montreal Symphony Orchestra. Has nothing to do with computers,

but it is something we are proud of in Canada.

OP-AMP (the CoCo uses the old standards LM741 and LM339) — Operational Amplifier. Used in audio circuits to amplify a given signal.

PIA (*there are two of these in the CoCo, they are both MC6821s) — Peripheral Interface Adapter. Lets the computer "talk" to things like a keyboard or joysticks.

PIC — Priority Interrupt Controller. This chip is useful when a computer has many levels of interrupt.

PLL — Phase Locked Loop. This is a device that compares the phase of one signal with another.

PROM — Programmable, Read-Only Memory. Like an EPROM but not erasable.

RAM — Random-Access Memory. Usually pertains to any kind of memory but mostly refers to static memory, as opposed to dynamic memory.

ROM (*the regular CoCo has one of these. If you have Extended BASIC, it is another one. If you have Disk Extended BASIC, there are a total of three ROMs in your CoCo. The newest CoCo 2 has BASIC and Extended BASIC ROMs

MUL-T-SCREEN



COLOR CHARACTER GENERATOR

A NEW DIMENSION IN COLOR COMPUTING



- *New includes a character generator and sample graphic space game at no extra cost.
- *Full 224 text and graphic characters. Underline in all PHODES. Prints vertically.
- *All machine language, user transparent. Supports all BASIC, EXTENDED BASIC and DISK commands.
- *Automatic loader recognizes 16K, 32K & 64K computers.
- *Mix up to 5 character sizes in 4 colors all on one screen. A total of 10 sizes available from 2x4 to 42x24 or 32x32 in vertical mode.
- *Use up to 4 definable window screens of any size. Also includes horizontally scrolling (crawling) one line screens.
- *Includes positive & negative screen dumps in 2 sizes for R/S, Epson & Gemini printers. (Please specify)
- *Special Trace Delay can be used to debug programs one line at a time (even graphics).
- *A special printer control can output characters to the screen & printer simultaneously.
- *A must for all color computer owners. Once you try it you won't write another program without it.

INCENTIVE SOFTWARE

(519) 681-0133

P.O. BOX 323
STATION B
LONDON ONTARIO
CANADA N6A 4W1

P.O. BOX 7281
PORT HURON
MICHIGAN 48301
U.S.A.

MINIMUM REQUIREMENT 16K BASIC
TAPE - 24.95 US or 29.95 CDN
DISK - 27.95 US or 32.95 CDN



Tape to Disk upgrade available for \$8US or \$10CDN. We pay postage within US & CANADA on orders over \$20; otherwise please add \$1. Other countries please add \$2. Charge orders please add \$1.

bundled together) — Read-Only Memory. It is called "read-only" because the information is inserted into the chip at the factory and cannot ever be changed. This process is called a "masked" ROM. SALT (*only the CoCo 2s have this custom chip) — Supply And Level Translator. In the CoCo this chip is responsible for main voltage supply regulation, RS-232 interface level conversion, cassette read operations and driving the cassette relay.

SASE — Self-Addressed, Stamped Envelope (see the last paragraph).

SAM (*the CoCo has one of these — an MC6883) — Synchronous Address Multiplexer. This chip takes care of the DRAM ROM and I/O in the CoCo.

SSI — Small-Scale Integration. Even smaller than MSI.

TTL (*there are a few of these in the CoCo) — Transistor-Transistor Logic. Actually TTL refers to a whole family of chips that do everything from simple buffering to AND and NOR gates to full memory refreshing. There are many levels of TTL, ranging from the regular to the 'S' (Schottky) series and the LS (Low-power Schottky) series. Today there are even more. There is the ALS (Advanced Low-power Schottky) series, the AS (Advanced Schottky) series and even the 'F' for fast series. There is even a HC (High-speed CMOS) series. All have different specifications for speed, power dissipation and price.

UART — Universal Asynchronous Receiver/Transmitter.

VDG (*the CoCo and CoCo 2 use the MC6847) — Finally, the one we have been waiting for! It stands for Video

Display Generator. It is the chip that translates memory data into the visual display with which we are most familiar. VLSI — Very Large Scale Integration. Refers to chips that have thousands and thousands of transistors, something like the Motorola MC68000, a 16-bit CPU that is used in the . . . sorry I just can't say it, red-fruit like computer.

There are also a lot more chips and components that go into making up the CoCo, but the rest do not have fancy abbreviated names. The following is a list of the active components in the CoCo that are not mentioned in the list of acronyms.

The MC14050B is a latch used in the D/A circuit.

The UM1285-8 is a Modulator. It takes the signal provided by the CTM and converts it into a signal that can be used by a regular home TV.

The MC14529 is a data separator used to select the analog inputs for the A/D circuit. These are the joysticks, sound, cassette and exterior sound. In fact, all of the analog-type signals that are in the CoCo go through this chip.

The CoCo also has four voltage regulators. The regulated voltages are +12 volts, -12 volts, +5 volts and -5 volts. The CoCo 2, on the other hand, has only two regulated voltages: +5 volts for all the circuits and an internal (to the SALT chip) -5 volts.

Through the years the CoCo has evolved from the first board (which I believe to be the 'B' board) to the latest CoCo 2. As a point of interest the next list is the amount of components it takes

to build a CoCo 'F' board and a CoCo 2 'A' suffix board:

	CoCo 'F'	CoCo 2 'A'
Capacitors	85	49
Connectors	7	6
Crystals	1	1
Diodes	17	13
ICs	29	16
Fuses	1	1
Inductors	10	7
Relays	1	1
Resistors	83	34
Switches	3	3
Transformers	1	1
Transistors	4	2
Misc. components	89	43

Though I do not have the exact numbers, the CoCo 'B' board has even more parts than the CoCo 'F' board and the CoCo 2 'B' board is supposed to have even less parts than the CoCo 2 'A' board. How is that for progress? And don't forget the price difference, too.

Next time someone talks to you about his VDGs and DMAs, you will be able to understand what he is talking about, and tell him what we have in our own CoCo.

As always, if you have a problem with something in this column and absolutely can't wait for the mail, give me a call on Monday nights *only*, at (514) 473-4910. My address is 4680 18th Street, Laval Ouest, Quebec H7R 2P9. If you write to me and expect an answer, include an SASE; you won't get an answer without one. I am sure you know what SASE means, right? □

TRS-80 COLOR COMPUTER USERS NEWSPAPER

SELL OR TRADE YOUR UNWANTED PROGRAMS OR HARDWARE IN THIS MONTHLY NEWSPAPER. FIND GREAT BUYS. CIRCULATION - OVER 18,000 COCO OWNERS. LIST YOUR CLUB OR BBS. FULL OF TIPS, ARTICLES, REVIEWS AND PROGRAMS FOR YOUR COCO. DON'T DELAY, SUBSCRIPTION STARTS AT ONLY \$5.00 PER 12 ISSUES(1 YEAR) CLASSIFIED AD'S ONLY \$.15 A WORD, USE SEPERATE SHEET OF PAPER FOR CLASSIFIED AD'S



YES - I WOULD LIKE A SUBSCRIPTION TO COCO ADS
 ___ 1 YEAR THIRD CLASS MAIL \$5.00
 ___ 1 YEAR FIRST CLASS & CANADA \$10.00

NAME _____

ADDRESS _____

CITY STATE _____ ZIP _____

PLEASE HAVE CHECKS PAYABLE TO - P D SOFTWARE
 P O BOX 13124 HOUSTON, TEXAS 77219

Getting The Most From 256K RAM Chips

By Dan Downard
Rainbow Technical Editor

• *Lately I have seen 256K RAM chips (41256) advertised in several different electronics magazines. Will these chips work in the Color Computer? If they do, how would you access the memory above 32K? Also, how fast do the chips need to be?*

Is the VDG chip in CoCo capable of being used with an RGB interface? Do you know of anyone working on that idea? What is the usual makeup of an RGB interface circuit (block diagram)? Do you know where I could get any additional information on the VDG chip or RGB theory?

Steve Tolley
Theodore, AL

The 256K chips have to be rated for 150 ns, Steve. You will also need some kind of interface hardware and software, such as Thunder RAM, to address the different memory banks.

I recommend writing Motorola to obtain information on the 6847 VDG in your CoCo. I recently saw an ad for an RGB converter for your CoCo video, but have yet to see one in operation.

The RGB system of video has individual red, blue, green and sync outputs to the

(Dan Downard is an electrical engineer and has been involved in electronics for 25 years through ham radio [K4KWT]. His interest in computers began about six years ago and he has built several 68XX systems.)

monitor. The 6847 is not capable of generating the proper signals for RGB and it is a major project to undertake. Good luck, and if you get it working, write us and we'll publish it.

DOS Double (Sided) Bind

• *I have just recently purchased a double-sided disk drive from Software Support, Inc. It has a J&M disk controller, but I requested Disk BASIC. The disk drive does not operate right. It loads programs, but I cannot save, format or do anything that has to do with changing the disk.*

I contacted Software Support's technical staff. They told me I needed JDOS and a DOS switcher. I wasn't too sure about JDOS so I bought ADOS. Yes, you guessed it, ADOS didn't help either. How do I get my disk drive to work?

Jaysen Kingery
Pacifica, CA

Jaysen, I suggest you read "Getting On the Right Track" by Colin Stearman in the July 1985 issue of THE RAINBOW (Page 26). Double-sided drives require special connections to take advantage of the extra storage space.

I think your problem is hardware, not software, related. At the same time, Disk BASIC will not support double-sided drives without a patch as described in the above

mentioned article. You can always use them as single-sided drives.

Upgrade Uncertainty

• *Ever since purchasing a 16K Color Computer, I have been looking for the correct way to upgrade my system to 64K. I have my own 4164 RAM chips to use, but I'm not very certain on how the upgrade is performed. I have the newer CoCo 2 that uses the conventional dynamic RAMs and these chips are situated in two rows (one with three chips, the other with five). The memory chips and the addresser are socketed, while the rest are soldered directly to the board, but I'm not sure what PC board I have.*

When I upgraded my old 'E' revision CoCo, I had to connect TP1 and TP2 with jumper wire. Would I have to do this in the case of my CoCo 2? And what would be needed to connect the 64K socket printed on the PC board?

Loren Dickey
Tucson, AZ

Loren, the hardware gurus at Spectrum Projects recently sent me a sheet with upgrade guidelines for your computer. According to them, besides replacing your memory chips, you have to solder a wire between two pads labeled "J1." These pads

are located between resistors R7 and R27 on the lower right-hand side of your circuit board.

Joystick Combo

• *I own a Color Computer with ECB and 64K. I have this problem with the Radio Shack white joystick. I know they sell adapters for the CoCo so you can use an Atari joystick. Instead of buying this adapter, I thought I could just cut the plugs off of the Radio Shack and Atari joysticks and put them both together.*

I examined them by removing the outside covering to see which wire went to the direction of the joystick. I did this and had some success, but on the Radio Shack joystick there are some wires that go to more than one direction of the movement of the joystick. What one or more of the wires would go to the Atari joystick?

Johnny Harris
Newport Beach, CA

There is a wiring diagram for the CoCo joysticks in the *Color Computer Technical Manual* (Radio Shack Cat. No. 26-3193), Johnny. CoCo joysticks use a potentiometer for an analog output to the computer. Atari joysticks are just switches controlled by a lever. If you look in the ads in THE RAINBOW, a few companies make adapters for using Atari joysticks with the CoCo, but I don't see any way to use CoCo joysticks with an Atari.

Graphics Garbage

• *The Radio Shack Disk System Manual states that if DSKI\$ 0, 17, 2, A\$, B\$ ENTER and PRINT A\$;B\$ ENTER is used, the contents of Track 17, Sector 2 will be printed to the screen. All I get is graphics garbage. Sector 2 contains the file allocation table and I'd like to see it in English. The PEEK routine, for the file allocation table on Page 51 in 500 Pokes, Peeks 'N Execs gives me the same garbage.*

When I use some of the lower sector numbers (3-7) I get a resemblance of the directory, but there are still some graphics characters between the program listings. Also, I have to CLEAR 300 before I ENTER the DSKI\$ listing to avoid an OS Error. According to the manual, no CLEAR command is necessary.

I have a CoCo 2 64K Extended and single Slim Line Drive with a 1.1. ROM. Is there something wrong with my computer or controller?

Jose Garcia
Mooreville, NC

There's not a thing wrong with your computer, but if you think it speaks English, wait till you hear this.

When BASIC is initialized, there are only 200 bytes reserved for string space, Jose.

Since each sector has 256 bytes, a CLEAR 300 gives a few more extra bytes than you need, but it's only memory.

The garbage you're seeing on the screen is non-ASCII codes, or graphics representations of hexadecimal numbers greater than 128. You can convert these characters to numbers by using the BASIC function ASC. Try the following program:

```
5 CLEAR 300
10 DSKI$ 0,17,2,A$
20 FDR X=1 TO 68
30 PRINT HEX$(ASC(MID$(X,1)));
40 NEXT X
```

We'll have you speaking hexadecimal in no time at all.

Preserving Pages

• *I am interested in making a graphics Adventure that uses disk space to store pages. Is there any way I could save Micropainter files to disk and LOADM them to my game?*

Also, what building is that always pictured on the "RainbowTech" page? Just thought I'd ask!

Dale Atwater
Cherryfield, ME

As far as your first question Dale, sure, you can LOADM any *Micropainter* file as a command from an Adventure game, as long as you first use the proper SCREEN and PMODE commands to put your CoCo into the proper graphics mode.

The second answer escaped all of the expertise of our editorial department. We would like to think of it as "Rainbow Tech," but after extensive research, and a little help from Jerry McKiernan, our assistant art director, we discovered it is Highland Middle School in Louisville, Ky.

Printing the Picture

• *I am in the market for a graphics program. My search took me to Radio Shack, where a program called Disk Graphics was recommended. This appears to be a fine program and certainly does the things I want it to do, with one exception: I cannot print it using my Star Gemini SG-10 printer. It seems that it can only be printed by a Radio Shack printer.*

My question is: Do you know of a disk graphics program, similar to that of the Radio Shack program, that can be printed on an SG-10? This program generates bar graphs, both horizontal and vertical, pie charts, line charts and dot graphs. It also has calculation functions for averaging pur-

poses, enhanced printing sizes and automatic lining.

If you do not know of such a program, do you know of any way that the Radio Shack Disk Graphics program can be printed on my SG-10? I would not mind procuring another piece of software such as a screen dump utility, provided it is a reliable, no-hassle method that is friendly to use.

John E. Walsh
Danvers, MA

We have found the SG-10 to be very popular, John, and feel there are others with the same question. One program that comes to mind, which will allow you to compose and print graphics pictures, is *Graphicom*. Most other graphics programs require a customized screen dump routine for your printer. You may experiment with *Hardcopy* by Computize; even though the SG-10 is not listed in their literature, I think it is compatible with Epson printers.

I think your best bet will be to find a graphics editor you like, such as *Disk Graphics*, and just use a screen dump program such as *CoCo Screen Dump* by Spectrum Projects.

Piggyback Replacement

• *I have an 'E' board 16K Color Computer that was upgraded to 32K by the "piggyback" method. However, I seem to have a problem with some software due to this upgrade. For example, Color Disk Scripsit's graphics mode will not work. All that is seen is a screen of "garbage interference." Also, this problem occurs in other graphics-type displays with other programs.*

My questions are, is there any way to get around these problems through any POKES and/or PEEKs, and is it difficult to replace the "piggyback" upgrade to a legitimate 64K (or is it not worth the effort since 99 percent of most programs work fine)? Will Radio Shack perform the 64K upgrade since the machine was not upgraded originally by them? Do any of the advertisers in RAINBOW perform this type of upgrade?

D.A. Turowski
Natrana Heights, PA

I have seen 64K RAMs as cheap as \$15 for a set of eight. At that price, I think you would be wise to replace your piggybacked RAM chips as soon as possible. Your problems will disappear.

Your technical questions are welcomed. Please address them to: Downloads, THE RAINBOW, P.O. Box 385, Prospect, KY 40059. We reserve the right to publish only questions of general interest and to edit for space and clarity. Due to the large volume of mail we receive, we are unable to answer letters individually.

LEARNING OS-9

*Adding more features
to the LIST command*

The Utility Room

By Brian A. Lantz

Welcome back to the "Utility Room"! Step over that hammer, and have a seat on that sawhorse.

If you missed the last issue, you missed my explanation of the LIST command, along with the changes required in order to allow the LIST command to receive its input from the standard input path, as well as from specified files.

I will try not to repeat information from one installment to another, so if you missed the last one, try to get a back issue. All line numbers mentioned in this article are in reference to the listing in the last issue.

This time we will add more features to the LIST command. We'll give LIST the ability to print only a specified range of lines, instead of printing out the entire file. OK! Get out your reference book on assembly language programming, the last issue of RAINBOW along with this issue and let's get started.

Let Me 'Count' the Ways

In order to print only selected lines within a file, we need to first show the computer how to count. A computer, by itself, is really a dumb machine. We need to "teach" it everything. So, how

do you teach a computer to count? Let me show you.

In order to keep track of the current line number, let's set aside a place in data memory for the command to use for the current line count. Add a Line 155 to the listing that contains:

```
COUNT      RMB 2      line counter
```

Now, let's initialize it to zero. A simple way to do this is to make Register D (registers A and B combined) equal to zero and store it at COUNT. Add these lines between lines 250 and 255 of the listing (Line 255 was added in the last issue):

```
CLRA      set register A equal to 0
CLRB      set register B equal to 0
STD COUNT store 0 at the 2 bytes of COUNT
```

Well, we set aside our scratch pad. Next, let's add the assembly code that counts the lines as they are read. In between lines 350 and 360, add the following:

```
LDD COUNT get the current line count
ADD #1    add 1 to the line count
STD COUNT store the new line count
```

Your Choice of Options

We are now ready to determine how

we want to be able to give our choice of range options to the LIST utility command. With BASIC's LIST command, a range can be specified with any one of the following:

```
line1-      from "line1" to the end
line1-line2 from "line1" to "line2"
-line2      from the beginning to "line2"
line1       "line1" only
```

We will do basically the same thing, except we will require our option list to begin with either a plus sign or a minus sign. This makes it easier to check and see if there are any range options on a command line (we simply check for a '-' or a '+'). Therefore, our equivalent ranges are:

```
line1-      from "line1" to the end
line1-line2 from "line1" to "line2"
-line2      from the beginning to "line2"
line1       "line1" only
```

Before we design the assembly code, let's set up a small chart of syntax rules that we must handle within our code in order to reach our destination.

Rule #1 — Any number following a '+' (if present) is used as

(Brian Lantz lives in Tampa, Fla., and is president of the National OS-9 Users Group. He is a free-lance programmer, with programs carried by Tandy, Computerware and Frank Hogg Labs. He has developed much of the commercial OS-9 software released in the last year.)

Table 1

OPTCHK	LDA ,X+	get next character
	CMPA #',	check for a comma
	BEQ OPTCHK	if it is, skip it
	CMPA #\$20	check for a space
	BEQ OPTCHK	if it is, skip it
	CMPA #'+'	check for a "+"
	BEQ PLUS	if it is, branch

Computerware®'s Quality Hardware

Computerware® is a trademark of Computerware.

Monitors

NAP Monochrome Monitors

The 20 mhz band width, 800 line resolution, and 80x25 display insure a crisp picture. The non-glare screen and streamlined style is also attractive. Plus—it has audio input!

Green 12" Amber 12" **\$109.95**
plus \$10 shipping

NAP Color Monitor

Resolution of this 13" color monitor is 350 lines x 350 lines, giving an excellent display. It includes composite video color and audio.

\$249.95 plus \$15 shipping



Disk Systems

Includes controller, DOS manual, cabinet, power supply, half-size double density drive, and all cables. Please specify RSDOS or JDOS. Add \$10 for the new J & M switchable controller with printer port and JDOS. For both operating systems, add \$25 for the HDS switchable controller or add \$40 for the dual DOS J & M switchable controller with printer port.

Single drive, Single sided **\$279.00**
Single drive, Double sided **\$309.00**
Dual drives, Single sided **\$389.00**
Dual drives, Double sided **\$439.00**

Adding On

Each includes half-sized drive in cabinet with extender.

Single drive, Single sided **\$169.00**
Single drive, Double sided **\$199.00**

Controllers

J&M controller w/JDOS or RSDOS **\$127.95**
HDS controller w/RSDOS or JDOS **\$127.95**
J & M controller w/JDOS
& printer port **\$137.95**
HDS controller w/RSDOS & JDOS **\$154.95**
J & M switchable controller
w/JDOS & RSDOS
and printer port **\$169.95**

Supplies

Diskettes 5-pak **\$ 8.95**
10-pak **\$14.95**
Disk Head Cleaning Kit **\$ 9.95**

8 Outlet Surge Protector \$19.95
Protect your investment and organize all those cords with this handy power strip. The surge protector filters power spikes from damaging your valuable equipment. Reg. \$24.95

Video Clear \$18.95
from Computer Assoc.
Connects between the computer & TV to reduce interference from the computer.



WICO Joystick Adapter \$18.95



Put a Monitor on Your CoCo with The New Universal Video Plus

We would like you to look at our old Video Plus IIU with new eyes. We now call it the **Universal Video Plus** & would dare you to compare it with any other video interface. We feel confident that you will see that it is the **best product** & the **best buy** in CoCo monitor drivers ever!

Sure, at first glance you will notice that it costs a little more. But look further & see how much more you get! The bottom line is that the **Universal Video Plus** is the **best bargain** available. Here are the important features to consider & compare.

- The Universal Video Plus works with **every CoCo** made Easy-to-follow, **clear instructions** are included for every model.
- **All cables** (audio & video) are included. There is no need to buy extenders or extra cables as required by other drivers. With this consideration, the Universal Video Plus is now the most cost effective video interface of all.
- **Heavy duty construction**, evidenced by sturdy leads & connectors, allows the necessary handling for installation without fear of breakage.
- **Shielded audio & video cables** insure that no extra RF interference will be introduced from the Universal Video Plus, unlike other interfaces.
- The **adjustment** pot on the Universal Video Plus makes it **easy to optimize** the video signal for each computer. You don't have to modify your computer to get good display!
- Our advanced design gives the **highest quality display**—better than any other device offered!
- **Installation is easy**. There is no soldering & no dismantling of the RF shield.
- Thousands of Universal Video Plus' are in use throughout the U.S. Clearly the test of time has **proven** its reliability.
- The Universal Video Plus is backed by the **Computerware** reputation for excellence & service.


Universal Video Plus **\$34.95**

also available... while supplies last...

Video Plus I \$24.95
Interfaces the original model of Color Computer to any composite video monitor (color or monochrome).

Video Plus IIC \$34.95
Interfaces the Color Computer II (model 26-3026) with either a color or monochrome composite video monitor. Computer must have video chip in socket.

Call or Write to:



(619) 436-3512
Box 668 • Encinitas, CA • 92024

Name _____
Address _____
City _____ State _____ Zip _____
Yes! Send me your **FREE** catalog! CoCo
VISA MasterCard
Card # _____ Exp. _____
Signature _____

Item	Format	Price

Shipping* 6% Calif. Sales Tax
Surface — \$2 minimum. COD Add \$5
2% for orders over \$100 Shipping*
Air or Canada — \$5 minimum. TOTAL
5% for orders over \$100
Checks are delayed for bank clearance

- the first number of the range.
- Rule #2 — If Rule #1 applies and the number is not followed by a '-', then the last number of the range is the same as the first number. (This allows single line printouts.)
- Rule #3 — Any number following a '-' (if present) is used as the last number of the range.
- Rule #4 — If the first number of the range is not specified, then the first number of the range is the first line of the input.
- Rule #5 — If the last number of the range is not specified, then the last number of the range is the last line of the file.
- Rule #6 — The range list (if present) must be terminated by either a CR or a delimiter (space or comma).

With these rules in mind, our next task is to write the routine to check for ranges and analyze them. Insert the lines from Table 1 into the listing between the current lines 500 and 510.

Now for an explanation of what these new lines do. The first line gets the character pointed at by 'X'. The next four lines skip past the delimiters (commas and spaces). The next four lines check for the '+' and '-' characters. If the character in Register A is not one of these, the branch is made to OPTOUT and it is assumed this character is the first character in a pathname.

'T' Minus One and Counting

If the character is a '-' then the MINUS routine is processed. This routine checks to see if the next character is a digit. If it is not a digit and it is a character greater than '9', it is sent to PARERR. This is to satisfy Rule #6. If the next character is greater than '9' it is not a number and it is not a delimiter.

If the character is less than '0' it is sent back to OPTCHK, since it may be a delimiter or a CR. This allows for Rule #2 and Rule #5. If the '-' is followed by a delimiter, the last number is assumed to be the end of the file.

The next task of the MINUS routine is to convert the ASCII decimal number

Table 1 (continued)

MINUS	CMPA #' -	check for a "-"	
	BNE OPTOUT	if not, end OPTCHK	
	LDA \varnothing, X	get next character	
	CMPA #' \varnothing	test low number range	
	BLO OPTCHK	if less, branch	
	CMPA #' 9	test high number range	
	BHI PARERR	if too high, error	
	BSR GETNUM	convert the number	
	STD TO	store "line2" at TO	
	LDA \varnothing, X	get next character	
	CMPA # \$2 \varnothing	is it a space?	
	BEQ OPTCHK	if so, branch back	
PLUS	CMPA #' ,	is it a comma ??	
	BEQ OPTCHK	if so, branch back	
	CMPA # \$ \varnothing D	is it the end of line?	
	BEQ OPTCHK	if so, branch back	
	BRA PARERR	else, a parameter error	
	OPTOUT	BSR GETNUM	convert the number
		STD FROM	store "line1" at FROM
		LDA \varnothing, X	get next character
		CMPA #' -	is it a "-"?
		BEQ OPTCHK	if so, branch back
		CMPA #' ,	is it a delimiter?
		BHI PARERR	if not, parameter error
LDD FROM		get "line1"'s value	
STD TO		store as "line2"	
BRA OPTCHK		branch back	
LEAX -1, X		set X back one char.	
RTS		return from routine	

Table 2

GETNUM	CLRA	set A equal to \varnothing
	CLRB	set B equal to \varnothing
	BSR ONCE	check for 1 digit
	BSR TWICE	check for 2 digits
TWICE	BSR ONCE	check for 1 digit
ONCE	BRA DIGIT	check for 1 digit
MULT	EQU 1 \varnothing	base 1 \varnothing numbers
DIGIT	PSHS D	save D on the stack
	LDB \varnothing, X	get next character
	SUBB #' \varnothing	subtract value of " \varnothing "
	BCS DIGOUT	if less than " \varnothing " branch
	CMPB #MULT-1	is it a digit ??
	BHI DIGOUT	if not, branch
	PSHS B	save number
	LDB #MULT	ready to multiply by 1 \varnothing
	MUL	multiply previous MSB
	STB 1, S	save result
	LDA 2, S	get previous LSB
	LDB #MULT	get ready to multiply
	MUL	multiply by 1 \varnothing
	ADDB ,S+	add current digit
ADCA \varnothing, S	add result of 1st mult.	
LEAX 1, X	increase X	
STD \varnothing, S	store new number	
DIGOUT	PULS D, PC	return

Color Basic Compiler

by Warren Ulrich III

CBC lets you write in the familiar Extended Basic and then converts it to machine language for you. It produces efficient, compact, machine code that is position independent, relocatable, and runs an average of 40 times faster! CBC features over 60 commands and functions, a subset of Extended Basic. The compiler is limited to integer variables, but variables are easily passed between a compiled program and BASIC programs. Strings and multi-dimensional arrays are fully supported. (Write for a detailed description.) Requires 32K.

32K Disk \$39.95

Macro Conditional Assembler

MAC not only supports all standard mnemonics and directives, but also thrives on macros, conditional assembly, repeat sequences, inclusion of source library files and more. The macro capabilities allow you to create standard subroutines only once, and then simply call them when they are needed. Conditional assembly allows you to have only one multi purpose source file, and then conditionally assemble various versions from one source. And we've included our Assembler Cross Reference program.

32K RSDOS \$49.95 64K OS-9 \$49.95

The Sourcerer

by Frank Delargy

The Sourcerer is a menu driven symbolic 6809 disassembler that produces symbolic source code that can be assembled. It is compatible with most editor/assemblers that produce ASCII files. Added features include automatic equate generation for labels and symbols out of disassembly range; FCC, FCB, and FDB generation; user defined symbol/label buffer area; and symbolic labels for all extended addresses. The position independent code is relocatable to any area of memory.

16K Cass \$34.95
32K RSDOS \$39.95
64K OS-9 \$39.95

64K Screen Expander

by Gregory Forseth

The 64K Color Computer can have a 64x24 or 51x24 upper and lower case display without hardware modal. Use it with BASIC and assembly language programs that use text displays. Added features include the mixing of text and hi-res graphics on the same screen, keyboard auto repeat; type ahead keyboard; two PRINT @ formats; ON ERROR command; auto line number; and an enhanced PMODE command that allows you to specify page 0 the start page. Requires 64K.

64K Cass \$24.95 Disk \$27.95

Ask for our FREE catalog!
Explore new worlds...!
Telecommunications...!
Programming



Color Connection III for RSDOS

by BJ Chambless

This is the most comprehensive modem package for the Color Computer! All standard protocols are supported including CompuServe's Protocol B, XMODEM protocol, and XON/XOFF. Full support of the auto answer/auto dial feature for both Hayes compatible and Radio Shack modems is provided. You can use all baud rates when using the Radio Shack Deluxe RS232 program pack! A big buffer of up to 42K is offered (64K is required for maximum buffer size.) You can print directly from the buffer, and files bigger than the buffer can be uploaded and downloaded. The automatic XON/XOFF protocol downloads direct to disk as well! Printer baud rates are selectable from the software.

The hi-res 51x24 screen has optional inverted colors and anti-truncation. All printable characters are available at the keyboard and all control characters are supported including ESCape, RUB, DEL, etc. Single key macros allow easy entry of often-used passwords and ID's with a single key touch. Our introduction to Data Communications tutorial and glossary of terms are included. You won't find a better telecommunication package anywhere! Requires 32K, modem, and disk drive.

32K RSDOS Disk \$49.95

Color Connection II for Cassette

by BJ Chambless

Color Connection II is an easy-to-use, menu driven terminal package. It supports 300 baud, full and half duplex, and auto-dial for modems with this feature. The upload/download protocol is user definable to allow you to customize your system to most standard hosts. Single key macros allow you to enter often-used passwords and ID's with a single key. All printable characters are available at the keyboard and all control characters are supported including ESCape, RUB, DEL, etc. Color Connection reads and writes ASCII files. You can upload and download these files using the buffer. You can save your buffer to tape. It has a 51x24 or 32x24 screen display with selectable "inverted" screen and anti-truncation. Our "Introduction to Data Communications" tutorial is included at no charge! Requires 16K.

16K Cass \$34.95

Color Connection II for OS-9

by Brian Lantz

Our OS-9 Color Connection is a great terminal package and really takes advantage of OS-9. The OS-9 shell is accessible, so you can invoke any OS-9 command! XON/XOFF software handshaking is supported. The expandable buffer allows you to save anything on the screen to memory. Macros allow you to enter often-used passwords and ID's quickly with a single key. There is a unique 12 page on-line screen display with which you can view any of the last 12 screens even while the software is still receiving data.

Color Connection II reads and writes standard ASCII files. The upload/download protocol is user definable so you may customize your system to most standard hosts. All printable characters are available at the keyboard and all control characters are supported. It supports 300 baud, full and half duplex, and auto dial for modems with this feature. It is menu-driven and easy to use. A handy glossary of telecommunication terms is also included. Requires 64K, Disk, & OS-9.

64K OS-9 Disk \$49.95

Mitsuba 1200

(reg \$275) \$249.00 CoCo cable \$25.00

A perfect clone of the popular (and expensive) Hayes modem, the features include 1200 baud or 300 baud operation, direct connect, touch tone or pulse dialing, full or half duplex, speaker alert to busy signal, and complete compatibility with the Hayes Smartmodem 1200. Buy now before they realize their mistake!

CompuServe Starter Kit

reg. \$39.95 sale \$27.95

Includes 5 free hours, personal ID and password, user's guide, and a subscription to TODAY magazine.

To Order

Add \$2 surface or \$5 air shipping. California residents add 6% sales tax.

Call or Write to:



Box 668 Encinitas, CA 92024
(619) 436-3512

into a binary number (BSR GET-
NUM). After this is done, the number
is stored at TO (this meets the condi-
tions of Rule #3) and the next character
is analyzed. If it is a delimiter or a CR
the routine branches back to OPTCHK
to skip past any delimiters that precede
the pathname. If the character is not a
delimiter or a CR, then a parameter
error has occurred. A delimiter, either
a comma or a space, must separate the
range options and the filename (Rule #6
again).

PLUS

The PLUS routine first converts the
decimal number to binary (BSR GET-
NUM again), then stores it at FROM.
Next, it checks the next character to see
if it is a '-'. If it is, the routine loops
back to OPTCHK. If not, the routine checks
to see if it is a delimiter or a CR. If it
isn't, a parameter error has occurred.
(Rule #6).

If the next character is a delimiter or
a CR the routine loops back to
OPTCHK, after first storing the
FROM value to TO. This is so that only
the one line gets listed (from line1 to
line1). This fulfills the conditions of
Rule #2 and Rule #5.

The OPTOUT section simply resets
Register X to point again to the char-
acter that was not processed.

Handle It

The parameter error handler routine
is next. Place it after the last section that
we added.

```
PARERR LEAX ERROR,FCB get the error message
LDY #BUFSIZ set up a big enough buffer
LDA #2 standard error path
OS9 ISWRITLN write error message
BRA OUT and LIST command
```

And, to add the error message, add
these lines after Line 230:

```
ERROR FCB $9A
FCB /cat: parameter error/
FCB $9D
```

This is a very simple error message.
In the next installment, I will explain
various ways to present error messages,
from the simple to the complex.

Numeric Conversion

Add the lines from Table 2 after the
PARERR routine. These lines convert
the decimal number given in the com-
mand line to a binary number that the
computer can work with.

The listing:

```
10 * CAT Utility Command version 1
15 * Copyright 1985 Brian A. Lantz
20 *
30 NAM CAT
40 IFPL
50 USE /DQ/DEFS/OS9DEFS
60 ENDC
70 TYPE SET PRGM+OBJCT
80 REVS SET REENT+1
90 MOD THEEND,CATNAM,TYPE,REVS,BEGIN,CATMEM
100 CATNAM FCS "Cat"
110 *
120 BUFSIZ EQU 200
125 MULT EQU 10
130 ORG 0
140 * this is the beginning of the data area.
150 IPATH RMB 1 this is the input path #
155 COUNT RMB 2 line counter
156 FROM RMB 2 to store "line1"
157 TO RMB 2 to store "line2"
160 PRMPTR RMB 2 this is the parameter pointer
170 BUFFER RMB BUFSIZ this is the input buffer
180 RMB 200 this is the stack's memory
190 RMB 200 the parameter area is here
200 CATMEM EQU this ends the data area
210 *
220 * The following line sets the EDITION number to 1
230 VERSION FCB 1
231 ERROR FCB $9A
232 FCB /cat: parameter error/
234 FCB $9D
240 *
250 BEGIN STX PRMPTR save your parameter position
251 CLR CLRA set register A equal to 0
252 GLRB GLRB set register B equal to 0
253 STD COUNT store 0 at COUNT
253.1 STD FROM clear FROM pointer
253.2 SUBD #1 make D equal 65535
253.3 STD TO set TO pointer
253.4 BSR OPTCHK process options
254 STX PRMPTR store X at PRMPTR
255 CLR IPATH default input from stdin
256 LDA 0,X place character at X in A
257 CMPE #9D is the character a <CR> ??
258 BEQ MAIN if so, skip to MAIN
260 LDA #READ set access mode for reading
270 OS9 ISOPEN attempt to open file
280 BCS EXIT if an error, end program
290 STA IPATH store input path #
300 STX PRMPTR store parameter position
305 * this is the main loop
310 MAIN LDA IPATH get input path #
320 LEAX BUFFER,U set 'X' point to the buffer
330 LDY #BUFSIZ set 'Y' to maximum # of bytes
340 OS9 ISREADLN attempt to read a line
350 BCS EOFCHK branch out if error or EOF
351 LDD COUNT get the current line count
352 ADDE #1 add 1 to the line count
353 STD COUNT store the new line count
354 CMPD FROM compare COUNT to FROM
355 BLO MAIN if less than, loop
356 CMPD TO compare COUNT to TO
357 BHI EOF if high, end file
360 LDA #1 load 'A' with standard output
370 OS9 ISWRITLN write to standard output
380 BCC MAIN if no error, loop back
390 BRA EXIT otherwise, end program
395 * check for End Of File
400 EOFCHK CMPB #EEOF is it the EOF ??
410 BNE EXIT if not, error has occurred
```


The routine ONCE processes one ASCII digit. The TWICE routine processes two digits. The third line of the routine processes the first digit. The next line adds the second and third digits. The TWICE routine processes the fourth and fifth digits. The number given may have from one to five digits (1-65535). Once the end of the number is reached, the pointer at 'X' remains where it is.

This same routine (DIGIT) can be used in other programs for other base numbers (base 8, for instance). To do this, just change the MULT equate to the desired value, and call the DIGIT routine once for each possible digit.

On Option GOTO

Just 11 more lines and this command can handle an optional defined range of lines. The next two lines reserve storage space in the data area for the two variables that mark the beginning and the end of the range list. Add these lines right after Line 155:

```
FROM   RMB 2   to store "line1"
TO     RMB 2   to store "line2"
```

420	EOF	LDA	IPATH	get input path #
430		OS9	I\$CLOSE	and close the path
440		BCS	EXIT	if an error, branch
450		LDX	PRMPTR	get position in parameters
460		LDA	0,X	check next character
470		CMPA	#0	is it a <CR> ??
480		BNE	BEGIN	if not, LIST another file
490	OUT	CLRB		clear 'B' and 'CC'
500	EXIT	OS9	F\$EXIT	exit the command
505		*		
510	OPTCHK	LDA	,X+	get next character
515		CMPA	#>,	check for a comma
520		BEQ	OPTCHK	if it is, skip it
525		CMPA	#20	check for a space
530		BEQ	OPTCHK	if it is, skip it
535		CMPA	#+	check for a "+"
540		BEQ	PLUS	if it is, branch
545		CMPA	#-	check for a "-"
550		BNE	OPTOUT	if not, end OPTCHK
551		*		
555	MINUS	LDA	0,X	get next character
560		CMPA	#0	test low number range
565		BLO	OPTOKK	if less, branch
570		CMPA	#9	test high number range
575		BHI	PARERR	if too high, error
580		BSR	GETNUM	convert the number
585		STD	TO	store "line?" at TO
590		LDA	0,X	get next character
595		CMPA	#20	is it a space?
600		BEQ	OPTCHK	if so, branch back
605		CMPA	#,	is it a comma ??
610		BEQ	OPTCHK	if so, branch back
615		CMPA	#0D	is it the end of line?
620		BEQ	OPTCHK	if so, branch back

\$6
EACH

The COCO Library **ONLY \$6 each**
Choose any disk by Title
OR Baker's dozen 13 for
only \$70 (#13 not listed)

<p>DISKUTIL</p> <pre>FOINDEX DETACH TELECON MENU NAME1 BSTATUS DISKLOOK BUDECTE COPY17 KILLER COMPART 42X24 31124 42DEMO FILELOOK SORT9876 SORT-ONE DOCUMENT CATE CATEGORY MSTRDIR1 SMALLDIR DISKMENU DISKSCAN SMALLER</pre> <p>MUSIC</p> <pre>A TEAN ALFIE BEAT1T CLOSEST D'AMOUR FATHER BREKLIB JUMP KHAN LUVSTORY MUSIC ROROE & WRITEKUB CHORALE LUNED LONELY FUGUE MINUET BOHATA MARCH</pre> <p>SANES 1</p> <pre>BINGO BINGO-TK CCSAFARI CHICKEN COPTER DARTS DODGE-EM FLTBIM16 FLTBIM32 SALACTIC FLTBIM16 HENORY RSTRIND OLDHOUSE POKER POKER-TK POKORDER ROULETTE SO18AYS TOMERS VIPERS IELDA RUND8K SQUAREKS TANK-BUN</pre> <p>SANES 2</p> <pre>AIR-RAID ALPINE1 ALPINE2 C4CHESS CHECKERS SOLOMINE HANDMAN HANOI ICE MAZE MAZE11 HUK-ATTK GTHELLO PATROL2 KINGPONS MUSIC SCRAMBOL SUBSHOT TANK SHNAMBOL CHICKEN DODGE-EM DARTS BND EFTS SO18AYS CCSAFARI</pre> <p>BASIC01</p> <pre>HI TONE COLOR COUNTING COUNTBND RANGE SECONDIC NITHTIME CLOCK COL-SEC NICE IF-THEN RND RUBSRDOL DICE CRAP SET FACE DOT JOYSTK BRUSH TEACHER TEACH 2 ARITH DATA VOCA8 BOBUS POWER SQUARE BAVINS LEW ROBE LEFTRTS MID8 MID82 CHANGE EDITOR INKEY# PIANO PIANO2 VAL TYPETEST BRND STDP ON-BOBUS ELSE ON-SOTO AND-OR 999 ABS BTR# EXP-NOTE DIR</pre>	<p>BASIC02</p> <pre>CHR# TRAIN RECORDER TALKER POINT POINT2 ABTROID BRAPHCHR BLUECAR TABLE TRAFFIC LARGER BANCE ARRAY CANDAT-# INVENTORY HENTEST SHOPLIST SONG ESSAY WORDPROC SAVEFILE CATALOG PICK CHECKS ABC ALPHATIZ BOOK 2DINARAY 3DINARAY 2DINCARD PR#91 PR#91 PR#92 PR#93 ALSUBRTN BASICPR# BASICPR1 SGR ROOT EXPON-Y LOB EXPON-X TANGENT COBINE ARC COS ARC SINE ARC TANG SPACEBUS BOUNCE BLK JACK KALEIDOS ELECDICE PLAYTUNE LRN TUNE INV SHOP BARGRAPH BPD READ MUB COMP DIR</pre> <p>GRAPHIC1</p> <pre>3DHAT 3DROTATE 3DORLDO CCOB CCOBLO80 CHRISCAR CPAINT DOG FORNS IN-OUT KALIDOB KEYPAINT L08091 PAPER PATTERNS PICTURE POLYBON POLYBONI PURPKIN SHIPS SKETCHER TUNNEL AMERICA OPTICAL PCT2 POLAR SCOTT</pre> <p>GRAPHIC2</p> <pre>PICTURE RUNNE PHASER TREKS RELIANT STRIPE 8UBSTER F-10 TIESHIP M8HIP X-WING SAUCER P18YBACK TIGER PANZER VINCENT SNOPY MAX F-15 ALIEN EARTH</pre> <p>PROG# 01</p> <pre>84KTEST BABICHAP BABTOKEN CATALOG CHANGE COLOR2AP DETACH DIRLIST DIRP DIRPRINT DIRSORT DISKAID DISKDUMP DISK8CH DISKTEST DIRBYT FLIST 64 FLIST 80 LIBRARY MENU MESSAGE RL ADDM PABEFLIP PRNUTIL RSTORE ROHRAM BELPHAL TAPETYPE TELECON TRKLOC UPPEN32K</pre> <p>PROG# 02</p> <pre>C8PDUMP COLOR8 COPY11 DATAFIND DCOPY DCOPY 11 DISKERT DISKLOOK DBPEED FORMATOR KILLER KILLER QIDUMP PANTTEST XREF QEMINI10</pre>	<p>PROG# 03</p> <pre>ALARM AREAVAL AUTORTPT BASECONV B10NHYTH CALENDAR CALNDR CLOCK CONVERS DB DECHEX CONVECT BOBUBS BOBUBST HEALTH HISTOGRAM INV-FL MAILIST R18T18T BND EFTS SORT SOUNDEMO BRCPRINT BRCPRINT HINDCHIL TELDIR T8T8PAT1 TICKER</pre> <p>PROG# 04</p> <pre>ANORTIZE BARTEND SEANS CHECKRES CBOOK CONPLAN8 FINANCE HOMEUTIL IRA NERO METRCON METRIC-1 MONEYMAN NUKE 8IM PRIMENUM PROCESSOR ROMAN-NU ADORT 2 LOANS</pre> <p>54K RAM CHIP \$1.00</p> <p>68A09E CPU \$24.95</p> <p>68B2 (74L8783) RAM \$29.95</p> <p>WIC0 JOYSTICK \$39.95</p> <p>MIC0 JOYSTICK ADAPTOR \$19.95</p> <p>DISK DRIVE 0 \$289.00</p> <p>UBI GREEN MONITOR \$99.00</p> <p>BNC COLOR MONITOR \$299.00</p> <p>8UTEK INTERFACE \$99.95</p> <p>SEMINI/DKI RIBBON \$2.95</p> <p>PROMITER RIBBON \$5.95</p> <p>COLOR SEMINI/DKI \$4.95</p> <p>COLOR PROMITER \$6.95</p> <p>EPSON BLACK RIBBON \$7.49</p> <p>EPSON COLOR \$7.49</p> <p>C-20 LEAFERLESS \$1.00</p> <p>10 88/88 DISKS \$10.00</p> <p>DISK CLEANER \$9.99</p> <p>DISK LABELS (100) \$4.20</p> <p><small>NICHIGAN RESIDENTS ADD 4% SALES TAX ALL ORDERS MUST INCLUDE \$2.00 FOR SHIPPING AND HANDLING</small></p> <p><small>RIBBON COLORS - BLUE, GREEN, BROWN, PURPLE, RED EPSON RIBBON COLORS ALSO INCLUDE YELLOW</small></p>
---	---	---

DSL Computer Products, Inc.

P.O. Box 1176 Dearborn, Michigan 48121

Phone (313) 582-8930

VISA

MasterCard

Now, to make our ranges "do their thing," add these four lines before Line 360:

```

CMPD FROM    compare COUNT to FROM
BLO MAIN     if less than, loop
CMPD TO      compare COUNT to TO
BHI EOF      if high, end file

```

Finally, we need five lines at the beginning of the program that will initialize the FROM and TO pointers, send the program to the OPTCHK routine and then save the new value of Register X at PRMPTR. Place these lines before Line 255:

```

STD FROM     clear FROM pointer
SUBD #1      make D equal 65535
STD TO       set TO pointer
BSR OPTCHK   process options
STX PRMPTR   store X at PRMPTR

```

The Results are in

The result is Listing 1. I made one cosmetic change by changing the command's name to CAT to keep this new version distinct from the original LIST command. And since this is the first edition of CAT, VRSION was changed to a '1'.

In the next installment, I will cover how to handle more complex error messages. Later, we will add automatic line numbering to our CAT command.

Mail Call

I received a few letters after last month's article, but I didn't receive a letter from you! I would appreciate any feedback on other command changes you'd like to see explained. Drop me a line. I can't give you what you want if you don't tell me what it is! See you next time in the "Utility Room." □

625		ERA	PARERR	else, a parameter error
630		*		
635	PLUS	BSR	GETNUM	convert the number
640		STD	FROM	store "line1" at FROM
645		LDA	0,X	get next character
650		CMPA	#'-	is it a "-"?
655		BEQ	OPTCHK	if so, branch back
660		CMPA	#'	is it a delimiter?
665		BHI	PARERR	if not, parameter error
670		LDD	FROM	get "line1"'s value
675		STD	TO	store as "line2"
680		BRA	OPTCHK	branch back
685		*		
690	OPTOUT	LEAX	-1,X	set X back one char.
695		RTS		return from routine
700		*		
705	PARERR	LEAX	ERROR,PCR	get the error message
710		LDY	#BUFSIZ	set up a big enough buffer
715		LDA	#2	standard error path
720		OS9	ISWRITLN	write error message
725		BRA	OUT	end LIST command
726		*		
730	GETNUM	CLRA		set A equal to 0
735		CLRB		set B equal to 0
740		BSR	ONCE	check for 1 digit
745		BSR	TWICE	check for 2 digits
750	TWICE	BSR	ONCE	check for 1 digit
755	ONCE	BRA	DIGIT	check for 1 digit
760		*		
765	DIGIT	PSHS	D	save D on the stack
770		LDB	0,X	get next character
775		SUBB	#'0	subtract value of "0"
780		BOS	DIGOUT	if less than "0" branch
785		CMPB	#MULT-1	is it a digit??
790		BHI	DIGOUT	if not, branch
795		PSHS	B	save number
800		LDB	#10	ready to multiply by 10
805		MUL		multiply previous MSB
810		STB	1,S	save result
815		LDA	2,S	get previous LSB
820		LDB	#10	get ready to multiply
825		MUL		multiply by 10
830		ADDB	,S+	add current digit
835		ADCA	0,S	add result of 1st mult.
840		LEAX	1,X	increase X
845		STD	0,S	store new number
850	DIGOUT	PULS	D,PC	return
855		*		
860		EMOD		set module's CRC
870	THEEND	EQU	*	end of program
880		END		tell ASM that you're through!

OS-9™ SOFTWARE/HARDWARE

SDISK—Standard disk driver module allows the use of 35, 40, or 80 track double sided drives with COCO OS-9 plus you can read/write/format the OS-9 formats used by other OS-9 systems. **\$29.95**

SDISK + BOOTFIX—As above plus boot directly from a double sided diskette **\$35.95**

FILTER KIT #1—Eleven "wild card" utilities plus disk sector edit program. **\$29.95**

FILTER KIT #2—Macgen + 10 others. **\$29.95**

HACKER'S KIT #1—Disassembler + others. **\$24.95**

PC-XFER UTILITIES—Utilities to read/write and format ss MS-DOS™ diskettes on CoCo under OS-9. **\$45.00**

SKIO—hi res screen driver for 24 x 51 display; does key click, auto repeat, boldface, italics; supports upgraded keyboards and mouse. With screen dump and other useful programs. **\$29.95**

CCRD 512K Byte RAM DISK CARTRIDGE—Requires RS Multi-pak interface, used with driver software below provides 1/2 MB OS-9 RAM disk. **\$298.00**

CCRDV OS-9 Driver software for CCRD—**\$20.00**


All disk prices are for CoCo OS-9 format; for other formats, specify and add \$2.00 each. Order prepaid or COD, VISA/MC accepted, add \$1.50 S&H for software, \$5.00 for CCRD; actual charges added for COD.

**D.P. Johnson, 7655 S.W. Cedarcrest St.
Portland, OR 97223 (503) 244-8152**

(For best service call between 9-11 AM Pacific Time.)

OS-9 is a trademark of Microwave and Motorola Inc.
MS-DOS is a trademark of Microsoft, Inc.

Get the most out of BASIC09



The **OFFICIAL BASIC09 TOUR GUIDE** is skillfully written in a friendly and easy-to-read style. Just perfect for those new to computers and to BASIC09. It's also a *valuable reference book* for programmers, engineers, students and hobbyists, providing an in-depth look at BASIC09 plus an overview of the OS-9 operating system. Comprehensive reference sections on BASIC09 and OS-9 commands are also included.

The book "maps" out your route through the Mercedes of Basics . . . BASIC09 and puts you in the driver's seat in no time. Fasten your seatbelt, sit back and enjoy the ride to perfecting your programming skills.

MICROWARE . . .

The **OFFICIAL BASIC09 TOUR GUIDE** comes from the people who wrote BASIC09. As the leader in 6809 system software, we at MICROWARE care about our users and want to help you get the most from our products.

It's Easy to Order.

Phone orders are accepted from MasterCard or VISA cardholders or for COD shipment. You can also order by mail using the coupon below. Quantity discounts are available to educational organizations and dealers. For further information contact Microware.

microware[®]

Specialists in system software for 68-family microprocessors since 1977.

OS-9 and BASIC09 are trademarks of Microware and Motorola.

Microware Systems Corporation
1866 N.W. 114th Street
Des Moines, Iowa 50322
Telephone 515/224-1929
Telex 910-520-2535

Please send _____ copies of the **Basic09 Tour Guide** book at \$18.95 each. Add \$2.00 for UPS shipping in the U.S. or \$10.00 for overseas air mail per book. Iowa residents add 4% sales tax.

Name _____

Address _____

City _____

State _____ Zip _____

I have enclosed a check

Charge to my bank card:

MasterCard VISA

Card Number _____

Expiration _____

It's here!

THE SECOND RAINBOW BOOK OF

ADVENTURES

Twenty-four of the most challenging Adventure games ever compiled await you in this latest offering from The Rainbow Bookshelf. Journey through time, fight World War III, win the heart of a beautiful and mysterious princess. Experience the titillations of the most rugged Adventurer without ever leaving your seat.

Order The Second Rainbow Book of Adventures and among the 24 program listings you'll receive are:

Yellow Submarine — Meet the Beatles and attempt to outlast the Blue Meanies while enjoying some of the Fab Four's all-time musical hits.

Ring Quest — Regain possession of a magical ring and save a kingdom.

Ice Princess — Just one glance at this beauty will steal your heart.

Chief Inspector — Who killed B.L. Brown?

Sir Randolph Returns — The sequel to a favorite from our first Adventure book.

Silverton House — Where's the money been stashed?

Time Tripper — Lost in another dimension.

Experience other traditional and contemporary challenges: Stowaway, Hero of Lonesome Valley, The Riddle of Randomar, Lunar Escape, The Crypt of Flodnar, Secret Agent Man, Pappy's Gold, Scavenge, Thief of Dirlot, World War III, Dark Castle, Castle of Naurios, Curse of Karos, Island, African Transference, and Robert's Adventure.

The Second Rainbow Book of Adventures sells for only \$13.95!

THREE BONUS PROGRAMS

WHEN YOU BUY THE SECOND RAINBOW ADVENTURES TAPE!

That's right. You'll receive a total of 27 fantastic Adventures when you get the Second Rainbow Adventures tape. The three bonus games are Castle Thuudo, Halls of Dungeon Death, and Caves of Kalakh — programs with listings too lengthy to include in the book. Save yourself hours of typing listings. Load these great Adventures into your computer and run them!

The Second Rainbow Adventures Tape is only \$13.95.

The tape is an adjunct and complement to the book. Even if you buy the Second Rainbow Adventures Tape, you'll need the book for the introductory material and loading instructions.



Keep your Rainbow Bookshelf up-to-date!

See Page 197 for additional Rainbow Bookshelf offerings.

- Please send me The Second Rainbow Book Of Adventures for \$13.95*

- Please send me the Second Rainbow Adventures Tape for \$13.95

Name _____

Address _____

City _____ State _____ ZIP _____

My check in the amount of _____ is enclosed.

Please charge to my: VISA MasterCard American Express

Account Number: _____ Exp. Date: _____

Signature _____



The Rainbow Bookshelf™

Mail to: The Second Rainbow Book of Adventures, The Falsoft Building, P.O. Box 385, Prospect, KY 40059

To order by phone, call: (502) 228-4492

*Add \$1.50 shipping and handling per book. Outside the U.S., add \$4. Allow 4-6 weeks for delivery. Kentucky residents add 5% sales tax for book and tape. In order to hold down costs, we do not bill.

ALL ORDERS PAYABLE ONLY IN U.S. FUNDS.

An Explanation And Review Of Spreadsheet Functions

By Richard A. White
Rainbow Contributing Editor

A spreadsheet contains a variety of predefined mathematical formulas called functions. These are built-in operations that can quickly perform a task that would otherwise take much longer or might not be able to be performed at all. In many instances, functions also save memory space since they remove the need to type in long formulas.

A widely used statistical function is @SUM(X . . . Y). It simply adds up all the numbers in a row, column or block. The form shown is from *DynaCalc*. The form in *VIP Calc* is essentially the same except the range is specified as X:Y. *Elite*Calc* specifies the range in the same way, but omits the '@'. In *Elite* you use an equal sign (=) to start formula entry. For the discussion below, I will use *Lotus 1-2-3/DynaCalc* syntax.

The '@' symbol serves to distinguish the function from a normal label entry. The characters within the parentheses form the argument of the function. An argument is information that a function needs in order to perform its task. In @SUM(X . . . Y) the argument is the cell or cells that are to be added together.

@SUM(C6 . . . C25) Compute the sum of the values in cells C6 to C25.

It does not matter whether the values have been directly entered or have been calculated by some other formula or function. However, CoCo spreadsheets and most others as well have no way of checking if a computed value is right.

(Richard White lives in Fairfield, Ohio, and has a long background with microcomputers and specializes in BASIC programming. With Don Dollberg, he is the author of the TMS database management program.)

If the value to be used is positioned so it will be calculated after calculation of the current cell occurs, the value may not be right. As long as you know this can happen, you can handle the matter yourself by doing a number of manual recalculations to assure that all formulas and functions are using properly calculated values.

Many functions perform on a range of values. In some spreadsheets, some functions can handle a block as a range while the same function in other spreadsheets cannot. Our three CoCo spreadsheets can handle ranges and even lists of ranges and cells in some functions.

Figure 1: Sample spreadsheet and formulas

	[A]	[B]	
1-		1			4		
2-		2			5		
3-		3			6		
4-	-----						
5-		6			21		
6-							
7-		3.5					
8-	-----						
9-		24.5					
	[A]	[B]
1-					1	4	
2-					2	5	
3-					3	6	
4-	-----						
5-		@SUM(A1 . . . A3)			@SUM(A1 . . . B3)		
6-							
7-		@AVG(A1 . . . A3, B1, B2, B3)					
8-	-----						
9-		@SUM(A1 . . . A3, B1 . . . B3, A7)					

The more I dug into ways to specify the argument for @SUM() and other statistical functions, the more hidden power I found. In Figure 1, I show a simple example with numbers in cells A1 . . . B3 and the results of some calculations. The formula dump is shown in Figure 2. In cell A5 is a simple summation of the column A1 . . . A3. In cell B5, the summation is taken over the block A1 . . . B3.

In cells A7 and A9, we see that the functions can accept a series of ranges and single cells in the argument. This can open all sorts of possibilities in that it starts to free you from having to think about how you're going to organize the spreadsheet in order to simply perform one of these functions at the end. The spreadsheet still needs to be organized logically so you and others can easily understand it and its results when it's done.

```
@SUM(A1 . . . A3,B1 . . . B3,A7)
```

Note that each range or cell citation is separated by a comma. In addition to being somewhat faster, @SUM() and the other range functions are more adaptable to changes made in the spreadsheet. Figure 2 shows Column A added using a straight cell addition formula. Column B uses @SUM().

Figure 2: Spreadsheet using cell addition and @SUM() before row is deleted

	A	B
1-	1	4
2-	2	5
3-	3	6
4-	-----	
5-	+A1+A2+A3	@SUM(B1 . . . B3)

Figure 3: Spreadsheet using cell addition and @SUM() after Row 2 is deleted

	A	B
1-	1	4
2-	3	6
3-	-----	
4-	+A1+@ERROR+A2	@SUM(B1 . . . B2)

When Row 2 is deleted the spreadsheet tries to adjust the formulas. In the case of @SUM() it can, since the missing cell was within the defined range, which is simply shortened by changing B3 to B2. The addition formula always has three cell entries. The spreadsheet is able to adjust A3 to A2, but it cannot make the old A2 entry go away. @ERROR is entered in its place by *DynaCalc* and will be displayed when the sheet is recalculated.

Of course, a range function is not totally forgiving. If you delete the start or end cell of the range, @ERROR will be substituted. Let's now see what happens when we go the other way and insert a row and add data to it.

Figure 4: Spreadsheet using cell addition and @SUM() after a row and data are added

	A	B
1-	1	4
2-	2	5
3-	100	100
4-	3	6
5-	-----	
6-	+A1+A2+A4	@SUM(B1 . . . B4)

In the addition formula, the A3 reference was changed to A4. The result returned in A6 remains '6'. @SUM() includes the new row and its data in its calculation and puts 115 into B6 rather than 15. In most instances, the reason you add columns or rows is to make room for a larger range of data and you expect to have the added figures included in the calculation. When using a range function and making sure the new rows or columns are between the start and end cells, you are automatically taken care of.

Figure 5: Preferred way to define a range for @SUM()

	A	B
1-	Heading A	Heading B
2-	1	4
3-	2	5
4-	100	100
5-	3	6
6-	-----	
7-	+A2+A3+A5	@SUM(B1 . . . B6)

Figure 5 shows a better way to define ranges for the @SUM() function. Be careful since it is the wrong way to describe a range to other functions in some spreadsheets. I inserted a row at the beginning of the sheet and have shown column headings. I left the formula now in A7 alone to show how the sheet will adjust formulas.

I changed the range of @SUM() to include both the cell containing the heading and the cell containing the dashed line indicating a summation. B1 and B6 have math values of zero and will not affect the summation. When adding extra lines for data, you are most likely to add them below the heading or above the dashed line and will always have your new lines within the range.

@COUNT() is another range function. @COUNT() counts only those cells that have a mathematical value, including a zero — at least that's the way it works in *Elite*Calc* and *DynaCalc*. My version of *VIP Calc* counts all cells in the range whether they have anything in them or not. (In fairness, I am using one of the early editions of *VIP* and that problem may have been fixed.) In *Elite*Calc* and *DynaCalc*, @COUNT() ignores all blank cells, including all cells containing labels. If you use *Lotus 1-2-3* at the office, be aware that it considers cells containing labels as having a zero and counts them.

@COUNT() in *DynaCalc* has one other feature (read maybe bug) that it shares with 1-2-3. @COUNT(A1) will return a one even if A1 is blank. Further, any @COUNT() function whose argument contains a single cell reference will



576 S. Telegraph
 Pontiac MI. 48053
 Orders and Info
 (313) 334-5700

SPEED RACER

by Steven Hirsch

The checkered flag drops as your pulse rises in this lively new arcade game. The road twists to the horizon on the 3-D panorama that sets the stage for the most exciting race the CoCo has ever seen! Vie for time as you speed through the curves at incredible speeds. Step through the gears to stay ahead of the pack, but step lively since some will stop at nothing to see the end of the race, or the end of you! Four challenging raceways, complete with obstacles and colorful 3-D scenery, put your skills to the test in this Pole Position™ type game.



32K Color Computer Required.

\$34.95

ROMMEL 3-D

By Kary McFadden

You clutch the tank controls, searching for any sign of the enemy. Suddenly a blip appears on radar! Frantically, you move your tank into position. At last you spot the elusive enemy tank! Facing it, you race to lock sights and fire before he does!

Enter the ultimate battle-zone in this exciting 3-D tank combat game. Strategy, speed, and your tank's cannon are your only hope as you wind through a three-dimensional course inhabited by impenetrable barriers and enemy tanks.

Dazzling graphics and lifelike sound take you a step beyond the ordinary in this fast, machine-language arcade game. Enter the next dimension, ROMMEL's troops are waiting for you!



32K Color Computer Required.

\$29.95

return at least a one. Assume that cells A1 . . . B2 are all empty. Following are a number of @COUNT() functions and how they react.

@COUNT(A1) = 1
 @COUNT(A1 . . . A2) = 0
 @COUNT(A1 . . . A2,B1) = 1

This apparently is not a bug, but I am hard pressed to tell you what value this "feature" has.

For those who need to calculate statistics, many spreadsheets can calculate the variance, VAR(list), and standard deviation, STD(list), for a set of data. I will presume those who are familiar with these statistical functions and need to use them will be able to figure out how to use them. If you are not familiar with them, you either don't need them or need far more training than I can give in the column.

The financial functions built into *VIP Calc* and *DynaCalc* generally deal with the time value of money. Many larger businesses use the time value of money to select their investments. The idea is that there are always more ways to spend money than there is money to spend. There need to be ways to compare various investments to choose the best ones from a current prospective. One of the problems is the cash flow that an investment may generate each year varies with time.

Let's consider a fictional company that makes "Whatits" and "Thatits." Available for investment this year is \$400,000, and the Whatits and Thatits division managers

have been asked to submit plans for that amount of investment in one or the other of the divisions. The investment plans will include estimates of the annual savings and revenue each investment will produce. The company wants at least a 15 percent discounted rate of return. We will see what that means later.

Whatits and Thatits are two very different businesses. Whatits division has to buy some parts from the outside now and investment now would save growing amounts over the next few years, stabilizing five to six years out at \$150,000 annual savings after taxes.

Thatits is booming and a \$400,000 investment this year will produce \$200,000 after tax revenue next year. But, competition is coming and Thatits is sort of a trendy item. The company cannot count on being in the business seven or eight years from now.

An entrepreneur will typically make a "gut feeling" decision on the data. In this case neither decision will lead to bankruptcy. On a cash flow basis, one is better than the other and should maximize company profit and strength. @NPV() is a tool to make the choice. Figure 6 shows the spreadsheet.

Figure 6: A project return analysis spreadsheet

	[A]	[B]	[C]	[D]
1-		PROJ 1	PROJ 2	PROJ 3
2-		WHATITS	THATITS	WHATITS
3-				
4-	INVEST TODAY	400000	400000	0
5-				
6-				
7-	RETURN			
8-	YEAR 1	25000	200000	-25000
9-	YEAR 2	50000	175000	-50000
10-	YEAR 3	75000	150000	-75000
11-	YEAR 4	100000	100000	100000
12-	YEAR 5	125000	75000	125000
13-	YEAR 6	150000	50000	150000
14-	YEAR 7	150000	25000	150000
15-	YEAR 8	150000	0	150000
16-	YEAR 9	150000	0	150000
17-	YEAR 10	150000	0	150000
18-				
19-	TOT. RETURN	1125000	775000	825000
20-				
21-	NET PRES VAL	478174	530344	260454

Project 1 and Project 2 represent the respective proposals of the Whatits and Thatits division managers. Each proposes to invest \$400,000 this year. Project 1 returns much more cash to the company over 10 years, but much of the return comes in later years. Project 2 returns lots of cash in the early years and then diminishes. A primary question is which project has the greatest net present value? Cells in Row 21 contain a @NPV() function. The one in B21 reads:

@NPV(.15,B8 . . . B17)

Cells C21 and D21 have similar formulas adjusted for their column positions. One way to look at @NPV() is that the current value of money earned in the future is reduced by the compounded interest that amount of money would earn between then and now.

Intelligent Devices

128K RAM
starting
BIG BASIC
FAST09

\$ 79⁹⁵

Why us ?

- Complete, nothing else to buy
- BIG BASIC and FAST09 software included
- Solderless design for easy and quick installation
- Extended Color Basic™ and OS-9™ compatible

BIG BASIC pclear 57 graphic pages

- TRANSPARENT use with existing programs
- ENHANCES Basic with simple commands
- GREAT for graphics and animation
- load 3 full-size programs or create 90K super-program.

FAST09

- Adds a new RBF device /v (Virtual disk)
- Works just like /dd or /di except it is VERY FAST

OS9: chx /w/CMD5; OS8: dir /v; OS9: chd /v/work

- 1 - second typical load time from exec directory!
- copy 10K file in less than 2 seconds !!!

512k version avail. Jan. '86 \$139⁹⁵

64K RAM KIT \$9⁹⁵

1-2 Ht. OS-9/OS TERC disk #125

specify D.E.F or CoCo 11

call or write for more info

INTELLIGENT DEVICES

100 W El Camino Real, Suite 81

Mountain View, CA 94040

phone (415) 986-8815

\$300 shipping, C.A. add 6%

If I buy a \$1,000 two-year CD, two years from now I have the \$1,000 plus earned interest. If I invest \$1,000 now in an asset, earn no interest over the next two years and then sell it for \$1,100, I will certainly have less money at that time than if I had put the money into the CD. The net present value of the asset is less than the net present value of the investment in the CD.

Therefore, the first argument in @NPV() is the interest rate or the rate I expect or need the capital I invest to be returned — rate of return for short. It is entered as a decimal number though we talk about 15 percent interest. The next argument specifies the range over which @NPV() works.

There is one big "beware" when you use @NPV(). The first entry in the range must apply to the first interest period; each succeeding entry must pertain to a succeeding period. The periods must be equal. For most applications, use an annual interest rate or rate of return entered as a decimal number rather than a percentage, and have your periods be years.

Now we can see differences between the two projects. Project 1 has a larger total return, but Project 2's net present value is better. A more sophisticated analysis would show that Project 2 would pay back its capital investment much sooner making more money available earlier for other investments. And who can say for sure that the Whatits business will really be as projected five years from now? Certainly, the projection of the Thatits return over the next two years is on much firmer ground.

On the basis of the spreadsheet, the company should invest in Thatits now while they address what to do about the Whatits business. There is some time to act there, while there isn't in the Thatits business.

One option is to invest the \$400,000 three years from now when Whatits savings start to peak. The net present value of that approach is only \$260,000, but the net present value of the investment three years out is also about \$260,000. The

company can afford to wait and still meet their investment objectives.

What if you won a million dollars in your state lottery? It really isn't worth a million to you now since it will probably be paid in 20 yearly payments with the first one this year. In the meantime, the Lottery Commission will invest some money at a good rate and expect to pay you your annual installments out of the interest they earn. At the end of 19 years, they keep their investment.

Figure 7: Net present value of a \$1,000,000 state lottery win

	[A]	[B]	[C]
1-			
2-AMOUNT			1000000
3-			
4-NPV			468246
5-			
6- YEAR	0		50000
7- YEAR	1		50000
8- YEAR	2		50000
9- YEAR	3		50000
24- YEAR	18		50000
25- YEAR	19		50000

In this case, you are paid \$50,000 now so it has its full value. Next year's payoff will be the first one used in the NPV computation. The formula in C4 is +C6+@NPV(.1,C7...C25), assuming a 10 percent interest rate. If you are disappointed, try computing the NPV of \$0.00 installments over 20 years! □

SERIAL TO PARALLEL PRINTER INTERFACE

SP-2 INTERFACE for EPSON PRINTERS:

- 300-19,200 BAUD rates
- Fits inside printer — No AC Plugs
- Optional external switch (\$5⁰⁰ extra) frees parallel port for use with other computers
- \$49⁹⁵ (plus \$3⁰⁰ shipping)

SP-3 INTERFACE for MOST OTHER PRINTERS:

- 300-19,200 BAUD rates
- External to printer — No AC Plugs
- Built in modem/printer switch—no need for Y-cables or plugging/unplugging cables
- \$64⁹⁵ (plus \$3⁰⁰ shipping)

Both also available for IBM, RS-232 and Apple IIC computers.

DISK DRIVE SYSTEMS

ALL 1/2 HEIGHT DOUBLE SIDED

Drive 0 (addressed as 2 drives!)	\$235
Drive 0,1 (addressed as 4 drives!)	\$350
All above complete with HDS controller, cable, & drive in case with power supply	

Bare Double Sided Drives	\$109
Dual 1/2 Height Case w/Power Supply	\$49
Double Sided Adapter	\$25
HDS Controller, RS ROM & Instructions	\$119
25 CDC DS/DD Diskettes	\$32 & \$3 s/h

We use the HDS controller exclusively. Can use 2 different DOS ROM's. Shipping Costs: \$5/drive or power supply, \$10 max.

Co Co Serial Cables 15 ft.—\$10. Co Co/RS-232 Cables 15 ft.—\$20. Other cables on request. (Add \$3⁰⁰ shipping)

CNR
ENGINEERING
P.O. Box 293
Raritan, NJ 08869
(201) 752-0144

DEALER INQUIRIES INVITED!

KISSable OS-9

A Time For Reflection

By Dale L. Puckett
Rainbow Contributing Editor

Christmas and New Year's are almost upon us. For Christmas, I hope you find some new OS-9 software in your stocking. As for the New Year, I hope we all get to see the new Color Computer everyone's been talking about for the past two years. We'll cross our fingers.

In any case, the holidays give us a few days away from the grind and time to relax as we reflect on the past and plan for the future. We have another column full of OS-9 treats and tips this month. We'll take a look at a new OS-9 mouse-driven word processor and pass along a few tips from professional C programmers. But first, let's make up our wish list for next Christmas. We need to give the Software Developers in the OS-9 Community a head start.

(Dale L. Puckett is a free-lance writer and programmer who has worked with the Motorola family of microprocessors since 1976. He is the author of The Official BASIC09 Tour Guide, and co-author, with Peter Dibble, of The Official Rainbow Guide to OS-9. He is a chief warrant officer in the U.S. Coast Guard and lives in Alexandria, Va.)

Intuitive Software

The computer business has been in a slump most of this year. While both Apple and IBM have been having problems, Atari and Commodore have thrown their fate to the wind — teaming up with Madison Avenue and locking horns to see which one of their new 68,000-based machines will catch the public's attention and stir the imagination of software developers.

On the surface, the OS-9 community appears to have been sleeping through the slump. Very little new software has been announced this year and the products that have been released have, for the most part, been a rehash of old technologies. Yet, under this calm, I sense a swell of excitement and imagination. Developers seem to be working on products that will run on new hardware designed to knock down the age-old barriers of speed and memory. Other hardware is opening the door to the world of graphics.

Microware has grown to the point that it can advertise in the most professional trade journals, meeting AT&T and IBM on their own turf. And, they've announced a new software

driver that mates OS-9 with the new graphics chip from Hitachi — one of the best in the world. That driver uses the same graphics standard as the one used by AT&T and IBM.

In the meantime, UNIX has proven to be too large and rigid for many applications. OS-9 with its fast and modular code has become the answer for many Original Equipment Manufacturers. And, some of these OEMs have big names.

Since we have all been pioneers running OS-9 on the Color Computer, let's stop and think about what we want this new generation of hardware and software to do. If you have a pet wish, drop us a line and we'll share it with our readers. To get you started, I'll share some of the things I would like to see.

If OS-9 is ever going to be a success in the consumer world, we must see some intuitive software hit the market. Look at the rough start OS-9 had on the Color Computer. Hundreds of people came out of the woodwork to complain about the documentation from Tandy. When you look at it academically, the OS-9 documentation is among the best in the business. From a reference standpoint, everything is there. The problem

NEWS RELEASE

October 1st, 1985

NEW QT Plus multi-user computer

* Available for Immediate Delivery

Frank Hogg Laboratory announced their new **QT Plus** computer system today. The **QT Plus** computer joins FHL's standard **QT** computer system as part of their product line. The **QT Plus** is the second 68000 based computer system the company has released this year.

The **QT Plus** differs from the standard **QT** in several ways:

- 68000 running at 10 mhz vs 68008 running at 8 mhz.
- 16 bit data bus vs 8 bit data bus
- 512K RAM standard vs 128K
- Up to 128K ROM vs 32K
- Supports 4 floppys vs 2 floppys



The **QT Plus** adds these features:

Expandable to 1 meg with an additional board. Buffered I/O expansion port with 32 addresses. The I/O is of the style of the SS 30 bus with 8 data, 5 address, interrupt, R/W, select, reset and E lines. The I/O bus itself is an inline 34-pin connector on the main board. For example the 32 addresses could be used with 16 serial ports (ACIA's) or 8 parallel ports (PIA's) or any combination.

The **QT Plus** uses a Multi-Level Interrupt Structure for improved I/O.

The **QT Plus** with 512K costs \$500 more than the standard **QT** with 128K.

QT 1	128K single floppy drive	\$1595
QT Plus 1	512K single floppy drive	\$2095
QT 2	128K dual floppy drive	\$1750
QT Plus 2	512K dual floppy drive	\$2250
QT HD	512K one floppy, one 10 meg hard drive	\$2695
QT Plus HD	512K one floppy, one 10 meg hard drive	\$3195
QT HD	512K one floppy, one 20 meg hard drive	\$2995
QT Plus HD	512K one floppy, one 20 meg hard drive	\$3495
QT Plus	512K expansion board for 1 meg total RAM	\$395

All **QT** systems include the operating system, OS9/68K with all utilities and RAM disk, Basic09 and Runb, Stylo word processor, mail merge and spell check, and the Dynacalc spreadsheet program! Over \$2000 of bundled software is included in the system!

FHL FRANK
HOGG
LABORATORY

770 James St., Syracuse, New York 13203

ORDERING INFORMATION:
Visa, MasterCard Accepted

315/474-7856

surfaced because an operating system as powerful as OS-9 with its hierarchical directories and multitasking was something new. Many of the pioneers that bought OS-9 for the Color Computer had no idea what they were getting. Essentially, they didn't know what they needed to look up.

After this shaky start, the application programs began to show up on the market. However, most of them were simply recoded versions of software that had been running on the FLEX operating system or the pseudo-disk operating system in the ROM in the Tandy disk controller. At first, few of them took advantage of OS-9's ability to allow multitasking.

"Using a mouse doesn't mean you are lazy. It means you are effective. A mouse lets you work the way you think."

Then, slowly but surely, programs that allowed you to read a directory or go out to the OS-9 Shell and run a second and third program while executing another began to appear. But from a design standpoint, the programs we have seen for OS-9 so far have stuck with older concepts. Most are command line oriented; few use the graphics capabilities built into the Color Computer.

During the past summer, a few programmers started to break from the past. Jeff Francis, working for Bob Rosen at Spectrum Projects, advanced the state of the art for OS-9 programs on the Color Computer to the realm of menu-driven software. The *OS-9 Solution* was a great leap forward. This program is almost intuitive and is bound to ease the entry into OS-9 for many people. Yet, it is based on a rigid menu. Essentially, it brings us to the era of software technology used by the Wang dedicated word processors during the past five or six years.

I hope no one takes our comments this month as criticism. We are not complaining, rather, we are shooting for pie in the sky, attempting to stimulate your imagination so that you can influence software developers to harness the power that's built into OS-9.

What do we mean when we say we need intuitive software? First, we'll dare to take a utopian viewpoint and state that we mean software that doesn't need any documentation. If you've been

using the older OS-9 application software you probably feel that software without documentation is an impossible goal. But, it's not. During the past six months I have been using software, both at home and at work, that doesn't require a user's manual. Believe it or not, it is intuitively obvious what you need to do a job. This giant leap forward was made possible by designers who made their software work the way people think.

In the past this wasn't possible and designers had to write the software the way the machine wanted it. But today, powerful operating systems like OS-9 are helping designers break this bond with the machine. They are making it

possible to turn these small, desk-top machines into powerful tools that can be used by anyone to do almost anything.

Another thing that makes this new generation of software work better is that most major developers have stuck with a standard. When you save information from your database manager, spreadsheet or word processor — it doesn't matter which one — you do it the same way. All Editing operations work the same way: delete a character on each application program using the same steps; move data or blocks of text from one part of a document to another using the same steps.

Essentially, on a well-designed system you have one standard way to do each job. Once you learn how to run one program, you know how to run all programs. You quickly find yourself out of the learning curve and into a very productive environment. Isn't that why we bought our computers?

Driving with a Mouse

The designers at Tandy must have known something that we have been too proud or stubborn to admit. They came out with a mouse for the Color Computer more than a year and a half ago.

I must confess that when the idea of using a mouse first hit the trade publications, I thought it was utterly ridiculous. "If I get so lazy I can't type a command line, I better get out of the business," I thought. I was wrong.

Using a mouse doesn't mean you are lazy. It means you are effective. A mouse lets you work the way you think. You select an object — a character, word or sentence in a word processing document for example — by pointing to it. After selecting it, you do something to it. For example, you can simply delete it, cut it out and save it, copy it, or take it and paste it somewhere else in your document. This algorithm matches the way most people think. Journalists, for example, have been using scissors and tape to cut and paste news stories since newspapers have been published.

Granted, you can cut and paste on a computer without a mouse. Usually, you use the terminal's arrow keys to move the cursor to the beginning of a block of text and push a key to mark the beginning, then you must use the cursor keys again to move the cursor to the end of the block. When you arrive at your destination, you must hit yet another key to mark the end of the block. Still, you aren't done. You must go back to the cursor keys and move the cursor to the point where you want to insert the block of text. These actions are two-dimensional and unnatural. With a mouse, you simply move the arrow on the screen to the beginning of a block, hold down the button and drag the arrow to the end of the block. When you arrive, simply let go of the button. To move the block selected, you move the arrow to the insertion point and hit a single key and you're done.

Where are our Desk Applications?

Dave Gibson, the new secretary of the OS-9 Users Group, called me one day nearly a year ago with an idea. "Why doesn't someone write a SideKick for OS-9?" he asked. That's a very good question and I'm glad I finally got around to sharing it with you.

As was the case with the mouse, I had to use a powerful desk accessory in order to realize it was a very handy tool. An anecdote here should make the point nicely: How many times have you come up with a great idea while you were busy working on a spreadsheet? Without a desk accessory program such as *SideKick*, you had two courses of action available. You could pick up a pad of paper and write a note to yourself — or you could exit the spreadsheet program and call up your word processor to write yourself a note.

The first alternative is tacky. As a matter of principle, an automated office that requires writing notes on a piece of

FHL Software Library

DynaStar Screen editor/ word processor

Acclaimed by professionals as their favorite editor/word processor. Simple and easy to use but powerful. Patterned after Word Star™ (use it ALL the time!)

RS OS9 or Flex **\$49.95**

DynaForm (NEW OS9 VERSION) Formatter for DynaStar

This new version has features galore. Everything you asked for in the past. Format output from DynaStar for manuals, letters, anything!

RS OS9 or Flex **\$49.95**

DynaSpell On the BEST SELLER list!!!

The Mac version of DynaSpell (Hayden Speller) is on the best seller list for good reasons. DynaSpell is the BEST!!

CoCo OS9 or Flex **\$59.95**

Lookup for
CoCo OS9 **\$34.95**

O-Pak #1 OS9 Utility!

If you have OS9 then you need O-Pak. The first and best Hi Res screen display for OS9. You select the type of screen and font you want to display. Includes a Character set editor and copy utilities for Flex/OS9/RS DOS file transfers.

Best Buy! only **\$34.95**

Sleuth disassembler

Find out what's going on inside your computer with SLEUTH, the best disassembler for the 6809. Converts binary code into source that you can modify or just examine. Learn about programming by studying other code!

RS DOS **\$49**

FLEX or OS9 **\$50**

Source available, OS9 or Flex for **\$50.00** extra.

DynaCalc

All we can say is that this IS THE BEST spreadsheet! Available for RS DOS, RS OS9 (soon) and FLEX

RS DOS & RS OS9 **\$99.95**

Flex **\$200.00**

CModem Telecommunications

Menu driven terminal program that supports dumb terminal mode to 2400 baud. Upload and download in non-protected mode, and Christensen (CP/M Modem7) mode. All disks have both CoCo and standard versions. OS9 or FLEX. **\$50** binary

\$100 with source.

OS9 Utilities

Filter #1, 12 utilities for OS9 LS, BUF, CP, DL, FLIST, INFO, MV, PAG, SELL, SETAT, SECAT, and SORT. Filter #2, 10 Utilities, APPEND, CONFIRM, FF, FORCERROR, MACGEN, NULLDEVICE, REP, SIZE, TOUCH and UNLOAD.

\$29.95 each

SDisk & Bootfix

Replace the disk driver module in OS9 with one that works with ALL types of drives. 35, 40 or 80 track SS or DS. Even reads and writes to standard OS9 disks. Individual stepping rates to 6 ms. Bootfix is needed for DS drives.

\$29.95

\$35.95 with Bootfix.

UniCharger for OS9 Make Unix™ out of OS9!

29 additional commands that make OS9 look like its big brother Unix. Have the power and ease of use that is only available on \$10,000 systems. The most powerful package for OS9 yet available! Featured in 'The Rainbow guide to OS9'.

Only **\$150.00**

Utilix Unix like utilities

15 utilities to manipulate text files. A MUST for programmers and general users alike. cat, code, crypt, diff, display, grep, lower, upper, pack, unpack, pr, sort, tail, time and wc. Featured in 'The Rainbow guide to OS9'.

ONLY **\$49.95**

eFORTH Powerful FORTH

Move up to power programming with eFORTH, the best FORTH available. Complete system with easy to understand manual. Available for CC FLEX or RS DOS.

FLEX or RS DOS **\$79.95**

Cross Assemblers

True (not macro) cross-assemblers will let you develop programs on your Flex or OS9 system for the 1802/5, 6800/01/11/03, 6804, 6805, 6809, 6502/3, 8080/5, 8048, 8051, Z-80, and 68000. Source included (in C)

\$200 for everything!

Dyna C Fast small C

Unlike the others, Dyna C produces compact, ROMable, position-independent, re-entrant optimized code that runs circles around anything else in its price class. 'C' for yourself! Run time source is included!

\$59.95 Flex or OS9

DynaSoft Pascal Small p-code Pascal

Learn Pascal with this fast p-code implementation. It produces ROMable p-code that is very compact!

\$59.95

\$89.95 w/run time source.

Sleuth disassembler

Find out what's going on inside your computer with SLEUTH, the best disassembler for the 6809. Converts binary code into source that you can modify or just examine. Learn about programming by studying other code!

RS DOS **\$49**

FLEX or OS9 **\$50**

Source available, OS9 or Flex for **\$50.00** extra.

FHL FRANK HOGG LABORATORY

770 James St., Syracuse, New York 13203

ORDERING INFORMATION: In USA Add \$3.50
All Others Add 10% Excess Refunded.
Visa, MasterCard Accepted

315/474-7856

paper is hardly automated. Besides, when you write short notes on small pieces of paper you wind up with a cluttered desk and usually can't find them — at least not when you need them. The second approach is counter-productive because it takes too much time. If your ideas are fleeting, you'll find they pop out of your mind by the time the word processor gets going.

The real OS-9 shakers (especially those with OS-9 Level II computers, which give them access to more than 64K of memory) haven't been stifled by this problem. They have been using OS-9's multitasking capability for a long time. Many programs, *DynaCalc* and *DynaStar* for example, let you escape to an OS-9 Shell. You then use this Shell to start another process to do the second job. Essentially, if you have been running OS-9 with enough memory, you've had a host of powerful desk accessories online all along.

It makes you realize how far ahead of the IBM crowd you are in this arena when running an OS-9 Level II system. IBM users have had formal desk accessory programs at their fingertips for several years now. However, until recently, none of them had a multitasking ability. In other words, you had to completely stop whatever program was running — even though you didn't need to exit it — to do another job with a desk accessory. Compare this with OS-9, where you can escape from a program to use a Shell to start another time-consuming job working in the background, while continuing work on your original application.

Gibson was talking about an integrated desk accessory system. For

instance, as I type this column, I can reach over to a menu bar, push a button and do any of the following jobs: take a note from a phone conversation; record a phone number; dial a phone number; add an item to my calendar; add an item to my "to do" list; look up an area code; use a powerful calculator; cut the answer out of the calculator and paste it in the document I am writing; display a clock that gives the time; call CompuServe and download the latest news on the OS-9 SIG; or print another text file. In fact, several of these small accessories can be running at the same time. The program is the new version of *SideKick* that runs on the Macintosh.

Now let's look at two facts. This is the first set of desk accessories to allow multitasking on the Mac. You have been using multitasking since the first day you fired up OS-9. All we need now is for someone to put together a package of short utilities that can be summoned by hitting a yet undefined escape key. That key would take us to a menu where we could point to a tool and push a button to use it. Believe me, OS-9 was made to write this type of application. Start talking about it with your favorite developers.

Where's 'ThinkTank' for OS-9?

And while we're making that wish list for next Christmas, when is someone going to write an outline processor that runs on OS-9? This is another application I was skeptical about at first. I waited several months after buying *ThinkTank* before using it. Now, I use it for almost everything I write.

Here's a typical scenario. You need to write an article for your club newsletter.

You met with the club president after the last meeting and he gave you a list of topics he would like to see covered. When you got home that night, you typed the title of each topic on a single line using *ThinkTank*.

You have just outlined your article. Several days later you look at the list and get some ideas for a couple of the topics. You call up *ThinkTank*, point to the tail of one of these headlines, hit RETURN and enter your ideas. Throughout the month you make phone calls to gather information about each topic in the outline. As you get the information on each topic, you point to that headline in the outline, push a button to open a text window and enter the information obtained on the phone. When it is all entered, you simply close the window.

Finally, at the end of the month after finishing all of your research and entering the information in a window under each headline, you send the article in to the editor. You call up the outline, look at it and decide the topics are right but the order is wrong. No problem — you point to a headline, hold down a button and drag it to another position in the article.

Here's the magic: When you finish putting the headlines in order, your entire article will be in order because the text you typed in a window under each headline went with the headline when it was moved. You have, quite simply, reorganized the article by rearranging the headlines.

How about it, Tandy? How about it, third party developers? OS-9 is a powerful enough operating system to make the job easy. Essentially, all you need is a series of pointers to the headlines.

One-Liner Contest Winner . . .

This one-liner displays all the numbers from zero to 255 with their hexadecimal and binary equivalents.

The listing:

```
1 PMODE4, 1: PCLS: G=PEEK(186)*256+
PEEK(187): FORN=0TO255: POKEG, N: PR
INTN "HEX$(N) " " " ; FORX=0TO7:
IFPPOINT(X,0) THENPRINT"1" ; IFX=7
THENNEXT: PRINT: NEXT: ELSENEXT: ELS
EPRINT"0" ; IFX=7 THENNEXT: PRINT: N
EXT: ELSENEXT
```

Todd Knudsen
Sandy, UT

(For this winning one-liner contest entry, the author has been sent copies of both *The Second Rainbow Book Of Adventures* and its companion *The Second Rainbow Adventures Tape*.)

One-Liner Contest Winner . . .

This one-liner draws a picture of a hand-cranked siren, then plays a siren sound.

The listing:

```
10 PMODE3, 1: PCLS: SCREEN1, 1: DRAW"
BM50, 100; U99; D200; E80; R70; U50; L7
0; H80": DRAW"BM150, 100; R50; U10; L5
0; D10; R50; U15; L50; U10; R50; D12; R3
0; D20; R15": PAINT(100, 50), 3, 4: FOR
T=1TO10: FORS=200TO245STEP1: SOUN
D(S), 1: NEXT: FORS=245TO200STEP-1:
SOUND(S), 2: NEXT: NEXT
```

Joseph Gombosi
Lockport, IL

(For this winning one-liner contest entry, the author has been sent copies of both *The Second Rainbow Book Of Adventures* and its companion *The Second Rainbow Adventures Tape*.)

FHL Hardware Library

I can see clearly now. Can you?

From GE by special purchase we offer the best buy in the Gold Star Super AMBER monitor. Now you can see clearly too. Match up with the Universal Video Driver and/or WordPak II and you can't beat it! This is a 12 inch composite monitor with 19mz bandwidth! Very attractive off white cabinet that matches the CoCo well. Compare this to other AMBER monitors that cost \$20-\$30 more! This is a SUPER buy!

SPECIAL ONLY \$99.95



We looked at all the Video adaptors available and the UVD is by far the best buy. Works with B&W and Color monitors and with all CoCos, even the new CoCo II. No soldering or chip removal, easy installation. Perfect with our AMBER monitor and WordPak II.

Only **\$29.95**

Word-Pak II The New Standard Video Board

Get an 80 column display with your CoCo. Makes the CoCo easy to use with word processors like DynaStar and Stylo. Works with many RS DOS programs too. Acclaimed by all as the best for the CoCo. Works GREAT with our AMBER monitor from GE. Smooth scrolling and an improved character set, the WP II works with FLEX, XEX, and RS OS9 and RS Basic.

ONLY **\$134.95**
OS-9 or FLEX drivers
\$17.95

P-C Pak w/printer port and clock **\$99.95**

OS-9 driver for P-C Pak **\$17.95**

NOMAD The Color Computer Robot

NOMAD is controlled by 100 Basic programs running on your CoCo. Requires 16K Basic. NOMAD can be told to move forward, backward, turn left or right. NOMAD can use an ultrasonic sensor and report distances accurate to 1/16th of an inch. Program NOMAD for collision avoidance or to protect your home from intruders. Includes everything, power supply, software on tape and NOMAD with 25' cord.

Move into the future today with your own Robot.

ONLY ~~\$250~~ **\$150**

DISK DRIVES AND SYSTEMS FREE FLEX WITH SYSTEMS

Includes drive(s), dual case with power supply, cables and disk controller. Drives are 1/2 height double sided Teac with a 1 year guarantee. Case will hold two drives. CC FLEX, a \$49.95 value is FREE with all systems!!! Best price anywhere!!

Drive 0 double sided 40 **\$339.00** 0 and 1 double sided 40 **\$465.00**
Drive 0 double sided 80 **\$350.00** 0 and 1 double sided 80 **\$487.00**

BARE DRIVES

Double sided 40 track **\$130.00** Double sided 80 track **\$145.00**
Dual case w/power supply **\$79.95** NEW J&M controller **\$149.95**
RS DISK BASIC ROM 1.1 **\$15.00** Two drive cable **\$25.00**
Filler plate **\$6.00** Call for custom cables



BOOKS

NEW Complete Rainbow Guide to OS-9 **\$18.95**

Basic09 Tour Guide **\$18.95**

Starting FORTH **\$18.95**

Official OS9 Manual set **\$40.00**

RMA Manual **\$25** (Use the relocating assembler that you get with Tandy's 'C')

BULK DISKS

as low as **\$1.29**

10 for **\$1.50** each

50 for **\$1.40** each

100 for **\$1.29** each

We use these for in house and software distribution. Guaranteed for life.

GOOD STUFF

Volkmodem 300 baud **\$79.95**

Mark XII 300/1200 **\$335.00**

Starter Kit for Compuserve **\$39.95**

HJL Keyboard **\$79.95**

8 64K RAMS **\$45**

FHL FRANK HOGG LABORATORY

770 James St., Syracuse, New York 13203

ORDERING INFORMATION:

(In USA Add \$3.50 (small items) \$10.00 (large items) excess refunded.

All Others Add 10% Excess Refunded.

Visa, MasterCard Accepted

315/474-7856

These pointers in turn are linked to pointers that point to sub-headlines, or blocks of text that relate to them. It would be a great tool!

The Last Word

Let's move from our wish list to reality. At least one developer in the OS-9 community has dared to be different and attempted to move his software into the realm we've been describing. It's a move I approach with much optimism since every great journey starts with a single step.

Likewise, move to the top or bottom of the active text buffer by holding down the CLEAR key and striking the up- or down-arrow key. If you'd rather move along a line from tab stop to tab stop, rather than word to word, hold down the CLEAR key and type a 'T'. If you're moving a long distance, however, it's much easier to take the mouse and move the cursor to the destination.

The mouse-based operation really shines when coupled with the virtual file handling capability. If you are through editing everything in the present buffer

the box. Move the cursor on top of the file you want to edit and click the mouse button again. Almost instantly your file is opened and you can begin editing.

The dictionary look-up feature in the *Word-Pak* version of *The Last Word* works the same way. Point to any word in the text by placing the cursor anywhere in the word. Then, go up to the MISC menu and pull it down to the word "LookUp." After doing this, a box appears on the screen and a list of similar words is displayed in the box. If the correct spelling for your word is in the box, simply move the cursor on top of that word and click the mouse button. Like magic, the word is corrected with your selection.

To change the format of the text, you also point and click. To change a format, move to the menu bar and select FORMAT, pull down the menu and select your choice of format and click the mouse. Then, move the cursor into any format line and click the mouse again. *The Last Word* lets you insert format lines anywhere in the text and this makes it easy to make the text appear just the way you want it. You can left-justify your copy, right-justify it or double-justify it. The latter means you will have even margins on both sides of the page. You can also center a number of lines of text, a feature that comes in handy many times.

Yet, despite his intuitive, progressive approach to this word processing program, Bailey gives the option of doing things the old way if you like. You can exercise every option in the program without a mouse or joystick if you like. If you can't stand using a menu, you can use a series of shorthand commands.

Presently, the restrictions in *The Last Word* are hardware imposed. For example, with the Hi-Res screen version there was not enough memory left in the work space to allow the use of the LookUp routines. And, even in the *Word-Pak* version, the wild card algorithm had to be removed from the LookUp code so it could fit and run within the work space. However, this program is a giant step in the right direction. With the new hardware we all hope to see soon, it will be dynamite.

Bailey also sent us a program called *PixDump*, which lets you dump a file containing a bit map of your CoCo screen to your printer. The C source code for *PixDump* is printed in this column. The code in the listing is set up to work with a Gemini 10-X printer.

To make it work with my Epson, I made three changes. I added a "\07"

"Bailey has made The Last Word especially intuitive. I tested it without reading the manual; that's about as severe a test as can be offered."

Mike Bailey of Unified Software (525 South Chestnut St., Cameron, MO 64429) has finally released his mouse-based word processing program, *The Last Word*. It implements many of the theories we listed earlier, including: pull-down menus, point and press file selection, fast on-screen formatting, an online 22,000 word dictionary and virtual file handling. It works with its own Hi-Res screen or with *Word-Pak* from PBJ.

The Last Word is a big step toward the future; Mike tells me he had quite a time making it all fit in the limited workspace available with OS-9 Level I. In fact, he had to leave the dictionary look-up feature out of the Hi-Res version because of the extra memory required by the screen. This feature works extremely well in the *Word-Pak* version and is a fantastic tool for writers.

Bailey has made *The Last Word* especially intuitive. I tested it without reading the manual; that's about as severe a test as can be offered. As an example of the intuitive nature of the program, look at the cursor control scheme. The cursor is moved one position by moving one of the four arrow keys in the proper direction. To move to the next word, hold down the SHIFT key and strike the right- or left-arrow key. To move to the top or the bottom of the screen, hold down the SHIFT keys and strike the up- or down-arrow key.

If you're really in a hurry, move to the left or right end of the line you are on by holding down the CLEAR key while striking the left- or right-arrow key.

and need to move on to another paragraph that's still on the disk, you don't even need to think about it — just use the mouse to drag the cursor to the bottom of the screen. *The Last Word* automatically goes to the disk file and reads in additional text. If you didn't hear the disk drives start up you'd hardly notice that the program had to go to the disk.

Likewise, if you forgot to make a change in a portion of the text that has already scrolled onto the disk, simply take the mouse and move the cursor past the top of the screen. When you do this, *The Last Word* will read in the information from the disk automatically and continue to scroll backwards in the file until you let go of the mouse.

The point-and-click philosophy is evident everywhere in *The Last Word*. To edit a file, put the cursor on the menu title named FILE. The word FILE is highlighted and you can click the button on the mouse or joystick or strike the ENTER key. When you do this, a pull-down menu folds out of the menu bar. You then pull down the cursor to your selection. For example, if you need to make some changes in a source code file, pull the cursor down until the word EDIT is highlighted. Once you see it light up, simply click the mouse button again and you'll be greeted with a prompt line at the top of the screen.

At this point you can type in your filename. But, if you can't remember the name of the file, simply click the mouse button or strike the ENTER key. After doing this, a box is drawn on the screen and a list of filenames are displayed in

OS9 + X = POWER

XTERM

XTERM is a full featured OS-9 communications program that takes full advantage of the power of OS-9: it works with the normal text screen, XSCREEN, or the Wordpak 80 column board.

XTERM is menu oriented for ease of use, it is simple to use even for the novice OS-9 user. And yet, XTERM is powerful enough for the expert OS-9 user.

Some of the features of XTERM include: full upload and download support with remote buffer operation; supports XON/OFF protocol, 110/300/500/1200 baud, 5/6/7/8 bits, even/odd/no parity, full or half duplex; able to execute an OS-9 shell command from within XTERM.

XTERM works with a Color Computer using the standard serial interface, but also will work with a hardware serial port. Also, if you are using a hardware parallel printer port, you can print data to the printer as it is received.

Now includes XMODEM
protocol and function keys.

XTERM \$59.95 WITH SOURCE \$99.95

XMENU

XMENU is a system that creates a menu-driven environment for the Color Computer using OS-9. OS-9 now becomes easy-to-use with command selections made from menus. Menus are included to access OS-9 commands. An easy-to-use utility is provided that allows for the creation and maintenance of menus.

XMENU works with XSCREEN, the normal text screen, O-PAK, and the WORDPAK 80-column board.

XMENU \$29.95 WITH SOURCE \$59.95

XSCREEN

XSCREEN creates a high resolution screen for the Color Computer using OS-9. This high resolution screen gives you 24 lines of text with 51, 64, or 85 characters per line. Characters can be either white on a black background or vice versa. Easy menu operation.

XSCREEN \$19.95 WITH SOURCE \$39.95

XDIR & XCAL

A package of two powerful utilities you won't want to be without. XDIR is an OS-9 directory program that prints full hierarchical directories. The directory does full sorting and has complete pattern matching, including wildcard and character classes.

XCAL is a powerful calculator for OS-9. Ideal for both programmers and for general use. XCAL features include: work in decimal, hexadecimal, binary; previous 25 results are stored; functions include AND, OR, NOT, XOR.

XDIR & XCAL \$24.95 WITH SOURCE \$49.95

XWORD

XWORD is a powerful word processing system for the Color Computer using OS-9. XWORD is feature packed with only a few features mentioned here.

Some of the editing features of XWORD include: true character oriented full screen editor; works with the normal text screen, XSCREEN, O-PAK, or WORDPAK 80 column card; full block commands with blocks displayed in inverse characters (except with normal text screen) for easy block manipulation, file size not limited to a buffer size, full find and replace commands with wildcard character; able to execute an OS-9 shell command in the middle of editing. Many, many more features, too many to mention here.

Some of the formatting features of XWORD include: proportional spacing supported, perfectly aligned hanging indents and columns, even when using proportional characters; full printer control with control of character size, emphasized, italics, overstrike, underlining (with or without spaces), super and sub-scripts; up to 10 header/footers; page numbering for even and odd pages; automatically reads printer initialization file to define XWORD for your printer (many included, and easy to write or modify your own). Many more features.

XWORD \$79.95 WITH SOURCE \$139.95

XSPELL

OS-9 spelling checker program to check for spelling errors in OS-9 text files. Includes 20,000 and 40,000 word dictionaries.

XSPELL \$44.95



XMERGE

XMERGE gives XWORD powerful mail merge capabilities. With it you are able to merge in data from a data file or from the keyboard to get professional looking results.

XMERGE \$29.95 WITH SOURCE \$59.95

XTRIO

XWORD, XMERGE, and XSPELL all for \$129.85. That's a savings of \$25.00.

XTRIO \$129.85 WITH XWORD, XMERGE SOURCE \$199.95

XED

XED is the editor portion of XWORD. XED includes all of the editing features listed under XWORD above. XED is for people who need a full featured screen editor but do not need all of the formatting power of a word processor.

XED \$49.95 WITH SOURCE \$99.95

Ordering Information



Add \$3.00 shipping & handling, MN residents add 6% sales tax, Visa, Mastercard, COD (add \$2.50), personal checks: all shipped from stock within 24 hours.



**MICROTECH
CONSULTANTS
INC.** 1906 Jerrold Avenue
St. Paul, MN 55112

Dealer Inquiries Invited
OS-9 is a trademark of Microware

(612) 633-6161

following the "\x31" in all three lines of the array "grafinit," used "sdump (3, 2, 2);" in "main" and added a line feed in the write statement that prints out each line of pixels. The first line in that routine looks like this: "if (— bitrow < 0) {." Note that when adding an item to a write statement you must change the last parameter. To do that, change the "#define STRSIZE 4" to "#define STRSIZE 5" and change the '1' to '2' in the write statement where you add the "\l." Note also that the 'l' is a lowercase "ell," not a numeral one.

You can configure *PixDump* to your printer by looking up the required code in your printer manual and placing it in the proper code. The source is well-commented, so you shouldn't have any difficulty.

ThunderDupe 2 from Bob Rosen

Bob Rosen at Spectrum Projects, Inc. (P. O. Box 21272, Woodhaven, NY 11421, phone: 718-441-2807) seems to be sticking by his pledge to fully support OS-9 products.

He has just released a program called *ThunderDupe 2* that works with his 256K *Thunder RAM* upgrade and lets you copy a full OS-9 disk in only one pass, including formatting. He uses it with four disk drives to make four commercial distribution copies of his *OS-9 Solution* and *OS-9 RamDisk* software. It also works with normal single-sided, 35-track Radio Shack Disk BASIC and *Graphicom* picture disks as well as any single-sided CoCo format OS-9 disk.

By running a BASIC utility program that comes in the package, *ThunderDupe 2* can be altered to copy 40-track, single-sided disks. In this mode it will also copy Model III and 4 single-sided

disks. It will not work with copy-protected disks, FLEX disks or double-sided disks. *ThunderDupe 2* was written by Marty Goodman.

ThunderDupe 2 works by reading every bit of data off of your standard 35-track, single-sided drives and storing it in the *Thunder RAM*. After reading the master disk, remove it and put your blank disks in all available drives. When it's finished, *ThunderDupe 2* beeps. It also signals you by lighting the light on your disk drive if it senses a bad copy. If you don't trust "idiot" lights, you can read the printed report on your CoCo screen. The program comes with the C source code.

Putting D.P. Johnson's 512K RAM Disk to Work

While we're on the subject of RAM disks, we'll pass on the information about D. P. Johnson's CCRD 512K RAM disk we received from Michael D. Revnell of Las Cruces, NM. He finds it very handy when working with the Microware C Compiler from Tandy.

Here's how he operates: "The modules 'cc1' and 'c.prep' control where the libraries and defs files are accessed during a compile," Revnell writes. "I dumped the two files containing the modules and found one place in each one containing the null terminated string, /DI. Using the Microware Debugger, I changed these to /r and I can now compile a C program with no access to the floppy disks. These are the patches."

Module	Offset	Old	New
cc1	0EE5	64	72
	0EE6	31	00
c.prep	135C	64	72
	135D	31	00

Remember, if you save the modified modules into new files, you must run the OS-9 Verify utility to update the CRC of the modules before you can load and run them.

Once the two modules are modified, you must still solve the problem of getting all of the files and directories from your floppies into your RAM disk. Revnell gets the job done with the start-up file below. His start-up disk also contains a copy of *Stylograph III* word processing system.

```
setime 85
load ccrd r
sformat /r r"ccrd"
chd /d0
dsave -s15 /d0 /r ! shell
```

After the first disk has been moved to the D. P. Johnson RAM disk, he removes the start-up disk, inserts the C Compiler disk in Drive 0 and the C Library disk in Drive 1, and types the following command line.

```
chx /r /r/crds;chd /d0;dsave
-s15 /d0 /r/crds ! shell; chd
/d1; dsave -s15 /d1 /r ! shell;
chd /r /r/progs
```

Note that he types both lines on one command line. (It is printed in four lines so it will fit in the magazine.) If you don't like to type long command lines like this one, save it on your start-up disk and have your start-up procedure copy it to the RAM disk. Then, all you need to do is change your disks and type the name of that file — you'll need the complete pathlist — and OS-9 will do the job for you.

Revnell also contributed the listing of another file listing program written in C. This one lists files with both a header and a footer and numbers lines in a manner consistent with the error diagnostics produced by "c.pass1." Incidentally, if you type a comment that begins in space one, which looks like this — / *page*/ , the listing skips to the top of the next page.

COMM-4: Four Serial Ports on One Card

On the new hardware frontier, CoCo Devices (Box 677, Seabrook, TX 77586, phone 713-474-3232), has announced a new plug-in cartridge that gives you four serial ports online. You can hook up a terminal, a modem, a letter-quality printer and a high-speed printer to your Color Computer all at the same time.

Each serial port has its own controller


Listing 1:

```
/* flist.c
 * text editor setup stuff
 * ru 5p,9,4,8,12,16,20,24
 *
 * flist.c file list utility
 * usage: flist.c <filename> [<filename>*] >>/printer
 * no options recognized
 * Output is to StdOut so redirection is necessary
 * Screen Output is possible but not too useful.
 */
#include <stdio.h>
#include <time.h>
#define void int /* dummy function return type */
#define LINES 66 /* number of lines on printer page */
```

More than a book . . .

A MILESTONE

THE COMPLETE RAINBOW GUIDE TO OS-9



Today's programmers use short modules of readable code to build complex programs. The OS-9 operating system and the high level languages it brings you make the job easy.

OS-9 has so many things going for it that you need a guide as comprehensive and thorough as *The Complete Rainbow Guide To OS-9* to show you how to talk to OS-9 and realize the potential of this extremely efficient implementation of the UNIX operating philosophy.

Co-authored by Dale L. Puckett and Peter Dibble — two of the foremost authorities on OS-9 — *The Complete Rainbow Guide to OS-9* demystifies the dynamic operating system that gives the Color Computer more power and flexibility than many of the high-cost computers on the market . . . and gives you the ability and confidence to reach new programming heights.

With *The Complete Rainbow Guide To OS-9*, you will be prepared to take full advantage of the multitasking system that is setting new standards for Color Computer programming. For only \$19.95!

Also Available!

The Rainbow Guide To OS-9 Disk. An adjunct to and complement to the book. You'll want the book for the tutorials, and the package of two disks to save the many hours of typing in lengthy programs. Two-Disk Package, \$31

Please send me *The Complete Rainbow Guide To OS-9* for \$19.95.*

Please send me *The Rainbow Guide To OS-9 Disk* (a package of two disks) for \$31.* Does not include book.

Name _____ Signature _____

Address _____

City _____ State _____ ZIP _____

My check in the amount of _____ is enclosed.

VISA MasterCard American Express



Account Number _____ Card Expiration Date _____

Mail to:

The Complete Rainbow Guide to OS-9, The Falsoft Building, Prospect, KY 40059

To order by phone call: (502) 228-4492

*Add \$1.50 per book shipping and handling in U.S. Outside U.S. add \$4 per book. Allow 4 weeks for delivery. KY residents add 5% sales tax. In order to hold down costs, we do not bill. ALL ORDERS IN U.S. FUNDS.

OS-9 is a trademark of Microware Systems Corporation.

```

#define BUFFER 132 /* size of line buffer */
#define WIDE 80 /* wide of printer page */

struct sgtbuf *time; /* a place to put system time */
FILE *input; /* where the stuff comes from */
char iobuf[BUFFER]; /* line buffer */

int main (argc,argv)
int argc;
char *argv[];

{
if ( argc < 2 )
listfile ( stdin , "Standard Input" );
else
{
int i;
for ( i=1 ; i<argc ; i++ )
{
int page=1;
if ( ( input = fopen ( argv[i] , "r" ) ) == NULL )
fprintf ( stderr , "flist > Unable to open %s\n" , argv[i];
else
{
listfile ( input , argv[i] );
fclose ( input );
}
}
}

/*page*/
void listfile ( input , filename )

FILE *input;

{
int first = 1 , line = 0 , lineno = 1 , page = 1 ;
fprintf ( stderr , "flist > listing file %s\n",filename);
getime ( time ); /* get system time */

While ( fgets ( iobuf , BUFFER-5 , input ) != NULL )
{
int j ;

if ( ( line == 0 || ( strcmp ( iobuf , /*page*/ "\n" == 0 ) ) )
{
int footlen;
footlen = footer ( page , first );
line = LINES - footlen - header ( filename , page++ );
first = 0;
}

/* a line of up to BUFFER-5 characters is read into
* iobuf. A four character line number is placed
* into the buffer at the beginning of the line. If
* the line is longer than WIDE characters already or
* this causes the line to go off the end of the page
* the remainder of the line is printed on the next line.
*/

fprintf ( stdout , "%4d: " , lineno++ );
if ( ( j = strlen ( iobuf ) ) <= WIDE-7 ) /* normal stuff */
{
line-- ;
fputs ( iobuf , stdout );
}
else /* too long a line */
{
fputs ( iobuf , stdout );
line += 2;
}
}
printf ( "\n" );
}

/*page*/
int footer ( page , first )

```

built, allowing multitasking and simultaneous I/O without using software timing loops. Full modem control is available and all communications with the ports are interrupt driven. Two of these cards may be connected if you need eight serial ports. Connection to the card is made with standard RS-232 DB-25 plugs. The introductory price of the unit is \$89. After January 1, 1986, the price goes to \$108.

C Shortcuts

We got a nice letter packed with information from Rick Moore, a 17-year-old who knows more about programming than 30 of us old-timers. He is a high school student in Tempe, Ariz.

Rick contributed the two procedure files, c.setup and diskstep. "As soon as OS-9 starts up, type c.setup and this procedure file speeds up the disk step rate and loads several OS-9 commands into memory," he said. "The commands loaded — rename, echo and del — are used often by the C compiler and the OS-9 line editor. After loading these commands into memory, the compiler will not have to access the disk as much and it speeds up your compile time quite a bit.

Here is c.setup:

```

debug </d0/sys/diskstep
load rename
load echo
load del
echo
echo Now insert your C Compiler
disks.

```

Here is /d0/sys/diskstep:

```

l ccdisk
. <SPACE> .+1fe
=12
l ccdisk
. <SPACE> .+204
=0B
=8B
l ccdisk
. <SPACE> .+2DD
=42
l ccdisk
. <SPACE> .+2e9
=02
q

```

Moore writes that you can also decrease C compile time by using the separate compilation option for extremely large programs. "First, separate the main program from the user written functions," he said. "Then, after the functions are 'bug-free,' you can com-

pile them, but do not link them. To do this, use the following command line.

```
OS9: cc1 myfunctions.c -r
```

When you run this command line, the compiler puts its output in a file named *myfunctions.r*. After you are finished with your function files, work on the main program. When you are ready to compile the entire program, use a command line like this:

```
OS9: cc1 mainprogram.c myfunc  
tions.r
```

You may use more than one function file on your command line. They don't even need to be compiled ahead of time, either. In this case, the name of your function files would still end with '.c.' The command line might even look like this:

```
OS9: cc1 mainprog.r myfun.c  
myfun2.r myfun3.c
```

This command line is legal and, when run, the compiler first compiles all the files with a '.c' extension, then links all of the files together. It's all automatic

```
int page , first ;
{
if ( ! first ) printf ( "\f" ) ;
return ( 4 ) ;
}

int header ( string , page )
char *string;
int page ;
{
printf("\n\nFILE NAME <f> page %d\n",string,page#;#prtime ( time )
printf ( "\n\n" );
return ( 5 ) ;
}

void# prtime (p)
struct sgbuf p;
{
printf ("%02d/%02d/%02d %02d:%02d:%02d",
p->t_year,p->t_month,p->ttday,p->>_hour,p->t_minute,p->t_second);
}
```

Listing 2:

```
main ()
{
sdump (3, 1, 2);
}

#define XPIXELS 256
#define YPIXELS 192
#define PPATH 1
#define INPATH 0

/* maximum number of bytes to read at a time */
#define MAXREAD (XPIXELS/8)*7
```

STYLOGRAPH SEE WHILE EDITING JUST AS IT WILL PRINT

- Fully Integrated Word Processor
- Proportional Spaced Printing
- 51 Column Screen Driver Included
- Ideal With 80 Column Cards
- Optional Programs: Mail Merge, Spelling Checker Can Be Purchased

COCO OS9 or FLEX **\$99.95**

SAVE \$139.90 While Supply Lasts
STYLO PRO-PAK only **\$229.95**

Includes

PBJ 80 Column Wordpak, OS9 Wordpak
Driver, Stylograph, Mail Merge,
Spell Checker



Stylo Software, Inc.

P.O. Box 916 482 C Street
IDAHO FALLS IDAHO 83402
(208) 529-3210

BUSINESS SERIES

General Ledger

Accounts Receivable Accounts Payable
Data Base Management

G/L

- A true accounting system
- Flexible chart of accounts
- Full double entry—you can't be out of balance
- Comparison with previous year performance
- Reports include: Income Statement, Balance Sheet, Cash Report, etc.

300 accounts—3000 transactions on 360K disk

A/R

- Increase your cash flow by keeping track of those who owe you
 - Produce monthly statements
 - Aging reports at anytime
 - Other reports include Open invoice, closed invoice customer, transactions
- 500 customers 1000 invoices on 360 K disk

**ONLY
\$99.95 each**

\$150.00 includes source

System Requirements

- 2 disk drives
- 80 column screen
- Flex operating system
- Color computer



Stylo Software, Inc.

P.O. Box 916 482 C Street
IDAHO FALLS IDAHO 83402
(208) 529-3210

```

/* size of the string, in bytes, which puts the
   printer in graphics mode */
#define STRSIZE 4

/* xdots and ydots define the dimensions, in
   printed dots which make up each pixel */

/* gmode selects one of the printers graphic modes */

/* xdots=3, ydots=1 and mode=2 produce a small,
   accurately proportioned picture, about 1/2
   page wide */

/* xdots=3, ydots=2, gmode=1 yields a accurate
   image aproximately the width of the full page */
/* other combinations of values produce images
   stretched in one of the axes*/

char outbuff [2048], inbuff [MAXREAD];

sdump (xdots, ydots, gmode)
int xdots, ydots, gmode;
{
/* each entry in this table should begin with
   the characters to set the printers line feed
   to 7/72'nds of an inch, then initialize the
   graphics mode */

static char *grafinit [] = {
  "\x1b\x31\x1b\x4b", /* 60 dot/inch */
  "\x1b\x31\x1b\x4c", /* 120 dot/inch */
  "\x1b\x31\x1b\x7a" /* 240 dpi */
};

static char bit_table [6] = {0x1, 0x2, 0x4, 0x8, 0x10, 0x20, 0x40, 0x80};

int i, j, x, y, pixel, bitrow=6, index, done=0;

char c='\0';

```

on Microware's excellent C Compiler. Finally, Moore begged to differ with a C language BASIC INKEY\$ function we published in January and submitted a much simpler version:

```
setbuf(stdin, NULL)
```

Moore says if you place this line at the beginning of a program, it will cause all future calls to getchar() to simulate the INKEY\$ function. At the same time he notes that it doesn't seem to affect fscanf() or other I/O calls — even ungetc() still works. Thank you, Rick.

Moore's closing line was a challenge to all "KISSable OS-9" readers. If you accept, send your version of a C function that simulates INKEY\$ without the wait to us in care of THE RAINBOW.

C Tips

Our final C tip comes from Albert Pinto, who works for the U.S. Army Night Vision and Electro-Optics Lab at Fort Belvoir in Virginia. He uses a pair of quad density drives — 2880 sector per disk — on his Color Computer to do a lot of C programming. He sent us some information about the bytes to change to use only one of these drives with the

Announcing the

DELUXE OS9 TERMINAL PROGRAM for the Color Computer

OTERM

- Up to 2400bps FULL DUPLEX without loss of characters, 7 or 8 bit, any parity
- Upload and download ASCII or Binary error free with Xmodem protocol
- Variable size capture buffer - open, close, transmit with/without prompt, print, capture screen, load, save
- Supports Wordpak, OPAK/Hires, or standard 32 x 16 display - selectable word clean/break
- Nine function (text) keys - define, delete, transmit, display, load, save (encrypted)
- Responds to X-OFF, sends X-OFF when input buffer near full (both optional)
- Full 128 character set transmitted: audible bell; true line break
- Many other options and features, including Shell command
- Requires Deluxe RS232 Pak or PBJ 2SP

PRICE: \$39.⁹⁵ + tax (2.⁰⁰) Check, MO, VISA, MC

New World Technologies, Inc.

Box 1209 Dublin, OH 43017
Phone: 614-766-2165 (after 7 pm)

CompuServe: 74076, 1215



The Last Word

for OS-9™

The ultimate in word processing
power and convenience.

- Pop-down menus accessible from mouse, joystick or keyboard.
- Open files by just pointing to names from a directory menu.
- Fast on-screen formatting.
- 22,000 word on-line dictionary.
- Use with WORD-PAK or it's own hires screen.
- Move freely in files of any size, (even bottom to top).
- Many other features.



Unified Software
525 S. Chestnut
Cameron, MO 64429

\$49.95

+ \$3.00 S/H

OS-9 is a trademark of Microware and Motorola.

Microware C Compiler. Here are the two changes and the revised CRC bytes that will let you save them without going the Verify step.

Location	New (one disk)	Old (two disks)
ccl		
0ee6	30	31 (Disk Number)
1f4f	a5	3c (CRC)
1f50	56	a4
1f51	8a	df
c.prep		
133d	30	31 (Disk Number)
27a9	01	2a (CRC)
27aa	a5	59
27ab	16	ad

Quote of the Month

We'll wrap up the column with a "quote of the month." It comes from Greg Morse writing in *MOTD*, the OS-9 Users Group newsletter: "Standards are wonderful. There are so many to choose from."

What else can we say! I hope everyone has a happy holiday season and a prosperous 1986. Next month, we hope to have the official results from the OS-9 Users Group election and lots of news from RAINBOWfest-Princeton. □

```

/* initialize printer to power-on configuration */
write (PPATH, "\x1b\x40", 2);

do {
  if ((i=read (INPATH, &inbuff [0], MAXREAD)) < MAXREAD) {
    done=1; /* last time thru the loop */
    while (i < MAXREAD) /* clear extra bytes*/
      inbuff [i++] = 0xff;
  }
  for (y=0; y < 7; y++) {
    for (i=0; i < ydots; i++) {
      index=0;
      for (x=0; x < XPIXELS; x++) {
        pixel=inbuff [(y*32) + (x/8)] & bit_table [7 - (x & 7)];
        for (j=0; j < xdots; j++) {
          if (pixel)
            /* change above line to if (!pixel)
             * for a negative image */
            outbuff [index++] = bit_table [bitrow];
          else
            outbuff [index++] = -bit_table [bitrow];
        }
      }
    }
  }
  if (--bitrow < 0) {
    /* initialize printer to graphics mode */
    write (PPATH, grafinit [gnode], STRSIZE);
    /* tell printer how many graphics bytes
     * follow */
    write (PPATH, &xdots, 2);
    write (PPATH, &outbuff [0], XPIXELS * xdots);
    write (PPATH, "\n", 1);
    bitrow=6;
  }
}
} while (!done);
/* return printer to power-on settings */
write (PPATH, "\x1b\x40", 2);

```

*Now Available to you from
the Professionals*

HARDWARE HANDSHAKING AND HIGH SPEED CMOS
TO REDUCE BUSS LOADING
COMPATIBLE WITH ALL KNOWN BUS EXTENDERS
ALSO AVAILABLE FROM OWL-WARE

Super Board

2 INTERRUPT DRIVEN SERIAL PORTS
CENTRONICS PARALLEL PORT
REAL TIME CLOCK WITH ALARM
COMPLETE WITH SOFTWARE
ALL FOR \$220.00

Coco HDI

HARD DISK INTERFACE
USED WITH: XEBEC/WESTERN DIGITAL
DISK CONTROLLER BOARDS
INCLUDES OS9 SOURCE CODE
ALL FOR \$98.00
COMPLETE HARD DISK SYSTEMS
5 MEG. . . \$495.00 10 MEG. . . \$695.00

Coco Pram

PROGRAMS: 2716 THRU 27256 • 68764 • 68766 • 2516 • 2564
NO SWITCHES OR BATTERIES
ALL CONTROL VIA SOFTWARE
FITS IN SLOT #1 OF MULTI-PAK
INCLUDING SOFTWARE \$120.00

MULTI-PAK IS A TRADEMARK OF TANDY
OS9 IS A TRADEMARK OF MICROWARE

THESE UNITS HAVE BEEN IN USE IN INDUSTRY
ALL CONNECTORS ARE GOLD PLATED
FOR FURTHER INFORMATION CALL OR WRITE

LR Tech

2010 Grey Horse Dr., Warrington, PA 18976
Phone: (215) 343-0423
Visa & MC accepted, add 3% for Shipping; Pa residents add 6%

SIDE WISE OS9

© 1985 by Derringer Software, Inc.
Add that extra twist to your spreadsheet

Imagine this... you have a worksheet that contains 40 - 10 character wide columns and 50 rows. That's a total of 400 characters per row. Now, instead of having 3 separate sheets of paper to look at, you hold up a printout that contains all 400 characters by 50 rows - all lined up and easy to look at. Sound impossible? Not with SIDE WISE OS9!

SIDE WISE OS9 reads ASCII stored worksheets from your spreadsheet program and prints them out "side ways" down the page instead of across the page. Utilizing the graphics capability of most Radio Shack, Epson, C-100, Okidata and Gemini printers, SIDE WISE OS9 will print from 48 to 189 rows across the page at one time. The output of SIDE WISE OS9 can also be directed to a disk file so that it can be printed out as a background task.

SIDE WISE OS9 requires BASIC09 and OS9 to implement.
* Row capacity differs between Printers.

\$39.95

(Add \$3.00 S&H)

Supplied on standard RS-OS9 formatted disk

Derringer Software, Inc. - P. O. Box 5300 - Florence, S.C. 29502-5300
VISA/MC accepted - Call (803) 665-5675 - 10:00 - 5:00

THESE FINE STORES CARRY THE RAINBOW

The retail stores listed below carry THE RAINBOW on a regular basis and may have other products of interest to Tandy Color Computer users. We suggest you patronize those in your area.

ALABAMA

Albertville
Birmingham
Brewton
Florence
Huntsville
Madison
Montgomery

Sewell TV & Radio Shack
Jefferson News Co.
McDowell Electronics
Anderson News Co.
Endicott Software
Madison Books
Trade 'N' Books

ALASKA

Fairbanks

Electronic World

ARIZONA

Phoenix

The Computer Shop
Home Brew Computers
Tri-Tack Computers
Data Concepts
Softwareland Corp.
All Systems Go
Books Etc.
Computer Library
Anderson News Co.
Mini Electronics

Scottsdale

Tampa

Tucson

ARKANSAS

Fayetteville
Little Rock

Vaughn Electronics/Radio Shack
Anderson News Co.

CALIFORNIA

Chula Vista
Citrus Heights
Downey
El Cajon
Evan
Fountain
Grass Valley
Half Moon Bay
Hesperia
Hollywood
Lompoc
Los Angeles

R & R Software
Software Plus
The Floppy Disk
Radio Shack
Software City
R&V Sound
Audio via Radio, Inc.
Strawflower Electronics
Desert Sound, Inc.
Levity Distributors
L&H Electronics Emporium
E.D.C. Industries
Polygon Co.
JA&B Software
Wily's Electronics
Rio Am Electronics
Printers, Inc.
Tower Magazine
The Computer Store
Dimensional Software
Disney's Electronics
Radio Shack
Sawyer's News, Inc.
Color Computing
Computer Literacy

National City

Pacific Beach
Palo Alto
Sacramento
San Diego

Santa Rosa

Southgate
Sunnyvale

COLORADO

Aurora
Colorado
Springs
Grand
Junction

Aurora Newsland
Hathaway's Magazines
Colorado Periodical
Distributing Co.
Montrose Mini Mall
Software City

Montrose
Westminster

CONNECTICUT

Danbury

Computer Serv. of Danbury

DELAWARE

Middletown
Wilmington

Delmar Co.
Milford News Stand
Norman, Inc.—The Smoke Shop

FLORIDA

Boca Raton
Clearwater
Cocoa
Dade
Ft. Lauderdale
Jacksonville

Software, Software, Inc.
Sewer & Wilmoth Books
The Open Door
Software Plus More
Mike's Electronics Distributor
Bill's CoCo Corner
The Book Nook
Book Town
Electronics of Madison
City Newsstand
The Little Store
The News Rack
Newsstand of Cutler Ridge

Madison
Melbourne

Miami

North Miami
Beach
Panama City

Almar Bookstore
Boyd-Ebert Corp.

Pensacola
Pineles Park
Sarasota
South
Pasadena
Shuair
Sunrise
Tallahassee
Tampa

Anderson News Co.
Wolf's Newsstand
Family Computers

Poling Place
Cotronics, Inc.
Sunny's of Sunset, Inc.
Anderson News Co.
Fine Print Bookstore
Software City
Sound Trader & Computer Center
Computer

Titusville

GEORGIA

Bremen
Columbus
Cummings
Jesup

Boogie Shoppe
Muscookee News Co.
Kent Radio Shack
Kannon Music
Radio Shack
Act One Video

Marietta
St. Simons
Island
Toccoa

Radio Shack
Martin Music Radio Shack

IDAHO

Blackfoot
Moscow
Prest River

F/M Systems Electronics
Johnson News Agency
K&W Electronics

ILLINOIS

Aurora
Belleville
Champaign
Chicago

Koch's & Brentano's
Software or Systems
Book Market
B. Dalton Bookstore
N. Wabash St.
West Jackson St.
Bob's in Newtown
Bob's News Emporium
Bob's Rogers Park
Book Market
East Cedar
North Cicero
West Diversify
E.B. Garcia & Associates
Guild Books & Periodicals
Koch's & Brentano's
South Wabash
West Jackson
516 N. Michigan
835 N. Michigan
Parkway Drugs
Parkwest Books
Sandmeyer's Bookstore
Univ. of Chicago Bookstore
Univ. of Illinois Bookstore
Videomat, Inc.
Book Emporium
Book Market
Book Emporium
K-Mart Plaza
Northgate Mall
Applebee Computers
Book Emporium
Chicago Main News
B & J Supply
Book Emporium
Book Nook
Jim's Home Center
Bill's TV Radio Shack
Koch's & Brentano's
Koch's & Brentano's
Book Emporium
Book Emporium
Sheildon Village
Westlake Shopping Center
Book Market
Illinois News Service
Koch's & Brentano's
Book Emporium
Sargomon Center North
Town & Country Shopping Ctr.
Book Emporium
Paper Place
North Shore Distributor

Chillicothe
Danville
Decatur

DeKalb
East Moline
Evanston
Geneese
Kewanee
Lisle
Metropolis
Newton
Oak Brook
Oak Park
Paris
Peoria

Schaumburg
Skokie
Springfield

Sunnyland
West Frankfort
Wheeling

INDIANA

Beine

White Cottage Electronics

Columbus
Ganett
Greenwood
Indianapolis

Micro Computer Systems, Inc.
Finn News Agency, Inc.
The Computer Experience
Bookland, Inc.
Indiana News
Elex Mart
Act Office Supplies
Radio Shack
Advanced Color Software
Mittig's Electronics

IOWA

Bethesda

Cosmos Computers

KANSAS

Junction City
Topeka
Wichita

It's Stereo
Palmer News, Inc.
Town Color of Topeka, Inc.
Amateur Radio Equipment Co.
Lloyd's Radio

KENTUCKY

Danville
Hopkinsville
Louisville
Paducah
Paintsville
Pikeville
Princeton

Boyle Electronics
Hobby Shop
The Computer Store
Radio Shack
Gus-Stan Enterprises
Gus-Stan Enterprises
Miller Electronics

LOUISIANA

Baton Rouge
Crowley
Gretna

Acme Book Co.
Acadiana Newsstand
Computer Supply Store

MAINE

Boakton
Waldoboro

Voyager Bookstore
Radio Shack

MASSACHUSETTS

Boston
Cambridge

Voyager Bookstore
Nina's Corner, Inc.
Out Of Town News
Comet Book Shop
Ipwich News
Computer Plus
North Shore News Co.
Soft Ware House

Pittsburg
Ipswich
Uttleton
Lynn
Quincy

MICHIGAN

Allen Park
Ann Arbor
Bloomlyn
Dearborn
Durand
Farm
Greenville
Harrison
Kalamazoo
Lewistown
Mt. Clemens

Book Nook, Inc.
Community News Center
Weatherwax Radio Shack
DSL Computer Products
Robbins Electronics
10"
Robbins Electronics
Harrison Radio Shack
John Rollins
Curt's Sound & Home Arcade Center
Key Book Shop
Michigan Radio
The Eight Bit Corner
C/C Computer Systems
Perry Computers
Perry Oil & Gas
B & L Sound, Inc.
Computer Shack
New Horizons
Software City
Clinton Electronics
Software City

Muskegon
Owosso
Perry

Staring Book Center
White Electronics
Gery's Book Co.

Petoskey
Pontiac
Roseville

Royal Oak
St. Johns
Southfield
Sterling

Heights
Tecumseh
Wyoming

MINNESOTA

Minneapolis
Willmar

Read-More News
The Photo Shop

MISSISSIPPI

Grenada
Starkville

Stereo Store of Grenada, Inc.
Stonehenge Computer Software Center

MISSOURI

Farmington
Kirkville
Moberly
St. Louis

Ray's TV & Radio Shack
T&R Electronics
Audio Hut
Book Emporium
Computer Exchange