

Just for your  
COLOR COMPUTER 1, 2 and 3

September 1986

Canada \$4.95 U.S. \$3.95

# The RAINBOW<sup>®</sup>

THE COLOR COMPUTER MONTHLY MAGAZINE

New Color Computer 3  
**CoCo Better  
Again!**



# SCHOOL

# 1986



## Our Annual Education Issue



# RAM BACK CHAIRS

FOR STRESSLESS SITTING  
AND PERFECT POSTURE

The Back Chair distributes your weight between back and legs, reduces strain on your back, helps prevent lower backache



CALL TOLL FREE  
FOR COLOR CATALOG  
1-800-227-2001  
IN CALIF. 1-800-537-2001



### Conventional Chair

Sitting in a conventional chair causes you to slump, sending body weight downward toward your lower back. Over a period of time, this can cause pain.



### The Back Chair

The Scientifically-designed Back Chair allows you to sit comfortably, spine and back muscles perfectly aligned, body weight shared by back and legs.



### Style A

#### The Adjustable Back Chair

Adjusts to 3 different positions for comfortable sitting at virtually any desk or table. 4 casters allow you to move effortlessly from place to place.



**\$36**

### Style B

#### The Swivel Back Chair

The added swivel feature makes this model ideal for office use.

- ADJUSTABLE
- 360° ROTATION
- METAL CONSTRUCTION
- CASTERS
- HEAVY-DUTY


**\$54**



- CASTERS
- ADJUSTABLE
- SOLIDWOOD
- FOLDS FOR STORAGE
- BROWN VELOR CUSHIONS

SEND CK TO RAM  
8306 WILSHIRE BLVD., SUITE 10  
BEVERLY HILLS, CA 90211

Style	Qty	Amt
A	_____	_____
B	_____	_____



Name: \_\_\_\_\_ Add\$9 ea. for delivery \_\_\_\_\_

Address: \_\_\_\_\_ Total Enc.\$ \_\_\_\_\_

Tel. # \_\_\_\_\_

30 DAY MONEY BACK GUARANTEE.




From Computer Plus to YOU...


# PLUS after PLUS after PLUS




Tandy 200 24K \$649  
Tandy 600 32K \$1269  
Tandy 102 24K \$395




Color Computer II  
w/64K Ext. Basic \$145




Tandy 1000 \$685  
Tandy 1200 \$1159  
Tandy 1200HD \$1599



DMP-130 \$269



Color Computer Disk Drive  
Drive 0 \$239 Drive 1 \$179



DMP-105 \$160

## BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS

### COMPUTERS

Tandy 1000 1 Drive 128K	685.00
Tandy 1200 10 Meg. 256K	1599.00
Tandy 3000 1 Drive 512K	1969.00
Model IVD 64K with Deskmate	889.00

### PRINTERS

Radio Shack DMP-105 80 CPS	160.00
Radio Shack DMP-130 100 CPS	269.00
Radio Shack DMP-430 180 CPS	559.00
Radio Shack DWP-220 Daisy Wheel	359.00
Silver Reed EXP-500P Daisy Wheel	229.00
Star NX-10 120 CPS	279.00
Star SG-15 120 CPS	410.00
Panasonic P-1091 120 CPS	259.00
Panasonic P-1092 180 CPS	339.00
Okidata 292 200 CPS	529.00
Okidata 192 160 CPS	375.00
Epson LX-80 100 CPS	275.00
Epson FX-85 160 CPS	419.00

### MODEMS

Radio Shack DCM-3 Modem	52.00
Radio Shack DC Modem	
Program Pac	79.00
Radio Shack DC Modem 2212	315.00
Hayes 300 Baud Modem	169.00

### COLOR COMPUTER MISC.

Radio Shack Drive Controller	139.00
Extended Basic Rom Kit	39.95
64K Ram Upgrade Kit	39.00
Radio Shack Deluxe Keyboard Kit	24.95
HJL Keyboard Upgrade Kit	79.95
COCO Max Y Cable	27.95
Color Computer Mouse	44.00
Multi Pack Interface	89.00
Botek Serial to Parallel Conv.	69.95
Radio Shack CCR-81 Recorder	52.00
Radio Shack Deluxe Joystick	26.95
Amdek Video 300 Green Monitor	139.00
Amdek Video 300 Amber Monitor	149.00
Goldstar Green Monitor	85.00
Goldstar Amber Monitor	85.00
Radio Shack VM-4 Green Monitor	99.00
Mark Data Universal Video Driver	29.95

### COLOR COMPUTER SOFTWARE

	TAPE	DISK
Approach Control Simul.	29.95	34.95
Worlds Of Flight	29.95	32.95
Mustang P-51 Flight Simul.	29.95	34.95
Spectral Typing Tutor	19.95	22.95
Dungeon Quest	24.95	27.95

Major Istar	24.95	27.95
Sam Sleuth Private Eye	24.95	27.95
Mark Data Graphic Adven.	24.95	27.95
COCO Util II by Mark Data		39.95
COCO Max by Colorware	69.95	
COCO Max II by Colorware		79.95
AutoTerm by PXC Computing	39.95	49.95
TelePatch by Spectrum		19.95
TeleWriter 64	49.95	59.95
Deft Pascal Workbench		89.95
Deft Extra		39.95
Pro Color File Enhanced 2.0		59.95
Max Edit by Derringer		19.95
Elite Calc	69.95	69.95
Elite Word	69.95	69.95
Elite File (disk only)		74.50
DynaCalc (disk only)		99.95
Word Pack RS by PBJ		99.00
VIP Writer (tape & disk)		69.95
VIP Integrated Library (disk)		149.95

Order any 2 software pieces listed and take 10% off their listed price. All Radio Shack software 10% off list. Send for complete list.

**CALL TOLL FREE  
1-800-343-8124**

- LOWEST POSSIBLE PRICES
- BEST POSSIBLE WARRANTY
- KNOWLEDGEABLE SALES STAFF
- TIMELY DELIVERY
- SHOPPING CONVENIENCE



# computer plus

P.O. Box 1094  
480 King Street  
Littleton, MA 01460

SINCE 1973

IN MASSACHUSETTS CALL (617) 486-3193



# Under The RAINBOW



33



49



88

Cover illustration copyright © 1986 by Fred Crawford



The small cassette tape symbols beside features and regular columns indicate that the program listings with those articles are on this month's RAINBOW ON TAPE, ready to LOAD and RUN. For full details, check our RAINBOW ON TAPE ad on Page 147.

## FEATURES

	<b>CoCo Better Again/Lonnie Falk</b> _____	18
	<b>COMMENTARY</b> <i>Impressions of the new Color Computer 3</i>	
	<b>A Whole Lot More/Greg Zumwalt</b> _____	20
	<b>TUTORIAL</b> <i>A look at the windowing on the CoCo 3</i>	
	<b>A Programmer's Dream/Steve Bjork</b> _____	26
	<b>COMMENTARY</b> <i>More on CoCo 3</i>	
	<b>What's Analog RGB?/Ed Ellers</b> _____	26
	<b>TUTORIAL</b> <i>A look at the CoCo 3's analog RGB monitor</i>	
	<b>New Commands on CoCo 3</b> _____	29
	<b>PRESS CONFERENCE NOTES</b> <i>More power for the Color Computer</i>	
	<b>CoCo 3 Is Born</b> _____	30
	<b>PICTORIAL</b> <i>First-hand reports from New York</i>	
	<b>Save the Astronauts/Rene Camirand</b> _____	33
	<b>GAME</b> <i>It takes a bold captain to make a daring space rescue</i>	
	<b>Rational Thinking/Keiran Kenny</b> _____	38
	<b>MATH TUTOR</b> <i>Converting fractions to ratios and percentages</i>	
	<b>Electronic Marquee/Keiran Kenny</b> _____	41
	<b>GRAPHICS</b> <i>A bold way to display your message</i>	
	<b>The Teacher's Pet/Ron Powers</b> _____	47
	<b>ORGANIZATION</b> <i>Lighten the work load with this handy program</i>	
	<b>Rattle Rattle Thunder Clatter/Michael B. Kromeke</b> _____	49
	<b>SIMULATION</b> <i>Discover the inner workings of your ailing car</i>	
	<b>Chronologist in CoCoLand/Dennis Norton</b> _____	58
	<b>EDUCATION</b> <i>A clever aid for teaching time concepts</i>	
	<b>I Before E Except After C/Donald Turowski</b> _____	78
	<b>SPELLING TUTOR</b> <i>Recognize misspellings and develop word skills</i>	
	<b>Graph-O-Matic/Jeff Harper</b> _____	82
	<b>3-D GRAPHICS</b> <i>A fast way to plot 3-D functions with the CoCo</i>	
	<b>Your Face or Mine?/Mike Rigby</b> _____	88
	<b>EDUCATION</b> <i>This delightful program teaches facial features</i>	
	<b>Scrambled Pix/Ira Goldwyn</b> _____	108
	<b>GAME</b> <i>These perplexing picture puzzles are tougher than you think</i>	
	<b>Writer-Zap/Ian Millard</b> _____	116
	<b>DISK UTILITY</b> <i>A modification for VIP Writer</i>	
	<b>Hail To The Chief/Edward T. White</b> _____	153
	<b>HISTORY</b> <i>Learning fun with presidential facts</i>	
	<b>CoCo Testmaker Revisited/Ron Powers</b> _____	160
	<b>ORGANIZATION</b> <i>An update of the matching test section</i>	
	<b>Video Output Board/Tim McIntosh</b> _____	171
	<b>HARDWARE PROJECT</b> <i>A neat project for do-it-yourselfers</i>	
	<b>CoCo Mouse/Steve Bjork</b> _____	180
	<b>MOUSE UTILITY</b> <i>The final installment of the point-and-pick interface</i>	

**NEXT MONTH:** The crisp, vibrant colors of autumn find their way onto the pages of THE RAINBOW in October's Graphics issue. Nature's dazzling display is reflected in our many interesting and colorful programs sure to delight even the most discerning art critic. On your tour, be sure to stop by the "CoCo Gallery" and check out works by the newest artists. And don't forget our many games, columns, applications and tutorials just for your CoCo.

Get in on the harvest of good things — get THE RAINBOW, the number one information source for the Color Computer!



# COLUMNS

<b>BASIC Training/Joseph Kolar</b> _____	<b>165</b>
<i>Using inverse characters</i>	
<b>Building September's Rainbow/Jim Reed</b> _____	<b>16</b>
<i>Managing Editor's comments</i>	
<b>CoCo Consultations/Marty Goodman</b> _____	<b>178</b>
<i>Remedies from the CoCo clinic</i>	
<b>Delphi Bureau/Cray Augsburg</b> _____	<b>172</b>
<i>Workspace, uploading and Marty Goodman's database report</i>	
<b>Education Notes/Steve Blyn</b> _____	<b>74</b>
<i>Word puzzles for spelling and vocabulary</i>	
<b>Education Overview/Michael Plog, Ph.D.</b> _____	<b>76</b>
<i>Tandy grants and the status of educational computers</i>	
<b>PRINT#-2/Lawrence C. Falk</b> _____	<b>12</b>
<i>Editor's notes</i>	
<b>Turn of the Screw/Tony DiStefano</b> _____	<b>125</b>
<i>A look at the CoCo 2B</i>	
<b>Wishing Well/Fred B. Scerbo</b> _____	<b>98</b>
<i>Updating the Color Change Quiz</i>	

# RAINBOWTECH

<b>Accessible Applications/Richard White</b> _____	<b>188</b>
<i>Reviewing PenPal applications</i>	
<b>Barden's Buffer/William Barden, Jr.</b> _____	<b>193</b>
<i>The adventure of the too many printers</i>	
<b>Downloads/Dan Downard</b> _____	<b>186</b>
<i>Answers to your technical questions</i>	
<b>KISSable OS-9/Dale L. Puckett</b> _____	<b>200</b>
<i>Hard disk makes CoCo OS-9 fun</i>	

# DEPARTMENTS

<b>Advertiser Index</b> _____	<b>208</b>	<b>One-Liner Contest</b> _____	
<b>Back Issue Information</b> _____	<b>139</b>	<b>Information</b> _____	<b>146</b>
<b>CoCo Cat</b> _____	<b>31</b>	<b>Rainbow Info</b> _____	<b>15</b>
<b>CoCo Gallery</b> _____	<b>122</b>	<b>Received &amp; Certified</b> _____	<b>131</b>
<b>Corrections</b> _____	<b>77</b>	<b>Submitting Material</b> _____	
<b>The Crossword Creator</b> _____		<b>to Rainbow</b> _____	<b>163</b>
<b>Contest</b> _____	<b>182</b>	<b>Subscription Information</b> _____	<b>166</b>
<b>Letters to Rainbow</b> _____	<b>6</b>	<b>These Fine Stores</b> _____	<b>206</b>
<b>The Pipeline</b> _____	<b>104</b>		

# PRODUCT REVIEWS

<b>Product Review Contents</b> _____	<b>129</b>
--------------------------------------	------------

# The RAINBOW

September 1986 Vol. VI No. 2

**Editor and Publisher**  
Lawrence C. Falk

**Managing Editor** James E. Reed  
**Senior Editor** Tamara Renee Dunn  
**Submissions Editor** Jutta Kapfhammer  
**Copy Editor** Jo Anna Wittman Arnott  
**Reviews Editor** Judi Hutchinson  
**Editorial Assistants** Judy Brashear,  
 Wendy Falk, Jody Gilbert,  
 Angela Kapfhammer, Shirley Morgan  
**Technical Editor** Dan Downard  
**Technical Assistants** Cray Augsburg,  
 Chris Wehner  
**Contributing Editors** William Barden, Jr.,  
 Steve Blyn, Tony DiStefano, Joseph Kolar,  
 Michael Plog, Dale Puckett, Fred Scerbo,  
 Richard White  
**Consulting Editors** Ed Ellers,  
 Danny Humphress, Belinda C. Kirby,  
 T. Kevin Nickols

**Art Director** Jerry McKiernan  
**Production Coordinator** Cynthia L. Jett  
**Designers** Judy Colgate, Tracey Jones,  
 Heidi Maxedon, Kevin Quiggins,  
 Sandra Underwood

**Chief of Typography** Debbie Hartley  
**Typography Services** Jody Doyle,  
 Suzanne Benish Kurowsky

## Falsoft, Inc.

**President** Lawrence C. Falk

**General Manager** Patricia H. Hirsch  
**Asst. General Mgr. for Finance** Donna Shuck  
**Admin. Asst. to the Publisher** Sue E. Rodgers

**Editorial Director** James E. Reed  
**Asst. Editorial Director** Jutta Kapfhammer  
**Creative Director** Jerry McKiernan

**Chief Bookkeeper** Diane Moore  
**Advertising Accounts** Beverly Taylor  
**Dealer Accounts** Judy Quashnock  
**Accounts Payable/ADP** Lisa Ragan  
**Fulfillment Services Director** Bonnie Frowenfeld  
**Fulfillment Services Asst. Dir.** Sandy Apple  
**Asst. Customer Service Mgr.** Beverly Bearden  
**Word Processor Manager** Patricia Eaton  
**Development Coordinator** Ira Barsky  
**Chief of Printing Services** Melba Smith  
**Pre-press Production** John Pike  
**Dispatch** Janice Eastburn  
**Asst. Dispatch** Mark Herndon  
**Business Assistants** Laurie Falk, Sharon Smith,  
 Monica Wheat, Pam Workhoven

**Advertising Coordinator** Doris Taylor  
**Advertising Representative** Kim Vincent  
**Advertising Assistant** Debbie Baxter  
 (502) 228-4492

**West Coast Advertising and Marketing Office**  
**Director** Cindy J. Shackleford  
**Advertising Representative** Shirley Duranseau  
**For RAINBOW Advertising and**  
**Marketing Office Information, see Page 208**

THE RAINBOW is published every month of the year by FALSOFT, Inc., The Falsoft Building, 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059, phone (502) 228-4492. THE RAINBOW, RAINBOWfest and THE RAINBOW and RAINBOWfest logotypes are registered trademarks of FALSOFT, Inc. Second class postage paid Prospect, KY and additional offices. USPS N. 705-050 (ISSN No. 0746-4797). POSTMASTER: Send address changes to THE RAINBOW, P.O. Box 385, Prospect, KY 40059. Forwarding Postage Guaranteed. Authorized as second class postage paid from Hamilton, Ontario by Canada Post, Ottawa, Ontario, Canada. Entire contents copyright © by FALSOFT, Inc., 1986. THE RAINBOW is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever. Tandy, Color BASIC, Extended Color BASIC and Program Pak are registered trademarks of the Tandy Corp. CompuServe is a registered trademark of CompuServe Inc. Subscriptions to THE RAINBOW are \$31 per year in the United States. Canadian rates are U.S. \$38. Surface mail to other countries is U.S. \$68, air mail U.S. \$103. All subscriptions begin with next available issue. Limited back issues are available. Please see notice for issues that are in print and their costs. Payment accepted by VISA, MasterCard, American Express, cash, check or money order in U.S. currency only. Full refund after mailing of one issue. A refund of 10/12ths the subscription amount after two issues are mailed. No refund after mailing of three or more magazines.



## Wild Blue Yonder

**Editor:**

My full-time occupation is music teacher in a public middle school. In addition, I stay after school to supervise a computer/aviation club. We use the Color Computer to learn basic flight theory and to model aircraft behavior, with *Worlds of Flight*, *F-16*, *P-51* and *Flight Simulator* to teach the basics of approach and landing. *Approach Control* is used when we discuss air traffic control to show the other side of the coin. This club evolved from the interest that the students had in my involvement in learning to fly and seeing me work with the Tom Mix simulator. It became a great challenge to my students. Seeing their interest sparked me to get my Basic Ground Instructor Certification.

Mike Kello  
Nesquehoning, PA

---

### BACK TALK

**Editor:**

Just when I was about to give up on practical application programming because of negative responses to *Cash vs. Financing* (March 1986, Page 71), a letter came restoring my self-confidence. Thanks to RAINBOW readers like Steve Lente I'm again active and willing to branch out into unfamiliar areas. Like he says, if I don't branch out, life will get awfully boring, and I might overlook an area where I could eventually excel.

Bill Bernico  
Sheboygan, WI

### Cadprint on the DMP-105

**Editor:**

I would like to respond to a letter by R. W. Harper [June 1986, Page 8] about a problem getting the *Cadprint* modification program (February 1986, Page 103) to work on the DMP-105 printer. Here are the changes needed for proper operation:

```
40 POKE150,18: '2400 BAUD
```

```
60 FORPG=0T02
80 LOADM"PRT.PG"+RIGHT$(STR$(PG
+3),1),&H4200
90 LOADM"PRT.PG"+RIGHT$(STR$(PG
+6),1),&H5A00
110 KILL"PRT.PG"+RIGHT$(STR$(PG),
1):KILL"PRT.PG"+RIGHT$(STR$(P
G+3),1):KILL"PRT.PG"+RIGHT$(S
TR$(PG+6),1):NEXTPG
```

The original program loaded pages 0, 1, 2 then 3, 4, 5 then 6, 7, 8 for printout which made the picture come out all wrong. With these changes, the program loads pages 0, 3, 6, then 1, 4, 7 and finally 2, 5, 8 for proper printout.

Has anybody figured out how to get *DeskMate* for OS-9 to work at 2400 Baud? The DMP-105 only works at 600 or 2400 Baud rates. It is a hassle to change the DIP switch on the printer every time I want to use *DeskMate* to write a letter.

I can be reached at 12950 El Rio Road, 92392.

E.C. Blend, Jr.  
Victorville, CA

---

### HINTS AND TIPS

**Editor:**

Here's a quick change for those who have *CoCo Max* and want to use their Hi-Res Output Module with *CoCoCad*, featured on Page 130 of the October 1985 issue. Maybe others are tired of unplugging and replugging their mouse too. Change Line 20 and add Line 25 as follows.

```
20 PQR=PEEK(&HFF90):Y=PEEK(&HFF91
):X=PEEK(&HFF92):P=PEEK(&HFF93
):IF X<3 THEN X=3 ELSE IF X>252
THEN X=252
25 IF P<50 THEN P=3
```

If anyone knows of a screen dump for the Okidata Microline 92, please drop me a line. It would be greatly appreciated. My address is 5522 West John Cabot Road, 85308.

Tim Fadden  
Glendale, AZ

See "Putting The Okidata ML92 To Work" by Joseph Kohn on Page 89 of the May 1985 issue.

### The CoCo Max Connection

**Editor:**

A short time after getting *CoCo Max*, I wished I could take the BASIC program I spent so much time drawing using BASIC commands, and put that picture into *CoCo Max* to improve and rearrange it. Here is the procedure I developed that enables me to do it.

Run the BASIC program, and when it's completely drawn on the screen press the BREAK key. Type in uppercase letters the name of the program only (dark-colored letters) SAVEM"NAME/EXT",&HE00,&H25FF,&HE00. This saves the screen to disk.

For *CoCo Max* use the extension MAX; for *Graphicom* use the extension BIN. Then run *CoCo Max* or *Graphicom* and load in your newly saved screen. Do what you want with it and resave it to disk. Questions can be directed to me at 39 Haven Avenue, 01013. Enclose an SASE please.

James R. Demers  
Chicopee, MA

### Are You There?

**Editor:**

Information as to whether or not the printer is on (assuming your printer sends a busy signal when not ready) is contained in memory location 65314. The value in this location is five when printer is not ready and four (usually) when ready.


I have designed this subroutine to incorporate in my programs using the printer:

```
10 CLS
20 IFPEEK(65314)<>5THEN50
30 PRINT@0,"PRINTER IS NOT READY"
40 GOTO10
50 RETURN
```

This subroutine can be used instead of the usual instruction to "get the printer ready."  
Jules E. Lafrance  
Nepean, Ontario



**TOP RATINGS**  
**HOT COCO MAGAZINE**  
SEPTEMBER 1984 AND MAY 1985



**NEW**  
DISK FILE  
TRANSFER VIA  
**XMODEM**

YOU COULD FALL IN LOVE WITH  
**AUTOTERM!**  
IT TURNS YOUR COLOR COMPUTER INTO THE  
**WORLD'S  
SMARTEST  
TERMINAL**

**AND  
MOST  
LOVABLE**

---

**GOOD  
LOOKIN'**

---

AUTOTERM shows true upper/lower case in screen widths of 32, 40, 42, 51, or 64 characters with no split words. The width of 32 has extra large letters. Scrolling is forward, backward, and fast. Block graphics pictures are displayed automatically and can be scrolled.

The screen's top line shows operating mode, unused memory size, memory on/off, and caps-lock on/off. It also gives helpful prompts.

---

**SWEET  
TALKIN'**

---

KEY-BEEP can be on/off. Unacceptable keystrokes cause a lower pitched BOP! This ERROR-BEEBOP can be on/off.

Talks to other computers with Full or Half Duplex; Baud Rate of 110, 150, 300, 600, 1200 parity as even, odd, mark, space, none; 7 or 8 bit Word; any Stop Bits; all 128 ASCII characters; true line Break; XON/XOFF protocol; and optional line-at-a-time transmission. Able to send and receive text, block graphics, BASIC and ML programs. A 64K machine holds up to 45,000 characters (33,300 in HI-RES).

DUAL PROCESSING lets you review & edit while more data is coming in.

XMODEM for disk file transfer.

Fully supports D.C. Hayes and other intelligent modems.

Talks to your printer with any page size, margins, line spacing, split word avoidance. Embed your printer's control sequences for boldface, underlining, etc. Narrow text can be automatically spread out.

---

**You'll also use Autoterm  
for simple word processing  
and record keeping**

---

You can display directories, delete files, transmit directly from disk, and work with files larger than memory. Easily maintain a disk copy of an entire session.

Compatible with TELEWRITER (ASCII) & other word processors.

---

**SMOOTH  
WALKIN'**

---

AUTOTERM moves smoothly and quickly between word processing and intelligent terminal action. Create text, correct your typing errors; then connect to the other computer, upload your text, download information, file it, and sign-off; then edit the received data, print it in an attractive format, and/or save it on file.

Editing is super simple with the cursor. Find strings instantly, too! Any operating parameter, such as screen width, can be altered at any time. Uncompleted commands can be cancelled.

---

**PUTTY IN  
YOUR HANDS**

---

The word processor can be used to create, print, and/or save on file your personal KSMs. They let AUTOTERM act like you. For example, it can dial through your modem, sign-on, interact, perform file operations, & sign-off; an entire session without your help. KSMs can answer the phone, prompt the caller, take messages, save them, hang-up, and wait for the next call. The KSM potential is unbelievable!

**NO OTHER COMPUTER IN  
THE WORLD CAN MATCH  
YOUR COCO'S AUTOMATIC  
TERMINAL CAPABILITIES!!!**

---

**WHAT THE  
REVIEWERS SAY**

---

"AUTOTERM is the Best of Class."  
Graham, *RAINBOW*, 6/83

"The AUTOTERM buffer system is the most sophisticated — and one of the easiest to use..."  
Banta, *HOT CoCo*, 9/84

"Almost a full featured word processor..."  
Eilers, *RAINBOW*, 11/84

"AUTOTERM's excellent error-handling routines, thorough documentation, and logical, easy-to-use command structure make it stand out."  
Parker, *HOT CoCo*, 5/85

---

**AVAILABLE IN CANADA**

from  
Kelly Software Distributors  
Edmonton, Alberta

**CASSETTE \$39.95**

**DISKETTE \$49.95**

Add \$3 shipping and handling  
MC/VISA/C.O.D.

**PXE Computing**

11 Vicksburg Lane  
Richardson, Texas 75080  
214/699-7273

Please hire the mentally retarded. They are sincere, hard working and appreciative. *Thanks!* Phyllis.



## A Simpler Way

Editor:

This is in response to Marty Goodman's "Lap Keyboard" article [July 1986, Page 71]. He described a procedure for connecting ribbon cable to the plastic ribbon connector. I found the simplest and cheapest method is to take a 40-pin IC socket (preferably one with flat pins) and cut the two pin strips from the socket frame, remove the pins and carefully saw or cut away the plastic dividers between the pin holes on one of the IC strips. Replace the pins on this one modified strip and you should be able to plug the keyboard plastic ribbon into the new connector. Solder the connecting cable to the pin ends.

At the other end of the extension cable, solder on the individual pins (female end) to the end of the cable wires and carefully put the pins back into the remaining IC strip. Plug the finished connector into the plastic ribbon socket on the computer board (CoCo 'F' board and CoCo 2) and that's it!

Rodger Alexander  
Bellingham, WA

## REQUEST HOTLINE

Editor:

I am interested in finding someone who has a DMP-110 printer and the program *Hardcopy*. I have made several banners and greeting cards using the program and would very much like to exchange data disks. Anyone interested, please write to me at 88 Steinmetz Road, 08502.

Scott Enman  
Belle-Mead, NJ

## Habla Francais

Editor:

I am looking for a program (tape or disk) to help me in learning French and Spanish. Send any information to 1059 E. 6th Avenue, 85204.

Arthur H. Packard  
Mesa, AZ

## CoCo, Par 2

Editor:

I own a CoCo 2 and am looking for a program to store and calculate golf handicaps, on cassette only. My address is 982 Holman Way, 89431.

Ted Tusso  
Sparks, NV

Please read the review of Golf Handicaps on Page 215 of the August 1985 issue.

## Pot O' Gold

Editor:

I am attempting to complete my library of RAINBOW issues for 1983 and 1984. If any readers would be willing to sell me their copies of the January, February, March and May issues for 1983 or the January and February issues from 1984, please write to

me at 905 Remington Drive, 65202. Reasonable offers considered.

Kerry L. Nye  
Columbia, MO

## DELPHI LINE

Editor:

The Electronic Call Board is celebrating its one-year anniversary with the addition of a 1200 Baud Hayes and 128K of RAM. In our first year we have approached 8,000 calls and 3,000 messages. Now that we've added the new modem and additional RAM we expect that number to more than double in the coming year. To reach us, put your settings on 1200/300, E, 7, 1 and let 'er rip. Call NYC's first 128K CoCo BBS!

Bobby Ballard  
(BOBBYBALLARD)  
Brooklyn, NY

## A Pat on the Back

Editor:

I enjoy your excellent magazine and join many others in praising its overall quality. I have learned a great deal, and the fact that you are the sole survivor in the CoCo world is testimony that you're doing things right. I have two suggestions to further improve the educational value of THE RAINBOW.

Refrain from publishing programs that consist only of machine language DATA statements read and POKEd by a BASIC program. Each machine language program should be accompanied by the source code, if readers are to gain any value from the article.

Although I am a subscriber to RAINBOW ON TAPE, I think you are doing your readers a disservice by not publishing any program listing for an article, such as was done with *MUSIC+*, (by Bob Ludlum in June 1986). This is an excellent program, and should not be limited to subscribers of RAINBOW ON TAPE. Otherwise, keep up the superb work!

Chris Bergerson  
(CHRISB)  
Williamsville, NY

## INFORMATION PLEASE

Editor:

Having recently acquired a CoCo 2 with 64K, I am trying to make full use of it. I am using cassette. I have purchased a copy of *Telewriter* and find it to be a very suitable word processor. I have also written some BASIC programs.

I would like to be able to use the full 64K (instead of just the standard 32K) with my BASIC programs, but do not know how to do so. I feel sure that you have published an article on how to do this, but I do not know what month to look in. Could you advise me?

A friend told me you published an article on increasing the CoCo's memory above 64K, but could not remember the issue.

Could you tell me what issue to look in?

*Telewriter* has three features I find helpful: saving files in binary; verifying a save on tape and auto retry when searching for a file or verifying. Have you published any articles on achieving these functions? I want to incorporate these features into my programs. My address is Route 4, Box 90, 47122.

Dave Hottell  
Georgetown, IN

The CoCo is not designed to use the full 64K for BASIC. It can only use 32K at a time.

See "128K — The Easy Way" by Dennis Lewandowski on Page 162 in the December 1984 issue.

## The Heart of the Matter

Editor:

I am trying to fix a 64K Extended BASIC CoCo 2, red tag special. I would like to see an article showing the guts and their workings plus a few test tricks for repairs.

Fred Wise  
Clarion, PA

See "An Introduction To The Inside Of The CoCo 2" by Tony DiStefano on Page 68 of the January 1985 issue. Also look at the "Index to Rainbow" July 1984, 1985 and 1986 issues for articles by Tony DiStefano. These will be most helpful.

## Mayday! Mayday!

Editor:

If someone has a copy of the superpatched *EDTASM+* working on a 64K CoCo 2 with Disk BASIC 1.1, please contact me at 6321 Bosker Lane, 48444. I can't get it to work right with my computer and I'm not good enough in assembly language to fix it.

John Gormely  
Imlay City, MI

## No Assembler Please

Editor:

I am writing to request a BASIC program to write machine language programs without an assembler.

Zack Shelley  
Casper, WY

Please see "Machine Code Loader" by Dennis Weide on Page 144 in the July 1985 issue.

## Nonexistent OS-9 Errors

Editor:

I'm just getting into OS-9 and sometimes it gives me error messages I can't find in the manual. Where can I get a list or book of all the error codes?

I have a 32K 'E' board that I upgraded to 64K. The upgrade did not include cutting and removing any parts. A number of programs don't seem to recognize it as 64K, *VIP Writer* for one. *Ghana Bwana* tells me



I have a bad byte in my 32K, and I have no sound. If I type in RUN "\*" the second time, the game runs, but still no sound. Help, please! My address is Box 1132, V9Y 7L9.

Dave Read  
Port Alberni, British Columbia

Read "RAM/ROM Upgrade Roundup" on Page 49 of the May 1984 issue.

### Transfer Troubles

Editor:

I go to Radio Shack once in a while to check out the educational programs on sale for my kids. Usually the programs are cassettes, and I have a disk system. I tried a popular copy program to copy tape to disk but it doesn't do the job. What can I do to get these tapes on disk?

S. Brett Healey  
Logan, UT

Try Roger Schrag's "A Tape To Disk Transfer Vehicle" on Page 48 in the January 1984 issue.

### BOUQUETS AND BRICKBATS

Editor:

In the November 1985 RAINBOW, INFOCOM placed an advertisement (pages 10-11) for their *Four In One Infocom Sampler*, which I ordered. Many weeks later I received a letter from INFOCOM saying that they were backordered and to be patient. Several weeks after the letter I received the *Sampler* disk only to find that it would not load or operate. After a phone call to INFOCOM, I sent the disk to their technical department and asked for replacement. Several weeks later a new disk arrived, with the same problems. I returned this disk and stated the difficulties I had. I explained that I would still be interested in their program if problems could be corrected.

Michael Garozzo  
Morrisville, PA

### Four In One Solution

Editor:

I appreciate your bringing Mr. Garozzo's letter to our attention. The technical loading problem of the *Four In One Infocom Sampler* is one which we discovered subsequent to Mr. Garozzo sending his disk. It is encountered only by original CoCo owners (Version 1.0 Extended BASIC) who need to enter the BASIC program shown below as explained in the CoCo owners manual. Those with Version 1.1 will not encounter this problem.

Customer satisfaction is extremely important to each of us at Infocom. We welcome feedback which helps us improve our service and the quality of our products. Hopefully this technical information will assist other CoCo users.

To run the game, be sure to type:  
>DOS

If you have Version 1.0 Extended BASIC, you need to type in the following program in order to run the game.

```
40 FOR I=0 TO 70
50 READ A$
60 POKE &H5000+I, VAL("&H"+A$)
70 NEXT I
80 CLS:PRINT "INSERT STORY
  DISKETTE"
90 PRINT "INTO DRIVE 0 AND PRESS
  A KEY"
100 A$=INKEY$:IF A$="" THEN 100
110 EXEC &H5000
120 DATA 86,22,8E,26,00,8D,0D
130 DATA FC,26,00,10,83,4F,53
140 DATA 26,03,7E,26,02,39,34
150 DATA 20,10,8E,C0,06,A7,22
160 DATA 86,02,A7,A4,6F,21,6F
170 DATA 23,6C,23,AF,24,10,8E
180 DATA C0,06,A6,23,81,13,27
190 DATA 12,AD,9F,C0,04,4D,27
200 DATA 06,6C,23,6C,24,20,E9
210 DATA 7F,FF,40,35,A0,4F,20
220 DATA FB
```

Under BASIC's "OK" prompt, type RUN and press ENTER. You should save this to a BASIC format disk for future use. Note: Do not save this program to your Infocom Diskette.

Dorene B. Woodrow  
INFOCOM  
Cambridge, MA

### hi-tech Compliments

Editor:

I would like to compliment one of your new advertisers — hi-tech Stationery. After seeing their ad in the June 1986 RAINBOW, I sent for the brochure and free sample of stationery. Within a week I had received the promised items. A lot of mail order stationery companies send a catalog with pictures of the stationery. Not hi-tech. They sent actual full-size samples of the stationery. Needless to say, I was impressed. Will I order from them? You bet! Quality magazines such as yours will continue to attract the best of these advertisers.

Jill Mead  
Lansing, MI

### Faster Than a Speeding CoCo

Editor:

I just had to write concerning the speed with which one of your advertisers, Derringer Software of South Carolina, responded. On June 9, in the July 1986 issue, I found their interesting *Max Fonts* ad on Page 94. I called at noon requesting they send me all three sets. I was told they would be mailed the next day. Today is June 11 and the mailman just delivered them to me.

I would like to thank RAINBOW magazine for all the help it gives; I am far from being an expert, but with your help, I have a very good hobby.

George Levka  
Chicago, IL

### Above and Beyond

Editor:

HJL Products, a division of Touchstone Technology Inc., deserves special recogni-

tion for customer concern to match their excellent keyboard. Though it was well beyond the warranty period and it took two tries, they put me back in business with a working HJL keyboard at no charge.

Gerry Odell Wood  
Los Alamos, NM

### KUDOS

Editor:

I just received the July 1986 issue of THE RAINBOW and wanted to tell you how much I enjoyed "The Faces of Falsoft: the Rainbow Makers" (Page 37). It was just great. Thanks!

I would like to suggest that you consider including pictures of the authors, in addition to the biographical data that accompanies each article.

Mike Rozek  
Winona, MN

### CoCo Cat Art

Editor:

This is my version of how our CoCo Cat should be colored. Thanks for providing the iron-on. Great idea!

David Reneer  
Novato, CA



### BBSers Sought

Editor:

The CoCo Communications newsletter still needs users! This newsletter deals with CoCo telecommunications with a list every other month of BBSs around the world. There are reviews on BBS programs, terminal programs, modems and other software. There's also a mailbag to ask questions or leave your BBS number, or just to have a modem pal! To get this newsletter, send \$2 to 301 Caravel Drive, 19701.

Steve Slack  
Bear, DE



## A Job Well Done

### Editor:

In your January 1986 issue [Page 88], you had a program by Mary and James Lamonica called *CoCo Math Class*. I typed in this program for my wife — she has a slight learning disability — but she could not use it. In order to use it she had to write the problem then enter the answer.

I contacted the Lamonicas with this problem to see what I could do about straight entry of the answer. Two days later Mr. Lamonica called me. He had modified the program and was sending the updated copy to me.

I feel the Lamonicas deserve a large round of applause and, from me, many thanks. I would like to see more of their work in THE RAINBOW — I feel everyone will benefit from their knowledge and help.

*Richard Mullicane  
Rancho Cordova, CA*

## PEN PALS

### Editor:

I am 15 years old and looking for a pen pal. I have a 64K CoCo 2, two disk drives and a cassette recorder. I have a lot of games, pokes and some Adventure games. Write to me at 2070 62nd Street North, 33520.

*Dino Sanchez  
Clearwater, FL*

I am a retired person and would appreciate hearing from another retiree with the thought of mutual help in using programs from THE RAINBOW and in elementary programming on my 64K CoCo. I have a #10 printer and tape recorder — no disk. My address is Box 342, 32735.

*Flora Swingle  
Grand Island, FL*

I am 15 years old and would like to get in touch with other CoCo users in Florida. I have a 64K CoCo 2 with two drives and a DCM-5 modem. Call me at (813) 859-2629 or write to 1109 Old Polk City Road, 33809.

*Steve Dale  
Lakeland, FL*

I am a CoCo games nut. It doesn't matter if it is BASIC, binary, graphics, Adventures, etc. — I just love games. I'm looking for pen pals. Contact me at 5753 S. Laflin, 60636 or phone (312) 737-5716 from 6-8 p.m. Mon.-Fri. or 12-8 p.m. Sat. and Sun.

*Kevin Adair  
Chicago, IL*

I am 15 years old, own a 64K CoCo 2, cassette drive and a Centronics model 308 printer. I would like a pen pal with the same or a close setup. My main interests are Adventure games and programs for my printer. My address is P.O. Box 56, 67103.

*Brian Daily  
Mayfield, KS*

I am 11 years old and would like to have a pen pal around my age. I have a 64K ECB

CoCo with disk drive. My address is 1204 Tara Lane, 63303.

*Bradley Calise  
St. Charles, MO*

Anyone wishing to have a pen pal in the U.S. or abroad, please mail in your name, address and, if you like, some of the things you are interested in. I will, in turn, mail a list back to you. Send to 847 Rosewood Terrace, 13760.

*Christopher Smith  
Endwell, NY*

I am 11 years old and would like a pen pal. I have a 64K CoCo 2 with one disk drive and cassette deck. Send letters to 33 Scenic Pt. Drive, 12941.

*David Endersbee  
Jay, NY*

I am looking for a Color Computer pen pal. Write me at 82 Hayes Street, 11762.

*Chris Romance  
Massapequa Park, NY*

Looking for pen pals. Send correspondence to 24 Parkmere Road, 14617-1912.

*Herbert E. Crumrine  
Rochester, NY*

I am interested in starting a computer pen pal service. Please send type of computer, disk drive or cassette and printer type to RD #2, Box 252, 18222.

*Wesley Laubach  
Drums, PA*

Any CoCo 2 owner with a Radio Shack modem having a 300 Baud rate please contact me and be a pen pal. I am looking mostly for pen pals in Pennsylvania. Write me at 3107 Tanker Street, 19145.

*Jesse Mosley  
Philadelphia, PA*

Anyone looking for a pen pal can write to me. My address is 1369 Miles Drive, 29407.

*Raleigh Rivers  
Charleston, SC*

I would like a CoCo pen pal from Dekalb county who has a TRS-80 CoCo. Write me at RR 2, Box 90, 37095.

*June Elliot  
Liberty, TN*

I am looking for a CoCo pen pal to share

ideas with and chat with via U.S. mail. My address is P.O. Box 26689, 76126.

*Chris Young  
Benbrook, TX*

I am 14 years old and own a 64K CoCo system. I would like to have some pen pals. Write to me at 6118 83rd Ct. E, 98371.

*Chris Nitz  
Puyallup, WA*

I would like some pen pals. My address is 920 North 16th Street, 53081.

*Todd Preder  
Sheboygan, WI*

I am 15 years old and a new CoCo 2 owner. I would like pen pals from anywhere around the world. My computer is 16K with a cassette recorder which I plan to expand to 64K ECB soon. My address is 6492 Riesch Road, 53095.

*Amy Mills  
West Bend, WI*

I would like a pen pal. I am 16 years old and own a CoCo 2 with a disk drive and printer.

*B. Florence  
30 Robinson Street  
Croydon, New South Wales  
Australia 2208*

I live in the suburbs of Paris and am a Tandy TRS-80 32K Color Computer user with diskette adapter and cassette reader. I would like to correspond with other CoCo users.

*Dombret Philippe  
5 Val De Leperon  
78570 Andresy  
France*

THE RAINBOW welcomes letters to the editors. Mail should be addressed to: Letters to Rainbow, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. Letters should include the writer's full name and address. Letters may be edited for purposes of clarity or space.

Letters to the editors may also be sent to us through the MAIL section of our Delphi CoCo SIG. From the CoCo SIG > prompt, pick MAIL, then type SEND and address to: EDITORS. Be sure to include your complete name and address.

## ARTS AND LETTERS



### Envelope of the Month

*The Golden Wheel  
Walkerton, Ontario*





# USE THE BRAINS YOUR TANDY WASN'T BORN WITH.

## Right at your fingertips in CompuServe's Tandy® Forums.

Our Tandy forums involve thousands of Tandy users worldwide. These forums will show you just how easy it is to get the most from your Tandy computer.

The **Tandy Professional Forum** supports users of the larger Tandy computers, including the MS-DOS and XENIX operating systems, encompassing the largest spectrum of Tandy microcomputer users of any of our Tandy forums.

The **Model 100/Portables Forum** is for users of Tandy laptop computers, providing functionality and portability in one package.

The **Color Computer Forum** is for the dual personalities of the Tandy Color Computer, the perfect home computer and highly respected microcomputer.

The **OS-9 Forum** provides support to an international group of users linked by a common operating system.

The **LDOS/TRSDOS® Forum** supports users of the LDOS operating system for Tandy Model 1 and 3 computers, as well as TRSDOS-6 users on the Tandy Model 4.

### Easy access to free software.

- Download first-rate, non-commercial user-supported software and utility programs.
- Take advantage of CompuServe's inexpensive weeknight and weekend rates (when forums are most active, and standard online charges are just 10¢ per minute).
- Go online in most major metropolitan areas with a local phone call.
- Receive a **\$25.00 Introductory Usage Credit** when you purchase your CompuServe Subscription Kit.

### Information you simply can't find anywhere else.

Use the Forum Message Board to exchange mail with fellow members. Join ongoing, real-time discussions in a Forum Conference. Scan Forum Data Libraries for free software, documentation and contributions from Tandy enthusiasts.

Enjoy other useful services too, like electronic editions of your favorite magazines, newsletters and articles, including the Tandy Corporate Newsletter, TCBUG (the Tandy Computer Business Users Group), and the Fort Worth Computer Chronicles.

### All you need is your Tandy computer and a modem... or almost any other personal computer.

To buy your CompuServe Subscription Kit, see your nearest computer dealer. Suggested retail price is \$39.95. To receive our free brochure, or to order direct, call 800-848-8199 (in Ohio, call 614-457-0802). If you're already a CompuServe subscriber, just type GO TANDYNET at any ! prompt and see what you've been missing.

## CompuServe®

Information Services, P.O. Box 20212  
5000 Arlington Centre Blvd., Columbus, Ohio 43220

**800-848-8199**

In Ohio, call 614-457-0802  
An H&R Block Company





## The Color Computer 3: An Amazing Product Well Worth the Wait

NEW YORK, JULY 30 —

**T**he night before I first laid eyes on the Color Computer 3, I kept wondering whether it was going to be worth the wait.

For more than a year now, the rumors have been hot and heavy about the new CoCo and I was hoping we wouldn't see just an upgrade here and there — a little more memory, a few more colors — that would have to come under the classification of “nice” but hardly worth the months of waiting and speculation.

The next day, as I heard about the technical part of it all, as I held a CoCo 3 in my hands for the first time, I really wasn't sure. An hour later I was *very* sure.

In that hour, I watched a CoCo 3 in action. First came a demonstration (which, as a very nice touch if you ask me, features a rainbow in it) that absolutely blew me away. Then came disks with some programs — in BASIC, in machine language and written under OS-9. None of them was commercial stuff, just things that people at Tandy had been tinkering with.

Oh, wow!

I then spoke with one of the outside vendors who has been developing some programs for the new machine. If anything, veteran programmer Greg Zumwalt is even more enthusiastic than I am. “The things I can do with this are really amazing,” he told me.

I saw a demo that easily rivals, and in many instances surpasses, Atari's ST and Commodore's Amiga. I heard about a windowing environment that absolutely blows Macintosh away. I saw speed, animation, graphics and colors, screen displays, plus upper- and lowercase (and foreign!) character sets. The list goes on.

The standard that has been used to compare the newer non-IBM computers has been the “bouncing ball demo.” Amiga started it with a ball that bounces around the screen, demonstrating graphics and animation. Atari commissioned someone to do one for them to prove they could do it better. Which one actually *is* better is a matter of debate. But CoCo 3's demonstration program does many things and a bouncing ball is just one them. You know, the ball bounces faster and more smoothly on the CoCo 3.

So what? Well, that's not the heart of the CoCo 3 demo. What blows you away is watching the sun rise over a landscape while the shadows and definition of the hills and valleys change and brighten as the sun moves higher in the sky. And then a color-changing rainbow. Beautiful! Go see it at your Radio Shack store.

When the Color Computer was first introduced five years ago, it was something new, special and different. Even today it can do things that far more costly machines cannot. The people at Tandy decided more



# Computerware's OS-9 Library

## Advanced Utilities

by Brian Lantz

This set is designed for the advanced OS-9 user who wants serious tools. **KSHELL** totally transforms your system by allowing **wildcards** with any utility. The **PATH** command sets up multiple path directories to be searched when a command is given. **UNLOAD** is a repetitive unlink utility to remove modules. **FLINK** allows you to have many different boot files on a given disk & set which one to boot from next time. **ARCHIVE** backs up large disk media onto small disk media. **CPY** copies multiple files to a given directory.

**\$29.95**

## Sourcerer

by Frank Delargy

The Sourcerer is a menu driven **symbolic 6809 dis-assembler** that produces symbolic source code that can be assembled. It is compatible with most editor/assemblers that produce ASCII files.

**\$39.95**

## Raid

by Chris Bone

RAID is a screen oriented **debugger** with a built in disassembler, single step capabilities, memory window and access to the OS-9 shell. It even has a built in hexadecimal calculator! These are commands to modify the register, locate any module in physical memory, edit memory, set and kill break points, do selective disassemblies, execute modules by name or position, run shell commands, set offsets, single step from the program counter through the code, view the graphic screen, and much more!

**\$39.95**

## Disk Fix

by Harry Hardy

Unleash the real power of OS-9. Disk Fix supports true **double-sided/double density, 40 tracks**, and step rates of up to 6 ms and each drive is separately configurable. [CCDISK included] **DMODE** allows super easy modification of drive descriptors. **DIRCOPY** is the most powerful of OS-9 copy utilities. **PATCH** is a user-friendly program for inspecting and modifying a disk file. **FILELOOK** displays file modules without loading them into memory. **COMPARE** compares a disk file to memory.

**\$34.95**

## OS-9 BASIC

Enjoy programming under OS-9 without the struggle of assembly language. This is a full-featured, easy to use, high level language for OS-9 users. Since you can invoke OS-9 commands from within a program, you can write many of those needed utilities with BASIC. Extraordinary file handling capabilities for fast data access and a very efficient file design. BASIC also features 9 & 11 digits of precision using BCD arithmetic, flexible user input commands for conversational programming, and easy output formatting.

**\$49.95**

## The Last Word

by Michael Bailey

This OS-9 word processor offers fast, on-screen formatting using your choice of mouse, joystick, or keyboard. The popdown menu is accessible at all times while inputting text so it is easy to use. You can move, insert or delete blocks of text with one touch.

**\$49.95**

### ALSO AVAILABLE:

**TEXTTOOLS, COLOR CONNECTION II, ADVANCED EDITOR, & MACRO ASSEMBLER**

# Make work FUN with ...

## CoCo Cookbook

by Norman Manchevsky

This is more than a recipe index, it's a true **free format data base!** Designed to store and retrieve a large number of recipes, each can use up to 3040 characters with title, ingredients, and instructions. The powerful **keyword search** lets you find entries with any special word, or ingredient. Over 200 recipes are included to get you started. Organize your VCR tapes, music collection, real estate, each title and description stored for easy retrieval. You don't have to be a chef to appreciate the power of this system.

Requires 32K

Disk \$32.95

## Merge 'n Mail

by Cris Erving

Merge 'n Mail is a sophisticated **mail list** manager with a **mail-merge** feature that can insert your name and address information into letters created with your word processor. It's 8 preset fields include last name, first name, company name, address, city, state, zipcode, and phone number. 12 additional programmable fields allow you to store extra information according to your needs. It sorts by last name, or zipcode. Label formats are easy to specify at print time. It can be used with any ASCII editor.

Requires 64K

Disk \$32.95

## Personal Finance System

by BJ Chambless

Your CoCo is your personal bookkeeper. Set a monthly **budget**, personal chart of accounts, and then enter each transaction. PFS compares monthly expenses with your budget and prints personal financial reports. Tax time is so much easier! The special **investment and loan module** calculates details of financial transactions like mortgage payments, principals, amortization tables, interest rates, and more so you can analyze your current and future investments. With PFS you can budget, and analyze for the future.

Requires 32K  
80 Column printer

Disk \$32.95

# Ask for our FREE CoCo Catalog!



### NAP Monochrome Monitors

The 20 mhz band with 800 line resolution, and 80 x 25 display insure a crisp picture. Plus — it has audio input!

**\$114.95**  
Green 12" Amber 12" **plus \$5 shipping**

### SAKATA Color Monitor

Beautiful 13" color display with 280 x 300 line resolution. Includes composite video color, and audio.

**\$175 plus \$15 shipping**

## Put a Monitor on Your CoCo with the Universal Video Plus

**Heavy duty construction** evidenced by sturdy leads and connectors.

**All cables** (audio & video) are included. No need to buy extenders or extra cables as required by other drivers.

**Shielded audio & video cables** insure that no extra RF interference is introduced from the Universal Video Plus.

Our advanced design gives the **highest quality display**.

**Installation is easy.** There is no soldering and no dismantling of the RF shield.

The Universal Video Plus works with **every CoCo**. Easy to follow, clear instructions are included.

**Universal Video Plus \$34.95**

### Call or Write to:



(619) 436-3512

Box 668 • Encinitas, CA • 92024

Name \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
**Yes! Send me your FREE catalog!** CoCo   
VISA MasterCard  
Card # \_\_\_\_\_ Exp. \_\_\_\_\_  
Signature \_\_\_\_\_

Item	Format	Price

Shipping \_\_\_\_\_ 6% Calif. Sales Tax \_\_\_\_\_  
Surface — \$2 minimum. COD Add \$5 \_\_\_\_\_  
2% for orders over \$100 - Shipping\* \_\_\_\_\_  
Air or Canada — \$5 minimum. TOTAL \_\_\_\_\_  
5% for orders over \$100  
Checks are delayed for bank clearance



than a year ago that when they developed a new machine it would, like the original CoCo, be on the leading edge of technology. With all they have done, the new CoCo 3 is not on the leading edge, it *is* the leading edge.

Don't be fooled by the bare specifications of this machine; look at what it actually does. And the potential is waiting to be tapped by others. In this case, it is the true inheritor of the CoCo tradition: years' worth of potential — things you never dreamed could be done.

Let me make several points:

Forgetting price (I'll come to that in a minute), the CoCo 3 is *the* computer of choice in the foreseeable future. Its technical superiority is so vast that it offers virtually unlimited potential for the person who owns one.

Forget about the eight-bit/16-bit/32-bit CPU debate. By designing a custom chip called the GIME, Tandy is on the threshold of unleashing the full power of the 6809E. It's not what ya' got, it's what ya' do with it that counts.

There is no known interface methodology that CoCo 3 cannot take advantage of. The most obvious is windowing, of course. The ability to have a window/

graphics interface will bring millions into the world of computers because they can just use them — they don't have to understand them.

Those millions of people will pay no more than \$219.95 for the basic box with all this potential. With only half the capabilities, it would still be a substantial bargain. Considering everything we know today that CoCo 3 can do, Tandy is practically giving their machine away. I expect the ranks of the CoCo Community to be swelled to huge proportions.

With the ease of programming and the general decline in the price of software in other markets, I expect a great influx of new material for the CoCo. Those third party people who have been in this market for some time now will enhance their present products and offer new ones. The great potential of the machine will attract many new writers to the market.

In line with that, let me share some information from Greg. He told me how easy it was to program some of the offerings he is doing for Tandy because he was able to assemble the program in one window and edit his errors in another — at the same time! Think of

how much easier that will make programming.

Again, our hat is off to Tandy for making CoCo 3 backward compatible. No sir, you don't have to throw away your software library (or your hardware, either). Assuming programmers followed the guidelines Tandy set down (for just this reason), virtually every piece of software you have now will run on CoCo 3. Every printer, modem, disk drive, cassette recorder and the like will simply plug in to the same place on CoCo 3.

The Color Computer 3 is a major achievement by Tandy Corporation. Tandy's new advertising slogan is "Better Again," and in no case is it more evident than in the CoCo 3. Indeed, CoCo 3 sets a new standard of ability and capability, ease of use and friendliness, usefulness and value that no one else can — or likely will — match today or in the near future.

Was CoCo 3 worth the wait?

Yes, it was — every second of every minute of every day.

And more.

— Lonnie Falk

# BEST

WE'VE CHOSEN THE BEST OF OVER 450 PROGRAMS AND PACKAGED THEM FOR YOU! 10 TO 12 PROGRAMS EACH PACKAGE. COLOR COMPUTER ONLY.

## #1 Home Management I

Budget  
Checkbook Balancer  
Cost of Living  
Tinycalc  
Electronic Datebook  
Account Manager  
Stock Market  
Word Processor  
Lottery Analyst  
Coco Database  
Coco Terminal  
Bartender

## #2 Home Management II

Video Cassette Organizer  
Home Product Evaluation  
Electric, Gas & Water Cost  
Baseball Manager  
Car Manager  
Ham Radio Log  
Home Inventory  
Personal Directory  
Recipe Machine  
Disk Labeler  
Password Scrambler  
Disk Directory Print

## #3 Education

Flash Card  
Spanish Lessons  
Typing Tutor  
Creativity Test  
Arithmetic Football  
Cost of Living  
Math Tutors 1, 2  
Trigonometry Tutor  
Typing Game  
Word Tests  
Talking Alphabet  
Clown Dunk Math

## #4 Adventures

Treasures of Barscom  
Killer Mansion  
College Adventure  
Coco-Terrestrial  
Escape  
Zector  
Skid Row  
Quest  
Naughtide  
Haunted House

## #5 Games

Trek  
Galactic Conquest  
Warlords  
The Power Sword  
Steps  
Robot Bomber  
Force Field  
Rat Attack  
Caterpillar Cave  
Meteor

## #6 Utilities

Disk Dir Prot  
Dr. Pack & Sort  
Disk Zapper  
Roll Out  
Doss Boss  
Disk Backup  
51'24 Editor  
51'24 Screen  
Autocopy  
Fastsort  
I/O Error Ignorer  
Text Screen Print

Some of these programs above can sell for \$29.95 each



**\$29<sup>95</sup> each**  
TAPE OR DISK

★★ SPECIAL ★★  
BUY 2 PACKAGES AND  
GET THIRD ONE FREE

# THE GREATEST SOFTWARE DEAL ON EARTH!

GET 12 DISKS OR TAPES A YEAR CONTAINING OVER 120 QUALITY PROGRAMS. A SUBSCRIPTION TO T & D SOFTWARE CONSISTS OF 10 READY-TO-LOAD PROGRAMS DELIVERED BY FIRST CLASS MAIL EVERY MONTH.

NO, WE ARE NOT THE SAME AS THE RAINBOW ON TAPE. IN FACT, MANY SUBSCRIBERS HAVE WRITTEN IN AND SAID THAT WE ARE MUCH BETTER THAN RAINBOW ON TAPE!



## PRICES

TAPE OR DISK  
1 YEAR (12 issues) 70.00  
6 MO. (6 issues) 40.00  
1 ISSUE 9.00

Michigan Residents Add 4%  
Overseas Add \$10 to Subscription Price  
Personal Checks Welcome!

- ★ 16k-64k Color Computer
- ★ Over 3800 Satisfied Customers
- ★ Back Issues Available From
- ★ July '82 (Over 450 Programs)

## OUR LATEST ISSUE CONTAINED


1. INCOME PROPERTY MANAGEMENT
2. BILL BOARD 2
3. MOUNTAIN BATTLE
4. THE TEN ROUND FIGHT
5. COCO - KEENO
6. HIGH RESOLUTION HOCKEY
7. LOGIC
8. ON SCREEN SCALE
9. LIBERTY SHIP
10. SINGLE STEP RUN

## ★ THIS MONTH ONLY ★

SUBSCRIBE FOR A YEAR AND RECEIVE A FREE PACKAGE OF YOUR CHOICE. INDICATE WHICH ONE

- |                |               |
|----------------|---------------|
| 1. Home Man I  | 4. Adventures |
| 2. Home Man II | 5. Games      |
| 3. Education   | 6. Utilities  |

GET ISSUE  
#45 ABOVE FOR  
ONLY \$3.00



T & D SUBSCRIPTION SOFTWARE, P.O. BOX 256C, HOLLAND, MI 49423 (616) 396-7577



# RAINBOW Info

## How To Read Rainbow

Please note that all the BASIC program listings in THE RAINBOW are formatted for a 32-character screen — so they show up just as they do on your CoCo screen. One easy way to check on the accuracy of your typing is to compare what character “goes under” what. If the characters match — and your line endings come out the same — you have a pretty good way of knowing that your typing is accurate.

We also have “key boxes” to show you the *minimum* system a program needs. But, *do* read the text before you start typing.

Finally, the little cassette symbol on the table of contents and at the beginning of articles indicates that the program is available through our RAINBOW ON TAPE service. An order form for this service is on the insert card bound in the magazine.

## What's A CoCo?

CoCo is an affectionate name that was first given to the Tandy Color Computer by its many fans, users and owners.

However, when we use the term CoCo, we refer to both the Tandy Color Computer and the TDP System-100 Computer. It is easier than using both of the “given” names throughout THE RAINBOW.

In most cases, when a specific computer is mentioned, the application is for that specific computer. However, since the TDP System-100 and Tandy Color are, for all purposes, the same computer in a different case, these terms are almost always interchangeable.

## The Rainbow Check Plus



The small box accompanying a program listing in THE RAINBOW is a “check sum” system, which is designed to help you type in programs accurately.

*Rainbow Check PLUS* counts the number and values of characters you type in. You can then compare the number you get to those printed in THE RAINBOW. On longer programs, some benchmark lines are given. When you reach the end of one of those lines with your typing, simply check to see if the numbers match.

To use *Rainbow Check PLUS*, type in the program and *CSAVE* it for later use, then type in the command *RUN* and press *ENTER*. Once the program has run, type *NEW* and press *ENTER* to remove it from the area where the program you're typing in will go.

Now, while keying in a listing from THE RAINBOW, whenever you press the down-arrow key, your CoCo gives the check sum based on the length and content of the program in memory. This is to check against the numbers printed in THE RAINBOW. If your number is different, check the listing carefully to be sure you typed in the correct BASIC program code. For more details on this helpful utility, refer to H. Allen Curtis' article on Page 21 of the February 1984 RAINBOW.

Since *Rainbow Check PLUS* counts spaces and punctuation, be sure to type in the listing exactly the way it's given in the magazine.

```
10 CLS:X=256*PEEK(35)+178
20 CLEAR 25,X-1
30 X=256*PEEK(35)+178
40 FOR Z=X TO X+77
50 READ Y:W=W+Y:PRINT Z,Y;W
60 POKE Z,Y:NEXT
70 IF W=7985 THEN B0 ELSE PRINT
  "DATA ERRDR":STOP
80 EXEC X:END
90 DATA 182, 1, 106, 167, 140, 60, 134
100 DATA 126, 183, 1, 106, 190, 1, 107
110 DATA 175, 140, 50, 48, 140, 4, 191
120 DATA 1, 107, 57, 129, 10, 38, 38
130 DATA 52, 22, 79, 158, 25, 230, 129
140 DATA 39, 12, 171, 128, 171, 128
150 DATA 230, 132, 38, 250, 48, 1, 32
160 DATA 240, 183, 2, 222, 48, 140, 14
170 DATA 159, 166, 166, 132, 28, 254
180 DATA 189, 173, 198, 53, 22, 126, 0
190 DATA 0, 135, 255, 134, 40, 55
200 DATA 51, 52, 41, 0
```

## Using Machine Language

Machine language programs are one of the features of THE RAINBOW. There are a number of ways to “get” these programs into memory so you can operate them.

The easiest way is by using an editor/ assembler, a program you can purchase from a number of sources.

An editor/assembler allows you to enter mnemonics into the CoCo and then have the editor/assembler assemble them into specific instructions that are understood by the 6809 chip, which controls your computer.

When using an editor/assembler, all you have to do, essentially, is copy the relevant instructions from THE RAINBOW's listing into CoCo.

Another method of getting an assembly language listing into CoCo is called “hand assembly.” As the name implies, you do the assembly by hand. This can *sometimes* cause problems when you have to set up an *ORIGIN* statement or an *EQUATE*. In short, you have to know something about assembly to hand-assemble some programs.

Use the following program if you wish to hand-assemble machine language listings:

```
10 CLEAR 200, &H3F00: I=&H3FB0
20 PRINT "ADDRESS: "; HEX$(I);
30 INPUT "BYTE "; B$
40 POKE I, VAL("&H"+B$)
50 I=I+1:GOTO 20
```

This program assumes you have a 16K CoCo. If you have 32K, change the &H3F00 in Line 10 to &H7F00 and change the value of I to &H7FB0.

## The Rainbow Seal



*The Rainbow Certification Seal* is our way of helping you, the consumer. The purpose of the Seal is to certify to you that any product that carries the Seal has been physically seen by us, that it does, indeed, exist and that we have a sample copy here at THE RAINBOW.

Manufacturers of products — hardware, software and firmware — are encouraged by us to submit their products to THE RAINBOW for certification. We ascertain that their products are, in actuality, what they purport to be and, upon such determination, award a Seal.

The Seal, however, is not a “guarantee of satisfaction.” The certification process is different from the review process. You are encouraged to read our reviews to determine whether the product is right for your needs.

There is absolutely no relationship between advertising in THE RAINBOW and the certification process. Certification is open and available to any product pertaining to CoCo. A Seal will be awarded to *any* commercial product, regardless of whether the firm advertises or not.

We will appreciate knowing of instances of violation of Seal use.



## BUILDING SEPTEMBER'S RAINBOW

Holding the presses . . .

Chomping at the bit . . .

To introduce the new CoCo 3

A monthly magazine such as THE RAINBOW is not the medium of choice for fast-breaking news. Not in this age of telecommunicating and broadcast journalism. In fact, about the only thing a monthly magazine can "scoop" is a high school annual, such as provides the background for this month's Education issue cover.

But we do try. If this issue of THE RAINBOW reaches you with a large blank space on the cover saying "This Space for Notes," you'll know we rolled the dice and lost. On the other hand, if our cover artist has the chance before absolute deadline to get a glimpse of the new Tandy Color Computer 3, then we'll have taken a chance and won! Knock on wood.

At the same time, if the first two or three articles in this issue are about anything except the CoCo 3, you'll know that we could not hold the presses any longer, but we think we might just make it. Our current plan — with few contingencies — calls for attending a mid-morning Tandy press conference on July 30 at New York's famed Waldorf-Astoria Hotel. Then we hope to scurry away with "grab photos" and specs under our arms and jet back to Prospect to process the pictures, digest the new machine's specifications and get it all into the magazine in a matter of hours. Let me tell you, it is no sure thing.

Our plan also calls for transferring files by phone lines, reading over the typesetters' shoulders, editing on the run and laying out the pages in record time. Similar standby-then-fly procedures are scheduled right on down the umpteen steps along the production line. This is so we can cover the press conference as well as include material from some "insiders" who cannot release their material until after the formal announcement. At this point, they still cling to saying, "If there is a new machine . . ."

While the rest of the world keeps on keeping on, Prospect is aflutter. This is *not* business as usual. (To add to the problem, remember that we produce *two* Tandy magazines! PCM is reporting on the new MS-DOS developments.) Editors are rolling their eyes and audibly sighing, artists are biting their nails, the technical staff is pacing around, hypothesizing about all the possibilities and potential, and production folks are wondering if another "all nighter" is in store. The pre-press and printing people are anxiously tapping their toes, wondering what all the big deal is.

Well, for the CoCo Community, we think it is *the biggest* deal since the CoCo was introduced. We expect the new features to be top-notch and the price to be highly competitive. We expect the CoCo 3 to bring new excitement, new challenges and bright new promise to the CoCo Community. We think you'll be pulling that old machine out and sliding a new one right into place and then rediscovering the same sort of computing thrill you felt when you powered up your first CoCo.

At this point, though Tandy is still as stony silent as Mount Rushmore, the rumors are crystalizing into fact and the likelihood of three text modes (including true lowercase, underline and blinking) and dazzling graphics possibilities seems certain. Tandy's competition will pale in comparison to this new 128/512K machine.

In order to get a complete report to you, we are pushing deadlines back several days and then rushing to make up time. Probably we won't be able to catch up entirely, so this issue is likely to arrive a few days later than usual. We think you'd much prefer this to having to wait another month for the big story we've all been eagerly anticipating for a year or more.

In upcoming issues, we'll delve more deeply into the power of the new CoCo 3 and we'll begin examining and previewing all the new programs as they are rushed to market. We'll report on what present products will work (the vast majority of existing programs and hardware) and what needs "patching" or whatever. To keep up with all that's coming down the road, you'll need THE RAINBOW more than ever, so if you haven't joined the tens of thousands who find THE RAINBOW in their mailbox every month, why not learn about the new CoCo with a new subscription?

— Jim Reed

# 500 POKES, PEEKs, 'N EXECs FOR THE TRS-80 COCO



NEVER BEFORE has this information of vital significance to a programmer been so readily available to everyone. This book will help you 'GET UNDERNEATH THE COVER' of the Color Computer and develop your own HI-QUALITY Basic and ML programs. SO WHY WAIT??

This 80-page book includes POKEs, PEEKs and EXECs to:

- ★ Autostart your basic programs
  - ★ Disable Color Basic/ECB/Disk Basic commands like LIST, LLIST, POKE, EXEC, CSAVE(M), DEL, EDIT, TRON, TROFF, PCLEAR, DLOAD, RENUM, PRINT USING, DIR, KILL, SAVE, LOAD, MERGE, RENAME, DSKINI, BACKUP, DSKI\$, and DSKO\$.
  - ★ Disable BREAK KEY, CLEAR KEY and RESET BUTTON.
  - ★ Generate a Repeat-key.
  - ★ Transfer ROMPAKS to tape (For 64K only).
  - ★ Speed Up your programs.
  - ★ Reset, MOTOR ON/OFF from keyboard.
  - ★ Recover Basic programs lost by NEW.
  - ★ Set 23 different GRAPHIC/SEMIGRAPHIC modes
  - ★ Merge two Basic programs.
  - ★ AND MUCH MUCH MORE!!!
- COMMANDS COMPATIBLE WITH 16K/32K/64K/COLOR BASIC/ECB/DISK BASIC SYSTEMS and CoCo I and CoCo II.

ONLY \$16.95

ORDER TODAY! VISA, MC, Am Ex, Check or MO. COD add \$2.50. Please add \$3.00 S & H (USA & Canada, foreign add \$5.00). NYS residents pl. add sales tax. All orders shipped WITHIN 24 HOURS!!!

**MICROCOM  
SOFTWARE**

P.O. Box 214 Fairport, N.Y. 14450  
Phone (716) 223-1477



## UTILITIES/BOOKS

### UTILITY ROUTINES for the TANDY & TRS-80 COCO (Vol 1)

This powerful book for Basic and ML Programmers, includes program explanation, memory requirements and an annotated source listing for the utility routines given below. These routines if bought individually will cost you HUNDREDS OF DOLLARS.

These are 100% Position Independent ML Utilities and require no ML programming knowledge.

**COMMAND KEYS:** Access commands with 2 keystrokes.

**CURSOR STYLES:** Over 65000 cursor styles.

**ERROR SKIP:** 'ONERR GOTO' for Basic Programs.

**FULL LENGTH ERRORS:** Get real word error messages.

**KEY CLICKER:** Ensure key input accuracy.

**REPEAT KEY:** Repeat ANY key.

**REVERSE VIDEO (Green & Red):** Eliminate eye-strain.

**SPOOLER:** Don't wait for those long printouts.

**SUPER SCROLLER:** Save/view scrolled lines.

**TAPE-TO-DISK:** Copy Basic and ML programs.

**AND MUCH MUCH MORE!!!**

For 16K/32K/64K Cassette or Disk Systems, CoCo I & CoCo II.

**BOOK \$19.95**

THESE ROUTINES (READY-TO-RUN) ON CAS/DISK:

**\$24.95**

BOTH BOOK AND CASSETTE or DISK:

**\$36.95**

### OTHER "MUST" BOOKS

**UNRAVELLED SERIES:** These 3 books provide a complete annotated listing of the BASIC/ECB and DISK ROMs.

**COLOR BASIC UNRAVELLED:** \$19.95

**EXTENDED BASIC UNRAVELLED:** \$19.95

**DISK BASIC UNRAVELLED:** \$19.95

**ALL 3 UNRAVELLED BOOKS:** \$49.95

**RAINBOW GUIDE TO OS-9 (Book):** \$18.95

**RAINBOW GUIDE TO OS-9 (2 Disk):** \$29.00

**BASIC PROGRAMMING TRICKS:** Tips and tricks for Basic Programmers. Only \$14.95

## WE HAVE ALL THAT YOU NEED TO SUCCEED

### SUPER TAPE/DISK TRANSFER

- Disk-to-Disk Copy (1 - 3 passes)
- Tape-to-Disk Copy
- Tape-to-Disk Automatic Relocate
- Disk-to-Tape Copy
- Tape-to-Tape Copy

Copies Basic/ML programs and DATA files.  
32K Disk System  
(Disk to Disk Copy requires 64K)

**DISK ONLY \$24.95**

**NEW!**  
**SUPPLEMENT**  
to  
**500 POKES,**  
**PEEK'S 'N EXEC'S**  
ONLY  
**\$9.95**

**200** additional Pokes, PEEK's 'n Execs to give you MORE PROGRAMMING POWER. Includes commands for:

- Rompak Transfer to disk
- PAINT with 65000 styles
- Use of 40 track single/double sided drives with variable step-rates
- High-Speed Cassette Operation
- Telewriter 64<sup>®</sup>, Edtasm+<sup>®</sup> and CoCo Max<sup>®</sup> Enhancements
- Graphics Dump (for DMP printers) & Text Screen Dump
- AND MUCH MUCH MORE!
- 500 POKES, PEEK'S 'N EXEC'S is a prerequisite

### UTILITY BONANZA I

Includes 20 best-selected utilities:

- 40K Disk Basic ● Disk Cataloger
- Super Tape-to-Disk Copy (with Automatic Relocate)
- Disk-to-Tape Copy
- LList Enhancer (with page numbering!)
- Graphics Typesetter (two text sizes!)
- LARGE DMP Graphics Dump
- X-Ref for Basic Programs
- Hidden 32K (Use the "hidden" 32K from your 64K CoCo)
- Basic Stepper (Super Debugger!)
- RAM Disk (for Cassette & Disk Users)
- Single Key Printer Text Screen Dump

**AND MUCH, MUCH MORE!!!**  
**DISK (64K Req.) ONLY \$29.95**

### OTHER SOFTWARE . . .

Telewriter-64 (Cas)	\$47.95 (Dsk)	57.95
Teleform: Mail Merge for TW-64 <sup>®</sup>		19.95
Telepatch (Dsk)		19.95
CoCo Max (Cas)		67.95
CoCo Max II (Dsk)		77.95
CoCo Max Upgrade (Dsk)		18.95
Pro Color File (Dsk) (includes SIMON)		54.95
Dynacalc (Dsk)		79.95
Autoterm (Cas)		36.95
(Latest Version) (Dsk)		46.95

**COCO UTIL II (Latest Version):** Transfer CoCo Disk files to IBM compatible computer. Transfer MS-DOS files to CoCo. ONLY \$36.95

**DISK ANTI-PIRATE:** Best copy-protection program for disk Basic and ML programs. ONLY \$59.95.

**HIDE-A-BASIC 1.1:** Best copy-protection program for Cassette Basic programs. ONLY \$24.95.

(Both Disk Anti-Pirate & Hide-A-Basic 1.1 for ONLY \$79.95)

### CABLES/HARDWARE

**UNIVERSAL VIDEO DRIVER:** Use your monochrome or color monitor with your CoCo (ALL CoCos). Includes audio connection. Easy installation - no soldering. ONLY \$29.95

**INTRONICS EPROM PROGRAMMER:** Best EPROM Programmer for the CoCo. Lowest Price Anywhere - \$137.95.

**RS232 Y CABLE:** Hook 2 devices to the serial port. ONLY \$18.95.

**MICROCOM 2 POSITION SWITCHER:** Select any one of two RS232 devices (printers/modems) from the serial port. ONLY \$29.95.

**MICROCOM 3 POSITION SWITCHER:** Select any one of three RS232 devices (printers/modems) from the serial port. ONLY \$34.95.

**Y CABLE:** Use your Rompak with your Disk System. ONLY \$24.95.

**DISKETTES (10):** BONUS Brand SS/DD diskettes for the CoCo. 100% Guaranteed. \$12/box.

**MJF MICROCOM SOFTWARE**  
P.O. Box 214  
Fairport, N.Y. 14450  
Phone (716) 223-1477

Our software/books are available at all leading dealers in USA, Canada and Australia. To Order: Order by phone & get a \$2 refund for your phone call VISA, MC, Am Ex, Check, MO. Please add \$3.00 shipping and handling (USA & CANADA, other countries \$5.00). COD add \$2.50 extra. NYS residents please add Sales Tax. Immediate shipment. Dealer inquiries invited.

MasterCard



**24-HOUR ORDER HOT LINE (7 DAYS A WEEK): (716) 223-1477**



# CoCo Better Again!

## Impressions of the new CoCo 3

By Lonnie Falk  
Editor and Publisher

NEW YORK, JULY 30 —

After anticipating the new Color Computer for more than a year, the finished product is more than well worth the wait. The new machine is called a Color Computer 3 (not particularly surprising) but it might be called Warp Factor 3 instead.

First, the obvious things. The CoCo 3 general specifications go something like this:

- 128K RAM standard, upgradable to 512K in one step only.
- 64 different colors, 16 available at a time.
- Graphics resolution of 640 by 192.
- Standard Microsoft BASIC, Extended BASIC and Disk BASIC, with a number of very fancy enhancements written by Microware Systems Corp. (the OS-9 people).
- A new keyboard much the same as

For Lonnie Falk's editorial comments on the CoCo 3, see his "Print #-2," column on Page 12.





the deluxe keyboard now offered (with a CONTROL and ALTERNATE key and two function keys), but with a newly designed cursor keypad in a diamond configuration.

- A slightly new color scheme for the case, using the now-familiar cream color and a light gray around the edge of the keyboard.

- A choice of 32, 40 and 80 column widths with upper- and lowercase and true descenders.

- Fully compatible with all the software you own now. The caveat to that is software writers cannot have made undocumented calls to the ROM. Tandy developed guidelines for software developers years ago — if authors followed those “rules,” their software will work with CoCo 3.

- OS-9 Level II operating system for a true multi-tasking, multi-using environment. More on this later.

- Fully compatible with all the hardware you own now. Just unplug your disk drive, tape recorder, printer and so on, replace your present “box” with a CoCo 3, and plug everything in again. It all works. (There will be a small problem running OS-9 with older models of the Multi-Pak Interface. Tandy will make the fix for about \$6, excluding installation.)

- A new interface for a new analog RGB monitor available from Tandy. The new monitor’s color scheme matches the CoCo 3.

- Retail price: \$219.95.

On the surface, these changes are pretty exciting, but not astounding. Yet CoCo 3 is an astounding machine. It is not the changes in the specifications so much as what has been done with the specifications that makes the CoCo, once again, the best possible computer buy for the home or small business market, bar none.

An example: Combining the new analog RGB monitor (a CM-8 by Tandy’s designation) and CoCo 3, the resolution on graphics screens appears better than that of an MS-DOS computer. Why? By using analog technology, the resolution appears to be of higher quality than it really is. I can see software writers frothing at the mouth to get at this stuff.

Another example: The CoCo 3 can run at about 2 megahertz, unlike the CoCo and CoCo 2. But, by designing

and building a special chip, called a GIME Chip, *effective speed* is increased even more. In a quickie benchmark we performed here, CoCo 3 animation zapped an IBM PC and a Macintosh. CoCo 3’s bouncing ball demonstration is faster and smoother than Amiga’s or

window (windows mean both programs are running at the same time and are displayed on the screen at the same time). The person on the other end could be explaining how something looks and while he is explaining it, you could be drawing it. Then, to be sure

## Tandy has done it again

the Atari ST’s.

There are two versions of what the term “GIME” stands for. I like the one that says Tandy went out and said they needed to be able to do this thing, that thing and so on, so please “Gimme a chip that’ll work.” Officially, though, GIME stands for Graphic Interrupt Memory Enhancer. Take it either way, this li’l’ fellow makes CoCo 3 a super special machine.

I confess to not understanding hardware like the Tony DiStefanos and Marty Goodmans of the world. And I



am certain that, over the coming months, they will be able to tell you a great deal of technical stuff about it. But suffice it to say now that this new chip manages memory through interrupts, and speeds everything along its way far more swiftly than the old VDG and SAM chips (which are not in the CoCo 3) did.

For one thing, GIME makes true multi-user, multi-tasking possible. It allows some of the most sophisticated (and easy-to-use) windowing available on any computer available today. As an example, you could be connected through a modem to someone else with a CoCo 3 in one window, and have a graphics drawing program in a second

you got it right, you could send your drawing to the telecommunications program window and it would appear on the other person’s screen. That person could make some changes and send it back to you, and so on!

CoCo 3 has, under OS-9 Level II, a user interface much like the Macintosh, but far faster and in full color. For the CoCo 3, OS-9 has become virtually invisible to the user who wants it that way — in other words, you can deal with the applications and programs you want, and pretty much ignore the operating system unless you want to use it.

In short, CoCo 3 is a new generation of home and small business computer — fully as revolutionary as the original Color Computer was five years ago. Its great advantage is that it already has one of the largest bases of software (and hardware for that matter) of any machine on the market, plus a raft of OS-9 Level II software which has been around for some time.

All that aside, where it will shine most brightly will be when both in-house and third party software and hardware people begin writing specific programs which take advantage of the GIME chip, the windowing environment and all the other marvelous features of CoCo 3.

Even at \$600, CoCo 3 would be the best single home and small business buy in the world of computers. At \$219.95, it is not only a stupendous machine, but an immense bargain as well. With the Color Computer 3, Tandy has moved to the cutting edge of technology and made the technology affordable for virtually everyone. ☺





Adventure Games!

Samples of 320 by 192 mode from demo program for new CoCo 3. Sixteen colors available. Highest resolution available: 640 by 192.

## Tandy Color Computer 3 Does Windows, and a Whole Lot More



By  
**Greg L.  
Zumwalt**

I recently received my sixth Color Computer. As an applications programmer, I tend to wear them out long before their time. I use Color Computers in developing software and hardware for the CoCo as well as other equipment, and give the poor machines quite a beating in the process.

I removed Color Computer five from active duty and plugged number six into the expansion interface. After installing the OS-9 boot disk in Drive 0, I typed DOS, and a message appeared on the screen:

Welcome to OS-9 Level II for the Color Computer 3

Level II? Color Computer 3?

### Hardware Preview

The Tandy Color Computer 3 is a true next generation CoCo. The heart of the machine is a two-megahertz 6809 teamed with the Tandy designed GIME (Graphics Interrupt Memory Enhancement) chip. The GIME contains the Color Computer 3 enhancements, as well as the standard Color Computer VDG logic. Tandy retained the older Color Computer logic to remain compatible with most of the existing CoCo software. The enhancements, however, are impressive.

How about 512K RAM capacity with an MMU (Memory Management Unit) to assist in managing it? Or 320 by 192 16-color graphics? Or 640 by 192 four-color graphics? What about composite, RGB or standard RF video-output? I like an 80-column display. The Color Computer 3 contains all of these features, plus more.

### Software

Tandy provides various software enhancements that utilize the Color Computer 3 hardware. BASIC is compatible with previous 64K Extended BASIC, but allows setting screen widths (32, 40 or 80 columns), screen colors (foreground, background and the border), graphics modes (now up to 640 by 192, four colors), and more.

However, the real power of the new Color Computer becomes apparent with Microware's OS-9 Level II Oper-

*An independent programmer and computer designer, Greg Zumwalt is one of the select few writing Tandy software for the new Color Computer 3. He owns ZCT Software of Tulsa, Oklahoma.*



ating System. For those of you not familiar with OS-9, I would suggest that now there is a real reason to develop an interest in it. For those of you familiar with Level I OS-9, you will really enjoy Level II. Level II is designed to exploit the expanded RAM capacities of the Color Computer 3, like Level II on other systems. But there is a difference. Level II OS-9 for CoCo 3 supports windowing, a feature that, after having used it, I don't ever want to give up.

## Windows

A window is an area appearing on the screen that acts just like a regular display, the main difference being you can assign more than one window to the same screen. For example, as an applications programmer, I am constantly switching between a text editor, an assembler, the application and a debugger. Anyone who has written assembly language programs knows that this cycle often repeats, sometimes many times, resulting in lots of typing and typing errors.

With windowing, I simply place a text editor window in the upper left-hand corner of the screen, an assembler window in the upper right-hand corner of the screen, a debug window in the lower left-hand corner of the screen, and finally, an application window in the lower right-hand corner of the screen. Each of these windows now acts as though I have four separate Color Computers. While the application is running, I can edit, assemble and debug all at the same time. Output from any of the programs appears instantly on the associated window. To direct input to a particular program, all I have to do is press the CLEAR key on the keyboard until the cursor appears on that window, then type. OS-9 allows me to define the size and location of each window. I can even define a window as the entire screen, in which case OS-9 switches screens when I want to work on another.

How does this work? OS-9 is what is known as a multi-tasking/multi-user operating system. This means OS-9 is designed to allow more than one program (called a task) and more than one user at a time to share the same computing resources. Level II OS-9 for the CoCo 3 takes this concept one step further by providing more than one screen (the window) to accomplish this. Let's go through the process of creating a window using the OS-9 Build utility.

## Building Your First Window

The Build utility allows us to create an OS-9 procedure file. A procedure file is simply a disk file containing a series of OS-9 commands that OS-9 executes in order. To create the procedure file, at the OS-9 prompt, type the following:

```
build window
```

The Build utility responds with a question mark followed by a space. Now type the following:

```
iniz w1
merge sys/stdfonts >/w1
display 1b 20 07 00 00 20 0b 00
      07 07>/w1
shell i=/w1&
```

Press ENTER twice after this last line.

After the last ENTER, the Build utility returns to OS-9. There is now a procedure file on the disk called Window1. To run the procedure, at the OS-9 prompt type:

```
window1
```

OS-9 responds with the '&' symbol followed by a number. This verifies that the Window1 procedure accomplished its task. To see what happened, press the CLEAR key on the keyboard. A new screen appears with a window in the upper left-hand corner containing the OS-9 prompt. This window, with its shell, allows you to execute OS-9 commands just like the original screen. In effect, you have two computers. Press the CLEAR key again, and the original screen reappears. Let's examine the procedure file we created and see how it works.

Under OS-9 Level II, a window is treated as simply another OS-9 device. The device name for a window contains the window descriptor (the 'w') and the window number (in this case 1). Therefore, to talk to window one the descriptor w1 is used.

The first command, Iniz, initializes w1. This is similar to an Iniz of any other OS-9 device.

The second command, Merge, tells OS-9 which character set is to be used with w1 (a variety of character fonts are now possible with the Color Computer 3).

The third command, Display, sends the command sequence to OS-9 that creates the window. The command sequence contains 10 bytes describing to OS-9 the command, type, location, size and color of the window to create. The first two bytes following Display are the create a window command. The third

byte defines the window type; in our example, a 640 by 192 four-color graphics window. The fourth and fifth bytes describe the 'X' and 'Y' character location of the upper left-hand corner of the window. The sixth and seventh bytes define the 'X' and 'Y' character size of the window. Finally, the eighth, ninth and 10th bytes describe the foreground, background and border colors for the window.

The fourth command, Shell, creates a shell for w1. The shell is what allows you to execute any of the OS-9 commands or applications.

## Building Your Second Window: A BASIC Approach

To further illustrate, let's create a second window. However, this time let's create it using BASIC09 (which, by the way, is included with the OS-9 Level II operating system), and place it on the same screen that w1 occupies, but in the upper right-hand corner. Press the CLEAR key to display w1, then at the OS-9 prompt, type:

```
Basic09
```

The BASIC09 prompt appears, followed by B: . From here, type in the following:

```
e window2
shell "iniz w2"
dim command,path:byte
dim count:integer
data 27,32,0,40,0,32,11,7,0,7
open #path,"/w2":write
for count=1 to 10
read command
put #path,command
next count
shell "shell i=w2&"
end
```

```
q
run
```

A second window appears just to the right of the first, whose foreground/background colors are opposite those of w1. Now press the CLEAR key. Notice the cursor on w1 disappears, while a cursor appears on w2. Each time the CLEAR key is pressed, the next window is selected for keyboard input in round robin fashion.

The BASIC approach appears somewhat different from the procedure file approach; however, they both accomplish the task in a similar manner. The first line of the BASIC approach calls the BASIC09 editor, allowing you to type in the program. The second line tells BASIC09 to send the Iniz w2 command



# CoCo Max<sup>TM</sup> II



You'll use it all the time and love using it.

## What is CoCo Max?

Simply the most incredible graphic and text creation "system" you have ever seen. A Hi-Res Input Pack (more on the pack later) is combined with high speed machine language software. The result will dazzle you.



CoCo Max disk system, with Y-cable.

## Is CoCo Max for you?

Anyone who has ever held a pencil or a crayon for fun, school or business will love it. A 4 year-old will have fun doodling, a 15 year-old will do class projects and adults will play with it for hours before starting useful applications (illustrations, cards, artwork, business graphics, flyers, charts, memos, etc.) This is one of the rare packages that will be enjoyed by the whole family.

## What made CoCo Max an instant success?

First there's nothing to learn, no syntax to worry about. Even a child who can't read will enjoy CoCo Max. Its power can be unleashed by simply **pointing** and **clicking** with your mouse or joystick. With **icons** and **pull down menus**, you control CoCo Max intuitively; it works the same way you think.

Don't be misled by this apparent simplicity. CoCo Max has more power than you thought possible. Its blinding speed will astound you.

It lets you work on an area 3.5 times the size of the window on the screen. It's so friendly that you will easily recover from mistakes: The **undo** feature lets you revert to your image prior to the mistake. As usual, it only takes a single click.


Later, we will tell you about the "typesetting" capabilities of CoCo Max II, but first let's glance at a few of its graphic creation tools:

With the **pencil** you can draw free hand lines, then use the **eraser** to make corrections or changes. For straight lines, the convenient **rubber-banding** lets you preview your lines before they are fixed on your picture. It's fun and accurate. Lines can be of any width and made of any color or texture.

The **paint brush**, with its 32 selectable brush shapes, will adapt to any job, and make complicated graphics or calligraphy simple. For special effects, the **spray can** is really fun: 86 standard colors and textures, all available at a click. It's like the real thing except the paint doesn't drip.

CoCo Max will instantly create many shapes: circles, squares, rectangles (with or without rounded corners), ellipses, etc. Shapes can be filled with any pattern. You can also add hundreds of custom patterns to the 86 which are included.

The **Glyphics** are 58 small drawings (symbols, faces, etc.) that can be used as rubber stamps. They're really great for enhancing your work without effort.



Pull down menus

Zoom In!

## Control Over Your Work

CoCo Max's advanced "tools" let you take any part of the screen, (text or picture) and perform many feats:

- You can move it around
- Copy it
- Shrink or enlarge it in both directions
- Save it on the electronic **Clipbook**
- Flip it vertically or horizontally
- Rotate it
- Invert it
- Clear it, etc. etc.

All this is done instantly, and you can always **undo** it if you don't like the results.

For detail work, the **fat bits** (zoom) feature is great, giving you easy control over each pixel.

To top it all, CoCo Max II works in color. Imagine the pictures in this ad in color. If you own a Radio Shack CGP-220 or CGP-115, you can even print your work in full color!

There is so much more to say, such as the capability to use CoCo Max images with your BASIC programs, the possibility to use CoCo Max's magic on any standard binary image file. There are also many advanced features such as the incredible **lasso**.



Inside the Hi-Res Input Pack

## Why a Hi-Res Input Pack?

Did you know that the CoCo joystick input port can only access 4096 positions (64x64)? That's less than 10% of the Hi-Res screen, which has 49152 points! (256x192). You lose 90% of the potential. The Hi-Res Input Pack distinguishes each of the 49152 distinct joystick or mouse positions. That's the key to CoCo Max's power. The pack plugs into the rom slot (like a rom cartridge). Inside the pack is a high speed multichannel analog to digital converter. Your existing joystick or mouse simply plugs into the back of the Hi-Res Pack.

## Electronic Typesetting...

You'll be impressed with CoCo Max's capability. Text can be added and moved around anywhere on the picture. (You can also rotate, invert and flip it...) At a click, you can choose from 14 built in **fonts** each with 16 variations. That's over 200 typestyles!



Examples of printouts

## Printing Your Creations

There are a dozen ways to print your work. All are available with a click of your joystick (or mouse) without exiting CoCo Max. Your CoCo Max disk includes drivers for over 30 printers!



# CoCo Max II™

The whole family will enjoy CoCo Max. Here are a few examples of the possibilities.


All these pictures are unretouched screen photos or printouts (on an Epson RX-80).




1 Publish a newsletter or bulletin




5 Over 200 typstyles to choose from! generate flyers.



2 Fun for children while stimulating creativity.




6 A new way to express your imagination.




3 Business graphs, charts, diagrams. Also memos




7 Video portrait (with optional digitizer).




9 schematics and floor plans.



4 Junior's homework and science projects. Term papers too!



8 This is a cartoon.



10 Logos and letterheads.

## System Requirements:

Any 64K CoCo and a standard joystick or mouse. (The koala pad and the track ball work, but are not recommended.) Disk systems need a Multi-Pak or our Y-Cable. CoCo Max is compatible with any Radio Shack DOS and ADOS. Note: the tape version of CoCo Max includes almost all the features of CoCo Max II except *Shrink*, *Stretch*, *Rotate*, and *Glyphics*. Also, it has 5 fonts instead of 14. CoCo Max is not compatible with JDOS, DoubleDOS, MDOS, OS-9, the X-pad, and Daisy Wheel Printers.

## Printers Supported:

Epson MX, RX, FX and LX series, Gemini, Star, Miconix, Delta 10, 10X, 15, 15X, SG-10, Okidata 82A, 92, 93, C. Itoh Pro-writer, Apple Image-writer, Hewlett-Packard Thinkjet, Radio Shack DMP 100, 105, 110, 120, 200, 400, 500, Line Printer 7, Line Printer 8, TRP-100, CGP-220. (DMP-130 use Line Printer 8), PMC printers, Gorilla Banana. Color printing: CGP-200, CGP-115.

## Pricing

CoCo Max on tape ..... \$69.95  
with Hi-Ris Pack and manual.  
CoCo Max II (disk only) ..... \$79.95  
with Hi-Ris Pack and manual.  
Upgrade: CoCo Max to CoCo Max II  
New disk and manual ..... \$19.95  
New features of CoCo Max II: 14 fonts and glyphic font, dynamic shrink and stretch, rotate, multiple drive capability, 68 page scrapbook, point and click file load, color printer drivers, full error reporting.  
Upgrade: CoCo Max tape to disk  
manuals, disk and binder ..... \$24.95  
Y-Cable: *Special Price* ..... \$19.95  
Super Picture Disks #1, #2, and #3  
each: \$14.95  
All three picture disks ..... \$29.95

**Guaranteed Satisfaction**  
Use CoCo Max for a full month.  
If you are not delighted with it,  
we will refund every penny.

## Font Editor Option

A font is a set of characters of a particular style. CoCo Max includes 15 fonts. You can create new fonts of letters, or even symbols or graphics with the font editor. Examples: set of symbols for electronics, foreign alphabets, etc. .... \$19.95

## Video Digitizer DS-69

This new Low Cost Digitizer is the next step in sophistication for your CoCo Max system. With the DS-69 you will be able to digitize and bring into CoCo Max a frame from any video source: VCR, tuner, or video camera. Comes complete with detailed manual and C-SEE software on disk. Multi-Pak is required.  
New Low Price Save \$50 ..... \$99.95  
New: faster DS-69A ..... \$149.95



Colorware Incorporated  
79-04A Jamaica Avenue  
Woodhaven, NY 11421

800 221-0916  
Orders only.  
NY & Info: (718) 296-5916  
Hours: 9-5 Eastern time.

Add \$3.00 per order for shipping.  
We accept Visa, MC, checks, M.O.  
C.O.D. add \$3.00 extra.  
NY and CT: add sales tax.  
Shipping to Canada is \$5.00  
Overseas, FPO, APO add 10%





to OS-9, the same as Iniz w1 of the procedure file approach. The third and fourth lines define the variable types to be used in the program (a requirement of BASIC09). The fifth line is a DATA statement containing the command sequence that creates the window. The sixth line opens a path allowing BASIC to communicate with window two. The seventh, eighth, ninth and 10th lines are a FOR/NEXT loop, reading data from the DATA statement and sending it through the path to window two. The 11th line creates a shell on window two. The 12th line ends the program. The 13th and 14th lines exit the BASIC09 editor and run the program.

### Putting Windows to Work

It is important to realize that even though a window is not selected for keyboard input, the program on it is still running. To illustrate, let's put the two windows we have created to work. We will make window one (w1) a clock that displays date and time continuously. Then, on window two (w2) we'll illustrate another windowing concept.

Press the CLEAR key on the keyboard until the cursor appears on w1. Then from the BASIC09 B: prompt, type:

```
kill window2
e clock
  dim time:string
  print chr$(12)
  10 if date#=time then goto 10
  else
  time=date$
  print chr$(1)
  print time
  endif
  goto 10
q
run
```

A BASIC09 program called *Clock* is now running on w1, displaying the time. Now press the CLEAR key. Notice that the cursor moved to w2, but the clock program on w1 is still running. This is an example of how multi-tasking/multi-user and, of course, windowing really shine. W2 is now available to write another program, run a game, or whatever, while w1 continues to run the clock! Another plus from the OS-9: prompt on w2, type:

```
BASIC09
```

Now you have both w1 and w2 available for BASIC programs, but the real plus is both w1 and w2 share the same

copy of BASIC09. No need for a second copy. The design of OS-9 allows programs to be re-entrant, essentially meaning that the same program can be used by more than one person at the same time, providing big savings in memory.

### The Overlay Window

The windowing system provides a second type of window, the overlay window, which does what the name suggests. An overlay window overlays an existing device window (windows w1 and w2 that we previously created are device windows). Overlay windows are useful when an application needs to prompt the user for input, display menu selections, announce messages and so forth, because they can be designed to really attract the user's attention.

Creating an overlay window is relatively simple. So while our clock is running on w1, we will use BASIC09 on w2 to create our first overlay window.

From the BASIC09 B: prompt on w2, type:

```
e overlay
  dim count:integer
  dim command,path:byte
  data 27,34,1,2,2,12,4,0,7
  open #path,"/w2":write
  for count=1 to 9
  read command
  put #path,command
  next count
  print " this is an"
  print " overlay"
  print " window"
  10 goto 10
  end
q
run
```

The program creates an overlay window on window two with the message this is an overlay window. The program is similar to the window two program we wrote earlier. However, the data in the DATA sequence contains nine bytes. The first two bytes are the create an overlay window command. The third byte tells OS-9 to save the area under the overlay window, and restore it after we are finished with it (we will see this in a moment). The fourth and fifth bytes are the 'X' and 'Y' location of the upper left-hand corner of the overlay window in relation to the device window (w2). The sixth and seventh bytes are the 'X' and 'Y' size of the overlay window. The eighth and ninth bytes are the foreground and background colors respectively.

Notice in the BASIC program, Line 10 calls itself. This was to stop the program before the END statement was encountered. Now press the BREAK key. The program is stopped, but all output to window two is still appearing within the overlay window. For example, let's list the overlay window program using the BASIC09 list function. From the B: prompt type:

```
list overlay
```

The overlay window program is listed in the overlay window. When you create an overlay window, all subsequent output to the device window containing the overlay window will appear in the overlay window. The overlay window must be turned off with the turn off overlay window command. To send the turn off command from BASIC09 at the B: prompt, type:

```
$display 1b 23
```

Notice that OS-9 restored the original image that was under the overlay window. This is because in the create an overlay window command we told OS-9 to save the area under the overlay window by setting the third byte of the command sequence to a value of one. If you set this value to zero, OS-9 will not save the area under the overlay window, and thus will not restore the area when the overlay window is turned off.

### Implications

Imagine using your Color Computer 3 as a home security system, and at the same time typing a letter to a friend or business associate. Meanwhile a large C language program is compiling, and a telecom program is downloading the latest stock quotes from an online information service, all at the same time, all on the same screen, and all without ever having to disable the home security system.


Sound impossible? The Tandy Color Computer 3 teamed with Microware's Level II OS-9 and the Windowing System is designed for easy implementation of just such an environment. As we have illustrated, it is not just a fancy display package. It is a powerful tool for both user and programmer, providing the real benefits of a multi-tasking/multi-user operating system in a manner that doesn't require an assembly language applications programmer to implement.



# The Amazing A-BUS

What will you do with it?

**NEW**



An A-BUS system with 2 Motherboards and 9 Cards.

**SHEILA** wanted to set up a variety of experiments in her lab. With an A-BUS, the computer can watch the mice instead of Sheila.  
**HARRY** has a model railroad layout that he wished to automate. Now his home computer controls the engines, gates, signals, etc. through the A-BUS.  
**BOB** tests electrical fixtures as they leave the assembly line. He develops test equipment quickly with inexpensive, off-the-shelf, and easy to use A-BUS cards.


**But what's an A-BUS?** It's the easiest way to connect a variety of cards that sense and control anything outside the computer. With the A-BUS, your CoCo becomes an incredible machine.

**What would I need?** First, an A-BUS Adapter to convert your computer bus to the A-BUS standard. Then a Cable (with one or two slots) to connect one or two A-BUS Cards. If you need more than two cards, the cable will be connected instead to the A-BUS Motherboard, which has five slots. Up to five motherboards can be chained. Finally, add your choice of A-BUS Cards to fit your project.

**I'm not an engineer. Can I use the A-BUS?** If you can wire a switch, you can use the A-BUS. No computer hardware knowledge is needed! A screwdriver is all you need for many projects.

**What about software?** Simple PEEK and POKE commands control the whole system, whether you read the time on the clock, switch the relays, take a temperature reading, or turn a motor.

**What if I change computers?** Incredibly, this is as simple as replacing the inexpensive adapter card.



A-BUS Adapters

**Special:**  
 Complete set of all user's manuals. Typeset, illustrated, with schematics. Only \$10

**CoCo to A-BUS Adapter AR-138: \$49**

Works with all CoCo's. Plugs into rom slot or Multipak. Disk systems without Multipak need Y-cable (\$19.95)

**A-BUS adapter for: Apple II, II+, IIe AR-134...\$49**

IBM PC, XT, AT and all compatibles. AR-133...\$69

TRS-80 Models 100, 200. AR-135...\$69

TRS-80 Mod 3, 4, 4D. Fits 50 pin I/O bus. AR-132...\$49

TRS-80 Model 4P. Includes extra cable. AR-137...\$62

TRS-80 Model II. Plugs into 40 pin I/O bus. AR-131...\$39

**A-BUS Motherboard MB-120: \$99**

Will accommodate five A-BUS cards. A sixth connector allows a second motherboard to be added to the first (with connecting cable CA-161...\$12). Up to five motherboards can be joined this way to a single adapter. The motherboard is mounted on a sturdy aluminum frame with card guides.

**A-BUS Cable (3 ft.) CA-163: \$29**

Connects Adapter to 1 A-BUS card or Motherboard. Special Cable for two A-BUS cards CA-162...\$39

**Relay Card RE-140: \$129**

8 industrial relays on board. Contacts are rated at 3 amps. You can control up to 64 cards (512 relays) using several motherboards. Jumpers are used to simply select the card address. The card is easily controlled in BASIC with "OUT" or "POKE". For example, OUT 1,0 turns all the relays off on card #1. Eight LED's show which relays are on.

**Digital Input Card IN-141: \$49**


It's safe and easy to connect and read switches, keypads, thermostats, alarm loops, etc. The eight inputs can monitor the presence of voltage or switch position. Simple INP or PEEK commands read the status (On or Off) of the inputs. Each input is optically isolated for convenience and safety.

**Analog Input Card AD-142: \$119**

With this 8 bit, 8 channel A/D converter, your computer can read voltages, temperatures, pressures, light levels, etc. Take over 100 readings per second in BASIC (several thousand with machine language). It's simple to use, for example: OUT 1,3 selects channel #3, then A=INP(1) reads the voltage on that channel. Input range: 0 to 5.1V. Resolution: 20mV. Conversion time 120us.

**Prototyping Card PR-152: \$15**

Protocard is 3 1/2 by 4 1/2 in. and accepts up to 10 IC's.



**12 Bit A/D Converter AN-146: \$109**

This high performance analog to digital converter features accuracy to 0.025%, 130ms conversion time, sign and over range indication. The basic input range is -5 to +5 volts, with 1.2mV resolution, but the gain of the on-board amplifier can be set to measure microvolts. Ideal for a strain gauge, thermocouple, pH meter, etc.

**Motor Controller ST-143: \$69**

Stepper Motors are the ultimate in motion control. The special package (below) includes everything you need to get familiar with stepper motors: Each controller card drives two stepper motors (12V, bidirectional, 4 phase).

Motor: 48 steps/revolution, 300 steps/second, 1/4" shaft: MO-103...\$15. Power supply: PS-126...\$10

**Special Package:** the controller card, two stepper motors, and power supply: PA-181...\$99

**Clock with Alarm CL-144: \$89**

It's the most powerful clock/calendar available. The features: ● 5 second/month accuracy. ● Keeps time, date, and alarm for 5 years (even with computer off). ● Can time events down to 1/100 second. ● Periodic "chime". ● Full time and date alarm. ● Four alarm outputs: Computer, LED, Buzzer, and Reed Relay. ● Easy to use.; for example H=INP(1) reads the hours, Y=INP(6) reads the year, etc.

**Latest Developments**

- |                                      |        |
|--------------------------------------|--------|
| Voice Synthesizer                    | VS-153 |
| 15 Bit Analog to Digital Converter   | AD-155 |
| Intelligent Stepper Motor Controller | ST-154 |
| Digital to Analog Converter          | DA-147 |
| LCD Display (one and two line)       | LD-151 |
| Touch Tone® Decoder                  | PH-145 |
| Counter Timer                        | CT-154 |
| 24 Line TTL Input/Output             | DT-148 |

Order Line **800 221-0916**  
 Except in NY  
 Info and NY orders: (718) 296-5916  
 Technical Info: (203) 656-1806  
 All lines open weekdays 9 to 5 NY time.

Add \$3.00 per order for shipping.  
 We accept Visa, MC, checks, M.O.  
 C.O.D. add \$3.00 extra.  
 N.Y. residents add sales tax.  
 Shipping to Canada is \$5.00  
 Overseas, FPO, APO add 10%

**COLORWARE** Colorware Inc  
 79-04 Jamaica Ave  
 Woodhaven, NY 11421



# The Color Computer 3: A Programmer's Dream

By  
Steve  
Bjork



**W**hile I was writing this article about the new Color Computer 3, I realized that the CoCo has been the same basic computer for over six years! In this day of ever-changing computers, that's a long time. True, Tandy repackaged our lovable little CoCo (called the Color Computer 2), but with no real hardware or software changes.

Programmers have learned how to push the Color Computer to its outer limits. But with the old CoCo hardware, we just can't break any new ground. That's why Tandy is introducing the Color Computer 3.

*Steve Bjork has been a programmer for over 15 years. In his association with Datasoft he has authored such programs as Zaxxon, Sands of Egypt and Mega-Bug. He now handles product development for his own company, SRB Software. He is one of the people chosen by Tandy to write programs for the new Color Computer 3.*

The new Color Computer 3 is on the cutting edge of technology. The power of Color Computer 3 is gained by using a new custom chip called the GIME (Graphics Interrupt Memory Enhancement) in place of the older SAM and VDG chips. This new chip allows up to 512K of memory controlled by a Memory Management Unit (MMU for short), and a 640 by 225 super Hi-Res graphics screen at twice the old Color Computer speed. Using the analog RGB monitor, 225 scan lines are the maximum supported; however, new software must be written to take advantage of it. Radio Shack only supports 192 scan lines for use with TV viewing devices. Not bad for one chip!

But how can these hardware changes help the programmer? Take a look at graphics game called *Marble Maze*. Before, it was just a little too slow. But with twice the speed on the new CoCo, it is at the right pace and I am having a grand old time playing it! Soon we will see programs on this new computer that would have been too slow before.

The new text display modes are going to be a real help to programmers. Before, the text screen had only 16 lines of 32 characters each and no true lowercase. On the CoCo 3 the text display mode has 24 lines and up to 80 characters per line. Not only has lowercase been added, but also underlining and blinking attributes for each character on the screen. Because this is a *color* computer, the attributes also include eight foreground colors and eight background colors for each character.

With these additions, it is very easy to write a word processor that not only shows more of the text, but also shows any spelling errors by highlighting them in red lettering.

For a graphics programmer, the new graphic modes of the Color Computer 3 are a dream come true. Not only do we have about four times the dot resolution, but up to 16 colors on the screen at one time. On the old Color Computer there was a maximum of four colors with the colors never changing in that mode. The Color Computer 3 has up to 16 colors per screen with 64 colors to choose from. When a dot is placed on the screen only the color register (or palette) is selected. The color register holds the true color to be displayed. If a programmer wants to change all the red on the screen to yellow, all he needs to do is change that palette from the red to the yellow color code.

Let's use a picture of the New York sky line at day for example. By changing a few color registers this daytime scene slowly changes to one of dusk, then to a nighttime scene with twinkling stars. All of this done by a BASIC program using the palette command!

One problem with a higher resolution display mode is it can take up to 32K of memory to display one screen. In just using two graphics screens all 64K of memory the 6809 can address would be used up. This is where the Memory Management Unit comes into play. Only one graphics screen needs to be addressed by the 6809 at one time, so the MMU is programmed to select one screen and place it in the 6809 address range.

The new BASIC ROM in the Color Computer 3 takes this one step further. The new higher resolution display modes do not use any of the BASIC program space as did the older Color Computer's graphics modes. This gives



the BASIC programmer about 27K of memory (after doing a PCLEAR 1) for programs and variables, while still using a maximum size graphics screen of 32K!

### A Programmer's Dream: OS-9 on the Color Computer 3

Tandy did not stop at hardware when they were improving the Color Computer; it takes software to run any computer. A more powerful and upward compatible version of OS-9 called Level II is the real key to the power of the Color Computer 3. This OS-9 Level II is able to give each program up to 63.5K of memory to work in. That is a lot of workspace on a 512K system! On the old Color Computer there was only 35K to 40K to work with.

With OS-9 being a multi-tasking/

multi-user operating system it would be kind of nice to use one screen for compiling a program while using another for editing a different program. By adding the Multi-View windowing system, it is as easy as pressing the CLEAR key to move from window to window. In one window you could be editing a program, then in the next window be running a test version of the program, and have all debug data in yet another window.

Each window can be in text or graphics modes and can take up all or only part of each screen. You can even put several windows on the same screen as long as they don't overlap.

If that is not enough to get a programmer drooling, there is a full point-and-click interface with drop-down

menus built into the Multi-View package. A full set of graphics drawing commands like LINE, BOX, FILL, CIRCLE, ELIPSE and GET/PUT buffers are included to round out the package.

The Multi-View package holds most of what a programmer needs to do programs like the *CoCo Max*. As a matter of fact, this package already has about 80 percent of the code that Tim used in that landmark program for the older Color Computers. It will not be long before we see many top of the line drawing programs under OS-9.

This is one programmer's view of the Color Computer 3. It has a lot of what we've been asking Tandy for in the way of power. So, I better get back to work; I have a few programs to develop that will knock your socks off! ☺

## What's an Analog RGB Monitor Anyway?

By Ed Ellers

The Color Computer has had an RF output ever since its inception way back in 1980. This means the CoCo can be used with a standard TV set instead of a special monitor, and also that the display quality is affected by the limitations of TV (which were never intended for computer displays anyway). Many CoCo buyers have added video output jacks to their computers in order to use monitors.

Now, we have the Color Computer 3 and it has the same TV jack on the back panel along with the Channel 3/4 switch, so it still works with home TV sets. Tandy has also added video and audio output jacks to allow a factory-approved connection to a monitor (or to a VCR). It sounds like the answer to a bleary-eyed hacker's dream — but wait! On the bottom there's a strange seven-pin socket. What for? It turns out that Tandy has introduced a new 13-inch analog RGB monitor — the CM-8 — that displays the CoCo 3's text and graphics much more clearly than a composite monitor can.

### RF Output

The RF output is the TO TV output that feeds into your TV set on Channel 3 or 4; the signal is much the same as what you would receive from a broadcast station or cable. The problem with this isn't so much that the RF modulator inside the computer is distorting the signal, but that the tuner and especially the IF amplifier in most TV sets do terrible things to the incoming signal in the process of changing it back into raw video. If you were to use an oscilloscope to look at the signal going into the video amplifier stages of your TV set and compare this with what goes into the modulator of your CoCo, you'd be surprised that the picture you see looks as good as it does.

Many newer TV sets have improved circuitry that gives a flatter frequency response and causes less signal distortion, but using an RF hookup is still a roundabout way to do it and far from ideal. That's why the more expensive color TV sets nowadays have video input jacks for better pictures from VCRs, videodisc players

and satellite receivers; more to the point, it's also why many CoCo users have ignored the RF output in search of something better.

### Composite Video

Composite video is the output from a TV camera or from the VIDEO OUT jack on a VCR; it's also what you get from a monitor adapter board for a CoCo, and from the video output on the CoCo 3. Composite means the signal includes horizontal and vertical synchronizing pulses and blanking pulses as well as video; it's the same as the signal that goes into the RF modulator in the CoCo (or into the TV station's transmitter). In black and white, a composite signal carries a lot more detail than an RF signal does, and with a good monochrome monitor (which can be black and white, but is more often green or amber) you get very clear text and graphics.

However, a composite color signal has many of the same problems that the RF method had. To squeeze three colors, which logically would take up as much space as three black and white signals, into the space of one TV channel and still have a useful black and white picture at the same time, color TV systems create a black and white signal from the three colors and then create a subcarrier to carry the added color information. The subcarrier can't handle as much detail as is present in the monochrome "luminance" signal; this works out reasonably well for regular TV viewing, but definitely doesn't when you're looking at Hi-Res graphics at close range.

There are also various imperfections in the process of separating the subcarrier from the luminance signal (we'll get to one of them later). With the Color Computer 3 there's a better way.

### Analog RGB

RGB simply stands for red, green and blue, the three primary colors of color TV and computer displays. This method involves sending each color signal to the monitor over its own wire in the monitor cable. The signals are never mixed together, so there's no problem in

separating them, and since the signals are only traveling a few feet there's no problem with band width.

This is the ideal way to display color graphics, but you do need the red, green and blue signals coming from the computer and a monitor that can handle them. The output is taken care of by the new GIME chip in the CoCo 3; the monitor is Tandy's new CM-8, which, at \$299, is quite a bit less expensive than the analog RGB monitors sold for use with Commodore's Amiga and the Atari ST series computers.

"Analog" means the voltage fed to the monitor varies with the signal level for each color. In a digital RGB monitor, such as the ones used with the Tandy 1000 and the IBM PC, the red, green and blue signals simply go on and off. A digital RGB monitor generally only shows sixteen colors with four signal lines; the colors available with analog RGB monitors are limited only by the computer.

The CoCo 3 and the CM-8 monitor provide the best picture quality the CoCo has ever had — and *this benefit is realized even with existing CoCo programs running on the CoCo 3*. Comparing the CM-8 with what you get on a normal TV is like comparing night to day. However, there are some minor idiosyncracies in the CoCo 3's RGB output. One is the lack of artifact colors in PMODE 4 graphics intended to run on previous CoCos. These red and blue colors were caused by the dots in the display being misinterpreted by the TV or monitor's color circuits; this confusion just doesn't happen with RGB displays, so the dot patterns are now seen as dots instead of colors.

Also, for some reason the colors that the CoCo 3 provides are seen differently on the RGB monitor than they are on TV sets and composite monitors. Because of this, Extended BASIC includes the PALETTE RGB and PALETTE CMP (composite) commands that can be used to switch from one mode to the other. (The pictures of CoCo 3 graphics shown in this issue were taken from the CM-8 monitor, but the program was configured for composite monitors.)

The CM-8 monitor shows all the high-quality text and graphics the Color Computer 3 is capable of providing. However, those who want to use color composite monitors or TV sets with the new computer can do so, just as they did with previous CoCos. The CM-8 monitor can be added at any time. ☺




# DISTO

## SUPER CONTROLLER



ONLY \$99.95 US.



### FEATURES:

- Gold contacts on all connectors.
- Shielded metal box for low RF noise.
- 4 28-pin sockets for software expandability.
- Uses 2764 or 27128 EPROMS.
- EPROMS are software selectable.
- Internal Mini-Expansion Bus interface for:
  - 80 Columns
  - Real Time Clock and/or
  - Parallel Printer or
  - EPROM Programmer or
  - User Projects.
- Complete Radio Shack compatibility.
- New technology, no adjustments needed.
- Very Accurate 16mhz High Speed Master Clock.
- Needs +5 volts only, works on all COCOs or COCO IIs.

### EXPANSION ADD-ONS:

There are currently four add-ons available from DISTO for this controller:

#### PPRINT

The first is a Centronics Compatible Parallel Printer adapter. This adapter will allow you to connect a Centronics compatible printer directly to your controller, leaving the serial port of your computer free for your modem. Printer driver software included.

#### RTIME

The second is a Real Time Clock. This is a clock chip that will keep the proper time, date and year. A small battery keeps the time when the Computer is off, retrieve and set the time by using simple Basic POKES. Also available with the Real Time Clock is the optional Centronics Compatible Parallel Printer adapter. Software to set the clock and printer driver included.

#### MPROM

The third is a Mini EPROM Programmer. Yes, a low cost programmer that attaches to the disk controller. A must for the DISTO Super Controller. Program those often used utilities into EPROM and plug them directly into your controller. Will program 2764's or 27128's, a perfect mate for the DISTO Super Controller.

#### DISPLAY80

The fourth is a real knock-out. This is a three in one card. It's major function is to add an 80\*24 display to your computer. A feature packed package also includes RTIME and PPRINT. All in one neat package that fits inside the controller. OS9 software available. Call for more information.

#### CREDITS:

The DISTO Super Controller, add-ons and all its documentation are conceived and designed by Tony Distefano. The DISTO Super Controller and add-ons are manufactured and distributed by: C. R. C. COMPUTER INC. 10802 Lajeunesse, Montréal, Québec, Canada H3L 2E8 1-514-383-5293

\*DISTO and CRC Computers are registered trade marks. The DISTO Super Controller and add-ons are copyrighted by DISTO.



# New Commands Increase CoCo 3's Power

A standing-room-only crowd of about 300 was on hand in the Astor Salon of New York's Waldorf-Astoria Hotel, July 30, for Tandy's unveiling of five new computers, three printers and two new software products.

The announcement we'd been waiting for was the new CoCo 3. And, we were assured that with more than a million Color Computers out there already, Tandy fully intends to keep supporting our favorite machine. When you power up the new CoCo 3, you'll witness a whole new ball game!

The BASIC in the new machine is Microsoft Extended BASIC with enhancements by Microware. Upon turning the power on, all ROM is copied into RAM. This includes the disk controller ROM. This means you *must* have Disk Extended BASIC 1.0 or 1.1 in your controller. It also means that any programs that use the 96K method of switching ROMs in and out will not operate correctly on the Color Computer 3.

All this aside, we have had a chance to use the new Color Computer for a short period of time and thought you might be interested in some of the commands added to the system.

The new Hi-Res (320 by 192 and 640 by 192) graphics do not use up any memory in the BASIC memory area. They are controlled with the following new commands: HBUFF, HCIRCLE, HCLS, HCOLOR, HDRAW, HPOINT, HGET, HLINE, HPAINT, HPUT, HRESET, HSCREEN

and HSET. Text is allowed on the graphics screens and is controlled with HPRINT, HSTAT and LOCATE. Also, you can select the 32-, 40- or 80-column text-screen with WIDTH.

You may choose from 64 colors on the new Color Computer 3. These are selected and manipulated with ATTR, PALETTE and the standard CLS.


New error trapping as well as BREAK trapping commands are present: ON BRK GOTO, ON ERR GOTO, ERLIN and ERNO.

What we now know as "the 64K" is located in the memory map of the Color Computer 3 in locations \$70000 to \$7FFFF. To access other memory locations, the LPOKE and LPEEK commands have been added. What this means is that PEEK(0) returns a value from the same memory location as LPEEK(\$70000). LPEEK and LPOKE allow us to access memory locations outside the "normal" 64K address space.

Finally, the Color Computer 3 software allows proper reading of both buttons on the Radio Shack Deluxe joysticks. The BUTTON function can be used to read each of four buttons (two on each of the left and right joysticks).

Keep in mind that these added commands do not replace the command set in the existing Extended BASIC. Rather, they complement it and allow for greater control of the Color Computer 3's new power and capabilities.

## CoCo Cat



MicroWorld

230 Moorestown Rd. Wind Gap, PA 18091  
(215) 759-7662

Call or write for Price List

### LOW PRICES ON 100% Radio Shack Equipment

(with full warranty)

New Slimline Drive 0 ..... \$235.00

Slimline Drive 0 & 1 installed ..... \$399.00

Prices subject to change!

Prices include shipping!

64K Extended ..... \$145.00

Sakata 13" Monitor ..... \$180.00

With monitor driver ..... \$210.00

Multipack Interface ..... \$ 70.00

DMP-105 ..... \$159.00

DMP-130 ..... \$275.00

Diskettes, any quantity, lifetime Warranty \$ 1.50

Tandy 1000 ..... \$695.00

Quantities are limited!

10% off Computerware


10% off all Radio Shack Sale Items

15% off Radio Shack Hardware

20% off all Radio Shack Software



# CoCo 3 is born!



The CoCo 3 is unveiled to a packed house of news media representatives by Tandy Chairman John Roach in the Waldorf-Astoria Hotel in New York.



RAINBOW publisher Lonnie Falk uses a portable telephone to speed the news to Delphi's CoCo SIG.



Lonnie Falk and Microsoft Chairman Bill Gates compare notes after the news conference.

*"Very impressive. This is an excellent, important upgrade to the CoCo. It will breathe new life into the CoCo Community. With the new graphics capability, software developers for rival machines will be very interested."*

— Jeff Parker



Tandy staff (from left) Mark Siegel, Barry Thompson and Tana Grubb listen as CoCo 3 makes its debut.



Tandy's Mark Siegel (above left) chats with RAINBOW columnist Dale Puckett while (left) John Roach and Lonnie Falk both are pleased with media reaction to CoCo 3.





*"The resolution of the graphics screen is superb and the high-quality CM-8 color monitor is super! As a professional visual communicator, I think the possibilities are unlimited for the preparation of color transparencies for business presentations."*

— Dale Puckett



Tandy's Mark Yamagata and Lonnie Falk go over CoCo 3 details.



MOTD Editor Bruce Warner, CompuServe's Sandy Trevor and OS-9 Users Group President Brian Lantz listen to Tandy's Barry Thompson.

*"I am impressed! I expected better graphics, but not this good; I expected more speed, but not this fast! I estimate the CoCo 3 will beat any IBM compatible by about 30 percent in execution time."*

— Bruce Warner

*"An exceptional machine and an exceptional value."*


— Brian Lantz



"Are We Having Fun Yet?" Mark Siegel, Lonnie Falk and Barry Thompson confer minutes before CoCo 3's debut.

*"The speed, graphics and power are stunning!"*


— Bob Rosen



RAINBOW Managing Editor Jim Reed gets some CoCo 3 "hands on" while Tandy's Barry Thompson watches.



# XTEAM & OS-9



# BOTH WINNERS

## XTERM

OS-9 Communications program.

- Menu oriented
- Upload/download. Ascii or XMODEM protocol
- Execute OS-9 commands from within XTERM
- Definable macro keys
- Works with standard serial port, RS232 PAK, or PBJ 2SP Pack, Includes all drivers.
- Works with standard screen. XSCREEN, or WORDPAK 80 column board.

**\$49.95** with source **\$89.95**

## XMENU

Creates a menu driven environment for OS-9.

- Create your own menus
- Works with standard screen, XSCREEN, WORDPAK, O-PAK

**\$29.95** with source **\$59.95**

## XSCREEN

OS-9 hi-res screen

- 51/64/85 chars per line
- Easy menu operation

**\$19.95** with source **\$39.95**

## XDIR & XCAL

- Hierarchical directory
- Full sorting
- Complete pattern matching
- OS-9 calculator
- Decimal, Hex, Binary
- +, -, \*, /, AND, OR, XOR, NOT

**\$24.95** with source **\$49.95**

## XDIS

OS-9 disassembler

**\$34.95** with source **\$54.95**

## XWORD OS-9 word processing system

- Works with standard text screen, XSCREEN, WORDPAK, or O-PAK
- True character oriented full screen editing
- Full block commands
- Find and Replace commands
- Execute OS-9 commands from within
- Proportional spacing supported
- Full printer control, character size, emphasized, italics, overstrike, underline, super/sub-scripts
- 10 header/footers
- Page numbering in decimal or Roman numerals
- Margins and headers can be set different for even and odd pages

**\$69.95** with source **\$124.95**

## XMERGE

Mail merge capabilities for XWORD

**\$24.95** with source **\$49.95**

## XSPELL

OS-9 spelling checker, with 20000 and 40000 word dictionaries

**\$39.95**

## XTRIO

XWORD/XMERGE/XSPELL

**\$114.95** with XWORD/XMERGE source **\$199.95**

## XED

OS-9 full screen editor

**\$39.95** with source **\$79.95**

# AND FOR RS DOS ...

## SMALL BUSINESS ACCOUNTING

This sales-based accounting package is designed for the non-accounting oriented businessman. It also contains the flexibility for the accounting oriented user to set up a double entry journal with an almost unlimited chart of accounts. Includes Sales Entry, transaction driven Accounts Receivable and Accounts Payable, Journal Entry, Payroll Disbursement, and Record Maintenance programs. System outputs include Balance Sheet, Income Statement, Customer and Vendor status Reports, Accounts Receivable and Payable Aging Reports, Check Register, Sales Reports, Account Status Lists, and a Journal Posting List.

**\$79.95**

## INVENTORY CONTROL/SALES ANALYSIS

This module is designed to handle inventory control, with user defined product codes, and produce a detailed analysis of the business' sales and the sales force. One may enter/update inventory data, enter sales, run five sales analysis reports, run five inventory reports, set up product codes, enter/update salesman records, and update the SBAP inventory.

**\$59.95**

## PAYROLL

Designed for maintaining personnel and payroll data for up to 200 hourly and salaried employees with 8 deductions each. Calculates payroll and tax amounts, prints checks and maintains year-to-date totals which can be automatically transferred to the SBA package. Computes each pay period's totals for straight time, overtime and bonus pay and determines taxes to be withheld. Additional outputs include mailing list, listing of employees, year-to-date federal and/or state tax listing, and a listing of current misc. deductions. Suited for use in all states except Oklahoma and Delaware.

**\$59.95**

These programs are user friendly and menu driven. Sample transactions are included. Each package features a hi-res screen. Each requires a printer, a minimum of 32k and at least 1 disk drive.

## ACCOUNTS RECEIVABLE

Includes detailed audit trails and history reports for each customer, prepares invoices and monthly statements, mailing labels, aging lists, and an alphabetized customer listing. The user can define net terms for commercial accounts or finance charges for revolving accounts. This package functions as a standalone A/R system or integrates with the Small Business Accounting package.

**\$59.95**

## ACCOUNTS PAYABLE

Designed for the maintenance of vendor and A/P invoice files. The system prints checks, voids checks, cancels checks, deletes cancelled checks, and deletes paid A/P invoices. The user can run a Vendor List, Vendor Status report, Vendor Aged report, and an A/P Check Register. This package can be used either as a standalone A/P system or can be integrated with the Small Business Accounting Package.

**\$59.95**

**MICROTECH  
CONSULTANTS  
INC.**  
1906 Jerrold Avenue  
St. Paul, MN 55112

Dealer Inquiries Invited  
Author Submissions accepted  
OS-9 is a trademark of Microware



### Ordering Information

Add \$3.00 shipping & handling, MN residents add 6% sales tax.  
Visa, Mastercard, COD (add \$2.50), personal checks.

**(612) 633-6161**



Washington is counting on you to . . .

# Save the Astronauts!


By Rene Camirand

**T**here has been an explosion on a space station. Twenty astronauts have escaped and are floating in the atmosphere. You are the captain of the space ship *Entrepise*. Your orders from Washington are to recover as many men as possible. Will you have enough fuel to pick them all up?

In *Salvage of the Astronauts* you must land every so often to refuel and then return to save more astronauts. There are six refueling chances before the game ends. Watch out for the mountains! If you get too close, your ship will stop. Every astronaut saved earns 10 points. Each fuel landing gets you 100 points. To speed up the game, change Line 5 to POKE 65495,0.

*(Questions about this program may be directed to the author at App.3 5035 Bourbonniere, Montreal, Quebec H1X 2M7, 514-722-0423. Please enclose an SASE when writing.)* □

*Rene Camirand is an active member of his local CoCo Club. He holds a degree in mechanics and electronics, and has received a science exposition trophy for excellence. Rene is retired and keeps young by being creative on his CoCo.*







# Howard Medical Company

1690 N. Elston Chicago, Illinois 60622  
(312) 278-1440



**WE ACCEPT** VISA  
MasterCard  
American Express  
COD or Checks  
School P.O.'s

## New Dual Mode EPSON

The new Epson LX-80 offers printing flexibility in two modes: one mode allows you to print in a quick (100 cps) dot-matrix style for programming and graphics, and the Near Letter Quality mode (16 cps) produces precise (240 dots per inch), beautiful type for correspondence, reports, and similar purposes. The LX-80 offers 160 different type-style combinations, including Pica, Elite, Enlarged, Emphasized, Condensed, Subscripts and Superscripts, and type-styles can be selected quickly from the top control panel or from program control. Comes standard in friction feed; tractor option is also available.

LX-P package includes an LX-80, a serial interface, a Color Computer to Epson cable, and Printer Tutorial that teaches you how to program the different type styles (\$29.95 value).

- LX-P: LX-80 package **\$317** (\$7 shpg)
- ET-1 tractor option for LX-80. **\$29.50.**
- SF-1 Single-sheet feeder for the LX-80. **\$145** (\$7 shpg)

Epson	RX-80 FT	repack	\$207.
Epson	LX-80 New		\$249.
Botek	Serial to parallel converter		\$68.45
Howard	CoCo to Epson cable		\$25.

DM-1 Disk mailer holds from one to five diskettes	\$20.
200 lb. cardboard construction	
25 mailers/box	

## MONITORS

123 Zenith 12" Green Screen, 640 dots x 200 dots resolution, 15 MHz band width. **\$114** (\$7 shpg)

123A Zenith 12" Green Screen Special, **\$67.50** (\$7 shpg) 80 Column non glare

122 Zenith 12" Amber Screen, 640 dots x 200 dots resolution, 15 MHz band width. **\$117** (7 shpg)

141 Roland 13" Color Monitor with speaker, 270 dots x 200 dots resolution, 4MHz band width **\$247** (\$12 shpg)

All monitors require video controller. Reverse video free with monitor order.

## MEMORY

64K Upgrades—1 Year Warranty

64-E1 for E Boards with complete instructions. Remove old chips and replace with preassembled package—no soldering or trace cuts. **\$28.45** (\$2 shpg)

64-F1 for F Boards. No soldering needed. Capacitor leads must be cut. **\$24.45** (\$2 shpg)

64-2 for COCO 2. Kit requires one solder point, no trace cuts. **\$24.45** (\$2 shpg)

## CONTROLLERS

**New Controller from J&M:** Has switch that allows either JDOS or RS DOS to be the disk operating system; eliminates software compatibility problems, while preserving the advantages of J&M's gold contacts and data separator. Also added to the DC-2 is a parallel port, which means a serial interface is no longer needed to make a parallel printer (like the Epson) work.

DC-2 Disk Controller with JDOS. **\$128** (\$2 shpg)

RS-1: RS DOS ROM Chip. **\$20.00** (\$2 shpg)

DC-1 Disk Controller reads and writes to 35 and 40 track single and double-sided drives for all models of the Color Computer w/ JDOS. **\$128** (\$2 shpg)

VC-1 Video Interface mounts inside Color Computer by piggy-backing IC on top of interface—no soldering, no trace cuts. All models give composite video & sound. **\$24.45** (\$2 shpg)


VC-2 for COCO 2—mono only. **\$26.45** (\$2 shpg)

VC-3 for COCO 2—both color or monochrome **\$39.45** (\$2 shpg)

VC-4 for new Color Computer (no sockets, chips are soldered to mother board). Attaches with spring-loaded clips. Color or mono. **\$39.45** (\$2 shpg)

DD-2 Double sided 360K disk with ½ height case & heavy duty power supply	\$188.
CA-1 Disk drive cable	\$24.50
CA-2 Two drive cable	\$29.50
DE-1 Disk enclosure ½ height with power supply	\$58.

## HOWARD QUALITY STANDS



PS-1X

**New TS-1X Monitor Stand:** Designer-beautiful stand with clear corner posts, easy side access to ROM port, reset and on/off buttons. **\$39.50** (\$3 shpg)

TS-1: Standard 13" monitor stand for the original Color Computer. Specify black, ivory or clear. 15" x 11" x 4". **\$29.50** (\$3 shpg)

TS-2: Same as above for the COCO 2. **\$29.50** (\$3 shpg)

PS-1X Printer Stand features new noise-suppressing foam top and cork base. 15" x 11" x 2½". **\$24.95** (\$3 shpg)

## EPSON AND J&M

The EJ-P Package

The Epson LX-80 Printer teamed with our new J&M DC-2 Controller gives you top printing capabilities *plus* built-in switch gives JDOS or Radio Shack DOS so all software can run on your Color Computer. Package includes: Epson LX-80 Printer with ET-1 tractor; DC-2 controller; parallel Color Computers to J&M cable; Epson Printer Tutorial (\$29.95 value).

Complete EJ-P package **\$425.00** (\$7 shpg)

## GUARANTEE

Howard Medical's 30-day guarantee is meant to eliminate the uncertainty of dealing with a company through the mail. Once you receive our hardware, try it out; test it for compatibility. If you're not happy with it for any reason, return it in 30 days and we'll give you your money back, (less shipping).

Hours: 8:00-4:00 Mon.-Fri.  
10:00-3:00 Sat.

Software system requirements: CoCo with 1 disk, 32K RAM, 80-column printer  
Add \$2 for shipping.

## ORDERS (800) 443- 1444

PAYROL/BAS  
39.95

LEDGER  
free with  
PAYROL/BAS

STATE TAX  
39.95  
941

29.95  
CHECKS

VIP LIBRARY  
\$125

SAP-II

19.95

BPA-1

19.95

## SOFTWARE CORNER

Automatically calculates FED & FICA and 3 additional user defined deductions. TABLES ARE ALREADY ENTERED. Prints checkbook with up to 30 user definable ledger numbers a \$39/VALUE

WITH PAYROL/BAS YOU WILL ALSO WANT

Automatically calculates state withholding including graduated taxes. TABLES ALREADY ENTERED  
Prints totals by quarter per employee  
Ideal for Federal 941 and state unemployment  
500 pin-feed checks specify blue green or brown \$57.25  
Softlaw's integrated package includes  
VIP Write, terminal, Database, Speller and CALC  
Stock analysis program organizes your portfolio and give specific sell & stop-loss points  
Chart your blood pressure from daily readings taken in the comfort of your home.





# The Biggest

# The Best



# The Indispensable

## The RAINBOW THE COLOR COMPUTER MONTHLY MAGAZINE

It's called the *premier Color Computer magazine* for good reason. **THE RAINBOW** is the biggest, best, brightest and most comprehensive publication a happy CoCo ever had! Is there any wonder we get letters daily praising **THE RAINBOW**, the magazine one reader calls "A Pot Of Gold" for his Color Computer.

**THE RAINBOW** features more programs, more information and more in-depth treatment of the Tandy Color Computer than any other source.

A monthly issue contains 260 or more pages and two dozen programs, 15 regular columns and as many as 20 product reviews. And advertisements: **THE RAINBOW** is known as *the* medium for advertisers — which means every month it has a wealth of information unavailable anywhere else about new products! Hundreds of programs are advertised in its pages each month.

But what makes **THE RAINBOW** is its people. Nationally known people like Bill Barden, who has written 27 books on computer topics and writes for us each month. Or, Fred Scerbo, who writes special programs at the request of readers. Experts like Dick White and Joseph Kolar, two of the most knowledgeable writers on BASIC. Communicators like Marty Goodman and Cray Augsburg, who stay abreast of telecommunications advances. Or, Dan Downard, **RAINBOW** technical editor, who answers our readers' toughest questions. Educators like Dr. Michael Plog and Steve Blyn, who show how CoCo can be used at home or school. Advanced programmers like Dale Puckett, who guide you through the sophisticated OS-9 operating system. Electronics experts like Tony DiStefano, who explain the "insides" of the CoCo. These people, and many others, visit you monthly through columns available only in **THE RAINBOW**.

Every single issue of **THE RAINBOW** covers the wide spectrum of interests in the Tandy Color Computer — from beginners' tutorials and arcade games to telecommunications and business and finance programs. Helpful utilities and do-it-yourself hardware projects make it easy and fun to expand your CoCo's capabilities. And, monthly reviews by independent reader reviewers take the guesswork out of buying new software and hardware products.

Join the tens of thousands who have found **THE RAINBOW** to be an absolute necessity for their CoCo. With all this going for it, is it surprising that more than 90 percent of **THE RAINBOW** subscribers renew their subscriptions?

We're willing to bet that, a year from now, you'll be doing the same. For more information call (502) 228-4492. Or, for *credit card orders only*, you may call (800) 847-0309.

## Get Your Very Own Pot O' Gold!

Here's your chance to have a Pot O' Gold full of programs, articles and information about CoCo every month of the year! A subscription to **THE RAINBOW** is only \$31\* and you won't miss a single chock-full issue.

As the premier magazine for the Tandy Color Computer, **THE RAINBOW** has more of everything — and greater variety, too. Do yourself and your CoCo a favor and subscribe to **THE RAINBOW** today!

We accept VISA, MasterCard and American Express, Non-U.S. rates higher. **U.S. currency only, please.**

YES! Sign me up for a year (12 issues) of **THE RAINBOW**.

NEW  RENEW (Attach Label)

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

Payment Enclosed (Payment must accompany order)

Charge:  VISA  MasterCard  American Express

Account Number \_\_\_\_\_

Signature \_\_\_\_\_ Card Expiration Date \_\_\_\_\_

For credit card orders, you may wish to phone in your subscription; our orders only number is (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries, please call (502) 228-4492.

\*Subscriptions to **THE RAINBOW** are \$31 a year in the United States. Canadian rate is U.S. \$38. Surface rate elsewhere is U.S. \$68. Air mail U.S. \$103. All subscriptions begin with the current issue. Please allow 6 to 8 weeks for first copy. Kentucky residents add 5% sales tax. In order to hold down non-editorial costs, we do not bill.

## Rainbow On Tape Tops Typing

Tired of spending all your valuable computer time typing in those long, but wonderful, **RAINBOW** programs each month? Now there is **RAINBOW ON TAPE** to help ease the pain.

Each month all the lengthy programs (over 20 lines) in **THE RAINBOW** can come to you ready-to-run, thanks to **RAINBOW ON TAPE**. At \$80\* per year — or \$10 a tape \*\* — it is the biggest bargain going. (Note: **RAINBOW ON TAPE** will not run on Dragon or MC-10 computers.)

Back issues are available beginning with April 1982 (except May 1983). Each month's tape will arrive at approximately the same time as that month's issue of **THE RAINBOW**.

**RAINBOW ON TAPE** is not a stand-alone product; you will still need the magazine for loading and operating instructions and the necessary documentation. **THE RAINBOW** magazine is a separate purchase.

YES! Sign me up:  NEW  RENEW (Attach Label)

A Full Year  A Month (Specify Month & Year \_\_\_\_\_)

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

Payment Enclosed (Payment must accompany order)

Charge:  VISA  MasterCard  American Express

Account Number \_\_\_\_\_


Signature \_\_\_\_\_ Card Expiration Date \_\_\_\_\_

For credit card orders, you may wish to phone in your subscription; our orders only number is (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries, please call (502) 228-4492.

\*Subscriptions to **RAINBOW ON TAPE** are \$80 in the United States, \$90 U.S. funds in Canada and \$105 U.S. funds in all other countries. In order to hold down non-editorial costs, we do not bill. Kentucky residents add 5% sales tax. \*\* Individual back issues of the tapes are \$10 in the United States, \$12 U.S. funds for Canada and all other countries.



# What goes well with the *Rainbow*?



## Rainbow On Tape!

We call it the other side of **THE RAINBOW** and we may have to raise the price just to call your attention to it. With as many as two dozen programs every month, **RAINBOW ON TAPE** is a luxury service at a bargain basement price.

What is it? **RAINBOW ON TAPE** is a monthly cassette tape adjunct to **THE RAINBOW** and it's brimming with all the programs (those over 20 lines long) that fill the pages of the magazine. All you do is pop the cassette in your tape recorder and they're ready to run. No more lost weekends — or week nights — typing, typing, typing. With **RAINBOW ON TAPE**, you can read the article in the magazine then, in seconds, you load it up and run it. Yes, you could type them in yourself, as many people do. But all of them? Every month? There simply isn't enough time.

Isn't it time your CoCo became a full-time computer instead of a typewriter? Think how your software library will grow. With your first year's subscription, you'll get almost 250 new programs: games, utilities, business programs, home applications — the full spectrum of **THE RAINBOW'S** offerings without the specter of keying in page after page and then debugging.

**RAINBOW ON TAPE** — the "meat" of **THE RAINBOW** at a price that's "small potatoes." Food for thought. To get your first heaping helping, just fill out and return the attached reply card. No postage necessary.

Discover the other side of **THE RAINBOW**. It's not only a time-saver, it's the key to a whole new outlook!

**BUSINESS REPLY CARD**

FIRST CLASS PERMIT NO. 1 PROSPECT, KY

POSTAGE WILL BE PAID BY ADDRESSEE

**THE RAINBOW**  
THE COLOR COMPUTER MONTHLY MAGAZINE

The Falssoft Building

P.O. Box 385

Prospect, KY 40059



NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES



**BUSINESS REPLY CARD**

FIRST CLASS PERMIT NO. 1 PROSPECT, KY

POSTAGE WILL BE PAID BY ADDRESSEE

**THE RAINBOW**  
THE COLOR COMPUTER MONTHLY MAGAZINE

The Falssoft Building

P.O. Box 385


Prospect, KY 40059



NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES








## Drive 0 and 1 **269<sup>95</sup>**

One double sided drive with doubler board and new RS controller so you can have the equivalent of 2 drives in one. You can even backup from 0 to 1. Works with all CoCo's.




## ~~SOLE MONITOR~~ **59<sup>95</sup>**

Epson's Comrex 5650 has a 12" screen with 900 lines. Resolution for 80 column text and 18 MHZ band width, retail price was 139.95. 13" Color Monitor (not shown), now only \$139.95. These are new, in factory sealed cartons, NOT used, repacked, or refurbished. Add 7.00 s/h. Monitor Interface for any color Computer 29.95.




## 2 Drives **299<sup>95</sup>**

Both our drive 0 and 1 in one case, with cable and R.S. controller. The best just got better!




## Drive 1 Upgrade **119<sup>95</sup>**

Add a second 1/2 height drive to your Radio Shack® 26-3129. Comes with 3 minute installation instructions, screwdriver required. Double sided version (Drive 1 and 2) and doubler board add 79.00



## Drive 1 **125<sup>95</sup>**

Your Choice  
Silver or White



## **199<sup>95</sup>** Drive 0

### **SUPER DRIVE SALE**

Special prices on new first quality disk drives. They even have GOLD connectors on the back... Some other places charge 229.00 for dr. 1 and 299.00 for dr. 0, not us! Drive 1 is for mod I, Second Color Computer drive, or external mod III, IV. Drive 1 just plugs into the extra connector on your Drive 0 cable. Both drives are compatible with any version of the Color Computer and all versions of drives. Drive 0 is your first Color Computer drive and comes complete with cable, manual, and R.S. controller. For double-sided drive and doubler board add 79.00 (for Drive 0 & 1 or 1 & 2). Bare full hgt SSDD drive only 79.95.

#### **THE COMPUTER CENTER**


901-761-4565, 5512 Poplar, Memphis, TN 38119

Add \$4.90 for shipping and handling—Visa, MC & money orders accepted, No CODs

Allow an additional 2 weeks for personal checks—Drive faceplates may vary slightly

Prices subject to change without notice. Radio Shack is a registered trademark of Tandy Corporation





```

8Ø PRINT@226,"**      MONTREAL P.
Q.      **"
9Ø PRINT@258,"**":PRINT@283,"**"
1ØØ PRINT@29Ø,"*****"
*****"
11Ø PRINT@333,"COPY RIGHTS REG."
12Ø PRINT@448,"PRESS ANY KEY FOR
INST."
13Ø EXEC 44539


```

The listing: ASTRONAT

```

5 POKE 65494,Ø
1Ø CLS:PRINT@2,"*****"
*****"
2Ø PRINT@34,"** SALVAGE OF ASTRO
NAUTS **"
3Ø PRINT@66,"**":PRINT@91,"**"
4Ø PRINT@98,"**      BY
**"
5Ø PRINT@13Ø,"**":PRINT@155,"**"
6Ø PRINT@162,"**      RENE CAMIRA
ND      **"
7Ø PRINT@194,"**":PRINT@219,"**"

```



**'KEEP-TRAK' General Ledger Reg. \$69.95—ONLY \$24.95**

"Double-Entry" General Ledger Accounting System for home or business: 16k, 32k, 64k. User-friendly, menu-driven. Program features: balance sheet, income & expense statement (current & 'YTD'), journal, ledger, 899 accounts & 2350 entries on 32k & 64k (710 accounts & entries on 16k) (disk only). Version 1.2 has screen printouts. Rainbow Reviews 1.1 - 9/84 : 1.2-4/85

**"OMEGA FILE" Reg. \$69.95—ONLY \$19.95**

Filing data base. File any information with Omega File. Records can have up to 16 fields with 255 characters per field (4080 characters/record). Sort, match & print any field. User friendly menu driven. Manual included (32k/64k disk only). Rainbow Review 3/85, Hot CoCo 10/85

**BOB'S MAGIC GRAPHIC MACHINE**

Can generate BASIC code to use in your programs. Easy drawing and manipulation of circles, ellipses, boxes, lines and ARCS. Single joystick operation with on line HELPS at all times. Allows text on the graphics screen & movement of objects on the screen. Can be used as a stand-alone graphics editor. Instruction Manual. GRAPHICS EDITOR. Reg. \$39.95—ONLY \$19.95 for disk or tape. 64k ECB. Rainbow Review 7/85, Hot CoCo 9/85 "The graphics bargain of the year"

**'KEEP-TRAK' Accounts Receivable. (Avail. 10/01/85).**

Features: auto interest calculation, auto ageing of accounts, installment sales, total due sales, explanation space as long as you need, detailed statements, 'KEEP-TRAK' General Ledger tie in, account number checking, credit limit checking & more. User friendly/menu driven. Includes manual. \$39.95 or \$49.95 General Ledger & Accounts Receivables. (Disk Only).

**'COCO WINDOWS' Available 10/31/85**

With hi-res character display and window generator. Features an enhanced key board (klicks) and 10 programmable function keys. Allows the user to create multiple windows from basic. Includes menu driven printer setup and auto line numbering. Four function calculator, with memory. The above options can be called anytime while running or writing in BASIC. APPLE PULL YOUR DRAPES, YOU DON'T WANT TO SEE THIS. \$19.95 (disk or tape) includes manual.

CALL TOLL FREE

1-800-942-9402



THE OTHER GUY'S SOFTWARE (Add \$2.50 for postage & handling)  
P.O. Box H, 55 N. Main C.O.D., Money Order, Check in U.S. Funds  
Logan, UT 84321 (801) 753-7820 (Please specify if J&M controller)

```

14Ø CLS:PRINT@Ø,"USING THE SHIP
<ENTREPISE> YOU HAVE TO SAVE AS
MANY ASTRONAUTS AS POSSIBLE WIT
HOUT MISSING FUEL

```

GET POINTS FOR  
**ASTRONAUTS SAVED PLUS 1ØØPOINTS  
FOR FUEL LANDING"**

```

15Ø PRINT@224,"CKECK THE FUEL GA
UGE AT LEFT OF THE SCREEN <NO FU
EL: NO GO> USE THE RIGHT JST
K FOR MOVING"

```

```

16Ø PRINT@352,"YOU HAVE<6>FUEL L
ANDING TO SCORETHE MOST POINTS.T
HEN IT END"

```

```

17Ø PRINT@448,"PRESS ANY KEY FOR
ACTION"

```

```

18Ø EXEC44539
19Ø DIMZ(42,12):DIM L$(5Ø)
2ØØ CLS:BB=Ø
21Ø PRINT@7Ø,"1- SLOW":PRINT@19
8,"2- MEDIUM":PRINT@326,"3- FA

```



```

ST":PRINT@448,"---> YOUR CHOICE
?"
22Ø B$=INKEY$:IF B$=""THEN22Ø EL
SE IF B$="3" THEN GOTO 25Ø ELSE
IF B$="2" THEN GOTO 24Ø ELSE IF
B$="1" THEN GOTO 23Ø ELSE GOTO22
Ø
23Ø BB=1:GOTO 26Ø
24Ø BB=1.25:GOTO 26Ø
25Ø BB=1.5:GOTO26Ø
26Ø PMODE3,1:PCLS:SCREEN1,Ø:POKE
179,Ø
27Ø QQ=Ø
28Ø POKE 178,2
29Ø DRAW"BMØ,168E4R4E6R3E6R2F12R
6F8E8R6E8R4E2R2F18R4E4R4U6E6R3F1
ØR3F5R4E12R2F6R3F6E3R4E1ØR2F1ØD2
6":REM:PAINT(2,17Ø),4,4
30Ø POKE179,4:PAINT(2,17Ø)
31Ø FORB=ØTO2ØØ STEP2:LINE(B,19Ø
-RND(18))-(B,19Ø),PRESET:NEXTB
32Ø PMODE4,1:SCREEN1,1
33Ø FORT=8TO13Ø STEP6
34Ø L$="S"+STR$(RND(5)+1)+"BM"+S
TR$(RND(22Ø)+1Ø)+", "+STR$(T)+"S4
;R3D1L5D1R7BL2L5BR2R3BL3D1R2D1L2
D1R3"
35Ø POKE178,2
36Ø DRAW L$:NEXTT
37Ø DRAW"BMØ,136R1ØD1L1Ø"
38Ø PMODE4,1
39Ø DRAW"S4;BM22L,167R22F2G2L2BL
5BU2L14G2BE2H2BF2BG2L4H2E2R3U4R3
L6R3D4R2E1R2U1R2E1R2BR1R2F1R2D1R
2F1R2U4R3L6R3D4L2D1G1F2R1"
40Ø X=223 :Y=162
41Ø GET(X-14,Y-6)-(X+28,Y+14),Z,
G
42Ø A=223:B=162
43Ø A1=A:A=A+INT(JOYSTK(Ø)/6)-5
44Ø B1=B:B=B+INT(JOYSTK(1)/6)-5
45Ø IFA OR B=LEN(A$) THEN P=P+1
46Ø QQ=QQ+BB:LINE(Ø,Ø)-(5,QQ),PS

```

```

ET,BF:IF QQ=135THEN GOTO 6ØØ ELS
E48Ø
47Ø IF B>=185 THEN U=U
48Ø IF B>=185 THEN 57Ø
49Ø IF A<=214 AND B=>14Ø THEN A=
A1:B=B1
50Ø IF B=<1Ø THENB=1Ø
51Ø IFA>=217 THEN A=217
52Ø IF A=<2Ø THENA=2Ø
53Ø IF A=>2Ø5 AND B<186 THEN GOT
O 55Ø
54Ø IF A=>2Ø5 AND B=>186 THEN B=
B1:GOTO55Ø
55Ø PUT(A-14,B-6)-(A+28,B+14),Z,
PSET:Z=Ø
56Ø GOTO 43Ø
57Ø CLS:P=P+1ØØ:PRINT@139,"SCORE
:"; P;PRINT@39Ø,"FELICITATIO
N FOR THAT FUEL LA
NDING"
58Ø K=1ØØØ:IFU=5THEN K=1ØØØ
59Ø FORT=1TOK:NEXTT:U=U+1:IFU=6T
HEN62Ø ELSE GOTO26Ø
60Ø CLS:SCREEN1,Ø:PRINT@13Ø,"SOR
RY MAN YOUR A DEAD DUCK":PRINT@2
9Ø,"I TOLD YOU <NO FUEL><NO GO>
<NO POINTS>"
61Ø FORT=1TO3ØØØ:NEXTT:P=Ø:GOTO6
3Ø
62Ø PRINT@2Ø3,"FINAL SCORE":PRIN
T@295,"HOURRA !! CHAMPION !!":FO
RT=1TO25ØØ:NEXTT
63Ø CLS:PRINT@232,"ANOTHER GAME
?":PRINT@458,"< Y / N >"
64Ø WW$=INKEY$:IF WW$=""THEN64Ø
ELSE IF WW$="N" THEN 66Ø ELSE 65
Ø
65Ø P=Ø:U=Ø:GOTO 2ØØ
66Ø CLS:PRINT@162," HOPE YOU HAD
A GOOD GAME ":PRINT@29Ø," BYE!
...BYE!...":FORT=1TO2ØØØ:NEXTT:P
OKE113,3:EXEC4Ø999

```

## SPECTROGRAM

MAGAZINE FOR COLOR COMPUTER USERS.

- \* Programs for business, home management, self-improvement, games, utilities
- \* Reviews of Color Computer products
- \* Tutorials on programming in Assembly, C, Pascal, and Basic
- \* Contests

GROUP RATES: \$15 with orders of 5 or more subscriptions!



### SPECIAL OFFER

As an introductory offer, you can order the first year of SPECTROGRAM Magazine at 40% off the cover price. For \$18, you will receive 12 issues of the magazine that could become the most informative addition to your Color Computer system.

We want to establish a line of two-way communication between our staff and our readers as an aid in serving your needs. Please enclose any comments or special requests with your subscription form.

PLEASE SEND ME 12 ISSUES OF SPECTROGRAM MAGAZINE FOR \$18 (40% OFF THE COVER PRICE).

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_ Zip: \_\_\_\_\_

Check enclosed  Visa  Mastercard

Card # \_\_\_\_\_ Exp. Date \_\_\_\_\_

Mail to: SPECTROGRAM Magazine  
P.O. Box 138  
Rockford, IL 61105  
(815) 968-9600



# Rational Thinking

**R**atios is a hands-on exercise in converting fractions to ratios and percentages; the sort of exercise which enables a pupil to increase familiarity and skill by means of unlimited repetition.

If you enter the numerator and the denominator of a fraction, you have control over the level of difficulty. If you let CoCo enter random numerators and denominators, the level of difficulty is controlled by the magnitude of the numerator you choose (Line 370). In either case, the numerator is restricted to two digits and the denominator to three, which keeps the program within the ability limits of a disadvantaged pupil. Increase the level of difficulty by changing the values of LEN(A\$) and LEN(B\$) in lines 130 and 140 and VAL(CR\$) in Line 370. After five attempts, you are given the choice of entering your numbers or random numbers again.

In entering answers to questions, you are restricted to seven characters including a decimal. Illegal entries are erased and a new entry can be made. The instructions ask you not to type the

percent (%) sign because this is added to your answer.

After an answer has been entered, the screen shows either RIGHT or WRONG and the correct answer in both cases. The entries in lines 50 and 60 ensure that CoCo's correct answer (P\$) is the same length as your correct answer (E\$). If you enter 33.3 as the percentage equivalent of  $\frac{1}{3}$ , then you get ANSWER WAS 33.3%. If you enter 33.3333, then CoCo's correct answer will be 33.3333%. If your answer is wrong, then CoCo's correct answer may vary in length. This is followed by an X RIGHT OUT OF Y message and a score expressed as a ratio and a percentage in keeping with the theme of the exercise.

All the subroutines are at the beginning of the listing in lines 20 through 220. This should make it easier if you want to use them in your own programs. Change Line 20 to read  $X=A/B$  and Line 190 to read `PRINT@162,STRING$(L,"-")"/="";RETURN` and you have a basis for using the fraction for division exercises beginning at Line 240. Note that lines 180 and 190 ensure the fraction line has the length of whichever of the two, numerator or denominator, is longer.

*(Questions about this program may be directed to the author at van Montfoortlaan 31, 2296 SP The Hague, Holland. Please enclose an SASE when writing.)* □

---

*Keiran Kenny lives in The Hague, Holland, and began programming after seven years of retirement. He holds a degree in modern European languages, and has a special interest in the graphics and math possibilities of the CoCo.*



140	.....	214
260	.....	30
400	.....	113
550	.....	86
660	.....	141
730	.....	153
END	.....	93

The listing: RATIOS

```

1Ø CLS:GOTO23Ø
2Ø X=B/A:GOTO4Ø
3Ø X=(A/B)*1ØØ
4Ø X$=STR$(X)
5Ø E$=STR$(E):EX=LEN(E$)-LEN(STR$(INT(E)))
6Ø IFE=INT(E)ANDX<>INT(X)THENP$=LEFT$(X$,5)ELSEP$=LEFT$(X$,LEN(STR$(INT(X)))+EX)
7Ø RETURN
8Ø IFE$=P$THENR=R+1:PRINT@268,"RIGHT!":A$="ANSWER WAS"+P$:PRINT@3Ø3-INT(LEN(A$)/2),A$;:IFQ=1THENPRINT"%":GOTO1ØØELSE1ØØ
9Ø IFE$<>P$THENWR=WR+1:PRINT@268,"WRONG!":A$="ANSWER WAS"+P$:PRINT@3Ø3-INT(LEN(A$)/2),A$;:IFQ=1THENPRINT"%
1ØØ A$=STR$(R)+" RIGHT OUT OF"+STR$(R+WR)+" "+CHR$(8):PRINT@336-INT(LEN(A$)/2),A$+"!"
11Ø IFR>ØTHENE=(R+WR)/R:IE$="THAT IS 1 "+LEFT$(STR$(E),5)+" OR"+LEFT$(STR$(R/(WR+R)*1ØØ),6)+"%":PRINT@367-INT(LEN(IE$)/2),IE$
12Ø RETURN
13Ø LINEINPUTA$:A=VAL(A$):IFA<>INT(A)ORLEN(A$)>2THENPRINT@13Ø,CHR$(31):PRINT@13Ø,"";:GOTO13ØELSERETURN
14Ø LINEINPUTB$:B=VAL(B$):IFB<>INT(B)ORLEN(B$)>3THENPRINT@194,CHR$(31):PRINT@194,"";:GOTO14ØELSERETURN
15Ø LINEINPUTC$:IFLEN(C$)>7THENPRINT@16Ø+L+9,CHR$(8):PRINT@16Ø+L+9,"";:GOTO15ØELSEC=VAL(C$):RETURN
16Ø LINEINPUTD$:IFLEN(D$)>7THENPRINT@16Ø+L+LC+12,CHR$(31):PRINT@16Ø+L+LC+12,"";:GOTO16ØELSED=VAL(D$):RETURN
17Ø FORX=P TO P2STEP32:PRINT@X,CHR$(31):NEXT:RETURN
18Ø IFLEN(A$)>LEN(B$)THENL=LEN(A$)ELSEL=LEN(B$)
19Ø PRINT@162,STRING$(L,"-") =

```

```

1 :";:RETURN
2ØØ FORD=1TO15ØØ:NEXT:RETURN
21Ø PRINT@487,"PRESS ANY KEY.";
22Ø K$=INKEY$:IFK$=""THEN22ØELSERETURN
23Ø CLEAR2ØØ
24Ø PRINT@139,"<RATIOS>",,,,,,"BY KEIRAN KENNY, THE HAGUE, 1985"
25Ø PRINT@32Ø,"<ENTER> YOUR NAME , PLEASE (MAX. 14 CHARACTERS==>" ;:LINEINPUTNM$
26Ø IFLEN(NM$)>14THENP=32Ø:P2=416:GOSUB17Ø:GOTO25Ø
27Ø PRINT@422,"INSTRUCTIONS? Y/N ";
28Ø GOSUB22Ø
29Ø IFK$="Y"THENCLS:GOTO64Ø
3ØØ IFK$="N"THENCLS:GOTO32Ø
31Ø GOTO28Ø
32Ø PRINT@128,"MAKE YOUR CHOICE :":PRINT:PRINTTAB(5)"RANDOM NUMBERS, OR":PRINT:PRINTTAB(5)"ENTER YOUR OWN NUMBERS.":PRINT:PRINTTAB(5)"PRESS <R> OR <E>:";
33Ø GOSUB22Ø
34Ø IFK$="R"THENX=RND(-TIMER):V=1:PRINT"R":GOTO37Ø
35Ø IFK$="E"THENV=Ø:CLS:GOTO38Ø
36Ø GOTO33Ø
37Ø PRINT:W$=NM$+" WANTS A NUMERATOR":PRINT@4ØØ-LEN(W$)/2,W$:PRINT@456,"NO LARGER THAN:";:LINEINPUTCR$:IFVAL(CR$)<1ORLEN(CR$)>2THENP=448:P2=448:GOSUB17Ø:PRINT@448,"";:GOTO37ØELSEGOSUB2ØØ:CLS:GOTO4ØØ
38Ø CLS:IFK$="E"ORK$="Y"THENPRINT@32,"ENTER NUMERATOR (THE TOP NUMBER IN A FRACTION)."
39Ø PRINT@13Ø,"";:GOTO41Ø
4ØØ IFK$="R"ORK$="Y"THENA=RND(VAL(CR$)):A$=RIGHT$(STR$(A),LEN(STR$(A))-1):PRINT@13Ø,A$:GOTO44Ø
41Ø GOSUB13Ø:P=32:P2=64:GOSUB17Ø
42Ø PRINT@32,"ENTER DENOMINATOR (THE BOTTOM NUMBER)."
43Ø PRINT@194,"";:GOTO46Ø
44Ø B=A+RND(VAL(CR$))
45Ø B$=RIGHT$(STR$(B),LEN(STR$(B))-1):PRINT@194,B$:GOSUB18Ø:GOTO49Ø
46Ø GOSUB14Ø:GOSUB18Ø
47Ø IFB<A THENPRINT@224,"TOO SMALL! TRY AGAIN!":GOSUB2ØØ:P=194:P2=224:GOSUB17Ø:GOTO43Ø
48Ø P=32:P2=64:GOSUB17Ø
49Ø PRINT@32,"ENTER NUMBER AFTER COLON (WITH DECIMAL WHERE NECE

```



```

SSARY).
500 PRINT@160+L+9,"";:P=320:GOSU
B150:E=C
510 GOSUB20:GOSUB80
520 PRINT@32,"ENTER THE EQUIVALE
NT PERCENTAGE (WITH DECIMALS IF
NECESSARY). "
530 LC=LEN(C$):PRINT@160+L+LC+10
,"="";:GOSUB160:PRINT@160+L+LC+1
1+LEN(STR$(D)), "%":E=D
540 GOSUB30:P=256:P2=352:GOSUB17
0:Q=1:GOSUB80
550 PRINT@457,"ANOTHER? Y/N"
560 GOSUB220
570 IFK$="Y"AND(R+WR)/5=INT((R+W
R)/5)THENQ=0:CLS:GOTO320
580 IFK$="Y"ANDV=1THENCLS:Q=0:GO
TO400
590 IFK$="Y"ANDV=0THENQ=0:GOTO38
0
600 IFK$="N"THENCLS:GOTO620
610 GOTO560
620 TK$="THANKS "+NM$+"!":PRINT@
112-INT(LEN(TK$)/2),TK$:PRINT@16
0," I HOPE YOU LIKED THE TEST AN
D LEARNED SOMETHING FROM IT.":
PRINT@455,"TO END PROGRAM":GOSUB
210
630 CLS:END

```

```

640 PRINT@7,"***INSTRUCTIONS***"
:PRINT@32,"GIVEN THE NUMERATOR (
THE TOP NUMBER) OF A FRACTION
LIKE THIS:":PRINT@101,CHR$(159)
:GOSUB200
650 PRINT@100,3:GOSUB200:PRINT@8
6,CHR$(31):PRINT@85,";"
660 PRINT@96,"THEN THE DENOMINAT
OR (BOTTOM NUMBER), LIKE THIS
:":PRINT@164,3:PRINT@197,"-":PRI
NT@229,CHR$(159):GOSUB200
670 PRINT@228,4:GOSUB200:PRINT@1
35,CHR$(31):PRINT@135,";"
680 PRINT@160,"<ENTER> THE NUMBE
R AFTER THE COLON (':') LIKE
THIS:":PRINT@228,3:PRINT@261,"-
= 1 : "+CHR$(159):PRINT@292,4:GO
SUB200
690 PRINT@268,1.33:GOSUB200:PRIN
T@204,CHR$(31):PRINT@203,";"
700 PRINT@224,"AND THEN CONVERT
THE FRACTION INTO A PERCENTAGE
LIKE THIS:":PRINT@292,3:PRINT@3
25,"- = 1 : 1.33 = "+CHR$(159):P
RINT@356,4:GOSUB200
710 PRINT@340,"75%":PRINT@416,"I
'M NOT GOING TO TELL YOU HOW TOD
O YOUR ARITHMETIC!":K$=INKEY$:GO
SUB210
720 CLS:PRINT@0,"YOU CAN <ENTER>
YOUR OWN NUMBERS ABOVE AND BELOW
THE LINE OR LET THE COMPUTER EN
TER A NUMERATOR AND A DENOMINAT
OR AS RANDOM NUMBERS. IN THI
S CASE YOU CAN CHOOSE THE HIGH
EST VALUE FOR THENUMERATOR (MAXI
MUM 99). "
730 PRINT:PRINT"BEGIN WITH SMALL
NUMBERS AND TRY TO CALCULATE THE
ANSWERS IN YOUR HEAD AS AN EXERC
ISE IN MENTAL ARITHMETIC. TRY
LARGER NUMBERS TOO AS AN EXERCISE
IN USING YOUR CALCULATOR OR IN
MAKING CALCULATIONS ON PAPER.
":GOSUB210
740 CLS:PRINT@0,"<ENTER> NUMBERS
AS FOLLOWS:":PRINT:PRINT"NUMERA
TOR, 1-2 DIGITS, NO DECI-MAL. M
AXIMUM 99;"
750 PRINT:PRINT"DENOMINATOR, 1-3
DIGITS, NO DECIMAL. MAXIMUM 99
9;"
760 PRINT:PRINT"ANSWERS, MAXIMUM
WITH DECIMAL SEVEN CHARACTERS
. DO NOT TYPE THE '%' SIGN."
770 PRINT:PRINT"ILLEGAL ENTRIES
WILL SELF-ERASE AND YOU CAN TRY
AGAIN!"
780 GOSUB210:CLS:GOTO320

```

## ARTIFICIAL INTELLIGENCE FOR YOUR COCO

### THREE GREAT PROGRAMS —

1. CoCo EXPERT — INCREASE YOUR HAPPINESS
2. CoCo THERAPIST — DISCUSS YOUR PROBLEMS
3. CoCo POET — ENDLESS STIMULATING POETRY

COMPLETE DOCUMENTATION INCLUDES  
"THE HISTORY OF AI"

**ALL JUST \$34.95** (SPECIFY TAPE OR DISK)



**THINKING SOFTWARE, INC.**  
46-16 65 PLACE  
WOODSIDE, N.Y. 11377  
(718) 429-4922



Get your  
message across using . . .

# The Electronic Marquee

By  
Keiran Kenny

Winner  
of the  
ROY G. BIV  
Award

**D**isplay uses the SET command to put the message of your choice on the screen to attract attention to your store display, garage sale or what have you. It displays in big letters using all the colors CoCo has to offer. The horizontal and vertical SET values for most characters are in DATA lines 100, 110, 120 to 210 and 220 to 470. The data in lines 500 to 510 set the starting and finishing sequence number for each character as in data lines 100 to 470.

The character set includes the dollar sign, hyphen, numbers zero through nine and the letters A to Z. In addition, lines 550 to 570 in subroutine 540 set the coordinates for the period (.), spacebar and the exclamation (!) sign. These characters have spacing requirements which differ from the other characters.

The screen has four text lines and you

*Keiran Kenny lives in The Hague, Holland and began programming after seven years of retirement. He holds a degree in modern European languages, and has a special interest in the graphics and math possibilities of the CoCo.*

can put up to eight letters or numbers in each line. As in Line 990, you can also get away with seven letters or numbers plus a space and two punctuation signs.

To put text on the screen, follow the examples beginning at Line 690. PP is the horizontal coordinate at which text begins. For a line consisting of eight letters or numbers you need PP equal to zero but, for less, you can vary the value of PP in order to center your text. The lines are numbered one to four from top to bottom and the line number is labeled LL. The vertical position of the lines cannot be varied.

You have nine choices of color established by the variable CC: the familiar one through eight colors, and nine, which gives the multicolored effect as in the words RAINBOW in Line 690 and COLOR T.V. in Line 990. Actually there is another choice, CC=RND(8), which gives (usually) a different but uniformly colored word each time you repeat the display. I have not used it here because I prefer to choose my colors rather than leave them to chance. Your text is put into a string labeled W\$ followed by GOSUB 540.



# Radio Shack has the

## Computer System Furniture

**299<sup>00</sup>** Reg. Separate Items 319.80



Spacious modular workstation is ideal for home or office. Features simulated oak finish. Easy to assemble.

**A System Desk.** Twin cable management slots for easy connections.

26-1356 . . . . . 119.95

**B Storage Hutch.** Mounts on system desk. Features adjustable "second shelf" on either side.

26-1359 . . . . . 59.95

**Half-Width Hutch.** (Not shown). 26-1374 . . . 54.95

**C Corner Section.** Connects system desk and printer stand for a convenient "work corner."

26-1358 . . . . . 39.95

**D Printer Stand.** With output paper catcher and storage shelf.

26-1357 . . . . . 99.95


### Monitor Pedestal



**16<sup>95</sup>**

Adjustable platform rotates and tilts. Holds all Tandy monitors. Color and finish match monitors. Base: 11 x 10 1/4". (26-1369)

### Printer Supports



**16<sup>95</sup>**

Elevates printer so fanfold paper can be placed underneath. Use with 80-column printers. Durable crystal polystyrene. Easy to assemble. (26-1367)

### Diskette Storage



Low As

**12<sup>95</sup>**

3 1/2". Holds 30. 26-1381 . . . . . 12.95  
5 1/4". Holds 50. 26-1362 . . . . . 14.95  
8". Holds 50. 26-4953 . . . . . 24.95

### Disk Drive Head Cleaning Kits

Low As  
**7<sup>95</sup>** Each



Disk Size	Cat. No.	Each
*3 1/2"	26-419	9.95
5 1/4"	26-408	7.95
8"	26-4957	8.95

\*Single sided only

### Fanfold Printer Paper




Size	Parts	Design	Vertical	Qty.	Cat. No	Price
14 7/8 x 11"	1	Greenbar	No	500	26-1330	11.95
14 7/8 x 11"	1	Greenbar	No	1500	72-300	34.95
14 7/8 x 11"	1	Greenbar	No	3500	26-1417	69.95
14 7/8 x 11"	1	White	No	1500	72-303	34.95
9 1/2 x 11"	1	Greenbar	Yes	1500	72-304	24.95
9 1/2 x 11"	1	Greenbar	Yes	3500	26-1403	49.95
9 1/2 x 11"	1	White	Yes	500	26-1423	8.95
9 1/2 x 11"	1	20# White	Yes	500	26-1387	10.95
9 1/2 x 11"	1	20# White	Yes	1250	26-1427	24.95
9 1/2 x 11"	1	20# White	Yes	2500	72-311	44.95
9 1/2 x 11"	2	White	Yes	750	72-305	34.95

### Mailing Labels

#### Pressure-Sensitive Fanfold

Low As  
**6<sup>95</sup>**



1-Wide. 4 1/2" carrier. Pkg./1000. 26-1328 . . . . . 6.95  
1-Wide. 4 1/2" carrier. Pkg./5000. 72-402 . . . . . 24.95  
2-Wide. 9 1/2" carrier. Pkg./2000. 72-401 . . . . . 15.95  
3-Wide. 9 1/2" carrier. Pkg./3000. 72-400 . . . . . 16.95  
2-Wide. Dry gum. 9 1/2" carrier. Pkg./2400. 26-1456 . . . 9.95

Items Shown With Optional Computer Components (Not Included).



# best of everything.

## Low-Cost, Compact Computer Workcenter

# 89<sup>95</sup>

- Organize Your Computer System With This Compact, Efficient Workstation
- Beautifully Designed and Finished to "Fit In" with Other Furniture

Our beautifully styled, simulated oak finish workcenter features a full-width monitor shelf (41<sup>1</sup>/<sub>2</sub> × 14<sup>3</sup>/<sub>4</sub>" ), space for computer and printer, plus plenty of workspace. This easy-to-assemble workcenter comes with adjustable glides. (26-1350)



Perfect for Home, Office or School

## Data Communications Modem




# 59<sup>95</sup>

DCM 3. 300-bps modem plugs directly into modular phone outlet. DB25 and 4-pin DIN connectors. Bell 103 compatible, full duplex. FCC registered. (26-1178)

**Radio Shack®**  
**The Technology Store™**  
 A DIVISION OF TANDY CORPORATION

## Certified Unformatted Diskettes

- Double Density
- Manufactured to the Highest Standards of Excellence
- Buy in 10-Pack Quantities and Save



### Single Sided

Size	Tracks	Quantity	Cat. No.	Price
3 1/2"	80	3	26-415	15.95
	80	10	26-416	44.95
5 1/4"	40	1	26-305	2.19
	40	3	26-405	5.95
	40	10	26-406	15.95
8"	77	3	26-4904	10.95
	77	10	26-4906	34.95

### Double Sided

Size	Tracks	Quantity	Cat. No.	Price
5 1/4"	40	3	26-411	6.95
	40	10	26-412	16.95
	80	3	26-409	8.95
	80	10	26-410	24.95
80 (high density)		3	26-421	15.95
		10	26-422	44.95
8"	77	3	26-4961	12.95
	77	10	26-4960	39.95

Send me an RSC-17 Computer Catalog.

Name \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_  
 State \_\_\_\_\_ ZIP \_\_\_\_\_  
 Phone \_\_\_\_\_

Radio Shack  
 Dept. 87-A-21  
 300 One Tandy Center  
 Fort Worth, Texas 76102



To erase a line, enter the line number, LL and GOSUB 530. In the program, by way of example, the eraser is used to erase lines one at a time by means of separate entries or, as in Line 800, three at a time using a loop.

I have tried to ensure that *Display* will also fit a 16K ECB machine. Thus, in Line 30, I took as many bytes as I could from CoCo's statutory 200 bytes reserved for string space. If you get an OS Error when trying to save the program, then increase the CLEARB in Line 30 to a slightly higher number.

Be very careful when you type the DATA lines 100 to 470 and 500 to 510, especially with the commas, which represent zero. If you make a mistake

in typing you should get a DATA Error message, but that is not always completely reliable. You could type a two for a three and then a three for a two a few values later and the checksum remains correct. Your best guide is the appearance of the letters and numbers themselves. If you find a blob sticking out where it obviously should not be, then check the DATA line for the offender. Each character has its own line in numerical or alphabetical order.

If you do not have Extended Color BASIC, then I hope you have *Little E* [October 1984, Page 119] so you can edit any necessary corrections into a line instead of having to retype the whole line.

Note the high speed POKE in Line 20. If your CoCo cannot take it, delete or leave it out.

In the demonstration program, the two displays keep on repeating. This ensures some movement on the screen and that is what attracts notice and holds attention. Movement can be anything, like erasing or entering lines, but it must be slow enough to be perceptible. I think the speed in this program, with or without the high speed POKE, is just about right.

(You may direct questions about this program to Mr. Kenny at van Montfoortlaan 31, 2296 SP The Hague, Holland. Please enclose an SASE when writing.) □

130	.....	208	520	.....	84
210	.....	236	630	.....	38
280	.....	49	770	.....	57
360	.....	147	900	.....	18
440	.....	128	END	.....	182

The listing: DISPLAY

```

Ø '16K ECB PCLEAR1 BEFORE YOU
  LOAD THIS PROGRAM.
1Ø CLS
2Ø POKE65495,Ø
3Ø CLEAR8
4Ø PRINT@138,"*DISPLAY*"
5Ø PRINT@224,"BY KEIRAN KENNY, T
HE HAGUE, 1986"
6Ø PRINT:PRINT"PLEASE EXCUSE THE
  SLIGHT DELAY. I HAVE A LOT OF D
ATA TO DIGEST!"
7Ø DIM H(678),V(678),A(38),B(38)
8Ø FORI=1TO678:READHH,VV:H(I)=HH
:V(I)=VV:DE=DE+HH+VV:NEXT
9Ø IFDE<>3895THENPRINT:PRINT"DAT
A ERROR LINES 1ØØ-47Ø!":STOP
99 '$
1ØØ DATA 3,,1,1,1,2,1,3,1,4,1,5
,1,6,1,,2,3,2,,3,1,3,2,3,3,3,4
,4,3,5,3,6,3,6,4,6,5,5,5,4,5,3,5
,3,6,2,5,1,5,,5
1Ø9 '-
11Ø DATA 2,4,3,4
119 'Ø-9
12Ø DATA 2,,3,,4,,1,1,5,1,,2,6,2
,,3,6,3,,4,6,4,1,5,5,5,2,6,3,6,4
,6
13Ø DATA 3,,2,1,3,1,3,2,3,3,3,4,
3,5,3,6,2,6,4,6
14Ø DATA ,1,1,,2,,3,,4,,5,1,6,2,
5,3,4,4,3,4,2,4,1,4,,4,,5,,6,1,6
,2,6,3,6,4,6,5,6,6,6

```

```

15Ø DATA ,1,1,,2,,3,,4,,5,1,6,2,
5,3,4,3,3,3,6,4,5,5,4,6,3,6,2,6,
1,6,,5
16Ø DATA ,,1,,2,,3,,4,,5,1,5,2,
5,3,5,4,5,4,4,4,6,5,5,6,5
17Ø DATA ,,1,,2,,3,,4,,5,,1,,2,
1,2,2,2,3,2,4,2,5,3,6,4,5,5,4,6,
3,6,2,6,1,6,,5
18Ø DATA 6,1,5,,4,,3,,2,,1,,,1,,
2,,3,1,3,2,3,3,3,4,3,5,3,6,4,6,5
,5,6,4,6,3,6,2,6,1,6,,5,,4
19Ø DATA ,,1,,2,,3,,4,,5,,6,,6,1
,5,2,4,3,3,4,2,5,1,6
20Ø DATA 1,,2,,3,,4,,5,,6,1,6,2,
5,3,4,3,3,3,2,3,1,3,,4,,5,1,6,2,
6,3,6,4,6,5,6,6,5,6,4,,1,,2
21Ø DATA 1,,2,,3,,4,,5,,6,1,6,2,

```





```

6,3,5,3,4,3,3,3,2,3,1,3,,2,,1,6,
4,6,5,5,6,4,6,3,6,2,6,1,6,,5
219 'A-Z
220 DATA ,6,,5,,4,,3,,2,,1,1,,2,
,3,,4,,5,,6,1,6,2,6,3,5,3,4,3,3,
3,2,3,1,3,6,4,6,5,6,6
230 DATA ,,1,,2,,3,,4,,5,,6,1,6,
2,5,3,4,3,3,3,2,3,1,3,6,4,6,5,5,
6,4,6,3,6,2,6,1,6,,6,,5,,4,,3,,2
,,1
240 DATA 1,,2,,3,,4,,5,,6,,6,1,,
1,,2,,3,,4,,5,1,6,2,6,3,6,4,6,5,
6,6,6,6,5
250 DATA ,,1,,2,,3,,4,,5,,6,1,6,
2,6,3,6,4,6,5,5,6,4,6,3,6,2,6,1,
6,,6,,5,,4,,3,,2,,1
260 DATA ,,1,,2,,3,,4,,5,,6,,1,
,2,,3,1,3,2,3,3,3,4,3,,4,,5,,6,1
,6,2,6,3,6,4,6,5,6,6,6
270 DATA ,,1,,2,,3,,4,,5,,6,,1,
,2,,3,1,3,2,3,3,3,4,3,,4,,5,,6
280 DATA 1,,2,,3,,4,,5,,6,,6,1,,
1,,2,,3,,4,,5,1,6,2,6,3,6,4,6,5,
6,6,6,6,5,6,4,5,4
290 DATA ,,1,,2,,3,,4,,5,,6,1,3
,2,3,3,3,4,3,5,3,6,,6,1,6,2,6,3,
6,4,6,5,6,6
300 DATA 2,,3,,4,,3,1,3,2,3,3,3,
4,3,5,3,6,2,6,4,6
310 DATA ,5,,6,1,6,2,6,3,6,4,6,5
,6,5,5,5,4,5,3,5,2,5,1,5,,4,,6,
320 DATA ,,1,,2,,3,,4,,5,,6,1,3
,2,3,3,2,4,1,5,,3,4,4,5,5,6
330 DATA ,,1,,2,,3,,4,,5,,6,1,6
,2,6,3,6,4,6,5,6,6,6
340 DATA ,,1,,2,,3,,4,,5,,6,1,1
,2,2,3,3,4,2,5,1,6,,6,1,6,2,6,3,
6,4,6,5,6,6
350 DATA ,,1,,2,,3,,4,,5,,6,1,,
2,1,3,2,4,3,5,4,6,,6,1,6,2,6,3,6
,4,6,5,6,6
360 DATA ,1,,2,,3,,4,,5,1,6,2,6,
3,6,4,6,5,6,1,,2,,3,,4,,5,,6,1,6
,2,6,3,6,4,6,5
370 DATA ,,1,,2,,3,,4,,5,,6,1,,
2,,3,,4,,5,,6,1,6,2,5,3,4,3,3,3,
2,3,1,3
380 DATA ,1,,2,,3,,4,,5,1,,2,,3,
,4,,5,,6,1,6,2,6,3,6,4,4,4,5,5,6
,6,1,6,2,6,3,6,4,6
390 DATA ,,1,,2,,3,,4,,5,,6,1,,
2,,3,,4,,5,,6,1,6,2,5,3,4,3,3,3,
2,3,1,3,3,4,4,5,5,6
400 DATA 6,1,6,,5,,4,,3,,2,,1,,,
1,,2,1,3,2,3,3,3,4,3,5,3,6,4,6,5
,5,6,4,6,3,6,2,6,1,6,,6,,5
410 DATA ,,1,,2,,3,,4,,5,,6,,3,1
,3,2,3,3,3,4,3,5,3,6

```

```

420 DATA ,,1,,2,,3,,4,,5,1,6,2,
6,3,6,4,6,5,6,6,5,6,4,6,3,6,2,6,
1,6,
430 DATA ,,1,,2,,3,1,4,2,5,3,6,
4,5,5,4,6,3,6,2,6,1,6,
440 DATA ,,1,,2,,3,,4,,5,,6,1,5
,2,4,3,3,4,4,5,5,6,6,6,5,6,4,6,3
,6,2,6,1,6,
450 DATA ,,1,1,2,2,3,3,4,4,5,5,6
,6,,6,1,5,2,4,4,2,5,1,6,
460 DATA ,,1,1,2,2,3,3,4,3,5,3,
6,4,3,5,2,6,1,6,
470 DATA ,,1,,2,,3,,4,,5,,5,1,4,
2,3,3,2,4,1,5,1,6,2,6,3,6,4,6,5,
6,6,6
480 FORZ=1TO38:READAA,BB:A(Z)=AA
:B(Z)=BB:DE=DE+AA+BB:NEXT
490 IF DE<>300021THENPRINT:PRINT"
DATA ERROR LINES 500-510!":STOP
500 DATA 1,27,28,29,30,45,46,55,
56,76,77,93,94,107,108,127,128,1
50,151,163,164,186,187,209,210,2
31,232,257,258,276,277,298,299,3
21,322,338,339,359,360,378,379,3
89
510 DATA 390,404,405,419,420,432
,433,451,452,470,471,490,491,509
,510,530,531,552,553,575,576,588
,589,605,606,618,619,637,638,650
,651,661,662,678
520 GOTO680
530 N=(LL-1)*128+1024:FORX=N TO
N+127:POKEX,128:NEXT:RETURN
540 L=(LL-1)*8:FORZB=1TO LEN(W$)
:Z$=MID$(W$,ZB,1)
550 IFZ$=CHR$(46)THENSET(PP,L+6,
C):PP=PP+2:NEXT:RETURN
560 IFZ$=CHR$(32)THENPP=PP+4:NEX
T:RETURN
570 IFZ$="!"THENSET(PP,L+6,C):SE
T(PP,L+4,C):SET(PP,L+3,C):SET(PP
,L+2,C):SET(PP,L+1,C):SET(PP,L,C
):PP=PP+2:NEXT:RETURN
580 GOSUB590:PP=PP+8:NEXT:RETURN
590 IFZ$="$"THENZ=ASC(Z$)-35
600 IFZ$="-"THENZ=ASC(Z$)-43
610 IFZ$>"/"ANDZ$<":"THENZ=ASC(Z
$)-45
620 IFZ$>"@"ANDZ$<CHR$(91)THENZ=
ASC(Z$)-52
630 FORI=A(Z) TO B(Z)
640 IFCC=9THENC=RND(8):GOTO660
650 C=CC
660 SET(PP+H(I),L+V(I),C):NEXT:R
ETURN
670 FORD=1TO2000:NEXT:RETURN
680 CLS0
690 PP=4:LL=1:CC=9:W$="RAINBOW":

```



```

GOSUB540
700 PP=2:LL=2:CC=1:W$="HAS MANY"
:GOSUB540
710 PP=0:LL=3:CC=2:W$="PROGRAMS"
:GOSUB540
720 PP=6:LL=4:CC=3:W$="FOR YOU."
:GOSUB540
730 GOSUB670
740 LL=2:GOSUB530
750 PP=12:LL=2:CC=4:W$="GAMES":G
OSUB540
760 LL=3:GOSUB530:LL=4:GOSUB530
770 PP=2:LL=3:CC=5:W$="ADVEN-":G
OSUB540
780 PP=18:LL=4:CC=5:W$="TURES":G
OSUB540
790 GOSUB670
800 FORLL=2TO4:GOSUB530:NEXT
810 PP=0:LL=2:CC=6:W$="SIMUL-":G
OSUB540
820 PP=12:LL=3:CC=6:W$="ATIONS":
GOSUB540
830 PP=0:LL=4:CC=7:W$="AND MORE.
":GOSUB540
840 GOSUB670
850 LL=2:GOSUB530
860 PP=2:LL=2:CC=8:W$="FOR ONLY"

```

```

:GOSUB540
870 LL=3:GOSUB530
880 PP=10:LL=3:CC=2:W$="$31.00":
GOSUB540
890 LL=4:GOSUB530
900 PP=0:LL=4:CC=7:W$="PER YEAR!
":GOSUB540
910 GOSUB670
920 LL=2:GOSUB530
930 PP=6:LL=2:CC=2:W$="ON TAPE":
GOSUB540
940 LL=3:GOSUB530
950 PP=10:LL=3:CC=2:W$="$80.00":
GOSUB540
960 GOSUB670
970 CLS0
980 PP=2:LL=1:C=8:W$="FOR SALE":
GOSUB540
990 PP=0:LL=2:CC=9:W$="COLOR T.V
.":GOSUB540
1000 PP=2:LL=3:CC=4:W$="BARGAIN!
":GOSUB540
1010 PP=6:LL=4:CC=5:W$="$126.75"
:GOSUB540
1020 GOSUB670
1030 GOTO680

```



# AVAILABLE NOW DRAGON USER



To make the most of your new Dragon microcomputer from Dragon-Tano, you need *Dragon User* — the international, independent magazine for Dragon owners.

- Each issue of *Dragon User* contains:
- reviews of the latest software
  - programming advice for beginners
  - hardware projects

- program listings covering games and utilities
- reviews of Dragon peripherals and add-ons
- technical advisory service
- programming articles for users

The Dragon microcomputer was launched in the UK last year. Since then we have developed a knowledge and mastery of the machine's abilities. You can benefit from our experience by subscribing to *Dragon User*, which is expanding its coverage to include all US developments.

To make sure that you receive a copy of *Dragon User* regularly, subscribe direct to us. This costs only \$29.95 for 12 issues airspeeded to you — or take advantage of our special offer to long-term subscribers. Individual copies of the magazine can be obtained from your Dragon dealer.

**Subscription order form.** Receive a free book and save money by taking out a long-term subscription — a two-year subscription saves 10%, a three-year subscription saves 20%. In addition, long-term subscribers will receive a free copy of either  *The Working Dragon* or  *Dragon Games Master*. Please send a check, made payable to *Dragon User*, with this form.

Start my subscription from the following issue .....

Name .....

Address .....

Signed..... Date.....

Subscription rates US and Canada airspeeded  US\$29.95 for 12 issues/1 year  
 US\$53.90 for 24 issues  US\$71.90 for 36 issues. Send this form to  
*Dragon User*, % Business Press International, 205 E. 42nd St., New York, NY 10017



*Lighten the end-of-semester work load  
with this handy program that's sure to  
become . . .*

# The Teacher's Pet

By Ron Powers

**T**he end of a grading period is always hectic. At such a time a computerized grade calculator can save a lot of headaches. A program like this can also be used at the midpoint of a grading period when parent-teacher conferences are often held.

I operate on a point system and keep raw scores in my gradebook. This way I can also keep track of scores for workbook lessons, homework, quizzes, tests and written and oral reports. That way I am not always having to calculate percentage grades. The percentage and letter grades are calculated by *The Grade Calculator*.

*The Grade Calculator* does not store data to either tape or disk files, but prints out the results for each student as they are entered.

When the program is run, you are asked to enter the class, such as English I-A. This will be printed on each student

*Ron Powers lives in Davenport, North Dakota and teaches high school English. Before reentering the teaching profession in 1985, he spent 20 years as a broadcast journalist. A CoCo owner for three years, Ron has only had a serious interest in programming for less than a year.*

JIM	MATH	
GRADE #	SCORE	PERFECT SCORE
1	98	100
2	83	100
3	87	100
4	91	100
TOTALS	359	400
PERCENT GRADE = 89.75		
LETTER GRADE = B		

Sample Printout

report. Next, you are asked to enter the number of scores to be averaged. This figure is used to dimension variables. Then you are asked to enter the perfect scores. The perfect scores, once entered, are kept in memory.

Next, you are prompted to enter a student's name. At this point, the class name, student name and column headings are printed. Enter the student scores, and, as each is entered, the printer prints what number score that is, the student score and the corresponding perfect score. When all the scores are entered, a percentage grade is calculated and printed, followed by a letter grade.

Line 60 dimensions the student score variable, A(S), and the perfect score variable, B(S). Lines 70 to 90 allow entering perfect scores. Line 100 is for

entering the student's name and printing the headings. Lines 120 to 170 create a FOR/NEXT loop for entering student scores; printing score #, perfect score and student score; and keeping running totals of both sets of scores. Line 190 calculates the percentage grade, and the subroutine beginning at Line 300 chooses the proper letter grade.

While *The Grade Calculator* is a very simple program, it does the job in much less time than figuring grades by hand or with a pocket calculator. Printing each individual score lets you double-check that all entries were properly made.

(You may direct your questions to the author at Rt. 1 Box 43, Davenport, ND 58021, 701-347-4321. Please enclose an SASE for a reply.)



```

1 GOTO 1Ø
2 SAVE"GRADCALC":SAVE"GRACAL2",A
:END
3 '*****GRADCALC/BAS*****
4 '*****COPYRIGHT 1985*****
5 '*****RON POWERS*****
6 '*****DAVENPORT, ND 58Ø21****
1Ø CLEAR 5ØØØ
2Ø CLS:PRINT"    SCORE TO PERCENT
CALCULATOR"
3Ø PRINT:PRINT"MAKE SURE PRINTER
IS TURNED ON AND PAPER IS POSI
TIONED PROPERLY"
4Ø LINE INPUT "CLASS ==> ";G$
5Ø PRINT:INPUT "NUMBER OF SCORES
TO BE AVERAGED";S
6Ø DIM A(S), B(S)
7Ø FORX=1TOS
8Ø INPUT "PERFECT SCORE ";B(X)
9Ø NEXT X
1ØØ CLS:LINE INPUT "NAME ==> ";N
$:PRINT#-2,TAB(5)N$:TAB(25);G$
11Ø PRINT#-2,TAB(5)"GRADE #";TAB
(17)"SCORE";TAB(35)"PERFECT SCOR
E"
12Ø FORX=1TOS
    
```

```

13Ø INPUT "STUDENT SCORE ";A(X)
14Ø PRINT#-2,TAB(5)X;TAB(17)A(X)
;TAB(35)B(X)
15Ø G=A(X):G1=G+G1
16Ø H=B(X):H1=H+H1
17Ø NEXTX
18Ø PRINT#-2,TAB(5)"TOTALS";TAB(
17)G1;TAB(35)H1
19Ø R=G1/H1*1ØØ
2ØØ PRINT#-2,TAB(5)"PERCENT GRAD
E = ";R
21Ø GOSUB3ØØ
22Ø PRINT#-2,TAB(5)"LETTER GRADE
= ";L$
225 PRINT#-2,"":PRINT#-2,""
23Ø G=Ø:G1=Ø:H=Ø:H1=Ø:GOTO 1ØØ
3ØØ IF R>=96 THEN L$="A":RETURN
31Ø IF R>=94 THEN L$="A-":RETURN
32Ø IF R>=92 THEN L$="B+":RETURN
33Ø IF R>=89 THEN L$="B":RETURN
34Ø IF R>=87 THEN L$="B-":RETURN
35Ø IF R>=85 THEN L$="C+":RETURN
36Ø IF R>=82 THEN L$="C":RETURN
37Ø IF R>=8Ø THEN L$="C-":RETURN
38Ø IF R>=78 THEN L$="D+":RETURN
39Ø IF R>=76 THEN L$="D":RETURN
4ØØ IF R>=75 THEN L$="D-":RETURN
41Ø IF R<75 THEN L$="F":RETURN
    
```

# PERRY COMPUTERS

COLOR COMPUTERS		LIST PRICE	OUR PRICE	TANDY COMPUTERS		LIST PRICE	OUR PRICE
26-3136 16K Standard Color Computer 2 ..	\$119.95	\$ 99.00	26-1070 Model 4D Desktop 64K 2 FD & Deskmate	\$1199.00	\$ 895.00		
26-3127 64K Extended Color Computer 2 ..	199.95	169.00	25-1000 Model 1000 1 FD 128K & Deskmate	999.00	705.00		
26-3131 Disk Drive 0 for Color Computer ..	299.95	240.00	25-1001 Model 1000 1 FD & 10 Meg HD 256K	1999.00	1475.00		
26-3130 Disk Drive 1 for Drive 0 .....	199.95	169.00	25-3000 Model 1200 1 FD & 10 Meg HD 256K	2499.00	1525.00		
26-3008 Joystick .....	19.95	16.95	25-3001 Model 1200 Two FD 256K .....	1499.00	1200.00		
26-3012 Deluxe Joystick (EACH) .....	29.95	25.00	25-4000 Model 3000 One FD 512K .....	2599.00	1900.00		
26-3018 Extended Basic Kit .....	39.95	36.00	25-4010 Model 3000 1 FD & 20 Meg HD 512K	3599.00	2600.00		
26-1208 CCR-81 Tape Recorder .....	59.95	50.00	26-3901 Model 600 Port Comp 32K 1 3½ Disk	1599.00	1195.00		
26-1173 DCM-3 Direct Connect Modem ..	59.95	50.00	25-1021 CM4 Color Monitor .....	299.95	225.00		
<b>SOFTWARE</b> <i>5800</i>				25-1022 CM10 Color Monitor .....	459.95	380.00	
30001210 Telewriter 64 Tape .....	\$ 49.95	\$ 42.00	25-3010 VM-3 Monochrome Monitor .....	219.00	185.00		
30001220 Telewriter 64 Disk .....	59.95	49.00	26-5111 VM-1 Monochrome Monitor .....	199.95	165.00		
30001110 VIP Writer .....	69.95	59.00	26-5112 CM-1 Color Monitor .....	599.00	510.00		
30001140 VIP Database .....	59.95	49.00	25-3043 Graphics Adaptor T-1200, T-3000 ..	299.00	185.00		
30001150 VIP Terminal Disk .....	49.95	45.00	25-3047 Deluxe Graphics Adapt T-1200, T-3000	499.95	395.00		
30001170 VIP Integrated Software .....	149.95	139.00	25-3130 MS-DOS 2.11/Basic Tandy 1200 ..	89.95	75.00		
30001130 SS/DD 10 Pack Diskettes .....	21.00	14.00	25-4104 MS-DOS 3.1/Basic/Deskmate Tandy 3000	99.95	85.00		
<b>PRINTERS AND ACCESSORIES</b>				<b>CALL TOLL FREE 1-800-248-3823</b>			
26-1276 DMP-105 80 cps Dot Matrix .....	\$199.95	\$169.00	For Technical Questions and Information on our complete line of computer accessories and current prices:				
26-1280 DMP-130 Dot Matrix .....	349.95	285.00	<b>CALL 1-517-625-4161</b>				
20001025 EPSON LX-80 Printer .....	369.95	225.00	<b>Mon.-Fri. 9-5, Sat. 9-3</b>				
20001515 EPSON LX-80 Tractor Feed .....	29.95	25.00	All prices and offers may be changed or withdrawn without notice. Advertised prices are cash prices. C.O.D. accepted (\$10.00 charge per carton on C.O.D. Call for further C.O.D. information.) M.C., Visa, add 2%. A.X., add 3%. All non-defective items returned will be subject to 10% restocking fee. Defective items require return merchandise authorization. Call for R.M.A. Number before returning. Delivery is subject to product availability.				
20021070 OKIDATA 182 Printer .....	299.00	245.00					
20041020 STAR SG-10 Printer .....	299.00	250.00					
30009110 BOTEK Serial to Parallel Interface .....		59.00					

**PERRY COMPUTERS • 124 SOUTH MAIN STREET • PERRY, MI 48872**



# Rattle Rattle Thunder Clatter Boom Boom Boom

**Discover the inner workings of your ailing car**

---

**By Michael B. Kromeke**

---

**T**his program allows you to see some of the internal workings of a running engine. The engine is

---


*Michael Kromeke holds an associate's degree in electronics engineering technology and is a technician with AT&T Communications in Albuquerque, New Mexico. Mike enjoys programming the CoCo, photography and coin collecting.*

started by pressing 'S'. As it starts, the car key moves into the ignition switch and turns. The oil warning light comes on, the fuel gauge goes from empty to full, the fan starts to turn and the oil warning light goes off. The four pistons start moving up and down and the spark plugs fire.

When the engine is running, press 'T' for a trouble selection. This puts one of five troubles into the engine in random order. You must try to start the engine



# Next to your Tandy® or



## nothing beats a

### High-quality printers—at hard-to-beat prices!

Now that you have the home or office computer you wanted, get the printer you need. A Tandy printer!

Tandy printers are designed to give you exceptional print quality, graphics and high performance—all at affordable prices. Your nearby Radio Shack Computer Center has a complete line of printers, from high-speed dot matrix to letter-quality daisy wheels. There's sure to be one that will suit your particular printing requirements—and budget—to a tee.

### Budget-priced high performer

The DMP 105 (26-1276, \$199.95) is the low-cost solution for data-processing and general-purpose use. The DMP 105 features a bidirectional head that prints 80 characters per line at 43 lines per minute (10 cpi). Elongated and condensed modes are also available. Prints up to 80 characters per second. Parallel and Color Computer-compatible serial interfaces.


### Triple-mode "personal printer"

The low-cost, versatile DMP 130 (26-1280, \$349.95)

features word-processing and data-processing, as well as dot-addressable graphics modes. You can choose from four character styles: standard or italic cursive, in draft or correspondence modes. The DMP 130 supports super/subscripts, double-width, bold, double-strike and micro-fonts. The bidirectional, logic-seeking print head prints original, plus two copies on 4" to 10" fanfold paper or single sheets. Prints up to 100 characters per second. Built-in tractor. Parallel and Color Computer-compatible serial interfaces. IBM® PC compatible.



# PC-compatible computer,



## Tandy printer.

### Low-cost business printer

The DMP 430 (26-1277, \$699.00) is a dot-matrix printer with an 18-wire print head that delivers superior correspondence fonts in a single pass. Prints 10, 12, or 16.7 cpi, plus elongated, standard, elite and condensed. You can also get micro, italic and double-high fonts. Prints original, plus two copies at 180 characters per second. IBM PC compatible.

### Power for business

Get high speed and high performance with our finest printer, the DMP 2200 (26-1279, \$1695.00). Efficient,

fast printing means no long and costly delays for reports. Supports elongated, double-high, bold, underline, super/subscripts, italics and double-strike modes, plus bit-image graphics. Prints up to 380 characters per second. Features a true pin-driven tractor—not sprocket. Prints original, plus up to six copies. Parallel interface only. IBM PC compatible.

### In Business . . . for Business

For the best value and selection in printers, shop Radio Shack. We've got the right match for your machine!

**Radio Shack®**  
**The Technology Store™**

A DIVISION OF TANDY CORPORATION

#### Send me an RSC-17 Computer Catalog.

Mail to: Radio Shack, Dept. 87-A-53  
300 One Tandy Center  
Fort Worth, Texas 76102

Name \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_

ZIP \_\_\_\_\_

Phone \_\_\_\_\_

Prices apply at Radio Shack Computer Centers and at participating stores and dealers. The DMP 430 may require special order. IBM/Registered TM International Business Machines Corp.





again. If it fails to start or does not run properly, you must go to the checklist by pressing 'C'.

The checklist gives 11 different possibilities. Choose one of the possibilities and information about that kind of trouble is displayed. You will be told whether you have correctly identified the problem or not.

If an incorrect answer is picked, you are sent back for another look at the trouble. A correct answer returns you to a properly running engine. After cor-

rectly finding all five troubles, your score and skill level are displayed. The three skill levels are beginner, shade tree mechanic and master mechanic.

Anytime the engine is running, even improperly, you may stop and start it by pressing 'S'.


To run this program with only 16K, delete all REM statements. Deleting the following lines will not affect the program: 30, 34, 38, 42, 48, 70, 84, 88, 92, 96, 100, 106, 112, 120, 176, 180, 184, 188 and 216.



### Variables

A	=	answer
B	=	miscellaneous counter
C1	=	cylinder 1
C2	=	cylinder 2
C3	=	cylinder 3
C4	=	cylinder 4
D	=	number of trouble
E	=	oil leak counter
F	=	vertical location of cylinder
G	=	picture of piston
H	=	picture of key in slot
I & M	=	trouble in engine
R	=	number of right answers
W	=	wrong answer counter
Y	=	horizontal location of cylinder
AS	=	draw picture of fan not turning
Z\$	=	miscellaneous input

(Mr. Kromeke can be reached at 9940 Academy Knolls N.E., Albuquerque, NM 87111. Please enclose an SASE when writing.)



### \*\* CHECK LIST \*\*

- 1) MISSING U-JOINTS
  - 2) FUEL TANK EMPTY
  - 3) ROTATE TIRES
  - 4) BATTERY IS DEAD
  - 5) REPLACE MASTER CYLINDER
  - 6) SPARK PLUG NOT FIRING
  - 7) FLUSH COOLING SYSTEM
  - 8) OIL LEAK
  - 9) CATALYTIC CONVERTER
  - 10) AIR INTAKE BLOCKED
  - 11) OIL PRESSURE LOW
- CHOOSE ONE OF THE ABOVE

24	.....140	148	.....99
54	.....180	160	.....249
64	.....165	174	.....237
90	.....201	196	.....12
114	.....30	END	.....111
136	.....68		

### The listing: ENGINE

```

2 CLEAR200: DIM A, B, C1, C2, C3, C4, D
, E, F, G(7), H(18), I, M, R: C1=12: C2=3
: C3=9: C4=6: B=RND(-TIMER)
4 GOSUB196: GOTO50
6 ON F GOSUB36, 40, 44, 40, 36, 32, 36
, 40, 44, 40, 36, 32: RETURN
8 SCREEN1: Y=0: F=C1: GOSUB6: C1=C1+
1: IF C1=13 THEN DRAW"BM86, 51C4ND
2": PLAY"T255A": GOSUB28: DRAW"C1ND
2": C1=1
10 Y=23: F=C2: GOSUB6: C2=C2+1: IFC2
=13 AND D<>3 THEN DRAW"BM109, 51C4
ND2": PLAY"A": GOSUB28: DRAW"C1ND2"
: C2=1
12 IF C2=13 THEN C2=1
14 Y=46: F=C3: GOSUB6: C3=C3+1: IFC3
=13 THEN DRAW"BM132, 51C4ND2": PLA
Y"A": GOSUB28: DRAW"C1ND2": C3=1
16 IF D=4 THEN PSET(126+RND(44),
112+RND(7), 2): E=E+1: IF E>100 THE
N: PAINT(80, 144), 4, 3: SOUND2, 20: GO
TO220
18 Y=69: F=C4: GOSUB6: C4=C4+1: IFC4
=13 THEN DRAW"BM155, 51C4ND2": PLA

```

```

Y"A": GOSUB28: DRAW"C1ND2": C4=1
20 Z$=INKEY$: IF Z$="" THEN 8
22 IF Z$="T" AND D=0 THEN I=I+1: D=
M(I): GOTO50
24 IF Z$="C" AND D<>0 THEN 122
26 IF Z$="S" THEN 116 ELSE 8
28 FORB=1 TO 100: NEXTB: RETURN
30 'CYLINDER MOVEMENT POSITION 1
32 PUT(80+Y, 55) - (92+Y, 71), G, PSET
: RETURN
34 'POSITION 2
36 PUT(80+Y, 59) - (92+Y, 75), G, PSET
: RETURN
38 'POSITION 3
40 PUT(80+Y, 63) - (92+Y, 79), G, PSET
: RETURN
42 'POSITION 4
44 PUT(80+Y, 67) - (92+Y, 83), G, PSET
: RETURN
46 PRINT@488, "PRESS <RETURN>";: L
INE INPUT Z$: RETURN
48 'MAIN SCREEN
50 PMODE3, 1: PCLS: SCREEN1, 0: DRAW"
BM0, 0C2R255D120L255U120BM70, 46C4
R100D40L100U40H4U4E4R100F4D4G4L4
4BU12U10R20E4U8H4L60G4L16H2L2D12
R2E2R16F4R16NR22D10BM0, 191R255"
52 AS$="BM60, 68C3H10U14E4F4D14G8D
4F4NE4G4D14F4E4U14H4": DRAW"BM70,
86C4D6F4R40F6D6F2R42L2D2L3U2R5E6
U18BM70, 60L10D14NR10": DRAW"XA$: B
M154, 34RU12E4R4F4D12BM130, 94NR4D
5R4U5BR4D5BR4NU5R3BL14BD4ND5R4D2

```



```

NL4BR4NR4D3U5R4D5BR4U5F5U5"
54 DRAW"BM36,28C2NR4D2NR4D3BR8U5
R4D2NL4D3BR4U5RF5U5BM84,19C4U3NR
4U2R4D5BR4U5BR4ND5R4D2L4UF4BR6U5
BR4ND5RF5U5BR4R2ND5R2BR4ND5R4D2N
L4D3BR4U3R2NF3NE2L2U2BR8NR3D2NR2
D3R3"
56 DRAW"BM2Ø4,98C4R4ØD18L4ØU18R6
U2R4D2R4U2R4D2R4U2R4D2R4U2R4D2L3
ØBD6ND6C3R4D3NL4D3NL3BR4U6R4D3NL
4D3BR8U6L2R4BR4R4L2D6BR4R1"
58 DRAW"BM78,79C4U25R16D25BR7U25
R16D25BR7U25R16D25BR7U25R16D25BM
86,5ØC3R68E8U18L2D18G7L44BM14,64
C3E8NR6E4NR6E8R6G2ØL6D4ØR6NU4ØE2
ØU39":POKE178,2Ø7:PAINT(34,55),,
3:POKE178,3:GOSUB86
6Ø DRAW"BM14,126C3NR4D3NR2D3BR8N
U6R4U6BR4NR4D3NR2D3R4BR4NR4U6BR3
4D6R4U6NL4BR4D6BR4NU6R4BR32H2U4B
R5D4G2BR6NR4U6R4D6BR4NU6R4BR4U6N
L2R2BR4NR4D3R4D3L4BM8,138NR4D3NR
2D3R4"
62 DRAW"BR32U3NR2U2R4BR18NR26D12
R26U12BR18NR4D6R4U3L4U3BR24BU4NR
4D3R4NU3D3NL3BR2ØBD4U6BR4R4D3L4D
3R4BM26,164C2H16BM214,54C4ND8R12
D2NL12D6L12R5D4BR3U6L3D2":GET(21

```

```

4,5Ø)-(226,66),G,G:LINE(214,5Ø)-
(226,66),PRESET,BF
64 DRAW"BM136,164C2":IF D=2 THEN
DRAW"H16"ELSEDRAW"E16"
66 CIRCLE(22Ø,58),14,3,.9:DRAW"B
M212,64C3NE14F3E14":PAINT(22Ø,58
),4,3:GET(2Ø6,46)-(234,7Ø),H,G:L
INE(2Ø6,46)-(234,7Ø),PRESET,BF:G
OSUB1Ø2
68 IF D=5 THEN PAINT(64,2Ø),2,4:
GOTO182
7Ø 'START ENGINE
72 IF INKEY$<>"S"THEN72 ELSEGOSU
B9Ø
74 IF D=1 THEN186
76 IF D=2 THEN178
78 GOSUB94:FORB=ØTO52STEP3:LINE(
5Ø,42+B)-(58,42+B),PRESET:PLAY"T
14ØO1AF":NEXTB:PAINT(8Ø,144),1,3
:GOSUB98
8Ø IF D=3 OR D=4 THEN GOSUB1Ø8 E
LSE GOSUB114
82 GOTO8
84 'DRAW KEY,CIRCLE & WORD KEY
86 CIRCLE(19Ø,14Ø),14,3,.9:DRAW"
BM188,15ØC3U2ØR4D2ØBR2ØNH4E4F4E4
R6F6R6E6U4H6L6G6L22ND4BR29BD2ER2
F2G2L2H2BL24BU12C2U6D3R2NE3F3BR6

```

#### Two-Liner Contest Winner . . .

For this game, use the right joystick to move the target up and down and catch the arrows. Don't let them get by you, though.

#### The listing:

```

1 CLSØ:A$=CHR$(191):B$=CHR$(127)
:C$=CHR$(128):Q=2:Y=13/63:C=32:C
A=3:PRINT@9,"ARROW CATCH";:PRINT
@34,"ARROWS:", "CATCHERS:";:FORZ=
1TO9:Z=1:R=RND(14)*32+64:FORX=Q
TO3Ø:J=JOYSTK(Ø):J=(INT(JOYSTK(1
)*Y)*C+64):IF L<>J THENPRINT@L,C
$:PRINT@J,A$:L=J
2 PLAY"T25503A":PRINT@R-X,C$;:PR
INT@R-X-1,B$;:NEXTX:CA=(INT(AR/5
Ø)+3-SU):Q=2+INT(AR/1Ø):PRINT@57
,CA;:PRINT@R-X,C$;:IFR-X=J+1THEN
SOUND1ØØ,1:AR=AR+1:PRINT@42,AR;:
NEXTELSU=SU+1:CA=CA-1:PRINT@57
,CA;:IFCA=ØTHENPRINT,"BY KEVIN D
ERBY"ELSENEXT

```

Kevin Derby  
Lubbock, TX

(For this winning two-liner contest entry, the author has been sent copies of both *The Rainbow Book of Simulations* and its companion *The Rainbow Simulations Tape*.)

#### Two-Liner Contest Winner . . .

*Nitstrik* is a neat little shoot-em-up. Center the enemy's chopper in your sights using the joystick and fire when ready. Caution: It isn't as easy as it sounds!

#### The listing:

```

1 PMODE4:SCREEN1,1:PCLS:O=128:P=
96:C$="U1NL8NR8D1L1G1D1F1NG2R2NF
2E1U1H1NL1G1NR2NL2H1":FORJ=1TO1Ø
ØØ:PCLS:X=JOYSTK(Ø)*4:Y=JOYSTK(1
)*3:CIRCLE(X,Y),8:H=RND(1Ø):V=RN
D(1Ø):O=O+H-5:P=P+V-5:DRAW"S8BM"
+STR$(O)+", "+STR$(P)+C$
2 Q=PEEK(6528Ø):IFQ=127 ORQ=255
ORX+3<Ø ORX-3>Ø ORY+3<P ORY-3>P
THENNEXT:ELSEPOKE359,126:CLS:PRI
NT"NIGHT-STRIKE REPORT:", "ENEMY
KILLED IN"J"MOVES","AGAIN (Y/N)"
;:INPUT D$:IFD$<>"Y"THENPRINT"MI
SSION TERMINATED":END:ELSE RUN

```

Ric Small  
Searcy, AR

(For this winning two-liner contest entry, the author has been sent copies of both *The Rainbow Book of Simulations* and its companion *The Rainbow Simulations Tape*.)



```

NR4U3NR2U3R4BR4D2R4NU2L2D4":PAIN
T(216,144),2,3:RETURN
88 'KEY TO START POSITION
90 LINE(208,135)-(248,153),PRESE
T,BF:PLAY"T80ABCDEF":PUT(176,128
)-(204,152),H,PSET:RETURN
92 'FUEL GAGE FROM E TO F
94 PAINT(80,144),4,3:GOSUB28:DRA
W"BM26,164C1NH16":GOSUB28:DRAW"C
2NU16":GOSUB28:DRAW"C1NU16":GOSU
B28:DRAW"C2E16":GOSUB28:RETURN
96 'BLANK BOX
98 LINE(44,176)-(255,190),PRESET
,BF:RETURN
100 'DRAW PRESS S FOR START
102 DRAW"BM0,182C3ND6R4D3L4D3BR8
U6R4D3L4R2F3BR4NR4U3NR2U3R4BR4NR
4D3R4D3NL4BR4R4U3L4U3R4BR8ND2BR4
NR4D3R4D3NL4BR4BU4U2BR8R2NR2D6BR
6NR4U6R4D6BR9BU6NR4D3R4D3NL4BR6U
6L2R4BR4ND6R4D3NL4D3BR4U6R4D3L4R
2F3BR6U6L2R4"
104 DRAW"BR8NR4D6R4U6BR4ND6R4D3L
4RF3BR10BU6NR4D3R4D3NL4BR6U6L2R4
BR4NR4D6R4U6BR4ND6R4D3L4":RETURN
106 'DRAW C FOR CHECK LIST
108 DRAW"BM45,182C3ND2BR4NR4D6R4
BR4BU4U2BR7NR4D3NR3D3BR8NR4U6R4D
6BR4U6R4D3L4R2F3BR10NR4U6R4BR4D3
NR4D3BR4U6BR4NR4D3NR2D3R4BR4NR4U
6R4BR4D3R2NE3NF3L2D3"
110 DRAW"BR16NU6R4BR4U6BR4NR4D3R
4D3NL4BR6U6NL2R2":RETURN
112 'DRAW T FOR TROUBLE
114 DRAW"BM45,182C3ND2BR4R2NR2D6
BR6BU4U2BR7NR4D3NR2D3BR8NR4U6R4D
6BR4U6R4D3L4R2F3BR12U6NL2R2BR4ND
6R4D3L4RF3BR4NR4U6R4D6BR4NU6R4U6
BR4D6R4U3NL4U3NL4BR4D6R4BR4NR4U3
NR3U3R4":RETURN
116 DRAW"XA$;BM26,164C1NE16":GOS
UB28:DRAW"C2NU16":GOSUB28:DRAW"C
1NU16C2H16":LINE(176,126)-(250,1
52),PRESET,BF:GOSUB98:GOSUB86:GO
SUB102:GOTO72
118 PRINT@487,"PRESS <RETURN> ";
:LINEINPUTZ$:RETURN
120 'CHECK LIST
122 CLS:PRINT@8,"** CHECK LIST *
*":PRINT@68,"1) MISSING U-JOINTS
":PRINT@100,"2) FUEL TANK EMPTY"
124 PRINT@132,"3) ROTATE TIRES":
PRINT@164,"4) BATTERY IS DEAD"
126 PRINT@196,"5) REPLACE MASTER
CYLINDER":PRINT@228,"6) SPARK P
LUG NOT FIRING"
128 PRINT@260,"7) FLUSH COOLING
SYSTEM":PRINT@292,"8) OIL LEAK"
130 PRINT@324,"9) CATALYTIC CONV

```

```

ERTER":PRINT@355,"10) AIR INTAKE
BLOCKED"
132 PRINT@387,"11) OIL PRESSURE
LOW"
134 PRINT@450,"CHOOSE ONE OF THE
ABOVE";:INPUTZ$:A=VAL(Z$)
136 IF A<1 OR A>11 THEN SOUND1,1
:GOTO134
138 ON A GOTO140,142,146,150,154
,156,160,164,168,172,174
140 CLS:PRINT@4,"** MISSING U-JO
INTS **":PRINT@65,"THE U-JOINTS
CONNECT THE DRIVE- SHAFT TO THE
DIFFERENTIAL WHICH TURN THE WHEE
LS. THE U-JOINTS ARE NOT IN TH
IS PROGRAM.":GOTO190
142 CLS:PRINT@6,"** FUEL TANK EM
PTY **":PRINT@65,"LOCATED ON THE
LEFT SIDE OF THE SCREEN, THE E
STANDS FOR EMPTY AND F STANDS F
OR FULL. GASOLINE IS MADE FROM P
ETROLEUM THAT IS A NATURAL FLAM
MABLE LIQUID"
144 PRINT" HYDROCARBON MIXTURE T
HAT COST AN ARM AND A LEG.":GO
TO190
146 CLS:PRINT@6,"** ROTATE TIRES
**":PRINT@65,"YOU CAN INCREASE
THE LIFE OF YOUR TIRES BY ROT
ATING THEM ONCE EVERY 5000 M
ILES OR SO. CARS WITH FRONT-W
HEEL DRIVE SHOULD NOT BE ROT
ATED. TO GET MAXIMUM TIRE LIFE
YOU SHOULD"
148 PRINT" CHECK AIR PRESSURE EV
ERY 30 DAYS WHEN TIRES ARE C
OLD FOR MANUFACTURER RECOMMEN
DED PRES- SURE.":GOTO190:GOSUB
118
150 CLS:PRINT@6,"** BATTERY IS D
EAD **":PRINT@65,"THIS CAR IS RU
NNING ON A 12 VOLT SYSTEM. C
HECKING THE VOLTAGE READIN
G ON THE INSTRU- MENT PANEL WE
CAN SEE IF WE HAVE THE PROPE
R READING. ANY- THING ABOVE 9.
6 VOLTS AFTER 15"
152 PRINT" SECONDS OF CRANKING T
HE ENGINE SHOULD BE ADEQUATE.":
GOTO190
154 CLS:PRINT@2,"** REPLACE MATE
R CYLINDER **":PRINT@65,"THE MAS
TER CYLINDER IS NOT SHOWN I
N THIS DIAGRAM. IT IS A VERY IM
PORTANT PART OF THE BRAKE S
YSTEM.":GOTO190
156 CLS:PRINT@2,"** SPARK PLUG N
OT FIRING **":PRINT@65,"THE IGNI
TION SYSTEM IS DESIGNED TO IGNIT

```



```

E THE AIR/FUEL MIXTURE THAT IS
DRAWN INTO THE ENGINE THROUGH
THE CARBURETOR. IF THE SPARK PL
UGS FAIL TO FIRE THEN"
158 PRINT" YOUR ENGINE WILL NOT
RUN PROP- ERLY.":GOTO190
160 CLS:PRINT@2,"** FLUSH COOLIN
G SYSTEM **":PRINT@65,"THE COOLI
NG SYSTEM SHOULD BE DRAINED A
ND FLUSHED EVERY TWO YEARS, AN
D NEW COOLANT ADDED. THE RADIA
TOR IS SHOWN IN THIS DIAGRAM A
ND HELPS KEEP THE"
162 PRINT" ENGINE FROM OVER HEAT
ING BUT DOES NOT EFFECT ITS R
UNNING.":GOTO190
164 CLS:PRINT@9,"** OIL LEAK **"
:PRINT@65,"KEEP YOUR EYES ON THE
OIL PAN . IF IT STARTS TO LEAK
WE WILL SEE THE OIL WARNING L
IGHT COME"
166 PRINT" ON JUST BEFORE THE EN
GINE FREEZES UP,DO TO LACK
OF"," LUBRICANT.":GOTO190
168 CLS:PRINT@3,"** CATALYTIC CO
NVERTER **":PRINT@65,"THIS UNIT
CONVERTS HYDROCAR- BONS AND C
ARBON MONOXIDE INTO CARBON DIO
XIDE AND WATER VAPOR. EXPECTED S
ERVICE LIFE IS ABOUT"
170 PRINT" 50,000 MILES AND IS N
OT IN THIS PROGRAM.":GOTO190
172 CLS:PRINT@3,"** AIR INTAKE B
LOCKED **":PRINT@65,"THE AIR CLE
ANER HAS A DISPOS- ABLE FILTER
ELEMENT THAT SHOULD BE CHANGED
WHEN IT BECOMES BLOCKED WIT
H DIRT. IF AIR CAN NOT GET TO
THE CARBURETOR WE WILL FAIL T
O GET IGNITION.":GOTO190
174 CLS:PRINT@4,"** OIL PRESSURE
LOW **":PRINT@65,"THE RED WARNI
NG LIGHT WILL COME ON WHEN OIL P
RESSURE IS LOW. THIS LIGHT WI
LL COME ON MOMEN- TARILY WHEN S
TARTING ENGINE.":GOTO190
176 'BATTERY DEAD
178 GOSUB98:GOSUB108:IF INKEY$="
C"THEN122ELSE178
180 'AIR INTAKE BLOCKED
182 IF INKEY$<>"S"THEN182 ELSEGO
SUB90:GOSUB94:PAINT(80,144),1,3
184 'NO GAS
186 GOSUB98:GOSUB108:FORY=1TO3:P
LAY"T30ABCDEEDCBA":GOSUB28:NEXTY
:IF INKEY$="C"THEN122 ELSE186
188 'CORRECT ANSWER OR NOT
190 IF A=D*2 THENPRINT@422,"* CO
RRECT ANSWER *":R=R+1:D=0:SOUND1

```

```

40,11:SOUND180,11:SOUND176,4:SOU
ND165,4:SOUND154,4:SOUND200,12:S
OUND180,17:GOSUB46:IF R=5 THEN20
8 ELSE50
192 PRINT@425,"WRONG ANSWER":SOU
ND1,4:W=W+1:GOSUB46
194 SCREEN1,0:ON D GOTO186,178,8
,8,186
196 CLS0:PRINTSTRING$(160,191);S
TRING$(160,207);STRING$(160,175)
;:PRINT@71,"4 CYLINDER ENGINE";:
PRINT@230,"EDUCATIONAL PROGRAM";
:PRINT@391,"MICHAEL B KROMEKE";
198 A=A+1
200 M=RND(5):FORB=1TO5
202 IF M=M(B)THEN200
204 NEXTB:M(A)=M:IF A<5 THEN198
206 GOSUB218:RETURN
208 D=5/(5+W):CLS:PRINT@72,"NUMB
ER CORRECT 5":PRINT@136,"NUMBER
WRONG"W:PRINT@200,"SCORE ="INT(1
00*D)"%":GOSUB218:IF D<.5 THEN P
RINT@264,"BEGINNER"
210 IF D>.49 AND D<1 THENPRINT@2
62,"SHADE TREE MECHANIC"
212 IF D=1 THENPRINT@264,"MASTER
MECHANIC"
214 GOSUB218:PRINT@328,"PLAY AGA
IN Y/N";:INPUTZ$:IFZ$="N"THEN EN
D ELSE RUN
216 'JOPLIN'S ENTERTAINER
218 PLAY"V30T2O2L8DD+EL4O3CO2L8E
O3L4CO2L8EO3CL2CL8CCDD+ECDEEO2BO
3DL2.CL4":RETURN
220 CLS4:PRINT@192," OIL LEAKED
OUT OF ENGINE AND IT FROZE UP. Y
OU LOST YOUR ENGINE AND THE GAM
E. SORRY !!!"

```





# Help Us Battle the High Cost of Disk Drives



**NOW . . .  
V-PRINT**  
A utility to print  
directory on paper  
**\$9.95**



## New Lower Price Un-DISK Drives ~~\$49.95?~~ **\$34.95**

You Bet! There are empty spaces in your 32K and 64K CoCo. The Preble VDOS Un-DISK helps you fill them up with PROGRAMS!

- Un-DISK uses your computer's extra memory like a fast disk drive.
- Un-DISK can store BASIC and MACHINE LANGUAGE programs.
- Un-DISK is INVISIBLE. Yup! Un-DISK does not interfere with normal Color Computer Operation.
- Un-DISK appears only when you type the magic word VDOS.
- Un-DISK comes with comprehensive instructions which you may not need because:
- Un-DISK is self-prompting and easy to use!
- Un-DISK is provided on cassette.
- Un-DISK is faster than a slow clumsy DISK DRIVE and best of all . . .
- Un-DISK is CHEAPER than a DISK DRIVE!
- Un-DISK will work even if you already own a disk but WHY BUY A DISK AT ALL?
- Un-DISK should be in the library of every serious CoCo user even if you own a disk says Frank J. Esser, independent reviewer for RAINBOW Magazine!

OK sure, disk drives ARE NICE. I own one. But if your finances are limited, the Un-DISK can give you much of the power of the mechanical drive. Even if you already own a disk the Un-DISK can work like a super fast extra disk.

### EXTRA . . . EXTRA . . . EXTRA . . . EXTRA . . . Additional Power For \$14.95


Only with VDUMP for the Un-DISK!

- VDUMP lets you make a cassette backup copy of everything stored in the Un-DISK.
- VDUMP lets you save 5, 10, 15 or more programs on a single cassette tape file.
- VDUMP lets you switch Un-DISks. With a single load operation replace a group of financial programs with a set of children's programs. (The new VDUMP tape overwrites the old.)
- VDUMP can allow you to save a whole lot of RAINBOW ON TAPE in a SINGLE file.
- VDUMP is the perfect companion to the Preble VDOS Un-DISK.

Available from Doctor Preble's Programs, naturally! Bringing you fine Color Computer Products Since 1983!

The Preble VDOS Un-DISK . . . . . **\$34.95**  
The Preble VDUMP . . . . . \$14.95  
Shipping & handling  
U.S. and Canada . . . . . \$1.50  
or \$5.00 to other foreign points

VISA and MasterCard accepted



Order From:  
**Dr. Preble's Programs**  
6540 Outer Loop  
Louisville, KY 40228  
(502) 966-8281

Canadians may order from Kelly Software



*"The time has come," the parent said,  
 "To learn about the clock.  
 Of hours and numbers and second  
 hands, of minutes and things,  
 Why the six is 30 called,  
 And whether on 12 it rings."*

One of the skills all children must learn is how to read a clock. The schools teach children how to tell time, but I feel most children could learn this skill sooner and more easily if they had the proper help at home. I wrote *Clock* for the Color Computer to assist parents in teaching their children how to tell time. Please note that this program is not intended to be a self-

---

*Dennis Norton lives in Quincy, Illinois and has owned his CoCo about four years. He is a self-taught programmer who enjoys using the computer to solve problems and lessen the drudgery of household tasks.*

teaching program. It requires a teacher to explain the significance of the screen exercises; however, it can be used by a child alone after he becomes familiar with it. Preschoolers will also gain practice in handling numbers; for example, they will learn that twelve is 12, not 21.

Using the program is a simple matter; just type it in and run it. You see a title screen and then there is a delay of about forty seconds while the computer is calculating the necessary data for the clock display. When the blinking line appears below the clock face, the program is waiting for you to type in the time shown on the clock.




32K  
ECB

the  
RAINBOW

# Chronologist in CoCo Land

By Dennis Norton








Figure 1. Level one screen display after giving correct answer on second try.




Figure 2. Level four screen display with user-control feature.

The program has five levels which introduce different formats and degrees of difficulty. In the first level all times shown are on the hour. There are restrictions on what key input will be accepted, but the left-arrow key can be used to backspace and change answers.

When you have typed in an answer, press ENTER and the computer tells you if you are correct. As in all the levels, a wrong answer causes a short, disapproving sound, then your answer disappears and you have a second chance to type in the correct time. After a second try, or a correct first try, you must press any key to continue to the next time question. Figure 1 shows how the screen appears after a correct answer on the second try.

The computer displays time questions until all the possibilities at this level have been answered correctly. When that occurs, if you have given more than three wrong answers, the program recycles to the beginning of level one.

On level two, answers are expected in the form XX minutes after XX o'clock. Possible times of 0-30 minutes in increments of five after a random hour are displayed. This level recycles if more than two wrong answers are recorded.

The third level requires answers in the form XX minutes before XX o'clock. Times of 0-30 minutes in five minute increments before a random hour are displayed. This level also recycles if more than two wrong answers are recorded.

The fourth level displays a random time in increments of five minutes. The student is required to enter the minutes, whether it is before or after, and the hour. A correct answer causes the time

to be displayed in digital format in addition to the normal display. More than two wrong answers causes level four to recycle.

The fifth and last level displays a random time and requires the answer to be given in digital format. This level recycles if more than four wrong answers are given before 24 correct answers are attained.

After all five levels are completed, your record of right and wrong answers is displayed, and a rendition of *Grandfather's Clock* by Henry Work is played. Then you're asked to choose what level you would like to re-enter for more practice. An out-of-range entry causes the program to end.

Since this program is a tool to be used by an adult in teaching children, I included a user-control feature to help you answer your child's questions and supply additional information. Whenever the program is waiting for a key to be pressed after a correct answer (or two incorrect answers), press the up-arrow key instead. The clock hands disappear and a blue rectangle appears in the upper-right section of the screen, leaving the remainder of the screen undisturbed. The line cursor in the rectangle waits for you to type in a time in digital format. The space and backspace do not register, but incorrect times (e.g., 09:63) are ignored.

Once you have entered the four digits of a valid time, the clock face displays that time. The program then accepts one of three key commands: 'T', 'R' and the down-arrow key. 'T' clears the displayed time and allows you to enter a new time. 'R' runs the clock; the present time is increased by one minute and this new time is displayed on the

screen. The clock continues to run until the 'S' key is pressed. The down-arrow key returns to the main program which then continues as if there has been no interruption. Figure 2 shows an example of this feature being used in level four.

After using the program a while, you may find you would like to change two factors. Each level has a certain number of possible choices of time to display. If the student doesn't answer a display correctly, that choice is put back into the pool of possible choices. The program will not advance to the next level until all available choices have been answered correctly. However, this can be tiresome during debugging or for a child who has mastered the early levels. For level one, Line 1390 checks NR (number of right answers) against 12 (number of possible right answers) to see if another loop through the level is desired.

If you do not want to display all possible choices, decrease 12 to the number of choices you want to use. Do not use a number larger than 12 or the program will be caught in an endless loop. The lines for levels two through five are 2390, 2390, 4590 and 5340.

The second thing you might want to change involves the number of wrong answers allowed before a level is repeated. For level one, Line 1410 checks NW (number of wrong answers) against three, which is an arbitrary number I chose to indicate the need for more practice before advancing to the next level. You can change this number to suit your own situation, but it should not be a negative number. The corresponding lines for levels two to five are 2420, 2440, 4610 and 5360.



If you are considering typing in the program, you may be discouraged by its length, but it is not necessary to type the entire program to use part of it. If you aren't sure the program is worth the effort, type in all lines up to 1420 and you will have level one. Additional levels can be typed as your fingers recover. The user-control feature will not operate at any level unless you have also typed lines 8000 to 8390.


As a bonus for typing the program you will acquire an adaptable clock face routine. The routine is based on the coordinates of the center of the circle

(XX,YY) and the radius of the circle (R). By changing these three variables found in Line 106, you control the size and position of the clock on the screen. The only exception is that the size of the numbers on the face will not change. To draw the hands on the clock, set Z equal to the minutes (0-60) and HH equal to the hour (1-12) and GOSUB 50. For example, if you want to display a time of 10:23, let Z=23 and HH=10. To erase the hands use a line similar to Line 1380, first setting the draw color to the clock face color. The lines needed by the routine are 100 to 106, 150 to 174 and

300 to 620 to set up the data and display, and the subroutine 50 to 68 to draw the clock hands.

I'm sure parents have used many different methods to teach their children how to tell time, but this program can help if you are willing to invest time and knowledge. I hope you find *Clock* adds a little fun and encouragement to your child's learning experience.

(Questions about this program may be directed to Mr. Norton at 425 Carol Drive, Quincy, IL 62301. Please enclose an SASE for a reply.) □



28	.....167	1020	.....224	4320	.....125
57	.....203	1220	.....207	4620	.....39
74	.....251	2000	.....250	5190	.....211
150	.....178	2160	.....245	5340	.....80
180	.....106	2330	.....51	8070	.....186
380	.....154	4040	.....229	8250	.....200
500	.....106	4210	.....16	END	.....163

#### The listing: CLOCK

```

2 'COPYRIGHT (C) 1986 BY DENNIS
  NORTON
4 ' "CLOCK" 1.12 32K ECB
6 ' ORIGINAL BY D.N.; AID TO TEA
  CHING CHILD HOW TO TELL TIME
10 CLEAR2000:PCLEAR4:PMODE3,1:Z=
  RND(-TIMER):CLS5
11 PRINT@109,"clock";:PRINT@194,
  " (C) 1986 BY DENNIS NORTON ";:P
  RINT@290,"MUSIC:GRANDFATHER'S CL
  OCK";:PRINT@332,"BY HENRY C. WOR
  K";:PRINT@457," PLEASE WAIT. ";:
  GOTOL00
14 IFPPPOINT(24,191)<>3.THENDRAW"
  C3" ELSE DRAW"C1"
16 DRAW"S4BM22,191R22":FORJ=1TO5
  :NEXTJ:RETURN
18 IFPPPOINT(VAL(S1$(C)),191)<>3
  THENDRAW"C3" ELSE DRAW"C1"
20 DRAW"BM"+S1$(C)+"R9":FORJ=1TO
  5:NEXTJ:RETURN
22 IFPPPOINT(VAL(LEFT$(S1$(C),3))
  ,VAL(RIGHT$(S1$(C),3)))<>3 THEND
  RAW"C3" ELSEDRAW"C1"
24 DRAW"S4BM"+S1$(C)+"R9":RETURN
26 IFPPPOINT(88,188)<>3 THENDRAW"
  C3" ELSEDRAW"C1"
28 DRAW"BM88,188"+BB$+"BR24"+AA$
  :RETURN
30 IFPPPOINT(VAL(LEFT$(S1$(CO),3)
  ),16)=3 THENDRAW"C2" ELSEDRAW"C3
  "

```

```

32 DRAW"BM"+S1$(CO)+"16R9":RETUR
  N
34 DRAW"S4BM210,70BD35BL14 D2RFD
  RFRFR3FR3FR3ER3ER3ERERUERU2;BL17
  BU35":GOTO40
36 DRAW"S4BM210,70BD35BL14 D2RFD
  RFRFR3FR3FR3ER3ER3ERERUERU2;BL17
  BU35"
38 DRAW"S4BM210,70BD44BL14 U2REU
  RERER3ER11FR3FRFRDFRD2;BL17BU44"
40 DRAW"L6GL3GLGLGLDGLGLDGLD2GLD
  2GLD4GLD13R1;FD4RFD2RFD2RFRFRFD
  RFRFRFRFRFRFR11;ERERERERERERUE
  RUERU2ERU2ERU4ERU13L1;HU4LHU2LHU
  2LHULHLHULHLHLHL3HL9"
42 DRAW"BD16BL5LHLHL3GLGLDRFRFR3
  ERERU1;BR24LHLHL3GLGLDRFRFR3ERER
  U1;BD5BL19DGLD3GLD4RFRFR4":RETUR
  N
44 FORI=1TO L:DRAW"BM"+STR$(8*(I
  -1))+",0R5L3D5L2R5":NEXTI:RETURN
50 IFZ>54 THENW=HH*5+5:GOTO55
51 IFZ>42 THENW=HH*5+4:GOTO55
52 IFZ>30 THENW=HH*5+3:GOTO55
53 IFZ>19 THENW=HH*5+2:GOTO55
54 IFZ>7 THENW=HH*5+1 ELSEW=HH*5
55 WW=W+15:IFWW>60 THENWW=WW-60
56 IFW>60 THEN W=W-60
57 H1$="M"+STR$(H(W,4))+", "+STR$
  (H(W,5))
58 H2$="M"+STR$(H(WW,4))+", "+STR
  $(H(WW,5))
59 IFW=0 THENH3$="M"+STR$(H(60,0)
  )+", "+STR$(H(60,1)):GOTO61
60 H3$="M"+STR$(H(W-1,2))+", "+ST
  R$(H(W-1,3))
61 H4$="M"+STR$(H(W,0))+", "+STR$
  (H(W,1))
62 H5$="M"+STR$(H(W+1,2))+", "+ST
  R$(H(W+1,3))
63 M1$="M"+STR$(M(Z,2))+", "+STR$
  (M(Z,3))
64 ZZ=Z+15:IFZZ>60 THENZZ=ZZ-60
65 M2$="M"+STR$(M(ZZ,2))+", "+STR

```



Prices Change

Every Day.

Please Call

1-800-343-8841

For Lower Prices

**DEALER**

**INQUIRIES**

**INVITED**

# PRICE

## *Sizzling Summer Specials* **Announcing MEGADISK PLUS +**

Complete Systems! for the TRS 80 Model I/III/IV/4P, Color Computer, IBM-PC & AT, Max/80  
*Software Drivers: LDOS, NEWDOS/80, DOSPLUS, TRSDOS 6.x, CP/M available*



**Drive a 5 to 40 Megabyte Hard Bargain Starting at \$399.95**  
**REMOVEABLE CARTRIDGE Systems Now Available!!!**

**MEGAPLEX your Megadisk — 2 to 10 Port Systems**  
**Prices Start at a LOW \$199.95**  
**Models III/ IV 4P**

**Call Toll Free Ordering 1-800-343-8841**

### CoCo Floppy Drives

Drive 0  
**\$189.95**

Drive 0 & 1  
**\$249.95**

FCC APPROVED UL LISTED

**CANADIAN CUSTOMERS PLEASE CALL 514-383-5293**

**Software Support Inc. — MicroSmart Inc.**

**TERMS and CONDITIONS:**

All prices are cash discounted. However, we do accept MC, VISA, AMEX & DISCOVER credit cards. C.O.D.'s are accepted-No deposit required. Purchase Orders-Corporate, Government & School P.O.'s are accepted. Please call for details. Shipping Costs are calculated per order. Please call for total. Shipments of all in-stock products are made within 24 hours. Same day service is available upon request — no added cost. Not responsible for typographical errors. Terms and Specifications may change without notice.

**OUR NEW ADDRESS**

**1-617-881-1800**

**200 Homer Ave  
Ashland MA 01721**

Hours: Mon.-Fri. 10 am to 5:30 pm (est) Sat 4:00 pm

**Toll Free Ordering 1-800-343-8841**

**Dealer Inquiries Invited**

**OUR NEW COMPANY!**

Service & Returns: It is our policy to repair all service returns within 24-48 hours. Normally same day turn-around is accomplished. It is necessary to have a (R)eturn (M)aterial (A)uthorization to insure speedy service.

IBM, TAVA, COLUMBIA, 5151, COMPAQ, EAGLE, TRS/80, HEATH/ZENITH are registered trademarks of IBM Corp., Tava Corp., Columbia Computer Corp., Key Tronics Corp., Compaq Corp., Eagle Computer, Tandy Corp, Zenith Corp, respectively.

© 1986 Software Support, Inc. All rights reserved.  
© 1986 MicroSmart, Inc. All rights reserved.



# BREAKTHROUGH

**DEALER  
INQUIRIES  
INVITED**

Prices Change  
Every Day.  
Please Call  
1-800-343-8841  
For Lower Prices

## MEGADISK™ HARD DISK DRIVE SYSTEMS

**TOLL FREE ORDERING 1-800-343-8841**

For the **IBM/PC, Tandy 1000, TRS/80 Models I/III/IV/4P, Compaq, Tava, PC Workalikes, Color Computers, Heath/Zenith, Max/80**  
Complete with Hardware, Cables, Software and Quikfit Installation

6 Megabytes Internal Mount IBM/PC .....	Starting at \$229.95
11 Megabytes Internal Mount IBM/Tandy 1000 .....	starting at 349.95
22 Megabytes Internal Mount IBM/Tandy 1000 .....	starting at 459.95
6 Megabytes External System .....	starting at 399.95
10 Megabytes External System .....	starting at 599.95
20 Megabytes External System .....	starting at 749.95
Tape Backup System — Internal or External (IBM/PC) .....	starting at 449.95

**WOW! NEW LOW PRICES  
Call for unadvertised specials**

**DOS Drivers:** IBM/Heath — DOS, 1.0, 2.0, 2.1, 3.0, 3.1 or later  
TRS/80-LDOS, TRSDOS 6.x, Newdos/80, Dosplus, CP/M, COCO DOS, Max/80 LDOS, OS9

**FULLY WARRANTEED — PARTS AND LABOR — CALL TOLL FREE - 1-800-343-8841**

### FLOPPY DISK DRIVES, POWER SUPPLIES AND CABINETS

Our Disk Drives are UL approved — Our Floppy Drive Cabinets and Power Supplies are Underwriters Laboratory Listed and have passed the required Federal Communications Part 15 Section B-EMI/RFI tests.

**Warranty on all disk drives is one full year parts and labor. Warranty on floppy disk drive power supplies is five (5) years. In warranty or out of warranty service is 24 hour turn-a-round on all disk drives and power supplies.**

#### Full Height — Tandon

100-1 Single Sided 40 tk Bare .....	\$99.95
In Case with Power Supply .....	139.95
Dual Drives in One Cabinet .....	239.95
100-2 Dual Sided 40 tk Bare .....	109.95
In Case with Power Supply .....	149.95
Dual Drives in One Cabinet .....	259.95

#### Half High Drives

Single Sided 40 tk Bare .....	79.95
In Case with Power Supply .....	119.95
Dual Drives in One Cabinet .....	209.95
Dual Sided 40 tk Bare .....	109.95
In Case with Power Supply .....	149.95
Dual Drives in One Cabinet .....	259.95

#### Apple/Franklin Disk Drives

35/40 Track in Case with Cable and Software .....	129.95
---	--------

## TURBO-M™ PC

**CALL**

**800-343-8841**

### PRINTERS

Dot Matrix	
Citizen .....	\$ Call
Star Micronics S.G. Series .....	starting at \$299.95
Daisy Wheel	
Silver Reed 440 80 Column 12 CPX .....	315.95
550 132 Column 19 CPS .....	439.95
770 132 Column 36 CPS .....	895.00
Olympia 132 Column 14 CPS WITH Form and Tractor Feed .....	399.95
Printer Cables .....	starting at 19.95
Printer Paper Microperf Edge 1000 Sheets .....	16.95

### ELECTRICAL

Surge Protectors — Line Filters	SL Waber	6 Outlets with Switch	.....	\$ 39.95
Uninterruptable Power Supplies .....				399.95

### MISCELLANEOUS

Diskettes in 10 Pack .....	from \$ 9.95
Two print Switches .....	from 99.95
Disk Drive Cables .....	from 16.00
Maintenance Cleaning Kits .....	12.00
Parallel Printer Buffers 8K .....	149.95
Floppy Disk Drive Cables	
1 Drive .....	16.00
2 Drives .....	18.95
Heath/Zenith 2 Drive Cables Shielded .....	24.95

### COLOR COMPUTER DISK DRIVE SYSTEMS AND ADD IN PRODUCTS

40 Track Single Head Drive with Case, Power Supply, Cable	
Controller, Instruction Booklet, Diskettes .....	\$199.95
Above with Dual Drives in One Cabinet .....	269.95
40 Track Dual Head with Case, Power Supply, Cable,	
Controller, Instruction Booklet, Diskettes .....	249.95
Above with Dual Drives in One Cabinet .....	359.95
Dual DOS Switch .....	29.95
With Second DOS System — JDOS, RSDOS, and Booklet .....	69.95

## CALL FOR MODEM SPECIALS

**Modem Special 300/1200..... \$199.95**

**ALL IN-STOCK ITEMS SHIPPED WITHIN 24 HOURS. SAME DAY SHIPPING PROVIDED BY REQUEST WITHOUT ANY EXTRA HANDLING CHARGES.**

## Software Support Inc. — MicroSmart Inc.

### TERMS and CONDITIONS:

All prices are cash discounted. However, we do accept MC, VISA, AMEX & DISCOVER credit cards. C.O.D.'s are accepted-No deposit required. Purchase Orders-Corporate, Government & School P.O.'s are accepted. Please call for details. Shipping Costs are calculated per order. Please call for total. Shipments of all in-stock products are made within 24 hours. Same day service is available upon request — no added cost. Not responsible for typographical errors. Terms and Specifications may change without notice.

OUR NEW ADDRESS →

**1-617-881-1800**  
**200 Homer Ave**  
**Ashland MA 01721**

Hours: Mon.-Fri. 10 am to 5:30 pm (est) Sat 4:00 pm

**Toll Free Ordering 1-800-343-8841**

**Dealer Inquiries Invited**

↑ OUR NEW COMPANY!

Service & Returns: It is our policy to repair all service returns within 24-48 hours. Normally same day turn-a-round is accomplished. It is necessary to have a (R)eturn (M)aterial (A)uthorization to insure speedy service.

IBM, TAVA, COLUMBIA, 5151, COMPAQ, EAGLE, TRS/80, HEATH/ZENITH are registered trademarks of IBM Corp., Tava Corp., Columbia Computer Corp. Key Tronics Corp., Compaq Corp., Eagle Computer, Tandy Corp., Zenith Corp. respectively.

1986 Software Support, Inc. All rights reserved.  
1986 MicroSmart, Inc. All rights reserved.  
TURBO M™ of MicroSmart Inc.



\$(M(ZZ,3))  
 66 M3\$="M"+STR\$(M(Z,Ø))+"", "+STR\$(M(Z,1))  
 67 M4\$="M"+STR\$(M(Z+1,Ø))+"", "+STR\$(M(Z+1,1))  
 68 DRAW"C4B"+H1\$+H2\$+H3\$+H4\$+H5\$+H1\$+"C3B"+M1\$+M2\$+M3\$+M4\$+M1\$:RETURN  
 70 DRAW"C1S1ØBMØ,161"+N\$(1):RETURN  
 72 DRAW"C4S1ØBM22,161"+N\$(I):RETURN  
 74 DRAW"C1S1ØBM22,161"+N\$(I):RETURN  
 76 DRAW"BM32,188"+MM\$+II\$+NN\$+"BL2UBM186,188"+OO\$+"BL2BU1ØD2BD8BR4"+CC\$+LL\$+OO\$+CC\$+KK\$:RETURN  
 78 DRAW"BM26,173"+BB\$+EE\$+FF\$+OO\$+RR\$+EE\$+"BM+2,-5R2E2G2DBR2BDRBH2R16L2H2F2DBL2BDLBM+12,3":DRAWA\$+FF\$+TT\$+EE\$+RR\$:RETURN  
 100 DEFFNA(X)=INT(X+.5)  
 103 DIMX(6Ø,1),Y(6Ø,1),X1(12,1),Y1(12,1),N\$(12),M(61,3),H(61,5),S1\$(13),RS\$(4)  
 106 XX=8Ø:YY=8Ø:R=8Ø:RA=57.2957795:RO=R-18:RI=R-21:RN=R-1Ø:RE=R-25:RF=RE-1:H1=.7:H2=.6:RM=4:RH=8  
 109 FORI=1TO13:READS1\$(I):NEXTI  
 112 DATA "52,191","66,191","86,191","1ØØ,191","ØØØ,191","Ø14,191","154,191","168,191","18Ø","194","214","228","242,"  
 115 W\$="T5O2L1...FC":RS\$="GL4F#GL2AL4GAL2BL4O+CO-BL2E":RS\$(Ø)="T5O2L2D"+RS\$:RS\$(2)="O2L4DDL2"+RS\$  
 118 RS\$="L4AAL2GL4GGL2F#L4EF#L2..GP4":RS\$(1)="O2"+RS\$:RS\$(3)=RS\$(1)  
 121 RS\$="L4GBL2O+DO-L4BAL2GL4F#G":RS\$(4)="O2;XRS\$;AGF#EL2D"  
 150 N\$(Ø)="BDD9RFR5ERU9LHL5G1;BU BR13":'1ØX12 +4 NUMERALS  
 152 N\$(1)="BR6D11;U11BR8"  
 154 N\$(2)="BD1RER5FRD3LGLGLGLGLD3R8;BU11BR6"  
 156 N\$(3)="BD1RER3FRFRD2LGL3R3FRD3LGLGL3HL1;BU1ØBR14"  
 158 N\$(4)="BD1D6R9L3U7D11;U11BR8"  
 160 N\$(5)="NR8D6R3ER3FRD4LGL5HL1;BU1ØBR14"  
 162 N\$(6)="BR7LDGLDGLDGLD4RFR5ERU2LHL6;BU7BR13"  
 164 N\$(7)="BD1RER7D4LGLD6;BU11BR7"  
 166 N\$(8)="BDD3RFGLD4RFR5ERU4LHE

RU3LHL5GLRBD3FR5E1;BU4BR6"  
 168 N\$(9)="BR2R5FRD1ØU6L7HLU3RE1;BR12"  
 170 N\$(1Ø)="BL6"+N\$(1)+"BL4"+N\$(Ø)  
 172 N\$(11)="BL6"+N\$(1)+"BL4"+N\$(1)  
 174 N\$(12)="BL8"+N\$(1)+"BL4"+N\$(2)  
 176 AA\$="U8RE2RF2RD4L7R7D4BR5":'8X11 +4 LETTERS  
 178 BB\$="U1ØR5FRD3LGL5R5FRD3LGL5BR12"  
 180 CC\$="BR7BULGL3HLU8RER3FRDBD8BR5"  
 182 DD\$="U1ØR3FRFRD6LGLGL3;BR12"  
 184 EE\$="U1ØR7BD5BL3L4D5R7BR5"  
 186 FF\$="U1ØR7BD5BL3L4D5BR12"  
 188 II\$="BR2R5L3U1ØL2R5BD1ØBR5"  
 190 KK\$="U1ØD5R3E4UDG4DF4BR5"  
 192 LL\$="U1ØD1ØR7BR5"  
 194 MM\$="U1ØRFRFD3RU3ERERD1ØBR3":'1ØWIDE  
 196 NN\$="U1ØD2F7U9D1ØBR5"  
 198 OO\$="BR2HLU8RER3FRD8LGL3BR1Ø"  
 200 RR\$="U1ØR5FRD3LGL5R2F2RF2DBR5"  
 202 TT\$="BU1ØR7L3D1ØBR8"  
 204 ND\$="BM194,49"+N\$(2)+"BD11"+NN\$+DD\$  
 300 FORO=Ø TO15  
 310 Q=O\*6/RA:S=SIN(Q):C=COS(Q)  
 320 X(O,Ø)=FNA(RO\*S):X(3Ø-O,Ø)=X(O,Ø):X(3Ø+O,Ø)=-X(O,Ø):X(6Ø-O,Ø)=-X(O,Ø)  
 330 X(O,1)=FNA(RI\*S):X(3Ø-O,1)=X(O,1):X(3Ø+O,1)=-X(O,1):X(6Ø-O,1)=-X(O,1)  
 340 Y(O,Ø)=FNA(RO\*C):Y(3Ø-O,Ø)=-Y(O,Ø):Y(3Ø+O,Ø)=-Y(O,Ø):Y(6Ø-O,Ø)=Y(O,Ø)  
 350 Y(O,1)=FNA(RI\*C):Y(3Ø-O,1)=-Y(O,1):Y(3Ø+O,1)=-Y(O,1):Y(6Ø-O,1)=Y(O,1):NEXTO  
 380 FORO=ØTO3  
 390 Q=3Ø\*O/RA:S=SIN(Q):C=COS(Q):X1(O,Ø)=FNA(RN\*S)  
 400 IFX1(O,Ø)/2<>INT(X1(O,Ø)/2) THENX1(O,Ø)=X1(O,Ø)+1  
 410 X1(6-O,Ø)=X1(O,Ø):X1(6+O,Ø)=-X1(O,Ø):X1(12-O,Ø)=-X1(O,Ø)  
 420 Y1(O,Ø)=FNA(RN\*C):Y1(6-O,Ø)=-Y1(O,Ø):Y1(6+O,Ø)=-Y1(O,Ø):Y1(12-O,Ø)=Y1(O,Ø)  
 430 X1(O,1)=FNA(RE\*S):X1(6-O,1)=X1(O,1):X1(6+O,1)=-X1(O,1):X1(12-O,1)=-X1(O,1)



# Princeton

Oct. 17-19

# RAINBOW

**R**AINBOWfest is the only computer show dedicated exclusively to your Tandy Color Computer. Nowhere else will you see as many CoCo-related products or be able to attend free seminars conducted by the top Color Computer experts. It's the next best thing to receiving the latest issue of THE RAINBOW in your mailbox!

RAINBOWfest is a **great opportunity** for commercial programmers to **show off new and innovative products for the first time. Princeton is the show** to get the jump on new capabilities for the new CoCo 3. In exhibit after exhibit, there will be demonstrations, opportunities to experiment with software and hardware, and special RAINBOWfest prices.

**Set your own pace** between visiting exhibits and attending the valuable, free seminars on all aspects of your CoCo — from improving BASIC skills to working with the sophisticated OS-9 operating system.

**Many people who write for THE RAINBOW** — as well as those who are written about — are there to meet you and answer questions. You'll also meet lots of other people who share your interest in the Color Computer. It's a person-to-person event and a tremendous learning experience in a fun and relaxed atmosphere.

To make it easier for you to participate, we schedule RAINBOWfests in different parts of the country. If you missed the fun in Chicago, why don't you make plans now to join us in Princeton? For members of the family who don't share your affinity for CoCo, RAINBOWfest is located in an area with many other attractions.

**The Hyatt Regency Princeton offers special rates** (\$79, single or double room) for RAINBOWfest. **The show opens Friday evening** with a session from 7 p.m. to 10 p.m. It's a daytime show Saturday — the CoCo Community Breakfast (separate tickets required) is at 8 a.m., then the exhibit hall opens promptly at 10 a.m. and runs until 6 p.m. **A special Saturday evening round table** examining the new CoCo 3 (6:30 p.m.) is sure to be a highlight. On Sunday, the exhibit hall opens at 11 a.m. and closes at 4 p.m.

**Tickets for RAINBOWfest** may be obtained directly from THE RAINBOW. We'll also send you a reservation form so you can get your special room rate.

**The POSH way to go.** Have your travel arrangements and hotel reservations handled through RAINBOW affiliate, POSH Travel Assistance, Inc., of Louisville. For the same POSH treatment many of our exhibitors enjoy, call POSH at (502) 893-3311. All POSH services are available at no charge to RAINBOWfest attendees.

#### Show Schedule:

Friday evening

- Exhibits open from 7 p.m. to 10 p.m.

Saturday

- CoCo Community Breakfast at 8 a.m.
- Exhibits open at 10 a.m. and close at 6 p.m.
- Special round table at 6:30 p.m.

Sunday

- Exhibits open from 11 a.m. to 4 p.m.



## Free Seminars

### Mark Siegel

Product Manager, Software Engineering, Tandy/Radio Shack

*An Insider's View of the New CoCo 3*

### Jim Reed

RAINBOW Managing Editor

*Writing for Publication*

### Jeffrey Parker

Independent Programmer and Author

*Getting Your CoCo To Talk To Your MS-DOS*

### Fred Scerbo

RAINBOW Contributing Editor

*Using Computers in Education*

### Bill Barden

Independent Programmer and Author

*Beginning Assembly Language*

### Brian Lantz

President, National OS-9 Users Group

*OS-9 Overview*

### George Dorner

OS-9 Veteran Programmer

*The OS-9 Environment: Tools and Pipes*

### Dan Downard

RAINBOW Technical Editor

*A Look at Peripherals*

### Dale Puckett

RAINBOW Contributing Editor

*Beginners' Guide To OS-9 and BASIC09*

### Leonard Hyre

Freelance Author and Programmer

*Introduction to BASIC*

### Cray Augsburg

RAINBOW Technical Assistant

*Intro to our Delphi CoCo SIG*

### Paul Hoffman

Graphic Artist and Programmer

*Inside CoCo Graphics*

### Steve Bjork

President of SRB Software

*Getting the Most from Your CoCo 3*

### John Gibney

Delphi National Sales Director

*National Information Services vs. Local Bulletin Boards*

### Bill Turner

Vice President National OS-9 Users Group

*Business Applications of OS-9*

## CoCo Community Breakfast

### Greg Zumwalt — CoCo 3 Programmer

Our keynote speaker for the traditional CoCo Community Breakfast is Greg Zumwalt, one of the early CoCo specialists who has created everything from flight simulators to computer games. An independent programmer and computer designer, Greg is one of the select few writing Tandy software for the new Color Computer 3. He owns ZCT Software, of Tulsa, Okla., and also writes software for business applications in such areas as aviation, the oil industry and the medical field.

### ▲ SPECIAL EVENT!

Saturday Evening Round-Table Discussion at 6:30 p.m.

#### The Design, Development and Marketing of the Color Computer 3

Exclusive: Listen to the key people in the design and development of the Color Computer 3! Featured Speakers: **Barry Thompson**, Buyer, Computer Merchandising, Tandy/Radio Shack; **Mark Siegel**, Product Manager, Software Engineering, Tandy/Radio Shack; **Steve Bjork**, President, SRB Software; and **Greg Zumwalt**, President, ZCT Software.

### RAINBOWfest - Princeton, New Jersey

**Dates:** Oct. 17-19, 1986

**Hotel:** Hyatt Regency Princeton

**Rooms:** \$79 per night, single or double

**Advance Ticket Deadline:** Oct. 10, 1986

*Join us at a future RAINBOWfest!*

### RAINBOWfest - Chicago, Illinois

**Dates:** Early April 1987

**Hotel:** Hyatt Regency Woodfield

**Rooms:** \$60 per night, single or double

**Advance Ticket Deadline:** March 25, 1987

FREE T-Shirt to first five ticket orders received from each state.

**YES, I'm coming to Princeton!** I want to save by buying tickets now at the special advance sale price. Breakfast tickets require advance reservations.

Please send me:

\_\_\_\_\_ Three-day tickets at \$9 each      total \_\_\_\_\_

\_\_\_\_\_ One-day tickets at \$7 each      total \_\_\_\_\_

Circle one:    Friday    Saturday    Sunday

\_\_\_\_\_ Saturday CoCo Breakfast at \$12 each      total \_\_\_\_\_

Handling Charge \$1      \$1.00

TOTAL ENCLOSED \_\_\_\_\_

(U.S. Currency Only, Please)

Also send me a hotel reservation card for the Hyatt Regency Princeton (\$79, single or double room).

Name (please print) \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_

Telephone \_\_\_\_\_ ZIP \_\_\_\_\_

Company \_\_\_\_\_

Payment Enclosed, or Charge to:

VISA     MasterCard     American Express

Account Number \_\_\_\_\_

Exp. Date \_\_\_\_\_

Signature \_\_\_\_\_

Advance ticket deadline: Oct. 10, 1986. Orders received less than two weeks prior to show opening will be held for you at the door. Tickets will also be available at the door at a slightly higher price. Tickets will be mailed six weeks prior to show. Children 4 and under, free; over 4, full price.

Make checks payable to: The RAINBOW. Mail to: RAINBOWfest, The Falsoft Building, 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059. To make reservations by phone, in Kentucky call (502) 228-4492, or outside Kentucky call (800) 847-0309.



```

44Ø Y1(0,1)=FNA(RE*C):Y1(6-0,1)=
-Y1(0,1):Y1(6+0,1)=-Y1(0,1):Y1(1
2-0,1)=Y1(0,1):NEXT0
45Ø PCLS:SCREEN1,Ø:CLS:CIRCLE(XX
,YY),R:PAINT(XX,YY-R+1),2,4:PSET
(XX,YY,1)
46Ø FORZ=Ø TO 6Ø:DRAW"BM"+STR$(X
X+X(Z,Ø))+", "+STR$(YY-Y(Z,Ø))+ "M
"+STR$(XX+X(Z,1))+", "+STR$(YY-Y(
Z,1)):NEXTZ
47Ø FORZ=1TO12
48Ø DRAW"BM"+STR$(XX+X(Z*5,1))+
", "+STR$(YY-Y(Z*5,1))+ "M"+STR$(XX
+X1(Z,1))+", "+STR$(YY-Y1(Z,1))
49Ø DRAW"BM"+STR$(XX+X1(Z,Ø)-4)+
", "+STR$(YY-Y1(Z,Ø)-5)+N$(Z):NEX
TZ
50Ø FORZ=1TO15
51Ø Q=(Z*6-3)/RA:S=SIN(Q):C=COS(
Q)
52Ø T=FNA(RF*S):M(Z,Ø)=XX+T:M(31
-Z,Ø)=XX+T:M(3Ø+Z,Ø)=XX-T:M(61-Z
,Ø)=XX-T
53Ø T=FNA(RF*C):M(Z,1)=YY-T:M(31
-Z,1)=YY+T:M(3Ø+Z,1)=YY+T:M(61-Z
,1)=YY-T:NEXTZ
54Ø FORZ=1TO6Ø
55Ø Q=(135+6*Z)/RA
56Ø S=SIN(Q):M(Z,2)=FNA(RM*S)+XX
:H(Z,4)=FNA(RH*S)+XX
57Ø C=COS(Q):M(Z,3)=YY-FNA(RM*C)
:H(Z,5)=YY-FNA(RH*C)
58Ø H(Z,Ø)=XX+FNA(X(Z,1)*H1):H(Z
,1)=YY-FNA(Y(Z,1)*H1)
59Ø H(Z,2)=XX+FNA(X(Z,1)*H2):H(Z
,3)=YY-FNA(Y(Z,1)*H2):NEXTZ
60Ø M(Ø,Ø)=M(6Ø,Ø):M(Ø,1)=M(6Ø,1
):M(Ø,3)=M(6Ø,3):M(Ø,2)=M(6Ø,2)
61Ø M(61,Ø)=M(1,Ø):M(61,1)=M(1,1
):M(61,2)=M(1,2):M(61,3)=M(1,3)
62Ø H(Ø,Ø)=H(6Ø,Ø):H(Ø,1)=H(6Ø,1
):H(Ø,2)=H(6Ø,2):H(61,2)=H(1,2):
H(Ø,3)=H(6Ø,3):H(61,3)=H(1,3):H(
Ø,4)=H(6Ø,4):H(Ø,5)=H(6Ø,5)
100Ø ' level 1
101Ø L=1:DRAW"S4C4":GOSUB44
102Ø DRAW"C4BM7Ø,186S1Ø"+OO$+"BU
1ØD2BD8BR4"+CC$+LL$+OO$+CC$+KK$
103Ø D$="":NW=Ø:NR=Ø:Z=Ø:T=Ø
104Ø HH=RND(12)
105Ø IFINSTR(1,D$,CHR$(HH+64))<>
Ø THEN1Ø4Ø
106Ø DRAW"S4":GOSUB5Ø
107Ø 'GET ANSWER
108Ø GOSUB14:R$=INKEY$:IFR$=""TH
EN1Ø8Ø
109Ø IFASC(R$)<49 OR ASC(R$)>57
THEN1Ø8Ø

```

```

110Ø IFR$="1"THENDRAW"C4BMØ,186S
1ØBU1Ø"+N$(1):I=1:GOTO113Ø
111Ø I=VAL(R$)
112Ø GOSUB72
113Ø A$=R$
114Ø GOSUB14:R$=INKEY$:IFR$=""TH
EN114Ø
115Ø IFR$=CHR$(13)THEN IFA$="1"TH
ENGOSUB7Ø:DRAW"C4BM22,161"+N$(1
):GOTO127Ø ELSE127Ø
116Ø IFR$<>CHR$(8) THEN119Ø
117Ø IFVAL(A$)=1 THENGOSUB7Ø ELS
EGOSUB74
118Ø A$="":I=Ø:GOTO1Ø8Ø
119Ø IFA$<>"1" THEN114Ø
120Ø IFASC(R$)<48 OR ASC(R$)>5Ø
THEN 114Ø
121Ø I=VAL(R$)
122Ø GOSUB72
123Ø A$=A$+R$
124Ø GOSUB14:R$=INKEY$:IFR$=""TH
EN124Ø
125Ø IFR$=CHR$(8) THENGOSUB74:A$=
LEFT$(A$,1):I=Ø:GOTO114Ø
126Ø 'CHECK ANSWER
127Ø DRAW"C1S4BM22,191R22":IFVAL
(A$)=HH THEN132Ø
128Ø DRAW"C4":GOSUB38:PLAYW$:NW=
NW+1:IFT<>Ø THEN T=Ø:GOTO133Ø
129Ø IFLEN(A$)=2 THENGOSUB7Ø
130Ø GOSUB74
131Ø DRAW"C1":GOSUB36:T=1:DRAW"C
4S4XND$":GOTO1Ø8Ø
132Ø DRAW"C2":GOSUB34:PLAYR$(Ø)
:NR=NR+1:D$=D$+CHR$(HH+64):T=Ø
133Ø R$=INKEY$:IFR$="" THEN133Ø
134Ø IFR$="^" THENGOSUB8ØØØ
135Ø DRAW"C1":GOSUB36:DRAW"S4XND
$":
136Ø IFLEN(A$)=2 THENGOSUB7Ø
137Ø GOSUB74
138Ø DRAW"S4C2B"+M1$+M2$+M3$+M4$
+M1$+"B"+H1$+H2$+H3$+H4$+H5$+H1$
139Ø IFNR<12 THEN1Ø4Ø
140Ø PRINT"LEVEL 1 RIGHT";NR;"
WRONG";NW:SCREEN1,Ø
141Ø IFNW>3 THEN1Ø3Ø
142Ø DRAW"C1BM7Ø,186S1Ø"+OO$+"BU
1ØD2BD8BR4"+CC$+LL$+OO$+CC$+KK$
2ØØØ ' levels 2 & 3
2Ø1Ø L=2:DRAW"C4S4":GOSUB44
2Ø2Ø DRAW"C4":GOSUB76
2Ø3Ø IFL=2 THEN DRAW"BM76,188BR6
"+AA$+FF$+TT$+EE$+RR$ ELSEGOSUB4
4:DRAW"BM76,188"+BB$+EE$+FF$+OO$
+RR$+EE$
2Ø4Ø D$="":E$="":NW=Ø:NR=Ø
2Ø5Ø HH=RND(12)

```



```

2060 IFINSTR(1,D$,CHR$(HH+64)) <>
0 THEN2050
2070 M=RND(7)
2080 IFINSTR(1,E$,STR$(M)) <>0 TH
EN2070
2090 IFL=2 THENZ=5*(M-1) ELSEZ=5
*(M+5)
2100 DRAW"C2BM"+S1$(5)+"R9BM"+S1
$(6)+"R9BM"+S1$(7)+"R9BM"+S1$(8)
+"R9"
2110 GOSUB50
2120 A$="":C=5
2130 GOSUB22:R$=INKEY$:IFR$=""TH
EN2130
2140 IFR$=CHR$(32) THENDRAW"C1BM
"+S1$(C)+"R9":GOTO2180
2150 IFR$=CHR$(8) THEN IFC=5THEN
2130 ELSEC=C-1:DRAW"C1BM"+S1$(C)
+"BU14"+N$(I):A$=LEFT$(A$,LEN(A$
)-1):I=VAL(RIGHT$(A$,1)):GOTO213
0
2160 IFASC(R$)<48 OR ASC(R$)>57
THEN2130
2170 I=VAL(R$):DRAW"C4BM"+S1$(C)
+"BU14"+N$(I)+"BM"+S1$(C)+"C1R9"
2180 A$=A$+R$
2190 C=C+1
2200 IFC<9THEN2130
2210 C=8
2220 GOSUB22:R$=INKEY$:IFR$=""TH
EN2220
2230 IFR$=CHR$(8) THENDRAW"C1BM"
+S1$(C)+"BU14"+N$(I):A$=LEFT$(A$
,LEN(A$)-1):I=VAL(RIGHT$(A$,1)):
GOTO2130
2240 IFR$<>CHR$(13) THEN2220
2250 DRAW"C1BM"+S1$(C)+"R9"
2260 IFL=3THEN2280
2270 IFVAL(LEFT$(A$,2))=Z AND VA
L(RIGHT$(A$,2))=HH THEN2330 ELSE
2300
2280 H=VAL(RIGHT$(A$,2))-1:IFH<1
THENH=12
2290 IFVAL(LEFT$(A$,2))=60-Z AND
H=HH THEN2330
2300 DRAW"C4":GOSUB38:NW=NW+1:PL
AYW$:IFT<>0 THENT=0:GOTO 2340
2310 DRAW"C1":GOSUB36:FORI=5TO8:
DRAW"BM"+S1$(I)+"BU14"+N$(VAL(MI
D$(A$,I-4,1)):NEXTI
2320 T=1:DRAW"C4XND$;":GOTO2100
2330 DRAW"C2":GOSUB34:PLAYRS$(L-
1):NR=NR+1:D$=D$+CHR$(HH+64):E$=
E$+STR$(M):T=0
2340 R$=INKEY$:IFR$="" THEN2340
2350 IFR$="^" THENGOSUB8000
2360 DRAW"C1XND$;":GOSUB36
2370 FORI=5TO8:DRAW"C1BM"+S1$(I)
+"BU14"+N$(VAL(MID$(A$,I-4,1)):
NEXTI
2380 DRAW"C2B"+M1$+M2$+M3$+M4$+M
1$+"B"+H1$+H2$+H3$+H4$+H5$+H1$
2390 IFNR<7 THEN2050
2400 IFL=3 THEN2430
2410 PRINT"LEVEL 2 RIGHT";NR;"
WRONG";NW:SCREEN1,0
2420 IFNW<3 THENL=3:DRAW"BM76,18
8C1R6"+AA$+FF$+TT$+EE$+RR$+"C4":
GOTO2030 ELSE2040
2430 PRINT"LEVEL 3 RIGHT";NR;"
WRONG";NW:SCREEN1,0
2440 IFNW>2 THEN2040
2450 DRAW"C1BM76,188"+BB$+EE$+FF
$+OO$+RR$+EE$:GOSUB76
4000 ' level 4
4010 L=4:DRAW"S4C4":GOSUB44:GOSU
B76:AR$="BM110,183R9L2H2F2DBL2BD
LBE2L16R2E2G2DBR2BDR"
4020 D$="":E$="":NW=0:NR=0
4030 HH=RND(12)
4040 IFINSTR(1,D$,CHR$(HH+64)) <>
0 THEN4030
4050 M=RND(12)
4060 IFINSTR(1,E$,CHR$(M+64)) <>0
THEN4050
4070 Z=(M-1)*5:GOSUB50
4080 A$="":C=5
4090 DRAW"C2XAR$;BD3BL17"+BB$+"B
R24"+AA$
4100 GOSUB78
4110 DRAW"C2BM"+S1$(5)+"R9BM"+S1
$(6)+"R9BM"+S1$(7)+"R9BM"+S1$(8)
+"R9"
4120 GOSUB22:R$=INKEY$:IFR$="" T
HEN4120
4130 IFR$=CHR$(32) THENDRAW"C1BM
"+S1$(C)+"R9":GOTO4170
4140 IFR$=CHR$(8) THEN IFC=5 THE
N4120 ELSEC=C-1:DRAW"C1BM"+S1$(C)
+"BU14"+N$(I):A$=LEFT$(A$,LEN(A
$)-1):I=VAL(RIGHT$(A$,1)): GOTO4
120
4150 IFASC(R$)<48 OR ASC(R$)>57
THEN4120
4160 I=VAL(R$):DRAW"C4BM"+S1$(C)
+"BU14"+N$(I)+"BM"+S1$(C)+"C1R9"
4170 A$=A$+R$
4180 C=C+1
4190 IFC<7 THEN4120 ELSE4230
4200 DRAW"C2":GOSUB78
4210 IFRT$="A" THENDRAW"C1BM82,1
88"+AA$+FF$+TT$+EE$+RR$ ELSE DRA
W"C1BM76,188"+BB$+EE$+FF$+OO$+RR
$+EE$
4220 DRAW"C2XAR$;"
4230 GOSUB26:RT$=INKEY$:IFRT$=""
THEN4230
4240 IFRT$=CHR$(8) THENDRAW"C2BM

```



```

88,188"+BB$+"BR24"+AA$:C=C-1:DRA
W"C1BM"+S1$(C)+"BU14"+N$(I):A$=L
EFT$(A$,LEN(A$)-1):I=VAL(RIGHT$(
A$,1)):GOTO4120
4250 IFASC(RT$)<65 OR ASC(RT$)>6
6 THEN4230
4260 DRAW"C1XAR$;BD3BL17"+BB$+"B
R24"+AA$
4270 GOSUB78
4280 IFRT$="A" THENDRAW"C4BM82,1
88"+AA$+FF$+TT$+EE$+RR$ ELSEDRAW
"C4BM76,188"+BB$+EE$+FF$+OO$+RR$
+EE$
4290 GOSUB22:R$=INKEY$:IFR$="" T
HEN4290
4300 IFR$=CHR$(32) THENDRAW"C1BM
"+S1$(C)+"R9":GOTO4340
4310 IFR$=CHR$(8) THEN IFC=7 THE
N4200 ELSEC=C-1:DRAW"C1BM"+S1$(C
)+"BU14"+N$(I):A$=LEFT$(A$,LEN(A
$)-1):I=VAL(RIGHT$(A$,1)):GOTO4
290
4320 IFASC(R$)<48 OR ASC(R$)>57
THEN4290
4330 I=VAL(R$):DRAW"C4BM"+S1$(C)
+"BU14"+N$(I)+"BM"+S1$(C)+"C1R9"
4340 A$=A$+R$
4350 C=C+1
4360 IFC<9 THEN4290
4370 C=8
4380 GOSUB22:R$=INKEY$:IFR$="" T
HEN4380
4390 IFR$=CHR$(8) THENDRAW"C1BM"
+S1$(C)+"BU14"+N$(I):A$=LEFT$(A$
,LEN(A$)-1):I=VAL(RIGHT$(A$,1)):
GOTO4290
4400 IFR$<>CHR$(13) THEN4380
4410 DRAW"C1BM"+S1$(C)+"R9"
4420 Z$=RIGHT$(STR$(Z),2)
4430 IFRT$="A" THEN4470
4440 IFZ=0 THENH=VAL(RIGHT$(A$,2
)):Z=60:GOTO4460
4450 H=VAL(RIGHT$(A$,2))-1:IFH<1
THENH=12
4460 IFVAL(LEFT$(A$,2))=60-Z AND
H=HH THEN4520 ELSE4480
4470 IFVAL(LEFT$(A$,2))=Z AND VA
L(RIGHT$(A$,2))=HH THEN4520
4480 DRAW"C4":GOSUB38:PLAYW$:NW=
NW+1:IFT<>0 THENT=0:GOTO4530
4490 C=5:T=1:FORI=5TO8:DRAW"C1BM
"+S1$(I)+"BU14"+N$(VAL(MID$(A$,I
-4,1))):NEXTI
4500 IFRT$="A" THENDRAW"BM82,188
"+AA$+FF$+TT$+EE$+RR$ ELSEDRAW"B
M76,188"+BB$+EE$+FF$+OO$+RR$+EE$
4510 GOSUB36:DRAW"C4XND$;":GOTO4
080
4520 T=0:DRAW"C4BM180,30"+N$(HH)

```

```

+"BD3DBD3DBU8BR6"+N$(VAL(LEFT$(Z
$,1)))+N$(VAL(RIGHT$(Z$,1)))+C2
":GOSUB34:PLAYR$(3):NR=NR+1:E$=
E$+CHR$(M+64):D$=D$+CHR$(HH+64)
4530 R$=INKEY$:IFR$="" THEN4530
4540 IFR$="^" THENGOSUB8000
4550 IFRT$="A" THENDRAW"C1BM82,1
88"+AA$+FF$+TT$+EE$+RR$ ELSEDRAW
"C1BM76,188"+BB$+EE$+FF$+OO$+RR$
+EE$
4560 DRAW"C1XND$;BM180,30"+N$(HH
)+"BD3DBD3DBU8BR6"+N$(VAL(LEFT$(
Z$,1)))+N$(VAL(RIGHT$(Z$,1))):GO
SUB36
4570 FORI=5TO8:DRAW"C1BM"+S1$(I)
+"BU14"+N$(VAL(MID$(A$,I-4,1))):
NEXTI
4580 DRAW"C2B"+M1$+M2$+M3$+M4$+M
1$+"B"+H1$+H2$+H3$+H4$+H5$+H1$
4590 IF NR<12 THEN4030
4600 PRINT"LEVEL 4 RIGHT";NR;"
WRONG";NW:SCREEN1,0
4610 IFNW>2 THEN4020
4620 DRAW"C1":GOSUB76
5000 ' level 5
5010 L=5:DRAW"C4":GOSUB44
5020 D$="":NW=0:NR=0:DRAW"C4BM80
,185UBU3U"
5030 DRAW"C2BM52,191R9BR5R9BR11R
9BR5R9"
5040 H=RND(24)
5050 IFINSTR(1,D$,CHR$(H+64))<>0
THEN5040
5060 IFH>12 THENHH=H-12 ELSEHH=H
5070 Z=RND(60)-1
5080 GOSUB50
5090 A$="":C=1
5100 GOSUB18:R$=INKEY$:IFR$=""TH
EN5100
5110 IFR$=CHR$(32) THENA$=A$+R$:
DRAW"C1BM"+S1$(C)+"R9":GOTO5160
5120 IFR$=CHR$(8) THEN IFC=1THEN
5100 ELSEC=C-1:DRAW"C1BM"+S1$(C
)+"BU14"+N$(I):A$=LEFT$(A$,LEN(A
$)-1):I=VAL(RIGHT$(A$,1)):GOTO51
00
5130 IFASC(R$)<48 OR ASC(R$)>57
THEN5100
5140 I=VAL(R$):DRAW"C4BM"+S1$(C)
+"BU14"+N$(I)+"C1BM"+S1$(C)+"R9"
5150 A$=A$+R$
5160 C=C+1
5170 IFC<5 THEN5100
5180 C=4
5190 GOSUB18:R$=INKEY$:IFR$=""TH
EN5190
5200 IFR$=CHR$(8) THENDRAW"C1BM"
+S1$(C)+"BU14"+N$(I):A$=LEFT$(A$
,LEN(A$)-1):I=VAL(RIGHT$(A$,1)):

```



```


GOTO5100
5210 IFR$<>CHR$(13) THEN5190
5220 DRAW"C1BM"+S1$(C)+"R9"
5230 IFVAL(LEFT$(A$,2))=HH AND Z
=10*VAL(MID$(A$,3,1))+VAL(RIGHT$(
A$,1)) THEN5270
5240 DRAW"C4":GOSUB38:PLAYW$:NW=
NW+1:IFT<>0 THENT=0:GOTO5280
5250 FORI=1TO4:DRAW"C1BM"+S1$(I)
+"BU14"+N$(VAL(MID$(A$,I,1))):NE
XTI
5260 DRAW"C1":GOSUB36:T=1:DRAW"C
4XND$:C2BM52,191R9BR5R9BR11R9BR5
R9":GOTO5090
5270 DRAW"C2":GOSUB34:PLAYRS$(4)
:NR=NR+1:D$=D$+CHR$(H+64):T=0
5280 R$=INKEY$:IFR$="" THEN5280
5290 IFR$="^" THENGOSUB8000
5300 DRAW"C1XND$;":GOSUB36
5310 FORI=1TO4
5320 DRAW"C1BM"+S1$(I)+"BU14"+N$(
VAL(MID$(A$,I,1))):NEXTI
5330 DRAW"C2B"+M1$+M2$+M3$+M4$+M
1$+"B"+H1$+H2$+H3$+H4$+H5$+H1$
5340 IFNR<24 THEN5030
5350 PRINT"LEVEL 5 RIGHT";NR;"
WRONG";NW:SCREEN1,0
5360 IFNW>4 THEN5020
5370 DRAW"C1BM80,185UBU3U":GOSUB
44
5380 PRINT:PRINT" YOUR ANSWERS A
RE SHOWN ABOVE.":FORI=0TO4:PLAYR
S$(I):NEXTI:PLAYRS$+"L2...AP4;L4
DDGP4P2AP4P2L8BBL4BO+CO-BL2EL4AA
L1GF#L2...G"
5390 PRINT"FOR MORE PRACTICE, WH
ICH LEVEL WOULD YOU LIKE TO STA
RT AT?":INPUT" TYPE LEVEL (1-5)"
;L
5400 PRINTSTRING$(32,195):L=ABS(
L):SCREEN1,0
5410 ON L GOTO1000,2010,2020,401
0,5000
5420 END
8000 ' user control
8010 COLOR3,1
8020 ZT=Z:HT=HH
8030 LINE(176,0)-(253,17),PSET,B
F
8040 COLOR4,1
8050 DRAW"S4C2B"+M1$+M2$+M3$+M4$
+M1$+"B"+H1$+H2$+H3$+H4$+H5$+H1$
:DRAW"C1BM208,5DBD3D"
8060 DRAW"C4BM180,16R9BR5R9BR11R
9BR5R9BR5R9"
8070 CO=9:A1$=""
8080 GOSUB30:R$=INKEY$:IFR$="" T
HEN8080

```

## Canadians!

We are Canada's largest distributor of Color Computer products.

Send for your free copy of our 1986 Catalog



Kellynews-3 is now available and contains news, hints, programs and articles from the crew of Kelly Software.

Please note our new phone number.

**Phone: (403) 236-2161**

We have moved to our new location.



**Kelly Software Distributors Ltd.**  
P.O. Box 608,  
Station 'T' Calgary  
Alberta T5H 2H2

Call now . . .



**(403) 236-2161**

Call our orderline for quick delivery.

We accept phone orders on your VISA or Master Card. No C.O.D.



```

8090 IFASC(R$)<48 OR ASC(R$)>57
THEN8080
8100 A1$=A1$+R$
8110 DRAW"C1BM"+S1$(CO)+"2"+N$(V
AL(R$))+ "C3BM"+S1$(CO)+"16R9"
8120 CO=CO+1
8130 IFCO<13 THEN8080
8140 Z=VAL(RIGHT$(A1$,2)):HH=VAL
(LEFT$(A1$,2))
8150 IFHH>12 OR HH<1 OR Z>60 THE
N8260
8160 GOSUB50
8170 GOSUB30:R$=INKEY$:IFR$="" T
HEN8170
8180 IFR$="T" THEN8250
8190 IFR$="R" THEN8290
8200 IFR$<>CHR$(10) THEN8170
8210 LINE(176,0)-(253,17),PRESET
,BF
8220 DRAW"C2B"+M1$+M2$+M3$+M4$+M
1$+"B"+H1$+H2$+H3$+H4$+H5$+H1$
8230 Z=ZT:HH=HT
8240 RETURN
8250 DRAW"C2B"+M1$+M2$+M3$+M4$+M
1$+"B"+H1$+H2$+H3$+H4$+H5$+H1$: '
new time
8260 CO=9:N1=INT(HH/10):N2=HH-N1

```

```

*10:N3=INT(Z/10):N4=Z-N3*10
8270 DRAW"C3BM"+S1$(CO)+"2"+N$(N
1)+N$(N2)+"BM"+S1$(CO+2)+"2"+N$(
N3)+N$(N4)
8280 GOTO8060
8290 CO=9:HN=HH:N1=INT(HH/10):N2
=HH-N1*10:N3=INT(Z/10):N4=Z-N3*1
0:' run clock
8300 ZN=Z+1
8310 IFZN>=60 THENZN=0:HN=HH+1:I
FHN>12 THENHN=1
8320 R$=INKEY$:IFR$="S" THENCO=1
3:GOTO8170
8330 DRAW"C3BM"+S1$(CO)+"2"+N$(N
1)+N$(N2)+"BM"+S1$(CO+2)+"2"+N$(
N3)+N$(N4)
8340 DRAW"C2B"+M1$+M2$+M3$+M4$+M
1$+"B"+H1$+H2$+H3$+H4$+H5$+H1$
8350 Z=ZN:HH=HN
8360 GOSUB50
8370 N1=INT(HH/10):N2=HH-N1*10:N
3=INT(Z/10):N4=Z-N3*10
8380 DRAW"C1BM"+S1$(CO)+"2"+N$(N
1)+N$(N2)+"BM"+S1$(CO+2)+"2"+N$(
N3)+N$(N4)
8390 GOTO8300

```

# TANDY COMPUTER DISCOUNTS

## COLOR COMPUTERS

26-3127 64k color comp	140.00
26-3131 1st disk drive	269.95

## PRINTERS

26-1276 DMP 105	160.00
26-1277 DMP-430	580.00
26-1280 DMP-130	269.00

## MODEL 4 and MSDOS COMPUTERS

25-1000 mod 1000	700.00
25-01011 Plus expansion board	155.00
25-1005 2nd drive mod 1000	145.00
25-1020 VM-4 Monochrome monitor	110.00
26-1070 mod 4D 64k 2dr.	920.00
26-5103 mod 2000 2dr.	1,400.00
26-5104 mod 2000 HD	2,200.00



**We Carry the Complete Line of Tandy  
Computer Products at Discount Prices**  
**CALL FOR A FREE PRICE LIST 800-257-5556**  
**IN N.J. CALL 609-769-0551**

**WOODSTOWN ELECTRONICS**

Rt. 40 E. WOODSTOWN, N.J. 08098



**NEW**

# OWL-WARE WINCHESTER BASIC

**ANNOUNCING... the Development of a Major Breakthrough in  
HARD DRIVE SYSTEMS for the COLOR COMPUTER!!!**

Several months ago OWL-WARE introduced the Finest OS9 Hard Drive System for the Color Computer. Now we are about to introduce the only RSDOS Interface System worthy of our computer, OWL-WARE Winchester Basic. For the first time you have available a true Winchester System, although there are 10 directories made available to BASIC, the only limit to size of any file is the size of your drive. On a 10 meg drive you could have a 8 meg file on directory 5 and a 1 meg file on directory 8 and small files everywhere. You turn the computer on and you can immediately access your drive from BASIC or any language using commands you already know. You do not have to know or use OS9 to use OWL-WARE WINCHESTER BASIC, but if you do, all files saved from RSDOS are available to OS9. All files generated from OS9 can be made available to RSDOS by copying to the WINCHESTER BASIC directories. There are no partitions to wall you into, only one operating system, but nothing forces you to use an operating system you don't like.

**Call for further details and availability on this breakthrough product!!!**

*Prices* WITH  
DRIVE  
BELOW

ONLY... **\$50.** WITHOUT  
DRIVE **\$75.**

## OS-9 HARD DRIVE SYSTEMS

Disk Access is at Least... *8 Times Faster than Floppy Drives.*


Control up to 2 Drives. EACH with Continuous Massive Memory!!! Complete OS-9 Hard Drive System Includes... Software, Hard Drive, Controller and L.R. Tech Interface.

NOTE: OS-9 and RS DOS... "This may prove to be the perfect mating of both systems." RAINBOW (May 86)

**\$525. 5MEG \$659. 10MEG**

OWL-WARE **\$799. 20MEG**

is pleased to announce  
an exclusive arrangement  
to Distribute the L.R. TECH  
Hard Drive Interface and Software. DEALERS INQUIRES INVITED



Interface &  
Software Only **\$119.**

NOTE: Interface is not Interrupt Driven Like Our Competition. Therefore, the System Clock does not Lose Time During Hard Drive Access.

INSTALL IN ANY SLOT OF MULTI-PAK OR USE Y CABLE.

CREATE BEAUTIFUL PICTURES WITH


## MASTER ARTIST

- vers. 2.0
- \* Convenient, on-screen menu
- \* Accepts input from X-PAD, TOUCH-PAD, MOUSE or JOYSTICK
- \* Magnification mode
- \* Draw with custom paintbrushes
- \* Easy free-hand sketching
- \* "Paint" command
- \* 10 colors at a time
- \* Pictures are ready for use in BASIC programs
- \* Lettering in any size
- \* Screen dump to Color Ink-Jet or other Tandy printers

64K DISK **\$29.95**



VIEW 3-DIMENSIONAL OBJECTS FROM ANY ANGLE WITH



- \* convenient, on-screen menu
- \* supports input from X-PAD, TOUCH-PAD, MOUSE or JOYSTICK
- \* built-in screen dump to Tandy printers
- \* calculates dimensions for you from just a rough sketch
- \* plots or calculates lines and arcs
- \* on-screen sketching mode

64K DISK **\$29.95**



OWL-WARE'S TOLL FREE ORDER LINE (800) 245-6228

# DISK DRIVES

TECHNICAL ADVICE  
(215) 682-6855

All Prices Include  
Case and Power  
Supply

SHhhh... Ask about the WISPER DRIVE!!!

DRIVE 0 \$179. to \$239.

...Call for SPECIAL PRICES on Drive 0,1,2,3 Combos.

DRIVE 1 \$99. to \$145.

Single  
Double  
Quad

## OWL TIP:

If you compare price to value,  
OWL-WARE always has the best  
price!!!

**OWL-WARE SOFTWARE  
BUNDLE: DISK TUTORIAL  
2 UTILITIES  
2 GAMES**

### DISK TUTOR

LEARN EVERYTHING ABOUT DISK BASIC FROM THIS MACHINE LANGUAGE PROGRAM. THE TUTOR TAKES YOU STEP BY STEP THROUGH THE LESSONS AND CORRECTS YOUR MISTAKES A MULTI-LESSON TUTORIAL THAT WILL GIVE YOU QUICK, PAINLESS KNOWLEDGE OF DISK BASIC (THIS PROFESSIONALLY WRITTEN TUTOR IS EASILY WORTH THE BUNDLE'S TOTAL PRICE).

### OWL DOS

AN OPERATING SYSTEM THAT GIVES 25% FASTER DISK ACCESS AND ALLOWS USE OF DOUBLE SIDED DRIVES . CORRECTS FLOATING POINT NUMBER ERROR.

### COPY-IT

QUICKLY COPIES SELECTED PROGRAMS FROM DISK. USE WILD CARD OPTION SEARCH TO SELECT GROUPS OF PROGRAMS FOR COPY (NOT FOR PROTECTED PROGRAMS)

### 2 GAMES


2 GAMES FROM OUR STOCK.  
BOTH HAVE SOLD FOR OVER \$17. EACH.  
**IF SOLD SEPARATELY OVER  
\$125.00 WORTH OF SOFTWARE!!!**

only \$24.95!!!  
(or even better)

**\$4.95 with  
DISK DRIVE PURCHASE!!!**



## NOW AVAILABLE !!! SUPER-TROLL



OWL-WARE'S version of the Distro (CRC) Controller by Tony DiStefano. This has sockets for 4 ROM Chips. ...only \$15.00

**NOTE: Each option, only available with option listed above it.**

#### ADD ON OPTIONS:

- CDOS \$6.
- Parallel Printer Port \$25.
- Real Time Clock \$10.
- 80 Column Card \$65.

Just Controller \$99. with CDOS to \$195. with ALL options

All drives are new, and fully assembled. We ship **FULLY TESTED and CERTIFIED DRIVES at NO ADDED CHARGE!**

CHINON and Other Brands known as the highest quality made.

STATE-OF-THE-ART  
TECHNOLOGY

We have RSDOS, JDOS, OWL DOS, ADOS available on ROM. Call about Double Sided or Special Needs.

**TOLL FREE  
ORDER LINE  
(800) 245-6228**

Call for  
LATEST  
PRICES!!!

See  
Special  
Bundled  
Software  
with  
Disk Drive  
Purchase!

### WARRANTIES

90 day - 1 YEAR



M.C. & VISA Accepted

**OWL-WARE**

P.O. Box 116-D  
Mertztown, PA.  
19539

PA Res Include 6% Tax  
PA (215) 682-6855



# Mystery Word Puzzles

By Steve Blyn  
Rainbow Contributing Editor

This month's column presents a program to help learn spelling or vocabulary lists. Depending on the words used, this program could be applied to any grade level. We arbitrarily entered typical fourth-grade spelling words.

The words are entered on the program's DATA lines. These are contained in lines 370 on. Each DATA line contains a spelling word and a key word to act as a clue. They are used by the program as A\$ and B\$. If you wish to convert this program to a foreign language program, the key word could be the English equivalent of the mystery word.

This program actually contains two games in one. They both use the idea of finding the correct spelling of the mystery word. The students who tested this game for us found the second game was a little more difficult than the first game. The games are chosen randomly by the program.

*Steve Blyn teaches both exceptional and gifted children, holds two master's degrees and has won awards for the design of programs to aid the handicapped. He owns Computer Island and lives in Staten Island, New York.*

The first game presents a partial mystery word such as "xfra" along with a key word given as an aid, such as "border." The clues given would be "-x" and "+me." This appears on the screen as:

XFRA \_ X + ME

The student subtracts the first clue (x) from the beginning of the word and adds the next clue (me) to the end of the word. The mystery word is therefore, "frame." The routine for the first game is contained in lines 150 to 200.

The second game is slightly more difficult. A key word is also supplied as an aid, but the clue is harder to apply. Let's suppose the word we are looking for is "frame" once again. The word "frame" is given, minus any one of its letters such as:

FRME +A or FRAE +M

The solution to this type of puzzle requires a higher order of thought process than the first game. The routine for the second game is contained in lines 220 to 280.

Line 290 prints the key word clue for either game. The clue is the same for

both games. Lines 300 to 330 ask for the student's answer, which is AN\$. AN\$ is then compared to the correct answer A\$(R). If the student is incorrect, the correct answer is displayed.

Each type of game appears randomly. Lines 130 and 140 randomize the use of the two. The beginning routine for the first game is contained in lines 150 to 200, and those for the harder game are in lines 220 to 280. Lines 290 through 360 contain the rest of the program needed for both games.

It is possible that only one of the two games is suitable for your child or students. Customize this game to an easier or harder level by deleting the lines of the routine you want to omit. We found that having the two ways of playing increased student interest in the game. The element of surprise added to the enjoyment of using the program.

We have not included scoring in this game. We felt this is the type of program where the student shortly masters all of the material. You may of course, add a scorecard after every ten or twenty turns. Line 60 would be a convenient place to add a counter for turns and Line 320 would be the place to insert a counter for correct responses.



After each example, the child may press either 'E' to end the program or ENTER to go on to the next example. As written, the program continues until the

child presses the 'E' key. We would hope that the material being tested is mastered at that point.

We at Computer Island are always

interested in hearing from our readers. Your experiences with our programs and suggestions for changes are most helpful to us. □

160	.....	178
290	.....	171
430	.....	22
END	.....	207

The listing: SPELPUZL

```

10 REM"SPELLING PUZZLES-GRADE 4"
20 REM"STEVE BLYN,COMPUTER ISLAN
D SOFTWARE,NY,1986"
30 CZ=RND(-TIMER)
40 N=20:DIM A$(N),B$(N)
50 FOR T=1 TO N:READ A$(T),B$(T)
: NEXT T
60 CLS RND(8):PRINT@8,"WORD PU
ZZLES";
70 PRINT@64,"PUZZLE-"
80 PRINT@128,"YOUR KEY WORD -"
90 PRINT@192,"MYSTERY WORD ? -"
100 R=RND(N):'CHOOSE A RANDOM #
110 L=LEN(A$(R))
120 H=64+RND(26)
130 G=RND(2)
140 IF G=1 THEN 150 ELSE 220
150 REM"EASIER GAME"
160 PRINT@73,CHR$(H);
170 FOR A=1 TO L-2:PRINTMID$(A$(
R)),A,1);:SOUND 240,2:NEXT A
180 PRINT" ";"- ";CHR$(H);" +
";
190 PRINT RIGHT$(A$(R),2)
200 PRINT@320,"FOLLOW THE 2 CLUE
S AT THE TOP."
210 GOTO 290
220 REM"HARDER GAME"
230 X=RND(L)-2
240 IF X<2 THEN 230:'PREVENT BEL
OW ZERO
250 PRINT@73, LEFT$(A$(R),X);

```

```

260 FOR A=X+2 TO L:PRINT MID$(A
$(R)),A,1);:SOUND 240,2:NEXT A
270 PRINT" + ";MID$(A$(R),X+1,
1)
280 PRINT@320,"ADD THE EXTRA LET
TER SOMEWHERE."
290 PRINT@145,B$(R)
300 PRINT@210,"";
310 LINEINPUT AN$:PRINT@320,""
320 IF AN$=A$(R) THEN PRINT@332,
"CORRECT";:PLAY"O4L200ECEGEC":G
OTO 340
330 PRINT@320," SORRY, THE ANS
WER IS - ":PRINT@362,A$(R);
340 PRINT@422,"PRESS ENTER TO GO
ON";
350 EN$=INKEY$
360 IF EN$=CHR$(13) THEN 60 ELSE
IF EN$="E" THEN END ELSE 350
370 DATA SNEAKERS,SHOES
380 DATA SCOLD,YELL
390 DATA PRICE,COST
400 DATA MIDDLE,CENTER
410 DATA OCEAN,SEA
420 DATA LAUGH,SMILE
430 DATA LESSON,LEARN
440 DATA FRIENDS,BUDDIES
450 DATA HAMMER,NAILS
460 DATA GOWN,DRESS
470 DATA FRIED,COOKED
480 DATA FRAME,BORDER
490 DATA DELIVER,GIVE
500 DATA EARTH,SOIL
510 DATA EVERYONE,ALL
520 DATA FEAST,EAT
530 DATA ENJOY,LIKE
540 DATA CANDLE,BURN
550 DATA BASEBALL,BATS
560 DATA WHEEL,ROUND

```

## ASSEMBLY LANGUAGE PROGRAMMING for the TRS-80 COLOR COMPUTER

At last - The book exclusively for you and your CoCo !! You've learned BASIC and are now ready to learn assembly language programming. This hands-on guide begins with the basics and progresses to the expert level; revealing programming conventions and techniques and all the internal capabilities of the TDP-100, CoCo 1 and 2. At every step of the way are illustrations, sample programs, and plain English explanations. All sample programs are shown as assembled with Radio Shack's EDTASM+ cartridge. Plus, a complete chapter explains how to use all EDTASM+ capabilities. This book describes how to write subroutines, interrupt handlers, programs that control the graphics display modes, cassette, disk, keyboard, sound, joysticks, serial I/O, interrupts, and use of ROM resident subroutines. Also covered are the MC6809E microprocessor, the video display generator (VDG), peripheral interface adapters

(PIA), SAM, memory, and how they all work together. Suitable as a high school or college textbook.

CHAPTERS: The Binary Number System - Memory and Data Representation - Introduction MC6809E Microprocessor - Addressing Modes of the MC6809E - MC6809E Instruction Set - Assembly Language Programming with EDTASM+ - Assembly Language Programming - Assembly Language and Extended Color BASIC - Internal Control and Graphics - Technical Details.

289 pages

soft cover

\$16.00 U.S. plus \$1.50 shipping. Check or money order. RI residents please add 6% sales tax. Inquire about volume discounts.

Published and sold by

TRS-80 & EDTASM+ are trademarks of Tandy Corp

TEPCO

30 Water Street  
Portsmouth, RI 02871



# Tandy Grants and the Status of Educational Computers

By Michael Plog, Ph.D.  
Rainbow Contributing Editor

---

**T**he September issue, and school is starting. It's time to leave the fun of summer for the rigors of classrooms once again. For those using computers in classrooms, there is some good news. The Tandy Corporation supports proposals for those interested in using Tandy/Radio Shack computers for instruction. You can write a proposal to Tandy and possibly get money for your pet project.

The Tandy grant program started in 1982. Since then, Tandy has awarded more than one million dollars in computers and software equipment to non-profit educational institutions and individual educators. The company typically receives 150 to 200 proposals per grant cycle and funds about 10 percent of them. The competition is rather stiff for these grants.

This grant cycle from Tandy has two areas of competition. One is for creative use of microcomputers in education.

---

*Michael Plog received his doctorate degree from the University of Illinois. He has taught social studies in high school, worked in a central office of a school district and currently is employed at the Illinois State Board of Education.*

Give your dreams free rein if you write for this one. The proposal must indicate a "creative" use of microcomputers in education. The deadline for this grant is September 30 (better hurry).

The second type of grant is for using microcomputers in instructional management. This is not computer-assisted instruction, but management of instruction with computers. The deadline for this grant is December 31.

If you are interested in writing for either of these grants, contact Bill Gattis, Tandy Educational Grants Program, 1400 One Tandy Center, Fort Worth, Texas 76102, (817) 390-3832. He will send you all the details on how to apply. Grants are awarded in the form of TRS-80 hardware, software and accessories from Tandy's Radio Shack division. Awards do not exceed \$10,000. Of course, you can buy a lot of Color Computer equipment for that amount.

If you write for a Tandy grant, you might help determine how computers are used in your schools. A lot of schools have computers and are using them in a variety of ways. Johns Hopkins University is interested in how computers are used in schools and has conducted the Second National Survey of Instructional Uses of School Computers. This study gathered information

about the 1984-85 school year from more than 10,000 teachers and principals in over 2,300 elementary and secondary schools, and is the most extensive survey on school computer use to date.

Computer use in schools has grown, as you might expect. Nearly all secondary schools and elementary schools have begun to use computers in instructional programs. Ninety percent of U.S. school children attend schools that have at least one computer. However, this does not mean ninety percent of students use computers. During the 1984-85 school year, nearly half of elementary and middle school pupils, and as many as one-third of high school students made some use of computers at school. There are computer-using schools and there are schools where computers are not used to any great extent.

During an average week at a typical computer-using school, more than one-quarter of the student body used computers. At a typical kindergarten through sixth grade computer-using school, 30 percent of students used computers during an average week. At a typical high school, 21 percent of students used computers.

One-fourth of all U.S. teachers used computers regularly with students dur-



ing the 1984-85 school year. Elementary teachers tend to use computers more "regularly" than secondary teachers: 37 percent for elementary teachers and 15 percent for secondary teachers. Because secondary schools are larger than elementary schools, roughly the same number of teachers used computers regularly during the year. Whether at elementary, middle or high school, about five teachers per school are regular users.

The ways students use computers differ by grade level. In elementary schools, more than half of computer use by students involves drill and practice and tutorial programs. The tutorial programs are generally computer assisted instruction (CAI). Only about 12 percent of elementary students' time is spent writing computer programs. Mathematics and language arts (English and reading) are the major subjects using computers at this level. In 1983, the typical elementary school student using computers was on the machine about 20 minutes per week. In 1985, the time spent with the machine had increased to 35 minutes each week.

High school students, by contrast, spend only 16 percent of their computer time on CAI, but half of the time dealing with programming. Computer literacy and programming are the dominant subjects for high school students,

with business education and mathematics next. Time with the machines has increased at the secondary school also. In 1983, secondary students spent 45 minutes per week dealing with computers. By 1985, this had increased to 90 minutes each week. There are two reasons for more computer time per student at upper grades. More computers are available at each school and each computer is used more than in elementary schools.

Across all school levels, time spent on computers can be divided into thirds. About one-third of the time is for CAI, one-third for programming, and one-third for all other academic work, including discovery learning and word processing.

In elementary schools, computers tend to be spread out, with a smaller number of machines at each location, but more locations. High schools tend to cluster computers, such as establishing a computer lab. Middle schools tend to have computer labs even more than elementary or high schools. More than three-fifths of all computers in middle schools are in labs, and the labs are just as large (as many machines) as the ones in high schools.

Computers in labs tend to be used more than computers in classrooms. This is partly because students doing programming use more computer time

than students doing CAI, and lab locations tend to be more devoted to programming.

The Johns Hopkins study considered all computers used in schools during 1985. The Color Computer was not reported separately, but in the category of "other low-cost color" machines. About three-fourths of the machines in this category were used in eighth grade or lower. We can deduce, therefore, that the Color Computer is primarily an elementary school machine. Over half of terminals used in secondary schools were connected to mainframes, 16-bit microcomputers and the rest of the TRS-80 line.

This is a brief presentation of the findings of the computer use survey. There are six newsletters containing results of the entire study. If you want the complete series of all six newsletters, send \$7.50 to Computer Survey Newsletters, Center for Social Organization of Schools, Johns Hopkins University, 3505 N. Charles St., Baltimore, MD 21218.

This survey might be useful to you if you decide to write for one of the Tandy grants. Background information will strengthen the proposal. If anyone reading this does apply for the Tandy grants, please let me know. Write to me at 829 Evergreen, Chatham, IL 62629.

## CORRECTIONS

**"CoCo Dares You to Name That Tune" (June 1986, Page 66):** Marge Rutter has written to clarify some points on her program. First, there is a comma missing from Line 852 of Listing 2. This problem occurred due to a printing error. Line 852 should read:

```
852 PRINT@238,"AND"
```

Secondly, Marge neglected to mention the proper procedure for passing in the Bid-A-Note section. In order to pass, you must enter PASS or P. Just pressing ENTER does not work and will eventually cause an error.

**"Picprt: Good Things Come in All Sizes" (May 1986, Page 72):** Mark Sullins has written to correct an error

in his *Picprt* routines. In one portion of *Normal*, Mark used commands to set the Baud rate at 2400. Unfortunately this overrides the Baud rate that the user sets. To correct the situation, add the following line to Listing 1. This replaces the offending bytes with NOP instructions.

```
33 FOR I=&H7D05 TO &H7D08:POKE I  
,&H12:NEXT I
```

For quicker service, Corrections will be posted on Delphi as soon as they are available in the Info on Rainbow topic area of the database. Just type DATA at the CoCo SIG prompt and INFO at the Topic? prompt.



*Develop spelling skills and the ability  
to recognize misspelled words*

# *I Before E Except After C*

*(Or when it's like  
A as in Neighbor  
and Weigh)*

**By Donald Turowski**

**L**et's see, what's the correct spelling? Is it "received," "recieved," or "reseived"?

Need a program to help you with your child's spelling words? I know — you already have a couple. In fact, you're probably saying that these programs are more trouble to run than simply sitting down and asking the children their words. Well, you may be right! But, if you're looking for a program that will help your child's spelling skills and also the ability to recognize when a word is misspelled, then *SPELDRIL* is the answer.

*Donald Turowski has a bachelor's degree in education and teaches algebra and computer literacy in the Burrells School District in Natrona Heights, Pennsylvania. He is married and has two children.*

*SPELDRIL* is set up like some standardized tests in schools. Three spellings of a word are shown to the child and then he must choose the correct one. This type of approach helps the child recognize potential misspelled words while also developing the skills for correct spelling.

Once the child determines the correct spelling, then he must carefully type in the word. This also helps with keyboard layout recognition on the computer.

This program has been used both at the elementary and middle/junior high school levels. It generates a printer copy as a sort of "report card" for the parent or teacher.

For teachers, this program can be used for each unit or chapter throughout the year. Since each file only uses one granule on a diskette, over 60 units or chapter lists can be kept on file for review or for the next year's classes.

After loading and typing RUN, a title screen and then a menu appears with five choices: Prepare a new word list, Save a word list, Load a word list, Start spelling recognition and End.

A printer copy can be selected (or a screen report card). This provides feedback, and is helpful if the student or child retakes the same list of words for reinforcement. If a word is missed, the correct spelling is presented. This is, of course, the type of immediate feedback the child needs. Various messages and audible feedback on correct and incorrect responses are provided,

*SPELDRIL* was written on a 64K CoCo with a single disk drive option. However, it should be able to run on 16K Extended BASIC Color Computers with no problems. A cassette option was not included, but it should be easy to adapt it for cassette.

*(You may direct questions about this program to the author at 1236 Ninth Avenue, Natrona Heights, PA 15065, 412-224-6529. Please enclose an SASE when writing.)* □

**Sample Report**

**JIMMY'S REPORT:**

Word List is ==>TESTFILE

-----  
 YOU MISSED ==>FEBRUARY  
 YOU MISSED ==>RECEIVED  
 YOU MISSED ==>RECOMMEND  
 YOU MISSED ==>RESPONSIBLE  
 YOU MISSED ==>PARALLEL  
 =====

JIMMY-----> 15 CORRECT OUT OF 20  
 =====



70 .....	173	4090 .....	90
1060 .....	90	4200 .....	152
2090 .....	103	4360 .....	191
4015 .....	147	END .....	29

**Editor's Note:** To modify this program for cassette operation, change #1 in lines 2030, 2070, 3030 and 3070 to #-1. This causes a data file to be opened on cassette rather than disk. Also, you will need to use PRINT#-1 in Line 2050 instead of WRITE#1.

The listing: SPELDRIL

```

10 REM PROGRAM TO RECOGNIZE
   SPELLING PATTERNS, ETC.
14 CO=0:WR=0
15 CLEAR 3000:DIM A$(20),B$(20),
   C$(20),D$(20)
20 CLS(RND(8)):PRINT@32*6+5,"spe
   lling recognition";:PRINT@32*13+
   1,"programmed by d.turowski(1986
   )";:PRINT@32*15+1,"[suggestions
   by t. gallagher]";
25 PLAY"L16O3GF#GEFGL8AL16GF#GL2
   8CDEFGABO4CP8":FOR WW=1 TO 1000:
   NEXT WW
26 CLS(8):FOR WW=1 TO 16:PRINTTA
   B(5);"spelling recognition":NEXT
   WW:FOR WW=1 TO 21:PRINT@32*15+W
   W,"GET READY!";:SOUND 200,1:FORX
   X=1TO100:NEXT XX:PRINT@32*15+WW,
   "
   ";:NEXT WW
30 FOR D=1 TO 20:SOUND D,1:NEXT
   D:CLS(RND(8))
40 CO=0:WR=0:CLS(RND(8)):PRINT@3
   2+6,"spelling recognition";:PRIN
   T@32*3,"<1>PREPARE NEW WORD LIST
   "
50 PRINT@32*4,"<2>SAVE WORD LIST
   "
60 PRINT@32*5,"<3>LOAD WORD LIST
   "
70 PRINT@32*6,"<4>start SPELLING
   RECOGNITION PROGRAM"
80 PRINT@32*7,"<5>END SESSION
90 PRINT@32*10+5,"**enter your c
   hoice**";: INPUT C:PLAY"T224O5L6
   CECE"
100 IF C<1 OR C>5 THEN 40
110 ON C GOTO 1000,2000,3000,400
   0,5000
1000 REM ROUTINE TO PREPARE NEW
   WORD LIST
1010 CLS(RND(8)):PRINT"YOU WILL
   BE PERMITTED TO ENTER 20 WORDS
   FOR EACH FILE. FOLLOW TH
   E PROMPTS ON THE SCREEN"
1015 PRINT"you must enter the co
   rrect spelling as one of th

```

```

e three choices!!!!!!!!!!!!!!
":PRINTSTRING$(32,".")
1020 FOR X=1 TO 20
1025 PRINT"FILE WORD #";X:PRINTS
   TRING$(32,"=")
1030 INPUT"enter spelling #1";A$
   (X)
1040 INPUT"enter spelling #2";B$
   (X)
1050 INPUT"enter spelling #3";C$
   (X)
1060 PRINT"is correct spelling 1
   ,2, or 3?":INPUT B
1061 IF B<1 OR B>3 THEN PRINT"EN
   TER ONLY 1,2, OR 3!":GOTO 1060
1062 IF B=1 THEN D$(X)=A$(X)
1063 IF B=2 THEN D$(X)=B$(X)
1064 IF B=3 THEN D$(X)=C$(X)
1070 NEXT X
1080 SOUND 200,3:SOUND 200,3:PRI
   NT"**BE SURE TO SAVE THIS FILE!!
   **":PRINT"do you want to save it
   now?";:INPUT V$:IF LEFT$(V$,1)=
   "Y" THEN 2000
1090 PRINT"press <enter> to retu
   rn to menu":INPUT RR$:GOTO 40
2000 REM ROUTINE TO SAVE WORD
   LIST TO DISK
2010 CLS(RND(8)):PRINT@8,"save f
   ile routine";
2020 PRINT@32*3,"enter name for
   file":INPUT F$
2030 OPEN"O",#1,F$
2040 FOR X=1 TO 20
2050 WRITE#1,A$(X),B$(X),C$(X),
   D$(X)
2060 NEXT X
2070 CLOSE #1
2080 SOUND 123,2:SOUND 123,2:PRI
   NT"file saved to disk!!!!!!!!!!"
;
2090 PRINT@32*14,"press <enter>
   to return to menu";:INPUT RR$
2100 GOTO 40
3000 REM ROUTINE TO LOAD WORD
   LIST FROM DISK
3010 CLS(RND(8)):PRINT@8,"load f
   ile routine";
3020 PRINT@32*3,"enter name of f
   ile":INPUT F$
3030 OPEN"I",#1,F$
3040 FOR X=1 TO 20
3050 INPUT#1,A$(X),B$(X),C$(X),D
   $(X)
3060 NEXT X
3070 CLOSE#1
3080 SOUND 123,2:SOUND 123,2:PRI
   NT"file loaded from disk!!!!!!!!!!"

```



```

!!!";
3090 PRINT@32*14,"press <enter>
to return to menu";:INPUT RR$
3100 GOTO 40
4000 REM ROUTINE TO REVIEW WITH
STUDENT THE VARIOUS
SPELLINGS OF WORDS
4010 CLS(RND(8)):IF A$(1)="" THE
N PRINT"sorry, there are no word
s loaded into this program
!!!!!!":PRINT"please check if a
file has been loaded----press <
enter> to return to menu":I
NPUT RR$:GOTO 40
4015 PRINT"PLEASE <ENTER> YOUR N
AME":INPUT NA$:PRINT"DO YOU HAVE
A PRINTER ON";:INPUT Z$:IF LEFT
$(Z$,1)="Y" THEN FL=1 ELSE FL=0:
4016 SOUND 200,3:CLS(RND(8))
4017 IF FL=1 THEN PRINT#-2,NA$;"
'S REPORT:":PRINT#-2,"Word List
is ==>";F$:PRINT#-2,STRING$(60,"
-")
4018 GOSUB 6000
4020 FOR X=1 TO 20
4030 PRINT@32*2+9,"word number";
X;
4040 PRINT@32*5,"type the correc
tly spelled word";
4050 PRINT@32*6,A$(X)
4060 PRINT@32*7,B$(X)
4070 PRINT@32*8,C$(X)
4080 PRINT@32*10,"the correct sp
elling is.....":PRINT@32*13,
" ";:INPUT AN$
4085 IF FL=1 AND AN$<>D$(X) THEN
PRINT#-2,"YOU MISSED ==>";D$(X)
4090 IF AN$=D$(X) THEN 4200 ELSE
4300
4100 FOR QQ=1 TO 2000:NEXT QQ:CL
S(RND(8)):NEXT X
4110 PRINT"YOU GOT ";CO;" CORREC
T OUT OF 20 POSSIBLE CORR
ECT"
4115 IF FL=1 THEN PRINT#-2,STRIN
G$(60,"="):PRINT#-2,NA$;"---->";
CO;" CORRECT OUT OF 20":PRINT#-2
,STRING$(60,"=")
4120 IF CO>=16 THEN PRINT "NICE
JOB, YOU DID VERY WELL!":PLAY"V1
9;T403L3CO2L8BO3L4DCP8L3FL8EL4GF
P8AP16AP16AP16AP16L2AP2L4GFGA-AL
3B-L4FGAB-O4CDO3L3AL8GL2F":GOTO
40
4130 IF( CO<16 AND CO>=14) THEN
PRINT "NOT BAD. NEXT TIME, TRY
TO GET AT LEAST 16 CORRECT IF Y
OU CAN.":PLAY"L1603GF#GEFGL8AL16

```

```

GF#GL28CDEFGABO4CP8":FORTT=1TO15
00:NEXT TT:GOTO 40
4135 PLAY"V25T3O3P4L2CL3CL8CL2CE
-L8DL3DL8CL3CO2L8BO3L2CP2"
4140 PRINT"YOU NEED TO TRY THIS
PROGRAM AGAIN UNTIL YOU GET A
T LEAST 14 CORRECT. STAND BY
, THE PROGRAM WILL RE-START
SHORTLY.":FOR QQ=1 TO 3500:NEXT
QQ:CO=0:GOTO 4000
4200 PLAY"T250;O3ABCDEFABCDEFGA
BCDEF":CORRECT=CORRECT+1:Z=RND(
5)
4210 ON Z GOTO 4220,4230,4240,42
50,4260
4220 PRINT "VERY GOOD!":GOTO 410
0
4230 PRINT "EXCELLENT!":GOTO 410
0
4240 PRINT "GOOD JOB!!":GOTO 410
0
4250 PRINT "ALL RIGHT!":GOTO 410
0
4260 PRINT "YOU'RE RIGHT!":GOTO
4100
4300 REM WRONG RESPONSES
4310 PLAY"T2002ACACACACAC":WRONG
=WRONG+1:Z=RND(5)
4320 ON Z GOTO 4330,4340,4350,43
60,4370
4330 PRINT"NOPE! IT IS ";D$(X):G
OTO 4100
4340 PRINT"SORRY! IT IS ";D$(X):
GOTO 4100
4350 PRINT"NOT QUITE. IT'S ";D$(
X):GOTO 4100
4360 PRINT"OOPS, IT'S ";D$(X):GO
TO 4100
4370 PRINT"NO, IT'S REALLY ";D$(
X):GOTO 4100
5000 END
6000 REM ROUTINE FOR QUICK LOOK
AT FILE WORDS
6010 CLS(RND(8)):PRINT"YOU WILL
BE GIVE A SHORT, QUICK LOOK AT T
HE WORDS IN THIS PROGRAM..
. LOOK AT THEM QUICKLY!"
6020 PRINT@32*14+3,"press any ke
y to continue";:EXEC44539
6030 CLS(RND(8))
6040 FOR X=20 TO 1 STEP -1
6050 PRINT D$(X),
6060 NEXT X
6070 FOR VV=1 TO 3500:NEXT VV
6080 PRINT@32*15+10,"time is up!
!!":SOUND 200,2:SOUND 200,2:FOR
VV=1 TO 400:NEXT VV:CLS:RETURN

```



# Telewriter-64™

## the Color Computer Word Processor

- 3 display formats: 51/64/85 columns × 24 lines
- True lower case characters
- User-friendly full-screen editor
- Right justification
- Easy hyphenation
- Drives any printer
- Embedded format and control codes
- Runs in 16K, 32K, or 64K
- Menu-driven disk and cassette I/O
- No hardware modifications required

### THE ORIGINAL

Simply stated, Telewriter is the most powerful word processor you can buy for the TRS-80 Color Computer. The original Telewriter has received rave reviews in every major Color Computer and TRS-80 magazine, as well as enthusiastic praise from thousands of satisfied owners. And rightly so.

The standard Color Computer display of 32 characters by 16 lines without lower case is simply inadequate for serious word processing. The checkerboard letters and tiny lines give you no feel for how your writing looks or reads. Telewriter gives the Color Computer a 51 column by 24 line screen display with *true lower case characters*. So a Telewriter screen looks like a printed page, with a good chunk of text on screen at one time. In fact, more on screen text than you'd get with Apple II, Atari, TI, Vic or TRS-80 Model III.

On top of that, the sophisticated Telewriter full-screen editor is so simple to use, it makes writing fun. With single-letter mnemonic commands, and menu-driven I/O and formatting, Telewriter surpasses all others for user friendliness and pure power.

Telewriter's chain printing feature means that the size of your text is never limited by the amount of memory you have, and Telewriter's advanced cassette handler gives you a powerful word processor without the major additional cost of a disk.

*...one of the best programs for the Color Computer I have seen...*

— Color Computer News, Jan. 1982

### TELEWRITER-64

But now we've added more power to Telewriter. Not just bells and whistles, but major features that give you total control over your writing. We call this new supercharged version Telewriter-64. For two reasons.

### 64K COMPATIBLE

Telewriter-64 runs fully in any Color Computer — 16K, 32K, or 64K, with or without Extended Basic, with disk or cassette or both. It automatically configures itself to take optimum advantage of all available memory. That means that when you upgrade your memory, the Telewriter-64 text buffer grows accordingly. In a 64K cassette based system, for example, you get about 40K of memory to store text. So you don't need disk or FLEX to put all your 64K to work immediately.

### 64 COLUMNS (AND 85!)

Besides the original 51 column screen, Telewriter-64 now gives you 2 additional high-density displays: 64 × 24 and 85 × 24! Both high density modes provide all the standard Telewriter editing capabilities, and you can switch instantly to any of the 3 formats with a single control key command.

The 51 × 24 display is clear and crisp on the screen. The two high density modes are more crowded and less easily readable, but they are perfect for showing you the exact layout of your printed page, *all on the screen at one time*. Compare this with cumbersome "windows" that show you only fragments at a time and don't even allow editing.

### RIGHT JUSTIFICATION & HYPHENATION

One outstanding advantage of the full-width screen display is that you can now set the screen width to match the width of your printed page, so that "what you see is what you get." This makes exact alignment of columns possible and it makes hyphenation simple.

Since short lines are the reason for the large spaces often found in standard right justified text, and since hyphenation is the most effective way to eliminate short lines, Telewriter-64 can now promise you some of the best looking right justification you can get on the Color Computer.

### FEATURES & SPECIFICATIONS:

**Printing and formatting:** Drives any printer (LPV17/VIII, DMP-100/200, Epson, Okidata, Centronics, NEC, C. Itoh, Smith-Corona, Terminus, etc).

Embedded control codes give full dynamic access to intelligent printer features like: underlining, subscript, superscript, variable font and type size, dot-graphics, etc.

Dynamic (embedded) format controls for: top, bottom, and left margins; line length, lines per page, line spacing, new page, change page numbering, conditional new page, enable/disable justification.

Menu-driven control of these parameters, as well as: pause at page bottom, page numbering, baud rate (so you can run your printer at top speed), and Epson font. "Typewriter" feature sends typed lines directly to your printer, and Direct mode sends control codes right from the keyboard. Special Epson driver simplifies use with MX-80.

Supports single and multi-line headers and automatic centering. Print or save all or any section of the text buffer. Chain print any number of files from cassette or disk.

**File and I/O Features:** ASCII format files — create and edit BASIC, Assembly, Pascal, and C programs, Smart Terminal files (for uploading or downloading), even text files from other word processors. Compatible with spelling checkers (like Spell 'n Fix).

Cassette verify command for sure saves. Cassette auto-retry means you type a load command only once no matter where you are in the tape.

Read in, save, partial save, and append files with disk and/or cassette. For disk: print directory with free space to screen or printer, kill and rename files, set default drive. Easily customized to the number of drives in the system.

**Editing features:** Fast, full-screen editor with wordwrap, block copy, block move, block delete, line delete, global search and replace (or delete), wild card search, fast auto-repeat cursor, fast scrolling, cursor up, down, right, left, begin line, end line, top of text, bottom of text; page forward, page backward, align text, tabs, choice of buff or green background, complete error protection, line counter, word counter, space left, current file name, default drive in effect, set line length on screen.

Insert or delete text anywhere on the screen without changing "modes." This fast "free-form" editor provides maximum ease of use. Everything you do appears immediately on the screen in front of you. Commands require only a single key or a single key plus CLEAR.

*...truly a state of the art word processor...  
outstanding in every respect.*

— The RAINBOW, Jan. 1982

### PROFESSIONAL WORD PROCESSING

You can no longer afford to be without the power and efficiency word processing brings to everything you write. The TRS-80 Color Computer is the lowest priced micro with the capability for serious word processing. And only Telewriter-64 fully unleashes that capability.

Telewriter-64 costs \$49.95 on cassette, \$59.95 on disk, and comes complete with over 70 pages of well-written documentation. (The step-by-step tutorial will have your writing with Telewriter-64 in a matter of minutes.) To order, send check or money order to:

Cognitec  
704 Nob Street  
Del Mar, CA 92014

Or check your local software store. If you have questions, or would like to order by Visa or Mastercard, call us at (619) 755-1258 (weekdays, 8AM-4PM PST). Dealer inquiries invited. (Add \$2 for shipping. Californians add 6% state tax.)

Available at  
**Radio Shack stores**  
via express order  
catalogue #90-0253  
90-0254

Apple II is a trademark of Apple Computer, Inc.; Atari is a trademark of Atari, Inc.; TRS-80 is a trademark of Tandy Corp; MX-80 is a trademark of Epson America, Inc.





# Graph-O-Matic

By Jeff Harper

*A fast way to plot 3-D functions using the CoCo*

**M**y program, *3DFNCPLT*, is a three-dimensional function plot which quickly graphs any function in a 3-D Cartesian coordinate system.

To achieve 3-D graphing, the program plots the function over the range of 'Y' coordinates (from smallest to largest) for each 'X' coordinate. It then graphs the function over the range of 'X' coordinates (again from smallest to largest) over the range of 'Y' coordinates. This produces a stunning graph

*Jeff Harper is a high school math teacher who enjoys programming the CoCo as a hobby. He is also a computer programming instructor for enrichment classes held each summer.*

of the function which resembles a net having been draped over a solid of the function.


The program first asks if you want to have the 'X', 'Y', 'Z' coordinate axes drawn on the screen. Then you are prompted to enter the function to be plotted. The computer displays Z= at which point you should enter a function. A typical response might be  $\text{COS}(Y)+\text{SIN}(X)$ .

The computer then requests the smallest and largest 'X' and 'Y' coordinate values. These values can have any range dependent only upon the function to be plotted. I usually get a good idea of what a particular function looks like by using a range of values from -3 to 3 for both the 'X' and 'Y' coordinates. At-

tempts to plot off of the screen are cropped so as not to result in an error. 'X' coordinate values are graphed coming toward you from the back of the screen, 'Y' coordinate values are graphed horizontally and 'Z' coordinate values are graphed vertically.

A unique and particularly useful feature of this program is that it lets the user enter the function to be plotted while the program is running. The user does not need to stop program execution, change a program line and then rerun the program. The transformation of your function into a line of BASIC code is simple but interesting.


Once the function to be plotted is entered, the routine beginning in Line 970 looks for the location of Line 410



Press any key to continue

$$z = \sqrt{19 - x^2 - y^2}$$

$$x = [-3, 3], y = [-3, 3]$$



Press any key to continue

$$z = \cos y + \sin x$$

$$x = [-3, 3], y = [-3, 3]$$



in memory. Once located, the string containing your function is tokenized into BASIC program Line 410. Note that this is done before the program ever reaches Line 410. Once the tokenizing is complete, the program continues and eventually executes Line 410 in the

subroutine beginning at Line 360. This technique can easily be applied in other programs of your own creation.

While 3DFNCPLT requires a 16K Extended CoCo, the routine that transforms the function into a BASIC program line will work on any size or

system configuration including Color BASIC.

(You may direct questions about this program to Mr. Harper at 430 Swing Avenue, Findlay, OH 45840, 419-423-8878. Please enclose an SASE when writing.) □

**Editor's Note:** In Line 410 of the listing below, replace the REM marks (') with spaces. This line is used for entry of the function you wish to plot and the spaces are required in order to reserve space for your function.

The listing: 3DFNCPLT

```

10 ' 3 DIMENSIONAL FUNCTION PLOT
20 ' WITH INTERACTIVE FUNCTION
30 ' DESIGNATION
40 '
50 '           BY
60 '
70 '           JEFF HARPER
80 '           02/15/85
90 '
100 PMODE 4,1
110 COLOR 0,1:PCLS1
120 LINE(0,0)-(255,191),PSET,B
130 '*****
140 '* STEP VALUES FOR DETAIL *
150 '* AND STRIPE SPACING      *
160 '*****
170 S1=.5:S2=.5:S3=1
180 '
190 CLS
200 PRINT"AXES DRAWN ON SCREEN (

```

```

Y/N)?" ;
210 A$=INKEY$:IF A$="" THEN 210
ELSE IF A$<>"N" AND A$<>"Y" THEN
210 ELSE PRINT A$:PRINT
220 '
230 '*****
240 '*FIND LINE 410 IN MEMORY, *
250 '*GET EQUATION & TRANSFORM *
260 '*IT INTO BASIC CODE AT    *
270 '*LINE 410 BEFORE WE GET  *
280 '*THERE IN THE PROGRAM.   *
290 '*****
300 GOSUB 1270
310 GOTO540
320 '
330 '*****
340 '*RADIAN TRANSFORMATION*
350 '*****
360 RADIAN=(X*-.7071068)
370 '
380 '*****
390 '*FUNCTION TO PLOT IN 410*
400 '*****
410 Z=X^2+Y^2'!!!!!!!!!!!!!!!!!!!!
!!!!!!!!!!!!!!!!!!!!
!!!!!!!!!!!!!!!!!!!!
420 '

```

**PRINTERS!!!**

NEW! Star Micronics NX-10 .....	\$295
Okidata 192 (Parallel) .....	\$370
Okidata 192 (Serial) .....	\$425
Okidata 182 .....	\$240
Silver Reed 550 (Daisy Wheel) .....	\$395
Silver Reed 400 (Daisy Wheel)(Par. or Serial) .....	\$200

Other Printers, Monitors, and Accessories for CoCo and IBM upon request.  
 \$15 off interface with purchase of printer.  
 Find your cheapest published price and we'll beat it!!!

**SP-2 INTERFACE for EPSON PRINTERS:**

- 300-19,200 BAUD rates
- Fits inside printer — No AC Plugs
- Optional external switch (\$5.00 extra) frees parallel port for use with other computers
- \$49.95 (plus \$3.00 shipping)

**SP-3 INTERFACE for MOST OTHER PRINTERS:**

- 300-19,200 BAUD rates
- External to printer — No AC Plugs
- Built in modem/printer switch—no need for Y-cables or plugging/unplugging cables
- \$64.95 (plus \$3.00 shipping)

Both also available for IBM, RS-232 and Apple IIC computers.

**DISK DRIVE SYSTEMS**

ALL 1/2 HEIGHT DOUBLE SIDED

Drive 0 (addressed as 2 drives!) .....	\$235
Drive 0,1 (addressed as 4 drives!) .....	\$350
<b>All above complete with HDS controller, cable, &amp; drive in case with power supply</b>	

Bare Double Sided Drives .....	\$109
Dual 1/2 Height Case w/Power Supply .....	\$49
Double Sided Adapter .....	\$25
HDS Controller, RS ROM & Instructions .....	\$99
25 CDC DS/DD Diskettes .....	\$32 & \$3 s/h

We use the HDS controller exclusively. Can use 2 different DOS ROM's.

Shipping Costs: \$5/drive or power supply, \$10 max.

Co Co Serial Cables 15 ft.—\$10. Co Co/RS-232 Cables 15 ft.—\$20.

Other cables on request. (Add \$3.00 shipping)

**C  
N  
R** ENGINEERING  
 P.O. Box 293  
 Raritan, NJ 08869  
 (201) 722-1055



```

43Ø '*****
44Ø '*SCALE IMAGE TO SCREEN*
45Ø '*****
46Ø NX=1Ø*(Y+RADIAN)+128
47Ø NY=192-(1Ø*(Z+RADIAN)+96)
48Ø IF NX<Ø THEN NX=Ø
49Ø IF NX>255 THEN NX=255
50Ø IF NY<Ø THEN NY=Ø
51Ø IF NY>191 THEN NY=191
52Ø RETURN
53Ø '
54Ø PRINT:INPUT "SMALLEST X VALU
E";BX
55Ø INPUT"LARGEST X VALUE";EX
56Ø INPUT"SMALLEST Y VALUE";BY
57Ø INPUT"LARGEST Y VALUE";EY
58Ø SCREEN 1,1
59Ø IF A$="N" THEN 72Ø
60Ø '
61Ø '*****
62Ø '*DRAW X, Y, AND Z AXIS*
63Ø '*****
64Ø LINE(128,51)-(128,96),PSET:L
INE-(178,96),PSET:LINE(127,96)-
(1Ø3,12Ø),PSET
65Ø DRAW"BM19Ø,98 U2NH2E2"
66Ø DRAW"BM96,13Ø E2NH2NE2F2"
67Ø DRAW "BM126,42 NR4E4L4"
68Ø '
69Ø '*****
70Ø '*PLOT FUNCTION VALUES*
71Ø '*****
72Ø FOR X=BX TO EX STEP S1
73Ø FOR Y=BY TO EY STEP S2
74Ø GOSUB 36Ø
75Ø IF Y=BY THEN LINE(NX,NY)-(NX
,NY),PSET:GOTO77Ø
76Ø LINE-(NX,NY),PSET
77Ø NEXT Y
78Ø NEXT X
79Ø '
80Ø '*****
81Ø '*PLOT CROSS STRIPES*
82Ø '*****
83Ø X=BX
84Ø FOR Y=BY TO EY STEP S3
85Ø GOSUB 36Ø
86Ø X2=NX:Y2=NY
87Ø X=X+.5
88Ø IF X>EX THEN X=BX:GOTO 91Ø
89Ø GOSUB 36Ø
90Ø LINE(NX,NY)-(X2,Y2),PSET:GOT
O 86Ø
91Ø NEXT Y
92Ø '
93Ø DRAW"BM4Ø,189 U8R4D4NL4BR4"
94Ø DRAW"ND4R4BR4"
95Ø DRAW"D4R4BU2NL4U2NL4BR4"
96Ø DRAW"NR4D2R4D2NL4BR4"
97Ø DRAW"R4U2L4U2R4BR8"
98Ø DRAW"R4D2L4D2R4U4BR4"
99Ø DRAW"ND4R4D4BR4"
100Ø DRAW"R4U2L4U2BR4ND2BR8"
101Ø DRAW"NU4D1ND3NE3NF3E1BR6"
102Ø DRAW"D4R4BU2NL4U2NL4BR4BD4"
103Ø DRAW"R4U2L4U2BR4ND2BR8"
104Ø DRAW"BU1R2NR2NU2D5BR4"
105Ø DRAW"U4R4D4NL4BR8"
106Ø DRAW"NR4U4R4BR4"
107Ø DRAW"ND4R4D4NL4BR4"
108Ø DRAW"U4R4D4BR4"
109Ø DRAW"BU5R2NR2NU2D5BR5"
110Ø DRAW"U4BU2U1BD7BR4"
111Ø DRAW"U4R4D4BR4"
112Ø DRAW"NU4R4NU4BR4"
113Ø DRAW"NR4U2NR4U2R4D2"
114Ø A$=INKEY$:A$=""
115Ø A$=INKEY$:IF A$="" THEN 115
Ø ELSE 1ØØ
116Ø '
117Ø '*****
118Ø '* A BASIC SELF-PROGRAMMER*
119Ø '* AND INTERPRETER *
120Ø '* BY JEFF HARPER *
```

## S\*S\*S OUTLINER

### SNAP · STUDY · SYSTEM

- \*UNIQUELY FRIENDLY, learn in minutes.
  - \*NO FORMS to set up. Just start entering records. Use ARROW keys to change levels, browse MAIN headings, SUB-headings, ITEMS.
  - \*ADD - REVISE - DELETE at any level.
  - \*NO FILE NAMES TO REMEMBER. Just choose a file box (A-H) from the screen listing.
  - \*3 SAMPLE FILES and examples included.
  - \*PRINT REPORT (printer codes permitted)
  - \*NOT COPY PROTECTED \*CLEAR MANUAL
- Best used every day to plan, check, review. Plan an outline for reports, jobs, duties. ideas, things to do. Reference notes for studies, books, checklists etc, etc.

### JOB FILE PARTIAL PRINTOUT

HOME  
HOUSE MAINTENANCE  
Change kitchen washers  
Paint utility room  
Check smoke alarm \*\*\*\*  
Car service MON 9AM  
YARD  
Prune hedge, shrubs  
Gate hinges - fix  
Clean out eave troughs  
Marigolds-seed MAR 1st  
ENGINEERING  
PROJECT '200  
Preliminary plan  
Call traffic consultant  
re Tues 8:45 meeting

### BE ORGANIZED!

REQUIRE 32K DISK  
PRINTER RECOMMENDED

ONLY \$19.95  
CANADA \$25  
ADD \$2 shipping

COZY SOFTWARE  
25142 53RD Ave  
ALDERGROVE, B.C.  
CANADA VOX 1A0



```

121Ø '* Ø8/Ø2/84 *
122Ø '* *
123Ø '*ADAPTED FOR THE ECB COCO*
124Ø '*FROM AN ARTICLE IN US-8Ø*
125Ø '* MAY/JUN 1981 PG.9Ø *
126Ø '*****
127Ø MM=PEEK(25)*256+PEEK(26)
128Ø LN=41Ø
129Ø MS=INT(LN/256):LS=LN-256*MS
130Ø M=MM
131Ø IF PEEK(M+3)<>LS OR PEEK(M+
2)<>MS THEN M=PEEK(M)*256+PEEK(M
+1):GOTO131Ø
132Ø ML=M+4
133Ø PRINT"ENTER FUNCTION TO PLO
T"
134Ø LINE INPUT"Z=";E$
135Ø E$="Z="+E$
136Ø M=ML
137Ø FOR N=1 TO LEN(E$)
138Ø Q=ASC(MID$(E$,N,1))
139Ø IF Q=43 THEN Q=171:GOTO151Ø
'+
140Ø IF Q=45 THEN Q=172:GOTO151Ø
'-
141Ø IF Q=42 THEN Q=173:GOTO151Ø
'*

```

```

142Ø IF Q=47 THEN Q=174:GOTO151Ø
'/
143Ø IF Q=61 THEN Q=179:GOTO151Ø
'='
144Ø IF Q=94 THEN Q=175:GOTO151Ø
'^
145Ø IF Q=67 THEN Q=255:Q1=149:N
=N+2:GOTO151Ø'cos
146Ø IF Q=84 THEN Q=255:Q1=15Ø:N
=N+2:GOTO151Ø'tan
147Ø IF Q=76 THEN Q=255:Q1=153:N
=N+2:GOTO151Ø'log
148Ø IF Q=73 THEN Q=255:Q1=129:N
=N+2:GOTO 151Ø'int
149Ø IF Q=83 THEN N=N+2:IF MID$(
E$,N-1,1)="I"THEN Q=255:Q1=133 E
LSE Q=255:Q1=155' sin or sqr
150Ø IF Q=65 THEN N=N+2:IF MID$(
E$,N-1,1)="T"THEN Q=255:Q1=148 E
LSE Q=255:Q1=13Ø' atn or abs
151Ø POKE M,Q:IF Q=255 THEN M=M+
1:POKE M,Q1
152Ø M=M+1
153Ø NEXT
154Ø IF PEEK(M)<>Ø THEN POKE M,3
2:M=M+1:GOTO154Ø
155Ø RETURN

```

# YORK 10 CASSETTES



**COMPUTER GRADE  
• DATA TRAC •  
BLANK CASSETTES**

C-05, C-06, C-10, C-12, C-20, C-24, C-32

From the leading supplier of Computer Cassettes, new, longer length C-12's (6 minutes per side) provide the extra few feet needed for some 16K programs.

- BASF-LHD (DPS) world standard tape.
- Premium 5 screw shell with leader.
- Internationally acclaimed. Thousands of repeat users.
- Error Free • Money back guarantee.

**BUY THE BEST, AT FACTORY-DIRECT PRICES**

\* 500 C-12's or C-10's — 38¢ each w/labels, add 4¢ • Shipping \$17.50/500 Boxes 13¢ ea • Shipping \$10.50/100 (Free Caddy offer does not apply)

**CASSETTE STORAGE CADDY**  
Holds 12 cassettes \$2.95  
w/o boxes  
Includes edge labels  
and index card

**FREE**  
CADDY WITH EVERY  
1000 CASSETTES PURCHASED  
(does not apply to 500 quantity offers)

**TRACTOR FEED • DIE-CUT  
BLANK CASSETTE LABELS**  
WHITE \$3.00/100 \$20.00/1000  
COLORED LABELS • Pastels •  
NEW Red Blue Green Yellow Lavender  
\$4.00/100 \$30.00/1000

**ORDER NOW . . . MAIL TO —**  
9525 Vassar Ave. #R1  
**YORK 10** Chatsworth, CA 91311

**ORDER FORM**

Each cassette includes 2 labels only. Boxes sold separately. In Continental U.S. shipment by U.P.S. If Parcel Post preferred, check here.

Check or M.O. enclosed  Send Quantity Discounts   
Charge to credit card: VISA  MASTERCARD

Card No \_\_\_\_\_ Exp. \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Signature \_\_\_\_\_ Phone \_\_\_\_\_

Ask about our **DUPLICATING SERVICE**

ITEM	1 DOZEN	2 DOZEN	TOTAL
C-05	7.00	13.00	
C-06	7.00	13.00	
C-10	7.50	14.00	
C-12	7.50	14.00	
C-20	8.75	16.50	
C-24	9.00	17.00	
C-32	11.00	21.00	
Hard Box	2.50	4.00	
Wht Labels	3.00/100	20.00/1000	
Color Labels	4.00/100	30.00/1000	
Color			
Storage Caddy (2.95 ea City)			
SUB TOTAL			
Call residents add sales tax			
Shipping/handling		3.50	
Outside 48 Continental States — Additional \$1 per caddy per doz. cassettes or boxes			
TOTAL			

Call: 818/700-0330  
FOR IMMEDIATE DELIVERY  
on Credit Card Orders.

## Formaker

**clean paperwork for business**

*"It will give the small or home business professional-looking forms and effortless, errorless totals, accounting for taxes, discounts, shipping and deposits."*

The RAINBOW, May 1986

menu driven  
customize for your company  
on screen instructions  
creates: Invoice, quote, purchase order,  
mail order, receipt, letter  
printer customization  
and much, much more

**\$49** 32K ECB disc

*"You have to look good to the customer . . . This program helps . . . by providing neat, well-prepared forms . . ."*

The RAINBOW, May 1986

## SUPER TUTOR

**Makes learning so much FUN . . .  
... that kids think it's a game!**

Letter and number recognition. Ages 2 to 6

**\$24** 32K ECB disc or tape

*"If you are looking for a program to teach young children the alphabet, numbers and early vocabulary, SUPER TUTOR may fit the bill."*

The RAINBOW, June 1986

Send for more information:

**Challenger Software**  
42 4th Street  
Pennsburg, PA 18073  
Call (215) 679-8792 (Evenings)



# Computer Island Educational Software

227 Hampton Green, Staten Island, New York 10312

(718) 948-2748

PROGRAM TITLE	GRADES	MEMORY	PRICE	PROGRAM TITLE	GRADES	MEMORY	PRICE
<b>PRESCHOOL</b>				<b>MATH</b>			
Preschool I - counting	Pre-K	16K Ext.	11.95	Opening a Bank Account	4-7	32K-disk	24.95
Preschool II - adding	Pre-K	16K Ext.	11.95	Dollars & Sense	2-4	16K-Ext.	14.95
Preschool III - alphabet	Pre-K	16K Ext.	11.95	McCoco's Menu	3-5	16K-Ext.	14.95
Music Marvel-play songs	Pre-K,1	16K-Ext.	11.95	Moneypak	2-5	32K-Ext.	24.95
Arrow Games - 6 games	Pre-K,1	32K-Ext.	21.95	Graph Tutor	3-7	32K-Ext.	19.95
First Games - 6 games	Pre-K,1	32K-Ext.	24.95	Graph-It	7-up	16K-Ext.	14.95
Mr. Cocohead-facemaker	K-3	16K-Ext.	16.95	Math Invaders	1-8	16K-Ext.	17.95
Bentley Bear	Pre-K	32K-Disk	29.95	Mathquiz - 4 operations	2-5	32K-Ext.	19.95
				Addition & Subtraction	2-3	16K	11.95
<b>LANGUAGE ARTS</b>				<b>Skill Tutor Series</b>			
Beyond Words 1-3 parts	3-5	32K-Ext.	19.95	Division Tutor	3-7	16K-Ext.	14.95
Beyond Words 2-3 parts	6-8	32K-Ext.	19.95	Multiplication Tutor	3-7	16K-Ext.	14.95
Beyond Words 3-3 parts	9-12	32K-Ext.	19.95	Factors Tutor	5-8	16K-Ext.	19.95
Vocabulary 1-1000 words	3-5	32K-Ext.	19.95	Fractions Tutors (3 programs)			
Vocabulary 2-1000 words	6-8	32K-Ext.	19.95	addition, subtraction or multiplication	4-8	16K-Ext.	19.95ea.
Vocabulary 3-1000 words	9-12	32K-Ext.	19.95	Trigonometry	8-10	32K-Ext.	24.95
Context Clues	4,5,6, or 7	16K-Ext.	17.95	Equations Linear	7-9	32K-Ext.	19.95
Cocojot - jotto game	3-up	16K	11.95	Equations Quadratic	8-11	32K-Ext.	19.95
Reading Aids - 4 parts	2-4	16K-Ext.	19.95	Arith. Diagnostic Disk	3-8	32K-disk	49.95
King Author - writing tool	2-6	16/32 Ext.	29.95	Fraction Diagnostic Disk	4-9	32K-disk	49.95
Cocowheel of Fortune	4-up	32K-Ext.	19.95	<b>Verbal Problems Series</b>			
Context Clues	2-3	32K-Ext.	19.95	Distance Problems	5-8	32K-Ext.	19.95
				Area & Perimeter	5-8	32K-Ext.	19.95
<b>FOREIGN LANGUAGES</b>				Pizza Game	3-5	32K-Ext.	19.95
French Baseball-200wds.	4-up	16K-Ext.	11.95	Sales & Bargains	6-8	32K-Ext.	19.95
French Baseball-500wds.	4-up	32K-Ext.	19.95	Comparison Shopping	4-7	32K-Ext.	19.95
Spanish Baseball-200wds	4-up	16K-Ext.	11.95	Binary Dice Game	4-up	32K-Ext.	19.95
Spanish Baseball-500wds	4-up	32K-Ext.	19.95	<b>SOCIAL STUDIES</b>			
Italian Baseball-200wds.	4-up	16K-Ext.	11.95	Know Your States	5-up	32K-Ext.	19.95
Hebrew Alphabet	beginners	16K-Ext.	11.95	History Game	5-up	32K-Ext.	14.95
Hebrew Utility	drawing utility	16K-Ext.	15.95	States & Capitals	5-up	32K-Ext.	19.95
				Explorers & Settlers	4-up	32K-Ext.	19.95
<b>CRITICAL THINKING PROBLEMS</b>				Famous American Women	6-up	32K-Ext.	19.95
Memory Castle-Sunburst	4-up	32K-disk	44.95	Street Map Game	3-5	32K-Ext.	19.95
Factory by Sunburst	4-up	32K-disk	44.95	<b>MISCELLANEOUS</b>			
Pond by Sunburst	2-up	32K-disk	44.95	Name That Song 1,2, or 3	2-up	16K-Ext.	11.95
Teasers by Tobbs-Sunb.	4-up	32K-disk	44.95	Music Drill	3-up	16K-Ext.	19.95
Inner City - simulation	7-up	32K-disk	49.95	Science Game	8-up	32K-disk	29.95
Find The Math Sequence	4-up	32K-Ext.	19.95	Computer Literacy	6-up	32K-Ext.	19.95
Stranded-graphic advent.	4-up	32K-disk	24.95	5 Educational Programs	1-2 or		
				with Lightpen	3-6	32K-disk	44.95
<b>TEACHER/STUDENT AIDS</b>				Chemistry Tutor	10-up	32K-disk	29.95
Colorgrade - gradebook	Adult	32K-disk	29.95				
Quizmaker - write quizzes	5-up	32K-Ext.	24.95				
ETT typing tutor (CocaWarehouse)	4-up	16K-Ext.	21.95				
The Puzzler (ColorConnection)	4-up	32K-disk	29.95				

Disk indicates available on disk only.

Tape prices given.

Add \$5.00 for any program on disk.






# The Educational Answers

## SCIENCE GAME

32K EB - disk only/\$29.95

Over 600 questions in 9 categories. Makes learning science facts fun. Game format, 1 or 2 players, teams. Grade 8 and up.



## STREET MAP GAME

32K - \$19.95 tape/\$24.95 disk

Hi-res. screen and graphics portray a typical section of a street map. This one shows people's homes, the school, the park, etc. Questions on how to get from one place to another are asked and the footsteps are shown.

## CHEMISTRY TUTOR

32K - disk only - \$29.95

A hi-res. 4 part program that drills high school students in Elements, Symbols, Naming Compounds, Common Ions, and Balancing Equations. Correct answer given after 2 incorrect responses. A valuable tool for studying chemistry.

## 5 LIGHTPEN PROGRAMS

32K EB - \$44.95

Five menu driven educational programs designed for children in grade 1 and 2, and special educational students. Basic addition, basic multiplication, shape series matching, number series matching and word rhyming are included. All on a HI-RES screen, with graphics. User need only to use the light pen to operate the programs. (LIGHT PEN INCLUDED)

## VERBAL MATH PROBLEMS

### PIZZA GAME

32K EB - tape/\$19.95

Learn to locate coordinates on a grid. HI-RES text and graphics.

### AREA & PERIMETER

32K EB - tape/\$19.95

Triangles, rectangles, and circles are covered in this HI-RES text and graphics program.

### SALES & BARGAINS

32K EB - tape/\$19.95

Learn to find the discounted price. HI-RES text and beautiful graphics.

### DISTANCE PROBLEMS

32K EB - tape/\$19.95

Moving graphics and text combines on a HI-RES screen. Rate x Time = Distance in all its forms.

**STREET MAP GAME** 32K E.B.  
\$19.95 Tape \$24.95 Disk

Hi - res screen and graphics portray a typical section of a street map. This one shows people's homes, the school, the park, the post office, etc. Questions are asked on how to get from one place to another and the footsteps are shown after response. A fun way to improve map skills.

## OPENING A BANK ACCOUNT

32K - Disk Only - \$24.95

A set of programs designed to introduce and provide practice in the skills of filling out bank applications, deposit and withdrawal slips, and computing bank account balances. Loaded with graphic presentations. Grades 3-6.



## DOLLARS & SENSE

16K-Ext. - \$14.95 tape/\$19.95 disk

Learn to make purchases. Graphic displays of items kids love. Player buys items using dollars and coins to practice using money correctly. Solutions given.

## McCOCO'S MENU

16K-Ext. - \$19.95 tape/\$24.95 disk

America's favorite pastime-going out to eat. Learn to buy and add up your purchases from a typical fast food restaurant menu. Gain skill in using money. Different prices each time.

## COCO WHEEL OF FORTUNE

32K - \$19.95 tape/\$24.95 disk

Hi-res. graphics and screen in this version of the popular TV show. 1-6 players. Spin the wheel for points and guess a letter to solve one of the 200 puzzles. Have fun while strengthening LA skills.

## COLORGRADE


32K - disk only - \$29.95

An easy to use classroom grading program. Keeps grades for up to 6 classes of up to 40 students per class. Many options including weighted averages and hard copy to printer.



(718) 948-2748

Dept. R 227 Hampton Green, Staten Island, N.Y. 10312



Send for catalog with complete descriptions.

Please add \$1.00 per order for postage. N.Y. residents, please add proper tax. FREE set of BINARY DICE, including full directions, with orders of 2 or more items.

Dealer Inquiries Invited.

TRS-80 Color Computer

All Payments in U.S. Funds.



*This delightful game teaches facial features while entertaining your youngsters*

# Your Face

By Mike Rigsby

**M**any people are purchasing computers to help their child prepare for the new technological age. *Face* is a game designed to catch the attention of very young children because it requires nothing but pounding on the keyboard. Loosely based on the old potato toy that had changeable

face parts, the voice output and graphics enable a user to create hundreds of faces by swapping parts electronically. Operation of *Face* re-

quires 32K Extended Color BASIC and will not run with the disk controller plugged in. The game will operate on a 16K machine if voice output is deleted.

The game begins with production of a pleasant face ac-

companied by five key words: eyes, ears, nose, mouth and hair. A cursor slowly rotates past these words. Press any key (except SHIFT, which does nothing, or BREAK, which stops the program) and the screen changes to a display of appropriate parts and pronounces the name of the part. The new display shows a choice of features complete with rotating cursor awaiting another keyboard entry to signify a choice. When a key is pressed, a beep is heard and the face is redrawn with the newly selected part in place.

Tiny youngsters are exposed to the keyboard in a friendly manner; they learn to read the five key words, they develop a longing "to 'play' on the 'puter" and they enjoy themselves. It's also fun to watch adults creating faces. A hazard in this game is the BREAK key because it halts the action and requires a restart.

Extensive BASIC graphics are used in the game, but alphanumeric characters are



*Mike Rigsby, author and inventor, builds animated display windows and repairs antique toys. He also invented a program so that Teddy Ruxpin's™ animation will fit any voice on tape.*



# or Mine?





**A**nd even then you couldn't access as many CoCo goodies as you get in Public Domain Software Copying Company's special pre-selected package deals. Check it out:

**1** TOOLS—4 disks, 62 files. Includes: Basic 64, BSearch, DiskTest, DOS64, DSBoot, Print-Dir, Recover, Romback, Romfix, Scrn51, Backup, Unlock, MultiBack, Spell & Fix Free Ware, Manual, Dict, Build, List, Append, Addword, Teleterm, Kermit, Superforth, 16KForth, Editor, 32KForth, Manual. **\$25**

**2** GAMES—4 disks, 59 files. GAMES IN BASIC include: Gunner, Life, Poker, Bio rhythm, Hangman, Go, Fractal, World 3D, Lovetrek, Nude, Star-trek, Reverse, Scramble, Pizza. FAST MACHINE LANGUAGE: Pong, Squash, Blockade, Germ, Grid, 3D-Tictac, Zerog. SIMULATIONS & ADVENTURE: Cave, Wargame, NORAD, KingTUT, Civilwar, Icewar. **\$25**

**3** MUSICA MANUAL & UTILITIES—4 disks, 80 files. Includes: Addplay, Boogie, Circus, Clowns, Hyden, JBGood, Sonata3, Straw, #3 Foggy, Funeral, Hardday, Joplin, Peanuts, Rock, Stranger, Camelot, Diamond, Fantasy11, Greengras, StarWars, Superman, RootBeer, Ghos-Bust, Mash, 201, Sielmo, Balstar, Messiah, Raiders, Watermus, Toca, Fuge, etc. **\$25**

**4** GRAPHICON PICTURES—these pictures demonstrate the ability of the Color Computer to produce exciting art. Graphicon need-Modifiable. **\$25**  
4 disks.

**5** PICTURE DISKS—2 disks, 35 files. Turn your CoCo into a Mac includes: McPaint, Icons, Epsom/DRV, Animate, Balloon, Hebrew, Typing, RSDMP/DRV, Animation Disk includes Rotate, Shuttle, Triangle, Glass, Star, Baseball, Donduck. **\$15**

**6** FOR THE 059 OPERATING SYSTEM—2 disks, 20+ files. Includes programs from BASIC09, ASM and C: Finance, Clk, MathDemo.c, Bounce.c, rafDemo.c, Primes.c, WC.c. Six text adventures for 059 operating system. **\$15**

**7** ALL THE ABOVE—**\$80**  
\*130 value.

ORDERS: include full name, complete address, phone with area code (important!). Specify for CoCo. Include \$3 P/H per ord. Phone: credit cards only. Overseas: add 80¢ per disk U.S. postage. N.Y. include 8.25% tax, prepaid only. Canada: postal money orders, U.S. \$ only. We also have P.D. Software for Ms.Dos. CP/M. Catalogs: \$4. We sell 2 Drive Ms.Dos portable 512k, \$895. We are a copying service providing programs from Users Groups; corrections solicited. Please include \$2.40 handling with any returned (postal mangled etc.) disk. Content not warranted.

**The Public Domain Software Copying Company**  
(est. 1983)

33 Gold Street, New York City 10038  
212/732-2565

SHACK UP WITH A LIBRARIAN

not supported in the graphics mode. Lines 10 through 260 (A\$ through Z\$) represent the letters 'A' through 'Z'. Although they are not all used in this program, I left them for anyone desiring a ready-made alphabet. Lines 720 through 1210 cause the cursor to rotate past the words on the face screen.

Pressing a key moves execution to Line 2000 where selection of the proper alternate screen is made, those choices being Line 2050 for eyes, 2200 for ears, 2400 for nose, 2600 for mouth and 2800 for hair. Within these routines a choice is made by key depression and control is transferred to Line 1. Actual drawing of the face and words takes place between 320 and 710.

To operate *Face* without voice output (required for 16K operation), delete lines 2054, 2204, 2404, 2604 and 2804. Operation of *Face* with voice requires that both a machine language program and *Face* be loaded.

To develop the voice code (machine language program) I used Radio Shack's *EDTASM+*. In *EDTASM*'s editor mode, type in the *Sound* listing. *Sound* is a modified version of a routine written by Richard Seymour. For Mr. Seymour's excellent discussion on sound storage and retrieval see "Teach Your Computer To Talk," *80 Micro Special Anniversary Issue*, 1983. Assemble this text in memory with the A/IM/AO command. Escape to BASIC with the Q command. Enter or load in the *BASND* program (written in BASIC). Voice input comes through the black plug in the cassette cable. With only the black plug attached to the recorder, and the record and play buttons pressed, the cassette machine acts

as an amplifier. I recommend using a separate amplifier and microphone to get better quality sound.

Run *BASND*. You are asked EYES? Press ENTER and say "eyes" into the microphone. Do the same with all five words. Next the opportunity is presented to hear the five words, one at a time (be certain that volume is not off on the television/monitor). You are asked LISTEN AGAIN? Pressing 'N' allows the words to be rerecorded; any other response permits the words to be heard once more.

When word clarity is acceptable, press BREAK and type EXEC 49152. Now the editor message appears. Enter Z. Prepare the tape recorder to record the machine language data. Enter P FACE 426B 697B 426B. This is the machine code which is called upon by the BASIC program to produce verbal output.

To use the program, load or type in Listing 1. Then CLOADM the voice machine code you have just created. Type RUN and marvel as the computer talks with your own voice.

My young daughter can read the words (even written on a sheet of paper by hand) and she loves to type. Exposing girls to computers early in life might close the gap of interest in computers which threatens to shut women out of many good jobs in the future. Remember that your child enjoys having you participate; the computer without a friend is just another set of toy blocks.

(Questions about this program may be directed to Mr. Rigsby at 2210 Kamino Del Mar, Sanibel, FL 33957. Please enclose an SASE when writing.) □



Half-pint hacker Ember Rigsby plays another round of *Face*.



170	.....73	2130	.....253
340	.....18	2270	.....147
440	.....217	2500	.....23
530	.....9	2725	.....1
800	.....53	2810	.....133
1110	.....85	2930	.....64
		END	.....89

Listing 1: FACE

```

Ø GOTO 5ØØØ
1 PMODEL,1
3 SCREEN1,1
4 COLOR8,5
5 PCLS
1Ø A$="U2;E2;U6;R4;D6;L2;R2;F2;D
2;BM+6,Ø"
2Ø B$="U1Ø;R6;D6;L4;R4;D4;L4;R4;
BM+6,Ø"
3Ø C$="R4;L4;U1Ø;R4;BM+6,1Ø"
4Ø D$="R2;E4;U2;H4;L2;D1Ø;BM+12,
Ø"
5Ø E$="R6;L6;U4;R4;L4;U6;R6;BM+6
,1Ø"
6Ø F$="U4;R4;L4;U6;R6;BM+6,1Ø"
7Ø G$="R6;U4;L2;R2;D4;L6;U1Ø;R6;
BM+6,1Ø"
8Ø H$="U1Ø;D6;R4;U6;D1Ø;BM+6,Ø"
9Ø I$="U1Ø;BM+6,1Ø"
1ØØ J$="U2;D2;R4;U1Ø;L4;R8;BM+6,
1Ø"
11Ø K$="U1Ø;D4;R2;E4;G4;F4;D2;BM
+6,Ø"
12Ø L$="U1Ø;D1Ø;R4;BM+6,Ø"
13Ø M$="U1Ø;F4;D2;U2;E4;D1Ø;BM+6
,Ø"
14Ø N$="U1Ø;F4;D2;R2;U6;D1Ø;BM+6
,Ø"
15Ø O$="U1Ø;R4;D1Ø;L2;R2;BM+6,Ø"
16Ø P$="U1Ø;R6;D6;L6;D4;BM+12,Ø"
17Ø Q$="U1Ø;R6;D6;L2;R2;D4;L4;R6
;BM+6,Ø"
18Ø R$="U1Ø;R4;D2;G2;F4;D2;BM+6,
Ø"
19Ø S$="R6;U4;L6;U6;R6;BM+6,1Ø"
2ØØ T$="BM+4,Ø;U1Ø;L4;R8;BM+6,1Ø
"
21Ø U$="U1Ø;D1Ø;R4;U1Ø;BM+6,1Ø"
22Ø V$="BM+4,Ø;H2;U2;H2;U4;D4;F2
;D2;F2;E2;U2;E2;U4;BM+6,1Ø"
23Ø W$="U1Ø;D1Ø;E4;U2;D2;F4;U1Ø;
BM+6,1Ø"
24Ø X$="U2;E2;U2;H2;U2;D2;F2;E2;
U2;D2;G2;D2;F2;D2;BM+6,Ø"
25Ø Y$="BM+4,Ø;U4;L2;U2;H2;U2;D2
;F2;D2;R4;U2;E2;U2;BM+6,1Ø"
26Ø Z$="R8;L8;U2;E2;R2;E4;U2;L8;
R8;BM+6,1Ø"
32Ø A1$="BM46,36;G2;D2;G2;D2;G2;
D2;G2;D2;G2;D2;G2;D32;R1Ø;H8;D6;
R4;L2;U2;D2;L2;D6;F2;D2;F2;D2;R2

```

```

;F8;R2;F2;R6;D2;R2;D2;R6;L14;D24
;R8;E2;R6;E2;R2;E2;U16;L6;"
33Ø A2$="R2Ø;D16;L12;R24;F2;R1Ø;
U22;L12;G2;L6;G2;BM+16,-6;E4;R2;
E2;R2;U2;E2;U2;E4;U4;R2;L1Ø;E1Ø;
D8;L6;R2;U2;R2;U2;R2;U26;H2;U2;H
2;U2;H2;U2;H2;U2;H2;U2;H2;U2;"
34Ø DRAWA1$:DRAWA2$
35Ø PAINT(84,126),6,8
352 PAINT(1Ø6,126),7,8
354 PAINT(64,126),7,8
36Ø B1$="L2;G2;H6;U2;H2;U2;E4;R2
;E2;R2;F2;BM+96,-2;R6;F4;D4;G2;D
2;G4;L4;"
37Ø B2$="L4;G6;U4;E2;U4;E2;U2;H2
;U8;H2;U1Ø;R2;F2;D2;F2;D2;F4;BM+
96,Ø;R2;E2;U2;E2;U2;E2;U2;E2;G2;
D1Ø;G2;D16;F2;D6;F2;D2;L4;H2;U2;
H4;"
38Ø B3$="G14;L4;G2;L6;U8;E2;U2;E
2;U2;R2;U2;E12;R2;E4;R2;BM+Ø,8;L
2;G1Ø;D2;R6;E6;BM+96,-14;R2;F2;R
4;F12;D2;F4;D4;F2;D2;G2;L6;H4;L2
;H2;L4;H4;L2;H2;BM+Ø,-8;F4;R2;F4
;R4;U6;H2;L2;H2;L2;H2;L2;"
39Ø DRAW"BM32,78;XB5$;"
4ØØ C1$="E6;R2;E2;R2;E2;R4;E2;;E
2;R22;F2;R4;F12;R2;F2;"
41Ø C2$="E28;R8;F2;L14;D2;R16;D2
;L2Ø;D2;R24;D2;L28;D2;R32;D2;L36
;D2;R4Ø;F14;"
42Ø C3$="E1Ø;R4;U2;D2;R4;U2;D2;R
2;D2;U2;R2;U4;D4;R2;D2;U2;R2;U2;
D2;R6;U4;D6;R4;U4;D2;R4;U6;D6;R2
;D4;U4;R4;U2;D2;R4;U2;R4;F1Ø;D2;
"
43Ø DRAW"BM48,34;XC5$;"
44Ø D6$="R14;U4;L2;D2;U2;H2;L4;G
6;U4;E2;U2;E2;U2;E2;U2;E2;U2;R2;
F2;D2;F2;D8;U8;BM+4,-4;H1Ø;F1Ø;B
M+14,Ø;E1Ø;G1Ø;BM+6,Ø;D2;G2;D14;
R2;U4;E2;R4;F6;L12;R12;U4;H2;U2;
H2;U2;H2;U2;H2;U2;L2;"
445 D7$="BM-36,18;R6;U2;L4;BM+34
,Ø;R4;D2;R2;L6;"
447 D1$="XD6$;XD7$;"
45Ø D8$="R14;U4;L2;D2;U2;H2;L4;G
6;U4;E2;U2;E2;U2;E2;U2;E2;U2;R2;
F2;D2;F2;D8;U8;BM-14,-4;E1Ø;BM+3
Ø,Ø;F1Ø;BM-12,Ø;D2;G2;D14;R2;U4;
E2;R4;F6;L12;R12;U4;H2;U2;H2;U2;
H2;U2;H2;U2;L2;"
455 D2$="XD8$;XD7$;"
46Ø D3$="U4;H2;U4;E2;U2;E2;R12;F
6;D4;G2;D2;L2;G2;L12;BM+6,-8;UØ;
DØ;BM+26,Ø;U2;D4;F2;D2;R2;F2;R14
;U4;E2;U4;H2;U2;H2;L12;G6;BM+12,
2;UØ;DØ;"

```



```

47Ø DRAW"BM56,66;XD5$;"
48Ø E1$="U4;E2;R4;F2;D2;G4;L2"
485 REM"WRITTEN BY MIKE RIGSBY,
DECEMBER 1982"
5ØØ E2$="BM-2,Ø;E4;R2;F12;L26;E8
;BM+2,4;UØ;BM+6,Ø;UØ;"
51Ø E3$="U4;E2;R2;F2;D4;F2;R2;F2
;G2;L14;H2;E2;R2;"
52Ø DRAW"BM78,82;XE5$;"
53Ø F1$="G4;E4;R26;F4;"
54Ø F2$="H4;F4;R26;E4;"
55Ø F3$="BM+4,Ø;E2;R2;E2;R8;F2;R
2;F2;G2;L2;G2;L8;H2;L2;"
56Ø F4$="E4;R4;D2;U2;R12;F4;G2;L
6;U2;L2;D2;L12;"
57Ø DRAW"BM68,98;XF5$;"
58Ø EY$="XE$;XY$;XE$;XS$;"
59Ø EA$="XE$;XA$;XR$;XS$;"
6ØØ NO$="XN$;XO$;XS$;XE$;"
61Ø MO$="XM$;XO$;XU$;XT$;XH$;"
62Ø HA$="XH$;XA$;XI$;XR$;"
625 W1$=EY$
63Ø W2$=EA$
64Ø W3$=NO$
65Ø W4$=MO$
66Ø W5$=HA$
665 CU$="U1Ø;R2;D1Ø;R2;U1Ø;"
67Ø DRAW"BM158,12;XW1$;"
68Ø DRAW"BM158,42;XW2$;"
69Ø DRAW"BM158,72;XW3$;"
7ØØ DRAW"BM158,1Ø2;XW4$;"
71Ø DRAW"BM158,132;XW5$;"
72Ø DRAW "BM15Ø,12;XCU$;"
73Ø Q=Ø
74Ø Q1$=INKEY$
75Ø IF Q1$=""THEN77Ø
76Ø R6=R1:GOTO 2ØØØ
77Ø Q=Q+1
78Ø IF Q=5Ø THEN 8ØØ
79Ø GOTO 74Ø
8ØØ COLOR5,5:DRAW"BM15Ø,12;XCU$;
"
81Ø COLOR8:DRAW"BM15Ø,42;XCU$;"
82Ø Q=Ø
83Ø Q1$=INKEY$
84Ø IFQ1$=""THEN86Ø
85Ø R6=R2:GOTO 2ØØØ
86Ø Q=Q+1:IFQ=5Ø THEN 9ØØ
87Ø GOTO 83Ø
9ØØ COLOR5,5:DRAW"BM15Ø,42;XCU$;
":COLOR8
91Ø DRAW"BM15Ø,72;XCU$;"
92Ø Q=Ø
93Ø Q1$=INKEY$
94Ø IF Q1$=""THEN96Ø
95Ø R6=R3:GOTO2ØØØ
96Ø Q=Q+1:IFQ=5Ø THEN 1ØØØ
97Ø GOTO 93Ø
1ØØØ COLOR5,5:DRAW"BM15Ø,72;XCU$
;":COLOR8
1Ø1Ø DRAW"BM15Ø,1Ø2;XCU$;"
1Ø2Ø Q=Ø
1Ø3Ø Q1$=INKEY$
1Ø4Ø IF Q1$=""THEN1Ø6Ø
1Ø5Ø R6=R4:GOTO 2ØØØ
1Ø6Ø Q=Q+1:IFQ=5Ø THEN 11ØØ
1Ø7Ø GOTO 1Ø3Ø
11ØØ COLOR5,5:DRAW"BM15Ø,1Ø2;XCU
$;":COLOR8
111Ø DRAW"BM15Ø,132;XCU$;"
112Ø Q=Ø
113Ø Q1$=INKEY$
114Ø IF Q1$=""THEN 116Ø
115Ø R6=R5:GOTO 2ØØØ
116Ø Q=Q+1:IFQ=5Ø THEN 12ØØ
117Ø GOTO 113Ø
12ØØ COLOR5,5:DRAW"BM15Ø,132;XCU
$;":COLOR8
121Ø GOTO 72Ø
2ØØØ GOTO 2ØØ1
2ØØ1 IF R6=2Ø5Ø THEN 2Ø5Ø
2ØØ2 IF R6=22ØØ THEN 22ØØ
2ØØ4 IF R6=24ØØ THEN 24ØØ
2ØØ6 IF R6=26ØØ THEN 26ØØ
2ØØ8 IFR6=28ØØTHEN 28ØØ
2Ø1Ø STOP
2Ø2Ø GOTO 2Ø2Ø
2Ø5Ø B=&H42:C=&HCC:D=&H4A:E=&H38
2Ø52 GOSUB 7ØØØ
2Ø54 A=USR1(Ø)
2Ø58 PCLS5
2Ø6Ø DRAW"BM2Ø,5Ø;XD1$;"
2Ø7Ø DRAW"BM14Ø,5Ø;XD2$;"
2Ø8Ø DRAW"BM4Ø,14Ø;XD3$;"
2Ø9Ø DRAW"BM25,7Ø;XCU$;"
21ØØ GOSUB 6ØØØ
211Ø IF SD=Ø THEN 213Ø
212Ø D5$="XD1$;"
2125 GOTO 1
213Ø COLOR5:DRAW"BM25,7Ø;XCU$;"
2135 COLOR8:DRAW"BM145,7Ø;XCU$;"
214Ø GOSUB 6ØØØ
2145 IF SD=Ø THEN 216Ø
215Ø D5$="XD2$;"
2155 GOTO 1
216Ø COLOR 5:DRAW"BM145,7Ø;XCU$;
"
2165 COLOR8:DRAW"BM45,16Ø;XCU$;"
2175 GOSUB 6ØØØ
218Ø IF SD=Ø THEN 219Ø
2185 D5$="XD3$;"
2187 GOTO 1
219Ø COLOR5:DRAW"BM45,16Ø;XCU$;"
2195 COLOR8:GOTO2ØØØ
22ØØ B=&H4A:C=&H39:D=&H52:E=&HØ8
22Ø2 GOSUB 7ØØØ

```



```

2204 A=USR1(0)
2208 PCLS5
2210 DRAW"BM20,50;XB1$;"
2220 DRAW"BM140,100;XB2$;"
2230 DRAW"BM40,140;XB3$;"
2240 DRAW"BM25,70;XCU$;"
2245 GOSUB6000
2250 IF SD=0 THEN2260
2255 B5$="XB1$;"
2257 GOTO 1
2260 COLOR5:DRAW"BM25,70;XCU$;"
2265 COLOR8:DRAW"BM145,120;XCU$;"
"
2270 GOSUB6000
2275 IF SD=0 THEN 2290
2280 B5$="XB2$;"
2285 GOTO 1
2290 COLOR5:DRAW"BM145,120;XCU$;"
"
2295 COLOR8:DRAW"BM45,160;XCU$;"
2300 GOSUB 6000
2310 IF SD=0 THEN 2330
2320 B5$="XB3$;"
2325 GOTO 1
2330 COLOR5:DRAW"BM45,160;XCU$;"
2340 COLOR8:GOTO2240
2400 B=&H52:C=&H09:D=&H59:E=&H08
2402 GOSUB 7000

```

```

2450 IF SD=0 THEN 2470
2460 E5$="XE1$;"
2462 GOTO 1
2470 COLOR5:DRAW"BM25,70;XCU$;"
2475 COLOR8:DRAW"BM145,75;XCU$;"
2480 GOSUB 6000
2485 IF SD=0THEN 2500
2490 E5$="XE2$;"
2493 GOTO 1
2500 COLOR5:DRAW"BM145,75;XCU$;"
2510 COLOR8:DRAW"BM45,160;XCU$;"
2520 GOSUB 6000
2530 IF SD=0 THEN 2550
2540 E5$="XE3$;"
2545 GOTO 1
2550 COLOR5:DRAW"BM45,160;XCU$;"
2560 COLOR8:GOTO2440
2600 B=&H59:C=&H09:D=&H61:E=&HA8
2602 GOSUB 7000
2604 A=USR1(0)
2608 PCLS5
2610 DRAW"BM20,50;XF1$;"
2620 DRAW"BM140,50;XF2$;"
2630 DRAW"BM40,140;XF3$;"
2640 DRAW"BM140,140;XF4$;"
2650 DRAW"BM25,70;XCU$;"
2655 GOSUB6000
2660 IF SD=0THEN 2680

```



```

2404 A=USR1(0)
2408 PCLS5
2410 DRAW"BM20,50;XE1$;"
2420 DRAW"BM140,50;XE2$;"
2430 DRAW"BM40,140;XE3$;"
2440 DRAW"BM25,70;XCU$;"
2445 GOSUB 6000

```

**S.T.A.G.  
A GRADEBOOK**

A full year gradebook. Track students not just for a semester, but for a full school year. Includes all the features you normally expect of a gradebook; weighted averaging of tests, homework scores, semester tests; correct, change or delete any student record; statistical analysis of scores; plus many more features not found in any other gradebook program. Included is a complete report writer for your printer. Frankly, we believe S.T.A.G. to be the best full year gradedbook program on the market today. Write for details.

**64k-Disk \$46.00**

**SECA  
TEACHER SOFTWARE**

**TESTED**  
P.O. BOX 3134  
GULFPORT, MS 39505  
(601) 832-8236  
Ms. res. add 6% sales tax. Include \$3 shipping/handling. Make checks payable to SECA. Dealers and authors inquiries welcome. No refunds or exchanges.

**THE WORD FACTORY'S  
WORD MEANINGS**

Captivating Graphic Game  
New Word List Maker  
Test Sheet Printer  
1144 Words & Meanings  
An aid for learning new words and their meanings. Create additional lists for game use or classroom printed tests. New lists created can be for any age group.

**Grade 2-Adult. 64k-Disk \$34.50**

**PUZZLE MATH**

Hi-Res graphic game for reinforcing addition, subtraction, multiplication, and division. Four levels of difficulty. Comes with 18 graphic pictures to start with. Add more if you wish. Each picture can be used as an 8 to 48 piece puzzle. A favorite with kids.

**Grade 2-5. 64k-Disk \$29.50**

**THE WORD FACTORY'S  
SYNONYMS AND ANTONYMS**

Hi-Res Graphic Game  
New Word List Maker  
Test Sheet Printer  
5760 Combination Printer  
An aid for learning synonyms & antonyms. Create additional word lists for game use or classroom printed tests.

**Grade 2-Adult. 64k-Disk \$34.50**







# FROM DERRINGER

## PRO-COLOR-FILE

©1984 by Derringer Software, Inc.

### ENHANCED 2.0

- 60 Data Fields for each record
- 1020 spaces available per record if needed
- Maximizes multiple drive operation
- 28 equation lines (+ - \* /)
- IF-THEN-ELSE logic test in equations
- Full Screen editing on up to 4 data entry screens
- Key click and auto key repeat
- Stores custom designed report formats
- Obtain totals, averages, or summaries for any field
- Output reports to printer, screen, or disk file
- Send data out to a DYNACALC compatible file
- Separate label generator for up to 10 across labels
- Pre-define up to 16 indexes for searching/reporting file
- Sorts 750 records in under 5 minutes
- User defined selection menus
- Repeated tasks performed with one keystroke
- Comes with 75 pages of documentation in a 3 ring binder
- Supported by a national users group
- Full time programmer support
- Supplied on an unprotected disk

~~\$59.95~~ ~~\$49.95~~

## PRO-COLOR-FORMS 2.0

©1984 by Derringer Software, Inc.

PRO-COLOR-FORMS will access data files created with PRO-COLOR-FILE and merge them with a letter or place them on pre-printed forms.

- STORE UP TO 6 FORMATS • USER DEFINED PAGE SIZE
- SUPPORTS SPECIAL PRINTER CONTROL CODES • RIGHT JUSTIFICATION • PASSWORD PROTECTION • MERGES WITH GRAPHICS FROM MASTER DESIGN OR TELEGRAPHICS •

## PRO-COLOR-DIR

©1984 by Derringer Software, Inc.

PRO-COLOR-DIR will read your directories and create a master data file that can be accessed by PRO-COLOR-FILE for sorting and reporting. 1000 + records can be stored on one diskette with valuable information about each program.

You can obtain hard copies of the information and create labels of the filenames for placing on the diskette itself.

- DISK ID NAME • FILENAME/EXT • TYPE OF FILE
- DATE CREATED • DATE UPDATED • NUMBER OF GRANS ALLOCATED • NUMBER OF SECTORS ALLOCATED AND USED • MACHINE LANGUAGE ADDRESSES •

~~\$29.95~~ ~~\$19.95~~  
FOR BOTH

## DYNACALC

### SPREAD SHEET FLEXIBILITY

(Includes Dynagraph, Sidewise)

~~\$79.95~~ INCLUDES @SUMMARY!

## Telewriter-64™

### WORD PROCESSOR POWER

~~\$59.95~~ INCLUDES MASTER DESIGN

## CoCo Max II

### GRAPHICS SUPERIOR

~~\$79.95~~ INCLUDES TELEGRAPHICS!

## @ SUMMARY

©1985 Derringer Software, Inc.

If you use your spreadsheet program to keep track of your expenses then @SUMMARY can help you analyze those expenses. For example, if you indicate a "Category" for each expense then @SUMMARY will produce a report that shows a total for each category, the highest amount, the lowest amount and the average amount. In addition, @SUMMARY can produce a hi-res line graph or bar graph of the analysis and allow you to place titles on the graph. A hardcopy of the graph can also be generated as well as saved to disk.

The analysis can be saved in a "data file" which can be loaded into DYNACALC or read in by @SUMMARY for future additions to the analysis. If you use other Spreadsheets such as ELITE\*CALC then you have added a graphing feature to your spreadsheet applications. The analysis can also be saved in an ASCII file which can be read by word processors for inclusion in a report.

@SUMMARY is compatible with any spreadsheet program that can generate an ASCII text file of worksheets.

Specify RS-DOS or OS9\*

~~\$199.50~~  
(disk only)

\*OS9 version does not have Hi-Res graphing and requires Basic09.

DYNACALC™ is a registered trademark of Computer Systems Center  
ELITE\*CALC is a trademark of Elite Software  
OS9 is a registered trademark of MICROWARE and MOTOROLA.

## SIDEWISE

©1984 by Derringer Software, Inc.

Add a new "twist" to your printer's capabilities!

SIDEWISE makes your printer do something you never thought possible — print side ways!

SIDEWISE will read in any ASCII text file and print it out side ways using a Radio Shack, Epson, Okidata, C-Itoh or Gemini printers having dot-graphics ability.

SIDEWISE OS9 is compatible with DYNACALC OS9 and requires Basic09

SIDEWISE OS9 ~~\$39.95~~ \$29.95  
(Disk only)

SIDEWISE RS-DOS ~~\$24.95\*~~ \$19.95

\* RS-DOS version included FREE with DYNACALC \*

OS9 is a registered trademark of MICROWARE and MOTOROLA.

## TELEGRAPHICS

©1984 by Derringer Software, Inc.

PRINT HI-RES GRAPHICS USING TELEWRITER-64!

Use CoCo Max, Graphicom or other graphics programs to create letter heads and print them while using Telewriter-64.

Telegraphics interfaces with Radio Shack, Epson, Gemini, C-Itoh and Okidata printers having dot-addressable graphics. A simple modification to Telewriter-64 will allow you to exit Telewriter via the DISK I/O MENU and print out the graphic without affecting any of your text in the buffer.

This is the same feature that is included in our MASTER DESIGN program. Since we felt you don't need to buy two graphics editing programs, we have made this feature available at a reduced price.

~~\$24.95~~ \$19.95  
(Available Only On Disk)

NO OTHER DISCOUNTS APPLICABLE

## MASTER DESIGN

©1984 by Derringer Software, Inc.

Generates lettering in hi-res graphics that can be different sizes, skinny, bold, textured, drop shadowed, raise shadowed or tall. Also interfaces with the Telewriter-64 word processor for printing hi-res displays with your letters.

Take full advantage of all the extended BASIC hi-res graphic commands including boxes, circles, lines, copy displays and utilize GET and PUT features. Added commands include mirror reflection, turn displays backwards or upside down. Squish displays, create dot patterns for shading or diagonal lines.

The Letterhead Utility allows you to access hi-res graphics from Telewriter-64, your own BASIC programs or PRO-COLOR-FORMS.

Interfaces with dot matrix printers having dot addressable graphics.

~~\$29.95~~ \$24.95  
See reviews in:  
July '84 Rainbow, Oct. '84 Hot CoCo

## Derringer Software, Inc.

PO Box 5300, Florence, SC 29502-5300

To place an order by phone, call: (803) 665-5676

10 AM and 5 PM EDT

Check, Money Order, VISA or MasterCard

South Carolina residents add sales tax.

Include \$3.00 for UPS Shipping - \$5.00 U.S. Mail - \$9.00 Air Mail

Canadian Distributor-Kelly Software

Australian Distributor-Computer Hut Software

This SUMMER SIZZLER SALE may end without notice.



```

2670 F5$="XF1$;"
2671 GOTO 1
2680 COLOR5: DRAW"BM25,70;XCU$;"
2685 COLOR8: DRAW"BM145,70;XCU$;"
2690 GOSUB 6000
2695 IF SD=0 THEN 2710
2700 F5$="XF2$;"
2705 GOTO 1
2710 COLOR5: DRAW"BM145,70;XCU$;"
2720 COLOR8: DRAW"BM45,160;XCU$;"
2725 GOSUB 6000
2730 IF SD=0 THEN 2750
2735 F5$="XF3$;"
2740 GOTO 1
2750 COLOR5: DRAW"BM45,160;XCU$;"
2755 COLOR8: DRAW"BM145,160;XCU$;"
"
2760 GOSUB 6000
2765 IF SD=0 THEN 2780
2770 F5$="XF4$;"
2775 GOTO 1
2780 COLOR5: DRAW"BM145,160;XCU$;"
"
2785 COLOR8: GOTO 2650
2800 B=&H61: C=&HA9: D=&H69: E=&H78
2802 GOSUB 7000
2804 A=USR1(0)
2808 PCLS5

```

```

2810 DRAW"BM20,50;XC1$;"
2820 DRAW"BM140,50;XC2$;"
2830 DRAW"BM40,140;XC3$;"
2840 DRAW"BM25,70;XCU$;"
2845 GOSUB 6000
2850 IF SD=0 THEN 2870
2855 C5$="XC1$;"
2860 GOTO 1
2870 COLOR5: DRAW"BM25,70;XCU$;"
2875 COLOR8: DRAW"BM145,70;XCU$;"
2880 GOSUB 6000
2885 IF SD=0 THEN 2900
2890 C5$="XC2$;"
2895 GOTO 1
2900 COLOR5: DRAW"BM145,70;XCU$;"
2905 COLOR8: DRAW"BM45,160;XCU$;"
2910 GOSUB 6000
2915 IFSD=0 THEN 2930
2920 C5$="XC3$;"
2925 GOTO 1
2930 COLOR 5: DRAW"BM45,160;XCU$;"
"
2940 COLOR8: GOTO 2840
5000 R1=2050: R2=2200: R3=2400: R4=
2600: R5=2800
5001 DEFUSR1=17032
5005 PCLS
5010 B5$="XB1$;"
5012 C5$="XC1$;"
5014 D5$="XD2$;"
5016 E5$="XE1$;"
5018 F5$="XF2$;"
5020 GOTO 1
6000 Q=0
6010 L9$=INKEY$
6020 IF L9$="" THEN 6040
6030 SD=1
6032 SOUND175,3
6035 RETURN
6040 Q=Q+1
6050 IF Q=50 THEN 6080
6060 GOTO 6010
6080 SD=0
6090 RETURN
7000 POKE&H429E,B
7010 POKE&H429F,C
7020 POKE&H42B2,D
7030 POKE&H42B3,E
7040 RETURN

```

### 64K CoCo Users!

IMAGINE A DOS THAT

- ▶ Is Configured for YOUR System
- ▶ Allows up to 54K of Workspace
- ▶ Handles 40 & 80 Track Drives & Double-sided Drives
- ▶ Simplifies Machine Language with 90 System Calls
- ▶ Automatically Dates Files

HELP IS HERE WITH

# SOS

▶▶ small (8K) operating system

PROGRAM DISK (including FORMAT BACKUP & COPY UTILITIES, with detailed USER'S MANUAL and 1 PATCH of your choice) \$49.95 plus \$3.00/sh add 1 PATCHES \$9.95 each (\*N.J. residents add 6% sales tax)

PATCHES AVAILABLE FOR

- MICROWORKS: Editor/Assembler Disassembler & DCBUG
- COMPUTERWARE: Editor & Macro Assembler
- DUGGER'S GROWING SYSTEMS: C 1.2 & 2.5
- ELITE SOFTWARE: Elite WORD
- DOUBLE DENSITY: Clarium (3.3 & 4.1)
- COGNITEC: Telewriter 64 (0 & 1)
- RADIO SHACK: EDTASM+ & SCRIPSIT cartridges

PROGRAMMER'S REFERENCE GUIDE & DISK UTILITIES ALSO AVAILABLE \$22.95 each

**SOISTMANN ENTERPRISES, INC.**

CALL OR WRITE: SOISTMANN ENTERPRISES, INC.  
P.O. BOX 257 P.O. BOX 330  
BUDD LAKE, N.J. 07828 WEST BERLIN, N.J. 08091  
(201) 347-0763 (609) 768-4183



### Listing 2: BASND

```

10 CLEAR2000,17000
20 DEFUSR0=17000
30 DEFUSR1=17032
32 B=&H42: C=&HCC: D=&H4A: E=&H38
34 GOSUB 500
40 INPUT"EYES";B$

```



```

50 A=USR0 (0)
60 B=&H4A:C=&H39:D=&H52:E=&H08
70 GOSUB 500
80 INPUT"EARS";B$
90 A=USR0 (0)
100 B=&H52:C=&H09:D=&H59:E=&H08
110 GOSUB 500
120 INPUT"NOSE";B$
130 A=USR0 (0)
140 B=&H59:C=&H09:D=&H61:E=&HA8
150 GOSUB 500
160 INPUT"MOUTH";B$
165 A=USR0 (0)
170 B=&H61:C=&HA9:D=&H69:E=&H78
180 GOSUB 500
190 INPUT"HAIR";B$
200 A=USR0 (0)
210 B=&H42:C=&HCC:D=&H4A:E=&H38
220 GOSUB 600
230 INPUT"HEAR EYES";B$
240 A=USR1 (0)
250 B=&H4A:C=&H39:D=&H52:E=&H08
260 GOSUB 600
270 INPUT"HEAR EARS";B$
280 A=USR1 (0)
290 B=&H52:C=&H09:D=&H59:E=&H08
300 GOSUB 600
310 INPUT"HEAR NOSE";B$
315 A=USR1 (0)
320 B=&H59:C=&H09:D=&H61:E=&HA8
330 GOSUB 600
340 INPUT"HEAR MOUTH";B$
345 A=USR1 (0)
350 B=&H61:C=&HA9:D=&H69:E=&H78
360 GOSUB 600
370 INPUT"HEAR HAIR";B$
375 A=USR1 (0)
380 INPUT"LISTEN AGAIN";B$
390 IF B$="N" THEN 10
400 GOTO 210
500 POKE &H426E,B
510 POKE &H426F,C
520 POKE &H4283,D
530 POKE &H4284,E
540 RETURN
600 POKE &H429E,B
610 POKE &H429F,C
620 POKE &H42B2,D
630 POKE &H42B3,E
640 RETURN

```

Listing 3: SOUND

4268		00090	ORG	17000	
4268	1A	50	00100 RECORD	ORG	#550
426A	CE	FF20	00110	LDU	#5FF20
426D	8E	42CC	00120	LDX	#17100
4270	86	01	00130	LDA	#501
4272	5F		00140 HIGH	CLRB	
4273	5C		00150 HLOOP	INCB	

4274	A5	C4	00160	BITA	,U	
4276	26	FB	00170	BNE	HLOOP	
4278	E7	80	00180	STB	,X+	
427A	5F		00190	CLRB		
427B	5C		00200	LOW	INCB	
427C	A5	C4	00210	BITA	,U	
427E	27	FB	00220	BEQ	LOW	
4280	E7	80	00230	STB	,X+	
4282	8C	4A38	00240	CMPX	#19000	
4285	25	EB	00250	BLO	HIGH	
4287	39		00255	RTS		
4288	1A	50	00260	PLAY	ORCC	##50
428A	CE	FF20	00270	LDU	##FF20	
428D	6F	43	00280	CLR	3,U	
428F	CC	F83C	00290	LDD	##F83C	
4292	A7	42	00300	STA	2,U	
4294	E7	43	00310	STB	3,U	
4296	CC	B435	00320	LDD	##B435	
4299	A7	5D	00330	STA	-3,U	
429B	E7	5F	00340	STB	-1,U	
429D	8E	42CC	00350	LDX	#17100	
42A0	86	60	00360	HIOUT	LDA	##60
42A2	E6	80	00370	LDB	,X+	
42A4	A7	C4	00380	HILoop	STA	,U
42A6	5A		00390	DECB		
42A7	26	FB	00400	BNE	HILoop	
42A9	4F		00410	CLRA		
42AA	E6	80	00420	LDB	,X+	
42AC	A7	C4	00430	LOLoop	STA	,U
42AE	5A		00440	DECB		
42AF	26	FB	00450	BNE	LOLoop	
42B1	8C	4A38	00460	CMPX	#19000	
42B4	25	EA	00470	BLO	HIOUT	
42B6	39		00480	RTS		

MISSING END

- **COLOR BANKBOOK** \$19.95
- **BUSINESS BANKBOOK SYSTEM ONE FOR ONE DISK DRIVE** \$49.95
- **SYSTEM TWO FOR TWO DISK DRIVES** \$49.95
- **SUPERDISK UTILITY** SEE REVIEW IN MAY '86 RAINBOW PAGE 131 \$ 9.95
- **RADIOLOG** SEE REVIEW IN MAY '86 RAINBOW PAGE 209 \$ 9.95
- **CODE PRACTICE** \$ 9.95

ORDERS OR INFORMATION  
**CALL 1-800-628-2828 EXTENSION 552**

ALL PROGRAMS INCLUDE MANUALS .  
REQUIRE 32K AND 1 DISK DRIVE.  
ADD \$2.00 SHIPPING & HANDLING  
FLORIDA RES. ADD 5% SALES TAX



**SUNRISE SOFTWARE**



**RAINBOW CERTIFICATION SEAL**

**8901 NW 26 ST DEPT R  
SUNRISE, FL 33322**



# Updating the Color Change Quiz

By Fred B. Scerbo  
Rainbow Contributing Editor

*Editor's Note: If you have an idea for the "Wishing Well," submit it to Fred c/o THE RAINBOW. Remember, keep your ideas specific, and don't forget that this is BASIC. All programs resulting from your wishes are for your use but remain the property of the author.*

September brings our annual education issue and the advent of another school year, so what better time for us to update and enhance one of our more popular "Wishing Well" programs, the *Color Change Quiz*. Therefore, this month you will find listed a new, advanced sequel to that highly popular offering which picks up where the first program left off. To achieve this, we will generate graphic representations of the more commonly used paper bills and present them in a format the user can easily identify.

*Fred Scerbo is a special needs instructor for the North Adams Public Schools in North Adams, Massachusetts. He holds a master's in education and has published some of the first software available for the Color Computer through his software firm, Illustrated Memory Banks.*

## The Wish: More of the Same

When *Color Change Quiz* was first listed in the pages of the "Wishing Well," I received a great deal of mail from parents and teachers who found it to be a useful addition to their educational software collection. The program drew very recognizable images of a quarter, dime, nickel and penny, right down to George Washington and Thomas Jefferson's ponytails. While the program was only a quiz, and not an example of CAI (Computer Aided Instruction), it could serve as instruction since repetition of the use of money in and of itself can be educational.

I had limited the display to the coins mentioned for two reasons. First, they are the most commonly used coins. Neither half dollars nor silver dollars are in great circulation. Secondly, limited screen space does not allow for display of larger coins, or, as I felt at the time, currency. I was also reluctant to try to generate a green color in PMODE4.

*Color Change Quiz II* was designed to display up to 15 of these coins on the screen at one time. The program easily fits into 16K Extended BASIC. My own students used this program extensively, but as is the case with all instructional materials, the need for more difficult

and advanced material increased the more they used the program. Taking the comments I received from parents and teachers into consideration, I decided that now was the time to make a second generation of the *Color Change Quiz*. The task, however, was not as simple as I hoped.

## Making the Program

The first problem I had to overcome in making *Color Change Quiz II* was finding a way to display paper currency without either reducing the size of the graphics or filling up the whole screen with just a few bills. I solved this problem by using the same scale I used for the coins from the first program, and only displaying the left-hand quarter of any given bill. This created the image of a folded bill, which is not that uncommon. Once I had designed the frame for the one dollar bill, superimposing a five and a 10 in the frame was not that difficult.

Part of the problem I had to deal with was finding a way to display the green color for the bills. After taking a close look at some bills, I came to the conclusion that our currency is really not that green after all. It is closer to an olive



# The Ultimate Color Computer

Enhancements  
for Productivity  
from HJL Products



To achieve maximum productivity with your Color Computer, you have to make it as easy as possible to get information into and out of the system.

This is why we developed the HJL family of high-performance enhancements for ALL MODELS of the Color Computer.

#### The Keyboard - \$79.95

The overwhelming favorite of serious Color Computer users worldwide, the HJL-57 keyboard has the smooth, consistent feel and reliability you need for maximum speed with minimum input errors. Includes 4 Function Keys and sample function key program. Installs in just a few minutes with no soldering.

#### The Numeric Keypad - \$89.95

The NumberJack is a self-contained, cable-connected keypad for heavy-duty number-crunchers. Besides the number keys, it has all the cursors, symbols and math keys, including autoshifted (one-touch) ADD and MULTIPLY. Comes complete with 3-foot cable and all necessary connectors for quick and easy installation without soldering.

**Ordering Information:** Specify model (Original, F-version, or CoCo 2 Model Number). Payment by C.O.D., check, MasterCard, or Visa. Credit card customers include complete card number and expiration date. Add \$2.00 for shipping, 3.50 to Canada; except monitors (call for shipping charges before ordering monitors). New York state residents add 7% sales tax. **Dealer Inquiries Invited**

#### The Monitor Adapter - \$25.95

This universal driver works with all monochrome monitors, and is easily installed without clips, jumpers or soldering (except in some later CoCo 2s with soldered-in video chips). Here's crisp, clear, flicker-free monitor output with all the reliability you've come to expect from HJL Products.

#### The Monitor - \$89.95

The GoldStar high-resolution amber monitor brings you the monochrome display that's preferred by most computer professionals today. Once you've used it you'll never connect your computer to a TV set again. The 12-inch diagonal CRT has an etched non-glare faceplate. (Requires adapter sold below)

#### The BASIC Utility - \$25.95

Quick Basic Plus, a high-performance programming utility, can be used with any color computer that has four function keys. 26 pre-defined BASIC statements, 10 user-defined macros at a time (you can save as many sets of macros as you like), automatic line-numbering, word wrap, global search,

and instant screen dump to printer, make this software the BASIC programmer's dream come true. Comes with re-legendable 3-way reference chart. Specify disk or cassette.

#### The HJL Warranty

Every HJL product comes with a full, one-year warranty and the exclusive HJL 15-day unconditional guarantee (except software).

#### Pick a Pair & Save 15%

Now, for a limited time, we'll give you 15% off the price of any two or more products shown here. Just mention this ad when you order.

**Call Now, Toll Free**

**1-800-828-6968**

In New York 1-800-462-4891  
International calls: 716-235-8358



**PRODUCTS**

Div. of Touchstone Technology Inc.


955 Buffalo Road • P.O. Box 24954  
Rochester, New York 14624



shade. Therefore, it was just as easy to draw the bills in blue. Once you see the graphics display on the screen, I think you will agree that it is attractive enough and close enough to the actual appearance so as not to cause any confusion.

The next problem was one of memory. Each bill would have to take up much more graphics array memory than the coins in the original program. Since the program had to include these coins as well as the bills, the program soon became too large to fit into a 16K machine. (It was written on a 64K CoCo.) To get around this problem it became necessary to redesign the GET and PUT statements for the coins in the original program.

The original program had the size of



each coin array the same. Therefore, the box holding the graphics of a dime included the surrounding white space and was just as large as the array holding the much larger image of a quarter. This memory was naturally wasted. It was easier to write the original program with identical sized arrays, since the variables for each would be the same. Once we got to the memory crunch, however, I had to reduce each of these arrays to the smallest size box, and adjust the variables in each PUT statement to correspond to this. With a little work, the task was accomplished and a sizeable chunk of memory was free for other use.

I was also able to free some additional memory by reducing the CLEAR statement to the smallest amount of string space needed. This is accomplished by reducing the CLEAR value to the smallest possible value until you get an ?OS Error (out of string space). Pulling back to a larger value gives just what you need.

The screen display also had to be redesigned to fit the new graphics and dollar amounts. The score box was changed to four digits (\$XX.XX) and the size of the word correct was reduced to allow it to fit next to the now larger answer box. The size of the bills also required that only ten coins or bills could be displayed at one time, as opposed to the maximum of 15 on the original program. This is acceptable, since we are dealing with larger dollar amounts by using bills and it remains consistent with the increasing difficulty level from the first program.

With a few adjustments to the title card and a redesign of the score card to make it consistent with our Life Skills series, the program was finally crunched down small enough to fit into 16K.

Some of you may be wondering why this program was not included in our Life Skills series. First, I wanted the program to appear as a logical successor to *Color Change Quiz*. Retaining the title card would allow this program to go hand in hand with the original. It does not replace the original; it is just the next logical step after mastering it. Secondly, the programs in the Life Skills series are designed to work in Color BASIC without the Extended commands as well as in MC-10 Color BASIC. The use of graphics makes the program unworkable on those two machines.

The last feature I wanted to include was the use of CPL, or Computer Paced Learning, which I introduced in last month's "Wishing Well." If the user gets a score of 95 or greater after 10 problems or after checking the score, the difficulty level increases. If the user gets below a 70, the level decreases. Therefore, the program keeps advancing with the student as his or her skill increases.

## Using the Program

Upon running the program, the screen displays the title card. You are asked to select the number of units (coins and bills) you want to have displayed up to a maximum of 10. The

---

*"... our currency is really not that green after all."*

---

screen then clears and asks you to select the red-colored letter, either 'A' or 'B'. This gives us the correct color set to ensure red pennies and blue bills without having to press the Reset button.

The screen next displays a random selection of coins and bills. Sometimes the screen displays all of one kind of coin or bill with the exception of 10 dollar bills. The screen is not designed to take an answer larger than \$99.99 as an input. If the user makes a mistake prior to pressing a number for the last digit, the backspace arrow can be used to correct and clear the answer box. Once the last digit is pressed, however, the answer is taken.

If the answer is correct, the screen prints CORRECT. Unlike the original program, it does not proceed directly to the next problem. The user must press ENTER to move on to the next problem. Pressing the '@' key during a problem presents the score card. You may not press '@' while the word "correct" is on the screen. You must proceed to the next screen and then press '@'.

After seeing the score, you may press 'Y' to rerun the program, 'N' to exit the program and 'C' to continue where you left off. Therefore, you can monitor a student's progress, yet continue without restarting the program. The original *Change Quiz* did not allow this.

## Conclusion

Some of you wrote saying you could not get *Color Change Quiz* to work. (There were no errors in the listing and it is not possible for me to debug your programs, even with an SASE. There just isn't enough time.) This program has been run and run again to make sure it is bug free. If you have any problems, recheck it line for line or get a RAINBOW ON TAPE.

I hope this program becomes a useful addition to your software library.

See you next month. □



50	.....	27
90	.....	253
150	.....	149
175	.....	158
210	.....	133
270	.....	105
375	.....	20
435	.....	164
END	.....	54

The listing: CHNGQUIZ

```

1 *****
2 '* COLOR CHANGE QUIZ II *
3 '* BY FRED B. SCERBO *
4 '* COPYRIGHT (C) 1986 *
5 '* 60 HARDING AVE.N.ADAMS,MA*
6 *****
10 CLEAR10:CLS0:FORI=0TO64STEP3
2:FORY=1062TO1080:READA:POKEI+Y,
A+128:NEXTY,I
15 FORI=0TO64STEP32:FORY=1156TO1
179:READA:POKEI+Y,A+128:NEXTY,I:
FORI=0TO64STEP32:FORY=1253TO1267
:READA:POKEI+Y,A+128:NEXTY,I
20 FORI=46TO49STEP3:FORY=14TO18:
SET(I,Y,7):NEXTY,I:FORY=14TO18ST
EP4:FORI=45TO50:SET(I,Y,7):NEXTI
,Y
25 DATA63,60,60,,63,60,63,,63,48
,48,,63,60,63,,63,60,63
30 DATA127,112,112,,127,112,127,
,127,112,112,,127,112,127,,127,1
25,114
35 DATA44,44,44,,44,44,44,,44,44
,44,,44,44,44,,44,32,44
40 DATA95,92,92,,95,80,95,,87,92
,91,,95,91,80,95,,95,92,92,,95,9
2,92
45 DATA95,80,80,,95,92,95,,95,92
,95,,95,84,91,95,,95,84,95,,95,9
2,92
50 DATA92,92,92,,92,80,92,,92,80
,92,,92,80,84,92,,92,92,92,,92,9
2,92
55 DATA47,44,47,,47,32,47,,36,47
,40,,44,44,47
60 DATA47,33,47,,47,32,47,,32,47
,32,,35,44,32
65 DATA44,44,46,,44,44,44,,36,44
,40,,44,44,44
70 DIMD(18),P(23),N(34),Q(55),A(
8),CV(7),TV(10),N$(9),CS(15),PS(

```

```

15),DB(62),FD(62),TD(62)
75 DATA BL2L3H2U7E2R3F2D7G2,BLL6
R3U11LGD,NU2L7U3E2R3E2U2H2L3G2D2
,BH4BL3D2F2R3E2U3H2NL2EU2HL3GD,L
3R2U11LG5D2R8,BL7BU2F2R3E2U3H2L3
G2U6R7D2,BU10BLHL3G2D7F2R3E2U3H2
L3G2,BL6E6U5L7D3,BU2G2L3H2U3E2HU
2ER3FD2GNL3F2D3,BL5NHR3E2U7H2L3G
2D3F2R3E2
80 FORI=0TO9:READN$(I):NEXT:JK(1
)=1000:JK(2)=100:JK(3)=10:JK(4)=
1
85 R=5:PRINT@352," BY FRED
B. SCERBO":PRINT" COPYRIGHT
T (C) 1986"
90 PRINT@416," ENTER NUMBER OF U
NITS (MAX.10)":PRINT:PRINT@460,"
";:INPUTQW:IFQW>10THEN90ELSEIFQW
=0THEN90
95 T=1:IFQW>5THENDL=2
100 PMODE4,1:PCLS1:SCREEN1,1
105 CV(1)=1:CV(2)=5:CV(3)=10:CV(
4)=25:CV(5)=100:CV(6)=500:CV(7)=
1000
110 PMODE3:FORI=1TO3:DRAW"S16BM"
+STR$(I+84)+" ,136C7U3NR4U2END6R2
ND6FD5BR12C6U6RND6R2FDGNL2RFDGL3
":NEXTI
115 DRAW"S12BM36,50C1U6R3FDGNL3B
D3BR3U6R3FDGL3R2F2DBR3NR3U3NR2U3
R3BR3BD6R3U3L3U3R3BR3BD6R3U3L3U3
R3BR2"
120 DRAW"BD6BR16U6L2R4BR3D6U3R4U
3D6BR3NR3U3NR2U3R3"
125 DRAW"BM27,88U6R3FDGL3R2F2DBR
3NR3U3NR2U3R3BR3ND6R2F2D2G2L2BR1
8NU6R3BR3NR3U3NR2U3R3BR3R2ND6R2B
R3R2ND6R2BR3NR3D3NR2D3R3BR3U6R3F
DGL3R2F2D"
130 X$=INKEY$:IFX$="A"THEN135ELS
EIFX$="B"THEN140ELSE130
135 L=7:B=2:GOTO145
140 L=6:B=3
145 CLS0:PMODE4,1:PCLS1:SCREEN0,
1:CIRCLE(40,40),14,0,.9:DRAW"S4C
0BM48,44NG5U3EU4HULH2L2HL5GLGDGD
2FG2DRD2NR3D2FR2FRFDRFRBU6GLREBU
2REU2HL2BL3BDNL2NGHLHLBU4R4BFGBG
F"
150 CIRCLE(40,40),12,0,.9,.4,.2:
GET(26,28)-(54,52),D,G:PCLS1:CIR
CLE(80,40),16,0,.9:PAINT(80,40),
0,0:PMODE3:PAINT(80,40),L,8:PMOD
E4:CIRCLE(80,40),16,0,.9:CIRCLE(

```



```

81,40),16,0,.9,.6,.3
155 LINE(60,26)-(100,54),PSET,B:
CIRCLE(80,40),14,0,.9,.15,.4:CIR
CLE(80,40),14,0,.9,.65,.9
160 FORI=70TO71:DRAW"C0BM"+STR$(
I)+" ,46UE3UBRNF2BLUE2UHU2HR2E2UR
BRR2FRFRDR2D2G4F2DRBL4F6BL4NH3BL
4NH4BU11U2R3BD2DBD5BR4NR4BL8BU4L
3NU2BL3BD2L5":NEXT:GET(64,26)-(9
6,54),P,G
165 FORI=0TO1:CIRCLE(135,40),20+
I,0,.8:NEXTI:COLOR1,0:LINE(110,2
4)-(160,56),PSET,B:FORI=17TO19ST
EP2:CIRCLE(135,40),I,0,.8,.4,.7:
CIRCLE(135,40),I,0,.8,.9,.1:NEXT
170 DRAW"C0BM125,52U2ENR3U2E3R3E
R6FD2FD2FD2BR3U2HU2HU2NL4U3L3D3R
3U3E2UEUHU2HU2HLHL12GLGD2NR3GDNF
2FDG2DNR3R2DGDNR3GF2R2":FORI=2TO
6STEP4:CIRCLE(136,34),I,0,1.3,.2
,.5:NEXT:CIRCLE(138,50),6,0,.7,.
5,.8
175 GET(115,24)-(156,56),N,G:FOR
I=20TO22:CIRCLE(200,40),I,0,.9,.
6,.9:CIRCLE(200,40),I,0,.9,.2,.3
:NEXTI:COLOR1,0:FORI=180TO210STE
P5:LINE(I,20)-(I+2,90),PSET,BF:N
EXTI

```


```

180 FORI=0TO1:CIRCLE(200,40),24+
I,0,.9:NEXT:CIRCLE(200,40),19,0,
.9,.15,.35:DRAW"C0BM212,52U2LU2H
2U2H2R2F3D2RD3BL4BU8R2E2U2HL2HL2
H2L2GDBR8U3HU2H2UHUL11GLGLDLD2LD
LDBRF2BDG3DR3LD2NR2D2F2R2FD3G3DG
BR8BU9NE4BL11BD2L4BH2R7BR7BU10H2
NLBD2D"
185 GET(176,18)-(224,62),Q,G:PMO
DE4,1:PCLS1
190 LINE(0,0)-(40,60),PRESET,B:L
INE(4,4)-(40,56),PRESET,B
195 CIRCLE(14,16),9,0,1.3:CIRCLE
(14,48),8,0,1.1
200 DRAW"BM40,8C0L10U2H2L2D2LD2L
2ND2R2F4NU4E2RD4G4LNU8R4F2D2L2H4
F2D6G2NU9LH2U4NE4G4L4D14L2U14G6U
4E2RD4U2H4D10R4E3D4G2L2H2L2D6E2R
4D2BM40,52L20F4E4F4E4F4L2H4G4H4G
4"
205 DRAW"BM40,8H4G4H4R2F4E4":PMO
DE3:CIRCLE(14,16),8,B,1.3:PAINT(
14,16),B,B:CIRCLE(14,48),7,B,1.1
:PAINT(14,48),B,B
210 DRAW"BM16,10D10R2DL6UR2U8G2B
D32E2D6RNR2L2":PMODE4:FORI=0TO4S
TEP2:CIRCLE(40,32),9-I,0,.9,.25,
.75:NEXT
215 DRAW"C0BR16U2BU2U4NR2D2NR2D2
R2BR4U4BR4D4BU32BL2U4L2R4":GET(0
,0)-(40,60),DB,G
220 PMODE3:CIRCLE(14,16),8,B,1.3
:PAINT(14,16),B,B:CIRCLE(14,48),
7,B,1.1:PAINT(14,48),B,B
225 DRAW"BM12,10NR6DNR6D3NR4DR4F
2D2G2L2H2BD26NR4D2R2F2DGLH":GET(
0,0)-(40,60),FD,G
230 COLORB,B:LINE(5,6)-(24,24),P
RESET,BF:LINE(6,44)-(24,52),PRES
ET,BF
235 DRAW"BM6,50C4U4NL2R2BR2NR2D2
NR2D2R2BR4U4F4R2U4BU24BL4L2H2U10
E2R2F2D10G2BL8L4UR2U12NG2ED13R2"
:GET(0,0)-(40,60),TD,G
240 PMODE4,1:PCLS5:SCREEN1,1
245 KC=0:PMODE3
250 HL=RND(32):IFHL<=27THEN265
255 IFQW=1THENC(S(1)=RND(7)):GOTO2
70
260 FOR RT=1TOQW:CS(RT)=HL-26:NE
XTRT:GOTO270
265 CS(1)=RND(3)+4:FOR RT=2TOQW:
CS(RT)=RND(7)::NEXTRT
270 SR=0
275 FOR RT=1TOQW-1:IFCS(RT)<CS(R
T+1)THEN285
280 NEXT RT:IFSR=1THEN270ELSE290
285 TEM=CS(RT):CS(RT)=CS(RT+1):C

```

### "XPNDR2 and SuperGuide - an Ideal Expansion Card Set"

— RAINBOW 2/86  
HARDWARE REVIEW



#### XPNDR2 \$39.95 each or 2/\$76

This prototype card features a 40 pin connector for projects requiring an on-line disk system or ROM paks. The CoCo signals are brought out to wire-wrap pins. Special gold plated spring clips provide reliable and noise-free disk operation plus solid support for vertical mounting of the controller. The entire 4.3x7 inch card is drilled for ICs. Assembled, tested and ready to run.

#### XPNDR1 \$19.95 each or 2/\$36

A rugged 4.3x6.2 inch bare breadboard that brings the CoCo signals out to labeled pads. Both XPNDR cards are double-sided glass/epoxy, have gold plated edge connectors, thru-hole plating and are designed with heavy power and ground buses. They're drilled for standard 0.3 and 0.6 inch wide dual in-line wirewrap sockets, with a 0.1 inch grid on the outboard end for connectors.

#### SuperGuide \$3.95 each

Here is a unique plastic insert that aligns and supports printed circuit cards in the CoCo cartridge port. Don't forget to **ORDER ONE FOR YOUR XPNDR CARDS.**

Included with each XPNDR card are 8 pages of APPLICATION NOTES to help you learn about chips and how to connect them to your CoCo.



To order or for technical information call:

(206) 782-6809

weekdays 8 a.m. to noon

We pay shipping on prepaid orders. For immediate shipment send check, money order or the number and expiration date of your VISA or MASTERCARD to:

ROBOTIC MICROSYSTEMS



BOX 30807 SEATTLE, WA 98103



```

S(RT+1)=TEM:SR=1:GOTO28Ø
29Ø D=Ø:JC=Ø:FOR Y=1TO DL:C=2:FOR
I=T TO R:JC=JC+1
295 F=CS(JC)
3ØØ TV=TV+CV(F):KC=KC+1
3Ø5 ON F GOTO31Ø,315,32Ø,325,33Ø
,335,34Ø
31Ø PUT(C+8,D+8)-(C+4Ø,D+36),P,P
SET:GOTO345
315 PUT(C+4,D+6)-(C+45,D+38),N,P
SET:GOTO345.
32Ø PUT(C+1Ø,D+1Ø)-(C+38,D+34),D
,PSET:GOTO345
325 PUT(C,D)-(C+48,D+44),Q,PSET:
GOTO345
33Ø PUT(C,D)-(C+4Ø,D+6Ø),DB,PSET
:GOTO345
335 PUT(C,D)-(C+4Ø,D+6Ø),FD,PSET
:GOTO345
34Ø PUT(C,D)-(C+4Ø,D+6Ø),TD,PSET
345 C=C+5Ø:IF KC=QW THEN36Ø
35Ø NEXTI
355 D=D+62:NEXTY
36Ø COLOR8,6:LINE(Ø,144)-(182,18
2),PRESET,BF
365 FORK=ØTO12ØSTEP4Ø:LINE(32+K,
148)-(56+K,178),PSET,BF:NEXTK
37Ø DRAW"C5S4BM1Ø2,178U3R2D3"
375 COLOR7,5:LINE(Ø,144)-(182,18
2),PRESET,B
38Ø DRAW"S8BM1Ø,17ØC8FRND3NU12R2
ND3NU12REU3HL5U3ER4F"
385 PV=1:FORK=ØTO12ØSTEP4Ø:DRAW"
BM"+STR$(K+44)+" ,14ØC7NU6NH2E2L3
"
39Ø X$=INKEY$:IFX$=CHR$(8) THEN44
ØELSEIFX$="@ " THEN455ELSEIFX$=" " T
HEN39Ø
395 KP=ASC(X$):IFKP<48 THEN39ØELS
EIFKP>57 THEN39Ø
4ØØ KP=KP-48:DRAW"BM"+STR$(K+51)
+" ,174C7"+N$(KP)+"BM"+STR$(K+44)
+" ,14ØC8NU6NH2E2L3"
4Ø5 AV=AV+KP*(JK(PV)):PV=PV+1:NE
XTK
41Ø IF AV<>TV THEN435
415 NR=NR+1:DRAW"S8BM189,168C7HU
3ERFBD3GNLBR4HU3ERFD3GNLBR4U5R2F
DGNL2FDBR2U5R2FDGNL2FDBR2U5NR3D2
NR3D3R3BR3HU3ERFBD3GNLBR4U5L2R4"
:SOUND2ØØ,4
42Ø FORP=1TO3ØØ:NEXTP
425 CL=CL+1:IFCL<1Ø THEN445
43Ø CL=Ø:GOSUB47Ø:GOTO445
435 NW=NW+1:FOR BQ=1TO3:PMODE4:S
CREEN1,Ø:SOUND19,5:SCREEN1,1:SOU
ND1,5:PMODE3:NEXT BQ:AV=Ø:KP=Ø:G
OTO36Ø

```

```

44Ø DRAW"BM"+STR$(K+44)+" ,14ØC4N
U6NH2E2L3":AV=Ø:KP=Ø:GOTO36Ø
445 X$=INKEY$:IFX$<>CHR$(13) THEN
445
45Ø AV=Ø:C=Ø:D=Ø:TV=Ø:GOTO24Ø
455 CLS:PRINT@1Ø1,"YOU TRIED"NR+
NW"PROBLEMS & ":PRINT@165,"ANSWER
ED"NR"CORRECTLY"
46Ø PRINT@229,"WHILE DOING"NW"WR
ONG."
465 GOSUB47Ø:GOTO51Ø
47Ø NQ=NR+NW:IFNQ=Ø THEN NQ=1
475 MS=INT(NR/NQ*1ØØ)
48Ø IFMS<7Ø THENNQW=QW-1
485 IFQW<1 THENNQW=1
49Ø IFMS>95 THENNQW=QW+1
495 IFQW>1Ø THENNQW=1Ø
5ØØ IFQW>5 THENDL=2 ELSEDL=1
5Ø5 RETURN
51Ø PRINT@293,"YOUR SCORE IS"MS"
%."
515 PRINT@357,"ANOTHER TRY (Y/N/
C) ?";
52Ø X$=INKEY$:IFX$="Y" THENRUN
525 IFX$="N" THENCLS:END
53Ø IFX$="C" THEN45Ø
535 GOTO52Ø

```

## THE SOFTWARE HOUSE

A DIVISION OF DATAMATCH, INC.

### DATAMATCH "FLIPPYS"

DS/DD-2 NOTCHES-2 ID HOLES  
1Ø/\$9.95 1ØØ/\$95.ØØ

DATAMATCH DISKETTES  
SINGLE SIDE/DOUBLE DENSITY  
1Ø/\$9.ØØ 1ØØ/\$85.ØØ

### PROGRAMMER'S DISKS

SS/DD 1Ø/\$8.ØØ 1ØØ/\$75.ØØ  
DS/DD 1Ø/\$9.ØØ 1ØØ/\$85.ØØ

ALL DISKS COME WITH TYVEK SLEEVES, LABELS, W.P.TABS

HEAT TRANSFER (IRON-ON) RIBBONS  
BLACK - RED - BLUE - YELLOW  
GEMINI/OKI PRINTERS \$5.95 EA.

COLOR RIBBONS: Red, Green, Blue, Brown

GEM/OKI 4/\$10.00

EPSON 4/\$24.00

APPLE/NEC 4/\$24.00

### ALL ITEMS 100% GUARANTEED!

Add \$2.50 S/H in U.S.A - Canada Add \$3.50

Michigan Residents Add 4% Sales Tax

Send check or money order payable to:

### THE SOFTWARE HOUSE

9020 Hemingway, Redford, MI 48239

(313) 937-3442



Send Card Number and Exp. Date  
Min. Charge Order \$20.00





# PIPELINE

**DRIVE IT!** Derby City Software & Microtechnologies has announced the start of production for two new Color Computer hardware devices. The first device is a monitor driver available in three configurations. The V.D.1 is designed to drive a color or monochrome monitor with sound capability. The V.D.2 can be used for monitors without sound and the V.D.3 will drive both a color and a monochrome monitor simultaneously. These drivers, which retail for \$28.95, include instructions and require no soldering for installation.

The second device is a DOS switcher for older J & M disk controllers. The switcher is jumper selectable for any combination of 24- or 28-pin EPROMs. No soldering is required for installation, and the switcher has all gold contacts. The DOS switcher retails for \$34.95. Contact Derby City Software & Microtechnologies, 3025 Kozy Kreek Drive, Louisville, KY 40220-2567, (502) 459-2626.

**SWITCH IT!** Telebyte Technology, Inc. is offering a solution to the problem of data routing between multiple peripherals. Operator routing between a single source and two output devices, or from two sources to one output can be accomplished with the new Model 312 and Model RS-313. The Model 312 is intended for use with RS-232 ports utilizing DB-25 connectors, while the Model RS-313 is designed to be used with Centronics-type ports. Port selection is made using large push buttons marked 'A' and 'B'. Neither unit requires power and each retails for \$79.95. Contact Telebyte Technology, Inc., 270 East Pulaski Road, Greenlawn, NY 11740, or call (800) 835-3298 or in New York state, (516) 423-3232.

**LITERATURE** Two new publications being offered by Howard W. Sams & Company are *Printer Connections Bible* and *Modem Connections Bible*.

With the many different computers, printers and cables presently on the market, making a printer-computer connection can be frustrating. The *Printer Connections Bible* contains the information necessary to make proper hardware connections. The book focuses on the main interface — the cable itself. Also included are several tables and diagrams plus information on various computers and printers. The companion book, *Modem Connections Bible*, is intended for those who want to connect a computer to a modem, interconnect several modems or just want to know more about modems. The heart of the book is a collection of drawings of the RS-232-C interfaces on a number of popular microcomputers, the interfaces on the modems and the cables that connect the two. The books retail for \$16.95 each. Contact Howard W. Sams & Co., Dept. R44, 4300 W. 62nd Street, Indianapolis, IN 46268, (317) 298-5723.

**COLORFUL PRINTS** C. Itoh Digital Products, Inc. has introduced a seven-color version of its popular 80-column ProWriter C-310 and its wide-carriage ProWriter C-315 dot-matrix printers. The letter-quality printers are designed to handle any home, business or office printing task, and now produce color graphics up to 240 by 216 dots per inch. Both printers print at speeds up to 300 cps in draft mode, 50 cps in the near-letter-quality mode and 33 cps in the letter-quality mode. The printers also come with a variety of resident character fonts and optional font cartridges. Retail price for the color C-310 is \$739 and the price for the color C-315 is \$909. Contact C. Itoh Digital Products, Inc., 19750 South Vermont Avenue, Suite 220, Torrance, CA 90502, (213) 327-2110.

**FREE CATALOG** A free catalog of educational software for home and school is available from Creative Technical Consultants, a leading developer of educational software for the Color Computer for over four years. The

catalog features new programs introduced for the 1986/1987 school year, as well as improved versions of programs from previous years. The programs range from educational games for K-6 to study aids for high school and college, and are available in both tape and disk versions. Contact CTC, P.O. Box 652, Cedar Crest, NM 87008.

**SAVE YOUR MODEM'S LIFE** Electronics Specialists, Inc. now produces protection for your modem. Model PDS-11/SUP is intended to suppress damaging telephone and power line spikes caused by lightning, spherics or office phone switch gear. It offers suppression on the red and green lines while allowing the yellow and black to run straight through. A 6500 amp suppressor protects the AC power line, while MOVs and Gas Discharge Tube suppression techniques are used for overall protection. Price for the PDS-11/SUP is \$109.05. Contact Electronic Specialists, Inc., 171 S. Main Street, P.O. Box 389, Natick, MA 01760, (800) 225-4876.

**CLEAN 'ER UP!** Philips ECG, Inc. has recently added a computer care kit to its Hi-Tech Chemical line. This complete kit, which retails for \$39.95, includes a floppy disk head cleaner, magnetic tape/head and disk spray, antistatic spray, Jet Air cleaner, screen wipes, lint-free wipes and swabs plus complete instructions. The kit allows you to maintain your system for years of reliable service. Contact Philips ECG, Inc., P.O. Box 3277, Williamsport, PA 17701, (800) 233-8767 (in Pennsylvania, 800-222-9308).

**AGAIN WITH SWITCHING?** Ohm/ Electronics has announced the availability of their new family of slimline Scooter(R) Data Switches. Only two inches high, these switches allow you to put any of two or three compatible peripherals online by pushing a button. The data switches require no power and are available with either two or three switch connections, in either serial or parallel operation. Model AB25 (serial) and Model AB36 (parallel) offer two device controls, while Model ABC25 and Model ABC36 will switch among three devices. Suggested retail prices are: Model AB25, \$79; Model AB36, \$85; Model ABC25, \$84; Model ABC36, \$96. Contact Scooter Products, Ohm/ Electronics, Inc., 746 Vermont Street, Palatine, IL 60067, (800) 323-2727 (in Illinois 312-359-6040).



# THE SUPER NEWS!

## **SUPER RAM -**

THE FIRST 256K/512K MEMORY BOARD FOR THE CoCo II ! 256K/512K OF MEMORY RESIDES IN THIS STURDY, LOW NOISE METAL CASE AND ALL THE SUPPORT CIRCUITRY TO ACCESS IT AS A HIGH SPEED RAMDISK! COMPATIBLE WITH ALL CoCo II's, EVEN THE 26-3127B AND 26-3134A/B. (SEE JUNE '86 RAINBOW REVIEW) REQUIRES A RS MULTI-PAK.

256K BOARD - \$129.95      512K BOARD (RECOMMENDED FOR OS-9 USERS) - \$169.95  
OS-9 DRIVER - \$24.95

## **SUPERCOMP -**

NOW ADD 68008 CPU PROCESSING POWER TO THE CoCo ! SIMPLY PLUG THE 68K BOARD INTO THE ROMPAK PORT OF YOUR CoCo AND ATTACH YOUR DISK CONTROLLER INTO THE 68K BOARD. FEATURES 8/16/32 BIT INTERNAL PROCESSING, PARALLEL PORT, AND FAST DMA OPERATION.

256K BOARD - \$349.95 (METAL CASE \$39.95)      256K RAMDISK DRIVER - \$59.95  
OS-9 DRIVER - \$29.95

## **SUPER CONTROLLER -**

THE MOST AMAZING CoCo DISK CONTROLLER EVER ! SWITCH UP TO FOUR DOS's (UP TO 16K) VIA A SINGLE SOFTWARE POKE. CHOOSE BETWEEN R/S 1.0/1.1, SPECTRUM DOS, ADOS, JDOS STEARMAN DOS - \$99.95 (SPECTRUM DOS \$29.95 OR ADOS \$39.95 WITH PURCHASE OF THE SUPER CONTROLLER - BUY 'EM BOTH FOR \$59)

ENHANCED DISPLAY 80 - ADD AN 80X24 DISPLAY, REAL TIME CLOCK AND CENTRONICS PARALLEL PRINTER INTERFACE TO YOUR SUPER CONTROLLER ! INCLUDES SMOOTH SCROLLING, SWITCHABLE VIDEO INPUT - \$129.95 (NEW OS-9 DRIVER FOR DISPLAY 80 - \$24.95)

EPROM PROGRAMMER FOR THE SUPER CONTROLLER - \$59.95 (USES 2764's (\$6.95) OR 27128's (\$14.95) EPROMS)

## **COMM-4 -**

ENHANCE THE MULTI-TASKING & MULTI-USER FEATURES OF OS-9 BY PROVIDING (4) SERIAL INDEPENDENT DEVICES VIA DB-25 PLUGS ON A PLUG-IN CARTRIDGE. ALLOWS YOU TO HOOK UP ANY COMBINATION OF UP TO (4) TERMINALS, MODEMS OR PRINTERS. A MUST FOR BULLETIN BOARD SYSOPS ! (CALL 504-340-7609 COMM-4 BBS TO SEE A DEMO - 300/1200 BAUD, 8 BITS, NO PARITY) \$99.95. REQUIRES A RS MULTI-PAK.

## **COCO MAX II -**

FEATURE PACKED HARDWARE & SOFTWARE GRAPHICS SYSTEM ! INCLUDES: PULL-DOWN MENUS, ICON PROCESSING, MULTIPLE FONT STYLES, FULL GRAPHIC EDITING PLUS A SPECIAL INPUT MODULE FOR 256X192 JOYSTICK INPUT. 64K DISK \$79.95 - WITH A 'Y' CABLE \$99.95  
CoCo MAX I-II DISK UPGRADE \$19.95 - CoCo MAX TAPE \$69.95 - MOUSE PAD \$14.95

All orders plus \$3.00 S/H (Foreign \$5.00) - COD add \$2.00 extra - NYS Residents add Sales Tax

**SPECTRUM PROJECTS**

**PO BOX 21272**

**WOODHAVEN NY 11421**

**COD ORDER HOT LINE 718-835-1344**



☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆

# SPECTRUM PROJECTS

## SOFT AND HARD WARES FOR COLORFUL COMPUTING

☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆

### COMMUNICATION

### WORD PROCESSING

**COLORCOM/E** - A complete smart terminal package! Upload, Download, Hi-Res (51X24) screen, 300/1200 Baud, Offline Printing, 32/64K Disk\* - \$39.95  
 \*- Now with **DELPHI & Compuserve XMODEM** support! Download **ML! COMPUERVE 5hr Start Kit** \$19.95

BUY CC/E  
Get  
RS-232 "Y" Cable  
at Half-Price!  
Reg.\$20 Sale \$10

**TELEWRITER-64** - Three Hi-Res screens, true lowercase char's right justify, full screen editor. Tape \$49.95 Disk \$59.95  
**TELEPATCH** - A TW-64 enhancer!!! True block move, Overstrike & TSPool mode, Type Ahead Buffer  
**FASTER** Disk I/O 64K Disk \$19.95

BUY BOTH  
SAVE \$10

### MODEMS


### PRINTERS

**1200 BAUD  
\$129.95\*\***

Hayes compatible! Super for the **DELPHI & Compuserve CoCo Sig!** 300/1200 Baud, Auto-dial/answer  
 \*\* Requires Modem cable . \$19.95



**GEMINI NX-10** - 120 cps, tract-frict feed, NLQ mode, 5K buffer Front Panel Controls! - \$249.95  
**KAMELEON** -Low cost Parallel Ptr Interface! 600/9600 Baud \$49.95  
**BriteFace**-The first **INTELLIGENT** Ptr Interface! **All** Baud rates with **NO** switches to turn \$59.95




### KEYBOARDS

### MONITORS



**RS 26-3016** Low Profile CoCo Keybd. Fits all CoCoII's, "F" & TDP-100's WAS \$39.95 NOW \$14.95  
 Adapter for D/E CoCoI's - \$9.95



Monitor Stand \$24.95

**MONOCHROME** Monitors - **CRISP** 80x24 Hi-Res screens! \$79.95  
**Universal Video Driver** - Works w/all monitors & CoCos!- \$29.95  
**Anti-Glare Screen** .....\$24.95  
**13" COLOR** Monitors .....\$169.95  
**TAXAN** Tuner-Receive TV channels on any composite monitor \$99.95

**SAVE \$10**

OFF COLORCOM/E WITH A HAYES MODEM  
 OFF TELEWRITER-64 WITH ANY PRINTER,  
 KEYBOARD OR MONITOR

**SAVE \$10**

SPEEDY COD ORDER HOT LINE - CALL 718-835-1344





# SPECTRUM PROJECTS

## SOFT AND HARD WARES FOR COLORFUL COMPUTING



### SPREADSHEET



### DATA BASE MANAGER


	Competition	DYNACALC
Screen	32X16	51X24
Precision	9 digits	16 digits
Hi-Res Graphics	NO	YES
Visicalc cmd format	NO	YES
New low price!	64K Disk \$69.95	
Side Wise -Print	DYNACALC files up to 255 chars-sideways!	\$24.95

**BUY 'EM BOTH FOR \$99.95**  
(DYNACALC & PCF 2.0 ONLY)

PRO-COLOR FILE 2.0 - 60 Data Flds, 8 Report Fmts, 4 Screen Fmts, 1020 bytes/record, Sort 3 Fields, Global Search, FAST ML Sort, Create Files Compatible w/DYNACALC! - Disk \$49.95  
Pro Color Dir and PCF Forms - Buy 'em both for only \$29.95

### DISK DRIVES

**DOUBLE SIDED DRIVE 0 \$239.95\***  
Disk Drive - 1,2 or 3 - \$119.95  
\* Super Controller-Manual-Cable



### GAME CONTROLLERS

Wico Command Adapter - Now you can hookup 2 Atari type joystks to your CoCo for only \$19.95!  
Wico Trackball-Rapid fire & 360° action! Reg. \$69.95 - Now \$19.95  
DELUXE Joystick - 360 Degree control with center return or analog positioning - \$27.50

### DISK SOFTWARE\*\*

1. Fast Dupe II .....\$14.95
2. CoCo Keybd Software ..\$14.95
3. Wizard (TW-64) .....\$19.95
4. EZ Base (Database) ...\$24.95
5. Graphicom .....\$24.95
6. Blackjack Royale .....\$24.95
7. Color Forth .....\$24.95
8. Spect'm Adv Generator \$29.95



### COCO II UPGRADES

Want to upgrade your new \$69/\$88 CoCo II? (See below !!)  
4464 DRAMs - two chip 64K upgrade for 26-3134A and 26-3134B Korean CoCo II's ..\$39.95  
Extended BASIC - 28 pin ROM for 26-3134 A/B CoCo II's ...\$34.95  
Buy 'em BOTH for only - \$69.95

↑ \*\* - SAVE \$100!!! Buy the ABOVE 8 programs for only \$79.95


SPECTRUM PROJECTS, Inc.  
PO BOX 21272  
WOODHAVEN NY 11421

FREE - Send for our CoCo catalog flier !!! Dealer inquiries invited ! Software submissions welcomed !

All orders plus \$3.00 S/H (Foreign \$5.00) - COD add \$2.00 extra - NYS Residents add Sales Tax



# Perplexing Picture Puzzles



By Ira Goldwyn

There have been several attempts to simulate the seemingly childish game where a picture is divided into 16 boxes, scrambled and must be reassembled. Each attempt has had two problems: They were limited to simple DRAW pictures embedded in the program, and the random scrambling of the screen often caused the puzzle to be unsolvable.

I have found a solution to both of these problems. *Scrambled Pix* lets you use any saved screen in the puzzle. You can use any 6K picture. *CoCo Max* pictures can be used if they are saved as a single screen.

The scrambling at the beginning of the program is random, but only allows for legal moves. It is done quickly because no DRAW, LINE, PAINT or other

---

*Ira Goldwyn is the graphics master of his users group. He lives in Great Neck, New York and is currently enrolled in a master's program and hopes to soon be an English teacher.*

graphics drawing statements are used. The picture is manipulated by PUT and GET statements.

A unique feature is the ST\$ array. For each of the sixteen boxes, I encoded the boxes that were legal to be moved. The computer simply checks the "box to be moved from" code and checks if "box to be moved to" is legal. The arrows control the action. Simply press the arrow to tell the computer which box you want to move into the empty box. An illegal move gives a beep. If you are lost, press the space bar and it will show you what the picture should look like. This is done by having the original picture copied to the upper pages of graphics memory before the picture is scrambled.

I have had a good time with this program; it's not as easy as it seems. Have fun!

*(You may direct questions about this program to Mr. Goldwyn at 12 Tain Drive, Great Neck, NY 11021, 516-482-3049. Please enclose an SASE when writing.)* □



# A SPECTRUM PROJECTS SHOPPING LIST

**SPECIAL AL 64K RAM CHIPS \$19.95**

## SUMMER CHIP -SALE- ...

RF Shield for D/E CoCo I's .....\$3.95  
 6821 Standard PIA ~~\$9.95~~ .....\$4.95  
 (8) 4517 16K Chips - 5 volts .....\$4.95  
 Basic ROM 1.1 Chip ~~\$19.95~~ .....\$7.95  
 Orig SAM Chip (6883) ~~\$19.95~~ .....\$9.95  
 6847 VDG Chip ~~\$19.95~~ .....\$9.95  
 6809E CPU Chip ~~\$19.95~~ .....\$9.95  
 Basic ROM 1.3 (Newest version) ...\$19.95  
 68769 (Fits all Basic ROMS) EPROM \$19.95  
 Disk ROM 1.1 (New DOS Command) ...\$29.95  
 New SAM Chip w/heatsink (74LS785) \$29.95  
 Ext Basic 1.1 ROM - NEW LOW PRICE \$29.95  
 CoCo First Aid Kit - includes two PIA's,  
 6809E CPU & SAM Chips ~~\$59.95~~ .....\$29.95  
 EPROM Eraser - 3 min erasure time \$49.95  
 EPROM Prgmr (2ms speed/2K-16K) ..\$149.95  
 Tandy 1000 512K Upgrade-SAVE \$350 \$169.95

## COCO LIBRARY...

A History of the CoCo / 1980-1986 ..\$3.95  
 CoCo Memory Map .....\$14.95  
 Basic Programming Tricks Revealed.\$14.95  
 500 Pokes, Peeks 'N Execs .....\$16.95  
 Basic 09 Tour Guide .....\$19.95  
 Assembly Language Programming ....\$19.95  
 Color Basic Unraveled .....\$19.95  
 Extended Basic Unraveled .....\$19.95  
 Disk Basic (1.0/1.1) Unraveled ...\$19.95  
 New! CoCo II Service Manual\* .....\$24.95  
 SECOND Book & Tape of Adventures ..\$29.95  
 Official OS9 Manual Set .....\$39.95  
 The Complete Rainbow Guide to OS9.\$19.95  
 W/Two Disk Package of demo pgms ..\$49.95  
 Color/Extended/Disk Basic Unraveled -  
 Complete disassembly of the CoCo ROMS!  
 Complete 3 Book Set - Save \$10! ..\$49.95

## MORE GOOD STUFF...

CoCo Light Pen - ~~\$24.95~~ Save \$5!...\$19.95  
 Computize "Y" Box - More positive  
 connections than a "Y" Cable .....\$29.95  
 PBJ WORDPAK-RS - Newest version ! HiRes  
 80x24 display. Comes w/OS-9 drivr \$99.95  
 Micro Works DS-69A Digitizer ....\$149.95  
 Tandy 1000 2nd Drive (SAVE \$40) ..\$159.95

\* - Specify CoCo II Catalogue Number

All orders plus \$3.00 S/H (Foreign \$5.00)

COD add \$2.00 extra

NYS Residents add Sales Tax

## COCO CABLES AND...

Printer/Modem 15' Extender Cable ..\$14.95  
 Tired of unplugging devices from your  
 RS232 port? Try a RS232 "Y" Cable.\$19.95  
 Disk Drive Cable (34pin - 34pin) ..\$19.95  
 Modem Cable - 6ft (DB25-DB25) ....\$19.95  
 Joystick/Mouse 10' Ext Cable .....\$19.95  
 Dual Disk Drive Cable (3-34pin) ..\$24.95  
 Null Modem Cable - 4 pin to DB25 ..\$24.95  
 Disk Interface/Rom Pak Extender - Move  
 your disks/ROM Paks further away ..\$24.95  
 40 Pin Dual "Y" Cable - Hook up a Disk  
 w/Voice, Word Pak, CoCo Max, etc ..\$29.95  
 Triple RS232 Switcher - Now select one  
 of any three RS232 peripherals ...\$39.95  
 40 Pin Triple "Y" Cable - Hook up any 3-  
 Voice/Word/RS232/Digitizer PAKs ..\$39.95  
 15" Multi-Pak Extender ~~\$39.95~~ .....\$27.95

## OTHER GOOD STUFF...

C-10 tapes in any quantity .....49 cents  
 5 1/4" Diskettes, any quantity .99 cents  
 OS-9 Quick Reference Guide .....\$3.95  
 Rompak w/Blank PC Brd-27xx series ..\$9.95  
 Video Clear - This cable will reduce TV  
 interference created by CoCo! ....\$19.95  
 The Magic Box - Load Mod I/III Basic  
 program tapes into the CoCo .....\$24.95  
 DOS Switcher - Select from any two DOSs  
 (Disk 1.0 1.1, JDOS) in J&M ctlr ..\$24.95  
 Orig CoCoI "D" Rev motherboard. Includes  
 all chips (SAM, CPU, PIA's, VDG) except  
 RAM and Ext Basic ! Spare Parts ! \$29.95  
 256K RAM Chips (Set of 8) .....\$39.95  
 Model 100 8K Upgrade .....\$39.95  
 HJL-57 Keyboard - Save \$7.00!!! ..\$72.95  
 \_\_\_\_\_ Specify Model/Revision Board \_\_\_\_\_  
 HDS Controller w/1.1 ROM .....\$79.95  
 Amdek Twin 3" Drive System .....\$139.95  
 Amdek Drive System w/controller ..\$239.95

**SPECTRUM PROJECTS**

**PO BOX 21272**

**WOODHAVEN NY 11421**

**COD ORDER HOT LINE**

**718-835-1344**





# COLORFUL UTILITIES



## COCO CHECKER\*

Something possibly wrong with your CoCo??? CoCo CHECKER is the answer!! Will test your ROMs, RAMs, Disk Drives & Controller, Printer, Keyboard, Cassette, Joysticks, Sound, PIAs, VDG, Internal Clock Speed, Multi-Pak Interface and more!! 16K TAPE/DISK **\$19.95** (see Jan '85 Rainbow Review)

## MULTI-PAK CRAK

Save ROMPAKs to your 64K Disk system using the RS Multi-Pak Interface. Eliminate constant plugging in of ROMPAKs now by keeping all your PAK software on disk. Includes POKEs for "PROBLEM" ROMPAKs- including the NEW 16K PAKS! (Demon Attack, Dragons Lair, etc) 64K DISK **\$24.95**



## TELEPATCH II

All the FEATURES of TELEPATCH plus the classically proportioned characters of the WIZARD (\$19.95) font w/TRUE lowercase descenders! Get BOTH & SUPERCHARGE your TW-64 for only **\$29.95**

## SPIT 'N IMAGE

A super upgrade from Disk Omni Clone! Back everything up! This amazing program handles "non-standard" disks with ease. We haven't found any disk yet that it can't handle. Don't ever be caught without a backup again! Lowest price too! Beats most "copy protection" programs! 32K DISK **\$29.95**

## COCO SCREEN DUMP

The best screen dump program for the Panasonic, Epson & Gemini printers ever! Have the option of standard or reverse images w/regular or double sized proportional pictures. 600-9600 Baud too! A must for Graphicom and CoCo Calendar users. 16K TAPE/DISK **\$19.95** (see Nov '84 Rainbow Review)

## DISK UTILITY 2.1\*

A multi-featured tool for USER FRIENDLY disk handling. Utilize a directory window to selectively sort, move, rename and kill file entries. Lightning fast Disk I/O for format, copy and backup. Examine contents of files, the Granule Table, plus the size, load addresses and entry points of all programs. Single command execution of both Basic and ML programs. 32K/64K DISK **\$24.95** "Disk Utility has proven itself very quickly at my house" - Ed Ellers Oct '84 Rainbow Review pg. 220

## SPECTRUM FONT GENERATOR

Now you can write files using any CoCo Word Processor (Telewriter-64, VIP Writer, etc.) and convert them to special Highly Detailed character sets! Some of the character sets supported are Italics, Old English, Futuristic and Block. A character set editor is included to create custom sets or modify existing ones! Supports most dot-matrix printers! DISK **\$29.95** (see Dec '85 Rainbow Review)

## SPECTRUM DOS

Add 24 NEW Disk commands with 2 Hi-Res screens! Supports 40 track & Double-Sided drives, 6 ms stepping, auto disk search, error trapping & "EPROMABLE". 64K DISK ~~\$49.95~~ New LOW price!! **\$24.95**

## SCHEMATIC DRAFTING PROCESSOR

Save time and design pro looking diagrams using a 480X540 pixel worksheet w/6 viewing windows. Over 30 electronic symbols w/10 definable symbols. (Even Logic gates & Multipin chips!) Print hard copy and save to disk. 64K DISK ~~\$49.95~~ New LOW price!!! **\$29.95** (see Jan '84 Rainbow Review)

## BASIC+

Basic+ provides (23) of the most used BASIC cmds w/one keystroke plus scrolling & editing w/single key! Also included is a 32 character typeahead BUFFERED keybd w/auto key & repeat plus a 32K Print Spooler & Ptr Echo!! 64K DISK **\$29.95** (see Jan '86 Rainbow Review pg. 192)

## COCO CHECKBOOK

Use your CoCo to keep track of your checking and savings accounts! Printout individual personal checks! 32K/64K TAPE **\$19.95** DISK **\$29.95** (see April'85 pg. 210 & Oct'85 pg. 197 Rainbow Reviews)



## THE ULTIMATE GRAPHIC ADVENTURE

Wizard's Castle is a graphic adventure game with deadly creatures, magic spells and traps of all types which are RANDOMIZED at the beginning of each session so that no 2 adventures will be the same! REAL TIME ACTION keeps the game's characters interacting even though you may be waiting to make a move. Includes three skill levels, 60 Hi-Res screens & Game Save Feature. 64K DISK **\$24.95**

BUY ANY 5 PROGRAMS  
GET A DOUBLE SIDED  
DRIVE ⌀ FOR \$199.95  
NO OTHER DISCOUNTS CAN BE APPLIED

\*NOW AVAILABLE BY EXPRESS ORDER AT  
YOUR LOCAL RADIO SHACK STORE!!!  
ASK TO SEE THE RADIO SHACK  
DEMO DISKS - FC#0249 & FC#0919!!!





# COLORFUL UTILITIES



## GREETING CARD DESIGNER

Create custom greetings for any occasion: Birthdays, Anniversaries, Holidays, etc. The program can be used to make custom Thank-You, Invitations, Get-Well cards and Announcements! Easy to use and includes a library of pre-drawn Hi-Res graphics. Includes a screen & font editor. 32K DISK **\$24.95**

## COCO VIDEO TITLER

Start your VCR tapes with dazzling title frames followed by professional countdown to black fade-outs! Use a title page editor with several sizes of text & background colors! 32K TAPE **\$19.95**

## PENPAL

It's here! CoCo's answer to 1-2-3! PENPAL combines Word Processing, Communications, Graphics, Data Base & Spread-sheet into a single integrated software package! 64K DISK INTRO PRICE **\$69.95**

## 64K DISK UTILITY PACKAGE

Take advantage of an expanded 64K machine. Make an additional 8K of RAM available by relocating the Ext Basic ROM from \$8000 to \$D800. Copy ROMPAKS to disk (even "protected" PAKS) and create a 32K SPOOL buffer for printing. DISK **\$24.95** (see July '83 Rainbow Review)

## TAPE/DISK UTILITY

A powerful package that transfers tape to disk and disk to tape automatically. Does an automatic copy of an entire disk of programs to tape. Ideal for Rainbow On Tape to disk. Also copies tape to tape & prints tape & disk directories. TAPE/DISK **\$24.95** (see Sept '83 Rainbow Review)



## SUPER DUPER UTILITIES

Finally! At last! A "SUPER DUPER" utility software package all rolled up into ONE!!! Includes such great utilities as: CoCo Disk Zap, Disk Encryption, Disk Mailing List, EZ Disk Master, Graphics ZOOM, Banner Creator, Function KEYS, Super INPUT/LINEINPUT, Basic Program PACKER, Alpha Directory, Basic SEARCH and much, much more!!! 32K DISK **\$29.95** (see June '86 Rainbow Review)

## COCO CALENDAR

Get organized for '86 TODAY with the CoCo Calendar! Designed for recording the entire year's occassions and daily appointments so you can plan ahead. You can store HUNDREDS of entries and our GRAPHIC Calendar will show all MEMOS! 32K DISK **\$19.95** (see Mar '86 Rainbow Review)

## THE OS-9 SOLUTION

NOW, a program that creates a "USER FRIENDLY" environment within OS-9! The OS-9 SOLUTION replaces 19 of the old "USER HOSTILE" commands with single keystroke, menu driven commands. No more typing in complex long pathnames or remembering complicated syntaxes! Set all XMODE parameters at the touch of keys! ~~\$39.95~~ New LOW price!!! **\$24.95** (see Sept '85 Rainbow Review)

## COCO-UTIL

Now you can have the power to easily transfer Radio Shack Color Computer disk files to your MS-DOS machine - including the Tandy 1000 & IBM PC!!! You can also transfer MS-DOS files to your CoCo disk, even format CoCo disks! CoCo-Util will save you countless hours of retyping! No need to move your computer or printer anymore! Requires 128K MS-DOS computer w/2 disk drives - **\$29.95**



## SOFTWARE BONANZA PACKAGE

Create an instant library of Spectrum Projects TOP Colorful Utility software. Select any of the following 12 programs to customize your own SPECTACULAR SOFTWARE BONANZA! CoCo Checker, Multi-Pak Crak, CoCo Screen Dump, Disk Utility 2.1, Spectrum Font Generator, Tape/Disk Utility, Fast Dupe II, 64K Disk Utility, Spectrum DOS, CoCo Calendar, Schematic Drafting Processor, OS-9 Solution, Graphicom, EZ Base or Blackjack Royale (a \$300 plus value) for only **\$99.95!!!**

## FRANK HOGG'S O-PAK

A Hi-Res Screen & Utilities package for OS-9 users! Use one of the available Hi-Res character sets (42X24, 64X19, 85X24, etc.) or create your own. Mix graphics with text on a screen with unlimited flexibility. Copy files between OS-9 and Radio Shack DOS. 64K DISK **\$39.95**

All orders plus \$3 S/H (Foreign \$5)

COD add \$2 extra

NYS Residents add Sales Tax

COD ORDER LINE 718-835-1344

**SPECTRUM PROJECTS INC**  
**PO BOX 21272**  
**WOODHAVEN NY 11421**



100	.....	247
240	.....	96
530	.....	162
1010	.....	154
END	.....	239

The listing: SCRAMBLE

```

10 CLS:PCLEAR8:DIM A(32,24),ST$(
16):B=16:A=16:GOSUB510
20 INPUT"PICTURE FOR PUZZLE";F$
30 INPUT"DRIVE";D$
40 F$=F$+" "+D$
50 LOADM F$
51 LINE(0,0)-(255,5),PRESET,BF:LI
NE(0,186)-(255,191),PRESET,BF:LI
NE(0,0)-(5,191),PRESET,BF:LINE(
250,0)-(255,191),PRESET,BF
52 FOR C=1TO4
53 PCOPY C TO C+4
54 NEXTC
60 CLS0:PRINT@130,"PLEASE WAIT";
65 PMODE4,1:SCREEN1,1
70 LINE(189,141)-(252,188),PSET,
BF
80 FORS=1TO40
90 Z=RND(LEN(ST$(B)))
100 IF Z/2=INT(Z/2) THEN Z=Z+1
110 IF Z>LEN(ST$(B)) THEN Z=Z-2
120 A=VAL(MID$(ST$(B),Z,2))
125 IF A=CK THEN 90
130 GOSUB310
140 NEXTS
150 PMODE4,1:SCREEN1,1
155 A=B
160 A$=INKEY$:IF A$="" THEN 160
170 IF A$=CHR$(94) THEN A=A+4:GO
TO220
180 IF A$=CHR$(10) THEN A=A-4:GO
TO220
190 IF A$=CHR$(9) THEN A=A-1:GO
TO220
200 IF A$=CHR$(8) THEN A=A+1:GO
TO220
210 IF A$=CHR$(32) THEN GOTO2000
220 IF A>16 OR A<0 THEN 250
221 FOR C=1 TO LEN(ST$(A)) STEP2
222 V$=MID$(ST$(A),C,2)
230 IF VAL(V$)=B THEN GOSUB 310:
GOTO150
240 NEXTC
250 SOUND40,4:A=B:GOTO150
310 Q=A:GOSUB 1000
315 X1=D:Y1=E
325 Q=B:GOSUB1000
326 A1=D:B1=E
330 GET (X1,Y1)-(X1+63,Y1+47),A,
G
340 PUT (A1,B1)-(A1+63,B1+47),A,
PSET
350 LINE(X1,Y1)-(X1+63,Y1+47),PS
ET,BF
360 CK=B:B=A
370 RETURN
510 ST$(1)="0205"
520 ST$(2)="010306"
530 ST$(3)="020407"
540 ST$(4)="0308"
550 ST$(5)="010609"
560 ST$(6)="02050710"
570 ST$(7)="03060811"
580 ST$(8)="040712"
590 ST$(9)="051013"
600 ST$(10)="06091114"
610 ST$(11)="07101215"
620 ST$(12)="081116"
630 ST$(13)="0914"
640 ST$(14)="101315"
650 ST$(15)="111416"
660 ST$(16)="1215"
670 RETURN
1000 ON Q GOTO 1010,1020,1030,10
40,1050,1060,1070,1080,1090,1100
,1110,1120,1130,1140,1150,1160
1010 D=0:E=0:RETURN
1020 D=63:E=0:RETURN
1030 D=126:E=0:RETURN
1040 D=189:E=0:RETURN
1050 D=0:E=47:RETURN
1060 D=63:E=47:RETURN
1070 D=126:E=47:RETURN
1080 D=189:E=47:RETURN
1090 D=0:E=94:RETURN
1100 D=63:E=94:RETURN
1110 D=126:E=94:RETURN
1120 D=189:E=94:RETURN
1130 D=0:E=141:RETURN
1140 D=63:E=141:RETURN
1150 D=126:E=141:RETURN
1160 D=189:E=141:RETURN
2000 PMODE4,5:SCREEN1,1
2010 A$=INKEY$:IF A$="" THEN 201
0
2015 PMODE4,1:SCREEN1,1
2020 GOTO150

```





# HOW DO YOU TOTE A RAINBOW?

It's simple — Give a RAINBOW gift certificate . . .

Let a gift subscription to THE RAINBOW carry the premier Color Computer magazine right to your friends' doorsteps. THE RAINBOW is *the* information source for the Tandy Color Computer.

Each month, your friends will enjoy the intelligent programs, reviews and articles written exclusively for their CoCo.

First, your gift will be announced in a handsome card. Then, all year round, they'll remember you and your thoughtfulness when they get each edition of THE RAINBOW — over 250 pages loaded with as many as 24 programs, 15 regular columns and lots of helpful hints and tips.

Generosity benefits the giver, too. There'll be no more searching for lost copies of THE RAINBOW. Your collection will be safe at home.

Give a RAINBOW gift certificate and let your friends in on the fun. THE RAINBOW is the perfect companion for the Color Computer!

Please begin a one-year (12 issues) gift subscription to THE RAINBOW for:

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

**From:**

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

My payment is enclosed

Bill to:  VISA  MasterCard  American Express

Acct. # \_\_\_\_\_ Exp. date \_\_\_\_\_

Signature \_\_\_\_\_

Mail to:

**Rainbow Gift Certificate, The Falsoft Building, P.O. Box 385, Prospect, KY 40059**

For credit card orders call (800) 847-0309, 8 a.m. to 5 p.m. EST.

All other inquiries call (502) 228-4492.

Subscriptions to THE RAINBOW are \$31 in the United States; U.S. \$38 in Canada. The surface rate to other countries is U.S. \$68; the air rate, U.S. \$103. Kentucky residents add 5% sales tax. **U.S. currency only, please.** All subscriptions begin with the current issue. Please allow 6 to 8 weeks for delivery. In order to hold down non-editorial costs, we do not bill.





## RAINBOW'S BROADENING ITS SPECTRUM

THE RAINBOW and the Delphi Information Utility have joined together to allow CoCo owners all over the world to connect with one another!

Delphi is a full-service information utility. It offers everything from up-to-the-minute news stories from The Associated Press to electronic mail services. But, *best of all*, it now has a **special forum for Color Computer owners, and it's operated by the people who bring you THE RAINBOW each month.**

The CoCo Special Interest Group (SIG) features a variety of services, including an open forum where you can send and receive messages from Color Computer owners all over the world. It also has several databases to which you can upload your favorite programs and from which you can download programs written by other CoCo enthusiasts. Some of these databases are BASIC programming, OS-9 and home applications.

When setting up your account with Delphi, if you do not have a credit card or prefer not to use it, Delphi requires that you send \$20 to give your account a positive balance. This will be refunded after your first free hour if you choose to no longer use the system or it will be applied to future connect charges.

## PEEK INTO THE RAINBOW

The CoCo SIG's conference feature allows you to meet electronically with other members of the CoCo Community. You can join conferences with notables such as Dale Puckett, Cray Augsburg, Marty Goodman, Don Hutchison, Jim Reed, Lonnie Falk and others — on a regular basis. Conference schedules will appear in THE RAINBOW each month. Be sure to check online announcements for changes and additions.

## THE OTHER SIDE OF THE RAINBOW

**On Delphi, you also are able to buy RAINBOW ON TAPE** — order a whole set, or download an individual program immediately. You can also renew your RAINBOW subscription, make a fast and easy order for software or hardware from a multitude of vendors, or inquire about products on the CoCo SIG.

We also have a number of **programs that you can download** and use, just for the cost of the time you spend transferring them. There'll also be **corrections for RAINBOW articles**, helpful hints and many other useful features.

Between now and August 31st, take advantage of our "Late Rates." This summer discount applies between 2 a.m. system time (EDT) and 7 a.m. local node time.

## FREE LIFETIME MEMBERSHIP

THE RAINBOW is offering subscribers a **free lifetime subscription to Delphi** — a \$24.95 value — and a free hour of connect time — a \$7.20 value at either 300, 1200 or 2400 Baud — so you can sample Delphi and the RAINBOW CoCo SIG. That's right. Your subscription to THE RAINBOW entitles you to this \$32.15 value as a **free bonus!**

If you're not a RAINBOW subscriber, just enter your order when you sign on with Delphi and you'll get the same great deal! For our \$31 subscription fee, you'll get the finest Color Computer magazine ever, a free lifetime subscription to Delphi and a free hour of connect time.

## SAVE EVEN MORE

Want to save even more? While you're online you can order, for only \$29.95, a deluxe package which includes the Delphi membership, the *Delphi Handbook and Command Card* (\$21.95) and a total of three hours of connect time (\$21.60).

Delphi provides us all with **Immediate CoCo Community**. Check it out today. After all, you can sample it for free!

Problems? Call Delphi:  
**(800) 544-4005**  
**(617) 491-3393**

# DELPHI

# TYPE: GROUP COCO





# COMMUNITY TOGETHER

## How to reach RAINBOW's Color Computer SIG . . .

There are several ways to connect to Delphi and THE RAINBOW's CoCo SIG. In most cities you will not even have to pay long distance charges; you can use special data communications networks like Uninet, Tymnet and the Canadian Datapac network.

First, set your terminal program to operate at either 300 or 1200 Baud (depending on the modem you have), and also select either 7 bits with even parity or 8 bits with no parity, and one stop bit. (If one combination doesn't work, try another.)

Decide which network you should use. There is no surcharge for Uninet or Tymnet. Canadian residents using Datapac will be charged an additional \$12 (U.S.) per hour.

**On Uninet:** Call (800) 821-5340 to get the Uninet number for your area. After you call the appropriate number for your own area and make connection, you'll see a prompt of "L?" Press ENTER, the period key (.) and ENTER again. At the "service:" prompt, type GVC (for General Videotex Corporation) and ENTER.

**On Tymnet:** Call (800) 336-0149 to get the Tymnet number for your area. After you dial your designated number and connect, you will see either "garbage" or a message saying "please type your terminal identifier." At this point, even if the screen is garbled, simply press 'A'. When "please log in:" appears, type DELPHI and press ENTER.

**From Canada (on Datapac):** Call Delphi Customer Service at (617) 491-3393 to get the Datapac number for your area. After you connect, press the period key (.) and ENTER (use two periods if you're using 1200 Baud). Type SET 2:1, 3:126 and press ENTER. Now type p 1 3106, DELPHI; and press ENTER. Delphi's new rates indicate an additional \$12 hourly surcharge for evening use of Datapac, which means a total of \$18 (U.S.) for connect time.

**From other countries:** Many countries have their own data networks that can connect to either Uninet or Tymnet. Check with the telephone authorities in your country for details on how to sign up for this service. When you have an account set up, you can reach Delphi with a "host code" of 312561703088 through Uninet, or 310600601500 through Tymnet. (You'll have to pay the toll charges for this connection.)

### Type in Your Username

If you're already a subscriber to THE RAINBOW, at the "USERNAME:" prompt, type RAINBOWSUB and press

ENTER. At the "PASSWORD:" prompt, type your individual subscription number from the mailing label of your latest issue of THE RAINBOW. (If there are one or more zeros at the beginning of this number, include them.)

**If you don't already have a subscription,** at the "USERNAME:" prompt, type RAINBOWORDER and press ENTER. At the "PASSWORD:" prompt, type SENDSUB and press ENTER. Have your MasterCard, VISA or American Express card ready, because you'll be led through a series of questions that will enable us to put your RAINBOW and Delphi subscriptions into effect. In an effort to hold down non-editorial costs, we do not bill for subscriptions.

If you make a typing error, just press ENTER and start over. Remember that at any point, when you're on Delphi, you can type HELP to get help on how to use the system. To get off the system just type BYE.

If you find that you're unable to log on to Delphi and enter the CoCo SIG after following these instructions, call us during afternoon business hours at (502) 228-4492. We'll be glad to offer assistance.

### Come Visit Us! Type: GROUP COCO

After you sign in, you'll be prompted to set up your own, personal "user name" — Delphi is a friendly service, no numbers to remember — and you'll be asked a number of questions so Delphi can set up your account. You'll also be assigned a temporary password. No time is assessed against your free hour of service while you answer these questions.

Delphi will tell you that your account will be ready after 6 p.m. the same day if you sign up before noon (Eastern time zone.) If not, your account will be ready at 6 p.m. the next day. Once an account is opened, *each RAINBOW subscriber will be credited with an hour of free time!*

When you log back in, use your chosen username and your temporary password to access the system. At that point, you will meet Max, who will help you configure things and will change your temporary password into your own *personal* password. This is the password you will use for subsequent sessions — or until you change it.

After Max bids you goodbye, you'll wind up at the Delphi Main Menu; type in GROUP COCO and **join us on the CoCo SIG!**



*A modification for VIP Writer*

## WRITER-ZAP

By Ian Millard

**We** have all heard the talk about enhanced word processors for the CoCo. At my company, Duck Productions, we use *Vip Writer* to produce the preliminary phases of design, charting and documentation for our utility programs. I want to compliment VIP Technologies on the simplicity and full-featured quality they have developed in this application software. As consumers, we have not found any short suits during the everyday marathon usage we have.

However, we are not average users either, since we answered the only negative aspect of *Writer* long ago. We know the value in modifying start-up parameter defaults (e.g., page formats, tabs and printer codes) to avoid repet-

*Ian Millard is the president of Duck Productions, a computer products company new to the CoCo Community. His previous responsibilities have been dedicated to electronic and computerized medical equipment systems for use in hospital operating rooms throughout southern Ontario.*

itive keying of the same things. We use three printers, all using different Baud rates, and each operation works to different page/tab parameters. We answered this need with a utility to modify a separate *VIP Writer* for each document application.

As a new company, Duck Productions would like to present this *VIP Writer* utility modification to all CoCo users.

*Writer Zap* is a disk zap dedicated to the mission of defining your own (47) defaults in *VIP Writer*. Operation is prompted for ease of use. We recommend you back up a fresh copy of *VIP Writer* for the modification. (Do not modify the original VIP/Softlaw disk or material.)

Type in *Writer Zap* and run. You may want to get out the printer manual in advance, or think about the margins and other defaults you are able to change. *Writer Zap* automatically looks for and modifies either *VIP Writer* alone or the *Desktop Writer* version. *Writer Zap* is error trapped and will not modify any disk other than *VIP Writer* or *Desktop*.

*Writer Zap* provides the current memory value for tab positions, print format parameters and printer codes with each prompted option for default change. If no change is desired, a simple carriage return (ENTER) leaves the value unchanged.

Note: Printer control codes are usually preceded by an escape code (e.g., 27 as in 27;10); however, some codes, like underline codes, are not. *VIP Writer* has provided the (CLEAR) three or four positions for such solo codes. As a result, these two positions do not lend themselves to change as they will not accept the two-digit escape code needed by most other printer functions.

By the way, during the course of running this program, it will also modify your *VIP Writer* disk to auto-boot by typing the BASIC command DOS. You only receive this little extra when *Writer Zap* determines there is enough disk space to accommodate the function. There is not enough space to do this with *Desktop*.

We hope this utility gives you many hours of enjoyment in what you *don't* have to do. Happy computing! □



130 .....	169	440 .....	250
330 .....	168	540 .....	235
		END .....	169

The listing: WRITRZAP

```

10 CLEAR 2000: DIM FP$(27): VERIFY
ON
20 FOR A=1 TO 27: READ FP$(A): NEXT A
30 FOR A=3584 TO 3652: READ B: POKE
A, B: NEXT A: EXEC &HE00
40 PRINT@160, "  VERIFY FUNCTION
ON [Y/N]": EXEC 44539: A$=INKEY$:
IF A$="N" THEN V$="N" ELSE IF A
$<>"Y" THEN 40
50 PRINT@256, "  INSERT THE SUBJ
ECT DISK IN      DRIVE 0  AND P
RESS ENTER"
60 EXEC 44539: IF INKEY$<>CHR$(13)
THEN 60
70 FOR C=3 TO 5: DSKI$0, 17, C, A$, B
$: A$=A$+LEFT$(B$, 126)
80 FOR D=1 TO 254 STEP 32
90 IF MID$(A$, D, 6)="WRITER" THEN
A=2: B=3: GOSUB 540: GOTO 120
100 IF MID$(A$, D, 7)="DESKTOP" TH
EN A=8: B=6: GOTO 120
110 NEXT D: NEXT C: PRINT@384, "
NO VIP WRITER ON THIS DISK": END
120 CLS: PRINT@35, "PART ONE - TA
BS -"
130 DSKI$0, A, B, A$, B$: POKE 65344, 0
: E=58
140 IF MID$(B$, 57, 3)<>"[DO" THEN
PRINT@384, "  INCOMPATIBLE V
ERSION": END
150 FOR C=95 TO 104: E=E+32: PRINT
"#C-94" IS NOW"ASC(MID$(B$, C, 1))
: INPUT "  NEW VALUE": D
160 IF D=0 THEN PRINT@E, ASC(MID$(
B$, C, 1)): GOTO 180
170 MID$(B$, C, 1)=CHR$(D)
180 NEXT C
190 GOSUB 530: IF AN$="N" THEN 130
200 DSKO$0, A, B, A$, B$
210 CLS: T$="PART 2 - PRINTER CON
TROL CODES": PRINT@33, T$
220 DSKI$0, A, B, A$, B$: POKE 5344, 0
230 C$=B$: C=126: D$="1": GOSUB 340
240 DSKO$0, A, B, A$, C$: B=B-1
250 DSKI$0, A, B, A$, B$: POKE 65344, 0
260 C$=A$: C=1: D$="2": GOSUB 340
270 C=8: D$="5": GOSUB 340
280 C=11: D$="6": GOSUB 340
290 C=14: D$="7": GOSUB 340
300 C=17: D$="8": GOSUB 340
310 C=20: D$="9": GOSUB 340
320 C=23: D$="": GOSUB 340
330 DSKO$0, A, B, C$, B$: GOTO 420
340 CLS: PRINT@33, T$: E=ASC(MID$(C
$, C, 1)): F=ASC(MID$(C$, C+1, 1))
350 PRINT@132, "<CLEAR> "D$
360 PRINT@192, "ESCAPE CODE IS"E:
: INPUT "  NEW CODE": G: IF G=0 THEN
G=E
370 PRINT@220, G: PRINT@256, "CONTR
OL CODE ="F: INPUT "  NEW CODE": H:
IF H=0 THEN H=F
380 PRINT@284, H: GOSUB 530: IF AN$
="N" THEN 350
390 MID$(C$, C, 1)=CHR$(G): MID$(C$
, C+1, 1)=CHR$(H): RETURN
400 DATA AL, AS, BD, BL, BM, BS, FL, FS
, HL, HS, IP, JU, LF, LM, LS
410 DATA NL, NP, PA, PC, PG, PH, PL, PN
, PP, RM, TM, WD
420 CLS: T$="PRINTER FORMAT CODES
": PRINT@38, T$
430 A=A+3: DSKI$0, A, B, A$, B$: POKE 6
5344, 0
440 P=0: FOR C=37 TO 64: IF C=59 T
HEN 510
450 P=P+1: D=ASC(MID$(B$, C, 1)): IF
D<191 THEN D$=RIGHT$(STR$(D), LE
N(STR$(D))-1): GOTO 470
460 D=D-128: D$=CHR$(D)
470 PRINT@128, "CODE "FP$(P)" NOW
="D$: INPUT "  CHANGE TO": E$: IF
E$="" THEN E$=D$
480 GOSUB 530: IF AN$="N" THEN 47
0
490 E=VAL(E$): IF E=0 THEN E=ASC(
E$): IF E>64 THEN E=E+128 ELSE E=
E-48
500 MID$(B$, C, 1)=CHR$(E)
510 NEXT C
520 DSKO$0, A, B, A$, B$: POKE 65344, 0
: CLS: PRINT "FINISHED": END
530 IF V$="N" THEN RETURN ELSE P
RINT@485, "IS THIS CORRECT [Y/N]
": EXEC 44539: AN$=INKEY$: IF AN$<>
"Y" AND AN$<>"N" THEN 530 ELSE R
ETURN
540 DSKI$0, 17, 2, A$, B$: IF MID$(A$
, 67, 1)=CHR$(255) THEN MID$(A$, 67
, 1)=CHR$(193) ELSE RETURN
550 DSKO$0, 17, 2, A$, B$: DSKI$0, 2, 1
, A$, B$
560 MID$(A$, 1, 5)="OS"+CHR$(0)+CH
R$(0)+CHR$(18): DSKO$0, 34, 1, A$, B$
: RETURN
570 DATA 198, 32, 189, 169, 42, 142, 4
, 42, 49, 141, 0, 23, 141, 2, 32, 13, 166,
160, 129, 64, 38, 1, 57, 128
580 DATA 64, 167, 128, 32, 243, 142, 4
, 101, 141, 238, 57, 87, 82, 73, 84, 69, 8
2, 96, 90, 65, 80, 64, 70, 82
590 DATA 79, 77, 96, 68, 85, 67, 75, 96
, 80, 82, 79, 68, 85, 67, 84, 73, 79, 78, 8
3, 64, 18

```



Introducing

# Lyra™

The Musical  
Coco Max™

IF YOU  
CAN POINT,  
YOU CAN COMPOSE

PULL  
DOWN  
MENUS

ICONS!



A MUST  
FOR MIDI  
USERS

LYRA is the most powerful music composition program we have seen on any computer. We don't mean just the COCO, we really mean any computer. Whether you are a novice trying to learn music or a professional musician with MIDI equipment you will find LYRA a powerful tool. You

see, we wrote LYRA for musicians that hate computers. If you want proof, purchase a LYRA demo for \$7.95. We will apply the demo price to your purchase. MIDI output requires the LYRA MIDI cable (#MC158) or COCO MIDI Seq/Editor (#CM147).

- ✓ Ultra Easy to use, just point with joystick or mouse and click.
- ✓ Compose with up to 8 completely independent voices.
- ✓ Room for over 18,000 notes. (This is not a misprint!)
- ✓ Super Simple Editing Supports:
 

Note insert	Block insert
Note delete	Block delete
Note change	Block copy
- ✓ Output music to:
 

TV Speaker	Monitor Speaker
STEREO PAK	ORCHESTRA 90
SYMPHONY 12	COCO MIDI S/E
MIDI Synth	MIDI Drum Machine
- ✓ Output up to 4 voices without additional hardware.

- ✓ Output all 8 voices using either SYMPHONY 12 or one or more MIDI synthesizers and drum machines.
- ✓ Output any voice on any of the 16 MIDI channels.
- ✓ Transpose music to any key.
- ✓ Modify music to any tempo.
- ✓ Automatically inserts bar for each measure as you compose.
- ✓ Key signature lets you specify sharps and flats only once, LYRA will do the rest.
- ✓ Plays MUSICA 2 files using LYRA CONVERT (#LC164).
- ✓ Each voice may be visually highlighted or erased.
- ✓ Each measure is numbered for easy reading.

- ✓ Solo capability
  - ✓ Block edits are highlighted.
  - ✓ Tie notes together for musical continuity.
  - ✓ Name of note pointed to is constantly displayed.
  - ✓ Jump to any point in the score instantaneously.
  - ✓ Memory remaining clearly displayed, however you will have plenty of memory even for the most demanding piece.
  - ✓ Help menu makes manual virtually unnecessary.
  - ✓ LYRA is 100% software, no need for extra hardware unless you want more power.
  - ✓ Music easily saved to tape or disk.
  - ✓ Requires 64K and mouse or joystick.
- LYRA** (Disk Only) #LY122 ..... \$54.95

## LYRA OPTIONS

These LYRA options are **not** required. They are provided for those wishing additional flexibility.

### LYRA CONVERT

A program to convert MUSICA 2 files to LYRA files.  
(T or D) #LC164 ..... \$14.95

### LYRA STEREO ENHANCER

Gives the LYRA stereo output when used with the STEREO PAK or ORCHESTRA 90.  
(T or D) #LS149 ..... \$14.95

### LYRA MIDI CABLE

A cable to connect your computer to your MIDI synthesizer.  
#MC158 ..... \$14.95

### LYRA SYMPHONY 12 ENHANCER

Lets LYRA play all 8 voices through SYMPHONY 12.  
(T or D) #LS177 ..... \$19.95

### STEREO PAK

Plugs into the COCO ROM cartridge slot allowing easy connection to your stereo system.  
#SP193 ..... \$39.95

### SYMPHONY 12

A real hardware music synthesizer, lets LYRA play all 8 voices in stereo.  
(T or D) #SY149 ..... \$69.95

### COCO MID Seq/Editor

A professional quality MIDI interface for MIDI synthesizers.  
(Disk only) #CM147 ..... \$149.95

### MUSIC LIBRARY

A collection of over 800 songs. When used with CONVERT, it gives an incredible LYRA library. Each volume 100 songs.  
(T or D) #MLXXX ..... \$29.95

COCO MAX is a trademark of Colorwave.  
ORCHESTRA 90 is a trademark of Radio Shack.

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.  
Shipping and handling US and Canada ..... \$3.00  
Shipping and handling outside the US and Canada ..... \$5.00  
COD Charge ..... \$2.00  
Illinois residents add 6¼% sales tax.

Speech Systems

38W255 DEERPATH ROAD  
BATAVIA, ILLINOIS 60510  
(312) 879-6880






# COCO MIDI™ SEQUENCER/EDITOR



Now your COCO can talk to your MIDI music synthesizer. Whether you have a Korg, Roland, Casio, Yamaha, or Moog, it doesn't matter as long as it's MIDI equipped. Choose from our entry level

MUSICA MIDI system that plays MUSICA files or our Professional COCO MIDI SYSTEM.

- Supports up to 16 tracks.
- Up to 8000 events per track.
- May be used as a sequencer.
- User friendly graphics display.
- Menu driven.
- Metronome available.
- Real time recording.
- Save your masterpiece to disk.



- Playback any or all tracks at any tempo.
- Tracks may be deleted, copied, transposed, or mixed.
- Filter out unwanted channel or type of MIDI data.

- Tempo may be modified.
- Quantizing to 32nd or 64th.
- Simple music editing.
- Requires 64K disk system.
- Transposition.

Comes complete with Rom Pak Hardware interface, cables, manual, and software. Requires Y-Cable or Multi-Pak. Disk only. #CM147 . . . \$149.95

## MUSICA MIDI™

MUSICA MIDI takes any MUSICA 2 music file and plays it through your MIDI synthesizer. We offer you over 800 tunes from our MUSIC LIBRARY series (sold separately) or create your own music

using MUSICA 2. Includes: documentation, plenty of music, and the cable to connect between the COCO and your synthesizer. Tape or Disk. #CM126 . . . . . \$39.95

## DX-7 LIBRARIAN™

RAM cartridges for the Yamaha DX-7 aren't cheap and don't hold all the sounds you would like. The DX-7 LIBRARIAN is a program that when used with COCO MIDI, lets you save and load any

number of sounds. Save sounds individually or as a group letting you load the DX-7 in seconds. Disk only. #DX143 . . . . . \$29.95

## MIDI KEYBOARD

If you own the Casio CZ-101 or similar MIDI synth, you know that the mini keys and the short 3 or 4 octave keyboard is limiting. MIDI KEYBOARD when used with our full size 5 octave keyboard

gives you the flexibility you need. Comes with cable to connect the COCO to your MIDI synth. #MK167 . . . . . \$29.95

## MUSICA TO COCO MIDI

This program is for COCO MIDI users that wish to convert MUSICA files so they can be played by COCO MIDI. It opens your MIDI

synths to our MUSIC LIBRARY and much public domain music. Disk only. #MC193 . . . . . \$29.95

## MUSIC LIBRARY™

The MUSIC LIBRARY series consists of 8 volumes: 100 through 800 each sold separately. Each contains over 100 four voice music selections with a playing time of over 3 hours each. The disk version is shipped on 5 full disks. When coupled with STEREO PAK, the music is reproduced with unsurpassed realism.

- |  |   |
|--|---|
| <b>MUSIC LIBRARY 100</b><br>Stage, Screen, & TV<br>Music of the 70's<br>Music of the 60's<br>Music of the 50's<br>Old Time Favorites | Classical<br>Christmas (popular)<br>Christmas (traditional)<br>Patriotic<br>Polka Party |
| <b>MUSIC LIBRARY 200</b> (another 100 selections)  |   |
| <b>MUSIC LIBRARY 300</b> (another 100 selections)  |   |
| <b>MUSIC LIBRARY 400</b> (another 100 selections)  |   |
| <b>MUSIC LIBRARY 500</b> (another 100 selections)  |   |
| <b>MUSIC LIBRARY 600</b> (another 100 selections)  |   |
| <b>MUSIC LIBRARY 700</b> (another 100 selections)  |   |
| <b>MUSIC LIBRARY 800</b> (another 100 selections)  |   |


A JUKEBOX program is included to allow you to select specific songs or automatically play each. These songs are ready to go, you don't need MUSICA 2 or a knowledge of music. MUSICA 2 users may customize each song. Each volume sold separately, specify tape or disk. #MLXXX . . . . . \$29.95  
List of 800 songs #LS800 . . . . . \$3.00

**Entire Library  
30 Hours of  
Music!  
40 disks  
or  
25 tapes**



# Lyra™

## MEETS SYMPHONY 12™



12 SIMULTANEOUS VOICES

4 NOISE GENERATORS

STEREO & MONO

SOUND EFFECTS

**SPECIAL COMBINATION OFFER!**



If you want to compose music, experiment, or just listen to music, LYRA is the tool you need. LYRA represents the new state-of-the-art super user friendly software. Pull down menus and icons make composing music as easy as pointing with a joystick or mouse and clicking. LYRA is capable of 8 individually controlled voices. You may take advantage of the 8 voice power of LYRA using external MIDI synthesizers or SYMPHONY 12. We believe that LYRA and SYMPHONY 12 was a match made in heaven. For a limited time, when you purchase both, we will include free the LYRA SYMPHONY 12 CONNECTION, a \$19.95 value.

**STEREO AND MONO.** By connecting SYMPHONY 12 to your home stereo system, music is produced in stereo, 6 voices from each channel. However, you don't need to have a stereo system, all 12 voices also come out of your TV or monitor.

**SOUND EFFECTS.** SYMPHONY 12 is a sophisticated sound generator. 12 voices and 4 noise generators give you incredible sound effect capability. We have included gun shot, explosion, racing car and more.

**SYMPHONY 12.** You get over a dozen music and sound effect selections and complete documentation. Software is shipped on Tape or Disk.

**PIANO KEYBOARD.** For those wishing to turn SYMPHONY 12 into a real polyphonic synthesizer we offer a full size 61 note piano keyboard.

Tape users using both SYMPHONY 12 and the PIANO KEYBOARD will require a Y-CABLE. Disk systems require a Triple Y-CABLE or MULTI-PAK.

- SYMPHONY 12 (T or D) #SY149 .. \$69.95
- LYRA SYMPHONY 12 ENHANCER #LS177 .. \$19.95
- PIANO KEYBOARD #PK185 .. \$169.95
- DOUBLE Y-CABLE #DY181 .. \$28.95
- TRIPLE Y-CABLE #TY173 .. \$34.95

## GUITAR CHORD BOOK

This program, written by a guitar instructor of 17 years, displays in high resolution graphics the exact fingering for over 100,000 chord combinations. You may even tune your guitar to the computer and play along.

Whether you are a beginning guitar student or an advanced player, you will find this quick reference to guitar chords invaluable.

- 32K Disk only #GC153 .. \$29.95

## MUSIC THEORY

### COURSE 1

This course covers all the basics from music notation & duration, key signatures, tempo, to an introduction of the keyboard. This is an entry level course recommended as a prerequisite for Course 2.

- 32K Disk only. #MT101 .. \$49.95

### COURSE 2

A more advanced course that deals with: Major and Harmonic Minor scales, interval spelling, Triad (Chord) theory, Inversions, Dominant 7th chords, and ear training of the intervals.

- 32K Disk only #MT102 .. \$49.95



# EARS™

Electronic  
Audio  
Recognition  
System

# \$99.95

Now Your  
Computer  
Can Listen  
To You!

- SPEECH RECOGNITION
- HANDS OFF PROGRAMMING
- HIGH QUALITY SPEECH REPRODUCTION

**EARS Does It All!**

**INCREDIBLE!**



**Two Years In the Making.** Speech Systems was formed to develop new and innovative speech products. After 2 years of intensive Research and Development, we have created a truly sophisticated speech recognition device. Recognition rates from 95% to 98% are typical. Until now, such a product was outside the price range of the personnel computer market, and even small businesses.

EARS is trained by your voice and capable of recognizing any word or phrase. Training EARS to your particular voice print takes seconds. Up to 64 voice prints may be loaded into memory. You may then save on tape or disk as many as you like so that your total vocabulary is virtually infinite.

**Speech and Sound Recognition.** EARS is really a sound recognition system, so it really doesn't matter whether you speak in English, Spanish, or French. In fact you do not have to speak at all, you can train EARS to understand sounds such as a musical note or a door slamming.

**Hands Off Programming.** Imagine writing your own BASIC programs without ever touching the keyboard. Everything that

you would normally do through a keyboard can now be done by just speaking.

**Programming EARS Is Easy.** LISTEN, MATCH and other commands have been added to BASIC so that programming EARS is a piece of cake! The single BASIC line: 10 LISTEN: MATCH will instruct EARS to listen to you and return the matching phrase.

**It Talks.** EARS is also capable of high quality speech. We mean REALLY high quality. The speech is a fixed vocabulary spoken by a professional announcer. Speech Systems is currently creating a library of thousands of high quality words and phrases. For a demonstration call (312) 879-6844, you won't believe your ears or our EARS.

**DISK OWNERS.** EARS will work with any disk system with either a MULTI-PAK or Y-CABLE. Our new Triple Y-CABLE was specifically developed for those wishing to add SUPER VOICE as a third device.

**You Get Everything You Need.** You get everything you need including a specially designed professional headset style noise

cancelling microphone. The manual is easy to use and understand. Several demonstration examples are included so you don't have to write your own programs unless you want to. EARS will work in any 32K or 64K Color Computer.

### SUPER VOICE \$20 OFF

Imagine talking to your computer and it talking back to you. When you need an unlimited vocabulary, you can't beat SUPER VOICE. For a limited time, we will give you the SUPER VOICE for \$59.95 with your EARS purchase. Even if you already have another speech unit, here is your chance to buy the best and save \$20.

### VOICE CONTROL

Applications for EARS are astounding. Here is our first of many listening programs to come. VOICE CONTROL is a program specifically designed to allow you to control any appliance in your house with your voice and our HOME COMMANDER (sold separately) or the Radio Shack Plug 'N' Power controller. For example, you can control your TV by saying "TV ON" or "TV OFF". . \$24.95

FREE  
BLANK DISK  
OR TAPE  
WITH EVERY  
ORDER



Dealer Inquiries  
Invited



## Speech Systems

38W255 DEERPATH ROAD  
BATAVIA, ILLINOIS 60510  
(312) 879-6880 (TO ORDER)

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.  
Shipping and handling US and Canada ..... \$3.00  
Shipping and handling outside the US and Canada ..... \$5.00  
COD charge ..... \$2.00  
Illinois residents add 6 1/4% sales tax



# The CoCo Gallery



1st  
PRIZE


**Oratory**  
*Michel Gravel*

From Sherbrooke, Ontario, Michel commences the gallery with this illustration of divinely inspired architecture created with BASIC.

**Beyond**  
*Charles Farris*

Utilizing the abilities of *CoCo Max*, Charles takes us into another world of dimensional arrays. Charles created this while serving in the United States Air Force.

2nd  
PRIZE



3rd  
PRIZE

**Truck**  
*Stephen Brink*

Truckin' on for third prize from St. Paul Minnesota is Stephen's conception of "CoCo Cruisin'," created with *CoCo Max*.





### Independence Hall James Stewart

Depicting one of America's historical edifices, James, who lives in Highland Falls, New York, used *CoCo Max* for this memorable creation.



### The Knight Wayne Finlay

Wayne, who lives in Scarborough, Ontario, used *CoCo Max* for his renaissance of a robust knight in shining armor.



### Robot Jamie Flamm

Taking the patrons of the gallery into the sphere of automation, Jamie created this mechanical man with the use of BASIC from his hometown of Peabody, Massachusetts.



#### SHOWCASE YOUR BEST!

You are invited to nominate original work for inclusion in upcoming showings of "CoCo Gallery." Share your creations with the CoCo Community!

Be sure to send a cover letter with your name, address and phone number, detailing how you created your picture (what programs you used, etc.) and how to display it. Also, please include a few facts about yourself.

Don't send us anything owned by someone else; this means no game screens, digitized images from TV programs or material that's already been submitted elsewhere. A digitized copy of a picture that appears in a book or magazine is *not* an original work.

We will award a first prize of \$25, a second prize of \$15 and a third prize of \$10. Honorable mentions will also be given.

Jody Doyle, Curator

Send your entry on either tape or disk to:

CoCo Gallery  
THE RAINBOW  
P.O. Box 385  
Prospect, KY 40059  
Attn: Jody Doyle



Now from Falsoft, The RAINBOW MAKER, comes . . .



## The monthly magazine that's reader-friendly

If you're interested in the highly popular Model 100, the Tandy 200, the brand new portable Tandy 600 or Tandy's new generation of MS-DOS computers — the 1000, 1200, 2000, or the exciting new Tandy 3000 — PCM is for you!

PCM, The Personal Computer Magazine for Tandy Computer Users, is brought to you by the same people who bring you THE RAINBOW, the premier magazine for the Color Computer. Need we say more?

So, if you're ready to add portability or step up to MS-DOS, stay with Tandy and THE RAINBOW family by subscribing to PCM!

### FREE PROGRAMS!

We learned from THE RAINBOW that readers want programs to type in, so each month we bring you an assortment of them, including games, utilities, business applications and graphics.

### BAR CODE, TOO!

Also, PCM is the only computer publication in the world (that we know of) that brings you programs in bar code, ready to scan into memory with the sweep of a wand!

### TUTORIALS GALORE

Add to this our regular tutorials on telecommunicating, hardware and machine language, as well as BASIC programming tips and product reviews, and we think you'll find we're one of the most informative and fun magazines on the market today.

So if you're ready to add portability or step up to MS-DOS, stay with Tandy and THE RAINBOW family through PCM.

To order by phone (*credit card orders only*) call 800-847-0309, 8 a.m. to 5 p.m. EST. For other inquiries call 502-228-4492.

**YES! Please send me a one year (12 issues) subscription to PCM for only \$28.\* A savings of 22% off the newsstand price.**

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

In order to hold down costs, we do not bill.

My check in the amount of \_\_\_\_\_ is enclosed.

Charge to my:  VISA  MasterCard  American Express

Acct. # \_\_\_\_\_ Expiration Date \_\_\_\_\_

Signature \_\_\_\_\_



\*Canadian subscribers U.S. \$35. Surface rate elsewhere \$64, airmail \$85. Allow 6 to 8 weeks for first copy. Kentucky residents add 5% sales tax. U.S. currency only, please.

Mail to: PCM, The Falsoft Building, P.O. Box 385, Prospect, KY 40059



# Let's Take a Look at the CoCo 2 B

By Tony DiStefano  
Rainbow Contributing Editor

**T**his week I had the honor of repairing an old 'D' board Color Computer belonging to "KISSable OS-9" author Dale L. Puckett. Although there are a lot of old CoCos still out there, you can't get any more of them. Today, Radio Shack is peddling a CoCo with the letter 'B' in the catalog number. I don't know what the 'B' stands for, but there are a few changes inside. I bought one at the Palo Alto RAINBOWfest. What I want to do here is explain some of the changes Radio Shack has made.

The first thing I noticed when I opened the box is that it says Tandy on the computer and not Radio Shack. It also says Color Computer and not CoCo 2. This is the smallest PCB (Printed Circuit Board) I have seen for a CoCo. Small is good in many ways. First, it costs less to produce. It also has the least parts count of all the CoCos ever made. Not only is this good for production costs, it's also good for users. The lower the parts count in a computer, the less likely a breakdown. Then there is the question of heat; all electronic parts, whether digital or analog, dissipate heat. How many times

*Tony DiStefano is well-known as an early specialist in computer hardware projects. He lives in Laval Ouest, Quebec.*

have you heard that the computer crashes when it is too hot? Fewer parts mean less heat.

This computer does not have any regulated 12 volts, the same as the other CoCo 2s. There is no negative voltage available except on the SALT chip, which buffers and converts the RS-232 signals. In theory, RS-232 specifies that the signal be +/-12 volts. This new CoCo 2 (and all other CoCo 2s) have only +/-5 volts. While this will work with most RS-232 devices, check the specifications to be sure. Again, as with the other CoCo 2s, there are about 12 volts unregulated at the power diodes, which can be used for devices needing the voltage. The diodes are numbered D10 and D11. Remember, the side with the white band is the positive side.

The next interesting part in this CoCo 2 B is a PIA (Peripheral Interface Adapter). The first CoCos had two PIAs of the same kind. They were both MC6821s by Motorola. The next stage of the CoCo had one MC6821 and one MC6822. This 6822 is called an IIA (Industrial Interface Adapter). There is just a small difference between the two. Now the second PIA in the CoCo 2 B is no longer an MC6822, but an SC67331P. It is a Motorola part, and compatible with the MC6822. The difference is in the impedance matching between the keyboard and the PIA —

custom made for Tandy, no doubt. If you happen to destroy this part, a regular MC6822 will work. The keyboard matrix is the same.

As with the CoCo 2 A, there are six jumpers, J1 to J6. One of the jumpers is used to detect the presence of 64K memory RAM. The other five jumpers are labeled 64K/128K. A lot of people think that this means you can have 128K of RAM. This is not true. Look again; there is only one place for ROM. Before, there were two sockets, one for the BASIC ROM and the other for the Extended BASIC ROM, each ROM being 8K long. A ROM's capacity is usually expressed in bits. In the CoCo, the data bus is eight bits wide. Therefore an 8K ROM has 8K times eight bits, giving you 64K bits. Starting to get the picture? Since there is only one place on the PCB for BASIC and Extended BASIC, a new chip with both 8K ROMs (or 64K bits) gives you 16K or, like the label says, 128K.

If you bought the computer without Extended BASIC, you got a socket and an 8K ROM in a 28-pin package. The jumpers are set to the 64K position. If you bought an Extended BASIC machine, you got a soldered-in 16K ROM with the jumpers set to the 128K side. In both cases you got a new version of BASIC, Version 1.3. If you have Extended BASIC, then you only see the



Extended BASIC Version, 1.1. To see the BASIC version type in EXEC 41175.

To take this further, the two ROMs Tandy uses, 8K and 16K, are pin-for-pin compatible with two EPROM counterparts. The 28-pin BASIC ROM is compatible with the Intel 2764 EPROM. The 28-pin Extended BASIC ROM is compatible with the Intel 27128 EPROM. Now you can see where the 64K/128K numbers come from. If you have an EPROM programmer, modify these ROMs to suit yourself and plug them right in. Of course, if the ROM is soldered in, you will have to desolder it and put in a socket. Don't forget to change the jumpers to the right place. More on this later.

The RAM portion is quite impressive. There are three ways to add 64K to this CoCo 2 B. If you have 16K of RAM on the computer, chances are the chips Tandy used are two 4416 RAM chips. These chips are 16K by four bits each. Since the CoCo needs eight bits, there are only two of these chips. These chips are in the two 18-pin sockets between the two white connectors. The first way to upgrade this 16K computer is to change these two chips for the 64K counter part. The number to this is 4464. There are a lot of different numbers that are compatible with this chip. Just ask for a 4464, a 64K by four DRAM or an equivalent.

With the computer turned off, remove the two memory chips and install the two new ones. On the left side, there is a white box marked J6, jumper 6. You must solder a jumper across the two pins inside this box. This tells the software that there are 64K memory chips installed. That's all there is to it.

The next way to upgrade is using the two white connectors. These connectors consist of all the lines necessary to connect 64K of memory. A small PCB will be necessary. The pinouts to the connectors are in Figure 1.

There are two reasons why I'm not going into details on how to construct this piggyback board. The first is that it is available, fully assembled and tested, from CRC Inc. (514) 383-5293 for a modest price, and the other reason is that there is a third method of upgrading this CoCo 2 B.

If you have some 64K chips lying around gathering dust, you'll like the third way to upgrade. See all those holes filled with solder? Do you see the eight empty IC names soldermasked on the PCB? These eight blank areas are made for 64K memory chips. The regular run

CN3		CN4	
Pin	Function	Pin	Function
1	GND	1	GND
2	+5V	2	A7
3	A4	3	A3
4	A5	4	A2
5	A6	5	A1
6	RAS	6	A0
7	WE	7	DQ6
8	DQ1	8	DQ5
9	DQ0	9	DQ7
10	DQ3	10	DQ4
11	DQ2	11	CAS
12	GND	12	GND

Figure 1

of the mill 4164s. All you have to do is add eight sockets and plug them right in. There is a small catch: The holes for these ICs are filled with solder. You must first empty the holes of their solder. You can use a device such as Radio Shack's desoldering pump (less than \$20). Just heat up the hole to be cleaned with a hot soldering iron. Then bring the desoldering pump to the hole. Remove the iron, press the pump to the hole and press the pump button. Go through all the holes of each pin. It would be wise to solder in sockets, not the chips directly. On some boards, the eight decoupling capacitors are also missing. Insert eight .1 UF capacitors. As with any upgrade to 64K, don't forget to jumper the connections at J6. That's all there is to it.

There are a few more changes in the CoCo 2 B. Until now, all CoCos used the Motorola MC6847 as a display processor. This is the chip that gives the text on the screen and all of the graphics modes. Text on the screen has been green with black letters. When typing in lowercase letters, they would appear as inversed blocks of black with green letters. The new chip that Tandy uses on this CoCo 2 B is slightly different. It is an MC6847T1. (This chip might also have the part #XC80652P.) This chip is different. It has built-in real lowercase characters and you can also get rid of that border in certain cases. This is a real nifty improvement to the CoCo's display. The only problem with this is that Extended BASIC will not let you use these added features. Next month, I'll get my soldering iron out and add a few switches to change the default values.

The last change the good people at Tandy made was in the SAM (Synchronous Address Multiplexer). With all

these changes to memory, video and circuitry, a new SAM chip is needed. It is the SN74LS785. A Motorola part that is upward compatible with the old SN74LS783 or the MC6883.

Back to the 28-pin ROM. Earlier, I mentioned that the ROM Tandy used is pin-for-pin compatible with an EPROM. A long time ago, a reader asked if there was a way to add a DOS chip inside the CoCo. Now there is. There are many ways to do this. Different people like to solder things together in different ways. I like the fastest and easiest way. Some people like to make it neat. The chip you must use is either a 2764 or a 27128. All of the address lines, data lines and power lines are the same. The only line that is different will be the chip select line. We'll get that line from another chip. The chip enable line on an EPROM is pins 20 and 22. These are the pins that must connect to the extra enable. The thing to do is connect all the pins except the two enable pins. Here is where some people differ. I used a 28-pin socket and soldered all the pins (except 20 and 22) to the 28-pin ROM. I bent pins 20 and 22 up and soldered them together, running a wire to Pin 12 of the 74LS138. That's the easy way.

Now, plug in the new EPROM and the cartridge area socket will be inside the CoCo. Some people don't like to solder directly to a ROM. Use a wire wrap socket and solder a second socket to the legs about halfway down. Cut pins 20 and 22 from the top socket. Solder these two pins to the 74LS138 mentioned above. Plug the ROM into the lower socket and the EPROM into the upper socket. The same results happen, but it is neater. No soldered ROM, but it is also a little more trouble. Take your pick.



# Protect Your Valuable Magazine Collection With . . .



## DISTINCTIVE, DURABLE RAINBOW BINDERS

For greater convenience, order RAINBOW Binders through the shopping area of the CoCo SIG of Delphi!

Each issue of THE RAINBOW is a vital resource that you will refer to again and again, to gain insights, to explore new areas of interest or simply to refresh your memory. So, you need to keep your copies of THE RAINBOW safe — in high-quality, vinyl binders that provide complete protection.

These distinctive red binders not only ensure that your RAINBOWs stay in mint condition, but they showcase your collection as well. Each binder is clearly embossed with the

magazine's name in gold lettering on both the front and the spine. They're a handsome addition to any room.

They also make it possible for you to organize your work space and eliminate the clutter on a permanent basis. You'll spend more time on your CoCo and eliminate those frustrating searches for misplaced magazines.

A set of two handsome binders, which hold a full 12 issues of THE RAINBOW, is only \$13.50 (please add \$2.50 for shipping and handling).

## Special Discounts On Past Issues With This Offer

To help you complete your collection of THE RAINBOW, we're offering a special discount on past issues with the purchase of one or more sets of binders.

When you place an order for six or more back issues of THE RAINBOW at the same time you order your binders, you are entitled to \$1 off each magazine, which normally sells for the single issue cover price. For an order form, please refer to our "Back Issue Information" page (check Table of

Contents under departmental listings). Also with this offer, copies of the "Official And Compleat Index To THE RAINBOW" (a comprehensive index of RAINBOW's first three years, July 1981 through June 1984), usually priced at \$2.50, may be purchased for only \$1 with a set of binders.

Due to heavy demand, we suggest you order back issues now while supplies last.

.....  
\_\_\_\_\_ **YES.** Please send me \_\_\_\_\_ set(s) of RAINBOW binders at \$13.50 per two-binder set (plus \$2.50 per set for shipping and handling). If your order is to be sent via U.S. Mail to a post office box or to another country, please add \$2. Kentucky residents add 5% sales tax. **U.S. currency only, please.**

**Order one or more sets of binders and take advantage of these exciting offers:**

\_\_\_\_\_ I also want to take advantage of a special savings of \$1 off the single issue cover price for back issues with the purchase of a set of binders. (Minimum order of 6 magazines. An order form from a recent issue indicating the back issues you wish to receive should accompany this order.)

\_\_\_\_\_ I want to purchase the first three-year index to THE RAINBOW (July 1981 through June 1984) at the special price of \$1 (regular price \$2.50) with my purchase of one or more sets of binders.

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

My check in the amount of \_\_\_\_\_ is enclosed. (In order to hold down costs, we do not bill.)

Charge to:  VISA  MasterCard  American Express

Account Number \_\_\_\_\_ Expiration Date \_\_\_\_\_

Signature \_\_\_\_\_

Mail to: **Rainbow Binders, The Falsoft Building, Prospect, KY 40059.**

To order by phone (*credit card orders only*) call 800-847-0309, 8 a.m. to 5 p.m. EST.


For other inquiries call 502-228-4492.



# THE NEW GENERATION

## COMPLETE NX-10 PRINTER SYSTEM

**THE NEW  
NX-10**  
(Replaces the SG-10)



- 5K BUFFER • IMPROVED NLQ • QUAD HIGH & WIDE PRINTING • EXTENDED CHARACTER SETS • 10 INTERNATIONAL FONTS • IN-THE-CASE ADJUSTABLE TRACTOR • REVERSE LINE & FORM FEEDS • 120 CPS (DRAFT) 30 CPS (LQ) • FONT CONTROL & MARGIN CONTROL FROM CONTROL PANEL • 1 YEAR WARRANTY SERVICEABLE NATIONWIDE • AUTOMATIC LINE CENTERING • LEFT OR RIGHT HAND JUSTIFYING • SINGLE SHEET PAPER FEED • 7 GRAPHICS MODES

**FREE  
WITH SYSTEM  
PURCHASE**

*Dragon's*  
**WORD PROCESSOR 2.2**  
TAPE OR DISK VERSION

A feature packed program that turns your CoCo into an office machine. Create and save letters and documents with the Word processor tailored for the NX-10.

### COMPLETE SYSTEM

NX-10 • BLUE STREAK II • SUPER GEMPRINT  
TYPE SELECTION/TUTORIAL • WORD PROCESSOR 2.2

**\$309<sup>95</sup>**


+ \$10 Shipping  
and Insurance

## BLUE STREAK II SERIAL TO PARALLEL INTERFACE

- RUN COCO I or II to PARALLEL PRINTER
- HIGH QUALITY TOGGLE SWITCH ELIMINATES CABLE SWITCHING
- 300, 600, 1200, 2400, 4800, 9600 SWITCHABLE BAUD RATES
- AC POWER OPTIONAL-NOT NEEDED WITH NX-10 PRINTER
- COMPLETE WITH ALL CABLES AND CONNECTORS
- THRU-PUT EQUIVALENT TO BUFFERED INTERFACES
- 1 YEAR WARRANTY




**\$54<sup>95</sup>** SHIPPING  
PAID!



## SUPER GEMPRINT

A FULL  
**8" x 11"**  
SCREEN DUMP PROGRAM



- Prints all 5 Prowdes
- Machine language position independent code
- Tape transferable to disk
- Requires 16K extended color basic

**NEW  
VERSION  
FOR NX-10**

## SUPER GEMPRINT CUSTOM SOFTWARE

"Overall, Super Gemprint is very well-written and documented."  
—Rainbow December 84 review.

### BONUS! TYPE SELECTION/TUTORIAL PROGRAM FREE WITH SUPER GEMPRINT

Menu driven program for the CoCo. Teaches and shows the new user the numerous features of the NX-10.

SUPER GEMPRINT AND  
TYPE SELECTION/TUTORIAL PROGRAM **\$17<sup>95</sup>** + \$2 Shipping  
and Handling

## DAYTON ASSOCIATES, INC.



of W.R. HALL  
DUN & BRADSTREET LISTED  
7201 CLAIRCREST BLDG. C  
DAYTON, OHIO 45424  
OHIO RESIDENTS ADD 6% SALES TAX  
C.O.D. ADD \$2.00

**AUTO-ORDER LINE**  
1-800-251 STAR  
Personal Service  
(513) 236-1454





<b>1986 Tax Estimate</b>	
Fast and Convenient/ <i>Try-O-Byte</i> .....	148
<b>Alphabetizing</b>	
Improves Reading Skills/ <i>Aquarius People Materials, Inc.</i> .....	135
<b>Bowling League Secretary</b>	
Calculate Stats Easily/ <i>Tomela*Co</i> .....	141
<b>Casper CoCo Quick Assembler</b>	
Ideal for Beginners/ <i>Earl W. Casper</i> .....	137
<b>Eagle Lander</b>	
Lunar Lander Simulation/ <i>Saguaro Software</i> .....	134
<b>Hall of the King II: The Inner Chamber</b>	
Graphics Adventure/ <i>Prickly-Pear Software</i> .....	140
<b>Kameleon</b>	
Parallel Printer Interface/ <i>Spectrum Projects, Inc.</i> .....	133
<b>Karate</b>	
Lots of Punches and Kicks/ <i>Diecom</i> .....	145
<b>Mathpack</b>	
Simplifies Calculus/ <i>H.D.R. Software</i> .....	132
<b>Memory Minder</b>	
Disk Drive Analysis/ <i>J &amp; M Systems</i> .....	144
<b>OS-9 Utilities</b>	
Additional Power for OS-9/ <i>The Other Guy's Software</i> .....	146
<b>Plateau of the Past</b>	
Swashbuckler of an Adventure/ <i>Zytek, Ltd.</i> .....	139
<b>Psycho I</b>	
Analyze Perceptions/ <i>Lomig</i> .....	138
<b>Uninterrupted Power Source</b>	
Prevents File Loss/ <i>Dynamic Electronics Inc.</i> .....	149
<b>Wico Command Control Trackball</b>	
Beats a Joystick/ <i>Spectrum Projects, Inc.</i> .....	136





More than a book . . .

# A MILESTONE

# THE COMPLETE RAINBOW GUIDE TO OS-9



Today's programmers use short modules of readable code to build complex programs. The OS-9 operating system and the high level languages it brings you make the job easy.

OS-9 has so many things going for it that you need a guide as comprehensive and thorough as *The Complete Rainbow Guide To OS-9* to show you how to talk to OS-9 and realize the potential of this extremely efficient implementation of the UNIX operating philosophy.

Co-authored by Dale L. Puckett and Peter Dibble — two of the foremost authorities on OS-9 — *The Complete Rainbow Guide to OS-9* demystifies the dynamic operating system that gives the Color Computer more power and flexibility than many of the high-cost computers on the market . . . and gives you the ability and confidence to reach new programming heights.

With *The Complete Rainbow Guide To OS-9*, you will be prepared to take full advantage of the multitasking system that is setting new standards for Color Computer programming. For only \$19.95!

## Also Available!

*The Rainbow Guide To OS-9 Disk*. An adjunct to and complement to the book. You'll want the book for the tutorials, and the package of two disks to save the many hours of typing in lengthy programs. Two-Disk Package, \$31

Please send me *The Complete Rainbow Guide To OS-9* for \$19.95.\*

Please send me *The Rainbow Guide To OS-9 Disk* (a package of two disks) for \$31.\* Does not include book.

For greater convenience, *The Complete Guide to OS-9* and disks can be ordered through the shopping area of the CoCo SIG of Delphi!

Name \_\_\_\_\_ Signature \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

My check in the amount of \_\_\_\_\_ is enclosed.

VISA  MasterCard  American Express



Account Number \_\_\_\_\_ Card Expiration Date \_\_\_\_\_

### Mail to:

**The Complete Rainbow Guide to OS-9, The Falsoft Building, P.O. Box 385, Prospect, KY 40059**

To order by phone (*credit card orders only*) call 800-847-0309, 8 a.m. to 5 p.m. EST.

For other inquiries call 502-228-4492.

\*Add \$1.50 per book shipping and handling in U.S. Outside U.S. add \$4 per book. Allow 6-8 weeks for delivery. KY residents add 5% sales tax. In order to hold down costs, we do not bill. ALL ORDERS IN U.S. FUNDS.

OS-9 is a trademark of Microware Systems Corporation.



# RECEIVED & CERTIFIED

**THE FOLLOWING PRODUCTS** have recently been received by THE RAINBOW, examined by our magazine staff and approved for the *Rainbow Seal of Certification*, your assurance that we have seen the product and have ascertained that it is what it purports to be.

This month the *Seal of Certification* has been issued to:

**Checkers**, a 32K computer version of one of the most popular board games. This program is designed to give many hours of entertaining, instructive and challenging action to players with varied levels of skill. *Applied Machine Intelligence*, P.O. Box 358, Salida, CO 81201, tape or disk \$3.95 plus \$.85 S/H.

**Adventure Island**, a 32K ML graphics Adventure. Your plane has crashed on a deserted island and you must use all your wits to stay alive. Half-screen picture graphics take you through jungle and beach. Comes on two disks. *Ark Royal Games*, P.O. Box 14806, Jacksonville, FL 32238, \$23.

**LISTER**, a machine language utility program. This print utility lists BASIC programs to the screen, printer or disk/cassette files in an understandable manner. Included are spaces between keywords, hierarchical indentation of FOR/NEXT and IF/THEN/ELSE structures making it easier to debug programs. The program requires Extended Color BASIC and 16K. *CMD Micro Computer Services Ltd.*, 10447 124th Street, Edmonton, Alberta, Canada T5N 1R7, \$14.95 plus \$2 S/H.

**Seikosha SP-1000A Dot Matrix Printer**, features a near-letter-quality mode as well as the standard data processing mode. Other features include italic font, front-panel control of margins, automatic paper ejection, a 1.5K buffer and 95 user-definable characters. This printer uses a nine-pin head and supports super- and subscripts. Paper can be fed to the printer by either the friction feed or the tractor feed mechanisms. *Distributed by Cinsoft*, 2235 Losantiville Avenue, Cincinnati, OH 45237, (513) 396-7638, with interface \$269, without interface \$225.

**Mission: F-16 Assault**, a 64K game requiring one joystick. Defeat the evil enemy forces by flying your F-16 jet fighter over enemy lines. *Diecom Products*, 6715 Fifth Line, Milton, Ontario, Canada L9T 2X8, tape or disk, \$28.95 U.S.; \$38.95 Canada.

**Wall Street**, a stock-market Simulation game requiring 16K Extended BASIC. *Drayon Software*, P.O. Box 2516, Renton, WA 90856, tape or disk \$6.

**Map 'n Zap**, the layman's kit for disk repair. *Map 'n Zap* includes step-by-step instructions for repairing disk directories and granule tables. It also locates errors, maps out disk contents to printer or screen, backs up any flawed disk and prompts built-in disk zap for repair. *Duck Productions*, 18 Rowe Court, Brampton, Ontario, Canada, L6X 2S2, \$19.95 U.S., \$24.95 Canada.

**Micro-Fire**, a rapid-fire circuitry package that can be added to any joystick. It features on/off control and requires no extra power supply. *Micro-Fire* also has adjustable rate of fire. The pre-assembled hardware comes with a calibration program listing and complete instructions. *Duck Productions*, 18 Rowe Court, Brampton, Ontario, Canada L6X 2S2, \$19.95 U.S.; \$24.95 Canada.

**Grafplot**, a Color Computer high resolution data-graphing program that draws lines and/or scatter plots of user data. Mistakes are easy to correct and revised graphs are drawn in seconds. *Grafplot* lets you go effortlessly from raw data to a printed graph of professional quality. *Hawkes Research Services*, 859 Stanford Avenue, Oakland, CA 94608, tape \$40, disk \$45.

**Cybertank**, a 64K real-time tank Simulation. Penetrate deep into enemy territory with powerful intelligence-gathering devices and sophisticated armaments. Your survival depends on careful and effective management of resources as well as tactical decisions. Includes Hi-Res radar map and graphics screens. *Mark Data Products*, 24001 Alicia Parkway #207, Mission Viejo, CA 92691, disk \$27.95 plus \$2 S/H.

**GRX-Dump**, a graphics screen dump utility. The cassette is formatted for both 16K and 32K versions. Use with any printer that has bit-image graphics. *Sigma Software*, 14024 152nd Avenue S.E., Renton, WA 98056, \$7.95.

**CoCo Kameleon**, serial-to-parallel printer interface for the Color Computer. Power is derived from the serial port and the printer data lines eliminating the need for external power source. *Spectrum Projects, Inc.*, P.O. Box 21272, Woodhaven, NY 11421, \$49.95 plus \$3 S/H.

**Wico CoCo Trackball Command Control**, an input device designed to replace your CoCo joystick for games as well as other programs and applications. *Spectrum Projects, Inc.*, P.O. Box 21272, Woodhaven, NY 11421, \$19.95 plus \$3 S/H.

The *Seal of Certification* program is open to all manufacturers of products for the Tandy Color Computer, regardless of whether they advertise in THE RAINBOW.

By awarding a *Seal*, the magazine certifies the product does exist — that we have examined it and have a sample copy — but this does not constitute any guarantee of satisfaction.

As soon as possible, these hardware or software items will be forwarded to THE RAINBOW's reviewers for evaluation.

— Judi Hutchinson



## Full-featured Mathpack Simplifies Calculus

By John McCormick

This is the first program I have seen that attempts to handle real calculus problems on the CoCo, and it does a fine job.

The basic concept of numerically solving problems in integration isn't very complicated or new; it is shown in many BASIC text books. The most common is an implementation of Simpson's Rule, which breaks the problem into many small steps and solves it piece by piece.

The problem with Simpson's Rule is that a large number of calculations is required if you are trying to get an accurate answer, often 100 or more.

*Mathpack* is written in BASIC, but the calculations are finished in a reasonable time. This program also does root finding along with Cartesian, polar and parametric graphing.

When you get through the opening display and on to the main menu you find something interesting. The main menu is quite plain, with just a list of the program functions and none of the fancy art work that makes some programs more difficult to use by cluttering the screen. The really interesting part is the lettering; it is in true lowercase and quite easy to read.

The menu gives six options: Integration, Root Finding, Cartesian Grapher, Polar Grapher and Parametric Grapher along with End.

I won't attempt to explain any of these functions in depth because the program is not aimed at beginning students but, rather, at teachers and students already familiar with elementary calculus. If the program is suitable for your needs you will know what parametric graphs are, so I will only describe how the program works.

When you select Integration, you are first asked if the equation is a polynomial. If it is, there is a special procedure for entering the equation that will take a minute's study but really is quite simple. Essentially you just enter the coefficients of each term, using zero where appropriate, leaving out the 'X'.

This is easier to learn than it sounds and the documentation uses several examples to demonstrate. The program leads you through this section one step at a time, using prompts.

Polynomials are evaluated both analytically and using Simpson's Rule, and the results are displayed along with the actual difference and the percentage difference.

I entered an equation of the 20th degree and *Mathpack* solved it with Simpson's Rule in about 45 seconds and analytically in a couple of seconds, with a difference of about 0.001 percent between the two answers.

If your equation isn't a polynomial, you are asked to enter  $f(X)$ . The example given in the documentation is  $\sin(X) + \exp(X)$ . After entering the equation, you are asked for the start and end points to integrate across. This interval can be expressed as numbers or numerical expressions (e.g., 0, 2, PI, log(2), etc.).

You are then asked how many steps are to be used in the integration. I chose start:0, end:3 and 30 steps. The answer given was 21.0755411.

I checked a number of functions and found the program to be quite accurate; it was also *very* fast.


Back to polynomial expressions for a moment. This program isn't just for kidding around; you can enter a

# GRAF PLOT

**NEW! - THE BEST JUST GOT BETTER!**

**GRAF PLOT DEMO:**  
\$5.00 DISK & TAPE  
REFUND W/PURCHASE  
"A GREAT PACKAGE  
GETS EVEN BETTER"  
- RAINBOW


**30 DAY  
UNCONDITIONAL  
MONEY-BACK  
GUARANTEE!!**



**\* AUTOMATICALLY LOADS DATA FROM MOST POPULAR SPREADSHEETS.  
\* 291 GRAPHING SYMBOLS AND UNLIMITED OVERLAY OF DATA.  
\* AUTOMATICALLY SCALES AND LABELS ALL THREE OF THE AXES.  
\* CALCULATES MATH FUNCTIONS, INTEGRALS AND MOVING AVERAGES.  
\* FULLY AUTOMATIC, MENU DRIVEN W/ COMPLETE ERROR TRAPPING.  
\* FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.**

REQUIRES 32K EXT. BASIC: TAPE - \$40.00 DISK - \$45.00

**NEW! SPREADSHEETS &  
FULL-PAGE PRINTED GRAPHS!!**



---

**NEW!! PRINTER UTILITY** **NEW!!**

## Picture Perfect

**UNIVERSAL SCREENPRINT PROGRAM**

- \* GET "PICTURE PERFECT" FULL-PAGE PRINTOUTS EVERY TIME!
- \* "PERFECTLY SIMPLE" TO OPERATE - "SIMPLY PERFECT" RESULTS!
- \* "PERFECTLY COMPATIBLE" WITH ALL DOT MATRIX PRINTERS!
- \* GET "PERFECT CONTROL" OF: HEIGHT, WIDTH, POSITION, BAUD RATE, DOT DENSITY, NEGATIVE IMAGES, ETC.
- \* THE "PERFECT SOLUTION" TO YOUR GRAPHICS PRINTING NEEDS!
- \* COMPATIBLE WITH GRAPHICOM AND COCO MAX PICTURES!

◀ ONLY \$25.00 ON DISK OR TAPE ▶

---

**BUY BOTH PROGRAMS & SAVE \$10.00**

CALL NOW FOR FREE INFORMATION (415) 547-7557, OR WRITE:

HAWKES RESEARCH SERVICES, 859 STANFORD AVE, OAKLAND, CA 94608  
YOUR PERSONAL CHECK IS WELCOME! SHIPMENT WITHIN 48 HOURS!  
ADD \$3.00 SHIPPING ON ALL ORDERS. CA. RESIDENTS ADD SALES TAX

### One-Liner Contest Winner . . .

Enter the letter that appears on the screen as quickly as you can.

### The listing:

```
Ø CLS5:T=3ØØØ:S=Ø:PRINT@1,"time"  
;:PRINT@21,"score";:FORA=1TO999:  
L=RND(26)+64:P=RND(478)+32:PRINT  
@P,CHR$(L);:FORB=1TO3ØØ1:I$=INKE  
Y$:IFI$=""THENT=T-1:IFT=ØTHENPRI  
NT@32,"";:ENDELSEPRINT@6,T;:NEXT  
B ELSEIFI$=CHR$(L)THENS=S+1:PRIN  
T@27,S;:NEXTA ELSENEXTB
```

Mark M. Breznai  
Lorain, OH

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book of Simulations* and its companion *The Rainbow Simulations Tape*.)



polynomial expression with a maximum degree of fifty! Certainly enough to be useful.

The root finding section of the program prompts you to enter  $f(X)$  and will find 'X' such that  $f(X) = 0$ . Again you are asked for a start and end number along with how many intervals to test over the entire range. You are also asked to select a maximum error. The maximum error can be made so small that the round off of numbers will cause the program to continue forever, so this section definitely requires some knowledge and understanding of the problem.

*Mathpack* uses an interval-halving procedure to solve for zeros. Newton's Method is much faster but won't work with many functions, so *Mathpack's* programmer(s) chose to go with a slower but more useful method of solving these equations.

Cartesian grapher took 50 seconds to solve  $x^2 + 2x + 1$  and graph about 250 points between  $x = 0$  and 100.

Cartesian, polar and parametric grapher all work about the same way. The program requests you enter the appropriate function, then asks for the range of numbers over which you want the equation graphed.

The program starts solving the equation for a large number of points and then draws a simple line graph filling the entire screen.

One nice touch I really liked was the display of a running count of the number of calculations being performed. This lets the user know the program is actually working during the wait for a solution. Since it shows a countdown, the user can also tell about how long the solution will take. You can decide at a glance whether to go for coffee, abort the solution, or just wait.

In the parametric graph section you are asked for  $Y(T)$  in addition to  $X(T)$  and also asked whether you want the Y-scale to be the same as the X-scale; otherwise, the procedure is similar for all three graph sections.

The Cartesian grapher preselects the number of intervals at 250, and the other two offer a choice of 10 to 300 steps.

*Mathpack* comes with seven pages of documentation that are completely adequate to instruct any calculus user in the use of this program. The final page also includes an explanation of Simpson's Rule, interval-halving and some suggestions for equations that will produce interesting graphs.

There is little onscreen help, other than the prompts, but, for all its advanced mathematics, this program is very easy to use and needs no further documentation than the few, easy-to-understand pages in the documentation.

*Mathpack* performs accurate numerical solutions using Simpson's Rule and does sophisticated root finding, along with performing simple graphing of complicated equations. If I were studying or teaching calculus again, I wouldn't hesitate to buy a copy of this program.

*Mathpack* is not a stand-alone program. You must have a copy of H.D.R. Software's *Enhancer* program (\$18 U.S., disk or tape). This isn't a review of *Enhancer*, so I'll just say *Enhancer* contains a lot of nice utilities, including the lowercase driver.

In addition to *Enhancer*, *Mathpack* requires a 64K Color Computer with at least one disk drive.

(H.D.R. Software, 27 Doyle Street, St. John's, Nfld., Canada A1E 2N9, \$21.95)

## Change Baud Rates with CoCo Kameleon

The CoCo Kameleon is a very small and compact serial-to-parallel printer interface for use with a CoCo and any parallel printer with a Centronics-compatible connector.

This unit is housed in a small plastic box with a slide switch on one side to select either 600 or 9600 Baud. Two cables extend from each end. A round cable attaches to the CoCo's RS-232 port and is five feet long, while the flat ribbon cable which attaches to the printer's Centronics connector is about 20 inches long. Hookup is a snap; just plug it in and go.

No external power is required, even when used with Epson printers. The use of low current drain electronic components enables power to be derived from the RS-232 port and the printer's data lines.

I hooked up the interface to my Gemini-10X and used it to print out a couple of program listings at both of the available Baud rate settings. The unit worked perfectly at both speeds. The CoCo defaults to 600 Baud whenever you turn it on, so if you `LLIST` a program in the 600 Baud switch setting everything works fine. If you want to print at 9600 Baud, it's a simple matter to type `POKE 150,1` and with the switch in the 9600 position everything works great.

But what about speeds between these two extremes? It is a simple task to edit most BASIC programs to use 9600 Baud by inserting the `POKE 150,1` somewhere in the beginning of the program, but what do you do if the program is in machine language? ML programs can be modified to utilize the 9600 Baud speed, but it's a lot more difficult than it is in BASIC.

I have several machine language programs with printer output speeds that are menu selectable from 600 to 2400 Baud. Luckily, my interface has a switch that allows me to select 2400 Baud, and all the others if I ever need them. I make this point only because I feel there are times when Baud rates other than 600 and 9600 will be needed. I believe the price is too high considering its limitations. The wise CoCo shopper may discover better bargains.

(Spectrum Projects, Inc., P.O. Box 21272, Woodhaven, NY 11421, \$49.95 plus \$3 S/H)

— Jerry Semones

---

---

See You at  
**RAINBOWfest-Princeton**  
October 17-19



## Eagle Lander is True to Life

What is an Adventurer to do? After managing thousands of nuclear power plants, averting numerous air disasters and conquering many kingdoms, what is there left to do? Conquer the moon? That's exactly the task you are given as the owner of Saguaro Software's lunar lander Simulation entitled *Eagle*.

The idea of a computer-simulated lunar landing is certainly not a new one. These simulations first appeared on computer networks that predate the CoCo by many years. The makers of *Eagle*, however, have taken the lunar lander idea quite a bit forward. *Eagle* is controlled with joysticks on the high resolution (PMODE 4) screen. The bottom portion of the screen plots the position of the craft, providing a graphics representation of the craft in flight. Meanwhile, the top portion of the screen provides the pilot with a host of instrumentation which reports such important data as relative position, altitude, horizontal and vertical airspeed, acceleration, percentage of rocket thrust, fuel remaining and time elapsed. All these indicators help the would-be pilot appreciate the difficulties involved in managing such a complex operation as a moonshot.

The complexity increases as the craft approaches one of the two possible landing sites. Both horizontal and vertical airspeed must be brought down to near zero precisely when

the craft is located in the proper position. This is an extremely difficult task, which requires many trials to achieve reasonable adeptness. To make life more dangerous, the user can "play damage control" by choosing the advanced difficulty level. It introduces such emergencies as fuel leaks, maneuvering problems and computer screen failures. These malfunctions provide extra challenges and require greater mastery of the craft's abilities to perform a successful landing.

Other operational commands allow the user to adjust the attitude window for fine or coarse control of direction (a very important feature when trying to land), perform a fuel dump and predict future position based on present course and speed values. Using the latter command, the user may jump ahead in time and accept the predicted values and position just as if he had maintained the course for the prescribed time. All these functions add greatly to the playability of the Simulation (not to mention saving the keyboard from frustrated thrashings).

Despite *Eagle's* complex nature, the user manual provides excellent insight and interpretation of the physics involved in an actual lunar landing and how the user can apply these to his advantage. The manual also accurately describes the command structure and flow of the game. The documentation is complete in every respect, including a guarantee to replace defective disks unloadable by the original owner.

The author of *Eagle*, Art Martin, has done an excellent job in producing a realistic Simulation of a lunar landing. The Simulation is so true to life, in fact, a certain sense of "harsh reality" is incorporated into the program. This is not an easy-to-master Simulation, rather, it's a reflection of a technologically advanced procedure and requires considerable practice to perform a successful landing. Therefore, this program is excellent for hardened game players who are looking for a considerable software challenge which won't sit on the shelf after the first few successful landings.

(Saguaro Software, P.O. Box 1864, Telluride, CO 81435, \$24.95 tape, \$29.95 disk, requires 32K and two joysticks)

— Eric Oberle



### One-Liner Contest Winner . . .

According to Francois, rain is rare in Australia so he wrote this program to remind his children of what it looks and sounds like.

#### The listing:

```
Ø PCLEAR8:FOR=1TO8:PMODEØ,S:PCL
S:FOR=1TO1ØSTEP2:CIRCLE(126,94)
,R*S:NEXTR,S:FORK=1TO1ØØØØ:FORI=
1TO4:POKE14Ø,1ØØ+RND(15Ø):EXEC43
345:PMODE4,I:SCREEN1,1:FORJ=1TOR
ND(5Ø):NEXTJ,I,K
```

Francois Bolle  
Australia

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book of Simulations* and its companion *The Rainbow Simulations Tape*.)



## Improve Reading Skills with *Alphabetizing*

When I received this program for review, it was obvious that it was aimed at two distinct markets — concerned parents and school systems. I am one of those two markets. I have two children, one too old for the product. What to do? I asked David (age 10) for help, and in true Tom Sawyer fashion he soon had every neighborhood child from age 3 through second grade lined up for user testing of the program with himself as teacher. This review is a combined effort by him and his 4-year-old sister, with occasional comments by Dad.

The catalog from Aquarius which came with this program mentions that it won the Topp Award, which implies a lot of respect for this approach within the educational establishment. This catalog also shows that the program is available on many other computers, and indicates this firm has an entire line of programs for nursery school through high school or college.

The package includes a good set of teacher aid samples in a well-made ring binder. Any certified teacher would know all they needed to use the package except how to start the program on the computer. The program is in BASIC and that is not a major problem, but it did frustrate our young teacher.

*Alphabetizing, The Pathway to Reading* uses random number generation to provide a new set of test material each run. At each run and at each level, the student indicates whether things are in correct alphabetical order. Sometimes a missing letter must be filled in, sometimes the letter before or after the letter shown must be stated. Sometimes a group of words is shown, and you must put them in order. There are many different games, each of which requires alphabetizing. Some of these were a lot of fun, others were just normal school drills.

The right answer gets a rainbow drawn on the screen, but a wrong answer gets a rain cloud. Lizzie (age 4), got bored

more rapidly than with her Sesame Street programs. But she said to be sure to mention that she liked the game in which Snoopy lies on his dog house while she picks out letters.

Our friends who came to help test this program enjoyed it and seemed to pick up speed as they used it.

Dad had to run the printer. The program let me test the kids and then print out their answers. If I were a real teacher that would be a help. With only a few kids it isn't really needed, but it did make the kids feel like they had used an important program. One of them even took his test score home.

This program is probably better suited for the school than the home because there is only a relatively short time span (one or two years) when the child is at just the right stage of development for the program. Earlier, the child gets distracted. Later, the child gets bored. That is probably a problem with most educational software, but it emphasizes why the program is better off in the school than in the home in this instance.

Note that this criticism does not detract from the effort by Aquarius to have many different games at varying levels of difficulty in one program. The varying levels of difficulty, all built around drills that improve reading skills through alphabetizing, can probably be made very effective in the classroom.

(Aquarius People Materials, Inc., P.O. Box 128, Indian Rocks Beach, FL 33535, \$69)

— Elizabeth and David Elman

### One-Liner Contest Winner . . .

This one creates a moving sine wave by drawing eight pictures in different graphics areas..

#### The listing:

```
63999 CLS5:PCLEAR8:FORA=1TO8:PMO
DEØ,A:PCLS:FORB=2TO252STEP2:LINE
(B,96-84*SIN((B*45/32+A*45)/57.3
))- (B,188),PSET:NEXTB:SCREEN1,Ø:
NEXTA:FORA=ØTO1E38:PMODEØ,(7ANDA
)+1:SCREEN1,1:C=C+4:SOUND128+127
*SIN(C/57.3),1:IFINKEY$<>" "THEN
NEXTA ELSECLS:END
```

Walter Pullen  
Kent, WA

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book of Simulations* and its companion *The Rainbow Simulations Tape*.)

## Keyboard Cover & Disc Marker

- Keyboard cover made of high-impact plastic that complements your TRS-80
- Keeps dust & unwanted fingers from your keyboard
- Five-color decal inside, lists many helpful hints & programming information, including keyboard memory locations & baud rates
- Fits all CoCo keyboard modifications we know of
- \$9.95

Model I & III covers also available @\$12.50 ea.

 DISC MARKER  
\$1.49

Send For Free Catalog Of CoCo Software & Computerware

- For Fastest Service Send Money Order Or Certified Check
- Add \$2.50 Shipping For Continental U.S.
- Add \$4.00 Shipping For: AK, HI, APO's, P.O. Boxes, & Canada
- Add \$15.00 Shipping For Overseas
- Add \$3.00 For 220-250 Volt Model
- California Residents Add 6½% Sales Tax
- Add \$3.00 For C.O.D.

**REM Industries, Inc.**  
9420 "B" Lurline Ave., Chatsworth, CA 91311  
**(818) 341-3719**



# Wico Command Control Trackball Takes the Punishment

There must be an easier way to get a better score without causing serious harm to your trusty CoCo. We all tend to get carried away during the heat of battle, and this excitement is often transferred into "white knuckle" treatment of some relatively fragile plastic parts.

It's only human nature to get excited during competition. Have you ever noticed that many commercial arcade games use a trackball control instead of a joystick? The action at these arcades often got so intense, the manufacturers had to find a more reliable alternative. Well, that alternative is available for the CoCo in the form of the Wico Command Control Trackball.

This device replaces your joystick and is very rugged. It measures 5 by 6 by 1 7/8 inches and weighs a little over one pound. It uses, of all things, a billiard ball as the primary user interface. A firebutton is located at the upper left corner on top so it's easy to get to with your left thumb. If you want to put it on your computer table, it won't slide around easily because it has flat rubber feet on the bottom. It does require a separate power source, which is included in the form of a plug-in wall transformer. The other cable

terminates in a standard five-pin DIN plug to fit the CoCo joystick connector.

Operation is simple. You get full 360 degree movement by just moving the ball with fingers or palm. It's easy to use and allows controlled movement by simply moving the ball fast or slow. It's a unique feeling and one you have to experience to fully appreciate. I tried it on several games and was able to get higher scores than I could with my joystick. I also used it with *CoCo Max* and liked the smooth feel and easy positioning of the cursor. The only drawback I noticed on *CoCo Max* was it took longer to go from the workspace to the menu due to the vernier action of the device.

The device boasts the use of a microprocessor control circuit using photosensors and a built-in analog-to-digital converter with an eight-bit output. Since the CoCo only has a six-bit joystick port, that probably explains some slight positioning errors with programs like *CoCo Max*. Wico is aware of this problem and even discusses it in the instruction booklet.

This device is best suited for CoCo games, although it will most certainly provide excellent service in other programs normally requiring a joystick.

Wico guarantees the Command Control for one year which attests to its durability. This device can take all the punishment you can give it — so bring on the Klingons!

(Spectrum Projects, Inc., P.O. Box 21272, Woodhaven, NY 11421, \$19.95 plus \$3 S/H)

— Jerry Semones



## DERBY CITY TECHNOLOGIES

\*\*\*Guaranteed — The Lowest Prices — The Latest Versions — Guaranteed\*\*\*



1-800-628-2828, Ex. 996 "The Place to Shop for ALL your CoCo Needs"

### TIME-PROVEN QUALITY SOFTWARE

- All Software Comes With 90 Day Guarantee
- Telewriter 64 — Word Processor . . . . .(D) **\$53.95 (Save 10%)**
- Pro-Color-File 2.0 enhanced — Database . . .(D) **\$53.95 (Save 10%)**
- Valet — Unique Home Filing System . . . .(D) **\$18.90 (Save 10%)**
- CoCo MAX II — Best Graphics Program . . .(D) **\$75.95 (Save 5%)**
- CoCo MAX I — Upgrade MAX I to II . . . .(D) **\$18.95 (Save 5%)**
- CoCo MAX Font (24/set)—from Derringer .(D) **\$24.95/set (NEW)**
- All Three Font Sets Together . . . . .(D) **\$64.95/all (NEW)**
- MAX EDIT — Font Editor for CoCo MAX .(D) **\$17.95 (Save 10%)**
- CoCo De-sector — Diskette utility . . . . .(D) **\$18.00 (Save 10%)**
- Deletes ALL the sectored data from diskette library. This saves about 25-35% of the physical life of your disk drives! Converts a RSDOS disk to a JDOS disk!
- PP Color Dump — CGP-115 Screen Dump . .(D) **\$15.75 (Save 25%)**
- DMP Dump — DMP-100, 105 Screen Dump .(D) **\$14.25 (Save 25%)**
- Gemeps-Gemini 10x, SG10, NX-10 & Epson(D) **\$14.25 (Save 25%)**
- Jet 220 Dump CGP-220 Screen Dump (3x)! (D) **\$19.00 (\*NEW\*)**
- CoCo Greeting Card Designer — From Zebra(D) **\$22.80 (Save 5%)**

### DISKETTES, CHIPS and 64K UPGRADES

- 5 1/4" Diskettes (SS/DD) (any volume) . . . . .**.75 cents each**
- Full Lifetime Guarantee — 'Tyvec' Envelopes — Hub rings. All Diskettes Come With Labels and Write Protect Tabs. All Diskettes Are Guaranteed to be 'Verbatim' or Better!
- 64K Upgrade I — (4164's) D, E, 'F' & USA — Set of 8 . . . . .**\$20.00**
- 64K Upgrade II — (4464's) 'A', 'B' & Korean — Set of 2 . . . . .**\$29.00**
- NOTE: Both of the above upgrades come with full instructions. All of the chips are guaranteed to be CMOS — 150ns. Both of the above upgrades come with 90 day Guarantee. When ordering — State the model number of your CoCo!
- 68766 Eprom -24 pins - CMOS-350ns, 90 Day Guarantee! . . . **\$14.00**
- 27128 Eprom -28 pins - CMOS-250ns, 90 Day Guarantee! . . . **\$ 6.00**
- 2764 Eprom -28 pins - CMOS-250ns, 90 Day Guarantee! . . . **\$ 7.00**

### EPROM PROGRAMMER

- Intronics EPROM Burner — Latest Version Guaranteed . . . . .**\$139.00**
- 25xx, 25xxx, 27xx, 27xxx, 68xxx, & MK2764 EPROMS are easily burned. No personality modules! No batteries!
- \*\*\*New version works with disk systems!\*\*\*
- There is no better Eprom programmer for the CoCo.

### UNIVERSAL MONITOR DRIVERS

- These monitor drivers are truly "universal"! All Drivers work w/any color or monochrome monitor & work with EVERY model CoCo!
- V.D.1 — For monitors that have sound already . . . . .**\$29.00**
- V.D.2 — Adds sound to monitors without sound . . . . .**\$29.00**
- V.D.3 — Drives color & monochrome simultaneously! . . . . .**\$29.00**
- The V.D.x Drivers come with full instructions for every model of the CoCo. Installation does not require soldering. All V.D.x Drivers come with a full one year warranty!

### PRINTER INTERFACE with 64K BUFFER

- DCT-1-64K Serial to Parallel Interface/64K Buffer . . . . .**\$99.95**
- The DCT-1 is baud selectable for 300 to 9600 baud rates. The DC-1 is a 7 or 8 bit — Centronics compatible interface.
- DCT-2-64K Serial to Serial—64K Buffer . . . . .**\$84.95**
- The DCT-2 is designed to fit in between the CoCo and a serial to parallel interface. Why buy another interface when you already have one? Also designed to work with all Radio Shack serial printers.

NOTE: Both of the above come with switches for "Pause Print", "Repeat Print" and "Clear Buffer". No more waiting for the printer to finish printing! Full two year warranty! Compare ours with the others!

### SWITCHES, CABLES & MISC.

- RS-232c 2-Position Switch . . . . .**\$29.00**
- All four lines are connected in this switch which allows all auto dial/answer modems to function correctly! Comes with a full one year warranty!
- 40 pin Dual "Y" Cable . . . . .**\$29.00**

3025 Kozy Kreek Drive, Louisville, Kentucky

All orders \$3 shipping & handling. KY residents add 5% sales tax. COD(add \$2)/VISA/MasterCard/Cash





## Casper CoCo Quick Assembler: Ideal for Beginners

*Casper CoCo Quick Assembler* is a fast combination of monitor, editor, assembler and debugger. To get this extra speed, the editor looks up the symbols and opcodes and saves indexes into tables instead of characters. The program comes with both a 32K version and a 64K version. The 64K version places the machine language portion of the program and your source code file in high RAM leaving most of low RAM for your machine language program. I like this program but there is good news and bad news.

First the good news. This is a delightful program. It is easy to learn and easy to use, ideal for a beginner. The BASIC loader boots the system and sets certain parameters. From this portion of the program you can save and load source code files and machine language files. The program can create its own backup copy onto a blank disk. From this part of the program simply press 'M' to go to the monitor.

The monitor-debugger is also the command level. It is here you perform most operations. You can examine and change memory, assemble source code, print out source code or object code, set up to eight breakpoints, search up or down through source code for a target string, execute machine code and view the registers as you go. You can scroll up or down through the source file line by line. Numbers can be displayed in hexadecimal or decimal.

The screen used by the program is different from the text screen. You can view the usual text screen at any time. Block move, block copy, block delete and block print can be performed on the source file. You can ask for the number of the line you are in, and you can jump to any line in the source file by entering the appropriate line number. When executing machine code, you can walk through the program one line at a time, a number of lines at a time, or execute

until you reach a breakpoint or a certain number of breakpoints.

The editor is where you type in the source code. You can edit, insert and delete lines of code or simply scroll up or down one line at a time. If you enter an improper opcode or an obvious syntax error, the program alerts you with a beep.

The assembler is activated from the monitor. If an error is encountered, the monitor jumps to the problem line for debugging.

Now for the bad news. I had a lot of trouble booting this program. On my old (gray) 'D' board 64K CoCo I get an error message. Typing RUN over again solves the problem for this old CoCo. On the newer (white) 64K CoCo 2 the computer hangs up completely. I managed to get the 32K version to run on the 64K CoCo 2 by resetting the computer and then typing RUN again. I suspect that this is a minor problem with the BASIC loader and may be corrected in future versions.

Another problem in the BASIC loader is the printer Baud rate. The manual suggests that you can set the Baud rate in Line 50 of the loader. After having some trouble with the printer, I discovered that the Baud rate had already been set at 9600, (easy enough to fix once found).

The manual is not clear enough in explaining how to save machine code once it has been assembled. Also unexplained is the Load command. This command lets you load machine language into memory. However, there seems to be no way to access it. The program deals only with source code and machine code that has just been assembled from source code, not machine language files. There is no disassembler in this program. This means that you cannot examine machine language portions of memory (such as the basic ROM) in terms of assembly language. Advanced users may find this a drawback.

Except for the bugs I have mentioned, however, this is a good program and has a reasonable price.

(Earl W. Casper, 6012 S. 14 Place, Phoenix, AZ 85040, \$20)

— James Ventling

### Two-Liner Contest Winner . . .

And they're off! Pick a horse to win out of a field of seven. If you press ENTER when they are at the line, the horses will run. You and your friends can then pick the horse you want.

#### The listing:

```
Ø POKE65495,Ø: DIMH(2Ø,2Ø): PMODE3
,1: PCLS: DRAW"BM1ØØ,99U8R1ØU6R8D4
L2D1ØL4U3L8D3L4": GET(9Ø,83) - (121
,1Ø1),H,G: PCLS: SCREEN1,Ø: FORX=1T
O191STEP27: PUT(Ø,X) - (31,X+18),H,
PSET: U=U+1: P(U)=X: NEXTX: DRAW"C3"
: LINE(24Ø,Ø) - (255,191), PSET, BF: E
XEC44539: PLAY"O3L18CL4F"
```

```
1 FORX=1TO7: M(X)=M(X)+RND(1Ø): PU
T(M(X),P(X)) - (M(X)+31,P(X)+18),H
,PSET: IF PPOINT(M(X)+33,P(X)+9) <>
1 THEN PLAY"O3L115CDDEFFGAAB": FORT
=1TO1Ø: PUT(M(X),P(X)) - (M(X)+31,P
(X)+18),H, PRESET: PUT(M(X),P(X)) -
(M(X)+31,P(X)+18),H, PSET: NEXTT: E
XEC44539: RUN ELSE NEXTX: GOTO1
```

Mike Cooney  
Mansfield, OH

(For this winning two-liner contest entry, the author has been sent copies of both *The Rainbow Book of Simulations* and its companion *The Rainbow Simulations Tape*.)



For Coco ...  
in the Midwest



Now in our 4th year!


**New Catalog Now Available**

CALL OR WRITE

Introducing . . .

**SEIKOSHA**

**SP-1000A**



- 100 cps draft
- 20 cps NLQ
- Friction and tractor
- Front panel Controls
- 1.5 K buffer
- 2 yr. Warranty



Parallel printer **\$225.00**

with Metric Industries Model 104 Interface **\$269.00**

"The New Leader in Price-Performance!"

**Coco Max II**  
The Complete System  
includes . . .  
 Deluxe Joystick and Y-cable !! **\$ 119.95**  
COCO MAX II ..... \$ 79.95  
with Y-cable ..... 99.95  
with Joystick ..... 99.95

**LATEST VERSION FEATURES . . .**

- 14 fonts
  - Shrink, Stretch Rotate
  - Multiple drives
  - Pattern Save
- UPGRADES AVAILABLE**  
Disk I to II 20.00  
Tape I to Disk II 25.00  
Max Edit 19.95  
Picture disks available

**New! DELUXE JOYSTICK**

**EXCELLENT FOR COLOR COMPUTER USE IT FOR GRAPHICS, GAMES, ETC.**  
CoCo owners will appreciate this high quality, durable joystick. Open gimbal design ... self-centering or free-floating operation. Mechanical trims on both axes ... eight foot cable ... firing button has lifetime 5,000,000 presses. A two-button version of the Deluxe Joystick is available for the Tandy 1000. DEALER INQUIRIES INVITED



**\$27.50 each**  
**\$49.95/pair**

**CHOOSE FROM OUR LARGE SELECTION OF COCO PRODUCTS**

- B5 ... Colorware ... Derringer ... Diecom ... Dynacaic ...  
Elite ... Four Star ... HJL ... J & M ... Mark Data ...  
Metric Industries ... Michtron ... Microcom ... Microworks ...  
Tom Mix ... PBJ ... PXE ... Speech Systems ... Sugar ...  
TCE ... VIP ... Zebra ... and more!

**Yes! We have PENPAL!**

• Call • **513-396-SOFT** • Shop by Modem • **513-396-SHOP**



• Write •

**2235 Losantiville, Cincinnati, OH 45237**

SHIPPING will be charged at our ACTUAL COST  
Ohio residents add 5.5% Sales Tax COD add 2.00

**Analyze Perceptions with Psycho I**

In spite of the name, you don't have to be afraid to use *Psycho I*. Using a loose interpretation, this program could be called a game, but it has more possibilities than being just a game. In a school setting it would be a fun way for school psychologists to learn more about the perceptions of their students. I had an enjoyable time going through the programs and seeing my reaction time or accuracy in remembering shapes.

The collection of programs sold as *Psycho I* is a series of eight programs created as classical exercises for the psychological laboratory. The programs are *Illusion*, which measures the strength of three illusions (Muller-Lyer, Opel-Kundt, Helmholtz); *Observer*, which are exercises to test observation skills; *Reaction*, which measures visual and auditory stimuli; *Pyramide*, where you find the solution to a pyramid puzzle by trial and error; *Series*, where you find, by logic, the permutations of five numbers; *Memoire*, in which you memorize numbers and letters; *Optiques*, where you draw impossible and reversible figures on the screen; and *Fechner*, for drawing G.T. Fechner's picture on paper.

The program and documentation are written in three languages: French, Spanish and English. You choose which language to use when first starting the program. Each of the programs is self-explanatory, giving plenty of information in order to run the program and to interpret its results. The BREAK key has been disabled, so in order to get out of programs, press the slash (/) key. You could also press the Reset key, which gives a warm start and returns you to BASIC.

The directions and helps are easy to understand, except in the back of the manual where each program is explained. There, things are explained in each language, but it is not organized to differentiate between the languages, and it took me a while to see that the explanations started in French, then were in Spanish, with the last lines in English. The English documentation in the manual and the explanations and instructions in the program were filled with spelling errors. They were not the kind that made things hard to understand, but were an annoyance.

The programs are well-done and interesting, as well as useful in determining children's aptitudes for abstract thought. The graphics and layout of the programs were excellent. I think the tests or exercises would be fun for children. Since so many standardized tests have sections for abstract thought, these programs may even be useful to familiarize children with this type of thinking activity.

(Lomiq, c p 105, Succursale A, Jonquiere, Quebec, Canada G7X 7V8, 64K required, one disk, \$34 U.S., \$45 Can.)

— Thomas E. Nedreberg



## Innovative *Plateau of the Past* is a Swashbuckler

After many years and many Adventures, it would take something uncommon to really stir my interest. Not just another dragon to slay, another cave to explore, another 300K monstrosity, but . . . well, something different that could really offer an interesting challenge. Something new.

Enter *Plateau of the Past* — just the thing to whet your whip-cracking appetite.

Almost as soon as you begin *Plateau*, you will be reminded of Indiana Jones. Rather than a classic text or a modern graphics Adventure alone, this Adventure combines a little of both. A dash of animation and a separate fight screen help add to the challenge and the difference of *Plateau*. This is not an easy Adventure to solve! One nice feature of this program is that authors Chuck Jager and Jim O'Keefe have waxed philosophical, and the text and gravestones have interesting sayings. Death, my dear fellow Adventurers, is no longer boring!

The program is composed of three major components plus start-up routines and so forth. They are the text window, generally the lower half of the screen, and the map window, a Hi-Res 2-inch by 2-inch area in the upper center of the screen. The map window reads like a map from above, but displays the moves of the characters in the Adventure, as well as your progress, major events and confronted meanies. The third screen is the fight screen. It pits you against the enemies, displays your and their attributes and describes the fights with blow-by-blow descriptions. Fights are resolved when one side's stamina has dropped to zero.

Several things make the game smoother and more enjoyable. These include the compass that charts your progress; being able to check your ability, stamina and luck; selecting and reviewing your weapons; and even the opportunity to eat. The documentation is well-written and clear and tells you all you need to know. The rest is up to you and fate, because luck plays a large part in *Plateau of the Past*.

Good as it is, I found several drawbacks to *Plateau*. First, there is no game-save feature. It could be argued that one is not necessary, however, a save routine would have been a nice extra. Second, you must restart the entire Adventure each time you die. This is tedious, and a shortcut (save routine) would have come in handy. Third, the fight routines, while being creative and well-represented, are somewhat reminiscent of the sound effects portrayed on-screen in the *Batman* television series. Substituting graphics here instead of words would make worlds of difference. A slightly larger map window would have been better, too.

All of these are minor points, however, when considering this extremely well-written, well-presented, innovative Adventure program. *Plateau of the Past* is a good, rollicking swashbuckler of an Adventure to keep even Indiana Jones proteges happy for a long time!

(Zytek, Ltd., P.O. Box 701, Blue Island, IL 60406, 32K disk only \$26.95 plus \$2 S/H)

— Jeffrey S. Parker

The **RAINBOW**  
THE COLOR COMPUTER MONTHLY MAGAZINE

## Back Issue Availability



Back copies of many issues of **THE RAINBOW** are still available.

All back issues sell for the single issue cover price. In addition, there is a \$3.50 charge for the first issue, plus 50 cents for each additional issue for postage and handling if sent by United Parcel Service. There is a \$5 charge for the first issue, plus a \$1 charge for each additional issue on orders sent by U.S. Mail. UPS *will not* deliver to a post office box or to another country.

Issues July 1981 through June 1982 are available on white paper in a reprint form. All others are in regular magazine form. VISA, MasterCard and American Express accepted. Kentucky residents please add 5 percent state sales tax. In order to hold down costs, we do not bill and no C.O.D. orders are accepted.

Due to heavy demand, we suggest you order the back issues you want now while supplies last.

To order, just fill out the form on the next page and mail it with your payment to:

**THE RAINBOW**  
The Falsoft Building  
P.O. Box 385  
Prospect, KY 40059

For greater convenience, order RAINBOW Back Issues through the shopping area of the CoCo SIG of Delphi!



**BACK ISSUE ORDER FORM**

(See overleaf for instructions.)

**(Payment must accompany back issue orders. We do not bill.)**

Please send me the following back issues:

NO.	MONTH YEAR	VOLUME 1	PRICE
1	JULY '81	PREMIER ISSUE	\$2.00 <input type="checkbox"/>
2	AUG. '81		\$2.00 <input type="checkbox"/>
3	SEPT. '81	EDUCATION	\$2.00 <input type="checkbox"/>
4	OCT. '81	PRINTER	\$2.00 <input type="checkbox"/>
5	NOV. '81		\$2.00 <input type="checkbox"/>
6	DEC. '81	HOLIDAY	\$2.00 <input type="checkbox"/>
7	JAN. '82		\$2.00 <input type="checkbox"/>
8	FEB. '82		\$2.00 <input type="checkbox"/>
9	MAR. '82		\$2.50 <input type="checkbox"/>
10	APR. '82		\$2.50 <input type="checkbox"/>
12	JUNE '82		\$2.50 <input type="checkbox"/>
<b>VOLUME 2</b>			
11	JUNE '83	PRINTERS	\$2.95 <input type="checkbox"/>
12	JULY '83	ANNIVERSARY	\$2.95 <input type="checkbox"/>
<b>VOLUME 3</b>			
1	AUG. '83	GAMES	\$2.95 <input type="checkbox"/>
2	SEPT. '83	EDUCATION	\$2.95 <input type="checkbox"/>
3	OCT. '83	GRAPHICS	\$3.95 <input type="checkbox"/>
4	NOV. '83	DATA COMM.	\$3.95 <input type="checkbox"/>
5	DEC. '83	HOLIDAY	\$3.95 <input type="checkbox"/>
8	MAR. '84	BUSINESS	\$3.95 <input type="checkbox"/>
9	APR. '84	GAMING	\$3.95 <input type="checkbox"/>
10	MAY. '84	PRINTER	\$3.95 <input type="checkbox"/>
11	JUNE '84	MUSIC	\$3.95 <input type="checkbox"/>
12	JULY '84	ANNIVERSARY	\$3.95 <input type="checkbox"/>
<b>VOLUME 4</b>			
1	AUG. '84	GAMES	\$3.95 <input type="checkbox"/>
2	SEPT. '84	EDUCATION	\$3.95 <input type="checkbox"/>
3	OCT. '84	GRAPHICS	\$3.95 <input type="checkbox"/>
4	NOV. '84	DATA COMM.	\$3.95 <input type="checkbox"/>
5	DEC. '84	HOLIDAY	\$3.95 <input type="checkbox"/>
6	JAN. '85	BEGINNERS	\$3.95 <input type="checkbox"/>
7	FEB. '85	UTILITIES	\$3.95 <input type="checkbox"/>
8	MAR. '85	BUSINESS	\$3.95 <input type="checkbox"/>
9	APR. '85	SIMULATIONS	\$3.95 <input type="checkbox"/>
10	MAY '85	PRINTER	\$3.95 <input type="checkbox"/>
11	JUNE '85	MUSIC	\$3.95 <input type="checkbox"/>
12	JULY '85	ANNIVERSARY	\$3.95 <input type="checkbox"/>
<b>VOLUME 5</b>			
1	AUG. '85	GAMES	\$3.95 <input type="checkbox"/>
2	SEPT. '85	EDUCATION	\$3.95 <input type="checkbox"/>
3	OCT. '85	GRAPHICS	\$3.95 <input type="checkbox"/>
4	NOV. '85	DATA COMM.	\$3.95 <input type="checkbox"/>
6	JAN. '86	BEGINNERS	\$3.95 <input type="checkbox"/>
7	FEB. '86	UTILITIES	\$3.95 <input type="checkbox"/>
8	MAR. '86	BUSINESS	\$3.95 <input type="checkbox"/>
9	APR. '86	HOME HELP	\$3.95 <input type="checkbox"/>
10	MAY '86	PRINTER	\$3.95 <input type="checkbox"/>
11	JUNE '86	MUSIC	\$3.95 <input type="checkbox"/>
12	JULY '86	ANNIVERSARY	\$3.95 <input type="checkbox"/>
<b>VOLUME 6</b>			
1	AUG. '86	GAMES	\$3.95 <input type="checkbox"/>
2	SEPT. '86	EDUCATION	\$3.95 <input type="checkbox"/>

**RAINBOW INDEX** A complete index to our first three years, July 1981 through June 1984, is printed in its entirety in our July 1984 issue. Separately bound copies are also available. \$2.50

**Note:** Our Fourth and Fifth Year Indexes, including RAINBOW ON TAPE indexes, are included in the July 1985 and 1986 issues, respectively.

TOTAL \_\_\_\_\_

KY RESIDENTS ADD 5% \_\_\_\_\_

U.S. MAIL CHARGE \_\_\_\_\_

SHIPPING & HANDLING \_\_\_\_\_

U.P.S. CHARGE \_\_\_\_\_

TOTAL AMOUNT \_\_\_\_\_

ENCLOSED \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

Payment Enclosed, or charge to my:

VISA  MC  AE

CARD # \_\_\_\_\_

EXPIRATION DATE \_\_\_\_\_ PHONE # \_\_\_\_\_

SIGNATURE \_\_\_\_\_

To order by phone (credit card orders only) call (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries call (502) 228-4492.

# A Winner — *Hall of the King II: The Inner Chamber*

Prickly-Pear Software has come up with another winner for CoCo Adventure addicts. Sequels seem to be the "in" thing lately, and Glen Dahlgren has created a very good one. *Hall of the King II: The Inner Chamber* begins another quest for the legendary Earthstone. You do not need to be familiar with the original *Hall of the King*, but after going through these two disks you may want to check out the original.

Yes, this is another two-disk graphics Adventure. The detail in the graphics is very well done. Be ready to make a detailed map of the many areas of the Adventure; you'll need it. The difficulty level is intermediate leaning toward advanced, mainly due to the length of the Adventure. You should plan on being tied up for a while with the CoCo. It is often hard to review an Adventure without giving away the best parts. Do not overlook *anything*. All I will say is that there is a clue in the first paragraph of this review.

No matter how good an Adventure, or any program, there is always someone who thinks it can be improved. The game has a save and load feature, but it will only save one game at a time. There is a way to get around this, but I would like to see a multigame save feature, if there is room on the disks. The only way to save more than one game is to back up the disks and save different games on different disks.

The Adventure requires 64K and one or two disk drives. I have two drives, but found I liked to know which disk was being used, so I used only one drive. If you have double-sided drives configured so that each side is accessed as a different drive, you can back up each game disk to opposite sides of one working disk. Prickly-Pear suggests you only use the backups and store the originals in a safe place.

While the documentation is not extensive, it is adequate. Like most other Adventures, all you need is a little information to start. You get all the rest from the Adventure itself. The packaging is standard for Prickly-Pear, with a vinyl container giving a compact, safe place to store the original. This is the third two-disk Adventure from Prickly-Pear, and while I have not seen *Hall of the King*, I know the other two are very well-done. With this type of software and support, the CoCo will be around for a long time.

(Prickly-Pear Software, 2640 N. Conestoga Ave., Tucson, AZ 85749, two disks \$39.95 plus \$1.50 S/H)

— Dale Shell

**See You at  
RAINBOWfest-Princeton  
October 17-19**



## Bowling League Secretary Makes Calculating Stats Easy

Aside from the computer hobbyist, most of us buy computers to ease the chores of modern living. One such chore is the collection and maintenance of data associated with a particular function such as a club roster. However, the standard database programs are not always easily adapted to the chore to be done — in this case the data management of one of America's favorite pastimes, bowling.

With the introduction of *Bowling League Secretary* from Tomela\*Co, we should soon see CoCos popping up all over bowling land. Will it take over the local bowling alley? Maybe not. But at least the poor bowling league secretary, who spends many hours each week calculating team standings and other bowling statistics, will now have more time for other things.

When *Bowling League Secretary* arrived for review, I was somewhat hesitant to do the review since I am not a bowler. But, this program is just a very specialized database manager. Having had considerable experience with database programs, all I needed was the "technical" know-how of what a bowling league secretary does. As it turns out, my boss is a real bowling aficionado who has served several years as secretary for a local bowling league. He was quite impressed with this BASIC program which keeps track of all bowling records for a league.

*Bowling League Secretary* is a well-organized menu-driven program with very good documentation. The program is almost self-documenting, with many screens describing what is expected from the user. Using the program is easy because it follows a very logical progression. You start by defining the league, then each team in the league and finally the members of each team. In addition, information such as the number of games per night, and the number of blinds and handicaps allowed by the league are to be entered. Once this information has been entered, you are ready for the bowling season!

Each week, the league secretary must record the scores for each player for the number of games played that night. When all of the scores are entered, the CoCo takes over and produces five weekly reports. The first is weekly scores by player which lists all bowlers alphabetically, and shows the current week's scores for the three-game series and the average for the night, as well as a summary of the season to date of high game, high series, total pins, and cumulative average.

The second report is a team standings and high scores summary report which shows team standings, individual high scores and team high scores. The individual high scores section of the report shows the average, high game and high series for the leading player of each team. The team high scores section shows high game and high series for each team. The individual averages report lists, by team, the cumulative game average and total pins for all players in the league. The team data listing report shows, for the team, total pins for each game played in the evening as well as high game, high series, and total pins. The player data listing

is an alphabetical listing of players showing total games played, total pins, game average, high game and high series.

The preparation of these reports takes many hours of work when done by hand, even with a calculator. With *Bowling League Secretary* and a CoCo you end up with a weekly set of reports neatly printed in much less time.

One particularly nice feature of the program is what the author refers to as disaster recovery. It maintains a backup feature that contains the final results for the previous week. If you happen to do something wrong while entering the new data, or have a power failure, etc., select disaster recovery and you'll have all the data back except for the current week. This is an excellent feature.

*Bowling League Secretary* is a well-planned program which does what it was designed to do. As with any piece of software, there are areas for improvement. Unless I have missed something, my expert claims there is one very important report it does not produce. It is my understanding that the league secretary prepares, at the end of a season, a final tally sheet for each player. This report contains all of the scores accumulated each week by the player and gives a final cumulative game average, high game and high series. Such a report should be added to the program.

The reporting capability is nicely done. The author has taken the time to produce neat and attractive reports. However, these reports are designed for a Gemini 10X printer and make use of special features of the Gemini using CHR\$ codes. The codes would not work on my printer. Fortunately, the author provides an appendix that documents all of the BASIC lines containing printer codes. Those with different printers will have to change these codes. In my case, I simply removed all of the codes and had no problem.

I would strongly recommend *Bowling League Secretary* to all those volunteer league secretaries who maintain league records.

(Tomela\*Co, P.O. Box 2162, Doylestown, PA 18901, \$49.95 disk only)

— Donald D. Dollberg

### One-Liner Contest Winner . . .

Enter a message and use the space bar to stop and start it as it scrolls across the screen. When stopped, its PRINT@ location will be in the upper-right corner of the screen.

#### The listing:

```
1Ø CLS:INPUT"ENTER PHRASE";A$:FO
RX=1TO48Ø:Y=X:CLS:PRINT@X,A$;;FO
RZ=1TO1ØØ:NEXTZ:IFINKEY$=" "GOTO
2Ø ELSE IF X>=48Ø THEN X=1 ELSE
NEXT X
2Ø PRINT@27,Y:IF INKEY$<>" "THEN
GOTO2Ø ELSE NEXTX
```

Daniel Bisbee  
Chesterfield, MA

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book of Simulations* and its companion *The Rainbow Simulations Tape*.)



## HI-RES II SCREEN COMMANDER

Are you tired of looking at the 16 line by 32 character display on your CoCo? Do you wish you could see more lines and characters? Then HI-RES II is the answer, it can give you the big screen display you've always wanted. It will display 24 lines of 32, 42, 51, 64 and even 85 true upper and lower case characters per line without any hardware modifications.

HI-RES II is the most powerful screen enhancement package available for the Color Computer, yet it is the least expensive. It is completely compatible and transparent to Basic. Once the program is loaded, everything works the same as before, only you have a much better display to work with. It even allows you to have mixed text and Hi-resolution graphics on the same screen or have separate text and graphics screens. It also has an adjustable automatic key repeat feature and allows you to protect up to 23 lines on the screen.

HI-RES II features over 30 special control code functions that allow you to change characters per line, protect display lines, change background color, position cursor, switch normal/reverse video, underline, double size characters, erase line/screen/to end of screen, home cursor, character highlight and much more. It works on all models of the CoCo with 16, 32 or 64K and provides automatic reset control so HI-RES II won't disappear when you press reset.

**Only \$24.95 for Tape and \$29.95 for Disk**

### EDT/ASM 64D

#### 64K DISK EDITOR ASSEMBLER w/DEBUG

EDT/ASM 64D is a Disk based co-resident Text Editor & Assembler. It has a Hi-Resolution 51, 64 or 85 column by 24 line display, so you see your program listings easily. It also supports the PBJ 80 Column Word-Pak cards. The disk also contains a free standing Machine Language Debug Monitor, to help you debug your assembled programs.

The Editor in EDT/ASM 64D is the most powerful, easy to use Text Editor available in any Editor/Assembler package for the Color Computer. It even has automatic line number generation for easy entry of program material. Some of its features include:

- ☞ Local and Global string search and/or replace.
- ☞ Full screen line editing with immediate line update.
- ☞ Easy to use Single keystroke editing commands.
- ☞ Load & Save standard ASCII formatted Tape/Disk files.
- ☞ Move or Copy single & multiple text lines.
- ☞ Create and Edit disk files larger than memory.
- ☞ Hi-Res Text Display 28 to 85 columns by 24 lines.
- ☞ Supports the PBJ 80 Column cards Word-Pak I & II.

The Assembler portion of EDT/ASM 64D is the part that creates the Machine Language program. It processes the source file(s) created or edited by the text editor and creates a LOADM or CLOADM binary file on either Disk or Tape. Using library files you can assemble an unlimited size file, using several different disk drives.

- ☞ Supports conditional IF/THEN/ELSE assembly.
- ☞ Supports Disk Library files (include).
- ☞ Supports standard motorola assembler directives
- ☞ Allows multiple values for FDB & FCB directives.
- ☞ Generates listings to Hi-Res text screen or printer.
- ☞ Assembles directly to disk or tape in LOADM format.
- ☞ Supports up to 9 open disk files during assembly.
- ☞ Allows assembly from editor buffer, Disk or both.
- ☞ Full description text error messages.

DEBUG is a free standing program debugger which provides all the functions supported by most system monitors. Some of them include:

- ☞ Examine and change the contents of memory.
- ☞ Set and display up to 10 breakpoints in memory.
- ☞ Remove single or multiple breakpoints.
- ☞ Display/Change processor register contents.
- ☞ Dump Memory in Hex and ASCII format.
- ☞ Fill Memory range with a specified data pattern.
- ☞ Move a block of memory.
- ☞ Search memory range for data pattern.
- ☞ Disassemble memory into op-code format.

**Requires 32K and Disk \$59.00**

## "The Source"

Now you can easily Disassemble Color Computer machine language programs directly from disk and generate beautiful, Assembler Source Code for a fraction of the cost of other Disassembler/Source generator programs. And, the Source has all the features your looking for in a Disassembler.

- ☞ Automatic Label generation.
- ☞ Allows specifying FCB, FCC and FDB areas.
- ☞ Save, Load and Edit FCB, FCC, and FDB map on Disk.
- ☞ Disassembles programs directly from Disk
- ☞ Output complete Disassembled listing with labels to the Printer, Screen or both.
- ☞ Generates Assembler compatible source files directly to disk.
- ☞ Generated source files are in standard ASCII format.
- ☞ Built in Hex/ASCII dump/display to locate FCB, FCC and FDB areas in a program.
- ☞ Built in Disk Directory and Kill file commands.
- ☞ Menu display with single key commands for smooth, Easy, almost foolproof operation.
- ☞ Written in fast machine language, one of the quickest and easiest to use Disassemblers available.

**Requires 32K and Disk \$34.95**

### TEXTPRO III

#### "The Advanced Word Processing System"

- ☞ 9 Hi-Resolution Display Formats from 28 to 255 columns by 24 lines.
- ☞ True Upper and Lower Case display format.
- ☞ Three Different Programmable Header lines, re-definable at anytime.
- ☞ Programmable Footer line & Automatic Footnote System.
- ☞ 10 Programmable Tab stops & 7 Tab Function Commands.
- ☞ Automatic Line Justification, Centering, Flush left and Flush right.
- ☞ On screen display of underlining and Double size characters.
- ☞ Change indents, margins, line length, etc. at anytime in a document.
- ☞ Create and Edit files larger than memory, up to the size of a full disk.
- ☞ Easily imbed any number of format and control codes for printers.
- ☞ Automatic Memory sense 16-64K with up to 48K of workspace.
- ☞ Typist Friendly line and Command format entry w/ auto key repeat.
- ☞ Fully supports the use of 80 column hardware cards.

TEXTPRO III is an advanced word processing system designed for speed, flexibility and extensive document processing. It is not like most of the other word processing programs available for the Color Computer. If you are looking for a simple word processor to write letters or other short documents, then most likely you'll be better off with one of the other word processors. But, if you want a powerful word processing program with extensive document formatting features to handle large documents, term papers, manuals, complex formatting problems and letter writing, then TEXTPRO is what your looking for. TEXTPRO works in a totally different way than most word processing programs. It uses simple 2 character abbreviations of words or phrases for commands and formatting information that you imbed directly in your text. There are over 50 different formatting commands you can use without ever leaving the text your working on. There are no time consuming, and often frustrating menu chases, you are in total control at all times. The formatted output can be displayed directly on the screen, showing you exactly what your printed document will look like before a single word is ever printed. This includes margins, headers, footers, page numbers, page breaks, underlining, column formatting and full justification.

**Disk \$59.95    Tape \$49.95**

To order products by mail, send check or money order for the amount of purchase, plus \$3.00 for shipping & handling to the address below.

To order by VISA, MASTERCARD or C.O.D. call us at the number listed below (Monday thru Saturday, 8am to 5pm PST).

### CER-COMP

**5566 Ricochet Avenue  
Las Vegas, Nevada 89110**

**☎ (702) 452-0632 ☎**



**DISK**  
\$44.95

**NEW**

Introducing The "Super Smart"  
**DATA PACK II**  
**TERMINAL COMMUNICATIONS SOFTWARE**

**NEW**

**TAPE**  
\$34.95

Also Supports The PBJ 80 Column "Word Pak", Deluxe RS-232 Pak,  
Parallel Printer Card and PBJ 2SP Pak

**"FEATURES"**

28-64x24  
Hi-Resolution  
Display

64K Support  
Up To 55K  
Text Buffer

- No Lost Information When Using Hi-Resolution Display On Line
- ASCII Compatible File Format
- Full Text Buffering
- Terminal Baud Rates 300 to 9600
- Automatic Word Wrap Eliminates Split Words
- Full / Half Duplex
- Automatic File Capture
- Programmable Word Length, Parity and Stop Bits
- Save and Load Text Buffer and Program Key Buffers to Tape or Disk
- 9 Hi-Resolution Display Formats, 28 to 255 x 24
- True Upper / lower Case Display
- Kill Graphics Option for an Extra 6K
- Supports Line Break

- Freeze Display and Review Information On Line
- Send Files Directly from Buffer or Disk
- Full Disk Support for Disk Version
- Send Control Codes from Keyboard
- Separate Printer Baud Rates 110-9600
- Display on Screen or Output Contents of Buffer to Printer
- Automatic Memory Sense 16-64K
- 9 Programmable Function Key Variable Length Macro Buffer
- Programmable Prompt Character or Delay to Send Next Line
- Programmable Control Character Trapping
- Programmable Open / Close Buffer Characters
- Automatic Key Repeat For Editing
- Program and Memory Status Displays

9 Unlimited  
Variable Length  
Macro Key Buffers

**BUFFER  
EDITOR**  
Insert, Delete  
Change or Add  
To Buffer

**"The Source"**  
has arrived!

The Source brings the cost of Disassembler and Assembler Source code generation down to Earth.

Now you can Disassemble Color Computer machine language programs and generate beautiful, Assembler Source Code for a fraction of the cost of other Disassembler/Source Generator programs.

The Source has all the features and functions you are looking for in a Disassembler.

- Automatic label generation.
- Allows specifying FCB, FCC and FDB areas.
- Disassembles programs directly from Disk.
- Supports multiple origin disk files.
- Output complete Disassembled listing with labels to the Printer, Screen or both.
- Generates Assembler compatible source files directly to disk.
- Generated source files are in standard ASCII format that can be edited by most word processors.
- Built in Hex/Ascii dump/display to help locate FCB, FCC and FDB areas in a program.
- Fast Disassembly mode for testing & checking FCC, FCC and FDB mapped areas.
- Built in Disk Directory and Kill file commands.
- Menu display with single key commands for smooth, Easy, almost foolproof operation.

**Starship Falcon**  
Graphics Adventure Game

Six months ago a terrorist group demanded to be designated the rulers of Alpha Sigma III, under the threat of world starvation on the planet Earth. The Federation denied their demands, so they released a biological weapon which has destroyed all known edible plant species from throughout the known galaxy. To date no plant life has been able to survive on Earth. Recently, Federation undercover agents have reported a story told by a roving space trader, of a planet with abundant edible plant life. These plants have a reputation of being able to survive in all climates and in fact, are supposed to grow at an incredible rate. The Federation is desperate! If Earth's food source is not replaced soon, the Federation will have to evacuate all animal and Human life. Your mission is to go to the planet Zephyr and obtain the seed of these plants and return to Earth. Several Federation agents have been sent to obtain the seeds and none has returned! Can you get the seed and survive??? GOOD LUCK!

**32K Disk \$34.95**


**32K Disk \$21.95**

**HI - RES II**  
**SCREEN UTILITY**

**NEW IMPROVED VERSION**

- UP TO 85 CHARACTERS PER LINE READABILITY
- ADJUSTABLE AUTOMATIC KEY REPEAT
- PROTECT 1-23 SCREEN LINES
- CONTROL CODE KEYBOARD

- FULLY BASIC COMPATIBLE
- DISPLAY FORMATS OF 28 TO 255 CHARACTERS PER LINE
- FULL 96 UPPER/LOWER CASE CHARACTERS
- MIXED GRAPHICS & TEXT OR SEPARATE GRAPHIC & TEXT SCREENS
- INDIVIDUAL CHARACTER HIGHLIGHTING
- REVERSE CHARACTER HIGHLIGHT MODE
- WRITTEN IN FAST MACHINE LANGUAGE
- AUTOMATIC RELOCATES TO TOP OF 16/32K
- AUTOMATICALLY SUPPORTS 64K OF RAM WITH RESET CONTROL.
- REVERSE SCREEN
- ON SCREEN UNDERLINE
- DOUBLE SIZE CHARACTERS
- ERASE TO END OF LINE
- ERASE TO END OF SCREEN
- HOME CURSOR
- BELL TONE CHARACTER
- HOME CURSOR & CLEAR SCREEN
- REQUIRES ONLY 2K OF RAM
- COMPATIBLE WITH ALL TAPE & DISK SYSTEMS



**\$24.95** TAPE **\$29.95** DISK

ALL ORDERS SHIPPED FROM STOCK  
ADD \$2.50 POSTAGE

**CER  
COMP**

5566 Ricochet Avenue Las Vegas, Nevada 89110

**(702) 452-0632**

Circle Reader Service card #335

PROGRAM FEATURES	Screen Enhancement		PROGRAM COMPARISON CHART
	HI-RES II NEW	HI-RES I OLD	
Upper/Lower case characters	Yes	Yes	Yes
Mixed Text and Graphics	Yes	Yes	Yes
Separate Text & Graphics	Yes	Yes	No
Print @ fully implemented	Yes	Yes	Yes
Print @ on all line lengths	Yes	Yes	51 only
Different line lengths	28 to 255 (9)	28 to 255 (9)	51 only (1)
Automatic Key Repeat	Yes	Yes	Yes
Adjustable Key Repeat	Yes	No	No
Auto Repeat Disable	Yes	No	No
Erase to end of line/screen	Yes	Yes	Yes
Home Cursor	Yes	Yes	Yes
Solid or Blinking Cursor	Yes	No	Yes
CLS command supported	Buff/Black	Buff/Black	Buff/Black
X,Y Coordinate Cursor	Positioning	Yes	No
Double Size Characters	Yes	Yes	No
Individual/Continuous	Highlighting	Yes	No
On Screen Underline	Yes	Yes	No
Clear Key functional	Clear/L keys	Clear key	No
16.32 & 64K Supported	Yes	Yes	Yes
Green or Black Background	Color	Yes	No
Dual Character sets for Enhanced 64 and 85	Characters per line display	Yes	No
Protected Screen Lines (programmable)	1 to 23	No	No
Full Control Code Keyboard for Screen control directly from the keyboard	Yes	No	No
Programmable Tab Character Spacing	Yes	No	No
Full Screen Reverse Function	Yes	Yes	No
Switch to & from the Standard 16 by 32 Screen for full compatibility	Yes	No	No
On Error Goto Function	No	No	Yes
Extended Basic Required	No	Yes	Yes
All Machine Language Program	Yes	Yes	Yes
RAM Required in addition to Screen RAM	2K	2K	2K
Program Price (Tape)	\$24.95	\$19.95	\$29.95



VISA, MASTERCARD AND C.O.D. ACCEPTED



# Memory Minder: Insurance Against Costly Repairs

By Dale Shell

J & M has supported our CoCo in the past and is continuing with its new and improved disk controller, a nicely packaged disk drive and *Memory Minder*, a disk drive test program. All three products interlink and are very good.

The new disk controller is well made, with J & M's standard metal case and gold contacts on the circuit board. It is compatible with both the original CoCo and the new CoCo 2s. The new features include a parallel port which supports either a Centronics compatible printer or J & M's new hard drive. Another new feature is an external ROM switch, which allows switching between two ROM (DOS) chips. The controller comes with the new version of JDOS and the associated manual. The new JDOS comes on a 27128, 16K EPROM. This is a 28-pin chip. This socket also accepts a 2764, 28-pin EPROM. The other socket inside the controller accepts the standard 24-pin chip. This can be a Radio Shack Disk BASIC ROM, a 68766 or 68764 EPROM.

Therefore, you can have two DOSs installed and can switch between the two. While the new JDOS is much more

compatible with existing software, this switch allows the use of a Radio Shack DOS in the second socket, thereby eliminating all compatibility problems. If you want to, you can replace the JDOS chip with a DOS burned into a 27128 or 2764 EPROM. With both sockets available and the ability to use either 2764s or 27128s in one of the sockets, this really leaves open a host of options. The new JDOS includes all the older JDOS commands plus the ability to boot OS-9 from either a floppy disk or a hard drive. It can also boot *Memory Minder*, the disk drive analysis program, but more on that option later.

The parallel port can be used for either a printer or hard drive. At this time, J & M has the five meg and 10 meg drives available, with the 20 meg promised by the time this review is published. The hard drives work with OS-9. The hard drive memory can be broken up into as many as seven partitions, but none can be larger than five meg.

The printer option allows the use of the serial port for other purposes, but it does have a few drawbacks. First, it does not come with a printer cable. Secondly, if you have a printer that requires a pulse width of six ms or larger, you will have to use a pulse extender. This can be purchased from J & M for \$25. You need to check your printer manual and/or call J&M to find out. Some of the printers that need the extender include the Epson RX-80, Riteman Plus, Oxidata Microline 83, and all Olivetti printers.

You can get the new JDOS controller alone or with a drive system. The drive system includes the new JFD-CP disk controller, complete with the new version of JDOS operating system, and a drive with case and power supply. The options include either a single- or double-sided drive. I really like the horizontal mounting that J & M uses, and the case seems to be very sturdy.

With JDOS, using double-sided drives, the smallest program takes up the equivalent of two granules. There is really very little that can be said about disk drives. J & M's have well-built cases and they are reasonably quiet.

The last part of this trio is the *Memory Minder*. With this you are presented with a menu for clamping test, spindle speed test, index hole timing test, alignment sensitivity test, head alignment test, directional seek test, head rotation test, a special quick test and options for an analog alignment aid or change test parameters.

The test provides a quick summary indication of your disk drives for all the tests listed. Once this test is started, it runs to completion. On each of the seven tests you will get either a pass, marginal or fail indication for that test. If you get a marginal or fail, you should test that section more closely, or have it tested by a qualified technician.

A word of warning, however: If you find an error and

## BASIC COMPILER

WASATCHWARE believes that users of the Color Computer deserve the right to use all 64k of RAM that is available in the computer, and have fast machine language programs that use the full potential of the 6809 microprocessor. That is why the BASIC compiler, called **MLBASIC** was developed. Here are some of the reasons that make this compiler one of the best bargains in this magazine:

- Use all 64k of RAM for program storage and/or variables
- Full floating point arithmetic expressions with functions
- Full sequential and direct access disk files allowed
- BASIC source and M.L. output I/O to disk, tape or memory
- Many new commands that expand your programming capability

### Commands Supported

1. I/O -Commands  
CLOSE CLOADM CSAVEN DIR DRIVE DSKIS DSKOS FIELD FILES  
GET INPUT KILL LSET OPEN PRINT PUT RSET RSET USING
2. Program Control Commands  
CALL END EXEC FOR STEP NEXT GOSUB GOTO IF  
THEN ELSE ERROR ON..GO RETURN STOP SUBROUTINE
3. Math Functions  
ABS ASC ATN COS CYN EOF EXP FIX INSTR  
INT LEN LOG LOC LOP PEEK POINT PPOINT RND  
SGN SIN SQRT TAN TIMER VAL
4. String Functions  
CHRS INKEYS LEFTS MIDS MKNS RIGHTS STRS STRINGS
5. Graphic/Sound Commands  
COLOR CLS CIRCLE DRAW LINE PAINT PCLEAR PCLS PLAY  
PMODE PRESET PSET RESET SCREEN SET SOUND
6. Other/Special Commands  
DATA DIM LLIST MOTOR POKE READ REM RESTORE RLN  
TAB VERIFY DLD DST IBSHFT LREG PCOPY PMODE PTY  
REAL SREG SWP VECTD VECTI

### Compiled Program Speed (Time in minutes:seconds)

Program	Interpreter	MLBASIC
Eratosthenes Sieve	6:58.7	0:08.3
Matrix Fill, Mult, Sum		
10x10	0:30.9	0:02.5
String Manipulation	6:22.5	2:17.7
Floating Point	0:32.6	0:30.6
Disk I/O (2000 PRINT/INPUTs)	2:21.5	0:27.6



DON'T HESITATE...BUY MLBASIC TODAY

Disk - \$69.95  
Tape - \$69.95  
Both - \$74.95

**64 K REQUIRED**

**WasatchWare**

Include \$4.00 Shipping and Handling  
Utah residents add 5.75 % tax  
Check or Money Orders Only (No C.O.D.)

7350 Nutree Drive  
Salt Lake City, UT  
84121

CALL (801) 943-6263

See You at  
**RAINBOWfest-Princeton**  
**October 17-19**



## Get a Kick from *Karate*

you are not technically familiar with the hardware, I suggest you get expert advice before adjusting anything, since you may make it worse. Some test conditions are affected by other factors and not just the one that is being tested. As in the clamping test, the quality of diskette clamping is normally a function of how well the diskette is rotating in a circle, but if the drive is out of alignment, the clamping test results may be meaningless. Make sure you read all the notes in the DDA manual. If you do get a fail on the clamping test and the diskette is not the problem, then the problem should be referred to the manufacturer.

The spindle speed test measures the rotational speed of the disk drive. The speed should be between 294-306 RPMs. If you have a disk drive manual, this should be easy to adjust. Just remember, if you have not done this before, be careful. The next test, the index hole timing test, measures the time difference between the leading edge of the index hole and the beginning of the sector ID mark. Ideally, the time will be 200 microseconds, but can be in the range of 100-300 ms. This is a fairly large margin, but if the timing is out, the DDA manual gives the procedure for adjustment.

Another feature of the test allows you to determine the skew of the head. This is to determine if the head is perpendicular to the disk surface. To do this test, just compare the difference of hole timing from the inside and outside tracks. This is not something you can adjust, so let us hope it is OK. If the head skew is out, you will have to return the drive for refurbishment.

The alignment sensitivity and head alignment tests are used during head alignment. The alignment sensitivity test relates to how tolerant the drives will be to a slight head misalignment.

The directional seek test gives a measurement of how precisely the drives can repeatedly position the head over any track on the disk. The test measures the radial alignment when the head is moved in to a test track and then when it is moved out of the test track. The two measurements are compared; any discrepancies are probably due to hysteresis, and if excessive, the drive should be refurbished.

The last test is the head rotation test. This test determines how close to the center line of the tracks the head moves. The optimum alignment will have the head center line parallel to the track tangent line.

The analog alignment aid is not a test, but is very useful if you are testing drives in the traditional manner using an oscilloscope and an analog alignment disk. This section allows you to start and stop the drive motor, and position the drive head. There is very little that is automatic. This is useful to the more experienced.

Overall, I think the DDA is a good product to have around. A technician can use it in his day-to-day work and the casual user can periodically check the different parameters of the drives to see if a technician is needed. Early detection of a problem can reduce or eliminate costly repairs.

The price varies according to what controller you have, but \$59 for single-sided and \$75 for double-sided drives can be thought of as insurance against repairs in the future.

**(J & M Systems Ltd., 15100-A Central SE, Albuquerque, NM 87123, Drive 0 (SS) \$279, controller \$139, Memory Minder (SS) \$59, (SS or DS) \$75)**

*Karate* is a game for either one or two players requiring a 64K ECB Color Computer and joysticks. The software is available on either disk or tape, and is copy protected.

After loading the program, you are greeted with a color test screen. Here you are given the opportunity to correct the color by resetting the computer. The main title screen follows and has spaces to list the top 10 scores. After selecting either one or two players, you are ready for action.

The object of *Karate* is to knock down your opponent using various karate moves, kicks and punches to score points. Your points are displayed at the top left of the screen. In a two-player game, the first player to win two matches is the winner. The number of matches won for each player is displayed at the bottom of the screen. In the one-player matches the opponent is the computer.

Action is controlled by the joystick(s) and the following karate moves are possible: low kick (trip), forward kick to body, backward kick to body, front punch to head, front punch to body, front kick to head, backward kick to head and drop kick. In addition to these moves, your man can do either forward or backward flips. The moves and punches appear authentic. Obviously the programmer, Dave Dies, knows something about this popular Oriental sport.

The graphics are really outstanding, and unique sounds are used with the score screen. One man has a blue belt and hair, while the other has a red belt and hair.

My only complaint, after learning that the software is copy protected, is that no mention is made in either the documentation or the RAINBOW ads about a warranty. Certainly the author has a right to protect his software, but he should also tell the customer what can be done in the event a problem develops with the program.

If you are into karate, you will get a kick out of this program. But even if you're not, you will find it an interesting game and a pleasant diversion from typical computer fare.

**(Diacom Products, 8715 Fifth Line, Milton, Ontario, Canada L9T 2X8, tape or disk \$28.95 U.S., \$38.95 Can. plus \$2 S/H)**

— Jerry Semones

## CoCo Trend

Computerware  
Utilities

Name brand software  
at least 20% off  
suggested retail.

Prickly Pear  
Entertainment

15001 Glory Dr. Huntsville, Alabama 35803  
(205) 880-COCO (2626)  
Call or write for free catalog.



## OS-9 Utilities Give Added Power to OS-9

One of the nicest things about OS-9 is you are not limited to the utilities that come with the package. The Other Guy's Software is offering a package with some interesting and useful utilities you just might want to try.

I received *OS-9 Utilities* on a disk setup in the popular style having the programs located in their own subdirectory called /cmds. The utilities supplied in the package are: *Bmode*, changes parameters on random block file managers (i.e., disk drives); *Calc*, a scientific calculator with memory; *Cat*, lists files to the standard output; *Cptree*, copies all of one directory (including any subdirectories) to another directory; *CP*, copies one file to another file; *Crypt*, encrypts/decrypts files; *FRS*, reads a Radio Shack DOS text file under OS-9; *Grep*, a patterned search routine; *Hcalc*, a hexadecimal calculator; *Help*, provides help on a user-specified topic; *Locate*, locates all occurrences of a specified filename in a specified directory (includes all of its subdirectories); *Lower*, changes all uppercase letters in a specified file to lowercase letters; *Mkdir*, makes directories; *MV*, moves files from one place to another, deleting the old file as it writes the new one; *RM*, deletes a specified file or files; *Split*, splits one file into several files of specified lengths; *TF*, formats text for display or printing; *TRS*, writes an OS-9 file on a Radio Shack DOS disk; *Upper*,

changes all occurrences of lowercase letters to uppercase letters in a specified file; *Rmdir*, reads the directory of a Radio Shack DOS disk under OS-9.

In addition to these twenty utilities, the package also contains three devices. They are MEM, a RAM disk; NUL, a null device; QUE, a device for ordering command processing

I am not familiar with OS-9 packaged for applications other than the Color Computer. Some of the utilities included in the package duplicate utilities that come with CoCo OS-9 packages. These are *RM*, which seems to be the same as the OS-9 DEL command, *CAT*, which seems to be the same as the OS-9 LIST command, and MKDIR, which does the same job as the OS-9 *MAKDIR* command.

All of the utilities ran without a hitch, except *Bmode*, which the documentation warns will probably not work with the standard CoCo OS-9 drivers.

It would be hard to pick one utility over the others. I liked several of them. The ones I would use most often would be *Cptree* to copy all the files in a /cmds directory, and *MV*, which allows you to move a file from one place to another, deleting the file from its former position as it copies it to its new position.

The only minus mark for this package is for the documentation. The package comes with almost no documentation and the user is expected to get instructions from the Help files. The package does come with a three-page photocopy of the installation instructions. I solved the problem of documentation by loading *List* into memory and then listing each of the Help files to the printer. This gave me a pretty respectable set of instructions.

An unfortunate fact of CoCo OS-9 life is a shortage of both disk and memory space. For this reason I would suggest that a new purchaser of this package load each of these utilities into memory one at a time and then execute them to evaluate whether they deserve a spot in the /cmds directory or not. I believe you will find a spot for at least one or two.

Of the four qualities I look for in a utility — ease of use, usefulness, relative freedom from bugs and value for the price — this package qualifies on all four. I have already purchased two of these utilities separately for much more than the price of the entire package from The Other Guy's Software.

I recommend *OS-9 Utilities* without reservation to anyone who uses OS-9.

(The Other Guy's Software, P.O. Box H, Logan, UT 84321, \$19.95 plus \$2.50 S/H)

— Larry Goldwasser

### About The One-Liner Contest

THE RAINBOW's One-Liner Contest has now been expanded to include programs of either one or two lines. This means a new dimension and new opportunity for those who have "really neat" programs that simply just won't fit in one line.

Here are the guidelines: The program must work in Extended BASIC, have only one or two line numbers and be entirely self-contained — no loading other programs, no calling ROM routines, no poked-in machine language code. The program has to run when typed in directly (since that's how our readers will use it). Make sure your line, or lines, aren't packed so tightly that the program won't list completely. Finally, any instructions needed should be very short.

Send your entry (preferably on cassette) to:

THE RAINBOW One-Liner Contest  
P.O. Box 385  
Prospect, KY 40059

### CHECKING ACCOUNT INFORMATION SYSTEM

Let your CoCo ease the task of managing your checking accounts with CAIS. Record deposits, checks, ATM transactions, interest, service charges and other debit/credit transactions. Reconcile and balance your accounts in minutes. Search and edit capabilities.

Requires 32K and 1 disk drive (min). Printer optional.

To order, send check or MD for 24.95 plus 2.50 S/H to: (SC res. add 5% sales tax)

After Five Software  
P.O. Box 210975  
Columbia, S.C. 29221-0975



(Reviewed in RAINBOW April '86 issue, pg. 185)



# RAINBOW ON TAPE

## Those Great RAINBOW Programs Without All The Fuss! Subscribe to RAINBOW ON TAPE!

Every month, RAINBOW ON TAPE brings as many as two dozen ready-to-run programs right to you. Using the current issue of THE RAINBOW as documentation, all you have to do is load and run them. Just a one-year subscription gives you more than 230 new programs! The typing time saved is time that can be spent with the CoCo. (RAINBOW ON TAPE does not include OS-9 programs or those less than 20 lines.)

**Need a back issue of RAINBOW ON TAPE?  
Issues available beginning with April 1982**

**Subscribe to RAINBOW ON TAPE Today!**

**LOOK FOR OUR ORDER CARD  
BETWEEN PAGES 34 AND 35**

The cost for a single copy of RAINBOW ON TAPE is \$10 within the United States; U.S. \$12 in all other countries. The annual subscription rate for RAINBOW ON TAPE is \$80 within the U.S.; U.S. \$90 in Canada; and U.S. \$105 for all other countries. **U.S. currency only, please.** In order to hold down non-editorial costs, we do not bill.


### NOW AVAILABLE ON DELPHI!

For your convenience, RAINBOW ON TAPE can also be ordered via the Delphi Information Network, in our Shopping Service area of THE RAINBOW's Color Computer SIG (Special Interest Group).

The individual programs from our past September issues are also available for immediate download in the RAINBOW ON TAPE Database area in THE RAINBOW's Color Computer SIG on Delphi. There is a \$3.50 per program surcharge.

RAINBOW ON TAPE is not a stand-alone product, but is intended as an adjunct and complement to the magazine. Even if you purchase RAINBOW ON TAPE, you will still need the magazine for loading and operating instructions.

**To order by phone, (credit card orders only) call  
800-847-0309, 8 a.m. - 5 p.m. EST. All other  
inquiries call 502-228-4492.**



### Programs from Our Past Education Issues:

**September 1985** — *CoCo Testmaker*, a test-writing program to aid teachers and students; *Hand Sign*, demonstrates the manual signs and gestures used in sign language; *Pictograph*, illustrates children's daily schedules; *Teacher's Aid*, calculates grade averages and determines letter grades for up to 35 students; *Starfinder*, displays 12 of the more picturesque constellations and provides educational information on each one; *Vocabulary*, a personalized computer dictionary; *Baseball Fever2*, depicts the graphics logo of each of the National League teams; *Tricky Words*, a language program for practice in the correct use of contractions and possessives; *Canada*, a quiz on capital cities and provinces of Canada; *Col-Poem*, composes poems by user's entered statements; *Diving*, both a springboard and platform diving game; *Oratory*, compiles and prints contest scores; and *Bookmark*, a computerized Dewey Decimal System.

**September 1984** — *Clock*, teaches youngsters to tell time; *Goldpile*, displays or prints out how your stashed accounts are growing; *MC Quiz*, aids in making multiple-choice tests; *Cooking With CoCo*, a recipe for patch addresses; *Mystery*, a learning game designed to test on various countries in the world; *Database Manager*, part III on creating a disk mailing list; *Word Scrambler*, provides drill and practice of assigned spelling words; *Mad Adder*, a logical math exercise; *ABC Game*, a learning tool for preschoolers; *CoCo School Marm Part I*, creates spelling and pronunciation drills using the cassette recorder; *Map*, a colorful states and capitals quiz; *Education Notes*, a calendar creator; and *Wishing Well*, a multi-math driller.



## 1986 Tax Estimate: A Good Deal

I am not the typical customer for tax preparation programs. Having done my own income tax returns for over 20 years, I expect an unusual degree of both sophistication and user friendliness. When I reviewed Try-O-Byte's *Try-O-Tax* program some months ago, I criticized formatting and a number of other details. At that time, I remarked that the best part of the package, good enough to be sold as stand-alone software, was a short program which estimated one's tax liability for next year so rapidly that it could conveniently be used to ask "what if" one changes withholding, establishes an IRA, swaps jobs, and so forth.

*1986 Tax Estimate* is an upgraded development of that small program, and it is so well-done that I look forward with great anticipation to this firm's future efforts. In an estimation program, many of the items I discussed earlier are of no consequence, and *1986 Tax Estimate* is not *Try-O-Tax* for 1986. However, the quality is superb, and implies one should give serious consideration to Try-o-Byte products.

I only tested the disk version. However, the total program storage is under 9K. Try-O-Byte has had tax programs running in 16K cassette systems for years, so this one should do so easily. A PCLEAR might be needed, but that is about all.

*TE86* is sold at or below cost as a sales gimmick; I cannot think of a better way to advertise a tax program. At \$5, with the back side of the disk totally blank and with over 90 percent of the front side also empty, this is too good a deal to pass up. Use the disk for a tax record scratch pad storage area, and consider the program almost free.

No documentation is supplied, but in this case, the menu-driven program is adequately clear and the user probably does not need added documentation.

The user enters estimated values for various items of tax data such as wages, interest income, dividends and similar things. The input includes such categories as income data,

deduction data, credits for taxes paid or withheld and so on. From this information a rapid estimate of tax liability can be made of payment due or refund expected. The speed of operation (three to five minutes including agonizing over input values) allows one to play games with how various decisions will affect your income taxes. Most users will simply use it to see if their withholding is correct and adequate, but the capability to analyze more elaborate issues exists. If a particular input item is of little consequence in your case, or the data is not available, an entry of zero is acceptable.

There are some glaring omissions — for example, there is no entry location for unemployment compensation or for social security benefits for those cases where these are taxable income items, nor is separate entry provided for refunds of state income tax when the refund is taxable income. There is no calculation for excess social security taxes paid because of multiple employers. However, most users faced with these situations are aware of them and are likely to make compensating adjustments at the other option. Still, the omissions are somewhat surprising considering how carefully the author considered other categories such as dividends, interest, etc.

The items entered are not recorded in any manner, and are lost at the end of the run. I found this forced me to keep a small scratch pad handy. Normally I would severely criticize any program that did that, but in this case I consider the decision justified. The input list, while fairly comprehensive (about two dozen items), is still short enough for rapid regeneration, and most users will find over half the list is entered as zero because many categories may not apply. And, more important, the confidentiality of financial information is protected by the lack of printout.

The program outputs to an optional printer; just remember to set the Baud rate prior to the run. The output is very short — Estimated Taxable Income, Estimated Tax Liability and Estimated Payment or Refund.

In summary, *1986 Tax Estimate* is worth getting, and if you like it you should consider Try-O-Byte's other products.

(Try-O-Byte, 1008 Alton Circle, Florence, SC 29501, disk or tape \$5)

— H. Larry Elman

### CANYON COUNTY DEVICES

P.O. BOX C

24hr. Line (805)253-0221

SAUGUS, CA. 91350



SOFT SECTORED  
**DISKS**  
DISKS IN PACKAGES OF 10  
PER PACK 3 PACKS  
SSDD \$ 7.95 \$22.50  
DSDD \$ 8.95 \$25.50

WITH HUB RINGS, SLEEVES, LABELS, & WRITE PROT. TABS  
100% ERROR FREE WARRANTY

COLORS AVAILABLE. ALSO 3.5 in. MICRO DISKS AT SIMILAR SAVINGS. CALL OR WRITE FOR PRICES.

\$\$\$ SAVE \$\$\$

10% DISCOUNT ON ALL ORDERS OF \$20.00 OR MORE. OUR PRICES COULD SAVE YOU UP TO 50% OR MORE FROM LOCAL, OVER-THE-COUNTER PRICES.

No handling charge on orders of \$20 or more.  
ADD \$1.50 handling on orders of less than \$20. COD orders add \$1.50 COD charge.  
Calif. sales add 6.5% tax.

### PRINTER RIBBONS

Catalog#	All Guaranteed Description	Per Ribbon	Box of 6	\$50-\$150 per order
101-1090	Brother HR 15/25 (nylon)	\$ 6.60	\$ 36.15	\$ 35.05
101-1410	Centronics 150/152-2/159	\$ 6.15	\$ 33.65	\$ 32.65
101-1505	C.Itoh Prowriter I&II	\$ 5.05	\$ 27.75	\$ 26.85
101-2240	Epson LX80 Spectrum(nylon)	\$ 5.95	\$ 32.65	\$ 31.65
101-2250	Epson MX/FX/RX70/80(nylon)	\$ 4.95	\$ 27.25	\$ 26.40
101-2270	Epson MX/FX/RX 100 (nylon)	\$ 6.85	\$ 37.60	\$ 36.50
101-2900	IBM SelectricII(Correctbl)	\$ 1.95	\$ 10.90	\$ 10.55
101-4315	NEC 5500/7700 Spinwriter	\$ 7.40	\$ 40.60	\$ 39.35
101-4505	Okidata ML80/82/83/92/93	\$ 2.15	\$ 11.90	\$ 11.50
101-4515	Okidata ML84 (nylon)	\$ 4.85	\$ 26.75	\$ 25.90
101-4525	Okidata Microline182/192	\$ 8.90	\$ 49.00	\$ 47.50
101-4970	RadioShack TRS-80 LP V11	\$ 7.40	\$ 40.60	\$ 39.35
101-4970	Gorilla Banana (nylon)	\$ 7.40	\$ 40.60	\$ 39.35
101-5545	Tally/Mannes. Spirit 80	\$ 6.95	\$ 38.10	\$ 36.95

Ribbons for most printers available. Send us your name, address, & description of printer for Quote & Catalog.  
Quantity Discount Prices available in larger quantities. OK to mix ribbons (minimum 1 box per type) for Discounts.  
Colors available in some popular types. SEND FOR CATALOG.



## Uninterrupted Power Source Prevents File Loss

The Uninterrupted Power Source is a hardware peripheral for the Color Computer from Dynamic Electronics Inc. UPS should be seriously looked at by the user of the CoCo who is concerned about losing files due to a sudden power loss. Businesses and schools using the CoCo should be very interested in this product.

Of course, if you make frequent backups of your files, then perhaps a sudden loss of data and/or programs may not be devastating. But, UPS can help even the casual user in some instances. I was particularly interested since I teach computer literacy with 12 CoCos connected to a Network 2 controller. I have experienced intermittent loss of power when teaching a lesson, which meant reloading the host computer, and then resending the program to the class via the Network.

The Uninterrupted Power Source is designed to provide backup power to five-volt memory chips when commercial power fails, preventing the loss of data and programs. UPS consists of a rechargeable battery, an electronic control circuit, a light emitting diode (LED) and a small toggle switch. If you've ever lost power before making a backup, then you know the frustration. Uninterrupted Power Source prevents this with a simple installation.

UPS comes with one page of instructions. The installation is relatively simple and the only equipment needed is a soldering iron for one connection and a small drill for the LED and toggle switch.

Installation consists of removing the CoCo's cover and finding various components on the board. The instructions state clearly which component to solder one lead to from the rechargeable battery, depending on the model of CoCo you have.

Then, the two other leads from the battery can be placed on either designated pins of the BASIC or Extended BASIC ROM chips, or designated pins of any RAM chip using

eyelets which are easily slid over the correct pin. Then reinsert the chips. I chose the RAM-chip option and the entire operation with the leads and soldering took only 10 minutes.

The rest of the installation involves drilling the holes in the case for the LED and the toggle switch. The rechargeable battery should then be placed under the keyboard. I discovered the best place on my machine is on the right side of the center post. The fit was not as tight and the cover could be reset very easily.

Then came the acid test. I loaded a program into the machine and switched the toggle switch to enable the UPS. Then, I turned off the CoCo and turned it back on. Lo and behold, the program was still in memory and would even still run. According to Dynamic Electronics, the battery should retain the memory for "a couple of hours."

The toggle switch can be moved to the disable position if you do not want to protect memory during a session on the computer. The LED is a visual aid in determining whether memory is being protected once the machine is off. The battery is recharged when the CoCo is on, and the electronic circuit prevents overcharging.

In summary, the Uninterrupted Power Source is a product I can see a need for in many computing situations. If you're using the CoCo for important data, then UPS could be a wise investment. If it saves an important data file only once, then it may be worth it.

(Dynamic Electronics Inc., P.O. Box 896, Hartselle, AL 35640, \$59.95)

— Donald A. Turowski

### One-Liner Contest Winner . . .

Enter the number of grades to be averaged and this program tells how you are doing. The program bases grade inputs on a 100-point scale.

#### The listing:

```
Ø CLS:INPUT"ENTER # OF GRADES TO
BE ENTERED";N:FORX=1TON:INPUT"E
NTER GRADES";G:S=S+G:NEXTX:A=S/N
:PRINT"NUMBER OF GRADES"N:PRINT"
TOTAL POINTS"S:PRINT"AVERAGE"A
```

Tom Baylie  
Chicago, IL

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book of Simulations* and its companion *The Rainbow Simulations Tape*.)

## ADOS ENHANCED, EPROM-ABLE DISK BASIC

Now, you can supercharge Basic with an impressive array of extra features WITHOUT sacrificing compatibility! ADOS is compatible with virtually 100% of commercial software. Customizing utilities are provided to allow user-defined command abbreviations, baud rate, step rate, tracks per disk (35 or 40), support of double-sided drives, and more. After customizing ADOS, you can have it burned into an EPROM that plugs into the Disk Basic ROM socket, or just use it in RAM as a 64K disk utility. (EPROM + burning will cost about \$20—we provide information concerning how you can have this done.) Features include: • repeat and edit of the last direct-mode command • 26 definable control-key abbreviations • automatic line-number prompts • DOS command • lowercase command entry (a fine complement to a Lowerkit or PBJ WordPak) • COPY (filename) to (drive number) • AE error override option • RAM command (64K) • RUNM command • text echoing to printer • ML monitor • text file scan • enhanced directory • error trapping • hi-res text utility included (42, 51, or 64 characters per line)

"I COULD NOT FIND ANY SOFTWARE THAT WOULD NOT RUN UNDER ADOS."

THE RAINBOW, December 1984

"I LOVE ADOS! . . . A GENUINELY FIRST RATE PRODUCT."

Color Micro Journal, February 1985

"I WON'T PART WITH MY ADOS EPROM FOR ANYTHING . . . NO COMPATIBILITY PROBLEMS."

Hot CoCo, May 1985

Disk . . . \$27.95


## THE PEEPER ML PROGRAM TRACER

Monitor machine-language programs AS THEY ARE RUNNING! Peeper actually timeshares with the target program, giving FULL CONTROL as ML programs run. Switch instantly between watching regular program output and Peeper's trace of registers and stack on screen or printer. Inspect memory in any of 26 display modes. Execution speed can be varied from full speed to the barest crawl, or halted entirely, as programs run. Single-stepping, breakpoints, memory or register examine/change. Relocatable, supports 64K use. (16K required) See February '85 review. Disk . . . \$29.95 Tape . . . \$21.95 Assembler source listing . . . Add 3.00

## FASTAPE THE NEXT BEST THING TO A DISK DRIVE

Fastape allows cassette I/O at 3000 baud—TWICE NORMAL SPEED. It uses the high-speed (POKE 65495.0) mode, and makes it convenient to stay in this mode throughout. Features automatic adjustment of cassette and printer parameters when speed mode is changed. Control-key functions for many Basic commands and for changing speed modes. Compatible with all file types, and can be used with Teletypewriter 64 and many other tape utilities. (16K required) See July '83 review.

\*Tape . . . \$21.95 \$11.95 (NEW DISCOUNT PRICE!)

SPECTROSYSTEMS 

11111 N. Kendall Drive,  
Suite A108  
Miami, Florida 33176  
(305) 274-3899 Day or  
Even

No delay on personal checks

Please add \$2.00 shipping Surry no credit cards or COD's



# NEW DISK DRIVES


STARTING AT

**\$ 89.<sup>95</sup>**

**WITH CASE &  
POWER SUPPLY**

**\$129.95**


We carry only the finest quality disk drives • no seconds • no surplus



TANDON MPI TEAC

Speed 6 ms tk to tk and up  
Capacity 250k unformatted  
Tracks 40  
Warranty **now 1 YEAR**

New Low Price!



40Tks 6Ms  
Double Sided  
Double Density

40 or 80 Tracks


1/2 Hght. Teac/Panasonic



**SATISFACTION GUARANTEED!!**

ALL DRIVES FULLY TESTED & WARRANTED


- Complete Disk Drive with Power Supply & Case ..... Teac ..... **\$129.95**
- Two Drives in Dual Case & Power Supply ..... Teac ..... ~~\$279.95~~ **CALL**
- 1/2 ht double sided double density Disk Drives (Panasonic/Teac) <sup>Tracks 40</sup> **\$119.95**
- 1/2 ht double sided double density Disk Drive with ps & case ..... ~~\$199.95~~ **CALL**



How to use your new drive system on audio cassette

Single ps & case \$44.95 Dual 1/2 ht ps & case ..... \$54.95 Dual ps & case ... **Call**

Color Computer Controller (J&M)



**\$129.95**

**DRIVE Ø FOR RADIO SHACK COLOR COMPUTER**

TANDON, MPI OR TEAC DRIVE (SINGLE SIDED 40 TRACKS SPEED 5 MS TRK TO TRK & UP)  
POWER SUPPLY and CASE, TWO DRIVE CABLE WITH ALL GOLD CONNECTORS

J&M CONTROLLER, MANUAL and DOCUMENTATION ..... ~~\$249.95~~ ..... **\$ SALE!**

**DRIVE Ø FOR RADIO SHACK COLOR COMPUTER**

PANASONIC 1/2 HEIGHT DOUBLE SIDED DOUBLE DENSITY DRIVE 500K unformatted  
POWER SUPPLY and CASE, 2 DRIVE CABLE WITH ALL GOLD CONNECTORS

J&M CONTROLLER, MANUAL and DOCUMENTATION ..... ~~\$279.95~~ ..... **Super!! SALE!**

TAKE ADDED SAVINGS ON TWO DRIVE SYSTEMS

DISKETTETS with free library case ..... **\$17.95**

Unadvertised Specials ..... **\$Call**

Drives cleaned, aligned & tested ..... **\$29.95**



10 Diskettes  
CONTROL DATA

BUY THE BEST  
FOR THE LESS!  
CALL!

TECHNICAL STAFF ON DUTY, PLEASE CALL FOR ASSISTANCE.

**CALL US TODAY!!  
ORDER TOLL FREE**

**617-278-6555  
1-800-635-0300**

\* DEALER INQUIRIES INVITED.  
**617-278-6555**



**TRUE DATA PRODUCTS**

9 SOUTH MAIN ST  
UXBRIDGE, MASS. 01569  
**617-278-6555**

We welcome

- Visa / Master Charge
- Checks (allow 2 weeks for clearing)
- C.O.D. Add \$2.00


HOURS MON-SAT 9-6 (EST)



# New Hard Drives

----- COMPLETE SYSTEM ----- JUST PLUG IN -----

**Call For  
BEST PRICE**



**Warranty - One Full Year**

5 to 20 Megabyte, ready to run on the TRS  
80 Model I/III/IV/4P, color computer,

**64K UPGRADES \$19.95**

**VIDEO DRIVER**

ENABLES YOUR COCO TO OPERATE WITH A  
VIDEO MONITOR INSTEAD OF A TELEVISION!


**\$24.95**

**Panasonic 1091 Printer 239.95**

1091 Printer & SP3 & Screen Dump **299.95**

**star** PRINTERS

PRINTER CABLES AND  
INTERFACES AVAILABLE  
Call for current pricing




NEW  
MODEL

**\$219.95**

**SG-10**

# IBM XT

## COMPATIBLE



**call for low price**

### SCREEN DUMP PROGRAM


The best screen dump program for the Epson & Gemini  
printers ever!! Have the option of standard images  
reverse w/regular or double sized pictures **\$19.95**

#### SP-3 INTERFACE for Color Computer

- 300-19,200 BAUD rates
- External to printer — No AC Plugs
- Built in modem/printer switch—no need for  
Y-cables or plugging/unplugging cables

**Only:**

**\$54.95**



#### COMPLETE SYSTEM

**~~299~~<sup>95</sup>**

**NEW  
LOW  
PRICE**

now  
with  
screen  
dump

*Nothing more to buy!*

Dealer inquiries invited



**TRUE DATA PRODUCTS**  
9 SOUTH MAIN ST.  
UXBRIDGE, MASS. 01569



**CALL US TODAY!! 617-278-6555**  
**ORDER TOLL FREE 1-800-635-0300**



Orders  
800-628-2828  
Ext. 850



Information  
301-521-4886

# The Handicappers!

## The Pros

Tired of wrestling with Sunday point spreads? Let your Color Computer do it for you! Pigskin Predictions, the best-selling NFL handicapper, is ready for 1985. Spend a few minutes typing in scores each week, and here's what it will do:

- Menu-driven selection of schedules, ratings, division races, predictions or results by team or week. Seven different reports available.

- Easy once-a-week entry of scores—no complex, meaningless stats.

- Predicts scores of all games for remainder of season each week!

- Calculates projected won-lost records for all weeks.

- Maintains home field advantage and power ratings for all teams.

- 1985 schedule data file included free.

- 32/64K enhanced version features dazzling Rainbow Writer Screen display. Seeing is believing! Standard 16K version included, too.

- You'll be amazed at the power of this program. 16/32K ECB required (32K for disk). Only \$39.95 on tape or disk. 1985 Data tape or disk for previous owners, just \$13.95.



## College

After two years of searching, we've finally found a college football handicapper! We think it's a winner! The Lockmaster® maintains stats on 105 major college teams, analyzes the local point-spread, and rates the game as a betting proposition. Why waste your efforts on games with marginal chances of success, when you can get your Color Computer to pick the games that are most likely to make you a winner?

To use the program, all you need are the College Football ratings that

appear each week in USA Today. You can run individual games (including bowl games), update team stats and customize each game's rating with critical information such as coaching and quarterback changes and injuries to key players.


Using the weekly stats and our mathematical formula (which includes schedule difficulty, power ratings, offense and defense), The Lockmaster rates each game against the current point spread and tells you how sure the bet is.

The Lockmaster is easy to use and menu driven. It includes complete instructions and data file for 105 major college teams. 32K/64K Disk only. Just \$39.95.

# Thoroughbred, Harness, Greyhound



HORSE RACES



HARNESS RACES



DOG RACES

Use your **Color Computer** to improve your performance at the track! These 16K programs for **Thoroughbred, Harness** and **Greyhound** racing rank the horses or dogs in each race quickly and easily, even if you've never handicapped before. All the information you need is readily available from the Racing form, harness or dog track program. We even provide diagrams showing you where to find each item!

**Thoroughbred factors** include speed, distance, past performance, weight, class, jockey's record, beaten favorite and post position. **Harness factors** include speed, post position, driver's record, breaking tendencies, class, park-

ed-out signs and beaten favorite. **Greyhound factors** include speed, past performance, maneuvering ability, favorite box, class, kennel record, beaten favorite and breaking ability.

We include complete instructions and a wagering guide that tells you which races to bet and which to avoid—one of the real secrets of good handicapping. You can buy a more expensive handicapper, but we don't think you can buy a better one! **Thoroughbred, Harness or Greyhound Handicapper**, \$39.95 each on tape or disk. Any two for \$59.95 or all three for \$74.95.




Federal Hill Software 8134 Scotts Level Rd. Baltimore, Md. 21208





*Test your knowledge of America's presidential past with this challenging and enlightening program*



**By Edward T. White**

## Hail to the Chief

**Q**uick — which president preceded Zachary Taylor? Who was president on June 3, 1848? Which president had George M. Dallas as his vice-president? If you know the answers to all these questions, then move along to the next article. If not, read on.

*The Presidents* is a program for the 16K Color Computer which provides information about the presidents of the United States. The program operates in either the question mode, in which the user is quizzed about facts concerning the presidents, or the answer mode, in which the program supplies answers to questions entered by the user. The program has six categories: List the Presidents in Order, Who Was President On (a given date), Vice Presidents, How Many Terms, Native States and Political Parties.

16K owners must type PCLEAR1 before loading the program. The title appears and you hear the first two bars of "Hail to the Chief." Then you need only follow the directions in the program. To give some idea of what *The Presidents* contains, a description of its operation follows. For those who quickly tire of typing, the first two categories can be entered intact by only typing in lines 10 to 95 and 165 through 600.

*Edward White is an assistant professor of mathematics at Frostburg State College in Frostburg, Maryland.*

*The Presidents* is meant to be more a recreational activity and learning tool than a test, so no score is kept. The names of presidents are accepted in a number of forms. William Howard Taft would be acceptable, as would Taft, W. Taft, W. H. Taft, William Taft and William H. Taft (spaces and periods are required). This flexibility was built into the program in order to make it more pleasant to deal with. However, in the question mode this may create an ambiguity — Johnson would be accepted for either Andrew Johnson or Lyndon Johnson. To avoid misunderstanding, and for reinforcement, whenever only the last name is entered, the program prints CORRECT along with the full name of the president. In the answer mode, asking a question about Johnson causes the program to give information about the first Johnson it finds, namely Andrew Johnson. To find out about Lyndon Johnson, the user must enter at least L. Johnson.

Category one, List the Presidents, operates in the question mode only and allows several formats. The user may opt either to list the names in a continuing sequence from a chosen or random starting point, or to provide the next president with respect to a random president chosen by the program. The listing in either option may be chosen to proceed either forward or backward.

In category two, Who Was President On . . . , the program calculates which president was in office on a given date from 1789 to 1983. In the question mode, a date is given and a president asked for. In the answer mode, the user enters a date (according to instructions in the program) and the program prints the name(s) of the correct president(s). The program can recognize invalid dates, and is equipped to manage leap years and inauguration days.

In the question mode, category three, Vice Presidents, provides the name of a vice-president and asks for the corresponding president. In the answer mode, the user enters a president and the program lists all his vice-presidents.

Category four, How Many Terms, prints the name of a president in the question mode, and the user must enter (according to instructions in the pro-



gram) a code representing the number of terms, whole or partial, served by the president. In the answer mode, the user enters a president, and the program prints out a sentence describing the number of terms the president served. In either mode, the program prints the specific years involved. For example, (1961-1963).

In categories five and six, Native States and Political Parties, the program prints the name of a president in

the question mode, and the user must respond with the appropriate information. The answer mode works the same way, except that the roles of user and program are reversed. In category six, some abbreviations are accepted for political parties — Rep. for Republican, for example.

In either the question or answer mode, entering MENU as the answer to a question returns the user to the menu to choose a new category. In the ques-

tion mode, pressing ENTER as the answer to a question causes the program to give the correct answer, so a little time with the program can give you a lot of information. Have fun! By the way, the answer to all three questions at the beginning of this article is our 11th president, James K. Polk.

(Questions about this program may be directed to the author at 104 Ormond Street, Frostburg, MD 21532. Please enclose an SASE for a reply.) □

60	.....107	475	.....74
90	.....102	570	.....42
125	.....101	640	.....40
180	.....209	730	.....165
275	.....211	800	.....240
350	.....82	890	.....204
420	.....19	END	.....235

**The listing:** PRESIDENT

```

5 'THE PRESIDENTS, EDWARD T. WHITE 1986
1Ø CLS:PRINT@2ØØ,"THE PRESIDENTS
"
15 PLAY"O2T3L2GL4ABL2O3CO2L4BAL4
.GL8AL4GEL2DC"
2Ø PRINT@485,"PRESS ANY KEY TO BEGIN";
25 A$=INKEY$:RR=RND(Ø):IFA$=""TH
EN25
3Ø CLEAR2ØØØ:N=4Ø:VN=43:DIMF$(N)
,M$(N),L$(N),MO$(12),DY(12),ST$(
2Ø),PT$(1Ø),VP$(VN),MS$(3),V$(3)
35 CLS:PRINT@2ØØ,"READING DATA.
."
4Ø FOR J=1 TO N:READ F$(J),M$(J)
,L$(J)
45 IF M$(J)=""THEN5ØELSE M$(J)=M
$(J)+" "
5Ø NEXTJ:F$(Ø)="NOBODY":MS$(Ø)="
INCORRECT":MS$(1)=" CORRECT"
55 DATA GEORGE,,WASHINGTON,JOHN,
,ADAMS,THOMAS,,JEFFERSON,JAMES,,
MADISON,JAMES,,MONROE,JOHN,QUINCY,
ADAMS,ANDREW,,JACKSON,MARTIN,,
VAN BUREN,WILLIAM,HENRY,HARRISON
,JOHN,,TYLER,JAMES,KNOX,POLK,ZACHARY,
,TAYLOR,MILLARD,,FILLMORE,F
RANKLIN,,PIERCE
6Ø DATA JAMES,,BUCHANAN,ABRAHAM,
,LINCOLN,ANDREW,,JOHNSON,ULYSSES
,SIMPSON,GRANT,RUTHERFORD,BIRCHARD,
HAYES,JAMES,ABRAM,GARFIELD,CH
ESTER,ALAN,ARTHUR,GROVER,,CLEVEL

```

```

AND,BENJAMIN,,HARRISON,GROVER,,C
LEVELAND,WILLIAM,,MCKINLEY,THEOD
ORE,,ROOSEVELT
65 DATA WILLIAM,HOWARD,TAFT,WOOD
ROW,,WILSON,WARREN,GAMALIEL,HARD
ING,CALVIN,,COOLIDGE,HERBERT,CLA
RK,HOOVER,FRANKLIN,DELANO,ROOSEV
ELT,HARRY,S.,TRUMAN,DWIGHT,DAVID
,EISENHOWER,JOHN,FITZGERALD,KENN
EDY,LYNDON,BAINES,JOHNSON,RICHAR
D,MILHOUS,NIXON
7Ø DATA GERALD,RUDOLPH,FORD,JAME
S,EARL,CARTER,RONALD,WILSON,REAG
AN
75 FORJ=1TO12:READMO$(J),DY(J):N
EXTJ
8Ø DATA JANUARY,31,FEBRUARY,28,M
ARCH,31,APRIL,3Ø,MAY,31,JUNE,3Ø,
JULY,31,AUGUST,31,SEPTEMBER,3Ø,O
CTOBER,31,NOVEMBER,3Ø,DECEMBER,3
1
85 IM$="433333333433733343339333
39333833411;1811"
9Ø ID$="N44444444645:444?444D444
4>444344<DDFD9DD"
95 IY$="8997Ø1Ø91725293741414549
5Ø535761656977818185899397Ø1Ø913
212329334553616369747781"
1ØØ NT$="DBDDDBDBAABAABBCADBAADB
DCCBDACBGCDACCABB"
1Ø5 T$="Ø1Ø2Ø3Ø3Ø4Ø5Ø6Ø7Ø8Ø91112
141516161818192Ø2223242525262728
293Ø3132323233343536373738394Ø"
11Ø FOR J=1 TO 43:READ VP$(J):NE
XTJ
115 DATA JOHN ADAMS,THOMAS JEFFE
RSON,AARON BURR,GEORGE CLINTON,E
LDRIDGE GERRY,DANIEL D. THOMKINS
,JOHN C. CALHOUN,MARTIN VAN BUR
EN,RICHARD M. JOHNSON,JOHN TYLE
R,GEORGE M. DALLAS,MILLARD FILLM
ORE,WILLIAM R. KING,JOHN C. BREC
KENRIDGE
12Ø DATA HANNIBAL HAMLIN,ANDREW
JOHNSON,SCHUYLER COLFAX,HENRY WI
LSON,WILLIAM A. WHEELER,CHESTER

```



```

A. ARTHUR, THOMAS A. HENDRICKS, LE
VI P. MORTON, ADLAI E. STEVENSON,
GARRET A. HOBART, THEODORE ROOSEV
ELT, CHARLES W. FAIRBANKS, JAMES S
. SHERMAN
125 DATA THOMAS R. MARSHALL, CALV
IN COOLIDGE, CHARLES G. DAWES, CHA
RLES CURTIS, JOHN N. GARNER, HENRY
A. WALLACE, HARRY S. TRUMAN, ALBE
N W. BARKLEY, RICHARD M. NIXON, LY
NDON B. JOHNSON, HUBERT H. HUMPHR
EY, SPIRO T. AGNEW, GERALD R. FORD
, NELSON A. ROCKEFELLER
130 DATA WALTER F. MONDALE, GEORG
E BUSH
135 SB$="12111234115146785999:;9
;94919:<4=>2>?@AB"
140 FOR J=1 TO 18:READ ST$(J):NE
XTJ
145 DATA VIRGINIA, MASSACHUSETTS,
SOUTH CAROLINA, NEW YORK, NORTH CA
ROLINA, NEW HAMPSHIRE, PENNSYLVANI
A, KENTUCKY, OHIO, VERMONT, NEW JERS
EY, IOWA, MISSOURI, TEXAS, CALIFORNI
A, NEBRASKA, GEORGIA, ILLINOIS
150 PP$="0011112233232242444424
24442444224224424"
155 FOR J=1 TO 10:READ PT$(J):NE
XTJ
160 DATA FEDERALIST, FED, DEMOCRAT
IC-REPUBLICAN, DEM-REP, DEMOCRAT, D
EM, WHIG, WHIG, REPUBLICAN, REP
165 GOTO280
170 AN=1:IF N$=L$(R) THEN GOSUB22
0:AN=3:MS$(3)=MS$(1)+"--"+NM$:RE
TURN
175 IF N$><F$(R)+" "+L$(R) THEN
185
180 IF R=6 AND N$="JOHN ADAMS" T
HEN GOSUB220:AN=3:MS$(3)=MS$(1)+
"--"+NM$:RETURN ELSE RETURN
185 IF N$=F$(R)+" "+M$(R)+L$(R)
THEN RETURN
190 IF N$=LEFT$(F$(R),1)+" "+L$(
R) THEN RETURN
195 IF N$="JIMMY CARTER" OR N$="
TEDDY ROOSEVELT" THEN RETURN
200 IF M$(R)="" THEN AN=0:RETURN
205 IF N$=F$(R)+" "+LEFT$(M$(R),
1)+" "+L$(R) THEN RETURN
210 IF N$=LEFT$(F$(R),1)+" "+LE
FT$(M$(R),1)+" "+L$(R) THEN RET
URN
215 AN=0:RETURN
220 IF M$(R)="" THEN NM$="":GOTO230
225 IF R=6 OR R=9 THEN M$=M$(R)
ELSE M$=LEFT$(M$(R),1)+" "
230 NM$=F$(R)+" "+M$+L$(R)
235 RETURN

```

```

240 INPUT "PRESIDENT";N$
245 IF N$="MENU" THEN AN=2:RETURN
250 N1$=RIGHT$(N$,4)
255 FOR R=1 TO N
260 IF N1$><RIGHT$(L$(R),4) THEN
AN=0:GOTO270
265 GOSUB170:IF AN=1 OR AN=3 THE
N RETURN
270 NEXT R
275 PRINT "NOT FOUND. IS YOUR SP
ELLING CORRECT?":RETURN
280 CLS:PRINT "CHOOSE CATEGORY"
285 PRINT "1 LIST THE PRESIDENT
S IN ORDER"
290 PRINT "2 WHO WAS PRESIDENT
ON...?"
295 PRINT "3 VICE PRESIDENTS"
300 PRINT "4 HOW MANY TERMS...?"
"
305 PRINT "5 NATIVE STATES"
310 PRINT "6 POLITICAL PARTIES"
315 INPUT Q:PRINT:IF Q<1 OR Q>6 THEN
PRINT@319," ";GOTO315
320 CLS:PRINT"CHOOSE:":PRINT"Q
THE PROGRAM ASKS QUESTIONS, OR A
THE PROGRAM WILL ANSWER YOUR
QUESTIONS":PRINT
325 IF Q=1 THEN340
330 INPUT "Q OR A";MD$:IF MD$><"
Q" AND MD$><"A" THEN330
335 IF Q=2 AND MD$="A" THEN355
340 CLS:PRINT"TO RETURN TO THE M
ENU, ENTER MENU AS THE ANSWER
TO A QUESTION"
345 IF MD$><"A" THEN PRINT"DURIN
G YOUR CATEGORY, PRESS <ENTE
R> IF YOU WANT TO REVEAL THE A
NSWER TO A QUESTION"
350 PRINT:PRINT "NOW PRESS <ENTE
R> TO BEGIN YOUR CATEGORY":INPUT
A$
355 CLS:ON Q GO TO 360,445,605,7
50,885,945
360 CLS:PRINT "CATEGORY: LIST TH
E PRESIDENTS":PRINT
365 RF$="":PRINT "1 LIST PRESIDE
NTS FROM A CHOSEN STARTING POI
NT TO END, OR":PRINT"2 ANSWER RA
NDOM SINGLE QUESTIONS";:INPUT SF
$:PRINT:SF=VAL(SF$):IFSF$="MENU"
THEN280
370 IF SF<1 OR SF>2 THEN365
375 PRINT "LIST PRESIDENTS":PRIN
T"F FORWARD, OR":PRINT"B BACKW
ARD":INPUTFF$:IF FF$="B" THEN FF
=-1 ELSE FF=1
380 IF FF$="MENU" THEN280
385 IF SF=1 THENPRINT:PRINT"BEGI
NNING WITH...?":PRINT"ENTER THE

```



```

NAME OF A PRESIDENT, OR PRESS <
ENTER> FOR A RANDOM STARTING P
OINT":INPUTRF$
390 CLS:IFRF$=""THEN P=RND(N):GO
TO405
395 N$=RF$:GOSUB245:P=R:IFAN=0 T
HEN385ELSE IF AN=2THEN280
400 CLS
405 R=P:P1=P+FF:IF P1=0 OR P1=N+
1 THEN 440
410 IF SF=0 THEN 420
415 GOSUB 220:PRINT STR$(P);".";
NM$:IF SF=1 THEN PRINT
420 P=P1:R=P:PRINT STR$(P);".";:
INPUTN$:IF N$=""THEN GOSUB 220:P
RINT:PRINT STR$(P);".";NM$:PRINT
:GOTO435ELSE IF N$="MENU"THEN280
425 GOSUB170:PRINT MS$(AN)
430 PRINT:IF AN=0 THEN 420
435 IF SF<=1 THEN SF=0:GOTO 405
ELSE P=RND(N):GOTO405
440 IF SF<=1 THEN INPUT "PRESS E
NTER TO RETURN TO THE MENU";Q
$:GOTO280ELSEGOTO390
445 PRINT "CATEGORY:WHO WAS PRES
IDENT ON..."
450 IF MD$><"A" THENM1=RND(12):D
1=RND(DY(M1)):Y1=RND(186)+1797:G
OTO515
455 PRINT"ENTER MONTH,DAY,YEAR (
1789-1983)SEPARATED BY COMMAS (F
OR EXAMPLenov,13,1949 OR 11,13,1
949). TO RETURN TO THE MENU, EN
TER MENU,0,0"
460 PRINT:INPUT "DATE";M1$,D1$,Y
1$:M1=VAL(M1$):D1=VAL(D1$):Y1=VA
L(Y1$):IF M1$="MENU"THEN280
465 IFM1>0 AND M1<13 THEN490
470 FORM1=1TO12
475 IF LEFT$(M1$,3)=LEFT$(MO$(M1
),3)THEN490
480 NEXTM1
485 PRINT"INVALID MONTH":GOTO460
490 IF Y1=1789 AND D1=30 AND M1=
4 THENPRINT"GEORGE WASHINGTON BE
CAME THE FIRST PRESIDENT OF T
HE UNITED STATES.":GOTO460
495 IFY1=1900 OR Y1=1800 THEN 50
5
500 IF D1=29 AND M1=2 AND Y1=4*I
NT(Y1/4) THEN510
505 IF D1<1 OR D1>DY(M1) THENPRI
NT"INVALID DATE":GOTO460
510 IF Y1<1789 OR Y1>1983 THENPR
INT"YEAR OUT OF RANGE":GOTO460
515 IF Y1=1849 AND D1=4 AND M1=3
THEN D1=5:IFMD$="A"THENPRINT"JA
MES K. POLK LEFT OFFICE ON MA
R.4, BUT ZACHARY TAYLOR WAS NO

```

```

T INAUGURATED UNTIL MAR 5.":GOTO
460
520 FORJ=1TON
525 YR=VAL(MID$(IY$,2*J-1,2))+18
00+100*INT((J-3)/23)
530 IFYR>=Y1 THEN540
535 NEXTJ:J=N:GOTO570
540 J=J-1:MN=ASC(MID$(IM$,J+1,1)
)-48:DN=ASC(MID$(ID$,J+1,1))-48
545 IFYR>Y1 THEN570
550 IFMN<M1 THENJ=J+1:GOTO570
555 IFMN>M1 THEN570
560 IFDN<D1 THENJ=J+1
565 IFDN=D1 THEND1=D1+1:J=J+1:IF
MD$="A"THEN595
570 IFMD$="A"THENR=J:GOSUB220:PR
INTNM$:GOTO460
575 PRINT:PRINT"WHO WAS PRESIDEN
T ON":PRINTMO$(M1);STR$(D1);",";
Y1;"?"
580 INPUTN$:IFN$=""THENR=J:GOSUB
220:PRINTNM$:GOTO450
585 IFN$="MENU"THEN280
590 R=J:GOSUB 170:PRINTMS$(AN):I
FAN=0THENPRINT:GOTO580ELSE450
595 R=J-1:GOSUB220:P1$=NM$:R=J:G
OSUB220:P2$=NM$
600 PRINT"THE PRESIDENCY PASSED
FROM":PRINTP1$;" TO":PRINTP2$:GO
TO460
605 PRINT "CATEGORY: VICE PRESID
ENTS":PRINT
610 PRINT:IF MD$><"A" THEN R1=RN
D(VN) ELSE 665
615 P=VAL(MID$(T$,2*R1-1,2))
620 R=P:GOSUB220
625 PRINT "WHICH PRESIDENT HAD":
PRINT VP$(R1):PRINT "AS HIS VICE
PRESIDENT?"
630 INPUT N$
635 IF N$="MENU" THEN 280
640 IF N$=""THEN PRINT NM$:GOTO6
10
645 R=P:GOSUB170
650 IF R1=4 AND AN=0 THEN R=4:GO
SUB170
655 IF R1=7 AND AN=0 THEN R=7:GO
SUB170
660 PRINT MS$(AN):IFAN=1 OR AN=3
THEN610ELSE630
665 GOSUB 240:PRINT:ON AN+1 GOTO
665,670,280,670
670 IF R<N+1 THEN GOSUB220:NV=0E
LSE 610
675 L=2*VN
680 FORJ=1 TO L STEP 2
685 V=VAL(MID$(T$,J,2))
690 IF R=V THEN NV=NV+1:V$(NV)=V
P$((J+1)/2)

```



## HOT HARDWARE

### UNIVERSAL VIDEO DRIVER

**IT'S THE BEST!!! Great Price! Only \$29.95**

Carefully engineered to work with ALL Color Computer models including the newest COCO II. Enables your COCO to operate with a video monitor instead of a television.

- Works with monochrome monitors!
- Works with color monitors!
- Audio Connection included!
- Easy installation—no soldering!

### PCX-II COMPUTER

**Total IBM compatibility at sensational prices!!!**

Complete computer systems starting as low as \$649.00.  
Check our performance and prices.

### TANDY 1000 UPGRADES

640K upgrade board with real time clock .....	\$189.95
Serial Interface Board .....	49.95
Parallel Interface Board .....	29.95
Hayes compatible 300/1200 Baud deluxe modem .....	189.95

### QUALITY VIDEO MONITORS

Sakata SC-100 Color monitor with speaker and earphone jack .....	\$179.95
Samsung MD-1251K Amber Screen - great price .....	89.95
Magnavox BM-7622 Amber Screen - high quality, low price ..	99.95

Order a quality monitor from us and get a Universal Video Driver for only \$24.95 — Save \$5.00.

### PRINTERS AND ACCESSORIES

Citizen 120-D Printer, Deluxe features .....	Only \$219.95
Star NX-10 Printer, New model for '86 .....	279.95

**GRAFX SCREEN** - versatile screen dump software. Print horizontal or vertical, image magnification, positive or negative and more - 5 1/4" disc.  
**ONLY \$14.95**

**GRAFX SCREEN — FREE with your printer order.**

#### SERIAL TO PARALLEL INTERFACE

300 to 9600 baud. Complete with all cables and connectors.  
**Only \$49.95**

### DISC DRIVES

Teac 55B DSD Drive .....	\$119.95	Drive one upgrade for new Tandy dual horizontal cabinet ..	119.95
J&M JFD-CP Controller with DOS .....	139.95	Disc drive cable .....	24.95
Dual cabinet, power supply holds 2 horizontal 1/2 height drives ..	79.95	Radio Shack DOS Rom 1.1 w/manual .....	29.95

### DISCS • CASSETTES • ROMS • CHIPS

5 1/4" discs, double density, reinforced hub w/sleeve, guaranteed.  
**\$12.95 for 10 discs in an attractive storage box.**

C-10 Cassettes w/labels .....	10 for \$5.50
Cassette storage box .....	10 for \$2.00
Basic 1.2 ROM .....	\$39.95
Extended 1.1 ROM w/Manual .....	\$49.95

**DISC STORAGE CASE** - Attractive, heavy duty acrylic case with lock. Holds and protects 50 5 1/4" discs.

**SUPER BARGAIN ONLY \$9.95**

Purchase this attractive storage case including 10 discs for \$21.95.

#### 64K Memory Expansion Kit.

All parts and complete instructions (for 'E' and 'F' boards and COCO II)  
**NOW ONLY \$19.95**

## SUPER SOFTWARE

### CyberTank



Tired of flying wimpy airplanes???

Want to try something macho for a change??

ORDER NOW! 64K Disk only.  
**\$27.95**

**CYBERTANK is a real-time tank simulation that will get your adrenalin flowing!**

Your survival depends upon lightening-fast tactical decisions. Penetrate deep into enemy territory with powerful intelligence gathering devices and sophisticated armaments. Cannons, heat seeking missiles, flame throwers, pill boxes, battle tanks... **THIS ONE HAS IT ALL!!**

Other Super Arcade Games:

### SHOCK TROOPER

Tut's Tomb  
Time Fighter



Intelligence has intercepted a coded message revealing a plan to conquer Earth. Four of your Shocktroopers must infiltrate the heavily defended underground enemy base and steal all of the secret TRG-5 attack saucer sub-assemblies.

**SUPER ACTION ARCADE GAME!!**

### THE VORTEX FACTOR

The Sixth & Most Challenging of our Adventures

What is it? What secrets does it hold?

The seeker of treasures through time and space must find out! From the Coliseum of ancient Rome to the futuristic world of tomorrow.

**UNFORGETTABLE ODYSSEY.**

Other Exciting Adventures

Calixto Island  
Shenanigans  
Sea Search • Trekboer  
Black Sanctum

All games -  
Cassettes \$24.95  
Discs \$27.95  
32K required.

### COCO UTIL II - NEW VERSION

Transfer Coco disc files to your IBM compatible computer.

You may also transfer MS-DOS files to a Color Computer disc. Save hours of retyping.

Coco Util has been so popular we decided to make it even more powerful and versatile... extended directories, faster, improved menu selection system and more!



**\$39.95**

Coco Util users upgrade to the new version for only \$12.95 including shipping and handling.

### FOR THE SERIOUS COCO USER

**Accounting System** - very popular ledger system for small businesses. .... **\$99.95 disk**

**Order Entry** - an excellent companion to the accounting system .... **\$99.95 disk**

**Easy File** - get organized with this user friendly data management system .... **\$59.95 disk**

**Super Screen** - Best screen enhancement program available.  
Cassette \$29.95 Disk \$32.95

**FREE** — Send for our free flier.



Mark Data Products


24001 Alicia Parkway, No. 207, Mission Viejo, CA 92691 • (714) 768-1551

SHIPPING: All orders under \$100 please add \$2 regular, \$5 air. All orders over \$100 please add 3% regular, 8% air. California residents please add 6% sales tax. Orders outside the continental U.S., check

with us for shipping amount; please remit U.S. funds. Software authors—contact us for exciting program marketing details. We accept MasterCard and VISA. Distributed in Canada by Kelly Software.



# The art of entertainment



## *Pinball Factory* by Kary McFadden

The video game comes full circle in this glorious tribute to the original. Classic pinball spings to life as never before, with fresh new angles that only the computer can offer. Crisp graphics, sound, and fast, smooth action give this machine-language arcade game a realistic, responsive feel you'll hardly believe. There are even "tilt" buttons that let you "bump" the machine!


In addition to playing a great game of pinball, you can enjoy hours of creative pleasure as you design, build, and edit your own screens. Save and load your favorite creations. The joystick-controlled cursor makes it all easy.

**Change the board:** build with bumpers, tabs, and a multitude of solid obstacles to form any configuration imaginable.

**Change the face:** draw your own title board with lines, rays, and shape patterns. Add text in three different colors, and two different sizes.

**Change the rules:** alter the gravity, bounce, and scoring!

64K Color Computer required. \$34.95




## *Speed Racer* by Steven Hirsch

The checkered flag drops as your pulse rises in this lively new arcade game. The road twists to the horizon on the 3-D panorama that sets the stage for the most exciting race the CoCo has ever seen!

Vie for time as you speed through the curves at incredible speeds. Step through the gears to stay ahead of the pack, but step lively since some will stop at nothing to see the end of the race, or the end of you!

Four challenging raceways, complete with obstacles and colorful 3-D scenery, put your skills to the test in this Pole Position™ type game.

32K Color Computer required. \$34.95



## *Rommel 3-D* by Kary McFadden

You clutch the tank controls, searching for any sign of the enemy. Suddenly a blip appears on radar! Frantically, you move your tank into position. At last you spot the elusive enemy tank! Facing it, you race to lock sights and fire before he does!

Enter the ultimate battle-zone in this exciting 3-D tank combat game. Strategy, speed, and your tank's cannon are your only hope as you wind through a three-dimensional course inhabited by impenetrable barriers and enemy tanks.

Dazzling graphics and lifelike sound take you a step beyond the ordinary in this fast, machine-language arcade game. Enter the next dimension, ROMMEL'S troops are waiting for you!

32K Color Computer required. \$29.95

# MichTron

576 S. TELEGRAPH, PONTIAC, MI 48053  
ORDERS AND INFORMATION (313) 334-5700  
PRICES DO NOT INCLUDE SHIPPING AND HANDLING





```

695 IF R<V THEN 705
700 NEXT J
705 IF NV=0 THEN 745
710 IF J=11 THEN NV=2:V$(2)=V$(1)
):V$(1)="GEORGE CLINTON"
715 IF J=17 THEN NV=2:V$(2)=V$(1)
):V$(1)="JOHN C. CALHOUN"
720 IF J=2*VN+1 THEN R=N:GOSUB22
0:PRINT NM$;"'S":PRINT"VICE PRES
IDENT IS ";VP$(VN):GOTO610
725 IF J=43 THEN NV=2:V$(2)="ADL
AI E. STEVENSON"
730 IF NV=1 THEN SX$="" ELSE SX$
="S"
735 PRINT NM$;" HAD":PRINT RIGHT
$(STR$(NV),1);" VICE PRESIDENT";
SX$;" "
740 FOR K=1 TO NV:PRINT "--";V$(
K):NEXTK:GOTO610
745 PRINT NM$;" HAD":PRINT "NO V
ICE PRESIDENTS":GOTO610
750 PRINT "CATEGORY: HOW MANY TE
RMS...":PRINT
755 IF MD$="A" THEN 760 ELSEPRIN
T "ANSWER IN THE FORM":PRINT " 1
- (LESS THAN ONE TERM)":PRINT
" 1 (EXACTLY ONE TERM)":PRINT
" 2- (MORE THAN ONE TERM, BUT
LESS THAN TWO)":PRINT "E
TC."
760 IF MD$="Q" THEN R=RND(N-1):P
RINT:GOTO 770
765 PRINT:GOSUB240:ON AN+1 GOTO7
65,770,280,770
770 R1=R:IF R=22 OR R=24 THEN CF
=1:TR$="2":GOTO800
775 IF R=N THEN PRINT "HE'S NOT
FINISHED YET":GOTO760
780 YI=VAL(MID$(IY$,2*R-1,2))+18
00+INT((R-3)/23)*100
785 YL=VAL(MID$(IY$,2*R+1,2))+18
00+INT((R-2)/23)*100
790 TR=.5*(ASC(MID$(NT$,R,1))-64
):TS=INT(TR)
795 IF TR=TS THEN TR$=RIGHT$(STR
$(TR),1)ELSE TR$=RIGHT$(STR$(TS+
1),1)+"-"
800 GOSUB220
805 IF MD$="A" THEN 850
810 PRINT "HOW MANY TERMS DID ":
PRINTNM$;" SERVE";:INPUT TU$
815 IF TU$=""THENPRINT TR$:GOTO8
35
820 IF TU$="MENU" THEN 280
825 IF TU$>TR$ THEN 845
830 PRINT "CORRECT"
835 IF CF=0 THEN PRINT "(";RIGHT
$(STR$(YI),4);"-";RIGHT$(STR$(YL
),4);")":GOTO760

```

```

840 CF=0:PRINT "(1885-1889, 1893
-1897)":GOTO760
845 PRINT "INCORRECT":INPUT TU$:
GOTO815
850 VL=VAL(TR$):IF VL=1 THEN EX$
="TERM" ELSE EX$="TERMS"
855 IF LEN(TR$)=1 THEN TR$=TR$+"
":GOTO875
860 IF VL=1 THEN TR$="LESS THAN
ONE ":GOTO875
865 NOS=EX$:IF VL=2 THEN NOS="TE
RM"
870 TR$="MORE THAN"+STR$(VL-1)+
"+NOS+" BUT LESS THAN "+STR$(VL
)+" "
875 PRINT NM$;" SERVED":PRINT TR
$;EX$
880 GOTO 835
885 PRINT "CATEGORY: NATIVE STAT
ES"
890 PRINT:IFMD$="A"THENGOSUB240:
ON AN+1 GOTO890,900,280,900
895 R=RND(N)
900 S=ASC(MID$(SB$,R,1))-48
905 S$=ST$(S)
910 GOSUB220
915 IF MD$="A" THEN PRINT NM$:PR
INT "WAS BORN IN ";S$:GOTO890
920 PRINT "IN WHICH STATE WAS":P
RINT NM$;" BORN?"
925 INPUTA$
930 IF A$="MENU" THEN 280
935 IF A$="" THEN PRINT S$:GOTO8
90
940 IF A$=S$ THEN PRINT "CORRECT
":GOTO 890 ELSE PRINT "INCORRECT
":GOTO925
945 PRINT "CATEGORY: POLITICAL P
ARTIES"
950 PRINT:IF MD$="A"THENGOSUB240
:ON AN+1 GOTO950,960,280,960
955 R=RND(N)
960 PT=ASC(MID$(PP$,R,1))-47
965 T1$=PT$(2*PT-1):T2$=PT$(2*PT
)
970 GOSUB220:IFR=N THENVB$="IS "
:VC$="DOES"ELSEVB$="WAS ":VC$="D
ID"
975 IF MD$="A" THEN PRINT NM$:PR
INT VB$;"A ";T1$:GOTO950
980 PRINT "TO WHICH POLITICAL PA
RTY ";VC$:PRINT NM$;" BELONG?"
985 INPUT A$
990 IF A$="" THEN PRINT T1$:GOTO
950
995 IF A$="MENU" THEN 280
1000 IF A$=T1$ OR A$=T2$ THEN PR
INT "CORRECT":GOTO950 ELSE PRINT
"INCORRECT":GOTO985

```



*This version includes an updated  
matching test section for true  
randomizing of pairs*

# CoCo Testmaker Revisited

**By Ron Powers**

**I** found *CoCo Testmaker* by Lynn C. Sherman and Walter Baldasaro (September 1985, Page 30) to be a fine and useful program. I have used it this school year to compose several tests. There was one

*Ron Powers lives in Davenport, North Dakota and teaches high school English. Before reentering the teaching profession in 1985, he spent 20 years as a broadcast journalist. A CoCo owner for three years, Ron has only had a serious interest in programming for less than a year.*

section, however, that I didn't like. The matching test always gave the same answer key. It was not truly randomizing the pairs. I have rewritten that section of the *CoCo Testmaker*.

I found their line numbering a little disconcerting and renumbered the program to suit my own style. I also changed their INPUT statements to LINE INPUT statements, so punctuation marks can be used without losing some of the questions or statements.

In lines 6060 through 6090 a FOR/NEXT loop assigns the pairs of statements to strings G\$(X) and H\$(X). Lines 6110 through 6170 randomize the pairs of statements with lines 6130 and

6150 as counters to eliminate statements already used.

I plan to further refine other parts of the *Testmaker* to make the program a little easier to use. Nonetheless, I offer the original authors my heartfelt thanks for getting me started on computerized test writing.

Note that I have changed the Print Test Heading section a little so that Class or Subject, Test Title, Date and a space for Name are all printed.

*(Questions about this program may be directed to Mr. Powers at Rt. 1 Box 43, Davenport, ND 58021, 701-347-4321. Please enclose an SASE when writing.)* □

```

1040 .....6  5120 .....186
2090 .....117 6135 .....251
4000 .....95  END .....54
4310 .....110
    
```

The listing: TESTMAKR

```

1 GOTO 5
2 SAVE"TESTMAKR":SAVE"TESTER",A:
END
5 CLS:CLEAR 20000
10 PRINT"MAKE SURE PRINTER IS ON
    
```


```

AND PAPER IS SET TO TOP OF
PAGE
20 PRINT"PRESS A KEY TO BRING UP
MENU"
30 INPUT A$
40 CLS
50 INPUT" 1 PRINT TEST HEADING
2 MULTIPLE CHOICE
3 FILL IN THE BLANK
4 ANSWER QUESTIONS
5 TRUE FALSE
6 MATCHING";N
    
```



# For the serious student . . . from Preschool to College . . . .

- Ages 3-5
- Hand-eye coordination
- Colors
- Shapes
- Numbers
- Great graphics and music
- Reading readiness skills
- Capital letters
- Small letters
- Learn to associate letters and letter blends with the sounds they make
- Requires 32K ECB and joysticks



## PreReader



**\$19.95 - Tape**  
**\$24.95 - Disk**


## GALACTIC HANGMAN



**Both 16K ECB and 32K ECB versions included on tape**  
**\$17.95**

- For grade 2 and up
- Exciting version of popular word guessing game
- Play against the computer or a friend
- Outstanding high-resolution graphics and animation
- Great sound effects and music
- 700 word vocabulary included
- Create your own word files
  - your child's spelling list
  - foreign language vocabulary
  - specialized word list, i.e., geographic, chemistry, physics
- Broaden your vocabulary
- Both 16K ECB and 32K ECB versions included on tape
- Easily moved to disk

## MATH MISSION



**Math Mission** is an educational game designed to reinforce early math skills in the four math operations:

- Addition**
- Subtraction**
- Multiplication**
- Division**

- Can be played on any of four optional levels of difficulty
- Joystick oriented to develop hand-eye coordination
- Shot timer simulates a classroom time test
- Picture, sound, and word rewards

**MATH MISSION** requires 32K ECB and 1 joystick

**Available on both Tape and Disk**  
**\$24.95, either version**

Dealer and author inquiries are always welcome. Canadian dealers should contact Kelly Software Distributors, Ltd., P.O. Box 11932, Edmonton, Alberta T5J-3L1, (403) 421-8003.

Disk software compatible with Radio Shack DOS only.

**SUGAR SOFTWARE**  
1710 North 50th Avenue  
Hollywood, Florida 33021  
(305) 981-1241

A complete catalog of other sweet Sugar Software products is available.

Add \$1.50 per program for postage and handling. Florida residents add 5% sales tax.

COD orders are welcome. CIS orders EMAIL to 70405, 1374. No refunds or exchanges.





```

60 IF N <1 OR N >6 THEN 50
70 ON N GOSUB 1000, 2000, 3000,
4000, 5000, 6000
1000 CLS:INPUT "CLASS OR SUBJECT
";C$
1010 INPUT "TEST TITLE";T$
1020 INPUT "DATE AS 00/00/00";D$
1030 PRINT#-2,"":PRINT#-2,"":PRI
NT#-2,"":PRINT#-2,"
"+C$:PRINT#-2,""
1040 PRINT#-2,"
"+T$:PRINT#-2,""
1050 PRINT#-2,"
"+D$:PRINT#-2
1060 PRINT#-2," NAME .....
..... PERIOD...
..":PRINT#-2
1070 CLS:GOTO 50
2000 PRINT#-2,"Circle the best a
nd most correct answer for each
statement."
2010 J=0
2020 CLS
2025 PRINT"MULTIPLE CHOICE"
2030 PRINT"TYPE STATEMENT OR QUE
STION. WHEN FINISHED, SELECT
IONS WILL APPEAR A-B-C-D.
THEN TYPE IN YOUR SEL
ECTIONS. WHEN FINISHED ALL STA
TEMENTS ANDSELECTIONS PRESS <BRE
AK> AND <RUN> FOR MENU AGAIN.
"
2040 PRINT"THIS SECTION WILL ACC
EPT TWO LINES. SPACE TO ^ TO
CONTINUE."
2045 PRINT" ^"
2050 LINE INPUT C$
2060 CLS
2070 J1=1:J=J1+J
2080 PRINT#-2,"":PRINT#-2,J;TAB(
5)C$:PRINT#-2,""
2090 C2$="A.":C3$="B.":C4$="C.":
C5$="D."
2100 LINE INPUT "A. ";A$:LINE IN
PUT"B. ";B$:LINE INPUT"C. ";C$:L
INE INPUT"D. ";D$
2110 PRINT#-2,TAB(10)C2$+A$:PRIN
T#-2,TAB(10)C3$+B$:PRINT#-2,TAB(
10)C4$+C$:PRINT#-2,TAB(10)C5$+D$
2120 GOTO 2040
3000 CLS:PRINT"FILL IN THE BLANK
S"
3010 PRINT#-2,"Fill in the blank
s of each of the statements.":PR
INT#-2,""
3020 PRINT"THIS SECTION WILL ACC
EPT TWO LINES PLUS CHARACTERS
TO THE ^. IF MORE SPACE IS NEED
ED, PRESS <ENTER> TO CONTINUE Q

```

```

UESTION."
3030 PRINT"STATEMENT OR QUESTION
^"
3040 LINE INPUT F$
3050 J1=1:J=J1+J
3060 PRINT#-2,J;F$:PRINT#-2,""
3070 INPUT "PRESS 1 FOR SPACE IF
NEEDED";A:ON A GOSUB 3090
3080 GOTO 3020
3090 LINE INPUT AA$
3100 PRINT#-2,TAB(3)AA$:PRINT#-2
,""
3110 GOTO 3020
4000 CLS:PRINT"ANSWER QUESTION"
4010 PRINT#-2,"Answer questions
on lines provided.":PRINT#-2,""
4020 CLS:PRINT"THIS SECTION WILL
ACCEPT TWO LINES PLUS CHARAC
TERS TO THE ^. IF MORE SPACE IS
NEEDED, PRESS <ENTER> TO CONTIN
UE."
4030 PRINT"QUESTION
^"
4040 LINE INPUT Y$
4050 YY$=".....
....."
4060 J1=1:J=J1+J
4070 PRINT#-2,J;Y$:PRINT#-2,""
4080 INPUT"PRESS 1 FOR SPACE IF
NEEDED";A:ON A GOSUB 4100
4090 GOTO 4150
4100 LINE INPUT AA$
4110 PRINT#-2,TAB(3)AA$:PRINT#-2
4150 INPUT "HOW MANY LINES 1-2-3
-4 ";H
4160 ON H GOSUB 4200, 4300, 4400
, 4500
4200 PRINT#-2,YY$:PRINT#-2,""
4210 GOTO 4020
4300 PRINT#-2,YY$:PRINT#-2,"":PR
INT#-2,YY$:?#-2
4310 GOTO 4020
4400 PRINT#-2,YY$:PRINT#-2,"":PR
INT#-2,YY$:PRINT#-2,"":PRINT#-2,
YY$,:PRINT#-2,""
4410 GOTO 4020
4500 PRINT#-2,YY$:PRINT#-2,"":PR
INT#-2,YY$:PRINT#-2,"":PRINT#-2,
YY$:PRINT#-2,"":PRINT#-2,YY$:PRI
NT#-2,""
4510 GOTO 4020
4999 END
5000 PRINT#-2,"Circle TRUE if th
e statement is true. Circle FAL
SE if the statement is false.":P
RINT#-2,""
5010 CLS
5020 J=0

```



```

5030 PRINT"TRUE - FALSE QUESTION
S"
5040 PRINT"THIS SECTION WILL PRI
NT 50 CHARACTERS PER LINE.
TYPE UP TO THE FIRST ^ ON THE
SECOND LINE THEN SPACE TO TH
E SECOND ^ TO CONTINUE"
5050 PRINT" ^
^"
5060 LINE INPUT A$
5070 B$="TRUE - FALSE "
5080 Q$=" "
5090 J1=1
5100 J=J1+J
5110 PRINT#-2,J;B$;Q$;A$:PRINT#-
2,""
5120 CLS:GOTO 5030
5130 END
6000 PRINT#-2,"Match column A wi
th column B in space provided.":
PRINT#-2,""
6005 CLEAR 2000
6010 CLS:PRINT:PRINT" MA
TCHING TEST"
6020 PRINT"THIS SECTION WILL RAN
DOMIZE TEN ITEMS IN COLUMN A WIT
H TEN ITEMS IN COLUMN B"

```

```

6030 PRINT:PRINT"COLUMN A CAN BE
UP TO THE ^ ON ONE LINE. COLU
MN B CAN BE UP TO THE ^ ON THE SE
COND LINE"
6060 FORX=1TO10
6065 PRINT"
^"
6070 LINE INPUT "A- ";G$(X)
6075 PRINT" ^"
6080 LINE INPUT "B- ";H$(X)
6090 NEXT X
6095 CLS:PRINT @ 236,"WORKING"
6100 DIM A$(10),B$(10)
6110 FORY=1TO10
6120 X=RND(10)
6130 IF A$(X)<>" " THEN 6120
6135 A$(X)=G$(Y)
6140 X=RND(10)
6150 IF B$(X)<>" " THEN 6140
6160 B$(X)=H$(Y)
6170 NEXT Y
6200 FORX=1TO10
6205 L2$=" ... "
6210 PRINT#-2,L2$;A$(X);TAB(30);
X;"- ";B$(X)
6220 PRINT#-2,""
6230 NEXT X

```

## Submitting Material To Rainbow

Contributions to THE RAINBOW are welcome from everyone. We like to run a variety of programs that are useful/helpful/fun for other CoCo owners.

Program submissions must be on tape or disk and it is best to make several saves, at least one of them in ASCII format. We're sorry, but we do not have time to key in programs. All programs should be supported by some editorial commentary explaining how the program works. Generally, we're much more interested in how your submission works and runs than how you developed it. Programs should be learning experiences.

We do pay for submissions, based on a number of criteria. Those wishing remuneration should so state when making submissions.

For the benefit of those who wish more detailed information on making submissions, please send a self-addressed, stamped envelope (SASE) to: Submissions Editor, THE RAINBOW, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. We will send you some more comprehensive guidelines.

Please do not submit programs or articles currently submitted to another publication.

## J & R ELECTRONICS

Complete 256K and 512K Memory Expansion Systems  
(Hardware Software and documentation included)  
User friendly software, programmer not required

### Easy, Solderless Installation

★ We have eliminated the necessity to piggyback for 512K versions! ★

**RAMDISK** — Fast disk I/O, 35/40 track (two RAM drives with 512K)

**PCOPYMOR** — More than 30 PMODE 4 screens in memory at once! PCOPY command modified to accept PCOPY 1 to 128. More than 70 PMODE 4 screens and PCOPY 1 to 302 with 512K versions (or 30 PMODE 4 screens with one RAMDISK).

**SPOOLER** — HUGE printer buffer for offline storage inside your computer while the printer's busy. Customizable from 30K to over 200K (500K with 512K versions). Buffer can be turned off/on copied using simple PRINT CHR\$( ) commands.

**OS9 Ramdisk** — Fast OS-9 disk I/O! 35/40 track single sided or 40 track double sided (512K) Ramdisk under OS9! GOOD's OS9 Ramdisk (Rainbow Feb '86) with fully commented source code and install files added by J&R. (Requires OS9 operating system)

ALL software above is configurable for 256K/512K operation.  
Software shipped on disk, add \$10.00 for software on tape. (OS9 RAMDISK not available on tape).

ALL boards below are 256K/512K capable, software & documentation included.  
New SAM (74LS785) not included (use your 74LS783), 74LS785 recommended for 2.0 MHz operation.

Part number	Price	Description
#1001	\$39.95	Banker II bare board (with long pin socket, does not include memory Expansion Board)
#1002	\$69.95	Banker II bare board + parts (does not include Memory Expansion Board)
#1003	\$89.95	Banker II assembled & tested (no memory)
#1004	\$129.95	Banker II (256K, upgradable to 512K) assembled & tested with memory
#1005	\$169.95	Banker II (512K) assembled & tested with memory
#1006	\$15.00	Memory Expansion Board
#1007	\$29.95	Memory Expansion Board + parts
#9000	\$89.95	Down Under Controller. Ram Pack size controller with BDOS Gold plated, high reliability edge connectors, jumpers for 24/28 pin ROM. Compatible with COCO I and COCO II.
#9001	\$35.00	BDOS (Enhanced DOS on 27128 EPROM)
#9002	\$5.00	64K switch
#9004	\$24.95	New SAM 74LS785 (required only for 2.0 MHz operation)
#9005	\$24.95	★ New!★ PowerBasic — Introductory Price. (Requires RSDOS 1.0 or 1.1 and 256K or 512K Banker) Utilize the extra memory for variable storage and pass variables between programs in different pages of memory. Split a large BASIC program into smaller pieces and GOTO or GOSUB a line in another page of memory... and more features included. (disk only)
#9006	\$10.00	S/W Pac upgrade. 1.XX to 2.XX

To place an order, write to J&R Electronics, P.O. Box 2572, Columbia, MD 21045,  
OR call (301) 987-9067 — Jesse or (301) 788-0861 — Ray.

HOURS: Weekdays 7 p.m.-9 p.m.; Sat. Noon-5 p.m. EASTERN TIME.

Add \$4.00 shipping & handling (FOREIGN ORDERS \$7.00), COD charge \$3.00. Maryland residents add 5% state tax.

CHECKS, MONEY ORDERS OR COD's only please (personal check — 2 weeks for clearance). IMMEDIATE DELIVERY. Give COCO Radio Shack model # (i.e. 26-3136), Disk or Tape when ordering.

QUANTITY DISCOUNT AVAILABLE. For information on shipping or previously placed orders call (301) 788-0861. COCO II 26-31XX owners call (soldering experience may be required).



# PRICKLY-PEAR SOFTWARE

## QUALITY PROGRAMS FOR YOUR COCO & TDP-100

PROGRAMS REQUIRE 16K EXTENDED BASIC FOR TAPE, AND 32K DISK UNLESS OTHERWISE NOTED.



### HALL OF THE KING

This program combines all the things you look for in a great two disk graphics adventure program. The Hi-Res graphics are superbly done. The text portion of the screen and the graphics change quickly as you move through the **HALL OF THE KING**. You can move freely from one portion of the adventure to another. Call up your inventory at any time. You can even save or load a game at ANY time. **HALL OF THE KING** will challenge even the most seasoned adventurer.

**HALL OF THE KING** requires 64K EB and one disk drive. This exciting two disk adventure comes packaged in a vinyl case **\$39.95**

### HALL OF THE KING II — THE INNER CHAMBER

Continue your quest for the Earthstone in The Inner Chambers of the **HALL OF THE KING**. Outstanding graphics help show the way to success in your search to help restore the legendary power of the Earthstone to the dwarven race. The deeper you travel into the inner chambers, the more difficult your progress becomes. **HALL OF THE KING II** has all the fine feature of the first adventure. It is designed to follow the original **HALL OF THE KING** but may be played as a stand-alone adventure. The adventure fills two disks and comes packaged in a handsome vinyl folder. It requires one disk drive and 64K. **\$39.95**

### WARP FACTOR X

If you have been waiting for a game for your color computer that has everything, your wait is over. **WARP FACTOR X** is here. This all graphics simulation game requires strategy, fast thinking, an eye for detail, and above all experience in knowing the capabilities of your starship and its computer. (See review in Feb. 85 issue of Rainbow.) It requires 32K one disk drive and comes packaged in a vinyl library case. **\$34.95**

### DARKMOOR HOLD

You and your comrades will explore the levels of Darkmoor Hold in an effort to gain great riches and defeat the dark wizard. The Wizard will soon realize the threat you pose and the many monsters you meet and battle will become stronger and more powerful as you move through the 10 levels of Darkmoor. A keen eye will help you find weapons and armor to aid your battle along with treasures for you to keep. Your party consists of a Dwarf, an Elf, and you, the Human, each with their own special attributes. The weapons, armor and treasure are placed randomly in each level to provide a new challenge each time you play. You may also save the game you are playing since defeating the evil Wizard is not an easy task. It has great graphics and an impressive text screen to give you more fun than a barrel of elves. Requires 64KEB and 1 disk drive. **\$29.95**

#### POLICY ON PROTECTION

We believe our customers are honest — all of our software can be backed up using standard backup procedures.

Your Personal check is welcome - no delay. Include \$1.50 shipping for each program ordered. (Shipping free on \$50.00 or larger orders). TX residents add 5¼% sales tax. Orders shipped within two days.

**Prickly Pear Maillist** — Ver. 2.0 — You won't find a mailing list program anywhere that will out-perform this one. Req. 32K and one disk drive. Only **\$29.95**



### DRAGON BLADE Animated Graphics Adventure

This 100% hi-res graphics adventure features many animated screens which will delight the avid adventurer. You search for the magic Blade which is the only way to rid your homeland of the fearsome dragon which has risen from a long rest to terrorize your village. Fill your screen with super graphics as you try to solve the difficult challenge the village leaders have set before you. Dragon Blade requires 64K Extended Basic and 1 disk drive. **\$29.95**

### UTILITIES

**Oracle II** — The ultimate monitor. **\$29.95**

**RTD Trio** — Take advantage of this special offer. This package of three utility programs includes our new **DISK TO TAPE, TAPE TO DISK (version 2.0), and ROMFREE (version 2.0)**. TAPE TO DISK moves BASIC, ML and DATA files from tape to disk automatically — one program or an entire tape. It even fixes those programs that load at hex 600 so they work on a disk system. ROMFREE moves ROM packs to tape or disk easily, and fixes them so you just load and EXEC. ROMFREE now accomodates the larger 16K ROM packs. You won't believe how easy it is to protect your software library! These programs are shipped on tape. Requires 16K. **\$49.95 (\$24.95 each if purchased separately)**

**Prickly Pear Maillist** — Ver. 2.0 — You won't find a mailing list program anywhere that will out-perform this one. Req. 32K and one disk drive. Only **\$29.95**

### STATISTICS

**Lizpac** — Absolute the most complete statistics package we have seen for ANY computer anywhere. Lizpac is 850,000 Bytes of programming filling 7 disks with an eighth disk containing data files to be used in the examples. The 200 page manual completely explains all that Lizpac has to offer. It is user friendly. Req. 32K disk only. **\$195.00**

Dealer and author inquiries are always welcome. Canadian dealers should contact Kelly Software Distributors, Ltd., P.O. Box 11932, Edmonton, Alberta T5J-3L1 (403) 421-8003

Send for our free catalog

Send Order To: **PRICKLY-PEAR SOFTWARE**



213 La Mirada  
El Paso, Texas 79932  
915-584-7784





# Using Inverse Characters

By Joseph Kolar  
Rainbow Contributing Editor

**AS** I sit here, weak and weary, pondering the subject of this article, my mind wanders rapidly over an arpeggio of CoCo statements and commands.

Over the past several years, a variety of topics have been touched upon that are a constant source of interest to beginners eager to learn a little and create a lot.

Often, mulling over a topic I am eager to explore together with the newcomer, I have the vague sense of having covered that phase of CoCo's repertoire a few years ago. Repeating material is unfair to the faithful veterans who have marched through these tutorials. Hopefully, the veterans will pass on to greater glory and allow the new recruits to have their turn at BASIC Training.

As there will always be a Britannia, so too will there always be new recruits to augment the vast army of CoConuts.

Newcomers may not realize how much valuable information is stored in the treasury of back issues of THE RAINBOW. You should consider picking

up some of the back issues. Of course, the ideal solution is to purchase those available.

Starting with the July 1983 Anniversary issue, a yearly index of articles has been presented. Since you might only be interested in selected topics, you may want to purchase Anniversary issues first. If you see some topic near and dear to your heart, pick up the back issue containing the desired article.

Let me caution you — the more of CoCo's secrets you become privy to, the more you want to explore. Rest assured, a vast storehouse of CoCo wisdom resides in the back issues of our favorite computer magazine waiting to be tapped. Remarkably, just a mere fraction of the treasure trove is obsolete. Go back and review the state of the art in 1981 up until you joined the ranks of CoConuts.

Isn't it tempting to traipse down memory lane and discover something new and intriguing you may have overlooked or not been aware of?

On occasion, the newcomer comes across an interesting program listing that may be Greek to him, but is nevertheless fascinating. He has an itch to understand how it works.

The beginner is urged to investigate. You are encouraged to take chunks of

a large listing or the entire listing, if it is short and analyze it.

For this purpose, you need a regular 40-page, 10½ by 8-inch, ruled, one-subject notebook. You may want a few notebooks to store different categories of notes. As so often happens, you discover an interesting routine you want to preserve for future use and want a permanent copy of it in words that make sense to you for ready reference.

We'll start out using Listing 1, the tutorial for today. This program is meant to display material in inverse characters. Key in this listing and run it with the volume up.

On the inverse screen, (CLS0), using the ASCII character codes for lower-case (inverse colors) in a DATA statement, I displayed my name to give this tutorial a personal flavor. In Line 60, substitute values that spell out your name. Refer to the manual. Use decimal code A=97 through Z=122. Use 'blank space'=128 to separate the names. Do not skip any spaces and separate each value with a comma.

Count the number of characters in the revised Line 60.

In the FOR X= and FOR Y= statements in Line 10, counting up from and including 10, calculate the number of letters/spaces in your name. If the total

---

*Florida-based Joseph Kolar is a veteran writer and programmer and specializes in introducing beginners to the powers of CoCo.*



is not 12, (which ends at 21), edit this value to reflect the proper number. Run your work.

Chances are you want to be neat and recenter your name. Adjust both values in the two FOR statements, plus or minus the same amount. Thus, if your name is 16 characters long, move the first letter to begin two spaces to the right, 10-2 to 25-2, (8 to 23) in both FOR statements. Run it, adjust to your satisfaction and then press BREAK.

List Line 60 and crack open the analysis notebook. Number all the pages. Leave the first page blank and use it for the table of contents.

At the top of the second sheet, to the left of the red vertical line, write the first line number. On the right side, copy the line from the screen. If it is a multiple-line statement, consider each statement to be a single entry in the analysis.

On the next line to the right of the red vertical line, write, in pencil, an explanation or the significance of the statement in your own words, because it must have meaning to *you*. If you cannot determine the meaning or use of the line, skip a few lines and enter the

next statement. You can always go back to unannotated statements.

It would begin like this:

0 LISTING1

Title.

10 CLS0

Clear screen to black to print inverse characters.

FOR X = 10 TO 21:

Total of number of letters to be displayed.

21-10+1=12.

Locates PRINT@ locations to begin with J at Print@10.

PLAY"L200V15B:"

A dual-purpose statement. (sound plus time elapsed). Musical note B in default octave, O2; also volume default V15, even though used, has a short duration of L200, which determines the time between displayed characters.

READA:

This refers to the only DATA statement at Line 60, which is to be read into memory.

At this point, you may want to list

Line 60, even though it will be out of sequence. Remember, this is your analysis so do it any way that makes sense to you.

60 DATA106,111,115,101,112,104,128,107,111,108,97,114

This is number of characters/spaces, 12, in reversed lowercase ASCII code. The first letter read is CHR\$(106), J to be located at X, 10. The second letter is CHR\$(111), O, to be located at X+1, etc.

CONT10 PRINT@X,CHR\$(A);:

Prints selected characters, A, in turn, at selected location, X. Note ';' is used to chop off trailing line, which would destroy the effect.

And so forth, statement by statement. If you can't puzzle out the significance of a statement, change values and note any differences. This may give a clue.

For instance, change 30 in Line 20 to 300 and run. This allows you to view the sequence of character movement in slow motion. Change it to 3 and run. This should tell you that if you speed up or slow down the duration of the sound,

## About Your Subscription

Your copy of THE RAINBOW is sent second class mail. If you do not receive your copy by the 5th of the month of the publication date, send us a card and we will mail another. Canadian subscribers and foreign airmail allow two additional weeks.

You must notify us of a new address when you move. Notification should reach us no later than the 15th of the month prior to the month in which you change your address. Sorry, we cannot be responsible for sending another copy when you fail to notify us.

Your mailing label also shows an "account number" and the subscription expiration date. Please indicate this account number when renewing or corresponding with us. It will help us help you better and faster.

For Canadian and other non-U.S. subscribers, there may be a mailing address shown that is different from our editorial office address. Do not send any correspondence to that mailing address. Send it to our editorial offices at Falsoft, Inc., The Falsoft Building, P.O. Box 385, Prospect, KY 40059. This applies to everyone except those whose subscriptions are through our distributor in Australia.

## LOOSE STRINGS / by Tron





you zap the desired sound effect, not to mention the time lapse.

Another example: Temporarily delete from Line 20 :GOSUB 70, and at end of Line 30 add :GOSUB 70. Now run.

The major program parts are: nested loop (lines 10 through 40), data (Line 60) and the music GOSUB routine (lines 70 through 110). The CHR\$(RND(26)+96); displays one randomly chosen lowercase letter from 'A' through 'Z' (26). Since the ASCII codes begin at 97, to eliminate all unwanted characters, 96 is added to the random number chosen. Thus, RND(1)+96=97 displays a reverse 'A', RND(2)+96=98 displays a reverse 'B', and so on.

The GOSUB routine chooses at random one of two volumes. A choice of four notes is randomly selected so that one of them will be sounded at one of the two volume levels every time a character is displayed.

If you returned GOSUB 70 to its original location, put a REM marker in front of it. Run and note the effect.

Do not be afraid to change values in order to see what happens.

Here is an interesting one: Count the number of letters in your surname. Subtract from the high value in the FOR Y statement in Line 10. For example, Kolar has five letters, so 21 minus five equals 16. Substitute this for the low

value (in our example it would be FOR Y=16 TO 21), and run it. This is a confusing, but effective version. The given name is displayed one letter at a time while the surname is jumbled. After the first name is completely displayed, the second name unravels.

During analysis, there may be routines you want to save for future reference. There is no need to commit them to memory. Copy them, with an explanation, into one of the reference notebooks.

This last version of displaying a name evolved through a dozen transformations that produced two allied fun programs for your entertainment.

#### Listing 1: INVERSE

```
0 '<LISTING1>
10 CLS0:FORX=10TO21:PLAY"L200V15
B":READA:PRINT@X,CHR$(A);:FOR Y=
10TO21
20 FORZ=1TO30:NEXT:GOSUB70
30 IF Y>X THEN PRINT@Y,CHR$(RND(
26)+96);
40 NEXTY,X
50 GOTO50
60 DATA06,111,115,101,112,104,1
28,107,111,108,97,114
70 P=RND(2):IF P=1 THEN PLAY"V15
" ELSE PLAY"V25":Q=RND(4): ON Q
GOTO80,90,100,110
80 PLAY"A":RETURN
90 PLAY"C":RETURN
100 PLAY"F":RETURN
110 PLAY"E":RETURN
```

#### Listing 2: STUTTER1

```
0 '<STUTTER1>
10 CLS0:FORX=9TO21:PLAY"L25505CC
":READA:PRINT@X,CHR$(A);:FOR Y=11
```

TO 21 STEP2

```
20 IF Y>X THEN PRINT@Y,CHR$(RND(
26)+96);
30 PLAY"B-L200EF+":NEXTY,X
32 N=0
35 N=N+1
40 READQ$
41 PRINT@32,"";
50 Q$=Q$+" ":FOR R=1 TO LEN(Q$):
S$=MID$(Q$,R,1)
51 V=VAL(S$):IFV AND R=1 THEN PR
INT@31,"";
52 IF V OR S$=" "THEN S$=CHR$(12
8) ELSE S$=CHR$(ASC(S$)+32)
53 PLAY"F":P$=P$+S$
54 IF S$=CHR$(128) THEN IF LEN(P
$)+POS(0)<33 THEN PRINTP$;:GOTO5
7
55 IF S$=CHR$(128) THEN PRINTSTR
ING$(32-POS(0),128);:PRINTP$;:P$
=" "
57 NEXT
60 GOSUB70:IF N=3 THEN PRINT@427
,"the"+S$+"end"+S$+"end";ELSE IF
N<3 GOTO35
61 GOTO61
```

## ORDER PHONE (416) 456-0032

To order or for further information or program suggestions please write: Duck Productions, 18 Rowe Court, Brampton, Ontario, Canada L6X 2S2  
WATCH FOR **MACHINE GENESIS**, a three program utility and tutorial for beginner exploration of machine language programming. **COMING SOON!**



DUCK QUALITY  
COMPUTER PRODUCTS  
PRODUCTIONS



### KEEPING TRACK

**NINE PROGRAMS**, so easy they're almost user independent! More than the average diskette management system, **ITS A BOOT UTILITY!**

YOU'LL WANT THIS KEYSTROKE BOOT EVERYTIME YOU POWER UP!

**Creator** builds the "D" directory program with your inputted I.D. names on your disks. **D** will load and run basic or binary programs, on any drive, with a single keystroke. **D** gives continuous access to directories without retyping DIR and auto displays the disk I.D. names, program names/ext/type/size and free disk space. **Directory Print** accesses **D** for your disk I.D., programs and free space to format and output your program catalogue, to your printer. **Comparison** backup utility, compares backup disks and by keystroke, copies missing files to either disk. **Directory Saver** copies directories to a safe area. On dir crash, a keystroke will repair the damage. Other programs include **Alpha Directory** reorder, **Disk Address** finder, and **True Drive Test**. All programs fully documented. \$29.95, (\$38.95 CDN)



### MAP'n ZAP

The laymans kit for disk repair. Step by step procedure to repair directories and grain tables. Locates errors, maps out disk contents with printer or screen output, will backup any flawed disk, and prompts built in disk zap for repair. Complete with documented tutorial on disk input/output operation, access. \$19.95, (\$24.95 CDN)

### MICRO • FIRE

Have you beat your thumbs more than the aliens?

You need a secret weapon! This automatic rapid fire circuitry package can be added to any joystick. It has on/off control and does not affect computer when not in use. No extra power supply required. Installation in minutes, preassembled hardware comes with complete instructions. Custom component has adjustable rate of fire and comes with a full calibration program. \$19.95, (\$24.95CDN)



### CODE BUSTER disassembler

Explore machine language programming with an easy, accurate breakdown of any binary program. Screen or full printer output with helpful hints to understanding your ROM. Simple prompted procedure will answer questions in your study. Fully documented instructions. \$19.95, (\$24.95CDN)



Type NEW and key in *Stutter 1*. Copy the listings very carefully. Be certain you press ENTER after the last letter of each of the 2000 series DATA lines. Do not leave a blank trailing space. Note that Line 2010 doesn't make sense but copy it as is. Run the program.

My original goal was to get a stammer-free display. In Line 50, insert in front of GOTO 57, P\$="":. In Line 2010 insert COCOSPACEBAR immediately after DATA without leaving a blank space. Run your work.

To indent each line in Line 41, change 32 to 34 and run. Now, to get another stammer, restore Line 41 to 32. In Line 55, change 32- to 33+ and run. If desired, CSAVE now.

Type NEW. Key in *Stutter 2* for a modification and run. The stutter is too pronounced. To eliminate most of it, add at the end of Line 54 :GOTO 57. In Line 55, change 0+ to 32- and run. For one final stammer, change Line 55 from 32- to 8+ and run.

We gave CoCo some workout! Notice we did not use any punctuation. In order to use inverse punctuation marks, we must POKE them into the memory locations 1024 to 1535, which are equiv-

alent to 0-511, (the Print @ screen). It is not practical to use them in this program.

That doesn't mean that it can't be done. As long as you can think of a problem, you are on the way to solving it. CoCo usually has the capability to solve it; the trick is to coax it into revealing its secrets.

CLOAD *Stutter 1* if you saved it, otherwise key it in again.

In Line 41, change 32 to 34; in Line 54, insert in front of GOTO 57, P\$="":; in Line 60, insert GOSUB 500 at the beginning; and in Line 2010, after DATA insert COCO SPACEBAR.

Add the following lines:

```
58 P=POS(0)
500 IF P=13 GOTO600 ELSE IF
P=18 GOTO601 ELSE IF P=30
GOTO602
600 POKE1132,46:RETURN
601 POKE1105,46:RETURN
602 POKE1149,46:RETURN
```

OK, run your handiwork. How was the value of 'P' determined? On Line 58 :PRINTP; was added. Add this temporary modification and discover a useful programming trick.

The cursor locator, POS(0), was placed right after a sentence was displayed. It was given a value 'P'. PRINTP; gave the value of the location of the cursor along the row, from zero through 31.

How was the POKE location figured out?

By guesstimation. One of several methods is to set the POKE at some arbitrary location such as 1100 in lines 600 through 602 and POKE 46, the inverse period at that location. It was tried and adjusted until it rested after the last character in the sentence.

A problem would arise if the same cursor location, POS(0), was revealed to be the same value for two or more sentences, but on different rows. You might like to set up a problem and work it out. Being lazy, I would revise one or the other of the sentences to ensure I would get a new cursor location.

We worked with the screen cursor locator, POS(0), and managed to create our usual useless but amusing programs. We got a bit more programming under our belts and stored some important notes in our reference notebooks. Not a bad day's work! □

```
70 PRINT@419,"press"+S$+"any"+S$
+"key"+S$+"to"+S$+"continue";
80 EXEC44539:FORW=32 TO448 STEP3
2:PRINT@W,STRING$(32,128);:NEXT:
RETURN
1000 DATA 116,104,101,128,115,11
6,117,116,116,101,114,101,114
2000 DATAMY TEETH CHATTER SO MUC
H WHEN I STUTTER THAT I HATE EVE
N TO TALK TO COCO
2010 DATAIS THE NAME OF A VERY F
RIENDLY COMPUTER
2020 DATAI LOVE TO HACK AWAY AT
MY COMPUTER ALL DAY AND NIGHT BE
CAUSE IT NEVER LAUGHS AT ME
```

**Listing 3: STUTTER2**


```
0 '<STUTTER2>
10 CLS0:FORX=9TO21:PLAY"L25503EB
":READA:PRINT@X,CHR$(A);:FORY=11
TO 21 STEP2
20 IF Y>X THEN PRINT@Y,CHR$(RND(
26)+96);
30 PLAY"B-L200EF+":NEXTY,X
32 N=0
35 N=N+1
40 READQ$
41 PRINT@32,"";
50 Q$=Q$+" ":FOR R=1 TO LEN(Q$):
S$=MID$(Q$,R,1)
```

```
51 V=VAL(S$):IFV AND R=1 THEN PR
INT@31,"";
52 IF V OR S$=" "THEN S$=CHR$(12
8)ELSES$=CHR$(ASC(S$)+32)
53 PLAY"A":P$=P$+S$
54 IF S$=CHR$(128) THEN IF LEN(P
$)+POS(0)<33 THEN PRINTP$;:P$=""
55 IF S$=CHR$(128) THEN PRINTSTR
ING$(0+POS(0),128);:PRINTP$;:
57 NEXT
60 GOSUB70:IF N=3 THEN PRINT@427
,"the"+S$+"end"+S$+"end";:PRINT@
481,S$+S$;:ELSEIF N<4 GOTO35ELSE
IF N<3 GOTO35
61 GOTO61
70 PRINT@426,"PRESS"+S$+"ANY"+S$
+"KEY";
80 EXEC44539:FORW=32 TO479 STEP3
2:PRINT@W,STRING$(32,128);:NEXT:
RETURN
1000 DATA 116,104,101,128,115,11
6,97,109,109,101,114,101,114
2000 DATAMY TEETH CHATTER SO MUC
H WHEN I STUTTER THAT I HATE EVE
N TO TALK TO COCO
2010 DATACOCO IS THE NAME OF A
VERY FRIENDLY COMPUTER
2020 DATAI LOVE TO HACK AWAY AT
MY COMPUTER ALL DAY AND NIGHT BE
CAUSE IT NEVER LAUGHS AT ME
```



# The Best Money Can Buy . . .

## HDS Floppy Drive Controller Board



**Features:**

- Gold Plated Edge Cards
- Dual Selectable ROM Sockets
- Compatible with COCO I & II
- 120 Day Warranty
- Double and Single Density

Reduce your I/O errors with the Hard Drive Specialist Floppy Drive Controller for the Color Computer. Gold edge card connectors, advanced design, and the absence of potentiometers make it the best available. Our newest version controller allows the use of either (two 24 pin ROMs), or (one 24 pin and one 28 pin ROM). Using this board with the standard Radio Shack ROM gives you 100% compatibility with all Radio Shack software.

- Completed and Tested Board with Radio Shack ROM . . . . . \$99.**  
(Includes Case, and DOS Instructions)
- Completed and Tested Board without ROM . . . \$79.**  
(Includes Case)
- Bare Board with Instruction manual . . . . . \$30.**
- Parts Kit For Bare Board without ROM . . . . . \$30.**
- Radio Shack ROM (current version) . . . . . \$20.**
- Radio Shack ROM 1.0 . . . . . \$40.**

**Ordering Information:**  
Use our WATS line to place your order via Visa, MasterCard, or Wire Transfer. Or mail your payment directly to us. Any non-certified funds will be held until proper clearance is made. COD orders are accepted as well as purchase orders from government agencies. Most items are shipped off the shelf with the exception of hard drive products that are custom built. UPS ground is our standard means of shipping unless otherwise specified. Shipping costs are available upon request.

**DOUBLE SIDED!**

- Drive 0 Complete . . . . . \$199.
- Drive 1 Complete . . . . . \$129.
- Drive 0 & 1 Dual Drive . . . . . \$319.

## HARD DRIVE SPECIALIST

1-713-480-6000  
Order Line 1-800-231-6671  
16208 Hickory Knoll  
Houston, Texas 77059



# WE'VE OUTDONE OURSELVES!

## DS-69A DIGISECTOR™ THE VIDEO DIGITIZER NOBODY CAN BEAT!

**NEW**

The DS-69A is the best video digitizer available for your COCO at any price. This new, turbocharged version of our original DS-69 Digisector allows your 64K COCO to see clearly into the world of any television picture.

- SPEED!** The fastest — 8 images per second!
- PRECISION!** The highest — 64 levels of true grey scale!
- RESOLUTION!** The finest — 256 × 256 picture elements!
- Compabitibility** Use with a black and white or color camera, a VCR or tuner.
- Compactness** Self contained in a plug in Rompack.
- Convenience** Use with a Y-cable, Multi-Pak, PBJ Bus or plug directly into the cartridge slot.
- Ease of Use** Software on disk will get you up and running fast!

### POWERFUL C-SEE™ SOFTWARE

C-SEE is the menu driven software package included with your DS-69A. Available on disk or cassette, it provides lightning fast 5 level digitizing to the screen, high precision 16 level digitizing for superb hard copy printout and simple keyboard or joystick control of brightness and contrast. Or call our driver routines from your own Basic program for easy 64 level random access digitizing. Pictures taken by the DS-69A may be saved on disk or cassette by C-SEE and then edited with COCO MAX, MAGIGRAPH or GRAPHICOM for special effects. Any of the popular printers may be used to obtain printouts of images digitized by the DS-69A.

#### ONE YEAR WARRANTY

DS-69A Digisector & C-SEE III Software	<b>\$149.95</b>
OR your DS-69 &	<b>\$ 59.95</b>
MAGIGRAPH Graphics Editor on disk	<b>\$ 39.95</b>

## DS-69 DIGISECTOR™ THERE'S ONLY ONE BETTER VIDEO DIGITIZER...

And that's the DS-69A. The DS-69 is The Micro Works' original video digitizer, tried and true since 1984. It provides almost all the features of the DS-69A and is now available at a new low price. The DS-69 features;

- SLUGGISHNESS** 2 images per second. Quick enough to freeze all but the fastest moving pictures.
- INCOMPATIBILITY** Brightly colored scenes may be striped when using a color camera.
- INCONVENIENCE** Will not work with a Y cable.

Otherwise, it's a DS-69A. Precision, resolution, compactness, ease of use, software and warranty. Except one last thing.

DS-69 Digisector & C-SEE III Software	<b>\$ 99.95</b>
---------------------------------------	-----------------

Superb image quality produced by both Digisectors.



Printout



Screen



Screen

#### NO RISK GUARANTEE

If you are not completely satisfied with the performance of your new DS-69A or DS-69 you may return it, undamaged, within ten days for a full refund of the purchase price. We'll even pay the return shipping. If you can get any of our competitors to give you the same guarantee, buy both and return the one you don't like. We know which one you'll keep.



# Do-It-Yourself Video Output Board

By Tim McIntosh

I use my CoCo quite extensively on a daily basis. The bulk of my work revolves around word processing. I quickly discovered that using a television for a monitor was inadequate.

About a year ago, I began to look around for a monitor and a way to drive it. I was unaware of the many advertisers who market just such devices. So, I set out to build my own. The project presented here required about a half day's labor and \$8 worth of parts.

As the schematic shows, this monitor driver requires two common transistors and a handful of support components. Most experimenters should have an abundant supply of these. The driver works with color as well as monochrome composite video monitors. The pin numbers given in the schematic refer to the MC6847 VDG chip in the Color Computer. The descriptions of these pins are as follows: Pin 1 — GND (signal ground); Pin 17 — Vcc (+5v DC); and Pin 28 — Composite video signal.

Construction of the driver is rela-

tively simple. I used a small project board from Radio Shack to mount the components. I ran the connecting wires (any standard jumper wire will do) to the points on the circuit board where the 6847 is soldered. Be careful when counting to the proper pin locations. A mistake could damage your CoCo.


Many of you will want to run a length of shielded cable with an RCA plug on it out of the computer directly to the monitor. I chose to tidy up the project by mounting an RCA jack on the back of the CoCo and running the shielded wire to this. Not only did this improve

the appearance of the project, but I can now relocate my CoCo without trailing a mess of wires behind me.

Although I use this new monitor driver on a CoCo 2, it should work on any Color Computer as well. Remember: Opening your CoCo voids the warranty. It is not advisable to attempt this project without some prior knowledge of electronics.

(Any questions you may have about this project can be sent to the author at 416 Oak St., Greenville, AL 36037, 205-382-7358. Please enclose an SASE when writing.)

Video Board Schematic



Tim McIntosh is a minister for a small congregation in Greenville, Alabama. He is an amateur programmer and uses his CoCo for office applications.



# A Look At Workspace

By Cray Augsburg  
Rainbow's CoCo SIGop  
Username: RAINBOWMAG

Let's continue our trek into the database. Last month, we discussed some of the technical aspects of file transfers as well as methods of downloading. Before we cover methods of uploading, we need to learn about the "Workspace."

## Personal Workspace

Delphi gives each user a personal area known as Workspace. It's a chunk of memory on the Delphi computer that belongs solely to you for as long as you are a member. There are two ways to get to your personal Workspace: from a database topic area type `WD` or, thanks to **Jim Reed** (JIMREED), type `WD` from the main CoCo SIG menu.

(Jim, our CoCo SIG manager, also persuaded Delphi to adopt lower "Late Rates," in effect now through the end of August. After midnight is the best time to catch Jim and many RAINBOW authors and editors.)

Warning! Be very careful when in your Workspace. All setup files that

*Cray Augsburg is RAINBOW's technical assistant and has an associate's degree in electrical engineering. He and his wife, Ruth Ann, have two children and live in Louisville, Kentucky. His username on Delphi is RAINBOWMAG.*

connect you with Delphi reside there. The logon default settings you chose for screen width and length, prompt level, etc. are stored there. If they are deleted, they are troublesome to replace. All of your Mail folders and new Mail messages are kept in files in your Workspace. Be careful not to alter any Workspace files that you yourself did not create or upload.

So, now you're in Workspace. What do you do? First, type `DIR`. This gives a complete listing of files stored there. Now, type `?` and press `ENTER`. You should see a list of commands. One interesting command is called `CREATE`. If you type `CREATE`, you are prompted to provide a filename. Then, you are asked to enter text and do a `CONTROL-Z` when finished, or `CONTROL-C` to abort. Try it! Type a message to yourself and use `CONTROL-Z` when finished. This stores the message in your Workspace area. Type `DIR` and you should see the filename you chose. Keep in mind, if you don't enter an extension with the filename, Delphi automatically places a period at the end of it, but no extension.

Now, what do we do with that file? Type `LIST (filename)` and the file will scroll down the screen. This is a nifty way to keep messages to yourself. Another interesting use is to create files in this manner to be sent via

Mail. When you are in Mail, type `SEND "filename"` and that file is sent to the user you specify. If you want to alter a file, type `EDIT "filename."`

Did you notice some strange looking filenames when you typed `DIR`? These names have the letters "MAI" in them and are extra long. These are Mail files. To see your directory without these filenames, use the `/` exclude option with the `DIR` command. Just type:

```
DIR /EXCLUDE=*.MAI
```

Notice that your directory is in alphabetical order. Delphi automatically alphabetizes the files in Workspace.

Another useful Workspace command is `DELETE`. Type this on its own command line and Delphi prompts for the filename to delete. Another method is to type the filename on the command line in the form:

```
DELETE "filename"
```

Either way, Delphi lists the filename to the screen and asks for confirmation to delete the file. Answer with 'Y' or 'N' followed by `ENTER`.

Let's try an experiment. Use `CREATE` to build another file with the same filename used before. When finished, use `CONTROL-Z` to save the



file. Type DIR. You should now see both files in the directory listing. Why didn't the second file overwrite or replace the first file? Delphi allows multiple versions of the same file in your Workspace.

Look at the end of the filenames in the listing. You should see a semicolon followed by a number. This number is the version number. This allows you to create or upload several versions of the same file. If you use the DELETE command to delete any of these files, you are prompted for each version number separately. In this way, all versions of the same file can be deleted once you have the final, bug-free version. However, there is an easier way; type PURGE (filename). This deletes all versions of the file except the most recent.

To put a file created offline in the Workspace is easy. Just upload them to the system. All files you want to upload to Delphi, whether for your own use or for posting them publicly, must be uploaded to your Workspace before anything else can be done with them.

#### Uploading Files

By far the easiest and most reliable method for uploading is by the use of the "Xmodem" protocol. The reasons for this were discussed last month. Before starting an Xmodem upload, make sure the file is loaded into your terminal program's buffer. It doesn't matter whether the file is in ASCII or binary format. When you are sure the file is in the buffer, initiate the Xmodem upload by typing XUPLOAD or just XUP. Delphi prompts for the filename. Enter the filename as you want it to appear in your Workspace. Do include some form of extension. Next, Delphi asks if the file is a text file. This is really asking if the file is in ASCII or binary. Enter Y if the file is ASCII or N if the file is binary. It is essential you answer this prompt correctly!

Delphi tells you to type three consecutive CONTROL-Cs if you want to abort the upload at this time. It also says OK, send! (blocked). If you told Delphi you are sending an ASCII file, the word "blocked" is replaced with the word "text." Now, go to your terminal program's command mode (CONTROL-7 on *Mikeyterm*) and initiate Xmodem upload there (use CONTROL-3 on *Mikey-*

*term*). Your terminal program should ask if the file is ASCII. Answer 'Y' or 'N' according to what you told Delphi. Again, answer this prompt correctly.

When file transfer is complete, the WD> prompt returns. You should see the words FINAL STATUS = Transfer Successful on the screen.

If your terminal program does not support Xmodem protocol, you are limited to uploading only ASCII files. To perform an ASCII upload, load the file into your buffer. Then go to Workspace and type UPLOAD or just UP. Delphi asks for the filename. Answer this prompt as explained. Delphi will ask if you want a linefeed sent to your terminal program after each line uploaded. In most cases a "no" answer works fine. You may have to experiment with this. Delphi then tells you that the lines of text in the program you are uploading should be terminated with a <CR> only (they should not end with a <CR> and linefeed). Then you will be prompted to enter (or send) the data. Go to your terminal package's command mode and "send" the buffer. This is done with CONTROL-9 on *Mikeyterm*. Terminate the upload with a CONTROL-Z or you may abort it with a CONTROL-C.

Use HELP to find out more about the other commands.

Next month, we'll cover more Workspace commands and dive into the specifics of submitting a program. If you are brave, though, you may want to give the SUBMIT command a try. It really isn't all that difficult.

#### Free Time

As Marty says in his report this month, our offer of free time for uploading programs to the CoCo SIG has been quite successful. Several members have taken advantage of this offer. If you have programs to submit and would like a little time to do so, go to the Questions section of the SIG and READ the article on free time. You will be prompted for the information to set you up.

#### On Other Matters

Several members of the CoCo SIG chose not to give their real names or their complete names when they first joined the SIG. There is a command

users can issue when at the main CoCo SIG prompt that will tell them the real name for a given username. Type:

ENT username

and replace "username" with your username. Delphi will tell you the name you used when you joined the SIG and will also report the last time you were on the system. You can use this to find the real name for any member, provided they have supplied their correct name. Please use the ENT command to see how your real name is recorded. If you are not satisfied with its appearance, let Jim Reed or me know via Mail. We will alter it accordingly.

On a related matter, several new members have joined our SIG. Many of them have not filled out a user profile. Please, if you have not done so, go to the Member section of the SIG and fill out a profile. Also, go

## Database Report

By Marty Goodman

**B**y the time you read this, it is very likely the NEW Color Computer will have been announced, and the Delphi CoCo SIG will be buzzing with information about it. Its arrival will profoundly affect the extent of our support for OS-9, as the new machine is rumored to be oriented nearly exclusively to the use of that operating system.

I want to extend a special welcome to **Don Hutchison** (DONHUTCHISON), who has officially joined our staff on the Delphi RAINBOW CoCo SIG. Don is an experienced electronics professional, with excellent knowledge of both hardware and software. He has been active for years on CompuServe and, some months ago, became a fixture on Delphi. Don is now the section leader for our Source Code for 6809 Assemblers section and will, in general, be assisting with all uploads to the database. If you submit a file to us, it is quite possible that it will be Don who has the pleasure of checking it out, enabling it and thanking you for it. He is available in our Forum (message base) area to assist with questions. Over the years, I have grown to appreciate both his knowledge and wry sense of humor, and so am delighted he has joined our family.



# MORETON BAY SOFTWARE

## MORE GOOD SOFTWARE

GRAPHICOM  
3 disk package ..... \$29.95  
64K EXB disk

SAM DIAMOND  
graphic adventure.... \$29.95  
32K EXB disk

HOT SLOT  
casino simulation .... \$24.95  
32K EXB disk or tape

ECLIPSE  
excellent pixel editor.. \$19.95  
64K EXB disk

THE MOTION PICTURE  
Animation tool ..... \$39.95  
64K Disk Only

FANTASY CLIP ART  
Cocomax or Graphicom ..... \$14.95  
64 K Disk

BJORK BLOCKS  
Graphics with Animation ..... \$34.95  
32K EXB Tape

## GOOD SOFTWARE

FILE CABINET  
Data Base for tape ..... \$29.95  
16K EXB Tape

COCO WRITER TWO  
Tape Version ..... \$34.95  
16K EXB Tape  
Disk Version ..... \$44.95  
32K Disk

Business Software Call Us

## A SUPER COLOR PRINTER The OKIMATE 20 AT A SUPER LITTLE PRICE!

Prints ten characters to the inch,  
twelve characters fifteen characters to the inch,  
*Italics. Italics. Italics.*

Underline <sup>Superscript</sup> <sub>Subscript</sub>

Small. Light weight. Quiet.  
Prints up to 80 characters per second.  
Prints four color graphics. Includes  
disk software for black and white, two  
color and four color screen dumps of  
Color Computer hi res graphics.  
Okimate 20, Plug 'n' Print,  
paper, black and color ribbon,  
instructions, software and cable for:

Parallel \$220.00  
\$10.00 Shipping

The only color Okimate  
20 Screen Dump Now  
Available for the CoCo.



MISSION Santa Barbara Founded 1786

## 64K UPGRADES



E Board (solderless -  
pictured) ..... \$39.95  
F Board ..... \$26.95  
CoCo 2 (except 26-3134A&B and  
26-3136A&B) ..... \$26.95  
CoCo 2 (models 26-3134A&B and  
26-3136A&B) ..... \$39.95

Guaranteed Pretested

Having trouble with your CoCo? We  
have the chips you need. Call us.  
(805) 962-3127

## SELECTED REPLACEMENT CHIPS FOR THE COCO

The "COCO CORRECTION"  
Chips for U11 and U29  
Presoldered assembly for E boards upgrades. \$12.95  
SN74LS785N (The SAM chip) \$28.95  
6809E (Microprocessor) \$19.95  
6822P (PIA) \$13.95  
6821P (PIA) \$ 8.95  
1372 (Color Mixing Chip) \$10.95  
Extended basic (EXCEPT models 26-3127B,  
26-3134A/B and 26-3136A/B \$29.29

## DOUBLE DRIVER I

The BEST monitor driver available.  
Color composite, monochrome and  
audio output. For original CoCo D, E  
and F boards. \$24.95.

## MONO II


Mono II for Color Computer 2. An  
excellent monochrome monitor driver  
that has audio output also. Specify  
model needed.

\$24.95.



## DOUBLE DRIVER II

Finally a monitor driver for  
the Color Computer II that  
lets you use a monochrome  
and a color monitor  
simultaneously. We're proud  
of this new driver. The six  
transistor circuit provides op-  
timal signal mixing and signal  
gain. Excellent monochrome  
output and better quality  
resolution in the color output



than any driver we have  
seen. Audio output also. Fits  
all models of the Color Com-  
puter II. \$29.95.

## THE COCO-SWITCHER

### A QUALITY PIECE OF HARDWARE

The CoCo Switcher allows you to hook up  
three peripherals to your RS-232 jack. Con-  
nect your modem, printer and any other  
RS-232 compatible peripheral to the CoCo  
Switcher. An LED on the CoCo Switcher  
shows if your computer is on or off at a glance,  
The LED flickers when transmitting or receiv-  
ing data.

\$39.95 plus \$2.00 shipping and handling



## MORETON BAY SOFTWARE



A Division of Moreton Bay laboratory

316 CASTILLO STREET  
SANTA BARBARA  
CALIFORNIA 93101  
(805) 962-3127



Ordering information

Send \$2.00 shipping and handling per order. We ship  
within 1 working day on receipt of order. Blue Label  
Service available. California residents add 6% sales tax.



to the main Delphi menu and select People on Delphi and fill out a profile there. Once you have done this, other members can type:

WHOIS username

and find out a little background information on you.

### Editing in Mail

When you are going to send a Mail message, type SEND/EDIT or REPLY/EDIT appropriately. This puts you in the editor for creating a message. In this way you can edit the message fully before sending it.

### Freedom for Montreal Members!

**Andre Mallette** (MODEMITIS) has given us a little tidbit that could be important to members in the Montreal area. Now those people can access Delphi through Tymnet by dialing 748-1051. At the "terminal identifier" prompt press 'A'. When asked to log in, enter DELPHI. You can then proceed with username and password. Not only will this reduce connect costs, but you will have much less trouble downloading programs using the Xmodem protocol.

### Outside Support

Many thanks to **Scott Lampton** of Sullivan, Indiana. Although Scott has been unable to join us online, he wanted to show support by sending in some files for uploading to Delphi. Scott sent three files in answer to our call for music files. You can now find *Snowbird*, *Almost Like a Song* and *You and I* in the Music database. Again, we thank Scott for his support of a service he is presently unable to enjoy.

### Late Rates

Are you having trouble getting to sleep on those hot summer nights? Maybe you are thinking about Delphi. Delphi is definitely thinking of you! As mentioned earlier, until August 31, 1986, Delphi is offering "Late Rates." From 2 a.m. EDT until 7 a.m. in your local time zone, you will receive one free minute of access time for every ten minutes online. That's six free minutes for every online hour for Conferences, Delphi Mail, downloading files and accessing information — everything you use Delphi for. Take advantage of this offer.

We have successfully initiated our program on the SIG of offering free connect time for those who want to upload material to us. Several members have already taken advantage of this. If you have material to upload to us, go to the Questions & Feedback area from the CoCo SIG main prompt, and select the form that is a "Request for Free Upload Time." You will be asked why you want the time, when you want it and you will be informed of the terms of this offer. If the request is approved (it usually is), you will be notified via Delphi Mail. We typically give you time to upload material and a little left over for you to briefly browse around the SIG, as our way of saying thank you for helping us out.

In June, the greatest number of new uploads were to our Graphics database. **Ira Goldwyn** (IRAG) has been very busy using his newly acquired 1200 Baud modem to send us nearly a hundred new pictures. **Derrick Kardos** (DTG) has supplied us with a BASIC program that generates logos of popular rock groups. **Roger Bouchard** (HARBIE) has provided us with some routines for the Epson for printing teletype, text-type printer art. He also has given us some lovely animal pictures and some digitized scenes from *Tron*. **Steve Hancock** (KA4ULE) has contributed a picture of a CoCo. **Loren J. Howell** (XENOS) has given us a simple BASIC utility for drawing using the eight-color high resolution semigraphics-24 mode.

In the Hardware Hacking database, Roger Bouchard has sent us a review of the Hitachi 6309, a CMOS, 3-MHz-capable version of the Motorola 6809. He has also sent us schematics and instructions for several hardware projects. **John Beveridge** (JOHNTORONTO) has given us both text and pictures describing the use of Motorola gas discharge surge protectors. It is from him that I learned of these devices, and was able to mention them in my "CoCo Consultations" column (Page 178) this month. Don Hutchison and I have uploaded a much-revised version of a set of pictures and instructions on how to build a simple but effective dual or triple voltage linear power supply (+5, +12 and -12 volts). We provide full schematic diagrams and an extensive description of how it all works. This circuit has the desirable property of using a minimum of components to develop all those regulated voltages.

Our Music topic area is beginning

to grow. **Erik Gavriluk** (ERIKGAV) has given us a Random Music generator. Don Hutchison has provided us with a couple of new songs: "Country Roads" and "The Way You Are." **George McCashin** (GMCC) has sent us both the *PLAY.BIN* program that plays *Musica II* files, documentation for same, and an assortment of *Musica II* compositions. We eagerly solicit uploads of more music material, and offer free connect time to help facilitate getting the data to us.

Our Source Code for 6809 Assemblers topic area has been enriched by a Disk Editor program from **Edward Coen** (EDCOEN). Don Hutchison has contributed two sets of source code for graphics dumps to Epson LX and other printers. **Ronald Cole** (RONALDCOLE) has given us source code for a 32K Printer Spooler.

In the Utilities database, **Eric Tilenius** (TILENIUS) has given us an envelope addresser and a logarithm program. **Dave Archer** (DAVE-ARCHER) has sent a disk directory database program. **Steve Hancock** (KA4ULE) has provided a multiplication drill program, and **Rodger Alexander** (SALZARD) has contributed a monthly report card program. **Mike Brant** (MBRANT) has given a conversion table utility.

In our Games topic area, **Richard P. Trasborg** (TRAS) has uploaded *Pinball*, and **Ronald Cole** has sent us a game called *Escape2*. **Michael Schneider** (MSCHNEIDER) has given us *Slot Machine*.

To the Product Reviews section **Denny Skala** (DENNYSKALA) has contributed a comprehensive and professional review of the OS-9 word processor, *The Last Word*.

Our Data Communications area has been enriched by **Rob Wyatt's** (ROBERTJR) *Dazzelterm*, a terminal program oriented to transmission of images and sound. Roger Bouchard has given us *DCM16*, a dedicated disk transfer program.

The OS-9 topic area now features two new graphics demo programs by **Steve Bjork** (6809ER), one similar to the familiar Amiga bouncing ball demo, and one which *outdoes* the Amiga demo by depicting many bouncing balls. Steve has also given us a line feed remover program.

Our thanks to all of you who have helped our database grow. See you all on Delphi!

— Marty  
(MARTYGOODMAN)  
Delphi CoCo SIG Database Manager



# Look What's New at NOVASOFT!

Top-quality software at affordable prices, written by well-known authors in 6809 Machine Language



## New Release Maui Vice

Step into the shoes of Crockett & Tubbs, and gather evidence, photographs and witnesses to convict your suspects! With "windows" to select your options, hi-res graphics, and a new story generated each time you play. This is state-of-the-art that guarantees excitement and newness every time you play.


64K Ext. Basic & Joystick Required  
Disk \$21.95



## The Misadventures of Eddie

Another great Novasoft adventure. The old man in the mines' rebellious son, Eddie, is roaming through time, creating havoc—and you must bring him home in order to return to your own time! Over 140 locations, 50+ commands, in hi-res graphics. Experienced adventurers will love this one!

Requires 64K  
Disk \$21.95



## Goldrunner

Travel the maze in your never-ending search for gold—but beware of trap doors, burly guards and other hazards! 33 screens.

64K Joystick or Keyboard  
Tape \$14.95 Disk \$17.95



## Moneyopoly

Play the popular board game on one of the most realistic computer game simulations ever! Contains all the features of the original. Buy, sell, rent, wheel & deal your way to fortune.

32K Joystick Required  
Tape \$19.95 Disk \$22.95



## Vegas Game Pak

Six games in all! Blackjack, Keno, Video Poker & 3 slot machine lookalikes. Super graphics!

16K Ext. Basic Required  
Tape \$24.95 Disk \$27.95

## Other Best Sellers

**Martian Crypt**—Life once existed on Mars! Find the hidden Martian crypt. Animated hi-res graphic adventure with sound effects.

32K Tape \$18.95 Disk \$21.95

**Skyway**—Manuever your craft along the skyway avoiding enemy craft, mines, sky bugs and holes! 32K and Joystick.

Tape \$19.95 Disk \$22.95

**Blackbeard's Island**—Find Blackbeard's treasure but be ever mindful of the hazards along the way. Graphic adventure.

32K Disk \$19.95

**Brewmaster**—Move along the end of the bars, serving beer to your thirsty customers. Fast-paced action. 32K & Joystick.

Tape \$14.95 Disk \$17.95

**CoCo Crosswords**—Master set has 27 puzzles, four levels of difficulty. Pull down menu. Additional sets have 30+ puzzles each.

32K Master Set Disk \$24.95

Sets #2, #3, #4 just \$12.95 ea. on Disk

**Color Car**—Fast moving racing lets you "bump & jump" other racers through the course.

64K & Joystick. Tape \$19.95 Disk \$22.95

## Tom Mix Products at New Reduced Prices!

**Sailor Man**—Defeat the bigfatbadguy and win Elsie's heart. Super graphics.

64K Tape \$24.95 Disk \$27.95

**Dragon Slayer**—Defeat the dragon by finding your way through a mountain maze. Gather treasure but avoid the deadly traps! 160 exciting screens.

32K & Joystick or Keyboard  
Disk \$24.95

**The King**—

32K Tape \$24.95 Disk \$27.95

**Draconian**—

32K Tape \$19.95 Disk \$22.95

**Ms. Maze**—

32K Tape \$19.95 Disk \$22.95

**Kater Pillar II**—

16K Tape \$19.95 Disk \$22.95

**Warehouse Mutants**—

16K Tape \$18.95 Disk \$21.95

**Buzzard Bait**—

32K Tape \$19.95 Disk \$22.95

# NOVASOFT

A Tom Mix Company

4285 Bradford N.E.  
Grand Rapids, MI 49506

## Ordering Information

- Add \$3 shipping/handling
- MI residents add 4% sales tax
- Dealers welcome
- Many more titles—write for free catalog!


## Credit Card Orders

Call 616/957-0444






# TOM MIX'S MINI-CATALOG



## P-51 Mustang Attack/Flight Simulation

The ultimate video experience! Link two CoCo's together by cable or modem, and compete against your opponent across the table OR across the country! (Both computers require a copy of this program). The P-51 flight simulator lets you fly this WWII attack fighter in actual combat situations—against another player OR against the computer.

32K Machine Language  
Flight Manual Included  
Tape \$29.95 Disk \$34.95



## Worlds of Flight Small Plane Simulation

Real-time simulation generates panoramic 3-D views of ground features as you fly your sophisticated plane in any of nine different "worlds." Program models over 35 different aircraft/flight parameters. Realistic sound effects too! Manual included helps you through a typical short flight.

32K Machine Language  
Flight Manual Included  
Joysticks Required  
Tape \$29.95 Disk \$34.95

## New! Tandy 1000/1200/3000-IBM/PC-Compatible Software!

**Inventory Mate** --General purpose inventory program suitable for a variety of applications. Inventory turnover and transactions are kept on permanent record. Has automatic item count adjustment when shipping or receiving. Also generates reports suitable for many uses! **\$79.95**

**Postal Express** --Lightning-fast general purpose mail program for home, small business. Each file stores up to 500 entries; in-memory storage for quick operation; automatic selective printing options using global search and categorizing features; Zip Code ordering,

## Educational Best-Sellers!

**Teachers Database II**—Allows teachers to keep computerized files of students. Recently updated with many new features!

- Up to 100 students, 24 items per student
- Many easy-to-follow menus
- Records can be changed, deleted, combined
- Statistical analysis of scores
- Grades can be weighed, averaged, percentaged
- Individual progress reports
- Student seating charts
- Test result graphs/grade distribution charts

64K TDBII \$59.95 Disk Only  
32K TDBI \$42.95 Tape \$39.95

**Fractions**—A Three-Program Package. 1/Mixed & Improper 2/Equivalence 3/Lowest Terms. Practice, review and definitions make learning easy.

32K Ext. Basic  
Tape \$30.95 Disk \$35.95

**Factpack**—Three programs for home or school use provide drill and practice with basic "-/+/-/×" Grades 1-6.


32K Ext. Basic  
Tape \$24.95 Disk \$29.95

**Vocabulary Management System**—Helps children learn and practice using vocabulary and spelling words. Eleven programs including three printer segments for tests, puzzles, worksheets and five games; many features make this a popular seller!

Requires 16K Ext. Basic/  
32K for Printer Output  
Tape \$39.95 Disk \$42.95

**Math Duel**—A challenging math game that pits you against the computer in a game of wits. Use your knowledge of factors, multiples and prime numbers to gather points against your CoCo.

32K Ext. Basic  
Tape \$30.95 Disk \$35.95



## Approach Control Simulation From Betasoft Systems.

"Caught in a blinding snowstorm, two jet airliners are on a collision course. The pilots are unaware of the imminent danger. Hundreds of lives are at stake. A high-speed disaster is inevitable unless you act fast..." This and many other exciting scenarios await you as an Air Traffic Controller. The thrills, challenges and frustrations you'll experience with this authentic, real-time simulation will give you countless hours of discovery and adventure.

32K Machine Language  
Tape \$29.95 Disk \$34.95

**We Have More Software  
Available Than Listed Here.  
Please Write for a Free Catalog!**

## Unique Utilities!

**New!** Use the tools we've used to create "Donkey King," "Sailor Man" and others!

- Full use of 64K RAM
- 100% Machine Language
- No ROM Calls
- Selectable Drive
- Support 1-4 drives
- Menu Selected functions
- "Cold Start" exit to Basic
- Parameters easily changeable in basic loader

**MAS Assembler**—the finest ever!  
(Includes EDT)

Disk \$74.95

**EDT**—Effortless full screen editing w/2-way cursor. Text files to 48K+. Copy, save, move, delete, print blocks, much more!

Disk \$39.95

**Deputy Inspector**—Alphabetize, resort and backup directory; fast 3-swap backups, copy files or programs, auto-reallocate granules during backup for faster loading, more!

Disk \$21.95

**Sector Inspector**—Alphabetize, backup and print directory; repair crashes, LLIST basic programs, read in and edit 23+ grans, much more!

Disk \$29.95



**TOM MIX SOFTWARE**

4285 Bradford N.E.  
Grand Rapids, MI 49506  
616/957-0444

## Ordering Information

- Call us at 616/957-0444 for Charge Card orders
- Add \$3.00 postage and handling
- MI residents add 4% sales tax
- Authors—We pay top royalties!





## To 'Y', or Not to 'Y'?

By Marty Goodman

In the second installment of "CoCo Consultations," the following are all questions that have come from users of RAINBOW's CoCo SIG on Delphi. These have been asked either in the CoCo SIG forum or via Delphi Electronic Mail.

• *I installed a 'Y' cable on my disk drive and now it acts up sometimes. I really don't have room for a multipack and would prefer not to get one. What can I do?*

(TRASS)  
Tom Rasmussen  
Davenport, IA

You probably *do* need a multipack. The naked CoCo system bus (the signals available at the ROM pack port) are often too weak to drive two devices. The multipack provides buffering and amplifying circuitry. The extra device on the 'Y' cable can also overload the power supply. Sometimes 'Y' cables work with some hardware combinations, but often they result in intermittent disk malfunctions. Keeping the 'Y' cable short (under three inches) increases the chance it will work properly. I recommend using a multipack when you need to run two or more plug-in cards.

• *Are the old gray multipacks any different from the old white multipacks or from the newer small white ones?*

(IRAG)  
Ira Goldwyn  
Great Neck, NY

*Martin H. Goodman, M.D., a physician trained in anesthesiology, is a longtime electronics tinkerer and outspoken commentator — sort of the Howard Cosell of the CoCo world. Marty is the database manager of RAINBOW's CoCo SIG on Delphi. His non-computer passions include running, mountaineering and outdoor photography. Marty lives in San Pablo, California.*

All multipacks should be interchangeable. The new white ones use different (more advanced and less expensive) circuitry than the older ones, but should behave identically to the older variety.

• *My modem and RS-232 Pak were fried by either the telephone company or lightning. What precautions can I take to prevent this?*

(THEPROFESSOR)  
Richard Steinbrueck  
Brandon, FL

By placing MOVs (Metal Oxide Varistors) rated at 130 volts, 220-volt dual Zener Diodes, and/or 250-volt Gas Discharge Tubes in parallel with your incoming phone line, you can significantly decrease the chance of spikes harming equipment. Several commercial firms sell surge protectors for the phone line that use some of those devices. None of these measures guarantees protection from a direct hit by lightning.

• *Is there any reason why I should get an RS-232 Pak, other than allowing me to run at 1200 Baud? Why is the bit banger port alleged to be unsuitable for 1200 Baud telecommunications when I use it at 4800 Baud to talk to my printer?*

(RRIES)  
Richard Ries  
Copiague, NY

• *I understand Mikeyterm supports the Radio Shack RS-232 Pak at Baud rates above 300. How does this work if one only has a 300 Baud modem? If a modem that can work at greater than 300 Baud is needed to operate at speeds greater than 300 Baud, what advantage does the RS-232 Pak offer?*

(GMCC)  
George McCashin  
Chattanooga, TN

The RS-232 Pak allows you to leave the printer connected while online, and you'll find it more convenient to print out what you receive online. As the price of 1200 Baud modems continues to decrease, the Pak will be more useful. Under OS-9, you will not be able to hook a terminal to the system unless you use a hardware RS-232 (RS-232 Pak). You cannot use 1200 Baud even though your terminal and RS-232 Pak support such speeds. You must have a modem that can also handle such information speeds.

When the computer uses the bit banger to talk to the printer, it is only sending data to the printer. It is not receiving. This is simplex communication. When the port is being used to talk to a modem, it is called upon to send and receive data simultaneously. In simplex mode, the bit banger has no trouble talking, even at 9600 Baud.

• *Is there any advantage to replacing the 'E' board's original SAM (74LS783) with one of the new 74LS785 type SAM chips? Is there any reason to replace the 6821 on an 'E' board with a 6822? I have heard the 6847 VDG has been replaced with a newer, more efficient chip. Is this true?*

(BUGMAN)  
Harold Dowda  
Columbia, SC

The newer 74LS785 SAM chip timing has been arranged more precisely to fix some problems associated with some older SAM chips. It runs cooler than its predecessor. It supports 256 cycle refresh four-bit wide dynamic RAM chips in addition to the older one-bit wide 128 cycle refresh RAM chips used in the older CoCos. If you are having intermittent crashes that you trace to a bad SAM chip, I recommend the 74LS785 (which is backwards compatible to the machines using the 74LS783). But if you are not having problems related to the SAM,



leave it alone. The new SAM is Radio Shack number MX 6433.

The 6822 is not a drop-in replacement for the 6821. Do not consider putting it into your 'E' board computer. Although the descriptions of the pins are the same for both the 6822 and the 6821, the 6822 uses open collector gates on the output for one of its two ports. Conversion is a tedious job, and not necessary.

The 27-3134B model CoCo used a variant of the 6847 called the 6847-T1. This chip behaves much like the older VDG, but it has support for true lowercase as well. It is not easily installed in older model CoCos.

• I have a new model J & M controller with a built-in parallel port. I am using OS-9 at present. My old Disk BASIC programs will not print out through that port. What can I do? Can I format new disks under OS-9 and copy Disk BASIC formatted disks?

(BONIE)  
Mike Bonie

Sorry, but that parallel port demands special driver software to be custom installed in most Disk BASIC applications programs to use it. OS-9 is much better

suitable for adding hardware like the parallel port, because all programs designed to run under it must speak to their ports through device drivers and descriptors.

Although OS-9 and Disk BASIC use similar fundamental disk formats (both use 256-byte sectors and 35 tracks, and use the same numbering of their sectors and tracks), there may be problems using one to back up the other's disks. If you are using OS-9 configured for 35-track, single-sided disks the DSKINI and BACKUP commands will make an exact copy of an OS-9 disk. If you are using 40-track and/or double-sided drives under OS-9, and have the OS-9 configured for the same, you will run into problems. Best keep things under one operating system.

• I'm starting my own BBS and need an auto-answer modem. I own a DC-3 from Radio Shack. Can you tell me how to use it for auto-answer?

(CGR)  
Christian Ross  
Williamsport, PA

The DC-3 does not support auto-answer. A while ago, RAINBOW ran an article on how

to convert a DC-1 modem to allow it to auto-answer. If you are an experienced hardware hacker, that conversion could probably be adapted to the DC-3. But my advice is such a conversion would be a waste of time and money, considering the low price these days of auto-answer modems.

Your technical questions are welcomed. Please address them to CoCo Consultations, THE RAINBOW, P.O. Box 385, Prospect, KY 40059.

We reserve the right to publish only questions of general interest and to edit for brevity and clarity. Due to the large volume of mail we receive, we are unable to answer letters individually.

For quicker response time, your questions may also be posted in the FORUM section of RAINBOW's CoCo SIG on Delphi. In FORUM, type ADD and address your questions to the username MARTYGOODMAN. Marty is on most every evening to respond to FORUM messages. Other CoCo SIG members may also reply to questions posted in this public message area. Please be sure to leave your name and address in any FORUM questions, since those of wide interest will be selected for publication in this column.

## ★ ★ ★ ★ ★ SELECTED SOFTWARE ★ ★ ★ ★ ★

### SOLDERLESS UPGRADE KITS

With easy-to-follow instructions

64K FOR E BOARD	<b>\$39.95</b>
64K FOR F BOARD	<b>\$29.95</b>
64K FOR COCO2* (ALL MODELS)	<b>\$29.95</b>
EXTENDED BASIC CHIP	<b>\$34.95</b>

\*All Korean models require one solder joint  
Please specify model # with order

NOTE: All ICs used in our kits are first quality 150 NS prime chips and carry one full year warranty.

### BASIC ROMs DISASSEMBLY

COLOR BASIC UNRAVELLED	<b>\$17.95</b>
EXTENDED BASIC UNRAVELLED	<b>\$17.95</b>
DISK BASIC UNRAVELLED	<b>\$17.95</b>
ALL 3 BOOKS	<b>ONLY \$39.95</b>
ULTRA 80C DISK EDITOR ASSEMBLER	<b>\$29.95</b>
BUG OUT & THE ORACLE (M.L. Monitor)	<b>\$14.95</b>
ALL 5 ITEMS	<b>ONLY \$59.95</b>
500 POKES, PEEKS, 'N EXECs	<b>\$16.95</b>
UTILITY ROUTINE (VOLUME 1)	<b>\$19.95</b>
WITH ROUTINES ON TAPE OR DISK	<b>\$36.95</b>
ASSEMBLY LANGUAGE PROGRAMMING (TEPCO)	<b>\$16.95</b>
ALL 9 ITEMS	<b>ONLY \$119.95</b>

COCO MAX tape only	.....	\$64.95
COCO MAX II disk only	.....	\$74.95
Y-BRANCHING CABLE	.....	\$27.95
DS-89A DIGISECTOR & C-SEE III SOFTWARE	.....	\$149.95
HJL-57 KEYBOARD	.....	\$89.95
VOLKS MODEM	.....	\$54.95
THE INTRONICS EPROM Programmer	.....	
Program Up to 64K Eprom	.....	\$139.95
DATARAASE (Eprom Eraser)	.....	\$39.95
2764 HIGH SPEED COMPATIBLE	.....	\$5.95
27128 HIGH SPEED COMPATIBLE	.....	\$7.95
ROM PACK P.C. BOARD	.....	
with case for 27xx	.....	\$9.95
TEAC 55B DS/DD Half Height Drive	.....	\$109.95

CASE AND POWER SUPPLY	.....	\$49.00
NEW J & M DISK CONTROLLER	.....	
with J Dos 1.2	.....	\$129.00
DISKETTE CAROUSEL	.....	\$24.95
ZENITH ZVM-123 GREEN	.....	\$99.00
ZENITH ZVM-122 AMBER	.....	\$109.00
VIDEO PLUS	.....	\$24.95
VIDEO PLUS IIC	.....	\$34.95
VIDEO PLUS III	.....	\$34.95
REAL TALKER I	.....	
With 3 talking games	.....	\$49.95
REAL TALKER II	.....	
With 3 talking games	.....	\$54.95
NUMBER JACK THE HJL Numeric Key Pad	.....	\$79.95

WIZARD'S CASTLE  
64K Graphic Adventure  
By Spectral Associates  
Disk only \$19.95

Top 5 Spectral Associates  
games in one package:  
Galagon, Lancer, Cubix,  
Froggie & Lunar Rover Patrol  
for only \$34.95 tape or disk

### Take a closer look. . .

	TAPE	DISK	TAPE	DISK
DYNACALC		\$69.95	P51 MUSTANG	\$23.95
PROCOLOR FILE 2.0		\$49.95	SAILOR MAN (64K)	\$23.95
MASTER DESIGN		\$24.95	WORLDS OF FLIGHT	\$23.95
TELEWRITER 64	\$39.95	\$49.95	DRAGON SLAYER	\$23.95
SUPER SCREEN MACHINE	\$35.95	\$38.95	SR-71	\$23.15
RAINBOW SCREEN MACHINE	\$23.95	\$26.85	BUZZARD BAIT	\$18.95
PEN PAL 2.1		\$84.85	GALAGON	\$16.95
AUTOTERM	\$31.95	\$39.95	LUNAR ROVER PATROL	\$16.95
ADOS		\$27.95	MS GOBBLER	\$16.95
SUPER BACKUP UTILITY		\$44.95	LANCER	\$16.95
THE PEEPER WITH SOURCE	\$24.95	\$26.95	CUBIX	\$16.95
GRAPHICOM		\$19.95	FROGGIE	\$16.95
BEST OF COCO TIME 85	\$28.95	\$26.95	SPACE PAC (10 M.L. GAMES)	\$21.95
UTILITIES BONANZA I		\$29.95	EDUCATIONAL PAC (6 PROGRAMS)	\$19.95
DISK UTILITIES 2.1A		\$24.95	ADVENTURE PAC (5 GAMES)	\$19.95
TELEPATCH II		\$29.95	TREASURY PAC (30 GAMES)	\$29.95

WE PAY SHIPPING in the United States, Canada & Mexico. Overseas please add 10%. (MN Residents add 6% sales tax.) We accept Visa, Mastercard, check or money order. U.S. funds only for foreign orders. C.O.D. please add \$2.00. (USA only).

Send to: **SELECTED SOFTWARE**  
P.O. Box 32228, Fridley, MN 55432  
24 HOUR ORDER LINE 612-757-2439  
INFORMATION 612-757-1026 (8 A.M. - 5 P.M. C.S.T.)  
SAME DAY SHIPPING BEFORE 1 P.M. C.S.T.



The last installment of the point-and-pick interface

# CoCo Mouse: The Final Chapter

By Steve Bjork

**To** refresh your memory, *The Mouse* is an assembly language program that displays and moves a cursor and prints upper- and lowercase text on the Hi-Res graphics screen. A BASIC program may access this interface by 13 user functions and the PRINT command.

Last month we covered the assembly language side of the USR function and PRINT command, along with the code for drawing the cursor (pointer). We also looked at how the joystick and button information is polled.

This month we have the second half of the source code, bell and clock sounds and the Hi-Res screen text driver and its character shape data.

Before getting started I want to remind you that *The Mouse* and its source code are copyright 1986 by SRB Software with all rights reserved.

It is presented in RAINBOW magazine for private use only, and can't be used (all or part) in any marketed product without written consent from SRB Software.

## Makin' Some Noise!

The first subroutine of Listing 1 (MOUSE3/ASM) generates the bell sound used in function 7. The bell sound is generated by playing a steady tone that decreases in volume as it is played (see Figure 1).

So the sound can be heard, the bell routine first enables sound to the TV and selects the six-bit DAC as the sound device by calling SNDON. Next, the interrupts are disabled so the timing loops are not distorted and the starting volume is selected.

Lines 600 to 1900 generate the envelope in Figure 1. After bell sound is completed, the interrupts are turned back on and the TV sound is disabled.

The click sound does not change in volume like the bell, but does become lower in pitch as it is played. With click being so fast, the interrupts do not need to be turned off as before. Lines 4600 through 5400 flip the bits of the six-bit DAC with a longer delay each time to generate its wave form.

## PRINT @

The Hi-Res screen text driver has 32 characters per line, just like the standard green text screen. But eight lines must be added to make a total of 24 and give an extra 256 positions. This does present a little problem; the PRINT




Figure 1: Bell Sound

command's '@' can't address these new lines. So *The Mouse* intercepts the PRINT command to handle the '@' function for screen location in NPRINT, lines 6300 to 9400 of Listing 1.

NPRINT jumps to the old PRINT command vector (in OLDPRNT) if there is no '@' after the word PRINT. If there is an '@', a 16-bit number subroutine of Color BASIC ROM is called to find the new location. If this number is larger than the window size, then an FC Error is generated. With everything OK, the cursor is moved to the new location and

*Steve Bjork has been a programmer for over 15 years. In his association with Datasoft he has authored such programs as Zaxxon, Sands of Egypt and Mega-Bug. He now handles product development for his own company, SRB Software, and has produced Stellar Life Line, Ghana Bwana and PitFall II among others. Steve lives in Simi Valley, California*



Pattern	Binary	Hex	Decimal
...***...	00011100	\$1C	28
..*..*	00100010	\$22	34
..*.....	00100000	\$20	32
...***.	00011100	\$1C	28
.....*	00000010	\$02	2
..*..*	00100010	\$22	34
...***.	00011100	\$1C	28
.....	00000000	\$00	0

Figure 2: Dot Format for 'S'

the old PRINT command handles the rest of the line.

### Outgoing Interceptors

All characters that would normally go to the text screen are intercepted by *The Mouse*. This is done by redirecting the standard output path through SPRINT at Line 10500. This routine calls CHR (Hi-Res text driver) if a Hi-Res graphics screen is selected. If a Lo-Res graphics or text screen is displayed at the time, then the old standard output path is used.

The routine that prints a character to the Hi-Res screen, CHR, must first decide what mode it is in. These modes are Standard, Set Cursor Position and

Set Window. Standard prints the character, does a control code or sets up the other two modes. Set Cursor Position mode takes the next two characters (X and Y position) and moves the cursor (lines 13600 through 15100). The Set Window mode takes the next four characters and sets up a new scroll-protected window (lines 10400 through 15400 of Listing 2).

Standard mode first tests if the character is a control code, 0 to 13, with CHRTAB holding the offset vector for these routines. Some of the routines are Line Feed, Clear Screen, Carriage Return, Set Window and Set Cursor Position.

Next is a test for displayable range (32

to 127). If it is in range, then the character's shape is selected out of CHRDAT shape data. The Shape Data format is one byte (eight dots) wide and eight bytes (lines) high.

MOUSE4/ASM (Listing 2) is the CHRDAT shape data table for all 96 displayable characters. Each character shape consists of one byte (eight dots) wide by eight bytes (scan lines) high. If the bit is a zero, then a black dot is placed on the screen. And of course, if the bit is a one, then a white dot is displayed. Dot format for the letter "S" is shown in Figure 2.

Each line of the CHRDAT shape data table has eight bytes (four word length) per line. Some assemblers do not allow for more than one expression per line. If this is the case with your assembler then all 96 FDB lines must be replaced by four FDB lines with one expression each.

That's all the source code. If you have any questions about *The Mouse* or its source code just drop me a line, or better yet, look for me (6809er) at RAINBOW's Color Computer SIG on Delphi.

(You may contact Mr. Bjork at 2529 Ellington Court, Simi Valley, CA 93063. Please enclose an SASE when writing.)

### Listing 1:

```

00100 * SOUND AND SCREEN DRIVERS
00200 PING BSR SNDON GET SOUND FROM 6 BIT DAC
00300 PSHS CC SAVE IRQ FLAGS
00400 ORGC #50 TURN OFF IRQS
00500 LDA #230 HOW LONG TO DO SOUND
00600 PING1 BSR PING5 DO A TIME DELAY
00700
00800 TFR A,B GET TIME COUNT
00900 ANDB #5F7 USE ONLY THE TOP 5 BITS
01000 ORB #2 SET PRINTER BIT HIGH
01100 STB $FF20 SEND IT OUT THE DAC PORT
01200
01300 BSR PING5 DO A TIME DELAY
01400 LDB #2 CLEAR ALL BITS BUT PRINTER
01500 STB $FF20 ON DAC PORT
01600 DECA MAKE BALL SOUND SMALLER
01700 DECA BY 2
01800 CMFA #18 IS BELL DONE?
01900 BHS PING1 NO, THEN LOOP
02000 PULS CC TURN ON IRQS
02100 SNDOFF LDA $FF23 TURN OFF DAC SOUND
02200 ANDA #5F7 BY RESETTING THE BIT
02300 STA $FF23
02400 CLR B MAKE RETURN ZERO
02500 RTS AND RETURN
02600
02700 SNDON LDA $FF23 TURN ON THE SOUND BY
02800 ORA #8 SETTING THE SOUND ON BIT
02900 STA $FF23
03000 LDA $FF01 GET LSB OF JOY/AUDIO
03100 ANDA #5FF-8 PORT AND RESET IT
03200 STA $FF01 AND PUT IT BACK
03300 LDA $FF03 GET MSB OF JOY/AUDIO
03400 ANDA #5FF-8 PORT AND RESET IT TOO
03500 STA $FF03 AND PUT IT BACK
03600 RTS NOW EXIT
03700
03800 PING3 LDB #180 TIME DELAY USED BY BELL (PING)
03900 PING6 DECB
04000 BNE PING6
04100 RTS
04200
04300 *MAKE A SMALL CLICK SOUND
04400 CLICK BSR SNDON TURN SOUND ON TO DAC
04500 LDA #10 START TIME DELAY SHORT
04600 CLICK1 TFR A,B DO A DELAY (USE COUNT)
04700 CLICK2 DECB GET LONGER EACH TIME
04800 BNE CLICK2
04900 LDB $FF20 GET DAC PORT
05000 EORB #5F0 FLIP TOP 4 BITS
05100 STB $FF20 SAVE SET PORT
05200 INGA MAKE DELAY LONGER
05300 CMFA #76 ALL DONE?
05400 BLO CLICK1 NO, LOOP BACK
05500 BRA SNDOFF ELSE SOUND OFF AND EXIT
05600
05700 FNERR LDB #4*2 GO HERE FOR ?FN ERROR
05800 FCB #8C
05900 SNERR LDB #2 GO HERE FOR ?SN ERROR
06000 JMP $AC46 JUMP TO ERROR (OF BASIC)
06100
06200 *MOUSE'S NEW PRINT COMMAND
06300 NPRINT BEQ OPRINT SKIP IF NO PRINT DATA
06400 CMFA #64 IS THE FIRST CHAR. A "@"?
06500 BNE OPRINT
06600 PSHS A
06700 LDA $FF22 GET GRAPHICS MODE
06800 ANDA #5E0 IS SCREEN A PMODE 3 TO 4
06900 EORA #5E0
07000 PULS A
07100 BNE OPRINT NO, THEN USE OLD PRINT COMMAND
07200
07300 JSR $B3E4 GET VAL FOR THE @ POSITION
07400 PSHS U SAVE U, NEED FOR VARIABLE BLOCK
07500 LEAU DATA,PCR GET VARIABLE POINTER
07600 CLR COUNT,U CLEAR LINE COUNT
07700 AT1 INC COUNT,U ADD ONE TO LINE COUNT
07800 SUBB WDXLEN,U SUB ONE LINE WIDTH
07900 SECA #0 (DO 16 BIT SUB)
08000 BCC AT1 LOOP TILL NEG
08100 ADDB WDXLEN,U ALWAYS ONE TOO MANY
08200 LDA COUNT,U GET LINE COUNT
08300 DECA ALWAYS ONE TOO MANY
08400 CMFA WDTLEN,U IS THE LINE OUT OF THE WINDOW
08500 BHS FNERR FM ERROR IF OUT OF RANGE
08600 STD YCPOS,U SAVE THE LINE & COLUMN POSITION
08700 PULS U RESTORE U REG.
08800
08900 JSR $A5 GET NEXT CHAR.
09000 BEQ OPRINT END IF END OF PRINT DATA
09100 CMFA #52C IS THE CHAR. A " , " ?
09200 BNE SNERR NO, THEN ?SN ERROR
09300 JSR $9F SET FLAGS FOR CHARACTER
09400 OPRINT JMP [OLDPRT+DATA,PCR]
09500
09600 PMTAB FDB CHR1-PMTAB TABLE USED FOR PMODE TYPE
09700 FDB PMODE1-PMTAB
09800 FDB PMODE2-PMTAB
09900
10000 FDB WHODE1-PMTAB

```



# The Crossword Creator Contest

Can you create a totally symmetrical crossword puzzle using the *Word+* program and the specifications outlined in the accompanying article on Page 38 of the May 1986 issue of THE RAINBOW? If so, you may wish to enter The Crossword Creator Contest. And, if we choose to print your crossword puzzle, you will be awarded a special prize.

Send us a disk or cassette copy of the data file of your puzzle created by *Word+* along with a printed copy of the crossword puzzle — including the clues and answers. Be sure to put a title on the puzzle and if possible, follow a general interest theme.

Entries will be judged on the following criteria:

- Puzzle symmetry
- Number of words
- Spelling
- Creativity
- Thematic originality
- Understandability
- Ease of loading data
- Neatness
- Packaging

Enter as often as you like! Please note: We consider your act of entering the contest as consent to publish your creation.

The Crossword Creator Contest is open to all RAINBOW readers, advertisers and employees of Falsoft, Inc.

**Send entries to:**  
**Crossword Creator Contest**  
**c/o THE RAINBOW**  
**The Falsoft Building**  
**P.O. Box 385**  
**Prospect, KY 40059**

10100	FDB	WMODE2-PMTAB		
10200	FDB	WMODE3-PMTAB		
10300	FDB	WMODE4-PMTAB		
10400				
10500	SPRINT	PSHS	B	SAVE IT'S DATA, I NEED TO USE IT
10600	LDB	\$FF22		GET SCREEN MODE
10700	EORB	#\$E0		COMPLEMENT HI-RES BITS
10800	ANDB	#\$E0		ONLY USE THOSE BITS
10900	* IF THE SCREEN IS IN THE HI-RES (5K) MODE THEN B=0			
11000				
11100	ORB	\$6F		GET I/O PATH NUMBER
11200	* IF THE I/O PATH IS THE SCREEN (ZERO) THEN B STILL WILL BE ZERO			
11300				
11400	PULS	B		GET B OLD DATA
11500	BEQ	SPRNT1		SKIP IF FOR HI-RES SCREEN
11600	SPRNT0	JMP	[OLDIO+DATA,PCR]	ELSE USE OLD I/O PATH CALL
11700				
11800	SPRNT1	LEAS	2,S	REMOVE PATCH-CALL ADDRESS
11900				
12000	CHR	PSHS	U,Y,X,D	SAVE ALL REGS.
12100	LEAU	DATA,PCR		GET ADDRESS OF VARIABLES
12200	LDB	PHODE,U		GET PRINT MODE
12300	LEAX	PMTAB,PCR		GET PRINT MODE OFFSET TABLE
12400	LSLB			MAKE PRINT MODE *2 FOR 16 OFFSET
12500	LDD	B,X		GET PRINT MODE'S 16 BIT OFFSET
12600	LEAX	D,X		MAKE X POINT THE SUBR.
12700	LDA	,S		GET CHARACTER TO PRINT
12800	JSR	,X		CALL IT
12900	LDB	XCPOS,U		GET PRINT CURSOR X POSITION
13000	ORB	#\$E0		MAKE IT BOTTOM LINE
13100	LDA	#5		
13200	STD	\$88		PUT IT IN BASIC'S CURSOR POSITION
13300	PULS	PC,U,Y,X,D		RESTORE REGS AND EXIT
13400				
13500	*SET TEXT CURTSOR Y POSITION			
13600	PHODE2	CHPA	WDYLEN,U	IS Y POSITION BIGGER THEN THE WINDOW? NO, USE IT!
13700	BLO	PHODEA		ELSE USE THE MAX POSITION
13800	LDA	WDYLEN,U		
13900	DECA			
14000	PHODEA	STA	YCPOS,U	STORE IT
14100	CLR	PHODE,U		RESET PHODE TO NORMAL
14200	RTS			AND EXIT
14300				
14400	*GET X POSITION			
14500	PHODE1	CHPA	WDXLEN,U	IS THE X POSITION TOO BIG?
14600	BLO	PHODEB		NO, USE IT!
14700	LDA	WDXLEN,U		ELSE USE THE MAX X POSITION
14800	DECA			
14900	PHODEB	STA	XCPOS,U	STORE IT
15000	INC	PHODE,U		MOVE TO NEXT PRINT MODE
15100	RTS			AND EXIT
15200				
15300	CHRTAB	FDB	NUL-CHRTAB	CONTROL COD. VECTORS
15400	FDB	SETPOS-CHRTAB		
15500	FDB	SVIDEO-CHRTAB		
15600	FDB	IVIDEO-CHRTAB		
15700	FDB	SETWIN-CHRTAB		
15800	FDB	LEFT-CHRTAB		
15900	FDB	RIGHT-CHRTAB		
16000	FDB	PING-CHRTAB		
16100	FDB	BACKSP-CHRTAB		
16200	FDB	TAB-CHRTAB		
16300	FDB	LF-CHRTAB		
16400	FDB	UPLINE-CHRTAB		
16500	FDB	CLS-CHRTAB		
16600	FDB	CR-CHRTAB		
16700				
16800	CHR1	CHPA	#13	IS THE CHARACTER A CONTROL CODE?
16900	BHI	CHR20		SKIP IF NOT
17000	LSLA			ELSE JUMP TO IT VECTOR
17100	LEAX	CHRTAB,PCR		
17200	LDD	A,X		
17300	JMP	D,X		
17400				
17500	CHR20	SUBA	#32	IS IT A PRINTABLE CODE?
17600	CHPA		#96	
17700	BHI	CHR29		NO, THEN SKIP TO EXIT
17800				
17900	LBSR	HOLDIT		PUT MOUSE CURSOR ON HOLD
18000	LDB	XCPOS,U		GET X-POSITION ON SCREEN
18100	CMPB	WDXLEN,U		PAST RIGHT SIDE?
18200	BLO	CHR21		NO, JUST PRINT IT
18300	CLR	XCPOS,U		ELSE BACK TO LEFT SIDE
18400	INC	YCPOS,U		AND MOVE DOWN LINE
18500	BSR	SCROLL		IF NEEDS TO SCROLL, THEN SCROLL!
18600				
18700	CHR21	LEAY	>CHRDAT,PCR	GET CHR DATA TABLE
18800	LDB		#8	INDEX TO THE CHAR. DATA
18900	MUL			
19000	LEAY		D,Y	
19100				
19200	LDD	WDYPOS,U		GET WINDOW START POSITION
19300	ADDD	YCPOS,U		GET TEXT CURSOR POSITION
19400	ADDA	SSTART		ADD SCREEN START IN MEMORY
19500	TFR	D,X		AND POINT X TO IT
19600	LDB		#8	NUMBER BYTES PER CHAR.
19700	CHR22	LDA	,Y+	GET DATA BYTE
19800	EORA	INVERT,U		INVERT IF FLAG IS ON
19900	STA	,X		PUT IT ON THE SCREEN
20000	LEAX	32,X		NEXT LINE ON SCREEN
20100	DECB			ALL BYTES DONE???
20200	BNE	CHR22		LOOP IF NOT
20300				
20400	INC	XCPOS,U		NEXT POSITION ON SCREEN
20500	CHR29	RTS		



Listing 2:

00100	*MOUSE5/ASM	PART 2 OF SCREEN DRIVER	10100	STA	HOLD,U	
00200			10200	RTS		AND EXIT
00300	*THIS ONE DOES	A RETURN ON TEXT SCREEN	10300			
00400	CR	LDB WDXLEN,U	10400	SVIDEO	CLR	INVERT,U
00500		SUBB XCPOS,U	10500	NUL	RTS	MAKE WHITE ON BLACK
00600	CR1	DECB	10600			
00700		BMI CR2	10700	SETPOS	LDA	#1
00800		FSHS B	10800		STA	PMODE,U
00900		LDA #32	10900		RTS	
01000		LBSR CHR20	11000			
01100		PULS B	11100	SETWIN	LDA	#3
01200		BRA CR1	11200		STA	PMODE,U
01300			11300		RTS	
01400	CR2	CLR XCPOS,U	11400			
01500			11500	WMODE1	CMFA	#31
01600	*DO A LINE FEED		11600		BHS	WERROR
01700	LF	INC YCPOS,U	11700		STA	WDXPOS,U
01800	SCROLL	PSHS A	11800		NEGA	
01900		LDB YCPOS,U	11900		ADDA	#32
02000		CMPB WDXLEN,U	12000		STA	WDXLEN,U
02100		BLO SCROLL9	12100		CLR	YCPOS,U
02200		DEC YCPOS,U	12200		CLR	XCPOS,U
02300			12300		INC	PMODE,U
02400		BSR HOLDIT	12400		RTS	MOVE TO NEXT PRINT MODE
02500		LDA #15	12500			
02600		STA HOLD,U	12600	WMODE2	CMFA	#23
02700		LDA WDXLEN,U	12700		BHS	WERROR
02800		DECA	12800		STA	WDYPOS,U
02900		BEQ SCROLL5	12900		NEGA	
03000			13000		ADDA	#24
03100		LDA WDYPOS,U	13100		STA	WDYLEN,U
03200		ADDA SSTART	13200		ING	PMODE,U
03300		LDB WDXPOS,U	13300		RTS	MOVE TO NEXT PRINT MODE
03400		TFR D,X	13400			
03500		LDA WDXLEN,U	13500	WERROR	CLR	PMODE,U
03600		DECA	13600		LBRA	FNERR
03700		LSLA	13700			
03800		LSLA	13800	WMODE3	BEQ	WERROR
03900		LSLA	13900		CMFA	WDXLEN,U
04000	SCROLL1	PSHS X,A	14000		BHI	WERROR
04100		LDB WDXLEN,U	14100		STA	WDXLEN,U
04200		LSRB	14200		INC	PMODE,U
04300		BCC SCROLL2	14300		RTS	MOVE TO NEXT PRINT MODE
04400		LDA 256,X	14400			
04500		STA ,X+	14500	WMODE4	BEQ	WERROR
04600	SCROLL2	STB COUNT,U	14600		CMFA	WDYLEN,U
04700		BEQ SCROLL4	14700		BHI	WERROR
04800	SCROLL3	LDD 256,X	14800		STA	WDYLEN,U
04900		STD ,X++	14900		CLR	PMODE,U
05000		DEC COUNT,U	15000		RTS	RESET PRINT MODE
05100		BNE SCROLL3	15100			AND EXIT
05200	SCROLL4	PULS X,A	15200	IVIDEO	LDA	#255
05300		LEAX 32,X	15300		STA	INVERT,U
05400		DECA	15400		RTS	
05500		BNE SCROLL1	15500			
05600			15600	*THIS IS A BACK	SPACE CODE (\$08)	
05700	SCROLL5	LDB #8	15700	BACKSP	LDD	YCPOS,U
05800		LDA INVERT,U	15800		DECB	BACK UP ONE
05900	SCROLL6	PSHS X,B	15900		BPL	BACKS1
06000		LDB WDXLEN,U	16000		LDB	WDXLEN,U
06100	SCROLL7	STA ,X+	16100		DECB	OF LINE
06200		DECB	16200		DECA	AND MOVE UP ONE LINE
06300		BNE SCROLL7	16300		BPL	BACKS1
06400		PULS X,B	16400		INGA	ELSE BACK TOP TOP LINE
06500		LEAX 32,X	16500		CLRB	AND START OF THE LINE
06600		DECB	16600	BACKS1	STD	YCPOS,U
06700		BNE SCROLL6	16700		LDA	#32
06800		LDA #2	16800		LBSR	CHR20
06900		STA HOLD,U	16900		DEC	XCPOS,U
07000	SCROLL9	PULS PC,A	17000		RTS	MOVE BACK TO THAT PLACE
07100			17100			AND EXIT
07200	HOLDIT	PSHS D,Y,U,X	17200	LEFT	LDA	XCPOS,U
07300		LDA #2	17300		DECA	MOVE BACK ONE
07400		STA HOLD,U	17400		BPL	LEFT1
07500		LBSR CUTOFF	17500		LDA	WDXLEN,U
07600		PULS PC,U,Y,X,D	17600		DECA	POSITION ON LINE
07700			17700	LEFT1	STA	XCPOS,U
07800	CLS	BSR HOLDIT	17800		RTS	ALL DONE AND EXIT
07900		LDA #10	17900			
08000		STA HOLD,U	18000	RIGHT	LDA	XCPOS,U
08100		LDD WDYPOS,U	18100		INGA	MOVE TO RIGHT
08200		ADDA SSTART	18200		CMFA	WDXLEN,U
08300		TFR D,X	18300		BLO	RIGHT1
08400		LDA INVERT,U	18400		CLRA	
08500		LDB WDXLEN,U	18500	RIGHT1	STA	XCPOS,U
08600		LSLB	18600		RTS	AND STORE IT
08700		LSLB	18700			ALL DOWN, EXIT
08800		LSLB	18800	UPLINE	DEC	YCPOS,U
08900	CLS1	PSHS B,X	18900		BPL	UPLIN1
09000		LDB WDXLEN,U	19000		LDA	WDYLEN,U
09100	CLS2	STA ,X+	19100		DECA	
09200		DECB	19200		STA	YCPOS,U
09300		BNE CLS2	19300	UPLIN1	RTS	
09400		PULS X,B	19400			
09500		LEAX 32,X	19500	TAB	LDB	XCPOS,U
09600		DECB	19600		ANDB	#7
09700		BNE CLS1	19700		NEGB	
09800		CLR YCPOS,U	19800		ADDB	#8
09900		CLR XCPOS,U	19900		LDA	#32
10000		LDA #2	20000	TAB1	PSHS	D
			20100		LBSR	CHR20
			20200		PULS	D
			20300		DECB	
			20400		BNE	TAB1
			20500		RTS	



### Listing 3:

```

00100 * CHARACTER SHAPE DATA
00200 * EACH ONE IS 8 BYTES LONG (A 8 BY 8 DOT SIZE)
00300 * THERE ARE 96 CHARACTERS
00400 * THE ASSEMBLER THAT I USE ALLOWS FOR MORE THEN ONE EXPRESSION PER LINE
00500 * IF YOU ARE USING THE RADIO SHACK ASSEMBLER YOU MAY HAVE TO
00600 * PUT EACH EXPRESSION ON IT'S FDB LINE
00700
00800 CHRDAT FDB 0,0,0,0 ' '
00900 FDB 2056,2056,2048,2048 ' '
01000 FDB 2570,2560,0,0 " "
01100 FDB 2570,7946,7946,2560 # #
01200 FDB 2078,10268,2620,2048 $ $
01300 FDB 12850,1032,4134,9728 % %
01400 FDB 4136,10256,10788,6656 & &
01500 FDB 2056,4096,0,0 ' '
01600 FDB 1032,4112,4104,1024 ( (
01700 FDB 2052,514,516,2048 ) )
01800 FDB 2090,7230,7210,2048 * *
01900 FDB 8,2110,2056,0 + +
02000 FDB 0,0,2056,4096 , ,
02100 FDB 0,62,0,0 - -
02200 FDB 0,0,8,2048 . .
02300 FDB 514,1032,4128,8192 / /
02400 FDB 7202,9770,12834,7168 0 0
02500 FDB 2072,2056,2056,7168 1 1
02600 FDB 7202,524,4128,15872 2 2
02700 FDB 7202,524,546,7168 3 3
02800 FDB 1036,5182,1028,1024 4 4
02900 FDB 15904,8252,514,15360 5 5
03000 FDB 7202,8252,8738,7168 6 6
03100 FDB 15906,1028,2056,2048 7 7
03200 FDB 7202,8732,8738,7168 8 8
03300 FDB 7202,8734,546,7168 9 9
03400 FDB 8,0,2048,0 : :
03500 FDB 8,2048,2056,4096 ; ;
03600 FDB 1032,4128,4104,1024 < <
03700 FDB 0,15872,15872,0 = =
03800 FDB 4104,1026,1032,4096 > >
03900 FDB 7202,516,2048,2048 ? ?
04000 FDB 7202,538,10794,7168 @ @
04100 FDB 7202,8766,8738,8704 A A
04200 FDB 15394,8764,8738,15360 B B
04300 FDB 7202,8224,8226,7168 C C
04400 FDB 14372,8738,8740,14336 D D
04500 FDB 15904,8252,8224,15872 E E

```

```

04600 FDB 15904,8252,8224,8192 F
04700 FDB 7202,8238,8738,7168 G
04800 FDB 8738,8766,8738,8704 H
04900 FDB 15880,2056,2056,15872 I
05000 FDB 3842,514,530,3072 J
05100 FDB 8740,10288,10276,8704 K
05200 FDB 8224,8224,8224,15360 L
05300 FDB 8738,10794,8738,8704 M
05400 FDB 8754,12842,9766,8704 N
05500 FDB 7202,8738,8738,7168 O
05600 FDB 15394,8764,8224,8192 P
05700 FDB 7202,8738,10788,6656 Q
05800 FDB 15394,8764,10276,8704 R
05900 FDB 7202,8220,546,7168 S
06000 FDB 15880,2056,2056,2048 T
06100 FDB 8738,8738,8738,7168 U
06200 FDB 8738,8738,5140,2048 V
06300 FDB 8738,8746,10806,8704 W
06400 FDB 8738,5128,5154,8704 X
06500 FDB 8738,5128,2056,2048 Y
06600 FDB 15874,1032,4128,15872 Z
06700 FDB 14368,8224,8224,14336 [
06800 FDB 8224,4104,1026,512 ]
06900 FDB 3586,514,514,3584 ^
07000 FDB 2076,15880,2056,2048 `
07100 FDB 8,6206,6152,0 LEFT ARROW
07200 FDB 0,0,0,0 BLANK (ADD YOUR OWN)
07300 FDB 0,3074,3602,3328 a
07400 FDB 8224,15394,8738,15360 b
07500 FDB 0,7202,8226,7168 c
07600 FDB 514,7714,8738,7680 d
07700 FDB 0,7202,15904,7168 e
07800 FDB 1034,2076,2056,2048 f
07900 FDB 0,7202,9754,540 g
08000 FDB 8224,11314,8738,8704 h
08100 FDB 2048,6152,2056,7168 i
08200 FDB 24,2056,2056,10256 j
08300 FDB 8224,9256,12328,9216 k
08400 FDB 6152,2056,2056,7168 l
08500 FDB 0,30281,18761,18688 m
08600 FDB 0,11314,8738,8704 n
08700 FDB 0,7202,8738,7168 o
08800 FDB 0,11314,12844,8224 p
08900 FDB 0,6694,9754,514 q
09000 FDB 0,11314,8224,8192 r
09100 FDB 0,7200,7170,7168 s
09200 FDB 2056,7176,2058,1024 t
09300 FDB 0,8738,8742,6656 u
09400 FDB 0,8738,8724,2048 v
09500 FDB 0,16705,18761,13824 w
09600 FDB 0,8724,2068,8704 x
09700 FDB 0,8738,7682,540 y
09800 FDB 0,15876,2064,15872 z
09900 FDB 1032,4104,4104,1024 (
10000 FDB 2056,2048,2056,2048 )
10100 FDB 2052,516,516,2048 ;
10200 FDB 0,8272,2564,0 WAVE
10300 FDB 65535,65535,65535,65535 DELETE (ALL ON)
10400

```

### TOTHIAN SOFTWARE

**COCO TESTEM** Make multiple choice, matching, true/false, completion, short answer tests. Requires printer with underline ability. Works with tape or disk. 32K ECB tape. \$19.95

**TEACHER PAK** Both weighted & regular grading, seating charts, alphabetizing, statistics. Works with tape or disk. 16K ECB tape. \$34.95

**TEACHER PAK PLUS** The above pair. \$47.95

**TIME MASTER** Party fun. Calendars, biorhythms, human compatibility, more. 16K ECB tape. \$19.95

**PERPETULIFE** Challenging board game based on Life. 1 or 2 players. 16K ECB/ML tape. \$19.95

**GRAPHIC ECHO** Graphic screen dump for RS dot matrix printers. Includes enlarged & negative images, adjustable margin. Works with disk and all 5 PMODES. 16K/32K ML tape. \$14.95

**DISKMAN** Backup, reorganize, alphabetize RS disk directories. Examine & change sectors. Catalog disk files. Printouts. 32K disk. \$21.95

**HOMEWARE** Home management package. Use with tape or disk. Five 16K ECB/ML modules on tape:  
**CALENDAR** - Draw calendars. Various formats.  
**SAVINGS/LOANS** - Personal finance calculations.  
**DIRECTORY** - Keep track of phone numbers, addresses, etc. Print address labels.  
**INVENTORY** - For home records, hobbies, etc.  
**HOME-WRITER** - Simple, easy ML word processing.  
 Single modules: \$19.95 Whole set: \$49.95

Send check or money Tothian Software, Inc.  
 order - no cash. Pa. Box 663  
 residents add 6%. Rimersburg, Pa. 16248

### One-Liner Contest Winner . . .

Enter your text and the computer tells you what vowels you have used and how many times.

### The listing:

```

1Ø CLEAR 4ØØ
2Ø LINEINPUT"TEXT: ";A$:FORC=1TO
LEN(A$)+1:X$=MID$(A$,C,1):IFC=LE
N(A$)+1THENPRINT" A E I O U"
:PRINTA;E;I;O;U:ELSEIFX$="A"THEN
A=A+1:NEXTEELSEIFX$="E"THENE=E+1:
NEXTEELSEIFX$="I"THENI=I+1:NEXTEL
SEIFX$="O"THENO=O+1:NEXTEELSEIFX$
="U"THENU=U+1:NEXTELSENEXT

```



Frank Marino  
 Kissimmee, FL

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book of Simulations* and its companion *The Rainbow Simulations Tape*.)





# The Rainbow Bookshelf



## The Complete Rainbow Guide To OS-9

The book that demystifies the state-of-the-art operating system for the Tandy Color Computer. Authors Dale L. Puckett and Peter Dibble show you how to take advantage of OS-9's multi-tasking and multi-user features, and the capability of redirecting input and output commands at will. An easy-to-read, step-by-step guide packed with hints and tips, tutorials and free software in the form of program listings.

Book \$19.95, Disk \$31.00 (2 disks, book not included)

## The Rainbow Book of Simulations

Features 20 award-winning entries from THE RAINBOW's first Simulation programming competition. You are the Commander-in-Chief of the Confederate Army during the Civil War, an air traffic controller at one of the nation's busiest airports, the owner of your own software business, a civil defense coordinator in charge of saving Rainbow City from a raging flood, a scientist conducting experiments on Mars . . . Your wits are on the line.

Book \$9.95, Tape \$9.95

First

## The Rainbow Book of Adventures

A collector's item containing 14 winning programs from THE RAINBOW's very first Adventure contest. Includes such favorites as *Sir Randolf of the Moors*, *Search for the Ruby Chalice*, *Deed of the York*, *Horror House*, *One Room*, *The Door* and *Dr. Avaloe*. Plus, hints and tips on solving Adventures.

Book \$7.95, Tape \$7.95

## The Second Rainbow Book of Adventures

Our newest arrival features 24 of the most challenging Adventure games ever compiled. Meet the Beatles and battle the Blue Meanies, find a hidden fortune, or win the heart of a beautiful and mysterious princess. Experience the thrills and chills of the most rugged Adventurer without ever leaving your seat. *Ring Quest*, *Secret Agent Man*, *Dark Castle*, *Curse of Karos*, *Island* and more!

Book \$13.95, Tape \$13.95

Coming soon

*The Rainbow Guide to Introductory Statistics*  
*The Second Rainbow Book of Simulations*

## I want to start my own Rainbow Bookshelf!

Please send me:

- |  |               |
|--|---------------|
| <input type="checkbox"/> The Rainbow Book of Simulations                   | \$ 9.95 _____ |
| <input type="checkbox"/> Rainbow Simulations Tape                          | \$ 9.95 _____ |
| <input type="checkbox"/> The Complete Rainbow Guide to OS-9<br>(book only) | \$19.95 _____ |
| <input type="checkbox"/> Rainbow Guide to OS-9 Disk Package (2 disks)      | \$31.00 _____ |
| <input type="checkbox"/> The Rainbow Book of Adventures (first)            | \$ 7.95 _____ |
| <input type="checkbox"/> Rainbow Adventures Tape (first)                   | \$ 7.95 _____ |
| <input type="checkbox"/> The Second Rainbow Book of Adventures             | \$13.95 _____ |
| <input type="checkbox"/> Second Rainbow Adventures Tape                    | \$13.95 _____ |

Kentucky residents add 5% sales tax \_\_\_\_\_

Add \$1.50 per book Shipping and Handling in U.S. \_\_\_\_\_

Outside U.S., add \$4.00 per book \_\_\_\_\_

(Allow 6 to 8 weeks for delivery) Total \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ ZIP \_\_\_\_\_

Payment Enclosed, or  Charge to:

VISA  MasterCard  American Express



Account Number \_\_\_\_\_

Card Expiration Date \_\_\_\_\_

Signature \_\_\_\_\_

For greater convenience, order RAINBOW Books and Tapes through the shopping area of the CoCo SIG of Delphi!

Mail to: Rainbow Bookshelf, The Falsoft Building, P.O. Box 385, Prospect, KY 40059.

Please note: The tapes and disks offered by The Rainbow Bookshelf are not stand-alone products. That is, they are intended to be an adjunct and complement to the books. Even if you buy the tape or disk, you will still need the appropriate book.

OS-9® is a registered trademark of the Microware Systems Corporation.

To order by phone (credit card orders only) call 800-847-0309, 8 a.m. to 5 p.m. EST. For other inquiries call 502-228-4492.



## DOWNLOADS

# Telepatch to the Rescue

By Dan Downard  
Rainbow Technical Editor

• *I am using an old copy of Telewriter-64, disk version, for my word processing. When I purchased a new disk controller for my disk drive (Disk BASIC 1.1), I found that Telewriter no longer goes to the disk I/O menu. I get an FC Error. When I switched my new controller for an old controller (Disk BASIC 1.0), the Telewriter worked fine. So the problem is definitely the controller.*

*Do you have any information on a fix for this problem?*

Jeffrey Mofenson  
Mineola, NY

Jeffrey, Telewriter-64 is different for Disk BASIC 1.0 and 1.1. Since the machine language routines have been moved in the 1.1 ROM, a different version of Telewriter was necessary. There's nothing wrong with your controller.

There are two solutions to your problem. The first is to find an updated version of Telewriter, one for your 1.1 ROM. The second solution is to buy Telepatch, an enhancement program that adds several

*Dan Downard is an electrical engineer and has been involved in electronics for 27 years through Ham radio (K4KWT). His interest in computers began about eight years ago and he has built several 68XX systems.*

improvements to Telewriter-64. Telepatch also allows you to use either 1.0 or 1.1 Disk BASIC. Telewriter was one of the first and, in my opinion, best programs written for the CoCo.

### What's OS-9 For, Anyway?

• *I own a 64K CoCo 2, single drive and a DMP-105 printer. I purchased OS-9 about four months ago hoping that it would allow me to use and teach me to write assembly language programs. So far I can find no use whatsoever for my OS-9 system aside from buying software for it or buying something like BASIC09. If anyone knows of a good book to teach a newcomer how to program in assembly language, or if anyone has done something with OS-9 either with or without the assembler, let me know what it was you did and how you did it. I can be reached at 2026 Lardner St., 19149.*

Michael Keefe  
Philadelphia, PA

OS-9 is just an operating system, Michael, not a language, per se. If you want to learn assembly language programming, I suggest obtaining *Assembly Language Programming for the TRS-80 Color Computer*, by William Barden, Jr. This book is sold in all Radio Shack Computer Centers. It explains

assembly language programming, but has nothing to do with OS-9.

After you understand the principles of this book, I suggest moving up to OS-9. An adequate portion of *The Complete Rainbow Guide to OS-9* by Dale Puckett and Peter Dibble is devoted to OS-9. People used to assembly language programming find OS-9 tedious at first, but learn to appreciate its flexibility.

My last bit of advice comes from experience. Don't even bother with assembly language programming unless you have a good reason. That's what higher level languages such as BASIC were written for — to eliminate the need for assembly language programming.

### Serial Conversion

• *In the May 1986 "Downloads" you revealed the secret to interfacing DB-25 RS-232 printers to the CoCo. Is there a similar method to wire into the Centronics Parallel Port Printers?*

*I know that commercial serial to parallel interfaces are available, but I'd rather go direct, if possible. Would it be simpler to install a Centronics Port in the CoCo?*

R. Stanwood  
Langley, British Columbia



The DB-25 is the standard for RS-232, or serial interfaces. The key to your question is serial vs. parallel. Serial data communications sends data one bit at a time. Parallel data is sent one byte, or eight bits, at a time. A strobe pulse is used to sync the parallel transmission. Therefore, you must first convert the serial data to a parallel format before sending it to a Centronics compatible port.

### Hazardous TVI Solution

● *This is in reference to your reply to Mr. Biggs' TV interference problem in the February 1986 "Downloads."*

*Mr. Biggs was told that one method of eliminating or reducing his TVI problem consisted of spraying a metallic coating on the inside surface of his CoCo's case. This is an excellent way of controlling a TVI problem. It should be noted, however, that there are possible hazards associated with a metallic aerosol coating. If the coating is not designed to adhere to the surface it is being applied to, or is not applied per the written instructions, the coating may peel off and come in contact with uninsulated conductors. If the coating falls across low voltage logic circuits there is a possibility of data errors or IC chip damage. If the coating falls across high voltage power circuits, an increased shock or fire hazard is presented.*

*There are several possible alternatives to using a metallic coating. You may try simply moving the computer a foot or two in any direction, or try plugging the computer into a power receptacle of a different circuit. If these methods fail, a metallic coating might be a good solution, but please use caution!*

*Kurt Stefans  
Roselle, IL*

Kurt, first of all, I am not aware of any high voltages present inside a CoCo. Any type of modification to electronic devices requires a certain amount of care in dealing with conductive materials. Some of the worst disasters I have seen inside CoCos have been caused by improper soldering techniques. I have never seen one catch on fire, but who knows?

I agree that you should not modify any electrical device without using proper care and craftsmanship. At the same time, I don't see too many unmodified CoCos around anymore.

### OS-9 Copy Malfunction

● *I recently purchased the OS-9 system and was quite frustrated to find I could only make one copy of the master disk, and even then only after many attempts. I assume the original disk is all right since one copy was made and there is nothing wrong with the drive (the speed was checked) and all my other disks work fine, including the one copy*

*of the OS-9 disk (except for the copy routine). I've tried everything I can think of and have come to the end of my rope. I wrote to Tandy but they were only able to suggest a speed check. I was wondering if you had heard of this problem before. Any information would be helpful. I have a CoCo ('E' board) with 64K, a single disk drive with DOS 1.1 and an SG-10 printer.*

*Andrew Richardson  
Orleans, Ontario*

The original release of CoCo OS-9 had a speed check program on the Boot disk, Andrew. As you have checked the speed of both drives, I assume this is not the problem.

Try backing up the backup copy. It is the same as the original for OS-9 Version 01.00.00. Maybe you inadvertently wrote something onto the master disk. There is no reason you shouldn't be able to back up the master.

Version 02.00.00 is a different situation. A configuration disk is included in the package to allow for different drivers. Even in this case, once you have made a system disk, you should be able to use the Backup command to make a duplicate.

### Ham-ware Discovered

● *In answer to your request for commercial software for Ham radio, I suggest Spec-Com for RTTY, Sloscan, CW and many other software programs on disk and cassette. A catalog of CoCo software may be obtained by sending an SASE to: Spec-Com, P.O. Box H, Lowden, IA 52255.*

*Bob Garber  
El Paso, TX*

I have received numerous letters requesting Ham software, Bob. I have not seen any of the programs you mention, but thanks for the help.

### Secret Software

● *Is there a way to hide programs on disk so they are unable to be seen with DIR? How would one undo this function? How many ways are there to do this sort of thing?*

*Marc Mundt  
Louisville, KY*

Marc, the easiest way I know of to protect programs from being loaded is to make one of the characters a control code. It will not appear in the directory, but loading the program is a little tedious.

There are several other ways to load programs using direct calls to the Disk ROM. A commercial one is available to do this. Look through the ads in this issue.

### EDTASM+ Answer Correction

● *In June 1986 you told Dean Pace he could set Super-Patched EDTASM+ to the 32K mode and disassemble Disk BASIC by changing memory location \$FFDE. This won't work. SPEDTASM is patched so that it displays 64K RAM, but flips back to ROM for operations such as reading a key or printing a character. If he uses ZBUG to change \$FFDE, SPEDTASM flips the ROM-RAM switch at least twice before he even sees the result displayed onscreen. What Mr. Pace needs to do is assemble a short program into memory and copy ROM to upper RAM.*

*Because SPEDTASM operates from ROM, Mr. Pace can single-step through the RAM image, change it and experiment to his heart's content.*

*This program ought to do the trick for him:*

```

START  ORCC  ##50
        LDS  ##E000
        LEAU ,S
LOOP   STA  $FFDE
        LDY  ,--S
        LDX  ,--S
        LDD  ,--S
        STA  $FFDF
        PSHU Y,X,D
        CMPI ##8000
        BHI  LOOP
        ANDCC ##$AF
        SWI
        END  START

```

*Fred Sawtelle  
Huntsville, TX*

Thanks for the info, Fred. Your program also gives all our readers a lesson in assembly language programming.

Your technical questions are welcomed. Please address them to: Downloads, THE RAINBOW, P.O. Box 385, Prospect, KY 40059. We reserve the right to publish only questions of general interest and to edit for space and clarity. Due to the large volume of mail we receive, we are unable to answer letters individually.

Your technical questions may also be sent to us through the MAIL section of our new Delphi CoCo SIG. From the CoCo SIG> prompt, pick DELPHI MAIL, then type SEND and address TO: DANDOWNARD. Be sure to include your complete name and address.



# Reviewing PenPal Applications

By Richard A. White  
Rainbow Contributing Editor

Last month we began a discussion of the *PenPal* integrated software package from Four Star Software in Canada. This month we will discuss additional modules, starting with Calc.

Calc alone is a good, if not great, spreadsheet. It lacks an IF . . . THEN . . . ELSE statement and lookup tables, so you won't want to try to write an income tax spreadsheet with it. But it has a few neat features that make up for these omissions. If you want to plot data directly from spreadsheet files, the Graphit module is excellent. To make graphs, bar charts or pie charts, the Calc/Graphit combination may be the best available for the CoCo today.

As with all *PenPal* applications, Calc is function-key driven with a function-key strip displayed on the bottom two lines of the 51 character by 24 line screen. There are enough functions to require a primary and a secondary key

strip. These are toggled by pressing CLEAR and '0'.

Spreadsheet size is 255 columns by 255 rows. Of course, you cannot use all of the cells at one time due to memory limitations. Still, you can use quite a few, since Calc is conservative in its use of memory. It seems to be quite competitive with *DynaCalc* in this regard. You start with 26,458 bytes of buffer space, so very sizable spreadsheets are possible.

Calc saves memory in other ways. Numbers are saved with nine place accuracy using only five bytes per entry. This is sufficient accuracy for most applications. If you need more, *DynaCalc* works to 16 digit accuracy, but needs a few more bytes to store each number.

When a cell is used, some memory is allocated for the cells in the block between cell A1 and the newly used cell. This is true of most spreadsheets. If you delete some of the columns or rows in that block, you don't immediately get back all the memory involved. However, if you save and then reload the sheet, cell pointers are reset for best memory economy.

Initially, label entry appears to be the same as many other spreadsheets. You can enter a long label, but only those

characters that fit the column width are displayed. If you move the cursor to the cell, more of the text is displayed in the cell descriptor line (line two) at the top of the screen. During label entry, you can use the '@' key to backspace over the label to make corrections. Once the label is entered, there is no way to edit it. The same is true for numbers and formulas. This is Calc's greatest weakness, which is partially compensated for by the ability to define a text block.

A text block is new to me. An area of the screen is selected (it could be the whole screen, but not exceed screen boundaries) and defined as a text block using a function key. The cursor appears in the upper left-hand corner of the block. You now have a small text editor with which you can enter text in the block. Use the arrow keys to move over the text to do editing. Word wrap is not supported; you must do this manually. Exit a text block with the BREAK key.

Once defined, the text block remains available. When you place the cursor within the block and press the function key, you go back into the text editing mode. When not in the editing mode, labels, numbers and formulas can be put into text block cells in the normal manner. Those cells are removed from the block and work as normal spread-

---

*Richard White lives in Fairfield, Ohio, and has a long background with micro-computers and specializes in BASIC programming. With Don Dollberg, he is the co-author of the TIMS database management program.*



sheet cells. This breaks the text block into pieces above and below, or right and left of the normal cells.

If you set up a text block, write text into it and then change the widths of columns passing through the block, the text display is broken up. Not to worry. Simply put the cursor inside the block and use the text function key, and the text is reformatted. If the size of the block is reduced so there is more text than space, the text is truncated. Further, without word wrap, words are broken at the right margin and you have to do some editing by hand. But it's better than typing it in from the beginning. Blocks can be defined for other purposes, including deleting, copying, printing and saving a portion of a spreadsheet either as a spreadsheet file or ASCII file.

The block copy function works much like copy in *Lotus 1-2-3* except you select the block first and then press the function key to define the block to be copied. Move the cursor to the upper left-hand cell you want to copy to and press the copy function key again. This leads us to absolute or relative addressing. Here is a simple example. This formula is in screen location F1: D1 + E1 + #E5. When I copy it to screen location F2 it becomes D2 + E2 + #E5.

Cell references D1 and E1 are treated like they refer to the second cell to the left and the first cell to the left, and are adjusted to maintain this same relation when the formula is copied to F2. E5 is preceded by a '#' which tells Calc not to adjust this cell reference. It is called an absolute address, which always is to reference the same cell irrespective of where the formula is copied.

Calc contains a typical selection of trigonometric and other functions and operands. Like *DynaCalc*, formulas are evaluated from left to right with no hierarchy of operands except the portions in parentheses which are evaluated innermost first. As I have cautioned before, this can lead to incorrect results if you do not assure that a multiplication or division is performed before the result is added or subtracted. Without hierarchy of operators this can happen unless you use parentheses to force the order of calculation.

Calc has a very limited number of built-in formulas, including AVG (average), MAX (maximum value in defined range), MIN (minimum value) and SUM (summation of all cells in the range). For each of these the range can be a block of cells. Whenever a spreadsheet offers built-in formulas like these,

we need to know how each formula deals with empty cells and cells including text or labels. These functions assume that empty and label or text cells contain zeros. AVG(A1-A10) assumes that all 10 cells in the range contain numbers even if one or more don't. In such a case an incorrect average would be returned. MIN(A1-A10) gets confused in the same way and returns a zero if there is an empty or label-containing cell. MAX and SUM are not affected and always return a correct result.

Perhaps even more basic is the fact that Calc performs a calculation even when there are empty or label cells in the range. Some spreadsheets return an error, forcing the user to put zeros in empty cells and get rid of labels within the range. This means more work and untidy results.

Those whose first spreadsheet was *Spectaculator* will remember CMT and RMT for cumulative sum of a column or row. That was all we had four years ago, but why include these formulas when the more able and understandable SUM is included? If you use Calc, forget CMT and RMT.

Finally, a cell can be set up to receive a constant at the time of calculation. With this, you could set up a form and prompt the user to make entries one by one, assuring all required numbers are entered. You could type in letters or a word, but this shows up as a zero. It would be nice if words could be entered and placed in cells in a prompted mode. Then all sorts of forms could be put together in a spreadsheet, and be filled out following prompts on the entry line. Please, Four Star, add this to the Version 3 wish list.

To set up a cell for prompted entry, put the cursor on the cell, press the formula function key and then type ? and the text to be in the prompt. All formulas are entered by positioning the cursor and using the formula function key to get into formula entry mode.

I mentioned you can save a portion of a spreadsheet to a file. You can also merge that save or any spreadsheet into another. The merge starts at the current cursor location when merge is called and proceeds right and down. One obvious use is to move data from one spreadsheet to another. Another is to combine a number of smaller spreadsheets into one big one.

There are a couple of unusual defaults. If you try to print or make an ASCII save without previously selecting a range to save or print, the screen is selected as the default range. All in all,

**THE E.D.C. FLIPPY ATTACK  
YOU GET WHAT YOU PAY FOR...**

**DON'T RUIN YOUR DISKS!**

Highest Quality Certified Diskettes. True Flippies—Already "Doubled". DS/DD 10/\$14.95 + \$2.50 S & H

6809E CPU	\$17.95
6847 VDG	\$17.95
6883 SAM	\$24.95
LS785 NEW SAM	\$29.95
RS DOS 1.1	\$22.95
Ext. Bas. 1.1	\$24.95
Ext. Bas (28 Pin)	\$29.95

**Quadrature Fan Module B**

Piezo Electric — .11 Watts

Fits IN Coco — No Surge

5 CFM — Low Noise — UL

**\$24.95 + 2.50 S & H**

**SPEECH SYSTEMS SPECIALS**

MUSICA 2 — **\$19.95**

+ LIB 100 — **\$34.95**

"EARS" — **\$84.95**

SUPER VOICE

W/TALKING HEADS — **\$69.95**



**\*232 RemotePlus\* Host Driver**

- ✓ Requires RS232 Pak or PBJ 2SP
- ✓ Remote Terminal Program
- ✓ Parallel to Keyboard
- ✓ No Lost or Garbled Data
- ✓ Error Trapping ✓ Software Clock
- ✓ Disable Break Key ✓ Inkey\$ Support
- ✓ New Terminal Program
- ✓ Conversation Mode
- ✓ All Ext. & Disk Commands
- ✓ 20 Commands Added
- ✓ Perfect for BBS
- ✓ 4 Versions Incl: Ext., I.0, I.1 & JDOS
- ✓ Much More - Uses 4K



**\$24.95 + 2.50 S & H (CA. res + tax)**

**NEW "KKBBS" POWERFUL BBS.**

MESSAGES & DATA ONLY

W/REMOTE PLUS — **\$49.95**

Always \$2.50 S & H = 1 lb. Can = Call



**COLOR & MICRO COMPUTERS**

Software • Hardware • Support  
Educational • Small Business • Games  
VOICE (213) 254-6809 10 A.M.-10 P.M.  
BBS (213) 258-0640 24 HRS.  
300 and 1200 Baud  
Extended Hours + Call before coming.

**6130 YORK BOULEVARD  
POST OFFICE BOX 42718  
LOS ANGELES, CA. 90042**

MAKE CHECKS PAYABLE TO E.D.C.






## Model 101 Interface \$39.95

The Model 101 is a serial to parallel interface intended for use with a COCO and any Centronics compatible parallel input printer. The 101 has 6 switch selectable baud rates (300-9600). The 101 is only 4" x 2" x 1" and comes

with all cables and connectors for your computer and printer.



## The Model 104 Deluxe Interface \$51.95

The Model 104 is a serial to parallel interface like the Model 101 but it has the added feature of a serial port (sometimes referred to as a modem switch). This feature allows the connection of a parallel printer and any serial device (modem, serial printer

etc.) to your computer. You may then select either output, serial or parallel, with the flip of a switch. The 104 is only 4.5" x 2.5" x 1.25" and comes with all cables and connectors for your computer. You supply the serial cable for your modem or other serial device.



## Model 102 Switcher \$35.95

The Model 102 has 3 switch positions that allow you to switch your computer's serial output between 3 different devices (modem, printers or another computer). The 102 has color coded lights that indicate the switch position. These

lights also act as power indicators to let you know your computer is on. Supplied with the 102 are color coded labels that can be applied to your accessories. The 102 has a heavy gauge anodized aluminum cabinet with non-slip rubber feet.



## Cassette Label Package \$15.95

Organize Your Tapes, Label Your Data Tapes, Color Code Your Tapes, Label Your Audio Tapes

Save \$8.40 when you purchase the Cassette Label program and label package. You get the Cassette Label program, 100 WHITE labels, 100 RED labels, 100 BLUE labels, 100 YELLOW labels, and 100 TAN labels. A value worth \$24.35, but

you pay only \$15.95. When ordering, specify the Cassette Label PACKAGE. Order soon, this offer expires 9/30/86


**Save!**

## Cassette Label Program \$6.95

New Version 1.2-Tape transferable to disk. Now save and load Labels from tape or disk.

This fancy printing utility prints 5 lines of information on pinfeed cassette labels. "Cassette Label" is menu driven and is very easy to use. It uses the special features of your printer for standard, expanded or condensed characters. Each line of text is automatically centered. Before the label is printed, it is shown on your

CRT — enabling you to make changes if you like — then print 1, 2 or 100 labels. The program comes on tape and it is supplied with 24 labels to get you started. 16K ECB required.



THE 101, AND 104 REQUIRE POWER IN ORDER TO OPERATE. MOST PRINTERS CAN SUPPLY POWER TO YOUR INTERFACE. STAR, RADIO SHACK, AND OKIDATA ARE JUST A FEW THAT DO. EPSON DOES NOT. THE INTERFACES CAN ALSO BE POWERED BY AN AC ADAPTER (RADIO SHACK MODEL 273-1431 PLUGS INTO ALL MODELS). IF YOU REQUIRE A POWER SUPPLY, ADD A "P" TO THE MODEL NUMBER AND \$5.00 TO THE PRICE. (MODEL 101P \$44.95, MODEL 104P \$56.95)

The Model 101, 102 and 104 will work with any COCO, any level basic and any memory size. These products are covered by a 1 year warranty.

The Model 101 and 104 work with any standard parallel input printer including Gemini, Epson, Radio Shack, Okidata, C. Ioth and many others. They support BASIC print commands, word processors and graphic commands.

We manufacture these products. Dealer inquiries are invited.

## Other Quality Items

High Quality 5 Screw Shell C-10 Cassette Tapes **\$7.50 per dozen**

Hard Plastic Storage Boxes for Cassette Tapes **\$2.50 per dozen**

Pin Feed Cassette Labels  
White **\$3.00 per 100**  
Colors **\$3.60 per 100** (Red, Blue, Yellow or Tan)



To order call our 24 hour order line 513-677-0796 and use your VISA MASTERCARD, request C.O.D. or send check or money order to:

**Metric Industries**  
P.O. Box 42396  
Cincinnati, OH 45242

**Free shipping on orders over \$50.00. Ohio residents add 5.5% sales tax.**  
Orders under \$50.00 please add \$2.50 for shipping.

Calc is a nice piece of work and adds major value to the *PenPal* package.

We come now to Graphit that works with a Calc file to produce plots of data selected from the file. Similar capabilities are included in the Disk BASIC Version of *DynaCalc*, but not in the OS-9 version. Graphit makes line, dot or bar graphs in either horizontal or vertical directions. It also makes pie charts, and the segments can be filled with textures selected from nearly 100 available choices.

Graphit has powerful graph-labeling capabilities, including a selection of font sizes ranging from 32 to 64 columns. You also have control of the display style. For example, you might want to use light letters over a dark texture or surround dark letters with a light box over a dark background.

Graphs may be saved to a /GP file to be later loaded back into Graphit, or as a binary file that can be loaded into some other graphics program, or to a BASIC program for display or modification using BASIC's graphics commands. Finally, you can print graphs either single or double size. A number of the most popular printer protocols are supported. The pie chart prints oval on my LP VIII in double size, but is close to oval in normal size. It also appears oval on the screen.

Graphit works from function-key strips displayed only when the CLEAR key is pressed. It's easy to do the basics and to redraw the graph in different ways to choose the one with most clarity or impact. Lettering the graph is easy, as is choosing and using textures for the pie chart.

Graphit has only an 8,500-byte buffer for the spreadsheet file it is to plot. Calc can deal with spreadsheets three times that size. When working with a larger spreadsheet you need to save the parts of the sheet with the data to be plotted to separate small files. Now we can better appreciate Calc's ability to make such small files.

Telecom is a full-featured telecommunication program that uses the RS-232 port on the CoCo. For me, this is unfortunate since my port is not working. It is also confusing, since the printer that works off the same plug works fine from the CoCo. Who said computers were rational? At least my diagnostics ROM agrees the port is bad.

I have the Radio Shack RS-232 ROM Pak, which both *Miketerm* and *DeskMate* use, so I have all the telecommunication capability I need. Still I



would like to have used Telecom rather than just reporting on the documentation.

Things can get foggy in a hurry in telecommunications. This is partly due to the variety of settings and options available. Delphi, CompuServe and most microcomputer-based bulletin boards are fairly standard and work at the default settings supplied with Telecom, *DeskMate* and other packages. Telecom has all the tools needed to deal with nonstandard beasts if you need to use them.

You do not need a modem to use Telecom. You can connect directly with another computer in the same room or nearby. You will need a special three-wire cable called a null modem. One is easily made from components stocked by all Radio Shack Stores. You will need the right plug to go into the RS-232 plug on each computer. The CoCo uses an oddball four-pin DIN plug. The best way to get one is to buy a CoCo printer/modem cable, 26-3020 for \$4.95. If connecting two CoCos, swap the wires to pins 2 and 4 on one plug. Plug the cable into the two machines, load the terminal programs and go.

If you are connecting to a different computer, it will most likely need a standard, 25-pin RS-232 male plug. I would still start with the CoCo cable and replace one four-pin DIN with the RS-232 plug. Pins 1, 2, 3 and 4 on the CoCo plug go to pins 8, 2, 7 and 3 on the RS-232.

If you plan to work over the telephone, you need a modem and a modem cable. The modem cable mentioned works only with Radio Shack modems. Other modems usually require a male RS-232 plug on the cable. You can make a cable just like the null modem cable above, except the wires to pins 2 and 3 on the RS-232 plug are swapped.

Starting at the top we come to Baud rate. Some years ago, 300 Baud was fairly standard. All communications services support this rate. If you are connecting directly to another computer, you can use the highest rate commonly supported by the two computers. Telecom will run at 2400 Baud provided the screen display is turned off. Otherwise, 600 Baud is recommended to avoid losing data. Of course, I want to work the bulletin board at 1200 Baud and I could not do that very well with my screen display off. Maybe I'll find a way if I get my serial port fixed.

Telecom defaults to 300 Baud. All the other defaults look good except duplex. The default is not to echo typed char-

acters to the screen. Most bulletin boards send back each character as they receive it and Telecom dutifully displays that character so you know what you typed. This is called full duplex. If you hook up to another computer using a package like Telecom, it most likely will not echo characters as it receives them. This also goes for time-sharing services running on IBM mainframes. So now you must turn half duplex on in Telecom to see what you are typing.

Telecom supports a powerful autolog file capability. You are able to change any communications parameters from an autolog file. Say you had been having a session on a local bulletin board and want to call up your company's office mail system running on an IBM mainframe.

First, you empty the buffer and enter the IBM autolog file. Execute this file by pressing the function key. The first thing it might do is change from full to half duplex. Next, if you have an auto-dial modem, it could send the modem instruction to dial including the number to dial. Once connection is made, the office machine manages the user's logon by asking for certain responses. The autolog file can contain instructions to look for prompts and to send specified character strings at each prompt which completely automates the logon. This can be particularly useful on a bulletin board with nested menus. You could be automatically logged on and have the mail reading started.

When I upload or download, I nearly always use the CPM or Xmodem protocol. Those are two names for the same thing. Basically, 128-byte buffers and a check digit are sent at one time. The receiving software recalculates the check digit and compares it to the one it received. If they check, successful transmission is acknowledged and the next buffer is sent. A mismatch means there was a transmission error and the sending computer is caused to resend the buffer. Telecom supports the Xmodem protocol.

In summary, *PenPal's Calc* is a step or two below *DynaCalc* in functions, is comparable in memory efficiency and has a superior graphing capability in *Graphit*. In some ways, Telecom is a bit better than the public domain *Mikeyterm* and does everything most other terminal packages do. Couple this with the competent word processor discussed last month and the file module yet to be discussed, and at \$89.95, you have one of the best software values on any computer today.

## Educational Programs

### ? Questions ??

**Questions** — a powerful, easy to use, authoring program! **Questions** has as many uses as its owners have creativity. Teachers have used **Questions** to develop pre and post tests, to make copies of the same test with questions in a different order, and to review and reinforce difficult lessons with their students. But **Questions** is not limited to school uses. Enterprising people have found other uses for it. Party-givers have used it to personalize games for baby and wedding showers, and for creating their own trivia games. Administrators have used it for inservice training. Children have written their own riddles with it. If you own **Questions**, you'll find a way to use it. You will also be pleased with its many fine features:

- ★ Word processing commands that allow you to make changes as you type
- ★ Screen commands so you do not have to constantly refer to the manual
- ★ Options to take the quiz on the computer or to print a hard copy of it
- ★ Sequential or random presentation of questions
- ★ The ability to print the same test with questions in a different order
- ★ The printing of an answer key
- ★ The option to use expanded printer lettering to create large print tests.
- ★ The ability to save quizzes to cassette or disk
- ★ A review feature which permits students to study questions that have been missed
- ★ A record keeping system
- ★ Multiple choice, true/false, or fill in the blank formats.

**Questions** is truly a professional authoring program that meets the needs of all of its users.

16K ECB - Cass. \$19.95  
32K ECB - Cass. \$24.95  
32K Disk - \$26.95

\*\*\*\*\*

### Reading Comprehension Series Grades 2 - 4

B5's **Reading Comprehension Series** is a set of data files to be used with the **Questions** program described above. Each file contains over 100 questions, organized into 6 to 8 sequential lessons. Lessons build from simple to complex. This series emphasizes the thinking aspect of reading. Simple sentence structure allows the student to concentrate on thinking skills.

Main Idea ★ Sequencing  
Fact & Opinion ★ Cause & Effect

Each Title: Cassette - \$10.95  
Disk \$12.95  
Complete Series of 4 Titles:  
Cass. - \$39.95; Disk - \$41.95

Most B5 programs are available through **Radio Shack® Express Order**.

A trademark of Tandy Corp.



**B-5 Software Co.**  
1024 Bainbridge Place  
Columbus, Ohio 43228  
Phone (614) 276-2752



# ARK ROYAL GAMES

NEW!!!!



## BATTLE HYMN THE BATTLE OF GETTYSBURG

BATTLE HYMN The Battle of Gettysburg. Command Lee's army of 39 Divisions, including Stuart's cavalry brigades, and infantry division under the command of such famous names as Johnson, Heth, McLaws, Hood, Early and Pickett. Try to do what the real Confederates couldn't: destroy Mead's army at Gettysburg. New movement and turn structure; form lines, rally, limber and unlimber cannon, back-step, and do your best to outflank the Union line at Culp's Hill, Devil's Den or Big Round top. Historical, with an Ark Royal touch. Available also on the IBM PC (Tandy 1000). Graphics are hi res; game is machine language throughout. **\$29.00**



NEW!!!!

## ADVENTURE ISLAND

ADVENTURE ISLAND (32K) Coco, disk only. Your plane has crashed on a deserted island and you must use all of your wits to stay alive. Beautiful half-screen picture graphics take you through jungle and beach in this fun-filled machine language adventure. Comes on two disks. **\$23.00**

Disk only! SAGA-THE SORCERER'S CURSE 32K 100% hi-res, 100% ML graphic adventure. Fantastic!—\$22

Disk only! REDSTAR 32K 100% hi-res 100% ML. Futuristic wargame involving NATO and the WARSAW PACT.—\$22

BARBAROSSA 64K 100% hi-res 100% ML game of the war in Russia 1941-1944. "A Blockbuster," says Hot Coco's Peter Paplaskas. Reviewed Jan. '86 Hot Coco.—\$25 (Tandy 1000)

D-DAY Our second 64K 100% hi-res 100% ML, this one dealing with the Allies invasion of France in 1944. Mas-sive! No review date set yet.—\$23

PHALANX 32K 100% hi-res, 100% ML game of Alexander the Great. No review date set yet.—\$20

ANZIO 32K Semigraphic wargame. 1 or 2 players. Simultaneous movement. No review date set yet.—\$20

COMPANY COMMANDER 32K ML routines. Tactical squad level wargame set in WWII. 12 scenarios, add-on expansion modules. Dec. '85 Rainbow.—\$23 disk or tape

RIVER CROSSING 32K ML routines. A Company Commander add-on module, but you no longer need C/C to play it.—\$23

CINCPAC BATTLE OF MIDWAY 32K 100% hi-res 75% ML. The battle that turned the tide of war. Aug. '85 Rainbow.—\$20

ESCAPE FROM DENNA 32K ML routines. Semigraphic Dungeon adventure game. No review date set yet.—\$18

BATTLE OF THE BULGE 32K Semi-graphic wargame. 1 or 2 players. Aug. '85 Rainbow.—\$15

BATTLE FOR TUNIS 32K Semigraphic wargame. 1 or 2 players. Sept. '85 Rainbow.—\$15

ACROSS THE RUBICON 32K Semigraphic wargame. Feb. '84 Rainbow.—\$15

WATERLOO 32K ML routines. Semigraphic wargame. Mar. '84 Rainbow.—\$15

KAMIKAZE 32K Hi-res graphic wargame. Apr. '83 Rainbow.—\$15

BOMBER COMMAND 32K disk, 16K tape. Semigraphic wargame. ML routines. Jan. '84 Rainbow.—\$10

GUADALCANAL 32K Semigraphic wargame. ML routines.—\$10



Prices on all programs include shipping to U.S., APO's, Canada. COD's (USA only) add 10%. Florida Residents add 5%. For disk version add \$2. All Orders shipped within 24 hours. Programs require Color Computer TM (Tandy Corp.) or TDP System 100 Computer TM (RCA). Many programs soon to be available on MS-DOS systems.

P. O. Box 14806  
Jacksonville, FL 32238  
(904) 786-8603



# The Adventure of the Too Many Printers

By William Barden, Jr.  
Rainbow Contributing Editor

**“My** dear fellow,” said Sherlock Holmes, as we sat on either side of the fire in his lodgings on Baker Street. “I really wish you would consider buying a Color Computer 2 in place of that older model. I know that you are exceedingly unhappy with your present machine.”

I turned to look in amazement at the tall spare figure seated in the armchair next to the Tandy 3000. A glimmer of interest was present in his eyes.

“How could you possibly know that, Holmes?”

“Elementary, my dear Watson. I know from observing you at the computer that you are a two-fingered typist, using the index fingers of both hands. The tips of those fingers and those fingers alone have calluses, which you’ve been peering at intently all evening with some dismay, I might add. I also observe that you’ve replenished your supply of diskettes with those in

Radio Shack envelopes, indicating a visit to the local Radio Shack Computer Center, as our seventeen local stores never carry more than three each, or three of any product, for that matter. The Radio Shack computer catalog is also lying open to the page displaying Color Computer products. All of these minutiae point to the fact that you’re seriously considering the new model. Furthermore, I saw the sales slip.”

I could not help laughing at the ease with which he explained his process of deduction. “It is, indeed, obvious, Holmes.”

“Quiet, Watson,” my friend suddenly whispered. “Unless I miss my guess that will be our friend I observed a moment ago coming up the stairs. We are about to be visited by a stout fellow approximately six feet tall, weighing 280 pounds and wearing a T-shirt upon which is emblazoned ‘I Love My CoCo.’”

A knock sounded on the door.

“Come in,” Holmes replied.

The door opened and a stout fellow approximately six feet tall and about 280 pounds entered. He was wearing a T-shirt upon which was printed “I Love My Tandy 1000.”

“Is this PCM Magazine?” he queried.

“I’m sorry, you have the wrong story,” Holmes replied, with some brusqueness.

The caller made a quick egress. Another knock sounded at the door.

Holmes shouted out, “Come in!” The door opened and a stout fellow approximately six feet tall and about 280 pounds entered. He was wearing a T-shirt upon which was emblazoned “I Love My Color Computer 2.”

“Close enough,” Holmes muttered.

“Are you Sherlock Holmes, the famous detective?” the caller asked anxiously, his eyes downcast as if he were in deep despair.

“Yes, Mr. Purcell-Smith,” Holmes replied.

“But how did you know my name, Mr. Holmes?”

“I’m afraid, Mr. Purcell-Smith, that you’ve achieved some notoriety since your recent marriage to Joan Purcell, the chief programmer of Slothware. How may I help you?”

I winced as I heard Holmes use that pat phrase gleaned from too many visits to his local Radio Shack.

“Mr. Holmes, you must help me!” Purcell-Smith blurted. “One of our programmers has been found dead and my wife has been arrested by Lestrade of the Fort Worth Yard!”

“Calm down, man!” said Holmes, sternly. “Tell us your story from the beginning.”

“Well, Mr. Holmes, my wife has been working for some time now on a new

*Bill Barden has written 27 books and over 100 magazine articles on various computer topics. His 20 years experience in the industry covers a wide background: programming, systems analyzing and managing projects ranging from mainframes to microcomputers.*



project for Slothware. It's a screen dump program for the Color Computer. Never having written such a program before, she ran into several major obstacles.

"First of all, she had to figure out how points on the screen were held in memory and where that memory was located."

"That doesn't appear to be a great problem," said Holmes. "As I recall, the Color Computer holds its graphics screens starting at location 1536 decimal for nondisk systems and starting at location 3584 decimal for disk systems. Each screen is 6,144 bytes long for graphics modes 3 and 4. For graphics mode 3, 128 by 192, there are 24,576 elements of two bits each. For graphics mode 4, there are 49,152 elements of one bit each."

As Holmes spoke, he rapidly sketched two drawings, one representing the 128 by 192 two-color graphics mode 3 and the second representing the 256 by 192 two-color graphics mode 4 (see figures 1 and 2).

"I wrote a monograph on the subject after my episode involving the Giant Computer of Sumatra. But please continue, Mr. Purcell-Smith."

"The next problem my wife ran into was computer graphics. It seems that most Radio Shack printers use the same scheme for graphics, one involving seven bits per character position." Our visitor paused and shot a baffled glance at Holmes.

"Ah, yes. The singular seven-bit problem. An interesting exercise. It appears that early in the printer game someone at Radio Shack decided to design a graphics printer. Most printers at the time used a five by seven dot matrix for each character. Each ASCII, or text, character was converted by the printer electronics into a series of five vertical columns, each column consisting of seven possible dots." He sketched another rapid illustration on the bottom of a Persian slipper (see Figure 3).

"What could have been more natural than implementing graphics in the existing printers than to make each one of those seven print wires or print positions programmable in graphics mode. All that was required was a command to 'set graphics mode' in the printer. After graphics mode was set, the printer decoded each character that came to it as a coded form of which of those seven wires to print. The only requirement for each graphics character was it could not be in the normal range of ASCII characters from zero through




Figure 1: 128 x 192 Four-color Graphics Mode

127. It must be in the range of 128 through 255."

"Yes, Mr. Holmes, I understood that part of it, but could not see how the encoding took place."

"Imagine that the topmost dot of each column was represented by a one, the next by a two, the next by a four, the next by an eight, the next by a 16, the next by a 32, and the last by a 64. Once graphics mode is set, you simply have to add the dot values for the column plus 128 to mark graphics mode. Let me illustrate."

Holmes took out a pistol and aimed it at a spot on the wall next to the letters "M. T." created by bullet holes. (Victoria Regina had yielded to Maggie Thatcher years ago.)

ria Regina had yielded to Maggie Thatcher years ago.)

"Suppose you wanted to print the upper three dots and the bottommost dot in a graphics column." He fired the gun four times to denote the column. "The code for the graphics column would be one plus two plus four plus 64 for the bottommost column plus 128 to mark the character as graphics. That would be a total of 191."

"But how would that 191 value be sent to the printer, Mr. Holmes? You can send text by doing a PRINT#-2 of a string, but how can a nonprintable character be sent?"

"By using the CHR\$( ) function, Mr.





Figure 2: 256 x 192 Two-color Graphics Mode



Purcell-Smith. As a matter of fact, many printer codes are sent to the printer from BASIC by using the `CHR$( )` function. To set graphics mode, for example, you'd do a `PRINT#-2,CHR$(27);CHR$(XX)`. To print the graphics column we've been discussing, you'd do a `PRINT#-2,CHR$(191);`. Use a semicolon at the end if you don't wish to end the line."

"But," said he, "pray let us continue our conversation on the way to the location of the demise of that poor programmer chap."



**Figure 3: Dot Representation of Characters and Graphics**

There was a cab passing as the three of us came out of the building, and Holmes hailed it. "Beckenham, if you please."

Our driver pulled up at a greystone that housed a high-tech industry. He knocked on the door, and a tall, dour-looking man appeared.

"Ah, Lestrade," Holmes said. I see you have apprehended the killer and are putting the finishing touches to this little mystery."

"Yes, Mr. Holmes. It was a simple crime, really. Ms. Purcell was jealous of her chief programmer and afraid that even with affirmative action he would soon replace her at Slothware. She laced his coffee with arsenic as he was putting the final frills on a screen dump program."

"In that case, Lestrade, you won't mind if we have a look around, will you?"

"Of course not, Mr. Holmes, although I'm certain you won't be finding anything that I haven't seen already."

Holmes walked over to the programming area and picked up a listing next to a Color Computer. "Hmm. This appears to be a listing of the screen dump program in question, gentlemen. Let me peruse this briefly."

After intently peering at the document, the detective picked up a second listing. He then glanced around the room at several printers connected to

the Color Computer. Taking out a pocket measuring tape, he made precise measurements of figures produced by the several printers.

"Watson, I think our task here is done. Lestrade, I think if you look in that programmer's desk drawer you'll find a vial of arsenic with *his* fingerprints on it, prompting you, I should think, to release Ms. Purcell from your custody. Let us be off, gentlemen."

Later that evening the three of us sat in front of a blazing fire in Holmes' Baker Street apartment.

"Mr. Holmes, I cannot thank you enough! My wife has been released and Lestrade has ruled the death a suicide."

"My blushes, Mr. Purcell-Smith. It was just a trifle."

"But, how did you know the death was a suicide?"


"I looked in some detail at the listing. It appears that the dead programmer had been trying for some time to design a screen dump program for the Color Computer. It was apparent he was

having problems, however. The revision number of the BASIC program was number 45, indicating that he had attempted 44 times to write a program that successfully dumped the screen."

"But surely he must have known about the `CHR$( )` command, memory layout of the graphics screen and coding of graphics characters?"

"Yes, he was familiar with those functions for the screen dump program. However, he encountered a host of other obstacles. First, he found a problem in translating one pixel on the screen into one printable spot. Consider one approach he might have used. If he made one pixel equal to one printable character, then he would have had a screen dump of 25.6 inches in width by 32 inches high for the 256 by 192 mode, as the usual number of characters per width horizontally is 10 characters per inch and the number of vertical lines per inch is six. He was forced to use graphics mode to get a small enough listing.

"However, he knew he could not



**Figure 4: Screen Dump Alternatives**



print one pixel at a time on the printer, as seven vertical dots are printed for every graphics character. Therefore, he had to construct a graphics character made up of the seven vertical pixels on the screen. Here, I'll show you what I mean."

Holmes grabbed a nearby coal scuttle and drew a figure on it with a marking pen.

"He had to repeat that process for the entire row of 256 characters. When he coded the program, however, he found, to his amazement, that the figure produced by the screen dump was too small. The width was 256/60 inches wide, as most Radio Shack printers print 60 dots per inch in normal mode. The 4.4-inch width however, did not match the height. Most Radio Shack printers space graphics lines at 0.12 inches vertically, about eight lines per inch. As he had to print 27 3/7 graphics lines to produce 192 pixels vertically, he found the vertical dimension of the screen dump figure was 3.3 inches. A 4.4 by 3.3 inch figure wasn't to his liking.

"On his next attempt, he printed two graphics characters for every column of seven pixels." Holmes continued the sketch (see Figure 4).

"To do that, however, he had to make each graphics character represent 3.5 pixels, drawing two graphics dots for each pixel on the screen. That proved to be more laborious programming because he had to alternate between odd and even numbered lines. Each even line on the printer represented the next three pixels and the top half of the next. Each odd line represented the bottom half of the last pixel and the next three pixels.

"He wrote his next revision using these criteria. The result produced a print image of 8.5 inches by 6.6 inches.

However, he encountered a strange problem. The line printer would not print the entire line of graphics characters without advancing to the next line. After much deliberation, indicated by revisions 20 through 23, he found that Color Computer BASIC counted the number of characters in each line and assumed each character was a text character. After 132 characters, in the typical case, BASIC would automatically send a new line to the printer, assuming that no printer would have greater than 13.2 inches for each line. That would be true had the printer been printing text, but not 512 graphics characters occupying 8.5 inches.

"In his next revision he cleared the BASIC variable that defined the number of characters per line to zero, eliminating that problem.

"The unfortunate programmer finally had a program that would print a 256 by 192 pixel screen in PMODE 4. With a few more modifications, he created a new revision that would also print in PMODE 3, the four-color 128 by 192 mode.

"In the process of running the screen dump program, however, he timed it. I would guess by the nested loops and 'overhead' of the program it would take approximately 52 minutes to print out the screen. Our friend knew this would be unacceptable as a product.

"He then set out to convert the BASIC program to Color Computer assembly language. The poor fellow had a nodding acquaintance with assembly language, but did not realize what a laborious task the conversion would be.

"After hours and many program revisions, presumably, he produced this listing." Holmes thrust a soiled, tattered piece of paper at us. "In fact this pro-

gram did execute quite rapidly, about eight minutes for each screen print. One can surmise that he went with good spirits to his employer, Ms. Purcell, to show her his accomplishment. At this point he was many days overdue. Ms. Purcell has confirmed that he did, indeed, show her the program. When they went to try it on her CGP-220 printer, however, the proportions were quite far off — 6.4 inches horizontally by 6.6 inches vertically, as a matter of fact. Our friend was aghast until he found out that the CGP-220 printer printed 80 graphics columns per inch.

According to Ms. Purcell, he then attempted to run the program on the DMP-110 dot-matrix printer. Again the proportions were off — 4.2 inches by 5.5 inches. To his dismay he found the DMP-110 used 120 graphics columns per inch! At that point, according to Ms. Purcell, he returned to his desk, in a kind of daze, repeating the words 'too many printers, too many printers.' She found him an hour later in the rictus of death clutching his last listing, which I have here." Holmes pulled out the last listing and placed it in front of us.

"The ironic part of this story, gentlemen, is that his last listing worked for most Radio Shack printers. Such is the life of a programmer! Let us hope our friend has received his eternal reward for his efforts and is employed in a heavenly capacity on a system with one, and only one printer."

### How to Use the Screen Print Programs

There are three versions of the screen print program. Each runs on any Radio Shack printer that has "dot graphics" capability, including earlier printers such as the LPVIII, DMP-100, DMP-

#### Listing 1: BASPRINT

```
10000 'HI-RES SCREEN PRINT
10010 ZP=3584 'CHANGE TO ZP=153
6 FOR NON-DISK SYSTEM
10020 ZM=1 'CHANGE TO ZM=2 FOR
128 X 192 RES.
10030 ZW=0 'CHANGE TO ZW=1 FOR
DMP-110
10040 ZS=-ZM
10050 PRINT #-2,CHR$(18);
10060 FOR ZR=0 TO 191 STEP 3.5
10070 FOR ZC=0 TO 31
10080 FOR ZB=7 TO 0 STEP ZS : Z
Z=2^ZB : IF ZM=2 THEN ZZ=ZZ+2^(
ZB-1)
```

```
10090 FOR ZN=0 TO 3
10100 IF (PEEK(ZP+ZC+(INT(ZR)+Z
N)*32) AND ZZ)>0 THEN ZG(ZN)=1
ELSE ZG(ZN)=0
10110 NEXT ZN
10120 IF ZR=189 THEN ZG(3)=0
10130 IF ZR=INT(ZR) THEN ZG$=CH
R$(128+ZG(0)*3+ZG(1)*12+ZG(2)*4
8+ZG(3)*64) ELSE ZG$=CHR$(128+Z
G(0)*1+ZG(1)*6+ZG(2)*24+ZG(3)*9
6)
10140 PRINT #-2,STRING$(ZM*2+ZW
,ZG$);
10150 NEXT ZB,ZC : PRINT #-2 :
NEXT ZR
10160 PRINT #-2,CHR$(30); : RET
URN
```



400, DMP-2100, and so forth. The screen print programs also run on newer Radio Shack printers when the printers are set to the Tandy character set. Newer printers have a switch selection that enables either Tandy or IBM characters to be used. The reason for this is the printers are used in the Tandy 1000, 1200, 2000 and 3000 — systems which are IBM PC compatible. These systems not only use a different character set, but also use a different escape code sequence, one which is Epson printer compatible. Unfortunately for the programmer in our story, the new printers arrived too late. The Epson escape-code sequence uses an eight-bit encoding which is a great deal easier to work with than the seven-bit coding.

The first program, shown in Listing 1, is a BASIC program that works for either PMODE 4 (256 by 192) or PMODE 3 (128 by 192). To use the program, key it in as a subroutine starting at Line 10000. Then call it from your BASIC program at any time to print out the graphics screen.

Before you do, however, change Line 10010 to ZP=1536 for a nondisk system or to ZP=3584 for a disk system. Change Line 10020 to ZM=1 for PMODE 4 or to ZM=2 for PMODE 3. If you have a printer such as the DMP-110 which prints at a dense resolution in graphics, change Line 10030 to ZW=1; otherwise leave ZW=0. The program takes about 50 minutes to execute.

The second version of the program is an assembly language implementation of the same program shown in Listing 1. In this program we tried to do a straight translation between the BASIC version and assembly language so that you could see the flow in assembly language. Change the variables where indicated for disk/nondisk, PMODE 3 or 4, and high-density printing at the beginning of the program. Assemble and load the program using the Disk *EDTASM* or another assembler. The program is designed to execute at location \$3E00, so you'll have to do a CLEAR 100, &H3DFF in your BASIC program before loading the program. You can then call the machine language code of the program by defining the location of the program with a DEFUSR0=&H3E04 and an A=USR0(0) or with a POKE 126, XX: POKE 127, XX and an A=USR(0) in non-Extended BASIC. This assembly language version takes about 8 minutes to print.

If you would rather use the program as a BASIC version, enter the program




Figure 5: Sample Printout Using Hi-Res Program

Listing 2:

```

00100 *-----
00110 *HI-RES SCREEN PRINT
00120 ORG $3E00
00130 *ZP=3584 'CHANGE TO ZP=1536 FOR NON-DISK SYSTEM
00140 ZP FDB 3584
00150 *ZM=1 'CHANGE TO ZM=2 FOR 128X192 RES
00160 ZM FCB 1
00170 *ZW=0 'CHANGE TO ZW=1 FOR DMP-110
00180 ZW FCB 0
00190 *-----
00200 *ZS=ZM
00210 *-----
00220 START LDA ZM
00230 NEGA -ZM
00240 STA ZS INIT ZS
00250 *-----
00260 *PRINT #2, CHR$(18);
00270 *-----
00280 LDA #18 SET GRAPHICS
00290 JSR PRINT
00300 *-----
00310 *FOR ZB=0 TO 191 STEP 3.5
00320 *-----
00330 CLRA 0
00340 STA ZR INITIALIZE ZR
00350 STA ZT
00360 *-----
00370 *FOR ZC=0 TO 31
00380 *-----
00390 HIR060 CLRA
00400 STA ZC INITIALIZE ZC
00410 *-----
00420 *FOR ZB=7 TO 0 STEP ZS
00430 *-----
00440 HIR070 LDA #7
00450 STA ZB INIT ZB
00460 *-----
00470 *ZZ=2^ZB : IF ZM=2 THEN ZZ=ZZ+2^(ZB-1)
00480 *-----
00490 HIR080 LDB ZB GET # OF TIMES
00500 CLRA
00510 TFR D,X
00520 LDB #1
00530 CMPX #0
00540 HIR086 BEQ HIR087 GO IF 0
00550 LSLB SHIFT LEFT
00560 LEAX -1,X DECREMENT
00570 BNE HIR086 CONTINUE IF NOT DONE
00580 LDA ZM
00590 CHFA #2
00600 BNE HIR087
00610 LSRB
00620 ORB ZZ
00630 HIR087 STB ZZ
00640 *-----
00650 *FOR ZN=0 TO 3
00660 *-----
00670 LDY #0
00680 *-----
00690 *IF (PEEK(ZP+ZC+(INT(ZR)+ZN)*32) AND ZZ)>0 THEN
00700 *ZG(ZN)=1 ELSE ZG(ZN)=0
00710 *-----

```



shown in Listing 3. This is the exact same version as Listing 2, except the machine code has been entered as a series of DATA values. These values are relocated to the \$3E00 area the first time the program is called. Thereafter the program is executed by executing the machine code at the \$3E00 area. You must first do a CLEAR 100, &H3DFF in your BASIC program before executing the program so that the \$3E00 area is protected from BASIC use. Change the

variables as before for the PMODE, disk/nondisk system and printer type.

The PMODE 3 version prints nonzero colors as foreground (print) and zero colors as background (no print).

A sample printout using the program is shown in Figure 5. This figure illustrates the graphics characters available in graphics mode by using the Character Generator discussed in last month's column.

For more information on Radio

Shack printers, pick up a copy of my Radio Shack book, *How to Use Your Radio Shack Printer*. Although light on assembly language topics, it does go into detail about various printer modes, including graphics figures and forms.

Next month we'll have more assembly language topics. In the meantime, keep on assembling. □

```

3E44 4F          99729 HIR999 CLRA
3E45 A7 A9 3F49 99739 STA ZG,Y ELSE ZG(ZN)=9
3E49 1F 29      99749 TFR Y,D
3E4B F7 3F44   99759 STB ZN
3E4E F6 3F45   99769 LDB ZR ZR
3E51 FB 3F44   99779 ADDB ZN ZR+ZN
3E54 86 29     99789 LDA #32
3E56 3D        99799 MUL (ZR+ZN)*32
3E57 F3 3E99   99809 ADDD ZF ZF+ZG+(ZR+ZN)*32
3E5A 34 96     99819 PSHS D
3E5C 4F        99829 CLRA
3E5D F6 3F42   99839 LDB ZG
3E60 E3 E1     99849 ADDD ,S++
3E62 1F 91     99859 TFR D,X
3E64 A6 84     99869 LDA ,X PEEK(ZF+ZG+(ZR+ZN)*32)
3E66 B4 3F47   99879 ANDA ZZ AND ZZ
3E69 27 96     99889 BEQ HIR199 IF (PEEK... AND ZZ)=9
3E6B 86 91     99899 LDA #1
3E6D A7 A9 3F49 99909 STA ZG,Y THEN ZG(ZN)=1
-----
99919 *-----
99929 *NEXT ZN
99939 *-----
3E71 31 21     99949 HIR199 LEAY +1,Y STEP 1
3E73 1F 29     99959 TFR Y,D GET ZN
3E75 1983 9996 99969 CHMD #4 =4?
3E79 26 C9     99979 BNE HIR999 GO IF NO
3E7B B6 3F45   99989 LDA ZR
3E7E 81 BD     99999 CHFA #189
3E80 26 98     99999 BNE HIR199
-----
99999 *-----
99999 *IF ZR-189 THEN ZG(3)=9
99999 *-----
3E82 86 99     99999 LDA #9
3E84 31 3F     99999 LEAY -1,Y
3E86 A7 A9 3F49 99999 STA ZG,Y
-----
99999 *-----
99999 *IF ZR/2-INT(ZR/2) THEN ZG5=CHR$(128+ZG(9)*3+
99999 * ZG(1)*12+ZG(2)*48+ZG(3)*64
99999 *-----
3E8A B6 3F48   99999 HIR199 LDA ZT GET ZT
3E8D 84 91     99999 ANDA #1 TEST ODD/EVEN
3E8F 26 2B     99999 BNE HIR199 GO IF ODD
3E91 B6 3F4C   99999 LDA ZG+3
3E94 C6 49     99999 LDB #64
-----
3E96 3D        99999 MUL ZG(3)*64
3E97 34 94     99999 PSHS B
3E99 B6 3F4B   99999 LDA ZG+2
3E9C C6 39     99999 LDB #48
3E9E 3D        99999 MUL ZG(2)*48
3E9F EB E4     99999 ADDB ,S ZG(2)*48+ZG(3)*64
3EAL E7 E4     99999 STB ,S
3EA3 B6 3F4A   99999 LDA ZG+1
3EA6 C6 9C     99999 LDB #12
3EA8 3D        99999 MUL ZG(1)*12
3EA9 EB E4     99999 ADDB ,S ZG(1)*12+ZG(2)*48+ZG(3)*64
3EAB E7 E4     99999 STB ,S
3EAD B6 3F49   99999 LDA ZG
3EB0 C6 93     99999 LDB #3
3EB2 3D        99999 MUL ZG(9)*3
3EB3 EB E9     99999 ADDB ,S+ ZG(9)*3+ZG(1)*12+ZG(2)*48+...
3EB5 CB 89     99999 ADDB #128 128+ ...
3EB7 F7 3F49   99999 STB ZG
3EBA 29 29     99999 BRA HIR129
-----
99999 *-----
99999 *ELSE ZG3=CHR$(128+ZG(9)*1+ZG(1)*6+ZG(2)*24+ZG(3)*96
99999 *-----
3EB8 B6 3F4C   99999 HIR199 LDA ZG+3
3EBF C6 69     99999 LDB #96
3EC1 3D        99999 MUL ZG(3)*96
3EC2 34 94     99999 PSHS B
3EC4 B6 3F4B   99999 LDA ZG+2
3EC7 C6 18     99999 LDB #24
3EC9 3D        99999 MUL ZG(2)*24
3ECA EB E4     99999 ADDB ,S ZG(2)*24+ZG(3)*96
3ECC E7 E4     99999 STB ,S
3ECE B6 3F4A   99999 LDA ZG+1
3ED1 C6 96     99999 LDB #6
3ED3 3D        99999 MUL ZG(1)*6
3ED4 EB E4     99999 ADDB ,S ZG(1)*6+ZG(2)*24+ZG(3)*96
3ED6 E7 E4     99999 STB ,S
3ED8 B6 3F49   99999 LDA ZG ZG(9)*1
3EDB C6 91     99999 LDB #1
3EDE 3D        99999 MUL ZG(9)*1+ZG(1)*6+ZG(2)*24+ZG(3)*
3EE0 EB E9     99999 ADDB ,S+
3EE2 CB 89     99999 ADDB #128
3EE2 F7 3F49   99999 STB ZG
-----
99999 *-----
99999 *PRINT #-2,STRING$(2M*2+2W,ZG$)
99999 *-----
3EE5 F6 3E92   99999 HIR129 LDB ZM
3EE8 58        99999 LSLB ZM*2
3EE9 FB 3E93   99999 ADDB ZW
3EEC 1F 91     99999 TFR D,X
3EEE B6 3F49   99999 LDA ZG
-----
3EF1 BD 3F36   99999 JSR PRINT
3EF4 39 1F     99999 LEAX -1,X
3EF6 26 F6     99999 BNE HIR125
-----
99999 *-----
99999 *NEXT ZB,ZC
99999 *-----
3EF8 B6 3F46   99999 HIR139 LDA ZS GET ZS
3EF8 34 92     99999 PSHS A
3EFD B6 3F43   99999 LDA ZB
3F00 AB 29     99999 ADDA ,S+ STEP ZS
3F02 B7 3F43   99999 STA ZB
3F05 192C FF17 99999 LBGE HIR999 GO IF ZB=9
3F09 7C 3F42   99999 INC ZC
3F0C B6 3F42   99999 LDA ZC
3F0F 81 29     99999 CHFA #32 ZC=32?
3F11 1926 FF96 99999 LBNE HIR999 GO IF NO
-----
99999 *-----
99999 *PRINT #-2
99999 *-----
3F15 86 9D     99999 LDA #8D CR
3F17 BD 3F36   99999 JSR PRINT
-----
99999 *-----
99999 *NEXT ZR
99999 *-----
3F1A B6 3F48   99999 LDA ZT GET ZT
3F1D 84 91     99999 ANDA #1
3F1F BB 3F43   99999 ADDA ZR
3F22 8B 93     99999 ADDA #3
3F24 B7 3F45   99999 STA ZR
3F27 7C 3F48   99999 INC ZT
3F2A 81 C9     99999 CHFA #192 AT END?
3F2C 1926 FEE7 99999 LBNE HIR999 GO IF NO
-----
99999 *-----
99999 *PRINT #-2,CHR$(39);
99999 *-----
3F30 86 1E     99999 LDA #39 RESET GRAPHICS
3F32 BD 3F36   99999 JSR PRINT
-----
99999 *-----
99999 *RETURN
99999 *-----
3F35 39        99999 RTS
-----
3F36 C6 FE     99999 PRINT LDB #-2
3F38 D7 6F     99999 STB $6F
3F3A AD 9F A992 99999 JSR [$A992]
3F3E 4F        99999 GLRA
3F3F 97 9C     99999 STA $9C
3F41 39        99999 RTS
-----
3F42 99        99999 ZG FCB 9
3F43 99        99999 ZB FCB 9
3F44 99        99999 ZN FCB 9
3F45 99        99999 ZR FCB 9
3F46 99        99999 ZS FCB 9
3F47 99        99999 ZZ FCB 9
-----
3F48 99        99999 ZT FCB 9
3F49 99        99999 ZG FCB 9
3E94 99999 END START
-----
99999 TOTAL ERRORS

```

See You at  
**RAINBOWfest-Princeton**  
**October 17-19**



250	.....	145
370	.....	65
520	.....	202
660	.....	249
780	.....	113
920	.....	203
END	.....	35

Listing 3: MLPRINT

```

100 'HIGH-RES SCREEN PRINT TEST
110 CLEAR 100,&H3DFF
120 FOR I=&H3E00 TO &H3F49
130 READ A: POKE I,A
140 NEXT I
150 DEFUSR0=&H3E04
160 SCREEN 1,0
170 PMODE 4,1
180 PCLS
190 FOR I=1 TO 5
200 CIRCLE (RND(255),RND(191)),
RND(100)
210 LINE (RND(255),RND(191))-(R
ND(255),RND(191)),PSET,B
220 NEXT I
230 A=USR0(0)
240 GOTO 240
250 '-----
260 DATA &HE ,&H0 ,&H1 ,&H0
270 DATA &HB6,&H3E,&H2 ,&H40
280 DATA &HB7,&H3F,&H46,&H86
290 DATA &H12,&HBD,&H3F,&H36
300 DATA &H4F,&HB7,&H3F,&H45
310 DATA &HB7,&H3F,&H48,&H4F
320 DATA &HB7,&H3F,&H42,&H86
330 DATA &H7 ,&HB7,&H3F,&H43
340 DATA &HF6,&H3F,&H43,&H4F
350 DATA &H1F,&H1 ,&HC6,&H1
360 DATA &H8C,&H0 ,&H0 ,&H27
370 DATA &H10,&H58,&H30,&H1F
380 DATA &H26,&HF9,&HB6,&H3E
390 DATA &H2 ,&H81,&H2 ,&H26
400 DATA &H4 ,&H54,&HFA,&H3F
410 DATA &H47,&HF7,&H3F,&H47
420 DATA &H10,&H8E,&H0 ,&H0
430 DATA &H4F,&HA7,&HA9,&H3F
440 DATA &H49,&H1F,&H20,&HF7
450 DATA &H3F,&H44,&HF6,&H3F
460 DATA &H45,&HFB,&H3F,&H44
470 DATA &H86,&H20,&H3D,&HF3
480 DATA &H3E,&H0 ,&H34,&H6
490 DATA &H4F,&HF6,&H3F,&H42
500 DATA &HE3,&HE1,&H1F,&H1
510 DATA &HA6,&H84,&HB4,&H3F
520 DATA &H47,&H27,&H6 ,&H86
530 DATA &H1 ,&HA7,&HA9,&H3F

```

```

540 DATA &H49,&H31,&H21,&H1F
550 DATA &H20,&H10,&H83,&H0
560 DATA &H4 ,&H26,&HC9,&HB6
570 DATA &H3F,&H45,&H81,&HBD
580 DATA &H26,&H8 ,&H86,&H0
590 DATA &H31,&H3F,&HA7,&HA9
600 DATA &H3F,&H49,&HB6,&H3F
610 DATA &H48,&H84,&H1 ,&H26
620 DATA &H2B,&HB6,&H3F,&H4C
630 DATA &HC6,&H40,&H3D,&H34
640 DATA &H4 ,&HB6,&H3F,&H4B
650 DATA &HC6,&H30,&H3D,&HEB
660 DATA &HE4,&HE7,&HE4,&HB6
670 DATA &H3F,&H4A,&HC6,&HC
680 DATA &H3D,&HEB,&HE4,&HE7
690 DATA &HE4,&HB6,&H3F,&H49
700 DATA &HC6,&H3 ,&H3D,&HEB
710 DATA &HE0,&HCB,&H80,&HF7
720 DATA &H3F,&H49,&H20,&H29
730 DATA &HB6,&H3F,&H4C,&HC6
740 DATA &H60,&H3D,&H34,&H4
750 DATA &HB6,&H3F,&H4B,&HC6
760 DATA &H18,&H3D,&HEB,&HE4
770 DATA &HE7,&HE4,&HB6,&H3F
780 DATA &H4A,&HC6,&H6 ,&H3D
790 DATA &HEB,&HE4,&HE7,&HE4
800 DATA &HB6,&H3F,&H49,&HC6
810 DATA &H1 ,&H3D,&HEB,&HE0
820 DATA &HCB,&H80,&HF7,&H3F
830 DATA &H49,&HF6,&H3E,&H2
840 DATA &H58,&HFB,&H3E,&H3
850 DATA &H1F,&H1 ,&HB6,&H3F
860 DATA &H49,&HBD,&H3F,&H36
870 DATA &H30,&H1F,&H26,&HF6
880 DATA &HB6,&H3F,&H46,&H34
890 DATA &H2 ,&HB6,&H3F,&H43
900 DATA &HAB,&HE0,&HB7,&H3F
910 DATA &H43,&H10,&H2C,&HFF
920 DATA &H17,&H7C,&H3F,&H42
930 DATA &HB6,&H3F,&H42,&H81
940 DATA &H20,&H10,&H26,&HFF
950 DATA &H6 ,&H86,&HD ,&HBD
960 DATA &H3F,&H36,&HB6,&H3F
970 DATA &H48,&H84,&H1 ,&HBB
980 DATA &H3F,&H45,&H8B,&H3
990 DATA &HB7,&H3F,&H45,&H7C
1000 DATA &H3F,&H48,&H81,&HC0
1010 DATA &H10,&H26,&HFE,&HE7
1020 DATA &H86,&H1E,&HBD,&H3F
1030 DATA &H36,&H39,&HC6,&HFE
1040 DATA &HD7,&H6F,&HAD,&H9F
1050 DATA &HA0,&H2 ,&H4F,&H97
1060 DATA &H9C,&H39,&H0 ,&H0
1070 DATA &H0 ,&H0 ,&H0 ,&H0
1080 DATA &H0 ,&H0

```



## KISSable OS-9

# Good Times with OS-9 on the Hard Disk

By Dale L. Puckett  
Rainbow Contributing Editor

It's hard to believe it's almost fall — especially as I start to write this edition of KISSable OS-9 during the last week of May. Yet, it's almost harder to believe I have 576K of RAM in my Color Computer with another 256K waiting to be installed, while I sit here playing with the new 15-megabyte hard disk from Tandy. This month we'll share some ideas about organizing massive amounts of data on a hard disk, and work through several patches of randomness as we try to answer some of the questions you've posed during the past few months.

I try to take my marching orders from you — that's why we attempt to answer at least a few questions each month. If you have a question, please send it to us and we'll share it with everyone. And don't forget, if you have any good ideas or tips you would like to share with fellow OS-9 users send them to us here at "KISSable OS-9" and we'll sure try to get them in print. The same goes for short procedures and program listings. Some of the ideas you have sent in the past

---

*Dale L. Puckett, who is author of The Official BASIC09 Tour Guide and co-author, with Peter Dibble, of The Official Rainbow Guide to OS-9, is a free-lance writer and programmer. He serves as director-at-large of the OS-9 Users Group and is a member of the Computer Press Association. Dale works as a U.S. Coast Guard chief warrant officer and lives in Alexandria, Virginia.*

have been clever enough to impress a lot of veteran OS-9 programmers. Keep up the good work.

Fate is often unpredictable. Less than a week after Fran McGee loaned me one of the new Tandy 15-megabyte hard disk drives and a new hard disk controller cartridge, my old gray CoCo bit the dust. To solve the problem we rushed out and bought a CoCo 2 with a matching white Multi-Pak Interface and went to work.

Installation of the Tandy hard disk drive is very easy. To use it, you need a Color Computer with 64K of memory, a Multi-Pak Interface, at least one floppy disk drive and controller, the Color Computer Hard Disk Controller, Version 2.00.00 of the OS-9 operating system and the hard disk drive itself.

After making sure the Color Computer and Multi-Pak Interface are turned off, plug the Hard Disk Controller into slot 3 of the Multi-Pak Interface. This is the second slot from the back. The floppy disk controller stays in slot 4. The two controllers must be in their assigned slots because the OS-9 floppy and hard disk drivers have been programmed to find them there. If you change slots, the drives will not work.

After you have plugged in the cartridges, connect the 50-pin ribbon cable from the hard disk controller cartridge to the hard disk drive. The ribbon cable must exit toward the rear of the Multi-Pak Interface — or toward the side of the Hard Disk Controller with the label. After the cable is installed, turn on the Multi-Pak, the Color

Computer and the floppy and hard disk drives, in that order.

When turning on the hard disk drive for the first time you will not find any information on it. It must be formatted before you can use it to store OS-9 programs and data. To do this, first load the /h0 device descriptor and the hard disk driver modules. Both are stored in the modules directory of the boot/config disk supplied with OS-9 Version 2.00.00. The descriptor is stored in a file named h0—15.dd and the driver is stored in CCHDisk.dr. After these modules are loaded use the standard OS-9 format utility command to initialize the hard disk drive.

Once you have formatted the hard disk, you will probably want to use the *Config* program to make a new OS-9 boot file that contains /h0 and CCHDisk. After you do this, OS-9 will boot from the floppy containing the OS-9 boot file, but it will start up with the current execution directory and current data directory set to /h0/cmds and /h0. It's amazing!

This drive is almost as fast as a RAM disk. After you install a hard disk drive, OS-9 becomes a whole new ball game. However, if you use a number of application programs on the Color Computer that need a lot of memory, be very careful about the number of modules you load into the OS-9 boot file. To use the C compiler, for example, you must strip OS-9 boot down to the bare minimum. You can't remove the floppy disk drivers, but you can get rid of the printer descriptor, /p, and the related driver, Printer, and a few other modules. If you use



a RAM disk in addition to the hard disk you will really find memory space full — but it's worth it.

Your approach to computing will definitely change when you get a hard disk, and your enjoyment level will soar. You will eventually need to get organized, however. If you don't, you'll soon be lost in a sea of directories and subdirectories.

I was asked an unusual question at RAINBOWfest Chicago. "How should I set up my disk directories? Is it best to use a tall skinny directory structure or should I spread them out in a horizontal fashion?"

Organizing a disk is a personal matter but perhaps we can help with an overview of the possibilities available when using OS-9. To start, remember it was a tall skinny directory structure you were forced into when using Disk BASIC, CP/M, Flex or even the first several versions of MS-DOS on an IBM PC. Now remember the long lists you had to search when finding a stray file. It took forever, didn't it? Let's move forward and show how you can use OS-9's hierarchical file system to get organized.

The most basic element in the OS-9 filing system is the individual file. Files most often contain data you are interested in — the text processing documents holding letters you have written or spreadsheets showing a profit and loss statement, for example. But, OS-9 files can also contain directories to tell the system how to find other information, or even the programs needed to manipulate information.


To get a handle on the OS-9 filing system, think of each mounted disk as a large filing cabinet. Inside that filing cabinet, each of the directories at the first level can be compared to a number of individual drawers. Other directories stored in these first level directories are called subdirectories. You can liken them to file folders. And finally, the individual files containing your data can be compared to the individual pieces of paper stored in a file folder.

The top level of the OS-9 filing system on any particular disk is the root directory of that disk. The directories stored in the root directory usually give a user access to application programs and other system data he may need. For example, the standard system disk with the OS-9 operating system from Tandy contains two files and three individual directories. The two files, OS-9 boot and startup, are used to start the system. The three directories hold programs and other information about the computer. The `cmds` directory contains all of the utility command programs to maintain data files. The `DEFS` file contains symbolic definitions of all key memory addresses used by the OS-9 operating system. And finally, the `SYS` directory contains information OS-9 uses occasionally. Included is a message of the day which is sent to every new user signing on the system and a password file that ensures only authorized users have access to the system.

On a multi-user, OS-9 based computer the

system manager often sets up a directory for each user. These user directories are usually placed in the root directory of the disk. It is then up to the individual user to organize the data in his own directory. Since you are the user, the system manager's move places the ball squarely in your court. Let's look at one way to play the game.

First, we'll assume you don't have a hard disk. Set up directories to match the many jobs you have to do. For example, if you supervise a large staff, do the billing, track an inventory and keep an eye on the sales team, you will want to set up at least four directories in the root directory of your personal disk. The first few levels of the filing system might look something like this:



In the directory named Billing, you could create two sub-directories or folders — Sent and Received. In Inventory you might want to set up folders for Completed Widgets and Spare Parts. In the Personnel directory you will need at least two folders — one for Evaluations and another for Payroll. And finally, in the Sales folder you can create 12 folders or sub-directories, one for each month. Each of these folders would hold files containing each sales person's report for the month plus any charts or graphics needed to make a clear report to the boss.

If you are the only user and set up a filing system on your own disk, the structure of the disk would be similar to that in the figure above. If you are working in an office with two other managers and using a hard disk for storage, the system manager will most likely have created three directories — one for each of you in the root directory of the hard disk. In that case, simply move your top directory level to the hard disk from your floppy disk.

If your name is Fred and one of the three user directories set up by the system manager is named Fred, then the pathlist to your Billing folder would become `/h0/fred/billing`.

And, the complete pathlist to Jim's sales report for January would be:

```
/h0/fred/sales/january/jim.
```

It is easy to find a particular file after setting up a logical filing system similar to

the one above. For example, if you need to check out Joe's last personnel evaluation, you need to look in a file with a pathlist like this:

```
/d0/fred/personnel/evaluations/  
february/sam
```

It's easy to find a file when it is stored in a logical place. Typing a long pathlist like this can get old fast, but since you most likely work on all of your personnel reports at the same time, you can take advantage of one of OS-9's handy features and set the current data directory to the current month's reports with this command line:

```
OS9: chd /d0/fred/personnel/  
evaluations/feb
```

Then, all you need to type is:

```
OS9: list Sam
```

The first command line above sets the current data directory to:

```
/d0/fred/personnel/evaluations/feb.
```

All of these directories contain files holding data. And since you know your business better than anyone else, OS-9 lets you organize data directories the way you have organized your business. After this, you will be able to find files quickly. And, once your disk is organized, OS-9's `chd` command makes it easy to change the current data directory to any particular set of files.

### OS-9 Helps Organize Programs Too

OS-9 files can also contain programs; its designers moved one up on UNIX and added a second current directory. This second working directory is called the current execution directory. It is used to hold files containing 6809 object code and intermediate code from one of the many OS-9 languages that can be run on your computer.

When booting OS-9 on the Color Computer on a floppy disk system, a program called `sysgo` is executed automatically and one of the first things it does is set up your current directories. After `sysgo` runs, the current execution directory will be `/d0/cmds` and your current data directory will be `/d0`.

The "current" directories apply only to the disk mounted in the drive `/d0` when you boot the system. If you remove that disk and insert another, the system records are no longer "current." You must use the OS-9 `chd` (change current data directory) and `chx` (change current execution directory) utility commands before trying to do any work with the new disk. If you don't do this, the system gets lost because it will look for the directories on the new disk at the same location where it found them on the old disk.



When it doesn't find them there and loads something inappropriate into memory, *strange* things often happen.

By the way, if you own a Tandy hard disk and have installed its device descriptor, /h0, and its device driver, CCHDISK, in your OS-9 boot file, the *sysgo* program in OS-9 Version 2.00.00 automatically sets the current execution directory to /h0/cmds and the current data directory to /h0 each time you start the system.

If you decide to run a program, *Dir* for example, OS-9 looks for *Dir* and then runs it. However, before OS-9 looks on the disk drives, it checks to see if the program is already in memory. To do this it looks for the name typed on the command line in its module directory. If OS-9 finds *Dir* in its module directory, it links to it and runs it immediately. No disk access is needed.

But what happens if *Dir* is not in memory? OS-9 looks in the current execution directory and tries to find a file named *Dir*. If it finds a file with the right name in this directory, it assumes it is executable code, loads it into memory and runs it.

And finally, if OS-9 doesn't find *Dir*, in the current execution directory it makes one more try — this time in the current data directory. But, if OS-9 finds *Dir* in the current data directory it won't treat it like a program. It treats it like a data file. More specifically, it assumes this data file contains a procedure file.

An OS-9 procedure file is similar to a UNIX script file. A procedure file contains a list of OS-9 commands which are read into the shell. Each time a command line is read, it is run just as if you had typed it. The process continues until OS-9 receives an end of file signal from the procedure file.

In the case of the intermediate code from OS-9 languages, execution of the language's run time package is also automatic. Packed BASIC09 programs, for example, are executed by a run time interpreter named Runb. When you type the name of a file stored in the current execution directory containing packed BASIC09 code, OS-9 loads this i-code into memory just like it were 6809 object code.

However, before OS-9 runs the code in any module it checks the information in the module header to find out what type of code is in the module. When it finds out you have loaded packed BASIC09 i-code, it knows that Runb is needed to run the program. So, OS-9 automatically loads Runb and executes it with the name of the module as a parameter. All of this work is transparent and all you see on the screen is the output of the BASIC09 program.

When you first purchase Tandy's version of OS-9 there are enough utility command files stored in the directory /d0/cmds on the OS-9 system master to fill several screen pages when you list the filenames. After you have added a few dozen of your own favorite application programs and third party utility command packages, it becomes almost impossible to find a file in a directory listing

on the screen. The problem is complicated by the fact that the *Dir* utility command in the 6809 version of OS-9 does not alphabetize the directory listing for you. The new 68K version of OS-9 lists the contents of the directories in alphabetical order.

So, if you use a hard disk and own hundreds of programs, you need to organize a set of directories on the hard disk using a method similar to the one for organizing your data directories.

For example, to keep current I try to take a look at most all OS-9 software. Many of the third party utility packages contain similar programs and more than one developer may use the same name. The standard UNIX-like utilities, *ls* and *mv* are good examples.

But, there's a hitch. While all of these utilities may have the same name, they require a different syntax on the command line. Also, you can't have more than one program stored with the same filename in the same directory.

While I was exercising the Tandy 15 megabyte hard disk, I decided to organize my utility programs. I did this by creating subdirectories in the current execution directory, /h0/cmds. For typing ease I used two or three letter names for the directories to store programs and utilities from the various third party vendors. Here is a look at the program side of my filing system.

```
/H0/CMDS
CW DPJ FHL MW RS SG
```

Computerware's utilities are stored in the directory, CW; D. P. Johnson's hackers kits and utility packages live in DPJ; products from Frank Hogg Laboratory are stored in FHL; Microwave's toolkit is saved in MW; Tandy products live in RS and finally Steve Goldberg's *Utilipak* programs are run from SG.

Using the standard OS-9 shell from the Tandy release of OS-9, I must type the complete pathlist to a utility in one of these directories. That's why I used the short directory names. For example, if I want to run Steve Goldberg's version of *ls*, I merely type:

```
OS9: sg/ls
```

If I wanted to use Brian Lantz's version of *ls* from Computerware, I would have typed:

```
OS9: cw/ls
```

But, by using the new kshell in the *Advanced Utilities* package from Computerware, I make this operation automatic, going as far as to tell OS-9 which vendors command I want to have priority. To do this I use the new path command built into kshell.

```
OS9: path=cw:sg:mw:dpj:fhl:rs
```

After typing this command line, I receive very few "Error #216 Program Not Found"

errors. The kshell first searches /h0/cmds for the filename typed. If it doesn't find it there, it looks in the subdirectories, CW, SG, MW, DPJ, FHL and RS in that order. It runs the first program stored in a file with the name I have typed. In other words, if the CW subdirectory contains an *ls* command, the *ls* in the DPJ directory will never be run as long as this path definition is active. However, I could always select it manually and override the default path by typing:

```
OS9: dpj/ls
```

While getting the hard disk organized you will sometimes move a lot of files back and forth from one directory to another. The *DirCopy* utility from Computerware's *Disk Fix and Utilities* package is almost indispensable during this process. Use a command like this:

```
OS9: dircopy /H0/FIRST_DIRECTORY /H0/SECOND_DIRECTORY
```

*DirCopy* can be told to let you confirm each copy command. This means you can select the files you want to copy from one directory to another on the fly. You can also tell the program to copy files stored in subdirectories while it is copying a directory, and this feature is really handy — tell it to place the files in the new directory in alphabetical order while it is being created.

You can also tell *DirCopy* to automatically rewrite any file in the destination directory with the same name as a file in the source directory. However, if you don't feel safe with this approach, have *DirCopy* ask you each time it discovers this problem.

Ask 100 people how they organize their hard disk and you'll get 100 different answers. But there are some basics you should consider. To get in the mood, study these approaches from two members of the OS-9 SIG.

1. /H0/LANGUAGES/BASIC09  
/SOURCE/INVENTORY/PROGRAMS
2. /H0/INVENTORY/PROGRAMS  
/SOURCE/BASIC09

What is more important — the job or the program that runs the program that does the job? The first example emphasizes the computer instead of the job. The latter takes the opposite approach. I really can't say it any better than Kevin Darling who is one of the most active and knowledgeable individuals on the OS-9 SIG.

"The fact that a file is 'inventory related' is much more important to me than the language," he said. In other words, some nouns are more important to me than their adjectives."

Darling also posed a very relevant question. "Could someone other than you find things quickly when everything is stored relative to the language it is written in? I would hate to go looking all over my different language subdirectories, just to find one of my inventory programs."

Other good ideas came from Pete Lyall



and Jonathan Cluts who help SysOp Wayne Day manage the SIG. "I think we need to standardize and use a number of common directories like the UNIX crowd," Lyall said. "If we do this, then program authors can make certain assumptions about directories in this set."

Lyall's proposed directory set includes `cmds`, `defs`, etc, `help`, `lib`, `src`, `sys`, `tmp` and `user`. We are already familiar with `cmds`, `defs` and `sys`; they come predefined with OS-9. The purpose of the `help` directory is obvious, as is `src`. `User` would be used for all logins and would contain subdirectories for indi-

---

***"It is also now possible to give the utilities an optional command line argument list rather than use standard input."***

---

vidual users. Etc would be a directory where you could store OS-9 procedure files. Library files obviously would be stored in the `lib` directory. This might also be a good place to put dictionaries and other common files. And finally, `tmp` would be used to store temporary work files.

Cluts' idea has to do with starting the system. "I run `tsmon` at startup so I always log in. By logging in as different users, I can restrict myself to certain directories on the hard disk. This means I can only accidentally destroy some of my files. If I stay in the root directory I could destroy them all," he said.

On the same evening Cornelius Seon, who frequents RAINBOW's CoCo SIG on Delphi added the most relevant comment about his new Tandy hard disk. "Several packages which were only marginally useful on floppies are just wonderful now," he said. I agree.

But before closing, he left everyone with a problem. "There is a problem with Mother Tandy's Godfrey Daniels' helpfulness," he said. "I'm finding many programs they either wrote or commissioned looking for data on floppy drive `/d0` after I've already transferred everything to `/h0` using identical directory names."

Maybe we can help here. The problem probably isn't Tandy's at all. It relates more to the fast pace at which hardware technology is racing past the software. When most of the guilty programs were written, hard disks didn't even exist. If early software designers had made one change, programs would have moved right over from `/d0` to `/h0` automatically. We print that change here so anyone developing software now can avoid our earlier mistake.

Most of the programs causing a problem contain a pathlist to a device and directory. `DeskMate` is a good example. `DynaSpell` is another. For example, when `DynaSpell` needs the dictionary, it looks for `/d0/spell/dictionary.dat`. The future solution is for the

programmers to take advantage of OS-9's anonymous filenames. In other words, instead of coding a pathlist named `"/d0/spell/common.dat"`, I should have made that pathlist read, `". . ./spell/common.dat."`

The first period tells OS-9 to look for the file in the current data directory, two periods means look at the parent directory of the current data directory and three periods means look in the parent of the parent of the current data directory. Is that the grandparent directory? By including five or six of these periods, I could have forced OS-9 to look clear back in the root directory. Then

it wouldn't have mattered whether I had the file stored on `/d0` or `/h0`, because it would be anonymous. I guess we all learn sometime — better late than never!

The fix for programs already written is to change the 'D' in the offending pathlists to an 'H' or to change the `"/d0"` to `". . ."` Sounds easy enough, but how do you go about it?

There are several approaches. First, in many of the programs the strings defining the pathlist are located early in the program and you can locate them easily with the OS-9 dump utility. For example if you need to find these strings in `DynaSpell`, you would type:

```
OS9: dump spell
```

In the first page of the Hex dump you will see the strings and can jot down the number of bytes that each 'D' is offset from the beginning of the module. After you do this, load the program:

```
OS9: load spell
```

Then, call up the OS-9 `Debug` utility and link to spell.

```
OS9: debug
db: l spell
```

Now, move the `Debug` pointer to the first 'D' and use the '=' command to change it to an 'H'. After you change all the `/d0`s to `/h0`s and quit `Debug` with its `Q` command, you can save the file into a tempory file.

```
OS9: save tempspell spell
```

You're almost home free now. Rename or delete the original spell file and run this command.

```
OS9: verify <tempspell>spell u
```

Don't forget the 'u', it tells the OS-9 verify utility command to update the CRC of the module in the file you are verifying. After you have done this you can load or run the new `spell` file. Even though we used the `DynaSpell` program as an example here, keep in mind this same technique can be used with any program you need to modify for operation with a hard disk.

If you purchased Computerware's `Disk Fix and Utilities`, you will find it much easier to use the `Patch` utility from that package. For example, to make this change you first type:

```
OS9: patch spell
```

Then uses `Patch`'s 'D' — for display — command to find the strings defining the bothersome pathlists.

```
>D 0000
```

Again, jot down the location of the offending 'D' and type:

```
>M 00XX
```

The XX would be replaced by the offset that you jotted down above. At this point when you see `patch` display the 'D' (as 44, by the way) you can type:

```
>'H
>/
```

Go through this sequence for each of the pathlists that contain `/d0`. Then, type:

```
>V
```

The V command tells `Patch` to validate the crc of the file you have patched and correct it. After you have done this, you can exit `Patch` with its `Q` command.

Sometimes the strings containing the floppy based pathlists aren't stored in the first page. In this case `Patch` is really a help because it gives you a find command. After starting `Patch` you can type:

```
>F'DO
```

After you press the ENTER key, `Patch` prints a list of every occurrence of that string in the program you are adapting to the hard disk. After you have the list of addresses, you must use the M command again to change the 'D' to an 'H' in each case. One note of caution. Take a close look at each 'd0' you find and make sure that it is, in fact, part of an actual pathlist. It could just be a natural occurrence in the program's code itself.

**Dan Johnson Markets Enhanced Package**  
SDisk author Dan Johnson (7655 SW Cedarcrest St., Portland, OR 97223, 503-244-8152) has upgraded all of his OS-9 filter



and hacker's kits and placed them in one package called the *LI Utility Pak*. Don't let the name fool you; all but three of the programs in this package run on both Level I and Level II OS-9 systems. These three deal with absolute memory manipulations.

Johnson hopes to release a supplement Level II utility package sometime later. I bet he'll have an incentive when Tandy's new Color Computer hits the market. He has also added several new programs to the package including *Modbuster*, *Afmt*, *Upall*, *Grep* and *Sectedit*.

Dan has made major improvements to the template matching algorithm in his new *ls* command and most of the utilities now accept options at the beginning or end of a command line. It is also now possible to give the utilities an optional command line argument list rather than use standard input. The *MacGen* program has been expanded and Johnson gives the *MacGen* source for a useful program, *UpAll*. The package sells for \$49.95 and is shipped on a CoCo formatted OS-9 disk. However, you can buy the package in other formats by paying an additional \$2. Johnson calls it a deal as good as *Turbo PASCAL* on MS-DOS.

#### Two More Goldberg Tips

Earlier this year, Steve Goldberg discovered that the modification date was changed every time he changed directories while using OS-9 Version 2.00.00. To solve the problem, he uses the following procedure file on the shell module and builds a new boot file with the patched shell.

```
debug
l <SPACEBAR> shell
. <SPACEBAR> .+269
=81
. <SPACEBAR> .+28D
=E9
=49
=67
q
cobbler <d0
```

Goldberg noted that since he has run this procedure his directory changes are faster

and the drives don't grind while attempting to write the date to a write protected disk when he changes directories.

I thought we published the changes to CCDisk which let you step your disk drives at a faster rate earlier this year. But I couldn't find them, and we have been seeing a lot of traffic on the Delphi CoCo SIG and getting a few requests in the mail, so we'll give it another try. This time, thanks to Steve Goldberg's homework, we'll compare them to the identical changes you had to make with OS-9 Version 1.00 and 1.01. The new values change the step rate of your drives to six milliseconds. See *The Complete Rainbow Guide to OS-9* for the value for other step rates.

#### CCDISK OFFSETS

Version 1.0	Version 2.0	New Value
\$1FE	\$1F9	\$10
\$204	\$1FF	\$08
\$205	\$200	\$8B
\$2DD	\$2DD	\$40
\$2E9	\$2E8	\$00

Goldberg is brave and pushed the value of the word at \$1FF down to \$0001. I don't think I would push it that far. He also cut the drive startup delay since his drives seemed to be fast. To do this he changed the \$A0 at an offset of \$2F9 to \$0A.

#### BASIC09 Beginners Notes

Henry J. Proffitt of Haley Station, Ontario wrote to ask how he could enter a short BASIC09 program he had stored in a standard OS-9 text file into BASIC09. Proffitt entered the program with the *Build* utility, but you could use any OS-9 editor including *TSEdit* or the *Desk Mate* editor to enter a BASIC09 program.

The thing you must remember is that BASIC09 expects to see the word "procedure" as the first thing in a file it is trying to load. Therefore, if you type the line procedure myprogram as the first line in your file, BASIC09 will be able to load it. Incidentally, the 'p' in procedure must be the very first character in the file.

After you have created the text file following the directions above, you can load it from the BASIC09 system mode — you'll know you are there because BASIC09 prompts with "B:". Just type:

```
B: load myprogram
```

BASIC09 assumes there is a file named "myprogram" stored in your current data directory and that the file contains a BASIC09 procedure. If you have not saved your program there, use the CHD command from within BASIC09 to set the current data directory or type a complete pathlist:

```
B: load <D1>/MYDIRECTORY/
MYPROGRAM
```

We received a note from Robert Gault of Grosse Pointe Woods, Michigan about a solution to another BASIC09 programming problem you may have noticed while working with BASIC09. How do you send a character with the value \$FF to the screen or printer? This is a problem that must be solved if you plan on sending graphics to the printer.

There are two solutions. You can use the BASIC09 shell command and use OS-9 to send out the character or you can use a PUT statement instead of a PRINT statement.

```
SHELL "display FF"
SHELL "display FF >/p"
PUT #PRINTER, $FF
```

Gault submitted a demonstration procedure and a rough and ready screen dump program to illustrate his techniques.

#### Next Month

Next month we'll dig back in the mailbox and see what's been bothering you the most. Hopefully, we can come up with a tip or two. And, we'll cross our fingers and hope we get to play with a new OS-9 Level II Color Computer soon! 'Til then, keep on hacking! □

## OS-9™ SOFTWARE/HARDWARE

**SDISK**—Standard disk driver module allows the full use of 35, 40 or 80 track double sided disk drives with COCO OS-9 plus you can read/write/format the OS-9 formats used by other OS-9 systems. (Note: you can read 35 or 40 track disks on an 80 track drive). Now updated for OS-9 ver. 02.00.00 **\$29.95**

**SDISK + BOOTFIX**—As above plus boot directly from a double sided diskette **\$35.95**

**L1 UTILITY PAK**—Contains all programs from Filter Kits Nos. 1 & 2 plus Hacker's Kit #, plus several additional programs. Over 35 utilities including "wild card" file cmds, MacGen command language, disassembler, disk sector edit and others. Very useful, many of these you will find yourself using every time you run your system. These sold separately for over \$85. **\$49.95**

**SKIO**—Hi res screen driver for 24 x 51 display; does key click, boldface, italics; supports upgraded keyboards and mouse. With graphics screen dump and other useful programs. **Now UPDATED FOR OS-9 Ver 2.0 \$29.95**

**PC-XFER UTILITIES**—Utilities to read/write and format ss MS-DOSTM diskettes on CoCo under OS-9. **\$45.00 (requires SDISK)**

**CCRD 512K Byte RAM DISK CARTRIDGE**—Requires RS Multipak interface, two units may be used together for 1MB RAM disk. OS-9 driver and test software included. **\$199.00**

All disk prices are for CoCo OS-9 format; for other formats, specify and add \$2.00 each. Order prepaid or COD, VISA/MC accepted, add \$1.50 S&H for software, \$5.00 for CCRD; actual charges added for COD.

**D.P. Johnson, 7655 S.W. Cedarcrest St.  
Portland, OR 97223 (503) 244-8152**

(For best service call between 9-11 AM Pacific Time)

OS-9 is a trademark of Microware and Motorola Inc.  
MS-DOS is a trademark of Microsoft, Inc.



**Listing 1: strings**

```
PROCEDURE strings
DIM ss:STRING[256]
DIM i,memory:INTEGER

memory:=ADDR(ss)

(* Now fill memory with $FF's *)
FOR i=memory TO memory+255
POKE i,255
NEXT i

(* Note that BASIC09 thinks ss is an empty string *)

PRINT "The length of string ss ="; LEN(ss)
PRINT "ss =( "; ss; ")"
PRINT "Now we will PUT ss. Note the difference!"
PUT #1,ss
(* Use these lines to send ss to a printer, then *)
(* OPEN #printer, "/p" *)
```

**Listing 2: printer**

```
PROCEDURE printer
(* This procedure is a rough and ready graphics screen dump *)
(* It assumes a preceding graphics program has used *)
(* GFX("mode",format,color) *)
(* If your printer uses an eight pin graphics format change *)
(* the "pin" loop to 0 to 7. *)

DIM dev:BYTE
DIM color,x,y,pin,send,location:INTEGER
DIM code:BYTE

OPEN #dev,"/p":WRITE
(* Now set printer to graphics mode *)
PRINT #dev,CHR$(18)
location:=ADDR(code)

FOR y=191 TO 7 STEP -7
FOR x=0 TO 255

(* tell printer code is graphics *)

send:=128

FOR pin=0 TO 6
(* Test Pixel *)
RUN gfx("gcolr",x,y-pin,color)
(* Printer used has top pin 2^0 bottom pin 2^6 *)
send:=LOR(send,MOD(color,2)*2**pin)
NEXT pin
POKE location+x,send
NEXT x
PUT #dev,code
(* Send carriage return *)
PRINT #dev,CHR$(13)
NEXT y
```



# THESE FINE STORES CARRY THE RAINBOW

The retail stores listed below carry THE RAINBOW on a regular basis and may have other products of interest to Tandy Color Computer users. We suggest you patronize those in your area.

## ALABAMA

Birmingham Jefferson News Co.  
Brewton McDowell Electronics  
Florence Anderson News Co.  
Greenville M & B Electronics  
Madison Madison Books  
Montgomery Trade 'N' Books

## ALASKA

Fairbanks Electronic World

## ARIZONA

Phoenix TRI-TEK Computers  
Sierra Vista Livingston's Books  
Tempe Books Etc.  
Computer Library  
Tucson Anderson News Co.

## ARKANSAS

Fayetteville Vaughn Electronics/Radio Shack  
Little Rock Anderson News Co.

## CALIFORNIA

Chula Vista R & R Software  
Citrus Heights Software Plus  
Grass Valley Advance Radio, Inc.  
Half Moon Bay Strawflower Electronics  
Hollywood Levity Distributors  
World Book & News Co.  
Lompoc L&H Electronics Emporium  
Los Angeles E.D.C. Industries  
Polygon Co.  
Sacramento Tower Magazine  
Santa Rosa Sawyer's News, Inc.  
Sunnyvale Computer Literacy

## COLORADO

Westminster Software City

## DELAWARE

Middletown Delmar Co.  
Milford Milford News Stand  
Wilmington Normar, Inc.—The Smoke Shop

## FLORIDA

Boca Raton Software, Software, Inc.  
Cocoa The Open Door  
Davie Software Plus More  
Ft. Lauderdale Electronics Engineers  
Mike's Electronics Distributor  
Jacksonville The Book Nook  
Book Town  
Deano's TV  
Melbourne City Newsstand  
The Little Store  
North Miami Almar Bookstore  
Beach Book Mania  
Orlando Boyd-Ebert Corp.  
Panama City Anderson News Co.  
Pensacola Wolf's Newsstand  
Pinellas Park Family Computers  
Sarasota Sunny's at Sunset, Inc.  
Sunrise Anderson News Co.  
Tallahassee Fine Print Bookstore  
Tampa Sound Trader & Computer Center  
Computrac  
Titusville

## GEORGIA

Bremen Bremen Electronics/Radio Shack  
Cummins Kent Radio Shack  
Jesup Radio Shack  
Marietta Act One Video  
Toccoa Martin Music Radio Shack

## IDAHO

Moscow Johnson News Agency

## ILLINOIS

Aurora Kroch's & Brentano's  
Belleville Software or Systems  
Book Market  
Champaign B. Dalton Booksellers  
Chicago N. Walbash St.  
West Jackson St.

Bob's in Newtown  
Bob's News Emporium  
Bob's Rogers Park  
Book Market  
East Cedar  
North Cicero  
West Diversey  
E.B. Garcia & Associates  
Kroch's & Brentano's  
South Walbash  
West Jackson  
516 N. Michigan  
835 N. Michigan  
Parkway Drugs  
Parkwest Books  
Sandmeyer's Bookstore  
Univ. of Chicago Bookstore  
Univ. of Illinois Bookstore  
Videomat, Inc.  
Book Emporium  
Book Market  
Book Emporium  
K-Mart Plaza  
Northgate Mall  
Book Emporium  
Chicago-Main News  
B & J Supply  
Book Emporium  
Book Nook  
Bill's TV Radio Shack  
Kroch's & Brentano's  
Kroch's & Brentano's  
Book Emporium  
Book Emporium  
Sheridan Village  
Westlake Shopping Center  
Book Market  
Illinois News Service  
Kroch's & Brentano's  
Kroch's & Brentano's  
Book Emporium  
Sangamon Center North  
Town & Country Shopping Ctr.  
Book Emporium  
Paper Place  
North Shore Distributors

Chillicothe  
Danville  
Decatur

East Moline  
Evanston  
Geneseo  
Kewanee  
Lisle  
Newton  
Oak Brook  
Oak Park  
Paris  
Peoria

Schaumburg  
Skokie  
Springfield

Sunnyland  
West Frankfort  
Wheeling

## INDIANA

Berne White Cottage Electronics  
Columbus Micro Computer Systems, Inc.  
Garrett Finn News Agency, Inc.  
Greenwood The Computer Experience  
Highland Computer Health Consultants  
Indianapolis Bookland, Inc.  
Delmar News  
Indiana News  
Elx Mart  
Arco Office Supplies  
Radio Shack  
Mitling's Electronics

Jasper  
Madison  
Martinsville  
Walbash

## IOWA

Davenport Interstate Book Store

## KANSAS

Topeka Palmer News, Inc.  
Town Crier of Topeka, Inc.  
Amateur Radio Equipment Co.  
Lloyd's Radio

## KENTUCKY

Georgetown Goodwin Electronics  
Hazard Daniel Boone Gulf Mart  
Hopkinsville Hobby Shop  
Louisville The Computer Store  
Paducah Radio Shack  
Paintsville R-Kat Electronics  
Pikeville Gus-Stan Enterprises  
Princeton Miller Electronics

## LOUISIANA

Crowley Acadiana Newsstand  
Monroe The Book Rack

## MAINE

Brockton Voyager Bookstore  
Caribou Radio Shack  
Waterboro Radio Shack

## MARYLAND

Silver Spring Layhill Newsstand

## MASSACHUSETTS

Brockton Voyager Bookstore  
Cambridge Out Of Town News  
Fitchburg Corners Book Shop  
Ipswich Ipswich News  
Littleton Computer Plus  
Lynn North Shore News Co.  
Quincy Soft Ware House

## MICHIGAN

Allen Park Book Nook, Inc.  
Dearborn DSL Computer Products  
Durand Robbins Electronics  
Harrison Harrison Radio Shack  
Lowell Curt's Sound & Home Arcade Center  
Mt. Clemens Key Book Shop  
Michigan Radio  
The Eight Bit Corner  
C/C Computer Systems  
Perry Perry Computers  
Perry Oil & Gas  
New Horizons  
Software City  
Clinton Electronics  
Sterling Sterling Book Center  
Wyoming Gerry's Book Co.

## MINNESOTA

Minneapolis Read-More News  
Willmar The Photo Shop

## MISSOURI

Farmington Ray's TV & Radio Shack  
Kirksville T&R Electronics  
Moberly Audio Hut  
St. Louis Book Emporium  
Computer Exchange  
Software Centre  
Final Edition  
University City

## MONTANA

Whitefish Consumer Electronics of Whitefish

## NEBRASKA

Lincoln Hobby Town  
Omaha Computers & Components

## NEVADA

Las Vegas Hurley Electronics

## NEW HAMPSHIRE

West Lebanon Verham News Corp.

## NEW JERSEY

Cedar Knolls Village Computer & Software  
Clinton Micro World II  
Lawrenceville Micro Con Software Center  
Linwood Software City  
Marmora Outpost Radio Shack  
Montvale Software City  
Pennsville Dave's Elect. Radio Shack  
River Edge Software City  
Rockaway Software Station

## NEW MEXICO

Alamogordo New Horizons Computer Systems  
Albuquerque Desert Moon Distributors  
Page One Newsstand

## NEW YORK

Brockport Lift Bridge Book Shop, Inc.  
Elmira Heights Southern Tier News Co., Inc.  
Fredonia On Line: Computer Access Center  
Hudson Falls G.A. West & Co.  
Johnson City Unicorn Electronics  
New York Barnes & Noble—Sales Annex  
Coliseum Books  
Eastern Newsstand








# ADVERTISER'S INDEX

We encourage you to patronize our advertisers — all of whom support the Tandy Color Computer. We will appreciate your mentioning **THE RAINBOW** when you contact these firms.

After Five Software .....	146	Hard Drive Specialists .....	169	Rainbow Binder .....	127
Ark Royal Games .....	192	Hawkes Research Services .....	132	Rainbow Bookshelf .....	185
B5 Software .....	191	HJL div. of Touchstone		Rainbow Gift Subscription .....	113
Canyon County Devices .....	148	Technology, Inc. ....	99	Rainbow On Tape .....	147
Cer-Comp .....	142, 143	Howard Medical .....	34, 210	RAINBOWfest .....	65, 66
Challenger .....	85	J & M Systems .....	BC	Ram .....	IFC
Cinsoft .....	138	J & R Electronics .....	163	REM Industries .....	135
CNR Engineering .....	83	Johnson, D.P. ....	204	Robotic Microsystems .....	102
CoCo Trend .....	145	Kelly Software Distributors .....	70	SECA .....	93
Cognitec .....	81	Mark Data Products .....	157	Selected Software .....	179
Colorware .....	22, 23, 25	Metric Industries .....	190	Software House, The .....	103
CompuServe .....	11	MichTron .....	158	Software Support, Inc. ....	62, 63
Computer Center .....	35	Micro Works, The .....	170	Soistmann Enterprises, Inc. ....	96
Computer Island .....	86, 87	Microcom Software .....	16, 17	Spectrogram .....	37
Computer Plus .....	3	Microtech Consultants Inc. ....	32	Spectrosystems .....	149
Computerware .....	13	MicroWorld .....	31	Spectrum Projects Inc.	
Computize, Inc. ....	209	Mix, Tom Software .....	177	..... 105, 106, 107, 109, 110, 111	
Cozy Software .....	84	Moreton Bay .....	174	Speech Systems	
Dayton Associates of		Novasoft .....	176	..... 118, 119, 120, 121	
W. R. Hall, Inc. ....	128	Other Guys Software, The .....	36	Sugar Software .....	161
Delphi .....	114, 115	Owl-Ware .....	72, 73	Sunrise Software .....	97
Derby City Software .....	136	PCM .....	124	T & D Software .....	14
Derringer Software .....	94, 95	Perry Computers .....	48	Tepco .....	75
Diecom .....	IBC	Preble's Programs, Dr. ....	57	Thinking Software, Inc. ....	40
Disto .....	28	Prickly-Pear Software .....	164	Tothian Software Inc. ....	184
Dragon User .....	46	Public Domain .....	90	True Data Products .....	150, 151
Duck Productions .....	167	PXE Computing .....	7	Wasatchware .....	144
E.D.C. Industries .....	189	Radio Shack .....	42, 43, 50, 51	Woodstown Electronics .....	71
Federal Hill Software .....	152	Rainbow OS-9 Book .....	130	York 10 .....	85



**Call:**  
**Shackelford, Nolan, Davis, Gregg and Associates**  
 Cindy Shackelford, president  
 Shirley Duranseau  
 Advertising Representative  
 12110 Meridian South, Suite 5  
 P.O. Box 73-578  
 Puyallup, WA 98373-0578  
**(206) 848-7766**

**Call:**  
**Kim Vincent**  
 Advertising Representative  
 The Falsoft Building  
 9509 U.S. Highway 42  
 P.O. Box 385  
 Prospect, KY 40059  
**(502) 228-4492**

**Call:**  
**Jack Garland**  
 Garland Associates, Inc.  
 10 Industrial Park Road  
 Hingham, MA 02043  
**(617) 749-5852**



# ARE YOU LOOKING FOR A HI-RES GRAPHIC SCREEN PRINT DUMP?

**HARDCOPY** - Hardcopy is more than just a screen print dump, compare these features with any other graphic dump program on the market:


- Full GRAPHICOM/GRAPHICOM PART II compatibility! Loads STANDARD 6K images, GRAPHICOM pictures, and COCO MAX pictures too!
- BLACK & WHITE or GREY SCALE printing. In GREY SCALE printing, colors are printed as user definable patterns. Supports hi-res in all 4 GRAPHICOM display modes!
- 1x, 2x, 3x PRINTOUTS - Three menu options are reserved for the most frequently used printout sizes: 1x (quarter page), 2x (half page), and 3x (full page).
- GRAPHIC LABELS - The label printing option allows the user to create custom mailing or disk labels with professional looking results.
- GREETING CARDS - The greeting card option allows the user to custom design greeting cards using both text and graphics.
- GIANT POSTERS - The poster option provides the user with a means of reproducing a hi-res graphic to a multi-sheet poster.
- SPECIAL EFFECTS - The special effects option allows the user to directly control the printing directives. ROTATION, X/Y SIZE, X/Y FLIP, X/Y GRID, X/Y FILL, TAB, WINDOW, POS/NEG IMAGE, and more!
- USER CALL - Have an application that HARDCOPY doesn't quite match? HARDCOPY routines can be added to EXTENDED BASIC through the USR command!

HARDCOPY* requires a 64K Color Computer or Color Computer II, and at least one disk drive. It supports 1 to 4 disk drives, keyboard or joystick input. Please specify printer and cat. number when ordering.	IDS 480/560-G OKI 82A (Okigraph) Okidata 92 Epson LX-80 Epson MX-80 Epson RX-80 Epson FX-80 Riteman PLUS	Cat. No. 170WD Cat. No. 179WD Cat. No. 171WD Cat. No. 173WD Cat. No. 172WD Cat. No. 173WD Cat. No. 177WD	Gemini 10X Gemini SG-10/15 DMP-105 DMP-110 DMP-120 DMP-130 DMP-200 CGP-220	Cat. No. 174WD Cat. No. 178WD Cat. No. 183WD Cat. No. 180WD Cat. No. 176WD Cat. No. 180WD Cat. No. 175WD Cat. No. 181WD
--	---	--	---	--

\* Due to hardware differences, some features may function differently on certain printers.

# HARDCOPY

THE ULTIMATE PRINTER UTILITY




©1984 WHITESMITH V:1.0  
ALL RIGHTS RESERVED

HARDCOPY PRINT UTILITY . . . . \$29.95

# GRAPHICOM PART II

DISTRIBUTED BY COMPUTIZE INC.



©1984 WHITESMITH V:1.0  
ALL RIGHTS RESERVED

GRAPHICOM PART II . . . . . \$24.95

**NEW LOW PRICE!**  
**GRAPHICOM**  
**DIGITIZER \$159.00**

Input directly into Graphicom for easy enhancements, manipulation, stamping, and storage. Accepts composite video signal in (1.0v p-p) from video camera, VCR, video disc player, another computer, or other compatible video sources. View "off air" or "VCR" digitized video at close to real-time. "Snapshot" video frames to the digitizer's internal memory. No slow, data serial manipulation. Use with your multi-pak, "Y" box, or a "Y" cable ("Y" cable available at \$19.95) Video is input via a "BNC" connector. External controls for HORIZONTAL POSITION, VERTICAL POSITION, HORIZONTAL WIDTH, BRIGHTNESS, and CONTRAST (FUZZ) settings. Don't be fooled by imitations...this is the GRAPHICOM VIDEO DIGITIZER... the only digitizer that "DIRECTLY" inputs into Graphicom. **REQUIRES 64K COCO, 1 DISK DRIVE, AND 2 ANALOG JOYSTICKS. FREE GRAPHICOM PROGRAM, PICTURE DISK, AND GRAPHICOM UTILITY SUPPLIED WITH PURCHASE OF VIDEO DIGITIZER (A \$50 VALUE).**

"Y" BOX



\$29.95

**GRAPHICOM \$24.95**

Catalog No. . . . . 111GD  
Simply stated - One of the finest graphic programs written for the Color Computer!

- FEATURES:
- S-U-P-E-R U-S-E-R F-R-I-E-N-D-L-Y!
  - Supports 4 Hi-Res display modes
  - 4 page animation mode
  - Color Palette with over 15 color patterns for use with Hi-Res artifact
  - Send/Receive pictures over modem
  - Supplied utility allows capturing Hi-Res screens from most COCO arcade games
  - Multiple Hi-Res character fonts (user re-definable)
  - Supplied utility for transferring Graphicom screens to Basic or other M/L programs.
  - Supplied utility for loading screens from Basic or other sources
  - Built in Hi-Res SCREEN PRINT (compatible with EPSON, C-TOH, GEMINI-10, OKI, plus Radio Shack's LP-VII, LP-VIII, DMP-100, DMP-200, and GCP-115 printers) from 110 to 9600 baud
  - SEND/RECEIVE slow-scan television
  - Many additional features, operating hints, hardware mod's and suggestions, etc.

**REQUIRES 64K COCO, 1 DISK DRIVE, AND 2 ANALOG JOYSTICKS**

**NEW MASTER KEY II**

New Improved Version! A hardware product that takes control of any program regardless of protection. Now use with RS Multi-pak, "Y" cable or optional extender cable. Captures register contents as they were when Master Key II was engaged. Complete disassembler, memory save, and much more. Requires some familiarity with Assembly Language.  
ROM PAK Cat. No. 160HR . . . . . \$ 99.95  
Cat. No. 161HR With Ext. Cable . . . \$109.95

**YOU COULD SPEND \$100.00 OR MORE TO UPGRADE YOUR GRAPHICS SYSTEM, JUST BUY...**

Eclipse (Zoom) . . . . . \$19.95/Moreton Bay	Text Master (Hi-Res Text) . . . \$29.95/Data Man
Super Paint (Paint) . . . . . \$19.95/Michtron	G.C.U. (Disk Utilities) . . . . . \$19.95/Computize
Shrinx (Reducer) . . . . . \$21.95/Grafax	

**OR YOU COULD SPEND \$24.95 FOR GRAPHICOM PART II AND GET:**

a video processing package that provides many functions that are missing in Graphicom. Here are just a few of the features provided by Graphicom Part II:

- ENLARGE/REDUCE/ROTATE**  
Enlarge or reduce any portion of a graphic screen, just like a photographic enlarger! Rotate by any degree of a degree around any point on the screen.
- PAINT**  
Paint or "fill-in" any irregular area on the screen! More than 50 different colored patterns available. Additional paint patterns may be user-defined.
- PAN & ZOOM**  
"Zoom in" x2, x4, or x8 on any portion of the screen to do fine pixel work. Allows editing of Graphicom character sets with ease!
- TYPESETTER & FONT EDITOR**  
Add text in 16 different sizes, also supports user definable foreground & background colors. Design & Edit characters for use in the typesetter.
- PIXEL BLASTER**  
Allows the user to easily substitute or remove colors. Widen lines, swap BLUE & RED without effecting BLACK & WHITE, etc.

**GRAPHICOM PART II DOES NOT REQUIRE GRAPHICOM TO RUN!**

Graphicom Part II requires a 64K extended disk basic system, and supports 1 to 4 disk drives, keyboard or joystick (analog or switch type) input. It will load and save both Standard BIN files and Graphicom screens. All functions support color or Hi-Res operation, as well as the 4 screen display modes.

**PICTURE DISK SETS**

- Available from COMPUTIZE
- 4C - Artifact color palette
  - 5C - Large character sets (from Derringer Software)
  - 6C - Same as 5C but set up as stamp set
- Picture Disk Set 1 . . . . . \$19.95**
- 7 - Miscellaneous Art Set #1
  - 8 - Miscellaneous Art Set #2
  - 9 - Miscellaneous Ads and Examples
- Picture Disk Set 2 . . . . . \$19.95**
- 10 - Miscellaneous Fonts
  - 11C - Artifact color palette type fonts
- Picture Disk Set 3 . . . . . \$14.95**
- 12C - Art demo from WHITESMITH
  - 13C - GRAPHICOM PART II function demo
- Picture Disk Set 4 . . . . . \$14.95**

**GC II FONT DISKS**

Each disk contains 10 or more fonts. (4 versions of each font, one for each display mode).

- 14C - GCII Fonts Disk #1
- 15C - GCII Fonts Disk #2
- 16C - GCII Fonts Disk #3

**GRAPHICOM PART II Font Disks . . . \$19.95**

**TRIPLE TRANSFER UTILITY**

Transfer contents of disk to tape • Transfer contents of tape to disk • Automatically relocates cassette programs that conflict with the disk operating system • Displays machine language program addresses • Copies ASCII, Basic, & Machine Language Programs • All contained in 1 menu driven program!  
**REQUIRES 32K CC EXT.**  
Cassette \$19.95 . . . Cat. No. 105CT  
Disk \$24.95 . . . . . Cat. No. 105CD

**SUPER BACK-UP UTILITY**

WITH S.B.U. FROM COMPUTIZE - YOU'LL NEVER NEED ANOTHER BACK-UP UTILITY FOR YOUR COCO!!! SUPER BACK-UP UTILITY WILL PERFORM ALL OF THE FOLLOWING FUNCTIONS.

1. TAPE TO TAPE (Regardless of most protection schemes!)
  2. TAPE TO DISK (Move Cassette programs to Disk!)
  3. AUTO RELOCATE (For those Cassette programs that conflict with Disk operating systems.)
  4. DISK TO TAPE (Place Disk programs onto Cassette)
  5. DISK TO DISK (Our powerful Split-N-Image Program, Copies regardless of most protection schemes!)
- MENU DRIVEN
  - REQUIRES 32K EXTENDED COCO
  - REQUIRES 1 OR 2 DRIVES
  - ALL MACHINE LANGUAGE!!!
- COMPARE WITH OTHER INDIVIDUAL PROGRAMS COSTING IN EXCESS OF \$100.00**  
**DISK \$49.95 . . . . . Cat. No. 107CD**

**SPIT-N-IMAGE**

M/L Disk Back-Up Utility  
There is no need to suffer the heartbreak of crashed disks any longer. Spit-N-Image will create a mirror image of your valuable disk programs which do not respond to normal back-up functions. Will also initialize and back-up in one pass. Data processing experts always insist on having a back-up - it's good a practice.  
**REQUIRES 32K CC**  
**DISK \$34.95 . . . . . Cat. No. 101CD**

Check or M.O.  
Add \$3.00 shipping

# Computize INC.

(215) 946-7260 P.O. BOX 207 • LANGHORNE, PA 19047

PA residents add 6% sales tax





# Howard Medical Computers

(800) 443-1444 ORDERS

(312) 278-1440 INQUIRIES AND ORDER STATUS

## PRINTERS



### NEW Dual Mode EPSON LX-80

The LX-80 offers draft or near letter quality plus a 1K input buffer for much faster graphics printing speed. LX-P package includes the LX-80, a Botek serial to parallel converter, and a Howard Printer Tutorial.

**\$317** (\$7 shipping)  
Add \$29.50 for tractor ET-1




### STAR NX-10

The NX-10 is the latest generation of printers and offers built-in back tractor feed giving forward and backward movement of paper plus exceptional graphics printing capabilities. NX-P package includes the NX-10, a Botek serial to parallel converter and the Howard Printer Tutorial.

**\$307** (\$7 shipping)

## DISK CONTROLLERS



### DISTO DC-3

Includes controller and DOS ROM Chip.

**\$98** (\$2 shipping)

## ADD-ON BOARDS

DC-38 includes 80 column capacity, parallel printer, real time clock, and all software **\$138**

DC-256 256K RAM Board includes software to access all RAM **\$125**

DC-3P Mini Epson Programmer includes all software to program 2764 or 27128 **\$55**

DC512 512K RAM Board **\$165**

RS-1 Radio Shack's 1.1 ROM based operating system **\$20**


DD-2 Double sided 360K disk drive with 1/2 heightcase and power supply **\$188**

CA-1 Cable to connect controller to one drive **\$24.50**

CA-2 Two drive cable **\$29.50**

## MONITORS

### ZENITH 123A 12"



This 12" green screen high resolution monitor offers 80 column capability, Zenith quality and a 30 day warranty valid at any of Zenith's 1200 locations.

Retail \$149 **\$67.50** (\$7 shipping)  
Our price

122A Zenith 12" Amber Screen offers the same 640 dots x 200 dots resolution at 15MHz as the 123A and a 90 day warranty valid at our 1200 locations.

**\$88**  
(\$7 shipping)

Closeout Specials — only 14 in stock. We have a limited number of lesser known color monitors that have been discontinued but are brand new in their original boxes.

**\$149**  
(\$14 shipping)

141 Roland 13" Color Monitor with speaker, 270 dots x 200 dots resolution, 4 MHz band width.

**\$217**  
(\$14 shipping)

131 Zenith 13" Color Monitor has medium resolution with speaker and RGB jack.

**\$168**  
(\$14 shipping)

All monitors require an amplifier circuit to drive the monitor and are mounted inside the color computer. They attach with spring connectors, with two wires extending out of the computer, one for audio and one for video.

VA-1 for monochrome monitors only, fits all color computers

**\$24.45**  
(\$2 shpg)

VC-4 for monochrome or color, fits all color computers

**\$39.45**  
(\$2 shpg)

## MEMORY

64-E1 for E Boards with complete instructions. Remove old chips and replace with preassembled package—no soldering or trace cuts. **\$24.85**  
64-F1 for F Boards. No soldering needed. Capacitor leads must be cut. **\$24.45** (\$2 shipping)

64-2 for COCO 2. Kit requires one solder point, no trace cuts. **\$24.45**  
64-22 Two chip set for 26-3134A and B, 26-3136A and B. Koren Color Computers require 1 solder point **\$28.45** (\$2 shipping)

## SOFTWARE SPECIALS

### PAYROL/BAS™

Written in nonprotected basic for the color computer. This easy-to-use package of programs will simplify and decrease the time spent doing payroll. *Rainbow* May 1986 review says, "Elegant and professional." State and federal tables are already included. Send \$1 for 11 page reports guide.

**\$79.95**

### VIP LIBRARY

Softlaw's integrated package includes VIP writer terminal, data base, call and disk zap which can fix a diskette that is giving I/O errors.

**\$125**

### SAP-II

Stock analysis program organizes your portfolio and gives specific sell and stop-loss points.

**\$19.95**

### BPA-1

Chart your blood pressure from daily readings taken in the comfort of your home.

**\$19.95**

## GUARANTEE

Howard Medical's 30-day guarantee is meant to eliminate the uncertainty of dealing with a company through the mail. Once you receive our hardware, try it out; test it for compatibility. If you're not happy with it for any reason, return it in 30 days and we'll give you your money back, (less shipping).

Howard Medical Computers 1690 N. Elston Chicago, IL 60622



ORDERS

(800) 443-1444

INQUIRIES AND ORDER STATUS

(312) 278-1440


Showroom Hours:  
8:00-4:00 Mon-Fri.  
10:00-3:00 Sat.

WE ACCEPT: VISA • MASTERCARD • AMERICAN EXPRESS  
C.O.D. OR CHECKS • SCHOOL P.O.'S



# DIACOR PRODUCTS

## GANTELET




One, two or even three people can play Gantelet at the same time. You and your friends travel through the many levels in search of an exit to the next level. Avoid the Ghosts and other creatures that are out to stop you in your quest. Collect keys to open doors, treasures and magic potions to aid you in your battle. Watch out for hidden traps as you frantically search for the exit to the next level.

64 k required  
tape or disk

\$28.95 U.S.  
\$38.95 Can.


## PAPER ROUTE



As a paper boy, you ride your bike along your route delivering papers to your customers. Break customers' windows or damage their property and they will cancel their subscriptions! Earn bonus points by damaging non-subscribers' property. Avoid pedestrians, cars, and maybe even a mad dog in your attempt to deliver all of your papers! Detailed graphics and lots of surprises make this game a real challenge for everyone.

64 k joystick required  
tape or disk \$28.95 U.S.  
\$38.95 Can.

## MARBLE MAZE




Move your marble around the mazes in your search for the finish line! Avoid marble eaters, acid puddles and other creatures that inhabit the mazes. Eight different levels and great graphics make this game a must for your collection.

joystick required

64 k required, tape or disk \$28.95 U.S. \$38.95 Can.

## Mission: F-16 ASSAULT




Fly your plane over land and water while avoiding enemy missiles, planes and helicopters attacking from the top and bottom of the screen. Use your radar to track objects as they approach the main screen. Bomb oil refineries, airports and destroy planes before they can take off from the airports. Watch out for missiles fired from hidden missile silos on the ground. Dozens of screens of detailed terrain plus increasing difficulty make this a great game for everyone.

64 k and joystick required  
tape or disk


\$28.95 U.S.  
\$38.95 Can.

## KNOCK OUT



Fight against five different boxers in this great boxing game! At first the boxers are easy to knock out, but beware, it gets harder as you move on. The boxers are out to stop you in your quest to become champion of the world. Outstanding graphics make this a must for your collection!

## KARATE



Challenge the computer, or a friend to a Karate match! Use various Karate punches and kicks to knock your opponent down and earn points to win the match. When challenging the computer, your opponent's Karate skills increase as you win matches. This game is a challenge for even the expert game player.

joystick required

**COMING SOON:**  
**Mission:**  
**RUSH'N ASSAULT**

# DIACOR PRODUCTS

6715 FIFTH LINE, MILTON, ONT., CANADA L9T 2X8

We accept:



cheque or money order

24 hr. order line:  
(416) 878-8358  
personal service 9-5

Please add \$2 for shipping & handling. Ontario residents add 7% sales tax. C.O.D. Canada only. Dealer inquiries invited. Looking for new software.



# HEAT UP YOUR COCO!

## New HARD DRIVES

Besides the obvious advantage of increased disk access speeds and a vast amount of storage, our COCO hard drives boast many innovative features. For instance,




you may boot OS/9 directly from JDOS - no intermediate boot floppy is required. Our software can run with virtually any winchester with a

ST412-type interface. Our drives have capacities of 5, 10, or 20 MBytes (formatted), and may be either partitioned into up to 7 logical units or left as one large logical unit. Our COCO hard drive systems are complete with case, power supply, cables, OS/9 drivers, and instructions. Prerequisite: OS/9, JFD-CP controller.

5 1/4" 5 MByte full size \$495  
 5 1/4" 10 MByte 1/2 size \$650  
 3 1/2" 20 MByte (shown above) \$795

## JFD-CP DISK CONTROLLER

Our new JFD-CP, compatible with both the original COCO and the COCO 2, features a parallel port to support a



Centronics compatible printer or our hard drive, and an external ROM switch, which allows you to select JDOS or an optional RS

DOS-type ROM. It comes in a case and includes JDOS 1.2 and manual. JDOS implements all RS DOS commands, plus many more, including auto line numbering, error trapping, baud rate selection, OS/9\* boot from floppy or hard drive, and Memory Minder\*\*, our disk drive analysis program (Precision Alignment Disk not included).

JFD-CP Disk Controller with JDOS \$139

## COCO-CLASSIC

Our old JFD-COCO controller remains a strong seller. Some people just like old "classics" best! So we have brought it back at the lowest price ever!

JFD-COCO Disk Controller with JDOS \$99

## New TERMS

One-year warranty on parts & labor; 30-day money back guarantee (except shipping) if not totally satisfied. Items must be returned in like new condition.

Free shipping via UPS in continental United States for payment by VISA, MasterCard, or cashiers check. COD requires 10% prepayment by bank card plus 3% shipping. Blue Label and foreign shipping extra.

## DRIVE SYSTEMS

Upgrade your Color Computer by adding our new JFD-CP disk controller, supercharged with JDOS 1.2 operating system, and a top quality drive with case and power supply. Comes complete with cable and JDOS manual.



Drive 0 System with one single side drive \$279  
 Drive 0 System with one double side drive \$349  
 Drive 0,1 System with two single side drives \$389  
 Drive 0,1 System with two double side drives \$489

## MEMORY MINDER\*\*



Memory Minder is a disk drive test program now included in JDOS. Used with a Precision Alignment Disk, Memory Minder allows you to check

your drives for speed, alignment, sensitivity, hysteresis, and more! You can actually align or adjust the drives while viewing the graphics on the screen. No special equipment needed!

PRECISION ALIGNMENT DISKS (From Dysan)  
 PAD-40X1: Tests single side disk drives \$26  
 PAD-40X2: Tests double/single disk drives \$33

Memory Minder is available on diskette for those who don't own a JFD-CP controller with JDOS. Includes Precision Alignment disk.

Memory Minder: single side package \$59  
 Memory Minder: single/double side package \$75

\*OS/9 is a registered trademark of Microware, Inc.  
 \*\*Memory Minder is a registered trademark of J&M Systems, Ltd.



J&M SYSTEMS, LTD.

15100-A CENTRAL SE  
 ALBUQUERQUE, NEW MEXICO 87123  
 505/292-4182