

Serving the CoCo Community for

The

# RAINBOW

10  
YEARS

THE COLOR COMPUTER MONTHLY MAGAZINE

February 1991 Vol. X No.7

Canada \$4.95 U.S. \$3.95

# Money Matters\$

CoCo accounts for budgets,  
depreciations and  
investments

## Plus

- The Assembly Line
- An OS-9  
Tree Command
- A CoCo Dart Game



From Computer Plus to YOU...

# PLUS after PLUS after PLUS



Tandy 1400 HD \$999\*  
Tandy 102 32K \$439  
Tandy WP-2 \$279



Tandy 2500 XL \$1119  
Tandy 3000 NL \$869\*  
Tandy 4016 SX \$1489



Tandy 1000 RL \$499  
Tandy 1000 TL 2 \$759



DMP-134 \$269



Color Computer Disk Drive  
Drive 0 \$239 Drive 1 \$149



TandyFax 5625

## BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS

### COMPUTERS

Tandy 1000 HX 1 Drive 256K	259.00 *
Tandy 1500 HD 1 Drive 640K	1499.00
Tandy 2500 XL 1 Drive 1 Meg	1119.00
Tandy 1000 RL HD-1 Drive-512K	829.00
Tandy 1100 FD 1 Drive 640K	689.00

### PRINTERS

Radio Shack DMP-107 120 CPS	219.00
Radio Shack DMP-302 270 CPS	469.00
Radio Shack DMP-134 160 CPS	269.00
Radio Shack DWP-230 Daisy Wheel	179.00
Tandy LP-950 Laser Printer	1299.00
Tandy DMP-240 192 CPS 8 color	415.00
Panasonic KXP 1180 192 CPS	189.00 *
Panasonic KXP 1191 240 CPS	259.00 *
Panasonic KXP 1124 192 CPS	329.00 *
Okidata 320 300 CPS	369.00
Okidata 390 270 CPS 24 Wire HD	515.00
OKI Laser 400 4PPM	699.00 *

### MODEMS

Radio Shack DCM-6	52.00
Radio Shack DCM-7	85.00
Practical Peripheral 1200 Baud	149.00
Practical Peripheral 2400 Baud	179.00

### COLOR COMPUTER MISC.

Radio Shack Drive Controller	79.00 *
Extended Basic Rom Kit (28 pin)	14.95
64K Ram Upgrade Kit (2 or 8 chip)	39.00
Radio Shack Deluxe Keyboard Kit	24.95
HI-RES Joystick Interface	8.95
Color Computer Deluxe Mouse	44.00
Multi Pak Pal Chip for COCO 3	14.95
COCO 3 Service Manual	29.95
Serial to Parallel Converter	59.95
Radio Shack Deluxe Joystick	19.95
Magnavox 8135 RGB Monitor	299.00
Magnavox Green or Amber Monitor	99.00
Radio Shack CM-8 RGB Monitor	249.00
Radio Shack Pistol Grip Joystick	26.95
PBJ OK COCO 3 Upgrade Board	24.95
PBJ 512K COCO 3 Upgrade	99.00
Tandy OK COCO 3 Upgrade Board	39.95
Tandy 512K COCO 3 Upgrade	129.00

### COLOR COMPUTER SOFTWARE

	TAPE	DISK
The Wild West (COCO 3)		25.95
Worlds of Flight	34.95	34.95
Mustang P-51 Flight Simul.	34.95	34.95
Flight 16 Flight Simul.	34.95	34.95

COCO Uta II by Mark Date	38.95
COCO Max III by Colorware	79.95
Max 10 by Colorware	79.95
AutoTerm by PKE Computing	29.95
TW-80 by Spectrum (COCO 3)	39.95
TeleWriter 64	49.95
TeleWriter 128	79.95
Elite Word 80	79.95
Elite Calc 3.0	69.95
CoCo 3 512K Super Ram Disk	19.95
Home Publishing by Tandy (CoCo 3)	39.95
Sub Battle Sim. by Epye (CoCo 3)	29.95
Thexder by Sierra (CoCo 3)	22.45
Kings Quest III by Sierra (CoCo 3)	31.45
Flight Sim. II by SubLogic (CoCo 3)	31.45
OS-9 Level II by Tandy	71.95
OS-9 Development System	89.95
Multi-View by Tandy	44.95
VIP Writer (disk only)	89.95
VIP Integrated Library (disk)	149.95

Prices are subject to change without notice. Please call for shipping charges. Prices in our retail store may be higher. Send for complete catalog.

\*Sale prices through 2-28-91

**CALL TOLL FREE  
1-800-343-8124**

- **LOWEST POSSIBLE PRICES**
- **BEST POSSIBLE WARRANTY**
- **KNOWLEDGEABLE SALES STAFF**
- **TIMELY DELIVERY**
- **SHOPPING CONVENIENCE**




# computer plus


P.O. Box 1094  
480 King Street  
Littleton, MA 01460


SINCE 1973


IN MASSACHUSETTS CALL (508) 486-3193


**Features**


**10**  
**Home Budget Analyst 4.0**   
 Glen Dufur  
*Dollars and sense for the home or office*


**28**  
**Jumpman**   
 Phil Stroffolino  
*A quick look at the basics of graphics animation*


**62**  
**A Tree Grows in OS-9**   
 Stephen B. Goldberg  
*Branching out to monitor directory growth*


**30**  
**The Assembly Line, Part VII: Julia's Child**   
 William P. Nee  
*Graphing with a permutation of Mandelbrot*


**66**  
**Solid Foundation in Chemistry**   
 Rudy Meijering  
*The right mix for learning chemistry*

**46**  
**Appreciating Depreciation**   
 David Macias  
*Learn to get along with depreciation calculations*


**83**  
**Darts**   
 Mark Webb  
*No pub, no ale; just don't hit the bull's tail*

**56**  
**Bond Calculator**   
 Dale Tinklepaugh  
*Computerized guidance for calculated risks*




 The cassette tape/disk symbols beside features and columns indicate that the program listings with those articles are on this month's RAINBOW ON TAPE and RAINBOW ON DISK. Those with only the disk symbol are not available on RAINBOW ON TAPE. For details, check the RAINBOW ON TAPE and RAINBOW ON DISK ad on page 77.

**Columns**

**22**  
**BreakPoint**   
 Greg Law  
*It's still the C zen*

**94**  
**CoCo Consultations**  
 Marty Goodman  
*Disk drive power*


**8**  
**Print#-2**  
 Lonnie Falk  
*Editor's notes*


**40**  
**Wishing Well**   
 Fred Scerbo  
*Visualizing fractions 3*


**Product Reviews**


CoCo MIDI Pro/MusicWare	74
COMERR/R.S. Research Associates	78
Directory Library/Johnson Software	74
DS69View/Steve Ricketts	72
Goodies Disk One/The Warped Drive	79
La Belle Lucie/Eversoft	76
Mixed Blessings/John Friedrich	80
Picture Disk 1/Zebra Systems	75
Rainbow Indexes/Rick's Computer Enterprises	78
VED/VPRINT/Bob van der Poel Software	72


**Novices Niche**


**24**  
**Neat Labels**   
 Keiran Kenny


**29**  
**Loans**   
 Steve Knapik


**38**  
**Bank Account**   
 William W. Coolman


**54**  
**Quick Directory Sorter**   
 David C. Enger

**60**  
**Timer**   
 Richard Larson

**90**   
**Weights on Other Planets**  
 Richard Barberian, Jr.

**91**  
**Body Mass**   
 Bob Teague

**92**  
**Note Writer**   
 John Musumeci

**92**   
**Automatic Error Entry**  
 Geoff Friesen

**Departments**

Advertisers Index	97
Back Issue Info	84
Corrections	37
Letters to Rainbow	4
Received & Certified	82
Reviewer Info	50
Submitting Material	42
Subscription Info	52

THE RAINBOW is published every month of the year by FALSOFT, Inc., The Falsoft Building, 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059, phone (502) 228-4492. THE RAINBOW, RAINBOWtest and THE RAINBOW and RAINBOWtest logotypes are registered trademarks of FALSOFT, Inc. • Second class postage paid Prospect, KY and additional offices. USPS N. 705-050 (ISSN No. 0746-4797). POSTMASTER: Send address changes to THE RAINBOW, P.O. Box 385, Prospect, KY 40059. Authorized as second class postage paid from Hamilton, Ontario by Canada Post, Ottawa, Ontario, Canada. • Entire contents copyright © by FALSOFT, Inc., 1990. THE RAINBOW is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single and use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever. • Tandy, Color BASIC, Extended Color BASIC and Program Pak are registered trademarks of the Tandy Corp. • Subscriptions to THE RAINBOW are \$31 per year in the United States. Canadian rates are U.S. \$38 plus 7% GST. Surface mail to other countries is U.S. \$68, air mail U.S. \$103. All subscriptions begin with next available issue. • Limited back issues are available. Please see notice for issues that are in print and their costs. Payment accepted by VISA, MasterCard, American Express, cash, check or money order in U.S. currency only. Full refund after mailing of one issue. A refund of 10/12ths the subscription amount after two issues are mailed. No refund after mailing of three or more magazines.

## THE RAINBOW

Editor and Publisher  
Lawrence C. Falk


Managing Editor Cray Augsburg  
Associate Editor Sue Fomby  
Copy Editor Rob Moore  
Submissions/Reviews Editor Tony Olive  
Technical Editor Greg Law  
Technical Assistants Ed Ellers,  
Gregory Shultz  
Editorial Assistant Julie Hutchinson  
Contributing Editors  
William Barden, Jr.  
Steve Blyn, Tony DiStefano  
Martin Goodman, M.D.  
Dale Puckett, Fred Scerbo  
Eddie Kuns  
Art Director Heidi Nelson  
Designers Sharon Adams, O'Neil Arnold,  
Teri Kays  
Consulting Editors Judi Hutchinson,  
Laurie D. Falk  
Typesetter Debbie Diamond

Falsoft, Inc.

President Lawrence C. Falk  
General Manager Peggy Lowry Daniels  
Asst. General Mgr. for Finance Donna Shuck  
Admin. Asst. to the Publisher Kim Thompson  
Editorial Director John Crawley  
Senior Editor Jutta Kapfhammer  
Director of Production Jim Cleveland  
Chief Bookkeeper Diane Moore  
Dealer Accounts Judy Quashnock  
Asst. Gen. Manager For Administration  
Sandy Apple  
Corporate Business Technical Director  
Calvin Shields  
Customer Service Manager Beverly Bearden  
Customer Service Representative  
Patricia Eaton  
Chief of Printing Services Melba Smith  
Dispatch Tim Whelan  
Business Assistant Wendy Falk Barsky  
Chief of Building Security and Maintenance  
Lawrence Johnson  
Development and Advertising Manager  
Ira Barsky  
Advertising Representatives Belinda Kirby,  
Kim Lewis  
Advertising Assistant Carolyn Fenwick  
(502)228-4492

For RAINBOW Advertising and Market-  
ing Office Information, see Page 95

Proudly Participating In



# Letters to the RAINBOW

## Terminal Entries Response

Editor:

Although Jim Issel's "Terminal Entries" article was fairly thorough, I feel he neglected a few things. The most serious was his omission of *Ultimaterm*'s 45-number dialing directory, something I find indispensable in my telecommunications. All the parameters for each individual system can be set in the directory. It also has a redial feature that keeps calling a busy system until it gets through. The other thing I take issue with is that there *are* macros in *V-Term* as well as a 15-number dialing directory. In fact, I use these macros to access Delphi (username, password, etc.) when I'm using *V-Term*. You can also configure *V-Term* as a 128K or 512K terminal. In the 128K mode, you have full use of firmware RAM disks, such as those you would find on a 512K machine using Extended ADOS3. Finally, I think *AutoTerm* should have been included in the overview, since it is quite popular as well.

D. Steven Ricketts  
Boring, Oregon

## The Temperate Zone

Editor:

I looked in one of your issues and found a fan by REM Industries, Inc. I would like to know if the company is still in business. My dad asked me if there is a program to monitor the inside and the outside temperature. Would it be possible to send some information on this type of program and what hardware would be involved, besides my 64K CoCo 2 and disk drive?

Anthony Kiper  
Route 1, Box 657  
Grayson, KY 41143

See "Barden's Buffer" in the February 1990 issue, Page 42. Also, Tony Distefano started a project on temperature sensing in the January 1991 issue.

## The Frustrating EOF

Editor:

I am becoming completely frustrated with the following program. I have only a beginner's knowledge of BASIC, acquired in 1984 when I bought my CoCo 1. Since then I have been on my own learning from THE RAINBOW. I started with a cassette system and have added a disk, which I am still learning to use. My system also includes a DMP-130. I bought a CoCo 3 re-

cently, but I do not have the RGB monitor yet.

Going through back issues of THE RAINBOW to locate programs to (hopefully) run on my CoCo 3, I saw this little hint called *Data Finder*.

No matter where I put the EOF line (Line 60), the computer gives me an IE Error in Line 40. Please help me!

I had the same problem with XMASLIST (RAINBOW, December 1987, Page 66) when I changed it for disk operation as directed.

```
20 CLS:INPUT"WHAT IS THE NAME OF  
THE DATA FILE";DF$  
30 OPEN"1",#1,DF$  
40 INPUT#1,D$  
50 PRINT#-2,D$  
60 IF D$="EOF"OR D$=""THEN 80  
70 GOTO 40  
80 CLOSE#1  
90 *PRINTS A DATA FILE WITHOUT T  
HE PROGRAM IT BELONGED TO  
100 *RBOW MAY 84 PG 81 HINT  
110 *FIXED FOR PRINTER
```

Betty McCormick  
P.O. Box 71243  
Las Vegas, NV 89170

*Not all data files meet the requirement of having an end-of-file string or a blank line. We suggest you replace Line 60 with*

```
60 IF EOF(1) THEN 80
```

*Also change INPUT in Line 40 to LINE INPUT to allow Data Finder to read lines exactly as they are written.*

## Getting to the Flip Side

Editor:

I have just purchased OS-9 Level II and would like to configure my system to use my double-sided disk drive. I used config and was successful in making a new system disk and formatting some disks. But how do I backup or copy this system disk to one of these newly formatted double-sided disks? According to my manual, the only command to do this is dsave. Is this correct? My problem is that I have only one disk drive. According to my manual, there is no parameter for single drive as there is with copy and backup. Can you help me?

I read the letters first when I get my new copy of THE RAINBOW and find them very informative. I could not find any letters that referred to my specific problem. I also re-read several back issues about OS-9, but


...Just think of any word processing feature, chances are Word Power has it...packs a lot of features...excellent word processor..." **Word Proc. Comparison**-April 1989 Rainbow; Pg 26.

# Word Power 3.3

## The Best Just Got Better!

"...friendly...amazing execution speed...much easier to use than VIP software & 2 other systems I've tried...very user friendly...highest among word-processors"-Rainbow Oct 88 Rev.

### SPEED



Blazing Fast! Runs at **2 Mhz** and uses the standard text screens for lightning fast execution.

### MEMORY



Word Power 3.3 allows **72K** of workspace on a 128K CoCo and **460K** on a 512K CoCo. More memory than any other word processor. Period.

### DISPLAY



Choice of **40** or **80** columns with your choice of colors. Can be used with RGB/Composite/Monochrome Monitors and TV. Pull down menus, plain english prompts, on-screen underlining and page break display make

### EDITING



Powerful full-screen editor w/ word-wrap. 4-way cursor, scrolling; Line Positioning; Block Commands; Search, Replace; OOPs recall during delete, adjustable key-repeat, key-click, typeahead, Tabs, Word-Count and much more! . Built-in extensive **HELP** screen can be accessed anytime during edit.

### SPOOLER



Print and Edit documents at the same

### SORTING



Sort lists in a flash!

### GRAPHICS



Insert **graphics** in your documents! Allows you to import **P MODE 3/4, HSCREEN** and **CoCo Max**

### CALCULATOR



Built-in 4 function calculator!

### 2 COLUMN PRINTING



Align your text in 2 columns with a few keystrokes!

### SPLIT-SCREEN EDITING



Freeze a portion of text and edit another. Its fantastic!

### MAIL MERGE



Type a letter, follow it with a list of names & addresses and have Word Power print out personalized letters. Its that easy!

### SAVING / LOADING



Creates ASCII files that are compatible with other word-processors, terminal programs, etc. Allows directory point & select for easy loading/saving, **Automatic Backup**, file erase, free space display. **ARE YOU SURE?** prompts prevent accidental deletes. The **Auto-Save** feature automatically saves text to disk during user-defined intervals for peace of mind. Supports double-sided drives.

### MACROS



Playback up to 250 keystrokes with a single key! Automate multiple tasks with a single key! You'll love it!

### SPELLING CHECKER



Word Power 3.3 include a **80,000** word spelling checker which finds and corrects mistakes in your text.

### PRINTING



Works with **all** printers that work with the CoCo. Allows options such as baud rates, spacing, page/print pause, partial print, page numbering/ placement, linefeeds, multi-line headers/footers, right justification and number of copies. The values of these options can be changed in the text by embedding Printer Option Codes. The **WHAT YOU SEE IS WHAT YOU GET** feature allows you to preview the text on the screen as it will appear on the printer. You can view margins, page breaks,

### PUNCTUATION CHECKER

This checker will proofread your text for punctuation errors such as capitalization, double-words, a/an usage, spaces and more. Its the perfect addition to any word-processor.

### DOCUMENTATION



Word Power 3.3 comes with a well-written instruction manual & reference card which makes writing with Word Power as easy as pie. Word Power 3.3 comes on an unprotected disk.

Only

**\$79.95**

**Upgrade Policy:** Word Power 3.2 owners can get Word Power 3.3 by sending original Word Power disk and \$15 to the address listed below.



**MICROCOM SOFTWARE**, 1387 Brighton-Henrietta, Townline Rd., Rochester, NY 14623

All Word Power 3.3 orders shipped by UPS 2nd Day Air at No Extra Charge in Continental US.

For Detailed Order Information, refer to Page 17 of our 6-page Ad series (Pgs 7-17).

To Place Credit Card Orders Call Toll Free 1-800-654-5244 (9am-8pm 7 days/week)

Technical Support (4-8pm), Order Status, Info, Technical Info; 716-292-1786



again couldn't find an answer. I do hope that, when Radio Shack discontinues the CoCo, you continue to publish THE RAINBOW. We CoCo users would be lost without it.

Mahalo and Aloha from Hawaii.

Martha A. Wryk  
1650 Kanunu Street, #1311  
Honolulu, HI 96814

*We know of no easy way to copy a large number of files from disk to disk on a single-drive system. Perhaps one of our other readers can help.*

### Control at What Price?

Editor:

Please give me suggestions on how to proceed with the following project. I want to take a CoCo 3 and use it as a controller. My preference is to use BASIC and have the program reside in EPROM (and non-volatile RAM would be all right, too). My main goal is minimum hardware cost. (No disks, tape, etc.)

Also, is there a Forth-language kernel for the CoCo 3?

Gus Calabrese  
4555 E. 16th Avenue  
Denver, CO 80220

*D.P. Johnson, who may or may not still be in business, marketed a Forth language for use under OS-9. Check back issues of THE RAINBOW for their ad.*

### In Excess

Editor:

A branch of our parochial school system recently received a grant of 12 IBM computers to be used by 5- and 6-year-olds to learn to read. Tandy sells IBM-compatibles, so why should they continue with the CoCo when these kids are going to demand more-profitable MS-DOS systems?

I love my CoCo. I know it can do whatever I tell it to. These children will never know!

There is a need for IBMs in hospitals, hi-tech businesses, and manufacturing, but I feel sorry for financially unable parents who must spend beyond their means to satisfy their children's superficial desires because the rich want to get richer.

My children are all married, but I would not like it for my grandchildren to look at my CoCo as something unworthy. (Better to *hide* it before they arrive!)

I like to compare computers with nuclear energy. Both can be used for good, if used only in necessary amounts. Autos are built to exceed 100 mph, but only the race-track allows speeds in excess of 60 mph. So, the excess is potent, but not necessary, making its cost excessive.

It's true, the best costs less, as long as it

is best for your needs. Any excess increases the cost, making it not the best for you! Unnecessary benefits are a luxury that keeps many people fooled.

Vic Kells  
Appleton, Wisconsin

### ML09?

Editor:

I'm trying to gain some proficiency with OS-9/BASIC09 and in perusing back issues of this magazine I often see machine-language routines outlined. I wish THE RAINBOW would get someone competent to write some articles dealing with how to generate and get machine language into OS-9/BASIC09. I'd also like to see you cover how to use the *Development System*, whose manual totally ignores the question of how to use it, with representative examples.

Hope to get a positive response to this request!

F. Bruhns  
2224 Canyon View  
Fallbrook, CA 92028

### Speaking of Hardware

Editor:

I didn't find in the November 1990 issue of THE RAINBOW the manual, of sorts, that explains how to use the Tony DiStefano's EPROM programmer and software (October 1990, Page 64).

In the same issue Marty Goodman is correct in suggesting the use of amber monochrome monitors. I prefer monochrome when using 80-column text. The use of the following CoCo 3 pokes are necessary to get a good monochrome picture on all screens:

```
POKE &HE033,16
POKE &HE03C,19
POKE &HE045,19
POKE &HE07A,144
POKE &HE071,144
```

Hang in there with hardware projects as well as the rest.

R. R. Simpson  
Manhattan Beach, California

*The "manual" appears in the December installment of "Turn of the Screw."*

### Breaking up Multi-Vue

Editor:

The *Multi-Vue* manual describes a procedure to bring up the control program as a stand-alone routine in a 16-color window, allowing users to set up the additional palettes unavailable under the regular four-color `gshe11` window. It may be of interest to your readers to know this procedure can also be used to run the *Calendar* program in

a similar way. The advantage to this is the data file created when the program is run can then be double-clicked to bring up the user's personal dates to remember.

To accomplish this, an icon for the *Calendar* program must be created (use *IconEdit* or *Maxic* to create this) and stored in the `ICONS` subdirectory. Next, an `AIF` file must be created and stored in the `AIF` (or root) directory. This file must have the same three letter extension as the data file(s) to be created. (I use `AIF.rem` as a reminder.) The following is my `AIF.rem` file:

```
Calendar {name of program}
{blank} {no parameters}
ICONS/icon.Calendar {path to icon}
0 {use default memory}
6 {select 320x192 4-color graphics window}
40 {screen width}
24 {screen length}
0 {background palette register}
1 {foreground palette register}
```

Do not type the comments in the brackets. These are for information only.

You are now ready to call up the *Calendar* program in the normal way, via the Tandy menu, and enter your personal data. When you are finished, save the file as `Personal.rem`, for example. When you return to the `gshe11` window and update your current data directory, you will find the file `Personal` under your *Calendar* icon. Double-clicking on this file will run *Calendar* with `Personal` as a parameter and there you are! Note that any files bearing a `.rem` extension will be displayed with your *Calendar* icon, so you can have any number of data files.

Gerry Gerhart  
Huntsville, Ontario  
Canada

THE RAINBOW welcomes letters to the editor. Mail should be addressed to: Letters to Rainbow, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. Letters should include the writer's full name and address. Letters may be edited for purposes of clarity or space.

Letters to the editor may also be sent to us through our Delphi CoCo SIG. From the CoCo SIG> prompt, type `RAI` to take you into the Rainbow Magazine Services area of the SIG. At the RAINBOW> prompt, type `LET` to reach the LETTERS> prompt and then select Letters for Publication. Be sure to include your complete name and address.

# DISTO PRODUCTS

All Disto Products now carry a 1-Year Warranty. All Disto Add-Ons (& Super Controller II) include OS9 Driver Disks, unless otherwise specified.

- Disto Mini Controller (with RSDOS or CDOS) : \$74.95
  - Disto Super Controller (with RSDOS or CDOS): \$99.95
  - Disto Super Controller II (with RSDOS or CDOS): \$129.95
    - Mini Eprom Programmer Add On: \$54.95
    - Hard Disk Adapter: \$39.95 w/ RS232: \$69.95
  - RT Clock & Printer Interface: \$34.95 (OS9 Driver: \$19.95)
  - 3-in-1 Multiboard Adapter: Parallel Port, RT Clock & RS232 Port. \$74.95
    - MEB Adapter II: \$34.95
  - 4-in-1 Board: Parallel Port, RT Clock, RS232 & Hard Disk Interface: \$129.95
- RS232 Super Pack: True RS232 Port for your CoCo! Compatible with Tandy® RS232 Pack. Includes DB25 Cable. 100% Compatible with OS9 ACIA Software. Req. Multipak. Only \$54.95

# HARD DRIVES


Systems w/ Seagate Hard Drive, Controller, Cables, CoCo XT Interface, Cables, Case (with fan, Power Supply and room for second drive), Software & Instruction Manuals. Assembled/Tested/Formatted. Just Plug'N'Run. Req. Multipak.

Seagate 20 Meg System: \$459!  
Seagate 40 Meg System: \$549!



CoCo XT: Use 2 5-120 Meg Drives with your CoCo. Only \$69.95 w/ Real Time Clock: \$99.95  
CoCo XT ROM: Boots OS9 from hard/floppy. Only \$19.95  
HYPERIO: Allows Hard Drive use with RSDOS. Only \$29.95.  
HYPERIO Disto Version. Only \$29.95  
HYPERIII: RAMDisk & Spooler to CoCo 3 HYPER I/O. \$12.95

HYPERIO Utilities (by Kevin Berner)  
Hard Drive Utilities: MSA Backup, Copy/Kill/Rename, Hard Disk Backup to Floppies (vica versa) & more. Only \$21.95  
Disk Doctor: Checks/locks out bad sectors. only \$17.95  
Hard Drive Zap: View tracks, sectors, modify data on your hard disk. Only \$21.95



There are a lot of dealers selling disk drives for the CoCo. Why buy from us? First, all our drives are BRAND NEW DOUBLE SIDED Drives. They are sleek, fast (6ms!), quiet and have a reputation of superb performance and reliability. Second, our Drive 0 & 2 Drive Systems come with the acclaimed DISTO Controller - with gold plated contacts & built-in ROM which allows you to access BOTH sides of our drives!. Third, our Drive 0 & 2 Drive Systems come with the Official 200 page Radio Shack Disk Manual. Fourth, you get \$50 worth of our utility software (Disk Util 2.1A & Super Tape/Disk Transfer). Our drive systems are head & shoulders above the rest!

- Drive 0 (with Disto Controller, Case, Power Supply, 1 Drive Cable, Manual, Software): \$199
- Drive 1 (with Case, Power Supply & Software): \$129 Bare 5 1/4" Drive: \$89
- 2 Drive System (With Disto Controller, Case, Power Supply, 2 Drive Cable, Manual & Software): \$299 Full-Height Case/Power Supply: \$59.95 Power Splitter: \$9.95
- 1 Drive Cable: \$16.95 2 Drive Cable: \$22.95 4 Drive Cable: \$34.95
- FD501 Upgrade Kit: Bare Drive, 2 Drive Cable & Instructions: \$109
- FD502 Upgrade Kit: Bare Drive, 2 Drive Cable, Power Cable & Instructions: \$119
- Toshiba 3 1/2" 720K Drive w/ Power Supply & Case: \$149 3 1/2" Bare Drive: \$99

## Other Good Stuff...

- DS69B Digitizer: Use your CoCo to display pictures from your VCR. Comes complete with CSEE Software. Only \$149.95. CoCo 2 Version: \$99.95
- Advanced Gravis Joystick: Features tension, rotary-centering, free floating with 3 buttons. Only \$59.95
- Deluxe 2-Button Joystick: Only \$16.85
- Multipak Locking Plate (Specify CoCo 2/3 and 26-3024/3124): \$8
- 5 1/4" DS/DD Disks: \$.40 each
- 5 1/4" Colored DS/DD Disks: \$.89 each
- 3 1/2" DS/DD Disks: \$1.29 each
- 5 1/4" Disk Case (for 70 disks): \$9.95
- 3 1/2" Disk Case (for 40 disks): \$7.50
- Black Ribbon: \$8.50
- NX1000 Color Ribbon: \$12.95

### Microcom Serial to Parallel Interface

- Run your printer at high speed (300-9600)
  - Designed by Marty Goodman so you know its quality.
  - Unlike other converters, this uses CRYSTAL oscillator which is VERY reliable at higher baud rates and different temperatures.
- Only \$44.95  
w / Serial Modem Switch: \$54.95

# MONITORS

## MAGNAVOX 1CM135 RGB Monitor

Razor Sharp picture quality for your CoCo! Has 14" Screen, Analog/TTL RGB, Composite & Super VIII Inputs for CoCo 2/3, Stereo Sound, Text Display Switch, Tilt /Swivel Stand & 2 Year Warranty. Compatible with CoCo, IBM, a VCR & more! Only \$298 (add \$12 S&H/\$40 in Canada)



Magnavox RGB Cable for CoCo 3 and Composite Video / Audio Cable Set with Purchase of Monitor: \$19.95

## 512K CoCo 3


Brand new Color Computer 3 with 512K Installed and tested!

Comes with complete manuals and \$100 worth of software!


Only \$259

Please Add \$10 S&H

512K Installat. Voids Warranty



MICROCOM SOFTWARE 1387 Brighton-Henrietta, Townline Rd., Rochester, NY 14623



TO ORDER: All orders \$75 & above (except Printers, Monitors, Drives, Computers) shipped by UPS 2nd Day Air at no extra charge in Continental US. We accept Visa, MC, Discover & Amex (3% surcharge for Amex), check, MO & School PO's. COD Orders (for orders less than \$100) within US add \$5 extra. Please add 5% (min. \$3) S&H in Continental US & 10% (min. \$5) for Canada, Hawaii, Alaska & Puerto Rico. All foreign orders except Canada pay actual shipping charges (min \$5) for US Air Parcel Post/Surface Mail (specify). NYS residents please add sales tax. Our Australian Agent: Australian Peripheral Development: Ph: 07-341-9061.

Credit Card Toll Free Orderline 1-800-654-5244 (9AM-8PM 7 Days/Week)

Tech Info (between 4-8 pm), Order Status, Info: 716-292-1786. To Fax your order: 716-292-1775



# Documented Evidence

**T**he most alarming trend I detect in the whole computing area seems to me to be that which involves documentation. Documentation, of course, is the instructions needed to actually use a program.

Much like anything else, even in our world of the CoCo there are distinct stages in how documentation has developed. First of all, most of it was written by the programmers themselves. This has generally been horrid documentation since anyone who writes a program knows how it works, but usually has very little idea of how to explain it to anyone else. In addition, often such documentation is filled with technical details that make great sense to the programmer, but precious little to "normal" people.

Throughout the Color Computer's history, I believe quite a number of good programs have been ruined simply by their documentation. This really is a shame, but despite suggestions from customers to negative reviews on these pages, for some it remains the way things are.

The second stage of documentation development seems to have come about when program authors did indeed decide they were not conveying the message properly and hired professionals to write the instructions for them. While this made things a bit easier in the CoCo world, in other computer platforms I think most of these writers were paid by the word; this was (and is) some of the most comprehensive documentation ever seen — pages and pages and pages of it.

I once had friends who went into business as "professional documentation authors." Although they never got any *major* orders, they did get enough work and ended up writing a fairly simple word processor to

help with their work. Unfortunately, they tried to market the word processor and used *its* documentation as an example of how they could thoroughly explain someone else's program.

It was thoroughly explained in three or four different ways. Fortunately, the program had only about a dozen functions and the documentation was "limited" to about 250 pages. You get the idea.

I am sure people like myself, who complain about massive amounts of data to digest, have prompted the third stage in documentation. I call this stage the 1-2-3 approach, with no intentional reference to the spreadsheet programs produced by Lotus. This stage simply tells you to perform Step 1, Step 2 and then Step 3 — no details; no information about why or what you can do to deviate from this approach. And worst of all, no way to correct anything that goes wrong (if, say, you hit the wrong key) without starting over again at Step 1. Interestingly, CoCo documentation generally has not followed this path. I hope it will not.

Microsoft seems to be the world's leader in 1-2-3 documentation. For example, they have even hard-bound their documentation for *Word for Windows*, but it is still pretty much all 1-2-3. This is fine if everything goes right while you are doing whatever it is you want to do, but more explanation really is necessary.

Through talking with a number of people in the business, I find the 1-2-3 approach produces the most user-friendly documentation. We're likely to see more of it in the future. I hope not — or at least I hope not until it is augmented by real explanations of how the particular program works. I say this from personal preference, but also because I think that no matter how basic the

level of computer skill the user possesses, it helps the user understand what he is doing regardless.

I once hired a secretary primarily because her resume showed she had experience using the same word processor I used. I thought life would be easier if we did not have to convert formats back and forth. About two days after she came to work, she asked me how to do a search and replace. I told her something like "press the Search key, then type in the word you are looking for . . ."

She interrupted me and asked which keys I was talking about. I repeated, "the Search key."

"But what key is that?" she asked.

"F2."

"Oh, OK," she said.

We then went through the keystroke sequences and she wrote it all down. A week or two later, she returned with the same question. I told her I thought she knew how to use this particular word processor. She replied that she *did*.

"Well, then, why don't you know that F2 is the Search key?" I asked.

She replied, "Oh, I don't know what the keys are for. I just press them."

I pointed out to her, and I'll point out to you and to all the members of the 1-2-3 school of documentation, she didn't know a thing about the *program*. She would spend countless hours looking up the right keys rather than just learning what they do.

If the documentation that comes with a program frustrates you, let the software publisher know about it. I think it will make for better documentation in the future.

— Lonnie Falk



# A DISK IS A TERRIBLE THING TO WASTE.

Join DELPHI and educate your disks with public domain programs from the world's premier online CoCo library. DELPHI's Color Computer area is managed by Marty Goodman, so you know you'll find lots of great stuff.

Downloads are only \$6.00 per hour, with no surcharge for high speed access and no premium for dialing locally via Tymnet. If you have many floppy disks or a large hard disk, join DELPHI's 20/20 Advantage Plan and enjoy downloading 20 hours each month for \$20.

As a Rainbow subscriber, you get a FREE lifetime DELPHI membership (\$29.95 value) which includes a credit worth one evening hour of use. If you don't already subscribe to Rainbow, just request a subscription when you sign up to DELPHI and, for the \$28 subscription fee, you'll get the same great deal!

## **SIGNUP NOW FOR FREE**


- Dial 1-800-365-4636 (Modem)
- At Username: type JOINDELPHI
- At Password: type RAINBOW, if you already subscribe to Rainbow  
type SENDRAINBOW, if you do not yet subscribe and wish to do so.


# DELPHI

**THE WORLD'S PREMIER ONLINE SERVICE**

# Home Budget Analyst 4.0

by Glen Dufur





**C**an't save any money? Is it sometimes difficult to make ends meet? Do you wonder where your money goes? Do you forget about upcoming bills? Perhaps you need a bookkeeper to help balance your budget. Meet *Home Budget Analyst*.

*Home Budget Analyst* is a program to record and maintain your personal budget, estimate income and expenses for future budgeting periods, view future account balances, provide a record of income and payments and forecast financial necessities and opportunities.

Features of this program include a

*Glen Dufur works for Airborne Express as a development manager for data processing systems. He can be contacted at 17400 15th Avenue S.E., Renton, WA 98059. Please include an SASE when requesting a reply.*

scrollable (up/down, left/right) data display, easy to use single-key option menus, disk storage and recovery of budget information as well as various printed views of budget information.

*Home Budget Analyst* calculates and forecasts your next nine budgeting periods (or paydays) to allow scheduling and balancing of payments over future periods. *Home Budget Analyst* retains and maintains period income and expenses, forecasted balances and year-to-date totals for each item entered. You can make the forecasted balance either increasing or decreasing to see remaining amounts on loans and credit card balances as well as increasing amounts in savings or other accounts. Three printed reports provide a record of income and expense history.

*Home Budget Analyst* is easy to use. A menu of options is displayed on each screen to assist your movement through the budgeting functions. In most cases, a

single key performs the functions of this program.

The original version of *Home Budget Analyst* was published in THE RAINBOW in March 1986. Since then I have made many improvements in its operation, function and appearance. It has become an extremely useful tool for maintaining a personal budget.

#### Starting Your Personal Budget

To start the program enter RUN "BUDGET". Enter your password (any string up to five characters, use your name or the budget year) to identify your budget file. Begin your budget entry by selecting C to create a new budget file. If your file already exists, select L to load.

When opening a new budget file enter the dates of nine future "periods," or paydays, from which to establish your payment dates. Start the first period with your next payday. You are prompted for

**HOME BUDGET ANALYST**  
**FORCASTED BUDGET AMOUNTS FOR: DEMO**

**INCOME AMOUNTS**

PERIOD>	11/03	11/17	12/01	12/15	12/29	01/12	01/26	02/09	02/23
JOHN	853.21	850.00	850.00	850.00	850.00	850.00	850.00	850.00	850.00
JANIS	603.70	0.00	600.00	0.00	0.00	600.00	0.00	600.00	0.00
OTHER	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>TOTAL</b>	<b>1456.91</b>	<b>850.00</b>	<b>1450.00</b>	<b>850.00</b>	<b>850.00</b>	<b>1450.00</b>	<b>850.00</b>	<b>1450.00</b>	<b>850.00</b>

**EXPENSE AMOUNTS**

PERIOD>	11/03	11/17	12/01	12/15	12/29	01/12	01/26	02/09	02/23
RENT	0.00	500.00	0.00	0.00	500.00	0.00	500.00	0.00	500.00
CARPAY	119.25	0.00	0.00	119.25	0.00	119.25	0.00	119.25	0.00
PHONE	47.35	0.00	50.00	0.00	50.00	0.00	0.00	50.00	0.00
ELEC	0.00	120.00	0.00	120.00	0.00	0.00	120.00	0.00	120.00
WATER	0.00	0.00	0.00	0.00	0.00	0.00	35.00	0.00	0.00
GARBAGE	0.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00
VISA	50.00	0.00	0.00	140.00	0.00	120.00	0.00	80.00	0.00
PENNEYS	0.00	60.00	0.00	0.00	30.00	0.00	50.00	0.00	50.00
EXXON	0.00	0.00	80.00	0.00	80.00	0.00	80.00	0.00	80.00
TVCABLE	34.81	0.00	34.81	0.00	0.00	34.81	0.00	34.81	0.00
AETNA	78.90	0.00	0.00	78.90	0.00	78.90	0.00	78.90	0.00
SAFECO	130.00	0.00	0.00	0.00	130.00	0.00	0.00	0.00	130.00
VACATN	40.00	0.00	70.00	0.00	0.00	50.00	0.00	40.00	0.00
SAVNGS	100.00	0.00	120.00	0.00	0.00	60.00	0.00	70.00	0.00
XMAS	40.00	0.00	100.00	0.00	0.00	40.00	0.00	40.00	0.00
EMRGNY	40.00	0.00	70.00	0.00	0.00	80.00	0.00	25.00	0.00
BOAT	30.00	0.00	30.00	0.00	0.00	30.00	0.00	30.00	0.00
HSEHLD	320.00	320.00	320.00	320.00	320.00	320.00	320.00	320.00	320.00
DDS	60.00	0.00	60.00	0.00	50.00	0.00	58.00	0.00	10.00
DR	50.00	0.00	50.00	0.00	50.00	0.00	50.00	0.00	50.00
IRA	0.00	152.00	0.00	152.00	0.00	152.00	0.00	152.00	0.00
<b>TOTAL</b>	<b>1140.31</b>	<b>1152.00</b>	<b>984.81</b>	<b>955.15</b>	<b>1210.00</b>	<b>1084.96</b>	<b>1213.00</b>	<b>1039.96</b>	<b>1260.00</b>

**BUDGET PERIOD BALANCE**

PERIOD>	11/03	11/17	12/01	12/15	12/29	01/12	01/26	02/09	02/23
<b>BALANCE</b>	<b>316.60</b>	<b>-302.00</b>	<b>465.19</b>	<b>-105.15</b>	<b>-360.00</b>	<b>365.04</b>	<b>-363.00</b>	<b>410.04</b>	<b>-410.00</b>

**Figure 1: Sample Table of Amounts**

the month and day of the period in each new file. You can now enter your budget items.

**Income and Expense Displays**

Income and Expense displays are identical in operation. They provide a view of the file with a scrollable up-down motion for a list of items in the file, or a left-right motion to span over budget periods. Up to 45 expense items and 15 income sources are available, each with nine budgeting periods. An "available" balance of committed funds is calculated for each budget period

to allow for proper adjustments during times of cash shortage.

Functions from the Income and Expense display are:

**Arrow Keys**— move up or down the list of items and left or right through the budgeting periods. Hold the SHIFT key with the arrow to bring the list to the top or bottom, or the budgeting period to the extreme left or right.

**A-I**— select the item to view or maintain by pressing the corresponding letter.

- N**— add a new item to the budget list.
- P**— use budget-printing functions.
- O**— open a new budgeting period; the current period (1) will be rolled off.
- X**— exit to opposite display (expense to income or vice versa)
- S**— save the budget information on disk.
- M**— see menu of the budgeting options.

**Income and Expense Item Display**

This display contains unique information for each item, such as description, amount for all periods, average and fre-

quency of occurrence, and balances. Functions of the Item displays are:

**C** — change information for the displayed item. When in the Change mode, an additional menu for selection of information to change appears.

**D** — delete the item being viewed.

**R** — return to income or expense display.

**1-9** — add or change amounts for periods 1 through 9.

### Description of Budget Information

The following information is stored in your budget file. Much of it can be changed by selecting Option C from the Item display to enter the change mode.

### Name and Information

**N** — Enter up to seven characters to identify the income or expense item. Also provided are up to 19 characters of space for a brief memo, explanation or reminder for each item.

**Average Amount and Frequency**  
**A** — Amount to automatically add at the specified interval for the item when a new period is opened. After the amount is en-

amount is placed into your budget at the desired frequency. The amount and frequency can be changed at any time.

### Budget Period Amount

**1-9** — Amount to receive or pay during a particular period. This amount is originally defaulted by the average amount for the item and can be added to or changed at any time.

### Forecast Balance

**B** — This balance is displayed over the next nine budget periods for a cumulative view of the account's future.

**I** — increasing forecast balance.  
**D** — decreasing balance.

### YTD Total

**Y** — Year-to-date total is always ascending. The total is maintained and increased each time a new period is opened. To maintain proper yearly amounts, the YTD total should be zero at the end of the year.

### Budget Period Date

Nine budget period dates are entered dur-

DR\$(x) / CR\$(x)	Debit/Credit Item Name
DA(x) / CA(x)	Debit/Credit Item Average Amt
DF(x) / CF(x)	Debit/Credit Item Ave Amt Frequency
DY(x) / CY(x)	Debit/Credit Item YTD Balance
DT(x) / CT(x)	Debit/Credit Totals
DB\$(x) / CB\$(x)	Debit/Credit Item Balance Type
DB(x,y) / CB(x,y)	Debit/Credit Item Balance Amount
DR(x,y) / CR(x,y)	Debit/Credit Item Period Amount
DL / CL	Debit/Credit Last Item Number
PD\$(x)	Period Date
BL(x)	Budget Balance

x = item, y = period

Figure 2: Major Program Variables

tered, a second prompt requests the frequency. The frequency indicates the number of periods skipped before the amount again becomes due. If the item does not currently carry budget period amounts, this

## Hyper-Tech Software

### MVCanvas 2.0

Finally a professional full screen editor for OS-9 Level II and Multi-Vue. MVCanvas is the only CoCo graphics editor to support multiple resolutions with up to 16 colors of 64 displayed in 320 x 200 mode with palette animation and full functional clipboard.

MVCanvas also supports multiple fonts with italics, bold, underline, and proportional options. Printer support includes: Epson, Star, C.Itoh, DMP (Tandy), with color printer supported for Star SX-1000 R, Citizen GSX-140, Tandy DMP-240 and CGP-200, Epson LQ-2550 and compatibles.

### ShellMate 2.2

ShellMate is the epitome of what a point and click file management system was meant to be. With ShellMate, you have access to commands such as copy, move, delete, rename, makdir and free at the touch of a button. It also gives you point and click access to the Public Domain picture display utilities VEFShow and GIFOS9, as well as the archive utility Ar.

The biggest benefit of ShellMate is that it allows you to manipulate large batches of files with one mouse click when either copying, moving, deleting or archiving. You can also easily move through simultaneously displayed Source and Destination directory trees by either double clicking on a subdirectory name, or clicking on the "Parent" command.

### System Requirements (both programs)

CoCo3, OS-9 LVL II, Multi-Vue, Disk Drive and 512k  
 MVCanvas .....\$49.95  
 ShellMate .....\$24.95  
 \$3.00 S/H \$2.50 C.O.D (U.S. only) Nev. res. add 6% sales tax

Send Check / Money Order

Hyper-Tech Software / 4341 Gannet Cir. #174 / Las Vegas, NV 89103

Phone: (702) 362-5346

# BEST

WE'VE CHOSEN THE BEST OF OVER 760 PROGRAMS (OVER 6 YEARS OF ACCUMULATING FINE SOFTWARE), AND PACKAGED THEM FOR YOU. 12 PROGRAMS EACH PACKAGE. COLOR COMPUTER I, II or III. SPECIFY TAPE OR DISK. ONLY \$29.95 EACH PACKAGE! 5 NEW ONES!

### #1 Home Mgmt I

Budget  
 Checkbook Balancer  
 Cost of Living  
 Tricycle Spreadsheet  
 Electronic Database  
 Account Manager  
 Stock Market  
 Word Processor  
 Lottery Analyst  
 Coco Database  
 Coco Terminal  
 Bartender

### #4 Business Helper

Workmate  
 Word Processor  
 Spreadsheet  
 Calendar  
 Accounts Receivable  
 Accounts Payable  
 Income Property  
 Mail List  
 Small Business Helper  
 Stock Charting  
 Job Log  
 Asset Manager

### #7 Machine Lang. Tut.

Basic Compiler  
 ML Tutorial Pt 1  
 ML Tutorial Pt 2  
 ML Tutorial Pt. 3A 3B  
 ML Tutorial Pt 4  
 ML Tutorial Pt 5  
 ML Tutorial Pt 6  
 ML Tutorial Pt 7  
 ML Tutorial Pt 8  
 ML Dictionary  
 Coco Technical Look  
 Coco Technical Look Pts 1-3

### #2 Education

Flash Card  
 Spanish Lessons  
 Typing Tutor  
 Creatively Test  
 Arith Football  
 Cost of Living  
 Math Tutor 1-2  
 Trigonometry Tutor  
 Typing Game  
 Word Tests  
 Talking Alphabet  
 Clown Dunk Multi

### #5 Games III

Sandy River  
 Gray Lady  
 Pippin The Seal  
 Abe Builder  
 Puzzer  
 Mr. Pac  
 Fire Runner  
 Cosmic Rays  
 Dig  
 Battle Tank  
 Xion  
 King Ride

### #8 Gamble Issue

Horst Racing  
 Rack Track  
 Black Jack  
 Slot Machine  
 Lottery Analyst  
 Coco Keno  
 Lucky Money  
 Betting Pool  
 Baccarat  
 Draw Poker  
 Tunes Races  
 H-Lo Craps

### #3 Adventures II


Dungeon Master  
 Herd Tect. Feed  
 IceWorld  
 Jungle  
 Keys  
 Artist of Power  
 The Trip  
 Cookers  
 Barracks  
 Genesis Project  
 Hambo  
 Zigma Experiment

### #6 Electronics Tutorial

Electronics 1 + 2  
 Electronics 3 + 4  
 Electronics 5 + 6  
 Electronics 7 + 8  
 Electronics 9 + 10  
 Electronics 11 + 12  
 Electronics 13  
 Electronics 14  
 Electronics 15  
 Electronics 16  
 Electronics 17  
 Electronics 18

### #9 Coco 3 Only

Paint Coco 3  
 Convert Coco 3  
 Demons Castle  
 Function Keys  
 Bowling 3  
 Coco 3 • Coco 2  
 Wizard  
 Coco 3 Drawer  
 H-Res Chess  
 FRR Drags 3  
 Whammy 3  
 Coco 3 Screen Print



29<sup>95</sup> EACH SET  
 ★ Special This Month ★  
 Buy 2 Packages and get 1 FREE

TURN TO PAGES 39 & 71 FOR A COMPLETE LISTING OF ALL OUR PROGRAMS



T & D Subscription Software • 2490 Miles Standish Dr. • Holland, MI 49424 • (616) 399-9548

ing the creation of a new file. Also, each time a new period is opened (Option O from any display), an additional period date is entered. The period date is stored in mm/dd format.

Schedule your personal budget dates by paydays. Schedule all your bills to specific paydays. If you have a two-income household with different pay dates, an alternative is to hold one of the income sources so it coincides with each budget period.

#### Available Balance

Amount of funds uncommitted, or over-committed if account is negative, during a particular budget period. The calculated balance is a sum of all income less expenses for each period. The available balance appears on income and expense displays for each of the nine budget periods.

#### Opening a New Budget Period

After bills for the current period have been paid, open a new future period. Select Option O to open a new period, and enter the new ninth period date. The function drops the first period, moves the Period 2 amount to Period 1, and so on until the ninth period is empty. Ninth-period amounts are defaulted based on the average amount and frequency. That is, the entries in all previous records are averaged in both value and frequency. These values are then entered into the ninth period for you. For example,

if you entered a car payment of \$250 in periods 2, 4, 6 and 8, this is entered in Period 9 after the program moves periods 2, 4, 6 and 8 to periods 1, 3, 5 and 7. All balances are automatically updated. Remember to make any necessary adjustments to this value.

#### Printed Reports

Several printed reports are available to view your budget information. Option P offers the following reports.

##### Current Payments

**P** — This report prints a summary of items in the first period of your budget. Only those items with amounts during the period are printed. The report can be used as a guide for paying bills. It is also an excellent record of payments and income.

##### Table of Amounts

**A** — This report gives you a hard-copy representation of your entire budget. Each income and expense item is listed with the amount allocated for the nine budget periods as shown in Figure 1.


##### Table of Balances

**B** — This report lists forecasted balances for all items for each period.

#### Saving Budget Information

It is important to save your budget file

after each session of updating. This saves the changes and makes them available for your next session. The program does not automatically save your budget file. Your budget file is saved with the name BXXXXX.BUD where XXXXX is your five-character password.



#### Technical Information

Figure 2 shows the major program variables used by *Home Budget Analyst*.

The program is written to support a DMP-130 printer. Adjustments can be made to support other printers. Please refer to the following information for printer baud and codes.

##### Printer Baud Rate

Change POKE 150,18 in Line 2770 for a different baud rate:

POKE 150, XX (XX = your baud selection)

Baud	Value
600	87
1200	40
2400	18
4800	7
9600	1

##### Printer Control Codes

The values for Q0\$ through Q4\$ in Line 2770 represent the following printer control codes. Change the values to the codes needed for your printer.

String Variable	Control Code
Q0\$	Compressed (12 cpi)
Q1\$	Italic start
Q2\$	Italic end
Q3\$	Bold start
Q4\$	Bold end

##### Speed-Up Poke

To disable the operation of this feature, change lines 120 and 130 to RETURN. If using this poke, the program automatically puts things back to normal for all I/O routines. □

32K Disk

<input checked="" type="checkbox"/>	100	.....	181	1330	.....	233	2690	.....	57
	200	.....	56	1440	.....	215	2770	.....	79
	260	.....	23	1530	.....	92	2820	.....	73
	340	.....	22	1610	.....	80	2860	.....	237
	410	.....	181	1690	.....	107	2910	.....	159
	500	.....	108	1770	.....	241	2960	.....	240
	570	.....	42	1860	.....	13	3030	.....	232
	640	.....	3	1970	.....	243	3090	.....	195
	690	.....	192	2080	.....	113	3140	.....	74
	740	.....	76	2170	.....	146	3210	.....	12
	780	.....	101	2260	.....	255	3270	.....	0
	850	.....	49	2300	.....	185	3350	.....	93
	900	.....	32	2340	.....	72	3440	.....	55
	970	.....	122	2400	.....	48	3530	.....	43
	1060	.....	159	2450	.....	251	3590	.....	233
	1140	.....	55	2530	.....	220	END	.....	129
	1220	.....	34	2620	.....	236			

#### The Listing: BUDGET

```

10 'HOME BUDGET ANALYSIS
15 'WRITTEN BY GLEN DUFUR
20 'COPYRIGHT FEBRUARY 1991
25 'BY FALSOFT, INC.
30 'RAINBOW MAGAZINE
40 CLS:PRINT" WAIT...":GOTO3690
50 '--- SURE CURSOR
60 GOSUB160:PRINT@466,"y/n":
70 POKE(1024+466),32:POKE(1024+4
68),32:K$=INKEY$:POKE(1024+466),
25:POKE(1024+468),14
80 IFK$="" THEN70 ELSERETURN
90 '--- SELECT CURSOR
100 PRINT@448,STRING$(6,CHR$(128
));:K$=INKEY$:PRINT@448,"select"
::IFK$="" THEN100 ELSEK=VAL(K$):

```

```

RETURN
110 '--- SPEED POKES
120 GOSUB150:POKE65495,0:GOSUB15
0:RETURN
130 GOSUB150:POKE65494,0:GOSUB15
0:RETURN
140 '--- SOUNDS
150 FORSS=1TO2:SOUND220,1:NEXTSS
:RETURN
160 FORSS=1TO9:SOUND220,1:NEXTSS
:RETURN
170 '--- BLANKING
180 PRINT@448,STRING$(63," ");:R
ETURN
190 '--- CALCULATE
200 IFH$<>"Y" THENRETURN ELSEH$=
"":GOSUB150:GOSUB180:PRINT@459,"
calculating";
210 LB=0:FORX=1TO NE:DT(X)=0:CT(
X)=0
220 FORY=1TO DL:DT(X)=DT(X)+DR(Y
,X):NEXTY:FORX=1TO CL:CT(X)=CT(X
)+CR(Y,X):NEXTY:BL(X)=CT(X)-DT(X
):LB=LB+BL(X):NEXTX:RETURN
230 '--- LIST TOTALS
240 PP=384:FORX=1(0)TO I(0)+2:PP
=PP+8:PRINT@PP,USING N8$:BL(X):;
NEXTX:RETURN
250 '--- LIST DATES
260 P1=I(0)+48:P2=I(0)+1+48:P3=I
(0)+2+48:POKE(1024+13),P1:POKE(1
024+21),P2:POKE(1024+29),P3:PRIN
T@41,USINGA5$:PD$(I(0)):;PRINT@4
9,USINGA5$:PD$(I(0)+1):;PRINT@57
,USINGA5$:PD$(I(0)+2):;RETURN
270 '--- GET ITEM DATA
280 GOSUB150:GOSUB180:PRINT@449,
" nAME BAL INCREASE/DECLINE
CHANGE aVG-AMT yTD-TOT rETURN"
:;GOSUB100
290 IFK$="I" THENGOSUB570:GOTO28
0
300 IFK$="D" THENGOSUB570:GOTO28
0
310 IFK$="N" THENGOSUB370:GOTO28
0
320 IFK$="A" THENGOSUB410:GOTO28
0
330 IFK$="B" THENGOSUB490:GOTO28
0
340 IFK$="Y" THENGOSUB460:GOTO28
0
350 IFK>0 AND K<NE+1 THENRETURN
360 IFK$="R" THENRETURN ELSE280
370 GOSUB180:PRINT@449,"DESC: ";
:GOSUB150:LINEINPUT"":XD$:GOSUB1
80:PRINT@449,"INFO: ";:GOSUB150:
LINEINPUT"":XI$:IFXD$="" THENIFI
E$="e" THENXD$=DR$(I) ELSEXD$=CR
$(I)
380 XD$=XD$+S5$+S5$:XX$="" :XX$=L
EFT$(XD$,7)+" "+LEFT$(XI$,19):XD
$=XX$:PRINT@02,STRING$(20," ");
390 IFIE$="e" THENDR$(I)=XD$:GOS
UB600: ELSECR$(I)=XD$:GOSUB640
400 RETURN
410 GOSUB180:PRINT@449,"AVG AMOU
NT":;GOSUB150:INPUTXA:IFXA=0 THE
NMF=1:GOTO430
420 GOSUB180:PRINT@449,"FREQ(1-9
)":;GOSUB150:INPUTXF
430 IFXF>9 THEN420 ELSEIFXF<1 TH
ENMF=1
440 IFIE$="e" THENDA(I)=XA:DF(I)
=XF:GOSUB530: ELSECA(I)=XA:CF(I)
=XF:GOSUB550
450 RETURN

```

```

460 GOSUB180:PRINT@449,"YTD BAL"
:;GOSUB150:INPUTXY
470 IFIE$="e" THENDY(I)=XY ELSEC
Y(I)=XY
480 PRINT@65,USINGN9$:XY:;RETURN
490 GOSUB180:PRINT@449," BEGIN B
AL":;GOSUB150:INPUTXB
500 IFIE$="e" THEN520DB(I,0)=XB:
XT=0:GOSUB600 ELSECB(I,0)=XB:XT=
0:GOSUB640
510 RETURN
520 DB(I,0)=XB:XT=0:GOSUB600:RET
URN
530 XX=0:FORX=1TO NE:XX=XX+DR(I,
X):NEXTX:IFXX>0 THENGOSUB600:RET
URN
540 FORX=1TO NE STEPDI:DR(I,X
)=DA(I):NEXTX:H$="Y":GOSUB600:RE
TURN
550 XX=0:FORX=1TO NE:XX=XX+CR(I,
X):NEXTX:IFXX>0 THENGOSUB640:RET
URN
560 FORX=1TO NE STEPDI:CR(I,X
)=CA(I):NEXTX:H$="Y":GOSUB640:RE
TURN
570 GOSUB150:IFIE$="e" THENDB$(I
)=K$:GOSUB890:GOSUB600: ELSECB$(
I)=K$:GOSUB890:GOSUB640
580 RETURN
590 '--- LIST DR AMT/BAL
600 PRINT@02,DR$(I):;PRINT@65,US
INGN9$:DY(I):;PRINT@75,USINGN7$:
DA(I):;POKE1024+51,(DF(I)+48):PR
INT@85,USINGN9$:DB(I,0);
610 PP=128:FORX=1TO NE:IFDB$(I)=
"I" THENDB(I,X)=DB(I,X-1)+DR(I,X
) ELSEDB(I,X)=DB(I,X-1)-DR(I,X)
620 PRINT@PP+1,USINGN1$:X:;PRINT
@PP+2,">":;PRINT@PP+4,USINGA5$:P
D$(X):;PRINT@PP+11,USINGN8$:DR(I
,X):;PRINT@PP+21,USINGN9$:DB(I,X
):;PP=PP+32:NEXTX:RETURN
630 '--- LIST CR AMT/BAL
640 PRINT@02,CR$(I):;PRINT@65,US
INGN9$:CY(I):;PRINT@75,USINGN7$:
CA(I):;POKE1024+51,(CF(I)+48):PR
INT@85,USINGN9$:CB(I,0);
650 PP=128:FORX=1TO NE:IFCB$(I)=
"I" THENCB(I,X)=CB(I,X-1)+CR(I,X
) ELSECB(I,X)=CB(I,X-1)-CR(I,X)
660 PRINT@PP+1,USINGN1$:X:;PRINT
@PP+2,">":;PRINT@PP+4,USINGA5$:P
D$(X):;PRINT@PP+11,USINGN8$:CR(I
,X):;PRINT@PP+21,USINGN9$:CB(I,X
):;PP=PP+32:NEXTX:RETURN
670 '--- DELETE DR ITEM
680 GOSUB180:PRINT@460,"SURE?":;
GOSUB600:IFK$<>"Y" THENK$="" :GOTO
1450
690 GOSUB180:PRINT@457,"deletein
g item":;DR$(I)="" :DB$(I)="" :DB(
I,0)=0:DA(I)=0:DY(I)=0:DF(I)=0:D
L=DL-1
700 FORZ=1TO NE:DR(I,Z)=0:NEXTZ:
FORX=1 TO DL:IFDR$(X+1)="" THEN7
20
710 DR$(X)=DR$(X+1):DR$(X+1)="" :
DA(X)=DA(X+1):DA(X+1)=0:DY(X)=DY
(X+1):DY(X+1)=0:DF(X)=DF(X+1):DF
(X+1)=0:DB$(X)=DB$(X+1):DB$(X+1)
="" :DB(X,0)=DB(X+1,0):DB(X+1,0)=
0:FORZ=1TO NE:DR(X,Z)=DR(X+1,Z):
DR(X+1,Z)=0:NEXTZ
720 NEXTX:H$="Y":GOSUB200:GOTO10
50
730 '--- DELETE CR ITEM
740 GOSUB180:PRINT@460,"SURE?":;

```

```

GOSUB600:IFK$<>"Y" THENK$="" :GOTO
2080
750 GOSUB180:PRINT@457,"deletein
g item":;CR$(I)="" :CB$(I)="" :CB(
I,0)=0:CA(I)=0:CY(I)=0:CF(I)=0:C
L=CL-1
760 FORZ=1TO NE:CR(I,Z)=0:NEXTZ:
FORX=1 TO CL:IFCR$(X+1)="" THEN7
80
770 CR$(X)=CR$(X+1):CR$(X+1)="" :
CA(X)=CA(X+1):CA(X+1)=0:CY(X)=CA
(X+1):CA(X+1)=0:CF(X)=CF(X+1):CF
(X+1)=0:CB$(X)=CB$(X+1):CB$(X+1)
="" :CB(X,0)=CB(X+1,0):CB(X+1,0)=
0:FORZ=1TO NE:CR(X,Z)=CR(X+1,Z):
CR(X+1,Z)=0:NEXTZ
780 NEXTX:H$="Y":GOSUB200:GOTO16
60
790 '--- GET ITEM AMOUNT
800 GOSUB180:PRINT@449,"PERIOD"K
"AMOUNT":;GOSUB150:INPUTXX:IFIE$
="e" THENDR(I,K)=XX ELSECR(I,K)=
XX
810 H$="Y":RETURN
820 '--- INIT DISPLAY SCREEN
830 CLS:IFIE$="e" THENX1$=CHR$(2
52):X2$=CHR$(243):XX$="expense"
ELSEX1$=CHR$(204):X2$=CHR$(195):
XX$="income"+BB$
840 PRINT@0,STRING$(32,BB$):;PRI
NT@352,STRING$(32,X1$):;PRINT@41
6,STRING$(32,X2$);
850 PRINT@0,XX$:;PRINT@7," ":;PR
INT@15," ":;PRINT@23," ":;PRINT@
31," ":;PRINT@09,"per":;PRINT@17
,"per":;PRINT@25,"per";
860 PRINT@40,CHR$(133):;PRINT@46
,CHR$(138):;PRINT@48,CHR$(133):;
PRINT@54,CHR$(138):;PRINT@56,CHR
$(133):;PRINT@62,CHR$(138);
870 PRINT@32,"display":;PRINT@38
4,BB$:;PRINT@11,"BB$":;PRINT@449,"
arrws a-i nEW sAVE oPN x mE
NU SCRLl SEL ITM pRNT PER ^":;P
OKE(1024+462),45:RETURN
880 '--- INIT ITEM SCREEN
890 CLS:XX$=STRING$(8,BB$):PRINT
@1,CHR$(141):;PRINT@30,CHR$(142)
:;PRINT@33,XX$:;PRINT@41,CHR$(13
1):;PRINT@34,"ytd":;PRINT@38,"to
t";
900 PRINT@52,CHR$(130):;PRINT@53
,STRING$(10,BB$):;PRINT@116,CHR$(
138):;PRINT@117,STRING$(10,BB$)
;
910 PRINT@42,STRING$(10,BB$):;PR
INT@106,STRING$(10,BB$):;PRINT@9
7,STRING$(8,BB$);
920 PRINT@98,"period":;PRINT@108
,"amount":;PRINT@118,"balance":;
PRINT@42,"avg":;PRINT@46,"evry":
:IFIE$="e" THEN940
930 IFCB$(I)="" THEN950 ELSE960
940 IFDB$(I)="" THEN950 ELSE960
950 PRINT@53,"increasing":;GOTO9
70
960 PRINT@53,"declining";
970 PRINT@416,STRING$(32,X2$):;P
RINT@448," cHANGE n
EW ITEM ACTION PER dELETE r
ETURN":
980 POKE(1024+459),45:POKE(1024+
458),49:POKE(1024+460),57:RETURN
990 '--- FILE FULL
1000 GOSUB180:PRINT@458,"file fu
ll":;SOUND1,7:RETURN
1010 '--- SCROLL DR MONEY

```

# Protect and highlight your important magazine collection with sturdy RAINBOW binders



## Distinctive, Durable RAINBOW Binders

THE RAINBOW is a vital resource to be referred to again and again. Keep your copies of THE RAINBOW safe in our quality, distinctive binders that provide complete protection.

These attractive red vinyl binders showcase your collection and ensure your RAINBOWS are in mint condition for future use. Each binder is richly embossed with the magazine's name in gold on the front and spine. They make a handsome addition to any room.

### Put an End to Clutter

Organize your workspace with these tasteful binders. Spend more time with your CoCo and eliminate those frustrating searches for misplaced magazines.

A set of two binders, which holds a full 12 issues of THE RAINBOW, is only \$13.50 (plus \$2.50 shipping and handling).

### Special Discounts on Past Issues

To help you complete your collection of THE RAINBOW, we're offering a special discount on past issues of the magazine.

When you place an order for six or more back issues of THE RAINBOW at the same time you order binders, you are entitled to \$1 off the regular back issue price. To order, please see the "Back Issue Information" page in this issue.

### Know Where to Look

You may purchase the "Official And Compleat Index To THE RAINBOW" for \$1 when you purchase a set of binders. This comprehensive index of RAINBOW's first three years (July 1981 through July 1984) is usually priced at \$2.50.



\_\_\_\_\_ YES. Please send me \_\_\_\_\_ set(s) of RAINBOW binders

Take advantage of these special offers with your binder purchase:

\_\_\_\_\_ Save \$1 off the single issue cover price for back issues. Minimum order of 6 magazines. Please enclose a back issue order form from a recent issue indicating magazines wanted.

\_\_\_\_\_ Purchase the "Official and Compleat Index to THE RAINBOW" for \$1. (Regular price \$2.50.)

(These offers good only with the purchase of a RAINBOW binder set)

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

My check in the amount of \_\_\_\_\_ is enclosed. (In order to hold down costs, we do not bill.)

Charge to:  VISA  MasterCard  American Express

Account Number \_\_\_\_\_ Expiration Date \_\_\_\_\_

Signature \_\_\_\_\_

Mail to: Rainbow Binders, The Falsoft Building, P.O. Box 385, Prospect, KY 40059.

Binders are \$13.50 per two-binder set plus \$2.50 shipping and handling, if your order is to be sent via U.S. mail to a post office box or foreign country, please add \$2. Kentucky residents add 6% sales tax; Canadian residents, 7% GST. U.S. currency only please. In order to hold down non-editorial costs, we do not bill.

For credit card orders call (800) 847-0309, 8 a.m. to 5 p.m. EST

All other inquiries call (502) 228-4492.



```

1020 FOR Y=I(0) TO (I(0)+2):IFDR(
X,Y)<>0 THEN PRINT@PX,USING N8$;D
R(X,Y);
1030 PX=PX+8:NEXT Y:RETURN
1040 '--- DEBIT DISPLAY
1050 IE$="e":GOSUB830:GOSUB260:G
OSUB240
1060 IFDL=0 THEN PRINT@163,"enter
"BB$;"expense"BB$"items":PRINT@
229,"hit"BB$"n"BB$"to"BB$"begin"
::GOTO1110
1070 PP=64:PX=PP:IX=1:FOR X=I(1)
TO I(1)+(SE-1):PRINT@PP+0,STRING
$(32,CHR$(143));
1080 IFX<(EN+1) THEN I090 ELSE I10
0
1090 PX=PP:PRINT@PP+0,IX$(IX)::P
X=PX+1:PRINT@PX,USINGA6$;DR$(X);
:PX=PX+7:GOSUB1020
1100 I(IX)=X:IX=IX+1:PP=PP+32:NE
XTX:SOUND200,1
1110 I=0:GOSUB100
1120 IFK$=CHR$(09) THEN IFI(0)=NE
-2 THEN I430 ELSE I380
1130 IFK$=CHR$(08) THEN IFI(0)=1
THEN I430 ELSE I390
1140 IFK$=CHR$(21) THEN IFI(0)=1
THEN I430 ELSE I(0)=1:GOTO1400
1150 IFK$=CHR$(93) THEN IFI(0)=NE
-2 THEN I430 ELSE I(0)=NE-2:GOTO14
00
1160 IFK$=CHR$(95) THEN IFI(1)=1
THEN I430 ELSE I(1)=1:GOTO1070
1170 IFK$=CHR$(91) THEN IFI(1)+(S
E-1)=DL THEN I430 ELSE IFDL<-(SE-1

```

```

) THEN I430 ELSE I(1)=DL:GOTO1330
1180 IFK$=CHR$(10) THEN IFI(1)+(S
E-1)=DL THEN I430 ELSE IFDL<-(SE TH
EN I430 ELSE I320
1190 IFK$=CHR$(94) THEN IFI(1)=1T
HEN I430 ELSE I350
1200 IFK$="M" THEN I320
1210 IFK$="N" THEN I590
1220 IFK$="X" THEN I(1)=1:GOTO166
0
1230 IFDL=0 THEN I300
1240 IFK$="S" THEN IO=2:GOSUB2480
:GOSUB200:GOTO1050
1250 IFK$="O" THEN I(1)=1:GOTO1050
1260 IFK$="P" THEN I(1)=1:GOTO1050
1270 FOR X=1 TO SE:IFK$=I$(X) THEN
I-I(X)
1280 NEXT X:IFI=0 THEN I300 ELSE IF
I>EN THEN I300
1290 IFDR$(I)<>"" THEN I450
1300 SOUND1,1:GOTO1110
1310 '--- SCROLL DR UP&DOWN
1320 I(1)=I(1)+(SE-1)
1330 IF(I(1)+(SE-1))>DL THEN I(1)
=DL-(SE-1):IFI(1)<1 THEN I(1)=1
1340 GOTO1070
1350 I(1)=I(1)-(SE-1):IFI(1)<1 T
HEN I(1)=1
1360 GOTO1070
1370 '--- SCROLL DR SIDWAYS
1380 I(0)=I(0)+1:GOTO1400
1390 I(0)=I(0)-1:IFI(0)<1 THEN I(
0)=1

```

```

1400 GOSUB260:GOSUB240:PP=72:FOR
X=I(1) TO (I(1)+(SE-1)):PRINT@PP,
STRING$(23,CHR$(143));
1410 IFX<(EN+1) THEN PX=PP:GOSUB1
020
1420 PP=PP+32:NEXT X
1430 SOUND200,1:GOTO1110
1440 '--- DR ITEM UPDATE
1450 SOUND200,1:GOSUB890:GOSUB60
0
1460 GOSUB100
1470 IF K>0 AND K<NE+1 THEN GOSUB
800:GOTO1450
1480 IFK$="M" THEN I(1)=1:GOTO3
290
1490 IFK$="R" THEN I(1)=1:GOTO3
050
1500 IFK$="D" THEN I680
1510 IFK$="C" THEN I(1)=1:GOTO3
290 AND K<NE+1 THEN I470 ELSE IFK$="R
" THEN I490 ELSE IFK$="X" THEN I550
ELSE I450
1520 IFK$="N" THEN I590
1530 IFK$="P" THEN I(1)=1:GOSUB
2710:GOTO1050
1540 IFK$="S" THEN IO=2:GOSUB2480
:GOSUB200:GOTO1050
1550 IFK$="X" THEN I(1)=1:GOSUB20
0:IFI$="e" THEN I660 ELSE I050
1560 IFK$="O" THEN I(1)=1:GOSUB
2260:GOTO
1050
1570 SOUND1,1:GOTO1460
1580 '--- NEW DR
1590 DL=DL+1:IFDL>EN THEN DL=EN:G
OSUB1000:GOSUB200:GOTO1050

```

## Free Disk-ZAP with any purchase!

### VIP Software for the CoCo 3

VIP Writer III includes VIP Speller.....\$79.95  
VIP Calc III.....\$69.95  
VIP Database III.....\$69.95  
VIP Library /WDCE.....\$179.95  
Upgrade Writer to Writer III.....\$49.95  
Upgrade Calc to Calc III.....\$29.95  
Upgrade Database to Database III...\$39.95  
Upgrade Library to Library /WDCE...\$99.95

### VIP Software for ALL CoCos

VIP Writer includes VIP Speller.....\$69.95  
VIP Calc.....\$59.95  
VIP Database.....\$49.95  
VIP Disk-Zap.....\$29.95  
VIP Integrated Library.....\$149.95  
Upgrade any VIP pgm to VIP Library \$99.95

Upgrading? Send disk only + amount + S/H  
See January '90 ad for product descriptions.

VISA

M/C

SD Enterprises info line (805) 566-1317

P. O. Box 621 Carpinteria Ca 93013

VIP Library orders add \$4 S/H USA, \$5 Canada & \$10 Foreign  
Other orders add \$3 S/H in USA, \$4 Canada, \$6 Foreign. COD orders add an  
additional \$2.75. Checks allow 3 weeks for delivery. Calif. res. add 6 1/4 % tax.

## GRAPHICS SOFTWARE FOR NON-ARTISTS

You don't have to draw well to create fabulous looking printouts on your CoCo. Zebra's three graphics software products all contain clip-art collections and each program is optimized for special types of printed items.

### AWARDS, CERTIFICATES, DIPLOMAS, LICENSES

**First Prize** comes with 9 disks of clip art, borders, and templates to make awards, certificates, diplomas, and licenses for business, education, family, general purpose, humor, religion and sports.....\$69.95

### SIGNS, BANNERS, GREETING CARDS

The **CoCo Graphics Designer Plus**, comes complete with Border, Font, and Picture collections to make great signs, banners, and greeting cards.....\$29.95

### LABELS WITH TEXT & PICTURES

The **Label Designer** comes with picture and font collections and makes great labels with text and graphics. The program's features include automatic serial numbering, mail merge, and auto disk directories.....\$29.95

All products require 64K CoCo II, or 3, mouse or joystick, disk drive, and compatible printer. Please specify printer when ordering. Include \$3 S&H. Plus \$3.50 if UPS COD. VISA/MC. Call or write for Free Catalog.

## ZEBRA SYSTEMS, INC.

121 S. Burrowes St., State College, PA 16801  
(814-237-2652)



# GAME Chicago '91!

For over 10 years, THE RAINBOW has been bringing RAINBOWfest to the CoCo Community. Being our 20th consecutive show, this RAINBOWfest promises to be a show to be talked about for time to come.

Come and walk the aisles — set your own pace between visiting the exhibits and attending the many invaluable, free seminars. Take part in the seminars offered, ranging in topics from BASIC to the sophisticated OS-9 operating system.

Stop by the RAINBOW booth and meet the faces behind THE RAINBOW. As well, those who are written about throughout its pages will be there to meet you and answer your questions. While you're at the RAINBOW booth, you can also take advantage of the reduced prices on the entire RAINBOW bookshelf. In addition, prices on all back issues will be reduced, giving you a chance to fill those holes in your library. You'll also meet many other people who share your interest in the Color Computer. RAINBOWfest is a person-to-person event, not to mention a tremendous learning experience in a fun and relaxed atmosphere.

While you're walking through the exhibit hall, keep your eyes open for CoCo Cat. Children and adults alike always enjoy the furry feline. And our mascot is no

dummy — always looking for great deals, perhaps CoCo Cat has a hot tip for you.

RAINBOWfest is the place where commercial programmers show their newest programs and hardware for the first time. Plus, they will be listening to your comments and offering "special show prices." RAINBOWfest Chicago, is the

## Show Information

### RAINBOWfest - Chicago

*Dates - April 26-28, 1991*

*Hotel - The Hyatt Regency - Woodfield, Schaumburg*

*For more info, call toll free*

**1 (800) 847-0309**

*in KY, call (502) 228-4492*

place to get information on the capabilities of the CoCo, and find a terrific selection of the latest CoCo products. In exhibit after exhibit, there will be demonstrations, opportunities to try software and hardware, and special RAINBOWfest prices.

If you missed the fun at our last RAINBOWfest, why don't you make plans to join us in Chicago? For those members of the family who don't share your affinity

toward the CoCo (for reasons we will never understand), there are many other attractions in the Chicago area.

Once again we are pleased to be holding RAINBOWfest at The Hyatt Regency-Woodfield, Schaumburg, Illinois. The show opens Friday evening with a session from 7:00 p.m. to 10:00 p.m. It's a daytime show Saturday - The CoCo Community Breakfast (separate ticket required) is at 8:00 a.m. sharp, and the exhibit hall opens promptly at 10:00 a.m. and runs through 5:00 p.m. On Sunday, the exhibit hall opens at 11:00 a.m., and the show closes at 3:00 p.m.

Tickets for RAINBOWfest may be obtained directly from THE RAINBOW. We'll also send you a reservation form so you can get a reduced room rate at the Hyatt Regency.

The POSH way to go. You can have your travel arrangements and hotel reservations handled through RAINBOW-affiliated Posh Travel Assistance, Inc., of Louisville. For the POSH treatment many of our exhibitors enjoy, call POSH at (502) 893-3311. All POSH services are available at no charge to RAINBOWfest attendees.

If your ticket order is one of the first five orders received from your state, you will receive a Free RAINBOWfest T-Shirt!

```

1600 I=DL:I(1)-I-(SE-1):IFI(1)<1
      THENI(1)=1
1610 DR$(I)=""*** NEW ***:DA(I)=
0:DB(I,0)=0:DY(I)=0:DF(I)=1:DB$(
I)=""I":GOSUB890:GOSUB600:K$="C":
GOTO1510
1620 '--- SCROLL CR MONEY
1630 FORX=I(0)TO I(0)+2:IFCR(X,Y
)<>0 THENPRINT@PX,USINGN8$:CR(X,
Y):
1640 PX=PX+8:NEXTY:RETURN
1650 '--- CR DISPLAY
1660 IE$="I":GOSUB830:GOSUB260:G
OSUB240
1670 IFCL=0 THENPRINT@163,"enter
"BB$:"income"BB$"items":PRINT@2
29,"hit"BB$"n"BB$"to"BB$"begin":
GOTO1730
1680 PP=64:PX=PP:IX=1
1690 FORX=I(1) TO (I(1)+(SE-1)):
PRINT@PP+0,STRING$(32,CHR$(143))
:
1700 IFX<(IN+1) THEN1710 ELSE172
0
1710 PX=PP:PRINT@PP+0,IX$(IX):;P
X=PX+1:PRINT@PX,USINGA6$:CR$(X);
:PX=PX+7:GOSUB1630
1720 I(IX)=X:IX=IX+1:PP=PP+32:NE
XTX:SOUND200,1
1730 I=0:GOSUB100
1740 IFK$=CHR$(09) THENIFI(0)=NE
-2 THEN2060 ELSE2010
1750 IFK$=CHR$(08) THENIFI(0)=1
THEN2060 ELSE2020
1760 IFK$=CHR$(10) THENIFI(1)+(S
E-1)=CL THEN2060 ELSEIFCL<=SE TH
EN2060 ELSE1950
1770 IFK$=CHR$(21) THENIFI(0)=1
THEN2060 ELSEI(0)=1:GOTO2030
1780 IFK$=CHR$(93) THENIFI(0)=NE
-2 THEN2060 ELSEI(0)=NE-2:GOTO20
30
1790 IFK$=CHR$(95) THENIFI(1)=1
THEN2060 ELSEI(1)=1:GOTO1680
1800 IFK$=CHR$(91) THENIFI(1)+(S
E-1)=CL THEN2060 ELSEIFCL<=(SE-1
) THEN2060 ELSEI(1)=CL:GOTO1960
1810 IFK$=CHR$(94) THENIFI(1)=1
THEN2060 ELSE1980
1820 IFK$="N" THEN2220
1830 IFK$="X" THENI(1)=1:GOTO105
0
1840 IFK$="M" THEN3290
1850 IFCL=0 THEN1930
1860 IFK$="S" THENIO=2:GOSUB2480
:GOSUB200:GOTO1660
1870 IFK$="O" THENGOSUB2260:GOTO
1660
1880 IFK$="P" THENGOSUB2710:I(1)
=1:GOTO1660
1890 IFK$="M" THEN3290
1900 FORX=1TO SE:IFK$=I$(X) THEN
I=I(X)
1910 NEXTX:IFI=0 THEN1930 ELSEIF
I>CL THEN1930
1920 IFCR$(I)<>"" THEN2080
1930 SOUND1,1:GOTO1730
1940 '--- SCROLL CR UP/DOWN
1950 I(1)=I(1)+(SE-1)
1960 IFI(1)+(SE-1)>CL THENI(1)=C
L-(SE-1):IFI(1)<1 THENI(1)=1
1970 GOTO1680
1980 I(1)=I(1)-(SE-1):IF I(1)<1
THENI(1)=1
1990 GOTO1680
2000 '--- SCROLL CR SIDWAYS
2010 I(0)=I(0)+1:GOTO2030

```

```

2020 I(0)=I(0)-1:IFI(0)<1 THENI(
0)=1
2030 GOSUB260:GOSUB240:PP=72:FOR
X=I(1) TO (I(1)+(SE-1))
2040 PRINT@PP,STRING$(23,CHR$(14
3)):;IFX<(IN+1) THENPX=PP:GOSUB1
630
2050 PP=PP+32:NEXTX
2060 SOUND200,1:GOTO1730
2070 '--- CR ITEM UPDATE
2080 SOUND200,1:GOSUB890:GOSUB64
0
2090 GOSUB100
2100 IFK>0 ANDK<NE+1 THENGOSUB79
0:GOTO2080
2110 IFK$="M" THENGOSUB200:GOTO3
290
2120 IFK$="R" THENGOSUB200:GOTO1
660
2130 IFK$="D" THEN740
2140 IFK$="C" THENGOSUB280:IFK>0
AND K<NE+1 THEN2100 ELSEIFK$="R
" THEN2120 ELSEIFK$="X" THEN2180
ELSE2080
2150 IFK$="N" THEN2220
2160 IFK$="S" THENIO=2:GOSUB2480
:GOSUB200:GOTO1660
2170 IFK$="P" THENGOSUB200:GOSUB
2710:GOTO1660
2180 IFK$="X" THENI(1)=1:GOSUB20
0:IFIE$="e" THEN1660 ELSE1050
2190 IFK$="O" THENGOSUB2260:GOTO
1660
2200 SOUND1,1:GOTO2090
2210 '--- NEW CR
2220 CL=CL+1:IFCL>IN THENCL=IN:G
OSUB1000:GOSUB200:GOTO1660
2230 I=CL:I(1)=CL-(SE-1):IFI(1)<
1 THENI(1)=1
2240 CR$(I)=""*** NEW ***:CA(I)=
0:CB$(I)=""I":CB(I,0)=0:CF(I)=1:C
Y(I)=0:GOSUB890:GOSUB640:K$="C":
GOTO2140
2250 '--- OPEN NEW PERIOD
2260 CLS:SOUND200,1:PRINT@33,STR
ING$(30,CHR$(140)):I(0)=1:PRINTT
AB(3)"SHIFT AND OPEN NEW PERIOD"
:PRINT TAB(1)STRING$(30,CHR$(131
)):GOSUB2430
2270 PP=196:Y=0:FORX=1TO3:PRINT@
PP,USINGA5$:PD$(X+Y):;PRINT@PP+9
,USINGA5$:PD$(X+1+Y):;PRINT@PP+1
8,USINGA5$:PD$(X+2+Y):;PP=PP+64:
Y=Y+2:NEXTX
2280 IFCL=0 OR DL=0 THENPRINT@42
1,"MUST ENTER AT LEAST 1
INCOME AND EXPENSE ITEM":;K$=I
NKEY$:IFK$="" THEN2280 ELSERETUR
N
2290 PRINT@460,"SURE?":;GOSUB60:
IFK$<>"Y" THENGOSUB200:RETURN
2300 GOSUB2390:PRINT@384," OP
EN PERIOD FOR: ";XX$:;GOSUB120:G
OSUB180:PRINT@448," shift
ing periods":
2310 FORX=1TO DL:DY(X)=DY(X)+DR(
X,1):IFDB$(X)=""I" THENDB(X,0)=DB
(X,0)+DR(X,1) ELSEDB(X,0)=DB(X,0
)-DR(X,1)
2320 FORY=1TO NE-1:DR(X,Y)=DR(X,
Y+1):NEXTY:DR(X,NE)=0:IFDF(X)=1
THENDR(X,NE)=DA(X):NEXTX:GOTO234
0 ELSE2330
2330 Z1=0:FORZ=NE-(DF(X)-1) TO N
E-1:Z1=Z1+DR(X,Z):NEXTZ:IFZ1>0 T
HENNEXTX ELSEDR(X,NE)=DA(X):NEXT
X

```

## PRODUCTIVITY SOFTWARE BY Danosoft

**BEST WORD PROCESSOR**  
Dale Rickert's Feature Packed

"Simply Better"

"Significantly Better? Mais Oui!"  
- Rainbow, February, 1990

Has Database Features like holding a 5000  
mail list in memory for quick recall.

- Run 2 interactive Wordprocessors at once •
- Mail-Merge • Sort Text • Create Tasks • Create
- Indexes • Table of Contents • Print-Fill Forms
- Displays Fonts in Colors • Displays Underlin-
- ing • Print Spooling • Auto Saves • Print/Save
- Blocks of Text • To 480K of Text Storage •
- Numbering • Indenting • Calculator • Headers •
- Footers • Paging • Finds • Case Reversal • Help
- Screens • Preview "WYSIWYG" • Much More •
- Extensive Manual, with Tutorials.

Any CoCo3. Only \$39.95 US/ \$46.50 CDN.  
French Manual \$7.00 US/\$8.20 CDN.extra

### BIG BASIC

Get 92K from your 128K CoCo 3 and 476K on  
512K for basic programs and variables.  
BIG BASIC creates programming windows  
with up to 58 separate running programs or  
58 parts of one large program or database.  
Allows big programs to run fast. Also disk  
chains unlimited program sections or data.  
7 Demos/Manual. \$39.95 US /\$46.50CDN.

### MEMORY MASTER

Scan, Edit, Copy, Printout, any computer or  
disk memory. Fix disks. Restore killed files.  
Enter M.L. Listings. Dual Windows! Run 2  
Programs at once! Disk chain unlimited pro-  
gram sections or data. Demo & Manual. Any  
CoCo 64K or more. 1.1 or 2.1 DECB. Only  
\$24.95 US or \$28.50 CDN.

### UTILITIES PACKAGE

6 Background running M.L. Utilities that  
allow your CoCo to access both sides of  
doublesided drives. Any CoCo 64K or more.  
1.1 or 2.1 DECB. \$17.95 US/\$20.80 CDN.

### BIG RAMDISK

Best software to simulate drives in memory.  
Install, re-install, format and reformat from  
direct mode or from a program. Up to 720K  
and 4 Ramdisks with the Disto 1 meg board!  
To 360K and 2 Ramdisks on a 512K.

Only \$12.95 US or \$14.95 CDN.

### MEMORY TUTORIALS

BABY BASIC for more program space.  
GRAPHICS UTILITY for many screens in mem.  
BABY BASIC: Any CoCo/GRAPHICS: CoCo3 only  
Only \$8.95 US/\$10.50 CDN. EACH Disk.

### COCO ARCHIVER

**NEW!** CoCo3 Disk File Manager & Archiver for  
RS-DOS. Lists archived files with descriptive  
memos and lists disk directories in 4 columns.  
Copies, kills & renames. Has Wildcards; BBS  
shareware feature. RETRIEVES to Disk, Screen  
or COMPUTER. \$17.95 US/\$20.80 CDN.

Order by Phone/Mail

DANOSOFT  
Box 124, Station "A"  
Mississauga, Ont.  
Canada L5A 2Z7  
(416) 897-0121




Add \$2.50 S & H  
Ont. Add 8% tax  
Visa, Mastercard

```

2340 FORX=1TO CL:CY(X)=CY(X)+CR(X,1):IFCB$(X)="I" THENCB(X,0)=CB(X,0)+CR(X,1) ELSECB(X,0)=CB(X,0)-CR(X,1)
2350 FORY=1TO NE-1:CR(X,Y)=CR(X,Y+1):NEXTY:CR(X,NE)=0:IFCF(X)=1 THENCR(X,NE)=CA(X):NEXTX:GOTO237

```



```

0
2360 Z1=0:FORZ=(NE-(CF(X)-1)) TO NE-1:Z1=Z1+CR(X,Z):NEXTZ:IFZ1>0 THENNEXTX ELSECR(X,NE)=CA(X):NEXTX
2370 FORY=1TO NE-1:PD$(Y)=PD$(Y+1):NEXTY
2380 PD$(NE)-XX$:H$="Y":GOSUB200:RETURN
2390 '--- GET DATE
2400 GOSUB180:GOSUB150:PRINT@448,,:LINEINPUT" PERIOD MONTH (MM)":;XX$:IFXX$="" THEN2400 ELSEXM$=LEFT$(XX$,2)
2410 GOSUB180:GOSUB150:PRINT@448,,:LINEINPUT" PERIOD DAY (DD)":;XX$:IFXX$="" THEN2410 ELSEXD$=LEFT$(XX$,2):XX$=XM$+"/"+XD$:RETURN
2420 '--- INIT DATES DISPLAY
2430 X$=STRING$(7,BS$):PP=163:Y=0:FORX=1TO3:PRINT@PP,X$;:PRINT@PP+1,"per";:PRINT@PP+09,X$;:PRINT@PP+10,"per";:PRINT@PP+18,X$;:PRINT@PP+19,"per";
2440 POKE(1024+PP+5),(I(0)+X+Y+47):POKE(1024+PP+14),(I(0)+X+Y+1+47):POKE(1024+PP+23),(I(0)+X+Y+2+47)
2450 PRINT@PP+32,CHR$(133);:PRINT@PP+32+6,CHR$(138);:PRINT@PP+32+09,CHR$(133);:PRINT@PP+32+15,CHR$(138);:PRINT@PP+32+18,CHR$(133);:PRINT@PP+32+24,CHR$(138);:PP=PP+64:Y=Y+2:NEXTX
2460 X$=STRING$(7,CHR$(131)):PRINT@PP,X$;:PRINT@PP+09,X$;:PRINT@PP+18,X$;:RETURN
2470 '--- I/O ROUTINES
2480 GOSUB130:SOUND200,1:IFIO=1 THENIO$="load" ELSEIO$="save"
2490 GOSUB180:PRINT@454,IO$+" f1e - ";PW$;:IFIO=2 THEN2500
2500 '--- LOAD FILE
2510 SOUND220,1:FL$="B"+PW$+".BUD":OPEN"1",#1,FL$:SOUND220,1:INPUT#1,DL,CL
2520 FORX=1TO DL:INPUT#1,DR$(X),DA(X),DB$(X),DB(X,0),DY(X),DF(X)
2530 FORY=1TO NE:INPUT#1,DR(X,Y):NEXTY,X
2540 FORX=1TO CL:INPUT#1,CR$(X),CA(X),CB$(X),CB(X,0),CY(X),CF(X)

```

```

2550 FORY=1TO NE:INPUT#1,CR(X,Y):NEXTY,X
2560 FORX=1TO NE:INPUT#1,PD$(X):NEXTX
2570 CLOSE#1:H$="Y":GOSUB120:GOSUB200:RETURN
2580 '--- SAVE FILE
2590 SOUND220,1:OPEN"0",#1,FL$:SOUND220,1:WRITE#1,DL,CL
2600 FORX=1TO DL:WRITE#1,DR$(X),DA(X),DB$(X),DB(X,0),DY(X),DF(X)
2610 FORY=1TO NE:WRITE#1,DR(X,Y):NEXTY,X
2620 FORX=1TO CL:WRITE#1,CR$(X),CA(X),CB$(X),CB(X,0),CY(X),CF(X)
2630 FORY=1TO NE:WRITE#1,CR(X,Y):NEXTY,X
2640 FORX=1TO NE:WRITE#1,PD$(X):NEXTX
2650 CLOSE#1:GOSUB120:RETURN
2660 '--- CREATE NEW FILE
2670 CL$:SOUND200,1:FL$="B"+PW$+".BUD":
2680 PRINT@33,,:PRINTTAB(1)STRING$(30,CHR$(156));:PRINT" ENTER PERIOD DATES":PRINTTAB(1)STRING$(30,CHR$(147));:GOSUB2430
2690 PP=196:FORX=1TO NE:PRINT@418,"ENTER DATE FOR PERIOD":X;:GOSUB2400:PD$(X)-XX$:PRINT@PP,PD$(X);:PP=PP+9:IFX=3 ORX=6 THENPP=PP+37:NEXTX:ELSENEXTX
2695 GOSUB160:GOTO1660
2700 '--- PRINT ROUTINE
2710 GOSUB180:PRINT@449,"
TBL$:aMT pYMTS/DUE PRINT
bal rRETURN":GOSUB100
2720 IFK$="A" THENGOSUB2760:GOTO2790
2730 IFK$="P" THENGOSUB2760:GOTO3100
2740 IFK$="B" THENGOSUB2760:GOTO2890 ELSERETURN
2750 '--- SETUP PRINTER CODES
2760 GOSUB130:GOSUB180:PRINT@459,"printing";
2770 POKE150,18:Q0$=CHR$(27)+CHR$(23):Q1$=CHR$(27)+CHR$(66)+CHR$(1):Q2$=CHR$(27)+CHR$(66)+CHR$(0):Q3$=CHR$(27)+CHR$(31):Q4$=CHR$(27)+CHR$(32):PRINT#-2,Q0$;:RETU

```



```

RN
2780 '--- PRINT TABLE
2790 GOSUB3030:PRINT#-2,Q1$;Q3$;S0$;"FORCASTED BUDGET AMOUNTS FOR":;PW$:LC=LC+1
2800 PRINT#-2:PRINT#-2,S0$;"INCOME AMOUNTS":LC=LC+2:GOSUB3010
2810 FORX=1TO CL:PRINT#-2,S2$;S2$;:PRINT#-2,USINGA8$;CR$(X);:PRI

```

```

NT#-2," "":FORY=1TO NE:PRINT#-2,USINGN7$;CR(X,Y);:PRINT#-2,S2$;:NEXTY:PRINT#-2:LC=LC+1:GOSUB2990:NEXTX
2820 PRINT#-2,Q1$;Q3$;:GOSUB3080:PRINT#-2,S2$;S2$;"TOTAL "":FORY=1TO NE:PRINT#-2,USINGN7$;CT(X);:PRINT#-2,S2$;:NEXTX:PRINT#-2,Q2$;Q4$;LC=LC+1:GOSUB2990
2830 PRINT#-2:PRINT#-2,Q1$;Q3$;S0$;"EXPENSE AMOUNTS":LC=LC+2:GOSUB3010
2840 FORX=1TO DL:PRINT#-2,S2$;S2$;:PRINT#-2,USINGA8$;DR$(X);:PRINT#-2," "":FORY=1TO NE:PRINT#-2,USINGN7$;DR(X,Y);:PRINT#-2,S2$;:NEXTY:PRINT#-2:LC=LC+1:GOSUB2990:NEXTX
2850 PRINT#-2,Q1$;Q3$;:GOSUB3080:PRINT#-2,S2$;S2$;"TOTAL "":FORY=1TO NE:PRINT#-2,USINGN7$;DT(X);:PRINT#-2,S2$;:NEXTX:PRINT#-2,Q2$;Q4$;LC=LC+1:GOSUB2990
2860 PRINT#-2:PRINT#-2,Q1$;Q3$;S0$;"BUDGET PERIOD BALANCE":LC=LC+2:GOSUB3010
2870 PRINT#-2,Q1$;Q3$;S2$;S2$;"BALANCE "":FORY=1TO NE:PRINT#-2,USINGN7$;BL(X);:PRINT#-2,S2$;:NEXTX:PRINT#-2,Q1$;Q3$;LC=LC+1:GOSUB2970:GOSUB120:RETURN
2880 '--- PRINT BALANCES
2890 GOSUB3030:PRINT#-2,Q1$;Q3$;S0$;"FORCASTED BUDGET BALANCES FOR":;PW$:LC=LC+1
2900 PRINT#-2:PRINT#-2,S0$;"INCOME BALANCES":LC=LC+2:GOSUB3010
2910 FORX=1TO CL:PRINT#-2,S2$;S2$;:PRINT#-2,USINGA8$;CR$(X);:PRINT#-2," "":FORY=1TO NE:IFCB$(X)="I" THENCB(X,Y)=CB(X,Y-1)+CR(X,Y) ELSECB(X,Y)=CB(X,Y-1)-CR(X,Y)
2920 PRINT#-2,USINGN9$;CR(X,Y);:PRINT#-2," "":NEXTY:PRINT#-2:LC=LC+1:GOSUB2990:NEXTX
2930 PRINT#-2:PRINT#-2,Q1$;Q3$;S0$;"EXPENSE BALANCES":Q2$;Q4$;LC=LC+2:GOSUB3010
2940 FORX=1TO DL:PRINT#-2,S2$;S2$;:PRINT#-2,USINGA8$;DR$(X);:PRINT#-2," "":FOR Y=1TO NE:IFDB$(X)="I" THENDB(X,Y)=DB(X,Y-1)+DR(X,Y) ELSEDB(X,Y)=DB(X,Y-1)-DR(X,Y)
2950 PRINT#-2,USINGN9$;DB(X,Y);:PRINT#-2," "":NEXTY:PRINT#-2:LC=LC+1:GOSUB2990:NEXTX:GOSUB2970:GOSUB120:RETURN
2960 '--- END OF PAGE LINES
2970 FORW=LC TO 65:PRINT#-2:NEXTW:LC=0:RETURN
2980 '--- PAGE
2990 IFLC<60 THENRETURN ELSEGOSUB2970:FORW=1TO 5:PRINT#-2:NEXTW:LC=5:GOSUB3010:RETURN
3000 '--- PRINT DATE LINE
3010 PRINT#-2,Q1$;Q3$;:GOSUB3080:PRINT#-2,S2$;S2$;"PERIOD" "":FORY=1TO NE:PRINT#-2,PD$(W);S2$;S2$;:NEXTW:PRINT#-2:GOSUB3080:PRINT#-2,Q2$;Q4$;:LC=LC+1:RETURN
3020 '--- PRINT HEADING
3030 FORX=1TO5:PRINT#-2:NEXTX:PRINT#-2,Q1$;Q3$;S0$;"HOME BUDGET ANALYST"::PRINT#-2,Q2$;Q4$;LC=6:RETURN
3040 '--- PRINT TITLE LINE
3050 PRINT#-2,Q1$;Q3$;:GOSUB3080

```

```


:PRINT#-2,S0$;S5$;"      CURR
ENT   YTD   CURRENT  REMAIN
ING"
3060 PRINT#-2,S5$;S0$;"DESC
AMOUNT  BALANCE  BALANCE  B
ALANCE":GOSUB3080:PRINT#-2,Q2$;Q
4$::LC=LC+2:RETURN
3070 '--- PRINT DASH LINE
3080 PRINT#-2,S2$;S2$;STRING$(8,
"-")::FORN=1TO NE:PRINT#-2,STRIN
G$(9,"-")::NEXTW:PRINT#-2:LC=LC+
1:RETURN
3090 '--- PRINT SINGLE PERIOD RO
UTINE
3100 GOSUB3030:PRINT#-2,Q1$;Q3$;
S0$;"PAYMENTS FOR: ";PW$;S2$;S5$
;" BUDGET PERIOD: ";PD$(1):LC=LC
+1
3110 PRINT#-2:PRINT#-2,S0$;"INCO
ME ITEMS":LC=LC+2:GOSUB3050:FORX
=1TO CL:IFCR(X,1)=0 THEN3170
3120 PRINT#-2,S5$;S0$::PRINT#-2,
USINGA8$;CR$(X)::PRINT#-2," "":P
RINT#-2,USINGN7$;CR(X,1)::PRINT#
-2,S2$;
3130 CY=CY(X)+CR(X,1):PRINT#-2,U
SINGN9$;CY::PRINT#-2,S2$::IFCB$(
X)="1" THEN3150
3140 CB(X,1)=CB(X,0)-CR(X,1):PRI
NT#-2,S5$;S0$::PRINT#-2,USINGN9$
:CB(X,1)::GOTO3160
3150 CB(X,1)=CB(X,0)+CR(X,1):PRI
NT#-2,USINGN9$;CB(X,1);
3160 PRINT#-2,S5$;S0$::PRINT#-2:
LC=LC+1:GOSUB2990
3170 NEXTX
3180 PRINT#-2,Q1$;Q3$::GOSUB3080
:PRINT#-2,S5$;S0$;"TOTAL "":P
RINT#-2,USINGN7$;CT(1)::PRINT#-2
,S2$::PRINT#-2,Q2$;Q4$:LC=LC+1:G
OSUB2990
3190 PRINT#-2:PRINT#-2,Q1$;Q3$;S
0$;"EXPENSE ITEMS":LC=LC+2:GOSUB
3050
3200 FORX=1TO DL:IFDR(X,1)=0 THE
N3260
3210 PRINT#-2,S5$;S0$::PRINT#-2,
USINGA8$;DR$(X)::PRINT#-2," "":P
RINT#-2,USINGN7$;DR(X,1)::PRINT#
-2,S2$;
3220 DY=DY(X)+DR(X,1):PRINT#-2,U
SINGN9$;DY::PRINT#-2,S2$::IFDB$(
X)="1" THEN3240
3230 DB(X,1)=DB(X,0)-DR(X,1):PRI
NT#-2,S0$::PRINT#-2,USINGN9$;DB(
X,1)::GOTO3250

```

```

3240 DB(X,1)=DB(X,0)+DR(X,1):PRI
NT#-2,USINGN9$;DB(X,1);
3250 PRINT#-2,S5$;S0$::PRINT#-2:
LC=LC+1:GOSUB2990
3260 NEXTX
3270 PRINT#-2,Q1$;Q3$::GOSUB3080
:PRINT#-2,S5$;S0$;"TOTAL "":P
RINT#-2,USINGN7$;DT(1)::PRINT#-2
," BUDGET BALANCE "":PRINT#-2
,USINGN7$;BL(1)::PRINT#-2,S2$::L

```



```

C=LC+1:GOSUB2990:GOSUB2970:GOSUB
120:RETURN
3280 '--- MENU
3290 CLS:SOUND200,1:PRINT@64,"";
:GOSUB3560
3300 PRINT@256,"   SAVE FILE
PRINT          OPEN NEW PER
READ NEW FILE  INCOME DSPLY
EXPENSE DSPLY  QUIT";
3310 PRINT@419,"CURRENT FILE - "
;PW$;
3320 GOSUB3650:IFK$="" THEN3320
3330 IFK$="S" THENIO=2:GOSUB2480
:GOSUB200:GOTO3290
3340 IFK$="P" THENGOSUB2710:I(1)
=1:GOTO3290
3350 IFK$="O" THENGOSUB2260:GOTO
3290
3360 IFK$="R" THENRUN
3370 IFK$="I" THENI(1)=1:GOTO166
0
3380 IFK$="E" THENI(1)=1:GOTO105
0
3390 IFK$="X" THENGOSUB130:SAVE"
BUD.BAS":GOSUB120:GOTO3320
3400 IFK$="Q" THENGOSUB130:CLS:P
RINT"BUDGET PROGRAM TERMINATED":
END
3410 GOTO3320
3420 '--- PROGRAM INIT

```

```

3430 CLEAR100:GOSUB120:EN=45:IN
=15:NE=9:SE=9
3440 DIMDR$(EN),DA(EN),DB$(EN),D
Y(EN),DF(EN)
3450 DIMCR$(IN),CA(IN),CB$(IN),C
Y(IN),CF(IN)
3460 DIMDR(EN,NE),DB(EN,NE):DIMC
R(IN,NE),CB(IN,NE)
3470 DIMPD$(NE),BL(NE),DT(NE),CT
(NE)
3480 DIMI$(SE),I(SE),IX$(SE)
3490 I(0)=1:DL=0:CL=0
3500 FORX=1TO SE:READIX$(X),I$(X
),I(X):NEXTX
3510 DATA a,A,1,b,B,2,c,C,3,d,D,
4,e,E,5,f,F,6,g,G,7,h,H,8,i,I,9
3520 N1$="A":N7$="#####":N8$="
#####.##":N9$="#####.##"
3530 A5$="%" :A6$="%" :A
8$="%" :A
3540 BB$=CHR$(128):S2$=" " :S5$="
" :S0$=" " :GOSUB35
60:GOTO3590
3550 '--- TITLE SCREEN
3560 SOUND200,1:CLS:PRINT@100,"h
ome":BB$:"budget":BB$:"analyst":
BB$;BB$:POKE(1024+121),52:POKE(1
024+122),46:POKE(1024+123),48:PR
INT
3570 PRINT" BY: GLEN DUFUR":P
RINT" COPYRIGHT (C) 1989":RET
URN
3580 '--- PASSWORD
3590 PRINT:PRINTTAB(4):LINEINPUT
"PASSWORD: ";PW$:PW$=LEFT$(PW$,5
)
3600 PRINT@324,"LOAD EXISTING BU
DGET":PRINT@388,"CREATE NEW BUDG
ET":PRINT@456,"SELECT OPTION"
3610 GOSUB3650:IFK$="" THEN3610
3620 IFK$="C" THEN2670
3630 IFK$="L" THENIO=1:GOSUB2480
:GOTO1660
3640 SOUND1,5:GOTO3610
3650 IFX$=CHR$(145) THENXX$=CHR
$(146):XY$=CHR$(148):XZ$=CHR$(15
0): ELSEX$=CHR$(145):XY$=CHR$(1
52):XZ$=CHR$(153)
3660 PRINT@66,CHR$(138)::PRINTST
RING$(26,XX$);CHR$(133)::PRINT@I
30,CHR$(138);STRING$(26,XY$);CHR
$(133);
3670 K$=INKEY$:PRINT@99,BB$::PRI
NT@124,BB$::RETURN
3680 '---PCLEAR ROUTINE
3690 PCLEAR1:GOTO3430

```

### ✓ EDUCATION

**BATH GAMES:** 4 exciting programs cover addition, subtraction, multiplication, & division. Fantastic graphics! (Sept '88 review) **JUST \$19.95**

**KEYBOARD COMMANDER:** Space game typing teacher. A fun way to learn touch typing. (Sept '88 review) **\$24.95**

**JACK RABBIT STORY WRITER:** Grades 2-8. Write stories, think up new ideas, Outline, Save, Load, and Print. 7000 word spelling helper. (Dec '88 review) - "Excellent!" **\$24.95**

### ✓ GRAPHICS

**LEONARDO'S PAINT BOX:** Will actually write HSCREEN 2 graphics programs! All you do is use a joystick! (See the Mar '89 review) **ONLY \$26.95**

**SUPER GRAPHICS-16:** A budget graphics editor with lots of options! (June '88 review) **\$16**

**COMICS:** Just for creating comic strips. Point and click icon interface. Special "Clip Art" option. Lots of fun! (See Feb '90 review) **ONLY \$21.45**

**Buy 2 from a group - get the 3rd FREE!**

### ✓ MANAGEMENT

**EZWRITER:** Easy way to print professional quality letters. Do single or multiple copies from mailing lists. No fuss! (July '88 review) **STILL \$19.95**

**DATA FORM III:** Custom design CoCo 3 databases. Up to 17 fields. Very user-friendly. (Jan '90 review) **Just \$19.95**

**C.A.B.: Computer Auto Record.** Keep track of vehicle maintenance, fuel costs, etc. (Oct '89 review) **A lot for \$9.95**

### THE TREASURE CHEST

24 programs! Useful utilities, graphics, sound effects, ML letter writer, fortune telling game, database, check acc't balancer, label printer, order form printer, code program, and more! The COMPLETE TREASURE CHEST of programs is only \$8! (We'll even pay the shipping and handling!)

**E-Z FRIENDLY**

110 CORLIES AVE., DOUGHBKEEPSIE, NY 12601  
Information: (914) 485-8150

"I'M A COCO-NUTI" BUMPER STICKER FREE WITH EVERY ORDER!

PLEASE ADD \$1.50 S/H (EXCEPT ON "TREASURE CHEST") - NY RESIDENTS ADD TAX

# 'tis Still the C Zen

by Greg Law  
Technical Editor

**P**revious installments in this series have shown how to open existing files, create new files and check for the existence of files. The actual task of reading and writing using the low-level functions is accomplished with `read()`, `readln()`, `write()` and `writeln()`. For assembly language buffs, these are direct equivalents of the `I$Read`, `I$ReadLn`, `I$Write` and `I$WriteLn` system calls. That is, the `read()` function passes its parameters directly to the `I$Read` system call. The primary purpose of `read()` and `write()` is to read and write a stream of binary data, although both functions work with streams of ASCII data just as well. On the other hand, `readln()` and `writeln()` are primarily intended to read and write ASCII data, as well as use the line-editing capabilities built into the sequential character file (SCF) manager.

Let's carry this definition a bit further. Assume you have a program that reads 12 characters from the keyboard, and you type the following as input:

```
Now\bt not\bw\n
```

`\b` is the backspace character and `\n` is the carriage return character. If you use the `read()` function, the actual data stored in the buffer is

```
Now\bt not\bw\n
```

As you can see, the backspace characters are stored in the buffer exactly as you typed

---

*In addition to being OS-9 Online SIGop, Greg Law enjoys programming on all types of computers and has worked on systems ranging from the CoCo to the Burroughs B6700 super mainframe. He lives in Louisville, Kentucky.*

them. But if you use the `readln()` function, the data stored in the buffer is

```
Not now\n
```

In this case, the line-editing capabilities built into SCF take over and interpret the backspace characters. Another difference between these two functions is that `read()` reads the specified number of characters from the input device. In other words, if you tell `read()` to read 12 characters, it reads exactly 12 characters unless it encounters an end-of-line character, which is usually a carriage return or the ENTER key. Also, `readln()` reads the specified number of characters and stops reading when it encounters an end-of-line character. The difference is that the last character typed for `readln()` must be an end-of-line character. For example, if you tell `readln()` to read 12 characters, it accepts the first 11 characters typed from the keyboard. If you press any key other than ENTER for the 12th character, the speaker beeps and the character is discarded (or thrown into the bit bucket).



Experiment with the sample program in Listing 1 to get used to the differences between `read()` and `readln()`. First, a character array is declared that can hold up to 25 characters. A loop is used to initialize the contents of the array to spaces. This is done so as to know exactly what is stored in the array to check the results. Otherwise, the character array would contain miscellaneous garbage and the results of the test would be meaningless. In the next step, `read()` is called to read 12 characters from the keyboard into the array. The number of characters actually read is assigned to the

variable count. This is where the fun begins. The `printf()` function is used to tell the number of characters read from the keyboard. The hexadecimal values for the characters in the array are then printed on the screen. This process is repeated for the `readln()` function so you can compare the results. Run the program and type `Now\b not\bw` twice. The following is printed on the screen:

```
Read 12 characters
4E 6F 77 08 74 20 6E 6F 74 08 77 0D 20...
```

```
Read 8 characters
4E 6F 74 20 6E 6F 77 0D 20...
```

Remember I am using `\b` to represent the backspace character, which is the left arrow on the keyboard. As you can see, the `read()` function reads the input typed on the keyboard exactly as you typed it and the last character read is the carriage return. On the other hand, the `readln()` function erases the previous character typed each time backspace was pressed. There is another subtle difference you should have noticed on the screen. During the `read()` call each time backspace was pressed the cursor moved to the left one position, but the character at that position remained on the screen. During the `readln()` call, each time backspace was pressed the cursor moved to the left one position and the character at that position was erased.

Run the program once more, but this time type `Not now` without the backspace and press ENTER. This time both `read()` and `readln()` act exactly the same. For the final comparison run the program and type `Now` is the time once to test the `readln()` function. For best results wait a second or two before pressing each key and stop typing when `printf()` prints the results on the screen. `read()` stopped reading the input and the results were printed immediately.

after the t in time was pressed. Type Now is the time again to test the readln() function. Did you hear the speaker beep when you pressed t in time? If you complete the sentence by pressing i, m and e, the speaker beeps each time you press a key. Complete the input by pressing ENTER. As mentioned above, the last character typed in response to readln() must be a carriage return, any other characters typed beyond this point are ignored.



So far we have examined the effects of read() and readln() only on sequential character devices, such as the keyboard and the monitor. The end result is that SCF has given us the ability to use its line editing functions to interpret backspaces and such. But what are the effects of using read() and readln() from a disk file?

Type the following to build a test file:

```
build make_test
? display 4e 6f 77 08 74 20
? display 6e 6f 74 08 77 0d
? display 4e 6f 77 08 74 20
? display 6e 6f 74 08 77 0d
? press ENTER
```

When you finish, type make\_test >test.dat to create a data file we can use. This creates the same data (Now\b\t not\bw\n) we used in our first test. Finally, type read\_test <test.dat and examine the results printed on the screen. Both read() and readln() read the data exactly as it was stored in the file and the backspaces were not interpreted. For another test, type the following:

```
build test2.dat
? Now is the time
? Now is the time
? press ENTER
```

Type read\_test <test2.dat and press ENTER. This time read() reads exactly 12 characters from the file and readln() reads the remainder of the sentence up to the carriage return. If you haven't already guessed, the second sentence hasn't been read yet.

The write() and writeln() functions work in the same manner as the read() and readln() functions. That is, the data given to write() is written on the device with no conversions whatsoever. On the other hand, the data given to writeln() is passed through the SCF editing functions. Also be aware that writeln() writes the data in the buffer up to the specified number of bytes, but writeln() stops short if a carriage return is encountered.

As an exercise, create a couple of short programs and experiment with these four functions. What other information can you discover about the effects of these functions on SCF and RBF devices?

OS-9

**The Listing: read\_test.c**

```
main()
{
    char array[25];
    int count;
    int i;

    for(i = 0; i < 25; i++)
        array[i] = 32;

    count = read(0, array, 12);
    printf("\nRead %d characters\n", count);

    for(i = 0; i < 25; i++)
        printf("%02X ", (int) array[i]);

    printf("\n");

    for(i = 0; i < 25; i++)
        array[i] = 32;

    count = readln(0, array, 12);
    printf("Read %d characters\n", count);

    for(i = 0; i < 25; i++)
        printf("%02X ", (int) array[i]);

    printf("\n");
}
```

# RICK'S

**SUPER SOFTWARE AT AFFORDABLE PRICES!!**

- CC3FLAGS..... CONQUER THE WORLD..... REG. PRICE \$21..... **NOW \$10.00**
- VOCAB..... HONE YOUR SCRABBLE SKILLS..... REG. PRICE \$21..... **NOW \$10.00**
- MASTERDIR..... DISKETTE DIRECTORY DATABASE..... REG. PRICE \$18..... **NOW \$10.00**
- PROGRAMS FOR FRIENDS..... INCLUDES...WACKO...CANADA...EUROPE...AND SMARTY THE PIG..... **INTRODUCTORY PRICE \$10.00**
- NIB COMPRESSOR FANTASTIC GRAPHICS COMPRESSOR... USED IN PRODUCTION OF COCO GALLERY ON DISK...WHY SO CHEAP? BECAUSE I WANT YOU
- TO HAVE IT!!..... **\$2.50**

**CURRENT BEST SELLER!!!**

**THE RAINBOW INDEXES** BRAND NEW...DATABASES OF ARTICLES, PRODUCT REVIEWS, AND TAPE/DISK OFFERINGS FROM THE RAINBOW...STARTS WITH RAINBOW'S ORIGINAL ISSUE...ENDS WITH JUNE 1990...THESE DATABASES WILL BE UPDATED ANNUALLY...100% ML...OVER 7200 ENTRIES...COMES WITH BOTH COCO 1/2 AND COCO 3 VERSION...THUMB THRU DATABASES WITH A SINGLE KEY...COCO 3 DISPLAYS 15 ENTRIES ON SCREEN (COCO 1/2 SHOWS 2 AT A TIME)...EXCELLENT FOR FINDING INFORMATION FROM YOUR COLLECTION...THESE ARE USEFUL, MUST-HAVE PROGRAMS AT A **GIVEAWAY INTRODUCTORY PRICE.....ONLY!! \$10.00**

**BRAND NEW**

**GALLERY MAKER...BRAND NEW**...HERE'S THE PROGRAM TO USE TO MAKE YOUR OWN PERSONALIZED COCO GALLERY ON DISK. ALL THE UTILITIES I USED SEPARATELY TO CREATE RAINBOW'S COCO GALLERY ON DISK HAVE BEEN ORGANIZED INTO ONE SIMPLE TO USE PROGRAM. FEATURES INCLUDE...PERSONALIZED TITLE SCREEN MAKER, BOX UTILITY, NIB COMPRESSION (THE NIB COMPRESSOR IS INCLUDED WITH GALLERY MAKER), PICTURE HISTORY ROUTINE, PALETTE SAVER, RGB TO CMP OPTION, AND PERSONALIZED MENU WITH YOUR NAME ON IT... **REQUIRES COCO III.....RECOMMEND RGB MONITOR..... \$10.00**

**SPECIAL....ORDER ANY 3 PROGRAMS FOR \$25.00**

SEND CASH, CHECK OR MONEY ORDER FOR FAST RETURN  
PLEASE INCLUDE \$2.00 FOR SHIPPING/HANDLING

**RICK'S COMPUTER ENTERPRISE** P.O. BOX 276  
LIBERTY, KY. 42539

THE RAINBOW IS A REGISTERED TRADEMARK OF FALCOPT, INC.

# Novices Niche

## Neat Labels by Keiran Kenny

As a tape user, I do not like database programs that require me to load a working program and then load a file that has been saved separately (and probably on another tape). I developed a program to retain a limited list of addresses in data lines as in the examples in lines 1000 to 1040 and print any or all of them on 4½-by-1½ fanfold labels. It can also be used to type one-time addresses that do not need to be retained and print them on labels.

To use the program, type a few data lines as in the examples. You can have any number from one to seven lines in each address. The length of a line should not exceed 31 characters. Line 1020 contains only one line. Each data line must end with XX and the last data line must read DATA ZZ as in Line 2000.

To begin the program, select Option 1 on the menu screen. This brings the first address to the screen and a prompt to press the space bar to print. Each address is held on the screen for a count of 1200 by the loop in Line 230. If you don't press the space bar within this time, the next address is displayed. The value of DL is established in Line 10 and can be changed to vary the duration of the display.

To print an address, have the top of your first label flush with the top of the ribbon, the left edge of the label at Position 0, and press the space bar. The label is printed with the text centered. The

printer then advances to the top of the next label.

Line 290 establishes how many blank lines (TM) are to be printed at the top of the label. The loop in lines 300 to 330 sets the length of the longest line in your address. This line is centered under TAB(20), TB, as in Line 20. The loop in Line 380 prints the number of blank lines needed at the bottom of the label to bring up the next label.

Once the addresses in the data lines have been printed, you are returned to the menu. Press 2 to type and print a one-time address. The entry POKE282,0 in Line 110 puts the CoCo in upper/lowercase mode and POKE282,255 in lines 100 and 120 puts it in an all capitals mode. You can type up to seven lines, but if you have less than seven, type the last line and press SHIFT-up arrow. A little left-arrow appears on the screen and the address is printed as before.

The program is not fast, but I have found it simple and effective enough for a limited purpose. If you do not have Extended Color BASIC use INPUT instead of LINEINPUT in Line 260, but avoid using the comma and the colon when typing one-time addresses. They can be used in a data line if the text is in quotes.

Line 30 sets the transmission rate at 2400 baud. This can be changed for compatibility with your printer. The controls for NLQ bold in Line 150 are for a DMP-130A printer. This line can be omitted or changed as needed for your printer.

### The Listing: LABELS

```


0 *NEAT LABELS
1 *WRITTEN BY KEIRAN KENNY
2 *COPYRIGHT (C) JANUARY 1991
3 *BY FALSOFT, INC.
10 CLS:DL=1200
20 TB=20 *TAB(20)
30 POKE150,18 *2400 baud.
40 PRINT@64,"DO YOU WANT TO:":PRINT
50 PRINTTAB(2)"1. PRINT ADDRESSES IN DATA?":PRINT
60 PRINTTAB(2)"2. TYPE AND PRINT ONE-OFF",TAB(5)"ADDRESSES?":PRINT

```

```

NT
70 PRINTTAB(2)"3. END PROGRAM?":PRINT
80 PRINTTAB(8)"PRESS 1, 2 OR 3."
90 K$=INKEY$:IFK$=""THEN90
100 IFK$="1"THENPOKE282,255:GOTO140
110 IFK$="2"THENPOKE282,0:GOTO140
120 IFK$="3"THENPOKE282,255:CLS:END
130 GOT090
140 PRINT:PRINT"PRINTER READY? - PRESS ANY KEY.":EXEC44539
150 PRINT#-2,CHR$(27);CHR$(18):CHR$(27);CHR$(31):NLQ Bold
160 IFK$="2"THENCLS:PRINT@32,"TYPE ADDRESS:":PRINT@64:GOTO250
170 N=N+1:READN$(N):IFN$(N)=""ZZ"THENCLS:RESTORE:N=0:PRINT"DATA END.":GOTO40ELSEIFN$(N)=""XX"THENN=N-1:CLS:GOTO180ELSE170
180 PRINT@128
190 FORT=1TON
200 PRINTN$(T)
210 NEXT
220 PRINT:PRINTTAB(3)"PRESS SPACE BAR TO PRINT."
230 FORD=1TODL:NEXT:IFINKEY$=CHR$(32)THEN290ELSEN=0:CLS:GOTO170
240 PRINT:PRINTTAB(3)"PRINT? Y/N"
250 FORN=1TO7
260 PRINT"LINE"N:CHR$(8)":":LINEINPUTN$(N)
270 IFN=7THEN290ELSEIFN$(N)=CHR$(95)THENN=N-1:GOTO290
280 NEXT
290 TM=INT((9-N)/2)
300 FORT=1TON
310 IFLEN(N$(T))>Z THEN320ELSE330
320 Z=LEN(N$(T))
330 NEXT
340 FORD=1TOTM:PRINT#-2:NEXT
350 FORT=1TON
360 PRINT#-2,TAB(TB-(Z/2))N$(T)
370 NEXT
380 FORD=1TO9-N-TM:PRINT#-2:NEXT
390 Z=0:N=0:IFK$="1"THEN170ELSE40
1000 DATA The Tandy Corporation,
300 One Tandy Center,Fort Worth TX,U.S.A. 76102,XX
1010 DATA The Submissions Editor ,RAINBOW,P.O. Box 385,Prospect KY,U.S.A. 40059,XX
1020 DATA MR. William P. Nutt,XX
1030 DATA Keiran Kenny,2/45 Cremorne Road,Cremorne NSW,Australia 2090,XX
2000 DATA ZZ


```





# Would You Buy a Car You Couldn't Get Fuel For? Why Buy a Computer You Can't Get Software For?

Many of you are now considering an alternative to the Color Computer to run OS/9. Are you really going to invest in an untried alternative with very limited software? Why not buy a computer that will run a UNIX Compatible (OS/9 like) operating system AND MS-DOS. According to published articles, this combination of industry-standard operating systems would run more than 90% of ALL of the software that has EVER been written. Compare the software bases represented below. We call these systems the OWL ATom.<sup>™</sup> Can your alternative to the CoCo be fixed locally? On-site service is available most areas on the ATom.



These highly adaptable computers we call the OWL ATom<sup>™</sup> series. They are not newcomers to the computer world, but are the current versions of computers which we have been building for more than 6 years. All systems can be configured with your choice of hard drive, graphics monitor, and 6 different processors. The systems described here are typical of the new versions of our line which offer 2 industry-standard operating systems.

## OWL ATom<sup>™</sup> ET or SX

For general features of our OWL ATom including expansion capabilities, check out the table below. Comparisons are also given to several Tandy<sup>™</sup> computers. The resolution of the optional VGA is also given.

### Typical system components:

Processor: 80286-12 or 80386SX-16  
Floppy drive: 1.2 or 1.44 Meg  
Memory: 1MB  
Hard Drive: 40 MB, 28 ms.  
Monitor: TTL Monochrome (720X350)

### MS-DOS Software:

MS-DOS (with all utilities)  
GWBASIC  
Integrated Software including:  
Desktop Organizer with tracker  
Outliner  
Word Processor

Spelling Checker  
Spreadsheet  
Data Base  
Graphics program  
Communications  
**UNIX Compatible Software:**  
Coherent<sup>™</sup> (A UNIX Compatible Operating System)  
C Compiler  
Full Screen Editor  
Line Editor  
Text Formattor  
AWK Language and Yacc  
Standard UNIX utilities  
**Documentation:**  
Over 1500 pages and VHS Tape  
**One of the best features is the price:**

**\$1295/\$1495**

First year on-site service \$45 (Most areas)  
VGA Color (800X600X256 colors) \$400.  
Call 215-837-1917 for other options


FEATURES	OWL ATom	2500 X1*	1000 TI/2*
Processor (Speed)	80286(12)	80286(10)	80286(8)
Total Slots	8	3	4
16 Bit Slots	6	3	0
Standard Memory	1024K	1024K	640K
Max. on Board RAM	4096K	1024K	768K
Graphics Output	VGA	VGA	CGA
Max. Resolution	1024X768	640X480	640X200
Drive Slots	5	3	3
Hard Drive Interface	Yes(16 Bit)	Yes(16 Bit)	Yes(8 Bit)
Floppy Drive	1.2 or 1.44 Meg	1.44 Meg	720K
Power Supply (Watts)	200	70	67
Warranty ( Parts and Labor)	1 Year	1 Year	1 Year

**OWL-  
WARE**  
P.O. Box 116  
Mertztown, PA  
19539

Call to Order:  
(800)245-6228  
PA and Support:  
(215)837-1917



\* Trademarks as follows: Model numbers -Tandy Corporation, MS-DOS- Microsoft, Inc., OS/9 -MicroWare, Inc., UNIX- AT&T, Inc.



# Proven

On the Razor's Edge of

## The New Frontier:

# The Most Advanced Color Computer Drive Systems Ever Offered!

**Fast No-Halt SCSI Floppies Using Optional SCSI Controller**

**Proven Performance for Demanding Home or Business Users**

This is the most advanced, fully assembled CoCo hard drive system offered. Using the optional OMTI 5200 SCSI controller with our Hard Drive Interface, our new system will support no-halt floppy drives. You need not wait while typing or worry about clock time losses. Why be limited to 3 floppy drives? A complete system could now consist of 1-3 standard CoCo floppy drives, 1-2 (or more) hard drives, and 1-3 no-halt floppies using standard (not just CoCo) OS/9 format. You can use

single or double-sided 40 or 80 track drives with the SCSI no-halt controller.

There are several new features with this improved interface. These include:

- Full SASI/SCSI compatible (this allows many add-ons to the versatile SCSI buss)
- No-Halt Floppies with optional SCSI controller allows full type-ahead during access
- Low factory-direct prices

- Fast Delivery from factory stock
- Optional Real Time Clock with built in battery (3-10 year lifetime)
- With the Clock you have 240 Bytes of battery backed up RAM for password protection or data storage!
- Same super stable LR Tech quality

Interface Price only: **\$85.**

Real Time Clock-RAM: **\$25.**

**20 or 30 Meg. 40 Meg. 80 Meg.**

**System Prices:** (Includes Hard Drive, case, & fan, SCSI Controller\*, LR/OWL Interface, Software. Fully assembled and tested.)

**\$495. \$535. \$875.**

**Super System Prices:** (LR/OWL System as above but OMTI 5200 SCSI Controller AND 3.5" or 5.5" HD 80 Track Floppy in same case)

**\$595. \$645. \$1039.(2 cases)**

\*SCSI controller is OMTI 5100. Add \$75 for OMTI 5200 with FDC.

### Introducing the **Quick-Link™** Interface

Provides both a 64K Printer Buffer and Serial and Parallel Interfaces.

**Serial to Parallel Printer Interface (64K Buffer) \$65.**

Converts serial computer output to parallel printer and also provides a 64K buffer in front of the printer. Serial side Female DB-25 and Parallel side is Centronics. Includes Centronics to Centronics cable and power AC-adaptor. If you need an adapter from the CoCo 4-pin serial to DB-25 add \$9. From 300-38,400 Baud.

**Parallel to Serial Interface (64K Buffer) \$45.**

Same as above except it converts Centronics parallel computer output to DB-25 Female serial. Plug into an IBM printer cable to provide output to a serial plotter.

**Parallel to Parallel (64K Buffer) \$39.**

This is parallel printer buffer with no conversion.

### Drive System Parts

#### Hard Drives

20/30 Meg	ST/PTI	\$229.
40 Meg	PTI	265.
80 Meg	ST4096	590.

#### SCSI Controllers

OMTI 5100	HD Only	\$79.
OMTI 5200	HD/FD	169.
OMTI 5400	HD/FD/Tape	199.

(Note: We have no drivers for tape yet)

#### Cases and Cables


Case, 45 Watt PS, Fan	\$105.
Cable set (3 pieces)	25.

Drives have a 1-year limited warranty. Other parts are 90-day warranty. Please Note - At these prices, only very limited support can be given.

# Technology

the Color Computer Frontier

## DISK DRIVES



### Floppy Drive Systems

The Highest Quality for Years of Service

**Drive 0 Systems** (Half Height, Double Sided, Direct Drives) **\$189.**

Drive 0 systems complete with drive, controller, legal DOS, cable, case, power supply, and manual

**Drive 1 Systems** (Half Height, Double Sided, Direct Drives) **\$115.**

**New 3.5", 720K Drives for OS-9 with case & Power Supply \$149.**

Drive 1 Systems have drive, case, power supply. (You may require optional cable and/or DOS chip to use)

**Special for 0/1 Combos (0,1,2,3) \$259.**  
**SALE Prices on Drives!**

#### HALF- HEIGHT DRIVE UPGRADES FOR RS HORIZONTAL CASES

Why only double the capacity of your system when you can triple in the same case? Kit includes: double-sided to fit your case, chip to run both sides of new drive, hardware, and detailed instructions. Easy! Takes only 5 minutes!

**Model Only \$119.**  
500, 501, or 502

All drives are new and fully assembled. We ship only FULLY TESTED and CERTIFIED at these low prices. We use Fuji, YE Data, and other fine brands. No drives are used or surplus unless otherwise stated to you when you order. We appear to be the one of the few advertisers in Rainbow who can truly make this claim. We have 7 years experience in the CoCo disk drive market! We are able to provide support when you have a problem.

**Drives 1 Year Warranty**

### OWL Phones

Order Numbers (only)

1-800-245-6228

1-215-682-6855

Fax: 1-215-837-1942

Technical Help

1-215-837-1917

#### OWL WARE Software Bundle

##### Disk Tutorial/Utilities/Games DISK TUTOR Ver 1.1

Learn how to use your disk drive from this multi-lesson, machine language program. This tutor takes you through your lessons and corrects your mistakes for a quick, painless disk drive introduction. (This professionally written tutor is easily worth the bundle's total price.)

##### 3 UTILITIES

A copy verify, copy, and DOS utility.

##### 2 GAMES

We will select 2 games from our stock. These are sold for more than \$20 each.

Do not mistake this software with cheap "Public Domain" software which others offer. All of this software is copyrighted and professional in quality. The tutor is unique with us and has helped thousands of new users learn their disk drive.

**only \$27.95**  
**(or even better)**  
**only \$6.95 with**  
**any Disk Drive Purchase!!**

#### 512K Upgrade

Again at a popular price. Fully assembled and tested before shipping. Easy to install. Uses fast 120 ns. chips.

**Only \$85.**

Now includes memory test, Ram Disk Lighting, Printer Lighting, and Back-up Lighting. All with an upgraded manual exclusive with OWL!

Our prices include a discount for cash but do not include shipping.

OWL-WARE has a liberal warranty policy. During the warranty period, all defective items will be repaired or replaced at our option at no cost to the buyer except for shipping costs. Call our tech number for return. Return of non-defective or unauthorized returns are subject to a service charge.

**OWL-WARE**  
**P.O. BOX 116**  
**Mertztown, PA 19539**

# Jumpman

by Phil Stroffolino



omputer animation can be frustrating and time-consuming for novices as well as for the most experienced programmers. Especially frustrating are the so-called experts who constantly criticize Extended BASIC as being inadequate for video games and other applications involving speed or graphics.

---

*Phil Stroffolino is a self-taught programmer specializing in video games. He is currently performing contract work for local businesses. He can be contacted at 5858 Southminster, Houston, TX 77035. Please include an SASE when requesting a reply.*

Machine language is fast, but in many cases it is possible to push BASIC to its limits and accomplish the same tasks. *Jumpman* is a program written entirely in BASIC for use with a CoCo 1, 2 or 3 with at least 32K of memory.

*Jumpman* uses intricate techniques to move objects, scroll the screen and manipulate the playing character. Use the left and right arrow keys to move the character, and the space bar to cause him to jump over obstacles that appear on the screen.

Most of the program's work is performed using GET and PUT. The flowers and "arrows" used as obstacles are drawn in Line 10 and stored in variables E and F. The three positions used by Jumpman are drawn in lines 20 and 30. They are stored in variables M1, M2 and M3. The "dead" Jumpman is drawn in Line 40 and stored in M4. Finally the title screen is drawn in Line 50, and the game starts at Line 60.

I hope you'll find *Jumpman* enjoyable, as well as a helpful source when writing your own animation routines. □



✓	20	.....	127
	40	.....	252
	80	.....	105
	120	.....	22
	END	.....	133

### The Listing: JUMPAN

```

0 'JUMPMAP
1 'WRITTEN BY PHIL STROFFOLINO
2 'COPYRIGHT FEBRUARY 1991
3 'BY FALSOFT, INC.
4 'RAINBOW MAGAZINE
10 CLS0: CLEAR500: PCLEARB: PMODE1,
1: PCLS3: DIMM1(12), M2(12), M3(12),
M4(12), F(8), E(8): DRAW"S8BM128, 4C
2NE2F2BR3H2E2BR2BDGFBM128, 96C4DR
2DER2DERUBL3C2LBD2C1D2L2HBR7GL2N
U2DL": GET(128,0)-(142,8), F: GET(1
28,96)-(142,138), E
20 DRAW"BM10,0C4R5FL8GNR11GDER2D
2EUR3C2R2DL4GR9FL4FR3GL2C4DLU2HD
2HUC2L6U2LD2HD2R7FNL7FL4C1L3GR11
DL11DR11GL9BE9LUR": GET(0,0)-(30,
30), M1: PUT(32,0)-(62,30), M1: DRAW
"BM2,20C4R4FL5FR5C2R3UNL3BR4UBG4

```

```

C4L5DR6BM32,18EFLGR3DNL2RC2R2UL2
BR10RD2C4HLFL3GR4GL2
30 DRAW"BL8EL4DR2DLBM72,0R5FL8GN
R11GDER2D2EUR3C2R2DL4GR9FL4FR3GL
2C4DLU2HD2HUC2L6U2LD2HD2R7FNL7FL
4C1L3FR6GL5GR8DL8FR8C4R2EL3UR3UL
3ER2BDBL13C2DLULUR3C4NR2DNR2BD3G
U2LD2BLBUBE10C1RUL": GET(0,0)-(30
,30), M1: GET(32,0)-(62,30), M2: GET
(64,0)-(94,30), M3
40 DRAW"BM98,0C4D4EUFNU3ED3ENU4R
U2FNU3RURNU2R2NU2R2NU2GC1D2LU2LD
2HC2UGLDNL2R2BR4U2F2LFL14UR2ULBD
3NR8LFR7FNL4FL3FR4BU2REL2HR3BL4C
4FL2FRBD4R2FL3BL3L3DNR4BH6NRD2C2
D2FNR2U2NR3U2R2HC1R3GR3FNL6DNR4L
3DNR6DLUL2": GET(96,0)-(126,30), M
4
50 CLS6: SCREEN0,0: PMODE3,1: PCLS3
: DRAW"BM40,38C4D12NL12BR4NU12R12
NU12BR4U12F6E6D12BR4U12R12D6NL12
BD6BR4U12F6E6D12BR4U12R12D6NL12D
6BR4U12F12U12": SCREEN1,0: B=1: FOR
I=2TO14STEP2: COLORB: B=3-B: LINE(I
,I)-(254-I,96-I), PSET,B: NEXT
60 J(7)--24: J(6)--16: J(5)--8: J(4
)--0: J(3)--8: J(2)--16: J(1)--24: PMODE
3,5: PCLS3: FORI=0TO3: PMODE1,I+4: C
OLOR4: LINE(0,178)-(255,190), PSET
,BF: DRAW"C2BM0,176R127BM0,191R12
7": B-I: X=0

```

```

70 B=B+1+4*(B-3): IFB=0THENDRAW"B
M=X; ,176DNL4NR4DNLNRD3NLNRDNL4R4
80 X=X+16: IFX<256THEN0ELSENEXT
90 PMODE3,1: PCLS3: L=0: C=-8: A=0: B
=5: W=1: X=32: K=0: Y=78: J=0: M=0: S=0
: PMODE1,3: SCREEN1,0: POKE65478,0
100 W=1: PMODE1,W: PCOPYB TOW: Q=X:
IFK THEN160ELSEIFJ THEN170ELSEIF
M THENPUT(X,Y)-(X+30,Y-30),M2 EL
SEPUT(X,Y)-(X+30,Y-30),M1
110 I$=INKEY$: H=(PEEK(343)-247)-
(PEEK(344)-247): J=-7*(I$=" "): IF
H>0THENX=X+S: S=S-8*(S<16): M=M-0E
LSEIF S THENM=0: X=X+S: S=S-8ELSEIF
H<0THENX=X+8*(X>0): M=M-0ELSEM=0
120 A=A-16: IFA<0THENA=256: R=64-8
*RND(2)ELSEPUT(A,R)-(A+14,R+8), F
: IFY<R+60RA>Q+240RA<Q-8THENELSEK
=1
130 IFC<-16THENC=-240ELSEIFC>=0TH
ENPUT(C,68)-(C+14,78), E: IFY<780R
C>Q+240RC<Q-8THENELSEK=1
140 IFX>112THENB=B+1+4*(B-8): X=X
-16: A=A-16: C=C-16
150 PCOPY1TO3: GOTO100
160 L=L+1: PUT(Q,Y)-(Q+30,Y-30),M
4: PLAY"01T2L24CGE-": IFL<8THEN12
0ELSEPLAY"01T6L4V>CV<DV>E-V<L2AP
1": GOTO50
170 Y=Y+J(J): J=J-1: PUT(X,Y)-(X+3
0,Y-30),M3: X=X+S: GOTO120

```

## Novices Niche

Financial Utility

16K Extended

### Loans by Steve Knapik

This program can be used to quickly and accurately find monthly payments and interest on loans or mortgages. It is very helpful when considering your loan options.

Upon running *Loans* you are asked to enter the loan amount. Enter a figure in whole dollars, rounding to the closest dollar value. Next you are asked for the

interest rate. The program takes care of conversions so you should enter this as a whole number with a decimal portion, if necessary. For example, enter 11.5, not .115, for an interest rate of 11½ percent. Finally, enter the number of years over which you will carry the loan. The results are printed onscreen. CoCo 1 and 2 should remove WIDTH32 from Line 100.

#### The Listing: LOANS

```

10 'LOANS
11 'WRITTEN BY STEVE KNAPIK
12 'COPYRIGHT FEBRUARY 1991
13 'BY FALSOFT, INC.
14 'RAINBOW MAGAZINE
20 REM 0.793 K
100 WIDTH32: CLS
110 CLS: PRINT" -> LOAN CALCUL
ATIONS"
120 PRINT: PRINT"WHAT IS THE AMOU
NT OF THE LOAN"

```

```

130 INPUT"IN WHOLE DOLLARS": A
140 IF A=0 THEN 110
150 A=ABS(A): A=INT(A)
160 IF A>250000 THEN 410
170 PRINT: INPUT"RATE OF INTEREST
": R
180 PRINT: INPUT"NUMBER OF YEARS
": Y
190 N=Y*12: R=ABS(R): M=R/1200
200 GOSUB 360: W=1
210 FOR J = 1 TO N: W=W*(1+M):
NEXT J
220 P=(A*M*W)/(W-1)

```

```

230 P=INT(P*100+.99)/100
240 K=N*P: L=K-A
250 K=INT(K): L=INT(L)
260 SOUND 200,01: CLS: PRINT
270 PRINT"AMT. OF LOAN: $"A
280 PRINT
290 PRINT"RATE OF INTEREST: "R"%
"
300 PRINT
310 PRINT"NUMBER OF YEARS: "Y
320 PRINT: PRINT: PRINT
330 PRINT"MONTHLY PAYMENTS: $"P
340 PRINT"INTEREST PAID: $"L
350 PRINT"DEFERRED PRICE: $"K
355 END
360 CLS: PRINT A;"FOR": N:
370 PRINT"MO. AT": R;"%"
380 PRINT: PRINT">> STAND BY - NO
W COMPUTING"
390 SOUND 165,10
400 RETURN
410 SOUND 100,5: PRINT: PRINT"
NOTE: T O O L A R G E !"
420 END

```

# The Assembly Line


## Part VII: Julia's Child



by William P. Nee

**P**art I of "The Assembly Line" (RAINBOW, May 1990) discussed computing and plotting numbers within the Mandelbrot set. The computations involved the repeated squaring of a complex number  $z$  and adding another complex number  $c$  ( $new\ z = z * z + c$ ). In the Mandelbrot set the complex number always varied (it was the current  $x$  and  $y$  coordinates). In the Julia set, named for French mathematician Gaston Julia,  $c$  is defined at the beginning and remains constant all the way through the computation. This may seem like a small change in procedure, but it causes major differences. All the Julia coordinates can be thought of as pages in a book. The Mandelbrot set is the sum of these infinite pages and is a volume by itself.

Take a look at Listing 1. In Line 90 the real part of the complex number (JA) is added and in Line 100 the imaginary part (JB) is added. If this was a Mandelbrot



program, Line 90 would have added  $x$  instead of JA and Line 100 would have added  $y$  instead of JB. Julia sets are usually plotted somewhere between  $-1.5$  and  $+1.5$  on both the real  $x$  axis and imaginary  $y$  axis. If JA and JB are coordinates within the Mandelbrot set, the resulting Julia set will be connected. But if they are outside the set, there will be isolated sets. You can zoom in on any portion of a Julia set by changing the  $x$  and  $y$  locations. The Julia coordinates (JA and JB) remain unchanged.

The machine language program (Listing 3) and its BASIC driver (Listing 2) will compute either a Mandelbrot or Julia set, save it with all necessary information to disk, zoom in on part of the picture and even recolor any part of it. The first part of

Listing 3 assigns space for all the variables, clears the iteration counter array (256 bytes) and the array where the iteration count for each point will be stored (\$8000 to \$E000).

The coordinates for each point are computed in lines 470-540 and lines 550-640. The imaginary part of the number ( $2 * A * B$ ) is computed in lines 730-780 and the real part ( $A * A - B * B$ ) is computed in lines 800-950. If it's a Mandelbrot program (JULIA=0) the  $x$  and  $y$  locations are added and if it's a Julia program (JULIA=1) then the JA and JB coordinates are added. The real and imaginary parts are squared and added together in lines 1120-1150. If the value is greater than four, the point must be outside the desired set and is colored based on its iteration count. If the value is less than four and the maximum iteration count hasn't been reached, the whole process is repeated. When the count has been reached, the point is plotted as a Mandelbrot or Julia set point. Every point within the area you've picked is checked and plotted in the same manner.

The next part of the program originates at \$7500 and is a cursor routine. Graphics for the cursor are stored in CURSOR. The ROM routine in Location \$A00A reads the joystick, stores the horizontal distance in \$015A and the vertical distance in \$015B. Since these readings are only from zero to 63 and the cursor is one byte wide, I had to scale each before saving them. Also, since the cursor is eight bytes high, the top can't go below 184. The byte where the cursor will

---

*Bill Nee bucked the snowbird trend by retiring to Wisconsin from a banking career in Florida. The success of his 13-part series, "Machine Language Made BASIC" (July 1988 to July 1989), prompted him to continue writing articles on Color Computer machine-language programming. You may contact Bill at Route 2, Box 216C, Mason, WI 54856-9302.*

be located is determined (lines 1900-1960), and the eight graphics bytes under it are removed and replaced with the cursor (lines 1990-2080). After a short delay the graphics are replaced (lines 2140-2210). This continues until you press the fire button indicating that this location is the upper-left corner of the zoom box.

As long as you hold down the fire button, the program keeps drawing a box. The horizontal and vertical distance between the old and current location is computed in lines 2300-2370. When this distance is at least three, graphics along the top border are removed and replaced with a red line (lines 2520-2590). The right side is drawn next (lines 2610-2700), the bottom line is drawn (lines 2720-2810) and finally the left side (lines 2830-2920). After a short delay all graphics bytes are replaced in the same order.

This activity repeats until the fire button is released indicating the location of the lower-right corner of the zoom box. The BASIC program then uses this information to compute new coordinates, rescale them

and then start drawing. There is a pause before drawing to let you write down the new coordinates and distances. Remember, the zoom box must start at the upper-left corner and go to the lower-right corner. I did not include any error trapping to see if the user tries any other direction.

The final routine (starting at \$7A00) recolors the display according to what new color value you assign to a specific iteration count. The program starts in high RAM, searching the stored count array for the one you have chosen (lines 3450-3540). When it finds a match, the coordinates for that point are computed and the point is PSET with the new color you picked (lines 3560-3760). The program keeps searching for other occurrences of the iteration count, setting those coordinates whenever one is found, then returns to BASIC. Each routine is a stand-alone program and could be added to other programs. For example, I use the cursor and recolor routines in several different drawing programs. When you've finished typing the program and correcting errors, save the source code as W MANDEL.SRC and as-

semble it with A MANDEL.BIN /NS/WE.

Now to review the BASIC program in Listing 2. Since there are many different strings in use, I had to clear a lot of space for them in Line 10. And because each disk file is so large, the FILES command clears space for 310 bytes. Lines 20-30 dimension all of the variables up front, which ensures that the VARPTR command will always produce the correct result. Array CL is a clear block that quickly erases. Array GE will get graphics and array NU gets the current recolor numbers.

The subroutine in Line 1700 originally creates an MCDATA file of 307 bytes, which will contain all the necessary picture information. Once this file exists, the routine prints the names of the pictures. The subroutine at Line 1500 pokes a 252-byte color scheme into the color array at \$72C9. You can use any other method of coloring, as long as it ends with POKE C0+251, 255.

If you enter your own coordinates, XL0-CATION and YLOCATION are the beginning of the area you want to display. XDISTANCE is how far to the right to go and YDISTANCE is

### SUPERIOR PROGRAMS FOR HOME AND OFFICE

**BANKMAN.** Continuously updates your checkbook. Save, Edit and print files. Lets you analyze spending; reconciles, summarizes banking transactions. Uses 32K. Manual. . . \$39.95

**GENERAL STATISTICS.** Computes over 50 stats, including Standard deviation & error, Covariance, Correlation, Chi-Square and ANOVA. Includes screen tables and manual. Edits, Saves and Prints data. User friendly. Has Manual. . . \$39.95

**ENVELOPE WRITER.** Prints return and mailing addresses directly on the envelope with a DWP or on tractor envelopes with a DMP. Saves on labels! Memorizes return addresses. Prints with custom fonts on TANDY printers. Uses 16K. . . \$19.95

**BASEBALL STATS.** Keeps track of 20 statistics. Continuously updates. Full of options! Uses 32K. Includes Manual. . \$39.95

**QUICK STATS.** A Baseball Scoreboard! Keeps track of over a dozen stats. Lets you save, edit & print data. 16K. . . \$24.95

**BRAINBUSTERS.** Multiple Choice/True-False Test Writing program. Lets you Save, Edit, Select, Randomize & Print. Many more options! Use professionally or for fun. . . \$39.95

**THE EXAMINER.** Use with above program to take "On Screen" tests. Grades and Saves results. For home or class. . . \$24.95

**TRIVIA 1-3.** Try these BRAINBUSTER quizzes. Each. . \$10.95

**COCO LABELS.** Sets up alphabetic screen index. 32K. . \$29.95

**CALCULATOR PROGRAM.** Practical! Educational! 16K. . \$14.95

Specify COCO 1, 2 or 3.  
Disk Only. Send check or money order. Add \$3.00 Shipping/Handling.  
Illinois Residents add 6.25% Sales Tax.

### TRADING POST

DISTRIBUTORS OF  
5-STAR SOFTWARE  
P.O. BOX 3453  
CARBONDALE, IL  
62902



# REVOLUTIONARY.

The MM/1. A revolutionary computer system designed by you.



Two years ago, the first MM/1™ design was laid out. Shaped by the latest computer technology -- and by your needs -- the MM/1 is the most affordable, powerful system you can buy. • The MM/1 uses your existing RGB-A monitor. It uses your joystick, floppy drives, printer, and modem. • Designed around industry standards, your future peripherals will fit nicely in your MM/1 system.



And the MM/1 already runs Amiga™ graphics utilities, PC animation, Macintosh™ sounds, and follows important elements of the Compact Disk-Interactive™ standard. IMS offers word-processing, databases, and applications brought over from the DOS and UNIX worlds. • Smooth stereo DMA sound lets the MM/1's 68070 processor work undisturbed. DMA 1.4 Megabyte floppy drive. Expandable to five floppies, seven hard disk or tape drives, five serial ports. Two parallel ports. Joystick port. You can network 128 MM/1s together.

Call 800/866-9084 for brochure or video.

**IMS** Interactive  
Media Systems

how far up (both of these must be positive). For Julia sets, also include the Julia point you're looking at (\$703A is JULIA in the machine language program). If the coordinates entered are correct, the drawing routine of the machine language program is executed.

The routine at Line 300 gives you menu options. Recoloring should be done before saving the picture and information to disk. Line 400 terminates the entire program. Line 500 copies the current picture to page five and saves the current information, while Line 1100 is the reverse transferring the picture and information back to page one.

Line 600 finishes the cursor routine by computing new *x* and *y* locations. The subroutine at Line 1200 computes the new *x* scale and *y* scale and then pokes all this new information into the machine-language program.

The routine at Line 700 loads the picture you select, opens the corresponding file to get all the necessary information and pokes the color scheme into the color array. Line 900 is the reverse, saving the picture and information to disk. *NM\$* is the name you want to give the picture, up to 12 letters. I start all names with an *M* or *J* to indicate which set they belong to. The program automatically creates a disk title *MANDEL 1.PIX*, etc. Line 1600 creates a 252 byte string of the current color array so it can be saved to disk.

The recolor routine starting at Line 1800

is almost half of the entire BASIC program. You are given the choice of having the used iteration counts and their colors sent to the screen and printer, or skipping over that part. Line 2200 draws the three-digit count you select and the color you want. Remember to use the back arrow to correct any mistakes. When the count has been recolored, press Enter for another recolor or the up arrow to go back to the menu. Line 2600 saves the DRAW commands for numbers and a dash as strings.

Wow! Let's try an example and get a feel for the program. Save the BASIC program as *MANDEL* and then run it. At the prompt, press 1 to enter your own data. Then enter -.83 for *XLOCATION*, +1.66 for *XDISTANCE*, -.83 for *YLOCATION* and +1.66 for *YDISTANCE*. Since this will be a Julia set, enter *J* and then +.31 for *JA LOCATION* and +.00742 for *JB LOCATION*. When the picture is finished, press ENTER to get to the menu and then either 3 or 4 to scale it. Try zooming in on the large spiral on the lower-left side, which should give you a large version of the original. While Mandelbrot set pictures may change considerably when you zoom in, Julia set pictures tend to be enlarged originals.

If you are willing to forgo the recoloring routine, you could really increase the iteration count. The current count would have to be a two-byte number and the color table enlarged. Some displays with very small distances may require up to 1000-1500 iterations to get all the detail.

You can stop the program and go to different lines if you've made a mistake that can't be corrected.

The basic menu begins in Line 80 and the menu options begin in Line 300. Line 900 saves the picture and information (be sure *S* is the current file number).

That's going to be all for Mandelbrot and Julia sets for a while. Maybe at some time in the future we'll draw them in 3-D. In the next article I'll discuss warping and twisting pictures. Your suggestions and comments are appreciated. If you have any ideas for future articles or general questions, please let me know. □

64K Disk



Listing 1: MANDEL1

```

0 'COPYRIGHT 1990 FALSOFT, INC.
10 XL=-.83:XD=+1.66:XS=XD/64
20 YL=-.83:YD=+1.66:YS=YD/64
30 JA=+.31:JB=+.00742
40 PMODE1,1:PCLS:SCREEN1,0
50 FOR H=0 TO 63:X=XL+H*XS
60 FOR V=0 TO 63:Y=YL+V*YS
70 A=X:B=Y
80 FOR C=0 TO 50
90 AA=A*A-B*B+JA
100 BB=2*A*B+JB
110 A=AA:B=BB
120 IF A*A+B*B>4 THEN PSET(H+H,1
90-(V+V),C AND 3):GOTO 140
130 NEXT C:PSET(H+H,190-(V+V),4)
140 NEXT V,H
150 GOTO 150

```

70	.....	253
160	.....	136
340	.....	92
620	.....	9
760	.....	88
900	.....	200
1010	.....	70
1210	.....	87
1320	.....	10
1510	.....	152
1705	.....	101
1820	.....	112
1950	.....	64
2040	.....	123
2130	.....	165
2280	.....	24
2390	.....	198
2500	.....	123
END	.....	36

Listing 2: MANDEL2

```

0 'COPYRIGHT 1990 FALSOFT, INC.
10 CLEAR1000,&H7000-1:PCLEAR8:FI
LES 1,310:CLS
20 IF PEEK(&H7040)<>142 THEN LOA

```

```

DM"MANDEL"
30 DIM NM$(20),TI$(20),XL,YL,XD,
YD,XS,YS,JA,JB,V,H,X1,Y1,X2,Y2,L
X,LY,DX,DY,AJ,BJ,X,A,S,B,C,D,J,C
T,NU,CO
40 DIM GE(11),CL(11),NU(11),A$(1
0),A$,B$,C$,D$,DA$,CO$,XL$,XD$,Y
L$,YD$,JA$,JB$
50 GOSUB 1700:J=0
60 PRINT" MANDELROT/JULIA PROGR
AM":GOSUB1500
70 PMODE3,1:PCLS:GET(0,0)-(55,7)
,CL
80 PRINT"MENU SELECTION -":PRINT
90 PRINT" 1)INPUT CURRENT DATA":
PRINT
100 PRINT" 2)LOAD PICTURE FROM D
ISK":PRINT
110 A$=INKEY$:IF A$=""THEN 110 E
LSE ON VAL(A$) GOTO 120,700
120 CLS:PRINT:INPUT"XLOCATION";X
L
130 INPUT"XDISTANCE";XD:IF XD<=0
THEN 130
140 PRINT:INPUT"YLOCATION";YL
150 INPUT"YDISTANCE";YD:IF YD<=0
THEN 150
160 PRINT:PRINT"<M>ANDELBROT OR
<J>ULIA SET"
170 A$=INKEY$:IF A$="M" THEN J=0
:GOTO 210: ELSE IF A$="J" THEN 1

```

```

80 ELSE 170
180 IF A$="J" THEN J=1
190 PRINT:INPUT"JA LOCATION";JA
200 INPUT"JB LOCATION";JB
210 POKE &H703A,J:GOSUB1200:PMOD
E3,1:PCLS:SCREEN1,0
220 EXEC &H704A:SOUND 50,4:EXEC
&HADFB
300 CLS:PRINT"OPTIONS -"
310 PRINT" 1)SAVE TO DISK"
320 PRINT" 2)LOAD FROM DISK
330 PRINT" 3)SAVE TO MEMORY AND
SCALE
340 PRINT" 4)SCALE PICTURE
350 PRINT" 5)LOAD FROM MEMORY AN
D SCALE
360 PRINT" 6)RECOLOR",," 7)END P
ROGRAM"
370 A$=INKEY$:IF A$=""THEN 370
380 ON VAL(A$) GOTO 900,700,500,
600,1100,1800,400
390 GOTO370
400 PCLEAR4:CLEAR200,&H7FFF:NEW
500 FOR N=1 TO 4:PCOPY N TO N+4:
NEXT
510 LX=XL:DX=XD:LY=YL:DY=YD:AJ=J
A:BJ=JB
600 PMODE3,1:SCREEN1,0
610 EXEC &H751A
620 H1=PEEK(&H7500)*4:V1=PEEK(&H
7501):V1=192-V1

```



```

630 X1=XL+H1*XS:Y1=YL+V1*YS
640 H2=(PEEK(&H7502)+1)*4:V2=PEE
K(&H7503):V2=191-V2
650 X2=XL+H2*XS:Y2=YL+V2*YS
660 XD=X2-X1:YD=Y2-Y1
670 XL=X1:YL=Y2
680 GOTO 210
700 CLS:PRINT"DISK DIRECTORY -"
710 IF S>0 THEN GOSUB 1750
720 IF S=0 THEN GOSUB 1700
730 PRINT
740 INPUT"ENTER DESIRED TITLE NU
MBER":A:IF A>S THEN 740
750 PMODE3,1:PCLS:SCREEN1,0:POKE
65494,0:LOADM TI$(A)
760 OPEN"D",#1,"MJDATA",307
770 FIELD#1,1 AS J$,12 AS A$,12
AS B$,5 AS XL$,5 AS XD$,5 AS YL$,
5 AS YD$,5 AS JA$,5 AS JB$,252
AS C$
780 GET#1,A
790 J=VAL(J$):POKE&H703A,J
800 NM$=A$:TI$=B$
810 XL=CVN(XL$):XD=CVN(XD$):XS=X
D/128
820 YL=CVN(YL$):YD=CVN(YD$):YS=Y
D/192
825 JA=CVN(JA$):JB=CVN(JB$)
830 CO$=C$
840 CLOSE#1:GOSUB1650:GOTO 610
900 PRINT:LINEINPUT"PICTURE NAME
":NM$:IF LEN(NM$)>12 THEN PRI
NT"TITLE IS TOO LONG":GOTO900
910 S=S+1:TI$="MANDEL"+RIGHT$(ST
R$(S),2)+"".PIX"

```

```

920 VERIFYON:SAVEM TI$,&HE00,&H2
5FF,&HE00
930 PRINT"GETTING COLORS -"
940 GOSUB 1600
950 OPEN"D",#1,"MJDATA",307
960 FIELD#1,1 AS J$,12 AS A$,12
AS B$,5 AS XL$,5 AS XD$,5 AS YL$,
5 AS YD$,5 AS JA$,5 AS JB$,252
AS C$
970 LSET J$=RIGHT$(STR$(J),1)
980 LSET A$=NM$
990 LSET B$=TI$
1000 LSET XL$=MKN$(XL)
1010 LSET XD$=MKN$(XD)
1020 LSET YL$=MKN$(YL)
1030 LSET YD$=MKN$(YD)
1035 LSET JA$=MKN$(JA)
1036 LSET JB$=MKN$(JB)
1040 LSET C$=CO$
1050 PUT#1,S:CLOSE#1
1060 NM$(S)=NM$:TI$(S)=TI$
1070 GOTO 300
1100 PMODE3,1:SCREEN1,1
1110 FOR N=5 TO 8:PCOPY N TO N-4
:NEXT
1120 XL=LX:XD=DX:YL=LY:YD=DY:JA=
AJ:JB=BJ
1130 GOTO600
1200 XS=XD/128:V=VARPTR(XS)
1210 FOR N=0 TO 4:POKE&H7001+N,P
EEK(V+N):NEXT
1220 YS=YD/192:V=VARPTR(YS)
1230 FOR N=0 TO 4:POKE&H701B+N,P
EEK(V+N):NEXT
1240 V=VARPTR(XL)

```

```

1250 FOR N=0 TO 4:POKE&H7006+N,P
EEK(V+N):NEXT
1260 V=VARPTR(YL)
1270 FOR N=0 TO 4:POKE&H7020+N,P
EEK(V+N):NEXT
1280 IF J=0 THEN 1330
1290 V=VARPTR(JA)
1300 FOR N=0 TO 4:POKE&H703B+N,P
EEK(V+N):NEXT
1310 V=VARPTR(JB)
1320 FOR N=0 TO 4:POKE&H7040+N,P
EEK(V+N):NEXT
1330 CLS
1340 PRINT"CURRENT DATA -":PRINT
1350 PRINT" XLOCATION :":XL
1360 PRINT" XDISTANCE :":XD:PRIN
T
1370 PRINT" YLOCATION :":YL
1380 PRINT" YDISTANCE :":YD:PRIN
T:IF J=0 THEN 1410
1390 PRINT" JA LOCATION :":JA
1400 PRINT" JB LOCATION :":JB:PR
INT
1410 PRINT"PRESS ANY KEY TO BEGI
N -"
1420 EXEC &HADFB:RETURN
1500 CO=&H72C9
1510 FOR X=0 TO 10
1520 POKE CO+X,0:NEXT
1530 FOR X=11 TO 250
1540 POKE CO+X,(X AND 3)*&H55
1550 NEXT
1560 POKE CO+251,&HFF:RETURN
1600 CO$="" :CO=&H72C9
1610 FOR X=0 TO 251

```

## COLOR RIBBONS & PAPER

COLOR RIBBONS RED, BLUE, GREEN, BROWN, PURPLE, YELLOW				COLOR PAPER	
Ribbons	Price Each	Black	Color	Heat Transfer	
<b>BRIGHT PACK -</b>					
200 Sheets 50 ea. color. Red, Blue, Green, Yellow 9 1/2 x 11 - \$11.90/pk.					
<b>PASTEL PACK -</b>					
200 Sheets/50 ea. color Pink, Yellow, Blue, Ivory 9 1/2 x 11 - \$11.90/pk.					
<b>COLOR BANNER, PARTY BANNER, CHRISTMAS BANNER, HAPPY B-DAY BANNER, CONGRAT'S BANNER -</b>					
45' Roll - \$9.95 Ea. Roll					
<b>COLOR CERTIFICATE PAPER -</b>					
100 Shts./Pk. - \$9.95/Pk.					
<b>GREETING CARDS -</b>					
50 Cards & 40 Env./Pk. - \$11.95/Pk.					
Radio Shack					
- DMP 130	6.50	8.00			
- DMP 110	4.50	5.25	5.75		
- DMP 120	6.75	7.75			
- DMP 130-132	5.25	6.50	7.95		
- DMP 200	6.75	7.75			
- DMP 230 520	4.00	5.25			
- DMP 410 510	5.00	7.00			
- DMP 430	12.00				
Apple Image I/II	3.75	4.50	6.50		
Cinzen 120/180D	5.00	6.00	7.95		
Epson MX80/LX800	3.75	4.25	6.75		
Okidata 180 192	6.50	7.50	6.00		
Panasonic K XP 1080	6.75	7.75			
Seikosha SP 800 1000	5.25	6.50	7.95		
Star NX 10/NL 10	5.00	6.00	7.95		
Star NX 1000	4.50	5.50	6.75		
Star NX 1000 - 4-Color		8.75			

**T-SHIRT RIBBONS (Heat Transfer) - Call For Price & Avail.**  
COLORS: Red, Blue, Green, Brown, Purple, Yellow, Black

### COLOR DISKETTES

5 1/4" DS/DD Rainbow Pack. 10/pack - \$12.50

Conditions & paper not listed above, call for price. Price & spec. subject to change w/o notice. Min. order \$25.00. S & H \$3.50 minimum. Visa, M.C., C.O.D.

### RAMCO COMPUTER SUPPLIES

P.O. Box 475, Menteno, IL 60950 U.S.A.  
(U.S.A.) 800 522-6922 • (Canada) 800 621-5444  
815-468-8081

# SELLING FAST.

The MM/1. The revolutionary computer system that everybody wants.



Interactive Media Systems designed the MM/1 for the future -- and for a wide range of users. • Industry and higher education are buying the MM/1. IBM-PC owners are buying the MM/1. Software engineers and multimedia developers are buying the MM/1.

Now you can, too.



The computer industry, dominated by IBM and Apple, is growing at only 8 - 10% per year. *Personal Computing* magazine reports that multimedia computing will more than triple by 1992. The multimedia MM/1 is designed for the future, changing the way you think about computing.

Join us and the rest of the Color Computer community. Multimedia computing. Windows. Multi-tasking. Familiar operation. High resolution graphics. Stereo sound. 16.7 million color palette. Networking. The MM/1.

Welcome to your next computer.

Call 800/866-9084 for brochure or video.

 **IMS** Interactive Media Systems

```

1620 C=PEEK(CO+X)/&H55+1
1630 CO$=CO$+RIGHT$(STR$(C),1)
1640 NEXT:RETURN
1650 CO=&H72C9:FOR X=1 TO 252
1660 C=VAL(MID$(CO$,X,1))
1670 POKE CO+X-1,C
1680 NEXT:RETURN
1700 OPEN"D".#1,"MJDATA",307
1705 IF LOF(1)=0 THEN CLOSE#1:S=0:RETURN
1710 FIELD#1,1 AS J$,12 AS A$,12 AS B$,5 AS XL$,5 AS XD$,5 AS YL$,5 AS YD$,5 AS JA$,5 AS JB$,252 AS C$
1720 FOR S=1 TO LOF(1):GET #1,S
1730 NM$(S)=A$:TI$(S)=B$
1740 NEXT:CLOSE#1:S=S-1:RETURN
1750 FOR X=1 TO S
1760 PRINTUSING"###>";X::PRINT NM$(X).
1770 NEXT:RETURN
1800 'RECOLOR DISPLAY
1810 CLS:PRINT"RECOLOR"
1820 PRINT"1> PRINT TO SCREEN","2> TO PRINTER","3> SKIP TO RECOLOR"
1830 PRINT:PRINT"WHICH ONE -"
1840 A$=INKEY$:IF A$=""THEN 1840
1850 IF A$="1" THEN 1890
1860 IF A$="2" THEN 2800
1870 IF A$="3" THEN 2110
1880 GOTO 1840
1890 CT=&H719D:CO=&H72C9:DA$=""
1910 CLS:C=0:FOR X=0 TO 63:IF PEEK(CT+X)=0 THEN 1950
1920 PRINTUSING"###";X::PRINTDA$
:
1930 PRINTUSING" ";PEEK(CO+X)/&H55+1;
1940 C=C+1:IF C=5 THEN C=0:PRINT
1950 NEXT:PRINT:PRINT"PRESS ANY KEY TO CONTINUE";:EXEC&HADFB:C=0
1960 CLS:C=0:FOR X=64 TO 127:IF PEEK(CT+X)=0 THEN 2000
1970 PRINTUSING"###";X::PRINTDA$
:
1980 PRINTUSING" ";PEEK(CO+X)/&H55+1;
1990 C=C+1:IF C=5 THEN C=0:PRINT
2000 NEXT:PRINT:PRINT"PRESS ANY KEY TO CONTINUE";:EXEC&HADFB:C=0
2010 CLS:C=0:FOR X=128 TO 191:IF PEEK(CT+X)=0 THEN 2050
2020 PRINTUSING"###";X::PRINTDA$
:
2030 PRINTUSING" ";PEEK(CO+X)/&H55+1;
2040 C=C+1:IF C=5 THEN C=0:PRINT
2050 NEXT:PRINT:PRINT"PRESS ANY KEY TO CONTINUE";:EXEC&HADFB:C=0
2060 CLS:C=0:FOR X=192 TO 255:IF PEEK(CT+X)=0 THEN 2100
2070 PRINTUSING"###";X::PRINT DA$
:
2080 PRINTUSING" ";PEEK(CO+X)/&H55+1;
2090 C=C+1:IF C=5 THEN C=0:PRINT
2100 NEXT:PRINT
2110 PRINT"ENTER 3-DIGIT COUNT (000 - 250)"
2120 PRINT"THEN ENTER 1-DIGIT COLOR (1 - 4)";
2130 PRINT"PRESS ANY KEY TO BEGIN";
2140 EXEC &HADFB
2200 PMODE3,1:SCREEN1,0:GOSUB260
0:GET(0,0)-(55,7).GE
2210 POKE 135,0:A$="" : B$="" : C$="" : D$=""
2220 PUT(0,0)-(55,7).CL,PSET
2230 A$=INKEY$:IF A$=""THEN 2230
2240 IF ASC(A$)<48 OR ASC(A$)>50 THEN 2230
2250 A=VAL(A$):DRAW"BM1,1;XA$(A):"
2260 B$=INKEY$:IF B$=""THEN 2260
2270 IF B$=CHR$(8) THEN DRAW"C1;BM1,1;XA$(A);C4":GOTO 2230
2280 IF ASC(B$)<48 OR ASC(B$)>50 THEN 2260
2290 IF A=2 AND ASC(B$)>53 THEN 2260
2300 B=VAL(B$):DRAW"BM10,1;XA$(B):"
2310 C$=INKEY$:IF C$=""THEN 2310
2320 IF C$=CHR$(8) THEN DRAW"C1;BM10,1;XA$(B);C4":GOTO2260
2330 IF ASC(C$)<48 OR ASC(C$)>57 THEN 2310
2340 C=VAL(C$)
2350 NU=100*A+10*B+C:IF NU>255 THEN 2310
2360 DRAW"BM20,1;XA$(C);"
2370 POKE &H7A57,NU
2380 DRAW"BM30,1;XDA$;"
2390 D$=INKEY$:IF D$=""THEN 2390
2400 IF D$=CHR$(8) THEN DRAW"C1;BM20,1;XA$(C);C4":GOTO 2310
2410 D=VAL(D$):IF D<1 OR D>4 THEN 2390
2420 DRAW"BM40,1;XA$(D);"
2430 GET(0,0)-(55,7).NU,PSET-(55,7).GE,PSET
2440 POKE &HB5,(D-1)*&H55:POKE C0+NU,(D-1)*&H55
2450 EXEC &H7A00
2460 PUT(0,0)-(55,7).NU,PSET
2470 A$=INKEY$:IF A$=""THEN 2470
2480 IF A$=CHR$(94) THEN PUT(0,0)-(55,7).GE,PSET:GOTO 300
2490 IF A$=CHR$(13) THEN 2210
2500 GOTO 2470
2600 A$(0)=""R6D6L6U5"
2610 A$(1)=""BR3NG3D6NL3R3"
2620 A$(2)=""R6D3L6D3R6"
2630 A$(3)=""R6D3NL4D3L6"
2640 A$(4)=""D3R6NU3D3"
2650 A$(5)=""NR6D3R6D3L6"
2660 A$(6)=""D6R6U3L6"
2670 A$(7)=""R6D6"
2680 A$(8)=""NR6D3NR6D3R6U6"
2690 A$(9)=""ND3R6D3NL6D3"
2700 DA$=""BD3BR1R3":RETURN
2800 CO=&H72C9:CT=&H719D:DA$=""
2810 C=0:FOR X=0 TO 252:IF PEEK(CT+X)=0 THEN 2850
2820 PRINT#-2,USING"###";X::PRINT#-2,DA$;
2830 PRINT#-2,USING" ";PEEK(CO+X)/&H55+1;
2840 C=C+1:IF C=13 THEN C=0:PRINT#-2
2850 NEXT:GOTO 2110

```

### Listing 3: MANDEL.ASM

00100	ORG	\$7000		00320	START	LDX	#ITCT	CLEAR IT OUT
00110	HORZ	RMB	1	00330		LDD	#0	
00120	XSCALE	RMB	5	00340	CLOOP	STD	,X++	
00130	XLOC	RMB	5	00350		CMPX	#ITCT+256	
00140	ACOR	RMB	5	00360		BLO	CLOOP	
00150	AA	RMB	5	00370		ORCC	#\$50	
00160	ASQR	RMB	5	00380		LDY	#\$8000	IN HIGH RAM
00170	VERT	RMB	1	00390		CLR	\$\$FFDF	HIGH RAM
00180	YSCALE	RMB	5	00400	CL1	STD	,Y++	CLEAR IT OUT
00190	YLOC	RMB	5	00410		CMPY	#\$E000	
00200	BCOR	RMB	5	00420		BLO	CL1	
00210	BB	RMB	5	00430		CLR	\$\$FFDE	LOW RAM
00220	BSQR	RMB	5	00440		LDY	#\$8000	
00230	COUNT	RMB	1	00450				
00240	TEMPB	RMB	5	00460	SHOW	CLRB		
00250	JULIA	RMB	1	00470	LOOP3	STB	HORZ	
00260	JA	RMB	5	00480		JSR	\$BC7C	
00270	JB	RMB	5	00490		LDX	#XSCALE	
00280	FOUR	FDB	\$8300	00500		JSR	\$BACA	
00290		FDB	\$0000	00510		LDX	#XLOC	
00300		FCB	\$00	00520		JSR	\$B9C2	
00310				00530		LDX	#ACOR	-XL+H*XS

```

00540 JSR $BC35
00550 CLR B
00560 LOOP2 STB VERT
00570 CLRA
00580 JSR $B4F4
00590 LDX #YSCALE
00600 JSR $BACA
00610 LDX #YLOC
00620 JSR $B9C2
00630 LDX #BCOR -YL+V*YS
00640 JSR $BC35
00650 LDX #BB
00660 JSR $BC35
00670 LDX #ACOR
00680 JSR $BC14
00690 LDX #AA
00700 JSR $BC35
00710 CLR B
00720 LOOP1 STB COUNT
00730 LDX #AA
00740 JSR $BC14
00750 LDX #BB
00760 JSR $BACA -A*B
00770 INC $4F -2*A*B
00780 LDX #TEMPB
00790 JSR $BC35
00800 LDX #AA
00810 JSR $BC14
00820 LDX #AA
00830 JSR $BACA -A*A
00840 LDX #ASQR
00850 JSR $BC35
00860 LDX #BB
00870 JSR $BC14
00880 LDX #BB
00890 JSR $BACA -B*B
00900 LDX #BSQR
00910 JSR $BC35
00920 LDX #BSQR
00930 JSR $BC14
00940 LDX #ASQR
00950 JSR $B9B9 -A*A-B*B
00960 LDX #ACOR
00970 TST JULIA IS IT A JULIA PROGRAM?
00980 BEQ JA1 NO
00990 LDX #JA YES
01000 JA1 JSR $B9C2
01010 LDX #AA -NEW REAL NUMBER
01020 JSR $BC35
01030 LDX #TEMPB
01040 JSR $BC14
01050 LDX #BCOR
01060 TST JULIA
01070 BEQ JB1
01080 LDX #JB
01090 JB1 JSR $B9C2
01100 LDX #BB -NEW IMAGINARY NUMBER
01110 JSR $BC35
01120 TEST2 LDX #ASQR
01130 JSR $BC14
01140 LDX #BSQR
01150 JSR $B9C2 -A*A+B*B
01160 LDX #FOUR
01170 JSR $BC96 GREATER THAN 4?
01180 TST B
01190 BPL COLOR2 YES
01200 LDB COUNT
01210 INCB
01220 CMPB #250
01230 LDBL LOOP1
01240 COLOR1 STB COUNT
01250 COLOR2 LDB COUNT
01260 CLR $FFDF
01270 STB ,Y+ SAVE ITERATION COUNT
01280 CLR $FFDE
01290 CLRA

```

# delmar co

## SYSTEM IV COMPUTER

PERFORMANCE - FLEXIBILITY - VERSATILITY

MC68000 Microprocessor - 16 MHz  
 1 MB of DRAM (0 wait state) 4 MB optional  
 VGA Video Card - 800 X 600 X 16 to 320 X 200  
 X 256 or a Hercules Monochrome Card  
 Seven PC/XT Compatible Slots  
 Floppy Disk Controller (37C65) supports two 360K, 720K,  
 1.2M or 1.4M Drives

One 1.4 MByte, 3 1/2" Floppy Drive  
 Four RS-232 Serial Ports and a Parallel Printer Port  
 40 MB Hard Drive, 28 msec - optional  
 Clock with Battery

4 layer board  
 Memory Expansion slot - add up to 8 MB of DRAM

Professional OS9/68000  
 One Year Parts and Labor Warranty

Mfg by Peripheral Technology  
 200 Watt Switching Power Supply

AT style keyboard  
 Baby AT Case - holds three 5 1/4" 1/2 ht drives  
 and one 3 1/2" drive accessible from the front and one  
 3 1/2" internal drive.

WD XTGEN Hard Disk Controller (MFM)  
 Drivers and Descriptors for the Devices and Ports Included

Model K402-m with Hercules Monochrome Video Card ..... \$1,399.00  
 Model K402-v with VGA Video Card ..... \$1,499.00  
 Model K401-m with 4 MB on-board DRAM, 40 MB Hard Drive  
 (28 msec) and Hercules Monochrome Card ..... \$1,899.00  
 Model K401-v with 4 MB on-board DRAM, 40 MB Hard Drive  
 (28 msec) and VGA Card ..... \$1,999.00  
 Monitors available at reduced prices when purchased with SYSTEM IV.

### OS9/68000 SOFTWARE

SCULPTOR - Development System (68000) from ..... \$2,500.00  
 Quick Ed - Editor and Text formatter ..... \$ 275.00  
 FlexLint - A must for C programmers ..... \$ 495.00  
 Caching - High Speed Disk Caching (demo available) .. \$ 300.00  
 IMP - Intelligent Make Program ..... \$ 250.00  
 DISASM\_OS9 - OS-9/68K 3-pmts Disassembler ..... \$ 250.00  
 Windows - C Source Code Windowing Library ..... \$ 250.00  
 Profile - User State Program Profiler ..... \$ 270.00  
 PAN Utilities - C Source Code Utility Set ..... \$ 250.00

(For boards and kits, contact Peripheral Technology at 1-404-984-0742.)

P.O. Box 78 • Middletown Shopping Center • Middletown, DE 19709  
 302/378-2555

01300		LDX	#ITCT		02060	LEAU	32,U	DOWN 1 BYTE
01310		STB	D,X	SHOW IT'S BEEN USED	02070	DECB		
01320		LDX	#CTABLE		02080	BNE	CLOOP1	
01330		LDB	D,X	GET COLOR FOR COUNT	02090			
01340	PSET	STB	\$B5		02100	DELAY1	LDX	#\$2000
01350		LDA	#191		02110	DLAY1	LEAX	-1,X
01360		SUBA	VERT		02120		BNE	DLAY1
01370		LDB	#32		02130			
01380		MUL			02140	LDU	BYTE1	REPLACE GRAPHICS
01390		ADDA	\$BA		02150	LDX	#CARRAY	
01400		TFR	D,X		02160	LDB	#8	
01410		LDB	HORZ		02170	LDA	.X+	
01420		LSRB			02180	STA	.U	
01430		LSRB			02190	LEAU	32,U	
01440		ABX			02200	DECB		
01450		LDA	HORZ		02210	BNE	CLOOP2	
01460		ANDA	#3		02220			
01470		LDU	#\$92E5		02230	FBUTT	LDA	\$\$F00 F/B PUSHED?
01480		LDA	A,U		02240		CMPA	#255
01490		ANDA	\$B5		02250		BEQ	JOY1
01500		ORA	.X		02260		CMPA	#127
01510		STA	.X		02270		BEQ	JOY1
01520	NEXT	LDB	VERT		02280			
01530		INCB			02290	JOY2	JSR	[\$A00A] YES
01540		CMPB	#191		02300		LDA	\$15A NEW X LOCATION
01550		LBSL	LOOP2		02310		LSRA	
01560		LDB	HORZ		02320		STA	HORIZ2
01570		INCB			02330		LDB	\$15B NEW Y LOCATION
01580		CMPB	#127		02340		PSHS	B
01590		LBSL	LOOP3		02350		LSLB	
01600		ANDCC	#\$AF		02360		ADDB	.S+
01610		RTS			02370	LR	STB	VERT2
01620	ITCT	RMB	300		02380			
01630	CTABLE	RMB	300		02390	GET	LDA	HORIZ2
01640					02400		SUBA	HORIZ1
01650		ORG	\$7500		02410		CMPA	#3 AT LEAST 3 BYTES LONG
01660	HORIZ1	RMB	1		02420		BLO	JOY2
01670	VERT1	RMB	1		02430		STA	ACROSS
01680	HORIZ2	RMB	1		02440		LDB	VERT2
01690	VERT2	RMB	1		02450		SUBB	VERT1
01700	BYTE1	RMB	2		02460		CMPB	#3
01710	BYTE2	RMB	2		02470		BLO	JOY2
01720	ACROSS	RMB	1		02480		STB	DOWN
01730	DOWN	RMB	1		02490		LDU	BYTE1
01740	CARRAY	RMB	8		02500		LDX	#ARRAY2
01750	CURSOR	FDB	\$FCF0		02510			
01760		FDB	\$F0F0		02520		LDB	ACROSS TOP BORDER
01770		FDB	\$0CCCC		02530		INCB	
01780		FDB	\$0303		02540	GETL1	LDA	.U GET GRAPHICS
01790	JOY1	JSR	[\$A00A]		02550		STA	.X+
01800		LDA	\$15A	X DIRECTION	02560		LDA	#255
01810		LSRA			02570		STA	.U+ REPLACE WITH RED
01820		STA	HORIZ1		02580		DECB	
01830		LDB	\$15B	Y DIRECTION	02590		BNE	GETL1
01840		PSHS	B		02600			
01850		LSLB			02610		LEAU	-1,U RIGHT SIDE
01860		ADDB	.S+		02620		LDB	DOWN
01870		CMPB	#184	STAY 8 BYTES FROM BOTTOM	02630		DECB	
01880		BLS	UL		02640	GETL2	LEAU	32,U
01890		LDB	#184		02650		LDA	.U
01900	UL	STB	VERT1		02660		STA	.X+
01910		LDA	#32		02670		ORA	#3 JUST RIGHT SIDE RED
01920		MUL			02680		STA	.U
01930		ADDB	HORIZ1		02690		DECB	
01940		ADCA	#0		02700		BNE	GETL2
01950		ADDA	\$BA		02710			
01960		STD	BYTE1	CURSOR BYTE	02720		LEAU	32,U BOTTOM BORDER
01970		TFR	D,U		02730		LDB	ACROSS
01980					02740		INCB	
01990		LDX	#CARRAY		02750	GETL3	LDA	.U
02000		LDY	#CURSOR		02760		STA	.X+
02010		LDB	#8		02770		LDA	#255
02020	CLOOP1	LDA	.U		02780		STA	.U
02030		STA	.X+	SAVE GRAPHICS	02790		LEAU	-1,U
02040		LDA	.Y+	REPLACE WITH CURSOR	02800		DECB	
02050		STA	.U		02810		BNE	GETL3

```

02820
02830      LEAU  1,U   LEFT SIDE
02840      LDB   DOWN
02850      DECB
02860 GETL4  LEAU  -32,U
02870      LDA   ,U
02880      STA   ,X+
02890      ORA   #C0    JUST LEFT SIDE RED
02900      STA   ,U
02910      DECB
02920      BNE   GETL4
02930
02940 DELAY2  LDX   #2000
02950 DLAY2   LEAX  -1,X
02960      BNE   DLAY2
02970      LDU   BYTE1
02980      LDX   #ARRAY2
02990
03000 PUT    LDB   ACROSS  REPLACE GRAPHICS
03010      INCB
03020 PUTL1  LDA   ,X+
03030      STA   ,U+
03040      DECB
03050      BNE   PUTL1
03060
03070      LEAU  -1,U
03080      LDB   DOWN
03090      DECB
03100 PUTL2  LEAU  32,U
03110      LDA   ,X+
03120      STA   ,U
03130      DECB
03140      BNE   PUTL2
03150
03160      LEAU  32,U
03170      LDB   ACROSS
03180      INCB
03190 PUTL3  LDA   ,X+
03200      STA   ,U
03210      LEAU  -1,U
03220      DECB
03230      BNE   PUTL3
03240
03250      LEAU  1,U
03260      LDB   DOWN
03270      DECB
03280 PUTL4  LEAU  -32,U
03290      LDA   ,X+
03300      STA   ,U
03310      DECB
03320      BNE   PUTL4
03330
03340      LDA   $FF00  RELEASED F/B?
03350      CMPA  #254
03360      LBEQ  JOY2
03370      CMPA  #126
03380      LBEQ  JOY2
03390
03400 DONE  JSR   [$A000] YES
03410      BEQ  DONE
03420      RTS
03430 ARRAY2 RMB   1
03440
03450      ORG   $7A00
03460 RECOL  LDY   #$8000  IN HIGH RAM
03470      ORCC  #50
03480      CLR  $FFDF  HIGH RAM
03490      CLRB
03500 REL1  STB   HORZ
03510      CLRA
03520 REL2  STA   VERT
03530      LDA   ,Y+
03540      CMPA  NUMBER  IS IT ONE WE WANT?
03550      BNE  CONT    NO
03560      LDA   #191    YES
03570      SUBA  VERT

```

```

03580      LDB   #32
03590      MUL
03600      ADDA  $BA
03610      TFR   D,X
03620      LDB   HORZ
03630      LSRB
03640      LSRB
03650      ABX
03660      LDA   HORZ
03670      ANDA  #3
03680      LDU   #PTABLE
03690      LDA   A,U
03700      TFR   A,B
03710      COMA
03720      ANDA  ,X
03730      ANDB  $B5    NEW COLOR
03740      PSHS  B
03750      ORA   ,S+
03760      STA   ,X
03770 CONT  LDA   VERT
03780      INCA
03790      CMPA  #191
03800      BLS  REL2
03810      LDB   HORZ
03820      INCB
03830      CMPB  #127
03840      BLS  REL1
03850      CLR  $FFDE  LOW RAM
03860      ANDCC #AF
03870      RTS
03880 NUMBER RMB   1
03890 PTABLE  FDB  $C030
03900      FDB  $0C03
03910
03920      END   START

```

## CORRECTIONS

“Turn of the Screw” (August 1990, Page 48): The pin number for E on the CoCo bus in Table 2 is incorrect. E appears on the CoCo bus on Pin 6, not Pin 16 as shown in the table. Also, the \*RST pin should be listed in Table 2 on Pin 1 of the MEB bus and Pin 5 of the CoCo bus. The corrected table is shown below:

Pin Name	MEB Pin#	CoCo Pin#
D0	5	10
D1	6	11
D2	7	12
D3	8	13
D4	9	14
D5	10	15
D6	11	16
D7	12	17
A0	3	19
A1	4	20
A2	17	21
R/*W	15	18
E	2	6
*CE	13	36
*RST	1	5
+5V	16	9
GND	14	33

Table 2: System Pinouts

# Novices Niche

## Bank Account

by William W. Coolman

This is a simple program to balance your checkbook in the manner suggested on the back of most bank statements. The program gives you a choice of running it on any Color Computer. If you are using a CoCo 1 or 2, the screen appears as usual. If you have a CoCo 3, the screen changes to a black background and you see true lowercase on the screen.

It seems as if everyone has a bank program, but most do not give you a choice of black or green screen with true lowercase. These additions are noteworthy and I encourage you to experiment with them in your own programs.

Use *Bank* to balance your check register. Then if your book does not agree with CoCo, print it on any printer. I use a DMP-110, but the program should work with most any other printer.


If you choose CoCo 3, you'll need to press the Reset button and re-run the program to get back to the Choice menu and wash the black off the screen.

### The Listing: BANK

```

1 'BANK ACCOUNT
2 'WRITTEN BY WILLIAM W. COOLMAN
3 'COPYRIGHT FEBRUARY 1991
4 'BY FALSOFT, INC.
5 'RAINBOW MAGAZINE
10 PRINT
20 PRINT"          // // // //
30 PRINT"          BANKING
40 PRINT"          // // // //
50 PRINT:PRINT"NAME THE COMPUTER
   YOU ARE USEING"
60 PRINT:PRINT"  1-COCO 1 OR 2
70 PRINT:PRINT"  2-COCO 3
80 PRINT
90 INPUT"          TYPE A NUMBER";U
100 ON U GOSUB 140,930
110 PRINT
120 PRINT
130 REM...MARK/BBB,A
140 PRINT"          BANKING
150 PRINT"          // // // //
160 PRINT
170 PRINT:PRINT"1-BALANCE CHECK
   BOOK"
180 PRINT:PRINT"2-PRINT OUT REGI
   STER"
190 PRINT
200 INPUT"          TYPE A NUMBER";H
210 ON H GOTO 220,660
220 CLS 3
230 INPUT"BALANCE";B
240 CLS 3
250 PRINT
260 PRINTTAB(15)"total="B
270 PRINT
280 PRINT:PRINT"  1=checks"
290 PRINT:PRINT"  2=deposits"
300 PRINT:PRINT"  3=checks out"
310 PRINT:PRINT"  4=bank stateme
   nt"
320 PRINT:PRINT"          USE zero BAC
   K TO MENU"
330 PRINT
340 INPUT"          TYPE A NUMBER";N
350 ON N GOTO 390,450,500,550
360 PRINT
370 PRINT TAB(15)"total="B
380 PRINT
390 INPUT"CHECK=";A
400 B=B-A
410 IF A=0 GOTO 240
420 PRINTTAB(15)"total="B
430 GOTO 390
440 PRINT
450 INPUT"DEPOSIT=";C
460 IF C=0 GOTO 240
470 B=B+C
480 PRINT TAB(15)"total="B
490 GOTO 450
500 INPUT"CHECKS OUT=";K
510 IF K=0 GOTO 240
520 L=L+K
530 PRINT TAB(15)L
540 GOTO 500
550 INPUT"STATEMENT=";M
560 IF M=0 GOTO 240
570 R=M-L
580 PRINT"CHECKS OUT"TAB(12)L
590 PRINT"BANK BOOK"TAB(11)R
600 IF R=M-L THEN PRINT TAB(15)"
   correct"
610 PRINT
620 PRINT
630 INPUT"hit <enter> back to me
   nu";Y
640 IF Y=0 THEN GOTO 240
650 PRINT
660 INPUT"MONTH";D$
670 INPUT"YEAR";F
680 PRINT#-2,"DATE "D$;F
690 INPUT"BALANCE";B
700 PRINT#-2,"LAST MONTH'S BALAN
   CE-----";B
710 PRINT#-2,"CHECKS
   TOTAL"
720 PRINT"USE ZERO TO CHANGE"
730 PRINT
740 PRINT TAB(15)"TOTAL"
750 PRINT"CHECKS"
760 PRINT
770 INPUT"CHECK=";A
780 PRINT#-2,"          CHECK"
   ;A
790 B=B-A
800 IF A=0 GOSUB 840
810 PRINTTAB(15)B
820 PRINT#-2,"BALANCE-----";
   B
830 GOTO 770
840 PRINT
850 INPUT"DEPOSIT=";C
860 PRINT#-2,"          DEPOSI
   T";C
870 IF C=0 GOTO 770
880 B=B+C
890 PRINT TAB(15)B
900 PRINT#-2,"          -";B
910 GOTO 850
920 PRINT
930 POKE&H95C9,&H7F:POKE&HFF33,&
   H10
940 REM black screen-green type
950 SCREEN 1,0
960 GOTO 140
970 REM...PROG...BANK

```



# BEST PUBLIC DOMAIN PROGRAMS !

FROM T&D SUBSCRIPTION SOFTWARE

"Great service and great software"  
Jim Garner  
Ft. Worth, Tx

T&D SUBSCRIPTION SOFTWARE HAS ACCUMULATED OVER  
1,000 PUBLIC DOMAIN PROGRAMS FOR THE COLOR COMPUTER.  
WE ARE SELLING 630 OF THE BEST. JUST THE GOOD STUFF !

"Your programs are the greatest!"  
Christine Rapoza  
Tiverton, RI

## Music 1-7

- M1 - 8 Utilities & 8 Songs
- M2 - 17 Musica Files
- M3 - 16 Musica Files
- M4 - 16 Musica Files
- M5 - 25 Orchestra Files
- M6 - 23 .Bin Files Ready To Run
- M7 - 23 .Bin Files Ready To Run



Requires Musica

## ADVENTURES 1,2

Each Disk/Tape Contains  
9 Great Adventures  
Ready To Run

Order A1 Or A2



## TELECOMMUNICATIONS 1-3

- T1 - Haysae, Kermil, Mikeyterm, TeleTerm
- T2 - Cobbs BBs Terminal Package
- T3 - GETERM Communications



## GRAPHICS 1-14


- GR1 - Atlanta, Cube, Space, +
- GR2 - Objects, Wargame, Workmap, +
- GR3 - 9 Coco 3 Graphic Programs
- GR4 - 22 Coco Max Pictures
- GR5 - 22 Coco Max Pictures
- GR6 - 22 Coco Max Pictures
- GR7 - 15 Coco Max Pictures
- GR8 - 22 .Bin Pictures
- GR9 - 22 .Bin Pictures
- GR10 - 14 Large .Bin Pictures
- GR11 - 8 Mga Pictures
- GR12 - Coco Max 3 Pictures
- GR13 - Macpaint Graphic Editor
- GR14 - 5 Macintosh Pictures



\*\* See Our Ad Containing 290 Graphic Pictures Elsewhere In This Magazine

## EDUCATION 1-4

- E1 - 12 Programs For Young Kids
- E2 - 12 Programs For High School Kids
- E3 - 11 Programs Teaching The Coco'S Commands
- E4 - 5 Graphics Programs About Australia



## HOME MANAGEMENT 1-4

• 12 Programs Each Disk/Tape •

- H1 - Checkbook, Loan, Word Processor, +
- H2 - Cash Journal, Invest, Mailist, +
- H3 - Life, Database, Stocks, +
- H4 - Spelling Fix, Spelling Checker, +



## GAMES 1-11

• Each Disk/Tape Contains 12 Programs •

- GA1 - 3D Tic Tac, Missile, Poker, Tycoon, +
- GA2 - Amazing, Balloons, Motor Jump, Slots, +
- GA3 - Battleship, Golf, Lander, Zero G, +
- GA4 - ABM, LunarWorld, Protect, Subchase, +
- GA5 - Blackjack, Lazer, Tipon, Utopia, +
- GA6 - Kings, Maze, Shuffle, Tempest, +
- GA7 - Chess, City, Life, StarTrek, +
- GA8 - Chute, Gem, Hurkle, Lunar, +
- GA9 - Civil War, Go-Fish, Stock, UFO Maze, +
- GA10 - Cave, HiLow, Scramble, Word Hunt, +
- GA11 - Biorythms, Craps 3, Gunner, Martians, +



## UTILITIES 1-8

• 12 Programs Each, 1-4 Require Disk •

- U1 - Backup 35, Basicmap, Timer, Tape-to-Disk, +
- U2 - Customize, DiskTest, MasterDisk, Offset, +
- U3 - View 64, DiskAid, Disk Library, Atari, +
- U4 - AutoBoot, MacPicture, StateLog, UniBack, +
- U5 - Disassembler, Graph, PaintPot, Squeeze, +
- U6 - Clock, List 32, MiniDos, Pixcomp, +
- U7 - Head Print With 30 Mini Pictures
- U8 - Fig Forth Language With Tutorial

**BUY ALL 53  
DISKS/TAPES FOR  
ONLY \$145.00 !**


MAIL TO:

**T&D Subscription Software**  
2490 Miles Standish Drive  
Holland, Michigan 49424  
(616) 399-9648

Call or write for a FREE catalog !

### PRICES:

1- 5 disks/tapes....\$6.00 each  
6 or more.....\$5.00 each  
All 53 disks/tapes \$145.00



• WE SEND 1ST CLASS - NO CHARGE •

• PERSONAL CHECKS WELCOME •

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Credit Card # \_\_\_\_\_

Expires \_\_\_\_\_

TOTAL AMOUNT \$ \_\_\_\_\_

### CIRCLE ISSUES DESIRED

- |    |      |    |    |      |
|----|------|----|----|------|
| M1 | GR1  | E1 | U1 | GA1  |
| M2 | GR2  | E2 | U2 | GA2  |
| M3 | GR3  | E3 | U3 | GA3  |
| M4 | GR4  | E4 | U4 | GA4  |
| M5 | GR5  |    | U5 | GA5  |
| M6 | GR6  | H1 | U6 | GA6  |
| M7 | GR7  | H2 | U7 | GA7  |
|    | GR8  | H3 | U8 | GA8  |
| A1 | GR9  | H4 |    | GA9  |
| A2 | GR10 |    |    | GA10 |
|    | GR11 |    |    | GA11 |
| T1 | GR12 |    |    |      |
| T2 | GR13 |    |    |      |
| T3 | GR14 |    |    |      |

PLEASE CIRCLE

**TAPE                      DISK**

# Visualizing Fractions 3

by Fred B. Scerbo  
Contributing Editor

*If you have an idea for the "Wishing Well," submit it to Fred c/o THE RAINBOW. Remember, keep your ideas specific, and don't forget this is BASIC. All programs resulting from your wishes are for your use, but remain the property of the author.*

Last month I introduced the latest installment in our educational series on math skills titled *Visualizing Fractions 2*. VISFRAC2 is very different from some of our recent math offerings since it introduces the relationships between different fractions. The graphics in that program are also very different in that they combine several drawing strings with the PAINT command to give a dramatic demonstration of the pie-chart representation of fractions.

This month we'll look at VISFRAC3, a program to help students become more familiar with the decimal versions of all the fractions with denominators between 2 and 9. By using the opposites shell, users can now easily review all of these relationships and then quiz their recall in two different ways.

### Changes

Before it could be used in this program, the opposites shell had to undergo some major changes. Those of you familiar with that screen format will recall that it allows "sets" to be quizzed while showing three

*Fred Scerbo is a special needs instructor for the North Adams Public Schools in North Adams, Massachusetts. He holds a master's in education and has published some of the first software available for the Color Computer through his software firm, Illustrated Memory Banks.*

choices on the screen with one box (in the upper-left corner of the screen) showing the item to match in reverse graphics. This may have been suitable for other uses, but the reverse-graphics box does not serve our purposes here. Each fraction is usually represented with the black sections indicating which part of the fraction is the numerator. Therefore, in the fraction  $\frac{2}{3}$ , two segments would be black and one segment would be white. But if we print this graphic in reverse, the user might incorrectly think

the fraction shown is  $\frac{1}{3}$  instead of  $\frac{2}{3}$  since the black and white would be reversed.

This problem was solved by changing the upper-left box to a white box rather than a black, reversed-graphics box. The program still works since at any one time only one fraction appears on screen with three decimal choices, or one decimal with three fraction choices in the reversed quiz. This still carries over to the screen inversion which occurs if the user gives the wrong response. The inverted screen has been

32K Extended

25	.....	80	565	.....	81	1090	.....	14
55	.....	50	610	.....	227	1130	.....	33
85	.....	255	660	.....	106	1170	.....	117
125	.....	152	710	.....	192	1210	.....	62
150	.....	40	760	.....	117	1245	.....	127
205	.....	252	805	.....	98	1280	.....	103
255	.....	140	840	.....	18	1310	.....	103
305	.....	221	880	.....	134	1340	.....	168
355	.....	22	920	.....	235	1370	.....	181
405	.....	104	950	.....	142	1405	.....	40
445	.....	61	985	.....	67	1450	.....	254
480	.....	207	1020	.....	41	1505	.....	199
515	.....	41	1050	.....	226	END	.....	9

**The Listing: VISFRAC3**

```

1 REM*****
2 REM* VISUALIZING FRACTIONS 3 *
3 REM* COPYRIGHT (C) 1990 *
4 REM* BY FRED B. SCERBO *
5 REM* 60 HARDING AVE *
6 REM* NORTH ADAMS, MA 01247 *
7 REM*****
10 CLEAR800
15 CLS:PRINTSTRING$(32,172):STR
ING$(32,204)::FORI=1TO 224 :READ
A:PRINTCHR$(A+160)::NEXT
20 DATA29,28,28,26,30,28,29,21,2
8,29,21,28,29,21,28,30,29,20,30,
21,28,29,20,30,18,29,24,30,29,84
,92,93
25 DATA21,,24,26,,21,21,,21,21,
,20,20,,26,20,,26,21,,21,,26,26,
21,,26,,,85
30 DATA21,,18,26,,21,21,16,21,2
1,,,,26,,26,21,,21,,26,21,21,,
26,,,85
35 DATA21,28,28,26,30,29,28,21,2
8,29,21,,,,26,,26,21,,21,,26,2
0,23,,28,29,,92,93
40 DATA21,,,26,21,,21,,21,21,,,
,,26,,26,21,,21,,26,,31,,21,,,
85
45 DATA21,,,26,20,26,21,,21,21,

```

40 THE RAINBOW February 1991



corrected so that the flashing screen effect still occurs without destroying the flow of the program.

Another major change was also needed for this program to operate properly. Since using Option C (Reverse quiz) requires having more than one fraction-pie chart drawn, the program needed a number of IF...THEN statements to compensate for these changes. Therefore, the program can now tell the difference between the types of graphics it must draw, and it draws a pie chart only when needed.

The third and final change comes in the program's ability to generate the random choices. Since some fractions have the same decimal values (e.g. both  $1/2$  and  $2/4$  are 0.5), the program needed some way of preventing the same answer from appearing more than once in one of the three boxes for multiple choice. This is accomplished by

comparing the actual values as the numbers are picked. This prevents any duplication and the problems that might result from it.

### Using the Program

When using VISFRAC3, you can go to the menu by pressing ENTER after the title card. Selection A, Review Fractions, allows you to go through all choices and their matches by simply pressing ENTER. Options B and C are the same quiz with the order changed. Selection B matches three decimals to one fraction while C lets you match three fractions to one decimal.

The choice you must match with is in the upper-left corner. The remaining three boxes are your choices. You need only press the space bar to move the cursor to your choice. Pressing ENTER records your choice. A correct choice causes the program to show the match, from which you

may advance by again pressing ENTER. An incorrect choice causes the screen to flash, and the program lets you try again.

Pressing @ shows your score. You may resume where you left off by pressing C to continue. If you press C after the quiz is over, the program simply restarts.

That's all it takes to use VISFRAC3. You will find it is very useful when learning decimal values, and it generates a better understanding of fractions in general.

### Conclusion

At least one more variation on these fraction skills (involving changing fractions to percentages) is forthcoming. We'll call that one VISFRAC4. If you think of other tangents to pursue with these skills or topics, drop me a line and cast your wish into the "Wishing Well." Who knows what we might discover? □

```
.21,,.26,,.26.21..21,,.26,,.21,,.18
.21,,.85
50 DATA28,24,,.20,28,,.28,20,,.20,2
0,28,28,,.20,28,,.20,28.20,28,28,2
0,28,,.28,24,28,28,84,92,92
55 PRINTSTRING$(32,195);STRING$(
32,163);
60 PRINT@388," VISUALIZING FRACT
IONS 3 ";
65 PRINT@420," BY FRED B.SCER
BO "":PRINT@452," COPYRIGH
T (C) 1990 "":
70 X$=INKEY$:IFX$<>CHR$(13)THEN7
0
75 DIM P$(44,4),A$(6),A(44),N(44
),B(4),C(4),D(4),E(4),F(4),G(44)
80 FORI=1TO3:READ C(I),D(I),E(I)
,F(I):NEXT:FORI=1TO6:READA$(I):N
EXT:FORI=1TO44:READP$(I,1),P$(I,
2),P$(I,3):NEXT:FORI=1TO44:READG
(I):P$(I,4)="BR":NEXT
85 COLOR1,0:FORI=1TO9:P$(I,1)=0$
+P$(I,1):NEXTI
90 REM TITLE
95 CLS:PRINTSTRING$(64,"-"):PRI
NT@68,"VISUALIZING FRACTIONS 3":
PRINTSTRING$(64,"-"):PRINT@198,
"A) REVIEW FRACTIONS":PRINT@262,
"B) QUIZ GRAPHICS":PRINT@326,"C)
REVERSE QUIZ"
100 PRINT@388,"<<<SELECT YOUR CH
OICE>>>"
105 PRINT:PRINTSTRING$(32,"-");
110 X$=INKEY$:X=RND(-TIMER):IFX$
="A"THEN50ELSEIFX$="B"THEN115EL
SEIFX$="C"THEN1510ELSE110
115 CLS0:PMODE0,1:PCLS1
120 LINE(0,0)-(254,170),PRESET,B
125 LINE(6,4)-(122,82),PRESET,B
130 LINE(128,4)-(248,82),PRESET,
B
```

```
135 LINE(6,86)-(122,164),PRESET,
B
140 LINE(128,86)-(248,164),PRESE
T,B
145 DRAW"BM26,188C0NU10R10NU10BR
6R10U6L10U4R10BR6NR10D4NR10D6R10
BR12BU6NE4D2F4BR6R10U6L10U4R10BR
6ND10R10D4NL10BR6NR10D6U10R10D10
BR6NR10U10R10BR6NR10D4NR10D6R10B
R10U10NL4R10D4NL10D6NL14BR6U10R1
0D4NL10D6BR6U10R10D4L10R4F6BR6E4
U2H4"
150 DATA130,6,246,80,6,86,120,16
2,130,86,246,162
155 PAINT(2,2),0,0:PCOPY1TO3
160 PMODE0,4:PCLS1
165 LINE(0,0)-(254,170),PRESET,B
F
170 LINE(6,4)-(122,82),PSET,B
175 LINE(128,4)-(248,82),PSET,B
180 LINE(6,86)-(122,164),PSET,B
185 LINE(128,86)-(248,164),PSET,
B
190 PCOPY4TO2:PMODE0,1:SCREEN1,1
195 DATA"BM2,8C0S4","BM130,8C0S4
","BM2,90C0S4","BM130,90C0S4","B
M2,48C0S4","BM130,48C0S4"
200 FORI=1TO44
205 A(I)=RND(44):IFN(A(I))=1THEN
205
210 N(A(I))=1:NEXTI:FORI=1TO44:C
OLOR1,0
215 FORI=2TO4
220 B(I)=RND(3)+1:IFN(B(I))=0THE
N220
225 N(B(I))=0:NEXTI:FORI=1TO4:N(
I)=1:NEXI
230 B=RND(44):IFB=A(Y)THEN230
235 IFG(B)=G(A(Y))THEN230
240 C=RND(44):IFC=B OR C=A(Y)T
HEN240
```

```
245 IFG(C)=G(A(Y))THEN240
250 DRAW A$(1):DRAW$(A(Y),1):IF
NG=1THEN265
255 CIRCLE(60,42),34,0,.9:PAINT(
56,20),0,0
260 DRAW A$(1):DRAW"C1":DRAW$(A
(Y),2)
265 DRAW A$(B(2)):DRAW$(B,3)
270 DRAW A$(B(3)):DRAW$(C,3)
275 DRAW A$(B(4)):DRAW$(A(Y),3)
280 IF NG=0THEN315
285 CIRCLE(188,42),34,0,.9:PAINT
(184,36),0,0
290 CIRCLE(60,124),34,0,.9:PAINT
(56,120),0,0
295 CIRCLE(188,124),34,0,.9:PAIN
T(184,120),0,0
300 DRAW A$(B(3))+C1":DRAW$(C,
4)
305 DRAW A$(B(4))+C1":DRAW$(A(
Y),4)
310 DRAW A$(B(2))+C1":DRAW$(B,
4)
315 COLOR1,0
320 Z=0
325 PMODE0,4
330 DRAW A$(1)+C1":DRAW$(A(Y),
1):IF NG=1THEN345
335 CIRCLE(60,42),34,1,.9:PAINT(
56,20),1,1
340 DRAW A$(1):DRAW"C0":DRAW$(A
(Y),2)
345 DRAW A$(B(2))+C1":DRAW$(B,
3)
350 DRAW A$(B(3))+C1":DRAW$(C,
3)
355 DRAW A$(B(4))+C1":DRAW$(A(
Y),3)
360 IF NG=0THEN395
365 DRAW A$(B(2))+C1":DRAW$(B,
4)
```

## Submitting Material To Rainbow

Contributions to THE RAINBOW are welcome from everyone. We like to run a variety of programs that are useful, helpful and fun for other CoCo owners.

**WHAT TO WRITE:** We are interested in what you want to tell our readers. We accept for consideration anything that is well-written and has a practical application for the Tandy Color Computer. If it interests you, it will probably interest lots of others. However, we vastly prefer articles with accompanying programs that can be entered and run. The more unique the idea, the more the appeal. We have a continuing need for short articles with short listings. These are especially appealing to our many beginners.

**FORMAT:** Program submissions must be on tape or disk, and it is best to make several saves, at least one of them in ASCII format. We're sorry, but we do not have time to key in programs and debug our typing errors. All programs should be supported by some editorial commentary explaining how the program works. We also prefer that editorial copy be included in ASCII format on the tape or disk, using any of the word processors currently available for the Color Computer. Also, please include a double-spaced printout of your editorial material and program listing. Do not send text in all capital letters; use upper- and lowercase.

**COMPENSATION:** We do pay for submissions, based on a number of criteria. Those wishing remuneration should *so state* when making submissions.

For the benefit of those wanting more detailed information on making submissions, please send a self-addressed, stamped envelope (SASE) to: Submission Guidelines, THE RAINBOW, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. We will send you comprehensive guidelines.

Please do not submit material currently submitted to another publication.

```

370 DRAW A$(B(3))+ "C1":DRAWP$(C,
4)
375 DRAW A$(B(4))+ "C1":DRAWP$(A(
Y),4)
380 CIRCLE(188,42),34,1,.9:PAINT
(184,34),1,1
385 CIRCLE(60,124),34,1,.9:PAINT
(56,116),1,1
390 CIRCLE(188,124),34,1,.9:PAI
N(184,116),1,1
395 PMODE0,1:SCREEN1,1
400 LINE(8,6)-(120,80),PSET,B
405 IF Y>44THEN RUN
410 X$=INKEY$:IFX$=" "THEN420ELS
EIFX$="@ "THEN1445
415 COLOR1,0:LINE(8,6)-(120,80).
PRESET,B:GOTO400
420 Z=Z+1:IFZ=4THENZ=1
425 COLOR1,0:LINE(C(Z),D(Z))-(E(
Z),F(Z)),PSET,B
430 X$=INKEY$:IFX$=" "THEN420ELS
EIFX$="CHR$(13)THEN440ELSEIFX$="@
"THEN1445
435 COLOR1,0:LINE(C(Z),D(Z))-(E(
Z),F(Z)),PRESET,B:GOTO425
440 IFZ+1=B(4)THEN450
445 NW=NW+1:FORK=1T05:PMODE0,4:S
CREEN1,1:SOUND10,3:PMODE0,1:SCRE
EN1,1:SOUND1,3:NEXTK:GOTO425
450 NC=NC+1:PMODE0,4:PCLS1:LINE(
0,40)-(256,126),PRESET,B:LINE(6,
44)-(124,122),PRESET,B:LINE(130,
44)-(248,122),PRESET,B:PAINT(2,4
2),0,0
455 DRAW A$(5)+ "S4":DRAWP$(A(Y),
1):IFNG=1THEN465
460 CIRCLE(60,82),34,0,.9:PAINT(
54,60),0,0
465 DRAWA$(5)+ "C1":DRAWP$(A(Y),2
)
470 DRAW A$(6):DRAWP$(A(Y),3):IF
NG=0THEN480
475 CIRCLE(188,82),34,0,.9:PAINT
(170,80),0,0
480 DRAWA$(6)+ "C1":DRAWP$(A(Y),4
)
485 SCREEN1,1
490 X$=INKEY$:IFX$<>CHR$(13)THEN
490
495 PMODE0,1
500 PCOPY3T01:SCREEN1,1:PCOPY2T0
4:NEXTY:GOTO1445
505 PMODE0,2:PCLS1:SCREEN1,1:LIN
E(0,40)-(256,126),PRESET,B:LINE(
6,44)-(124,122),PRESET,B:LINE(13
0,44)-(248,122),PRESET,B:PAINT(2
,42),0,0
510 FORI=1T044:DRAW A$(5)+ "S4":C
IRCLE(60,82),34,0,.9:DRAWP$(I,1)
:PAINT(54,60),0,0:DRAWA$(5)+ "C1"
:DRAWP$(I,2)
515 DRAWA$(6)+ "C0":DRAWP$(I,3):D
RAWA$(6):DRAWP$(I,4)
520 X$=INKEY$:IFX$<>CHR$(13)THEN
520
525 COLOR1,0:LINE(8,46)-(122,120
),PSET,BF:LINE(132,46)-(246,120)
,PSET,BF:NEXTI
530 RUN
535 REM ONE HALF
540 DATA"BR58BD34NU28ND28BR44BD1
2NR8U4R8U4L8BU4L2R12L6BU4U8"
545 DATA
550 DATA"BR34BD46S8R8U12L8D12BR1
2RBR4R8U6L8U6R8"
555 REM TWO HALVES
560 DATA
565 DATA"BR58BD34NU28ND28BR44BD1
2C0NR8U4R8U4L8BU4L2R12L6BU4R4L8U
4R8U4L8"
570 DATA"BR36BD46S8R4L2U12NGBR6B
D12RBR4R8U12L8D12"
575 REM ONE THIRD
580 DATA"BR58BD34NU28M-26,+15M+2
6,-15M+26,+15BR20BU2R8U4NL8U4L8B
U4L2R12L6BU4U8"
585 DATA
590 DATA"BR14BD46S8R8U12L8D12BR1
2RBR3R7U6NL7U6NL7BR4R7D6NL7D6NL7
BR4R7U6NL7U6L7"
595 REM TWO THIRDS
600 DATA"BR58BD34NU28M+26,+15BR2
0BU2R8U4NL8U4L8BU4L2R12L6BU4R4L8
U4R8U4L8"
605 DATA"BR58BD34M-26,+15"
610 DATA"BR12BD46S8R8U12L8D12BR1
2RBR4NU12R8U6NL8BU6NL8BR4D12R8U6
L8U6R8BR4ND2R8D12"
615 REM THREE THIRDS
620 DATA
625 DATA"BR58BD34NU28M-26,+15M+2
6,-15M+26,+15BR20BU2C0R8U4NL8U4L
8BU4L2R12L6BU4L4R8U4NL8U4L8"
630 DATA"BR36BD46S8R4L2U12NGBR6B
D12RBR4R8U12L8D12"
635 REM ONE FOURTH
640 DATA"BR58BD34NU28ND28NL32R32
BR22BD12U8D4L8U4BU4L2R12L6BU4U8"
645 DATA
650 DATA"BR20BD46S8R8U12L8D12BR1
2RBR4NR8U6R8U6NL8BR4NR8D6R8D6L8"
655 REM TWO FOURTHS
660 DATA"BR58BD34NU28ND28R32BR22
BD12UBD4L8U4BU4L2R12L6BU4R4L8U4R
8U4L8"
665 DATA"BR58BD34L32"
670 DATA"BR34BD46S8R8U12L8D12BR1
2RBR4R8U6L8U6R8"
675 REM THREE FOURTHS
680 DATA"BR58BD34NU28R32BR22BD12
UBD4L8U4BU4L2R12L6BU4L4R8U4NL8U4
L8"
685 DATA"BR58BD34NL32D28"
690 DATA"BR20BD46S8R8U12L8D12BR1
2RBR4BU12ND2R8D12BR4R8U6L8U6R8"
695 REM FOUR FOURTHS
700 DATA
705 DATA"BR58BD34NU28ND28NL32R32
BR22BD12C0UBD4L8U4BU4L2R12L6BU4B
R4U8D4L8U4"
710 DATA"BR36BD46S8R4L2U12NGBR6B
D12RBR4R8U12L8D12"
715 REM ONE FIFTH
720 DATA"BR58BD34NU28M-30,-10M+3
0,+10M+30,-10M-30,+10NG22NF22BR4
6BD12R8U4L8U4NR8BU4L2R12L6BU4U8"
725 DATA
730 DATA"BR32BD46S8R8U12L8D12BR1
2RBR4NR8U6R8U6NL8"
735 REM TWO FIFTHS
740 DATA"BR58BD34NU28M+30,-10M-3
0,+10NG22NF22BR46BD12R8U4L8U4NR8
BU4L2R12L6BU4R4L8U4R8U4L8"
745 DATA"BR58BD34M-30,-10"
750 DATA"BR32BD46S8R8U12L8D12BR1
2RBR4BU12D6R8U6D12"
755 REM THREE FIFTHS
760 DATA"BR58BD34NU28M+30,-10M-3

```

0,+10NF22BR46BD12R8U4L8U4NR8BU4L  
2R12L6BU4L4R8U4NL8U4L8"  
765 DATA"BR58BD34M-30,-10M+30,+1  
0G22"  
770 DATA"BR32BD46S8R8U12L8D12BR1  
2RBR4U12NR8D6R8D6NL8"  
775 REM FOUR FIFTHS  
780 DATA"BR58BD34NU28M+30,-10M-3  
0,+10BR46BD12R8U4L8U4NR8BU4L2R12  
L6BU4BR4U8D4L8U4"  
785 DATA"BR58BD34NU28M-30,-10M+3  
0,+10NG22NF22"  
790 DATA"BR32BD46S8R8U12L8D12BR1  
2RBR4U12NR8D6R8NU6D6NL8"  
795 REM FIVE FIFTHS  
800 DATA  
805 DATA"BR58BD34NU28M-30,-10M+3  
0,+10M+30,-10M-30,+10NG22NF22BR4  
6BD12C0R8U4L8U4NR8BU4L2R12L6BU4L  
4R8U4L8U4R8"  
810 DATA"BR36BD46S8R4L2U12NGBR6B  
D12RBR4R8U12L8D12"  
815 REM ONE SIXTH  
820 DATA"BR58BD34NU28ND28M-26,+1  
5M+52,-30M-26,15M+26,+15M-52,-30  
BR70BD28NU4R8U4L8U4NR8BU4L2R12L6  
BU4U8"  
825 DATA  
830 DATA"BR14BD46S8R8U12L8D12BR1  
2RBR5NU12BR5NU12R8U6NL8BU6NL8BR4  
ND2R8D12"  
835 REM TWO SIXTHS  
840 DATA"BR58BD34NU28ND28M-26,+1  
5M+52,-30M-26,15M+26,+15M-26,-15  
BR44BD12NU4R8U4L8U4NR8BU4L2R12L6  
BU4R4L8U4R8U4L8"  
845 DATA"BR58BD34M-26,-15"  
850 DATA"BR14BD46S8R8U12L8D12BR1  
2RBR3R7U6NL7U6NL7BR4R7D6NL7D6NL7  
BR4R7U6NL7U6L7"  
855 REM THREE SIXTHS  
860 DATA"BR58BD34NU28ND28M+26,-1  
5M-26,15M+26,+15M-26,-15BR44BD12  
NU4R8U4L8U4NR8BU4L2R12L6BU4L4R8U  
4NL8U4L8"  
865 DATA"BR58BD34M-26,-15M+26,+1  
5M-26,+15"  
870 DATA"BR34BD46S8R8U12L8D12BR1  
2RBR4R8U6L8U6R8"  
875 REM FOUR SIXTHS  
880 DATA"BR58BD34NU28M+26,-15M-2  
6,15M+26,+15M-26,-15BR44BD12NU4R  
8U4L8U4NR8BU4L2R12L6BU4BR4U8D4L8  
U4"  
885 DATA"BR58BD34ND28M-26,-15M+2  
6,+15M-26,+15"  
890 DATA"BR12BD46S8R8U12L8D12BR1  
2RBR4NU12R8U6NL8BU6NL8BR4D12R8U6  
L8U6R8BR4ND2R8D12"  
895 REM FIVE SIXTHS  
900 DATA"BR58BD34NU28M+26,-15M-2  
6,15BR44BD12NU4R8U4L8U4NR8BU4L2R  
12L6BU4L4R8U4L8U4R8"  
905 DATA"BR58BD34ND28M-26,-15M+2  
6,+15M-26,+15M+26,-15M+26,+15"  
910 DATA"BR12BD46S8R8U12L8D12BR1  
2RBR4NU12R8U6NL8BU6NL8BR4R8D6NL8D  
6NL8BR4R8U6NL8BU6L8"  
915 REM SIX SIXTHS  
920 DATA  
925 DATA"BR58BD34NU28ND28M-26,+1  
5M+52,-30M-26,15M+26,+15M-52,-30  
BR70BD28C0NU4R8U4L8U4NR8BU4L2R12  
L6BU4L4R8U4L8D4U8R8"

930 DATA"BR36BD46S8R4L2U12NGBR6B  
D12RBR4R8U12L8D12"  
935 REM ONE SEVENTH  
940 DATA"BR58BD34NU28M-24,-20M+2  
4,+20M-30,+4M+30,-4M-16,+25M+16,  
-25M+16,+25M-16,-25M+30,+4M-30,-  
4M+24,-20BR28BD32U8L8ND2BU4L2R12  
L6BU4U8"  
945 DATA  
950 DATA"BR14BD46S8R8U12L8D12BR1  
2RBR5NU12BR5BU12D6R8U6D12BR5R8U6  
NL8U6L8"  
955 REM TWO SEVENTHS  
960 DATA"BR58BD34NU28M-30,+4M+30  
,-4M-16,+25M+16,-25M+16,+25M-16,  
-25M+30,+4M-30,-4M+24,-20BR28BD3  
2U8L8ND2BU4L2R12L6BU4R4L8U4R8U4L  
8"  
965 DATA"BR58BD34M-24,-20"  
970 DATA"BR12BD46S8R8U12L8D12BR1  
2RBR4NR8U6R8U6NL8BR4ND12R8D6NL8D  
6NL8BR4NR8U12R8BD6NL8D6"  
975 REM THREE SEVENTHS  
980 DATA"BR58BD34NU28M-16,+25M+1  
6,-25M+16,+25M-16,-25M+30,+4M-30  
,-4M+24,-20BR28BD32U8L8ND2BU4L2R  
12L6BU4L4R8U4NL8U4L8"  
985 DATA"BR58BD34M-24,-20M+24,+2  
0M-30,+4"  
990 DATA"BR12BD46S8R8U12L8D12BR1  
0RBR4BU12D6R8U6D12BR4NR8U6R8U6NL  
8BR4ND6R8D6NL8D6"  
995 REM FOUR SEVENTHS  
1000 DATA"BR58BD34NU28M+16,+25M-  
16,-25M+30,+4M-30,-4M+24,-20BR28  
BD32U8L8ND2BU4L2R12L6BU4BR4U8D4L  
8U4"  
1005 DATA"BR58BD34M-24,-20M+24,+  
20M-30,+4M+30,-4M-16,+25"  
1010 DATA"BR14BD46S8R8U12L8D12BR  
12RBR4R8U6L8U6R8BR4ND2R8D12BR6U1  
2"  
1015 REM FIVE SEVENTHS  
1020 DATA"BR58BD34NU28M+30,+4M-3  
0,-4M+24,-20BR28BD32U8L8ND2BU4L2  
R12L6BU4L4R8U4L8U4R8"  
1025 DATA"BR58BD34M-24,-20M+24,+  
20M-30,+4M+30,-4M-16,+25M+16,-25  
M+16,+25"  
1030 DATA"BR14BD46S8R8U12L8D12BR  
12RBR3BU10U2R8D12BR6U12BR6D6R8U6  
D12"  
1035 REM SIX SEVENTHS  
1040 DATA"BR58BD34NU28M+24,-20BR  
28BD32U8L8ND2BU4L2R12L6BU4NL4R4U  
4L8ND4U4R8"  
1045 DATA"BR58BD34M-24,-20M+24,+  
20M-30,+4M+30,-4M-16,+25M+16,-25  
M+16,+25M-16,-25M+30,+4"  
1050 DATA"BR12BD46S8R8U12L8D12BR  
12RBR4NU12R8U6NL8BU6NL8BR4NR8D6R8  
D6NL8BR3BU10U2R8D12"  
1055 REM SEVEN SEVENTHS  
1060 DATA  
1065 DATA"BR58BD34NU28M-24,-20M+  
24,+20M-30,+4M+30,-4M-16,+25M+16  
,-25M+16,+25M-16,-25M+30,+4M-30,  
-4M+24,-20BR28BD32C0U8L8ND2BU4L2  
R12L6BU4BR4U8L8D2"  
1070 DATA"BR36BD46S8R4L2U12NGBR6  
BD12RBR4R8U12L8D12"  
1075 REM ONE EIGHTH  
1080 DATA"BR58BD34NU28ND28NL32NR  
32NE22NF22NG22NH22BR44BD12NU4R8U

**SuperSoft, Inc.**  
363 Oakwood Ave. Jackson, MI 49203  
VISA/MC, MO, checks MI res add 4% tax  
(517)787-3610 \$2.50 S/H most orders  
Send LSASE for new CoCo newsletter  
Clubs write we want to hear from you

**MULTIMEDIA CoCo3**  
Combine video, audio, animation, and  
graphics on CoCo3. Low cost, easy to  
use. **MMS** includes manual & software  
system prices start at under \$50+S/H  
CoCo3, 512k, 2 disk S/H included \$9.95

**PRINTERS ETC.**  
GSX-140 letter quality 200GX for NLO  
All full color, W/rear/top/bot feed  
paper park & builtin serial for dual  
auto port select! or chose the DISTO  
ser/par adapt. With switch for modem  
or second printer. The Citizens have  
Convertible push/pull tractor, more  
GSX-140 W/special GFX\*MAX see below!  
New 24pin software for LQ printers!  
All our printers include STAR\*MAX.  
NX1020 is the new STAR NX1000 color!

CGP-140 24pinLQ \$479.95+\$12 S/H/I  
200GX 9 pinNLO \$279.95+\$12 S/H/I  
NX1020 w/Disto \$279.95+\$12 S/H/I

Disto serial/parallel adapter with  
builtin modem switch \$44.95+\$5 S/H

NX1000	BISSOME	CGP-140/200GX
\$6.95	BLACK	\$9.95
\$9.95	COLOR	\$24.95
\$12.95	4 clr heat-trans	\$31.95

**RASCAN-2**  
Digitize in B&W, 16, 4096 color & 3D  
from VCR, VIDEO disk, camcorder etc  
near photo quality. RAS\*MAX optional  
(see below). 4096 mode requires 512k  
CoCo3 128/512k disk \$199.95+\$6 S/Hk

**Color Graphics**  
MAX graphics offer What-You-See  
Is-What-You-Get colors, onscreen pre  
view/clr-editing no guessing/waste  
T-shirt prints, partial prints even  
print double-screen CM3 to fit 8x10  
picture frame single screen fit 5x7  
\*MAX software is the BEST, easier!

RAS\*MAX: print B&W, 16 & 4096 clr on  
NX1000, GSX140, DMP240, 200GX, CGP-220  
even T-shirt prints of 4096 color  
See GFX\*MAX for wallet & postcard.  
CoCo3 128k disk \$24.95  
With RASCAN-2 \$14.95

STAR\*MAX color CM3, MGE, HSCREEN2 etc  
STAR, CITIZEN DMP-240 & compatibles  
also 16 level B&W grayscale driver  
CoCo3, 128k, disk \$21.95

GFX\*MAX special for new 24 wire LQ  
printers. New modes/sizes not possible  
W/ 9 pin printers. Wallet & Postcard  
sizes. HSCREEN2, MGE, CM3, IMG GIF etc.  
24pin LQ EPSON color compatibles ONLY  
CoCo3, 128k, disk, LQ prt \$24.95  
With STAR\*MAX or RAS\*MAX \$14.95

CGP\*MAX Like STAR\*MAX, for CGP-220  
CoCo3, 128k, disk \$18.95

PMODE3/4 (B&W or CLR), STAR  
CITIZEN, DMP-240 and compatibles.  
CoCo3, 2,3 disk \$18.95

**SPRITE BASIC**  
Create SPRITES, write your own video  
games in BASIC! Adds 18 new BASIC &  
easy to use commands. Complete with  
extensive manual & demo game written  
in Sprite-BASIC on the disk. Never  
done before on any CoCo. Fantastic!  
CoCo3, 128k, disk \$44.95

**ULTRAED+**  
BEST assembler & disassembler ever  
for the CoCo3. 2 buffers, disk I/O 80  
col screen, handy online help file &  
get editable source code disassembly  
req. EDTASM cart to make working disk  
CoCo3, 128k, disk \$24.95

**SUPERSOUND**  
Digitize any sound for programs or  
sound effects for animated graphics  
Easy for novice, W/hacker features  
w/demos. Nothing to write down/forget  
Nothing else to buy. Works with your  
BASIC programs. A complete package  
Real MULTI-TASKING under RS-DOS. A  
MUST for your lowest multimedia sys.  
CoCo3, 128k disk w/cable \$44.95

**SUPER BOOK**  
Ultimate reference for BASIC or M/L  
programming. Memory maps, helps more  
than PEEKs & POKEs very easy to use  
Covers CoCo1, 2 & 3 \$14.95

**GAMES**

Robert Kytym	CoCo3 disk	\$24.95
Space Invaders	CoCo3 disk	\$24.95
Count Williams	CC1, 2, 3 disk	\$19.95

```

8D4L8U4NR8BU4L2R12L6BU4U8"
1085 DATA
1090 DATA"BR14BD46S8R8U12L8D12BR
12RBR5NU12BR5NR8U6R8U6NL8BR5NR8D
6R8D6L8"
1095 REM TWO EIGHTHS
1100 DATA"BR58BD34NU28ND28NL32NR
32NE22NF22NG22BR44BD12NU4R8U8D4L
8U4NR8BU4L2R12L6BU4R4L8U4R8U4L8"
1105 DATA"BR58BD34NH22"
1110 DATA"BR20BD46S8R8U12L8D12BR
12RBR4NR8U6R8U6NL8BR4NR8D6R8D6L8
"
1115 REM THREE EIGHTHS
1120 DATA"BR58BD34NU28ND28NR32NE
22NF22NG22BR44BD12NU4R8U8D4L8U4N
R8BU4L2R12L6BU4L4R8U4NL8U4L8"
1125 DATA"BR58BD34NH22NL32"
1130 DATA"BR14BD46S8R8U12L8D12BR
12RBR3R7U6NL7U6NL7BR4ND2R7D12BR5
R7U6L7U6R7"
1135 REM FOUR EIGHTHS
1140 DATA"BR58BD34NU28ND28NR32NE
22NF22BR44BD12NU4R8U8D4L8U4NR8BU
4L2R12L6BU4BR4U8D4L8U4"
1145 DATA"BR58BD34NH22NL32NG22"
1150 DATA"BR34BD46S8R8U12L8D12BR
12RBR4R8U6L8U6R8"
1155 REM FIVE EIGHTHS
1160 DATA"BR58BD34NU28NR32NE22NF
22BR44BD12NU4R8U8D4L8U4NR8BU4L2R
12L6BU4L4R8U4L8U4R8"
1165 DATA"BR58BD34NH22NL32NG22ND
28"
1170 DATA"BR12BD46S8R8U12L8D12BR
12RBR4NU12R8U6NL8BU6NL8BR4R7D6L7
D6R7BR4R7U6L7U6R7"
1175 REM SIX EIGHTHS
1180 DATA"BR58BD34NU28NR32NE22BR
44BD12NU4R8U8D4L8U4NR8BU4L2R12L6
BU4L4NU4R8U4L8U4R8"
1185 DATA"BR58BD34NH22NL32NG22ND
28NF22"
1190 DATA"BR20BD46S8R8U12L8D12BR
12RBR4BU12ND2R8D12BR4R8U6L8U6R8"
1195 REM SEVEN EIGHTHS
1200 DATA"BR58BD34NU28NE22BR44BD
12NU4R8U8D4L8U4NR8BU4L2R12L6BU4B
R4U8L8D2"
1205 DATA"BR58BD34NH22NL32NG22ND
28NF22NR32"
1210 DATA"BR14BD46S8R8U12L8D12BR
12RBR3NU12R7U6NL7U6NL7BR4ND2R7D1
2BR5R7U6L7U6R7"
1215 REM EIGHT EIGHTHS
1220 DATA
1225 DATA"BR58BD34NU28ND28NL32NR
32NE22NF22NG22NH22BR44BD12C0NU4R
8U8D4L8U4NR8BU4L2R12L6BU4L4R8U4N
L8U4L8D8"
1230 DATA"BR36BD46S8R4L2U12NGBR6
BD12RBR4R8U12L8D12"
1235 REM ONE NINTH
1240 DATA"BR58BD34NU28M-18,-22M+
18,+22M-30,-6M+30,+6M-26,+15M+26
,-15M-12,+26M+12,-26M+12,+26M-12

```

```

,-26M+26,+15M-26,-15M+30,-6M-30,
+6M+18,-22BR26BD34R8U4NU4L8U4NR8
BU4L2R12L6BU4U8"
1245 DATA
1250 DATA"BR22BD46S8R8U12L8D12BR
12RBR7NU12BR7NU12BR7NU12"
1255 REM TWO NINTHS
1260 DATA"BR58BD34NU28M-30,-6M+3
0,+6M-26,+15M+26,-15M-12,+26M+12
,-26M+12,+26M-12,-26M+26,+15M-26
,-15M+30,-6M-30,+6M+18,-22BR26BD
34R8U4NU4L8U4NR8BU4L2R12L6BU4R4L
8U4R8U4L8"
1265 DATA"BR58BD34M-18,-22"
1270 DATA"BR12BD46S8R8U12L8D12BR
12RBR4NR8U6R8U6NL8BR4R8D6L8D6R8B
R4NR8U6R8U6L8"
1275 REM THREE NINTHS
1280 DATA"BR58BD34NU28M-26,+15M+
26,-15M-12,+26M+12,-26M+12,+26M-
12,-26M+26,+15M-26,-15M+30,-6M-3
0,+6M+18,-22BR26BD34R8U4NU4L8U4N
R8BU4L2R12L6BU4L4R8U4NL8U4L8"
1285 DATA"BR58BD34M-18,-22M+18,+
22M-30,-6"
1290 DATA"BR14BD46S8R8U12L8D12BR
12RBR3R7U6NL7U6NL7BR4R7D6NL7D6NL
7BR4R7U6NL7U6L7"
1295 REM FOUR NINTHS
1300 DATA"BR58BD34NU28M-12,+26M+
12,-26M+12,+26M-12,-26M+26,+15M-
26,-15M+30,-6M-30,+6M+18,-22BR26
BD34R8U4NU4L8U4NR8BU4L2R12L6BU4B
R4U8D4L8U4"
1305 DATA"BR58BD34M-18,-22M+18,+
22M-30,-6M+30,+6M-26,+15"
1310 DATA"BR12BD46S8R8U12L8D12BR
10RBR4BU12D6R8U6ND12BR4D6R8U6ND1
2BR4D6R8U6D12"
1315 REM FIVE NINTHS
1320 DATA"BR58BD34NU28M+12,+26M-
12,-26M+26,+15M-26,-15M+30,-6M-3
0,+6M+18,-22BR26BD34R8U4NU4L8U4N
R8BU4L2R12L6BU4L4R8U4L8U4R8"
1325 DATA "BR58BD34M-18,-22M+18,
+22M-30,-6M+30,+6M-26,+15M+26,-1
5M-12,+26"
1330 DATA"BR12BD46S8R8U12L8D12BR
12RBR4R8U6L8U6R8BR4NR8D6R8D6NL8B
R4NU6R8U6L8U6R8"
1335 REM SIX NINTHS
1340 DATA"BR58BD34NU28M+26,+15M-
26,-15M+30,-6M-30,+6M+18,-22BR26
BD34R8U4NU4L8U4NR8BU4L2R12L6BU4L
4NU4R8U4L8U4R8"
1345 DATA"BR58BD34M-18,-22M+18,+
22M-30,-6M+30,+6M-26,+15M+26,-15
M-12,+26M+12,-26M+12,+26"
1350 DATA"BR12BD46S8R8U12L8D12BR
12RBR4NU12R8U6NL8BU6NL8BR4D12R8U
6L8U6R8BR4ND2R8D12"
1355 REM SEVEN NINTHS
1360 DATA"BR58BD34NU28M+30,-6M-3
0,+6M+18,-22BR26BD34R8U4NU4L8U4N
R8BU4L2R12L6BU4BR4U8L8D2"
1365 DATA "BR58BD34M-18,-22M+18,

```

```

+22M-30,-6M+30,+6M-26,+15M+26,-1
5M-12,+26M+12,-26M+12,+26M-12,-2
6M+26,+15"
1370 DATA"BR14BD46S8R8U12L8D12BR
12RBR2BU10U2R8ND12BR3N02R8ND12BR
4ND12R8D6NL8D6L8"
1375 REM EIGHT NINTHS
1380 DATA"BR58BD34NU28M+18,-22BR
26BD34R8U4NU4L8U4NR8BU4L2R12L6BU
4L4R8U4NL8U4L8D8"
1385 DATA"BR58BD34M-18,-22M+18,+
22M-30,-6M+30,+6M-26,+15M+26,-15
M-12,+26M+12,-26M+12,+26M-12,-26
M+26,+15M-26,-15M+30,-6"
1390 DATA"BR12BD46S8R8U12L8D12BR
12RBR4NU12R8U6NL8U6NL8BR4D12R8U6
L8U6R8ND6BR4ND6R8D6NL8D6"
1395 REM NINE NINTHS
1400 DATA
1405 DATA"BR58BD34NU28M-18,-22M+
18,+22M-30,-6M+30,+6M-26,+15M+26
,-15M-12,+26M+12,-26M+12,+26M-12
,-26M+26,+15M-26,-15M+30,-6M-30,
+6M+18,-22BR26BD34C0R8U4NU4L8U4N
R8BU4L2R12L6BU4L4R8U8L8D4R8"
1410 DATA"BR36BD46S8R4L2U12NGBR6
BD12RBR4R8U12L8D12"
1415 DATA .5,1,333,.667,1
1420 DATA .25,.5,.75,1,.2,.4,.6,
.8,1
1425 DATA .167,.333,.5,.667,.833
,1
1430 DATA .143,.286,.429,.571,.7
14,.857,1
1435 DATA .125,.25,.375,.5,.625,
.75,.875,1
1440 DATA .111,.222,.333,.444,.5
56,.667,.778,.889,1
1445 CLS:PRINT:PRINT:PRINT
1450 PRINTTAB(3)"PROBLEMS COMPLE
TED = "NC+NW:PRINT
1455 PRINTTAB(3)"CORRECT RESPON
SES = "NC:PRINT
1460 PRINTTAB(3)"INCORRECT RESP
NSES = "NW:PRINT
1465 TR=NC+NW:IFTR=0THEN TR=1
1470 SC=INT(NC/TR*100)
1475 PRINTTAB(3)"YOUR TOTAL SCOR
E = "SC%":PRINT
1480 PRINTTAB(3)"ANOTHER TRY (Y/
N) OR (C) ?":
1485 X$=INKEY$:IFX$=""THEN1485
1490 IFX$="Y"THEN RUN
1495 IFX$="N"THEN CLS:END
1500 IFX$="C"THEN SCREEN1,1:GOTO
400
1505 GOTO1485
1510 CLS:PRINT@232,"PLEASE STAND
BY":
1515 FORI=1TO44:TEM$=P$(I,1):P$(
I,1)-P$(I,3):P$(I,3)-TEM$:NEXT
1520 FORI=1TO44:TEM$=P$(I,2):P$(
I,2)-P$(I,4):P$(I,4)-TEM$:NEXT
1525 NG=1:GOTO115

```

# Are you thinking about getting a new computer and don't know what to do...

Are you upset by the lack of support that Tandy is giving you...



Are you confused by all the wild claims...

Then hold your head up high and face the world with a smile because the Tomcat is here to save you from the misery and morass that you've been in.



# Tomcat™

**1991 Our 15th YEAR!**

## HARDWARE (FULL 1 year warranty.)

The Eliminator (2 RS232, 1 Parr, Hard/Floppy disk interface) 119.95  
 Battery backed Real Time Clock for The Eliminator 30.00  
 Western Digital WD1002-05 Eliminator hard/floppy controller 299.95

## HARD DRIVES FOR THE COCO (FULL 1 year warranty.)

Burke & Burke 20 meg hard drive with 40 MS Fast Drive! 499.95  
 Burke & Burke 30 meg hard drive with 40 MS Fast Drive! 529.95  
 Burke & Burke 40 meg hard drive with 28 MS Fastest Drive! 659.95  
 Eliminator 20 meg hard drive with 40 MS Fast Drive! CALL  
 Eliminator 40 meg hard drive with 28 MS Fastest Drive! CALL

## SOFTWARE

The WIZ communications with windows for RS OS9 59.95  
 FBU file backup for hard disk RS OS9 35.00  
 FBU file backup for hard disk OS9/68000 (Includes 6809 ver.) 50.00  
 DynaStar word processor for RS OS9 (NEW VERSION) 150.00  
 DynaSpell spelling checker for RS OS9 only 20.00  
 DynaStar word processor for OS9/68000 (NEW VERSION) 200.00  
 IMS 4th G/L (A super database) for RS OS9 (SALE!!!) 99.95  
 IMS 4th G/L (A super database) for OS9/68000 (SALE!!!) 299.95  
 Super Sleuth for RS OS9 (Disassembler) 50.00  
 Super Sleuth for OS9/68000 (Disassembler) 100.00

## BOOKS

OS9 INSIGHTS (The only book on OS9/68000) 44.95

## ORDERING INFORMATION

VISA and M/C, check and C.O.D. Contential U.S. software shipping add \$3.50  
 Ground - \$6.00 Two Day Air. Hardware add \$11 ground - \$22 Two Day Air.  
 Please call for Next Day Air costs and C.O.D. Foreign add 10% Shipping  
 (Minimum \$5 USD). NY residents please add 7% sales tax.

*Frank Hogg*  
**LABORATORY**  
 INC.

Since 1976  
 204 Windemere Road  
 Syracuse, NY 13205  
 FAX 315/469-8537


**Call 315/469-7364**

## Tomcat TC70

The power of the 68000, three times the memory of an expanded CoCo 3, better color, hard disk, floppy disk, serial ports, parallel port, clock, mice, sound, all in less space than a CoCo 3. FHLs advanced capabilities now bring you the TC70.

The TC70 is slick. Everything is on just one PC board, yet you can expand the heck out of it by using the K-Bus. This is not an option, it's built in! The TC70 is the same size as the TC9 because the two of them were designed to work together. Wasn't that smart of us! Each one can use the other to help get the job done! We all knew the CoCo was the most powerful computer in its class, plus a few, Now the TC is even better!

Put these TCs in a box and we call it a Tomcat! We use the term Tomcat to describe anything that includes 1 or more of these in the box. Simple huh. Take a bit of this, a bit of that, a few drives, some ICs, stuff it in a box, shake it up and voila a Tomcat!



The Tomcat with all these capabilities is the slickest computer ever made! Of course you can put different combinations of boards (we have over 20) in the box to make whatever kind of computer you want. There is a lot of *'bilty* here, expandability, upgradability besides plain ol' ability. Just change a few boards and you have a whole different computer. Pity the IBM guys, they have to buy a new computer every time they upgrade. Us Tomcatters just swap a few boards and up up and away we go.

If you want to go 68K we have the TC70, if you want CoCo compatibility we have the TC9. If you want your cake and eat it to... Guess what, you can do that too, with the Tomcat!

As you would expect we have a lot more information we can send you that better describes the Tomcat and all its features and capabilities. Why not write or call us right now before you forget. You've been wondering about it long enough, give us a call right now!

# Appreciatin'

---

*Learn to get along  
with depreciation  
calculations*

---

by **David Macias**

**V**ery few obsessions equal the one accountants express when it comes to keeping their books in order. For them, every ledger entry must be accurate and properly placed. It makes common sense that if you pay \$100 for office supplies the ledger reflect that \$100 in cash was paid out and the office supply account increased by the same \$100. Entering the cost of insurance is just as simple. To calculate this cost, divide the yearly cost by the number of months covered. This gives you the monthly amount of insurance expense to enter. But what about the wear and tear on your equipment? What value will the equipment have after one year? How do you record its depreciation? To answer these questions accountants create two separate accounts to cover the same piece of equipment.

The first account is the original purchase price of the equipment. If you paid


---

*David attends Cerritos College as a business computer systems major. He works as a computer operator in data processing and also as a tutor for the music department in the MIDI lab. He is an advocate of the OS-9 operating system. David can be contacted at 11518 Wembley Court, Cerritos, CA 90701. Please include an SASE when requesting a reply.*

---



# Depreciation



\$100,000 for a VAX system, the ledger shows this amount for as long as you own the system. The second account is for the accumulated depreciation. Every month the accountant enters the amount of depreciation into this separate account. At specific intervals the accountant is required to prepare a balance sheet showing the financial position of a company or economic unit. For this balance sheet, the equipment ac-

count is adjusted by subtracting the amount of the accumulated depreciation from the original purchase price.

How do accountants come up with the amount of each month's depreciation? This amount is based on the expectation that a piece of equipment gradually declines in usefulness due to time and normal wear and tear. The cost is spread out over the estimated useful life of the equipment. This

article covers three methods used to determine depreciation. These three methods are the Straight-Line method, the Sum-of-the-Years'-Digits method and the Accelerated Cost Recovery System, or ACRS. Each of these are used to determine the annual depreciation of an account. To get the monthly depreciation, divide the yearly amount by twelve.

## Straight-Line Method

With the Straight-Line method, the depreciation is determined by the following formula:

$$YD = \frac{\text{Cost} - \text{Trade}}{\text{Years of life}}$$

where YD is the yearly depreciation, Cost is the cost of the asset, and Trade is the trade-in value of the equipment.

For example, assume the cost of a piece of equipment is \$10,000. The expected useful life is five years with a trade-in value of \$2500. The equation looks like this:

$$YD = \frac{\$10,000 - \$2500}{5 \text{ years}} = \$1500 \text{ per year}$$

Each year, the accumulated depreciation increases by \$1500 and the book value (cost minus accumulated depreciation)

OS-9

### Listing 1: Depreciate.b09

```
PROCEDURE Depreciate
0000
0001      (* Appreciatin' Depreciation *)
0022      (* Written by David Macias *)
0043      (* Copyright (c) February 1991 *)
0064      (* by Falsoft, Inc. *)
0085      (* Rainbow Magazine *)
00A6
00A7      DIM Cost,Value:REAL
00B2      DIM Year:INTEGER
00B9      DIM Path:BYTE
00C0      DIM Choice:STRING[1]
00CC
00CD      CREATE #Path,"account.out":WRITE
00E3      RUN Title(Path)
00ED      RUN GFX2("CLEAR")
00FA
00FB      PRINT
```

decreases by \$1500. At the end of the last useful year of the equipment, the book value is equal to the trade-in value. With this method, the amount of depreciation is the same each year.

### Sum-of-the-Years'-Digits Method

The Straight-Line method may not reflect reality since the majority of material objects lose most of their value after the first year. In the Sum-of-the-Years'-Digits method the greatest amount of depreciation occurs in the first year with decreasing depreciation in each consecutive year.

To determine the amount of depreciation, first create a fraction by adding the number of useful years and using the sum as the denominator and the years in reverse order as the numerator:

$$1 + 2 + 3 + 4 + 5 = 15$$

gives  $\frac{5}{15}$ ,  $\frac{4}{15}$ ,  $\frac{3}{15}$ ,  $\frac{2}{15}$  and  $\frac{1}{15}$

Now take the cost of the equipment, subtract the trade-in value, and multiply the result by the fraction. For example:

Year	Depreciation
1	$\$10,000 - \$2500 * \frac{5}{15} = \$2500$
2	$\$10,000 - \$2500 * \frac{4}{15} = \$2200$
3	$\$10,000 - \$2500 * \frac{3}{15} = \$1500$
4	$\$10,000 - \$2500 * \frac{2}{15} = \$1000$
5	$\$10,000 - \$2500 * \frac{1}{15} = \$500$

Again, at the end of the last useful year of the equipment, the book value is equal to the trade-in value.

### Accelerated Cost Recovery System

The ACRS method does not consider the trade-in value for depreciation calculations. The type of property and the percentage table are used to find the depreciation. Property is divided into several categories for calculation. These categories specify three years for cars and trucks, five or 10 years for machines and equipment, and 15 or 18 years for buildings. The percentage tables are established by the U.S. Congress and change from time to time. The tables used in the accompanying program are for personal property placed in service after 1980 and before 1987. For example, a car that cost \$10,000 with a useful life of three years would be calculated as follows:

Year	Depreciation
1	$\$10,000 * .25 = \$2500$
2	$\$10,000 * .38 = \$3800$
3	$\$10,000 * .37 = \$3700$

The total accumulated depreciation is \$2500 + \$3800 + \$3700, or \$10,000.

```

00FD PRINT
00FF PRINT
0101 PRINT "-----DEPRECIATION METHODS-----"
013F PRINT
0141 PRINT
0143 INPUT "What is the original cost? ",Cost
0166 PRINT
0168 PRINT "        ENTER ONE"
017C PRINT
017E PRINT
0180 PRINT "  A=3      B=5      C=10"
019A
019B REPEAT
019D   INPUT "How many useful years? ",Choice
01BC   IF Choice="a" OR Choice="A" THEN
01BD     Year=3
01D2   ELSE
01D9     IF Choice="b" OR Choice="B" THEN
01DD       Year=5
01F2     ELSE
01F9       IF Choice="c" OR Choice="C" THEN
01FD         Year=10
0212       ENDIF
0219     ENDIF
021B   ENDIF
021D   ENDIF
021F UNTIL Year=3 OR Year=5 OR Year=10
0238
0239 PRINT
023B INPUT "What is the trade-in value? ",Value
025F PRINT #Path,"PURCHASE PRICE - "; Cost
027D PRINT #Path
0283 PRINT #Path USING "'USEFUL LIFE IN YEARS -'.X1,I3".Year
02AE PRINT #Path
02B4 PRINT #Path,"TRADE-IN COST - "; Value
02D1 PRINT #Path
02D7 RUN GFX2("CLEAR")
02E4 PRINT
02E6 PRINT
02E8 PRINT "RUNNING STRAIGHT-LINE METHOD"
0308 RUN Straight(Cost,Value,Year,Path)
0321 PRINT
0323 PRINT "RUNNING SUM-OF-THE-YEAR DIGIT METHOD"
0348 RUN Sum(Cost,Value,Year,Path)
0364 PRINT
0366 PRINT "RUNNING ACRS METHOD"
037D RUN ACRS(Cost,Value,Year,Path)
0396 PRINT
0398 CLOSE #Path
039E PRINT "DONE"
03A6 END

PROCEDURE Straight
0000 DIM Annual,Accumulate:REAL
0008 DIM Count:INTEGER
0012 PARAM Cost,Value:REAL; Year:INTEGER; Path:BYTE
0029
002A Annual=(Cost-Value)/Year
003B Accumulate=0
0043
0044 PRINT #Path
004A PRINT #Path,"          STRAIGHT-LINE METHOD"
007E PRINT #Path
0084 PRINT #Path,"  YEAR      DEPRECIATION      ACCUMULATED DEP.      BOOK
VALUE"
00CD PRINT #Path
00D3
00D4 FOR Count=1 TO Year
00E5   Accumulate=Accumulate+Annual
00F1   PRINT #Path USING "X4,I3,X5,R10.2> ,X12,R10.2> ,X8,R10.2>".
Count,Annual,Accumulate,Cost-Accumulate
0132 NEXT Count
013D
013E PRINT #Path
0144 END

PROCEDURE Sum
0000 DIM Annual,Accumulate,Depreciation:REAL
000F DIM Count,Fraction:REAL
001A PARAM Cost,Value:REAL; Year:INTEGER; Path:BYTE
0031
0032 Fraction=1
003A Accumulate=0
0042
0043 FOR Count=1 TO Year
0056   Fraction=Fraction+Count
0062 NEXT Count
006D
006E PRINT #Path
0074 PRINT #Path

```



```

007A PRINT #Path," SUM-OF-THE-YEARS' DIGIT METHOD"
0083 PRINT #Path
0089 PRINT #Path," YEAR DEPRECIATION ACCUMULATED DEP. BOOK
VALUE"
0102 PRINT #Path
0108
0109 FOR Count=1 TO Year
011C Depreciation=(Cost-Value)*((Year-Count+1)/(Fraction-1))
0130 Accumulate=Accumulate+Depreciation
0149 PRINT #Path USING "X4,I3,X5,R10.2>,X12,R10.2>,X8,R10.2>".
Count,Depreciation,Accumulate,Cost-Accumulate
018A NEXT Count
0195
0196 PRINT #Path
019C END

PROCEDURE ACRS
0000 DIM Count:INTEGER
0007 DIM Accumulate,Depreciation,Fraction:REAL
0016 PARAM Cost,Value:REAL; Year:INTEGER; Path:BYTE
002D
002E Accumulate=0
0036 PRINT #Path
003C PRINT #Path
0042 PRINT #Path," ACCELERATED COST RECOVERY SYSTEM METHOD"
0081 PRINT #Path
0087 PRINT #Path
008D PRINT #Path," YEAR DEPRECIATION ACCUMULATED DEP. BOOK
VALUE"
00D6 PRINT #Path
00DC
00DD REPEAT
00DF READ Fraction
00E4 UNTIL Fraction=Year
00F1
00F2 FOR Count=1 TO Year
0103 READ Fraction
0108 Depreciation=Cost*Fraction
0114 Accumulate=Accumulate+Depreciation
0120 PRINT #Path USING "X4,I3,X5,R10.2>,X12,R10.2>,X8,R10.2>".
Count,Depreciation,Accumulate,Cost-Accumulate

```

## The Programs

The two programs accompanying this article (one written in C and the other written in BASIC09) function pretty much like each other. The main module opens an output file named accountant.out. A series of questions prompts the user for the raw data needed to generate a depreciation report. The data is then written to the output file and the main module calls the three modules (one at a time) to calculate each depreciation method and write the results of each calculation to the output file. When the ACRS module is completed, the main module closes the output file and the program ends. To see the results, enter list accountant.out. You can also load the file into a word processor for inclusion in a report.

There are a few noteworthy differences between the BASIC09 and C versions. In the C program, the Straight(), Sum() and ACRS() modules all include a rounding routine not present in the BASIC09 program. When working with real numbers you must remember how the computer stores real numbers. The value 200.127 is stored in memory as .200127E-3. For this value, .200127 is called the *mantissa* and E 3 is the *exponent* (power of 10). In C, if you print this value with the format %5.2f the 7 is dropped,

## HARDWARE SPECIALS

- ◆ Magnavox 1CM135 RGB monitor - \$285! (ship \$10 US, 35 CDN)
- ◆ Star NX-1000 Rainbow color printer - \$199! (ship \$7 US, 20 CDN)
- ◆ AMT Star 2400-baud modem - \$95! (ship \$3 US, 5 CDN)

## MARTY'S NIGHTMARE- the Search for the Lost Seminar

In Bjork's humorous arcade tribute to Marty Goodman, you can learn just how Marty must feel having ALL that CoCo knowledge!! Features fast hardware scrolling, over 100k of digitized sound (*actual* voices of Marty and Steve), GREAT graphics, and LOTS of fun for anyone who loves the CoCo community. An instant CoCo collectible! Req.512k CoCo-3.

only 30 copies left -- HURRY!

**\$24.95**

## Tandy Flight Simulator II

OS-9 Iv. II flying fun! Req. CoCo-3  
Brand-new, factory-sealed! **\$9.95**

ONE-MEG  
(POPULATED)  
\$169

**Japan Scenery Disk for above**  
Explore the orient! Rare supplemental disk from subLOGIC. Factory-sealed! **\$24.95**

## OS-9 Level 2

Incredibly powerful operating system, at an INCREDIBLE price! Brand new!  
Retail \$79.95 - our price **\$34.95**  
Quantities limited. Add \$6 ship.

MULTIVUE - \$30 DESKMATE 3 - \$20

## GAMER'S SMORGASBORD

Buy two, take **20% off each!**

CALADURIL 2 - \$38	OVERLORD - \$29
MINE RESCUE - \$25	BASH! - \$25
WRESTLE MANIAC - \$20	SEVENTH LINK - \$38
CALADURIL - \$20	Z'89 - \$30
SINISTAAR - \$35	ZENIX - \$30
KYUM-GAI (REG. VER.) - \$30	
THOSE DARN MARBLES - \$32	

**KYUM-GAI: TO BE NINJA OS-9 VERSION!**  
(HERE AT LAST!) **\$29.95**

ALSO, for incredible savings on new and used CoCo soft- and hardware (over 250 different CoCo items), send \$12 for 12 monthly issues of our catalog-on-disk.

Add \$3 Ship on all orders. COD add \$4.

Canada-add 10% additional ship.  
All prices U.S. funds

VISA/MC add 5%.

## COCOPRO!

1334 BYRON AVE.  
YPSILANTI, MI 48198  
(313) 481-DAVE (3283)

BBS- (313) 663-6207  
3-12-2400 7-E-1 24 HRS.

## Reviewer Information

In order to continue to bring Tandy Color Computer users all the best information about new hardware and software products each month, we are constantly looking for new people to join our independent review staff. Therefore, we invite you to join THE RAINBOW's elite fleet of reviewers.

You read THE RAINBOW because you love your Color Computer, so if you want a creative outlet and a chance to examine quality hardware and software, with your observations published nationwide, we want to hear from you.

Send us a cover letter with your name, address, occupation, list of equipment, areas of general interests, and a sample review of a CoCo product you are currently using. We look forward to your response. After all, we already see you have the best taste in computers.

Reply to:

Reviews Editor  
The Rainbow  
The Falsoft Building  
P.O. Box 385  
Prospect, KY 40059



```
0161     NEXT Count
016C
016D     PRINT #Path
0173
0174     DATA 3,,25,,38,,37.5,,15,,22,,21,,21,10
0189     DATA .08,,14,,12,,1,,1,,1,,.09,,.09,,.09
0203     END
```

```
PROCEDURE Title
0000     PARAM Path:BYTE
0007
0008     PRINT #Path,CHR$(12)
0012     PRINT #Path
0018     PRINT #Path,"
0055     PRINT #Path,"
0092     PRINT #Path,"
00CF     PRINT #Path,"
010C     PRINT #Path
0112     END
```

```

| Three Depreciation Methods |"
|-----|
|////////////////////////|"
```

### Listing 2: Depreciate.c

```
/*
** Appreciatin' Depreciation
** Written by David Macias
** Copyright (c) February 1991
** by Falsoft, Inc.
** Rainbow Magazine
*/

#include <stdio.h>
#define Clear(path) write(path, "\x0C", 1)
main()
{
    float    cost, value;
    int      year, path;
    char     choice;
    FILE     *out;

    out = fopen("account.out", "w");
    path = 1;

    pffinit();
    title(out);
    Clear(path);
    printf("\n\n\n");
    printf("-----DEPRECIATION METHODS-----\n\n\n");
    printf("What is the original cost? ");
    scanf("%f", &cost);
    printf("\n\n    ENTER ONE\n\n\n");
    printf("  A=3    B=5    C=10\n\n");
    printf("How many useful years? ");

    do
    {
        choice = getchar();

        switch(choice)
        {
            case 'a':
            case 'A':
                year = 3;
                break;

            case 'b':
            case 'B':
                year = 5;
                break;

            case 'c':
            case 'C':
                year = 10;
                break;

            default:
                year = 0;
                break;
        }
    } while(year != 3 && year != 5 && year != 10);

    printf("\n\nWhat is the trade-in value? ");
    scanf("%f", &value);
    fprintf(out, "PURCHASE PRICE = %5.2f\n\n", cost);
    fprintf(out, "USEFUL LIFE IN YEARS = %d\n\n", year);
    fprintf(out, "TRADE-IN COST = %5.2f\n\n", value);
```

```

Clear(path);
printf("\nRUNNING STRAIGHT-LINE METHOD\n");
straight(cost, value, year, out);
printf("\nRUNNING SUM-OF-THE-YEARS' METHOD\n");
sum(cost, value, year, out);
printf("\nRUNNING ACRS METHOD\n");
acrs(cost, value, year, out);

fclose(out);

straight(st_cost, st_value, st_year, st_out)
float st_cost, st_value;
int st_year;
FILE *st_out;

float annual, accumulate;
int count;

annual = (st_cost - st_value) / st_year;
accumulate = 0;
fprintf(st_out, "\n
                                STRAIGHT-LINE METHOD\n\n");

fprintf(st_out,
" YEAR      DEPRECIATION      ACCUMULATED DEP.      BOOK VALUE\n\n");

for(count = 1; count <= st_year; ++count)
{
accumulate += annual;

if((count == st_year) && ((st_cost - accumulate) != st_value))
accumulate += ((st_cost - accumulate) - st_value);

fprintf(st_out,
" %3d      %10.2f      %10.2f      %10.2f\n",
count, annual, accumulate, (st_cost-accumulate));
}
fprintf(st_out, "\n");

sum(s_cost, s_value, s_year, s_out)

```

and the 2 next to it is raised by one. In BASIC09, if you print the same value using the format R5.2, the 7 is merely hacked off with no affect on the place values to its left. *The 7 is still in memory*, though. For this reason, some reports generated by the BASIC09 program show the final book value in the ACRS report with a minus sign, even though the amount displayed is 0.00. Other differences reflect the various attributes of these two languages.

The C language has the advantage of being brief. In the ACRS module, the BASIC09 version uses a data statement to store the fraction table. A REPEAT/UNTIL loop is used to match the correct sequence of fractions to the corresponding year. The C version stores the fraction table in an array and uses one line of code to match the list of fractions to their corresponding year. The following line is an example of the quick and efficient C version:

```
while(percentage[cmp++] != a_year)
```

#### Disclaimer

It is important to note that these programs are presented for educational purposes. We take no responsibility should you decide to update the tables and use them for business/personal taxes. □

Rainbow Seal of  
Certification



**SIMPLE SOFTWARE PRESENTS:**  
**BANKING MASTER**  
IN COLOR & MACHINE LANGUAGE

COMPLETELY MENU DRIVEN  
BALANCING CHECKBOOK  
BALANCING STATEMENT  
BALANCING SAVINGS  
**MADE SIMPLE!**  
\$\$\$ NO MORE N.S.F. \$\$\$

>>> \$20.00 + \$3.00 S/H <<<

SIMPLE SOFTWARE PRESENTS **DATABASE-14**

**14 DATABASES ONLINE AT ONCE!**  
ANY ITEMS YOU CAN THINK OF!  
I.E. NAMES & ADDRESSES  
PHONE NUMBERS  
PARTS & VENDORS  
MAGAZINE ARTICLES  
COLLECTIONS !!!

COMPLETELY MENU DRIVEN  
THE LAST DATABASE YOU'LL EVER NEED

\$40.00 + \$3.00 S/H

COCOS & 1 DISK RGB OR TV  
\* SATISFACTION GUARANTEED \*

**RUSS GRIGGS**  
**1118 PERRY AVE**  
**BREMERTON, WASHINGTON 98310**

# Nine-Times

The first magazine devoted exclusively to OS-9!

Every other month you will receive a disk jam-packed with programs and articles all for OS-9.

Each issue contains: 9 helpful and useful programs to help build your OS-9 library \* Instructions, examples, and samples of Basic09 procedures and subroutines to help with your own programs and your understanding of Basic09 \* C programs and programming examples \* Program reviews, Hints, Help columns, and informative articles to advance your knowledge of OS-9 \* Supplied totally of 5.25" disk \* Bound manual sent to each new subscriber for help in getting *Nine Times* up and running, as well as tips on using it with a ram disk or hard disk \* All graphic/joystick interface for ease of use.

1-Year Subs, \$34.95 Canadian postage, add \$1.00  
Foreign postage, add \$7.00

**Back Issues:** Available for the May 1989 through September 1990 issues. Please write for information on Back Issue contents.

Back Issue, ea. \$7.00 Foreign postage, add \$1.50 ea.

**Magazine Source:** Due to many inquiries, the source code for the magazine graphic shell is being provided as an informational tool. Included is the actual Basic09 source code and compiled modules on disk, as well as documentation and a printed copy of the source code.

Source, \$24.95 Foreign postage, add \$1.50

To order, please send U.S. check or money order to:

**JWT Enterprises**  
5755 Lockwood Blvd.  
Youngstown, OH 44512

Technical Assistance:  
(216)-758-7694



Sorry, no C.O.D.'s or credit cards; Foreign & Canadian orders, please use U.S. money orders. U.S. checks, allow 3-4 weeks for receipt of first issue/back issue.

Copyright (C) 1989, 1990 OS-9 is a trademark of Microvare Systems Corp. and Motorola, Inc.





## The Freedom Series




### Vocal Freedom

Vocal Freedom turns your computer into a digital voice recorder. The optional Hacker's Pac lets you incorporate voices or sounds that you record into your own BASIC or ML programs. This is not a synthesizer. Sounds are digitized directly into computer memory so that voices or sound effects sound very natural. One "off-the-shelf" application for Vocal Freedom is an automatic message minder. Record a message for your family into memory. Set Vocal Freedom on automatic. When Vocal Freedom "hears" any noise in the room, it plays the prerecorded message directly from its Random Access Memory with amazing fidelity! You may also SAVE or LOAD sounds to and from DISK. VF also tests memory to take advantage of from 64K up to a full 512K. Imagine being able to create a library of Sound Effects to be activated on demand for your home Videos. Imagine being able to create simple BASIC programs that talk or even sing in a perfectly natural human voice. YOURS! Imagine using the optional Hacker's Pac to write a simple spelling program for your kids. The computer can pronounce any word, the child would be asked to type it. The applications are

virtually unlimited! Requires low cost amplifier (RS cat. #277-1008) and any microphone. Will run on a CoCo 1, 2, or 3. Vocal Freedom Disk: \$34.95. Optional Hacker's Pac Disk: \$19.95. Disk for both: \$49.95

### Mental Freedom

Would your friends be impressed if your computer could read their minds? Mental Freedom uses the techniques of Biofeedback to control video game action on the screen. Telekinesis? You control the action with your thoughts and emotions. Your goal is to materialize and levitate objects with the power of your mind while avoiding the insidious cobra. Mental Freedom teaches peace of mind in the face of adversity. Mental Freedom even talks in a perfectly natural voice without using a speech synthesizer! Requires Radio Shack's low cost Biofeedback monitor, Cat. #63-675. Will run on a CoCo 2 or 3 but not CoCo 1. Disk: \$24.95



### Lightning Series

These three utilities give real power to your CoCo 3.

### Ramdisk Lightning

This is the best Ramdisk available. It lets you have up to 4 mechanical disk drives and 2 Ram drives on-line and is fully compatible with our Printer Lightning. Requires 512K CoCo 3. Disk: \$19.95

### Printer Lightning

Load it and forget it--except for the versatility it gives you. Never wait for your printer again! Printer runs at high speed while you continue to work at the keyboard! Disk: \$19.95

### Backup Lightning

Reads your master disk once and then makes super fast multiple disk backups on all your drives! No need to format blank disks first! Supports 35, 40 or 80 track drives. This utility requires 512K. Disk: \$19.95

### COCO Braille



Produce standard grade 2 Braille on a Brother daisy wheel printer. Easy to use for sighted or blind user. No knowledge of Braille is necessary. Call for free sample. Will run on CoCo 1, 2, or 3. Disk: \$69.95

### VDOS the UnDisk

VDOS, The Undisk, ramdisk for the CoCo 1 or 2 only. Available only on tape: \$24.95  
VDUMP, backup Undisk files to single tape file. Requires VDOS. Tape: \$14.95  
VPRINT, Print Undisk directory. Requires VDOS. Tape: \$9.95

Add \$2.50 shipping/  
handling in USA or  
CANADA  
Add \$5.00 to ship to  
other countries

Dr. Preble's Programs  
6540 Outer Loop  
Louisville, KY 40228  
24 Hour Hot Line  
(502) 969-1818  
Visa, MC, COD, Check

# Novices Niche

## Quick Directory Sorter

by David C. Enger

Have you ever waited for a directory sort program running under Disk BASIC to finish? It seems to take forever, right? Wait no more, here is *Dir Sort*, the quick directory sort.

*Dir Sort* is a machine-language directory sort utility, which uses a modified bubble sort routine. The program was designed to run on a CoCo 3 under DECB Version 2.1. However, *Dir Sort* works on any 32K or more CoCo with either Disk BASIC 1.0 or 1.1.

To install *Dir Sort* on your disk, run DIRSORT to generate and save the machine-language program. Enter PCLEAR4:LOADM"DIRSORT":EXEC and follow the prompts to quickly sort your directory.

### The Listing: DIRSORT

```

Ø 'QUICK DIRECTORY SORTER
1 'BY DAVID C. ENGER
2 'COPYRIGHT (C) JANUARY 1991
3 'BY FALSOFT, INC.
3Ø WIDTH32:CLS:PRINT
4Ø PRINT"POKING DIR SORT/BIN INT
Ø MEMORY"
5Ø PRINT
6Ø AD=&HEØØ
7Ø FORX - 1 TO 13
8Ø T=Ø:C=Ø
9Ø FORY=1TØ45
1ØØ READA:POKEAD,A
11Ø AD=AD+1:C=C+A
12Ø NEXTY
13Ø READA:IFA<>C THENPRINT"ERROR
IN LINE"X*1Ø+16Ø:END
14Ø NEXTX
15Ø PRINT"SAVING 'DIRSORT.BIN'"
16Ø SAVEM"DIRSORT.BIN",&HEØØ,&H1
Ø46,&HEØØ
17Ø DATA 189,15,124,142,15,181,1
89,15,156,142,15,2Ø6,189,15,156,
189,15,145,189,15,124,142,15,181
,189,15,156,142,16,17,189,15,156
,189,14,43,142,16,4Ø,189,15,156,
57,189,14,4723
18Ø DATA 58,189,14,142,189,15,11
2,134,Ø,183,255,64,57,16,142,16,
7Ø,19Ø,192,6,134,2,167,132,182,1
5,111,167,137,Ø,1,134,17,167,137
,Ø,2,134,3,183,15,1Ø8,189,14,118
,4313
19Ø DATA 166,164,129,255,39,17,1

```

```



82,15,1Ø8,129,11,39,1Ø,124,15,1Ø
8,49,169,1,Ø,126,14,87,16,191,15
,1Ø9,57,16,175,137,Ø,4,182,15,1Ø
8,167,137,Ø,3,173,159,192,4,1Ø9,
3926
2ØØ DATA 137,Ø,6,38,1,57,57,2Ø4,
15,89,253,15,1Ø2,189,14,197,2Ø4,
15,75,253,15,1Ø2,189,14,197,2Ø4,
15,61,253,15,1Ø2,189,14,197,2Ø4,
15,47,253,15,1Ø2,189,14,197,2Ø4,
15,4743
21Ø DATA 33,253,15,1Ø2,189,14,19
7,2Ø4,15,21,253,15,1Ø2,189,14,19
7,57,19Ø,15,1Ø9,191,15,1Ø6,142,1
6,7Ø,127,15,1Ø4,11Ø,159,15,1Ø2,3
1,18,52,16,31,33,127,15,1Ø5,236,
132,16,4168
22Ø DATA 174,137,Ø,32,237,137,Ø,
32,16,175,129,124,15,1Ø5,182,15,
1Ø5,129,8,38,232,53,16,134,1,183
,15,1Ø4,48,137,Ø,32,188,15,1Ø6,3
8,2Ø3,252,15,1Ø6,131,Ø,32,253,15
,4Ø99
23Ø DATA 1Ø6,182,15,1Ø4,38,183,5
7,236,137,Ø,32,16,163,132,36,223
,126,14,213,236,137,Ø,34,16,163,
137,Ø,2,36,2Ø9,126,14,213,236,13
7,Ø,36,16,163,137,Ø,4,36,195,126
,4422
24Ø DATA 14,213,236,137,Ø,38,16,
163,137,Ø,6,36,181,126,14,213,23
6,137,Ø,4Ø,16,163,137,Ø,8,36,167
,126,14,213,166,137,Ø,42,161,137
,Ø,1Ø,36,154,126,14,213,15,21,4Ø
55
25Ø DATA Ø,Ø,16,166,8,21,7Ø,Ø,16
,142,16,7Ø,19Ø,192,6,134,3,126,1
4,67,52,18,134,96,142,4,Ø,167,13
2,48,137,Ø,1,14Ø,6,Ø,38,245,53,1
8,57,52,2,173,159,3131
26Ø DATA 16Ø,Ø,39,25Ø,53,2,57,52
,38,16,174,129,16,191,Ø,136,166,

```

```

128,129,255,39,7,173,159,16Ø,2,1
26,15,165,53,38,57,4,37,6Ø,73,82
,69,67,84,79,82,89,32,83,3834
27Ø DATA 79,82,84,32,85,84,73,76
,73,84,89,255,4,16Ø,73,78,83,69,
82,84,32,68,73,83,75,69,84,84,69
,32,73,78,32,68,82,73,86,69,32,4
8,32,65,78,68,32,3314
28Ø DATA 32,8Ø,82,69,83,83,32,65
,78,89,32,75,69,89,32,84,79,32,8
3,79,82,84,32,68,73,82,69,67,84,
79,82,89,46,255,4,165,83,79,82,8
4,73,78,71,32,68,3358
29Ø DATA 73,82,69,67,84,79,82,89
,33,33,33,255,4,165,68,73,82,69,
67,84,79,82,89,32,83,79,82,84,32
,67,79,77,8Ø,76,69,84,69,68,33,3
3,33,255,Ø,Ø,Ø,3256

```



# PCM

The Premier Personal Computer Magazine for Tandy® Computer Users

Not only does Tandy produce our favorite CoCo, we think it produces the best portable and MS-DOS computers as well. We've found that when satisfied Color Computer users decide to add portability or MS-DOS to their computing habits, many stick with Tandy. For these people we publish PCM, The *Premier Personal Computer Magazine* for Tandy Computer Users.

Each month in PCM, you'll find information and programs for the Tandy 100, 102 and 200 portable computers. And you'll find even more coverage for Tandy's MS-DOS machines — from the graphics of the 1000 to the power of the 5000.

## PROGRAMS AND PROGRAM DISKS!

We learned from THE RAINBOW that readers want programs to type in, so each month we bring you an assortment of them: games, utilities, graphics, and home and business applications. For those who don't have time to type in listings, we offer a companion disk with all the programs from the magazine. Also included in PCM each month is the *Software Shopper*, an "onmail" database service from which you can order the latest shareware products from our Delphi databases for Tandy MS-DOS and PC users — even if you don't have a modem!

## TUTORIALS AND PRODUCT REVIEWS!

As if all this weren't enough, we offer regular tutorials on *DeskMate*, telecommunications and hardware; assembly language, BASIC and PASCAL programming tips; and in-depth reviews of the new software, peripherals and services as they are released. Add it all up and we think you'll find PCM to be the most informative and fun magazine for this market today!

**YES!** Please send me a one year (12 issues) subscription to PCM for only \$28.\* A savings of 22% off the newsstand price.

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_

ZIP \_\_\_\_\_

In order to hold down costs, we do not bill.

My check in the amount of \_\_\_\_\_ is enclosed.

Charge to my:

VISA     MasterCard     American Express

Acct. # \_\_\_\_\_

Exp. Date \_\_\_\_\_ Signature \_\_\_\_\_

To order by phone (credit card orders only) call 800-847-0309, 9 a.m. to 5 p.m. EST. For other inquiries call 502-228-4492.

\* Canadian subscribers U.S. \$38 plus 7% GST. Surface rate elsewhere \$64, airmail \$85. Allow 6 to 8 weeks for first copy. Kentucky residents add 6% sales tax. U.S. currency *only*, please.

Mail to: PCM, The Falsoft Building, P.O. Box 385, Prospect, KY 40059

# Bond Calculator



by Dale Tinklepaugh

**B**onds are sufficiently different from other investment forms to deserve special treatment. Bond prices fluctuate inversely with current market interest rates. This makes it hard to analyze the rate of return on a bond investment because the amount invested affects the calculation in a complex way. *Bondcalc* calculates two different measures of rate of return: Current yield and yield to maturity.

Before explaining how the program runs, a summary of bond concepts and terminology might be helpful. Once a bond is issued it can be sold several times during its *term*, or *life*. *Maturity* is the end of the bond's term. At maturity, the bond is redeemed for its face amount, called the *par value*.

Unless the bond is a zero coupon bond, interest is paid periodically, usually semi-annually. A *coupon* is one of several promissory notes attached to some bonds. The coupons are detached and cashed in as the bond interest payments become due. Registered bond holders automatically receive interest payments by mail from the issuing corporation.

---

*Dale Tinklepaugh has been a professional programmer for several years in electrical engineering and graphics applications. He markets some of his own programs through his business, Prometheus Software. Dale, his wife and their two children enjoy camping and spending time in the mountains. He can be contacted at P.O. Box 15859, Long Beach, CA 90815. Please include an SASE when requesting a reply.*

*Debenture bonds* are unsecured, whereas *mortgage bonds* are secured by specific corporate assets. A *callable* bond allows the issuing corporation to repurchase the bond on a certain date before maturity. An owner of a *convertible bond* can elect to exchange the bond for stock under specified conditions.

When interest rates of alternative investments increase above the bond interest rate, investors have no incentive to purchase the lower interest bond unless the purchase price is discounted to compensate. On the other hand, when market rates are lower than a bond's rate, the bond owner will not sell unless paid a *premium*, or increased price.

An investor is primarily interested in two measures of a bond's profitability. The first area of interest is the *current yield*. This is simply the ratio of annual interest to the bond's purchase price. It is useful when the bond is held for a short term, a year or two, and interest rates are expected to remain stable. A second measure for the rate of return is known as the *yield to maturity*. This rate is figured with the purchase premium or discount apportioned equally among the remaining years of the bond's term. Hence a given purchase price results in a certain rate of return for the remaining life of the bond. An exception is the callable bond when the call option is exercised. For a callable bond it is a good idea to prepare the yield to maturity calculation using the

specific call conditions outlined in the bond agreement.

*Bondcalc* takes a few seconds to perform the yield to maturity calculation since there is no formula that gives an exact result. The variable being solved for is an exponent in two separate terms of the governing equation. But given a value for the exponent, other terms can be calculated as desired. First, an approximation of the yield to maturity is obtained with a simplified equation. Then, the future value of the bond is computed using the approximate yield to maturity. The result should equal the par value of the bond. If not, the approximation is successively refined until the difference is less than 0.5 cents or until the yield to maturity is modified out to six decimal places.

Only five of those decimal places are displayed  
(after having  
been





multiplied by 100 to give the answer as a percent).

The quoted price for a bond does not include a small amount of interest accrued from the time of the last interest payment to the time of the sale. This amount is calculated at the time of the sale using the bond interest rate and using par value as the principle amount. This interest is added to the purchase price of the bond along with the commission.

### The Program

The program presents a menu with the following five options: 1) Current Yield; 2) Yield to Maturity; 3) Price for a Current Yield; 4) Price for a Yield to Maturity; and 5) Exit Program. Press the corresponding numbers to select a given option. When the Current Yield option is selected, you are asked to provide the relevant information to perform the calculation. The first question asks for the cost of the bond. This answer should be the price quoted for one bond. You are then asked for the interest rate in percent. If the bond is quoted as paying 10 percent, enter 10 and not 0.1.

You might know the coupon amount, but need to calculate the interest rate. Many

bonds come with a par value of \$1,000 and the calculation can be done mentally. For example, two \$40 semiannual coupons would mean an annual interest payment of \$80, which divided by \$1,000 equals .08 or 8 percent. For less trivial calculations, the program provides a scratchpad to figure interest rates and commissions. It annoys me to pull out my pocket calculator when using my computer.

To access the scratchpad, enter a negative number such as -1. A negative interest rate is not proper input for these calculations and the program interprets it as a signal to branch to the Scratchpad subroutine. The announcement, "Scratchpad Invoked" appears at the bottom of the screen. You are then asked for a number and an operation. The operations are +, -, \*, / and R for addition, subtraction, multiplication, division and return, respectively. Enter the first number. Enter one of the first four operations. Then enter another number. You must then again enter an operation. This cycle is repeated until you enter R for return. When you return to the interest rate question, the last result is automatically carried there, multiplied by 100 and entered in the interest variable.

Next, you are asked for the number of

bonds and after that for the par value of each bond. Finally, you are asked for the amount of commission. If you do not know the commission terms, enter 0 as your answer to get a result figured as if there is no commission. If you don't know the amount, but know the commission rate, enter a negative number to call up the scratchpad calculator. The commission is generally figured as so many dollars per bond rather than as a percentage of the par value. From the scratchpad, the last result is entered directly into the commission variable without alteration.

After all the input data is entered, the current yield result is printed and you can decide whether or not to perform another calculation. Press Y to calculate another current yield or press N to return to the menu. If your printer is online, press P to get a screen dump. If printing does not begin after you press P, check the printer status. The program does not call the Print subroutine, so you must again press P after correcting the problem.

The same basic questions are presented for the other three options. For the inverse calculations, you are asked for a percentage current yield or yield to maturity instead of being asked for the purchase price, which is then calculated and displayed after all other

## 1990 COCO FEDERAL TAX

by PURITAS SPRINGS SOFTWARE

The leader in Color Computer tax software just got better! Completely revised for the 1990 Tax season. Bigger, better, and faster!

In his review of the 1987 edition, Ted Paul wrote: "This is an excellent program and manual, and I was in awe when the mail carrier handed me this huge bundle." COCO Clipboard Magazine, Mar/Apr 1988.

\*THE Ultimate tax preparation package, \*100+ page manual, \*runs on any 64K COCO 1, 2 or w/disk drive, \*consists of 3 diskettes, \*menu driven, \*loads & saves files to disk, \*prints to screen and/or prepares forms acceptable to IRS, \*format & organization follows IRS forms, \*built-in calculator, \*self checking for common errors and omissions, \*simple yet extensive editing features, \*disk directory function, \*Price - still only \$39.95

Includes: Form 1040; Schedules A, B, C, D, E, SE; Forms 2106, 2441, 4562; and State/Local Tax, Pension/Annuity, Social Security, IRA worksheets and more.

PURITAS SPRINGS SOFTWARE  
Ameritrust Building  
17140 Lorain Avenue  
Cleveland, Ohio 44111  
(216) 251-8085

## Quality 039 Software from ColorSystems

### Specialty Programs

#### MVBanner *Brand New!*

Make Printed Banners  
in the Multi-Vue  
Environment  
Features Include:  
"Pull Down" Menus  
On-Screen Previewing  
27 Built-In Images  
Two Fonts, Image Editor  
and Much More!  
\$12K and Mouse/Joystick  
Required  
Only **\$20**

#### WPShel

A Word Processing  
Oriented Graphics Shell  
A "Point and Click"  
Interface to all your  
word Processing Needs  
"Pull Down" Menus  
User Customizable  
Works with any Editor.  
Text Formatter &  
Spelling Checker

"WPShel is a bargain".  
Dale Puckett  
Dec '90 Rainbow  
Only **\$22**

All Programs  
Require Multi-Vue  
Mindset Module Support

Please add \$3 for  
Overseas Shipments  
NC Residents  
add 5% Sales Tax

ColorSystems is pleased to  
announce affiliation with the  
Interactive Media Systems  
Developer's Association and  
plans to offer full support  
for the IBM/1 and OS/2 Windows

### Games

#### Announcing 3 New Games

#### Minefield

You must get a secret message  
to Headquarters but a  
Minefield stands between you

#### Sea Battle

It's you against the computer in  
a hectic battle at sea. Be the  
first to sink all of your  
opponents' task force to win

#### Other Games

#### Pyramid Solitaire

Reviewed in The Rainbow  
October 1990

#### KnightsBridge

A variation of Chess with  
randomness thrown in!

#### CoCothello

Othello for CoCo3  
NOW! For 1 or 2 player Game!

#### CoCoYahtzee

Dice Poker for CoCo3

All games in full color and  
require a mouse or joystick

All Games just **\$10** each

or any 3 for **\$25**

Special Game Pack, all  
6 Games on the same disk **\$40!**

## ColorSystems P.O. Box 540

Castle Hayne, NC 28429  
(919) 675-1706 (voice)  
(919) 675-1847 (BBS)

(owned & operated by Zack C. Sessions)

data is entered. Years to Maturity is one additional item you are asked when dealing with yield to maturity. Enter the number of years between the purchase date and the maturity date. Another item for calculation is Compounding Periods/Years. If interest is paid and compounded annually, enter 1; if semiannually, enter 2. An asterisk (\*) before a prompt string indicates you can enter a negative number to invoke the scratchpad calculator.

Forexample, consider Sam's situation. Sam is considering the purchase of ten \$1,000 par value bonds issued by Amalgamated Computer Company. The bonds pay 7 percent interest on a semiannual basis, quoted at \$855 and mature in nine

years. His broker said that commission on the transaction is \$50. After loading and running *Bondcalc*, Sam pressed 1 to evaluate the current yield. He entered 855 as the cost of the bond; 7 for the interest rate; 10 for the number of bonds; 1,000 for the par value; and 50 for the commission. The resulting current yield displayed 8.140 percent.

Sam pressed N to exit the Current Yield section of the program. From the menu he selected 2 to calculate the Yield to Maturity. This time he entered 855 as the cost of the bond; 2 for compounding periods/year; 7 for interest rate; 10 for number of bonds; and 1,000 for par value. Next, he entered 9 for years to maturity and 50 for

commission. The answer was 9.333 percent. Note that since the \$145 discount is figured in, the Yield to Maturity is over 1 percent higher than the Current Yield. Sam can now compare this rate of return with his other investment options.

As a final note, if you receive an ?OM error, reset the computer, enter PCLEAR1 and run the program again.

### References

Kurtz, M., *Engineering Economics for Professional Engineers' Examinations*, 2nd Ed., McGraw-Hill, New York, 1975

McCready, R., *Business Mathematics*, 4th Ed., Kent Publishing Co., Boston, 1982

32K Extended

✓	115	.....	185
	240	.....	100
	330	.....	74
	5030	.....	63
	5080	.....	218
	5180	.....	184
	6055	.....	150
	6120	.....	80
	6180	.....	63
	6440	.....	40
	6830	.....	24
	7040	.....	58
	7140	.....	66
	8030	.....	206
	8075	.....	118
	8150	.....	219
	9030	.....	149
	END	.....	255

### The Listing: BONDCALC

```

10 'BONDCALC
20 'WRITTEN BY DALE TINKLEPAUGH
30 'COPYRIGHT FEBRUARY 1991
40 'BY FALSOFT, INC.
50 'RAINBOW MAGAZINE
105 CLEAR 200,16127 'SAVE SPACE
FOR TEXT DUMP CODE
107 POKE 150,18 'SET PRINTER TO
2400
108 ' TEXT DUMP ROUTINE
110 DATA &H86,&HFE,&HB7,0,&H6F,&
H8E,4,0,&H5F,&H5C,&HA6,&H80,&H81
,&H60
115 DATA &H2B,2,&H84,&HBF,&HAD,&
H9F,&HA0,2,&HC1,&H20,&H2B,&HEF,&
H86,&H0D
120 DATA &HAD,&H9F,&HA0,2,&H8C,6
,0,&H2B,&HE3,&H7F,0,&H6F,&H39
125 FOR I=16128 TO 16128+40
130 READ A:POKE I,A
135 NEXT I
140 DEFUSR0=&H3F00
202 F2$="####":F3$="####.###":B
L$="

```

```

"
205 F1$="$$#####.##":P$="PRESE
NT VALUE IS"
207 'MAIN BODY
210 CLS
230 PRINT@11,"BONDCALC"
235 PRINT@40,"COPYRIGHT 1988"
240 PRINT@70,"BY DALE TINKLEPAUG
H"
250 PRINT@131,"SELECT CONVERSION
RESULT"
260 PRINT@194,"1 CURRENT YIELD"
270 PRINT@226,"2 YIELD TO MATURI
TY"
280 PRINT@258,"3 PRICE FOR A CUR
RENT YIELD"
290 PRINT@290,"4 PRICE FOR YIELD
TO MATURITY"
295 PRINT@322,"5 EXIT PROGRAM"
300 PRINT@385,"PRESS A NUMBER BE
TWEEN 1 AND 5"
310 A$=INKEY$:IF A$=""GOTO 310
320 CASE=INSTR(1,"12345",A$)
330 ON CASE GOSUB 5000,6000,7000
,8000,500
340 GOTO 210
500 STOP
600 'END OF MAIN BODY
1140 'CHECK TO SEE IF PRINTER IS
ON LINE
1150 PR=PEEK(65314):IF INT(PR/2)
=PR/2 THEN QQ=1 ELSE QQ=0
1160 RETURN
5000 'CURRENT YIELD
5010 CLS:PRINT@98,"CURRENT YIELD
"
5020 PRINT" ":INPUT"ENTER COST O
F BOND":CPSH
5030 INPUT"*INTEREST RATE (%)":C
UPN:IF CUPN<0 GOSUB 9000 'TO SCR
ATCHPAD
5032 IF CUPN<0 THEN PRINT@192,BL
$:
5035 IF CUPN<0 THEN CUPN=POP*100
:PRINT@192,"INTEREST RATE="":CUP
N:"%"
5040 INPUT"NUMBER OF BONDS":NSHR
S
5050 INPUT"PAR VALUE":PAR
5060 INPUT"*COMMISSION":COMM:IF

```

```

COMM<0 GOSUB 9000
5062 IF COMM<0 THEN PRINT@288,BL
$:
5065 IF COMM<0 THEN COMM=POP:PRI
NT@288,"COMMISSION="":COMM
5070 PUPR=CPSH*NSHRS+COMM
5080 DIV=CUPN*PAR*NSHRS/100
5090 CRYLD=DIV/PUPR
5100 PRINT"CURRENT YIELD IS":
5110 PRINTUSING F3$: CRYLD*100::
PRINT"%"
5120 PRINT"DO ANOTHER? (Y OR N)"
5135 GOSUB 1150
5140 IF QQ=1 THEN PRINT" (PRESS
P TO PRINT OUT SCREEN)":
5150 GOSUB 1150:A$=INKEY$:IF A$=
"" THEN GOTO 5150
5160 IF A$="P" AND QQ=1 THEN A=U
SR0(0)
5170 IF A$="Y" THEN GOTO 5010 EL
SE IFA$="N" THEN RETURN ELSE GOT
O 5150
5180 RETURN
6000 ' YIELD TO MATURITY
6010 ' FIRST GET INPUT DATA AND
6015 ' FIGURE APPROXIMATE SOLUTI
ON
6017 ' BY FORMULA
6030 CLS:PRINT@98,"YIELD TO MATU
RITY"
6040 PRINT" ":INPUT"ENTER COST O
F BOND":CPSH
6045 INPUT"COMPOUNDING PERIODS/Y
EAR":NP
6050 INPUT"*INTEREST RATE (%)":C
UPN:IF CUPN<0 GOSUB 9000
6052 IF CUPN<0 THEN PRINT@224,BL
$:
6055 IF CUPN<0 THEN CUPN=POP*100
:PRINT@224,"INTEREST RATE="":CUP
N:"%"
6060 INPUT"NUMBER OF BONDS":NSHR
S
6070 INPUT"PAR VALUE":PAR
6080 INPUT"YEARS TO MATURITY":YR
S
6090 INPUT"*COMMISSION":COMM:IF
COMM<0 GOSUB 9000
6092 IF COMM<0 THEN PRINT@352,BL
$:

```

```

6095 IF COMM<0 THEN COMM=POP:PRI
NT@352,"COMMISSION="";COMM
6100 DIV=CUPN*PAR*NSHRS/100/NP
6110 API=(PAR*NSHRS+NSHRS*CPSH+C
OMM)/2
6115 'PREMIUM OR DISCOUNT
6120 PORD=CPSH*NSHRS+COMM-PAR*NS
HRS
6130 AYTM=(NP*DIV-PORD/YRS)/API:
GOSUB 6400
6140 PRINT"YIELD TO MATURITY"
6150 PRINTUSING F3$;AYTM*100;:PR
INT" %"
6155 PRINT"DO ANOTHER? (Y OR N)"
6157 GOSUB 1150
6160 IF QQ=1 THEN PRINT" (PRESS
P TO PRINT OUT SCREEN)";
6170 GOSUB 1150:A$=INKEY$:IF A$=
"" THEN GOTO 6170
6175 IF A$="P" AND QQ=1 THEN A=U
SR0(0)
6180 IF A$="Y" THEN GOTO 6030 EL
SE IF A$="N" THEN RETURN ELSE GO
TO 6170
6190 RETURN
6400 'PLUG APPROXIMATION INTO FO
RMULA & ITERATE UNTIL WITHIN $.0
05
6405 RVAL=PAR*NSHRS:INC=.01:OLDI
R=0
6410 FP=(1+AYTM/NP)^(YRS*NP)
6420 FA=((1+AYTM/NP)^(YRS*NP))-
1)/(AYTM/NP)
6430 FVAL=(CPSH*NSHRS+COMM)*FP-F
A*DIV
6435 'PRINT"INC="";INC;" DR="";D
R,"AYTM="";AYTM;" FVAL="";FVAL;"

```

```


RVAL="";RVAL:STOP 'FOR DEBUGGI
NG
6440 IF FVAL>RVAL GOTO 6600
6450 IF FVAL<RVAL GOTO 6800
6460 RETURN '- SO DONE
6600 'APPROXIMATION TOO HIGH
6602 IF ABS(FVAL-RVAL)<.005 THEN
RETURN
6605 UB=AYTM:DR=-1
6620 IF(DR<>OLDIR)AND (OLDIR<>0)
THEN INC=INC/10:IF ABS(INC)<.000
001 THEN RETURN 'CLOSE ENOUGH
6625 AYTM=AYTM-INC
6630 OLDIR=DR:GOTO 6410
6800 'APPROX TOO LOW
6810 IF ABS(FVAL-RVAL)<.005 THEN
RETURN
6815 LB=AYTM:DR=1
6830 IF(DR<>OLDIR)AND(OLDIR<>0)
THEN INC=INC/10:IF ABS(INC)<.000
001 THEN RETURN
6835 AYTM=AYTM+INC
6840 OLDIR=DR:GOTO 6410
7000 'PRICE FOR A CURRENT YIELD
7010 CLS:PRINT@98,"PRICE FOR A C
URRENT YIELD"
7020 PRINT" ";INPUT"DESIRED CURR
ENT YIELD (%):";C:CRYLD=C/100
7030 INPUT"*INTEREST RATE (%):";C
UPN:IF CUPN<0 GOSUB 9000
7032 IF CUPN<0 THEN PRINT@192,BL
$
7035 IF CUPN<0 THEN CUPN=POP*100
:PRINT@192,"INTEREST RATE="";CUP
N;"" %"
7040 INPUT"NUMBER OF BONDS";NSHR
S

```

```

7050 INPUT"PAR VALUE";PAR
7060 INPUT"*COMMISSION";COMM:IF
COMM<0 GOSUB 9000
7062 IF COMM<0 THEN PRINT@288,BL
$:
7065 IF COMM<0 THEN PRINT@288,"C
OMMISSION="";COMM
7070 DIV=CUPN*PAR*NSHRS/100
7080 CPSH=(DIV/CRYLD-COMM)/NSHRS
7090 PRINT"PRICE PER SHARE IS"
7100 PRINTUSING F1$;CPSH
7120 PRINT"DO ANOTHER? (Y OR N)"
7125 GOSUB 1150
7130 IF QQ=1 THEN PRINT" (PRESS
P TO PRINT OUT SCREEN)";
7140 GOSUB 1150:A$=INKEY$:IF A$=
"" THEN GOTO 7140
7150 IF A$="P" AND QQ=1 THEN A=U
SR0(0)
7160 IF A$="Y" THEN GOTO 7010 EL
SE IF A$="N" THEN RETURN ELSE GO
TO 7140
7170 RETURN
8000 'PRICE FOR A YIELD TO MATUR
ITY
8010 CLS:PRINT@98,"PRICE FOR YIE
LD TO MATURITY"
8015 PRINT" ";INPUT"COMPOUNDING
PERIODS/YEAR";NP
8020 INPUT"YIELD TO MATURITY (%
)";Y:YTM=Y/100/NP
8030 INPUT"*INTEREST RATE (%):";C
UPN:IF CUPN<0 GOSUB 9000
8032 IF CUPN<0 THEN PRINT@224,BL
$:
8035 IF CUPN<0 THEN CUPN=POP*100
:PRINT@224,"INTEREST RATE="";CUP

```



EVERYONE'S TALKING ABOUT...

**DUAL HI-RES JOYSTICK ADAPTER**  
Colorware Hi-Res Tandy Hi + Low  
Res, cassette jack \$40

**HI & LO-RES JOYSTICK ADAPTER**  
Tandy Hi + Lo-Res \$27

**HAWKSoft keyboard cable \$25**  
**DOMINATION war game \$18**  
**MYDOS extended DOS for you! \$15**

**HAWKSoft**

P.O. Box 7112 Elgin, IL 60121  
(708) 742-3084 eves and ends  
SASE for more info and price list.  
S/H ( US & CAN ) always included  
M.O. Check C.O.D. no credit cards  
1 year warranty on ALL hardware !!



**SUB-ETHA SOFTWARE**  
"In Support of the CoCo"



Sub-Etha Software was formed by two loyal CoCo hackers in support of the Color Computer's future. We pledge ourselves to service and support of our products and since we program our own software we should be able to answer any questions you may have. We are looking for ways to help the Color Computer and need your input as you ARE the Color Computer. Please write to us for information on what you can do to help! And now the plug...

•: MiniBanners by Allen Huffman •:

Print single or multiple-line banners on ANY printer! Supports graphic and non-graphic printers (like daisy wheels and even the TP-10). Independently sized text on each line. Menu driven and easy to use. Comes with dozens of fonts!

Req: CoCo 3, Disk Drive, Any Printer.....\$19.95

•: MultiBasic by Terry Todd •:

More memory for Basic without learning new commands! Create massive modular programs using normally "wasted" memory in your CoCo 3. Share subroutines, pass variables, disk chain, and load multiple programs into memory at once. Includes run-time version for you to distribute with your own programs!

Req: 128/512K CoCo 3, Disk Drive.....\$29.95

•: Shadow BBS by Terry Todd •:

**New Version!** A complete RS-Dos BBS with low hardware requirements! Power, speed and flair on the CoCo 3. Supports RS232 port or serial (printer) port. Up to 255 msg. areas, clock, downloads, ANSI, user profiles, surveys, one-liner "quotes", automessage, caller log, onscreen status window, and much more! Ready to run but customizable. Call the Sub-Etha Support BBS at (409) 63-REALM.

Req: 128K CoCo 3, Disk Drive (s), Modem.....\$39.95

Call or write - We have more products! Programmers - We are looking for new software. CoCo Clubs and Educators - Call about special discounts.

All orders in U.S. funds, please.

**Sub-Etha Software**  
P.O. Box 152442  
Lufkin, Texas 75915  
(409) 639-ETHA [3842]

**Call or Write for Information!**  
Add \$2.50 S&H and \$3.50 C.O.D.  
Texas residents add 8.25% tax.  
"Don't Panic - We ship Fast!"

```

N: " %"
8040 INPUT "NUMBER OF BONDS"; NSHR
S
8050 INPUT "PAR VALUE"; PAR
8060 INPUT "YEARS TO MATURITY"; YR
S
8070 INPUT "**COMMISSION"; COMM: IF
COMM<0 GOSUB 9000
8072 IF COMM<0 THEN PRINT@352, BL
$:
8075 IF COMM<0 THEN COMM=POP: PRI
NT@352, "COMMISSION= "; COMM
8080 DIV=CUPN*PAR*NSHRS/100/NP
8090 FP=(1+YTM)^(YRS*NP) 'FUTURE
VALUE OF PRESENT SUM FACTOR
8100 FA=((1+YTM)^(YRS*NP)-1)/Y
TM 'FUTURE VALUE OF UNIFORM SER
IES FACTOR
8110 CPSH=((PAR*NSHRS+FA*DIV)/F
P)-COMM/NSHRS
8115 PRINT "PRICE/BOND"

```

```

8120 PRINT USING F1$; CPSH
8130 PRINT "DO ANOTHER? (Y OR N)"
8135 GOSUB 1150
8140 IF QQ=1 THEN PRINT "(PRESS P
TO PRINT OUT SCREEN)";
8150 GOSUB 1150: A$=INKEY$: IF A$=
" " THEN GOTO 8150
8155 IF A$="P" AND QQ=1 THEN A=U
SR(0)
8160 IF A$="Y" THEN GOTO 8010 EL
SE IF A$="N" THEN RETURN ELSE GO
TO 8150
8170 RETURN
9000 'SCRATCH PAD
9010 PRINT@384, "SCRATCH PAD INVO
KED"
9015 PRINT@416, "": INPUT "ENTER N
UMBER "; POP
9017 PRINT@448, BL$:
9020 PRINT@448, "ENTER OPERATION
(+ - * / R)";

```

```

9030 B$=INKEY$: IF B$="" GOTO 903
0
9040 CASE=INSTR(1, "+ - * / R", B$): IF
CASE=0 GOTO 9030
9045 IF CASE=5 THEN PRINT@384, BL
$: PRINT@416, BL$: PRINT@448, BL$:
: PRINT@480, BL$: RETURN
9055 PRINT@448, BL$: PRINT@448, B$
: " ": INPUT "ENTER NUMBER"; NUM
9060 ON CASE GOTO 9100, 9200, 9300
, 9400, 9500
9100 POP=POP+NUM: PRINT@416, BL$:
: PRINT@431, POP: GOTO 9020
9200 POP=POP-NUM: PRINT@416, BL$:
: PRINT@431, POP: GOTO 9020
9300 POP=POP*NUM: PRINT@416, BL$:
: PRINT@431, POP: GOTO 9020
9400 POP=POP/NUM: PRINT@416, BL$:
: PRINT@431, POP: GOTO 9020
9500 RETURN

```

## Novices Niche

Utility

16K Extended

### Timer by Richard Larson

This is a timer program. It counts down from a time determined by the user. It also functions as a rudimentary stopwatch by counting elapsed time.

The program uses the TIMER function of Extended BASIC. The timer is set to zero. Every time it reaches 60, variable SS (seconds) is incremented. When SS reaches 60, MM (minutes) is incremented. The program can easily be customized to suit individual needs.

#### The Listing: TIMER

```

1 'TIMER
2 'WRITTEN BY RICHARD LARSON
3 'COPYRIGHT FEBRUARY 1991
4 'BY FALSOFT, INC.
5 'RAINBOW MAGAZINE
10 MM=0:SS=0:CLS:PRINT "TIMER PRO
GRAM"
20 PRINT "1> COUNT DOWN
2> ELAPSED TIME"
30 INPUT A$
40 IF A$="1" THEN 50 ELSE IF A$=
"2" THEN 180 ELSE 30

```

```

50 INPUT "ENTER MINUTES"; M
60 INPUT "ENTER SECONDS"; S
70 IF S>59 THEN 80
80 TIMER=0
90 IF MM=M AND SS=S THEN GOTO 15
0
100 SS=INT(TIMER/60)
110 IF SS>59 THEN MM=MM+1: GOTO
80
120 PRINT@32*9, "SECONDS: "; SS
130 PRINT@32*8, "MINUTES: "; MM
140 GOTO 90
150 SOUND100,1:PRINT@32*11, "TIME
'S UP"
160 INPUT "AGAIN Y/N"; X$: IF X$="Y
" THEN 10 ELSE END
170 GOTO 10
180 CLS:MM=0:PRINT@10, "TIME ELAP
SED"
190 PRINT@32, "PRESS ANY KEY TO S
TART"
200 IF INKEY$="" THEN 200
210 PRINT@32, "TIMER STARTED - AN
Y KEY TO STOP"
220 TIMER=0
230 SS=INT(TIMER/60)
240 IF SS>59 THEN MM=MM+1:SS=0:G
OTO 220
250 PRINT@200, MM; " "; SS

```

```

260 IF INKEY$="" THEN 230 ELSE 2
70
270 PRINT "ELAPSED TIME = "; MM; "M
INUTES"; SS; "SECONDS"


```



# TANDY® ADD-ONS

## SPECIAL OF THE MONTH DRIVE CARDS

For model 1000, SX, TX, SL, TL, 3000, 3000NL



20 Meg Drive Card	65 MS	.....	<b>\$269.95</b>
20 Meg Drive Card	45 MS	.....	<b>\$289.95</b>
32 Meg Drive Card	45 MS	.....	<b>\$299.95</b>
40 Meg Drive Card	60 MS	.....	<b>\$339.95</b>
49 Meg Drive Card	32 MS	.....	<b>\$399.95</b>
64 Meg Drive Card	23 MS	.....	<b>\$539.95</b>

Call for current pricing



## TDP/2 \$699.95

30-Day Money Back Guarantee - you can't lose!

TDP/2	Tandy® TL/2
<ul style="list-style-type: none"> <li>12 MHz 80286 Processor</li> <li>Built-in hard drive controller EIDE supports up to 2 hard drives</li> <li>Built-in floppy drive controller supports 1 of 5 1/4 Meg, 10M, 20M, 360K, 720K</li> <li>Built-in parallel port</li> <li>Built-in 2 serial (RS232) ports, COM1, COM2</li> <li>2 internal ports</li> <li>512K memory expandable to 1 Meg</li> <li>1.44 Meg floppy drive</li> <li>Video supports Hercules® monochrome graphics and CGA color graphics</li> <li>7 slots, 8, 10, 11, 1, 8 slot</li> <li>220 watt power supply</li> <li>Real time clock</li> <li>100 enhanced keyboard (optional)</li> <li>Math coprocessor socket</li> <li>2 UART's - serial ports</li> <li>Software - PC, MS-DOS, PC Card, PC file</li> <li>E2 BIOS</li> </ul>	<ul style="list-style-type: none"> <li>8 MHz 80286 Processor</li> <li>Built-in hard drive controller EIDE monitor</li> <li>Built-in floppy drive controller supports 10M, 20M, 360K</li> <li>Built-in parallel port</li> <li>Built-in serial port COM1</li> <li>2 internal ports</li> <li>512K memory expandable to 1 Meg</li> <li>720K floppy drive</li> <li>Video supports Hercules® monochrome graphics and CGA color graphics</li> <li>5 slots of 8 slot</li> <li>100 watt power supply</li> <li>Real time clock</li> <li>100 enhanced keyboard</li> <li>Math coprocessor socket</li> <li>2 drive bays</li> <li>Software - Commodore 3 Production</li> <li>MS-DOS</li> </ul>

### TDP/2 Options:

• 12" monochrome monitor	<b>\$89.95</b>	• 1.44 Meg floppy	<b>\$119.95</b>
• 14" CGA monitor	<b>\$279.95</b>	• 720K floppy	<b>\$99.95</b>
• 14" EGA monitor & card	<b>\$499.95</b>	• 360K floppy	<b>\$99.95</b>
• 14" VGA monitor card	<b>\$599.95</b>	• 20 Meg drive	<b>\$279.95</b>
• 1.2 Meg floppy	<b>\$119.95</b>	• 40 Meg drive	<b>\$349.95</b>

**External Hard Drives for Tandy® EX, HX Computers**    20 Meg **\$389.95**    30 Meg **\$429.95**  
 Complete System - just plug in (requires 384K min.)    40 Meg **\$499.95**

### Now we carry IDE Drives for new Tandy® s    20 Meg - CALL    40 Meg - CALL

<p>100, SX, TX, SL, TL, 3000, 4000</p> <p><b>2nd Floppy</b></p> <p>360K TEAC <b>\$119.95</b>                  720K Mitsubishi <b>\$99.95</b>                  3 1/2" Mitsubishi <b>\$119.95</b></p>	<p>1000, SX, TX, SL, TL</p> <p><b>Hard Drive Controller</b></p> <p>Will run 1 or 2 Hard Drives                  Supports drives up to 120 megabytes</p> <p><b>\$99.95</b></p>	<p>1000, 1000A</p> <p><b>Memory Board with 512K</b></p> <p>Expands memory to 640K</p> <p><b>\$199.95</b></p>	<p>1000, SX, TX, SL, TL, 3000, 4000</p> <p><b>Memory Upgrades</b></p> <p>From <b>\$50</b></p>
<p>Tandy® EX, HX</p> <p><b>360K or 720K External Floppy</b></p> <p>For EX or HX</p> <p><b>\$139.95</b></p>	<p>Tandy® EX, HX</p> <p><b>External Hard Drive</b></p> <p>10 Meg <b>\$299.95</b>                  20 Meg <b>\$389.95</b>                  30 Meg <b>\$429.95</b>                  40 Meg <b>\$499.95</b></p>	<p>Tandy® EX, HX</p> <p><b>384K Memory Expansion Card</b></p> <p>Includes 384K</p> <p><b>\$189.95</b></p>	<p>Color Computer</p> <p><b>Drive O</b></p> <p>Includes floppy drive, case &amp; power supply controller &amp; software</p> <p><b>\$179.95</b></p>
<p>Tandy® 1400 LT</p> <p><b>360K External Floppy</b></p> <p><b>\$199.95</b></p>	<p>Tandy® 1400 LT</p> <p><b>720K External Floppy Drive</b></p> <p><b>\$199.95</b></p>	<p>Tandy® 1400 LT</p> <p><b>20 Meg Internal Hard Disk Drive</b></p> <p><b>\$699.95</b></p>	<p>Color Computer</p> <p><b>Drive O + 1</b></p> <p>Includes 2 floppy drives, case &amp; power supply, controller &amp; software</p> <p><b>\$269.95</b></p>

Tandy® is a registered trademark of Tandy Corporation



1ST QUALITY MERCHANDISE  
 QUALITY CUSTOMER SERVICE  
 508-278-6555  
 TECHNICAL ASSISTANCE  
 508-278-6556  
 FOR YOUR PROTECTION WE CHECK FOR STOLEN CREDIT CARDS

## TRUE DATA PRODUCTS

P.O. Box 347, 115 So. Main Street  
 Uxbridge, MA 01569

**Tel. 508-278-6555**  
**1-800-635-0300**

Hours: 9 a.m.-6 p.m., Sat. 10 a.m.-4 p.m.

CORPORATE P.O. IS WELCOMED  
 ALL PACKAGES SHIPPED UPS EXCEPT CANADA AND A P.O. C.O.D. ADD \$3.30. MASTERCARD VISA ADD 2%  
 ALL RETURNS MUST HAVE RMA# (CALL 508 278 6555) YOU MAY BE SUBJECT TO A RESTOCKING FEE SHIPPING/HANDLING CHARGES NON REFUNDABLE  
 1 YEAR WARRANTY UNLESS OTHERWISE NOTED PRICES/TERMS CONDITIONS SUBJECT TO CHANGE WITHOUT NOTICE



Branching out to monitor directory growth

# A Tree Grows in OS-9



by Stephen B. Goldberg

Many people use computers to help organize their work or home needs. And computers handle this task efficiently. But how efficient is the system if we don't know what's on it? How do you see the contents of an *entire* OS-9 disk? I used to execute `dir` for the root directory and then repeat `dir` for each subdirectory. I also used `dir` for deeper subdirectories if they existed. Now I use *Tree*.

*Tree* is a program that displays the names of all the files on a disk, with graphics depicting the directory tree on a text screen. *Tree* can also be used to display a selected

portion of the directory structure of a disk.

To start the program, type `tree`, followed by the name or pathlist of the directory you want displayed first, and press `ENTER`. For example, to see the entire directory tree on the disk in Drive `/d1`, use

```
tree /d1 <ENTER>
```

To see only part of the tree structure, use a command line such as

```
tree /d1/recipes <ENTER>
```

Part of the resulting display is shown in Figure 1. As you can see, each subdirectory is indicated by a double asterisk (**\*\***) preceding the name. The subdirectory's filenames are offset to the right. The program's standard output path can be redirected to another file or

to the printer for a permanent record of the file structure:

```
tree /d1 >/p <ENTER>
```


To exit before the program is finished, press the space bar. Don't press `BREAK` or you might be left with processes running in the background.

## The Program

*Tree* opens the directory indicated on the command line. It then reads and displays each filename found. It reads the attribute byte in the file descriptor to see if the entry is a subdirectory. If the file is not a subdirectory, the program continues to read and display filenames to the end of the directory. If an entry is a subdirectory, the program executes itself again using the subdirectory name as the parameter. This process is called *recursion*. When the subdirectory has been completely displayed, this new process is terminated and the program returns to its original format and continues to display any further entries.

If you don't have the OS-9 assembler, enter and run Listing 2. This BASIC09 program generates the executable file for *Tree*. □

Stephen Goldberg is a dentist and the author of the Utilipak series of OS-9 utilities. He can be contacted at 695 Plainview Road, Bethpage, NY 11714. Please include an SASE when requesting a reply.



```

OS9: tree /d1/recipes
Directory tree structure for: /d1/recipes
** BREAKFAST
  --v
  ** CEREAL
    --v
    ** COLD
      --v
      corn.flakes
      puffed.rice
    ** HOT
      --v
      farina
      oatmeal
  ** EGGS
    --v
    poached
    scrambled
    breakfast.nutrition
  ** LUNCH
    --v
    etc.

```

Figure 1: Viewing Partial Command Line

## Listing 1: Tree.asm

```

*****
*
* TREE - (c) 1989 by STEPHEN B. GOLDBERG
*
* Use: tree <start_directory>
*       display directory tree
*       hit <SPACE> to exit program
*
*       ifpl
*       use /dd/defs/os9defs
*       endc
*
*       mod len,name,prgrm+objct,rcnt+1,entry,dsiz
*
dirpath rmb 1 directory path number
diskpath rmb 1 disk path number
offcount rmb 1 offset count
pointer rmb 2 parameter name pointer
ender rmb 2 end of filename pointer
attribuf rmb 1 file attribute buffer
prebuf rmb 3 directory star buffer
buffer rmb 30 filename buffer
hiseek rmb 2 descriptor sector offset
loseek rmb 2
rmb 200 stack
rmb 200 parameter
dsiz equ .
*
name fcs /Tree/
fcb 2 edition number
fcc /(c)1989 S.B.Goldberg/
*
header fcc /Directory tree structure for: /
headlen equ *-header
dot fcs ./ current directory

```

```

at fcs /@/ entire disk
*****
* INITIALIZE
*****
entry decb parameter?
lbeq syntax no, prompt and quit
stx pointer save parameter pointer
clr offcount zero offset count
clr l+loseek zero lsb descriptor offset
clr attribuf clear attribute buffer
ldd #$2a7c *|
sta prebuf initialize subdirectory
std l+prebuf star indicator
findend ldd ,x+ parameter characters
cmpa #$20 end of parameter?
bhi findend no, look again
tsta yes, forked process?
bne setend no, terminate directory name
stb offcount save offset count
setend lda #$0d carriage return
sta -1,x to end of directory name
ldx pointer parameter pointer
lda #read. read mode
os9 ischkdir change directory
bcs cantopen message and quit on error
leax <dot,pcr current directory (.)
lda #read.+dir. read directory mode
os9 isopen open the directory
cantopen bcs cant message and quit on error
sta dirpath save directory path number
leax <at,pcr entire disk
os9 isopen open disk
bcs passerr1 exit with error
sta diskpath save disk path number
ldb offcount subdirectory offset?

```

## OS9/68000 JUST THE FACTS!

The PT68K4 SINGLE BOARD COMPUTER - As seen at the ATLANTA COCOFEST - is available for IMMEDIATE SHIPMENT in Assembled or Kit Form!

Upgrade to a powerful 68000 microprocessor on an XT-size system board with 4 serial/2 parallel ports and up to 12MB of memory. The K4 is IBM PC/XT hardware compatible - and also supports VGA, SVGA plus high density floppy drives!

**16MHZ PT68K4 Assembled Board with 1MB DRAM - \$599.00**

**BARE BONES KIT: System Board, 1MB RAM, Cabinet, PS, High Density Floppy, OS9 - \$999.00**

**Professional OS9 Operating System with C COMPILER \$299.00**

See the DELMAR AD for systems information!




### PERIPHERAL TECHNOLOGY

1480 TERRELL MILL RD. #870  
MARIETTA, GA 30067  
404/984-0742

OS9 is a trademark of Microware

## Classic Solitaire

Klondike • Pyramid • Canfield



Play these classic favorites in 16 color high-res graphics  
128K CoCo3 One Disk Drive Joystick \$14.95

## La Belle Lucie Solitaire

This solitaire is not for the faint of heart! Hoyle rules.

128K CoCo3 One Disk Drive Joystick \$14.95

software submissions invited

Tazman (CoCo3)(requires OS9/II & 512K).....\$24.95  
(A game of Space Commerce)

Armchair Admiral (CoCo3).....\$14.95  
(Battleship - play friends or computer!)

Riddle of the Ring (CoCo3/CoCo2).....\$10.00  
(Text adventure)

Games Pack I (CoCo3/CoCo2).....\$10.00  
(Hangman, Concentration, Mastermind)

Zenix (CoCo3).....\$29.95  
(Arcade. Superb graphic movement)

Zenix Demo Disk (CoCo3)..... \$2.00

Checks, Money Orders, MasterCard & Visa \$2.00 S&H.  
COD additional \$2.00. WA addresses add 8.2% sales tax.

**Eversoft Games, Ltd**  
P.O. Box 3354  
Arlington, Wa 98223

30 day money back guarantee  
(206) 653-5263  
10am - 6pm PST

```

    bne doarrow      yes, display subdirectory arrow
    leax <header.pcr no, header message
    ldy #headlen    message length
    lbr printl      message to screen
    ldx pointer      parameter pointer
    bra passname    directory name to screen
*
arrow fcc / |----v/ subdirectory arrow offset
      fcb $0d
offset fcc / / / filename offset
offlen equ *-offset
*
doarrow decb       subtract arrow offset
      bsr dooffset add any additional offset
      leax <arrow.pcr arrow display
      bra doname    to screen
passname bra
*
dooffset leax <offset.pcr offset address
      ldy #offlen  offset length
      decb       display offset?
offloop bmi back   no, return
      lbr printl  yes, offset to screen
      bra offloop check for more offset
      rts        return
*****
* GET FILENAME
*****
read  ldd #27       keysense function
      os9 i$getstt check for keypress
      tsta        <SPACE> pressed?
      lbm1 noerr    yes, quit tree
      leax buffer,u filename buffer
      ldy #29      maximum filename length
      lda dirpath  directory path number
      os9 i$read   get filename
      lbr error    branch on error
      leax hiseek,u descriptor offset buffer
      ldy #3       three descrip. offset bytes
      os9 i$read   get them
passerr1 bcs passerr2 exit with error
      leax buffer,u start of filename
      lda ,x       filename character
      anda #7f     clear ms bit
      cmpa #'A     valid filename?
      blo read     no, get next entry
lastloop lda ,x+    last character?
      bpl lastloop no, look again
      anda #7f     yes, clear ms bit
      ldb #30d     carriage return
      std -1,x     to end of filename
      stx ender    save end address
*****
* CHECK FOR DIRECTORY
*****
      ldx hiseek    ms offset bytes
      pshs u        save U register
      ldu loseek    is offset bytes
      lda diskpath  disk path number
      os9 i$seek    find descriptor sector
passerr2 bcs passerr3 exit with error
      puls u        retrieve U register
      ldy #1        one byte
      leax attrbuf,u attribute buffer
      os9 i$read    get attribute byte
      bcs passerr3 exit with error
*****
* DISPLAY FILENAME
*****
      ldb offcount  offset count
      bsr dooffset  offset to screen
      leax buffer,u buffer address
      tst attrbuf   directory?
      bpl doname    no, just display filename
      leax -3,x     yes, display stars
doname bsr print    filename to screen
      tst attrbuf   directory?
      bpl read     no, get next filename
*****
* RE-EXECUTE TREE IF DIRECTORY
*****
      ldx ender     end of directory name
      clra         fork flag
      ldb offcount  get offset
      incb        add 1 to offset
      std ,x++     to end of pathlist
      lda #30d     terminator
      sta ,x       terminate new parameter
      leax name.pcr program name (Tree)
      ldd #1101    type/lang and data size
      pshs u       save U register
      leau buffer,u parameter buffer
      ldy #40      maximum parameter length
      os9 f$fork   fork to Tree again
passerr3 bcs out    exit with error
      puls u       retrieve U register
      os9 f$wait   wait till done
      tstb        error passed?
      bne out     yes, exit with error
      lbra read    no, get next entry
*
print  ldy #200    maximum length
printl lda #1      standard output path
      os9 i$writln to screen
      bcs out     exit with error
      rts        return
*****
* ERROR MESSAGES
*****
error  cmpb #e$eof  end of file?
      bne out     exit with other error
noerr  clrb        clear error flag
out    os9 f$exit  quit
*
cant   leax <nodir.pcr can't find message
      ldy #nodirlen length of message
      bsr printl  message to screen
      ldx pointer  parameter pointer
      bsr print   directory name to screen
      os9 f$perr  print error
      bra noerr   quit
*
syntax leax <sprompt.pcr syntax prompt
      bsr print  to screen
      bra noerr  quit
*
nodir  fcc /**** Can't change directory to: /
sprompt fcb 7
nodirlen equ *-nodir
      fcc "Use: tree <start_directory>"
      fcb $0d
*
      emod
len    equ *
      end


```



**Listing 2: MakeTree.b09**

```

PROCEDURE MakeTree
0000      (* Generates the binary module tree *)
0026      (* Level I - change all /dd to /d0 *)
004B      DIM path,byt:BYTE
0056      DIM count:INTEGER
005D      PRINT "Creating tree . . .";
0075      CREATE #path,"/dd/cmds/tree":WRITE
008D      FOR count=1 TO 452
009E          READ byt
00A3          PUT #path,byt
00AD      NEXT count
00B8      CLOSE #path
00BE      PRINT
00C0      SHELL "attr /dd/cmds/tree e pe"
00DB      END
00DD      DATA 135,205,1,196,0,13,17,129,237,0,70,1,189,84,114,101
0111      DATA 229,2,40,99,41,49,57,56,57,32,83,46,66,46,71,111,108
0148      DATA 100,98,101,114,103,68,105,114,101,99,116,111,114,121
0176      DATA 32,116,114,101,101,32,115,116,114,117,99,116,117,114
01A4      DATA 101,32,102,111,114,58,32,174,192,90,16,39,1,50,159
01D5      DATA 3,15,2,15,44,15,7,204,42,124,151,8,221,9,236,128,129
020C      DATA 32,34,250,77,38,2,215,2,134,13,167,31,158,3,134,1,16
0243      DATA 63,134,37,8,48,140,207,134,129,16,63,132,16,37,0,237
0277      DATA 151,0,48,140,194,16,63,132,37,96,151,1,214,2,38,30
02AB      DATA 48,140,149,16,142,0,30,23,0,195,158,3,32,22,32,32,124
02E2      DATA 45,45,45,45,45,118,13,32,32,124,32,32,32,90,141,5,48
0319      DATA 140,234,32,114,48,140,239,16,142,0,6,90,43,5,23,0,154
0350      DATA 32,248,57,204,0,39,16,63,141,77,16,43,0,152,48,75,16
0387      DATA 142,0,29,150,0,16,63,137,16,37,0,133,48,200,41,16,142
03BE      DATA 0,3,16,63,137,37,33,48,75,166,132,132,127,129,65,37
03F2      DATA 208,166,128,42,252,132,127,198,13,237,31,159,5,158
0420      DATA 41,52,64,222,43,150,1,16,63,136,37,61,53,64,16,142
0454      DATA 0,1,48,71,16,63,137,37,48,214,2,141,150,48,75,13,7
048B      DATA 42,2,48,29,141,47,13,7,42,152,158,5,79,214,2,92,237
04C2      DATA 129,134,13,167,132,48,141,254,209,204,17,1,52,64,51
04F3      DATA 75,16,142,0,40,16,63,3,37,28,53,64,16,63,4,93,38,20
052D      DATA 22,255,109,16,142,0,200,134,1,16,63,140,37,6,57,193
0561      DATA 211,38,1,95,16,63,6,48,140,22,16,142,0,33,141,231,158
0598      DATA 3,141,223,16,63,15,32,234,48,140,36,141,213,32,227
05C9      DATA 42,42,42,42,32,67,97,110,39,116,32,99,104,97,110,103
05FD      DATA 101,32,100,105,114,101,99,116,111,114,121,32,116,111
062B      DATA 58,32,7,85,115,101,58,32,116,114,101,101,32,60,115
065C      DATA 116,97,114,116,95,100,105,114,101,99,116,111,114,121
068A      DATA 62,13,39,222,107
    
```



**Choose From 4 GREAT Money Saving Packages!**

<p># <b>1</b> <b>DISTO</b> SC-II + 4 in 1</p> <p><b>\$200</b></p>	<p># <b>2</b> <b>DISTO</b> SC-II + 1-MEG</p> <p><b>\$235</b></p>	<p># <b>3</b> <b>DISTO</b> SC-II + 512K</p> <p><b>\$165</b></p>	<p># <b>4</b> <b>DISTO</b> 4 in 1 + 1-MEG</p> <p><b>\$235</b></p>
---	--	---	---

- SC-II \$130    • 0K SR-3 \$30    • RTC \$35    • MPROM \$50    • 1-MEG (0K) \$140    • Turn of the Screw Book \$20
- SC-I \$99    • 512K \$70    • 3in1 \$70    • H. DISK \$50    • RS-232 PAK \$55    • (With any Special Package \$10)
- MC-I \$75    • 1-MEG Kit \$150    • 4in1 \$130    • RS-232 \$40    • HD & RS-232 \$60    • Project Board \$10

**CRC Inc.**    11 Boul. Des Laurentides, Laval, Quebec, Canada H7G 2S3    **1-514-967-0195**  
 Include S&H of \$8    MC/VISA or Money Order Accepted    Sorry: No personal cheques

The right mix for learning chemistry

# Solid Foundation in Chemistry

by Rudy Meijering

**C**hemistry Tutor is a program that helps in learning the very basics of chemistry — chemical spelling, abbreviations, physical properties and simple equation balancing.

The program has many options, such as the ability to print question results. It also keeps track of the number of questions, errors, number of tries per question and final percentage ratings.

The first three options are for selected areas of questioning (spelling, abbreviations and physical properties). The fourth option combines all three previous options in random order.

The fifth option is used for equation balancing. This option includes a hint op-

*Rudy is an apprentice diesel mechanic. He's had a CoCo 3 for about three years and continues to be amazed at its usefulness. He may be contacted at 356 McMeans Ave. West, Winnipeg, Manitoba R2C 1J7 Canada.*

CoCo 3

<input checked="" type="checkbox"/>	40	.....	62	1110	.....	45	4105	.....	36
	80	.....	155	1125	.....	34	4300	.....	9
	225	.....	80	1150	.....	58	4405	.....	16
	320	.....	190	1225	.....	156	9315	.....	214
	345	.....	93	1415	.....	100	9385	.....	115
	430	.....	151	1505	.....	156	9460	.....	45
	525	.....	182	1620	.....	121	9520	.....	183
	550	.....	155	1805	.....	62	9585	.....	80
	570	.....	73	3100	.....	94	9635	.....	144
	600	.....	184	3210	.....	240	9710	.....	229
	710	.....	168	3420	.....	233	9775	.....	194
	805	.....	79	3700	.....	54	9815	.....	231
	920	.....	243	3820	.....	51	END	.....	165

The Listing: CHETUTOR

```

0 *COPYRIGHT 1990 FALSOFT, INC.
5 REM *****
*****
10 REM ***
***
15 REM *** CHEMISTRY PERIODIC TA
BLE ***
    
```

# Now with NRI's new training you can enjoy the rewards of a career in computer programming


A top-paying career in computer programming is no longer out of your reach. Now you can get the practical training and experience you need to succeed in this top-growth field.

It's training that gives you real-world programming skills in four of today's hottest computer languages: BASIC, Pascal, C, and COBOL. Hands-on training that includes a powerful IBM AT-compatible computer, modem, and programming software you train with and keep. Comprehensive, at-home training that gives you the competitive edge to succeed in one of today's leading industries. The kind of experience-based training only NRI can provide.

As a trained computer programmer of the '90's, you can enjoy long-term career success. In fact, the Bureau of Labor Statistics forecasts that during the next 10 years job opportunities will increase by 71.7 percent for the skilled computer programmer. With NRI training you can be one of the increasing number of computer programmers using their skills to build a top-paying career—even a business of their own—in this professionally and financially rewarding high-tech field.

## ▼ The only programming course that includes a powerful AT-compatible computer system and programming software you keep

Right from the start, NRI training gets you actively involved in the challenge of real-world computer programming. You learn how to create the kinds of full-featured, powerful programs today's employers and clients demand. And, unlike any other school, NRI lets you experience first-hand the power of an IBM PC/AT-compatible computer system with modem, a full megabyte of RAM, disk drive, and monitor—all yours to train with and keep.



Plus you explore the extraordinary capabilities of not one or two but **four** in-demand computer languages. You learn to design, code, run, debug, and document programs in BASIC, Pascal, C, and COBOL. In the process you become uniquely prepared for the wide variety of programming opportunities available today.

## ▼ No previous experience necessary

Immediately, you start getting the money-making job skills you need to secure a future in computer programming—no matter what your background. With NRI training you move easily from computer novice to computer professional with step-by-step lessons covering program design techniques used every day by successful micro and mainframe programmers.

You'll find no heavy textbooks to plow through. No night classes to attend. Instead, NRI's at-home, step-by-step training covers all the bases, guiding you from the impor-

tant fundamentals to real-world methods and techniques. With the help of your NRI instructor—offering one-on-one, personal guidance throughout your course—you quickly gain the skills you need to handle with confidence a wide variety of programming applications. You even use your modem to "talk" to your instructor, meet other NRI students, and download programs through NRI's exclusive programmers network, PRONET.

## ▼ Send today for your FREE catalog

Now you can have the professional and financial rewards of a career in computer programming. See how NRI at-home training gives you the experience, the know-how, the computer, and the software you need to get started in this top-paying field. Send today for your FREE catalog.

If the coupon is missing, write to us at the NRI School of Computer Programming, McGraw-Hill Continuing Education Center, 4401 Connecticut Avenue, NW, Washington, DC 20008.



## NRI Schools

McGraw-Hill Continuing Education Center  
4401 Connecticut Avenue, NW, Washington, DC 20008



### Check one free catalog only

- |  |  |
|--|--|
| <input type="checkbox"/> Computer Programming            | <input type="checkbox"/> Microcomputer Servicing       |
| <input type="checkbox"/> PC Systems Analysis             | <input type="checkbox"/> Desktop Publishing and Design |
| <input type="checkbox"/> PC Software Engineering Using C | <input type="checkbox"/> Word Processing Home Business |

Name \_\_\_\_\_ Age \_\_\_\_\_  
(please print)

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Accredited Member, National Home Study Council

0000-000

tion to help balance equations by giving their real elemental value before balancing. By the use of cross multiplying, the equations are balanced regardless of length. The main idea of the program is to provide a learning aid for the basic concepts of chemistry and how they relate to the rest of the world.

The program requires 32K to run, and the printer codes included in the program are for the DMP-105. There is no disk save routine in the program, but there is 9K of

memory left to include one if you wish.

The screen is set up for a green-on-black monochrome monitor, and screen widths will vary during the program error printout (40 to 80).

### How to Use the Program

When the title page and options appear, select an option from 1 to 5. When the option has been selected, you are required to select the questioning format and the results printout. There are many different

levels of questions. Once you have mastered one level, you can move to the next level.

The program is very straightforward and user friendly, so not much is really needed — except for response to equation balancing. When answering the questions, your answer is not subscripted. But do not worry; the computer has already taken this into account. If you make a mistake, use the left arrow key to backspace over your mistake and type in the correction.

```

20 REM ***
   ***
25 REM ***** WRITTEN BY **
   *****
30 REM ***
   ***
35 REM ***      R.G. MEIJERING
   ***
40 REM ***      WINNIPEG, MANITOBA
   ***
45 REM ***      CANADA
   ***
50 REM ***
   ***
55 REM *****
   *****
60 REM ***
   ***
65 REM ***      COPY RIGHT
   ***
70 REM ***
   ***
75 REM ***      APRIL 18th, 1989
   ***
80 REM ***
   ***
85 REM *****
   *****
100 REM *** INITIAL SCREEN & MEM
   ORY ***
105 POKE65497,0:WIDTH40:CLEAR200
0:PALETTE0,0:CLS1:PALETTE0,48:CL
S1:RUN1600
200 REM *** SCREEN PROMPTS LINE
LOCATIONS ***
205 C1=7:R1=0:R2=1:GOSUB305:RETU
RN
210 C1=21:R1=0:R2=1:GOSUB305:RET
URN
215 C1=5:R1=22:GOSUB310:RETURN
220 C1=14:R1=22:GOSUB310:RETURN
225 C1=0:R1=19:C2=8:R2=20:GOSUB3
25:RETURN
230 C1=0:R1=10:C2=8:R2=11:GOSUB3
25:RETURN
300 REM *** SCREEN PROMPTS ***
305 CLS1:LOCATEC1,R1:ATTR0,0:PRI
NT"Chemistry Periodic Table":LOC
ATEC1,R2:PRINT"-----"
-----":RETURN
310 LOCATEC1,R1:PRINT"Press any
key to Continue.":GOSUB400:RETU
RN
315 LOCATE0,22:PRINT"Press [ C ]
- Continue or [ M ] - Menu":GO
SUB400:IF I$="C" THEN RETURN:ELS
E IF I$="M" THEN 1600:ELSE IF I$
<>"C" OR I$<>"M" THEN 315
320 LOCATE0,22:PRINT"[ C ] conti
nue [ E ] exit [ R ] re-do":G
OSUB400:IF I$="C" OR I$="E" OR I
$="R" THENRETURNELSE320
325 LOCATEC1,R1:PRINT" NOTE: th

```

```

e keyboard is in LOWER case...":
LOCATEC2,R2:PRINT"Use SHIFT for
UPPER case.":POKE282,0:RETURN
330 GOSUB205:LOCATE5,3:PRINT"Que
stion Option Selection":LOCATE5
,10:PRINT"Enter the following":
LOCATE0,12:RETURN
335 GOSUB205:LOCATE0,5:PRINT"Equ
ation Balancing":LOCATE0,6:PRIN
T"-----":RETURN
340 LOCATE0,10:PRINT"One minute
Please...To set up Questions":RE
TURN
345 IF FA=1 OR FA=4 THEN 350 ELS
E RETURN
350 LOCATE0,13:ATTR6,4:PRINT" HI
NT: ":ATTR0,0:LOCATE0,15:PRINHT
I$:RETURN
400 REM *** INKEYS ***
405 I$=INKEY$:IF I$=" " OR I$=" "
THEN 405 ELSE RETURN
410 GOSUB405:I=VAL(I$):IF I<1 OR
I>7 THEN 410 ELSE RETURN
415 GOSUB405:IF I$="Y" OR I$="N"
THEN420ELSE415
420 IF I$="Y" THEN IN$=" Yes ":I
N=1:RETURN
425 IF I$="N" THEN IN$=" No ":I
N=2:RETURN
430 LOCATE0,8:LINEINPUT"Your Ans
wer: ":W$:RETURN
435 LOCATE0,17:LINEINPUT"Answer:
":W$:RETURN
500 REM *** QUESTIONS OPTIONS **
*
505 GOSUB520:GOSUB525:GOSUB540:G
OSUB545:GOSUB550:GOTO555
510 GOSUB520:GOSUB525:GOSUB540:G
OSUB545:GOTO555
515 GOSUB520:LE=3:GOSUB530:GOSUB
535:GOSUB545:GOTO555
520 GOSUB330:INPUT"Number of Que
stions [ 25 - 106 ]":NQ:IF NQ<25
OR NQ>106 THEN 520 ELSE RETURN
525 IF NQ>25 AND NQ<27 THEN LE=
4:ELSE IF NQ>26 AND NQ<54 THEN L
E=3:ELSE IF NQ>54 AND NQ<79 THEN
LE=2:ELSE IF NQ>79 THEN LE=1
530 IF LE=1 THEN540ELSE GOSUB330
:PRINT"Level of Questions [ 1 -
":LE;" ]":INPUT" ":QL:IF QL>0 OR
QL<(LE+1) THENRETURNELSE530
535 GOSUB330:INPUT"Number of Che
m. / Quest. [ 2 - 8 ] ":EN:IF EN
<2 OR EN>8 THEN 535
540 GOSUB330:INPUT"Number of Tri
es / Question [ 1 - 5 ]":NT:IF N
T<1 OR NT>5 THEN540ELSERETURN
545 GOSUB330:PRINT"List Errors [
Yes / No ]? ":GOSUB415:LE$=IN$
:LO=IN:RETURN
550 GOSUB330:PRINT"List Spelling
Errors [ Yes / No ]? ":GOSUB41

```

```

5:SP$=IN$:SP=IN:RETURN
555 GOSUB330:PRINT"Give Percenta
ge Rating [ Yes / No ]? ":GOSUB
415:GP$=IN$:GP=IN
560 GOSUB330:PRINT"Print - Out R
equired [ Yes / No ]? ":GOSUB41
5:PO$=IN$:PO=IN
565 GOSUB330:LOCATE0,6:PRINT"Num
ber of Questions:....":ATTR6,4
:PRINTNQ:ATTR0,0:LOCATE0,8:PRIN
T"Question Level:.....":AT
TR6,4:PRINTQL:ATTR0,0:LOCATE0,1
0:PRINT"Number of Chem. / Quest.
.":ATTR6,4:PRINTEN:ATTR0,0
570 LOCATE0,12:PRINT"Number of T
ries:.....":ATTR6,4:PRINTNT
:ATTR0,0:IF SP$=" " THEN SP$=" N
O "
575 LOCATE0,14:PRINT"List Errors
:.....":ATTR6,4:PRINTL
E$:ATTR0,0:LOCATE0,16:PRINT"List
Spelling Errors:....":ATTR6,4:
PRINTSP$:ATTR0,0:LOCATE0,18:PRI
NT"Give Percentage:.....":A
TTR6,4:PRINTGP$:ATTR0,0
580 LOCATE0,20:PRINT"Print - Out
:.....":ATTR6,4:PRINTPO
$:ATTR0,0:GOSUB320:IF I$="C" TH
EN585:ELSE IF I$="E" THEN 1600:EL
SE IF I$="R" THEN ON I GOTO 505
,510,510,505,515
585 IF I>4 THEN 3000
600 REM *** INITIALIZE QUESTION
OPTION VARIABLES ***
605 NS=NQ+1:DIM QT(NS):DIM TE$(N
S):DIM SE$(NS):DIM QS(NS):TR=1
610 IF NQ<27 THEN SL=(QL-1)*26 E
LSE SL=INT((26.5)*(QL-1))
615 RESTORE:FORZ=0TO(SL-1):READA
,B$,C$,D$,E:NEXTZ:GOSUB205:GOSUB
230:GOSUB215:NN=NQ+SL
620 FORT=SL TO NN:READA,B$,C$,D$
,E:ON I GOSUB 1700,1800,1900,200
0,815,915:NEXTT:RESTORE:GOSUB215
700 REM *** PERCENTAGE ROUTINE *
**
705 GOSUB205:GOSUB1000:IF GP=1 T
HEN710ELSE800
710 RA=RA-1:PE=INT((100/NQ)*RA):
LOCATE0,3:PRINT"Percentage Ratin
g:":LOCATE0,4:PRINT"*****
*****":LOCATE5,6:PRINT"Number
Right:..... ":RA:LOCATE5,8:P
RINT"Your Percentage:.... ":PE:
"%":IF NT=1 THEN 720 ELSE 715
715 PA=INT((100/NQ)*(RA-AT)):LOC
ATE0,11:PRINT"Actual Percentage
Rating:":LOCATE0,12:PRINT"*****
*****":LOCATE5,14
:PRINT"Number of Attempts:.... ":
AT:LOCATE5,16:PRINT"Final Perce
ntage Rating:.. ":PA:"%":
720 IF PO=1 AND NT<2 THEN GOSUB1

```

```

110:ELSE IF PO=1 AND NT>1 THEN G
OSUB 1120
725 IF FG=2 THEN RETURN
730 GOSUB215
800 REM *** ERROR PRINT - OUT RO
UTINE ***
805 GOSUB1000:IF LO=1 AND ER>0 T
HEN 810 ELSE 900
810 I=5:Z=1:X=1:SL=1:EP=1:NN=105
:GOTO1200
815 IF QT(EP)=A THEN 1225 ELSE R
ETURN
820 LOCATE56,LT:PRINTTE$(EP):EP=
EP+1:GOTO 1230
900 REM *** SPELLING ERROR PRINT
- OUT ROUTINE ***
905 GOSUB1000:IF SP=1 AND SW>0 T
HEN 910 ELSE 100
910 I=6:Z=2:ER=SW:X=2:SL=1:NN=10
5:EP=1:GOTO1200
915 IF QS(EP)=A THEN 1225 ELSE R
ETURN
920 LOCATE56,LT:PRINTSE$(EP):EP=
EP+1:GOTO 1230
1000 REM *** PAPER PRINT - OUT I
NITIAL ROUTINE ***
1005 POKE65496,0:POKE65497,126:P
OKE65496,126:POKE150,18:POKE152,
64:POKE155,80:POKE282,255:RETURN
1100 REM *** PRINTER PRINT - OUT
***
1105 PRINT#-2:PRINT#-2,TAB(21),"
Chemistry Periodic Table":PRINT#
-2,TAB(21),"-----
----":PRINT#-2:RETURN
1110 GOSUB1105:PRINT#-2:PRINT#-2
,TAB(5)"Percentage Rating":PRIN
T#-2,TAB(5)"*****":P
RINT#-2:PRINT#-2:PRINT#-2,TAB(5)
"Number of Questions:.....
...":NQ:PRINT#-2:PRINT#-2,TAB(5)
"Question Level:.....
...":QL:PRINT#-2
1115 PRINT#-2,TAB(5)"Number of T
ries / Question:.....":NT:PRIN
T#-2:PRINT#-2,TAB(5)"Number Corr
ect:.....":RA:PRIN
T#-2:PRINT#-2,TAB(10)"Your Perce
ntage Rating:.....":PE,"%":
PRINT#-2:RETURN
1120 GOSUB1110:PRINT#-2,TAB(5)"A
ctual Percentage Rating":PRINT
#-2,TAB(5)"*****
*****":PRINT#-2:PRINT#-2:PRINT#-2
,TAB(5)"Number of Attempts:....
.....":AT:PRINT#-2:PRINT#-2,
TAB(20)"Final Percentage Rating
:.....":PA,"%":PRINT#-2:RETURN
1125 PRINT#-2:PRINT#-2,TAB(5)"Er
ror Listing":PRINT#-2,TAB(5)"**
*****":PRINT#-2:PRINT#-2:R
ETURN
1130 PRINT#-2:PRINT#-2,TAB(5)"Sp
elling Error Listing":PRINT#-2,
TAB(5)"*****":P
RINT#-2:RETURN
1135 ON Z GOSUB1125,1130:PRINT#-
2:PRINT#-2,TAB(5)"Chemical Name"
:TAB(22)"Symbol":TAB(39)"State"
:TAB(56)"Your Mistake":PRINT#-2:P
RINT#-2:RETURN
1140 IF Z=1 THEN O$=TE$(EP) ELSE
O$=SE$(EP)
1145 PRINT#-2,TAB(5)B$:TAB(24)C$
:TAB(39)D$:TAB(57)O$:RETURN
1150 PRINT#-2,TAB(3)"Chemical Eq
uation":TAB(31)"Correct Answer":

```

```

TAB(61)"Your Answer":PRINT#-2:RE
TURN
1155 PRINT#-2,TAB(C3)QN$(T):TAB(
C4)RB$(T):TAB(C5)WA$(T):PRINT#-2
,TAB(C4)RC$(T):TAB(C5)WB$(T):RET
URN
1200 REM *** SCREEN SPELLING & E
RROR PRINT OUT ROUTINE ***
1205 IF PO=1 THEN GOSUB 1135 ELS
E 1220
1210 GOTO1220
1215 GOSUB220
1220 WIDTH80:LT=5:GOSUB210:RESTO
RE:LOCATE5,3:PRINT"Chemical":;LO
CATE22,3:PRINT"Symbol":;LOCATE39
,3:PRINT"State":;LOCATE56,3:PRIN
T"Your Mistake":;GOTO620
1225 LOCATE5,LT:PRINTB$:;LOCATE2
4,LT:PRINTC$:;LOCATE38,LT:PRINTD
$:;ON Z GOTO 820,920
1230 LT=LT+1:IF LT>21 THEN 1215
1235 IF PO=1 THEN GOSUB1140
1240 IF EP>ER THEN 1245 ELSE RET
URN
1245 GOSUB220:ON X GOTO 900,100
1300 REM *** CORRECT ROUTINE ***
1305 LOCATE14,10:ATTR6,4:PRINT"
CORRECT! ";:FORG=1TO700:NEXTG:RA
=RA+1:GOTO1515
1400 REM *** SPELLING & ERROR RO
UTINE ***
1405 IF SP=2 THEN 1435
1410 IF LEN(W$)<>LEN(B$) THEN WE
=WE+1
1415 FORK=1TO(LEN(B$)):IF MID$(W
$,K,1)<>MID$(B$,K,1) THEN WE=WE+
1
1420 NEXTK:IF WE>2 THEN 1435 ELS
E 1425
1425 LOCATE11,10:ATTR6,4:PRINT"
SPELLING ERROR! ";:FORG=1TO700:N
EXTG:AT=AT+1:IF TR=NT THEN 1430
ELSE 1505
1430 SW=SW+1:QS(SW)=A:SE$(SW)=W$
:GOTO1515
1435 LOCATE14,10:ATTR6,4:PRINT"
ERROR! ";:FORG=1TO700:NEXTG:AT
=AT+1:IF TR=NT THEN 1440 ELSE 15
05
1440 ER=ER+1:TE$(ER)=W$:QT(ER)=A
:GOTO1515
1500 REM *** RESET ROUTINE ***
1505 TR=TR+1:WE=0:IF I<4 THEN 15
10 ELSE 1520
1510 ON I GOTO 1700,1800,1900
1515 TR=1:WE=0:RETURN
1520 ON U GOTO 1700,1800,1900
1600 REM *** MAIN MENU ***
1605 GOSUB205:LOCATE0,3:PRINT"Se
lect (1 to 5)":GOSUB1610:GOSUB1
615:GOSUB1620:GOSUB1625:GOSUB163
0:GOSUB410:ATTR6,4:ON I GOSUB161
0,1615,1620,1625,1630:ATTR0,0:GO
SUB315:ON I GOTO 505,510,510,505
,515
1610 LOCATE5,8:PRINT"1] Quiz on
Chemical Names":RETURN
1615 LOCATE5,10:PRINT"2] Quiz on
Chemical Symbols":RETURN
1620 LOCATE5,12:PRINT"3] Quiz on
Physical Properties":RETURN
1625 LOCATE5,14:PRINT"4] Quiz on
All Three":RETURN
1630 LOCATE5,16:PRINT"5] Balance
Equations":LOCATE0,22:RETURN
1700 REM *** QUESTION #1 ***
1705 GOSUB205:LOCATE3,5:PRINT"Wh

```

```

at is the chemical name for this
symbol [ ";C$;" ] which is a
";D$;".":GOSUB430:IF W$="" OR W$
="" THEN 1705:ELSE IF W$=B$ THE
N 1300 ELSE 1400
1800 REM *** QUESTION #2 ***
1805 GOSUB205:LOCATE3,5:PRINT"Wh
at is the chemical symbol for th
is chemical: ";B$;" which is a
";D$;".":GOSUB430:IF W$="" OR W
$="" THEN 1805:ELSE IF W$=C$ TH
EN 1300 ELSE 1435
1900 REM *** QUESTION #3 ***
1905 GOSUB205:LOCATE3,5:PRINT"Wh
at is the physical state of this
chemical element: ";C$;:GOSUB
430:IF W$=D$ THEN 1300 ELSE 1435
2000 REM *** QUESTION #4 ***
2005 U=RND(3):ON U GOTO 1700,180
0,1900
3000 REM *** OPTION #5 BALANCE E
QUATIONS ***
3005 GOSUB335:GOSUB340:FG=1:FA=Q
L:GOTO3100
3010 GOSUB230:GOSUB215:FG=2:RETU
RN
3100 REM *** INITIALIZE SYMBOL &
VALUE SEARCH ***
3105 NN=NQ+1:DIM PC$(EN),QC(EN),
HT(EN),QN$(NN),WA$(NN),WB$(NN),R
B$(NN),RC$(NN):FORF=1TO NN:FOR T=
1 TO EN
3110 RN=RND(106):SL=RN+1:FORV=1T
OSL:READA,B$,C$,D$,E:NEXTV:IF RN
=A THEN 3115 ELSE 3110
3115 RESTORE:IF E=0 THEN 3110
3120 PC$(T)=C$:QC(T)=E:HI$=HI$+P
C$(T)+ "-" + MID$(STR$(QC(T))),2,1
)+ " ":NEXTT
3200 REM *** BALANCING FORMAT **
*
3205 FORR=4TO1 STEP-1:FORT=1TOEN
:IF QC(T)=R THEN 3215
3210 NEXTT:NEXTR
3215 FL=0:FORT=1TOEN:ON R GOTO 3
705,3605,3505,3405
3220 IF FL=0 THEN 3805
3300 REM *** RE - BALANCE ELEMEN
TS ***
3305 FORT=1TOEN:ON R GOTO 5,3705
,3515,3415
3400 REM *** BALANCE TO 4 th ELE
MENT ***
3405 IF QC(T)=4 THEN QC(T)=0:ELS
E IF QC(T)=3 THEN FL=1:ELSE IF Q
C(T)=1 THEN QC(T)=4
3410 NEXTT:GOTO3220
3415 IF QC(T)=3 THEN QC(T)=4:ELS
E IF QC(T)=0 THEN QC(T)=3
3420 NEXTT:FL=0:GOTO3220
3500 REM *** BALANCE TO 3 rd ELE
MENT ***
3505 IF QC(T)=3 THEN QC(T)=0:ELS
E IF QC(T)=2 THEN FL=1:ELSE IF Q
C(T)=1 THEN QC(T)=3
3510 NEXTT:GOTO3220
3515 IF QC(T)=2 THEN QC(T)=3:ELS
E IF QC(T)=0 THEN QC(T)=2
3520 NEXTT:FL=0:GOTO3220
3600 REM *** BALANCE TO 2 nd ELE
MENT ***
3605 IF QC(T)=2 THEN QC(T)=0:ELS
E IF QC(T)=1 THEN QC(T)=2
3610 NEXTT:FL=0:GOTO3220
3700 REM *** BALANCE TO 1 st ELE
MENT ***
3705 IF QC(T)=1 THEN QC(T)=0

```

```

3710 NEXTT:GOTO3220
3800 REM *** QUESTION VARIABLE S
ET UP ***
3805 FORT=1TOEN:QU$=QU$+PC$(T)+"
+":IF QC(T)=0 THEN 3810 ELSE 381
5
3810 AN$=AN$+PC$(T):AP$=AP$+PC$(
T):AQ$=AQ$+STRING$(LEN(PC$(T)))
,32):GOTO3820
3815 AN$=AN$+PC$(T)+MID$(STR$(Q
C(T)),2,1):AP$=AP$+PC$(T)+" ":A
Q$=AQ$+STRING$(LEN(PC$(T))),32)
+MID$(STR$(QC(T)),2,1)
3820 NEXTT:L=LEN(QU$)-1:QU$=MID$(
QU$,1,L)+"?"
3900 REM *** QUESTION OUT - PUT
***
3905 IF FG=1 THEN GOSUB 3010
3910 GOSUB335:LOCATE12,9:PRINT"Y
our Question:":CO=INT(40-(LEN(QU
$)))/2:LOCATECO,11:PRINTQU$:GOSU
B345:GOSUB435:IF W$="" OR W$=" "
THEN 3910 ELSE IF W$=AN$ THEN
4005 ELSE 4105
4000 REM *** CORRECT ROUTINE ***
4005 LOCATE14,18:ATTR6,4:PRINT"
CORRECT! "::ATTR0,0:FORG=1TO100:
NEXTG:RA=RA+1:GOTO4305
4100 REM *** ERROR ROUTINE ***
4105 LOCATE14,18:ATTR6,4:PRINT"
ERROR! "::ATTR0,0:AT=AT+1:TR=T
R+1:IF TR=NT THEN 4205
4110 FORZ=1TO500:NEXTZ:IF FA=2 T
HEN FA=4
4115 GOTO3910
4200 REM *** CHEMICAL SUB SCRIPT
INPUT ROUTINE ***
4205 ER=ER+1:TL=LEN(QU$)-2:QN$(E
R)=MID$(QU$,1,TL):W$(ER)=W$:WB$(
ER)=W$:RB$(ER)=AP$:RC$(ER)=AQ$
4210 LW=LEN(W$):FORZ=1TOLW:SC=AS
C(MID$(W$,Z,1)):IF SC>59 THEN MI
D$(WB$(ER),Z,1)=" "ELSE GOSUB422
0
4215 NEXTZ:GOTO4305
4220 MID$(W$(ER),Z,1)=" ":RETUR
N
4300 REM *** RE - SET ROUTINE **
*
4305 IF FA=4 THEN FA=2
4310 HI$="":AN$="":AP$="":AQ$="":
QU$="":TR=0:NEXTF:GOSUB1000:GOS
UB215
4315 IF GP=1 THEN GOSUB700:GOSUB
215
4320 IF LO=1 AND PO=2 AND ER>0 T
HEN 4410
4325 IF LO=1 AND PO=1 AND ER>0 T
HEN 4335 ELSE 100
4330 IF LO=2 THEN 100
4335 GOSUB1100:GOSUB1150:GOTO441
0
4400 REM *** ERROR PRINT - OUT *
**
4405 WIDTH80:LT=5:GOSUB210:LOCAT
E3,3:PRINT"Chemical Equation:":
LOCATE31,3:PRINT"Correct Answer:
":LOCATE64,3:PRINT"Your Answer":
RETURN
4410 GOSUB4405:FORT=1TOER:C3=INT
(24-LEN(QN$(T)))/2:C4=INT(24-LEN
(RB$(T)))/2+27:C5=INT(24-LEN(WB$(
T)))/2+56:LOCATEC3,LT:PRINTQN$(
T):LOCATEC4,LT:PRINTRB$(T):LOC
ATEC5,LT:PRINTW$(T):LT=LT+1:LO
CATEC4,LT:PRINTRC$(T):LOCATEC5,
LT:PRINTWB$(T);
4415 IF PO=1 THEN GOSUB1155
4420 LT=LT+1:IF LT>20 THEN 4430
4425 NEXTT:GOSUB215:RUN100
4430 GOSUB215:GOTO4405
9300 REM *** DATA ***
9305 DATA 0,0,0,0,0
9310 DATA 1,Hydrogen,H,Gas,1
9315 DATA 2,Helium,He,Gas,0
9320 DATA 3,Lithium,Li,Solid,1
9325 DATA 4,Beryllium,Be,Solid,2
9330 DATA 5,Boron,B,Solid,3
9335 DATA 6,Carbon,C,Solid,4
9340 DATA 7,Nitrogen,N,Gas,3
9345 DATA 8,Oxygen,O,Gas,2
9350 DATA 9,Flourine,F,Gas,1
9355 DATA 10,Neon,Ne,Gas,0
9360 DATA 11,Sodium,Na,Solid,1
9365 DATA 12,Magnesium,Mg,Solid,
2
9370 DATA 13,Aluminum,Al,Solid,2
9375 DATA 14,Silicon,Si,Solid,4
9380 DATA 15,Phosphorus,P,Solid,
3
9385 DATA 16,Sulfur,S,Solid,2
9390 DATA 17,Chlorine,Cl,Gas,1
9395 DATA 18,Argon,Ar,Gas,0
9400 DATA 19,Potassium,K,Solid,1
9405 DATA 20,Calcium,Ca,Solid,2
9410 DATA 21,Scandium,Sc,Solid,2
9415 DATA 22,Titanium,Ti,Solid,2
9420 DATA 23,Vanadium,V,Solid,2
9425 DATA 24,Chromium,Cr,Solid,2
9430 DATA 25,Manganese,Mn,Solid,
2
9435 DATA 26,Iron,Fe,Solid,2
9440 DATA 27,Cobalt,Co,Solid,2
9445 DATA 28,Nickel,Ni,Solid,2
9450 DATA 29,Copper,Cu,Solid,2
9455 DATA 30,Zinc,Zn,Solid,2
9460 DATA 31,Gallium,Ga,Liquid,2
9465 DATA 32,Germanium,Ge,Solid,
2
9470 DATA 33,Arsenic,As,Solid,3
9475 DATA 34,Selenium,Se,Solid,2
9480 DATA 35,Bromine,Br,Liquid,1
9485 DATA 36,Krypton,Kr,Gas,0
9490 DATA 37,Rubidium,Rb,Solid,1
9495 DATA 38,Strontium,Sr,Solid,
2
9500 DATA 39,Yttrium,Y,Solid,2
9505 DATA 40,Zirconium,Zr,Solid,
2
9510 DATA 41,Niobium,Nb,Solid,2
9515 DATA 42,Molybdenum,Mo,Solid
,2
9520 DATA 43,Technetium,Tc,Synth
etic,2
9525 DATA 44,Ruthenium,Ru,Solid,
2
9530 DATA 45,Rhodium,Rh,Solid,2
9535 DATA 46,Palladium,Pd,Solid,
2
9540 DATA 47,Silver,Ag,Solid,2
9545 DATA 48,Cadmium,Cd,Solid,2
9550 DATA 49,Indium,In,Solid,2
9555 DATA 50,Tin,Sn,Solid,2
9560 DATA 51,Antimony,Sb,Solid,2
9565 DATA 52,Tellurium,Te,Solid,
2
9570 DATA 53,Iodine,I,Solid,1
9575 DATA 54,Xenon,Xe,Gas,0
9580 DATA 55,Cesium,Cs,Liquid,1
9585 DATA 56,Barium,Ba,Solid,2
9590 DATA 57,Lanthanum,La,Solid,
2
9595 DATA 58,Cerium,Ce,Solid,2
9600 DATA 59,Praseodymium,Pr,SoI
id,2
9605 DATA 60,Neodymium,Nd,Solid,
2
9610 DATA 61,Promethium,Pm,Synth
etic,2
9615 DATA 62,Samarium,Sm,Solid,2
9620 DATA 63,Europium,Eu,Solid,2
9625 DATA 64,Gadolinium,Gd,Solid
,2
9630 DATA 65,Terbium,Tb,Solid,2
9635 DATA 66,Dyprosium,Dy,Solid,
2
9640 DATA 67,Homium,Ho,Solid,2
9645 DATA 68,Erbium,Er,Solid,2
9650 DATA 69,Thulium,Tm,Solid,2
9655 DATA 70,Ytterbium,Yb,Solid,
2
9660 DATA 71,Lutetium,Lu,Solid,2
9665 DATA 72,Hafnium,Hf,Solid,2
9670 DATA 73,Tantalum,Ta,Solid,2
9675 DATA 74,Tungsten,W,Solid,2
9680 DATA 75,Rhenium,Re,Solid,2
9685 DATA 76,Osmium,Os,Solid,2
9690 DATA 77,Iridium,Ir,Solid,2
9695 DATA 78,Platinum,Pt,Solid,2
9700 DATA 79,Gold,Au,Solid,2
9705 DATA 80,Mercury,Hg,Liquid,2
9710 DATA 81,Thallium,Tl,Solid,2
9715 DATA 82,Lead,Pb,Solid,2
9720 DATA 83,Bismuth,Bi,Solid,2
9725 DATA 84,Polonium,Po,Solid,2
9730 DATA 85,Astatine,At,Solid,1
9735 DATA 86,Radon,Rn,Gas,0
9740 DATA 87,Francium,Fr,Liquid,
1
9745 DATA 88,Radium,Ra,Solid,2
9750 DATA 89,Actinium,Ac,Solid,2
9755 DATA 90,Thorium,Th,Solid,2
9760 DATA 91,Protactinium,Pa,SoI
id,2
9765 DATA 92,Uranium,U,Solid,2
9770 DATA 93,Neptunium,Np,Synthe
tic,2
9775 DATA 94,Plutonium,Pu,Synthe
tic,2
9780 DATA 95,Americium,Am,Symthe
tic,2
9785 DATA 96,Curium,Cm,Synthetic
,2
9790 DATA 97,Berkelium,Bk,Synthe
tic,2
9795 DATA 98,Californium,Cf,Synt
hetic,2
9800 DATA 99,Einsteinium,Es,Synt
hetic,2
9805 DATA 100,Fermium,Fm,Synthet
ic,2
9810 DATA 101,Mendelevium,Md,Syn
thetic,2
9815 DATA 102,Nobelium,No,Synthe
tic,2
9820 DATA 103,Lawrencium,Lr,Synt
hetic,2
9825 DATA 104,Unnilquadium,Unq,S
ynthetic,2
9830 DATA 105,Unnilpentium,Unp,S
ynthetic,2
9835 DATA 106,Unnilhexium,Unh,Sy
nthetic,2
9900 REM *** SAVE PROGRAM ***
9905 FORF=1TO9:MOTORON:AUDIO ON:
FORK=1TO2500:NEXTK:CSAVE"CHEMV.1
":NEXTF:MOTOROFF

```

# OUR LATEST 30 ISSUES

**ISSUE #71, MAY 1988**  
 SUPER LOTTO  
 RODOL ADVENTURE  
 MAZE  
 YAHTZEE3  
 PHASER  
 SHAPES/PLATES  
 STAR WARS  
 ELECTRONICS 14  
 PRINTER CONTROL  
 MAZE 2

**ISSUE #72, JUNE 1988**  
 MARKET WATCHER  
 3 STOOGES  
 HOSTAGE ADVENTURE  
 PROGRAM TRIO  
 GLADIATOR  
 U.S. & CANADA QUIZ  
 JEOPARDY  
 ELECTRONICS 15  
 COCO 3 PRINT  
 CITY

**ISSUE #73, JULY 1988**  
 FOREIGN OBJECTS  
 CHESS FUNDAMENTALS  
 WATERFOWL QUIZ  
 WHAMMY 3  
 ADVENTURE TUTORIAL  
 CIRCLE 3  
 EDUCATION TRIO  
 WRITE-UP EDITOR  
 PICTURE PACKER  
 AIR ATTACK

**ISSUE #74, AUG. 1988**  
 VIDEO CAT 3  
 1 EYE WILLIE  
 JAVA  
 GAME TRIO  
 CRONAUT WARRIOR  
 ENVELOPE PRINT  
 RAM DRIVE 3  
 MODE 2  
 XMODEM TRANSFER  
 CAVE II

**ISSUE #75, SEP. 1988**  
 DRACULA ADVENTURE  
 HELP TRIO PROGRAM  
 SHOWDOWN DICE  
 TARZAR 1 ADVENTURE  
 ARAKNON  
 CASH FLOW REPORTING  
 GRAPHICS LETTER  
 GRAPHIC EDITOR  
 ADDRESS BOOK  
 SQUARES

**ISSUE #76, OCT. 1988**  
 SUPER BLITZ 3  
 CHAMBERS  
 TRIO RACE  
 EARTH TROOPER  
 STARGATE  
 BOWLING SECRETARY  
 DISK TUTORIAL  
 JOYSTICK > KEYBOARD  
 KEYBOARD < JOYSTICK  
**THE SAILORMAN**

**ISSUE #77, NOV. 1988**  
 POLICE CADET #2  
 STARSHIP SHOWDOWN  
 MUSIC COMPOSER  
 COUPONS/REBATES  
 PROGRAM LIBRARY  
 BOYSCOUT SEMAPHOR  
 HOUSEHOLD CHORES  
 MAXOMAR ADVENTURE  
 CHUCK LUCK3  
**BUZZARD BAIT**

**ISSUE #78, DEC. 1988**  
 POLICE CADET #3  
 TANK TURRET  
 WAR OF THE WORLDS  
 SPINSTER CAFE  
 COCO-SIZE  
 SIGN MAKER  
 LEGAL DEDUCTIONS  
 BOOK KEEPING  
 CAR LEASE 3  
**WAREHOUSE MUTANTS**

**ISSUE #79, JAN. 1989**  
 POLICE CADET #4  
 DRAW POKER 3  
 TILER TEX  
 BATTLE  
 INSIDE THE COCO  
 COCO BULLETIN BOARD  
 HOT DIRECTORY  
 VCR TUTORIAL  
 PRINTER CONTROL  
**THE KING**

**ISSUE #80, FEB. 1989**  
 SCRABBLE  
 SPELLING CHECKER  
 SANDSTONE ADVNT.  
 THE FAMILY FEUD  
 HARNESS3 HANDICAP  
 MINIGOLF 3  
 ULTIMATEM 3  
 NETWORKING TUTORIAL  
 A-MAZING PLACE  
**MONEYOPOLY**

**ISSUE #81, MAR. 1989**  
 MONSTERS  
 SUPER CONCENTRATION  
 TEN PROGRAMS COCO3  
 FINANCE  
 SNOWBALL FIGHT  
 RULER  
 POP-UP WINDOWS  
 TARZAR2 - CASTLE  
 SUPER LISTER  
**DRAGONIAN**

**ISSUE #82, APR. 1989**  
 DUNGEON MAZE  
 DISK TRANSFER  
 MAIL MERGE  
 SUPER SPREADSHEET  
 BLASTER  
 TILER TWO  
 DREAM TUNNEL  
 DISK UTILITY 3  
 EDUCATION TRIO  
**LUNCHTIME**

**ISSUE #83, MAY 1989**  
 T&D FIRST 80  
 MODEM BATTLESHIP  
 CHURCH MANAGER  
 SUPER FILE SORT  
 BASEBALL STATS  
 TARZAR PT. 3  
 INVOICE  
 CARD SQUEEZE  
 SWORDPLAY 1 + 2  
**BRWMASTER**

**ISSUE #84, JUNE 1989**  
 CROSSWORD PUZZLES  
 MOUNT DEATH  
 TERRON  
 DISK/TAPE TRANSFER  
 PAPER WORKS  
 SUPER DATABASE  
 CONNECT3  
 BUSINESS MODEL  
 MASS FORMAT  
**CHAMBERS**

**ISSUE #85, JULY 1989**  
 5 PLAYER POKER  
 RESUME WRITER  
 CRAZY CHEMIST  
 JOURNEY UP  
 SUBMANIA  
 WORKBENCH  
 VACATION PLANNER  
 DISK EDITOR II  
 NIGHT OF THE NINJA  
**MARJAN CHRYPI**

**ISSUE #86, AUG. 1989**  
 TIME TRAP  
 PHONE ACCOUNTANT  
 ON TARGET  
 NAME THAT TUNE 3  
 LASER DEFENCE  
 CHECKBOOK BALANCER 3  
 KROACH ADVENTURE  
 SUPER BAR GRAPH  
 EASY LETTER  
**DEVIL ASSAULT**

**ISSUE #87, SEP. 1989**  
 PURCHASE ORDER  
 INVENTORY INVOICE  
 AMERICAN TRIVIA  
 KROACH2 ADVENTURE  
 TETRA  
 SOLO POKER  
 GALAXY Q3  
 IBM PICTURE VIEWER  
 RGB PATCH  
**KING TUI**

**ISSUE #88, OCT. 1989**  
 SALES PROSPECTING  
 VIRUS 3  
 WILL MAKER  
 JOURNAL-GEN. LEDGER  
 POLICE CADET #5  
 RED DOG  
 MAD LIBS  
 MACINTOSH PICT. SAVER  
 FROG  
**PS1 FLIGHT SIMULATOR**

**ISSUE #89, NOV. 1989**  
 SPEECH INDEXER  
 QUEST ADVENTURE  
 EDUCATION TRIOS  
 BIG LETTER  
 PANGO  
 ELEMENTS  
 GARDEN PLANNER  
 VIDEO SHOW  
 WARP  
**QUIX**

**ISSUE #90, DEC. 1989**  
 MUSIC-4 VOICE  
 HONEYCOMB  
 POINT OF SALE  
 ORBS ADVENTURE  
 IBM - COCO  
 CIVIL WAR  
 LIST UTILITIES  
 BREAK-IN COCO III  
 LABYRINTH MASTER  
**COLOR CARFACION**

**ISSUE #91, JAN 1990**  
 TRENCH FIGHTER  
 COCVERT3  
 SPEED GAMES  
 BUSINESS STARTER  
 CAVERN QUEST3 PT. 2  
 BUILDERS HELPER  
 TARZAR IV  
 ADDRESS IT  
 ANIMAL GRAPHICS  
**SKYWAY**

**ISSUE #92, FEB 1990**  
 PENTA-SAMÉ  
 ROTISSERIE LEAGUE  
 NICK'S QUEST  
 SOLITAIR  
 EDUCATION 4  
 IBM - BASIC  
 BASEBALL CARD ORG.  
 MUNCHY 3  
 RIVER RAID 3  
**CUBER**

**ISSUE #93, MAR 1990**  
 MR. MOVIE  
 INVADERS  
 COCO3 RECIPE MACHINE  
 SILVERCAPE 3 ADV.  
 BABY-SITTER'S BASE  
 BIBLE SCRIPTURE  
 VOCABULARY QUIZ  
 DROP PACK  
 DOCTOR WHO 3  
**GRABBER**

**ISSUE #94, APR. 1990**  
 FLASH CARD  
 REAL ESTATE LISTINGS  
 BIBLE QUESTIONS 1  
 SPELLING QUIZ 1  
 NO LEFT 3  
 PICTURE VIEWER 3  
 TANK SHOWDOWN  
 TARZAR 5 ADVENTURE  
 GENESIS  
**FOURCUBE**

**ISSUE #95, MAY 1990**  
 DREAMTIME ADVENTURE  
 XT/AT SYSTEMS  
 BIBLE QUIZ 2  
 16 FLAGS  
 FRACTIONS  
 SOLITAIRE PUZZLE 4  
 512K RAM DRIVES 3  
 FOOD FACTORY 3  
 WHO PART 2  
**TRAP-FALL**

**ISSUE #96, JUN 1990**  
 ENTREPRENEUR  
 DR. PHREDI  
 PRINTER FONT CODES  
 BIBLE QUESTIONS PT. 3  
 CALO ADVENTURE  
 FORM MAKER  
 DRAGON ESCAPE  
 PLANE EXPLORER  
 WHO PART 3  
**MS MAZE**

**ISSUE #97, JULY 1990**  
 FCC EXAM HELPER  
 EMPLOYEE SCHEDULE  
 FLYING SAUCER ADV.  
 SPEECH AID  
 MOWER MADNESS  
 JET TRIVIA  
 INSTANT CALENDAR  
 WORLD MASTER 3  
 AIR WAR 3  
**SKRAMBLE**

**ISSUE #98, AUG. 1990**  
 FLIPPY TUTORIAL  
 RECIPE/MEAL/GROCERY  
 DUNGEON MAZE  
 SNOW SKI  
 HOT LOAD  
 SHIP WAR  
 ERROR TRAP  
 SPACE WAR 3  
 MAZE MASTER 3  
**WIZARD'S DEN**

**ISSUE #99, SEPT. 1990**  
 IDEA TREE  
 MASTER'S LABYRINTH  
 MORSE CODE  
 TELESAL CONTACTS  
 PROMISED LAND QUIZ  
 PROPOSAL WRITER  
 ALPHABET SCRAMBLE 3  
 MAGIC PUMPKIN  
 DR. WHO3 PART 4  
**FRANGMAN**

**ISSUE #100, OCT. 1990**  
 ZOT MIND GAME  
 SUPER TEXT EDITOR  
 SUPER TEXT FORMATTER  
 TURTLE SEARCH 3  
 COAST TO COAST  
 EASY BASIC 3  
 DRAGON ADVENTURE  
 WRITE OUT UTILITY  
 TRYTHIS  
**DONUT DILEMMA**

**ISSUE #101, NOV. 1990**  
 GOSSIP  
 COST ESTIMATOR  
 SALON INVENTORY  
 PERSONAL STATISTICIAN  
 BINGO CALLER 3  
 ALAIX - 3  
 DEATH HUNT  
 512K/AM/CATALOGER 3  
 DUCK HUNT  
**THE FROG**

**EACH ISSUE  
 CONTAINS 10 PROGRAMS  
 READY TO LOAD.**

**AVAILABLE ON TAPE OR DISK.**


**SUPER SAVINGS**

SINGLE ISSUE..... \$ 8.00  
 2-5 ISSUES..... \$ 6.00 EA  
 6-10 ISSUES..... \$ 5.00 EA  
 11 OR MORE ISSUES..... \$ 4.50 EA  
 ALL 101 ISSUES..... \$ 260.00

**PURCHASE 20 OR MORE ISSUES  
 AND RECEIVE A FREE  
 6 MONTH SUBSCRIPTION**

**COCO I, II, AND III**

- All Programs Include Documentation.
- We Send 1st Class - No Charge!
- For Information on Subscription Prices,  
 Turn to Pages 13 & 39



**ONE YEAR  
 SUBSCRIPTION  
 ONLY  
 \$ 70.00 !**

**TOM MIX PROGRAMS**



**Mail Or Call**



**T&D SOFTWARE  
 2490 MILES STANDISH DR.  
 HOLLAND, MI. 49424**

**(616) 399-9648**

PLEASE CIRCLE

1	9	17	25	33	41	48	57	65	73	81	89	97
2	10	18	26	34	42	50	58	66	74	82	90	98
3	11	19	27	35	43	51	59	67	75	83	91	99
4	12	20	28	36	44	52	60	68	76	84	92	100
5	13	21	29	37	45	53	61	69	77	85	93	101
6	14	22	30	38	46	54	62	70	78	86	94	
7	15	23	31	39	47	55	63	71	79	87	95	
8	16	24	32	40	48	56	64	72	80	88	96	

**TAPE  
 OR  
 DISK**

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Card # \_\_\_\_\_ Total \$ \_\_\_\_\_

## DS69View

"Nothin' is free in this world. Sooner or later, it's going to cost ya," my old man said more times than I can count. Well, maybe it's not always true. Steve Ricketts (STEVEPDX) of Boring, Oregon wants to give you a copy of his *DS69View* program. This is a real viewer program for DS-69A/B, 16-level, digitized .PIX pictures.



You don't believe me? Do you think it's one of those do-nothing programs not worth the disk space? Ha! This program is a radically altered version of *C-SEE*, the software originally provided with the DS-69 digitizer by Micro Works. Since Micro Works no longer markets this product, Steve asked for, and received, permission to release his version as public domain software. So, as part of his agreement with them, Steve cannot make money from it. He must give it to you. You can copy it and give it to your friends. And it's all completely legal.

Just slide the disk into the drive and type RUN "DS69VIEW". The first thing you see is the option for either a CMP (composite/TV) or an RGB monitor. Next, set the default file extension. (Most DS-69 pictures use .PIX.) Press ENTER to see the main menu.

The menu has seven options. Option 1 is the directory listing the files on your disk. Option 2 loads a file. If the file you want to load has the default extension, simply type the name of the file. If the extension is different from the default, type it, too. The picture loads much faster than the original *C-SEE* program.

Options 3 and 4 are display options. Option 3 is Lo-Res and Option 4 is Hi-Res. The Lo-Res screen is approximately 325-by-225. The Hi-Res screen is approximately 640-by-225. Option 5 saves the file under a

different name or to a different drive. I have a lot of .PIX pictures and this was quite useful for sorting them.

Option 6 allows changing the default drive from which files are saved and loaded. Option 7 allows you to quit the program. If you accidentally press 7, you are returned to the first option screen at which you can press ENTER to continue or Q to quit.

If your library lacks digitized pictures there is no need to worry, the program includes eight digitized pictures to start your collection. As you spread the viewer program around, you'll find there are quite a few out there. For those of you with a modem and no digitized pictures, check your local BBS and Delphi.

There *is* one catch to this free program. Along with your request, send \$3 for shipping & handling and the cost of the disk. But if you have a modem and don't want to spend the money, the program has been posted on Delphi. After that, all you'll need is a CoCo 3 and a disk drive.

So, Dad, you can get something for nothing — almost.

(Steve Ricketts, 10625 SE 362nd #B32, Boring, OR 97009; 503-663-7169; \$3 S/H)

— Randy Cassel

*[Editor's Note: Mr. Ricketts has informed us there is also a version of DS69View for owners of the DS-69B. This version replaces the Lo-Res display option with the 16-level digitizing function. From the same menu you can load, save, view and create digitized images.]*

Word Processing

OS-9 Level II

## VED, VPRINT

OS-9 has excellent flexibility in directing its input/output to different peripherals. For this reason, OS-9 word processors have historically been constructed as two separate programs used in two separate steps. For most of us, this is a difficult concept to understand.

Any word processor program must perform three main tasks. First, it must allow entry of your text or recovery of that text from some other source, such as a disk file. Second, it must output that text to a device. Finally it should provide for such added

bells and whistles as search-and-replace, headers, footers, mail-merge, indexing or Table of Contents. Programmers usually combine these functions into one package and add some sort of executive control routine as an integrated word processor. But internally, the functions of screen editing and of output formatting are normally done in two very different sub-programs. Some of the bells and whistles are more easily attached to the screen-edit function, while others are more easily attached to the text formatter. Others may be attached to both.

Like most CoCo users, I run a mixture of Disk BASIC and OS-9. I have little patience with extremists who demand we all use one operating system. Certain tasks are much more pleasant under one system than the other.

This OS-9 word processor is sold as two separate programs: *VED* (an editor) and *VPRINT* (a text formatter). One advantage to having two different programs is that it allows you to pick and choose. If you want a good, complete OS-9 word processor, get both programs and run them together. The *VED/VPRINT* package is the best OS-9 word processor I have seen to date. If you are satisfied with either your editor or formatter, purchase just one of these programs and use it with your current setup.

### VED

The 28-page manual is clear, but updates are provided on the disk. All options work as advertised and the built-in Help file is adequate. The text-buffer size is normally 53,000 characters. If you need more space, a utility is included to break larger files into smaller ones for editing. The smaller files can of course be easily merged again with OS-9. Please note that while *VED* will operate with 128K, I used it in my 512K CoCo 3.

*VED* provides for up to 37 macros, allowing you to easily customize your editing environment. Each macro can be up to 28 characters in length. This may not seem impressive until you consider the nesting feature, which allows one macro to call another. I used this feature to create a macro for my entire letterhead, which I then placed inside other macros that provide the addresses of frequent correspondents. With only four key strokes, I can put both my letterhead and the recipient's address at the start of a letter. I do have to back-space to insert a code for the date, which is stored in a buffer in the companion program *VPRINT*.

A file called *VedDefs.txt* holds pre-



defined settings for tabs, word-wrap, indentations and other common items. This file is also used to store the macros. A new VedDefs.txt can be easily created as needed.

There are some items that take some getting used to. For example, carriage returns are not normally inserted in the text by the word-wrap feature, and you must remember the difference between a screen line and a text line. Inserting extra carriage returns is one way to eliminate this problem, but results in a loss of some of the program's flexibility. Much the same problem bothered me with earlier versions of *Telewriter 64*, and I found work-arounds that I built into my system defaults. These had become so much a part of the background defaults that I found myself being fumble fingers again when I initially configured *VED*.

During search-and-replace operations, the ENTER key cannot be used to generate a carriage return. You should use the ALT-ENTER combination to do this. Wild-card search is supported in a manner I found

quite friendly. And in general, the global commands operate well. The manual even has a tip to search for a pattern that may cut across either a screen-line break or a text-line break.

Those using *VED* for programming will enjoy the ability to jump to a line number. Others can use the alternate form that will jump to a text label. All the usual block commands such as Mark, Move, Copy and Delete are included and work well. Append is another useful block command.

I did not cover all of *VED* because the program is just too extensive. In summary, this program has all the features I wanted, is well-organized, user-friendly and appears fault-free. As for the documentation, however, when I wanted to save my file, I could not find Save in the Index except as a Block command. The real Save is on Page 20, not Page 15.

#### VPRINT

Although *VPRINT* is a slightly more-expensive program, it is much longer, with a manual of almost 115 pages. It should be

noted that *VPRINT* does not work in a 128K machine — you'll need 512K. Though, while it hasn't been tested, *VPRINT* may work with the 256K upgrade from Disto. Default files are provided for most of the common printers used in the CoCo Community. Users can use the major features by implementing the proper default file and using the Ready Reference Document. The manual explains the process and how to redesign or customize your default files.

I do take exception with one statement in the manual. The manual states that word processors packaged as a single program "...may be suitable for beginners, but usually lack the power required for more serious users..." Balderdash! This statement seems applicable only to OS-9.

I did not try every feature *VPRINT* supports. For example, I did not test its ability to create Indexing and Tables of Contents, even though these features are important to me. I had no suitable large file in OS-9 to act as a test case for this support. However, I am a fan of this program and found no bugs in either *VED* or *VPRINT*.



**Borhe & Borhe**

P. O. Box 733  
Maple Valley, WA 98038

**U.S. ORDER DESK:**  
(800) 237-2409

**INT'L & TECHNICAL:**  
(206) 432-1814

#### OS9 Software (\* >= 256K; \*\* >= 512K required):

CyberVoice (Software only) -- Run your S/S SuperVoice with OS9!	\$24.95
FILE SYSTEM REPACK -- Popular disk defragmenter.	\$29.95
R. S. B.* -- Real Disk BASIC for Level 2 (BASIC ROM required).	\$39.95
EZGEN 1.08 -- Bootfile editor. NEW VERSION!	\$19.95
PERTASCII* -- Multi-user scrambled letter word game.	\$19.95
WILD & MV -- Wildcard & move directory entry utilities.	\$19.95


#### BASIC Software (\* >= 256K; \*\* >= 512K required):

HYPER-I/O -- 16K Hard disk / big floppy BASIC. B&B or DISTO	\$29.95
HYPER-I/O HD UTILITIES -- K. Berner's wild copy, delete, search.	\$21.95
DISK DOCTOR -- K. Berner's GAT editor; also hides media defects.	\$17.95
DAGGORPATCH -- Disk patch for Dungeons of Daggorath.	\$ 9.95
RGB-DOS FOR B&B -- 8K Hard Disk DOS, great M/L compatibility!	\$34.95

*HYPER-I/O and RGB-DOS come on floppy disk & are EPROMable. HYPER-I/O allows large floppy and hard disk directories, with good M/L compatibility. RGB-DOS offers superior M/L compatibility and 160K directories only. We recommend HYPER-I/O for BBS & BASIC use, RGB-DOS for commercial M/L S/W.*


#### Affordable Color Computer Hardware:

CyberVoice -- Speech Synthesizer w/ OS9 software -- SPECIAL!	\$74.95
COCO XT -- Adapts PC hard drives to CoCo. OS9 S/W included.	\$69.95
COCO XT-RTC -- CoCo XT, with battery backed real-time clock.	\$99.95
XT-ROM -- Boots OS9 from B&B hard disk automatically.	\$19.95
4' B&B HARD DISK CABLE SET -- Extra long -- not the usual 24".	\$17.50
0K QuarterMeg (Add 8 memory chips for 256K, piggyback to 512K)	\$29.95
256K QuarterMeg (128K on-board + your CoCo 3's existing 128K)	\$54.95
Deluxe 512K booster kit (Upgrades 256K board to 512K, w/chips)	\$64.95
Bare 512K booster kit (Same as DELUXE, but no memory chips)	\$29.95



#### CyberVoice speaks well for OS9!

We've mated a high-tech SC-02 speech synthesizer with an entirely new kind of OS9 device driver that actually lets you specify your own pronunciation rules. You can even control the style and pitch of the voice - male, female, high, low, fast, slow - billions of combinations. Advanced features like instantaneous inflection control produce near human-quality speech! CyberVoice is compatible with the Speech Systems SuperVoice - buy H/W & S/W, or just the CyberVoice software.



WA RESIDENTS ADD 8.1% SALES TAX.  
U.S. COD's add \$3.30. Min. U.S. shipping \$3.00. Min. shipping to Canada \$4.00. Please allow 2 weeks for delivery. Overnight or 2-day delivery available for in-stock items. Software upgrades \$5.00 each w/receipt, including U.S. shipping.

VPRINT supports multiple fonts, including proportional-spaced fonts, if your printer is so-equipped. It also supports double-column output and mail-merge. It allows conditional tests and Macros for programming printout formats. In short, this is the most comprehensive text formatter I have dealt with that retains user-friendliness.

If you think I am prejudiced in favor of these two programs, you are right.

(Bob van der Poel Software, P.O. Box 57, Wynndel, B.C. V0B 2N0 Canada or P.O. Box 355, Porthill, ID 83853-0355, 604-866-5772; \$24.95 for VED; \$29.95 for VPRINT)

— H. Larry Elman

Music & Sound

CoCo 3

## CoCo MIDI Pro

While reviewing *CoCo MIDI Pro*, I was reminded of when I joined the musician's union in 1972. For me it was an unforgettable time of waking at 4 p.m., going to bed at 6 a.m., traveling from place to place, and walking out of a club with more money than when I walked in.

At that time "midi" referred to the length of a girl's skirt. If MIDI instruments were available, poor musicians like me knew little about them. Even now there's plenty about MIDI to which I plead ignorant. I do know that MIDI stands for Musical Instrument Digital Interface. It is an international standard for the transfer of musical information through digital signals. This technology enables the computer to record and play like a tape recorder. One basic distinction is that MIDI recording transcribes musical events such as timing, note values, volume levels, duration and other parameters. The computer does not record actual sounds the way a tape recorder does.

To use *CoCo MIDI Pro* you must have a 512K CoCo 3, a disk drive or cassette recorder and a Multi-Pak Interface or Y-cable. You'll also need a hardware MIDI interface (included with the *CoCo MIDI Pro* package) and a MIDI keyboard or other MIDI-capable instrument.

Simply put, *CoCo MIDI Pro* turns your CoCo into a multi-track recorder for MIDI instruments. If The Beatles recorded the *Sergeant Pepper's Lonely Hearts Club Band* album on a four-track recorder, think what you can do with *CoCo MIDI Pro's* 16 tracks. In addition, you can record over tracks so that the new music overlays the old without erasing it. This feature gives you the equivalent of 32 tracks. The potential is limitless.

*CoCo MIDI Pro* has many features — it isn't possible to list all of them in this review, but I'll cover the significant ones. *CoCo MIDI Pro* lets you use the CoCo in master or slave status — *CoCo MIDI Pro* can control or be controlled by other MIDI timing signals, such as those of a drum machine. Each *CoCo MIDI Pro's* 16 tracks can be set to one of three modes: play, mute or solo. Play is the normal mode, mute silences particular tracks and solo focuses on certain tracks to the exclusion of the others.

After you've recorded your performance, *CoCo MIDI Pro* provides you with various editing functions. One function lets you perform punch in/out recording. You can also change the pitch, placement and length of any note. All the standard word-processor editing commands are available. With these commands you can insert or delete notes and MIDI events. All the standard block operations such as marking, copying, moving, saving and loading are also available. Other block functions transpose all the notes in a block or set limits on the velocity, pitch, channel assignment and note length. Again, more can be done in the editing mode, but I haven't the room to explain it all in this review.



*CoCo MIDI Pro* is menu-driven and easy to use. I had it up and running in minutes. Though the recording and playback procedures are simple, this is not to say editing is easy. You do not edit the music graphically, but rather as a sequence of events in a MIDI file. This is like trying to edit a text file by working on an ASCII dump instead of loading it into a word processor. So it would be difficult, at least for me, to sit down and write a musical score at the computer keyboard. Although I guess it can be done, it would be tedious. More likely, you would record a passage live then adjust and correct your score via the *CoCo MIDI Pro* software.

How does it sound? To answer that question remember that *CoCo MIDI Pro* does not record sounds, it records events. Therefore, you must have a synthesizer or MIDI instrument to play your recordings. To begin with, *CoCo MIDI Pro* divides a beat

into 240 "ticks." This translates into "what you play is what you get." Other similar products I've tried sound a bit off time. They have a tendency to move the real-time note to the nearest increment of time the software can record. The effect is similar to taking high-resolution graphics and displaying them on a low-resolution screen. They just don't look the same. The result with these other MIDI products is that they don't sound right. With 240 ticks-per-beat, however, *CoCo MIDI Pro* does not have this problem. My keyboard playing (mistakes included) was accurately reproduced by *CoCo MIDI Pro*. Playback was indistinguishable from the live performance.

*CoCo MIDI Pro's* documentation consists of a 46-page manual. The manual adequately describes all of the program's many features and contains a table of contents and index for easy referencing. My only criticism is that it goes on and on with few breaks in the text, except headings. A screen dump or picture here and there would help to lighten the reading.

Before you go ahead and order *CoCo MIDI Pro* you should know that all this power and capability has its price; \$150 to be exact. Remember, however, the price includes the MIDI hardware interface as well as the *CoCo MIDI Pro* software. I know of no similar product available for the CoCo 3 that equals *CoCo MIDI Pro*. The only enhancement I can imagine would be graphics editing. Graphics editing is a more familiar and natural method to musicians. Most second-generation sequencer software for other personal computers such as Amiga, Macintosh, Atari and IBM have that capability. If you are a musician, or own MIDI equipment, and have a CoCo 3, you'll want to get your hands on *CoCo MIDI Pro*. Hats off to author Lester Hands.

(MusicWare, Hamlet Route Box 1261, Seaside, OR 97138; 503-738-0119; \$150)

— Ernest F. Zore

Utility

CoCo 1, 2 & 3

## Directory Library

*Directory Library* is a utility program written for your CoCo 1, 2 or 3 with at least one disk drive. It supports single- or double-sided drives as well as multiple drives.

*Directory Library* lets you consolidate all of your disk directories into a single file to organize and manage your disk library. This makes it easy to locate the disk containing any particular program or data file you want. You can also make a hard copy of

the directories on your disks that can be cut out and slipped into the disk jacket. The author has wisely chosen to set the program up similar to a book library. The library contains shelves of books and each book contains a table of contents. *Directory Library* is the shelf, any disks are the books and their directories become the table of

**Directory Library lets you consolidate all of your disk directories into a single file.**

contents. This theme is used throughout the program and makes it easier to understand the program's logic. In organizing your directory library, you may create as many shelf disks as you want. As "book" disks are added to the "shelf", they are assigned numbers that are like book titles. All you have to do is write a number on the disk, then at any time you can add, update, search, view or print any, or all, directories using the program. Furthermore, you can search your directory library for a single program or data file by its name and the program tells you what disk number it is on. Although OS-9 disk directories can't be read by *Directory Library*, a special name can be assigned to help you locate OS-9 disks in your library.

*Directory Library* is written in BASIC and is not copy-protected, so you can make a backup copy for your own protection. A six-page, easy-to-follow instruction booklet is included to get you up and running in a matter of minutes. To start the program, simply type RUN "L" and press ENTER. The date must be entered at the beginning of each session. The program defaults to 00000 if no date is entered, but this defeats one of the primary benefits of being able to see the date your program or file was last revised. A main menu is displayed that provides the various selections.

*Directory Library* is a good, solid utility

that does what it's supposed to. It goes about its task with no fuss or bother. I highly recommend the use of a printer to keep things nice and neat. Like any good disk cataloging program, this one also requires consistent use to be effective.

(Johnson Software, P.O. Box 92, Dayton, OH 45449; \$17.50 plus \$2 S/H)

— Robert Gray

Utility CoCo 1, 2 & 3

**Picture Disk 1**

Spruce up that sign, card or invitation. Add some artwork to a school, community or user's group newsletter, even if you can't draw a straight line with a ruler. If you have ever traced a transparency from a screen that looks like the artwork of a 2-year-old, call clip art to the rescue.

Clip art is what someone else (usually an artist) creates, and you get the glory by simply pasting their pictures into your sign or document. Zebra Systems helps you complete your graphics needs with *Picture Disk 1*. The clip art on Disk 1 is grouped into four categories: People, School, Science 1 and Science 2. Each category contains 30 pictures for a total of 120 pictures in the package.

According to the manual, the artwork was designed by professional graphics designers. The files are in *CoCo Graphics Designer* (CGD) and *CoCo Graphics Designer Plus* (CGDP) format. The disk contains conversion utilities for generating *CoCo Max*, *CoCo Max II*, *CoCo Max III* and *Max 10* formats. A disclaimer states that deciphering the file formats for Colorware products (the *CoCo Max* line) was accomplished independently without assistance from, or endorsement by, Colorware.

This package includes one disk, a printed manual and 15 pre-printed labels. These labels are used to mark the working disks you must create to use the clip art. To create working disks, place the original disk in Drive 0 and run MAKEWORK. During the process you are prompted to alternate between original and working disks. I suggest that Zebra take into account the possibility of systems with multiple drives. Nothing is more aggravating than paying a couple of hundred dollars for a second drive to make procedures like this easier and then having a program totally ignore the machine's resources.

Before running MAKEWORK, you must know which file format your graphics package uses. Depending on the destina-

**New Modems**



(1) **Two versions of SendFaxModems**  
Send any text file and most graphics files from your computer to any Fax machine in the world. Both external and internal (for PC) models. And with full 2400 Baud data modem capability.

(2) **V.42/V.42bis 2400 Baud data modems.**  
These have both error correction and data compression (gives much higher effective throughput, as much as 9600 Baud).

All are high quality modems made by Zoom Telephonics in the USA, with performance features unmatched by competitors costing three times as much.

Fully Hayes compatible. Work with any computer.

All the features you expect in state of the art modems. With two year mfg warrantee (a seven year warrantee is available).

Money saving premiums for Delphi, GENIE, CompuServe, etc.

ProcComm (PC) + \$5 QuickLink (Mac) + \$5  
WizPro is free (shareware)

Send Fax external modem \$149.00  
Send Fax internal modem (for PC) \$139.00  
Come with software for PC or MAC  
your choice (ask about Granite  
Computers OSK telecom software)

2400 v.42/v.42bis external modem \$235.00

2400/1200/300 BPS external modem \$115.00  
internal modem (for PC) \$105.00

Please add USA - shipping and handling \$3.50  
Canada - Air PP and Insurance \$7.46

**GCS FILE TRANSFER UTILITIES**  
now updated to Version 3.0

The GCS File Transfer Utilities provide a simple quick method to transfer text and binary files to and from a variety of floppy disk formats.

Need to transfer files to and from PC (MSDOS), RSDOS, FLEX or MINI-FLEX disks on your OS-9 system? You need GCS File Transfer Utilities.

Commands Dir, Dump, Read, Write,  
Rename, Delete, Format PC disk  
Dir, Dump, Read Write RS or FLEX disk

Version 3.0 handles most 5.25 and 3.5 formats. Any level sub-directories (PC). Binary files. Use pipes for direct and multiple transfers. Multi-Vue version can be used under Multi-Vue or as stand alone Shell commands.

Requires OS-9 L2 for COGO 3 L1 for COCO 1 or 2  
2 drives (one can be hard or ramdisk,  
one floppy 40 T DD DS).  
Multi-Vue for Multi-Vue version  
SDISK3 for COCO 3  
SDISK for COCO 1 or 2

GCS File Transfer Utilities for CoCo  
Multi-Vue version \$54.95  
Standard version \$44.95  
Version 3.0 update - either version  
(provide disk number) \$15.00

D. P. Johnson SDISK or SDISK3 \$29.95  
L1 & L2 Utilities \$75.00  
Ask about FORTH09 (6808 & OSK)

Standard diskettes are OS-9 format (5.25") - add \$2.50 for 3.5".  
Orders must be prepaid or COD. VISA/MC accepted Add \$1.75  
S&H. COD is additional.

**GRANITE COMPUTER SYSTEMS**  
571 Center Road Hillsboro, NH 03244  
(603) 464 - 3850

OS-9 is a trademark of Microvare Systems Corporation and  
Motorola Inc. MS-DOS is a trademark of Microsoft Corp. FLEX is a  
trademark of TSC, Inc.

tion file format, you need a number of blank, formatted disks. For example, to create a working disk with files in the *CoCo Graphics Designer Plus* format, you need one disk. If you want to format for *CoCo Max III*, you'll need four disks. The manual includes a table that clearly indicates the number of disks you need for each case.

*There is no longer any reason not to spice up that newsletter, card, invitation or sign.*

From the menu in MAKEWORK, select the format for the working disks. When labeling the disks, check each pre-made label carefully before applying it — the labels are very similar. Also, even though the manual says you should label working disks as soon as they are made, I suggest you check the disks first — you wouldn't want to ruin such nice labels just because a disk is defective.

The manual provides specific directions for using the picture disk with each type of file format supported. I was unable to experiment with programs I do not own, but I read the instructions for their use.

I made a backup of the master disk and prepared four disks as working disks for the *Coco Max III* format. Each category was placed on a single disk, in three separate scrapbooks.

After running MAKEWORK, I received the message "Picture Disk. Place picture disk 1 into drive 0 then press any key." I replaced the disk with the blank disk and immediately received an NE error. I checked the indicated line number to find the program was trying to load a picture database. I ran MAKEWORK again, and on getting the Picture disk message I left the original Picture disk in. I then received a message to insert the working disk. It might be best to eliminate that first message or rephrase it. Of course, having the program use both of my disk drives would have eliminated this mistake.

As each clip-art piece is converted, it is generated on screen. This process takes approximately 21 minutes per category. The

program indicates when to change disks and when the process is finished. I do not like it that MAKEWORK refuses to return control back to the user.

Once you have generated the clips in the correct file format, read the few paragraphs on how to incorporate the Zebra graphics into your program. Then start pasting.

The means through which you incorporate the clip art is a function of your graphics package, so I can only comment on the quality of the conversion. Since I do not own Zebra Systems' packages, or have access to them, I could only compare the conversion clips to examples in the manual. The cover had some examples of the clip art from each category. On pages 6 and 7 you find the Picture Disk 1 Quick Reference Sheet, a printout of all the graphics images and their names. The conversions were true to the samples in the manual. Despite the earlier disclaimer it seems Zebra has mastered the file conversion process.

I had no problem pasting various graphics into *CoCo Max III* and printing them. Once in *CoCo Max*, you can perform any of its functions on the clip art, including fat-bit editing and filling them with colors and patterns. A sample of the pictures on *Picture Disk 1* includes grads, teachers, students, doctors, dancers, babies, business people, speakers and families.

The School category contains personal hygiene pictures, toothpaste, soap, showers, combs. It also contains an eyechart, anti drugs and no smoking signs, fruit, books, pencils, clocks, the world, a map of the United States and a school bus.

Science 1 has addition charts, rulers, beakers, bunsen burners, test tube racks, scales, a benzene ring, an atom symbol, lungs, a cut-away section of the eye, a skull, DNA, a dissected frog, the heart, a magnet, a battery, a drawing of a circuit, Ohm's law, a voltage meter, an oscilloscope and a chemical bottle.

Science 2 contains a phone, clock, phonograph, light bulb, computer, prop plane, movie projector, calculator, Walkman, camera, TV, rocket, planets, thunderstorms, thermometer, pulley, gears, magnifying glass, microscope, convex and concave lenses, robot, comet and tornado.

My criticisms of *Picture Disk 1* are minor. I would like to see the MAKEWORK program use more than one drive if more than one is available. I feel the first message about inserting the Picture disk in Drive 0 after starting MAKEWORK from that disk is misleading and causes difficulties for the novice. Also, the cover of the manual depicts two graphics images, a diploma and a representation of forces, that are not included in the Quick Reference sheet or in the graphics files on disk. I also noticed

while saving the first scrapbook of Science 2 images, the message onscreen indicated the program was saving the Science 1 scrapbook to disk.

This product is directed toward children, teachers and parents who create newsletters. It would be very useful for school science newsletters, or the science club, since the clip art is heavily concentrated in this area. At \$14.95, it is a bargain (less than 13 cents per graphics image). Zebra Systems has produced a useful product. Since the package is called *Picture Disk 1*, it would seem that more clip art is forthcoming. There is no longer any reason not to spice up that newsletter, card, invitation or sign. Whether or not you draw well, you'll want to reach for *Picture Disk 1*.

(Zebra Systems, Inc., 121 S. Burrowes Street, State College, PA 16801; 814-237-2652; \$14.95)

— Kay Cornwell


Game

CoCo 3

## La Belle Lucie

If you enjoy playing solitaire card games, this computerized creation is for you. I was impressed from the first time I ran it.

*La Belle Lucie* is a solitaire game that captures the look and feel of an actual game with playing cards. The game is set up with 52 cards placed face-up in overlapping trios. The cards are played in descending order within the same suit. The object of the game is to play all 52 cards on the four suit foundations in ascending order. This must



be accomplished in three deals. After the third deal, you are allowed to take a *Merci*, or one free card move, as a last chance to complete the goal. The cards are controlled with the joystick and fire button, which gives the feeling of actually handling the cards.

The game instructions are included on

# Still pounding away at that keyboard?



**Save Time and Money with a Combination Subscription!**

## SAVE up to 19%

when you buy a joint subscription to the magazine and either RAINBOW ON TAPE or RAINBOW ON DISK! A one-year subscription to THE RAINBOW and RAINBOW ON TAPE is only \$91 in the U.S., \$108 in Canada, \$153 foreign surface rate and \$188 foreign airmail. A one-year subscription to THE RAINBOW and RAINBOW ON DISK is only \$115 in the U.S., \$138 in Canada, \$183 foreign surface rate and \$218 foreign airmail.\*

Every month, these convenient services bring you as many as 24 ready-to-run programs. Using the current issue of THE RAINBOW as documentation, all you have to do is load and run them. A one-year combination subscription to THE RAIN-

BOW and RAINBOW ON TAPE or RAINBOW ON DISK give you more than 230 new programs! The typing time you save can be spent enjoying your CoCo!

### RAINBOW ON TAPE For No-Fuss Fun

Back issues of RAINBOW ON TAPE are available beginning with the April 1982 issue. A single copy of RAINBOW ON TAPE is \$10 within the United States; U.S. \$12 in all other countries. The annual subscription rate for RAINBOW ON TAPE is \$80 within the U.S.; U.S. \$90 in Canada; and U.S. \$105 for all other countries.\*

### RAINBOW ON DISK Offers OS-9 Programs

In addition to all the programs offered on tape, part of one side of RAINBOW ON DISK is formatted for the OS-9 operating system. That means you can now get all the OS-9 programs from the magazine — programs that cannot be put on tape. Back issues of RAINBOW ON DISK are available beginning with October 1986. Subscriptions to RAINBOW ON DISK are \$99 a year in the U.S. Canadian rate is U.S. \$115. All other countries, U.S. \$130. Single copy rate is \$12 in the U.S.; U.S. \$14 in Canada; and U.S. \$16 in all other countries.\*

**To order by phone (credit card orders only), call (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries call (502) 228-4492.**

**Look for our envelope located between pages 66 and 67 for ordering individual subscriptions to THE RAINBOW, RAINBOW ON TAPE and RAINBOW ON DISK.**

**YES! Sign me up for a joint 1-year subscription (12 issues) to:**

- THE RAINBOW and RAINBOW ON TAPE
- THE RAINBOW and RAINBOW ON DISK
- NEW  RENEWAL (attach labels)

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

Payment Enclosed  (\*payment must accompany order)

Charge:  VISA  MasterCard  Am. Express  
Account Number \_\_\_\_\_

Signature \_\_\_\_\_ Exp. \_\_\_\_\_

\*U.S. currency only, please. On order to hold down costs, we do not bill. Kentucky residents add 6% sales tax; Canadian residents, 7% GST. Please allow 6 to 8 weeks for delivery of first copies. Joint subscriptions to THE RAINBOW and RAINBOW ON TAPE or RAINBOW ON DISK begin with the current issue.

Please note: While group purchases of RAINBOW ON TAPE and RAINBOW ON DISK are permitted (and multiple subscriptions are even discounted, if purchased in one order from a club), no license to make copies is conveyed or implied. Yes, your group may even purchase a subscription to our disk/tape services, but such purchase in no way authorizes that any copies be made of that original disk/tape. Specifically, this means that the original disk/tape itself may indeed be kept in a club library for use by members. However, a group purchase does not entitle club members, individually or as a group, to copy that disk/tape.

Unauthorized copying of any copyright product is strictly illegal. The copyright (right to make copies) is in no way conveyed in the purchase transaction.

the disk and can be called up at any point during play. I especially appreciate this as it eliminates the need to keep up with the instruction sheets.

*La Belle Lucie* features full-color graphics that are clear, crisp, easy to read and not abrasive to the eyes. The game is very quiet. There are no distracting sounds or noisy music. In fact, the only sound in the game is a beep, which is heard when you attempt an illegal move. The little reward picture shown following a winning hand might put a smile on your face.

The game has a minimum of internal packaging so as to be environmentally compatible. Rather than bubble-pack, which is common to most packaging, a sturdy cardboard package is used. This cardboard package can be recycled. I commend Eversoft's effort.

*La Belle Lucie* requires a CoCo 3 with 128K, a disk drive and a joystick or mouse. It can be used with either a TV or an RGB monitor.

(Eversoft, P.O. Box 3354, Arlington, WA 98223; 206-653-5263; \$14.95, plus \$2 S/H)

— Linda Manning

Utility CoCo 3

## COMERR

Many years ago when Color Computers were still silver and 32K was a lot of memory, I purchased an interesting card to go with my CoCo. This card was printed in many colors on a dark-gray background and folded something like a road map. It contained a myriad of wonderful facts about the Color Computer, including some answers to questions I wouldn't have thought to ask. Most important, however, was that it brought all that information together in one place when it was needed. A few years later, THE RAINBOW sent out with subscription renewals a large sheet that reprinted some of their best hints and tips, as well as some very short routines, all of which I keep prominently posted next to my computer desk.

David E. Chipps, of R.S. Research Associates has tried to re-create some of that convenience with his recent package called the *COMERR* series. It consists of three BASIC programs on a single disk. I shall deal with them in order of complexity.

The most simple is *COMMANDS.128*, which lists 90 Color Computer 3 commands on the screen in alphabetical order. Press *BREAK* to bring up approximately 75 commands.

Each command is associated with a number that can be used to select a short, one-line description which appears below the menu. The descriptions are rather succinct and are generally taken directly from the standard Tandy BASIC and Disk Manuals. *COMERR 1.128* is the same as *COMMANDS*, except it

*La Belle Lucie features full-color graphics that are clear, crisp and easy to read.*

includes a third screen with approximately 40 alphabetized errors and their corresponding codes. The commands appear on the second screen once you press *BREAK*.

I could not run the third program in the package, *COMERR 1.512* since it requires Microcom's 512K BASIC disk boot, a rather rare memory utility I don't own. I haven't even been able to locate it in Microcom's advertisements in THE RAINBOW. I tried running *COMERR 1.512* under DanoSoft's Big BASIC and wound up trashing my directory (a good reason for always making a backup!).

The documentation with *COMERR* is rather skimpy, despite the fact it contains the complete BASIC listings of all three programs. The actual instructions are printed on a single 6½-by-8½ sheet and are somewhat vague. The product, however, needs only a little push and it runs itself.

Perhaps I'm getting a little spoiled working as a programmer on huge mainframe computers at a large insurance company, but my idea of an online Help utility is more along the lines of a pull-down apparatus or a hot-key arrangement, not a stand-alone product. It seems in the time it takes to flip through the disk file to find *COMERR* and load and run it, I could thumb through the manual and find the same reference while the program I am working on is still on the screen. I do not mean to malign the product. It works quite well for its intended purpose, but perhaps the scope could be a bit broader. The price could certainly be lower. A \$25 tag is quite steep

for a product that would be more at home as a submission to THE RAINBOW than as an offering in the highly competitive mail-order marketplace.

The author recommends using the product as a development tool. I accomplished this by placing most of the *COMERR 1.128* package at the end of a program I was working on and leaving the *ON BRK GOTO* statement as Line 1. If you get stuck with an unusual error or stumped on syntax, press *BREAK* for a brief summary of what the manuals offer. Unfortunately, the approximate 5K available after *COMERR* is loaded isn't sufficient for any ambitious programming.

*COMERR* is a marginally useful family of programs offered at a price that should make the buyer think twice before ordering. Its limited capabilities do not justify the \$25 tag, unless you're the sort who can never find the manual when you need it. In any case, perhaps you should consider finding or making your own reference card (on cardboard).

(R.S. Research Associates, 479 S. River St., Wilkes-Barre, PA 18702, 717-822-7535; \$25)

— Fred Toon

Utility CoCo 1, 2 & 3

## Rainbow Indexes

Have you ever wanted to find information from an article you read in THE RAINBOW, but you can't remember which issue? Or thought of buying a program and wondered if it had been reviewed? To find this information, you break out your stack of THE RAINBOW anniversary issues and examine the indexes. Well, no more. With *Rainbow Indexes*, the needed information is just a few keystrokes away.

*Rainbow Indexes* comes on two disks and works with any Color Computer with a disk drive. The program includes a single instruction sheet that provides complete operating information. The disks contain six programs and two indexes. The programs are divided into three categories: *CC3ART.BIN* and *CC12ART.BIN* provide indexes to the articles; *CC3RTD.BIN* and *CC12RTD.BIN* provide indexes to the reviews and the RAINBOW ON TAPE/DISK contents; and *PRTARTIC.BAS* and *PRTINDEX.BAS* print the indexes via your printer.

*CC3ART.BIN* and *CC12ART.BIN* index all the articles that have been published in THE

RAINBOW over the last 10 years. These articles are broken into 27 categories ranging from Assembly Language to Word Processing, One Liners, Hints and Questions



and Answers. Both programs start by displaying a menu of the categories. The CoCo 3 version displays all 27 at once, while the version for CoCo 1 and 2 shows them in three sections of nine each. To select a category, simply use the arrow keys to move the cursor onto the desired topic and press ENTER. The CoCo 3 version then displays the article titles on the screen 15 at a time. The entries are sorted by author and, within one author's articles, by title. The month, year and page number are also displayed. To find an article, scroll up and down with the arrow keys or press the first

letter of the author's last name to jump straight to the top of that section. The CoCo 1 and 2 version works in much the same way, although it displays only two entries at a time.

The Reviews and Tape/Disk database works the same way. A menu allows you to select which of the 10 years of reviews or tape/disk programs you want to view. The reviews are sorted by product name and the tape/disk programs are sorted by filename. The review entries show the product name as well as the month, year and page number of the review. The program entries show the program name, a description and the month, year and page number. Finding a particular entry works the same way as for the articles.

The Print programs allow printing of the Article index by category and the Reviews and Tape/Disk index by year. Select the appropriate topic from the menu to print a hard copy.

I found these programs very easy to use. They certainly beat searching through old magazines. My only suggestion would be to include specific questions in the Questions and Answers section instead of just the column titles. Overall, I think this is an excellent set of programs and is well worth the price. If you find yourself constantly

looking for articles or reviews in back issues of THE RAINBOW, these programs are for you.

(Rick's Computer Enterprise, P.O. Box 276, Liberty, KY 42539; 606-787-5783; \$10, \$2 S/H)

— Robert Marsa

Utility OS-9

## Goodies Disk One

Utilities — some people hate them while others can't get enough. *Goodies Disk One* from The Warped Drive is a collection of 10 ready-to-run utilities. These utilities are written in BASIC09 and compiled to I-code. The package also includes all appropriate documentation. The utilities on this disk include:

CCount — provides a count of how many times a specific character appears in a file.

DriveSpeed — determines the time it takes to read one megabyte (by continuously reading the first 1024 bytes on the

## Lyra

Lyra, the ever popular music editor that lets you compose music using a mouse, is also available for the IBM PC. All the music you make with the CoCo version is compatible with the PC version. Only \$37 for Lyra and the 100 page Lyra Companion.

## CoCo MIDI Pro

CoCo MIDI Pro is a complete 16 track MIDI recording studio. Play music on your MIDI synthesizer and record it into your CoCo. Modify it with CMPro's powerful editing commands, and save it to disk or tape. Many professional musicians use the program and say that it is every bit as good as sequencers running on the IBM PC or Mac. Only \$125 for the program and the required MIDI interface program pak.

## Hot CoCo!

Hot CoCo! is a 50 minute audio tape that shows you how other musicians have put our products to good use. Check out the Rainbow October 1990 review that described this tape as "an excellent purchase, and I recommend it for all, whether or not they have a CoCo." Only \$9.95.

And don't miss our collections of music for Lyra--Lyra Lybrary Classics and Streidt's Classics Over two hours of great classical musical in each. Only \$22 each collection.

### MusicWare

Hamlet Route Box 1261  
Seaside, OR 97138.

Phone: (503) 738-0119. Ask for Lester Hands. Mastercard or Visa orders are welcome. Prices include shipping.



## Alpha Software Technologies

### Data - Windows

This is the ultimate database package for the COCO. System features include user definable fields, multiple key fields, automatic sorting, fast searching, browsing, user definable edits, user definable windows (database views), import/export/merge, cut/copy/paste, and even report and mailing label generation facilities. Makes full use of Multi - Vis, but does not require it to run! Multi - Vis style interface makes it Easy to use! 512k OS9 Level II Required.....\$59.95

### Data - Merger

Easily create personalized mail-merge documents for your client/customer database, create invoices for your small business. Many capabilities include conditional printing, conditional print blocks, page formatting, repeating blocks, and more. Can be used with your favorite word processor for ultimate printing control. 512k OS9 Level II Required.....\$19.95

### Presto-Partner

All-in-one RAM Resident software for the COCO. Includes Note-Pad, calculator, calendar, alarm, auto-dial phone book, clock, OS9 command macros and more! Runs in the background! 512k OS9 Level II Req.....\$29.95

### Utilities

#### Level II Tools

25 Great tools to make your OS9 life easier. Complete wildcard, directory tree, and windowing commands help beginners and experts alike! 128k OS9 Level II Required.....\$24.95

#### Disk Manager Tree

No more fighting with complex directory structures, and long path names. Use windows to view, create, copy, and delete files and directories with single keystrokes! 512k OS9 Level II Required.....\$29.95

#### The Zapper

Patches anything! Patch commands on disk, patch the OS9Boot file, Fix CRCs, save lost files, fix disks. 64k OS9 Level I or II Req.....\$19.95

#### Multi-Menus

Create your own pop-down menus easily! Run any OS9 program from the menu. No programming required! 512k OS9 L II & Multi-Vis Req.....\$19.95

### Communications

#### OS9 Level II BBS

Complete system comes ready to run. Use the built in setup or create your own. Completely customizable. Features: X/Y Modem, keywords, unlimited message bases, ANSI graphics, see the board while it runs, and more! 512k OS9 L II Req.....\$29.95

#### Warp - I

Complete terminal program includes Auto-Dial/Macro, X & Y modem, ANSI graphics, buffer capture, chat mode, timer, and more! 512k OS9 Level II & RS-232 Pak Req.....\$34.95

### Hardware

#### Comm - 4

Get an incredible 4 serial ports in 1 PAK! Connect four modems/printers at once! Connect a Microsoft (PC) mouse! Special patent BRQ prevents lockups. Comes with networking software to share peripherals! Perfect for a multi-line BBS! COCO 3 Req.....\$124.95

(504)649-5176 (voice) Alpha Software Technologies (504)649-5761 (BBS)  
Please add \$3.00 shipping & handling 210 Bluefield Dr. Slidell, LA. 70458 COD Orders add \$2.00 extra

media) from a device such as a floppy disk or hard drive. This is useful for finding the optimum interleave for hard drives.

**Random** — determines 10 random numbers within a specified range.

**Chown** — changes the ownership of files.

**Fpark** — parks the drive head of a floppy device.

**SetUID** — sets the user ID number of an OS-9 process.

**CoinToss** — simulates a coin toss.

**GetID** — reports the user number of a process.

**Colors** — allows you to determine suitable colors for a color monitor. (Level II only.)

**Median** — calculates the mean and the median for a set of numbers.

These utilities offer something for everyone. The color utility operates only on a CoCo 3 with Level II, but the remainder of the utilities work on OS-9 Level I or II. Also included on the disk is the BASIC09 source code for each utility. The disk incorporates the convenience of a ready-to-run utility as well as a source of good programming techniques. Even if utilities are not your main interest, the educational value of this disk makes it an irresistible temptation. And considering the price, you can't possibly go wrong with this purchase.

(The Warped Drive, 54 Martindale Dr., NE, Calgary, AB T3J 2V4 Canada; \$12, \$14 CDN)

— Donald D. Dollberg

Utility

CoCo 1, 2 & 3

## Mixed Blessings

*Mixed Blessings* is a collection of 23 programs that run the gamut from a font demo to a CoCo security system. There is also a sprinkling of games, music and graphics thrown in for good measure. No matter what your computer interests, chances are you'll find something that captures your attention.


*Shorties* is a group of one and two liners that, among other things, draws a polygon of any number of sides, converts a number to any base and has a text-screen game in which the object is to avoid running into obstacles. If you are a long-time reader of THE RAINBOW, you may have seen derivations of these same programs over the years. Now you have a handful of such programs in one neat package.

Show me a computer user who says he never plays computer games and I'll show

you someone who lies about other things as well. *Saturn's Rings* is a poor-man's version of *Asteroids* in which your space vehicle can blast the boulders in only one direction. It does, however, have the added feature of refueling at stations conveniently placed among the boulders. *Robot vs. the Fatal Computer* is a shoot-everything-until-nothing-is-left game. The premise is to

*Mixed Blessings is a collection of 23 programs that run the gamut from a font demo to a CoCo security system.*

destroy the rogue computer's brain as it drops bombs on you. Talk about being user-unfriendly. *Turmoil* is a text-screen arcade game with a graphics-screen teaser. You are shown a Hi-Res graphics screen with three spinning dials and asked to press the 1-2-3 keys to stop the dials from spinning. Although well done, this sequence struck me as having no direct relationship to the game. However, the dials determine which room your player is sent to — one of nine randomly selected rooms. Each room offers a different challenge in either getting to the other side, avoiding obstacles, collecting objects or answering riddles. *Chessboard* is a two-player chess game that, among other things, checks for illegal moves.



For more serious users *Mempeek* is a program that lets you explore the CoCo's ROM. *Screenmaster* allows for the creation of up to 24 Lo-Res graphics screens which can be stored in the PMODE graphics area. There is also a *Selective Backup* and a *Disk Auto Copy*. The *Selective Backup* copies only those sectors with data and skips over

the blank sectors. *Disk Auto Copy* copies the entire disk.

*Mailing Inventory* allows you to store up to 500 names and addresses on one disk. For those who like and use macros there is *Macro Masterpiece*, a program designed to help you memorize macros through a small printout and a quiz to become more proficient in their use. *Security System* is a program that can detect movement through



the right joystick or a light pen. To scare a prowler it can flash a red screen as well as turn on a tape recorder with a pre-recorded message or siren.

For graphics buffs there is a demo called *Foullord Demo*. This demo draws graphics screens to show the power of M/L routines, such as scrolling up, down, left and right, reversing colors or turning the image upside down. *Foullord Demo* is a good display of the CoCo's power.

The best program and, perhaps, the reason to get this package of programs is *Mazemaker II*. This program generates an infinite number of random mazes with 11 levels of difficulty. It checks to see if the maze is solvable. The user can then save it, try to get through it or edit it for increased or decreased difficulty. *Mazemaker III* uses the CoCo 3's Hi-Res screen, but cannot check solvability on Level 11. The program is available on both disk and tape and provides a dump, but only for the DMP-105 and compatibles.

Space does not allow me to list everything on the disk. The package comes with eight pages of documentation and instructions, with the highlights of each program. There is even a list of useful peeks and pokes printed on one of the pages.

A few of these programs work only on a CoCo 3, but most work on any CoCo with Extended BASIC and at least 32K. Those using a CoCo 3 may find that some programs disable the automatic HCLS feature. To restore it, enter POKE 59078,141.

(John Friedrich, Grove City College, Box 1877, Grove City, PA 16127; 412-458-3088 or 412-224-4194; \$12.95)

— George Aftamonow



# The New Generation of **Star** Printers

7 Color  
Printer!



## RAINBOW NX-1020

This next generation color printer sets new standards in color printer performance... 225 cps, 4 NLQ fonts including Script, plus a new high speed draft font; but the enhancements don't stop there. Add a 16k buffer, a special quiet mode, top feed, bottom and rear tractor, and the list goes on. Seven on-demand colors, 8 color graphics modes, Epson and IBM emulation for maximum software compatibility. Virtually everything desired in a printer is here - speed, color and versatility at an affordable price with a 2 year warranty.

### OUR PLUG 'N GO FOR THE COCO SYSTEM INCLUDES:

- NX-1020 Rainbow Multi-Font Printer
- Blue Streak Ultima **\$259<sup>95</sup>**
- Software Support Disk\*\*
- Color Screen Dump Utilities

+\$10 Shipping & Insurance

**COMPLETE**



## NX-1001 MULTI-FONT

This enhanced version of the legendary NX-1000II is the latest low-cost high-performance printer from Star Micronics. Fully featured with 4 NLQ plus a draft

font. 10 character sizes from subscript to quadruple size, 4k buffer, 180 cps, friction and tractor feed, and much much more. Backed by a 2 year warranty. Epson and IBM emulation modes for maximum software compatibility. A performer so versatile you may never exhaust it's creative possibilities.

### OUR PLUG 'N GO FOR THE COCO SYSTEM INCLUDES:

- NX-1001 Multi Font Printer
- Blue Streak Ultima
- Software Support Disk\*\*

**\$199<sup>95</sup>**

+\$10 Shipping PAID\*

**COMPLETE**

#### \*\*The Software Support Disk

A Dayton Associates exclusive that comes with any printer purchase. It consists of a CoCo Installation Tutorial, a CoCo Graphics Screen Dump Utilities and a Control Code Tutorial. Provided to help you get the most out of your system!

All Dayton Associate's products have a 30 day moneyback guarantee.

All printer systems are "Plug 'n' Go for the CoCo".

Epson is a registered trade mark of Seiko Epson Corp. IBM is a registered trade mark of International Business Machines Corp. Price and Specifications are subject to change without notice.

## The Smallest, Sleekest, Fastest Serial To Parallel Converter You Can Buy!

7 Switchable Baud Rates  
300 • 600 • 1200 • 2400 • 4800  
• 9600 • 19200



Use this "smart" cable to connect a Centronics parallel printer to any version CoCo or use it to improve performance of your current printer. The cables are long-life, high quality shielded cables with moulded plugs for extra durability.

## The Blue Streak Ultima

Powered version  
add \$6.00.

**\$39<sup>95</sup>**

+\$2 Shipping PAID\*



**FREE**  
with purchase of any  
NX-1020 or  
NX-1001 System

**Order Your System Today... Call (513) 885-5999**

**DAYTON ASSOCIATES** of W.R. Hall, INC.

9644 Quailwood Trail • Spring Valley, Ohio 45370

Shipping charges to Canada, P.R., HI, AK, APO, FPO are double Triple charge to all other countries

Visa & Master accepted within the continental U.S.  
Ohio residents add 6.5% sales tax  
COD add \$3.00

The following products have recently been received by THE RAINBOW, examined by our magazine staff and issued the Rainbow Seal of Certification, your assurance that we have seen the product and have ascertained that it is what it purports to be.

◆ **Baseball Stats**, a database that allows you to keep track of your favorite teams by year, game number and individual players. Files can be continually updated and games may be entered in any order. All files can be edited, saved and reloaded. Special features include the presentation of game, team and seasonal scores, automatic computation of hitting and pitching statistics and the options for making printouts of individual player stats. *Trading Post, P.O. Box 3453, Carbondale, IL 62902-3453; (618) 457-5258; \$39.95 plus \$3 SH.*

**BASIC Windows Version 2.0**, a machine-language program for the 512K CoCo 3 designed to create four working windows under Disk BASIC. *KB Enterprises, 435 Brightwaters Drive, Cocoa Beach, FL 32931; (407) 799-3253; \$34.95 plus \$3 SH.*

◆ **Envelope Writer**, For daisy-wheel printers. Prints mailing and return addresses directly on the envelope. Owners of dot-matrix printers can use this program in conjunction with specially prepared tractor feed envelopes. Customize fonts for use with Tandy printers. Requires 16K CoCo 1, 2 or 3 and Tandy or similar printer. *Trading Post, P.O. Box 3453, Carbondale, IL 62902-3453; (618) 457-5258; \$19.95 plus \$3 SH.*

**CoCo Cassette #99**, a monthly variety package of 10 different programs. This month's product includes a Morse code tutor, four games, a non-graphics biblical adventure, an alphabet tile sliding puzzle, a business proposal writer, a business contact database, and a program for organizing your ideas. Instructions for last month's *Maze Master 3* and the missing files for *Wizard's Den* are included. *T&D Software, 2490 Miles Standish Dr., Holland, MI 49424; (616) 399-9468; \$8 each, \$70 for a one-year subscription.*

**KJV on Disk #16**, the book of II Chronicles from the King James version of the Bible,

in ASCII files for the CoCo 1, 2 and 3. Word processor or text editor is recommended for viewing the files. Requires at least 32K and one disk drive. *BDS Software, P.O. Box 485, Glenview, IL 60025-0485; \$3.*

**OS-9/68000 Microware BASIC Version 2.3**, a version of BASIC for Motorola 68000 systems running OSK. It is source-code compatible with BASIC09 for the 6809 and supports all of the keywords available in the OS-9/6809 version (except calls to gfx and gfx2, which are not supplied). Microware BASIC supports from 4K to nearly 16 megabytes of memory for its workspace. *Microware Systems Corporation, 1900 N.W. 114th Street, Des Moines, IA 50322; (515) 224-1929; \$500 plus \$5 SH.*

**Michael Milazzo Mystical Data**, cassette tape of original music by Michael Milazzo, performed with *CoCo Midi 3/Pro*. Songs include "Lunar," "Dragonslair," "Equinox," "Renaissance," "Excursion," "Roundtable," "Moondrone," "Midnight Frost" and "Into the Light." *Rulaford Research, P.O. Box 530328, San Diego, CA 92153; (619) 690-1181; \$9.95.*

◆ **DSDISK#1**, four shareware programs requiring 32K ECB and a disk drive. *Karate*

*Lesson #1* is a graphics program for testing response time against two opponents. *3D Function Plot* lets you plot 3D graphics. There are demos displaying 3D animation. The last program is a CoCo 2 bouncing-ball demo. All machine-language subroutines on *DSDISK#1* are hand-written in 6809 machine code, without using any assemblers, for maximum speed and efficiency. *David Sham, 1155 E. 33rd Ave, Vancouver, B.C., Canada V5V 3B4; \$12 US plus \$3 US SH.*

**Notebook**, a general-purpose database generator and file/data management program to keep direct access records for practically any information you desire. Keep, maintain, view, and print your *Notebook* data diskette directories as well as your file information. Keeps records of family information (birthdays, phone numbers, anniversaries, etc.), video tapes, cooking recipes, personal diary, etc. *Notebook* runs on a CoCo 1, 2 or 3 with single or multiple disk drives and works with any printer. It also comes with a database of Table of Contents of Product Reviews from the 1990 series of Rainbow magazines. *Johnson Software, P.O. Box 92, Dayton, OH 45449; (513) 866-2601; \$23.95 plus \$2.50 SH.*

◆ First product received from this company

The Seal of Certification is open to all manufacturers of products for the Tandy Color Computer, regardless of whether they advertise in THE RAINBOW.

By awarding a Seal, the magazine certifies the program does exist — that we have examined it and have a sample copy — but this does not constitute any guarantee of satisfaction. As soon as possible, these hardware or software items will be forwarded to THE RAINBOW reviewers for evaluation.

# DARTS



by Mark Webb

---

*No pub, no ale;  
just don't hit  
the bull's tail*

---

I had never seen a darts game designed specifically for the CoCo, so I reviewed my high school trigonometry to produce one. *Darts* is designed to run on a CoCo 3 with an RGB monitor.

The game begins with the title screen. Press any key to start the game. The computer draws the game screen and you are given a choice of playing either 501 or Tactics.


With 501, your score starts at 501. Subtract the shots hit on the board from this until your score reaches exactly zero. Your last shot must be a double, that is you have to double out. If you go below zero, just press ENTER to pass. It's up to you to count your score on the dart board and accurately enter it.

In Tactics, the scoreboard is drawn differently, and you are provided with a list of targets to hit. You must get three of each target and the most points to win this round.

Once you have three of any specific target, future hits on that target add points to your score, unless the other player also has three of that tar-

---

*Mark Webb is an outdoor enthusiast whose activities include hiking in the mountains, water skiing, trailblazing and fishing. He can be contacted at Box 793, Gold River, BC, Canada V0P 1G0. Please include an SASE when requesting a reply.*





get. To enter your score, with the arrow go to the bottom where the number is and press ENTER. Type in the amount of your score and press ENTER. Enter your score carefully, the computer won't verify your entries on the board. After entering your score, press the right arrow to change players.

### Dart Throwing 101

When the Ready message appears at the bottom of the screen, you can throw a dart

or quit the game. To throw a dart, look at the graph on the two sides of the dart board. Press F2 to start the cursor on the bottom graph moving. Press F2 again when the arrow reaches the horizontal position you want. Immediately a second bar starts moving up. Again press F2 to stop this bar in the desired location. The dart will hit approximately at the point where these two lines intersect on the dart board. If the bar on either graph goes all the way to the end

of it, your throw is cancelled and you must try again.

The games don't end automatically. When the game is over, press Q to quit. You have the option to continue play or quit the game. If you choose to quit, you'll see another prompt asking if you want to play again.

I hope you have fun with *Darts*. □

CoCo 3


110	.....	129	1090	.....	210	2280	.....	116
190	.....	17	1220	.....	47	2370	.....	47
230	.....	203	1330	.....	176	2470	.....	125
280	.....	29	1420	.....	115	2580	.....	158
360	.....	228	1540	.....	103	2670	.....	27
460	.....	146	1630	.....	224	2740	.....	174
540	.....	52	1700	.....	191	2830	.....	168
620	.....	32	1760	.....	129	2883	.....	198
720	.....	167	1830	.....	113	2895	.....	117
810	.....	111	1940	.....	203	2980	.....	192
900	.....	46	2050	.....	255	3080	.....	92
990	.....	90	2170	.....	189	END	.....	126

```
F1R3BD2L3G1NR2G1NR2G1R2BM+2,-4;C
8;R27L6BUC7;NL18BD2L18"
330 HGET(1,1)-(32,9),5:HLINE(0,0
)-(32,9),PRESET,BF
340 HGET(1,1)-(32,9),6
350 HCOLOR9:HLINE(0,24)-(24,0),P
SET:HLINE(0,48)-(48,0),PSET
360 HLINE(271,0)-(319,48),PSET:H
LINE(295,0)-(319,24),PSET
370 HPAINT(8,24),6.9:HPAINT(280,
4),6.9
380 FORX=1 TO 300
390 Z=RND(48):Y=RND(48)
400 IF HPOINT(Z,Y)=6 THEN HSET(Z
,Y,9)
410 IF HPOINT(319-Z,Y)=6 THEN HS
ET(319-Z,Y,9)
420 NEXT
430 HSET(32,8,3):HPAINT(32,8),11
,9
440 HSET(280,6,3):HPAINT(280,6),
11,9
450 HCOLOR9:HLINE(0,0)-(319,191)
,PSET,B
460 HLINE(0,167)-(104,171),PSET,
BF
470 FORX=20 TO 100 STEP20:HLINE(
X,171)-(X,191),PSET:HPAINT(X-2,1
73),11,9:NEXT
480 FORX=1 TO 100
490 A=RND(99):B=170+RND(20):IFHP
OINT(A,B)=11 THEN HSET(A,B,4) EL
SE490
500 NEXT
510 HCOLOR12:HLINE(168,176)-(280
,176),PSET:HLINE-(280,56),PSET
520 FORX=168 TO 280 STEP6:HLINE(
X,176)-(X,173),PSET:NEXT
530 FORX=176 TO 56 STEP-6:HLINE(
277,X)-(280,X),PSET:NEXT
540 HCOLOR3:HLINE(90,6)-(111,15)
,PSET,BF:HGET(101,8)-(102,12),7:
HGET(100,12)-(104,13),9:HCOLOR0:
HLINE(90,6)-(111,15),PSET,BF
550 HDRAW"BM216,63;C12;NR3U4R3U3
L3BR5R2D7L2U7"
560 HDRAW"BM249,160;NR3U3R3U4L3"
570 HDRAW"BM219,170;R3U4NL2U3L3"
:HDRAW"BM232,168;R3L1U7D1NL1U1BR
4R2D7"
580 HDRAW"BM259,148;R3L1U6D1NL1U
1BR3NR3D3R3D3L3"
590 HDRAW"BM267,132;R3L1U6D1NL1U
1BR3R3D6L3U6"
600 HDRAW"BM270,115;R4U3L4ND2U2R
3"
610 HDRAW"BM265,99;R3L1U6D1NL1U1
BR3R3D3NL2D3L3"
```

### The Listing: DARTS

```
10 'DARTS
15 'WRITTEN BY MARK WEBB
20 'COPYRIGHT FEBRUARY 1991
25 'BY FALSOFT, INC.
30 'RAINBOW MAGAZINE
40 '
50 CLEAR1000
70 POKE65497,0
80 DIM QV(20),X,Y,Z,A,B,R,S,F,Q,
A1,HV,C,D,E,RA,Y1,Z1,L,M,G,H,DT,
B1,TK(12),H1$,H2$,H3$,P(2,12),DL
(3,3),PF(2,2)
90 HSCREEN2
100 GOTO3000
110 HCLS0:PALETTE0,4:POKE&HFF9A,
0
120 PLAY"T255L255V31":HCOLOR4,0
130 DATA 58,36,16,35,53,9,31,63,
7,51,0,44,58,36,16
140 FORX=1 TO 15:READA:PALETTE,X,
A:NEXT
150 DATA 3,17,2,15,10,6,13,4,18,
1,20,5,12,9,14,11,8,16,7,19
160 FORX=1 TO 20:READQV(X):NEXTX
170 FORX=1 TO 4:HBUFFX,1020:NEXT
X
180 HBUFF 5,155:HBUFF6,155:HBUFF
7,10:HBUFF8,10:HBUFF9,10:HBUFF10
,10:HBUFF11,3435
190 H1$="BM+14,0;U8H1U2NE2BR3NE2
BL3H1U1H6U1H1U1H1U3E1BR1R1BL2U1E
1U1E2U1R1U1E4R1E1R2D2G1ND3G3D1G1
L1G1D1G1E1U1E1R1E1U1R3F1G3D1G1BL
1L1BR2E1U1E3R1E1R1F1D1G1D1G2D1BL
1L1BR2U1E4R1F1D3G1D1G1L1R1D3F1D5
G1D1F1D2F1D2F1D1F1D2F1D2NL13BL8"
195 H1$=H1$+"BU18U4BL4D2F1D1F1BL
4H1U1H1U1H2"
200 HDRAW"BM0,155;C4;XH1$;":HPAI
```

```
NT(18,145),5,4
210 HDRAW"BM0,124;C6;R2E1NL2E1NL
2E1NL2E1R1L3BU2NR3H1NR2H1NR2H1NR
2H1NR2BM+5,+5;C8;R5BR7NR9;C7;E1R
3BD2L4BL8L1BU2R3"
220 HGET(0,111)-(42,156),1:HLINE
(0,156)-(42,111),PRESET,BF
230 H2$="BR12U6E1U11H1U1H1U2H1U3
H1U2E6R1E2R1E1R2E1R2F1D1G1L1G2L2
G2L1G3BL1L1BR2E1NF1E2R1E2R2F2G2L
1G2E2R1E2R1U3D3R2D1G1D1G3NF1E3R1
U1R2F1D1G1D1G1D1G2D3G1D3G1D15NL1
2;BM-10,-26:F1D2F1D2BR3U5BR5BD1D
1G1D1G1D1"
240 HDRAW"BM0,155;C4;XH2$;":HPAI
NT(17,150),5,4
250 HDRAW"BM8,113;C6;NR2F1NR2F1N
R2F1R3BD2L3G1NR2G1NR2G1NR2BM+4,-
4;C8;R5;BR10NR8U1C7NR3BD2NR3L1BL
10L1BU2R4"
260 HGET(0,111)-(42,156),2:HLINE
(0,156)-(42,111),PRESET,BF
270 H3$="BR14U6E1U2E1U3E1U5H1U3H
1U3H1U4E2R1E3R1E1R1E1R2E1R5D1G2L
2G2L2G2L1G1E1R1E2R2E1F2NU2D1G1L1
G1L1G1E1R1E1R1E2R1F1D1G5E5D1R2D3
G3D1G1D1G1D4G1D1G1H2L1H1F1R1F2D5
G1D8NL12BM-8,-27:F1D4BR3U5BR5BD2
D1G2D1"
280 HDRAW"BM0,155;C4;XH3$;":HPAI
NT(17,150),5,4
290 HGET(0,111)-(42,156),4
300 HDRAW"BM12,113;C6;NR2F1NR2F1
NR2F1R3BD2L3G1NR2G1NR2G1NR2BM+4,
-4;C8;R5BR11NR8E1C7NR3BG2NR5BL12
U1BU1R4"
310 HGET(0,111)-(42,156),3:HLINE
(0,111)-(42,156),PRESET,BF
320 HDRAW"BM1,1;C6;NR2F1NR2F1NR2
```



```


620 HDRAW"BM260,86;BR4U6D3NR1L4U
3"
630 HDRAW"BM247,71;R3L1U7D1NL1U1
BR3R3D4NL2D3L3U7"
640 HDRAW"BM201,66;R3U4L3U3R3"
650 HDRAW"BM182,75;R3L1U7D1NL1U1
BR3R3D4L3D3R3"
660 HDRAW"BM175,85;BR3U7L3D4R3"
670 HDRAW"BM165,100;R3L1U7D1NL1U
1BR3D4R3L1NU4D3"
680 HDRAW"BM162,116;R3L1U7D1NL1U
1BR4D1NL1D6L1R2"
690 HDRAW"BM235,66;R3L1U7D1NL1"
700 HDRAW"BM171,146;R3L1U7D1NL1U
1BR3D7R3U3L2"
710 HDRAW"BM188,160;U7L3"
720 HDRAW"BM203,167;U6D1NL1D5L1R
2BR4U6L3D2R2"
730 HDRAW"BM168,132;R3U3NL3U4L3D
7"
740 HCOLOR14:HLINE(71,55)-(152,1
60),PSET,B:HCOLOR15:HLINE(72,56)
-(151,159),PSET,BF
750 PF(1,1)=2:PF(2,1)=2:PF(2,2)=
501:PF(1,2)=501
760 AM$=RIGHT$(AM$,X)
770 HCIRCLE(306,113),9,1,6
780 HCIRCLE(310,113),9,1,6,..75,..
25
790 HPAINT(307,112),3,1:HCIRCLE(
306,113),2,2,3
800 HCIRCLE(306,113),6,1,6:HPAIN
T(317,113),1,1
810 'MAIN CIRCLE
820 A=220:B=113:C=13:D=14:E=15
830 HCIRCLE(A,B),48,C:HPAINT(A,B
),E,C
840 HCIRCLE(A,B),44,C:HCIRCLE(A,
B),30,C
850 HCIRCLE(A,B),26,C:HCIRCLE(A,
B),6,C
860 FORX=10 TO 370 STEP18
870 RA=X/57.29577951:Y=A+SIN(RA)
*47:Z=B+COS(RA)*47
880 HCOLORC:HLINE(A,B)-(Y,Z),PSE
T
890 NEXTX
900 HCOLORD:HCIRCLE(A,B),7,D:HCI
RCLE(A,B),6,D:HCIRCLE(A,B),5,D:H
LINE(A-1,B-1)-(A+1,B+1),PSET,BF:
HCIRCLE(A,B),8,C
910 HCIRCLE(A,B),8,C
920 'MAIN CIRCLE PAINTS
930 FORX=33 TO 393 STEP36
940 RA=X/57.29577951:Y=A+SIN(RA)
*45:Z=B+COS(RA)*45

```

```

950 RA=(X+18)/57.29577951:Y1=A+S
IN(RA)*31:Z1=B+COS(RA)*31
960 HPAINT(Y,Z),D,C:HPAINT(Y1,Z1
),D,C
970 RA=X/57.29577951:Y=A+SIN(RA)
*27:Z=B+COS(RA)*27:HPAINT(Y,Z),D
.C
980 RA=(X+18)/57.29577951:Y=A+SI
N(RA)*23:Z=B+COS(RA)*23:HPAINT(Y
,Z),D,C
990 NEXT
1000 GOTO1270
1010 'DART ARC EQUATIONS
1020 FORX=12 TO 15:PALETTEX,4:NE
XT
1030 K=((176-B)/120)/30:L=0:M=0:
GOSUB1190
1040 FORX=210 TO 150 STEP-4
1050 L=L+K:M=M+2.7:RA=X/57.29577
951
1060 A=230*SIN(RA)+170:B=(230*CO
S(RA)*L)+122+M
1070 IF X=150 THENA=A-(((276-A1)
/4.9)*2)/2-1
1080 A=INT(A/2)*2+1
1090 IF X=210 THEN G=A:H=B:HGET(
A,B)-(A+31,B+8),6
1100 HPUT(G,H)-(G+31,H+8),6,PSET
1110 HGET(A,B)-(A+31,B+8),6
1120 IF X<157 THEN HPUT(A,B)-(A+
31,B+8),5,OR:GOTO1140
1130 HPUT(A,B)-(A+31,B+8),5,PSET
1140 G=A:H=B
1150 NEXTX
1160 PLAY"O1C"
1170 PALETTE12,44:PALETTE13,58:P
ALETTE14,36:PALETTE15,16
1180 RETURN
1190 'HAND ANIMATE SUB
1200 FORHV=3 TO 1 STEP-1
1210 HPUT(2,121)-(44,166),HV,PSE
T
1220 NEXT
1230 FORHV=1 TO 4
1240 HPUT(2,121)-(44,166),HV,PSE
T
1250 NEXT
1260 RETURN
1270 'MAIN LOOP
1280 HGET(262,50)-(313,176),11:P
T=1:DT=1:AP=6:GOSUB1860
1290 GOSUB1370:'GRAPH ROUTINE
1300 GOSUB1020:'HAND & DART ARC
EQUATIONS
1310 GOSUB1580:'CALCULATE RADIUS
& ANGLE
1320 DT=DT+1:IFDT=4 THEN HPUT(26
2,50)-(313,176),11,PSET:GOTO1340
1330 GOTO1290
1340 IF FL=77 THEN GOSUB 2160 EL

```



```

SE GOSUB2600
1350 IF PT=1 THEN PT=2 ELSE PT=1
1360 DT=1:GOTO1290
1370 'GRAPH SUB
1380 HCOLOR6,0:HPRINT(14,23),"RE
ADY. . .USE F2 KEY"
1385 I$=INKEY$
1390 IFPEEK(344)=191THEN1400
1392 IFI$="Q" THENGOSUB2830
1395 GOTO1385
1400 HCOLOR0:HPRINT(14,23),"READ
Y. . .USE F2 KEY":SOUND233,2
1410 FOR X=170 TO 275 STEP 2
1420 HGET(X,171)-(X+1,175),8:HPU
T(X,171)-(X+1,175),7,PSET
1430 IF PEEK(344)=191 THEN 1470
1440 HPUT(X,171)-(X+1,175),8,PSE
T
1450 NEXTX
1460 PLAY"O1CCCCCCC":GOTO1380
1470 A=X:A1=X:SOUND122,3
1480 FORY=176 TO 56 STEP-2
1490 HGET(275,Y-1)-(279,Y),10:HP
UT(275,Y-1)-(279,Y),9,PSET
1500 IF PEEK(344)=191 THEN 1540
1510 HPUT(275,Y-1)-(279,Y),10
1520 NEXTY
1530 PLAY"O1CCDCDDCCD":HPUT(A,
171)-(A+1,175),8,PSET:GOTO1370
1540 B=Y:B1=Y:PLAY"O3D02D03E02E0
3F02F"
1550 FORZ=1 TO 1000:NEXTZ
1560 HPUT(A,171)-(A+1,175),8,PSE
T:HPUT(275,B-1)-(279,B),10,PSET
1570 RETURN
1580 'DART LOCATION HIT CALCULAT
E
1590 IF A1=220 AND B1=113 THEN 1
720
1600 IF A1>220 THEN A=A1-220 ELS
E A=220-A1
1610 IF B1>113 THEN B=B1-113 ELS
E B=113-B1
1620 R=SQR((A*A)+(B*B)):F=57.295
77951:S=B/R
1630 IF A1>220 AND B1=113 THEN A
=90/F:GOTO1710
1640 IF A1=220 AND B1<113 THEN A
=179/F:GOTO1710
1650 IF A1<220 AND B1=113 THEN A
=270/F:GOTO1710
1660 IF A1=220 AND B1>113 THEN A
=359/F:GOTO1710
1670 IF A1>220 AND B1<113 THEN A
=ATN(S/SQR(-S*S+1))+90/F:GOTO171
0
1680 IF A1<220 AND B1<113 THEN A
=(270/F)-ATN(S/SQR(-S*S+1)):GOTO
1710
1690 IF A1>220 AND B1>113 THEN A
=(90/F)-ATN(S/SQR(-S*S+1)):GOTO1
710
1700 IF A1<220 AND B1>113 THEN A
=(270/F)+ATN(S/SQR(-S*S+1))
1710 Q=INT(((A*F)+10)/18)+1:IFQ=
21 THENQ=1
1720 'DART TEXT HIT
1730 C=HPOINT(A1,B1):HCOLOR6:DL(
DT,1)=A1:DL(DT,2)=B1:DL(DT,3)=C
1740 IFC=0 OR C=12 THEN HPRINT(1
7,23),"YOU MISSED THE BOARD":SOU
ND100,1:GOTO1810
1750 IF C=13 THEN HPRINT(20,23),
"YOU HIT THE WIRE":PLAY"O4GG":HP
UT(G,H)-(G+31,H+8),6,PSET:GOTO18
10

```

```

1760 IF R<3 AND C=14 THEN HPRINT
(15,23),"YOU GOT A ***BULLSEYE**
*":PLAY"116L404CP8EP8GT255":GOTO
1810
1770 IF R<8 AND R>2 THEN HPRINT(
16,23),"YOU HIT DOUBLE BULLSEYE"
:GOTO1810
1780 IF R>26 AND R<30 THEN A$="Y
OU HIT TRIPLE"+STR$(QV(Q)):HPRIN
T(20,23),A$:GOTO1810
1790 IF R<48 AND R>44 THEN A$="Y
OU HIT DOUBLE"+STR$(QV(Q)):HPRIN
T(20,23),A$:GOTO1810
1800 A$="YOU HIT "+STR$(QV(Q)):H
PRINT(20,23),A$
1810 SOUND1,1:I$=INKEY$:CT=0
1820 HSET(A1,B1,RND(15)):FORZ=1T
020:NEXTZ:HSET(A1,B1,C):CT=CT+1:
IF CT=55 THEN1840
1830 I$=INKEY$:IFI$=""THEN1820
1840 HCOLOR0:HLINE(104,183)-(318
,190),PSET,BF
1850 RETURN
1860 *GAME SELECT & SCORE SETUP
SUB
1870 HCOLOR6,0:HPRINT(13,23),"CH
OOSE: A-TACTICS OR B-501"
1880 I$=INKEY$
1890 I$=INKEY$:IF I$=""THEN1890
1900 HLINE(102,182)-(318,190),PR
ESET,BF:SOUND100,1:HCOLOR13,0
1910 IF I$="B" THEN 2110
1920 IF I$(">")"A" THEN1870
1930 FORY=63 TO 151 STEP8:HLINE(
72,Y)-(151,Y),PSET:NEXTY
1940 HLINE(80,63)-(88,151),PSET,
B:HLINE(98,64)-(98,159),PSET
1950 HLINE(136,63)-(144,151),PSE
T,B:HLINE(126,64)-(126,159),PSET
1960 HCOLOR12:HPRINT(9,7),"*TACT
ICKS*":FL=77
1970 I$="BLTRDB20":TK(4)=20:TK(5
)=RND(19)
1980 FORX=6 TO 12
1990 Z=RND(19)
2000 FORY=5 TO X-1
2010 IF Z=TK(Y) THEN1990
2020 NEXTY
2030 TK(X)=Z
2040 IF Z<10 THEN I$=I$+"0"+RIGH
T$(STR$(Z),1) ELSE I$=I$+RIGHT$(
STR$(Z),2)
2050 NEXTX
2060 I$=I$+"TT"
2070 FORX=1 TO 23 STEP2
2080 HPRINT(13,7+(X+1)/2),MID$(I
$,X,2)
2090 NEXTX
2100 GOTO2150
2110 HLINE(72,63)-(151,63),PSET:
HLINE(112,63)-(112,159),PSET
2120 HPRINT(9,7),"****501****":FL
=33
2130 HCOLOR12:HPRINT(10,8),"501"
:HPRINT(15,8),"501"
2140 '
2150 RETURN
2160 *ARROW FOR DART SCOREBOARD
2170 FORX=1 TO 3:HSET(DL(X,1),DL
(X,2),10):SOUND60*X,1:NEXTX
2180 IF PT=1 THEN X=62 ELSE X=15
4
2190 S$(1)="R7NH3G3":S$(2)="NE3N

```

```


F3R7":GOTO2280
2200 I$=INKEY$
2210 PALETTE10,RND(63):FORZ=1 TO
66:NEXTZ:PALETTE10,4
2220 IF I$=CHR$(9) THEN 2450
2230 IF I$=""THEN2200
2240 HCOLOR0:HDRAW"XB$:"
2250 IF I$=CHR$(94) AND AP>1 THE
N AP=AP-1:PLAY"O2FF":GOTO2280
2260 IF I$=CHR$(10) AND AP<12 TH
EN AP=AP+1:PLAY"O2FF":GOTO2280
2270 IF I$=CHR$(13) THEN 2310
2280 HCOLOR10
2290 B$="BM"+STR$(X)+","+STR$(((
AP+7)*8)+2)+": "+S$(PT):HDRAW"XB$
:"
2300 GOTO2200
2310 IF AP=12 THEN 2360
2320 IF P(PT,AP)<3 THEN P(PT,AP)
=P(PT,AP)+1:GOSUB2470:GOTO2180
2330 HPRINT(14,23),"INVALID CHOI
CE!!!"
2340 FORZ=1 TO 5:PLAY"02GB04BGBG
02BG":NEXTZ
2350 HCOLOR0:HPRINT(14,23),"INVA
LID CHOICE!!!" :GOTO2180
2360 HCOLOR6:HPRINT(14,23),"AMOU
NT?":AM$=""
2370 I$=INKEY$:IFI$=""THEN2370
2380 IF I$=CHR$(13) THEN2410
2390 IF I$=CHR$(8) THEN HCOLOR0:
HPRINT(22,23),AM$:GOTO2360
2400 AM$=AM$+I$:HPRINT(22,23),AM
$:GOTO2370
2410 AM=VAL(AM$)
2420 PLAY"01C02D03E04F05G":P(PT,
12)=P(PT,12)+AM
2430 GOSUB2470:HCOLOR0:HLINE(104
,184)-(296,190),PSET,BF
2440 GOTO2180
2450 FORX=1 TO 3:HSET(DL(X,1),DL
(X,2),DL(X,3)):NEXTX:HCOLOR0:HDR
AW"XB$:"
2460 RETURN
2470 *UPDATE TACTICS SCORE
2480 HCOLOR12,15:HLINE(72,152)-
(97,158),PRESET,BF:HLINE(127,152)

```

```

-(151,158),PRESET,BF
2490 FORW=1 TO 2
2500 FORX=1 TO 11
2510 IF P(W,X)=0 THEN2530
2520 A$=STRING$(P(W,X),"*"):HPRI
NT(9+(W-1)*7,7+X),A$
2530 NEXTX
2540 A$=STR$(P(W,12)):A=LEN(A$)-
1:A$=RIGHT$(A$,A)
2550 IF LEN(A$)<3 THEN A$="0"+A$
:GOTO2550
2560 HPRINT(9+(W-1)*7,19),A$
2570 NEXTW
2580 PLAY"03CFFFFF":HCOLOR0:HDR
AW"XB$:"
2590 RETURN
2600 *501 SCORE UPDATE
2610 FORX=1 TO 3:HSET(DL(X,1),DL
(X,2),10):SOUND62*X,1:NEXTX
2620 HCOLOR6,0:HPRINT(14,23),"AM
OUNT?":AM$=""
2630 I$=INKEY$:PALETTE10,RND(63)
:IFI$=""THEN2630
2640 IF I$=CHR$(13) THEN2680
2650 IF I$=CHR$(8) THEN HCOLOR0:
HPRINT(22,23),AM$:GOTO2620
2660 AM$=AM$+I$:HPRINT(22,23),AM
$:GOTO2630
2670 IF PF(PT,2)<0 THEN PF(PT,2)
=PF(PT,2)+AM:AM=0:AM$="0":SOUND1
82,2:SOUND47,1
2680 IF AM$="" OR VAL(AM$)=0 THE
N HCOLOR0:HLINE(110,184)-(250,19
0),PSET,BF:GOTO2810
2690 AM=VAL(AM$):PLAY"01CC02DD03
EE04FF05GG":PF(PT,2)=PF(PT,2)+AM
2700 IF LEN(AM$)<3 THEN AM$="" "+
AM$:GOTO2700
2710 HLINE(110,184)-(250,190),PR
ESET,BF

```



```

2720 HCOLOR12,15:HPRINT(10+(PT-1)*5,PF(PT,1)+7),AM$:IFPF(PT,1)=1 THEN2800
2730 X=76+(PT-1)*40:Y=PF(PT,1)*8+63:HLINE(X,Y)-(X+32,Y),PSET
2740 PF(PT,1)=PF(PT,1)+1:AM$=STR$(PF(PT,2)):X=LEN(AM$)-1:AM$=RIGHT$(AM$,X)
2750 IF LEN(AM$)<3 THEN AM$="" "+AM$:GOTO2750
2760 HPRINT(10+(PT-1)*5,PF(PT,1)+7),AM$:PF(PT,1)=PF(PT,1)+1
2770 IF PF(PT,1)>=11 THEN2780 ELSE2810
2780 X=73+(PT-1)*40:Y=64:FORZZ=1 TO 2000:NEXTZZ:SOUND202,1:HLINE(X,Y)-(X+38,Y+94),PRESET,BF
2790 PF(PT,1)=1:GOTO2760
2800 PF(PT,1)=PF(PT,1)+1
2810 FORX=1 TO 3:HSET(DL(X,1),DL(X,2),DL(X,3)):SOUND255-(X*60),1:NEXTX
2820 RETURN
2830 'END SUB
2840 HCOLOR7,6:HLINE(142,14)-(185,33),PRESET,BF:HLINE(141,13)-(186,34),PSET,B
2850 HCOLOR1:HPRINT(18,2),"QUIT?" :HPRINT(18,3),"(Y/N)"
2860 I$=INKEY$:IF I$="" THEN2860
2870 IF I$="Y" THEN 2882
2880 IF I$="N" THEN HCOLOR0:HLIN E(141,13)-(186,34),PSET,BF:PLAY" 04BAGFEDC":RETURN
2881 SOUND11,5:GOTO2860
2882 HCOLOR7,6:HLINE(118,14)-(20

```

```

9,33),PRESET,BF:HLINE(117,13)-(210,34),PSET,B
2883 HCOLOR1:HPRINT(15,2),"PLAY AGAIN?":HPRINT(18,3),"(Y/N)"
2884 I$=INKEY$:IFI$="" THEN2884
2885 IF I$="Y" THEN2888
2886 IF I$="N" THEN2909
2887 SOUND5,5:GOTO2884
2888 FORX=1 TO 2
2889 AM(X,1)=0:PF(X,1)=2:PF(X,2)=-501
2890 FORY=1 TO 12
2891 P(X,Y)=0
2892 NEXTY,X
2893 HCOLOR0:HLINE(117,13)-(210,34),PSET,BF
2894 HCOLOR0:HLINE(106,183)-(312,190),PSET,BF
2895 HCOLOR15:HLINE(72,56)-(151,159),PSET,BF
2900 GOTO1270
2909 FORX=1 TO 15:SOUND255-(X*10),5:PALETTE0:NEXTX
2910 HCLS0:PALETTE0,0:HGET(0,87)-(54,95),1:HCOLOR1:HPRINT(0,11),"THE END"
2920 HGET(0,87)-(54,95),2:HPUT(0,87)-(54,95),1,PSET
2930 PI=57.29577951:R=90:PALETTE 1,36
2940 FORZ=0 TO 360 STEP6
2950 W=Z/PI:X=160-SIN(W)*R:Y=96-COS(W)*R:R=R-1
2960 HPUT(X,Y)-(X+54,Y+8),2,PSET
2970 NEXTZ
2980 FORX=0 TO 200:PALETTE1,RND(

```

```

16)+31:NEXTX
2990 POKE65496,0:WIDTH32:CLS1:RGB:END
3000 'TITLE
3010 FORX=0 TO 7:PALETTE0:NEXT X
3020 HCLS1:HCOLOR0:HLINE(0,0)-(319,191),PSET,B:A=0
3030 FORX=15 TO 304 STEP15
3040 Z=X+RND(5)-3:Y=RND(180)+10:HLINE(Z,0)-(Z,191),PSET
3050 HLINE(A,Y)-(Z,Y),PSET:A=Z
3060 NEXTX
3070 FORX=0 TO 333:HSET(RND(319),RND(191),0):NEXTX
3080 A$=""U11R2F3D5G3L2BR8;U9E2R1 F2D3NL5D6BR3;U11R4F1D3G2NL3F2D3B R6;U11NL3R3BM+8,+1;H1L3G1D3F1R3F 1D4G1L3H1"
3090 Y=120:C=3:Z=Y
3100 FORX=50 TO 60
3110 B$=""BM"+STR$(X)+",""+STR$(Z) +";C"+STR$(C)+";"+A$
3120 HDRAW"54;XB$;"
3130 C=C+1:IFC>7 THENC=3
3140 Y=Y+.5:Z=INT(Y)
3150 NEXTX
3160 HCOLOR7:HPRINT(14,18),"BY M ARK WEBB"
3170 HPRINT(16,19),"(C) 1990"
3180 PALETTE1,35:PALETTE2,36:PAL ETTE3,16:PALETTE4,9:PALETTE5,36: PALETTE6,44:PALETTE7,54
3190 EXEC44539
3200 HDRAW"54;"
3210 GOTO110

```

**NEW!!**

**NEW!!**

**NEW!!**

**NEW!!**

**We've Just Converted Over 250 Macintosh Quality Pictures For The Color Computer. Each Set Includes An Excellent Graphics Editor! Pictures are CoCo-MAX II compatible.**

<b>Set #1</b>	<b>Set #2</b>	<b>Set #3</b>
Clipart	Celebrities	Adult Only
Space Pictures	Cartoon Characters	R-Rated
Animals	Great Graphics	Beautiful Women
More	More	

**Each Set Of 10 Disks  
Only \$35.00!  
Buy 2, Get One Free!**

Coco 1,2 And 3  
32K Minimum  
Disk Only

**T&D Subscription Software • 2490 Miles Standish Dr., Holland, MI 49423 • 616-399-9648**



**NEW FOR '91**

# SUNDOG SYSTEMS

## The Quest for THELDA



Better men than you have failed the quest, but the hand of the good princess Thelda is too much to resist! Stolen by the evil necromancer Elyanax, she has been sequestered far from prying eyes and it is now up to you to regain the pieces of the mystical Life Force and save the fair lady. The Quest for Thelda is an outstanding arcade program that combines action and adventure to bring you an incredible video game playing experience. Travel throughout over 500 different screens searching for magical objects and spells, fighting horrible creatures, and gathering the various parts of the Life Force guarded by ever-increasing terrors. You'll enjoy the highest quality 320x200 resolution 16 color graphics and digital sound effects that you've come to expect from Sundog Systems. The game play is fast and furious, and only you can rescue the princess and complete the LEGEND OF THELDA! Req. 128K CoCo 3, disk drive, and joystick (2-button joystick supported).

**\$34.95**

Hint book now available for Thelda! Contains clues, maps, and even a BASIC program to modify your own characters! \$4.95

## ZENIX



You have been chosen to pilot the spacecraft wielding the plutonium plasma laser against the nefarious insectoids, the Zenians. These bugs have been ripping off the space trade lines for years; now they're about to find a victim who can fight back! Beat back the swarms of pests to their home planet Zenix, and use the laser to end the menace once and for all. Zenix is a lightning fast arcade game for the 128K CoCo 3. The 320x225 16 color graphics are amazing, as are the digital background music score and effects, all on a 128K computer! The fast action and game play will astound you in the GALAGA of extermination. Plug in your joystick and strap in for the ride of your life! Call to order a demo disk to see the action before you buy! Req. 128K CoCo 3, disk drive, and joystick.

**\$29.95**

Visa, Mastercard, Check, Money Order, and COD (USA only, please) accepted. All foreign orders must be sent in US currency Money Orders. Include \$2.50 for shipping in USA and Canada \$5.00 Foreign. \$3.00 extra for COD orders. PA residents add 6% sales tax. Dealer inquiries welcome. Authors: we're looking for new software!

## ★ THE CONTRAS ★



In the year 2671, a mysterious object landed on Earth, heralding the alien invasion of the Red Falcon. Only two courageous soldiers have a hope of stemming this alien infestation. Armed with your military training and the latest weapon technology, you and a friend must fight back the hordes. Sundog Systems presents our second 512K game, **The Contras**. You'll see why we decided to use 512K on this project! Amazing graphics with 320x225 resolution, 16 color full screen animation and horizontal smooth scrolling! Background digital sound effects and real-time music! One or two player action AT THE SAME TIME! You'll agree that this is one of the best arcade games yet for your 512K CoCo 3. Needless to say, playing here won't be easy; playing **The Contras** will be tougher! Req. 512K CoCo 3, disk drive, and 2-button joystick.

**\$34.95**

## Crystal City



The superior technology of the evil Overlords has ensnared yet another innocent planet, however, this one contains the Crystal City, bastion of democracy and independence. Earth has had enough! Break through level upon level of their virtually invulnerable defenses, defeat the end guardians, and make your way ever closer to freeing the slaves of the Crystal City! This amazing arcade game is an achievement in its own right! Full 128K/512K utilization! Super fast horizontal hardware scrolling on the 128K computer! Wild digital sound effects and background music score! 30 minutes, or over 30 megabytes, of non-repeating 320x200 resolution, 16 color graphics! This game has it all; order a demo disk to see it first! Can you save the Crystal City from unbeatable foes? Req. 128K CoCo 3, disk drive, and joystick.

**\$34.95**

## Sinistaar



You've raved about this 512K arcade game! The graphics and animation are amazing! You've got to hear the digital sounds! 512K (three disks) packed with excitement. 512K CoCo 3 only \$34.95

## KYUM-SAI TO BE NINJA



This martial arts arcade game remains a CoCo 3 phenomenon. One of our best sellers to date! Play the incredible combat experience that you've been missing, and call for the availability of the OS-9 version. 128K CoCo 3 action. \$29.95.

**OS-9 Version Now Available**

## SOUNDTRAX



This 128K/512K sound sequencing system has become an immensely popular program. Create musical scores using polyphonic digitized sounds and a user-friendly point and click editor. Call to order the SoundTrax demo program, and get 10% off your purchase with receipt. \$34.95

**Now Available:** SoundTrax instrument sample disks! Guitars, strings, woodwinds, and just plain word instruments for your composing pleasure. Completely compatible with the SoundTrax system. 3 floppy (2 sides) disks full of sounds. \$12.95 each or \$29.95 for all three.

### ALSO AVAILABLE:

- Hall of the King 1, 2, or 3 CoCo 1 - 3 \$29.95 ea.
- Hall of the King Trilogy \$74.95
- White Fire of Eternity CoCo 1 - 3 \$19.95
- Dragon Blade CoCo 1 - 3 \$19.95
- Champion CoCo 1 - 3 \$19.95
- Paladin's Legacy CoCo 1 - 3 \$24.95
- Warrior King CoCo 3 \$29.95
- In Quest of the Star Lord CoCo 3 \$34.95
- Hint Sheet \$ 3.95
- Kung-Fu Dude CoCo 1 - 3 \$24.95



**We've Moved!**

P.O. Box 766  
Manassas, VA 22111  
703/330-8989

# Novices Niche

## Body Mass by Bob Teague

In his book *How to Be Your Own Nutritionist*, Stuart M. Berger, M.D., uses a body-mass worksheet from a recent report by the National Institute of Health to help readers determine if they are underweight, at optimal weight, are overweight, or are obese. Since everyone is more health-conscious today, I decided to write a simple program to perform the necessary arithmetic. As the computer proficiency instructor at the high school where I teach, I use the program to demonstrate some of the basics of BASIC to my students.

Since, according to Dr. Berger, only one in five Americans fall into their correct weight range, I thought RAINBOW readers might enjoy using their CoCos to help them shape up. With three out of five Americans in the overweight and obese range, there should be a few readers who should use this program to perhaps change their current lifestyle.

### The Listing: BODYMASS

```

10 'BODY MASS
20 'WRITTEN BY BOB TEAGUE
30 'COPYRIGHT FEBRUARY 1991
40 'BY FALSOFT, INC.
50 'RAINBOW MAGAZINE
60 CLS
70 PRINT TAB(5);"BODY MASS WORKS
HEET"
80 PRINT:PRINT
90 INPUT"ENTER SEX (M/F)";S$
100 INPUT"ENTER WEIGHT IN LBS.";
W
110 INPUT"ENTER HEIGHT IN IN.";H
120 REM CONVERT TO METRIC SYSTEM
130 W=W/2.2
140 H=H/39.4
150 F=H^2
160 M=W/F
170 PRINT
180 PRINT"BODY MASS=";M
190 M=INT(M+.5):'ROUND OFF
200 PRINT
210 REM EVALUATION ROUTINE
220 IF S$="F" THEN GOSUB 290
230 IF S$="M" THEN GOSUB 360
240 PRINT
250 INPUT"ANOTHER CALCULATION (Y
/N)";C$
260 IF C$="Y" THEN RUN
270 IF C$="N" THEN END
280 IF C$<>"Y" OR C$<>"N" THEN G
OTO 240
290 REM FEMALE RATINGS
300 IF M<20 THEN PRINT"UNDERWEIG
HT"
310 IF M>=20 AND M<=23 THEN PRIN
T"OPTIMAL WEIGHT"
320 IF M>=24 AND M<=26 THEN PRIN
T"SLIGHTLY OVERWEIGHT"
330 IF M>=27 AND M<=31 THEN PRIN
T"OVERWEIGHT"
340 IF M>31 THEN PRINT"OBESE"
350 RETURN
360 REM MALE RATINGS
370 IF M<21 THEN PRINT"UNDERWEIG
HT"
380 IF M>=21 AND M<=24 THEN PRIN
T"OPTIMAL WEIGHT"
390 IF M>=25 AND M<=27 THEN PRIN
T"SLIGHTLY OVERWEIGHT"
400 IF M>=28 AND M<=31 THEN PRIN
T"OVERWEIGHT"
410 IF M>31 THEN PRINT"OBESE"
420 RETURN

```



# Novices Niche

## Weights on Other Planets

by Richard Barberian, Jr.

Have you ever wondered how much you would weigh on Mars or Saturn? With this program, your weight can be computed for each of these planets as well as other heavenly bodies, such as the moon or the sun! Enter your own weight, or someone else's, and you'll be amazed and sometimes shocked at what you would weigh in other areas of the galaxy. Just for the fun of it, you might even want to enter the weight of inanimate objects, such as a 1-lb. box of candy or your car!

### The Listing: WEIGHTS

```


10 'WEIGHTS ON OTHER PLANETS
20 'WRITTEN BY RICHARD BARBERIAN
30 'COPYRIGHT FEBRUARY 1991
40 'BY FALSOFT, INC.
45 'RAINBOW MAGAZINE
50 DIM M$(20),A$(2)
60 CLS
70 PRINT "  WEIGHTS ON OTHER PL
ANETS"
80 PRINT:PRINT:PRINT:
90 PRINT"ENTER A GIVEN WEIGHT (I
N LBS.)"
100 INPUT W
110 CLS
120 PRINT"MAKE A CHOICE TO DETER
MINE"
130 PRINT"WEIGHT ON THE SELECTED
PLANET"
140 PRINT:PRINT"  1. THE MOON"
150 PRINT"  2. PLUTO"
160 PRINT"  3. URANUS"
170 PRINT"  4. SATURN"
180 PRINT"  5. JUPITER"
190 PRINT"  6. MARS"
200 PRINT"  7. VENUS"
210 PRINT"  8. MERCURY"
220 PRINT"  9. THE SUN"
230 PRINT" 10. ENTER A NEW WEIG
HT"
240 PRINT" 11. END"
250 INPUT C
260 IF C=1 THEN M=.16:M$="THE MO
ON"
270 IF C=2 THEN M=.04:M$="PLUTO"
280 IF C=3 THEN M=.79:M$="URANUS"
290 IF C=4 THEN M=.93:M$="SATURN"
300 IF C=5 THEN M=2.34:M$="JUPIT
ER"
310 IF C=6 THEN M=.38:M$="MARS"

```

```

320 IF C=7 THEN M=.88:M$="VENUS"
330 IF C=8 THEN M=.39:M$="MERCUR
Y"
340 IF C=9 THEN M=26.67:M$="THE
SUN"
350 IF C=10 THEN CLS:GOTO 80
360 IF C=11 THEN CLS:END
370 CLS:NW=W*M
380 PRINT:PRINT:PRINT:PRINT
390 PRINT USING"  IF WEIGHT IS
###.###.## LBS.";W
400 PRINT"          ON EARTH,"
410 PRINT:PRINT
420 PRINT USING"THEN WEIGHT IS #
###.###.## LBS.";NW
430 PRINT"          ON "M$"."
440 PRINT:PRINT:PRINT" (ENTE
R C TO CONTINUE)":INPUT C$:GOTO
110

```



# Novices Niche

## Note Writer

by John Musumeci

Have you ever wanted to print a note or letter without hassle? Well, here is a very simple program that can be used without going to your word processor and remembering particular commands.

Just load NOTERITE and run it. Move around the screen, if need be, by using the arrow keys. You can also use the SHIFT/arrow keys to move horizontally and vertically to the screen borders. Use the

whole screen except the bottom three rows to write your letter. You can go over any part to rewrite or delete characters (with the space bar.)

Line 20 sets the baud rate for your printer and can be eliminated or changed to suit your needs. If the letter is longer than one screen, don't worry, just continue writing after printing that screen and it will fall into place.

### The Listing: NOTERITE

```

1 *NOTE RITE
2 *WRITTEN BY JOHN MUSUMECI
3 *COPYRIGHT FEBRUARY 1991
4 *BY FALSOFT, INC.
5 *RAINBOW MAGAZINE
10 CLEAR 3000
20 POKE150,7: '*BAUD RATE*
30 DIMB$(21)
40 WIDTH 40:T=0
50 CLS5:LOCATE5,10:PRINT"ADJUST
PAPER TO PERFORATION. PRESS <ANY
KEY> WHEN READY TO WRITE."
60 A$=INKEY$:IF A$="" THEN 60
70 CLS:FOR A=1 TO 21:B$(A)=STRIN
G$(40,32):NEXT A
80 LOCATE0,21:PRINTSTRING$(40,45
);
90 LOCATE9,22:PRINT"PRESS <CLEAR
> TO PRINTER"
100 LOCATE10,23:PRINT"PRESS <BRE
AK> TO QUIT";
110 X=0:Y=0:A=1
120 LOCATEX,Y
130 A$=INKEY$:IF A$="" THEN 130
140 IF A$=CHR$(3) THEN END
150 IF A$=CHR$(12) THEN 330
160 IF A$=CHR$(13) THEN Y=Y+1:X=
0:A=A+1:GOTO 290
170 IF A$=CHR$(8) THEN X=X-1:IF
X<0 THEN X=0:GOTO 120 ELSE 120
180 IF A$=CHR$(9) THEN 280
190 IF A$=CHR$(10) THEN Y=Y+1:A=

```

```

A+1:IF Y>20 THEN Y=20:A=21:GOTO
120 ELSE 120
200 IF A$=CHR$(94) THEN Y=Y-1:A=
A-1:IF Y<0 THEN Y=0:A=1:GOTO 120
ELSE 120
210 IF A$=CHR$(21) THEN X=0:GOTO
120
220 IF A$=CHR$(93) THEN X=39:GOT
O 120
230 IF A$=CHR$(91) THEN Y=20:A=2
1:GOTO 120
240 IF A$=CHR$(95) THEN Y=0:A=1:
GOTO 120
250 GOSUB 310
260 MID$(B$(A),X+1,1)=A$
270 LOCATE0,Y:PRINTB$(A);
280 X=X+1:IF X>39 THEN A=A+1:Y=Y
+1:X=0
290 GOSUB 310
300 GOTO 120
310 IF Y>20 THEN Y=20:A=21
320 RETURN
330 LOCATE9,22:PRINT" P R I N T
I N G . ."
340 IF T=0 THEN FOR X=1 TO 12:PR
INT#-2:NEXT X:T=1:AA=0:GOTO 360
350 IF AA=1 THEN FOR X=1 TO 24:P
RINT#-2:NEXT X:AA=0 ELSE AA=1
360 FOR X=1 TO 21:PRINT#-2,TAB(2
0);B$(X):NEXT X
370 GOTO 70

```

## Automatic Error Entry

by Geoff Friesen

When an error occurs during a BASIC program, a message is displayed and control returns to the OK prompt unless ON ERR GOTO is used. With some errors, such as bad syntax (SN) or undefined line (UL), it would be helpful for BASIC to automatically enter the built-in line editor instead of you having to manually type EDIT and the line number. *Autoerr* performs this task.

When an error occurs, an error message is displayed along with the incorrect line and control is passed to the EDIT command. Once you make corrections, pressing ENTER causes a return to the OK prompt. Some errors, such as disk errors, do not require automatic entry to the editor. In these cases, pressing ENTER exits the editor without making changes.

To start this program type RUN"AUTOERR". Do not run *Autoerr* more than once since the dynamic loading mechanism will consume more memory with each load. The loading mechanism works by repositioning the top of the BASIC pointer (located at addresses \$27 and \$28) downward.

*Autoerr* has no effect if ON ERROR GOTO is being used. It is also useless for errors that occur in the direct mode. *Autoerr* requires a Color Computer 3 and does not need a disk drive. It is compatible with my other programs, *Superpoke* and *LLR*.

### The Listing: AUTOERR

```

0 *AUTOMATIC ERROR ENTRY
1 *WRITTEN BY GEOFF FRIESEN
2 *COPYRIGHT (C) JANUARY 1991

```

```

3 *BY FALSOFT, INC.
100 '-----
110 'AUTOERR
120 '
130 '(C) 1990, RAINBOW
140 '-----
150 '
160 CLEAR 200.PEEK(&H27)*256+PEE
K(&H28)-20
170 SA=PEEK(&H27)*256
180 SA=SA+PEEK(&H28)+1
190 FOR I=SA TO SA+20
200 READ B$
210 POKE I,VAL("&H"+B$)
220 NEXT I
230 DATA 96,68,4C,26,03,7E,AC,73
240 DATA BD,BD,C5,BD,B9,5C,DC,68
250 DATA DD,2B,7E,85,36
260 POKE &HAC6B,126
270 POKE &HAC6C,SA/256
280 POKE &HAC6D,SA AND 255
290 WIDTH 32
300 PRINT "AUTOERR INSTALLED"

```

## The Rainbow Bookshelf

### The Rainbow Book of Simulations

20 award-winning entries from THE RAINBOW's first Simulations contest.

### The Second Rainbow Book of Simulations

The 16 Winners from our second Simulations contest.

### The Complete Rainbow Guide to OS-9

Authors Dale Puckett and Peter Dibble demonstrate OS-9's multitasking and multiuser features.

### The Complete Rainbow Guide to OS-9 Level II Vol.I: A Beginners Guide to Windows

Puckett and Dibble uncover the mysteries of the new windowing environment.

### The First Rainbow Book of Adventures

Contains 14 winning programs from our first Adventure contest.

### The Second Rainbow Book of Adventures

Featuring 24 of the most challenging Adventure games ever compiled.

### The Third Rainbow Book of Adventures

The Excitement continues with 19 new Adventures.

### The Fourth Book of Adventures

Fourteen fascinating new Adventures from the winners of our fourth Adventure competition.

### A Full Turn of the Screw

### The Rainbow Introductory Guide to Statistics

Dr. Michael Plog and Dr. Norman Stenzel give a solid introduction to the realm of statistical processes.

Name \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_  
 State \_\_\_\_\_ Zip \_\_\_\_\_  
 Payment Enclosed, or  Charge to:  
 VISA  MasterCard  American Express  
 Account Number \_\_\_\_\_  
 Card Expiration Date \_\_\_\_\_  
 Signature \_\_\_\_\_

<input type="checkbox"/> The Rainbow Book of Simulations (first)	\$ 9.95	\$ 3.50	_____
<input type="checkbox"/> Rainbow Simulations Tape (first)	\$ 9.95	\$ 3.50	_____
<input type="checkbox"/> First Simulations Package	\$19.95	\$ 6.00	_____
<input type="checkbox"/> The Second Rainbow Book of Simulations	\$ 9.95	\$ 4.95	_____
<input type="checkbox"/> Second Rainbow Simulations Tape	\$ 9.95	\$ 4.95	_____
<input type="checkbox"/> Second Rainbow Simulations Disk	\$19.95	\$ 4.95	_____
<input type="checkbox"/> Second Simulations Package with Tape	\$19.95	\$ 8.95	_____
<input type="checkbox"/> Second Simulations Package with Disk	\$20.95	\$ 8.95	_____
<input type="checkbox"/> The Complete Rainbow Guide to OS-9	\$19.95	\$12.95	_____
<input type="checkbox"/> Rainbow Guide to OS-9 Disk Set (2 disks)	\$31.00	\$19.95	_____
<input type="checkbox"/> Rainbow Guide to OS-9 Package	\$47.95	\$29.95	_____
<input type="checkbox"/> The Windows & Applications Disk for The Complete Rainbow Guide to OS-9 Level II, Vol. I		\$19.95	_____
<input type="checkbox"/> The Rainbow Book of Adventures (first)	\$ 7.95	\$ 2.00	_____
<input type="checkbox"/> Rainbow Adventures Tape (first)	\$ 7.95	\$ 2.00	_____
<input type="checkbox"/> First Adventure Package	\$15.95	\$ 3.50	_____
<input type="checkbox"/> The Second Rainbow Book of Adventures	\$12.95	\$ 6.95	_____
<input type="checkbox"/> Second Rainbow Adventures Tape	\$12.95	\$ 6.95	_____
<input type="checkbox"/> Second Adventure Package	\$27.95	\$11.95	_____
<input type="checkbox"/> The Third Rainbow Book of Adventures	\$11.95	\$ 6.95	_____
<input type="checkbox"/> Third Adventures Tape	\$ 9.95	\$ 6.95	_____
<input type="checkbox"/> Third Adventures Disk Set (2 disks)	\$14.95	\$ 7.95	_____
<input type="checkbox"/> Third Adventure Package with Tape	\$21.95	\$11.95	_____
<input type="checkbox"/> Third Adventure Package with Disk	\$28.95	\$12.95	_____
<input type="checkbox"/> The Fourth Rainbow Book of Adventures	\$10.95	\$ 7.95	_____
<input type="checkbox"/> Fourth Adventures Tape	\$ 9.95	\$ 6.95	_____
<input type="checkbox"/> Fourth Adventures Disk	\$14.95	\$11.95	_____
<input type="checkbox"/> Fourth Adventure Package with Tape	\$20.95	\$13.90	_____
<input type="checkbox"/> Fourth Adventure Package with Disk	\$26.95	\$18.90	_____
<input type="checkbox"/> A Full Turn of the Screw		\$19.95	_____
<input type="checkbox"/> Introductory Guide to Statistics	\$ 6.95	\$ 2.95	_____
<input type="checkbox"/> Guide to Statistics Tape or Disk (indicate choice)	\$ 6.95	\$ 2.95	_____
<input type="checkbox"/> Guide to Statistics Package	\$12.95	\$ 4.95	_____

(indicate choice of tape or disk)  
 Add \$2 per book Shipping and Handling in U.S.

Outside U.S., add \$4 per book

Kentucky residents add 6% sales tax

Canadian residents add 7% GST

(Allow 6 to 8 weeks for delivery)

Total \_\_\_\_\_

Mail to: Rainbow Bookshelf, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. To order by phone (credit card orders only) call (800) 847-0309, 8 a.m. to 5 p.m. EST. For other inquiries call (502) 228-4492.

Please note: The tapes and disks offered by The Rainbow Bookshelf are not stand-alone products. That is, they are intended to be an adjunct and complement to the books. Even if you buy the tape or disk, you will still need the appropriate book for loading and operating instructions. OS-9 is a registered trademark of the Microwave Systems Corporation.

FILL OUT  
 YOUR COCO  
 LIBRARY  
 WITH  
 THESE  
 SELECTIONS

## ◀◀ GIMMESOFT ▶▶

Toll Free Order Line

### V-Term Terminal

Vax, Unix, Mainframe, and BBS systems  
 Vt-100, Vt-52, Vidtex & Ascii emulations  
 Serial to 2400, RS-232 to 19.2 baud  
 XModem, XModem-CRC, YModem, ASCII  
 15 autodial, 10 programmable macros!!!  
 Disk (128k/512k CoCo 3 only) .... \$34.95

### Studio Works Pro

NEW! CD Quality audio samples up to 35k  
 by 8 bits! Supports up to 1 MEG memory!  
 SWP W/O cable \$44.95 W/cable \$59.95  
 NEW ADC 8 bit ROM pak ..... \$49.95

### Turbo 512k Ram

Fully assembled and tested board,  
 Premium 120ns chips, Easy to follow  
 illustrated instructions, Includes 512K  
 RamDisk, RamTest, and Print Spooler.  
 512k board w/software ..... \$79.95  
 000k board w/software ..... \$29.95

### Quest for Thelda

You must rescue the princess Thelda in  
 this outstanding arcade style program.  
 500+ screens! Digital sound effects!  
 For 128k CoCo 3, joystick & disk ... \$34.95

### The Contrass

Amazing new 512K, 1 or 2 player action,  
 digital sound effects & real time music.  
 512K CoCo 3, 2B joystick & disk .... \$34.95

### Crystal City

You must free the slaves of the Crystal  
 City in this fast action, arcade style game.  
 128K CoCo 3, joystick & disk ..... \$34.95

### ZENIX

An extremely Fast & Exciting arcade style  
 game with 32 levels of play! Blast through  
 insectoids & destroy their planet ZENIX!  
 For 128k CoCo 3, joystick & disk ... \$29.95

### Those Darn Marbles

This incredible 3D marble game features  
 extra smooth screen scrolling, great sound  
 effects, graphics, and action!  
 For 512k CoCo 3, joystick & disk ... \$31.95

### CoCo 3 Wheel

Great family fun! CoCo 3, disk ... \$19.95

### Bowl Me Over

Excellent bowling fun for all! ... \$19.95



### Suprfile III

A powerful, easy to use, multi-purpose  
 database! Uses: Mailing Lists, Checkbook  
 Manager, Personal Items Inventory,  
 Audio/Video lists. Features: Add, Delete,  
 Search, Sort, and Print Labels & Reports.  
 For 128k CoCo 3 disk systems ... \$24.95

1-800-441-GIME

GIMMESOFT Add \$3.00 S&H  
 P.O. Box 421 Add \$3.00 COD  
 Perry Hall, MD 21128 MD add 5% tax  
 301-256-7558 Visa/MC,MO,Ck

# Disk Drive Power

by Marty Goodman  
Contributing Editor

**D**o disk drives require 12 volts for their motors? Are there any that require just 5 volts for both the motors and logic?

R. Coates  
Sandy Hook, Manitoba

All 5¼-inch drives I have seen require a regulated source of 12 volts for their motors in addition to a regulated source of 5 volts for their logic boards. Some of the very newest 1.44-Meg, 3½-inch drives, including one from Toshiba, use a single 5-volt source for all their needs. I do not know if they use a 5-volt motor or if they have some kind of voltage converter onboard. I suspect the former.

## RS-232 Pak (ACIA) Speed

The 6551 chip in the Tandy RS-232 Pak is rated to operate up to 1 MHz. Is this a problem when using the RS-232 Pak under OS-9 Level II at 2 MHz?

Paul McKay (PAULMCKAY)  
Asked on Delphi

I have seen few reports of problems with the RS-232 Pak when used under OS-9 Level II since the 6551 chip in the Pak was replaced with a 6551A chip (rated for 2-MHz operation). If I had problems with my RS-232 Pak under OS-9, I would test the pack under Disk BASIC at 1 MHz with a Disk BASIC-based

---

Martin H. Goodman, M.D., a physician trained in anesthesiology, is a longtime electronics tinkerer and outspoken commentator — sort of the Howard Cosell of the CoCo world. On Delphi, Marty is the SIGop of RAINBOW's CoCo SIG and database manager of OS-9 Online. His non-computer passions include running, mountaineering and outdoor photography. Marty lives in San Pablo, California.

terminal program, or I would artificially slow OS-9 to 1-MHz operation via a poke from BASIC09 and see if the problem went away. If the problem disappears, buy a 6551A chip and install it. Note that on some models of Tandy RS-232 Pak, the 6551 chip is soldered directly to the board and replacement requires skill in desoldering 28-pin chips. Many of the packs made by third parties, such as Disto and Orion, use 6551A chips when delivered and do not have this problem. If you are uncertain about what version of 6551 chip is in your RS-232 Pak, open it up and look at the chip. It will be either a 6551 (1-MHz rated) or a 6551A (2 MHz). Note, too, that most folks report their 1-MHz rated 6551 chips work fine at 2 MHz under OS-9 Level II.

## Drives Laying Down on the Job

Is there any problem with laying a vertically mounted disk drive system on its side? Are there any problems related to the system's proximity to a TV?

Kellie Gore  
Pace, Florida

Disk drives are made to operate either vertically or horizontally so, barring some weird internal problem like a loose wire in the case, it should not matter if you lay your vertically mounted case on its side. And it should not matter if your disk drive is near your TV, though this placement could result in added RF interference and distortion of the TV image. It is possible that some older TV sets with a very big power transformer near the disk drive cabinet could affect disk operation.

## New Colors for Older Games

Is there a program that will help me play games like Ghana Bwana, Pitstop and Doubleback on my CoCo 3?

Steven W. Penrod  
York, Pennsylvania

Delphi has a program by Steve Bjork that converts *Ghana Bwana* and a few of his other games for the CoCo 3. *Doubleback* is a ROM pack that uses the Hi-Res mode of the CoCo 1 and 2. First convert it to disk operation, then use *RGB FIX* (sold by Microcom) to convert the color set. I don't know about *Pitstop*, but many old CoCo 2 games run fine on the CoCo 3 once the color set has been converted with *RGB FIX*.

## Sony Cable/Disk Zapping

Will the Sony monitor cable sold by Microcom for the Sony KV1311CR TV work on a Sony KV 25-inch XBR TV? Also, is there a disk utility that automates the recovery of damaged disk directories and that fully supports 40-track disk formats under Disk BASIC? How about recovering killed files?

W. Sanders  
Chula Vista, California

I designed and built the Sony cable sold by Microcom and Howard Medical. It should work fine with the Sony 25-inch XBR TV provided the TV has a Sony-standard, 34-pin, dual-in-line analog RGB port. Note that the Sony 25-inch XBR TV probably supplies +5 volts on pins 1 and 2 of its 34-pin connector so you can, and probably should, modify my cable to get its source of +5 volts from the monitor's pins 1 and 2 and not from the joystick port.

If a given disk sector is crashed, there is no way to recover what was on it. A long time ago I wrote a program to analyze the disk directory and print all the relevant information from the directory and Granule Allocation Table (GAT). This program was published in *THE RAINBOW* many years ago. It might be helpful in recovering disk files if the directory is intact, but the granule allocation table is lost. Still, if the file was longer than one granule, you would have to pick through the GAT by hand, matching one granule with the next. There

is no way to effectively automate this process if the GAT is gone. In theory it would not be hard to devise a simple BASIC program to analyze a GAT where the directory track was smashed and group all related granules together in a list. I don't know of any such program. *KDisk* is a shareware program (available on Delphi) that can "zap" 40-track disks. I highly recommend it.

Recovery of killed files is quite impossible to fully automate since all trace of the first granule of that file on the disk is destroyed. Of course, it might be helpful to have a program that analyzed the GAT and found all free granules and then, one by one, displayed them for your enjoyment. Right now I know of no such aid. You have to do this by hand with a disk-zap program.

### Installing SmartWatch

*Can I install the Tandy SmartWatch in the 28-pin socket in my FD-500 disk controller that currently houses the 1773 disk controller chip?*

David Raspberry (DAVERAZZ)  
Cleveland, Ohio

No! The SmartWatch is meant for installation only under 28-pin ROMs or EPROMs. The pin-out of the disk controller chip is completely different from any ROM. The 1773 chip does not even use the same lines as the ROM chip. The FD-500 uses a 24-pin ROM chip. You might consider burning your Disk BASIC into a 2764 EPROM and purchase a 24- to 28-pin adapter from Art Flexser of SpectroSystems. Piggyback the adapter, the SmartWatch and the EPROM. The problem is that such a tower of adapters might cause problems with physically fitting the controller into the CoCo or Multi-Pak slot.

### Mapping Memory

*Can you provide a memory map for the Color Computer's I/O space?*

Jason Bucata (JBUCATA)  
Ferndale, Michigan

Because so many third-party devices have been made for the CoCo over the last 10 years, I can't begin to give you a complete map. But I can provide you with a fair amount of useful information.

The I/O page for the CoCo is limited to addresses \$FF00 thru \$FFEF. However, most of this is unavailable for use due to ports

reserved for the disk controller, the keyboard PIA and the other PIA chip on board, the GIME chip, the Multi-Pak and SAM/VDG register emulation. The I/O page is also limited due to wasteful decoding that ghosts (duplicates) many of the internal ports.

Addresses used by the CoCo and wasted by ghosting are in the range \$FF00 through \$FF1F. The keyboard PIA is mapped to ports \$FF00 through \$FF03. And all ports from \$FF00 through \$FF1F are wasted due to sloppy decoding in the CoCo 1 and 2. I believe that in the CoCo 3 you have ports at \$FF10 through \$FF1F to play with, and possible decoding via an unused line on the 74LS138 chip in the machine.

At addresses \$FF20 through \$FF3F, the 6821 PIA chip services the joystick and cassette ports, and the bit-banger serial port. This PIA is mapped to addresses \$FF20 through \$FF23. On the CoCo 1 and 2 those ports are ghosted through \$FF3F which wastes that entire 32-byte block of I/O ports. With the CoCo 3, you have access to ports \$FF30 through \$FF3F and may be able to select them via an unused line on the 74LS138 chip.

Addresses \$FF40 through \$FF5F are selected when the \*SCS line goes Low and are usually used to control the disk controller card. Specifically the Tandy-type disk controller uses \$FF40 to control drive select, motor on, double-density enable, wait enable and write-precompensation enable. These controllers also use ports at \$FF48 through \$FF4B to communicate with the floppy disk-controller chip. Most disk controllers ghost those ports in the \$FF50 through \$FF5F region, making those 16 addresses unusable. Most Disto products further decode the \*SCS line to limit disk-controller ports to \$FF40 through \$FF4F and then use the range of \$FF50 through \$FF5F for control of Mini-bus functions, such as a hard drive port, an RS-232 port, a parallel port, a real-time clock and an EPROM programmer. Some other third-party hard-drive host adapters also use ports in this range, but they must use a Multi-Pak to switch the \*SCS line between the standard disk controller and the host adapter.

Addresses \$FF60 through \$FF7E are available for general purpose third-party I/O ports. In this range, stay away from \$FF68 through \$FF6F since these 8 bytes are pretty much reserved by convention for one of two 6551 chips mapped to act as hardware

serial ports. The normal Tandy RS-232 Pak is mapped to \$FF68 through \$FF6B. The Tandy Modem Pak and third-party second serial ports (other than Disto Mini-bus products) are mapped to \$FF6C through \$FF6F. Various Tandy and third-party products have previously used this range for different purposes. For example, the all but forgotten Tandy X-Pad uses ports at \$FF60 through \$FF63. Speech Systems products used ports in the \$FF70 through \$FF7E range for its Stereo Pak, SC-01 Voice device and Ears.

\$FF7F is reserved for switching \*SCS, \*CTS and \*CART among the four slots in the Multi-Pak Interface. Addresses \$FF80 through \$FFEF are used in CoCo 3 for GIME chip functions and for emulation of the VDG and SAM chips. On the old CoCo 1 and 2, which had no GIME chip, ports at \$FF80 through \$FFBF were available to, and sometimes used by, third-party devices. Ports at \$FFC0 and up were used for VDG and SAM control. \$FFF0 through \$FFFF are reserved for CoCo interrupt and reset vectors.

As you can see there are only 23 unused ports available in the \$FF60 through \$FF7F range (since \$FF68 through \$FF6F and \$FF7F are reserved). If you need more ports, you must consider a multiplexing scheme. If you are a hacker making a one-of-a-kind device, there are various sneaky tricks to gaining extra ports. For example, try piggybacking on top of existing PIA chips and using a single inverter gate to decode for the second PIA chip. On the CoCo 3 the high-order four bits on the port of the 68B21 PIA chip mapped to \$FF22 can be used as inputs due to an ideosyncrasy involving the conversion from use of a VDG and SAM chip in the CoCo 1 and 2 to the use of the GIME chip to control video modes.

### Printer Substitutions

*I have an IBM Prowriter I want to substitute for my DMP-110. But when I hook it up to my CoCo 3 via a Metric Industries serial-to-parallel interface it will not print, even though it self-tests fine. Can you help?*

Richard Ford  
Ponte Vedra Beach, Florida

I am not familiar specifically with the Prowriter. Check to see if it supplies +5 volts on Pin 18 of its parallel connector. If not, get an external power supply for your Metric Industries converter and move an

DB-25	DB-9	Function	
8	1	Carrier Detect	(DCD)
3	2	Receive Data	(RXD)
2	3	Transmit Data	(TXD)
20	4	Data Terminal Ready	(DTR)
7	5	Ground	(GND)
6	6	Data Set Ready	(DSR)
4	7	Request To Send	(RTS)
5	8	Clear To Send	(CTS)
22	9	Ring Indicator	(RI)

To make a null-modem cable for use with the 4-pin serial port:

CoCo 4-pin DIN	PC-Compatible Serial port
1	DTR, DSR and DDD
2	TXD
3	Ground (GND)
4	RXD

Also, hook RTS to CTS on the PC-compatible side.

**Table 1: Pinouts for Serial Cable**

internal jumper to tell it to accept internal power. For further instruction, consult the documentation or Metric Industries.

### Foreign Disks

*Does anyone know of a program that allows a CoCo to read and write Commodore 64 and Apple II disks?*

*Kent Pirkle (KPIRKLE)  
Cumming, Georgia*

The Apple II and the earlier Commodore 64 drives used group-coded records to place data on the disk. This is, at the hardware level, quite a different approach than the modified-frequency modulation (MFM) used by CoCo and IBM disk systems. For this reason, it is physically impossible with standard CoCo or IBM disk hardware for the CoCo or an IBM compatible to read, format or write Apple II and older Commodore 64 disks. When transferring files from one of those machines to or from a CoCo or IBM PC, your best bet is to use the serial ports on both computers, a null-modem cable, and then send the data between the two computers using a terminal emulator program running on each machine. If the two computers are physically distant so that a null-modem cable will not work, you can upload the file from one computer to your Workspace on Delphi (or other BBS), then later download the file using the other computer. Note that some Commodore word processors use PETASCII, a variant of ASCII in which the encoding of lowercase and uppercase letters is reversed. If you encounter

PETASCII files, you may have to write a little BASIC converter program to reverse upper- and lowercase. Lonnie McClure (LMCCLURE) of Kentucky tells me that some later model Commodore drives used MFM encoding, and in theory you could read and write those disks using CoCo hardware. However, I know of no IBM or CoCo program that supports this format.

### Of Capacitors and Keyboards

*What are the values of C65 and C66, the two little capacitors I clipped off when I upgraded a CoCo 3 to 512K? I need to know so I can re-install them while temporarily downgrading a CoCo 3 to 128K. Also, my old CoCo 3 recently went bad, with key entries randomly occurring even though I was not using the keyboard. Any ideas on how to fix this? I must confess, I am using a Marty Goodman keyboard-extender cable sold by Microcom and may have zapped the machine through that cable with a static discharge.*

*Jim Hawerbier (JIMHOW)  
Elmhurst, Illinois*

The value of C65 is 82 pF and the value of C66 is 27 pF. Anything reasonably close to these values (plus or minus 15 percent) is fine. However, note that in my experience a CoCo 3 with those caps clipped off worked fine when downgraded to 128K. There is no apparent need to replace the caps, especially if you are only temporarily downgrading the machine and you experience no problems after using this advice.

The keyboard problem you report is likely to be caused by a bad keyboard PIA chip. This is the 40-pin chip located right next to the 68B21 chip. Replacements are available from Tandy National Parts. You have to desolder the old keyboard PIA chip, which is a tedious and delicate matter accomplished best by clipping each of the old chip's pins, then individually pulling them out using a soldering iron and long nosed pliers. Be sure to install a socket after removing the old chip! One Delphi member recently reported a keyboard problem caused by a bad 74LS30 (keyboard-interrupt generator) chip. In your case, however, I would tend to first suspect the keyboard PIA chip. In the future, remember to have your remote keyboard in a case so you cannot touch the cable that goes to it from the keyboard connection.

### The 4-Pin to 9-Pin Connection

*How do I make a null-modem cable for hooking my CoCo's 4-pin serial port to my IBM AT's 9-pin DB port?*

*Steve Flock (THEJAILER)  
Vancouver, Washington*

Here is some very general reference information that should help you with this and other problems. There are two very common standard types of connectors used with RS-232 serial ports on PC compatibles. One type of connector is a male DB-25 connector, used on older XT clones and some more recent computers. The other type of connector is a male DB-9 connector used on many AT and 386 machines as well as on many lap-top PC-compatible computers. The pinout of those connectors is shown in Table 1.

A cable made like this should work fine as a null-modem cable. I hope this proves helpful to others who are confused about the two standards in PC-compatible serial ports.

Your technical questions are welcomed. Please address them to CoCo Consultations, THE RAINBOW, P. O. Box 385, Prospect, KY 40059.

We reserve the right to publish only questions of general interest and to edit for brevity and clarity. Due to the large volume of mail we receive, we are unable to answer letters individually.

Questions can also be sent to Marty through the Delphi CoCo SIG. From the CoCo SIG> prompt, pick Rainbow Magazine Services. Then at the RAINBOW> prompt, type ASK (for Ask the Experts) to arrive at the EXPERTS> prompt, where you can select the "CoCo Consultations" online form, which has complete instructions.



# Advertisers Index


*We encourage you to patronize our advertisers — all of whom support the Tandy Color Computer. We will appreciate your mentioning THE RAINBOW when you contact these firms.*

Alpha Software Technologies ....	79	Hawkssoft, Inc. ....	59	Rainbow Bookshelf .....	93
Burke & Burke .....	73	Howard Medical .....	98	Rainbowfest .....	18
CoCo Pro .....	49	Hyper-Tech Software .....	13	Rainbow on Tape and Disk .....	77
Color Systems .....	57	Interactive Media Systems .....	31	Ramco .....	33
Computer Plus .....	IFC	Interactive Media Systems .....	33	Rick's Computer Enterprise .....	23
CRC/Disto .....	65	JWT Enterprises .....	51	Russ Griggs .....	51
Danosoft .....	19	Microcom Software .....	5	SD Enterprises .....	17
Dayton Associates		Microcom Software .....	7	Sub-Etha Software .....	59
of W.R. Hall, Inc. ....	81	Musicware .....	79	Sundog Systems .....	89
Delmar Company .....	35	NRI .....	67	Supersoft, Inc. ....	43
Delphi .....	9	Owl-Ware .....	25	T & D Software .....	13
Delphi .....	IBC	Owl-Ware .....	26	T & D Software .....	39
Dr. Preble's Programs .....	53	Owl-Ware .....	27	T & D Software .....	71
E Z Friendly .....	21	PCM Magazine .....	55	T & D Software .....	88
Eversoft Games, Ltd .....	63	Peripheral Technology .....	63	Tandy .....	BC
Frank Hogg Laboratories .....	45	Puritas Springs .....	57	Trading Post .....	31
Gimmesoft .....	93	Rainbow Back Issues .....	84	True Data Products .....	61
Granite Computer Systems .....	75	Rainbow Binders .....	16	Zebra Systems .....	17



 **Call:**  
**Belinda Kirby**  
**Advertising Representative**  
**(502) 228-4492**



 **Call:**  
**Kim Lewis**  
**Advertising Representative**  
**(502) 228-4492**

**The Falsoft Building**  
**9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059**

**FAX (502) 228-5121**

# SLOT PACK III



Release III of Howards replacement for the multipack interface combines a smaller case for more desk space and full compatibility with CoCo products.


Place your disk controller in the middle slot, a B&B harddrive controller in slot one and an RS232 pack or modem pack in the unswitched 3rd slot.

ROM packs will work in the middle slot or slot 1 with the addition of our hard switch. OS-9 programs will fly with the new addition of the F (fast) chip on the data bus.

The new 12 volt adaptor now supplies current for the MP-III instead of drawing it entirely from the Color Computer.

And the added leg underneath the slots add extra stability.

Expand your CoCo to its fullest potential with three additional slots of Howard's slot pack III for only \$89.45 and power it with the AC-12, 12 volt adaptor for \$14.95




**HOWARD MEDICAL COMPUTERS**®

1690 NORTH ELSTON, CHICAGO, IL 60622

1-800-443-1444 312-278-1440



# DELPHI'S 20/20 ADVANTAGE, VISIBLY SUPERIOR



\$20

\$124

\$120-\$256

---

**COST OF 20 EVENING HOURS  
OF DOWNLOADS AND CHAT**

On DELPHI's 20/20 Advantage Plan, you get 20 hours of connect time each month for only \$20. Additional time is only 2 cents/minute. No other full-featured online service even comes close!

And those are 20 hours of real online fun and productivity. Download files, chat with friends, send electronic mail, play multi-player games, and make travel reservations.

Join DELPHI now for only \$39.95 and your first 20 hours are free. With your CoCo and modem:

- Dial 1-800-365-4636
- At Username: type JOINDELPHI
- At Password: type COCO20

## DELPHI

**THE WORLD'S PREMIER ONLINE  
INFORMATION SERVICE**

800-544-4005 • 617-491-3393

Already a DELPHI member? Type **GO USING ADVANTAGE**

# RADIO SHACK COLOR COMPUTER

## BLOW-OUT SALE!

**COLOR COMPUTER 3<sup>®</sup>**

**99<sup>95</sup>** REG. 199.95

With 128K Extended BASIC for programming power and great graphics. Connects to TV or hi-res CM-8 color monitor. #26-3334



**SAVE \$100!**

**MONITOR PLATFORM**

**9<sup>95</sup>** REG. 19.95

Lets you see eye to eye with your CoCo monitor. In color-coordinated molded plastic. Easy to assemble. #26-1329



**SAVE \$10!**

**SUPER CM-8 COLOR MONITOR**

**149<sup>95</sup>** REG. 299.95

Show off your charts, graphs and games in vivid color. Hi-res 80 x 24 text and 640 x 192 graphics. #26-3215



**\$150 OFF!**

**DELUXE JOYSTICK**

**11<sup>95</sup>** REG. 22.95

Accurate "free-floating" and "spring-centering" action boosts your game play into the stratosphere of fun. #26-3012



**SAVE \$11!**

**COLOR THINLINE DISK DRIVE**

**149<sup>95</sup>** REG. 299.95

Turn your CoCo 3 into a disk system. Write your own disk applications or add ready-to-run software. #26-3133



**\$150 OFF!**

**HI-RES JOYSTICK INTERFACE**

**4<sup>85</sup>** REG. 9.95

Addresses high-resolution (640 x 640) graphics modes, adding a new dimension to your game action. #26-3028



**SAVE \$5!**

**DC MODEM PAK**

**9<sup>95</sup>** REG. 89.95

Your CoCo's 300-bps link to the outside world. Transfer and receive ASCII files. Access data services. #26-2228



**\$80 OFF!**

## ALL COLOR COMPUTER SOFTWARE HALF PRICE!



Prices apply at participating Radio Shack stores. Computer Centers and dealers. Not all merchandise available in all locations.