



Store Up to 350 Kbytes on a 5" Disk





The DOUBLER™. It packs almost twice the data on a disk track as your single-density system. Depending on the type of drive, you can store up to four times more data on one side of a minidiskette than you can store using a standard Model I mini-disk drive.

- The DOUBLER™ reads, writes and formats either single- or double-density minidiskettes.
- Proprietary design allows you to continue to run TRSDOS*, NEW-DOS‡, Percom OS-80™ or other single-density software without making any changes to software or hardware. Switch to doubledensity operation at any convenient time.
- Includes DBLDOS™, a TRSDOS* compatible doubledensity disk operating system.

Mini-Disk Systems



More storage capacity, higher reliability - from Percom, the industry leader. One-, two- and three-drive configurations in either 40- or 77-

track format. Fully burned-in. From only

- · CONVERT utility, on DBLDOS™ minidiskette, converts files and programs from single- to double-density or double- to single-density.
- The DOUBLER™ circuit card includes high performance data separator, write precompensation circuits for reliable disk read operations — even with 80-track drives.
- Plug-in Installation The DOUBLER simply plugs into the disk controller socket of your Ex-

PERCOM DISCOUNT \$20 COUPON worth \$20 toward The Purchase of a DOUBLER™ Coupon No. 80M103 Expires December 30, 1980 Void where prohibited by law. \$20

pansion Interface, requiring no strapping or trace cutting. Expansion Interface disk controller may be completely restored to original configuration by simply removing the DOUBLER™ and re-installing the original disk controller chip.

 Works with standard 35-, 40-, 77- and 80-track mini-disk drives rated for double-density operation.

 Introductory price, including DBLDOS™ and format conversion utility on minidiskette, only \$219.95. Use the coupon for even greater savings.

Call toll-free, 1-800-527-1592, for the address of your nearest authorized Percom dealer, or to order directly from Percom.



PERCOM DATA COMPANY, INC. 211 N. KIRBY GARLAND, TEXAS 75042 (214) 272-3421

TM trademark of Percom Data Company, Inc.
* trademark of Tandy Radio Shack Corporation which has no relationship to Percom Data Company.
‡ trademark of Apparat Company, Inc.

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. PRICES DO NOT INCLUDE SHIPPING AND HANDLING CHARGES.

TRS-80* Model I Computer Owners . . .



Double-density storage. It's really here!

Here at Percom. And your authorized Percom dealers.

And double-density storage is here in a big way. Because now you can choose from three different levels of mini-disk systems — all double-density rated.

And get the storage that precisely meets your application needs.

Not to mention the service and quality that's made Percom the industry leader.

Although rated for double-density operation, all levels of Percom drives work equally well in single-density applications.

You can operate these drives in ordinary singledensity format using TRSDOS*, Percom OS-80™ or any other single-density operating system.

Or, you can add a Percom DOUBLER™ to your Tandy Expansion Interface and store data and programs in either single- or double-density format.

Under double-density operation, you can store as much as 350 Kbytes of formatted data — depending on the drive model — on one side of a five-inch minidiskette.

That's four times the capacity of standard Model I mini-disks, almost 100 Kbytes more than the capacity of the eight-inch IBM 3740 format!

Available in 1-, 2- and 3-drive configurations in all three model lines, Percom burned-in, fully-tested drives start at only \$399.

TFD-40™ Drives



TFD-40 Drives store 180 Kbytes (double-density) or 102 Kbytes (single-density) of **formatted** data on one side of a 40-track minidiskette. Although economically priced, TFD-40 drives receive the same full Percom quality control measures as TFD-100 and TFD-200 drives.

TFD-100™ Drives



TFD-100 drives are "flippy" drives. You store twice the data per minidiskette by using both sides of the disk. TFD-100 drives store 180 Kbytes (doubledensity) or 102 Kbytes (single-density) per side. Under double-density operation, you can store a 70-page document on one minidiskette.

TFD-200™ Drives



TFD-200 drives store 350 Kbytes (double-density) or 197 Kbytes (single-density) on one side of a minidiskette. By comparison, 3740-formatted eight-inch disks store only 256 Kbytes. Enormous on-line storage capacity in a 5" drive, plus proven Percom reliability. That's what you get in a TFD-200.

the DOUBLER™



 This proprietary adapter for the TRS-80*
 Model I computer packs approximately twice the data on a disk track.

Depending on the type of drive, you can store up to four times as much data — 350 Kbytes — on one side of a minidiskette as you can store using a Tandy standard Model I computer drive.

Easy to install, the DOUBLER merely plugs into the disk controller chip socket of your

Expansion Interface. No rewiring. No trace cutting.

And because the DOUBLER reads, writes and formats either single- or double-density disks, you can continue to run all of your single-density software, then switch to double-density operation at any convenient time.

Included with the PC card adapter is a TRSDOS*-compatible double-density disk operating system, called DBLDOS™, plus a CONVERT utility that converts files and programs from single-to double-density or double- to single-density format.

Each DOUBLER also includes an on-card high-performance data separator circuit which ensures reliable disk read operation.

The DOUBLER works with standard 35-, 40-, 77- and 80-track drives rated for double-density operation.

Note. Opening the Expansion Interface to install the DOUBLER may void Tandy's limited 90-day warranty.

Drive enclosures, power supplies Percom drive enclosures are finished in compatible silver enamel. Three sizes accommodate either 1, 2 or 3 drives. Drive power supplies are heavy duty, cool-running open-frame design. Three-wire ac power cords are safer, have lower noise pickup.

Free software patch This software patch, called PATCH PAK^{IM}, upgrades TRSDOS* for operation with improved 40- and 77-track drives. For single-density operation only.

Quality Percom products are available at authorized dealers. Call *toll free* 1-800-527-1592 for the address of your nearest dealer or to order directly from Percom. In Canada call 519-824-7041.

Prices and specifications subject to change without notice



PERCOM DATA COMPANY, IN 211 N. KIRBY - GARLAND TX - 750 (214) 272-3421

TM trademark of Percom Data Company. Inc.



Contents

Electronic Networks...by Nancy Robertson Page 62

When the postman rings in the future, he may not. That's the thrust of this feature on the future of electronic mail and data processing via the phone lines. Can the micro replace the telephone?

PUBLISHER Wayne Green

EXECUTIVE VICE PRESIDENT Sherry Smythe

> ASSOCIATE PUBLISHER Edward Ferman

ASSISTANT PUBLISHER Jeff DeTray

ADVERTISING MANAGER Kevin Rushalko

CIRCULATION MANAGER (603) 924-7296 Debra Boudrieau

BULK SALES MANAGER Ginny Boudrieau

> ADVERTISING SALES (603) 924-7138 Penny Brooks John Gancarz

Page 70

Into the 80's Page 70

by I. R. Sinclair

In part III of this introductory course, lan Sinclair explores some of the most powerful commands in BASIC—IF... THEN...ELSE statements. Examples are easy to follow: herds of cows, gaggles of geese and flocks of sheep.

The Fixer...by Peter Ashley

Page 90

Keep your 80 in the dark with this complete photography program. Step-by-step, you'll mix your chemicals and track your development time.

BASIC in the Palm of Your Hand Page 125 by Ken Knecht

This hand-held computer made by Sharp, Inc. and labeled by Tandy puts BASIC in the palm of your hand. The review comes complete with sample program. Judge for yourself.

Manuscripts are welcome at 80 Microcomputing, we will consider publication of any TRS-80 oriented material. Guidelines for budding authors are available, please send a self-addressed envelope and ask for "How to Write for 80 Microcomputing." Entire contents copyright 1980 by 1001001 Inc. No part of this publication may be reprinted, or reproduced by any means, without prior written permission from the publisher. All programs are published for personal use only. All rights reserved.

80 Microcomputing (ISSN -0199-6789) is published monthly by 1001001 Inc., 80 Pine St., Peterborough NH 03458. Phone: 603-924-3873. Subscription rates in U.S. are \$18 for one year and \$45 for three years. In Canada, \$20—one year only, U.S. funds. Foreign subscriptions (surface mail), \$28—one year only, U.S. funds. Foreign subscriptions (air mail), \$60—one year only, U.S. funds. In Europe please contact Monika Nedela, Markstr. 3, D-7778 Markdorf, W. Germany. In South Africa contact 80 Microcomputing, P.O. Box 782815, Sandton, South Africa 2146. Australian Distributor: Electronic Concepts, Attention: Rudi Hoess, 55 Clarence Street, Sidney 2000, Australia. All U.S. subscription correspondence should be addressed to 80 Microcomputing, Subscription Department, P.O. Box 981, Farmingdale, NY 11737. Please include your address label with any correspondence. South form 3579 to 80 Microcomputing, Subscription Services, P.O. Box 981, Farmingdale, NY

Images

Page 220

by Buzz Gorsky

Here's a nifty program: a pattern drawer that no doubt has a thousand applications. The author dares you to name just one.



Page 220





PUBLISHER/EDITOR Wayne Green

MANAGING EDITOR Michael Comendul

TECHNICAL CONSULTANT Jake Commander

PRODUCTION EDITOR Clare McCarthy

ASSOCIATE EDITOR (COPY) Carolyn Straub

NEWS EDITOR Nancy Robertson

REVIEW EDITOR Pamela Petrakos

ASST. TECHNICAL EDITOR Chris Brown

EDITORIAL ASSISTANTS Chris Crocker Debra Marshall

TECHNICAL CONTRIBUTING EDITOR Dennis Kitsz

EDITORIAL ADMINISTRATION Cresca Clyne

DESIGN ASSOCIATE Diana Shonk

Nancy Noyd

MANUFACTURING MANAGER Noel Ray Self

PRODUCTION MANAGER/PUBLICATIONS Nancy Salmon

ASST. PRODUCTION MANAGER **PUBLICATIONS** Michael Murphy

AD COORDINATOR Sue Symonds

ADVERTISING PRODUCTION John White, Steve Baldwin, Bruce Hedin, **Bob Sawyer**

PRODUCTION DEPT.

William Anderson Jr., Patty Burr, Linda Drew, Kenneth Jackson, Ross Kenyon, Maryann Metivier, Dion Owens, Patrice Scribner, Thomas Villeneuve

PHOTOGRAPHY William Heydolph, Terrie Anderson, Tedd Cluff

TYPESETTING Barbara Latti, Sara Bedell, Mary Kinzel, Linda Locke

Cover photos by Paul Grupp and Nancy Robertson, cover design by Diana Shonk

APPLICATION

- 114 Tally with an 80 A computer wins the election. Roderick D. Graham
- 132 Your Personal Calendar For those with thaasophobia. William L. Colsher

EDUCATION

186 Hey...You in the Corner Heads up, and get rid of that gum. Mike South

GAME

83 Computer Monopoly Boardwalk hits computerland. Barry Adams

GENERAL

- 109 Radio Shack Versus the Competition Who else? David D. Busch
- 179 The Random Walker A short and awesome display. John F. Strazzarino
- Menu List Selection Subroutine Your just desserts. Frank B. Rowlett, Jr. 195
- The Table of Contents Want to know what you listened to? Dennis Thurlow 234

HARDWARE

- 116 Mem Size... 20K! Those old chips ain't dead yet. W. R. Stanley
- 146 Home-Brew TRS-80 Build an 80 yourself Russell W. Steele
- 216 Look, A Snooper/Snubber! Better than a watchdog. Philip O. Martel

Software

- 208 DOS Machine Code Loading Technique Get loaded with ease. Tim Turner
- 212 Mix Your Own PIMS A directory recipe. David Busch
- You Can Call It . . . Ray It loves to be used. Barry Kornfeld 226
- POW-BANG-ZAP-(CRASH) Music to your ears? John L. Brandolini

TECHNIQUE

168 Cheap Trills with T-Bug Like your music cheap and easy? Albert C. Bole, Jr.

TUTORIAL

- 160 Of Two Dimensional Arrays Monitor your home. R. L. Conhaim
- 202 Smart Programs So, you think you control your computer? Daniel Lovy
- 222 Inside-Out Debugging Attack your graphics from behind. Del Ogren

WHILITY

- 128 Cross Reference An easy code-tracking device. Major Erick J. Camp
- 172 T-Bug and Then Some Make it easy on yourself. Mark Paxton
- Up and Down Ear muffs for your 80. M. Parris
- 206 Resurrect It! Will miracles never cease? Thomas L. Quindry

DEPARTMENTS

- 8 Remarks Wayne Green
- 10 Inside 80 Ed Juge
- 12 Education 80 Earl R. Savage
- 18 80 Input
- 24 80 Accountant Michael Tannenbaum 56 New Products
- 27 80 Applications Dennis Kitsz
- 32 The Assembly Line William Barden
- 38 Reviews
- 47 80 News

TRS-80 is a trademark of the Tandy Corporation.



META TECHNOLOGIES



MTC AIDS-III™ *

Introducing the latest addition to MTC's family of data management systems, AIDS-III. NO PROGRAMMING, easy to use. COMPLETE PACKAGE including demonstration application, documentation and MAPS-III (see below)

- Up to 20 USER-DEFINED FIELDS of either numeric- or character-type.
- . CHARACTER-type fields may be any length (total: up to 254 characters)
- NUMERIC-type fields feature automatic formatting, rounding, decimal alignment and
- . Full feature EDITING when adding or changing records:
 - ENTER FIELD (can't type-in more characters than specified)
 BACKSPACE (delete last character typed)
 RIGHT-JUS
- RIGHT-JUSTIFY FIELD contents.
- DELETE FIELD contents RESTORE FIELD contents
- SKIP FIELD (to next or previous field). SKIP RECORD (to next or previous record).
- . SORTING of records is MACHINE CODE assisted

 - 200 RECORDS (40 characters) in about 5 SECONDS.

 ANY COMBINATION of fields (including numerics) with each field in ascending or descending order
- . SELECTION of records for Loading, Updating, Deleting, Printing and Saving is MACHINE CODE assisted
 - Specify up to 4 CRITERIA, each using one of 6 RELATIONAL COMPARISONS.
 - LOAD or SAVE selected records using MULTIPLE FILES.
 - Select records representing those people who live in the state of Colorado, but not in the city of Denver, whose last names begin with "F" - Example:
 - and whose incomes exceed \$9000.00
 - Select records representing those sales made to XYZ COMPANY that Example:

exceed \$25.00, between the dates 03/15 and 04/10.

MAPS-III (MTC AIDS PRINT SUBSYSTEM), included at no charge, has the following features.

- Full AIDS-III SELECTION capabilities.
- Prints user-specified fields DOWN THE PAGE
- · Prints user-specified fields in titled, columnar REPORT FORMAT, automatically generating column headings, paging and (optionally) indentation Can create a single report from MULTIPLE FILES.
- · Prints user-defined formats for CUSTOM LABELS, custom forms, etc.

BELOW ARE TESTIMONIALS from owners of AIDS systems. These are absolutely authentic statements and are typical of the comments we receive.

"This program will do more for my business than all the other programs I have, combined.

David Wareham, Vice President (EDP), National Hospital and Health Care Services Inc.

We have 32 different Data Base Management packages for the TRS-80. AIDS-III is easily the best. It also makes it easier for us to step up to our Model II since the package is available for both computers." Jack Bilinski, President, 80 Microcomputer Services

Your AIDS program is far and away the finest information management system that I've ever seen. I am currently using it to maintain a clear picture of the demographic data on all the kids in our residential treatment program and it is working for me superbly Frank Boehm, Director, Front Door Residential Treatment Program

- COMPATIBLE with AIDS II data files and AIDS subsystems.
- Move up from AIDS-II and EXPAND to 20 field capability WITHOUT REENTERING
- AIDS-II (Model I or II) owners may UPGRADE FOR ONLY \$25.00

"WARNING! This program is written in BASIC and can be listed in the mormal manner Modification of program code is NOT RECOMMENDED due to its extreme complexity

MTC AIDS - II™

Ailing information? Doctor it up with AIDS-II. This Automated Information Directory System offers twelve user-defined fields with full feature editing when adding or changing records. Selective Loading, Updating, Deleting, Printing and Saving records may be accomplished using any of six relational comparisons. Also features or six relational comparisons. Also features machine code assisted sorting (200 records in about 5 seconds) by any combination of fields, and much more! Unique "windowing" capability allows directories of unlimited size. Window size is typically 200 or more records in 32K. Can be used for mailing lists, client reference reporting. appointment "calendars", inventory records and other information systems. Easy to use. Defining a system takes about a minute. MAPS-I (MTC AIDS PRINT SUBSYSTEM) is included at no charge. MAPS features full AIDS-II selection capabilities, prints user-specified fields down the page, produces user-specified columnar report formats with automatically generated column headings and paging, and allows user-defined print formats for custom forms, labels, etc. Add subsystems for additional capabilities. May be upgraded to AIDS-III when required.

MTC AIDS-II		,	,	í	·			,				\$	49.95
For Model II													79.95

GOOFED!

For customer appreciation month in September, MTC offered VERBATIM 51/4" diskettes for \$19.80 per box. As part of limiting this offer to one box per customer, we required the inclusion of the actual ad page with each order. While there was a significant response to our offer, a number of individuals expressed considerable ir-ritation at having to deface their magazines. This month heralds the introduction of Meta Tech's PLAIN JANETM diskettes, The Beautiful Floppy with the Magnetic PersonalityTM. To better promote this fine product and to apologize for any inconvenience or irritation we may have caused, we are offering PLAIN JANETM diskettes for \$19.80 per box through November 30, 1980. Thank you for your understanding and patience.

MORE -



Let your TRS-80™ Teach You **ASSEMBLY** ANGUAGE

REMSOFT's unique package, "INTRODUCTION ASSEMBLY PROGRAMMING" includes ten 45-minute lessons on audio cassettes, a display program for each lesson providing illustration & reinforcement, and a text book on TRS-80° Assembly Language Programming. Includes useful routines to access keyboard, video, printer and ROM. Requires 16K - Level II, Model I

REMASSEM-1 \$69.95 FOR DISK SYSTEMS \$74.95 Let Your TRS-80™ Teach You

ASSEMBLY LANGUAGE DISK I/O TECHNIQUES

REMSOFT does it again! REMDISK-1 is a concise, capsulated supplement to REMASSEM-1. Package consists of two 45-minute lessons on audio cassettes, and display programs providing illustration and reinforcement. Provides specific track and sector I/O techniques, and sequential and random file access methods and routines.

REMDISK-1 \$29.95

Let Your TRS-80™ Test Itself With THE FLOPPY DOCTOR & MEMORY DIAGNOSTIC


by THE MICRO CLINIC

complete checkup for your Model I. THE FLOP-PY DOCTOR completely checks every sector of 35- or 40-track disk drives. Tests motor speed, head positioning, controller functions, status bits and provides complete error logging. THE MEMORY DIAGNOSTIC checks for proper write/read, refresh, executability and exclusivity of all address locations. Includes both diagnostics and complete instruction manual. SYSTEM DIAGNOSTICS \$19.95

MAKES EVERY BYTE COUNT

IN YOUR TRS-80™ MODEL I OR MODEL II DISK SYSTEM

MTC AIDS CALCULATION SUBSYSTEM-III MODEL I . . . \$24.95 MODEL II . . . \$39.95



Compare AIDS-III[™]/CALCS-III[™] with any other data management package under \$100!

Others make claims, CALCS-III[™] delivers with user-specified:

- · Fields in any order, with optional indentation
- · Columnar subtotals and totals
- · Computations using field values and constants
- . Full AIDS-III selection of records to be printed Use for accounting, inventory, financial and other numeric-based information packages.

CALCS-III™ REQUIRES THE PURCHASE OF AIDS-III™ OR AIDS-III™

All products guaranteed for replacement only. Prices, Specifications & Offerings subject to change without notice.

MOST ORDERS SHIPPED WITHIN ONE **BUSINESS DAY**

DEALER **INOUIRIES** INVITED

WE ACCEPT

- · VISA
- MASTER CHARGE
- CHECKS
- C.O.D.
- MONEY ORDERS
- Add \$2.50 for standard UPS
- shipping & handling
 \$2.00 EXTRA
- for C.O.D.
- Ohio residents add 51/2 % sales tax.



TO ORDER CALL TOLL FREE 1-800-321-3552 IN OHIO call (216)289-7500 (COLLECT)

META TECHNOLOGIES CORPORATION

26111 Brush Avenue, Euclid, Ohio 44132



TRS 80 is a TM of Tandy Corp. 1980 by Metatechnologies Corporation Inc.

V 20



"...the kit was just the start...it was much like buying a car and finding out that the motor is an extra ...and the wheels."

The Mits Debacle

recent letter from an ex-Mits employee confirms what I've heard from many sources—from Ed Roberts himself. I thought you might like the inside information.

The first microcomputer of significance, the Altair 8800, was brought out by a virtually bankrupt firm in Albuquerque, NM. They had been making hand calculators, until low cost calculators from TI and others nearly put them under. In the nick of time the president, Ed Roberts, a computer hobbyist, put an 8080 microcomputer kit on the market selling for under \$400. Of course, what most of the first kit buyers didn't know was that the kit was just the start...it was much like buying a car and finding out that the motor is an extra... and the wheels.

Despite that and other major problems, Mits soon became a very large company, selling over \$5 million in kits in the first year, 1975. In the summer of 1976 Roberts sold the firm to Pertec, a manufacturer of disk drives. Then Pertec began a series of ridiculous business decisions which took Mits from its IBM position in the microcomputer field to a total unknown.

Pertec had a golden opportunity to build Mits into a billion dollar corporation, but by incredibly poor business decisions—fought every inch of the way by loyal Mits employees and management—they destroyed the firm. First, they stopped development on the Z-80 based CPU. Next, they spurned the hobbyist market which fed the growth of the entire field. Then, they forced dealers to handle only Altair equipment; this lost most of their good dealers. As a small business machine it was terrible because they were unable to provide significant software.

Pertec was eventually bought out by Triumph-Adler, a subsidiary of Volkswagen. The sales of their new system, no longer even S-100 compatible, fell flat and a large portion of their employees were laid off in Albuquerque. Many of the original Mits people left the firm in disgust.

There is so little left by now that if Triumph-Adler wanted to get back into the microcomputer business via Pertec and Mits it would be almost prohibitive. It is really sad to see so many millions of dollars wasted...and the opportunity for making billions squandered.

Tandy Expo

The Radio Shack dealers have been organizing TRS-80 blitzes in major cities. Not long ago they descended on Boston




Photo 3. Chuck Martin of Tufts Electronics was sold on a Model II.

and made quite an impression.

Most of the systems set up for the demonstration were Model II, but they did have one row of Model I systems (on the right). The place was packed. They started out with a film showing how Radio Shack got involved with computers.

In order to get the beginners interested, Tandy started out with all the systems being driven by one host.

After showing how simple it is to write a BASIC program, they turned the comput-



Photo 1. At Tandy's Expo, a film is shown, describing how Radio Shack first entered the computer field.




Photo 2. Tandy leads you step-by-step through a BASIC program, showing you how easy it is.



META TECHNOLOGIES

FOR YOUR DISK SYSTEM



FILE BOX

\$1980 * disks for 8" disks . . . \$24.95*



MTC brings you the ULTIMATE diskette storage system, at an affordable price. Storing 50 to 60 diskettes, this durable, smoke-colored acrylic unit provides easy access through the use of index dividers and adjustable tabs. Unique lid design provides dust-free protection and doubles as a carrying handle.

PLASTIC LIBRARY CASES

(not shown)

An economical form of storage for 10 to 15 diskettes, and is suitable for your bookshelf! Case opens into a vertical holder for easy access

51/4-inch or 8-inch diskette case \$3.00 *

To show our appreciation for a very

successful year, thanks to our thousands of satisfied customers, we

are offering some great products at prices even lower than our regular low

prices. We make an honest effort to

deliver the best products at the lowest

prices with the fastest service. The

confidence you have shown in MTC is recognized and welcomed. Our mothers thank you, our fathers thank you, our children thank you . . . and we

Single Sided, Single Density, Soft-Sectored 5½-inch, (for TRS-80TM) Mini-floppy

DISKETTES \$1980 *

Meta Technologies strikes again . . . at the competition! These are factory fresh, absolutely first quality (no seconds!) mini-floppies. They are complete with envelopes, labels and write-protect tabs in a shrink-wrapped box.

INTRODUCING PLAIN JANE™ DISKETTES

The Beautiful Floppy with the Magnetic Personality™

In 1980 alone, MTC has sold nearly a third of a million dollars worth of brand-name diskettes. If anyone knows quality, we do. And these are quality diskettes. The catch? They are in a plain white box. You're not paying for fancy printing, fancy labels or fancy names on the packaging. We don't even put our own label on the package (labels cost money). At this introductory price (our regular price will be \$21.95 per box of 10) we cannot offer quantity or dealer discounts.

PLAIN JANE™ Diskettes \$19.80 ★

VERBATIM brand Diskettes (box of 10)

5¹/₄-inch (for TRS-80TM) MD525-01.....\$23.95 10 boxes of 10...(each box)...\$22.95

8-inch FLOPPIES Single-Density, FD34-1000 ... \$29.95 Double-Density, FD34-8000 ... \$39.95

MORE



TRS-80™PRODUCTS



NEWDOS/8	80 by A	pparat		\$149.95
NEWDOS-				
35-track				\$69.95
				\$79.95
TRS-80TM	DISK			MYSTERIES
				\$19.95
MICROSO	FT TM E	BASIC	DECODE	D & OTHER
MYSTER	RIFS for	the Ti	RS-ROTM	\$29.95

MOST ORDERS SHIPPED WITHIN ONE BUSINESS DAY

thank you.

*PRICES GOOD THRU NOVEMBER 30, 1980. Sorry, no dealer or quantity discounts. Allow for shipping delays for 1980 specials.

WE ACCEPT

- VISA
- MASTER CHARGE
- · CHECKS
- MONEY ORDERS
- shipping & handling
 \$2.00 EXTRA
 for C.O.D.
 - Ohio residents add 5½% sales tax.

Add \$2.50 for

standard UPS



All products

guaranteed for

replacement only.

Prices, Specifications &

Offerings subject to

change without notice.

TO ORDER CALL TOLL FREE

1-800-321-3552 IN OHIO call (216)289-7500 (COLLECT)

META TECHNOLOGIES CORPORATION

26111 Brush Avenue, Euclid, Ohio 44132

∠ 20



TRS-80 is a TM of Tandy Corp.
PLAIN JANE is a TM of MTC.
©1980 by Metatechnologies Corporation, Inc.



ers loose. Next they examined some useful business programs.

Chuck Martin, the owner of Tuft's Electronic Department Store (in Boston) went with us to see the demonstrations. He was convinced and ordered a Model II. He is using it with the Galactic mailing list program to keep track of customers and send them catalogs.

Tuft's, by the way, is a dealer for Atari and, I believe, Apple. He bought three TRS-80 Model I systems so far and, after trying to use them in his business, sold them off. The Model II seems to be permanent

Tandy Listing

Radio Shack has recently come out with a 99¢ book which lists programs available for the TRS-80. I view this as a mixed blessing. On the one hand it does provide the TRS-80 owner with a list of available programs, as of a few months ago. But having tested quite a number of these programs, and our lab having tested many more, I would say that the chances of a customer picking a winner from among the listings is very chancy. There are so many really terrible programs out there. It is not a healthy situation.

The TRS-80 owner faces a software jungle. Let me say this...please, please, if you buy some software from any firm, write and let us know what you think of it. Please assist us in helping everyone by naming the poor ones and giving a boost to the good ones. Every firm in the business has a responsibility to put out firstrate software and we'll not be satisfied until we feel we are doing everything possible to make that a fact. This goes for Instant Software too. I want to hear if you get a program you don't think is first-rate.

Meanwhile, if you get that 99¢ book be very careful about where you spend your money.

Warning!

The material in this magazine is designed to be of value to all readers, from rank novice through TRS-80 expert.

80 Microcomputing is intended to be a continuing encyclopedia of TRS-80 information. Thus, if some articles are, for the moment, over your head, have patience . . .for you'll be very glad to have them later, when you are familiar enough with your TRS-80 to use them.

INSIDE 80

by Ed Juge, director of computer merchandising, Tandy Radio Shack

Let's talk about word processing, why and how we did it and what we're doing now.

One of the early assumptions made by Radio Shack regarding the TRS-80 Model I was that small computer demand would be mostly for data processing. Considering the cost of letter quality printers, we didn't think that word processing interest would be significant. You told us early on that we needed to change our thinking.

There were four problems to solve before Model I Scripsit could be readled for the market:

- Come up with a letter quality printer at a price in line with the cost of the computer.
 Implement a quality lowercase video character set.
- Make the lowercase modification easily field installable, and with no holes to drill.
 Find or write a good word processor program.

Unfortunately, finding a reasonablypriced printer and a program turned out to be major problems.

We talked to at least eight potential suppliers, telling them that we intended to retail a printer for \$2,000 or less, without much success. Nevertheless, we finally achieved our goal with a new daisy wheel printer this fall!

The other critical requirement was software. We talked to several word processor authors, but it quickly became apparent that a good software program at a Radio Shack price would require an in-house development effort.

Our design team zeroed in on the needs of the average typist, purposely omitting some of the more advanced word processing features—boldface, underlining and automatic totals. We included specific features, evaluated on their usefulness to the average typist, on the amount of memory overhead and on the time required to develop them. The reviews that Scripsit has received have indicated that we made more right design decisions than wrong ones.

Model II Scripsit—Altogether Different

Model II Scripsit is a page oriented, menu driven word processor. A document can be many pages long, yet there is no need to worry about what fits in the core memory.

The Model II disk contains a specially modified version of TRSDOS. The opening screen is a disk directory showing the name, author, creation and last revision dates, page count, percent of disk space occupied, and other information. At the bottom of the page is a one-line menu giving the operator the option to open, delete, or create a document—or go to a separate disk utilities routine.

Disk utilities include FORMAT, BACK-UP, SPOOLING on/off, changing default values for window mode, format lines, paging and print settings, user-defined keys and setting up serial printer output parameters. We've tried to do everything else.

When you're processing text, you're working with one page at a time, so the total document's length is limited only by the disk space available.

The bottom screen lines are reserved. The top line is the format line. It displays margins, tabs, etc. (You can create up to 11 predefined format lines and store them for later use, or you can create and use a temporary line without storing it.)

The bottom line is a prompt/menu line. It normally displays document name, current page number, cursor position (both line number and horizontal position), margins, etc. Information is updated with every character you type.

You have full cursor control, and the use of special commands is made simple through the system of menus. Often used features are accessed through a control key. For example, "get next page," is CTRL-N. If you're a frequent user of some functions we didn't anticipate, take heart! You can define your own special function sequences for CTRL-J, K, Q, Y, and Z.

Just Five Keys to Remember!

Model II needs no special key labels. You need remember only five keys: F1—to insert, F2—to delete, ESCAPE—to call the menu or to activate a menu page instruction, BREAK—to cancel an instruction or return you to the previous mode, and HOLD followed by an arrow, homes the cursor to top, bottom, left or right side of the current page.

You can insert new copy or blocks and even extra pages. You can renumber and resequence the pages, or repaginate



META TECHNOLOGIES



FOR YOUR TRS-80™ DISK SYSTEM

PROGRAMMING TOOLS

TDAM For Model																			
I OI IMOUCI	••	*			*	٠	*		*		٠	٠	*		*	۰		٠	423.30
Incl	id	a	2	٨	Α	т	1	٠	()		I F		(1	31	re	ď	

Having trouble with RANDOM FILES? With MTC's Table-Driven Access Method (TDAM) you'll never fret over FIELDing again. No knowledge of random access files is required. Insert the TDAM "interpreter" into any BASIC program and type in a few DATA statements describing the information in your files. TDAM does the rest! Reads and writes fields and records of any type (even compresses a DATE field into 3 bytes!). Features automatic file buffer allocation/deallocation, memory buffering. sub-record blocking/dememory buffering, sub-record blocking/de-blocking, and handles up to 255 fields per record. Super last and super simple! Complete with TDAM interpreter, instructions and demo program. Requires programming experience.

SIFTER									\$19.95
For Model II.									\$29.95

Twelve in-memory high-speed sorts for use in any BASIC program: stable, non-stable, with/without tags, for numeric or string data. Random File Sort included. Some sorts written in machine code. Includes sort subroutines, demo programs and instructions. Relocate as needed with REBUILD. Requires programming experience

SHRINK									\$19.95
For Model II									\$29.95

Makes Every Byte Count! Make programs smaller and faster! Combines lines & removes unnecessary code including remarks, without altering program operation. Typically reduces program size 25% to 40%.

SUPERSEDE							,	\$19.95
For Model II								\$29.95


A "must have" for the professional programmer or the serious amateur. Probably one of the greatest time-savers available. Write programs in shorthand - change variable names - generate program documentation - use with REBUILD and MINGLE to build new programs from old ones.

MINGLE-II						,	,			\$19.95
For Model II.										\$29.95

Merge up to 14 files (Program or Data) into a single file. Data files may be merged in ascending or descending sequence with the ordering based on a user specified comparison field. A very handy utility for consolidating data files

"OTHER MYSTERIES" VOLUME II

H.C. PENNINGTON



Call now and place your order for this new book, "MICROSOFITM BASIC DECODED & OTHER MYSTERIES for the TRS-80TM", from IJG, Inc. A primer for cassette and disk BASIC on the TRS-80TM, the information provided applies to similar MICROSOFITM BASIC interpreters. Features include definition of terms, an over-view of BASIC and DOS, explanation of exits, er-ror codes, verb actions, "cold" and "warm" restart procedures and examination of system restart procedures and examination of system utilities, arithmetic support and I/O driver routines, and the communications region in RAM. Individual routines are explained in detail, with an index provided for easy access. Appendixes include tables for BASIC and DOS vectors, stacks and interrupt locations, PLUS thousands of comment lines for the complete MICROSOFTTM BASIC

MICROSOFTTM BASIC DECODED . . \$29.95

The perfect supplement for your NEWDOS, from IJG, Inc.

"TRS-80™ DISK AND OTHER MYSTERIES"

by Harvard C. Pennington

132 pages written in PLAIN ENGLISH packed with HOW TO information with details, examples and in-depth explanations. Recover lost files and directories, remove file protection, make BASIC programs unlistable. How to use SUPERZAP, recover from DOS errors and MORE!

TRS-80™ DISK \$19.95

NEWDOS/80

by Apparat

Apparat's long-awaited successor to NEWDOS+ is here! This is not an enhanced version of NEWDOS, but a completely new product. Simplified DOS commands can be instantly ex-Simplified DOS commands can be instantly executed from BASIC, even within a program, without disturbing the resident code. System options, such as password protection, number and type of disk drives, BREAK key enable/disable and lowercase modification recognition, can be quickly and easily changed. Five new random-access file types allow record lengths of up to 4096 bytes, and no FIELDing! A powerful CHAIN facility allows keyboard INPUTs to be read from a disk file. An improved RENUMBER facility permits groups of statements to be relocated within disk file. An improved KENUMBER facility permits groups of statements to be relocated within program code. Diskettes may even be designated as RUN-ONLY! Features all NEWDOS+ utilities (SUPERZAP 3.0, etc.) and much more! One MTC technical staff member said having NEWDOS/80 is "better than sex" (you'll have to judge for yourself!). Includes 180-page instruction manual and MTC QUE card.

NEWDOS/80.....\$ 149.95 MTC QUE Card only \$7.50

CALL REGARDING OUR NEWDOS+ UPGRADE PRICING.

Complete for Model I with all utilities Plus exclusive MTC OUE card!

NEWDOS + by Apparat

includes REF, RENUM, SUPERZAP, EDITOR/ ASSEM., DISASSEM., DIRCHECK, and more! This is the original NEWDOS with all of Apparat's utility programs. Includes exclusive MTC QUE (Quick User

MTC QUE Card only \$1.50



PRODUCTS

All products guaranteed for replacement only. Prices, Specifications & Offerings subject to change without notice.

MOST ORDERS SHIPPED WITHIN ONE **BUSINESS DAY**

DEALER **INOUIRIES** INVITED

WE ACCEPT

- VISA
- MASTER CHARGE CHECKS
- MONEY ORDERS
- Add \$2.50 for standard UPS shipping & handling
- \$2.00 EXTRA for C.O.D.
- · Ohio residents add 51/2 % sales tax.



TO ORDER CALL TOLL FREE 1-800-321-3552 IN OHIO call (216)289-7500 (COLLECT)

Meta Technologies Corporation

26111 Brush Avenue, Euclid, Ohio 44132 \$ 1980 by Metatechnologies Corporation. Inc.



VISA w 20

TRS-80 is a TM of Tandy Corp



the entire document.

More features of Model II include bold print, centering, interaction with our Profile II software, justification, merging files, password protection on files, text reformatting, global search and replace, vertical or horizontal page formats, serial printer interface block moves or duplication, and user definable defaults for display.

New Low-cost Daisy Wheel Printer

I have mentioned our daisy wheel printer. Actually, it's called Daisy Wheel Printer II. Some of you (and us) remain painfully aware that the DWP I was a fiasco. The product was good, but serious parts and production problems existed which were not cured in time to do any good.

Daisy Wheel II is a 43-character per second, 28-pound powerhouse, which accepts paper up to 16-1/2 inches wide, and makes up to six copies. Take a tip, though, and put it on a separate stand; its fast speed and light weight cause a lot of bouncing around during printing.

DW II underlines and prints boldface when used with the Model II Scripsit. Daisy wheels with a forty-million character life are available in Courier 10-pitch, Prestige Elite 12-pitch, and Madeleine proportional spacing. The carbon ribbon cartridge is good for 200,000 characters. An optional forms tractor is also available.

A unit styled to match your TRS-80, DW Il at \$1,960 includes our standard parallel printer interface connection. A separate cable is required to match your TRS-80.

Those Missing Newsletters

There is one question we get with alarming frequency from customers who are justifiably upset: "Why won't you put me on your mailing list for the monthly newsletter?"

I've answered in print many times, but for those who don't know the answer, here it is again:

Our newsletter mailing list is made up of names and addresses sent in by TRS-80 owners on cards we include with every system. The newsletter is available only to TRS-80 owners. In lieu of the card, we put anyone on the list who sends in a letter with proof of ownership—serial numbers of the equipment, etc. Those who do not return the card or send a letter are not put on the list.

Some months ago, we mailed a questionnaire to a random sample of about 2,000 people on the newsletter list. A large number wrote back complaining that we could ask for their help, but had steadfastly refused to send them newsletters.

I was personally involved in looking up 50 of these people. Each person was on the list—correctly! The only difference we found was that the newsletter goes out third class, and the questionnaire was mailed first class. Ever since, we've been trying to determine what is causing many TRS-80 owners to miss their newsletter deliveries.

Every phase of newsletter distribution that we can control is being watched closely, and procedures improved. Once the newsletters are in the post office they're out of our hands. Rest assured, we won't give up; please bear with us just a bit longer. And thanks especially to those of you who have maintained your sense of humor through this.

EDUCATION 8

t is all but impossible to operate a multipurpose system without a cassette recorder. It's an integral part of your computer system, even if you have a disk drive. Sooner or later you will be in the market for one.

Maybe your original recorder has broken down or worn out. Maybe you need a second machine just to use with your expansion interface. Then, of course, the most efficient way to make back-up copies of your programs is to use two recorders and some kind of pulse re-shaper. (See TCOPY, 80 Microcomputing, July 1980, p. 160.)

You can go back to Radio Shack for a replacement, but you should know that there are options.

Nothing Special

There seems to be nothing about the TRS-80 cassette recorder that sets it apart. Look around. You may have one around the house that will do the job.

Careful now! I don't mean that you can use any recorder. There are two characteristics the recorder *must* have. First, it must be of a certain quality. You can judge this by playing a pre-recorded music cassette. If the music sounds good, the recorder is probably sufficient.

The second requirement is a low current on/off remote control. If the current is too high, the relay in the 80 will be damaged.

I don't know what the maximum current for the relay contacts is. The CTR-80, however, draws 100 milliamps. Any recorder will be safe if it does not exceed that figure.

How can you know the remote switch current of your recorder? You may find the rating in the shop manual or, perhaps, in the owner's manual. It is easy to determine the current for any recorder with a milliammeter, VOM or similar instrument. Connect the meter, or measuring device as shown in Fig. 1, and then put the recorder in the play position.




Fig. 1. Measuring Remote On/Off Current

Consider some other useful recorder features, especially if you are buying one.

ALC (Automatic Level Control) or AGC (Automatic Gain Control), are internal circuits which electronically adjust the recording level automatically. ALC makes sure that your CSAVEd programs are always at the same level (which surely helps when CLOADing).

To determine if an unmarked machine has this feature, record a soft sound and a loud one without changing the volume control. If both sounds play back at the same volume, you have ALC/AGC.

Another desirable feature is a high-level input. Using a recorder without this requires you to feed your programs through an attenuating network (resistors) into the microphone input jack. Usually the high-level input feature is marked AUXILIARY or AUX.

You will find these additional features useful: a tape counter, rewind and fast forward controls that operate when the remote switch is off, and a monitor switch enabling you to hear the signal when CSAVEing and/or CLOADing.

If you are getting a second machine instead of a replacement, you should consider a cassette player (one which does not record). Players cost less than recorder/players. There is no reason to have two

SNAPP II EXTENDED BASIC A family of enhancements to the Model II BASIC interpreter. Part of the package originated with the best of APPARAT. INC's thoughts in implementing NEWDOS BASIC. The system is written entirely in machine language for SUPER FAST execution. The extensions are fully integrated into Model II BASIC, and require NO user memory, and NO user disk space. The package is made up of the following five modules, each of which may be purchased

XBASIC - Six single keystroke commands to list the first, last, previous, next, or current program line, or to edit the current line. Ten single character abbreviations for frequently used commands: AUTO, CLS, DELETE, EDIT, KILL, LIST, MERGE, NEW, LLIST, and SYSTEM. \$25

XREF - A powerful cross-reference facility with output to display and/or printer. Trace a variable through the code. Determine easily if a variable is in use.

XDUMP - Permits the programmer to display and/or print the value of any or all program variables. Identifies the variable type for all variables. Each element of any array is listed separately.

XRENUM - An enhanced program line renumbering facility which allows specification of an upper limit of the block of lines to be renumbered, supports relocation of renumbered blacks of code, and supports duplication of blocks of code

XFIND - Permits quick and easy location of specified strings or keywords within the program text. \$30

SAVE - on the purchase of the entire package

CONVERT

This remarkable utility converts "V" format files (the sequential format used by the SHACKS, COBAL and BASIC Compilers) to the "F" format files (the sequential file format used by the BASIC

interpreter and BASCOM), and vice versa. Without this product, programs written for the interpreter will have to be RE-KEYED to be used by the SHACKS Compiler BASIC. \$75.00

SKRUNCH A SUPER FAST TRSDOS UTILITY Compresses your BASIC programs to an absolute minimum. Typically saves 30-40% space, even for programs without REM statements! Also results in 7-10% improvement in execution speed.

SBASIC - Model I and Model II Program in a high-level, full struc-tured BASIC! The BEST of the e-processors. PERFORM named BASIC pre-processors. PERFORM named subroutines. CONDITIONAL case structures. WHILE loops. UNTIL loops. And much more. Forget about line numbers. Model II version is compiled, and SUPER FAST, From Ultimate Model II \$75 Computer Systems

DOSFIX A collection of patches to TRSDOS and BASIC to enhance their usability and function includes our well-known BREAK7E parches to keep the break key from being used accidentally. FREE WITH ANY MODEL II SOFTWARE PACKAGE.

FRIEND FOUR NEW TRSDOS COMMANDS! SHOW - A much better multi-disk directory display. Let's you see only those files you want, and includes date of last update.

MOVE - A much better file copying command.

Copy/Move whole groups of files, renaming them at the same time, if desired, with just 1

command! ERASE - Better than KILL, better than PURGE. PRINT - Print BASIC programs from disk, whether saved in ASCII or compressed.

All 4 DOS commands allow fast processing of one, or complete groups of files, based on eneric naming and wild card specifications. Enhanced functions too numerous to fully describe here.

EXAMPLES SHOW PAY*/BAS*

Directory display of all '/BAS' files on all diskettes which begin with 'PAY. MOVE PAY*/BAS:1 TO =/OLD:3

Save current versions of payroll programs to drive 3. changing extensions to /OLD. MOVE OLD*/* TO NEW =/= :1

Copy all files on drive 0 which begin with OLD, regardless of extension, to drive 1, changing the first 3 letters of the filename to NEW, but retaining the same file. but retaining the same file extension. Save time!

Reduce frustration! Eliminate ERROR 33!

\$75

HOSTII / TERMII

Allows 'remote control' of a Model Il from another Model II, or any ASCII rerminal. If rerminal is a Model II, accurate screen positioning (PRINT @) is fully supported! Requires NO user memory! This system is designed to provide software support to our customer locations without ever leaving the office.

BUGZAP

A powerful utility oriented toward the machine language programmer. Display/Modify/Print/Memory/ Disk sectors. Use this to help you learn more about the internals of the Model II. \$50



8160 Corporate Park Dr. Cincinnati, Ohio 45242

232 Ohio residents call collect

VISA

(513) 891-4496

Call Toll Free

1 - 800 - 543-4628

Most products will soon be available for the Model I. CALL FOR DETAILS! MASTER / SLAVE

This software package was designed to support the transferring of files from one Model II to another, via direct connection or modem/phone line connection. ALL kinds of files, and boud rates up to 9600 are fully supported. Transfer files in either direction, even with the SLAVE Model II UNATTENDED! \$150

SPOOLER - Model I and Model II Our workhorse! This package, available for Model I, in the TRSDOS/NEWDOS or NEWDOS 80 versions, or for the Model II, greatly enhances system performance when running typical business applications. Many applications have been benchmarked to run nearly TWICE AS FAST with the SPOOLER installed. Installs in minutes. and no changes are required to your programs. Preferred Model II versions require NO user memory. Optional features for the Model II version only: Serial printer support, and DISK SPOOLING support. The DISK SPOOLING support is particularly recommended for word processing applications.
SERIAL PRINTER OPTION \$100 \$50

DISK SPOOLING OPTION

\$50

ROUTE

Causes LPRINT data to be sent to the video screen! A great help in writing and debugging programs when no printer is available, you have a slow printer, or you are just in a hurry. Can be turned on and off from within your BASIC program. Requires NO user memory

SCREEN

Supports the copying of the full video screen to the printer. Can be invoked by the operator with a keystroke, or from your program with a USR call. Requires NO user memory

SAVE Retrieve the resident BASIC program following an accidental SYSTEM, or a system crash, DON'T BE WITHOUT THIS ONE, YOU NEVER KNOW WHEN YOU WILL NEED IT!

TERMS OF SALE:

Credit card customers, add 3% C.O.D. customers add \$3. Ohio residents add 4½% sales tax. Shipments normally made the same day we receive your order.

OUR GUARANTEE:

If your diskette arrives damaged. we will replace it without charge. If you ever accidentally damage it, we will replace it for a \$10 handling charge. For a period of one year, we will provide you with any enhancements or updates for a \$10 handling charge. For a period of one year, if errors are discovered in the programs, they will be corrected without charge. In the event we cannot correct an error, you may return the program material for a refund.

TRS-80 is a trademark of the Radio Shack division of Tandy Corporation. NEWDOS and NEWDOS/80 are trademarks of Apparat. Inc.

EDUCATION 80

recorders except for interchangeability in case trouble develops with one of them.

In an emergency, if you break down just when you must CLOAD or CSAVE a program with no time to measure remote switch current, use whatever machine you can locate. To avoid the chance of damaging your relay, leave the remote plug unconnected and do the starting and stopping manually.

When you have trouble with you recorder, don't immediately throw it out. Remember: No cassette recorder/ player will function if it lacks the proper care!

Care and Feeding of Recorders

The typical audio cassette recorder/ player will take a lot of abuse and still perform its designed function to deliver speeches and good music. After all, our ears are rather forgiving of its small errors.

Our 80s, however, forgive very little. Its audio machine is asked to do a critical job and the 80 expects its digital signals to be very close to the mark. Consequently, the recorder must be kept in top shape.

Most loading problems are caused by dirty recorders.

This is especially true in schools where folks use them in audio service and seldom clean them until they quit. In micro service, recorders must be cleaned regularly.

There are two phases to the cleaning process: magnetic and physical.

First, the physical cleaning.

You can buy a cleaning kit from your local electronics/audio store, but I prefer to get my supplies from the discount drug store. You will need some sticks with cotton-padded ends and some denatured alcohol. Do not attempt to use rubbing alcohol, or any other type of cleaner.

With the cover open and no cassette in

place, put the recorder into play. The front of the cassette compartment will look like Fig. 2. If the recorder has not been cleaned in some time, you are likely to see a tan deposit (oxide from the tape) on all the labeled parts. That's the stuff that causes most of the CSAVE/CLOAD problems!

The first cleaning may take longer than usual because all the oxide must be removed. Work with a cotton swab just moistened with alcohol. Hold the damp swab against the turning pinch roller, away from the capstan. Continue this, renewing the moist cotton until the roller and the capstan are free of oxide. Next, clean the erase and record/play heads by rubbing them with fresh moist cotton swabs.

If you put the swab on the wrong side of the roller, some of the cotton is likely to get wrapped around the capstan. If this happens, put the recorder in "pause" or "stop," and slide the cotton up and off the capstan. Do not use metal, which may scratch the capstan. With the cotton removed, proceed with the cleaning.

Fig. 2. Recorder Parts to be Cleaned

After the physical cleaning, you should clean away residual magnetism from the heads. This requires a head demagnetizer from the electronics/audio store. Be sure you buy one with a plastic-covered tip because a scratch on the head can be disas-

Follow the directions with your demagnetizer-turn it on; bring it to the head; slowly remove it from the head; turn it off. Note: Do not turn off the demagnetizer when it is near the head and do not use it near a program cassette.

This completes the cleaning procedure, unless the cassette compartment has accumulated some dust and lint. If so, some air and a brush with soft bristles should do the trick.

You should clean your recorder after every two or three hours of use. Clean it more often when running new tapes, because more oxide is deposited when tapes are new. A recorder that is cleaned regularly will need only two or three minutes maintenance-that's cheap insur-


Two other operating procedures will help add life to your recorder. The first is to keep the lid of the cassette compartment closed except when inserting or removing a tape. This will help keep out the dust and lint.

Also, never leave the recorder in play or record unless it is pulling tape.

The rubber pinch roller is pressed tightly against the capstan in those modes. If left in pressure contact when not turning, the pinch roller can be deformed. An outof-round roller will pull the tape unevenly and you can imagine how that will affect your 80.


With reasonable care, your cassette recorder/player will give long and troublefree service.

Did you remember to send me information about your instructional program exchange group? If not, this is the last call.



SOUTHERN INNOVATIVE DESIGN **1520 NORTHEAST 12TH STREET**

GAINESVILLE, FLORIDA 32601 > 373





AND MODEL II BUSINESS SOFTWARE? WE HAVE HUNDREDS OF QUALITY BUSINESS PROGRAMS IN STOCK! AT PRICES YOU CAN AFFORD.

WHERE YOUR TRS-80' MEANS BUSINESS.

For the first time you can fill most of your software needs with one telephone call. Whether you are trying to find a specific program, custom software or just help with your system—give us a call. Invoicing • Inventory Control • Accounts Payable • Accounts Receivable • Payroll • General Ledger • Letter Writer • Word Processing • Mailing • Manufacturing Inventory • Cost Accounting • SalesReporting • Stock Market • Business Statistics • Statistical Analysis • Data Base Systems • Medical Billing • Dental Billing • Special Industries • Advanced Accounting • Income Tax • Language • Personal Finance • Technical Programs • Insurance • CPA • Law Office • Asset Depreciation • Job Cost • Utility Programs • Education • Games • Home Programs • Loans • Credit Bureau • Electronics • Test Systems • Sports • Art • DOS Systems • BASIC lessons • and much more!

Send for our free catalog or give us a call today. We also do custom programs as well as buy top quality programs.

Pre-Christmas Special:

Complete business system \$395.00

We will beat any nationally advertised price on brand name software in stock.

OVER 100 OF THE BEST BUSINESS PROGRAMS FOR THE TRS~80° MODEL I AND MODEL II IN STOCK READY FOR IMMEDIATE DELIVERY.

LET US ANSWER YOUR QUESTIONS TODAY.

We now sell: Structured Systems Group ● Graham Dorian ● Magic Wand™

 Digital Research, Inc. ● Osborne/McGraw Hill ● Compiler Systems • Software Mart Software

Software-Mart

24092 Pandora St • El Toro CA 92630

In California Call (714) 768-7818 Call Toll Free 1 (800) 854-7115



24 Hour Service VISA



DUR BEST ADS ARE NOT WRITTEN - THEY'RE RUNNING ON TRS-80'S

All Software Mart Programs are sold on an "as is" basis and with "All Faults" Prices and programs are subject to change without notice

Magic Wand™ is a Trademark of Small Business Applications, Inc.

*TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation



"While I thought the title was great...Some of the problems they encountered simply do not exist

Rites Reservations

This is in regard to an article entitled, "Rites of Passage," appearing in the August 1980 issue of 80 Microcomputing.

While I thought the title was great, the article showed that the authors had not had much experience with their Model II. Some of the problems they encountered simply do not exist.

As a trusting type of person, I bought one of the first Model Is, sight unseen, and repeated that performance when the Model IIs came out. So, I probably have had close to the maximum time anyone has had on both machines, outside of Ft. Worth.

The authors refer to the shift-lock as being important in that DOS commands require "all caps." While TRSDOS is fussyunlike CP/M-and does require all uppercase letters, locking the shift control to uppercase will soon prove to be as much fun as a Cossack charge. The keyboard provides a key entitled CAPS, which does the job much better. Shift-lock will give you A, B, C, D, etc., but it will also give you < for a comma, > for a period, and ! @ #\$, etc., for 1 2 3 4, etc. CAPS will give you what you expect, and still have correct numbers, periods, commas, and the like. If you want an &, for instance, you can shift to uppercase while in CAPS, and automatically return to CAPS after typing the uppercase letters.

While the authors appear to have stumbled across the BUILD command, they must not have used it much. They say to "[go to BASIC] you must go through a pain-in-the-neck sequence: type BASIC, a space, — F (for FILES), and the number of files you want open."

The BUILD command allows you to create TRSDOS files which can be called up and executed by the command DO, with the name of the file you had to BUILD. For example, if an operator always opened three files in BASIC, he could BUILD a file which might have the name, B3, for BASIC, with three files.

The "pain-in-the-neck" would only have to be endured once—to BUILD the file. Once that was resident on the diskette, the operator, to go to BASIC, would only

have to type DO B3. TRSDOS would then execute the file, which would be the TRSDOS command, BASIC – F:3. (The authors forgot to mention the colon). The command could be BASIC – M:24000 (or whatever) which would tell BASIC not to use memory above 24000, in this case. It could be any number up to 32000.

Using BUILD and DO, an operator can set up BUILD files for the usual number of files he assigns, such as B1, B2, B3, etc. The BUILD file can contain a number of commands which will execute in sequence, and with one command, such as DO B3, you can turn the clock on, set the printer parameters, assign the I/O ports, and go to BASIC. Very easy, and no pain-in-the-neck at all.

There is a ROM, contrary to what the authors write, but it only is a power-up ROM, and shuts off after the diskette loads into memory. It does take longer than the Mod I, but having no BASIC on ROM, and the like, allows the Mod II owner to interchange languages very easily.

The authors say, "After paying several thousand dollars, we think the operator is entitled to a few words when the machine runs into an error. But not Tandy: It's back to the manual to find error codes again, just like Level II before DOS." Gentlemen, when the Mod II tells you an error number, such as **ERROR 3**, if you will perform the difficult task of typing ERROR 3, you will have displayed, "PARAMETER ER-ROR ON CALL." Any error number will be written out by typing back the number. This saves having to read the message, if you already know what error 13 is, for instance. No extra charge-included in the thousands

They fail to mention the dynamite TER-MINAL program which comes with the system, a program from which you can bounce to DOS and back, without losing your connection with the other computer, which allows you to save the incoming information on disk, or to transmit from your disk, or to print and display simultaneously—or not to—or to run information saved on disk from your terminal session—even without being on-line.

Joseph A. Greenleaf Lyons, Mi

Spare Bytes

I have a remark about your program called "Starfighter," August 80, for 4K Level II. I am 11 years old and have a 4K Level I TRS-80. I liked the program and modified it to Level I easily, with more memory left. I did it by using abbreviations and P.AT instead of Print @. It does the same thing with 300 bytes to spare.

Shaun Neubert West Chester, OH

KBFIX and Others

Today I called Tandy's computer hot line with the following problem: When loading programs with the KBFIX Keyboard Debounce routine resident in high memory, upon attempting to RUN the program, the entire program would crash, zero all memory and the screen would show MEMORY SIZE?. If I tried to load the Debounce routine after the program was in the computer, the routine canceled all line numbers after 730 and the program still crashed as above when trying to RUN it

Tandy's explanation for this was as follows: "I saw a memo around here that said the KBFIX would only work with our (i.e., Radio Shack's) memory chips. If you're using someone else's chips the KBFIX may not work."

I recently bought a 16K upgrade kit from one of your most highly respected advertisers, and I have good reason to believe that all the bytes in these chips are good. Is it possible that the KBFIX debounce routine somehow requires chips with a faster access time than those supplied by Godbout and others? Since I have only a vague idea of how KBFIX operates—and it seems to me that it works on the keyboard memory, not on the RAM—perhaps some of your readers can save me the hours of labor in disassembling this routine to find out what it does and why, in this case, it isn't doing it!

A final question: I've noticed a BASIC

cont. on page 20

The following letters, critical of Radio Shack's game program Pyramid were forwarded to Radio Shack shortly after their receipt in our offices.

We would have liked some response from Tandy on the authors of Pyramid. Should it be forthcoming, we'll pass it along to you.

Below, find what we hope is at least a balanced "support/rebuttal" of a William O'Brien review that appeared in our August issue.—Eds.

O'Brien Lambasted

Anybody with an attention span as short as William O'Brien's should not be allowed to write software reviews for 80 Microcomputing. His review of Pyramid in the August issue took me aback.

You're supposed to take forever figuring out the secrets of the pyramid. Who wants to blow 15 bucks on an adventure program that can be solved by any moron in 20 minutes? Once solved, there's not much point in grinding that tape through the player any more.

The next time you write a review for this magazine, Mr. O'Brien, I suggest you evaluate the subject more thoroughly. Diatribes may be fun to write, but they're not very fair.

Jason Spicer Vancouver, WA

O'Brien Reversed

I have just received my August issue of 80 Microcomputing. One of the first things I read is the review section, and I must take issue with William O'Brien and his review of Radio Shack's Pyramid game.

I too, feel Radio Shack has missed the boat in many areas of their computer support, but several of my friends and myself have the Pyramid program and have enjoyed hour upon hour of real adventure while figuring out the game. We all have found out how to get past the serpent, catch the elusive bird statue, when to wave the scepter and map out the Pyramid, without calling Texas!

I feel this program is truly a good buy at \$14.95, and an important step in the right direction for Radio Shack. I would like to see Radio Shack get the congratulations they clearly deserve, and encouragement for more efforts towards games of this type. Not criticism by someone who obviously didn't spend the time to gain a proper respect for this great program.

If you must be told all the solutions, don't bother to play this game. But, if you

have a good imagination, average intelligence and curiosity, the Pyramid puzzle will give you many hours of challenging fun. And, just when you think you have it all down perfectly, *keep playing!* You may be in for a surprise!

Jim Nageotte Monterey, CA

Pyramid Remodeled

William O'Brien's feelings are similar to those of many people when they first experience a fantasy/adventure type game.

To start, I think calling the writer of an adventure program is about as brash as writing a nasty letter to God because you aren't president. If you can't solve a problem, you aren't thinking hard enough. As for the limited vocabulary of this game, it is much bigger than Mr. O'Brien asserts.

A simple PEEK through the program yielded the verb vocabulary Rub, Eat, Drink, Jump, Climb, Go, Hit, Break, Kill, Hurt, Take, Get, Drop, Throw, Help and quite a few others that give too much away for me to want to list. While a few commands (like HELP, and RUB) are used for nothing but a few humorous comments, there is certainly nothing wrong with that.

The game itself is quite larger than Mr. O'Brien said. The adventure world consists of more than 30 rooms, as well as a very large (more than 10 room) maze. All you have to do is defeat some of the various obstacles blocking your progress, like the chasm and the guardian serpent. You won't get any further than the few beginning rooms until you start to think logically and cunningly. This coupled with several humorous random remarks when you do outrageous things (try eating the serpent) make Pyramid a game well worth the money.

One thing though. Those of us who played Crowther and Woods original adventure will note definite similarities with some of the room descriptions and solutions to problems. I wasn't fooled by changing a 'rod with a rusty star on an end' to 'a scepter with an ankh on an end'. But since I never got very far in the original Adventure, I did not find this detracted from the game.

So perhaps in the future some of the review work done should be given closer scrutiny before it makes print.

Paul Vader Chicago, IL

Compares Adventure

The Radio Shack game Pyramid, reviewed in your August issue, is a close copy of Adventure, also known as Colossal Cave, the granddaddy of all adventure games. Adventure was originally written by Will Crowther and later extensively expanded by Don Woods around 1970. (It is mentioned in your July article on Scott Adams.) Adventure was written in FORTRAN and has been available on many large time-sharing systems for years.

The exact correspondence between Pyramid and Adventure will be obvious to anyone who has played both. Pyramid has simply altered the text describing the rooms and objects, without altering the directions you must move in, or the solutions to specific problems.

In both games you begin by descending into an underground chamber and walking to the west through several more chambers. You pick up a magic wand (a sceptre in Pyramid) in the second room, which you must set down before capturing a bird (a bird statue in Pyramid) in a birdcage (a statue box, whatever that is) in the third room.

Then you descend a staircase beside a small pit, down a rock dome to the east end of a huge chamber. To the west is a bottomless chasm. You wave the wand/ sceptre and a bridge appears across the chasm. You can descend from the dome to a room guarded by a fearsome dragon/ serpent, who can be driven away by the bird/statue.

Further west is a maze, having the same pattern in both games, where lurks a vending machine that dispenses batteries for your lamp. And so forth.

Radio Shack has considerably reduced the size and complexity of the original, presumably in order to sell it to owners of 16K systems. The axe-throwing dwarves have been removed and certain regions of the cavern are lopped off. But one can only speculate why Radio Shack bothered to change the text. (Dark motives?)

If anyone knows where Crowther and Woods are, I would be very interested to hear from them about this. The net effect is to make the game less fun. As your reviewer noted, there's no reason to try waving a sceptre but magic wands were made to be waved.

Robert P. Sather Bucyrus, OH



command in some recent issues that is not listed in the Level II handbook, and I can't figure out what it does. A sample is Line 920 of the "Star Search" program (80 Microcomputing, August 1980): FORI = X + (X<>1) TOX - (X<>8): (etc.). Now, what is that (X<>1) all about? Is it a MAX function?

Warren S. Kirkland Vacaville, CA

Is MEMORY SIZE being set correctly before loading KBFIX? Sounds like that could be the answer.

(X<>1) is a true/false expression. A value of -1 is returned if the expression is true (in this case if X is not 1), and a value of zero is returned if it is false.—Eds.

One-Byte Break Disable

In response to your article on BREAK disable, for those who do not want to go to the trouble to key in the 30 bytes or so, here is a one byte BREAK disable:

POKE 16396, 62 (to disable break) POKE 16396, 201 (to enable break) Enjoy your magazine very much.

> Saturn Software Gila Bend, AZ

Lowercase Access

Those who have installed a lowercase mod in their 80s may know that there are several characters in the character-generator ROM which are not normally accessible to BASIC. Here is a short demo program using a subroutine which PEEKs the cursor position and executes a POKE which will put these characters on screen.

10 CLS
20 PRINT@530,"THIS IS A";;XX = 72:GOSUB 1000
30 PRINT"AND THIS,";76:GOSUB 1000
40 PRINT",IS NOT.":END
1000 A = PEEK(16417):B = PEEK(16416):IF A>60 THEN
CP = ((A - 60)*256) + B ELSE CP = B
1010 POKE 15360 + CP,XX: PRINT@CP + 2,"";
1020 RETURN

The variable XX determines the character. The values of interest for this program are 64 through 127.

Speaking of character generators, I have it from a fairly reliable source (Radio Shack), that the chip used in their \$99 lowercase mod is Motorola part #SCM37530P. I would be obliged to anyone who could point me to a source for this device.

Patrick Kelley Houston, TX



TAB Problem

I own a TRS-80 48K system (serial #29188) with two Percom 5-inch and two Parasitic 8-inch floppies and an Integral Data Systems IP125 Printer which is connected to the parallel port. As the serial number suggests, my CPU is one of the earlier models but I have not had any hardware failures so far. I had a lot of software problems until I started to use NEWDOS/2.1. I now have NEWDOS/80 which I shall use as soon as Parasitic Engineering has written the software patch to use it on my 77 track/15 sectors 8-inch floppies. However, there is something that has always puzzled me. Maybe your readers can try the following example:

> 10 LPRNT TAB(63);"TEST" 20 LPRINT TAB(70);"TEST"

On my system line 10 works fine, however, after 64 tabs my ROM outputs first a CR/LF and then prints the remaining tabs on the following line. This means that I can never print anything past tab 63. For this reason I have to use the STRING\$ function in my programs.

Do other readers have the same problem or do I just have an outdated ROM with a bug?

Rolf Roethlisberger 34 Rue Daubin CH-1203 Geneva Switzerland

TCOPY BASIC

I am writing in reference to my article entitled TCOPY which appeared on page 160 of the July issue of 80 Microcomputing. The article presented a Level II machine language program to copy any Level I or Level II cassette tape, and it pointed out that since the program is short, it can be easily POK-Ed into memory from BASIC.

Correspondence from readers indicates that writing such a BASIC program is not easy for everyone. Therefore, I am communicating the following BASIC program to provide TCOPY to those readers. The program also provides automatic memory protect, provides prompting to guide the user and provides execution from the BASIC mode via the USR command.


The program execution is terminated by pressing the reset button. While this may result in loss of the BASIC code in some versions of the Level II machine, the machine code version of TCOPY will remain and can be executed by entering SYSTEM and then /20435 after the prompting symbols *?.

This program is available from the undersigned in a package that includes the utility program TDUMP. The program TDUMP dumps the contents of any Level II tape in ASCII, hexadecimal or decimal. It can be used to identify file names or tape formats. For example, you will discover that source code generated by the EDTASM consists almost entirely of ASCII code. The package price is \$5.95.

Dennis Stevens 10895 Kemah Lane San Diego, CA 92131

- 100 POKE16561,209:POKE16562.79:CLEAR50: POKE16553,255
- 110 DATA62,4,211,255,33,63,60,219,255,23,48, 251,6,50,16,254,62,5,211,255,6,16,254,62,6, 211,255,6,16,16,254,62,4,211,255,126,60, 246,128,230,191,119,24,218
- 120 CLS:FORI = 20435TO20479:READX:POKE I,X:NEXT:POKE16526,211:POKE16527,79
- 140 PRINT INSERT THE BLACK JACK INTO THE EAR CONNECTOR OF THE SOURCE RECORDER AND PUT THAT RECORDER IN THE PLAY MODE. INSERT THE LARGER GREY JACK INTO THE AUX CONNEC-TOR OF THE DESTINATION RECORDER AND PUT THAT RECORDER IN THE RECORD MODE."
- 150 INPUT"THEN PRESS ENTER TO START THE COPY.
- ";Q:CLS:PRINT"TERMINATE THE PROGRAM BY PRESSING THE RESET BUTTON, ":X = USR/0)

If you haven't seen your letter yet, please be patient. We receive an enormous volume of mail every month, and the Editors are attempting to catch up with it.



The Heath H-14 Printer gives you high-performance features at one of the lowest prices anywhere...

- 5 x 7 dot matrix and high quality impact printhead give you clear, easy-to-read images
- Standard 96-character ASCII set, UPPER and lower case
 Operator or software-selectable line widths; 132, 96,
- or 80 characters

 Compatibility with any computer having BS-232C or
- Compatibility with any computer having RS-232C or 20 mA current loop serial interface, with handshaking
- Sprocket paper feed, with adjustable spacing, to keep paper moving smoothly
- Sustainable print speed approximately 30 characters per second
- "Paper jammed" and "paper out" signals to prevent loss of data
- Selectable baud rates from 110 to 4800
- Convenience of standard fan-fold paper, 2.5 to 9.5 inches wide
- Chrome wire rack to keep paper neat

Visit your Heathkit Service Center

H-14 Printers are on display at the 61 Heathkit Electronic Centers throughout the U.S. and Canada. See your telephone white pages for the location nearest you.

In the U.S. Heathkit Electronic Centers are units of Veritechnology Electronics Corporation.

*In kit form, FOB Benton Harbor, MI. Also available completely assembled at \$895.00, FOB Benton Harbor. Prices subject to change without notice. The H-14's remarkable price includes connecting cables, paper rack, paper, and ribbon — so you're all ready to run. And service for the H-14 is available at 61 Heathkit Electronic Centers in the U.S. or Canada.

Check out the microprocessor-based H-14 Printer today, in kit form or factory assembled. You'll find complete details in the newest, FREE Heathkit Catalog. Send for yours today, or pick one up at the nearest Heathkit Electronic Center. **Dealer inquiries on assembled units are invited, too.**



CP-191





CHAR.	ASCII	CORR.	CHAR.	ASCII	CORR
Q	81	68	h	104	33
R	82	93	1	105	20
S	83	81	1	106	7
T	84	103	k	107	36
U	85	110	1	108	41
V	86	94	m	109	31
W	87	80	n	110	38
X	88	111	0	111	25
Y	89	65	D	112	5
Z	90	119	q	113	4
1 (E)	91	101	1	114	29
TAB	94	128	S	115	17
-	95	64	1	116	39
a	97	28	ü	117	46
b	98	32	٧	118	30
С	99	44	w	119	16
d	100	45	×	120	47
e	101	37	ÿ	121	1
f	102	14	Z	122	55
Q	103	15			

NOTE: All values are decimal. When decoded into binary the correspondence code represents the following:

(MSB) Control Char/Shift/T2*/T1*/R5/R2a*/R2*/R1*

Table 1. ASCII and Correspondence codes. All values are decimal. When decoded into binary the correspondence code represents (MSB)Control Character/Shift/T2*/T1*/R5/R2a*/R2*/R1*(LSB).

		+ 5 volts	Ground
IC1, IC2*	74S387	16	8 :
IG3, IG4	74175	16	8
IC5, IC6, IC7, IC15	7408	14	7
IC8, IC24	74121	14	7
IC9, IC10	74123	16	8
IC13	7400	14	7
IC14	7402	14	7
IC16	7486	14	7
IC17	74LS367	16	8
IC18, IC19	74LS175	16	8
IC20	74LS30	14	7
IC21, IC23, IC29	74LS02	14	7
IC22	74LS20	14	7
IC25, IC26, IC27, IC28	74LS85	16	8
IC11, IC12	7474	14	7

Table 2. Integrated circuits parts list and power supply pin connections.

PIN	SIGNAL	PIN	SIGNAL
25	AO	27	A1
40	A2	34	A3
31	A4	35	A5
38	A6	36	A7
11	BA	17	A9
4	A10	9	A11
5	A12	6	A13
10	A14	7	A15
30	D0	22	D1
32	D2	26	D3
18	D4	28	D5
24	D6	20	D7

13	WR*	15	AD.
12	OUT*	19	IN*
	RAS*	3	CAS*
2	SYSRES*	23	TEST*
21	INT*	14	INTAK*
16	MUX	33	WAIT*
В	GND	29	GND
37	GND	39	+ 5 volts-limited
			current

Table 3. TRS-80 expansion port pin designations.

PIN	SIGNAL	PIN	SIGNAL
1.	Electromagnet Common (+ 48	13	Tab
	vo(ts)	15	Index
3	R2	17	Ground
5	R5	19	Shift up feedback
7	T2	21	Shift down feedback
9	Ground	23	Control/Print feedbac
111	CR-LF	25	Ground
PIN	SIGNAL	PIN	SIGNAL
2	R1	14	Backspace
4	R2a	16	Ground
6	T1	18	Shift up Electromagnet
8	Strobe Electromagnet	20	Shift down Electromagne
10	Ground	22	Ground
10			

Table 4. 25-pin D connector pin designations.

I would like to apologize to readers for several errors that crept into my article, Selectric Hard Copy in the September issue. The worst problem was the missing parts list which somehow did not get published. In addition, there are several errors in the schematic diagrams. Fig. 3 has a number of mistakes.

- The two unlabeled connections on the bottom of IC1 and top of IC2 should be 13 and 14. Therefore, pins 13 and 14 from both IC1 and IC2 are grounded.
- 2. There are also unlabeled connections on the bottom of IC3 and top of IC4. These should read 1 and 8 on IC3 and 16, 1 and 8 on IC4. Thus, pins 16 and 1 of both IC3 and IC4 are to +5 volts and pin 8 of both ICs is grounded.
 - 3. Pins 6 and 7 of IC10b are reversed.
- 4. Pin 4 of IC8 should go to +5 volts, not to ground as shown.
- 5. Pin 8 of IC11b should be pin 9, therefore, pin 9 of IC11b goes to pin 3 of IC11a.

Several readers seemed confused as to where the lines marked R1, R2, R2a, etc. go. It might be worth mentioning that these lines go through a 560 ohm resistor to the darlington transistor driving the electromagnet as shown in Fig. 4. Thus, the line labeled R1 goes to a resistor then to a darlington transistor driving the R1 electromagnet. Likewise, R2 goes to the resistor, transistor and R2 electro-

80 DEBUg

magnet, etc. IC5, IC8 and IC7 drive a total of 11 transistors which drive 11 electromagnets. In addition, the strobe, shift up and shift down lines each go through a 560 ohm resistor, and a transistor to their respective electromagnets.

Figures 5, 6 and 7 have similar mistakes. First, in all three schematics, pins 3 and 4 of IC24 should go to +5 volts, not to ground as shown. Second, the line marked 37E8 READ in Fig. 5 should be inverted before going to pin 1 of IC17. Therefore, break this line on the schematic and connect another NOR gate in the circuit. Pin 4 of IC23 should go to pins 11 and 12 of IC23 (the new NOR gate) and the output of this gate, pin 13, should continue up to pin 1 of IC17. And finally, the same correction applies to Figs. 6 and 7. In both of these figures the lines marked READ should be inverted. Therefore, break the READ line and connect pin 1 of IC29 to pins 11 and 12 of IC29 (the new NOR gate) and connect the output of this NOR gate, pin 13, to pin 1 of IC17.

A final correction I would like to make known is in Table 5. Address 140 should have 166 as its data, not 066 as shown. Also address 212 should have 204 as its data, not 202 as shown.

I would like to thank all readers for the nice comments they have made about this article. I will be pleased to correspond with anyone about interfacing the Selectric if he or she will include a stamped, self-addressed envelope. Also, I will have a printed circuit board available about the middle of November. Please note that I have moved since I wrote this article. My new address is 248 Barren Hill Road, Conshohocken, PA 19428 and my phone is 215-825-7556.

Michael W. Bickerton, M.D.




Figure correction for Teletype Interface, September 80.

The Next Trap

Could you please publish these corrections for "The Next Trap," September 1980: The program listing shown does NOT belong to this article. This is the correct listing:

10 CLS
20 INPUT "ENTER A NUMBER 1 – 10";C
30 FOR A = 1 TO 9: PRINT "A = ";A,
40 IF A = C THEN 50 ELSE NEXT A
50 PRINT:PRINT:"OUT OF THE LOOP"
60 FOR B = 1 TO 5
70 FOR A = 1 TO 6
80 PRINT:"B = ";B;" A = ";A,,
90 NEXT A
100 PRINT
110 NEXT B

120 END

To correct the "ROM-TEST-PROGRAM" in the appendix 'C' of the Level I manual,

insert this line: 280 X = 99:NEXT X.

The text is also scrambled up a bit: From: "The first one in line 30 and 40" continue at "executes nine times unless you...."

From: "....should have forgotten.)" continue at "The program then enters two...."

From: "....won't let you do this and out" continue at "comes the message ?NF ER-ROR..."

Hubert C. Borrmann Colorado Springs, CO

Customized EDTASM

I have found the following three errors in my article "Customized ED- TASM" in August's edition. Enclosed are the corrections.

EDTASM Corrections

1) The end of EDTASM is 5D20(H), vise 5520(H).

The next two are both in listing 4.

The first is in line 550. There should be a NOP in the instruction field.

 Line 600 should read: CP 54D instead of: CP 34D. This sets the number of lines to be printed on a page.

> John T. Blair Norfolk, VA



is physically capable of is physically capable of being used in a multiprocessing or shared-logic environment, but when?"

n previous columns I have discussed some of the limitations of microcomputers in a business environment. At present the Model II is subject to the same limitations of the Model I: Basically, it is still a single-user machine. However, these limitations may be temporary. Radio Shack recently released a technical manual for the Model II, indicating that four expansion slots are available. These slots significantly increase the Model II's capacity. The Model II is capable of addressing up to 512K of memory. In addition, the bus structure is already expanded to accommodate the new 16-bit microprocessors.

In short, the Model II is physically capable of being used in a multiprocessing or shared-logic environment, but when? At present Radio Shack has given us no indication of additonal hardware to plug into the Model II. The machine has remained exactly as it was offered more than a year ago.

Communications Program

In the meantime, currently packaged with the Model II is a terminal program which can greatly enhance its capacity as a stand-alone computer.

As illustrated in the user's manual the program is designed to help simplify the installation of a Model II as a "remote job entry" work station for a larger computer.

Take the example of preparing a tax return. Typically, the preparation begins with an assembly phase. During this phase the data are usually gathered in pieces. Once all the data are on hand, a return can be prepared and reviewed for accuracy and sent to the taxpayer.

To automate tax preparation many professionals use a batch data entry service bureau. Tax return information is entered on input forms which are keypunched. The returns are processed at the service bureau and returned with diagnostics. The diagnostics are analyzed and corrections added to the batch. Once the batch is correct the final returns can be prepared. Either the final return or the diagnostic report is reviewed for tax compliance and accuracy.

If gathering the data and entering it into the computer could be done by the preparer and, during the data entry phase, diagnostics performed, preparation could be expedited. However, this requires considerable computer capacity. The capacity "crunch" could be averted by using a computer such as the Model II, to off-load data entry from the main computer. The main computer would be reserved for complicated work and the Model II, together with a program such as Terminal, could be used for the slow data entry work. In practice this could work as follows:

On a daily basis, tax files could be transmitted to the Model II from the main computer. The files could be operated on and returned. The main computer would generate reports on each return. Should a return show "no activity" for a period of time, a warning could be generated to indicate that special attention is required.

No batching would be required by this system. The instant feedback between data entry and edit would shorten the learning curve for new staff and minimize costly data omissions for all users.

Terminal is an interactive menu-driven program designed to transmit files from the Model II to another computer. In operation, the disk file is brought into the Model II memory and transmitted from memory to the host computer. Files transmitted must be in ASCII form and the transmission process can be controlled by the host through a predefined "wait" character. The Terminal program does not appear to be able to audit the transmitted text, identifying errors. Because of this limitation, some way of verifying the accuracy of sensitive data must be used. Data received from the host computer can be either dumped into memory, printed or displayed on the video screen.

When data is received, the program will detect if a parity or framing error occurs. These errors can occur if the Model II is not precisely adjusted to the host computer's specifications. Because the menu may be displayed during data reception, the program indicates the reception of data which was not displayed. Should the host signal a break, a message will be dis-

played. Other allowances have also been incorporated to indicate "loss of carrier" during network communications.

ST80 III

Another program which has even more flexibility is ST80 III by Lance Micklus (Small Business Systems Group, Inc., Westford, MA). This program, an adaptation of a package designed for the Model I, is considerably more versatile than Terminal. In the ST80 III system conditions are set up by a special program TCONV/BAS.

This program is designed to tailor the Model II to almost any specifications required by the host computer. ST80 III can alter keyboard, memory buffer, video and printer conventions to that of the host.

An excellent feature for the ST80 III user is the availability of feedback between the host and the Model II that allows character by character verification when sending data. This feature alone and the elimination of requirements for a special program justifies the cost of the ST80 III. However, Lance Micklus did not stop there.

Included with the program are several useful utilities. These utilities convert binary to ASCII files and vice versa; calculate checksums for transmission verification and determine whether a file is ASCII or binary.

The Model II has been used successfully in networks composed of many different types of computers, by setting up different parameter files for each computer. Simply call a different parameter file and the Model II is automatically adjusted to the host system's requirements.

For fine tuning the ST80 III, you can manually adjust its transmitting and receiving speeds so that slight synchronization errors can be corrected. This is especially desirable if the host is time-shared with other peripherals.

ST80 III is sold with parameter tables for the Source and Forum 80. An examination of these tables with TCONV/BAS, will give the user a graphic appreciation of the problems involved when trying to integrate dissimilar data processing devices

Finally

Financial Planning on Micros

TARGET

Business Planning System

Until now, sophisticated financial planning required a sizeable mainframe and, all too often, the services of an overworked data processing department.

No longer. Advanced Management Strategies, Inc. presents to Apple* and TRS-80** users an innovative management tool -The TARGET Business Planning System.

AMSI, a management consulting firm, has converted its financial planning system to the microworld. The TARGET Business Planning System on an Apple or TRS-80 is competitive with mainframe planning languages and systems that cost up to \$50,000.

The TARGET Business Planning System is available in modules giving you the flexibility to buy only the capabilities and functions needed now. Adding modules is as easy as purchasing the specific floppy and user's manual. All modules use the same data files. And, the same entry and editing program is included with each module.

The TARGET Business Planning System is an inter-active tool, not a canned routine which allows you to design and produce desired documents tailored to your particular needs.

Start off with The TARGET Planner, the general business planning module to generate pro-formas, income statements, balance sheets and other essential business documents.

Advanced Management Strategies, Inc. 200 P. O. Box 95130 Atlanta, Georgia 30347

Registered, Apple Computers, Inc.

Registered Trademark, Tandy Corporation

Trademark, Advanced Management Strategies, Inc.

The TARGET Planner - \$195.00

Available this fall at selected retail computer outlets.

For more information and the name of the dealer nearest you, call 1/800/323-1717.†

In Illinois, call 1/800/942-8881.†

† Ask for Operator 113.

Other TARGET Business Planning System modules available this fall:

TARGET Statistical Analyzer

TARGET Business Analyzer


TARGET Graphics


TARGET Report Processor

WHATIF



Enjoying 80 MICRO?





With the TRS-80° (or 90 . . . etc.) being the most popular microcomputer in the entire world, you are going to benefit from this in many ways. The more computers there are out there of one kind . . . the more good programs you are going to have for this system. I hope that is obvious. You may be sure that 80 MICROCOMPUTING will be packed with the shorter programs and reviews of the larger ones. You can waste an awful lot of money on stuff that looks great in the ads, but fizzles out when you try to use it. You need our reviews.

The wealth of programs will also mean that there will be much better programs for the TRS-80* than any other system. Put yourself in the seat of a computer programmer and you'll understand this. If you are going to spend several months developing a comprehensive program, and it takes all of that to write and debug a big program, would you write it for a system which has sold one hundred units or one which has sold over 300,000 systems? The answer is obvious...and this is why we are already seeing programs coming out for the TRS-80° which are far better than anything for any other system on the market. This is tough for other systems ... the law of the computer jungle.

Between our connections with Instant Software, the largest publisher of microcomputer programs in the world, and Kilobaud MICROCOMPUTING, you know that 80 MICROCOMPUTING is going to be your most important link with software for the TRS-80°.

With Instant Software being sold and promoted in every country in the world where the TRS-80° is being sold, our input of programs is also the best in the world. We get programs submitted from everywhere...often from 50 to 100 a week! You'll get the cream of the crop either published or reviewed in 80.

HARDWARE TOO

The same law of the computer jungle holds for hardware. Would you, as a manufacturer, market an accessory for a system which has sold 100 units or would you go first for the one which has sold hundreds of thousands. It is, as with software, selfevident why the great bulk of the hardware accessories for computers are for the TRS-80° these days.

80 MICROCOMPUTING has the advantage of the use of the largest and most complete microcomputer lab in the world...the one developed for Instant Software and Kilobaud MICROCOMPUT-ING. This means that most new pieces of equipment are tested and in use by our staff...and this means that we can tell you what we think is outstanding...and where we find ripoffs. This lab is important to you.

SUBSCRIBE

If you are not already a subscriber to 80 MICROCOMPUTING, please get signed up right now. The yearly rates are \$18, and that is a bargain. Just one single program of use to you can be worth much more than that. One review of an accessory could save you many times that much investment. I would appreciate it if you would appoint yourself a committee of one to get more subscribers for the magazine. You will benefit even more than we do here at the magazine...because the more readers we have, the more ads we will be able to attract...and the more ads, the more pages of articles you will get every month.

The 80 market can, I think, support a couple of hundred pages of ads...and that would mean a magazine of nearly 500 pages a month. That should hold you. You may not have time left to use your comput-

ENCYCLOPEDIA

If you've read Kilobaud MICROCOM-PUTING, you know that I try hard not to

microcomputing

Peterborough, N.H. 03458

duplicate published material. My concept is that every reader should save every issue (we sell inexpensive boxes for this so they can sit on your library shelf) and treat the magazine as a continuing encyclopedia of computing. I make sure that much of the material in each issue is written in simple language so it will be understandable by even the rawest newcomer to computers. Oh, I have articles for the more advanced users too, so you'll have something to look back over later and use as your understanding of your system grows.

Try to think of 80 MICROCOMPUTING as more of a large club newsletter than an ivory tower high-level publication. I'll leave the pomp to other publishers...the ones with the well-deserved inferiority complexes who cater to their inadequacies by publishing esoteric baloney. This magazine is written by the readers and edited by people whose aim is to help you enjoy your TRS-80*.

SAVE

With each issue costing \$2.50 at your computer store, that's \$30 a year. For \$18 a year you can subscribe . . . at least for now. As the magazine expands, please do not be surprised if the cover price increases, along with the subscription price. I started 73 Magazine for radio amateurs twenty years ago with a cover price of 37¢ (two for 73¢) and it is up to \$2.95 a copy now (and it is the largest of the ham magazines).

For you bargain hunters...and those who find that one year goes by all too rapidly, the three year rate for 80 is \$45. This, too, will be going up . . . reflecting the inflation, paper increases, postage increases, and a short vacation for me in Hong Kong next year. Someone has to pay for that.

If the coupon below has been used, please fill out subscription form on the Reader Service card in the back of the magazine

YES	Sign me	on as	asub	scriber to
80 Micr	ocomputin	g for c	nly \$1	8 a year!

Card#		Exp		2 issues — \$18 6 issues — \$45
Signature				lease bill me ayment Enclose
Name			_ U V	
Address			_ C A	merican Expres
City	State	Zip		
		bendation begins will	next published iss	1110

Back issues, while available are \$3 each.

All other foreign subscriptions: \$28 one year only.

Canada: \$20 per year US funds.

80 APPLICATIONS by Dennis Kitsz

"Although a machine language program is usually clear and transparent, in this case, the BASIC gives the illusion of being more concise."

emember that stock introduction on The Twilight Zone? Can you still hear Rod Serling intoning detached phrases combined with black-and-white images blending and diffusing on the screen? Time was always a strong element in his television program, and it came to mind as this month's Applications program consistently dematerialized in the twilight zone of my TRS-80. This month's column about time...was late.

Having thus justified my tardiness to the editors, I will move straight to programs for setting and reading time using the hardware detailed last month. Listing 1 is a BASIC program to do this with the MSM5832 clock/calendar, Although a machine language program is usually clear and transparent, in this case the BASIC gives the illusion of being more concise.

The Controlling Program

Any complicated input/output peripheral calls for a lot of information from the controlling program; this is true for the clock chip as well. Thirteen of its 16 internal registers are used for month, day, year, hours, minutes, seconds and day of the week. Additionally, its slow internal electronics force us to use interface hardware which can grab hold of the clock signals and stabilize them for the computer to read.

Last month we mapped the 8255 interface chip to use addresses 37D0 to 37D3 (14288 to 14291 decimal). Address 37D3 communicates instructions to the port chip itself, readying it to relay data; via the port chip, address 37D2 sets up the clock to read or write; data sent to 37D1 determine which of the 13 registers will be activated; and 37D0 contains the actual time and date information to be read or written.

Sound complicated? It isn't if you work slowly and logically. You can merely use this hardware, but it is worth understanding it as well.

The hardware explained last month takes care of decoding an address block starting at 37D0 hex, which turns on (selects) the 8255 port IC. The lower two bits of the addressing lines are fed directly into that chip, and they determine (once the 8255 has been selected) what the chip will

do next. 37D3 (0011 0111 1101 0011 binary) allows data to talk to the chip, determining which of its three ports will read or write. 37D2 (....10) sets up communications with Port C, 37D1 (....01) with Port B, and 37D0 (....00) with Port A.

We send data through Port C, then, to tell the clock whether *It* will read or write. *Data* through Port B select the clock's register *address*. And finally, Port A is used to transfer what we think of as "normal" data to and from the clock.

Lines 10 to 70 of the BASIC program accept raw input from the user in order to set the clock. Notice that in line 80, a value of 4 is added to variable HO to indicate afternoon. Since there are only 24 hours in a

day, the hours high digit will never be greater than 2, or binary 0010. The two leftmost bits aren't used for counting, so they have been set aside to indicate AM or PM. Four is 0100 binary, so adding 4 to variable HO "sets" the PM bit in the clock.

The same thing happens in line 90; the remaining high bit of the hours register can reveal whether we are using a 12 or 24-hour clock.

Monday has been assigned a value of zero by the chip's makers; lines 100 and 110 make that conversion. Determination of leap year is not automatic, our own program must determine it by discovering (in line 140) if the year is divisible by four with no remainder. Input from the user is then

```
18 CLS : CLEAR 158 : REM * CRUDE BUT SERVICEABLE CLOCK PROGRAM 20 FOR X = 8 TO 6 : READ DWS(X) : NEXT : REM * ARRAY OF DAYS 38 DATA M O N D A Y,T U E S D A Y,W E D N E S D A Y 48 DATA T H U R S D A Y,F R I D A Y,S A T U R D A Y,S U N D A Y 58 PRINT "ENTER HOURS AND MINUTES, PLUS AM OR PM INDICATION." 58 PRINT "ENTER HOURS AND MINUTES, PLUS AM OR PM INDICATION." 78 INPUT "12-HOUR OR 24-HOUR CLOCK (ANSWER 12 OR 241",CS 80 IF PS = "P" THEN H0 = H0 + 4 : REM * BIT 3 INDICATES P.M. 99 IF CS = "24" THEN H0 = H0 + 4 : REM * BIT 3 INDICATES P.M. 99 IF CS = "24" THEN H0 = H0 + 8 : REM * BIT 4 FOR 24 HOURS 100 PRINT "MONTH, DAY AND YEAR IN PORMAT B,3,3,1,8,8 (3/31/80)" 118 INPUT DW : DW = DW - 1 : REM * CLOCK'S MONDAY IS 22 END 128 PRINT "MONTH, DAY AND YEAR IN PORMAT B,3,3,1,8,8 (3/31/80)" 138 INPUT MA,M3,D0,D1,Y0,Y1 : REM * LEAP YEAR TEST IN NEXT LINE 140 LY = Y0 + 10 * Y1 : IF LY/4 = FIX (LY/4) THEN D0 = D0 + 4 150 POKE 14299,80 : REM * SET UP 2255 CH19 PORTS 160 POKE 14299,80 : REM * SET UP CLOCK TO READ TIME AND DATE 170 Q = 14289 : REM * SET UP CLOCK TO READ TIME AND DATE 170 Q = 14289 : REM * THIS IS CLOCK ADDRESS REGISTER 160 POKE Q,2 : POKE Q-1,H1 : POKE Q,3 : POKE Q-1,H0 190 POKE Q,6 : POKE Q-1,H1 : POKE Q,3 : POKE Q-1,H0 200 POKE Q,6 : POKE Q-1,H1 : POKE Q,7 : POKE Q-1,H0 200 POKE Q,6 : POKE Q-1,D0 : POKE Q,9 : POKE Q-1,M3 220 POKE Q,12 : POKE Q-1,D2 : POKE Q,1 : POKE Q-1,M3 220 POKE Q,12 : POKE Q-1,M2 : POKE Q,1 : POKE Q-1,M3 220 POKE Q,8 : POKE Q-1,M2 : POKE Q,1 : POKE Q-1,M3 220 POKE Q,1 : POKE Q-1,M2 : POKE Q,1 : POKE Q-1,M3 220 POKE Q,9 : PRINT POK (PAL) IND SET 240 POKE Q,1 : PRINT POK (PAL) IND SET 240 POKE Q,1 : PRINT POK (PAL) IND SET 240 POKE Q,1 : PRINT POK (PAL) IND SET 240 POKE Q,1 : PRINT POK (PAL) IND SET 240 POKE Q,1 : PRINT POKE (Q-1) AND 15; "; 380 POKE Q,9 : PRINT POKE (Q-1) AND 15; "; 380 POKE Q,9 : PRINT POKE (Q-1) AND 15; "; 380 POKE Q,9 : PRINT POKE (Q-1) AND 15; "; 380 POKE Q,1 : PRINT POKE (Q-1) AND 15; "; 380 POKE Q,1 : PRINT POKE (Q-1) AND 15; "; 380 POKE Q,3 : PRINT POKE (Q-1) AND 1
```

Program Listing 1



complete.

Line 150 switches on the port chip's write cycle, and line 160 does the same with the clock chip. Following through lines 180 through 230, we find that each clock register is prepared for writing (POKE Q), and each value is placed into the clock's registers (POKE Q-1). The clock and calendar are now set.

Reading the Clock

Reading this clock is not as straightforward in Level II BASIC as it seems to be with the Level III and DOS "TIME\$" command. Line 240 allows the 8255 port chip to read the clock, and line 260 prepares the clock for reading.

Lines 270 through 390 each ask for a clock register (POKE Q) and subsequently read it with a PEEK(Q-1). Don't be put off by the AND function in each of these lines, nor by the CHR\$(8). The AND function does in software what would have been messy in hardware; that is, we're only using four of eight data lines. The remaining four are not tied off, and the computer sees them as high (equal to a number one). Because of these high lines, every time we read data from the clock, the computer dutifully adds 240 to it (binary 11110000).

To rid ourselves of the nuisance of trying to interpret a date like 241242/242245/248240, we "mask" out all the bits we don't want to read. Thus AND 15 is AND 00001111 to the computer. Only numbers up to 15 will be seen through this mask. In line 340, there's AND 3 (binary AND 00000011). This mask rids us of the bits used for AM/PM and 12/24-hour clock.

Lines 400 and 410 use the opposite masks. They mask out the hours values in the register in order to find out if it is morning or afternoon, or if we have requested a civilian or military clock. The CHR\$(8), by the way, is a command for "displaying" a backspace, so that the time value will be formatted nicely on the screen.

The remainder of the program checks address 14312 for the presence of a printer, formats the output as a string (line printers normally can't backspace), and sends the output to the printer if it is ready.

I recommend the BASIC program, though, only for an idea of how the 8255 port and 5832 clock chips work, not for actual program use. Instead, Listing 2 presents an assembly language routine which will print a formatted time and date using TIME\$, and set the time and date using CMD. Because I have annotated the listing in detail, only the general approach and use of the machine language routine will be outlined.

			100		A STATE OF THE STA
	00148		******	************	
7 EA7	00150		ORG	7EA7H	CHANGE TO RELOCATE
	00170	PATCH	TNWO DO	S WINES & OND EDD	OR LOCATION AND CHANGE IT
7EA7 21B67E	00190	ENTRY	LD	HL, START1	; START OF TIMES PROGRAM ; PATCH TIMES 7L3 ERROR ; START OF "CMD" PROGRAM ; PATCH CMD 7L3 ERROR ; BACK TO A BASIC "READY"
78AA 227741 78AD 21547P	00200		LD LD	(4177H), HL HL STARTS	PATCH TIMES 7L3 ERROR
7EBØ 227441	88228		LD	(4174H), HL	PATCH CMD 7L3 ERROR
7EB3 C3CC06	00230		JP	Ø6 ССН	; BACK TO A BASIC "READY"
	00240	, mure	CO MUD DI	POTENTING OF MED S	TIMES" PATCH TO READ TIME
	BASEA	· DOMESTIC	TARREST THE	CEDMC 212 EDDOD N	NO CURCUE TIMETO CUMPAV
	00270				; BASIC HOUSEKEEPING : SAVE BASIC LINE POINTER ; LENGTH OF TIMES ; ROM STRING SPACE SETUP
7EB6 D7	00280	START1	RST	1011	; BASIC HOUSEKEEPING
7EBR 3E18	00290		LD	A.18H	: LENGTH OF TIMES
7EBA CD5728	00310		CALL	2857H	ROM STRING SPACE SETUP
	00320	, *****	DON ON	ACE AND COM CLOCK	CHIP READY TO READ TIME
	98348	1 201 0	F RAN DE	MEE AND GET CLOCK	; LOCATION TO STORE TIMES ; CLOCK MEMORY ADDRESS ; SET UP 8255 CHIP PORTS ; SET UP CLOCK TO READ
7EBD 2AD448	00350		LD	HL, (48D4H)	; LOCATION TO STORE TIMES
7EC0 FD21D037	99369		LD	IY,37D0H	; CLOCK MEMORY ADDRESS
7EC8 FD368228	00370		LD	(17+3),90H	SET UP GASS CHIP PORTS
	00390		******	************	******************
	00400	: CLOCK	IS READ	Y TO READ NOW	READ AND CREATE STRING.
	00410	DAY O	THE WE	EK IS ALPHABETIC	AND WILL BE DONE FIRST.
7ECC FD360106	00430		LD	(IY+1),6	POINT TO DAY OF WEEK
7EDØ FD7EØØ	88448		LD	A, (IY+0)	GET DUMMY VALUE INTO A
7ED3 FD7E88	88458		AND	A, (IY+0)	MAGE OF ONLIGED BITS
7ED8 11EA7F	88478		LD	DE, TABLE	POINT DE TO DAY TABLE
7EDB 3C	60480		INC	A	; IT MUST BE AT LEAST 1
7 EDC 3D 7 EDD 2807	88498	LOOP1	DEC	A 2 VI.OOD	: IS ACCUMULATOR ZERO?
7EDF 0603	88518		LD	B, 3	NUMBER OF CHARS PER DAY
7EE1 13	00520	LOOP2	INC	DE	MOVE PAST EACH CHAR
7EE2 18FD	00538		DJNZ	LOOP 2	DO IT TILL AT NEXT DAY
ADDA VOLO	88558	. ****	******	************	READ AND CREATE STRING. AND WILL BE DONE FIRST. ; POINT TO DAY OF WEEK; ; GET DUMMY VALUE INTO A; ; GET DAY OF WEEK VALUE; ; MASK OFF UNUSED BITS; ; POINT DE TO DAY TABLE; ; IT MUST BE AT LEAST 1; ; IS ACCUMULATOR ZERO?; ; GO OUT OF TABLE LOOP; ; NUMBER OF CHARS PER DAY; ; MOVE PAST EACH CHAR; ; DO IT TILL AT NEXT DAY; CHECK FOR NEXT DAY
2006 0602	00570	******		n 2	NUMBER OF CHARS TO GET ; NUMBER OF CHARS TO GET ; CHARACTER TO TRANSFER ; XFER DAY NAME TO TIME\$; NEXT LOCATION IN TIME\$; NEXT LOCATION IN TABLE ; LOOP BACK FOR NEXT CHAR ; PUT SPACE AFTER DAY ; BUMP TIME BUFFER AGAIN
7EER 1A	00590	YLOOP	LD LD	A. (DE)	CHARACTER TO TRANSFER
7EE9 77	09600	J. RICOL	LD	(HL),A	; XFER DAY NAME TO TIME\$
7 EEA 23	00610		INC	HL	; NEXT LOCATION IN TIME\$
7 EEC 18FA	00620		DANE	AFOOD	: LOOP BACK FOR NEXT CHAR
7 EEE 362#	00640		LD	(HL),20H	PUT SPACE AFTER DAY
7EFØ 23	00650		INC	HL	BUMP TIME BUFFER AGAIN
	88678	DAY O	P WEEK I	S DONE NOW GE	T MONTH, DAY, AND YEAR
	88 988	1			T MONTH, DAY, AND YEAR HEX TO ASCII DIPPERENCE; MONTH HI PORT + 1; SLASH (*/*) CHARACTER; MASK UNUSED PORT BITS; GET MONTH HIGH VALUE; GET MONTH HOH VALUE; LOAD SLASH INTO TIMES; BUMP TIME BUPPER BY ONE; MASK UNUSED CLOCK BITS; GET DAY HIGH VALUE; MASK UNUSED CLOCK BITS; GET DAY LOW VALUE; MASK UNUSED CLOCK BITS; GET DAY LOW VALUE; PUT SLASH INTO TIMES
7EF1 1E38	886 98		LD	E,38H	HEX TO ASCII DIFFERENCE
7EP5 862F	88718		LD	B. 2FH	+ SLASH (*/*) CHARACTER
7EP7 0E0F	88728		LD	C, OFH	, MASK UNUSED PORT BITS
7EF9 CDDB7F	98738		CALL	FILLER	; GET MONTH HIGH VALUE
7EPF 78	00740		LD	FILLER THLLER	LOAD SLASH INTO TIMES
7800 23	00760		INC	HL	BUMP TIME BUFFER BY ONE
7F01 0E03	86778		LD	C,3	MASK UNUSED CLOCK BITS
7F86 GE8F	887 98		LD	C. SFH	MASK UNUSED CLOCK BITS
7F08 CDDB7F	00800		CALL	FILLER	; GET DAY LOW VALUE
7F0B 70	00810		LD	(HL),B	; PUT SLASH INTO TIMES; BUMP TIME BUFFER BY ONE; YEAR HIGH VALUE + 1; GET YEAR HIGH VALUE; GET YEAR LOW VALUE; VALUE FOR A SPACE; BUMP TIME BUFFER BY ONE
7F0C 23 7F0C 23 7F0D 160D 7F0F CDD87F 7F12 CDD87F 7F15 3620 7F17 23	88838		LD	D,13	; YEAR HIGH VALUE + 1
7F0F CDDB7F	00840		CALL	FILLER	; GET YEAR HIGH VALUE
7F12 CDDB7F	00850		CALL	FILLER (BL) 2011	GET YEAR LOW VALUE
7F17 23	99879		INC	HL HL	BUMP TIME BUFFER BY ONE
	00880		******	*************	
	60000	; MONTE	, DAY, Y	EAR DONE - NOW GE	T HOURS, MINUTES, SECONDS
7F18 1685	00910		LD	D,5	; HOURS HIGH VALUE POS'N.
7F1A FD7201	80920		LD	(1Y+1),D	; SET UP CLOCK CHIP PORT
7F1D FD7E00	88948		LiD LiD	A, (1Y+0) A, (1Y+0)	, GET HOURS HIGH VALUE
7F23 F5	88958		PUSH	AP	; SAVE THIS FOR AM/PM
7824 14	88960		INC	D	; ACCOMMODATE SUBROUTINE
7F25 BE03	88978		CALL	PILLER	, MASK UNUSED CLOCK BITS
7F2A DEOF	86998		LD	C, OFH	, MASK UNUSED CLOCK BITS
7F2C CDDB7F	01000		CALL	FILLER	; GET HOURS LOW VALUE
7F2F 363A	21010		LD	(HL),3AH	: PUT A COLON IN TIMES
7832 9682	01020		LD	B. 2	NUMBER MINUTE/SEC LOOPS
7F34 CDDB7F	01040	MINSEC	CALL	FILLER	; GET, CONVERT, SAVE VALUE
7F37 CDDB7F	01050		CALL	FILLER	; GET, CONVERT, SAVE VALUE
7F3A 363A	91966		LD	(HL), JAH	; VALUE FOR A COLON ; BUMP TIME BUFFER BY ONE
7F3D 10F5	01086		DJN2	MINSEC	; GO BACK FOR MIN/SEC
7F3F 2B	01090		DEC	HL	THOURS, MINUTES, SECONDS HOURS HIGH VALUE POS'N. SET UP CLOCK CHIP PORT DUMMY VALUE INTO ACC. GET HOURS HIGH VALUE ACCOMODATE SUBROUTINE MASK UNUSED CLOCK BITS GET HOURS HIGH VALUE MASK UNUSED CLOCK BITS GET HOURS LOW VALUE FUTA COLON IN TIMES BUMP THE STRING ALONG NUMBER MINUTE/SEC LOOPS GET, CONVERT, SAVE VALUE GET, CONVERT, SAVE VALUE CULTURE OF A COLON BUMP TIME BUFFER BY ONE GO BACK FOR MIN/SEC BACK UP TO LAST COLON Program continues
					Program continues

7F40 3620	81188		LD	(HL),20H ;	CHANGE COLON TO SPACE
	01110	*****	*******	*************	E NOW PIGURE AM/PM
7F42 23	01140		INC	HL 1	BUMP TIME BUPFER BY ONE GET BACK HOUR HI VALUE CHECK AM/PM INDICATOR MORNING IF BIT 2 = 8 PUT LETTER "P" IN PLACE JUMP PAST LETTER A" IN PLACE BUMP TIME BUPFER BY ONE PUT LETTER "M" IN PLACE BACK TO BASIC ACTIVITY
7943 Pl 7944 CB57	91158		POP	AP 1	GET BACK HOUR HI VALUE
7F46 2884	81178		JR	Z, MORNNG	MORNING IF BIT 2 = 8
7F48 3650	01180		LD	(HL),50H ;	PUT LETTER "P" IN PLACE
7F4A 1802	01190	MODANIC	JR	NEXT ;	JUMP PAST LETTER A
7F4E 23	81210	NEXT	INC	HL 1	BUMP TIME BUPPER BY ONE
784F 364D	01220		LD	(HL),4DH ;	PUT LETTER "M" IN PLACE
7P51 C38428	01230		JP	2884H ;	BACK TO BASIC ACTIVITY
	81250	THIS I	S THE BI	GINNING OF THE "C	MD" PATCH TO SET TIME
	01260	CHECK	FOR TIME	SETTING PARAMETE	RS AND SYNTAX
7054 7P	01270	prapro	T.D.	A (HT)	CUAD AT LINE DOINTER
7F55 FE22	81298	2170116	CP	228	IS IT A QUOTE MARK?
7F57 C29719	81300		JP	NZ,1997H 1	7SN ERROR IF NO QUOTE
7F5A 23	81318		INC	HL ;	SAUP THE LINE POINTED
7F5C 11EA7F	01330		LD	DE, TABLE	GET TABLE OF DAY NAMES
7P5P 8E88	01340		LD	C,8	THIS WILL BE COUNTER
7F61 0603	01350	DAPOOD	LD	B, 3	NUMBER OF CHARS IN DAY
7F64 E5	01370		PUSH	HL	SAVE AGAIN FOR LOOP USE
7865 1A	01380	FINDIT	LD	A, (DE)	GET 1ST CHAR OF STRING
7866 A7	01390		AND	2 PDDOD1	EASY WAY TO SET A PLAG
7F69 BE	01410		CP	(HL)	CHECK IT AGAINST TABLE
7F6A 280A	01420		JR	Z, GOTONE	MATCHGET NEXT CHAR
7P6C 13	81438	LOOP4	INC	LOOPA	CHAR AT LINE POINTER IS IT A QUOTE MARK? ?SN ERROR IF NO QUOTE BUMP LINE PTR. BY ONE SAVE THE LINE POINTER GET THALE OF DAY NAMES THIS WILL BE COUNTER NUMBER OF CHARS IN DAY GET LINE POINTER BACK SAVE AGAIN FOR LOOP USE GET 1ST CHAR OF STRING EASY WAY TO SET A FLAG VALUE = 0 ?SN ERROR CHECK IT AGAINST TABLE MATCH GET NEXT CHAR RUN PAST VALUES FOR DAY BY RUNNING B TO ZERO NEXT DAY - BUMP COUNTER BACK TO NEXT DAY LOOP CLEAR STACK OF HL REG. GO TO ?SN ERROR MESSAGE GET NEXT CHAR FROM LINE BUMP TABLE VALUE ALONG KEEP GOING TILL DONE
7262 BC	81458		INC	C	NEXT DAY - BUMP COUNTER
7F70 18EF	01460		JR	DYLOOP	BACK TO NEXT DAY LOOP
7F72 E1	81478	ERROR1	POP	HL	CLEAR STACK OF HL REG.
7F76 23	81498	GOTONE	INC	HL HL	GET NEXT CHAR PROM LINE
7877 13	81588		INC	DE	BUMP TABLE VALUE ALONG
7F78 10EB	01510		DJNZ	FINDIT	KEEP GOING TILL DONE
	81538	NUMERI	CAL VAL	UE FOR DAY IS IN O	- PUT IT IN MSM5832
areas are	81548	1			CLEAR STACK OF HL VALUE SET UP 8255 TO WRITE CLOCK CHIP WRITE VALUE GET DAY OF WEEK VALUE READY TO WRITE DAY WRITE DAY WRITE DAY
7F7A F1	01550		POP	AF	CLEAR STACK OF HL VALUE
7F7F FD360250	01578		LD	(IY+2),58H	CLOCK CHIP WRITE VALUE
7F83 79	01580		LD	A,C	GET DAY OF WEEK VALUE
7F84 FD368186	01590		LD	(IY+1),6	READY TO WRITE DAY
1500 ED1100	01610		******	(11+0),A	*****************
	01620	; DAY IS	WRITTE	N - PIND MONTH, DA	AY, YEAR AND WRITE THEM
7000 1600	01630	1	T.D.	n 11	VALUE FOR MONTH 4 1
7F8D CDC37F	01650		CALL	TIMSET	WRITE MONTH TO CLOCK
7F98 CDC37F	01660		CALL	TIMSET	WRITE DAY TO CLOCK
7F93 168D	01670		CALL	D,13	VALUE FOR YEAR +1
7F98 1605	01698		LD	D.5	SET TO HOURS HIGH VALUE
7F9A CDA67F	01700		CALL	AMORPM	WRITE HOURS TO CLOCK
7F9D CDC37F	01710		CALL	TIMSET	WRITE MINUTES TO CLOCK
7FA2 23	81738	SNEAK	INC	B, 9	BUMP LINE POINTER
7FA3 10FD	01748		DJNZ	SNEAK	LOOP PAST "PM" & QUOTES
7FA5 C9	01750		RET		BACK TO BASIC PROGRAM
	01770	CHECK	FOR AM	OR PM INDICATION	Y, YEAR AND WRITE THEM VALUE FOR MONTH + 1 WRITE MONTH TO CLOCK WRITE DAY TO CLOCK VALUE FOR YEAR + 1 WRITE YEAR TO CLOCK SET TO HOURS HIGH VALUE WRITE HOURS TO CLOCK WRITE HOURS TO CLOCK WRITE HOURS TO CLOCK NUMBER OF CHARS LEFT BUMP LINE POINTER LOOP PAST "PW" & QUOTES BACK TO BASIC PROGRAM AND WRITE THAT VALUE
Tables 194	01780	1			
7FA6 23	01790	AMORPM	INC	HL	SAVE CURRENT LINE DOR
7FA8 D5	91818		PUSH	DE	SAVE OTHER VALUES IN DE
7FA9 118680	01820		LD	DE,6	HOW MANY SPACES TO MOVE
7FAC 19	81838		ADD	HL,DE	FIND AM OR PM IN LINE
7FAE FE41	01850		CP	41H	SET FLAG IF CHAR. = "A"
7FB0 3E04	81868		LD	λ, 4	GET PM INDICATOR READY
7FB2 2801	91870		JR	NZ, EVENNG	ZERO FLAG NOT SET IF PM
7PB5 D1	01890	EVENNG	POP	DE	RESTORE VALUES TO DE
7FB6 E1	01900		POP	HL	GET ORIGINAL LINE PTR.
7PB7 0602	81918		LD	B, 2	SAVE AM/PM INDICATOR
7FBA 7E	01930		LD	A, (HL)	GET VALUE FROM LINE
7PBB D638	01940		SUB	38H	STRIP ASCII MASK
7FBD 38B3	01950		JR	C,ERROR1	FRROR IF LESS THAN 0
7FC0 C3CD7F	81978		JP	MIDDLE	SUBROUTINE FINISHES JOB
7	01988		******	*******	BUMP LINE TO NEXT CHAR. SAVE CURRENT LINE PTR. SAVE OTHER VALUES IN DE HOW MANY SPACES TO MOVE FIND AM OR PM IN LINE GET CHARACTER FROM LINE SET FLAG IF CHAR. "A" ZERO FLAG NOT SET IF PM CLEAR PM INDICATOR RESTORE VALUES TO DE GET ORIGINAL LINE PTR. SET UP B AS TIMSET LOOP SAVE AM/PM INDICATOR GET VALUE FROM LINE STRIP ASCII MASK ERROR IF LESS THAN & ADD AM/PM BIT TO VALUE SUBROUTINE FIMISHES JOB
	BTAAB) TIME	SETTING	SUBROUTINE CHECKS	LINE FOR SYNTAX
7FC3 1E38	02000	TIMSET	LD	5,30H	CONVERTS ASCII TO HEX
7PC5 8682	02020	TOTAL STATE OF THE	LD	В, 2	LOOP TWICE FOR 2 DIGITS
7FC7 15 7FC8 23	02030	ZLOOP	DEC	D	BUMP CLOCK ADDRESS PORT
7FC9 7E	02050		LD	A, (HL)	CONVERTS ASCII TO HEX LOOP TWICE FOR 2 DIGITS BUMP CLOCK ADDRESS PORT GET NEXT CHAR FROM LINE MOVE IT TO ACC. TO TEST
					Program continues
					A STATE OF THE PARTY OF THE PAR

Both TIME\$ and CMD are "Level III" or DOS (disk operating system) commands, so called because, although Level II acknowledges them (with an ?L3 ERROR message), they have been reserved for system software expansion. What that means is that there is a memory patch point for each of them.

In normal Level II BASIC, that patch point command effectively is "jump to the ?L3 ERROR message". We change that in this program—see lines 190 to 230—by patching into TIME\$ at address 4177 hex, and into CMD at address 4174.

When we now issue a command such as PRINT TIME\$, the program jumps to the linking point at 4177, and is re-routed to our own time program beginning at address 7EB6. (If you use an editor/assembler, this program may be relocated to any convenient address).

The IY register is assigned to the clock's allocated memory position (37D0), and, just as in the BASIC listing, the port and clock are prepared for reading. There is a CALL into a subroutine in ROM (line 310), which sets all the necessary pointers to create a 24-character string for BASIC's

Take a look at the redundant instructions at lines 440 and 450. Because the clock chip is slow, we read the same information twice to give the signals time to stabilize through the 8255 port device. The clock requires a set-up time of about six microseconds, so if your TRS-80 is modified for high speed, you may have to triple this instruction to get a reliable value from the clock.

Corresponding Day

Lines 460 through 650 look up the corresponding day of the week in the table found at lines 2300 and following. The program then goes on (lines 690 to 1100) to read each value from the clock, convert it to ASCII characters, and build a string for display or printing.

The morning/afternoon part of the string is created at lines 1140 to 1220, and finally the program jumps into ROM at address 2884, which completes the interpretation of the user's BASIC command, directing the TIME\$ to print, line print, equate with another string, etc.

To set the time, a format similar to the display must be used. In other words, when you command PRINT TIME\$, the screen might read:

MON 02/28/80 11:05:16 AM

In setting the time using CMD, it is enclosed in quotes, leaving off only the value



for seconds, as in this sample:

CMD"TUE 03/14/49 02:29 PM"

The quotes, spaces, punctuation, and leading zeros must be intact as shown or a ?SN ERROR will result.

The TRS-80 reads all this information by branching to the address 4174 hex, which would ordinarily produce a Level III error (?L3 ERROR) in response to "CMD". Instead, we redirect it to our routine at 7F54 (line 1280 in the listing). The syntax is verified for the quotation mark, and the table of days of the week is checked for a match to the day you have entered (remember not to use shifted characters).

Each succeeding character is read, validated, and sent out to the clock chip. Almost all the subroutines are identical, except for the one which identifies AM or PM.

Finally, the program executed a RETurn, which sends it back to the program or command routine in progress. The TIME\$ and CMD statements can be used in a program or from the command mode; they can now act exactly like any other standard Level II BASIC instructions.

Next month the use of the interruptdriven real-time clock circuit will be presented. In its place (in order to keep my telephone from ringing off the wall), are a few of the more important missing photographs of the six TRS-80 modifications described in September's Applications. ■

Add a Keyboard




Photo 1. Slide one of the wire wrap sockets into the disembowelled solder-tail socket. Photo 2. Feed the wire-wrap pins through the circuit board and fasten the sockets with fast drying glue.

TECA 03	02060		121110	P	; STRIP OFF ASCII VALUE ; ERROR IF LESS THAN 0 ; CHECK IF GREATER THAN 9 ; ERROR IF GREATER THAN 9 ; OPEN PORT TO CLOCK ; WRITE VALUE TO CLOCK ; DO IT FOR 2 DIGITS ; BUMP PAST / : OR SPACE ; BACK TO MAIN PROGRAM
7FCA 93 7FCB 38A5	02000		200	C ranon)	- Depon to room musk #
7FCD PERA	02070	HARME E	27.00	CIERRORI	COPER IN CREAMER WINE O
TECH PENA	02000	MIDDLE	CP	97-71 11 11/7 - 47 TO TO TO TO TO TO	CHECK IF GREATER THAN 9
7FCF 38A1	02090		14 K	NC, ERRORI	1 ERROR II GREATER THAN 9
7FD1 PD7201	0.5105		LD	(11+1).0	1 OPEN PORT TO CLOCK
7FD4 PD7700	02110		LD	(IY+0),A	; WRITE VALUE TO CLOCK
7FD7 10EE	82120		DJNZ	ZLOOP	; DO IT FOR 2 DIGITS
7FD9 23	Ø2138		INC	HL	1 BUMP PAST / 1 OR SPACE
7FDA C9	02140		RET		; BACK TO MAIN PROGRAM
	02150				**************************************
	92160	GET	VALUE.	CONVERT TO ASCII	, AND SAVE IN TIMES BUFFER
	02170	1 222			
7.FDB 15	02180	ETTTER	DEC	D	RUMP CLOCK PORT ADDRESS
7800 807281	02100	E-A-MANUE	1.70	71V411 B	POINT TO VALUE WANTED
7 PDC PD7201	02190		1.15	5 1 TV - 01	. COM DUMMY VALUE THEO &
7 000 007 000	02200		LD.	7 (11.0)	NOW COM WALTE WALTE
TEEZ FD/EUE	02210		LD	William	; NOW GET VALUE VALUE
TEES AL	62220		AND	5	; MASK UNUSED BITS
7FE6 83	82238		ADD	A.E	7 MAKE IT AN ASCII VALUE
7EE7 77	82248		LD	(HL),A	1 PUT VALUE INTO BUFFER
7FEB 23	02250		INC	HL	; NEXT BUFFER POSITION
7FE9 C9	82269		RET		; BUMP CLOCK PORT ADDRESS ; POINT TO VALUE WANTED ; GET DUMMY VALUE INTO A ; NOW GET VALID VALUE ; MASK UNUSED BITS ; MARE IT AN ASCII VALUE ; PUT VALUE INTO BUFFER ; NEXT BUFFER POSITION ; BACK TO MAIN PROGRAM
	02280	; THIS	IS TH	E LOOKUP TABLE OF	DAYS OF THE WEEK
	82298				
7FEA 4D			DEPM	* MON *	
	02310	4	100000		
7FED 54	82328	9	DEFM	FTUE	
CC-000 25 W	02330	127	1066566183	200	
2000 62		3	DEPM	'WED'	
7FPØ 57	02340		DEFE	CMPD :	
	02350	1		42.000	
7FF3 54	02360		DEPM	'THU'	
	02370				
7FF6 46	82388		DEFM	'FRI'	
	82398	7			
7FF9 53	02400		DEFM	'SAT'	
	02410				
7FFC 53	82428		DEFM	'SUN'	
	62436		30.000.00		
7FFF 00	02440		DEFB	0	
1111 00	82450		2210		
	02450			************	
79.000.00	02400	3	DATE	ENTRY	
7 EA7			END	ENTRI	
BBBBB TOTAL	ERRORS				
AMORPM 7PA6		81780			
DYLOOP 7F61	01350	01460			
ENTRY 7 EA7	86198	82478			
ERROR1 7F72			01950	02078 02098	
ERROR2 7F73					
EVENNG 7FB5		01870			
FILLER 7FDB			00748	00788 80888 8084	0 09850 00980
LIBROR FEDD	U.Z.J.UU		01848		
PINDIT 7F65	01700	01510		2222	
GOTONE 7F76	31490	81428			
LOOP1 7 EDC	00490 00520	00540			
LOOP2 7EE1	00520	00530			
LOOP4 7F6C	01438	01440			
MIDDLE 7FCD	02080	01970			
MINSEC 7F34	01848	01080			
MORNNG 7F4C		01170			
		81198			
		01740			
STARTI 7EB6		00190			
STARTI 7556 START2 7554		88218			
	82388		01338		
				037.00 03774	
TIMSET 7FC3			01000	01680 01710	
		00500			
		00638			
TLOOP 7FC7	02030	02120			

Program Listing 2. CLock program for MSM5832 Board attached to the TRS-80 at address 14288 to 14291, using "Times" and "CMD".






Photo 3. Piggyback the remaining wirewrap socket into the first one and snap the cover back on.



Give Your Computer the Best

The Microline 80

You can't find a better small printer. The Microline 80 will outperform and outlast every competitor. It will run all day at 80 cps with no duty cycle limitations, producing letter perfect printing on plain paper. And the head is warranted for 200,000,000 characters.

You can't find a better value either. The Microline 80 includes upper and lower case characters, double width and condensed printing, friction and pin feed, six and eight line per inch spacing and block graphics for charts, graphs and diagrams. And it operates with TRS-80™, Apple™ and other popular small computers. The only extras are snap-on tractors and a buffered RS232 interface. Give your computer the best, the Microline 80.

TRS-80 is a registered trademark of Radio Shack, a division of Tandy Corp.

OKIDATA

Okidata Corporation
111 Gaither Drive
Mount Laurel, New Jersey 08054
609-235-2600

80 APPLICATIONS



Photo 4. Socket should fit 1/16 of an inch above the surface of the cover.




Photo 5. Cable plugs comfortably away from keycaps.

Return to Level I BASIC



Photo 1. Line up the two chips piggyback and solder all 24 pins.

Parts list for Kitsz's October Column

IC	TYPE	Voc	GND
Z1	78L05	3	2
22	74LS14	14	7
Z3	74LS90	5	10
Z4	74LS92	5	10
25	74LS74	14	7

Real-time clock using one-second interrupt

IC	TYPE	Voc	GND
ZA	74LS27	14	7
7R	741 SO4	3.4	7

Real-time clock using MSM5832, alternate circuit to replace 74LS260.

IC	TYPE	Vec	GND
Z1	74LS30	14	7
Z2	74LS260	14	7
Z3	INS8255	26	7
Z4	MSM5832	1	13

XTAL 32768 Hz R1-R12 10K C1, C2 20 pf

1 of

23

C3-C5

NOT CONNECTED 14, 15, 16, 17 22, 23, 24, 25

Real-time clock using MSM5832 clock/calendar

	DEVICE	R.S. PART NO.
T1	6.3V 1A transformer	273-050
D1	Bridge rectifier 1A 50V	276-1161
C6	470 uf 16V	272-1018
C7,C9	10 uf 10V	272-1013
C8	1 of disc	272-135
R13	47K 1/4W	271-042
R14,R15	10K 1/4W	271-034
R16	100@ 1/2W	271-012
Q1	PNP xtor VCE = 1V	276-2021
Q2	NPN xtor	276-2033
25	7805 5-volt regulator	276-1770
D2	Diode 1A 50V	276-1101

Power Supply with Battery Backup for MSM5832

THE ASSEMBLY LINE

by William Barden, Jr.

his month I'm going to answer the questions many disk users have been asking: How do I talk to the disk by the TRSDOS calls? How can I bypass TRSDOS and talk directly to the disk? Yes, assemblers, this month's column is devoted to disk users. If you don't have a disk, I'll wait until you rush to town and buy one(...I'll just load this cassette file while you're making the purchase...).

Disk Basics

By now you've purchased your disk, plugged it in, and are ready to go. Let's look at a few disk basics. Some of these points may be obvious to a lot of you, so please bear with me as I start from the very beginning.

The beginning is a circular piece of mylar coated with a ferro-magnetic material. Each diskette is certified by the manufacturer by writing and verifying high-density data. In most cases, this certification procedure is much more stringent than the bit densities encountered in TRS-80 use. This explains why many users get away with making their own "flippies," cutting new index holes and write-protect notches on the opposite side of the diskette use the second side. (I do it myself with no problems.)

You all know the physical layout of the diskettes. The index hole marks the beginning of sector 0 in the TRS-80 soft-sectored format. (In the hard-sectored format there is an index hole for each sector.) The write-protect notch, of course, inhibits writing when covered with tape.

An important point, which may not be obvious to everyone: As the diskette comes from the manufacturer, it is unformatted. There is no data, other than random data, on the diskette. There are no inherent magnetized marks that indicate sectors, tracks, or any other areas on the diskette.

To be used, each diskette must be formatted. This simply means that identification data is written on each of 35 (or 40 or 77) tracks on the diskette. The identification data includes gaps for 256 bytes of user data in each sector, Standard TRS-80 diskettes are 35 tracks of 10 sectors each. The formatting process is handled by a formatting program that talks in assembly language to the 1771 disk controller chip in the expansion interface. The formatting program sends special codes to the disk controller chip to cause track/sector identification marks, data address marks, and CRC (check) characters to be written in the proper places (Fig. 1).

The layout of the standard TRSDOS diskette is shown in Fig. 2. The first 256 bytes of track 0, sector 0 of the diskette are dedicated to a bootstrap program called BOOT/SYS. This bootstrap is read into RAM at 4200 by the Level II initialization code. The initialization code reads back status from the disk. If there is indeed a disk out there, it reads in track 0, sector zero. The bootstrap pulls in the remainder of TRSDOS.

The directory of TRSDOS is located in track 17 (physically halfway through the tracks). It occupies the entire track, and

contains a granule allocation table (GAT—sector 0), hash index table (HIT—sector 1), and directory of file names (remaining eight sectors). The directory contains the names of all disk files. All additions of new files, modifications of existing files, deletions of files, and so forth, is done by first searching the directory for the file name, or making a new entry of the file name. File names are in standard TRS-80 format-one-eight character name, extension, password, disk drive number, and Social Security number.

Disk files are made up of any number of granules. Each granule is five sectors, or one-half track worth of disk. Why five sectors?

Five sectors is 1280 bytes, a not unreasonable size for program chunks or meaningful quantities of data. I suspect one of the reasons for this disk allocation is that it's simply easier to work with 70 segments rather than 350 segments (sectors) of disk resource—it makes the file management routines less complicated, and cuts down on the size of directory space.

Now let's ask ourselves a philosophical question... Why this structure? Why not a directory on track 0? Why not 250 segments to be allocated one at a time? Why passwords) Why not? That's the design that was implemented, and it's not bad. If you want to use TRSDOS, you must accept the existing structure—well, almost...

Two Alternatives: How do You Manage?

Knowing something about the TRSDOS structure at this point, the disk user is faced with two alternatives. One is to use




Fig. 1. Disk Formatting

the built-in file management routines of TRSDOS and Disk BASIC to store and retrieve files of data. This is not a bad choice; we can easily initiate, write, read and verify sequential or random files in assembly language. What we cannot do in this structure, however, is get at other areas of the disk—investigate the directory, bootstrap, SYS files, and so forth.

The second alternative is to scrap the TRSDOS structure and write your own assembly language file management routines to create, write, read and perform other operations on files. You can create your own file structure on disk, or even make one compatible with TRSDOS. However, to do this, you must gain experience in two areas.

First of all, you must know how to talk to the disk controller chip directly. The Western Digital FD-1771 chip is a small microprocessor in itself, dedicated to controlling floppy disk functions. It has a set of 11 commands and a number of internal registers that control sequences of operations such as writing a sector, reading a sector, stepping the head in and out, writing and reading tracks, and so forth. Because of the complexity of the chip, we can't cover the operations here.

Secondly you must know something about disk file management design. Your application may be as simple as storing data on the disk from track 0, sector 0 through track 34, sector 9; it may also be a lot more complex, such as implementing a time-sharing application or virtual memory. Here again, there is too much material to be covered even in several columns.

If you would like to know more about implementing your own disk file management and disk I/O drivers, here's the plan of attack: Get a copy of the FD-1771 Floppy Disk Controller/Formatter specification from Western Digital. It will list all commands, status, and disk operations. Then type some simple experimentation using assembly language. You can't hurt the disk, but I would advise using a diskette other than your company's payroll master.

If you haven't become a blithering idiot after that, do some reading on file management and start coding your own designs. The advantages? You could conceivably establish a much faster, more efficient storage scheme, geared to your own application.

For the remainder of the column we'll look at the second option, using the TRSDOS I/O calls to handle TRSDOS compatible files. Although we have to work within the framework of TRSDOS, we can still do some neat things.

Physical Records vs. Logical Records

Suppose you need an article cross-reference file containing titles and pertinent information on computer magazine articles. If you establish that each record of the file can be held in 64 bytes, the record definition is called the logical record of the file; it's the record that the program will be processing and listing out.

When writing records to disk, four 64-byte records must be blocked into 256-byte chunks. The reason for this is that all disk operations are done on a sector basis. The sector records are called physical records, since they describe the length of the actual physical record, just as a punched card (say wha') would be one physical record of 80 bytes.

Much of the work of TRSDOS file management is concerned with blocking the user specified logical records into sector sized physical records on writes, and deblocking the logical records on reads. To do this, TRSDOS reads and writes sector




Fig. 2. TRSDOS Disk Layout

After you play the Temple of Apshai, you can play Sticks and Stones for free.

Within the 200 rooms and catacombs of the Temple of Apshai, untold treasures await you the hero. All you have to do is elude, outsmart and outwit the beasts, monsters and demons lurking in the dark labyrinth. Spend minutes or hours on this role-playing fantasy — the boldest computer game in our Dunjonguest™ series.

Now, when you order the "Temple of Apshai," you get the "Sticks & Stones" board game for no extra charge. In fact, if you're not satisfied with the "Temple of Apshai," you can return it within 10 days and still keep "Sticks & Stones!"

But don't wait, this special offer is limited. (We'll also send you a catalog outlining our other exciting com-

puter games).



Address

City, State, Zip

Amount \$

Check enclosed.



Expiration date

Automated Simulations, P.O. Box 4247, 1988 Leghorn Street Mountain View, California 94040 Department 80

Please send me the "Temple of Apshai" for:

TRS-80


APPLE

PET

Cassette (\$24.95)	Disk (\$29.95)
16K, Level II	32K TRSDOS
Not available	48K Applesoft in ROM
32K	Not available

(Add \$1.00 shipping and handling charge; plus 6% or $6 \ensuremath{V}_2\%$ tax for California residents.)

Or charge by phone: (800) 824-7888, operator 861. In California: (800) 852-7777, operator 861. If you prefer, call these numbers for a list of the computer stores near you.



THE ASSEMBLY LINE

records from a user specified 256-byte buffer. In Disk BASIC, the buffers are dedicated memory areas. In assembly language calls to the TRSDOS I/O routine, the user may specify any memory area as the buffer.

Device Control Blocks

TRSDOS I/O calls are made by passing the address of a device control block (DCB) in the DE register pair. The DCB is a 32-byte block anywhere in user memory that contains a standard TRSDOS type file name (don't forget your Social Security Number).

The contents of the DCB are used to find or initiate the disk file. The file name

Manual.) Each call is to a TRSDOS routine at about 44XXH:

- INIT Creates a new file entry in the directory.
- OPEN Finds an old file entry and starts operations.
- READ Reads a logical record from an existing file.
- WRITE Writes a logical record to an INITialized or OPENed file.
- POSN Positions causes TRSDOS to find a random record.
- VERF Is the same as WRITE, except that the data is read back and compared.
- CLOSE Terminates operations on the file.




Fig. 3. DCB Format

string is then clobbered, and the 32-byte area is used as working storage for the disk file activity. After the file operations are completed, the file name is restored. The appearance of the DCB is shown in Fig. 3, both in file name and working storage formats. Why does TRSDOS use the DCB instead of maintaining working variables somewhere within the depths of itself next to the mysterious F3GUM or RVCOOK? Don't complain—the DCB defines an area that the user can access to look at the parameters as file operations are performed.

Let's get to the actual disk calls in the TRSDOS area themselves. (Sorry about the programmer in Des Moines who fell asleep reading this introductory material.) There are eight calls. (They are described in the TRSDOS/Disk BASIC Reference

 KILL Deletes a file from the directory and releases its space.

Creating a File

The normal sequence of calls for creating a new file is to call the INIT routine to create a new file entry, make a series of WRITE calls, and then CLOSE the file. The CLOSE call is very important, as it writes an end of file and closes file operations in an orderly fashion. Not using the CLOSE might result in data still in the buffer and not written out to disk.

The INIT call is made with DE pointing to the DCB, HL pointing to any 256-byte buffer area in RAM, and the B register containing the length of the logical record. This LRL may be one to 255, for lengths of one to 255 bytes. If a zero is used, the record will be made 256 bytes, or one sector

in length.

LD	HL,BUF1	LOAD BUFFER LOCATION
LD	DE,DCB	DCB LOCATION
LB	B,64	LRL OF 64 BYTES
CALL	4420H	CALL INIT
JR	NZ,ERROR	GO IF ERROR

Note that on the return the Z flag is set if everything went as planned. However, if the Z flag is not set (NZ condition), a TRSDOS disk error occurred, and some type of error action must be taken. The error may be anything from a write-protected disk to a hard disk error. There's a list of error codes in your TRSDOS/Disk BASIC Reference Manual together with corrective action.

After the file has been INITialized, a series of WRITES can be done. The WRITE call is made with DE pointing to the DCB (which now contains variables such as the LRL). The HL register pair contains the User Record Area address or UREC. This is the location of your logical record. The WRITE causes your logical record to be physically transferred from the UREC to the BUFFER. Only when the BUFFER is filled to capacity is a disk sector write made for the file. In the case of 64-byte logical records, this means a write every four logical records.

LD	HL, MYREC	LOAD ADDRESS OF
		64-BYTE REC
LD	DE,DCB	DCB LOCATION
CALL	4439H	CALL WRITE
JR	NZ,ERROR	GO IF ERROR

A VERF write reads back every sector after a write to disk and compares it with the contents of the buffer. The setup is the same as the WRITE, but the call is made to location 443CH. I'd recomment the VERF in place of a WRITE, as the overhead is not all that great.

Each successive WRITE automatically writes a record in the next position in the file, creating a sequential file. After all the necessary writes have been done, a CLOSE operation terminates the disk file. Since there may be a partial BUFFER that has not been written out, and since other TRSDOS actions must be taken to close the file, the CLOSE is absolutely necessary.

LD	DE,DCB	LOAD DCB ADDRESS
CALL	4428H	CLOSE FILE
JR	NZ,ERROR	GO IF ERROR

Reading an Existing File

The normal sequence of calls for reading an existing file is to call the OPEN routine so that TRSDOS can locate the file, then make a series of READ calls to read logical records into the User Record Area,

THE ASSEMBLY LINE

and then to CLOSE the file.

The OPEN routine call is identical to the INIT except for the CALL location. (By the way, almost all TRSDOS files have LRL = 0 (256 bytes) so use this value if reading existing TRSDOS files.)

LD	HL,BUF1	LOAD BUFFER LOCATION
LD	DE,DCB	:DCB LOCATION
LD	B,64	LRL OF 64 BYTES
CALL	4424H	CALL OPEN
JR	NZ,ERROR	GO IF ERROR

After a successful OPEN (Naturally there is an error code for non-existent files), a READ call can be made to read the physical record into the User Record Area. This will physically transfer a record from the BUFFER to the user specified UREC but will result in a disk sector read only if the last logical record in the BUFFER has been transferred. In the 64-byte LRL case, every four READ calls will result in a new disk sector read.

LD	MYREC	LOAD ADDRESS OF
		64-BYTE BUFFER
LD	DE,DCB	DCB LOCATION
CALL	4436H	CALL READ
JR	NZ FRROR	GO IF FRROR

Successive READs will transfer the next logical record from the file into the UREC automatically, reading a sequential file without the user having to specify which record is required. After a series of READs, a CLOSE is done as in the WRITE case to properly terminate the disk file action. The calling sequence is the same.

Random Files

The above sequences show how to WRITE and READ sequential disk file. The only difference in operating with random files is that the user must specify the record to be transferred, rather than letting TRSDOS simply pick up the next sequential record or write the next record in sequence.

In random files, a POSN call precedes every READ or WRITE. The POSN call positions TRSDOS to the random record required. This step is necessary because the chances are good that the random record is not in the current BUFFER on a READ, or could not be placed in the BUFFER on a WRITE. In the POSN call, DE is loaded with the DCB location as in the other calls, but BC contains a logical record number for which TRSDOS is to search and position. A typical sequence to read the 15th record of a file after an OPEN would be:

LD	DE,DCB	;DCB LOCATION
LD	BC,14	:15th RECORD
CALL	4442H	POSN CALL

JR	NZ,ERROR	GO IF ERROR
LD	HL,MYREC	LOAD ADDRESS OF
		64-BYTE RECORD
LD	DE,DCB	;DCB LOCATION
CALL	4436H	READ RECORD
JR	NZ,ERROR	GO IF ERROR

A DUMP Program

To tie all of these concepts together I've written a short program that will dump out a given area of memory as a disk file of 64-byte logical records. It also has the ability to read in the records. This is somewhat more general purpose in nature than

the TRSDOS DUMP command, as it does not assume that the data in memory is machine language. A good test case for its use is to dump out the video display memory area and then to read it in again.

Next month we'll present the results of the Third Assembly Line Programming Contest, provided that I'm not getting dozens of entries by the article deadline. (I just got a high speed multiply routine today for the second contest that looks like it does the job in 145.99 microseconds! 145.98 anyone?)

```
00110;
00110; DUMP/READ SUBROUTINE
00110; DUMPS MEMORY TO DISK AS 64-BYTE LOGICAL RECORD FILE.
00140; READS BACK IN FILE. FILE NAME IS ALINE
00150;
                                                ; ***ENTER HERE FOR DUMP WITH (HL)=START, (DE)* BYTES*;
;***DE MUST BE TO NEXT 64-BYTE BOUNDARY. DE <=16*

DUMP LD B,6 ;ITERATION COUNT
DMP818 CALL SHIFT ;DIVIDE * BYTES BY 6

DINZ DMP818 ;LOOP TIL DUNE
                                                                                                                               ;ITERATION COUNT
;DIVIDE # BYTES BY 64
;LOOP TIL DONE
;SAVE # OF RECORDS TO WRITE
;SAVE FOR READ
;SAVE START
;BUFFER START
;DCB ADDRESS
;64 BYTE LRI.
;INITIALIZE FILE
;GO IF NO ERROR
;ERROR COUE IN A
;ERROR DISPLAY ROUTINE
;REBOOT
;GET USER REC AREA (MEMORY)
                                   80208 DMP818
                                                                     PUSH
LD
PUSH
PE07 D5
PE08 ED5392FE
PE0C E5
PE0D 2194FE
PE18 1172FE
PE13 0644
PE15 CD2044
PE18 2808
PE1A F600
                                                                                           (NOREC), DE
                                                                                         HL, BUFFER
                                                                                         DE, DCB
B, 64
4420H
Z, DMP020
80H
                                   00280
                                   00300 DMP015
 FEIC CD0944
FEIF CD2D40
FE22 E1
                                                                                          4409H
                                  88318
88328
88338 DMP828
                                                                                          482DH
                                                                                                                                     GET USER REC AREA (MEMORY)
                                                                                                                                      ; DCB ADDRESS
 FE27 CD3C44
FE2A 20EE
                                                                                                                                     VERIFY
GO IF ERROR
RESTORE REGS
RESTORE COUNT
DECREMENT CHT OF RECORDS
GET MS BYTE OF COUNT
TEST FOR ZERO
GO IF DONE
INCREMENT FOR UREC
POINT TO NEXT BLOCK
SAVE REGS
                                                                                          NZ,DMP815
  FE2D D1
                                   88418
88428
88438
 FE31 2808
FE33 014000
                                                                                           Z,DMP898
 PE38 E5
PE39 18E7
PE3B 1172PE
PE3E CD2844
FE41 2007
                                                                                          DMP828
                                                                                          DE, DCB
4428H
                                                                                                                                  CLOSE
GO IF ERROR
                                                                                          NZ,DMP015
  FE43 C9
                                                                                                                                 RETURN
NE". (HL) = START ONLY ***
; SAVE START
; BUFFER ADDRESS
                                                                                        FOR READS OF "ALINE"
                                                  *** *ENTER
 FE44 E5
FE45 2194FE
FE48 1172FE
FE4B 0648
                                                                                          HL
HL, BUFFER
                                                                                          DE, DCB
B, 64
4424H
                                    02560
                                                                                                                                  DCB ADDRESS
 FE4D CD2444
FE5Ø 20C8
FE52 E1
                                                                                                                                  :OPEN
:GO IF ERROR
:GET ADDRESS FOR UREC
:SAVE
                                                                      CALL
                                                                                          NZ,DMP#15
HL
 PE53 E5
PE54 1172PE
PE57 CD3644
PE5A 20BE
PE5C 3A92PE
                                                                                          DE, DCB
4436H
NZ, DMP#15
A, (NOREC)
                                                                                                                                      | SAVE
| DCB | ADDRESS
| READ ONE LOGICAL REC
| GO IF ERROR
| GET | TO READ
| DECREMENT
                                                                                          (NOREC),A
Z,DMP090
HL
  PE60 3292FE
PE63 28D6
                                                                                                                                      ; SAVE
; RETURN IF DONE
; GET UREC POINTER
; FOR BYTES IN RE
; FIND NEW ADDRESS
; SAVE
             814888
   PE69 09
PE6A E5
                                                                                                                                  ;LOOP ON READ
;SHIFT D TO CY
;DOUBLE SHIFT OF DE
;RETURN
                                    00730
00740 SHIPT
                                                                                           REABLE
  FE6F CB1B
FE71 C9
                                                                                           'ALINE
                                     92779 DCB
   FE89 0D
FE8A 20
                                                                                                                                  ; MUST BE RETURN HERE
                                                                                                                                  ONLY ONE USED FOR SECTOR
                                     00810 BUFFER
                                                                                           256
   00000 TOTAL ERRORS
                                                                               Program Listing 1
```



WE HAVE A FULL HOUSE





Buy Only From a "Factory Authorized Source"



PRINTERS	List Price	
Okidata Microline 80 \$	800.	Ask for Our Price
NEW Microline 82 \$	960.	Ask for Our Price
Anadex Model DP-8000 or DP-8000AP \$	1095.	Ask 10:5
Anadex Model DP-950 or DP-9501\$		Ask for Our Price
Epson Model TX-80B Friction Feed \$	710.	Ask for Our Price
Epson Model TX-80B Tractor Feed & Graftrax \$	799.	Ask for Our Price
Epson Model MX-80\$	645.	Ask for Our Price

INTERFACES

Okidata Microline 80
Tractor Feed..\$100.
Okidata Microline 80
RS-232 Interface
with 256 Character
Buffer.....\$200.
All above Printers—
Cable from Printer
to TRS-80....\$35.
Epson-Serial Interface
& Cable.....\$90.
Epson IEEE 488
Interface & Cable \$80.
Epson Apple Plug-in
Interface &

Cable\$110.

PRINTER STANDS



Systems
Furniture
Universal
Printer
Stand
without
top, but
with paper
basket

. \$120.

TRANSIENT CLIPPERS



The ideal Line Voltage Transient Clipper from DPF protects against • High Energy Voltage Transients • On-Off Switching • Lighting Induced Transients. Model C-1200 (Other Models Stocked) \$57.5

ASK FOR OUR
INSTANT DISCOUNT
From Roy Hawthorne
Talk To Bill Tokar On
Applications

CALL TOLL FREE

U.S.A. 1-800-521-2764 MICHIGAN 1-800-482-8393



WRITE TO:

V 438

"The Stocking Source" 23995 Freeway Park Dr. Farmington Hills, MI 48024

80 REVIEWS

"Throughout can be found several methods to faster graphics, searching, and sorting—all which provide aid to those speed-oriented programmers."



Programming Techniques for Level II BASIC William Barden, Jr. Tandy/Radio Shack Softcover \$4.95

by Tom Yager

adio Shack's latest venture into the world of publishing is a book which tries to teach the TRS-80 user some of the more advanced techniques used in programming. Covering everything from simple debugging to complicated sorts and tape I/O, Programming Techniques for Level II BASIC can enhance the work of both amateurs and experts.

The book, which contains twelve chapters, is arranged in the author's usual self-teaching style. It is assumed in the first chapter that the reader has at least a nod-ding acquaintance with Level II BASIC, but the text is most certainly not aimed at the experienced programmer. Those who fall into this category, however, would not be unwise to read this guide—many chapters would be of interest to any programmer concerned with conservation of time and memory.

Barden's intent is to uncover some unusual applications for the Level II. Such applications certainly can't be found in the Level II reference manual. In fact, the book is less a handbook of technique than it is a handbook of well-documented applications.

The first chapter lays the groundwork for the rest of the book by giving the reader more explicit descriptions of Level II functions than presented in the reference manual. This chapter also covers some basic programming methods which are utilized in later chapters.

Perhaps the greatest attention in this book is paid to increased efficiency.

Throughout can be found several methods to faster graphics, searching, and sorting—all which provide aid to those speed-oriented programmers.

The reader is taken through a series of applications, each a bit more involved than the one before it, and all of them are linked together one way or another. Barden's writing style—one which mixes wit and humor with instruction—helps keep the reader's attention, but can be tedious at times. A quick browse through the table of contents gives a hint to the tone of the entire work—which seems to be riddled with puns and jokes and is seldom serious. I'm afraid this may keep some from purchasing an otherwise excellent book.

Among the book's many merits is that it's extremely easy to understand. Most of the text is followed closely by actual examples, many of which combine several advanced methods and provide the reader with a better understanding of not only the material at hand, but also how the current concept can be worked in with others.

One of the best chapters in the book deals with high-speed searching and sorting of data. Barden outlines several methods of accomplishing these fearful tasks, finally leading up to the fastest and most efficient. His descriptions are clear, and his examples are excellent illustrations of the material. Imagine a 1000-element mailing list that doesn't take all night to sort....

Toward the end of the book is another interesting chapter that made me wonder if Radio Shack's usual editor went on vacation prior to this book's release. Remember those pages in the reference manual which tiptoe around such mundane things as variable storage and interfacing BASIC with machine language? These items are described much more clearly and in greater detail in Barden's book. Earlier on we even get a rundown of the TRS-80's number system.

Although I can't honestly say this book has it all, I can say that it would be to any programmer's advantage to use the techniques set forth in it. A special invitation goes out to those in the business of writing programs for others—you would do well to use the methods in this book in your software, especially if it's business-oriented. I have seen several high-priced software packages that might come near being worth their price, had they made better use of the Level II's features.

The Most Popular Subroutines in BASIC Ken Tracton TAB Books Summit, PA Softcover, 182 pages, \$5.95

by Carroll M. Grigsby

was ripped off! Glancing through this book in a bookstore I saw a way to generate predictable random numbers.

Unfortunately, I failed to examine the rest of the book very closely. Only after I paid for it did I realize that it may be the worst value available in today's personal computing market. It is a slipshod effort, filled with errors and obviously produced in haste. I write grocery lists with more care.

The title should have warned me. Is there a Top-40 chart for BASIC subroutines?

I will dismiss the word "most" as advertising puffery and quote from the blurb on the rear cover: "Here's an understandable guide to the BASIC subroutine... and how you can use it on any floating point BASIC integrator (sic) or computer to avoid tedium, economize on computer time, and make your programs run faster."

Are "integrators" a strange and wonderful new mix of interpreters and compilers?

White Meat or Dark?

Let me turn your attention to the meat of this turkey. In Chapter One the reader is told that the line numbers used in the examples can be altered without harm; from this I presume that the target reader is a beginner. But in the next paragraph, the reader is cautioned that "altered variables" may cause problems. Yet no definition is given of "altered variables." This is not fair to the poor neophyte, who might not know what an "altered variable" is.

The author then explains that there is a price to be paid for the more compact programs that result from the use of subroutines: slower execution. The author is wrong; programs can execute more quickly if they incorporate intelligently designed subroutines.

One of the major shortcomings of the book is that most of the examples given are trivial. I concede that examples in which the computation is very simple are an effective way of illustrating a principle. But that is not the case here, where most of the examples are two or three lines in length.

The examples don't illustrate how subroutines are used to improve the quality of programs. It is possible for a beginner to get the impression that subroutines are limited to only a few lines of code, which is not correct. Many BASIC dialects permit multiple RETURN statements, yet no mention is made of this.

Other notable omissions include the DEF FN statement, and a discussion of techniques for passing variables between the calling program and subroutine.

Each of the chapters purports to give subroutines related to some technical field. But are they of any real value to someone who is interested in that field? I think not.

The chapter on measurement conversions for example, tells us that Angstrom units are converted to nanometers by multiplying by 0.1. I would think that anyone who was writing computer programs involving these units would be well aware of this fact.

For reasons known only to the publisher and author, either the book was not proofread by anyone, or else the proofs were reviewed by a technical illiterate, resulting in numerous mistakes. Examples include saying that another unit for pressure is mm Hz (Hertz is used for frequency; mercury is used in barometers); and that light intensity may be measured in foot-lambers (try foot-lamberts). At least four of the examples given will cause an error, either because of syntax or logic.

Chapter Three, "Conversion," accounts for over one-quarter of the book's size, more than its share of errors and very little utility. It could have been condensed to about five pages by using a general purpose subroutine.

Chapter Six discusses graphing. The

author uses a non-standard BASIC function called SUBSTR(G\$,X,1). It appears to be similar to the Microsoft MID\$(G\$,X,1) and is available on the CDC-CYBER computer which Tracton used to test the subroutines in the book. But it does not appear in David Lien's useful *The BASIC Handbook*.

The greatest variation among the various BASIC dialects seems to be in the area of string functions. In a more professionally done book, there would be an explanation of how the SUBSTR(G\$,X,1) works. To his credit, the author does explain that there are variations in the requirements for dimensioning string variables

Chapter Eight discusses moments of inertia. The author confuses the area moment of inertia and the mass moment of inertia in his introductory remarks. The area moment is used, among other things, to compute the deflection of a structural beam, whereas the mass moment might be used to calculate the angular acceleration of a wheel. The subroutines presented refer only to the area moment of inertia.

Several Alternatives

The next few chapters are short and of no better quality than the earlier ones. Er-

rors abound and opportunities to give the reader some real information are missed. Sorting is called sequencing. The random number generator doesn't (at least in the version of Microsoft 8K BASIC on my Sorcerer).

Chapter 17, the closing chapter, can help the beginning programmer. It contains several program listings which have been written using information from the earlier chapters.

Although hardly models of style, a beginner could learn something from them: that there can be huge differences between the various versions of BASIC; that just because something is printed in a book does not mean it is correct; and the meaning of SN ERROR.

The book's lack of credibility is a surprise coming from Ken Tracton, author of the excellent 57 Practical Programs and Games in BASIC, also published by TAB and Radio Shack.

To anyone who still feels like spending \$5.95 for this book in spite of my criticism, I recommend that you consider one of the following alternatives:

- Put the money back in your pocket and save it to spend on one of your other vices.
- 2. If you have no other vices, send the money to me. I do. ■

Simutek P.O. Box 35298 Tucson, AZ 85740 \$29.95

by Jake Commander

simutek supplies a high speed modification kit which can be installed by anyone with experience in electronics.

Don't attempt the mod if you're a beginner!

There are a couple of etch cuts to make, and about ten wires to connect. And it's easy to make a costly mistake.

However, if you can install the board this is a good version of the common high speed mod.

A couple of nice touches places this one apart from the rest.

For example, your power-on LED flashes when in the high speed mode. This indicates an increase in CPU clock speed of 50 percent. The mod also disables itself during cassette and disk I/O, eliminating the need for software patches while using disks. It gives the normal baud rate when using cassette I/O.

The kit takes about an hour to install and comes complete with generous lengths of wire, and a push button switch to enable or disable the speed-up.

Documentation is adequate, although the printing is of dubious quality. This makes the photographic illustrations difficult to follow.

Nevertheless, for the price, you can't complain. You're covered by a 90-day warranty, and your computer will run 50 percent faster.

Incidentally, this review is written with Electric Pencil using the high speed mod, so you probably had trouble keeping up with the words. Proof that it works!







Comprint 912
Computer Printers International
Mountain View, CA
\$660

by Mike Aronson

hen my printer was delivered, I was sure someone had made a mistake. I had ordered the Comprint 912 because of its small size and quiet operation; the shipping carton was huge. It was hard to believe the monster in this package would fit into my eight by ten study.

Opening the box was the first of several pleasant surprises. Inside the shipping carton was another box about half the volume of the outside carton protected by specially molded styrofoam corners. I marveled at the microcomputer industry's coming of age—here was a professional package! Inside was a second surprise: a sheet of unpacking instructions.

Comprint has taken care to assure that your printer arrives in good shape and that you don't destroy it with your first move.

For example, before you can load the paper, you must remove a yellow tag which warns you not to run the printer with the cover off. That is a great packaging method for people like me who are too impatient to read the sixty-four-page instruction manual.

Two Types

Printers fall into one of two types, matrix or impact printers. Impact printers work like a typewriter. A metal or hard plastic piece in the shape of a letter strikes an inked ribbon. Impact printers are usually noisier and have more mechanical parts than a matrix.

Matrix printers economize by using a single microprocessor controlled print head to produce every symbol. Each character is generated by a series of dots printed close together. The printer head is positioned close to the paper and moves across horizontally. Some matrix printers can use ordinary paper but others have no ribbons and must use special paper.

The Comprint 912 is an electrical matrix printer. It uses a special black paper covered with an extremely thin layer of aluminum that conducts electricity. The printer head is made up of twelve rigid wires in contact with the paper. If one wire is given

a short electric pulse, the aluminum under the wire is vaporized, exposing the dot of black paper underneath.

With Comprint 912 a line of eighty characters can be printed in about one-third of a second. Adding the time it takes for a carriage return, a page of fifty-eight lines of solid print takes around 45 seconds.

One of the extra features of the Comprint 912 is the number of matrix dots used to form characters. Other printers use 5×7 or 7×9 (horizontal × vertical). The Comprint uses a 9×12 matrix to allow more defined letters, as well as lowercase letter descenders below the line.

To connect a Comprint 912 to your TRS-80, be certain you specify model 912-GP. An older, parallel version, 912-P, is complicated to connect. The model GP requires you to pull out one jumper plug and plug the printer cable into your expansion or printer cable interface. The only tool

you need is a screwdriver.

There is an error on page 17 of the instruction manual dated March 1979. You will find the jumper plugs on the solder side of the printed circuit board, not the components side, so don't try to remove the printed circuit board. (The jumper plug is shown in its correct position in Photo 1.)

The printer comes with a one-hundredfoot roll of paper. Replacement rolls cost eight dollars for three hundred feet. You can write on the aluminized paper with either pencil or ball point pen, the bonding is very good, and no aluminum dust wears off onto your fingers.

My only disappointment with Comprint 912 has been that the up arrow prints as a square bracket. Evidently, Radio Shack uses a 91 code for up arrow and the printer expects a 94 code. Other than that, it works well and I have been impressed with its quality and usefulness.

0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]↑
0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]↑
0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]↑
0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]↑
0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]↑
0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]↑
0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]↑

Sample Run from Comprint 912.




Photo 1. The jumper plug is the small rectangular piece just above the midpoint of the ribbon cable running across the front of the printer.



Kəm-'pyüt-ər\

1: Device designed to execute a sequence of mathematical operations.

Educative the me



Beginner's Russian

This package consists of three programs that graphically display the Cyrillic alphabet. The programs are arranged so that you progress from one to the next-building your knowledge as you progress. It includes instructions on proper pronunciation of the letters and even an introduction to simple Russian words. Order No. 0136R \$9.95

Everyday Russian

Everyday Russian will acquaint you with the Russian words relating to: foods, places to eat, everyday signs, and the names of common stores. You will also learn the order of the Cyrillic alphabet. Each of the three divisions of this package will teach you the words and then quiz you on comprehension. You can even practice typing in Russian, using your TRS-80 keyboard as a "Cyrillic typewriter."

Order No. 0137R \$9.95

The Russian Disk

Now you can have both the Beginner's Russian and Everyday Russian packages on floppy disk! Requires an Expansion Interface with 16K and one disk drive.

Order No. 0212RD \$24.95

Teacher

This program allows you to input any number of questions and answers. The computer will prepare tests, give quizes, provide up to three hints per question and even give (optional) graphic rewards for correct answers. Perfect for parents, teachers, or anyone faced with learning a lot of data in a short time.

Order No. 0065R \$9.95

Wordwatch

Four programs for budding lexicographers, etymologists, or anyone else who uses words. In WORD RACE, you must choose the proper definitions. Find the misspelled word in HIDE N SPELL. Take a pre-recorded quiz in SPEL-LING BEE, in which the words are played aloud! Meet variations on proper spelling in SPELLING TUTOR.

Order No. 0111R \$7.95



IQ Test

Are you smart enough to buy this package? IQ Test will administer and score an intelligence test in 30 minutes flat! There are three equivalent tests, each consisting of 35 questions, designed to test your general knowledge and problem solving abilities. Most of us claim a "touch of genius"-here's your chance to prove it! Order No. 0157R \$9.95

V=A×B×C

Archimedes' Apprentice

A tutorial software package that will teach you the formulas used to find the volume of any solid object. It covers parallelopipeds (cubes and rectangular solids), prisms, pyramids, cylinders, cones and spheres. It can even quiz you on how well you learned the lesson.

Order No. 0092R \$9.95

Video Speed-Reading Trainer

You can increase your reading speed and comprehension. How? By practicing, that's how! This three-part program will flash characters or words on the screen, then you must echo what you saw. You can begin at a relatively slow rate, because the computer will advance your speed automatically as your speed and comprenhension increase. It will train you with numbers, letters, words and phrases.

Order No. 0100R \$9.95

Typing Teacher

A complete seven-part package that guides you from familiarization with the keyboard, through typing words (and phrases), to mastery of touch typing. Your video monitor becomes a bottomless page for typing practice!

Order No. 0099R \$9.95

All packages listed are for the TRS-80 Model I Level II; they require 16K of memory and are cassette-based unless otherwise indicated.

Prices subject to change without notice.

PETERBOROUGH, N.H. 03458 603-924-7296

* Niccolo Machiavelli * Sun Tzu Wu

Pythagoras

John Stuart Mill

Rebbe Akiva

a-shən

1: The action or process of training developing knowledge.

Education the School

Basic Math Program from EMSI

The Basic Math Program is a comprehensive math teaching package. It was created by a certified math teacher with 15 years of programming experience.

The first three programs comprise: Whole Number Arithmetic by Teaching Objective. This set includes Addition, Subtraction and Multiplication. The fourth program is Fractions and Mixed Number Arithmetic, Logic and Deductive Reasoning is the fifth program in the set. The Metric/English Conversion program rounds out the series.

You choose from a MENU of options, so as to custom-tailor both practice and test sessions. The program options include: Number of Problems/Session, Level of Problem Difficulty, Number of Seconds/Problem, Type of Assistance to be Offered, and Type of Reward.

The package includes a 60 page teacher's manual that contains detailed instructions on how to use the programs. It shows you exactly what material will be on the monitor and how to select the program options. It further explains how to analyze the session results by number of problems correct, actual problems given, if an incorrect digit was entered, if it was corrected and whether the HELP feature was used.

Fractions and Mixed Number Arithmetic shows the student every step of how to solve the problems. It waits for the student to enter each answer and, if he makes an error, reviews the material so the error can be found.

Deductive Reasoning is a modified and much improved Mastermind-type exercise.

Metric/English Conversion will convert quantities (length, area, volume and weight) from Metric to English, or English to Metric. Order No. 5002R \$80.00

We Guarantee It!



COMPLETELY SATISFIED YOU MAY RETURN THE PROGRAM WITHIN 60 DAYS. A CREDIT OR REPLACEMENT WILL BE WILLINGLY GIVEN FOR

ANY REASON Samman and a samman and a samman samman a samman

Grade Book

Teachers, now you can use the speed and accuracy of the TRS-80 to help you calculate student grades. Type in the scores for tests, quizzes, homework, classwork or special projects. The Grade Book program will calculate and display individual grade averages.

The program permits you to weigh studen. performance scores and convert raw score totals to a 100-points-equals-perfect-score basis. You can also average quarterly grades with the grade: for the previous quarter, semester and final exam, to obtain an average grade for the year.

When grading time comes around, don't chai yourself to a calculator-go modern with the Grade Book package.

Order No. 0050R \$9.95

Toll-Free 1-800-258-5473 OR USE OUR ORDER

FORM BELOW

Teacher's Aide

Now you can have the benefits of Computer Assisted Instruction (CAI) in your own home. The Teacher's Aide program will let you create a teaching system for any conceivable subject. The program allows you to create a question and answer lesson (you can input up to 8000 characters per lesson). You can then save this lesson on the disk and create an entire sequence of lessons.

Your lessons can be tailor-made for you or your students. The options available are: (1) review the material prior to taking the lesson, (2) provide hints to help answer questions, and (3) offer a graphic display as a reward for correctly answering all the questions. The Teacher's Aide program will even allow for spelling errors!


The Teacher's Aide package is perfect for parents, teachers, and students who need the unlimited patience and undivided attention only a computer can provide. Readin', writin', and 'rithmatic will never be the same-now that you have the Teacher's Aide package from Instant

This package requires the following minimum system:

- 1. A TRS-80 Level II with 16K RAM.
- 2. An Expansion Interface with 16K RAM.
- 3. One disk drive.
- 4. Any compatible Disk Operating System. Order No. 0214RD (disk-based) \$39.95

ddaaa	- 96					
			s			
			□ VISA			
ard No				Ext	. Date ——	
igned					Date	
		Order you	ır İnstant Sof	ware toda	y!	
Quantity	Order No.		Program name		Unit cost	Total cost
		1				
		1				
-		+				
		+				
		-				
			Shipping an	d handling		\$1.00
					Total order	





Word-IV Disk Based Word Processor, \$49 IDM IV Data Base Manager, \$69 Micro Architect, Inc. Arlington, MA

By Don DeJarnette

or the past several months, Micro Architect has advertised a word processor and data base manager at very reasonable prices. I was somewhat skeptical of the low prices, but the advertised features convinced me to purchase both systems.

Word-IV-Disk Based Word Processor

Word-IV is a disk-based BASIC language word processor. Text and format control data are entered exactly as one would write a disk BASIC program.

Features of the system are: page length, page width, beginning point of page, automatic page numbering, page centering, left and right justification, line spacing, title generation for each page, special character generation and space reservation on succeeding pages.

Word-IV fully supports the upper and lower-case capabilities of your printer. To produce an uppercase letter, the up arrow is typed preceding the letter. This may seem a bit awkward at first, but once you get used to the procedure, it is easier than typing a shift uppercase letter.

The text and format program is stored as a separate file on the disk, using the ASCII extension. The length of the text is limited only by memory and disk storage capacity. Editing is very easy, using the EDIT command in DOS BASIC. After producing the formatted text and saving it on disk, you are ready to load the Word-IV program into DOS BASIC. This is followed by entering the saved ASCII file. A unique feature of this program is the ability to run more than one of the same program or a combination of different programs.

The text and formatting are executed in BASIC. This opens up many possibilities for modification.

There are several problems with the program. BASIC is exceedingly slow, an important consideration if production of lengthy reports is your primary concern. This article runs in about 6-7 minutes. For some reason, you cannot load a text program saved in ASCII back into DOS BASIC for further editing. This means that if you anticipate further editing, the text program must also be saved in BASIC. There is also a problem with the program generating a ?. Each time the question mark ap-

pears, you must type .sc 63. (.sc stands for special character. This program handles "?" as a special character.) These problems are minor in my opinion and certainly correctable.

IDM-IV Data Base Manager

IDM-IV is a disk-based, BASIC language data base manager. It consists of three separate programs: initialization, data base manager and report.

Initialization requires that the user input file specification data, such as naming the string and numeric fields (up to ten numeric and ten string), determining the number and size of the fields, choosing the key field, specifying the number of records and naming the file. This information is then formatted on the diskette.

String fields contain up to 255 bytes, while numeric fields are limited to four characters. The total record is limited to 255 bytes. Record totals are limited only by your disk storage and memory capacity. I routinely sort a data base of 500 items with very few problems.

The Data Base Manager program is next loaded into disk BASIC. Through use of the ADD facility, you begin entering information in response to questions asked by the computer. These questions are created from the initialization program data that you have supplied.

Once data entry has been completed, the report writer segment of the Data Base Manager is entered. Up to ten different reports built to your specifications are possible. Options included in the report writer include a selection of any number of fields to be printed, total or average of all numeric fields, multiplication and division of any of the numeric fields. In addition a numeric filter lets you specify values within a set range, e.g., only list purchases between \$50-\$100 or only list customers between 20-40 years of age (up to four numeric filters are possible per report). String sort keys allow the IDM user to sort up to four string fields. After the criteria for the report have been selected. it is saved to disk.

Report is the last program to be entered into the computer. Two options are possible: data base listing, which prints the entire data base and is formatted to duplicate a file card, and format report, which lets you select one of the reports that you created with the report writer.

IDM-IV has two problems in common with WORD-IV: too much disk I/O and the characteristic slow speed of BASIC. In spite of these two problems, this is a fantastic data base manager.

Radio Shack Disk Instruction Course Tandy Corporation Ft. Worth, TX \$29.95

by Robert L. Zeppa

Recently, I upgraded my system by adding disk drives. While anticipating their arrival, I read the TRSDOS manual, but file structures completely confused me.

The Radio Shack computer catalog describes their Disk Instruction Course as a step-by-step guide in the use of DOS and Disk BASIC. I bought it and for \$30, plus tax, I got four Radio Shack disks, each with one lesson containing six to eleven parts.

My Expectations

This is one of the poorest examples of computer-aided instruction I've ever seen. Everything of merit would fit into a small twenty-page pamphlet including the covers, and still leave room for an appendix of all the politicians who have lusted after the presidency. I expected a course which, using DOS with some sample pro-

grams and files, would systematically lead me through the complexity of files and the specific DOS and Disk BASIC commands. That is to say, I expected the course to be interactive with the disks. Radio Shack does not say that's how the course is designed, but it seems a logical expectation.

The format of the course is a series of short comments, followed by a few questions. If the questions are answered correctly, you proceed. The content is to the point, but at too simple a level. Neither by description nor through practical experience does it expand upon anything described in the original manual.

The course does clarify the manual. Its very triviality demystified disk operations. No longer awed by the obscurities of the DOS Manual, I took a program from Kilobaud Microcomputing and translated it into Radio Shack dialect. Through translation came understanding and, eventually, I hope mastery.

If you want to learn how to use your disk drives, buy yourself a box of disks—ten disks are about the same price as the course—take the DOS Manual and your computer magazines and work through a short meaningful program.



MMS FORTH
Miller Microcomputing Services
Natick MA
16K Diskette \$64.95
16K Cassette \$44.95
MicroFORTH Primer \$15.00

by Terry Kepner

erry, you should try FORTH. It's really simple to use.

Mike was once more extolling the virtues of his latest discovery. He was dying to get me hooked on it. Thus far, I had managed to escape this latest language for the TRS-80, but I couldn't help being drawn to the keyboard every time I heard him chortle or gloat over another feature of his new toy.

Finally I decided to take the fatal plunge. At the first opportunity I aquired my own copy of FORTH. I chose MMS FORTH from Miller Microcomputing Services; theirs was available on disk, as well as tape. (Mike had the tape version from Programma International, Inc.)

The Manuals

The Programma version includes everything in one manual, written by the Programma people, while MMS uses two manuals. One is the *micro-FORTH Primer*, available from FORTH, Inc. (the people who invented it), and a second manual written by MMS.

The MMS manual contains all the additions and alterations made by MMS to the standard version of FORTH, plus instructions on how to use the MMS FORTH version effectively. A nice feature of the MMS version is the use of TRS-80 BASIC words for FORTH commands.

For example, CLS in FORTH means the same as it does in BASIC, clear screen. Likewise INKEY\$ and so on.

The micro-FORTH Primer is a very informative manual that contains a glossary of all the terms used in FORTH, and also includes a clear and concise explanation of how to write programs. The manual is invaluable while learning the language, and I strongly suggest that any one interested in FORTH programming purchase it.

FORTH is a hybrid language, combining the clarity of a high level language like BASIC with the speed of low level language programming in assembly.

Unlike BASIC and most other high level languages that separate the programmer from machine code, FORTH allows the programmer to maneuver easily back and forth between high level easy to use programming techniques and direct assembly language programming. Thus you can

interchange programs between different processors using FORTH, with only minor alterations to specific routines.

FORTH uses a technique known as Indirect Threaded Coding. Each instruction in FORTH is composed of pointers that lead to other pointers which ultimately lead to executable machine code. This means that FORTH is a stack oriented programming language. It is composed of a number of assembly language modules, or primitives, each with a specific task or purpose. These primitives are each named and can be selectively called up or combined into words. This technique is what gives FORTH its tremendous power.

Unlike other programming languages, the ability to define new words, or primitives, in the FORTH dictionary is always available to you through its Catalog function. And there is no run-time penalty for these new words.

For example, CLS is a FORTH word made up of two primitives—home cursor and clear to end of page. So whenever you want to clear the screen, you enter the word CLS.

Another example is LIST. LIST is used to put a page of memory on the video. Now suppose you want to clear the screen each time before you put the new page on the video, you can enter CLS and then 10 LIST (to list page ten of memory). Or you can define a new word that uses these two words in its own definition, calling it CLIST, like this:

: CLIST CLS LIST ;

From then on, every time you entered 10 CLIST, you get a clear screen and then the new page ten listed. And CLS and LIST are still available for use separately.

If you want to save added new words for future use, it can easily be done using the command DWTSECS (include the proper parameters, of course).

Suppose that your present version of FORTH doesn't have the proper primitives or predefined words to do the task you have in mind. In that case, if you have the machine code know-how, you can define your own primitives directly in FORTH, using the built-in FORTH Editor Assembler, and add them to its catalog.

If your catalog becomes too large for convenience, just instruct FORTH, via the keyboard, to FORGET the extraneous WORDS.

In order to make this as easy as possible, FORTH uses the same syntax in all operations: keyboard, assembler, editor, everything.

There are three stacks used in FORTH. The most commonly used stack is the parameter stack, which starts at the high end of memory and works its way down. This particular stack's function is for user inputs and outputs, and is also used as a scratch pad by the various words and primitives. The second stack is the return stack, which also starts at high memory and grows towards low memory. It is used primarily by FORTH as a loop counter. The last stack is a hardware stack used by the Z-80 processor and is not normally available to you in programs.

One of the reasons for the efficiency of FORTH lies in its stacks. Because of these stacks, permanent memory locations do not have to be assigned to temporary variables. This cuts down tremendously the amount of overhead memory required to run FORTH.

One very nice mathematical feature of FORTH is its ability to switch from one number base to another, without any runtime penalties. All the FORTHs support the standard bases of HEX, OCTAL, and DECIMAL

In Summary

FORTH is a very versatile language, combining the best sides of both high level and low level languages, excluding many of their disadvantages.

- It is easily extensible and just as easily contractable.
- It allows interfacing of equipment to software with comparatively minor work done by the user.
- Most programs can be switched from one processor to another with only minor changes.
- Programming is structured, with control passing from the most general of commands downwards to the most specific. Many programs may be executed just by entering their name.

In view of these facts many programmers will find FORTH to be just what they need to develop software for new hardware devices compatible with the TRS-80. After all, FORTH was orginally designed to help astronomers use computers to control radio telescopes and other experimental devices with a minimum of time spent in programming.

There is one last note. Unlike the other Z-80 versions of FORTH, MMS supports only the 8080 Assembler commands. Some people will look upon this as a disadvantage. However, after reading both manuals, it is easy to see that it would not require too much work to write a new assembler for the Z-80 commands (in FORTH of course). However, for the not-so-ambitious, MMS is now selling an add-on utility that supplies the Z-80 Assembler Editor and full floating point math routines.

SCRINPUT

SCReen INPUT replaces INPUT and is easily adapted to YOUR application.


Can't be out-run by even the fastest typist

Up to 80 data fields on a screen

Flashing cursor - won't hide data beneath it.

Fully relocatable - work in any TRS-80*
Model I Level II machine, without modification.

(*TRS - 80 is a Radio Shack Trademark)



SCRINPUT in finance: Developed for a banker: loan amounts, interest rates and number of payments are typed directly into the video worksheet. Computer caiculates and displays results. New values can be typed directly over old. Much easier and faster than INPUT.

Imagine. Data entry by filling in a video form. Easy error correction - just type over mistakes. No cumbersome INPUT statements, no valuable data scrolling off the screen.

SCRINPUT MAKES IT POSSIBLE IN JUST THREE STEPS:

Draw your input form on the video screen using PRINT statements.

Define data entry fields in the SCRINPUT data table.

Activate SCRINPUT through a USR call.

Now fill in the blanks. **SCRINPUT** assigns all data to BASIC variables which are processed normally by your program. It's that easy!

SCRINPUT comes with user manual of instructions, examples and demo programs. Even the loan worksheet program and a source of listing of the machine language code are given. Try **SCRINPUT.** If you are dissatisfied for ANY reason, return it within 10 days for a full refund.

ACR Consultants
1000 North Bittner Road
New Palestine, IN 46163

Phone Orders Welcome (317) 861-6319

- * All orders shipped within 24 hours
- * 10-day money back guarantee
- * VISA or Mastercharge accepted

Please Send Me:

Signature ___

- SCRINPUT on diskette..... \$27.00
- SCRINPUT on cassette..... \$29.00

Indiana Residents please add 4% sales tax. Personal Checks take two weeks to clear.

Name _____

Address City State Zip

Credit Card Number Expiration Date

Credit Card Number Expiration Date

OURS WORK!

ACCOUNTING PROGRAMS

from the company with years of experience on small computers and thousands of customers

prices resulting from volume sales

PACKAGE OF \$395.

PRODUCTS EACH \$95.

MANUALS EACH \$20.

GENERAL LEDGER
PAYROLL
ACCOUNTS RECEIVABLE
ACCOUNTS PAYABLE
DEPRECIATION

for

TRS-80*
MODEL I with TRSDOS*
MODEL II with CP/M†

OTHER CP/M† SYSTEMS

Product Info & License/Order Form. FROM....

TA TRAIN INC.

PHONE -44 (503) 476-1467 840 N.W. 6th STREET, SUITE 3 GRANTS PASS, OREGON 97526


*Trademark Radio Shack, Div. Tandy Corp.

†Product Digital Research, Inc.



Is accessible software a temptation to steal?

Software Libraries: A Controversy



Your local library might lend programs some day.

A library, according to Webster's New Collegiate Dictionary, is "a collection of literary, musical, artistic or reference materials; it is also a collection resembling or suggesting a library (such as a library) of computer programs." Software libraries, however, are fairly new on the scene.

According to Jeff DeTray, Associate Publisher of Wayne Green, Inc., there are two kinds of software libraries. The first involves a group of software users getting together and contributing programs of their own devise into a common pool of programs. The group composes a list of available programs and within the group one can borrow—essentially it is a software exchange.

The second kind of software library is a commercial venture started by a private individual or individuals. The operator of the library buys, for example, two or three of every kind of program available on the market, and often includes books on microcomputers in the collection.

After the library is stocked with materials, an ad is placed in one of the computer publications advertising lending services. The lendee pays an annual membership fee and a smaller fee for each program lent. The borrower is then allowed to keep the program for a designated period of time, say one or two weeks.

Existing Software Libraries

How many of these libraries are there? How long have they been around?

Much of this information seems to be

shrouded in mystery. I dug up three different operations: one which was located in Standish, Maine, had a post office box number and no phone; another which was located in Rockville, Maryland, had a phone that was only in operation one night a week for three hours; and another I contacted.

Raymond Gabriel of Ohio is presently in the process of establishing a "home computer library division" as a part of his present company. Gabriel says that the development of this library was inspired by the purchase of a TRS-80. After becoming familiar with it he "became fascinated by the prospects, especially for home use in the future."

Presently, Gabriel's library has 25 members, over 100 software programs and about 30 books. Annual membership in the library is \$20. New members have 30 days to try the service. If they aren't satisfied, the full membership fee is returned. Rental charge is based on 20 to 25 percent of purchase price.

Gabriel stresses that "software libraries are no different than any other kind of library." Yet, there are some people in the industry who would vehemently disagree with him. There is much opposition to the development of software libraries because of the problem of programs being duplicated, resulting in profit losses for both companies and authors. And thus far the issue of copyright laws protecting software has been a hazy one.

The Copy Problem

Why are software programs more susceptible to being duped than books, for example? DeTray says, "The difference between books and programs is that books are tedious to copy and usually the photocopying costs will run a bit of money, however to make a copy of a program is very simple and it doesn't cost much. In fact the temptation is huge, I can't imagine someone borrowing a program and not copying it."

Gabriel does admit that copying is a problem but feels that the benefits of such a service outweigh this negative aspect. Gabriel says that if the legality of software libraries is going to be in question then the general library system should be in question. As a specific example, Gabriel raised the question of home video and whether it too, would be considered in violation of copyright laws.

Gabriel feels that software libraries can help the business. He says, "We are providing a market for authors who might not normally sell many of their programs. For example, if we carry it and someone borrows it and likes it, chances are he'll go out and buy the program when he might not have before." Gabriel also says, "By providing this service we are creating a greater interest and thus are helping to create a market for programs."

continues to page 48



Library Controversy

Continued from page 47

Arguing Against Software Libraries

Harv Pennington, a software developer, feels that software libraries cheat authors. For example, he says, "You loan a guy a disk that costs \$100 and he makes a copy...the guy that spent all that time developing it, the author, doesn't make a cent and the guy that is running the library makes five or six dollars per program, depending on his fee."

Not only are they doing authors a disservice, but they are also hurting growth of the industry, in Pennington's opinion. "The author who is losing money after spending hours developing programs is going to say "the hell with it, I can make more money selling real estate." "Basically, Pennington, like many others, feels that the libraries "steal an author of his right to an income."

Ed Juge of Tandy has similar feelings, "If the people who are involved in these libraries ever spent a couple of months developing software and then tried to sell it to the public, they would have a different perspective. It's simply not a viable thing." Juge feels it's a matter of copyright, but as he pointed out, "no one at this time knows what copyright is. Perhaps copyright will take care of this situation. In effect the whole scheme is a ripoff, library developers are knowingly or unknowingly keeping an author from the benefits of his labors."

Publisher, Wayne Green says, "The library concept in the microfield is a destructive one." Green feels strongly about software developers being cheated. "Instant Software is prepared to invest a good deal in suits to protect its authors."

Discouraging Copying

Is there any way the industry can discourage copying?

PT Wolfe, manager of Instant Software, says that Instant Software prices its software inexpensively enough to discourage copying. For example, Wolfe says that for \$7.95 it's worthwhile to purchase the whole package rather than acquire only a copy of the program at a comparable price. Juge says that his company, Tandy, uses the same approach, by pricing their software reasonably so that "the average person would be more likely to buy the whole package."

Pennington has a different idea.

"Books never lose in court," he says, "and that's what we will do, write books with the programs which can be typed in and debugged—and in the back of the book there will be, for example, a coupon to go to your local dealer and buy the disk if that is preferred." When copying becomes less of a problem, the attitude toward software libraries may change.

Advantages of Software Libraries

There are some software authors who do see the advantages presented by software libraries. Author Dennis Kitsz believes access to information is essential. Kitsz says, "In fact, if it weren't for program trading, the industry wouldn't have grown as fast as it has. More computers have been sold merely because of the availability of software programs."

Kitsz believes that while the industry is still in its experimental stages, and there are only a handful of magazines doing reviews, it's unreasonable to expect a user to wait for the product to be reviewed. In most cases he'll just go to the club and see for himself.

Kitsz thinks that libraries in general are a good thing and that they also are essential. "Software programs are not yet available (at the public library), because there is not enough consistency of format. But what happens when they are? You can't encourage computer literacy without having the software available."

Another author and a trader of original software says, "I approve of libraries, but I disapprove of the pirating, and seriously —how can you stop it? It (software) is no longer a multi-thousand dollar item. There are some good programs and there is some real garbage; it's understandable that an individual would like to know in advance what he is buying."

Moral Questions

The issue of whether software libraries should or shouldn't exist raises a number of questions. By trying to stop these software libraries, is there an injustice being done by preventing access of information? Do these libraries encourage growth in the industry by promoting availability, or are they hurting the industry by making it easy to steal? Exactly how much protection can the new copyright law offer?

Chief of Circulation at the Boston Public Library, Mr. O'Halloran reports that of the 800,000 books and materials (records and cassettes) that the general library circulates in a year, 1½ percent of the materials are never returned, roughly 12,000 books, records and cassettes annually. O'Halloran summed up by saying, "There is no library that is getting back 100 percent of what they are giving out."

By Pamela Petrakos 80 Staff

Software Copyright Law

ate in 1974, Congress enacted a bill establishing the National Commission on New Technological Uses of Copyrighted Works (CONTU). The commission conducted a three year study into the need for including software in the current copyright laws.

Six long years later, H.R. 6933, incorporating the recommendations set forth by CONTU in their final report, was finally introduced in March of this year. The bill was passed into law August 20th.

Until this time, software copyright has been in and out of controversy and under numerous limitations and restrictions. It has been protected by the vagaries of judicial interpretation and the whims of individual state lawmakers, when it was protected at all.

House bill 6933 was introduced by Rep. Kastenmeier of Wisconsin, and the Committee on the Judiciary recommended that it be passed into law. Primarily addressing the patent and trademark laws, it also amends Title 17 of the U.S. Code (USC) dealing with copyrights. The sections of 17 USC directly affected by the bill are 101 and 117.

Section 101 has been amended to include a definition of computer programs, as "a set of statements or instructions to be used directly or indirectly in a computer in order to bring about a certain result."

Section 117, dealing with limitations in exclusive rights, has been amended to allow the purchaser of a copy of a program to make another copy or adaptation of that program only if:

● The new copy or adaptation is made as "an essential step in the utilization of the computer program in conjunction with a machine and that it is used in no other manner," or

Continues to page 55

Memory Expansion Modul for TRS-80: Three accepted



Three assembled and tested configurations are available:

Without RAM (MT-32A @ \$119.50)

With 16K RAM (MT-32B @ \$159.50)

With 32K RAM (MT-32C @ \$199.50)

All you have to remember is to plug it in

Introducing the MT-32. Our new, brilliantly designed Printer/Memory expansion module for the TRS-80. This unit will add 16K or 32K of dynamic RAM to your basic 16K machine. The module also contains circuitry to drive Microtek's MT-80P dot matrix printer, or any other Centronics-compatible printer.

No hardware modification to your TRS-80 is required. Just plug into your bus connector and you are ready to go.

All Microtek products are covered by a one year warranty.

* TRS-80 is a Registered Trademark of Tandy Corp.

Available from Microtek or your nearest computer dealer.



9514 Chesapeake Drive San Diego, CA 92123 Tel. (714) 278-0633

Outside Calif. call toll free: 800-854-1081

TWX 910-335-1269







Now NRI takes you inside the world's most popular microcomputer to train you at home as the new breed of computer specialist!

NRI teams up with Radio Shack to teach you how to use, program and service microcomputers...make you the complete technician.

It's no longer enough to be just a programmer or a technician. With microcomputers moving into the fabric of our lives (over 200,000 of the TRS-80™ alone have been sold), interdisciplinary skills are demanded. And NRI can prepare you with the first course of its kind, covering the complete world of the microcomputer.

Learn At Home in Your Spare Time


With NRI training, the programmer gains practical knowledge of hardware, enabling him to design simpler, more effective programs. And, with advanced programming skills, the technician can test and debug systems quickly and easily.

Only NRI gives you both kinds of training with the convenience of home study. No classroom pressures, no night school, no gasoline wasted. You learn at your convenience, at your own pace. Yet you're always backed by the NRI staff and



Training includes TRS-80 computer, transistorized volt-ohm meter, digital frequency counter, and the NRI Discovery Lab with hundreds of tests and experiments.

(TRS-80 is a trademark of the Radio Shack division of Tandy Corp.)



Explore the TRS-80 Inside and Out

NRI training is hands-on training, with practical experiments and demonstrations as the very foundation of your knowledge. You don't just program your computer, you introduce and correct faults ...watch how circuits interact...interface with other systems...gain a real insight into its nature.

You also build test instruments and

the NRI Discovery Lab, performing over 60 separate experiments in the process. You learn how your trouble-shooting tools work, and gain greater understanding of the information they give you. Both microcomputer and equipment come as part of your training for you to use and keep.

Send for Free Catalog... No Salesman Will Call

Get all the details on this exciting course in NRI's free, 100-page catalog. It shows all equipment, lesson outlines, and facts on other electronics courses such as Complete Communications with CB, TV and Audio, Digital Electronics, and more. Send today, no salesman will ever bother you. Keep up with the latest technology as you learn on the world's most popular computer. If coupon has been used, write to NRI Schools, 3939 Wisconsin Ave., Washington, D.C. 20016.

NR We

NRI Schools McGraw-Hill Continuing

Education Center
3939 Wisconsin Avenue
Washington, D.C. 20016
NO SALESMAN WILL CALL

Please check for one free catalog only

- ☐ Computer Electronics Including Microcomputers
- □ TV/Audio/Video Systems Servicing
 □ Complete Communications Electronics with CB FCC Licenses Aircraft, Mobile, Marine Electronics
- \square CB Specialists Course
- Digital Electronics Electronic
 Technology Basic Electronics
- ☐ Small Engine Repair
- ☐ Electrical Appliance Servicing
- ☐ Automotive Mechanics
- ☐ Auto Air Conditioning
- Air Conditioning, Refrigeration, & Heating including Solar Technology

All career courses


approved under GI Bill.

179-110

□ Check for details.

Name	(Please Print)	Age
Street		

Accredited by the Accrediting Commission of the National Home Study Council



Standards Become Important for Networks

Standardization. Efforts at it are all around us. The newscasters, chattering on the tube obediently speak a midwestern normal dialect of American English. No "ayups" or "y'alls" will be heard from their well-groomed ranks.

And now, the computer industry is struggling to develop its own set of standards with regard to information transfer and access, in an effort to facilitate the interconnection of machines of different manufacture.

The thorny problem of system standardization has been around for some time. Its solution has lately become critical because of the increasing role being played by machines in 20th century life. And whether or not you are in favor of machines consorting with each other, the fact remains that the power of machines is greatly enhanced once they can be connected.

An example: Bureaucracies (especially in government) are great fans of computers since they feel responsible for a considerable amount of data. Unfortunately, variations in equipment and software make it almost impossible for the Federal Government's machines to talk with the state governments', for states' machines to communicate with the citys' and for city governments' to interface with either.

Ethernet and National Standards

Recently, government and industry groups have been working on the problems of standardization in an effort to hammer out some acceptable design norms. Working primarily through the IEEE (Institute of Electrical and Electronic Engineers), an industry group composed of Xerox, Digital Equipment Corp., and Intel has developed Ethernet. Ethernet is a system for local network interconnection. It specifies design criteria as well as other aspects of network operation.

On the federal side, the National Bureau of Standards Committee on Computer Science and Technology has been working on projects like FIPS. FIPS, or Federal Information Processing Standards, has basically the same goal as the IEEE's Ethernet—establishing standards for computer use that will facilitate the interconnection of devices. Devices as diverse as microprocessors and mainframes are involved in the Federal Government's standardization program.

Harry White, Chief of the Standards Administration Office of the Institute of Computer Science and Technology within the National Bureau of Standards, feels that eventually all systems, small and large, will have interconnect capability. His group has been working with the IEEE and others on the standards necessary to make this possible.

Standards Effect Networking

In Mr. White's opinion, the standardization efforts are "going well," and industry cooperation is assured. "If vendors want to do business with the government, they must conform to our established standards for hardware and software. In essence, our clout is economic since the government represents such a large segment of these people's marketplace." With industry cooperation expected, the road to universal standards may be a smooth one.

When queried about the impact of his standardization efforts on small system users like TRS-80 owners, White indicated that the time when 80 owners will have the ability to interconnect with mainframes is not far off. "For the near term, the S-100 bus structure will be central to our microcomputer standardization efforts."

White also indicated that the CP/M operating system appears to be the most practical for the vast majority of applications and is compatible with operating systems of much larger machines. CP/M and an S-100 bus structure are options that are currently available to 80 owners.

One word of warning White provided related to the configuration of S-100 structures. "Users must be firm when it comes to dealing with vendors," he said. "They must be sure that the S-100 bus they end up with is the standard version. Right now there are several versions in use and some confusion exists as to what a definitive S-100 structure really is."

Gerald Clancy, chairman of the IEEE's Local Area Network Standards Committee, indicated that his group is not really concerned with the small system user yet. Instead, the focus of the IEEE's efforts has been on establishing standards relating to local networks interconnected by coaxial highways. Several large office buildings within the same city, each containing many terminal and mainframes, is an example of this type of network.

Clancy's group has developed a three part program covering Protocalls, interfaces and modems/transceivers and feels that they have completed 95 percent of their work on establishing standards. He is confident that all remaining obstacles will have been overcome and the committee's work completed before the first of the year. For the time being, it appears as if the IEEE activities will have little effect on the day to day computing reality of 80 owners.

X-21 not RS-232

In Clancy's view, "Networks consisting of machines located in the home will not be a reality until cable TV services become widespread." Until that time, Clancy feels that most small system users will remain isolated from mainframe interconnections. When they are connected, "X-21, not RS-232 is likely to become the standard structure in modern interfacing for small machines," he predicts.

The importance of on going standardization efforts does not lie in their immediacy, however. What today's standardization efforts bode for the future is of importance. The era of instant interconnect is not yet a reality but the simple fact that government and industry professionals perceive a need for standardization indicates that the role of the machine in our lives will, inexorably, expand.

Spinning Facts about Disks

So you have finally come to a point in your computing affair when you're bored with cassettes. You've known all along that cassettes are slow, serial and unreliable, and now you've gone beyond their limitations with your own abilities. So what do you do?

You read. Information can be hard to come by though, and if you're wondering what exactly disks are, how they work, and if they are really worth all that money, you may find some answers here.

Disks come in various sizes and are available in both hard and soft varieties. The soft type are called floppies and are constructed of mylar which has been coated with a magnetic oxide. Soft disks used on Radio Shack and other small computers are either eight or 5 1/4 inches in diameter. The 5 1/4 inch disks are called mini floppies and cost about \$2 each.

One mini floppy disk is capable of storing 83K bytes of data. Floppy disks are enclosed in a protective, paper dust jacket and spin within their jackets when operating. The inside of the jacket is coated with a dry lubricant and disk cleaning agent that keeps the disk surface clean and smooth.

Disk Access

Access to the disk is gained through four openings (illustrated in Fig. 1) in the disk jacket. The largest, in the center of the disk, accepts the friction drive mechanism when the disk drive door is closed. The oval opening provides the read/write head in the disk drive with access to the disk surface.

The notch in the upper edge of the dust jacket is the write protect notch. When this notch is not obstructed, information




Fig. 1

may be placed on the disk. When it is obstructed, no write operations may be performed on the disk. The disk is said to be "write protected" if this is the case, and this safety mechanism is intended to ensure that no data will be inadvertently written over.

The smallest opening on the disk jacket is the sector index hole. A photoelectric sensor in the drive mechanism senses the location of this hole and orients the disk controller to sector zero. The beginning of all the tracks of the disk coincide with the location of this hole. The TRS-80 system employs soft sectored disks. That means that the beginning of only one sector is physically marked by a hole. All other sector boundaries are marked magnetically.

When new, disks are blank on both sides and before they can be used they must be formatted. Formatting a disk divides the disk surface in an orderly fashion and a formatting routine to do this is usually included as a utility in the DOS (disk operation system) software.

Disk Sectors and Tracks

A Radio Shack TRSDOS formatted disk is divided into 10 pie shaped wedges, called sectors. In addition, 35 concentric circles called tracks are overlaid on the disks sectors (See Fig. 2). Data is magnetically placed along the tracks and throughout the sectors. Track numbering starts at 0 on the outer edge of the disk and proceeds inward. Each of the disk tracks can thus occupy several sectors.

A sector is capable of storing 256 bytes and since track length decreases toward the inside of the disk, packing is more dense on inner tracks than on outer tracks. A disk directory file (list of disk contents) normally occupies track 17 and information encoded here tells the disk controller chip in the drive unit where to find specific files on the disk.

The disk drive mechanism provides the logic and locomotion for the read/write head in its travels across the disk surface. The disk controller chip calls the shots and the drive motor must spin the disk up to 300 RPM before any read/write operations can take place. A highly accurate stepping motor in the drive unit steps the head from track to track across the surface of the spinning disk.

Wear and Tear

If you think this life style is rather strenuous for the flimsy floppy, you're right. Disks are tough customers though, and have a rated life of five years of actual use, or 2,500,000 passes per track (approximately 110 hours). As disks age, it is common to encounter problems with the densely packed inner tracks. Frequent read/write errors on inner tracks are indicative of a worn disk.

Disks are also susceptible to other forms of trauma. Dirty environments foul them up. By dirty I don't necessarily mean the bondo room at the local body shop. A smoke filled office or seedy basement laboratory can be enough to give disks fits. Disks prefer being comfortable too: While they will operate over a wide range of temperatures, disk I/O (input/output) errors become more frequent as temperature variations increase. In spite of all their frailties, disks are remarkably rugged and take abuse as well as the next peripheral.

The Price Tag

Now, what about cost? Disk system prices vary widely, but a figure of about \$450 per drive is average. Since two drives are better than one (and in most cases necessary), we are looking at a \$900 investment in an \$800 computer. Add to this the price of an expansion interface (if you don't already have one), plus the cost of operating system software and we are talking big bucks.

Is it worth it? Well, I guess that depends on two things: how much money you've got deflating in the neighborhood Savings and Loan, and what type of applications you expect your system to serve.

By Chris Brown 80 Staff




Fig. 2

HAS THE FEAT PROS DEMAND.

Computer experts (the pros) usually have big computer experience. That's why when they shop system software for Z80 micros, they look for the big system features they're used to. And that's why they like Multi-User OASIS. You will too.

DATA INTEGRITY: FILE & AUTOMATIC RECORD LOCKING

The biggest challenge for any multi-user system is co-ordinating requests from several users to change the same record at the same time.

Without proper co-ordination, the confusion and problems of inaccurate or even destroyed data can be staggering

Our File and Automatic Record Locking features solve these problems.

For example: normally all users can view a particular record at the same time. But, if that record is being updated by one user, automatic record locking will deny all other users access to the record until the up-date is completed. So records are always accurate. up-to-date and integrity is assured.

Pros demand file & automatic record locking. OASIS has it.

SYSTEM SECURITY: LOGON, PASSWORD & USER ACCOUNTING

Controlling who gets on your system and what they do once they're on it is the essence of system security.

HEN COMPARE.)

Without this control. unauthorized users could access your programs and data and do what they like. A frightening prospect isn't it?

And multi-users can multiply the problem.

But with the Logon. Password and Privilege Level features of Multi-User OASIS a system manager can specify for each user which programs and files may be accessedand for what purpose.

Security is further enhanced by <u>User</u>
Accounting — a feature that lets you keep a history of which user has been logged on, when and for how long.

Pros insist on these security features. OASIS has them.

EFFICIENCY: **RE-ENTRANT BASIC**

A multi-user system is often not even practical on computers limited to 64K memory.

OASIS Re-entrant BASIC makes it practical.

How?

Because all users use a single run-time BASIC module, to execute their compiled programs, less

memory is needed. Even if you have more than 64K, your pay-off is cost saving and more efficient use of all the memory you have available - because it services more users.

Sound like a pro feature? It is. And OASIS has it.

AND LOTS MORE ...

Multi-User OASIS supports as many as 16 terminals and can run in as little as 56K memory. Or, with bank switching, as much as 784K.

Multi-Tasking lets each user run more than one job at the same time.

And there's our BASICa compiler, interpreter and debugger all in one. An OASIS exclusive.

Still more: Editor; Hard & Floppy Disk Support; Keyed (ISAM), Direct & Sequential Files; Mail-Box; Scheduler; Spooler; all from OASIS.

Our documentation is recognized as some of the best, most extensive, in the industry. And, of course, there's plenty of application software.

Put it all together and it's pros like OASIS. Join them. TWX 910-366-7139 Send your order today.

OASIS IS AVAILABLE FOR

SYSTEMS. Altos. Compucorp. Cromemoc Delta Products, Digital Group. Digital Microsystems, Dynabyte; Godbout, Index; Intersystems, North Star, On SD Systems, TRS 80 Mr Graphic, Vorimex

CONTROLLERS Bell

PLEASE SEND ME:

Price with Manual	Manual Only
\$150 350	\$17.50 17.50
100	15.00
150	15.00
150	25.00
150	15.00
100	15.00
100	15.00
500 850	60.00 60.00
100	15 00
750	35.00
	\$150 350 100 150 150 100 100 100

Order OASIS from

Phase One Systems, Inc. 7700 Edgewater Drive, Suite 830 Oakland, CA 94621

NAME


STREET (NO BOX =) ZIP STATE

AMOUNT \$

(Attach system description; add \$3 for shipping; California residents add sales tax) ☐ Check enclosed ☐ VISA

□ UPS C.O.D. □ Mastercharge

Card Number Expiration Date ■ Signature_



MAKES MICROS RUN LIKE MINIS

Combine accurate flight characteristics with the best in animation graphics and you'll have SubLOGIC's

T80-FS1 Flight Simulator

for the TRS-80

SubLOGIC's T80-FS1 is the smooth, realistic simulator that gives you a real-time, 3-D, out-of-the-cockpit view of flight.

Thanks to fast animation and accurate representation of flight, the non-pilot can now learn basic flight control, including take-offs and landings! And experienced pilots will recognize how thoroughly they can explore the aircraft's characteristics.

Once you've acquired flight proficiency, you can engage in the exciting British Ace 3-D Aerial Battle Game included in the package. Destroy the enemy's fuel depot while evading enemy fighters.

Computer and aviation experts call the T80-FS1 a marvel of modern technology. You'll simply call it fantastic!

Special Features:

- 3 frame-per-second flicker free animation
- Maximum transfer keyboard input
- Constant feedback cassette loader

Hardware Requirements:

- Radio Shack TRS-80, Level 1 or 2
- 16K memory
- Nothing else!

\$25

See your dealer or order direct. For direct order, include \$1.25 and specify UPS or first class mail. Illinois residents add 5% sales tax. Visa and Mastercard accepted.



SUDLOGIC Distribution Corp.

r 150

Distribution Corp. Box V, Savoy, IL 61874 (217) 359-8482

BIG SYSTEM SOFTWARE(tm)

Exciting new software for the TRS-80(tm) from BSS(tm)

TDS/CMD & DDS/CMD SMART(est) TERMINAL programs.

DDS/CMD	TDS/CMD	FEATURES
+	+	UPLOAD AND DOWNLOAD TO TAPE
+		UPLOAD AND DOWNLOAD TO DISK
+	+	self relocating
+	•	U/L case
+	:+:	full basic features
+		full dos features
+	.+.	keyboard RS232 select
+	+	ALL ASCII control char.
+	+	autolog
+	+	general utility programs
+	+	true BREAK, ESCape, rub out
\$75.00	\$40.00	

CRESSYS/CMD create system tapes from disk command files = \$19.95

PURGE/CMD cleanup that disk = \$14.95

TAPECOPY/CMD copy system tapes = \$10.95

DDS/CMD compatible with Newdos and Newdos-80 from APPARAT, TRSDOS from Tandy Corp. and Dosplus 3.1 from Micro-systems.

Documentation on any program \$5.00 will credit toward purchase. SEND Checks or Money Order to:

× 377

BIG SYSTEM SOFTWARE(tm) PO BOX 405 FRASER, MICHIGAN 48026



Software Syndicate Scheme

JG, Inc., Upland, CA, is putting a novel marketing plan into effect: For the first time, major and minor software manufacturers will join in a syndicate with a nationwide circuit of software stores. The plan, targeted for January 1, 1981, is the first to solidify a national distributorship for competing lines of software. IJG's Harv Pennington is coordinating the scheme.

According to one source at IJG and another representative in the software industry, IJG is reputed to have signed Michael Shrayer Software, Palm Springs, CA, makers of The Electric Pencil; Scott Adams of Adventure International, Longwood, FL; Meta Technologies, Euclid, OH; Apparat, Denver, CO; Racet Computers, Orange, CA; and Remsoft, also of Euclid. Other contracts are being negotiated.

According to sources, IJG's plan will put a custom mix of software from any number of manufacturers into a software outlet for as little as 10 percent of its retail value. A minimum order of \$1,000 will represent \$10,000 of software at the suggested retail price.

A conservative estimate involves only 100 outlets, each investing a minimum of \$1,000. If they are able to turn merchandise three times in the first year, it will mean a potential \$3 million in sales for retailers. How much of this or any other figure is profit to the dealer or to IJG remains unknown.

When queried, Jeff DeTray, assistant publisher at Wayne Green, Inc., expressed some doubt as to whether a software store could turn \$10,000 in stock in a year, let alone four months. Others in the industry share his view.

Cornerstone Is Capital

The key to this software conglomeration is capital. The cornerstone to the IJG plan is its ability to pay manufacturers up front for their software at a standard distributor discount.

For its part, IJG guarantees the software to the dealer. A marketing package which maintains each manufacturers identity, but carries the IJG distribution logo in the bottom corner is being designed.

IJG will further guarantee its software mix to the retailer; in the event that it is unsalable, a dealer may return it to IJG.

The marketing plan further sets the stage for national ad campaigns from manufacturers in support of dealer sales. It provides for a coming of age in software advertising that includes co-op advertising

in which a national manufacturer will share the cost of local advertising.

The Computer Services Division of IJG has for several months been promoting software packages available at a number of "Authorized IJG Dealers." Such advertising has appeared in 80 Microcomputing where, in October, IJG's two-page spread included a page devoted to Westech Corporation's Small Business Inventory System and the listed 12 dealer outlets, including mail order houses, where the program is available.

The plan remains tentative. Several unanswered questions include dealer discounts, control of such a syndicate of manufacturers and the nearly hostile competitiveness among some manufacturers.

By Michael Comendul 80 Staff

Say Hello to 80

If there is a major microcomputer show in your area, be sure to stop by the 80 booth to say helio and to enter our free drawing. We're collecting names, and on July 4, 1981, we'll select one of them to win a Level II TRS-80.

At every show, we award \$100 worth of Instant Software programs to a visitor. The winner from last August's Personal Computing '80 Show was Jon Wolfe of Clayton, NJ.

Appeals Court Rules on Data Cash vs JS&A

n Chicago, IL, the U.S. Court of Appeals for the Seventh Circuit upheld the decision of a lower court in the suit Data Cash had filed against JS&A Group, Inc. While the September decision of the Appeals Court agrees that JS&A had not violated a Data Cash copyright, it overturned the reasoning behind the ruling.

Data Cash programmed ROM for a computer chess game which they marketed. They filed the suit in 1979, arguing that JS&A used the same ROM to market a computer chess game at a lower price.

In the earlier decision of the U.S. District Court, Judge Joel M. Flaum indicated that copyright did not apply because the ROM was a machine part. However, the recent decision by the three judges on the Court of Appeals clearly extends copyright protection to ROM programming.

Under the laws in effect at the time of JS&A's actions, the appeals court ruled, Data Cash should have carried a notice on the ROM to warn others that it was copyrighted.

The case will go back to the district court for a judgement on the portion of the suit dealing with unfair competition.

Help Wanted

Programmers and technicians are needed for 80 Microcomputing and for Instant Software. Write to 80 Microcomputing, Peterborough, NH 03458.■

Software Copyright Law

Continued from page 48

It is used only for archival purposes and destroyed if continued possession of the copy or adaptation becomes illegal or inequitable.

As amended, Section 117 goes on to state that exact copies of programs can be leased, sold or otherwise transferred "only as part of the lease, sale, or other transfer of all rights in the program." Adaptations can be transferred only with the copyright owner's authorization.

This is a large change in the law. This section previously put limitations on the author of the software, rather than the owner of a copy of it. As the old law stood,

owners of copyright had no rights, except those a court might grant in an action brought under Title 17.

Since the copyright laws did not include, or even clearly exclude, software as a protected work of authorship, authors had to look to very general laws (often state laws) for protection. Their other choice was to face a fight over the legal interpretation of "work of authorship."

Title 17, as amended, now clearly and fully protects computer programs under all of its sections. This will not destroy any protection an author may have under individual state laws.

By Debra Marshall 80 Staff

NEW PRODUCTS

Programmable Video Game

The Maco Micro Module (M3), is a programmable video game.

Hand controls connect to two eight-bit input ports to provide 72 combinations of forward, back, left, right, pull up, push down, twist right and twist left. An audio generator with a hardware toggle may be used to produce end-of-cassette loads, audio prompts, music and game sounds. An accurate real time clock or timer with continuous display may be implemented with the 1/10 second interrupt generator without tying up the processor.

Comput-A-Sketch, Micro Organ, Brickyard, and Real Time Clock are included on tape.

The interface, two hand controls, expansion cable, instruction manual and cassette sell for \$129.95 from Maco Manufacturing, 1383 Airways Blvd., Memphis, TN 38114.

Reader Service -336

Tax Help for 80 Owners

Tax/Saver, an interactive income tax program will be introduced in mid-January 1981 by Micromatic.

This new tax package helps the taxpay-

er prepare the return in the logical order used by professionals and according to the latest tax rules.

If there is more than one way of doing the return, Tax/Saver allows the user to compare and choose the best result. Tax/Saver compares itemized deductions to national averages, automatically computes certain limitations (on medical deductions and contributions) handles community property, checks for excess FICA and helps determine deductions for dependents. It completes long and short tax forms and is tax deductible.

Tax/Saver is written for TRS-80 16K, Level II. Cassettes cost \$65. Four diskettes for 32K TRS-80s with two disk drives cost \$80, from Micromatic Programming Co., P.O. Box 158, Georgetown, CT 06829.

Reader Service -332

Updated IBM Typewriter Interface

The 50/80 Interface for connecting a TRS-80 to an IBM Electronic typewriter Model 50, 60 or 75 has been improved, according to Mediamix. It now gets feedback from the typewriter. The driver program that supports this interface uses the feedback to control timing. Benefits include faster typing speed and more con-

trol over the typewriter's automatic functions. The 50/80 Interface is available for the TRS-80 Models I, II, and III.

Mediamix has introduced another version called the 50/80 Interface Plus that uses an EPROM. This eliminates the need to load a software driver program and saves RAM space. The EPROM includes Mediamix's INMOD 3 program which provides upper/lowercase driver, blinking cursor, repeat keys, typewriter-style keyboard and user-definable input length. The 50/80 Interface Plus works with the TRS-80 Model I only.

The MX80 Firmware Interface for the Model I, also from Mediamix, is similar to the EPROM decoder in the 50/80 Interface Plus. The MX80 uses the reserved 2K of lower memory in the TRS-80 keyboard.

No prices were released. For more information contact Mediamix, P.O. Box 8775, Universal City, CA 91608.

Reader Service ≥330

Swim Meets with TRS-80

Three Sports programs from Misc. Inc. deal with setting up and scoring swim meets. While timing computers have been used in the past, these programs permit the use of the TRS-80 in timing swim meets.

Misc. Inc. claims that SM3.1 can reduce the time of seeding and printing the heat sheet for a large swim meet by 40 to 70 percent.

Most of the programs require a Level II 16K and a line printer; some programs require 32K and disk. The swim meet programs range from \$50 for cassette to \$100 for an interactive disk program from Misc. Inc., 1530 Butternut Circle, Gastonia, NC 28052.


Reader Service -338

8000 Not 800 Baud

In September 80 published an announcement of Personal Micro Computers, Inc.'s high speed cassette loader Fastload. It was incorrectly printed that Fastload loads tapes at 800 baud. The loader actually operates at 8,000 baud. Our apologies for the misprint.



The Micromatic 80



If you
just bought
another
printer,
boy are
you gonna
be sorry.

Epson.

The Epson MX-80. It's not just another workedover rehash of last year's model. It's our top-ofthe-line 80-column printer. It's new. From the ground up. And it's the most revolutionary printer to hit the market since Epson invented small printers for the 1964 Olympics in Tokyo. Don't take our word for it, though. Compare. There simply isn't a better value in an 80-column printer. Period.

But here's the fact that's going to stand the printer world on its ear. The MX-80 sports the world's first disposable print head. After it's printed about 50 million characters, you can throw it away. Because a new one costs less than \$30, and the only tool you need to change it is at-

tached to the end of your arm.
Now that's revolutionary,
but that's only the beginning.
The MX-80 also prints bidirectionally at 80 CPS with a logical seeking function to minimize print head travel time


and maximize throughput. It prints 96 ASCII, 64 graphic and eight international characters in a tack-sharp 9x9 matrix. And it provides a user-defined choice of 40, 80, 66 or 132 columns and multiple type fonts.

We spent three long years developing the MX-80 as the first of a revolutionary series of Epson MX Printers. We employed the most advanced automatic assembly and machining techniques in existence to produce a printer that is incredibly versatile, remarkably reliable and extraordinarily inexpensive. It's a printer that could only come from the world's largest manufacturer of print mechanisms: Epson.

If it sounds like we're proud of the MX-80, we

are. Not only does it do things some of the world's most expensive printers can't do, it'll do them for you for less than \$650. That's right. Under \$650.


And if that isn't revolutionary, we don't know what is.







NEW PRODUCTS



Mediamix 50/80 Interface.

IBM Selectric Printer

The Micromatic 80 from the Micromatic Corp. is a printer and interface designed for the TRS-80 and other small computers. The printer is a reconditioned IBM Selectric combined with a TTL-based interface.

The printer, according to Micromatic, has a speed of eight to nine characters per second and connects to the keyboard interface port or to the TRS-80's expansion interface.

Micromatic 80 contains all code conversions and timing software and is warranted for 90 days. The Micromatic 80 costs \$795 and is available from the Micromatic Corp., 5147 West 85th St., Indianapolis, IN 46278.

Reader Service -325

TRS-80 Interface Accessory

E&L Instruments' IF-100 TRS-80 interface accessory provides buffered I/O connections for control, monitoring and testing of external devices and development and testing of I/O devices.

The IF-100 plugs directly into the TRS-80 bus, enabling any TRS-80 incorporating Level II software to be used for practical applications.

The IF-100 contains a built-in power supply to avoid loading down the TRS-80, supplies on-board logic probe, device and memory decoding, bus buffer, control signal buffering and solderless breadboarding facilities for quick interface and control circuitry assembly.

The IF-100 is priced at \$180 in kit form or \$245 fully assembled and tested. The TRS-80 interconnect cable is priced at \$25. The cable is extra. For information, contact E&L Instruments, Inc., 61 First St., Derby, CT 06418.

Reader Service -335

Programs Manage Radio Stations

The Electric Log and the Electric Bill from The Management perform computer traffic and billing for radio stations on the TRS-80 Model I.

The Electric Log stores up to 500 spot orders and automatically generates daily program logs. Orders may be displayed, changed, deleted or updated at any time.

The Electric Bill stores up to 500 accounts and provides direct access to current status of all accounts. It automatically updates each customer account after entry.

Prices for the programs were not released. For further information, contact The Management, Box 111, Aledo, TX 76008.

Reader Service -340

Basic Link Facility

The Utility Package for the TRS-80 Model II from Racet Computes provides the user with eight new DOS commands.

XHIT, XGAT, XCOPY and SZAP recover data from bad diskettes. XCOPY provides multiple-file copies, I/O and directory error recovery modes and absolute sector mode. SZAP can be used to examine or change a sector on a diskette. DCS consolidates directories from multiple diskettes into a single display or listing. DISKID changes the name of a diskette. XCREATE creates a file. The Utility Package costs \$150.

Also from Racet is a BASIC Link Facility (BLINK) for the Model I or II. It allows the user to run one BASIC program, and then transfer with one command to another BASIC program without losing variables in memory. The Model I version for 32K (one drive) costs \$25, and the Model II version costs \$50.


Both are included in the new software catalog from Racet Computes, 702 Palmdale, Orange, CA 92665.

Reader Service -345

Earth Science Programs


The Earth Science Series from TYC Software contains 12 independent educational programs covering a junior or senior high school earth science curriculum. Topics covered are: latitude and longitude, gradient, heat energy lost and gained, basic chemistry, steam erosion, water budget, seismic waves, earth history, seasons, meteorology, and percent error.

An accompanying lab aid program includes 20 of the most common formulas



E&L's IF-100 Interface Accessory







Find the best price you can in this magazine on a box of 10, Verbatim 5½ inch Floppies and subtract \$.50: THAT'S OUR PRICE—We include the shipping (please figure the competitor's shipping and handling charges in your computation).* Compare our prices on other equipment; if we're not the least expensive, give us a call. If you don't see it, give us a call. WE HAVE LOTS OF STUFF!!

THIS MONTHS SPECIALS

SPECIAL #1

If you purchase the "TRS-80 DISK
AND OTHER MYSTERIES" Book for
the regular price of\$22.50
you can buy 10 VERBATIM DISKETTES AND a plastic library case
for\$22.00
TOTAL \$44.50

SPECIAL #3

SPECIAL #2

If you purchase APPARAT NEWDOS+ for the regular price of \$9.95. you can buy 10 VERBATIM DISKETTES AND a plastic library case for 5.00 TOTAL \$104.95

SPECIAL #4

If you purchase the MICROSOFT BASIC COMPILER for the REDUCED PRICE of \$190.00 we will give you a box of VERBATIM DISKETTES AND a plastic library case FREE

PRICE LIST

Blank Diskettes	
Verbatim 5¼ "	\$26.50
Verbatim 8"	30.00
Verbatim 8" Double Density	44.00
Alds	
Percom Seperator	27.00
Flippy Kit	11.95
16K Ram Kit (200ns)	49.00
Hard Hole Tool	4.00
refills (50)	9.95
Plastic Storage Box 8"	3.00
Plastic Storage Box 51/4"	2.50
Plastic Diskette Sheets (10)	6.95
Software	
We have lots!!	CALL
Hardware	
SOROC IQ120	775.00
CENTRONIX 737	CALL
ANADEX DP-8000	855,00

PAPER TIGER w graphics	939.00
LOTS MORE PRINTERS IN	
STOCK	CALL
LEEDEX VIDEO 100 12"	124.95
SHUGART SA 400 (35	
track same as Tandy)	349.00
MPI B-51 (40 track)	359.00
PERTEC (40 track)	359.00
Supplies	
91/4" x 11" Paper	20.50+
11" x 14" Paper	32.85+
Labels, Print Wheels, Rib-	
bons	CALL
SEND FOR FREE CATALOG	
+Add shipping for paper only.	
*OFFER good as supply lasts.	

Free shipping for orders over \$20.00.



Alpha > Byte Storage



4636 Park Granada Calabasas, California 91302 (213) 883-8594

All drives are brand new and include chassis and power supply.

NEW PRODUCTS

used in experiments. The program helps the student with his calculations, and it also reinforces his knowledge of the formulas he has used. The student can create graphs of his results with an additional routine. None of these programs require previous programming knowledge, according to TYC Software.

Designed by educators to meet specific classroom needs, the programs are illustrated with graphics. The Earth Science Series comes with a teacher/student manual which contains student objectives, worksheets, answer keys and user instructions. The 12 programs are on four cassettes in a vinyl storage binder. The programs require a 16K TRS-80 and cost \$61.45. For more information contact TYC Software, 40 Stuyvesant Manor, Geneseo, NY 14454.

Reader Service -327


Eight-inch Disk Drive

The MS-800 line from Matchless is a line of eight-inch disk drives, compatible with the TRS-80 Models I and II.

The drives have a capacity of 256,256 bytes, with a data transfer rate of 256,000 bits per second. These products also have a track-to-track access time of 10 milliseconds, according to Matchless. The use of four drives provides a storage capacity of two Megabytes on the TRS-80 Model II.

The MS-800 line for the TRS-80 Model I or II costs from \$995 to \$1795. \$995 is the base price for a single drive and documentation. The \$1795 price tag is for two drives, all the hardware that any system would require to adapt to the drives and an operating system. The eight-inch MS-800 line of disk drives is sold by Matchless Systems, 18444 S. Broadway, Gardena. CA 90248.

Reader Service -343



MSL/II-800 Eight-inch drives for Model II

Disk BASIC Compiler

ACCEL2 is a Disk BASIC compiler. It produces machine code translation of selected Disk BASIC statements and functions in all four types of variables.

ACCEL2 has six diagnostic messages and a set of local/global compilation options to increase compatibility with subject programs and to control output code growth.

The ACCEL2 compile-time routines are self-relocating and occupy 5120 bytes, while the run-time component takes only 1024 bytes.

The compiler is supplied on cassette and sells for \$88.95. ACCEL2 was recently developed in Britain by Southern Software and is now being marketed in the U.S. by Allen Gelder Software, Box 11721 Main Post Office, San Francisco, CA 94101.

Reader Service -342

Monitor Performs "Interpretive Execution"

Ultra-Mon is a machine language monitor for the TRS-80 from Interpro. It has a disassembler, and performs "interpretive execution." It fetches, decodes and projects the result of each operation before execution, according to Interpro.

The monitor's interpretive execution allows for a hard copy trace disassembly and for setting of breakpoints in RAM or ROM. The monitor is ROM independent and relocatable, and costs \$24.95 from Interpro, Box 4211, Dept. CCM, Manchester, NH 03105.

Reader Service ≥331

Stock Analysis and Mass Mail Programs

A new stock market system from Galactic Software is designed for the active trader. It tracks selected issues, and reflects them against the overall market.

The program is a guide to indications, and is not to be used as a sole recommendation to buy, sell or hold an issue, according to Galactic.

The user inputs setup data from Standard and Poor's stock guide or Value Line. Daily issue data such as highs, lows, close and volume are input from a newspaper. The user also inputs daily overall market volume and "closing Dow" from a newspaper. The system analyzes a given issue by comparing volume and price changes of the overall market. The system

will also compare an issue against itself, allowing the user to spot unusual activity.

The Stock Market Monitor System is designed for the TRS-80 Model I and Model III. It is available for 16K machines on cassette and 32K machines on disk. The cassette version costs \$89 and the disk costs \$99.

The Mass/Mail System, also from Galactic Software, allows 3500 entries per expansion drive up to a total of 10,500 on a four-drive system.

The system supports two standard label formats and two standard directory formats. The user may design an additional output format.

All inputs are taken through a full word processing editor with transparent cursor, type-over, insert and delete. Data files are sorted by first name, last name and zip code. Retrieval is by alphabetical or zip code order, plus any of six other circuits. Access by a key field is always less than ten seconds, according to Galactic.

The Mass/Mail System is designed for the TRS-80 Model II. It requires 64K and from two or four disk drives. Files created by the system are compatible with Galactic's Model II Mail/File System. Prices were not released.

Both Mass/Mail and Stock Market Monitor Systems are available from Galactic Software Ltd., 11520 N. Port Washington Rd., Mequon, WI 53092.

Reader Service -333

Energy Efficient Programs for Construction

Two new construction industry programs by Disco-Tech calculate not only a building's energy efficiency, but according to Morton Technologies, also calculates cost effectiveness.

Though designed to comply with California's Title 24 energy legislation controlling building design, heating/cooling equipment and lighting, both NRG-1 (residential) and NRG-2 (commercial) programs are applicable outside of California, as well.

According to Disco-Tech, NRG-1 printouts may be submitted directly to local building departments.

TRS-80 Model I hardware required is 48K with two mini-disk drives and a line printer. Cost of NRG-1 is \$650. The price of NRG-2 is \$450. The package price for both programs is \$1,000. The programs are available from Disco-Tech, Morton Technologies, Inc., P.O. Box 11129, Santa Rosa, CA 95406.

Reader Service -328

COMPUTER-PROGRAM **ASSOCIATES** -200

DOS-2TM Hard Disk Operating System for Model II With CORVUS Drives Works With TRSDOS* and Microsoft BASIC, Does Not Replace It!!

No need to abandon your TRSDOS software when you get a CORVUS hard disk drive. With HDOS-2 you can use your existing programs with only minor modifications. There are no changes to TRSDOS 1.2/2.0 or BASIC! HDOS-2 resides in only 1K of high memory, and is accessed by USR calls from BASIC. Simply replace your GET and PUT statements with HDOS-2 commands, and you're ready to go. HDOS-2 is supported by a complete set of operating system commands. including a hard disk SUPERZAP. This is the system you need to make the most of your Model II with a hard disk drive. HDOS-2 can open up new frontiers for your business software!

TRSDOS Commands: HBASIC, HCOPY, HCREATE, HDIR, HFREE, HINIT, HKILL, HRENAME, HZAP BASIC Commands: (Defined Functions): Open, Get, Put, Lof, PEEK, POKE, SCR, DUMP, CURSOR

Price: \$125 for all utilities (source code extra).

Financial Accounting Packages: Our accounting packages were designed by a C.P.A. with years of experience in accounting systems. All packages are self-booting and menu driven, and are designed for use by persons with little or no computer background. Each package is designed for a 2-disk system, and comes with our internal documentation (file layouts, variable descriptions, etc.), allowing easy modification for form alignment, customizing, etc. Unlike Radio Shack programs, these have a consistent structure and are designed with customizing flexibility in mind. Error trapping routines reduce operator errors, and review of each transaction is allowed before acceptance by the system. Reports print on 81/2" x 11" paper for easy handling. Manuals are included in the price.

Accounts Receivable with Billing

Model I: \$250 Model II: \$350 Invoices, Credit Memos, Statements, Aged Accounts Receivable, Daily/Monthly Sales Report (Detail & Summary by Category), Sales by Salesman, Maintenance Report, etc. Allows Balance Forward and/or Open Item methods, with full customer inquiry at all programs. Each invoice can have up to 35 different line items, with automatic extension of quantities, totaling, computation of sales tax and freight, etc. Invoice and statement forms are available for use with system. Up to 1200 customers, no limit on transactions.

General Ledger Model I: \$175 Model II: \$275

Grouped Balance Sheet and Income Statement, General Ledger Audit Trail, Trial Balance, Operating Income Statement with Percentages, Payroll Tax Report (for 941's, W-2's), etc. This system is easy for the non-accountant to use, with an automatic credit to cash during check entry, and validation of general ledger account numbers. Account numbers up to 5 digits (including alphanumeric) are allowed, with no requirements as to sequence or ranges. Up to 400 accounts, 1200 transactions per month.

Accounts Payable with Checkwriting Model I: \$250

Model II: \$350

Checks with remittance advice, Accounts Payable Detail by Vendor, Aged Accounts Payable Summary showing Cash Requirements, Vendor Maintenance Report, etc. This system does everything! Check runs may be for all or selected vendors and pay dates for individual invoices may be changed at any time. Invoices may also be paid by batch. Interactive with General Ledger, with automatic entries to cash and accounts payable. Allows up to 16 general ledger accounts per invoice, with discount computation and default payment terms by vendor. Up to 500 vendors.

Also available — General Ledger with Job Costing, Accounts Receivable with Cycle Billing and others.

To Order:

Call or write Computer Program Associates at the phone/address below. Shipments normally made same day. C.O.D. orders add \$10.

*TRSDOS is a registered trademark of Radio Shack, a division of Tandy Corp. All software sold "as is" and "with faults"

Satisfied Customers from Coast to Coast.

15056 Beltway Drive • Dallas, Texas 75234 • (214) 233-2039

Electronic Networks

"There were buttons and switches everywhere—buttons to call for food, for music, for clothing..... There was the button that produced literature. And there were of course the buttons by which she communicated with her friends."

from "The Machine Stops" by E. M. Forster

by Nancy Robertson 80 Staff

Those lines from E. M. Forster's short story were written before the invention of the computer and before the surging growth of communications networks. Through electronic networks of terminals, microcomputers and central computer banks, we are entering an age when science fiction can become reality.

Electronic networks and communications aren't as new as they seem. From your social studies class in elementary school, you should remember that in 1838 F. B. Morse demonstrated his invention—the telegraph—and electronic communications were born. A few decades later Alexander Graham Bell invented the telephone.

Today four out of five homes in the United States have telephones. And most of us have experienced the mix of excitement and anxiety that are brought on by the delivery of a telegram. With the computer connection, electronic communications have entered a third dimension.

Quoting figures from a recent International Data Corp. study, Walter Anderson of the U.S. General Accounting Office points out that "There are already 2.6 million general purpose, intelligent terminals (including micros) involved in computer networks in this country."

Transfer of Data

How do the networks operate, what do they offer, and how can TRS-80 owners participate? To use the industry jargon, these networks are used for data communications and electronic mail. These terms overlap a great deal in meaning and usage. Data communications, often called datacomm, refers to the electronic transfer of data. Data, of course, is "factual information used as a basis for reasoning, discussion or calculation." Electronic mail refers to messages generated, transmitted, and/or delivered electronically. A message is any communication "in writing, speech, or by signals." Essentially both datacomm and electronic mail are electronic communications.

A few legal eagles, however, insist that electronic mail refers to the electronic communications that pass through the hands of the U.S. Postal Service (USPS) and other public utilities. In this sense of the term, the prime example is the Mailgram service offered jointly by Western Union Electronic Mail, Inc. (WUEM), a subsidiary of Western Union, and USPS.

To send a Mailgram, customers telephone WUEM with an addressed message; WUEM transmits it electronically over wires, cable and/or satellite to a post office; the electronic code is printed and hand delivered by the mailman. Mass mailings such as credit card and magazine subscription billings are often sent as Mailgrams.

Earlier this year Tandy made a business agreement with WUEM allowing TRS-80 users to connect via modem to Mailgram service. Tandy has created software that will generate Mailgrams at 300 baud. Included in the package is a credit application to be filed with WUEM. Once a line of credit has been established, mail lists and letter texts

can be input by an 80 into WUEM's central memory bank in McLean, VA. Mass mailings can then be initiated from the TRS-80 keyboard.

Mailgrams may give way to the USPS's E—COM. August 15, 1980 the USPS Board of Governors voted to begin E—COM (Electronic—Computer Originated Mail) service by January 4, 1982.

The original E—COM proposal, which was presented two years ago, suggested using the existing Mailgram equipment to expand the system under complete control of the Post Office. The recent decision will open the supply of electronic transfer equipment, central storage computers and wire carriers to the best bidders. If companies other than WUEM supply the system, the TRS-80 hook-up will probably have to be modified and renegotiated. But 1982 is a long way off in terms of computing and software advancements; many other developments may take place in the meantime.

Public or Private

Right now there is a battle brewing between public and private communications networks. In May, the Federal Communications Commission (FCC) released its decision on the Second Computer Inquiry. In the past the FCC has regulated communications suppliers, such as AT&T. In May, the commission decided to deregulate private suppliers of "enhanced" electronic communications systems. The decision applies to companies such as CompuServe, which offers customers a variety of communication services through their network's central computer bank.

ADVENTURERS! RISE TO NEW DEPTIME

At Last, 3 Dimensions!

Deathmaze 5000 and Labyrinth are the first in a new breed of adventure. Instead of wandering through the English language, typing GO EAST or GO WEST, you move through a colossal maze represented on the screen three-dimensionally. Hallways recede into infinity or come to dead-ends. Doors open to right and left. Pits open in floor and ceiling. As you encounter objects, monsters, and mayhem, one or two word commands may be used. The command set is extensive and sophisticated. The proper commands allow the solution of problems and the manipulation of objects. The improper choice of words could spell the end. . . .

MACHINE LANGUAGE SOPHISTICATION

Deathmaze 5000 and Labyrinth are written in machine language. They are both incredibly fast. All the features expected of great adventures are built in, including SAVE GAME and a blinking cursor. All versions include relocation modules for use with disk systems.

Deathmaze 5000 places you on the top floor of a five story building. Each floor is a maze of twisting passageways. Floors are connected by elevators and open pits. You have but one goal. ESCAPE ALIVE! Where is the only door out of this nightmare? Monsters, bats, mad dogs, hunger, and many more horrors plague your every step as you struggle to escape the most complex adventure ever written.

TRS-80 Level II 16K cassette \$12.95 APPLE II or APPLE II PLUS 32K cassette \$12.95

Labyrinth places you in a maze of gigantic proportions. But you are not alone! A minotaur searches for you, seeking a grisly meal. You must find weapons, spells, and treasures. You must deal with ghosts and cave gnomes. You must avoid the minotaur until the moment is right for the final battle.

TRS-80 Level II 16K cassette \$12.95 APPLE II or APPLE II PLUS 32K cassette \$12.95

Med Systems Software 128

P.O. Box 2574 Chapel Hill, NC 27514 (919) 933-1990 *** CONTEST ***



REWARD!

This man escaped a fate worse than death. He was the first, but we hope not the last. From his condition, you would never realize that he designed **Deathmaze 5000**. Those few others who survive may send their correct solutions to us. On December 31, a drawing will be held. Six intrepid adventurers will win their choice of three Med Systems programs and a shirt silk-screened with the above logo and the words "I survived Deathmaze 5000". Only the correct solutions are eligible. All judgements final. Please enclose a SASE for return of solutions or notification of correctness. All winners will be contacted directly.

SATISFACTION GUARANTEED!

All Med Systems Software products come with a 14 day moneyback guarantee. If for any reason you are not satisfied, return your order within 14 days for a prompt and cheerful refund.

ORDERING INFORMATION

Orders are processed within two working days. Mastercard and Visa card holders please remember to include the expiration date. We pay all postage and handling within the U.S., Canada, and U.S. territories. European orders please include \$2.00 for air post.

Ask about our other adventures. These include Samurai, Reality Ends, Bureaucracy, and The Human Adventure.

	***************************************	•••••	***************************************
Please send the fo	llowing 3-D	adventures:	
□ Deathmaze		(\$12.95) \$	
□ Labyrinth		(\$12.95) \$	
		TOTAL \$	
☐ Please send you as well as details	r catalog of p of the Death	orograms and nmaze conte	d products, st.
Name			
Address			
City		State	Zip
Computer: ☐ TRS-80 16K LII		APPLE I	l or APPLE II
□ Mastercard	□ VISA		□ check
MC or VISA #			
Expiration Date			

PMC-80 Level II 16K at \$645



SOFTWARE COMPATIBLE

- · Reads all Level II BASIC tapes
- · Reads all SYSTEM tapes
- Full range of peripherals

The PMC-80 is a "work-alike" computer to the popular TRS-80' Model I, Level II by Tandy, Radio Shack. The PMC-80 has 16K bytes of RAM and the complete Level II 12K BASIC ROM by Microsoft that makes it 100% software compatible with programs from Radio Shack and from the hundreds of other independent suppliers. The built-in cassette player reads standard Radio Shack programs for the TRS-80.

Sold through computer stores.

- Video output for monitor and TV
- · Optional FASTLOAD at 8000 baud
- Optional Upper/Lower case


The PMC-80 will operate with any of the many peripherals Radio Shack and other independent vendors have invented to plug into the TRS-80. Most importantly, the Interface Adapter permits Expansion Interfaces with memory expansion to 48K to be added. An Expansion Interface will also permit the addition of Radio Shack compatible 5¼" disks and disk operating systems, RS 232, printers, etc.

*TRS-80 is a registered trademark of Tandy, Radio Shack.

Personal Micro Computers, Inc.

475 Ellis Street, Mountain View, CA 94043

(415) 962-0220



Above: The inner sanctum...Compu-Serve, Columbus. Left: DEC hardware and tape backups at CompuServe.

USPS may not be pleased with the FCC decision, which will allow private competition with their E—COM service. GTE Telenet Communications Corp. and Tymnet, Inc., which are common carrier suppliers of wire, telephone lines and satellites for most communications networks, are entering the mass mail market this year.

If the competition becomes too heated, some fear USPS will tie up the deregulated suppliers of electronic mail and the FCC in a judicial battle. Under the Post Office's Private Express Statutes, USPS has sole right to carry letters; and letters are broadly defined as "messages directed to specific persons or addressees and recorded in or on a tangible object."

In the meantime, business and industry are using private computer communications networks in a variety of ways. Perhaps the most common use is interoffice communications. For instance, major airlines use networks for flight reservations. Labor unions are using networks to share wage scale information as pay varies from region to region or company to company. The Green Thumb Project, a network sponsored by the U.S. Department of Agriculture, the University of Kentucky and the Weather Service, is designed to help farmers plan plantings and crop sales.

Through time-sharing networks such as CompuServe Information Service, Columbus, OH and The Source, McLean, VA, micro owners can get into the action. They can send messages to friends and associates, scan electronic editions of daily newspapers, access programming languages, play adventures, get the latest stock reports, copy recipes from Better Homes and Gardens and record biofeedback.

Although the computer networks that exist today differ in size, application and complexity, they all are variations on the same theme. Terminals, or micros functioning in the same role, are connected by common carriers to central computer banks. Messages or data travel from the terminal across wire or satellite to the central processing unit of a computer bank. The central computer examines the information, responds to the original terminal, or forwards the information to another computer or terminal.

Suppose for a minute that you have just subscribed to CompuServe Information Service. While you're looking over the latest stock reports, you recall a friend on the West Coast. He too subscribes to CompuServe. You've been meaning to give him a call. You want to tell him that a mutual friend has resurfaced in your area.

Being a clever guy, you decide to send your friend a cryptic line: "Recalled to Life: Smart Hands." How does the message get to San Francisco from New Hampshire?

The message and its address are printed on the CRT. With a modem connected to your micro and the access software loaded, you dial the local CompuServe number. The video page is arranged in a packet of bytes, translated to electronic frequencies, and sets off across the telephone lines at the rate of 300 baud.

At the local exchange, the packet is switched to another line, wire or satellite and travels on to the central computer bank in Columbus. The first few bytes read by the central computer indicate that it is a message to be posted to another subscriber.

"Recalled to Life: Smart Hands" is stored in the West Coast publication's electronic mailbox (file space in the network's main memory that is reserved for a particular subscriber) in Columbus. A confirmation is returned to New Hampshire that the message has been posted.

Sometime later, your friend hooks up to CompuServe from his office in the bay area. The first words that appear on his video display tell him he has mail.

"Recalled to Life: Smart Hands" then takes off on another trip across country. Riding the wires to Frisco, the packet switches to a local line, reaches the modern, is translated from electronic frequencies to binary digits and appears on your friend's CRT. Let him cogitate over this awhile.

Software Connection

Radio Shack is offering retail subscription sales to CompuServe Information Service. It has developed Videotex software which allows micros to function as terminals, and is also retailing the TRS-80 Video-

tex Information Terminal.

The Videotex Information Terminal will be shipped for the first time this month. It is Radio Shack's first dumb terminal, designed specifically to access CompuServe.

A terminal is simply an input/output de-

vice for a network. It can be used to input data and receive and display data or other information from a central, host computer. Dumb terminals can perform only these basics, which are called on-line functions.

Kenneth Bosomworth, president of the

International Resource Development Co. and editor of the *Electronic Mail & Message Systems* newsletter, Washington, D.C., explains that "As you type your name on the keyboard of a dumb terminal, it will appear on the screen. But all alphanumeric inter-

The Columbus

I am waiting for security clearance, an identification card and publicity director Rich Baker to guide me through the central offices and main computer bank. Baker comes down the wide stairs and introduces himself. The receptionist gives me a nametag that attaches to my lapel.



Even Baker needs permission to enter that part of the building housing the computer bank. For the second time, I question the reason for so much security. Few of the 350 company employees are permitted to enter the computer centers without approved escorts.

Inside, most of the long room is filled with row after row of Digital PDP-10s and PDP-20s—roughly half of the company's 21 mainframes. For backup, every piece of data stored in the PDPs is also stored on reel to reel tape. The blue reels stocked on shelves cover nearly a third of the room. This room and another like it are the heart of CompuServe's computer network.

From the computer bank, I am taken to meet CompuServe, Inc.'s president, Jeff Wilkins. He is surprisingly young to head a company that had revenues of \$20 million in 1979. He has been president of CompuServe for nearly all of its 11-year history.

Wilkins explains the company's birth and development succinctly. Compu-Serve was originally established as a subsidiary of Golden United Investment Co., to provide the parent company with data processing and to sell the same services elsewhere. In June, 1975, CompuServe spun-off from Golden United and became an independent publically held company. A half of a share sold for \$1 at that time. Within a year the stock split and CompuServe had 12,000 shares outstanding—the same total number of shares Golden United had at that time.

In 1979, CompuServe's stockholders

agreed to sell the company to H&R Block, Inc., the tax preparation company. The purchase was made May 12, 1980. Wilkins believes Block bought CompuServe "to put themselves in a marketplace that is growing faster than the tax markets."

Wilkin's history with CompuServe began in 1970. That year he left Arizona, where he had received his graduate degree in electrical engineering, and where he and friends had established a solid business designing and building home alarm systems.

"My father-in-law was involved in the holding company that started Compu-Serve. He wanted me to come out right away and start the data processing company. The difference between electrical engineering and computing didn't occur to him. I told him that I didn't know anything about computing, but I had a friend who did."

Third Employee

That friend was the first employee of CompuServe. Wilkins was its third. "I liked what I was doing in Arizona," Wilkins said. "I enjoyed having my own company, so I really didn't want to come out, although by this time both my friend and my father-in-law were really urging me to come."

Finally Wilkins was offered \$1.5 million in equity to get CompuServe started. He decided to take a closer look at the prospects. "I set down the ground rules—I'd have complete control." He accepted the position and moved to Columbus.

Wilkins has maintained the same degree of control since the merger with H&R Block. "I'm still the Chief Executive Officer and am responsible for making decisions about strategy and growth. The main difference is that instead of reporting to the board of directors at Compu-Serve, I report to H&R Block's executive vice president and am a member of their board."

"One of the things I've always enjoyed about this business is how quickly it



Jeffrey Wilkins of CompuServe, Inc.

In their broad-winged metal helmets and thick-clothed jerseys with chrome badges, the fire crew waits uncomfortably in the lobby. They have come to run a routine monthly check for electrical fire hazards. A closed-circuit TV scans the room, displaying the back of the receptionist who sits in a booth similar to a judge's bench; the firemen shuffling about in their heavy boots on the thick carpeting; the head of security speaking into his walkie-talkie; and a woman carrying a briefcase and camera. This is the foyer of CompuServe, Inc., Columbus, OH.

pretation is done by the host which returns the information to the CRT or printer."

But some terminals have more intelligence.

When a terminal is not linked to a central computer, it is off-line. If a terminal can per-

form off-line functions, it is an intelligent terminal. The number of off-line functions can vary from basic editing to the general purpose applications of a microcomputer.

The generic term "videotex" refers to uniform screen formatting for purposes of data

transmission. Tandy's Videotex products format screens of 32 characters across by 16 lines deep. These dimensions should reproduce on any CRT without dropping any characters.

Walter Parkerson, who wrote the soft-

Connection

changes. You have to have the ability to anticipate, to be two or three years ahead of the market." From data processing, CompuServe expanded into a service offering a combination of hardware and software to business and industry.

CompuServe's bread and butter has come from over 650 customers in business and industry. Time and time again, their publicity refers to their many Fortune 500 clients. In businesses as diverse as mining, investment banking and fiberglass, their customers include AMAX, Greenwich, CT; Goldman Sachs, New York, NY; and Owens Corning Fiberglass, Toledo, OH. Government agencies, such as the Department of Transportation, are also clients.

AMAX, a company which is between 35 and 40 on Fortune's list of giants, has annual sales of approximately \$4 billion and profitability, of about a half billion, according to their director of research, John Thornton. CompuServe has maintained the company's hardware and software, and provided an international communications system since 1973. The communications system hooks up 350 computers around the world, including about 15 which are located underground in mines. Thornton believes, "CompuServe is one of the best—if not the best—time-sharing companies in the country."

Referring to CompuServe's industrial and business background, Wilkins states, "As we watched the industry develop, it became apparent that these new applications would lend themselves to a consumer market."

Under CompuServe, Inc.'s umbrella, the CompuServe Information Service (formerly called MicroNet) offers consumers—micro and terminal owners—information and communications facilities through the company's time-sharing network. The rate for the service is five dollars per connect hour.

Under the heading of news, Associated Press (AP) wire service, electronic editions of several newspapers; recipes and meal planning from *Better Homes and Gardens*, and the Tandy/Radio Shack newsletters are available.

Communications services include the ability to post and store messages electronically, and a network bulletin board which serves the same function as classified advertising.

A category of services designed specifically for computer hobbyists offers games, software catalogs, programming languages, etc. (The hobbyists' time sharing service is now called MicroNet—just to maked things confusing.)

Presently, Radio Shack is the only retail outlet for CompuServe Information Service subscriptions. Radio Shack's outlets are selling the subscriptions along with the software to allow all micros to access the network. Starting kits assign user identification numbers and passwords.

In another effort to reach the consumer market, CompuServe Information Service will also be offered via cable TV. A pilot of a two-way cable service is being conducted by Warner/Amex, CompuServe Inc., and Atari, Inc. Warner/Amex, Columbus, OH, owns Qube, the interactive, two-way cable TV station which will carry the service.

High Level Technical Skills

CompuServe Information Service is a logical extension of the company's products, yet Wilkins points out that it requires a different mix of skills than setting up industrial research or communication systems.

"CompuServe has been successful because of the high level of technical skills. Even in the beginning, our technical skills were high, but marketing was low. We have been able to move into the personal computing market so easily because of our technical people.

"Part of my job here is to keep a good mix between the wizards and the suede shoe boys, or between the machine-oriented people and the people-oriented people.

"Nobody knows the size of the personal computing market yet; nobody knows what's going on out there. But I don't think there's room for very many players right now—although there may well be, if the market continues to grow.

"There are two things every consumer wants to know about anything he can buy: What does he get from it? And how much does it cost? The changes that will come to microcomputing because of computer networks will be evolutionary in nature. They will be brought on by the market, not by technology. There is still not a mass consumer market."

With names like Goldman Sachs, the Department of Transportation and AMAX on the satisfied customers list, consumer and hobbyist markets are just the tip of CompuServe's iceberg. It's these business and industry giants that account for the routine fire checks, the plush carpeting and the maximum security measures.

by Nancy Robertson 80 Staff



Versatile Information Manager

Thinking of buying specialized programs for applications such as mailing lists, inventory, or maintaining personnel records? VIM can perform these and many other tasks, and the best part of it is that you only pay for it once!

Simplify the task of maintaining your data by putting VIM to work on your system VIM is very easy to use and its flexibility will permit you to perform a great variety of data processing jobs with no extra programming. It runs on the TRS-80* Model 1, 32K (or more) disk based system.

MODULE 1 (database manager) 559.95
— database definition with up to 240 character records and 30 fields

- alphanumeric and numeric fields
- alphanumeric and numeric fields
 add, update, and delete records
- search on any fields or their combinations using 3 logical and 10 relational operators modify, unload, or delete records retrieved

MODULE 2 (sort utility) \$29.95
—written entirely in assembly language for fast operation

-sort on any combination of fields in ascending or descending order

MODULE 3 (report generator) 529:

—user defined record and page formats

—optional summary for numeric fields

VIM (modules 1-3 and 100 + page manual)

Add 2% shipping and handling

FOR MORE INFORMATION WRITE: 1207

MICROCOSM INC.

P.O. Box 2034 Dearborn, Mi 48123

*Trademark of Tandy Corp.


PUREZZAP

is a machine language, highly advanced disk sector modifier. Incorporating 4 additional utilities most desired by users. 35 or 40 track. 1 or 2 drives.

- *Zero out all unallocated sectors.
- Zero out all killed directory entries.
- Hash code displayed upon entering any filespec.
- Instantly kill format, copy, basic and all system files except boot and dir.
- •PUREZZAP reads, modifies and writes any sector.
- Lightning fast cursor movements in 4 directions whether modify mode or not.
- Instant toggle between drives.
- Continues sector compare of any two locations.
- Continues search for the occurrence of any byte.
- Automatic single or multiple duplication of a modified byte.
- •Forward or backward 1 to 9 sectors at a time >>instantly<<.
- *Fantastic, easy to read, visual display with the relative byte position displayed and updated *continuously* during any function.
- A super menu and more with easy to understand documentation.

Shipped within 24 hours on a diskette for only \$12.95. Add \$1.00 for hanling in USA—\$3.00 outside.





ware for Radio Shack's Videotex terminal, says it could be called "a limited intelligence terminal." For video display the terminal plugs into any television set via the antenna outlet. It can be attached to a printer as well. The terminal has a built-in modern and comes with either 4K or 16K memory.

Before it goes on line, the memory can be filled with whatever you wish to save or transmit. After communicating with the computer bank, it will save all of what has been received—unless the buffer capacity is exceeded. On the 4K model, that is eight video pages. On the 16K, it is 32. Each video page consists of 512 bytes and forms a packet when it is transmitted.

Tandy's interest in terminals relates to the computing industry's crystal ball. The Yankee Group, Cambridge, MA runs a profitable business prophesying what will come next in electronic communications. They are one of several voices predicting that home users will be interested in network communications, but not necessarily in computing. Editor Bosomworth points out that "The general purpose nature of microcomputers requires more training than terminals designed for specific communications needs."

At CompuServe, where both terminals and micros fit into the network, Rich Baker, public relations coordinator, has a different perspective. "I think you're going to see information terminals catch on. Terminals are more consumer oriented. You don't need to know as much computer talk to operate them. And they'll be less expensive Tandy's target price for the Videotex terminal is \$199. Plus, terminals are easy to hook up to networks Personal comput-


ers will still be providing something for those people who are interested in computing."

President Lewis Kornfeld suggests that Radio Shack may be considering other terminals. "Videotex is on the market by itself simply because it's come out before anything else. We are considering other things along the same lines, but it's a fast moving world out there—and hard to predict."

The Yankee Group released several of their forecasts prior to a recent symposium on The Home Information Utility. If they are correct, the computerized home environment of the near future will be similar to the home described by E. M. Forster in "The Machine Stops." In their newsletter, Yankee Ingenuity, they printed the following example of the effect of computer networks on daily life:

"You will have programmed your home that you are awake. Your flat screen television monitor will switch on... It will tell you that you are scheduled to depart on AA Flight 156 to San Diego. Your home will have already called the Sabre System and found that the departure time is delayed 40 minutes. It will tell you the best route to the airport to avoid the traffic, the weather in San Diego, your agenda for the day, who you are meeting, and the overnight quarterly results of your division."

Back in the networks and information communications of the present, your hypothetical friend on the West Coast has posted a response to your cryptogram: "Vive les digits!"



Puts sophisticated business strategies at the fingertips of all TRS-80 Level II owners! FIN-PLAN: A Financial Planning Program for Small Businesses is the most complete financial planning program available.

Here's why . . . Developed by an expert: The author, Robert Montgomery, is president of a management consulting firm and a recognized authority on new product planning. Easy to use: Data can be entered from normal balance sheet statements. Within seconds, FINPLAN will provide financial projections for up to 5 years. Versatility: Are you thinking about modernizing equipment, expanding into a new product line, or starting a new business from scratch? Will your plans run you out of business, out of cash, or on to the Fortune 500 list? FINPLAN will answer these and other financial questions before you invest a dime. Extensive documentation: You don't have to be a financial wizard to use FINPLAN because it comes with 80 pages of documentation. Presented in a step-by-step format, the documentation is a great learning tool for those who need it or a dynamic applications tool for getting the most out of **FINPLAN**. And, **FINPLAN** is reasonably priced. #05103, TRS-80 Level II cassette, \$69.95; #05108, TRS-80 Level II Disk, \$74.95.

Available at your local computer store!

or Call Toll Free, 24 hours a day, (1-800-827-3777, ext. 302)* TO CHARGE YOUR ORDER TO Master-Charge or Visa! Minimum order is \$10.00; Customer pays postage and handling.

*From Missouri, call 1-800-892-7655, ext. 302

V 419

Hayden Book Company, Inc.

50 Essex Street Rochelle Park NJ 07662

The essence of variables.

Into the 80's

I. R. Sinclair 89 Alexandra Road Sible Hedingham Halstead, Essex C09 3NP

ow that we've been over the methods of CSAVE and CLOAD, we can take steps which lead to longer programs. I am going to explain the programming methods which you'll find in longer programs, and show some short examples which you can use in programs of your own.

Are you ready for the Force? The instructions we're going to look at this month are among the most powerful instructions in BASIC, and your TRS-80 has one of the most complete BASICs I know.

The IF...THEN Statement

The IF...THEN...ELSE instruction allows a computer to make a comparison and a decision. The comparison will be between two quantities, strings or numbers, and the decision will be about what to do next. The best way to show how this works is with an example (Listing 1). Let's go through it carefully.

Lines 10 through 60 print out the rules of a very simple game. A lot of improvements can be made, and we will need to make them if we want the game to be interesting, but for the moment, let's take just one step at a time.

The new parts of the program start at lines 70 through 90. The program prints the word LION and waits for your reply to be

typed and ENTERED in line 80. The reply which you type becomes the variable N\$, which can now be compared with the correct answer, which is the word PRIDE. Line 90 does just this: If you typed PRIDE, correctly spelled, then N\$ = "PRIDE", and the program will print the words WELL DONE and end.

If you typed anything but PRIDE, the rest of line 90 is ignored, and the program shifts to line 100 to tell you that your answer is wrong. You are then asked to try again, and the program returns to line 70 by using the command GOTO 70.

Try it, giving a correct answer on one run and an incorrect answer on the next run, so you can see how the computer treats these different cases.

Meanwhile, what about ELSE, which only a few computers feature in their BASIC? The BASIC statement in line 90 used only IF...THEN. If N\$ = "PRIDE", then the program goes on to complete the other instructions in line 90. If N\$ is not "PRIDE", then the rest of line 90 is ignored and the next line executed is line 100. That last section of line 90 is rather important, incidentally. If you omit the :GOTO 120, when you answer PRIDE the computer would print:

WELL DONE WRONG, I'M AFRAID – TRY AGAIN LION?

A correct answer should stop this simple program, and only an incorrect answer should permit the entry of another answer. You have to remember when you write a program that unless you command it otherwise, the program will always step from one line to the next in numerical order.

The ELSE Command

That big, big BASIC of the TRS-80, however, lets you write lines 90 through 120 in a much shorter form, which is shown in Listing 2. This can now be the last line in the program. Type in DELETE 100-120, hit ENTER and then type in your new line 90. Try it; this time, if N\$ is not "PRIDE", the rest of the line is ignored only as far as ELSE, then the section after ELSE is carried out. Using IF-THEN-ELSE in this way can save a number of lines in your program.

Computer Comparisons

In addition to the use of IF-THEN-ELSE, another innovation is the use of the equality sign in the expression IF N\$ = "PRIDE". This is not quite the same use of the equality sign that we've used until now. When we have a command like IF N\$ = "PRIDE", the computer compares the two stored strings, N\$ and PRIDE, letter by letter, to determine whether they are identical. If one string has a space or a comma or a period and the other hasn't, then they're not identical. We'll later look at ways around that problem.

The equality sign comparison isn't the only one which can be made. We can also write IF N\$ > "PRIDE" or IF N\$ < "PRIDE", though these statements would not be used in this game. The > sign means greater than, and when it's applied to a string it means that the word used for N\$ would come later in an alphabetical index than the word PRIDE. For example, if N\$ = "ROAR", then it comes later in a list than PRIDE, because R follows P in the order of the alphabet. If N\$ = "PRUDENT", it also comes later, because U comes after I in the alphabet, even though both words start with PR. The < sign means less than, and

"Some owners of other computers would give both ears and a tail for the TRS-80's edit facilities."

works exactly in reverse. To complete the story, we can combine these symbols as shown in Table 1.

Clearing Methods

Since we're writing programs of 12 lines and more, we need to be able to clear one program (after using CSAVE to preserve it) in order to start all over again with another program. Type NEW and hit ENTER —it's that easy. This doesn't actually erase the program the way you can erase a tape, it erases only the instructions inside the computer which act as a signpost to the start of the program. Your old program is completely wiped out when you enter a new one of the same length or longer, or when you switch the computer off and on again later.

Some owners of other computers would give both ears and a tail for the TRS-80's edit facilities. We're not going to cover all of the editing methods at once, but it's time you met the main one.

With your program set up, type EDIT 70 and hit ENTER. This will result in the number 70 being displayed on the screen with a cursor (dash mark) beside it. Press the space bar and release it, and the cursor moves right. Press again, and the first letter of PRINT appears. Another press and the second letter appears. Looks as if you're typing all these letters with the space bar, doesn't it? The backshift arrow (+) allows you to go back until just the number shows, the space bar allows you to go forward to show more of the instruction.

Space bar your way to the end of the line and then back space until the last quotation marks disappear but you can still see the entire word LION. Press the letter I on the keyboard, but don't hit the ENTER key. Backspace until the L of LION disappears, leaving only the first quotation marks visible. Now type the word WHALE and hit ENTER. The line should read:

70 PRINT "WHALE"

The new word has been inserted (I for IN-SERT) between quotation marks. In this example, we first had to delete by backspac-

Sign	Meaning
=	exactly equal to
A <b< td=""><td>A less than B (earlier in the alphabet)</td></b<>	A less than B (earlier in the alphabet)
A>B	A more than B (later in alphabet)
A <> B or $A >> B$	A not equal to B
A< = B	A less than or equal to B
A> = B	A more than or equal to B
	Table 1

```
10 CLS
```

- 20 PRINT@26, "COLLECTIVES"
- 30 PRINT: PRINT" I SHALL GIVE YOU THE NAME OF A CREATURE.
- 40 PRINT"I SHALL THEN ASK YOU THE NAME FOR A GROUP OF S UCH CREATURES"
- 50 PRINT"FOR EXAMPLE WOLF"
- 60 PRINT "YOUR REPLY SHOULD BE PACK. NOW TRY ---"
- 70 PRINT "LION"
- 80 INPUT NS
- 90 IF N\$="PRIDE" THEN PRINT "WELL DONE":GOTO120
- 100 PRINT "WRONG, I'M AFRAID TRY AGAIN"
- 110 GOTO 70
- 120 END

Program Listing 1

90 IF N\$="PRIDE" THEN PRINT "WELL DONE": END: ELSE PRINT "WRONG - I'M AFRAID, TRY AGAIN": GOTO70

Program Listing 2

- 10 CLS
- 20 PRINT@26, "COLLECTIVES"
- 30 PRINT: PRINT"I SHALL GIVE YOU THE NAME OF A CREATURE"
- 40 PRINT"I SHALL THEN ASK YOU THE NAME FOR A GROUP OF S UCH CREATURES"
- 50 PRINT"FOR EXAMPLE WOLF"
- 60 PRINT"YOUR REPLY SHOULD BE PACK. NOW TRY-----"
- 70 READ QS,AS
- 80 PRINT Q\$
- 90 INPUT NS
- 100 IF N\$=A\$ THEN PRINT "WELL DONE":GOTO 70:ELSE PRINT
 "WRONG, I'M AFRAID TRY AGAIN":GOTO80
- 110 DATA "LION", "PRIDE", "WHALE", "SCHOOL", "FISH", "SHOAL"
 , "SHEEP", "FLOCK", "COWS", "HERD", "GEESE", "GAGGLE"

Program Listing 3

- 10 CLS:A=0:S=0
- 20 PRINT@26, "COLLECTIVES"
- 30 PRINT: PRINT" I SHALL GIVE YOU THE NAME OF A CREATURE"
- 40 PRINT"I SHALL THEN ASK YOU THE NAME FOR A GROUP OF S UCH CREATURES"
- 50 PRINT"FOR EXAMPLE WOLF":PRINT"YOUR REPLY SHOULD BE PACK"
- 60 PRINT"YOU ARE ALLOWED THREE TRIES. AFTER THE THIRD I NCORRECT ANSWER": PRINT"YOU WILL BE SHOWN THE CORRE CT ANSWER AND ASKED THE NEXT QUESTION"
- 70 READ Q\$, A\$:T=1
- 75 IF Q\$="Z" THEN 120
- 80 PRINT Q\$:IF T=4 THEN PRINT "ANSWER IS ";A\$;:PRINT:GO TO70
- 90 INPUT NS:A=A+1
- 100 IF N\$=A\$ THEN PRINT "WELL DONE":S=S+1:GOTO70:ELSE P
- RINT "WRONG, I'M AFRAID TRY AGAIN":T=T+1:GOTO80

 110 DATA "LION", "PRIDE", "WHALE", "SCHOOL", "FISH", "SHOAL"
 , "SHEEP", "FLOCK", "COWS", "HERD", "GEESE", "GAGGLE", "Z
 "."Z"
- 120 PRINT: PRINT"YOUR SCORE IS ";S;" IN ";A;" ATTEMPTS":
 END

Program Listing 4

ing after the I had been pressed, but it's also possible to add letters, spaces or whole words into a line by using the I key and then typing in the new material. You can alter a line as much and as often as you like in this manner, but if you interrupt a program to alter a line, you will have to reRUN the program from the beginning.

Now that we've changed line 70, we need also to change line 90. Type EDIT 90 and hit ENTER. Use the space bar to step along to the E of PRIDE, then press the I key. Step back, using the back arrow, until the P of PRIDE has disappeared, then type in SCHOOL and hit ENTER. Line 90 should now have "SCHOOL" in the place of "PRIDE", and the program makes sense again.

Increase the Beasts

One of the problems of our program in Listing 1 is that it's limited, to say the least; not the sort of thing that's likely to hold your interest on a long rainy afternoon. Perhaps we can use a new instruction to pep things up a bit, starting with a method for using more animals.

Look now at Listing 3. There's a new instruction in line 70, READ Q\$,A\$. The READ instruction tells the computer to look for data, and the data must always be labeled by starting with the word DATA. There's no comma after DATA, but there must be a comma after each word in the list except for the last one. Because we're asking the computer to read string variables from this list, we have to enclose each word in the list within quotations. Where the comma after each word is not inside quotation marks, it indicates to the computer where each word ends.

In line 70 the computer assigns values to the string variables Q\$ and A\$. First time around, it makes Q\$ identical to LION and A\$ identical to PRIDE. To do this, the computer simply makes the first string variable, which is Q\$, equal to the first word read from the data line, and the second string variable, A\$, equal to the second word read from the line. We can have a line 70 which looks like this:

70 READ Q15.A15.Q25.A25.Q35.A35

This would have read three sets of question and answer words, or we could have read all six sets in one operation.

As it is, we chose to read just one question and one answer in line 70, and in line 80 we print the question word. Since Q\$ is assigned to LION in line 70, that's what comes up on the video screen. We don't ask for the answer word (A\$) to be printed, so it isn't. At line 90 you're asked to input your answer, and line 100 then compares your answer with one, PRIDE, which has been taken from the list.

We've made a few changes in line 100, also. If your guess is correct it is announced on the video screen, and the instruction GOTO70 tells the computer to read another pair of words. That's what makes this READ ...DATA pair of instructions so useful, each READ is a new one, with new information coming in from the data line or lines. This time, Q\$ is set equal to WHALE, and A\$ is set equal to SCHOOL. See why we call these quantities variables? We vary what they are set to each time, instead of leaving them set for all time.

Looks a bit more interesting now, doesn't it? You can use as much data as your computer has space for (and your typing fingers will really ache before you fill up the 16K TRS-80 with data). Your TRS-80 won't let you type more than a total of 255 characters



A year ago, when nobody had ever heard of me, I said these disks could turn a TRS-80* into a serious computer.

Now they tell me I'm "the standard of the industry."

I'm Irwin Taranto, and times have changed. In the first twelve months, almost a thousand businesses put me to the test.

You can buy my TRS-80 systems all over the country—dozens of companies sell them. Some are my dealers, some aren't. And this creates a new set of problems.

You see, learning to use a computer — any computer — is like learning anything else. It takes some getting used to. If you sit down with a computer program and the manual and try to figure it out all by yourself, you'll probably just give up and feel you've been had.

You have to hang in there for a month, make a few phone calls, and have somebody who really understands the system help you work it out.

That's why I still answer the phone. And why, I guess, people say all those nice things.

The Model I systems

So far, I have six systems for the Model I, at \$99.95 each, plus \$20 each for the books where required. For the Cash Journal option on the General Ledger, add another \$50.

Accounts Payable
Accounts Receivable
Invoicing
General Ledger (Cash Journal optional)
Payroll
Inventory Control

And the Model II programs

Some brand new, highly-sophisticated programs for the TRS-80 Model II, at \$249.95 each, plus \$20 for the book where required.

General Ledger/Cash Journal Accounts Payable/Purchase Order Accounts Receivable/Invoicing Payroll/Job Costing

For the Model I programs, you can tell us what you need in a letter or by phone. You get the disk and all the instructions you need. Any problems, just call me.

For the Model II programs, I ask you to fill out a questionnaire before I send you any materials. The systems have so much flexibility we tailor them to your needs.

That way, I make sure you get a system that works. If you have any doubts about that, I'll give you the names of some people in your area who've already been through the process.

Let them tell you whether I really deserve that fancy new reputation.



121 Paul Drive, San Rafael CA 94903 • (415) 472-2670. Add \$4.00 per order for handling. 6% sales tax in California only. Master Charge, Visa, C.O.D.

the electric pencil II™



for the TRS-80 Model II* Computer

The Electric Pencil is a Character Oriented Word Processing System. This means that text is entered as a continuous string of characters and is manipulated as such. This allows the user enormous freedom and ease in the movement and handling of text. Since lines are not delineated, any number of characters, words, lines or paragraphs may be inserted or deleted anywhere in the text. The entirety of the text shifts and opens up or closes as needed in full view of the user. Carriage returns as well as word hyphenation are not required since each line of text is formatted automatically.

As text is typed and the end of a screen line is reached, a partially completed word is shifted to the beginning of the following line. Whenever text is inserted or deleted, existing text is pushed down or pulled up in a wrap around fashion. Everything appears on the video display screen as it occurs thereby eliminating any guesswork. Text may be reviewed at will by variable speed or page-at-a-time scrolling both in the forward and reverse directions. By using the search or the search and replace function, any string of characters may be located and/or replaced with any other string of characters as desired. Specific sets of characters within encoded strings may also be located.

When text is printed, The Electric Pencil automatically inserts carriage returns where they are needed. Numerous combinations of Line Length, Page Length, Character Spacing, Line Spacing and Page Spacing allow for any form to be handled. Right justification gives right-hand margins that are even. Pages may be numbered as well as titled.

the electric pencil

-a Proven Word Processing System

The TRSDOS versions of The Electric Pencil II are our best ever! You can now type as fast as you like without losing any characters. New TRSDOS features include word left, word right, word delete, bottom of page numbering as well as extended cursor controls for greater user flexibility. BASIC files may also be written and simply edited without additional software.


Our CP/M versions are the same as we have been distributing for several years and allow the CP/M user to edit CP/M files with the addition of our CONVERT utility for an additional \$35.00. CONVERT is not required if only quick and easy word processing is required. A keyboard buffer permits fast typing without character loss.

CP/M TRSDOS Serial Diablo, NEC, Qume \$ 300.00 \$ 350.00 All other printers \$ 275.00 \$ 325.00

The Electric Pencil I is still available for TRS-80 Model I users. Although not as sophisticated as Electric Pencil II, it is still an extremely easy to use and powerful word processing system. The software has been designed to be used with both Level I (16K system) and Level II models of the TRS-80. Two versions, one for use with cassette, and one for use with disk, are available on cassette. The TRS-80 disk version is easily transferred to disk and is fully interactive with the READ, WRITE, DIR, and KILL routines of TRSDOS.

TRC Cassette \$ 100.00 TRD Disk \$ 150.00





Features

TRSDOS or CP/M Compatible * Supports Four Disk Drives * Dynamic Print Formatting * Diablo, NEC & Gume Print Packages * Multi-Column Printing * Print Value Chaining * Page-at-a-time Scrolling * Bidirectional Multispeed Scrolling * Subsystem with Print Value Scoreboard * Automatic Word & Record Number Tally * Global Search & Replace * Full Margin Control * End of Page Control * Non Printing Text Commenting * Line & Paragraph Indentation * Centering * Underlining * Boldface





*TRS-80 is a registered trade mark of Radio Shack, a division of Tandy Corp.



MICHAEL SHRAYER SOFTWARE, INC.

1198 Los Robles Dr. Palm Springs, CA. 92262 (714) 323-1400

BEST SELLING INFORMATION MANAGEMENT SYSTEM IN MICROS TODAY!!

SELECTOR III-C2

- Powerful
- ■Creates and Maintains Multi- key data bases
- Prints FORMATED, SORTED REPORTS with numerical summaries
- ■Source code supplied
- Prints MAILING LABELS and more!
- Comes with APPLICATIONS PROGRAMS including
- Sales Activity
- Inventory
- Pavables
- Receivables
- MAD
- ■Expense Register ■Checks Register
- ■Client/Patient Record
- ■Appointments
- **■**Library

File management and report writing modules contain linkage to user subroutines to add virtually any special purpose application

STATE OF THE ART in information management systems!

NEW - "Ready-to-run" version for the TRS-80® Model I, only from Business Microproducts. Also available for Model 11

Requires CP/M operating system or derivative and CBASIC2.

Offered on 5 1/4" or 8" all versions \$295.* CBASIC2 with Selector Purchase \$75

TRSDOS-CP/M TRAN

BRIDGES THE GAP

- ■Machine language COM FILE directly compatible with your CP/M system
- Automated Terminal Con
- ■Memory displayed in both HEX and ASCII
- Many disk Sector Selected and displayed in both HEX and ASCII
- Transfers both data and program files by hie name byte by
- Newly created files scanned for potential errors between level II BASIC & MBASIC 5 0
- **ECP/M** tiles scanned for any selected string
- Searches any program for all occurences of any string
- ■Generates a variable cross reference invaluable feature for any system level conver
- sion and debugging Displays both CP/M & TRSDOS directories

And more

From CP/M: TRSDOS now available for TRS-80 Model I \$149.00 Both directions.

FILETRAN Disk and Manual \$99 Manual alone (manual price credited to system) \$20







A DIVISION OF THE READY CORPORATION LIVERMORE FINANCIAL CENTER

609 S LIVERMORE AVE . LIVERMORE CA 94550

(415) 449-4412

M/C

NEW. **NEVADA** COBOL

- A POWERFUL subset of ANSI-74
- ∠ A PRICE that s UNBEATABLE—\$99
- EXTENDED arithmetic & 1/0 features
- FAST compilation and execution
- EASY to use Generates small executable object modules
- UNIQUE Easily understood error messages
- -CP/M compatible
- Also available ON TRS-80 CP/M
- REQUIRES only 16K-RAM
- Designed for PORTABILITY

STANDARD FEATURES

- Random access file structure
- Sequential files Fixed and variable length
- Debugging capability
- Copy statement
- Data types & character string, 16 Bit Binary and packed decimal (Comp-3)
- 18-Digit accuracy
- Hexidecimal non-numeric literals
- Powerful editing
- Interactive accept/display

Offered on both 5 1/4" and 8" diskette, all

*CA residents add 6% sales tax. Continental shipping \$3.00. Allow 2 weeks delivery.

TRS-80 is a trademark of the Tandy Corp. CP/M is a trademark of Digital Research

THE FIRST TRS-80® COMPATIBLE COMPUTER WITH HIGH DENSITY COLOR GRAPHICS!



LNW80

PC BOARD \$89.95

Ask about our : Keybo

LNW RESEARCH introduces the LNW80, a high performance color computer, compatible with the TRS-80TM Model I. The fully integrated LNW80 is a sophisticated and versatile microcomputer with the following powerful features.

COMPATIBILITY

Hardware and software compatible to the Radio Shack TRS-80TM Model I computer. provides the widest software base of any microcomputer. Cassette interface; expan-

DISPLAY

Quality upper and lower case display.

Two modes of color graphics, high resolution graphics, 384×192 in eight colors—higher density than the Apple II.* Low density color graphics of 128×192 are also available in eight colors.

High resolution—black and white graphics—of 384×192 mixed with text and TRS-80TM standard graphics.

Reverse video, composite video RF output.

PERFORMANCE

The LNW80 utilizes the fast Z-80A microprocessor which executes at a speed of 4 MHZ—over twice the speed of the TRS-80TM Model I.



SYSTEM **EXPANSION** 69 % [PC BOARD A

ORDERING INFORMATION

Add \$3 for postage and handling CA residents add 6% sales tax



SERIAL RS232C/20 ma 1/O FLOPPY CONTROLLER 32K BYTE'S MEMORY PARALLEL PRINTER POET DUAL CASSETTE PORT REAL-TIME CLOCK SCREEN PRINTER BUS ONBOARD POWER SUPPLY SOFTWARE COMPATIBLE SOLDER MASK, SILK SCREEN

LNW RESEARCH 3183-E AIRWAY AVE COSTA MESA CA 92626 714-552-8946

* Apple II is a TM of Apple Computer, Inc. FPLAD is a TM of Yandy Corp.

RESEARCH

LNW

"We still don't have a really satisfactory program yet. For one thing, there's no end...."

on a line, so if your words (or numbers, of course, if you use number data) need another line...

There are rules about this, as you might expect. The last word in a line must not have a comma following it, and the next line must start with a line number which is greater than the line number of the previous line. After the line number, you must type in the word DATA, then the first data word for the line, a comma, the next data word and so on.

The computer always reads the data in order, starting with the lowest numbered line. There is no simple command which will fetch word number six, for example, although such a command would be very useful to have. Later we'll see how we can get around this limitation.

We still don't have a really satisfactory program yet. For one thing, there's no end to the program. It simply reads data until the last word has been read, and then you get an error message - OD (out of data). If you can't answer one of the questions, the program simply sticks, going back to line 80 from line 100 until you answer correctly or switch off in disgust.

Change Your Game

We need a few changes. First, we need to be able to stop the program when all six sets of words have been used. Secondly, we need to be able to limit the number of wrong answers so that the program doesn't stick. Finally, it would be useful to keep some sort of score.

You may not realize it, but you know one method by which to make these changes. The obvious method is to use counting variables which start at zoro or unity and are increased by one (incremented) at each loop of the program.

Start by counting the number of times a set of questions and answers is read from the lines. Do we need to count this? Counting is one way of solving the problem, but there's another one: Put in a final pair of data items, and make the computer reject them. There's no animal called Z, and it doesn't hunt in Zs, so we can add Z,Z to the end of the line. We don't want to print Z, so we'll intercept this data, called a terminator, between reading in line 70 and printing in line 80:

75 IF Q\$ = "Z" THEN END 110 DATA "LION", "PRIDE", . . . "GEESE", "GAGGLE", "Z", "Z"

We have to put both Zs in the line, because the READ statement in line 70 always reads two strings. If there's only one, we'll get that OD error message again. This is a much more satisfactory way of terminating a read than by counting the number of sets of reads, because it lets us add to the data easily, by inserting more data between the gaggle and the Z; if we had used a count, we should also have to change the count num-

We now have the problem of the program looping around line 80 through 100 and back when you can't answer. Let's allow three tries only, and if all are wrong, we print the correct answer and fetch the next pair of words.

How do we do that?

First of all, we must select a letter to represent the number of tries; T looks useful. as it will remind us of t for try. A letter which reminds you of what you are trying to do makes life a lot easier when you are designing and redesigning the program, or when someone else is trying to understand it. We want to allow one attempt whenever a pair of names is read, so we need to make T take the value of unity each time data is read.

ems and formats. Most formats available OTHER GOODIES

PS.—We want to be your software source. Give us the opportunity to beat any nationally advertised price

CP/M DISK	MANUAL	CP/M users: specify d	
OSBORNE T MANU	AL / ONLY	COMPUTER PATHWA	ve i
General Ledger #	\$ 59/\$20	Pearl (level 1)#	\$ 99/\$2
Acct Rec/Acct Pay#	\$ 59/\$20	Pearl (level 2)#	
Payroll w/Cost#	\$ 59/\$20	Pearl (level 3)#	
Buy 2 get 1 free		rean (level 5/#	4545/42
All 3 & CBASIC2		MICROPRO	
DIGITIAL RESEARCH		Word-Star (Ver. 2.0).	\$349/\$4
CP/M* 2.2 Northstar		Word-Star	
CP/M* 2.2 Cromemco.		/Mail-Merge	
CP/M' (other versions)		DataStar	
PL/I-80		Word-Master	
Mac		SuperSort1	\$199/\$2
Sid		SuperSort II	
Z-Sid		SuperSort III	\$119/\$2
Tex			
Despool	\$ 50/\$10	PEACHTREE' ¶ General Ledger‡	
MICROSOFT		General Ledger ‡	\$449/\$4
Basic-80	* 200 /* 20	Accts Receivable ‡	. \$449/\$4
Basic Compiler		Accts Payable ‡	3449/34
Fortran-80	*324/*3U	Payroll ‡	\$449/\$4
Cobal-80		Inventory‡	3499/34
Mu Math		Property Mgt 1 C.P.A. Client Write-up 2	5099/34
Mu Lisp		Mailing Address 1	
		Mailing Address 1	3399/34
MICRO DATA BASE ST		STRUCTURED SYST	EMS
HDBS		General Ledger#	
MDBS	\$750/\$40	Accts Receivable #	6747/62
Other	Call	Accts Payable #	
S.O.F.T.W.A.R.E.		Payroll #	\$747/\$2
Microtax*‡		Payroll #. Inventory Control #	\$447/\$2
Federal individual	\$749/\$50	Analyst #	\$197/\$2
Federal corporate	\$249/\$25	Letteright #	\$167/\$2
State individual	\$249/\$25	NAD#	5 87/52
C.P.A. Plus	0000 000	QSORT	\$ 87/\$2
Client Write-up			
Time billing	. \$995/\$95	GRAHAM-DORIAN ¶	
Business Plus‡		Most packages	\$699/\$4
General Ledger	5 79/\$25		
Accounts Receivable	\$ 79/\$25	MICRO-AP	
Accounts Payable	\$ /9/\$25	Selector III-C2#	\$269/\$2

SUPERSOFT

Ratfor

Forth (8080 or Z80) ¶. Diagnostic I Other disk software

SOFTWARE WORKS

\$129/\$25

less 10%

/\$25	Tiny "C"	\$ 69/\$40
/\$25	CBASIC (Ver 2 06)	. \$ 89/\$15
7\$25	Pascal/Z (Ver 3)	\$369/\$35
,	Pascal/MT (Ver 3)	
	Pascal/M	
3/\$40	Pascal/UCSD	\$299/\$25
	FMS-80	Call
9/\$65	CBS	\$279/\$45
9/\$35	TIM:	\$369/\$45
3/\$25	Vsort I	
3/\$25	String/80	\$ 84/\$20
9/\$25	Whatsit?	\$149/\$25
9/\$25	Postmaster	\$139/\$20
	Textwriter III	\$111/\$20
	Magic Wand	\$299/\$45
7\$45	Spell Binder	\$349/\$45
9/\$45	Electric Pencil II	less 15%
7845	CPAids.	less 12%
3/\$45	Vulcan D.B.M.S	\$469/\$30
3/\$45	Neveda Cobol	
/\$45		
7845		
3/\$45	ı	

FANTASTIC ROYALTY PAID FOR QUALIT TRS-80 MODEL II SOFTWARE TRSDOS OR CP/M WRITE OR CALL

BASIC 1-Supplied in source code #-Requires CBASIC-2 * - Migs Trade

Payroll #	\$747/\$25
Inventory Control #	\$447/\$25
Analyst #	\$197/\$20
Letteright #	\$167/\$20
NAD#	\$ 87/\$20
QSORT	\$ 87/\$20
GRAHAM-DORIAN	9
Most packages	\$699/\$40
MICRO-AP	
Selector III-C2 #	\$269/\$20
Selector IV #	\$469/\$35
S-Basic Compiler	\$229/\$25
WHITESMITHS	
"C" Compiler *	\$600/\$30
Pascal (incl "C")*	\$750/\$45
EIDOS SYSTEMS	
441	

TRS-80* MO	DEL II
CP/M 22 Electric Pencil II	\$149 less 15%
TRS-80" MO	DEL I

CCA Data Mor

Kiss. Kbasic

Don't see it-CALL! Other software requirements-Call "LIGHTNIN" service available! Just call and ask Diana. ORDERS ONLY-CALL TOLL FREE VISA • MASTERCHARGE 1-800-854-2003 ext. 823 • Calif. 1-800-522-1500 ext. 823

Overseas—add \$10 plus additional postage • Add \$2.50 postage and handling per each item • California residents add 6% sales tax • Allow 2 weeks on checks, C.O.D. ok • Prices subject to change without notice All items subject to availability.

For information write or call: THE DISCOUNT SOFTWARE GROUP 1610 Argyle Ave., Bldg. 102 • Los Angeles, CA 90028 • (213) 665-8280

INTELLIGENT TERMINAL

Use your TRS-80° as a dial-up terminal on any standard timeshare system. Includes control keys. Print command lists data on printer. Store command writes data to disk file. Write command reads disk file and outputs to \$2322 interface...\$67.55

ADDITIONAL SOFTWARE AVAILABLE:

ACCOUNTS RECEIVABLE \$495
Maximum 1000 customers with up to 3000 transactions per customer per billing period. Includes customer status reports, post due billings, mail list, etc. Reports may be run at any time as often as desired. High-quality, professional software.

GREAL LIDGER \$495
For medium sized business. Designed and prayen impossible to unbalance books. IRS auditable. Up to 9 departments. High-quality, professional software.

PAYROLL \$495
For up to 120 people per year. Same high-quality, professional software.

MAE LIST \$9.95
Basic, no-frills program. Easy to use. Lists all (or range of) addresses. Prints 4 lines by 30 chars on standard 3½" x 15/16" label.

UNILOGIC , 423 P.O. Box 160 PARIS, KY 40361 (606) 987-2678

(606) 987-4310 (32K TRS-80° with disk drive required.) *TRS-80 is a trade mark of Tandy Corp.

If you're serious about the stock market, you need Tickertec™



Watch 48 to 400 of your favorite stocks without a 15 minute delay.

Tickertec™ is a computer program that displays the NYSE or AMEX tickertape on your TRS-80" Model I or both exchanges as an option on the Model II. You see every trade as it is reported by the exchange and track the last ten trades, tickertape reported volume, and high and low limits on the stocks you are watching. Tickertec program prices start at \$1,000.00 with many optional features available including hard copy and portfolio management systems. Programs may be purchased for cash (i.e., hard dollars) or payment can be arranged in the form of discounted brokerage commissions (i.e., Soft Dollar Software*). Exchange fees are extra. Call for FREE brochure TOLL-FREE at (800) 223-6642; in New York call (212) 687-0705; or circle the reader service number.

MaxUle& Company Inc.

6 East 43rd Street, N.Y., N.Y. 10017

EDIT line 70 to:

70 READ QS, AS: T = 1

and T will be correctly set at each read step.

Now we want to add one to T each time
you answer incorrectly. We can do that by
altering line 100 (which is lengthening every
time we alter this program), to read:

100 IF NS = QS THEN PRINT "WELL DONE": GOTO 70 : ELSE PRINT "WRONG, I'M AFRAID - TRY AGAIN": T = T + 1 : GOTO 80

After our third attempt, T will have the value four. We now need to arrange for this to cause the program to break out of its loop.

If T is less than four, line 80 should print Q\$ and ask for an input reply. If T is equal to four, we want to print the correct answer and start with another pair of words. It looks like a convincing case for an IF...THEN statement. Suppose we make line 80 read:

80 PRINT Q\$: IF T = 4 THEN PRINT "ANSWER IS"; A\$: PRINT: GOTO 70

If you've had three attempts, the answer is printed and a new animal question is asked. In line 70 T is again set to 1, so the next time the program goes to line 80 the new plece of program is ignored again. We've printed the words and the variable AS in the new section of line 80 using a semicolon to keep the video display running on the same line. (We could have used T=1 in line 70 and IF T=3 in line 80.)

The next item on the list is a way of keeping score. To be fair, we need to keep a taily of the number of total attempts and the number of successful attempts. Each time we've been successful, we've printed WELL DONE, so we could make a count of the successful attempts there. Each time we answer, we input something on line 90, so the total number of attempts could be counted there.

Let's use the variable A for the number of attempts. We have to start at zero, so A must be set to zero early in the program. Line 10 is fairly empty, and we can add, after a colon, A = 0. To count the attempts, line 90 needs another addition: A = A + 1 so that A is increased by one each time you answer.

If we use S to count successes, we can set S = 0 in line 10, and increment it just after the statement PRINT "WELL DONE" in line 100:

> 100 If N\$ = Q\$ THEN PRINT "WELL DONE": S = S + 1:GOTO 70: EISE PRINT "WRONG,I'M AFRAID - TRY AGAIN": T = T + 1:GOTO 80

Finally, having counted attempts and

successes, we better make some use of them. When the last pair of items (the terminators) has been read, we can print the scores instead of just finishing the program. This is done by adding line 75:

75 IF Q\$ = "Z" then 120

and in line 120, printing the score.

In case you're getting a bit lost with all these changes, Listing 4 shows what the program now looks like. The program which started as a very simple game is now more advanced, and does its own scoring as well.

Add Excitement with FOR-NEXT

The game will be much improved if we can arrange the program so that the computer can pick any animal at random and surprise you. We can't tackle that until we learn two other instructions.

The first is a really powerful one called the FOR-NEXT loop. Its purpose is to allow you to count the number of times an operation is carried out. For example, if we type in the instructions:

> 200 FOR N = 1 TO 6 210 READ S\$ 220 NEXT

a loop will be set up to read six items from a line somewhere else in the program. The first time the computer comes to line 200, it sets N at 1 and then in line 210 reads the first item, assigning it to S\$.

There being no instructions about what to do with the item in this example, the computer goes to the next line—NEXT. NEXT means go back to the FOR instruction, and make N one step greater. The size of the step, unless you instruct it otherwise, is 1. The next time round N is set to 2, and in line 210, the second item is read.

Once again we go to line 220, and the NEXT instruction compares the value of N (now two) with the limit we set (which was six) and returns the program to line 200. This loop repeats until the NEXT instruction makes N=7. This stops any return to line 200, so that the program goes on to the next line.

The example we've used is a fairly simple one, with very few instructions between the FOR and the NEXT. We could, in fact, write such a short piece of program on one line:

200 FOR N = 1 TO 6 : READ S\$: NEXT

and we don't have to worry about having to set up a comparison like:

210 IF N< = 6 THEN 200 ELSE 220

The word powerful, when it's applied to

4200 Wisconsin Ave NW PO Box 9609 Washington DC 20016

Osborne & Associates ACCOUNTING

For two years we have looked for good business accounting programs. over-priced many non-functioning packages, we have finally found some excellent software. And it is available at a reasonable price - \$25.00 per package.

These programs are the Osborne & Associates systems which are copyrighted by Taranto & Associates. They are excellent programs which have been used for several years. Originally written for other computer systems, these programs are now available for the 48k Model I TRS-80 with two disk drives.

These programs are not games. are meant to adapt to your accounting system. You should not expect us or this software to be your accountant. But, if properly used, you will save hours of valu-Rut if able business time.

All Osborne & Associates programs are fully documented by their three extensive books - "General Ledger," "Accounts Payable & Accounts Receivable," and "Payroll with Cost Accounting," (These TRS-80 programs do not include the cost accounting system. The General Ledger does contain a Cash Journal.) These books are available for \$20 each. Please include \$3,00 per book for first class shipping (otherwise sent

Act today!

General Ledger Accounts Receivable Accounts Payable \$25.00 Payroll \$20.00 Any book



by Bill Hague from Big Five
Asteroids surround your ship. Shoot
the asteroids and the alien ships. Written in machine language, this game is GREAT! There are five different types of alien ships including the very deadly Flagship. shoot from your ship, rotate it, use your thrust key to move, and in emergencies yo go into hyperspace. Level 1 or 2 - \$14.95




GALA

by Bill Hague from Big Five

"Galaxian" is the rage at the arcades. Now GALAXY INVASION is the rage on the TRS-80. The aliens move about the top of the screen and will smoothly swoop down on you. But watch out for the Flagship Alerts! Level 1 or 2 - \$14.95 (P.S. This ad almost did not get finished

due to Galaxy Invasion addiction.)

TRS-80 **Programs**



by Bruce Artwick from Sublogic


The wait is over! If 3-D graphics seem impossible on the low resolution TRS-80, you haven't seen this brilliant program. During FLIGHT SIMULATION, you instantly select instrument flight, radar, or a breathtaking pilot's-eye-view. But be sure to strap yourself in -- you're liable to get

Once you put in some air time learning to fly your TRS-80, head for enemy territory and try to bomb the fuel depot and airstrip while fighting off five enemy warplanes. Good luck!

Level 1 or 11 protected cassette \$25.00



from Instant We have long looked for a good Othello playing program. This is it! The program has seven levels of play and it will let you see its thinking. Written in machine lan-guage, you decide where to move using the arrow keys. \$9.95



NNEL OF FAHAD

by K. Pfeiffer from Adventure

Patterned after the popular arcade game "Crash", this is an action game with sound. You attempt to recover the silver and tanner leaves while avoiding the Mummy. \$9.95

by Charles Asper from Acorn

If you are looking for a logical and challenging game you should try your hand at QUAD. The game is like 3D tic-tac-toe with a time clock and four levels of play for one or two players. Vivid graphics and six-way cube rotation so you can see the play from any angle.

Protected tape \$14.95 Protected disk \$20.95

V. Hester from Soft Sector

This utility is the perfect tool for creating and debugging BASIC programs. It allows single stepping through a BASIC program, setting up to five break points in the program, and tracing of program logic using only a small portion of the screen. You can also review selected variables during program execution and return to your program with the display restored. If you like, ou can store one or more programs in high memo ry for later retrieval.

Known to work with Level 2, TRSD NEWDOS 2.1, NEWDOS/80, and VTOS. \$29.95

BOOK

ACCESSING THE TRS-80° ROM

from Insiders Software Consultants

For the machine language expert or beginner! This first of three volumes gives you access to over fifty arithmetic, mathematical, and data conversion routines in the TRS-80 ROM. sample programs, a disassembler program, a com-mented listing of these ROM routines, and a memory map of over 500 addresses. 134 pages. \$14.95

ISK*MO

This machine language program modifies your copy of the Radio Shack Editor/Assembler for use with your minidisk and any disk operating sys-tem. You can save and load both text source and assembled object files. Unlike the NEWDOS version you can read the directory and the allocation of granuales while in the EDTASM. You can also kill files. It is a complete disk modification for one or more drives.

Other capabilities are also added which are not found on NEWDOS. The block move command relocates a section of text to any other area. global change command permits, for example, changing a label throughout the text. The pagination feature provides hardcopy on 8 1/2 by 11 pages on either single sheets or continous paper. In addition, high memory can be reserved, like in BASIC, for machine language routines like printer You can also display the amount of memory remaining.
The [CLEAR] key is functional, the symbol

table is sorted alphanumerically and output 5-across, the scroll up/down allows 15 lines on the Screen, and the 'DEFM' assembly is improved. Lower case input is now permitted and you can branch to any address. Plus, it also corrects the errors in the Radio Shack tape version.

Save your time and make full use of your disk system by upgrading your Editor Assembler today. \$19.95



THE PROGRAM STORE 4200 Wisconsin Ave NW P.O. Box 9609 Dept. K 5 Washington DC 20016



VISA AND MASTERCARD



TO ORDER TOLL FREE 800-424 -2738

For program information call (202) 337-4691

Mail orders: Send check or money order for total purchase price, plus \$1.00 for shipping & handling. Charge card tomers, please include number, expiration date, card your name as it appears on the card.

HOME VISITOR SOUTHERN CAL MICHIGAN 17 3 4 14 . QUARTER

BALL ON SOUTHERN CAL 35 TIME

OFFENSE PASSES DEEP**DEFENSE IS A 3-4 PLAY GAINS LA YARDS **FIRST DOWN SOUTHERN CAL DEFENSE?

FOOTBALL/80

Play college football with your computer. Match your offensive and definsive play calling abilities with FOOTBALL 80.

- 11 Offensive plays to choose from
- 5 Defensive strategies to use
- Graphics scoreboard Narrative of each play
- Play result computations are based on a combination of offensive and defensive strategies

BASEBALL/80

When the season changes switch to baseball. Challenge your computer to a complete game, matching your pitching and hitting strategies with BASEBALL, 80.

- Graphics scoreboard updated each pitch
- Narrative of the results of each pitch
- In the field you call the pitches
- At the plate you set batting strategy

16K Level II **BOTH** games on one tape



P.O. BOX 34057 -447 Memphis, TN 38134 Phone 901 382-1909





OF PROGRAMS THAT TREAT YOU LIKE AN IDIOT, WASTING TIME & MONEY?? RANDOM ACCESS PAYROLL

- NO Complicated Initialization
- EDIT & LIST
- QUARTERLY Reports
- PROGRAM Loads In Less than 30 sec.

PAY ANY EMPLOYEE ANYTIME

- SALARIED OR HOURLY
- COMPLETE including EIC
- PRINTS on NEBS 9040 CHECKS
- NO SPECIAL PAYROLL CHECKS
- SPECIAL HOURS—SPECIAL PAY TWO SAVINGS-INCLUDING RIA
- **@STATE TAX—WORKMENS COMP.**
- CLASSED BY Occupation or Dept.
- PAYSTUB Shows Year-to-date
- No Filenames—All Automatic

SEND YOUR STATE TAX SCHEDULE We'll Customize for your State Tax

WRITTEN IN BASIC FOR COMPLETE CONTROL

Documentation & Disk \$55.00 Documentation only \$10.00credit to purchase

MASS ADD 5% or Exempt number Requires:

Min. 32K-1 Drive-Printer = 50 EMP 48K-2 Drives-Printer = 100 + TEL. 7 AM-9:30 PM EASTERN (617)-359-2364/6370

MEDFIELD **COMPUTER SOFTWARE**

39 GREEN ST., MEDFIELD, MA 02052

an instruction means it does a lot of program work without needing much typing. The amount of work it does can be judged from the time it takes. As an example, and so that you can see the FOR-NEXT loop doing something, try the program in Listing 5. Use a digital watch to measure the time between pressing ENTER on this one liner and getting the READY signal back, and watch the line printing out. FOR-NEXT loops are often used deliberately in programs to create a time delay, such as to give you a definite time to answer a question before moving on to the next one.

BASIC Info

There's a routine built into the BASIC lanquage which picks numbers randomly for any number limits you like to use. The command is RND, and what makes it so useful (not just for games, incidentally) is that it can be followed by a whole number (an integer) in brackets. The result will be an integer picked at random which lies between one and the number you used in the brackets. For example, RND(6) should cause the computer to come up with a random whole number between one and six.

We have a data list of six items and can produce a random number between one and six. It would be useful if that random number could be used to select the corresponding item of data. For example, if

RND(6) came up two, the second item from the list would then be selected, and so on.

There's no such instruction in BASIC so we have to look for ways around this problem. Suppose the random number came up three. Could we perhaps read the data list three times, and use the last item only? We could indeed, and that's what the first sample FOR-NEXT program did.

Take a look now at Listing 6. There's a new line in the old program, line 65. At the start of line 65, T, the number of times you've tried, is set at 1. We had to shift it because our new program is going to read data in several times before it actually prints an animal name, and we don't need T set more than once each time. The next instruction in line 65 is Y = RND(6), which picks a number between one and six and allocates it to the variable Y. We can now use a FOR-NEXT loop, with the counting variable N counting from one to Y. You don't know yet what that number Y is, as it's going to be set and used by the computer itself.

The Anticipation Mounts

What happens on each loop? At a value of N set at one, the program moves to line 70, and reads the first two items (LION, PRIDE) on the list. There are no other instructions, so the NEXT command causes N to advance to two, and the next pair of

10 FOR N=1TO500:PRINT "JUST LOOK AT THIS...!":NEXT

Program Listing 5

- J.Ø CLS:A=0:S=0
- 20 PRINT@26, "COLLECTIVES"
- 30 PRINT:PRINT"I SHALL GIVE YOU THE NAME OF A CREATURE"
- 40 PRINT"I SHALL THEN ASK YOU THE NAME FOR A GROUP OF S UCH CREATURES"
- 50 PRINT"FOR EXAMPLE WOLF": PRINT"YOUR REPLY SHOULD BE - PACK"
- 60 PRINT"YOU ARE ALLOWED THREE TRIES. AFTER THE THIRD I NCORRECT ANSWER": PRINT"YOU WILL BE SHOWN THE CORRE CT ANSWER AND ASKED THE NEXT QUESTION"
- 65 T=1:Y=RND(6):FOR N=1TOY
- 70 READ Q\$,A\$:NEXT:RESTORE
- 75 IF Q\$="Z" THEN 120
- 80 PRINT Q\$:IF T=4 THEN PRINT "ANSWER IS ";A\$;:PRINT:GO T065
- 90 INPUT N\$: A=A+1
- 100 IF N\$=A\$ THEN PRINT "WELL DONE":S=S+1:GOTO65:ELSE P RINT "WRONG, J'M AFRAID - TRY AGAIN": T=T+1:GOTO80
 110 DATA "LION", "PRIDE", "WHALE", "SCHOOL", "FISH", "SHOAL"
- ,"SHEEP", "FLOCK", "COWS", "HERD", "GEESE", "GAGGLE", "Z , "Z"
- 120 PRINT: PRINT"YOUR SCORE IS ";S; " IN ";A; " ATTEMPTS":

Program Listing 6


FROM PROGRAMMA

HI-RESOLUTION GRAPHICS FOR THE TRS-80°



LOWER CASE

The 80-GRAFIX board includes two sets of lower case characters at no additional cost.



FINALLY, AT LAST...

HI- RESOLUTION GRAPHICS is available for your TRS-80 computer system. The 80-GRAFIX board from PROGRAMMA International, Inc. gives your TRS-80 high resolution capability that is greater than the Commodore CBM/PET or even the revered APPLE II.

80-GRAFIX gives the TRS-80 an effective screen of 384X192 pixels, versus the normal 127X192 for the TRS-80, 80X50 for the CBM/PET, or the 280X192 of an APPLE II. As an added feature, 80-GRAFIX offers you lower case characters at no additional cost. Of course, you can also create your own set of up to 64 original characters using the supplied Character Generator software.

The 80-GRAFIX board is simple to install (note that this voids your Radio Shack warranty), and programming is done through BASIC. 80-GRAFIX opens up a whole new realm of software development and excitement never dreamed of for the TRS-80!




INVERSE VIDEO

The 80-GRAFIX board allows you to do inverse video to high-light your screen displays.



CHARACTER GENERATOR

The supplied character generator software allows you to create your own character set of up to 64 original characters.




DEMONSTRATION PROGRAMS

The 80-GRAFIX board is supplied

with a Character Generator software and several demonstration programs.

REAL-TIME GRAPHIC GAMES

With the 80-GRAFIX board you can write exciting real-time games using BASIC.




EASY INSTALLATION

The 80-GRAFIX board is simple to install and fits inside the TRS-80 case.




GRAPHICS GALORE

The 80-GRAFIX board and the supplied Character Generator allow you to become an artist.



ELECTRONIC DESIGN

The 80-GRAFIX board has unlimited application in Electronic design and Education.



80-GRAFIX HI-RESOLUTION

Finally, the only means to protect your computer investment is to order an 80-GRAFIX board TODAY!



EXCITEMENT & FUN

Open up a new realm of software development with the 80-GRAFIX board.

PROGRAMMA INTERNATIONAL, INC.

3400 Wilshire Blvd. Los Angeles, CA 90010 (213) 384-0579 · 384-1116 · 384-1117

Available exclusively through PROGRAMMA at the cost of \$149.95 Please check with us for availability prior to ordering VISA and MASTERCHARGE accepted TRS-80 is a registered trademark of the Tandy Corp.

STUDENTS - TEACHERS
ENGINEERS - STATISTICIANS
USE YOUR TRS-80 TO
LEARN OR TEACH CALCULUS,
ANALYTIC GEOM. &
STATISTICS

WITH TWO VERSATILE PROGRAMS DEVELOPED BY DR. S.W. TURNER

CURVPLOT Rapidly plots nearly any user defined function in any or all quadrants. Simply type in desired function using standard algebraic format. User controls range of x and y independently and program labels both axes. Program optionally displays values of x & y. Designed to graphically examine limits, intercepts, discontinuities, and inflection points. Excellent for instruction. \$16.95

CURVFIT
Determines coefficients of all polynomials up to 14th degree through a large no. of data points (160 pts. for 16k mach.) using method of least squares. Data points may be input in any order. Program computes correlation coefficients for each degree of fit and tabulates all correlation coefficients for easy selection of best fit. Also interpolates to predict any values of X & Y based on available data points. Easy correction of entry errors. \$16.95
Both Programs For Only. \$29.95

Programs Shipped On Cassette System Requirements: 16K, LVII, MOD 1

Mail Order Or Phone (904) 897-3741 FL. residents add 4% sales tax Free Shipment





SPECIAL INTRODUCTORY OFFER

MORTGAGE LOAN SERVICING & RENTAL INCOME MANAGEMENT

FOR TRS-80* MODEL II

Annual Mortgage Loan Statements
Delinquent Reports & Overdue Notices
Escrow Analysis
Rental Income Management
All Reports on 8½ x 11 Paper
Price \$850.00

· · A MUST FOR ·

Loan Servicing Agencies Property Management Companies Apartment Owners and Managers

SYSTEM CONSULTATION
ON OTHER TRS-80° APPLICATIONS

∠ 320

FISHER ASSOCIATES (214) 331-6521 4650 S. Hampton, Suite 109 Dallas, Texas 75232

*TRS-80 is a Trademark of Tandy Corp

items is read. Reading the next pair of items in this way automatically causes the previous values to be wiped out, just as recording a new item on a music cassette wipes out the one on it before. The value of the variable N will be increased by one on each run around this loop, until it equals Y, the random number. Suppose Y happens to be four. Then the fourth set of words is read, and the loop stops with Q\$ and A\$ storing the fourth set of words, SHEEP and FLOCK.

The FOR-NEXT loop has stopped and the program moves to line 80, carrying out one very important instruction on the way. RE-STORE causes the data selector to go back to the start of the data. Without RESTORE, the next time we look for a word, the data would be counted from where we left off first time, which doesn't leave much room for choice, since only a herd of cows and a gaggle of geese follow the flock of sheep. RESTORE sets everything back so that the next random number starts the search from the beginning of the data again.

For a simple game like this, let's view the score after each set of five answers.

We need to count a set of five items printed, and then show the score. We will set up another variable, (J) to act as a counter, and increment each time a question is printed. We want a way of telling when J is 5, 10, 15 or any other multiple of 5. We could have lines like:

200 IF J = 5 THEN----210 IF J = 10 THEN----220 IF J = 15 THEN----

but that's a waste of time and memory. A much easier trick is to make use of yet another feature of that big BASIC in the TRS-80, the INT command. INT means rounding off a number by removing the fractional part. INT(6.25) is 6, INT(2.14) is 2 and so on. The way we're going to use INT is in a decision step:

IF INT J/5 = J/5 THEN----

"Without RESTORE, the next time we look for a word the data would be counted from where we left off the first time, which doesn't leave much room for choice, since only a herd of cows and a gaggle of geese follow the flock of sheep."

We've now arrived at line 80, and the question word is printed as before. The rest of the program is also unchanged, so that if you answer correctly or have three unsuccessful tries, the program returns...or does it? You need extra eyes in this business. If we want the next word to come up, we need a new random number, else the program will go back to its old way of taking the next pair of data words. Instead of GOTO 70 in line 80 and 100, we want GOTO 65, and that should set things right.

The game's getting more interesting now, and it would be useful to have more items on the list, because with only six sets of items it's not much of a game. Our changes have made the Z,Z terminator unnecessary. Because we're picking at random from six, there's no chances that Z will ever be picked, so we can remove these letters from line 110. We can also remove line 75.

How do we go about ending the game and reading the score? It would be useful to see the score any time we want and opt to continue or end.

The easiest way to understand how this works is to imagine taking values from one upwards. If J is 1, then J/5 is 0.2, and INT(J/5) is zero. J/5 certainly isn't equal to INT(J/5). For J=2,3,4 we get the same effect; the INT value is zero, but for J=5, when 5/5=1, and INT(5/5) also equals 1, the test succeeds

At J=6, J/5=1.2, and INT(J/5) = 1, and the two are unequal again until J=10, when both J/5 and INT(J/5) are equal to 2. This test therefore allows us to detect each set of five steps of J.

If J/5 = INT(J/5) we want a score. We don't want the score to come up too quickly, so we'll introduce a time delay between each test, which will also delay the appearance of the score. To do this we can use:

FOR Z = 1 to 500: NEXT

Z doesn't mean anything to the program, it's just a variable which we're using for a time delay.

How do we use the test IF J/5 " INT(J/5)?

"It's at this stage that you can make a program look and run more professionally...."

If the test fails, the ELSE at the end of the line directs the program to find another item. This will happen on the first four runs. When the test succeeds, and J/5 = INT(J/5), we've reached the fifth (or 10th, 15th, 20th....) item, and the screen is cleared and the score printed.

The next line is the new way of deciding whether to continue the game or stop. The question "DO YOU WANT TO CONTINUE" is asked, and instructions are given for answering. An answer of this type (Y or N) has to be followed by hitting ENTER; later on we'll look at methods of answering questions like this without using the ENTER key. I'm a card-carrying member of the Help Stamp Out Needless Key Pushing society, myself.

This looks like a good time to sit back and take a hard look at our program, which is possible only if you have a copy on paper. Short programs of 16 lines or less can be viewed on the video screen, but this one will not quite fit into 16 lines. For programs longer than this, the only effective way to check it is to print it on paper or to copy the listing from the video screen.

Shape-Up and Look Professional

A long hard look at our program as it is now shows that it needs renumbering. The odd numbered lines we added have inserted useful features into the program, but they make it look rather untidy. If we had a really long program here, the simplest way of renumbering would be to use a renumbering program. As we're remodeling the program with this new random selection feature, we might as well write out the program again, and renumber as we go. The result is shown in Listing 7.

It's at this stage that you can make a program look and run more professionally than most home-brewed efforts. One pointer is neat printing, with good tabulation and even lines, preferably right justified. Right justified means that the ends of the lines on the right of the screen are lined up, and it has to be done by careful attention to the spaces between the words in the line. A professional programmer may spend as much time on tidying up the printing in a program as on the rest of the program.

The next item on the list is error traps. Professional programmers write programs which other people are going to use, and a good program should be user friendly and crash proof. User friendly means that when the user has to make some sort of choice, the questions should be put politely, and easy to answer.

For example, it's a whole lot friendlier to be asked to type YES or NO, than 1 or 2. Crash proofing is even more important, and means that every input from the user has to be tested. For example, if a YES or NO answer is called for, what happens if the user types YO or NES? A homebrew program might terminate, or worse still, it might take the answer as being YES or NO with no indication to the user. A much better way is to respond to a wrong answer with a statement such as:

"I'M SORRY - I DON'T RECOGNIZE THAT ANSWER";
NS:"PLEASE TYPE YES OR NO"

In this line, N\$ would be the word which the user had typed, and the line would be followed by a GOTO instruction so that the choice was presented again.

Each request should be accompanied by a clear list of what the choices are, the user should be reminded of the choice, once made, and an unacceptable answer should be explained, with a return to the request. Making sure that this is all done is not so simple; it can take up a lot of time and needs a lot of careful thought. It also needs memory space.

It pays off handsomely in the end, however, because your program will always be a delight to run, easy for you or your friends to use, and a very attractive item if you want to sell it.

Speed It Up

A few final details will help the program to run faster. We'll spend more time on the

different types of number variables in Part four of this series, but it's not giving secrets away to tell you that the TRS-80 can store numbers in three different forms. If you don't specify what you want, all number variables are stored as single precision numbers, as if they consisted of a number with several places of decimals. This takes up a lot more memory space than a simple whole number (an integer). If we can define all number variables as integers, our programs will run faster and use less memory. The program in Listing 7 uses a lot of number variables which could be defined as integers: A,S,T,Y,N,Z. By redefining them, we can clear enough string space for more data words. Alter line 10 to read:

10 CLEAR 100: DEFINT A.S.T.Y.N.Z.J:A = 0:S = 0:J = 0

Notice that A and A\$ are entirely different variables: one is a number variable which we've now defined as an integer, the other is a string variable which is an answer to a question.

How about taking the plunge for yourself and designing your own question and answer game? Remember that you will have to insert a larger number after CLEAR in line 10 if you use a lot of word pairs (the number should be equal to the number of characters, plus a bit in reserve). You will also have to change the title and instructions to fit your own ideas.


Next month—another small step for the TRS-80, a giant step for programmers. ■

- 10 CLS:A=0:S=0:J=0
- 20 PRINT@26, "COLLECTIVES"
- 30 PRINT: PRINT"I SHALL GIVE YOU THE NAME OF A CREATURE"
- 40 PRINT"I SHALL THEN ASK YOU THE NAME FOR A GROUP OF S UCH CREATURES"
- 50 PRINT"FOR EXAMPLE WOLF":PRINT"YOUR REPLY SHOULD BE PACK"
- 60 PRINT"YOU ARE ALLOWED THREE TRIES. AFTER THE THIRD I NCORRECT ANSWER": PRINT"YOU WILL BE SHOWN THE CORRE CT ANSWER AND ASKED THE NEXT QUESTION"
- 70 T=1:Y=RND(6):FORN=1TOY
- 80 READ Q\$, A\$: NEXT: RESTORE
- 90 PRINT Q\$:J=J+1:IF T=4 THEN PRINT"ANSWER IS ";A\$:PRIN T:GOTO120
- 100 INPUT NS:A=A+1
- 110 IF N\$=A\$ THEN PRINT "WELL DONE":S=S+1:GOTO120:ELSE PRINT "WRONG, I'M AFRAID TRY AGAIN":T=T+1:GOTO90
- 120 FOR Z=1TO500:NEXT:IF J/5=INT(J/5) THEN CLS:PRINT "Y OUR SCORE IS ";S;" IN ";A;" ATTEMPTS":ELSE 70
- 130 PRINT: PRINT "DO YOU WANT TO CONTINUE? TYPE Y FOR YE S, N FOR NO"
- 140 INPUT Z\$:IF Z\$="Y" THEN 70 ELSE IF Z\$="N" THEN END ELSE 140
- 150 DATA "LION", "PRIDE", "WHALE", "SCHOOL", "FISH", "SHOAL"
 , "SHEEP", "FLOCK", "COW", "HERD", "GEESE", "GAGGLE"

Program Listing 7

TRS-80* OWNERS:

- Let the computer write your "Basic" program for you!
- Draw pictures, animated figures, data forms!
- Create a library of display forms!
- Produce "Commercial" gradesoftware!



The Magic Cursor is a Revolutionary Family of Products which provides a dramatic new method of reproducing drawings and displays that you create on your screen. It makes both simple displays and complex interactive data input forms. It stores a "BASIC PROGRAM" on disk (or tape) ready for you to execute alone or as a subroutine. It produces screens in both standard or wide screen.

It is available for any level 2, 16K or larger system with tape or disk. An optional version is now available which creates an assembly language program.

Be sure to pick out the system that fits your present needs and order it today. You may upgrade your original copy by paying the difference and a moderate service charge.

MAGIC CURSOR PROGRAMS

THE MAGIC CURSOR I additionally makes sophisticated Data Entry and Display easy. With Magic Cursor I you define the Data Entry or Display fields directly on your screen. The definition commands generate the BASIC instructions to implement the Data Entry and Display. The Magic Cursor I has commands which move, center, and duplicate blocks of graphical or allpha/numeric displays. You can even justify text. (16K Tape Only)

THE MAGIC CURSOR IV provides the features of Magic Cursor II but stores an assembly language program. (32K Disk Only)\$99.95

WRITE FOR OUR COMPLETE SOFTWARE CATALOG!!



CUSTOM COMPUTER CENTER, INC.

For ordering or information write:

P.O. Box 58042 / Houston, Texas 77058

Attn: Jim Martens

or call: (713) 474-2428

NEW RELEASES FROM CCC!!!

A Monitor/Trace program with versions for both Model I and Model II.

Trace-80™ *

TRACE-80 lets you observe the inner working of a machine language program. It allows you to run a machine language program in slow motion and watch the screen. You can stop execution at any time and examine the current instruction mnemonic and all register contents. You can execute your program and watch each instruction mnemonic, and register contents list to the screen in place of normal screen display.

If you have a printer, TRACE-80 allows you to execute your program in slow motion and watch the screen while your printer simultaneously prints the machine code being executed, the memory location and the instruction mnemonic along with the current register contents.

You can execute a machine language program in slow motion, freeze the action, examine and/or change memory, examine and/or change register contents and then continue the slow motion. You can speed up past common routines and slow down to examine other routines in detail or operate in single step mode.

TRACE-80 allows you to trace ROM as well as RAM because instructions are emulated in a special execution buffer.

FEATURES:

- * For both beginner and advanced programmer.
- * More than 20 commands.
- * Trace-80 is written in machine language.
- * Traces both ROM and RAM.
- * Level II or Mod I Disk operation.
- * Model II Disk version available.
- * Optionally prints only "Transfer and Control" instructions.
- * Full speed, slow speed or freeze execution modes.
- * Memory can be displayed/modified.
- * Register contents can be displayed/modified
- * Hex, ASCII and mnemonic display modes.
- * Abreviated or full printer format.
- * Serial printer output if desired.
- Option of normal screen display, memory display, trace display or clear screen.
- Learn assembly language programming as well as machine coding by watching actual code execution and see assembly language mnemonic.

PARTIAL LIST OF COMMANDS: Load disk file, Trace, Slow Motion Execution, Full Speed Execution, Freeze Action, Single Instruction Execution, Examine and/or Display memory, Examine and/or Display Register Contents, Enable/Disable Screen, Enable/Disable Printer, Ascii or Hex Display, Full Screen Memory Display, Line Printer Commands, etc.

TRACE-80/MOD-I (for Level II or DOS operation) ...\$29.95 Supplied on tape with 3 versions (16K, 32K or 48K) and instructions. TRACE-80/MOD-II\$49.95

The Supply Room *

A sophisticated program that is easy to operate. This unique system helps you manage your retail or wholesale inventory of up to 1000 line items. Cost may be fractions of a cent, item quantities may be decimal values. Automatic cost averaging of updated items and suggested sales prices based on gross profit. Transaction reports produced during posting functions. Printed reports include:

- 1. Transaction Listings.
 2. Complete levestory Listing 5. Items Out of Ste
- Complete Inventory Listing.
 Listings by Prefix.
 Suggested P.O.'s.
 Suggested P.O.'s.

Requires Mod 1, 32K, Disk & Printer \$250.00
Or Mod 2, 64K, 1 Disk & Printer \$250.00

The Filing Cabinet ★

Take that collection of Job Orders, Personnel Records, Reports, Etc. and get them organized. You define up to 14 data input fields specifying field type - alpha/numeric or \$\$\$, field length and field separators - such as slashes, etc. During data input, the cursor provides for character input and skips over the field separators.

But that's only half the story. Output reports are automatic formated and program automatically requests column headings.

This means you can customize your own data base manager, complete with rapid data input and selective output reports. Comes complete with documentation.

Computer Monopoly

Barry L. Adams 109 Valley Place Greenville, NC 27834

ver wonder what it would be like to play a game of Monopoly against your TRS-80? Well, here's your chance. This 16K, Level II program emulates a player in the classic Parker Brother's board game.

With the exception of a screen board no graphics are employed, as the entire complement of 16K memory is required by the program. The game consists of two separate programs, an instruction program and the main program. Though the instructions are easily understood, they don't include the rules to Monopoly.

Although the main program is called by the instruction program, it can be loaded independently. However, because of strict memory requirements when loaded independently, there is no initial opening title.

During the game, the TRS-80 participates as a player-buying, selling and trading real estate—out to make the best deal possible and win. It buys its own real estate, improves the property and charges more rent. It sells property and makes business deals like any other player would. It can also go bankrupt. When in a scrape, the computer will automatically mortgage some assets and settle the debt, only to rebuy the property when financially able.

The computer can roll the dice for any player. It also maintains a set of books that can be examined by any of the other players. Players make their business proposals directly to the computer. The game can be played with up to seven human

Because of memory requirements, the

program has been written without spaces between the statements. Though this makes the listing somewhat difficult to read, the program is generally divided into blocks. Each block contains a single major routine or a group of related smaller routines. Table 1 should be helpful.

Generally speaking, I think you will find that the computer is a quite personable player. However, like any human player it can become rather fickle-especially when winning.

Lines 1-85: a. initialize variable b. players' command display c. die rolls d. computer die roll analysis f. computer's books Lines 100-199: evaluation routine for computer-generated proposals (This routine calls elements of block 700.) Lines 200-299: a. computer mortgages real estate and improc. rebuys mortgaged property and improvements Lines 400-499: construction routine to erect houses and hotels Lines 500-599: Lines 600-699: player proposition evaluation (This routine calls elements of block 100.)

a. the basic game utility. The routine tracks the disposition of all property and im-Lines 700-799: computer cash offers for real estate Lines 800-899: a. computer in jail Lines 900-999: a. Chance and Community Chest routines b. account deductions d. get out of jail free

Table 1.

Program Listing 1: The Instructions for Monopoly

- 20 CLS:PRINT:PRINT:GOTO500
 25 CLS:PRINTTAB(17); "\$ THE MONOPOLY PLAYER \$":PRINT
 50 PRINT" WELCOME TO COMPUTER-MONOPOLY. THIS PROGRAM A
 LLOWS YOUR TRS-80 TO BECOME A FULLY PARTICIPATING PLAYE
 R IN THE EVER POPULAR BOARDGAME, MONOPOLY.* THE GAME IS
- 55 PRINT"PLAYED USING THE RULES, BOARD, MONEYAND PLAYING PIECES OF THE CONVENTIONAL GAME. FOR CONVIENCE THE COMPUTER SHOULD BE LOCATED AS CLOSE TO THE BOARD AS POSSI BLE. A TOKEN SHOULD BE USED TO REPRESENT THE COMPUTER.
- 56 PRINT" IF IT'S BEEN A WHILE SINCE YOU'VE PLAYED PRI ST RE-FAMILIARIZE YOURSELF WITH THERULES WHICH ACCOMPAN Y THE BOARD GAME BEFORE BEGINNING.":GOSUB488:PRINT" PL AY PROCEEDS IN THE NORMAL MANNER WITH THE PLAYERS MOVIN
- BUYING PROPERTY AND JUST IN GENERAL WHEELING AND DEALING. THE ONLY EXCEPTION IS THAT ONE OF THE P LAYERS JUST HAPPENS TO BE A COMPUTER." 58 PRINT" IN AS MUCH AS A KITTY IS OFTEN USED THE COMP UTER WILL SPECIFY THAT ALL TAX PAYMENTS, FINES ETC. BE
- PAID TO THE KITTY.";
 68 PRINT" SHOULD YOU NOT USE A KITTY ,SIMPLY REGARD AL
 L REFERRAL TO THE KITTY AS MEANING THE BANK.":PRINT" T
 HE COMPUTER WILL COLLECT PROPERTY DEEDS JUST LIKE THE O PLAYERS, HOWEVER, THE COMPUTER DOES NOT USE PLAY
- PRINT" PLAYERS DEALING WITH THE COMPUTER MAKE DEPOSI TS AND WITHDRAWALS DIRECTLYTO AND FROM THE BANK.

Program continues

```
76 PRINT: PRINTTAB(18): "PRESS ENTER TO CONTINUE":: INPUTA
 80 CLS: PRINT" PLAYERS INTERACT WITH THE COMPUTER THROU
110 CLS:PRINT"OPERATION #1 IS USED TO INFORM THE COMPUT
ER OF ANY CHANGES IN PROPERTY OWNERSHIP OTHER THAN TH
OSE OF THE COMPUTER.IN ORDER TO EXPEDITE THE PLAY OF TH
E GAME A PROPERTY IDENTIFICATION CODE IS USED IN LEIU O
 120 PRINT" TYPING IN PROPERTY NAMES. ": PRINT" THE ID COD
 E IS SIMPLY THE NUMERICAL POSITION OF EACH LOT ON THEBO
ARD. FOR EXAMPLE, BEGINNING WITH GO AND TRAVELING IN T
HE":PRINT"DIRECTOR OF PLAY MEDITERRANEAN AVENUE IS ID#
 125 PRINT" READING RAILROAD IS ID# 5, FREE PARKING IS I
D* 28, AND THE COMMUNITY CHEST SQUARELOCATED JUST AFTER, GO-TO-JAIL IS ID* 33. GO IS ID* 0.";

128 PRINT"SIMILARILY, EACH PLAYER IS NUMERICALLY CODED; PLAYER 1 IS *1, PLAYER 2 IS *2 ECT. THERE CAN BE A MAX MUM OF 7 HUMAN PLAYERS. ":PRINT:PRINTTAB(18); "PRESS ENT ER TO CONTINUE";:INPUTA:CLS

130 PRINT" WHEN OPERATION *1 IS REQUESTED THE COMPUTER WILL PROVIDE THE PROMPT - 'PLAYER' TO WHICH THE PLAYE R ID* IS TYPED. THE COMPUTERWILL THEN RETURN A SECOND PROMPT";
                        - 'GETS' TO WHICH THE PROPER
                                                                                      PROPERTY ID C
 ODE IS ENTERED. THE BANK OR BOARD IS ID# 8 WHILE THE COMPUTER IS ID# 9. SHOULD A MISTAKE BE MADE DURING INPU
 T SIMPLY RE-ENTER THE INFORMATION AND MAKE THE CORRECTION.";
 140 PRINT" EACH
                                   PROPERTY MUST BE ENTERED INDIVIDUALLY
145 PRINT: PRINT" OPERATION #2 , PLAYER CHANCE/DEBT, IS USED TO INFORM THE COMPUTER OF ANY ADJUSTMENT TO IT'S BANK ACCOUNT RESULTING FROM THE PLAY OF THE GAME
BY THE OTHER PLAYERS.";
150 PRINT" PROVISIONS ARE MADE FOR BOTH DEPOSITS AND D
EDUCTIONS.":PRINT:PRINTTAB(18); "PRESS ENTER TO CONTINUE
   :: INPUTA: CLS
160 PRINT" OPERATION #3, PLAYER PROPOSITION, IS THE ME
ANS USED BY PLAYERS TO PROPOSE TRADES, SALES ETC. TO THE
E COMPUTER.":PRINT
PERTY ..... 4":PRINTTAB(18); "PURCHASE .....
 180 PRINT: PRINT" THE COMPUTER WILL PROMPT FOR THE SPEC
180 PRINT:PRINT" THE COMPUTER WILL PROMPT FOR THE SPECIFIC INFORMATION REQIURED FOR EACH OF THE 5 CATAGORIES OF PROPOSITIONS. IN EACH INSTANCE IT WILL ASK THAT THE ID CODE FOR THE INVOLVED PROPERTIES BE ENTERED."; 183 PRINT:PRINTTAB(18); "PRESS ENTER TO CONTINUE";:INPUT
 185 PRINT" THE COMPUTER WILL CONTINUE TO PROVIDE THE P
ROMPT - 'LOT#' FOR ADDITIONAL ENTRIES. PRESSING THE ENT
ER KEY TELLS THE COMPUTER THAT THERE ARE NO MORE ENTR
190 PRINT" THE COMPUTER WILL THEN BRIEFLY SUMMARIZE THE PROPOSITION AND ASK THE PLAYER IF IT'S UNDER-":PRINT" STANDING IS CORRECT. IT THEN PERFORMS AN EVALUATION AND
```

```
200 PRINT: PRINT" OPERATION #4, DIE ROLL, ALLOWS THE COMPUTER TO ROLL THE DICE FOR THE PLAYERS AND IS OPTIONA
L. IT CAN BE USED ANY TIME BY ANY HUMAN PLAYER. IT KEEP
S UP WITH THE NUMBER OF TIMES THE PLAYER ROLLS DOUBLE
S DURING THE TURN."
  205 PRINT: PRINTTAB(18); "PRESS ENTER TO CONTINUE";: INPUT
   A:CLS
   210 PRINT" OPERATION $5, MY TURN, INITIATES THE COMPUT
  ER'S TURN WHICH CONSISTS OF: ":PRINT:PRINTTAB(10);" CHECKING TO SEE IF ANYTHING IS IN MORTAGE":PRINTTAB(10); AND REBUYING IF ABLE":PRINTTAB(10); AMD REBUYING IF ABLE ":PRINTTAB(10); AMD REBUYING IF ABLE ":PRINTTAB (10); A
  ALS TO OTHER PLAYERS"
215 PRINTTAB(10); "3 IMPROVING PROPERTY IF ABLE": PRINTTA
B(10); "4 ROLLING DICE AND RESPONDING TO SITUATION
   220 PRINT: PRINTTAB(18); "PRESS ENTER TO CONTINUE";: INPUT
   230 PRINT" OPERATION #6, POS/COR, ( POSITION/CORRECTION
  ) IS USED TO":PRINT"INFORM THE COMPUTER THAT IT'S POSI
TION ON THE PLAYING BOARD IS BEING ADJUSTED. THIS MOVE
MENT IS NON-ROUTINE AND NORMALLY IS NOTNECESSARY. FOR E
 XAMPLE, SHOULD IT BECOME NECESSARY:

248 PRINT" TO POWER DOWNTHE COMPUTER PRIOR TO THE END O
F A GAME OPERATIONS 1,2 AND 6 CANBE USED TO RECONSTRUCT
THE GAME. ":PRINT

258 PRINT" OPERATION #7, LEDGER, ALLOWS HUMAN PLAYERS
THE GAME. ":PRINT

250 PRINT" OPERATION $7, LEDGER, ALLOWS HUMAN PLAYERS
TO FULLY EXAMINE THE COMPUTER'S ASSETS. ":PRINT:PRINTT
AB(18); "PRESS ENTER TO CONTINUE";:INPUTA:CLS

260 PRINT" DURING THE PLAY OF THE GAME, THE COMPUTER,
LIKE ALL OTHER PLAYERS WILL OCCASSIONALLY LAND ON C
HANCE AND COMMUNITY CHEST. UPON DOING SO THE COMPUTER
WILL ASK THAT SOMEONE DRAW THE TOP CARD FROM THE APPR
OPIATE STACK AND DEPENDING UPON";
270 PRINT" THE CONTENTS OF THE CARD PERFORM ONE OF THE
FOLLOWING OPERATIONS: ":PRINT
280 PRINTTAB(18); "1 STREET ASSESSMENT":PRINTTAB(18); "2
AN ACCOUNT DEDUCTION":PRINTTAB(18); "3 AN ACCOUNT DEPOSI
T":PRINTTAB(18); "4 A GET OUT OF JAIL FREE CARD":PRINTTAB
(18); "5 A BOARD ADVANCMENT":PRINTTAB(18); "6 GO BACK 3-
SPACES":PRINT

285 PRINTTAB(18); "PRESS ENTER TO CONTINUE";:INPUTA:CLS
 285 PRINTTAB(18); "PRESS ENTER TO CONTINUE";: INPUTA: CLS
290 PRINT" ALL CARD COMMANDS EXCEPT 2 AND 3 ARE SPECIA
L PURPOSE COMMANDS.AS IN THE CASE OF THE GENERAL OPERAT
ION COMMANDS, COMMANDS-S 2 AND ARE USED TO MAKE DEPOSI
TS AND WITHDRAWLS TO AND FROM THE COMP-UTER'S BANK ACCO
  UNT.":
293 PRINT" THE REMAINING CARD COMMANDS SHOULD ONLY BE U
SED FOR THE INDICATED PURPOSE. COMMAND 5, BOARD ADVANCE
MENT, ISUSED FOR 'GO TO JAIL', 'ADVANCE TOKEN TO NEARES
T UTILITY' ETC."
 310 PRINT: PRINT" IF YOU WOULD LIKE TO REVIEW THE INSTRUCTIONS ENTER 1 ELSE TO LOAD THE MAIN PROGRAM PRESS 'P LAY' ON THE RECORDER AND THEN PRESS ENTER. THE GAME
 PRESS ENTER. THE GAME PROGRAM WILL BEGIN LOADING IMMEDIATELY. ONCE LOADING IS COMPLETE THE FAMILIAR > READY ";
315 PRINT"WILL APPEAR. TYPE RUN.THE PROGRAM REQUIRES J UST A FEW MOMENTS TO SET ALL VARIABLESAFTER WHICH THE G AME MENEU IS DISPALYED": B=0: PRINT: PRINTTAB (25); : INPUT"T
   HE END";B
  320 IFB>0,5 ELSE 450
400 PRINT:PRINT"* MG
                                                                                                                               MONOPOLY IS A REGISTERED TRADEMARK O
 ***;TAB(31); ***;TAB(31); ***;TAB(31); ***;
   500 PRINTCHR$(23); STRING$(32,36); "*"; TAB(7); "THE MONOPO
  LY PLAYER"; TAB(31); "*"; STRING$(32,36);: IF A<>1,505 ELSE PRINT"*"; TAB(31); "**"; TAB(31); "*
```

Program Listing 2: The Game of Monopoly

SE75

```
2 CLEAR160:DEFINTA-Z:DIMB(40),T(40),P(40),M(40),N$(40),C(40):H1=50:FORB=1TO40:READN$(B):H=H+1:IFH=10,H=0:H1=H1+50:U$(5)="HOTEL":U$(0)="HOUSE":H3=1:U$(3)="SELL":U$(3)="SELL":U$(3)="SELL":U$(3)="PURCHASE":U$(2)="YOU":U$(1)="I":K$="WHAT I":T$="PLAYER":T1$=T$+"PROPOSITIONS"

3 M(B)=H1:NEXT:B=1500:INPUT"HOW MANY ARE PLAYING";P8:PRINT"WHAT ARE THEIR FIRST NAMES":R$="IMMMM....":R$(1)="TRADE":R$(2)=R$(1)+"/MONEY":R$(3)=R$(1)+"/PROPERTY":R$(4)=R$(3)+"/MONEY":R$(5)=U$(4):J$="YES-1 NO-2":D$(2)="DRAFTED":D$(1)="CREDITED"

4 FORP=1TOP8:INPUTP$(P):NEXT:INPUT"ENTER A * BETWEEN 1 AND 100";RR:C(1)=60:C(3)=60:C(5)=200:C(6)=160:C(8)=160:C(5)=200:C(6)=160:C(8)=160:C(5)=200:C(6)=160:C(3)=20:C(24)=240:C(3)=20:C(24)=240:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3)=20:C(3
```

7 AS="":AS=INKEY\$:A=VAL(A\$):IFA=@ORA>Al,7ELSERETURN
10 Al=7:GOSUB7:Q=A:PX=0:P=0:IFQ=5,27@ELSEIFQ=7,7@ELSEIF
Q=3,5@@ELSEIFQ=6,995ELSEIFQ=4,15ELSEIFQ=1PRINTT\$:GOTO13

11 PRINTTAB(6); "THE BOTTOM LINE TO ME IS: 1 - A DEPOSIT
2 - A DEBT":PRINT:PRINTTAB(4);
12 Al=2:GOSUB958:GOSUB65:GOTO75
13 Al=9:GOSUB7:P9=A:INPUT"GETS";B9:IFB9>39,PRINTK\$:GOTO
13:ELSEIFP9=8,P9=0
14 Q5=B(B9):B(B9)=P9:PRINTP\$(P9); " HAS PURCHASED ";N\$(B
9):GOSUB65:GOSUB7@6:GOTO75
15 R=0:CLS:N=0:PRINTTAB(20); "I SHALL NOW ROLL THE DICE"
RANDOM:RN=RND(RR):FOR=1TORN:DZ=RND(6):RANDOM:D1=RND(6):NEXT:D=D1+D2:PRINT01+THE ROLL IS";D1; ","D2; "- A T
OTAL OF";D:PRINT:IFD1=D2,DD=DD+LELSEDD=0:IFQ=5,18ELSE6
16 PRINTTAB(15); "BEY,I ROLLED DOUBLES FOR THE";D0; "TIME
":IPDD=3,DD=0:IFQ=4PRINT"OK PARDNER, ";N\$(30):GOTO6:ELS
EX=30:GOTO21
18 IFO2-4,6ELSEIFIJ>0.8@@ELSEX=D+X:IFX>40X=X-40:IFX<>30P

501 PRINT'8602,;:CLOAD 505 PRINT:PRINT:PRINTTAB(9);"INSTRUCTIONS":PRINT:PRINT: PRINT:PRINTTAB(4);"PRESS ENTER TO BEGIN";:INPUTA:GOTO25

Program continues


FOR TRS-80°


16K MEMORY UPGRADE KITS for TRS-80°, Apple II, (specify): Jumpers

\$45 2 for \$85 \$2.50

PRINTERS

NEC Spinwriter





September 1	ditt	tional s	pacing: R.C).	\$2550
R.O. with Tract	or Feed	\$2650	KSRV	vith Tractor Feed	\$2950
779 CENTRON Same as Ra				TER	\$969
737 CENTRON 9 x 7 matrix					\$799
730 CENTRON 7 x 7 matrix	ICS FRI	CTION	PIN FEED	PRINTER	\$629
P1 CENTRONI	CS PRIN	ITER Sa	me as Radio	Shack quick printer	\$269
				and graphics option	on \$879
				and 2K buffer	\$1075
TI-810 Faster t	han Radi	o Shack	line printer I	II. Parallel and	
serial w/TRS-	0° interf	ace softw	are w/u + I	case & paper tray	\$1589
Compresse	print, v	ertical f	orm contro	ol	\$1865
OKIDATA Micr	oline 80	Friction	and pin fe	ed	\$549
Tractor Fee	frictio	n, and p	in feed		\$649
Microline 83	Bidirec	tional, 1	20 cps, use	es up to 15" paper	\$1050
EATON LRC 7	000 + 64	colum	ns, plain pa	aper	\$299
ANADEX	DP	-9500	\$1359	DP-8000	\$825
CAT MODEM V	orks san	ne as Rac	io Shack Tel	ephone Interface II	\$148
LEEDEX MON					\$119
ZENITH Color					\$379

DISK OPERATING SYSTEMS	
PATCHPAK #4 by Person Date	

PATCHPAK #4 by Percom	ata	TE 179		\$ 8.95
CP/M® for Model I, Zenith	\$145	•	for Model II, Altos	\$169.00
NEWDOS Plus			40track	\$ 99.00
NEWDOS 80				\$135.00

ACCESSORIES

CANVO Madel VM 4500 OF Manha

HEAD CLEANING DISKETTE: Cleans drive Read/Write head in 30 seconds. Diskettes absorb loose oxide particles, fingerprints, and other foreign particles that might hinder the performance of the drive head. Lasts at least 3 months with daily use. Specify \$20 ea/\$45 for 3 514" or 8".

FLOPPY SAVER: Protection for center holes of 51/4" floppy disks. Only 1 needed per diskette. Kit contains centering post, pressure tool, tough 7-mil mylar reinforcing rings. Installation tools and rings for 25 diskettes. \$ 11.95 Re-orders of rings only \$ 7.95 EXTERNAL DATA SEPARATOR: Eliminates data separation problems (crc). Improves reliability. This plug in unit comes fully \$ 29.95 assembled and tested. **RS232** \$ 84.00 TRS232: Teletype current loop output from cassette port \$ 49.00 DISK-DRIVE EXTENDER CABLES: Fits all mini-disk drives.

			\$ 16.95
SIX (6) PRONG ISOLATOR: I	SO-2		\$ 54.00
AC FILTER/6 PRONG POWE	RSTRIP		\$ 39.00
DISK DRIVE CABLES:	2 drive \$29.00	4 drive	\$ 35.00
DUST COVERS: TRS-80/App	le		\$ 7.95
PLASTIC DISKETTE HOLDI	R: For ring bin	der, holds 20	\$ 8.00
RF MODULATOR: Adapts vid	deo to TV		\$ 35.00
TRS-80 & OTHER MYSTERII	ES		\$ 18.95
NEC SPINWRITER THIMBL		RIBBON	\$ 6.95
CCS CARDS: Parallel or serie			\$115.00

DISK DRIVES

40 track, 102K Bytes. Fully assembled and tested. Ready to plug-in and run the moment you receive it. Can be intermixed with each other and Radio Shack drive on same cable. TRS-80° compatible silver enclosure. 90 day warranty. One year on power supply. External card edge included.

CCI-100	51/4", 40 Track (102K Bytes) for Model I	\$ 314
CCI-280	51/4", 80 Track (204K Bytes) for Model I	\$549
CCI-800	8" Drive for Model II (1/2 Meg Bytes)	\$795
For Zenith Z89	50 1950A3000A3000A3990000A339100A50A4 1.004A 	
CCI-189	51/4", 40 Track (102K Bytes) add-on drive	\$394
Z-87	Dual 51/4" add-on drive system	\$995
DISKETTES -	Box of 10 (51/4") - with plastic library case	\$24
8" double de	nsity for Model II (box of 10)	\$36

COMPLETE SYSTEMS

ALTOS 64K, DD, SS, 2-Drive, 1MB				\$3995	
APPLE 16K	에게 가는 1일			\$989	
TRS-80° Model II	-64K			\$3499	
TRS-80" LEVEL	I-16K with	keypad		\$689	
TRS-80° Expansi		\$249			
HEWLETT PACK	ARD HP-8	\$2950			
ZENITH Z89, 48K	ZENITH Z89, 48K all-in-one computer			\$2500	
ZENITH Z19				\$735	
TELEVIDEO 9	12B \$745	912C \$755	920B \$769	920C \$779	
ATARI 400 \$489			ATA	RI 800 \$749	
APF Game	Only \$99		Complete S	ystem \$499	
MATTEL INTELL				\$229	

Software available for all Complete Systems

SOFTWARE FOR THE TRS-80*

INTELLIGENT TERMINAL SYSTEM ST-80-III BY LANCE MIKLUB: Enables a TRS-80* to act as a dialup terminal on any standard time sharing network. Provides a TRS-80* with control key, ESC Key, Repeat Key, Rub Out Key, Break Key, full upper and lower case support, selectable printer output and program selectable transmission rates \$139

CCA-DATA MANAGEMENT SYSTEM: Automate your information processing tasks. You can create a file of customer information, quickly and easily add, delete or update records, search a file; keep a file in order of the value in any field; and print records and labels in any desired sequence or from just a part of a file Requires 32K TRS-80 and one drive.

\$72.00

\$155

S & M SYSTEMS
NRSC-80": Indexed Sequential Access Method ISAM) for the TRS-80 Model I. A must for anyone writing business programs. Eliminate wasted disk space from direct record processing. Split second access to any record. Access data records instantly via alphat numeric "key" ag. Part NR, zip code or sequentially in ascending key sequence. Add/modify records in any order. Access up to three files per program — Files

sing from your basic program. ert direct files to INSEQ-80 form

FULLY INTERACTIVE ACCOUNTING PACKAGE: ISAM (INSEQ-00) based includes General Ledger. Accounts Payable, Accounts Pacewable and Payroll System runs "stand alone" or "co-ordinated G/L" at users option. Besed on Oaborne accounting method. Requires 28th, TRS-80, 2 or 3 drives. NIA CA

INVENTORY Requires 32K, TRS-80, 1 drive INSORT-80: Callable form BASIC via USR, Sorts dom" Disk Files. "Disk" to "Disk" sort times records in 35 secs, 1000 records in 6 minutes, records in 12 minutes. Machine language proces

CP/M® BASED SOFTWARE for Zenith, Altos, Radio Shack, Apple

Z-80 SOFTCARD FOR APPLE: Your key to future soft-were expansion. Get the best of both worlds. Apple a 5502 and CPIM Z-80. Plug in the card and get a Z80. Supports Apple language card and all Apple peripals. Comes with set of three manuals. \$338

CCI-TELNET VERBION S: A communication Package which enables microcomputer users to communicate both with Large Maintranes and other microcomputers. Extensive commands make it useful in many applications where communication between computers is necessary. Powerful terminal mode enabling user to save all data from a session on disk. Completely CPM competible. Multiple communication

processing system for use with standard feet formatting performed on scene. Facilities paginate, page number, justify, center and und User can print one document white simulated editing a second. Edit facilities include globa and replace. Read/Write to other text file move, etc. Requires CRT terminal with additing and the processing second.

DEALER (NATIONAL/INTERNATIONAL) INQUIRIES INVITED

Send for FREE Catalogue

TO ORDER CALL TOLL FREE 1-800-343-6522

Massachusetts residents call (617) 242-3361

For detailed technical information, call 617/242-3361

Hours: 10AM-6PM (EST) M-F(Sat. till 5)

*TRS-80 is a Tandy Corporation Trademark

* Digital Research

5 Dexter Row, Dept. MC-11M Charlestown, Massachusetts 02129

Massachusetts residents add 5% sales tax

Quantities on some items are limited





TREPEUP or PN MEMORY EXPANSION CHIP SET:

Lowest price ever on one of our most popular products. Now you can add eight 16K dynamic RAMs to TRS-80°, Apple, Heath H89, Exidy Sorcerer, newer PETs, and similar machines. Our chip set gives all the performance you want at a price you can afford. Add \$3 for two DIP shunts and complete TRS-80° conversion instructions. At this special price, quantities are limited . . . so act now!

We also manufacture an extensive line of S-100 products; see CompuPro S-100 boards in person at finer computer stores world-wide.

> TERMS: Cal res add tax. Allow 5% for shipping, excess refunded. VISA*/Mastercard* orders (\$25 min) call (415) 582-0636, 24 ours. COD OK with street address for UPS Prices good through cover month of



SUPERIOR SOFTWARE PACKAGES FOR THE TRS-80.

DISK BASED

SMARTTERM

•\$79.95 MOD II - \$250

UNQUESTIONABLY THE BEST SMART TERMINAL PACKAGE FOR THE TRS-80

- True Break Key
- Programmable 'soft' keys
- Forward/Reverse Scrolling Multipage Display
- Transmit from Disk File, Screen or Buffer
- Receive to Disk File. Buffer or printer Multi Protocol Capability

RENTAL INVENTORY CONTROL MOD II -\$2000

A COMPREHENSIVE PACKAGE FOR MULTI-LOCATION LEASING/ RENTAL BUSINESSES.

- Tracking of all items by store and category
- Financial and tax depreciation schedules
- Complete reconciliation breakdown for purchases, transfers, rentals, and returns.

MICRON, INC. Call us for 10045 Waterford Drive Your Custom Ellicott City, MD 21043 Software (301) 461-2721 Requirements TRS-80 is a Trademark of Tandy Corp.

TRS-80+TRS-80+TRS-80+TRS-80

Model I system owners SYSTEM TOO SMALL?

We take trade-ins on Model II We also buy used systems outright Call or write for quotatio

USED TRS-80 SYSTEMS

We sell used keyboards, exp.int., disk drives, etc.

Call or write for que **NEW HARDWARE IN STOCK**

16K Level II \$749.00 Radio Shack disk drives \$449.00

16K Memory-Lifetime warranty \$89.00 Centronics 730-1 \$749.00 IDS 440 Paper Tiger \$949.00 SOFTWARE

TIGGER GRAF-TRS-80 to IDS PAPER - TIGER graphics driver Utilize the graphics capability on our TIGER resolution 495 by 575, \$149.95

PENCILFIX

Save your warranty. Use Pencilfix to avoid custom control key on your keyboard. Uses Radio Shack lowercase mod with electric pencil-\$14.95

SCRIP MOD

Patches SCRIPSIT to send control codes to specialty printers such as NEC, QUME, and Radio Shack line printer IV. \$39.95

PRINTER SPOOLER FOR MODEL I

ncreases thruput of printer operations Fully relocatable
Buffer size user defined Executes as a BASIC program A must when using Radio Shack printers \$24.95

VERN STREET PRODUCTS

114 W Taft Sanulna OK 74066 (918)224-4260

We handle a full line of Radio Shack products.

TERMS-COD WELCOME, CASH, CHECK, OR MONEY ORDER ADD 1% FOR MASTER CHARGE AND VISA

PRINTERS & CRT'S Orange Micro 256 From





IMPACT PRINTER

(LIST \$699.00)

"The BASE 2 outperforms every printer in its price range. Do a comparison and see for yourself ..."

* GRAPHICS * TRACTORS/FRICTION FEED

 2K Input Buffer • RS-232 Serial, Centronics® Parallel, IEEE-488, 20 ma • TRS-80 Cable option • 60 LPM - 100 CPS • Fast form feed • User programmable character set • 64, 72, 80, 96, 120, 132 Columns / line • Expanded characters • 9.5" wide paper • Automatic skip-overperforation • Horizontal & Vertical tabs • Programmable vertical line spacing • Intel 8085 Microprocessor — over 40 software commands . Self test . 15 Baud rates to 9600 Baud • Optional foreign character sets

Interfaces to TRS-80, Apple, Atari, PET, Northstar, and most other computers.



TELEVIDEO CRT'S PRICES SLASHED!

TVI 912C TVI 920C

Please Call Toll Free Prices are too low to advertise

PRINTERS

ANACOM 150 150 CPS, wide carriage, 9 x 9 dot (List \$1350) \$ Call
CENTRONICS 737 Text processing dot matrix (Radio Shack LP IV) \$ Call
CENTRONICS 730 (Radio Shack Line Printer II)
COMPRINT 912 225 CPS Electrostatic (List \$660) 529
OKIDATA MICROLINE 80 (List) \$800) 599
EPSON Dot graphics, serial, parallel
MALIBU Dot graphics, 132 Col, Letter quality
PAPER TIGER IDS 440 w/graphics & 2K buffer (List \$1094) 939
QUME 5/45 Typewriter quality. (List \$2905) 2499

INTERFACE EQUIPMENT

APPLE II — BASE 2 parallel graphics Interface board..... SSM AIO BOARD Serial/Parallel Interface board. (List \$225) 199 TRS-80 CABLES expansion interface or direct..... \$ Call

TOLL FREE (800) 854-8275

CA, AL, HI (714) 630-3322

Phone orders WELCOME. Same day shipment for VISA, MASTER CHARGE, and AMERICAN EX-PRESS. Personal checks require 2 weeks to clear. Add 3% for shipping and handling. California residents add 6%. Manufacturer's warranty included. Prices subject to revision.

Call for FREE CATALOG



Orange Micro

3148 E. La Palma, Suite E Anaheim, CA 92806

```
RINTTAB(14); ZS: "I PASSED GO I COLLECT S200": B=B+200
20 PRINTTAB(10); PRINT"WILL SOMEONE ADVANCE MY TOKEN TO ";N$(X)
21 IFX=30,X=10:IJ=4:D=0:DD=0:PRINT:PRINTTAB(19); "AH, PH
COY! MOVE ME TO JAIL":GOTO800:ELSEIFX<>20,25ELSEPRINT
TAB(20); Z$; N$(X): PRINT: PRINTTAB(24); "HOW MUCH DO I GET";: INPUTFP: PRINTTAB(28);: IFFP=0, PRINT"WOW, BUMMER" ELSEPR
INT"FANTASTIC"
24 B=B+FP:GOTO6
25 IFN$(X)=N$(7)ORN$(X)=N$(2)GOSUB950:GOTO6:ELSEIFX=4PR
INTTAB(21); "YUKY ! ";N$(X):GOTO859:ELSEIFX<>38,35ELSEPR
INTTAB(25);N$(X); " ????":R=75
    IFB-R<=0,210ELSEB=B-R:PRINTTAB(9); " PLEASE PLACE $";
R; "IN THE KITTY FROM MY ACCOUNT":GOTO6
35 IFX=100RX=40,6ELSEIFABS(B(X))=90RB(X)=90PRINTTAB(23)
 ;"HEAVY SIGH, I OWN THAT":GOTO6:ELSEIFABS(B(X))=80RB(X)
=80PRINTTAB(18);"SOME OF MY MORTAGED PROPERTY":GOTO6:EL
):PRINTTAB(12); "HOW MUCH RENT DO I OWE";:INPUTR:GOTO200
50 IFC(X) <B,B=B-C(X):PRINTTAB(10);"I'LL BUY IT - I'VE D EDUCTED $";C(X);"FROM MY ACCOUNT":PRINTTAB(10);"PLEASE GIVE ME THE DEED TO ";N$(X):B(X)=9:B9=X:P9=9:GOSUB700:G
OT06
60 PRINT"RATS ! I ONLY HAVE $";B;" AND ";N$(X);" COSTS $";C(X):GOTO6
* ":PRINT:PRINTTAB(11); "MY BANK ACCOUNT AT THIS MOMEN
T IS $";B:PRINTTAB(16); "I OWN THE FOLLOWING PROPERTY:":
FORM-1T039:IFABS(B(M))=90RB(M)=90PRINTTAB(22);N$(M)
71 NEXT:PRINTTAB(16); "I OWN";HS;U$(0); "(S) AND ";HT;U$(
5); "(S) ":XT=X:IFXT=0,XT=40
72 PRINTTAB(10); "I AM CURRENTLY RESIDING AT ";N$(XT):GO
4"; TAB(63); CHR$(191); CHR$(191); TAB(13); "MY TURN ....
                                5";
85 PRINTTAB(63); CHR$(191); CHR$(191); TAB(13); "POS/COR
(63); CHR$(191); CHR$(191); TAB(63); CHR$(191); TAB(1); STRIN
G$(62,131):GOTO10
90 GP=C(Y3):GC=C(Y2)
100 L3=0:G=20:K=GC-GP:IFAX>Y(9),115ELSEIFY(9)>Y(Y1),G=3
ØELSE110
105 IFK>30+RND(G),L=16:GOTO120
110 L=10+RND(G):GOTO120
115 G=0:IFK>120+RND(20),L=20ELSEIFY(9)=Y(Y1),L=13ELSEL=
10: IFS<L,130ELSE150
120 IFS:L,140
130 IFP=1,612ELSEPRINTP$(Y1); " I'LL TRADE YOU ";N$(Y2):
PRINT"FOR ";N$(Y3);:IFL3=1,145ELSEIFL3=2,155ELSEPRINT:G
OTO165
145 Bl=K+C(Y2)+(C(Y3)*(1+RND(0))):PRINT" IF YOU WILL TH ROW IN $";Bl:GOTO165
150 L3=2:GOT0130
155 B1=C(Y3)+B*C(Y3)/B:IFB-B1>S*10PRINT" I'LL THROW IN
$";B1;" TO BOOT!"
5";B1;" TO BOOT!"
168 L3=8:GOTO138
165 A1=2:PRINTJS:GOSUB7:IFA=2,195
178 PRINTZS;" !";:IFQ=3PRINT" I ACCEPT"ELSEPRINT
175 IFL3=2;PRINTPS(Y1);" COLLECT $";B1;" FROM MY ACCOUN
T":B=B-B1:IFCS=2PRINT" PLEASE TRANSFER THE ";N$(Y3);" D
EED":GOTO188
180 IFL3=1,B=B+B1:PRINTP$(Y1); DEPOSIT $";B1; TO MY AC
185 PRINT" PLEASE EXCHANGE THE LOTS": IFP=1,300ELSEB(Y2)
-Y1:B9=Y2:P9=Y1:GOSUB700
188 IFP>0,300ELSEB(Y3)=9:P9=9:B9=Y3:GOSUB700:IFCS=2,CS=
190 GOSUB65: IFPX>0,75
195 F=F-4:GOTO758
200 IFR<=B,B=B-R:PRINT"DRAW $";R;"FROM MY BANK ACCOUNT
- MY ACCOUNT IS NOW $";B:GOTO6
210 Bl=0:SX=0:PRINTTAB(14);R$;"I'M A BIT SHORT !":ZA=9:
FORDX = ØTO1
215 FORM=39TO1STEP-1:IFB(M)<>ZAORSX>ØORP(M)>0,235ELSECM
=C(M)/2:B1=B1+CM:Q5=B(M):B(M)=8:P9=8:B9=M:GOSUB700
220 N=0:PRINTTAB(9);"I'VE MORTAGED ";N$(M);:IFSX>0RETUR
NELSEPRINT" FOR $";CM:IFB1>=RORR<B1+B*.85,B=B+B1:GOTO20
225 IFWX=10RZA=90,296
235 IFZA=90,258ELSENEXTM:ZA=-9:IFDX<2,NEXTDX:DX=2
240 FORM=1T039:IFP(M)=0,260ELSEPM=P(M):IFPM=5,PM=1
245 B2=PM*M(M)/2:B1=B1+B2:IFP(M)=5,HT=HT-1ELSEHS=HS-P(M)
250 T(M) = P(M):P(M) = 0:SX = SX + 1:GOSUB220:PRINT"'S "::IFT(M
)=5,N=5
253 U=T(M): IFU=5, U=1
255 PRINTU; U$(N); "(S) FOR $": B2:GOTO260
258 IFB(M)=90, SX=SX+1
     IF (M<37ANDM>3ANDSX=3) ORSX=2, ZA=90: SX=0: GOTO215
260
    IFB1>=RORR<B1+B*.95,B=B+B1:GOTO200
NEXTM:IFR<=B+B1,B=B+B1:GOTO200
```

263 IFZA<>90,ZA=90:SX=0:GOTO215

```
265 CLS:PRINT@470,"I'M BANKRUPT":PRINT:GOTO6
270 H=0:PRINTTAB(23);"I'm THINKING ....!":FORM=39TO1ST
EP-1:CM=C(M)/2:IF(ABS(B(M))=80RB(M)=80)ANDB-CM>RND(200)
PRINT"I'm PAYING OFF THE MORTAGE ON ";NS(M);",$";CM:B9=
M:P9=9:B(M)=9:B=B-CM:H=1:GOSUB788
275 N=0:IFB(M)<>900RB<1110RT(M)=0,290ELSEIFT(M)=5,P(M)=
5:HT=HT+1:N=5:T(M)=0:GOTO285
280 P(M)=P(M)+1:T(M)=T(M)-1:HS=HS+1
285 CM=M(M)/2:B=B-CM:PRINT"I'M REBUYING A ";U$(N);" AT ";N$(M);" FOR $";CM:H=1
290 NEXTM: IFH=1, INPUT"PRESS ENTER WHEN TRANSFERS CONCLU
DED";H
295 GOTO755
296 IFZA=9,298ELSEIFZA=90,ZA=-9ELSEZA=9
297 WX=1:GOTO215
298 WX=0: ZA=90: GOTO215
300 P=0:CS=0:IFA3=2,304
302 FORZ4=ZK+1TOZ6:B(Z(Z4))=9:P9=9:B9=Z(Z4):GOSUB700:NE
XT: IFPX=5,190
304 FORZ4=1TOZK:B(Z(Z4))=Y1:B9=Z(Z4):P9=Y1:GOSUB700:NEX
307 FORZ4=1TOZ7:B(21(24))=Y5:B9=Z1(Z4):P9=Y5:GOSUB700:N
EXT: GOTO190
310 IFA3=2,350ELSEIFCP>0ANDB1<VX+GP*(1+E),675ELSEIFPL>0
ANDB1<GC*1+VX,675ELSE670
350 IFCP>1,670ELSEIFB1>GC*(3+RND(PL)),675ELSE670
425 XP=0:H4=0:N=0:CLS:PRINTTAB(7);"* * * * * * * * CON
STRUCTION TIME * * * * * * * * * * * PRINT:FORH7=1TOY(9)+1:
FORH6=OTO1STEP-1:IFB(H6)=90ANDT(H6)=0,450
440 NEXTH6:O=39:NEXTH7:O=L1
442 IFH4=0, PRINTTAB(15); R$; "NOTHING HAPPENING HERE": GOS
UB65: GOTO15
445 INPUT"PRESS ENTER WHEN CONSTRUCTION COMPLETE"; DS: IF
XP<>5,15ELSEXP=0:GOTO440
450 IFP(H6)=50RB-M(H6)<=0.440ELSEB=B-M(H6)
450 IFP(H6)=SUND=R(H6);=9,49ELDDLD=D=R(H6);
454 IFP(H6)=4,HS=HS-4:P(H6)=5:N=5:HT=HT+1
456 PRINT"I'M BUILDING A ";US(N); " AT ";NS(H6);" I'VE D
EDUCTED S";M(H6); "PROM MY ACCOUNT":L1=H6:IFP(H6)<4,HS=H
S+1:P(H6)=P(H6)+1
470 N=6:H4+H+1:XP=XP+1:IFXP=5,445ELSE440

"""
TIS; "":PRINT:PRINTTAB(24); "WHO'S THERE ?":PRINT:FORZ4=1TOP8:PRINTTAB(24); "WHO'S THERE ?":PRINT:F
; R$ (T) : NEXTT: 26 = 0 : ZK = 0
510 Al=5:GOSUB7:PX=A:ONPXGOTO520,530,550,575,580
520 PRINT*TRADE : FOR WHICH OF MY PROPERTIES IS YOUR O
FFER": GOTO523
521 PRINTK$: Z6=Z6-1
523 Z6=Z6+1:Z(Z6)=0:INPUT" LOT ID#";Z(Z6):IFZ(Z6)>39,52
DELSEIFZ(26) <> 0,523 ELSEIFZK=0,ZK=Z6-1:PRINT"WHICH OF YOUR PROPERTIES DO YOU OFFER IN TRADE":GOTO523
525 CLS:PRINT"YOU OFFER :":PORZ4=ZK+1TOZ6:PRINTTAB(20);
N$(Z(Z4)):NEXTZ4:PRINT:PRINT"FOR MY: ":PRINT:FORZ4=1TOZ
K:PRINTTAB(20); N$(Z(Z4)): W=ABS(B(Z(Z4))): IFW<>9ANDW<>90
 OK=1
526 NEXT24:PRINT:CP=CP/Z4:IFPX>2RETURNELSEGOSUB565:IFPX
=1,596
527 PRINT"AND ";U$(A3);" KICK IN $";B1;:GOTO596
530 PRINTR$(2)
531 PRINT: PRINT" ARE YOU REQUESTING PAYMENT - 1 OR OFF
ERING PAYMENT - 2?
533 Al=2:GOSUB7:A3=A:INPUT"HOW MUCH";B1:IFB1>9999,540EL
SEIFPX=2,520ELSEGV=GV+B1:RETURN
540 PRINTK$:GOTO533
550 CLS:PRINTR$(3)
553 PRINT"WHO PUTS UP THE EXTRA PROPERTY ME - 1 OR Y
555 Al=2:GOSUB7:Al=A:PRINT"I'M LISTENING":PRINT"WHICH A
RE THE PRIMARY PROPERTIES INVOLVED ?":PRINT"OP MY PROPE
RTY":GOSUB523:PRINT:PRINT" AND THE ADDITIONAL PROPERTY
?":PRINT:GOTO560
558 PRINTK$:27=2-1
560 Y5=Y1:27=27+1:21(27)=0:INPUT" LOT ID#";21(27):IF21(
27)>39,558ELSEIF21(27)<>0,560ELSEZ7=27-1:FORZ4=1TO27:PR
INTN$(Z1(Z4)); " ";:GV=GV+C(Z1(Z4)):I=A1:IFA1=1,Y5=9
561 W=ABS(B(Z1(Z4))):IFW=Y5ORW=Y5*10,OK=1
564 NEXTZ4:PRINT:IFPX=4RETURN
565 PRINTES;PS(Y1):PRINT"YOU WANT ME TO TRADE YOU ";:FO
RZ4=1TOZK:PRINTN$(Z(Z4));",";:NEXTZ4:PRINT"FOR YOUR";:
FORZ4=ZK+1TOZ6-1:PRINTN$(Z(Z4));",";:NEXTZ4:IFPX<3RETU
RNELSEPRINT" AND ";U$(A1);" THROW IN ";
573 FORZ4=1TOZ7:PRINTN$(Z1(Z4));", ";:NEXTZ4:IFPX=4RET
UNDEFCECT
URNELSE596
575 PRINTR$(4):PRINT:GOSUB553:GOSUB531:GOSUB565:GOTO527
580 CLS:PRINTU$(4); "'S ";T1$:PRINT:PRINT"DO YOU PROPOSE
TO SALE - 1 OR PURCHASE - 2":A1=2:GOSUB7:A3=A:IFA3
585 PRINT"WHICH OF MY PROPERTY ARE YOU INTERESTED IN: ":
GOTO593
590 PRINTKS: 26=26-1
593 Z6=Z6+1:Z(Z6)=0:INPUT" LOT ID#";Z(Z6):IFZ(Z6)>39,59
@ELSEIFZ(26)<>0,593ELSEZ6=Z6-1:IFA3=1, RETURNELSEINPUT"A
ND HOW MUCH DO YOU OFFER TO PAY";B1:GOTO595
NO HOW HOW DO YOU OFFER TO PAY ;B1:GOTO595
594 PRINT"WHAT DO YOU HAVE FOR SALE: ":GOSUB593:INPUT"HO
W MUCH MONEY ARE YOU ASKING";B1
595 PRINTP$(Y1);E$;" - YOU PROPOSE TO ";U$(2+A3);:FOR
Z4=ITOZ6:PRINTN$(Z(Z4));",";:NEXTZ4:PRINT" FOR $";B1
596 PRINT"CORRECT?";J$:A1=2:GOSUB7:IFA=2,580
600 E=0:VX=RND(55):CP=0:PL=0:GC=0:GP=0:IFOK=1,670ELSEIF
```

Program continues

```
PX<>5,603ELSEIFA3=1,2K=0:GOTO606
603 FORZ5=1TOZK: IFB(Z(Z5)) <>9,670ELSEB9=Z(Z5):GOSUB700:
GC=GC+C(B9): IFB(X2)=-Y1ORB(Z)=-Y1, PL=2ELSEIFB(X2)=Y1ORB
(2) = Y1ORB(Y) = Y1, PL=1
604 NEXT: IFZK>1, GC=GC/ZK
605 IFPX=5,610
606 FORZ9=ZK+1TOZ6:B9=Z(Z9):IFB(B9)=90,670ELSEGOSUB700:
GP=GP+C(B9): E=E+1: IFB(X2)=-9ORB(Y)=-9ORB(Z)=-9.CP=2ELSE
1FB(X2)=9ORB(Z)=9ORB(Y)=9,CP=1
608 NEXT: IFZ6-E>1, GP=GP/(Z6-E)
610 Y2=Z(ZK): Y3=Z(ZK+1): GOTO100
612 IFFX=5,318
615 IFCP=1ANDPL=2,67@ELSEIFPX>1,62@ELSEIFL3=2ORL=1@ORS>
1,675ELSE670
620 IFPX>2,628ELSEIFA3=1,625ELSEIFL3<>2ANDB1>50+RND(50)
,675
623 IFB1>PL*GC+VX,675ELSE670
625 IFB<BloRB1>B*((CP*10+VX)/100),670ELSE675
628 IFBX3ANDA3=2ANDB15CV*.4,670
630 FORZ4=1T027:W=Z1(Z4):IFW=-90RW=90,670ELSEIFA1=1,B9=
W:GOSUB700: IFABS(B(X2)) = Y1ORABS(B(Z)) = Y1ORABS(B(Y)) = Y1,
670
632 NEXT24
635 IFA1=2,645ELSES3=10:IFL3=2,S3=0
640 IFCP=2ANDS>S3ANDGV<400,675ELSE670
645 IFCP<PL,670ELSEIFL3=0,S4=200ELSEIFL3=1,S4=400ELSES4
648 IFGV>S4.675ELSE670
678 PRINT:PRINT"WITH REGRET I MUST REFUSE YOUR OFFER";:
IFOK=1PRINT" TURKEY!"
671 GOSUB65:GOTO75
675 IFPX=10RPX=3,L3=0:GOTO685
680 L3=3-A3:IFPX=5,CS=L3
     GOTO170
700 ONB9GOTO 703,750,703,750,750,705,750,705,705,750,71
50,750,710,710,750,715,750,715,750,720,720,720,750,725,725,750,725,750,720,730,730,750,730,750,750,750,750,730,750,
703 V=1:X2=1:Y=3:Z=B9:GOTO735
705 X2=6:Y=8:Z=9:GOTO735
710 X2=11:Y=13:Z=14:GOTO735
715 X2=16:Y=18:Z=19:GOTO735
720 X2=21:Y=23:Z=24:GOTO735
725 X2=26:Y=27:Z=29:GOTO735
730 X2=31:Y=32:Z=34:GOTO735
733 V=1:X2=37:Y=39:Z=B9
735 IFP=1RETURNELSEIFVV=2,775ELSEIFVV=1,76@ELSEO8=ABS(P
9) = ABS(B(Y)): Q7 = ABS(P9) = ABS(B(Z)): Q6 = ABS(P9) = ABS(B(X2))
:Q9=Q8+Q7+Q6:Q4=Q9:IFQ9=-3,Q9=18ELSEIFQ9=-1,Q9=1ELSEIFQ
736 IFQ5<180RQ4=-3,739ELSEIFB(B9)=B(Y)/180RB(B9)=B(Z)/1
0,752ELSEY(P9)=Y(P9)-1:IFB9<>X2,B(X2)=B(X2)/-10
737 IFB9<>Y,B(Y)=B(Y)/-10
738 IFB9<>2,B(Z)=B(Z)/-10
739 B(B9)=B(B9)*Q9:IFV=1,V=0:IFB(B9)>9,741ELSEIFABS(B(X
735 B(B)/-3565/-051174-1,746; IFB(B9)/9,741ELSE1FABS(B(X
2))<>ABS(B(Y)),750
741 IFQ8-0,745ELSE1FQ8-Q7,B(Y)=B(B9):B(Z)=B(B9):IFQ6<>Q
7ANDB(X2)=<0,B(X2)=B(X2)*-1
742 IFQ8=Q6,B(Y)=B(B9):B(X2)=B(B9):IFQ7<>Q6ANDB(Z)<0,B(Z)=B(Z)*-1
745 IPQ7<>BANDQ7=Q6,B(Z)=B(B9):B(X2)=B(B9):IFQ8<>Q6ANDB
(Y)<BB(Y)=B(Y)*-1
749 IFQ9=10,Y(P9)=Y(P9)+1
750 S=S+1:RETURN
752 B(B9)=B(B9)*10:RETURN
755 FORF=39TO1STEP-1:IFB(F)=-9,VV=1:B9=F:GOTO700
758 IFF<0,F=0
750 NEXTF:IFY(9)>@ANDB>RND(15@)+21@,425ELSE15
760 VV=@:IFB(X2)>@ANDB(X2)<& Y1=B(X2):Y3=X2:GOTO77@
763 IFB(Y)>@ANDB(Y)<& Y1=B(Y):Y3=Y:GOTO77@
765 IFB(Z)>@ANDB(Z)<& Y1=B(Z):Y3=Z:GOTO77@
766 IFP>4ANDF<36,758ELSEIFB(X2)<@ANDB(X2)<>-9,Y1=ABS(B(
X2)):Y3=X2:GOTO769
     IFB(Y) < @ANDB(Y) <>-9, Y1=ABS(B(Y)): Y3=Y:GOTO769: ELSE7
```

22
58
769 IFF<4,771 776 FORX3=39T01STEP-1:IFB(X3)<>-Y1 NEXTX3ELSEVV=2:B9=X3
GOTO788
771 Bl=C(Y3)+(B*C(Y3)/B):IFB-Bl<0,195ELSEPRINTP\$(Y1);" I'LL GIVE YOU \$";Bl;" FOR ";N\$(Y3):L3=2:CS=2:GOTO165
775 VV=0:IFB(X2)=9 Y2=X2:GOTO780
776 IFB(Y)=9 Y2=Y:GOTO780 777 IFB(Z)=9 Y2=Z:GOTO780
778 NEXTX3:GOTO771
780 FORZX=1TOP8:IFY(ZX)>0,AX=1
783 NEXTZX:GOTO98
800 IFJA>0,815ELSEIFDD>0ANDDD<3,IJ=0:GOTO810
802 IFS<16ANDB-50>50, PRINT" NO FUTURE IN HERE ";:GOTO80
883 T.I=T.I=1.TPI.I/N 885FISE DRINT"THAT'S ALL FOLKS - ".
804 PRINT'I'VE GOT TO";CS;" ";:R=50:DD=0:IJ=0:GOTO32 805 IFIJ<3,PRINTTAB(17);"I ONLY HAVE";IJ; "MORE TIMES IN
805 IFIJ<3, PRINTTAB(17); "I ONLY HAVE"; IJ; "MORE TIMES IN
JAIL"
807 GOTO6
810 PRINTTAB(16); Z\$; 812 PRINT"SET ME ON "; N\$(10): DD=0: IJ=0: GOTO6
815 JA=JA-1:PRINT"PLACE MY"; CS; "FREE CARD IN THE DECK &
";:GOTO812
850 R=0:FORX1=1TO39:IFB(X1)=90ORB(X1)=ABS(9),R=R+C(X1):
IFP(X1) = 0,855ELSEIFP(X1) = 5,J=M(X1)ELSEJ=P(X1)*M(X1)
854 R=R+J
855 NEXT:R=(R+B)*.1:IFR>200,R=200
868 PRINT"I HAVE COMPUTED MY TAXES TO BE \$";R;:GOTO32 958 PRINTTAB(8); "AND DRAW THE TOP CARD FROM THE ";N\$(X);" STACK":PRINTTAB(8); "THEN BASED UPON THE CONTENTS OF THE CARD PERFORM ONE":PRINTTAB(17); "OF THE FOLLOWING OP
; " STACK : PRINTTAB(8): "THEN BASED UPON THE CONTENTS OF
THE CARD PERFORM ONE": PRINTTAB(17); "OF THE FOLLOWING OP
ERATIONS FOR ME-!PRINT
955 PRINTTAB(18); "AN ACCOUNT DEPOSIT
NTTAB(18); "AN ACCOUNT DEDUCTION 2":PRINTTAB(1
CS: "FREE CARD 4".PRINTTAR(18)."A ROADD ADVANCEMENT
5"
956 PRINTTAB(18); "GO BACK 3-SPACE
0
958 GOSUB7:PRINTTAB(6);:ONAGOTO993,990,960,994,995,998 960 PRINT"* * * * * * * STREET ASSESSMENT/REPAIRS * * *
* * * * ": H1=40: H2=115: IFN\$(X)=N\$(7) H1=25: H2=100
965 R=(HS*H1)+(HT*H2):IFR=0,PRINTTAB(27); "AM I LUCKY":G
978 PRINT"GOOD GRIEF! I'VE GOT TO PAY \$";R;:GOTO32 998 PRINT"* * * * * * * * * * DEDUCTION * * * * * *
990 PRINT" * * * * * * DEDUCTION * * * * *
* * * * * ":GOSUB992:IFB-R<0,210ELSEB=B-R 991 PRINT"MY ACCOUNT HAS BEEN DULY ";D\$(A); AND NOW TO
TALS \$";B:RETURN
992 PRINT: INPUT ENTER THE AMOUNT PLEASE; R: RETURN 993 PRINT** * * * * * * * * * DEPOSIT * * * * * *
993 PRINT** * * * * * * * * * * DEPOSIT * * * * * *
* * * * * * * :GOSUB992:B=R+B:GOTO991
994 JA=JA+1:PRINTTAB(14); "* * * * * "; C\$; "PREE * * * * *
":PRINTTAB(23);"I CAN ALWAYS USE THAT":RETURN 995 D=8:PRINT" * * * * * * * * * * BOARD ADVANCEMENT * *
* * * * * * * PRINT: PRINTAB(16); INPUT WHAT'S THE ID
OF MY DESTINATION"; AB: IFAB <x,d=40< td=""></x,d=40<>
996 X=AB:IFQ=6,75ELSE18 998 X=X-3:IFX=-1,X=39
999 GOTO28
1000 DATAMEDITERRANEAN AVENUE, COMMUNITY CHEST, BALTIC AVENUE, INCOME TAX, READING R & R, ORIENTAL AVENUE, CHANCE, VE
RMONT AVENUE, CONNECTICUT AVENUE, JUST VISITING
1010 DATAST. CHARLES PLACE ELECTRIC COMPANY STATES AVEN
UE, VIRGINIA AVENUE, PENNSYLVANIA R & R, ST. JAMES PLACE, C
OMMUNITY CHEST, TENNESSEE AVENUE, NEW YORK AVENUE, FREE PA
RKING 1828 DATAKENTUCKY AVENUE, CHANCE, INDIANA AVENUE, ILLINOIS
AVENUE, B & O RAILROAD, ATLANTIC AVENUE, VENTNOR AVENUE, W
AVENUE, B & O RAILROAD, ATLANTIC AVENUE, VENTNOR AVENUE, W ATER WORKS, MARVIN GARDENS, GO TO JAIL
1030 DATAPACIFIC AVENUE, NORTH CAROLINA AVENUE, COMMUNITY
CHEST, PENNSYLVANIA AVENUE, SHORT LINE R & R, CHANCE, PARK
PLACE, LUXURY TAX, BOARDWALK, GO

JOVING?

Let us know 8 weeks in advance so that you won't miss a single issue of 80 Microcomputing. Attach old label where indicated and print new address in space provided. Also include your mailing label whenever you write concerning your subscription. It helps us serve you promptly. ☐ Enter new subscription I □ Address change only □ Extend subscription ☐ 1 year \$18.00 □ Payment enclosed □ Bill me later If you have no label handy, print OLD address here print NEW address here Name_ Name_ Addr City Address Address State_ State ____ Zip ___ City_

80 MICROCOMPUTING P.O. Box 981 ● Farmingdale NY 11737

MODEL II



26-4002 64K 1 Drive \$3499.00

MODEL III



26-1061	4K I.				٠		\$630.00
26-1062	16K	III.					. 900.00
26-1063	32K	111					
2 0-1		222	r.				2246 00



CENTRONICS

Fast 100 CPS Centronics	
730 Printer	. \$675.00
Text Quality Centronics	
737 Printer	. \$850.00

Model II Cobol Compiler \$360.00 Cobol Run Time Package \$36.00

AUTHORIZED TRS-80® DEALER A301

COMPUTER SPECIALISTS

26-1056 16K Level II System with Keypad. \$670.00
26-1145 RS-232 Board
26-1140 "O" K Interface
26-1141 "16" K Interface
26-1142 "32" K Interface
26-1160 Mini Disk · Drive O
26-1161 Mini Disk · Additional
26-1154 Lineprinter II
26-1156 Lineprinter III
26-1180 Voice Synthesiser
26-1181 VOXBOX145.00
26-1104 Factory Upper/Lower
Case Modification Installed70.00
26-1506 Scripsit - Tape
26-1563 Scripsit - Disk

NOTE: Call for availability of VIDEO TEX, Model III, Color, and other new products.


ALL OTHER R.S. SOFTWARE FURNITURE, STANDS, CABLES AND ACCESSORIES DEDUCT 10% FROM CATALOG PRICE

Novation Cat Modem \$149.00
CCA Data Management
System
Adventure Games
Games 1-9 each14.00

Pocket Computer

SEINPUT	B. CIA=I	(B+B+C	0	Table and
September 1981	ASSESSMENT			
	388		000	000
	1000			100

26-3501	1.9K P.C\$225	.00
26-3503	Cassette I/F45	.00
14-812	ecorder72	.00



26-1054 4K Level II \$552.00

COLOR



26-3001	4K\$360.00	
	16K540.00	
26-3010	Color Video	
	Recorder54.00	
	Joysticks22.50	



GAM	ES:																		
Alien	In	vasi	or	١.	,		7							+			\$	9.	00
Stock	M	arke	et.				¥			19	i	٠		×			,	9.	00
Star T	re	k				ī		,	,		,			٠		٠		9.	00
Block	Er	n								i e			, is			6		9.	00
Ting-1	or	g			٠			÷	٠		v		·		,	÷		9.	00
UTILIT																			
System	m	Save	ers	6 .									,				1	4.	00
EDUC	AT	ION	:																

FREE: CATALOG UPON REQUEST

Language Teacher

1-800-841-0860 Toll Free Order Entry

MICHO MANAGEMENT SYSTEMS, INC.

No Taxes on Out Of State Shipments

Immediate Shipment From Stock on Most Items

DOWNTOWN PLAZA SHOPPING CENTER
115 C SECOND AVE. S.W.
CAIRO, GEORGIA 31728
(912) 377-7120 Ga. Phone No.

*TRS-80 is a registered trademark of the Tandy Corp.

Full Factory Warranty on All Items Sold.

Largest Inventory In the S.E. U.S.A.

An 80 application for darkroom denizens who lack photographic memories.

The Fixer

Peter Ashley 10 Clinton St. Portland, ME 04103

Being a photography teacher as well as a computerist, it seemed natural that I combine the two interests. The first and most obvious photographic use for the personal computer is an electronic collecting place for photographic data.

Photographers are deluged with masses of technical information that is supposed to assist them in making better photographs: camera types, film speeds, filters, exposure variables, chemicals, time and temperature calculations, paper grades, and long lists of photographic accessories.

Why not put it all in one easily accessible place?

A second promising blend of photography and the microcomputer is its educational application. The personal computer can simulate several photographic processes such as f/stop openings and shutter speed action. It can quickly calculate exposure setting changes, proportions for chemical mixing, and time-temperature relationships. And it can actually do all your timing for you, so that a budding photographer can concentrate on making good photographs.

In the future, easy to use add-ons will be available to the photographer. With the proper circuitry you will be able to interface devices that measure light, moisture and temperature. Already the computer can be used to time the enlarger. It can set and trip critical shutter speeds. It can coordinate multiple lighting set-ups and multiple camera arrangements.

Photographic Notebook

The application I chose here is film development, because it allows the TRS-80 to show off several of its advantages. The program that follows is designed to be part of a series of photographic programs that can be combined into a photographic notebook.

When designing the program, I wanted it to be easy enough for the beginner to use, yet be valuable to a more experienced photographer. It had to run smoothly so that, while using it, you assume the role of a photographer—not a computer programmer. Finally, I wanted a flashy program to satisfy my creative instincts.

Film development uses a highly interactive style to lead you through nine steps toward printing of a variety of black-andwhite film types. You simply select the film and developer you are using, and let the computer handle all the timing cycles.

The program assumes that you are using a temperature of 68 degrees Fahrenheit. However, you can alter the development time in case you are using a different temperature or you are compensating for under or over exposure.

All input is followed by a reassuring beep and the completion of each timing cycle is signaled with an audio alarm. To make use of these sound features, connect the cable coming from the keyboard (this normally plugs into the aux input of the cassette recorders) into an amplifier. You can leave both the recorder and the amplifier connected by using a Y-adapter.

The sound routine, which is Dennis Kitsz's Babybeep (April, 80 Microcomputing) is found in lines 200 through 400.

All single stroke input uses the INKEY\$ feature of Level II. Multiple key input is used only at noncritical times and, of course, requires the use of the enter key.


In lines 500-599 the computer allows you the option of fine-tuning the timer. This routine is for the benefit of non-programmers. Normally you will be able to answer N, and let the timer work in its preset condition. The loop value is set as 30090 in line 30.

However, if your TRS-80 clock is found to operate at a slightly different rate, or if you have modified any part of the program that effects the timing loop, you have two options: Firstly, assign a different value to TZ in line 30. Secondly, simply answer Y when running the fine tune routine and follow its instructions.

Assume Familiarity

The program assumes some familiarity with developing black and white film. However, it is careful to guide beginners systematically.

You select your film and developer from a model defined by the program in lines 600




Above: Title employs a graphic device while data is read.





Top: Menu of Developers. Bottom: Mixing instructions for Developer. Left: Rinsing time is shown using the clock routine.






Left: Each step pauses until you want the timer to begin. Above: Each step is user-interactive.

The MICROCONDUCTOR™

the ultimate database manager for your TRS-80® and Apple® Compose Any Software Program
By simply answering the questions,
YOU Describe the file layouts
YOU Specify the print formats
YOU Design the update functions.
The CONDUCTOR DOES THE WORK!!!



The MICROCONDUCTOR™ directs your computer to compose, organize and summarize all information you need to solve your software and business problems.

With The MICROCONDUCTOR™, your computer will be able to compose any record-keeping software you need. In the office, The MICROCONDUCTOR™ can help with anything from accounts receivable to property management. You'll find that The MICROCONDUCTOR™ is ideal for the shop too. Let it take care of your inventory records, sales analysis, price lists, and more.

The MICROCONDUCTOR™ is not just a file manager but a true Data Base Management System suitable for both the novice and professional users.

Some of the modules of this masterpiece are:

DATA FILE—One step file creation. Just set it, and forget it.

MAINT.— Manipulate your data files with ease; add, delete, modify, scan, relocate, and more.

SORT— Sort any number of fields, in any sequence, ascending or descending order.

UPDATE — Single or dual file report and update utility.

Introductory Prices

TRS-80® Model I \$249 Apple® \$299 TRS-80® Model II \$399 The MICROCONDUCTOR™ is power at your fingertips! Power to set up, maintain, sort, report, and update data files at whim. Just imagine: with the MICROCONDUCTOR™, you can establish a custom mailing list system in 30 minutes, accounts receivable in 2 hours, a complete business system in only a few working days. Never before has your computer been given such power!

DATA FILES—No limit on the number of records a file can have.

FIELDS—Any type (string, interger, single, double). Eight entry modes (including defaults, counting, and suppress).

REPORTS—Four ways to generate reports. Total numeric column(s). Print on any paper in any format (statements, labels, etc.).

SORT—Any field(s) in any combination (i.e. multiple-key sort). Any size file, numeric or ASCII. Ascending or descending.

MAINT.—Command anticipation. Record duplication. Direct access and sequential search.

UPDATING/

MERGING—Add, subtract, multiply, divide fields. Combine results from previous calculations. Test for any condition and take action.

*Registered trade mark of Apple & Radio Shack.



3304 W. MacArthur • Santa Ana. CA 92704 • 17141 979 9923





Apparat,Inc.

(303) 741 1778

7310 F Frinceton Ave. • Denver. CO 80237 • (303) 758-7275

ALL PRICES CASH DISCOUNTED

FREIGHT FOB/FACTORY

ASK FOR OUR FREE CATALOGUE

V 264

SAVE add-ons for TRS-80® Software and Hardware

NEWDOS80

A new enhanced NEWDOS for the TRS-80.

The most powerful Disk Operating System for the TRS-80, designed for the sophisticated user and professional programmer who demands the ultimate.

NEWDOS/80 is the planned upgrade from NEWDOS 2.1. Some of the features are:

- New BASIC commands for files with variable record lengths up to 4095.
- Mix or match drives. Use 35, 40 or 80 track 5" disk drives or 8" disk drives, or combo.
- Security boot-up for BASIC or machine code application programs.
- New editing commands
- Enhanced RENUMber that allows relocation.
- Command chaining.
- Device handling for routing to display and printer simultaneously.
- DFG function; striking of D, F and G keys allows user to enter a mini-DOS without disturbing program.
- Compatible with NEWDOS & TRSDOS.
- Machine language Superzap/80 2.1 \$149 utilities and enhanced debug and copy.

NEW

TF-8 80 TRACK DISK DRIVE Double Your Capacity
TF-9 DUAL 80 TRACK DISK DRIVE \$789

FACTORY CLEARANCE



Demo single or dual head MPI disc drive, complete with Power Supply and Chassis. Full warranty.

TF5D 40 TK 279

TDH-1D Duol 35 TK \$419

Announcing !

8" Floppy Disk Drive System

for Model I



- One SA801 Floppy
- NEWDOS 80
- Cable & Adapter

\$1095

Disk Drive Sale!

Complete with power supply and chassis TF-3 Shugart SA400	\$339
Perrec FD 200, 40 track	\$379
TF 5 MPI B51, 40 track	\$369
TF7 Micropolis 77 track	
TDH-1 Dual Sided drive 35 track	\$499
TF-3M Drive Sys. 2 Shugart	\$698
NEWDOS+ 40 track \$110 35 track	\$99
Microconductor, Data Base Mgr.	
Mod I \$249 Mod II	
AJA Business Pgk.	\$359
The Source	\$100
Basic Compiler	



Disk Expansion System

• 2 Shugart SA400 TF-3	\$718
1 Two-Drive Cable	
 1 Expansion Interface 32K. 	
 1 35-track DOS+ 	\$ 99
TOTAL LIST PRICE	\$1331
\$4	440

SPECIAL PRICE ONLY \$1,149

Same as above but includes TRS-80** \$1949

MOD II 8" Disk System

					וכעכ ח			_		_
•	1	Drive	System	n		constant of the	\$	94	49	9
					Setom		\$4			

Drives for any Microcomputer

poes not include power supply & cabinet.								
Perfec FD200	\$282	FD250	\$359					
		SA800/801						
MPI B51	\$279	B52	\$349					
MPI B91	\$399	B92	\$525					

Printers

Centronic 779	\$1,069
Base 2	. \$649
Centronics 737	\$939
Centronics 702-9	\$1,995
Anadex 9501	\$1.549
Malibu	\$2,495
Spinwriter	\$2,549



Daisy Wheel ... \$1,779

More Savings



INTRODUCTORY OFFER SAVE \$300

TRS-80 Graphics

OKIDATA MICROLINE 80 649

Memory Kit (16K)	\$49.00
AC Isolator (6 socket)	\$49.95
Disk Head Cleaner	\$19.95
Diskettes (10)	\$30.00



MICROCOMPUTER
TECHNOLOGY

D ~28

TELEX 678-401 TAB IRIN

Order Desk Only 800-854-7222

4401 South Tamarac Parkway • Denver. CO 80237 • (303) 741-1778

3304 W. MacArthur • Santa Ana. CA 92704 • (714) 979-9923

All prices cash discounted/Freight: FOB factory. Ask for our free catalog.

Professional software

TRS-80® MODEL II

NOW AVAILABLE!

BASIC CROSS REFERENCE

- FIND WHERE NAMES ARE USED FAST!
- CAN YOU DELETE THAT LINE? FIND OUT!
- DO YOU HAVE DEAD CODING? • WANT A NICE PROGRAM LISTING WITH
- DATE & TIME IN HEADING.

- PARALLEL/SERIAL PRINTERS
- SEVERAL OPTIONS

NON-STOP RUNNING

● 6/8 LPI VARIABLE LINE WIDTH & PAGE DEPTH

\$59.99

+63.00 POSTAGE & HANDLING

DOCUMENTATION ONLY \$10.00 DEDUCTIBLE ON PURCHASE

DISK SORT

MENII DRIVEN

30 TIMES

- PANDOM FILES **CHAINS TO SYSTEM**
- · FASTI • SPECS SAVED OR BASIC PROGRAMS ON DISK
- YOU DON'T HAVE TO BE A PROGRAMMER TO USE IT ● EASY TO USE ● EASY TO INSERT INTO IOB STREAM FOR

\$69.99

DOCUMENTATION ONLY \$10.00 DEDUCTIBLE ON PURCHASE

+ 53 00 POSTAGE & HANDLING

BASIC COMPILER

- TRSDOS®/BASIC COMPATIBLE! • EASY TO USE
- FASTER THAN BASIC BY UP TO AUGMENTED WITH OUR DOCUMENTATION

WRITTEN BY MICROSOFT

\$350.00

73300 HIST + \$5 00 POSTAGE &

HANDLING

30 TIMES

TRS-80% & 'TRSDOS* ARE REGISTERED GOOD-LYDDON DATA SYSTEMS

MASTER CHARGE or VISA accepted TRADEMARKS OF TANDY CORP

5486 RIVERSIDE DR., CHINO, CA. 91710

TRS-80 Owners: Turn Your Typewriter Into A Printer



... With the KGS~80 Keyboard Actuator · Plug-in compatibility with the TRS-80 . . . attrac

- tive enclosure contains actuator and interface. Least expensive way to get letter quality printing.
- No mechanical modifications to the typewriter are necessary
- Rests firmly above the typewriter keyboard. Can be installed or removed in 5 seconds.
- Does not require any software to operate works with Pencil, Scripsit and other word processing programs
- Solenoids with soft plastic tips strike typewriter keys with the same force a typist would exert.

Dealer Inquiries Invited

KGS KOGYOSHA CO., LTD. 179 Riveredge Rd., Tenafly, N.J. 07670 (201) 568-8769



Everything needed to add powerful controller capability to TRS-80, Model 1, Level 2 or DOS

SCIENTIFIC ENGINEERING LABORATORIES 11 NEIL DRIVE . OLD BETHPAGE, NEW YORK 11804 TELEPHONE (516) 694-3205

GPIB-488 to TRS-80* INTERFACE

Mod. 488-80B \$225.00 + shipping, insurance & tax

SPECIFY DISK OR TAPE

*Trade Mark of Tandy Corp. There is no affiliation between Scientific Engineering Laboratories and Tandy Corporation or Radio Shack

CASIO

Calculator Watch

Time - Calendar Display 8 Digit Calculator Stopwatch

\$42.95



F80 Alarm Chronograph \$26.95

Mattel Intellivision \$ 239.95

ALSO: Atari Sherp Cobre JVC SONY Panasonic

BSR The Controller."

THE BSR SYSTEM X-10."

Command Console 31.95 33 95 Ultrasonic Consola Cordless Controller 16.95 TIMER 59.95

Appliance Module 13 49 Lamp Module 13.49 Wall Switch 14.95

SYNAPSE VIDEO P.O. BOX 962

NEW YORK, N.Y. 10009

and 800 respectively. If your favorite film or developer is not used, it is easy to make an addition or change. If you do make changes, be sure to alter the developing times. These are found as data in line 1200 and within a video chart beginning at line 1500.

At line 2000 the program introduces the nine steps it will use to develop your black and white film. In addition to develop, stop and fix, the program includes other processing steps that are useful. For example, a step is devoted to hypo-clearing to speed up the washing time. The final list reads:

- 1. Load
- 2. Develop
- 3. Stop
- 4 Fix
- 5. Rinse (this is a pre-wash step, using water)
- 6. Hypo Clearing
- 7 Wash
- 8. Wetting Agent
- 9. Dry

This list should be complete enough to satisfy most darkroom workers.

When running the program, you are given the chance to review these nine steps. The review also covers a short explanation of what each step does. If you are familiar with the developing process, you can bypass this review by answering N (line 2020).

Several of the imbedded routines may be useful for those wishing to create their own film developing program. Developer Mixing (line 2500) and a subroutine that calculates chemical ratios (line 3100) contain the annoying mathematics that must always be computed before chemicals can be added to your developing tank.

It's easy to extract the routines for Develop, Stop, Fix, Wash and Dry. They are listed with associated timings in lines 2600-3000. If you do not use a hypo-clearing agent, or wish to make other modifications to the program's chemistry, this is the area of the program to review. All of these steps use the Clock routine found in line 3300 and the Alarm routine found in line 3600.

The decimal equivalents for Dennis

Press ENTER

Developer Type D\$

FS Film Type

IS Interrupt Timer

Review Steps GS,HS Film Graphics

X Timing Loops Timing Loops

D **Developer Choice** Film Choice

Minutes s Seconds

SS Stock Solution SW Water Solution

ST **Total Working Solution** ZQ Timer Check (ZQ = 3.149)

Line 3425 Timing Loop Increment Delay

Line 30090

Table 1. Line Numbering for Film Development

Kitsz's machine routine are found in the data lines 200-400. Prior to the use of a particular sound, a value is POKEd into 16526, and Babybeep is called using X = USR(0).

Program Graphics

Notice that the cover (line 100) is supposed to represent a picture of a strip of 35mm film. The blank film magically develops into the title, Film Development. All this is intended to dazzle your eyes and leave you entertained, while the DATA statements (line 200 on) are read. I find this approach superior to a message such as "Please wait" or "I'm working."

The second use of graphics also represents a strip of film. The subroutine in lines 3800-3870 also uses a graphic strip of film designed as a screen prompt. A value is assigned to the Y-axis, corresponding to a horizontal line position. This value in conjunction with the X values 0-127 is used in

Title Cover 100 Babybeep Timer Fine Tune Select Film 600 800 Select Developer 1000 Film Developer Times 2000 The Nine Steps Load the Film 2300 2500 **Developer Mixing** 2600 Develop Stop and Fix 2700 2800 Wash and Dry 3000 Two-second Delay Mixing Chemicals 3100 Clock Routine 3300 3600 Alarm Horizontal Lines (moving film strip) 3800 3850 Solid Line

Table 2. Film Development Variables

Broken Line

Error Message

3870

3900

the Horizontal Line subroutines to SET the

SET and RESET are preferable here over other more rapid graphics, such as PRINT@ STRING, precisely because they are slower. The activity of a moving line is more eye-catching than an instant line.

At the very end of the listing is a short Error subroutine (line 3900). This is called in the case of an illegal input. This subroutine prints a polite "You have done wrong" message, and then, once again, returns you to the original input request.

There you have it. The program is somewhat long at 11K, but it contains many useful routines that can be used in other programs. A cassette version is available from myself. The program should be easy to follow by referring to Tables 1 and 2 and the REM statements. Also the line numbering should make it easier to separate each routine.

GENEALOGY I

Compiling Roots and Branches An extensive family tree system for the Radio Shack TRS-80

64K 1-disk Model II

STORES AND REVIEWS 1000 FAMILY MEMBERS' names, dates, places, marital statuses (2), relationships (father, mother, spouses (2), children (16)), and footnotes (2)

OUTPUTS complete Family Books of info for yourself and others, new and revised pages for Family Book recipients, indices to names and their ID numbers, indented format 8-generation pedigree and descendent charts, lists of dates and footnotes, and blank and filled-in forms to solicit info. Includes comprehensive indexed 70 + page manual.

Diskette with manual Manual & 9-program 81K BASIC listings \$50.00 alone

applicable toward diskette purchase Brief description with example printiputs \$1.00
Send check or money order or call for more details.
John J. Armstrong

3700 Whispering Pine Rd. #47B 1414 Mobile, AL 36608

■ Phone evenings 205/342-7642

From the original author of Roots and Branches Personal Computing magazine September 1979 *TRS-80 is a registered trademark of Tandy Corp.

Hard Copy Printer For Your Computer

COMPLETELY REFURBISHED

Model 33, Friction Feed Receive only, Table Model, 110 Baud, 8 level ASCII Code, 20 MA LOOD

\$279.95

Complete line of options available. Check or M.O. \$50 Deposit on C.O.D. orders, N.J. Residents add 5°: Sales Tax

RED ARROW ELECTRONICS CORP.

1217 Summit Ave. Union City, N.J. 07087 (201) 863-7918

FIGHT INFLATION (USING COLLECTIBLES)

1. BULLION—COMPUTES MELT VALUE FOR ALL U.S. COINS (LEVEL II-16K) \$12.00

2. COINS-CATALOGS COIN COLLECTION (1 DISK) \$20.00

3. STAMPS-CATALOGS STAMP COLLECTION (1 DISK) \$20.00

sTARRS-80

∠455 P.O. BOX 2163 E. PEORIA, ILLINOIS 61611

WE MEAN BUSINESS!

BUSINESS SOFTWARE, THAT IS

FOR MORE TRS-80 THAN FUN AND GAMES

THE DATA DUBBER

\$49 95

Duplicates any program tape to TRS-80 quality. Reconstructs date pulses to ensure accurate CLOADs. Permits easy loading of even poor quality commercial tapes with nt volume adjusting. Money-back guarantee if not satisfied

THE ELECTRIC SECRETARY

A powerful word processor to turn your TRS-80 into an automatic typewriter. Features page numbering, movable margins, headers, variable page length, and title centering. Enter text, revise, correct, and output to printer page for matted, justified, even hyphenated as required. Crosscoupling files permits individually addressed form letters Complete with upper/lower case conversion information on diskette. Specify if RS-232 adapter is installed in

MAILROOM PLUS

A versatile and powerful mailing program to print labels A versatile and powerful maining program to print labels by sequential coding: zip, city, state, customer ID code, even last name. Sorts by any code in minutes and stores sequentially in a single string (approx. 1500 records per diskette). Includes AUTOPRINT Supplied on diskette.

MINIMAIL

A compact version of MAILROOM PLUS but without customer coding. Features alpha lookahead for duplicates. Supplied on diskette

FORMLET

Generates form letters from MINIMAIL records Prepare your letter, bulletin, notice, advertisement, etc., then load the MINIMAIL files. Your printer will print the inside address, letter, and repeat for each name in the file—all properly spaced and justified. Supplied on cassette

Simplifies automatic BASIC program loading from your DOS Permits sequencing through your choice of DOS commands, selects files and memory size you specify, and loads or runs selected program. Allows user to see directory and free space before program runs automatically Supplied on cassette

SIR ECHO

A handy program to make your printer work like an electric typewriter. Use alone or merge with your programs what appears on the screen echo to the printer. Supplied on cassette

Make your TRS-80 a smart terminal. Communicate with time-share and other computers, bulletin boards, etc. Transfer programs over the phone. For disk systems with

UPPER/LOWER CASE CONVERSION \$20.00

Reprint of KILOBACID article explaining how to modify the TRS-80 to display both upper and lower case characters. Kit contains step-by-step instructions, parts, and necessary soft re on cassette for case reversal, echo, and automatic line feed routines

> User group discounts available Dealer inquiries invited

'TRS-80 is a trademark of the Tandy Corp



TERMS Check, money or-der. Visa. Mastercharge. Washington residents add



THE PERIPHERAL PEOPLE P.O. Box 524, Dep't. M

Mercer Island, WA 98040

×43 (206) 232-4505

Micro Computers and Civil Engineering

The machine can do it — but you need the application package to make it work for you.

We have brought together the most powerful civil engineering tools available, USA-COGO (Civil Engineering Coordinate Geometry), USA-EARTH (Earthwork Design Quantities), and USA-STRESS (Structural Engineering System Solver). Each system provides a complete data entry and change system in addition to the powerful problem analyzer tied together through a common menu driver.

It's available to you now on your choice of CP/M or TRSDOS in source code BASIC or FORTRAN. For additional information, call us at (314) 878-1277, or write:

Universal Software .~ 1/4 phicalions, Inc. ~ 301

13001 Cannes Drive St. Louis, Missouri 63141

"Turning Dreams Into Reality"

SURVEYORS:

We have a fantastic package for the TRS-80! All of the programs perform calculations to full double precision accuracy. Here are some of the many features:

- *FIELD ANGLE TRAVERSE (with stadia reduction, inverse, etc.) store a traverse, with elevations, on disk
- *STADIA REDUCTION
- *UNIVERSAL TRIANGLE SOLUTIONS
- VOLUME BY AVERAGE END AREA
- *CIRCULAR CURVE SOLUTIONS
- *HORIZONTAL CURVE LAYOUT (with tangent offsets)
- *UNIVERSAL INTERSECTIONS
- *VERTICAL CURVES AND GRADES
- *BORROW PIT VOLUME
- *COORDINATE TRANSFORMATION
- *AREA FROM POINT COORDINATES
- *INVERSE FROM COORDINATES
- *RADIAL TRAVERSE (coming soon)

Disk version (32K with Disk) \$275 Cassette version (16K Level II) \$225 Manual (refunded with purchase) \$5

∠ 309

Judson D. McClendon 844 Sun Valley Road Birmingham, AL 35215 20 CLEAR 200: POKE 16553,255
30 DEFINT T: T2=30090
100 REM COVER
110 GS=CHR\$(183)+CHR\$(187

110 G\$=CHR\$(183)+CHR\$(187)+CHR\$(191): H\$=STRING\$(95,CHR\$(191))

120 CLS: PRINT CHR\$(23): PRINT@66, *** PHOTOGRAPHY NOTE BOOK ***;

130 PRINT:PRINT: FORI=0TO10: PRINT G\$;: NEXT: PRI NT H\$;: FORI=0TO10: PRINT G\$;: NEXT: PRINT0576,"

140 FOR X=24 TO 100: FOR Y=16 TO 22: RESET(X,Y): NEXT:N EXT

150 PRINT@400, "FILM DEVELOPMENT";

160 PRINT@704, "THIS PROGRAM WILL TAKE YOU STEP BY STEP THROUGH THE DEVELOPMENT OF YOUR FILM."

200 REM

BABYBEEP ROUTINE

BY DENNIS BATHORY KITSZ

210 FORX=32000TO32303 :READA:POKEX,A:NEXTX:POKE16527,125

220 DATA14,8,6,192,205,27,126,197,16,254,193,16,247,13, 121,254

230 DATA0,32,239,201,14,16,33,32,0,205,27,126,6,160,16,

240 DATA43,124,181,32,244,33,0,10,43,124,181,32,251,13, 121,254

250 DATA0,32,227,201,14,10,6,48,205,27,126,197,6,255,16

260 DATA193,16,245,6,80,205,27,126,197,6,96,16,254,193, 16,245

270 DATA13,121,254,0,32,224,201,6,64,205,27,126,197,6,1 92,16

280 DATA254,193,16,245,6,128,205,27,126,197,6,80,16,254,193,16

290 DATA245,6,255,205,27,126,197,6,48,16,254,193,16,245,6,176

300 DATA205,27,126,197,6,176,16,254,193,16,245,6,255,20 5,27,126

310 DATA197,6,32,16,254,193,16,245,14,16,6,16,205,27,12 6,197

320 DATA6,255,16,254,193,16,245,13,121,254,0,40,10,33,0

330 DATA43,124,181,32,251,24,227,201,14,8,6,0,205,27,12 6,197

340 DATA4,120,246,0,32,250,193,4,120,246,0,32,239,6,255,205

350 DATA27,126,197,16,254,193,16,247,13,121,254,0,32,22 0,201,6

360 DATA128,205,27,126,197,6,128,16,254,193,16,245,201, 6,192,205

370 DATA27,126,197,6,64,16,254,193,16,245,201,14,32,33, 10,0

380 DATA205,27,126,6,255,16,254,43,124,181,32,244,33,0,

390 DATA124,181,32,251,13,121,254,0,32,227,201,62,2,211,255,62

400 DATA0,211,255,201,68,69,78,78,73,83,32,75,73,84,83,

410 POKE 16526,237: REM "BLEEP"

420 Y=46: GOSUB 3800: PRINT@964, PRESS THE "CHR\$(34) E NTER-KEY"CHR\$(34);: INPUT A\$: CLS: X=USR(0)


500 REM

* TIMER FINE TUNE *
510 CLS: PRINT CHR\$(23): PRINT@128, "THE COMPUTER TIM

program continues

NEW

DRIV "FLIPPY"—250K bytes/disc FAST—5ms Track to Track Access



REAL VALUE

AEROCOMP offers the best value in microcomputer disc drives on the market today! Reliability, features and cost tough to beat. We deliver...and we stand behind our products, as evidenced by the only FREE TRIAL OFFER in the industry. Examine your systems needs and order to-

MYSTERY REMOVED

There appears to be some confusion in the terminology used to describe disc drives and their features. Here's what we mean:

Allows the use of both sides of a diskette with a single-headed drive by simply turning the diskette over (Model 40-1)

*TRACK specified in tracks per inch (TPI)

Refers to the number of tracks per radial inch on the diskette. Typically 48 TPI=40 usable tracks and 96 TPI=80 usable tracks.

*DOUBLE DENSITY refers to recording density in bits per inch (bpi). Typically single density means data can be recorded up to 2,938 bpi: double density means data can be recorded up to 5,876 bpi.

ODOUBLE-

refers to number of read/write heads. Single-sided is one head, read/write one side on-ly; double-sided is dual heads allowing read/write opera-tions on both sides of the diskette. A double sided drive appears as two separate

appears as two separate drives to the controller. unformated capacity is the total amount of storage space available on a diskette. Typically 125K bytes on a 40 track 5.25in. diskette. Formated capacity is the total USABLE storage space on a diskette. Typically 102K bytes on a 40 track 5.25in. diskette. the time required for the head CAPACITY the time required for the head to move from one track to the

OACCESS

next. Typically 5 to 40 milliseconds (ms). FREE TRIAL OFFER

Order your AEROCOMP Disc Drive and use it with your system for up to 14 days. If you are not satisfied for ANY REASON (except misuse or improper handling), return it, packed in the original shipping container, for a FULL REFUND. We have complete confidence in our products and we know you will be satisfied! ORDER TODAY!

WARRANTY

We offer you a 90 day unconditional warranty on parts and labor against any defect in materials and workmanship. In the event service, for any reason, becomes necessary, our service department is fast, friendly and cooperative.

100% TESTED

ARROCOMP Disc Drives are completely assembled at the factory and ready to plug in when you receive them. Each drive is 100% bench tested prior to shipment. We even enclose a copy of the test checklist, signed by the test technician, with every drive. AEROCOMP MEANS RELIABILITY!

ORDER NOW

MODEL 40-1 DISC DRIVE \$339.95ea

Single-sided, "Flippy", 48TP1. (40 track; single density unformated 125K bytes/side; double density unformated 250K bytes/side).

• MODEL 80-2 DISC DRIVE \$439.95ec.

Double-sided, 48TPI. (80 track/40 per side; single density unformated 250K bytes: double density unformated 500K bytes).

COMPARE AND BUY AEROCOMP!

	"FLIPPY"	ACCESS TIME (track to track)	HEAD LOAD SOLENOID	DISC	CAPACITY (unformated single density)	EASY- ENTRY DOOR	FREE
AEROCOMP	Yes	Sms.	YES	YES	250K bytes (both sides)	YES	YES
RADIO SHACK	NO	40ms	YES	NO	109K bytes	NO	NO
PERCOM	YES	25ms	YES	NO	250K bytes (both sides)	YES	NO
MPI	NO	5ms	YES	YES	125K bytes	YES	NO
SHUGART	NO	40ms.	YES	NO	109K bytes	NO	NO
SIEMENS	NO	25ms.	YES	NO	125K bytes	YES	NO
TANDON	NO	5ms	NO	NO	125K bytes	NO	NO
PERTEC	YES	25ms	YES	NO	250K bytes (both sides)	NO	NO
BASF	NO	12ms	YES	NO	125K bytes	NO	NO

factual material from current manufacturer's data sheets is believed reliable but cannot be guaranteed, comparing Aerocomp

The TRS-80° expansion interface limits the track to track access time to 12ms

*Trademark of Tandy Radio Shack

 MODEL 80-1 DISC DRIVE 8439.95ea.
Single-sided, "Flippy", 967Pl.
(80 track; single density unformated 250K bytes/side; double. density unformated 500K bytes/side).

• MODEL DISC DRIVE \$595.95ee.

160-2

Double-sided, 96TPI. (160 track/80 per side: single density unformated 500K bytes: double density mated 1 megabyte).

All models are capable of single or double density and are complete with power supply and silver enclosure. Send for information on AEROCOMP 2and 3-drive systems available in 40 and 80 track.

O SELECT EITHER A 2-DRIVE OR 4-DRIVE CABLE FOR USE WITH YOUR DRIVE(S): 2-DRIVE CABLE (for use with

2-drive 1-or 2 systems) 4-DRIVE CABLE (for use with

1., 2., 3-or 4-drive systems) \$34.95aa Add \$1.25 shipping and handling

MINI DISKETTES (5.25 in), Box of 10 929.95 add \$1.25 shipping and hand-

ODISC OPERATING SYSTEMS

NEWDOS+(40 TRACK) NEWDOS/80 (80 TRACK) \$109.00

+ SPECIAL COMBINATION OFFER +

● Model 40-1 Disc Drive \$339.95 24.95 • 2 Drive Cable ● Disc Operating System (NEWDOS+) 5.25

Reg. \$479.15 Special \$399.95

SPECIAL COMBO EXCEPT WITH NEWDOS/80 Reg. \$519.15 Special \$429.95

To order by mail, specify Model Number(s) of Drive, cable, etc. (above), enclose check, money order, VISA or MASTERCHARGE card number and expiration date, or request COD shipment. Texas residents add 5% sales tax. ADD \$4.00 per drive for shipping and handling. Please allow 2 weeks for personal checks to clear our bank. No personal checks will be accepted on COD shipments-cash, and the sales are certified checks and You will money orders or certifed checks only. You will receive a card showing the exact COD amount before your shipment arrives. Be sure to include your name and shipping address. WE SHIP PROMP-TLY! In the event there is a slight delay, you will be notified at the shipping date and we will NOT deposit your money order or charge your bankcard until the day we ship!


CALL TOLL FREE FOR FAST SERVICE (800) 824-7888, OPERATOR 24

FOR VISA/MASTERCHARGE/C.O.D. ORDERS California dial (800) 852-7777, Operator 24. Alaska and Hawaii dial (800) 824-7919, Operator 24. TOLL FREE LINES WILL ACCEPT ORDERS ONLY!

For Applications and Technical information, call (214) 337-4346 or drop us a card.

Dealers ingiries invited >387

Redbird Airport, Bldg. 8 P.O. Box 24829 Dallas, TX 75224



SOFTWARE CPUtm

IF you're learning an instruction set, or analyzing an alien machine code program, or creating your own super software structures, then you are keeping instructional effects of CPU architecture and RAM all together in your head in a complex running mental map. Whew! Instrument your imagination! TBUG-linking SOFTWARE CPUT merical microprocessor simulations on the Level II 16K TRS-80tm display a complete parallel before/after set of Processor Programming Models with scrolling disassembler, CPU Registers, flags and stack, plus an intelligent RAM Window reacting selectively to RAM-interactive instructions. It's your entire imaginative overhead, clicking away in Single-step or variable speed TRACE modes under your dynamic control. Plus a slug of debugging features you'd never imagine would be available in such low cost development software. Relip program flow with a SOFTWARE CPU.Im

Super STEP: Animated 250 Programming Models, Disassembler, Single-step/TRACE modes with intelligent RAM Window, 5 user-selectable Windows, single and cumulative instruction times in microseconds, Reference Space, much more

16K Level II TRS-80, TBUG required. No. BL-1 . . \$24.95

ACCEL: from Southern Software of England, is a COMPILER for Level II TRS-80 INTEGER BASIC. Properly structured (no dynamic redefinitions, correctly nested loops etc.) error-free BASIC programs are compiled by ACCEL to fast Z80 machine code for potentially spectacular

ACCEL Compiler for 16K Level II TRS-80 ... \$44.95

Include .75 each postage, CA add 6%

ALLEN GELDER SOFTWARE Box 11721 Main Post Office San Francisco, CA 94101

TRS-80, TBUG tm Radio Shack/Tandy Corp. Software CPU tm Allen Gelder Software.

JUST RELEASED!

for the TRS-80

MICRO-COGO (Survey II)

- Disk storage of coordinates
- Recall coordinates by point no. Interactive computation.
- Traverse & Coordinate Geometry
- Radial Stakeout, Profile Grades.
- Curve Geometry & Stakeout
 - Other options available Requires 48K-2 drives with Manual from \$495

MINIBIZ Bookkeeping System

Tailored for the small engineering or surveying firm. Easy to use Cash Control System with Checkbook & Petty Cash reconcilliation, P&L Statement, A/R & A/P.

> Other options available Requires 48K, 2-3 drives with Manual from \$ 250

-Free Brochures-Mastercharge • VISA

MICROCOMP

P.O. Box 965 -95

Solana Beach, CA 92075 714/755-4033

Q W O R D F O R PNA T T E R R B G C Y P Q G Z I V J B P C E B SHNOBT X A DOFREEIDE A SEED SRPVYXXON VLTWGYROS GREDPVJKLMRHECTVXHNAFH BJELFEQAZGZPPCRYPTOUPZAXZQJEJTS Z D Q I N K F S N A G TAL G F J S E Y W T V N P F J V Z V C BVLFGULMNSNEKOTTSCYMBCGWBQOFMPO U O V Z K B F I O E P U Y A S E X M O L E R Z J X A C H Y R U PKBMYUCWOCGLDMRXSEWMCZTIONGULYK Z M H O U P X B L K A C A P J J U K B F L I P C N E F Q A F E J W T A Y C J G W H E T M N H A O Z O J L O W E R C A S E T H H R S S K V C D G C B O A P T G T H T X T P M L E I L R E T O EYINDLXXCBCVXDZHOPRYVYPRVADNTOL FREE IDEA SEEDS!TM

Have you ordered yours? If not, you better reconsider. More than 5666 happy subscribers think you don't know what you are missing. These are FREE programs for your TRS-8# and all you have to do to get them is send us a legal size SASE. That is all there is to it. Simple? You bet! Every month there's a program and you really don't want to miss any of them! When you stop and think about it there are only three ways to build your software library. One way is to write the program yourself. Another way is to purchase programs. The best way is to have the programs given to you and that is just what we are doing! All FREE IDEA SEEDS are our own original programs we want you to have them to use, rewrite, and expand. Send your legal size SASE to:

CECDAT, Inc. PO Box 8963 Moscow, 1D 83843

AT LAST!

Mass production prices on this high quality software. Buy direct and save 50%. Now, also available for CBASIC on CP M and MBASIC on HEATH HDOS

DATA BASE MANAGER

Mod-I \$69 Mod-II \$199

You can use it to maintain a data base & produce reports without any user programming. Define file parameters & report formats on-line. Key random access, fast multi-key sort, field arith., label, audit log. No timeconsuming overlays. 500 happy users in a year. Mod-II version has over 50 enhancements including 40 fields max. 'IDM-M2 is great!' - 80-US.

Mod-I \$69 Mod-II \$149 Invoices, statements, aging, sales analysis, credit checking, form input, order entry. As opposed to most other A/R, ours can be used by doctors,

store managers, etc.

Mod-I \$49 Mod-II \$49

WORD PROCESSOR Center, justification, indentation, page numbering. Mod-I version features upper/lower case without hardware change!

Mod-I \$59 Mod-II \$99

The best! Compare and be selective. Form input, 5-digit selection code, zip. code ext., sort any field, multiple labels. Who else offers a report writer?

INVENTORY Mod-I \$99 Mod-II \$149

Fast, key random access. Reports include order info, performance summary, E.O.O., and user-specified reports. Many have converted their inventory system to ours!

GL, A/R, A/P, & PAYROLL

Mod-II \$129 each

Integrated accounting package. ISAM, 100+ page manual, Uses 80 column screen, not 64. A \$1,000 value. Dual disk required.

L216, a cassette package of 10 business programs for Level II 16K systems, \$59. Includes word processor & data base. Poker game \$19. Most programs are on-line, interactive, random access, bug free. documented and delivered on disks. Mod-I programs require 32K TRSDOS. Don't let our low prices fool you! If still not convinced, send SASE (28¢) for catalog



MICRO ARCHITECT, INC., 154 96 Dothan St., Arlington, MA 02174

```
ER IS PRE-SET.": GOSUB 3000
515 PRINT@320, "HOWEVER, YOU MAY DESIRE TO": PRINT"FINE-
     TUNE THE COMPUTER BY": PRINT"SYNCHRONIZING IT WITH
      A CLOCK": PRINT"OF KNOWN ACCURACY. ": GOSUB 3000:
     GOSUB 3000
520 Y=37: GOSUB 3800: PRINT@768, "DO YOU WISH TO FINE-T
     UNE THE TIMER (Y/N) ?"
525 Y$=INKEY$: IF Y$="" GOTO 525
527 IFY$="Y"GOTO535
530 IF Y$="N" GOTO 600
532 GOTO520
535 CLS: X=USR(0): PRINT@15, *** THIS IS HOW WE WILL DO
         **": Y=4: GOSUB 3850
537 PRINT@128, "WE WILL GO THROUGH THE SIMULATION OF A 1
     -MINUTE TIMING CYCLE, COMPLETE WITH THE "CHR$(3
     4) "AGITATE TANK"CHR$(34) " MESSAGE."
                               "CHR$(34)"TIMER-SYNCHRONIZ
540 PRINT"
              (1) WHEN THE
     ATION TEST CHR$(34) APPEARS ON THESCREEN, PRESS
THE CHR$(34) ENTER-KEY CHR$(34) AT THE SAME TIM
     E YOUR CLOCK BEGINSITS 1-MINUTE CYCLE.*
             (2) WHEN YOUR CLOCK COMPLETES ITS 1-MINUT
542 PRINT"
     E CYCLE, PRESS THE "CHR$(34) "SPACE-BAR"CHR$(34) "."
     : PRINT
545 PRINT"THIS SEQUENCE RUNS THE COMPUTER TIMER FOR WHA
     T IT THINKS IS 1 MINUTE. THE COMPUTER WILL TELL
      YOU HOW FAR OFF IT IS COMPARED TO YOUR WATCH, AN
     D MAKE THE NECESSARY ADJUSTMENTS."
PRINT: PRINT" PRESS THE "CHR$(34) "ENTER-KEY" CHR$(34)
"FOR THE "CHR$(34) "TIMER-SYNCHRONIZATION TEST" CH
548 PRINT: PRINT"
     R$(34);: INPUT A$
550 M=1: ZQ=3.149: CLS: X=USR(0): PRINT@138, ----- TI
     MER SYNCHRONIZATION TEST ----": GOTO 3300
560 CLS: PRINT CHR$(23)
562 IF S=0 PRINT@200,"-== E X A C T ==-": GOTO 585
564 IF M=8 SA=-S: PRINT@128, "THE COMPUTER TIMER IS"; S; "
                           SLOW": GOTO 570
     SECONDS
566 IF M<0 SA=60-S: PRINT@128, "THE COMPUTER TIMER IS"; S
     A; "SECONDS
                              FAST"
570 TZ=TZ+(90*SA/60)
580 FOR Y=22 TO 24: GOSUB 3870: NEXT: PRINT@448, ******
        THE COMPUTER HAS *****
                                         ADJUSTED ITS TIME
585 PRINT@772, "WOULD YOU LIKE TO TEST THE
                                                      TIMER
      AGAIN (Y/N) ?"
590 T$=INKEY$: IF T$="" GOTO 590
593 IF T$="Y" GOTO 550
594 IF T$="N" GOTO 600
599 GOSUB 3000
600 REM
                 * SELECT FILM *
610 ZQ=0: POKE
      16526,237: CLS: X=USR(0): PRINT CHR$(23)
620 PRINT: PRINT" SELECT THE FILM YOU ARE USING: "
630 Y=10: GOSUB 3800
640 PRINT: PRINT: PRINT: PRINT"1. VERICHROME PAN": PRINT
     "2. PLUS-X": PRINT"3. TRI-X"
650 Y=40: GOSUB 3800
660 PRINT@850," (BY NUMBER)"
670 F$=INKEY$: IF F$="" GOTO 670 ELSE F=VAL(F$)
675 IF F>3 OR F<1 GOSUB 3900: GOTO 600
680 CLS: X=USR(0)
690 IF F=1 THEN F$="VERICHROME"
700 IF F=2 THEN F$="PLUS-X"
710 IF F=3 THEN F$="TRI-X"
800 REM
                 * SELECT DEVELOPER *
810 CLS:
     PRINT CHR$(23): PRINT@80, "OK ... ";F$: POKE 16526
```

program continues

MORE FOR YOUR RADIO SHACK TRS-80 MODEL I! THE DATAHANDLER

DATABASE MANAGEMENT SYSTEM IN MMSFORTH

Now the power, speed and compactness of MMSFORTH drive a major applications program for many of YOUR home, school and business tasks! Imagine a sophisticated database management system with flexibility to create, maintain and print mailing lists with multiple address lines. Canadian or the new 9-digit U.S. ZIP codes, and multiple phone numbers, plus the speed to load hundreds of records or sort them on several fields in 5 seconds! Manage inventories with selection by any character or combination. Balance checkbook records and do CONDITIONAL reporting of expenses or other calculations. File any records and recall selected ones with optional upper/lower case match, in standard or custom formats. Personnel, membership lists, bibliographies, catalogs of record, stamp and coin collections—you name it! ALL INSTANTLY, without wasted bytes, and with cueing from screen so good that non-programmers quickly master its use! With manual, sample data files and custom words for mail list and checkbook use.

Technical: Handles data as compressed indexed sequential subfiles of up to 25K characters (9K in 32K RAM). Access 1-4 data diskettes. Modified Quicksort. Optionally precomiles for 5-second program load. Selfadjusts for many routine mods. Structured and modular MMSFORTH source code ideal for custom modifications.

THE DATAHANDLER V1.1, a very sophisticated database management system operable by non-programmers (requires Disk MMSFORTH, 1 drive & 32K RAM); with manuals, \$59.95*



THE PROFESSIONAL FORTH FOR TRS-80 MODEL I

(Over 1,000 systems in use)

MMSFORTH Disk System V1.9 (requires 1 disk drive & 16K RAM) just \$79.95* MMSFORTH Cassette System V1.8 (requires Level II BASIC & 16K RAM) \$59.95*

AND MMS GIVES IT PROFESSIONAL SUPPORT

Source code provided MMSFORTH Newsletter Many demo programs aboard MMSFORTH User Groups Programming staff can adapt THE DATAHANDLER to YOUR needs.

THE DATAHANDLER to YOUR needs.

MMSFORTH UTILITIES DISKETTE: includes
FLOATING POINT MATH (L2 BASIC ROM
routines plus Complex numbers,
Rectangular-Polar coordinate conversions,
Degrees mode, more), plus a full Forth-style
Z80 ASSEMBLER; plus a powerful CROSSREFERENCER to list Forth words by block
and line. All on one diskette (requires
MMSFORTH, 1 drive & 16K RAM), ...\$39.95*

FORTH BOOKS AVAILABLE

MICROFORTH PRIMER — comes with MMSFORTH; separately \$15.00° USING FORTH — more detailed and advanced than above \$25.00° URTH TUTORIAL MANUAL — very readable intro. to Uracchester Forth \$19.55° CALTECH FORTH MANUAL — good on Forth internal structure, etc \$8.65°

Software prices are for single-system user license and include manuals. Add \$2.00 S/H plus \$1.00 per additional book; Mass. orders add 5% tax. Foreign orders add 15%. UPS COD, VISA & M/C accepted; no unpaid purchase orders, please.

Send SASE for free MMSFORTH information. Good dealers sought.

Get MMSFORTH products from your computer dealer or MILLER MICROCOMPUTER SERVICES (M11)

61 Lake Shore Road, Natick, MA 01760 (617) 653-6136



More powerful than a speed typist! Able to leap ten subroutines at a single bound! ORDER YOURS TODAY!

Now Available From:

V 444

BITZNBYTES Computer Center 56-B Pleasant Street Concord, NH 03301

CITY	
STATE	ZIPCODE

AT-80 ANNOUNCES A NEWDOS SPECIAL

DDIR80 — Creates program lines of NEWDOS DIR's, adding them to itself. Options include — Search, Re-search, Run, Hardcopy, Display DIR's, Others. Stores up to 175 DIR's. 32K/one disk. \$23, w/demo.

CAT — Tic-Tac-Toe with randomly numbered squares. FAST graphics. Human vs human option. \$12.

FTDEMO80 — Displays the programs, and the keyboard commands, from the NEWDOS/80 Appendix A examples, WHILE executing the programs and commands and displaying results. Cycle through the five file types with only the enter key. \$12.

Disk only. Deduct \$3 each for 2nd and 3rd program ordered.

NEWDOS \$45 NEWDOS+ \$95 NEWDOS/80 \$145

Add 4% for MasterCard/Visa

AT-80 ~445 3827 Dismount Dallas, TX 75211 (214) 339-0498

```
, 237
820 PRINT@262, "NOW SELECT THE DEVELOPER: ": PRINT: PRINT
830 Y=16: GOSUB 3800
840 PRINT"1. D-76", "5. HC-110 (A)
850 PRINT"2. D-76 (1:1)","6. HC-110 (B)"
860 PRINT"3. MICRODOL-X","7. DK-50 (1:1)"
870 PRINT"4. POLYDOL"
880 Y=40: GOSUB 3800
890 PRINT@850,"(BY NUMBER)"
900 D$=INKEY$: IF D$="" GOTO 900 ELSE D=VAL(D$)
905 IF D>7 OR D<1 GOSUB 3900: GOTO 800
910 CLS: X=USR(0)
920 IF D=1 THEN D$="D-76"
930 IF D=2 THEN D$="D-76 (1:1)"
940 IF D=3 THEN D$="MICRODOL-X"
950 IF D=4 THEN D$="POLYDOL
960 IF D=5 THEN D$="HC-110 (A)"
970 IF D=6 THEN D$="HC-110 (B)"
980 IF D=7 THEN D$="DK-50"
1000 REM
                  * FILM DEVELOPMENT TIMES *
     10 PRINT CHR$(23): PRINT@320, WOULD YOU LIKE TO SE
     E A COMPLETE CHART OF DEVELOPING TIMES ?": PRINT@ 468,"( Y/N )"
1020 A$=INKEY$: IF A$="" GOTO 1020
1030 CLS: X=USR(0)
1040 IF A$="Y" GOTO 1500
1050 PRINT CHR$(23): PRINT@128, "AT 68 DEGREES FAHRENHEI
     T (20 C)
               ": PRINT"USING ";D$;" DEVELOPER": PRINT"WI
     TH ";F$;" FILM"
1070 DIM T(7,3)
1200 DATA 7,6,8,9,8,11,9,8,11,10,6,8,3.75,0,3.75,8,5,5,
     5,4,6
1210 FOR DD=1 TO 7: FOR FF=1 TO 3: READ T(DD,FF): NEXT:
      NEXT
1215 IF T(D,F) = 0 PRINT@512,"
                                  --- NOT RECOMMENDED -
     --": GOSUB 3000: GOTO 600
1220 PRINT@384, "DEVELOPING TIME IS: ";T(D,F); " MIN": M=
     T(D,F)
1230 Y=22: GOSUB 3850: Y=34: GOSUB 3800
1240 PRINT@704, "WOULD YOU LIKE TO ADJUST": PRINT@768, "T
     HE DEVELOPING TIME ( Y/N ) ?"
1250 A$=INKEY$: IF A$="" GOTO 1250
1260 CLS: X=USR(0)
1270 IF A$="N" GOTO 2000
1500 REM
                DEVELOPING TIME CHART
1510 CLS: PRINT@6
     6, "FILM DEVELOPMENT TIMES FOR 68 DEGREES FAHRENHEI
     T:": PRINT
1520 PRINT"DEVELOPER", "VERICHROME", "PLUS-X", "TRI-X"
1530 PRINT STRING$ (58, CHR$ (45))
1540 PRINT"D-76",7,6,8
1550 PRINT"D-76 (1:1)",9,8,11
1560 PRINT"MICRODOL-X",9,8,11
1570 PRINT"POLYDOL", 10,6,8
1580 PRINT"HC-110 (A) ",3.75, "NOT RECMND",3.75
1590 PRINT"HC-110 (B) ",8,5,5
1600 PRINT"DK-50 (1:1) 1610 Y=40: GOSUB 3800
1620 PRINT: PRINT"RECOMMENDED TIMES FOR GIVEN FILM/DEVEL
     OPER COMBINATIONS.": INPUT"SELECT FROM THE ABOVE O
     R ENTER YOUR ADJUSTED TIME"; M
1630 X=USR(0)
2000 REM
                 * THE 9 STEPS *
2010 CLS: PRI
     NT CHR$(23): PRINT@326, "WOULD YOU LIKE TO REVIEW"
```

program continues

FMG CORPORATION NOW CARRIES GRAHAM-DORIAN & PEACHTREE SOFTWARE





110N P.O. Box 16020 Fort Worth, Texas 76133

(817) 294-2510

All FMG Software Products Include All Neces

MICROPRO INTERNATIONAL MANUAL ALONE MICROPRO INTERNATIONAL MANUAL AUTO-SUPER-SORT 1— Sort, merge, extract utility as abso-lute executable program or inhable module in Micro-sort forms. Sorts fixed or verification and in in binary, BCD, Packed Decimes, 1850-010 ASCII. Incesting & Rived point, exponential, self-justified & Even variable number of fields per record! \$225-325

SUPER-SORT II - Above available as absolute pro-gram only \$175/825 SUPER-SORT III - As II without SELECT/EXCLUDE

WORD-MASTER Text Editor — In one mode has super-set of CP/M's EO commands including global search-ing and replacing, forwards and backwards in lin-in video mode, provides full screen editor for users with serial addressable-cursor termina! 2180/258

FLOPPY SAVER - Protection for center holes of 5" and 8" floppy disks. Only 1 needed per diskstle. Kit contains centering post, pressure tool and tough 7 mil mylar reinforcing rings for 25 diskstles.

5". Rings only \$7.88
8". Rings only \$8.88
88.88

DESPOOL — Allows flexibility and efficiency. (Disk file printing can be accomplished while simultaneously using the computer for other tests.) Siower 222 miles and the second of the se (M)

Specify model or TRS-80)

• MAC — Disk-based, powerful macro assembler utilizes Standard Intel Mnemonics. Includes macro processor.

The CPM 8080 Macro Assembler reads assembly language statement on a diskette file on the disk suitable for processing in the TRS-CP/M environment. Requires 32K minimum and CPM.

• Z880 — Efficient and reliable program testing system for 280 microcomputers. Capabilities include traceback and histogram facilities. Allows real time break points.

ZSID is a symbolic debugger which expands upon the features of the TRS-CP/M standard debugger, providing greatly enhanced facilities for assembly language program check-out. Requires 32K minimum and CP/M.

S89-825.

MAIL LIST — Mailling list maintenance package.
No sorting required to print normal address labels in zip code sequence. Supports new larger (M) zip code. Sorts and selects on multiple fields. Labels may be printed in user selectable formats. Includes sort and select utilities \$300/35

FMG's LIBRARY:

PASCAL USER MANUAL & REPORT
[2nd] Edition by K. Jensen and N. Wirth
- Tetrate Masual and Coacise Reference Report for Buth Propromisers and intellementer
- Includer Hetphal Exempter to Demonstrate the Verices Features of PASCA.

The book consists of two parts: the user manual and the revised
report. The manual is directed to those who have some familiarily
once. The manual is directed to those who have some familiarily
the PASCAL language. The report defines standard PASCAL,
which constitutes a common base between various implementalons of the language.

PASCAL PRIMER Problem Solving

PASCAL PRIMER Proturent services.

This book has three major goals:

In introduce off aspects of the programming and problem solving process (lectules problem specification and impanishms, college, obbugging, testing, decements—and problems of the proble

PEACHTREE SOFTMARE SYSTEMS

BENERAL LEDGER - Records details of all financial transactions. Generates a bilance sheet and an income statement. Flexible and adaptable design for both small bivinesses and firms performing client written services. Produces reports as follows: Trial Statement and Desirement. For Year Comparative Income Statement and Desirement Income Statements. Interactive with other PEACHTREE accounting packages. Supplied in Selection of Microprocess. Packs Statement and Selection Statement Statement Selections. Produces are selected to Collection Statement Selections. Interactive with other PEACHTREE accounting packages. Supplied in Selections. Produced Selections Statement Selections. Interactive with other PEACHTREE accounting packages. Supplied in Selections. Produces are selected statement and Selections. Produces are selected statement and Selections. Produces are selected statement and Selections. Produces AMCRO-80. Also lineable to FORTINGS. SELECTION SE

piler, linking loader, library with manuscript scholes McGRO-80 (see below)

(M COSC-89 - Level 1 ANSI 174 standard COSOL plus most of Level 2. Full sequential, relative, setting computed to the setting computed conditions, per setting COMPUTE VARYING COMPUTE VARYING, posted IF, Powerful interactive screen-handling extensions, includes compatible assembler, linking loader, and relocations between the compatible assembler, linking loader, and relocations between the compatible assembler, linking loader, and relocations between the compatible assembler, linking loader, and relocations and linking loader, and relocations assembler. ICCOUNTs and incomplete very purchase orders and discount terms account status. Produces reports as the visual report. Accounts Psychia Aging Report. Cash Requirements. Provides input to PEACHTREE complete in source code. Seminary of the Peachtree of the Peacht

M PASCAL/MT — Subset of standard PASCAL Generates ROMable 5000 machine code. Symbolic debugger included Supports interpret procedures, CP/M file 10 and assembly language interface. Real variables can be 800, software floating point, or AMD 5011 hardware floating point, or AMD 5011 hardware floating point, or AMD 5012 hardware floating point floating point, or AMD 5012 hardware floating point floating point floating point floating point floating floatin

National BASIC

This state of the state of the state of the same and address information and allows the salective printing of the strictment of the state (M) CBASIC-2 Disk Extended BASIC - Non-interactive BASIC with pseudo-code compiler and run-time in-terpreter Supports full file control, chaining, integer and extended precision variables, etc. ... \$110.815

(M) BSTAM — Utility to link one computer to another also equipped with BSTAM. Allows file transfers at full data speed (no conversion to hex), with CRC block control check for very reliable error detection and automatic retry. We use till its great Full willocard argansion to send a COM, etc. 9500 baud with wire. 300 baud with plane connection. Seth ends need one. Standard and @versions can talk to one another. \$156/158

M SELECTOR III-C2 — Data Base Processor to create M and maintain multi Key data bases Prints formathed (T) sorted reports with numerical summaries or maining labets. Comes with sample applications, including Sales Activity, Inventory, Psyables, Receivable, Check Register, and Clienti-Patient Appointments, etc. Requires ChASIC-2 Supplied in source \$348120

Requires CBASIG-2 Supplied in source ... \$348/820
ALECTOR - General Ledger option to SELECTOR
III-C2 Interactive system provides for customized
COA Unique chart of transaction types insive proper
double entry bookkeeping Generates balance sheets.
P&L statements and gournes. Two years as the contransaction of the statement of transaction report
for statement of transactions. Beguires SELECTOR III-C2.
CBASIC-2 and SRK system.

stand alone system negumes to the source Session of the system negumes of the standard reports, prepares sistements, ages accounts and reports motions from the standard describing customer permitting the standard negumes of the system of the standard system of the standard system of the system of the standard system of the TEXTWRITER III — Text formatter to justify and paginate letters and other documents. Special features include insertion of set during execution from other disk files or console, permitting to other files. Has facilities for sorted index fished fragments, or other files. Has facilities for sorted index, table of contracts, and toolnote insertions ideal for contracts, menuals, etc. Now compatible with Electric Pencil* prepared files.

PORMATS AVAILABLE:
(A) TRS-60 Model I (M) Keys Only
SPECIFY DISK (S) TRS-80 Model II (M) Keys Only
SYSTEMS AND (D) HEATHKIT H89 (M) Keys Only
FORMATS:
(F) SUPER BRAIN OD
(G) STANDARD UNIMPLEMENTED

For all (T) items listed above, the recommended system configuration consists of 48K CPM 2 full dize disk drives. 24 x 80 CRT and 132 column printer.

PROGRAMING IN PASCAL by Peter Grogono
As Excitent introduction to One of the Fastest Growing Programming Languages below
Sections as Procedures and Files PLUS a Casptur on Dynamic Data Structures such as Press and Linksed Lists

The text is arranged as a tutorial, containing both examples and exercises to increase reader proficiency in PASCAL. Concepts ser-illustrated by examples, raiging from the Tower of Nanoi problem to circumscribing a circle about a triangle. PROGRAMMING IN PASCAL is sure to hold the reader's interest.

UCSD Reference Book

A Reference Guide to the Complete UCSD PASCAL System Includes Information on Compiler Basic, Assembler and Editor Lists Actual P-Machine Codes

This reference book can be a valuable and time-saving guide to it prough information on the UCSD PASCAL system. The easy-to-read manual provides fast access to pertinent data.

NEW VERSATILITY For Your TRS-80

CONTROL PROGRAM FOR MICROCOMPUTERS **ENABLING YOU TO RUN** SOFTWARE PUBLISHED FOR CP/M 1.4 ON THE **TRS-80**

CP/M is considered the industry standard disk operating system because it gives you the hardware-independent gives you the naroware-independent interface you need to make your computer work for you. CP/M 2.0 is the latest in the evolution of a proven reliable and efficient software system. FMG CORPORATION NOW OFFERS THE CP/M 2.0 FOR THE TRS-80 It features an enhanced upward com-It reatures an ennanced upward com-patible file system and powerful new random access capabilities. The CP/M 2.0 from FMG provides the ability to run software published for the CP/M system, on the TRS-80 Model II. From minidisks, floppy disks, all the way to high-capacity hard disks, the flexibility of CP/M 2.0 makes it a truly universal operating system. The package includes an 8" system disk, editor, assembler and debugger for the TRS-80

NEW INDUSTRY STANDARD

A deluxe operating system that provides big computer facilities at small computer prices. MP/M is a monitor program which operates with your microcomputer to provide multi-terminal access with multiprogramming at each terminal. Best of all, it's CP/M compatible which means you can run a wide variety or programming languages, applications packages, and development software.

You can run simultaneous editors, program translators, and background printer spoolers. Or you can use MP/M for data entry or data-base access from remote terminals. Or you can use MP/M realtime features to monitor an assembly line and automatically schedule programs for execution throughout the day. MP/M makes an excellent focal point for a cluster of connected microcomputers. The possibilities are limitless.

CP/M and MP/M are trademarks of Digital Research. 230 is a trademark of Zilog, Inc. TRS-80 is a trademark of Tandy Corp. Pascal/M is a trademark of Sorcim.

Price Stock No. \$18.95 #825

Prices F.O.B. Fort Worth, Tex. Shipping, hand-ling and C.O.D. charges extra.

(T) JOS COSTING — Designed for general confractors: To be used interactively with other GRAHAM-DORIAN perses Liber establishes customized cost categories and job phases. Permits comparison of actual versus estimated costs. Automatically updates GRAHAM-DORIAN General Lagger or runs as stand alone sys-tem. Requires CRAHICE 2 supplied in source 895/585.

The sale of each proprietary software package conveys a license for use on one system only.

Sample Program Disk For Each Graham-Dorian Business Package. Specify Package\$45

Microcomputer Problem Solving Using Pescel by Kenneth L. Bowles

- A Sost Designed for Both College Courses AND Individual Self-Study
- Ideal for use with UCSD Pescel
- Includes Extensions to Standard PASCAL.
This book is designed both for introductory courses in computer problem solving at the treshman and sophomore college level, and for individual self-study it includes many examples and extensy executions programs. In course intermediate on the necessary functions and procedures for handling graphics and strips.

BEGINNER'S MANUAL FOR UCSD PASCAL SYSTEM

SYSTEM

A Ediliptioning introduction to UCSD PASCAL System and How to Program in PASCAL.

Dominiorities flow to Use the UCSD PASCAL System and How to Program in PASCAL.

Introduction Starty President Examples of PASCAL Programs core manual for people just beginning to use the UCSD Pascal Community of the UCSD Pascal Community System. Whether you have never used a computer before or whether you are an experienced programmer who is unfamiliar with UCSD PASCAL. This book unit provide a relatively easy, set thorough, introduction to UCSD PASCAL.

Stock No.

for the **TRS-80** from Micro-Mega

CASSETTE CONTROL UNIT

• Speed up your cassette tape handling • Pinpoint program locations on tape with an eudible monitor • Get protection from recording and playback glitches resulting from ground loops • Eliminate the tedious plugging and unphygging of recorder cables. The Micro-Maga Cassette Control Unit does at this raid more. You get instant manual control of the recorder at the linck of a switch. Want to find the beginning or and of a program? Fluck another such that only of the recorder at the linck of a switch. Want to find the beginning or and of a program? Fluck another such than only in the set of All Cables remain plugged in all the time. The Micro-Maga Cassette Control Unit does a lot to improve the appearance of your TRS do system, too. As Shown it is no 32" y = 5 to such that playing the determine the playback and all cables come nearly into the unit. The Cassette Control Unit is tailured to the CTR-41 recorder, but may be used with most other recorders as well.



CASSETTE CONTROL UNIT

\$37.95

Add \$1.00 for postage and handling

CPU MONITOR

Ever lind yourself with a blank screen wondering what your computer is up to? The Micro-Mega Monitor can left you, for example 8 if your CPU is in a loop with not east. 8 where a long sort is nearing completion, or is it is any bounces during helphocer input. The CPU Monitor left you listen to all CSAYES and CLOADs and will help you quickly find the correct recorder volume setting if you have an explanation interface, you will delays strong whether the real time clock is on or off.

because you can have it.
The Morn-Maga CPU Monitor great a voice to the 240 microprocessor in your TRS-80 by us
ing AM radio circuitry to pick up the computational rhythms of the CPU, which are empirited
and played through a foodspeaker. The pick-up unit of the CPU identity, shown at left in the
photo, goes under your TRS-80 eyelyboard. It is connected by a 3° cable to the speaker and
control unit, which includes an ontif injulies control and an LED goiner on indicator. The
Monitor is powered by an AC adoptive, shown it right in the photo. The batteries are needed and no electrical connections to your

ng to the CPU Monitor

CPU MONITOR

Add \$2.00 for postage and handling

THE ORIGINAL GREEN-SCREEN

The eye pleasing Green Screen fits over the CRT of your TRS-80 Video Displey and gives you mproved contrast with reduced glare. You get bright, luminous green characters and Green-Screen is closely matched to the color and texture of the TRS-80 Video Display

m. It is attached with adhesive strips. hich do not mar your display unit in any way. The Micro Mega Green-Screen gives im



THE GREEN-SCREEN..... Add \$1.00 for postage and handling

THE ULTIMATE STAR TREK PACKAGE

Tired of Inval computer games? This complete Star Tries package will provide you with ancless trion to the program cassette, it includes completenesse instructions, a pad of "Voyage Log" in "Invades and Maneuvering Char." The package is bout around the letest version of Lence Micalus' incomparable Star Tries III, a 13,000 lets program with a host of subtle and maginative features, which include numerous dynamic and apacticular graphic displays. Star Tries III puts you in command of the Enterprise cruising in a platery of 102 quadrants fined with uncharted hazards, including hostile Kinigons pulsars, and bleck holes. You have at your disposal sceneral, versious weapons and defense starters, an analysis communication and loved crees. You will need them all to survive the



systems, on-board computers, and a royer size in the Kingons and to locate live inhabitable planets, all within
Your mission is to rid the region of Klingons and to locate live inhabitable planets, all within
30 startings, before returning to Star Freet Headquerters where your overest effectiveness as a
starting commender will be scored High scores are possible only with careful planets entitle of
lective battle factics. The "Voyage Log" sheets will guide your stretegy, and the "Torpedo and Meneuvering Char!" will give you a
vital adde in combat. (When you engage three Klingon ships you can't afford to miss.)

STAR TREK PACKAGE (for Level II, 16K only).....\$22.95 Add \$1.00 for postage and handling

CREATE YOUR OWN SPECTACULAR GAMING ENVIRONMENT (and save \$5.00)

The Enterprise is in bettle frim with deflector shields at full power. As her captain, you are taking her into combat. The battle stations siven rings in your ears and "COMDITION RED" itsalwas on your monitor screen. You call for warp drive and key in the coordinates of the questren where your scanners have describe Klingon ships. As you select the warp fector, you hear the reassuring clicking of your navagational gear as it activates the warp drive.

You have been fin! You have the dismal sound of the damage control alarm as "DAMAGE TO WARP DRIVE" and "DAMAGE TO PHASERS" liash on your screen. The Kingons have stopped fining! The Enterprise is crupted, but you have respon is still attact, and it's you turn man! You say in the command for photon toppeds. As your screen again displays the position of the Kingon shall be you select a living vector from your toppeds chart and key if in flow you hear the buzz of your photon toppeds as you seek. The Kingon fall for the property of your photon toppeds as you seek. The Kingon Battle Custer dishingsress, scorppanied.

by a staffying crecking sound. Does the above sonairo sound far fetched? Not at all it's a small sample of what you will experience with Micro-Maga's Gaming Environment, which consists of a The STAR TREK PACKAGE in The GREEN SCREEN and in The CPU MONITOR. The fast paced and dynamic action inflicts the superb Star Treat in program together with the "Voyage Log and "Toroped Chart" of the Star Treat Package All of the unique peptic espates pastly withhoused by the Green Screen. Finally, the uncarnly sound effects are produced by the CPU Monitor, which teathfully picks up the FOR, MEXT loops and other CPU patterns, which create the distinctive siner sounds that accompany the ALERT and DAMAGE messages along with the hersher notes of the weapons salvos. Once you've tred it, you won't any longer be satisfied with silent computer games.

GAMING ENVIRONMENT.....\$79.85 Add \$3.50 for postage and handling

Terms: Check or money order, no CODs or credit cards, please. Add amount shown for postage and handling to price of the item. All items shipped within 48 hours by first class or priority mail. Virginia residents, add 4% sales tax.

Micro-Mega · P.O. Box 6265 · Arlington, Va 22206

DISK DRIVE WOES? PRINTER INTERACTION? MEMORY LOSS? ERRATIC OPERATION? DON'T BLAME THE SOFTWARE!





Power Line Spikes, Surges & Hash could be the culprit! Floppies, printers, memory & processor often interact! Our unique ISOLATORS eliminate equipment interaction AND curb damaging Power Line Spikes, Surges and Hash. *ISOLATOR (ISO-1A) 3 filter isolated 3-prong sockets; integral Surge/Spike Suppression; 1875 W Maximum load, *ISOLATOR (ISO-2) 2 filter isolated 3-prong socket banks; (6 sockets total); integral Spike/Surge Suppression; 1875 W Max load, 1 KW either bank \$56.95 *SUPER ISOLATOR (ISO-3), similar to ISO-1A except double filtering & Suppression *ISOLATOR (ISO-4), similar to ISO-1A except unit has 6 individually filtered sockets \$96.95 *ISOLATOR (ISO-5), similar to ISO-2 except unit has 3 socket banks, 9 sockets total . . . \$79.95 *CIRCUIT BREAKER, any model (add-CB) Add \$ 7.00 *CKT BRKR/SWITCH/PILOT any model Add \$14.00 (-CBS) PHONE ORDERS 1-617-655-1532

Electronic Specialists, Inc.

× 58

171 South Main Street, Natick, Mass. 01760

Dept. 8M

OKIDATA PRINTER

The Best Printer in the World for the TRS-80! We'll Stake Our Reputation On It!

Look at the Features!

- 1) 200 million character head warranty! Better than any competitor!
- 2) Works under the most demanding
- business applications!
 3) A "Real" 9x7 DOT Matrix Impact Printer!
- 4) 80 characters per second!
- 5) Full upper and lower case! 6) Double width characters!
- 7) Supports TRS-80 Graphics! See Illustration. (These graphics are exactly the same graphic codes as the TRS-80's. No special software
- required) 8) Connects directly to TRS-80 with standard cable!
- 9) Friction & pinfeed, use roll paper, stationary or regular data paper! 10) 6 or 8 lines per inch
- 11) 80 and 132 columns.
- 12) Ouist on

ART I	
£7	

Printer! From Simutek's Electric Artist Program This is the finest printer you can buy

at any price for your TRS-80. Regular List Price \$850.00!

Tractor Feed Option \$150.00!

Special Simutek Customer Price Only -\$559.00

, -	(Tractor Feet	3123.00	LXIII
Catak	ng #:		
90001	Okidata Microline 80		\$599.0
90002	Tractor Feed Option		125.0
91411	Cable For TRS 80 Keyboard		55.0
91401	Cable For Expansion Interface		39.0
94401	Cable For Model II TRS-80		39.0
	We Accept VISA - Mastercharge - Checks - Mone or (C.O.D. \$3.00 Extra)	y Orders	
	NO TAX ON OUT OF STATE ORDERS!	V 19	
	Free Shipping In U.S.		
	C IO I T CHAPTEN DO D 10000 T T	47 0500	^

Name	_		
Address			
City	State	Zp	

ne orders welcome 24 hours! (800) 528-1149 Simutek offers other fine products for TRS-80's. Send for free catalog' Arizona residents add 4% sales tax TRS-80 is A TM of Radio Shack. A Tandy Corp.

```
2020 PRINT@398, "THE NINE STEPS ?": PRINT@468,"( Y/N )"
2030 AS=INKEYS: IF AS="" GOTO 2030
2040 CLS: X=USR(0)
2050 IF A$="N" GOTO 2300
2060 PRINTe68, THESE ARE THE 9 STEPS YOU WILL USE TO DE
     VELOP YOUR FILM: ": X=USR(0): Y=7: GOSUB 3850 : GO
     SUB 3000
2070 POKE 16526,20
2080 PRINT@256, "1. LOAD",, "LOAD IN TOTAL DARKNESS": X=U
     SR(0): GOSUB 3000
2090 PRINT"2. DEVELOP",, "THIS STEP DOES THE REAL WORK":
      X=USR(0): GOSUB 3000
2100 PRINT"3. STOP-BATH",, "STOPS DEVELOPING ACTION": X=
     USR(0): GOSUB 3000
2110 PRINT"4. FIX",, "MAKES NEGATIVES PERMANENT": X=USR(
     0): GOSUB 3000
2120 PRINT"5. RINSE",, "BEGINS WASHING": X=USR(0): GOSUB
      3000
2130 PRINT"6. HYPO-CLEARING AGENT", "REMOVES FIX CHEMICA
     LS": X=USR(0):GOSUB 3000
2140 PRINT"7. WASH",, "REMOVES REMAINING CHEMICALS": X=U
     SR(0): GOSUB 3000
2150 PRINT"8. WETTING AGENT", "HELPS PREVENT STREAKING":
      X=USR(0):GOSUB 3000
2160 PRINT"9. DRY": X=USR(0): GOSUB 3000
2170 POKE 16526,251
2180 PRINT: PRINT"PRESS THE "CHR$(34) "ENTER-KEY"CHR$(34)
       TO CONTINUE";: X=USR(0): INPUT A$
2190 POKE 16526,237: X=USR(0)
2300 REM
                           LOAD
2310 CLS:
     PRINT CHR$(23): PRINT@78, *** LOAD
2320 PRINT@260, "LOAD YOUR DEVELOPING TANK": PRINT@332,"
     IN TOTAL DARKNESS.
2340 PRINT@448, "WHEN THIS IS COMPLETED, YOU MAY
                                                   CONTI
     NUE UNDER ROOM LIGHTS."
2342 Y=40: GOSUB 3800:
2345 PRINT@768, "WOULD YOU LIKE SOME HELP MIXING
      THE DEVELOPER ?": PRINT@916,"( Y/N )"
2346 A$=INKEY$: IF A$="" GOTO 2346
2347 IF A$="N" GOTO 2580
2348 CLS: X=USR(0)
2350 PRINT CHR$(23): PRINT"NOTE THE AMOUNT OF CHEMICAL"
     : PRINT"SOLUTION NEEDED TO COVER ALL": PRINT"THE R
     OLLS OF FILM YOU ARE": PRINT"DEVELOPING. THIS IS
     CALLED: "
2351 GOSUB 3000: GOSUB 3000
2352 FOR I=0 TO 10: PRINT@388,"
      : FOR I2=0 TO 30: NEXT I2: PRINT@388, CHR$(34) "TOT
     AL WORKING SOLUTION "CHR$ (34): FOR I3=0TO90: NEXT:
     NEXT
2360 GOSUB 3000
2370 PRINT@512, "EXAMPLE: ": FOR I=0 TO 1000: NEXT: PRINT
     @528, "
             IF YOUR TANK REQUIRES 10 OZ PER ROLL OF FI
     LM AND
YOU ARE DEVELOPING 2 ROLLS, YOUR TOTAL WORKI
     NG SOLUTION = 20 OZ.
2375 GOSUB 3000: GOSUB 3000: GOSUB 3000
2380 Y=43: GOSUB 3800: PRINT@832, "WHAT IS YOUR": PRINT
     @896, "TOTAL WORKING SOLUTION";: INPUT ST: CLS: X=U
     SR(Ø)
2425 IF ZQ=3.149 GOTO 3440
2500 REM
                * MIXING OF DEVELOPER *
2510
     ON D GOSUB 3110
                      , 3120 , 3110 , 3110
                                               , 3110
      3110
            , 3120
2520 PRINT CHR$(23): PRINT@74, "MIX THE FOLLOWING: ": PRI
                                               program continues
```

TRS-80© **TAPE DIGITIZER**

ALSO AVAILABLE WITH CASSETTE REMOTE ON/OFF SWITCH Used by the U.S. Coast Guard and U.S. Navy

\$54.95 AGU-DATA

- 124

"ELIMINATES CASSETTE
LOADING AND COPYING
PROBLEMS ... EVEN
"SYSTEM" TAPES!
"MAKES TAPE PROGRAM
LOADING PRACTICALLY INDEPEMBENT OF VOLUME
CONTROL SETTING!
"MAKES PERFECT COPIES
OF ANY TAPE DIGITALLY
WITHOUT USING COMPUTER, DIGITIZED TO EXACT REPLICA OF TRAD'S
SIGNAL WHILE REMOVING
HUM, NOISE AND OTHER
MINOR DROPPOUTS
"A.C. POWERED NO BATTERIES CASSETTE SWITCH
ALLOWS BANUAL OR COMPUTER CONTROL OF CASSETTE RECORDER
"FEED YOUR CASSETTE TO
THE TAPE DIGITIZER AND
FEED YOUR COMPUTER
THE EXACT DIGITAL
WAVEFORM THE TRS-BO
GAVE TO THE TAPE WHILE
BAKING A COPY AT THE
SAME TIME!
"THE TAPE DIGITIZER IS
COMPLETELY COMPATIBLE
WITH LEVEL I AND IS

OMPLETELY COMP

GET RID OF YOUR TAPE BUGS TODAY
FOR DALY \$800 POSTAGE PAID
GUARANTED TO HIX YOUR TAPE
PROBLEMS OR RETURN IN 10-DAYS FOR
A FULL REFUND!
24-hour phone

(707) 887-7237 U-DATA ALPHANETICS P.O. BOX 197, DESTVILLE, CALIFORNIA 91416

TRS-80 SOFTWARE AT

DISCOUNT

20%

Price Temple of Apshai 19.96 Morloc's Tower 11.96 Rescue at Rigel 15.96 Pinball 11.96 Star Trek (acorn) 7.96 Android Nim 11.96 Owl Tree 7.96 System Savers 11.96 Disk Utility (acorn)15.96 Basic Translator

send check or MO plus \$1 p&h -or- 25¢ & sase for complete listing to: V 424

Software[®] Discount P.O. Box 9985 Washington DC 20015

TRS-80TM SOFTWARE

MACHINE LANGUAGE

MON	NITOR #	3					\$39.95
							search verify,
and	modify.	read	and	write	object	tapes.	hexadecimal
							rams for disk,
symi	bolic out	put tap	es: 4	-page	instruct	ion man	ual.

MONITOR #4. 549.95
Same as Monitor #3 but adds: save and read disk files; direct input and output of disk sectors; send, receive, or talk to another
computer via RS-232-C interface; symbolic disassembly on

disk. \$49 se.

SMART TERMINAL. \$49 se.

Enables your TRS-80 to be used as a remote terminal to a time sharing system. Supports lowercase and full range of control keys. Automatic transmission between memory and host com-

FASTSORT Machine-language sorting program for use by Basic programs Many times faster than other methods!

GAME OF LIFE \$5.95 John Conway's game of "life" shows patterns evolving and changing swiftly before your eyes. A dazzling demonstration

BASIC SOFTWARE

MAILING LIST \$69.95 Maintains mailing list files of over 1000 names per diskette. Add, delete, change, find name, machine language sort, print

SMALL BUSINESS ACCOUNTING Based on Dome Bookkeeping Journal #612, keeps track of in-come, expenditures, and payroll for a small business of up to 16 employees. Daily, monthly, year-to-date summaries.

HOME BUDGET Says: Checkbook maintenance combined with records of income and monthly bills. Monthly and year-to-date summaries show ing tax deductions.

DATABASE MANAGEMENT Defines files of any description and maintain on cassette or disk. Add, change, delete, find, sort, justify, print, line print total fields, write

HOWE SOFTWARE **103**

14 Lexington Road New City, New York 10956

(*) TRS-80 is a registered trademark of Tandy corp.

Introducing



Micro-Computer Educational **Programs**

PROGRAMS

Interpretive Education, providing leadership in educational programs for basic living skills, introduces the new microcomputer educational (MCE) programs. The MCE programs are being thoroughly developed and tested with the cooperation of educators and computer programming experts. The new high technology product line is being generated to offer basic living skills on floppy disc and tape. They are designed for application on Apple II*, TRS-80** and other microcomputers

Please call collect today for more information on how MCE programs can aid your teaching efforts with special needs audiences.

*A trademark of Apple Computer, Inc.
*A trademark of Tandy Corporation.

For free information and catalog, write or CALL COLLECT: (616) 345-8681



2306 Winters Dr. Kalamazoo, Ml 49002

2530 PRINT TAB(2)SS; TAB(8) "OUNCES OF ";D\$

2540 PRINT TAB(2)SW; TAB(8) "OUNCES OF WATER"

2550 PRINT" --

2560 PRINT"FOR A TOTAL WORKING SOLUTION OF"; TAB(25); ST; "OUNCES'

2570 PRINT@768, "WHEN THE ";D\$; " IS MIXED, ": INPUT"PRESS ENTER."; A\$

2580 CLS: X=USR(0)

2600 REM

NT

* DEVELOP

2610 CLS: PRINT

@84,"** DEVELOP

2620 PRINT: PRINTTAB(5) "WE ARE DEVELOPING: ",F\$, "FILM"

2630 PRINTTAB(5) "USING: ",,D\$, "DEVELOPER"

2640 GOSUB 3130

2700 REM

STOP-BATH & FIX

2710

CLS: PRINT@84,"** STOP-BATH

2720 PRINT@270, "ADD COMMERCIAL STOP-BATH OR WATER" 2730 M=1: GOSUB 3130

2740 CLS: PRINT@84,"** ... FIX

2750 PRINT@192, "ADD THE FIX. IF THE FIX IS FROM NEW STO CK, THE FIXING TIME CAN BE DECREASED BY PUSHING T HE SPACE-BAR (DURING THE TIMING CYCLE) "

2760 M=10: GOSUB 3130

2800 REM

* WASH CYCLE *

2810 CLS: PRI

NT@84,"** RINSE ***

2820 PRINT0274, "RINSE FILM WITH WATER": M=1: GOSUB 3130

2830 CLS: PRINT@80,"** HYPO-CLEARING AGENT

2840 PRINT@274, "ADD HYPO-CLEARING AGENT": M=2: GOSUB 31 30

2850 CLS: PRINT@84,"** WASH

2860 PRINT@271, "WASH FILM UNDER RUNNING WATER": M=5: GO SUB 3130

2870 CLS: PRINT@84,"** DRY ...

2880 PRINT@263, "RINSE FILM WITH WETTING AGENT, THEN HAN G TO DRY'

2890 PRINT@832.""

2990 END

3000 FOR X=0 TO 1000: NEXT: RETURN: REM 2 SEC D ELAY *

3100 REM

MIX ROUTINE

3110 SS=

ST: SW=0: RETURN

3120 SS=ST/2: SW=SS: RETURN

3130 FOR I=0 TO 500: NEXT I

3300 REM

CLOCK ROUTINE

3310 Y

=16: GOSUB 3850

3315 PRINT@385," PRESSING THE "CHR\$(34) "SPACE-BAR"CHR \$(34)" WILL INTERRUPT THE TIMING CYCLE ";: GOSUB 3000

3320 PRINT@529, "TOTAL TIME: ";M; " MINUTE (S) "

3330 POKE 16526,52: X=USR(0) 3340 PRINT0650, PRESS THE "CHR\$(34) "ENTER-KEY"CHR\$(34) TO BEGIN TIMING";

3350 PRINT@733, "";: INPUT A\$

3360 IF M<>3.75 GOTO 3370 ELSE M=3: S=45: GOTO 3380

program continues

PROGRAMMING TOOLS FOR YOUR TRS-80

INSIDE LEVEL II

The Programmers Guide to the TRS-80 ROMS

INSIDE LEVEL II is a comprehensive reference guide to the Level II ROMs which allows the machine language or Basic programmer to easily utilize the sophisticated routines they contain. Concisely explains set-ups, calling sequences, and variable passage for number conversion, arithmetic operations, and mathematical functions, as well as keyboard, tape, and video routines. Part II presents an entirely new composite program structure which loads under the SYSTEM command and executes in both Basic and machine code with the speed and efficiency of a compiler. In addition, the 18 chapters include a large body of other information useful to the programmer including tape formats, RAM useage, relocation of Basic programs, USR call expansion, creating SYS-TEM tapes of your own programs, interfacing of Basic variables directly with machine code, a method of greatly increasing the speed at which data elements are stored on tape, and special precautions for disk systems. INSIDE LEVEL II is a clearly organized reference manual. It is fully typeset and packed with nothing but useful information. It does not contain questions and answers, ROM dumps, or cartoons. INSIDE LEVEL II..... 15.95

TELECOMMUNICATIONS PROGRAM

This program allows reliable high speed file transfers between two disk-based computers over modems or direct wire. It is menu driven and extremely simple to use. Functions include real-time terminal mode, save RAM buffer on disk, transmit disk file, receive binary files, examine and modify UART parameters, program 8 custom log-on messages, automatic 16-bit checksum verification of accurate transmission and reception, and many more user conveniences. Supports line printers and lowercase characters. With this program you will no longer need to convert machine language programs to ASCII for transmission, and you will know immediately if the transmission was accurate. TELCOM.....\$29.95

PROGRAM INDEX FOR DISK BASIC

Assemble an alphabetized index of your entire program library from disk directories. Program names and free space are read automatically (need not be typed in) and may be alphabetized with a fast Shell/Metzner sort by disk or program. The list may also be searched for any disk, program, or extension; disks or programs added or deleted; and the whole list or any part sent to the printer. Finally, the list itself may be stored on disk for future access and update. "The best thing since sliced bread" (January issue of '80 Microcomputing). One drive and 32K required. INDEX.....\$19.95

SINGLE STEP THROUGH RAM OR ROM

STEP80 allows you to step through any Basic or machine language program one instruction at a time, and see the address, hexadecimal value, Zilog mnemonic, register contents, and step count for each instruction. The top 14 lines of the video screen are left unaltered so that the "target program" may perform its display functions unobstructed. STEP80 will follow program flow right into the ROMs, and is an invaluable aid in learning how the ROM routines function. Commands include step (trace), disassemble, run in step mode at variable step rate, display or alter memory or CPU registers, jump to memory location, execute a CALL, set breakpoints in RAM or ROM, and relocate to any page in RAM. The display may also be routed to your line printer through the device control block so custom print drivers are automatically supported. STEP80.....\$16.95

4 SPEED OPTIONS FOR YOUR TRS-80!

The SK-2 is the most versatile clock modification available for the TRS-80. Speeds may be switched between normal, an increase of 50%, or a 50% reduction; selectable at any time without interrupting execution or crashing the program. Instructions are also given for a 100% increase to 3.54 MHz, though the TRS-80 is not reliable at this speed. The SK-2 may be configured by the user to change speed with a toggle switch or on software command. It will automatically return to normal speed any time a disk is active, requires no change to the operating system, and has provisions for adding an LED to indicate when the computer is not at normal speed. It mounts inside the keyboard unit with only 4 necessary connections for the switch option (switch not included), and is easily removed if the computer ever needs service. The SK-2 comes fully assembled with socketed IC's and illustrated instructions. SK-2.....\$24.95

RAM SPOOLER AND PRINT FORMATTER

This program is a full feature print formatting package featuring user defineable line and page length (with line feeds inserted between words or after punctuation), screen dump, and printer pause control. The serial version allows baud rate selection from the keyboard. In addition, printing is done from a 4K expandable buffer area so that the LPRINT or LLIST command returns control to the user while printing is being done. Ideal for Selectric or other slow printers. Allows printing and processing to run concurrently. Please specify PARALLEL or SERIAL (RS-232 interface) version. SPOOLER.....\$16.95

DUPLICATE SYSTEM TAPES WITH CLONE

Make duplicate copies of ANY tape written for Level II. They may be SYSTEM tapes (continuous or not) or data lists. The file name, load address, entry point, and every byte (in ASCII format) are displayed on the video screen. CLONE.....\$16.95

MACHINE CODE FAST FOURIER TRANSFORM

This complete package includes 3 versions of the machine language FFTASM routine assembled for 16, 32, and 48K machines, a short sample Basic program to access them, a 10K Basic program which includes sophisticated interactive graphing and data manipulation, and a manual of instructions and examples. The machine language subroutines use variables defined by a supporting Basic program to make data entry and retrieval extremely fast and easy for custom implementation. They perform 20 to 40 times faster than their Basic equivalent (256 points in 12.5 seconds), and require less than 1550 bytes of memory. FFTASM.....49.95

FOR THE MODEL II

LYNC

from Midnight Software

High level data communication for the Model II with CP/M. LYNC will send and receive any file with automatic error checking and retries. Either end may initiate file transfers, and multiple files may be sent with wildcard filenames. Remote or local directories may be called from within the program. Allows full protocol, non-protocol, and real-time conversation modes. May be used over phone lines at 300 baud or direct to another computer at up to 9600 baud. Also available for other CP/M computers. LYNC.....\$95.00

MUMFORD MICRO 244
SYSTEMS

ORDERING: Complete satisfaction is guaranteed or a full refund will be made. All Model I programs are shipped on cassette unless \$5 is included for a formatted (no system) disk. Include \$1 postage and handling. California residents add 6% sales tax. Visa, Mastercharge and COD orders accepted.

Box 435-E Summerland, California 93067 (805) 969-4557

SUPERSCRIPT by Richard Wilkes

With SuperScript, one can underline. boldface, insert text, slash 0's, subscript, set 10 pitch, set 12 pitch and of course SuperScript.

One can even get a Directory (?D) and can also kill a filel (Command K).

SuperScript has drivers for serial and parallel printers.

MAKES IT BETTER

SuperScript is a series of machine language programs which permanently customize Scripsit* so that a number of additional features are available. These include:

Ability to get directory or to kill files from within SuperScript. TRSDOS or NEWDOS can read SuperScript files. Text can be inserted into unjustified lines during printout e.g., inserting a name after "Dear" and before the colon. For this purpose a lowercase driver is included

On printers that can backspace, underlining and slashed zeroes (0) are options. On Diablo and NEC printers, one can superscript, subscript, underline, boldface and select 10/12 pitch.

Serial and parallel drivers are included on the disk. You can customize these drivers for use with other types of letter quality printers. The serial drivers are included which use the ETX/ACK protocol for 1200 baud communications. Furthermore, printer drivers can be protected in high memory.

The "L" command used to load a file now requires a filespec to avoid destroying text buffer if the question mark is omitted from the "L" Command.

Available on disk for TRS-80* Level II with 32k, one disk drive and lower case modification for \$29.95. See your dealer for this and other quality Acorn Programs.

*TRS-80 is a trademark of Tandy Corp.



634 North Carolina Avenue, S E., Washington, D.C. 20003

ADVANCED BUSINESS **SOFTWARE FOR THE TRS-80**

(Now Available For Model II Also)

* FORECASTING * RISK ANALYSIS * U.S. MACRO MODEL

If you're serious about improving your business with a computer, why not use the best business planning software available? Dr. David M. Chereb has made the most powerful and successful business analytical techniques available to micro computer users

All programs listed below are in Basic, for 32K (or more) disk based TRS-80 systems.

BUSINESS PLANNING PACKAGE for FORE-CASTING - An integrated set of forecasting programs to handle a variety of business forecasting needs from Trend Analysis to Advanced Multiple Regression (100 pg. User Manual) \$99.
INVESTMENT RISK ANALYSIS - The major ingred-

ient in any investment is uncertainty. This program accounts for cost changes, shifting revenue streams and interest rate fluctuations. Now you can manage risk. (35 pg. User Manual) \$99.

U.S. SIMULATION MODEL - Knowing where the economy is going and how it reacts to government fiscal and monetary actions can save you a lot of money. This is a user oriented economic situation model constructed to professional standards (50 pg. User Manual) \$199.

NOTICE TO CUSTOMERS:

Because of the tremendous increase in recent orders, our shipping response time has slowed. We are expanding in order to correct this situation. But for the next month our shipping date will average one week after receipt of your order.

To order CALL 213/424-3852, or write to APPLIED ECONOMIC ANALYSIS, 4005 Locust Ave., Long Beach, CA 90807.



*CANNED SOFTWARE & the can is a trade mark of BCC.



Goned The Yes! Quality Software for the TRS-80 is now written & available. BCC is pleased to be able to present some very fine software now with even more available in the very near future. Also we develop custom designed software for your every need. Write us for a FREE price quote.

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation.



For Software Think BCC



Mail Base 80 __moD 1 (Requires 48K & 4 drives) 569.93 __moD 11(Requires 48K & 4 drives)\$129.95

A RANDOM ACCESS program which keeps track of an unlimited number of entries. Flus it allows direct access of information in any order. Today, list all people who have outstanding bills & tomorrow produce a list in zip-code order. EXCELLENT!!!

Oil Delivery MOD II (REQUIRES 48K & 4 drives) write for price quote.
A system for the 80s. This system handles everything for the heating industry.

Vendor MOD 1 (Requires 48K & 2 drives) 539.95
This program keeps track of an unlimited number (650 per disk) of vendors. Allows direct access of coded information by vendor number, & also permits access by various other fields.

For Supplies Think BCC

Disks & Tapes 5% Inch diskettes 3M Brand 549.95 (10 in plas. case)

8 Inch diskettes 3M Brand 564.95 (80x of 10) 5% Verbatin \$39.95 (80x of 10)

Cassettes Very High Quality \$16/doz C20's. ADD 'n STAC stackable cassette
holders. Each holde 8 cassettes. \$3.49ea

Printers The fabulous BASE 2 PRINTER 96 char ASCII with Tractor Feed 6 2K Buffer. This printer just can't be beat!!! \$649.00 (2 for \$1200.00) RECONDITIONED CENTRONICS 102A (330 chars/sec!!!) \$1500.00

	☐ Master Charge	Exp. Date	Card No
-	☐ Visa	Signature	

Bourrut Consulting Corporation -57 21 Friendly Rd. Smithtown, N.Y. 11787

```
3370 M=M-1: S=60
3380 S=S-1
3390 I$=INKEY$: IF I$ =" " GOTO 3600
3400 IF S<0 THEN M=M-1: S=59
3410 IF S=30 OR S=59 PRINT@912, "AGITATE THE DEVELOPING
     TANK";
3420 IF S=25 OR S=55 PRINT@912,"
3425 IF ZQ=3.149 GOTO 3440
3430 IF M=0 AND S=0 GOTO 3600
3440 PRINT@650,"
                           -= REMAINING TIME
3450 Y=34: FOR X=45 TO 75: SET(X,Y): NEXT: SET(45,35):
     SET(45,36): SET(45,37): SET(45,38)
3460 Y=39: FOR X=45 TO 75: SET(X,Y): NEXT: SET(75,35):
SET(75,36): SET(75,37): SET(75,38)
3470 PRINT@794,M;": ";S;
3480 POKE 16526,223: X=USR(0)
3490 FOR X=30000 TO TZ: NEXT
3500 GOTO 3380
3600 REM
                      ALARM ROUTINE
3610 I
     F ZQ=3.149 GOTO 560 ELSE CLS: PRINT@212,"!!! S T
          111"
     OP
3620 POKE 16526,184
3630 X=USR(0)
3640 POKE 16526,223: REM * 3650 PRINT@349,"1": X=USR(0):
                         REM * BLOOP
                                 PRINT@413, "!": X=USR(0):
        PRINT@477, "1": X=USR(0)
3660 PRINT@598, "EMPTY THE TANK"
3670 POKE 16526,251:
                          REM
                                   SPLAT
3680 X=USR(0)
3690 GOSUB 3870
3700 PRINT@843, " PRESS THE "CHR$(34) "ENTER-KEY"CHR$(34)
      " FOR NEXT STEP";
3710 INPUT A$: POKE 16526,237: X=USR(0): RETURN
3800 REM
                 * MOVING FILM STRIP *
3810
     OR X=0 TO 115: SET(X,Y): NEXT X
3820 FOR X=0 TO 115 STEP 2: RESET(X,Y): NEXT X
3830 FOR X=0 TO 115: RESET(X,Y): NEXT X
3840 RETURN
3850 REM
                     HORIZONTAL LINE
3860 FOR X=0 TO 127: SET(X,Y): NEXT: RETURN
                * BROKEN HORIZONTAL LINE *
3870 REM
3880 FOR X=0 TO 127 STEP 2: SET(X,Y): NEXT: RETURN
3900 REM
                    ERROR MESSAGE
3905 CLS: POKE 16526,251: X=USR(0)
3910 CLS: PRINT CHR$(23): PRINT@404, "S O R R Y , ": PRINT@530, "INPUT ERROR.": PRINT@778, "PLEASE SELECT, AG
     AIN."
3920 FOR X=0 TO 3000: NEXT: RETURN
```

Check our book pages for the latest books about microcomputers.



By focusing on direct sales to the consumer, and eliminating the dealer markup, we can now offer the MUSIC BOX at this new low price!

LOOK AT THESE IMPORTANT EXTRAS:

- FOUR VOICES, WITH SEVEN-OCTAVE RANGE AND WAVEFORM CONTROL Hardware features built-in amplifier with volume control. In fact, THE ONLY THING YOU HAVE TO SUPPLY IS A SPEAKER (and, of course, a Level II 16K TRS-80!). We supply the rest, even the speaker cable. The Music Box plugs into the keyboard expansion-port or EI bus extension connectors.
- BETTER SOUND Latching 8-bit DAC, plus precision filter to eliminate unwanted highfrequency noise.
- SAFER FOR YOU AND YOUR COMPUTER The electronics are attractively packaged in a rugged enclosure with separate UL-approved power supply. This is not an exposed board!
- power supply. This is not an exposed board!

 COMPLETE ADDRESS DECODING Essential for compatability with current and future music and voice peripherals.
- 60-DAY LIMITED WARRANTY
- PLUS! Purchasers of the MUSIC BOX will receive "Newtechniques", the micro computer music newsletter featuring music education, sound effects software and ideas for interfacing the MUSIC BOX to your BASIC programs.

MUSICRAFI

And you get the best in microcomputer music software...MUSICRAFT 1.2, which consists of five machine language programs:

- 1. Intelligent Music Editor (not merely a text editor)

 Catches notation errors immediately upon entry e
 Has full complement of cursor controls Uses notation
 similar to standard music notation = Supports unlimited
 tempo, key signature, automatic transposition, and
 "instrument" changes throughout a piece A special
 microtone option divides the octave into up to 99
 increments, for producing glissandos and modern
 electronic music.
- Fast multi-pass compiler supports powerful chorus and repeat features.
- 3. Play program with four modes Standard mode for individual songs Juke box mode for creating your own song menus Live keyboard mode for turning your computer into a real-time instrument Rehearsal mode for playing along with your computer.
- 4. Waveform program lets you create instrument sounds in addition to the 14 supplied.
- 5. Utility program gives hard copy print out

 Transmits music files via modem.

The Music Box

Including power supply, speaker cable, 100-plus page manual in custom binder, and Musicraft tape and disk versions on cassette, plus demo music

ADD \$3 SHIPPING PLUS \$1 IF COD NY STATE RES, ADD SALES TAX, *TRS-80 is a trademark of Tandy Corp.

∠ 243

NEWTECH COMPUTER SYSTEMS, INC.





Radio Shack DEALER

Software for TRS-80s

WORDSCRIBETM

Professional word processing for Model I or Model II. Full screen editing. Margin justification. Line insertion/deletion. Block move/copy/delete. Global find and change. Much, much more.

Model I (48k, 1 disk) \$ 79.95 Model II (64k) \$ 99.95

WORDPRINTtm

Text formatter for files created by Wordscribe or any ASCII file. Uses embedded 2-character commands to control margins, justification, headers, spacing, page numbering, etc.

Model I (48k, 1 disk) \$ 39.95 Model II (64k) \$ 49.95

MAILING LIST I

A menu driven mailing list program with complete full screen editing.

Model I (48k, 1 disk) \$ 59.95 Model II (64k) \$ 69.95

WORDMAIL

Pulls names and addresses from Mailing List I and inserts into Wordscribe files.

Model I (48k, 1 disk) \$ 39.95 Model II (64k) \$ 49.95

COMPLETE FORM LETTER SYSTEM

Wordscribe, Wordmail, Mailing List I Model I (48k. 1 disk) \$ 159.

Model I (48k, 1 disk) \$ 159.95 Model II (64k) \$ 199.95

*NEWDOS is a trademark of Apparat

7 437

TULSA MICRO SYSTEMS

114 West Taft Sapulpa, Ok. 74066 (918) 224-4260

TMS FEATURE OF THE MONTH

AUTOMATED FILE HANDLING PROGRAM

So far beyond those so-called "data base managers" that it requires a new term — "automated file handling program." Describe, create or update any type of file, then automate the calculation, sort and report phases of the task.

\$ 99.95

TIGGER-GRAFtm

Create engineering, scientific or just fun graphics on your IDS 440G printer. Resolution is 495 x 575. Easy Basic programs provided for data entry and machine language modules for speed. Several pictures can be concatenated along the Y-axis for larger graphs.

Model 1 (48k,2 disk)

\$ 149.95

DEBBYMAEtm

The only totally flexible data base manager for the Model I or Model II. No fields or keys. Automatic linking of all related information allows instant retreival by subject, type of information, partial contents; even performs analogies.

Model I (48k,2 disk) Model II (64k) \$ 79.95 \$ 99.95 Software for TRS-80s

UTILITIES FOR MODEL 1

PENCIL FIX - Modify Pencil to use RS Iower case modification. Redefines control key to be the @ key and switches the lc/uc toggie to the shifted Break key. Save your warranty.

Disk \$ 14.95

SPOOLRELtm - An in-memory print spooler that runs in Model 1 32k or 48k disk system, under Newdos* or Trsdos**. Fully relocatable code and buffer. Buffer size is user selected. A true background spooler at an unbelievably low price.

32k. disk \$ 24.95

PRINT-CENTRAL tm - A utility for those with smart printers. To send a control code to your printer, simply press the Clear key and the appropriate letter key and see instant execution. Any code from 1 to 31 may be sent.

Model I only \$ 24.95

SUPERLIST - Allows you to debug and edit your programs with live cursor control. Trace Gosubs and Gotos. Global search. Insert lines. \$ 29.95

SUPERPRINT - Format your hardcopy listing to suit your needs, with spaces between lines, wider margins, if you choose. Even will trace Gosub routines to make debugging easier.

32k. disk. \$ 14.95

**TRS-80 and TRSDOS are trademarks of Tandy Corporation.

Radio Shack Versus The Competition

From the moment a 4K TRS-80 owner first looks longingly at the 16K memory size of a friend's CRT, the urge to upgrade is countered by uncertainty. Should the next stop be the nearby Radio Shack or the enemy at Vinnie's House of Computers?

David D. Busch 515 E. Highland Avenue Ravenna, OH 44266

f you are a dedicated hardware hacker for whom words like Altair or 8008 hold deep nostalgia and who is not frightened by NAND gates, the question is irrelevant. You can take anything even remotely compatible with your TRS-80 and make it work, somehow. If your gear breaks down, you can fix it.

In introducing their affordable turnkey system, Radio Shack attracted a horde of new computerists loathe to homebrew anything more complicated than a cup of coffee. These microcomputer hobbyists want to be able to plug in their systems and use them with a minimum of trouble.

There are seven common areas of expansion in which the owner is faced with Tandy vs. other choices:

- Additional keyboard memory;
- Expansion interface memory;
- Disk drives and other mass storage alternatives;
- Lowercase conversion kits;
- Software;
- Printers;
- RS-232, Modems, etc.

Keyboard Memory

For those who are really new to the TRS-80, this subject was hot some months back. Radio Shack was charging \$299 for

the upgrade from 4K to 16K, and you didn't even get to keep your 4K RAM chips.

Some enterprising souls who noticed that Tandy was selling TRS-80s in the ten thousands began offering 16K memory upgrade kits for \$150 or less. And less. And less. And less. At this writing, Radio Shack has come down to \$230 for the first 16K of memory, with a \$119 tag on each additional increment, but you get a nifty calculator-style keyboard with the CPU memory upgrade.

The RAM chips alone can be had from other sources for \$49 to \$89 with appropriate jumpers for the keyboard thrown in or available for a nominal fee. With prime chips from a reputable source with a good guarantee, there seems to be little potential problem in using non-Radio Shack memory in your keyboard. The extremely timid might want to wait until the 90-day warranty has expired before opening the CPU, but the actual upgrade is a simple task for even the notoriously fumble-fingered.

My chips were Ithaca Audio RAMs purchased in the \$119 dark ages, and though the keyboard has been back at Radio Shack for several mods since then I've had no complaints from the service personnel and absolutely no problems.

Expansion Interface Memory

With memory separated from the Z-80 chip by a foot and some strange ribbon cable, memory compatibility becomes more important. Those who have problems pinning down what's wrong when their computer ails may not like the added variable of


dubious memory chips. I've seen knowledgeable hardware folks shuffle different RAM chips in and out of their expansion interfaces, running various memory tests until they found a set of eight or sixteen that performed to their satisfaction.

Many brands of memory probably work perfectly well in any interface. At the time I purchased mine, Radio Shack was phasing out buffered interface cables, retrofitting twisted pair mods to other units, and, in some cases, swapping memory chips, because a few clinkers had slipped into their own supply. With the price down to \$119, it was worth an extra \$50-70 per 16K to be able to dump the thing in their laps if my RAMs became forgetful. I upgraded to 48K, using Radio Shack memory for the final 32K.

Mass Storage Alternatives

The specialized mass storage devices, Stringy Floppies, Poor Man's Floppies, etc. exist for a very good reason: Cassette data transfer and program storage/retrieval is darned slow. Each of these can be had for hundreds of dollars less than the expansion interface/disk drive combination. If you have no need of memory beyond 16K, and don't need or can't afford the features of disk systems, by all means consider one of the alternatives. They can't hurt your system; Radio Shack offers nothing to compare with them and many happy users attest to their reliability.

In my case, I was aiming at a disk system.
I carefully considered all the alternatives,



In writing 2,000 words per day on my computer. I tend to look at the screen a lot, and couldn't bear the lopsided character set of the simplest modifications

but still chose to purchase two Radio Shack

disk drives. Others, with different circumstances, might be better off with one of the other brands. At our local users' group, I had the chance to observe and test a variety of disk drives before making my decision. The pros and cons were as follows.

The other brands of drives that I liked best offered quicker track-to-track access times for faster operation, supported 40 tracks vs Radio Shack's 35, and could write to both sides of a 51/4-inch diskette. They were generally about \$140 cheaper, to boot.

I discovered that Radio Shack was not quite as serious a disadvantage as might appear on the surface. The drives that I ended up purchasing function quite well as 40-track drives, using a 40-track DOS, such as NEWDOS+. I've punched extra index and write-enable holes in more than 100 diskettes, and have found only a few that are not fully usable on both sides. Various patches have speeded up my drives' access times a little, but I'm entirely satisfied with their speed. My system is booted up before the CRT warms up in the morning, and most programs are loaded and ready to run before I can decide what to do with them.

About that \$140.... I count that as an investment in maintaining nearby, convienient service facilities. As a writer who depends heavily on my computer for word processing, I'm not pleased with the idea of sending a much needed disk drive off to the manufacturer for repair. My local Radio Shack not only provides one day turnaround on fixes, but, in one case, gave me a totally new drive rather than make me wait while the lemon I purchased made its third trip back to the shop.

Because I use my computer in business. that \$140 extra I paid for each of the drives can be equated with potential lost income, so the choice for me was an easy one. For those of you who must weigh computer purchases against an extra day of vacationing,

or that new lawnmower, service might have an entirely different perspective.

In summary, both Radio Shack's and other manufacturer's drives offer nearly equivalent operation, but, the non-hardware oriented microcomputer hobbyist may want to have the Radio Shack service center to lean on in times of distress.

Lowercase Conversion Kits

This is another sticky area, because of the wide disparity in cost between Radio Shack's \$59 lowercase mod, and the \$15-\$30 price tag on other conversion kits.

I elected to go for the \$59 lowercase, because of my personal reluctance to tamper with my keyboard, and the importance I placed on descenders. In writing 2000 words per day on my computer, I tend to look at the screen a lot, and couldn't bear the lopsided character set of the simplest modifications. The more sophisticated kits came close enough in price to Radio Shack's mod that the difference to me was negligible.

I have experienced few of the forewarned problems that might be caused by the changes made by the modification. When the lowercase driver is loaded, NEWDOS seems to perform exactly as intended, including the JKL junction. Some programs that PEEK at video memory are unnerved at finding the value of 1 for an uppercase A, rather than the expected 65. It is simply a matter of inserting a line along the order of:

XXX A = PEEKIN: IF A<32 THEN A = A + 64


where XXX is the line number, A is the variable used for whatever purpose in the program, and N is the video memory address (between 15360 and 16382 decimal).

Other lowercase modifications give you a control key, but at the time I ordered mine, I already knew that Scripsit had everything I needed in a word processing program.

Software

Scripsit might be a good place to start, because this program could be the beginning of a much needed resurgence for Radio Shack's software reputation. It works! After 15 years of writing on manual and electric typewriters, I hope I never see their ugly little keyboards again.

All is not so rosy with other Shack software. As an early purchaser of their Memory Information System, which didn't do anything, but did it admirably fast, I can



The magazine of advanced applications and software

LIMITED TIME OFFER !!!

NOW YOU CAN SAVE & GET THE SECOND YEAR OF

THE ALTERNATE SOURCE

Do you know what the three T's of computing are? <u>Tips.</u> <u>Tutorials</u>, and <u>Techniques</u>. THE ALTERNATE SOURCE is the magazine for the advanced TRS-80 enthusiast and programmer. We travel into the internal workings of your systems and provide indepth articles on your machine and its operations. We will teach you to become a better programmer, both in Basic and Assembly Language.

You can receive the second year of this handy digest size storehouse of TRS—80 information, bi-monthly for only \$9.00. This Limited Offer is only good until midnite December 31, 1980. This Offer represents a \$3.00 savings off the normal subscription price. This offer not good outside the USA. Consider and Maylor subscriptors \$15.00 per year the USA. Canada and Mexico subscribers \$15.00 per year. all other Foreign subscibers \$18.00. SUBSCRIBE NOW !!!!

JUST LOOK AT OUR READERS COMMENTS...

"I was so pleased at being approached as if I knew something about computers and programming, that I not only read every word, but I am enclosing a check for nine dollars."

... I have confidence that THE ALTERNATE SOURCE will climb to the top. You are already the best in content for the serious programmer. ... I literally tear your magazine apart for the wealth of information and ideas, and consider TAS as important as the DOS that we use."

PITTSBURG, PA

"Okay, I'm hooked. Enclosed is my \$9.00 check."

FRANCONIA, VA

"I think your approach is terrific; a magazine devoted to someone other than the beginner has been sorely needed on the market for a long time."

PENDLETON, IN

"There are enough TRS-80 owners around to warrant a magazine that can serve as a basic reference tool for the serious programmer. TAS is well on the way to providing this ... '

"Through good fortune, I very recently picked up a copy of your publication at a local computer shop. After examining its contents for just one day, I can not resist submiting my subscription."

517 / 485 - 3358

- C.O.D.
- VISA CHARGE
- MASTER CHARGE

THE ALTERNATE SOURCE

1806 ADA STREET LANSING, MICHIGAN

◆ 48910◆

DEALER INQUIRIES ARE INVITED

TRS-80 is a trademark of the Tandy Corporation

517 / 487 - 0344

C.O.D. •

VISA CHARGE

WRITE TODAY

MASTER CHARGE

TRS-80 is a trademark of the Tandy Corporation VISA AND MASTER CARD 4% ADDITIONAL CHARGE......

2 drives & 48k Req.

TAS PRESENTS . . .



\$24.95 on diskette

TRAKCESS

DOS USERS LOOK HERE

After much ado, we have decided to offer what is perhaps The Most Powerful Utility Yet For TRS-80 Disk Maintenance. .

TRAKCESS was written with two very special goals:

- To bring under direct user control, almost every practical capability of the 1771 Floppy Disk Controller.
- B. To combine these capabilities into super powerful 'intelligent' functions whose only limitations are those of the user or machine

'What does it all mean?' You ask, Good Question. . . WITH TRAKCESS, YOU MAY:

- Protect your own diskettes with special
 TRAKCESS is capable of duplication format variations you create!
- Utilize a potent 'pencil type'editor.
- Recover damaged diskettes; read, every track! (2 drives) write, edit or create any track or sector, standard or not!
- of any sector, of any track including PROTECTED DISKETTES!
- Smart DUPLICATE command analyzes
 - PLUS MUCH, MUCH MORE

* * YOU CAN LEGALLY MAKE COPIES * *

TRAKCESS IS \$24.95. For every penny you add (up to five) you will be given a limited licence to make one copy of the diskette and documentation. This is the first in a new line of software to be marketed in this manner. The intent of this concept is to allow you and your friends to share the cost of adding to your software library.

......This is a new concept. Please comment on it......

\$16.95 on diskette

TAS PRESENTS . . .

ISAR

(Information Storage And Retrieval)



ISAR IS A LOW COST, HIGH QUALITY DATA BASE MANAGEMENT SYSTEM CAPABLE OF HANDLING ANY INFORMATION IMPORTANT ENOUGH FOR DISK STORAGE

ISAR consists of seven modules:

- 1. MENU. Easy user menu prompts and guides you through the entire process of creating and maintaining your valuable information.
- 2. CREATE A NEW FILE. You can specify up to ten different fields and define them as numeric or alphanumeric.
- 3. ADD RECORDS TO A FILE. This module has numerous error checking routines to insure accurate data entry.
- 4. CHANGE OR DELETE RECORDS IN A FILE. Keep your records up to date and accurate with this easy modify routine.
- 5. SORT A FILE. This sort routine is based on the Shell-Metzner sort for the fastest processing possible in Basic.
- 6. SCAN OR SEARCH A FILE ON SCREEN. You can either search for an occurance, total numeric fields, scan through part or all of your file, or specify just one record.
- LPRINT AND FORMAT REPORTS. Extremely versatile! You define everything. Includes a test pattern routine.

ISAR EXPANDED comes with three additional modules:

One allows you to use your GSF program for even faster sorting on up to 10 different sort keys! Another will allow you to redefine a file by making an existing field larger or adding a field to each record. The last will merge two ISAR files with the same format.

reviewers have put in their two-cents' worth on the value of other Radio Shack programs intended for business and personal use. But, with gems like Scripsit issuing from Ft. Worth, the future looks brighter.

In the meantime, TRS-80 owners continue to revel in the treasure trove of well written useful software available for their computer. Choosing between Radio Shack and other software to do the same job generally is no choice at all, especially in the area of disk operating systems and business programs.

There is always the danger of bugs in

software from unknown vendors, and a lack of support. But, it almost appears that an exception to Gresham's Law might apply to software: Good programs tend to drive out the bad. Only rampant piracy threatens the really creative programmers.

Printers

Hard copy devices are another big-ticket item frought with discounting, price-cutting and heavy competition. At Radio Shack itself, features have mushroomed while prices for printers dropped drastically.

I saved \$500 to \$1000 by purchasing an Integral Data Systems IP125 printer on closeout at a local computer store. Predecessor to the popular Paper Tiger, it boasts many of the same features, including eight different print sizes. There is no tractor feed, but it has a flat paper tray that allows me to feed 81/2 × 11-inch typing paper one sheet at a time just as if I were operating a photocopier.

The printing is sharp and legible (though there are no descenders on the lowercase letters), and I can send the copy off to a finish typist for letter-quality typing. Some of the magazines I write for, particularly computer magazines, don't mind receiving the dot-matrix printing, so I can forgo the last step. Until the day when I can afford a daisvwheel type printer, my unit suits my needs perfectly.

Why not Radio Shack, considering the heavy use I give the printer? In this case, the local computer store offers in-town service. But, so far, the only problems I've had have been with mechanical ailments. After 15 years of tangling with the linkages in a variety of typewriters, I'm entirely comfortable tinkering with the rollers, gears, and solenoids in my printer. Usually a small adjustment gets me up and running in a few minutes. I steer clear of electronic diagnostics, but these problems appear to be few and far between in the year I've used my IP125 daily.

Printer prices are dropping drastically. Be certain that the printer under consideration will mate with the TRS-80, and not just be made to mate. Except for writers, printers are rarely the must-have item that cause all operation to cease while repairs are underway. Even businesses can read their reports off the CRT screens if need be.

Modems and Serial Interfaces


There's not a lot of controversy here. Radio Shack's RS-232 serial interface is not outlandish at \$99, when you consider the trepidation that we non-hardware types feel at the thought of assembling even a simple

Their \$199 modem is only \$10-\$30 more expensive than the suspiciously similar in appearance models available from other sources.


Take your choice: More sophisticated modems with extra capabilities, like autoanswer, are available, and some direct connect units contain their own serial interface. Whether you go with Radio Shack or not, the money involved is not huge either way, and it's difficult to go wrong. Even more so than printers, modems are not likely to be must items in anyone's computer system.

If the modem is the only peripheral connected to the serial interface, and no others, such as a printer, are dependent on the RS-232, it may be nearly painless to depend on the manufacturer for service.

When I get my own units, I'll probably lean toward Radio Shack's, if only for the ability to have them check out everything, from CPU on up, if something goes awry.



SIRIUS 80+ **High Performance** Low Cost Floppy Add-Ons!



The SIRIUS SYSTEMS 80 + Series of Floor. Disk add-ons are designed to provide unmatched versatility and performance for your TRS-80 - Consisting of four different add-ons, there is a 80 + Series Floppy Disk Drive to meet your needs.

COMMON CHARACTERISTICS

- 5ms track-to-track access time Auto-Eject 180 day WARRANTY
- Fixed the state of
SPECIFIC CHARACTERISTICS
The SIRIUS 80+1 - a single sided, 40 track
Drive. Offering 5 more tracks than the Radio
Stack model, it cost \$120 less. Formatted
data storage is 102K/204K Bytes Single/
Double Density.
SIRIUS 80+1
STRIUS 80+2 is a dual sided, 60 track (40
per side) Disk Drive. It appears to the TRS-80as TWO 40 track drives yet COST LESS THAM
HALF THE PITICE! Even greater savings result
since data is recorded on both sides of the
media instead of only a single side. This unit
may require the SS Standard cable. Formatted
data storage is 204K/406K Bytes Single/Double
Density.

data storage is 204K/409K bytts original componently. SIRIUS 80+2 — 8449.95
The SIRIUS 80+3 — a single sided, 80 track Drive Offering 2½ times the storage of a standard Radio Stack Disk Drive, the 80+3 reatly reduces the need for diskettes correspondingly. Additionally, because of the increased storage and taster track-to-track access time, the 80+3 allows tremendously

increased throughput for disk based programs! The 80+3 includes SIRIUS's TRAKS-PATCH on disketts (for use with 96 tpi drives). Formatted data storage is 204K/404K Bytes Single/Det/Det Density. \$499.95 The \$1RRUS 80+4-a dual sided, 160 track (80 per side) 5½ monster! The uttimate in state-of-the-art 5½. Ripopy Disk Technology, the 80+4 is seen by the TRS-80-as two single sided disk drives. Thus, in terms of capacity, one 80+4 is equivalent to 4% standard Radio Shack drives — at a savings of over 73% (not to mention diskettes!!!). (With a double density converter the available memory is huge!) The 80+4 (a 96 tpi drive) includes TRAKS-PATCH on diskettes!!!). (With a double density converter the available memory is huge!) The 80+4 (a 96 tpi drive) includes TRAKS-Standard cable. Formatted storage is 408K/816K Bytes Single/Double Density, 31RIUS 80+4

All 80 + Series Floppy Disk add-ons operate at 5ms track-to-track but are Expansion Interface limited to 12ms for the TRS-80*

*TRS-80© of Tandy Corp.

ACCESSORIES 88 Standard 2 Driv

Save up to 10% with these SIRIUS Packages!

NEWDOS/80, SIRIUS 80+3, and Two Drive Cable	\$624.95
NEWDOS/80, SIRIUS 80+4, and Two Drive Cable	\$749.95
NEWDOS/80, Two (2) SIRIUS 80+3's, Two Drive Cable	\$1080.95
NEWDOS/80, Two (2) SIRIUS 80+4's, Two Drive Cable	\$1349.95

MPI 51/52 & 91/92 STATE-OF-THE-ART **DISK DRIVES**

- Fast! 5ms track-to-track access Exclusive Pulley-Band Design Unique Door/Ejector Mechanism Reliable 11/2% Speed Stability Single! Double Density Operation Industry/ANSI Standard Interlace
- MPI 51 (Single Head/40 tracks) 125K/250K Bytes Single/Double Density

\$259.95 P152 (Dual Head/80 tracks (40/side)) 250K/500K Bytes Single/Double Der

\$349.95 MPI 91 (Single Head/80 tracks) 250K/500K Bytes Single/Double Density** \$399.95

PI 92 (Dual Head/160 tracks (80/side)) 500K/1000K Bytes Single/Double Density

MPI Technical Manual Unformatted data storage

OUME® DataTrak 8

8" Disk Drive DOUBLE SIDED! DOUBLE DENSITY!

S574⁹⁵

High performance Double Sided Disk 8" Disk Drive & Single or Double Density & Door Lock and Write Protect INCLUDED! & Negative DC Voltage not required & Low Power Operation

FASTI 3ms track-to-track access Low friction and minimum wear
 Superior Head Load Dynamics

OUMF DataTrak 8 \$574.95 (2/\$549 ea)

\$6.95 Connector Set #3 (AC, DC, & Card Edge) \$10.95 Connector Set #4 (AC and DC) \$2.95

TFORTH!-what it has to offer YOU!

TIAS TO OTTER YOU!
TFORTH is a procedural FORTH type language which specifies a process rather than a desired result. Designed to run on the TRS-80*.
TFORTH is a very powerful tool by itself or used in conjunction with Assembly Programing. A rich set of WORDS come with TFORTH and many features considered as "extra with other FORTH languages are standard with TFORTH. These features include:

- Advanced Math Package
 Line Editor
 Macro Assembler
 Re-Entrant Code
- Super Graphics Capabilities
 Sophisticated User Functions
 140 Page User's Manual
 Virtual memory
 Interpreter
- Compiler Produces CMD Files

Expandable
And many, many other features TFORTH from SIRIUS comes on diskette complete for the TRS-80° with as little as 16K of memory and a single Disk Drive. \$129.95

V 67 SIRIUS SYSTEMS 7528 Oak Ridge Highway Knoxville, Tennessee 37921

TO ORDER CALL (615) 693-6583


Phone Orders Accepted 9AM-7PM (EST) Mon-Fri

We accept MC, VISA, AE, COD (requires Certified Check, Cashier's Check or Cash) and Checks (personal checks require 14 days to clear). SHIPPING AND HANDLING: \$7.00 per Floppy Disk Drive or 80 + Module **E** 5% for other items (any excess will be refunded) **E Foreign Orders** add 10% for Shipping & Handling. Payment in U.S. currency **E** Tennessee residents add 6% Sales & Handling. Payment in U.S. currency Ten

Tax VOLUME DISCOUNTS AVAILABLE

A WHOLESALE COMPUTER PRICES DIRECT TO THE PUBLIC

12 Meeting St., Cumberland, R.I. 02864



When you buy:

You receive:

When you buy:

Atari 800 749

1-8K plug in RAM Module

FREE

(\$124.95 value)

1 Box (10 Pcs) 8" Diskettes

FREE



TRS-80 Model II . \$3449



Apple II 16K - 1999 (Regular or Plus)

1 Apple Tape Recorder

FREE

(\$40 value)

Microsoft Basic for only \$162.50



TERTEC SUPERBRAII 32K RAM - \$2449.00 64K RAM - \$2649.00



NEW! ATARI 825 PRINTER - \$949 Atari Interface Module


FREE

(\$219.95 value)

Statistics Pak OF Carrying case

FREE

(\$95 value each)



APPLE II DISK

with Controller - \$495

1 Box (5 Pcs) Diskettes

NEC Spinwriter 5530 or 5510 \$2449

SOROC IQ 120 \$699

OKIDATA MICROLINE 80 - \$529

EPSON MX-80 80 Character, 9x9 Dot Matrix Roll & Pin Feed Printer for your Apple, TRS-80 or Commodore

Interface to Your Computer



ΩMEGA OFFERS THE BEST DELIVERY AND PRICE ON: APPLE • ATARI • TRS-80 MODEL II • INTERTEC •

T.I. 810 • HEWLETT-PACKARD-85 • SOROC •

COMMODORE . NEC . QUME . CENTRONICS

ΩMEGA sells only factory fresh, top quality merchandise to out customers. ΩMEGA will try to match any current advertised price with similar purchase conditions. Before you buy anywhere else — be sure to call ΩMEGA Sales Co.

1-401-722-1027


ΩMEGA ships via UPS, truck or air. COD's, VISA, Mastercharge accepted. "A member in good standing of the Better Business Bureau."

We carry a complete line of the above equipment. For information and further pricing call:

TOLL FREE 1**-800-556-75**86

TELEX: 952106





A story of how one users group computerized election eve returns for the local TV station.

Tally With an 80

Roderick D. Graham George L. Haller 1500 Galleon Dr. Naples, FL 33940

round the first of March, the News A Found the lines of many and television stations approached the Collier County Computer Club for assistance in the stations' presentation of the primary vote results for Collier county. The results of main interest were the Democratic Presidential Preference, with five candidates running; the Republican Presidential Preference, with nine candidates running; and the races for Committeeman and state committeewoman, with two candidates each. There were also three other contests to be reported: The constitutional amendment to increase the Homestead exemption, the bill to modify the duties of the Florida Supreme Court and the county-wide vote for a penny gasoline tax.

There are thirty-six precincts in Collier County and ballots were expected to run to about 20,000. The ballots were brought to the court house for computer processing and a summary of each precinct's results were duplicated and given to the media in hard copy. These summaries became available shortly after seven p.m., and it was expected that they would all be available by eleven.

Hourly News Reports

We agreed to input the precinct results into the computer as they were made available to us, and summarize them for hourly news reports through eleven p.m. The club decided to use the TRS-80. Several mem-

bers have this computer and we wanted two computers working, one as a backup. The expanded letters on our screen were better for viewing, and we could use the INKEY command to allow rolling from one full screen to the next without a question mark showing. We tried feeding our signal directly into the TV station modulator but we had better success feeding into one of their monitors from which they could pan their camera on and off as they desired. This monitor was coupled in parallel with our two computers and could be switched from one computer to the other by means of a simple single pole switch.

The programs were fairly simple to outline but the more we worked with them the more complex they became. We decided to work-up three programs: a main program, a backup program, and a reload program, for use in case of a bad crash to both computers. The Collier County Computer Club did not want to fall on its face in front of a county-wide audience, so we added many fail safe features to all three programs.

The main program accepted votes by precinct number, and candidate or proposition name. The input was then reviewed for corrections before going on to the next race in the precinct.

The main program menu was:

- 1. Enter a new precinct.
- 2. Display individual precinct results on the TV monitor.
- Present the summary of the available precincts on the TV monitor.
 - 4. Save data to disk.
- 5. Recover data from disk.

The backup program automatically saved only the summary data on disk for re-

covery purposes after each precinct entry. At the operator's discretion, a printout could be made on a small printer so that in case of a catastrophic failure, we could reenter the summary data from the keyboard and go on from there, using either the third program or, by entering the summary data as if it were a single precinct data and changing the total number of precincts, use program number one.

Ran Simultaneously

We ran the first two programs simultaneously and they were periodically compared for accuracy. In the dry runs before election day we experienced some disk save failure because of power line glitches, so we decided to run the main program without saves. At the end of the evening we were able to save the whole data array without any problem. The array was 28 candidates by 36 precincts, over 1000 elements.

The logistics were as follows. There were two computer operators and two readers. A project manager made sure the overall operation ran smoothly. He received the summary sheets, edited the extraneous material and passed the sheets to the readers. He also kept an account of the precinct sheets processed.

The evening was completed successfully, and while we didn't need the backup computer for the TV presentation, it was comforting to see it performing and checking the results of the main computer. The media people were very generous and gave us quite a bit of on-the-air publicity during the operation. The listings of the programs we used are available from the Collier County Computer Club, c/o Dr. G. L. Haller, 1500 Galleon Dr., Naples, FL 33940.

* * NEW * * HARD/SOFT DISK SYSTEM (MOD II) \$400

The Hard Disk Software Implementation You Have Been Waiting For!! MOD II TRSDOS compatible using Cameo controller interface to popular large hard disk fixed/removable combinations (Ampex, CDC, Diablo, Pertec, Wanco, etc.). Compatible with your existing programs — change only 'filename'. All disk BASIC statements identical. Improved dynamic file allocation. A single file can be as large as one disk -20 megabytes or larger. Alternate mode allows 24-million byte record range. Directory expandable to handle thousands of files! Includes special XCOPY, DCS, and SZAP utilities for use with hard or soft disks. Parameterized FORMAT utility includes options for specifying the number of sectors/track, platters/drive, sectors/granule, sectors/directory, etc.

* * NEW * * BASIC LINK FACILITY 'BLINK' (Mod I Min 32K 1-disk) \$25 Mod I, \$50 Mod II

Link from one BASIC program to another saving all variables! The new program can be smaller or larger than the original program in memory. The chained program may either replace the original program, or can be merged by statement number. The statement number where the chained program execution is to begin may be specified!

INFINITE BASIC \$49.95 (Mod | Tape or Disk)

RACET

COF

Extends Level II BASIC with complete MATRIX functions and 50 more string functions. Includes RACET machine language sorts! Sort 1000 elements in 9 seconds!! Select only functions you want to optimize memory usage.

INFINITE BUSINESS \$29.95 (Requires Infinite BASIC)

Complete printer pagination controls — auto headers, footers, page numbers. Packed decimal arithmetic -127 digit accuracy +, -, *, /. Binary search of sorted and unsorted arrays. Hash codes.

COMPROC \$19.95 (Mod I — Disk only)

Command Processor. Auto your disk to perform any sequence of instructions that you can give from the keyboard. DIR, FREE, pause, wait for user input, BASIC, No. of FILES and MEM SIZE, RUN program, respond to input statements, BREAK, return to DOS, etc. Includes lowercase driver software, debounce and screenprint!

GSF \$24.95 Mod I, \$50.00 Mod II (Mod I Tape or Disk — Specify Memory Size)

Generalized Subroutine Facilities. The STANDARD against which all other sorts are compared! Machine language — fast and powerful! Multi-key multi-variable and multi-key character string. Zero and move arrays. Mod II includes USR PEEKS and POKES. Includes sample programs.

DSM \$75.00 Mod I, \$150.00 Mod II. (Mod I Min 32K 2-drive system. Mod II 64K 1-drive)

Disk Sort/Merge for RANDOM files. All machine language stand-alone package for sorting speed. Establish sort specification in simple BASIC command File. Execute from DOS. Only operator action to sort is to change diskettes when requested! Handles multiple diskette files! Super fast sort times — improved disk I/O times make this the fastest Disk Sort/Merge available on Mod I or Mod II.

UTILITY PACKAGE \$150.00 (Mod II 64K)

Important enhancements to the Mod II. The file recovery capabilities alone will pay for the package in even one application! Fully documented in 124 page manual! XHIT, XGAT, XCOPY and SUPERZAP are used to reconstruct or recover data from bad diskettes! XCOPY provides multi-file copies, 'wild-card' mask select, absolute sector mode and other features. SUPERZAP allows examine/change any sector on diskette including track-0, and absolute disk backup/copy with I/O recovery. DCS builds consolidated directories from multiple diskettes into a single display or listing sorted by disk name or file name plus more. Change Disk ID with DISKID. XCREATE preallocates files and sets 'LOF' to end to speed disk accesses. DEBUGII adds single step, trace, subroutine calling, program looping, dynamic disassembly and more!!

BASIC CROSS REFERENCE UTILITY \$50.00 (Mod II 64K)

SEEK and FIND functions for Variables, Line Numbers, Strings, Keywords. 'All' options available for line numbers and variables. Load from BASIC — Call with 'CTRL'R. Output to screen or printer!

DEVELOPMENT PACKAGE \$125.00 (Mod II 64K)

Includes RACET machine language SUPERZAP, Apparat Disassembler, and Model II interface to the Microsoft 'Editor Assembler Plus' software package including uploading services and patches for Disk I/O. Purchase price includes complete copy of Editor Assembler + and documentation for Mod I. Assemble directly into memory, MACRO facility, save all or portions of source to disk, dynamic debug facility (ZBUG), extended editor commands. RACET COMPUTES

Circle reader request for free 24-page catalog

CHECK, VISA, M/C, C.O.D., PURCHASE ORDER *TRS-80 is a registered trad Telephone Orders Accepted (714) 837-5016 Tandy Corporation

702 Palmdale, Orange CA 92665 DEALER INQUIRIES INVITED

RACET SORTS - RACET UTILITIES - RACET computes - RACET SORTS - RACET UTILITIES - RACET computes - RACET SORTS - RACET UTILITIES - RACET Computes - RACET SORTS - RACET UTILITIES - RACET COMPUTES - RACET SORTS - RACET UTILITIES - RACET COMPUTES - RACET SORTS - RACET UTILITIES - RACET COMPUTES - RACET SORTS - RACET UTILITIES - RACET COMPUTES - RACET SORTS - RACET UTILITIES - RACET COMPUTES - RACET SORTS - RACET UTILITIES - RACET COMPUTES - RACET SORTS - RACET UTILITIES - RACET COMPUTES - RACET UTILITIES - RACET UTILITIES - RACET COMPUTES - RACET UTILITIES - RACET UTI

Sound Strange? Not so.

See how this hardware mod can put your old 4K memory chips to use.

Mem Size...20K!

W. R. Stanley N4TF Rt. 13, 204 Avery Lane LaGrange, GA 30240

When you installed a set of 16K memory chips in your computer, what did you do with the 4K set that came out?

Do you find occasions when that cure-all-memory-problem 16K set is not quite enough to contain that long program you're working on, along with an assembly language monitor and a couple of utility programs?

Let's put that extra 4K memory set to good use. Don't worry, no internal changes to the keyboard unit are necessary.

Background

Correct operation of any external circuit connected to the keyboard will depend upon appropriate address selection, your use of the data bus and the control signal you employ in an exact sequence. For example, an external memory cell location must be addressed to the exclusion of all other cell locations in that memory, if it is to share in data transfers to and from the keyboard.

The parallel eight-bit data bus at the keyboard connector is an extension of the data bus routed inside the keyboard to several discrete memory blocks (ROM, RAM, video memory, and the keyboard itself). The external memory circuit to be added to the computer must be brought onto the data bus only when data are to be written to or read from that memory block.

Address and control signals from the keyboard insure that this external memory block is enabled only when called upon by the CPU. At all other times the external memory block must appear transparent (non-existent) to the main computer.

The 4K dynamic chip as used in the TRS-80 is packaged in the standard 16-pin DIP package. One pin serves as the data input point, while a second one is used for data bit output.

Three pins are used for power inputs (+12, +5, -5 V). An additional pin is grounded for signal and power path returns. One further pin is used for a Chip Select control signal to activate the memory chip for a read or write operation.

Still another pin receives a control signal telling the chip whether the current operation is a read or a write.

So far, eight of the 16 pins have been accounted for, leaving

eight more. Yet we must apply 12 bits of addressing information to the chip designating the exact memory cell locations to be affected by the chosen operation.

Why 12?

Consider the number of address line bits necessary to address each of the 4096 memory cell locations on the chip (from 0000 to 0FFF hex). Two raised to the 12th power equals 4096.

The Memory Matrix

The 16-pin memory chip addresses its memory as a matrix, in rows and columns. Picture a grid of 64 horizontal wires overlaid by 64 vertical wires ($64 \times 64 = 4096$). Any intersecting point in the grid can be located by specifying the row number and column number.

The memory chip is addressed by applying data that designates the row number of the desired memory bit location, latching that row address into the chip logic and control circuits, and then latching the column address presented a short time later. This address method (called multiplexing) can address any location on the 4K chip using only six address pins instead of 12.

Two additional pins on the chip are used for signal inputs to tell the chip's internal circuits

whether a row-address group or a column-address group is being entered. All 16 pins are now accounted for.

Consider one more function. The value of a given data bit stored at a particular address on the dynamic memory chip is represented by the charge level (high or low) of a capacitor at that memory matrix location.

As you know, the level of charge on a practical capacitor changes over time. This charge must be restored periodically at each capacitor cell location. This is known as the refresh operation. In the TRS-80, the Z-80 CPU performs refresh operations at the same time it decodes a machine instruction. A special register on the CPU chip keeps track of the row address groups and insures that all memory matrix row addresses are accessed in the proper order. Regardless of the amount of dynamic memory on line, all cells will be refreshed approximately 500 times per second.

Block Diagram

Fig. 1 is a block diagram of a 4K dynamic memory card that can be directly connected to the keyboard. Its address decoder is the principal circuit that determines when external memory is brought on line.

Since all locations in a 4K

memory block can be addressed using 12 address lines (A₀-A₁₁), and an additional four address line bits (A₁₂-A₁₅) are available, those four bits can be used to arbitrarily assign an address block location to the external memory board.

The logical place to locate the additional memory block is in the range of 8000-8FFF hex. This places the external memory immediately above the internal 16K block, whose highest address is 7FFF hex, without leaving a gap.

The address decoder constantly monitors the four highest-order address line bits. It outputs an enabling signal only when the computer address bus contains addresses in the 8xxx hex range (when A₁₅ is high, and A₁₂ through A₁₄ are low).

If the address decoder circuit senses any other combination of signals on the address bus, it disconnects the remainder of the memory board circuits.

The address multiplexer (Fig. 1) performs as an electronic six-




Fig. 1. Block Diagram of the 4K Dynamic Memory Board

pole double-throw switch. In one position of the switch, address lines A_0 - A_0 connect to the memory chips. In the other position,

lines A₀-A₁₁, are routed to the chips. The MUX (Multiplexer) signal, which is the output of a flip-flop in the keyboard, deter-

mines the electrical position of the double-throw switch.

The MUX signal has a predetermined phase relationship to the RAS (Row Address Strobe Not) and CAS (Column Address Strobe Not) signals also generated inside the keyboard. When the RAS signal is present, either during the early part of a memory read or write cycle, or during a refresh operation, the phase of the MUX signal is such that the address multiplexer outputs the low-order address group (A₀·A₂) to the memory chips.

When the CAS signal is present, the MUX signal phase is reversed, and the multiplexer outputs the high-order address group (A₄-A₁,) to the chips.

Note that the RAS signal is applied through a buffer to memory. Buffering this signal causes the keyboard circuit that provides that signal to see only one additional load rather than eight more.

Note also that the CAS signal is applied through a three-state buffer. This buffer is operational

NOW AVAILABLE FROM THE AUTHOR OF RADEX-10*

ALL THE MODULES YOU HAVE BEEN WAITING FOR AND MORE "THE UNIVERSAL DATABASE MANAGER (UDBM)"

CUSTOM APPLICATION SOFTWARE announces the first complete database management system for the TRS-80* Radio Shack computer. The **UDBM** is complete with operators manual and is sold only under license agreement with the author, Ronald L. Lucia. The add on modules are available only to those persons who have a authorized (not bootleg) copy of **RADEX-10**, or the **UDBM** and **NEWDOS** by **APPARAT**.

THE UNIVERSAL DATABASE MANAGER

MENU	MODEL I	MODEL II
1. CREATE A DATABASE		
2. MAINTAIN A DATABASE		
3. CREATE A REPORT		
4. RUN A REPORT		
5. PRINT FILE PARAMETERS (1-5)	\$99.95	\$149.95
6. CREATE OR RUN SORT REPORTS	\$99.95	\$149.95
7. SORT DATABASE	\$99.95	soon/available
8. RESTRUCTURE DATABASE	\$99.95	soon/available
9. INDEX KEYS (soon available)	\$99.95	soon/available
10. INVOKE AUTÒ COPY		

- 1-5. The UNIVERSAL DATABASE MANAGER (UDBM) and its four add on modules are compatible with any file created with RADEX-10
- 6. The SORT REPORT MODULE gives you the ability to create reports which sort the records of any RADEX-10 or UDBM file by any KEY and any SUB KEY and print them on the report.
- 7. The SORT DATABASE MODULE gives you the ability to sort the records of any RADEX-10 or UDBM file and write those records onto a new file or append those records to an existing file with the same file structure as the source file. (Both the SORT REPORT and SORT DATABASE modules use the 48K INFINITE BASIC machine language sort of RACET COMPUTES.)
- 8. The RESTRUCTURE DATABASE MODULE gives you the ability to read the records of any RADEX-10 or UDBM file and then write those records onto another file with a different file structure, thus allowing you to ADD, DELETE, or CHANGE FIELDS of a database file without having to re-key-in the data.

C.A.S. P.O. BOX 1119 PLACENTIA, CA 92670 (714) 996-7477

11. END PROGRAM

HARNESSED TECHNOLOGIES 20 HAARLEM AVENUE WHITE PLAINS, NY 10603 (914) 949-2001 TANSTAAFL CUSTOM SOFTWARE 7136 BELITA AVE. ROHNERT PARK, CA 94928 (707) 664-1149

V 435

*TRS-80 is a trademark of the Tandy Corporation

*RADEX-10 is a trademark of the International Jewelry Guild Inc

California residents add 6% sales tax.

The solution to your hardware dilemma:



You could spend a lot of money for TRS-80* peripherals — OR — spend a lot of time developing your own — BUT here's a better choice. The UIMS parallel input port costs little more than you would pay for parts alone AND lets you focus your design time on applications.

Hook up sensors, switches, joysticks, lightpens, keyboards without modifying the computer or tying up the cassette port. Plugs into card edge at back of keyboard

Features 8 bit, TTL/CMOS compatible input. Jumper address programming. Can be powered by inexpensive AC adapter available from Radio Shack and elsewhere.

and elsewhere.
Includes all IC's, sockets, resistors, capacitors, voltage regulator, jack, instructions/documentation, etc., plus free joystick plans. As you would expect of a good solution, all parts are guaranteed. For LII.

Kit (one evening) \$35.00 pp Assembled & tested \$45.00 pp

GRAPHICS UTILITIES

PCTWD0 (Picture Window) allows you to create, edit, display, save on cassette, and recall fast action graphics. The powerful machine code subroutines are easily accessed from BASIC or assembler. Scan images larger than the screen, display multiple images, create animations and more includes: system code, BASIC image editor, 5 demo animations, and source code (for assembler programmers) on cassette, and complete instructions/documentation.

Add exciting visuals to your next education, game, or business program. Lots of graphics power at a low price. For 16K LII \$12.00 ppd



WWI Aviation Game

FRANK LUKE is a simulation based on the exploits of the American Ace Frank Luke I.7 Take your S.P.A.D. on a solo mission behind enemy lines. Fly through the menacing skies, dodging the flak, in search of observation balloons. Will you survive to experience a well earned trip to Paris (created by PCTWD0)? Sign up now to fly in

France. For 16K LII

\$10.00 ppd

Order PCTWDO, FRANK LUKE, & UIØ8# from:

Universal 292 NTERFACE

We accept VISA & MC P.O. BOX 1077 GLENDALE HEIGHTS IL 60137 (312) 469-6921

(312) 469-6921 (IL residents add 5 ¼ % tax)




Fig. 2. Schematic Diagram of the 4K Dynamic Memory Board

only when the address decoder senses addresses in the 8xxx hex range. The CAS signal is therefore applied to the external memory chips only when those chips are written to or read from.

Two additional control signals from the keyboard connector tell the external memory whether it is being written to or read from. These signals are, respectively, WR (Write Not) and RD (Read Not).

Note that these signals are al-

so combined with the address decoder output so that the memory chips are not placed in the read or write condition unless the proper address range is on the computer address bus.


The \overline{CS} (Chip Select Not) signal is present when the \overline{RD} signal and the proper address decoder output appear in the same time frame.

Construction

The schematic diagram of the

4K memory board is shown in Fig. 2. The layout is not critical; however, I suggest that you spend a little time trying different component arrangements before you start wiring.

I constructed my circuit on a Radio Shack Cat. #276-152 Plug-In Breadboard. This card provides ample room for construction of the memory circuit. It also has 44 pins on its board edge, which means that its pin number assignments can be directly



ORDER NOW TOLL FREE 1 (800) 345-8102

HARD DISK for TRS-80 Model II

10 meg. 5 fixed 5 removable

●SALE●
DISK HEAD
CLEANERS
5-1/4" \$12.95
reg. \$14.95
8" 3M CLEANER

\$24.95 reg. \$30.00

TRS-80 TR

SOFTWARE	MOD. I	MOD. II
Medical/Dental Patient Accounting	g	\$1500
Word Processing (Magic Wand)	1.51	300
General Ledger	\$149.95	249
Payroll	99.95	199
Data Base	149.95	299
	Tape	Disk
Upper/Lower Case Modification	\$19.95	\$24.95
Comprehensive Diagnostics	34.95	34.95
CP/M	\$1	75.00
New DOS + 40 TK	1	00.00
New DOS/80	1	45.00
Software Documentation Available	. CALL FO	B PRICES

Model II Drives

1 Drive Single Enclosure \$ 899.00 1 Drive Multiple Enclosure 1069.50 Additional Drives for Mult, Enc. 540.00

4K L II TRS-80		575.70
16K L II		789.60
RS-232		92.10
OK Expansion Interf	278.10	
16K Expansion Inter	rface	376.10
32K Expansion Inter	face	474.10
Telephone Modem		179.95
Emulator CRT by In	tertec	895.00
CRT Stands	from	139.00
Anti-static Mats		1 10.00

IN PENNSYLVANIA (215) 461-5300 ●

SUPERBRAIN ™ 64K \$2995.00

complete with 5-1/4" disk drives ● in stock





■ VISIT OUR NEW WAREHOUSE SHOWROOM AND REPAIR CENTER ■



FOLCROFT, PA 19032

WE SERVICE MANY BRANDS OF COMPUTER EQUIPMENT. CALL FOR CONSULATION AND ESTIMATE.

DEALER INQUIRES INVITED ● BIDS ACCEPTED ● ABOVE PRICES ARE CASH DISCOUNTED, CALL FOR OTHER TERMS.

ORDER NOW ● TOLL FREE 1 (800) 345-8102 ● IN PENNSYLVANIA (215) 461-5300

Announcing the most important utility ever introduced for the TRS-80* Model I and Model II-

ENHBAS is an Enhanced Basic extension module, which loads at the top of BASIC, adding many commands and background tasks-

□Over 30 new commands added to your BASIC:

- SORT-Multi-keying, multi-tagging array sort. Sorts thousands of items in mere seconds, all with one command!
- •JNAME \$exp-Use line labels along with line numbers in branching statements, as in assembly language, using the ENHBAS commands GTO and CSUB (special GOTO and GOSUB). For example:

 - 10 GTO "ENTER A LINE" 20 REM LINE 10 IS THE SAME AS 'GOTO 30' 30 JNAME "ENTER A LINE": INPUT A\$

How many times have you wanted to use variables to reference line numbers? Now you can! GTO and CSUB allow variable expressions as operands, such as: GTO X+40 or CSUB (Y *10)+30.

- •WHILE / WEND-New, structured programming loop construct. Makes for more logical program flow.
- •EXEC / EVAL-Two new, extremely powerful functions! EVAL evaluates an algebraic expression in string form: A\$ = "X + 2" : Y = EVAL A\$ would result in Y being set equal to the algebraic expression X + 2. With EVAL can manipulate complex functions in string form, and then execute them.

EXEC executes a string expression as if it were a BASIC

- program line! For example:

 A\$ = "PRINT X": X = 4: EXEC A\$ would result in a 4
 printed on the screen (that is, execution of the BASIC
 statement "PRINT X"). With EXEC, your computer can write its own programs and execute them!
- CALL-Pass control to machine language sub-routines at any address, passing parameters both ways.
- CLM / PAGE-Set up automatic page roll-over and other line printer functions from BASIC.
- •All these and many more!
- □In addition to the above commands, Model I ENHBAS contains vector graphics and drawing commands. Model II ENHBAS has many functions suited to business programming—ISAM file handling commands, RS-232 access, and many more; along with several Model I BASIC commands left out of Model II (PEEK, POKE, etc.).

DENHBAS includes many background utilities:

 User-select cursor Key click

•Short-entry commands (Shift-letter)
•Real Control keys

•2-tone beep on error Automatic lower-case

•One-letter commands •Formatted LISTing

 Automatic debounce ENHBAS is available for:

32K Model II \$99.95

Other software:

CSG PILOT-Disk-based, high level language. Fast! Z-EMULATOR-Executes assembly language program lines 16K Model I—Level-II Tape / 32K Model I Disk ... \$29.95 ENHCOMP-Integer subset BASIC compiler. Full graphics and unlimited length variables. Written in machine-language-fast! 32K Model I Disk..... ABBREV-Level-I abbreviations in Level-II/Disk BASIC. 16K Model I—Level-II Tape / 16K Model I Disk ... \$24.95

*TRS-80 is a registered trademark of Radio Shack, a Tandy Co.

The Cornsoft Group

6008 N.Keystone Ave., Dept. 80, Indianapolis, IN 46220 (317) 257-3227

COMPUTER PIRATES

Don't let computer pirates:

DIVINE your DATA FILCHE your FILES PERUSE your PROGRAMS

Protect them all with CRYPTEXT. the hardware encryption module that brings ultra-high level security to the small computer user. encrypted, your files can be stored or transmitted in strictest privacy. A single CRYPTEXT unit will differentially control the medical. legal or financial records, mailing lists, and design data for an entire firm.

Breaking CRYPTEXT encrypted data is like unscrambling an egg. We don't say its impossible but we have 3 oz. of fine gold waiting for the first person who succeeds in breaking our test message.

SECURITY SYSTEMS FOR USE WITH:

TRS-80 APPLE II

SUPERBRAIN

NORTHSTAR





(206) 364-8685



correlated with those of the keyboard connector, and still have four uncommitted pins available for connecting the card to an external power supply.

The mating connector is also available at Radio Shack. The proper mating connector for the keyboard is an AMP P/N 88103-1 or its equivalent. You can get a 40-pin connector with 0.1-inch contact spacing at Priority One Electronics. Consult the advertisements in this and other periodicals for alternate sources.

Note that the pin number assignments on the keyboard connector do not necessarily agree with the order indicated on your mating 40-pin connector. With the keyboard in front of you, pin 1 will be on the top of the circuit board at the connector end farthest removed from the RE-SET button. The odd-numbered pins progress in ascending order to the left, with pin 39 on the top left edge. All even-numbered pins are on the underside of the keyboard connector, with pin 2 directly underneath pin 1.

Pin 40 is closest to the RESET button.

Be sure to label the connector that plugs into the keyboard so that its position is correct before insertion. Use dots of fingernail polish or some other marking medium to indicate proper orientation between the memory card and its mating

for all ICs. They are good insurance against heat and static damage for the memory chips. They make troubleshooting and replacing components much easier. Incidentally, either solder or wire-wrap techniques can be used. The more ambitious constructor might consider fabricating a printed-circuit board.

"Note that the pin number assignments on the keyboard connector do not necessarily agree with the order indicated on your mating 40-pin connector."

connector. If either cable connection is reversed, you might damage your system.

You can use either ribbon cable or individual stranded wires to join the two connectors. I suggest a maximum length of one foot for either type.

I urge you to employ sockets

Make all necessary power and ground connections to all chip sockets. Next, connect all indicated like-numbered pins in parallel on the eight memory IC sockets. Make all connections between the memory chip sockets and the remainder of the components on the board.

Following this, wire the address decoder and logic circuits. The last area to be wired is between the card edge pins and the appropriate ICs.


Work slowly, and take a break now and then. Double-check your wiring. Unless printed-circuit techniques are used, you will end up with several layers of wires placed on top of each other. It becomes difficult to find and correct a wiring error that is buried.

If you arrange the memory sockets in parallel rows on the card, cross-connect the power buses between adjacent chips if possible. This method will lower the impedances of the power distribution leads.

Power supply pins should be bypassed, especially around memory ICs. A 0.1-uF disk capacitor bypassing the +12-V supply pin at every other chip and a 0.1-uF disk at the +5-V pin on alternate memory chip sockets are recommended.

A 0.01-uF disk located at the -5-V supply pin on every other





memory socket is also advisable. Several 0.01 to 0.1-uF disk capacitors located at the +5-V supply pins on several of the remaining IC sockets would help maintain smooth operation.

One reason for paying particular attention to supply pin bypassing around the memory chips is that high peak currents occur during certain portions of the memory IC operating cycle. Although the average current at each IC is not excessive, those sudden high-current demands could not be met by power supplies located several feet away.

One solution to these abrupt current increases is to connect large capacitors in the immediate vicinity of the memory chips.

The memory board doesn't require much power. But you will find that it costs only a little more to build a power supply that will operate with other circuits. In other words, overbuild the power supply, unless you are interested in the smallest possible package.




Fig. 3. Partial Schematic Diagram of the 16K Dynamic Memory Board

Junk-box Transformer

I used a junk-box transformer with two low-voltage centertapped secondaries. The wires between the windings and the terminals on the transformer appeared to be about the right size to handle at least one amp each.

A bridge rectifier across one winding, with the center-tap left disconnected, feeds a 7812 regulator. Both input and output of this regulator chip are heavily bypassed with electrolytics.

In addition, I placed a 0.1 uF disk at both of its active terminals, very close to the package.

A full-wave rectifier is connected across the other secondary winding, whose center-tap is grounded. This rectifier feeds a 7805 regulator, whose input and output are also heavily bypassed.

Another full-wave rectifier, with the diodes reversed from those for the +5-V supply, is connected to another regulatorfilter combination. Here a 7905 negative voltage regulator is

PRODUCTS # TRS-80' FORWARE



NEW!

WHISTLER: HOME CONTROLLER INTERFACE - \$34.95. controls lights, appliances, computer peripherals, darkroom timers and other 115 volt devices anywhere in your house! Software controlled by cassette cable. Use with Sears or BSR Home Control System with ultrasonic option. Assembled, tested, self-contained, and includes Basic software.

TRS-80 DISK & OTHER MYSTERIES - \$22.95, H.C. Pennington. Best disk bude've seen! Directory secrets, file formats, damaged disk recovery, etc.

LEARNING LEVEL II - \$15.95, D.A. Lien. Learn Level-2 like you did Level-1, step by step. Same author and style as Level-1 manual. Super new book!

UTILITIES

RSM-2: MACHINE LANGUAGE MOMITOR FOR 16K TRS-80'S - \$26.95 RSM-2D: THREE VERSIONS OF RSM-2 FOR DISK SYSTEMS - 29.95 RSM-2 RELOCATOR: PUT RSM-2/2D ANYUMERE IN MEMORY - 9.95

Machine Language monitors with Z-80 disassembler! HEX and ASCII memory dumps; EDIT, MOVE, EXCHANGE, VERIFY, FILL, ZERO, TEST, or SEARCH memory, read/write SYSTEM tapes, enter BREAKPOINTS, PRINT with TRS232 or Centronics, read/write disk sectors directly! RSM-2 tape loads at top of 16K LEVEL I or II; RSM-2D disk includes 3 versions for 16K, 32K and 48K.

DCV-1: CONVERT SYSTEM PROGRAMS TO DISK FILES -89.95. Execute Adventure, Air Raid, RSL-1, ESP-1, T-BUG, etc. from disk, even if they interfere with TRSDOS! New version works with TRSDOS 2.3.

BASIC-1P: LEVEL-1 BASIC WITH PRINTING! - \$19.95. Run any LEVEL-I BASIC program on your 16K Level-2. PLUS LPRINT and LLIST with our TR\$232 or Centronics. Furnished on tape; can be used from disk.

MACHINE LANGUAGE GAMES

AIR RAID, BARRICADE or RSL-1: - \$10.00 each, all 3 for \$25.00

AIR RAID: A super shooting gallery; our most popular game. Ground based missile launcher shoots high speed aircraft! Hours of fun!

BARRICADE: "BREAKOUT" for the TRS-80! Break through 5 walls with -speed ball and keyboard controlled paddle!

RSL-1: Enter patterns with repeating keyboard! Save patterns on tape (4 furnished). Play John Conway's LIFE. FAST - about 1 second per generation!

SMALL SYSTEM SOFTWARE 🔀 P.O. BOX 366 🚺 NEWBURY PARK, CA 91320

MODEL-II TRS-80'

CP/M" WERSION 2.0 FOR THE MODEL-II - \$170.00. Latest version from Digital Research. Runs both single and double density disks! "Standard" version runs nearly any CP/M software, including Cobol, Fortran, C-Basic, M-Basic, business and accounting packages, etc. Hundreds of programs available!

RSMII: ENHANCED RSM MONITOR FOR THE MODEL-II - \$39.95. Relocatable of RSM-ZD plus screen editor for modifying either memory or disk sectors both Mex and ASCII, split screen scrolling, and formatted serial or paral printing. Sold on self-booting disk; directions to save as TRSDOS file.

PROFESSIONAL SOFTWARE

THE ELECTRIC PENCIL FOR THE TAS-80: TAPE-899.95, DISK-\$150.00. Popular video editor for creating and saving text files. Prints formatted copy with right justification, page titling & numbering, etc. Upper case only, or lower case with modification. 16K Level-1 or 2 (tape).

CP/M" OPERATING SYSTEM FOR THE MODEL-I - \$145.00. The 8080/280 "Software Bus for the Model-1 TRS-80. Includes TRS232 and RS-232-C software, lower-case support, debounce, DCV-2 and other unique utilities. Allows use of many available programs written for CP/M.

PRINTER SUPPORT

TRS232 PRINTER INTERFACE - \$49.95 (\$59.95 after June 30). Assembled & tested printer interface for R\$232 or 20-mil current loop printers. Expansion interface not required. Print from level-II BASIC, CP/M, BASIC-1P, ELECTRIC PENCIL, etc. Standard cassette software included. Add \$2.00 for shipping.

TES232 "FORMATTER" SOFTWARE PACKAGE - \$14.95. Adds page and line length control, printer pause, "smart" line termination, etc. to TRS232.

Adds RS-232-C capability to RSM-2/2D monitors - \$9.95 RS-232-C for cassette version Electric Pencil - 9.95 TRS232 and RS-232-C for tape version of EDTASM - 9.95

OTHER PRODUCTS FOR THE TRS-80

ESP-1: 829.95. Assembler, Editor, Monitor (8080 mnemonics)
LST-1: 8.00. Listing of Level-1 BASIC with some comments

*TRS-80 tm Tandy Corp. **CP/M tm Digital Research, Inc. *TRS-80 tm Tandy Corp. See your dealer or order direct. Calif. Residents add 6% tax

SMALL SYSTEM SOFTWARE 🔀 P.O. BOX 366 🔳 NEWBURY PARK, CA 91320

used. Many parts suppliers stock the equivalent of the 7905. listing it as the LM320K-5.

(A 5-V zener diode, bypass capacitor and series dropping resistor can be used in lieu of the 7905 (or equivalent), and you would find that the total cost is about the same. However, this zener regulator does not provide the thermal and overload current protection of the regulator package.)

Mount the 7812 and 7805 on separate small heat sinks, or attach suitable radiators to them. Both of these chips get rather warm. The 7905 does not require heat-sinking because its load current is much lower.

16K Memory Board

You can modify the 4K memory board making it plug compatible to that new set of 16K chips. You need change only the address decoder and address multiplexer circuits to operate the added 16K set in the address range from 8xxx to Bxxx hex (Fig. 3).

Compare the schematics in Figs. 2 and 3. Seven address lines are connected to the 16K chips. (Only six lines went to the 4K set). This means that a total of 14 addressing bits are applied to the 16K chips, in two groups of seven.

The row and column matrix in

the 16K chip is a 128 by 128 grid; therefore, seven bits per multiplexed group are necessary.

Adding one address bit per group means that two additional address lines must be added to the multiplexer. This is shown

Recall that all 16 pins on the 4K chip are used. What else has to be changed when the seventh address line is added to the 16K is accessed only when A15 is high, and A,, through A,, are low. This represents an address within the 8xxx hex range. The 16K board is addressed in the 8xxx-Bxxx hex range. This particular range of addresses is present any time A,s is high and A14 is low.

The address decoder on the 16K board, therefore, has to monitor only two address lines. rather than four.

"Recall that all 16 pins of the 4K chip are used. What else has to be changed when the seventh address line is added to the 16K chip?"

The 4K chip has a CS pin which enables the chip. Note that the 16K chip has no such pin designation. The manufacturer designed the 16K chip so that it is fully functional when the RAS, CAS and addressing signals are present at the correct times.

Look at the address decoder circuits on the two schematics. The decoder for the 16K memory circuit is simpler, because it responds to a wider range of addresses than the one for the 4K

Remember that the 4K board

When you substitute that set of 16K chips in the keyboard for the original 4K set, you have to reconfigure several jumpers. You are actually rearranging the address decoder output to respond to a wider range of dynamic memory addresses. You also change the CS signal line going to the 4K set to an additional multiplexed address line going to the 16K set.

It makes sense now, doesn't it?

Closing Comments

Well, there you have it. I have

tried to present enough background information to enable you to substitute parts or rearrange logic and control circuits. There is always room for improvement on someone's ideas or techniques, and this construction article is no exception.

You will find many instances when the external memory is unnecessary. Instead of wearing out the keyboard connector merely turn off the power supplies feeding the board.

One word of caution in this area: If you initialize the computer with the external memory energized and, later, remove power to the external circuit, the computer will, in some instances, use the external memory as if it were still available. The result is incorrect operation and/or lost

A good way of reserving a block of upper memory for machine-language programs is to power on while the external memory is still off. After the computer is initialized, turn on the external memory power supplies.

The computer won't find the added memory, unless it gets trapped in a loop that asks you the MEMORY SIZE question (Level II).

If you have any questions, I'll be happy to respond but include a SASE.

WHAT IS "THE PATCH"?

We asked ourselves: WHY should our computer be as bland as everybody else's? Why not unlock the unused and wasted abiliwhy not unlock the unlock and wasted abilities available within each and every TRS-80 Model 1. These abilities allow the display to be dressed up and the computer to be effectively easier to use.

Now we have developed the means for get-

ting the most from our computers and we know you need it too. With "THE PATCH", know you need it too. With "THE PATCH", a new age of simplicity and convenience has arrived. You don't want to be left out, so don't kid yourself, you need the enhancements which "THE PATCH" provides.

* Does you keyboard bounce?

Some say, "I have a software fix for that!"

*Does your display still have that standard, dull, underline cursor?

Some brag, "We have a program which will give you a Block cursor, and it even blinks!!"

Does your Dualcase printer make you look foolish when you tell it to print lower-case because you could only see UPPERcase on the display?

Most cry, "We have a kit you can in-. . . and a program to run it!!!" Don't you have better uses for protected memory than to waste it on programs which are TOTALLY UNNECESSARY?

You sob, "I need all those advantages but they are just too much trouble to have all at once so I'll make do with what I have. FORGET ALL THAT . . . make your

What we are trying to tell you is: 1. You CAN have Keyboard debounce if

- you need it!
- You CAN have Block cursor with NO distracting blinking!
- 3. You CAN have FULL TIME Dualcase You CAN have typewriter style key-
- board operation! You CAN have faster cassette data files, up to four and one-half times faster!
- You CAN have even more features as we make them available.

All this from THE INSTANT you power up your computer, without making your other programs unusable because some unnecessary driver program is eating that mem-

"THE PATCH" is not a ROM. "THI PATCH" is not a PROM. "THE PATCH PAICHT is not a FRUM. THE FAICH is a microprocessor which modifies the Level II ROM to repair changes made by TANDY when they designed your computer. This state-of-the-art technology makes these changes possible without using ANY of your computer, among that meens of your computer's memory. That means, any program you use on your computer now, will still work after you install "THE PATCH", including word processors.


THE PATCH" fits easily into the Level II ROM sockets inside your computer, no cables or switches to install.

Sound too good to be true?? Call us. Tell us your innermost fears. Let us answer your questions. Do not cheat yourself out of using ALL of your computer's abilities ALL of the time.

THE PATCH S69.92 plus \$2.50 ship and hand Options Block carsor N.C. Debounce N.C. Cassette File \$10.00

WITH DSC'S 10% CLUB

YOU CAN BUY HARDWARE, SOFTWARE, AND SUPPLIES AT 10% ABOVE WHOLESALE *



EXAMPLES

Superbrain 64K	\$2500.00
NEC 5510	2500.00
Centronics 730-1	616.00
40 TK Disk Drives (TRS-80 Comp.)	310.00
77 TK Disk Drives (TRS-80 Comp.)	475.00
Star Modem	140.00
5-1/4" Diskettes (Box of 10)	24.00
Magic Wand - WP Software	250.00
16 K Memory Kits	42.00

\$15.00 ANNUAL MEMBERSHIP FEE **JOIN NOW:** ENTITLES YOU TO THE FOLLOWING:



- \$10 Credit Toward 1st Purchase
- Catalog of Products
- Hotline for Orders & Inquires
- Membership Number to Speed Delivery
- TERMS Prepayment -Cash, Certified Check, M.O. Master Charge & Visa Add 4% Handling Shipments FOB Phila., PA

WARRANTIES

- All Equipment Carries Manufacturers Warranty And Will Be Serviced By Their Manufacturer Or Their Representative
- * MINIMUM ORDER \$100.00 PERCENTAGE MAY VARY SLIGHTLY
- LIMITED QUANTITY ON SOME ITEMS ●

95 In		
DISK	CURRIY	
UI5K	SUPPLY	Co.

DISK SUPPLY CO. 6	OW.	
PLEASE SEND MEN	MBERSHIP PA	CKAGE.
SIGNATURE		
CITY	STATE_	ZIP
ENCLOSED IS MY	CHECK	☐ MONEY ORDER
CHARGE MC	☐ VISA	
ACCT. NO		-22
EXPIRATION DATI	E	

Put BASIC in the



The TRS-80 Pocket Computer made by Sharp, Inc. has a liquid crystal display that shows 24 characters of an 80-character line.

TRS-80 Pocket Computer Tandy Radio Shack Ft. Worth, TX \$249 Cassette Interface \$49.00

Ken Knecht 1340 W. 3rd Street #130 Yuma, AZ 85364

was one of the first to buy the HP-35, the MITS Altair, the TRS-80, etc., so naturally here I am with an early TRS-80 Pocket Computer.

The computer can be operated as a calculator or programmed in BASIC.

Its manual doesn't give much technical information, and though it's rather slow, it's fast enough to be a useful little computer. Incidentally, it's battery powered by mercury cells. No charger. Tandy claims 300 hours on a set of batteries.

Variables for Storage

In addition to standard calculations, you can use variables for storage. This means you don't have to remember what memory number you stashed something in. You have about 200 memories available. As an example, you can enter

A = 5, B = 6, A + 5.7AB + SIN(30)/COS(45)/ ENTER>

The answer is 1055.707107. Incidentally, you enter that formula from the keyboard and type SIN, COS, etc.

You don't have labeled keys for most of the functions as on a regular calculator. It is also possible to recall the formula and make a change in it, either before or after you get an answer. Its editor is primitive, but allows you to insert or delete. Trig functions work in degrees, radians or grads. Just type the mode you want. Degrees can be in decimal or degrees, minutes and seconds.

One small problem, I noted, was that a radical sign is used for square root but the computer does not recognize a leading digit. For example, $3\sqrt{8}$ will not give you the cube root of 8. You must instead use 8t(1/3). This gives the correct result.

The computer uses floating point from E-99 to E99. It displays 10 digits plus the exponent. The liquid crystal display shows 24 characters, but the line can be 80 characters long (including the <ENTER> at the end of the line). You can view any part of a line over 24 characters long at the touch of a key.

The calculator mode allows the four arithmetic operations, power calculations, trigonometric and inverse trigonometric functions, logarithmic and exponential functions, angular conversion (degrees, radians, grads), extraction of the square root, SGN(), ABS(), INT() and logical calculations.

A nice feature is that 18 of the keys can be used to hold functions such as SIN, COS, etc., or even a whole small program or a formula. You are limited to a total of 48 steps. As an example

A:1/√(2πFC)

This would let you input

F = 3200,C = .001,<SHIFT> A <ENTER>

The answer is 2.230155145E-01. The formula uses ten of the 48 steps you have available. The : following the A does not take a step. Words like SIN, COS, etc., only use one step.

Palm of Your Hand

These reserved keys can be used in the calculator mode or when running BASIC. The machine retains all memory when it is turned off so these reserve key definitions are held until you change or delete them. Tandy provides two clear plastic overlays so you can label your reserved keys.

The 48 steps of memory are not included in your available RAM, so you don't waste any memory if you use this feature.

Programmable

The computer is also programmable in a subset of BASIC. The following instructions are much like those used in Level II BASIC.

INPUT	PRINT	PRINT USING
GOTO	GOSUB	RETURN
FOR	NEXT	IF
THEN	STOP	END
CLEAR	REM	ATN
SIN	cos	TAN
INT	SGN	ABS

Here are some added instructions.

PAUSE	BEEP	DEGREE
RADIAN	GRAD	AREAD
ASN	ACS	LOG
LN	DMS	DEG
EVD		

Some of the commands in the Level II-like group are a bit different. In most cases they are more flexible than Level II equivalents. For example, you can use variables with a number of the instructions that do not allow this in Level II. Permitting you to GOTO or GOSUB to an expression gives you the equivalent of ON...GOTO and ON...GOSUB. See the sample program for examples.

The CLEAR statement clears all data memory, but you can't reserve string space with it. PRINT USING is rather limited. You use • for AND and + for OR in logic expressions.

Here's a quick rundown of the added instructions.

PAUSE: Like PRINT but only displays the

line for about 34 of a second.

BEEP: Causes machine to emit a beep

DEGREE: Forces units of an angle input or result to degrees. Used with trig functions.

RADIAN: See DEGREE. GRAD: See DEGREE.

AREAD: Automatically stores the value of an expression that has been displayed before the program is started.

ASN: Inverse of SIN (ARCSIN). ACS: Inverse of COS (ARCCOS). LOG: Common log (base 10). LN: Natural log (base e).

DMS: Converts decimal degrees to degrees, minutes, seconds.

DEG: Converts degrees, minutes, seconds to decimal degrees.

Now to the direct commands. These are much like Level II BASIC.

LIST NEW RUN CONT MEM DEBUG

DEBUG lets you single step through a BASIC program line by line. You can see the line and examine the variables at any time. I wish the TRS-80 Model I had this command! It is extremely useful.

You may have noticed that there weren't any string manipulation instructions in the

lists. Unfortunately, that's because there aren't any. You can use string variables, but they will only hold seven characters each. However, to a limited extent, you can concatenate strings.

You can use arrays, both numerical and string, but only with one variable name, A or

Variables' names can consist of only one letter, so you have 26 variables. You cannot use the same letter for a string and numerical variable. Thus when you assign 100 to A, if you put "NAME" in A\$, you lose the 100 in A. Also, A\$(2) or A(2) is the same memory location as would be used for B or B\$. So you are limited to 26 variables whether you store in arrays or single letter variables, numbers or strings. But all is not lost, read

Array Memories

However, you may or may not have another 178 array memories; A(27) or A\$(27) to A(204) or A\$(204). You share these locations with the program so the number of these additional array memories depends on the program length. You can see how many array memories are available by using the MEM command.

With careful memory management you can put a pretty big program with lots of data in this little computer. With no program loaded you have room for 178 memories (1424 steps). This does not include the 26 variable memories and 48 steps of reserved memory. As an example, with the sample program loaded there are 77 memories (621 steps) left.

The sample program will calculate the day of the week for any date between the years 1800 and 2000. I don't guarantee its accuracy, but it worked for the dates I tried. It could be streamlined quite a bit by changing the logic of the valid date test routines and using multiple statements on a line. This is just a quick BASIC program to illustrate the Pocket Computer.

The computer operates in four modes. The modes are switched with a single key which steps through them. The present mode is always visible on the display.

The RUN mode is used when running a BASIC program or when using the machine as a calculator.

The PRO (PROGRAM) mode is used to enter, LIST, or edit a BASIC program.

The RESERVE mode is used to program the reserve keys.

The final mode, DEF (DEFINE), will take some explaining. You can put a group of programs into the computer and use a label at the beginning of the first line of each program. Then, you can RUN any of the programs with RUN label. The label is any one of the 18 reserved keys. Only one letter in a label. Of course you can also use RUN line number, but a letter might be easier to remember.

FASTER THAN A SPEEDING TYPIST...

Is it safe to walk the keyboard of your TRS-80 at night? Do you look for Syntax Errors down every dark subroutine? Well, look in your mailbox—It's a bill, it's an ad, it's CLOAD MAN! Faster than keying in hardcopy, more fun than an accounts-receivable package, ready to run in a single load . . .

When mild mannered Clyde Cload (star cassette tape duplicator at the MONTHLY CLOAD) dons his cape, the evil Typo-Bugs cringe in terror. This mighty Man of Iron Oxide swoops down on your TRS-80 by First Class Mail every month with super, ready-to-load programs for your (and your computer's) education and enjoyment.

Join in the battle against the Finger Cramps, Edit Modes, and Typo-Bugs. Let CLOAD MAN come to your computer's aid by getting a subscription to CLOAD MAGAZINE.

PRICES

I year subscription				4	*0			4	٠			\$42.00
6 month subscription .												
Single copies												\$4.50
Anthology-volume 1												\$10.00
Anthology-volume 2										Ü		\$15.00


The Fine Print:

Overseas rates slightly higher-please write for them. Back issues available—ask for our list.* TRS-80 is a trademark of Tandy Corporation. California residents add 6% to single copies and anthologies. Programs are for Level II 16K and occasionally for 48K disks

*24 Level I back issues also available

Mastercharge/Visa Welcome Also Cash & Gold

Copyright CLOAD MAGAZINE 1980



I shels

A few random comments: There is no random function in the BASIC. However, the manual gives a little formula for non-critical requirements.

You can GOTO or GOSUB to a label. This label is one or several characters in quotes at the beginning of the line.

There is no apostrophe on the keyboard. The computer shuts itself off if not used for about seven minutes. The beep tone is rather high-pitched—my ears are too far gone to hear it.

The line numbers run from 1 to 999. Most commands can be abbreviated, i.e., P. for PRINT, PA. for PAUSE, I. for INPUT, etc. At an error the cursor points to the error position in the line.

A battery powered cassette interface plugs in to the computer. The interface works fine with my old CTR-41. It should work with any similar machine. The interface uses the MIC input jack, not the AUX jack. It took me a few tries to discover this (read the instructions, dummy!).

As with Level II BASIC, CLOAD, CLOAD? and CSAVE are used. Reserved memory is saved separately from the program. You must use a file name (up to seven characters) when loading or saving programs or data files.

You also have a chain statement which will load another program (or module of a large program) under BASIC. I haven't tried

this feature yet. I think data memory is preserved, but the manual doesn't mention this.

In addition you have INPUT# and PRINT# to recall and save data files. These instructions are used much like those in Level II BASIC. Note that you won't get an error when recalling data if the data items run out

before the designated memory spaces are filled.

All in all I think the Pocket Computer is a well thought out piece of equipment. If you are at all familiar with computers, know the BASIC language and have a little imagination, you can run some fairly elaborate programs with it.

```
PAUSE "PICK A DATE BETWEEN"
   PAUSE "1800 AND 2000"
                                                    220 GOTO D + 1 + 500
20
   D = 3:INPUT "MONTH (JAN = 1) ";A
30
                                                    301 G = 0:RETURN
   INPLIT "DAY "-B
                                                    302 G = 31-RETURN
40
   INPUT "YEAR "-C
50
                                                    303 G = 59 RETURN
   IF C> = 2000 PRINT "YEAR TOO GREAT":
                                                    304 G = 90:RETURN
    GOTO 30
                                                    305 G = 120:RETURN
100 IF C<1800 PRINT "YEAR TOO SMALL":
                                                    306 G = 151:RETURN
    GOTO 30
                                                    307 G = 181:RETURN
110 IF B>31 PRINT "NO SUCH DAY":GOTO 30
                                                    308 G = 212:RETURN
120 IF ((A = 4) + (A = 6) + (A = 9) + (A = 11)) (B>30)
                                                    309 G = 243:RETURN
    THEN 600
                                                    310 G = 273:RETURN
125 IF (A = 2) • (B>29) THEN 600
                                                    311 G = 304:RETURN
130 IF (C/4<>INT(C/4)) • (A = 2) • (B>28) THEN 600
                                                    312 G = 334:RETURN
140 IF (C/100 = INT(C/100)) • (C/400 = INT(C/400)) •
                                                    501 PRINT "SUNDAY":GOTO 570
                                                   502 PRINT "MONDAY":GOTO 570
    (A = 2)*(B>28) THEN 600
                                                   503 PRINT "TUESDAY":GOTO 570
150 C = C - 1800
                                                   504 PRINT "WEDNESDAY":GOTO 570
160 E = INT(C/4)
170 E = E - INT(C/100) - 1
                                                   505 PRINT "THURSDAY":GOTO 570
175 IF A>2 THEN 180
                                                   506 PRINT "FRIDAY":GOTO 570
176 IF C/4 = INT(C/4) LET E = E - 1
                                                   507 PRINT "SATURDAY"
                                                   570 INPUT "ANOTHER": AS
180 F = C + E
190 GOSUB A + 300
                                                   580 IF AS = "YES" THEN 30
200 F = F + G + B
                                                   590 END
210 D = D + F
                                                   600 PRINT "INVALID DATE, TRY AGAIN": GOTO
215 D = D - 7:IF D>6 THEN 215
```

Sample Program Run

CP/M®1 - based Business Software for TRS-80®2 computers on the fastest Mod-II CP/M with the most features!!!

- Over 610,000 bytes/disk
- Downloading package included
- 1,200 baud operation of serial printers without data loss
- Single drive backup

MOD-II CP/M \$250.00

- Mixed single/double density on any of 4 drives (even a 1-drive system)
- Ultra-fast disk operation
- Emulation of cursor addressing for any of several "dumb" CRTs
- MOD-I CP/M \$150.00
- Auto-LF printer support & ASCII top-of-form software (LPIII)
- Supplemental document describing
- our implementation
- User-settable function keys

CBASIC2*3 (Mod I or II) \$110.00

The following software for Mod-II CP/M only unless otherwise stated (*-requires CBASIC2):

list, tenant activity/rent roll, complete audit trail and reports

APH (Automated Patient History) - General-purpose questionasking, answer-printing system furnished as self-administered review-of-systems general patient history (Mod-I also) ... \$175.00* Osborne & Assoc. CBASIC source programs (Mod-I also):

Payroll w/Cost Accounting \$250.00° Ge Accts. Payable/Accts. Receivable \$250.00° O&

 General Ledger w/Cash Journal
 \$250.00*

 O&A CBASIC Books (ea.)
 \$ 20.00

Verbatim®6 media: (Qty. 100 prices)

 5%" single density
 \$2.50 ea.
 8" single density
 \$ 3.00 ea.

 8" certified double density
 \$4.00 ea.
 450' tape cartridges
 \$20.00 ea.



8041 Newman Ave., Suite 208 C Huntington Beach, CA 92647 (714) 848-1922 Registered trademark of:

- *1 Digital Research
- *2Tandy Corp.
- •3Compiler Systems, Inc.
- *4Ryan-McFarland Corp.
- *5 Small Business Applications, Inc.
- *6Verbatim Corp.

Distributed in U.K. by:
Microcomputer Applications Ltd.
11, Riverside Court,
Caversham, Reading, England
TEL: (0734) 470425

Keep track of repeating code sections in those expansive programs.

Cross Reference

Erik Camp 372F Nickolson Rd Fort Sheridan, IL 60037

think we can modify this machine language editor/assembler to do what we want, if we can change this section of code."

"What? Will our change affect any other part of the program? Well, I don't know. I'm not sure if this section is used elsewhere."

Does that sound familiar? If so, this cross-reference program will be of interest to you. It allows you to readily determine if a section of code is used by other portions of a program. It also shows what memory locations are used as data storage space for the A and HL registers.

Loading a Cross-reference

This program is written in Level II BASIC and is placed above the editor/assembler in user RAM.

First, load your machine language program using the System Command, then POKE the address into which this cross-reference program (Listing 1) is to be loaded into

memory locations 16548 and 16549.

A sample of the printout is shown in Example 1. This particular example is taken from a listing of the locations used by the registers HL and A as data storage locations in Radio Shack's Editor/Assembler.

Column one of this listing is the location address and may indicate a single byte or double byte is reserved.

You can tell if the listing is for a single or double byte just by looking at it.

Column two lists all locations examined which appear to store or load data into either the A register or the HL register pair. In the example shown, the first entry is for decimal location 14308. The next column indicates that location 14308 was addressed by code which resides at decimal location 18106.

The code at 18106 sets the cassette latch address for one cassette device. The machine

code also shows that the memory location reserved is a single byte used to store the contents of the A register.

Skipping further into the example, you'll see several locations accessed by ten or more locations in the machine code. The first such location is decimal 16424.

This location is used to store the contents of the HL register pair and therefore reserves two bytes of memory. Location 16424 is used by Radio Shack for the cassette data device control block. That is, location 16424 is the holder for the pointer which addresses the cassette software.

The Program

The first noteworthy item concerning my program is that I have set it up to handle a 70 by 20 array. That is, the program will accept 70 data or entry locations

While the array size is ar-

bitrary, I have found, at least in regard to the Radio Shack Editor/Assembler program, that no data or entry point location is referenced more than 17 times. While there are some 130 valid entry points used for calls and jumps, memory limitations demanded that I place an arbitrary limit on the maximum array size. Line 470 of the Program Listing insures that the array size is not exceeded.

Line 240 is the entry point for my cross-reference program. The user is asked to provide the locations, as a decimal number, at which the program is to begin and end.


Next, the user is requested to define the start of the 2000 byte memory range which the program is to use as a window. This insures that needless overflows do not occur and speeds the program's operation.

The user is then asked to choose one of two available cross-reference listings. The first option builds an entry point listing for calls and jumps. Using this program option allows a person to see if a program segment is accessed from other areas.

One note of caution, however, this program does not handle relative jumps.

The second option lists the locations which the program uses as data storage locations.

Line 310 searches for code



```
160 REM.
           THIS PROGRAM BUILDS CROSS-REFERENCES OF MACHI
      NE LANGUAGE
170 REM
           PROGRAM CALLS AND JUMPS (INCLUDING Z/NZ AND C
/NC).
180 REM. THIS PROGRAM WILL ALSO CROSS-REFERENCE DATA L
      OCATIONS
190 REM.
           ADDRESSED BY LD REG, (HL)
LD (HL), REG
210 RFM
                          LD A, (
220 REM.
                          LD (
                                 ) . A
238 REM
240 CLEAR: INPUT "WHERE DO YOU WISH TO START AND STOP"; X
250 INPUT "WHAT 2K-BYTE BLOCK DO YOU WISH TO EXAMINE"; C
      1:C2=C1+
                    2000: REM.
                                 LIMITS BUFFER REQUIREMENT
260 INPUT "BUILD CALLS/JUMPS OR DATA LOCATIONS (ENTER 1 OR 2)"; T: IF T<1 OR T>2 THEN PRINT "ERROR ON
       TYPE ARRAY":GOTO260
270 CLS: X=X-1:DIM C(70,20):
                                    REM. DETERMINES MAX AR
      EA IN BUF
288 REM.
290 REM. LETS GO TO WORK....GET A BYTE AND TEST IT
300 REM.
390 ELSE 310
320 IFA<194 OR A>220 THEN 310
       A-194 OR A-229 INDN 519
A-194 OR A-195 OR A-196 OR A-202 OR A-205 OR A-2
4 OR A- 210 OR A-212 OR A-218 OR A-220 THEN 3
      04 OR A=
      90 ELSE 310
340 REM.
350 REM.
           THAT BYTE PASSED THE FIRST TEST. NOW FOR THE
      SECOND
360 REM.
           TEST. DOES THE VALUE OF THE NEXT TWO BYTES F
      ALL INTO
370 REM.
           THE ARRAY WINDOW? IF SO, PRINT THE LOCATION
     AND...
    REM.
390 B=PEEK(X+1):C=PEEK(X+2)*256+B:IFC<C1 OR C>C2 THEN 3
400 PRINT X;:Y = 0
410 REM.
420 REM.
           ....LOAD THE VALUE AND LOCATION INTO THE ARRA
430 REM.
440 IF C < C(Y,0) THEN 700
450 IF C=C(Y,0) THEN FOR Y1 = 1 TO 20: IF C(Y,Y1)=0 THE
N C(Y,Y1) = X:GOTO310 ELSE NEXT Y1

460 IF C(Y,1)=0 THEN C(Y,0)=C:C(Y,1)=X:GOTO310

470 Y=Y+1:IF Y < 69 GOTO 440 ELSE PRINT"BUFFER FULL, DR
OPPING "; C;" FOUND AT";X:FOR Y1=0TO20:C(70,Y1)
      = 0: NEXTY1: GOTO460
480 REM.
490 REM.
500 REM.....
    REM.
520 REM.
                 NOW FOR THE PRINT ROUTINE FOR HARDCOPY
530 REM.
540 REM
550 CLS: INPUT "TURN ON PRINTER--PRESS 'ENTER KEY' WHEN
     READY";X
560 POKE 16425,0: REM. SETS LINE COUNTER TO 570 FOR X = 0 TO 69:LPRINT C(X,0);:FOR Y = 1 TO 20 580 IF C(X,Y)<>0 THENLPRINTC(X,Y);
                                  SETS LINE COUNTER TO ZERO
590 NEXT Y:LPRINT: IF C(X+1,0) <>0 THEN NEXTX: GOTO240 ELS
      E 240
600 REM. AND START ALL OVER AGAIN.....
610 REM.....
620 REM.
630 REM.
    REM.
650 REM
                 THIS SECTION PHYSICALLY MOVES THE ARRAY
      ELEMENTS
660 REM.
                  FIRST WE SAVE TIME BY SKIPPING THE END
      ELEMENTS
    REM.
                   THAT HAVE NO DATA.....
680 REM.
690 REM.
700 Y2=69: PRINT: PRINT"MUST RE-ORDER THE ARRAY";
710 IF C(Y2,0)=0 THEN Y2=Y2-1:GOTO710
720 Y2=Y2+1:
720 Y2=Y2+1: REM....AHEAD POINTER
730 Y3=Y2-1:GOSUB 780:Y2=Y3:IF Y2=Y THEN CLS: PRINT ".
      .. DONE":
                    GOSUB 830:GOTO460 ELSE 730
740 REM.
750 REM.
           THIS CODE MOVES ONE LINE OF THE ARRAY UP
760 REM.
           AND CLEARS THAT LINE
    REM.
780 FOR Y1=0TO20:C(Y2,Y1)=C(Y3,Y1):C(Y3,Y1)=0:NEXT Y1:R
     ETURN
790 REM.
800 REM.
          THIS GIVES THE OPERATOR SOMETHING TO READ WHI
     LE
810 REM.
           THE PROGRAM IS WORKING.
820 REM.
830 FOR X3=0TO70:PRINTC(X3,0);:NEXT:PRINT:RETURN
```

Program Listing

This Weekend: STIK IT.... ..to your

That's right! Esmark's VIDIET-STIK light pen has the TRS-80 CONNECTION for LEVEL I & II. Your 4K to 48K TRS-80 System will come alive under your VIDIET-STIK within minutes of its arrival. That's because there are no wires to solder or traces to cut. You're up and running as fast as you can plug the interface into your system's cassette EAR-jack. CLOAD our custom LIGHT-WAVE demonstration software and RUN. And because the interface has a plug for your recorder, you won't have to unplug it again when loading your other software tapes. The interface allows them to pass right thru whenever you're not using the pen. It's exclusive "switched tip" design means the pen's electrically isolated from your system when it's not in use. Just point & press! It's that simple...Plug. CLOAD and RUN. And have we got the software for you to RUN with! Our demonstration tape includes a calibration program (used to adjust the CRT's brightness and contrast) plus STIK-TAC-TOE, AWARI and TOWERS. Two challanging games and a puzzle that will keep grownups and children Stik'ing it to your TRS-80 for hours. And there are instructions provided so you can begin writing your own light pen programs (lightware) for fun or profit (Level II). Or, just sit back and enjoy our LIGHT-WAVE tapes each month. Esmark's unmatched commitment to lightware can bring your pto five new games, puzzles, drills & educational quizes or simulations each month. Our current LIGHT-WAVE releases are.

LIGHT-PAK 2 — LIGHTPEG (4 peg-jump puzzles)
ENDRUN (Othello with a 'twist')
LIFE9 (Conway's LIFE with mutations)
Price: \$19.95 (including postage & handling)
LIGHT-PAK 3 — LITEGAMMON (Backgammon you'll Stik with)
STIKWUMPUS (Caves with a little 'lite')
MAZEMASTER (Maze after maze to poke thru)
PRICE \$19.95 (including postage & handling)

Order yours now and we'll include a free copy of FLASHBACK, Esmark's newsletter dedicated to the latest news in lightware applications. And, don't forget to tell your friends. The VIDIET-STIK can also be ordered for use on most other micro systems using the following processor chips:

8080 Z80 6800 650

All that's required is a standard cassette jack leading to Ground and a readable single bit input port. Driver software is provided along with instructions for writing lightware applications. And tell your local Dealer that Esmark's got a Dealer package he won't want to miss out on. Delivery is 3 to 6 weeks from receipt of your order. C'O.D.'s are \$3.00 extra but will be shipped within two weeks. All prices are F.O.B. Mishawaka, Indiana. Indiana residents add 4% state sales tax.

ALSO COMING FROM ESMARK:

- TRS-80 Printer Interface (Cassette AUX-jack interface for all RS232 printers. Includes LLIST& LPRINT software)
- [] TRS-80 RS232 Communications Interface (Makes your TRS-80 a full I/O terminal to timesharing systems the world over. Gives you intelligent or dumb terminal capabilities at 110 or 300 BAUD. Also includes Printer Interface above with 20 mA current loop & TTL level I/O options.)

- TRS-80 is a trademark of the Tandy Corporation -





5071/2 E. McKINLEY HWY. MISHAWAKA, IN 46544

(219) 255-3035

\$62.⁹⁵

*ELECTRONIC SYSTEMS MARKETING

PLUS \$1.50 POSTAGE & HANDLING that equals a register save to memory or a load register from memory for the A and HL registers. Lines 320 and 330 seek code that relate to jumps and calls.

When a match is found, the program proceeds to line 390 where it determines the decimal value of the two bytes following a match. Line 390 also insures that the value is within an acceptable range. This test helps to keep the array size within limits. The test also allows me to ignore those values which are obviously not correct.

Because this program's logic is relatively limited, erroneous entries can still occur. Errors may occur because ASCII tables or other constants are treated

as legal program text. Thus, line 390 ignores those entries which claim to use ROM memory (memory below 14000 decimal in the TRS-80) or program buffer memory. (Program buffer memory, for example, in the Radio Shack Editor/Assembler exists above 23803.) These limits must be set according to the requirements of the user.

Line 440 insures that the lowest value begins the array. If the array has a starting value greater than the present value, the program jumps to line 700. The code which starts at line 700 rearranges all of the array upward to make room for the newest en-

Note that the highest value

may be lost unless line 390 is used to limit the range of values acceptable at this point.

Line 450 checks for a match within the array. If the present value matches, the memory locations are entered into the table in the next free column location. If there is no match. the program transfers to line 460 which seeks the next unused row. If the row is not empty, then the row pointer is incremented and the program loops back to line 440. This continues until the maximum size of the array (70 entries) is reached.

Lines 550 through 590 handle the output of the array to the line printer. In order to speed printing, only those array cells which

49.95

have nonzero values are printed. All other cells are ignored. The program loops back to the beginning when the information within the array has been printed out

Conclusion

As mentioned earlier, the logic used within this program is limited. The user must therefore be aware that the information provided in the listing must be viewed critically and not automatically accepted as authoritative. Nevertheless, I have found this program to be extremely helpful in my attempts to learn more about the inner workings of Radio Shack's Editor/Assembler.










Write SUPERIOR for information about marketing SOFTWARE







***** 80-BEEP *****

To be used to signal the end of long sort and signal you in case of loading error. It also lets you know with one beep. two beeps, etc. Exactly what part of the program you are in. Comes with instruction, control module a *(\$29.50)* v 271

** S-C COMPUTER TECHNOLOGY ** P.O. Box 1246, Coving CA 91722 Phone (213) 332-2216 or 966-9868

Visa and Mastercharge accepted-



Tested

1 yr. Parts Replacement

Guarantee Qty. Discounts Available



1230 W. COLLINS RVE. ORANGE, CA 92668 (714) 633-7280

PROFESSIONAL

HALF A MILLION TAX RETURNS CAN'T BE WRONG! (OR THEY HAD BETTER NOT BE)



INCOME TAX SYSTEMFOR TRS-80* MODEL I OR II

Our system, which prepared 500,000 1979 returns, features the following:

- 1. Full interactive user control, in tax-form language only, line-by-line.
- 2. Screen display of full 1040 and all schedules, prior to printout.
- Change of a single amount item automatically changes and re-computes entire return.
- 4. All printout formats IRS and state approved.
- 5. Stores Preparer's Identification for automatic printing at bottom of page 2.
- 6. Built-in Validation Check tests entire system, hardware and software.
- Special Printer Adjustment routines, Line Length, etc.
- 8. Selection of closed or open output formats—for standard Form 1040 or open name-box types.
- Software control of text position on page. Makes forms-alignment simple. Permits
 use with non-adjustable printers.
- 10. Fills in pre-printed Forms or you can use overlays. Your choice.
- Automatically computes: Tax SDI Overpayment Wages Total from W-2's -Earned Income Credit - Income Averaging - Maximum/Minimum Tax - Least Tax Method - All Percentage of Income Limitations - All Fixed Limitations - many, many more.
- Full support through the tax season no charge.
- 13. Inexpensive yearly updates in accordance with tax-law changes.
- Modular construction lets you order only the type and size system you need.

PRICING STARTS AT \$189.95 (1040 & SCHEDULE A)
25-PAGE DESCRIPTIVE MANUAL \$7.50 (Refunded on Order)
MINIMUM SYSTEM REQUIRED: MODEL I, 32K, 1 DISK DRIVE

*TRS-80 IS A TRADEMARK OF TANDY CORP.

CONTRACT SERVICES ASSOCIATES 20

706 SOUTH EUCLID

ANAHEIM, CA 92802

TELEPHONE (714) 635-4055

* * * 20 YEARS OF SERVICE * * *

An efficient application for single drive, limited memory disk systems.

Your Personal Calendar

William L. Colsher 4328 Nutmeg Lane, Apt. 111 Lisle, IL 50532

When I had finally saved up enough money for a disk drive for my TRS-80, I only had 16K of RAM. Radio Shack says in the manual that you can operate TRSDOS with 16K, but when you load BASIC it turns out you've only got about 6K. That's not much for a program.

Worse, TRSDOS and its friends and relatives do a darn good job of filling up the disk sitting in that lonely drive.

Well, here is one application I found that requires only small files, a little memory, and holds just about everybody's interest—the personal calendar. This simple program automates those little notepads that everybody carries around with "what I have to do today" information on them.

Designing the Program

A calendar program is an ideal candidate for using random access file. Think about it. You never know when you might want to add a note for September 17, July 8 or February 10.

Then we'll need a separate record for each day—oops—there are 365 days in a year, and we can only have 335 random access records on an entire disk.

Fortunately, a year can be divided in other ways. Weeks are a convenient division for our purposes. Fifty-two records are easy to manage in the space available and we won't spend a lot of time reading, writing and searching, as we would if we had one record for each month. (Actually it turns out we'll need 53 records: Seven days times 52 weeks is only 364.)

Each record holds 255 bytes. As the TRSDOS manual says, that's a lot of data. My guess is that one's average note probably won't contain more than ten words, say 50 or 60 characters. That means that it should be possible to pack four or five separate notes into each physical record.

Unfortunately, most people

do more than four or five things each week.

The solution to this last probiem lies in the way random access files are handled by TRS-DOS. Remember that at first the file contains 53 records, one for each week plus the extra day or two at the end of the year. When one of these records is filled up all we have to do is find the next empty space on the disk, some record between 54 and 335, save its number in the filled record and start filling this new one. (When we design the record layout, we'll leave a space for just this purpose.) If this seems confusing, a look at Fig. 1 may help clarify things.

Let's design a record for this personal calendar file. If it's unlikely that any given note will take more than 50 or 60 characters, the simplest way to design our records is to divide them into 60-byte fields (or subrecords). That leaves 15 bytes.

We'll use two bytes for the pointer to the next record and just ignore the remaining 13. This pointer will be set to zero if the record isn't full. (See Fig. 1.)

We could make even more efficient use of disk space by using variable length subrecords, but that can get tricky to program and even harder to ex-





Figure 1.

```
1330 PRINT0271, "EACH NOTE IS ENDED WITH AN 'ENTER'."
1340 PRINT0332, "A SECOND ENTER WRITES THE NOTES TO DISK
1350 PRINTe450, "<"; STRING$(58, "-"); ">"
1360 L%=512: FORI%=1T08: PRINTeL%, RIGHT$(STR$(1%),1); ".";
:L%=L%+64:NEXTI%

1365 REM *** ACTUAL EDITOR STARTS HERE
1370 CU%=15874:LS%=CU%
1380 FORZZ%=1TO25:NEXTZZ%:POKECU%,95
1390 K$=INKEY$
1391 IFK$=""THENK=@ELSEK=1
1392 POKECU%, 32
1393 IFK<>ØTHEN GOTO1395
1394 GOTO1380
1395 K=ASC(K$)
1396 REM *** 13 IS THE ENTER KEY AND 8 IS THE BACK ARRO
1400 IF K=13 THEN GOTO 1460
1410 IFK=8THEN GOTO 1492
1420 POKE CU%,K:CU%=CU%+1
1430 IF CU%<=LS%+60 THEN GOTO 1380
1440 GOTO1470
1445 REM *** A BYTE WITH 128 MARKS THE END OF TEXT
1460 POKECU%, 128:IFCU%=LS%THEN GOTO 1500
1470 CU%=LS%+64:LS%=CU%
1480 IFCU%>16383 THEN GOTO 1500
1490 GOTO 1380
1492 IFCU%=LS%THEN GOTO 1380
1494 CU%=CU%-1:GOTO1380
1500 REM *** OPEN THE FILE AND WRITE 'EM OUT
1510 GOSUB51000
1520 LS%-15874:FIELD 1,60 AS F$(1), 60 AS F$(2), 60 AS F$(3), 60 AS F$(4), 13 AS R$, 2 AS LK$
1525 REM *** LOOP BELOW FINDS THE FIRST RECORD FOR THIS
        WEEK
1526 REM *** THAT HAS SOME SPACE AVAILABLE.
1530 GET 1,WK%: LK%=CVI(LK%)
1540 IF LK%=0 THEN GOTO 1560
1550 WK%=LK%:GOTO 1530
1555 REM *** NOW WE LOOK FOR THE EMPTY SPOT ON THIS REC
       ORD
1560 FORI%=1TO4
1570 IF ASC(F$(I%))<>32THEN GOTO 1590
1580 R%=I%:I%=5
1598 R*=18:18=5
1598 NEXT
1595 REM *** START PUTTING TEXT IN THE RECORD
1608 IF PEEK(LS%)=128 THEN GOTO 1718
1618 IF LS%>16383THEN GOTO 1718
1628 L%="":FORI%=LS%TOLS%+59
1630 L$=L$+CHR$(PEEK(I%)):NEXTI%
1640 L$=MKI$(DD%)+L$
 1650 LSET F$(R%)=L$:R%=R%+1:LS%=LS%+64
1668 IF Re<5 THEN GOTO 1600
1665 REM *** ONCE A RECORD IS FULL WE FIND THE NEXT AVA
        ILABLE
1666 REM *** RECORD (WITH THE LOF FUNCTION) FILL IN THE
         LINK
1667 REM *** AND WRITE OUT THE OLD ONE. THEN WE GET THE
VIRGIN
1668 REM *** RECORD AND CLEAN IT UP FOR THE CODE ABOVE.
1670 LK%=LOF(1)+1:LSETLK$=MKI$(LK%)
1688 PUT 1, WK%: WK%=LK%: GET 1, WK%: LSET LK$=MKI$(0)
1698 FORI%=1T04: LSET F$(1%) = STRING$(60, ""): NEXT I%
1700 Rem *** ALL DONE.
1710 PUT 1, WK%: CLOSE: GOTO1000
4000 Rem *** THIS SECTION HANDLES DISPLAYING THE NOTES
        FOR
4010 REM *** THE CURRENT DATE. IT JUST READS RECORDS ST
ARTING
4020 REM *** WITH THE CURRENT WEEK'S AND SCANS FOR A DA
        TE MATCH
4030 REM *** WHEN IT FINDS ONE THAT NOTE IS DISPLAYED O
        N THE
4040
        REM *** SCREEN (NICELY CENTERED BY THE WAY). YOU
        CAN
4050 REM *** ONLY HAVE 13 NOTES FOR A GIVEN DAY AS A RE
SULT OF
4868 REM *** THIS CODE. (THE ONLY MAJOR LIMITATION IN
 4070 REM *** SYSTEM)
5000 CLS:GOSUB51000:CLS:CU%=128:PRINT@22, "NOTES FOR: ";
5010 FIELD 1,60 AS F$(1),60 AS F$(2), 60 AS F$(3), 60 AS S F$(4), 13 AS R$, 2 AS LK$
5015 GET 1,WK%
5016 REM *** IF THE FIRST BYTE IS BLANK NO NOTES FOR TO DAY
5020 IF LEFTS(F$(1),1)=" "THEN GOTO 5080
5025 REM *** BELOW WE SCAN FOR A DATE MATCH
5026 REM *** CODE AT 6000 HANDLES PRINTING.
 5030 FOR I%=1TO 4
 5040 IF CVI(LEFT$(F$(I%),2))=DD% THEN GOSUB 6000
5050 NEXT 1%
5055 REM *** CHECK TO SEE IF THERE ARE MORE RECORDS OR
5056 REM *** WAIT FOR A KEYPRESS WHILE HE READS THE NOT
 5060 LK%=CVI(LK$): IF LK%=0 THEN GOTO 5080
 5070 WK%=LK%: GOTO5015
 5080 CLOSE: PRINT @ 980, "PRESS ANY KEY TO CONTINUE";
                                                                 program continues
```



plain.

One more problem: Since each week has one or more records, and people usually think in terms of days, there has to be some way of identifying which notes to print on any given day. This is easy enough to arrange. We'll just stick the day of the month onto the front end of each subrecord. It takes only two bytes, leaving 58 characters for the actual notes.

You can see that the design of the file dictates how the program will operate: what information is required, what routines it will need, etc. It even tells us that we will need two programs.

When you're using randomaccess files the computer doesn't know whether or not a given record exists. If you tell it to get record 97 it will do just that and then give you whatever happens to be at that spot on the disk. We'll have to write a program to initialize the calendar file.

Program Listing 1 is that program. It creates the file and

writes out 53 blank records with zero as the forward pointer in each one. The main program will know if a given record has anything in it, and, if it does, where to find the next record.

Human Engineering

As you look over these two programs, (especially the INIT/ BAS code) you'll notice an abundance of code that does nothing but print messages. That's one aspect of something called human engineering-making programs that are easy to use, idiotproof.

We've all seen programs that require several pages of explanation before you can even begin to use them. (Some of them (gasp!) in these very pages.)

These two programs are a beginner's attempt to write programs that are easy to use and hard to blow up.

Program Listing 2, called CALEN/BAS, handles all the actual work that has to be done. To

```
100 CLEAR 500
110 DIM MO% (12), F$ (4)
       GOSUB50000
       GOSUB50040:CLS: REM *** NEEDED TO RESET WK% WHEN EX
       TRA RECORDS ARE USED
REM *** FOLLOWING IS
                       FOLLOWING IS THE MAIN MENU HANDLER
130 PRINT @ 23, "PERSONAL CALENDAR"

140 PRINT @ 212, "1. ADD NEW NOTES"

150 PRINT @ 276, "2. DISPLAY TODAY'S NOTES"

160 PRINT @ 340, "3. RETURN TO TRSDOS"

170 PRINT @ 473, "SELECT 1,2,3"

180 KS=INKEY$:IF KS="" THEN GOTO 180
       K%=VAL(K$): ON K% GOTO 1000,5000,210
REM *** RETURN TO TRS-DOS
 195
        GOTO180
210 CLOSE:CMD"S"
1000 REM *** CODE BELOW HANDLES ALL FILE ADDITIONS
1010 CLS:PRINT @ 17, "PERSONAL CALENDAR FILE UPDATE"
1010 CLS:PRINT @ 17, "PERSONAL CALE

1020 PRINT @ 92, DT$

1030 PRINT @ 217, "1. CHANGE DATE"

1040 PRINT @ 261, "2. ADD NOTE"

1050 PRINT @ 345, "3. MAIN MENU"

1060 PRINT @ 474, "SELECT 1,2,3"

1070 K$=INKEY$:IFK$=""THENGOTO1070
          K=VAL(K$):ON K GOTO 1200,1300,1100
 1090 GOTO1070
          REM *** BACK TO THE MAIN MENU CODE BELOW
          CLOSE:CLS:GOTO116
REM *** THIS SETS A NEW DATE SO YOU CAN ADD STUFF
 1110
 1111 REM *** FUTURE. OTE EXTRA ENTRY POINT INTO INITIAL
           ISATION
1112 REM *** ROUTINE (50140) TO SET WK% AND DD% ETC.
1200 CLS:PRINT0468, "ENTER NEW DATE";:INPUTDT$:GOSUB5014
 1300 REM *** CODE BELOW HANDLES ADDITIONS TO FILE
 1302 REM *** FIRST SECTION HERE IS A SIMPLE EDITOR.
1303 REM *** FIRST SECTION HERE IS A SIMPLE EDITOR.
1303 REM *** THE ONLY CONTROLS ARE THE BACK ARROW AND
1304 REM *** 'ENTER'.
1310 CLS:PRINT @ 25, "NEW NOTE INPUT":PRINT @ 92,DT$
1320 PRINT@200, "YOU MAY ENTER UP TO 8 NOTES FOR THE DAT
PARGUE"
```

program continues

DISK SPECIALS! (write for quantity prices)



SCOTCH (3M) 5" 10/2.95 50/2.80 100/2.70 SCOTCH (3M) 8" 10/3.00 50/2.85 100/2.75 SCOTCH (3M) 8" Dbl Dens. 10/3.85 50/3.60 100/3.50 Maxell 5" 10/3 65 50/3 40 100/3 15 Maxell 8" Double Dens. 10/4 10 50/3 95 100/3 80 Verbatim 5" 10/2.39 50/2.35 100/2.30 (add 1.00 for plastic storage box) 10/2.95 50/2.85 100/2.75 Verbatim 577 Series Verbatim 8" 10/2 75 50/2 65 100/2 55 Verbatim 8" Double Dens. 10/3.80 50/3.70 100/3.55 BASF 5" soft 10/2.40 20/2.35 100/2.30 BASF 8" soft 10/2.40 20/2.35 100/2.30

Diskette Storage Pages 10 for 3.95 Disk Library Cases 8"-2.85 5"-2.15

3M Disk Head Cleaner Kit (2 cleaning disks) 21.50 4116-200 ns RAM (NEC) 8 for 39 2716 FPROM (5 volt) 13.45 5/12.75 10/11.85

2732 EPROM (5 volt)

AP Products 15% OFF AP HOBBY BLOX 15% OFF ALL BOOKS 15% OFF

Leedex Monitor \$129 Centronics 737 2800 C-10 Cassettes (AGFA PE611) 10/5.10 50/23.00 100/44.00 **NEC Spinwriter-parallel** \$2390 XYMEC HI-Q 1000 Daisy Wheel Printer \$2150 \$135

WRITE FOR CATALOG Add \$1.25 per prepa US shipping (UPS)

B Computers 281

(215)5 E Stump Road

699-5826

39.00

TRS-80* SOFTWARE! THE BEST

THE DATA ORGANIZER

*Variable length records 64 K Mod II \$250.00

Max. 20 field per record 32 K Mod I \$150.00

MAGAZINE DISTRIBUTION PROGRAM

E ABOVE.

• 500 titles

• 200 Vendors Invoices

64 K Mod II \$750.00

Reports

Tracks cars/drivers

AMBULANCE BILLING SYSTEM

1000 Calls/month
 Reports unpaid, medicare

64 K Mod II \$750.00 DEALER OF TARANTO & ASSOCIATES MODEL II SOFTWARE A/R G/L P/R each \$249.00

> All programs error free and fully documented. User tested. Client list available. Custom programming/consulting for TRS-80*

CMS, INC. 3132 N. BROADWAY, CHICAGO, IL 60657 (312) 327-7550 2393

A trademark of Tandy Corp

INTERACTIVE **FICTION**

The Literature of the Future— Here Today

If you like fiction you'll love Interactive Fiction—tales told on a computer, so that you, the reader, become a character in the story!

For TRS-80 with DISK and 32K (TRS-80 is a trademark of Tandy Corp)

Six Micro-Stories

A good introduction to Interactive Fiction. Become a financial tycoon, a WW-II spy, and more . . . \$15.00

His Majesty's Sbip "Impetuous"

You are the captain of a ship-of-the-line in the glorious days of fighting sail . . . \$20.00

Two Heads of the Coin

You are confronted with a psychological mystery that taxes your imagination to the utmost \$20.00

INTERACTIVE FICTION

BOX 603

INVERNESS CA 94937

J 429

(Calif. residents add 6% tax)

```
5090 K$=INKEY$:IF K$<>""THEN GOTO116ELSEGOTO5090
5091 REM *** CODE BELOW HANDLES CENTERING AND PRINTING
OF NOTES
6001 FORJ%=3TO60
6002 K$=MID$(F$(I%),J%,1):K%=ASC(K$)
6010 IFK%<>128THEN GOTO6030
6020 L%=J%-1:J%=61
6030 NEXT J
6040 LS=LEFTS(FS(I%),L%)
6050 PRINTECU&+((64-LEN(L$))/2),LS;
6060 CU&=CU&+64:RETURN
50000 REM *** BASIC INITIALISATION
50010 FORI&=1T012:READMO&(1%):NEXTI&
50020 DTS=LEFT$ (TIME$, 8)
50030 IF LEFTS(DTS,2)="00" THEN GOTO 50120
50040 MM%=VAL(LEFTS(DTS,2))
50050 DD%=VAL(MID$(DT$,4,2
50060 YY%=VAL(MID$(DT$,7,2))
50070 YY%=YY%+1900
50075 REM *** BEWARE *** THIS WILL SCREW UP IN A FEW Y
       EARS
50080 IF INT(YY$/4) = YY$/4 THEN MO$(2)=29 ELSE MO$(2)=
50090 WK%=0: FORI%=1TO MM%-1: WK%=WK%+MO%(I%): NEXTI%
50100 IF MM%=1 THEN WK%=0
50105 WK%=WK%+DD%-1:WK%=INT(WK%/7)+1
50110 RETURN
50120 CLS: PRINT @ 12, "DATE NOT VALID, ENTER DATE (MM/DD
50130 PRINT @ 90," ";:INPUT DT$
50135 REM *** SECOND ENTRY TO THIS ROUTINE TO FIX UP WK
        & WHEN
 50136 REM *** EXTRA RECORDS ARE USED.
50140 IF LEN(DT$) <>8 THEN GOTO 50120
50150 GOTO 50040

51000 REM *** FILE OPEN ROUTINE

51010 IF PWS<>"" THEN GOTO 51040

51020 PRINTE409, ENTER PASSWORD "

51030 INPUTPWS:IFPWS<>""THEN PWS="
51040 OPEN "R",1, "CALEN/DAT"+PW$
51050 RETURN
60000 REM *** DATA BELOW IS FOR STANDARD YEAR.
60005 REM *** LEAP YEARS ARE HANDLED IN LOGIC.
60010 DATA 31,28,31,30,31,30,31,31,30,31,30,31
```

Program Listing 1. Initialization.

do its job CALEN/BAS must perform several major tasks. First, it needs to figure out what week it is. BASIC INITIALIZATION handles this beginning at line 50000.

I have used the simple "divide by 4" test for leap years. Though it won't come up for some time, this will eventually cause an error. (If anyone can supply the correct leap year algorithm, I will be more than happy to incorporate it and publish the correction.)

To add new notes to a file, the program must be able to determine if the appropriate physical record is full, and if it is, find a new record and then add the notes. All this is taken care of in lines 1500 through 1710. If you are not conversant with random access techniques, this is the place to look for an example. Notice that if it is necessary to fetch an additional record, the variable WK% (ordinarily the week number) is subverted-it contains the number of the new record.

Reading and displaying the

notes for any given day is the third major function of the program. This is quite straightforward. Beginning with line 5000 the program simply opens the file and starts to read records beginning with the current week. It checks each of the four subrecords to see if the day of the month in the first two bytes matches today's date, and if so, prints out the note.

If the forward pointer in the last two bytes of the record is not zero, the program gets that record and again checks through the notes. When it has found all the notes for the current data, it closes the file and waits for a keypress to return to the main menu.

Conclusion

As you can see, it is possible to do some practical work with a single disk, 16K TRS-80. The techniques I've used apply not just to calendar keeping but to any type of low volume archival storage. For example, you might want to divide a file not by weeks but by budget classes:

SMALL BUSINESS SYSTEMS GROUP, INC.

the company who brought you real TRS-80 business software

HARDWARE

NEC 5510 Spinwriter	2995	16K Level II	799
DATAROYAL 5000	1495	64K Model II	3899
Okidata Microline 80	695	48K 2 disk Model III	2614
Originate/answer Modem	189	64K Superbrain 3.0	2995
US Robotics 330 Modem	310	48K Zenith Z89	2595
The Connection ™		Atari 800	995
with ST80 III-C	439	Atari 400	595
Lynx	239	64K Altos ACS8000-2,	
The Source	95	Soroc 120, CP/M	5645
RS232C board	99	GTC 100A Terminal	985
16K 250 ns NEC Memory	75	Soroc IQ120	985
Box 10 5 ¼" Diskettes	35	Zenith Z19	985
Box 10 8" Diskettes	49	80 track MPI sgle drive	595
Box 8 ½ x 11 Paper	33	80 track MPI dble drive	1095
Box 14 7/8" Paper	43	40 track Siemans	390
4 Drive Cable	49	8" Siemans for Mod II	1049
2 Drive Cable	35	Dual Siemans for Mod II	1595
Model II Cables	ask	Z89 Add-on drive	525
Ribbons, etc.	ask	32K Expansion Interface	490

SOFTWARE

N	1OD	I MOD II	
Name & Address	99	195	
Inventory	195	325	
CPA Client Billing	350	650	WRITE FOR NEW
3 Disk Coor AR, AP, GI	350	950	CATALOG
Stand alone AR, AP or GL	125	225	
Payroll	125	225	
AR with Invoicing	275	375	
Stock Control	225		
Dental Billing	600	1200	
Personal Finance (cmpled)	50	79	
6 Games by Lance Micklus		75	
ST80III™ communications	150	200	DEALER INQUIRIES
VTOS 4.0 by Randy Cooke	99		INVITED
SORT80	59	99	

We also have CP/M, Wordstar, Electric Pencil, Pearl, Microsoft, Superbrain Business Software, and much much more.

TRS-80 is a trademark of Tandy Corp.

COMING SOON!!!

SBSG Business Software on the Zenith and Altos



- 18

Small Business Systems Group, Inc. 6 Carlisle Road Westford, MA 01886 (617) 692-3800

> Our 24 hour/day on-line computer and message center. FORUM-80 1-617-692-3973

Food, Doctor Bills, Gasoline, etc., and keep track of your personal budget that way.


Finally, there is room in the program for considerable customization. If you own a printer, you can print out the day's notes and check things off as you do them. You can use disk space more efficiently with variable length subrecords. You can improve the editor used to enter notes so that you can correct a mistake after leaving a line.

Most importantly, get busy and use that computer!

```
100 CLEAR 500
110 CLS
116 CLS
126 PRINT @ 20, "INITIALISE CALENDAR FILE"
136 PRINT @ 136, "WHAT DRIVE WILL HOLD THE CALENDAR DISK
(0-3)";:INPUT D&
135 IF (D$>3) OR (D$<8) THEN GOTO 110
140 PRINT@195, "DO YOU WANT TO PASSWORD PROTECT THE CALE
NDAR FILE (Y OR N)?"
150 K$=INKEY$
160 IF K$="N" THEN GOTO 240
170 IF K$="Y" THEN GOTO 190
      GOTO 150
196 PRINT @ 268, "ENTER A PASSWORD (6 CHARACTERS OR LESS
```

```
200 PRINT @ 348," ";: INPUT PW$
210 IF LEN(PW$) <= 6 THEN GOTO 240
REM *** FOLLOWING CODE OPENS AND INITIALISES CALEND
     AR PILE
    OPEN "R",1,F$
310 FIELD 1,1 AS T$,252 AS D$,2 AS C$
320 LSET T$=" "
330 LSET C$=MKI$(0)
340 LSET D$=STRING$ (252, " ")
350 FOR I=1 TO 53
355 PRINT @ 599, "INITIALISING WEEK ";I
360
      PUT 1,I
370 NEXT I
390 PRINT @ 724, "INITIALISATION COMPLETE"
395 FOR I=1 TO 1000:NEXT I
410 END
```

Program Listing 2. The Personal Calendar.



Football Pool Program

Use your TRS-80 disk system. Run your weekly office football pool with this menu driven program. This program includes a pre-programmed 1980 NFL football schedule. Options include Monday night football, point spreads, pre-programmed NFL games or your own college selections. Program automatically computes winners. \$35.00. Including disk.

Truss Industry Software

Requires 32k one disk drive, and printer. Complete Cutting bill package includes special program. Cassette Systems also available. Software computes all truss configurations with many including material costs. System currently in use by major truss manufacturer call or write for details.

Both programs availa DATA TRUSS, INC. P.O. Box 14542 Gainesville Florida 32604 (904) 372-1560

For the TRS-80... EXPAND-O-BOARD

As your system grows, the need for additional I/O ports becomes obvious. Solve the problem with the new three port extender from S.C.P. The EXPAND-O-BOARD may be connected to the keyboard unit or E.I. A bus cable is required and may be ordered separately for \$11.95.

TO ORDER CALL

(313) 264-5704

OR SEND YOUR ORDER TO

Sterling Computer Products 36811 Lodge Drive Sterling Heights, Ml. 48077

Add \$1.50 for shipping - Mich. res. add 4% sales tax

ders may be paid by check, money order or COD.
VISA & MASTER CHARGE ACCEPTED

\$ 85

DEALER INQUIRIES INVITED!

-80° is a trademark of Tandy Corporation 201

System for TRS-80 Mode

The most portable operating system now supports FORTRAN. Pascal and/or FORTRAN modules are compiled in universal P-code, so they can run on most microprocessors, often without recompiling. Programs execute up to 10 times faster than comparable BASIC programs, and use much less memory. Ready to run on TRS-80 Model II (64K).

FFATURES

- Interactive operating system—dynamic overlays, disk file handling, run-time support and block I/O routines.
- Fast, one pass compilers.
- Two Editors—one screen oriented for programming and text editing, one character oriented for hard copy terminals
- File handler to manipulate disk files.
- Macro-assembler that produces code for linking with Pascal or Fortran programs.
- Linker for link-editing of object and assembly code modules.
- Library of program modules and utilities.

PLUS, from PCD Systems

- Disk formatting program to initialize diskettes in single or double density formats.
- Configuration program for serial I/O.
- Disk-set program to permit separate assignment of density and format characteristics for each disk drive.

DOCUMENTATION

- UCSD System Manual (400 pages).
- Beginner's Guide To UCSD Pascal.
- Pascal User Manual & Report.
- Fortran User's Manual with Fortran

PO Box 143 Penn Yan, NY 14527 315-536-3734

PRICES

- UCSD System with Pascal Compiler \$350 with Pascal and Fortran Compilers \$500
- Fortran Compiler alone (requires Version II.0) \$200 ■ P-Code Interpreter alone

(either LSI-11 or Z-80) **Optional Utility Programs**

■ CP/M* to Pascal file conversion ■ TRSDOS* to Pascal file conversion \$ 50 ■ Z-80 Disassembler/Dump program \$ 50

ALSO AVAILABLE

- UCSD System for MINC® or PDT®.
- Z-80 Adaptable System (you write BIOS).
- UCSD System for CP/M environments.

PCD Systems is a licensed distributor of the UCSD System for Pascal and Fortran. Dealer inquiries are invited.

"Trademark of the Regents of the University of California Trademark of Tandy Corporation Trademark of Digital Research Trademark of Digital Equipment Corporation

I'M A BELIEVER!

"I Love it !!... It's really a incredible O/S. It' just great! Now I see why people who have seen it say they are now believers. I know I am." LANCE MICKLUS

- 1) Large (8") drive support.
 2) Double Sided drive support.
- 3) Double Density drive support.
- 4) 80 Track drive support.
- *NOTE all above drives may be mixed on any one system and can be configured at Syspen time or during any Backup!
- 5) Winchester technology fixed drive support.
- 6) Supports any combination of the above drives up to a max. drives.
- 7) Supports double-speed processor clock modifications. (Archbold for example)
- 8) FASTER! Improved overlay structure using ISAM accessing techniques improves loading times by up to 1400%.
- 9) Genera: purpose output spoolers of a true, symbiont design provide simultaneous output and program program execution Without any USET intervention.
- 10) Keyboard Type-Ahead feature permits you to enter keystrokes before your programs need them.
- 11) User definable keys, all. 26 letters.
- 12) Built in Graphic string packer lets you enter graphic symbols into a BASIC program from the keyboard through the use of the (Clear) key. The (Clear) key is simply held down (just like the (Shift) keys) during other keystrokes and viola...graphics!
- 13) Dated files. All files are accompanied by the date of their last modification (creation or write).
- 14) Marked files. All files are accompanied by a 'mark' if they have been modified since they were last backed up. This permits the BACKUP backed up. utility to copy only those files which have actually been updated since a previous backup.

15) File transfer by class. ALLOWS transferring of all files of a similar directory classification such as /CMD, /BAS, /PCL, etc.

VTOS 4.0

VTOS 4.0

Operating System Diskette with Operator's Guide \$99.95

VTOS 4.0

Master Reference Manual \$29.95

VTOS 4.0

Combination -4.0 disk. Operator's Guide. and Master Reference Manual

\$125.00

- 16) Built-in SYSTEM command contains lower case display driver, screen print, break key disable, blinking cursor, disk drive stepping rate and delay motor-on modifications.
- 17) User may SYSGEN a custom VTOS system configuration containing special I/O drivers, device LINKing and ROUTEins, SPOOLine and tasks, etc. which will be automatically loaded during the BOOT without requiring a more process lengthy AUTO and CHAIN procedure.
- 18) Non-BREAKable AUTO and CHAIN commands.
- 19) Wild-card DIRectory. Permits you to locate all files of a certain classification such as '/BAS'. classification such as '/BAS'. Uniformly indicates file size in K (1024 bytes) regardless of drive type. "DIR D" would give you all your files that start with "D".
- 20) Dynamic file name defaults in APPEND, COPY, and RENAME commands allow you to specify only minimal information about file names.
- 21) COPY and APPEND commands execute up to 300% faster.
- ALLOCate pre-allocation and non-releasibility of file space. File space will never shrink if this option used.
- 23) MEMORY command for directly setting upper memory limit.
- 24) Variable Length file support neorporated which automatically blocks short user data records both within a sector and across sector boundaries thereby taking manufactures. advantage of disk file space.
- 25) No security disk needed to make backups or to run the system!
- 26) Though many D/S bear his design and code VTOS 4.0 is the only Fully Aproved Operating System by Cook! And it is FANTASTIC!
- 27) Endorsed by Scott Adams and Lance

VTOS and VTOS 4.0 are registered trademarks of VIRTUAL TECHNOLOGY, INC. - Dallas, Texas 75234

Available from the following distributors or vour local computer store. DEALER INQUIRIES INVITED.

5% Discount Just For Mentioning This Ad. (Valid month of this publication ONLY)



QUALITY SOFTWARE DISTRIBUTORS

11234 Park Central PI Suite C Dallas Texas 75230 (214) 692-1055 Micronet - 70130,203 SOURCE - TCC293



ADVENTURE INTERNATIONAL

Box 3435, Longwood, Fla. 32750 (305) 862-6917 - Voice after 8:00 - same number as FORUM 80. (SOURCE - TCC957)



SMALL BUSINESS SYSTEMS GROUP

6 Carlisle Rd. Westford, Mass 01886

(617) 692-3800 - Voice (617) 692-3973 - FORUM 80 Micronet - 70310,236

THE ORIGINAL MAGAZINE FOR OWNERS OF THE TRS-80™* MICROCOMPUTER

SOFTWARE FOR TRS.80" OWNERS

NEWSMAGAZINE FOR TRS-80"

MONTHLY NEWSMAGAZINE Practical Support For Model I & II

- PRACTICAL APPLICATIONS
- BUSINESS
- GAMBLING GAMES
- EDUCATION
- PERSONAL FINANCE
- BEGINNER'S CORNER
- NEW PRODUCTS
- SOFTWARE EXCHANGE
- MARKET PLACE
- QUESTIONS AND ANSWERS
- PROGRAM PRINTOUTS AND MORE

PROGRAMS AND ARTICLES PUBLISHED IN OUR FIRST 12 ISSUES INCLUDE THE FOLLOWING:

- A-COMPLETE INCOME TAX PROGRAM (LONG AND SHORT FORM)
- INVENTORY CONTROL
- STOCK MARKET ANALYSIS
- WORD PROCESSING PROGRAM (FOR DISK OR CASSETTE)
- LOWER CASE MODIFICATION FOR YOUR VIDEO MONITOR OR PRINTER
- PAYROLL (FEDERAL TAX WITHHOLDING PROGRAM)
 EXTEND 16 DIGIT ACCURACY TO TRS-80" FUNCTIONS (SUCH AS SQUARE ROOTS AND TRIGONOMETRIC FUNCTIONS)
- NEW DISK DRIVES FOR YOUR TRS-80
- PRINTER OPTIONS AVAILABLE FOR YOUR TRS 80"
- A HORSE SELECTION SYSTEM***ARITHMETIC TEACHER
- COMPLETE MAILING LIST PROGRAMS (BOTH FOR DISK OR CASSETTE SEQUENTIAL AND RANDOM ACCESS)
- RANDOM SAMPLING***BAR GRAPH
- CHECKBOOK MAINTENANCE PROGRAM LEVEL II UPDATES***LEVEL II INDEX
- CREDIT CARD INFORMATION STORAGE FILE
- BEGINNER'S GUIDE TO MACHINE LANGUAGE AND ASSEMBLY LANGUAGE
- LINE RENUMBERING
- AND CASSETTE TIPS, PROGRAM HINTS, LATEST PRODUCTS COMING SOON (GENERAL LEDGER, ACCOUNTS PAYABLE AND RECEIVABLE, FORTRAN 80, FINANCIAL APPLICATIONS PACKAGE, PROGRAMS FOR HOMEOWNERS, MERGE TWO PROGRAMS, STATISTICAL AND MATHEMATICAL PROGRAMS (BOTH ELEMENTARY AND ADVANCED) AND

FREE

WORD PROCESSING PROGRAM (Cassette or Disk) For writing letters, text, mailing lists, etc., with each new subscriptions or renewal.

LEVEL II RAM TEST (Cassette or Disk) Checks random access memory to ensure that all memory locations are working properly

DATA MANAGEMENT SYSTEM (Cassette or Disk) Complete file management for your TRS 8014

CLEANUP (Cassette or Disk) Fast action Maze Game

ADVENTURE (Cassette or Disk) Adventure #0 by Scott Adams (From Adventureland International)

SEND FOR OUR NEW 48 PAGE SOFTWARE CATALOG (INCLUDING LISTINGS OF HUNDREDS OF TRS-80" PROGRAMS AVAILABLE ON CASSETTE AND DISKETTE). \$2,00 OR FREE WITH EACH SUBSCRIPTIONS OR SAMPLE ISSUE.

COMPUTADNICS	
	∠9

50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977

(914) 425-1535

(OUTSIDE OF N.Y. STATE)

(800) 431-2818

NEW TOLL-FREE ORDER LINE

SAMPLE OF LATEST ISSUE \$ 4 START MY SUBSCRIPTION WITH ISSUE

ONE YEAR SUBSCRIPTION \$24

TWO YEAR SUBSCRIPTION \$48

(#1 - July 1978 • #7 - January 1979 • #12 - June 1979 • #18 - January 1980)

NEW SUBSCRIPTION RENEWAL

MOD-II NEWSLETTER \$12/year (or 12 issues)

CREDIT CARD NUMBER _	ARD NUMBEREXP. DATE					
SIGNATURE						
NAME						
ADDRESS	CITY	STATE	ZIP			
*** ADD \$6/YEAR (CANADA, MEXICO) - ADD \$12/YEAR AIR MAIL - OUTSIDE OF U.S.A., CANADA & MEXICO ***						

COMPUTADNICS

EVERYTHING FOR YOUR TRS-80 TRS-80 TRS-80 Is a trademark of the Radio Shack Division of Tandy Corporation

- * All Orders processed within 24-Hours
 - * 30-Day Money Back Guarantee on all Software (less a \$3 penalty for handling)
 - **★ 10-Day Money Back Guarantee on Disk Drives and Printers PLUS** 120-Days Free Service

LEARNING LEVEL II By David Lie The Original Author Of The Level Manual A Step By Step approach to Learning Level II especially geared to new TRS-80" Owners

TRS-80" DISK AND OTHER MYSTERIES

Over 100 pages of indespensible information for disk owners. Learn to recover information from bad disks, how to make Basic programs unlistable and 12 more chapters of never published tips and information. Written by H.C. Pennington. (For all Disk Owners). \$22.50

NEW SBSG BUSINESS SYSTEM FOR MODEL I OR MODEL II - IN STOCK

- General Ledger
- Accounts Receivable
- Accounts Payable
- Inventory Control with Invoicing
- Each module can be operated individually or as coordinated SYSTEM. Turn-Key error catching operation for beginners
- Complete manual and documentation
- accompany each program.
 Minimum System requirements 2-Disk Drives
- for Model I...1-Disk Drive for Model II Each module can be formatted to span data on up to 4-Disk Drives
- Free 30-Day telephone consultation
- Call for complete specifications
- Model I Version
- Model II Version

\$125.00 Per Module \$495.00 Per System \$225.00 Per Module \$995.00 Per System

DATA MANAGEMENT SYSTEMS - DMS replace index cards or any data requiring long lists of information.

- TBS In-Memory Information System (For Cassette Systems)
- \$39.95 TBS Disk Data Manager (Requires 1 or more disk drives)...Set up fast random access, files in minutes. Stores up to 320K of information on 4 Drives. Up to 10 fields and 255 characters per record. Supports upper and lower case. RS-232 or
- TRS-232...Features complete editing Personal Software CCA Data Management System. Completely user oriented, menu drive, 130 page Step By Step Manual Capable of inventory control, sorting data, reporting data in nearly any form (for reports and mailing labels) Sorts data by up to 10 fields for zip code, balance due, geographic location or whatever. Prints reports with subtotals and totals automatical calculated. Fast random access

FROM RACET COMPUTES

- REMODEL-PROLOAD Renumbers program lines, combines programs. The only renumber program that will renumber the middle of a program. Specify 16K, 32K or 48K. Works with Cassette or Disk \$34.95
- GSF Use in your Basic Programs for Instant Sorting (will sort 1000 items in 9 seconds). Other commands include Compress and Uncompress Data. Duplicate Memory, Display Screen Contro and Fast Graphic Controls \$24.95
- (For Cassette or Disk, specify 16K, 32K or 48K)
- DOSORT All G.S.F. commands plus special Multiple Disk Sorting Routines \$34 (Specify 32K or 48K)
- INFINITE BASIC Adds 70 commands to your TRS-80* including Instant Sort, Matrix Commands, String Commands, Left and Right Justification, String Centering, Simultaneous Equations, Upper and Lower Case Reverse and more. (For Cassette or Disk) \$49.99 \$49.95
- INFINITE BUSINESS (Requires Infinite Basic) Eliminate Round-off error, 127-Digit Calculation Accuracy, Insert New Elements in Sorted Arrays Automatic Page Headings, Footings and Pagination, Multiple Precision Arithmetic and more. (For Cassette or Disk) \$29.0
 COPSYS - Copy Machine Language Programs
- For Cassette Only) \$75.00
- DSM (Disk Sort Merge)

FROM SMALL SYSTEM SOFTWARE

- RSM-2 Machine Language Monitor RSM-2D Disk Version of RSM-2 \$26.95 \$29.95
- DCV-1 Converts Machine Language Program from tape to disk \$9.95
- AIR RAID The ultimate TRS-80" game converts your TRS-80" into a real time shooting galler \$14.95
- BARRICADE A fast pong style game CPM - (For Disk Only)
- \$150.00 TRS-232 INTERFACE - Interface with Software
- driver RS-232 printers to your TRS-80" \$49. TRS-232 FORMATTER Additional (optional) \$49.95
- Software for TRS-232 owners. Adds many printer commands to your TRS-80" \$14.95 (With purchase of TRS-232) \$9.95 \$14.95
- PENMOD Use the Electric Pencil with RS's lower case modification \$19.95

FROM GALACTIC SOFTWARE

- MAIL PAC For Model I Disk Systems \$99.95 Quick-sorting full user control over mailing list from Galactic Software.
- STOCK MARKET PAC

FROM APPARAT NEW DOS .

\$99.95

\$149 95

35, 40 and 77 Track Versions available NEW DOS/80 (With variable record length files

chainings and many other features FROM THE BOTTOM SHELF

- CHECKBOOK II (For Cassette or Disk) \$39.95
- SYSTEM DOCTOR (A complete diagnosis of your TRS-80" Checks memory, video, cassette, disk ROM, and all other parts of your system) For Cassette or Disk
- CHECKBOOK REGISTER ACCOUNTING
- SYSTEM (Requires 2 disk drives) \$75.00 LIBRARY 100 100 established business, game and educational programs plus FREE Tiny Pilot
- \$49.50 BASIC TOOL KIT - Lists all variables, GOTO and GOSUB's in your program \$19.80
- SOUNDWARE Adds sound to your TRS-80" Just plus it in
- Sample programs included
 TING TONG Can be used with Soundware for a Sound version of pong

VIC - The Carta Visual Instructional

\$19.95

\$195.00

Computer Program \$19.5
The Level II 16K Cassette is designed to teach beginners the Basics of Machine Language and Assembly Language Programming See every Machine Language Instruction Display on your video. VIC includes Step By Step 55 page manual

VISTA V80 DISK DRIVE 110K of Storage \$39 Add \$29 95 for Cable (Free with purchase of

FROM HOWE SOFTWARE

MON-3 - Machine Language Programming for beginners MON-3 is a complete System Monito with Users Manual \$39 95

2-Disk Drives) 10 day money back guarantee

MON-4 - Disk Version of MON-3

FROM MICROSOFT

LEVEL III BASIC

Now Cassette owners can add Disk Commands to their TRS-80" without owning a Disk Drive
MICROSOFT DISK ADVENTURE \$29. \$29.95

TRSDOS BASIC COMPILER Run Basic Programs up to 15 times faster

NEC BUSINESS QUALITY PRINTERS \$2,995.00

(For MOD-I or MOD-II)

THE ELECTRIC PENCIL Cassette

\$99.95 \$150.00 MOD-II Version

By Dr. Hal Davis HORSE SELECTOR II The TRS-80" version updated for the TRS-80" and originally reviewed in Systems and

• • • EVERYTHING • • • FOR MOD-II OWNERS

NEW MOD-II NEWSLETTER

MOD-II Catalog Free w/subscription \$12/year MAIL PAC \$199.95

MICROSOFT BASIC COMPILER \$395.00

MICROSOFT BASIC

GSF SORT ROUTINE \$50.00 CP/M \$170.00

PEACHTREE BUSINESS SOFTWARE **WORD STAR**

Call \$495.00

\$325.00

SPRING VALLEY, NEW YORK 10977

HOURS: 9-5

Monday thru Saturday

48-Page Catalog \$2 FREE With Any Order Order By Phone Or Mail Add \$1 Per Order For Shipping Within UPS Areas Add \$3 For C.O.D

Add \$3 For All Foreign And Non-UPS Shipments

Add \$3 For UPS Blue Label

24 ORDER (914) 425-1535

> **NEW TOLL-FREE** ORDER LINE (OUTSIDE OF N.Y. STATE) (800) 431-2818

••• EVERYTHING FOR YOUR TRS-80 . •••

SMALL BUSINESS SYSTEMS GROUP

COORDINATED BUSINESS SYSTEMS

- EACH MODULE CAN BE OPERATED INDIVIDUALLY OR AS A COORDINATED SYSTEM
- TURN-KEY ERROR CATCHING OPERATION FOR BEGINNERS
- . FREE 30-DAY TELEPHONE CONSULTATION WITH SBSG
- EACH MODULE CAN BE FORMATTED TO SPAN DATA ON UPTO 4 DISK DRIVES.
- . COMPLETE MANUAL AND DOCUMENTATION ACCOMPANY EACH MANUAL
- MINIMUM SYSTEM REQUIREMENTS 2 DISK DRIVES FOR MODEL I...1-DISK DRIVE FOR MODEL II

ACCOUNTS PAYABLE

The accounts payable system receives data concerning purchases from suppliers and produces checks in payment of outstanding invoices. In addition, it produces cash management reports. This system aids in tight financial control over all cash disbursements of the business. Several reports are available and supply information needed for the analysis of payments, expenses, purchases and cash requirements. All A/P data feeds General Ledger so that data is entered into the system just once. These programs were developed 5 years ago for the Wang micro-computer and have been tested in many environments since then. The package has been converted to the TRS-80" and is now a well documented, on-line, interactive micro-computer system with the capabilities of (or exceeding many larger systems.

ACCOUNTS RECEIVABLE

The objective of a computerized A/R system is to prepare accurate and timeley monthly statements to credit customers. Management can generate information required to control the amount of credit extended and the collection of money owed in order to maximize profitable credit sales while minimizing losses from bad debts. The programs composing this system were developed 5 years ago, especially for small businesses using the Wang Microcomputer. They have been tested in many environments since then. Each module can be used stand alone or can feed General Ledger for a fully integrated system.

PAYROLL

Payroll invoices many complex calculations and the production of reports and documents, many of which are required by government agencies. It is an ideal candidate for the computer. With this Payroll system in-house, you can promptly and accurately pay your employees and generate accruate documents/reports to management, employees, and appropriate government agencies concerning earnings, taxes, and other deductions. The package has been converted to the TRS-80" and is now a well documented, on-line, interactive micro-computer system with the capabilities of (or exceeding) many larger systems.

CAPABILITIES:

- * performs all necessary payroll tasks including:
 - · file maintenance, pay data entry and verification
 - computation of pay and deduction amounts
 - printing of reports and checks
- * can handle salaried and hourly employees
- * employees can receive: . hourly or salary wage
 - vacation pay
 - · holiday pay

 - piecework pay
 - · overtime pay

(Continued on next page)

CAPABILITIES

- * menu driven; easy to use; full screen prompting and cursor control
- invoice oriented; everything revolves around the invoice; handles new invoice or credit memo or debit memo
- invoice information recorded; invoice #, description, buyer, check register #, invoice date, age date, amount of invoice, discount (in %), freight, tax (\$), total payable
- transaction print and file maintenance procedures insure accuracy
- flexible check calculation procedure; allows checks to be calculated for a set of vendors - or - for specific vendors
- program prints your checks; contiguous computer checks with your company letterhead can be purchased from SBSG
- reports include (samples on back):
 - · open item listing/closed item listing both detail and summary
 - · debit memo listing/credit memo listing

 - check register report (to give an audit trail of checks printed)
- vendor listing and vendor activity (activity of the whole year)
 fully linked to GENERAL LEDGER; each invoice can be distributed to as many as five (5) different GL accounts; sysem automatically posts to cash

CAPABILITIES

and A/P accounts

- * menu driven; easy to use; full screen prompting and cursor control
- invoice oriented; invoices can be entered before ready for billing, when ready for billing, after billing or after paid
- allows entry of new invoice, credit memo, debit memo, or change/delete
- allows for progress payment
- transaction information includes:
 - type of A/R transaction • customer P.O.
 - description of P.O.

 - billing date · general ledger account number
 - · invoice amount
 - shipping/transportation charges
 - · tax charges
 - payment
 - progress payment information.
 - transaction print and file maintenance procedures insure accuracy
- * customer statements printed; computer statements with your company letterhead can be purchased from SBSG
- reports include; (samples on back)
 - · listing of invoices not yet billed
 - open items (unpaid invoices)
 - closed items (paid invoices)
 - aging
- ★ fully linked to General Ledger; will post to applicable accounts: debits A/R. credits account you specify

(PAYROLL CAPABILITIES CONTINUED)

- * employees can be paid using any combination of pay types (except, hourly cannot receive salary & salary cannot receive hourly)
- * special non-taxable or taxable lump sums can be paid regularly or one time (bonus reimbursements etc)
- * health & welfare deductions can be automatically calculated for each employee
- * earnings-to-date are accumulated and added to permanent records; taxes are computed and deducted: US income tax, Social Security tax, state income tax, other deductions (regular or one time)
- * paychecks are printed, computer checks with your company letterhead can be purchased from SBSG
- calculations are accumulated for, employee pay history, 941A report, W-2 report, insurance report, absentee report
- * fully linked to General Ledger Each employee's payroll information can be distributed to as many as (12) twelve different GL accounts; system automatically posts to cash account

INVENTORY/CONTROL INVOICING

- OVER 1000 ITEMS ON MODEL I
- OVER 3000 ITEMS ON MODEL II
- . LOW STOCK ALARM
- INVOICING DEDUCTS FROM INVENTORY
- COMPLETE INVENTORY REPORTS
- REORDER POINT REPORT
- · QUICK ITEM ACCESS

CLIENT BILLING, STOCK CONTROL, DENTAL BILLING, COMMODITIES Medicare/Medicaid billing also available

\$125 Per Module MODEL I \$495 Complete System \$225 Per Module MODEL II \$995 Complete System

WE ARE THE ONLY SOFTWARE COMPANY THAT OFFERS A REFUND WITHIN 30 DAYS ON ALL SOFTWARE (H & E COMPUTRONICS MONTHLY NEWSMAGAZINE SUBSCRIBERS ONLY)., WE DO CHARGE A \$3 PENALTY TO COVER POSTAGE AND HANDLING.

GENERAL LEDGER

The General Ledger accounting system consolidates financial data from other accounting subsystems (A/R, A/P, Payroll, direct posting) in an accurate and timely manner. Major reports include the Income Statement and Balance Sheet and a "special" report designed by management. The beauty of this General Ledger system is that it is completely user formatted. You "customize" the account numbers, descriptions, and report formats to suit your particular business requirements. These programs were developed 5 years ago for the Wang micro-computer and have been tested in many environments since then. The package has been converted to the TRS-80" and is now a well documented, on-line, interactive microcomputer system with the capabilities of (or exceeding) many larger systems

CAPABILITIES

- * more than 200 chart of accounts can be handled
- * account number structure is user defined and controlled
- * more than 1.750 transactions may be entered via:
 - · direct posting: done by hand, validated against the account file before acceptance
 - external posting; generated by A/R, A/P, Payroll or any other user source
- * data is maintained and reported by:
 - month
 - quarter
 - year
 - · previous three quarters
- * reports (samples on back) include:
 - trial balances
 - income statement
 - balance sheet
 - · special accounts reports and more
- * user formats reports with the following designed as you wish:
 - titles
 - headings
 - · account numbers
 - descriptions
 - subtotals
 - totals
 - · skip lines skip pages
- * up to eight levels of totals fully user designated
- * menu driven; easy to use; full screen prompting and cursor control

50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977



HOUR ORDER (914) 425-1535



PLEASE SEND ME:

MODEL I

\$125 PER MODULE ___

\$495 COMPLETE SYSTEM ___

MODEL II

\$225 PER MODULE

COOK COMPLETE SYSTEM

NEW TOLL-FREE ORDER LINE (OUTSIDE OF N.Y. STATE) (800) 431-2818

CREDIT CARD NUMBER		EXP. DATE			
SIGNATURE					
NAME					
ADDRESS	CITY	STATE	ZIP		

*** ADD \$6/YEAR (CANADA, MEXICO) - ADD \$12/YEAR AIR MAIL - OUTSIDE OF U.S.A., CANADA & MEXICO ***

YOU **IG FOR** trademark of the Radio Shack Division of Tandy Corporation

and EDITION (COMPLETELY REVISED)

FOR YOUR TRS-80™ LEVEL II MICROCOMPUTER

ALL ON CASSETTE OR DISKETTE -----

BUSINESS AND PERSONAL FINANCE
1. CHECKBOOK MAINTENANCE
2. TIME FOR MONEY TO DOUBLE
3. FEDERAL FICA & WITHHOLDING TAX
3. COMPUTATIONS
T
4. HOME BUDGET ANALYSIS
5. ANNUITY COMPUTATION
4. HOME BUDGET ANALYSIS 5. ANNUITY COMPUTATION 6. UNIT PRICING 7. CHANGE FROM BURGLAGE 8. BUSINESS
7. CHANGE FROM PURCHASE
8. NEBS CHECK PRINTER
9. DAYS BETWEEN DATES
10. MORTGAGE AMORTIZATION TABLE
11. INVENTORY CONTROL
12. PORTFOLIO VALUE COMPUTATIONS
13. VALUE OF A SHARE OF STOCK
14. SALES RECORD KEEPING SYSTEM
15. FUTURE VALUE OF AN INVESTMENT
16. EFFECTIVE INTEREST RATE (LOAN)
17. PRESENT VALUE OF A FUTURE AMOUNT
18. RATE OF RETURN VARIABLE INFLOW
19. RATE OF RETURN CONSTANT INFLOW
20. REGULAR WITHDRAWAL FROM INVESTMENT
21. STRAIGHT LINE DEPRECIATION
22. SUM OF DIGITS DEPRECIATION
23. DECLINING BALANCE DEPRECIATION
24. BREAK EVEN ANALYSIS
25. SALVAGE VALUE OF INVESTMENT
26. PAYMENT ON A LOAN
27. FUTURE SALES PROJECTIONS
28. CREDIT CARD FILE
29. ECONOMIC ORDER QUANTITY (EOQ)
INVENTORY MODEL
30. VALUE OF HOUSE CONTENTS 31. TEXT EDITOR 32. MONTHLY CALENDAR PERSONAL
31. TEXT EDITOR DERSONAL
33. DAY OF WEEK
34. CASH FLOW VS. DEPRECIATION 35. COMPLETE MAIL SYSTEM 36. INTEREST RATE ON A LEASE TINANCE
35. COMPLETE MAIL SYSTEM
36 INTEREST RATE ON A LEASE

STATISTICS AND MATHEMATICS
37. RANDOM SAMPLE SELECTION
38. ANGLO METIC CONVERSION
39. MEAN, STANDARD DEVIATION,
MAXIMUM AND MINIMUM
40. SIMPLE LINEAR REGRESSION
41. MULTIPLE REGRESSION ANALYSIS
42. GEOMETRIC REGRESSION
43. EXPONENTIAL REGRESSION
44. SIMPLE MOVING AVERAGE
45. SIMPLE T.TEST
46. CHI SQUARE TEST
47. NORMAL PROBABILITIES
48. BINOMIAL PROBABILITY
49. POISSON PROBABILITY
49. POISSON PROBABILITY
50. MATRIX TRANSPOSE
52. MATRIX INVERSE
53. MATRIX MULTIPLICATION
55. QUADRATIC FORMULA
55. QUADRATIC FORMULA
56. LINEAR EQUATION SOLUTIONS
57. ROOT HALF INTERVAL SEARCH
58. ROOTS OF POLYNOMIALS
59. ROOTS NEWTON'S METHODS
60. PRIME FACTORS OF INTEGER
61. LEAST COMMON DENOMINATOR
62. RADIAN DEGREE CONVERSION
63. NUMERICAL INTEGRATION STATISTICS MATH 63. NUMERICAL INTEGRATION 65. NOMERICAL INTEGRATION
UTILITIES
64. QUICK SORT ROUTINE
65. PROGRAM STORAGE INDEX
66. MULTIPLE CHOICE QUIZ BUILDER
67. FORM LETTER WRITER
68. SHELL SORT
69. CASSETTE LABEL MAKER
70. CODES MESSAGES
71. MERGE TWO FILES
72. SORT WITH PEPI ACCMENT

73. DRAWS BAR GRAPH 74. DRAWS HISTOGRAM 75. MOVING BANNER DISPLAY GAMBLING AND GAMES
76. RANDOM SPORTS QUIZ
77. GOVERNMENT QUIZ 77. GOVERNMENT QUIZ
78. HORSE RACE
79. MAGIC SQUARE
80. ARITHMETIC TEACHER
81. HIGH LOW GAMBLE
82. UNSCRAMBLE LETTERS
83. HANGMAN
84. CAMB OE NIM GAME OF NIM RUSSIAN ROULETTE GAMBLING 85 86. ROULETTE GAME 87. ONE ARMED BANDIT 88. HIT THE TARGET 89. WALKING DRUNK 90. STATE CAPITAL QUIZ 91. TIC TAC TOE 92. DICE GAME 93. LUNAR LANDAR GAME 94. BIORHYTHM 95. HORSE SELECTOR (CLASS CALCULATOR) RANDOM DICE ROLL RANDOM ROULETTE ROLL 98. RANDOM CARD DEALER 99. GUESS THE NUMBER 100. WHITE OUT SCREEN

INCLUDES 110 PAGE USER MANUAL

GUARANTEED SATISFACTION

SORT WITH REPLACEMENT

68. 69. 70. 71. 72.

WE ARE THE ONLY SOFTWARE COMPANY THAT OFFERS A REFUND WITHIN 30 DAYS ON ALL SOFTWARE (H & E COMPU-TRONICS INC., MONTHLY NEWSMAGAZINE SUBSCRIBERS ONLY). WE DO CHARGE A \$3 PENALTY TO COVER POSTAGE AND HANDLING

50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977

PLEASE SEND ME:

☐ MASTER PAC 100 CASSETTE VERSION.....\$59.95

☐ MASTER PAC 100 DISKETTE VERSION.....\$59.95

☐ MASTER PAC 100 (MODEL II DISKETTE VERSION).....\$99.95



(914) 425-1535



NEW TOLL-FREE ORDER LINE (OUTSIDE OF N.Y. STATE)

(800) 431-2818

* All orders processed within 24-Hours

★ 30-Day money back guarantee on all Software (less a \$3 penalty for handling)

SIGNATURE	••••
	• • •
NAME	٠.,
ADDRESS	

COMPUTACNICS

••• EVERYTHING FOR YOUR TRS-80 *••• TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation

MICROSOFT BASIC COMPILER

With TRS-80™ BASIC Compiler, your Level II programs will run at record speeds! Compiled programs execute an average of 3-10 times faster than programs run under Level II. Make extensive use of integer operations, and get speeds 20-30 times faster than the interpreter.

Best of all, BASIC Compiler does it with BASIC, the language you already know. By compiling the same source code that your current BASIC interprets, BASIC

Compiler adds speed with a minimum of effort.

And you get more BASIC features to program with, since features of Microsoft's Version 5.0 BASIC interpreter are included in the package. Features like the WHILE..WEND statement, long variable names, variable length records, and the CALL statement make programming easier. An exclusive BASIC Compiler feature lets you call FORTRAN and machine language subroutines much more easily than in Level II.

Simply type in and debug your program as usual, using the BASIC interpreter. Then enter a command line telling the computer what to compile and what options

Voila! Highly optimized, Z-80 machine code that your computer executes in a flash! Run it now or save it for later. Your compiled program can be saved on disk for direct execution every time.

Want to market your programs? Compiled versions are ideal for distribution. You distribute only the object code, not the source, so your genius stays fully protected.

BASIC Compiler runs on your TRS-80™ Model I with 48K and disk drive. The package includes BASIC Compiler, linking loader and BASIC library with complete

1980 INCOME TAX PAC

Completely Revised · Latest Tax Tables · Fully Tested · Complete Manual and Documentation. The new version of the Income Tax Pacs are full of error catching codes making it impossible to make an error. Follow the simple Step By Step procedure that makes tax preparation simple.

INCOME TAX PAC A(\$19.95...Cassette)

For Level II 16K Cassette Only

Does Form 1040 and 1040A

- Schedule A itemized deductions
- · Schedule B interest and dividends
- Output to video display
- Schedule TC tax computation

INCOME TAX PAC B \$49.95...Cassette or Diskette) For Level II 16K with or without printer...cassette or disk has all features of Income Tax

Pac A Plus works with or without line printer.

- Formats Form 1040 and 1040A for standard tax forms - Schedule C income from a personally owned business

· Form 2106 employee business expense

PROFESSIONAL INCOME TAX PAC C ...

For Level II 32K with disk and printer (optional)

Has all features of Income Tax Pac B Plus automatic memory storage for income tax

· 22 additional schedules and forms

Formats forms for individual or tractor feed printing

MOD II CPA VERSION \$199.95

GUARANTEED PROFIT

WINS SHOWS

AVERAGE PROFIT 91% PLACES 32% AT ALL TRACKS-1978

New simplified version of the original Horse Selector. The first Horse Selection System o actually calculate the estimated odds of each horse.

HIGHER PROFITS (OVER 100%) POSSIBLE THROUGH SELECTIVE BETTING ON:

- Rates each horse in 10 seconds.
- Easy to follow rules.
- Can be used with any Apple II Computer.
- 100% money back guarantee (returned for any reason).
- Uses 4 factors (speed rating, track variant, distance of the present race, distance of the last race).
- Using the above factors, the Horse Selector calculates the estimated odds. BET on horses whose actual payoff (from the Tote Board or Morning Lines) is higher than payoff based on estimated odds.
- Using the above factors, the Horse Selector calculates the estimated odds. BET on any selected horse with an estimated payoff (based on Tote Board or Morning Lines) higher than calculated payoff (based on Horse Selector II).

 • Source listing for the TRS-80**, TI-59, HP-67, HP-41, Apple and BASIC Computers.
- No computer or calculator necessary (although a calculator would be helpful for
- the simple division used to calculate estimated odds).

REE Dutching Tables allows betting on 2 or more horses with a guaranteed profit.

NEWDOS/80

A New enhanced NEWDOS for TRS-80" Model I for the 1980's

Apparat Inc., announces the most powerful Disk Operating System for the TRS-80". It has been designed for the sophisticated user and professional programmer who demands the ultimate in disk operating systems.

NEWDOS/80 is not meant to replace the present version of NEWDOS 2. 1 which satisfies most users, but is a carefully planned upward enhancement, which significantly extends NEWDOS 2. 1's capabilities. This new member to the Apparat NEWDOS' family is upward compatible with present NEWDOS 2. 1 and is supplied on Diskette, complete with enhanced NEWDOS + utility programs and documentation. Some of the NEWDOS/80 features are:

New BASIC commands that supports with variable record lengths up to 4095

Bytes long.

New BASIC commands that supports with variable record lengths up to 4095 Bytes long.

 Mix or match disk drives. Supports any track count from 18 to 80. Use 35, 40 or 77 track 5" mini disk drives or 8" disk drives, or any combination.

 A security boot-up for BASIC or machine code application programs. User never sees "DOSREADY" or "READY" and is unable to "BREAK", clear screen, or issue any direct BASIC statement including "LIST.

 New editing commands that allow program lines to be deleted from one location and moved to another or to allow the duplication of a program line with the deletion of the original.

- Enhanced and improved RENUMBER that allows relocation of subroutines.
- Powerful program chaining.
- Device hanging for routing to display and printer simultaneously.
- CDE function; simultaneous striking of the C, D and E keys will allow user to enter a mini-DOS to perform some DOS commands without disturbing the resident program.
- Upward compatible with NEWDOS 2. 1 and TRSDOS 2.3.
- Includes Superzap 3.0 and all Apparat 2.1 utilities.

STOCK MARKET MONITOR

Galactic Software Ltd.

CASSETTE VERSION 489.00

1. The system is designed for the active "trader" not the "long term" investor, as

the system is "technically" oriented.

2. For the TRS-80" Model I, Level II, 16K or more. Available in both disk and tape versions.

3. Tracks user selected issues, in a technical system that reflects the issue's performance against the overall market.

Set up data is input by the user from the Standard and Poors stock guide or

5. Daily issue data, "high", "low", "close" and "volume" are input from any newspaper containing this information.

Daily overall market, "volume" and "closing Dow" are also provided from a newspaper.

7. Volume and price changes of an issue, as they compare to volume an price changes of the overall market, are the basis of this system's analysis of the given

8. Comparisons of the issue against itself are also done. This may allow the user to spot "unusual" activity on this issue.

Clear indications are given as to whether the issue is "out performing", "under performing" or "performing" with the market.
Complete video and printed output is provided.

11. This program is intended to be a guide to indications, and is not to be used as a sole recommendation to buy, sell or hold an issue. These decisions are the responsibility of the user and his brokerage.

50 N. PASCACK ROAD

SPRING VALLEY, NEW YORK 10977 HOUR



ORDER LINE



(914) 425-1535

ADD \$2.00 FOR SHIPPING IN UPS AREAS ADD \$3.00 FOR C.O.D. OR NON-UPS AREAS ADD \$4.00 OUTSIDE U.S.A., CANADA & MEXICO

NICS: NEW TOLL-FREE ORDER LINE

(OUTSIDE OF N.Y. STATE)

(800) 431-2818

* All orders processed within 24-Hours * 30-Day money back guarantee

on all Software (less \$3 penalty for handling)

• • • EVERYTHING FOR YOUR TRS-80 TRS-80 TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation

BUSINESS PAC 100

* All orders processed within 24-Hours * 30-Day money back guarantee on all Software (less a \$3 penalty for handling)

100 Ready-To-Run **Business Programs**

(ON CASSETTE OR DISKETTE).....Includes 110 Page Users Manual.....5 Cassettes (Or Diskettes) Inventory Control.....Payroll.....Bookkeeping System.....Stock Calculations..... Checkbook Maintenance.....Accounts Receivable.....Accounts Payable.....

BUSINESS 100 PROGRAM LIST

1 RULE78 Interest Apportionment by Rule of the 78's 2 ANNUI Annuity computation program 3 DATE Time between dates 4 DAYYEAR Day of year a particular date falls on

LEASEINT Interest rate on lease BREAKEVN Breakeven analysis

DEPRSL Straightline depreciation Sum of the digits depreciation 8 DEPRSY Declining balance depreciation 9 DEPRDB 10 DEPRODB Double declining balance depreciation 11 TAXDEP Cash flow vs. depreciation tables 12 CHECK2

Prints NEBS checks along with daily register 13 CHECKBK1 Checkbook maintenance program

14 MORTGAGE/A Mortgage amortization table

15 MULTMON Computes time needed for money to double, triple, etc. 16 SALVAGE Determines salvage value of an investment

17 RRVARIN Rate of return on investment with variable inflows 18 RRCONST Rate of return on investment with constant inflows 19 EFFECT Effective interest rate of a loan

20 FVAL Future value of an investment (compound interest)

21 PVAL Present value of a future amount 22 LOANPAY Amount of payment on a loan

23 REGWITH Equal withdrawals from investment to leave 0 over 24 SIMPDISK Simple discount analysis

25 DATEVAL

Equivalent & nonequivalent dated values for oblig.

26 ANNUDEF Present value of deferred annuities 27 MARKUP % Markup analysis for items 28 SINKFUND Sinking fund amortization program

29 BONDVAL Value of a bond 30 DEPLETE Depletion analysis 31 BLACKSH

Black Scholes options analysis 32 STOCVALI Expected return on stock via discounts dividends

33 WARVAL Value of a warrant

34 BONDVAL2 Value of a bond

35 EPSEST Estimate of future earnings per share for company 36 BETAALPH Computes alpha and beta variables for stock 37 SHARPE 1 Portfolio selection model-i.e. what stocks to hold

38 OPTWRITE Option writing computations

39 RTVAL Value of a right Expected value analysis 40 EXPVAL

41 BAYES Bayesian decisions 42 VALPRINF Value of perfect information 43 VALADINF Value of additional information

44 UTILITY Derives utility function

45 SIMPLEX Linear programming solution by simplex method 46 TRANS Transportation method for linear programming

Economic order quantity inventory model Single server queueing (waiting line) model 47 EQQ 48 QUEUE1

49 CVP Cost-volume-profit analysis 50 CONDPROF Conditional profit tables

Opportunity loss tables Fixed quantity economic order quantity model

51 OPTLOSS

52 FOUOQ

53 FOEOWSH As above but with shortages permitted 54 FQEOQPB As above but with quantity price breaks 55 QUEUECB Cost-benefit waiting line analysis

56 NCFANAL Net cash-flow analysis for simple investment

57 PROFIND Profitability index of a project 58 CAPI

Cap. Asset Pr. Model analysis of project

59 WACC 60 COMPBAL

61 DISCBAL

62 MERGANAL 63 FINRAT

64 NPV

65 PRINDLAS 66 PRINDPA

67 SEASIND

68 TIMETR 69 TIMEMOV

70 FUPRINE 71 MAILPAC

72 LETWRT

73 SORT3

74 LABEL 1 75 LABEL2

76 BUSBUD 77 TIMECLCK

78 ACCTPAY

79 INVOICE

80 INVENTS 81 TELDIR

82 TIMUSAN

83 ASSIGN

84 ACCTREC 85 TERMSPAY

86 PAYNET

A7 SELLPR

88 ARBCOMP 89 DEPRSF

90 UPSZONE 91 ENVELOPE

92 AUTOEXP

93 INSFILE

94 PAYROLL2

95 DILANAL

100 PORTVAL9

LOANAFFD 97 RENTPRCH 98 SALELEAS 99 RRCONVBD Weighted average cost of capital

True rate on loan with compensating ball required

True rate on discounted loan

Merger analysis computations

Financial ratios for a firm Net present value of project

Laspeyres price index

Paasche price index

Constructs seasonal quantity indices for company Time series analysis linear trend

Time series analysis moving average trend Future price estimation with inflation

Mailing list system

Letter writing system-links with MAILPAC Sorts list of names

Shipping label maker Name label maker

DOME business bookkeeping system

Computes weeks total hours from timeclock info.

In memory accounts payable system-storage permitted Generate invoice on screen and print on printer

In memory inventory control system

Computerized telephone directory

Time use analysis

Use of assignment algorithm for optimal job assign

In memory accounts receivable system-storage ok

Compares 3 methods of repayment of loans

Computes gross pay required for given net

Computes selling price for given after tax amount Arbitrage computations

Sinking fund depreciation Finds UPS zones from zip code

Types envelope including return address

Automobile expense analysis

Insurance policy file

in memory payroll system Dilution analysis

Loan amount a borrower can afford

Purchase price for rental property

Sale-leaseback analysis

Investor's rate of return on convertable bond Stock market portfolio storage-valuation program

□ CASSETTE VERSION \$ 99.95 ☐ DISKETTE VERSION \$ 99.95

☐ MODEL II VERSION \$149.95

ADD \$2.00 FOR SHIPPING IN UPS AREAS ADD \$3.00 FOR C.O.D. OR NON-UPS AREAS ADD \$4.00 OUTSIDE U.S.A, CANADA & MEXICO

50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977

NEW TOLL-FREE ORDER LINE (OUTSIDE OF N.Y. STATE) (800) 431-2818

HOUR 4 24 ORDER

(914) 425-1535

MPUTRONICS: Announces...MOD-II

• Review of the latest Software for the TRS-80" Model II Microcomputer • Tips for running your Model II Latest announcements and updates

The Newsletter For Owners Of The TRS-80"* MODEL II MICROCOMPUTER

SPECIAL CHARTER SUBSCRIPTION RATE \$12.00 [For 12 issues]

MOD-II PROGRAMS CURRENTLY AVAILABLE

- (1) ELECTRIC PENCIL (Michael Shrayer Software).....Complete word processor with extensive editing and printer formatting features.....\$275 (STANDARD CP/M VERSION).....\$300 (DIABLO, NEC OR QUME CP/M VERSION).....\$325 (STANDARD TRSDOS VERSION).....\$350 (DIABLO, NEC OR QUME TRSDOS VERSION).
- (2) GENERAL LEDGER, ACCOUNTS RECEIVABLE, ACCOUNTS PAYABLE, INVENTORY CONTROL AND PAYROLL (Small Business Systems Group).....works under TRSDOS.....can be used one module at a time or as a coordinated system.....\$225 per module.....\$995 for the complete system.
- (3) GENERAL LEDGER, ACCOUNTS RECEIVABLE, ACCOUNTS PAYABLE, INVENTORY CONTROL AND PAYROLL (Peachtree Software)... requires CP/M and MICROSOFT BASIC.....professional business systems.....turn key operation.....discounts available.....\$1000 per module\$5000 for the complete system.
- (4) SELECTOR III (Micro-Ap).....complete data management system.....user defined fields and codes.....manages any list defined by the user... includes additional modules for simplified inventory control, accounts receivable and accounts payable.....requires CBASIC-2 and CP/M
- (5) GLECTOR (Micro-Ap).....add on package to the SELECTOR III.....general ledger that allows the user to define a customized chart of accounts.....\$250.
- (6) GSF (Racet Computers).....Generalized Subroutine Facility.....a series of super fast machine language utilities that can be called from a BASIC program (no machine language knowledge required).....sorts 1000 items in under 5 seconds.....allows PEEK and POKE statements..... move data blocks.....compress and uncompress data.....works under TRSDOS.....\$50.
- (7) DSM (Racet Computes).....Disk Sort Merge.....sorts and merges large multiple diskette files on a 1 to 4 drive system.....NOT AN IN MEMORY SORT.....can actually alphabetize (or any other type or sort) 4 disk drives worth of data.....sorts one complete disk of information in 10 minutes.....information is provided to use DSM with the RS MAILING PROGRAM.....works under TRSDOS.....\$150.
- (8) RSM (Small Systems Software).....a machine language monitor and disassembler.....can be used to see and modify memory or disk sectors. contains all the commands found on the Model-I version plus some additional commands for the MOD-II.....works under TRSDOS.....\$39.95.
- (9) CP/M (Lifeboat Associates).....an alternative operating system to TRSDOS that allows users to use hundreds of programs currently available to CP/M owners.....This is the only version of CP/M for the MOD-II that comes with an elementary CP/M guide written especially for MOD-II
- (10) MICROSOFT BASIC (Microsoft).....an enhanced version of the MICROSOFT BASIC found on TRSDOS.....works under CP/M.....adds commands such as chaining (allows the user to LOAD and RUN a new program without losing the variables currently in memory).....long variable length file records, WHILE/WEND and others.....can be used with the BASIC COMPILER to speed up programs (3-10 times faster execution)....\$350.
- (11) CBASIC-2....a non-interactive BASIC used for many programs that run under CP/M....requires CP/M....allows user to make more efficient use of disk files.....eliminates the use of the most line number references.....required for programs such as SELECTOR and GLECTOR...\$120.
- (12) MAILING ADDRESS (Peachtree Software) requires CP/M.....keeps track of name and address information and allows the selective printing of the information in the form of mailing lists or address labels....unique key structure and formatting structure allows for a multitude of retrieval alternatives.....\$790.
- (13) PROPERTY MANAGEMENT (Peachtree Software).....requires CP/M.....keeps track of all financial records related to property management\$1500.
- (14) FORTRAN-80 (Microsoft).....ANSI 66 (except for COMPLEX) plus many extensions.....requires CP/M.....\$425.
- (15) H & E COMPUTRONICS, INC. SHARE-A-PROGRAM DISKETTE #1.....works under TRSDOS.....a collection of programs written by MOD-II owners....programs include data base management....a word processor....mail system....mortgage calculations....checkbook register.....a mortgage calculations.....checkbook register.....a mortgage calculations.....security of the United States, Canada and Mexico).....FREE if you send us a diskette containing a program that can be added to the SHARE-A-PROGRAM DISKETTE.
- (16) MEMOREX OR WABASH CERTIFIED DISKETTES \$49.95 (per box of 10).
- (17) FLEXI-MATIC DISKETTE STORAGE TRAY Stores 110 diskettes comes complete with index-dividers, dust cover, tilt plates and adjustable spacing.....\$55.00.
- (18) WORD-STAR....The ultimate word processor....a menu driven word processing system that can be used with any printer. All standard word processing commands are included.....plus many unique commands only found on WORD STAR....requires CP/M.....\$495.
- (19) MAIL LIST MERGE....An add on package that allows the user to send form letters (created on WORD-STAR) to any compiled mailing list (using any CP/M based MAIL program such as the PEACHTREE MAIL PROGRAM).....requires CP/M, WORD STAR and any CP/M based mail program....\$150.
- (20) EDITOR ASSEMBLER from Galactic Software Ltd. is the first user oriented Editor Assembler for the MODEL II and was designed to utilize all the features of the MODEL II. It includes innovative features for ease of coding and debugging and complete documentation (over 120 pages)works under TRSDOS.....\$229.
- (21) MAIL/FILE SYSTEM from Galactic Software Ltd. stores 2,500 names per disk. No sorting time is required since the file is automatically sorted by first and last name plus Zip Code on input. Retrieve by any combination of 19 user codes. Supports an 11 digit alphanumerica Zip. Supports a message line. Comes complete with user-oriented documentation (100-page manual). Allows for company name and individual of a company and complete phone number (and extensions).....works under TRSDOS.....\$199.

TRS-00" IS A TRADEMARK OF TANDY CORPORATION



50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977



(914) 425-1535



NEW TOLL-FREE ORDER LINE (OUTSIDE OF N.Y. STATE)

(800) 431-2818

I. C. flattery ahead.

Home-Brew TRS-80

Russell W. Steele 611 Lynden Ave. Grass Valley, CA 95945

t's been said that the most sincere form of flattery is to be copied. But, when the copy is far superior to the original, it's called progress.

I have a friend and co-worker, Wilbur Dammann, who admired the TRS-80 and thought he might like to have one. He is one of those guys who can see and make improvements in almost everything, from cars to solar systems.

Several of Will's friends used the TRS-80, so he recognized its potential, as well as some limitations such as the tricky CLOAD, slow clock speed, inadequate power supply and limited expansion capability (without an expensive interface unit).

He decided the solution to his problem was to build a TRS-80





Photo 1. Interior Showing Power Supply.

			Colonia de la Co
1.	CLK 1	49.	A10
2.	GND	50.	NC
3.	CLK 2	51.	
4.	GND	52.	(2075)
5.	LI/LII ROM SELECT	53.	A15
6.	RESET	54.	7.000
7.	BUSRQ	55.	
8.	RAM SELECT (4K)	56.	***
9.	RAM SELECT (8K)	57.	2077
10.	RESTART (NMI)	58.	1000
11.	SYS RESET	59.	
12.	RAM SELECT (12K)	60.	
13.	RAM SELECT (16K)	61.	
14.	MODE SELECT (64 or 32 CHR)	62.	NC .
15.	MUX	63.	NC
16.	VID/KBD ENABLE	64.	1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1
17.	RAM SELECT (20K)	65.	07/07/1972
18.	CAS	66.	
19.	WR	67.	
20.	RAM SELECT (24K)	68.	
21.	RAM SELECT (28K)	69.	INT
22.	MREQ (RAS)	70.	100.00
23.	OUT	71.	
24.	RAM SELECT (48K)	72.	100000
25.	RAM SELECT (44K)	73.	- Trans.
26.	RD	74.	46130
27.	IN SALES SOT MOVE	75.	NC
28.		76. 77.	D5 D3
29. 30.		78.	NC
31.	\ <u> </u>	79.	NC NC
32.		80.	1007
33.		81.	
34.		82.	NC
35.	NC	83.	
36.	A5	84.	
37.		85.	D0
38.	A4	86.	NC
39.	NC	87.	0.6.797
40.	STATE OF THE STATE	88.	197
41.		89.	
42.	NC	90.	25/5/2
43.	_	91.	+5 REG
44.		92.	10.7.11.7.7
45.	A6	93.	-5 REG
46.	NC	94.	+ 10 UNREG
47.	A7	95.	+ 12 REG
48.	NC	96.	+ 10 UNREG
	Table 1. Motherboa	rd Bu	IS.



The biggest and best computer show ever to be in the Boston area is ready to take place. Make sure you take it in.

Over \$50 million worth of software and hardware for business, government, home and personal use will be featured at the new Northeast Computer

Show in November. Computers from \$150 to \$250,000, mini and micro computers, data-and word-processing equipment, tele-communications, office machines, peripheral equipment and services will all be on display and for sale right on the spot.

All the major names like IBM, Xerox,
Radio Shack and Apple will be there. There
will be conferences on business uses of
small to medium sized computers, and how
to make purchasing evaluations.

Plus, robots, computerized video games, computer art and computer music will entertain and educate kids, spouses and people who don't know a program from a memory disk. It's going to be a great show for everyone. Admission for adults is only \$5. The public is

invited, and no pre-registration is necessary.


Don't miss the coming of the computers. Show up for the show.


BOSTON

HYNES AUDITORIUM, PRUDENTIAL CENTER THURSDAY-SUNDAY, NOVEMBER 20-23 11 A.M. TO 9 P.M. THURS.-SAT., 11 A.M. TO 5 P.M. SUN.

THE NORTHERST COMPUTER SHOW

Produced by National Computer Shows, 824 Boylston Street, Chestnut Hill, MA 02167, Telephone (617) 739-2000.





DOSPUS 3.1

DOSPLUS VERSION 3.1 FACT SHEET

- 1) Variable length records.
- 2) Full lower case support and detection
- 3) Repeating keyboard w/debounce
- 4) Execute only protection feature for BASIC programs
- 5) Track support for 35-80 track drives
- 6) Device I/O handling (*PR, *DO, *KI)
- 7) Built-in screen printer
- 8) Multiple command chaining with "DO"
- 9) Built-in memory test
- New printer driver which allows complete forms control and paging
- 11) Execute any DOS command from BASIC and return to BASIC
- 12) Free space map of diskette
- 13) Copy with variable length files
- 14) RS232 switch status and UART check
- 15) Create and pre-allocate files from DOS
- 16) Boot without re-setting clock and date
- 17) Display current time and date from DOS
- 18) New DISKDUMP sector display/modify (real-time)
- 19) New BACKUP (more reliable, no pack ID check)
- 20) New FORMAT (more reliable, no need to bulk erase disk first)

- 1) Single drive copy
- 2) Restore (dead files)
- 3) Purge (unwanted files)
- 4) Clearfile (destroy data with zeros)
- 5) Transfer (moves all files from one disk to another)

MICRO SYSTEMS SOFT 5846 Funston Street, Holl (305) 983-3	ywood, FL 33023
NAME	
ADDRESS	
STATE	ZIP
PHONE	
ATTENTION!	
ACCOUNT #	
MC UVISA DEXP. DATE.	
MASTER DISKETTE DIRE	CTORY
QUANTITY	×
DOSPLUS 3.1	
QUANTITY	





faster And More Efficient Than:

- TRSDOS
- NEWDOS +
- VTOS

DOSPLUS Uses less memory and still offers all the commands of the other major operating systems, AND some innovative and useful features of our own design.

DOSPLUS is now available for the TRS - 80[®] Model I. II. and III

UBRARY O	ATTRIB	AUTO	BOOT	BUILD
CLEAR			CREATE	DATE
	CLOCK			
DEBUG	DEVICE	DIR	DO .	DUMP
FORMS	FACE	KILL	LIB	LIST
LOAD	PAUSE	PROT	RENAME	RS232
TIME	TRACE	VERIFY		
BUILT - IN A	EATUACS:	UTILITIES:		
AUTOMATIC LOWERCASE		COPY 1	TRANSA	
SCREEN PRINTER		RESTORE (DEAD FILES) PUR		
KEYBOARD DEBOUNCE		DISK DUMP/CMD CLEARE		ALE .
REPERTING KEYBOARD		FORMAT	BACK-I	UP

NEW FROM MICRO-SYSTEMS!!!

Moster Diskette Directoru Ver 1.1

This program will read the directories of up to 320 diskettes or 5000 files! Insert your diskette in the drive, press enter, and it works automatically to read, store, and categorize your files. No more looking through box after box of diskettes looking for those favorite programs that are "Around Here Somewhere". You can get a listing of all the files on all the diskettes. In addition, you can list them by file extension, diskette number, or program category. With master directory, you need never again worry about the frustration of not being able to locate a particular program. Master directory will search for a particular file name and give you every occurence of that file, its size, and the diskette number that contains it.

A totally self-contained, machine language program on a self-booting diskette; master directory will work equally well on single or multiple drive systems.

Dosplus - \$99.95 Master Directory - \$29.95

MICIO STSTEAS SOFTWARE INC -




Specializing in the Tandy Line

(305) 983-3390

5846 Funston Street Hollywood, FL 33023

DEALER INQUIRIES INVITED

*TRS - 80 is a trademark of Tandy Corp.





THE GREAT CRANE GAME MACHINE



Breakout II

¼ Mile Drag

Tic Tac Toe

Sub-Attack

Calculator

TV Pow II

- 16K level II \$15.00
- Speed Lightning
- Laser Warrior
- Reflexometer
- The Assistant
- Memory Mover
- Word Scramble
- Etch-A-Screen
- Much More . .

SPECIAL

Free program with every tape order: ML/B language converter - change machine code to basic for cassette copies. FREE CATALOG

The BERG WORKS **BOX 742 B** JANESVILLE, WI 53545

TRS-80 Softwaré ciency **VERBNOUN**

THE

SERIES DISK-CASSETTE-MANUAL

(PRICES:

SORTFILE

\$23. 95-\$19. 95-\$3.00

- * Internal speed: 500 records/4 secs
- * Multiple keys, of any mixture of data types and of ascend-descend
- * Six output options: new data file, file with selected and/or reshufiled data fields in records, two kinds of index file, or output to screen and/or printer directly
- * Needs just 1 disk and 16 K memory
- * SEEFILE utility included free

UTILITIES PACK \$28, 95-\$24, 95-\$3, 00

SEEFILE CUTFILE JOINFILE PRINFILE

MERGFILE SEEREC FIXREC ADDREC

BOTH

\$43. 95-\$39. 95-\$5.00

SOFTWARE EFFICIENCY 314-863-7187 7800 Stanford Avenue, St Louis, MO 63130



Send \$59.95 plus \$250 for shipping and handling

TRS-80 Soft-ware (Specify Tape or Disk) \$10 with purchase of Commander

To Order

Illinois

Residents

add 6% tax)

\$**59**95

90 Day Warranty Assembled & Tested;

COMPUTER CONTROLLED - REMOTE CONTROL Now an inexpensive and direct carrier current interface between the TSR-80 and the BSR X-10 remote control modules. The MICRO COMMAMDER X-10 modules and your computer can control your lights, appliances, motors, TV. steree, healers, slarms, Jans, pumps, etc.

COMPUTER CONTROLLED - SECURITY Add a new dimension to your security system. Place your hom control of your computer real time clock while you are on vacati an input port to your computer and intelligence looms. With awit

COOTS OF Windows your computer weather guess or injune intrivious.

EASY TO USE: - NO WIRES TO RUN

Tetal control of all X-10 modules. Utilize all 256 house and unit code combinations. Direct interface to AC power line. No command cansole to purchase. No sonic link. Plugs directly into TRS-80 Model [1, Level ll or Disk] cassette jack or any 1 bit input and 1 bit output TTL port.

MANUAL INCLUDES ALL SOFTWARE LISTINGS

The 14K basic 4 in 1 program does the lo Leads machine language driver. Simulates command console. Simulates command consore.
Provides sequential operation.
Utilizes real time clock for control
Complete documentation includes 8080 source listing.



INTERFACE TECHNOLOGY -319 P.O.Box 383, Des Plaines, II 60017 Phone (312) 297-2265


MAGNETIC MEDIA DISTRIBUTI

596 Taylor Way Belmont, California 94002 (415) 595-0684

DISK STORAGE SYSTEM

Keeps dust off of disks

Built-in plastic file separators



Formed from transparent smoke colored acrylic

> 50 to 60 Disk capacity

For Mini-Disks For 8" Disks

plus \$3.00 shipping for each Flip SortTM

DEALER INQUIRIES INVITED

FLOPPY DISKS FOR ALL COMPUTERS

5%" DISKETTES

Diskettes available in Soft Sector, 10 or 16 hole Hard Sector

1-99 Single Side-Single Density (Certified 35 tracks) \$ 2.85 \$ 2.60 Single Side-Double Density (Certified 40 tracks) \$ 3,75 \$ 3,55

Double Side-Double Density (Quad Density) \$ 4.50 \$ 4.30

Single Side-Double Density (Certified 77 tracks) \$ 4.00 \$ 3.80

8" DISKS

Single Side-Single Density (Soft Sectored) \$ 3,40 \$ 3,20 Single Side-Double Density (Soft Sectored)
Double Side-Single Density (Soft Sectored)
Double Side-Double Density (Soft Sectored) \$ 4.60 \$ 4.40 \$ 4.95 \$ 4.75

Single Side-Single Density (Hard Sector 32 hole) \$ 3,60 \$ 3,40 Single Side-Double Density (Hard Sector 32 hole) \$ 4,00 \$ 3,80 Single Side-Single Density (Hard Sector 32 hole) \$ 4,65 \$ 4,50 (MRX 651 compatible OD holes)

We stock VERBATIM, WABASH, KYBE, KEYLINE & ATLANTIS Disks and Diskettes at LOW, LOW, prices. Write for our mini catalogue.

VINYL DISK SLEEVES for 5 1/4 and 8" Disks PLASTIC LIBRARY CASES 8" \$ 4.50 5 1/ \$ 9,00 10pak 5 1/4" \$ 3.50 FLOPPY SAVER (Hub Reinforcing Rings 5 1/4" with applying tool \$ 14,95 pk of 25 Refills \$ 7.95 8" with applying tool \$ 16.95 pk of 25 Refills \$ 8.95 8" with applying tool

CALL TOLL FREE TO ORDER (800 227-7362

LV II, 16K





CalData Systems Presents

WordMagic II

Complete WORD PROCESSING designed specifically for

The Radio Shack TRS-80 Model II Computer

WordMagic II* is a Word Processor designed specifically for the Radio Shack TRS-80 Model II Computer.

FEATURES INCLUDE:

- Mailing List/Labels Generation
- Automatic Merging of Mailing Data with Text Files to created "PER-SONALIZED" Form Letters
- Automatic wrap-around in text entry
- . Margination, Paging, Complete Cursor Movement
- · Complete Editing Commands-Insertion, Global Substitution, Overwrite,
- Centering, Smooth Right, Left Justify
- Table of Contents Generation
- Automatic Page Numbering
- Variable Form Lengths
- Underlining
- Line Numbering

Requires 64K Model II, TRSDOS & BASIC (not provided with WordMagic ctory Pricing: \$195.00 Manual \$20. (Cal. Res. add tax)

CalData Systems



P.O. Box 178446

San Diego, CA 92117 (714) 272-2661

% STAT-BALL %



Baseball Simulation

% STAT-BALL % is not an arcade type game, but a comprehensive, 3 part statistical baseball simulation package that uses real life pitcher and batter statistics to simulate game play.

During the game, 12 performance categories are computed and displayed for batters, 10 for pitchers. These stats reflect the player's game performance and will follow closely a player's actual ability. Stats may be viewed on a per game basis or kept for many games.

Agonize when your best power hitter drops a routine fly, feel the thrill of victory when he hit's a deep fly over the wall. All action is described as it happens to add tension and excitement to this engrossing game...

YOU'RE THE MANAGER! Select your own lineup, ake all types of substitutions, call your own strategy and e with it!! Play modern, old timer, or mixed teams.

This package consists of 3 programs:

(1) GAME
(2) RECORDS (Sorts up to 150 players into 14 categories based on relative performance.
(3) WORKUP/EDIT (Establish, edit, or mix players).

- eatures include:
 Solitare or head to head competetion
 Batters ability ratings include bunting,
 running, and errors.
 Pitcher tring factor
 3 offensive and defensive strategy
 options.
 Full 25 man rosters
 Printer option (32 chr/in or more)
 Top quality tape
 Detailed instructions
 FREE 79' Pirates and Orioles for series
 replay replay

For prompt, 1st class delivery send \$25.00 check or money order to:

J.L.S. SOFTWARE P.O. Box 10385 Chicago, Illinois 60610

(We pay shipping and handling)

(*Trademark, TANDY CORP.)

PACKAGE DEAL OF THE MONTH

10 DISKETTES AND A DISK LIBRARY PRGRM.

We'd like to introduce you to a new line of soft sector, 5% inch diskettes for the TRS-80. They're manufactured by Nashua, the same company who's been servicing mainframe computers for years! We've have been testing them for over 3 months with error free results.

DEAL #14 This package contains 1 bo (10) of Nashua diskettes, plus on one of you diskettes you will find our powerful DISKLIB program. This exciting utility is so practical it automatically reads disk directories and creates a master file of your programs. prints a master listing to make finding programs easier.

 \mathbf{z}

DISKETTES \$29.95 TOTAL LIST PRICE \$42.90 less DEAL #14 812.95 TOTAL SAVINGS

☐ Yes, Fill Sque \$12.95 (circle one)
CASH / COD / MC / VISA

ADDRESS CITY.ST.ZIP CHARGE CARD . EXP



THE ALTERNATE SOURCE 1806 ADA STREET LANSING, MI 48910 517/485-0344

517/487-3358

compatible system from the ground up, improving, where he could, on the TRS-80 design.

Initial Circuit Design

Shortly after he became interested in the TRS-80, Will obtained a copy of its schematic. A few weeks later Radio Shack published the TRS-80 Technical Reference Manual. With both a schematic and technical data, the design advanced rapidly.

Will modified the clock circuit to select the CPU processing speed and improved the stability of the video display. He redesigned the CLOAD/CSAVE circuits, the systems control circuits and power supply. He added provisions for both Level I and II BASIC.

Schematics for the video sync, cassette input/output and power supply circuits are shown in Figs. 1, 2, 3 and 4.

Other modifications and design changes were made to reduce the number of parts to take advantage of those he had on hand and to improve performance.

One of Will's goals was to build as much of his system as possible from a bottomless junk box of electronic parts which he has collected over the years. Those parts he did buy (character generator, graphics generator, Level I and II ROM and assorted chips) came from Radio Shack. The CPU was purchased from an advertiser in the back of this magazine. All of the memory except for the video memory came from friends who kept their 4K chips when they upgraded to 16K.

Physical Layout

Will wanted a bus-oriented system which could be expanded as his needs and capabilities grew.

In approaching the layout problem, he grouped specific functions into blocks of processing, memory, video and input/output. Each function was assigned to a 5 by 7 PC board. To keep each function an integral block, he devised a series of piggyback boards for those circuits that could not be fit on the single 5 by 7 board. Each card

was provided with its own 5-volt regulator and supplied 10 volts from a common power bus.

After juggling the circuit submodules until he found the best fit, Will's basic design evolved into a processor board, ROM board, RAM board(s), video board and cassette board.

The processor board includes the CPU, clock and first divider chain, and the reset functions. The ROM board has provisions for both Level I and II ROMs, plus the address decoder circuits for up to 48K of RAM. The current RAM boards, with plugin assembly, are designed to hold two sets of 16-pin dynamic RAM chips. There is room on the motherboard for additional RAM boards with memory up to 48K.

The video board holds the video divider chain, multiplexer and video memory. A plug-in assembly holds the character/graphics generator, sync circuits and video output. The cas-

sette I/O board is built on a smaller 7 by 3 board, but is compatible with the bus structure.

Each printed circuit card is designed to plug into a 96-pin motherboard. The motherboard is built with double-sided PC board with alternate traces on opposite sides of the board. Fig. 5 shows how the 96-pin sockets were soldered to the board.

The bus structure is shown in Table 1. There is ample room on the motherboard for expansion.

Future expansion will include a parallel/serial I/O board, disk



Photo 2. The Complete System.




Fig. 4. Mainframe and Circuit Board Regulators Assembly. The regulator circuits use a unique overvoltage protection circuit. The transistor, SCR and resistors R2 and R3 are the principal components in the overvoltage protection scheme. The transistor, R1 and C1 form a dynamic filter.

controller, A/D converter and of course, more memory. The circuit diagrams for each of the basic modules are shown in Figs. 6 through 9.

Will totally redesigned the power supply and incorporated it into the system. His primary power supply was built on the main chassis to provide unregulated 10 volts for the bus in addition to the regulated +12 volts and -5 volts required by dynamic RAM memory.

Each regulated voltage source has a unique dynamic filtering and overvoltage protection circuit. They shut down the power to the circuit by turning off Q1 and illuminating an overvoltage LED indicator on the front panel. (The schematic for this circuit is included as Fig. 4.) This is not a crowbar circuit that

could blow a fuse, but an electronic control of the overvoltage condition. Transistor Q1, resistor R1 and capacitor C1 also provide the dynamic filtering.

In addition to the power supplied to the bus, a regulated six volts is provided to the tape recorder. By operating the recorder on regulated six volts, the voltage fluctuations caused by the recorder being switched on and off are eliminated. The possibility of 60-cycle hum creeping into the recorder is also reduced.

To provide power for future control functions and provide more reliable tape recorder relay operations, a +28-volt DC source was included as part of the power supply. A single transformer with all the necessary voltages was not available, so

Will rewound an old one.

As you can see in Photo 1, the primary power supply fits neatly into the case. A small fan was installed to provide enough cooling for reliable operation.

Construction

Will carefully drew each PC

board circuit on tracing paper, using black ink for the top PC traces and red for the bottom PC traces. Each diagram was carefully checked and a circle made to indicate an IC connection, discrete component connection or a connection that passed through to the other side of the




Fig. 5. Details of Mother Board Construction.





Fig. 6. The Basic Processor Board.



NOT FOR PROGRAMMERS ONLY

S & M Systems, Inc. introduces the first nonprogrammers system available for NEWDOS-80.

PROGRAM-80 allows you to define your own information file, make additions, changes and deletions... without any

programming! This system costs only \$99.00 and provides the capability of data collection, updating and printed reports. Also included is our machine language NEWSORT-80 which will allow you to sort your data files in any order you require.

Call S & M Systems today at (617) 373-1599 and order PROGRAM-80 today!

"Let us put your system to work for you!"

S&M systems, Inc.

2 Washington Street Haverhill, Massachusetts 01830



Have computer, will travel. Executive Computer System Carrying Cases.

- Makes your microcomputer truly portable.
 Protects your equipment: locking latches limit access.
 Rugged black vinyl with metal corners outside.
 Protective foam rubber, black velveteen covered, inside.
 Computer can be operated without removing from case.
 And cases are custom designed for full systems.

Apple* Executive Case holds:

- Apple microcomputer.
- 9" Sanyo monitor. 2 disk drives.
- Power strip. 2 boxes diskettes. Manuals.

- Dimensions: 28" x 21" x 10%." Weight: 17 pounds. Price: \$179

TRS-80** Executive Case holds:

- TRS-80 Microcomputer.
- Expansion interface. 2 disk drives.
- Power strip. 2 boxes diskettes.

- Dones disactes.
 Manuals.
 Dimensions: 28" x 21 ½ " x 8½ ".
 Weight: 17 pounds.
 Price: \$179


Terms: FOB Los Angeles - Master Charge, Visa or check with order. Allow 3-4 weeks for delivery.

- *Registered, Apple Computers, Inc.
 **Registered Trademark, Tandy Corporation.

COMPUTER TEXTILE

10960 Wilshire Blvd. Suite 1504 Los Angeles, CA 90024

(213) 477-2196



Introducing a new line of cases and power supplies (with or without disk drives!)

51/4-Inch drives

The choice is yours

Whether you need professional-looking cases and power supplies for your present hardware or complete disk drive packages, call A.M. Electronics. We manufacture a complete line of affordable, high-quality and readily-available disk drive components to expand your TRS-80™ system.

Disk drive enclosures

All of our disk drive enclosure products feature:

- One year power supply guarantee. Each unit is 100% tested, regulated and fused.
- Optimum top-and-bottom venting for improved convection cooling and lower operating temperatures.
- Excellent RF interference shielding. Steel covers come with lustrous dark grey finish to complement your TRS-80™ hardware.
- Built-in provisions for optional extender cable (5% only).

Complete disk drive packages

Our complete disk drive packages feature proven MPI and Siemens drives and are designed to meet all your storage requirements. As with everything we sell, A.M. Electronics tests each drive for 100% reliability prior to shipment.

Manufacturer-direct savings

When you order from us, you buy directly from the manufacturer. There are no "middlemen" between us and our customers, so you'll realize significant savings like these:

COMPLETE DISK DRIVE PACKAGES

O'N IIIOII CITTOO
40-track MPI 51 w/case, power supply
& extender cable \$350
80-track MPI 91 w/case, power supply
& extender cable 560
Dual MPI 51's w/dual case, power supply
& extender cables 650
Dual MPI 91's w/dual case, power supply
& extender cables 1070
SPECIAL OFFER! 8-Inch drives for Model I or II
Single Siemens drive w/case & power supply 695 NEW! Dual Siemens drives w/dual case
& power supply
(90 day limited warranty on disk drives)
CASES AND POWER SUPPLIES
5¼-Inch enclosures
Single drive unit case & power supply \$85
Dual drive unit case & power supply 120
(Extender cables are \$15 each extra)
8-inch enclosures
Single drive unit case & power supply 150

Attention dealers, OEM's & distributors

Having trouble finding cases and power supplies for your disk drives? Call us for details on our attractive pricing and immediate product availability.

NEW! Dual drive unit case & power supply 250

*TRS-80 is a trademark of Tandy Corp




The power behind the drives®
A.M. ELECTRONICS, INC.

3366 Washtenaw Avenue Ann Arbor, Michigan 48104 (313) 973-2312

r 452



Visit our retail showroom for a "hands on" look at our wide selection of TRS-80™ hardware, software and peripherals. See A.M Electronics, Inc. at the Computer Shows in Chicago, Oct. 16-19 and in Boston, Nov. 20-23.



board.

Next, Will pasted the diagram to a double-sided PC board with rubber cement and drilled holes in it with a dental tool. The holes would be a guide for drawing on the PC traces with waterproof ink.

The copper was scrubbed clean before drawing the PC traces.

Problems with ordinary draft-

ing pens developed because the waterproof ink dissolved their plastic parts. Will devised an all-metal mechanical pen to draw the traces.

Once the circuits were drawn on the copper boards, they were etched in ferric cloride. Next the cards were washed and the copper traces tinned with a hot soldering iron.

Parts mounting was typical

for PC boards, except at points where parts passed through the board. Without through-hole plating, it's necessary to solder the leads on both sides of the board.

The only other exception to normal construction practices was the building and installing the piggy-back boards. Goldplated cable-connector-pins were soldered into the appropriate address, data and control lines.

Memory Boards and Keyboard

After the memory boards were installed and checked out, Will experienced a number of program glitches. Tracking down the problem, he discovered individual memory bits were modified at random. Running a memory test tape pro-



OPAMP/ TECHNICAL BOOKS

FEATURING: ADDISON WESLEY

Knuth set-5% off

\$2.00 COUPON

Worth \$2. on any purchase

good 14 6/31/81

BOOKS ON: BASIC • MICROS

PASCAL • CHESS COBOL • IBM DATA • FORTRAN ROBOTICS • RPG

PET KIM

SOFTWARE FOR: **TRS-80** (largest selection anywhere)

APPLE **EXIDY**

Utility Business Games

DISK - 51/4"

JCL ● APL ● ETC.

Dysan ... \$44.95 Box of 10 SOFT Verbatim ... \$29.95 Box of 10

DISK 8"

Dysan \$39.95 Box of 10 SOFT Verbatim ... \$34.95 Box of 10



(213) 464-4322



1033 N. SYCAMORE, LOS ANGELES, CA 90038 1 Blk. E. of La Brea, 1/2 Blk. S. of Santa Monica Blvd. Hours: 9:30 A.M. - 5:30 P.M. Monday thru Saturday Send for FREE Catalog

CHICATRUG News

12 Issues For Only \$12.00

All The TRS-80™* News You Need When You Need It

> Now In Our 3rd Year Of Continuous Publication

One Of The Oldest TRS-80[®] Newsletters Still In Circulation

— Featuring —

 Applications - Product Reviews -· Machine Language Tutorials · . And Much More .

Call: 312-782-9750

Write For Free Sample:

Chicatrug News -459 c/o EBG & Associates 203 N. Wabash Av Chicago, IL 60601

* TRS-80™ is a Trademark of Tandy Corp.


TRS-80[™] Compatible 'carbonless'' Continuous Statements

small quantities, low prices, fast delivery

Order as few as 500 statements imprinted with your firm name and address.

NEBS 9062 Statements are software compatible with the TRS-80, Model 1, Level II, Accounts Receivable package #26-1555.

TRS-80 is a Trade Mark of the Radio Shack Co., Subsidiary of the Tandy Corp.





SPEED COLLECTIONS Product 772 DU-O-VUE® Envelope (3% "x 6%") eliminates envelope addressing.


Product 9062 - Size 6"x 8%" detached. Prices include your firm name, address and phone in top section, plus your name only in lower section. Printed in black ink. Available in single (white) or duplicate (white, canary) continuous sets.

QUANTITY	SINGLE Product 9062-1	DUPLICATE Product 9062-2	Product 772 DU-O-VUE ⁸ Envelopes
10,000	\$192.00	\$355.00	\$138.00
6,000	128.00	228.00	92.00
4,000	99.00	169.00	64.50
2,000	59.00	99.00	36.25
1,000	38.75	61.00	20.75
500	27.95	39.95	12.25

ORDER TODAY! MONEY-BACK GUARANTEE. FAST SERVICE BY MAIL or PHONE TOLL FREE 1+800-225-9550 (Mass, residents 1+800-922-8560). It is our policy to ship within 6 working days following our receipt of your order.

Please ship:	Date	19	CODE 460
90	62-1 STATEME	NTS (Single)	
90	62-2 STATEME	NTS (Duplicate)
77	2 DU-O-VUE®	Envelopes	
	formation on computer forms.	ontinuous che	cks and other
HEADING TO BE P	RINTED ON FORMS	: (Please type or pri	int)
STREET			
CITY and STATE			ZIP
PHONE			
AUTHORIZED SIGNATU		m above please indicate	
		Nebs.	Dorme _

78 Hollis Street, Groton, Mass. 01450



Turn your Micro into an electronic and security controller with our new...

TRS-80 INTERFACE



To Order: Send \$59.95 plus \$250 for shipping and handling

Residents add 6% tax) TRS-80 Soft-

TRS-80 Software (Specify Tape or Disk) \$10 with purchase of Micro Commander

\$5995

90 Day Warranty Assembled & Tested;

COMPUTER CONTROLLED - REMOTE CONTROL
Now an inexpensive and direct carrier current interface between the
TSA-80 and the BSR X-10 remote control modules. The MICRO
COMMANDER X-10 modules and your computer can control your
lights, appliances, molors, TV, stereo, heaters, alarms, lans, pumps, etc.

COMPUTER CONTROLLED - SECURITY
Add a new dimension to your security system. Place your home under
control of your computer real time clock while you are on vacation. Add
an input port your computer and intelligence looms. With switches on
doors or windows your computer can welcome guests or frighten intruders.

Coors or windows your computer can welcome guess at ingineninimous.

EASY TO USE - NO WIRES TO RUN

Total control of all X-10 modules. Utilize all 256 house and unit code combinations. Direct interface to AC power line. No command console to purchase. No sonic line. Pluge directly inter TRS-80 Model 1 [Level il or Disk] cassette jack or any 1 bit input and 1 bit output TTL port.

MANUAL INCLUDES ALL SOFTWARE LISTINGS

The 14K basic 4 in 1 program does the following:
Loads machine language driver.
Simulates command console.
Provides sequential operation.
Utilizes real time clock for control
Complete documentation includes 8080 source listing.

INTERFACE TECHNOLOGY × 319



P.O.Box 383, Des Plaines, Il 60017 Phone (312) 297-2265

PROGRAMS!

65 Page Software Catalog That's how many are included in our Fall/Winter catalog,

and are in stock and ready to ship. We represent all of the major TRS-80 Software Vendors (Instant Software, The Bottom Shelf, Softside, Small Business Systems Group, and many more) -Over 50 Vendors represented in our product line. We believe we have the most complete selection of software for the TRS-80 - all priced at manufacturer's prices from \$7.95 to \$99.95. Business, home, games, education, programmer's utilities. COMPLETE program descriptions.

SEND FOR OUR FREE ~470
65 PAGE CATALOG TODAY!
MICRO COMPUTER SYSTEMS
3104 EAST SHADOWLAWN, N.E.
ATLANTA, GA. 30305

MODEL II DISASSEMBLER PACKAGE

INCLUDES:

- 1. Disassembler-II
- 2. Hex memory dump program
- ASCII memory dump program
 Documentation

Dump memory using the HEX MEMORY DUMP program. Annotate obvious non-280 code areas on the hex dump print-out. Next run the ASCII MEMORY DUMP program several times using various bit options (fully explained in documentation). Review these ASCII printouts and annotate the hex printout with areas that are Engligh intelligible. Now run DISASSEMBLER-II. Viola! Now you have it! Learn all about TRSDOS, BASIC, DEBUG or any other machine code program in RAM. All programs in the disassembler package can be initiated and/or terminated at any memory location (0000-FFF).

Documentation includes information concerning memory locations for printer parameters. You will learn how to initialize the printer from BASIC without the nuisance entries required by the TRS-DOS FORMS command. In fact, this package provides a basic tool which could allow you to master your TRS-80, MODEL II. Package price—\$49.95. Personal checks, money orders or certified checks. No bank cards.

QUALITY PRODUCTS
FROM 472

P O BOX 23384 • PORTLAND, OR 97223 • (503) 620-8832

duced inconclusive results, as the error location moved or disappeared.

When the piggyback board was removed, the memory check results were fine. After exchanging chips and putting the piggyback chip set on the main board, another memory check also showed good results.

It was mysterious. The problem seemed to be similar to the memory problems some TRS-80 users were having with the 32K and 48K memory in the expansion interface. Will solved the problem by putting pull-up resistors on the memory output data lines and the address lines coming from multiplexers Z3 and Z4 in Fig. 8.

Will's original keyboard was taken from a key-punch machine and modified extensively. After much labor he abandoned the keyboard because its momentary contact switches would not work with a text editor or any application where a repeat function was required.

Will replaced it with a 63-key unencoded keyboard from Jameco. This keyboard, shown in Photo 2, has given excellent service so far, with few keybounce problems.

Will modified the Jameco keyboard so that a blank key is used to disable the cassette remote control, rather than a separate switch on the console.

Video Display and Cassette I/O

The video display is a converted nine-inch Panasonic black and white TV set. Will stripped the TV set of all non-essential parts, such as the tuners, IF strips and demodulation circuits. He redesigned the video input circuit to improve the character definition and to accept the standard video signal coming from the computer. The resulting video is much sharper than the standard TRS-80 display.

Will's redesigned CSAVE/ CLOAD circuits have been a boon for his friends who own TRS-80s. Whenever one of us encounters a hard-to-load tape, we ask him to load it on his machine to make a new copy.

His home brew 80 can load tapes that none of the other machines will accept, and his output is exceptionally sharp. Will's cassette I/O circuit is shown in Fig. 2. Note the field effect transistor in the second op amp stage. This transistor automatically sets the amplifier gain, presenting a constant amplitude signal to the following stages.

The decoding circuit is built around the MC1458 rather than the LM 3900 used in the TRS-80. The LM 3900 proved to be unstable under high current conditions. When the last stage of the LM 3900 was saturated, it disrupted the operation of the first and second stages. The end result was a fluctuating, unstable signal.

Since Will did not like the location or operation of the reset switches on the TRS-80, he designed a system restart. It

performs the same function as the TRS-80 reset located in the expansion interface port. He added a separate system reset.

The reset function is a true system reset, similar to the TRS-80 power up reset. However, power is never removed from the system. The reset clears the memory and returns you to the MEMORY SIZE? or READY prompt.

Summary

I'm not recommending that everyone should build his own 80. Will drew on years of experience as a technician and invested hundreds of hours in his lab to get some of the circuits to operate correctly. In the process, he increased his knowledge and understanding of digital circuits and his friends learned more about their TRS-80s as the work progressed.

In the final analysis, Will's computer is not a TRS-80, but rather a TRS-80 compatible system, loosely based on the Radio Shack design. ■

Omikron's Mapper + NEWDOS/80 8" Drives for the TRS-80

NEWDOS/80 is Apparat's latest upgrade to NEWDOS. Features include variable length records, chaining, and drivers specifically configured for Omikron's MAPPER II. \$150.

MAPPER II adapts the TRS-80 to run both 5" and 8" drives. With NEWDOS/80, storage is increased to 300K per 8" drive. \$99 plus \$10 per cable connector.

MAPPER I adapts the TRS-80 to run the vast library of CP/M software as well as the TRS-80 software. All Lifeboat Software may be ordered for the MAPPER I. All MAPPER I CP/M software is compatible with the CP/M for the Model II. With MAPPER II and 8" drives, the Model I becomes disk compatible with the Model II.

Standard features include lower case support, serial and parallel printer drivers, and an addressable cursor. MAPPER I is supplied with complete utilities including a memory test, a disk test, a copy program, and a proprietary program for converting TRS-DOS files to CP/M files. \$199.

word processing – MAPPER I supports professional word processors like the Magic Wand and Word Star (see reviews in June 80 Kilobaud). Omikron's implementation includes a blinking cursor, auto repeat, shift lock, debouncing, and an input buffer that eliminates missed characters. Magic Wand super discount price \$299.

FIELD PROVEN DESIGNS—After one year of MAPPER production, Omikron has established an impeccable reputation for reliability, integrity, and user support. Omikron's customers include the US Government, major corporations, universities, medical doctors, and professionals in all fields.

SYSTEMS — Omikron sells complete systems featuring Model II compatible Shugart disk drives. Call for prices and delivery.

FOREIGN ORDERS must include full payment in US funds plus \$25 for air shipping and handling.

See reviews in July 80 and August 80 BYTE By Jerry Pournelle.



A close look at using arrays around the house.

Of Two Dimensional Arrays

R. L. Conhaim 1329 Stanley Avenue Dayton, OH 45404

when I opened my utility bill the other day, I wasn't prepared for a surprise. The previous month's weather was mild, so neither the furnace nor the air conditioner ran very much. Surprise was not exactly my reaction. Anger and frustration were more appropriate descriptions. The bill was three times as high as the previous month's.

By the time I calmed down, I realized that a previous meter reading had been grossly in error—in my favor—and my current bill was merely playing catch-up. Too bad I hadn't put my TRS-80 to use keeping track of those bills. I could have learned a lot.

Utility Bill Program

Necessity is also the mother of programs, to paraphrase an old saw, so I proceeded immediately to outline what I wanted a utility bill program to do.

Basically I wanted comparisons: this month with last, this year with last, accumulated year-to-date information about

both units of energy and cost, a monthly cost-per-unit comparison so I could see what was happening to rates.

This kind of information could also give me an idea of how well my conservation efforts were working. Did insulating the basement really do anything economically sound? And, when I went around the house turning off lights, was I really accomplishing anything more than annoying the rest of the family?

I also wanted to develop a basic array which I could use for a variety of things. The program which resulted was a straightforward exercise in BASIC, except for a few sallies into uncharted waters. Among these you're-on-your-own objectives were: to include calculated data along with input data in the array, print a single column or a single row and line up data which varied in length so the array would be easy to read.

While I was about it, I investigated mixing string with numeric data. This turned out to be sticky, and required more experimentation than any of the other areas of investigation. None of my books gave much information on these areas, but reason, patience and dumb luck pointed the way.

I needed a couple of two-di-

Value of the second			CUM	CUM	LUSI FER
HONTH	UNITS	COST	UNITS	COST	UNTI
1	925	43.03	925	43.03	.0465189
2	613	31.98	1538	75.01	.0521697
3	678	35.61	2216	110.62	.0525221
4	580	31.62	2796	142.24	.0545173
5	762	39.05	3558	181.29	.0512467
•	1129	50.25	4687	231.54	.0445084
7	1209	53.73	5896	285.27	.0444417
8	262	17.74	6178	303.01	.0629078
9	548	29.87	6726	332.88	.0545073
10	514	28.78	7240	361.66	.0559922
11	2045	79.57	9285	441.23	.0389095
END OF	DATA				
		LAST	YEAR		
			CUM	CUM	COST PER
MONTH	UNITS	COST	UNITS	COST	TIMU
1	•	•	0	0	0
2	•	•	•	0	0
3	0	•	•	0	0
4	0	•	۰	0	•
5	602	27.39	602	27.39	.0454983
4	1485	53.44	2087	80.83	.0359865
7	1663	62.91	3750	143.74	.0378292
	1494	58.02	5244	201.76	.0388353
9	1452	58.57	6696	260.33	.0403375
10	645	32.88	7341	293.21	.0509766
11	743	36.62	8084	329.83	.0492867
	853	39.57	8937	369.4	.0463892
12					

READY >RUN							
			т (HIS	YEAR		
					CUM	CUM	COST PER
HONTH	UNIT	S	CO	ST	UNITS	COST	TINU
7	120	9	5	3.73	•	0	.0444417
.500	5.7		L	AST	YEAR		
					CUM	CUM	COST PER
MONTH	UNIT	S	CO	ST	UNITS	COST	UNIT
7	166	_		2.91	0	0	.0378292
COMPARI						30	
CURRENT			454		OR 27.3	001 Z LESS	THAN LAST YEAR
CURRENT READY	COST I	S 1	9.18	OR 1	4.5923 Z	LESS THAN	LAST YEAR
	Exa	mole	9 2. (Comps	rison of	a Single M	lonth

mensional arrays—one for the current year's information and one for the previous year. The string arrays which defined the names of the months were integrated with their numeric counterparts. By using a menu I could choose between entering new data or examining the arrays. Additionally, at the end of the array printing, I could make provisions for comparing any given current month with its previous year counterpart, showing unit and percentage differences.

Using data statements and reading them into the program turned out to be the best method of feeding information to the arrays, because data statements became part of the program and were retained by it.

The string array for the names of the months caused several headaches. It wound up inside the numeric array printing loop (lines 520 through 570). Every time I tried to separate the string from the numeric arrays, I got a syntax error where no error seemed to exist. Using the TRON technique of tracing the progress of a program, I determined that the error was caused when the program attempted to read data that wasn't there.

The numeric arrays were slightly unusual in that only two of the five columns were input to the program. The other three were calculated. That meant reading only two columns of numeric data, but printing five. The last three columns were calculated for the current year's array in lines 580 through 600 and 630 through 650. I identified both the input data and the calculated data by X-Y coordinates. The rows comprised the X axis and the columns made up the Y axis. So, for printing you could identify any data item by row and column, identify a single row or identify a single column.

When I first experimented with this program I did not have data for some months of the previous year. To keep the arrays working properly, I entered zeros as data. This caused a further problem in calculating the cost per unit column because the program attempted to divide by zero—a no-no which caused a /0 error. To keep this error from

gumming up the works I included an ON ERROR GOTO statement at line 100.

It is best to leave this statement out until you have debugged the program because with it, any type of error will cause the program to jump immediately to READY.

A Closer Look

Lines 240 through 280 provide instructions for inputting data to the program. The line number to be used, and the order in which data is to be typed is provided by these instructions. The program then reverts back to the menu. If you then select "2," you will get a readout of both arrays and, should you want it, a comparison of like months in the two years.

Lines 300 and 310 print the table headings. Data for the current year is entered in lines 380 through 490. Note that data is provided in our example for only January and February of the current year. We have reserved lines 400 through 490 for ensuing months. This is not essential unless you plan to use a renumbering program. The simplest way of reserving these lines is with the apostrophe, the abbreviation for REM.

Line 360 for the numeric array and line 550 for the string array keep execution in order when all data is not available for the entire year.

The printing program for the first array (the current year) starts on line 500 and continues through line 670. The statement in line 610 now calls for five columns, not just the two we read. This handles the printing of the calculated numeric data. The continuation statement in line 710 stops the display after the first array, if you are displaying rather than printing. For printing, you won't need this line.

To keep the columns left-justified TAB(X) is used in line 660. The value of X is set by line 510 and altered in line 620. Each time a column is printed, ten is added to the value of X.

The second array is set up and printed in lines 740 through 1080. The monthly comparisons are programmed in lines 1100 through 1500. Note that a month



SAVE \$ ON COMPUTER RIBBONS FOR YOUR

FROM RAC COMPUTER PRODUCTS

	QTY.	PRICE	DOZ.	SAVINGS
LINE PRINTERS 1, 2, OR 4				
CENTRONICS 730, 737, 739	1-24	4.69	56.28	19.52
	25-UP	3.69	44.28	31.52
LINE PRINTER 1, 2, or 4	1	17.95	_	4.00
CARTRIDGE TYPE	2.12	16.95	203.40	60.00
CENTRONICS	13-UP	14.95	179.40	84.00

FOR CREDIT CARD ORDERS


MASTER-CARD VISA CALL TOLL FREE 1-800-423-2915 EXT. 200

CALIF. RES. 1-800-272-3900 EXT. 200 OR SEND CHECK OR MONEY ORDER TO: - 460

RAC COMPUTER PRODUCTS, MO. DIV. 6467 VAN NUYS BLVD. SUITE 237 VAN NUYS, CALIFORNIA 91401

** CALIFORNIA RES. PLEASE ADD SALES TAX © TRS-80 IS A REGISTERED TRADEMARK OF TANDY CORP.

LOST SHIP ADVENTURE



Floating lazily in the balmy South Sea waters is a mystery ship. She's rigged and ready for a voyage to an unknown destination. Where did the Ghost ship come from? Where will it take you? Is she an old Pirate taking you to gold and glory or a Flying Dutchman dooming you to eternal wandering. Armed with Scuba gear and a bold wit only the bravest or most foolhardy may attempt the LOST SHIP ADVENTURE.

TAPE \$14.95

DISK \$19.95

PO Box 66 Peterboro, NH 03458 PH (603) 924-6065

Programmers

identifier, N, (1350 and 1450) is required to compute the data. When item 2 of the menu is selected, there is no request for a month, so N is inserted in 1300. The month to be compared is determined by 1280 through 1300.

It is possible, of course to select a month for which there is no current data. To handle that situation the latest month for which there is data is identified in line 690. If the month selected is more than that, line 1290 prints out a not-available statement (line 1520).

When a month has been selected for comparison, the data is printed. This is done in lines 1330 through 1500, after restoring the read capability in line 1270. After the data have been printed, comparisons are made in lines 1100 through 1220. The absolute values (ABS) are compared to prevent any printout of minus signs.

Other Applications

The arrays set up in this program can be used for electricity, gas, or water with no change other than writing line 120 to suit the application. In the printed headings we have used general terms such as units rather than KWHR or CuFt.

You can also use the two-dimensional arrays for keeping track of income tax deductions, medical costs, insurance payments, or breakdowns of the household budget.

One final word. In order to retain new data as you add data statements, don't forget to CSAVE the entire program after each group of inputs.

```
Program Listing 1. BASIC Two-dimensional Array
```

```
CLEAR 100
DIM UT(12,6)
     DIM LY(12,6)
     DIM MS (12)
90 DIM N$(12)
100 ON ERROR GOTO 1310
110 CLS
110 CLS
120 LPRINT "ELECTRICAL USAGE AND COST":LPRINT
130 INPUT "ENTER PRESENT CALENDAR YEAR";CY
140 PRINT TAB(24); "UTILITY BILL WATCHER"
150 PRINT TAB(20); "1.ENTER NEW BILL INFORMATION"
160 PRINT TAB(20); "2.EXAMINE DATA TABLES"
170 INPUT"PLEASE SELECT 1 OR 2";M
       IF M = 1 GOTO 200

IF M = 2 GOTO 300

IF M=2 GOTO 300

INPUT "WHAT MONTH (NUMBER)";N

IF N > 12 PRINT "INCORRECT ENTRY";GOTO 170

LET D = (N * 10) + 370
210
220 LET D = (N " 18) + 3/8
230 CLS:PRINT:PRINT
240 PRINT "DELETE 'END' FROM LINE 570. THEN ADD NEW MON
TH, COMMA, AND 'END' TO 570."
250 PRINT "ENTER NEW DATA AT LINE ";D;" IN FORMAT - LIN
         E NUMBER, THE WORD 'DATA' UNITS USED, COST, 13 WITH
COMMAS AS INDICATED. "
260 PRINT "USE '13' AT END OF CURRENT MONTH ONLY - BUT
         NOT ON DECEMBER.
270 PRINT
                   "DELETE '13' FROM PREVIOUS LINE, IF USED"
280 PRINT "FINALLY, TYPE GOTO 140
300 LPRINT TAB(30); "CUM"; TAB(40); "CUM"; TAB(51); "COST PE
310 LPRINT "MONTH"; TAB(10); "UNITS"; TAB(20); "COST"; TAB(3 0); "UNITS"; TAB(40) "COST"; TAB(53); "UNIT"
320 LPRINT TAB(20); CY; " DATA"
330 FOR ROW = 1 TO 12
340 FOR COL = 1 TO 2
350 READ UT(ROW, COL)
      IF UT(ROW,1) = 13 GOTO 500
360
370 NEXT COL, ROW
380 DATA 784,42.04
390
       DATA 836,44.08,13
410
420
430
440
460
470
498
500 FOR ROW = 1 TO 12
510 X = 10
510 X =
520 FOR Q = 1 TO 12
530 READ M$(Q)
540 IF M = 3 GOTO 1330
550 IF M$(Q) = "END" GOTO 680
```

Program continues

IT'S HERE!!!

Level IV's ULTRA DOS and SUPER BASIC

by Vernon B. Hester

\$89⁹⁵ Introductory Offer \$119⁹⁵ Regular

LEVEL IV PRODUCTS, INC. ~

32238 Schoolcraft Road, Suite F4 • Livonia, MI 48154 313-525-6200 Outside Michigan call 1-800-521-3305

Please add \$2.50 for shipping and handling. COD add another \$1.25 plus 25% deposit; balance certified check or cash.



master härge

Open Tues, thru Sat, 11-7 E.S.T.

TRS-80 SOFTWARE AUTHORS

LEVEL IV PRODUCTS
The Nation's largest publisher and distributor of products for the TRS-80* computer is expanding it's software line, and you are invited to submit your works in machine readable form, with complete instructions for loading and running, for review—sorry no Level I.

If selected for publishing, we offer:

- 1) Proven marketing know how.
- National advertising.
 Listing in our catalog.
- 20,000 plus circulation.
 4) Professional handling of
- documentation & duplication.
 5) Monthly royalities payment.

Nancy L. Lonswell V.P. Gen. Mgr.

LEVEL IV PRODUCTS INC. 32238 SCHOOLCRAFT, SUITE F-4 LIVONIA, MICHIGAN 48150 (313) 525-6200

HARDWARE & SOFTWARE DEALERS

LEVEL IV PRODUCTS
The Nation's largest publisher and distrubitor of products for the TRS-80* computer is expanding it's dealer network, you or your co. could be the LEVEL IV dealer for your area with over 300 fast moving, high profit items for your customers.

Mail your request (on co. letterhead; or include \$10 cash; check; or money order)for Dealer Application and Information Package to:

Nancy L. Longwell V. P. Gen. Hgr.

LEVEL IV PRODUCTS INC. 32238 SCHOOLCRAFT, SUITE F-4 LIVONIA, MICHIGAN 48150 (313) 525-6200

* trademark of Tandy Inc.

TRS-80***MULTI-TASKING OPERATING SYSTEM *** TRS-80

TRUE TIMESHARING WITHIN A TRS - 80

ADDS A NEW DIMENSION TO YOUR MODEL I SYSTEM

The first system utility to allow TWO USERS or programs to operate independently in a TRS-80.

- TSHARE V 1.2 is an interupt driven executive which patches itself to NEWDOS or TRSDOS.
- Allows TRS-80 to be interfaced to a second terminal thus providing for an additional operating user in your EXPANDED SYSTEM. Additionally, a printer can be used to service both users.
- SIMPLEX mode for non serial-port users. Requires only a printer as the second "screen". Jobs share
 the keyboard under user control and detach to run separately but simultaneously. This mode allows
 non interupt driven timesharing.
- CONFIGURE allows segmenting of available memory above 7600 HEX in any proportion between the two users. Selects communication mode and port type for second terminal.
- Options for parallel port, RS232, TRS232, and HUH as the connection for your second terminal. All software drivers are included.
- Communicate between USERS or PROGRAMS using peek and poke. The experienced programmer can now create a new generation of multi — terminal operated games or business software.
- Execute BASIC or MACHINE LANGUAGE. Full use of disks. Requires 32K plus one disk drive.

INTRODUCTORY OFFER on easy loading 5% diskette Full Documentation \$89

California residents add 6% tax.

COMSOFT ∠204
1124 N. Brand Blvd.
Suite 201
Glendale, California 91202
213/649-0369





TRS-80, TRSDOS tm Radio Shack/Tandy Corp.

NEWDOS tm Apparat, Inc.

TRS232 tm Small System Software

HUH tm HUH Electronics



PROgrammer

for programmers

Level II Basic is great, but it can be better — with PROgrammer. This utility package includes:

- Renumber
- Pack
- Append
- Move

and more! Take the drudgery out of writing programs, and give your programs the professional look without hours of extra effort — with PROgrammer.

PROgrammer is available on cassette for \$25. Specify a 16, 32, or 48 K version when ordering. California residents add 6% sales tax.

ALSO AVAILABLE: Merge, copy, and identify your system tapes with the **System Tape Utility.** Displays the file name, low address, high address, length, and entry point for each tape. \$12 on cassette.

Rational Software

963 East California Blvd. Pasadena, California 91106

```
568 LPRINT M$(Q); TAB(19)
   568 LPRINT M$(Q); TAB(18)
578 DATA JAN, FEB, END
588 SK = SK + UT(ROW, 1)
598 SC = SC + UT(ROW, 2)
689 CK = UT(ROW, 2)/UT(ROW, 1)
618 FOR COL = 1 TO 5
628 X = X + 18
638 UT(ROW, 3) = SK
648 UT(ROW, 4) = SC
658 UT(ROW, 5) = CK
668 LPRINT UT(ROW, COL); TAB(X);
678 NEXT COL! LPRINT: NEXT ROW
     678 NEXT COL: LPRINT: NEXT ROW
688 LPRINT "END OF"; CY; "DATA"
     698 R = ROW
788 E = 8
  788 E = 6

718 INPUT "TO CONTINUE PRESS ENTER";E

728 IF E = 8 GOTO 748

748 LPRINT TAB(28);PY;" DATA"

758 FOR ROW = 1 TO 12

768 FOR COL = 1 TO 2

778 READ LY(ROM,COL)

788 NEXT COL,ROW

798 DATA 613,31.98

818 DATA 678,35.61

828 DATA 588,31.62

838 DATA 762,39.65

848 DATA 1289,53.73

868 DATA 1289,53.73

868 DATA 1289,53.73
   868 DATA 282,17.74
878 DATA 548,29.87
888 DATA 514,28.78
898 DATA 2845,79.57
988 DATA 628,34.96
   918 FOR ROW = 1 TO 12
928 FOR Q = 1 TO 12
938 X = 18
   938 x = 19

948 READ N$(Q)

958 IF M = 3 GOTO 1448

968 LPRINT N$(Q);TAB(18)

978 DATA JAN, PEB, MAR, APR, MAY, JUNE, JULY, AUG, SEPT, OCT, NOV
   ,DEC

988 IF LY(ROW,1) = 8 GOTO 1928

998 SL = SL + LY(ROW,1)

1888 SD = SD + LY(ROW,2)

1818 CM = LY(ROW,2)/LY(ROW,1)

1828 FOR COL = 1 TO 5

1838 X = X + 18
1028 FOR COL = 1 TO 5
1038 X = X + 18
1048 LY(ROW,3) = SL
1058 LY(ROW,4) = SD
1068 LY(ROW,4) = SD
1068 LY(ROW,5) = CM
1078 LPRINT LY(ROW,COL); TAB(X);
1088 NEXT COL:LPRINT:NEXT ROW
1098 IF M=3 GOTO 1108ELSE 1258
1108 A1 = LY(N,1) - UT(N,1)
1118 IF UT(N,1) < LY(N,1) A$ = "LESS" ELSE A$ ="MORE"
1128 A2 = A1/LY(N,1) * 188
1138 A2 = INT((A2+.885)*188)/168
1138 A2 = INT((A2+.885)*188)/168
1148 LPRINT "COMPARISONS ARE FOR ";M$(N)
1158 LPRINT CY; "USAGE IS ";ABS(A1); " UNITS"; " OR";ABS(A
2); " & " A$;" THAN";PY
1168 A3 = LY(N,2) - UT(N,2)
1178 A3 = INT((A3+.885)*168)/168
1188 IF UT(N,2) < LY(N,2) B$ = "LESS" ELSE B$ = "MORE"
1198 A4 = A3/LY(N,2) = 168
1289 A4 = INT((A4+.885)*168)/168
1218 PRINT
1228 LPRINT CY; "COST IS $"; ABS(A3); " OR";ABS(A4); " & "
B$;" THAN";PY
1239 INPUT "DO YOU WANT ANOTHER COMPARISON (Y/N)";C$
1248 IF C$ = "N" GOTO 1328ELSE 1278
1259 INPUT "DO YOU WISH A MONTHLY COMPARISON (Y/N)";Y1$
1268 IF Y1$ = "N" GOTO 1328ELSE 1278
1278 RESTORE
1288 INPUT "WHAT MONTH (NUMBER)";P
     1278 RESTORE
   1288 INPUT "WHAT MONTH (NUMBER)";P
1298 IF P > R-1 GOTO 1528ELSE 1388
1388 N = P: M = 3: GOTO 328
   1318 RESUME 1328
1328 END
   1338 IF M$(Q) = "END" GOTO 1358
   1348 NEXT Q
1358 LPRINT M$(N); TAB(18)
1368 UT(N,5) = UT(N,2)/UT(N,1)
   1376 X = 18

1388 FOR COL = 1 TO 5

1398 X = X + 18

1488 LPRINT UT(N,COL); TAB(X);
   1418 NEXT COL: LPRINT
1428 GOTO 728
   1438 X = 18

1448 NEXT Q

1458 LPRINT N$(N); TAB(18)

1468 LY(N,5) = LY(N,2)/LY(N,1)

1478 FOR COL = 1 TO 5

1468 X = X + 18
   1496 LPRINT LY(N,COL); TAB(X);
   1500 NEXT COL:LPRINT
1510 GOTO 1100
    1528 PRINT CY; "DATA NOT YET AVAILABLE FOR MONTH SELECT
                           ED": GOTO 1230
```

MARK GORDON COMPUTERS

DIVISION OF MARK GORDON ASSOCIATES, INC.

P.O. Box 77, Charlestown, MA 02129 (617) 491-7505

-270

COMPUTERS

Level-II 4K System	529.00
Level-II 16K System	
Model-II 64K System	3499.00
•	

DISK DRIVES

40 Track 51/4 inch drive	319.00
77 Track 5¼ inch drive	549.00
4 Disk Drive Cable	39.00

PRINTERS

Centronics 730.	599.00
Centronics 779-2	799.00
Centronics 737	849.00
Comprint 912p	. 599.00
Integral Data 440G	999.00
NEC 5510 w-tractor.	2679.00
Okidata Microline 80	

MISC HARDWARE

Expansion int. TRS-80(Ok)	. 249.00
Novation Cat modem	159.00
16K Memory Kit.	
Leedex Monitor.	
Printer Cable for above	49.00
ISO-2 Isolator.	54.00
AC LINE FILTER.	

STORAGE MEDIA

Verbatim-box 10	-51/4	25.00
Memorex-box 10	0-51/4	22.00
Plastic Storage Be	OX	5.00

OPERATING SYSTEMS

NEWDOS by APPARAT INC	49.00
NEWDOS+ by APPARAT INC	99.00
MMS FORTH DISKETTE-PRIMER	79.95

DISKETTE TRS-80* BUSINESS SOFTWARE BY SBSG

Free enhancements and upgrades to registered owners for the cost of media and mailing. 30 day free telephone support. User reference on request.

Fully Interactive Accounting Package, General Ledger, Accounts Payable, Accounts Receivable and Payroll, Report Generating.

Complete Package (requires 3 or 4 drives)	\$475.00
Individual Modules (requires 2 or 3 drives)	\$125.00
Inventory II: (requires 2 or 3 drives)	\$ 99.00
Mailing List Name & Address II	
(requires 2 drives)	\$129.00
Intelligent Terminal System ST-80 III:	\$150.00
The Electric Pencil from Michael Shrayer	\$150.00
File Management System	\$ 49.00

FINE PRINT

TRS-80 is a Tandy Corporation trademark. Use of above operating systems may require the use of Radio Shack TRS-DOS. Radio Shack equipment subject to the will and whim of Radio Shack.

ORDERING INFORMATION

We accept Visa and Mastercharge. We will ship C.O.D. certified check or money orders only. Massachusetts residents add 5 percent sales tax.

To order call toll-free 1-800-343-5206 For information call 617-491-7505

The Company cannot be liable for pictorial or typographical inaccuracies.

WDOS/80

JBLE-ZAP/II

Unleash your NEWDOS/80® power into double density!

Double-Zap is a disk program which zaps NEWDO\$/80* for double density operation when used in conjunction with the PERCOM DOUBLER®

Double-Zap will completely zap on a one or two drive diskette, it will run single and double density, mix and match.

After Double-Zap has run, you will get an extra 64,000 + bytes on the original diskette including the

original programs from NEWDOS/80.

Double-Zap will read any single density TRSDOS*, NEWDOS* or VTOS files and convert them to double density. Double-Zap is the ONLY double density conversion for NEWDOS/80* authorized by PERCOM DATA to be used with the PERCOM DOUBLER™ Requires 32k RAM \$49.95

> Phone Orders: (214) 492-0515 Carrollton, Texas 75007. 1839 Chamberlain Drive Software Etc.



Software Etc . . . 1839 Chamberlain Drive Carrollton, Texas 75007. Phone Orders: (214) 492-0515

V 42

Double-Zap will read any single density TRSDOS*, NEWDOS* or VTOS files and convert them to double density. Double-Zap is the ONLY double density conversion for VTOS 4.0* authorized by PERCOM DATA to be used with the PERCOM DOUBLER® Requires 32k RAM \$49.95

After Double-Zap has run, you will get an extra 64,000+ bytes on the original diskette including the original programs from VTOS 4.0*

mix and match.


Double-Zap will completely zap on a one or two drive diskette, it will run single and double density,

Double-Zap is a disk program which zaps VTOS 4.0 for double density operation when used with the PERCOM DOUBLER®

Unleash your VTOS 4.0° power into double density!

JBLE-ZAP/II

166 • 80 Microcomputing, November 1980



Apparat, Inc., announces the most powerful Disk Operating System for the TRS-80®. It has been designed for the sophisticated user and professional programmer who demands the ultimate in disk operating systems.

in disk operating systems.

NEWDOS/80 is not meant to replace the present version of NEWDOS 2.1 which satisfies most users, but is a carefully planned upward enhancement, which significantly extends NEWDOS 2.1's capabilities. This new member to the Apparat NEWDOS' family is upward compatible with present NEWDOS 2.1 and is supplied on Diskette, complete with enhanced NEWDOS + utility programs and documentation. Some of the NEWDOS/80 features are:

- New BASIC commands that supports files with variable record lengths up to 4095 Bytes long.
- Mix or match disk drives. Supports any track count from 18 to 80. Use

35, 40 or 77 track 5" mini disks drives or 8" disk drives, or any combination.

- A security boot-up for BASIC or machine code application programs. User never sees "DOS READY" or ">READY" and is unable to "BREAK", clear screen, or issue any direct BASIC statement including "LIST".
- New editing commands that allow program lines to be deleted from one location and moved to another or to allow the duplication of a program line with the deletion of the original.
- Enhanced and improved RENUMBER that allows relocation of subroutines.
- · Powerful chaining commands.
- Print Spooler.
- DFG function; simultaneous striking of the D, F and G keys will allow the user to enter a mini-DOS to perform some DOS commands without disturbing the resident program. (e.g. dir while in scripsit.)

- Upward compatible with NEWDOS 2.1 and TRSDOS 2.3.
- Includes machine language Superzap/80 and all Apparat 2.1 utilities.
- Enter debug any time by pressing 123 keys. Also allows disk I/O.
- Diskette "Purge" command
- Specifiable system options (limited sysgen type commands).
- Increased directory capacity.
- · Copy by file commands.

NEWDOS/80 with all of the NEWDOS + utility programs, many of which have been enhanced, is priced at just \$149.00 and is available at most TRS-80 dealers.

TRS-80 dealers.
As with 2.1, NEWDOS/80 relies on the TRSDOS and Disk Basic Reference Manual published by Radio Shack.
NEWDOS/80 documentation supports its enhancements and upgrades only.

Apparat, Inc.

Alicrocomputer
Technology
Incorporated 28

Apparat, I 4401 S. Tam Denver, CO 303/758-723	nc. Jarac Parkway 80237 75 303/741-1778	OR-	Microci 3304 W. Santa Ar 714/979-	omputer Techr MacArthur Blvd. na, CA 92704 9923	nology, Inc.
☐ Check	☐ Money Order	☐ Master	Charge	□ Visa	
Colo. reside	nts add 6.5% sales ta	. Cal residen			
Please rus	h NEW	DOS/80 @ \$	149 EA	CH TO:	
Name					
Address _					
City		State		Zip _	
Phone					
					0/14

Sound exercises in machine code.

Cheap Trills with T-BUG

Allan S. Joffe 1005 Twining Road Dresher, PA 19025

This time around our programming exploration delves into some loop structures and explains a means of producing tones on your TRS-80.

Every time you CSAVE your 80 is recording tones on its cassette. The means to this end is a four-bit latch in the computer, accessed via the A register.

If you turn the correct bit of this latch on and off at an audio rate, you can produce a tone. You cannot simply turn this bit on and off, but rather, you have to turn it on and hold it on for a time, and then turn it off and hold it off for a time. If you didn't do this, the tone would be inaudible.

Two Loops

The time delay requires a loop; in actuality, two: a turn-on loop, and a turn-off loop. These are located in Program Listing 1 with the five bytes starting at 4A04. A similar loop starts at 4A0D. Each of these loops

which use the D register controls the on and off latch time through the A register listings which follow them.

There is yet another loop in the program that controls just how many times the program will pass by the two loops that we have already examined. This loop uses the BC register pair and starts at location 4A00 extending to 4A03. It is this BASIC program that originally called this machine language routine by means of the USR(0) function.

Let's examine this machine language routine more closely. Consider a point that is easy to forget. The 01 opcode at origin 4A00 means LOAD register pair BC nn. This means that the register pair is loaded in memory locations 4A01 and 4A02. The

tures of T-BUG is the break point, and we can use this to examine the matter at hand.

If we assume that the first three bytes of the program are 01 FF AA, let us set a break point at 4A03. Now, execute a J 4A00 and when the prompt sign returns to the screen, utilize the R function of T-BUG to examine the BC register pair contents. You will see that AA is indeed loaded into the B register, and FF is loaded into the C register. Now execute an F instruction to reinstate the program before going on.

What is all this leading up to? If memory location 4A16 contains a B1 instruction (OR C), we get a short burst of tone as the LOOP terminates when C register has been decremented to zero.

Remember, this C register contains the least significant bit contained in the register pair BC. Had you changed the contents of 4A16 to B0 (which is the instruction to OR B) and then ran the program, you would get a much longer tone burst, because the B register contains the most significant bit of the register pair BC.

Now, run the original listing with location 4A16 containing

"There is yet another loop in the program that controls just how many times the program will pass by the two loops . . . already examined."

Starting with location 4A16, this loop is tested for a zero condition to see if the count in the BC register has been fully decremented. If this is not the case, then the program returns to location 4A03 and continues decrementing the contents of the BC register pair.

When this count has been reduced to zero, the program falls through to 4A1B which returns to the BASIC auxiliary program.

value in 4A01 is loaded into the C register and represents the least significant bit. The value in 4A02 is loaded into the B register and represents the most significant bit.

(This business of the apparently backwards process of an instruction saying LOAD BC, and then actually loading CB can lead to confusion later on in the program.)

One of the most valuable fea-

the B1 (OR C) opcode. You will hear a short tone. If you examine the BC register contents, you will see that the C register has been decremented to zero, but that the B register still contains AA.

Now, change the contents of 4A16 to B0 (OR B) and run the program. You will get a much longer tone, and when the prompt appears, if you examine the BC register, you will see that the B register is now zero and the C register still contains FF.

If you want to get the last millisecond of time out of the loop, change the contents of location 4A17 to B0 (OR B) and then add the remaining bytes in order, just as they existed in the original program. This puts all these bytes into locations one removed from the original. If you put a break point at location 4A1B and run the program, you will see that both registers, B and C, are now decremented to zero.

If you timed this longest loop, you would get a value of about nineteen seconds. If you changed the contents of loca-

tion 4A17 to 00 (NO OP) and ran the program again, you would get a time only about one halfsecond shorter that this, clearly showing that the value in the C register is truly the least significant portion of the register pair.

The Metronome

At this point let us combine the machine language routine with a BASIC program to test it out. Naturally, you will need a monitor program such as T-BUG. Load your monitor program using the SYSTEM command as usual. Then load Program Listing 1, starting at location 4A00.

With your monitor program, change locations 408E and 408F to 00 4A respectively. This is necessary to make the USR(0) function work, as outlined in your Level II book. Next, execute a J 1A19 to return to BASIC. Now load in the following short BASIC listing.

- 10 FOR X = 1 TO 60
- 20 J = USR(0)
- 30 FOR T = 1 TO 300:NEXT T
- 40 NEXT X

4AØØ Ø1 4AØ1 FF 4AØ2 AA 4AØ3 ØB 4AØ4 16 4AØ5 15 4AØ6 15 4AØ7 2Ø 4AØ8 FD 4AØ9 3E 4AØA Ø2 4AØB D3 4AØC FF 4AØD 16	LOAD BC NN DECREMENT BC LOAD D,N DECREMENT D JRNZ DIS LOAD A,N
4AØ2 AA 4AØ3 ØB 4AØ4 16 4AØ5 15 4AØ6 15 4AØ7 2Ø 4AØ8 FD 4AØ9 3E 4AØ9 3E 4AØA Ø2 4AØB D3 4AØC FF 4AØD 16	LOAD D,N DECREMENT D JRNZ DIS
4AØ3 ØB 4AØ4 16 4AØ5 15 4AØ6 15 4AØ7 2Ø 4AØ8 FD 4AØ9 3E 4AØA Ø2 4AØB D3 4AØC FF 4AØD 16	LOAD D,N DECREMENT D JRNZ DIS
4AØ4 16 4AØ5 15 4AØ6 15 4AØ7 2Ø 4AØ8 FD 4AØ9 3E 4AØA Ø2 4AØB D3 4AØC FF 4AØD 16	LOAD D,N DECREMENT D JRNZ DIS
4AØ5 15 4AØ6 15 4AØ7 2Ø 4AØ8 FD 4AØ9 3E 4AØA Ø2 4AØB D3 4AØC FF 4AØD 16	DECREMENT D JRNZ DIS
4AØ6 15 4AØ7 2Ø 4AØ8 FD 4AØ9 3E 4AØA Ø2 4AØB D3 4AØC FF 4AØD 16	JRNZ DIS
4AØ7 2Ø 4AØ8 FD 4AØ9 3E 4AØA Ø2 4AØB D3 4AØC FF 4AØD 16	JRNZ DIS
4AØ8 FD 4AØ9 3E 4AØA Ø2 4AØB D3 4AØC FF 4AØD 16	
4AØ9 3E 4AØA Ø2 4AØB D3 4AØC FF 4AØD 16	LOAD A,N
4AØA Ø2 4AØB D3 4AØC FF 4AØD 16	LOAD A, N
4AØB D3 4AØC FF 4AØD 16	
4AØC FF 4AØD 16	
4A ØD 16	
	TOAR R W
	LOAD D, N
4AØE 15 4AØF 15	
	DECREMENT D
4A1Ø 2Ø	JRNZ DIS
4A11 FD	
4A12 3E	LOAD A,N
4A13 ØØ	
4A14 D3	
4A15 FF	
4A16 B1	OR C
4A17 C2	JPNZ NN
4A18 Ø3	
4A19 4A	
4A1A ØØ 4A1B C9	NO OP

Machine code listing for tone generation


THE BOOK

If you ever do Assembly language programming, or you just want to know more about your

TRS-80 ROM.

"THE BØØK"

is for you.



Volume I will give you access to over fifty machine language subroutines in the Radio Shack Level II BASIC. It includes information on the numeric data formats and a commented listing of the ROM routines.

"THE BOOK, Volume I", encompasses all arithmetic functions and mathematical operations. There are separate routines for integers, single precision, and double precision numbers and the data format for each of these number types is explained. The routines that perform ASCII to binary and binary to ASCII conversion are identified and explained to provide you a means of data I/O.

A fully commented listing provides the details on the step-by-step execution of these ROM routines. Although a complete disassembly is not provided in order to avoid copyright infringement, you can obtain a complete disassembly using the disassembler program listed in "THE BØØK." Volume I also includes a complete, detailed memory map of the entire machine and a symbol table noting over 500 addresses.

"THE BØØK" will save you hour upon hour of assembler program development time. Don't start programming without it.

Order your copy of "THE BOOK", today!

The same of the sa		
DEALED	INQUIRIES INVITE	•
VEALER	INCOMIES INVITED	

Insiders Software Co P.O. Box 2441, Dept. Springfield, VA 2215	M 1 *TRS-80 is a trademark
Please send me Ve at \$14.95 plus \$1.5	lume I of THE BØØK 0 for postage.
NAME:	
NAME:	
ADDRESS:	& ZIP CODE:
ADDRESS:	
ADDRESS:	& ZIP CODE:



We have discounts, manufacturer's warranties, FREE shipping and insurance and a TOLL FREE ORDER NUMBER available. CALL US!

Pan American Electronics Incorporated



a Radio Jhack

VISA"

1117 Conway, Mission, Texas 78572 TOLL FREE ORDER NUMBER 800/531-7466 Texas & Principal Number 512/581-2765

779 UPPER CASE/lower case 'Conversion Kit I"

Expand the capabilities of your 779 line printer to include word processing!! Available to all Centronics 779 and TRS 80 Printer I owners is the option of lower case and changing slash 0 Zero to standard 0. No etch cuts or soldering needed. Installs in minutes with a screwdriver. No program modification or additional interface is required. Price \$125.00

UPPER/LOWER CASE NOW AVAILABLE FOR THE FOLLOWING CENTRONICS PRINTERS:

101AL, 102BL, 306, 500, 501, 503, 700, 701, 702, 703, 780, 781.

Motor Control "CONVERSION KIT II" FOR ALL CENTRONICS 779 & TRS 80 PRINTER | LINE PRINTERSII

Our "Conversion Kit II" Motor Controller gives your 779 the ability to turn the motor on and off automatically. Removes the annoying noise of constant run, increasing the life span of your 779 and TRS 80 line printer motor! No soldering, software or hardware changes needed. Installs easily. Price \$95.00

SAVE! Buy Service Technologies "Conversion Kit I" and "Conversion KIt II" together for the single price of \$199.00

To order, please send check or money order in the proper amount to:



Visa and Master Charge accepted (please include signature, expiration date and phone number).

At this juncture, the transmitted audio has to be amplified by way of the cord that normally goes to the input jack of your cassette recorder. On my tape machine (a CTR-41), this is the iack marked AUX. Remove the plug from this jack and put it into an amplifier of your choice.

Run the program and you will hear a series of medium frequency beeps, spaced about one second apart. After 60 beeps the program will stop and a READY will appear on your monitor. You now have a metronome, by daring to adventure into USR(0) and machine language.

At this point return to T-BUG using the SYSTEM command. You may have to use /17280 after entering SYSTEM to successfully return to T-BUG. If you try the normal /ENTER and get back to the MEMORY SIZE? power up condition this is the case. If this happens, your BASIC program will be gone and you will have to reset memory locations 408E and 408F, but T-BUG will still be present in memory.

The purpose of returning to T-BUG is to try the longer loop time, as previously indicated, by changing the instruction at location 4A16 from B1 to B0.

Now, return to BASIC, and run the same program that gave you your metronome. This time each tone burst will last for some 19 seconds, as you have accessed a much longer count.

For the next little demonstration return to T-BUG (by now this is becoming second nature), and change location 4A16 back to the original B1 instruction. Return to BASIC and load the following BASIC listing.

10 FOR X = 1 TO 60

J = USR(0)20 30 G = 90-G

40

PRINT [a] 60,G

50 POKE 18949.G

60 POKE 18958.G 70 NEXT X

Now run this program and you will hear a sort of tweedle-dum. tweedle-dee effect similar to a European police siren.

A few words of explanation: The two locations being POKEd alternately with the values displayed at the top right of your monitor are locations 4A05 and

4A0E which happen to be the locations that contain the initial count in the D register. By using the POKE statements we are changing the count to be decremented in the D register.

We are also changing the length of time the cassette output port is being held on and off, and this causes the frequency of the tone to change.

Try these line changes. Change line 10 to read: 10 FOR X = 1 TO 45. Change line 30 to read: 30 G = G + 1.

Now, run the program, and you have a descending trill. If you wish to slow down the speed of the trill, merely insert a small time loop such as 55 FOR T = 1 to 25:NEXT T.

Higher Frequency

You have probably noticed that the lower the count that is initially POKEd into the D register, the higher the resulting frequency; and the higher the count initially in the D register, the lower the frequency produced.

If you'd like to try for ascending trill, try this.

10 FOR X = 1 TO 50

J = USR(0)20

30 R=R+1

40 G = 51 - R

50 POKE 18949.G 60 POKE 18958 G

70 NEXT X

A modest exercise in your basic programming skills might combine the ascending and descending trills and tie them into a repeating loop, so that when it is executed, your TRS-80 will give the resident canary a run for its birdseed.

Before we leave the arena, locations 4A08 and 4A11 (FD) in Program Listing 1 are of some interest. These are instructions couched in two's complement notation to return the D register, thus insuring that the program will indeed LOOP until the D reqister is decremented to zero.

If you consider the first D register loop which extends to location 4A08, for the loop to turn upon itself and decrement it must go back from location 4A08 to location 4A06, which, inclusively, is three steps back. It just so happens that FD is the two's complement form for minus three.



TBS KEEPS ON DOING IT!

The Bottom Shelf - A proud new tradition!

The fine quality software of The Bottom Shelf including its defined fields, editing features and blinking cursor off the Model I Radio Shack microcomputer has been established. Now it is time for the new. With the introduction of the Mod II, TBS went to work learning its secrets. This month will mark the introduction of major advances in business and database software for all Radio Shack computers - Mods I to III and even the little pocket computer. As this is being written, most titles are not known, but see your computer dealer or write for a catalog- all titles released are available at that time.

The one known title is *MEGAMAIL*. This is the beginning of truly usable business software for micro computers. To date programming has been hard to operate in order to work within the constraints imposed by microcomputers. Sophisticated software that is easy to use, it is a mailing system that will handle one million name lists or 8,000 name lists without skilled operators. Multi computer entry is supported. Write for details.

THE BOTTOM SHELF, INC.
P. O. BOX 49104 • ATLANTA, GA. 30359

Here are three (count 'em) new commands for this program saving utility.

T-BUG And Then Some

Mark Paxton 17903 Red Oaks Dr. Utica, MI 48087

ave you ever wished for a command in T-BUG that wasn't there: like displaying an entire block of memory on the screen with one command, dumping memory with the ASCII codes, a clear screen command, or a command to move a block of memory from point A to point B?

This article shows you how to modify Level II T-BUG to add three new commands, plus where to insert the logic for your own commands.

New Commands

The format for the three additional commands is displayed in Example 1. COMMAND

S aaaa bbbb cccc

DESCRIPTION
Clear entire screen.

D aaaa

Dump 208 bytes of memory (with ASCII code) on screen,

where axas is the beginning address.

Shift (or move) memory contents from address aaaa to address bbbb for a length of cccc.

Example 1.

C Clear Command: To clear the screen, enter a C and the screen clears with the # symbol homed to (0,0), or 3C00H.

D Dump Memory Command:
This command displays the contents of memory (in hex) for a given address. While T-Bug's M command examines one byte at a time, the D command displays 208 bytes of memory on the screen, along with each byte's ASCII code (where appropriate). Example 2 shows a sample.

Each line displays 16 bytes (or 10H bytes) of memory, with a space between every fourth byte on the line. On the right hand side of the display, between the two asterisks, are the ASCII codes for each of the 16 bytes in the corresponding line. Any time a non-printable character is encountered a period is put in place of the ASCII character.

If something less than 208 bytes on the screen at the same time is desired (i.e., 13 lines of 16 bytes each), you can easily modify the dump routine to handle this.

S Shift (or Move) Command: This command allows you to move a block of memory from one starting address to another.

The routine can even handle moves where the block of memory being moved from overlaps the block of memory being moved to. This is done by starting the move at the last byte in each block and decrementing, when moving a block up in memory, or by starting the move at the first byte in each block and incrementing, when moving a block down in memory. When blocks overlap, and the from address is less than the to address, you must start the move at the last byte in each block and decrement to the first byte. If you start at the first byte and increment, you will begin to destroy your original (from) block before it is safely moved to its new destination.

Program Listing 1 shows the source code for the additional commands. Use an editor/assembler or T-BUG itself to enter the machine code from the listing. If you have an editor/assembler, follow the steps below. (Substituting T-BUG should present no real problem, short of bleary-eyed boredom.)

Enter the Listing

Step 1: Enter the source code in Listing 1 into the editor/assembler. Create a System Tape and save the source code on tape too. Note that the ORG statement is at 4A00H. This starts the additional code after T-BUG ends.

Step 2: Load T-BUG.

16B0	C4454653	5452C445	46494E54	C4454653	. EFSTR. EFINT. EF	s ·
16C0	4E47C445	4844424C	CC494E45	C5444954	*NG . EFDBL . INE . DI	т •
16D0	C552524F	52D24553	554D45CF	5554CF4E	. RROR. ESUME. UT.	N ·
16E0	CF50454E	C649454C	44C74554	D05554C3	* . PEN . I ELD . ET . UT	
16F0	4C4F5345	CC4F4144	CD455247	45CE414D	LOSE . OAD . ERGE . A	M .
1700	45CB494C	4CCC5345	54D25345	54D34156	*E.ILL.SET.SET.A	٧·
1710	45D35953	54454DCC	5052494E	54C44546	*E.YSTEM.PRINT.E	F
1720	D04F4B45	D052494E	54C34F4E	54CC4953	.OKE.RINT.ONT.I	s ·
1730	54CC4C49	5354C445	4C455445	C155544F	T. LIST. ELETE. UT	0 .
1740	C34C4541	52C34C4F	4144C353	415645CE	. LEAR . LOAD . SAVE	
1750	4557D441	4228D44F	C64ED553	494E47D6	*EW.ABO.N.SING	. •
1760	41525054	52D55352	C5524CC5	5252D354	*ARPTR.SR.RL.RR.	т .
1770	52494E47	24C94E53	5452D04F	494E54D4	*RING NSTR . OINT	. •

COMMAND ENTERED TO GET THE ABOVE SCREEN:

D 1680

Example 2.

From SOFT SECTOR MARKETING, INC. Software for PMC-80 & TRS-80* Mod

PACE COLONY & 1980 Kim Watt, 4K, L2

1) for the PROGRAMIMA high resolution graphic board. This version has the best graphics of any 'Space Invaders' type game on the market today. (Requires the 2) for the standard TRS type graphics. The graphics are not as good, but still a good PROGRAMIMA high resolution graphic board from PROGRAMIMA)

Vote: Both have sound and are \$9.95 each (mail only)

Both on same tape \$14.95 (also in local stores)

MONSTER'S LAIR * 1980 A. Meir

will notice many similarities in the concept. Other game players may find the he game is loosely based upon a well-known fantasy role playing game called Dungeons & Dragons. While it is not a strict interpretation of the rules, a D & D player capability of adapting their characters to the game. The object of the game is to kill all monsters encountered and gain their treasures.

This program uses a full 16K of free memory (16K cass - 32K disk)

disk \$19.95 cassette \$14.95

\$7.95 NUFORMAT permits formatting a diskette with any number of track works under any NUPURGE Keep your diskettes clear of unwanted clutter easily. Removes all traces of programs while letting you select how much or how little (by K. Watt) only \$19.95 \$28.00 Lower Case Driver self relocating Lil or DOS both programs on one disk for only D.O.S. (by K. Watt) Operating Systems

\$39.95 \$139.00 \$89.00 n an operating system but they don't work as you would really want). Really, this is a spoof on operating system and is really good. It is something for a programer to take only \$9.95 with the diskette ISM DOS 1.23435 (This operating system is the author's first and last attempt at writing an operating system. It has listed all of the commands that you would expect apart and see how a system works (if you don't like it erase the diskette) Note: This program is a novelty 80 Track TRS DOS (for 80 Track MPI Only) Comes on an Original TRS 2.3 DOS EWDOS 80

TRS SUPER INVADERS

The last and greatest writing of Larry Ashmun. ^{e.} Soft Sector Marketing, Inc. 1980, Requires 32K Disk.

the program has "Stero Sound" and 10 levels of play. We have been told by people who have seen the program that it will set the standards for all invaders type games Disk Only

cass ea. \$14.95 cass. \$12.95 Thests a series of 5 educational games for children on one tape 16X 12X 12Z 16K L2. 16K L2 Matchbook Football w/sound Capture/Symon both on one tape Adventure by Scott Adams 1-10 Other Games Shark Attack

Prepay any three Items at one time and receive a 10%

Requires 16K of free memory

disk or cass \$25.00

discount on software or hardware in this ad. (Mail Order Only)

List \$645 Our Price \$600.00 LEEDXEX Monitors 12 inch DISK DRIVE 514 inch, Power Supply and Case List \$149 Our Price \$139.00 DISK DRIVE 514 inch, Power Supply and Case S60.00 DISK DRIVE 8 inch with Power Supply and Case \$725.00 BO TRACK MPI DRIVE with Power Supply and Case \$550.00 S550.00 MICRO LINE 80 PRINTER	List \$445 Our Price \$600.00 List \$149 Our Price \$139.00 Our Price \$330.00 \$60.00 \$725.00 \$550.00 \$550.00
8-16K MEMORY CHIPS	limited supply \$ 39.00

COD - certified check, M.O. or cash only). Sorry No COD over \$150,00! Most orders which ever is higher, for shipping. Add extra \$1.50 for COD. Personal checks take 3 shipped next day. All orders must have shipping included. Please add 2% or \$2.50, weeks to clear



6250 Middlebelt Rd. • Garden City, Michigan 48135 STILL SOFT SECTION MARKETING, 1434

Phone: 1 (313) 425-4020

ŽŽ.



If your local store does not stock our software, send their name to us and we will find (hardware prices may vary in our store). Dealer inquiries invited

out why!

• TRS-80 is a product of Radio Shack, division of Tandy Corporation.

(Michigan Residents Please Add 4% Sales Tax)

Brought To You By

A Discount Computer Store!

Look Detroit, Michigan . . .

Victor Andrews "The Boss"

Step 3: Load the new System Tape.

Step 4: The next step is kind of cute. We have to modify T-BUG itself by using T-BUG. T-BUG must be able to branch into our new code.

In T-BUG, the code between 43E5H and 4408H is checking for keyboard input of one of the T-bug commands: F,B,M,J,R,G, P or L. At 43E5H, the code is checking for an F, and branches to 480DH if an F was entered:

> # M 43E5 FE C3 43E6 46 06 43E7 CA 4A 43E8 OD 00 43E9 48 00

Example 3.

43E5 FE46 CP 'F' 43E7 CA0D48 JP Z,480DH

This code should be replaced with an unconditional branch to our new code, as below:

43E5 C3064A JP 4A06H 43E8 00 NOP 43E9 00 NOP

To actually accomplish this, use the M command, as shown in Example 3. Be careful to get it right the first time. If you mess up before you finish entering C3064A, you will hang T-BUG up and have to reload it.

You might want to check address 4A06H to make sure the new code got there safely, before you alter T-BUG at 43E5H and go branching uncondi-

tionally into the hinterlands.

Step 5: Test all of the T-BUG commands. Once you have a good version of T-BUG+, then save it to tape with the P command:

P 4380 4B90 4380 T BUG

That's all there is.

To add your own commands is easy. Insert the compares and branches at line 240 in the same manner. Use the following T-BUG subroutines to save space:

4532H: Displays the contents of the A register at the current screen position. (The current screen address is stored in 483DH - 483EH.)

4589H: Retrieves two ASCII digits from the keyboard, displays them on the screen, using the current screen address as in the above routine, and returns the hex value in the A register.

One additional benefit from these routines is that the D and S command can be terminated in the same manner as the J command, by entering an X.

The final touch you might want to add is to literally put the + in your new T-BUG. That is, change the # symbol to a + symbol.

Locations 43DDH-43DEH load the A register with 23H (or #). To change the symbol, alter location 43DEH to contain 2BH (or +).■

			Progra	ım Listi	ng 1.	4866	DD7E88		DSPDMP	LD	A, (IX)		
			A		3	4869	CD674B	98728 98738		CALL	DSPRTN		
4888		00010		ORG	4A 66 8	"""	CD07.45	06748			DOPKIN		
		69626	, ******		\$1,198 5 **	l .			ASCII	CODE RTN			
		88848	1000	ST JAN.	01,1980	4460	PDE5	88768			•••		
43DD		80050	RETURN	EQU	43DDH	*****	FDES	88778 88788		PUSH	IY		
3C00		00068	VIDEO	EQU	3COOH	4A6E	DDE5	68796		PUSH	IX	CURR M	PM PTP
		86878		DEPS	1	4876	E1			POP	RL	, conn n	DII FIR
6661 6662		96686		DEPS	1	1		59816					
8882			SVMENA	DEPS	2 2		ED5B624A			LD	DE, (SVME	(AM	
		88118	0100.00	0010	*	4875	ED52	88838 88848		OR SBC	A		
	PE43	66128	START	CP	'C'	3676	E032	06850		SBC	HL,DE		
4888	2811	80130		JR	Z,CLS	4478	ED58844A			LD	DE, (SVSC	PA	
		88148			* = 0.00°	4A7C		00870		ADD	HL, DE		
1868	PE44 2627	08158 08160		CP	'D'	72020		98889			2		
1100	2047	00170		JR	Z, DUMP		112508	88898		LD	DE, 2EH		
4ABE	PE46	88188		CP	191	4889	19	00988		ADD	HL, DE		
	CASD48	80190		JP	Z,480DH ;REP FIX RTN CHECK	4881	25	00916 00928		PUSH	HL		
		90200					PDE1	00930		POP	IY		
	PE53	89216		CP	's'	0.608030	(10/20 E12)	08940			○ □ .5%		
4412	CA914B	88228 88238		JP	2, SHIFT	4884	3E2E	96950		LD	A,'.'		
			INSEPT	ADDITI	COMMANDS HERE	4A86	PD7766	00960		LD	(I),,A		
		80256	,	.worr L	VALUE HERE	4300	DD7E88	86978 86988		**		.79	
4A1B	C3EA43	88268		JP	43EAH ; RET-NO HIT	4/103	DD1200	88998		LD	A, (IX)		
		88278				4ABC	FE30	81898		CP	38H		
		00280	, ******	*******	**********	4A8E	FA994A	91019		JP	M, ASCEND)	
		00290	CLE	AR SCREEN	ROUTINE **	N-10000		91825			V1.1.*.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1		
4AIR	CD274A	00310		CALL	CLRSCR	4A91	FE5B	01030		CP	5BH		
		66326		CADD	CDRSCR	4493	P2994A	01046 01050		JP	P, ASCEND)	
	21083C	00330		LD	HL, VIDEO	4496	PD7788	81868		LD	(IY),A		
4821	223D48	88349		LD	(483DH), HL	1		81676		UU	(11),6		
		00350				4A99	PDE1		ASCEND	POP	IY		
4824	C3DD43	00360		JP	RETURN	100000		91898					
4A27	21003C		CLRSCR	LD	HL, VIDEO		DD 23	91199		INC	IX		
	11913C	88398	CLINGER	מז	DE,VIDEO+1	4A9D	9B	91110		DEC	BC		
	819684	08488		LD	BC, 499H	ALGE	3A884A	81128 81138		LD	A, (COUNT		
	3628	68418		LD	(HL),26H	4441	3C	91148		INC	A, (COUNT		
4A32	EDB#	88428 88438		LDIR		4442	32884A	01150		LD	(COUNT),	A	
4434	C	68448		RET		4445	PE64	81168		CP	4		
		88458		*******	********		2803	81176		JR	Z, SPACE		
		88468	. ** DUN	P MEMORY	ROUTINE **	4449	C3664A	\$1188 \$1196		JP	DSPDMP		
		86478	, ******	*******	********	4440	PD23		SPACE	INC	IY		
		88488				4AAE		61218	STACE	XOR	11		
	CD3245 CD8945	88498 88588	DUMP	CALL	4532H	4887	32084A	61226		LD	(COUNT)	A ; CLE	AR COUNT
	324848	88518		LD	4589H (4848H),A	121 5	-1	61236					
		00520			ATOTOB) (A	4AB2	3A014A	61246		LD	A, (BLOCK	()	
	CD8945	00530		CALL	4589H	4AB5	3C 32014A	61256 91266		INC	A /Pt 000	**	
4841	323P48	88546		LD	(483PH),A	1 1		61276		LD	(BLOCK),	•	
4844	CD274A	00558			Ornage.		FE64	01286		CP	4		
4044	CDZ/AR	88578		CALL	CLRSCR	4ABB	28A9	61296		JR	NZ, DSPOM	IP	
4847	DD2A3F48	96589		LD	IX, (483FH) ; MEM LOCN			61396					
4A4B	FD21693C	66598		LD	IY, VIDEO SCR LOCK	4 A B D	AP 32814A		NEWLIN	XOR	A		
4A4P	81D868	80690		LD	BC, 208	1	PERTAN	01320 01330		LD	(BLOCK),	A CLE	AR BLOCK
		89618				4AC1	111766	01340		LD	DE, 8817H		
4A52	AP 32004A	00620		XOR	A Company of the	4AC4	FD19	01350		ADD	IY, DE	•0	
4A53	32004A	00630		LD	(COUNT),A	4AC6	PD22644A	61366		LD	(SVSCRA)		
	32614A	89649		LD	(BLOCK), A		DD22024A			LD	(SVMENA)		
	DD22824A FD22844A			10	(SVMEMA), IX (SVSCRA), IY	4ACE		61386		LD	A,B		
	CD7748	88678		CYLL	ADDRSS	4ACP	2887	01396 01400		OR JR	C Z, DSPRET		
		806 85				1		01410		UK	., USPKET		
4864	PD23	886 98		INC	IY	I							
					ACC.	I						Program	continues



214-630-4621

RONDURE COMPANY DALLAS, TEXAS 75235 the computer room

SPECIAL Printer for your Microcomputer

GE TERMINET 300 PRINTER

Pin feed-9" paper

- 80 Print positions
- Receive only
- ASCII code
- RS-232 interface
- Upper & lowercase

Shipping w! 75# Shipping containers \$15.00. (used)

(good working condition)

Will run on serial RS232 port of most micros including TRS-80.

\$450.00

WE HAVE FLAT-PACK **ACOUSTIC**



Modem pickup

\$1950

USED FANS



Muffin - 8.00 Sprite - 4.00



NEW **POWER** SUPPLY \$25.00

5V at 3 Amp 12V at 6 Amp -12V at 3 Amp

RS 232 Cables Like New

6' all pins wired male/female \$25.00 8' RS 232 male/male \$12.50 15' RS 232 male/male \$20.00 25' RS 232 male/male \$22 50 50' RS 232 male/male \$45.00



NEW POWER SUPPLY

(AC-DC Brand)

Model 1-22V @ 1.9a \$20.00 Model 2-15V @ 2.4a \$30.00

MICRO SWITCH KEYBOARD SED BUT LOOKS VERY NICE



ASC II

\$40.00 (With Print)



USED OMNITEK

> MODEM ORIGINATE ONLY TESTED

\$90.00 Sale

ORDERING INFORMATION:
We ship the ame day we receive a certified check or money order. Texas residents add 5% sales tax. Write for our CATALOG of many parts, terminals, printers, etc. All items subject to availability. Your money returned if we are out of stock. Mail order hours 9-4 Monday-Thursday. Closed Fridays.

DOES YOUR TRS-80 * DESERVE THE VERY BEST SOFTWARE?

FDUCATIONAL

MATH-PAK-1 MATH-PAK-2 - Interactive math drill programs. Enter answers digit by digit, just like paper and pencil. With user selected difficulty levels, remainders, carryovers, reducing, simplification, games as rewards, scoring, and more. Order MATH-PAK-1 for whole numbers, MATH-PAK-2 for fractions. \$14.95 ea (L2-16K)

BUSINESS

H-O-R-K-S - Low cost, single entry accounting system that works. Has 66 user assigned account codes, auto audit trail, search with totals, 32 or 48K, 1 to 4 drives, credit and debit summaries with 3 formats, up to 9200 complete entries, plus 8 pages of documentation. (32K-1 disc minimum) \$24,95/cassette \$29,95/disc

INVENTORY+ Why settle for just an inventory listing? Get aging reports with 2 options, reorder reports, total listings with purchase dates and amounts, total cost of inventory, items sold, profit margins, and more; Do day to day updates, delete items, change items, and pack files; with printer routines and documentation. (32K-1 disc minimum) \$24.95/cassette \$29.95/disc

CASH REGISTER 80 - Use your TRS-80* as a point of sale terminal with auto inventory lookup, auto pricing, auto inventory update, discount pricing, automatic taxing, print sales slip with user adjusted formats, end of day reports with all cash, charge, and check sales by salesperson. CASH REGISTER 80 requires INVENTORY+48K, and 1 disc minimum (2 discs recommended). \$24.95/cassette \$29.95/disc

Send check or M.O. to:

EDU-WARE 477 P.O. BOX 336 MAYNARD, MA 01754

Dealer and educational inquires invited. Mass. residents add 5% tax. Ask about our cassette duplicating service for TRS-80.

*TRS-80 is a registered trade mark of the Tandy Corp.

Falcon Software Is Proud To Present . . .

OTHING EMP

A GAME OF BIG BUSINESS AND UNLIMITED EXPANSION

You start out with a store, some cash, and inventory. Your strategy alone decides whether you go bankrupt, or become a president of a booming corporation. Choose from many options each turn, from Loans to Advertising. As you grow, you may build stores, warehouse. or even a factory, enabling you to produce your own clothing. Expansion is the name of the game. 1-2 Players. Uses Full 16k L. II.

ONLY \$12.50, POSTAGE INCLUDED

FALCON SOFTWARE

A Division Of Falcon Computer Products

692 AVENUE E BAYONNE, NEW JERSEY 07002



F. C. P. Bringing You Into The Computer Age





"Very powerful, underpriced, a must buy!"
Marcia Kalish, OCTUG Newsletter, May, 1980

"Keyplus is terrific...an incredible program."

James Joachim, North Hollywood, CA.

"Thank you for your fantastic utility program." Mark C. Wehmhoefer, Chicago, IL.

"Makes the TRS-80 that much more versatile."
Carl Pawl, Santa Monica, CA.

Keyplus is a powerful collection of utilities for the TRS-80. Routines can be enabled whenever the TRS-80 accesses the keyboard. A partial list of utilities includes:

AUTO REPEAT—Allows you to repeat a key simply by holding the key down. This is a must when editing BASIC programs.

LOWERCASE VIDEO—If your TRS-80 has a hardware modification installed for lowercase video, Keyplus will add the software needed to make it work.

BASIC SHORTHAND—Keyplus generates BASIC key words (GOSUB, INPUT, STEP, etc.) in a single key stroke. You have the option of having Keyplus print trailing blanks when practical, adding to the appearance of the listing.

RESTORE LOST BASIC PROGRAM—Ever NEW a program only to realize you did not record it? Two key strokes and you've got it back!

LOWERCASE WITHOUT SHIFT—Keyplus lets you generate lowercase from the keyboard without depressing the SHIFT key.

DIRECT KEYBOARD ENTRY OF GRAPHICS—Type graphic strings directly from the keyboard. This is the easy way to create BASIC programs with super fast graphics.

USER DEFINABLE STRINGS—Two user definable strings up to 32 characters long can be generated in a single key stroke. With this feature redundant input does not have to be retyped.

KEYBOARD DEBOUNCE—(LV. II, 16K version only) Keyplus cures debounce problems completely.

AUTO INPUT—(Disk version only) Allows you to define a string, save the string onto disk, and then recall the string, fooling the computer into thinking the string is being typed from keyboard. This is extremely powerful. For example, you can enter BASIC, set memory size, reserve file buffers, turn off interrupts, run a program, respond to questions asked by the program, etc., automatically from power up or from the DOS READY prompt.

SAVE KEYPLUS—(Disk version only) You can use this routine to allow Keyplus to be initialized with any combination of routines enabled or disabled. In addition, your user definable strings can be saved to disk!

Disk Keyplus comes on cassette with both the 32K and 48K versions recorded twice. The documentation gives detailed information on loading Keyplus to diskette.

TRS	6-80 is a regist	ered trade mark	of Tandy Corp).
SJW, I	nc., PO Box To order	438, Huntingdo phone (215) 94	n Valley, Pa. 19 7-2057.	006
Circle one:	Lv.2 16K	\$14.95	Disk 32-48K	\$19.95
Circle one:		ASTER CARD ients add 6% sa		ey Order
NAME				
SIGNATUE	RE			
ADDRESS				
CITY, STA	TE. ZIP			
CARD #			EVERATE	

4AD2 CD774B	01420	CALL	ADDRSS	
4AD5 FD23 4AD7 188D	81438 81448 81458	INC JR	IY DSPDMP	
4AD9 21883F 4ADC 223D48 4ADF C3DD43	81468 81478 DSPRET 81488 81498	LD LD JP	HL,3F86H (483DH),HL RETURN	
4AE2 4F 4AE3 CB3F	01580 01510 DSPCHR 01520		C,A	
4AE5 CB3F 4AE7 CB3F	91536	SRL	A	
4AE7 CB3F 4AE9 CB3F	01548 01550	SRL	A	
4AEB CDF74A	91568	CALL	CHECK	
4AEE 67 4AEF 79	91578 91580	LD LD	H,A A,C	
4APS ESSF 4AF2 CDF74A	81596	AND	G PH	
4AF2 CDF/4A	91688 81618	CALL	CHECK L,A	
4AF6 C9	81628	RET		
4AP7 C630 4AP9 FE3A	81638 CHECK	ADD CP	A,30H 3AH	
4APB FASS4B	81650	JP	M, CHECK1	
4APE C607 4B00 C9	91668 91678 CHECK1	RET	A,7	
	91688 81698		•••••	
	81698 ;** MOV 81718 ;** MOV	E UP/DOM	N ROUTNE **	
	81718 ;****** 81728	•••••	•••••	
4801 CD3245	01730 SHIFT	CALL	4532H	
4884 CD8945	81748 91758	CALL	4589H	
4807 324248	01768	LD	(4842H),A	; SOURCE-MSB
488A CD8945	01770 01788	CALL	4589H	
488D 324148	01796 01800	LD	(4841H),A	; SOURCE-LSB
4818 CD7845	01810	CALL	457BH	
4B13 CD8945	61826 61836	CALL	4589H	DEST-MSB
4B16 324448	61846	LD	(4844H),A	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
4819 CD8945 481C 324348	01850 01860	CALL	4589H	
4B1C 324348	61876 61880	LD	(4843H),A	; DEST-LSB
481F CD7845	61896	CALL	457BH	
4B22 CD8945	61986 61918	CALL	4589H	
4825 324648	01920	LD	(4846H),A	; BYTES - MSB
4828 CD8945	81938 81948	CALL	4589K	
4B2B 324548	01950 01960	LD	(4845H),A	, BYTES - LSB
4B2E 2A4148	01976	LD	HL, (4841H)	
4B31 ED5B4348 4B35 B7	61986 61998	LD OR	DE, (4843H) A ; RESET	CARRY
4B36 ED52	82888	SBC	HL,DE	CHARL
4838 F24D4B	02016 02828	JP	P, MOVDWN	
4B3B CD554B 4B3E E5	82839 MOVUP	CALL	MSETUP	
4B3F D5	02050	PUSH	HL.	
4846 E1 4841 09	92069 92870	POP ADD	HL,BC	
4B42 E5	52888	PUSH	HL	
4843 D1 4844 E1	82898 82188	POP	DE HL	
4B45 89	02110	ADD	HL, BC	
4B46 2B 4B47 1B	82128 82138	DEC	HL DE	
4848 EDB8 484A C3DD43	82148 82158	LDDR		
484D CD554B	82178 MOVDWN	CALL	RETURN MSETUP	
4850 ED80	02188 02190	LDIR		
	82288			
4B52 C3DD43 4B55 21CB3F	82218 82228 MSETUP	JP		
4858 223D48	BASSE HOETUF	LD	RETURN HL,3PCOH	
	82238		RETURN HL,3PC#H (483DH),HL	
4858 2A4148	82238 82248 82258	LD LD	HL,3PC#H (483DH),HL HL,(4841H)	
	82238 82248 82258 82268	LD	HL,3PCSH (483DH),HL HL,(4841H) DE,(4843H)	
4858 2A4148 485E ED584348 4862 ED484548	\$223 \$2249 \$2250 \$2260 \$2270	TD TD	HL,3PC#H (483DH),HL HL,(4841H)	
4B5B 2A4148 4B5E ED5B4348 4B62 ED4B4548 4B66 C9	\$223 B \$224 B \$225 B \$225 B \$227 B \$228 B \$229 B \$236 B	LD LD LD LD	HL,3PC#H (483DH),HL HL,(4841H) DE,(4843H) BC,(4845H)	
4858 2A4148 485E ED584348 4862 ED484548	82238 82248 82258 82268 82278 82288 82298	TD TD	HL,3PCSH (483DH),HL HL,(4841H) DE,(4843H)	
4B5B 2A4148 4B5E ED5B4348 4B62 ED4B4548 4B66 C9	82238 82248 82258 82258 82268 82278 82288 82298 82388 62318 DSPRTN 82329 82338	LD LD LD LD RET	HL,3PCSH (483DH),HL HL,(4841H) DE,(4843H) BC,(4845H)	
4B5B 2A4148 4B5E ED5B4348 4B62 ED4B4548 4B66 C9 4B67 C5 4B68 CDE24A	\$223 \$ \$224 \$ \$225 \$ \$225 \$ \$226 \$ \$227 \$ \$228 \$ \$229 \$ \$238 \$ \$231 DSPRTN \$ \$232 \$	LD LD LD LD RET PUSH CALL	HL,3PCBH (483DH),NL HL,(4841H) DE,(4843H) BC,(4845H) BC DSPCHR BC	
4858 2A4148 485E ED584148 4862 ED484548 4866 C9 4867 C5 4868 CDE24A 4868 C1	92238 92248 92258 92258 92278 92278 92286 92306 92310 92310 92320 92320 92330 92340 92330 92340	LD LD LD LD RET PUSH CALL POP	HL,3PCBH (483DH),HL HL,(4841H) DE,(4843H) BC,(4845H) BC DSPCHR	
4858 2A4148 4852 ED584348 4862 ED484548 4866 C9 4867 C5 4868 CD224A 4868 C1 486C PD7488 4867 PD23 4871 PD7586	92238 92248 92259 92259 92278 92278 92288 92310 92310 92310 92310 92340 92340 92340 92350 92350 92360 92360 92370	LD L	HL, (4841H) DE, (4843H) BC, (4845H) BC (4845H) BC (1845H) BC (191), H IY	
4858 2A4148 4852 ED584348 4862 ED484548 4866 C9 4867 C5 4868 CDE24A 4868 CDE24A 4868 CTP7488 4867 FD73	92238 92248 92250 92260 92270 92280 92390 92300 92310 92330 92340 92350 92350 92350 92370 92380 92390	LD LD LD LD RET PUSH CALL POP LD INC	HL, (4841H) DE, (4843H) BC, (4845H) BC DSPCHR BC (IY), H	
4858 2A4148 4852 ED584348 4862 ED484548 4866 C9 4867 C5 4868 CD224A 4868 C1 486C PD7488 4867 PD23 4871 PD7586	92238 92248 92250 92260 92270 92280 92390 92310 92310 92320 92330 92340 92350 92350 92370 92380 92390 92390 92390 92410	LD L	HL, (4841H) DE, (4843H) BC, (4845H) BC (4845H) BC (1845H) BC (191), H IY	
4858 2A4148 4852 ED584348 4862 ED484548 4866 C9 4867 C5 4868 CDE24A 4868 CDE24A 486C FD7488 486P FD23 4871 FD7586 4874 FD23	92238 92248 92256 92266 92278 92288 92390 92310 92310 92330 92340 92340 92350 92350 92350 92360 92370 92380 92380 92390 92480 92480 92480	LD LD LD RET PUSH CALL POP LD INC	HL, (4841H) HL, (4841H) HC, (4843H) HC, (4845H) HC	
4858 2A4148 4852 ED584348 4862 ED484548 4866 C9 4867 C5 4868 CDE24A 4868 CD224A 486C PD7488 486F PD23 4871 PD7586 4874 PD23 4876 C9	92238 92248 92259 92269 92279 92280 92390 92310 92310 92320 92330 92340 92350 92350 92360 92370 92380 92370 92400 92410 92420 92430 92420 92430 92420	LD L	HL, (4841H) DE, (4843H) BC, (4845H) BC (4845H) BC (1845H) BC (191), H IY	
4858 2A4148 4852 ED584348 4862 ED484548 4866 C9 4867 C5 4868 CDE24A 4868 C1 486C PD7488 486F PD23 4871 PD7588 4874 FD23 4876 C9 4877 DDE5 4879 D1	92238 92248 92259 92269 92278 92280 92390 92310 92310 92320 92330 92340 92350 92350 92360 92370 92380 92480 92490 92	LD L	HL, (4841H) DE, (4843H) BC, (4845H) BC DSPCHR BC (IY),H IY (IY),L IX DE A,D	
4858 2A4148 4852 ED584348 4862 ED484548 4866 C9 4867 C5 4868 CDE24A 4868 CD224A 486C FD7488 486F FD23 4871 FD7586 4874 FD23 4875 C9 4877 DDE5 4879 D1	92238 92248 92259 92259 92269 92278 92281 92310 92310 92310 92330 92340 92330 92340 92359 92359 92360 92370 92480 92480 92440 92420 92420 92430 92440	LD L	HL, (3PC8H (483DH), ML HL, (4841H) DE, (4843H) BC, (4845H) BC DSPCHR BC (IY), H IY (IY), L IY	
4858 2A4148 4852 ED584348 4862 ED484548 4866 C9 4867 C5 4868 CDE24A 4868 C1 486C PD7488 486F PD23 4871 PD7588 4874 FD23 4875 C9 4877 DDE5 4879 D1	92238 92248 92259 92259 92278 92288 92380 92310 92310 92330 92340 92340 92350 92360 92460 92450 92460 92470 92460 92470 92460 92470 92460 92470 92480 92490	LD INC LD INC LD INC LD INC LD	HL, (3PC8H (483DH), HL HL, (4841H) DE, (4843H) BC, (4845H) BC DSPCHR BC (IY), H IY (IY), L IY DE A,D DSPTN A,E	
4858 2A4148 4852 ED584348 4862 ED484548 4866 C9 4867 C5 4868 CDE24A 4868 C1 486C PD7488 486F PD23 4871 PD7588 4874 FD23 4876 C9 4877 DDE5 4879 D1	92238 92248 92259 92259 92269 92270 92280 92310 92310 92340 92440 92420 92440 92420 92440	LD L	HL, (4841H) DE, (4841H) DE, (4843H) BC, (4845H) BC DSPCHR BC (IY),H IY IX DE A,D DSPRTH	
4858 2A4148 4852 ED584348 4862 ED584348 4866 C9 4867 C5 4868 CDE24A 4868 CD224A 4868 CD224A 4867 FD23 4871 FD7586 4874 FD23 4876 C9 4877 DDE5 4879 D1 487A 7A 4878 CD6748 487F CD6748	92238 92248 92259 92259 92269 92278 92288 92380 92310 92310 92340 92330 92340 92350 92340 92350 92360 92370 92380 92380 92380 92380 92380 92440 92420 92420 92420 92420 92420 92420 92420 92420 92420 92420 92420 92420 92420	LD INC LD INC LD INC LD INC LD	HL, (3PCBH (483DH), HL HL, (4841H) DE, (4843H) BC, (4845H) BC DSPCHR BC (IY), H IY (IY), L IY IX DE A,D DSPRTN A,E DSPRTN A,**'	
4858 2A4148 485E ED584348 486E ED584348 486C C9 486T C5 486E CDE24A 486B C1 486C PD7488 486F PD23 4871 PD7588 4874 FD23 4876 C9 4877 DDE5 4878 CD6748 4878 CD6748 4878 CD6748	92238 92248 92259 92269 92278 92280 92390 92310 92310 92320 92330 92340 92340 92340 92340 92340 92440 92440 92440 92440 92440 92440 92440 92440 92440 92440 92440 92450 92450 92450 92460 92470 92480 92490 92490 92490 92490	LD L	HL, (4841H) DE, (4843H) BC, (4845H) BC DSPCHR BC (IY),H IY (IY),L IX DE A,D DSPRTN A,E BSPRTN A,** (IY+29H),A	
4858 2A4148 485E ED584348 4862 ED584348 4866 C9 4867 C5 4868 CDE24A 4868 C1 486C PD7488 486P PD23 4871 PD7588 4874 FD23 4876 C9 4877 DDE5 4878 CD6748 4878 CD6748 4878 CD6748 4878 CD6748 4878 CD6748	92238 92248 92259 92269 92278 92280 92390 92310 92310 92320 92330 92340 92340 92340 92340 92340 92340 92440 92440 92440 92440 92440 92440 92440 92440 92450 92440 92450 92450 92450 92460 92470 92480	LD L	HL, (3PCBH (483DH), HL HL, (4841H) DE, (4843H) BC, (4845H) BC DSPCHR BC (IY), H IY (IY), L IY IX DE A,D DSPRTN A,E DSPRTN A,**'	
4858 2A4148 4858 ED584348 4862 ED584348 4866 C9 4867 C5 4868 CD224A 4868 C1 486C PD7488 4867 PD23 4871 PD7586 4874 FD23 4876 C9 4877 DDE5 4879 D1 487A 7A 4878 CD6748 4878 CD6748 4878 TB4884 PD7729 4887 PD773A 488A C9	92238 92248 92259 92259 92278 92280 92390 92310 92310 92340 92340 92340 92340 92340 92340 92340 92340 92340 92340 92340 92340 92340 92410 92410 92420 92430 92440 92440 92440 92450 92450 92450 92450 92450 92450 92450 92450 92450 92550 92550 92550 92550	LD INC LD LD LD LC LD LD CALL LD L	HL, (4841H) DE, (4843H) BC, (4845H) BC DSPCHR BC (IY),H IY (IY),L IX DE A,D DSPRTN A,E BSPRTN A,** (IY+29H),A	
4858 2A4148 4852 ED584348 4862 ED584348 4866 C9 4867 C5 4868 CDE24A 4868 CD224A 4868 C1 486C PD7488 4874 PD23 4871 PD7588 4874 PD23 4876 C9 4877 DDE5 4878 D1 4878 CD6748 4878 CD6748 4878 TB 4877 CD6748 4878 TB 4877 CD6748	92238 92248 92256 92256 92278 92288 92299 92310 92310 92330 92348 92350 92350 92348 92350 92448 92478 92448 92458 92448 92458 92468 92478 92488 92498 92498 92498 92498 92558 92558 92568	LD L	HL, (4841H) DE, (4843H) BC, (4845H) BC DSPCHR BC (IY),H IY (IY),L IX DE A,D DSPRTN A,E BSPRTN A,** (IY+29H),A	
4858 2A4148 4858 ED584348 4862 ED584348 4866 C9 4867 C5 4868 CD224A 4868 C1 486C PD7488 4867 PD23 4871 PD7586 4874 FD23 4876 C9 4877 DDE5 4879 D1 487A 7A 4878 CD6748 4878 CD6748 4878 TB4884 PD7729 4887 PD773A 488A C9	92238 92248 92256 92256 92278 92288 92299 92310 92310 92330 92348 92350 92350 92348 92350 92448 92478 92448 92458 92448 92458 92468 92478 92488 92498 92498 92498 92498 92558 92558 92568	LD INC LD LD LD LC LD LD CALL LD L	HL, (4841H) DE, (4843H) BC, (4845H) BC DSPCHR BC (IY),H IY (IY),L IX DE A,D DSPRTN A,E BSPRTN A,** (IY+29H),A	

Here is a system-level software patch for 80's with sensitive ears.

Up and Down

M. Parris 646 Island Park Drive Ottawa, Ontario Canada K1Y 0B7

The second is called by typing he TRS-80 has an annoying feature-its sensitivity to input volume. While you can rerecord a BASIC program into an

language tapes. The short BASIC program in Listing 1 lets you rerecord any 500 baud A5 tape (as used in the

acceptable volume level, this

cannot be done with machine

The program is written for a 16K system and an 8K buffer, but you can adapt it for a 4K system or a larger/smaller buffer. For example, changing DATA items 6 and 35 from 32 to 4 will provide a 1K rather than an

TRS-80 Level II system) cleanly onto a new cassette, and so eliminate all of that fumbling around with volume levels. The program simply loads (from the DATA statement) two short machine routines.

You call the first routine by typing R; it fills an 8K buffer from the cassette input, an adequate size for practically any tape that might be encountered.

W; it dumps this buffer onto a new tape. The first ten bytes are written slowly, which allows time for the eventual loader program to organize itself.

8K buffer, which speeds up the processing of small tapes. I've provided Listing 2 for more extensive changes.

Note that no checksum determination is made.

```
00100 JRERECORD 4 TRS-80 '45'

00110 ORG 5000H

00120 READT LD HL,START

00130 LD BC,SIZE
                                                                                                                   ISTORE BEGINS HERE
ISIZE OF STORE = BK
                                                                       LD BC'SIZE

XOR A

CALL 212H

CALL 212H

CALL 235H

LD (HL)-A

CALL TEST

JR MORER

XOR A

CALL 212H

CALL 287H

LD HL'START

LD BC'SIZE

LD DE'SIZE

LD DE'SIZE
                                                                                                                  ITAPE DRIVE ON
ILOOK FOR SYNC
IREAD A BYTE
ISTORE THE BYTE
IANY ROOM LEFT?
IYES, KEEP ON
                                     30170 MORER
                                     001 80
                                     0010 WRITET
                                                                                                                   ITAPE DRIVE ON
IWRITE LEADER & SYNC
ILOOK FOR IST BYTE
                                     00220
                                    00230
00230
00250
 5023 110400
5026 78
5027 87
5028 2804
                                    00260
00270
00280
                                                                         LD DE .OAH
                                                                                                                   INA IT COUNTERS
                                                                                                                   JET SYTE COUNTER
                                                                        OR A
JR Z,NOWAIT
DEC E
DEC D
                                                                                                                  JZERO?
JYES, FULL SPEED
JNG, DEC COUNTER
JTIMING LOOP
JHG-HUM!
JGET THE BYTE
JWRITE THE BYTE
JEND OF STORE?
JNG, KEEP ON
                                     20290
 5024 1D
5028 15
502C 20FD
502E 7E
                                     00300
00310 WAIT
                                                                       DEC D
JR NZ.W4IT
LD 4,(HL)
CALL 264H
GALL TEST
JR MOREW
INC HL
DEC 8C
LD 4,8
OR C
                                     00320
                                     00330 NEWAIT
502F CD6402
5032 CD3750
5035 18EF
5037 23
                                    00340
                                    00360
                                    00370 TEST
00380
00390
                                                                                                                   INE AT LOCATION
IDEC COUNTER
IZERO YET?
5037 23
5038 08
5039 78
5034 81
5038 C0
503C CDF801
503F C31914
5042
                                     20 400
                                    00410
00420
00430
                                                                                                                   IND, KEEP ON
IYES, TAPE DRIVE OFF
IBACK TO BASIC
                                                                        CALL IFE
                                                                                                                   BUFFER STARTS HERE
ITAPE BK MAXIMUM
IAFTER SYNC BYTE
                                     00440 START EQU S
                                    00450 SIZE E2U 2000H
                                    00470 ITHAT'S 48 BUT BO ON TAPE COUNTER
 0000
 00000 TOTAL ERRORS
 NOWA IT
MOREW
WRITET
                    5016
 TEST
MORER
SIZE
START
                    5037
5000
2000
5042
                                                                       Listing 2.
```

```
1 F 8R I = 20 480 T 920 545 : READJ : P 8KE I , J : NE XT I : P 8KE I 6527 , 80
2 AS = I NKE YS : I FAS = "R" T HE NP 8KE I 6526 , DELSE I FAS = " H" T HE N
PORE 1 6526 . 22E LSE IFAS . ""THE NST OPELSEG OT 62
```

Listing 1.

³ PRINTAB: 1 = USR (0)
4 DATA33.66.60.1.0.32.175.205.18.2.205.150.2.205.53.2.
11 9.205.55.80.24.247.175.205.18.2.205.135.2.33.66.80.1. 0.32.17.10.0.123.183.40.41.29.21.32.253.126.205.100.2.205.55.80.24.239.35.11.120.177.192.205.248.1.195.25.26

Toll-free order no 1-800-527-4196

TRS-80*Owners Save on Equipment & Software!

ACCESS Mini-disk Systems



Access Unlimited's own economy minidisk systems store more data, are more reliable. Data access times are fastest possible with your Expansion Interface. Heavy duty power supplies run cooler. last longer. Low noise three-wire ac power cord is safer. Enclosures are finished in compatible silver enamel

AFD-100' (40-track, 102 Kbytes)

Mention our DOUBLE DISCOUNT NUMBER when you order and save \$20.00 on your AFD-100!

Percom Mini-disk Systems

TFD-100™ (40-track,	102 Kbytes/side)	\$349.95
TFD-200™ (77-track,	197 Kbytes)	\$634.95
Prices include Perco	m ungrade PATCHPAK™	



DATA SEPARATOR™

This PC board plug-in adapter for the TRS-80° virtually eliminates data read errors (CRC error Track locked out!) which occur on high density inner disk tracks, a problem that has plagued TRS 80° systems. The Percom Data

Separator™ is installed in the Expansion Interface without modifying the host system. Caution: Opening the TRS-80° Expansion Interface may void the limited 90-day warranty: \$29.95

Percom OS-80™

An advanced easy-to-use disk operating system that works with Level II BASIC commands. Resides in only 7-Kbyte of memory. May be extended indefinitely with disk-resident utilities. Supplied on 5" disk with example programs: \$29.95 with instructions.

CIRCLE J Software

Two extremely useful utilities for Percom's OS-80™ DOS

 Machine Language Save/Load Utility. On 5" disk with bonus patch program that allows RS Renum-ber Utility to run under OS-80™. \$14.95, with instructions

- Adds NAME SAVE and NAME VARKEEP -KEEP commands to OS-80™. Use one set of common data with two or more BASIC programs. Also runs under Radio Shack DOS. On 5" disk, with instructions: \$14.95.

ZROZAP

Super fast machine language disk modification utility. Read, Write, Display, and Modify sectors; remove passwords; apply patches, fixes; make backups and much more. On 5" disk with instructions: \$29.95.

Ask about Scott Adams' Adventure games!

100% machine language word processor . . . SPECIAL DELIVERY (From Software Etc.)

Use MAILFORM to create name and address lists; EXTRACT to find names by ZIP, address, gender, age, etc.; SORT to sort an entire list on any field in seconds. Print personalized letters written with either the Electric Pencilt or Scripsit' using MAILRITE. Prints labels from Mailfile created under MAILFORM. Runs under Percom's OS-80TM, Radio Shack's TRSDOS'. \$125 (disk).

Order by calling Access Unlimited toll-free on 1-800-527-41961. Order by calling Access Unlimited block-free on 1-000-527-41901.

Mail orders also accepted Orders may be charged to a v18A or Master Charge account or paid by a casher's check certified check or money order. Whe accept DoD orders with 25% depoids from; we cannot accept personal checks. We have shoping and insurance charges on orders over \$1,000.00 Add approximate insurance and shipping charges for under \$1,000.00 if in doubt about these charges, sask when you call in your order Taxas residents include 5% sales tax Manution order \$20.00 Africa 2 to 4 weeks to televiery.

1 Taxas residents call (214) 494-0206

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE AND ALL OFFERS SUBJECT TO WITHDRAWAL WITHOUT NOTICE.

1 trademark of Apparat Corporation.

1 trademark of Apparat Company.

trademark of Access Unlimited Company

NUMBER:

80M110

RADIO SHACK and TRS-80 are trademarks of Tandy Corporation

TM trademark of Percom Data Company, Inc.

Inexpensive Color Graphics: the Percom Electric Crayon™

Spectacular multicolor graphics, sharp 2-color alphanumerics with your TRS-80*, a color tv and the Percom Electric Crayon** Up to eight colors. Resolution with full display



Up to eight colors Resolution with full display memory (6 Kbytes) is 256 X 192 picture elements. Microprocessor controlled the Electric Crayon™ is not only a full color graphics system but also a complete, self-contained control computer with a dual bidirectional parallel I/O port — provision for second dual port. Interface the TRS-80* via your Expansion Interface or Printer Cable Adapter. Supplied with 1 Kbyte display RAM, EGOS™ operating system and comprehensive users manual with example programs. \$249.95.

Optional TRS-80* interconnecting cable: \$24.95

Percom's Speak-2-Me-2™

Give your TRS-80* the gift of speech

Texas Instruments' Speak & Spell is the voice of your TRS-80* computer with this clever interface module manufactured by Percom. Your own Level II BASIC programs announce, com-mand, implore with sentences and expresmand, improre with sentences and expressions formed from Speak & Spell's" vocabulary. The Speak-2-Me-2TM PC module installs in the battery compartment of your Speak & Spell". Power is supplied from an ordinary calculator power pak. Comes with in-terconnecting cable (for TRS-80* El or Printer Cable Adapter), operating software and users manual: \$69.95. (Speak & Spell not included.)

the DOUBLER™

Percom's new plug-in adapter for your Expansion Interface stores almost twice the data on a diskette track as a single-density system. You can store up to four times more data density system. You can store up to four times more data—depending on the type of drive—on one side of a diskette than you can store using a standard Model implicible drive. Other features. Reads, writes and formats either single or double density mindiskettes. • Runs TRSDOS's NEWDOS. • Percom OS-80th or other single density software without changing either software or hardware. Switch to double-density when convenient. • Includes DBLDOS's a TRSDOS's compatible double-density operating system. • Includes on card. high-performance data separator. circuit rewiring or trace cutting. • Introductory price including DBLDOS and format conversion utility, only \$2.19.5 Mention our DOUBLE. DISCOUNT NUMBER when, you order and save \$20.00 on your DOUBLE.



when you order and save \$20.00 on your DOUBLER!

DOUBLE-ZAP — Modifies NEWDOS 80 + for double-density operation using the Percom DOUBLER Permits simultaneous single- or double-density operation From Software Etc and Circle J Software. On minidiskette \$49.95



Many of the standard features of this printer cost extra on other printers. Easy pead 9x7 dot matrix characters. 125 CPS — Page 29x and bidirectional printing acters in any of features of the printer of the way and bidirectional printing. Select for special Japanese. The prints forms control signals. The prints forms acters in any of features of the prints forms acters. The prints forms control signals. The prints forms of the printing features of this printer of the printing features. The printing features of this printers. Easy pead 9x7 inches and printing features. The printing features of this printers. Easy pead 9x7 inches and printing features of this printers. Easy pead 9x7 inches and printing features. The printing features of this printers. Easy pead 9x7 inches and printing features of this printers. Easy pead 9x7 inches and printing features of this printers. Easy pead 9x7 inches and printing features of this printing features of this printing features. The printing features of this printing features of this printing features of the printing features of this printing features of the printing features of this
Disk System Interconnecting Cables

Improvement over RS cable design places drive 0, which includes the cable termination, at the end of the cable to eliminate the reflected noise of an unterminated cable. Better data integrity. Prices

Two-Drive Cable Four-Drive Cable

Power Line Filter

115/250 V, 50-400 Hz. Instructions included for easy installation in standard mini-box chassis: \$19.95

Minidiskettes

10 Disks in a convenient plastic organizer box \$34.90 Single Disk

Disk Drive ID Tabs

1" x 1- $\frac{1}{4}$ " self-adhering plastic drive identification tabs. Compatible silver with engraved black drive number. Two tabs (Nos. 0, 1): \$2.50, three tabs (Nos. 0, 1, 2): \$3.25; four tabs (0, 1, 2, 3): \$4.50.

DOUBLE DISCOUNT ACCESS UNLIMITED

315 N. Shiloh · Ste. D1 · Garland, TX 75042 (214) 494-0206

‡ trademark of Michael Shrayer Software, Inc.

The Random Walker

John F. Strazzarino 150 Dundee Dr. South S.F., CA 94080 This amusing Level II program uses TRS-80 graphics to draw an ever-changing pattern before your eyes. After a specified amount of time, the screen is erased and a new pattern is drawn, with different starting points and spacing between points.

The main coordinates X and Y are chosen. The spaces between the dots for the X and Y coordinates are called X1 and Y1. The X coordinate is checked to see if it's an even multiple of X1. If not, 1 is subtracted from X until X is an even multiple of X1. The same is done for the Y coordinate.

The point at the screen location specified by (X,Y) is lit. A random number is chosen and, depending on it's value, one of four directions, right, left, down or up, is chosen, and the appropriate coordinate is altered. If the resulting movement is the lighting of a point outside the range of the TRS-80 screen, a new starting point is chosen, and the process begins again. The above rules apply once for each iteration of the program loop in line 1500.

The logic is simple and there are many ways to alter it. For example, add the line shown in Example 1, and the number of iterations will be shown in the lower right-hand side of the screen. The code in Example 2 resets the point if it is lit and sets the point if it is not lit. Example 3 contains BASIC statements to

list the X and Y increments used. Example 4 gives a way to start a drawing over before the loop in line 1500 has completed.

Even though multiple BASIC statements per line are not used, the program still takes less than 500 bytes. It is also easily convertible into Level I BASIC.

3150 PRINT @ 1017 Z%

Example 1.

3050 IF POINT(X,Y) THEN RESET(X,Y): GOTO 3200

Example 2.

1450 PRINT @970,"X INCREMENT = ";X1; 1475 PRINT @990,"Y INCREMENT = ";Y1;

Example 3.

1550 Y\$ = INKEY\$ 1560 IF Y\$ = ""THEN 1600 1570 GOTO 1100

Example 4.

```
1100 CLS
1200 RANDOM
1300 Y1=RND(2)
1400 X1=RND(3)
1500 FOR Z%=1 TO 500
    IF Z%<>1 THEN 2500
1700
    X=RND(127)
1800 Y=RND(47)
1900
    IF X/X1 = INT(X/X1) THEN 2200
2000
    x=x-1
     GOTO 1900
2200
     IF Y/Y1 = INT(Y/Y1) THEN 3100
2300 Y=Y-1
2400 GOTO 2200
2500
     ON RND(4) GOTO 2600 ,2700 ,2800 ,2900
2600
    X=X+X1:GOTO 3000
     X=X-X1:GOTO 3000
2800
    Y=Y+Y1:GOTO 3000
2900 Y=Y-Y1:GOTO 3000
3000
    IF X<0 OR Y<0 OR X>127 OR Y>47 THEN 1700
3100 SET (X,Y)
3200 NEXT Z%
3300 GOTO 1100
                Program Listing 1.
```

See how to format your Quick Printer's output to effectively display video graphics.

The Long and The Short of It

Albert C. Bole, Jr. 224 Jupiter Drive WSMR, NM 88002

The TRS-80 Quick Printer is a versatile little machine—but it lacks an inherent capability to print graphics displayed on the TRS-80 video monitor. Moreover, the narrow width of the Quick Printer paper may seem to be a

bar to reproducing graphics.

The following program shows you how to print graphics that result in a better graph than the one displayed.

Two equations will be used on the TRS-80 video monitor to illustrate the program:

$$x^3/350 - x^2/50 - 10x/7 = y$$

and
 $38x/127 = y$.

They will show you three elements of graphic display: curves, near-vertical lines and near-horizontal lines.

Two Problems

There are two problems associated with representing graphics on the Quick Printer: scaling, and the step-like blocks that represent lines at an angle on the TRS-80 video monitor.

Let's take a look at the scaling problem first. Fig. 1 shows the way the curves would look if they were graphed with one unit on the horizontal axis having the same length as one unit on the vertical axis—pretty much the same way we learned in algebra or analytic geometry.

The scale on the TRS-80 video monitor is about two units on the horizontal scale equal to one unit on the vertical scale. Fig. 2 shows how the curves would look on the video monitor. Note that the curves are compressed on the vertical axis. Nothing is wrong in that, but it gives a different appearance than what we are used to, and can make the graph more difficult to read.

In the November 1979 issue of the Radio Shack Microcomputer Newsletter, a program to print graphics on the Quick Printer is listed. The program uses the




Fig. 1. Conventional Graph




Fig. 2. Graph on TRS-80 Video Monitor.

*** A PERCOM BULLETIN *** ~400


Adapter for TRS-80* computer eliminates disk read errors

Garland, Texas — Harold Mauch, president of Percom Data Company, announced that the company is marketing a simple plug-in adapter for TRS-80* computers that corrects a design deficiency in the disk controller circuit.

The problem, which causes disk read errors, has been traced to Tandy's reliance on a circuit internal to the FD1771 controller IC to perform the function of separating clock and data pulses.

As explained in the Backgrounder, use of the internal chip circuit for reliable data-clock separation is a design shortcut which the manufacturer of the controller IC warns against.

The Percom solution, a PC card adapter called the SEPARATOR™, eliminates the problem by substituting an explicit data separator circuit



Percom adapter fixes TRS-80° computer disk controller.

— one which has been used reliably in Percom disk controllers since 1977 — for the internal IC separator circuit. The SEPARATOR™ is installed without modifying the host system. The user merely removes the FD1771 IC from

the host controller, installs the IC in the DIP socket on the SEPARATOR™ card, and plugs the adapter into the vacated socket of the host controller.

Percom cautions that opening the Expansion Interface of the TRS-80* computer, which is required to install the SEPARATOR™, may void the computer's limited 90-day warranty.

The SEPARATOR™, which sells for \$29.95, may be purchased from Percom dealers or ordered direct from the factory. The Percom toll-free order number is 1-800-527-1592.

Payment for mail orders may be made by certified check, cashier's check or money order, or charged to a Master Card or VISA account. Texas residents must add 5% sales tax.

Percom Mini-Disk Drives Store More, Cost Less. -408



Percom mini-disk drives store more data, are more reliable, yet a 40-track Percom drive costs \$100.00 less than a 35-track Tandy drive.

You can store over 102 Kbytes per disk on Percom TFD-100™ 40-track drives, over 197 Kbytes per disk on TFD-200™ 77-track

drives. A patch — supplied free on minidiskette — upgrades TRSDOS* for operation with the newer 40- and 77-track drives. Both TFD-100™ and TFD-200™ models are available in

one-, two- and three-drive configurations.

Prices start at \$399 for a single-drive TFD-100™, \$675 for a single-drive TFD-200™. Drives are supplied with heavy-duty power supplies. Metal enclosure is finished in compatible silver enamel.

See your nearby Percom dealer or order direct by calling toll-free 1-800-527-1592.

Five-Inch Disks Store More Than Eight-Inch Disks! --

Garland, Texas — June 25, 1980 — Percom Data Company has begun production of a double-density disk controller adapter for TRS-80° Model I computers.

Harold Mauch, president of Percorn, made that announcement here today, saying that data storage capacity using the adapter and double-density disk operating system — which is included — can be increased to as much as 354 Kbytes per minidiskette.

By comparison, the maximum storage for larger eight-inch disk systems used with the TRS-80*

Model I computer is about 290 Kbytes.

Mauch said the PC card adapter, which plugs into the controller chip socket of the computer Expansion Interface, works equally well for either single-density or double-density storage, and users may continue to run programs under TRSDOS*, OS-80TM and other single-density operating systems with the adapter installed.

Price, for the plug-in adapter, the TRSDOS*-like double-density DOS and a utility for converting files and programs from single- to double-density format is \$219.95.

BACKGROUNDER

CRC ERROR! TRACK LOCKED OUT!

by the Technical Staff
Percom Data Company

This problem started while we were studying an annoying problem with the TRS-80° computer. Disk drives sold by Percom are realigned and tested before shipment. We noticed, however, that some disk drives would pass the Percom inspection but just would not work reliably on the inner tracks with a TRS-80° computer. These drives were within the manufacturer's specifications, and would function perfectly on other disk systems Percom manufactures — "perfectly" here meaning more than 50 million bytes read without error!

The disk read data separation arrangement in the TRS-80° computer Expansion Interface uses an internal data separator of the FD1771 disk formatter/controller IC. Use of the FD1771 internal data separator is not recommended by Western Digital, the IC manufacture. The following note appears on page 17 of the FD1771 data sheet:

Internal data separation may work for some applications. However, for applications requiring high data recovery reliability, WDC recommends external data separation be used.

We suspected the data separator because the problem was most severe on disk inner tracks where storage density is highest and data separation is most critical.

To prove our point, a technician breadboarded a standard Percom data separator circuit, and configured it to plug directly into the FD1771 IC socket of the TRS-80* computer controller.

When connected to the TRS-80° computer, a trouble-some drive functioned perfectly! We ran a BACKUP utility many times and never got a track lock-out. Before we added the external data separator circuit to the computer, this same drive would always lock out tracks, and would have difficulty reading from the inner (higher number) tracks.

The Percom data separator circuit fixes the mini-disk controller of the TRS-80° computer. The type of drives being used is irrelevant; the circuit eliminates disk read errors resulting from the inability of the Tandy controller design to reliably separate clock and data signals when reading high density inner tracks.

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

∠ 258

PERCOM DATA COMPANY, INC. 211 N. Kirby Street Qarland, Texas 75042 (214) 272-3421

TM trademark of Percom Data Company, Inc.

*trademark of Tandy Radio Shack Corporation which has no relationship to Percom Data Company.

MEMOREX DISKETTES & CARTRIDGES

for your computer or word processor

BUY THE BEST FOR LESS.

Lowest prices.

WE WILL NOT BE UNDERSOLD!!

Buy any quantity. Call free (800) 235-4137 for prices and information.



LEARN TRS-80® ASSEMBLY LANGUAGE DISK I/O

Your disk system and you can really step out with REMSOFT's Educational Module, REMDISK-1, a "short course" revealing the details of DISK I/O PROGRAMMING using assembly language.

Using the same format as our extremely popular introduction to assembly language programming, this "ASSEMBLY LANGUAGE DISK I/O PROGRAM-MING" course includes

- Two 45-minute lessons on audio cassette.
- A driver program to make your TRS-80® video monitor serve as a blackboard for the instructor.
- A display program for each lesson to provide illustration and reinforcement for what you are
- A booklet of comprehensive, fully-commented program listings illustrating sequential file I/O, random-access file I/O, and track and sector I/O.
- A diskette with machine-readable source codes for all programs discussed, in both Radio Shack EDTASM and Macro formats.
- Routines to convert from one assembler format to the other

This course was developed and recorded by Joseph E. Willis, for the student with experience in assembly language programming; it is an intermediate-to advanced-level course. Minimum hardware required is a Model I Level II, 16 K RAM one disk drive system.

REMDISK-1

only \$29.95

Dealer inquiries invited



REMSOFT, INC. 571 E. 185 St. Euclid, Ohio 44119 (216) 531-1338



-70 Includes \$1.50 for shipping and handling.
Ohio residents add 5%% sales tax.
TRS-80# is a trademark of the Tandy Corp.

. Wasn't built in a day! ted you need a good quide to explore it. SUPERBP Is an invaluable and it. SUPERBP Is a live in the second in discovering the hidden in discovering the hidden in discovering the hidden in the level IT ROM. SUPERBP is a long detailed and commented memory map of ROM routines giving register setups for calling them. Reserved RAM and BOOT, 8789, and SYS1 are commented. BOOT, 8789, and SYS1 are commented addresses in the Mac the Electric Pencil. Tape and memory format are given too. Learn which version of Level IT ROM you Level IT ROM you for the second supplies the 630 E. Springdele Grand Phane, TX 75051 (214) 642-0441 V 102

FURIL Examine, clear, initialize, move and modify data in memory Compare two blocks or search for up to 24 byte HEX or ASCII string. Pumph. Load, and the search for up to 24 byte HEX or ASCII string. Pumph. The search and seading registers, output to prince if destruction. TUTLI tape har a bomus program, MODIFY improves EDTASM(1) or 1,2) by allowing return to MEXIC without loss of source tile. Also make Level II I/O to allow debounce, sorial drivers, etc. (16-48%) 512 byth laws all the above plus disk read and virts. (6-64% DOS) 520 byth laws all the above plus disk read and virts. (6-64% DOS) 520 byth laws all the above plus disk read and virts. (6-64% DOS) 520 byth laws all the above plus disk read and virts. (6-64% DOS) 520 byth laws all the above plus disk read and virts. (6-64% DOS) 520 byth laws all the above plus disk read and virts.

DISK-MOD Modify EDTASM(1.1 or 1.2) under TREDOS, NEMDOS, even VTOS into a disk type E/A. Adds block move, global change, paged output to printer with optional page prompt, sorted symbol table, and DETM reboots, and branch to any address. DIR, FREE, and KILL available without leaving the modified E/A (125t DOS required). available without leaving the modified E/A (125t DOS required).

DEMBLE | Disassemble 280 code to video, printer or tape. Provides EQUATEC DRG, and even labels. Tapes load into E/A to sliow you to modify machine code programs easily. (16K, 12K, and 48K) SOME DAMBLE B DOS version writes E/A or MACEO disk file. (32K DOS) \$20

ETERO will single step BASIC or machine language programs even im ROM. Outputs trace valves to video or printer via DCB. STEPBO in ROM. Outputs trace values to video or printer via DCB. STEPBO more. Relocateable program. \$16.35 + \$1.00 postage and handling.

SALVER-IT a kit to silver solder the TRS80's cheap bus connections for increased reliability and wear. Hi-No silver away for only \$5.

HASTOR LEVEL 8 excellent manual containing 18 chapters on using ROM routines with many examples and explanations. It shows how to make the state of
THE BOOK The most comprehensive and complete book yet on the math routines in Level II BON. Has a commented disassembly of addresses 708 to 1697. This is the BOOK for the serious assembly programmer. 136 pages. 7 chapters. \$14.95 plus \$1.50 pontage and handling.

DOS Bytes BOOT, SYSD/SYS, SYS1/SYS comments, 12 page booklet. \$5

COMPUTER PAPER AND LABELS

9½ x 11 (8½x11 Detached)

\$24.95

VISA

1 PART BLANK Now with 3300 sheets

(F.O.B. St. Louis MO.)

14 7/8 x 11 (Same Detached)

\$29.95



15/16 x 31/2

1 Across.....\$9.95/5M - 2 Across.....\$19.95/10M

FORM VILLAGE

293 St. Louis MO.

TOLL FREE 800 325-8987 IN MISSOURI: 314-831-3535

LOWER CASE & GRAPHIC SYMBOLS GENERATOR KIT FOR TRS-80T CG 16 \$64.50



TRUE 2 LINE DECENDER LOWER CASE ELECTRONIC SYMBOLS. THIN LINE GRAPHICS, GAME SYMBOLS. TEXTURED BACKGROUNDS AND MANY MORE DEMO CASSETTE IS INCLUDED FULLY ASSEMBLED WITH DETAIL INSTRUCTION FOR EASY INSTALLATION REQUIRES ELECT PENCIL TYPE LC MOD OR ORDER MEMORY AND SWITCH KIT. SMK. FOR\$18.50

SYNCHRONOUS DATA SEPARATOR FOR DISK USERS

THE SYNCHRONOUS DATA SEPARATOR WILL ELIMINATE 100% OF THE SOFT READ ERRORS AND SPEED UP DISK ACCESS TIME BY ELIMIN-ATING RETRIES BY THE DISK CONTROLLER

THE SDS PLUGS INTO THE DISK CONTROL-LERS SOCKET AND HAS ONLY TWO WIRES TO CONNECT NO TRACES HAVE TO BE CUT IT IS THE MOST RELIABLE AND ACCURATE DATA SEPARATOR AVAILABLE

ADD \$2.50 FOR S. & H. CALIF RES. ADD 6% SALE TAX SEND CHECK OR MONEY ORDER TO

G.P. ASSOCIATES -203 P.O. BOX 22822, SACRAMENTO, CA 95822 (916) 392-0257 TRS-80 IS A TRADE MARK OF TANDY CORP

CPT 2000 Series of **Expansion Interfaces**

FEATURES . . . RS232/M.A. Serial Interface Field Proven LNW Expansion Board • Floppy Disk Controller • 32K BYTE RAM Expansion
Parallel Printer Port & Screen Printer Port Real Time Clock Custom All Wood Cabinet





Complete LNW Expansion Kit \$ 249.

Assembled. \$ 349.

LNW P.C. Board ONLY . . . \$ 69. Custom Cabinet CPT 2000 . . . \$ 99. All components available / call for price.

Complete System as follows: Single Tandon 40 Track Disk Drive ■RS232 Serial Interface Custom Cabinet ■ 32K RAM ■ Assembled/Tested/Guaranteed ■ Regular. . \$799. INTRODUCTORY PRICE.....\$ 750.

All products sold by COMPUTEX are 100% guaranteed for 90 days. A 1 year 100% guarantee is available on all of our hardware for an additional 10% of the items purchase price. ALL ORDERS SHIPPED WITHIN 6 DAYS OF ORDER

VISA/Master Card accepted(add 4% to total) SHIPPING -UPS insured(call for rate)

C.O.D.'s accepted(may require 10% down) Personal checks held 2 weeks prior to shipping.

omputex

17710 Heritage Ct., Webster, Tx. 77598 (713) 332-4359




Fig. 4. Near-horizontal Line on Video Monitor (on left) and Near-vertical Line.

width of the Quick Printer paper (approximately 4.75 inches) as the horizontal axis. It compensates for the 80 characters per line, compared with 128 spaces on the horizontal axis of the video monitor, by compressing 1.6 spaces of video into one line character on the Quick Printer.

This works all right, but the curves are further compressed about the vertical axis. Now seven units on the horizontal axis equal one unit on the vertical axis. This is shown in Fig. 3.

My solution is to use the width of the Quick Printer paper as the vertical axis and the length of the paper as the horizontal axis. This corresponds roughly with the 48 by 128 matrix on the video monitor.

Now, if I let one line character represent one unit on the vertical axis, with one line representing a unit on the horizontal

NEW FROM MICRO-SYSTEMS!!!

Micro-Sustems Software Inc. now has double density software available for TRS-80° Model I's that are equipped with the Percom Doubler. +

First is a disk editor called "Disk Zap 2.3". This editor will work either single or double density diskettes. It is track and sector oriented, and offers total access to all parts of the disk. It has the ability to format and backup diskettes as well as editing them.

Second is our new double density DOS. DOSPWS 3.1D is similar in most respects to our single density operating system; but offers the increased disk storage of double density.

Disk Zap is \$19.95, and DOSPWS 3.1D is \$99.95. To order, call or write us at the address below. Master Card and Visa welcome. Orders accompanied by a personal check will be shipped when the check dears the bank.





Mero Systems SOFTWARE INC -Specializing in the Tandy Line




(305) 983-3390

5846 Funston Street Hollywood, FL 33023

*TRS - 80 is a trademark of Tandy Corp. + Doubler is a trademark of Percom Data Corp.

SOFTWARE FOR THE TRS-80*




NOW! A LIGHT PEN **FOR THE TRS-80** AND SOFTWARE THAT USES IT!

OS LIGHT PEN. We have taken the excellent Photopoint' light pen and packaged it with our own custom software. Use the light pen to draw on the video screen, make multiple choice selections, or add zip to your game programs. You get the light pen, which plugs into your tape recorder, and an instruction booklet that includes the software you need to interface to your own BASIC programs. Our software routines are in BASIC and a simple GOSUB puts the light pen in action. These routines include a "menu selection" routine and a "screen location" routine. Two BASIC programs that demonstrate these routines are also included. One 9V battery required, not included. Light Pen - \$19.95

SKETCH-80" by Bob Christiansen. Use the QS light pen to draw figures on the TRS-80 video screen. Figures are drawn at three times normal size. Then save your sketch in memory and start another one. Your sketch can be displayed at normal size or at the enlarged size at which they were drawn. Combine two or more sketches on the same screen. Ask the computer to print out the POKE values required to produce your sketch using BASIC. Save your sketches on diskette. This system program figures out how much memory your TRS-80 has and allocates storage accordingly. Requires level II, 16K On Cassette — \$14.95

THE FOLLOWING PROGRAMS REQUIRE LEVEL II. 16K, AND CAN BE PLAYED WITH OR WITHOUT A LIGHT PEN.

POKER PETE" by Dave Gubser Play five card draw poker one-on-one against an animated PETE. Watch PETE shuffle and deal the cards. He will challenge you with bluffs, raises, calls and folds in this winner-take-all showdown. And watch out -- PETE's got a gun! Three levels of skill. Written in BASIC



On Cassette - \$11.95

LOWBALL POKER by Danny Shea. How low can you go? It's you against Micro Molly and the lowest hand wins. That's the rule in lowball poker. This version plays the popular Gardena, California rules. Don't take her for granted — Molly plays an excellent game. Written in BASIC.

RUMMY MASTER by Dave Gubser. Play rummy against the computer. Exceptional graphics display your hand, the discards, and the cards that have been melded. You see your opponent shuffle and deal out the cards. Tested in an arcade, this program was a big hit. Written in BASIC. On Cassette — \$11.95

MATCH CARDS by Danny Shea, BANKSHOT by Bob Christiansen. Two programs on one cassette MATCH CARDS is a concentration-type game where you match numbers, letters, or graphic shapes. For 1 or 2 players. Automatic scoring rates your recall ability. Written in BASIC. BANKSHOT is a billiard-like game for those who think they know all the angles. Hit the ball into the pocket, but you must hit a wall first. Written in BASIC with machine language subroutines. On Cassette - \$9.95 Just CLOAD and RUN. For 1 or 2 players.

THE FOLLOWING PROGRAMS REQUIRE LEVEL II, 16K, AND DO NOT USE A LIGHT PEN

FASTGAMMON' by Bob Christiansen. Our popular machine language backgammon game that started us in business. The computer plays against you and makes good moves instantaneously Option to replay dice rolls from the previous game. An eight-page instruction booklet is included. On Cassette - \$19.95

On Diskette - \$24.95

DEBUG by Bob Pierce. Debug machine language programs by stepping through one Z-80 instruction at a time. Relocatable. Several display options. Multiple break points. Modify memory On Cassette - \$14.95 and registers

Z-80 DISASSEMBLER by Vic Tolomei. Decode machine language programs, including TRS-80 ROM with this Z-80 Disassembler written in BASIC. Instruction mode prints out machine code and Zilog mnemonics in standard format. Or use the ASCII mode which converts machine language code to ASCII



QUALITY SOFTWARE - 188

6660 Reseda Blvd., Suite 105, Reseda, CA 91335 Telephone 24 hrs., 7 days a week: (213) 344-6599

HOW TO ORDER: MasterCharge and Visa cardholders may telephone their orders and we will deduct \$1 from orders over \$19 to compensate for phone charges. Or mail your order to the address above. California residents add 6% sales tax. Shipping Charges: Within North America orders must include \$1.50 for first class shipping and handling. Outside North America the charge for airmail shipping and handling is \$5.00 — payable in U.S. currency.

*"TRS-80" is a registered trademark of Tandy Corp.
"Photopoint" has been trademarked by Micro Matri

axis, the result will be a graph with the curves compressed about the horizontal axis.

To solve that, I use the 40 character/line option CHR\$(30) and the 80 character/line option CHR\$(29). With them I print every other column from the TRS-80 video monitor (step 2 in line 122). This has the disadvantage of using only 37 out of the 48 video monitor lines, but it results in a more legible graph.

So much for scaling. The TRS-80 video monitor presents any lines or curves that are not vertical or horizontal as a series of blocks, much like stair steps. Fig. 4 shows how lines close to the horizontal and how lines

close to the vertical appear on the video.

Lines 170 and 171 in the Program Listing are designed to eliminate extra +'s on near-vertical lines. I tried putting in a similar routine to eliminate extra +'s for near-horizontal lines—and succeeded in eliminating so many that the graph was unintelligible!

The finished product is shown at Fig. 5. Note that it looks more like Fig. 1 than Fig. 2. It demonstrates that with some fitting to the particular curves being graphed, you can print a satisfactory representation of the video monitor display on the TRS-80 Quick Printer.

```
THIS PROGRAM DISPLAYS THE
   'EQUATIONS:
   'X[3/356-X[2/56-16*X/7=Y
'AND 38*X/138=Y FOR USE IN
'THE QUICK PRINTER PROGRAM.
     X=63:FORY=0TO37:SET(X,Y):NEXTY
21 FORY=3TO37STEP5:RESET(X,Y):NEXTY
     Y=18:FORX=9TO127:SET(X,Y):NEXTX
FORX=3TO127STEP5:RESET(X,Y):NEXTX
     FORX=-63T063STEP.2
Y=18-X(3/350+X(2/50+10*X/7
     Z=X+63
IF(Y>37)OR(Y<0)THEN65ELSESET(Z,Y)
     A=18-X*38/128:Z=X+63
IFA<0THEN70ELSESET(Z,A)
NEXTX
       'QUICK PRINTER GRAPHICS
91 'BY A. C. BOLE, JR.
188 LPRINTCHR$(38)"
                                                         -5";
15"
                          ($(38)* -15 -10 -5*;

8 5 18 15*

...*...*...*,
102 LPRINT"
110 LPRINT"*...*...*
113 '100-112 LABEL THE VERTICAL AXIS.
120 FORA=1TO127STEP2:A1=ABS(A-63)
122 IFA1<10LPRINTCHR$(29)" ";A1;
124 IFA1>9LPRINTCHR$(29)A1;
125 '122-124 LABEL THE HORIZONTAL
126 'AXIS. CHR$(29) USED SO AS TO
127 'TAKE UP AS LITTLE LINE SPACE AS
128 'AS POSSIBLE. TWO LINE CHARAC-
       'AS POSSIBLE. TWO LINE CHAR
'TERS MUST BE USED FOR EACH
'LINE FOR ACCURATE GRAPHING;
'HENCE THE " "; IN LINE 122.
129
130
       FORB=36TOØSTEP-1
IFA=63THEN142ELSE150
140
142 E=8+2
143 IFE/5=INT(E/5)THEN144ELSE146
144 LPRINTCHR$(30)"*";:GOTO180
146 LPRINTCHR$(30)".";:GOTO180
147 '144-146 PRINT VERTICAL AXIS.
150 IFB=18THEN152ELSE170
152 IFA1/5=INT(A1/5)THEN144ELSE154
154 LPRINTCHR$(30)":";:GOTO180
       "154, 144 PRINT HORIZONTAL AXIS.
IPPOINT(A,B) =-ITHEN171 ELSE177
IFPOINT(A,B+1) =-ITHEN177
LPRINTCHR$(38)" -";:GOTO188
LPRINTCHR$(38)" ";:GOTO188
180
        NEXTB
 181 LPRINT"
 190 NEXTA
200 GOTO200
 3010 FORD-0TO47
 3020 FORX-0T0127STEP1.6
3838 IFPOINT(X,D) =- 1THENLPRINT" +"; ELSELPRINT" ";
 3050 NEXTX
3060 LPRINT" 3070 NEXTD
 3888 GOTO3888
READY
                                   Program Listing.
```

```
-10
   -15
                   -5
                            0
                                    5
                                          10
                                                  15
62
6 Ø
58
                                :
56
54
52
50
48
46
44
42
40
38
36
34
32
30
28
26
24
22
20
18
                                :
16
                                :
14
                                :
12
                                :
10
 8
                                :
 6
                               +:
                               +:
  2
                                :
  Ø
  2
                                :
  4
                                :
  6
                                :
  8
10
12
                                :
14
                                :
16
                                :
18
20
22
                                :
24
26
                                :
28
                                :
30
32
34
36
38
40
42
44
46
48
50
52
54
56
58
60
62
64
```

Fig. 3. Graph on Quick Printer with Width of Paper as Horizontal Axis.

SPECIAL DELIVERY

WORDPROCESSING

Don't play games with YOUR mailing list in a BASIC program! Get down to business with SPECIAL DELIVERY.

Fast, dependable and easy to use machine language from SOFTWARE CONCEPTS.

"If you're presently looking for a mailing list processor, this represents the current state of the art. ... leave any equivalent BASIC program miles behind ... extremely fast searches and sorts... At a price of \$125.00 this package is not cheap. But then good software doesn't come for pennies. Any businessman using mailing lists (and that doesn't leave out many!) would be well advised to use this package. You'd be hard put to find a better one."

80 Microcomputing - 80 Reviews - July 1980

"...machine language, very rapid and extremely sophisticated... Easy to enter and edit data... The ability to sort via any field, the speed of data entry, and the ease of editing are all very impressive... tremendous flexibility... (MAILRITE) allows you to print letters, envelopes, or labels from a master mailing list made from MAILFORM... machine language, very fast and cleanly written..."

80-US - Software Review - Sept/Oct 1980

SPECIAL DELIVERY will operate in all known TRS-like DOS environments, including double density and hard disk.

SPECIAL	DELIVERY	(MOD	I)	\$125
SPECIAL	DELIVERY	(MOD	II)	\$275



Software Etc . . . 1839 Chamberlain Drive Carrollton, Texas 75007 Phone Orders: (214) 492-0515

Dealer inquiries invited - Write for our complete brochure of fine software

You say you want educational software. Here it is, Bunkie.

Hey... You in the Corner

Mike South 4510 Clark Rd. Pasco, WA 99301

Attention, class! Can anyone name a use for a computer? No, not games! Yes, you in the corner. Ah, good! Did everyone hear that? He said educational games".

"What's that, Simon? You have a 4k Level I TRS-80, but no educational programs for it? Never fear! Today the Professor has just what the doctor (of computer science) ordered."

Mission Control

Mission Control is a program that makes simple math drills—addition, subtraction, multiplication and division—enjoyable for students. You can even use

the program to practice with negative numbers.

As the student runs the program, a series of math problems are presented. The problems may be any combination of the four mathematical operations and in any of four difficulty levels. As the student progresses, various messages, such as Tracking-Go!!, light up the annunciator panel at the left of the screen. With each correct answer a timer decreases by one. When a student answers a certain number of problems correctly, a rocket ship blasts off from a launching pad and continues across and off the top of the screen.

Load and run the program. Make sure that whoever is going to use the program knows these five things:

- Push the Enter key after each answer.
- 2. Use the key to correct

mistakes.

- To prematurely stop the program, press the Break key.
- Numbers are entered calculator fashion (with each new digit the number is shifted over and the new digit is put in the ones column).
- There is a difference between zero and the letter
 The computer will not accept O for a number, only zero.

After you have typed Run there will be a short delay as the computer initializes the random numbers. It will then print a short introduction to get the students attention. It will ask which types of problems $(+,-,\times,+)$ are wanted. You may choose more than one, but you must choose at *least* one. These four questions must be answered Yes or No.

The computer will then ask for a skill level number, which the student answers by entering a

Modification
One
14 bytes
Two
None
Total of 19 for all three, +/- approximately 25 bytes for each skill level added/deleted
Six -333 bytes
Seven
Eight 164 bytes
Nine
60 bytes
Negative numbers indicate a space saving modification.

Table 1. Memory Size Modification Table.

makes your TRS-80 a whole new animal.

LYNX is more than a telephone coupler. LYNX is a one-piece total telephone linkage system for TRS-80 Level I and II computers, with or without expansion interface. No RS-232 required for true originate/answer direct-connect telephone operation, DOS-compatible EMTERM "smart terminal" software furnished on cassette. Already have a favorite TRS-80 program? Use it with LYNX.

With LYNX you can tap the Source or the new Compu-Serve Information Utility. Control university, business and personal computers from a remote location. Communicate via electronic mail. Learn from library data bases. Profit by instant financial market info.

All for only \$279.95* at your dealer or:



EMTROL SYSTEMS, INC.

LANCASTER, PENNSYLVANIA 17602 123 LOCUST STREET

Phone 717/291-1116





*Add \$2.50 for shipping and handling. PA residents add 6% sales tax. Includes all cables, "EMTERM" terminal program, instruction manual FCC Registration Number: A909KE-69488-DM-N



its...SOFTWARE SE Search Entry

SE is a super-fast, general purpose information retrieval program for the TRS-80°. The uses of SE are limitless. It can be a file system, a matching service, an inventory control, or a message center. Whenever fast searching of large amounts of data is needed, SE can be your program.

Written in Z80 machine language, SE compares tens of thousands of characters in a few seconds. Simple commands add, change, or remove data entries. To search for entries, up to 64 characters can be combined as targets for immediate retrieval. SE occupies only 4K; the rest is storage and can be saved on tape or disk.

The tape version for 16K level II, SE2.0, is \$24.95, while the disk version for DOS up to 48K, SE3.0, is \$49.95. The price includes full documentation.

Other TRS-80 its...Products

COMPU-DIET - Weight Loss System
Behavior Mod, Forecast, Database
MINIVENT - Minimal Inventory Control
1400 items, 16K Level III
BASICIO - Machine Language I/O for BASIC
Data and Programs to Tape or Disk

SE2.0(tape) @\$24.95 SE3.0(disk) @\$49.95 BASICIO 1.5 @\$14.95

COMPU-DIET 1.2 @ \$19.95 MINIVENT 2.0 Additional Information

Fla. Res. add 4% Sales Tax - Total \$

Check/Money Order VISA MASTERCHARGE Exp. Date

Card No. Name Address

Bank No. (MC)

Information Technology Systems POB 2667 Sarasota FL 33578 (813) 366-0064

FAS-80 is a trademark of Radio Shack, a Tandy Corporation



Explore the galaxy and fight the deadly Kyraxans in this real-time graphic game with sound. Traveling through the cosmos, you will encountersolar systems with orbiting planets, Kyraxan dreadnoughts which launch smaller fighters, fantastic alien treasures, black holes and other interstellar phenomena. Land on planets which may contain alien bases or cities. Fast Machine Language graphics and optional line printer output are included.

16K Level II rape: \$14.95, 32K Disk: \$19.95, Payment: Check, M.O., Visa, M.C. NY residents 7% tax.

FREE CATALOG OF TRS-80" PROGRAMS AVAILABLE. "TRS-80 is a Trademark of Tandy Corp.

Software Innovations Sulte 811

320 Melbourne Road Great Neck, NY 11021

MICRO-80TM CASSETTES-100% ERROR-FREE

C-10

C-20

WHOLESALE PRICED

WHOLESALE PRICED

59¢

79¢ LOTS OF 24 EACH LOTS OF 24 EACH

- Fully Guaranteed!
- World's Finest Media
- Premium 5-Screw Construction
- Used by Software Firms Nationwide
- Dealer and Club Discounts Available
- Custom Storage Case, Add 13c Each
- Write for Wholesale Price Listing

μ**80**τΜ

MICRO-80TM INC. E-2665 NO. BUSBY ROAD OAK HARBOR, WA 98277

MANAGEMENT SYSTEMS SOFTWARE, INC.

1. BUSINESS PROGRAM PACKAGE

13 Business programs (e.g., capital budgeting, cashmanagement, ratio analysis, debt management). These programs will be very useful to the business manager. (Price \$200)

2. PROCUREMENT PROGRAM

Ascertains purchase amount when future price of commodity is varying. A must for all managers who have purchasing responsibilities. This program takes into consideration inventory levels, inventory capacity, and financial carrying cost in determining the optimal amount of an item to purchase when future prices are varying. (Price \$150)

3. PROFORMA CASH-BUDGET PROGRAM

Allows the user to project the cash-balances for up to twelve periods in the future. Amount of loan, if needed, is computed as well as computing funds available for short-term investment. (Frice \$125)

4. LEASE-PURCHASE PROGRAM

Evaluates the lease vs. purchase decision incorporating all the latest tax laws including the investment tax credit and accelerated depreciation. This program gives the user all the information necessary to make this decision. (Price \$50)

5. COLLEGE ENROLLMENT PROJECTION PROGRAM

Forecasts the enrollment for colleges using several different statistical techniques. User can specify the number of periods for which a forecast is desired. (Price \$100)

Extensive Documentation With Each Program All programs on disk and require at least 32K of memory.

Write or call for a brochure which describes the product in greater detail.

5200 Brittany Drive, #1006 St. Petersburg, Florida 33715 813-864-4347

Attention TRS-80 Mod II owners: P&T CP/M® 2 has more to offer!

More Disk Storage 596K bytes with double density on standard single sided disk drives. It that's not enough, versions are available for double sided expansion drives (1.2M bytes per disk) and the Cameo Hard disk system (10M bytes.)

More CRT Functions P&T CP/M 2 has the most advanced screen driver available for the Mod II including: erase to end of line/screen, insert/delete line, cursor addressing, non-scrolling area on screen, and much more.

More Serial I/O Capabilities The serial drivers in P&T CP/M 2 support ETX/ACK, XON/XOFF, and request to send handshaking. Direct control of serial ports is also available for special applications.

More Documentation We provide the standard CP/M manuals and our own 150 page manual written specifically for P&T CP/M 2.

More Utilities We have added 14 of our own utility programs for the Mod II to the standard CP/M utilities.

More Useful System Functions P&T CP/M 2 has all sorts of useful features you won't find elsewhere: type-ahead buffer for keyboard input, system time of day clock, automatic program execution and lots more.

Prices

Standard P&T CP/M 2 \$185
P&T CP/M 2 for Shugart 850 2 sided drives \$220
P&T CP/M 2 for Cameo Hard Disk system \$250

We also carry other software packages, single & double sided expansion drives and the Cameo Hard Disk System. Write for details.



Prepaid COD Mastercharge or Visa orders accepted Shipping extra. California residents add 6% sales tax.

PICKLES & TROUT
PO. BOX 1206. GOLETA. CA 93017. (805) 967-9563

CP/M is a trademark of Digital Research Inc. TRS-80 is a t

TRS-80 is a trademark of Tandy Corp.

3200 x D. a , b , c , d , e , f

x = Skill level number a = Maximum of first addition number

 $\frac{b}{c} = \qquad \text{second} \qquad \text{second} \qquad \text{answer } (\underline{a} + \underline{b}). \text{ If the values randomly chosen for } \underline{a} \text{ and} \\ \underline{b} \text{ would result in an answer greater than } \underline{c}, \text{ new}$

b would result in an answer greater than c, new values for a and b are chosen.

d = Maximum of first multiplication number

e = " second

 $\underline{1} =$ " answer $(\underline{d} \cdot \underline{e})$

The program creates subtraction problems from addition problems. The addition problem 3+5=? would become 8-5=? or 8-3=? for a subtraction problem. The same method is used for multiplication and division.

Fig. 1. Skill Level Modification

number between one and four. The easiest is level one and the degree of difficulty progresses through level four, which is quite difficult even for an adult.

At this point the computer clears the screen, draws the pattern that will be used in the game, and then begins the test.

Three Opportunities

Each problem is displayed in the middle of the screen. The student has three opportunities to answer each problem, after which the computer prints the answer on the screen. (By the way, if the picture on the screen is disturbed during the game, press the Break key and run the program again.)

Each time the student answers a problem correctly the computer updates the timer and may light up a message in the annunciator panel. The seconds on the timer are equal to the number of problems to be answered before the rocket takes off, plus ten.

When the student correctly answers a certain number of problems the program simulates a count down, with the timer decrementing from ten to zero. At zero the rocket blasts off. After the visual display the student is told how well he did, by means of one of two computer messages. The message displayed depends upon the percentage of problems that were answered correctly on the first try.


Finally the program asks if the student wants to play again.

Customizing Ideas

For those of you who can't

leave a good thing alone, I've included a few ideas for modifications.

Before you do any surgery make sure the entire patient is loaded into the computer. If you have only a limited amount of memory available, it is best to make sure there will be enough for all the changes you plan.



Flowchart 1. Master Flowchart

```
GOTO 30
  FORL=1TO500: NEXTL: RETURN
   FORN=1TO9:D=D/10:IFD>=1NEXTN
  RETURN
  IFRND(0)>.50=B:B=C:C=0
7 RETURN
30 CLS: BS=
31 PRINT"WELCOME TO":PRINT" ","M I S S I O N R O L":PRINT
                                                                CONT
32 IFABS(A)>1E-34A=A/4:B=RND(8):GOTO32
      RINT" OUR COMPUTER HAS BROKEN DOWN. YOU ARE OUR ONLY HOPE!"
33 PRINT
34 PRINT"YOUR MISSION: DO THE MATH PROBLEMS THE COMPUT
ER USED TO DO.
35 PRINT: PRINT" TH
                      THERE ARE FOUR TYPES YOU CAN DO. ADDI
       TION (+),
36 PRINT"SUBTRACTION (-), MULTPLICATION (X), AND DIVISI
       ON I
7.
37 FORK=188TO185:SET(K,21):NEXTK:SET(188,22):PRINT
39 R=0:F=5:Q=5:P=0:A=3:T=2:S=4
41 N=0:Y=1:RESTORE:L=0:FORJ=0TO3:READA$
50 PRINT"DO YOU WANT "; AS;: INPUTE: IPE" (E-Y) PRINT"YES OR
        NO": GOTO50
55 A(J)=E:L=L+E:NEXTJ:IFL=@PRINT"YOU HAVE TO DO SOMETHI
   A(J)=E:L=L+E:NEXTJ:IFL=#PRINT"YOU HAVE TO DO SOMETHI

NG.":GOTO41

PRINT"SKILL LEVEL (FROM 1 TO";S;". 1 IS EASIEST,";S;

"IS HARDEST)";:INPUTE

IF(E-INT(E))+(E<1)+(E>S)GOTO9#
98
    M=P+E*A-A: FORP=1TOE: READU, V, W, X, Y, Z: NEXTP: IPP>SGOTO1
98 FORO=1TO(S-P+1) *6: READB: NEXTO
100 CLS:FORK=2TO38STEP6:FORJ=2TO39:SET(J,K):SET(J,K+4):
110 FORJ=KTOK+4:SET(2,J):SET(39,J):NEXTJ:NEXTK
     J=47: GOSUB30000: FORK=29 TO 47: FORJ=48 TO 51
145 SET (J, K) : NEXTJ: NEXTK: FORK=52T062: SET (K, 31): SET (K, 39
       ): SET(K.47): NEXTK
160 FORJ=102T0126:SET(J,2):SET(J,6):NEXTJ:FORJ=2T06:SET
       (101,J)
165 SET(127, J): NEXTJ: PRINT@246, "TIMER"; : PRINT@119, "0:";
200 I=0:FORJ=MTO1STEP-1:I=I+1
210 A=RND(U+1)-1:B=RND(V+1)-1:IFA+B>WGOTO210
220 G=RND(X+1)-1:H=RND(Y):IFG*H>ZGOTO220
230 D=A:GOSUB4:L=N:D=B:GOSUB4:IFN>LO=A:A=B:B=O
300 F=F*(F<4)+1:IFA(F-1)=0THEN300
400 ONFGOTO600,610,620,500
500 A=G*H:B=H:C=G:D=B:GOSUB4:PRINT@223-N,B;:D=A:GOSUB4:
       PRINTE226,A;
518 FORK=66TO69+2*N:SET(K,7):NEXTK:FORK=8TO18:SET(66,K)
       : NEXTK: GOTO900
600 C=A+B:A$="+":GOTO630
610 C=A:A=B+C:A$="-":GOSUB6:GOTO630
620 A=G:B=H:C=A*B:A$="X":D=A:GOSUB4:L=N:D=B:GOSUB4:IFN>
       LO=A: A=B: B=O
630 D=B:GOSUB4:PRINT@97-N,B;:D=A:GOSUB4:PRINT@33-N,A;
640 FORK=63-2*NTO67:SET(K,7):NEXTK:PRINT@94-N,A$;
998 PRINTe418, "THE ANSWER IS ";:INPUTE:PRINTe418
1188 IFE=CR=R+1:K=9:PRINTe418, "RIGHT !!!":GOTO2388
1288 FORK=1TOT:PRINTe418, "WRONG.":GOSUB2
1418 PRINTe418, "TRY AGAIN. ANSWER IS ";:INPUTE:PR
                                                     ";: INPUTE: PRINT@4
       10: IFE=CK=99
1788 NEXTK: IFF.>98PRINTE418, "VERY GOOD!!":GOTO2388
2888 PRINTE418, "SORRY. YOUR GUESSES ARE UP.":J=J+1:GOSU
2010 PRINTe410:IFF=4PRINTe95, "^";:GOTO2300
2020 PRINTe416, "["
       D=A:GOSUB4:L=N:D=C:GOSUB4:PRINT@225-N+(L-127)*(F=4
2398 FORL=1T01500:NEXTL
2400 PRINT0119,"0:";J+9;
2500 L=INT((J-1)*5/M):IFL-QREADA$:PRINT0(4-L)*128+67,A$
5000 FORL=0TO6:PRINT@22+L*64,B$;:NEXTL:NEXTJ:READA$:FOR
       J=9TOSTEP-1
5100 PRINT0707, B$;:RESET(36,33):FORT=1TO250:NEXTT:PRINT
9707, A$;; RESET(36,33)
5120 FORT=1TO250: NEXTT: PRINT@119, "0:0"; J;: NEXTJ: PRINT@8
38, "LAUNCH!"; : RESET (26,39)
5288 O=47: FORJ=41TO-1STEP-6: GOSUB38888
5290 FORK=J+1TOO:FORL=0TO4:RESET(64+L,K):RESET(64-L,K):
       NEXTL
5294 RESET(57,K):RESET(71,K):RESET(55,K):RESET(73,K):NE
XTK:FORK=J+1TOJ+10
5298 IFK<48SET(64,K):SET(63,K):SET(65,K)
5299 RESET(64,K): RESET(63,K): RESET(65,K): NEXTK: O=J: NEXT
6000 PRINT@410, "YOU TOOK"; I; "TRIES TO GET"
6010 PRINT@475, M; "PROBLEMS RIGHT."
6011 PRINT@539, "YOU GOT"; R; "RIGHT ON THE FIRST TRY.": PR
       INTEGE2
6815 IF(R/I)>=.7PRINT"THE MISSION WAS A SUCESS.":GOTO68
 6828 PRINT"THE ROCKET GOT LOST.
6030 FORL=1T03500: NEXTL: PRINT0474: PRINT0539: PRINT0602: N
6040 PRINT0410, "DO YOU WANT TO PLAY AGAIN";:INPUTE:CLS
6045 IFE*(E-Y)PRINT"YES OR NO":GOTO6040
6050 IFEGOTO39
6969 END
30000 FORK=J-19TOJ: IFK>=0SET(64.K)
```

```
30010 NEXTK: FORK=J-16 TOJ: IFK>=0SET (63.K): SET (65.K)
38828 NEXTK: FORK=J-13TOJ: IFK>=8SET(62,K): SET(66,K)
30030 NEXTK:FORK=J-11TOJ:IFK>=0SET(61,K):SET(67,K)
36646 NEXTK:FORK=J-4TOJ:IFK>=6SET(66,K):SET(68,K)
36656 NEXTK:FORK=J-2TOJ:IFK>=6SET(57,K):SET(71,K)
30060 NEXTK: IFJ>=0SET(55,J):SET(73,J)
30070 RETURN
32000 DATA "ADDITION", "SUBTRACTION", "MULTPLICATION", "DIV
      ISION
32001 DATA10,10,10,10,5,45
32602 DATALO,10,18,10,9,81
32003 DATALO,10,99,100,9,999
32004 DATALOO,100,200,100,99,999
32010 DATA TRACKING - GOII", " RANGE - GOII", " SAFETY -
32020 DATA" ROCKET - GO!!", "ALL SYSTEMS GO!", "FINAL COU
DONE
```

Program Listing. Mission Control

First find how much space is left over after the program is loaded. Subtract 16 from that number; sixteen bytes are needed for an array. This is the amount of room available. Next calculate the amount of memory needed for the changes (Table 1).

Modification number one: As the program now stands, if the user misses a problem the next one will be a different operation. To give him the same operation as the one missed, type in the following line:

2895IFK<98F = F - 1

Modification number two: If you desire to change the skill levels, enter Fig. 1 into your computer. Substitute the desired numbers for the lowercase letters. For example, suppose that for skill level one you want the highest value assigned to the first addend to be 10, the highest value assigned to the second addend to be 5, the highest sum allowed to be 13; the assigned multiplicand value to be no greater than 3, the assigned multiplier value to be no greater than 6, and the result to be a maximum of 12. You would type:

32001D.10,5,12,3,6,12

(Note that the line number for this modification is 32001, not 3200. Similarly the line number for skill level two would 32002,

```
40P = w:A = x:T = y:S = z
    w = Number of problems must answer correctly for skill level one
    x = Extra number of problems per skill level increase (E.G.: Skill level three
        would require w + x •3 problems done correctly)
    y = Number of extra tries
    z = Number of skill levels available
                  Fig. 2. Modifications Three-Five
```

```
35ENTER
36ENTER
37ENTER
41A(0) = w : A(1) = x : A(2) = y : A(3) = z
50ENTER
55ENTER
32000ENTER
       w = Addition
                              For \underline{w}, \underline{x}, \underline{y}, \underline{z}: If equals one, you want that type
       x = Subtraction
                              of problem; zero if you don't
       y = Multiplication
       z = Division
            Fig. 3. Modification of Operation Choice
```

Variable	Lines Used	Use		
A\$	41-50	Math operation name		
	600-640 2500	Math symbol (+, -, x) Annunciator message		
	5000-5120	Annunciator message		
	90(for mod.#7)	Dummy		
B\$	30-5120	Holds fifteen spaces (used to clear display)		
A(0-3)	41-5000	Holds user's operation choices (1 = yes, 0 = no) 0: a d d i t i o n 1: subtraction		
		2:multiplication 3:division		
A	32	Random seed		
	39-97	Increase, for each level above level one, in		
		number of problems the student must answer correctly		
	210-400	First addition/subtraction number		
	500-2300	Goes into this block as add/sub number, comes		
		out as top number of problem I.E.: A A A C		
		+B -B ×B B)A		
В	32,98	C C C		
	210-400	Second number for add/sub		
	500-630	Goes in as second number for add/sub, comes		
С	500-2300	out as bottom number of problem Answer to problem		
D	230,500,620,	Input to DIG# subroutine		
2761	630,2300			
E	50-55,90-97,	Input		
	900-1100,1410, 6040-6050			
F	39-5000	Which operation currently doing (1:add 2:sub		
		3:mult 4:div)		
G	220-400,500,620	First mult/div number		
н	220-400,500,620 200-6015	Second mult/div number Total number of problems attempted		
j	41-55,100-165,	For-next loops, usually graphics		
	5200,5299	State		
	200-5000	Number of problems student has yet to answer correctly		
ĸ	37,100-165,510	For-next loops. Graphics		
	640,500-5299	10 5000 500 500 500 500 500 500 500 500		
	1100-1700	For-next loop; Extra attempt counter;		
	(2300-2395 for mod. #1,	Flag (K<98 if user didn't get problem right, K = 0 if got right on first attempt)		
L	41-55,230,620	General purpose; temporary		
	1200,2000,2300,			
	2390,2500,5000, 6030 (630 for			
	mod. #6)			
	5200-5299	For-next. Graphics		
М	97-6010	Initial value for number of problems student must		
N	41-55.	used for indirect input (if user wants "N", "NO",		
	10 5-50	etc.)		
	6030-6045	19 Deve		
	230,500,510, 620,630-640,2300	Output of DIG# subroutine		
0	98,230,610,620	Temporary		
	5200-5299	Used in graphics (holds last height)		
P	39-98	Number of problems must answer correctly for		
Q	39-5000	skill level one Holds number of last annunciator message		
~	39-3000	displayed		
R	39-6015	Number of problems student answered correctly		
c	20.00	on first attempt		
S	39-98 39-5000	Number of skill levels available Number of extra attempts user gets		
U-Z	97-5000	Difficulties of problems for chosen skill		
Y	41-55,6030-6045	Used in indirect inputing (like N)		

Table 2. List of Variables

Routine	Lines	Var.	Uses
DELAY	2	L	Temporary
DIG#	4-5	D,N,	D = Input, N = Output
SWITCH	6-7	B,C,O	B&C = Input&Output, O = temporary
ROCKET	3000-30070	J,K	For-next loops (graphics)

Table 2a. Subroutines

etc.

Modifications three, four, and five: To change the number of extra tries given the student, and/or the number of problems that have to be answered correctly before the rocket will launch, and/or the number of skill levels, input the line shown in Fig. 2, using what part of it you need. If, for example, you wanted five extra attempts and six skill levels, but want to leave the number of problems as is, you would type:

40T = 5:S = 6

If you are going to change the number of skill levels to less than four, you should delete some of the lines which define the difficulties. Let's say that you only want two skill levels. You then have to delete the lines for skill levels three and four. To do this, type:

32003 ENTER 32004 ENTER

If you want more than four skill levels, you will have to add lines in the manner of modification two. If you desire five skill levels with the maximum values being 10, 10, 20 (addition) and 5, 5, 25 (multiplication) you would type:

32005D, 10, 10, 20, 5, 5, 25

You may have a maximum of nine skill levels.

Modification number six: To take away the user's freedom to choose operations $(+,-,\times,+)$, use the lines in Fig. 3.

Be very sure not to tell the computer to do nothing, e.g.:

41A(0) = 0:A(1) = 0:A(3) = 0

If you do, the computer will

233IFR.(0)>.5A = -A 237IFR.(0)>.5B = -B 243IFR.(0)>.5G = -G 247IFR.(0)>.5H = -H 630D = B:GOS.4:L = N:P.A.97 - N, B:D = A:GOS.4:P.A.33 - N,A;;IFN <LN = L 4F.N = 1TO9:D = A.(D/10): IFD) = 1N N

Fig. 4. Negative Number Modification

get stuck!

Modification number seven: To freeze the skill level at some particular difficulty, enter the following:

> 90.:I."PRESS 'ENTER' KEY TO GO ON";A\$ 93E = z z = Skill level wanted

You must be careful to specify a skill level that is available.

If you don't expect to change the skill level often you can save space by cutting the skill levels down to one (modification five). Make level one as difficult as you want (modification two), and then freeze the skill level at level one.

Modification number eight: Type in the lines which are in Fig. 4 and the computer will give practice in negative numbers.

Modification number nine: As it comes from the factory, Mission Control will give you the answer to a problem you can't answer correctly, wait three seconds, and then continue. If you would rather have it wait until you're ready, use the following lines:

2393IFK<98P.A.410,"PRESS 'ENTER' KEY TO GO ON";:I.A\$:P.A.410

The computer will wait for you to push the ENTER key before going on.


Converting to Other BASICs

Those of you who don't have a

```
C.
      CLS
D.
      DATA
F
      END
F.
      FOR
N
      NEXT
S
      STEP
G.
      GOTO
GOS.
     GOSUB
      INPUT
N.
      NEXT
      PRINT
      PRINT AT
P.A.
      RETURN
      STEP (FOR-NEXT)
S.
      THEN
A.(X) ABS(X)
      INTOO
1.(X)
P.(X,Y) POINT(X,Y)
R.(X) RND(X)
R.(X,Y) RESET(X,Y)
S.(X,Y) SET(X,Y)
T.(X) TAB(X)
```

Table 3. Level I BASIC Abbreviations

SOFTWARE→TRS-80←SOFTWARE




PACKAGE ONE INCLUDES: GRAPHIC-TREK "2000" — This full graphics, real time game is full of fast, exciting action! Exploding photon torpedoes and phasers fill the screen! You must actually navigate the enterprise to dock with the giant space stations as well as to avoid klingon torpedoes! Has shields, galactic memory readout, damage reports, long range sensors, etc! Has 3 levels for beginning, average, or expert players! & INVASION WORG — Time: 3099, Place: Earth's Solar Sorces, your bob to stop the Worg Invasion and destroy their outposts on Mars, Venus, Saturn, Neptime, etc! Earth's Forces: Androids — Space Fighters—Lazer Cannon — Neutrino Blasters! Worg Forces: Robots — Saucers — Disintegrators — Proton Destroyers! Multi level game lets you advance to a more complicated game as you get better! * \$TAR WARS — Manuever your space fighter deep into the nucleus of the Death Star! Drop your bomb, then escape via the only exit. This pow this you! * SPACE * TARGET* — Shoot at enemy Ships with your missiles. If they eject in a parachute, capture them— or if you're cruel, destroy them! Full graphics, real time game! * \$AUCERS — This fast action graphics game has a time limit! Can you be the commander to win the distinguished cross! Requires split second timing to win! Watch out! PACKAGE ONE INCLUDES: GRAPHIC

ONLY 14.95



PACKAGE TWO INCLUDES: CHECK-ERS 2.1 — Finally! A checkers program that will challenge everyone! Expert as well as amateur! Uses 3-ply tree search to find best possible move, Picks randomly well as amateur! Uses 3-piy free search to find best possible move. Picks randomly between equal moves to assure you of never having identical games. *POKER FACE — The computer uses psychology as well as logic to try and beat you at poker. Cards are displayed using TRS-80's full graphics. Computer raises, calls, and sometimes even folds! Great practice for your Saturday night poker match! [Plays 5 card draw). *PSYCHIC — Tell the computer a little about yourself and he'll predict things about you, you won't believe! A real mind bender! Great amusement for parties, *TANGLE MANIA — Try and force your opponent into an immobile position. But watch out, they're doing the same to you! This graphics game is for 2 people and has been used to end stupid arguments. (And occasionally starts them!) *WORD SCRAMBLE — This game is for two or more people. One person inputs a word to the computer while the others look away. The computer while the others look away. The computer scrambles the word, then keeps track of wrong guesses. PACKAGE THREE INCLUDES: POETRY — This program lets you choose the
subject as well as the mood of the poem
you want. You give TRS-80 certain nouns
or hames, then the mood, and it does the
res'! It has a 1000-word + vocabulary of
nouns, verbs, adjectives and adverbs! *
ELECTRIC ARTIST — Manual: draw,
erase, move as well as, Auto: draw, erase
and move. Uses graphics bits not bytes,
Saves drawing on tape or disk! * GALACTIC BATTLE — The Swineus enemy have
long range phasers but cannot travel at
warp speed! You can, but only have short
range phasers! Can you blitzkrieg the
enemy without getting destroyed! Full
graphics — real time! * WORD MANIA —
Can you guess the computer's words using graphics — real time! * WORD MANIA — Can you guess the computer's words using your human intuitive and logical abilities? You'll need to, to beat the computer! * AIR COMMAND — Battle the Kamikaze pilots. Requires split second timing. This is a FAST action arcade game.



PACKAGE FOUR INCLUDES: LIFE—This Z-80 machine language program uses full graphics! Over 100 generations per minute make it truly animated! You make your starting pattern, the computer does the rest! Program can be stopped and changes made! Watch it grow! * SPACE LANDER — This full graphics simulator lets you pick what planet, asteroid or moon you wish to land on! Has 3 skill levels that make it fun for everyone. * GREED II — Multi-level game is fun and challenging! Beat the computer at this dice game using your knowledge of odds and PACKAGE FOUR INCLUDES: LIFE challenging! Beat the computer at this dice game using your knowledge of odds and luck! Computer keep: track of his winnings and yours, Quick fast action. This game is not easy! * THE PHARAOH — Rule the ancient city of Alexandria! Buy or sell land. Keep your people from revolting! Stop the rampaging rats. Requires a true political personality to become good! * ROBOT HUNTER — A group of renegade robots have escaped and are spotted in an old ghost town on Mars! Your job as "Robot Hunter" is to destroy the pirate machines before they kill any more settlerist Exciting! Challenging! Full more settlers! Exciting! Challenging! Full

ONLY 14.95



PACKAGE FIVE INCLUDES: SUPER HORSERACE — Make your bets just like at the real racetrack! 8 horses race in this spectacular graphic display! Up to 9 people can play! Uses real odds but has people can play! Uses real odds but has that element of chance you see in real life! Keeps track of everyone's winnings and losses. This is one of the few computer simulations that can actually get a room of people cheering! * MAZE MOUSE — The mouse with a mind! The computer generates random mazes of whatever size you specify then searches for any people. mouse with a mind! The computer generates random mazes of whatever size you specify, then searches for a way out! The second time, he!! always go fastest route! A true display of artificial intelligence! Full graphics, mazes & mouses! *AMOEBA KILLER — You command a one man submarine that has been shrunken to the size of bacteria in this exciting graphic adventure! Injected into the president's bloodstream, your mission is to destroy the deadly amoeba infection ravaging his body! *LOGIC — This popular game is based on Mastermind but utilizes tactics that make it more exciting and challenging — has 2 levels of play to make it fun for everyone. *SUBMARIN-ER— Shoot torpedoes at the enemy ships to get points, Fast action graphics, arcade type game is exciting and fun for everybody! type game everybody!

ONLY 14.95

HARDWARE → TRS-80 ← HARDWARE

ONLY 14.95

SUPER FAST MACHINE!! (2.66 MHZ) over 50% FASTER! Some of the features

Auto turn-off during cassette or disk access. (This means NO lost programs EVER!) (Turns back on automatically too!) MANUAL control. (Unit may be turned on or off at any time. Yes even during program execution!) Keyboard indicator light "blinks" when micro-speed is on. Stops blinking when off! Don't wait for SARGON II or any other program!!! Comes with easy to follow instructions. (Some soldering required.) OR take to your local computer store or TV-Appliance Center for quick installation. (5-10 minutes!!) Works with any model, TRS-80.

ONLY 29.95 complete

ONLY 14.95


Simple hook up: Just plug cassette remote jack into unit.

EASILY CONTROLLED FROM BASIC:

OUT 255.4 = on OUT 255,0 = off

MICRO-BEEP make games more fun as well as provide useful sound output for professional applica-

Works with Any Model I TRS-80



PACKAGE SEVEN INCLUDES: BACK-GAMMON 5.0 — 2 different skill levels make this game a challenge to average or advanced players FAST (15 second avg) Looks for best possible move to beat you! FANTASTIC GRAPHICS. Plays doubles and uses international rules * SPEEO READING Checked of the composition of t

ONLY 14.95

PACKAGE SIX INCLUDES: 20 HOME FINANCIAL PROGRAMS — Figures amortization, annuitles, description rates, interest tables, earned interest on savings and much, much more. These programs will get used again and again. A must for the conscientious, inflation minded person.

ONLY 14.95

ONLY 15.95 complete

Master Charge

Call Toll Free (800) 528-1149

Visa

(C.O.D. \$3 extra) Same Day Shipment on Bank Cards. Money Orders & C.O.D.

All Tape Programs Require a Minimum of 16K Level 2 Packages Available on Diskette (32K System) \$4.25 Extra 3 or More Packages Get 10% Discount

Dealer Inquiries Invited TRS-80 IS A REGISTERED TRADEMARK OF TANDY CORP.

SIMUTER

Exceptional Products through Research & Imagination Send Check, Money Order or Bank Card No. orders to:

SIMUTEK P.O. Box 13687 Tucson, AZ 85732

FREE Postage and Handling

80 Microcomputing, November 1980 . 191

Level I TRS-80 but want to use this program on your computer will need to know a few details about this BASIC.

Graphics: The 80 has a graphics resolution of 128 vertical by 48 horizontal. The top left corner is position (0,0) and the bottom right is position (127,47). The commands used to manipulate

these points are:

CLS

SET(X,Y) Turn on the graphics spot at (X,Y).

RESET(X,Y)

Turn off the spot at (X,Y).

POINT(X,Y)

A function which returns (is equal to) 1 if the spot is on, and 0 if it is off.

Clears the screen and puts the cursor at the top left cor-

ner.

Print formatting: Level I has a

PRINT AT X statement which moves the cursor to position X on the screen before printing. The top left corner is position 0, and the bottom right is position 1023. A comma, separating items in a PRINT statement (for example PRINT A,B,C) puts the item following the comma in the next print field.

Fields start at columns 0, 16,

32, and 48 in each line. Semicolons put the next item immediately after the previous item. An exception is "PRINT AT,", which is the same as "PRINT AT:".

FOR-NEXT loops: BASIC will always run through a FOR-NEXT loop at least once; it checks if the variable is in bounds at the NEXT point, not at FOR.

IF X THEN Y: If X is false, it will jump to the next line; it will not do the next statement in a multistatement line. Y may be any legal statement, not just a line number. THEN is optional.

Random numbers: RND(X) returns a random number between 0 and 1 if X<1. If X \geqslant 1, RND(X) is a random integer between 1 and X. An equivalent statement is INT(RND(0) $\stackrel{\bullet}{\times}$ X) + 1.

Logical operations: The symbol for AND is *, and + stands for OR.

Numerical input: This BASIC allows you to input a variable name where a number is wanted. Only the first letter is looked at. Thus, YES would input the value of Y.


Variables (Table 2): Only twenty-six numeric variables are allowed (A-Z). There are two string variables (A\$ and B\$), each containing up to fifteen characters. All variables are defined from the moment you turn the computer on until the moment you turn it off. (Of course, until you assign it a value, it could be any random number, a characteristic I use in initializing the random number generator.)

A single one-dimensional array is available—array A. It uses whatever memory is not needed by the program, therefore there is no DIM statement. Each element takes four bytes. In Mission Control four elements are used, for a total of sixteen bytes.

Abbreviations: Level I BASIC allows abbreviations of instructions. A list of these is shown in Table 3.

End of Lecture

"There you are, Simon. A useful, educational program that will fit on your 4k, Level I TRS-80. Class dismissed."



Flowchart 2. Main Loop Detail

Games from **BIG FIVE** will turn your computer into a


TRS-80 HOME ARCADE

SUPER NOVA®



"Huge ASTEROIDS have invaded the galaxy! Your mission is to destroy them and the alien saucers before they destroy you!" Our #1 top selling game!


\$14.95 16K Level | or ||



"Eight alien ramships are warping down toward your destroyer ship. You must shoot them down quickly before they crush you!" With sound!

\$14.95 16K Level I or II

ATTACK FORCE® | GALAXY INVASION®



"The newest and most exciting Invaders-type game yet! Smooth sound effects, sharp graphics, and the 'Flagship' alien from Super Nova combine to make this our finest TRS-80 game!"

\$14.95 16K Level I or II

BIG FIVE SOFTWARE CO.

P.O. Box 9078-185 . Van Nuys, CA 91409

All games © 1980 by Bill Hogue & Jeff Konyu TRS-80 is a trademark of Tandy Corp. When ordering specify Level I or II Please add \$1.00 for handling, Calif. res. add 6% 10% discount for two or more games. Dealer inquiries invited

Let Your TRS-80® Teach You **ASSEMBLY LANGUAGE**

Tired of buying book after book on assembly language programming and still not knowing your POP from your PUSH?

PEMSOFT proudly announces a more efficient way, using your own TRS-80*, to learn the fundamentals of assembly language programming at YOUR pace and at YOUR convenience.

Our unique package, "INTRODUCTION TO TRS-80* ASSEMBLY PROGRAMMING", will provide you with the following:

- . Ten 45-minute lessons on audio cassettes
- A driver program to make your TRS-80® video monitor serve as a blackboard for the instructor.
- · A display program for each lesson to provide illustration and reinforcement for what you are hearing
- A textbook on TRS-80® Assembly Language Programming
- · Step-by-step dissection of complete and useful routines to test memory and to gain direct control over the keyboard, video monitor, and printer.
- . How to access and use powerful routines in your Level II ROM.

This course was developed and recorded by Joseph E. Willis and is based on the successful series of courses he has taught at Meta Technologies Corporation, the Radio Shack Computer Center, and other locations in Northern Ohio. The minimum system aquired is a Level II, 16K RAM.

REMASSEM-1

only \$69.95



REMSOFT Inc. 571 E. 185 st. Euclid, Ohio 44119 (216)531-1338



Include \$1.50 for shipping and handling.
Ohio residents add 51/2% sales tax.
TRS-80* is a trademark of the Tandy Corp

Save 20%

November Specials-

10 Verbatim Diskettes 5¼"	24.00
10 Verbatim Diskettes 8"	40.00
Jus-Print Word Processor	
Model I or III (disk)	29.95
Model II (disk)	44.95
T.I. 810 Upper/Lower RO	1550.00
16K RAM Kit (250 ns.)	45.00
4K RAM Kit	29.00

·TAS~AN


16K Level II W/Keypad	685.00
16K Level II W/O Keypad	605.00
Model III (26-1061)	625.00
Model III (26-1062)	888.00
Model III (26-1063)	2249.00
Model II 64K	3450.00
OK Expansion Interface	249.00
RS-232 (26-1145)	89.00





419·332·l

TRS 80 and Radio Shack are registered trademarks of Tandy Corp.





MICRO-SPEED TRS-80 SPEED UP MODIFICATION THE BEST ON THE MARKET! Simulab's Micro-Speed increases computer

Simutek's Micro-Speed increases computer operating speed by 50%

- 1) Speeds up your TRS-80 from 1.77MZ to a hefty 2.66 MZ!
- Shuts down during disk or cassette I/O to end lost programs, then turns back on automatically when disk or cassette I/O is finished. (Provided, of course, it was on to begin with)
- Connects to keyboard L.E.D. and blinks when unit is operating. Stops blinking when turned off!
- Comes with illustrated instructions. (Some soldering required)
- Average person can install in 10-20 minutes!
- 6) All work is done in hardware! Absolutely no software drivers needed!
- Operates with any TRS-80, (except Model II) works with TRSDOS, NEWDOS or any other operating system or software. Works with RS-232 and telephone modems!
- 8) Comes completely assembled and ready to install. All wires are stripped, switch installed!

There are no hidden extra costs to you!

- 9) May be turned on or off at any time! Even during program execution!
- 10) Money back guarantee!!

order #2000 Micro-Speed N	Mod.	2	29.95
We accept Visa · Master C (C.O.D. \$3.00 extra) Send Simutek, P.O. Box 1368	orders to:		ck - 19
Name			
Address			
City	State	Zip	
Phone orders welcome 24 hours! (80) fine products especially for TRS-80' Radio Shack, A Tandy Corp.	s! Send for "FREE" c		a TM o

NO CHARGE FOR SHIPPING

Our new program package for the TRS-80th sounds terrific.

So does the price.

There are lots of programs with sound that are worth about a dollar. Trouble is, they cost a lot more.

But at Basics & Beyond we've just developed Microcosm III, 20 programs with sound—each just as good as our competition's \$15 and \$20 programs—for \$24.95. That's a 20-program package for \$24.95.

It includes "Pinball," replete with ringing bonuses, spinners, buzzers and flippers; torpedofiring "Submarine" that explodes with underwater excitement; and the right/wrong buzzer in "Long Division" teaches step by step.

At Basics & Beyond we underscored our point that most other program packages are overpriced with Microcosm I and Microcosm II, \$19.95 each. Now a lot of people will start hearing about our third package and stop listening to high prices.

You see, it's not that our program packages for the TRS-80TM microcomputer are so cheap. It's just that theirs are so expensive.

BASICS & BEYOND, INC.

Box 10 • Amewalk, N.Y. 10501 • Or call 914-962-2355 49

No charge for postage or handling, N.Y. residents add 5% sales tax. TRS-80 is a trademark of the Radio Shack division of Tandy Corp.

Menu List Selection Subroutine

Frank B. Rowlett, Jr. 4272 Lancaster Drive Sarasota, FL 33583

You've probably eaten in restaurants where the major items on the menu have numbers next to them and you order by giving the numbers.

By doing this everything is simplified. Time is saved. Information is accurate. It is quickly given, transmitted and acted on.

Choosing Options

The same technique can be used in interactive application programming. Menu selection—or list selection—is an important tool. It allows the user to specify an option.

The usual procedure presents a list of options available and the user indicates which one he wants. This is done by numbering the options and having the user enter the number. Table 1 illustrates a typical list as might be displayed by a computer.

The list selection technique was originally developed for

```
INPUT: X
             = STARTING LOCTION TO PRINT INDICATOR
          XO = NUMBER OF ITEMS IN MENU
DUTPUT: X = NUMBER OF ITEM SELECTED
USES:
          X. X0. X1. X2. X3 AND B
                                                   SET X1 TO 1ST ITEM PRINT LOCATION
1010 PRINT@960, CHR$(30); "[ MOVES INDICATOR UP, "; CHR$(92); " MOVES INDICATOR DOWN
  ";CHR$(34); "ENTER"; CHR$(34); " TO SELECT";
                                                   'PRINT INSTRUCTIONS
'PRINT GRAPHIC BLOCK
1020 PRINT@X1, CHR$(143);
                                                   'SET TIMING LOOP
'GET ANY INPUT
'SEE IF THERE WAS ANY INPUT
1030 FOR X2 = 0 TO 2
1040 B = INKEY$
1050 IF B = "" THEN NEXT X2 ELSE 1100
1060 PRINT@X1, CHR$(94);
                                                   'PRINT A RIGHT ARROW
1070 FOR X2 = 0 TO 9

1080 B = INKEY$

1090 IF B = " THEN NEXT X2: GOTO 1020

1100 PRINT@X1, " ";
                                                   SET TIMING LOOP
                                                   'GET ANY INPUT
'SEE IF THERE WAS ANY INPUT
                                                   'CLEAR SCREEN LOCATION IF INPUT
                                                   'SEE IF INPUT WAS AN UP ARROW 'SEE IF INPUT WAS A DOWN ARROW
      IF ASC(B) = 91 THEN 1170
      IF ASC(B) = 10 THEN 1200
1130 IF ASC(B) <> 13 THEN 1020
                                                   'NOT LEGAL KEY, GOT GET INPUT
'ENTER PRESSED, SET SELECTED INDICATOR
'SET X TO NUMBER OF SELECTED ITEM
      PRINTEX1, CHR$(94);
1140
1150 X = (X1 - X) / 64 + 1
1160 RETURN
                                                    RETURN FOR MENU SELECTION
                                                   'SET INDICATOR LOCATION UP ONE LINE
'IF ABOVE, SET TO BOTTOM
'SEE IF KEY KEPT PRESSED
1180 IF X1 < X THEN X1 = X+(X0-1) #64
1198 GOTO 1220
1200 X1 = X1 +
                                                   'SET INDICATOR LOCATION DOWN ONE LINE
'IF BELOW, SET TO TOP
1210 IF X1 = X + X0 x 64 THEN X1 = X
                                                   SET TO BLINK INDICTOR THICE
1230 PRINT@X1, CHR$(143);
                                                   PRINT A GRAPHIC BLOCK
1240 FOR X2 = 0 TO 5
                                                   SET TIMING LOOP
1250 NEXT X2
      PRINTEX1, CHR$(94);
1260
                                                    PRINT A RIGHT ARROW
                                                   SET TIMING LOOP
1270 FOR X2 = 0 TO 19
1280 NEXT X2
1290 IF X3 = 0 THEN X3 = 1 : GOTO 1230 'SEE IF BLINKED TWICE
1300 X3 = PEEK ( 14656 )
1310 PRINT@X1, * *;
                                                   'SEE IF KEY STILL PRESSED 'BLANK PRINT LOCATION
1320 IF X3 = 8 THEN 1170
1330 IF X3 = 16 THEN 1200
                                                   'GO PROCESS IF UP ARROW PRESSED
'GO PROCESS IF DOWN ARROW PRESSED
1340 GOTO 1020
                                                   'IF NO KEY PRESSED GO GET INPUT
                                          Program Listing 1
```

hard copy terminals. The list was printed and the user asked to enter the number.

A method more advanced than specifying the number of the option desired is illustrated in the List Selection subroutine.

List Selection

This subroutine requires that the list of options be displayed on the screen. A blinking indicator is placed by the first option. It can be moved from option to option by using the down arrow and up arrow keys.

If the indicator is at the first option in the list and the up arrow key is pressed, it goes to the last option. If it is at the last and the down arrow is pressed, it goes to the first. Continuous key depression moves the cursor up or down the list.

Once the user has it positioned at the option he wants, he presses ENTER. This indicates which option is selected. At the same time, the position of the option in the list is stored in an integer variable (1, 2, 3 and so

on). The subroutine then returns control to the calling program.

Program Listing 1 illustrates one version of the subroutine. This listing is basically one statement per line. The remarks show you how the subroutine works. Program Listing 2 shows a condensed version of the subroutine. It is more efficient and uses a minimum of memory, but

is more complicated to enter into the computer. Both versions require exactly the same preparation and input, and they give exactly the same output.

Note the [left bracket in line number 1010 of Program Listing 1 and line number 1000 of Program Listing 2. It is really an up arrow.

The subroutines require the

SELECT DESIRED OPTION:

- 1 LIST DATA ENTRIES
- 2 PRINT DATA ENTRIES
- 3 SORT DATA ENTRIES
- 4 QUIT

ENTER NUMBER OF DESIRED OPTION: ?

Table 1

INFUT: X = STARTING LOCTION TO PRINT INDICATOR

XO = NUMBER OF ITEMS IN MENU

OUTPUT: X = NUMBER OF ITEM SELECTED

USES: X, X0, X1, X2, X3 AND B

1000 X1=X:PRINT@960,CHR\$(30);"[MOVES INDICATOR UP, ";CHR\$(92);"
MOVES INDICATOR DONN, ";CHR\$(34);"ENTER";CHR\$(34);" TO SELECT";
1010 PRINT@X1,CHR\$(143);;FORXZ=0T02:B=INKEY\$:IFB=""THENNEXTXZ:PR
INT@X1,CHR\$(94);;FORXZ=0T09;B=INKEY\$:IFB=""THENNEXTXZ:GOT01010
1020 PRINT@X1," ";:X2=ASC(B):IFX2=9:ITHEN10:30ELSEIFXZ=1:0THEN10:40E
LSEIFXZ=1:3THENPRINT@X1,CHR\$(94);;X=(X:I-X)/64+1:RETURNELSE1010
10:30 X3=0:X1=X1-64:IFX1<XTHENX1=X+(X0-1)*64:GOT0:10:50ELSE:10:50
10:40 X3=0:X1=X1-64:IFX1=X+X0*64THENX1=X
10:50 PRINT@X1,CHR\$(143);:FORXZ=0T05:NEXTX2:PRINT@X1,CHR\$(94);:FO
RXZ=0T0:19:NEXTX2:IFX3<2THENX3=X3+1:GOT0:10:50ELSEX3=PEEK(146:56):PR
INT@X1," ";:IFX3=8THEN10:30ELSEIFX3=16THEN10:40ELSE:10:10

Program Listing 2

3 ALTERNATIVE INTERFACES FOR THE TRS-80

Save by purchasing only those units that meet your needs. Want a Parallel Printer or RS-232-C Serial Port, choose the Comm-80. Plan to turn your TRS-80 into a full timesharing terminal, choose the Chatterbox. Interested in a Disk Controller plus additional memory, choose the Disk-80.

CHATTERBOX



- •300 baud originate modem
- Centronics printer port 8-bit
- RS-232-C port (50-19.2K baud)
- connects to keyboard or I.E.
- received data automatically routed to printer ports
- includes terminal software
- only \$279.95 complete

ALL INTERFACES ARE RADIO SHACK HARDWARE AND SOFTWARE COM-PATIBLE AND CARRY A 60 DAY WARRANTEE INCLUDING PARTS AND LABOR. ALL UNITS INLCUDE USER'S MANUAL, POWER SUPPLY & AUXILIARY TRS-BUS CONNECTOR FOR FUTURE EXPANSION.

DISK-80



- disk controller (4 drives)
- hardware data separator
- includes 16K of RAM provision for additional 16K
- buffered TRS-BUS expansion connector
- real-time clock
- only \$329.95 complete



COMM-80...



- RS-232-C port (50-19.2K baud) software/hardware selectable
- •Centronics printer port 8-bit
- •connects to keyboard or I.E.
- chain up to 16 units
- use with I.E. for 2nd printer
- includes terminal software
- only \$179.95 complete

To order call (516) 374-6793 or write: The MicroMint Inc.

e: The MicroMint Inc. 917 Midway Woodmere, NY 11598 Dealer inquiries invited.



TRS 80 is trademark of Tandy Corp.

SAFOR

Sales Analyst and Forecaster

with Graphic Display

Here is a new program from Software Etc. . . that is invaluable to any businessman. SAFOR is a time series analysis and forecasting program that will produce presentation quality graphs on your own printer. SAFOR will handle up to ten years of monthly data, provide a comprehensive analysis of past patterns and make both long and short-range forecasts.

SAFOR uses a classical time series decomposition model to provide both tabular and graphic presentations of Original Data, 12 Month Forecasts, Business Cycle, Growth Cycle, Seasonal Pattern and 12 Month Moving Average.

SAFOR can handle any type of data series measured on a monthly basis where no value is zero or less. This data may be in any unit of measure, however SAFOR does not adjust dollar figures for inflation. The trend is calculated in the same units as actual sales, while other factors are treated as multipliers or indexes. Because the irregular component is unpredictable, SAFOR ignores it.

SAFOR is designed for ease of use, data entry is particularly straightforward, every user action is prompted. The program features extensive editing, updating, data storage and error detection routines.

SAFOR allows for varying levels of expertise in the techniques of analysis, beginner to expert. For the beginner, SAFOR contains standard default operations to help prepare routine analysis and forecasts. For the expert, key assumptions in the program are readily modified without any programming.

SAFOR will run on your TRS-80* Level II with an expansion interface, 32K of RAM memory, a disk drive, TRSDOS* and optionally a 132 column printer.

Each program comes complete with a two year set of demonstration data. Order yours now! A \$200.00 value at this Introductory Price of only **\$79.95** Good through December 31, 1980 Only.



142

Software Etc... 1839 Chamberlain Drive, Carrollton, Texas 75007. Phone Orders: (214) 492-0515

Demand a Demonstration from your local dealer, or write for a brochure of our complete line of fine software.

calling program to print the list of options on the display screen. Each must be a single line. The second option must be on the line immediately following the first, the third option on the line immediately following the second and so on. There can be no blank or text lines mixed with the option list.

Integer X

The subroutines require the integer variable X as input. X contains the location on the screen of where to print the indicator for the first option. All future movements of the indicator will be in multiples of 64 screen positions.

The indicator consists of two characters printed rapidly, one after another. The first is a white square that consists of the upper four graphic cells of a graphics character (ASCII code 143-a character size square). It is printed momentarily and is overprinted by a right arrow. This is repeated at the approximate rate of three per second to pro-

duce the blinking indicator. It appears as pronounced right arrow superimposed over a white square. The subroutines require that the integer variable X0 be input. It contains the number of options in the list and is used to determine where the end is.

The subroutines cannot handle more than 15 options to a list, because there are only 16

```
VARIABLES BEGINNING WITH X AS INTEGERS
20 DEFINT X
                                         VARIABLES BEGINNING WITH B AS STRINGS
  DEFSTR B
30
   'DEMO PROGRAM'
                                         'CLEAR SCREEN
110 PRINT@22, "MENU DEMO PROGRAM"
                                         'PRINT HEADING
120 A$ = CHR$(26)+CHR$(29)+CHR$(217)
                                         SKIP TO 25TH POSITION OF NEXT LINE
130 FOR X = 1 TO 5
140 PRINTAS; "ITEM NUMBER"; X;
                                         'DO LOOP FIVE TIMES
                                         PRINT ITEM PLUS ITEM NUMBER
                                         REPEAT TILL FIVE PRINTED
150 NEXT X
                                         SET X TO TWO POSITIONS BEFORE FIRST ITEM
160 X = 151
                                         SET XO TO NUMBER OF ITEMS
170 X0 = 5
180 GOSUB 1000
190 PRINT@662, 'YOU SELECTED ITEM ";
                                         SET TO PRINT ITEM NUMBER SELECTED
200 ON X GOTO 210, 230, 250, 270, 290
                                        'GOTO CODE TO PROCESS SELECTION
210 PRINT '1'
                                         'CODE FOR FIRST ITEM
220 GOTO 300
                                         'GOTO TRY AGAIN CODE
230 PRINT '2'
                                         'CODE FOR SECOND ITEM
240 GOTO 300
                                         GOTO TRY AGAIN CODE
250 PRINT
                                         CODE FOR THIRD ITEM
260 GOTO 300
                                         GOTO TRY AGAIN CODE
                                         'CODE FOR FOURTH ITEM
270 PRINT
280 GOTO 300
                                         GOTO TRY AGAIN CODE
290 PRINT '5'
                                         CODE FOR FIFTH ITEM
300 PRINT@960.CHR$(30);STRING$(18,' '); PRESS ';CHR$(34); ENTER';CHR$(34); TO T
RY AGATN':
                                         LOOK FOR INPUT
310 B = INKEYS
320 IF B = " THEN 310
                                         IF NOTHING, TRY AGAIN
                                        'CLEAR ITEM MESSAGE
330 PRINT@640, CHR$(30);
340 GOTO 100
                                         'GO DO DEMO AGAIN
                                   Program Listing 3
```

PALOMAR SOFTWARE

"HISPED" Tape operation. Save, verify & load programs or array data many times faster than CSAVE or PRINT #. Includes hardcopy formatting. Not a hardware add on. \$24.95

"CODED LEDGER" A ledger for the small systems user. Monthly reports, 100 user named categories, many features normally found in disc systems. Requires "HISPED" and hardcopy printer. \$14.95

"TRANSFER LIST" Hardcopy printout of all transfers, GOTO, GOSUB, ELSE, etc., in your basic program are listed by calling line # and called line #. Transfer list is a great aid in changing or debugging basic programs. \$7.95

All Palomar Software programs are designed for level 11 16k or higher.

Write for full specifications and sample printouts or send (ck or mo) + \$1.00 P/H per tape. (Calif. residents add 6% sales tax)

VISA

PALOMAR SOFTWARE



D

囘

回

囘

O

回

回

回

囘

囘

囘

囘

170 S. Palomar Dr. Redwood City, Ca. 94062

∠ 228

24 Hour Ordering Line (415) 366-5340

Surplus TRS-80* RAM Memory Chips

DUE TO CHANGES IN PRODUCT STRUCTURE AMERICAN BUSINESS COMPUTERS IS OFFERING SEV-ERAL THOUSAND 200 NANOSEC-OND RAM MEMORY CHIPS AT CLOSE-OUT PRICES.

\$45 (per 16K set)

AMERICAN BUSINESS COMPUTERS GUARANTEES ALL MEMORY CHIPS TO BE BRAND NEW AND FREE FROM DEFECTS FOR 180 DAYS. PRICE (\$ 45) INCLUDES 8 CHIPS. QUANTITY DISCOUNTS AVAILABLE. 0

回

囘

包

回

回

回

回

回回

回

0

0

AMERICAN BUSINESS COMPUTERS -397

*TM TANDY CORP.

118 S. MILL ST. - PRYOR, OK 74361 - 918-825-4844

والالمام المام الم

VISA/MC Order Line Only (except Mich.) 800-253-4358 ext. 100

FINDISK-II The ultimate in automatic disk indexing with exclusive features Model-I \$20.00 AUTOMATICALLY create INDEX of programs or data from all your disks, print disk LABELS, print alphabetized MASTERLIST, do fast SEARCH, add DESCRIPTIONS. Also automatically: detect DATA or SYS disks, PURGE disks and index of old files, and UPDATE from revised disks only.

SOLAR-I The critical calculations for passive design. .. Model-I \$30.00 Model-II \$45.00 INPUT: any latitude, orientation, slope, roof overhang, storage type, building loss, OUTPUT: solar angles, shading, time, heat gain/loss, percent solar, fuel use. Print report by hour, month, year in presentation format.

Min 32K. On disk (Mod-I one drive order tape). Add \$1.00 postage (Mich. add 4% tax) VISA/MC
88 DOCUMAN SOFTWARE BOX 387-A KALAMAZOO, MI 49005 (616) 344-0805

THIS YEAR

FOR THE TRS MODEL II

MASTER TAX—Professional tax preparation program. Prepares schedules A, B, C, D, E, F, G, R/RP, SE, TC, ES and forms 2106, 2119, 2210, 3468, 3903, 2441, 4625, 4726, 4797, 4972, 5695 and 6251. Printing can be on readily available, pre-printed continuous forms, on overlays, or on computer generated, IRS approved forms. Maintains client history files and is interactive with CPAids GENERAL LEDGER II (see below)\$995/350 Annual Update Fee .

GENERAL LEDGER II—Designed for CPA's. Stores complete 12 month detailed history of transactions. Generates financial statements, depreciation, loan amortizations, journals, trial balances, statements of changes in financial position, and compilation letters. Includes payroll system with automatic posting to general ledger. Prints payroll register, W2's and payroll checks....

Runs with widely accepted CP/M operating system

Distributed by

Lifeboat Associates

1651 Third Ave., New York, N.Y. 10028



MISOSYS

MISOSYS is proud to announce EDAS, a sophisticated Z-80 Editor Assembler for the '80 Model I & Model III

**** JUST LOOK AT THESE FEATURES ****

- All EDAS commands and source text may be entered in either upper case or lower case providing ease of operation as a text editor.
- .. Direct assembly from memory or disk by means of *GET assembler directives entered into the text buffer. This provides for a symbol table buffer area of over thirty thousand bytes with text buffer equal to your drive capacity!
- .. Direct assembly to disk or memory for faster debugging operations! Branch allows you to execute your program, has been assembled to memory, and then return to EDAS.
- . Source and object files interface directly with disk using TRSDOS (tm), VTOS (tm), or other compatible system.
- .. DOS "System" command functions KILL, DIR, FREE, and LIST are available from within the environment of EDAS.
- .. The Editor, with renumber, maintains command syntax identical to the BASIC editor. Global change allows the user to alter a string throughout a designated range of lines while block move relocates lines of text.
- Great amounts of time and effort were expended to give this Editor Assembler the absolute best in ease of operation and functional efficiency. Optimize assembly Editor Assembler programing time; use the Editor Assembler designed with the programmer in mind. EDAS is priced at \$79.00 plus \$3.00 S6H. A 72-page EDAS reference manual is included.

MISOSYS - Dept K 5904 Edgehill Drive Alexandria, Virginia 22303 703-960-2998 Dealer Inquiries Invited



MARK GORDON

DIVISION OF MARK GORDON ASSOCIATES. INC.

270

P.O. Box 77, Charlestown, MA 02129 (617) 491-7505

SORT-80

Produced exclusively for Mark Gordon Computers by SBSG

TRS-80* disk files may be sorted and merged using SORT-80, the general purpose, machine language, sort program. Written in assembly language for the Z-80 microprocessor, it can:

- -Sort files one disk in length
- -Sort Direct Access, Sequential Access and **Basic Sequential Access files**
- -Reblock and print records
- -Recontrol files from disk
- —Be executed from DOS
- -Be inserted in the job stream
- -Allow parameter specification
 - input/output file specification
 - input/output record size
 - lower/upper record limit
 - print contents of output file
 - input/output file key specifiers

The minimum requirement is a 32K TRS-80* Level II computer with one disk drive or a single drive Model II computer. It will operate on 35, 40 and 77 track drives, and has been tested on TRSDOS 2,1, 2.2, 2.3, NEWDOS 2.1, 3.0 and VTOS 3.0.1. It is compatible with most machine language printer drivers. Sort time is fast: for example, a 32K file will sort in approximately 40 seconds. \$59.

InfoBox is the easiest-to-use information manager available for the TRS-80*. It's ideal for keeping track of notes to yourself, phone numbers, birthdays, inventories, bibliographies, computer programs, music tapes, and much more. This fast assembly language program lets you enter free-format data, variable length items and lets you look up items by specifying a string of characters or words that you want to find. You can also edit and delete items. Items entered into InfoBox can be written to and read from cassette and disk files. All or selected items can be printed on a parallel or serial printer. InfoBox occupies 3K. Specify cassette or disk version. \$29.95



VISA

*TRS-80 is a Tandy Corp. Trademark

lines on the display screen, and the subroutine prints instructions on the last.

When the subroutine returns control to the calling program, the number option selected is stored in the integer variable X. Also, the indicator at the option selected is replaced by a right arrow on the screen.

In addition to the integer variables X and X0, the subroutines use the integer variables X1, X2 and X3, and the string variable B. Any information stored in these variables when the List Selection subroutine is called will be lost. The calling program should use them as temporary variables before and after calling the subroutine.

Variables beginning with X should be defined as integers at the start of the program by using a DEFINT statement. Variables beginning with a B should be defined as strings using a DEFSTR statement. If you don't define it, the appropriate variable must be indicated with its name, including a declaration character.

Testing, Testing

Program Listing 3 is a demonstration to test the subroutines. Note the variable A\$ in line 120 of the demonstration. It contains three characters: a move cursor down character, a position cursor at the front of the line character, and a tab 25 character. By printing this string, the

would print, starting at the 25th position of the line, on the third, fourth and fifth lines of the display screen:

> SORT MERGE QUIT

You can experiment with making up your own control strings.

"The subroutines cannot handle more than 15 options to a list because there are only 16 lines on the display screen...(with) instructions on the last."

cursor is set to the 25th position on the next line. A short list can then be printed with a single PRINT statement. For example, the statement:

PRINT @64, A\$; "SORT"; A\$; "MERGE"; A\$; "QUIT"

There is another technique shown in line 300 of the demonstration program. A CHR\$(30); is printed as the first character of the message. This causes the line to be blanked before the text is printed. If the new text is shorter than the information already on the line, no residual

text from the original contents will be left.

Line 200 of the program is an ON X GOTO statement. This is also an efficient way of executing the desired code for the option selected. It uses the integer variable X to provide the option selected.

Two Benefits

Besides having debugged code available, there are two benefits for the application programmer when using these subroutines. First, only a legal option can be selected—there is no need to use time and memory to test the input. Second, the user cannot destroy the display by entering too long a value (causing a line feed) or entering an illegal character.

Making a selection this way is easy. Because there is a direct visual link to what is being selected—both the blinking indicator and the option description text are on the same display line—there is less opportunity to make the wrong choice.



Mayday

....60 Cycle.... Sine Wave U.P.S.

(Uninterruptibe Power Supply)

- for those systems that need 60 cycle sine wave keeps computer & disk systems on when the power goes out
- rated for 150, 250 and 600 watts continuous operation*
- provides up to 30 minute operation time for Model II TRS 80 with 4 disk drives

* Standard MAYDAYS available starting at \$195.00 for 150 Watt

from

Sun Research, Inc.

Box 210 New Durham, NH 03855
(603) 859-7110 TWX 510-297-4444

Poor Man's Floppy

HIGH SPEED CASSETTE SYSTEM



FOR TRS-80*

Now the widely acclaimed JPC Cassette System is available for your TRS-80* computer. The price is only [\$90.00]

TC-8 Cassette System JPC Products Albuquerque, NM Kit: [\$90] Assembled: [\$120]

by Carl A. Kollar

Iguess I don't have to tell any TRS-80 owners how frustrating the cassette system that comes with the computer can be. Even with the factory mod that's available, the annoyance of loading and checking programs becomes just barely tolerable.

If you're like me, after you've just plunked down a chunk of money for a Level II 16K machine, "you ain't got nuttin left" for even one disk drive at 500 bucks apiece. So you suffer.

A reasonable alternative is the Exatron Stringy Floppy (ESF). This will cost you about 250 bucks and totally eliminates your loading and saving problems, automatically and fast. I've had one of these for about six months and love it!

But, if the price is still too steep, have I got a device for you!

The Device

The February 1980 issue of Microcomputing had an ad that intrigued the hell out of me. It was a high-speed cassette system by JPC Products acclaimed as a "poor man's floppy." It made all sorts of seemingly ridiculous claims such as "loads five times faster," "stores 50,000 bytes on a 10-minute cassette," "less than one bad load in a million bytes with the volume control anywhere between one and eight."

All this for a measly [90] bucks? How could this be? A call to Albuquerque answered a few questions: Yes, it had its own power supply, and, it stored programs five times faster because it utilized higher density data. The computer outputs the information at a higher rate out of the rear keyboard connector.

The ad had even claimed anyone could build it even if you have never soldered before. JPC would make it work, if you couldn't—for free. I was sold. I placed my order, and it arrived about two months later (parts shortage).

I work in electronics, so I found the unit exceptionally easy to build. It took about an hour. The manual is superb. (That's better than great.) It was clear, concise and exact with no

ambiguities. Important parts placements are stressed (polarity markings on electrolytics, bands on diodes, etc.).

[Reprint of June 1980 Review, 80 Microcomputing]

JPC was right! With these instructions, you couldn't go wrong. The board quality is excellent. It is double-sided and parts locations are clearly marked on the component side of the board. There are no jumper wires to install. JPC utilizes PC traces and plated-through holes for connections to traces on the other side of the board.

Also, there are absolutely no adjustments or settings to bother with.

The documentation is a sheaf of $8 \% \times 11$ papers stapled together. It is written in the nicest format I've seen in a while. Each command and/or subjects is covered on its own sheet in large type. All explanations are in easy to read English—not computerese.

Commands and Features

SAVE"filename": Saves your BASIC program on cassette.

LOAD: Reads the next BASIC program from the cassette.

LOAD"filename": Searches for and loads the specified file from cassette.

LOAD? and LOAD?"filename": Reads file from cassette, and compares contents to memory.

LOADN: Prints a list of all the programs on a cassette, until interrupted by the "break" key. LOADN"filename": Same as above except the tape will stop at the end of the program named. KILL: Removes the file manager program from memory so that the extra memory can be used by large programs.

RSET: Allows the operator to rewind and position the tape on tape recorders that have these functions tied to the motor control jack.

RUN"filename": TC-8 searches for a specified program and runs it immediately.

PUT"filename": Same as SAVE "filename", except it is for use with system tapes.

GET: Same as LOAD, except it is for use with system tapes.

GET"filename": Same as LOAD "filename", except it is for use with system tapes.

GET? and GET?"filename": Same as LOAD? and LOAD?"filename", except it is for use with system tapes.

GETN and GETN"filename": Same as

LOADN and LOADN"filename", except it is for use with system tapes.

OPEN: Required before cassette input or output of a data file can be attempted.

CLOSE: Required to end a cassette data file. PRINT#: Allows numerical or string data to be output to a cassette file.

INPUT#: Allows numerical or string data to be input from a cassette file.

I haven't counted them, so I don't know about the "one load in a million bytes" claim, but my son, Anthony (age 11), loaded about 30 of his programs from his Radio Shack format tape to a new TC-8 format tape. He's run them all and found no bad loads.

Unlike the standard tape system, you can position your tape anywhere before the program you want and not have to look for a blank spot between programs. The TC-8 patiently waits for the program you want and then starts loading without getting confused by the portion of the previous program you just fed it.

Try that on your regular cassette system; you'll wear out the reset button. ■

ORDER NOW

To order your TC-8 kit, send your check or money order for [\$90.00] plus \$3.50 postage and handling to JPC PRODUCTS CO., 12021 Paisano Ct., Albuquerque, NM 87112 (New Mexico residents add 4% sales tax). Credit card orders accepted by phone or mail. Personal checks will delay shipment. We will otherwise immediately ship you the TC-8 kit, the cabinet, the ribbon cable, the power adapter, an instruction manual, and a cassette containing the software.



Learn the secrets of self-modifying code.

Smart Programs

Daniel Lovy 2820 Willow Rd. Homewood, IL 60430

Programs that can alter their own codes have always conjured up images of computers that may learn to rule the world, only to be foiled in the end by their human creators.

Unfortunately, when selfmodifying code is attempted on a microcomputer, especially in BASIC, the end result is usually the machine being turned off, then back on, to undo the damage that was done.

One-Byte Codes

Writing a BASIC program that can modify itself means POKEing BASIC statements into the area of RAM that stores the programs.

The Level II manual states that reserved words like GOTO and PRINT are stored as one-byte codes, but for some reason it never gets around to mentioning what those codes are. Since they are stored in ROM, this information cannot stay hidden forever. Program Listing 1 brings them out.

Each function has its own code. When the BASIC interpreter comes across one of these codes, it translates it into the proper word. By POKEing the proper codes into memory, statements can be changed and added to the program, by the program itself.

Now, a suitable place must be found for the statement. One solution is to have the program search to find a key word in the program text and to replace that word with the desired one. Program Listing 2 demonstrates this. Type the program, LIST it, RUN it, then LIST it again. If all went well, the last line should read 60 PRINT.

Line 10 of the program sets up a loop that steps through the program text. It begins at location 17129, since that is the address in memory where BASIC storage begins. The next line looks into the memory location and checks for 230, which is the code for CVI (a false command). If it finds it, 178 (the code for PRINT) is POKEd into that address.

The reason I chose the com-

mand CVI is because it is a disk command and thus totally undigestable by the Level II interpreter; more importantly, it is a command that would never appear in a Level II BASIC listing.

One Application

One possible application for a self-modifying code is in the evaluation of an equation that has been entered and stored as a string variable. (Those of you who have tried, know how difficult a task that is).

For example, you have just written a program that can graph any function, but unfortunately it requires, as most do, that the function be a program line. This poses no problem for you, since it is easy enough to change one line in the program. However, if you wanted your class or kid brother to use it they

```
18 K=128
20 FOR S=5712 TO 6188
30 IF PEEK(S)>128 THEN PRINT:PRINT K; "; CHR$(PEEK(S)-128);:K=K+1:GOTO 58
46 PRINT CHR$(PEEK(S));
58 NEXT S
```

Program Listing 1.

```
10 FOR LO=17129 TO 28888
20 IF PEEK(LO)=238 THEN 48
38 NEXT LO
49 POKT LO
58 END
68 CVI

Program Listing 2.
```

would also have to change the program. Ideally, the program should input the function as a string, then evaluate it.

Program Listing 3 prints Y = on the screen, then inputs the other half of the equation and stores it as a string variable. It turns the equation into a program statement, executes it, and prints the value for Y. It could just as easily call a subroutine that will graph the equation.

It is very important when typing the program that line 130 contain CVI twice and is followed by several blanks. (The *s in the listing indicate those blanks.) If they are not there, the next line or several lines will be destroyed. This type of programming is a bit more dangerous than usual.

As before, the program steps through the memory looking for CVI. This time however, it checks for two in a row since line number 230 could be mistaken for the code for CVI. Line 70 puts the Y = in place of the


two CVIs. Lines 80-100 put the equation, stored in E\$, into the program character by character.

The next line places:REM at the end of the equation, so anything on the rest of the line will be ignored. Since the operators (+, -, *, /, 1) have their own codes as well, lines 120-150 scan through the newly implanted line to find them. Control is then transferred to lines 170-220, which act as a mini-interpreter, converting the ASCII values of the operators to the proper codes using the data at the end of the program.

The program then executes the created line and prints the value for Y. Line 260 puts the CVIs back so the program can be broken and then RUN again.

If you're skeptical as to whether or not the program is changing, then type 255 LIST. Make sure when you remove this line that the two CVIs are back in line 230.

The program is able to handle any equation, including those with variables. It is not able to



The DATA-TRANS 1000

A completely refurbished **IBM** Selectric Terminal with built-in **ASCII** Interface.

*FOR YOUR TRS-80 WITH OR WITHOUT EXPANSION INTERFACE.

Features:

- 300 Baud
- 14.9 characters per second printout
- Reliable heavy duty Selectric mechanism
- RS-232C Interface
- Documentation included
- 60 day warranty-parts and labor
- High quality Selectric printing Off-line use as typewriter
- · Optional tractor feed available
- 15 inch carriage width

Also works with Exatron's Stringy floppy, for fast loading of programs. (Has R5232 built in stringy)

HOW TO ORDER DATA-TRANS 1000

1. We accept Visa, Master Charge. Make cashiers checks or personal check payable to:

DATA-TRANS

2. All orders are shipped F.O.B. San Jose, CA

Deliveries are immediate



For orders and information

DATA-TRANS

2154 O'Toole St.

V 274

Unit E

San Jose, CA 95131

Phone: (408) 263-9246

TEXAS COMPUTER SYSTEMS

Authorized Sales Center, OFFERS LOWEST PRICES on

For the BEST prices on ALL TRS-B0® computers, CALL our TOLL FREE NUMBER 1-806-351-1473. All Radio Shack® computers are discounted 10%, 15% up to 20% CALL for the latest prices on the items you need, or get advice from our consultant about your specific needs. CALL for prices on the Model I, II, and the new Model III, Color Computer and Pocket Computer.

SANE up to 50% on accessories (non-Radio Shack®). Need more disk space? Ask about single/DOUBLE DEWSTY controller for the Model I, 300k in a 2-disk system. 5 minute installation w/no modifications. Copies your single density data to DOUBLE for complete compatability. Less than \$200.

40 track disk drives \$359. 16k memory add on only \$58 w/instructions. Specify computer or expansion interface. CALL for information on Programs available.

**We Drepaid insured delivery—FREE except some large items.

**No taxes on out-of-state shipments. Texas res. Add 5%.

**All mechanises is new. checked and guaranteed by manufacturer.

**Payment: Money Order. Cashier's Check. Certified Check. Personal Checks require 3 weeks to clear. VISA, MASTERCHARGE—Add 3%.

**Prices subject to change at any time.

- Prices subject to change at any time.

 Delivery of merchandise is subject to availability.
- ¥ 25

TCS, 106 East 10th, Brady, TX. 76825
An Authorized RADIO SMACK® Sales Center F701

TOLL FREE Order Number 1-800-351-1473 **Texas Residents 915-597-0673**

tackle equations with functions such as sine or cosine, since those must be stored according to their proper codes.

This technique requires some furious POKEing and PEEKing but it allows a wide range of inputs.

A note of caution about allowing the TRS-80 to program itself: If your '80 appears to be growing more powerful each day, make sure there is a clear path to the power cord.

```
10 CLS:DEFINT L,Z:CLEAR 200
20 FOR LO=17129 TO 32000
30 IF PEEK(LO)=230 AND PEEK(LO+1)=230 THEN 60
46 NEXT LO
50 PRINT"CVI NEVER FOUND":STOP
60 PRINT"Y=":INPUT E$
70 POKE LO, 89: POKE LO+1, 213
80 FOR Z=1 TO LEN(E$)
90 POKE (LO+2+2-1), ASC(MID$(E$,Z,1))
100 NEXT Z
110 POKE LO+3+LEN(E$),147:POKE LO+2+LEN(E$),58
120 FOR Z=0 TO LEN(E$)+2
130 IF PEEK(LO+Z) > 41 AND PEEK(LO+Z) < 48 THEN 170
140 IF PEEK(LO+Z)=91 THEN POKE LO+Z,209
150 NEXT 2
160 GOTO 230
170 IF PEEK(LO+z)=46 THEN 150
180 FOR ZS= 1 TO PEEK(LO+z)-41
190 READ VA:NEXT ZS
200 POKE LO+z, VA
210 RESTORE
220 GOTO 150
230 CVICVI
240 PRINT Y
250 PRINT: PRINT
268 POKE LO, 238: POKE LO+1, 238
278 GOTO68
280 DATA 207, 205, 251, 206, 251, 208
                               Program Listing 3.
```

COUNT PRINTER

BRAND NEW, TOP QUALITY, EXACT REPLACEMENT RIBBONS FOR ALL OF THE DOT MATRIX TRS-80; & CENTRONICS PRINTERS:

Your Wholesale Price NUMBER Your PRINTER RETAIL LIST TRS-80 LINE PRINTER II 00 18.95+Tax (3 PACK) 11.95 PER 3 PACK TRS-80 LINE PRINTER III 21.95+Tax (IN CART.) 12.95 PER RIBBON TRS-80 TRACTOR FEED 18.95+Tax (3 PACK) 11.95 PER 3 PACK **CENTRONICS MODS 700-704** 18.95+Tax (3 PACK) 11.95 PER 3 PACK **CENTRONICS #730** 18.95+Tax (3 PACK) 11.95 PER 3 PACK **CENTRONICS #737** 18.95+Tax (3 PACK) 11.95 PER 3 PACK **CENTRONICS #779** 18.95+Tex (3 PACK) 11.95 PER 3 PACK

Send order blank below & PAYMENT (Min. \$20) TO:

✓ 461 ANCIE LABORATORIES
9202-9206 BALTIMORE BOULEVARD
COLLEGE PARK, MD 20740 (301) 345-6000



MINIMUM ORDER: \$20.00 No shipping charges_or taxes. __C-700, 3 RIBBON PACKS & _____T-3 RIBBONS. PLEASE SEND ME: I WILL USE THESE RIBBONS ON A. PRINTER. _ENCLOSED --- --- SEND **C.O.D.** (Name_

Address. City, State, Zip

ANCIE LABORATORIES 9202-9206 Beltimore Blvd., College Park, MD 20740 301-345-6000



TEACH YOUR CHILDREN

Educational software from Mercer Systems Inc. Learning to count money by Malcolm Nygren A three-program learning system that teaches the important skill of counting money.

- 1. Counting Coins-Instruction and drill in counting pennies, nickels, dimes and
- 2. Shopping Trip-Buy goods in various stores; count out the payments and earn "purple stamps" for a right answer. Three speed levels.
- 3. Check-Out-Run your own checkout counter. Learn and practice how to make change.

Learning to count money by Malcolm Nygren features superior graphics and is available for TRS-80 Model I-Level II-16K on cassette only. Shipped postpaid by first-class mail \$21.50

\$5.95 Each-Two For \$11.00

ALPHA-Alphabet recognition for pe-schoolers

SIGMA-Addition problems for Grades 1-3

SIGMA-EX-Addition problems for

-the younger or slower

SPE_L-Spelling practice for Grades 2-4

Available on cassette only. \$5.95 each. Two for \$11. All for for \$20.00.

Mercer Systems Inc. 87 Scooter Lane Hicksville, N.Y. 11801

COTTAGE SOFTWARE

FOR TRS-80TM Micro Computers

FOR TRS-80TM Micro Computers

PACKER: Automatically edits all or part of your Basic program to ease editing, run faster, or save memory. Has 5 sections: UNPACK—unpacks multiple statement lines into single statements maintaining program logic; inserts spaces and renumbers lines for easier editing. SHORT—shortens your program by editing out all REM statements, unnecessary words and spaces. PACK—executes UNPACK and SHORT, then packs lines into multiple statement lines; maintains program logic. RENUM—renumbers program lines including all GOTO's, etc. You specify increment. MOVE—moves any line or block of lines to any new location in the program and renumbers lines. Written in machine language; supplied on tape in 3 versions for 16K, 32K, & 48K. For Level II or Disk Basic

DISASSEMBLER: Read, write, and copy system tapes. Display and modify memory contents. Disassemble ROM, DOS, and system tapes into 2-80 mnemonics. Search for strings in memory. Much more!! Includes 32 pages of documentation and information.

SYSTEM TAPE DUPLICATOR: Copy your system format tapes, includes verify routine.

For any Level II \$14.95
CHESDISK: Transfers your copy of Microchess to disk for quick and easy access.
For any Level II Disk system
CASSETTE LABEL MAKER: A mini-word processor to print cassette labels on a line printer. Includes manual and 50 peal-and-stick labels on tractor feed paper.

manual and 50 peal-and-stick labels of thatch is paper.

For 16K Level II and printer

For 16K Level II and printer

INSTRUCTION MANUALS for any Cottage Software original programs available for 20% of program list price. Refundable when program purchased.

TRS-80* repairs and modifications. Call or write for info. MANY MORE items available. Call or write for catalog. DEALER inquiries invited.

Kansas residents add 3% sales lax. Foreign orders in IIS Currency only.


in US Currency only. Call our 24-hour phone: 316-683-4811

"TRS-80 is a registered trademark of TANDY CORP."

COTTAGE SOFTWARE

614 N. Harding - 233 Wichita, KS 67208





Everyone is feeling the bite of inflation but some TRS-80 owners have found a way to ease the pain. Some are making a few hundred extra dollars and a few are making thousands of dollars in their spare time. Our booklet "Money Making Ideas for the TRS-80" is a collection of these money making methods, along with program sources, program hints, getting started suggestions and pit-falls to avoid. Send \$9.95 to:

J&R Electronics

P.O. Box 492

Crystal City, MO 63019

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation.

Bill Cosby says: When you learn CPR, you're ready to save livesanywhere.





A Public Service of This Magazine & The Advertising Council



OUT OF MEMORY ERRORS

VARKEEP

MEMORY MANAGEMENT UTILITY

- Chain programs without losing variables
- Change the amount of string space without losing variables
- Redimension arrays
- Reclaim memory from variables no longer needed.
- Protect variables from deletion when making program changes

ADDFOUR POWERFUL COMMANDS TO YOUR BASIC

LEVEL II OR DOS

\$16.95 diskette tape \$14.95

• 517/485-0344 517/487-3358 • COD/MC/VISA
MC/VISA CARD 4% ADDITIONAL CHARGE To order your copy, Call or Send name, address

and \$16.95 for disk or \$14.95 for tape, plus .75¢ shipping to: 138
THE ALTERNATE SOURCE

1806 ADA STREET LANSING, MI 48910

TRS-80 Model III 849 26-1062

Model I 685⁰⁰ 26-1056

Pocket Computer

199∞

4% Extra on Shipping

16K MEMORY

Radio Maek

Post Road Shopping Plaza Marlboro, Ma 01752 (617) 481-1027

If your object code crucifies your BASIC program...

Resurrect It!

Thomas L. Quindry TLQ Enterprises 6237 Windward Drive Burke, VA 22015

ave you ever lost your BA-SIC program through an error in BASIC or object code programming? Sometimes an error can crash your program, and, unless painstaking resurrection efforts are undertaken, all is lost.

Actually only a few bytes of the program are lost. The rest of the program still resides in memory, but without the properly set key memory locations, it is hard to make it mean anything.

Initialized Memory

When your computer is first turned on, or you enter SYSTEM (10), a series of pointers are set and some values are placed in the usable program memory area at locations 42E9, 42EA, and 4330 through 434B (17129, 17130, and 17200 through 17227 in decimal).

Most BASIC programs, however, include code in these locations, and if initialization occurs when a BASIC program is resident, these 30 bytes of memory are destroyed including the Start of BASIC Pointer, 40A4 and 40A5, and the End of BASIC Pointer, 40F9 and 40FA. The two bytes at 42E9 and 42EA, which can also be lost when the command NEW is entered, comprise a pointer to the second line of your BASIC program.

On initialization bytes 40A4 and 40A5 point to the 42E9 which is the normal Start of BA-SIC Program. Sometimes, while doing other computer tricks, a programmer intentionally POKEs different values into 40A4 and 40A5 so that the BA-SIC program starts at a different memory location. Locations 42E9 and 42EA in these cases contain zeros at start up which tell the computer that no program is in memory, and the pointer at 40F9 and 40FA is set to value 42EB, two bytes after 42E9.

To resurrect your "lost" program, then, you must correct the values at these 34 byte locations: the two two-byte pointers and the 30 bytes in the BASIC program memory area. Additionally, if you have changed the Start of BASIC Pointer, you must also replace the two bytes starting at the new address. Of course, in order to replace them you must know what these bytes are. One option is to save their values at another place in memory. These values have to

be continually updated for every change in BASIC, and it can be quite tedious, if done manually. The locations that need to be stored are given in Table 1.

Never fear, there are ways to save the byte values at these locations automatically. My machine language program (Program Listing 1) performs this operation as long as certain conditions are met. The key to this program is a "patch" through the keyboard driver routine labeled PATCH in Listing 1.

Whenever the computer looks for an input from the keyboard, it passes through a routine which looks to locations 4016 and 4017 for an address to continue to. On initialization, the address at this location is 03E3, the keyboard driver routine. We can interrupt the computer at this point and enter our own address at 4016 and 4017 to branch to our time-sharing routine and save the needed information before returning to 03E3. Then, every time the computer looks for a keystroke, until there is a program crash, the values of our 36 crucial bytes are continually refreshed into the memory saving locations.

Operation

First the routine checks for a BASIC program. It does this by checking to see where the End of BASIC Pointer is with respect to the Start of BASIC Pointer. If

HEX	DECIMAL	
40A4	16548	Start of BASIC
40A5	16549	Pointer
40F9	16633	End of BASIC
40FA	16634	Pointer
42E9	17129	Destroyed memory (Normally coincides with
42EA	17130	nnnn-see text.)
nnnn		Next Line Pointer
nnnn		at start of BASIC
4330	17200	Destroyed memory
1	thru	
434B	17227	

no program is present, the End of BASIC Pointer address will be two bytes greater than the Start of BASIC Pointer. When this condition exists, the 36 byte values in higher memory are not changed.

Enter the RESTOR program with SYSTEM(I). The protected memory of your computer must be set to at least 32625 before the program is enabled and reset after every system crash.

When a system crash occurs, set MEMORY SIZE, enter SYS-TEM and then (/32625). The RE-STOR subroutine (same name as program) then performs a block move of your "lost" bytes back to their proper locations and your BASIC program has been saved. The RESTOR program is then re-enabled.

The same procedure is used to restore your program when the NEW command has been inadvertently entered except that MEMORY SIZE is already set. If, after entering the NEW command, you wish to write a new program and not save the old one, simply enter the new program and its values will now be continually refreshed into the memory saving locations. This occurs because of our CHECK subroutine and because NEW does not disable the RESTOR program.

This routine works as long as your system crash does not lock up the computer, destroy other BASIC memory or the RESTOR memory locations. Even if some of the RESTOR memory locations are destroyed, you may be able to enter the RESTOR pro-

	88881 ;*****	*******	***********	
	00002 ;*		BASIC PROGRAM	
	00003 ;*	SYSTEM (CRASH OR 'NEW' CO	DHHAND *
	00004 ;*			
	00005 ;*	SAVE ME	MORY SIZE OF 3262	25 *
	88886 ;*		TO RESTORE BAS	
	88887 ;*****		*************	*********
7 F 71	00008	ORG	32625	
7F71 21DB7F	89889 RESTOR	LD	HL, BUFFER+1	RESTORE PROGRAM ROUTINE
7F74 ED5BF97F	80018	LD	DE, (BUFFER+31)	
7F78 ED53A448	80911	LD	(48A4H),DE	RESTORE POINTER
7F7C 816288	99012	LD	BC,2	
7F7F EDBØ	00013	LDIR	. /	PERFORM BLOCK MOVE
7F81 21DD7F	00014	LD	HL, BUFFER+3	
7F84 113Ø43	00015	LD	DE,17288	
7F87 011C00	00016	LD	BC,28	
7F8A EDBØ	68817	LDIR		PERFORM BLOCK MOVE
7F8C 2AFB7F	00618	LD	HL, (BUFFER+33)	
7F8F 22F940	00019	LD	(40F9H),HL	RESTORE POINTER
7F92 2AFD7F	99929	LD	HL, (BUFFER+35)	
7F95 22E942	00021	LD	(42E9H),HL	
7F98 21A17F	66622 PATCH	LD	HL, CHECK	; INITIALIZE KEYBD PATCH
7F9B 221648	00023	LD JP	(4016H),HL	. DESCRIPTION SO DACTO
7F9E C3CC06 7FAl 3AF940	88824 88825 CHECK	LD	96 CCH	; RETURN TO BASIC ; ADDRESS POINTER, NEXT BASIC LINE NUMBER
7FA4 2AA448	00025 CHECK	LD	A,(40F9H) HL,(40A4H)	ADDRESS POINTER, START OF BASIC PROGRAM
7FA7 23	88827	INC	HL	ADDRESS FOIRIER, START OF BASIC FROMAN
7FA8 23	88828	INC	HL	
7FA9 BD	00029	CP	L	CHECK FOR START UP ADDR.
7FAA 2006	00030	JR	NZ.BLKMOV	CHECK TOR BIRKT OF ROOM
7FAC 3AFA48	00031	LD	A, (48FAH)	
7FAF BC	00032	CP	H (TEL MAI)	
7FB0 2825	00033	JR	Z.BACK	; IF START UP ADDR. RETURN
7FB2 010200		LD	BC,2	BLOCK MOVE FIRST 2 BYTES
7FB5 2AA448	00035	LD	HL, (48A4H)	ADDRESS POINTER, START OF BASIC PROGRAM
7FB8 22F97F	00036	LD	(BUFFER+31), HL	STORE POINTER
7FBB 11DB7F	00037	LD	DE, BUFFER+1	
7FBE EDBØ	00038	LDIR		PERFORM BLOCK MOVE
7FC8 213843	00039	LD	HL,17200	START OF DESTROYED MEMORY
7FC3 11DD7F	88848	LD	DE, BUFFER+3	ANTONIO SEE SEESTIMANINE AND SEESTIMANINE
7FC6 011C00	00041	LD	BC, 28	
7FC9 EDBØ	00042	LDIR		PERFORM BLOCK MOVE
7FCB 2AF940	00043	LD	HL, (40F9H)	
7FCE 22FB7F	88844	LD	(BUFFER+33), HL	
7FD1 2AE942	00045	LD	HL, (42E9H)	NORMAL START OF BASIC
7FD4 22FD7F	00046	LD	(BUFFER+35), HL	
				RETURN TO KEYBOARD DRIVER SUBROUTINE
				POINTER FOR BUFFER AREA
		END	PATCH ; INITIA	LIZE KEYBOARD PATCH
SEES TOTAL EL	CRUKS			
7FD4 22FD7F 7FD7 C3E363 7FDA 66 7F98 66666 TOTAL EI	-	0047 BACK 00048 BUFFER 00049	98647 BACK JP 98848 BUFFER NOP 98849 END	00047 BACK JP 03E3H 00048 BUFFER NOP ;SET UP 00049 END PATCH ;INITIA

Program Listing 1. RESTOR Program.


gram again. This time, instead of entering (I), enter (I32625). The RESTOR subroutine automatically enables the program after returning the lost data.

I do have one word of caution. Since this program works through a patch to the keyboard routine, if you enter any program that overwrites any portion of RESTOR, you must first enter SYSTEM then (/0) to initialize the

computer. This removes the patch from the keyboard driver. Of course, your BASIC program will then be lost. If this is not done, the keyboard driver routine will be directed to ambiguous memory locations and have no way to return to keyboard control. This locks up the computer.

If you really feel it is necessary to save your BASIC program from this untimely demise, you can either CSAVE it first or keep it by first POKEing 0s in the patch subroutine, initializing, and then entering SYSTEM (/32625). Don't try POKEing the address at 4016 and 4017, as this will lock up the computer in the process.

A cassette tape of this program is available from the author.



32K-EXPANSION INTERFACES

SPECIAL OFFERING.

Due to a very special purchase, American Business Computers is able to offer a limited number of Radio Shack* Expansion interfaces at the lowest price ever.

For COD service add 5%.

For TRS-80* Model 1 39995 American Business Computers guarantees Expansion Interfaces to be Brand New—still in original boxes with original documentation and in perfect working condition.

*TM Tandy Corp.

AMERICAN BUSINESS COMPUTERS 118 SOUTH MILL ST.
PRYOR, OKLA. 74361
918-825-4844

Keep your HIMEM routines from fighting.

DOS Machine Code Loading Technique

Tim Turner W. 2225 Houston Spokane, WA 99208

ost TRS-80 users need a printer but their high price presents an obstacle to some. The introduction of the Heathkit H14 brings high quality, reliable print within the range of many potential users.

Since the H14 uses an RS-232 port, and standard TRSDOS uses the parallel port, a replacement driver routine must be written.

Radio Shack supplies a sample driver in the RS-232 documentation which works with the H14 at low speeds, but falls miserably at high baud rates. Despite what the manual says the handshaking latch is not tested for "printer busy." This may be cured by adding the three instructions shown in Listing 1.

New Loading Technique

The inconvenience of loading such a routine and the occasional need to load other drivers and routines in high storage, led me to develop the following routine and general purpose loading technique.

The prologue code investigates the TRSDOS high storage address to avoid the last 64 bytes of memory. The high address is then backed up enough to hold the resident code (lines 190–340). This protects the code from BASIC.

The starting address and relocation factor are determined

```
        00510
        JR
        Z,STATIN
        ;LOOP IF NOT

        00513
        BUSY
        IN
        A,(RESURT)
        ;READ MODEM STATUS

        00514
        BIT
        6,A
        ;TEST DSR FOR HI


        00515
        JR
        Z, BUSY
        ;LOOP IF BUSY

        00520
        LD
        A,C
        ;LOAD A W/CHAR
```

Program Listing 1. Fix Printer Busy Test

```
0000'
                                               ASEG
                                         RESU EQU
00E8
                                 00020
                                                    ØE8H
                                                          ; OUT=RESET UART
                                 00030
                                                             IN=READ CTL BTS
GGEG
                                 00040
                                         SWIT EOU
                                                    ØE9H
                                                             OUT=LOAD BRG
                                                             IN=READ SWITCHS
00EA
                                 00060
                                         CNTR EQU
                                                    ØEAH
                                                             OUT=LD UART CTL
                                 00070
                                                             IN=READ UART ST
00EB
                                                    ØEBH
                                 00080
                                         DTAR EQU
                                                             OUT=LD HOLD REG
                                 00090
                                                             IN=READ DATA
4049
                                 00100
                                         STRG EQU
                                                    4049H ; END STRGE
402D
                                         TRSD EQU
                                                    402DH ;
                                 99119
                                                             TRSDOS ENTRY
4025
                                         DVCB EQU
                                                    4025H ; PRT CTL BLK
                                                    7000H ; PAST TRSDOS
                                 00140
                                         ; THIS PART OF CODE PERFORMS
                                           INITIALIZATION, IS NOT RESIDENT.
7000
         31 70AB
                                         BGN: LD
                                                    SP, STK ; STACK
                                         ; MUST FIRST ADJUST TRSDOS
                                         ; END OF STORAGE POINTER
                                 00180
         2A 4849
7003
                                 00190
                                               LD
                                                    HL, (STRG) ; END OF STRG
7006
        7D
                                                    A,L
                                                          ; LOW PART
                                                          ; END OF STRG
7007
        FE FF
                                               CP
                                                    ØFFH
7009
         20 13
                                                    NZ,B11 ; GO SUB
                                               JR
         7C
700B
                                               LD
                                                    A, H
                                                             HI DIGIT
         FE FF
700C
                                               CP
                                                    ØFFH
                                                             FIRST TIME 48K
700E
         28 Ø8
                                               JR
                                                     Z,B10 ;
                                                             YES, GO
7010
         FE BF
                                               CP
                                                    ØBFH
                                                           ; FIRST TIME 32K
7012
                                                    Z,B10 ;
         28 04
                                                             YES, GO
                                 00270
                                               JR
           7 F
                                                           ; FIRST TIME 16K
7014
                                               CP
                                                    07 FH
7016
         20 06
                                               JR
                                                    NZ, B11 ; GO SUB
         01 0040
7018
                                 00300
                                         BlØ: LD
                                                    BC, 40H ;
                                                              64 BYTES
         CD 708A
701B
                                 00310
                                               CALL DSU
                                                          ; GO SUBTRACT
         01 001A
701E
                                 00320
                                         Bll: LD
                                                    BC, LTH ; LTH OF CODE
7021
         CD 708A
                                               CALL DSU
                                                         ; GO SUBTRACT
                                                                  Program continued
```

7024	22 4049	00340 I	LD (STRG), HL ; NEW HI STRG
7827	23		FIND RELO FACTOR
7028	01 70AB		LD BC, COD; WHRE CODE IS
702B	CD 708A		CALL DSU ; RELO FACTOR
702E 702F	44 4D		LD B,H ; SAVE RELO LD C,L ; IN BC
	HOUSE NOTES AND		CATE NEEDED ADDRESSES
7030	DD 21 7099 DD 6E 00		LD IX,RTB ; RELO TBL
7037	DD 66 Ø1		LD L,(IX); GET LOW LD H,(IX+1); HI BYTE
703A	22 709F		LD (WRK), HL ; SV TBL NTRY
703D 703E	7D B4		LD A,L ; SEE IF AT OR H ; END TABLE
703F	CA 7056		JP Z,B45 ; YES, BR
7042	5E 23		LD E, (HL) ; ADR TO
7044	56		INC HL ; BE LD D,(HL) ; RELOC'TD
7045	62	ØØ52Ø I	LD H,D ; MOVE TO
7046	6B Ø9		LD L,E ; CALC REGS ADD HL,BC ; RELOCATE
7048	54		LD D,H ; OUT OF
7049	5D		LD E,L ; CALC REGS
704A 704D	2A 709F 73		LD HL, (WRK); TBL ENT ADR LD (HL), E; SAVE THE
704E	23		INC HL ; MODIFIED
704F 7050	72 DD 23		LD (HL),D; ADDRESS.
7052	DD 23		INC IX ; POINT TO INC IX ; NEXT ENTRY
7054	18 DE	00630	JR B40 ; LOOP TIL END
7056			EQU \$ E RES CODE TO HI CORE
7056	ED 5B 4049		LD DE, (STRG) ; HI STORE
705A 705B	13 21 70AB	12/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/	INC DE ; $+1 = DEST$.
705E	01 001A		LD HL,COD; WHERE IT IS LD BC,LTH; LTH OF CODE
7061	ED BØ	00700	LDIR ; MOVE TO HI STORAGE
7063	D3 E8		T RS-232 INTERFACE OUT (RESU),A ; RESET UART
7065	DB E9		IN A, (SWIT) ; READ SWICH
7067 7069	E6 F8 F6 Ø4		AND ØF8H ; OFF LOW 3
706B	D3 EA		OR 04H; FIX LATCH OUT (CNTR),A; UART CTL
706D	DB E9	00770	IN A, (SWIT) ; READ SWTCH
706F 7071	E6 07 21 7091		AND 07H; OFF TOP 5 LD HL, TAB; BAUD TABL
7074	06 00	00800	LD B,00H; CLEAR
7076	4F 09		LD C,A; OFFSET
7078	7 E		ADD HL,BC; ADD OFFSET LD A,(HL); GET RESULT
7079	D3 E9		OUT (SWIT), A ; LOAD BRG
707B	2A 4Ø49		FF SUB ADR TO CTL BLK LD HL,(STRG); END STRGE
707E	23		INC HL ; +1=SUB ADR
707F 7082	22 4026 3E 02		LD (DVCB+1), HL; SUB LD A.2; DVC TYPE
7084	32 4025		LD A,2; DVC TYPE LD (DVCB),A; TO BLK
7087	C3 402D		URN TO TRSDOS
1001	C3 482D		JP TRSD; ALL DONE S SUB DOES DBL SUB
708A	7D	00940 ; HL=H	HL-BC
708B	91	00950 DSU: 1	LD A,L ; LOW DIGIT SUB C ; GET DIF
708C	6F	00970	LD L,A ; SAVE LOW
708D 708E	7C 98		LD A,H ; HI DIGIT SBC A,B ; DIF W/CARRY
708F	67		SBC A,B ; DIF W/CARRY LD H,A ; SAVE HI
7090	C9		RET ; TO CALLER
7091	22	01020 ; BAUI 01030 TAB: I	D RATE SEL TABLE DB 022H ; 110 BAUD
7092 7093	44	Ø1040 I	DB 044H ; 150 BAUD
7094	55 66		DB 055H; 300 BAUD DB 066H; 600 BAUD
7095	77		DB 077H ; 1200 BAUD
7096 7097	AA CC		DB 0AAH ; 2400 BAUD
7098	EE		DB ØCCH; 4800 BAUD DB ØEEH; 9600 BAUD
7000		01110 ; ADDI	R RELO TABLE
7099 7099	70BØ	01120 RTB EQ 01130 I	QU \$ DW JP1+1 ; FIELD TO RELO
709B	70B7		DW JP2+1; ANOTHER
			Program continued



this publication is available in microform

Please send me additional information

University Microfilms International

300 North Zeeb Road Dept. P.R. Ann Arbor, MI 48106 U.S.A.

> 18 Bedford Row Dept. P.R. London, WC1R 4EJ England

BINDERS order **Yours** today

microcomputing



Keep your library of 80 Microcom-puting safe from loss or damage in these handsomely appointed binders with rich dark green covers and gold leftering. Each binder holds 12 Issues making an EXCELENT REFER-ENCE HANDBOOK. Several binders form a quality library you can be proud of.

7.50 each 3 for \$21.75
6 for \$42.00
Postage paid in U.S.A. Foreign orders please include \$2.50 for postage.

Send check or money order only to: 80 MICROCOMPUTING BINDERS P.O. Box 5120, Phila., PA 19141

Please no C.O.D. orders, no phone orders. Allow 6-8 weeks for delivery.

709D	0000	01150 DW 0 ; END TABLE	
709F	0000	01160 WRK: DW 0 : WORK AREA	
		01170 ; STACK AREA	
76A1		01180 DS 10	
70AB		01190 STK EQU \$	
		01200 ; THIS PART OF CODE IS	
		01210 ; MOVED TO HI STORAGE	
70 AB		01220 COD EQU \$; START OF CODE	
70AB	DB EA	01230 IN A, (CNTR); STAT	
70AD	CB 77	01240 BIT 6,A ; OF UART	
70AF	CA 70AB	01250 JP1: JP 2,COD : IF BUSY	
70B2	DB E8	01260 CD2: IN A, (RESU); MODM	
70B4	CB 77	01270 BIT 6,A; STATUS	
70B6	CA 70B2	01280 JP2: JP 2,CD2; BUSY	
70B9	79	01290 LD A,C; CHAR	
70BA	D3 EB	01300 OUT (DTAR), A; SND	
70BC	FE ØD	01310 CP 0DH; CRG RTN	
70BE	20 04	01320 JR NZ, DNE; END	
70C0	ØE ØA	01330 LD C, 0AH; LINE FD	
7ØC2	18 E7	01340 JR COD; SEND IT	
70C4	C9	01350 DNE: RET ; BACK TO CALLER	
7ØC5	30.55	01360 CEN EQU \$; END OF CODE	
001A		01370 LTH EQU CEN-COD; LTH	
50211		01380 END BGN	
		DESCRIPTION DON	

Program Listing 2.

(360-400), addresses are relocated (420-640), and the resident code is moved to high storage (660-700).

The TRSDOS print driver control block is plugged to point to the new routine (860-900). Addi-

tional code initializes the UART registers from the RS-232 board switches, to set the baud rate and configuration options (720-840).

The setup and initialization code, which is executed only

once and not required for operation, is not retained in storage. This aids the small storage user as only 26 bytes are resident!

Additional resident code may, of course, be added to do case translation, spooling, or whatever, but remember to include necessary addresses in the table for relocation.

Address relocation can be avoided in this routine by replacing the two JP instructions with JR instructions.

You may load additional routines using this method without worrying about sharing the same area. The 64 bytes is skipped only by the first routine loaded.

If you don't own an assembler, use TRSDOS DEBUG to put the code in storage then key the command:

DUMP PRTDV/CMD (START = X'7000', END = X'70C4',TRA = X'7000')

to put it on disk. This assembler presents constants in reverse backward notation (high-order byte first), although they are generated low-order byte first, so use caution in entering the hex code.

Finally, to avoid memory problems (yours, not the computer's) specify AUTO PRTDV to load the routine when TRSDOS is loaded.

THIS IS WHAT YOUR MAILBOX WILL LOOK LIKE IN JANUARY...if you don't

send in your

microcomputing renewal card.

80 Microcomputing made its debut in January 1980. If you subscribed with the first Issue for one year, your subscription will be ending with the December 1980 issue. To keep your 80 Microcomputing coming uninterrupted, mail in the card today...(or XeroxTM the coupon...or use the subscription card in the back of the magazine.).

80 Microcomputing has brought you a whole year of exceptional articles and reviews plus hundreds of dollars worth of usable programs. 1981 is going to be bigger and better. How can you afford to have an empty mailbox?

Keep 80 Microcomputing in my mailbox...Bill me for

Name			☐ 1 year/\$18
Address_	133		☐ 2 years/\$30
City		W44 - W44	☐ 3 years/\$45
State	Zip	(Attach mailing label if you have one)	

Canadian \$20/1 year only. US funds. Foreign \$28/1 year only. US funds. 80 Microcomputing ● PO Box 981 ● Farmingdale NY 11737



This is the highly acclaimed "USER ORIENTED" Assembler for the TRS-80 Model II by GALACTIC. Loaded with features Now the programmer can write, assemble such as assemble to memory. block move, link to debugge

Model II Version

Contact GALACTIC for Price are then for subscription ation and ongoing support. Requires TRS-80 Model II and disk drives minimum. Contact GALACTIC direct for detailed and usual access of less than one second. All adds, deletes completed later in a "batch monitor". Extensive documen This is the NAME and ADDRESS system your exact large mailing lists. It will specifications and prices for instant

Model II Version

output capabilities. The TRS-80 Model I system will handle up to 600 records per file, while the Model III version will

are compared. This system contains advanced editing and

manager that has set the standard by which other systems

name, address,

the state

This is

outside terminals access it's computing power

Model II with TRSDOS 1.2 Model II with TRSDOS 2.0 MAIL/FILE SYSTEM handle up to 1150 records and the Model II will handle 2500 records per file. All versions are file compatable and maintain constant sort indexes on both NAME and ZIP CODE. International PHONE numbers and ZIP CODES are

ditor and fast assembler sorting. Complete

upported

Andel III Version Aodel II Version Aodel I Version

the formulas that are used by the program. The system is available for the Model I and the Model III TRS-80. comes with complete documentation and explainations of This day to day market monitor is designed for the active trader. The system will track the performance of an issue against the market as well as against itself. The package

Model I and III cassette version Model I and III disk version

ired of being a slave to an out-of-control inventory? Let Model I and Model III 48K disk system (Minimum of 2 drive nsertion (approx. 15 seconds with 2700 items in system SALACTIC'S INVENTORY MASTER put you in control of capabilities of up to (5100 items access can dd/edit/delete rders can

itestant. It is upween.

but you will certainly enjoy trying! This program

Nodel I & Model III Version

1520 N. Port Washington Rd.

Checks allow 2 weeks

24 Hours.

Money Orders & COD's Shipped

414) 241-8030

\$159.00

erious contestant. It is doubtful that you will ever equires a TRS-80 Level II, 16K or more. The priviten totally in BASIC and uses 15.5K of RAM.

this type of

his is an all

ATTACHE STYLE CASES FOR CARRYING AND PROTECTING A COM-PLETE COMPUTER SET-UP. CONSTRUCTED OF THE HIGHEST QUALITY LUGGAGE MATERIAL WITH SADDLE STITCHING WILL ACCOMMODATE EQUIPMENT IN A FULLY OPERATIONAL CONFIGURATION ALONG WITH

A AD4040 A In and Cinala Diala Daine	6100
AP101S Apple and Single Disk Drive	
● AP102D Apple and Double Disk Drive	119
● AP103M Apple, 9 inch Monitor and Double Drive	129
RS201 TRS-80, Expansion Unit and Double Drive	109
RS202 TRS-80 Monitor and Accessories	84
P401 Paper Tiger Printer	99
P402 Line Printer II-Centronics 730	89
CC90 Matching Attache Case	75

MANUALS, WORKING PAPERS AND DISKS. NEVER A NEED TO REMOVE

EQUIPMENT FROM CASE. SIMPLY REMOVE LID. CONNECT POWER AND OPERATE. LID CAN BE REPLACED AND LOCKED FOR SECURITY AND


PROTECTION WITHOUT DISCONNECTING CABLES. FULLY TESTED.



COMPUTER CASE COMPANY 5650 INDIANA MOUND CT COLUMBUS. OHIO 43213 (614) 868-9464

ACCEL2: Compiler for TRS-80 Disk BASIC. Compiles selected subset to Z80 machine code in all four variable types, compact 1K run-time component controls interpreter to streamline all other statements and functions. Technique minimises code expansion without impairing huge speedups for true double optimisation. Six diagnostic messages, Local/Global options increase compatibility with subject programs. Output save to Disk, instructions for self-contained SYSTEM tape. Professionals note: No royalties on the derived code! ACCEL2 brings your BASIC programs alive. It's like having a 100 mhz clock! \$88.95

Developed by Southern Software in England, now available in US from . . .



TRS-80 tm Radio Shack/Tandy Corp.

by your BASIC program. Set the number of nulls to came from the HOST'S keyboard or from the REMOTE'S and detailed documentation. Don't isolate your Model II, Let be sent after a C/R, set a command line to be executed in as desired, enable and disable the ability for the remote terminal to "BREAK" BASIC, identify whether a character nore. No knowledge of assembler needed. All options may PACKAGE". This system allows the full control of the HOS carrier is lost, turn HOST on and off, switch to channel A or I be accessed from BASIC or ASSEMBLER. Complete From the original author of the TRS-80 HOST NOW ONLY \$179.00 EDAS 4.0 with complete manual (120 pages)

GREAT **XMAS**

80 Microcomputing, November 1980 • 211

Add a directory to your PIMS files.

Mix Your Own PIMS

David Busch 515 E. Highland Ave. Ravenna, OH 44266

The nicest thing about Scelbi's Personal Information Management System (PIMS) is that it can be used and modified even by beginning BASIC programmers. It's an easy means of setting up quick-and-dirty data files when there's no time to write a custom program.

Judging from the number of articles that have appeared showing how to adapt PIMS to Disk BASIC, (see 80 Microcomputing, Feb. 1980 "Floppy PIMS"), many users seem to have found the program a handy way to ease into the mysteries of sequential disk files.

In my own household, we still turn to PIMS from time to time. My kids faithfully enter each new comic book purchase into their respective files and tote printouts of their acquisitions to comic conventions and trading sessions. I keep track of exten-

sive book and record collections using PIMS.

I manage to keep PIMS and all the different files on a single disk, but find that it's difficult to remember the file names of the many PIMS files I maintain. What the program really needs is a directory, and I hit upon two different ways of adding this feature.

Modified PIMS

The following assumes that you have already modified PIMS for sequential disk files. The changes are simple. OPEN and CLOSE statements for input and output must be added and buffers assigned to F\$, the string variable that stores the name of the file being input or output. Some PRINT #-1 and INPUT #-1 statements need to have the hyphen removed. That's about it.

Adding a directory is simple for NEWDOS+ users. Just change line 160 in PIMS to read:

160 ON WM% GOTO 170,10000

and add the subroutine shown in Program Listing 1. At that point, the program requests a CMD DIR, and displays the entire disk directory of visible files. If only PIMS data is kept on the

disk, then just PIMS itself and its data files will be displayed. The subroutine asks for the file name of the desired PIMS file, then sends control back to the main program at line 1914.

Users of TRSDOS 2.3 or other systems not allowing a directory read without exiting BASIC can still add the feature to their PIMS. This subroutine is a little longer.

Program Listing 2 shows the few changes needed to PIMS itself. Line 130 changes option number two, load from cassette to load from disk, and adds a third choice, update index.

Choosing either of the latter two choices sends the control to the subroutine at 10000, but the (load from disk) option sets the value of variable FLAG to 1.

Lines 10000-10100 is an input routine that lets the user decide whether to add a file name to an existing index, or create an entirely new one. Remember, if you create a new index, the existing one will be overwritten. The create index option should be reserved for initializing a new PIMS disk or starting over with a new directory.

Lines 10105-10170 read the existing index, either for update or display. If FLAG = 1 (indicat-

ing that the user is accessing a file), the update portion of the subroutine is skipped.

The array IN\$(n), read from the disk file PIMINDEX, if it exists, is added to in lines 10180 = 10320. If the index is just being created, N is incremented from one. Otherwise, the next file name added is placed in the array after the last one in the existing index. The lengthened sequential file is saved to disk.

Finally, lines 10410-11030 format and display the file names on the screen in two columns. The user supplies the file name of the PIMS data file desired, that string is assigned to F\$, and the program branches back to the main program at line 1914.

Suggested Modifications:

The array IN\$(n) is shown on line 10010 for clarity; it can be moved to the beginning of the program with the other DIM statements. The user can make this array larger. However, TRSDOS 2.3 will only allow 47 files per disk.

It is probably best to have a separate PIMINDEX for each disk that your PIMS inhabits. That eliminates loading a file that is located on another disk



From Rudyard Kipling's KIM, General Computer brings you an adaptation of the exciting, mind expanding game of memory and recall. KIM uses dynamic handicapping to compensate for skill differences while urging each player into greater challenges. Everything adjusts—displayed, identification difficulty, and even scoring as you play your way through a data-base of thousands of items. Quicken your perception, sharpen your awareness, and

develop an elephant-like memory ... while enjoying the competitive excitement of playing KIM.

- An exciting two player game with competitive skilldifference handicap scoring (Junior could beat daddy every time!)
- Or, A challenging singleplayer contest
- Includes a BASIC source listing as part of a trend-setting manual

- 16K, Level II version \$19.95 (cassette)
- 32K, TRS-DOS two drive version \$24.95 (diskette)
- For Visa and Mastercharge orders, call toll free anytime 1-800-824-7888. In California, 1-800-852-7777, ask for Operator 115
- Dealer Inquiries invited

General Computer Co. 4873 Langer Lane Woodbridge, VA 22193

9.95 SOFTWARE

P.O. BOX 521 Lowell, MA 01853

- Memory based printer spooler, overlap processing and I/O.
- IBM based terminal driver, EBCD and correspondence code. Full ASCII character set with overstrikes. Scripsit ZAPS.
- 3 Disk timing program. Meter Type numerical and statistical screen displays. Very easy calibration of all type drives.
- 4 Cassette test programs. Writes test data to tape, then displays all errors on screen. Use to check all facets of cassette operation and duplication quality.

SEND FOR FREE FLYER

— The bottom line — COST: \$9.95 Each + .75 postage MA Orders + 5% tax ∠235

A.E.M. Computer Services Now Offers:

INVOICING WITH OSBORNE

PRINT 45 LINES ON EACH INVOICE.
ASSIGN SALES ACCT—BY LINE
ASSIGN DISCOUNT. SALES ACCT. MIX
NON-TAX AND SALES TAX—TOTAL.
NONE OR PART PAYMENT—ASSIGN
RECEIVABLE ACCT BY INVOICE—INTEGRATED WITH GENERAL LEDGER.

TRS-80TM MOD 11-OTHERS

CP/MTM CBASICTM TOGETHER \$250
A.E.M.'S INTEGRATED INVOICING \$100
PAYROLL \$250
GENERAL LEDGER, RECEIVABLES,\$200
PAYABLES EA.
DEMO WITH EACH PROGRAM.

OSBORNE EXTENDED

INTEGRATED WITH INSURANCE, IN-VENTORY, ETC.

TRS-80 is a trademark of Tandy Corporation. CP/M is a Trademark of Digital Research CBASIC is a Trademark of Compiler Systems, Inc.



A.E.M. > 368 2930 E.Northern Ave. Phoenix, AZ 85028 Phone (602) 992-8382

KEEPIT — Version 2.0 Enhances Level II Basic!

KEEPIT adds these function:

- Save a running BASIC program with variables
- Restore a program accidentally deleted by "NEW"
- Observe and change memory locations directly
- Save a block of memory as a system tape

KEEPIT also features:

Keyboard debounce, audible beep and autorepeat! KEEPIT is written in machine language and resides in less than 1,000 bytes of high memory. EDTASM source code is also supplied so the user can relocate the program at any convenient location.

How to order KEEPIT:

Level II users will find KEEPIT to be an extremely valuable utility as well as a frustration saver. To receive your copy, send you name and address, along with \$ 9.95, to:



1806 Ada Street Lansing, MI 48910 Phone: 517/485-0344 Visa, Master Card, and C.O.D. accepted!

TRS-80

ZBASIC. SIMUTEK'S BASIC COMPILER

The following BASIC PROGRAM, written on the TRS-80, was compiled using MICROSOFT'S BASIC COMPILER and SIMUTEK'S BASIC COMPILER. We feel the results speak for themselves!

SIMUTEK ZBASIC COMPILER VS. MICROSOFT COMPILER

15 CLS: PRINTON, "HIT A KEY WHEN READY TO START TEST";

28 I S=INKEYS: IFIS=""THEH28ELSEFORZ=1TD18:

FORX=1536@T016383:POKEX, 191:PRINTPEEK(X)::NEXTX

38 FORX=8T0127:FORY=8T047:SET(X,Y):NEXTY, X

:FDRX=127TDBSTEP-1:FDRY=A7TDBSTEP-1:RESET(X,Y)

: NEXTY, X: FDRX=1TD1888: GOSLB1888: NEXTX, Z

48 CLS:PRINT"FINISHED WITH PROGRAM TEST";:STOP

1 DOES RETURN

BASIC PROGRAM SIZE: 329 BYTES PROGRAM RUN: 22 Minutes, 37 Seconds

Compilers:	Microsoft	Simutek		
Compiled Size:	10057 Bytes	1228 Bytes		
Compile Time:	14 Minutes	0.75 Seconds		
Program Run:	17 Min. 04 Sec.	1 Min. 46 Sec.		
System Reg:	48K 1 Disk	16K LV II or 32-48K Disk		
Price:	\$195.00	Tape \$99.00. Disk \$129.00		

ZBASIC is an "Interactive Compiler". This means it is resident while you write your basic programs. You may compile your program and run it or save it, without destroying your resident basic program! In fact, jumping back and forth between your compiled program and your basic program is one of it's best features!

Simutek's compiler allows saving your "compiled" programs to tape or disk. Programs may then be loaded by use of the system command for tape, or as a /CMD file from DOS. This makes it extremely hard for people to "pirate" your programs.

Best of all, Simutek does not charge royalties on programs you sell that are compiled with ZBASIC! (Microsoft charges 10% or \$200 a year!)

Why use a complicated "Assembler" to write machine language programs when you can write them in ZBASIC?

Some of the basic commands supported by 7BASIC:

FOR	NEXT	STEP	IF	THEN	ELSE	PEEK	ON GOTO
SET	RESET	POINT	CHR\$	RANDOM	RND()	POKE	ON GOSUB
DATA	READ	RESTORE	END	GOTO	GOSUB	CLS	ON GOSUB
INPUT	INKEYS	LET	STOP	OUT	INP	RETURN	ON GOSUB
PRINT	LPRINT	PRINT@	USR	SGN	INT	ABS	
SOR	LEN	ASC	VAL				
INT M	ATH + -	· / AND C	R SQR				

\$99.00

\$25.00

\$129.00

Model I TRS-80 (or PMC-80) Only

ZBASIC Tape Version: 16K Level II TRS-80 ZBASIC Disk Version: 32 or 48K 1 Disk Sys.

ZBASIC Manual Only:

Credit Card or COD Call Toll Free: (800) 528-1149 or send check or money order to

SIMUTEK -19 MPUTER PRODUCTS

PO Box 13687 Tucson, AZ 85732 (602) 886-5880 (COD Available \$3.00 Extra) TRS-80 is a TM of Radio Shack, a Tandy Corp.

by mistake.

However, it is a simple step to write a program that reads in the PIMINDEX from a number of disks and sorts them for a Master Index or formats them for output to a printer.

If you have that many PIMS

files, you're probably long overdue for some custom-written data base management programs. I've found that working with the Scelbi program, and modifying it for my own needs, was the best possible training for my own programs.

```
18888 CMD"DIR
18818 PRINT
18828 INPUT "ENTER FILE DESIRED : ";F$
18838 GOTO 1914
```

Program Listing 1.

```
136 PRINT " 1.) CREATE NEW FILE
3.) UPDATE INDEX"
166 IF WM% = 2 THEN FLAG=1
                                                  2.) LOAD PROM DISK
162 ON WM& GOTO 178,18888,18888
                           Program Listing 2.
```

```
10005
                                CREATES, UPDATES INDEX LIST
10006
18910 DIM IN$(38): ALLOWS 38 FILE NAMES. USER MAY
18912 ' INCREASE, OR MOVE TO BEGINNING
18813 ' OF PROGRAM
10020 CLS:PRINT:PRINT
10030 N=1
18948 PRINT "DO YOU WISH TO: "
18948 PRINT " 1.) ADD FILE NAME TO INDEX"
18969 PRINT " 2.) CREATE NEW INDEX"
18978 AS-INKEYS:IF AS-" GOTO 19878
18988 AN-VAL(AS)
18898 IF AN>2 OR AN<1 GOTO 18878
18188 IF AN=2 GOTO 18188
18186 'READS EXISTING INDEX, EITHER FOR UPDATE OR DISPL
18187 '
18116 OPEN "I",1,"PIMINDEX"
18128 INPUT $1,IN$(N)
18158 IF IN$(N)="EOP" THEN N=N-1:GOTO 18178
18168 N=N+1:GOTO 18128
16188 CLS:PRINT:PRINT
16185 IF FLAG-1 GOTO 11888: SKIP UPDATING AND DISPLAY
19196 '
                            ADD NEW FILE NAMES TO INDEX
10197 '
16266 PRINT "ENTER FILE NAME TO BE ADDED TO INDEX"
16216 INPUT "WHEN ALL NEW FILE NAMES HAVE BEEN ADDED, E
NTER '999'"; A$
NTER '999'";A$
18228 IN$(N)=A$
18238 IF VAL(A$)=999 GOTO 18258
18248 GOTO 18188
18258 OPEN "O",1,"PIMINDEX"
18268 FOR I=1 TO N
18278 IF IN$(I)="999" GOTO 18318
18288 PRINT $1,IN$(I);",";
18298 PRINT IN$(I)
************************
18418 ' LIST FILE NAMES
11888 PRINT "THE FOLLOWING FILES ARE AVAILABLE :"
11818 FOR I=2 TO N-1 STEP 2
 11028 PRINT INS(I), INS(I+1)
11030 NEXT I
11040 PRINT
 11959 INPUT "ENTER FILE DESIRED : ";F$
                                Program Listing 3.
```

SOFTWARE FOR TRS-80

AUTO DIALER 1.8. II. — alphabeticoli intered directory sup 10. 200 enteres casserte 1900 divisi bilia; manual autili dari delay repaid one kry reduct runn rung lepting cultural autouration thereir mark surgent all the Many connecessory tratteris artisanced graphics. Auto Disert personal casserte: 164 (VIII. 31995 Auto Diane III. Inspersos. 48 indice automatical diaze interface here given the prediction of the properties of the properties of the properties of the properties. 2019 Acceptated 1. diserted diseases artistical auth as supply 5 phone and properties. on court \$39.95

PHOTOGRAPHER'S PROGRAMS - DARKROOM 12 darkroom related pr united the rich exposure of charge for catalogue could retrieve retained programs united one riches exposure of charge for catalogue couldness retrieved to distance is change couldness on the catalogue couldness of catalogue catalogue couldness of catalogue c

LBSEL PRINTERS compine designment that versative label imaging lists perifer Pinel 1 to 32,000 of those before colorisation 1 * 3.1 all states, one catalogors was respect under selection takes to 100 ones. The 1 pinels indicated discontinuous consists of the 100 september 25 95.

ELECTRIC OCCURANT * 1 to 3 forms have access to hundred of commonly

FIRE DECEMBER 1 to 3 the most research to availability.

COME one pensor last materials is until program tells time in any of more
DEFACE one pensor last material selfs, it verticates today or tummorros it's ac-is for 15-30 moute is it his inconnects, located than Auto Dader it is EX. (23).

HEATING FUEL interpensive program gives amount of heating fuel in cytindrical fuel task. To E10th gallon. Use this winter to log how much fuel you use in an how

unitamis to E10th quitor. Use this writer to risp final much fuel you use in an hour a day "vith graphics, IRE EVEL users the \$2" yet can use your personal com-ulter \$ VCR to add totals to any writer tage, byth instructions & futler program for notice \$ VCR to add totals to any writer tage, with instructions & futler program for non-zoing graphics. MR EVII consists. \$7"00. If programs written in Besic, can be used on dish. All indias use of graphics, con-eniance & error heading feature. Distalled documentation, schematics (where squired). All prices postped, subject to change without notice.



¥439 D-SOFT



dea Ava., South wt, M.C. 28461 CALL 24 hour phone (919) 467-5167

HEY STUD!

STUD 5, a simulation of five card stud, is now available for the serious poker player. STUD 5 is a tool for anyone who wants to become a steady ner at the poker table.

You specify:

- . The number of opponents
- The style of play for each
 The frequency of bluffing for each
 The ante...the minimum bet...the maximum bet

· · · Warning · · ·

STUD 5 is not a game. It's not a toy. If you can consistently beat STUD 5, you're ready for Vegas.

On cassette for the 16K, Level II TRS-80.* Guaranteed to load. Price is only \$14.00 plus \$1.00 for first class postage. (Pa. residents add 6% sales tax.)

WILSON

539 Spring House Lane 279 Camp Hill, Pa. 17011

*TRS-80 is a trademark of Radio Shack Div. of Tandy Corp.

EDUCATIONAL
SOFTWARE
For TRS-80 & Pet Micro Computers

80 + Programs In:
ELEMENTARY MATH
SCIENCE BIOLOGY
GEOGRAPHY HISTORY
ECONOMICS ACCOUNTING
FOREIGN LANG. BUSINESS ED.
GAMES FARM RECORDS

Programs are grouped into packages of \$4 to 7 programs priced at \$24.95 per \$2 package including shipping and handling. Available on disk or tape.

Pet is a trademark of Commodore Bus. Machines *********************

TRS So' CANADIAN INCOME **TAX 1960**

CAN TAX I Disk

A complete T1 form including schedules 1 to 10 and Provi forms. Formulated printouts for all forms. Requires 32K and 1 Disk Drive

CAN TAXE Tape A complete T1 form only. No schedules. Requires 16K

680.00

TAX COURSE

A complete income tax course for home study, plus a complete listing of the tax program

NEW OLIVITTI ET-201

faced with any TRS 80° No hardware required 16K m

\$2799.00

All orders shipped FOB Wareho Ontario Residente add 7% SALES TAX ns Cheque, Money Order, Vise, NO COO

J R Software -155

910 Wils Downsview Ont M3K 1E7 (416) 535-8890



Winged Samural Rabout Wand, say to the Southe

of the China 1937 1942

Squadron Leader games are not just shoot 'em up arcade games, but detailed historical simulations. Each of these games gives you a choice of dozens of combinations of friendly arcraft (controlled by you just a enemy arcraft (controlled by the computer). Each is corefully researched and simulated for factors of speed, manuversability, friepower, studiness, and rate of climb Success or laiture depends on your ability to learn and exploit the advantages and weaknesses of every aircraft.

scovery Germes = 936 W: Hury 36 + St. Paul. MN 55113

MAXELL OR Dysan

MTY Box of 10 for \$70

DYSAM DISKS (Specify - 6" Soft or Hard Sector/5" Soft or Hard Sector)





238 EXCHANGE STREET CHICOPEE, MA. 01013

413 - 592 - 4761

TRS-80 Model I and Model II Programs

MAIN TIPLE REGRESSION 2.1 - A disk based package of chained programs that permits model estimation using thousands of observations, user specified transformations. X-Y plots, formatted for screen or printer

Linear Programming
0-1 Programming. \$39.95
Transportation Algorithm. \$39.95
Heuristic Line Balancing\$39.95
Stat. Pack—medium, mode, mean (avg., harmonic, geometric), variance, histograms, Tests (T,X ² ,F,) one
variable regression, one and two-way ANOVA. \$24.95
Differential equations—6 methods \$39.95
Queuing Statistics
LOWERCASE MOB-Includes excellent documentation
+ all parts (nothing else to buy), compatible with Elec-
tric Pencil. \$14.95



Analotte in State and \$5 S.C. residents add 6% refer ton frommes orders add 25 for shipping

p.o. box 628 charleston sc 29402

BATTLE OF MIDWAY

a realistic simulation of this WWII battle

YOU can now recreate this air-sea battle by commanding the individual carriers and squadrons of fighters, dive bombers and torpedo bombers into action!

Level II 16K \$9.95

FOOTBALL

- 9 offense and 6 defense plays
- Fumbles, interceptions, time-outs, onside-kicks - all included!
- Play against the computer or a live opponent

Level II 16K \$9.95

All programs recorded on high quality cassettes. Send cheque or money order to:

Computer Simulations Canada #144-3225 Uplands Dr. Ottawa, Ontario, Canada K1V 9V3

-261

ATARI TI/99-4 1 Featuring O Computer Conscies for \$129.95. M ter Stands \$39.95. E Complete TRS-80 Busines £ 0 r h e Т R Custom furniture for the S TRS-80 office or home decor. -FOR 24 HOUR INFORMATION-PHONE 408-946-1265 8 AVS AUDIO-VIDEO 2485 AUTUMNVALE AVE.

- 146

Dealer inquiries invited

Build this protection device for your cassette's relay.

Look, A Snooper/Snubber!

Philip O. Martel 748 Tyler Street Pittsfield, MA 02101

The relay that controls the TRS-80's cassette player is subject to high voltage across its contacts when it's turned off.

Radio Shack gives the relay some protection with two 75 volt zener diodes across the contacts, but this isn't always enough. The relay sometimes welds shut.

When this happens, you can remove the remote plug from the recorder and operate it manually. Eventually, the relay unsticks. Or you can try the snooper/snubber.

Easy to Build

The snooper/snubber, a small easy-to-build electronic circuit, monitors the TRS-80's cassette interface and gives the relay extra protection. The snubber circuit (Fig. 1) gives the motor current some place to go when the relay contacts open, so that the current doesn't try to jump

across the contacts and weld them together.

The snubber can be placed anywhere between the relay contacts and the cassette recorder motor. To avoid breaking any of Radio Shack's seals, I put the snubber circuit in a small box, plug the remote from the TRS-80 into the box, and run a jumper cable with subminiature phone plugs from the box to the recorder.

In addition, a push-button switch across the circuit lets me advance the tape in play mode.

The snooper (Fig. 2) is a simple means of monitoring the audio signals into and out of the TRS-80. The snooper consists of five miniature phone jacks, a crystal earphone, a double-pole double-throw (DPDT) center offswitch and some shielded cable.

Two of the jacks accept the earphone and auxiliary plugs from the TRS-80. Two others pass out the same signals to the cassette recorder via jumper cables with miniature plugs on each end.

The fifth jack passes one of the two signals to an external device, such as an amplifier. You'll need one, if you are running programs that produce sound.

The DPDT switch determines which of the two signals—the earphone signal (to the TRS-80) or the auxiliary signal (from the TRS-80) is passed to the fifth jack and to the crystal earphone. The crystal earphone outputs a low-volume signal, audible, but not loud enough to require a volume control.

When you record a tape, the volume level may be slightly greater, if you listen to the earphone line. If so, it is because your recorder sends out an amplified version of the input on the earphone line while recording.

Construction

If you have some experience in electronics, you can build the snooper/snubber from the schematic diagrams. If not, I've provided some guidelines.

Build your snooper snubber in a plastic box. If it's metal, you

may encounter ground loops. These cause a loud, low-pitched buzz on recorded tapes. A box about 2×3×4 inches is a good size. You can use one half this size, but unless you like repairing watches or constructing ships in bottles, it's likely to prove frustrating.

You can lay out the components any way you like. Mine has the jacks for the TRS-80's cable in front, the jacks for the jumper cables in back, the fifth jack on one side and the two switches and earphone on top.

Drill the holes and mount the components loosely. (Miniature jacks take ¼-inch holes and subminiature jacks take 3/16-inch holes.) How you mount the earphone depends on its shape. If the earphone is flat, drill several small holes and glue the earphone behind them. If the earphone has a roughly cylindrical earplug, drill a hole to fit the earplug and glue the earplug to the box.

Take the shielded wire and




Fig. 1. The Snubber Circuit.




Fig. 2. The Snooper Circuit.

run it between the jacks and switches to measure how much is needed. Leave an extra inch and a half on one end of each piece of wire as it is cut. This may seem like a lot, but it is much better to stuff any extra length of wire into the box than to come up a tenth of an inch short.

Before you solder the circuit together, remove all the components from the box and put it well away from your soldering iron. The affinity that plastic boxes have for hot soldering irons, you cannot believe.

Soldering

The wiring is straightforward, but most of the parts, especially the jacks, are fairly small. You aren't going to get all the wires from the shield through those little holes in the jacks. Cut off about half of the wires very close to the insulation and things will go much easier.

Make sure that all the remaining strands of the shield are twisted together. One tiny, almost invisible strand of wire can short out one of the signals. This condition is not likely to damage anything, but the time spent trying to track down a short can be frustrating.

The DPDT switch (Fig. 3) has a 3×2 array of contacts on the bottom. All the shields should be connected to one set of three contacts, and all of the center wires to the other set of three contacts.

The shielded wires can be run from one jack to the other and then to the switch, or from one jack to the switch and then to the other. I recommend the second approach, since it puts the

point where the two shielded wires join at the switch, which usually has larger contacts than the jacks.

The specific values given for the resistor and capacitor are not critical. Anything within a factor of about three should work fine. That is, the capacitor should be between about 0.3 microfarads (uF) and 3 uF, and the resistor should be between about 3 Ohms (Ω) and 30Ω. The capacitor and resistor are soldered together by one lead and soldered to the normally open push-button switch by the other (Fig. 4).

The earphone should be a high impedance type. A crystal earphone is specified, but any type with an impedance of 10KΩ (10 kilohms = 10,000 Ohms) or more will work. The high impedance minimizes loading and re-

10 OUT 255,4 20 FOR I = 1 TO 1000: NEXT I 30 OUT 255,0 40 FOR I = 1 TO 1000: NEXT I 50 GOTO 10

Listing 1. Test program.

sults in a fairly low volume.

Once you have the snooper/snubber assembled, normal use of the cassette recorder will test it. If you would like to give the snubber a thorough test, run the program shown in Listing 1. It will turn the cassette motor on and off once within a period of about five seconds. I ran this program for more than 1000 cycles of the relay with no trouble. Not bad considering that the relay had failed the first day I used my TRS-80.




Fig. 3. The DPDT Switch.




Fig. 4. The Capacitor and Resistor.

CPM2TRS™ AND TRS2CPM™

- Converts CPM Files to/from TRSDOS Files
- EASY TO USE uncomplicated, user oriented, professional quality programs.
- . FAST Machine language code disk to disk
- RELIABLE Reads and writes verified and automatically retried.
- SUPPLIED ON DISKETTE with full user instruction sheets.

MINIMUM CONFIGURATION MOD I LVL II 32K 2 Disks MODEL I Available NOW
MODEL II Available Soon

CPM2TRS** - \$55 TRS2CPM** - \$55 BOTH - \$90

SEND CHECK OR MONEY ORDER TO: 471

LINNEX RESEARCH ASSOCIATES, INC. 210 Lifth Avenue • New York, New York 10010

STEPWISE MULTIPLE LINEAR REGRESSION

Fast Compiled Machine Language Comprehensive Data Base Manager

Transformations

• Lags

Designate Any Variable As Dependent

At Run Time
Descriptive Statistics
Correlation Matrix
ANOVA Table

Partial Correlation Coefficients Each Step Future Releases Are Upward Compatible And Include: Factor Analysis, Time Series, Linear Programming


For 2 Disk, 48K TRS-80®, With Line Printer Write For Information On Other System Configurations

Price \$89.00 — Documentation Only \$10.00
Visa And Master Charge Accepted
Barstrann Corporation — Dept. A
P.O. Box 265 Mid City Station

Dayton, Ohio 45402 1-513-293-8299







A radial line drawing program for art's sake.

Images

Buzz Gorsky K8BG 2449 Derbyshire Road Cleveland, OH 44106

In the past I've written some application and utility programs for 80 Microcomputing, but this article is useless!

A Series of Lines

The program shown in the listing generates a series of lines like the spokes of a wheel from a randomly chosen point on the screen. It will then draw another pattern, delay, then clear the screen and start again. Let's see how it's done.

Starting at line 100 the K loop goes from one to two to draw the two patterns. X1 and Y1 are chosen randomly as values up to 127 and 47, respectively, so that the pair (X1,Y1) points to a random point on the display in the format used by SET statements. This point will be the center for the radiating line pattern.

Then, in line 110, T runs from zero to 170 drawn in increments of 10. T represents the angle in

degrees (in this case 10) at which each line drawn will radiate. Since each line will run through the center of the circle, we only have to let T go this far.


When T is 90, a vertical line is needed. This is drawn by the FOR-NEXT loop involving L. In line 120, T1 is set equal to T times a constant to change the degree value to a radian value.


In line 130 X will run through the limits of the values which can be displayed. Y is then set equal to X times the tangent of T1. $Y = X \cdot Tan(\theta)$ is the equation for a line in a polar coordinate system.

Then in 150, X2 is set equal to X + X1 and Y2 = Y + Y1. This moves the point (X,Y) from the origin of the plot (the upper left of the screen) by an amount determined by X1 and Y1.

In line 160 we check to see if the values of X2 and Y2 can be shown on the screen with a SET (X2,Y2) statement. If so, they are displayed at 170, and if not we go to 180. There we set X2 = X1-X and Y2 = Y1 + Y. This then reflects the line just drawn through the center of the circle.

If the values of X2 and Y2 can be displayed, then the SET





				•	•				•				•			•			•	•	•	•			•			1	•				• •					•	•				
	••																			•				1.5	•			• •				٠					•	•					
	٠					•	•				•			•							٠	•		•			•	•		9	• •					•							• •
		•	•				.0					•			•					•							•				•				• •						٠	•	•
• •				•				٠				• •							•	•	•		•						٠	•										• •			
						•						•											•		•								•				٠	٠.	•				
	• •	٠				•					•		٠		3				•		•							•		3							•						
			٠.									•		•		٠			٠			•		•	•		٠		•	•			•		• •								•
				•		•			•			•			•	•					٠	•		•	•							•	٠.	9						٠.		•	
												•		•																•													
																			•														•										
																		•	,																								
		•																																									
					•	•												•					•																				
•••	• •			•	٠				•	201			•			٠				K C	•												• •	K					•				
	٠.	:						20		-			-	:			-								-		ú.								-								
	. 5	٠.				-						×		٩																													
												٠.														ı.																	
٠	٠.								8			٠,														P			Ö														
															٠,																				á								
		٠.																															1										
															-																												
																١,									,																		
															×,																							٠,				٠	
												,																															
																																											•
																												Š		9		3		585			023				: 63		
																• •	• •		•			٠.		•																•			

statement displays them. Otherwise what happens depends on the value of Z.

If the first half of the line had terminated because values were off the screen, then Z would equal one. If this part of the line were also off limits, then we would reset Z equal to 0 and go to the next value of T. However, if Z were zero, then we would go to 190 and the next value of X. When X was completed we'd have the next value of T. In this way each half of the line is finished until it reaches the limits of the display.

In line 200 there is a short wait and then the second pattern is drawn by going to the next value of K. A long delay follows after which the program is run.

It's useless, I know, but fun to watch, and the radial line drawing technique might even find a place in something useful!

80 REM RADIAL LINE DRAWING PROGRAM BY BUZZ GORSKY, K8BG 90 REM THIS PROGRAM WILL BEGIN AT A RANDOM SPOT ON THE SCREEN AND DRAW A SERIES OF RADIAL LINES FROM THAT POINT. IT WILL REPEAT THE PROCESS TWO TIMES, HOL

D THE DISPLAY AND THEN BEGIN AGAIN

188 RANDOM:CLS:FOR K=1TO 2:X1=RND(127):Y1=RND(47):REM K
SETS THE LIMIT OF 2 DISPLAYS BEFORE RESTARTING; X
1 AND Y1 ARE RANDOM DISPLACEMENTS FROM THE UPPER L

EFT CORNER OF THE SCREEN

110 FOR T=0 TO 170 STEP 10:IF T=90 THEN FOR L=0 TO 47:
 SET(X1,L):NEXT L:NEXT T:REM T IS RADIAL ANGLE IN D

EGREES. FOR T=90 A VERTICAL LINE IS DRAWN RATHER THAN USING THE Y=X*TAN(T) EQUATION

120 T1=T*0.0174533:REM MODIFY T TO RADIANS
130 FOR X=3 TO 127:REM RUNS X THROUGH LIMITS OF DISPLAY
140 Y=X*TAN(T1):REM SET Y ACCORDING TO RADIAL EQUATION OF STRAIGHT LINE

150 X2=INT(X+X1):Y2=INT(Y+Y1):REM MODIFY X AND Y ACCORD

ING TO RANDOM DISPLACEMENT

160 IF (X2>127 OR Y2<6 OR Y2>47) THEN Z=1:GOTO180:REM I
F X2 OR Y2 ARE OUT OF DISPLAY LIMITS THEN SET Z=1 AND GO TO 180 OTHERWISE DISPLAY

170 SET(X2,Y2)

180 X2=INT(X1-X):Y2=INT(Y1-Y):IF(X2>-1 AND X2<128 AND Y 2>-1 AND Y2<48) THEN SET(X2,Y2) ELSE IF Z=1 THEN Z = 0:NEXT T:REM CONTINUE THE RADIAL LINE IN A MIRROR IMAGE. IF X2 OR Y2 ARE OUT OF DISPLAY LIMITS AND Z=1 THEN GOTO NEXT ANGLE, BUT IF Z=0 THEN NEXT X 190 Z=0:NEXT:NEXT:REM RESET Z AND CONTINUE

200 FOR J=1TO500:NEXT:NEXT:FOR J=1TO30000:NEXT:RUN:REM DELAY THEN DRAW NEXT PICTURE, AFTER 2 PIX THEN HOL THEN START AGAIN

Program Listing

NOW AVAILABLE for use with TRS80 Level II (16K)

OMPUTERIZED GAM

Realistic! Exciting! Based completely on the statistics of actual players and teams.

WCS SOCCER is a sophisticated, computerized game that demands strategic decisions! Each player is rated in at least 6 categories for both offense and defense. Easy to use, but complicated enough to challenge the most accomplished gamesman. Play a full game in only 30 minutes. 16 all-time great teams & dozens of top players, including Pele and Beckenbaner. Price: \$21.00.

BASEBALL ABSOLUTELY the finest simulated sports game available for home computer use. DFC is not a mere graphics, random play game - DFC is a highly sophisticated simulation program. Hundreds of different plays - including over 50 different types of infield outs!! Complexity only possible through the selective calculations of home computers. The computer compares each and every characteristic of a particular batter against a particular pitcher and defense for a degree of realism never before possible.

IS MANAGER OF A REAL MAJOR LEAGUE TEAM, YOU CON-TROL EVERY ELEMENT OF PLAY ACTION. You make every managerial decision available in major league baseball based on the real ability of your players.

12 TOP TEAMS OF THE 60's and 70's INCLUDED.

Each team contains the names of 25 players and is loaded directly from tape into the program. Price: \$21.00

BOTH GAMES INCLUDE A MANUAL AND PROGRAM TAPE WITH FIELD GRAPHICS AND PROGRAMMER

ORDER DFC BASEBALL AND WCS SOCCER FROM: GAMECRAFT CO., BOX 2299, STATION A, CHAM-PAIGN IL 61820. GAMES ARE \$21.00 EACH. ORDER **TODAY or write for FREE Computer Games Brochure.**

PERIPHERALS for TRS-80


IBM 725 ASCII/SELECTRIC PRINTER

- Full-size 15" Carriage
- Includes 3 built-in ASCII to IBM translation tables for different type balls.
- Plugs to Line Printer Port and runs from "LPRINT" and "LLIST" commands.
- LOCAL mode allows manual use of typewriter keyboard.



Ship wt. 75 lbs. PRICE, cleaned & adjusted Optional Forms Tractor for pin-feed paper (used) \$95.00

DIABLO HYTYPE I DAISY-WHEEL PRINTER



- 30 cps bi-directional printer Graphics plus letter-quality
- Includes power supply, case, platen, print wheel, interface PCB and cable to TRS-80 40-pin BUS. print.
- Responds to "LPRINT" and "LLIST" commands.
- Ship wt. 65 lbs.
 PRICE, refurbished & tested, complete
 HYTYPE I Printer Interface PCB and cables, \$1495.00

OTHER PRODUCTS:

POS 103/202 Dual-Speed Auto Answer Modem POS 100 NRZI 1/2" Mag Tape Drive Controller/Formatter Power Supplies, Forms Tractors, AC Line Filters, etc.

PACIFIC OFFICE SYSTEMS ~153 918 Industrial Avenue Palo Alto, CA 94303 (415) 493-7455

A logical approach to graphics.

Inside-Out Debugging

Del Ogren 565 B Lynn Ct. Glendale Hts., IL 60137

A friend of mine has the best standard answer to the standard question posed to all new micro owners. When asked, "What are you gonna do with it?" he replies, "Make it teach me to use it." My purpose in writing this article is to attempt to make the process of learning to use a computer more enjoyable.

Specifically, I want to discuss graphics programming techniques for Level II BASIC. I'll develop a simple game program to illustrate some of the techniques presented.

Programming Style

Unfortunately, a machine has yet to be designed that translates ideas directly into computer code. This means that the user must do the translating. Learning to program is a process in which the programmer develops rituals, based on experience gained through dialog with the machine. As the error messages become less frequent, a programmer develops a style of going about the task of telling his machine what to do.

By "talking to computers," I have fallen into using what is sometimes called the "inside-out" style of programming. This style is made up of bits and pieces of "structured," "top-down" and "modular" programming and seems well suited to recreational programming.

Inside-out Programming

Inside-out programming divides a program into two major sections, a control section and a routine section. The routine section is a list of subroutines which make up the body of the program. The control section is generally a loop which calls the relevant subroutines in sequence. As ideas come to mind, a subroutine or two is added to the routine section and patched into the control section by adding GOSUB.

Say, for example, we want to create a space war game. First, we need space ships. We would write subroutines to draw them on the screen, and try them out by putting GOSUBs in the control section. We can then add animation, laser fire, photon torpedoes, fuel allocations, etc., patching in each new idea as it is developed.

As each routine is linked to the system, it can be run. Thus errors are quickly detected and easily resolved. Part of the programming burden is transferred to the computer and the whole development process takes place as a dialog with the machine.

Here are some techniques which should help you to think inside-out:

I generally leave the first 1000 lines or so for the control portion of the program and the remainder for the routines. Also, the first 1000 lines hold the house-keeping statements, starting values for variables, etc. Leaving plenty of room for expansion is important, if you are to avoid the disgusting task of re-typing large segments of code.

The most useful command in the book is GOSUB. True, it takes more memory and more time to execute than GOTO, but for program development it's the easiest way to patch in each segment as it's created. You can always go back and change the GOSUBs to GOTOs when the program is finished. (Determining when a program is finished is almost impossible—there's always just one more feature to add.)

Use comments. Here again, comments waste space but they also save a lot of development time. I begin all subroutines with a comment telling what it does, what input is required and what output comes from the routine. That way questions like, "How did I get that photon torpedo to go across the screen?" are easily answered.

If I have a subroutine that starts at 1000, my comments will be on line 998 or 999 and the calling routine will contain GOSUB 1000. That way the remarks are never executed and little run time is wasted.

When programs begin to grow, things can get out of hand. It is a good idea to keep a list of subroutine locations and important variable names as you go along. If a variable is local (only used in the subroutine), then it can be used locally in other routines, but if it is global (used throughout the program), it must be well controlled.

Once you get really wild with inside-out programming, some control sections can run as subroutines of subroutines of the control section When a program gets this far, good documentation is an absolute essential.

TRS-80 Graphics

Graphics are an important part of fun programs, so before we do some inside-out programming, let's take a look at TRS-80 graphics.

Unless you want to get involved in assembly language programming, POKE is the best command for producing graphics. SET and RESET take longer to execute and are more useful for graphing mathematical functions than for interactive interplanetary warfare.

On page D/1 in the Radio Shack Level II Manual is the memory map. You can see that the video memory, which stores the current state of the screen,

"The obvious solution
is to go mosquito hunting,
but, being a true computer nut,
you are inspired to write a program
to sharpen your swatting skills."

is located between address 15360 and 16383 inclusive. These addresses are used in POKEing graphic symbols onto the screen.

Fig. 1 shows the beginning and ending address for each line on the monitor. Typing POKE 16320, 191, for example, will put an all white graphics character at the lower left corner of the screen.

Before you start POKEing around in memory, it's a good idea to CSAVE a backup copy of your program. If there is a not-too-well written routine in your program, it could POKE into the wrong place, bomb your BASIC interpreter and wipe out all your work.

Since there are 64 characters, or graphics blocks per line, adding 64 to the POKE address moves the image down one line on the screen, and subtracting 64 moves it up one line. Likewise, adding one to the address moves the image right, and subtracting one moves it left.

15360	15423
15424	15487
15488	15551
15552	15615
15616	15679
15680	15743
15744	15807
15808	15871
15872	15935
15936	15999
16000	16063
16064	16127
16128	16191
16192	16255
16256	16319
16320	16383

Fig. 1. Decimal addresses in video memory. Be careful not to POKE outside the upper and lower boundaries.

The Level II Manual (page C/6) gives the decimal values (just right for a POKE) of all the graphics characters. With a piece of graph paper and a bit of effort it's a simple matter to come up with all sorts of things to POKE into video memory. Fig. 3 shows some examples.

The PRINT@ statement (see Level II manual p. 3/3, and C. F. Gerald, May 79 Kilobaud Microcomputing) is valuable for graphics programmers. In his article Mr. Gerald includes a very useful table for determining where PRINT@ will place its characters (page 101, Fig. 2).

My favorite use of this statement has been: PRINT@ 960, "\". The \(\) will not appear on the screen but is a line feed and will cause everything on the screen to move up one line. This can be used to move the galaxy past your spaceship in one statement.

Of course the line feed will move everything on the screen up so you will have to move the spaceship down to keep it in view.

INKEY\$ lets BASIC read the

keyboard without stopping the program and allows the user to interact with the program.

Inside-out with Graphics

Now we'll get the feel of some inside-out programming using TRS-80 graphics.

Let's say that you are sitting at the computer being pestered by a mosquito. The obvious solution is to go mosquito hunting, but, being a true computer nut, you are inspired to write a program to sharpen your swatting skills.

First, you need data to POKE into video memory so that you can create an insect. With some graph paper you discover that if 140, 157, 157 and 157 are POKEd into sequential video memory locations, a six legged critter will appear.

Once the data are generated, it is a simple matter to write a subroutine which places the bug on the screen, given some memory location at which to start POKEing.

999 'THIS MAKES A BUG STARTING AT VIDEO MEMORY ADDRESS X 1000 "POKE X, 140:POKE X + 1, 157:POKE X + 2,157:POKE X + 3,157" 1010 RETURN

To try out the bugmaker routine we can type:

10 CLS 20 PRINT@ 0, "WHERE DO YOU WANT THE BUG? 15360-16380";X 30 CLS:GOSUB 1000 40 GOTO 20

When we RUN this, we can put a bug anywhere on the screen. Note that the largest number to enter should be 16380, even though the video memory goes through memory location 16383. This is to avoid




Fig. 2. Decimal data for POKEing into video memory. When generating your own images, a good rule of thumb is to make each pixel in your drawing twice as tall as it is wide.

POKEing outside the video memory—no one wants bugs in his bugmaker.

Since insects seldom show up on demand, it seems that the bug's location should be random, so we'll change line 20 to:

20 X = RND(1021) + 15359

Now X will take on a random value between 15360 and 16380. When we RUN the program the insects will appear all over the screen.

It would be nice to be able to move the critter left, right, up and down so we come up with the program in Listing 1.

Note that the routines are

documented and that the first line after each comment tests to see if the insect is too near the edge of the video memory. Also note that the location of the bug is updated by each subroutine and that 128 (no pixels lighted) is POKEd into the space vacated by the moving insect. In these routines X is a global variable and Y is local.

If at this point we change line 40 and add line 50 as follows we will get a bug that moves randomly around the screen.

40 ON RND(4) GOSUB 1100,1200,1300,1400 50 GOTO 40

Now that we have created a monster it would be nice if we could have some control. Since it's no fun to stop the action for an operator INPUT, we will use INKEY\$. Changing line 50 and adding lines we get:

50 A\$ = INKEY\$
60 IF A\$ = "R" GOSUB 1100
70 IF A\$ = "J" GOSUB 1200
80 IF A\$ = "H" GOSUB 1300
90 IF A\$ = "H" GOSUB 1400
100 GOTO 40

The insect still moves randomly, but now we can influence its position by pounding away at the keyboard, R for left, J for right, H for down and T for up. Of course, any key can be substituted (except BREAK!), but my hands seemed to fall on these keys naturally.

100 IF A\$ = "V" GOSUB 1500:END 110 GOTO 40

Now we can take aim at the bug and make an attempted kill by hitting the V key. This stops the action, so that we can see if our efforts were effective in reducing the insect population.

At this point, we have everything we need for maneuvering our victim into position for the death blow, but we do not have an engine of destruction. Though it's possible to get fancy here (laser fire seems a bit much just to kill a mosquito), let's just plop down a square in the middle of the screen with the following subroutine:

1499 SWAT AT SCREEN CENTER 1500 FOR Y = 15834 TO 15841 1510 POKE Y,191:POKE Y + 64,191 Patching this subroutine into the control portion of the program is possible by changing

1520 NEXT Y

1530 RETURN

line 100 and adding 110:
Thus far our insect has been more like a crawling bug than a flying mosquito. Eliminating line 40, changing line 110 and adding 120 as follows changes the character of the game.

Delete line 40 110 IF RND(100)>95 GOTO 20 120 GOTO 50

Once this is entered and run, the insect ceases to move randomly, but each time through the control loop there is a five percent chance that the mosquito will fly off to some other location. Note what a small change is required to greatly alter the nature of the program.

Obviously, it is possible to add scoring to the "swat" sub-routine, by testing the current value of X to see if the bug is in range and adding subroutines to display the number of hits and misses, along with cute phrases like "got me!"

The subroutines presented are not limited to working out your anti-insect fantasies. With some simple alterations it is possible to go after all sorts of villains: sharks, the boss, invaders from space The possibilities are endless.

```
1099 'THIS MOVES THE BUG LEFT. X = LOCATION, RETURNS X = X - 1
1100 IF X - 1<15360 RETURN
1110 FOR Y = X TO X + 3
1120 POKE Y - 1, PEEK(Y)
1130 NEXT Y
1140 POKE Y - 1, 128:X = X - 1:RETURN
1199 THIS MOVES IT RIGHT. X = LOCATION, RETURNS X = X + 1
1200 IF X + 1>16380 RETURN
1210 FOR Y = X + 4 TO X + 1 STEP - 1
1220 POKE Y, PEEK(Y - 1)
1230 NEXT Y
1240 POKE Y. 128:X = X + 1:RETURN
1299 'THIS MOVES IT DOWN. X = LOCATION, RETURNS X = X + 64
1300 IF X + 64>16380 RETURN
1310 FOR Y = X TO X + 3
1320 POKE Y + 64, PEEK(Y): POKE Y, 128
1330 NEXT Y
1340 X = X + 64:RETURN
1399 'NOW UP. X = LOCATION, RETURNS X = X - 64
1400 IF X - 64<15360 RETURN
1410 FOR Y = X TO X + 3
1420 POKE Y - 64, PEEK(Y): POKE Y, 128
1440 X = X - 64:RETURN
                      Program Listing 1.
```

SCIENTISTS-INVENTORS

Stop looking for conversion factors A must for experimentors, engineers in

- . PHYSICS-ELECTRONICS
- . CHEMISTRY-MECHANICS
- . SOLAR ENERGY-OPTICS
- GENERAL SCIENCE, STUDENTS, etc.
- 110 MASS, LENGTH, TIME, ANGLE
- E 230 AREA VOLUME
- 310 VELOCITY, DISTANCE/TIME
- 400 FLOW, PRESSURE
- 520 WORK ENERGY, POWER, THERMAL UNITS
- 610 FREQUENCY WAVELENGTH, VOLTS OHMS AMPS WATTS, ETC.
- 730 PARABOLIC REFLECTOR, CYLIN-DER, PIPE, TORUS, RING, ROD, etc. Three or mere \$4.50 es. Single \$6.00 es. Order by program number above SYSTEMS-80®, P.O. BOX 277 467 ALBION, CA 95410 (707) 937-4006

Send SASE for full index description of programs

MOD II add on disk drive with cable \$795

MOD I Dual 77 track disk drives - with cable, power supplies, and 2 drive cabinet \$1295 pr.

MOD I Accts. receivable 2 drive 32K \$89.95

Purchase order and warrant acct pkg. Perfect for small cities - counties schools \$200

MOD II Radio Shack Payroll®updated to do monthly deductions and tax sheltered ann.

Send payroll disk & \$50 or purchase complete \$499

Complete Line of Radio Shack® Equipment at attractive prices

Sounds Etc., Inc. 2474 Radio Shack Dealer Hwy. 33 Watonga, Ok 73772 405-623-8655



JOE COMPUTER* Presents Exclusive Software: IT'S FOOTBALL SEASON!

Pro and College Football from SDL:

A TRS 80† translation of Ken Perry's popular Apple programs. These programs predict point spreads with unbelievable accuracy. They are heuristic and require about 10 minutes a week to record the weekend's resource that base from your local mexpaper. You may predict any game within seconds from the data saved on cassette or disk. Pro Football contains all 28 pro game within seconds from the data saved on classifier to risk. Pto Potoloai contains an 28 pto learns. College football contains an unbelievable data base of 78 teams! Each program comes with the entire 1979 season data file on cassette or disk. You can display each team's record of scores or won-loss record. A record of 4-5 weeks is required before predictions are effective so you're just in time! Pro or College Football will be shipped U. P. S. blue label the same day order is received. Order C.O.D. by phone. \$1.00 blue label charge; C.O.D. fees added on.

Pro Football	Cossette (32K TRS 80 Level II)	21.95
	Olak	26.95
College Footb	all Cassette (48K TRS 80 Level II)	21.95
7-110 2	Olak	26.95

Horae Race Handicapping Device 1 was written by a professional software consultant to TRW Space Systems. This is a complex program carefully human factored for easy use. It is a com-prehensive horse racing system for spotting overlays in thoroughbred sprint races. Your computer will accurately predict the win probability and odds line for each horse based on your entries from the racing form. The next day overfaild horses can be spotted on the track tote boars. The users me racing form. The next day overlaid horses can be spotted on the track tote boars. The users manual contains a complete explanation of overlay betting plus much more useful information. The appendix contains a detailed tab run of a 100 consecutive race system workout showing an amazing 50% return (\$.50 returned for each \$1.00 flat wager). Includes many features such as error correction, bubble sort, line printer output, archiving, etc. The manual may be ordered separately for perusal for \$7.95 and credit. PHD-1 users menual and cassette fer: 8K Apple II Appleaeft, 8K Challenger (specify 1P or 4P), TRS-80 16K Level II.

Brand new frem SDL: Win At The Races another Ken Perry spectacular! This algorithm is based on a currently popular book representing the most ambitious multiple regression research on thoroughbred racing to date. The probable odds and win probability for each horse are displayed.

Une printer output, error correction, descending sort; all the niceties!
Win At The Races cassette (32K TRS-80 Level II)
Disk (48K TRS-90 Level II)

THE BOOK for the Computerized Handicapper!
WINNING AT THE RACES by William Quirin Ph.D. Computer science has come to the rescue of the racing fan. This is the first major scientific study of handicapping available to the general public, detailing what the computer reveals about class, form, early speed, and more; plus special multiple regression computer systems. A Tom Ainsle — winners circle book. g At The Races

Order now to get on our list and receive back Issues free!
Phone Orders: Mike (213) 992-0514
Systems Design Lab (213) 374-4471

Make Checks payable to: JOE COMPUTER 193 22713 Ventura Bivd., Suite F, Woodland Hills, CA 91364

*Get on the Computers & Gambling Products malling list for \$3.00 & receive available back issues Calif. res. add 6% tax. TRS-80 is a Registered Trademark of Tandy Corporation Calif. res. add 6% tax.

SECONO DE SECONO DE LA CONTRACTOR DE LA

presents for the TRS-80 PET, Apple II, and Apple II Plus

COLLEGE BOARDS

The best way to sharpen your skills for the College Board SAT Exams is to work on actual examinations. Each of these 4 programs confronts the user with a virtually limitless series of questions and answers. Each is based on past SAT exams and presents material of the same level of difficulty and in the same form as used in the verbal and mathematical portions of the College Board Examinations. Scoring on each exam is pro-

VICEO IN ACCORDANCE WITH THE POINTING USED DY COMEGE DE	, u
COLLEGE BOARD-VOCABULARY	19.95
COLLEGE BOARD—WORD RELATIONSHIPS	19.95
COLLEGE BOARD-MATH PART A	19.95
COLLEGE BOARD-MATH PART B	19.95
Complete Set	59.95

TIME TRAVELER

The best of the adventure games. Confronts player with complex decision situations and at times, the demand for real time action. Using the time machine, players must face a challenging series of environments that include: the Athens of Pericles, Imperial Rome, Nebuchadnezzar's Babylon, Ikhnaton's Egypt, Jerusalem at the time of the crucifixion, the Crusades, Machiavelli's Italy, the French Revolution, the American Revolution and the English Civil War. Deal with Hitler's Third Reich, the Vikings, etc. Involve yourself with historical military and government operations, markets, etc. in fascinating game situations. Each game is unique! \$24.95

THE SWORD OF ZEDEK

Fight to overthrow Ra, the Master of Evil. In this incredible adventure game you must confront a host of creatures, natural and supernatural. To liberate the Kingdom, alliances must be forged and treasures sought. Treachery, deceit and witchcraft must be faced in your struggle as you encounter wolves, dwarves, elves, dragons, bears, owl, orcs, giant bats, trolls, etc. Each game is unique in this spectacular and complex world of fantasy. \$24.95 VISA

*All programs require 16K • TRS-80 Programs require Level II BASIC. • App

Krell Software >375 Send check or money order to 21 Millbrook Drive, Stony Brook, NY 11790 (516) 751-5139

-479

VISA

245

329 399

IN CALIFORNIA, BACKORDER OR TECHNICAL INFORMATION: (714) 698-8088

SAVE TIME AND MONEY AT THE TRS-80 ADD-ON SUPERMART. CONSUMER COMPUTERS SUBSIDIARY UNBEATABLE MAIL ORDER DISCOUNTS

TOLL FREE ORDER LINE 1-800-854-6654

PMC-80

COMPLETELY COMPATIBLE WITH RADIO SHACK TRS-80 LEVEL II SOFTWARE AND PERIPHERALS

Features Include

Level II BASIC 40 pin interface conn.
Video & Ch. 3 TV OUT. 16K User RAM Memory
Built in Cassette Expendable to 48K

For more information, please call or write.



THE TRS-80 'WORK-ALIKE' 16K LEVEL II ONLY \$579

TRS-80 SOFTWARE

NEWDOS 80
ELECTRIC PENCIL
NEW DOS + 35 track
40 track version
CP/M for model I
RADEX-10 data base manager
AJA integrated business pac
PROGRAMMERS UTILITY Pac
WORDP II word processor

DISK DRIVES

these drive are complete with case and power supply. TF-3 SHUGART SA-400...... 355 TF-5 MPI B51, 40 track...... 375

TF-7 MIRCROPOLIS, 77 track. . 589 TF-9 DUAL 80 TRACK, Quad capacity 785

8 INCH DISK SYSTEM for MODEL I includes SA-801. NEWDOS 80, cable & 1075 adapter . . .

TRS-80 ADD-ONS

MIPILOT WATANABE PLOTTER.
PMC FASTLOAD CASSETTE Int. 165 PMC CTR-41 MODIFIED RECORDER HATTER BOX 235 275 DISK-80, controls up to 4 drives. BUSY BOX, appliance controller. ELCOMPCO BUSS EXTENDER. 99 85 LOBO EXPANSION INTERFACE. 599 MICROTEK EXPANSION INTERFACE KIT Assembled and tested QS LIGHT PEN

16 RAM guaranteed 1 year.....

PRINTERS

ANADEX DP-800 **CENTRONICS 737** 825 PAPER TIGER IDS-440 TRENDCOM 200 SILENTYPE w/Int EPSON TX-80 w EPSON MX-80 132 col

170

PANACOLOR 10" COLOR. ZENITH 13" COLOR.

BASE 2



LEEDEX VIDEO 10

SANYO 9" B&W . SANYO 15" B&W



VIDEO MONITORS

ORDERING INFORMATION: Phone Orders invited using VISA, MASTERCARD, AMERICAN EXPRESS, or bank wire transfers. VISA & MC credit card service charge of 2%. AE credit card service charge of 5%. Mail orders may send charge card number (include expiration date), cashier's check, money order or personal check (allow 10 business days to clear! Please include a telephone number with all orders. Foreign orders (excluding Military PO's) add 10% for shipping and all funds must be in US dollars. Shipping, handling and insurance in U.S. add 3%. California residents add 5% sales tax. Our low margins prohibit us to send COD or on account. All equipment subject to price change and availability Equipment is new and complete with manufacturer warranty. We ship most orders within 2 days. Order desk hours are languagh thru Saturday 9-5 PST. Send for FREE 1981 Catalog.

WE ARE A MEMBER OF THE BETTER BUSINESS BUREAU AND THE CHAMBER OF COMMERCE

RETAIL STORE PRICES MAY DIFFER FROM MAIL ORDER PRICES

COMMERCE*

COMMERCE*

COMMERCE*

COMMERCE*

COMMERCE*

COMMERCE*

COMMERCE*

COMMERCE

COMMERCE PLEASE SEND ORDERS TO: CONSUMER COMPUTERS MAIL ORDER CRU Division 8314 PARKWAY DRIVE, GROSSMONT SHOPPING CENTER NORTH, LA MESA, CALIFORNIA, 92041

Call it what you like, this program will still read disk directories, number programs, and run them with one keystroke!

You Can Call It...Ray

Barry Kornfeld 190 Waverly Place New York, NY 10014

This program only works with NEWDOS (unless you are looking for yet another way to get into DEBUG).

I've seen a number of ads for disk menu programs, all of which require typing the program names. For this they want ten bucks?! What's the point of having a computer if you have to do all the work? And at the rate I juggle programs around on my disks that would be a lot of work.

What I really wanted was a menu program that would read the directory for me. Alas, it takes a more knowledgeable soul than I to write a program that can read a disk's directory track

But, calling a directory and PEEKing the video screen memory locations is a roundabout way to get to the same place.

Read the Directory

DIRPICK is a BASIC program which reads the directory of the disk drive of your choice, numbers the programs, and runs any BASIC or /CMD file by entering its number.

CMD"DIR gets the directory onto the screen. As you can see in Example 1, the program titles appear at 20 character intervals across the screen. Each line is 64 characters wide.

Variable Z counts the three programs across the screen and variable Y counts lines. Since the start of the first program name is always location 15488 (3C80H), the starting location of each succeeding name (variable L) is 15488 + 64*Y + 20*Z (Line

230).

Line 260 PEEKs the screen memory and stores the characters in the A\$ array. Variable C moves the PEEK to the next memory location. Variable P numbers the programs. Line 280 tests for blanks (ASCII code 32). When a blank is encountered, DIRPICK assumes that this is the end of the program name. It then jumps to Line 300, which replaces the original program name with P)PROGNAME (see Example 2), and moves on to the start of the next program name.

Line 290 tests for a null string. A null string means no more programs, so DIRPICK jumps to the program-call section (Lines 330 to the end). Lines 350 to 370 save you the trouble of hitting the enter key, if there are nine programs or less.

If you have more than thirty programs on a disk (I know it's possible, but I've got to see it to believe it!), you will have to increase the CLEAR statement in

```
5 REM "DIRPICK" BY BARRY KORNFELD
18 CLS: PRINT "DRIVE NUMBER? (YOU DO NOT HAVE TO HIT <ENTER>)"
28 AS-INERYS:IF AS-"CGOTOZS
38 PRINT:PRINT"PLEASE WAIT A MOMENT"
40 ON VAL(AS)+1 GOTO 58,78,98,118
58 CMD"DIR
40 ON VAL(AS)+1 GOTO 58,78,98,118
58 CMD"DIR
58 CMD"DIR
59 CMD"DIR
50 CMD"DIR
50 CMD"DIR
50 CMD"DIR
50 CMD"DIR
50 CMD"DIR
50 CMD"DIR
51 CMD"DIR
51 CMD"DIR
52 CMD"DIR
55 CMD"DIR
56 CMD"DIR
57 CMD"DIR
57 CMD"DIR
58 CMD"DIR
                                                                                                                   176
58 CMD*DIR
68 GOTO 286
78 CMD*DIR :1
88 GOTO 286
98 CMD*DIR :2
188 GOTO 288
118 CMD*DIR :3
128 GOTO 288
 130 END
                                                                   180 CMD*DIR* ***
289 CLEAR589
210 DIM A$(31)
228 POR Z=8TO2
238 L=15488+64*Y+28*Z
                                                                                           'SETUP PROG NAME ARRAY
'3 PROGRAMS PER LINE
'CALCULATE SCREEN LOCATION
OF START OF PROG NAME
'NUMBER PROGRAMS
248 P=P+1
258 C=8
268 A$(P)=A$(P)+CHR$(PEEK(L+C))
                                                                                            'PEEK SCREEN & STORE
CHARACTERS IN ARRAY
'MOVE TO NEXT SCREEN LOCATION
'LOOP IF NOT A BLANK
278 C=C+1 "MUVE
288 IP PEEK(L+C) <>32GOTO268 "LOOP
298 IP A${P}=" "GOTO338 "IF N
388 PRINTE(L-15361), STR${P};") ";A${P};
                                                                                              IF NULL GOTO PROGRAM SELECT
                                                                                                            'REPRINT PROG NAME WITH I
 ROG #
                                                                                          'ACROSS SCREEN TO START OF NEXT
                                                                                         PROG NAME
'DOWN TO START OF NEXT LINE
 PROG NAME
328 Y=Y+1: 1=6: GOTO 228 'DOWN TO START OF NEXT
338 PRINT: PRINT
348 PRINT: PROGRAM NUMBER? (ENTER 8 TO RESTART DIRPICK)"
358 IF P)18 GOTO 388
368 XS=NKEYS:IF XS="GOTO 368
378 X=VAL(X$): IF X=8 GOTO18 ELSE 398
  386 INPUT X: IF X=6 GOTO 18
398 IF RIGHT$(A$(X),3)="CND"THEN CMD A$(X)ELSE RUN A$(X)
                                           Program Listing. DIRPICK
```

```
FILE DIRECTORY -- DRIVE 1 PROGRAMS -- 11/17/37

GORP/CMD NAMEPROG/CMD GROPE/BAS
GNOMEARPICMD GORNEMAP NAME/CMD
PROGRAME/BAS GRAMNOPE EMAN/BAS
PROG/BAS MEAN/CMD

DOS READY

Example 1.
```

for the TRS-80 from Micro-Mega

The Original GREEN-SCREEN



The eye-pleasing Green-Screen fits over the front of your TRS-80 Video Display and gives you improved contrast with reduced glare. You get bright luminous green characters and graphics like those featured by more expensive CRT units.

Don't confuse the Original Green-Screen with a piece of thin film stuck to the face of your video tube, such as that advertised by others. The Original Green-Screen is mounted in a full frame perfectly matched to the color and texture of the TRS-80 Video Display. It is attached with adhesive strips which do not mar your unit in any way.

The full frame design of the Original Green-Screen "squares off" the face of your video display and greatly improves the overall appearance of your system.

THE GREEN-SCREEN.....

Add \$1.00 for postage and handling.

Terms: Check or money order, no CODs or credit cards, please. Add amount shown for postage and handling to price of the item. All items shipped within 48 hours by first class or priority mail. Virginia residents, add 4% sales tex.

Micro-Mega · P.O. Box 6265 · Arlington, Va 22206

A Comprehensive Guide to Programs

Now, you can have access to hundreds of computer programs, quickly and easily.

The Software Directory lists available programs for major home and small business computers, including Apple...Atari...North Star...Radio Shack...PET...CP/M Systems and more.

Indexed for fast and easy reference, Directory categories include games, education, utilities, home accounting, and professional business programs. It's organized according to computer type, so you can find the programs designed for your computer, fast.

The Software Directory describes each program. and lists the minimum required system, program price, ordering information and vendor address.


The Software Directory has all the information you need for ordering any of the hundreds of software programs available. To get it, send a check or money order for \$9.95 to Software Central. We'll send you a software reference book you'll use time and again.



Software Central P.O. Box 30424 Dept. M Lincoln, NE 68503

V 416

HI-RESOLUTION GRAPHICS FOR TRS-80*



E/RAM Graphics is a unique hardware/software package, which will integrate high-speed, high resolution graphics into any Level II TRS-80 system. E/RAM hardware is a fully plug-compatible box, which installs in minutes, and requires absolutely no modifications to the TRS-80 system. E/RAM software is a compact, relocatable set of utilities which provides the user with easily accessible graphics functions. For instance: the user pokes the end point coordinates of a line into certain locations, does a USR call, and an optimized dot-raster line is automatically drawn on the screen at very high speed (less than 10 milli-seconds for a medium length line).

E/RAM does not require the purchase of an additional monitor CRT. The high-resolution graphics video is syncronized with the TRS-80 video and appears on the screen with the normal TRS-80 display. Alphanumerics, TRS-80 graphics, and E/RAM high-resolution graphics may be displayed simultaneously or individually

E/RAM hardware contains its own 6144 byte video memory, which provides a true 256 x 192 matrix of **independent** graphic elements. (E/RAM is NOT a programmable character generator type graphics system. Character generator systems have serious limitations in full screen graphics applications.)

E/RAM will operate with or without an expansion interface, and with any standard memory configuration (4k through 48k).

E/RAM is last. "E/RAM" is an acronym for Extended Random Access Memory, a very short description of the Patent-Pending method of I/O employed by this device, which gives it memory-mapped speed without interfering with the memory space used by the TRS-80.



The installation of E/RAM will not affect normal operation of the TRS-80. High resolution ON/OFF is under program or manual control (a switch is provided). An expansion card edge connector is provided so that other peripherals may be used on the TRS-80 bus

E/RAM software package is compact (less than 1000 bytes), fast, easy to use, and very flexible. A relocating loader is provided. The user can delete unneeded routines if more memory space is required. Lines can be drawn as fast as 13 per second using BASIC USR calls, and as fast as 200 per second using assembly language programs

Routines usable through USR of BASIC, and of course an assembler CALL are:

Sets up display Plots a point

READ Reads a point from the screen BLACK WHITE

Sets drawing mode to black (off)
Sets drawing mode to on
Clears the high-resolution graphics screen CLEAR

LINE - Draws a line

As an example, after the utilities package is loaded and you desire to draw a line, the following sequence of BASIC instructions could be executed:

H=USA(0) Return the communications area Provide the beginning X coordinate
Provide the beginning Y coordinate
Provide the ending X coordinate
Provide the ending Y coordinate POKE U+1.X0 POKE U+3,YO POKE U+5,X1 POKE U+7,Y1 V=USR(4) Draw the line (Current speed is approximately 13 vectors/second)

The complete E/RAM package is available for only \$349.95, and includes case, power supply, cables, software cassette, and complete documentation.

To order, or for further details, write or call:

VERN STREET PRODUCTS

114 West Taft Sapulpa, Oklahoma 74066 Phone: (918) 224-5347

We handle a full line of Radio Shack products

Dealer inquiries are invited. Terms: COD Welcome, check, money order, Master Charge, or Visa Delivery: Stock to 60 days.

E/RAM was designed, and is manufactured by KEYLINE COMPUTER PRODUCTS, INC.

13 East 6th Street, M/C 200, Tulsa, Oklahoma 74119.

*TRS-80 is a registered trademark of Radio Shack, a Tandy Corporation.

QUALITY SOFTWARE

for the

TRS-80TM MICROCOMPUTER

KEYWORD Indexing System

A series of programs that will create a data file on disc, build an index of all occurrences of "Keywords" in the text of the data file and allow inquiries or searches into the file using the indexed keywords. The system features:

- flexible record lengths with location po
- *deletion of non keywords from index by system
- "and" "or" "not" logic for inquiries

KEYWORD INDEX—2 disk 32K system 1 disk 32K system

SORTS for HOME and BUSINESS

No computer user should be without a servatile case to use sor ritten in Level II BASIC and have the following feat

- Sort ALPHA or M. MERIC data
- Sort on up to 5 fields simultane
- In ascending or descending sequence
- apports kh, sideo or tape I. O.
- Supports seq. disk and printer I O (SORT IID)
- · Supports user | U coutines
- User exits (SORT IID only)
- SORT II Ibk Level II in memory sort SORT IID - 32K DOS in memory sort

519 95 529.95

FOR the SERIOUS GAMBLER

BLACKJACK SIMILIATOR, Allows you to si ands of hands of BJ and analyze the results on tape in Level

ils for all programs available for \$3.00 ca. (price deductible on purchase of program)

"TRS-80 is a registered trademark of TANDY CORP.

Northeast MICROWARE

BOX 2133,

BOSTON, MA. 02106

PO Box 839 / No. Hollywood, Ca. 91603 (213) 764-3131

Your TRS-80 and Line Printer IV or Centronics 737 can easily produce documentation with this typeset look. All you need is PROP. Notice how the letters (not just the words) on each line have been evenly spaced, resulting in a professional, rather than a computerized appearance.

If you have been looking for an IBM-like EDITOR and WORD PROCESSING text formatter, then you have been looking for SUBEDIT and SUBSCRIPT ... both based on CMS.

All software is distributed on diskette for 32K and 48K TRS-80 Model 1's. Documentation and sample programs are included. At least one disk drive is needed.

PROP

SUBEDIT + SUBSCRIPT \$19.95

134.95

SPECIAL: (Calif. residents please add 6% Sales tax)

Both Packages

(Prices include shipping)

THE BOOKKEEPERS

FOR INFO CALL (603)-447-2745

Full Charge Bookkeeper—48K, 3 DRIVE, w/ALPHA \$199.95 Intermediate Bookkeeper-48K, 2DRIVE & Printer Cheap Bookkeeper—32K, 2DRIVE & Printer \$175.00

All Above Are Daily Journal—G/L Systems

Hex Code Converter, Loan Payment Finder, & Amortization Table, 16K, 1DRIVE & Printer—ALL 3 \$29.95

STURDIVANT & DUNN, INC.

BOX 277, 124 WASHINGTON ST., CONWAY, NH, 03818

INTERFACE EXPANSION BOARD



The Interface Expansion Board gives your computer these features:

Phone Modem

2K E-PROM OPTION

MDX 1 PC Board & user manual

32 K Memory Real-Time Clock

Parallel Port RS-232 Port Dual Cassette Line Floppy Disk Controller

Add 3.00 for shipping & handling. Texas residents add 5% sales

On Board Supply Silk Screen

*MDX 2 W/FDC AVAILABLE NOV 80

Solder Mask Expansion Port

Manual

FREE PAMPHLET AVAILABLE Call or write



MICRO-DESIGN P.O. Box 18054 Austin, Texas 78760 1-512-458-2937



TRS 80 is a Trademark of Tandy Corp.

200ns 16K DYNAMIC RAMS \$5600

- · Memory Expansion for TRS-80* Model I or II. EXIDY, HEATH-89, APPLE or New PET
- · No special tools required
- These are premium quality High Speed (up to 4MHz) RAMS
- . An optional 1 year UNCONDITIONAL RAM Replacement Warranty is available for an additional \$1400

V 456

To Order Send Check or Money Order to

NBCC • 5717 Wooden Hawk • Burke, Virginia 22015 TRS-80* Owners add \$3.00 for two dip shunts



THE MICRO CLINIC

CENTRONICS 779/RS PRINTER I LOWER CASE KIT

Don't let the newer low-priced printers with lower-case capabilities make your Centronics 779/Radio Shack Printer I obsolete. Our assembled and tested CLC-1 conversion kit will give your 779 the full upper/lower case character set at a fraction of the cost of a new printer. Illustrated instructions make installation easy - just 3 connections, no etch cuts. Compare our introductory price to other kits selling for \$125 - at \$99 our CLC-1 kit brings your 779 into the 80's and makes word processing a practical application.

CLC-1 INTRODUCTORY PRICE: \$99

Includes P/H CA add 6% tax.



VISA/MC include card number, signature, exp. date, phone number MC include interbank number. Introductory price good thru 1/31/81



THE MICRO CLINIC • 17375 Brookhurst • Suite 114 • Fountain Valley, CA 92708

Line 200, and the DIM statement in Line 210. Line 390 can be adjusted (with an OR or two) to run command files with other /EXTs.

If you have the Radio Shack lowercase mod, you have probably discovered that it screws up the codes stored in the video screen memory locations. The problem is that, until a lowercase driver is loaded, the ASCII codes read 64 less than they should. So PEEKing the video memory yields control codes instead of character codes. The fix for DIRPICK is:

260 X = PEEK(L + C): IF X<32 THEN X = X + 64 265 AS(P) = AS(P) + CHRS(X)

This will work with correct or

screwed up codes in memory.

Most of your BASIC programs can be kludged to return you to DIRPICK. Many /CMD programs will return you to BASIC leaving DIRPICK intact. Enter RUN and you're back in business. I know it works with DIRCHECK. Just think, you could run for days without having to keyboard more than a few numbers.

One colleague asked me why I didn't call it MENU since it is a menu program. The problem is that every third disk has a program called MENU, so I called it DIRPICK. But if you like, you can call it MENU . . . or you can call it Ray, or you can call it Jay . . . ■

FILE DIRECTORY --- DRIVE 1

PROGRAMS - 11/17/37

1) GORP/CMD

2) NAMEPROG/CMD

4) GNOMEARP/CMD 7) PROGNAME/BAS 10) PROG/BAS

5) GORNEMAP

8) GRAMNOPE

6) NAME/CMD 9) EMAN/BAS

3) GROPE/BAS

11) MEAN/CMD

PROGRAM NUMBER? (0 = RESTART DIRPICK)

Example 2.

At last...the Typewriter Interface!





Turn your electric typewriter into a low cost, high quality hard copy printer. 1 Year Warranty

Dynatyper-the patented* RDI-I/O Pak is fast becoming the industry standard for typewriter output. Why? Because:

- 1. It takes 2 minutes to initially install and 5 seconds to remove or
- 2. You do not have to modify your typewriter. All factory warranties
- and maintenance agreements on your typewriter will be honored. You can use it with all powered carriage return typewriters that have U.S. keyboard. Our Model I works with all non Selectrics and our Model II works with Selectrics. Conversion between models takes 2 minutes and the kit (26 plungers) is available for a nominal
- You don't have to lug around a bulky printer when you travel. If there is a typewriter at your destination, you can install the light (3 lbs.) I/O Pak in just 2 minutes.
- Same interface for TRS-80, Apple and GPIB. Centronics and Pet compatible interfaces are available in third quarter 1980. Electric pencil available.
- 6. Delivery: Stock to two weeks. Price: \$499. for the complete system, FOB Rochester, Domestic.

Over 1000 in operation today. VISA and MasterCard accepted. Call Ken Yanicky at 716-385-4336.

*Patent Pending > 488 ROCHESTER DATA

3100 Monroe Avenue, Rochester, New York 14618

incorporated

TRS-80* — CONDENSE

The Ultimate in BASIC **Compression Utilities**



Release 1.3 New Available



- Write BASIC programs using single statement lines for ease of maintenance.
- Write BASIC programs with unlimited remarks and comments to improve program readability and documentation....

- AND STILL GET FASTER PROGRAM EXECUTION

- · Compresses programs up to 70% of original size
- · Improves execution time by as much as 30%
- Creates multiple-statement program lines
- Blank compression
- · Remark and comment deletion
- Renumbers GOTO, GOSUB, THEN, ELSE, and RESUME statements which reference deleted line numbers
- . PLUS THESE NEW USER REQUESTED OPTIONS:
 - Retention of low numbered remark statements
 - Checkpoint / Restart Facilities
 - Phase 1 work file

Medel 1 \$21.95 (Diskette)

Model II \$24.95 (Diskette)

× 187

INTERNATIONAL SOFTWARE ASSOCIATES

P.O. Box 14805 Omaka. No. 68124

Tandy Corporation™



The world's most popular microcomputer, with 16K of memory and Level II BASIC for only \$685.00 complete with full 90-day Radio Shack warranty.


We accept check, money order or phone orders with Visa or Master Charge. (Shipping costs added to charge orders).

Disk drives, printers, peripherals, software & games. . . you name it, we've got it

(both Radio Shack & other brands). Write or call for our complete price list.







32 EAST MAIN . MILAN, MICHIGAN 48160 . (313) 439-1508

Sound advice for 80 owners.

POW—BANG ZAP—(CRASH)

John L. Brandolini N1ABE 7 Maple St. Merrimac, MA 01860

Years ago, when the topic of computers came up, most people visualized a rack full of flashing lights accompanied by weird electronic sounds. With the present trend in electronics bringing computers into the home, that illusion has dissipated.

Though the visual display can be entertaining, to me it is something akin to playing pinball without the bells, thumps and buzzer.

Adding Sound

By applying techniques extracted from the TRS-80 assembly language manual and the Level II Reference Manual, the procedure outlined here adds sound through your 80's cassette I/O port to an external amplifier.

The program is limited only by the user's imagination. Through manipulation of frequency, tone duration and multiple tones, one can bring life to myrlad game programs, or simply signal the end of a long program.

The procedure works as follows (Listing 1). A one-byte count, 0<n<FFH (255 decimal)

is POKED into memory location 7FFDH (32765 decimal) for duration and 7FFEH (32766 decimal) for frequency.

Upon call to the USR routine, the C register is loaded with the contents of the memory location specified by the index register (IX + 0). This controls the duration of the outer loop.

The B register is then loaded with the count specified by the index register (IX + 1) to control inner loop 2 (frequency). A count of one is loaded in the A register and shifted out to the cassette


port (FF) for the first half of the cycle, while decrementing the B register.


When the count in the B register reaches zero, control passes to loop 3. With the B register again loaded with the frequency count, a 2 is loaded in the A register and shifted out the cassette port for the second half of the cycle.


When loop 3 falls through, the C register is decremented and the contents checked for zero. If the count is greater than zero, the program jumps to the begin-

ning of the subroutine and the process starts over. When the C register reaches zero, loop 1 falls through and a return is made back to the BASIC program that called it.

I've included the machine language routine to illustrate the







Flow Chart

Complete LNW Expansion Interfaces

The LNW System Expansion offers one of the best alternatives to the Radio Shack interface, and now with a complete kit from COMPUTEN it's even better. We studied the LC market for three months and averaged the cost of procurring components for the LNW board. We found that by shopping for the best prices from over 10 vendors, the LNW board could be assembled for an average parts cost of \$ 253 00 not including shipping cost. COMPUTEN saves you time and money by offering a complete LNW system expansion kit for \$ 249 of the complete LNW system expansion kit for \$ 249 of the complete LNW computer (FEX expansion interface better electrically, we've made it the best TRS80(tm*) expansion interface by the system and building a custom cabinet for it.

*TRS80 is a trademark of Tandy Corp.

The CPT Cabinets for the LNW interfaces are made of quality birch wood, custom finished in a light walnut color then trimmed around the front by aluminum molding. Two cabi-

The CPT1000 cabinet will hold the LNW Board, and power supplies for both keyboard and the LNW system expansion. Measurements 15" wide x 134" deep x 5%" tall.... \$ 89.95

The CPT2000 cabinet has all of the features of the CPT1000

LNW System Expansion Kit					5 249.00
(Assembled)			1140		349.00
CPT 1000 Cabinet					89.95
CPT 2000 Cabinet					99.95
LNW System Expansion Board.					69.00
T1 (Radio Shack) Transformer for	LNW				21.9
Keyboard to FI/F Cable					19.9
Muffin Fan for CPT 2000					14.9
(Individual componen	its avai	lable	e alse	10	

Disk Drives

COMPUTEN reviewed all major disk drives available on the market prior to becoming a dealer for anyone. The drive we selected to market is the Tandon TM 100 Series. Compare their specifications and features and we think you'll agree that the Tandon TM 100 Series of Disk Drives are the best available.

Tandon TM 100 Series of Disk Drives are the best available. Tandon is the leading designer and supplier of read/write heads for most other disk drive manufacturers. Track to Track access time of 5 milliseconds. No head load time required, most others take 35 M.S. Read / write head guaranteed for 20,000 hours. Quieter than most other disk drives. First successful manufacturer of double headed drives.

Model	Description	Base Price	With Supply
TM 100-1	40 Track Single Headed	\$225.00	\$299.95
TM 100-2	40 Track Double Headed	325.00	399.95
TM 100-3	80 Track Single Headed	375.00	449.00
TM100-4	80 Track Double Headed	475.00	549.00
All above	drives will operate single or	double dens	it v
For those	that still insist on MPI and !	Shugart	1861
		Basic Unit	With Supply
			C

		Case
MPIB51-40 Track Single Headed	\$275.00	349.00
MPIB52-40 Track Double Sided	375.00	449.00
Shugart SA400-35 Track Single Sided	255.00	329.00
Computex carries or can supply mo TRS80 System or peripherals. (Call) \

VARIOUS OTHER SPECIALS!

THE CES OTHER SIECE	
Novation / Cat Modem	\$ 179.00
Verbatim / Scotch diskettes (Box 10)	24.95
16 K RAM Chips	8 / 54.95
Radio Shack Systems:	
Level II - 16K RAM.	\$ 700.00
Level II - 4 K RAM.	595.00
Model II · 64K System	
OK Expansion Interface	\$ 259.CO
16K Expansion Interface (our RAM).	
32K Expansion Interface (our RAM).	419.00
Software:	
Newdos 80	\$ 149.00
Dosplus	99.95
Electric Pencil(model disk)	\$ 150.00
Electric Pencil(model I cassette)	100.00

All products sold by COMPUTEX are 100% guaranteed for 90 days. A 1 year 100% guarantee is available on all of our hardware for an additional 10% of the items purchase price. VISA/Master Card accepted(add 4% to total) ÁLL ORDERS SHIPPED WITHIN 6 DAYS OF ORDER SHIPPING -UPS insured(call for rate) Personal checks held 2 weeks prior to shipping. C.O.D.'s accepted(may require 10% down)

Centronics 737

For the first time ever, true letter quality printing for under \$800. Compare quality, features and our price. We think you'll agree that the 737 printer from COMPUTEN is unbeatable FEATURES

FEATURES
Fan fold, letterhead and roll feed paper
TRUE UNDERLINING CAPABILITIES
Subscript and superscript printing
Fast 80 CPS (proportional) and 50 CPS (monospaced)
True descending lower case

True descending tower case
Right margin justification
Optional foreign character sets
Nx9 dot matrix or 7x8 dot matri
Expanded print-10 CPI and 16.7
Bidirectional stepper motor
80 or 132 column printing

Best of all is the price.



ompu

17710 Heritage Ct., Webster, Tx. 77598 (713) 332-4359



Pre Football / Baseball Records \$ 9.95


V304 QUARP

P.O. BOX 7416

OXNARD, CA. 93031

ALL \$19.95

PUB'S



REDUCE PROGRAMMING **EFFORT BY 50%**



· · IN FOUR SIMPLE STEPS · ·

[1] Draw the Data Entry Form on the VIDEO SCREEN

[2] Specify Checking for Each Field

- Alpha Type Check · Length Check . No Field Checking Num. Type Check . Y/N Check

[3] Save Data Entry Control Form

[4] DATAENTR Subroutines in Application. COMPLETELY Control Data Entry

ISAM 100

- Get & Put Records to Disk File by "KEY"
- Read File in Key Sequence Without Sorting
- **Delete Records Without** Recopying File
- Add to Disk Files in Any Sequence
- Variable Key Length From 1 to 50 Characters

BUSINESS APPLICATION ADVANTAGES

Standard Auto. Operator Error Prompts Simplified Operator Training Reduced Program Dev. Time

Eliminate Garbage In/Out Problems

Imp Disk Utilization Easier Prog. Development Improved Oper Characteristics Reduce or Eliminate Sorting

DISTRIBUTED ON DISKETTE - - - INCLUDES:

- Screen Prep. Utility
- DATAENTR Subroutines


- Example Program
 Complete Documentation \$80.00
- ISAM Subroutines
- ISAM Utilities
- Documentation Mail list Sample Application \$90.00

TRS-80® MODEL I & II SOFTWARE FROM:

Johnson Associates P.O. Box 1402M Redding, CA 96001

-or-24 Hour Order Line For Bank Card Sales (916) 221-0740

- WRITE FOR FREE CATALOG TRS-80' Registered Trademark of the TANDY CORP





Our model CS-2 interface plugs into the Qume printer I/O and offers a centronics connector for DIRECT CONNECTION from your TRS-80 parallel interface.

- Q. Which Qume?
- A. Any sprint 3 series printer 35, 45, or 55 CPS.
- Q. Software compatability?
- A. The code set is compatable with:
 Diablo 1610/1620
 Sprint 5 subset
 Scripsit works with no modification.

Price: \$395.00 shipped from stock

Complete printer systems available.

Example: Sprint 3/45cps with TRS-80 interface \$2645.00.

ALSO AVAILABLE

Sprint 5 Printers RO & KSR

Sprint 3 Twintrack

DataTrack 8 Floppy Disk Drives

DataTrack 5 Floppy Disk Drives

Forms Tractors

Cut Sheet Feeders

Interfaces for Qume to Apple, Pet, HP-85

Systems 10 Computer systems

Supplies

Complete service depot

Dealer quantity discounts available.

DATA WHOLESALE CORPORATION ~

700 Whitney St. San Leandro, CA 94577 (415) 638-1206

IF YOUR CUSTOMER MAILING LIST HAS YOU NAILED...

behind a desk for hours at a time because of constant updates and changes, dial (617) 373-1599

and we'll explain our Customer Control Mail List System that he



Control Mail List System that has 670 customers per diskette; will store name and address information, reference code, plus variable selection codes for each customer; will display customer information of a video screen, print reports and mailing labels; will sort 670 names in less than 30 seconds; select, sort, and print 670 mailing labels in just over 30 minutes; has Partial Key Lookup and instantaneous display; has select/sort options by record sequence, last name, city, state, zip code or reference code; and has a low price of only \$99.00!

S&M SYSTEMS, INC.

P.O. Box 1225 • 2 Washington Street Haverhill, Massachusetts 01830

MORE FROM MANHATTAN

APPLICATIONS

CALCULATOR PLUS makes your TRS-80 a printing calculator, or an excellent on-screen calculator without a printer. Chain and mixed calculations, memories for answer storage or calculations with constants. On-screen or printed review of long add-and-substract operations. Optional dollar format. MPC-1 \$9.95

CHECKBOOK PLUS solves the problem of monthly bank statement reconciliation, without cumbersome tape record-keeping. Just do your checkbook once a month and let Checkbook Plus handle all the details and find the errors. MCB-1 \$9.95

CALCULATOR & CHECKBOOK PLUS on one cassette.MC-2 \$14.95

THE LISTMAKER Powerful, versatile program allows entry of 400 names or items, with codes, in 16K. Lists by code on-screen or to printer. Sorts, provides editing of entry or code, dumping, loading lists. Pull any category from list in seconds.

MLM-1 \$9.95

DIVERSIONS

GIN RUMMY 2.0 plays a strong game, good enough to challenge an expert player. Plays a full regulation game, keeps score to game and changes strategy to counter opponent's play. A program you'll enjoy playing against and trying to beat.

MGR-1 \$14.95

LABYRINTH RUN A fast action game, racing through sharp turns, slaloms and narrowing passages. Set a record time—or hit a wall and you're out. Each labyrinth has Sprint and Full courses, with three levels of skill. A fascinating test of coordination and skill. High speed graphics.

MLR-1 \$9.95

E.S.P. LAB Based on the famous Duke University experiments. The computer selects symbols at random to display on the screen for E.S.P. trials. Analyzes trial results for direct telepathy, precognition, postcognition. Special tests for precognition and telekinesis. Machine language graphics.

MTL-1 \$9.95

MANHATTAN SOFTWARE, Inc. P.O. Box 5200 Grand Central Station
New York City, New York 10017

Z-80 commands used to produce the sounds. To implement the program one uses the technique illustrated in the Level II Reference Manual for storing a USR routine in a string (Program Listing 2). This needs to be done only once during the program. By POKEing a count into memory locations 32765 and 32766 (0<n≤255) and calling the USR routine, one can generate tones

through the cassette I/O.

The program in Listing 2 contains a demo routine in the first few lines. To use the sound routine in your program, delete up to 31999 and follow the aforementioned steps to call the rou-

If you do not have a suitable amplifier to use with the TRS-80, you could use the circuit depicted in Fig. 1.■

CLS: RANDOM: GOTO32000 15 F=RND(75)+35:D=RND(200):'PICK FREQ. & DELAY COUNTS PRINTCHRS (F) : CHRS (D) : 40 POKE32765,D:POKE32766,F:'STORE DELAY AND FREQ. IN ME MORY LOC 7FFD & 7FFE X=USR(0): 'CALL SUBROUTINE TO CREATE TONE 75 GOTO15 31999 END 32000 DATA221,33,253,127,221,78,00,221,70,01,62,01,211, 255,16,254,221,70,01,62,02,211,255,16,254,13,32,23 5,201: MACHINE LANGUAGEROUTINE FOR CREATINE OF TON 32010 CLEAR100:P\$="":FORI=1TO29:READJ:P\$=P\$+CHR\$(J):NEX T:'ROUTINE TO PUT MACHINE LANGUAGE INTO MEMORY
32020 POKE16526, PEEK(VARPTR(P\$)+1):'LOAD IN LOW BYTE OF ADDRESS OF USR ROUTINE 32030 POKE16527, PEEK(VARPTR(P\$)+2): LOAD IN HIGH BYTE S
TART ADDRESS OF USR ROUTINE 32040 GOTO15: RETURN TO MAIN PROGRAM AFTER LOADING IN S OUND SUBROUTINE 32999 END

Program Listing 2. BASIC Call Program.



TRS-80 COMPATIBLE DISK DRIVES AT GREAT DISCOUNTS!!



- These MPI drives are completely compatible with Radio Shack's and may be mixed and matched! (i.e. you may use Radio Shack drives and MPI's together with no problems! They are totally compatible with TRSDOS, NEWDOS, or any other TRS-80 software!)
- These MPI's have doors that close and keep dust out! These MPI's have auto diskette eject!
- These drives are one of the fastest on the market: 5 miliseconds ersus Radio Shack's 40 miliseconds!
- These drives come complete with power supply and case and are ready to use immediately. They are compatible with Radio Shack's disk cable or you may purchase our cable.
- Dual drive is same as two drives but uses only one diskette! Save money on expensive diskettes! It may be used as drive 0 and 1, 1 and 2 or 2 and 3! This is a fantastic hund
- SAVE \$116 (Single drive) or \$451 (Dual drive)

Over Radio Shack's single drive prices! WE SHIP FAST! ORDER YOUR DRIVE TODAY!!!

	#	
8000	MPI Single Drive	330.00
8001	MPI Dual Drive	469.00
8002	4 Drive Cable	39.95
8003	2 Drive Cable	24.95
8005	TRSDOS Manual and TRSDOS 2, 3	19.95
8006	NEWDOS+ (includes editor assembler that	
	works with tape or disk, disassembler, superzap,	
	basic variable reference, renumber, disk commands	
	from basic, screen to printer command,	
	and much more	99.95
8016	and much more NEWDOS 80 and NEWDOS+ ("NEW" NEWDOS+	
	and more	149.95
8007	TRS-80 Disk and other mysteries by	
	H.C. Pennington - gives explicit descriptions	
STANCE SEE	of TRSDOS, NEWDOS, SUPERZAP, DEBUG etc	22.00
8008	Ten pack diskettes	29.95
8009	Single diskettes	2.99
8010	Disk holders (hold ten each)	2.99
	Free shipping	
	No tax on out of state orders!!	J 19
	cept Visa Master Charge Money Orders Checks (C.O.D. \$3.00 extra) rders to: Simutek, P.O. Box 13687-Z, Tucson, AZ 85732	13
Name		
Addre	rss	
City	State Zip	
	orders welcome 24 hours! (800) 528-1149 Foreign orders add \$20	postage
and ha	andling per drive. TRS-80 is a TM of Radio Shack. A Tandy Corp.	



ZIP UP TO 7 SPEEDS!

NOW YOU CAN RUN YOUR TRS-80 RELIABLY 100% TO 125% FASTER (4 MHZ)! Our NEW speedup board enables programs to run 50% slower than normal, normal, and 50%, 70%, 90%, 100%, or 125% faster. A 50% minimum increase is guaranteed (90% to 100% typical); however, DETAILED IN-STRUCTIONS SHOW CHANGES REQUIRED TO THE TRS-80 THAT WILL INSURE RELIABLE OPERATION AT THE 100% OR 125% INCREASE! Software speed control with switch override option allows speed changes AT ANY TIME without program interruption. Our board also compensates for slow memory! Automatic slow down possible during cassette or disk operation (not required for TRSDOS, NEWDOS, and VTOS 4.0!). Power LED changes color (red - yellow - green) to indicate normal, slow, and high speed operation

ASSEMBLED AND TESTED \$37.50

VIDEO I. Provides black characters and graphics on an all white screen for a much crisper and easier to read presentation - gives none of the glare associated with plastic screen add-ons. Includes a unit to improve monitor performance. SOFTWARE CONTROLLABLE

ASSEMBLED \$23.95



OKIDATA Microline 80 printer. \$559 (list \$800)

Calif. residents add 6% tax. Foreign orders add 10%. Printers shipped

ARCHBOLD ELECTRONICS

10708 Segovia Way

Rancho Cordova, CA 95670



(916) 635-5408 Dealer inquiries invited Finally! A long overdue outline for Scripsit's six hour instruction tapes.

The Table of Contents

Dennis Thurlow Instant Software, Inc. Peterborough, NH 03458

Scripsit's word processing system from Radio Shack includes everything except a table of contents for its instructional tapes. Therein lies the biggest fault of the Scripsit package—a six-hour long affair—that makes review and brushup difficult.

We have, therefore, compiled a table of contents. The numbers are the tape counter numbers, including leader.


The Scripsit system supports the following modes: upper and lowercase; left and right justification; disk I/O; block moves; global commands and headers and footers on each page. The whole thing is similar to Compugraphic's software package right down to the tapes that come with it.

	at come with it.						
	Here is a table:						
	Lesson One	206:	More Special Commands	281:	Priority of Commands	118:	Ending Format Statements
000:	Introduction	224:	Setting the Width	439:	Review	165:	Cancel Centering
021:	What is a Word Processor?	262:	Setting Indentation	454:	More on Priority	176:	Using Tabs
095:	General Instructions	276:	Tabs	464:	More Uses For the Clear Key	267:	Adding Tabs
190:	How to Boot Up the System	316:	Typing Practice	537:	Saving Text	291:	Clearing Tabs
216:	Making a Backup	327:	The Wrap Around Feature	585:	More on Header Blocks	320:	Loading Extra Text and Chaining
345:	Loading Programs With and Without	368:	Inserts	610:	Comment Lines	381:	Exchanging Paragraphs or Blocks
	Lowercase	501:	Review	631:	Other Kinds of Blocks	454:	4 - '이지로 전자실을 관계하다' 이번 프라이트 전 경기를 다시하면 없다면 전략 전기 전기 가능하게 되었다
371:	Running the Program	551:	Justification and its Implications				Markers
389:	Moving the Cursor Left and Right/	561:	Why Printout and Screen are Dif-			536:	Delete From Cursor
	Using Overtype		ferent		Lesson Four	563:	Changing Headers, Footers, and
426:	Enter Key	575:	Printing Standards, Lines, Margins,	000:	Review		Page Numbering
457:	Control Key/Deleting Individual		etc.	105:	More General Data on Blocks	594:	More Practice with Formats
	Characters	598:	Changing Printout Format	165:	Making a Header Block	658:	Proof Reading and Error Messages
512:	Moving the Cursor Up/More Delete	611:	Beginning of the Line Marker	308:	Listing a Whole Document Including		
	Keys	642:	More Upper/Lowercase Considera-		Invisible Lines		9 129
576:	Review/More Cursor Moves		tions	346:	More on Saving Text		Lesson Six
646:	A Few Words About the Buffer	648:	More on Margins	396:	Footers and Page Number Blocks	000:	
660:	Preparing the Printer	664:	Line Spacing	502:	Review of Footer Blocks	068:	Window Command Mode
676:	Printing the Text	671:	The Clear Key	521:	Deleting Trailing Spaces	170:	Repeat and Global Replace
691:	Why the Cursor Moves After Printing	697:	More on Tabs	535:	Testing for Errors	321:	Things That Can Go Wrong With
716:	Power Down Procedure			562:	Hyphenating Words		Replace
			Table of the state of the	651:	The Hot Zone	346:	Global Delete
	_		Lesson Three	675:	Changing Hyphenated Text/Remov-	406:	Global Finds
082:	Lesson Two Break Key/Special Commands	000:	Storing on Disk/Exchanging Blocks/ Header Blocks		ing Hyphens	475:	Copy Markers, Print Suppress, Win- dow Suppress
104:	Finding the Line Width	070:	Review		tarana Phar	517:	Other Ways to Save a Document
137:	Finding the Number of Characters	105:	More on Exchange Blocks		Lesson Five	548:	Four Load Instructions
	Typed	219:	Paragraph Formatting Block	000:	Introduction	565:	Some More Print Instructions
186:	Why Scripsit Says 60 Characters	247:	Centering, Justifying, and Other For-	050:	Title Pages	587:	DOS Instructions

084: Vertical Centering

620: Reminders on Errors

Typed Before You Start Typing



3 new books from the editors of KB & 80 Aicrocomputing



● 40 COMPUTER GAMES—BK7381—Forty games in all in nine different categories. Games for large and small systems, and even a section on calculator games. Many versions of BASIC used and a wide variety of systems represented. A must for the serious computer gamesman. \$7.95*



● SOME OF THE BEST FROM KILOBAUD/MICROCOMPUTING—BK7311—A collection of the best articles that have recently appeared in Kilobaud/MICROCOMPUTING. Included is material on the TRS-80 and PET systems, CP/M, the 8080/8085/Z80 chips, the ASR-33 terminal. Data base management, word processing, text editors and file structures are covered too. Programming techniques and hardcore hardware construction projects for modems, high speed cassette interfaces and TVTs are also included in this large format, 200 plus page edition. \$10.95.*

• UNDERSTANDING AND PROGRAMMING MICROCOMPUTERS - BK7382 - A valuable addition to your computing library. This two part text includes the best articles that have appeared in 73 and Kilobaud Microcomputing magazines on the hardware and software aspects of the new microcomputing hobby. Well known authors and well structured text helps the reader get involved in America's fastest growing hobby. \$10.95*

OTHER BOOKS

- INSIDE LEVEL II—BK1183—For machine language programmers! This is a comprehensive reference guide to the Level II ROMs, allowing easy utilization of the sophisticated routines they contain. It concisely explains set-ups, calling sequences, variable passage and I/O routines. Part II presents an entirely new composite program structure which unloads under the SYSTEM command and executes in both BASIC and machine code with the speed and efficiency of a compiler. Special consideration is given to disk systems. \$15.95.
- TRS-80 DISK AND OTHER MYSTERIES BK1181 by Harvard C. Pennington. This is the definitive work on the TRS-80 disk system. It is full of detailed "How to" information with examples, samples and in-depth explanations suitable for beginners and professionals alike. The recovery of one lost file is worth the price alone. \$22.50.*
- PROGRAMMING THE Z-80 BK1122 by Rodnay Zaks. Here is assembly language programming for the Z-80 presented as a progressive, step-by-step course. This book is both an educational text and a self-contained reference book, useful to both the beginning and the experienced programmer who wish to learn about the Z-80. Exercises to test the reader are included. \$14.95.






- LEARNING LEVEL II -- BK1175 -- by David Lien. Written for the TRS-80, this book on Level II BASIC explores every important BASIC capability. Updates are included for students of the Level I User's Manual; sections on using the Editor, dual cassette operation, printers, peripheral devices, and conversion of Level I to Level II. \$15.95.*
- THE BASIC HANDBOOK-BK1174-by David Lien. A virtual EN-CYCLOPEDIA of BASIC, not favoring one computer over another, explaining over 250 BASIC words. If a computer doesn't have the capabilities of a needed word, other words or combinations can accomplish the same function. The HANDBOOK helps you get the most from your computer, be it "bottom of the line" micro, or oversized monster. \$14.95.
- TOOLS & TECHNIQUES FOR ELECTRONICS-KB7348-An easy-to-understand book for the beginning kit builder as well as the experienced hobbyist. It has numerous pictures and descriptions for safe, correct ways to use basic and specialized tools for electronics projects, specialized metal working tools, and chemical aids used in repair shops. $\$4.95^*$

Use the order card in the back of this magazine or itemize your order on a separate piece of paper and mail to 80 Microcomputing Bookshelf

Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. All above add \$1.00 handling. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write Customer Service at the above address.

FOR TOLL FREE ORDERING CALL 1-800-258-5473





GAMES:

- MORE BASIC COMPUTER GAMES BK1182 edited by David H. Ahl. More fun in BASIC! 84 new games from the people who brought you BASIC Computer Games. Includes such favorites as Minotaur (battle the mythical beast) and Eliza (unload your troubles on the doctor at bargain rates). Complete with game description, listing and sample run. \$7.50.
- WHAT TO DO AFTER YOU HIT RETURN BK1071 PCC's first book of computer games . . . 48 different computer games you can play in BASIC . . . programs, descriptions, many illustrations. Lunar Landing, Hammurabi, King, Civel 2, Qubic 5, Taxman, Star Trek, Crash, Market, etc. \$10.95.*
- BASIC COMPUTER GAMES—BK1074—Okay, so once you get your computer and are running in BASIC, then what? Then you need some programs in BASIC, that's what. This book has 101 games for you from very simple to real buggers. You get the games, a description of the games, the listing to put in your computer and a sample run to show you how they work. Fun. Any one game will be worth more than the price of the book for the fun your and your family will have with it \$7.50.* the fun you and your family will have with it. \$7.50.

MONEY-MAKING

- HOW TO MAKE MONEY WITH COMPUTERS BK1003 In 10 information-packed chapters, Jerry Felsen describes more than 30 computer-related, money-making, high profit, low capital investment opportunities. \$15.00.*
- HOW TO SELL ANYTHING TO ANYBODY BK7306 According to The Guinness Book of World Records, the author, Joe Girard, is "the world's greatest salesman." This book reveals how he made a fortune - and how you can, too. \$2.25.
- FREELANCE SOFTWARE PUBLISHING BK1179 by B. J. Korites. "This book is about money and how to make it by writing and selling computer programs," (author's foreword). If you have the skills to write a saleable program, you now need to acquire the skills to sell that program. This compact book comprehensively covers the entire publishing process and many aspects of software salesmanship. \$14.95.*
- ●THE INCREDIBLE SECRET MONEY MACHINE BK1178 by Don Lancaster. A different kind of "cookbook" from Don Lancaster. Want to slash taxes? Get free vacations? Win at investments? Make money from something that you like to do? You'll find this book essential to give you the key insider details of what is really involved in starting up your own money machine. \$5.95.







- PAYROLL WITH COST ACCOUNTING IN BASIC BK1001 by L. Poole & M. Borchers, includes program listings with remarks, descriptions, discussions of the principle behind each program, file layouts, and a complete user's manual with step-by-step instructions, flowcharts, and simple reports and CRT displays. Payroll and cost accounting features include separate payrolls for up to 10 companies, time-tested interactive data entry, easy correction of data entry errors, job costing (labor of distribution), check printing with full deduction and pay detail, and 16 different printed reports, including W-2 and 941 (in CBASIC). \$20.00.*
- SOME COMMON BASIC PROGRAMS—BK1053—published by Adam Osborne & Associates, Inc. Perfect for non-technical computerists requiring ready-to-use programs. Business programs, plus miscellaneous programs. Invaluable for the user who is not an experienced programmer. All will operate in the stand-alone mode. \$12.50 paperback.
- PIMS: PERSONAL INFORMATION MANAGEMENT SYSTEM BK1009 Learn how to unleash the power of a personal computer for your own benefit in this ready-to-use data-base management program. \$11.95.

*Use the order card in the back of this magazine or itemize your order on a separate piece of paper and mail to 80 Microcomputing Bookshelf © Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. All above add \$1.00 handling. Please allow 4–6 weeks for delivery. Questions regarding your order? Please write Customer Service at the above address.

FOR TOLL FREE ORDERING CALL 1-800-258-5473

TRS-80 SERIAL I/O

Can input into basic Can use LLIST and LPRINT to output, or output continuously • RS-232 compatible . Can be used with or without the expansion bus . On board switch selectable haud rates 110, 150, 300, 600, 1200, 2400, parity or no parity odd or even. 5 to 8 data bits, and 1 or 2 stop bits. D.T.A. line . Requires +5 12 VDC . Board only \$19.95 Part No. 8010. with parts \$59.95 Part No. 8010A, assembled \$79.95 Part No. 8010 No connectors prorided, see below



DB25P \$6.00, with le \$10.95 Part





ard \$19.95 Part 3CA840

COMPUCBLUSE



\$129.95; with cruise con trol \$169.95

PAPER TIGER



Prints address labels multicopy invoices and legal-size reports. Adjust the tractor width from 1-3/4 to 9-1/2 inches. switch-selectable forms lengths. Print 6 or B lines per inch. Add the software-selectable full dot plotting graphics option to print illustra-tions, block letters, charts, graphs. Part No. 162172 \$899.95 • with graphics option Part No. 162173 \$1099.95

GAME PADDLES & SOUND



Includes: 2 game paddles, interface, software, speaker, power supply, full documentation including: schematics, theory of matics, theory of operation, and user guide; plus 2 games on cassette (Pong and Starship War). \$79.95 Complete Part No.

DIGICOM DATA PRODUCTS INC. Series 312 Acoustic Coupler



300 BAUD Originate, Part No. AC3122, Part No. AC3122, \$219.95. 300 BAUD Answer, AC3122 Part No. \$219.95 300 BAUD Answer/Originate, Part No. AC3123, \$229.95.

IBEX LIGHT PEN



Comes with Backgammon and Tic-Tac-Toe on tape with full documentation and program listing. Requires 9v. battery Part No. IBEX \$19.95

SYSTEM **EXPANSION** from LNW Research

 Serial RS232C/20 mA I/O • Floppy controller • 32K bytes memory Parallel print-er port Dual cassette port • Real-time clock Screen printer bus Onboard power supply Software compatible Solder mask, silk screen. PC board and user manual, Part No. LNW80, \$69.95

DISKETTES



Box of 10, 5" \$29.95. 8" \$39 95 Plastic box, holds 10 diskettes, 5" - \$4.50, 8" - \$6.50.

16K RAMS

For the Apple, TRS-80 or Pet \$8 each Part No. 4116/ 2117

LEEDEX MONITOR



Black and White 12 MHz Bandwidth · Handsome Plastic Case • \$139.00

S-100 INTERFACE



AN S-100 bus Adapter—Motherboard for the TRS-80, Kit, Part No. HUH81 DLXK, \$295.95. Assembeled, Part No. HUHB1DLXA, \$375.95

NOW! A FULL SUPPORT SYSTEM FOR TRS-80



● 32K of RAM ● EPROM firmware ● Disk control ● Data acquisition ● Parallel I/O ● Serial I/O • Plug into GPA's Motherboard. GPA's quality design includes ● 6-44 pin edge connectors ● +5V, -5V, +12V, -12V external power supply required ● Active termination.
The Motherboard, Part No. GPA80, is only

TAKE ADVANTAGE OF **GPA-EXPANSION CARDS FOR THE GPA80**

Memory cards: Now with Fortran compilers available for your TRS-80, additional expansion memory is a must! Card with sockets only. Part No. GPA801, \$119.95. Card with 16K of 4116 Dynamic Ram, Part No. GPA802, \$224.95. Card with 32K of 4116 Dynamic Ram, Part No. GPA803, \$329.95. All cards come equipped

with sockets to accompose 32K of Ram.

EPROM firmware card. Put those valuable subroutines in firmware. Don't waste time loading and unloading tapes and disks. For 2708 or 2716 EPROMS, Part No. GPA806, \$79.95. Serial I/O card. Here's what you've been asking for, a full serial terminal interface, with RS-232C or 20 mA. Current loop. Input/output capabilities. Part No. GPA807, \$79.95.

Parallel I/O Card. Control functions in the outside world, monitor and store real time events. Two parallel output ports. Dip switches select ports (0-254). Part No. GPA808.

FLOPPY DISK STORAGE BINDERS



Three ring binder comes with ten transparent plastic sleeves which accommodate either twenty, five-inch or ten, eight-inch floppy disks. Binder & 10 holders, Part No. 810B-\$9.95 • Extra holders, Part No. 810—69¢ each.



Three-ring binder with ten 5 1/4 inch jackets Part No. 510B-\$9.95. lackets only fits standard 3-ring binders, Part No. 510-69¢ each.

DIGITAL CASSETTE



5 min. each side. Box of 10 \$9.95. Part No.

TRENDCOM PRINTER




TRENDOOM 200 Part No. TRCO200 \$495.95. Interface for TRS-80, Part No. TBOA \$49.95, For Apple II, Part No. TRCALL, \$75.95. For PET, NO. TRCP2 \$79.95. For Scoccerer TRCSR1 \$45.95

SARGON: A Computer **Chess Program**

Features the complete program that won the 1978 West Coast Computer Faire Tournament. Part No. 00603 - TRS-80 Level II; Part No. 00604 - Apple II (24K). \$19.95

SPINWRITER MODELS 5510 and 5520



Features-EIA RS-232C/CCITT V24 Interface Standard • 55 Characters Per Second Maximum Print Rate • Impeccable Print Quality (OCR Quality) • Microprocessor Electronics • High Resolution Plotting/Graphing • Lowest
Operating Noise Level • Self-Test Printing
Operator Engineered Control Panel • Prints Original and up to Seven Copies • NEC Information Systems new Model 5510 Receive Only and Model 5520 Keyboard Send/Receive SPIN-WRITER terminals are microprocessor controlled serial, impact terminals designed for remote printing applications where impercable print quality is required. Model 5510 RO, Part No. NECA30759 \$2795.95 • Model 5520 KSR, Part No. NECA30762 \$3095.95

Send for FREE Catalog...a big self addressed envelope with 80¢ postage gets it fastest!

To Order:



Mention part no., description, and price. In USA shipping paid by us for orders accompanied by check or money order. We accept C.O.D. orders (U.S. only) or a VISA or Master Charge no., expiration date, signature and phone no., shipping charges will be added. CA residents add 6.5% for tax. Outside USA add 15% for air mail postage and handling. Payment must be in U.S. dollars. Dealer inquiries invited. Prices subject to change without notice.

Order Line: (408) 448-0800

ELECTRONIC SYSTEMS Dept. 80, P.O. Box 21638, San Jose, CA USA 95151



. . . We have them All!

All the Disks and Printers that interface to the TRS-80°

CENTRONICS PRINTERS

Disk Drive for the TRS-80®

Save over \$100 on Radio Shack Price

Percom, Lobo, Vista

Full compatible with expansion interface and TRSDOS software.

PRICE \$369

NEW Digital Innovations

Drive — complete w/case and P.S. Your choice of Shugart or MPI (40 track) drive

Fantastic Value \$

\$349

(Add	\$6 for :	si	٦i	p	p	i	n	g	a	ır	10	t	ir	15	SL	,,	8	ın	ce)
4-Drive	Cable.									٠			٠						\$34.95
2-Drive																			

CORVUS 10 megabyte hard disk for Mod. I or II ONLY \$4795

ESCON CONVERSION FOR IBM SELECTRIC

Complete w/microprocessor controller and power supply. Factory built. User installs solenoid assembly or it can be done at Escon factory at nominal cost.

Parallel version/TRS-80, \$575 Only \$514 TRS-80 Cable (specify Mod I or II) \$25

(Add \$6 for shipping)

PERCOM ELECTRIC CRAYON

List \$249.95 ONLY \$229.95


RADIO SHACK® TRS-80®

with standard
Radio Shack warranty
through Radio Shack stores.

10% Off on Mod I and Mod II

Mod I, 4K, List	\$499	OUR	PRICE	\$449
Mod Level 2	. 16K, List	\$849		. 764
Mod II w/64K	, List \$389	9		3499
Expansion-Int	erface wi	th O RAN	۸	\$269





Paper	Tige	er, ı	_ist	\$99	5.		4	>	8	9	5
w/graphics	option,	incl.	bu	ffer,	\$	11	9	4		\$	989
TRS-80 cab	le									\$	45

(Add \$7.50 for shipping and insurance.)

OKIDATA PRINTER MICROLINE 80

9x7 dot matrix, 6 or 8 lines per inch, prints 132 columns using compressed print. Prints block formatted graphics as displayed by TRS-80, u/lc, friction feed (prints from roll) or will feed standard 9 ½" pin-feed fanfold paper. Uses Centronics style parallel interface; plug compatible with all TRS-80's. List \$949.



OUR PRICE ONLY

Adjustable Tractor Feed Option \$99



NEC SPINWRITER™



A fantastic 55 cps letter-quality printer A fantastic value . . . Call for Price!

TI-810 w/serial/parallel interf. (outperforms Line Printer III).
List \$1940 (shipped freight col.) \$1735

CP/M® OPERATING SYSTEM

for Mod I CP/M 1.4, List \$145 \$129 for Mod II CP/M 2.2, List \$170 \$149 Shipping \$2.50

Complete line of CP/M software available at discount prices — Call us!

TPM — a disk operating system which runs CP/M compatible programs, written specifically for Z80 based systems — more efficient and less expensive than CP/M*. List \$79.95 — specify Mod I or Mod II

OUR PRICE \$59.95

Printers for TRS-80 require Level II machines. Printer cables extra. Call for price and order number

Prices in this ad are for prepaid orders. Charge cards and C.O.D. 2% higher. Deposit may be required with C.O.D. All prices subject to change and offers subject to withdrawal without notice. Radio Shack and TRS-80 are trademarks of the Tandy Corporation. CP/M is a trademark of Digital Research.

- WRITE FOR FREE CATALOG -

MiniMicroMart, Inc.

1618 James Street, Syracuse, NY 13203 (315) 422-4467

TWX 710-541-0431





v 450

TO ORDER CALL TOLL FREE 1-800-321-2037

IN OHIO CALL COLLECT (216) 566-9130

TRS-80 and Radio Shack are registered trademarks of Tandy Corp.



THE CHESTERFIELD BUILDING . 1801 EAST 12TH STREET, SUITE 222 . CLEVELAND, OHIO 44115

NEW

the MAGIC WAND™ SPECIAL!.....\$299.95

NEW

the most powerful, most flexible, most reliable, most useable word processing software available for a CP/M* based TRS-80* model II.

MAGIC WANDTM can do more work in less time with high quality than any other product you can buy

The command structure is simple, logical and complete. The programs are crash-proof and completely reliable

The system is supported by what users say is the best user's manual ever produced for microcomputer software.

FEATURES

- . Full screen text editing
- · Full text formatting commands
- . Merging with external data files
- . Up to 128 variables
- Conditional commands
- · True proportional spacing

QUOTES FROM THE June, 1980 Microcomputing article "Super Word Processors" by Rod Hallen

"Of all the word processors I have used (and that includes a dozen or more), the Magic Wand is the most versatile. The Wand has almost all of the features of other processors, plus many new ones of its own. It measures up to even the word-processing software running on the largest mainframe computers."

"Magic Wand is an outstanding example of the new levels of software that are being written for the small businessman, although I can't imagine a business of any size that couldn't use software of this quality.

MAGIC WAND · will also operate on Oasis based systems

- will operate on 16k but we recommend 32k for adequate operating memory
- · is available on 51/4 and 8 diskettes

MAGIC WAND is a copyrighted program by Small Business Applications Inc., TRS-80 is a registered trademark of Tandy Corp., CP/M is a registered trademark of Digital Research Corp.

AIDS-III* by MTC

MODEL 1 . . . \$69.95

MODEL II . . . \$99.95

Introducing the latest addition to MTC's family of data management systems. AIS-III NO PROGRAMMING, easy to use COMPLETE PACKAGE including demonstration application documentation and MAPS-III (see below).

- . Up to 20 USER DEFINED FIELDS of either numeric or character type
- CHARACTER type fields may be any length (total up to 254 characters)
- . NUMERIC type fields feature automatic formatting, rounding, decimal alignment and validation
- · Full feature EDITING when adding or changing records
 - ENTER FIELD (can't type in more characters than specified)

 BACKSPACE (delete last character typed)

 DELETE FIELD contents

 RESTORE FIELD contents

 RESTORE FIELD contents

 RESTORE FIELD contents

 RESTORE FIELD contents
- SKIP FIELD (to next or previous field) SKIP RECORD (to next or previous record)
- SORTING of records is MACHINE CODE assisted
 - 200 RECORDS (40 characters) in about 5 SECONDS.
 - ANY COMBINATION of fields (including numerics) with each field in ascending or descending order
- . SELECTION of records for Loading, Updating, Deleting, Printing and Saving is MACHINE CODE assisted
 - Specify up to 4 CRITERIA, each using one of 6 RELATIONAL COMPARISONS.
 - LOAD or SAVE selected records using MULTIPLE FILES
 - Select records representing those people who live in the state of Colorado, but not in the city of Denver, whose last name begins with "F and whose income exceeds \$9000.00.
 - Example Select records representing those sales made to XYZ COMPANY that exceeds \$25.00, between the dates 03/15 and 04/10.

MAPS-III (MTC AIDS PRINT SUBSYSTEM), included at no charge.

- COMPATIBLE with AIDS-II data files and AIDS subsystems.
- Move up from AIDS-II and EXPAND to 20 field capability WITHOUT REENTERING
- AIDS-II (Model I or II) owners may UPGRADE FOR ONLY \$25.00.
 - *WARNING! This program is written in BASIC and can be listed in the normal manner Modification of program code is NOT RECOMMENDED due to its extreme complexity

NEWDOS/80

Apparat's long-awaited successor to NEWDOS+ is here! This is not an enhanced version of NEWDOS, but a completely new product. Simplified DOS commands can be instantly executed from BASIC, even within a program, without disturbing the resident code. System options, such as password protection, number and type of disk drives. BREAK key enable/disable and lowercase modification recognition, can be quickly and easily changed. Five new random-access file types allow record lengths of up to 4096 bytes, and no FIELDing! A powerful CHAIN facility allows keyboard INPUTs to be read from a disk file. An improved RENUMBER facility permits groups of statements to be relocated within disk file. An improved RENUMBER facility permits groups of statements to be relocated within program code. Diskettes may even be designated as RUN-ONLY! Features all NEWDOS+ utilities (SUPERZAP 3.0, etc.) and much more! One MTC technical staff member said having NEWDOS:80 is "better than sex" (you'll have to judge for yourself!). Includes 180-page instruction manual and MTC QUE card. NEWDOS/80.....\$ 149.95 MTC QUE Card only \$7.50 CALL REGARDING OUR NEWDOS+ UPGRADE

Complete for Model I with all utilities Plus exclusive MTC QUE card!

by Apparat

40 TRACK VERSION \$ 79.95

includes REF. RENUM. SUPERZAP. EDITOR.
ASSEM., DISASSEM., DIRCHECK. and more! This is the original NEWDOS with all of Apparat's utility programs. Includes exclusive MTC QUE (Quick User Education) card.

MTC QUE Card only \$1.50

CALCULATION SUBSYSTEM (CALCS)

MTC's most popular AIDS subsystem. Use for report generation involving basic manipulation of numeric data. Features are:

- · User-specified page title
- Columnar Headings
- Optional Indentation
- Columnar subtotals generated when there is a change in a user-specified
- **User-specified Columnar Totals**
- Columnar values computed using constants and/or column values
- Balance forward calculations (Ex: Gross sales equals previous gross sales + sale amount + sales tax).
- Use for accounting, inventory, financial and other numeric-based information systems.

MTC CALCS \$24.95 For Model II \$39.95



DISTRIBUTORS OF TOP QUALITY DISKS, DOS & DATA MANAGEMENT SYSTEMS

E TOOL

Any 3, \$49.95

. \$ 74.95 For Model II

TDAM \$19.95 For Model II \$29.95 Includes MTC QUE Card!

Having trouble with RANDOM FILES? With MTC's Table-Driven Access Method (TDAM) you'll never fret over FIELDing again. No knowledge of random access files is required. Insert the TDAM "interpreter" into any BASIC program and type in a few DATA statements describing the information in your files. TDAM does the rest! Reads and writes fields and records of any type fewer comwrites fields and records of any type (even compresses a DATE field into 3 bytes!). Features automatic file buffer allocation/deallocation, memory buffering, sub-record blocking/de-blocking, and handles up to 255 fields per record. Super last and super simple! Complete with TDAM interpreter, instructions and demo program. Requires programming experience.

DIVERGE										\$19.95
For Model	II									\$29.95

Compares two BASIC program files, showing the differences between them. Identifies & lists lines which have been inserted, deleted, & replaced. Use for version control.

REBUILD											\$19.95
For Model	II	l,									\$29.95

Reorganize programs for adding program code, faster execution, readability. Much more than simple renumbering. Rearrange groups of statements within a program - automatically updates references to line numbers. Use with SUPERSEDE and MINGLE for maximum effect.

SIFTER										\$19.95
For Model	11.									\$29.95

Twelve in-memory high-speed sorts for use in any BASIC program: stable, non-stable, with/without tags, for numeric or string data. Random File Sort included. Some sorts written in machine code. Includes sort subroutines, demo programs and increase and admits the state of the street and instructions. Relocate as needed wi REBUILD. Requires programming experience.

SHRINK										\$19.95
For Model II			•		٠					\$29.95

Makes Every Byte Count! Make programs smaller and faster! Combines lines & removes unnecessary code including remarks, without altering program operation. Typically reduces program size 25% to 40%.

SUPERSEDE			٠					\$19.95
For Model II			٠					\$29.95

A "must have" for the professional programmer or the serious amateur. Probably one of the greatest time-savers available. Write programs in shorthand - change variable names - generate program documentation - use with REBUILD and MINGLE to build new programs from old ones.

MINGLE-I	١.		ä	į,						\$19.95
For Model										

Merge up to 14 files (Program or Data) into a single file. Data files may be merged in ascending or descending sequence with the ordering based on a user-specified comparison field. A very handy utility for consolidating data files.

Single sided. Single density. Soft-sectored

\$23⁹⁵ Box of 10

10 Boxes of 10 (each box	\$22.95
Hard-sectored (10-hole). Box of 10	\$26.95
8-inch FLOPPIES	
Single-density, Box of 10	
Double-density, Box of 10	. \$39.95
PLASTIC LIBRARY CASES	
5 -inch or 8-inch diskette case	\$3.00
50 (5 '+ inch) diskette file box	\$29.95

FACTORY FRESH ABSOLUTELY FIRST QUALITY. Minimum order 1 box. NO order limit

Transfer PROGRAMS and DATA from MODEL I to MODEL II

TRAN-SEND

Requires MODEL II and MODEL I with disk & RS-232. Simple to use, not a kit - nothing else to buy. Complete with custom cable. 5147 & 8" floppies, instructions. May be used over phone lines Custom Cable only \$19.95

Suitable for use with Radio Shack* transfer program(ACT 0131)

Let your TRS-80. Teach You ASSEMBLY

REMSOFT's unique package, "INTRODUCTION TO TRS-80" ASSEMBLY PROGRAMMING" includes ten 45-minute lessons on audio cassettes, a display program for each lesson providing illustra-tion & reinforcement, and a text book on TRS-80° Assembly Language Programming. Includes useful routines to access keyboard, video, printer and ROM. Requires 16K · Level II. Model

Let Your TRS-80* Teach You

ASSEMBLY LANGUAGE DISK I/O TECHNIQUES

REMSOFT does it again! REMDISK-1 is a concise. capsulated supplement to REMASSEM-1. Package consists of two 45-minute lessons on audio casset tes, and display programs providing illustration and reinforcement. Provides specific track and sector I/O techniques, and sequential and random file access methods and routines.

REMASSEM-1 \$69.95 | REMDISK-1 \$29.95

The perfect supplement for your NEWDOS+, from IJG, Inc.

"TRS-80 DISK AND OTHER MYSTERIES"

by Harvard C. Pennington

132 pages written in PLAIN ENGLISH packed with HOW TO information with details, examples and indepth explanations. Recover lost files and directories, remove file protection, make BASIC programs unlistable. How to use SUPERZAP, recover from DOS errors and MORE!

TRS-80 DISK\$19.95

All products guaranteed for replacement only. Prices, Specifications & Offerings subject to change without notice.

MOST ORDERS SHIPPED WITHIN ONE **BUSINESS DAY**

WE ACCEPT

- VISA
- MASTER CHARGE
- CHECKS
- MONEY ORDERS

- Add \$2.50 for standard UPS shipping & handling
- . \$2.00 EXTRA for C.O.D.
- Ohio residents add 51/2 % sales tax.



TO ORDER CALL TOLL FREE 1-800-321-2037

IN OHIO CALL COLLECT (216) 566-9130

TRS-80 and Radio Shack are registered trademarks of Tandy Corp.



THE CHESTERFIELD BUILDING • 1801 EAST 12TH STREET, SUITE 222 • CLEVELAND, OHIO 44115

ADVERTISERS

RS N	lumber	Page	RS	Number	Page	RS	lumber	P	Pa
	AB Computers		320	Fisher Associates	80	116	Newby Software Development Co		
282	ACR Consultants	46		Form Village			Newtech		
368	AEM Computer Services	213	102	Fuller Software	182	74	Northeast Microware		. 1
152	A.M. Electronics	155	203	G.P. Associates	182	472	Northwest Micro Solutions		
45	AT-80	100	254	Galactic Software Ltd	211	245	Okidata Corp		
29	Access Unlimited	178		Galactic Software Ltd		389	Omega Sales		
4	Acorn Software Products			GAMECRAFT			Omikron		
7	Adventure International			Allen Gelder Software					
						296	Orange Micro		
	Advanced Management Strategies		79	Allen Gelder Software		480	Opamp Technical Books		
	Aerocomp, Inc		251	General Computer Company		96	PCD Systems		
	Alpha Byte Storage		75	Godbout	86	370	Pacific Exchanges		٠
01	Alpha Products Company	161	218	Good-Lyddon Data Systems	94	153	Pacific Office Systems		ě.
62	Alpha Products Company	161	270				Palomar Software		
10	Alpha Products Company	161		Harnessed Technology		64	Pan American Electronics		
	Alphanetics			Hayden Book Company, Inc.		207	Pensadyne Computer Services		
	The Alternate Source					1	Percom Data Company		
	American Business Computers		383						
			23	Hobby World Electronics		408	Percom Data Company		
	American Business Computers		103			409	Percom Data Company		
34	Apparat, Inc	92, 93, 167	37	IJG Inc	194	410	Percom Data Company		
7	Applied Economic Analysis	106	300	Information Technology Systems	187	258	Percom Data Company		7
	Archbold Electronics			Insiders Software Consultants Inc		43	The Peripheral People		
14	John Armstrong					422	Personal Micro Computers Inc		
			2	Instant Software			[1] : [1] :		
	Audio Video Systems			Interactive Fiction		270	Phase I Systems		
	Automated Simulations			Interface, Inc		273	Pickles & Trout		
01	Barnstrann Corporation		319	Interface Technology	158	200	Priority One.	218,	١,
9	Basics and Beyond, Inc		287			17	The Program Store/Realsoft		
	The Berg Works			International Software Associates		21	Programma International		
						364	The Programmers Guild		į
	Beta Computer Devices			Interpretive Education		441	Prosoft		
	Big Five Software Company			Interpro			Quality Software		
	Big Systems Software			JLS		269	Quant Systems		
14	Bitznbytes	100	190	JPC Products	201				
	The Bottom Line			JR Software			Quarp Publishing		
	The Bottom Shelf, Inc.			J&R Electronics		460	RAC Computer Products		
						41	Racet Computes		
	Bourrut Consulting Corp			Joe Computer		345	Racet Computes		
	Business Micro Products		85	Johnson Associates	231	400	Radio Shack Dealer (MA)		
13	CMS, Inc	134	149	Kogyosha Company	94		Rational Software		
8	CPU Shop	85	375	Krell Software	225		Realty Software Company		
	C&S Electronics Mart Ltd		53	LNW Research		400			
						433	Red Arrow Electronics		
	Caldata Systems			LTM Inc		70	Remsoft Inc		
	Cecdat, Inc.		14	Level IV Products, Inc		468	Rochester Data Inc		÷
3	Checks To-Go	121	•	Lifeboat Associates	199	191	Rondure Company		
59	Chicatrug News	157	471	Linnex Research Associates Ltd		271	S-C Computer Technology		
	Cload Magazine		15	Lobo Drive International			SJW, Inc.		
	CompuCover		451	MTS Enterprises.			S&M Systems Inc.		
						20+			
	Computer Case Company			Maco Manufacturing		291	Scientific Engineering Lab		
	Computer Consultants		59	Magnetic Media Distributors		195	Seidel's Electronics		
	Computer Program Associates		340	The Management		297	Service Technologies, Inc.		
1	Computer Simulations	215	87	Management Systems Software	188	255	Michael Shrayer Software		
0	Computer Textile	154	90	Manhattan Software, Inc		19	Simutek 102, 191, 194	, 204, 214,	k,
	Computers Unlimited		343			67	Sirius Systems		
	Computers 'R' Us.					18	Small Business Systems Group		
			309	Judson McClendon		30	Small System Software		
	Computex			Med Systems Software					
	Computex		421	Medfield Computer Software		232	Snapp		
	Computronics, Inc		330	Mediamix			Soft Sector Marketing Inc		
	Comsoft		104	Mercer Systems, Inc.		416	Software Central		
						399	Software Efficiency		
	Contract Services Associates		20	Meta Technologies Corp		42	Software Etc		
	The Cornsoft Group		54	Micro Architect			Software Innovations		
3	Cottage Software	205	214	The Micro Clinic					
	Creative Developments		379				The Software Mart		
	Cryptext Corporation		476				Sounds, Etc. Inc		
	Custom Computer Center		-			373	Southern Innovative Design (SID)		
			89	Micro Learningware		455	Starr-80		
	Custom Electronics		72	Micro Management Systems Inc			Sterling Computer Products		
	Cybernetics, Inc		68	Micro Matrix	133		Stocking Source		
9	D-Soft	215	29	Micro Mega	102, 227		Sturdivant & Dunn, Inc		
	Data Train, Inc.		310	Micro Mint		150	Sublogic		
	Data Trans		384	Micro Systems Software Inc					
			- 52.0				Sun Research		
	Data Truss, Inc.		95	Microcomp Software Systems			Superior Software		
	Data Wholesale		470	Microcomputer Systems		266	Synapse Video		
	Decision Master/Interlude		28	Microcomputer Technology Inc	92, 93, 167	211	Synergistic Solar Inc		्रे
4	Discount Software	103	307	Microcosm, Inc			Syracuse R&D Center		
	Discount Software Group.			The Micromatic Corp		467	Systems-80		
	Discovery Games					327	TYC Software		
			425						
	Disk Supply Co		332	Micromatic Programming Co		45	Taranto & Associates		
	Documan Software		•	Micron, Inc	86	25	Texas Computer Systems		
5	E&L Instruments Inc	58	360	Microtek Inc		437	Tulsa Microsystems, Inc		
	Edu-ware			Miller Microcomputer Services		428	Max Ule Advertising & Marketing Inc.		
		170					Unilogic		
	Eighty Microcomputing		24	Mini Micro Mart Inc			Universal Interface		
	26, 34, 88, 209, 210			Mics. Inc.					
	Electronics Specialists		221	MISOSYS	199		Universal Software Applications		
	Electronic Systems			Morton Technologies Inc		31	V R Data Corporation		
	Emtrol Systems Inc.			Mullen Computer Products		111	Vern Street Products		
							Vern Street Products/Keyline Comput		
	Epson America			Mumford Micro Systems		402			
	Esmark, Inc		456	NBCC	228	270	Wilson Software Division		
	Exatron	. Cov. IV		NRI Schools			Wilson Software Division		
	FMG Corporation		420	National Computer Shows		355	Zocchi Distributors		4
				ITALIONAL COMPULET SHOWS	191				
?	Falcon Computer & Services			New England Business Service, Inc	167		this advertiser prefers to be contact	ed directi	11.

When It Comes To TRS-80 Add-on Memory...

LOBO Has

LOBO DRIVES manufactures disk drive subsystems designed to provide TRS-80* users with a wide selection of low-cost, high-speed, efficient, mass-storge capabilities. Every LOBO DRIVES Memory System is thoroughly tested and burned-in to assure reliability and carries LOBO's unique one year, 100% parts/labor warranty.

Expansion and enhanced capabilities are key words in achieving full utilization of your computer system. LOBO DRIVES complete line of TRS-80 compatible disk drive subsystems is the ideal, cost effective way to provide the expansion capabilities you need to meet your system growth requirements

*TRS-80 is a trademark of Radio Shack A Tandy Company

TRS-80 MODEL II

LOBO DRIVES makes expanding your TRS-80 Model II very, very easy. Now you can add more floppy disk memory at less cost And, LOBO can provide you with up to 40 MBytes of

fixed disk. Winchester technology storage capacity that is completely software compatible to your Model II.

- Model 800-850 8-inch dual Floppy Systems
- Model 1850 Dual Floppy/Fixed Disk Memory System

MODEL 1850 DUAL FIXED/FLOPPY DISK MEMORY SYSTEM

LOBO DRIVES has combined a 5 or 10 MByte Winchester technology fixed disk and 1.6 MByte double-sided, double-density floppy disk drive in one cabinet. The unique controller can accommodate two dual units. Now you can have the speed and reliability of fixed disk, with built-in floppy back-up.

- . 5 or 10 MByte Fixed Disk Capacity
- · Up to 1.6 MByte Floppy Disk Capacity
- · Winchester Reliability
- · Software Compatible

MODEL 800/850 DUAL FLOPPY DISK MEMORY SYSTEM


Complete with stylized cabinet, power supply, controller, interface, and cables, the Model 800/850 Dual Floppy Disk Memory System is the ideal way for the serious user to expand his disk-based TRS-80.

- · Up to 3.2 MBytes Capacity
- · Single-side, Single or Double Density
- . Double-Side, Single or Double Density
- Complete Software Compatibility

MODEL LX80 EXPANSION INTERFACE

LOBO DRIVE's new Model LX80 expansion interface enhances system performance by expanding disk storage capacities beyond 40 MBytes, adding a second serial port and facilities for an additional 32 K RAM. The LX80 permits you to achieve the maximum expansion capabilities of your TRS-80

- · Connects Directly to Keyboard
- Two Serial Ports (optional)
- One Parallel Expansion Port (standard)
 - One Parallel "Centronics Printer Port (Standard)
 - Supports Double Density
 5½ and 8 inch Floppies
 - Separate Port for 8-inch Floppies
 - Switch for Overriding Keyboard ROM
 - Separate Port for Fixed Disk Drives



LOBO combines the outstanding capabilities of the latest technological breakthrough in disk drives, the Shugart Technology 5¼-inch Micro Winchester fixed disk

drive with the proven reliability of the Model 400/450 Floppy Disk in one

easy-to-use cabinet

- The Storage Capacity of 16 doublesided, double-density Mini-Floppies
- Built-in Floppy Disk Back-up
- · 170 Msec Average Access Time
- Sealed Environment/Winchester Reliability

NOTE Limited Availability in the Fall 1980

year, 100% • High Speed Access Time • One Para

MODEL 400 51/4-INCH FLOPPY DISK MEMORY SYSTEM

A low-cost, high performance, softwarecompatible Floppy Disk for TRS-80 Model I

- · Up to 220 KBytes Capacity
- · Single/Double Density
- · Soft Sector Format
- 298 Msec Access Time

See your nearest dealer, call, or write for the complete LOBO DRIVES story find out just how competitively priced a quality drive can be



INTERNATIONAL

935 Camino Del Sur Goleta, California 93017 (805) 685-4546 Telex: 658 482

Pump Up Your TRS-80 with the ES/F Mass Storage System



Actual Thickness V

THESE FACTS SPEAK FOR THEMSELVES!

	CASSETTE	ES/F	MINI-DISK
SPEED (Seconds to load "Blackjac	56 :k'')	6 (5' wafer)	6½
CAPACITY (thousands of bytes)	38 (C-20)	64 (75' wafer)	59 (TRSDOS)
RELIABILITY (Designed for digital data?)	NO	YES	YES
SYSTEM COST (First unit plus interface)	\$60	\$250	\$800
MEDIA COST (in quantities of ten)	\$3.10 cassette	\$3.00 wafer	\$3.20 disk

Let's face it. Cassette players were not designed to store digital data and programs. That's why we designed a digital storage system using a continuous tape loop: the Exatron Stringy/Floppy (ES/F) and the Wafer. There's no expensive interface to buy-the ES/F comes ready to pump up your TRS-80.*

Once your TRS-80* is pumped up by our ES/F...you won't want to deflate it. We're so sure, that we offer an unconditional 30-day money-back guarantee and a one-year limited war-ranty. Over 2,000 TRS-80 * owners have met the wafer . . . why don't you?

