

AUSTRALIAN OS9 NEWSLETTER

sides 'No. of cylinders' (in decimal) :Interleave value: (in decimal) @FREE Syntax: Free [devname] Usage : Displays number of free sectors on a device @GFX Syntax: RUN GFX(<funct><args>) Usage : Graphics interface package for BASIC09 to do compatible VDG graphics commands @GFX2 Syntax: RUN GFX2([path]<funct><args>) Usage : Graphics interface package for BASIC09 to handle

Usage : window help to @IDENT from OS single line directory @INKE input a the proc memory

text files @LOAD Syntax: Load <pathname> [e] Usage : Loads modules into

memory @MAKDIR Syntax: Makdir <pathname> Usage : Creates a new

directory file @MDIR Syntax: Mdir [e] Usage : Displays the present memory

module directory Opts : e = print extended module directory @MERGE Syntax:

Merge <path> @MFREE Syntax: Free [modname] Usage : Deletes modules from

standard output RAM memory

@MODPATCH Syntax: Modpatch [modname] Usage : Patches a module in

RAM memory @MOVE Syntax: Move <modname> [l] Usage : Moves a module in

RAM memory to another location @NAME Syntax: Name <modname> <new modname> Usage : Renames a module @NORM Syntax: Norm [modname] Usage : Normalizes a module

@OPEN Syntax: Open <modname> [path] Usage : Opens a module in memory

@PATCH Syntax: Patch <modname> [path] Usage : Patches a module in memory

@PRINT Syntax: Print <modname> [path] Usage : Prints a module in memory

@PROTECT Syntax: Protect <modname> [path] Usage : Protects a module in memory

@RELEASE Syntax: Release <modname> [path] Usage : Releases a module from memory

@RENAME Syntax: Rename <filename> <new filename> Usage : Gives the file or directory a new name @RUNB Syntax: Runb <i-code

module> Usage : BASIC09 run time package @SETIME Syntax: Setime

[yy/mm] Syntax: Setime <yy/mm> Usage : Sets the current date

@TPR Syntax: Tpr [modname] Usage : Prints the current

execution directory path @TUNEPORT Syntax: Tuneport <t1 or /p>

[value] Usage : Adjust the baud value for the serial port @UNLINK Syntax: Unlink

<modname> Usage : Unlinks module(s) from memory @WCREATE Syntax:

EDITOR	Gordon Bentzen	(07) 344-3881
SUB-EDITOR	Bob Devries	(07) 372-7816
TREASURER	Don Berrie	(07) 375-1284
LIBRARIAN	Jean-Pierre Jacquet	(07) 372-4675
SUPPORT	Fax Messages Brisbane OS9 Users Group	(07) 372-8325

Addresses for Correspondence

Editorial Material:

Gordon Bentzen
8 Odin Street
SUNNYBANK Qld 4109

Subscriptions & Library Requests:

Jean-Pierre Jacquet
27 Hampton Street
DURACK Qld 4077

Volume 6 January 1992 Number 1 ETPR

num @ FEBRUARY to printer

@TMODE Syntax: Tmode <modname> [param] Usage : Changes

the operating parameters of the terminal @TUNEPORT Tuneport <t1 or /p>

[value] Usage : Adjust the baud value for the serial port @UNLINK Syntax: Unlink

<modname> Usage : Unlinks module(s) from memory @WCREATE Syntax:

AUSTRALIAN OS9 NEWSLETTER
Newsletter of the National OS9 User Group
Volume 6 Number 1

EDITOR : Gordon Bentzen
SUBEDITOR : Bob Devries

SUPPORT : Brisbane OS9 Level 2 Users Group.

TREASURER : Don Berrie
LIBRARIAN : Jean-Pierre Jacquet

Welcome to our first edition for 1992 of the Australian OS9 Newsletter. If you are interested in the lastest developments in the OS9 community worldwide then read on.

Since the demise of the U.S. based OS9 Usergroup some enthusiasts have formed together as 'The OS9 Community Network' and seems that promotion of this group is led by John Wight and no doubt many others. We have received a disk copy of their first Newsletter which is reproduced in part below. This should give you an idea of what it is all about.

One of our own National OS9 Usergroup members, Bob Mackay, has made contact with John Wight through the message facilities of Compuserve Information Systems, (CIS) and Rob is well down the track in arranging FIDO access here in Australia to the OS9 Community Network. Anyway, more on that a little later. Gordon.

OS9 COMMUNITY NETNEWS
Issue 1, Vol I, Dec. 91.

COPYRIGHT & OWNERSHIP

OS9 Community NetNews is the property of The OS9 Community Network. This newsletter is put in the public domain and any part may be reprinted or included in another publication for educational purposes only, so long as the source of the article is mentioned. Any material from the OS9 Community NetNews for profit may only be used with permission of the OS9 Community NetNews Editor and/or the author of the article. The Editor of the OS9 Community NetNews and the authors may be reached through the editor; Dave Kelly, 12306 Aste Lane, Houston, Texas 77065; 713-894-7444 or via the OS9 Fido Echo at the Golden Coco (106/941).

From John Wight,
If I were very nostalgic, I could say the OS-9 Community Network started when I purchased my first computer (an MC-10) in 1984. I liked this inexpensive computer so much, I gradually moved up to a very complete COCO 3 OS-9 Level 2 system.

Or perhaps it got its start when I went to a community college for two years to earn my Associate of Technical Arts Degree in computer repair. It was there I first experienced the excitement of sharing my computer

knowledge and experience by running a BBS on a Tandy Model 3 with a 300 baud modem and four single sided floppy drives. I enjoyed it so much, I started dreaming and began to plan my own BBS which went online a few years later.

However this is the OS-9 "COMMUNITY" Network. There are many others in the COCO and OS-9 community who made it special, and have helped us to develop what is now becoming the OS-9 Community Network. For example, if it weren't for Lonnie Falk, Dale Puckett, and many others who had a part in Rainbow Magazine, many of us might never have gotten started with the COCO and OS-9, and come to realize what a powerful operating system OS-9 Level 2 really is and at a steal price. Over the years, Lonnie told us many stories in the Rainbow about how it grew from some ideas and a couple of pieces of paper to a thick magazine that kept many of us in touch with the COCO and OS-9 community for many years. It is this community that kept the Rainbow going strong for so long.

Then as the online COCO and OS-9 community evolved, Rainbow was getting thinner in pages, some of our favorite COCO and OS-9 experts left the Rainbow, and many hardware and software companies stopped advertising in its pages.

Around the same time Rainbow started getting thinner, a community of COCO and OS-9 users started getting together on FIDONET, a worldwide amateur network of over 10,000 BBS systems. Many of us learned that it is an excellent and cheap (in some cases free) place to keep in touch with COCO and OS-9 experts, and other members of our very friendly community. New users found they could get questions answered in a day or two (or less), learn where to get software, hardware, and the support that they were lacking from Tandy and other sources.

After I had experienced the wonder and power of OS-9 Level 2 for a while, with its multitasking and windows, I learned about RibBBS which was written to be FIDONET compatible. So I decided to join the FIDONET network to further my aspirations of being a supporting member of our special community. After seeing Tandy drop its support of the COCO and OS-9 markets, and seeing the Rainbow getting smaller yet, I decided to look for more ways to support this community and do my part to help keep it alive. I eventually took on the job of echo moderator for the FIDONET COCO and OS9 conferences, and continued to share my knowledge of and experience in OS-9

AUSTRALIAN OS9 NEWSLETTER

with other users, and I continue to do my best to ensure that our community stays friendly.

Then ideas started coming in on the echos. Some wondered what Microware would do with OS-9 when Tandy quit its support. Someone mentioned the possibility of its release to a non profit group. So we thought, why not release it to members of the largest amateur network in the world. We also discussed the possibilities of routing and echoing files to OS-9 BBS systems in the same way FIDONET echo messages are efficiently routed at low cost. It was these ideas and many more discussed among members of this special community that is currently evolving into the OS-9 Community Network. My dream is to see it grow into the best group of quality computer users in support of one of the best operating systems in the world, just as Lonnie Falk's 4 page newsletter grew into a magazine that educated many of us to the vast potential of the COCO and OS-9 Level 2 in a mostly MS-DOS world. Just as Rainbow is now starting to include information on the new machines designed to be an upgrade to the COCO, we will be upgrading to include information on the new machines and OSK as well.

I wish to thank all of you in the COCO and OS-9 community, as it is you who have helped us to keep our favorite computer and operating system alive. I would like to thank many individually, such as sysops who offered their BBS systems, software authors, hardware hackers, Rainbow staff, CIS and Delphi members; I could go on and on, but there are just too many to list that helped us to get where we are today. In appreciation, I offer to all members of our special community the OS-9 Community Network.

John Wight.

From Don Vaillancourt, October 31st, 1991

Welcome to all OS-9 users,

Over the summer many of you have been sitting idly by waiting for the beginning of a new era for instance the three OSK vendors which have offered low cost yet powerful machines for the home end user and also powerful features for the power hungry individual. We at the OS-9 Community Network would like to welcome all these new and old OS-9 hardware and software vendors and each new individual it may bring along with it.

The really big surprise I would assume for most of you was the resurrection of a new OS-9 User's Group called the OS-9 Community Network. Currently O.C.N. is still in its infant stage and rapidly growing. For those who don't know much about O.C.N. read on.

To make it brief, O.C.N. was formed over the FIDO OS-9 International Echo in July of '91. Using the network's backbone to exchange ideas and provide connections for us has helped a great deal. We have acquired over 100 users

from the network over the four past months and a few at the recent Atlanta CoCoFest, and believe it or not we are still acquiring more. Many of the big plans currently waiting to explode at your door step are many data services such as a "MANPOWER" database which would be used to store information about any individual looking for employment in the OS-9 software/hardware field or any companies looking for specific individuals and an OS-9 "VENDORS" database, "BBS's and USER GROUP" database along with many other features which would appeal to many OS-9 users.

We are also slowly exploring new possibilities such as setting up a central BBS for use by business' and individuals and other services to help the new forming business get a head start.

As for our newsletter, The OS-9 Community News, we still don't have any guidelines engraved in stone to what we will publish, but we hope to be bringing many useful articles. I will try to conduct regular surveys and post the results on different issues concerning the OS9 market. many useful articles. I will try to conduct regular surveys and posting results on different issues concerning the OS-9 market.

Well that's all I have to say for this issue and certainly hope that the OS-9 Community Network will be a dream come true. If you wish to contact any of us, our names should be available in this issue somewhere. Don Vaillancourt.

Off-Line E-Mail Systems and Readers.

It sure is nice to have FidoNet on your favorite BBS. Now you can reach hundreds of COCO users across Canada and the U.S. But the Problem is reading all those messages. Most of the time you usually skip the long messages and read only messages addressed to you because you feel you are hogging the System and there just isn't enough time to read them all without rushing. Just like most OS-9 users I had the same problem until the day I made a visit to my friend Daniel (Sysop of THE PBO BBS). He was reading some messages but the strange thing was that the modem was Off-Line! "How can you read messages without being On-Line," I asked. And that's when I was introduced to Off-Line E-Mail Systems.

An Off-Line E-Mail System is a program run by the BBS that will bundle messages in a packet that you download. One can find such a program mostly on MS-DOS BBS and in some cases on some Macs. It usually as a configuration menu that gives you a choice of protocol to use, the type of ARChive to use, plus many other options, depending on the system used. But the most important selection is the option to SELECT the desired areas you wish to download.

AUSTRALIAN OS9 NEWSLETTER

Once this is done it remains as is until you change it again. The most popular format for these Off-Line E-Mail Systems is QWK. There is also, designed by Hector Santos, the Silver Xpress (c) Copyright by Santronics Software that is very popular in Europe and picking up grounds in North America. Whichever system the BBS uses, the user must first download a program to be able to read this mail. This program is commonly called a reader. There are many readers for QWK format.

The OS-9 community still to this day does not have such a system on a BBS but there are now 3 known readers for OS-9 that will permit a user to use Off-Line E-Mail Systems on MS-DOS BBS. I have written 3 of them. Xpress09 that will run on a system using Santronics Silver Xpress and MaxQWK09 for use on BBSes using the QWK format. Scribe is also a QWK format reader for OS-9.

What does a reader do? A reader allows you to read the messages Off-line at your own pace and has a reply option to allow you, the user, to reply to any message you choose. There is a built in editor to write your replies and also an option to quote the message. After you have done using the reader it will bundle the replies in a packet with the .REP extention that you then upload to the BBS at your convenience.

Xpress09 and MaxQWK09 are available on DELPHI and Compuserve or on The Pro BBS by Freg using XPRESS09 or QWK09 as a magic word. SCRIBB may be available on your local BBS. Hopefully, soon they will be available on all The OS-9 Community Network regional Libraries.

If you have any questions leave them to the OS-9 Netnews Editor or on the OS-9 Echoes where I can collect them and answer them in the Netnews. Till then Keep Posting.
Tony Delle Donne.

Docs on OS-9 echo from Fidonet, as at 28/01/92.

From, Rob Mackay, Brisbane, Australia.

1. Echo area set up on Galaxy Gateway BBS. Access to echo not yet available.
2. Access will be on TRIAL basis only. Initial discussions between sysop and myself indicate trial of one month minimum. Maximum depends on usage (support), both financially & system usage.
3. Cost is initially around A\$40.00 per month, although this is not confirmed. This is based on ONE user. Initial trial cost will be borne by Galaxy Gateway owner & sysop. (James Collins).
4. Access will be available on all Fidonet BBS's throughout Australia. Contact your sysop. Refer them to G.G.C.S on 31640/316 (James Collins).
5. The more OS-9 users that join Fidonet BBS's (a lot probably already are) & arrange access to the OS-9 echo the cheaper it will become for all of us.
6. I hope to be able to provide more information & registration forms for the new OS-9 Community Network, as information comes in from John Wight (International Coordinator). I am currently waiting on replies to queries through the G.G.C.S. sysop & CIS.
7. If we as a community support what is being done in the states it can only benefit us all. If we don't then we should not complain if it fails from lack of support. More to the point it will definately be a loss to us all should this happen.

oooooooooooo000000000oooooooooooo

TROJAN HORSE FOR OS9?

The following information comes from the OS9 Internet discussion forum. It appears that, a replacement version of the free command has been found in the US, which has a nasty little routine incorporated. The stock Microware version (CPC: Z71F9D) is safe. If you are using a non-standard version, check that it is not the version mentioned below!!

From: IN%"bgsitre%SEABASS.ST.USM.EDU&uga.cc.uga.EDU"
21-JAN-1992 10:55:29.76
To: Multiple recipients of list COCO (COCO@PUCC)
CC:
Subj: Trojan Horse

I want to warn all of you about a potential trojan horse that has been around. A friend of mine has already been hit by it, and I obtained the source code from a BBS. I contacted the SysOp and he was NOT aware of it being on his BBS. When we tried to track down who was responsible for uploading it, we found someone by the name of Mark O'Conner. After finding the home phone number on the registration form, we called and got a disconnection message.

The trojan horse is actually a version of FREE that was distributed with the GSHELL+ patches. It subtly erases the first 32 sectors of the specified device IF the program is run between 45 after and the top of the hour.

AUSTRALIAN OS9 NEWSLETTER

Doing a FREE /HO between these times, you can kiss your hard drive data goodbye.. I've got the IDENT of the ORIGINAL and CLEAN version of FREE, as well as the trojan horse version:

ORIGINAL CLEAN FREE:

Header for: Free

Module size: \$0229 #553

Module CRC: \$B98D76 (Good)

Hdr parity: \$00

Exec. off: \$0012 #13

Data Size: \$01F9 #505

Edition: \$02 #2

Ty/La At/Rv: \$11 \$82

Prog mod, 6809 obj, re-en, R/O

TROJAN HORSE FREE:

Header for: Free

Module size: \$0238 #568

Module CRC: \$25567A (Good)

Hdr parity: \$11

Exec. off: \$0012 #13

Data Size: \$01FF #611

Edition: \$02 #2

Ty/La At/Rv: \$11 \$82

Prog mod, 6809 obj, re-en, R/O

Please be careful of this subtle, but damaging program. If anyone else finds this version floating around, please leave me email on where you found it and when.

Thanks, Boisy Pitre

oooooooooooo0000000000oooooooooooo

EUROPEAN OS9 USER GROUP

Some information from Peter Tutelaers in Holland

In England MicroWare has started a new usergroup with a name VERRY similar to ours (OS9 European User Group). In order to avoid name conflicts we decided to, from now on, use EUROS9 for our group. A name I prefer anyhow.

According to the information I got (which was not first hand), this is MW's way to resurrect the old usergroup they (?) had. This group is mainly for business people I guess (as MW is). They plan to publish a newsletter, have meetings and will also have a BBS running in the UK by the time you read this.

I wished I could only re-locate (?) the copy Malcolm (presumably one of the EUROS9 members, E9) sent me with the phone-number/area code of the BBS. I know it was operated by two persons of VG Systems (on which I couldn't find any info either). Guess this'll have to wait for next month.

For info/sign-ups you'd best write to:

OS9 EUROPEAN USER GROUP

c/o The Mulberry

Warren Lane

Cross-in-Hand

Heathfield

East Sussex

TN21 0TB England

Their membership-fee is 20 Pounds. I've signed up with the group so I too should be able to keep you up-to-date on what the 'other' group is doing. Maybe we'd be able to work together in the (near) future. I do have plans of joining the first meeting they'll organize. Maybe I could meet some of you at that time as well (would be my first trip to the UK)...

oooooooooooo0000000000oooooooooooo

GIME GIME GIME GIME GIME GIME GIME GIME GIME

G	GIME Chips	G
I	Anyone who needs (or wants) replacement GIME	I
M	chips for their CoCo 3 computers, please contact	M
E	Jean-Pierre Jacquet at your earliest convenience.	E
	He has been able to ferret out a supplier of	
G	these chips in USA, and the price is very good.	G
I	Please phone your orders to (07) 372 4675 or	I
M	Fax (07) 372 8325, so that he can place a bulk	M
E	order.	E

GIME GIME GIME GIME GIME GIME GIME GIME GIME

AUSTRALIAN OS9 NEWSLETTER

Patch for Deldir
by Bob Derries

Here is a patch for the 'Deldir' command for those of you who are using the newer version of 'dir', out of our archive 'diros9k.ar'. This version of dir requires you to use a '-e' to get the extended directory where the supplied dir you type 'dir e'. So why patch deldir, you ask? Well, deldir uses the 'dir e' command if you choose the 'l' option when asked. Of course, this won't work if you have the new dir command. So here is a basic09 programme which produces an Ipatch file for you to patch deldir. Be careful to get all 128 numbers in the DATA section correct, otherwise your patch isn't going to work at all.

Regards, Bob Derries

```
PROCEDURE makdeldirpat
0000    DIM path:INTEGER
0007    DIM a:BYTE
000E    DIM x:INTEGER
0015    CREATE #path,"deldir.ipc":WRITE
002A    FOR x=1 TO 128
003A        READ a
003B        PUT #path,a
0049    NEXT x
0054    CLOSE #path
005A    END
005C    DATA $02,$7C,$02,$7D,$02,$00,$03,$00,$01,$00,$01,$71,$7D,$02,$00,$08
00A0    DATA $00,$01,$00,$01,$56,$57,$02,$00,$23,$00,$01,$00,$01,$9F,$A0,$02
00E4    DATA $00,$28,$00,$01,$00,$01,$19,$1A,$02,$01,$1E,$00,$01,$01,$56A
0128    DATA $5B,$02,$01,$2B,$00,$01,$00,$01,$19,$1A,$02,$01,$3B,$00,$01,$00
016C    DATA $01,$3B,$3C,$01,$01,$43,$00,$00,$00,$01,$2D,$02,$01,$43,$00,$00
01B0    DATA $00,$04,$02,$30,$8C,$F2,$02,$30,$8C,$F1,$02,$01,$64,$00,$01,$00
01F4    DATA $01,$D4,$D3,$02,$01,$74,$00,$01,$00,$01,$C9,$03,$02,$02,$79,$00
0238    DATA $03,$00,$03,$16,$BD,$56,$4C,$7D,$2F,$04,$02,$7C,$00,$01,$00,$00
```

oooooooooooo0000000000oooooooooooo

Patching Kevin Darling's GFX2
by Bob Derries

You may remember that I reported that there is a bug in Kevin Darling's new GFX2 module for Basic09. Well, not any more! I managed to find the problem, and patch it. I produced an Ipatch file so your copy of the gfx2 module can be patched, too. As well as that, so that you don't have to send away for the public domain disk, I have produced a Basic09 programme which produces the ipatch file. Type it in, and presto, you'll have a file called 'gfx2.ipc', which you can use with the programme 'Ipatch' to fix your gfx2 file. Of course, if you don't have the Ipatch programme, you'll need to send to our PD librarian for PD disk number 4!

After I had done all the detective work to fix GFX2, Gordon Beatson called to tell me that he had an Ipatch file called gfx2.ipc from Kevin Darling himself, which fixes the same problems, but in a different way. So, in the interests of uniformity, I will give you the Basic09 programme to produce that file instead of my own. Why does this always happen to me?

Now, here's the source:

```
PROCEDURE makgfx2patch
0000    DIM path:INTEGER
0007    DIM a:BYTE
000E    DIM x:INTEGER
0015    CREATE #path,"gfx2.ipc":WRITE
0028    FOR x=1 TO 678
0039        READ a
```

AUSTRALIAN OS9 NEWSLETTER

```
003E      PUT #path,a
0049      NEXT x
0053      CLOSE #path
0059      END
005B      DATA $09,$49,$09,$49,$03,$00,$12,$00,$02,$00,$03,$03,$9C,$00,$03,$98
009F      DATA $02,$00,$1B,$00,$01,$00,$01,$F3,$F2,$02,$00,$23,$00,$01,$00,$01
00E3      DATA $FB,$FA,$02,$00,$2A,$00,$01,$00,$01,$10,$0F,$02,$00,$30,$00,$01
0127      DATA $00,$01,$14,$13,$02,$00,$36,$00,$01,$00,$01,$18,$17,$03,$00,$3D
016B      DATA $00,$03,$00,$02,$FF,$04,$BD,$04,$BC,$02,$00,$46,$00,$01,$00,$01
01AF      DATA $22,$21,$02,$00,$4F,$00,$01,$00,$01,$9F,$9E,$02,$00,$57,$00,$01
01F3      DATA $00,$01,$D0,$CF,$02,$00,$60,$00,$01,$00,$01,$DB,$DA,$02,$00,$68
0237      DATA $00,$01,$00,$01,$E6,$E5,$02,$00,$70,$00,$01,$00,$01,$EA,$E9,$02
027B      DATA $00,$78,$00,$01,$00,$01,$EE,$ED,$02,$00,$81,$00,$01,$00,$01,$F9
02BF      DATA $F8,$02,$00,$8B,$00,$01,$00,$01,$12,$11,$02,$00,$96,$00,$01,$00
0303      DATA $01,$1F,$1E,$02,$00,$9F,$00,$01,$00,$01,$33,$32,$02,$00,$A5,$00
0347      DATA $01,$00,$01,$44,$43,$02,$00,$AB,$00,$01,$00,$01,$55,$54,$02,$00
038B      DATA $B5,$00,$01,$00,$01,$59,$58,$02,$00,$BD,$00,$01,$00,$01,$7C,$7B
03CF      DATA $02,$00,$C6,$00,$01,$00,$01,$73,$72,$02,$00,$D0,$00,$01,$00,$01
0413      DATA $77,$76,$02,$00,$D8,$00,$01,$00,$01,$AF,$AE,$02,$00,$E1,$00,$01
0457      DATA $00,$01,$BC,$BB,$02,$00,$EB,$00,$01,$00,$01,$CC,$CB,$02,$00,$F6
049B      DATA $00,$01,$00,$01,$0A,$09,$02,$00,$FE,$00,$01,$00,$01,$0E,$0D,$02
04DF      DATA $01,$05,$00,$01,$00,$01,$D0,$CF,$02,$01,$0F,$00,$01,$00,$01,$D4
0523      DATA $D3,$02,$01,$18,$00,$01,$00,$01,$D8,$D7,$02,$01,$21,$00,$01,$00
0567      DATA $01,$DC,$DB,$02,$01,$2B,$00,$01,$00,$01,$37,$36,$02,$01,$32,$00
05AB      DATA $01,$00,$01,$CF,$CE,$02,$01,$3C,$00,$01,$00,$01,$D4,$D3,$02,$01
05EF      DATA $42,$00,$01,$00,$01,$EA,$E9,$02,$01,$4C,$00,$01,$00,$01,$EE,$ED
0633      DATA $02,$01,$54,$00,$01,$00,$01,$19,$18,$02,$01,$5D,$00,$01,$00,$01
0677      DATA $1D,$1C,$02,$01,$68,$00,$01,$00,$01,$21,$20,$02,$01,$71,$00,$01
06BB      DATA $00,$01,$29,$28,$02,$01,$79,$00,$01,$00,$01,$31,$30,$02,$01,$82
06FF      DATA $00,$01,$00,$01,$35,$34,$02,$01,$89,$00,$01,$00,$01,$39,$38,$02
0743      DATA $01,$92,$00,$01,$00,$01,$3D,$3C,$02,$01,$9A,$00,$01,$00,$01,$41
0787      DATA $40,$02,$01,$A3,$00,$01,$00,$01,$45,$44,$02,$01,$AE,$00,$01,$00
07CB      DATA $01,$4B,$4A,$02,$01,$B6,$00,$01,$00,$01,$4F,$4E,$02,$01,$BE,$00
080F      DATA $01,$00,$01,$53,$52,$02,$01,$C6,$00,$01,$00,$01,$57,$56,$02,$01
0853      DATA $CF,$00,$01,$00,$01,$5B,$5A,$02,$01,$D9,$00,$01,$00,$01,$5F,$5E
0897      DATA $02,$01,$E4,$00,$01,$00,$01,$6C,$6B,$02,$01,$ED,$00,$01,$00,$01
08DB      DATA $70,$6F,$02,$01,$F7,$00,$01,$00,$01,$74,$73,$02,$00,$00,$01
091F      DATA $00,$01,$78,$77,$02,$02,$09,$00,$01,$00,$01,$0A,$09,$02,$02,$10
0963      DATA $00,$01,$90,$01,$2D,$2C,$02,$02,$18,$00,$01,$00,$01,$6B,$6A,$02
09A7      DATA $02,$23,$00,$01,$00,$01,$88,$87,$02,$02,$2C,$00,$01,$00,$01,$87
09EB      DATA $86,$02,$02,$33,$00,$01,$00,$01,$96,$95,$02,$02,$3B,$00,$01,$00
0A2F      DATA $01,$5F,$5E,$02,$02,$42,$00,$01,$00,$01,$2C,$2B,$02,$02,$49,$00
0A73      DATA $01,$00,$01,$F8,$F7,$02,$02,$51,$00,$01,$00,$01,$79,$77,$02,$02
0AB7      DATA $59,$00,$01,$00,$01,$F0,$EF,$02,$02,$63,$00,$01,$00,$01,$EB,$EA
0AFB      DATA $02,$02,$BD,$00,$01,$00,$01,$54,$55,$02,$02,$E0,$00,$01,$00,$01
0B3F      DATA $31,$32,$02,$09,$46,$00,$03,$00,$03,$47,$1C,$CE,$7A,$03,$31,$04
0B83      DATA $09,$49,$00,$00,$00,$00
```

If you wish, of course, you could order this file from our PD library. It is on disk 11.

Bob Devries

oooooooooooo000000000oooooooooooo

AUSTRALIAN OS9 NEWSLETTER

An Index of Rainbow OS9 Articles
compiled by Bob Devries
January - December '88

- January 1988 page 156
Stalking the Fire-Breathing Dragon - Tips for the OS9 beginner.
Nancy Stewart
- January 1988 page 166
OS9 - Catch the Wave - Help for OS9 users.
Cray Augsburg
- January 1988 page 160
KISSable OS9 - Back at the drawing board.
Dale L. Puckett
- January 1988 page 176
OS9 Programming - Screen dumping revisited.
Peter Dibble
- February 1988 page 152
The Impact of Multi-Vue - A first look at Tandy's user-friendly interface for OS9 Level II.
Cray Augsburg
- February 1988 page 182
KISSable OS9 - Using a fourth-generation database language.
Dale L. Puckett
- March 1988 page 180
KISSable OS9 - A view of Multi-Vue.
Dale L. Puckett
- April 1988 page 160
KISSable OS9 - new tools, new toys.
Dale L. Puckett
- May 1988 page 178
KISSable OS9 - Patches, programs and politics.
Dale L. Puckett
- June 1988 page 14
Help Is on the Way - Create online assistance.
Stephen B. Goldberg
- June 1988 page 180
KISSable OS9 - Another great beginning.
Dale L. Puckett
- July 1988 page 16
A New Outlook for OS9 - Using subdirectories and shell scripts to build an OS9 menu system.
Mark Roseman
- July 1988 page 174
KISSable OS9 - Sending the right signals.
Dale L. Puckett
- August 1988 page 182
KISSable OS9 - Volunteers build a better mousetrap.
Dale L. Puckett
- October 1988 page 143
Accessible Applications - Introducing the OS9 Team.
Richard A. White
- October 1988 page 147
KISSable OS9 - Another cry for standards.
Dale L. Puckett
- November 1988 Page 176
KISSable OS9 - Installation, automation and more.
Dale L. Puckett
- December 1988 page 160
Parameter Changes Made Easy - Take the drudgery out of changing parameters.
Steve Goldberg
- December 1988 page 186
Accessible Applications - Boot modifications.
Richard A. White
- December 1988 page 178
KISSable OS9 - Better tools are here.
Dale L. Puckett

oooooooooooo000000000oooooooooooo

MODULES which I have in my OS9Boot

These are the modules I have in my Boot, alongside the original files and where the changes or patches came from, as far as I remember. This information may prompt some of you to rush orders for our PD disks (we can only hope), to get the latest versions for yourselves.

Bob Devries

5 \$C1 \$B1F86C . REL

5 \$C1 \$6FD34C . REL

set boot step rate (newsletter article)

AUSTRALIAN OS9 NEWSLETTER

4 \$C1 \$8D0496 . Boot	4 \$C1 \$03DC4E . Boot	set boot step rate (newsletter article)
16 \$C0 \$C11516 . OS9p1	16 \$C0 \$969A94 . OS9p1	kevin darling OS9 filenames patch ('krniler')
17 \$C0 \$47B370 . OS9p2	17 \$C0 \$47B370 . OS9p2	no changes yet
11 \$C1 \$FD1FEA . IOMaz	12 \$C1 \$FD1FEA . IOMaz	no changes yet
67 \$C0 \$630456 . Init	67 \$C0 \$0B2322 . Init	number of open files to 12 (newsletter article)
6 \$I1 \$CA6AA9 . Cc3go	5 \$I1 \$1006FE . CC3Go	Don Berrie & Bob Devries patch (newsletter article)
3 \$C1 \$DF89F9 . Clock	3 \$C1 \$2D1B55 . Clock	irq patches (this is the Disto RTC clock)
29 \$D1 \$E1A177 . RBF	28 \$D1 \$EFBE13 . RBF	undel patch (rbf29.ar)
6 \$E1 \$9409D6 . CCHDisk	4 \$E1 \$A1199D . CCHDisk	version 6 patches (Disto hard disk) (easi06.ar)
163 \$E1 \$55F793 . CC3Disk	163 \$E1 \$A27877 . CC3Disk	irq patches (Disto SCSI controller)
1 \$E1 \$1170571 . Hammer	3 \$E1 \$150571 . Hammer	kevin darling's ramdisk
13 \$D1 \$391038 . SCF	13 \$D1 \$F946CA . SCF	kevin darling's command line editor patch (.sciedit.ar)
16 \$E1 \$14BA44 . CC3IO	16 \$E1 \$F737C2 . CC3IO	various patches (serialmouse.ar)
18 \$C1 \$744DB8 . WindInt	18 \$C1 \$1A9A7D . WindInt	various patches (mv2pat.ar)
3 \$E1 \$FEAA14 . NilDrv	3 \$E1 \$FEAA14 . NilDrv	no change
10 \$E1 \$3D7D8E . ACIAPAK	12 \$E1 \$C1EA10 . ACIAPAK	enlarged buffer size
12 \$E1 \$CC03EA4 . PRINTER	12 \$E1 \$CC03EA4 . PRINTER	no change
6 \$E1 \$A70A4C . Parallel	6 \$E1 \$A70A4C . Parallel	no change yet (Disto Parallel printer)
4 \$D1 \$AD6718 . PipeMan	4 \$D1 \$AD6718 . PipeMan	no change
2 \$E1 \$5B2B56 . Piper	2 \$E1 \$5B2B56 . Piper	no change
80 \$F1 \$CC06AF . Pipe	80 \$F1 \$CC06AF . Pipe	no change
6 \$I1 \$08030D . Printerr	6 \$I1 \$E61370 . Printerr	patch from level 1 (ipatch.ar)

oooooooooooo000000000oooooooooooo

Procedure to create a customized OS9 system disk by Jean-Pierre Jacquet

You will need the following: A 128K Colour Computer 3, TWO 40 track double-sided disk drives and a COPY of the original Tandy OS9 System and Boot/Config/Basic09 disks. Do NOT write protect these disks!!!

Boot the system using the original disk, and format a blank disk in drive /D1 (drive 1). This will give you a 36 track single-sided disk, unless you already have, and know how to use the DMODE utility from our Public Domain library. Insert the Boot/Config/Basic09 disk in drive /D0 (drive 0) and type:

CHX /D0/CMDS;CHD /D0

Now to run CONFIG, just type its name:

CONFIG

Go through all the steps required, selecting the device modules you want to use, and de-selecting those you don't need. Finally, after you have selected the correct Clock module (50Hz of course, for Australian machines), the config programme will FAIL with the following message:

Config: can't fork OS9Gen Error #207

Error #207 = memory full

Your OS9 system may now seem frozen, and may require several <ctrl><break> presses to restart.

There is now a file called Bootlist in the MODULES directory on the disk in drive /D0 (drive 0). Its contents should match the modules you selected during the running of Config. You can verify this by typing LIST /D0/MODULES/Bootlist

The amount of memory for you to run OS9Gen is 40K. OS9Gen requires one 8K block for itself, plus one 8K block for data, so that leaves 24K to give to OS9Gen to work with. So we can now type:

OS9Gen /d1 #20k </D0/MODULES/Bootlist

This command now creates an OS9Boot file on the destination disk. Make sure you type that input file with the redirection, otherwise each module name must be entered manually. IF NO INPUT FILE IS SPECIFIED AND <ENTER> IS PRESSED AT THE PROMPT, YOU WILL END UP WITH AN EMPTY OS9BOOT FILE ON YOUR DISK!

Create a command directory and a system directory on the new disk this way: Put the system disk back in drive /D0 (drive 0) and type:

CHD /D0;CHX /D0/CMDS

AUSTRALIAN OS9 NEWSLETTER

MAKDIR /D1/CMDS;MAKDIR /D1/SYS

Use of capital letters is recommended for directory names, and lowercase for other files.

There are now two possible ways to get all the files from the system disk to your new disk.

1. Create a file using DSAVE with its output redirected to a file like this:

```
DSAVE /D0 /D1 >filelist
```

Now EDIT this file to remove all the unwanted filenames, and use this file as a shell-script to copy all the files from one disk to the other. You do this by just typing its name.

2. Go straight into DSAVE, piping the output to SHELL, then delete the unwanted files later

```
CHD /D0/CMDS; DSAVE /D0 /D1/CMDS ! SHELL
```

Note that DSAVE, which uses the copy command to move the files, does not change the last modification date of your files, unlike some other programmes.

Follow a similar procedure to copy the SYS directory.

Now, to get the right colours on a TV or colour monitor, EDIT the startup file and insert the command 'MONTYPE R'. Copy this file onto your disk in drive /D1

(drive 1).

You now have a boot disk for 40 track double-sided (or whatever you chose in Config) but on 35 track single-sided disks.

We must now create a boot with the same contents, but on a 40 track double-sided disk. So here we go:

Use the new disk to re-boot OS9.

Format a disk in drive /D1. The command is simply:

```
FORMAT /D1 "diskname" R
```

After this has finished, and you type FREE /D1, you should read:

```
....Capacity: 1,441 sectors (1-sector clusters)  
1,431 Free sectors...
```

Now type COBBLER /D1

And then use the Dsave command to copy all the files from drive 0 to drive 1 as explained above.

You will now have a 40 track double-sided boot disk for OS9.

Jean-Pierre Jacquet

oooooooooooo0000000000oooooooooooo