\$4.50


FOR YOUR TAKEN AUSTRALIAN

# RAINBOW

November, 1985

Registered by Australian Post — Publication No. QBG 4009

No.53





Goodies



RES pack

A standard Joystick, Mouse or Koala Pad

All these pictures are unretouched screen photos or printouts (on an Epson RX-80).



ITERWA OR MICROS.



Peter & Jillian Collison 11 Grantley Avenue, Rostrevor S.A. 5073 Phone: (08) 336 6588

**GNOME SOFTWARE PRESENTS** 

# G-NUMBERS

\*Lottery Analysis Program\*

UNITED PRE-EMAS REVEASE \$49.95 + \$5.00 P&P

Requires 32k, Printer & Disk

Send Postal Order/Bnk Chq To Gnome Software, 9 Wangara Ave Morphett Vale, S.A. 5162 Phone Enquiries (08) 384-4503

## CoCoConnection

Connect your CoCo to the real world.

Drive relays, LEDs, Displays, Models, A/D, D/A converters, Keyboards, printers etc.

#### Features:

- # Two MC 6821 Peripheral Interface Adaptors;
- \* Provides 4 programmable User Ports;
- Each port provides 8 lines, and line can be programmed as an input or output:
- \* Comes with complete tutorial documentation and software;
- \* Supplied with LED demonstration unit;
- \* Switchable memory addressing allows use with Disk Controller or other modules via a Multipack Interface:
- Plugs into Cartridge Slot or Multipack, uses gold plated edge connectors;
- # A must for the hardware designer & debugger!

\$ 195.00

Available from:

Australian Rainbow Magazine.

Blaxland Computer Centre.





Reviews	۲	4
Education Page		
WHAT ZIT Randall Smith & Bob Horne	P	9
Learning the Art of Written Expression . Steve Blyn	P	12
Art Education Michael Plog Ph.D.	P	13
NO NINES ALLOWED Richard Ramella	P	15
ELEVATOR Bill Bernico	P	16
ZONX David Billen	P	17
GUPPIE GRAPHICS Jim Kent	P	20
OPERATION FREEDOM Steve Britton IV		
THE QUEST FOR THE FALCON'S LAIR Aron Fransen	P	30
COLOUR CARTOONS Wayne Thume	P	32
SIR EGGBERT David Dawson	P	38
MOON BASE AMPHIBIA Nick Bradbury	P	41
Mastering the DRAW Statement Joseph Kolar	P	47
Switching Double Sided Disks Tony DiStefano	P	49
Directions to BBQ	P	51
Interfacing Machine Language		
with BASIC R. Bartly Betts	P	52
ANALOGUE TO DIGITAL & BACK AGAIN Stephen Gunn		
Assembly File Kevin Mischewsky	P	58
THE CoCoCONNECTION Poxon & Morphett	Þ	50
THE COLORDECTION POXON & Northett	,	40
Robotics Graham Morphett	D	41
CoCoCAD Peter Kerckhoff	, B	01
FORTH FORUM John Poxon	r	07
Subscription Page	۲	12

UPPER CASE - Article & Program. Lower Case - Article only.

AUSTRALIAN RAINBOW Publisher and Editor Orsham Morphett Co. editor Kevin Mischewski Assisiant Editor Sonys Young. With grateful assistance from Brian Dougan, Richard and Judy Bob Thomson. Paul Humphries, Alex Hartmann, Michael Horn. Jim and Sheryl Bentick. Annette Morphett Cover Art Jim Bentick. Annette Morphett Cover Art Jim Bentick. Annette Morphett Island DEADLINES. The 7th of the preceding month of publication. All advertising is arranged through TeToAdventising. PO Bos 8730. Gold Ceast Med Centre. Old 4217.
OS 9. Kevin Holmass is the contact for ee. Binformation. He slate has access to 08.8 Software from the US. His address is: 39 Pearson St., Nevers, NBW, 2250.
All programmes in this Issue of AUSTRALIAN RAINBOW are available on Rainbow on Tape. The contents of this magazine is COPYRIGHT. Magazine owners may manish a cody of each programme plus two back use, but may not provide others with copies of this magazine. Telephone. 075 \$1.0015 Voice, 075 31 8370 CeCol. Mil. Printed by. Australian Rainbow Magazine PO Box 1747. Southboth. Old. 4216.
Founder GREG WILSON.

All the CoCo Programs from each month's Australian CoCo!

Only \$ 8.00 ea Purchase separately or we can charge you each month as we send them! or SUBSCRIBE for \$ 75.00 per annum.

The Best of CoCoOz

#1 - Education. 16K and 32K programs for your CoCo.

#2 - Games. Part 1 - 16K Basic & ECB games.

Part 2 - 32K ECB games.

#3 - Utilities. Utilities for your DECB or ECB CoCo.

The Best of CoCoOz

\$ 10.00 tape

\$ 21.95 disk

\$ 16.00 #3 on disk

\$ 17.95 for any two tapes.

DON'T FORGET CHRISTMAS IS ONLY 7 WEEKS AWAY!

## SO PUT IN YOUR ORDERS NOW!

SUPER SPECIALS FOR THIS MONTH ONLY While stocks. New Japanese shipments 10% dearer due to Aussie \$ SLIDE! DISK DRIVES with case & power supply "Ideal for disk system up -grades\* (PS will support 2 disk drives) 40 TK SS DD \$239 \$329 80 TK DS DD DISKETTES PRICES CRASH DS DD (bulk PK 25) 100% \$54.60 cert. 5yr Gte DS DD Attractive Clear Presentation Case \$26.18 PK of 10 MEMORY DEVICES at an unbeliveable price! Premium Parts 4164 (150nSec) \$1.35 ea

2764 (250nSec) \$3.18

CP880(s) 25cm,130cps Tractor friction feed. Front Dip Sw for options. Sockets for 4K buffer 2K fitted, Superior Square Pin Head Technology NLQ RS 232 I/F.Ideal for CoCo Graphics and more.\$346.24 CPB-136(s) 38cm. 130 cps. 2K Buffer fitted (exp to 4K). All CPB80 features & more includes: Linear Tractor and friction paper feeder. \$542.97 Centronics I/F versions also available at lower cost. Disk Drive System for CoCo, includes: PS, Case and Cables. 40TK DS DD. drive expandable to 2

Please Allow for P&P Bancard welcome.

Call for details. All

prices include tax.

drives.

\$399 inc.



ENERGY CONTROL INTERNATIONAL FO Box 6502 Goodine O Bracem ALESTRALIA Prone 1011 700 2455 Later AA 43778 EMECON FO Box 12153, Wedengton North NEW ZEALAND TLX NZ 30135

Prices subject to change without notice

## PRINT #-2.

The presses were rolling the magazine out last month as two events took place which will change our CoCo world.

The news of the demise of John Brother's Software Spectrum was one of these events.

Software Spectrum has gone into receivership largely because of piracy.

This company was, apart from ourselves, the largest external organization supporting Tandy products and had about 80% of the software available for CoCo.

Software companies need piracy like they need a hole in the head, and American suppliers are not going to continue to supply to a country which keeps ripping them off.

If you want to see the latest American software continue to come into this country, then BUY it, don't steal it.

The brighter news is that Tandy have seen fit to slash the price of the CoCo.

Our hope is that the influx of new users this action will provide, will learn very quickly about the CoCo and about the friendship and support that surrounds it in this country.

I was in Melbourne during September and amongst other engagements, spent a night with a number of CoCo users at Yarra Valley High School.

I want to thank them for coming so far in such bleak weather to be at the meeting.

We had a wonderful time, and it was terrific to meet so many of the folk who mean so much to the magazine. I lost count of the number of authors who were there - people we especially count as friends.

To you all, thank you. We'll do it again about March, when we'll plan to take a little more time!

(A fuller report can be found in the Club News section of Australian CoCo).

Plans are afoot to hold a BYO Barbeque in the park in Marine Parade, Labardor, Qld, on the 9th of November at 11.30am. All who can make it are invited. A map showing where it will be is to be found on P 51.

Bring the kids - the emphasis will be very much on families and fun!

We have a second phone number for the day time now. It is 075-51-0577. Our old number remains unchanged.

All authors should have heard / be hearing from us about now.

If you have contributed a program or an article to either magazine since August, 1984 and have not received a letter from us, please let me know.

continued on Page 8



# **SEVIEW**

Hardware Review

## EARS Pioneers The Way For Spoken Command Response

By Randy Graham

Personal computing is a piece of cake. Just turn it on and start typing; it all appears right there on the screen. If you make a mistake, back up and correct it. Write programs in many languages. Run software for word processing, spreadsheeting — even play games. Print it all out letter-perfect then save it and share it. Nothing to it. Unless you have no hands to type or no eyes to see the screen.

I work with handicapped people. Jonathan was a lineman before his accident. Because he severed his spinal cord, he is confined to a wheelchair. He has very poor use of his arms; he needs help to dress and to eat. When I met him, he was beating everyone in the rehabilitation unit at chess. I thought that a good chess player ought to make a good computer programmer.

Paul has had cerebral palsy since birth. He can get around with crutches although it is difficult; his arms and legs just won't do what his brain tells them. His speech is difficult for most of us to understand. He is a college graduate and would like to be a writer, but trying to type can be a tearful frustration for him.

As a result of a disease, everything looks blurred to Betsy. She can manage to read with a magnifying glass, holding the material close to her face; she has not been able to find a computer screen she can read.

For Jonathan and Paul and Betsy, the keyboard and screen which give us access to all the marvels of personal computers are just as formidable barriers to computing careers as the six-inch curb which locks them out of a shopping mall or an office building. We can cut notches in the curbs and build ramps around the steps. What can we do to open up our favorite activity to some very fine people?

It was for these friends and others that I flew to the RAINBOWfest in Chicago to find out what Rich Parry and Lester Hands were up to at Speech Systems. It was fun meeting them and I became so excited about their work that I brought an EARS home with me so I could join the adventure. EARS (Electronic Audio Recognition System) is a device and program through which a Color Computer responds to spoken commands.

Yes, I said spoken commands! No other computer has it — just CoCo. We are coming along with voice synthesizers which can electronically vocalize text in memory, but going the other way? Little more than a year ago I attended a conference in which an expert in the field said that speech recognition was not even on the horizon. He was wrong. Say "hello" to the expert, EARS.

#### What You Get

In a nice plastic envelope you get two pieces of hardware, a piece of software and a very good manual. One piece of hardware is a ROM pack which contains the magic and the other piece is a headset. There are no earphones in the device; it is just there to hold the microphone close to your mouth. The headset plugs into the ROM pack and you know where that goes.

The software (tape or disk) contains a machine language program, a utility and several demonstration programs. Load and execute the EARS program and you are in business. To the user, the effect is that all of your Extended Color BASIC ROM still works but some new commands have been added. Time to start learning.

#### How it Works

LISN is the first new command you meet. Like all BASIC commands, it can be used in direct mode or within a BASIC program. Type LISN "1" and say "one." You have taught CoCo/EARS its first word. Let's note that you have also taught it your accent — and language.

EARS is a "speaker-dependent" system. The user teaches the machine and thereby sets up a unique relationship. There is nothing romantic about this; it seems to be the easiest way to do it. A "speaker-independent" system which can recognize any voice in any accent, pitch and inflection must be much more complex. This way, whether I say "one" or "uno" or "ein," when I say it again, EARS will respond with "one." Space is reserved in memory for a speech synthesizer like Voice. If you tell EARS to SAY "one," it will speak it from the speech system.

OK, I have taught EARS one word. I can now repeat that process. In its present shape and form, EARS can "learn" 64 strings. Apparently, the program sets up a two-dimension array. One element is a string of up to 16 characters which I type in. The other element is a voice print of what I say into the microphone. EARS calls this pair a "template." Let's see what I can do with this array.

MATCH lets me use the vocabulary list. After this command, I say "one"; there is a noticeable pause, then the screen prints '1'. EARS has searched the array of voice prints, found a match and printed the character string.

Let's note again that the relationship between the input string and the spoken part is what I want it to be. "Gadzooks" can make the computer type out "My name is Randy" if that is the way I made the template.

What if I forget my own list? TLIST will produce the string part of the list of templates for me one screen at a time. TSAVE will save the whole list of strings and voice prints to tape or disk (EARS checks to see which you are using); TLOAD will load a list so I do not have to do it over every time.

## **Vocal Programming**

Now for the great part. I have taught EARS the digits, alphabet and as many BASIC commands as it will hold. Time for another command.

DRECT instructs EARS to accept BASIC statements from me. I can say "one-zero-a-equals-one-two-three-enter" and a BASIC line appears on the screen. Then, "two-zero-print-

a-enter" and the second line is in place. I can say "list" and it will (because I added the "enter" to my string); when I say "run," it does it! Primitive? Yes, but I wrote and ran a BASIC program without touching the keyboard! I feel like I have the first horseless carriage in town.

While in DRECT mode, the computer will accept keyboard input, but it will continue to respond to voice commands until turned off with BREAK.

A Fairy Tale

Jonathan is up and dressed and has finished breakfast. It is time to go to work. He rolls down the hall to the den where CoCo/EARS is waiting. He activates a remote control switch by sound or however and the computer comes on and loads EARS which loads the template list. (This last part will require an enhancement that EARS does not have. Right now, Jonathan would have to leave his computer on and only turn his monitor and peripherals on and off.)

He says "Terminal" and the screen says RUN "TERM .BIN", R (ENTER). Before starting to work, like many businesspeople, he says, "Get Dow." "Get" tells the terminal program to go to its autodial/autologon section. "Dow" calls and logs on to DJNS. At the menu he says "news" and the screen shows //NEWS (ENTER). He goes through the news by menu selections, reads the Wall Street Journal online and logs off. Now he says, "Get office." Autodial and logon gets him into the office computer. Perhaps he will first read "Mail" and "Memo" before calling for the file on which he is working. It is slow and tedious, having to give all digits and spelling out words. But, he is working!

This is only just barely a fairy tale. If you devote 36 templates to the letters and digits, you only have 28 left for words. But TCLEAR will empty the template buffer so you can load another list tailored to the specific application you are running. And needless to say, he will need the help of a typist to construct his template lists.

#### Come on Along

It sometimes seems like the pioneering days of personal computing are over. Nobody builds his own any more—what did I do with that wirewrapping tool? Hardly anybody writes programs—software is too readily available. Everybody is into graphics. Well, if you sometimes look longingly at the old covered wagon gathering dust in the shed, hitch up. A whole new land mass has been opened for exploration.

Someday there will be listening typewriters that write it all out as you dictate. Other control applications will become as common as digital microwave ovens and calculator watches. And perhaps we will have Hal, the conversational computer, by 2001. But you can still get ahead of the parade. EARS is the place to start, and you can only do it with a CoCo!

I have told you about my excitement with this new tool. I would like to hear from others who are experimenting with EARS for handicapped applications. My complete address is 2115 Buford Road, Richmond, VA 23235. Or, maybe we can share our experiences in the "Letters to Rainbow" department.

I did not write this review with EARS — I am glad I did not have to. It would have taken forever, spelling out each word. If your template list is full, there is a pause of a couple of seconds before the computer responds. And, let's face it, EARS can be quirky. Rich tells you to imagine you are training your puppy. That's the way you must November, 1985 — AUSTRAL

speak. Sometimes I say a couple of words that are not on the template list and get up and walk away. When I do that, I remember the old proverb: "I had no shoes, and complained, until I met a man who had no feet."

(Speech Systems, 38W 255 Deerpath Rd., Batavia, IL 60510, \$59.95)

Software Review

## CINC PAC — Battle of Midway For Victory At Sea

By H. Larry Elman

A few months ago I single-handedly sank the entire Royal Navy in the English Channel; shortly after that, I found a way to mishandle even U.S. Marines into frequent surrender. So the RAINBOW editor, reacting the way any normal government ruler would, gave me an extra star or two and sent me off to command at Midway. Of course, one of the first ridiculous things I succeeded in doing was landing an entire Squadron of B-17 "Flying Fortresses" on the deck of the USS Yorktown. (This is comparable to driving a Boeing 747 airliner through your local car wash.)

Midway was one of the more crucial battles of this century and has become the focus of tremendous study by tacticians, strategists and war-gamers. There are a number of computer games available based on this battle; one of the best is Ark Royal's CINC PAC — Battle of Midway. (For the civilians among us, CINC PAC stands for Commander-in-Chief, Pacific Fleet. It is pronounced as if spelled sink-pack.)

In this game, the computer commands the Imperial Japanese Navy, while you command three aircraft carriers, a few squadrons of aircraft and three shore bases (two of which are almost totally useless). Your biggest advantage is the fact (as in the actual battle) that the Navy can read the Japanese code, enabling you to set an ambush.

Believe me, if you fight this battle without using that asset, your Color Computer will cream you! I know; it has beaten me more times than I will publicly admit.

If you have not tried war games (or "Battle Simulations" as some of their authors prefer to call them), then you have probably missed one of home computing's more challenging intellectual pursuits. You need not be either a militarist or a history nut to enjoy these descendants of chess.

War games can be broken into a number of subcategories, of which two are worth a short digression. Some war games are based on a particular historic event; CINC PAC—Battle of Midway is of this type, while chess is not. All war games involve some sort of map for a board. Most computer war games use a low resolution, semi-graphics screen. Again, the comparison with chess is very appropriate.

A small number, CINC PAC—Battle of Midway among them, utilize the highest resolution available on the monitor to provide a map board which looks like it came from a geography text. Of course, the selection of that type of display implies dedication of much larger computer storage

AUSTRALIAN RAINBOW

PAGE 5

just for the map.

Most semi-graphics war games can be programmed in BASIC; CINC PAC — Battle of Midway uses BASIC for input/output and logic, but has machine language control over the displays. Another difference between semi-graphics and high resolution games is that the rules for navigation and movement can be more generalized in high resolution. The price paid for this is the user no longer simply moves pieces with arrow keys, but must think through the angular directions for his movement and/or his fire.

I have seen semi-graphics simulate the tactics of a particular time quite well, but I was unprepared for how well Steve Berry was able to model the subtleties of naval and air warfare at Midway and "shoe horn" it into the Color Computer's 32K. In this game, the user can feel as if he is there — the displays are that well done, and even the pauses between moves have the suspense of "being there."

As with most such games, I found the instructions too brief. There is no way to enter your initial game later than a week before the battle; the instructions suggest you use that time to practice fleet maneuvers. I did, but became a bit miffed because by the time I finished the practice and had gotten acceptably proficient I had destroyed almost a third of my fleet in operational accidents! The only thing to do was start over at the NEW GAME point and sit watching the idiot box while pressing SKIP MOVE until I had passed the wasted week. This process left my forces intact. After that, of course, I simply saved the new starting situation and worked from it.

One of the reasons I lost so many assets during setup was a few bugs in the program. I phoned Ark Royal and requested software support. During most of the initial calls they were unaware that I was reviewing the game for RAINBOW, so I can state quite confidently that their software support to the general customer is excellent.

There seem to be two main problems. The lesser one is the lack of a logic trap to prevent overloading a platform (carrier or land base); if more than nine squadrons of planes

are landed on any platform it is possible to hang the program and watch your fleet sail off to never-never land. Because the normally prudent player is unlikely to put more than five squadrons on any one platform, this bug is considered very minor.

However, a somewhat related bug is the ability to lose control over a carrier by attempting to exit the Launch Planes sequence improperly. To correct that, simply replace Line 1186 of the main program with:

1186 IF A\$="S" THEN 1196 ELSE IF A\$>"1" OR A\$>"9" OR IF VAL (A\$)>(UC+1) THEN 1185

This patch is simplicity itself on the disk version but somewhat inconvenient on the tape version. Ark Royal says if you get a copy that is *not* marked with a red 'X' you should contact them for replacement; copies with a red 'X' will already have had the patch inserted. With the patch inserted, you can abort Launch Planes by typing 'S' and the keyboard is locked against the non-numeric input which is known to cause the bug.

Another minor difference likely to occur in the patched version concerns Ship's Bells. In all versions, the program calls the Admiral (you) back from coffee breaks by sounding the time with Ship's Bells. Later versions sound somewhat more like "Victory at Sea" than earlier ones; the do-it-

yourselfer can improve the early version by a higher pitched tone in lines 1357 and 1359 and by a smaller time delay in Line 1358. I mention this not as a bug, but as a small example of the mood-setting touches which make this game so stimulating.

There is another anomaly in the program; whether to call it a "bug" is a judgment call. Every U.S. unit on the screen (possibly even some enemy units) is a tiny interrupt-driven blinking light. Sometimes after combat, a downed unit will continue to blink; a ghost which can be battle debris. I considered it a radar sighting for my search units. The screen shows about 3,000 miles of Pacific Ocean, but combat sightings are at distances more like 100 miles. Accurate navigation improves your score. On the other hand, in one game I wasted three days' use of two B-17 squadrons chasing these ghosts. Personally, I feel the presence of the ghosts provided the touch of uncertainty needed in a combat game.

If you want a game more challenging than ones which rely totally on the arrow keys or the joystick, consider CINC PAC — Battle of Midway. It is good enough to call itself a battle Simulation, and it is fun enough to call itself a game.

(Ark Royal Games, P.O. Box 14806, Jacksonville, FL 32238; requires 32K, tape \$27.95, disk \$30.95)

Software Review

## Telepatch — An Excellent Enhancer For Telewriter

By John R. Curl

When I first got Telewriter-64 last year, I was in heaven. I couldn't believe the program's versatility and ease of use. I didn't have to study the manual and several other books for a month before I could start using it. I didn't have to remember complicated command strings. Most of my documents were less than six pages long. This was the word processor I had been looking for.

As time went on, though, I began making a mental wish list of things *Telewriter-64* didn't have that it needed. This list included key click, block move, key repeat, easier disk I/O and more. *Telewriter-64* was still the word processor for me; I just wished it had some little improvements.

Enter Spectrum Projects' Telepatch by Bob Van Der Poel. As the name implies, Telepatch is a Telewriter-64 enhancer. It adds all of the above improvements and more. After using it for a week, I can't believe Telewriter never had the enhancements that Telepatch provides.

Telepatch requires a 64K Color Computer with at least one disk drive. You must also have the disk version of Telewriter-64. Even with all of the enhancements, the basic functions of Telewriter-64 are still the same.

Installation of *Telepatch* is very simple. First, make a backup of your *Telewriter-64* and *Telepatch* diskettes. (Never use your originals!) Next, format a blank diskette (known as the destination diskette). Insert the *Telepatch* diskette and type RUN "PATCHER" and press ENTER. After this, all you have to do is follow the prompts — it's as simple as that.

When finished, your new systems diskette should have the following programs on it: TW64/NEW, T/BAS, \*/ \*\*\* and TSPOOL/BAS. These four programs handle everything including disk I/O. TW64/BIN is the new patched TW64/BIN. T/BAS replaces U/BAS as the boot program. \*/\*\*\* is the new disk I/O routine replacing S/ XXX, S/BIN and S/ASC. I'll discuss TSPOOL/BAS later in the review.

To boot your patched Telewriter-64, just type RUN "T" and press ENTER. You will be greeted by a new title screen. It states that Telewriter-64 is "modified, improved and made better in many ways" (it's the truth). You won't notice anything different on the main menu or the format menu. However, the Disk I/O menu has been totally replaced.

The new features added to the editor are: True Block Move, Visible Carriage Returns, Key Beep, Key Repeat, Lowercase, Faster Cursor Movement and Overstrike Mode.

The new boot program is the best improvement. With regular Telewriter-64, I had to set all of the print parameters in the format menu before I could print a document. This aggravated me very much! With the new boot program, you can set almost all of these parameters beforehand and not have to worry about them. This is made possible because the boot program now uses the POKE command to set the parameters.

You can also determine whether or not the new features are on or off. All you have to do to change a parameter or to turn a feature on is use BASIC's EDIT command to change different values in the boot program. The manual explains the procedure and also gives the different values that you need.

The format menu's printing parameters that can be set are: page numbering, spacing, queue function, printer type, one-page function, where to put the page number, characters per line, upper margin, bottom margin, left margin, lines per page and printer Baud rate. As you can see, almost all of the format features can be set to any default value needed.

The editor features which can be set in the boot program include: editor screen's background color (green or buff), key click on or off, key click length, key click tone, keyrepeat rate, repeat delay, shift-repeat delay, lowercase/ uppercase toggle and overstrike/insert toggle.

There are also several disk I/O parameters that can be changed in the boot program. These are: verify on or off, default drive number, binary or ASCII I/O default and drive stepping rate (for those who have drives which can run faster than 30 ms).

While I'm on the subject of disk I/O, I will explain the features of the new disk I/O driver. With the original Telewriter-64 if you wanted to switch between binary and ASCII I/O, you had to exit the program and load either S/BIN or S/ASC and then save this as S/XXX. That's quite a hassle. With the new driver, \*/\*\*\*, all you have to do to toggle between binary or ASCII I/O is press the 'I' key at the disk I/O menu. No more problems. When the "Kill" function is selected, you will be asked if you are sure you want to kill the file. You will also be asked if you are sure when you try to read in a file and there is already text in the buffer.

The program will also remember the last filename used. Thereafter, this will be the default filename for any I/O functions. If you would like to change the default filename, press the '@' key at the disk I/O menu. You will then be prompted for the new default filename. All other disk I/O funtions still operate the same.

I will now explain the TSPOOL/BAS program. In order

to run this utility, you must exit to BASIC from the disk I/O menu, and type RUN "TSPOOL" and press ENTER. This utility program allows you to print a file to the disk instead of a printer. This means the file will be printed to disk in the exact same format as if you had printed it on paper: margins and spacing will be observed, centered text will be centered and pages will be numbered.

This enables you to print the file at a later time using a simple little BASIC program with the LINE INPUT command. You don't have to have Telewriter-64 to print the file on a printer. Just OPEN the file on disk, LINE INPUT the text from the disk and then PRINT#-2, the text. You would have to actually use this feature to appreciate it.

The only limitations of this utility are that it will only work with files that have been saved in binary format and it will not work with files that have embedded 'Q' (queue) commands.

Telepatch is an excellent program. It adds several outstanding features to Telewriter-64. In my opinion, whether you already own Telewriter-64 or are thinking of purchasing it, you must purchase Telepatch in order to get the most benefit from Telewriter-64.

(Spectrum Projects, Inc., P.O. Box 21272, 93-15 86th Drive, Woodhaven, NY 11421, \$19.95 plus \$3 S/H)

Book Review

## CoCo Gains Power And Speed With 500 Pokes, Peeks 'N Execs

This comprehensive book, 500 Pokes, Peeks 'N Execs by Kishore M. Santwani, will provide you with hours of PEEKing, POKEing and EXECuting.

The soft cover book contains 68 pages, all chock-full of useful information for the CoCo user.

The use of the various commands listed will allow you to enhance the capability of your BASIC programs without having to resort to complicated machine language routines.

We are all familiar with the high-speed POKE and other often-used PEEKs and PDKEs frequently found in the pages of RAINBOW. This book contains a wealth of others that will amaze and amuse you.

The book is well structured into various sections which deal with cassette, disk, printer, etc., and each command is followed by the expected result and an appropriate remark as to what it can be used to accomplish. Here in one easy-to-use source are all the various PEEKs and PDKEs you will likely ever need. No more searching through scraps of paper and past issues of RAINBOW to find that "handy PDKE I can't remember."

The book contains many useful commands and routines too numerous to list here, but suffice it to say that almost anything from Auto-Start to Zaxxon plays is covered. Other useful commands to provide key beeps and screen print are included as well as key disables, memory bank switching and recovering lost BASIC programs.

In summary, this is a unique book which contains information which took a great deal of research to collect.

Many of the commands listed have been, until now, relatively guarded by those "in the know." It will help unravel the many PDKE, PEEK and EXEC commands of the CoCo to help you gain the power and speed of assembly language through BASIC. It will help you reach greater heights in successful programming and professionalize your work. I believe you will find 500 Pokes, Peeks 'N Execs worth the price.

(Spectrum Projects, Inc., P.O. Box 21272, Woodhaven, NY 11421, \$16.95 plus \$3 S/H)

- Jerry Semones

Book Review

# Practical Programming In Pascal Makes Learning Pascal Easy

PASCAL is much more than a programming language. It was conceived by Niklaus Wirth as an academic tool to teach structured programming techniques. As such, most texts on the subject are written with the computer science major in mind, and are extremely academic and technical. For a novice programmer, it can be a strenuous if not insurmountable task to try to learn the language for practical purposes from such a text. Kent Porter's Practical Programming In Pascal bridges the gap.

Inside the flashy red, soft cover of this book (which will make it easy to find in the pile of documentation that always accompanies computer ownership) is a very well organized text. Also, due to Mr. Porter's smooth writing style and thorough knowledge of PASCAL, all 266 pages are incredibly easy to read and understand.

In the first four chapters you will be introduced to the history of PASCAL and the benefits of structured programming, then be taken from a description of the bare basics through the step-by-step development of a program using PASCAL's excellent looping and decision making abilities.

The development of the program from statement of purpose to final product is, of course, accompanied by a technical discussion of the parts of the program as they are constructed. As the book progresses, this process is repeated, developing more and more complex programs while readers learn more and more features of this powerful programming language. By the time you finish it, you will have a practical knowledge of PASCAL and have learned structured programming techniques which you can apply regardless of the language you are using.

This brings me to BASIC09. This book was written by Mr. Porter as "An Introduction to Computer Programming" and has much general programming information demonstrated in PASCAL. In that BASIC09 is an enhanced BASIC with added PASCAL-like features, they are very similar. If you are having some difficulty understanding some of the features of BASIC09 like parameter passing, defining data types and complex data structures, this book will help. It is a PASCAL study guide, however, and it should be studied along with the use of a PASCAL compiler.

In summary, if you are just beginning, this book will get you started in the right direction. Get yourself one of the available PASCAL compilers and use *Practical Programming In Pascal* as your study guide. You'll be writing PASCAL programs in no time.

If you already program in PASCAL at an intermediate level, the book will be useful for review purposes. Since it is structured as a study guide, it is not particularly suited for use as a reference manual, but it is fully indexed.

(New American Library, 1633 Broadway, New York, NY 10019, \$14.95)

- James F. Taylor

continued from page 3..

The Best of CoCoOz#3 "Utilities", is now available. Price is the same as for #'s 1 and 2. This Tape should be of special interest to readers of Rainbow, who tend to use utilities more often. There are spoolers, disk directory handlers and all manner of beaut things on this Tape (or disk).

The Best of CoCoOz #1, 2, and 3 are now available on order from your Tandy shop.

Ron Wright's excellent Viatel program is now available from Paris Radio and soon from your Tandy store. You'll need a 1200/75 baud modem. Tandy will have one in late November / early December.

CoCoBug Magazine is to cease production. We are going to honour any current subscriptions with a commensurate sub to Australian CoCo. Barry Cawley, CoCoBug's editior now joins our team, and will head up the "softgold" magazine.

Finally, you may have noticed the increased size this issue.

From the recent survey, it seems the demand for more information is ever present. So we are expanding the size of Rainbow first to 72 pages, and if that proves successful, then we'll go on to 80 pages.

This is a magazine for experienced users and is meant to challenge you. If you find Rainbow heavy going, you may like to switch to Australian CoCo.

Once more I find from the surveys, I must also remind users of Tandy MC-10's, T1000's, T2000's, T100's & T200's that the magazine we produce which is of relevence to you, is again Aussi CoCo.

## RAINBOW ON TAPE

All programs published in Australian Rainbow Magazine are available on Australian Rainbow on Tape issued monthly. We are now issueing the tapes on a more regular basis, so now there is no need to type the programs in at all. By time you receive this issue the Rainbow on Tapewill be ready for you to order so send your \$12 NOW, and save those footsore fingers!

With this edition, this column goes Australian CoCo in February - the into recess till next year.

I want to thank all those who have Especially to Bob Horne, I say thank you sir for the fine brace of programs you supplied.

auch. The readers' letters and best ever, Tandy has surveys confirm it.

And what a way to go out!

schools the absolute opportunity to the new satellite system promises some get those little fingers on a very exciting possibilities for the keyboard.

This is what computing in schools should really be about. It's all very well to have expensive units in schools, but if the kids don't get to use them, it's not going to do them much good is it!

If that were not enough, then the news of Austsat and the changes about to happen for isolated children is really something to get excited

Imagine sitting at your kitchen table somewhere west of Port Hedland in WA and being able to submit your work through your computer to your teacher, whom you can see on your TV. and who will react to your inputs immediately!

Well this is not a thing for imagining any longer, it is about to happen, and I am very pleased to say that we, along with Tandy, are to be a part of it.

The system offers all sorts of possibilities. We will be discussing and expanding upon them in future issues.

Next year, we won't have that rich reserve of programs we had from Bob Horne this past year. (Unless he sends some more!)

So we have two needs.

The first and most urgent, is for educational programs for use in

"Back to School" issue.

The second need is for quality contributed to it during the year. programs, hopefully road tested, for inclusion in Australian Rainbow.

1986 looks like being a bumper year The work of all the authors of this for Tandy and for those who use Tandy column has been appreciated very computers - the prices will be the organised their OMB excellent customer support unit, our magazines are stronger that ever, and the new Tandy has dropped the price of the software, which just keeps streaming CoCo to an amazing low, thus giving in, is SO good! And to cap it all, future.

Smith Randall bv Bob Horne and

Randall Smith created a game called "Whatzit" for July 1983's Rainbow.

Bob Horne took this game and made some changes to it, and has since used it in the classroom to assist in the teaching of spelling.

THE LISTING:

- 1 '\*\*\*WHATZITS BY RANDALL SMITH\*
- 2 GOT010
- 3 SAVE WHATZITS: 2":DIR2:STOP

16K ECB

- 10 'RAINBOW JULY 1983 PAGE24 15 'ADAPTED BY BOB HORNE, IPSWIC
- 20 CLS:SOUND200,2:PCLEAR4:PMODE3 .1:PCLSRND(4):SCREEN1.RND(2)-1:C LEAR550:DIMI(515),X\$(515),CH\$(36 ),U(18),B(12),SC\$(2),U(15),W\$(15 ):T=RND(-TIMER)
- 30 FORX=0T035:READCH\$(X):NEXT:F0 RX=1T0515:READX\$(X):NEXT
- 40 CLS:SOUND200,2:FORX=1024T0105 5:POKEX,134:NEXT:FORX=1056T01472 STEP32:POKEX.134:POKEX+31.134:NE XT:FORX=1504T01535:POKEX,134:NEX
- 50 PRINT268, WHICH UNIT DO YOU W ISH TO"::PRINT2100."PRACTISE (TY PE A NUMBER"; :PRINT3132, FROM 1 TO 40.)"::INPUTXX:PRINT2159,CHR\$ (134):
- 60 IFXX(1 OR XX)40 THEN40
- 70 FORX=1T0XX:READW1.W2:NEXTX
- 80 FORX=2T06:PRINT2X\*32+2.STRING \$(27,32);:NEXTX
- 90 PRINT2225, DO YOU WANT INSTRU CTIONS(Y/N)":
- 100 PRINT2170, "whatzit";
- 110 INS=INKEYS
- 120 INS=INKEYS:IFINS="Y"THENGOSU 8930 ELSEIFINS=""THEN120
- 130 PRINT 2225," HOW MANY PLAYER S (1 OR 2)? ";
- 140 INS=INKEYS
- 150 PL\$=INKEY\$:IFPL\$()"1"ANDPL\$(
- )\*2\* THEN150 ELSEPL=VAL(PL\$):SOU ND200,1
- 160 PCLS:DRAW"BM0,12;C8;S8"+CH\$( 30)+CH\$(25):GET(0,0)-(28,14),U.G :GET(128,96)-(156,110),8,6
- 170 PCLS:DRAW"BM83,1258C7"+CH\$(3 2)+CH\$(17)+CH\$(10)
- 180 DRAWCH\$(29)+CH\$(35)+CH\$(18)+

30:60T0390 CH\$ (29) 790 DRAW"BM65.187C6S8"+CH\$(17)+C 520 GOT 0660 190 DRAW BMO , 30"+CH\$(25)+CH\$(21) H\$(18)+CH\$(29) 530 PLAY\*T3L3V3101BL2A\* +CH\$(10) 808 DRAW BM+10,+0"+CH\$(14)+CH\$(2 200 DRAWCH\$(34)+CH\$(14)+CH\$(27)+ 540 PAINT(128,175),5,8 3)+CH\$(29)+CH\$(14)+CH\$(27) CH\$(1) 550 IFT)0 THENGOSUB640:RETURN 818 IFVAL(SC\$(1)))VAL(SC\$(2)) TH 560 LINE(0,79)-(255,100), PRESET, ENDRAW BM107,25" ELSEDRAW BM149, 210 DRAW BMO , 48"+CH\$(28)+CH\$(12) +CH\$(24)+CH\$(27)+CH\$(14):COLOR8. 570 H=INT(132-(21\*(LEN(J\$)/2))-2 820 DRAM\*S4C8NU5NE5NR5NF5ND5NG5N 5:LINE(69,33)-(126,51),PSET,B L5NH5":FORX=1T0100:NEXT 220 IFPL=1 THEN250 ELSECOLOR7.5: 580 DRAW \$88M40,90 +CH\$(29)+CH\$( 830 DRAW CONUSNEONRONFONDONGONLO DRAW BM163,30 + CH\$(25)+CH\$(21)+C 17)+CH\$(14)+"BR10"+CH\$(32)+CH\$(2 NH5":FORX=1T0100:NEXT H\$(10) 4)+CH\$(27)+CH\$(13)+"BR10"+CH\$(32 840 IFINKEY\$()CHR\$(13) THEN820 230 DRAWCH\$(34)+CH\$(14)+CH\$(27)+ )+CH\$(10)+CH\$(28) CH\$(2) 850 SC\$(1)="0":SC\$(2)="0":SCREEN 240 DRAW BM191,48"+CH\$(28)+CH\$(1 590 FORX=1TO LEN(W\$):M=M+21 0.0:GOT0130 2)+CH\$(24)+CH\$(27)+CH\$(14):COLOR 600 DRAW"BM"+STR\$(M)+",115C8S12" 860 L=LEN(SC\$(PL))-1:0N PL GOTO8 +CH\$(ASC(MID\$(W\$,X,2))-55):NEXTX 8,5:LINE(128,33)-(185,51), PSET, B 610 DRAW\*C7S8BM60.135\*+CH\$(29)+C 250 LINE(42,171)-(210,191), PSET, 870 PAINT(98,36),5,8:M=INT(101-( H\$(27)+CH\$(34):DRAW\*BR10\*+CH\$(10 14\*L/2)-14):GOT0890 )+CH\$(16)+CH\$(10)+CH\$(18)+CH\$(23 260 IFPL=2 THENLP=2:PL=PL-1 880 PAINT(158,36),5,8:M=INT(160-270 PUT(0,52)-(28,66),U,PSET:SCR (14\*L/2)-14)620 FORX=1T01000+30\*L:NEXT:LINE( EEN1,1 890 FORSC=2 TOL+1:N=M+14:DRAW\*BM 0,69)-(255,135),PRESET,BF 280 FORWO=1TO W1 "+STR\$(M)+",48C6S8" 290 CU=RND(W1)+W2:IF I(CW)=1 THE 630 RETURN 900 DRAWCH\$ (ASC(MID\$(SC\$(PL),SC. 640 WWS="":M=INT(130-(14\*LEN(WS) N290 ELSE I(CW)=1 1))-48) /2)) 910 NEXTSC 300 W\$=X\$(CW) 650 DRAW"BM"+STR\$(M)+",187C6S8": 920 RETURN 310 L=LEN(US) 930 CLS:PRINT\*IN whatzit A SCRAM RETURN 320 A\$=LEFT\$(W\$, INT(L/3+.5)):B\$= 660 IN\$=INKEY\$:1F1N\$=""THEN510 MID\$(W\$, INT(L/3+1.5), INT(L-2\*(IN BLED GROUP OF LETTERS WILL APPEA 670 IFASC(IN\$)=8 THENLAUS="":GOTO T(L/3+.5)))):C\$=RIGHT\$(W\$, INT(L/ R.YOU HAVE ABOUT 30 SECONDS T 3+.5)) 690 ELSEIFASC(INS)=13 THEN700 EL O ENTER THE RIGHT ANSWER." 330 J\$="":X=RND(5):0N X GOTO340, SEIFASC(IN\$)(65 ORASC(IN\$))90 TH 940 PRINT IF YOU MAKE AN ERROR P EN510 RESS THE LEFT ARROW KEY AND STA 350,360,370,380 680 IFLEN(WW\$)=LEN(W\$) THEN510 E 340 J\$=C\$+A\$+B\$:60T0390 RT OVER. IF YOU ENTER THE WRONG LSEDRAWCH\$(ASC(IN\$)-55):WW\$=WW\$+ 350 J\$=C\$+B\$+A\$:GOT0390 ANSWER YOU MAY RETYPE IT IF T 360 J\$=B\$+C\$+A\$:GOT0390 IN\$:GOT0510 HERE IS TIME. PRINT:PRINT PRE 370 J\$=B\$+A\$+C\$:GOT0390 690 PAINT(128,175),5,8:60SUB640: SS ANY KEY TO CONTINUE." G0T0510 950 IFINKEY\$=""THEN950 380 J\$=A\$+C\$+B\$:GOTO390 700 IFWWS=WS THENPLAY V31L10T100 960 CLS:PRINT" EACH PLAYER GETS 390 DRAW"BM65,187C6S8"+CH\$(17)+C O3ABCDEFG\* ELSEGOSUB530:IFT>0 TH 10 WORDS. THE SCORE IS BASED ON H\$(18)+CH\$(29) EN510 ELSE750 THE TIME TAKENAND THE LENGTH OF 400 DRAW\*BM+10.+0\*+CH\$(14)+CH\$(2 710 DRAW\*S12C8BM80.125\*+CH\$(27)+ THE WORD. \*\*\*\*\*\*\*NOTE: YOU MUST PR 3)+CH\$(29)+CH\$(14)+CH\$(27) ESS (ENTER) WHEN YOU ARE FINIS CH\$(18)+CH\$(16)+CH\$(17)+CH\$(29) 410 INS=INKEYS 720 IF T1=1 THEN T1=0:G0T0740 HED TYPING THEWORD." 420 IFINKEY\$()CHR\$(13) THEN420 E 730 SC\$(PL)=STR\$((INT((LEN(W\$)\*5 970 PRINT:PRINT\*PRESS ANY KEY TO LSEPAINT(128,175).5.8 )+T/6.86))+VAL(SC\$(PL))):GOSUB86 START THE GAME." 430 L=LEN(J\$):M=INT(132-(2!\*(LEN 980 IFINKEYS="" THEN980 ELSE CLS (J3)/2))-21)740 FORX=1T0500:NEXT:LINE(0.79)-440 FORX=1TO L:M=M+21:FORS=1T010 RMD(3):G0T0130 (255,125), PRESET, BF: PAINT (128,17 990 DATA\*8U1U4E1R2F1D4G1L2H1BD1; 5),5,8 450 DRAW BM + STR \$ (M) + , 100C6S + S M+4,-6:BD6BR3\* TR\$(S)+CH\$(ASC(MID\$(J\$,X,1))-55) 750 NEXTWO:FORX=W2 TO W2+W1:I(X) 1000 DATA"BUSBRIEIDANLIRIBM+4,+0 =0:NEXTX:IFLP=2 THENPL=PL+1:LP=0 460 PLAY "V31T230L23003A" : DRAW" BM :PUT(0,52)-(28,66),B:PUT(227,52) 1010 DATA\*NR4U1BU3U1E1R2F1D1G1L1 "+STR\$(M)+",100C55"+STR\$(S)+CH\$( -(255,66), U.PSET: PLAY\*T3L303V316 G28M+7,+1" ASC(MID\$(J\$,X,1))-55) 1020 DATA\*BU5E1R2F1D1G1NL2F1D1G1 L3026\*:G0T0280 470 NEXTS:DRAW"BM"+STR\$(M)+".100 760 IFPL=2 THENPUT(227,52)-(255, L2NH18M+7,+0\* C6512\*+CH\$(ASC(MID\$(J\$,X,1))-55) 66) ,B ELSEPUT(0,52)-(28,66) ,B 1030 DATA \* 8U3NR4M+3,-3; D68M+4,+0 :NEXTX 770 DRAW"BM13.100C7S16"+CH3(16)+ 480 T=1700+50\*L CH\$(10)+CH\$(22)+CH\$(14) 1040 DATA\*BU4NR3U2R4BD2BL1F1D2G1 490 GOSUB640 780 DRAW"BM145,100"+CH\$(24)+CH\$( L2H18M+7.+1\* 500 INS=INKEYS 1050 DATA\*BU6BR3NF1L2G1D2NR3D2F1 510 T=T-1:1FT=0 THEN T1=1:GOSUB5 31)+CH\$(14)+CH\$(27) AUSTRALIAN RAINBOW November, 1985 PAGE 10

R2E1U1H1BM+4,+3\* 1060 DATA\*U18U5R4D1M-4,+4BM+7,+1 1070 DATA BUIUIEIR2E1U1H1L2G1D1F 1R2F1D1G1L2H1;BM+7,+1\* 1080 DATA\*BU1F1R2E1U4H1L2G1D1F1R 3:BM+3.+3" 1090 DATA\*U5E1R2F1D3NL4D2BR3\* 1100 DATA\*U6R3F1D1G1NL3F1D1G1L3B R7\* 1110 DATA BUIU4EIR2F1BD4G1L2H1BR 7BD1\* 1120 DATA\*R1U6NL1R2F1D4G1L2BR6\* 1130 DATA"U3NR3U3R4BD6L4BR7" 1140 DATA\*U3NR3U3R4BD6BR3\* 1150 DATA BUIU4EIR3BD4NL1D2L3H1B R7BD1\* 1160 DATA"U3NR4U3BR4D6BR3" 1170 DATA"BUSBRIRINDSRIBRIBDSBL1 L2BR6" 1180 DATA\*BU2D1F1R2E1U5BD6BR3\* 1190 DATA"U6BR4;M-4,+3;M+4,+3;BR 1200 DATA\*NU6R4BR3\* 1210 DATA"U6:M+2,+3:M+2,-3:D6BR3 1220 DATA\*U6:M+4.+6:U6BD6BR3\* 1230 DATA\*BR1HU4ER2FD4GL2BR6\* 1240 DATA\*U6R3F1D1G1L3D3BR7\* 1250 DATA"BU1U4E1R2F1D4G1L2H1BE1 RR1F2RR31 1260 DATA\*U6R3F1D1G1L3R1;M+3,+3; 1270 DATA\*BU1F1R2E1U1BU3H1L2G1D1 :M+4,+2;BR3BD2\* 1280 DATA BUGRZNDGR2BDGBR3 1290 DATA"BU1U5BR4D5G1L2H1BD1BR7 1300 DATA\*BU6;M+2,+6;M+2,-6;BD6B R3\* 1310 DATA\*U6BR4D6;M-2,-2;NU1;M-2 .+2:BR7\* 1320 DATA\*U1;M+4,-4;U1BL4D1;M+4, +4;D1BR3\* 1330 DATA BR2U3M-2, -2U1BR4D1M-2, +2BD3BR5\* 1340 DATA BUGR4M-4,+6R4BR3\* 1360 REM\*\*\*YEAR 5 LISTS\*\*\*\*\*\*\* 1370 REM\*\*\*UNIT 1 \* 13 WORDS\*\*\* 1380 DATABAMBOO, COCKATOO, WOOLLEN , BOOMERANG , SALOON , KANGAROO , BALLO ON, SMOOTH, JACKAROO, LAGOON, SCHOON ER, CARTOON, DOZING 1390 REM\*\*\*UNIT 2 \* 14 WORDS\*\*\* 1400 DATAJOURNEY, VALLEY, JOCKEY, C HIMNEY, QUAY, ABBEY, TROLLEY, BUOY, D ONKEY, PULLEY, KIDNEY, MONKEY, GALLE Y.STOREY 1410 REM\*\*\*UNIT 3 \* 13 WORDS\*\*\* 1420 DATAAGREEABLE, EXCEED, REFERE

November, 1985

E,FREEDOM,CANTEEN,SQUEEZE,SUCCEE D, GREETINGS, BEEHIVE, CHEERFUL, NEE DLEWORK, DEGREE, EERIE 1430 REM\*\*\*UNIT 4 \* 13 WORDS 1440 DATAACCEPT, AFFORD, ABRIDGE, A CCOUNT, ALLOW, ACCUSE, ANNUAL, ACCID ENT, ANNOY, ADDRESS, ANNOUNCE, ADDIT ION, APPEAR 1450 REM\*\*\*UNIT 5 \* 14 WORDS 1460 DATANOISY, REJOICE, DESTROY, N DISLY, APPOINT, ENJOYMENT, CHOICE, D ISAPPOINT, AVOID, EMPLOY, LOITER, AN NOY, TOILET, MOISTURE 1470 REM\*\*\*UNIT 6 \* 14 WORDS 1480 DATAACTOR, HOST, COUNT, HEIR, W AITER, EMPEROR, DUKE, NEGRO, GOD, MAY OR, AUTHOR, SHEPHERD, CONDUCTOR, TIG ER 1490 REM\*\*\*UNIT 7 \* 13 WORDS 1500 DATAFORTUNE, HISTORY, FORGIVE FORTNIGHT GLORIOUS PORTION FORC E, IMPORTANT, BORING, MEMORY, ORCHAR D, VICTORY, RESTORE 1510 REM\*\*\*UNIT 8 \* 10 WORDS 1520 DATATROOP, SQUAD, BALLET, CREW ,CHOIR, ARMY, FAMILY, JURY, CROWD, ST AFF 1530 REM\*\*\*UNIT 9 \* 15 WORLS 1540 DATAQUAINT, ENTERTAIN, GAILY, FAINTLY, FAITHFUL, DAILY, PAINFUL, W AIST, RAILWAY, RAINBOW, PRAISE, FAIL URE, DAINTY, WAITING, STRAIGHTEN 1550 REM\*\*\*UNIT 10 \* 9 WORDS 1560 DATAOBJECT, INJECT, COLLECT, C ORRECT, SELECT, INSPECT, CONNECT, DI RECT.PROTECT 1570 REM\*\*\*UNIT 11 \* 14 WORDS 1580 DATASPARKLING, ARMY, COLLAR, P ARDON, GARMENT, BEGGAR, REMARK, FARC E, C1GAR, ORCHARD, MARVEL, SUGAR, DEP ART, HEART 1590 REM\*\*\*UNIT 12 \* 12 WORDS 1600 DATABUSY, UNTIDY, READY, WARY, CLUMSY, STEALTHY, WEARY, HEAVY, STEA DY. DROWSY, HUNGRY. SPEEDY 1610 REM\*\*\*UNIT 13 \* 19 WORDS 1620 DATAREADY, HEALTHY, TREASURE, FEATHER, HEAVEN, BREAST, STEADY, WEA LTHY , MEASURE , WEATHER , HEAVY , INSTE AD, STEALTHY, LEATHER, HEAVILY, DREA DFUL , BREADTH , MEADOW , HOMESTEAD 1630 REM\*\*\*UNIT 14 \* 7 WORDS 1640 DATASTUDY, CARRY, HURRY, COPY. REPLY, BURY, WORRY 1650 REM\*\*\*UNIT 15 \* 14 WORDS 1660 DATANERVOUS, CERTAIN, GROCERI ES, PERFECT, PERMIT, SERMON, EXERCIS E, SERVANT, DIFFERENT, SHEPHERD, SER VICE, SEVERAL, HANDKERCHIEF, NURSER

1670 REM\*\*\*UNIT 16 \* 12 WORDS 1680 DATACAREFUL, HOPEFUL, TRUTHFU L, BEAUTIFUL, USUAL, SKILFUL, JOYFUL ,CHEERFUL,PAINFUL,MOURNFUL,GRACE FUL, FAITHFUL 1690 REM\*\*\*UNIT 17 \* 14 WORDS 1700 DATAFOUNTAIN, POUNCE, AROUSE, LOUNGE, FLOUNDER, MOUNTAIN, ANNOUNC E, TROUSERS, ALOUD, ROUNDERS, ACCOUN T, PRONOUNCE, DOUBT, BOUNDARY 1710 REM\*\*\*UNIT 18 \* 8 WORDS 1720 DATASHOW, FLOW, SNOW, ROW, FALL OW, OVERFLOW, NARROW, OWE 1730 REM\*\*\*UNIT 19 \* 11 WORDS 1740 DATACAUSE, AUTHOR, HAUL, BECAU SE, AUTUMN, GAUDY, PAUSE, TAUT, SAUCE ,APPLAUSE, CAUTIOUS 1750 REM\*\*\*UNIT 20 \* 6 WORDS 1760 DATASMUGGLE, BELIEVE, MANAGE, ARRANGE, SETTLE, PRODUCE 1770 REM\*\*\*UNIT 21 \* 17 WORDS 1780 DATASPIRE, POLITE, OFFICE, SUR PRISE, DIVIDE, DESCRIBE, SHIRE, INVI TE, ADVICE, REVISE, COLLIDE, ENTIRE, CHASTISE, TIRED, ADVISE, PRIZE, CAPS 1790 REM\*\*\*UNIT 22 \* 12 WORDS 1800 DATATAX, STITCH, OSTRICH, DUCH ESS, SPEECH, ADDRESS, WALTZ, PRINCES S, CHORUS, BROOCH, SANDWICH, WATCH 1810 REM\*\*\*UNIT 23 \* 13 WORDS 1820 DATABURDEN, DISTURB, FURTHER, ABSURD, FURNISH, GURGLE, SATURDAY, N URSERY, PURPOSE, MURDER, CURTAIN, UR GE , URGENT 1830 REM\*\*\*UNIT 24 \* 12 WORDS 1840 DATACANARY, DAIRY, FACTORY, CO MEDY, LIBRARY, VICTORY, COUNTRY, HIS TORY, MEMORY, TRAGEDY, INJURY, DIARY 1850 REM\*\*\*UNIT 25 \* 13 WORDS 1860 DATAROUGH, DOUBLE, COURAGE, CO UPLE, FLOURISH, TOUGH, TROUBLE, ENCO URAGE, TOUCH, NOURISH, ENOUGH, COUNT RY, COUSIN 1870 REM\*\*\*UNIT 26 \* 7 WORDS 1880 DATATRAVEL, QUARREL, MODEL, CA NCEL, LABEL, EQUAL, PROPEL 1890 REM\*\*\*UNIT 27 \* 12 WORDS 1900 DATAQUESTION, QUARREL, QUARTE R, EQUATOR, SQUATTER, LIQUID, INQUIR E, SQUEAL, SQUARE, SQUASH, QUAINT, QU 1910 REM\*\*\*UNIT 28 \* 12 WORDS 1920 DATATIMID, HURRIED, EXCITED, S UDDEN, DISTINCT, INSTANT, QUIET, HON EST, SECRET, PLEASANT, VALIANT, PATI 1930 REM\*\*\*UNIT 29 \* 17 WORDS 1940 DATAPIECE, CHIEF, FIERCE, BELI EVE, FIELD, RECEIVE, NIECE, CHIEFTAI

N, PIERCE, SHRIEK, SHIELD, CEILING, T HIEF, YIELD, GRIEF, HANDKERCHIEF, BR IEF 1950 REM\*\*\*UNIT 30 \* 12 WORDS 1960 DATATOMATO, ECHO, NEGRO, BANJO ,MOSQUITO, CARGO, DINGO, VOLCANO, BU FFALO, POTATO, HERO, MOTTO 1970 REM\*\*\*UNIT 31 \* 16 WORDS 1980 DATAVASE, REFUSE, CLOSE, EXERC ISE, RESULT, PAUSE, AMUSE, ENCLOSE, S URPRISE, DESIGN, PRAISE, ACCUSE, PRO POSE, PHRASE, ABUSE, CONFUSE 1990 REM\*\*\*UNIT 32 \* 6 WORDS 2000 DATAVISIT, CREATE, ENJOY, EMPL OY, INVENT, ATTRACT 2010 REM\*\*\*UNIT 33 \* 9 WORDS 2020 DATAGUIDE, GUILTY, GUESS, GUIN EA, GUARD, GUITAR, GUEST, GUILLOTINE ,DISGUISE 2030 REM\*\*\*UNIT 34 \* 12 WORDS 2040 DATAPHOTO, RADIO, SOLO, ESKIMO ,CAMED, GROTTO, PIANO, BANJO, MERINO

STUDIO, FOLIO, MEMENTO 2050 REM\*\*\*UNIT 35 \* 17 WORDS 2030 DATAHINGE, ENGINE, GINGER, FRI NGE, TRAGIC, GIANT, PLUNGE, MAGIC, GE NIUS, LOUNGE, ENRAGE, GENERAL, SPONG E, AVERAGE, GIRAFFE, ANGEL, PIGEON 2070 REM\*\*\*UNIT 36 \* 15 WORDS 2080 DATAFISHERMAN, POSTMAN, CLERG YMAN, TRADESMAN, FOREMAN, MILKMAN, P OLICEMAN, GENTLEMAN, PLOUGHMAN, CRA FTSMAN, MONSTER, YOUNGSTER, SPINSTE R, GANGSTER, TRICKSTER 2090 REM\*\*\*UNIT 37 \* 20 WQRDS 2100 DATATOMB, GNOME, HONEST, KNIGH T, ISLAND, WHISTLE, WRAPPER, BOMBER, HONDUR, KNAVE, ISLE, GLISTEN, WRIGGL E.PLUMBER.GHOST.KNAPSACK.HASTEN. WRETCHED, WREATH, WRESTLE 2110 REM\*\*\*UNIT 38 \* 15 WORDS 2120 DATASKILFUL, WELFARE, ENROL, B ELFRY, ALREADY, UNTIL, EXCEL, BEAUTI FUL, WELCOME, ALSO, PROPEL, ALMOST, E XPEL, ALTHOUGH, ALTOGETHER 2130 REM\*\*\*UNIT 39 \* 21 WORDS 2140 DATADESERT, PROPERTY, ENERGY, MYSTERY, VERANDAH, OBSERVE, GOVERN, DANGER, DESSERT, LIBERTY, ENERGETIC , NURSERY , INTERESTING , OBSERVANT , C ONCERT, DANGEROUS, EXPERT, REVERSE, DESERVE, PATTERN, LANTERN 2150 REM\*\*\*UNIT 40 \* 12 WORDS 2160 DATAPREPARE, CREATE, BELIEVE, BREATHE, ADMIRE, PAUSE, BATHE, CLOTH E, NOTICE, IMPROVE, INCREASE, ESCAPE 2170 DATA13,0,14,13,13,27,13,40, 14,53,14,67,13,81,10,94,15,104,9 ,119,14,128,12,142,19,154,7,173, 14,180,12,194,14,206,8,220,11,22 8,6,239,17,245,12,262,13,274,12, 287,13,299,7,312,12,319,12,331,1 7,343,12,360,16,372,6,388,9,394, 12,403,17,415,15,432 2180 DATA20,447,15,467,21,482,12

## EDUCATION NOTES

16K **ECB** 



## Learning The Art Of Written Expression With Proper Punctuation

By Steve Blyn

oly cow, Batman! Watch out for the Penguin!" exclaimed Robin.

marks in the preceding paragraph. educational program. It presents a Using punctuation marks correctly was double-edged sword: On one hand, we almost becoming a lost art until always prefer to teach correct spelling; recently. The "back to basics" move- on the other hand, a child often feels ment occurring in many school systems cheated if he knows the correct answer has included stressing the teaching of but misspells it and gets marked as written expression. The proper use of wrong. punctuation marks is an essential part of this skill.

PAGE 12

Rather than having the student insert the actual mark as the answer, we felt it proper, in this case, to require the correct spelling of names of the punctuation marks. This is always a difficult There are quite a few punctuation decision to make when writing any

We compromised on the issue this time. Exact spelling is the only way to Punctuation Quiz reviews the uses of get a correct answer in this program. punctuation marks. A chart is displayed The pressure is eased, however, by listing major punctuation marks and omitting any scoring in the program. shows their keyboard symbols. The While we do want the children to learn student is then quizzed on when to use to spell words correctly, we do not want, each of the marks illustrated on the at the same time, to penalize them too chart. The student's task is to type in severely for minor spelling mistakes. the answer to the computer's questions. After each group of five questions, the

AUSTRALIAN RAINBOW

student may press 'C' to continue or 'E' to end the program. The program may be played continuously until the student learns all of the marks in the program.

Punctuation Quiz also helps to familiarize children with the keyboard/ typewriter symbols. Punctuation marks are often confusing to beginners because the SHIFT key must be used to produce some of them. Fortunately, the CoCo's keyboard is very similar to that of a standard typewriter. More than half of the punctuation marks are in similar positions. Many other computers have keyboards that are quite different from a standard typewriter keyboard.

Beginners should be encouraged to gain familiarity with using all of the CoCo's keyboard symbols. The only odd punctuation marks we have are the brackets. The left bracket is made by

November, 1985

simultaneously pressing the SHIFT and is yours. As always, please feel free to down-arrow keys and the right bracket alter this program as you see fit to help is made by pressing the SHIFT and right- your children and students benefit the arrow keys. (I have trouble remember- most from it. ing this myself and always have to check it out first.)

Line 50 reads the DATA statements necessary for the chart. Line 60 reads the DATA statements for the questions and answers. Lines 70-100 print out the chart of quotation marks and their symbols.


Lines 190-320 contain the quiz. Line 210 randomly selects one of the 11 possible question and answer sets. Line 220 prints the chosen question. Lines 260-270 check to see whether the answer is correct. If it is incorrect, the correct

answer will be displayed.

After five questions, the student may begin again or end the program by pressing either the letter 'C' or 'E'. The routine on lines 320-340 takes care of this task. A record of the student's score could be added between lines 320-330 if you desire one. This can easily be achieved by incrementing a counter on Line 260. To achieve this, add CR=CR+1 at the end of Line 260.

Each time a question is answered correctly, the counter will increase by one. You could then create a line such as 325 PRINT CR:CR=0. This would indicate the score and reset the count to zero for the next round.

As discussed earlier, we did not feel the need for a scorecard in this par-



The listing: PUNCOUIZ

1Ø REM"PUNCTUATION QUIZ" 20 REM"STEVE BLYN, COMPUTER ISLAN D, NY, 1985 3Ø DIM A\$(11), B\$(11), C\$(11), D\$(1 4Ø CLS 50 FOR I=1 TO 11: READ A\$(I), B\$(I ):NEXT I 60 FOR I=1 TO 11: READ C\$(I),D\$( I):NEXT I PUNCTUATION MARK 8Ø PRINT" MARK 9Ø PRINT" 100 FOR A=1 TO 11: PRINT A TAB(2) A\$(A) TAB(13)B\$(A): NEXT A 110 REM"CHOOSE A DECORATIVE PATT 12Ø NN=128+RND(127) 138 PR\$=STRING\$(32,NN) 140 PRINTPRS: 150 PRINT@484, "PRESS <ENTER> TO GO ON"; 16Ø EN\$=INKEY\$ 17Ø IF EN\$=CHR\$(13) THEN 18Ø ELS E 168 18Ø FOR T= 1 TO 5 19Ø CLS 200 PRINT" PUNCTUATION OU IZ":PRINT PR\$; 21Ø R=RND(11) 22Ø PRINT@96,C\$(R) 23Ø PRINT@192," ": ":PRINT@192,"ANS 24Ø INPUT ES 25Ø PRINT@288, PR\$; 26Ø IF E\$=D\$(R) THEN SOUND 2ØØ,2 :PRINT@ 364,"CORRECT" ticular program. The choice, of course, 278 IF E\$<>D\$(R) THEN SOUND 28,3

:PRINT@362,D\$(R):PRINT"IS THE CO RRECT ANSWER THIS TIME." 28Ø PRINT@ 484, "PRESS <ENTER> TO GO ON"; 300 IF ENS=CHR\$(13) THEN CLS ELS E 29Ø 31Ø NEXT T 32 CLS RND(8):PRINT@96," PRE SS <C> TO CONTINUE OR <E > TO END THE PROGRAM. 33Ø EN\$=INKEY\$ 340 IF EN\$="C" THEN RUN ELSE IF ENS="E" THEN END ELSE 33Ø 350 DATA ",",COMMA 360 DATA .,PERIOD,?,QUESTION MAR K,!,EXCLAMATION POINT,;,SEMICOLO N,":",COLON,-,HYPHEN 370 DATA ( ), PARENTHESES,[ ],B
RACKETS,'', QUOTATION MARKS,', APOSTROPHE 38Ø DATA THIS COMES AT THE END O DECLARATIVE SENTENCE., P ERIOD 390 DATA THIS IS USED TO SHOW ST FEELINGS OR EMOTIONS., E RONG XCLAMATION POINT THIS IS USED IN PLACES 400 DATA WHERE YOUWOULD PAUSE IN SPEAKIN G., COMMA 410 DATA THIS IS USED BETWEEN TW CLAUSES NOT JOINED BY A O MAIN CONJUNCTION., SEMICOLON 420 DATA THIS IS USED BEFORE A L IST OF ITEMS., COLON
430 DATA THIS IS USED TO SHOW PO SSESSION OR OWNERSHIP., APOSTROPH 440 DATA THIS IS USED TO DIVIDE A WORD INTO PARTS AT THE END O F A LINE., HYPHEN 45Ø DATA THESE ARE USED TO ENCLO SE AN EXTRA WORD OR WORDS., PA RENTHESES 460 DATA THESE ARE USED TO ENCLO SE ITEMS FOUND WITHIN PARENTHESE S., BRACKETS 47Ø DATA THESE ARE USED TO SHOW SOMEONE'SEXACT WORDS., QUOTATION MARKS 48Ø DATA THIS IS USED AT THE END INTERROGATORY SENTENCE. , QUESTION MARK

## EDUCATION OVERVIEW

## Computers Can Play An Important Role In Art Education

By Michael Plog, Ph.D.

end of the electronic stick is the arts. are most frequently used with mathe-This is understandable in some ways, matics. After all, computers are but really doesn't make much sense for the arts or for education.

computers most frequently with math, deal with such things as paint, clay or followed by language arts, reading, other products. computer programming, social studies, science and then art. (This is a finding a wide range of activities. There are the from the National Commission for performing arts, such as dance, theater, Employment Policy, "Uses of Compu- mime, magic, music and so on. Com-November, 1985

Then dealing with computers ters in Education," conducted by and education, the subject Education Turnkey Systems, Inc.) We matter area getting the short can easily understand why computers mathematical calculating machines, and math teachers have been trained in such things as calculating machines. In general, elementary schools use Art teachers are creative people who

Of course, the concept of "art" covers

AUSTRALIAN RAINBOW

mercial art covers such things as photography and drafting. Some schools even include film making in the

The amazing thing is that in most fields of art the computer has been used by professional artists, but not in the schools, where students are usually introduced to the arts. Much of the past "computer art" depended on the ability of the computer to produce random numbers. Then, a song or painting or some other artistic product was created using the random numbers.

The random effect has been used in

PAGE 13

Mozart (in 1777) composed a piece of computer. music by using dice to help pick a scale. String Quartet" using random numbers by actually doing it. They should learn however, the random number approach shapes; about music by organizing to art results in a product that is sound in meaningful patterns; about appreciated only by the artist (if that dance by studying movement. much).

assisted art (and art education) than program for the Color Computer. The random numbers. We listen to a lot of computer music. Moog synthesizer and electronic guitars are commonplace today. The computer provides not only the music, but in some cases, provides the structure of a piece and relieves the artist of many mundane tasks, from writing musical notes to reading them. Vangelis, who provided the score for the movie Chariots of Fire, cannot read music. But, he can generate art.

Computers are used to help in all kinds of animation, from Saturday morning cartoons to commercials. In fact, were it not for computers, we would have much less animation today than in the past. Salaries have increased a lot since Walt Disney directed a team of animators.

Computer-generated graphics are not only used to present subatomic particles and the structure of DNA (which looks like art to me), but pieces that hang in museums. Computers have been used to analyze the movements of dancers and runners for training purposes. John Swartzwelder has even used a CoCo to create one-line jokes (example: Scientists discover new moon orbiting Kate Smith). Computers have been used to mathematically analyze prose and poetry of great masters and then mimic that style to produce (some not so great) literary efforts.

So, if artists use computers, why There are several reasons. First, we do how to play an instrument. not expect students, especially elemenof art. We expect them to learn about about painting as well as music. The reductions. art instead of attempting to compete involve rather sophisticated software, paper to be displayed on the refrigerator which artists are unwilling to share with door. a group of elementary students. Also, PAGE 14

the past with some degree of success. students can do with the help of a as giving the student a valuable lesson

I hold the position that students -One hundred and eighty years later even in primary grades — can use the (1957), Lejaren Hiller and Leonard computer to help them learn about the Isaacson composed the "Iliac Suite for arts. I believe students should learn art generated by a computer. Generally, about painting by organizing colors and

Consider the easiest one first: music. There is much more to computer- My nephew recently showed me a music screen shows the music staffs, and by movement of the cursor and command keys, notes are placed on the staff. It seems to make sense that students would learn about music by writing it and listening to their compositions being played. The teacher could introduce such concepts as chords and harmony by showing students how to improve their own music. The students have a stake in their creations. Music by other people becomes more "real" to one who has written music.

It is difficult to convince a band to play a piece of music written by an elementary student. Especially when there may be 30 such students, each wanting to hear their own creation 100 times. It is not so difficult, on the other hand, to convince the Color Computer to play a musical composition written by a student. It is easy for the student to make changes in the music stored in a Color Computer and hear the results. It is hard for a student to change a few notes in a piece of music and expect a "live" band to immediately play again the altered piece. Thus, this teaching tool.

reasonable that such an approach heritage. Yet, when budget crunches should art students not be using them? would increase the motivation to learn happen in schools, the arts often suffer

Color Computer has some wonderful

there are few software publishers who mistakes that can ruin an art project. poetry, even if you are the only reader. provide computer-assisted instruction With a graphics package, it is easy to I welcome your thoughts on this packages (still the most frequent use of correct these little problems before the subject, and would appreciate reading computers in schools) for art. Finally, final product is ready. This makes the anything you want to send to me at art teachers may not realize what final product easier to accept, as well 829 Evergreen, Chatham, IL 62629.

that art is a dynamic, changing expression rather than a "first time only" event.

In kindergarten classes, a pre-art activity is to learn colors and shapes. The Color Computer is an ideal machine for computer-assisted instruction with kindergarten students. It is easy to imagine a student running a program which draws a triangle on the screen while the cassette recorder is talking about triangles. The triangle is colored red while the cassette provides a verbal explanation of the color red. As with all computer-assisted instruction packages, a major advantage is that the student can participate in the lesson as many times as needed.

Now, I do not know if such a program is already on the market. I doubt that it would require a master programmer to put together a unit on colors and shapes. If you have written one, please let me know about it and I will share that information through these pages.

So far, we have presented examples of computer-assisted art lessons for primary students. The same graphics packages mentioned could be used as a supplemental activity in a drafting class in a high school. The student could design the initial drafting project using a commercial graphics package, then complete the paper version based on changes and corrections made to the electronic rough sketch. Dance students in high school could use the screen as a model of a stage for choreographing movement, then translate the mental image to physical movement.

There is probably no end to the piece of software seems to be an ideal opportunities offered students with this blend of the computer and the arts. The initial barriers keeping the Before leaving this idea, a pratical point teacher away from the student are more should be raised. The arts are a very easily overcome. The student learns important part of education and one about music by actively engaging in the of the key subject matter areas for process of organizing sound. It seems students to learn about our cultural the most. The use of computers can help How about other arts? The computer continue this crucial part of education tary students, to produce great works can be used to help the student learn while still allowing for budget

I must mention one of the most with professionals. Second, most of the graphics packages. Students can first creative arts, computer programming. computer applications mentioned here create, then print their masterpiece on Just think, by your knowledge and skill, you can use a medium of expression (your Color Computer) to generate a Beginning students make simple work of beauty. Your programs can be

AUSTRALIAN RAINBOW

November, 1985





# NO NINES ALLOWED!

## By Richard Ramella

No-niner is an innocent little listing. It's not much trouble to type in and run. But beyond that, it's a tricky test of your thinking ability. Some players have been known to never beat it. If you want to consider that as a dare, then do.

My best score is 39, so that's the score you should equal or try to beat. I think a score of 40 or more is impossible, but I hope someone proves me wrong. (If so, I'd like to hear about it).

When you run the program you're presented with an eight-by-eight grid comprised of all letter 0's, except for the 'X' in the northwest corner. To start, move the 'X' to the position where you want to begin. Tap the 'A' key for north, '2' key for south. comma key for west and period key for east. When ready to start the test, press 'P' for play. A numeral '1' appears in place of the 'X' and you've scored one point.

From this start, directional moves count upward to'8', then start over at '1'. Every move you make scores a point.

Of course, there's a catch. At any time during play, the game ends if any two numbers in a vertical row total nine or more. For example: At the November, 1985 start you press 'P' for play when the 'X' is in the northwest corner. Then, pressing the period Key seven times counts from '2' to '8', ending at the northeast corner.

The only possible next move is south. You press the '2' key, a '1' is set beneath the '8' and the game ends because the two cells' numbers total nine.


No-niner keeps score, won't let you move off the playing board or into previously set numbers, and ends the game when you have exceeded the legal vertical total of eight.

In keying in the game, remember the material within quotes in lines 160 and 390-430 is comprised of the letter '0' and not a zero. Similarly, the material within quotes in Line 180 is the uppercase word for "9x" (as in strong as an ox).

This is a game for naturally mellow folks who accept success as the reward for perseverance. Keep the desk pounders away from it; they might smite your CoCo to bits when they score a measly 16 points or so for the 20th time in a row!

(Any questions about No-niner may be directed to Mr. Ramella at 1493 Mt. View Avenue, Chico. CA95926. Please include an SASE.)

AUSTRALIAN RAINBOW



### The listing: NONINER

```
100 REM * NO-NINER * TRS-80 EXTE
NDED COLOR BASIC 16K
110 REM * BY RICHARD RAMELLA
12Ø CLEAR 5ØØ
13Ø DIM A$(1Ø)
140 CLS: PRINT "CAN YOU SCORE 39
15Ø FOR C=1 TO 1Ø
16Ø A$(C)="ØØØØØØØØØØ
170 HEXT C
18Ø A$(2)="ØX"+RIGHT$(A$(2),8)
19Ø X=2: Y=2: B$="12345678"
2ØØ GOSUB 55Ø
21Ø A$=INKEY$
22Ø IF A$="" THEN 21Ø
23Ø GOSUB 5ØØ: GOSUB 39Ø
24Ø IF A$="P" THEN MID$ (A$(Y), X,
1)="1": GOSUB 55Ø: GOTO 27Ø
25Ø GOSUB 55Ø
26Ø GOTO 21Ø
27Ø Q=1: S=1: C=2
28Ø A$=INKEY$
29Ø PRINT @ 36Ø, "SCORE"S;
3ØØ IF A$="" THEN 28Ø
31Ø GOSUB 5ØØ
32Ø IF INSTR("AZ,.",A$)=Ø OR A$=
"" THEN 28Ø
33Ø GOSUB 39Ø: GOSUB 55Ø
340 U=VAL(MID$(A$(Y-1),X,1))
350 M=VAL(MID$(A$(Y),X,1))
36Ø P=VAL(MID$(A$(Y+1),X,1))
37Ø IF U+M>8 OR P+M>8 THEN XX=1Ø
Ø: GOTO 5ØØ
380 GOTO 280
39Ø IF Q=Ø THEN MID$(A$(Y),X,1)=
400 IF A$="A" AND Y>2 AND MID$ (A
$(Y-1),X,1)="Ø" THEN Y=Y-1: L=1
410 IF A$="Z" AND Y<9 AND MID$ (A
$(Y+1),X,1)="Ø" THEN Y=Y+1: L=1
42Ø IF A$="," AND X>2 AND MID$(A
$(Y),X-1,1)="$" THEN X=X-1: L=1
43$\rightarrow$ IF A$="." AND X<9 AND MID$(A
$(Y),X+1,1)="$" THEN X=X+1: L=1
440 IF Q=0 THEN MID$ (A$(Y), X, 1) =
"X": RETURN
45Ø IF L=Ø THEN 28Ø ELSE L=Ø
460 MID$ (A$(Y), X, 1) =MID$ (B$, C, 1)
47Ø S=S+1: C=C
48Ø IF C=9 THEN C=1
49Ø RETURN
500 IF XX<>100 THEN RETURN
51Ø PRINT @ 416, "END SCORE: "S
52Ø FOR T=1 TO 1000
53Ø NEXT T
54Ø END
55Ø GH=76
56Ø FOR D=2 TO 9
57Ø PRINT @ GH, MID$ (A$ (D) , 2, 8) ; :
 GH=GH+32
58Ø NEXT D
59Ø RETURN
600 END
```

This program he!ps make the 'ups and downs' of learning easy

# **ELEVATOR**

## By Bill Bernico

Sesame Street teaches fundamentals to youngsters, helping them understand simple, everyday words like large or near or far, alike different. Here's a program that helps them comprehend up and down.

This program, Elevator, at first glance, may appear to be strictly for young kids. Don't believe it! There are some pretty slick programming tricks integrated into this one tricks you may want to use in your own programs even if you aren't overly entertained by an elevator making the

Constructing the seven floors of the building is done in lines 80-220, building being topped off by the word "ELEVATOR" in Line 230. Lines 240-250 ask if the user wants to go up or down. Lines 260-290 accept user input. Line 270 keeps the words "GOING UP" on the screen and erases the "OR". Line 280 keeps the word "GOING" on the first line, erasing the rest of that line. It also keeps the word "DOWN" on the second line, erasing "(W/D)."


The basis of the elevator action is held in lines 300 through 420. Lines 300-350 are GOSUBed if the chooses 'D' and lines 360-420 are GOSUBed if the user chooses 'U'.

In either case, 'S' equals the value of the sound, with the top floor having PAGE 16

the highest sound. 'N' equals the number of the floor displayed in the right window and is poked into value 'V'. I used POKE instead of PRINT ? because PRINT 2 left unwanted spaces before and after the number.

As the elevator passes each floor a character string that's half black and half yellow appears in the window, which gives the impression of the elevator being halfway between floors. I chose the variable BY\$ to represent the "Bottom Yellow" color block. TY\$ is used when the "Top Yellow" block appears.

These actions are merely repeated in a FOR/NEXT loop until you've covered all seven floors. I'd be interested in hearing from anyone who can use premise and build a more complex program around it. My address is 708 Michigan Avenue, Shebovgan, WI 53081. phone (414) 459-7350.



TURN

The listing: ELEVATOR

10 'ELEVATOR 20 'BY BILL BERNICO

'708 MICHIGAN AVE. 30

SHEBOYGAN, WI 53Ø81 40

70 L\$=CHR\$(128):A\$=STRING\$(10,19 1):B\$=CHR\$(191):C\$=B\$+B\$+B\$+L\$:D \$=CHR\$(159):E\$=STRING\$(2,191):TY


AUSTRALIAN RAINBOW

\$=CHR\$(156):BY\$=CHR\$(147) 8Ø CLS3:PRINT@498,A\$ 9Ø PRINT@466,C\$;C\$;E\$; 100 PRINTE434,AS; 11ø PRINT@4#2,C\$;C\$;E\$; 12Ø PRINT@37Ø, A\$; 13Ø PRINT@338,C\$;C\$;E\$; 14Ø PRINT@3Ø6,A\$; 15Ø PRINT@274,C\$;C\$;E\$; 16Ø PRINT@242,A\$; 17Ø PRINT@21Ø,C\$;C\$E\$; 18Ø PRINT@178,A\$; 190 PRINT@146,C\$;C\$;E\$; 200 PRINTell4, AS; 21Ø PRINT@82, C\$; C\$; E\$; 22Ø PRINT@5Ø, A\$; 23ø PRINT@18,B\$;"elevator";B\$; 24ø PRINT@6,"GOING UP OR"; 25ø PRINT@32,"DOWN (U/D)?"; 26Ø I\$=INKEY\$:IFI\$=""THEN26Ø 27Ø IF I\$="U"THEN PRINT@8," "; :PRINT@32,STRING\$(11,143);:GOSUB 36Ø 28Ø IF I\$="D"THEN PRINT@6," ";:PRINT@37," ";:GOSUB 3Ø 29Ø GOTO 8Ø 300 S=180:N=55:V=1113:FOR Y=85 T O 469 STEP 64 31Ø PRINT@Y,TY\$::GOSUB42Ø 32Ø PRINT@Y,D\$::SOUNDS,1:POKEV,N :GOSUB420 33Ø PRINT@Y, BY\$;:GOSUB42Ø 340 PRINTEY, LS; : PRINTEY+4, LS; : GO 35Ø S=S-5:N=N-1:V=V+64:NEXTY:RET URN 36Ø S=15Ø:N=49:V=1497:FOR Y=469 TO 85 STEP-64 37Ø PRINTOY, BYS;:GOSUB42Ø 38Ø PRINT@Y, D\$::SOUNDS, 1: POKEV, N :GOSUB42Ø 39Ø PRINT@Y, TY\$;:GOSUB42Ø 400 PRINTEY, LS; : PRINTEY+4, LS; : GO SUB420 41Ø S=S+5:N=N+1:V=V-64:NEXT Y:RE

42Ø FORK=1TO2ØØ: NEXTK: RETURN

November, 1985





ant great sound without sacrificing fast graphics? Zonx provides you with both! It proves that, without a doubt, the CoCo can produce sound without slowing the action, and as an added bonus, Zonx is fun!

To play Zonx, enter and run the program listing. If you have Extended BASIC, begin by typing PCLEAR 1. After you type RUN, the program begins reading the DATA statements and poking the numbers into memory. These numbers make up a machine language program. After all the numbers are poked, the BASIC programs will save

(David Billen is a self-employeed programmer. His hobby is music synthesis, ranging from his CoCo to Syncho drums.)

November, 1985

the machine language program to tape. Zugs are the sluggy-looking things. A You can load this program by typing Zonx will not harm you, but if you can CLOADM and run it by typing EXEC. touch it with the very tip of your ship, Before testing Zonx, be sure to save the the game will have a brief "spasm" and BASIC program that created it just in 100 points are rewarded. Conflict with case you make a typing error and it a Zug is always fatal and, since the goal does not work.

Once the program is up and running them. the first thing you see is a title screen. At this point, Zonx also plays a little a wave of Zugs and a wave of both. heavy metal rock-and-roll music while If you survive this far, bonus points are waiting for you to press the right awarded and the level of difficulty joystick button.

controls a ship that moves right or left near the bottom of the screen. The ship will not stay still - something to do

fly down the screen, "Zonxes" and OK 73083. Please include an SASE. "Zugs." Zonxes are the ones that flash;

AUSTRALIAN RAINBOW

is to earn points, I suggest avoiding

You will encounter a wave of Zonxes, increases. After the fourth increase in The game begins and your joystick difficulty the game never gets any harder. If you make it that far, you are doing incredibly!

I welcome correspondence from with gravitational photon intervention. those who have questions or comments. Two different types of characters will My address is P.O. Box 832, Edmond,


Good luck, it's all in the wrist!

PAGE 17

Editor's Note: As we were going to press, David Billen advised us that four POKEs will be needed to correct a problem that has arisen on some CoCos. You can type in the following line and CSAVE it on tape before the Zonx ML program; to play the game, simply load this program (leave the play button down on your recorder) and run it. After the four POKEs have been made. the ML program will be loaded and executed automatically.

10 CLS:PRINT2264. LOADING zonx ... .\*:POKE359,127:POKE360,255:POKE3 61,34:POKE362,57:CLOADM"ZONX":EX EC

If you want to use the Zonx program on disk, change CLOADM in this loader program to LOADM. Since the following listing will not run a disk system, run it with the controller unplugged and save the machine language on tape, then CLOADM it into your disk system later and type SAVEM "ZONX", 13740, 16383, 13744 and press ENTER.



150 104	890 19
31074	103041
440106	1170 123
600 255	1300 166
75026	END238

## The listing: ZONX

10 CLEAR 200,13700

15 CLS:PRINT:PRINT\*LOADING MACHI

NE CODE ... \*

20 X=13744

30 READ A: IF A()999 THEN POKE X, A:X=X+1:GOTO 30

50 T=6:FOR X=15891 TO 15905 STEP 2:POKE X,T:POKE X+1,RND(255):T= T+1:NEXT X:POKE 15907,13:POKE 15

60 PRINT: INPUT \* READY RECORDER/P

70 CSAVEN "ZONX",13740,16383,137 44

80 END

100 DATA 134,85,183,0,113,142,53 ,187,191,0,114,18,134,62,31,139 110 DATA 142,53,218,191,1,13,134 ,53,183,255,3,28,239,189,169,118 120 DATA 16,223,10,16,206,63,255 ,126,56,162,182,255,2,12,0,59 130 DATA 13,12,16,38,1,191,182,2 55,32,31,137,132,3,138,128,183 140 DATA 255,32,182,255,0,247,25 5,32,214,18,132,128,38,3,90,42 150 DATA 7,92,193,62,35,2,214,18 ,215,1,142,12,64,214,18,84 160 DATA 58,236,132,221,14,134,8 ,16,142,0,0,16,175,132,48,136 170 DATA 32,74,38,247,134,255,15 1,8,142,12,64,214,1,215,18,84 180 DATA 58,37,46,15,15,134,24,1 48,8,167,136,32,134,60,148,8 190 DATA 167,136,64,167,136,96,1 34,219,148,8,167,137,0,128,167,1

200 DATA 0,160,167,137,0,192,134 ,195,148,8,167,137,0,224,126,54 210 DATA 214,204,1,128,148,8,212 ,8,237,136,32,204,3,192,148,8 220 DATA 212,8,237,136,64,237,13 6,96,204,13,176,148,8,212,8,237 230 DATA 137,0,128,237,137,0,160 ,237,137,0,192,204,12,48,148,8 240 DATA 212,8,237,137,0,224,220 ,14,132,15,196,240,221,14,126,54 250 DATA 214,222,4,166,192,17,13 1,192,0,37,3,206,160,0,223,4 260 DATA 57,142,62,19,16,174,132 ,111,164,49,168,32,16,140,14,0 270 DATA 37,11,189,54,161,132,31 ,16,142,4,0,49,166,16,175,129 280 DATA 140,62,37,37,223,57,142 ,62,19,134,3,167,145,140,62,37 290 DATA 37,249,13,13,16,38,5,98 ,57,13,16,38,15,142,62,37 300 DATA 111,129,140,62,53,37,24 9,12,16,15,73,57,142,62,37,189 310 DATA 55,82,38,42,167,164,167 ,168,32,49,168,64,16,140,13,64 320 DATA 37,11,167,164,167,168,3 2,16,142,0,0,32,17,134,60,167 330 DATA 164,148,7,167,168,96,15 0,7,167,168,32,167,168,64,16,175 340 DATA 129,156,53,16,37,255,20 0,150,6,76,132,3,151,6,38,17 350 DATA 150,7,129,255,38,4,134, 85,32,5,72,36,2,134,255,151 360 DATA 7,57,16,174,132,16,140, 1,0,34,23,189,54,161,132,127

370 DATA 145,81,44,16,189,54,161 ,132,31,16,142,4,0,49,166,16 380 DATA 175,132,79,57,134,255,5 7,134,255,151,0,150,73,42,2,19 390 DATA 57,16,38,0,95,214,74,92 ,196,63,215,74,150,77,92,141 400 DATA 7,79,214,74,141,2,32,23 7,183,255,32,13,0,42,4,90 410 DATA 38,249,57,53,192,150,12 ,129,1,38,17,151,73,76,151,12 420 DATA 134,232,183,255,34,19,1 34,248,183,255,34,57,76,38,8,16 430 DATA 206,63,255,126,56,162,5 7,151,12,134,248,183,255,34,142, 12 440 DATA 64,214,18,189,54,161,12 9,5,34,5,134,232,183,255,34,151 450 DATA 8,126,54,47,129,1,16,38 ,0,143,150,12,31,137,64,151 460 DATA 1,189,54,161,148,1,189, 55,152,32,239,13,17,38,18,142 470 DATA 62,55,111,129,156,71,37 ,250,12,17,134,2,151,73,151,76 480 DATA 57,142,62,55,189,55,82, 38,86,167,164,167,168,32,49,168 490 DATA 64,16,140,13,64,37,25,1 67,164,167,168,32,167,168,64,167 500 DATA 168,96,167,169,0,128,16 7,169,0,160,16,142,0,0,32,47 510 DATA 206,56,148,150,9,76,132 ,15,151,9,150,17,13,9,38,7 520 DATA 76,129,5,37,2,134,1,151 ,17,74,72,51,198,16,159,1

540 DATA 175,129,156,71,16,37,25 5,156,57,129,2,16,38,1,211,214 550 DATA 74,90,90,196,127,215,74 ,150,77,189,55,152,79,214,74,189 560 DATA 55,152,32,235,24,36,24, 66,24,129,24,66,24,36,24,66 570 DATA 24,129,189,56,222,142,6 2,82,134,4,111,134,74,42,251,151 580 DATA 7,151,73,151,77,142,62, 12,76,167,128,140,62,19,37,249 590 DATA 142,160,0,159,4,126,58, 21,79,31,139,16,191,0,136,32 600 DATA 4,173,159,160,2,166,128 ,38,248,134,62,31,139,57,142,255 610 DATA 192,111,132,111,2,111,4

530 DATA 198,8,166,192,167,164,4

9,168,32,90,38,246,16,158,1,16

92,193,5,37,243,198,5,166,133 630 DATA 167,165,90,42,249,142,4 ,0,134,96,167,128,140,6,0,37 640 DATA 249,16,142,4,32,142,58, 126,189,56,200,16,142,4,96,189

,142,62,82,16,142,62,87,95,166

620 DATA 165,161,133,34,16,37,5,

650 DATA 56,200,16,142,4,203,189

35 FOR X=15872 TO 16383:POKE X,0 :NEXT

908. RND(255)

RESS ENTER": AS

,56,200,142,62,82,16,142,4,237 660 DATA 141,25,142,62,87,16,142 ,5,45,141,16,142,4,0,166,132 670 DATA 136,64,167,128,140,6,0, 37,245,32,31,95,16,191,0,136 680 DATA 31,155,166,133,139,48,1 73,159,160,2,92,193,5,37,243,134 690 DATA 48,173,159,160,2,134,62 ,31,139,57,182,255,0,132,1,39 700 DATA 249,126,59,75,142,54,23 3,159,79,15,16,79,151,81,151,12 710 DATA 167,226,68,151,77,189,5 5,119,189,54,177,189,53,224,173, 159 720 DATA 62,79,166,224,76,38,233 ,142,6,0,150,78,151,81,175,227 730 DATA 189,55,119,189,54,177,1 89,53,224,13,12,38,20,220,14,39 740 DATA 16,132,102,196,102,16,1 31,0,0,39,4,12,13,32,2,12 750 DATA 12,173,159,62,79,174,22 5,48,31,38,211,79,151,81,167,226 760 DATA 68,151,77,189,55,119,18 9,54,177,189,53,224,173,159,62,7 770 DATA 166,224,74,38,233,57,14 2,55,251,159,79,15,17,126,57,123 780 DATA 142,58,0,159,79,15,17,1 5,16,15,74,15,75,126,57,123 790 DATA 189,54,233,189,55,251,1 3,12,38,10,13,13,38,6,134,3 800 DATA 151,73,151,76,57,134,1, 151,78,189,61,21,189,61,138,142 810 DATA 62,37,150,78,139,3,72,4 8,134,159,53,142,62,55,48,134 820 DATA 159,71,189,57,116,189,5 7,230,189,57,240,189,59,217,134, 255 830 DATA 151,7,189,61,138,150,78 ,76,151,78,129,5,37,209,18,78 840 DATA 32,205,129,3,16,38,2,38 ,214,74,92,196,63,215,74,38 850 DATA 9,214,75,90,39,4,196,12 7,215,75,214,75,219,74,158,77 860 DATA 72,189,55,152,214,74,21 9,75,79,189,55,152,32,218,32,32 870 DATA 32,32,32,32,32,32,32,32 ,60,60,40,40,90,79,78,88 880 DATA 41,41,62,62,0,32,32,32, 32,32,32,32,32,66,89,32 890 DATA 68,65,86,73,68,32,66,73 ,76,76,69,78,13,32,32,32 900 DATA 32,32,80,82,69,83,83,32 ,66,85,84,84,79,78,32,84 910 DATA 79,32,66,69,71,73,78,0,

76,65,83,84,32,83,67,79

920 DATA 82,69,13,13,32,32,32,32


930 DATA 73,71,72,32,83,67,79,82 ,69,0,151,1,151,2,215,3 940 DATA 134,252,151,77,15,0,134 ,4,167,226,150,77,214,1,141,64 950 DATA 79,214,1,141,59,106,228 ,38,241,134,4,167,228,150,77,214 960 DATA 2,141,45,79,214,2,141,4 0,106,228,38,241,166,224,150,0 970 DATA 145,3,36,38,150,77,39,3 ,74,151,77,150,1,129,255,39 980 DATA 3,76,151,1,150,2,129,1, 39,3,74,151,2,126,58,246 990 DATA 183,255,32,90,18,18,18, 18,38,249,57,142,59,133,166,128 1000 DATA 39,249,230,128,129,1,3 8,18,16,142,4,46,166,164,138,64 1010 DATA 167,160,16,140,4,50,37 ,244,134,1,189,58,234,16,142,4 1020 DATA 46,166,164,132,191,167 ,160,16,140,4,50,37,244,182,255, 1030 DATA 133,1,38,202,57,80,16, 16,16,1,16,32,32,16,16,1 1040 DATA 16,80,16,80,16,16,16,1 ,16,32,32,16,16,1,16,80 1050 DATA 16,64,32,1,16,64,16,64 ,32,1,16,48,16,64,32,1 1060 DATA 16,64,16,64,32,1,16,48 ,16,80,16,16,16,1,16,32 1070 DATA 32,16,16,1,16,80,16,80 ,16,16,16,1,16,16,16,16 1080 DATA 16,16,16,1,16,1,16,0,0 ,134,10,214,78,61,231,226 1090 DATA 166,228,198,8,189,58,2 34,189,60,162,189,60,182,189,55, 1100 DATA 189,61,138,106,228,38, 233,53,2,142,60,20,166,128,16,39 1110 DATA 255,72,68,230,128,189, 58,234,52,16,189,55,64,189,61,13 1120 DATA 53,16,32,232,1,255,144 ,32,144,32,144,32,144,32,144,16 1130 DATA 128,48,144,16,128,48,1 44,16,128,16,80,16,96,32,80,16 1140 DATA 80,16,80,16,144,16,128 ,16,2,32,144,16,128,16,2,32 1150 DATA 144,16,128,16,80,16,96 ,144,0,0,150,13,129,1,38,21 1160 DATA 150,73,151,76,134,4,15 1,73,151,13,134,232,183,255,34,1 89 1170 DATA 60,162,126,60,182,150, 13,139,64,151,13,36,16,15,13,204 1180 DATA 0,0,221,14,150,76,151, 73,134,248,183,255,34,57,129,4 1190 DATA 16,38,250,251,150,13,6 4,72,138,128,214,13,189,55,152,7

1200 DATA 214,13,189,55,152,32,2 37,150,86,76,151,86,129,10,37,21 1210 DATA 15,86,142,62,82,198,3, 166,133,76,167,133,129,10,37,5 1220 DATA 111,133,90,42,242,57,1 42,62,82,198,4,16,142,15,112,166 1230 DATA 133,206,60,227,72,72,1 71,133,51,198,134,5,151,1,16,159 1240 DATA 2,166,192,167,165,49,1 68,32,10,1,38,245,16,158,2,90 1250 DATA 42,221,57,3,51,51,51,3 ,15,207,207,207,3,3,243,3 1260 DATA 63,3,3,243,195,243,3,5 1,51,3,243,243,3,63,3,243 1270 DATA 3,3,63,3,51,3,3,243,24 3,243,243,3,51,3,51,3 1280 DATA 3,51,3,243,243,142,4,0 .111,128,140,14,0,37,249,134 1290 DATA 255,167,128,140,16,0,3 7,249,142,255,192,111,0,111,2,11 1300 DATA 5,134,248,183,255,34,1 6,142,15,113,142,62,82,198,4,189 1310 DATA 60,191,189,60,182,142, 61,113,16,142,15,111,16,159,1,16 1320 DATA 142,15,106,189,61,87,5 7,52,32,198,5,166,128,152,7,167 1330 DATA 164,49,168,32,90,38,24 4,53,32,49,33,16,156,1,38,231 1340 DATA 57,60,192,48,12,240,60 ,192,192,192,60,48,204,204,204,4 1350 DATA 240,204,240,204,204,25 2,192,240,192,252,142,61,210,16, 142,14 1360 DATA 44,52,32,198,8,215,6,1 66,128,141,42,215,3,141,38,150 1370 DATA 3,221,1,68,84,154,1,21 8,2,148,7,212,7,136,255,200 1380 DATA 255,237,164,49,168,32, 10,6,38,221,53,32,49,34,16,140 1390 DATA 14,52,37,205,57,198,4, 215,1,95,72,89,89,18,1,38 1400 DATA 249,57,254,4,8,16,32,6 4,128,254,124,130,130,130,130,13 1410 DATA 130,124,130,130,162,14 6,146,138,130,130,130,130,68,40, 40,68 1420 DATA 130,130,65,82,48,50,54 ,180,150,83,84,65,82,48,52,54 1430 DATA 205,134,83,84,65,82,88 ,50,54,219,148,76,73,70,69,60 1440 DATA 999 1450 DATA 6,161,7,24,8,154,9,17, 10,238,11,16,12,1,13,62,13,153,9

00000000000000000000000000000

PAGE 19

,32,32,32,32,32,32,32,72 000000000000000000 November, 1985



I've been a RAINBOW reader for years. The first high resolution machine language graphics program I worked was Dennis Lewandowski's shoot-'en-up space game. Since then, I've been plugging away at my little CoCo and now have a program of my own to offer - Digital Aquarium.

A "digital aquarium" is no substitute for a real aquarium. It doesn't make gurgling noises (though there are bubbles) and the fish won't recognize you or flare their fins at a mirror. Still, there are no water filters to clean and, if one tires of a fish, one can simply remove it from the object list with no twinges of conscience. It is also a good example of what your CoCo can do when you ask it to. There are over 50 objects being moved at once. (I'd like to see that on a Connodore!)

It would really be best to get RAIN-BOW ON TAPE to enjoy this article. I've included a listing of the assembly language source. Those who don't already know can see that machine language programs tend to be very long if they intend to do much. This is because each line in assembly code does only something very simple. The basic that it doesn't use joysticks - yet. line:

PAGE 20

i = i + k

translates to:

lda j adda k sta i

Similarly, a BASIC line of any complexity is apt to turn into a CoCo screen-full of assembly language. Unless you are trying to learn assembly language, typing in this program will probably be impossible, for a single typing error will be enough to make everything not work. It is a pretty program, and I hope people not trying to learn assembly language will be able to enjoy it as well.

For those who have done some graphics programming, Digital Aquarium derives its remarkable speed and smoothness through the use of preshifted shapes, a DRAW-DRAW architecture, as well as from being written in fairly tightly-coded 6809 assembler. Anyone wishing to incorporate parts of this code into any of their programs, even commercial ones, should feel free to do so. I hope it encourages some games that don't involve missiles in space or jungle munch-'em-ups. My only regret with Digital Aquarium is

There are two listings that accom-AUSTRALIAN RAINBOW

pany this article. Listing 1, F, written to be assembled using The Micro Works' Macro-80C, is the machine language code that actually does the work of animating the fish and also contains the code to produce a small aquarium. Listing 2, FISH, is a BASIC program that uses the Digital Aquarium as a USR ( ) routine. The aquarium will run until a key is pressed, then it will return to BASIC. The PCLS ( ) call can be followed by other BASIC graphics commands if a more elaborate, non-moving background is desired. (The October 1985 RAINBOW ON TAPE includes a longer version of the machine language program, called FLARGE, as well. To use this program, just change Line 20 of Listing 2 to LOADM "FLARGE".

I have tried to document the assembly language as much as possible. I did not have the luxury of an 80-column screen when I developed this program, so comments appear on the line after the code they refer to rather than at the end of the same line. All parameters are passed to subroutines in registers. Subroutines are required to save registers they use unless those registers return values. The one exception to this is the software blitter (rectangle mover) routine named XORBLIT.

The only truly hairy routine in this package is CLPBLT or "clip blit." Personally, I am just happy it works and that I no longer have to understand exactly how. This is a vital routine, however. If it weren't for CLPBLT, the fish that are half on screen would also be half on the code, and believe me, fins in place of RTSs lead quickly to seaweed soup!

Most of the machine code is set up to interpret the animation list, which is declared at the bottom of Listing 1 and Listing 2. Members of the animation list are characters, which are themselves composed of three parts: position, path and image. In each frame three functions are called for each character. First, a function associated with the path of the character is called and updates the position, then a function associated with the image is called and stuffs Register X with a "raster" (a rectangular array of pixels - little square dots), and Registers A and B with the dimensions of the raster. Next a function to draw the raster at the character position is called. The fun part of this setup is that different images can have the same path and vice-versa. Furthermore, new types of paths and new types of images can easily be added.

November, 1985

Currently there are four types of paths: STRAIT, BOUNCE, YBOUNC and SAMPLED. The STRAIT and BOUNCE paths require only two numbers to define in addition to a "type byte" at the beginning. These are naturally the horizontal and vertical offsets to be added to the character position in each frame.

The SAMPLED path is a bit more complex. The format is a type byte followed by two bytes to say how many samples there are, two bytes to say which sample we're on now, and then a list of the samples themselves. The samples are really offsets just like the straight type path. The difference is that you move each frame on to the next offset rather than always using the same one.

To go with the four types of paths there are three types of images. The first of these is STILL. A STILL contains the type byte stating it is a STILL, followed by the dimensions of the raster containing the image, followed by the raster itself. STILL shapes will jerk if moved horizontally, but require only one-fourth the memory of the other

types of shapes.

The second type of image is GLIDE. As you may know, in the color Hi-Res screen modes of your CoCo a single pixel takes up two bits. This means there are four pixels in a byte. The CoCo is a byte-oriented machine; it is not especially good at shifting around bits within a byte — it will do it, but not nearly as fast as it will throw around bytes whose bits it doesn't have to twiddle.

The upshot of this is that if you want smooth movement in the horizontal direction, you must have four copies of an image, one for each pixel that lives in a byte. This way, when you want the first pixel of an image to go to a place on the screen that is itself, say, the third pixel of a byte, you do not spend ages shifting the whole image a bit at a time before making the copy, but rather simply decide which one (in this case the third) of four pre-shifted images to put as a byte array onto the screen.

Therefore, when an image is declared to be type GLIDE you supply the first raster just as if it were a STILL, but then you reserve space for three more copies of the image - pre-shifted copies, for the machine to fill in once it gets going.

The type WIGGLE is very much like GLIDE, except instead of the CoCo doing the pre-shifting you do it yourself. The advantage of this is that without using any more memory than it would take for smooth motion, you can have a shape that wiggles a little as it moves horizontally.

The program only works on machines with Extended Color Disk BASIC. To get it to run on a cassette-based system add the line: 25POKE 3000,8 to Listing 2. This tells it your screen is starting at \$800 instead of \$E00. It should run on 16K machines with no problem.

The Digital Aquarium was written using a Micro Works Macro-80C assembler and editor with local lables. (That's what all the A2's are, folks.) If you own a less intelligent assembler, I'm afraid you'll have to make up new labels for them.

\*TO WIGGLE TYPES BY FILLING

#### Listing 1: F

9991	9989		XMAX	EQU 128					*TO WI	GGLE TYPES BY FILLING	
	9969		XAMY	EQU 96					*IN TH	E PRESHIFTED IMAGES	
***				SIONS OF SCREEN					****	*******	
						9919	392E	3452	OBINIT	PSHS A,U,X	
9993	gegg			ORG \$3999							
	,					9929	3939	11839999		CMPU #9	
9994	3999	gEgg	SCREEN	FDB SEGG					*JUST	TO SET CONDITION CODE	
				IN NEW SCREEN LOCATION		9921	3934	2913		BRA C@	
				IF WANT TO		9922	3936	AEC99994	A@	LDX CIHAGE, U	
						9923	393A	A6899999		LDA ITYPE.X	
gaas	3992			ORG \$3919		9924	393E	8192		CMPA #GLIDE	
****	-,,-		*SKTP	A BIT ROOM FOR		9925	3949	2693		BNE B@	
				PARAMETERS FOR LATER		9926	3942	179998		LBSR PREGLI	
			*VERS I								
			- 1 LL L	0.00				EEC99996	B@	LDU CNEXT,U	
7776	3919		ZTART			9928	3949	ZSEB	CG	BNE A@	
		ссяедя	CIMET	IND MERGE							
				LDD #\$E## STD SCREEN		9929	3948	35D2		PULS A, U, X, PC	
		FD3999 CE339B									
				LDU #ANLIST					****	******	
AATA	2914	179912	+555 0	LBSR OBINIT					*		
			*PRE-S	HIFT SHAPES					*	PREGLI	
****									*		
AATT	3910	179988		LBSR DRAALL	200				*INPUT	:	
				EVERYTHING ONE UP TOP S					*	X->IMAGE	
				CAN BE UNDRAW-DRAW INST	EAD				*		
			*OF DR	AV-UNDRAW					*HAKES	3 SHIFTED VERSIONS	
									*OF RA	STER AND ALL STENCILS	
	391F		LOOP						***	*****	
		179998		LBSR FRAME		9939	394D		PREGLI		
		179223		LBSR INTRPT		9931	394D	3476		PSHS X,Y,U,A,B	
9915	3925	27F8		BEQ LOOP		9932	394F	3276		LEAS -19,S	
			*GO AR	OUND FOREVER OR UNTIL							
			*USER	HITS KEYBOARD		9933	3951	8691		LDA SWIGGLE	
								A7899999		STA ITYPE.X	
9916	3927	CE339B		LDU #ANLIST					*PROMO	TE TO PRESHIFTED TYPE	
9917	392A	17997A		LBSR DRAALL					- 40110	IS TO TABULITIES TITE	
			*FINAL	ERASING XOR		9935	3057	EC899991		LDB IXDIM,X	
<b>3318</b>	392D	30		RTS			3Ø5B				
,,,,,	3,22		*RETUR	W ALL THE WAY TO BASIC		7730	3935	EDE4		STD ,S	
									SAVE .	DIMENSIONS	
			****	*****	*	****					
					7			EC899993		LDD ILENG, X	
			*	OBINIT		3430	3961	ED62		STD 2,S	
				OBIRII					*SAVE	RASTER SIZE	
			Salaran market								
			*INPUT			9939	3963	39899995		LEAX IDATA,X	
			*	U->CHARACTER LIST				2223	*POINT	I TO START OF FIRST RASTER	
			******		T.C.	9949	3967	338B		LEAU D,X	
Manie		1000	MATEL	PROHOTE GLIDE TYPE IMAG		-			*POINT	U TO NEXT RASTER	
vove	nper	, 1985		AU	ISTRALIAN	RA	NIF	BOW		PAGE	21
										THUE	21

9941 3969 8693	LDA #3	9394 3355 FF	
9942 396B A764	STA 4,S	9986 39CB EEC99996 9987 39CF 26F1	LDU CNEXT,U
	*COUNT THROUGH THREE RASTERS	9988 39D1 35C9	PULS U.PC
9943 396D ECE4	A@ LDD .s		
9944 396F 1CFE	A@ LDD ,S ANDCC #\$FE CLEAR CARRY		*
9945 3971 179913	LBSR ASRXU		* MOVOBJ
9946 3974 1F31 9947 3976 1CFE	TFR U,X		*
9948 3978 17999C	ANDCC #\$FE LBSR ASRXU		*INPUT:
9949 397B EC62	LDD 2,S		* U->CHARACTER
9959 397D 33CB	LEAU D,U		*HOVES CHARACTER
9951 397F 6A64	DEC 4,S		*FORWARD ONE 'CLICK' IN TIME
9952 3981 26EA	BNE A@	2222 2222 2424	******
	*SHIFT THE IMAGES	9989 39D3 3436 9999 39D5 19AEC99992	HOVOBJ PSHS D.X.Y
9953 3983 326A	PREANZ LEAS 19,S	9991 39DA A6A99999	LDY CPATH, U LDA PTYPE, Y
9954 3985 3576	PULS A.B.X.Y.U.PC	9992 39DE 48	LSLA
		9993 39DF 8E3194	LDX #NOFFT
	*******	9994 39E2 AD96	JSR [A,X]
	* ASRXU		*LOOK UP FUNCTION THAT *HOVES THIS TYPE OF OBJECT
	•	9995 39E4 EDC99999	STD CKPOS.U
	*INPUT:		*AND STORE FUNCTION RESULT
	* X->SOURCE RASTER		*IN OBJECT POSITION
	W U->DESTINATION RASTER	9996 3928 3536	
	* A - X DIMENSION OF RASTER	,,,, J, 50 3386	PULS X,Y,D,PC
	* B - Y DIMENSION		******
	*		* DRACRI
	*SHIFTS RASTER RIGHT ONE. *CARRY BIT MUST BE SET ABOVE		* DRAOBJ
	*****		*INPUT:
955 3987 3456	ASRXU PSHS X,U,A,B		* U->CHARACTER
956 3989 327B	LEAS -5,S	ggo	*****
757 3988 EDE4	67D 6	9997 39EA 3436 9998 39EC 19AEC99994	DRAOBJ PSHS A,B,Y,X
958 398D 1FA9	STD ,S TFR GC,B	9999 39FL A6A99999	LDY CIHAGE,U
959 398F E762	STB. 2,S	9199 39F5 48	LDA ITYPE,Y
	AND	9191 39F6 8E319C	LDX *DOBJT
969 3991 E662	ASRXU1 LDB 2,S	9192 39F9 AD96	JSR [A.X]
961 3993 1F9A	TFR B,CC		*CALL FUNCTION TO GET NEXT
962 3995 E689	*PUT CARRY BIT IN RIGHT PLACE	9193 39FB ECC99999	*RASTER AND STENCIL
963 3997 56	A@ LDB ,X+ RORB	Para ship secabled	LDD CXPOS,U *GET CURRENT POSITION
964 3998 E7C9	STB ,U+	9194 39FF 17998C	LBSR CLPBLT
1965 399A 4A	DECA		TOOK CLIBE!
966 399B 26F8	BNE AQ	9195 3192 3586	PULS A, B, X, Y, PC
967 399D A6E4	*SHIFT ONE LINE		The state of the s
968 399F 6A61	LDA ,S DEC 1.S		
969 39A1 26EE	BNE ASRXUI	9196 3194 3145316B31	NOFFT FDB NEWBOU, NEWSMP, NEWST
	and Adress.	9197 319A 3134	FDB NEWYBC
	*SHIFT RASTER		
979 39A3 3265		9198 3190 31193115	DOBJT FDB DSTILL, DWIGGL
971 39A5 35D6	LEAS 5,S		
, - ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	PULS X,U,A,B,PC		*
	******		* DSTILL
	*		*
	* DRAALL		*INPUT Y->IMAGE
	* TURNS.		■ U->CHARACTER
	*INPUT:		* HOUTDUT Y SELECTE
	* U->CHARACTER LIST		*OUTPUT X->RASTER
	****		*DRAW A STILL OBJECT
72 39A7	DRAALL		******
73 39A7 3449 74 39A9 11839999	PSHS U		DSTILL
75 39AD 2997	CHPU #g	9119 3119 39A99995 9111 3114 39	LEAX IDATA,Y
76 39AF 179938	BRA C@ A@ LBSR DRAOBJ	PILL 3114 39	RTS
77 3982 EEC99996	A@ LBSR DRAOBJ LDU CNEXT U		****
778 3986 26F7	CO BNE AO	1	*
70 2000 acc-		7	* DWIGGLE
179 39B8 35CF	PULS U, PC	-	*
		_=	*INPUT Y->IMAGE
	*****		* U->CHARACTER
			*OUTPUT X->RASTER
	* FRANE		• 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	* +INPUT:		DRAW AN OBJECT CAPABLE OF
	* U-> START OF CHARACTER		*SHOOTH HOVEMENT, IE WITH
	* LIST		*4 PRESHIFTED SHAPES
	******		DWIGGL
989 39BA 3449	FRAME PSHS U	9113 3115 3496	PSHS A.B
981 39BC 11839999	CHPU #9	9114 3117 39A99995	LEAX IDATA, Y
982 39C9 299D 983 39C2 179925	BRA CO		*POINT X TO START OF FIRST
703 3902 179923	A@ LBSR DRAOBJ *ERASE XOR IHAGE		*RASTER
984 39C5 17999B	LBSR HOVOBJ	gils 3119 stcccccc	IDB CWROC II
785 39C8 17991F	LBSR DRAOBJ	9115 3118 E6C99999 9116 311F C493	LDB CXPOS,U ANDB #3
	*ACTUALLY DRAW THE THING	and the second second second	*FIND WHICH PIXEL IN BYTE
AGE 22	AUSTRA	LIAN RAINBOW	
4.350 Mary 17.00	HUSTRA	CIMIA KUTUBOM	Novembe

118 3122 3494	INCB PSHS B	*STRAIGHT PATH CHARACTER
	*AND PUSH IT TO USE AS COUNTER	9152 3162 NEWSTR
110 2124 FC+000	IND TIENC V	9153 3162 ECC999999 LDD CXPOS,U
19 3124 ECA999	LDD ILENG, Y	9154 3166 AB21 ADDA 1,Y 9155 3168 EB22 ADDB 2,Y
29 3128 2992	BRA C@	9156 316A 39 RTS
21 312A 398B	A@ LEAX D,X	
22 312G 6AE4 23 312E 26FA	C@ DEC ,S BNE A@	skriber for der der der der der der der der der de
		* NEVSHP
24 3139 3594	PULS B	•
	*CLEAR COUNTER	*INPUT:
25 3132 3586	PULS A, B, PC	* U->CHARACTER
23 3132 3300		* Y->PATH
	******	*OUTPUT:
	* NEWYBC	* A - XPOS
	*	* 3 - YPOS
	*NEW Y BOUNCE.	
	*	*UPDATES POSITION OF CHARACTER *BASED ON A OFFSET LIST TYPE
	*INPUT:  ★ U->CHARACTER	*PATH
	" V-FORDEROTEM	*********
	* Y->PATH	9157 316B NEWSMP
	*	9158 316B 3419 PSHS X
	*OUTPUT:	9159 316D 3921 LEAX 1,Y
	* A-XPOS	9169 316F EC84 LDD ,X
	* B-YPOS	9161 3171 C39991 ADDD #1
26 3134	NEWYBC	9162 3174 19A392 CMPD 2.X
27 3134 ECC999	LDD CXPOS,U	9163 3177 2593 BLO A@ 9164 3179 CC99999 LDD #9
28 3138 AB21	ADDA 1,Y	9164 3179 CC9999 LDD #9 9165 317C ED84 A@ STD X
29 313A EB22	A@ ADDB 2,Y	*UPDATE POINTER TO NEXT SAMPLE
39 313C C169	CHFB WYMAX	*AND MOVING POINTER BACK TO
31 313E 2594	BLO Z@	*START IF PAST END
32 3149 6922	NEG 2,Y	9166 317E 3994 LEAX 4,X
33 3142 29F6 34 3144	Z@	*MOVE OVER QUEUE POINTERS
34 3144	26	9167 3189 58 LSLB
		9168 3181 49 ROLA
35 3144 39	RTS	*TWO BYTES/ENTRY
		9169 3182 398B LEAX D,X *MOVE X TO CURRENT SAMPLE
	*******	
	* NEWBOU	9179 3184 ECC99999 LDD CXPOS,U
	•	9171 3188 AB84 ADDA ,X
	*INPUT:	9172 318A EB91 ADDB 1,X *ADD THIS AS AN OFFSET FROM
	* U->CHARACTER	*CURRENT LOCATION
	* Y->PATH	
	*OUTPUT:	9173 318C 3599 PULS X,PC
	* A - X POSITION	Andreador de la francia de la frança de la f
	* B - Y POSITION	*
	*UPDATES BOUNCE POSITION,	* CLPBLT
	*AND CHANGES DIRECTION AT WALLS	*
	*****	*INPUT:
136 3145	NEWBOU	* D XY LOCATION OF UPPER LEFT * X POINTS TO RASTER
	NBX LDA CXPOS.U XPOSITION	* Y ->IHAGE
	, VALVO, V ALVOLIZON	
137 3145 A6C999	ADDA 1.Y XSPEED	AAT
137 3145 A6C999 138 3149 AB21	ADDA 1,Y XSPEED CHPA #XMAX-5	*CLIPS RASTER TO SCREEN AND
37 3145 A6C9999 38 3149 AB21 39 314B 817B 49 314D 2594	ADDA 1,Y XSPEED CHPA #XHAX-5 BLO NBXOK	*CLIPS RASTER TO SCREEN AND *THEN CALLS XORBLT TO *ACTUALLY DRAW IT
37 3145 A6C999 38 3149 AB21 39 3148 8178 49 314D 2594 41 3147 6921	ADDA 1,Y XSPEED CHPA **XHAX-5 BLO NBXOK NEG 1,Y BOUNCE	*THEN CALLS XORBLT TO
37 3145 A6C999 38 3149 AB21 39 314B 817B 49 314D 2594 41 314F 6921 42 3151 29F2	ADDA 1.Y XSPEED CHPA WEMAX-5 BLO NEXOK NEG 1.Y BOUNCE BRA NEX	#THEN CALLS XORBLT TO  #ACTUALLY DRAW IT  ###################################
37 3145 A6C999 38 3149 AB21 39 314B 817B 489 314D 2594 441 314F 6921 142 3151 29F2 143 3153	ADDA 1,Y XSPEED CHFA WXMAX-5 BLO NBXOK NEG 1,Y BOUNCE BRA NBX NBXOK	*THEN CALLS XORBLT TO *ACTUALLY DRAW IT
137 3145 A6C999 138 3149 AB21 139 3148 8178 149 314D 2594 141 3147 6921 142 3151 29F2 143 3153 144 3153 E6C999	ADDA 1,Y XSPEED CHFA WXMAX-5 BLO NBXOK NEG 1,Y BOUNCE BRA NBX NBXOK	#THEN CALLS XORBLT TO #ACTUALLY DRAW IT ####################################
137 3145 A6C999 138 3149 AB21 139 3148 8178 149 3140 2594 141 3147 6921 142 3151 29F2 143 3153 144 3153 E6C999 145 3157 EB22 146 3159 C15B	ADDA 1,Y XSPEED CHPA WIMAX-5 BLO NBXOK NEG 1,Y BOUNCE BRA NBX NBXOK L A@ LDB CYPOS,U YPOS ADDB 2,Y YSPEED CHPB WYMAX-5	#THEN CALLS XORBLT TO #ACTUALLY DRAW IT  ###################################
137 3145 A6C999 138 3149 AB21 139 314B 817B 149 314D 2594 141 3147 6921 142 3151 29F2 143 3153 144 3153 E6C999 145 3157 EB22 146 3159 C15B 147 315B 2594	ADDA 1,Y XSPEED CHPA WEMAX-5 BLO NEXOK NEG 1,Y BOUNCE BRA NEX NBXOK L A@ LDB CYPOS,U YPOS ADDB 2,Y YSPEED CHPB WYMAX-5 BLO Z@	#THEN CALLS XORBLT TO #ACTUALLY DRAW IT ####################################
137 3145 A6C999 138 3149 AB21 139 314B 817B 149 314D 2594 141 314F 6921 142 3151 29F2 143 3153 144 3153 E6C999 145 3157 EB22 146 3159 C15B 147 315B 2594 148 315D 6922	ADDA 1,Y XSPEED CHPA WYMAX-5 BLO NBXOK NEG 1,Y BOUNCE BRA NBX NBXOK L A@ LDB CYFOS,U YFOS ADDB 2,Y YSPEED CHPB WYMAX-5 BLO Z@ NEG 2,Y	#THEN CALLS XORBLT TO #ACTUALLY DRAW IT ####################################
137 3145 A6C999 138 3149 AB21 139 314B 817B 149 314D 2594 141 3147 6921 142 3151 2972 143 3153 144 3153 E6C999 145 3157 EB22 146 3159 C15B 147 315B 2594 148 315D 6922 149 315F 29F2	ADDA 1,Y XSPEED CHPA WEMAX-5 BLO NEXOK NEG 1,Y BOUNCE BRA NEX NBXOK L A@ LDB CYPOS,U YPOS ADDB 2,Y YSPEED CHPB WYMAX-5 BLO Z@	#THEN CALLS XORBLT TO  #ACTUALLY DRAW IT  ###################################
137 3145 A6C999 138 3149 AB21 139 314B 817B 149 314D 2594 141 314F 6921 142 3151 29F2 143 3153 144 3153 E6C999 145 3157 EB22 146 3159 C15B 147 315B 2594 148 315D 6922 149 315F 29F2 159 3161	ADDA 1,Y XSPEED CHPA WEMAX-5 BLO NBXOK NEG 1,Y BOUNCE BRA NBX  NBXOK L A@ LDB CYPOS,U YPOS ADDB 2,Y YSPEED CHPB WYMAX-5 BLO Z@ NEG 2,Y BRA A@  Z@	#THEN CALLS XORBLT TO  *ACTUALLY DRAW IT  ###################################
137 3145 A6C999 138 3149 AB21 139 314B 817B 149 314D 2594 141 3147 6921 142 3151 29F2 143 3153 144 3153 E6C999 145 3157 EB22 146 3159 C15B 147 315B 2594 148 315D 6922 149 315F 29F2	ADDA 1,Y XSPEED CHPA **XMAX-5 BLO NBXOK NEG 1,Y BOUNCE BRA NBX NBXOK  L A@ LDB CYPOS,U YPOS ADDB 2,Y YSPEED CHPB **YMAX-5 BLO Z@ NEG 2,Y BRA A@	#THEN CALLS XORBLT TO #ACTUALLY DRAW IT ####################################
37 3145 A6C999 38 3149 AB21 39 3148 8178 49 314D 2594 41 314F 6921 42 3151 29F2 43 3153 44 5153 E6C999 44 3159 C158 47 3158 2594 48 315D 6922 49 315F 29F2 59 3161	ADDA 1,Y XSPEED CHPA WEMAX-5 BLO NBXOK NEG 1,Y BOUNCE BRA NBX  NBXOK L A@ LDB CYPOS,U YPOS ADDB 2,Y YSPEED CHPB WYMAX-5 BLO Z@ NEG 2,Y BRA A@  Z@	#THEN CALLS XORBLT TO  *ACTUALLY DRAW IT  ###################################
37 3145 A6C999 38 3149 AB21 39 314B 817B 49 314D 2594 41 314F 6921 42 3151 29F2 43 3153 44 3153 E6C999 44 3157 EB22 46 3159 C15B 47 315B 2594 48 315D 6922 49 315F 29F2 59 3161	ADDA 1,Y XSPEED CHPA WEMAX-5 BLO NBXOK NEG 1,Y BOUNCE BRA NBX  NBXOK L A@ LDB CYPOS,U YPOS ADDB 2,Y YSPEED CHPB WYMAX-5 BLO Z@ NEG 2,Y BRA A@  Z@	#THEN CALLS XORBLT TO #ACTUALLY DRAW IT ####################################
37 3145 A6C999 38 3149 AB21 39 314B 817B 49 314D 2594 41 314F 6921 42 3151 29F2 43 3153 44 3153 E6C999 44 3157 EB22 46 3159 C15B 47 315B 2594 48 315D 6922 49 315F 29F2 59 3161	ADDA 1,Y XSPEED CHPA WEMAX-5 BLO NBXOK NEG 1,Y BOUNCE BRA NBX  NBXOK L A@ LDB CYPOS,U YPOS ADDB 2,Y YSPEED CHPB WYMAX-5 BLO Z@ NEG 2,Y BRA A@  Z@	#THEN CALLS XORBLT TO #ACTUALLY DRAW IT ####################################
37 3145 A6C999 38 3149 AB21 39 314B 817B 49 314D 2594 41 314F 6921 42 3151 29F2 43 3153 44 3153 E6C999 44 3157 EB22 46 3159 C15B 47 315B 2594 48 315D 6922 49 315F 29F2 159 3161	ADDA 1,Y XSPEED CHPA WXMAX-5 BLO NBXOK NEG 1,Y BOUNCE BRA NEX NBXOK  L A@ LDB CYFOS,U YFOS ADDB 2,Y YSPEED CHPB WYMAX-5 BLO Z@ NEG 2,Y BRA A@ Z@  RTS	#THEN CALLS XORBLT TO #ACTUALLY DRAW IT ####################################
37 3145 A6C999 38 3149 AB21 39 314B 817B 49 314D 2594 41 314F 6921 42 3151 29F2 43 3153 44 3153 E6C999 44 3157 EB22 46 3159 C15B 47 315B 2594 48 315D 6922 49 315F 29F2 159 3161	ADDA 1.Y XSPEED CHPA WEMAX-5 BLO NBXOK NEG 1.Y BOUNCE BRA NBX  NBXOK  A@ LDB CYPOS.U YPOS ADDB 2.Y YSPEED CMPB #TMAX-5 BLO Z@ NEG 2.Y BRA A@  Z@  RTS	#THEN CALLS XORBLT TO  #ACTUALLY DRAW IT  ###################################
37 3145 A6C999 38 3149 AB21 39 314B 817B 49 314D 2594 41 314F 6921 42 3151 29F2 43 3153 44 3153 E6C999 44 3157 EB22 46 3159 C15B 47 315B 2594 48 315D 6922 49 315F 29F2 59 3161	ADDA 1.Y XSPEED CHPA WEMAX-5 BLO NBXOK NEG 1.Y BOUNCE BRA NBX  NBXOK  LDB CYPOS,U YPOS ADDB 2.Y YSPEED CHPB WYMAX-5 BLO 26 NEG 2.Y BRA A6  Z6  RTS	#THEN CALLS XORBLT TO #ACTUALLY DRAW IT ####################################
37 3145 A6C999 38 3149 AB21 39 314B 817B 49 314D 2594 41 314F 6921 42 3151 29F2 43 3153 44 3153 E6C999 44 3157 EB22 46 3159 C15B 47 315B 2594 48 315D 6922 49 315F 29F2 59 3161	ADDA 1.Y XSPEED CHPA WEMAX-5 BLO NBXOK NEG 1.Y BOUNCE BRA NBX  NBXOK  A@ LDB CYPOS.U YPOS ADDB 2.Y YSPEED CMPB #TMAX-5 BLO Z@ NEG 2.Y BRA A@  Z@  RTS	#THEN CALLS XORBLT TO #ACTUALLY DRAW IT ####################################
37 3145 A6C999 38 3149 AB21 39 314B 817B 49 314D 2594 41 314F 6921 42 3151 29F2 43 3153 44 3153 E6C999 44 3157 EB22 46 3159 C15B 47 315B 2594 48 315D 6922 49 315F 29F2 59 3161	ADDA 1.Y XSPEED CHPA WEMAX-5 BLO NBEOK NEG 1.Y BOUNCE BRA NBX  NBEOK  A@ LDB CYPOS.U YPOS ADDB 2.Y YSPEED CHPB #THAX-5 BLO Z@ NEG 2.Y BRA A@  Z@  RTS  **  **  **  **  **  **  **  **  **	#THEN CALLS XORBLT TO #ACTUALLY DRAW IT ####################################
37 3145 A6C999 38 3149 AB21 39 314B 817B 49 314D 2594 41 314F 6921 42 3151 29F2 43 3153 44 3153 E6C999 44 3157 EB22 46 3159 C15B 47 315B 2594 48 315D 6922 49 315F 29F2 159 3161	ADDA 1.Y XSPEED CHPA WEMAX-5 BLO NBXOK NEG 1.Y BOUNCE BRA NBX  NBXOK  A@ LDB CYPOS,U YPOS ADDB 2.Y YSPEED CHPB WYMAX-5 BLO Z@ NEG 2.Y BRA A@  Z@  RTS  ** ** ** ** ** ** ** ** ** ** ** ** *	#THEN CALLS XORBLT TO #ACTUALLY DRAW IT ####################################
37 3145 A6C999 38 3149 AB21 39 3148 8178 49 314D 2594 41 314F 6921 42 3151 29F2 43 3153 E6C999 44 3157 EB22 46 3159 C158 47 3158 2594 48 315D 6922 49 315F 29F2 59 3161	ADDA 1.Y XSPEED CHPA WEMAX-5 BLO NBXOK NEG 1.Y BOUNCE BRA NBX  NBXOK  A@ LDB CYPOS,U YPOS ADDB 2.Y YSPEED CHPB WYMAX-5 BLO Z@ NEG 2.Y BRA A@  Z@  RTS  *********************************	#THEN CALLS XORBLT TO #ACTUALLY DRAW IT ####################################
37 3145 A6C999 38 3149 AB21 39 3148 8178 49 314D 2594 41 314F 6921 42 3151 29F2 43 3153 45 3153 E6C999 45 3157 EB22 46 3159 C158 47 315B 2594 48 315D 6922 49 315F 29F2 59 3161	ADDA 1.Y XSPEED CHPA WEMAX-5 BLO NBXOK NEG 1.Y BOUNCE BRA NBX  NBXOK  A@ LDB CYPOS,U YPOS ADDB 2.Y YSPEED CHPB WYMAX-5 BLO Z@ NEG 2.Y BRA A@  Z@  RTS  ** ** ** ** ** ** ** ** ** ** ** ** *	#THEN CALLS XORBLT TO #ACTUALLY DRAW IT ####################################

	31AF			ADDA 2,Y		9248				LDA #32	
	31B1 31B3			LDB 1,Y	RASTER WIDTH	9249 9259				SUBA 1,U STA 2,U	LINE LENGTH SCREEN MODULO
9193	3184	E346		ADDD 6,U		7237	3215	A142		JIR 2,0	SOREEN HODOLO
9194	3186	ED46		STD 6,U ASTER POINTER 1	PODUARD ONE	9251				LDA 1,Y	RASTER WIDTH
				WIDTH FOR EACH		9252 9253				SUBA 1,U STA 3,U	RASTER MODULO
*			*ABOVE	SCREEN		,					100101
a105	3188	6869		IP UPWARDS"	VCOOR CONTRA C	9254	3225	8D94		BSR XORBLT	
	31BA			CLR 2,S BRA CLPHOR	YCOOR SCREEN 9	9255	3227		BLITZ		
						Second		1225			
	31BC 31BE	A661	CLPDN STER	LDA 1,S	UPPER BOUND OF RA	9256		326F 35F6		LEAS 15,S	
	31BE	AB22		ADDA 2,Y	HEIGTH OF RASTER	,,,,,		3324		PULS A,B,U,	L,1,FC
9299	31CØ	8969		SUBA #YHAX					****	*****	<del>hirininina ara-ara</del>
9291	31C2	259E		BLO CLPHOR TOM OF OBJECT 1	TN CORPEN				:	XORBLIT	
			*NO PRO		IN SUREEN				*	AURDLII	
100000000000000000000000000000000000000	31C4			LDA #YHAX					*INPUT:		1200
	31C6 31C8	192B995B		SUBA 1,S LBMI BLITZ						OF LINES	
		19279957		LBEQ BLITZ						SCREEN MODE	
				OF OBJECT BELO	OW SCREEN					RASTER MODI	
9296	3109	A7C4	*NOTHIN	GTO DRAW STA ,U						RASTER STAT	
,-,-			*ELSE S	TORE ACTUAL # (	OF LINES				*		
2227	21.02			JECT ON SCREEN						OURCE WITH	
	31D2 31D2	E621	CLPHOR	LDB 1,Y	RASTER WIDTH					S ALL REGIST UT STRUCTURE	
The second	31D4			STB 1.U	TO BLAT WIDTH						LT EXPECTS IT
			*START	OPTIMISTIC W/	NO CLIPPING	9258	3228		KORBLT	*****	****
9219	31D6	E6E4	CLPLF	LDB ,S	ABSOLUTE X POSN			AE44		LDX 4.U	
9211	31D8	57		ASRB		9269	322D	19AE46		LDY 6,U	
	31D9 31DA			ASRB STB ,S	FROM PIXEL TO BYTE X BYTE POSITION	The second second		E641		LDB 1,U	
	31DC			STB 3,S	XPOSN AFTER CLIP			A684 A8AØ		LDA ,X EORA ,Y+	
9215	31DE	2A18		BPL CLPRT		9264	3236	A789		STA ,X+	
			*IF POS	SITIVE THEN NOT	TOO FAR	9265				DECB	
9216	31E9	CICG		CMPB #\$CF	HALF WRAF-AROUN			26F7 A642		BNE B@ LDA 2,U	
9217	31E2	2514		BLO CLPRT		9268	323D	3986		LEAX A,X	
				INK WAY POSITIVE ST NEGATIVE HAND				A643 31A6		LDA 3,U LEAY A,Y	
				CLIPPING				6AC4		DEC ,U	
	31E4			ADDB 1,Y	RASTER WIDTH	*		26E9		BNE A@	
	31E6 31E8			BMI BLITZ BEQ BLITZ		9273	3247	39		RTS	
				EN RIGHT BYTE N	EGATIVE				****	****	*****
a221	31EA	F741	*DON'T	EVEN BLIT STB 1,U	BLAT WIDTH				:	T100000000	
	31EC			NEGB	DIAL WIDIR				*	INTERRUPT	
	31ED			ADDB 1,Y	B HAS MODULO						RD OR PENDOWN
T	31EF 31F1			LDX 6,U	RASTER START				*RETURN		KEYBOARD OR
77	31F2			STX 6,U	ADD TO RASTER PT						****
				ADJUST WIDTH AN WIDTH) FOR RAS			3248		INTRPT		
				RASTER POINTER			3248 324A	3412 4F		PSHS X.A CLRA	
			*TO FI	RST BYTE ACTUAL	LY DRAWN	9277	324B	B7FF92		STA SFF92	
9227	31F4	6F63		CLR 3,S				BARF BARF		LDA SFF99	
g228	31F6	2ggc	*START	SCREEN AT LEFT BRA ALLCLP		9289				ORA #\$8# COMA	
,		2,7,0		2141 1122422				3592		PULS X.A.PC	
The second second	31F8	9627	CLPRT	TD4		9282	3256		ZENDCD		
	31F8 31FA	The second second		LDA *XHAX/4 SUBA ,S		7202	2230		*END CO	DE	
	31FC			BMI BLITZ		The second second	9999		BOUNCE		
anna	31FE	A121	*ALL TH	E WAY OFF SCREE	EN		9991 9992		SAMPLE		
	31FE			BHS ALLCLP			9993		YBOUNG		
S)			*ALL IN	SCREEN	120222000000000000000000000000000000000	46.000.000			*PATH T		
	22				BYTES/LINE						
9235	3292	A741		STA 1,U	21120/ DINE	<b>9287</b>	aaaa		STILL	EOU G	
	3292		ALLCLP	STA 1,U	Jiiao, Jina	9288	9999 9991		STILL WIGGLE	EQU 1	
9236	3294		ALLCLP	F CLIPPING WHE	<b>1</b> 1	9288			WIGGLE	EQU 1 EQU 2	
9236 9237	3294	A662	ALLCLP	CLIPPINGWHE		9288	9991		WIGGLE	EQU 1 EQU 2	
9236 9237 9238	3294	A662 C629	ALLCLP	F CLIPPING WHE	<b>1</b> 1	9288	9991		WIGGLE GLIDE *IMAGE	EQU 1 EQU 2	
9236 9237 9238 9239 9249	3294 3294 3296 3298 3299	A662 C629 3D F33999	ALLCLP	F CLIPPINGWHEN LDA 2,S LDB #32 MUL ADDD SCREEN	<b>1</b> 1	9288	9991		WIGGLE GLIDE *IMAGE	EQU 1 EQU 2 TYPES	
9236 9237 9238 9239 9249 9241	3294 3294 3296 3298 3299 3299	A662 C629 3D F33999 1F91	ALLCLP	F CLIPPINGWHET LDA 2,S LDB #32 MUL ADDD SCREEN TFR D,X	Y DEST.	9288	9991		WIGGLE GLIDE *IMAGE	EQU 1 EQU 2	
9236 9237 9238 9239 9249 9241 9242	3294 3294 3296 3298 3299	A662 C629 3D F33999 1F91 E663	ALLCLP *END OF	F CLIPPINGWHEN LDA 2.S LDB #32 MUL ADDD SCREEN TFR D,X LDB 3.S ABX	Y DEST.	9288	9991		WIGGLE GLIDE *IMAGE ** **	EQU 1 EQU 2 TYPES	
9236 9237 9238 9239 9249 9241 9242	3294 3294 3296 3298 3299 3290 3290	A662 C629 3D F33999 1F91 E663	ALLCLP *END OF	CLIPPING. WHEN LDA 2,S LDB #32 MUL ADDD SCREEN TFR D,X LDB 3,S ABX NTS TO DESTINAT:	Y DEST.	9288 9289	9991		WIGGLE GLIDE *IMAGE ** ** ** ** PATH ** PTYPE	EQU 1 EQU 2 TYPES STRUCTURE EQU 9	ON LINET
9236 9237 9238 9239 9249 9241 9242	3294 3294 3296 3298 3299 3290 3290	A662 C629 3D F33999 1F91 E663	ALLCLP *END OF	CLIPPING. WHEN LDA 2,S LDB #32 MUL ADDD SCREEN TFR D,X LDB 3,S ABX NTS TO DESTINAT:	Y DEST.	9288 9289	9991 9992		WIGGLE GLIDE *IMAGE ** ** ** ** ** PATH ** PTYPE *THE RE	EQU 1 EQU 2 TYPES STRUCTURE EQU 9 EST DEPENDS	ON WHAT
9236 9237 9238 9239 9249 9241 9242 9243	3294 3294 3296 3298 3299 3290 3290	A662 C629 3D F33999 1F91 E663 3A	ALLCLP *END OF	CLIPPING. WHEN LDA 2,S LDB #32 MUL ADDD SCREEN TFR D,X LDB 3,S ABX NTS TO DESTINAT:	Y DEST.	9288 9289	9991 9992		WIGGLE GLIDE *IMAGE  ** *** *** PTYPE *THE RE	EQU 1 EQU 2 TYPES  STRUCTURE EQU 9 EST DEPENDS OF PATH	ON WHAT
9236 9237 9238 9239 9249 9241 9242 9243	3294 3294 3296 3298 3299 3290 3296 3219	A662 C629 3D F33999 1F91 E663 3A	ALLCLP *END OF	F CLIPPING. WHEN LDA 2.S LDB #32 MUL ADDD SCREEN TFR D,X LDB 3.S ABX NTS TO DESTINAT: N STX 4,U	Y DEST.  X DEST.  ION ON  SCREEN START	9288 9289 9299 9291	9991 9992 9999	99	WIGGLE GLIDE *IMAGE  ** *** *** PTYPE *THE RE	EQU 1 EQU 2 TYPES  STRUCTURE EQU 9 SST DEPENDS OF PATH FCB BOUNCE	ON WHAT
9236 9237 9238 9239 9249 9241 9242 9243	3294 3294 3296 3298 3299 3290 3296 3219	A662 C629 3D F33999 1F91 E663 3A AF44	ALLCLP *END OF	CLIPPING. WHEN LDA 2,S LDB #32 MUL ADDD SCREEN TFR D,X LDB 3,S ABX NTS TO DESTINAT: N STX 4,U LDD 6,U	Y DEST.  X DEST.  ION ON  SCREEN START  RASTER START	9288 9289 9299 9291	9991 9992 9999		WIGGLE GLIDE *IMAGE  ** *** *** PTYPE *THE RE	EQU 1 EQU 2 TYPES  STRUCTURE EQU 9 EST DEPENDS OF PATH	ON WHAT
9236 9237 9238 9239 9249 9241 9242 9243	3294 3294 3296 3298 3299 3290 3296 3219	A662 C629 3D F33999 1F91 E663 3A AF44 EC46 E323	ALLCLP *END OF	F CLIPPING. WHEN LDA 2.S LDB #32 MUL ADDD SCREEN TFR D,X LDB 3.S ABX NTS TO DESTINAT: N STX 4,U	Y DEST.  X DEST.  ION ON  SCREEN START	9288 9289 9299 9299 9291 9292	9991 9992 9999	99 FE91	WIGGLE GLIDE *IMAGE ** *** *** *** PATH ** ** ** ** ** ** ** ** ** ** ** ** **	EQU 1 EQU 2 TYPES  STRUCTURE EQU 9 SST DEPENDS OF PATH FCB BOUNCE	ON WHAT

```
9294 325A 91FF
                               FCB 1.-1
                                                INITIAL DIR
                                                                      9352 3313 1A19
                                                                                                      FCB 26,25
                                                                      9353 3315 3277
                                                                                                      FDB YBOUN2
9295 325C 99
                        BPATH2 FCB BOUNCE
                                                                       9354 3317 32BE
                                                                                                      FDB GUPPY
9296 325D 91FF
                               FCB 1.-1
                                                                       9355 3319 331B
                                                                                                      FDB ANLIST+2*CHARLN
9297 325F 99
9298 3269 91FF
                        BPATH3 FCB BOUNCE
                                                                      9356 3318 1716
9357 331D 327A
                                                                                                      FCB 23,22
FDB YBOUN3
                               FCB 1,-1
                                                                      9358 331F 32BE
                                                                                                      FDB GUPPY
9299 3262 99
                        BPATH4 FCB BOUNCE
                                                                       9359 3321 3323
                                                                                                      FDB ANLIST+3*CHARLN
9399 3263 95FE
                               FCB 5.-2
9391 3265 99
                        BPATHS FCB BOUNCE
                                                                       9369 3323 2A39
                                                                                                      FCB XMAX/3, YMAX/2
                                                                       9361 3325 3256
9362 3327 327D
9392 3266 91FF
                               FCB 1.-1
                                                                                                      FDB BPATHO
                                                                                                      FDR RALL.
9393 3268 99
                        BPATH6 FCB BOUNCE
                                                                       Ø363 3329 332B
                                                                                                      FDB ANLIST+4*CHARLN
9394 3269 9391
                                                                       9364 332B 4929
                                                                                                      FCB XMAX/2, YMAX/3
                                                                       9365 332D 3259
9366 332F 327D
9395 3268 99
                        BPATH7 FCB BOUNCE
                                                                                                      FDB BPATH1
9396 326C 9199
                               FCB 1.9
                                                                                                      FOR BALL
                                                                       9367 3331 3333
                                                                                                      FDB ANLIST+5*CHARLN
9397 326E 99
                        BPATHS FCB BOUNCE
9398 326F FF91
                                                                                                      FCB XHAX/2, YHAX/2
                               FCB -1.1
                                                                       9368 3333 4939
                                                                       9369 3335 325C
9379 3337 327D
                                                                                                      FDB BPATH2
9399 3271 99
                        BPATH9 FCB BOUNCE
                                                                                                      FDB BALL
9319 3272 FF91
                                                                       9371 3339 333B
                                                                                                      FDB ANLIST+6*CHARLN
                               FCB -1.1
9311 3274 93
                        YBOUN1 FCB YBOUNG
                                                                                                      FCB XMAX/3, YMAX/3
9312 3275 FEG1
                               FCB -2.1
                                                                       9373 333D 325F
                                                                                                      FDB BPATH3
                                                                       9374 333F 327D
                                                                                                      FDB BALL
                                                                       9375 3341 3343
                        YBOUN2 FCB YBOUNG
                                                                                                      FDB ANLIST+7*CHARLN
9313 3277 93
9314 3278 FF91
                               FCB -1.1
                                                                                                      FCB XMAX/2, YMAX/4
                                                                       9376 3343 4918
9315 327A 93
9316 327B FF91
                                                                       9377 3345 3262
9378 3347 327D
                        YBOUNS FCB YBOUNG
                                                                                                      FDB BPATH4
                               FCB -1.1
                                                                                                      FDB BALL
                                                                                                      FDB ANLIST+8*CHARIN
                                                                       Ø379 3349 334B
                        **IMAGE STRUCTURE
                                                                       9389 334B 2939
                                                                                                      FCB XMAX/4, YMAX/2
                                                                       9381 334D 3265
                                                                                                      FDB BPATHS
9317 9999
                        ITYPE EQU 9
                                                                       9382 334F 327D
                                                                                                      FDB BALL
                        *STILL, GLIDE, OR WIGGLE INDIH EQU 1
                                                                       0383 3351 3353
                                                                                                      FDB ANLIST+9*CHARLN
9318 9991
                        *IN BYTES - 4 TIMES PIXELS
                                                                       9384 3353 2A18
                                                                                                      FCB XMAX/3, YMAX/4
                                                                       9385 3355 3268
9386 3357 327D
                        IYDIM EQU 2
0319 0002
                         ** OF LINES - IN PIXELS
                                                                                                      FDB BALL
                                                                       Ø387 3359 335B
                        ILENG EQU 3
                                                                                                      FDB ANLIST+19*CHARLN
9329 9993
                        *ALWAYS - IXDIM*IYDIM
                                                                       9388 3358 2929
                                                                                                      FCB XMAX/4, YMAX/3
9321 9995
                        IDATA EQU 5
*START OF RASTER(S)
                                                                       9389 335D 326B
                                                                                                      FDB BPATH7
                                                                       9399 335F 327D
                                                                                                      FDB BALL
                                                                                                      FDB ANLIST+11*CHARLN
                                                                       4391 3361 3363
9322 327D 92
                        BALL FCB GLIDE
                                                 DIMENSIONS
                                                                       9392 3363 2918
                                                                                                      FCB XMAX/4, YMAX/4
                                FCB 3,5
9323 327E 9395
                                                                       9393 3365 326E
9394 3367 327D
                                                                                                      FDB BPATHS
9324 3289 999F
9325 3282 99FF99
                                FDB 15
                                                 LENGTH IN BYTES
                                FCB 9,SFF.9
                                                                                                      FDB BALL
9326 3285 93FFC9
9327 3288 93FFC9
                                                                       9395 3369 336B
                                                                                                      FDB ANLIST+12*CHARLN
                                FCB 3, SFF, SCP
                                FCB 3.SFF.SCG
9328 328B 93FFC9
                                                                       9396 336B 4913
                                                                                                      FCB XMAX/2, YMAX/5
                                FCB 3.SFF.SCG
9329 328E 99FF99
                                FCB $9. SFF. 9
                                                                       9397 336D 3271
                                                                                                      FDB BPATH9
                                                                       9398 336F 327D
                                                                                                      FDB BALL
9339 3291
                                RMB 15*3
                                                                       9399 3371 9999
                                                                                                      FDB @
                                                                                                                       END OF LIST
9331 32BE 92
9332 32BF 9396
                        GUPPY FCB GLIDE
                                FCB 3,6
 9333 3201 9912
                                FDB 18
9334 32C3 99A999
9335 32C6 929999
9336 32C9 2A8A99
                                FCB $99,$A9,$99
FCB $92,$99,$99
FCB $2A,$8A,$99
                                                                       9499 3373
                                                                                               ZENDDA
                                                                                               *END DATA
 9337 32CC B56999
                                FCB $85,$69,$99
9338 32CF 2A8899
9339 32D2 999289
                                PCB $2A,$88,$99
                                                                       9491 3373
                                                                                                       END
                                FCB $99,$92.$89
 9349 32D5
                                RMB 3*18
                         *SPACE FOR SHIFTED IMAGES
                                                                         Listing 2: FISH
                         ** CHARACTER STRUCTURE
                                                                           1Ø CLEAR 5Ø,&H3ØØØ
 9341 9999
                         CXPOS EQU 9
 9342 9991
9343 9992
                                                                           2Ø LOADM"F
                         CYPOS EQU 1
                         CPATH EQU 2
                                                                           3Ø PMODE1,1
 9344 9994
                         CIMAGE EOU 4
 9345 9996
                         CNEXT EQU 6
                                                                           4Ø PCLS(1)
                         *OFFSETS WITHIN CHARACTER
                                                                           5Ø DEFUSRØ = &H3Ø1Ø
                         *STRUCTURE
                         CHARLN EOU 8
                                                                           6Ø SCREEN 1,1
 9346 9998
                         *LENGTH OF CHARACTER STRUCTURE
                                                                           7Ø A=USRØ(Ø)
                                                                           8Ø SCREEN Ø,1
 9347 339B
 Ø348 33ØB 1621
                                FCB 22,33
                                                                           9Ø INPUT "AGAIN"; AS
 9349 339D 3274
                                FDB YBOUN1
 9359 339F 32BE
                                FDB GUPPY
                                                                           1\emptyset\emptyset IF A$ = "Y" THEN 6\emptyset
                                FDB ANLIST+CHARLN
 9351 3311 3313
```

AUSTRALIAN RAINBOW

November, 1985



## OPERATION FREEDOM


## By Steve Britton IV

"This is the only message we have received from them," your superior says as he hands you the interstellargram. "The lives of almost 80 of the Earth's most brilliant scientists are at stake! That is why I have decided to send you, our best agent, to free as many of those people as you can, before it is too late.."

With these words ringing in your ears you now stand at the beginning of what seems to be a deserted lunar street. This is only one of the many that run throughout Luna Alpha, the first lunar colony of its kind, population: 80.

Operation Freedom will run on any 16K CoCo with Extended Color BASIC. The object of the game is to free as many captives as possible and safely escape without being killed by terrorist laser fire.

The playing screen is divided into three views. The largest is a map showing your position in Luna Alpha. At the bottom of the screen toward the middle is a side view of you as you along the lunar streets. The smallest view, in the lower corner of the screen, is the view of your laser weapon's targeting system. You may move around the streets (yellow lines) of the map using the position right joystick, Your indicated by the blue dot. The small locations red areas are the captives being held prisoner by the terrorists. To free these captives, move up to an area that you have not been to yet and watch for the prison bars to appear on the side view and press the firebutton. The number of captives you have freed from this area is indicated under the word "FREED" located at the top right corner of the screen. The number of captives in an area will wary from one to six.



As you move around the deserted streets of Luna Alpha, you will encounter terrorists quite frequently. When a terrorist has been encountered, a red square will appear in the view of your targeting system. This square represents the relative position of the terrorist.

Notice the two rows of green dots running up and down and left to right along the two sides of this view. These are aim indicators. To aim at the terrorist, use the right joystick. Moving the joystick left and right controls the horizontal indicators, while moving the joystick up and down controls the vertical indicators. Align the blinking indicators up so when you fire, the point where the indicators intersect is on top of the red square.

On paper this sounds quite complex, but when you actually play a few times it becomes quite simple. Just hitting the red square will not kill the terrorist because the terrorists have developed a special armor. Keep firing, though, until you hit a weak spot. However, don't concentrate too deeply on killing the terrorist because he is firing at you, too! He will either shoot at your head or at your feet. When a terrorist fires, you will see the shot coming toward you (on the side view) at a speed determined by the skill level chosen at the beginning of the game (one is easy and five is hard). To dodge this shot, push the right joystick all the way up and press the firebutton to jump. Push the right joystick all the way down and press the firebutton to duck. Be sure to hold the firebutton down until the shot has safely passed.

All of this running and shooting can drain one's strength and ammunition supply rather quickly. Your strength and ammo are indicated by red lines

AUSTRALIAN RAINBOW

at the lower right of the screen. When the red line under strength reads zero, you will die of fatigue. When your ammo reaches zero, you will not be able to shoot at terrorists; you will simply have to dodge any shots fired until the terrorist goes away. They usually only take a few shots and retreat anyway, so it is relatively easy to survive without ammunition.

The green areas on the map are the secret hideaways inhabited by the scientists who managed to escape the terrorists. Stop at these places to rest and reload your laser weapon with energy by moving up beside them until a green figure appears in front of you in the side view. When this occurs, hit the firebutton and your strength and ammo are now ready for combat once again.

Free as many captives as you can, being careful not to use too much strength in the process and stop to restore your essentials until you reach your destination; the starbase where an escape ship awaits to "beam you up" (located at the top left of the map and represented by a green star-like shape).

When you successfully complete Phase one by reaching the escape ship, you then start over on Phase two. After each successful completion of a phase, 1,000 bonus points are awarded. The higher the phase, the harder the game. For each phase you gain, the difficulty factor will increase by one until it reaches five (the highest skill level). For beginners, I would recommend starting on Phase one or two to get used to the controls. Intermediates will find challenge on Level three, while experts will find levels four and five quite difficult to master.

Good luck!

```
0 CLS0:C$=CHR$(128):GOTO40000
1 PH=1:CLS0:PRINT@45,"PHASE 1";:
FORX=1T0500:SCREEN0,1:NEXTX
2 POKE140,150
99 PMODE1,1:PCLS3
100 DRAW"BM16,3C2R2D2R2L6BM9,8R2
F2R8F2H2L4D2R2L2D4R2D2R2F2D2BM14
,18D4L2BM16,8R2"
101 DRAW"BM38,3R2D2R2L6BM31,8R2F
2R8D2L4D4R2D2R4D2BM36,18D4L2BM38
,8R2"
102 DRAW"BM56,1R2D2R2L6BM54,8E2R
6F2H2L2D2L2D4L2D2R6D2"
103 DRAW"BM82,9R2D2R2L6BM80,14R6
D2L4D2L2H2F2D4L2R2U4R6D4R4"
104 DRAW"BM100,6R2F2G2L2U2D6U4R2
F2D2BM108,14R1BM112,6D8BM116,14R
1BM120,6D8U4R2E2H2L2BM100,20D2R1
4L2U2L4BM124,22L6R2U2R2"
105 DRAW"BM135,10C4R18D2L18R4D8L
4R18D2L18U2R8U8R4D8R4U8"
106 DRAW"BM162,7C1R4D2L4R2D4R2F2
H2L4H2F2R2D6R2D2R2D2BM160,22U2R2
U2"
110 DIMR1(1,2),R2(2,2),J(1,2),D(
1,2),K(2,2),P(1,2),H(1,2),IK(1,2
),IS(1,2),ZT(7,7)
120 GET(9,3)-(22,23),R1:GET(30,2
)-(45,23),R2:GET(54,1)-(65,16),J
:GET(76,9)-(90,22),D:GET(100,6)-
(125,22),K:GET(135,10)-(155,22),
P:GET(160,7)-(169,22),H
121 PCLS3:COLOR4,3:LINE(5,3)-(19
7,117), PSET, B:LINE(5,135)-(53,17
7), PSET, B:LINE(68,135)-(165,176)
,PSET,B
122 DRAW"BM184,106C1R2L4D2R4F2H2
U2E2G2L4H2F2D2G2E2U2R4U1C2U29L40
D26L38U26L42D26L36U50R40D10R38U3
0R48D18R20U40L76D24L58U18L24U8C1
R2L4U2R4E2G2L4H2F2D2G2E2R4F2H2BM
183,133C2R6L6D4R6D4L6BM193,133R4
L2D8BM201,133R4D6F2H2U2L4D4U8BM2
11,133R6L6D4R2L2D4R6"
123 DRAW"BM168,79C2D8C4R2L4D2R4B
M145,76C1L2U2R2BM145,88C2L8C4U2L
2D4R2BM106,99C1L2U2D4L2U4BM84,79
C2D8C4R2D2L4BM65,80C1L2U2L2D4R2B
M47,100C2U8C4R2U2L4D2BM28,96C1L2
U2L2D4R2BM221,133C2D8U8F4R2D4U8B
M231,133R6D2U2L6D8R6U2R2L4BM243,
133R4L2D8BM251,133D8U4R4U4D8"
124 DRAW"BM31,64C2R8C4U2R2D4L2BM
52,55C2D8C4R2D2L4U2BM73,56C1R2U2
R2D4L2BM108,47C2R10D4C4R2D2L4U2B
```

2R2D2L4U2BM174,35C2L6U6C4R2U2L4D 2BM151,12C2D10C4R2D2L4U2BM178,12 C1R2U2R2D4L2" 125 DRAW"BM98,19C2L6C4U2L2D4R2BM 71,32C2U8L8C4U2L2D4R2BM51,36C2D6 C4R2D2L4U2BM45,20C1R2U2R2D4L2BM2 3,16C2D20C4R2D2L4U2BM205,2C2R6L6 D8U4R2BM215,2R4D6F2H2U2L4D4U8BM2 25,2R6L6D4R2L2D4R6BM235,2R6L6D4R 2L2D4R6BM245,2R4F2D4G2L4U8" 126 DRAW"BM183,156C2G2D6U4R4U2D6 BM189,156D8U8R2D2R6U2L2D2G2E2R4D 6BM203,156D8U8R2D2R6U2L2D2G2E2R4 D6BM219,156G2D4F2E2U4H2BM103,16C 1R2U2R2D4L2":FORX=11T047STEP4 127 PSET(X,137,1):NEXTX 128 FORY=139T0175STEP4 129 PSET(9,Y,1):NEXTY 130 COLOR2,3 131 IFPH>1ANDLQ<7THENLQ=LQ+1:GOT 0135 132 CLS:INPUT"LEVEL <1-5>";LQ:IF LQ>50RLQ<1THEN132ELSELQ=LQ+2 135 PRESET(X,Y):PLAY"V3103T255": SCREEN1.0 140 X=186:Y=100:C=222:00=205:PP= 25:V=222:W=0 150 S=20:A=20 151 COLOR4,3:LINE(182,146)-(220, 148),PSET,B:LINE(174,168)-(220,1 70), PSET, B: COLOR2, 3 152 PRESET(X,Y) 155 J=J0YSTK(0):J1=J0YSTK(1):IFY =11THENY=10156 IFX=18AND Y=10THEN20000ELSEI FX=17AND Y=10THEN20000 157 PUT(139,150)-(150,170),R1:EX EC43359:IFRND(11)=1THEN8000 158 IFPPOINT(X+2,Y)=10RPPOINT(X-2,Y)=10RPP0INT(X,Y+2)=10RPP0INT( X,Y-2)=1THENRH=1:PUT(111,155)-(1 20,170),H:ELSEIFRH=1THENLINE(104 ,155)-(120,170),PRESET,BF:RH=0 159 IFPPOINT(X+2,Y)=40RPPOINT(X-2,Y)=40RPP0INT(X,Y+2)=40RPP0INT( X,Y-2)=4THENPC=1:PUT(111,155)-(1 31,167),P ELSEIFPC=1THENLINE(111 ,155)-(131,167),PRESET,BF:PC=0 160 IFJ=630RJ=00RJ1=00RJ1=63THEN 500 165 IFTIMER>=100THEN600ELSEPUT(1 39,150)-(152,170),R2:EXEC43359:F ORQ=1T035:NEXTQ:LINE(139,150)-(1 56,170),PRESET,BF 170 PE=PEEK(65280):IFPE=1260RPE= 254THEN7000ELSE155 500 IFRH=1ANDPEEK(65280)=1260RPE EK(65280)=254THEN7000ELSEIFJ=63T HENIFPPOINT(X+2,Y)=2THENPSET(X,Y

M127,31C2U8C4R2U2L4D2BM132,35C1D

```
):X=X+2:PRESET(X,Y):GOT0165
 505 IFJ=0THENIFPPOINT(X-2,Y)=2TH
ENPSET(X,Y):X=X-2:PRESET(X,Y):GO
T0165
510 IFJ1=63THENIFPPOINT(X,Y+2)=2
THENPSET(X,Y):Y=Y+2:PRESET(X,Y):
515 IFJ1=0THENIFPPOINT(X,Y-2)=2T
HENPSET(X,Y):Y=Y-2:PRESET(X,Y):G
520 GOT0165
600 TIMER=0:S=S-1:C=C-2:PSET(C,1
46,2):PSET(C,148,2):IFC=182THEN5
000ELSEGOT0165
700 Q=RND(5):FD=FD+Q:FORZ=1T0Q:S
OUND(Z*30),1:LINE(00,PP)-(00+3,P
P+2),PSET,B:00=00+8:IF00>=245THE
NPP=PP+6:00=205
701 IFPPOINT(X+2,Y)=4THENPSET(X+
2,Y,3):PSET(X+3,Y,3)
702 IFPPOINT(X-2,Y)=4THENPSET(X-
2,Y,3):PSET(X-3,Y,3)
703 IFPP0INT(X,Y+2)=4THENPSET(X,
Y+2,3):PSET(X,Y+3,3)
704 IFPPOINT(X,Y-2)=4THENPSET(X,
Y-2,3):PSET(X,Y-3,3)
705 NEXTZ:SC=SC+(7*Q):GOT0155
800 V=V-2:PSET(V,168,2):PSET(V,1
70,2):RETURN
1000 XT=RND(30)+11:YT=RND(33)+13
1005 LINE(XT,YT)-(XT+3,YT+3),PSE
T,BF
1010 AZ=1
1015 GOT0170
5000 LINE(139,150)-(150,170),PRE
SET,BF:PUT(131,154)-(156,170),K:
FORX=1T015:PLAY"T25CCA":NEXTX
5001 CLS4:PRINT@102,"may"C$"you"
C$"rest"C$"in"C$"peace";
5002 FORE=128T0480STEP32:PRINT@E
,STRING$(31," ")::NEXT
5003 PRINT@224, "YOU FREED "FD" P
EOPLE ...";
5004 PRINT@320, "AND KILLED "XI"
IMPERIALS ...";
5005 PRINT@384, "FOR A TOTAL SCOR
E OF "SC:
5006 IFINKEY$=""THEN5006
5007 GOT0121
6000 INPUTX,Y:PSET(X,Y,1):SCREEN
1,0:FORX=1T0200:NEXTX:GOT06000
6999 RH=1
7000 IFRH=OANDPC=OTHEN155ELSEIFP
C=1THEN700ELSEIFRH=1THEN FOR C=1
82 T0220:PSET(C,146,4):PSET(C,14
8,4):PLAYSTR$(INT((224-C)/4)):NE
XTC:S=20:C=222
7005 FORV=174T0220:PSET(V,168,4)
:PSET(V,170,4):PLAYSTR#(INT((224
```

```
7010 IFPPOINT(X+2,Y)=1THENPSET(X
 +2,Y,3):PSET(X+3,Y,3)
 7015 IFPPOINT(X-2,Y)=1THENPSET(X
 -2,Y,3):PSET(X-3,Y,3)
 7020 IFPPOINT(X,Y+2)=1THENPSET(X
 ,Y+2,3):PSET(X,Y+3,3)
 7025 IFPPOINT(X,Y-2)=1THENPSET(X
 ,Y-2,3):PSET(X,Y-3,3)
 7030 GOT0155
8000 EX=RND(19)+15:EY=RND(16)+14
 8005 LINE(70,137)-(129,170),PRES
ET,BF
8010 COLOR4,3:LINE(EX+2,EY+1)-(E
X,EY+5),PSET,BF:COLOR2,3:J=JOYST
K(0):J1=J0YSTK(1)
8011 IFJ<6THENJ=6
8012 IFJ1 (6THENJ1=6
8015 J=INT(J/6):WX=(J*4)+6:J1=IN
T(J1/6):WY=(J1*4)+134
8020 PSET(WX,137,4):PSET(9,WY,4)
8025 Q=PEEK(65280):IFQ=1260RQ=25
4THENPK=PPOINT(WX,WY):IFV(176THE
N8050ELSEGOSUB800:LINE(WX,137)-(
WX,WY),PSET:LINE(134,157)-(73,15
7), PSET: LINE(9, WY)-(WX, WY), PSET:
PLAY "ABABABAB" : IFPK=4THEN8030ELS
ELINE(WX,137)-(WX,WY),PRESET:LIN
E(9,WY)-(WX,WY),PRESET
8026 LINE(73,157)-(134,157),PRES
ET:GOT08050
8027 GOT08050
8030 XI=XI+1:COLOR4,3:LINE(EX-4,
EY)-(EX+10,EY+10),PSET,BF:COLOR2
,3:FORQ=30T0100STEP5:PLAY"T"+STR
$(Q)+"AB":NEXTQ:LINE(EX-4,EY)-(E
X+10,EY+10),PRESET,BF:SC=SC+300:
LINE(WX,137)-(WX,WY),PRESET:LINE
(9,WY)-(WX,WY),PRESET:PSET(WX,13
7,1):PSET(9,WY,1)
8031 LINE(73,157)-(134,157),PRES
ET:GOT0155
8050 PSET(WX,137,1):PSET(9,WY,1)
:IFRND(16) <= (LQ-2) THEN8060ELSE8
010
8060 IO=IO+1:IFIO=4THENIO=0:LINE
(EX-4,EY)-(EX+10,EY+10),PRESET,B
F:GOT0155ELSEZZ=1:Q=70:PSET(EX+2
,EY+3,4):PLAY"ABABCDCD":PSET(EX+
2,EY+3,1):IFRND(2)=1THEN9000
8065 Q=Q+ZZ:ZZ=ZZ+LQ
8066 EXEC43359
8067 J=J0YSTK(0):J1=J0YSTK(1)
8070 IFPPOINT(146,150)=2ANDQ>=14
6THEN5000ELSEPSET(Q,150,4):DV≃PE
EK(65280):IF(DV=1260RDV=254)ANDJ
1=63THENPUT(139,157)-(150,170),D
:LINE(139,150)-(150,155), PRESET,
BF ELSEPUT(139,150)-(150,170),R1
```

-V)/4)):NEXTV:V=222

```
8075 IFQ<=149THEN8065
8080 LINE(71,150)-(150,150), PRES
ET:PLAY"CDCDABAB":LINE(139,150)-
(150,170),PRESET,BF:PUT(139,150)
-(150,170),R1:LINE(156,151)-(162
,151), PRESET: LINE(167,151)-(180,
151), PRESET: GOT08050
9000 Q=Q+ZZ:ZZ=ZZ+LQ
9001 EXEC43359
9005 J=J0YSTK(0):J1=J0YSTK(1)
9010 IFPPOINT(146,166)=2ANDQ>=14
6THEN5000ELSEPSET(Q,166,4):DV=PE
EK(65280): IF(DV=1260RDV=254) AND J
1=0THENPUT(139,150)-(150,165),J:
LINE(139,167)-(150,170), PRESET, B
F ELSEPUT(139,150)-(150,170),R1
9020 IFQ<=149THEN9000
9030 LINE(71,166)-(150,166),PRES
ET:PLAY"CDCDABAB":LINE(139,150)-
(150,170), PRESET, BF: PUT(139,150)
-(150,170),R1:LINE(156,167)-(162
,167), PRESET: LINE(167,167)-(180,
167), PRESET: GOT08050
10000 CLS0
10001 PRINT@136,"";
10002 POKE140,245
10005 A$="operation":GOSUB10030
10010 A$="freedom"
10015 POKE1169,58:EXEC43359
10016 PRINT@146,"";
10020 GOSUB10030
10021 FORX=1T0100:NEXTX:P0KE1198
,45:EXEC43359:PRINT@175.""::A$="
by":GOSUB10030
10022 POKE1201,45:EXEC43359:PRIN
Ta202, "":: A$= "steve": GOSUB10030
10023 PRINT@208,"";:A$="britton"
:GOSUB10030
10025 FORX=1T0800:NEXTX:GOT01
10030 FORX=1TOLEN(A$)
10031 POKE140,150
10035 B$=MID$(A$,X,1):PRINTB$::E
XEC43359:FORZ=1TO RND(50):NEXTZ:
NEXTX
10040 RETURN
10045 NEXTKQ
10050 DRAW"BM88,4D7U3R4U4D7BM94.
8D3F1R3BM95,8R2D2L2BM100,6D6BM10
3,8D7U5R2E1U1H1L2BM116,4D4BM116,
11M116,11BM120,4D4BM120,11M120,1
1BM123,4D4BM123,11M123,11"
10060 FORKQ=1T0200:NEXTKQ:LINE(8
8,4)-(123,15), PRESET, BF
10070 GOT010020
20000 C$=CHR$(128):PMODE1,1:PCLS
3:SCREEN1,0:COLOR2,3:DRAW"BM0,12
0C4R4L2M8,99R66M80,120R2L4BM75,9
9E8U12H8L66G8D12F8":PAINT(36,88)
,4,4:PSET(20,180,2):DRAW"BM16,18
3C2F2R4E2M20,187G2D2BM23,190U2":
```

```
GET(16,180)-(24,190), IK:LINE(16,
180)-(24,190), PRESET, BF
20010 FORJZ=1T010:PRESET(RND(80)
,RND(25)+71):NEXTJZ
20020 FORX=1T0INT(FD/5)
20025 FORZ=250T040STEP-20
20030 GET(Z,111)-(Z+10,120),IS:P
UT(Z,111)-(Z+10,120), IK: EXEC4335
9:FORA=1T050:NEXTA:PUT(Z,111)-(Z
+10,120),IS
20040 NEXTZ:PUT(40,111)-(50,120)
, IK:LINE(40,99)-(50,120), PSET, BF
:FORT=50T0100STEP10:PLAY"T"+STR$
(T)+"ABABABA":NEXTT:LINE(50,120)
-(40,99), PRESET, BF:NEXTX
20050 DRAW"BM40,100C2D2R6U2L4D6R
2U4C4BM39,100D6R2U2BM44,108L2D2R
2BM48,100D6L2U2":GET(0,71)-(83,1
20),ZT
20060 PLAY"01T1;4;6;5;1;T1;3"
20070 FORY=71T00STEP-1:PCLS3:W=W
+2:PUT(0,Y)-(83,Y+49),ZT:PLAY"T"
+STR$(W)+"02ABCD":NEXTY
20080 CLSO:PRINT"you"C$"have"C$"
escaped";:POKE1024+17,33:POKE102
4+18,33
20090 FORE=128T0480STEP32:PRINT@
E,STRING$(31," ");:NEXT
20095 SC=SC+1000
30000 PRINT@224, "YOU FREED "FD"
PEOPLE ...";
30010 PRINT@320, "AND KILLED "XI"
 IMPERIALS ...";
30020 PRINT@384, "FOR A TOTAL SCO
RE OF "SC;
30030 IFINKEY$=""THEN30030
30031 PH=PH+1:CLS0:PRINT@45,"PHA
SE ";PH;:FORX=1T0500:SCREEN0.1:N
EXTX:GOTO121
40000 CLS:A$="TO:THE FEDERATION
OF EARTH":PRINT@0,"";:GOSUB10030
:A$="FROM:PEOPLE'S REVOLUTION FO
R":PRINT@64,"";:GOSUB10030:A$="A
NARCHY":PRINT@96,"";:GOSUB10030:
A$= "DATELINE: LUNA ALPHA" : PRINT 1
35,"";:GOSUB10030
40009 FORX=1T0200:NEXTX
40010 A$="WE HAVE TAKEN LUNA ALP
HA":PRINT@192,"";:GOSUB10030:PRI
NT@218, "-STOP-";:SOUND200.1
40014 FORX=1T0100:NEXTX
40015 AS="WE HAVE PRISONERS":PRI
NT@256,"";:GOSUB10030:PRINT@282,
"-STOP-":SOUND200,1
40019 FORX=1T0100:NEXTX
40020 A$="THEY START DYING IN 8
HRS. ": PRINT@320, " ";: GOSUB10030: P
RINT@346,"-END-":SOUND200.1
40030 FORX=1T0500:NEXTX:G0T01000
n
```

## THE QUEST FOR THE FALCONS' LAIR

## by Aron Fransen

In the year of our Lord 1991, several of Earth's deep space probes encounter several intelligent forms of life. Not all are peaceful.

One of theses races (through the probes information) has found its way to Earth and is now proceeding to overtake it.

Several of their "motherships" encircled the Earth and surrounded it with a blue shield of energy, with the motherships themselves acting as the charging bases, and in the process leaving 'hem open without defences. However, each mothership has one falcon ship, a smaller and more versatile ship capable of firing back and blocking your laser.

You will be controlling three successive attack bases, capable of firing at the falcon ship and its base. Caution: Do not fire when the blue bar is directly below your own base, or you will be destroyed! To fire, simply press the firebutton on the right joystick, which controls your base.

There are nine levels of play, indicated by the blue bars at the bottom of the screen, one being the easiest and nine the most difficult.

You will receive three bases, indicated by the red bars at the bottom of the screen temanating from the right. Your score is indicated by a red line at the bottom temanating from the atts.

What you must do is shoot through the defence of the falcon ship's base (the Falcon's Lair) so you may then destroy the Lair's power celi. Once it is destroyed the entire ship falls to the appropriate answer; then

ground, explodes and you are transported to another Lair's area.

The more of the shield you destroy before destroying the power cell, the higher your score will be at the end of the round. This is not as easy as it may seem. As each level progresses, the shield starts to rebuild itself at speeds according to the level of play. The listing is rather long, but hopefully you'll find the game to be worth it.

## Instructions

- 1) Load game
- RUN it (you may have to run it twice because of a bug in BASIC).
- Press Reset (and RUN) until screen is red.
- After the title page comes up and the introduction sounds are played, press fire.
- 5) Adjust the right joystick to select difficulty, then press the fire button.
- 6) After a few seconds the game will begin. The object is to destroy the blue power cell at the centre of the Falcon's Lair (at the top of the screen), while at the same time either destroying or avoiding the small falcon ship which hovers just below the Falcon's Lair. Do not fire when the blue bar (the one that moves about) is directly below you, or you will be destroyed.
- 7) After you have lost all three bases, the game ends, showing you your final score and asking if you would like to try again. Your selection is made by adjusting the right joystick until the white box is around the appropriate answer; then press fire.



## The listing: FLCNLAIR

- i PCLEAR7:PMODE4,1:SCREEN1,1:PMO
  DE3:PCLS3
- 2 1\$=1NKEY\$:1F1\$=""THEN2
- 3 CLS:DIM X,Y,EX,EY,PX,T,R,LEV,M EN,A(10),E(656),E1(50),E2(50),Y( 16),P(31),D\$(61),D(50),N\$(9):ER\$ =\*R8DL8DR8DL8DR8DL8BU5\*
- 4 POKE187,0:FORT=0T016:READ Y(T):NEXT:FORT=0T026:READ D\$(T):NEXT:FORT=0T09:READ N\$(T):NEXT
- 5 PM00E4,4:PCLS:PM00E4,1:PCLS1:S CREEN1,1:I\$="THE":DRAW"C0S8BM100 ,20":GOSUB79:I\$="FALCONS":DRAW"S 16BM14,60":GOSUB81:I\$="LAIR":DRA W"BM60,90":GOSUB81
- 6 1\$="8Y@AARON@MARTIN@FRANSEN":D RAW"\$4BM30,140":60\$UB79:FORT=0T0 7:GET(25,145-T)-(210,145-T),E,G: PUT(25+T,145-T)-(210+T,145-T),E, PSET:NEXT
- 7 PMODE3:COLOR3:LINE(0,0)-(255,1 91),PSET,B:COLOR2:LINE(4,4)-(251,187),PSET,B:PMODE4:PLAY\*L20T8BA GFEDCBAGFEDCBAGFEDCAGFEDCAGFEDCA GFEDCGFEDCGFEDCGFEDCFEDCFEDC EDCEDCEDCDCDCCCCCC
- 8 P=PEEK(65280):IFP=1260RP=254TH EN9ELSE8
- 9 CLS:PRINT2226, WITH THE JOYSTI CK, CHOOSE A LEVEL OF DIFFI CULTY, THEN PRESS THE FI RE BUTTON : PLAY PI
- 10 LEV=INT(JOYSTK(0)/7.4)+1:PRIN Ta202, "LEVEL =";LEV
- 11 P=PEEK(65280):1FP=1260RP=254T

HEN12ELSE10 12 CLS1:PRINT2227, "YOU WILL BEGI N IN A MOMENT";:SCREEN0,1 13 MEN=3 14 PMODE4,2:PCLS:PMODE3:PCLS1 15 PMODE3:COLOR2:LINE(0,0)-(31,6 ),PSET,BF:GET(0,0)-(31,6),P:PCLS 16 GET(0,0)-(80,20), E:PMODE3:COL OR3:FORT=10T020STEP2:LINE(T,4)-( T+20,9), PSET: LINE(T+30,9)-(T+50, 4) ,PSET:LINE(T,34)-(T+20,29) ,PSE T:LINE(T+30,29)-(T+50,34), PSET:N EXTT:GET(0,0)-(80,20),E1:GET(0,2 0)-(80,40),E2:PCLS 17 PMODE3,4:FORT=40T074:CIRCLE(1 28,144),T,3,.4:NEXTT:FORT=0T020: CIRCLE(128,144),T,2,.7:NEXTT:COL OR2:LINE(0,140)-(70,134), PSET, BF :LINE(255,140)-(185,134), PSET, BF :LINE(0,148)-(70,154), PSET, BF:LI NE(255,148)-(185,154), PSET, BF 18 PMODE3,1:LINE(0,12)-(15,22),P RESET, BF:GET(0,12)-(15,22), E:DRA W"BM8,12C3M0,21M15,21M7,12":PAIN T(7,16),3,3:PMODE4:GET(0,12)-(15 ,22),A:PUT(0,12)-(15,22),E 19 PCOPY7T01:PLAY\*L100T10002\*:PM ODE4,2:SCREEN1,1:PMODE4,1:FORT=0 T047:GET(0,T)-(255,T+32),E:PUT(0 ,T+1)-(255,T+33),E:PLAY\*FC\*:NEXT T:PCOPY2T01:PMODE4.2 20 RESTORE:FORT=OTO16:READ Y(T): NEXTT 21 PMODE3,2:COLOR2:FORT=1TO(LEV\* 28) STEP28: LINE(T, 188) - (T+20, 190) ,PSET,B:NEXTT:PMODE4,2 22 PMODE3, 2: COLOR3: ON MEN GOSUB7 7,76,75 23 GET(0,33)-(255,46),E:SH=1:Y=1 60:X=120:R=RND(-TIMER) 24 J=JOYSTK(0):IFJ(15THENX=X-8EL SEIFJ)48THENX=X+8 25 IFX (OORX) 240THENX=0 26 IFRND(10-LEV)=1THENPUT(PX.172 )-(PX+31,178),E:PX=RND(20)\*8:PUT (PX,172)-(PX+31,178),P 27 PUT(Q,160)-(Q+15,170),E:PUT(X ,160)-(X+15,170),A:P=PEEK(65280) :IFP=1260RP=254THENGOSUB39 28 IFTIMER) 1500-(LEV\*100) THENT IN ER=0:GOSUB57 29 IFRND(12-LEV)=1THENG0SUB37 30 GOSUB34 31 SHE-SH: IFSHE-ITHENFUL (EX.E) (EX+80, EY+20), E1 ELSEPH (EX, EY) (EX+80, EY+20), E2 32 PMODE3, 2: COLOR3: LINE (0,184)

33 Q=X:GOT024 34 EX=EX+((RND(3)-2)\*8):IFEX(00R EX)172THENEX=0X 35 EY=EY+((RND(3)-2)\*2):1FEY(30T HENEY=30ELSEIFEY>120THENEY=120 36 QX=EX:RETURN 37 LINE(EX+35,EY+10)-(EX+35,170) ,PSET: INE(EX+45, EY+10)-(EX+45,1 70) , PSET: PLAY\*L20T4004BGEDC\*: 1F( EX+46)X AND Ex+46(X+15) OR(EX+34) X AND Ex+34(X+15) THEN 59 38 LINE (EX+35, EY+10)-(EX+35, 170) .PRESET:LINE(EX+45,EY+10)-(EX+45 ,170) , PRESET : RETURN 39 IFX)=FX AND X<PX+20THEN59 40 IFX)EX AND X(EX+70THEN45 41 T=X/8:IFT(70RT)23THENTY=0:GOS UB74:RETURN 42 T=T-7:TY=Y(T):GOSUB74:IFY(T)= OTHEN44ELSEY(T)=Y(T)-4:LINE((T\*8 )+60,Y(T))-((7\*8)+67,Y(T)+8),PRE SET.BF:SCR=SCR+50 43 IF(T)6AND T(10)AND Y(T)(10THE 44 RETURN 45 SCR=SCR+20:TY=EY+5:GOSUB74:PL AY "01ABDGEFABDFE" : PMODE4, 2: FORT= OTO18: PUT(EX+RND(80), EY+RND(20)) -(EX+RND(80), EY+RND(20)), E, NOT:N EXTT46 PUT(EX,EY)-(EX+80,EY+20), E:EX=RND(20) \*8:EY=RND(100)+32:RE TURN 47 PMODE4,2:R=1:PLAY\*T2L2\*:GET(1 08,0)-(149,11),D,G:FORT=0T077:PU T(108+R,0)-(149+R,11),D,PSET:PLA Y"ET+": 1FR=1THENR=CELSER=1 48 NEXTT:PCOPY6TO1:PMODE4,1:GET( 0,15)-(255,80),E:FORT=15T067STEP 2:PUT(0,T)-(255,T+65),E:PLAY\*L10 0T50C\*:NEXTT:PMODE4,2:FORT=20T01 50STEP4:PUT(0,T)-(255,T+65),E 49 PLAY L100T20C : NEXT : PMODE4, 2: FORT=0T04:X=RND(128)+64:Y=191-RN D(32):FORR=3TORND(20)+10:CIRCLE( X,Y),R,1,.9:CIRCLE(X,Y),R-3,0,.9 :NEXTR:PLAY\*L50T5001CEDCC\*:NEXTT 50 FORT=OTO30:PMODE3,2:SCREEN1,1 :PLAY "03GEDC" : PMODE4, 2:SCREEN1,1 :PLAY "GEDC" :NEXT 51 FORT=0T016:INC=INC+((Y(T)-30) \*-.5):NEXTT:CLS:PRINT2233. \*BONUS : FORT - OF TO SCR+ INC: PRINT 224 0.T:PLAY SEE :NEXTT:SCR=SCR+1 NC 52 SCREEN1,0:PCLS1:DRAW"COBM80,4 0":14="SCORE" 160SUB79:DRAW"BM128 .40":14=STR\$ SCR):GOSUB80:DRAU\*B M40,60":1#="ADVANCE TO ENEXT THEYE L\*:GOSUB79

53 DRAW BM36.80 : 1 = PRESS2F1RE2 TO2CONTINUE":GOSUB79:PLAY"L200T1 00" 54 C=RND(12):FORT=21T01STEP-1:PL AY"V"+STR\$(T)+";"+STR\$(C):P=PEEK (65280):IFP=1260RP=254THEN55ELSE NEXTT: GOT 054 55 PCLS:PLAY\*V28\*:LEV=LEV+1:IFLE U)9THENLEV=9 56 GOT019 57 T=RND(16):1FY(T))28THENRETURN 58 PMODE4,1:GET((T\*8)+60,Y(T))-( (T\*8)+67,Y(T)+4),E:PMODE4,2:PUT( (T\*8)+60,Y(T))-((T\*8)+67,Y(T)+4)E:Y(T)=Y(T)+4:GET(0,20)-(60,40) .E:RETURN 59 PMODE4,2:PLAY\*L10T8BGEDCAFDCG EDCDCC":FORT=0T03:Q=X+RND(40)-10 :W=Y+RND(20)-5:FORR=3TORND(10)+5 :CIRCLE(Q,W),R,1:CIRCLE(Q,W),R-3 ,0:NEXTR:PLAY\*L20T2001CEDC\*:NEXT 60 MEN=MEN-1:IFMEN(1THEN62 61 PMODE4,2:PCLS:GOTO18 62 PCOPY6T01:PMODE4,1:GET(0,15)-(255,80),E:FORT=15T047STEP2:PUT( 0,T)-(255,T+65),E:PLAY\*L100T50C\* :NEXTT:PMODE3,2:COLOR2:R=.8:X=0: FORT=60T0191:LINE(128-X,T)-(128+ X,T),PSET:X=X+R:NEXTT 63 PLAY\*L20T20CDEFGAB0+CDEFGO-CD EFABO+CDEFGO-CDEFGABO+CDEFGABO-C DEFGABO+CDEFGO-DEFGABO+CDEFGO-DE FGABO+CDEFGO-DEFGABO+CDEFGO-DEFG ABO+CDEFGO-EFGABO+CDEFGO-EFGABO+ CDEFGO-EFGABO+CDEFGO-EFGABO+CDEF 64 PLAY FGABO+CDEFGO-FGABO+CDEFG O-FGABO+CDEFGO-FGABO+CDEFGO-GABO +CDEFGO-GABO+CDEFGO-GABO+CDEFGO-GABO+CDEFGO-ABO+CDEFGO-ABO+CDEFG O-ABO+CDEFGO-ABO+CDEFGO-BO+CDEFG 0-B0+CDEFG0-B0+CDEFG0-B0+CDEFG 65 PLAY\*CDEFGCDEFGCDEFGCDEFGDEFG DEFGDEFGDEFGEFGEFGEFGFGFGFGFG 66 PMODE4,2:14="THEZENEMYZHASZSU CCEEDED": DRAW BM32, 4": GOSUB82:1\$ = "YOU2HAVE3FAILED": DRAW BM64,50" :GOSUB82 67 14="YOUWILL RECEIVER": DRAW"B M48,120":GOSUB82:I\$=RIGHT\$(STR\$( SCR), LEN(STR\$(SCR))-1):GOSUB80 68 I = "DOLLARS 2 FOR 2 YOUR 2 EFFORTS" :DRAW"BM32.130":GOSUB82 69 Is="DD2YOU2WISH2TD2TRY2AGAIN" :DRAW BH32,150 :GOSUB82:14= 122YE \$2222222N022": DRAW"BM64,170":605

SCR/100,185), PSET, B: PMODE4, 2

70 T=S6N(J0YSTK(0)-31):1FT=-1THE NR=0ELSER=1

71 COLORR:LINE(132,168)-(196,178 ),PSET,B:COLORR+1:LINE(124,168)-(60,178), PSET, B

72 P=PEEK(65280):IFP=1260RP=254T HEN73ELSE70

73 IFT=-ITHENRUNELSECLS:PRINT\*TH IS IS THE END ... : END

74 PMODE3,2:COLOR2:LINE(X+7,Y)-( X+9,TY), PSET, B:PLAY 0286DC :LINE (X+7,Y)-(X+9,TY),PRESET,B:RETURN 75 LINE(167,182)-(193,184),PSET,

76 LINE(197,182)-(223,184), PSET,

77 LINE(227,182)-(253,184),PSET, B:RETURN

78 DATA16,24,24,28,28,28,32,32,3 2,32,32,28,28,28,24,24,16

79 FORT=1TOLEN(I\$):@\$=MID\$(I\$,T, 1):R=ASC(@\$)-64:DRAWD\$(R):NEXTT: RETURN

80 FORT=1TOLEN(I\$):0=VAL(MID\$(I\$ ,T,1)):DRAW N\$(Q)+"BL7"+N\$(Q)+"B L":NEXTT:RETURN

81 FORT=1TOLEN(I\$):0\$=MID\$(I\$,T, 1):R=ASC(Q\$)-64:DRAMD\$(R)+\*S4BL2 9BUS16"+D\$(R)+"S4BL29BUS16"+D\$(R )+"S4BL3BD2S16":NEXTT:RETURN

82 FORT=ITOLEN(I\$):0\$=MID\$(I\$,T, 1):R=ASC(Q\$)-64:DRAW\*C0\*+ER\$+\*C1 "+D\$(R)+"BL7"+D\$(R)+"BL":NEXTT:R

83 DATA BR8, BRGD2NDR4NDU2HNL2BR5 ,RNR3D4NLR3EHNLEBR3BU,BRR2NFL2GD 2FR2EBU3BR4

84 DATA RNR2D4NLR2EU2HBR5,NR4D2N R3D2R4BR4BU4,NR4D2NR3D2BR8BU4,BR 1NR36D2FR3ENL2BR3BU3, D2ND2R4ND2U

85 DATA BRZNLNRD4NLRBR5BU4, BR4D3 GL2NHBR7BU4, D2ND2RNE2F2BR5BU4, D4 R4BR4BU4,ND4F2E2ND4BR4

86 DATA ND4F4U4BR4,NR4D4R4U4BR4, ND4R3FGNL1BR5BU2, BRNR2GD2FR2ENFN HU2BR4BU, "ND4R3FDGLM+2,+1BU4BR4" 87 DATA BR4L3GFR3FGL3BR7BU4,R2ND 4R2BR4,D3FR2EU3BR4,D2F2E2U2BR4,D 4E2F2U4BR4

88 DATA F4H2G2E4BR4, DF2NDE2UBR4, R4G4R4BU4BR4

89 DATA BRGD2FR2EU2HNLBR5, BR2NGD 4NLRBR5BU4, BDER2FDL36DR4BR4BU4

90 DATA BDER2F6F6L2NHBR7BU4,D2R4 ND2NU2R1BR3BU2,NR4D2R3FGL3BR8BU4 91 DATA BR4L36D2FR3EHNL3BR4BU2,R 4G2D2BR6BU4, BRNR2GFGFR2EHEBR4BU1

,BR3NFL2GFR3NUDGL2BR7BU4

## **GRAPHICS**

32K **ECB** 



## COLOUR CARTOONS



## By Wayne Thume

Along with many others, I have always wanted to experiment with animation. Being and avid "Bugs Bunny" fan, I've often said to myself, "Hey! I'd like to make cartoons, too." Now with the help of my Color Computer and this program, I can create animation for games, graphics demonstrations or just for fun.

The first problem confronted in designing this program was space. I wanted the pictures for the animation to be held in the computer's memory and not on tape or disk. Since storing too many pictures would take up and incredible amount of space, I decided to reduce each picture to a 16-by-32 grid.

Now before you quit reading this article in disgust, let me assure you there is more than enough room for significant high resolution animation. Using this grid 96 pictures can be created, which will allow for about 20 seconds of animation. I'll be the first to admit that 20 seconds doesn't sound like very long, but after drawing 96 pictures you will be convinced that it is far too long.

The next problem was which language to write the program in. I chose BASIC

so anyone could easily interpret and modify the program to suit his or her own tastes. Using GET and PUT, I was able to store and retrieve pictures at the high rate of speed that is needed to show the animation. The pictures are stored on pages five through eight of the graphics memory. They are displayed on the Hi-Res screen PMODE 4, which uses the first four pages of graphic memory. Using this small amount of memory allows for enough room to create a program to utilize graphics for some different programming applications.

After the program is typed in and run, there will be a menu which allows you to either 1) create a picture, 2) see the animation, 3) save animation, 4) load animation or 5) quit the program. Choosing the first option will take you to the Hi-Res screen PMODE 4,1 where there is a flashing rectangle. The size of the rectangle represents the size of the area you may animate. The rectangle may be moved to any area of the screen with a joystick. Once you have chosen the area to animate, press the joystick firebutton and the area within the flashing rectangle will be enlarged and placed on the Lo-Res screen. You have

November, 1985

several commands to create the picture at this point (these are all summarized in a chart at the end of this article). Once your picture is finished, it will be stored and you will again return to the menu.

The second option in the menu will display the animation that has been created. If you choose this option, the computer will switch to the Hi-Res mode and the first picture in the animation sequence will be shown. To start the animation, press the space bar. You may stop the animation at any point by pressing any key other than the space bar. To resume animation press the space bar again. To quit the display sequence before it has ended, press 'Q' and the program will return to the menu.

Option three will save the picture sequence on cassette tape or disk drive. If you choose this option, you will see what appears to be garbage forming at the top of the screen. This "garbage" is actually the screen locations for all 96 pictures that have been poked into the video memory. The program stores all of the information in two files, one for the screen locations of the pictures and one for the pictures themselves. Once you have given a filename and specified tape or disk, the computer will save the data and return to the

menu.

With the fourth option you will be asked for the name of a file that has been previously saved. Once this is entered, merely specify whether you are using tape or disk drive and the computer will load the pictures and return to the menu.

The last option allows you to exit the program. The screen will clear and return to the BASIC mode.

There are many areas of the program that are not explained adequately, so I have included a sample animation program. Since an actual cartoon would be too long to create, I had to stick to a simple graphics demonstration. The animation is that of a circle travelling in sine wave moving downward. The circle is simultaneously passing back and forth across a vertical line in the center of the screen. It may not be the best example, but it does show how much greater speed can be achieved in your BASIC programs.

When the program is run, it will first display a line and the circle, then the program will GET the 16-by-32 area which includes the circle and part of the line. Next the computer clears the screen and redraws the picture with the circle moved to the new position. Slowly, each new position is drawn and recorded until

the circle reaches the bottom. The reason it takes so long to draw this sequence is because the computer must draw and erase each picture before it can draw the next one.

After this sequence has been recorded the animation will be displayed. First, some colourful patterns are drawn on either side of the screen to demonstrate that the animation can be displayed on a screen without having to erase any picture which may already be there. Next, you will see the circle move down the screen - note the smooth and quick movement as the circle glides down the screen.

And now to explain the gimmick. Refer to the graphics picture above. There is no program included to draw this picture. The fact is, I drew this picture dot by dot with a graphics editor and it would be impossible to create a short program to reproduce it. When I create my animation, I display it on the little movie screen in the picture; this makes my feeble cartoons look much more impressive.

If you would like a copy of this screen, I would be glad to send one if you send me a tape or disk and enough money to pay for postage to send it back. I would also like to see any animation you create using my program. My address is Route 2, Box 119, Trappe, MD21673.

## Summary of Commands for Option 1: Create Picture

Key Function

Arrow - will move dot around screen to desired position

- S sets point on the screen
- R resets point on the screen
- 0 shows Hi-Res screen PMODE 4,1. Press any Key and it will switch to PMODE 4,5 where the pictures are stored. Press any Key again and the computer will return to the Lo-Res screen.
- G gets any of the 96 pictures you choose and puts it on the screen
- C clears screen
- X switch mode. The first time this
  is pushed you will be given the
  option to choose the (S)et or
  (R)eset mode. Now when you
  move the cursor dot with the
  arrow keys, it will either erase
  points or set points wherever it

moves. To exit this mode press the 'X' key again.

Q - quit and return to the menu

210			. 2	237
470				73
660			.1	153
960			.1	94
1240			.1	166
1520			.1	173
1790			. 1	141
END				.51

#### Listing 1: ANIMATE

- 10 PCLEAR 8
- 20 DIM S(32,16)
- 30 DIM T(97,2)
- 40 PMODE 4,1
- 50 AB\$="NONE"
- 60 CLS

```
70 SCREEN 0.0
                                      RESET(X,Y)
 80 PRINT@40, "graphic";
                                     530 NEXT Y,X
 90 POKE 1071,32
                                      540 REM START
 100 PRINT@48, "animator";
                                      550 CD=15:CE=7:D=0
 110 PRINT273, "BY WAYNE THUME"
                                     560 C=POINT(CD,CE)
 120 PRINT@133,STRING$(21,"x")
                                      570 PRINT@0,STRING$(32,143);
 130 PRINT@160." x<1> CREATE
                                      580 A$=INKEY$
 PICTURE x"
                                       590 IF C=1 THEN RESET(CD,CE):SET
 140 PRINT
                      X
                                       (CD,CE,1):ELSE SET(CD,CE,1):RESE
          X "
                                       T(CD,CE)
 150 PRINT"
                x<2> SEE ANIMATIO
                                       600 IF A$="" THEN 580
 N x"
                                       610 J2=J1+(CD-15):K2=K1+(CE-7)
 160 PRINT
                                       620 IF P=1 THEN SET(CD,CE,1):PSE
          X "
                                       T(J2,K2)
 170 PRINT"
                x<3> SAVE ANIMATI
                                       630 IF P=2 THEN RESET(CD,CE):PRE
 0N x"
                                       SET(J2,K2)
 180 PRINT"
                                       640 IF A$="S" THEN SET(CD,CE,1):
    × "
                                       PSET(J2,K2)
 190 PRINT"
                x<4> LOAD ANIMATI
                                      650 IF A$="R" THEN RESET(CD,CE):
 0N x"
                                       PRESET(J2,K2)
                                       660 IF A$="X" THEN GOSUB 810
 200 PRINT"
    x"
                                       670 IF A$="C" THEN GOSUB 900
 210 PRINT"
                                      680 IF A$="G" THEN GOTO 1000
            x<5> QUIT
    × "
                                      690 IF A$="0" THEN GOSUB 1100
 220 PRINT@453,STRING$(21,"x")
                                      700 IF A$="Q" THEN GOTO 1200
                                       710 IF A$=CHR$(94) THEN CE=CE-1
720 IF A$=CHR$(10) THEN CE=CE+1
 230 A$=INKEY$
 240 IF A$="" THEN 230
 250 ON VAL(A$) GOTO 270,1270,143
                                      730 IF A$=CHR$(8) THEN CD=CD-1
                                       740 IF A$=CHR$(9) THEN CD=CD+1
 0,1810,2120
 260 GOTO 230
                                       750 IF CD<15 THEN CD=46
 270 REM CHOOSE PICTURE
                                       760 IF CD>46 THEN CD=15
                                       770 IF CE<7 THEN CE=22
 280 CLS
 290 PRINT"LAST PICTURE: ":AB$
                                       780 IF CE>22 THEN CE=7
 300 PRINT@224, "WHICH PICTURE ":
                                      790 GOTO 560
 310 INPUT AB$
                                       800 GOTO 60
 320 IF VAL(AB$) (1 OR VAL(AB$))96
                                      810 REM SWITCH MODES
  THEN 300
                                      820 IF FL=1 THEN FL=0:P=0:RETURN
 330 REM CREATE PICTURE
                                      830 FL=1
                                      840 PRINTWO, "SWITCH TO (S) OR (R
 340 SCREEN 1,1
                                      >ESET
 350 J=J0YSTK(0):K=J0YSTK(1)
                                     850 B$=INKEY$
 360 J1=J*3.57:K1=K*2.82
 370 GET(J1,K1)-(J1+31,K1+15),S,G 860 IF B$="" THEN 850 870 IF B$="S" THEN P=1:RETURN
                                       880 IF B$="R" THEN P=2:RETURN
 RESET
 390 C=PEEK(65280):T=J1:U=K1
                                       890 GOTO 850
                                      900 REM CLEAR SCREEN
 400 IF C=126 THEN R=X:GOTO 440
 410 IF C=254 THEN R=X:GOTO 440
                                      910 PRINTWO, "CLEAR SCREEN (Y/N)"
 420 PUT(J1,K1)-(J1+31,K1+15),S,P
                                      920 B$=INKEY$
 SET
                                       930 IF B$=""THEN 920
 430 GOTO 330
                                       940 IF B$="Y" THEN COLOR 0,1:LIN
                                       E(T,U)-(T+31,U+15),PSET,BF:COLOR
 440 REM ENLARGE PICTURE
                                       1,0:GOTO 970
 450 V=VAL(AB$):T(V,1)=T:T(V,2)=U
                                       950 IF B$="N" THEN 540
 460 SCREEN 0.0
 470 PUT(J1,K1)-(J1+31,K1+15),S,P
                                       960 GOTO 920
                                       970 FOR XI=103 TO 359 STEP 32
 SET
                                       980 PRINTaXI, STRING$(17,128);
 480 CLS
                                       990 NEXT XI:RETURN
 490 FOR X=15 TO 46
                                       1000 REM GET PICTURE
 500 FOR Y=7 TO 22
                                       1010 PRINTWO, "GET WHICH PICTURE
 510 C=PP0INT(J1+(X-15), K1+(Y-7))
                                       ";
 520 IF C=1 THEN SET(X,Y,1) ELSE
                           AUSTRALIAN RAINBOW
PAGE 34
                                                             November, 1985
```

No	vember	, 1985 AL	ISTRALIAN	RAI	NROM	PAGE	35
					CLS:END	DACE	25
		SOUND 1,1:GOTO 1510					
		IF A\$="T" THEN 1720			GOTO 60		
	1540	IF A\$="D" THEN 1650			NEXT X		
		";			Y=Y+1		
	1530	PRINT@480."			T(Y,2)=PEEK(X+1)		
	0				T(Y,1)=PEEK(X)	-	
		A\$=INKEY\$:IF A\$="" THE			FOR X=1024 TO 1215 STEF	2	
		(D)ISK";		2050			
		PRINT@480," SAVE ON			CLOADM NS		
		NEXT X			N\$=N\$+"2"		
		Y=Y+1			CLOADM N\$		
		POKE X+1,T(Y,2)			IF INKEY#="" THEN 2010		
	1470	POKE X,T(Y,1)			D PRESS ANY KEY."		
		FOR X=1024 TO 1215 STE	P 2		CLS:PRINT@224, "POSITION	TAP	
	1450	Y=1			GOTO 60		
	1440				NEXT X		
		REM END PROGRAM			Y=Y+1		
		GOTO 60			T(Y,2)=PEEK(X+1)		
	1410				T(Y,1)=PEEK(X)	-	
		GOTO 60			FOR X=1024 TO 1215 STEP	2	
	1390	NEXT Y,X		1930			
		1370			LOADM N\$		
		IF PEEK(345)=247 THEN			N\$=N\$+"2"		
		IF PEEK(339)=251 THEN	60		LOADM N\$		
		RJ=RJ+1			SOUND 1,1:GOTO 1850		
	1)+31	,T(RJ,2)+15),S,PSET			IF A\$="T" THEN 2000		
	1350	PUT(T(RJ,1),T(RJ,2))-(	T(RJ,	1870	IF A\$="D" THEN 1900		
	1340	PMODE 4.1		Ω			
	1330	GET(X,Y) - (X+31,Y+15),S	, G		A\$=INKEY\$:IF A\$="" THEN		
	1320	PMODE 4,5 GET(X,Y)-(X+31,Y+15),S					
	1310	FOR Y=0 TO 191 STEP 16		1850	CLS:PRINT@224, "LOAD FRO	M (T	
	1300	FOR X=0 TO 255 STEP 32		1840	NS=NS+"2" CSAVEM NS,1024,1215,0 GOTO 60 REM LOAD PICTURE CLS INPUT"NAME ";NS NS=LEFTS(NS,7) CLS:PRINT@224,"LOAD FRO OR (D)ISK?"		
	1290	RJ=1		1830	INPUT "NAME ";N\$		
	1280	SCREEN 1,1	-	1820	CLS		
	1270	REM SHOW ANIMATION		1810	REM LOAD PICTURE		
	1260	GOTO 60		1800	GOTO 60		
	1250	PMODE 4,1		1790	CSAVEM N\$,1024,1215,0		
	1240	PMODE 4,5 PUT(X,Y)-(X+31,Y+15),S	, PSET	1780	N\$=N\$+"2"		
	1230	PMODE 4,5		1770	CSAVEM N#, 7000, 13023, 0		
	1220	GET(T,U)-(T+31,U+15),S	, G	1760	IF INKEY\$="" THEN 1760		
	1210	GUSUB 1580	[	PRE	SS ANY KEY.";		
	1200	REM SAVE AND QUIT	- 13	1750	PRINT@416, "POSITION TAP	E AN	
	1190	RETURN		1740	N\$=LEFT\$(N\$,7)	_	
	1180	DETURN		1730	PRINT@416, "NAME";:INPUT	N≢	
	11/0	COPEN O O	1	720	REM LOAD FROM TAPE PRINT@416, "NAME";:INPUT N\$=LEFT\$(N\$,7) PRINT@416, "POSITION TAP SS ANY KEY."; IF INKEY\$="" THEN 1760		
	1170	PMODE 4,5 SCREEN 1,1 IF INKEY\$="" THEN 1160 PMODE 4.1		1710	GUTO 60		
	1150	TE INVEVA-"" THEN 11/0	1	700	SAVEM N\$,1024,1215,0		
	1140	PMODE 4,5		1690	N\$=N\$+"2"		
	1130	PMODE 4,1 SCREEN 1,1 IF INKEY\$="" THEN 1130	1	680	SAVEM N\$,9728,15871,0		
	1120	SUREEN 1,1	- 1	1670	N\$=LEFT\$(N\$,7)		
	1110	PRIORE 4,1	1	660	PRINT2416, "NAME"; : INPUT	1/1≇	
	1100	PMODE 4 '	1	650	REM SAVE INFO ON DISK		
	1090	GOTO 440 REM SEE HI-RES SCREEN	1		NEXT Y,X		
	1070	PMODE 4,1 PUT(T,U)-(T+31,U+15),S	DO:ET 1	620	VA=VA+1		
	1060	GET(X,Y)-(X+31,Y+15),S	,6	610	FOR Y=0 TO 191 STEP 16		
	1050	PMODE 4,5	1	600	VA=0 FOR X=0 TO 255 STEP 32 FOR Y=0 TO 191 STEP 16		
	1040	GOSUB 1580	1	590	VA=0		
	1030	1F UK1 UR US96 THEN 10	10 1	580	REM FIND AREA FOR PICTUI	₹E	
	1020	INPUT AC\$:V=VAL(AC\$)	1.0	570	GOTO 60 REM FIND AREA FOR PICTUI		

# ERSATILE COLOR COMPUTERS FOR THE HOME

Reg 239.95

Save

16K Standard BASIC Color Computer. An affordable introduction to colourful and exciting computing! Program Paks™ will entertain or educate your family for hours. 26-3134. Was 239.95 NOW 179.95 ..... Save \$60! 16K Extended BASIC Color Computer. All the necessary features for multiple uses - education, entertainment,

personal and household tasks! Easy expansion! 263136 Was 299.95 NOW 229.95 . . . . . . . . . . . . . Save \$70! 64K Extended BASIC Color Computer. Our most powerful! Advanced home users find this computer affordable and well suited to their business and personal needs. 26-3127 Was 449.95 NOW 299.95 . . . . . Save \$150!



# Model 100 Portable Computer


- Has Five Built-in Programs
- 8-Line by 40-Character Display
- Retains Data When Power is Off

Model 100 Portable. Amazing Micro Executive Workstation™ operates on batteries — the perfect companion for journalists, business people, students! Built-in programs for word-processing, address/phone directory, and appointment scheduling. 26-3802 8K RAM Expansion. Requires installation. 26:3816 ... 119.95

# VALUE! MODEM FOR TELEPHONE MODEM FOR TELEPHONE COMMUNICATIONS COMMUNICATIONS

 $259^{95}$ 

FREE! Includes FREE 6-Month Subscription to STARS Database



**V21 Modem.** The key to telephone communications through your computer! Telecom approved. Uses RS 232C interface. Transfers data at 300 Baud. 26,9403

Sophisticated STARS Database valued at \$29.95 — Free with Modem! Use your modem to access STARS — the world's most advanced educational database! 900.9500



Deluxe RS-232 Pak

149<sup>95</sup>

Access information services or other computers with your modem. Leaves printer port free. 26:2226

# Multi-Pak Interface

14995



Connect up to four Program Paks to your computer! Also attaches disk drive. etc. 26,3124

# "Aussie Accountant"





3995

Create records of income and expenditure in easily updated files! Balances each month, year. 26-7962

# **Ice Castles**





Search for precious gems but beware of Berthilda the witch! Avoid the three hungry gem-eaters, 26-7358

## WE SERVICE WHAT WE SELL!

Available from 350 Stores Australiawide including Tandy Computer Centres

> \*Independent Tandy Dealers may not be participating in this ad or have every item advertised. Prices may also vary at individual Dealer Stores

Tandu ELECTRONICS

A DIVISION OF TANDY AUSTRALIA LIMITED INC. IN N.S.W. Nearly 350 Stores Australia-Wide



# Sir Eggbert Jumper Leaps To The Rescue By David Dawson

One terrible day a hole appeared in the ground in a small kingdom. Terrible creatures began to spring from it and ravage the countryside. Many Knights descended into the pit but none returned.

Finally, Eggbert, a strange knight who never used weapons and had only his odd ability to jump like a rabbit, volunteered to rid the kinodom of the menace. The king was doubtful but desperate, so he agreed to send the young, peculiar knight.

Sir Eggbert Jumper is a one-player game similar to many "climb-up" games like Donkey Kong but with more of a "swords and sorcery" theme. There are eight dungeon screens included in Eggy's tasks (his friends call him Eggy), five of which are different.

The last screen holds many surprises which you will have to play to see.

The main objective for Eggy is to grab the yellow key and move, not jump, below the yellow door to exit the dungeon level. Be careful – jumping into the door could erase it and trap you on that level.


Touching any red object will knock Eggy out. Touching yellow objects, except the key, will cause the screen to change colour. While the colours remain abnormal it is not possible to jump off the level Eggy is on, but be careful not to step off the platform. The creatures cannot harm Eggy while they are not red, so use this time to get away from them.

Touching blue objects, and all objects while the colours are not normal, scores points.

## Listing 2: DEMO


- 10 PCLEAR 8
- 20 PMODE 4,1
- 30 SCREEN 1,1
- 40 Z=1:B=8
- 50 DIM S(32,16)
- 60 FOR X=0 TO 255 STEP 32
- 70 FOR Y=0 TO 191 STEP 16
- 80 GOSUB 140
- 90 GET(112,B-7)-(143,B+8),S,G
- 100 PMODE 4,5
- 110 PUT(X,Y)-(X+31,Y+15),S,PSET
- 120 NEXT Y,X
- 130 GOTO 270
- 140 PMODE 4,1:PCLS
- 150 B=B+1
- 160 A=SIN(Z)\*10
- 170 A=A+128
- 180 IF C=1 THEN C=0:GOTO 250
- 190 CIRCLE(A,B),5
- 200 C=1
- 210 LINE(127,0)-(127,192), PSET
- 220 LINE(128,0)-(128,192), PRESET
- 230 LINE(129,0)-(129,192),PSET
- 240 Z=Z+.1:GOTO 260
- 250 Z=Z+.1:GOTO 140
- 260 RETURN

- 270 REM SEE ANIMATION
- 280 PMODE 4,1:PCLS
- 290 PMODE 3,1
- 300 FOR U0=1 TO 4:PCLS U0:NEXT:P
- CLS2
- 310 PMODE 4,1:SCREEN 1,1
- 320 LINE(112,0)-(143,192), PRESET
- .BF
- 330 LINE(9,9)-(102,182),PSET,BF
  - 340 LINE(153,9)-(246,182),PSET,B
- F
- 350 LINE(127,0)-(127,192), PSET
- 360 LINE(129,0)-(129,192),PSET
- 370 CIRCLE(56,96),40,0
- 380 CIRCLE(199,96),40,0
- 390 W=7
- 400 FOR X=0 TO 255 STEP 32
- 410 FOR Y=0 TO 191 STEP 16
- 420 PMODE 4,5
- 430 GET(X,Y)-(X+31,Y+15),S,G
- 440 PMODE 4,1
- 450 PUT(112,W)-(143,W+15),S,PSET
- 460 W=W+2
- 470 NEXT Y,X
- 480 CLS:PRINT@228, "AGAIN (Y/N)";
- 490 A\$=INKEY\$:IF A\$="" THEN 490
- 500 IF A\$="Y" THEN SCREEN 1,1:W=
- 1:GOTO 390
- 510 END



If a platform is above Eggy
when he makes an upward jump
he will bounce off the platform
and, if a platform is below him at the end
of the jump, he will land safely. This could
be used to jump over small breaks in the platform
on which Eggy is travelling or to avoid objects.

Use PCLEAR2 and ENTER before running the program. As a hint to what waits on the last screen: The slogan of avid Eggy players is "Jump A Dragon!"



## The listing: EGGBERT

,

5 CLEAR100:PCLEAR2:PMODE1,1:PCLS 10 DIM H1(11,15):DIM H2(11,15):D IM 0J(9,5):DIM C1(13,17):DIM C2( 20 DRAW C3BM20,120D2NR6D4R2NF4L2 D2L2D2L2BM106,120D2NL6D4L2NG4R2D 2R2D2R2\* 30 FOR C=1T08:READX,Y:PSET(X,Y,4 ):NEXT:DATA 20,116,20,118,22,116 ,22,118,104,116,104,118,106,116, 106,118 40 DRAW C2BM36,90D4L2U2NU2R8D2" 50 COLOR4,1:LINE(86,58)-(98,72), PSET.BF:PRESET(98,70):PRESET(98, 72):PRESET(98,58):PRESET(96,58): PRESET(88,58):PRESET(88,60) 60 LINE(86,56)-(86,66), PRESET:LI

NE(92,68)-(98,70), PRESET, BF 70 PRESET(92,66):PRESET(90,66):P SET(96,62,2):PSET(96,68,3) 80 GET(16,116)-(26,130),H1:GET(1 00,116)-(110,130),H2:GET(36,90)-(44,94),OJ:GET(88,58)-(100,72),C 100 CLS:PRINT2128, (C) 1982 BY D AVID LIONELL DAWSON\*:PE=3 400 CL=0:KX=20:KY=148 405 IF RO=0 THEN 480 408 IF RO=8 THEN DRAW BM40,80R4B R3NU3D3BR4U6F6U6BR8F2ND4E2BR4D6R 6U6NL6BR4D6R6U6BR4D3ND3R4NF2U3NL 4BR12NR6D3NR6D3BR12U3NR6U3R6D6BR 4NR6U6R6BR4NR6D3NR6D4R6":FOR XX= 1 TO 3:PLAY "T10;L4;01;12;12;8;8 :4":NEXTXX 409 PLAY\*T10;L4;03;1;3;5;3;5;6;6 ;8;6;5;6;8;10;12;04;L1;1\* 410 DRAW BM + STR\$ (DX) + ", " + STR\$ (D 420 SOUND255,8:FOR X=1 T052:DRAW "S"+STR\$(X):60SUB8200:NEXT:SC=SC +R0\*100:DRAU\*S4\* 480 RO=RO+1 482 IF RO=9 THEN SCREENO,0:FOR X =1 TO 250 STEP6:CLSRND(8):SOUNDX ,1:NEXT:CLS:PRINT2224, 'DUNGEON COMPLETE, BONUS=";SC\*100:SC=SC+SC

485 IF RO=9 THEN FOR C=1T04:READ X,X,X,X:NEXT 500 IF RO=9 THEN RO=1 510 COLOR 3,1:PCLS 515 LINE(0,0)-(254,4), PSET, BF 520 ON RO GOSUB 4000,4200,4000,4 400,4200,4400,4600,4800 540 READ F:FOR C=1 TO F 550 READPX PY: DRAW BM + STR\$ (PX)+ ","+STR\$(PY):GOSUB 8000 570 NEXT 590 READ F:FOR C=1 TO F 610 READ PX, PY: DRAW BM + STR\$ (PX) +","+STR\$(PY):GOSUB8100 630 NEXT 640 READDX.DY 650 DRAW"BM"+STR\$(DX)+","+STR\$(D Y) 660 GOSUB 8200 670 READNO: IF NO=0 THEN 700 680 FOR C=1 TO NO 690 READ PX(C), PY(C) 695 NEXT 700 READ PX,PY:PUT(PX,PY)-(PX+8. PY+4),0J 710 DATA 2,140,92,140,184,2,230, 85,130,131,10,0,2,80,30,50,76,14 ,82 720 DATA 3,10,46,170,46,60,92,2, 50,89,160,132,128,52,2,128,30,12 8,76,208,36

\*100:RESTORE

730 DATA 2,140,92,140,184,2,230, 85,130,131,10,0,2,80,30,50,76,14 ,82 740 DATA 3,190,46,130,92,8,138,2 ,10,37,170,129,45,0,6,100,122,20 0,76,10,76,50,30,100,30,160,30,2 750 DATA 3,10,46,170,46,60,92,2, 50,89,160,132,128,52,2,128,30,12 8,76,208,36 760 DATA 3,190,46,130,92,8,138,2 ,10,37,170,129,45,0,6,100,122,20 0,76,10,76,50,30,100,30,160,30,2 770 DATA 4,40,138,74,92,130,92,1 0,92,1,110,85,90,98,1,180,122,20 ,129 780 DATA 1,180,138,1,100,129,10, 54,0,240,175 785 CO=200-RO\*10 1000 IF RO(3 THEN NO=0 1010 CNT=0:K=0:I=1 1020 HX=50:HY=168 1025 SCREEN 1,0 1030 LX=HX:LY=HY:EX=0 1031 CNT=CNT+1 1039 IF PPOINT(HX+5,HY+18)=7 THE N 1100 1040 IF PPOINT(HX+5,HY+18)=3 THE N 1100 1050 IF PPOINT(HX+5,HY+35)=3 OR PPOINT(HX+5, HY+35)=7 THEN HY=HY+ 17:60T01200 ELSE 3000 1100 X=JOYSTK(0):Y=JOYSTK(1):IF X)40 THEN N=1 ELSE IF X(20 THEN M=2 ELSE M=0 1110 IF Y(20 THEN U=1 ELSE IF Y) 40 THEN U=2 ELSE U=0 1120 IF PEEK(65280)=254 OR PEEK( 65280)=126 THEN 1130 ELSE 1190 1130 PLAY T255;12;1": IF U=2 THEN IF PPOINT(HX+15,HY+18)=1 OR PPO INT(HX-15,HY+18)=1 THEN HY=HY+46 1140 IF PPOINT(HX+5,HY-27)=1 THE N HY=HY-46:EX=15:GOT01190 ELSEHY =HY-17:EX=15:G0T01190 1190 IF M=0 THEN 1200 ELSE IF M= 1 THEN HX=HX+10+EX ELSE IF M=2 T HEN HX=HX-10-EX 1200 IF HX)245 THEN HX=245 ELSE IF HX(15 THEN HX=15 1210 LINE(LX-10,LY)-(LX+14,LY+14 ), PRESET, BF: IF M=1 THEN PUT (HX, H Y)-(HX+12,HY+14),H1 ELSE PUT(HX, HY)-(HX+12,HY+14),H2 1220 IF K=1 THEN PUT(HX,HY)-(HX+ 10, HY+6), OJ 1230 IF NO=0 THEN 1300

1240 X=RND(NO):LINE(PX(X)-4,PY(X ))-(PX(X)+16,PY(X)+14),PRESET,BF 1250 IF HX (PX(X) THEN PX(X)=PX(X )-6 ELSE PX(X)=PX(X)+6 1260 PUT(PX(X),PY(X))-(PX(X)+12, PY(X)+14),C1 1300 IF CNT (CO THEN 1400 1310 KX=KX+I\*4:IF KX<10 THEN KY= KY-46: I=1 ELSE 1F KX) 245 THEN KY =KY-46: I=-1 1315 IF KY < 30 THEN KY=168 1320 PUT(KX,KY)-(KX+12,KY+14),C2 :CIRCLE(KX-2,KY+5),5,4,3 1400 IF K=0 THENIF RND(40)=1 THE N PUT(PX,PY)-(PX+8,PY+4),0J 1410 IF RO()8 THEN 1450 1420 IF DF=0 THENDF=1: PX(1)=136 :PY(1)=48 ELSE LINE(PX(1),PY(1)) -(PX(1)+12,PY(1)+14),PRESET,BF 1430 IF PX(1) (HX THEN PX(1)=PX(1 )+4 ELSE PX(1)=PX(1)-4 1435 PY(1)=PY(1)+RND(30) 1440 1F PPOINT(PX(1)-6,PY(1))()1 OR PY(1))182 THEN DF=0:PLAY\*T25 5;2;6;10" ELSE PUT(PX(1),PY(1))-(PX(1)+12,PY(1)+14),C1 1450 IF PPOINT(HX-12,HY+8)=1 AND PP0INT(HX+12,HY+8)=1 THEN 2000 1455 IF PPOINT(HX-12,HY+8)=5 THE 1460 IF PPOINT(HX-12,HY+8)=4 OR PPOINT(HX+12,HY+8)=4 THEN 3200 1470 IF PPOINT(HX-12,HY+8)=2 OR PPOINT(HX+12,HY+8)=2 THEN IF HX) PX-13 AND HX < PX+18 AND HY < PY AND HY)PY-40 THEN K=1:PLAY\*T1;04;L1 6;12":60T01800 ELSE CL=CNT+50:SC REEN 1,1:GOT01800 1472 SC=SC+R0\*10 1480 SOUND 250,1 1800 FOR X=12 TO1 STEP -2:PLAY\*T 255;L16;04;"+STR\$(X):CIRCLE(HX,H Y+6),X+10,2,.2:CIRCLE(HX,HY+6),X +10,1,.2:NEXT 2000 IF CNT)CL THEN SCREEN 1,0 2005 IF K=1 AND PPOINT(HX+5,HY-1 2)=2 THEN 400 2010 GOTO 1030 3000 FOR X=HY TO 171:HY=X:LINE(H X-5,HY)-(HX+10,HY-10), PRESET, BF: PUT (HX, HY) - (HX+10, HY+14), H1:NEXT 3200 FORX=1T010:SOUNDX,1:SCREEN1 ,1:SCREEN1,0:NEXTX 3210 LINE(HX,HY)-(HX+10,HY+12),P 3220 DRAW"BM"+STR\$(HX)+","+STR\$( HY+16)+ "H4R8NU6R8U2L2" 3225 SOUND100.10:SOUND1,20 3230 IF PE=1 THENSCREEN 0,0:CLS: PRINT2160, TRY AGAIN ADVENTURER! ":PRINT YOU REACHED LEVEL";RO:PR INT SCORE WAS ; SC: END ELSE PE=PE -1:CLS:SCREEN 0,0: PRINT2160, AD VENTURERS REMAINING ; PE:FORX=1TO 2000:NEXT:GOT01010 4000 LINE(0,184)-(254,191),PSET, 4005 LINE(0,0)-(254,2),PSET,BF 4010 LINE(0,138)-(208,144), PSET, 4020 LINE(0,92)-(70,98),PSET,BF 4030 LINE(104,92)-(254,98),PSET, 4040 LINE(0,46)-(100,52),PSET,BF 4050 LINE(144,46)-(214,52),PSET, 4060 LINE(208,46)-(214,92),PSET, 4070 COLOR4,1:LINE(202,26)-(214, 40), PSET, BF: PRESET (214,26): PRESE T(202,26):CIRCLE(208,32),5,2:PSE T(208,32):LINE(204,38)-(212,38), 4080 GET(202,26)-(214,40),C1:LIN E(202,26)-(214,40), PRESET, BF 4100 RETURN 4200 LINE(0,184)-(254,191),PSET, BF:LINE(0,138)-(96,144),PSET,BF 4210 LINE(128,138)-(216,144),PSE T.BF:LINE(44,92)-(254,96),PSET,B 4220 LINE(0,46)-(96,52),PSET,BF: LINE(128,46)-(228,52), PSET, BF 4230 COLOR4,1:CIRCLE(18,172),14, 4:PAINT(18,172),4,4:FOR X=1 TO 4 :PSET(RND(28),146+RND(12),4):NEX T:LINE(10,158)-(28,165), PSET, BF 4240 RETURN 4400 LINE(0,184)-(254,191),PSET, BF:LINE(0,138)-(44,144),PSET,BF 4410 LINE(154,138)-(230,144),PSE T,BF:LINE(64,92)-(152,98),PSET,B 4420 LINE(202,92)-(254,98),PSET, BF:LINE(0,46)-(64,52),PSET,BF:LI NE(178,46)-(218,52), PSET, BF 4430 RETURN 4600 LINE(0,184)-(254,191),PSET, 4610 LINE(0,138)-(204,144),PSET, BF:LINE(0,92)-(28,98),PSET,BF:L1 NE(74,92)-(148,98), PSET, BF:COLOR 4,1:LINE(148,0)-(254,98),PSET,BF :LINE(0,0)-(148,52), PSET, BF 4620 RETURN 4800 LINE(0,62)-(26,34),PSET:LIN E-(44,56), PSET: LINE-(54,30), PSET :LINE-(216,30), PSET:LINE-(222,52

4820 COLOR 4,1

4830 LINE(76,0)-(70,14), PSET:LIN E-(118,46), PSET:LINE-(94,16), PSE T:LINE-(112,2), PSET:LINE-(130,22 ),PSET:LINE-(138,30),PSET:LINE-( 138,40), PSET: LINE-(142,44), PSET: LINE-(146,40), PSET: LINE-(148,30) ,PSET:LINE-(154,22),PSET

4840 LINE-(150,16), PSET:LINE-(14 2,12), PSET:LINE-(136,16), PSET:LI NE-(130,22),PSET:LINE(156,22)-(1 78,4),PSET:LINE-(212,18),PSET:LI NE-(202,46),PSET:LINE-(232,12),P

SET:LINE-(232,0), PSET

4850 PAINT(144,0),2,4:PAINT(144, 20),4,4

4870 LINE(120,10)-(122,28),PSET: LINE-(136,34), PSET:LINE-(148,34) PSET:LINE-(162,28),PSET:LINE-(1 64,12) ,PSET

4880 PAINT(158,22),4,4:PAINT(128 ,22),4,4

4885 CIRCLE(138,26),2,2,.5:CIRCL E(148,26),2,2,.5

4890 PSET(138,24,3):PSET(138,26, 3):PSET(148,24,3):PSET(148,26,3) :PSET(144,40,3):PSET(140,40,3)

4900 COLOR 2,1:LINE(142,12)-(134 ,9),PSET:LINE(146,8)-(138,5),PSE T:DRAW C4BM128,32D8ND8R4ND8L8ND8 BM156,32D8ND8R4ND8L8D8\*

4910 COLOR 3,1:LINE(0,92)-(162,9 8) , PSET , BF

4920 LINE(0,184)-(254,191),PSET, BF:LINE(62,138)-(128,144), PSET, B F:LINE(178,138)-(200,144),PSET,B

4930 LINE(50,90)-(140,100), PRESE T,BF

4950 CIRCLE(142,58),4,4:CIRCLE(1 42,58),1,2:COLOR4,1:LINE(146,56) -(138,48),PSET

4960 GET(136,48)-(148,62),C1

4970 LINE(136,48)-(148,62),PRESE T,BF

4980 RETURN

8000 DRAW"C3U10E4R4F4NL8D10":PAI

NT(PX+4,PY-3),3,3

8010 RETURN

8100 DRAM C2NU8R8E4H4ND8L8G4F4\*

8110 RETURN

8200 DRAM CZNR20NL4DZNL4DZNL4DAN L4D2NL4D2NL4D6R20U20\*:PAINT(DX+2 ,DY+2),2,2

8205 DRAW"BM-14,+4C3R6D2L2ND4L4"


8210 RETURN

GAME

32K ECB



# DESTINATION



### Nick Bradbury

The idea for Amphibia is loosely based on the game arcade game Moon Patrol. A Hi-Res 32K game, Amphibia has several features which you may find interesting:

- 1) Hi-Res artifact Graphics
- 2) Machine language subroutines for "superfast" speed
- 3) Four totally different screens
- 4) Scrolling screens for continuous play

Because of the many machine language subroutines in Amphibia, I will explain how these routines work and also how the graphics were created. How To Play

You travel the surface of an alien planet trying to reach your final destination: Moon Base Amphibia! Your vehicle is capable of traveling under water as well as overland. To reach your base, you must complete three levels of difficult obstacles: 1) boulders and rockets, 2) bombes and craters, and 3) geysers and surface rockets.

On each level, the right joystick controls your movements (you can only move left and right) and the firebutton controls jumps.

On Level one, you must jump over AUSTRALIAN RAINBOW

boulders while avoiding jumping up into the overhead rockets. Your timing must be perfect to jump over the boulders. After the timer runs out (at the bottom of the screen), you will go to the next screen.

In the second screen, you are under the alien ocean. Large craters appear and you must jump over them. Occasionally, undersea patrollers appear above you. You must avoid the bombs they drop and watch out for the craters the bombs leave when they hit the ocean floor.

After this screen, you will go on to level three. There are two obstacles you must avoid in this screen. The surface rockets appear to your left. These rockets pause for a moment, then unexpectedly shoot across the screen. You must jump over these rockets using split-second timing. Geysers will occasionally appear at the right of the screen. These are impossible to completely jump, but you must jump high enough so the water does not reach your cockpit.

After completion of these three screens, you will appear in front of the moon base. Above and below you are two revolving treadmills. The top treadmill is slowly coming down upon you, so you must act fast. To your right are two berserkers which you must

To reach your base, you must move 1 into this location, blue will show up. your vehicle to the right. Upon com- By painting in this mode with the pletion of this screen, you will receive format of PAINT (x,y),,1, the color a bonus and will return to the first blue will show up instead of white. screen.

# **How to Create Graphics**

The shapes in Amphibia are created in an extremely simple way. All shapes were originally drawn on graph paper. Because of Extended BASIC'S DRAW command, this drawing can be easily translated into a draw string. For example, if a line on the graph paper moves right four spaces, I translate this to equal "R4." After the complete string has been created, I draw it the size I want using the powerful scale option of the DRAW command. The PAINT command was used to fill in the shapes.

SCREEN 1,1. The best way I've found this location, the colors in the graphics this routine in any of your programs.

avoid before you can reach your base. commands are changed. By poking a

### The ML Subroutines

The most important subroutine is the routine that copies an object onto the graphics screen. The other routines do the same action or scroll the background. I will only explain the copy routine, for I feel it is the most useful.

This routine (see accompanying listing) uses less than 50 bytes. First, draw the shapes onto pages five through eight. The ML routine copies these shapes onto a specified section of the viewing screen. The ROM routine at \$B3ED (hexadecimal) is used to send the location from the USR command to The colors used in this game are the the ML routine. This ROM routine famous "artifact" colors that give transfers the contents in between the different colors in PMODE 4 using USR brackets and places it into the 'D' register. The ML routine takes this to use these colors is by using memory location and places the shape in the location 178. By changing the value in desired memory location. You may use

# Getting it Working

There are two problems you may find in Amphibia. First, the artifact colors may not turn out correctly. To solve this, you will see a cleared screen at the beginning of the program. If this screen is a bluish color, press Reset and rerun the program until the colors are correct. After a short pause, the screen will change and the program will continue.

The other problem you may have is with the famous "speed-up" POKE that is used. If you have problems with this POKE, change the value of "PK" in Line 0 to 65494. This will set the speed for the entire program.

/	
112233	5255218
41033	690024
1016 104	7124 85
121860	7430 95
2000 179	7905 158
3052 69	8130 104
3162 234	840033
3316 218	898462
5050 151	9190 118
5175 128	END128



### Listing 1: AMPHIBIA

0 CLS0:CLEAR85,31000:PCLEAR8:DIM A1(10):PK=65495:POKEPK.0:PMODE3. 1:PCLS3:PMODE4,1:SCREEN1,1:S1=0: NS=4:PX=10:PY=12:G0SUB5000:G0SUB 2000:CLS:PRINT332,24::PRINT3448. 2\$;:PRINT272, amphibia:P RINT2131, \*(C)1983 BY NICK BRADBU RY":PRINT2160,2\$;

20 SCREENO,0:PMODE4,1:PCLS0:PMOD E4.5:PCLSO:POKEPK.0:PRINT2224:PR INT 2256: PRINT 2284: GOSUB1000: GOSU B3000:DEFUSR0=31000:DEFUSR1=3105 0:DEFUSR2=31100:DEFUSR3=31150:DE FUSR4=31200:DEFUSR5=31250:DEFUSR 8=31400:60SUB6300:60SUB6500:PLAY "03V30L255T255":P0KE65494,0:

85 IFINKEY\$=CHR\$(13)THEN90ELSEPL AY FAAE : GOT085

90 R1=0:R2=0:T1=0:POKEPK.0:B6=52 54:BX=5:E1=0:E2=0:PC=0:JP=0:U=US R0(BG)

98 LV=1:PMODE4,1:COLOR1,0:SCREEN

100 J0=J0YSTK(0):IFJP=1THEN108EL SEIFJ0 (20THEN200ELSEIFJ0) 43THEN2

108 PC=1-PC:U=USR0(BG):U=USR4(0) : IFPC=1THENEXEC31550

112 IFR1=1THENGOSUB405

120 IFJP=1THEN310ELSE1F(PEEK(&HF F00)AND1)=0THEN300

124 IFPC=1THENBG=BG-32ELSEBG=BG+

130 U=USR4(0):U=USR3(0):IFR1=1TH ENGOSUB405ELSEIFRND(15)=1THENGOS

144 IFR2=1THENGOSUB425ELSE1FRND( 26)=1THENGOSUB420

180 TI=TI+1:1FTI)8THENTI=0:GOSUB

190 PLAY\*05V31P255\*:GOT0100

200 IFBX<1THEN108ELSEBX=BX-1:BG= BG-1

205 U=USR1(BG+7):G0T0108

225 IFBX)16THEN108ELSEBX=BX+1:BG =RG+1

230 U=USR1(BG-1):G0T0108

300 JP=1:J2=0:J1=0:PLAYP2\$

310 IFJ2=1THEN320ELSEJ1=J1+1:IFJ

1)4THENJ2=1ELSEBG=BG-128

315 GOT0330

320 J1=J1-1:IFJ1(1THEN350ELSEBG=

BG+128

330 GOT0130

350 J2=0:JP=0:60T0130

400 R1=1:E1=5755:U=USR5(E1):X1=2

405 P1=PEEK(E1+98):IFP1()255THEN 910ELSEE1=E1-1:X1=X1-1:IFX1<1THE

N414

410 U=USR5(E1):RETURN

414 R1=0: I=480: U=USR1(E1-1): U=US R1(E1-I+1):U=USR1(E1-I+2):U=USR1

(E1-1+3):U=USR1(E1-1+4):RETURN

420 R2=1:E2=4768:U=USR8(E2):X2=1

425 P1=PEEK(E2+258):1FP1()42THEN 910ELSEE2=E2+1:X2=X2+1:IFX2>28TH EN440

430 U=USR8(E2):RETURN

440 R2=0:FORI=0T04:U=USR1(E2+1):

NEXTI: RETURN

910 PLAYPP\$:NS=NS-1:CLS:SCREENO: PRINT232,Z\$;:PRINT2448,Z\$;:PRINT 299, YOU HAVE NS BUGGIES LEFT. : PRINT2163, "YOUR SCORE IS"S1"POIN TS.\*:PMODE4,1:COLOR1,0:LINE(0,98 )-(255,150),PRESET,BF:FORX=0T025

5:Y=143+RND(3):PSET(X,Y):PSET(X. Y+1):NEXTX:PMODE4,1:COLOR1,0:

955 R1=0:JP=0:J2=0:PC=0:R2=0:GOS UB6500:POKE65494.0:PRINT2387."PR ESS (ENTER) TO CONTINUE\*

975 IFINKEY\$=CHR\$(13)THEN980ELSE 975

980 CLS:POKEPK,0:GOTO98

1000 PMODE3,1:COLOR4,1:LINE(0,0) -(255,30), PSET, B:LINE(4,4)-(248, 26) ,PSET, B:PAINT(2,2),3,4:PMODE4

.1:COLOR1.0:FORX=0T0255:Y=143+RN

D(3):PSET(X,Y):PSET(X,Y+1):NEXTX :POKE178,2:PAINT(128,190),.1:COL OR1,0:Y=90:X1=256:FORX=0T0128:PS ET(X,Y):PSET(X1,Y):PSET(X,Y+1) 1016 NEXTX:PMODE4,1:COLOR1.0:LIN E(0,170)-(255,192), PRESET, BF:LIN E(0,170)-(255,192),PSET,B:D1\$=\*R 2F1E1R1D1F1D1L1G1H1D1L2H1G1L1H1L 1E1U1R1E1R1":PMODE4,1:DRAW"C1S16 BM44,58;XD1\$;BM128,61;XD1\$;BM212 ,58;XD1\$;":COLOR1,0:PAINT(60,60) ,,1:PAINT(130,64),,1:PAINT(214 1100 PMODE4,1:COLOR1,0:PCLS0:D1\$ ="E1U1F1R1F1":LINE(0,150)-(255,1 88), PSET, BF: FORX=6T0250STEP12:CI RCLE(X,56),8,1:NEXTX:LINE(0,52)-(255,70), PRESET, 8F:LINE(251,51)-(256,51), PSET: POKE178,1: PAINT(12 8,60),,1:COLOR1,0:PAINT(100,160)

,,1:PMODE4,1:COLOR1,0:PMODE4,1 1185 PMODE3,1:COLOR4,1:LINE(0.0)

-(255,30), PSET, B:LINE(4,4)-(248, 26) PSET B:PAINT(2,2),3,4:PMODE4 ,1:COLOR1,0:FORI=1T030:PRESET(RN D(255).161+RND(7)):NEXTI:RETURN

1200 PMODE4,1:COLOR1.0:PCLS0:PMO DE3,1:COLOR3,1:LINE(0,156)-(255, 180), PSET, BF: PMODE4, 1: COLOR1, 0:F

ORI=1T0100:PRESET(RND(256),159+R ND(8)):NEXTI:X1=256:COLOR1,0:Y=8 0:FORX=OTO128:PSET(X,Y):PSET(X,Y +1):PSET(X1,Y):PSET(X1,Y+1):X1=X

1-1:Y=Y-2+RND(3):IFY(72THENY=7 1218 NEXTX:PMODE3,1:COLOR4,1:LIN E(0,0)-(255,30), PSET, B:LINE(4,4)

-(248,26), PSET, B: PAINT(2,2),3,4: PMODE4,1:COLOR1,0:D1\$="R2F1E1R1D 1F1D1L1G1H1D1L2H1G1L1H1C1E1U1R1E 1R1":PMODE4,1:DRAW"C1S16BM36.40:

XD1\$;BM110,44;XD1\$;BM210,40;XD1\$ : PAINT(42,49),,1:PAINT(116,5 1280 PMODE4,1:COLOR1,0:LINE(0,17

0)-(255,192), PRESET, BF:LINE(0,17 0)-(255,192),PSET,B:POKE178,1:PA

INT(128,66), 1: RETURN

ectronics

TILES INOW YOUR COCO CAN UNDERSTAND WHAT YOU SAY TO IT!

\$ 130.00

Upper Lower Case Card with True Descenders. fitted \$ 58.00 National SSDD + power supply and case \$ 170.00

Mini Disk + controlle: + interface cable reads to go

\$ 460.00

ONES OFFICE OFFICE will drive any monitor fitted \$ 30.00

DISK SYSTEMS Disk Controller complete in case with your choice of INS

Tandy, SpecDos, Rainbow) \$ 180.00

# EDITORNOLLE MUNCLE

28 Stirling St. STRATHPINE, 4500.QLD. Phone: 07 - 205 4941 All prices subject to change without omer notification.

Hildering

1300 PMODE4,1:COLOR1,0:PCLSO:LIN
E(0,170)-(255,192),PRESET,BF:LIN
E(0,170)-(255,192),PSET,B:PMODE3
,1:COLOR4,1:LINE(0,0)-(255,30),P
SET,B:LINE(4,4)-(248,26),PSET,B:
PAINT(2,2),3,4:PMODE4,1:COLOR1,0
:D1\$="U4E2R1U4E1U2H1L1H1U1H1U1E1
U1E1R1E1U1E1D1F1E1U1F1D1F1R1F1
1340 LINE(0,31)-(255,48),PSET,BF:
LINE(0,162)-(255,169),PSET,BF:PMODE4,1:COLOR1,0:CIRCLE(180,89),
10,1:POKE178,1:PAINT(180,115),,1
:COLOR1,0:RETURN
2000 P2\$="02U30L255T255DCGAFB":P

2000 P2\$="02V30L255T255DCGAFB":P 3\$="03V30L255T255FA":P4\$="01V30L 255T255A02G01A":P5\$="05V30L255T2 55E03A016":PP\$="01V30L255T255FA FEAV25E6FADCEV20B6FEDAV15GFDACEV 10CBEGDDAV5FDEADV2GFEDA":Z\$=STRI NG\$(32,"\*")

2505 TMS="BM+3,0U6L3R6BR2BD6;BM+ 5,-6L4R2D6L2R4BR3;BM+1,0U6R1F2D1 U1E2R1D6BR3;BM+5,0L4U6R4BD3BL2L1 BD3BR6;":RETURN

3000 PMODE4.5:01\$="E1R9NR261D2R4 U2NH1D3G1U1L2D1L3U1L2D1L1U1L2D1L 1H1U3":D2\$="R2D1NL2D1L1NU2L1U2": DD\$="NL2R1D1R1H1F1D1L5U1E1":PMOD E4.5:DRAW\*C1S16BM34,92;XDD\$;\*:P0 KE178,1:PAINT(32,97),,1:COLOR1,0 :CIRCLE(28,101),2,1:CIRCLE(39,10 1),2,1:6ET(20,90)-(46,105),A1, 3010 DRAW C1S16BM8,8;XD1\$; : DRAW "BM14,8;XD2\$;BM22,8;XD2\$;BM30,8; XD2\$; :: POKE178,1: PAINT(40,21),,1 :COLOR1,0:CIRCLE(20,24),4,1:CIRC LE(32,24),4,1:CIRCLE(52,24),4,1: DRAW C15168M8, 42; XD1\$; ": DRAW BM1 4,42;XD2\$;BM22,42;XD2\$;BM38,42;X D2\$; \*: POKE178, 2: PAINT(40,55),, 3028 LINE(0,30)-(92,68), PSET, B:P OKE178,1:PAINT(1,31),,1:PMODE3,5 :COLOR2,1:LINE(0,30)-(92,68),PSE T,B:PMODE4,5:COLOR1,0:D3\$="R1F1D IFIL6UIEIRIEI\*:PMODE4,5:COLOR1,0 :DRAW BM98,13;XD3\$; PAINT(98,20 )..1:LINE(92,21)-(94,23),PRESET: LINE(92,21)-(95,18), PRESET:LIN 3052 LINE(140,14)-(150,22), PSET, B:POKE178,2:PAINT(144,16),,1:COL OR1,0:PMODE4,5:COLOR1,0:D5\$="R8F 1L9U1":DRAW"C1S12BM215,16;XD5\$;" :PAINT(220,16),,1:PSET(243,19):P MODE3,5:COLOR3,1:X=214:FORY=13TO 15:LINE(X,Y)-(X+12,Y), PSET:X=X+2 :NEXTY:X=222:FORY=19T021:LINE( 3100 PMODE4.5:COLOR1.0:D1\$="E1U1 E1R2F1D1R1E1R3E1R2E1U1H1R4G1D3F1 D3H1D3F1L4E1U1H1L2H1L3H1L1D1G1L2

H1U1H1\*:DRAW\*C1S8BM102,48;XD1\$;\*

:CIRCLE(108,47),3,1:PAINT(126,47 ),,1:PAINT(108,51),,1:PAINT(108, 43),,1:LINE(118,46)-(134,48),PRE SET,B:COLOR3,1:FORX=120T0130ST 3142 PMODE4.5:DRAW\*C1S8BM182,52; XD2\$;":POKE178,2:PAINT(188,52),, 1:COLOR1,0:DRAW BM168,52;XD24;": D1\$="D4R12U4G2L1G1L1G1H1L1H2L1H1 ":DRAW"C1S16BM208,50;XD1\$;":PAIN T(220,60),,1:PAINT(246,60),,1:PM DDE4,5:COLOR1,0:LINE(94,33)-(256 ,64) ,PSET ,B:POKE178,1:PAINT(95 3162 PMODE4,5:COLOR1,0:LINE(254, 49)-(255,64), PSET, B:PMODE4, 5:COL OR1.0:D1\$="R1E1U1F1R1F1R2E1R1E1F 1R1F1\*:D2\$="E1U1H1L1G1U2E1R2F1E1 R2F1D2H1L1G1D1F1 : PMODE4,5:DRAW\* C1S16BM12,101;XD1\$; ":LINE(12,102 )-(64,102), PSET: POKE178, 2: PAINT( 50,100),,1:PAINT(26,100),,1:PM 3220 DRAW C4S16BM29,98;XD2\$; :PM ODE4,5:POKE178,1:PAINT(36,88),,1 :PMODE3,5:PMODE4,5:DRAW\*C1S16BM8 4,101;XD1\$;":LINE(84,102)-(136,1 02) .PSET:POKE178,2:PAINT(96,100) ,,1:PAINT(124,100),,1:PMODE3,5:C OLOR3,1:LINE(84,102)-(136,102).P SET:DRAW C4S24BM98,98;XD2\$; :P 3246 DRAW \$8BM34,92;XD2\$; :COLOR 4,1:LINE(110,100)-(110,80),PSET: LINE(106,100)-(106,80), PSET:LINE (114,98)-(114,80),PSET:PMODE4,5: COLOR1,0:D3\$="E1R5F1R1F1R1F1L8E1 L3D1H1U1E1\*:DRAW\*C1S12BM24,121;X D3\$;":PAINT(42,124),,1:D4\$="U1E1 R2F2L5":D5\$="G2R3E2L3":PMODE3, 3266 DRAW BM28,124;XD5\$; PAINT( 28,128),3,3:LINE(32,130)-(10,130 ),PRESET:COLOR2,1:FORX=40T054STE P4:PRESET(X,126):NEXTX:LINE(46,1 21)-(48,123), PSET, BF: PRESET(49,1 21):RETURN 3300 PMODE4,5:COLOR1,0:PCOPY5T01 :PCLS0:PCOPY1T05:LINE(0,29)-(255 ,48) ,PRESET,BF:D1\$="NU4ND4NL4NR4 ":D2\$="NE4NF4N64NH4":LINE(0,42)-(255,42),PSET:LINE(0,54)-(255,54 ),PSET:LINE(0,40)-(255,40),PSET: LINE(0,56)-(255,56), PSET: POKE178 ,2:PAINT(100,55),,1:PAINT(100, 3316 LINE(0,62)-(255,62),PSET:LI NE(0,74)-(255,74),PSET:LINE(0,60 )-(255,60), PSET:LINE(0,76)-(255, 76) ,PSET:POKE178,2:PAINT(128,61) ,,1:PAINT(128,75),,1:COLOR1,0:FO RX=8T0256STEP16:CIRCLE(X,48),7,1 :CIRCLE(X,68),7,1:NEXTX:DRAW\*C1S 4":FORX=8T0256STEP16:DRAW"8M"+ 5000 ML\$=\*BDB3ED1F01108E1E01C607 A6A0A7805A26F930881931A819108C21

AUSTRALIAN RAINBOW

872DEB39":TT=31000:GOSUB5500:ML\$
="BDB3ED1F01108E1E08C601A6A0A780
5A26F930881F31A81F108C21882DEB39
":TT=31050:GOSUB5500:ML\$="BDB3ED
1F018600C607A7805A26FB39":TT=311
00:GOSUB5500

5030 NL\$="8E1001108E1000A680A7A0 8C129F26F78E129F108E12BFA684A7A4 3088E031ABE08C0FFF26F139":TT=311 50:G0SUB5500:ML\$="8E1801108E1800 A680A7A08C18BF26F78E18BF108E18DF A684A7A43088E031A8E08C17FF26F139 ":TT=31200:G0SUB5500

5050 NL\$="BDB3ED1F01108E1FAAC605 A6A0A7805A26F930881B31A81B108C21 2E2DEB39":TT=31250:60SUB5500:ML\$ ="BDB3ED1F01108E1FB9C606A6A0A780 5A26F930881A31A81A108C20BE2DEB39 ":TT=31400:60SUB5500

5090 NL\$="8E0CE1108E0CE0A680A7A0 8C0FDF26F78E0FDF108E0FFFA684A7A4 3088E031A8E08C0CFF26F139":TT=315 50:G0SUB5500:ML\$="8D83ED1F01108E 21C1C607A6A0A7805A26F930881931A8 19108C25C72DEB39":TT=31600:G0SUB 5500

5110 ML\$="BDB3ED1F01108E2288C601 A6A0A7805A26F930881F31A81F108C26 682DEB39":TT=31650:GOSUB5500:ML\$ ="8E18C1108E18C0A680A7A08C1B1F26 F78E1B1F108E1B3FA684A7A4308BE031 A8E08C18DF26F186FF8E1A20A7843088 E08C18A026F639":TT=31700:GOSUB55

5130 ML\$="8E0C01108E0C00A680A7A0 8C0CDF26F78E0CDF108E0CFFA684A7A4 3088E031A8E08C0BDF26F139":TT=317 60:G0SUB5500:ML\$="BDB3ED1F01108E 222CC607A6A0A7805A26F930881931A8 19108C25922DEB39":TT=31800:G0SUB 5500

5150 ML\$="BDB3ED1F01108E2337C601 A6A0A7805A26F930881F31A81F108C25 172DEB39":TT=31850:G0SUB5500:ML\$ ="BDB3ED1F01108E2335C601A6A0A780 5A26F930881F31A81F108C25152DEB39 ":TT=31900:G0SUB5500:ML\$="BDB3E0 1F01108E23BAC606A6A0A7805A26F930 881A31A81A108C253E2DEB39"

5175 TT=31950:G0SUB5500:ML\$="BDB
3ED1F01108E27A0C608A6A0AA84A7805
A26F730881831A818108C2BA72DE939"
:TT=32000:G0SUB5500:ML\$="393939"
:TT=32050:G0SUB5500:ML\$="8E0A811
08E0A80A680A7A08C123F26F78E123F1
08E125FA684A7A43088E031A8E08C0A9
F26F139":TT=32100:G0SUB5500
5210 ML\$="8E0E81108E0E80A680A7A0
8C123F26F78E123F108E125FA684A7A4

3088E031A8E08C0E9F26F139\*:TT=321

November, 1985

50:G0SUB5500:NL\$="8E19E1108E19E0 A680A7A08C1B1F26F78E1B1F108E1B3F A684A7A43088E031A8E08C19DF26F139 ":TT=32200:G0SUB5500 5230 ML\$="BDB3ED1F01108E26A1C609 A6A0A7805A26F930881731A817108C2A C92DEB39\*:TT=32250:60SUB5500:ML\$ ="BDB3ED1F01108E26AAC609A6A0A780 5A26F930881731A817108C2AD22DEB39 ":TT=32300:GOSUB5500:ML\$="BDB3ED 1F01108E26B2C609A6A0A7805A26F930 881731A817108C2ADB2DEB39\* 5255 TT=32350:G0SUB5500:ML\$="BDB 3ED1F01108E2BC1C607A6A0A7805A26F 930881931A819108C2EA72DEB39\*:TT= 32400:60SUB5500:ML\$="BDB3ED1F011 08E2300C60FA6A0A7805A26F93088113 1A811108C252F2DEB39":TT=32450:G0 SUB5500 5280 ML\$="BDB3ED1F01108E2580C60F A6A0A7805A26F930881131A811108C27 6F2DEB39\*:TT=32500:60SUB5500:ML\$ ="BDB3ED1F01108E1E71C602A6A0A780 5A26F930881E31A81E108C21F22DEB39 ":TT=32550:GOSUB5500:RETURN 5500 FORI=1TOLEN(ML\$)STEP2:AA\$=M ID\$(ML\$,1,2):AA=VAL("&H"+AA\$):PB KETT+W.AA:W=W+1:NEXTI:W=0:RE TURN 6300 TM=0:PMODE3,1:COLOR3,1:TY=1 78:FORTX=40T0240STEP4:LINE(TX,TY )-(TX,TY+6),PSET:TM=TM+1:NEXTTX: PMODE4,1:DRAW\*C1S48M4,184;XTM\$;\* : RETURN 6400 TX=TX-4:PMODE3,1:COLOR4,0:L INE(TX,TY)-(TX,TY+6),PSET:S1=S1+ 5:TM=TM-1:IFTM(1THEN6900 6425 PMODE4,1:COLOR1,0:PLAYP3\$:R 6500 PMODE4,1:COLOR1,0:IFNS (=0TH EN20000 6504 LINE(8,7)-(240,24), PRESET, B F:X=8:Y=8:FORI=1TONS:PUT(X,Y)-(X +26,Y+15),A1,OR:X=X+26:NEXTI:RET 6900 IFLV)1THEN7600ELSEPOKE65494 ,0:POKE65314,170:PLAY\*01V30L255T 255FE02A\*:P0KE65314,255:F0RI=1T0 200:NEXTI 6905 CLS:SCREENO:PRINT232.Z\$::PR INT2448, 2\$;:NS=NS+1:PRINT296, "YO U HAVE COMPLETED LEVEL ONE. ": PRI NT\* BONUS 500!!!\*:S1=S1+500:PRIN T:PRINT YOUR SCORE NOW IS SI . . : PRINT YOU HAVE "NS ROVERS LEFT.": POKEPK,0:LV=2:PMODE4,1:COLOR1.0: PCLS0:GOSUB6500:GOSUB1100:GOSU 7000 CLS:DEFUSR0=31600:DEFUSR1=3 1650:DEFUSR2=31700:DEFUSR3=31760 :DEFUSR4=31800:DEFUSR5=31850:DEF November, 1985

USR6=31900:DEFUSR7=31950:POKE654 94,0:CLS:SCREEN0,0:PRINT2227, PR ESS (ENTER) TO CONTINUE\* 7074 IFINKEY\$ (>CHR\$ (13) THEN 7074 7090 BG=5287:BX=5:JP=0:PC=0:E1=0 :E2=0:E3=0:POKEPK,0:PMODE4,1:COL OR1,0:SCREEN1,1 7100 J0=J0YSTK(0):1FJP=1THEN7108 ELSEIFJ0<20THEN7200ELSEIFJ0>43TH EN7225 7108 PC=1-PC:IFE1=1THENGOSUB7410 7110 U=USR0(B6):U=USR2(0):U=USR3 (0):1FJP=1THEN7310ELSE1F(PEEK(&H FF00)AND1)=0THEN7300 7124 IFE1=1THENGOSUB7410ELSEIFRN D(24)=1THENGOSUB7400 7128 IFE2=1THENGOSUB7440 7130 U=USR2(0):ML=ML+1:1FML)8AND E1=0THEN1FRND(1NT(TM/3))=1THENGO SUB7500:ML=0 7140 IFPEEK(BG+1061)=85THEN7905 7180 TI=TI+1:IFTI>10THENT1=0:60S UB6400 7190 PLAY\*05V31P255\*:G0T07100 7200 IFBX<1THEN7108ELSEBX=BX-1:B 7205 L=USR1(BG+7):G0T07108 7225 1FBX)16THEN7108ELSEBX=8X+1: BG=BG+1 7230 U=USR1(BG-1):G0T07108 7300 JP=1:J2=0:J1=0:PLAYP2\$ 7310 IFJ2=1THEN7320ELSEJ1=J1+1:1 FJ1>3THENJ2=1ELSEBG=BG-128 7315 60707330 7320 J1=J1-1:IFJ1<1THEN7350ELSEB G=BG+128 7330 GOTO7124 7350 J2=0:JP=0:G0T07130 7400 E1=1:EP=3739:U=USR4(EP) 7410 EP=EP-1: IFEP (3711THEN7420EL SEU=USR4(EP) 7412 IFE2=1THEN7415ELSEIFRND(18) =1THEN7430 7415 RETURN 7420 E1=0:FORI=0T06:U=USR1(EP+I) :NEXT1:RETURN 7430 E2=1:E0=EP+514:PLAYP5\$:EY=0 :U=USR5(E0) 7440 EY=EY+6:E0=E0+192:IFEY>42TH EN7460 7445 IFPC=1THENU=USR5(EO) ELSEU= USR6(E0) 7448 P1=PEEK(E0+512):IFP1()85THE N7905 7450 RETURN 7460 EI=E0+448:U=USR1(E0-448):E2 =0:GOSUB7505:PLAYP4\$:RETURN 7500 E1=6299 7505 U=USR7(E1):RETURN 7600 IFLV>2THEN8600ELSEPOKE65494 AUSTRALIAN RAINBOW

255FE04E\*:POKE65314,255:FORI=1T0 200:NEXT1 7685 NS=NS+1:S1=S1+1000:CLS:SCRE EN0:PRINT232,Z\$;:PRINT2448,Z\$;:P RINT296, YOU HAVE COMPLETED LEVE L TWO":PRINT" BONUS 1000!!!":PRI NT:PRINT"YOU HAVE "NS "ROVERS LEFT .\*:POKEPK.0:LV=3:PMODE4.1:COLOR1 ,0:PCLS0:60SUB6500:60SUB1200:60S UB6300:GOT08000 7905 POKE65494,0:PLAYPP\$:CLS:SCR EEN0,0:NS=NS-1:PRINT232,Z\$;:PRIN T2448,Z\$;:PRINT299,"YOU HAVE"NS" BUGGIES LEFT. : PRINT2163. YOUR S CORE IS'S1"POINTS.":PMODE3,1:COL OR2,1:LINE(0,69)-(255,149),PSET, BF:COLOR4,1:LINE(0,150)-(255,170 ),PSET,BF:PMODE4,1:COLOR1,0:FO 7970 POKE65494.0:PRINT2387.\*PRES S (ENTER) TO CONTINUE" 7975 IFINKEY\$=CHR\$(13)THEN7980EL SE7975 7980 CLS:POKEPK,0:GOTO7090:STOP 8000 CLS:DEFUSR0=31000:DEFUSR1=3 1050:DEFUSR2=32100:DEFUSR3=32150 :DEFUSR4=32200:DEFUSR5=32250:DEF USR6=32300:DEFUSR7=32350:DEFUSR8 =32400:POKE65494.0:CLS:SCREEN0.0 :PRINT2227, PRESS (ENTER) TO CON TINUE" 8074 1F1NKEY\$ (>CHR\$ (13) THEN8074 8090 JP=0:BG=5574:BX=5:CT=0:E1=0 :E2=0:F3=0:U=USR4(BG) 8098 PMODE4,1:COLOR1,0:SCREEN1,1 :POKEPK.0:GOSUB6500 8100 J0=J0YSTK(0):U=USR3(0):U=US R4(0):IFPC=1THENU=USR2(0) 8104 IFJP=1THEN8108ELSEIFJ0<20TH EN8200ELSE1FJ0)43THEN8225 8108 PC=1-PC:IFF3=1THENGOSUB8550 8110 U=USRO(BG):1FE1=1THENGOSUB8 410ELSEIFE2=1THENPE=PEEK(F2+485) :1FPE < 255THEN8910 8120 IFJP=1THEN8310ELSEIF(PEEK(& HFF00)AND1)=0THEN8300 8130 U=USR4(0):CT=CT+1:IFCT(7THE N8180 8135 IFE2=1THENGOSUB8510ELSEIFE1 =0ANDRND(20)=1THENGOSUB8500 8140 IFE2=1THEN8180ELSEIFE1=1THE NGOSUB8410ELSE1FRND(20)=1THENGOS **UB8400** 8180 PE=PEEK(BG+357):IFPE)OTHEN8 910 8185 TI=TI+1:1FT1)9THENT1=0:60SU RA400 8190 PLAY 03V31P255 : 60T08100 8200 IFBX(1THEN8108ELSEBX=BX-1:B G=BG-1

,0:P0KE65314,170:PLAY\*01V30L255T

8205 U=USR1(BG+7):GOTO8108
8225 IFBX)16THEN8108ELSEBX=BX+1:
BG=BG+1
8230 U=USR1(BG-1):60T08108
8300 JP=1:J2=0:J1=0:PLAYP2\$
8310 IFJ2=1THEN8320ELSEJ1=J1+1:I
FJ1)7THENJ2=1ELSEBG=BG-128
8315 GOTO8330
8320 J1=J1-1:IFJ1<1THEN8350ELSEB
6=86+128
8330 GOTO8130
8350 J2=0:JP=0:G0T08130
8400 E1=1:F1=5464:FX=27
8410 IFPC=1THEN8450ELSEU=USR5(F1
):F1=F1-1
8420 GOTO8480
8450 U=USR6(F1):F1=F1-1
8480 FX=FX-1:IFFX<1THENE1=0:U=US
R7(F1):P0KE6528,170:CT=0
8490 RETURN
8500 E2=1:F2=5728:X2=2:FF=0:F3=0
8510 IFF3=1THEN8550ELSEFF=FF+RND
(3):IFFF>26THENFF=0:F3=1:G0T0855
0
8514 IFPC=1THENF2=F2-32ELSEF2=F2
+32
8530 U=USR8(F2):G0T08580
8550 F2=F2+1:FF=FF+1:IFFF>27THEN
8590ELSEU=USR8(F2)
8580 RETURN
8590 E2=0:U=USR7(F2-416):CT=0:F3
=0:RETURN
8600 POKE65494,0:POKE65314,170:P
LAY*01V30L255T255FE02FE03FE04FE0
5FE04FE03FEFEFEF*:P0KE65314,255 8610 CLS:F0RI=1T0200:NEXTI:SCREE
NO,0:PRINT232,Z\$::PRINT2448,Z\$::
PRINT296, "YOU HAVE COMPLETED LEV
EL THREE. PRINT BONUS 1500!!!
THE PROPERTY OF THE PROPERTY O
The same of the sa

```
:S1=S1+1500:PRINT:PRINT*YOUR SCO
RE IS NOW SI POINTS. : PRINT YOU
WILL GO TO THE FINAL LEVEL ": PRIN
T"WITH"NS"BUGGIES.":GOTO9000
8910 PLAYPP$:FORI=1T0200:NEXTI:S
CREENO . 0:CLS:PRINT332,Z$;:PRINT3
448,Z$;:PRINT298, YOU HAVE NS BU
GGIES LEFT. : PRINT2164, YOUR SCO
RE IS SI . . : PMODE4, 1: COLOR1, 0:LI
NE(0,88)-(255,155), PRESET, BF:NS=
NS-1:POKE65494.0:CLS:PRINT2227.*
PRESS (ENTER) TO CONTINUE
8984 IFINKEY$()CHR$(13)THEN8984
8990 CLS:JP=0:BG=5574:BX=5:CT=0:
E1=0:E2=0:F3=0:G0T08098
9000 POKEPK,0:60SUB3380:60SUB130
0:G0SUB6300:G0SUB6500:DEFUSR0=31
000:DEFUSR1=31050:DEFUSR2=32450:
DEFUSR3=32500:DEFUSR4=32550:JP=0
:BG=5252:BX=3:RP=6176:E1=0:E2=0:
RQ=RP-3072
9098 PMODE4,1:COLOR1,0:SCREEN1,1
:EX=3183:E1=0:E2=0:EY=5583
9100 J0=J0YSTK(0):1FJ0(20THEN920
OELSEIFJO>43THEN9225
9108 PC=1-PC:U=USR0(BG):GOSUB940
0:IFPC=1THENU=USR2(RP):U=USR2(RQ
) ELSEU=USR3(RP):U=USR3(RQ)
9122 IFPC=1THENRQ=RQ+32
9180 PE=PEEK(BG+99):IFPE)0THEN99
9185 PE=PEEK(BG+101):IFPE)0THEN9
900
9190 PLAY P255 : GOT09100
9200 IFBX<1THEN9108ELSEBX=BX-1:B
9205 U=USR1(BG+7):GOT09108
9225 IFBX>16THEN9108ELSEBX=BX+1:
```

9230 U=USR1(BG-1):1FBG=5261THEN9 500 9245 GOTO9108 9400 IFE1=1THEN9450 9410 EX=EX+192:U=USR4(EX):E2=E2+ 1:IFE2>8THENE1=1 9430 GOT09470 9450 EX=EX-192:U=USR4(EX):E2=E2-1:1FE2<1THENE1=0 9470 IFE1=1THEN9485 9475 EY=EY-192:U=USR4(EY):RETURN 9485 1FE2(3THENU=USR4(EY) ELSEEY =EY+192:U=USR4(EY) 9490 RETURN 9500 U=USR0(BG):POKE65314,170:PL AY"V31L255T255DEFEDGDE":P0KE6531 4.255:POKE65494.0:PLAY\*03V30L255 T255DEFFDEEDFADFADFADF\*:CLS:FORI =1T0300:NEXTI:PRINT232,Z\$;:PRINT 3448,Z\$;:PRINT396, CONGRATULATIO NS!!!":PRINT"YOU HAVE MADE IT TO ":PRINT"MOON BASE AMPHIBIA!!!" 9590 GOTO20 9900 POKE65494,0:PLAYPP\$:FORI=1T 0200:NEXT1:SCREENO,0:CLS:PRINT33 2,Z\$;:PRINT2448,Z\$;:PRINT298,"YO U HAVE NS BUGGIES LEFT . : PRINT 21 64, "YOUR SCORE IS"S1". ": GOSUB130 0:JP=0:B6=5252:BX=3:RP=6176:E1=0 :E2=0:R0=RP-3072:NS=NS-1:P0KE654 94,0:CLS:PRINT2227, PRESS (ENT 9984 IFINKEY\$ <> CHR\$ (13) THEN 9984 9990 CLS:POKEPK.0:GOT09098 20000 POKE65494,0:FOR1=1T0200:NE XT1:CLS:SCREEN0.0:PRINT232.24::P RINT2448,2\$;:PRINT2128, YOUR FIN AL SCORE IS SI:PRINT2352:INPUT P LAY AGAIN (Y/N) :A\$:L\$=LEFT\$(A\$. 1) - IFI 4= "Y"THENRIN

	C. Transport	OU STREET TOWNS			1):1FL>="1" IMENKUN
Listing 2:					
7918		99999 99995 99997	*THIS ROUTIN	31999 E PUTS TH TION SPEC	E BUGGY GRAPHIC ON THE GRAPHIC SCREEN SIFIED THROUGH THE BASIC PROGRAM.
7918 BD	B3ED	99919	START JSR		*GET PARAMETER FROM BASIC
791B 1F	91	99929	TFR	D,X	*STORE PARAMETER IN X
791D 198E	1E <b>9</b> 1	99939	LDY	#\$1EØ1	
7921 C6	97	99949	LDB	#7	*LENGTH IN BYTES OF GRAPHIC
7923 A6	AØ	99959	LOOP1 LDA	, Y+	*LOAD BYTE FROM BUGGY
7925 A7	89	99969	STA	The state of the s	*PLACE BYTE ON SCREEN
7927 5A		99979	DECB		*COUNT
7928 26	F9	99989	BNE	LOOP1	*IF NOT ZERO, THEN GO BACK
792A 39	88 19	99999	하나 가는 아니가 있어? 이번 사람들이 살아왔다면 하다면 하다.	\$19,X	*NEXT LINE
792D 31	A8 19	99199		\$19.Y	*NEXT LINE
7939 198C	2187	99119		#\$2187	*END OF GRAPHIC?
7934 2D	ED	99129		LOOP1	*NO, RETURN
7936 39		99139	RTS		No , No I was
	9999	99149	END		
99999 TOTA					
					<u> </u>

BG=BG+1

# Mastering The DRAW Statement

By Joseph Kolar

re have been working with the moves us over to create the right unit. can master it without special effort. Today, while you are brimming with BR6+BR16=BR22. The opposite direcconfidence, we will create an interesting tion of BR22 is BL22. design.

do not hesitate to stop and run off on 20. a tangent when you get an idea. Pursue it! You can always return to this article and pick up where you left off. Your ideas are too precious to relegate to the back of your mind. Truly, a discovery you make on your own is more important than those which you may glean from this tutorial.

Key in lines 0, 10, 500 from Listing 1. Look at Figure 1. It is a design worked out on graph paper. Each box is one unit long. The star is the point of origin. You must begin drawing the design at some location.

At the starting point, go up and to the right two units, E2. Following Concatenating '+,' A\$ tells CoCo what along, you can readily see that to advance further, you must go right two units, R2. The next line traces down and to the right. You might go two units, F2. If you do, you have a choice of traveling in three directions - up and to the right, E4; down and to the right, F4; down and to the left, G2.

Although you may create the complete design using any of the three routes, you are likely to choose E4 followed by R8F4E2R2F2G2L2H2G4L 8H4G2L2H2, returning to the point of origin (Line 15 of Listing 1).

If you began with E2R2, rather than stopping at F2, you could have continued four more units in the same direction, F4. Put another way, F2F4 or, simply, but no less correct, F6. Using this alternate routing, R8E6R2F2 G2L2H6L8G6L2H2, brings us to the starting point (Line 20).

Line 25 creates the same design another way. First the left unit is created (trace it out). BR6 moves us to start creating the large central unit. BR16

DRAW statement and proving In order to get back to the starting to one and all that beginners location, we must move left as many 'B' units as we advanced to the right,

Key in Line 15. Type RUN, examine, As you work through this tutorial, then hit the BREAK key. Ditto for Line

> Since we plan to use the design repeatedly, we can avoid keying the same line over and over again, which is boring and subject to error. We put the design into a string and call it with the variable, A\$. For practice, you could do this with Line 15 or 20. The instructions to CoCo are omitted in Line 25 and the directions are enclosed in quotation marks (" "). To make the line appear on the screen, a new line, 30, is created. This line has the instructions to CoCo within quotation marks (" "), telling CoCo where you want the design to appear and in what size. design to display.

> Key in Line 30, type RUN, check and then hit the BREAK key. Key in Line 40. This demonstrates how A\$ is used to put a design element above the three on the screen and one below them. Now, we have five designs in a column.

> Suppose we add a design at the left side. Key in: 50 DRAW"BM50,70"+A\$ and type RUN. This location was a lucky guess! It connects nicely. We'll make two more units underneath which give us a total of three design units. Then we'll make a unit farther to the left.

This means the next row will have two units side by side; one beginning at horizontal, 0, and the other at 50. Hit the BREAK key and add to the end of Line 50 :DRAW"BM0,90"+A\$+"BR 25"+A\$ and RUN.

If you left out +"BR25", you would have lost the second unit. Delete it and see! Do you know why?

The first A\$ at "BM0,90" ended at 49,90. If you merely added another +A\$, it would print in the same location. How could you solve it? Move the starting location over by inserting +BR25 between the ASs.


Can you think of another way? If you edited out BL22 from the end of Line 25, and RUN, you will note that it must be pushed to the right to avoid overlap. If you added BR3 to the end of Line 25, it would be just right. Try it and see! Then hit the BREAK and change BR3 back to BL22.

Add to Line 50 :DRAW"BM50. 110"+A\$ and RUN. It is decided to have five columns, which will begin at horizontal 0, 50, 100, 150, 200.

Why did we have to move "BR25" rather than the "BR50" that you would expect? Change the +BR25 to +BR50 and see the second A\$ disappear. Now RUN. What happened?

Moving it over 50 units printed it over the middle piece. Hit the BREAK key. To see that this is so, change +BR50 to +BR49 and RUN. Can you see it now? Hit BREAK and change it to +BR25.

Change the size in Line 30, S8, to S4 and RUN. Now change +"BR25" to



AUSTRALIAN RAINBOW

+"BR50" and RUN.

In other words, size S8 is twice the size of S4, so the design needs to be moved over half the number of units required in S4. We don't really care why CoCo does what it does. All we want to know is what it does.

Hit the BREAK key and change Line 30 back to S8 and Line 50 back to +"BR25".

Whether or not you understand what the correct shift is matters little. You can always work it out by trial and error to get the solution.

Without peeking at the listing, can you add four units to the right side to make it a symmetrical display? Try it and see (Line 60).

Suppose you wanted to make five design units across the top of the screen at horizontal 10. Line 70 shows one

Suppose you wanted to make a similar five units at the bottom to keep the symmetry of the display. Line 80 shows you a second way.

The technique in Line 80 is longer, but it is easy to figure out. Although not as elegant as the solution in Line 50, it is perfectly adequate. Just as long as the result is satisfactory, any method

Line 70 was a little tricky. O/S (Out of String Space) error message forced us to insert a pair of DRAW statements to overcome this problem.

This could be partially overcome by adding 5 CLEAR 500. When planning to use strings, play it safe and CLEAR 500.

Finally, in Line 70, if you change the first ':' to '+' and delete DRAW, you will find it OK. But, if, in addition, you change the second ':' to '+' and delete DRAW, you will get an L/S (String Too Long) error message.

It is time to introduce the 'A' option of DRAW. The 'A' option allows you to draw a design around a point (location). A0 prints the design as you conceived it; Al prints it from the same starting point but 90 degrees clockwise, perpendicular to A0 but above it. A2 prints a further 90 degrees clockwise, radiating in the opposite direction of A0; A3 places it 90 degrees further along in a clockwise direction to be opposite the perpendicular, A1

This may sound confusing but it is to your store of useful knowledge.

you trace it out on graph paper, you awry. So, you may just as well ease your PAGE 48

will discover that the starting point is at the opposite end.

The object is to give you plenty of practice creating a familiar design and stimulate you to go off into uncharted

Key in the first part of Line 30: 30DRAW"S4BM128,96"+A\$ and RUN. You should have the same old design unit. If in doubt, hit the BREAK key and temporarily change S4 to S8. Now RUN and you will be able to see it better. When your design is OK, change back to S4. After S4 insert A0, the first 'A' option. This is the default option. You get it whether you like it or not, unless you advise CoCo otherwise. RUN.

Now, change A0 to A1 and RUN. See? It is perpendicular. Do the same to get A2 and A3 to see all four possible options at work. If you have trouble visualizing the rotation, temporarily add:

25 LINE (128,0)-(128,191), PSET

Run through the 'A' options a few times to observe what is what. When you are satisfied, delete Line 25. Did you notice that A0 radiates out to the left of the starting location; A1 radiates upward; A2 radiates to the right and A3 radiates downward in this example?

Hit the BREAK key. Make sure that Line 30 is A0 and add at the end of it, +"A1"+A\$. We told CoCo, in addition to the original design element, we also wanted one radiating upwards. Now, RUN and hit the BREAK key.

Let's tell CoCo to add the next element to radiate to the right. Add to Line 30 +"A2"+A\$, RUN and hit the BREAK key. Now, add and check the last option. Did you note when you instructed CoCo to change the orientation of the design element that the information must be enclosed in quotation marks (" ")?

Caution: A0 is not necessarily in the same quarter (radiating left), but could be in any location depending on the case in hand. Anyway, it isn't a bad design. What else can we do?

You could create more designs on the blank parts of the screen. Hint: Choose an arbitrary set of location points, BMx, y and after you create the entire design, move it over to its final resting place by trial and error.

Why do I frequently insist on trial well worth the effort to add this feature and error? According to "Kolar's Law," no matter how well you calculate a plot, Key in lines 0, 5, 10, 20, 500 from it rarely is correct because you are apt Listing 2. Notice that Line 20 draws to make changes, modifications or the same element used in Listing I. If enhancements, throwing your figures

AUSTRALIAN RAINBOW

design into its berth. Visualize a bunch of tugs nudging and pushing an ocean liner into its berth. Push a little this way. Nudge a bit that way. Ease it into its dock.

Key in Line 50. We want to superimpose the same enlarged design over our creation. RUN and check. If you are curious, you could add one 'A' option at a time. Note that once you use an 'A' option, every time you change options in each new DRAW line you must indicate an option, even A0, the default

To illustrate the concept, delete A0 in Line 50 and RUN. Sorry about that! What happened was that the last instruction CoCo received was A3 at the end of Line 40. It began Line 50 with the downward design; then the upward; the right; and again, downward. It created A3, the downward element, twice. Of course, you could change A3 to A0 in Line 50 and correct it. Now, if you RUN, you will see that the second downward element is facing left. But, isn't it easier to insert the A0 in the first place?

At any rate, we have a pleasing design. But, since we superimposed S12 units over S4, what do you say we superimpose S8 on the whole mess and see what we come up with?

Key in Line 60 and RUN. It is really a repetition of the design in Figure 1 rotated in four directions in three sizes.

As a point of information, the instructions to CoCo could be in any order. Line 60 could have been written "BM128,9658A0C1", just so all the hot scoop was enclosed within quotation marks (" "). Cl is the default color and is included just to illustrate the point.

Line 40 was not used. It was included for you to substitute it for A\$ and cycle through the 'A' options to reinforce in your mind what happens when the basic element is radiated right instead of left. Notice that what was A2 using A\$ is now A0 using B\$.

This tutorial should have given you food for thought. You are invited to get out the old graph paper, plot out your own design element and run it through its four 'A' option paces. Create! Experiment!

Listing 1: LISTING1

0 'LISTING!

5 CLEAR 500

10 PMODE4,1:PCLS:SCREEN1,1

15 DRAW S8BM100, 70E2R2F2E4R8F4E2

R2F2G2L2H2G4L8H4G2L2H2\*

20 DRAW \$88M100,90E2R2F6R8E6R2F2

G2L2H6L8G6L2H2\*

November, 1985

25 A\$="E2R2F2G2L2H2BR6E4R8F4G4L8 H4BR16E2R2F2G2L2H2BL22\* 30 DRAW"S8BM100,110"+A\$ 40 DRAW BM100,50"+A\$:DRAW BM100. 50 DRAW BM50,70"+A\$:DRAW BM0,90" +A\$+"BR25"+A\$:DRAW"BM50,110"+A\$ 60 DRAW BM150,70"+A\$: DRAW BM150, 90"+A\$+"BR25"+A\$:DRAW"BM150,110" 70 DRAW BM0.10"+A\$+"BR25"+A\$:DRA W"BR25"+A\$+"BR25"+A\$:DRAW"BR25"+ A\$ 80 DRAW BM0,170"+A\$:DRAW BM50,17 0"+A\$:DRAW"BM100,170"+A\$:DRAW"BM 150,170"+A\$:DRAW"BM200,170"+A\$ **500 GOTO500** 

Listing 2: LISTING2

0 'LISTING2 5 CLEAR500 10 PMODE4,1:PCLS:SCREEN1,1 20 A\$="H2L2G6L8H6L2G2F2R2E6R8F6R

2E2\* 30 DRAW \$4A0BH128,96"+A\$+"A1"+A\$ +"A2"+A\$+"A3"+A\$ 40 B\$="E2R2F6R8E6R2F2G2L2H6L8G6L 2H2\* 50 DRAW \$12A0BM128,96"+A\$+"A1"+A \$+ "A2" +A\$+ "A3" +A\$ 68 DRAW"SBAGBM128,96"+A\$+"A1"+A\$ +"A2"+A\$+"A3"+A\$ 500 GOTO500 Listing 3: SHUTTLE 0 'SHUTTLE 10 '(C) 1984, J. KOLAR 30 PMODE3:PCLS:PMODE4 40 A=90:B=86:R=76:P=1.70 50 DIM S(7),T(7) 60 CIRCLE(8,8),8,1:CIRCLE(7,7),8 61 DRAW BM8, 8NBU3L6U5R10D10L10U5 70 GET(0,0)-(16,16),S.G 72 CIRCLE(38,8),6,1:PAINT(40,8),

73 GET(30,0)-(46,16),T,6

80 PCLS:SCREEN1.1 90 FOR @=.15 TO .05 STEP -1 100 FORZ=1T06.55 STEPQ 110 C=Z:C=40-(C)\*P\*270-R^2 115 K=LOG(C^2)\*COS(R)/COS(R^2) 120 X=INT(A-6+R\*COS(C)):Y=INT(B-8+R\*SIN(K)) 130 PUT(X+36,Y+10)-(X+52,Y+26),S 135 PUT(X+36,Y+10)-(X+52,Y+26),T ,AND:SOUND100,1 140 X=INT(A-6+R\*SIN(K)):Y=INT(B-8+R\*COS(C)) 150 PUT(X+36,Y+8)-(X+52,Y+23),S, 155 PUT(X+36,Y+8)-(X+52,Y+23),T, AND:SOUND188,1 160 NEXT 2,0 170 PLAY\*V2003L8EEFFAB04L16CC03F AL8FFAAL4FEL2CP4V25L8FFAAB04CL16 EEDDL8CC02AAL4FEL2CP4V2002L8EEFF AA03V25L16CC02BAV20L8FFDDL4CV150 1802DL2C\* 180 PCLS:60T090

# TURN OF THE SCREW

# Switching Double-Sided Disks

# By Tony DiStefano

t was great seeing the whole RAIN-BOW gang at the Chicago RAIN-BOWfest in May. That made my first RAINBOWfest anniversary. There were a lot of new products to be seen. Fancy software, new and improved hardware, and a lot of new faces.

These get-togethers are quite warm and friendly. I have gone to many computer shows, some for different kinds of computers and some that host just one brand. But, I have never seen one that came close to the atmosphere at a RAINBOWfest. I tip my hat to the CoCo Community.

Speaking of new products, look forward to seeing my new line of products, starting with the DISTO disk controller.

### Clearing up Confusion

The topic of this month's project involves disk drives and disk controllers. There seems to be some confusion about disk drives being double-sided. double-density, single-sided, single-November, 1985

density, 96 or 48 tpi (tracks per inch) and the compatibility between them. Especially when you talk about OS-9.

I hope to clear all that up right here and now and follow it up with a small project to let you see just what side of the fence, uh . . . I mean disk, you are

I will start off by describing a diskette and a disk drive. First, a diskette is a form of media. It holds information what information is up to you. A telephone numbers file, a game or two, your favorite word processor. All of these are files that make your computer function the way it does; this data has to be stored somewhere.

out, the only mass storage available was

AUSTRALIAN RAINBOW

was introduced. There are many kinds of diskettes on the market today, but I will limit this discussion to those that are compatibile with our lovable CoCo.

Without going into too much detail, the Radio Shack standard diskette used with the CoCo is a 51/2-inch, singlesided, double-density, 35 tracks at 48 tpi, soft-sectored diskette. The Radio Shack Disk BASIC, disk operating system, drive and controller are made to comply with these standards. You can get more details on the DOS in the Disk BASIC manual. The Radio Shack controller is made to handle two or four drives, depending on what cable you

The disk drive itself connects to the When the Color Computer first came controller via a 34-pin ribbon connector. Figure 1 shows the pin configuration a cassette recorder. Though the cassette of the "disk side" of the controller. As recorder works well for music and you can see from the diagram, four pins speech, it was slow and not well-suited are used for selecting or activating up for computer work. A new form of mass to four drives. Radio Shack drives differ storage had to be invented: The diskette from standard drives by the way they

are selected. You see, all four pins on Radio Shack drives are connected together and the selecting is done by missing pins in the cable connector.

For example, to select Drive 2, the cable connector that is configured to be number 2 has the pins that correspond to drive numbers 0, 1 and 3 missing. That way, when another drive is selected, it won't affect that drive because that pin is missing.

There is one more interesting thing about the Radio Shack cable configuration. Drive 3 pin on the controller is not in the normal position for a standard drive. The normal position for a standard Drive 3 is pin #6, where Radio Shack chose to keep this pin a four-drive cable, and then only on empty.

Interestingly enough, though, the place they did put it is where the standard disk drive has its side select,

D N/C D N/C 4 6 D N/C 5 INDEX/SECTOR d7 d 10 DRIVE O ENABLE 9 di, 12 DRIVE 1 ENABLE d13 14 DRIVE 2 ENABLE ALL d15 16 MOTOR ON PINS d17 18 DIRECTION SELECT CONNECTED d19 20 STEP GROUND **21** 22 WRITE DATA 24 WRITE GATE **23** 26 TRACK 0 25 28 WRITE PROJECT **27 29** 30 READ DATA 32 DRIVE 3 ENABLE **D**31 34 N/C Figure 1 34-pin disk drive connector pinout # Note: Looking at the DISK CON-TROLLER edge connector, pin #1 is the top right-hand pin

pin #32 (for double-sided drives only). Since this pin is connected to the controller, it gives us access to the second side of a disk drive. All the hardware is there to use the second side, providing you have double-sided drives.

Today, the price of double-sided drives is so low that in some cases it is cheaper to buy a double-sided drive from another company than it is to buy a single-sided drive from Radio Shack.


More and more people already have pins as seen in Figure 1. them and are not using the second side because Disk BASIC does not allow them to do so. I will show you a couple of ways to access the second side. One is software and the other is hardware. Use the method that suits you best. Either way, you will want to build the project if you have double-sided drives.

The first thing to do to use the double-sided drive is make sure you have one! You must connect it to the Radio Shack controller. Remember, I said there were pins missing in the Radio Shack cable and that will give us problems.

The side select pin is only present on the fourth drive. You must add another connector for every double-sided drive you are adding to your system. (They are available at your nearest Radio Shack Computer Center.) The connector is a 34-pin edge card connector. If you don't know how to install it on your cable, ask your dealer to do it for you. Have him press the new connector about an inch and a half away from the old connector.

The disk drive now has to be configured to which drive number you want. There are jumpers inside the drive you must set. In the owner's manual of the drive there will be instructions on how to do that.

Now you have a double-sided drive on line, but you will still need a way



to access it. The first way is in software. The way Disk BASIC selects the drive contains the necessary data in order to

AUSTRALIAN RAINBOW

In the controller, there is a memorymapped byte that controls the output of these pins. It is at \$FF40 or 65344. Try this:

POKE 65344,1

The select light on Drive 0 turned on.

Now try the values two, four and 64 instead of one. This will turn on drive numbers 1, 2 and 3, respectively. The last value of 64 activates Drive 3 (if you have four drives), but remember on our double-sided drive that is the side select. By changing the values on the four mask bytes we can access the second side of the drive. By changing the mask data, you can access the second side of the drive as another drive.


Example: If you have one singlesided Radio Shack drive and one double-sided drive with the right changes to the mask byte, you will have three drives on line. The Radio Shack drive is the first, the first side of the double-sided drive is the second and the second side of the double-sided drive is third. If you had two double-sided drives, it would be as if you had four separate drives. Two double-sided drives is the maximum you can have with Disk BASIC because there are only four mask bytes.

There are two ways to change the mask byte in software. One is to burn the new mask byte into an EPROM. The second is to use the 64K mode of the computer and make the changes in RAM. I'll leave that part up to you, but what I will do is tell you how to change the mask byte.

The four mask bytes correspond to four drives. Since we are using the last drive number as a side select, we can no longer use it as a drive but only as a side select. That leaves us with three other mask byte values. The values are 1, 2 and 4. The side select value is 64. Any combination of this will work (maximum of four).

First example: Your first drive is a Radio Shack single-sided drive. You want it to be Drive 0, so the value of the first mask byte is '1.' Your second drive is a double-sided drive; they will be Drive 1 and Drive 2. The second mask byte will be '2' and the third byte will be 65. The fourth byte will be untouched.

Second example: You have two is by using four "mask" bytes. Each byte double-sided drives. Drive 0 will be the normal side of the first drive; Drive 1 activate that drive number. There are will be the normal side of the second four bits that control each of the output drive. Drive 2 will be the second side November, 1985



of the first drive and Drive 3 will be four mask bytes are 1, 2, 65, 66.

DOS: 1.0 and 1.1. The memory address as to what side of the disk you are really of the four mask bytes for DOS 1.0 on is almost a necessary option. is \$D7AA (55210); the address mask bytes for DOS 1.1 is \$D89D (55453), plus the next three bytes for the other

If all that doesn't thrill you, you can select the other side by adding a small switch to your disk controller. Figure 2 shows how to hook up the switch to your controller. You must cut the foil between points 'A' and 'B.' Drill a suitable hole in the cover of the controller to mount the switch. When the switch is in the up position, the normal sides of all double-sided drives are accessed. When the switch is in the down position, the second side is accessed. Never change the switch when doing I/O to disk since it will ruin both sides. Again, remember, you must not use the fourth drive on a four-drive connector.

To some, it is easier to install the the second side of the second drive. The switch than to do it in software, but it is a little more difficult to manually Radio Shack has two versions of flip the switch. In any case, visual cue

Figure 3 is a schematic for a circuit that will tell you what side of the drive you are using by lighting a different color LED for each side. This circuit goes inside the disk drive and replaces the "active drive" select LED. The heart of the circuit is the Radio Shack Tri-Color LED (part #276-035). This LED glows one of three colors. We will be using only two of these colors, red and green. The circuit uses a 74LS138 decoder.

When no drive is selected, the two outputs used are logical level one and the LED is off. When the drive in question is selected, the 'A' (drive select) input goes low, therefore activating the chip. If the 'B' (side select) is high (first side of the drive), the Y7 output goes low. This will cause a positive voltage to appear across the Tri-Color LED

which makes the LED glow red. If the 'B' input is low, the Y6 output goes low, in which case there will be a negative voltage across the LED. Then the LED will glow green. When the 'A' input is high (drive not selected) the chip is disabled and both Y7 and Y6 are high, the LED will be off. I put red as the first side because it is the color of a single-sided drive. That way when I see green, I automatically know I'm on the other side.


There are just a few things to consider when hooking up this circuit inside the drive. The first is where to get the five volts and ground needed to run the circuit. The easiest place to get a ground is pin #1 of the drive cable connector. Pin #1 is on the side of the connector that has all the pins connected together. They are all the odd-numbered pins. The drive connector pins are numbered on each end.

Five volts can be taken from the last pin of any 74LSXX chip. Use a volt meter to check the voltage. This is either pin #14 or #16 depending on how many pins there are on that chip.

The second thing to watch for is to make sure the 'A' input matches that of the drive selected. This means if the 'A' wire goes on Drive 0, make sure the drive configuration block is set to Drive 0, otherwise the LED will never light.

The actual construction of the circuit can be done on a small perf board. Tape or glue down the board in an unused area of the disk drive. Make sure it doesn't get in the way of the diskette that enters the drive. Remove the old LED. Replace it with the new one. Use tape or glue to hold it down.

Now, try the drive and access the first side of the drive. The LED should be red. If it is green, reverse the wires that go to the LED. When all is OK, the LED will glow red for the first side and green for the second side. This way you will always know which side of the drive the software is accessing.



November, 1985

AUSTRALIAN RAINBOW



# Interfacing Machine Language With BASIC

By R. Bartly Betts

language programs with BAS-IC, it covers other territory as well. Along with another method of initializing machine language programs, it introduces a few ROM routines to use.

Finally, everything is tied up in a neat machine language program that lets you type a selected number of characters on the screen. The characters you type are in reverse video but, when you press ENTER, they flip back to regular video and are stored in a string variable that you specify.

Last month the feature program demonstrated one way to interface BASIC to machine language. The program this month shows you another way to interface BASIC with machine language, and also how to interface machine language with BASIC.

## Push and Pull

But first, some lessons. Two new instructions for you to learn are PSHS and PULS. PSHS (Push a Register on the Hardware Stack) is used like a good filing system. In effect, issuing an instruction like PSHS Y is like filing the sales figures for yoyos in a file drawer. The next time you need to know how many yoyos are sold, open the drawer and pull the yoyo file.

Likewise, if you have some information in Register Y and are afraid it might get lost or destroyed if you leave it there, you can file its contents on the hardware stack with a PSHS Y instruction. In PAGE 52

Thile the topic of this month's fact, PSHS can be used to save any column is interfacing machine number of the registers. To test this, type Listing 1, then single-step through it to observe the results:

> Listing 1: DEMO (A demonstration of the PSHS and PULS instructions.)

				1
99199	START	LDA	#9	
30119		LDB	#8	
99123		LDX	<b>#7</b>	
99130		LDU	#6	
92149		PSHS	A,B,X,U	
33159		CLRA		
30160		CLRB		
33173		LDX#Ø		
39189		LDU#Ø		
20199		PULS	A,B,X,U	
99299	DONE	SWI		
99219		END		

As you can see, this program does nothing but load values into four registers, then clears them to zero. Before clearing them, however, Line 140 causes them to be pushed onto the hardware stack. After the registers are clear, a PULS instruction is issued in Line 190 to restore the values. In this demonstration program, four registers are saved. PSHS can, however, save as many or as few registers as you wish, using only one PSHS instruction.

# Reading the Registers

To see the program in action, enter the ZBUG mode by typing Z and the video screen by a subroutine in AUSTRALIAN RAINBOW

ENTER. To begin single-stepping, type START, (type a comma after START). Press 'R' to see the condition of the registers. Register A contains the value '9'. To step to the next instruction, press the comma again. Again press 'R' to see the registers. Register A still contains '9' and Register B contains '8'.

Continue through the program by pressing the comma to advance. Examine the registers each time. You see the four registers A, B, X and U loaded with values. The subsequent PSHS instruction does not cause any change. Next, the registers are cleared. Finally the PULS instruction loads all the original values back into the four registers.

When using the PSHS and PULS instructions, remember that you must keep track of the order in which registers are loaded onto the stack. The stack operates in a "last in, first out" manner. Therefore, if you push the value in Register Y onto the stack, followed by the value in Register X, a PULS Y instruction does not load Y's original value back into Y, it loads the value from X.

# Relating to ROM

Last month I discussed writing to the text screen by storing character values directly into the screen memory. This column introduces you to a different approach.

In BASIC, characters are displayed on November, 1985

ROM (Read Only Memory). ROM has you type. Here is how the routine hundreds of routines that BASIC uses to do its work. For instance, there are routines to turn on your cassette recorder or disk drives. There are routines to do arithmetic. There are routines to read key presses when you type, and there are routines to display characters on the screen. A great many ROM routines are available for you to use from machine language. All you need to know is what they do and where they are.

Listing 2 makes use of two of these subroutines to 1) get a keypress and 2) display the generated character on the video screen. It also introduces you to the USR method of interfacing to BASIC.

The origin of this program is set to \$E00 to be compatible with all computers. The next instruction, in Line 110, jumps to a ROM subroutine that loads Register D with the value of the argument, or parameter, included in the BASIC USR command. For instance, if you issue the command A=USR0(101). Line 110 stores the value 101 in the 'D' register. Therefore, in the case of this program, the characters you type begin at screen location 101.

"A great many ROM routines are available for you to use from machine language. All you need to know is what they do and where they are."

Line 120 of the program adds 1024 to the value now stored in Register D. This is because the text screen memory begins at 1024. When this value is added to the screen location value you set in the USR command, the result is the proper screen memory location. The new value of 'D' is then transferred to Register X for safe keeping.

A second ROM routine is used in Line 140. Here, the routine at \$A1C1 is used to capture the keys you type. It stores your keystrokes in Register A. Routine \$A1C1 does not produce a cursor when you type. I have used the label GKEY to mark the beginning of the routine that handles the characters November, 1985

works:

- Line 150 compares a keystroke stored in Register A to a value of zero. Zero in Register A means that no key is pressed and the routine loops back to check again.
- Line 160 compares the keystroke to a space (you pressed the space bar). If it is a space, Line 170 branches to a routine to display a space (character 96). The normal character 32 (generated when you press the space bar) causes a black block to appear on the screen when stored in text screen memory.
- Line 180 compares the keystroke to a backspace (character 8). If you press a backspace, Line 190 branches to a routine that decreases Register X by one and stores 96 in place of the previously typed character, erasing it.

• Line 200 compares Register A to the value generated by a carriage return. If it is a carriage return, 210 causes the program to end.

• If you press a key, but it was not a carriage return, space or backspace, Line 220 stores the character value you typed into text screen memory at the location pointed to by Register X and increases Register X by one.

• Line 230 then causes the program to always branch back to the GKEY routine to look for the next keystroke.

You can see that using ROM routines is easy. A jump-to-subroutine instruction (JSR) is all that is required. Each ROM routine ends with a RTS (Return From Subroutine) instruction that causes it to return control to your program, beginning execution at the line following the JSR.

### Listing 2: SCRNTYPE

(A program-to read keyboard input and display it on the screen. The location for the display is controlled by the USR function.)

			99919	מלכול באלכול	edestestestestestestes	lesiesiesiesiesiesiesiesiesie	
			99929	* 5	CREEN T	YPE *	
			99939			Y BETTS *	
			99949	ricricricricric		ichteiteiteiteiteiteite	
			99959	n'e			
			99969	3'6			
<b>ØEØØ</b>			99199		ORG	\$EØØ	
ØEØØ	BD	B3ED	99119	START	JSR	\$B3ED	
	C3	9499	ØØ12Ø		ADDD	#1024	
ØEØ6	1 F	91	99139		TFR	D,X	
	BD	AlC1	99149	GKEY	JSR	\$A1C1	
ØEØB	27	FB	99159		BEQ	GKEY	
	81	2 <b>ø</b>	ØØ16Ø		CMPA	#32	
ØEØF	27	ØC.	99179		BEQ	SPACE	
ØE11	81	Ø8	ØØ18Ø		CMPA	#8	
ØE13	2.7	ØE	ØØ19Ø		BEQ	BACK	
	81	ØD	99299		CMPA	#13	
ØE17	27	12	99219		BEQ	DONE	
	A7	80	99229		STA	, X+	
	20	EB	99239		BRA	GKEY	
	86	6 Ø	99249	SPACE	LDA	#96	
	A7	80	ØØ25Ø		STA	, X+	
	20	E5	99269		BRA	GKEY	
	30	1F	99279	BACK	LEAX	-1,X	
	86	69	99289		LDA	#96	
	A7	84	99299		STA	, X	
	20	DD	<b>ø</b> ø3 <b>ø</b> ø		BRA	GKEY	
ØE2B	39		ØØ31Ø	DONE	RTS		
		gggg	ØØ32Ø		END		,
		dddd	99329		END		

9999 TOTAL ERRORS

"When using the PSHS and PULS instructions, remember that you must keep track of the order in which registers are loaded onto the stack. The stack operates in a 'last in, first out' manner."

Joining Forces with BASIC

To use Listing 2 with BASIC, all you need are a few short lines that establish the beginning of the machine language routine and call it with a USR command that contains a valid argument. Listing 3 does this:

Listing 3: INTRFACE (A BASIC program to interface the previous machine language program with BASIC.)

10 CLS

- 2Ø DEFUSRØ=&HEØØ
- 3Ø A=USRØ(1Ø1)
- 4Ø END

Line 20 establishes the beginning of your machine language program with the DEFUSR statement. Line 30 calls the machine language program, passing it an argument of 101. Thus, when the program is run, the characters you type begin to appear at screen location 101.

To use the programs, simply LOAD them using the proper loading commands, type RUN and ENTER (because the machine language program is initialized by the BASIC program, you do not use the EXEC command). The screen clears and you can begin typing. To return to BASIC, press ENTER.

Type and Invert

Listing 4 uses some of the preceding features in a different way. The current cursor position establishes where the characters you type are displayed. The characters appear in reverse but, when you finish and press ENTER, they immediately invert to normal uppercase characters.

This program also uses two new ROM routines. The routine at \$AIBI PAGE 54

Listing 4: REVTYPE

(A program to display keyboard input on the screen in reverse video, then invert the characters when you press ENTER.)

			99919		VERSE T	**************************************
			99929	* RE'	CHRIS	
			99939			*****
			99949	*	****	******
			99959	*		
2000			99969 99199	^	ORG	\$7999
7999	F6	84	99119	START	LDB	, X
7999 7992	E6 1ØAE	Ø2	99129	SIAKI	LDY	2,X
7995	34	29	99139		PSHS	Y
7997	9E	88	99149		LDX	\$88
7999	BF	7Ø5F	99159		STX	BEGIN
799C	3A	1401	99169		ABX	220211
799D	BF	7Ø5D	99179		STX	LENGTH
7919	BD	AlB1	gg18g	LOOP	JSR	\$A1B1
7913	81	ØD	99199	LOOI	CMPA	#\$ØD
7Ø15	27	2D	99299		BEQ	DONE
7917	81	20	99219		CMPA	#32
7919	25	ØC	99229		BLO	CONTRL
7Ø1B	26	g8	99239		BNE	FLIP
7Ø1D	9E	88	99249		LDX	\$88
791F	A7	80	99259		STA	, X+
7921	9F	88	99269		STX	\$88
7923	29	97	99279		BRA	CONTRØ
7025	88	20	99289	FLIP	EORA	#\$20
7927	BD	A3ØA	99299	CONTRL	JSR	\$A3ØA
702A	9E	88	99399		LDX	\$88
7Ø2C	BC	795F	99319	CONTRØ	CMPX	BEGIN
792F	24	97	ØØ32Ø		BHS	NOTBEF
7931	BE	795F	ØØ33Ø		LDX	BEGIN
7934	9 F	88	99349		STX	\$88
7936	20	D8	ØØ35Ø		BRA	LOOP
7938	BC	7Ø5D	ØØ36Ø	NOTBEF	CMPX	LENGTH
7Ø3B	25	D3	ØØ37Ø		BLO	LOOP
7Ø3D	86	<b>98</b>	gg38g		LDA	#\$8
7Ø3F	BD	A3ØA	gg39g		JSR	\$A3ØA
7942	20	CC	99499		BRA	LOOP
7944		795F	99419	DONE	LDX	BEGIN
7947		29	99429		PULS	Y
7949		84	99439	DONELP	LDA	, X
794B		49	99449		EORA	#\$49
794D		80	99459		STA	, X+
794F		69	99469		CMPA	#\$69
7951		<b>Ø</b> 2	99479		BNE	NOTSPC
7953		20	99489		LDA	#\$29
7955		AØ	99499		STA	, Y+
7957		795D	99599		CMPX	LENGTH
705A		ED	99519		BNE	DONELP
7Ø5C		25, 200	99529		RTS	
7Ø5D			99539		RMB	2
795F			99549		RMB	2
,		gggg	99559		END	

ggggg TOTAL ERRORS

is similar to the routine at \$A1C1, except the normal cursor is on the screen as you type. The second routine at \$A304 causes the characters typed to be displayed on the screen. This is the routine your computer uses in BASIC, and it replaces the STA instruction we used in the earlier program.

Listing 5 is commented to help you follow its logic. The following notes describe some of the key points:

- The RMB instructions in lines 530 and 540 set aside storage space that points to the beginning and end of the string.
- Memory location \$88 stores the current screen cursor position.
- The ABX instruction adds the 'X' and 'B' registers. 'X' and 'B' are the only registers that allow this 16and 8-bit addition.
- The subroutine at \$A1B1 gets whatever key you press and stores it in Register A. This subroutine provides a normal cursor while waiting for a key press.
- The subroutine at \$A30A displays the character currently in Register A on the screen at the current cursor position.
- If you are not familiar with the ASCII values of characters (used in lines 190, 210, 310, 360, 380, 460 and 500), there is an ASCII chart in your Color BASIC manuals.

Listing 5: CALLER

(BASIC program to call the Reverse Type program. The number of spaces between the quotes in Line 120 establish the maximum number of characters you can type.)

1Ø DEFUSRØ=&H7ØØØ 2Ø A\$=USRØ(" 11) 3Ø END

Listing 6 is a sample of how the program might be handled from BASIC.

The program asks you to complete three sentences. The characters you type are in reverse video. When you complete your entry and press the ENTER key, the typed characters flip back to normal video. To show that the characters you type are stored in B\$. Line 130 combines them with the partial sentence.

After using the program, LIST it. The last characters you typed are now part of the program and are displayed between the quotation marks in Line

November, 1985

Listing: 6

A BASIC program to show how REVTYPE can be used.

10 CLS

20 CLEAR 1000, &HOFFF: REM change &HOFFF to &h3FFF for a lok mach

25 LOADM'REVTYPE": REM change LO ADM to "CLOAD for a tape system 30 DEFUSRO=&H7000: REM change &h 7000 to &H3000 for a 16K machine 40 PRINT TAB(5) "COMPLETE THE SE NTENCE

50 FOR T=1 TO 3

60 READ AS

70 S\$(T)=A\$

80 NEXT T

90 FOR T=1 TO 3

100 PRINT

110 PRINT S\$(T)" ";

120 B\$=USR0(\*

130 C\$=\$\$(T)+" "+B\$

140 PRINT

150 PRINT 'this is what you wrot

P: "

160 PRINT C\$

170 NEXT T

180 DATA ROSES ARE, MY BONNIE LIE

S, HOME IS WHERE THE

Forging Ahead

Now, put your imagination to work. Use some of the techniques you have learned to write programs of your own. You can, for instance, combine last month's program with the one for this month and create a program that lets you type characters in reverse video, flip them when you are through, then flash

You probably realize that you now have the knowledge to write a simple word processor, or create your own editing routine for a program.

You should feel that assembly language isn't too difficult. You should have the heady feeling of accomplishment that comes with realizing you are writing routines which could be used in full-fledged machine language games and utilities.

We have covered a lot of ground; now take your time and explore the new territory during the next month. It's a territory filled with more treasures. When you find some, write me, and we will share them with others. My address is 2251 Lipscomb, Fort Worth, TX 76110.

AUSTRALIAN RAINBOW

# SOUND SYNTHESIS

# For The Analog-To -Digital And Back Again

By Stephen Gunn

fter seeing Jeremy Spiller's "Analog-to-Digital And Back Again" article (June 1985, Page 36), I just had to try it! I typed it in and it worked; the only problem was that it would only give about 13 seconds of sound. The program only used 32K, so I modified it for 64K.

The assembly language listing is rather short, so it has been modified. Also included are four routines for moving blocks of memory from the upper page of RAM into the lower page and back again, therefore the BASIC SAVEM and LOADM commands can be

### How the New Program Works

The BASIC program no longer pokes the routine into memory, but loads it from disk (or cassette). This makes changing the assembly language routine easier. The BASIC program then sets a flag in RAM, so even if you press BREAK and then RUN the program again. it won't bother reloading the machine language routine. The BASIC program also turns off the interrupts which allows for better sound quality.

You are presented with a menu similar to the old version's. Selection one is the same as in the original program. Selection two is different in that you can now also control the speed at which the tape is read in. Selecting a speed of one will give a higher sampling rate, hence better sound but less playing time (about 15 seconds). Selecting 15 as the speed will give much lower sound quality, but the playback

time is 75 seconds, five times longer than the original program.

(One note: If you want something to sound the same when it plays back, select the same speed of playback as when it is read in. For example, if you read something in at the speed of 11, to have it sound the same it must play back at the speed of 11.)

Selection three is playback, same as in the original version. Selection four lets you save what is in memory to disk, but be warned that a disk will hold only two complete dumps from memory. The filename has to be seven characters or less because the program saves memory out in three files, adding the numbers '1', '2' and '3' to the filename given. After you save memory out, what

memory.)

The modifications were created for a disk system, but I see no reason why Jeremy's program, you can just add my and all of the SAVEMs to CSAVEMs.


## **Loading Instructions**

in and assemble the ML program. If regarding this new version, you may the cartridge EDTASM, assemble it to IL 60304. Please include an SASE.

is in memory is more or less destroyed tape, then reconnect the disk controller by the saving process, so to listen to and transfer it to disk. If you are using the same file use Selection five to reload disk EDTASM, just assemble it to disk. it. (Selection five loads files back into Make sure you use the filename SOUND.

If you have the old BASIC version of they shouldn't work for cassette if you routines and changes to his program, change all of the LDADMs to CLDADMs otherwise you will have to type in the whole program (it isn't too long).

I enjoyed modifying A/D DRVR for 64K, and I hope you will enjoy using First, using an editor/assembler, type it! If you should have any questions you have a disk system and are using contact me at 944 Wisconsin, Oak Park,



Listing 1: 64KDRVR

0 'WHEN YOU SAVE A FILE,
WHATEVER IS IN MEMORY IS
RUINED BY THE SAVING PROCESS,
SO THAT IF YOU WANT TO LISTEN
TO THE FILE YOU JUST SAVED,
YOU WILL HAVE TO RELOAD IT.
10 CLS:60T0460
20 CLEAR100,&H1AFF:POKE65283,52:
1FPEEK(512)=OTHENLOADM*SOUND*:PO
KE512,85
30 POKE65344,0
40 CLS
50 PRINT" ANALOG TO DIGITAL CON
VERTER*
60 PRINT BY JEREMY SPILLER
•
70 PRINT" MODIFIED FOR 64K
•
80 PRINT" BY STEPHEN GUNN"
90 PRINT
100 PRINT*1. TEST VOLUME OF TAPE
RECORDER*
11222112211
110 PRINT 2. READ TAPE (DIGITAL)
ZE)"
120 PRINT"3. SAY DATA (PLAYBACK)

i	sting 2:	SOUND	)					- 1
				<b>99199</b>	nontrictorio de	krikrikrikrikri	intrintrintrintri	'%'
				99119	* SIM	PLE A/D	CONVERTER	*
				99129	* BY	<b>JEREMY</b>	SPILLER	×
				00130	*	1985		*
				99149	かかかかかか	<del>kalakakakaka</del> ka	testestestestestestestestestestes	r*
	1800			ØØ15Ø		ORG	\$1BØØ	
	1800	7 F	FFDF	<b>99169</b>	START	CLR	\$FFDF	
	1BØ3		1000	99179		LDX	#\$1CØØ	
	1BØ6		FF2Ø	99189		CLR	\$FF2Ø	
	1BØ9		Ø8	99199	STO19	LDB	#\$8	
		198E		99299	TIME	LDY	#6	
	1BØF		3F	99219		LEAY	-1,Y	
	1B11		FC	99229		BNE	TIME2	
	1B13		FF2Ø	ØØ23Ø		LSR	\$FF2Ø	
	1816			99249		ROLA		
	1B17			ØØ25Ø		DECB		
	1B18		Fl	ØØ26Ø		BNE	TIME	
	1B1A		80	99279		STA	, X+	
	1B1C		FFØØ	99289		CMPX	#\$FFØØ	
	1B1F		E8	99299		BLO	STOLØ	
	1B21		FFDE	99399		CLR	\$FFDE	
	1B24			00310		RTS		
				ØØ32Ø	かかかかかか	nicialataiaia	sksksksksksksksksksksksksksksksksksksk	xx
				00330	* REC	ONSTRUC	TS SOUNDS	*
				ØØ34Ø	****	かかかかかかかか	n'alakakakakakakaka	sicsic
	1B25	7F	FFDF		PLAY	CLR	SFFDF	
	1828		26	<b>gg36g</b>		BSR	SOUND	
	1B2A		1000	99379		LDX	#\$1CØØ	
	1B2D		80		SOUND1	LDA	, X+	
	1B2F		98	gg39g		LDB	#8	
	1B31		,	99499	SOUND2	LSLA		
	1B32		FF2Ø	99419		ROR	\$FF2Ø	
			ggg6	99429	TIMER	LDY	#6	
	1B39		3F		TIMER	LEAY	-1,Y	
	1B3B		FC	99449		BNE	TIMER2	
	1B3D		27.0	99459	1	DECB		
	1B3E		F1	99469		BNE	SOUND2	
	1B49		FFØØ	99479		CMPX	#\$FFØØ	
	1B43		E8	99489		BLO	SOUND1	
	1B45		FFDE	99499		CLR	SFFDE	
	1B48			99599	3	RTS		
	1040	-		99519		かかかかかかか	desienienienienienienienienienie	ricir
		ioto	AL 7 AN	DATNE			Novemb	er. 1985

					21.		
130 PRINT"4. SAVE DATA"			99529	* VOLU	ME CHE	CK ROUTINE *	ヿ
140 PRINT"5. LOAD DATA"	1		99539	richiskrichiskrich	skokokokokok	icalcalcalcalcalcalcalcalcalcalca	- 1
150 PRINT	1B49 8D	<b>Ø</b> 5	00540	CHECK	BSR	SOUND	- 1
160 INPUT" PICK A NUMBER";A	1B4B 76	FF2Ø		VOLUME	ROR	\$FF2Ø	- 1
170 ON A 60TO 190,240,290,330,39	1B4E 2Ø	FB	ØØ56Ø		BRA	VOLUME	1
0	185Ø B6	FFØ1		SOUND	LDA	\$FFØ1	- 1
180 GOTO 40	1853 84	F7	99589		ANDA	#\$F7	ı
	1B55 B7	FFØ1	99599		STA		- 1
190 CLS 200 Print*to Get Back to Menu Pr	1B58 B6	FFØ3	99699			\$FFØ1	1
	1B5B 84	F7			LDA	\$FFØ3	- 1
ESS RESET THEN RUN THIS PROGRAM.	1B5D B7	FFØ3	99619		ANDA	#\$F7	- 1
OLD DOTAIT	1B6Ø B6	FF23	99629 99639		STA	\$FFØ3	- 1
210 PRINT	1B63 8A	Ø8	ØØ64Ø		LDA	\$FF23	
220 PRINT*SET YOUR TAPE RECORDER	1B65 B7	FF23	ØØ65Ø		ORA	#8	
TO THE CORRECT VOLUME*	1B68 39	1123	99669		STA RTS	\$FF23	
230 MOTORON: EXEC &H1B49	1500 37					krikrikrikrikrikrikrikriesiesie	
240 CLS:INPUT TYPE A NUMBER 1-15				* LOAD/			
TO CONTROL THE SPEED. ENTER=							- 1
DEFAULT OF 6. =>";S:IFS=0 THEN S						FOR 64K *	
=6	1860 78	DEDA				k*************	
250 IF S>15THEN240	1B69 7F	FFDF		SAVE1	CLR	\$FFDF	
260 POKE&H1BOB+3,S	1B6C 8E	8999	99729		LDX	#\$8999	
270 PRINT*READING TAPE*:MOTORON:	1B6F 1Ø8E		ØØ73Ø		LDY	#\$1CØØ	
EXEC &H1B00:MOTOROFF	1B73 A6	89		LOOP1	LDA	, X+	
280 GOT040	1B75 A7	AØ	99759		STA	, Y+	
290 CLS:INPUT TYPE A NUMBER 1-15	1B77 8C	E3FF	ØØ76Ø		CMPX	#\$E3FF	
TO CONTROL THE SPEED. ENTER=	1B7A 23	F7	99779		BLS	LOOP1	
DEFAULT OF 6. =>";S:IF S=0 THEN	1B7C 7F	FFDE	ØØ78Ø		CLR	ŞFFDE	-1
9=6	1B7F 39	nnnn	ØØ79Ø		RTS	A service	- 1
300 IF S>15 THEN290	1B8Ø 7F	FFDF		SAVE2	CLR	\$FFDF	
310 CLS:PRINT"SAYING":POKE&H1B35	1B83 8E	E499	ØØ81Ø		LDX	#\$E4ØØ	
+3,S:EXEC &H1B25	1B86 1Ø8E		ØØ82Ø		LDY	#\$1CØØ	
320 GOTO40	1B8A A6	80		LOOP2	LDA	, X+	
330 CLS:LINEINPUT ENTER FILE NAM	1B8C A7	AØ	ØØ84Ø		STA	, Y+	
E: ";A\$:IFLEN(A\$))7THEN330	1B8E 8C	FEFF	ØØ85Ø		CMPX	#\$FEFF	
340 PRINT SAVING	1B91 23	F7	ØØ86Ø		BLS	LOOP2	
350 SAVEN A\$+"1",&H1C00,&H7FFF,0	1B93 7F	FFDE	99879		CLR	\$FFDE	
360 EXEC &H1B69:SAVEN A\$+*2*,&H1	1B96 39	BBB B	ØØ88Ø		RTS		
COO,&H7FFF,0	1B97 7F	FFDF		LOAD1	CLR	\$FFDF	
370 EXEC &H1B80:SAVEN A\$+*3*,&H1	1004 00	1000	99999	**CORRE		TO SAVE 2**	
C00,&H3700,0	1B9A 8E	1000	99919		LDX	#\$1CØØ	
380 GOTO30	1B9D 1Ø8E		ØØ92Ø		LDY	#\$E4ØØ	
390 CLS:LINEINPUT*FILE TO LOAD:	1BA1 A6	80		LOOP3	LDA	, X+	
*;A\$	1BA3 A7	AØ	99949		STA	, Y+	
400 PRINT*LOADING*	1BA5 1Ø8C		ØØ95Ø		CMPY	#\$FEFF	
410 LOADM A\$+"3":EXEC&H1B97	1BA9 23	F6	gg96g		BLS	LOOP3	
420 LOADM A\$+"2":EXEC&H1BAF	1BAB 7F	FFDE	ØØ97Ø		CLR	\$FFDE	
430 LOADM A\$+"1"	1BAE 39	EBBB	ØØ98Ø		RTS		
440 GOTO30	1BAF 7F	FFDF		LOAD2	CLR	\$FFDF	
450 '*PCLEAR 0*			91999	**CORRE	SPONDS	TO SAVE 1**	
460 POKE&H3CO,&H5F:POKE&H3C1,&H5	1000 00	1.000		**(\$899		BFF)**	
C	1BB2 8E	1cgg	91929		LDX	#\$1cgg	
470 POKE&H3C2,&H96:POKE&H3C3,&HB	1BB5 1Ø8E		<b>Ø1Ø</b> 3 <b>Ø</b>		LDY	#\$8 <i>9</i> 99	
С	1BB9 A6	80		LOOP4	LDA	, X+	
480 POKE&H3C4,&H1F:POKE&H3C5,&H0	1BBB A7	AØ	<b>Ø1</b> Ø5Ø		STA	, Y+	
2	1BBD 1Ø8C		<b>Ø1</b> Ø6Ø		CMPY	#\$E3FF	
490 POKE&H3C6,&H7E:POKE&H3C7,&H9		F6	91979		BLS	LOOP4	
6:POKE&H3C8,&HA3		FFDE	91989		CLR	\$FFDE	
500 EXEC &H3C0	1BC6 39	~~~	91999	END	RTS		
510 GOTO20		gggg	91199		END		
	ggggg TOTA						
ouember 1005	AUCTRAL					***************************************	_

# ASSEMBLY FILE

# BY KEVIN

Last month we took a look at the general outline of the CoCo memory map. This month lets have a closer look at the actual contents of certain blocks of memory, primarily BASIC's system use RAM. We'll start with a list of the more important locations within this block of RAM.

```
0019 001A Start of Basic Program Pointer
001B 001C End of Basic Program; Begin Variables Pointer
001D 001E Top of Variables; Start Arrays Pointer
001F 0020 End of Arrays; Start of Free Memory Pointer
0021 0022 Start of String Space Pointer
0023 0024 Next usable String Space Pointer
0025 0026 Pointer BASIC Memory Limit
0027 0028 Start of CLEARed memory pointer
0037 0038 Current Variable Name
0068 0069 Current Program Line
           I/O Type Flag
006E
           I/O Device Flag OO= Screen
006F
                           FF= Cassette
                           FE= Printer
                           01-15=Disk File
0071 0072 Power on Reset Setup Flag
0074 0075 Pointer to End of RAM Memory
007E 007F Program End Address after CLOAD
0088 0089 Pointer to Current Cursor Position
 0095 0096 Printer Baud Rate Code (norm =57)
0116 0117 Seed for RND Function
           Shift Lock Flag
 011A
 0120-013C Token Table Directory
              Byte 1 = No. of Keywords
              Byte 2,3 = Address of Table
              Byte 4,5 = Address of Subroutines
 8128-8124 BASIC Commands
 0125-0129 BASIC Functions
 012A-012E Extended BASIC Commands
 012F-0133 Extended BASIC Functions
 0134-0138 Disk BASIC Commands
 0139-013C Disk BASIC Functions
 013E-0151 Address for USR Functions 1 thru 9
            Keyboard Strobe 80 X P H 2
 0152
           Keyboard Strobe 91 Y Q I A
 0153
           Keyboard Strobe * 2 2 R J B
 0154
           Keyboard Strobe + 3 ^ S K C
 0155
           Keyboard Strobe < 4 [ T L D
 0156
           Keyboard Strobe - 5 UME
 0157
            Keyboard Strobe > 61UNF
 0158
           Keyboard Strobe / 7 W 0 G
 0159
 015A
            Right Joystick Horiz Value
            Right Joystick Vert Value
 015B
 015C
            Left Joystick Horiz Value
            Left Joystick Vert Value
 015D
```

```
0161-0163 Device Number Check
0164-0166 Return Device Hook
0167-0169 Character Dutput Hook
016A-016C Input Character Hook
          Check File Open Hook
016D-016F
          BREAK Key & SHIFT? Hook
017F-0181
0182-0183 Get Line from Keyboard Hook
0191-0193 Error Routine Hook
01A0-01A2 CLS Hook
01A5-01A7 List Hook
01D2-01D9 Cassette File Name
81DA-82D8 Cassette Buffer
01DA-01E1 CLOADM Filename
01E5 01E6 EXEC Address From Tape
           ORG address from Tape
01F7 01E8
           Keyboard Line Input Buffer
0200 03FF
0400-05FF
           Text Screen RAM
           Address of Keyboard Scan Routine
A000 A001
           Address of Character Dutput Routine
A002 A003
           Primary Reset
A027
FF00-FF03 PIA 1
 FF20-FF23 PIA 2
           Clear P1 0-7FFF RAM = Page 0
FFD4
                     0-7FFF RAM = Page 1
 FFD5
           Set Pi
           Clear RO Reset CPU Rate
 FFD6
                     Set CPU Rate (Normal speedup POKE)
 FFD7
           Set RO
           Clear R1 Reset CPU Rate
 FFD8
            Set R1
                     Set CPU Rate (Extra Fast Speedup)
 FFD9
           Clear TY Map Type 0. CPU Addresses ROMs
 FFDE
                     Map Type 1. CPU Addresses 64K RAM
 FFDF
```

Naturally enough this is again only a small portion of the entire CoCo Memory Map. However it does comprise the main substance of the blocks of memory we will be working with in the near future plus a bit extra for good measure.

Play around with the memory locations referred to in this list. Unite BASIC routines to PEEK these memory locations. EXEC the addresses formed by the second and third bytes of the 'Hook' values. Is the first byte of these 'Hook' addresses always \$7E, the Machine Code instruction for JMP. Play around with \$FFD8 and \$FFD9. Try timing this sort of short program:

```
10 POKE &HFFD9,0
20 FORX=1T01000:NEXT
30 POKE &HFFD8.0
```

Then change line 10 to read: 10 POKE &HFFD8,0. What do you think is happening?

Exercise your natural curiosity and next month we will make use of some of these gems of information.

015E-0160 Open Device Hook

# $\mathsf{THF}$ COCOCONNECTION

# by John Poxon & Graham Morphett

Last month we looked at a simple program work with to CoCoConnection, which would act as a quiz master.

One of the disadvantages of the way it was set up, was its need to have buttons input physically numbered.

If the computer can take inputs from external sources such as these buttons, it follows there should be no need to number them.

So we have made some changes to the program and come up with the following program, which now allows the holder of the button to input his/her name without the need to know the number of the button.

The major changes occured in the lines 300 - 395, where the fairly standard input provided originally, was replaced with a routine which:

- \* checks for a button push (line 350);
- \* checks which button it was (GOSUB500);
- \* keeps a record of the first button pushed (line 360);
- # if the first button is pushed again, then proceed to next part of program (line 363);
- \* if not, then INPUT a name (line
- \* do it all again (line 370).

We also moved the subroutine at line 500 around a bit.

Originally this routine only had to service the question / answer section of the program, but now it had to be made available to the Names Input section as well. Not a difficult job, and we saved some K in the process! THE LISTING:

- 1 \*\*COCOCONNECTION DEMONSTRATION \*JOHN POXON & GRAHAM MORPHETT \*\*\*\*\*\* 26/8/85 \*\*\*\*\*\*\*
- 2 GOT 010
- 3 SAVE "CONDEMO2": DIR: STOP

10 CLS4:POKE65495,0

November, 1985

20 CLEAR2000:DIM2\$(8),ZZ(8) 50 PRINT2136, \*\*\*\*SWITCHGAME\*\*\*\*; \*\*\*\*; 60 PRINT2168,"\*\*\* BY 70 PRINT2200, "\*\*\*JOHN POXON\*\*\*"; 80 PRINT2232, \* 90 FORT=0T070:PLAY\*01;L255;ABCDE FG":NEXTT 100 '\*\*\*BEGIN\*\*\* 130 CLS 135 PRINT264," THIS IS A SMALL D EMONSTRATION":PRINT" OF THE AB ILITIES OF THE ": PRINTTAB(8) "COCO CONNECTION. PRINTTAB(9) IF IT I S NOT" : PRINT" INSERTED INTO T HE COLOUR COMPUTER, SWITC H OFF THE COMPUTER BEFORE INSERTING. : GOSUB185 136 PRINT'ENSURE ALL WIRES ARE F CONNECTED AND ARE NOT LIKELY TO PULL THE COCOCONNECTIO N FROM THECOMPUTER.\* 139 GOSUB185 140 GOSUB200 150 GOSUB300 160 GOT 0400 180 END 185 PRINT2448, PRESS (ENTER) TO CONTINUE"::PLAY"01;L255;ABCDEFGA BCDEF6":1\$=INKEY\$:1F1\$=""THEN185 ELSE CLS: RETURN 200 '\*\*\*INITIALISATION\*\*\* 220 POKE 65409,0:POKE 65408,0:PO KE 65409,60 230 POKE 65415,0:POKE 65414,0:PO KE 65415,60 240 RETURN 290 '

300 '\*\*\*STORE STUDENT NAMES\*\*\* 310 'IT WOULD BE HANDY TO BE ABL E TO LOAD IN NAMES FROM A STUDEN T FILE HERE TO NEGATE THE NEED T O INPUT THE SAME NAMES EACH TIME

330 CLS:PRINT269, "STUDENT NAME I

340 PRINT DECIDE WHO IS GOING TO PUT THEIR NAME IN 1ST, 2ND & SO ON, THEN PUSH YOUR BUTTONS IN T HAT ORDER TO INPUT NAMES"

345 PRINT\* WHEN ALL NAMES ARE ENTERED, THE FIRST PERSON SHOU LD PRESS THEIR BUTTON AGAIN TO START THE GAME."

350 A=PEEK(65408):B=255-A:1FB=0T **HEN350** 

355 GOSUB500

360 NO=NO+1:1FNO=1THENC=X:GOTO36

AUSTRALIAN RAINBOW

362 IFX=C THEN FOR T=1T0300:NEXT T:RETURN 363 FORT=1T08:1FC(T)=X THEN 350 ELSE NEXTT 364 FORT=1T08:1F C(T)=0 THEN C(T )=X ELSE NEXTT 365 LINEINPUT\*PLEASE TYPE IN YOU \*;Z\$(X) 370 GOT0350 395 RETURN 399 / 400 \*\*\*\*ASK QUESTIONS\*\*\* 410 READOS, ANS 420 IFQ\$="Q"THEN700 430 CLS:PRINTOS 450 A=PEEK(65408) 460 B=255-A 465 PLAY\*01;L255;ABCDEF6\* 470 IF B=0 THEN 450 480 GOSUB500:GOSUB650:GOTO410 490 GOTO450 495 ' 500 '\*\*FIND FIRST BUTTON PUSHED\* 520 IFB=32THENX=6 530 IFB=64THENX=7 540 IFB=128THENX=8 550 1FB=1THENX=1 560 IFB=2THBXX=2 570 1FB=4THENX=3

580 IFB=8THENX=4 590 1FB=16THENX=5 595 RETURN 599 '

650 '\*PRINT NAME & ASK QUESTION\* 660 CLS:PRINT396,Z\$(X); YOU WER E FIRST\*:PRINTQ\$:LINEINPUTI\$ 670 IFIS-ANSTHEN PRINT WELL DONE

";2\$(X):FORT=1T02500:NEXT:22(X) =2Z(X)+1:CLS:G0T0695

690 PRINT 1'M SORRY "Z\$(X)" EVER YONE TRY AGAIN! ": FORT=1T02500:NE XT:CLS:G0T0430

695 IFHS(ZZ(X)THEN HS=ZZ(X)

696 GOTO418

699 '

700 '\*\*\*FINAL SCORES\*\*\*

710 CLS:PRINTTAB(9) YOUR RESULTS

715 PRINT' NAME', "SCORE"

720 FORX=1T08


730 PRINTZ\$(X),ZZ(X);:IF ZZ(X)=H S THEN PRINT" \* ELSE PRINT

740 NEXTX

745 PRINT:PRINTTAB(5)\*'\*' - WINN ER!

750 GOSUB185

760 PRINT\*THIS UNIT ALLOWS THE C . OCO TO":PRINT"CONTROL MOST ELECT RICAL OR MECH-ANICAL ITEMS. THIN



by Graham Morphett

built to lift you from one floor of a building to another.

Other Robots stop you from crossing a railway level crossing when a train is approaching. And your dot matrix printer is really a very specialized TO COCOCOMMECTION Robot.

cococonnection COCO Relay

So what is a Robot?

In many ways, the term is still being defined. But the term really refers to mechanical devices which are given the ability to make choices.

The case of the classic Robot is obvious - he chooses to chase the heroine, and then proceeds to do so.

Interfacing the CoCoConnection to a Robot is quite simple. In fact it is only one step on from the Quiz Master program we discussed above.


A simple Robot might be represented by a model train on a model train track.

Without the computer, the train requires a voltage of up to 12 volts DC to make it go. Positive current is carried in one rail, negative in the other. The train picks up the current through its wheels which are insulated from each other.

To make it go, we need a length of track, the train has to have all its wheels on the track, we need a power supply, which needs to be connected to the track, and we need to apply the power from the power supply to the train.

This sounds simple, and is.

If we introduce a CoCo to this we complicate environment, system, but we are able to automate the operation of the train with an ease hitherto not possible conventional systems.



In the diagram we have a straight piece of track, a train, and a controller. If we turn on the controller, the train will go; but if we don't turn it off in time, it will run off the end of the track.

In real life, buffers are a valuable aid in such circumstances.

But, we have CoCo!

We need to place a normally open switch at each end of the track, connected to the appropriate inputs of the CoCoConnection. If the switch is depressed, CoCo will detect it and we can tell CoCo to stop the train, reverse the polarity, and send the train back the other way.

When the train reaches the other end of the track, the same proceedure can apply.

Next month we will look at the hardware needed to put this simple project into action, and to add a new feature, a siding.

The important point to remember is that most physical tasks can be accomplished using the CoCoConnection and a CoCo, but as with programming, the steps needed to achieve the task need to be fully explored.

What is a Robot?

When we think of Robots, we tend to conjure up images of Hollywood's monsters, remorselessly plodding toward the doomed heroine. (Of course just in time she invariably rescued by the invariably handsome star - why can't heros be old and ugly like me?)

The reality is very different, and ever so slowly, our society is beginning to understand just what a Robot really is.

For a start we know that Robot arms are being used in many factories around the world.

The Automotive Industry has led the world in this type of technology and they themselves have been led by Italy (Fiat) and Japan (Various).

Robot arms were first used in the Nuclear Industry, where they are indispensible.

Today there are a very wide range of uses for them, but they are still only one type of Robot.

Most of today's Robots are not perceived as such. Have you ever thought as you got into the lift at work, that you were walking into the hand of a Robot?

Well you are - this type of Robot is

810 DATA WHAT IS THE CAPITAL OF AUSTRALIA?", "CANB

ERRA\*

820 DATAWHAT IS THE OPTIMUM NUMB ER OF STUDENTS PER CLASS, 0 830 DATA WHICH TOWN IN QUEENSLAN D HAS THE BRIGHTEST STUDENTS?",S OUTHPORT 840 DATA HOW DO YOU SPELL 'BEER' ?" "XXXX"

850 DATA AT WHICH SHOP IN WARWIC

MAGAZINE?", "TANDY" 860 DATA WHAT DUST HAS TRADITION ALLY BEENASSOCIATED WITH TEACHER S?.CHALK 870 DATA WHY TEACH? MONEY

K CAN YOUBUY AUSTRALIAN RAINBOW

880 DATA WHAT IS THE NICK NAME O F THE TANDY COLOUR COMPUTER?,

890 DATAWHAT IS 5 X 6?,30 990 DATA"Q","Q",

GS LIKE ROBOTSMODEL TRAINS BURGU LAR ALARMS ANDSCIENCE EXPERIMENT S ARE SUITABLESUBJECTS FOR THE" 765 PRINTTAB(8) "COCOCOMNECTION." :60SUB185

770 PRINT THANK YOU FOR PARTICIP BYE! : PO ATING KE65494,0:FORT=1T02000:NEXTT:RUN


800 '\*\*\*DATA FOR QUESTIONS\*\*\*



# CoCocad:

# The Schematic Scoundrel

By Peter Kerckhoff



program for the Color Computer, CoCoad aids you in drawing schematics. It requires a 32K Color Computer, one disk drive, a printer with bit mapped graphics ability and a positioning device (Radio Shack color mouse, joystick, X-pad or touch tablet). CoCoad is icon menu driven, and the keyboard is seldom used. Some functions make use of a "pop-up" menu for their options.

A "mini-cad" (computer-aided design)

Instead of digging into the program and describing how I got each function to work, I have provided a highly commented listing (COCOAD.REM); as they say, "leave the proof to the student." A word of caution: The commented listing is rather long and you'll have to PCLEAR 1 just to load it in. You'll also have to remove all of the remark statements and resave the program (use the name COCOAD.BAS) before you try to run it. If you are keying in the program, just leave the remarks out and don't do the PCLEAR.

I've also included a short program listing, REMOVREM, to remove the remarks for you. Just remember to reload and resave the new CoCoad program as the remark remover program generates an ASCII file (program) that takes a while to load.

Once you've got an uncommented copy of the program, load it into the computer and run it. The screen should clear and a header line followed by a question dealing with clearing memory should appear at the top of the screen. The memory clear question is so you can restart the program with a schematic in memory without losing the schematic. Since you do not have a schematic in memory, you should answer 'Y'. After a very short delay the screen will again clear and the work sheet screen will appear.

The work sheet screen is where almost all of the action takes place. At the upper left-hand corner of the screen is a series of boxes with small figures (icons) in them. I've provided a couple of screen dumps. Sample Screens 1 and 2, that show the work sheet screens. These boxes are used to call the various functions into use (more about this in a moment). In the upper right-hand portion of the display is a display of the current filename, the current page number and the memory remaining in the page.

A page is a sub-page of the whole schematic. The schematic is made up of nine sub-pages arranged in an array three across and three down. Page zero is the upper left-hand corner of the finished schematic. Page one is just below page zero and page two just below page one. Page eight is the lower right-hand corner.

The memory for a page is used for storing each function you use to draw the schematic. If you start running out of memory space, the computer will warn you by beeping.

The main portion of the screen is taken up by the schematic work area. The sides of the work area have grid mark on them to ease the drawing of lines between pages. The work area itself is stippled with dots every eight pixels. When you are in the schematic work area, your cursor will PAGE 62

"snap" to either the dots or to the area halfway between the dots. This makes the positioning of line end points, components and text easier.

Somewhere on the screen there should appear an arrow. The arrow should be under positional control by your mouse (X-pad, joystick, touch pad, etc). The arrow cursor appears when the computer wants you to select an item from the menu (or submenu, as we'll see in a minute). To select an item, position the arrow on the item and click the mouse button (press down on the button, then release).

Let's select our first menu item. Move the mouse so the arrow is in the menu box which contains the icon that looks like the letter 'Z'. Now click the mouse button. The sides of the box should disappear, letting you know the computer has accepted your command.

To activate the menu item, move the mouse down into the schematic work area. A new cursor will appear in the work area. This cursor should be shaped like a box whose corners have been flipped inwards. This is the end point (or point) cursor. The point cursor is used to identify an end point or a spot in the work area to the computer.

To draw the line, position the point cursor to the spot in the work area where you want one end of the line to be and click the mouse button. The cursor should flicker and be replaced by a new cursor shaped like a box. This cursor identifies the first end point for your line. If you move the mouse you'll see that you still have control over the point cursor. Move the cursor to the second end point and click the mouse button. A couple of things will happen: The cursors will disappear, a line will be drawn and the memory remaining display will be updated. You still have control of the point cursor, so you can draw another line by identifying end points and so

To exit the line function (or any other), move the cursor up into the main menu. The point cursor will disappear and be replaced with the menu-selecting arrow cursor. Whenever you have control of the action on the screen with the mouse you can exit by AUSTRALIAN RAINBOW

going up into the main menu. This can come in handy, for example, if you've selected the wrong first end point for a line and you'd like to start over.

OK, a quick review: To select a function from the menu, move the arrow cursor to the function and click, then move down into the schematic work area; to exit a function move the cursor back into the main menu. Easy isn't it?

The next menu selection is the box function. We'll include in our discussion of the box function the fourth menu item (dashed box) and the fifth menu item (erase), as these functions are very similar.

Select the box function and move the mouse so the point cursor is in the schematic work area. Move the cursor to a point where you want one corner of the box to appear and click the mouse button. The cursor will vanish and, if you look closely, there will be a single pixel blinking on and off at the point where the cursor was. Now move the mouse; a box will follow the mouse's movement. When you are satisfied with the box, click the mouse button again so you'll be all set to draw another box.

The dashed box and erase functions work much in the same way. The differences are that with the dashed box, when the box has been defined, a dash box will be drawn. With the erase, the area in the box defined will be erased.

The third menu item, the diode, is one of to select preprogrammed components from the component library. Get the arrow cursor back and group and select the component function. A pop-up menu will appear on the screen in the schematic work area. At the top of the menu is the menu title, in this case "components." In the center of the menu is the currently component. Down at the bottom of the menu on the left are the words "PREV" and "NEXT." Placing the arrow cursor on either of these words and clicking the mouse button will change the active component displayed in the center of the menu. Holding down the mouse button while the arrow cursor is November, 1985

over one of these words will cycle you through the components.

At the right of the menu on the bottom is the word "USE." Clicking the mouse button while the cursor is over this word will clear the menu from the screen and give you the active component to use. The component will be under mouse control and move about in the schematic work area as you move the mouse. When you have placed the component to the desired position, click the mouse button and the component will be drawn onto the screen. If you move the mouse again, you'll notice that you still have control over the component so that another one can be drawn onto the screen. To select another component or another menu, item, just move up into the main menu.


There are two more menu items, the bit 'T' and the right pointing arrow. The 'T' function is used to put text on the screen. Get the arrow cursor back and select the text function.

When you move the mouse back down into the work area you will notice there is a new cursor, a small horizontal line; this is the text cursor. Move the text cursor where you want the text to appear and click the mouse button. The cursor will move upwards two pixels and no longer be under mouse control. The cursor moves up so that if you are labelling a line or an end point of a line, the text will line up properly. Enter text by typing on the Keyboard. The backspace (left arrow) key has been implemented so if there is a typing error, use it to correct the error. When you finish with the test entry, press the ENTER key and the page memory will be updated with your text. The text cursor will be under mouse control again so you can move the cursor to the next spot and enter more text.

The final menu item is the right pointing arrow. This function will switch the current menu to the second menu. Try out the function by placing the arrow cursor in the box and clicking the mouse button (don't forget to move the mouse downwards to execute the function). The old menu will disappear and be replaced with a new one.

The first item in this new menu is a left pointing arrow, and you guessed it, will get you back to the original menu. The third menu item is another copy of the erase function and is identical to the one on the original menu. The remaining menu items are new.

The second menu item, the one with the three little squares, is the copy function, Select the function and move down into the work area. Move the point cursor to the area near the object you wish to copy and click the mouse button. Move the mouse so the box that is under mouse control surrounds the object you want to copy and click the mouse button again. The box will disappear and if you move the mouse you'll notice that a copy of the



November, 1985

AUSTRALIAN RAINBOW

item you boxed will move. When the copy click has been positioned, the mouse button and the copy will be left on the screen and you'll get the point cursor back. Note the size of the boxed area will directly affect how fast the image will move -the larger the box the slower the move.

The fourth menu item, the one with the nine little squares, is the page switch function. When you select the function, a blinking cursor will appear as the current page number (upper right-hand portion of the display). Press a key between zero and eight to select the page. Remember, page zero is in the upper left and page eight is in the lower right of the final schematic. When a page number is selected, the current page will be cleared and the selected page displayed.

The fifth menu item, the box with the "CLR" in it, is the clear page function. Selecting the function will produce a pop-up menu asking if you really want to clear the page. Answer by positioning the cursor over your answer and clicking the mouse button.

The sixth menu item, the box with the little floppy disk, is for disk I/O and will display a pop-up menu when the function is selected. You must enter a file name before you can load or save. Once again, select the commands from the pop-up menu by

positioning the cursor over the command and clicking the mouse button.

The last menu item, the large 'Q', is used to quote the program with the option of getting a printout of the schematic in memory. if you do decide to get a printout the computer will check to see if there is enough room on the disk for the temporary storage of the sub-page image files and, if there is, will load and run the schematic printout program (Cadprint) after saving the image files.

The best and easiest way to get familiar with CoCoad is to use the program. You'll find the mouse really does work well with the program and that selecting and using the various functions follow a logical order. Before going in and modifying the program, make sure you look it over. There are quite a few subroutines you may want to use.

For X-pad users, you will have to change the mouse scan routine to read the X-pad. You will also notice the pen status is stored in the variable 'P' and can be read directly from the X-pad (guess what positioning device I started writing the program with!).

In closing, if you use CoCoad to draw a schematic you hope to have published, please put a little note somewhere on it denoting CoCoad was used to draw the schematic - my ego will get a kick out of it!

43172	43657	831213
90134	460167	87489
110252	494143	96081
14142	530117	110049
170237	562206	1280 153
211225	610125	1580254
241115	6414	1730217
28038	69017	178095
314240	720223	186050
34569	74772	196697
40042	773200	END23

### Listing 1: COCOCAD

This is a commented listing of the program CoCocad. To load the program you must first PCLEAR 1. To run the program you must remove all of the comment lines. Don't forget to PCLEAR 4 before running.

0 / 1 / COCOCAD VR 2.0 PAGE 64 2 ' (C) 1985 BY P.KERCKHOFF

3 ' 4335 HENDRIX WAY SAN JOSE CA

4 /

5 ' A cad SYSTEM FOR THE COLOR

6 COMPUTER, REQUIRES 32K, DISK

7 ' X-PAD AND A GRAPHICS PRINTER

8 '

9 /

10 CLEAR 500, &H64FF:CLS:INPUT\*CO COCAD VR 2.0 P.KERCKHOFF CL

AUSTRALIAN RAINBOW

EAR PAGE MEMORY (Y/N)";A\$:60T012

20 X=J0YSTK(0)\*4:Y=J0YSTK(1)\*4:P =ABS((1 AND PEEK(&HFF00))\*3-3):I F X(3 THEN X=3 ELSE IF X)252 THE N Y=252

30 IF Y(3 THEN Y=3 ELSE IF Y)188 THEN Y=188

40 RETURN

50 GET(0,0)-(6,6),C1,G:L1NE(0,0)
-(6,6),PRESET,BF:DRAW\*BM3,3XC\$(N
);":GET(0,0)-(6,6),C2,G:PUT(0,0)
-(6,6),C1,PSET:RETURN

60 GET(X-3,Y-3)-(X+3,Y+3),C1,G:P UT(X-3,Y-3)-(X+3,Y+3),C2,AND:RET

70 PUT(X-3,Y-3)-(X+3,Y+3),C1,PSE T:RETURN

80 IF ASC(A\$)>62 THEN 90 ELSE ON ASC(A\$)-31 GOTO 1120,1130,1140, 1150,1160,1170,1180,1190,1200,12 10,1220,1230,1240,1250,1260,1270,1280,1290,1300,1310,1320,1330,1 340,1350,1360,1370,1380,1390,140 0,1410,1420

90 ON ASC(A\$)-62 GOTO 1430,1440, 1450,1460,1470,1480,1490,1500,15 10,1520,1530,1540,1550,1560,1570, 1580,1590,1600,1610,1620,1630,1 640,1650,1660,1670,1680,1690,170

100 FOR C=1 TO LEN(T\$):DRAW\*BM=T
X;,=TY;\*:A\$=MID\$(T\$,C,1):GOSUB 8
0:TX=TX+5:NEXT C:RETURN

110 LINE(221,9)-(236,13),PRESET, 8F:T\$=STR\$(768-AD(PG)+A(PG)):T\$= RIGHT\$(T\$,LEN(T\$)-1):TX=221:TY=1 3:GOSUB100:IFLEN(T\$)=1THENPLAY\*E E03EE02EE01EE04EE\*:RETURN ELSE R ETURN

120 DIN C\$(3),A(8),AD(8),C1(1),C 2(1),C3(1),L1(6),L2(6),L3(6),L4( 6),CM(15),CO(15),MD(255),MO(255) :B\$="V31L10004B":NF\$="NONE"

130 C\$(0)="BHNL2U2BR2D2R2BD2L2D2
BL2U2L2":C\$(1)="BH3ND2R2BR2R2D2B
D2D2L2BL2L2U2":C\$(2)="R3":C\$(3)=
"NF2H2ND3R3":FOR X=0 TO 8:A(X)=X
\*768+&H6500:1F A\$="Y" THEN POKEA
(X).0:NEXT ELSE NEXT

140 PG=0:GOSUB1710:MN=0:N=3:GOSU

150 GOSUB20:GOSUB60:IF P()3 OR Y
)20 THEN GOSUB 70:GOTO 150 ELSE
GOSUB 70: F=INT(X/20):IF F)6 THE
N 150 ELSE LINE(F\*19+1,1)-(F\*19+
20,20),PRESET,B:F=F+1:PLAYB\$
160 GOSUB 20:IF Y(20 OR P=3 THEN
160 ELSE IF MN=0 THEN ON F GOTO
190,290,440,290,520,290,180 ELS

November, 1985

E ON F GOTO180,580,290,680,700,7 170 PLAYB\$:F=F-1:LINE(F\*19+1,1)-(F\*19+20,20), PSET, B:N=3:GOSUB50: GOT0150 180 LINE(0,0)-(134,20), PRESET, BF :FORX=0T06:LINE(X\*19+1,1)-(X\*19+ 20,20), PSET, B:NEXT: IF MN=1 THEN M+0:GOSUB 1760:GOT0170 ELSE M+ 1:60SUB 1770:60T0170 190 N=0:60SUB50:LX=-1 200 GOSU820:1FP=3THEN200 210 GOSUB20:GOSUB60:1FY>20THEN22 OELSEGOSUB70: IFLX=-1THEN170ELSEP UT(LX-3,LY-3)-(LX+3,LY+3),C3,PSE T:60T0170 220 GOSUB70: IFP()3THENX1=X:Y1=Y: GOTO210ELSEPLAYB\$:X=X1:Y=Y1 230 IF LX=-1 THEN LX=X:LY=Y:GET( LX-3,LY-3)-(LX+3,LY+3),C3,G:DRAW "BM=LX;,=LY;XC\$(1);":60T0200 240 PUT(LX-3,LY-3)-(LX+3,LY+3),C 3.PSET:1F Y(27 THEN 170 250 X=INT(X/4)\*4:Y=INT(Y/4)\*4 260 LINE(X,Y)-(LX,LY), PSET:POKEA D(PG),52:POKEAD(PG)+1,X:POKEAD(P 6)+2,Y:POKEAD(PG)+3,LX:POKEAD(PG )+4,LY:AD(PG)=AD(PG)+5:POKEAD(PG ),0:60SUB110:LX=-1:60T0200 270 GET(PX,PY)-(LX,PY),L1,G:GET( PX,PY)-(PX,LY),L2,G:GET(LX,LY)-( PX,LY),L3,G:GET(LX,LY)-(LX,PY),L 4,G:LINE(PX,PY)-(LX,LY),PSET,B:R 280 PUT(PX,PY)-(LX,PY),L1,PSET:P UT(PX,PY)-(PX,LY),L2,PSET:PUT(LX ,LY)-(PX,LY),L3,PSET:PUT(LX,LY)-(LX,PY).L4.PSET:RETURN 290 N=0:60SUB50 300 GOSUB20:GOSUB60:1F YK20 THEN GOSUB70:GOTO170 ELSE IF P()3 TH EN GOSUB70:GOTO300 310 GOSUB70:LX=X:LY=Y:PX=LX:PY=L 320 G05UB20:1FP=3THEN320 330 GOSUB270:GOSUB 20:1F Y<20 TH EN GOSUB 280:GOTO 170 ELSE IF P( >3 THEN GOSUB 280:PX=X:PY=Y:GOTO 330

340 POKEAD(PG)+1.LX:POKEAD(PG)+2 .LY:POKEAD(PG)+3.PX:POKEAD(PG)+4 ,PY:POKEAD(PG)+5,0:IF F=2 THEN P OKE AD(PG).53:AD(PG)=AD(PG)+5:60 SUB110:GOTO290 350 IF F()4 THEN 410 ELSE LINE(L X,LY)-(PX,PY), PRESET, B:POKEAD(PG ).55: 360 X=PX:Y=PY:IF X)LX THEN PX=LX :LX=X:X=PX 370 IF YOLY THEN PY=LY:LY=Y:Y=PY November, 1985

380 AD(PG)=AD(PG)+5:GOSUB110:FOR X1=X TO LX STEP 8:Y1=X1+4:1F Y1 )LX THEN Y1=LX 398 LINE(X1,Y)-(Y1,Y), PSET:LINE( X1,LY)-(Y1,LY), PSET:NEXT:FOR X1= Y TO LY STEP8:Y1=X1+4:1F Y1)LY T HEN Y1=IY 400 LINE(X,X1)-(X,Y1), PSET:LINE( LX,X1)-(LX,Y1),PSET:NEXT:60T0290 410 LINE(LX,LY)-(PX,PY), PRESET, B F:IF PX>LX THEN X=PX:PX=LX:LX=X 420 IF PYOLY THEN Y=PY:PY=LY:LY= 430 PX=INT(PX/8)\*8:PY=INT(PY/8)\* 8+4:FOR X=PX TO LX STEP 8:FOR Y= PY TO LY STEP 8:PSET(X,Y):NEXT Y .X:POKEAD(PG).54:AD(PG)=AD(PG)+5 :60SUB110:60T0290 440 T\$="COMPONENTS":GOSUB850:T\$= USE\*:TX=55:TY=115:G0SUB1 00:T\$="PREV":TX=55:TY=107:GOSUB1 00:N=3:GOSUB50:N=1:DRAW\*BM65,65\* :GOSUB870 450 GOSUB20:GOSUB60:GOSUB70:IF Y (27 THEN PLAYB\$:PUT(50.50)-(110. 120),MO,PSET:GOT0170 ELSE IF Y<1 00 OR Y)118 OR X(55 OR X)110 OR P()3 THEN 450 ELSE PLAY B\$ 460 IF X)80 THEN GET(65,65)-(65+ XW,65+YW),CM,6:PUT(50,50)-(110,1 20) ,MO.PSET:GOTO480 ELSE DRAW BM 65,65C5":GOSUB870:DRAW"BM65,65C0 \*:IF Y(109 THEN 470 ELSE N=N+1:I F N(25 THEN GOSUB870:GOT0450 ELS E N=1:60SUB870:60T0450 470 N=N-1:IF N)0 THEN GOSUB870:6 0T0450 ELSE N=24:60SUB870:60T045 0 480 GOSUB20 490 GET(X,Y)-(X+XW,Y+YW),CO,G:PU T(X,Y)-(X+XW,Y+YW), CM, AND: LX=X:L Y=Y:G0SUB20:IF P()3 AND Y)26 THE N PUT(LX,LY)-(LX+XW,LY+YW),CO.PS ET: 60TO 490 500 IF Y(27 THEN PUT(LX,LY)-(LX+ XW,LY+YW),CO,PSET:GOTO 170 510 PLAYB\$:POKEAD(PG),N:POKEAD(P G)+1,LX:POKEAD(PG)+2,LY:AD(PG)=A D(PG)+3:POKEAD(PG),0:GOSUB110:GO T0480 520 N=2:G0SUB50 530 GOSUB20:GOSUB60:GOSUB70:IF P ()3 AND Y)26 THEN 530 ELSE Y=Y-2 540 1FY (27 THEN 170 ELSE PLAYBS: POKEAD(PG),51:POKEAD(PG)+1,X:POK EAD(PG)+2,Y:AD(PG)=AD(PG)+3:GOSU B110:X1=AD(PG) 550 GOSUB60:A\$=INKEY\$:GOSUB70:1F AS="" THEN 550 ELSE PLAY BS:IF AS=CHRS(13) THEN POKE AD(PG),255

:AD(PG)=AD(PG)+1:POKEAD(PG),0:G0 SUB110:GOT0520 560 IF AS=CHR\$(8) THEN IF AD(PG) )X1 THEN AD(PG)=AD(PG)-1:X=X-5:L INE(X,Y)-(X+5,Y-6),PRESET,BF:GOT 0550 ELSE 60T0550 570 POKEAD(PG), ASC(A\$):AD(PG)=AD (PG)+1:DRAW\*BM=X;,=Y;\*:60SUB80:X =X+5:GOSUB110:GOTO550 580 N=0:GOSUB50 590 GOSUB20:GOSUB60:IF P()3 AND Y)26 THENGOSUB70:60T0590ELSEGOSU B70:1F Y(27 THEN170 600 PLAYB\$:LX=X:LY=Y:PX=LX:PY=LY 610 GOSUB20:IFP=3THEN610 620 GOSUB270:GOSUB20:1FY<26THENG OSUB280:GOTO170ELSE1FP()3THENGOS UB280:PX=X:PY=Y:GOT0620 630 GOSUB280:PLAYB\$:XW=ABS(PX-LX ):YW=ABS(PY-LY):IF (XW\*YW)>10000 THEN 580 ELSE GET (LX,LY)-(PX,PY ),MD,G:POKEAD(PG)+1,PX:POKEAD(PG )+2,PY:POKEAD(PG)+3,LX:POKEAD(PG )+4,LY 640 GOSUB20:GET(X,Y)-(X+XW,Y+YW) ,MO,G:PUT(X,Y)-(X+XW,Y+YW),MD,AN D:PUT(X,Y)-(X+XW,Y+YW),MO,PSET:I FY(27THEN170ELSEIFP()3THENX1=X:Y 1=Y:GOT0640ELSEX=X1:Y=Y1:PUT(X.Y )-(X+XU,Y+YU),MD,AND 650 POKEAD(PG),56:POKEAD(PG)+5,X :POKEAD(PG)+6,Y:AD(PG)=AD(PG)+7: POKEAD(PG),0:GOSUB110:GOT0580 680 LINE(166,13)-(171,8), PSET, BF :A\$=INKEY\$:LINE(166,13)-(171,8), PRESET, BF: 1F A\$ ("0" OR A\$)"8" TH 690 PG=VAL(A\$):DRAW\*BM166,13\*:60 SUB80:LINE(8,28)-(247,183), PRESE T.BF:60SUB1790:F0RX=8T0248STEP8: FORY=28T0184STEP8:PSET(X,Y):NEXT Y.X:60SUB110:60T0170 700 T\$=" CLEAR":GOSUB850:T\$="YE NO":TX=55:TY=115:60SUB100: N=3:GOSUB50:TX=63:TY=70:T\$=\*00 Y 0U":60SUB100:TX=60:TY=80:T\$="WAN T T0":GOSUB100:TX=63:TY=90:T\$="C LEAR\*:GOSUB100:TX=55:TY=100:T\$=\* THE PAGE?\*: GOSUB100 710 GOSUB20:GOSUB60:GOSUB70:IFY< 27 THEN PLAYB\$:PUT(50,50)-(110,1 20) .MO. PSET: GOT 0170 ELSE 1F Y<10 0 OR Y>120 OR X(55 OR X)110 OR P ()3 THEN 718 ELSE PLAY B\$ 720 IF X)80 THEN PUT(50.50)-(110 ,120) ,MO, PSET: GOT 0170 730 POKEA(PG),0:AD(PG)=A(PG):GOS UB110:LINE(8,28)-(247,183),PRESE T.BF:FORX=8T0248STEP8:FORY=28T01 84STEP8:PSET(X,Y):NEXTY,X:GOT017

740 T\$=" DISK\*:60SUB850:T\$="NA ME":TX=70:TY=70:GOSUB100:T\$="LOA D\*:TX=70:TY=80:60SUB100:T\$=\*SAVE ":TX=70:TY=90:GOSUB100:N=3:GOSUB 750 GOSUB20:GOSUB60:GOSUB70:IF Y (27 THEN PLAYB\$:PUT(50,50)-(110, 120),MO,PSET:GOTO170 ELSE IF Y<6 0 OR Y)90 OR X(70 OR X)90 OR P() 3 THEN 750 ELSE PLAY B\$ 760 IF Y)70 THEN 770 ELSE CLS:L1 NEINPUT FILE NAME =) ":NF\$:SCREEN 1,1:LINE(170,5)-(210,0),PRESET,B F:TY=5:TX=170:T\$=NF\$:GOSUB100:GO T0750 770 IF NF\$="" OR NF\$="NONE" THEN 750 ELSE IF Y)80 THEN 780 ELSE TX=60:TY=110:T\$="LOADING":GOSUB1 00:LOADM NF\$:A\$="0":GOTO 690 780 IF Y)90 THEN 750 ELSE TX=60: TY=110:T\$="SAVING":GOSUB100:SAVE M NF\$,&H6500,&H7FFF,&H6500:LINE( 60,110)-(90,105),PRESET,BF:60T07 50 820 T\$=" QUIT":60SUB850:TX=60: TY=70:T\$="SAVE TO":60SUB100:TX=7 0:TY=80:T\$="DISK":60SUB100:T\$="Y NO\*:TX=55:TY=115:G0SUB100 :N=3:G0SUB50 830 GOSUB20:GOSUB60:GOSUB70:IF Y (27 THEN PLAYB\$:PUT(50,50)-(110, 120) MO. PSET: GOT 0170 ELSE IF Y(1 00 OR Y)120 OR X(50 OR X)110 OR P()3 THEN 830 ELSE PLAY B\$ 840 IF X(80 THEN PUT(50,50)-(110 ,120),MO,PSET:GOTO740 ELSE CLS:I NPUT DO YOU WANT A PRINTUUT (Y/N ) AS: IF AS="Y" THEN 1970 ELSE P RINT "OK...BYE.":STOP 850 GET(50,50)-(110,120),MO,G:LI NE(50,50)-(110,120), PRESET, BF:L1 NE(51,51)-(108,118), PSET, B:LINE( 52,119)-(109,119), PSET:LINE-(109 ,52),PSET:LINE(51,60)-(108,60),P SET:TX=54:TY=57:GOSUB100:RETURN 870 ON N GOTO 880,890,900,910,92 0,930,940,950,960,970,980,990,10 00,1010,1020,1030,1040,1050,1060 .1070.1080.1090.1100.1110 880 DRAW BD15U15R13FRF4DFD2GDG4L GL13":XU=23:YU=18:RETURN: 'AND 890 DRAW BD15U15R12FRF4DFD RE2RF 262LH2L DGDG4LGL12\*:XV=28:YV=18: RETURN: 'NAND 900 DRAM BD16RE2UEU2EU2 HU2HUH2L R13FR2FRF2RF4 G4LG2LGL2GL12\*:XW= 25:YU=16:RETURN:'OR 910 DRAW BD16RE2UEU2EU2HU2HUH2LR 13FR2FRF2RF4 E2R2F2G2L2H2 G4LG2L

GL2GL13\*:X4=31:Y4=17:RETURN:'NOR 920 DRAW\*BD16U16FRFRFRFRFRFRFRFR LGLGLGLGLGLGLG":XW=15:YW=17:RETU RN: 'BUFFER 930 DRAW BD15U15FRFRFRFRFRFRFRFRF RER2FDGL2HU GLGLGLGLGLGLGLGLGL\*:XW =20:YW=17:RETURN:'INVTR 940 DRAW BD17RE2UEU2EU3HU2HUH2LB R4R8FR2FRF2RF4DG4LG2LGL2GL7RE2UE U2EU3HU2HUH2L : :XI=24:YI=17:RETUR 950 DRAW BD16BR2RE2UEU2EU2HU2HUH 2LBR4R8FR2FRF2RF4 RE2RF2G2LH2L G 4LG2LGL2GL8RE2UEU2EU2HU2HUH2L":X ₩=32:YW=17:RETURN:'XNOR 960 DRAW\*3D21U19FRFRFRFRFRFRFRFR FRFGLGLGLGLGLGLGLGLGLGU6 BR3R2LD U2 BU7LR2":XW=19:YW=22:RETURN:'0 PAMP 970 DRAW\*BD8R6NU5ND5E6U2D2G6F5U2 G2R2FD2":XU=12:YU=16:RETURN: 'NPN 980 DRAM\*BD8R6NU5ND5E6U2D2G2U2F2 L264F6D2":X4=12:Y4=16:RETURN: PN 990 DRAW BD4R4E2F4E4F4E4F4E2R4 : XW=32:YW=8:RETURN: 'H-REST 1000 DRAW\*BR4D4F2G4F4G4F4G4F2D4\* :XU=8:YU=32:RETURN:'V-REST 1010 DRAW BD4R4NU4ND4BR4NU4ND4R4 \*:XW=12:YW=8:RETURN: H-CAP 1020 DRAW BR4DANL ANR 4BD4NL ANR 4D4 ":XL=8:YL=12:RETURN: 'V-CAP 1030 DRAW \*BD4BR8 L4H2L2R2F2G2L2 U4":XW=7:YW=10:RETURN:'INPUT 1048 DRAW\*BD4R4E2R2D4L2H2\*:X₩=10 :YW=6:RETURN: OUTPUT 1050 DRAW\*BD3ER2FD2GL2HU2\*:XW=8: YW=8:RETURN: 'NOT DOT 1060 DRAW "BD3BR2END2RND2RND2FDN L2DNL2GLNU2LNU2HUR2UR2":XV=8:YV= 8:RETURN: CON DOT 1070 DRAW BR4D4L3F3E3L3 :XW=8:YW =8:RETURN: 'GND 1080 DRAW BD4R5ND4U4F4NG4RNU4ND4 R5":X4=15:Y4=8:RETURN:'>D10DE 1090 DRAU BD4R5ND4NU4RNF4E4D4ND4 R5":XW=15:YW=8:RETURN:' <DIODE 1100 DRAW\*BD8R2E2F4E4U6D5NH2NE2D F4E4F4E2R2":XU=28:YU=18:RETURN: 1110 DRAW BR4D2F2G4F4R6L5NE2NF2L G4F4G4F2D2":X4=14:Y4=28:RETURN: **U-POT** 1120 DRAW"BR4": RETURN 1130 DRAW RBU2U2LD2" : RETURN 1140 DRAW"BU2U2BR2D2":RETURN 1150 DRAW\*BRU4BR2D4URL4RU2LR4\*:R ETURN 1160 DRAW R3U2L3U2R3LD4": RETURN 1170 DRAW E4BL3DBR3BD2D : RETURN AUSTRALIAN RAINBOW 1180 DRAW\*BR2NU4H2R3\*:RETURN 1190 DRAW BRBU4D2": RETURN 1200 DRAW BR2HU2E : RETURN 1210 DRAW BREUZH : RETURN 1220 DRAW\*BUE2GHF2\*:RETURN 1230 DRAW BU2R2LUD2 : RETURN 1240 DRAW BRU2": RETURN 1250 DRAW BU2R3": RETURN 1260 DRAW BRURD : RETURN 1270 DRAW\*UE2U\*:RETURN 1280 DRAW"U4R3D4L3":RETURN 1290 DRAW R2LU4G : RETURN 1300 DRAW\*NR3U2R3U2L3\*:RETURN 1310 DRAW R3U2NL2U2L3 : RETURN 1320 DRAW BU4D2R3U2D4 : RETURN 1330 DRAW R3U2L3U2R3 : RETURN 1340 DRAW\*NU2R3U2L3U2R3\*:RETURN 1350 DRAW BU4R3DGD2 : RETURN 1360 DRAW NU4R3U2NL3U2L3 : RETURN 1370 DRAW R3U2L3U2R3D2": RETURN 1380 DRAW RULBUZRUL : RETURN 1390 DRAW BU4RDLBD2RD : RETURN 1400 DRAW BUZNEZFZ : RETURN 1410 DRAW"BUR3BU2L3":RETURN 1420 DRAW E2H2": RETURN 1430 DRAW BUSURSD2LBDD : RETURN 1440 DRAM\*NR3U3ER2BD2LDRU\*:RETUR 1450 DRAW\*U3ERFDNL3D2\*:RETURN 1460 DRAW U4R2FGNL2FGL2 : RETURN 1470 DRAW BRREGLHUZERF : RETURN 1480 DRAW"HAR2FD26L2": RETURN 1490 DRAM\*NR3U2NR2U2R3\*:RETURN 1500 DRAW UZNR 2UZR 3": RETURN 1510 DRAW BU4BR3L2GD2FREUL : RETU RN 1520 DRAW\*U4D2R3U2D4\*:RETURN 1530 DRAW R2LU4NLR : RETURN 1540 DRAW BUFREUS : RETURN 1550 DRAW U2RNF2NE2LU2": RETURN 1560 DRAW"NR3U4": RETURN 1570 DRAW"U4FRED4":RETURN 1580 DRAW"U4F3DU4":RETURN 1590 DRAW BUUZERFDZGLH : RETURN 1600 DRAW"U4R2FGL2":RETURN 1610 DRAW BUUZERFDZGNUNRLH : RETU RN 1620 DRAW"U4R2FGL2RF2":RETURN 1630 DRAM RZEHLHERZ : RETURN 1640 DRAW BUAR 2LD4 : RETURN 1650 DRAW NU4R3U4": RETURN 1660 DRAW\*BU4D3FREU3\*:RETURN 1670 DRAW NU4ERFU4": RETURN 1680 DRAW UE2UDGHUDF2D : RETURN 1690 DRAW"BU4DFEUDGD2":RETURN 1700 DRAW\*NR2UE2UL2\*:RETURN 1710 PMODE4.1:SCREEN1.1:COLORO.1 :PCLS:DRAW COS4 :TX=140:TY=5:T\$= "NAME: "+NF\$:60SUB100:TX=140:TY= 13:T\$="PAGE: ":GOSUB100:TX=184:TY November, 1985

=13:T\$= "MEMORY: ":60SUB100 1720 FORX=0T06:LINE(X\*19+1.1)-(X \*19+20,20), PSET, B:NEXT: LINE(7,27 )-(248,184), PSET, B:LINE(6,26)-(2 49,185),PSET,B:GOSUB1760 1730 FORX=8T0248STEP8:LINE(X,27) -(X,23), PSET:LINE(X+4,27)-(X+4,2 5), PSET:LINE(X,184)-(X,188), PSET :LINE(X+4,184)-(X+4,186), PSET:NE XT:LINE(252,23)-(252,191), PRESET 1740 FORY=28T0184STEP8:LINE(7,Y) -(3,Y),PSET:LINE(7,Y+4)-(5,Y+4), PSET:LINE(248,Y)-(252,Y),PSET:L1 NE(248,Y+4)-(250,Y+4),PSET:NEXT 1750 GOSUB1790:FORX=8T0248STEP8: FORY=28T0184STEP8:PSET(X,Y):NEXT Y,X:60SUB110:A\$=RIGHT\$(STR\$(PG). 1):DRAW BM166,13":GOSUB80:RETURN 1760 DRAW BM4, 4R6D12R6 BM24, 4R12 D12L12U12 BM43,10R4NU3D3E3NH3RNU 3ND3R3 BM62,4R2BR3R2BR3R2D2BD3D2 BD3D2L2BL3L2BL3L2U2BU3U2BU3U2 BM 81,4R12L6D12 BM102,4D4NR6GFNR6GF NR6GFND4R6ND4EHEHEHU4L6 BM119.8N D4R6U4F6G6U4L6":RETURN 1770 DRAW BM4, 10E6D4R6D4L6D4H6 B M100,4R12D3L2DR2D8L6U3E2H2LG2F2D 3L5U12D3R6U3 BM28.8U4R4D4L4BD2F2 E2BD4R4D4L4U4BL4L4D4R4U4 BM46.4D 4NR6GFNR6GFNR6GFND4R6ND4EHEHEHU4 L6 BM62,4R4ND12R4ND12R4D4NL12D4N L12D4L12U12 BM82,4NR3D4R3BDD4R3B DND4R3D2L2NF2L\* 1780 DRAW BM122, 6R4F2D4GNHFRLHGL 4H2U4E2": RETURN 1790 AD(PG)=A(PG) 1800 D=PEEK(AD(PG)):IF D=0 THEN RETURN 1810 X=PEEK(AD(PG)+1):Y=PEEK(AD( PG)+2):AD(PG)=AD(PG)+3:IF D)50 T 1820 DRAW BM=X; ,=Y; ":N=D:GOSUB87 0:GOT01800 1830 IF D()51 THEN 1850 1840 D=PEEK(AD(PG)): AD(PG)=AD(P G)+1:1F D=255 THEN 1800 ELSE A\$= CHR\$(D):DRAW\*BM=X; ,=Y; \*:GOSUB80: X=X+5:G0T0 1840 1850 LX=PEEK(AD(PG)):LY=PEEK(AD( PG)+1):AD(PG)=AD(PG)+2 1860 IF D=52 THEN LINE(X,Y)-(LX.

LY), PSET: GOTO 1800

LY), PSET, B:GOTO1800

November, 1985

LY), PRESET, BF:GOT01800

1890 IF D()55 THEN 1950


1870 IF D=53 THEN LINE(X,Y)-(LX,

1880 IF D=54 THEN LINE(X,Y)-(LX,

1900 IF LX(X THEN X1=LX:LX=X:X=X

1910 IF LYKY THEN YI=LY:LY=Y:Y=Y

1920 FOR X1=X TO LX STEP 8:Y1=X1 +4:IF Y1)LX THEN Y1=LX 1930 LINE(X1,Y)-(Y1,Y), PSET:LINE (X1,LY)-(Y1,LY), PSET:NEXT:FOR X1 =Y TO LY STEP8:Y1=X1+4:IF Y1>LY THEN Y1=LY 1940 LINE(X,X1)-(X,Y1), PSET:LINE (LX,X1)-(LX,Y1),PSET:NEXT:60T018 1950 IF D()56 THEN AD(PG)=AD(PG) -5:POKE AD(PG),0:RETURN 1960 GET(X,Y)-(LX,LY),MD,G:LX=AB S(X-LX):LY=ABS(Y-LY):X=PEEK(AD(P 6)):Y=PEEK(AD(PG)+1):PUT(X,Y)-(X +LX,Y+LY),MD,AND:AD(PG)=AD(PG)+2 :GOT01800 1970 PRINT:PRINT\*CHECKING FREE D ISK SPACE":X=FREE(0):1F X(28 THE N PRINT "NOT ENOUGH ROOM ON THE DISK. \*: STOP ELSE PRINT \*CREATING SUB PAGE INAGE FILES. : FOR X=1 TO 1000:NEXT 1980 FOR PG=0 TO 8:FL\$="PRT.PG"+ RIGHT\$(STR\$(PG),1):PMODE4,1:SCRE EN1,1:COLORO,1:PCLS:60SUB1790:SA VEM FL\$,&H0E00,&H25FF,&H0E00:NEX



Listing 2: CADPRINT

1990 RUN "CADPRINT"

This program is called by the program CoCocad when a schematic printout is preformed. The program was written for use with the Gemini-10 printer and will have to be modified if another printer is used.

```
1 CADPRINT VR 1.0
2 (C) 1985 BY P.KERCKHOFF
3 4335 HENDRIX WAY SAN JOSE CA
4
5 THE PRINTOUT PART OF THE
6 PROGRAM COCOCAD, USED WITH
7 THE GEMINI 10 OR 10X PRINTER
8
10 CLEAR100,&H379A:CLS:PRINT*cad
print RUNNING*:CS=0:FOR X=&H379B
TO &H37FF:READ A4:D=VAL(*&H*+A4*
):CS=CS+0:POKE X,D:NEXT:READ X:1
F CS<2X THEN PRINT *ERROR IN DAT
```

AUSTRALIAN RAINBOW

```
11 '
12 '
13 ' PICK YOUR BAUD RATE, 1=
14 ' 9600 BAUD
15 '
20 POKE150,1
21 '
22 '
23 ' SETUP LINEFEED LENGTH TO
24 ' 16/144THS OF AN INCH
30 PRINT#-2, CHR$(27); CHR$(51); CH
R$(16)
31 /
32 '
33 ' FOR EACH SUB PAGE OF THE
34 ' SCHEMATIC (LOOP)
35 '
40 FOR PG=0 TO 8 STEP 3
41 '
42 '
43 ' GET THE PAGES FROM DISK
44 ' AND STORE THEM IN MEMORY
45 ' (UPPER MEMORY)
46 '
50 LOADM "PRT.PG"+RIGHT$(STR$(PG
),1),&H2A00
60 LOADM "PRT.PG"+RIGHT$(STR$(PG
+1),1),&H4200
70 LOADM *PRT.PG*+RIGHT$(STR$(PG
+2),1),&H5A00
71 '
72 '
73 ' CALL THE MACHINE CODE
74 ' PRINTOUT ROUTINE POKED
75 ' IN EARLIER
76 '
80 EXEC &H379B
81 '
82 '
83 ' ERASE THE PAGES FROM THE
84 ' DISK AND LOOP UNTIL DONE
90 KILL *PRT.PG*+RIGHT$(STR$(PG)
,1):KILL "PRT.PG"+RIGHT$(STR$(PG
+1),1):KILL "PRT.PG"+RIGHT$(STR$
(PG+2),1):NEXT PG
100 PRINT:PRINT*DONE.*:STOP
50000 DATA 86,FE,97,6F,86,1,34,2
,86,1B,AD,9F,A0,2,86,4B,AD,9F,A0
,2,86,D4,AD,9F,A0,2,86,1,AD,9F,A
0,2,35,2,8E,7E,E0,30,86,34,2,8D,
26,35,2,8E,66,E0,30,86,34,2,8D,1
B,35,2,8E,4E,E0,30,86,34,2,80,10
,86,D,AD,9F,A0,2,35,2,4C,81,1F,2
6.88.F.6F.39.C6.9C
50010 DATA A6,84,43,34,14,AD,9F,
A0,2,35,14,30,88,E0,5A,26,EF,39
50020 DATA 9974
```

A STATEMENTS. ":STOP

o mem 98 98 7E 99E		called   99199   99119   99129   99139   99149		Cadprii ORG \$37		m.	3 ' REMOVER PROGRAM. REMOVES
9B 7E 9E		99119 99129 99139	DECTN	ORG \$37			
9B 7E 9E		99129 99139	DECTN		98		4 ' LINES NOT EVENLY DIVISABLE
9E		99139	DEGIN	JMP	START		5 ' BY TEN.
9B		001 A 0		FDB	DONE-B	EGIN	6 '
9 B							7 ' (C) 1985 P.KERCKHOFF
9 B		99159 99169		TITLE	CADCOD	E	8 '
9B		99179				-	9 '
9B		99189			QUICKEN		10 CLEAR 500
9B		99199 99299	* UP T	HE PRINT	TUUT		
90.000		99219		ORG \$37	9B		11 '
		99229			MESSES		12 /
		99239	Alla cui	Por	A . 224	COCOLG OUTDUT DOUBLE	13 ' OPEN THE OLD PROGRAM AS
		99249 99259		T. C.		COCO'S OUTPUT ROUTINE2 FOR PRINTER	14 ' AN ASCII FILE
	7701	99269	22 THOM	-40	77702	- TVI TIME THE	15 ′
		99279			erentado necesarion		20 OPEN "I",#1,"COCOCAD.REM"
					SUB PAGE	S	21 '
				TO THE I	PRINTER RATE HA	s	22 ′
					PRINTER		23 ' OPEN A FILE FOR THE NEW
		99329		LL SET			24 ' PROGRAM TO GO INTO
OP 94	FF	99339	CTART	104	***	CET OUTDIE TO	25 ′
9B 86 9D 97	FE 6F	99359	START	STA	#\$FE DEVNUM	SET OUTPUT TO THE PRINTER	30 OPEN "0",#2,"COCOCAD.BAS"
	91	99369		LDA	#1	SET X POS	
A1 34	92	99379	HLOOP	PSHS	A	SAVE IT, MAIN LOOP	31 ′
	1B 9F A@@2	99389		LDA JSR	#27 [CHROU	SET PRINTER UP	32 /
A9 86	4B	99499		LDA	#75	ESC,K (GRAPHICS MODE)	33 ' IF END OF THE FILE THEN
	9F A992			JSR	[CHROU	T]	34 ' WE'RE ALL DONE
AF 86	D4	99429		LDA	#212	468 BYTES AT A TIME	35 ′
	9F A992			JSR LDA	[CHROU	T] 468/256	40 IF EOF(1) THEN 80
	9F AGG2	99449 99459		JSR	[CHROU		41 '
BB 35	92	99469		PULS	À	GET X POS	42 ′
	7EEØ	99479		LDX		BOTTOM SUB PAGE -	43 ' GET THE DATA FROM THE OLD
CØ 3Ø	86 92	99489 99499		PSHS	A,X A	CALC ADDRESS->X REG SAVE X POS	44 ' FILE (PROGRAM)
	26	99599		BSR		GO PRINT BYTES	45 '
C6 35	92	99519		PULS	A	GET X POS	
	66EØ	99529		LDX		MIDDLE SUB PAGE	50 LINEINPUT #1,A\$
CB 39 CD 34	86	99539 99549		PSHS	A,X		51 ′
CF 8D		99559		BSR	PRINT		52 /
D1 35	92	99569		PULS	A		53 ' IF THE LINE NUMBER IS NOT
D3 8E		99579		LDX		TOP SUB PAGE	54 ' EVENLY DIVIS. BY TEN THEN
D6 39 D8 34	92	99589 99599		LEAX PSHS	A,X		55 ' DON'T SAVE IT IN THE NEW
DA 8D	19	99699		BSR	PRINT		56 ' FILE (PROGRAM)
DC 86	9D	99619		LDA	#13	A CR/LF	57 ′
	9F A992			JSR	CHROU	T] GET X POS	60 IF VAL(A\$)()INT(VAL(A\$)/10)*1
E2 35	92	99639 99649		PULS	٨	OLI A TOS	O THEN PRINT "REMOVED LINE: ";VA
	1 F	99659		CMPA	#31	DONE?	L(A\$):GOTO 40
E7 26	B8	99669		BNE	MLOOP	NOPE, LOOP	61 '
E9 ØF	6 B	99679		RTS	DEVNUM	YEP, SET OUTPUT FOR SCREEN EXIT TO BASIC	
EB 39		99689 99699		KIS		DALL TO BROAD	62 '
EC C6	9C	99799	PRINT	LDB	#156	Y COUNTER	63 ELSE THE LINE IS GOOD SO
EE A6		99719	PLOOP	LDA	, X	GET BYTE	64 ' SAVE IT IN THE NEW FILE
FØ 43	14	99729 99739		PSHS	B,X	INVERT BITS SAVE REG'S	65 ′
F1 34	9F A992	T. C. S.		JSR		PRINT BYTE	70 PRINT #2,A\$:GOTO 40
F7 35		99759		PULS	B,X		71 '
F9 39	88 EØ	99769		LEAX	-32,X	NEXT Y ADDRESS	72 *
FC 5A	EF	99779		DECB BNE	PLOOP	DONE ALL Y'S? NOPE, LOOP	73 ALL DONE. CLOSE IT AND
FD 26	e.	99799		RTS	. aprova	YEP, RETURN	74 ' STOP.
,		99899					75 /
	gr. Elsanons	99819					
	3899			EQU	*		80 CLOSE
	9999	99839		END			90 PRINT "NOW LOAD "COCOCAD.BAS"
Listing	4: REMO	VREM			on di	sk saved in the ASCII format.	AND RESAVE (THE LOAD WILL
			ague 1	ines no	t (The	program is used to remove the	TAKE QUITEAWHILE).*
	divisib					ent lines from COCOCAD.REM.)	100 STOP

# 

# FORTH FORUM

by John Poxon

During the last couple of months I have presented the program BOILER in the languages BASIC, PASCAL and FORTH. While discussing the FORTH BOILER last month I remarked that although fast, it could be speeded up by using look-up routines, and added that the program suffered from a cycling problem at high and low values of water in the drum. (This prevents D1 and D2 from becoming sufficiently close to escape BOILER).

This article examines the application of a look-up table, explains its construction, and answers the more-than-trivial question: "How does one put together the data for the look-up table and get it into the program?".

The question of cycling is left for another issue.

The new BOILER program is listed immediately below. 1 suggest that you examine it carefully, noting all differences from the the old program. Note that the FORTH word 2NDTM has been altered, both in its name (to 1ST-TM) and in its definition (a D1 cubed term has become D1 squared). The changes to 1ST-TM are not due to super devious clever programming, but to a realisation that:

- a) 2NDTM actually came first in the mathematics of line
- b) I had made a mistake while translating between programmes.

Other changes to the programme are due to the new form of ARCSIND1, which now uses a look up table instead of a recursive routine.

Let us look first at the structure of the look-up table itself. The word CREATE preceds (and creates, at compile time) the name AD1 which, when called, puts its address on the stack. You could say, in a sense, that AD1 is a "header" for the array of numbers which follow. The commas which lie between each number are FORTH words, each having the function of storing the immediately preceding (two byte) number in the next highest position in memory (byte values could be stored using the FORTH word C, ).

If for instance, the 10th element of the array from AD1 (9. in this case) were to be accessed, the sum (20 + address of AD1) followed by a 2 would put the value 9 on the stack.

Put a little more clearly, if each successive number in the array is two bytes further on from the beginning of the last number, the Nth number commences N\*2 bytes on from AD1, or at an absolute address of address (AD1 +

So, I could define the word NVALUE to fetch and print the Nth value on the stack, as follows:

: NVALUE AD1 SWAP 2\* + 2 . :

November, 1985

AUSTRALIAN RAINBOW

Use of NVALUE would of course require that N be available on the stack.

The definition of ARCSIN clearly copies NVALUE

: ARCSIN AD1 SWAP 2\* + 3 :

and is subsequently used in ARCSIND1. Study of ARCSIND1

: ARCSIND1 D1 2 DUP 0 > IF ARCSIN ELSE DNEGATE ARCSIN DNEGATE THEN :

will show that the remainder of the definition merely deals with possible negative values for D1.

The table listed for AD1 is obviously not complete, since it must contain a value for each millimetre radius of boiler drum. i.e. 1000 values (incidentally the values in the table are of ARCSIND1 in radians). The complete table has been omitted for the sake of space, since it can easily be generated using a calculator or of course, the CoCo.

Manual generation (sequentially punching each value of D1 into a pocket calculator) of the AD1 array is not a chore I would wish on anyone, so I have provided for automatic generation of the data (commas included) by two means. The first is the use of the BASIC program listed below, which not only will calculate the ARCSIND1 values for you, but also the SQRT values (more about that later).

The second is a listing of both sets of numbers to Graham, who will supply them via Rainbow on Tape.

To use the program, prepare your tape recorder and type RUN. The program run time will depend on whether you choose to use the optional screen display.

When the run is finished, an alarm will sound until you (BREAK) the program run. I have provided this feature since ARRAYS takes a few minutes to run, sufficient to make yourself a cup of tea or something.

FORTH LISTING FOR BOILER.

DECIMAL.

0 VARIABLE D1

0 VARIABLE D2

0 VARIABLE Q

CREATE AD1 0 , 1 , 2 , 3 , 4 , 5 , 6 , 7 , 8 , 9 , 10 , 11 , 12 , 13 , 14 , 15 , 16 , 17 , 18 , 19 (Extra numbers here) 1422 , 1429 , .+37 , 1444 , 1452 , 1461 , 1471 , 1481 , 1493 . 1508 , 1526 , 1571 .

: \*PI 355 113 \*/ ;

: 1-D1\*D1 10000 D1 2 10 / DUP

\* - 10 / ;

: SORT DUP 0 > NOT IF DROP 0 LEAVE THEN DUP 2/ 2/ 2/ 2/ 1+ BEGIN 2DUP / 2DUP - ABS 1 )

WHILE + 2/ REPEAT ROT 2DROP :

```
: SQRT(1-D1*D1) 1-D1*D1 10 *
    SQRT 10 * ;
  : D1*ROOT D1 2 SQRT(1-D1*D1)
   1000 */;
: ARCSIN AD1 SWAP 2* + 2 ;
  : ARCSIND1 D1 2 DUP 0 ) IF
    ARCSIN ELSE DNEGATE ARCSIN
    DNEGATE THEN ;
  : D1E3/3 D1 3 DUP DUP 1000 */
    3000 */;
   : LASTOFU1 D1E3/3 D1 2 - *P1 :
   : V1 Q 2 NEGATE 11519 + D1*ROOT
    ARCSIND1 + 6 * + LASTOFV1 - ;
  : 1ST-TM 12000 NEGATE D1 2 DUP *
    M* 12000 M+ SQRT(1-D1*D1) M/ :
   : U2 1-D1*D1 *P1 1ST-TM + ;
   : D22 D1 2 V1 1000 V2 */ - DUP
    D2 ! ;
   : BOILER Q ! 40 0 DO D22 D1 3 -
    ABS 15 ( IF ." DONE! " CR CR
     . LEVEL DEVIATION = " D2 2 .
     ." M.METRE." LEAVE THEN D2 2
     D1 ! LOOP ;
     BASIC LISTING.
   4 '***************
   5 '* ARRAY GENERATOR *
   6 '* BY JOHN POXON *
   7 '* 07-208-0893
   8 **************
   10 CLEAR 1000
   20 A=0:Z=0:A$="":B$=" ."
    30 CLS:PRINT WOULD YOU LIKE A SC
    REEN DISPLAY? THE DISPLAY MAY BE
    ENGAGED OR DISENGAGED AT ANY T
                PRESSING (Y) OR (N)
    AND HOLDING MOMENTARILY."
    40 OPEN"0",-1,"ARRAYS"
    50 GOSUB110
    60 GOSUB210
    70 GOSUB460
    80 GDSUB510
    90 END 100 '
    110 ****GENERATE ROOT VALUE***
    120 A=A+.001
    130 GOSUB 320
    140 X=INT(1000*SQR(A))
    150 IF Z = 1 THEN D=INT(1000*A):
    PRINT A= D ROOT A= X
    160 GOSUB380
    170 IF A >= 1 THEN RETURN
    180 GOT0120
    190 *******************
    210 '***GENERATE ARCSIN VALUE***
     220 A=0:C$=C$+*
     230 IF A >= 1 THEN X = 1571 : GOTO260
     240 GOSUB 320
     250 X=1NT(1000*ATN(A/SQR(-A*A+1)))
```

PAGE 70

```
260 IF Z = 1 THEN D=INT(1000*A):
PRINT "A="D"ARCSIN(A)="X
270 GOSUB380
280 IF A >= 1 THEN RETURN
290 A=A+.001:60T0230
300 *******************
310 '
320 '***DISPLAY TOGGLE***
330 25=INKEY$
340 IF 2$ = "Y" THEN Z = 1 ELSE
IF Z$ = "N" THEN Z = 0
350 RETURN
360 *************
370 '
380 '***PROCESS X (WRITE TO CASS
ETTE?)***
390 A$=STR$(X)
400 C$=C$+A$+B$
410 Y=LEN(C$)
420 IF Y > 240 THEN : PRINT#-1,C$ :C$= ""
440 ******************
460 '***CLOSE ARRAYS***
470 CLOSE-1
480 RETURN
490 ***************
518 ****SOUND END OF PROGRAM RUN***
520 S=50
 530 CLS:PRINT RUN FINISHED: PRES
 S (BREAK) ANYTIME."
 540 SOUND (S+150),2 : 60T0540
 550 RETURN
 560 *******************
```

Testing of BOILER will reveal that the new ARCSINDI routine reduces run-time considerably. Unfortunately the cycling at extreme values of Q (water content) continues unabated. Since BOILER works fine in PASCAL and BASIC, i.e. does not get hung-up by cycling, I am forced to conclude that the FORTH BOILER program is insufficiently accurate at extreme Q. I feel that the major culprit is SQRT, and am reasonably confident that either a look-up table for SQRT or double length calculations here and there will solve the problem. The sqrt (D1) values are provided so that you can experiment by replacing SQRT with a look-up routine, and thereby learn about FORTH by the very best method: by doing.

At this point I should re-iterate a comment which I made last month: that it is not terribly significant if BOILER is inaccurate at extremes of Q, provided that it is very accurate at small deviations from midline. My interest in the cycling is more intense from the viewpoint of anticipating hang-ups, and from an (unfortunate) tendency towards perfectionism.

That's it for this month. I hope that the article was useful to you. I am always happy to talk to anyone who would like to pursue specific issues further. Feel free to call me on 07-208-0893. Regards, John Poxon.

# NOW! is the time to subscribe to Australian RAINBOW

Copies of back issues can be obtained, subject to the availability of stocks, by using this order form and marking clearly which issues you require to be sent to you. Each issue costs \$4.50 including postage and packing. Please enclose your cheque/money order made payable to: Australian Rainbow Magazine, PO Box 1742, Southport, 4215.

DATEC				BOOKS				
AUSTRALIAN	RATE	AUSTRALIAN						
CoCo/MiCo/softgold		RAINBOW		Byte SORRY				
\$3.45	Latest per copy	\$4.50		กป	T OF S	TOCK		
\$19	6 months	\$24.75						
<b>,\$3</b> 1	12 months	\$39.95		Help Medium		\$9.95		
BACK ISSUES AUSTRALIAN RAINBOW				coioiii		• • • • • • • • • • • • • • • • • • • •		
MiCo —	CoCo/MiCo/softgold	Feb '85-Apr '85 S3.	.95	Fact		\$11.95		
First Issue Oct '83 First Issue Aug '84 Aug '84-Jan '85 33.			.25	MiCo Help (MC-10 conjuter).				
\$3/copy \$3.45/copy to July '84 \$3.00				Medium \$9.95				
MiCoOz		, _		WEGIGIN	PLUS			_
(MiCo on Tape) \$8 ea First Issue Dec '83				Best of CoCoOz # 1				
CoCoOz (Aust CoCo on Tape)  Latest \$8  6 months \$42  12 months \$75				(Education) Best of CoCoOz # 2				
				(Games)				
				Part 1 for 16K ECB Part 2 for 32K ECB				
				(Some 16k CB on P1)				
				TAPE \$ 10.00, DISK \$ 21.95				
First Issue Mar '83 Disks — \$3.50 ea 10 for \$29.99				BULL				
or Debit my Credit Card Monthly Rainbow on Tape (program listings) \$12 for month of				BOAF	RD			
Please note that RAINBOW on TAPE is issued irregularly				Let your co		10 ours	-	
or Annually \$144 or Debit my Credit Card Monthly					\$29			J
mmm		BLOCK CAPITALS		u siready subsc				
VISA	PLEASE		Australian Co	- Press 6 Pre	500327	1	٦	
MASTER		C	complete the i					
		IRST NAME	5	SECOND NA	Higure or s	pace per	squar	•
	Signature						T	
		Address						
CASH								
CHEQUE	VISA							
MONEY ORDER					$\perp$			
					PC			
		1 elephone	7	Loce	Number			7
Authorised Amount \$		. Number		لللا				
			New	Subscription		Renew	81	].

# PARIS RADIO ELECTRONICS

(02) 344 9111 VOICE (02) 344 9511 BBS TO ORDER

CoCo OS-9TMFLEX TM Free Diskette with Each \$50 Purchase

## COMPILERS

K.BASIC — A BASIC language to MACHINE language Compiler, includes an Filanded Macro Assembler CCF — \$292.00 Extended Macro Assembler

Pt/9 — by Graham Trott. A combination Editor/Compiler/Debugger Structured Programming at the "almost Assembly Language" Level. CCF - \$292 00

INTROL C Compiler — Full Featured C Compiler Linking Loader includes

CCF — \$549.00 full Library Manager

CCR - \$99.95 · Forth - Forth language for CoCo CCF - \$99.95

MICROWARE BASICO9 - for CoCo OS-9 systems. CCO - \$149.95

MICROWARE C Compiler - for CoCo OS-9 Systems. CCO - \$149.95

DYNA C - C Compiler from the authors of Dynastar and Dynaforms. CCO - \$99.95

CCF - 109.95

# DATA BASE'S

XDMS — "Mainframe" User's say: "We don't have anything NEARLY as powerful as XDMS;" pure Assembly Language, F.A.S.T and small enough to operate on a single-sided 5" disk.

XDMS (V) I - CCF - \$199.95 XDMS (V) III - CCF - \$\$399.95

XDMS (V) II - CCF - \$299.95

RMS - Machine Language Data Base Manager - Super Fast

CCF - \$220.00 CCO - \$180.00

### OPERATING SYSTEMS

XEX - The latest Flex Operating System from Frank Hogg Laboratory USA Includes hi res screen drivers, user definable keyboard, supports CCF - \$149 95 upgrades, and 35, 40, and 80 track drives.

os.9 for the CoCo. The hotest selling software to hit Australia.

# DISASSEMBLERS

POWERFUL! SUPER SLEUTH — Interactive: extremely POWERFUL!! Disk File Binary/ASCII Examine/Change, Absolute or FULL Disassembly. XREF Generator, Label "Name Changer," and Files of "Standard Label Names" Disk CCF. Obj. Only \$89.95 CCO. Obj. Only \$89.95 for different Operating Systems included CCF. w/Source \$145 00

DYNAMITE + - Excellent standard "Batch Mode" Disassembler Includes XREF Generator and "Standard Label Names" Files. CCF, Obj. Only \$89.95

CCO. Obj. Only \$89.95

## WORD PROCESSING

STYLOGRAPH III - A full Screen-oriented WORD PROCESSOR (what you see is what you get); also supports Daisy Wheel proportional printers and CCF - \$165 00 WORDPAK CCO - \$165 00

CCF - \$99 95 STYLO-SPELL Spelling checker to suit stylo CCO - \$99 95

CCF - \$89 95 STYLO-MAIL Mail merge program for Stylograph CCO - \$89 95

DYNASTAR & DYNAFORMS - Another full screen Editor and Word

CCF - \$149.95 Processor for the CoCo CCO - \$149.95

XWORD - A powerful word processor that can be run under O PAK

ASCREEN hi res drivers and WORD PAK 80 000 - \$99 95

# SPREAD SHEETS

UTHACALC CoCo's best and fastest Spread Sheet system

CCR - \$149.95

# UTILITIES

UTILIX is a unix like utilities package for OS-9. It includes 15 different CCO - \$75.95 utilities to aid you in the manipulation of text files.

FILTERS KIT No 1 - Eleven utilities used as hiters for OS 9

CCO - \$39.95 APPEND. CONFIRM. FF

FILTERS KIT No. 2 - Ten more utilities, FORCERROR, MACGEN, NULDEVICE, REP. SIZE, TOUCH, and unload CCO - \$39.95

SDISK and BOOTFIX — Use 40 or 80 track, single or double sided drives CCO - \$59.95 with OS-9. Create a bootable double sided system disk

HACKERS KIT No. 1 - This package contains a set of programs useful to anyone working with assembly language, trying to unravel the operating system or other assembly language programmes, or customizing their own. CCO - \$59.95

CCO - \$39.95 XSCREEN - Hi Res Screen driver for OS 9

CCO - \$56.95 O.PAK -- Hi Res Screen driver for OS 9

SEARCH AND RESCUE - disk utilities to search and retrieve lost data CCO - \$56.95

XTERM - A communications program for use with XSCREEN.

CCO - \$82.95 MEMORY MINDER - Disk diagnostics program. The most comprehensive program available to analyse your disk drives

DOUBLE SIDED CCR - \$149.95

SINGLE SIDED CCR - \$139.95

XMENU - This is a program that creates a menu driven environment for CCO - \$69.95 the coco under OS-9.

RAM-DISK -- This program simulates a disk drive, utilizing spare RAM memory. Very fast execution of commands. For use with 64K or 128K CCF - \$49.95 memory, Flex. XEX. or OS-9 CCO - \$49.95

# **MAGAZINES and BOOKS**

AMERICAN RAINBOW - Direct from the USA the same month of publication for the same price as the newsagents. Why wait! \$6 80

AMERICAN HOT COCO - Airdreighted direct each month Subscription \$5 80 available

THE OFFICIAL BASICOP TOUR GUIDE

## HARDWARE

PSJ WORKPAK 30 - an 80 column card to lit in the expansion port of the CoCo. Will run under Flex, or OS 9

PBJ WORDPAK II - The ultimate wordpak, Includes smooth scrolling, soft ware controlled video switch, improved character set hardware inverse video and up to 8K video RAM.

PBJ CC.BUS — A six slot software selectable expansion bus Will take your disk controller, WORDPAK 80, GAMES Cards etc. \$219.95

PB) PC-PAK - This is a dual function cartridge which contains a centronics compatible parallel printer port and/or a battery backed real w/ real time clock \$199.95 time clock w/o real time clock \$ 99 95

PBJ 25P.PAK - A 2 port RS-232 serial interface with programmable baud \$110 05 rates up to 19.2K. Each port can also be interrupt driven

# DISK CONTROLLERS

ILM Disk Controller with JDOS Disk Basic

RADIO SHACK Disk Controller Ver 1.1

\$219 95 \$199 95

\$29 95

CC-VID Monochrome video output board MC6809EP Processor chip MC6883 SAM chip 4164-150 nSec. 64K chips

\$ 24 00 \$ 24 00

\$ 35 00

VISA



PRICES SUBJECT TO ALTERATION

WITHOUT NOTICE

# PARIS RADIO ELECTRONICS

161 BUNNERONG RD, KINGSFORD 2032 P.O. BOX 380, DARLINGHURST 2010 Ph: 344 9111

Availability Legends -

Color Computer FLEX CCF Color Computer OS 9 Color Computer RS DOS

PRICES DO NOT INCLUDE POSTAGE AND PACKAGING

# MK1 SERIAL/PARALLEL PRINTER INTERFACE

COMNECT CO-CO I or II to a PARALLEL PRINTER Revised MK1 PRINTER INTERPACE Peatures:

- \* EXTRA SERIAL PORT for MODEN, no more plugging /unplugging cables.
- Compatible with Standard Centronics Parallel Printers eg: EPSON, GEMINI, BMC, CP80, TANDY ETC.
- Pluge into CO-CO or CO-CO II Serial Port and includes all cables and connectors.
- SIX Switch selectable Baud rates 300,600,1200,2400,4800,9600
- Power Pack is required for Printers not supplying power at pin 18 on the Parallel Connector eg: EPSON, BMC, CPSO.
- \* Increases Printing Speed by up to 30% on TANDY DMP100/200 Printers

ONLY: \$94.95 (including postage)
Add \$9 for Power Pack if required

AVAILABLE PROM: G.& G. PIALA

P.O. BOX 46

THORNLBIGH. NSW.2120 phone: (02)-84-3172

 $\mathbb{D} \& \mathbb{L}$ WILSONS serving melbourne's east SOFTWARE - Hundreds of titles -HARDWARE - Drives -Printers SERVICE - Upgrades Dankcard No Obligation welcomehere Demonstrations doug & louise wilson ~ 6 stafford st phone blackburn -/ 898-4521

# We produce Software

for

# The CoCo and Tandy 1000

Our list of programs from

★ OWLS NEST SOFTWARE U.S.A.★ PAL CREATIONS U.S.A.

★ CoCo CASSETTE (Monthly) U.S.A.

★ PICOSOFT GAMES
 ★ C.C.S.

★ C.C.S. AUSTRALIA★ C.H.S. AUSTRALIA

is too long to print here.

So, for a FREE CATALOGUE, call or write to

# Computer Hut Software

21 WILLIAMS ST., BOWEN, QLD., 4805, AUSTRALIA - PHONE (077) 862220

AUSTRALIAN RAINBOW MAGAZINE REGISTERED BY AUSTRALIAN POST PUBLICATION NO. QBG 4009
AUSTRALIAN COCO/softgold REGISTERED BY AUSTRALIAN POST PUBLICATION NO. QBG 4007.
PO BOX 1742,
SOUTHPORT. QLD. 4215.

# user group CONTACTS

(Stop between numbers = b.h. else a.h.; but, hyphen between = both.) ADELATUE JOHN HAINES 08 278 3560 ADELAIDE NTH STUN E1SENBERG 08 250 6214 AL BURY RON DUNCAN 060 43 1031 ARMIDALE TOM STUART 067 72 8162 BAIRNSDALE COLIN LEHMANN 051 57 1545 BALLARAT MARK BEVELANDER 053 32 6733 BANKSTOWN CARL STERN 02 646 3619 BLACKTOWN KEITH GALLAGHER 02-627-4627 BLACKMATER ANNIE MEIJER 079.82.6937 BLAXLAND BRUCE SULLIVAN 047 39 3903 BOMEN TONY EVANS 077 86 2220 BRASSALL BOB UNSWORTH 07 201 8659 BRIGHTON GLENN DAVIES 08 296 7477 BRISBANE EAST ROB THOMPSON 07 848 5512 BRISBANE SH PATRICK SIMONIS 37 209 3177 BRISBANE SU GRAHAM BUTCHER 07 376 3400 BRISBANE WEST BRIAN DOUGAN 07 30 2072 DEAN PARADICE 080 6701 BROKEN HILL BUNBURY Call Tandy for local details. BUNDABERG JIM McPHERSON 071 72 8329 CAMBERLIELL TONY BALDWIN 03 728 3676 CAMDEN KEVIN WINTERS 046.66.8068 CAMPBELLTOWN LEO GINLEY 02 605 4572 CANBERRA NTH JOHN BURGER 062 58 3924 CANBERRA STH LES THURBON 062 88 9226 CAULFIELD JEFF SHEEN 03 528 3724 CHATSWOOD BILL O'DONNELL 02 411 3336 MARK ROTHWELL 02 817 4627 CHURCHILL GEOFF SPOWART 051 22 1389 COLYTON TEENS DUAYNE MANSON 02 623 5805 CHILINA ROSS PRATT 0648 23 065 COORANBONE GEORGE SAVAGE 049 77 1054 DANDENONG DAVID HORROCKS 03 793 5157 DARWIN BRENTON PRIOR 089.81.7766 DENILIQUIN WAYNE PATTERSON 058 81 3014 DONCASTER JUSTIN LIPTON 03 857 5149 DUBBO GRADME CLARKE 068 89 2095 FORBES JOHANNA VAGG 068 52 2943 FORSTER GARY BAILEY 065 54 5029 FRANKSTON BOB HAYTER 03.783.9748 GIPPSLAND STH PAT KERMODE 056 74 4583 GLADSTONE ALBERT VAN GORKUM 079 72 2353 GOLD COAST SHERYL BENTICK 075-39-2003 GOSFORD PETER SEIFERT 043 32 7874 GOULBURN WALLEY TONY HILLIS 058 59 2251

GREENACRES BETTY LITTLE 08 261 4083 HAST INGS MICHEAL MONCK 059.86.8288 HERVEY BAY LESLEY HORMOOD 071 22 4989 HILLS DIST DENNIS CONROY 02 671 4065 HOBART BOB DELBOURGO 002 25 3896 HORNSBY ATHALIE SMART 02 848 8830 IBA11CH MILTON ROWE 07 281 4059 JUNEE PAUL MALONEY 069 24 1860 KALGOORLIE TERRY BURNETT 090.21.5212 KENHORE GRAHAM BUTCHER 07 376 3400 LEETON CHRIS NAGLE 069 53 2969 LITHGOL DAVID BERGER 063 52 2282 LIVERPOOL LEONIE DUGGAN 02-607-3791 MACKAY LEN MALONEY 079511333x782 MACLEOD ROBIN ZIUKELIS 03 450211x465 MacQUARIEFIELDS KIETH ROACH 02 618 2858 MAFFRA MAX HUCKERBY 051 45 4315 **MAITLAND** LYN DAWSON 049 49 8144 MARYBOROUGH NORH WINN 071 21 6638 MEL ROLIRNE JEFF SHEEN 03 528 3724 MELTON MARIO GERADA 03 743 1323 MIL DURA SCOTT HOWISON 050 23 6016 MORPHETTUAL F KEN RICHARDS 08 384 4503 MOREE ALF BATE 067 52 2465 MORWELL GEORGE FRANCIS 051 34 5175 HT ISA PAUL BOUCKLEY-SIMONS 077 43 6280 MUDGEE BRIAN STONE 063-72-1958 HURGON PETER ANGEL 071 68 1628 NAMBUCCA HDS WENDY PETERSON 065 68 6723 NEWCASTLE 'LYN DAWSON 049 49 8144 NOURA ROY LOPEZ 044 48 7031 STEVE LOVETT 063.62.4025 JIM JAMES 063 62 8625 PARKES DAVID SMALL 068 62 2682 PENRITH ALEX SCHOFIELD 047 31 5303 PERTH IAN MACLEOD 09 448 2136 PORT LINCOLN JOHN BOARDMAN 086 82 2385 PORT MacQUARIE RON LALOR 065 83 8223 PORT NOARLUNGA ROB DALZELL 08 386 1647 PORT PIRIE KEVIN GOWAN 086 32 1368 RINGHOOD ANDREW RAWLINGS 03 700 4498 ROCKHAMPTON KEIRAN SIMPSON 079 28 6162 ROSEVILLE KBN UZZELL 02 467 1619 SALE BRYAN McHUGH 051 44 4792 SANDGATE MARK MIGHELL 07 269 5090 SCARBOROUGH PETER MAY 07 203 6723 \* \* \* \*

SHEPPARTON ROSS FARRAR 058 25 1007 SMYTHESDALE TONY PATTERSON 053 42 8815 SPRINGWOOD DAVID SEAMONS 047 51 2107 STURT MARY DAVIS 08 296 7477 SUNBURY JACK SHIT 03.744.1355 SUTHERLAND IAN ANNABEL 02 528 3391 SHAN HILL BARRIE GERRAND 050.32.2838 SYDNEY TEENS ROD HOSKINSON 02 48 5948 SYDNEY EAST JACKY COCKINOS 02 344 9111 TAMJORTH ROBERT WEBB 067 65 7256 TAHMOOR GARY SYLVESTER 046 81 9318 TONGALLA TONY HILLIS 058 59 2251 TOOWOOMBA GRAHAM BURGESS 076 30 4254 TOWNSVILLE JOHN O'CALLAGHAN 077 73 2064 TRARAL GON MORRIS GRADY 051 66 1331 UPPER HUNTER TERRY GRAVOLIN 065 45 1698 WASSA WASSA CES JENKINSON 069 25 2263 WHYALLA NORRIE CHRIS HUNTER 086 45 3395 HONTHAGGI PAT KERMODE 056 74 4583 WYNYARD ANDREM WYLLIE 002 35 1839 YARRALIONGA KEN SPONG 057 44 1488 SPECIAL INTEREST GROUPS BUSINESS BRIZBIZ BRIAN BERE-STREETER 07 349 4696 ' TOP - TELEWRITER, DYNACALC PROCOLOR BRISBANE GEOFF TOLPUTT 07 44 6084 059 GROUPS BANKSTOWN CARL STERN 02 646 3619 BRISBANE JACK FRICKER 07 262 8869

OSP GROUPS
BANKSTOUN CARL STERN 02 646 3619
BRISBANE JACK FRICKER 07 262 8869
KALBOORLIE TERRY BURNETT 090.21.5212
MONARO FRED BISSELING 0648 23263
PENRITH BOB THOMSON 047 30 2468
SYDNEY EAST JACKY COCKINOS 02.344.9111
SYDNEY NTH MARK ROTHJELL 02 817 4627
BLAXLAND 128K BOB THOMSON 047 30 2468
MICO GROUPS
CARLSTER STIMPT HOLL 08 241 1933

CARLISLE STUART HALL 08 361 1922
LITHGOU DAVID BERGER 063 52 2282
PORT LINCOLN JOHN BOARDMAN 086 82 2385
ROCKHAMPTON TIM SHANK 079 28 1846
SYDNEY RAJA VIJAY 02 519 4106
TANDY 1000 / MS DOS

### BRISBANE | BRIAN 00UGAN 07 30 2072 SYDNEY | ROGER RUTHEN 047,39,3903

PORT LINCOLN JOHN BOARDMAN 886 82 23

November

W

AUSTRALIAN

\* \* Water Wars MiCo Wazzdere Number Run Tape Jacket Martha's Quickies, Certificate Catapillar Quick User Friendlier Going Troppo CADding About Scoreboard softgold" T1000, ١ 9 for T2000, YOUR MC Maker 9 for you Award T100

POSTAGE Paid Australia