OS-9 Newsletter

Volume I No.11 <<< BELLINGHAM OS9 USERS GROUP >>> November 31,1990

IN THIS ISSUE:

BUG REPORT SHELL+ and MODPATCH Bugs and Patches

SERIAL MOUSE Microsoft & Logitech Mouse for OS-9

ANOTHER COCO-4 ???? The PT68K, It's been around for years

WINDOWING Introductory discussion of Windows

WINDOWMAKER Shellscript to create Windows

SHELL+ "DATAMOD" Convert shellscripts to memory mods

RAM DISK Take advantage of "/RO" on OS-9

WASHINGTON OS-9 Local Club Activitis

OS-9 VIDEO LIBRARIES What's available and How much \$\$\$

BENEFITS TO SUBSCRIPTION MEMBES

As a subscribing member of the Bellingam OS9 Users Group you enjoy the following benefits:

- 1. 8-10 page monthly Newsletter
- 2. Public Domain Library
- Technical help on-call
- 4. Free Classified Ads
- 5. OS9 BBS access with 250 downlodable file database
- 6. Membership List
- 7. "How To" Video Library

SUBSCRIPTION INFORMATION:

The OS-9 Newsletter is compiled and printed monthly by the Bellingham O-9 Users Group. Subscription rates are \$3/6 months; \$6/12 mo.

Contact: Rodger Alexander, 3404 Illinois Lane, Bellingam, WA 98226

"BUGS" --Update--

SHELL+ BUG

ShellPlus is an enhanced version of the original Shell and is available on Compuserv, Delphi, Genie, and most CoCo/OS9 Bulletin Boards. Personally I consider ShellPlus a <u>must</u> on any OS-9 system.

During the past year, several patches have been posted on OS9 Bulleting Boards/Sigs dealing with the "data-size" bug.

PATCH-1 by Paul Seniura

Shell+ has long plagued such products as RiBBS v2.0, Multivue Canvas and UltiMusE-III because Shell+ is not handling data area size properly when it forks or chains to another module. It should read the module's data size from it's header, then compare it to any overriding parameters to see if the caller wants more memory than the module's specifications. If so, the program should increase this during the fork or chain call.

Shell- sets a minimum data area size of \$1F pages (31x256 bytes), almost a full 8k of RAM. This has been screwing up a lot of programs and utilities! If you program needs only 20 bytes, it should ONE 256-byte page, since that is OS9's smallest increment of RAM for "users" programs. Shell+ will give your program an entire 8k of RAM as it is presently designed -- a huge waste.

Here's the ModPatch "Patch" file to change the minimum data size to ONE page of RAM:

L shell C 130f If 01 v There is another possible patch you can do to cause Shell+ to reduce the 8K data size to 256-bytes when another <u>process</u> is called up requiring the initialization of another <u>shell</u>. This patch is not a crucial as the above patch and you may choose not to include it into your Shell+ module.

L shell C 1313 If 01 v

PATCH-2 by Seattle 68xxxMUG "Gang"

This is not a bug fix, but a "cosmetic" patch to cause Shell+ to boot up with a more practical/user friendly 0S9 prompt. When using the original Shell, 0S9 would simply print "0S9:". After this patch is installed, Shell+ will display a much more informational prompt: "12:30:00[Term]/D0/CMDS:" (Time [Device] / Path:).

Yes you can change the Shell+ prompt on the fly from the keyboard

but you cannot change the "TERM" prompt automatically with a script file command line in the startup file. It can only be done "by hand". The following ModPatch "Patch" file will hardwire the code into the Shell+ module:

L shell
C 3d 4f 29
C 3e 53 5b
C 3f 39 40
C 40 5b 5d
C 41 50 24
C 42 5d 3a
C 43 3a 20
V

MODPATCH BUG:

Greg Law tracked down a bug in Modpatch. Basically, the bug shows up when you have modpatch scripts with single-character lines.

When modpatch sees a line with only one character, it "skips" the entire next line!


- * Here are some comments...
- * The next line has only one character, so it

* triggers the bug.

I module

C ...

The one-character comment line causes the "I module" command to be skipped. So of course modpatch can't find the right bytes to change! <Ergh!> People who have tried might notice that the ACIA patch floating around has this one-character comment line just before the..... "I aciapak" line. (oooops!) Deleting the prvious •nce character line (or making it longer) should avoid the bug.



You can use a "standard" serial mouse on your OS-9 system. Simply download "SMOUSE.AR" from Compusery. Delphi, Genie or other OS9 Bulletin Board Services.

SMOUSE.AR contains several "ipatch" files to upgrade the standard CC310 module in your OS9Boot to properly respond to either the Microsoft mouse or the Logitech mouse. Mouse driver source code and definition files are also included in SMOUSE.AR.

Run the lpatch from SMOUSE.AR to the original MW CC310 you should wind up with a version of CC310 which incorporates both Kent Meyer's patches and the serial mouse patches. Once you've installed the serial mouse on your RS-232 Pak (/T2 pak) you will not be able to use that serial port for a modem unless you unplug the mouse and re-boot with an OS-9 disk that has the regular CC310 and ACIAPAK+T2 installed in it.

I'll be uploading an improved CC310 patch soon... if you get the mouse working you'll want to watch for that one. I'll also be uploading patches for the regular CC310 and Tandy Colour Mouse because it really improves IRQ response.

--Bruce Isted, Delphi--

Editor's Note: Besides Bruce Isted's SMOUSE.AR file, you will also need Bob Santy's IPATCH utility and of course the AR (archiving) utility. All of these files are available for downloading from Compusery, Delphi, Genie, etc. They may also be available from your local OS9 computer club's Public Domain Library.

PT68K ANOTHER "COCO-4" ?

For all of you who are debating about which new computer to buy...the MM/1 or the Tomcat...add another to your list. This computer has been around before the other two were even conceived. It's called the PT68K-4 and here are some of the features:

- --68000 CPU running at 12 or 16 MHz
- --512k to 4●96K of RAM on main board
- --Optional memory board supports up to 8MB
- --Four RS232 ports
- --Supports MFM hard drive
- FD controller supports 360K, 720K, 1.2M, and 1.44M drives
- --Battery backed clock •n-board
- --Two 8-bit parallel ports
- -- Seven -
- --Mounts in standard XT or baby AT cabinet and uses std. IBM-style pwr supply.

Since this computer has XT-compatible slots, you can use readily-available CHEAP cards to

expand! OS9 68K is available with editor/assembler and Microware C compiler. CGA/EGA/VGA cards are supported by this machine. VGA is currently supported in 320 x 200 x 256 and 800 x 600 x 16 modes under OS9. They are planning to write device drivers for Super VGA early next year. Also, there is supposed to be a public domain program that allows the user to set up multiple windows and hot-key between them (similar to what we're used to on the CoCo 3)

For more information, write: PERIPHERAL TECH-NOLOGY 1480 Terrell Mill Rd. Suite 870 Marietta, GA 30067 1-404-984-0742

--David Philipsen, Delphi--



One of the things you've been hearing a lot about in OS-9 Level Two windows. What I will attempt to do in this article is give you a little primer on windows and how they work.

First of all, window is a graphic screen that routes information from other parts of the system (in OS-9) to the terminal. This is not to be confused with graphics (a whole different animal altogether). In other words, windowing is a way of creating separate but connected environments to do your work or the computer's work. Think of them as different devices like the disk drive or the printer.

Unlike the devices mentioned typing: 'dir >/tern above, windows are made in and happen? Okay, now exist in software only. They are again. There's the only figments of the computer's the original screen. mind!

Let's go to an analogy to make windowing a little more down to earth. Consider a window as a container or box. Windows come in many sizes and shapes. say we create a bunch of windows (level 2 can handle up to windows at one time). These windows can vary in size anywhere from pixel size to filling up the And if a window is whole screen. smaller then a screen it can be within located anywhere Wait, there's more! screen. Windows can be located off screen or even on top of/within each other.

Back to the boxes. Okay, we've got these boxes of different sizes. Now punch a little hole in each box and connect tubes between each box. These tubes are extremely flexible so that the boxes can be shifted around each other or even on top of each other and still remain attached. What are the tubes for? Well, the pipes are little conduits to pass information back and forth between these boxes.

Now we go back to the real world. You've got OS-9 booted up and you're looking at the terminal screen. You've created several boxes, ummmm, I mean windows. You hit <CLEAR> and the screen changes to a different color and usually is empty except for the prompt.

You're now in your first window. Big deal! Right? Well, try typing: ''dir >/term''. Nothing happen? Okay, now hit <CLEAR> again. There's the directory on the original screen.

terminal screen to the first win- detail on overlays. If you can't dow and send a directory command wait, I suggest you get "The back to the terminal screen (>/ Complete Rainbow Guide to OS9 term). Remember the tubes? only can you send info in that (you can get it an any Radio direction but the other way too.

This is accomplished by typing (from the terminal screen) ''dir ware devices that handle all inthat window. about any command back and forth tion flow through itself at the this way. rate environments but connected.

the system, the ''>'' command examples are very primitive and means the characters immediately the possible applications for following are a device. ously, then ''/w'' means ''device window''. The windows are num- --Mike Pleas bered /w to /w15 and are given --Bellingham OS-9 Users Group their labels by their creator. The command to create a window is ''init /Wxx''. Try ''init /w4'' or ''init /w7'', then ''shell i=/ w4'' or 'shell i=/w7''.

I'll go into one other aspect of Remember my mentioning the boxes inside the boxes? These are the overlay windows. you've ever used those big fancy programs of big blue or big mac or even multivue, you've seen those pulldown or popup windows. Guess We can do this too! what? All they are are overlay windows. other words, they're temporary windows that print themselves over the existing screen and when you're done with them, they destroy themselves. I can't go into details on overlays at this point because it is a bit complicated Listing: In the next cls for this article.

What we did was switch from the installment I'll go into more Not Level II'' by Dibble and Puckett Shack).

To summarize, windows are soft-Now here's a listing in formation going to the screen. You can send just Each window can handle informa-In other words, sepa- same time as any or all the other windows are handling there own information flow OR back and forth For those of you a little new to as I have shown. Of course, these Obvi- windowing in OS9 are limitless.

WINDOWMAKER Shell+ scriptfile

WINDOWMAKER is a "scriptfile" just like your Startup file for OS9 Level-II with Shell+. WINDOW-MAKER prompts the user for the Window Number and then prompts for the "type" of window desired. the ''VAR''iable Notice and ''Prompt'' functions.

Shell+ is available on DELPHI, COMPUSERV, BASE ACCUMULATOR (206-455-3410), BBQ-RiBBS (206-676-5787), FAR POINT STATION (206-285-8335), and DATA WAREHOUSE (509-325-6787).

echo	shell i=/w%0&
echo WMAKER	echo Type5 640x192 Graphic
echo window maker with typeset	2c 16Kmem. >/w%0
echo by Ken Heist	else
merge /h0/sys/stdpats 4 /h0/sys/	if %1=6
stdptrs /h0/sys/stdfonts >/w	iniz w%0
echo	display 1b 20 6 0 0 28 18 0
echo	1 2 >/w%0
echo TYPES:	display 1b 3a c8 01 >/w%0
echo 1 40x24 text 8c 2Kmem.	display 1b 32 0 1b 33 1 1b
echo 2 80x24 text 8c 4Kmem.	34 2 >/w%0
echo 5 640x192 graphic 2c16Kmem.	shell i=/w%0&
echo 6 320x192 graphic 4c16Kmem.	echo Type6 320x192 Graphic
echo 7 640x192 graphic 4c32Kmem.	4c 16Kmem. >/w%0
echo 8 320x192 graphic16c 32Kmem.	else
echo	if %1=7
Prompt Choose Window (1-15):	iniz w%0
var.0	display 1b 20 7 0 0 50 18 0
Prompt What Type:	1 2 >/w %0
var.1	display 1b 3a c8 01 >/w%0
if %1=1	display 1b 32 0 1b 33 1 1b
iniz w%0	34 1 >/w%0
display 1b 20 1 0 0 28 18 0 1	shell i=/w%0&
1 >/w%0	echo Type7 640x192 Graphic
display 1b 31 1 18 1b 32 0 1b	4c 32Kmem. >/w%0
33 1 1b 34 1 >/w%0	else
shell i=/w%0&	if %1=8
echo Typel 40x24 Text 8c	iniz w%0
2Kmem. >/w%0	display 1b 20 8 0 0 28 18 0
else	1 2 >/w%0
if %1=2	display 1b 3a c8 01 >/w%0
iniz w%0	display 1b 32 0 1b 33 1 1b
display 1b 20 2 0 0 50 18 0	34 2 >/w%0
1 1 >/w%0	shell i=/w%0&
display 1b 31 1 18 1b 32 0	echo Type8 320x192 Graphic
1b 33 1 1b 34 1 >/w%0	16c 32Kmem. >/w%0
shell i=/w%0&	else
echo Type2 80x24 Text 8c	endif
4Kmem. >/w%0	clrif
else	
if %1=5	
iniz w%0	
display 1b 20 5 0 0 50 18 0 1 2 >/w%0	
display 1b 3a c8 01 >/w%0	
display 1b 32 0 1b 33 1 1b	
34 2 >/w%0	

RAM DISK = by F. Calcraft

I have found some great ways to make use of a RAM disk. Of course a RAM disk is a good place to store files temporarily (archives or bootfiles, for example) but I also discovered that after adding and deleting files to a disk over an extended period of time, one ends up with a lot of file fragments and scattered small blocks of free sectors. It is possible to put most of those free sectors together and end up with more total empty space as well.

Assume that the floppy needing reorganizing is /d0. The command

ENTER: free /d0

Shows total free sectors and largest block of sectors and shows name of disk (important!)

ENTER: format /r0

At the name prompt, give the RAMdisk the name displayed by FREE (do not include the quotes)

dsave -bs35 /d0 /r0 ! ENTER: shell -x-p

This will copy the whole floppy contents file by file, including the boot.

backup /r0 /d0 #40k ENTER:

original floppy. You might have data.

to reformat the floppy first if it is well used.

ENTER: free /d0

You will probably find that the number of free sectors is larger, as well as the largest block.

Here is how you can use your RAM disk to to a single swap backup:

ENTER: format /r0

This must be done before RAM drive can be used

backup /d0 /r0 #40k ENTER: source to RAM

backup /r0 /d0 #40k ENTER: RAM to destination

This saves the frustration and bother of having to sit there and swap disks back and forth in the Since I have the odd drive. combination of a double-sided drive and a single-sided drive, I use the trick to backup the /d2 side of a disk.

Tymnet and Telenet are local telecommunications ''nodes'' that permit us to call Compuserv or Delphi or Genie without having to pay long distance charges.

Telenet offers a way to tell it This will back up the RAM disk to you're about to transfer a LOT of It ''Prepares the network for bulk file transfers."

(quoted from the Telenet booklet which you can get for free by calling them up at 1-800-336-0437)

Just before you start downloading, get back to the Telenet command prompt. To do this, type '@' <Enter> ('At-sign' Enter') Note that the '@' must be the first character typed after the previous carriage return. You may have to type 'Enter' '@' Enter' if you've typed other junk and are not at a fresh prompt within Delphi (or whatever).

Now, at the Telenet prompt, type:
DTAPE <Enter>

I believe this returns you to connected mode. (If not, you'll see another Telenet prompt, at which you type CONT <Enter> to get back to connected mode.) Now do the download. When the download is finished, send a break (a true line-break) to get out of DTAPE mode.

Basically, when you enter DTAPE, Telenet optimizes itself for bulk file transfers rather than being optimized for a login session and ASCII text etc.

You'll probably want to get out of this mode when you're done transferring files. Esp if you're going to read the forums, and perhaps more especially if you're going to talk in a conference! If all you're doing is downloads, it may not be worth the effort of entering and leaving this mode for each file transfer! I've not

tried it myself, and I'd be very happy to hear any comparisions of transfer speeds with DTAPE on & off.

With some terminal programs, you may be able to automate all of the above into a macro.

--Ed Kuns, Internet--

Mt Raineer CoCo Club

The Mount Rainer Color Computer Club meets every month on the second tuesday at the new Parkland/Spanaway Library on 138th, and Pacific Ave. We start around 7:00 pm, and end around 8:45 pm.

Each meeting we have two to three speakers on various subjects. Our past meetings we have had speakers on:

- 1. MM/1 and TC/9 comparison
- 2. OS-9 Help
- 3. DynaCalc
- 4. Phantomgraph
- 5. Hard Drives
- 6. 80 Track Drives
- 7. And a whole lot more.

The president is Erich P. Sweaney, he is the youngest attendant. He has published his own newsletter from June 1989 through June 1990, and have had several articles published from other magazines, and had national reviews on his projects.

Other attendants of our meeting include Otto Schliep, vice presi-

CIUD ACTUULES*

dent, he is one of our disk drives, and hardware experts. Then their is our Alan Johnson, he is in charge of calling some of attendants and reminding people of the meetins, he is a very knowledgable with OS-9, RS-Dos, Unix, and C. Our other attendants all contribute to our meetings from their knowledge.

Our group activites through out the year has been car pooling up to other groups meetings, attending local computer fairs, and contributing to newsletter with articles and or programs. We do not charge any of our attendants for membership, we have also been this way and will probably never change.

Once in a while if we have a member who has something to sell, we kinda of have a little swap within our group meeting. And we most always leave the last fifteen to twenty minutes for an open discussion.

If you would like to attend one of our meetings, or have any questions you would like answered, please give me a call at 535-9733 and ask for Erich Sweaney.



Port O'CoCo

Recently I attended the Kitsap Computer Society. This is a group of the various machine groups that are in the county. I told them about the FCC rules and policies regarding the broadcasting of community productions. They were VERY excited about it. Now we have to get a production going.

We thought of having about half the time to a topic like BASIC and then something about a piece of software and then a quick overview of the clubs. The programs would be 30 minutes and aired once a month. This would be underwritten by the various computer stores in the area to give us a budget for supplies, tape, and maybe a little walk-away money for those involved.

Another project that Port O'CoCo is involved in is the Computer Swap meet in the Kent Commons, (Kent, WA) on December 8th where we set up a CoCo informational and demonstration booth. There is also going to be a Computer Fair in the Kitsap Mall in Silverdale the 15th-16th of December.

Donald Zimmerman, Port O'CoCo

Washington State BBS Listing

The following BBS list will be of interest to CoCo and OS9 users:

FAR POINT BBS (Seattle) (206) 285-8335 Basic09 RiBBS (Fido NET)

COLUMBIA HTS. BBS (Longview) (206) 425-5804 Basic09 RiBBS (Fido NET)

DATA WAREHOUSE BBS (Spokane) (509) 325-6787 Level-II OS9 BBS

TIME MACHINE BRS (Tri-City) (509) 586-2559 Cobbs

BARBECUED RIBBS BBS (Bellingham) (509) 676-5787 PC-Board

SUBSCRIPTON BENEFITS

As a subscriber to the OS-9 NEWSLETTER, you are also a member of the Bellingham OS9 Users Group, and as such you enjoy the following benefits:

- 1. Monthly Newsletter
- 2. Public Domain Librar (5 Megabytes)
- 3. Technical help on call
- 4. Free Classified Ads
- 5. OS9 BBS with over 200 downloadable files
- 6. Membership list
- 7. "How To" Video Library

SUBSCRIPTION NOTICE: If you are not already subscriber to OS9 Newsletter, then consider sending in your check now (\$3/6 months or \$6 for 12 months). On January 1st the subscription rates will increase to \$5 & \$10. (still cheap!)

NOTICE TO CLUB PRESIDENTS: Be sure to post or mail in your January meeting agenda prior to December 28th so that they may be included in the January issue of OS9 Newsletter.