

COMPUTE!

\$2.95
September
1984
Issue 52
Vol. 6, No. 9
£2.25 UK \$3.25 Canada
02193
ISSN 0194-347X

The Leading Magazine Of Home, Educational, And Recreational Computing

**Two Exciting Games:
Missile Math For Apple,
IBM PC And PCjr, Atari,
Commodore 64, TI-99/4A,
And VIC-20**

**Lightsaver For
Commodore 64, IBM PC
And PCjr, VIC-20,
And Atari**


**Lightning And
Bulldozer Sort:
For Apple, Commodore 64,
VIC-20, IBM PC And PCjr,
And Atari**

**Autoboot For
Commodore 64
And VIC-20: Load Programs
And They RUN Themselves**

**Atari Speed-Reading:
Improve Your Speed
And Comprehension**



TEST DRIVE AN ELEPHANT.™



Elephant Floppy Disks are the perfect vehicle for storing and protecting data. Because Elephant never forgets. You'll get high performance that's 100% guaranteed for a lifetime of heavy use. So take them for a test drive. They're available now at your local computer showroom. And there's no waiting for delivery. For the Elephant dealer nearest you, call 1-800-343-8413. In Massachusetts, call collect (617) 769-8150.

Dennison

ELEPHANT™ NEVER FORGETS.



You bought a computer to cultivate your kids' minds. Make sure it's bearing fruit, not growing vegetables.

Introducing a whole crop of Learning Adventure games from Spinnaker.

When it comes to cultivating adventurous young minds, the computer's potential is endless.

Unfortunately, the search for software that makes the most of that potential has been endless, too.

That is, until Spinnaker created the Learning Adventure Series. A unique collection of games that reward curiosity with



It's New! TRAINS.™

You're in charge of an old-time railroad—and whether it turns into a bonanza or a bust depends on how well you run it. But either way you'll find that working on this railroad is a challenge—and a lot of fun! **Ages 10-Adult.**

hours of adventure and learning. So the time kids spend with our games will help them develop valuable skills. Instead of just tired thumbs.

But what really makes our Learning Adventure games unique—educational value aside—is how much fun they are. Which isn't too surprising when you consider you can do things like bargain with aliens, search a haunted house, or build your own railroad empire.



It's New! ADVENTURE CREATOR.™

Design a challenging adventure game that you or a friend can tackle—or let the computer design one for you. It's complex, exciting—utterly addictive! **Ages 12-Adult.**

In fact, our games are so much fun, kids will really enjoy developing some very important skills. Deductive reasoning, note taking, and problem solving, for instance.

So, if you're in the market for software that will truly cultivate young minds, pick the Spinnaker Learning Adventure Series.

It's the best way to be sure your search will be fruitful.

Spinnaker Learning Adventure games are available for Apple,® Atari,® IBM® and Commodore 64™ home computers.




IN SEARCH OF THE MOST AMAZING THING.™

It isn't easy to find—even in your B-liner. But you'll have help from your Uncle Smoke Bailey as you search the universe to find the Most Amazing Thing. **Ages 10-Adult.**

SPINNAKER
We make learning fun.

Disks for: Apple, Atari, IBM, and Commodore 64.
Cartridges for: Atari and Commodore 64—
(ADVENTURE CREATOR only).



Modern times have create

We've cleverly disguised them as funny creatures from a computer game. But underneath the funny exterior is one of the most serious approaches to home education you've ever heard of.

INTRODUCING SPROUT™ SOFTWARE.
GAMES THAT TEACH.


Your kid's new teachers are called Tink and Tonk. They come from Sprout. Software for kids 4 to 8.

The beauty of Sprout software is how

entertainment is balanced with a healthy dose of education.

While kids are having fun at home, they're actually reinforcing what they've learned at school. Things like the alphabet, spelling, vocabulary, counting, adding, and pattern recognition.

You'll also like how Sprout prevents boredom. Our games grow up, instead of wear out. As kids get older, the game adjusts and gets harder. Because there are many



and a new breed of teachers.

variations and many decisions to make.

Knowing how to do all this isn't something Sprout learned overnight.

You see, we've got a hundred years of experience to lean on. (Our parent company is SFN, the country's #1 textbook publisher for elementary and high schools.)

We've also got the exper-

ience of Mercer Mayer, who has written or illustrated 80 children's books. He dazzles kids with ideas and pictures that keep them coming back for more.

With TINK!TONK!™ software, kids see that learning can be more fun than destroying space creatures.



sprout

Games that grow up. Instead of wear out.

Compatible with Atari®, Commodore®, Apple® and IBM®




Advanced spreadsheet

SynCalc™



Database management

SynFile+™



Graphing and statistics

SynTrend™

Now your Atari computer gets down to business.

If you're a serious home manager, a student, or run a small business at home, now you can get sophisticated, integrated software for your ATARI computer with the same features as the more expensive IBM and Apple packages.

SynCalc makes a spreadsheet more manageable.

First, there's SynCalc, the most advanced spreadsheet program ever created for ATARI Home Computers. Not only does SynCalc help you get all your numbers down easily, it also comes with a sorting feature, and the ability to label and name your formulas like "beginning inventory + goods purchased - goods sold = inventory on hand," as well as standard entries. And SynCalc also comes with "expert" commands, to use once you've become more familiar with its procedures. Plus many other

features found in the more expensive programs.

SynFile+ keeps information more organized.

SynFile+ can function as your database, your filing system. With SynFile+, you can reorganize and sort parts or whole files instantly. Not only can you enter text, you can calculate and update data as well. And files from both SynCalc and SynFile+ can also be used by the ATARI word processor, AtariWriter™, for uses such as mail merge.

SynTrend gives you a more graphic way to look at data.

Next, there's SynTrend, which can be the graphing and statistical arm of your operation. SynTrend allows you to visualize your data from SynCalc or SynFile+ with either bar graphs, pie charts, line graphs or scatter plots. To do statistical analysis, you can quickly calcu-

late means and variances, standard deviations, or even linear and multiple regressions. It's pretty easy to understand, eh? And also pretty easy to operate because all three programs come replete with easy-to-understand "pop-up" menus, to take you through their paces step by step. And remember, all three programs can share data, which helps you get the job done even faster.

So get down to business with SynCalc, SynFile+, SynTrend, developed exclusively for ATARI by Synapse. And see for yourself why the cost of taking care of business doesn't have to put you out of it.

SynCalc, SynFile+, SynTrend are trademarks of Synapse Software. Synapse is a registered trademark of Synapse Software Corporation. IBM and Apple are respective trademarks of International Business Machines Corp., and Apple Computer.



DISCOVER WHAT YOU AND ATARI® CAN DO.

FEATURES

- 37 The Educational Software Explosion Kathy Yakal
 44 The Latest In Learning: New Trends In Educational Computing Selby Bateman
 52 Choosing The Best Educational Software Selby Bateman and Sharon Darling

EDUCATION AND RECREATION

- 58 The Tester Joseph Kattan
 72 Missile Math Garry S. Wick
 91 Lightsaver John Rhees

REVIEWS

- 106 *Exodus: Ultima III* For Commodore 64 David K. Peacock
 109 *The Seven Cities Of Gold* James V. Trunzo
 111 *Word Flyer* Steve Hudson

COLUMNS AND DEPARTMENTS

- 6 The Editor's Notes Robert Lock
 10 Readers' Feedback The Editors and Readers of COMPUTE!
 24 Computers And Society:
 Discovery-Based Learning And Teenagers David D. Thornburg
 30 Questions Beginners Ask Tom R. Halfhill
 33 The Beginner's Page: ROM And RAM Robert Alonso
 102 The World Inside The Computer: Build A Computer In Your Mind Fred D'Ignazio
 122 Learning With Computers: Aids For The Blind Glenn M. Kleiman
 125 INSIGHT: Atari Bill Wilkinson
 134 Machine Language: Math And Tables Jim Butterfield
 138 Programming The TI: Writing An Educational Program C. Regena
 142 64 Explorer Larry Isaacs

THE JOURNAL

- 114 Lightning Sort Russ Gaspard
 116 Atari Bubble And Bulldozer Sorting Christine C. Genet
 130 Commodore Autoboot David W. Martin
 131 Atari Paddle Fixer William Griner
 132 Apple Editing Hints Patrick Moyer
 136 Commodore Disk Pattern Matching, Part 1 Jim Butterfield
 146 SYSound Mike Steed
 148 Musical TI Keyboard Randal J. Reifsnider

- 68 A Beginner's Guide To Typing In Programs
 69 How To Type COMPUTE!'s Programs
 70 The Automatic Proofreader For VIC, 64, And Atari
 150 CAPUTE! Modifications Or Corrections To Previous Articles
 151 Tiny MLX: Machine Language Entry Program For Unexpanded VIC-20
 152 MLX: Machine Language Entry Program For VIC-20
 159 Product Mart
 160 Advertisers Index

NOTE: See page 69
 before typing in
 programs.

TOLL FREE Subscription Order Line,
 800-334-0868 (In NC 919-275-9809)

COMPUTE! Publications, Inc. 
 One of the ABC Publishing Companies

One of the ABC Publishing Companies:
 ABC Publishing, President, Robert G. Burton
 1330 Avenue of the Americas, New York, New York 10019

COMPUTE! The Journal for Progressive Computing (USPS: 537250) is published monthly by COMPUTE! Publications, Inc., P.O. Box 5406, Greensboro, NC 27403 USA. Phone: (919) 275-9809. Editorial Offices are located at 324 West Wendover Avenue, Greensboro, NC 27408. Domestic Subscriptions: 12 issues, \$24. Send subscription orders or change of address (P.O. form 3579) to COMPUTE! Magazine, P.O. Box 914, Farmingdale, NY 11737. Second class postage paid at Greensboro, NC 27403 and additional mailing offices. Entire contents copyright © 1984 by COMPUTE! Publications, Inc. All rights reserved, ISSN 0194-357X.

GUIDE TO ARTICLES AND PROGRAMS

64/V/P/AP/C/AD/IBM/TI
 AT/V/64/TI/AP/PC/PCjr
 64/V/AT/PC/PCjr

64
 AT/64
 AT/64

AT
 TI
 64

V/64/PC/PCjr/AT/AP
 AT
 V/64
 AT
 AP
 P/V/64
 64
 TI

AP Apple AT Atari, P PET/
 CBM, V VIC-20, C Radio
 Shack Color Computer, 64
 Commodore 64, TS Timex/
 Sinclair, TI Texas Instru-
 ments, PCjr IBM PCjr, PC
 IBM PC, AD Coleco Adam,
 *All or several of the above.

EDITOR'S NOTES

We recently received a letter from a long-time subscriber that thoughtfully raises some concerns about the present composition of COMPUTE!. It is excerpted and addressed here.

"Dear Mr. Lock,

I felt compelled to write to you to express my feelings about the disappointing changes which have been coming over my once favorite magazine, COMPUTE!. I have been reading COMPUTE! since January 1981 and have a subscription which is paid through August 1985.

In recent months, since January 1984, you have been 'spread too thin' by attempting to cover so many types of computers that I feel none have been done adequately. The technical content of the magazine, for the Commodore computers, and computer use in the home, is what had interested me the most, and the quantity and the quality have dwindled so much . . .".

Our reader goes on to discuss concerns in specific about the breadth of our articles, and the size of our columns. We thought this presented a good opportunity to address these concerns and hopefully explain some of what we see happening from here, and where it will take us.

The Case Of The Dwindling Magazine

In December of 1983, COMPUTE! had 392 pages. This issue, September 1984, has 160. The December issue had 215 pages of advertising; this issue has 60.5. During the course of 1984, we've seen a massive shakeout, not unexpected of course, in the industry. Where there once was an advertiser base of thousands

of companies, there is now an advertiser base measured in the hundreds. All well and good, you may say, but is it really a problem or concern for you, the readers? In the sense that we must attend to some economic realities in planning and publishing our magazines, the answer is yes. Do we subjugate our concerns to formula? No, absolutely not.

A typical rule of thumb for the publishing business is a 50/50 advertising mix. As size increases, this ratio gives over to an increased percentage of advertising. In our case, the December 1983 issue of COMPUTE! was over 55 percent advertising. The September issue, by rule of thumb, should be at most 128 pages. Given the overhead we carry in fixed page content (i.e., everything from columns to MLX), this was not acceptable. The result is that our editorial percentage in this issue approaches 65 percent.

The Future

Certainly all of this makes sense, but it still doesn't solve the problem/question at hand: more content. What else can we do? We're working on it. In our "fixed overhead" areas, we're whittling down column sizes. We're trying to expand the scope of some columns so they're more useful to more of you. And we're evaluating all of our columns with an eye toward further reductions.

One of your complaints, in essence, is that some of the "meat" of our content is diminished. Upon reflection, I think that's an offshoot of our at-

tempts to provide continued breadth. We probably have a tendency to run shorter articles to enhance variety. The unfortunate by-product of this is that some of the more technical, lengthy articles are bypassed. This we can address immediately, and we will begin to do so with our October issue. We would welcome some additional input from readers. One suggestion here has been that we start to run some of our "fixed" material on an every-other-issue basis. This would mean that "Beginner's Guide To Typing In Programs," for example, might appear on alternate months. We are open to your thoughts. Your comments?



Editor In Chief

Net Worth™

Your Personal

**Its only business is managing your home finances.
No program does it more quickly, more easily, more directly.**

Your Personal Net Worth systematizes the management of your household income, expenses, credit cards and check books — using methods tested for accuracy by Touche Ross, one of the nation's leading accounting firms.

Your Personal Net Worth puts your computer to work, keeps your records straight, including your personal inventory of valuables and stock portfolio, tells you where and how you're spending your money or if you're making a shambles of your budget. And does it all

in less time than it takes you to balance your check book.

Nothing else — no other program at twice the price — makes handling your personal money matters simpler, faster and more direct than **Your Personal Net Worth**.


You'll find it at your favorite software retailer in the silver box with the real silver dollar on the front. It could be the single most valuable purchase you'll ever make.

Record all banking and any credit card transactions, reconcile bank statements instantly (up to 10 separate bank accounts can be handled), — print checks, too.

Set up a budget (as many as 350 categories) — and then compare your actual income and expenses to the budget.

Never forget a tax-deductible item. Today or at tax return time.

Display or print every financial report you'll ever need.



Record stock, bond and other investment transactions. Inventory household valuables, collectibles and important papers for insurance and other purposes.

Your Personal Net Worth works fast because it's in machine language. Documentation in plain English is referenced for easy use. "Help" functions on screen at all times.

Available for:

IBM-PC/XT/PCjr (128K)
Apple II + /IIe/IIc (64K)
Commodore 64
Atari (48K)
The Program comes with two disks, one of which has accounts already set up for entry. However, only one disk drive is necessary.

The Scarborough System.

You'll grow with us.

Publisher
Editor in Chief
Director of Administration

Gary R. Ingersoll
 Robert C. Lock
 Alice S. Wolfe

Senior Editor
Managing Editor
Production Director
Production Editor
Editor, COMPUTE!'s PC & PCjr Magazine
Editor, COMPUTE!'s GAZETTE
Technical Editor
Assistant Technical Editors
Program Editor
Features Editor
Assistant Editors

Richard Mansfield
 Kathleen Martinek
 Tony Roberts
 Gail Walker
 Tom H. Hatthal
 Lance Elio
 Otis R. Cowper
 John Krause, George Miller
 Charles Brannon
 Selby Bateman
 Dan Carmichael, Robert Sims, Todd Heimark, J. Blake Lambert, Robert Alonso

Editorial Assistant
Research Assistant
Programming Supervisor
Assistant Programming Supervisor
Editorial Programmers

Kathy Yakal
 Sharon Daring
 Patrick Parish
 Gregg Pease
 Kevin Martin, Chris Paer, Tim Victor, Kevin Mykityn

Programming Assistants
Copy Editors

Mark Tuttle, David Florance
 Juanita Lewis, Joan Rouleau, Ann Davies

Proofreaders

Ethel Silver, Dwight Smith, Karen Uhlenhart, Marty Selby

Administrative Assistants

Vicki Jennings, Julia Fleming, Susan Young, Iris Brooks, Jan Kreflow

Associate Editors

Jim Butterfield, Toronto, Canada
 Harvey Herman, Greensboro, NC
 Fred Dignazio, 2117 Carter Road, S.W., Roanoke, VA 24015
 David Thornburg, P.O. Box 1317, Los Altos, CA 94022

Contributing Editor

Bill Wilkinson

COMPUTE!'s Book Division
Editor

Stephen Lavy

Assistant Editor

Gregg Keizer, Stephen Hudson

Assistant Managing Editor

Randal Foster

Administrative Assistant

Laura MacFadden

Artists

Janice Fary, Debbie Bray

Director, Books Sales & Marketing

Steve Voyatzis

Assistant

Carol Dickerson

Production Manager
Art & Design Director

Ima Swan
 Janice Fary

Assistant Editor, Art & Design

Lee Noel

Mechanical Art Supervisor

De Potter

Artists

Leslie Jessup, Larry Sullivan

Typesetting

Tony Cash, Carole Dunton

Illustrator

Harry Bok

Director of Advertising Sales

Ken Woodard

Assistant Advertising Manager

Bonnie Valentin

Production Coordinator

Patti Williams

Production Assistant

Joyce Margo

Promotion Manager

Mindy K. Kutcher

Subscriber Services Supervisor

Patty Jones

Assistants

Chris Paffy, Sharon Sebastian, Rosemarie Davis

Dealer Sales Supervisor

Fran Lyons

Assistants

Gail Jones, Sharon Minor, Rhonda Savage

Individual Order Supervisor

Dorothy Bogan

Assistants

Judy Taylor, Anita Reop, Deb Galam, Jenna Nash, Elizabeth White, Mary Hunt, Gayle Benbow, Betty Atkins, Sandra Jenkins, Chris Gordon

Shipping & Receiving

Jim Coward, Larry O'Connor, Dal Rees, John B. McConnell, Eric Staley, Sam Parker, Eddie Rice, David Hensley, John Archibald, Mary Sprague (Mail Room Coordinator)

Data Processing Manager

Leon Stokes

Assistant

Chris Can

Vice President, Finance & Planning

Paul J. Megliola

Director, Finance & Planning

R. Steven Vetter

Accountant

Robert L. Bean

Purchasing Manager

Greg L. Smith

Financial Analyst

Karen K. Rogaski

Staff

Linda Miller, Doris Hall, Jill Pope, Anna Harris, Anne Ferguson, Pat Fuller, Tracey Hutchins, Susan Booth, Sybil Agee

Robert C. Lock, Chief Executive Officer
 Gary R. Ingersoll, President
 Paul J. Megliola, Vice President, Finance and Planning
 Deb Nash, Executive Assistant
 Cassandra Robinson, Assistant

Coming In Future Issues

The New Wave Of Computer Games

Chess: A Sophisticated Program That Pits You Against Your Computer

Two Exciting Games: Space Cavens And Horse Racing

All About The Status Register

Apple Disk Checker

Commodore Unicopy

Multiscreen Atari Animation

TI Disassembler

COMPUTE! Publications, Inc. publishes:
COMPUTE!
COMPUTE!'s GAZETTE
COMPUTE! Books
COMPUTE!'s DISK

Corporate Office:
 324 West Wendover Ave., Suite 200
 Greensboro, NC 27408 USA

Mailing address: COMPUTE!
 Post Office Box 5406
 Greensboro, NC 27403 USA
Telephone: 919-275-9809

Subscription Orders
COMPUTE! Circulation Dept.
P.O. Box 914
Farmingdale, NY 11737
TOLL FREE Subscription Order Line
800-334-0868 In NC 919-275-9809

COMPUTE! Subscription Rates (12 Issue Year):

US	(one yr.) \$24	Air	
	(two yrs.) \$45	Europe, Australia	\$42
	(three yrs.) \$65	Middle East, Central America and North Africa	\$52
Canada and Foreign Surface Mail	\$30	South America, South Africa, Far East	\$72

Advertising Sales




- 1. New England**
 Al Dalton
 David Fay
 617-451-0822
 - 2. Mid Atlantic**
 Sharon Brooks
 Joe Porter
 Kathy Hicks
 215-646-5700
 212-567-6717 (NY)
 - 3. Southeast & Foreign**
 Harry Blair
 919-275-9809
 - 4. Midwest**
 Gordon Benson
 312-362-1821
 - 5. Northwest/Mountain/Texas**
 Phoebe Thompson
 408-354-5553
 Jerry Thompson
 415-348-8222
 - 6. Southwest**
 Ed Winchell
 213-378-8361
 JoAnn Sullivan
 619-941-2313
- Director of Advertising Sales**
 Ken Woodard
- COMPUTE! Home Office 919-275-9809.**
- Address all advertising materials to:**
 Patti Williams
 Advertising Production Coordinator
COMPUTE! Magazine
 324 West Wendover Ave., Suite 200
 Greensboro, NC 27408

The COMPUTE! subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please send an exact copy of your subscription label for COMPUTE!, P.O. Box 914, Farmingdale, NY 11737. Include a note indicating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to COMPUTE! are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTE! authors acknowledge that such materials, upon acceptance for publication, become the exclusive property of COMPUTE! Publications, Inc. No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright © 1984 COMPUTE! Publications, Inc. Rights to programs developed and submitted by authors are explained in our author contract. Unsolicited materials not accepted for publication in COMPUTE! will be returned if author provides a self-addressed, stamped envelope. Programs (on tape or disk) must accompany each submission. Printed listings are optional, but helpful. Articles should be furnished as typed copy (upper- and lowercase, please) with double spacing. Each page of your article should bear the title of the article, date and name of the author. COMPUTE! assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of COMPUTE!

PET, IBM, VIC-20 and Commodore 64 are trademarks of Commodore Business Machines, Inc. and/or Commodore Electronics Limited.
 Apple is a trademark of Apple Computer Company.
 ATARI is a trademark of Atari, Inc.
 T99/4A is a trademark of Texas Instruments, Inc.
 Radio Shack Color Computer is a trademark of Tandy, Inc.



Quest of the Space Beagle



Scott Lamb's Interactive Space Fantasy Adventure

The sequel to JUPITER MISSION 1999®

When the government agents knocked on your door early one morning (at the beginning of **JUPITER MISSION 1999**) and rudely whisked you away in the starship Space Beagle, you had no idea of what was to follow. As the lone survivor of Jupiter Mission and the Earth's savior from an impending alien invasion, you unwittingly thought the worst was behind you. SLIM CHANCE! A mysterious beam has cast you into the nether reaches of space; cold, lifeless, forbidding. You long for the amenities of Mother Earth, which you had always taken for granted . . . until now!

THE QUEST OF THE SPACE BEAGLE: THREE ADVENTURES IN ONE!

- Befriended by the Faunians, a peaceful race being invaded by the evil Gentuzians, they have decided that YOU must launch a pre-emptive strike against the Gentuzian homeworld. You must command 10 Faunian robot fighters against the Gentuzian battle fleet which outnumbers you four to one! It won't be easy; you'll need the right tactics and all the skill and patience you can muster.

- Assuming you are successful and conquer the Gentuzians, they will want you to become their Emperor. The only thing you want is to repair the Space Beagle and get back home. But they are insistent creatures; refuse the crown, and you can forget leaving. Reluctantly you accept and, to prove your claim, they drop you into the Labyrinth of Kamerra! Find your way out, and they'll let you go home as Emperor of Gentuza. No problem, you think, until you soon realize that Kamerra is a cruel maze deficient of adequate food and oxygen, yet aplenty with dangerous pits and "Ardillian Whipstingers."

- SHOOT THE STARS! Fortunately, you are able to save your game in progress every step of the way in **QUEST OF THE SPACE BEAGLE**.

Your greatest challenge is about to begin. As you settle into the commander's chair of the Space Beagle, you set your sights for home! But which way? Before you spans 200,000,000 light years of Superclusters. On board is an authentic matrix computer calibrated to simulate the actual dimensions of the universe. You must identify the one Supercluster containing Sol, and hyperwarp from one end of space to another. Once you lock into the right Supercluster, you must find the Milky Way Galaxy, your assurance that Mother Earth is within reach, and home sweet home!

THE QUEST OF THE SPACE BEAGLE is ready to run on your Atari® Home Computer with 48K memory, one disk drive and joystick. \$35.00

Available everywhere at computer and hobby stores, or call toll free **1-800-638-9200** for more information.




Space Battle Display



The Labyrinths of Kamerra



Hyperwarp Temporal Imbalance Sensor Grid



Galactic Starmap Display



microcomputer games®

A Division of **The Avalon Hill Game Company**

4517 HARFORD ROAD, BALTIMORE, MD 21214, 301-254-9200

READERS' FEEDBACK

The Editors and Readers of COMPUTE!

Automatic Conversions?

Many of the programs you publish in COMPUTE! are for several different microcomputers. Do you have utilities that automatically convert a program to another type of computer? Are they available for sale?

J.B. Allen

We call the process of converting a computer program to another computer homogenization. Unfortunately, we do not have, nor have we seen, any utilities that will automatically homogenize a program.

We have a staff of talented programmers that manually goes through programs and homogenizes them. The process can be a laborious one, particularly with machine language programs which often require a byte-by-byte translation.

Missing Commodore Ribbons

I am the owner of a Commodore MPS-801 printer. Until recently, I have had trouble finding a replacement ribbon. It seems that the dealers selling the printers are not able to get the ribbons.

I have some good news for you to pass on to your readers. You can find a replacement ribbon at your local Radio Shack store. It is the ribbon for the DMP-110 printer, part number 26-1283. This ribbon is identical to the one for the MPS-801 printer.

Frank W. Fife

Many readers have mentioned difficulty locating replacement ribbons for the 801. Thanks for the tip.

Atari Monitor Hookup

I have ordered a BMC monitor and an Atari 800XL. Very recently, I was told that the Atari is designed for use with a standard TV set. How can I make the Atari work with the BMC monitor. Will the monitor be totally useless?

Benedict V. Sulit

Although optimized for use with a television set, the Atari 800XL looks even better on a composite color monitor. You can also hook up a black-and-white (monochrome) monitor. You'll need a special cable

that plugs into the round, five-pin DIN plug on the back of your 800XL. For a color monitor, get a cable that feeds the chroma (composite video) signal into Video In on your monitor. For a monochrome screen, you'll get best results using the LUMA (luminance) signal. Some cables bring out all five pins to RCA phono jacks. With trial and error you can easily find which wire controls which signal. You can get a video cable at your local computer store or possibly a TV/video store.

Musical Apples

I am an Apple IIe user and would like to know how to program my computer to make music. Can you do it in Applesoft BASIC or do you need another language?

Denny Hays

It's a fairly simple matter to make elementary sounds on the Apple in BASIC. You can tweak the speaker by accessing location -16336 (i.e., POKE -16336,0) or ring the bell by PRINTING CHR\$(7). But to do much more than this, you need a short machine language (ML) routine. Fortunately, this ML routine can be POKEd in from BASIC.

You can find such an ML routine in an article by Blaine Mathieu (COMPUTE!, October and November 1983). The tutorial explains both fundamental and complex Apple sound generation.

More Open Commodore Files

The "64 Explorer" by Larry Isaacs in the March 1984 issue concerning the maximum number of files which can be open at one time on the 1541 disk drive caught my interest. I have discovered some further information.

The number of sequential files opened for writing can be increased to three if the filename is prefixed with a 0:. When this is not the case, the drive acts as Isaacs described.

Since the Disk Operating System was originally used on a dual disk drive, I always add the prefix 0: to any disk operation to insure that it will work properly.

Mitchell S. Comstock

Pic.Builder™ lets your imagination run wild!





See how creative you can be with this unique picture-building program. You build color pictures with blocks, one block at a time — like a construction set.

You can build pictures of outer space, castles, farms, trains, trucks, and much more. Or, you can be even more creative and invent your own pictures. The possibilities are endless. Plus...you can save your pictures and use them!

Pic.Builder is one of a kind. It's creative. It's educational. It's easy to use and good for developing computer skills. Pic.Builder is for you if you want fun...but want more than a game!

Developed by Optimum Resource, Inc.

Designed by Richard Hefter, Steve Worthington and John Magdziarz. For Apple® and Atari® Computers with 48K and a disk drive. Look for Pic.Builder in computer stores everywhere. If they don't have it yet, ask for it. Or, you can order by calling toll free 1-800-852-5000. Dept. AE-31. Only \$39.95 each.



Pic.Builder is a registered trademark of Optimum Resource, Inc. Apple is a registered trademark of Apple Computer, Inc. Atari is a registered trademark of Atari Computer, Inc. ATMM4ED1

PIC.BUILDER™
Weekly Reader
Family Software

A division of Xerox Education Publications
Middletown, CT 06457

Autobooting Atari

Is there any way you can make a program run right after it has been loaded into your computer from tape or disk? This would prevent anyone from seeing the special codes in the program.

Mark Zobel

We assume you are using a password or are disabling the break key and system reset. If the program didn't run automatically, anyone could LIST the program and remove the protection. Although you can't completely bar an experienced, enthusiastic invader, you can make a program run automatically from disk when you boot up your system. See "Automate Your Atari" in COMPUTE's Third Book of Atari.

Although it is possible to create a boot tape that does the same thing, we don't know of a specific program. There are techniques for making BASIC programs RUN automatically when LOADED on Commodore machines (for example, having the program load in memory low enough to change some vectors), but the technique is too involved to cover here. See "Commodore Autoboot" elsewhere in this issue.

TI Memory Maps

I write this in reply to the letter from Davin A. Trulsen in the May issue of COMPUTE!. If he or any other TI user wants a comprehensive memory map for the TI, they should write to Miller Graphics, 1475 West Cypress Avenue, San Dimas, CA 91773. Miller Graphics offers a monthly newsletter, called *The Smart Programmer*, for \$12.50 a year. They have published four so far and I have found them quite useful.

Bill Grant

Incomplete NEXTs

I have a VIC-20 and I have a question about the NEXT statement. I've seen some programs that had a NEXT statement with nothing after the next. For example:

```
FOR A=1TO10:NEXT
```

Why doesn't it include the variable after the NEXT as in:

```
FOR A=1TO10:NEXT A
```

Kevin Biebor

The NEXT statement increments or completes a loop that was started by a FOR statement. If a variable is placed after the NEXT, that loop is incremented. In the following example, the B loop will be incremented (and completed) ten times each time the A loop is incremented.

```
FOR A=1TO10
FOR B=1TO10
NEXT B
NEXT A
```

If the NEXT statement is not followed by a variable name, the loop completed will be the one most recently started. In the following example, the NEXT will complete the B loop even though the A loop was the first one started.

```
FOR A=1TO10
FOR B=1TO10
NEXT
```

Nested loops (loops within other loops) should be written with care. If they're programmed incorrectly, one or more of the loops may not be completed. For instance, the B loop in the following example will never be completed.

```
FOR A=1TO10
FOR B=1TO10
NEXTA
NEXTB
```

Don't Blame The Hardware

I am having a problem reading arrays on the Atari. This simple program is an example:

```
10 DIM X(5)
20 FOR I=1 TO 5
30 READ X(I)
40 PRINT X(I)
50 NEXT I
60 DATA 3,5,-2,7,4
```

I always get an error in line 30. I wonder if my computer memory has gone bad.

Lloyd R. Holmes

When faced with a particularly stubborn bug, most programmers start to suspect the hardware—but it's almost never the culprit.

As a general programming rule, never assume the hardware is bad except as a last resort. Some program bugs are so obscure, so hard to track down, that it becomes pretty tempting to blame the hardware. Nevertheless, true hardware errors almost always exhibit outrageous behavior, such as lockups when you turn the machine on, screens that suddenly go haywire, an eerie, inexplicable hum when you use SOUND, etc. Hardware errors are obvious, except when just a few bytes of RAM go bad. You can buy memory test programs, but it would probably be an unnecessary investment.

The specific problem you're having here is syntactic. On the Atari, you cannot READ a data item directly into an array. READ X(I) is just as illegal as INPUT X(I). It's a lamentable eccentricity, but it is easy to get around. Just read the item into a temporary variable, then assign that variable to X(I). To wit: READ T:X(I)=T.

THE REAL TRICK IS GETTING OUT.



Expect the unexpected the first time you experience Infocom's interactive fiction. Because you won't be booting up a computer game. You'll be stepping into a story.

You'll find yourself at the center of an exciting world that continually challenges you with surprising twists, unique characters (many of whom possess extraordinarily developed personalities) and original, logical, often hilarious puzzles.



Communication is carried on just as it is in a book—in prose. And interaction is easy—you type in full English sentences.

But if you think getting inside a story is a pretty neat trick, just try getting out.

The most remarkable thing about Infocom's interactive fiction is that you become almost inextricably involved with it. That's not our opinion—it's the testimony of our customers.

They tell us their pulse rates have skyrocketed and their palms have sweated as they've striven to solve the mysteries of our tales. And even when they've paused in the course of their adventures to attend to their everyday lives, their minds have continued to


churn away at what the next step should be, how to alter strategy, where the ultimate solution lies.

Obsessions? Yes, but magnificent ones. For the first time, you can be more than a passive reader—you can become the story's main character and driving force. You can shape its

course of events by what you choose to do. And you enjoy enormous freedom in your choice of actions—you have



hundreds, even thousands of alternatives at every step. In fact, an Infocom interactive story is roughly the



length of a short novel in content, but because you take an active role in the plot, your adventure can last for weeks and months. (Or longer. Frankly, some folks find being inside our stories so fascinating, they just don't seem to want to get out.)

As hard as getting out may be, though, we've made it easy for everyone to get into Infocom's interactive fiction.

We write everything from fantasy to mystery to science fiction to high adventure, for everyone from the first-time adventurer to the most experienced veteran of our interactive stories.

So find out what it's like to get inside a story. Get one from Infocom. Because with Infocom's interactive fiction, there's room for you on every disk.

Ease into interactive fiction with our Can't-Lose Sampler Offer! Watch for Infocom's new sampler disk at your favorite dealer—and get your first taste of interactive fiction for just \$7.95 (suggested retail price). You've got nothing to lose (in fact, you can make a shiny new nickel in the bargain) because your Infocom sampler disk even comes



You are in the kitchen. It seems to have been used a lot of food. A passage leads to the east. A passage leads to the west. On the table is an emptying of hot peppers. A bottle

The glass bottle contains a quantity of water

> Take the sack then open it.

Taken

Opening the brown sack reveals a lunch and a dove

> Eat the meals

What the heck. You won't make much this way, but not is too friendly anyhow. Gully!

> Walk west

Living Room

You are in the living room. There is a doorway to the east, a doorway with strange gothic lettering to the west, which appears to be a trophy case and a closed trap door at your feet. Above the trap hangs an elvish sword of great antiquity. A battery-powered bra is on the trophy case.

> Take all but the trophy case.

sword: Taken

brass lantern: Taken

carpet: The rug is extremely heavy and cannot be carried

> Examine the brass lantern

The lamp is turned off

> Light the lamp

The brass lantern is now on.

> Open the trap door and climb down

The door reluctantly opens to reveal a rickety staircase descending

with a coupon entitling you to \$8 off the purchase of your first complete Infocom story, plus coupons for other exciting bonuses!

INFOCOM™

55 Wheeler St., Cambridge, MA 02138

For your: Apple II, Macintosh, Atari, Commodore 64, CP/M 8", DECmate, DEC Rainbow, DEC RT-II, HP 150 & 110, IBM PC* & PCjr, KAYPRO II, MS-DOS 2.0*, NEC APC, NEC PC-8000, Osborne, TRS-80 Color Computer, Tandy 2000, TI Professional, TI 99/4A, TRS-80 Models I & III.

*Use the IBM PC version for your Compaq and the MS-DOS 2.0 version for your Wang, Mindset, Data General System 10, GRiD and many others.

white noise. A table
for the preparation
rest and a dark stair
A dark chimney
A window which is
brown sack smell
ing on the table

ound here

n door
but a
case
tern



And remember The Programmer's Debugging Rule: Hardware problems are as obvious as they are rare.

Commodore Plus/4

Since you published the article on the new Commodore computers (COMPUTE!, April 1984), I have been giving serious thought to purchasing one. I will be enrolling in college, and feel that the new Commodore 264 would be a good choice for my major: electronics. However, I have a number of questions about the 264.

1. I know that the 1541 disk drive works with the Commodore 64 and the VIC-20, but will it also be compatible with the 264?
2. How far can I expand the RAM or ROM memory in the 264?
3. Can I buy an Eprom burner for the 264?
4. Is there any software available for the new 264?
5. Is it possible to increase the baud rate of the 1541 disk drive?

Don Maxwell

The new Commodore Plus/4 (renamed from the 264) has not been released for sale as of this writing. It is, however, expected to hit the retail shelves sometime this fall.

About the same time, Commodore is planning to market a new disk drive, the SFS-481. SF stands for super fast because it has an advertised baud rate of 1675. However, a 1541 disk drive will be compatible with the new Plus/4 as well.

Although the Plus/4 will support (memory) bank switching, Commodore has not announced any memory expansion for the Plus/4. However, third-party companies might eventually offer something.

Regarding EPROM burners, again Commodore has no current market plans, but undoubtedly third-party manufacturers will offer this peripheral. Also, there will be software available for the Plus/4. There already exists a considerable amount of both application and entertainment software.

As to the baud rate change on the 1541 disk drive, a Commodore representative said that the baud rate (the speed that information is transmitted to or from the disk drive) on the 1541 cannot be changed on the drive as is. The current baud rate is dictated by the serial port interface on the computer. In other words, no matter how you modify the disk drive, the computer will only be able to receive data at its preprogrammed rate.

The 1541's rate can be increased by converting it to a parallel interface. But this is a major engineering project, and might prove to be both impractical and costly.

Buying The Right Modem

I am thinking of buying a modem. Do I need a rotary-dial phone, or will modems work with a Touch-Tone system?

Steve Milewski

Most modems will work with both the Touch-Tone and the older rotary phones. Some modems, in fact, work on Touch-Tone phones by emulating the rotary system. The Commodore 1650 auto-dial modem is one.

Before buying, however, it's always best to ask your dealer, or call the modem manufacturer for further information.

Commodore Service

I am an electronics repair technician, and own a Commodore 64. I cannot find anyone in my area who can repair my computer.

Where can I obtain the technical information to service my Commodore computer, and all of its related peripheral equipment?

Gordon Bates

The addresses and phone numbers of the Commodore service centers are as follows:

1200 Wilson Drive
West Chester, PA 19380
(215) 431-9105

2246 North Palmer Drive
Schaumburg, IL 60195
(312) 397-0075

4350 Beltwood Parkway South
Dallas, TX 75234
(214) 458-1000

3330 Scott Blvd.
Santa Clara, CA 95051
(408) 727-1130

Technical information on some of Commodore's products is also available. They offer packages which include schematics, technical information, troubleshooting instructions, etc. For price and availability information, contact the parts department at the West Chester, PA, address listed above.

Cassette Filenames And Built-In BASIC

I own an Atari 400 computer. Can you specify a filename for the 410 program recorder? Also, how do you run a program that asks you to remove the BASIC cartridge on the 600XL? Since BASIC is built-in, it seems like it might be impossible.

Doug Stevens

The tape operating system could have been written to allow filenames, but since tape access is sequen-



Get the jump on the weatherman by accurately forecasting the local weather yourself!



A scientifically proven way to develop an awesome memory.



You are trapped in a five-story, 125-room structure made entirely of ice. Find the exit before you freeze!



Take control of your personal finances in less than one hour a month.



The beautiful princess is held captive by deadly dragons. Only a knight in shining armor can save her now!



Cut your energy costs by monitoring your phone, electric and gas bills.



Computerize car maintenance to improve auto performance, economy and resale value.




Create multi-colored bar graphs with a surprisingly small amount of memory.



A time-saving organizer for coupons, receipts and more.



School-age and pre-school children are rewarded for right answers, corrected on their wrong ones.



A real brainflexer. Deflect random balls into targets on a constantly changing playfield.



A fun way to dramatically increase typing speed and accuracy.

Get up to 30 new programs and games for less than 15 cents each—every month in COMPUTE!

Every month, COMPUTE! readers enjoy up to 30 brand new, ready-to-run computer programs, even arcade quality games.

And when you subscribe to COMPUTE! at up to 40% off the newsstand price, you'll get them all for less than 15 cents each!

You'll find programs to help you conserve time, energy and money. Programs like Cash Flow Manager, Retirement Planner, Coupon Filer, Dynamic Bookkeeping.

You'll enjoy games like Air Defense, Boggler, Slalom and High Speed Mazer.

Your children will find learning fast and fun with First Math, Guess That Animal and Mystery Spell.

Looking for a challenge? You can write your own games. Customize BASIC programs. Even make beautiful computer music and pictures.

It's all in COMPUTE! All ready to type in and run on your Atari, Apple, Commodore, PET/CBM, TI 99/4A, Radio Shack Color Computer, IBM PC or IBM PCjr.

What's more, you get information-packed articles, product reviews, ideas and advice that add power and excitement to all your home computing.

**CALL TOLL-FREE
1-800-334-0868**

And when it's time to shop for peripherals or hardware, check COMPUTE! first. Our product evaluations can save you money and costly mistakes. We'll even help you decide what to buy: Dot-matrix or daisy-wheel printer? Tape storage or disk drive? What about modems? Memory expansion kits? What's new in joysticks, paddles and track balls?

SAVE UP TO 40% OFF THE NEWSSTAND PRICE ON COMPUTE!

Return the coupon or postpaid card today!

SUBSCRIBE NOW AND SAVE UP TO 40% ON COMPUTE!

Yes! Start my subscription to COMPUTE! for:

- 1 year \$24—32% off!
- 2 years \$45—36% off!
- 3 years \$65—40% off!

Payment enclosed Bill me

Charge my Visa MasterCard Am.Ex.

Account No. _____ / _____
EXP DATE

Name _____

Address _____

City _____ State _____ Zip _____

COMPUTE! P.O. Box 914, Farmingdale, NY 11737

tial and so slow compared to a disk drive, filenames are not especially useful. You can instead use the tape counter to find and position programs. Be sure to leave plenty of space between programs, since the tape counter is not precise, and you could inadvertently write over a program.

Some programs require 48K, 8K of which is not available with a cartridge plugged in. These programs check for a cartridge and ask you to remove it before the program will run. The 600XL has only 16K, though, so this shouldn't be a problem. In any case, you can effectively remove (disable) the built-in BASIC by holding down the OPTION key while you turn on the computer.

6502/6510 Differences

I am a relatively new computer owner and I want to learn machine language programming. As far as I can tell, my Commodore 64 contains a 6510 chip rather than the more common 6502.

A phone call to Commodore's corporate offices revealed that the machine language for the two chips is not compatible. The *Programmer's Reference Guide* directs all its instructions to the 6502 processor.

I am unable to find anything in print on machine language programming using the 6510. I would appreciate it if you could help me out. Are the two chips incompatible? If so, can you tell me how and where I might learn machine language for the 6510?

Dean Lind

Unfortunately, the representative you talked to at Commodore was misinformed. The 6502 and the 6510 microprocessors are compatible. Both use the same instruction set (LDA, STA, etc.) and addressing format (low byte, high byte). Books on programming the 6502 also apply to the 6510.

The only major differences between the two processors are bytes one and two of the 6510. The 6510 allows you to bank switch memory.

The Commodore 64 has 20K of ROM, including the BASIC interpreter, Kernal, and Input/Output control programs. There is also 20K of usable RAM memory "underneath" this ROM memory. You can switch out the ROM and switch in the RAM memory by bank selecting blocks of memory. If you wished, you could turn your 64 into a computer with 64K of usable RAM memory by switching out all of the ROMs. However, you would have to supply your own BASIC interpreter, operating system, and I/O control programs. Without these, the computer would simply freeze, and you wouldn't be able to write or run BASIC or machine language programs. For more information on bank selection, refer to your Programmer's Reference Guide.

The VIC-20, which is equipped with the 6502 microprocessor, does not support bank selection of ROM/RAM memory.

A book on 6502 machine language programming will apply to the 6510. You might also want to take a look at the "Machine Language for Beginners" column in COMPUTE's GAZETTE, our sister publication.

Printer Device Number Changes

Is it possible to change the device numbers of a printer? I want to buy a second printer for my computer, but am unsure if I can use both printers at the same time.

Jacques Poulet

Usually the device number cannot be altered. It depends on the brand of printer, but most printers have no significant internal "intelligence" (no computer assistance inside). You could change the device number of a disk drive because it can be programmed from the computer; it is an intelligent device.

However, some models of printers do allow you to change device numbers via a switch on the printer itself. The new Commodore MPS 801, for example, has a three-position switch that allows you to choose between device numbers 4, 5, and 6. And some few printers can be software assigned.

DIM On Commodore

What happens to the data when it enters a DIM statement (array) from an INPUT statement or a sequential file?


I teach computer programming part-time at Tulsa Junior College. This is my first semester with micros. I have a Commodore 64 and a VIC 1541 disk drive. In advanced BASIC, sequential files are common, and are usually used for search and sort routines. When the data is read from DATA statements into the arrays, there is no problem. The sort or search never stops, but when that same data is brought into the arrays from a sequential file, the sort or processing stops many times, making a 16 to 30 minute program run for hours.

I have written my own sequential file program, and later discovered and used the one off the demonstration disk that came with the VIC 1541 disk drive. Both have these stops. I have tried about everything. If you could give me a clue, I would appreciate it.

Darrel Henry

The pauses you see in the program are the result of a process called "garbage collection." It's caused by moving strings around.

DRAGONRIDERS OF PERN.[™] FLY THE UNFRIENDLY SKIES.



Shooting down the menacing and constantly multiplying Threads isn't easy, but it's only one of the challenges in this official computer game version of Anne McCaffrey's famous book series.

Your strategy will be put to the test as you try to negotiate alliances with Pern's Lord Holders in an attempt to form the most powerful Weyr on the planet. Should you take a firm stance or compromise? Will asking a Craftmaster for assistance increase your chances for success? Maybe you should invite prospective allies to a Wedding or even a Dragon Hatching. Remember to check the Lord Holders personality traits

first. It may be critical to your success.

Numerous screens combine to create truly unique and challenging game play. There's even a practice screen to sharpen your Thread Fighting skills.


If you liked the books, you'll love the game. After all, how often do you get the chance to actually fly a dragon?

One to four players, joystick and keyboard controlled.



EPYX
COMPUTER SOFTWARE

Strategy Games for the Action-Game Player



Here's what happens: As new strings are created, the old ones are not thrown away; they lie dead in memory. Eventually, memory fills up and the computer has to stop and collect the strings that are still live. This takes time; the pauses are quite noticeable and can be time-consuming.

Strings that are completely defined within a program—from DATA statements or from an assignment statement such as `X$="HELLO"`—are used straight out of the program where they lie. These strings don't need to be collected; as you have noted, there's no garbage collection delay when you use these.

For your type of program—sorting and searching—there are two rules that will be very helpful in eliminating delays:

1. Don't move strings. Instead of sorting by moving them around from one part of the array to another—which creates garbage—use an "index" to keep track of where a string belongs within a certain sequence. (More on this in a moment.)

2. When you have finished with a string, set it to a null string, for example, `A$(21)=""`. When you have disposed of almost all strings this way, and are ready to read in another set of strings from disk or tape, force a collection by using the `FRE` function, for example, `code X=FRE(0)`. Garbage collection will run quickly if you have very few strings left. When you read in the next group of strings, they will come into the newly liberated memory space.

To illustrate point 1: Here's a program to sort an array of strings. It's a bubble sort, which is not very efficient. The point is this: After the strings are created, they are never moved. Only the index (`A%`) values move, and they are numbers, not strings, so there won't be any garbage.

```
90 REM BUBBLE SORT - INDEX DEMO
100 N=30:DIM A$(100)
200 REM CREATE RANDOM STRINGS
210 FOR J=1 TO N
220 A$(J)=CHR$(RND(1)*26+65)+CHR$(
  RND(1)*26+65)
230 NEXT J
300 REM: CREATE INDEX
310 DIM A%(N)
320 FOR J=1 TO N
330 A%(J)=J
340 NEXT J
400 REM: SORT INDEX
410 FOR J=N-1 TO 1 STEP -1
420 FOR K=1 TO J
430 REM: GET INDEX FOR K, K+1
440 X=A%(K):Y=A%(K+1)
450 REM: FLIP IF OUT OF ORDER
460 IF A$(X)>A$(Y) THEN A%(K+1)=X:A%(K)=Y
470 NEXT K,J
500 REM: PRINT RESULTS
510 FOR J=1 TO N
520 PRINT A$(A%(J))
530 NEXT J
```

Study this program to see how the strings are sorted, but not moved.

There are other rules on how to handle garbage collection; the ones above will do the job for your application.

TI CALL KEY

I recently acquired a TI-99/4A and wondered if you would explain the use of the `CALL KEY` command?

David Stinchcomb

The `CALL KEY` statement has caused confusion for many TI users. The `KEY` subprogram, designed to return a single keystroke value, requires three parameters: a key unit, a return variable, and a status variable. The statement takes the format:

`CALL KEY (n,K,ST)`

where `n` is the key unit, `K` is the return variable, and `ST` is the status variable.

The key unit used in the `CALL KEY` statement determines the keyboard configuration assumed by the computer. Six key unit values (0-5), or keyboard configurations, are available on the TI-99/4A. The three key units generally used are 0, 1, and 2. A key unit of 0 refers to the console keyboard. Key units 1 and 2 map the console keyboard as split keyboards (a value of 1 to read the left side of the keyboard, a value of 2 to read the right), or read the fire buttons on joystick 1 and 2, respectively.

When a `CALL KEY` statement is executed with a key pressed, some value will be assigned to `K` (in our example above). The value given to `K` will depend on the key pressed and the key unit used in the `CALL KEY` statement. If you use a key unit of zero, `K` will correspond to the ASCII value of the key being pressed. For other keyboard configurations, the value of `K` will vary as noted in the TI User's Reference Guide (pp. II-87 to II-89). Eighteen in `K` signifies that the fire button was pressed.

The final parameter used in the `CALL KEY` statement is the status variable (`ST`). A nonzero value returned for `ST` indicates that a key was being pressed when the `CALL KEY` statement was executed.

`CALL KEY` can be used to get a desired response from the program user. If you want to test for any keystroke (with key unit 0), you would use the following two lines:

```
10 CALL KEY(0,K,ST)
20 IF ST=0 THEN 10
```

The program repeatedly loops back to line 10 until some key is pressed.

If you want the program to accept only a specific response from the user, such as `Y` for "yes," you could add these lines:

```
5 PRINT "TYPE THE Y KEY"
30 IF K<>89 THEN 10
```

Until the `Y` key is pressed, the program will loop back to 10.



THANKS TO COMPU SERVE'S CB SIMULATOR, "DIGITAL FOX" ACCESSED "DATA HARI" AND PROCEEDED TO AN "ALTARED" STATE.

The CB Simulator, where CompuServe subscribers can access friends and influence people on 72 different channels.

Just pick your handle and get on line. From math to matrimony, there's always someone out there who speaks your language. Friends from all over the U.S. and Canada are at it 24 hours a day. Talking tech or just having fun. And if you've got a secret, just use the CB Scrambler.

That'll fool the "lurkers," those CB "see it alls" who get their kicks by watching. Or you can always use the private talk mode for guaranteed one-to-one conversation.

The CB Simulator is just one of CompuServe's many electronic communications options that include a National Bulletin Board, Professional Forums and Electronic Mail. Plus, there's a world of on-line information and entertainment all for the price of a local phone call plus connect time.

You can access CompuServe with almost any computer and modem, terminal or communicating word processor.

To receive your illustrated guide to the CompuServe Information Service and learn how to subscribe, call or contact:

CompuServe

Consumer Information Service, P.O. Box 20212
5000 Arlington Centre Blvd., Columbus, OH 43220

800-848-8199

In Ohio call 614-457-0802

An H&R Block Company

Commodore Machine Language Clear

I have been trying to develop a monitor program for the VIC-20 and am having a difficult time creating a routine to clear the screen. Is there any way to clear the screen without getting the READY prompt?

Stan Payne

There are several ways to clear the screen from machine language. The easiest way is to assemble the following:

```
LDA #$93 ;the equivalent of CHR$(147)
JSR $FFD2 ;print it
```

This routine will work on both the VIC and 64. Incidentally, you can also use it to home the cursor. Just replace the \$93 with \$13. The hex number 93 is the same as the character that clears the screen in BASIC and \$13 is the same as CHR\$(19) which homes the cursor.

Another way to accomplish the same result is to assemble the following:

```
JSR $E55F ;clear the screen and home the cursor
```

On the 64 the routine is located at a different location, thus the coding is different:

```
JSR $E544 ; clear and home
```

If you just wanted to home the cursor on either machine you could JSR to \$E581 on the VIC or \$E566 on the 64. Although these are two quick, easy ways

to clear the screen, there is yet another. You could write your own routine to clear the screen. The routine would need to store a \$20 at every screen location. \$20 is the number for a blank character.

Commodore 1541 Drive Grounding Error

In your May issue you printed a letter from Jay Elmore regarding read errors on the 1541 disk drive. After buying a drive for my Commodore 64, I discovered that it was giving me error 23 and 27. Both are read errors. I returned the drive to the dealer and he tested it on a 64 and discovered no problems with it. I took the drive back home and carefully read the manual that comes with it and discovered that errors 23 and 27 can be caused by grounding problems. I checked the electrical outlet where the drive was plugged in and discovered that the ground plug was not properly connected. After fixing this, I haven't had any problems with my drive.

Ron Restivo

COMPUTE! welcomes questions, comments, or solutions to issues raised in this column. Write to: Readers' Feedback, COMPUTE! Magazine, P.O. Box 5406, Greensboro, NC 27403. COMPUTE! reserves the right to edit or abridge published letters.

©

Predict the Weather

On Your Vic 20™ or Commodore 64™ Computer

This exciting, new weather package allows you to learn, monitor, and predict the weather using the same equipment as the pros.

Be Your Own Weatherman

The new HAWS (Home Automatic Weather Station) combines a quality weather sensor with software to let you track weather conditions inside or outside your home. HAWS monitors weather data including dew point, temperature, humidity, and atmospheric pressure; plots historical data and graphically displays weather trends; determines the comfort and chill factors to help you dress; HAWS even forecasts the weather and compares your predictions to the local weatherman's.

HAWS uses the same sensor employed by weather services in 60 countries worldwide. The HAWS package costs only \$199.95 and includes the sensor, cassette or floppy disc program, 15-foot cable with connector for the computer, and a complete user's manual.

Send today or call toll free to order your HAWS package.



Ordering Information

Send \$199.95 in check or money order payable to Vaisala, Inc. Include name, address, telephone number, your computer model (VIC 20 or Commodore 64), and program preference (tape cassette or floppy disc).

Or call toll free to place your order.

Major credit cards accepted.

Dealer inquiries invited.



1-800-227-3800 ext. H-A-W-S

VIC 20 and Commodore 64 are trademarks of Commodore Electronics Ltd.

Learn/Teach Meteorology

More than a toy or game, HAWS provides the first opportunity to use your computer as a data sampler and data analysis system for meteorology, allowing the user to interact with incoming data to monitor and forecast weather conditions. HAWS includes an instructive software program and a complete user's manual that teaches meteorological terms and equations to allow anyone to quickly grasp weather concepts either at home or in the classroom. Simple plug-in components and easy hookup also means you can free up your computer at any time for other duties. HAWS is a great educational tool for anyone. Order today.




VAISALA

VAISALA INC.
2 TOWER OFFICE PARK
WOBURN, MA 01801

Dual Personality.

Meet the Axiom GP-550.
The First Real Personal Printer for
Home and Business — Just \$299!

- **Dual-Mode Printing:** Choose the higher-speed draft mode or the beautiful Near-Letter-Quality printout.
- **Multiple Fonts:** Include pica, elite, condensed, proportional, italic, sub-script, super-script, boldface and underline.
- **Super-Quiet:** Quiet operation is essential whether for home or business and the GP-550 is quieter than most.



- **Exceptional Graphics:** Made possible by accurate placement of up to 640 dots per line.
- **140 Character Set:** You can print 96 ASCII characters plus 44 additional symbols.
- **Three Copies:** Can be printed on 4.5" to 10" wide fan-fold or cut-sheet paper.
- **Other Features:** Pin and friction feed, bottom feed for labels, and cassette ink ribbon.

Imagine doing all your word processing, data processing, graphics and documentation on a printer that sells for only \$299. You can stop imagining! The Axiom GP-550 — which offers both draft mode and Near-Letter-Quality printing — is here.

IBM-PC Compatible:

The GP-550 is available with control codes and character set that match with IBM-PC and all of its "Look Alikes." This means that your software, including Lotus 1-2-3,

will work with our GP-550 PC model.

Direct-Connect to Atari, Apple, Commodore and T.I.:

More good news. Axiom has additional models of the GP-550 which include built-in interfaces for the most popular personal computers. These "Direct-Connect"™ versions of the GP-550 will work with your computer without additional interface or cable. Just plug our printer into your computer and start printing. Priced from \$319, including interface.



GP-550CD for VIC-20/C64



GP-550AT for All Atari



GP-550AP for Apple II/IIe



GP-550TI for 99/4A

AXIOM®

AXIOM CORPORATION

1014 Griswold Avenue • San Fernando, CA 91340 • Telephone: (818) 365-9521 • TWX: 910-496-1746

GP-Series Printers Built for Lasting Quality by SEIKOSHA.

Computers And Society

David D. Thornburg, Associate Editor

Discovery-Based Learning And Teenagers

On the Saturday before the Summer Consumer Electronics Show in Chicago, I was speaking at a Logo workshop in northern California. Much of the emphasis in one of my talks was on the importance of discovery-based learning for all ages, not just for the child in elementary school. While I have been emphasizing this topic in my talks for several months, most people seem content to let Logo be a tool for the younger computer user.

Educational Software

As I drove to the airport to catch my plane to Chicago, I wondered if this reluctance to bring the power of educational environments like Logo to older students was also evident in other educational software. After all, the mention of educational software usually conjures up visions of activities for the younger child. Whether these activities are drills associated with a specific subject or are open-ended activities designed to teach problem-solving skills, the fact remains that only 2 percent of the current educational software appears to be directed to teenagers. Some people might argue that, once a child has entered the teenage years, educational software isn't needed. If a teenager wants to use a computer, why not just let him or her write programs.

In fact, there are several reasons why teenagers should have access to good educational

software:

1. Teenagers are in the process of forming career decisions. Controlled exposure to computer environments can demonstrate the richness of this field in a way that transcends purely recreational applications of computers.
2. For those students who are already interested in computers, computer-based instruction in problem-solving methods and the development of programming style can help these students use computers more effectively in their jobs.
3. Students of all ages benefit from becoming better problem solvers. So much of our focus has been on problem-solving software for the young (including such excellent programs as *The Factory* by Sunburst) that we can easily lose sight of the fact that the acquisition of problem-solving skills is important for learners of all ages.

To see what *can* happen to educational software for teenagers, we should first look at the other two areas where these children use computers—at home and at the arcade.

Interactive TV

As I look at popular computer activities in homes and arcades, there seems to be a major distinction emerging between the two. Arcade software has continued its focus on coordination and skill games. As the technology has advanced, these games have become more sophisticated. For example, several popular games use computer-controlled video disks. Except for advances in technology, however, these games seem to be stuck in a niche that one might characterize as interactive television.

Popular home software has taken a different approach. The home user is not able to run out and buy new technology every three months or so, and the challenge has thus been to make the existing technology become ever more useful

David Thornburg is an author and speaker who has been heavily involved with the personal computer field since 1978. His main interest is in making computers responsive to people's needs. He is the inventor of the KoalaPad graphics tablet and is the author of nine books about programming including Computer Art and Animation: A User's Guide to Atari Logo, The KoalaPad Book, and Exploring Logo Without a Computer (Addison-Wesley). His 101 Ways to Use a Macintosh will appear soon from Random House. He has been called "an enthusiastic advocate for a humanistic computer revolution," and his editorial opinions have appeared in COMPUTE! since its inception.

WHO'S GOT 7 NEW BUSINESS SYSTEMS FOR ME? TIMEWORKS.



Here's a series of seven easy-to-use Management Information Reports flexibly designed to accommodate all small and medium size business accounting requirements for Commodore 64* computers.

Inventory Management / Sales Analysis Management / Accounts Receivable Management and Invoicing / Accounts Payable Management and Checkwriting / Payroll Management / Cash Flow Management / General Ledger

INVENTORY ACTIVITY REPORT JUNE 30, 1988							
PART NUMBER	LAST ACT	CUP RCV	CUP SOLD	CUP ADJ	ON HAND	COST	INV BAL
1004-172	06-14/88	16000	14850	-80	1100	07.38	88.00

ACCOUNTS RECEIVABLE AGING REPORT JUNE 30, 1988						
CUST-INVC#	CUSTOMER NAME	INVC DATE	CURRENT	THIRTY	SIXTY	NINETY**

ACCOUNTS PAYABLE AGING REPORT JUNE 30, 1988						
VEND-INVC#	VENDOR NAME	DESC DATE	CURRENT	THIRTY	SIXTY	NINETY**

GROSS PAYROLL FOR PAY PERIOD ENDING 6/15/88 JUNE 30, 1988								
EMPA	EMPLOYEE NAME	REG-PAY	DVT-PAY	HOL-PAY	SEC-PAY	OTH-PAY	GR EARN	**TD DR

General Overview

Each system includes:

A Menu-driven program, sophisticated enough to provide complete Management and Product information, yet requires no prior computer or accounting knowledge to operate.

A unique method of creating your own, unlimited array of reports — easily and quickly. YOU select the information you want, and YOU determine the sequence of the report column headings.

A program which can be used by itself (stand-alone), or can be interfaced, one at a time, with

other TIMEWORKS MANAGEMENT INFORMATION programs into a fully integrated accounting system.

A Manual written in easy-to-understand, people-friendly English, abundantly illustrated to provide further clarity and eliminate guesswork.

Password Protection, to prevent unauthorized access to confidential data.

Suggested Retail List at \$59.95 each.

Customer Support Plan

Timeworks Telephone Consulting Service is available to

all users at no charge to support your installation and ongoing operations.


For further details, contact your local Dealer or Timeworks, Inc. Choose from a host of Commodore 64 programs. Now at your favorite dealer. Or, contact Timeworks, P.O. Box 321, Deerfield, IL 60015. 312-948-9200.



**SOFTWARE WITH SUBSTANCE
— FOR EVERYONE.**

THE FIRST FAMILY

Introducing *the* home productivity software Commodore™, IBM™ and Apple™ owners have been waiting for. Three easy to use, powerful programs



from Creative Software. Now you can run low cost, full-featured software that performs the most sought after functions.

Creative Writer™ Creative Filer™ And Creative Calc™ Each developed by Creative Software and designed to give you the most for your software dollar.

HASSLE-FREE WORD PROCESSING.

Finally there's Creative Writer. A simple word processing program anyone can start using in just fifteen minutes. With Creative Writer, editing functions similar to the ones found in more expensive programs are at your fingertips.

And best of all, you won't have to relearn your computer's keyboard because all cursor control keys work similar to your computer's standard editing mode. You'll even be able to use the function keys to perform more advanced process-



ing tasks—move blocks of type, search forward, even search and replace— all with just a few key strokes.

Plus "help" screens are always ready to prompt a desired function. And one more thing—every Creative Writer box comes with a free Verbatim minidisk* Creative Writer. The easiest way to replace your typewriter.



OF PRODUCTIVITY.

**VERBATIM MINIDISK
TEN-PACK OFFER
IN EVERY BOX.**

PUT YOUR FILING CABINET ON DISK.

Store your collection of index cards and faded notes in the attic where they belong. Now there's Creative Filer—the simplest way to organize and access all your files.

Imagine, names and addresses, home and auto



records, club memberships and inventories, all on a computer disk and automatically filed in alphabetical order for instant access.

Isn't that one of the reasons you bought your computer?

CREATIVE WRITER

- Preview entire document
- Search and replace
- Headers and footers
- Help screens
- Move text

CREATIVE FILER

- Unrestricted format
- Change format after creation
- Report writer included
- Automatic alphabetizing

CREATIVE CALC

- Adjustable column width
- 12 digit accuracy
- Menu of commands
- Mix text and numeric data
- Within cell editing
- Flexibility of design

EACH PROGRAM IS FULL-FEATURED WITH INTEGRATED CAPABILITIES. COMMODORE 64, IBM PC, PCjr, AND APPLE VERSIONS AVAILABLE.

A SPREADSHEET PROGRAM THAT REALLY ADDS UP.

Analyze your household expenditures. Plan investments. Even keep track of business and taxable expenses, all on Creative Calc.

Just enter your numbers and totals are automatically calculated and transposed onto a spreadsheet format. Review your document and print out any or all of your financial statement.

But the real number crunching power is demonstrated when you update figures. Enter changes and Creative Calc will recalculate all related numbers,

re-entering them into your spreadsheet format.

Keep your financial matters in the black with Creative Calc.

ALL THREE PROGRAMS ARE INTEGRATED FOR MORE COMPUTING POWER.

Creative Filer and Creative Calc work together with Creative Writer allowing you to customize documents combining text, data, and numeric tables.

Ask for the first family of productivity software for your writing, filing and calculating.

New from Creative Software.

* Limited time only.



COMMODORE 64, IBM, IBM PC, PCjr, AND APPLE ARE TRADEMARKS OF COMMODORE ELECTRONICS, LTD., IBM AND APPLE COMPUTER RESPECTIVELY.

S O F T W A R E

C A 9 4 0 8 9 © 1 9 8 4 C r e a t i v e S o f t w a r e

with each new wave of products. While it is true that popular home titles continue to stress entertainment value, the most popular computer games appear to be those that let the player create his or her own levels or game fields. Anyone who doubts this need only look at the overwhelming popularity of Brøderbund's *Lode Runner*. Every *Lode Runner* enthusiast I know spends most of the game time creating new levels to play.

The Fourth Generation

The popularity of construction set software is not new, as readers of this column know. Programs like *Pinball Construction Set* (Electronic Arts), *Rocky's Boots* (The Learning Company [TLC]), and *Dancing Bear* (Koala Technologies) have been popular largely because they allow the user to make unique creations within the context of a predefined activity. The task of creating new games in *Lode Runner* or *Pinball Construction Set* is, quite simply, the task of creating a computer program. Construction sets are examples of fourth generation programming languages, and the fact that these programs are so popular in the home market is quite heartening.

These programs are helping their users develop problem-solving strategies and other higher-order thinking skills. Since they can (and are) developing these skills at home, they should probably also be able to develop them at school as well. Unfortunately, some teachers can't see past the game aspects of these programs, and have thus banned them from the classroom. This makes as much sense as banning humorous literature from the English classroom. Teachers should look for the deeper significance in the newer computer games.

With this background in mind, I walked through the massive computer exhibits at the CES looking for some sign of educational software that would appeal to the entertainment and cognitive skill levels of the teenage user. Not surprisingly, I found the answer at the home of *Rocky's Boots*—TLC. Long known for their support of the young computer user, TLC decided to create a product for the older child. The result of their effort is *Robot Odyssey I*, an entertaining adventure game that is also a sophisticated programming language. As the first product in TLC's "DigiWorld" series, it represents a significant contribution to open-ended educational software geared to the teenage (and older) market.

Players begin by falling into Robotropolis, a futuristic underground city inhabited by robots. The object is to escape this world and return to civilization. This is accomplished by constructing robots that help the players work their way upward through several layers of this underground

city. Each layer has new obstacles and antagonists that require robots with different skills to help in the escape. As players get closer to the top, the challenge becomes more difficult.

Complex Circuitry

What distinguishes *Robot Odyssey I* from other multilevel adventure games is that the player must construct robots that are programmed to display certain behaviors needed to avoid or neutralize obstacles. The task of creating these robots involves learning how to "wire" the robots to perform certain tasks. A special environment called the Innovation Lab lets the player work on robot design. There are three robots at the player's disposal. Each robot resembles a spaceship and has four thrusters to move it in four directions. The robot also has a claw that can be used to pick up things, and bumpers to tell when the robot has bounced against a wall or other obstacle. By interconnecting the bumpers with the appropriate thrusters, the player can create a robot that solves simple mazes.

More elaborate programs can be created with the aid of integrated circuit chips built from standard logic elements (AND, OR, XOR, etc.). Once an array of these elements has been interconnected and brought to the desired pins on the chip, the resultant circuit is burned into a final chip that can be carried inside a robot to be connected with the rest of the circuitry. Amazingly, a finished chip can be carried inside another chip, and this recursive nesting can take place up to 40 times. This allows the creation of quite complex circuits.

Intelligent Robots

Each of the three robots becomes, in effect, a fully programmed entity. All three robots can carry out their tasks simultaneously. This is like having a word processor, a spreadsheet program, and a videogame running on your computer at the same time. But one of the neatest aspects of these robots is that they can send messages to one another using their antennae. For example, each robot could be programmed to look for fuel crystals. As soon as one robot finds a crystal, it can send a message to the other robots to stop looking for fuel and to find the first robot instead. This type of programming in which computational objects send messages to each other is reminiscent of the sorts of things one expects from Smalltalk, LISP, or Logo—not the sort of thing one expects from a videogame.

To properly explore *Robot Odyssey I* would take far more space than I have. Suffice it to say that if teenagers have only 2 percent of the educational software, this program shows that they won't need much more.

Compumate 2100 from SWINTEC



IT'LL INTERFACE WITH YOUR COMPUTER AND YOUR BUDGET

SWINTEC'S Compumate 2100 letter-quality copy printer has built-in parallel *and* serial interfaces that make it compatible with your computer . . . no matter whose computer you use. What's more, its very modest price tag of \$649 is no more than you'd pay for an inexpensive dot matrix printer.

It adds instant letter-quality word processing to your computer capabilities. It handles correspondence . . . prints out charts and financial projections . . . in fact, gives you a sharp, clear hard copy of anything in the computer.

Microprocessor-controlled Compumate has a logic-seeking algorithm that skips over white space to print up to 20 characters a second. The 100-character daisy wheel print element is available in any one of the 10 most wanted type faces. More features: 10, 12 and 15 pitch selections and a 256-character buffer, plus LED

displays tell you when your Compumate is at the ready. The Compumate 2100 requires no special training to operate. It has its own simple self-testing procedures and is backed by the renowned SWINTEC network of dealer service professionals.

Why pay more for a printer and get much less? Join the switch to SWINTEC. At your dealer's now, or return the coupon.

Dealers, too, are invited to contact us about carrying the Compumate and the full SWINTEC line of quality office equipment including electronic typewriters and calculators.

- Send me more information about the Compumate 2100.
- Have a dealer contact me for a demonstration.
- Contact me about becoming a SWINTEC dealer.

NAME _____
COMPANY/DEALERSHIP _____
ADDRESS _____
CITY _____ STATE _____ ZIP _____
TELEPHONE _____

SwintecTM
CORPORATION

23 Poplar Street
East Rutherford, New Jersey
201/935-0115 Outside New Jersey,
call toll-free 800/225-0867

Questions Beginners Ask

Tom R Halfhill, Staff Editor

Are you thinking about buying a computer for the first time, but you don't know much about computers? Or maybe you just purchased a computer and are still a bit baffled. Each month in this column, COMPUTE! will answer some questions often asked by beginners.

Q How long does a floppy disk last? If I have some disks that are more than a year old, should I copy them onto new disks? How can you tell if a disk is wearing out?

A The lifetime of a floppy disk largely depends on how heavily it is used and how carefully it is handled.

It's doubtful that you would actually wear out a disk with normal home use. One well-known manufacturer of floppy disks (3M-Scotch) guarantees its products for 3.5 million passes per track. 3M calculates that if you updated the disk (rewrote every track) once every hour, it would take more than 200 years to exceed 3.5 million passes. Not many home computer owners would use a disk that heavily. Some disk-intensive business programs which run 40 hours a week might approach that many passes in much less time than 200 years, in which case an alternative should be considered—perhaps a hard disk or a RAM disk. But the casual or moderate user has little to worry about. At COMPUTE! we have some disks that get fairly heavy use for storing word processing files, and after two years they're still going strong.

A floppy disk's lifetime can be drastically shortened, however, if it isn't handled and stored correctly. In careless hands a disk might not even last ten minutes. Disks are particularly vulnerable to magnetic fields from monitors and TV sets, spilled drinks, cigarette ashes, extremes of heat and cold, heavy weights, ballpoint pens used to mark on labels, and even chemical fumes.

Unfortunately, the first clue which indicates a disk is going bad probably will be a lost program or a lost file. One day you'll confidently slip the disk into the drive and discover that a certain file won't load. That's why you should always keep at least one backup copy of important

files on another disk or tape.

There is one clue you can watch for, though—if you regularly clean your disk drive's read/write head and notice one day that it's much dirtier than usual, it could mean that the magnetic coating on one of your disks is starting to flake off. It could also mean that you bought some poor quality disks.

Q On my Commodore 64, when using the command `PRINT 7↑2`, the computer will come up with the answer 49.0000001. Is this a bug in the computer?

A Not really. It's a rounding error caused by the way the Commodore 64 calculates exponentiation. When you ask the computer to figure 7^2 , it doesn't actually multiply $7*7$. Instead, it uses logarithmic tables. Rather than engaging in a long discussion of higher mathematics, let's just say that these tables sometimes lead the computer to an answer which is slightly off. If 49.0000001 isn't accurate enough for your purposes, you can either `PRINT 7*7` or `PRINT INT(7↑2)`, which extracts the integer from the result.

The Commodore 64 isn't the only micro-computer which suffers from this problem by any means. Certain math operations will result in very small rounding errors on anything from an Atari to an IBM PC. On an Atari with the BASIC cartridge, for example, `PRINT 2^2` (equivalent to `PRINT 2↑2` on a Commodore) comes out to 3.99999996, while `PRINT 2*2` yields the correct 4. The problem was fixed with the BASIC built into the Atari 600XL and 800XL.

The quirk which leads to this kind of problem is that computers perform all of their math in binary. When floating-point (moving decimal point) numbers are converted to binary and then back to decimal, small errors can accumulate.

Q I recently found several old 60-minute cassette tapes. Are the 60- and 30-minute cassette tapes acceptable for program recording? Is there any command or program which can be used to erase these tapes? They contain music and talk.

ATARI SOFT. All the hits your computer is missing.

It's showtime.

Time for ATARI SOFT™ to show you six exciting, brand new games that are destined for stardom.

Games that can be played on your Commodore 64, IBM PC and Apple II. (Some titles available on IBM PC jr. and VIC 20.*)

First, there's *Gremlins*! based on the characters from the original film presented by Steven Spielberg.

Then there's *Crystal Castles*™ where Bentley Bear™ journeys through all sorts of tantalizingly difficult paths and ramps in his endless quest for gems.

In *Donkey Kong Jr.*™ by Nintendo; Junior tries to rescue his father against immense odds. And speaking of Donkey Kong, there's also *Mario Brothers*™ by Nintendo: This time, Mario and his brother Luigi battle creatures on four levels of floors, encountering all sorts of treacherous enemies.

In *Track And Field*™ you can compete by yourself or

head-to-head with another player. But each player must beat qualifying times, heights and distances before they can compete in each of the grueling six events.

Typo Attack is the much-acclaimed, fun-filled program that

allows you to enjoy developing your typing skills at any level.

And still playing to the delight of audiences everywhere are *Pac-Man*™, *Ms. Pac-Man*™, *Jungle Hunt*™, *Battlezone*™, *Donkey Kong*™; by Nintendo; *Centipede*™ and *Pole Position*™.

So, if you've been searching for ways to entertain your Commodore, Apple or IBM, treat it to one of the best shows in town, one of the hits from ATARI SOFT.

And don't forget the popcorn.

ATARI SOFT products are manufactured by Atari, Inc. for use with various computers and video game consoles. ATARI SOFT products are not made, licensed or approved by the manufacturer(s) of those computers and video game consoles.

*Titles available on IBM PC jr. are *Ms. Pac-Man*, *Centipede*, *Donkey Kong*, *Moon Patrol*™ and *Typo Attack*. Available on the VIC 20 is *Typo Attack*.

1. © 1984 Warner Brothers, Inc.; 2. Trademarks and © Nintendo, 1982, 1983; 3. Trademark of Konami Industry Co., Ltd.; © 1983 of Konami; 4. Trademarks of Bally Mfg. Co. Sublicensed to Atari, Inc. by Namco-America, Inc.; 5. Trademark and © of Taito America Corporation 1982; 6. Engineered and designed by Namco Ltd., manufactured under license by Atari, Inc. Trademark and © Namco 1982; 7. Trademark and © Williams 1982, manufactured under license from Williams Electronics, Inc.



SIX NEW HITS
ARE COMING
SOON TO A SCREEN
NEAR YOU.

A Theoretically, longer tapes are thinner and thus more susceptible to stretching and print-through (signals leaking through the tape and imprinting on adjacent layers of tape). But we've never had any problems saving programs on 30- or 60-minute cassettes. If they are good-quality tapes, they should work as well as the 10- or 20-minute cassettes generally sold for data recording. However, the longer tapes could be slightly less convenient if you store many programs on the same cassette. You'd have to wind the tape further to locate the program you want to load. But even this is a negligible problem if you jot down the tape counter numbers.

It isn't really necessary to erase the old material on the tape before recording your programs. The recorder's erase head will wipe it out as you record. However, your letter indicates you have an Atari 400 computer. The Atari Program Recorder has a *stereo* read/write head because the Atari can accommodate an audio track that plays through the TV speaker. When you load your program, you'll hear the old audio material along with the bleeps of the data. By typing POKE 65,0 before loading the tape, the bleeps will be silenced and you'll hear the audio only.

However, if you do want to erase a tape before using it, the best method is to use a bulk tape eraser (available at electronic supply stores).

Another way is to insert the tape into an audio cassette recorder, press the record button, and disable the microphone by switching it off or sticking a null plug into the microphone jack. If the recorder has level controls, turn them all the way down.

With an Atari Program Recorder, you can erase tapes by pressing the record and play buttons and typing POKE 54018,52. This switches on the cassette motor from the computer. You can turn off the motor by typing POKE 54018,60.

©

IBM

FLEXIBLE DISCS

WE WILL NOT BE UNDERSOLD!! Call Free (800) 235-4137 for prices and information. Dealer inquiries invited and C.O.D.'s accepted.



PACIFIC EXCHANGES



100 Foothill Blvd.
San Luis Obispo, CA
93401. In Cal. call
(800) 592-5935 or
(805) 543-1037



List Price \$129.00*

Dealer and Distributor Inquiries Invited

COMMODORE OWNERS:

"Finally, A Universal Graphics Interface!"

The ALL NEW "MICROGRAFIX" parallel interface by Micro World Electronix Inc., is a complete switch selectable interface with full graphic capabilities for the VIC 20™ and Commodore 64™. It's truly the most universal of interfaces with the capacity to print the Commodore® graphics set, since it is switch selectable for virtually all centronics compatible parallel printers including Daisy wheel printers.

Features:

- 1) Fully intelligent Interface that plugs into the Standard Commodore® printer socket.
- 2) Complete graphics capability that will allow popular matrix printers to fully pass the Commodore® Printer test (including Inverse text, tabbing, cursor up/down, etc.).
- 3) Works with virtually all software, since it provides emulation of the Standard Commodore® Printer.
- 4) Optional user installed 4K buffer to speed up graphics and text printing.
- 5) Complete built-in status and self-test report.
- 6) Switch Selectable Commodore® graphics mode for most popular printers (Epson, Star Micronics, C. Itoh, Prowriter, Okidata, Seikosha, NEC, Riteman, Banana, BMC, Panasonic, Mannesman Talley and others) plus a Universal Switch mode for letter quality printers.
- 7) Complete with emulate mode, transparent mode, total text mode, ASCII conversion modes that will insure virtually total compatibility with popular Software.

No more ROM changes or extra shelf space taken up. The Micrografix Interface is easier to stock since one interface will support virtually all printers.

Order From:

MICRO-W.
DISTRIBUTING, INC.

1342B Route 23
Butler, New Jersey 07405
(201) 838-9027

* TM Trademarks of Commodore Business Machines, Inc.
* Call for details on our super \$50.00 trade-in offer.

THE BEGINNER'S PAGE

Robert Alonso, Assistant Editor

ROM And RAM

Every group has its lingo. When you first start to get used to computers, there are a few words to learn, a bit of *computerese*. Two of the simplest, yet most misunderstood, of these terms are ROM (Read Only Memory) and RAM (Random Access Memory).

Absent-Minded Computer

Read only memory is called that way because it is a kind of memory in each computer which can only be read. No matter how many times you try, you may never write in ROM. Computers come equipped with ROM because they need to have instructions that tell them how to perform certain functions such as adding or subtracting or even how to send things to disk drives or printers. The ROM memory stores these vital instructions in chips that can't be erased by writing to them or by turning off the computer. Without ROM your computer would be useful only as a door-stop. Just imagine turning your computer off and having it forget how to work the next time you turned it on.

BASIC is usually a set of machine language routines stored in several ROM chips in each computer. Another set of important ROM routines are the input and output routines. These routines instruct your computer on how to communicate with external devices such as disk drives, cassette recorders, and printers. ROMs obviously contain important routines that are needed for doing any kind of work with your computer.

Extra ROM

Another useful and popular form of ROM is the game cartridge. Yes, those small black boxes that provide you with so many hours of fun are just preprogrammed read only memories. These ROMs in cartridge form are perhaps the fastest way to load a program into your computer. The reason they are so fast is that usually there is no

loading taking place. You plug in the cartridge, and it immediately becomes a part of the computer. The computer has immediate access to the programs and data stored on the cartridge.


RAM memory, although not as intrinsically important to the computer as ROM, serves important functions in the computer. It is the area of memory where user programs are typed in and run. RAM is also used by all the commercial software that comes on disk or cassette. The routines that are located in ROM often have to rely on pointers in RAM to function correctly. Without RAM memory, the computer might not have a screen display, and it would have no such thing as a keyboard buffer to hold extra keypresses. Graphics would not be available either.

Empty Boxes

All memory in the computer can be described as a series of boxes that can hold something. Let's say that you have 1024 different boxes in which to put things. You could choose to place objects in these boxes sequentially from box 0 on up to box 1023, or you could just decide to place objects into boxes in any haphazard way that you yourself could understand. RAM memory is just like a series of empty boxes that allow you to place numbers into them. The only restriction that these boxes impose on you is that you must never place a number over 256 into any one box. If you have a section of memory that has 1024 spaces, you can claim to have 1K of RAM memory. The difference between RAM and ROM when compared to boxes is that ROM memory is like a series of boxes that already have objects in them. Even more important, the boxes can't be emptied or altered by the user. The user can only look into the box to see what's in it. ROM could thus be compared to glass boxes. You can see in but can't remove anything without breaking something.

Any programs that run in RAM memory can

**SHOW LEX
YOUR LONGEST WORD
AND WIN!**



ENTER THE EXCITING HAYDEN NATIONAL WORD CHALLENGE™ CONTEST.

IF YOU'VE GOT A WINNING WAY WITH WORDS, THIS IS YOUR GAME.

Word Challenge. The mind-boggling game in which you compete head to head against LEX, the mighty Wizard of Words.

Select the size of your playing square, pick from 26 skill levels, set a time limit, and choose from 5 scoring methods. Then see how you stack up against the Wizard and his 90,000 word lexicon. It's a race against the clock.

You and LEX compete to form words by connecting randomly generated letters. Words are legal if their letters touch in sequence on any side or corner. The more words you find, the better your chances of beating LEX.

When your time's up, LEX displays the words you found and the words he found. You score points for every word you made that he didn't. Word Challenge keeps the score.

Word Challenge is based on Proximity linguistic technology. It operates on Apple™ II+, IIe, IIc, IBM PC™, PC jr.™ and popular compatibles. Available soon for Macintosh™ and Commodore 64™.

Play Word Challenge alone or with a group. See if your family or friends together are wordy enough to bring LEX to his knees.

TO WIN OUR CONTEST, GIVE US THE GOOD WORD.

It's easy to play. First buy Word Challenge. Then follow the rules as described on the official Entry Form available only inside specially marked Word Challenge packages. Fill in the letters on the official contest grid to construct the longest possible word. Show your word to LEX. If he has it in his vocabulary, send it in.



First prize for the longest word is \$10,000 cash.



Second prize is \$3,000 cash.



The top 200 finishers will receive Word Challenge polo shirts.



Be one of the first 5,000 to buy Word Challenge and enter the contest, and we'll send you a free Word Challenge T-shirt.


Enter now. The contest expires October 31, 1984. Purchase of Word Challenge is required. Contest void where prohibited.

JOIN OUR WORD ASSOCIATION. THE RIGHT WORD COULD BE WORTH \$10,000.

To purchase your copy of Word Challenge, see your local software dealer, or contact Hayden Software, 600 Suffolk Street, Lowell, MA 01854, or phone toll-free 800-343-1218.

Word Challenge is a registered trademark of Hayden Software Company, Inc. Apple and Macintosh are registered trademarks of Apple Computer Inc. IBM PC and PC jr. are registered trademarks of International Business Machines, Inc. Commodore 64 is a registered trademark of Commodore Business Machines.

**HAYDEN.
AMERICA'S FIRST FAMILY
OF SOFTWARE.**



HAYDEN

be modified. For example, if you wrote a program in BASIC and then decided that you wanted to modify something in it, you could easily do so. One peculiarity of BASIC programs is that the RAM in which they are located must be continuous. If there were a gap of any sort, like a missing box, the program would not work properly.

Screen RAM

Perhaps one of the most interesting sections of RAM memory is the screen. It is one of the few RAM locations that are shared by both the central processing unit and the video chip in all computers. What this means is that there is a section of RAM—let's say a 1024 box section—that both the computer's main processing chip and the chip that produces the colorful TV image can look at. The reason it is shared is that you must be able to change the screen either by POKEing values into the screen RAM or by PRINTing values onto it. For you to be able to do this, the central processing unit must have access to it. The video chip needs to have access to the RAM because it needs to know what to display on the TV set. The video chip essentially scans screen RAM and evaluates what is stored there. Once it knows what is in the screen memory, it can reproduce an image of it on your TV.

One useful feature that many home computers come equipped with is that more RAM and ROM can usually be added by just plugging a cartridge into the side or back of the computer. In some computers you have to plug the RAM into the inside expansion areas, but this is usually an easy procedure. The reason expandability is such a desirable feature is that it enables the user to program or use larger programs with more functions and commands and that it facilitates the use of alternate computer languages or BASIC enhancements.

Memory Limitations

There is one limitation to the use of both RAM and ROM. Each microprocessor, the brain chip of each computer, can access only a predetermined amount of memory at any one time. For example, the popular 6502 processor found in the Apple, Atari, and Commodore computers can directly access only 64K of memory. The 8088 microprocessor found in the IBM PC and PCjr can access a little over one million bytes. There are other limitations that manufacturers either impose on their machines or are forced to adhere to. For example, Microsoft BASIC will only accept a program up to 64K long. An example of a self-imposed limitation is that IBM restricted the memory limits of the PCjr to 128K.

BACK UP!

★ Commodore 64 Owners ★

DISK COMMANDER

IS THE POWERFUL 1541 DISK DRIVE BACKUP & UTILITY PROGRAM YOU'VE BEEN WAITING FOR!
WILL EVEN BACKUP PROTECTED DISKS.

GET THE BEST!

- Written In Fast Machine Language
- System Configuration: Supports 1 - 4 Drives Hardware or Software Drive Number Selection
- Use Simple DOS Commands From Program For Formatting, Copying, Renaming, Scratching Files, Displaying Directory, Etc.

- Backup Program Supports 1 or 2 Drive Backup MODES:
BAM - Copy Allocated Sectors
Total - Copy All Sectors
Protected - Copy All Sectors Including Bad Sectors (Allows Backup Of Many "Heavily Protected" Disks)
- Disk Monitor Displays Track & Sector in Hex and ASCII Simultaneously Read/Write/Modify Individual Blocks w/Screen Editor

Dealer & Distributor Inquiries Invited

\$45.⁹⁵

MasterCard **TOLL FREE ORDER LINE** VISA
24 HRS. / 7 DAYS

1-800-237-8400 x200

Florida 1-800-282-1469 x200
Payments: US currency, MasterCard and Visa. COD Orders Add \$3.00
Florida Residents Add 5% Sales Tax. Shipping and Handling Add \$2.50

POWERSOFT

INCORPORATED
P.O. Box 7333 Bradenton, FL 33507

SUPER FORTH 64*

TOTAL CONTROL OVER YOUR COMMODORE-64™ USING ONLY WORDS

MAKING PROGRAMMING FAST, FUN AND EASY!

MORE THAN JUST A LANGUAGE...
A complete, fully-integrated program development system
Home Use, Fast Games, Graphics, Data Acquisition, Business
Real Time Process Control, Communications, Robotics, Scientific, Artificial Intelligence

A Powerful Superset of MVFORTH/FORTH 79 - Ext. for the beginner or professional

- 20 to 600 x faster than Basic
- SPRITE EDITOR
- 1/4 x the programming time
- Access all C-64 peripherals including 4040 drive
- Easy full control of all sound, hi-res, graphics, color, sprite, plotting line & circle
- Single disk drive backup utility
- Controllable SPLIT-SCREEN Display
- Disk & Cassette based Disk included
- Includes interactive interpreter & compiler
- Full disk usage - 680 Sectors
- Forth virtual memory
- Supports all Commodore file types and Forth Virtual disk
- Full cursor Screen Editor
- Access to 20K RAM underneath ROM areas
- Provision for application program distribution without licensing
- Vectored kernel words
- FORTH equivalent Kernel Routines
- TRACE facility
- Conditional Macro Assembler
- DECOMPILER facility
- Meets all Forth 79 standards*
- Full String Handling
- Source screens provided
- ASCII error messages
- Compatible with the book "Starting Forth" by Leo Bradie
- FLOATING POINT MATH SIN/COS & SQRT
- Access to all I/O ports RS232, IEEE, including memory & interrupts
- Conversational user defined Commands
- ROMABLE code generator
- Tutorial examples provided, in extensive manual
- MUSIC EDITOR
- INTERRUPT routines provide easy control of hardware timers, alarms and devices
- USER Support

SUPER FORTH 64* is more powerful than just other computer languages!

• SUPERFORTH64 •

Power of Languages Constructs

SUPER FORTH 64* compiled code becomes more compact than even assembly code!

Size Memory vs Program Functionality

A SUPERIOR PRODUCT in every way! At a low price of only

\$96

Call: (415) 651-3160
PARSEC RESEARCH
Drawer 1776, Fremont, CA 94538

* PARSEC RESEARCH™ is a Commodore 64 & VIC 20™ of Commodore

Take this ad to your local dealer. Phone orders also accepted. Immediate delivery! Dealer inquiries invited. CA residents must include tax.

The Educational Software Explosion

Kathy Yakal, Editorial Assistant

Even if you didn't buy your home computer as an educational tool, you've probably learned a lot from your interaction with it. Games, home productivity packages, and other computer programs can teach, but recently there's been a proliferation of dedicated educational software. Software developers and publishers are vying for top positions in educational software, potentially a billion-dollar business.

Experts have said that it was pretty easy to predict who the first 6 percent of computer owners would be, says Marilyn Rosenblum, vice president for product development at CBS Software. They're the same people who have expensive hi-fi systems and Sony Walkmans, people who like new technology.

"The important issue for us and for the future of this industry is who the next 6 percent will be," she says. "The thing that's going to determine that is how truly useful we can make computers."

Software publishing firms have been scrambling over the last few years to figure out how they can influence the next 6 percent to buy. The bets right now are on education. "There's been a tremendous proliferation of manufacturers into the educa-

tional software market," says Jordan Levy, vice president of marketing at Software Distribution Services.

Levy and many others in the industry who attended last summer's Consumer Electronics Show are overwhelmed by the number of publishers who have either entered the market or added educational software to their already existing line. Future Computing predicts that consumers and schools will purchase 6,787,000 units of educational software this year.

Bringing School Home

"I think you can trace the recent popularity of educational software to penetration of the home computer," says Richard Khaleel, president of Scholastic, Inc.'s Software Group. Game software was popular initially, he says, due to the popularity of the VCS. "And with the penetration of the personal computer into the business market, we saw the explosion of business software."

Further, home computer sales took off partly because children were using them in schools. "The use of computers in schools is probably one of the main reasons for the popularity of home computers," says Khaleel. Market analysts at the Minnesota Educational Computing Consortium (MECC) agree.

And as more school districts make computer literacy an important part of the daily curriculum, children are exposed in ever-increasing numbers.

Not Just A Shooting Star

In the rush to find uses for this newly installed base of home computers, a lot of potential applications and inappropriate game ideas have come and gone. With them have gone a lot of software companies. But the concept of education is no fad. "Everyone latched onto education because education doesn't change that much," says Marilyn Rosenblum. "The need to teach children to read and write well will always exist."



Marilyn Rosenblum, vice president for product development at CBS Software.



Today's most innovative educational software began here 60 years ago.

At Scholastic, we have something no other educational software company has: 60 years' experience making learning fun for kids.

We began in the schoolrooms of the 20's with the first national news magazine written especially for young people, *The Scholastic*. Since then, our one magazine has grown into 37, and we've become the largest educational publisher of books and magazines in the English-speaking world.

Now we've put everything we've learned from five generations of school children into the most innovative family of educational software available today. Scholastic Wizware.[™]

Our experience makes Wizware different from all other educational software. It turns learning subjects like geography, writing and spelling into exciting adventures for your children. And because every Wizware game is *interactive*, kids become deeply involved in what they're learning.

What's more, our experience has taught us the importance of teaching things most other educational software leaves out. Like teamwork, imagination, critical thinking and problem solving. You'll find them all in Wizware.

But by far the most important result of our experience is that your children will thoroughly enjoy learning with Wizware.

There are now Wizware programs for teaching everything from creative writing to computer programming. Here are a few of the ways we bring learning into the Computer Age.

Spelldiver.[™]

It's the most ingenious way ever devised for teaching spelling and improving reading skills. Deep beneath the sea lie giant words covered by a strange seaweed called lettermoss. Kids must face ferocious sharks and pesky flipper-nippers to remove the lettermoss and decipher the words.

Agent U.S.A.[™]

Agent U.S.A. turns geography into an exciting race to save the nation from the ruthless Fuzzbomb. Along with learning geography, children hone their problem-solving and reasoning abilities.

Story Tree.[™]

Story Tree can bring out the Mark Twain in every child. Budding

authors create their own mystery and adventure stories. A remarkable feature lets them weave alternate choices into every turn of the plot, and challenges their imaginations to the maximum.

Bannercatch.[™]

Based on the classic game of Capture-the-Flag, this is the most sophisticated and fun strategy game for kids available today. Not only do players learn how to devise complex strategies, they also learn how to work together to solve difficult problems.

Scholastic Wizware. Our experience makes all the difference.

Look for Wizware at your local computer store. Or contact Scholastic Inc., 730 Broadway, New York, NY 10003, 212-505-3000.

 **Scholastic[™]
Software**

The most trusted name in learning.



Spelldiver, Agent U.S.A. and Bannercatch designed and developed by Tom Snyder Productions, Inc. Story Tree designed and developed by George Brackett. • Agent U.S.A. and Bannercatch available in Atari, Commodore, Apple and IBM versions. • Spelldiver available in Atari, Commodore and Apple versions. • Story Tree available for Apple.

Having worked in educational publishing for a number of years before coming to CBS, Rosenblum's perspective of this "explosion" is different. In educational book publishing, it wasn't so much an explosion as an ongoing event. Educational publishers began to add microcomputer software to their existing lines of books and audiovisual materials.

"What we're seeing here is that a lot of the stuff that's been used in the schools is perfectly appropriate for the home," she says. "A lot of the explosion is just recognizing a new market."

Pulling Away From The Pack

Jordan Levy thinks that many software companies sang a swan song at last summer's Consumer Electronics Show. "There will be a lot of people who won't be at the next CES," he says. "A lot of people are going to fall by the wayside, mostly entertainment."

The same thing is bound to happen with educational software over the next few years, say software publishers. But in 1989, consumers will buy about five times as much educational software as they're buying this year, says Future Computing. They predict that 35,072,000 units will be sold in that year.

Whose name is going to be on those packages? Those companies that have experience working with children, says Scholastic's Richard Khaleel. "People who have experience knowing how people learn have the best chance of creating software that is not really state of the art, but state of the *mind*," he says. "No new software publisher that does not have a consumer franchise in another market has been able to spend the kind of money yet to be able to establish a basis for consumer trust."

"It's very important for

people who know children, who have traditionally been selling educational materials to children, to get into the business," says Weekly Reader Software Manager Fritz Luecke. "You're going to find fewer unknowns entering the market," he says.

Though parents may feel comforted by familiar names, market analysts at MECC predict that the competitive situation in the educational software market will eliminate those without educational strength and technical skill, as well as adequate marketing ability.

"The next 18 months will hold some very hard lessons for those publishers who think the educational buyer is an easy sell," says MECC's Ron Barnes.

No Fun

In all of the brouhaha over which educational software publishers will emerge as leaders, there's a basic problem that everyone's trying to solve: Who deems a program educational? How do you decide when the educational benefits balance the enjoyment?

The argument seems to focus on just how much emphasis there should be on the entertainment aspects of an educational program, if any. There aren't any real rules yet, though educators try to quantify and set standards, and software designers and publishers try to develop formats that they hope will please parents, teachers, and students.

Those formats vary tremendously. "My belief is that educational software should manifest itself in some kind of discernible change in behavior, like grades," says Thomas Garsh, president of American Educational Computer, Inc. "You don't get through high school by being a good games player or having superior cognitive skills. You get through high school by having good grades. And you do not get accepted



Thomas Garsh, president of American Educational Computer, Inc.

into college with superior kinds of thinking skills. You get into college by passing the SAT and having good high school grades.

"So what we've done is almost totally related our software to curriculum, by grade and subject," he says. "We've given up a few whistles and bangs, which may initially be a disadvantage because it doesn't look as flashy, but the subject is there. I'm not defending that. I'm just saying that is reality. That's our position. In this rush to the market, I don't see many companies taking that position."

Pupils Of Pac-Man?


Software developer Tom Snyder says it's too early to judge, that it's dangerous to impose restrictions or define too concretely right now. "Even *Pac-Man* would be educational if you could freeze the action," he says.

"If you freeze *Pac-Man* or any other game, a couple of things happen," he says. "You get to use your head instead of just knee-jerk reactions. You start verbalizing to yourself what the alternatives are and formalizing them a bit instead of having them remain in sort of an intuitive, physical reaction.

"Beyond that, it really opens the experience up to more

Flight Simulator II

For Apple,
Atari, & Commodore 64



Put yourself in the pilot's seat of a Piper 181 Cherokee Archer for an awe-inspiring flight over realistic scenery from New York to Los Angeles. High speed color-filled 3D graphics will give you a beautiful panoramic view as you practice takeoffs, landings, and aerobatics. Complete documentation will get you airborne quickly even if you've never flown before. When you think you're ready, you can play the World War I Ace aerial battle game. Flight Simulator II features include ■ animated color 3D graphics ■ day, dusk, and night flying modes ■ over 80 airports in four scenery areas: New York, Chicago, Los Angeles, Seattle, with additional scenery areas available ■ user-variable weather, from clear blue skies to grey cloudy conditions ■ complete flight instrumentation ■ VOR, ILS, ADF, and DME radio equipped ■ navigation facilities and course plotting ■ World War I Ace aerial battle game ■ complete information manual and flight handbook.

See your dealer . . .

or write or call for more information. For direct orders please add \$1.50 for shipping and specify UPS or first class mail delivery. American Express, Diner's Club, MasterCard, and Visa accepted.

Order Line: 800/637-4983

subLOGIC
Corporation
713 Edgebrook Drive
Champaign IL 61820
(217) 359-8482 Telex: 206995

Hafer, product evaluation supervisor for MicroD.

"There seems to be a bit of a gray line there," he says. "Some have a theory that seems to be working, and that is to make education fun. But there's only so much that can be learned from a simple game as opposed to an in-depth program."

Richard Khaleel believes that we will see more segmentation between software that makes learning fun and software that is just drill and practice. "It all depends on the age," he says. "In grade school, homework is fun. It's only when things outside of school get more important that schoolwork competes with other interests. There's always room for both."

Pinning Down The Beast

In the meantime, educators and parents puzzle over how to decide. Not just on what kind of software or computer, but something more basic: whether or not the microcomputer can be used effectively as a teaching tool.

And they can be fooled, says Tom Snyder. "There is an erroneous promise, an implication that you're going to be able to do quantifiable things with it, testing how the education is," he says. "Therefore, it's excited educators and educational consultants who say finally, we can start pinning down this educational beast in general." ©

To receive additional information from advertisers in this issue, use the handy reader service cards in the back of the magazine.



Software developer Tom Snyder.

than one person. If you slow it down, everyone gathers around and you get five people talking to each other about what a decent strategy might be, and introducing the whole social element into it. That kind of interaction multiplies the learning instantly."

Keeping The Scales Steady

Somewhere between those two opposing viewpoints lie hundreds of software styles, with varying degrees of entertainment and learning. MECC Deputy Executive Director Ron Barnes contends that the learning objective of any piece of software should come first, with the game aspects then designed to increase the child's motivation to learn. Often, he says, educational software is developed the other way around.

DLM Teaching Resources publishes software which is designed to supplement curriculum as first priority. But, they say, what makes their software sell to both schools and homes is that it does not ignore the element of fun. "I think that what software producers are looking for is a correct combination of ingredients to combine into their instructional courses, to keep the interest and focus," says Jim


GET MORE FROM YOUR COMMODORE-64



MASTER 64
Add 100 commands, programmer's Aid, ISAM files, Screen mgmt., machine language monitor, 150 pp. 3 ring binder.
\$84.95 DISK



CHARTPAK 64
best HITES charting package. Menu driven, interactive, printer hardcopy DISK
\$42.95
CHARTPLOT 64 for printer output **\$84.95 DISK**




ULTRABASIC 64
Add 50 commands: graphics, turtle graphics, game features, sound, tutorial demo
\$27.95 DISK/\$24.95 TAPE




ZOON
Produce fast 6502 code. Floating point, integer strings, editor, compiler, translator, samples.
\$39.95 DISK



SYNTHY 64
Top rated music synthesizer. Samples and manual **\$24.95 DISK** **\$24.95 TAPE** Also Regime, Classes, XMAS, Albums **\$12.95 each DISK**



GRAPHICS DESIGNER 64
Menu driven drawings floor plans, illustrations, etc. Slide show capability.
\$32.95 DISK



TAS-64
Technical analysis for stock market evaluation. Printer hardcopy, Manual or online UID thru DMRs.
\$84.95 DISK



SUPER DISK UTILITY
Speed copy 4 ways, total, BMM, Append or File, Dump/modify Sectors, More
\$22.95 DISK



ANATOMY OF A COMMODORE 64
164T DISK DRIVE ROM listings, many examples and descriptions.
300 pp book **\$19.95**



ANATOMY OF A COMMODORE 64
Includes commented ROM listing, details internals, descriptions
\$19.95




FOR MORE SOFTWARE CALL FOR FREE CATALOG FOR FAST SERVICE PHONE 616-241-5510

MC, visa or AMEX accepted Available At Your Dealer or Write

Abacus Software

Add \$2.50 Postage P.O. Box 7211 GRAND RAPIDS, MI 49510

"Hey, Commodore and Atari,"



"Let's Party!"

P.Q. The Party Quiz Game™ includes the following features:

- A TRIVIA PLAYER'S GAME — not a computer game that plays trivia.
- No keyboard input — all players responses are generated from the unique Quick Response™ controllers.
- General Edition I has over 2700 questions for the Commodore 64 and over 1400 questions for the Atari.
- Competition or team play.
- Random questions.
- Lightning bonus rounds.

\$59.95

Special Introductory Offer:

Additional Modules from the P.Q. Question Library include:

Sport Edition I
Education Edition I

Entertainment I
General Edition II

General Edition III

\$19⁹⁵ each

To Order Call Toll Free
800-558-0003

For WI Orders 414-351-2007




ComputAbility™

P.O. Box 17882 Milwaukee, WI 53217

The Latest In Learning:

New Trends In Educational Computing




The House That Jill Built lets youngsters design, build, and animate a variety of houses. Developed by Joyce Hakansson Associates for CBS Software.

Selby Bateman, Features Editor

Construction sets, interactivity, networking—these are some of the trends in the quickly evolving educational software market. A swarm of new companies have entered the competition, and a variety of different educational approaches are being tried.

Few subjects will generate arguments faster in the microcomputer industry than what makes good educational software.

Interest in computer-based learning programs has never been greater, nor the debate over future directions more vocal. Parents and teachers are requesting more and better packages. Computer companies are courting software firms that specialize in educational products.



*You imagine
 and a cast appears on the screen
 You compose
 and music and sound are heard
 You direct
 and an original story unfolds
 You are a MovieMaker.™*

Creative Pastimes.™ Software as unique as you are.

Look for Creative Pastimes Software in your favorite book or computer store. You'll find it's suitable for all ages, and compatible with most popular home computers. For more information call us at (800) 336-0338. Or write Reston Computer Group, A Prentice-Hall Company, 11480 Sunset Hills Road, Reston, Virginia 22090. MovieMaker is a registered trademark of Interactive Picture Systems, Inc.



*The
 Dolphin's Pearl*



MovieMaker



Day



*Middle of the
 Road Lizard*

Now your teenagers can learn from teachers who teach teachers how to teach.

Introducing The Series by Master Teachers from Thoroughbred.

This unique series offers your teenagers the rare opportunity to learn—to reinforce and integrate concepts studied in school—through software developed by Master Teachers.

Teachers who have been recognized by other teachers as being truly outstanding for their knowledge. And for their ability to inspire people to learn—not by rote, but through *active participation*. So that learning is quick, thorough, and fun.

Master Teachers are so good at teaching, in fact, they teach *teachers* how to teach.

The first 11 titles are available now

Biology

- Exploring that amazing food factory, the leaf
- Photosynthesis: unlocking the power of the sun
- The fascinating story of cell growth
- How plants grow: the inside story

Math

- Decimals made simple
- Mastering units of measurement
- Taking the mystery out of metrics

Social Science

- The U.S. Constitution: our guarantee of liberty
- The Constitutional amendments: what they mean to you

Chemistry

- Molecules and atoms: exploring the essence of matter
- The how's and why's of migrating molecules

And more to come—in these subjects, as well as English, physics...
All, with advanced color graphics.

Level of knowledge covered: from junior high to adult (except "Decimals,"
elementary to senior high).

For use with: IBM PC, PCjr.* Available soon for Apple IIe, IIc.**

Visit your dealer *today*. Or call us at 800-526-3968 (or 201-685-9000).
Or write to SMC Software Systems, 1011 Route 22, Bridgewater, NJ 08807.

*IBM is a registered trademark of International Business Machines Corporation.

**Apple is a registered trademark of Apple Computer, Inc.

© Copyright 1984 Science Management Corporation. All Rights Reserved.

The Series by Master Teachers

The U.S. Constitution: our guarantee of liberty



Social Science


ThoroughbredTM

Educational Software



SMC Software Systems
A Division of Science Management Corporation

And greater numbers of educators are getting involved in the production and distribution of these programs.

Increased competition in this growing field is creating several important trends that will directly affect both the quality and the kind of future computer learning programs.

Challenging The Technology

Even staunch supporters admit that educational computer programs generally have a long way to go to reach their potential, but the software is evolving rapidly.

There's now "some clarity about what educational software is," says Marilyn Rosenblum, vice president of product development for CBS Software, a company that produces several lines of educational programs with such developers as Joyce Hakansson Associates and the CTW Software Group from Children's Television Workshop.

"I also think the technology is being challenged much more than it was a year ago. Things that would have been acceptable then are no longer acceptable," she says.

"We're getting away from a lot of drill and practice," adds Marge Kosel, director of micro-computer courseware for Sunburst Communications, a company that produces educational software. "Designwise, drill and practice is the easiest [to produce]. Now, there are a lot more simulations and problem-solving. The technical quality of software has really improved."


Design Your Own Robots

Greater emphasis is being placed on the amount of interaction that occurs between the student and the computer in several of the newer educational packages. And a higher level of sophistication has been built

into other programs, as some software developers reach for an older, teen-oriented educational market.

Take, for example, The Learning Company's new *Robot Odyssey I* (Apple II family, \$49.95). Inspired by the company's earlier, *Rocky's Boots*, the new package is both a game and an educational tool. It's one of a growing number of products called *construction sets*, or *builders*—a programming style made popular by Bill Budge's *Pinball Construction Set*.

Programs written in this style are highly interactive and allow the player to control



In *Robot Odyssey I*, players must build robots to escape from *Robotropolis*, a futuristic underground city inhabited by robots. Marketed by The Learning Company, *Robot Odyssey I* is the first program in their new *DigiWorld* series, which is aimed at the teenage market.

many aspects of the game environment. In *Robot Odyssey I*, for instance, the player actually designs robots and builds computer chips, which are later used to help the player escape from a futuristic robot-run city, *Robotropolis*. The program features built-in tutorials to teach the basics of digital logic and an Innovation Lab in which players design and test chips and robots.

Atari's Futuremakers And Milestone

New programs from Atari, Inc., also reflect the trend toward

greater sophistication. The company's Milestone Series from Atari Learning Systems and its Futuremakers simulation programs are quite interactive and feature a hands-on approach to learning. The AtariLab science packages, part of the Milestone Series, let youngsters simulate more than 100 different experiments using the computer and a laboratory kit.

Socrates On A Chip

The freedom to move almost anywhere within an educational program is an important aspect of the Arrakis Advantage, a family of educational software marketed by Prentice-Hall for Apple, Atari, Commodore, and IBM PC and PCjr computers.

Directed at students in grades 7 through 12, the Arrakis Advantage series is based on the Socrates Learning Environment—a dialectical teaching technique borrowed from the Greek philosopher, notes Charles de Martigny, managing director of Arrakis Systems.

"Where other programs operate in only one direction, Socrates [the system] can move in any direction the user wishes," he says. "Students can interrupt, ask questions, test themselves, review and explore other subjects and, in effect, talk directly to Socrates as naturally as they would converse with a teacher."

Learning Is Parallel, Not Serial

Students need that kind of flexibility since learning is not strictly linear, with one event following another in a predictable chain. Instead, information arrives in a *parallel* fashion, with information coming from a variety of complementary sources, points out Emiliano De Laurentiis, director of advanced research and development for Arrakis.

"People should start looking for software that's more intelligent; software that allows

JUKI 6100. HARDWARE WITH NO SOFT SPOTS.

	Brother HR15	Brother HR25	Silver Reed 500	Silver Reed 550	Silver Reed 770	Transtar 120	Transtar 130	Diablo 620	Qume LP20	Smith Corona TPH +	TTX 1014	JUKI 6100
Costs under \$600	●		●			●				●	●	●
18 cps min. speed		●			●		●	●	●			●
Buffer memory	●	●			●			●	●	●		●
Proportional spacing	●	●		●	●		●	●	●			●
Prints graphics	●	●	●	●	●	●	●	●	●		●	●
11" min. print line	●	●	●	●	●	●	●	●	●		●	●
100-character wheel												●
Orig. +3 copies or more	●	●	●	●	●	●	●	●	●	●	●	●
62 dbA noise level or less								●	●			●
Linear stepper carr. motor						●	●			●		●
Buffer expandable to 8K	●				●						●	●
Weighs under 35 lbs.	●	●	●	●	●	●	●		●	●	●	●

Note: Above chart is an art treatment and was not printed by the JUKI 6100.

JUKI daisywheel printer 6100

THE JUKI 6100: Feature for feature, the best all-round printer. We challenge our competition to beat our overall record. Dollar for dollar, JUKI gives you more of what you want in a daisywheel printer. And no wonder: we've been building quality precision machinery for over 45 years. So for a printer that works . . . and works . . . and works, choose JUKI. Ask to see the JUKI 6100 at your local JUKI dealer.



JUKI[®]
The worker.

JUKI INDUSTRIES OF AMERICA, INC.

ACORN DATA PRODUCTS
7042 S. Revere Pkwy. Ste 50
Englewood, CO 80112
(303) 799-8900
Serving
MT, WY, CO, UT, NM

BUTLER ASSOCIATES, INC.
82A Winchester St
Newton, MA 02161
(617) 964-5270
Serving
ME, NH, VT, MA, CT, RI

CM DISTRIBUTION
7023 Little River Topk
Annandale, VA 22003
(703) 750-3895
Serving
MD, DE, DC, VA

COMPUTER SERVICES INTL.
560 Sylvan Ave.
Englewood Cliffs, NJ 07632
(201) 569-8300
Serving
METRO NY & PA, NJ

CYPRESS DISTRIBUTING CO.
1266 Lincoln Ave., Ste 109
San Jose, CA 95125
(408) 297-9800
Serving
N. CA., NV, AZ

GENTRY ASSOCIATES INC.
7665 Currency Dr.
Orlando, FL 32809
(305) 859-7450
Serving
TN, NC, SC, MS, LA, AL, FL, GA

INFORMATION SYSTEMS INC.
2420 E. Oakton St., Unit K
Arlington Heights, IL 60005
(312) 228-9480
Serving
WI, IL, MN, IA, MO, NE, ND, SD, KS

MICRO SOURCE OF TEXAS INC.
670 International Pkwy
Richardson, TX 75081
(214) 690-5111
Serving
TX, OK, AR, LA

OSSMANN COMPUTER TECHNOLOGIES
6666 Old Collamer Rd
East Syracuse, NY 13057
(315) 437-6666
Serving
UPSTATE NY

SOUTHERN MICRO DISTRIBUTORS
8708 Royal Lane
Irving, TX 75063
(214) 258-6636
Serving
TX, OK, AR, LA

STAR-TRONIC DISTRIBUTING CO.
23976 Freeway Park Dr.
Farmington Hills, MI 48024
(313) 477-7586
Serving
MI, IN, OH, KY, W. PA, WV

TECHNOLOGY MARKETING CORP.
2300 Valley View Lane, Ste 109
Dallas, TX 75234
(214) 243-7994
Serving
TX, OK, AR, LA

VITEK
9306 Boardwalk Ave
San Marcos, CA 92069
(619) 744-8305
Serving
S. CA

WESTERN MICRO TECHNOLOGY
10040 Bubb Road
Cupertino, CA 95104
(408) 725-1660
Serving
N. CA., NV, AZ

NATIONAL HEADQUARTERS JUKI INDUSTRIES OF AMERICA INC. DA DIVISION
299 Market St.
Saddle Brook, NJ 07662
(201) 368-3666

WEST COAST JUKI INDUSTRIES OF AMERICA INC. CALIFORNIA DIVISION
3555 Lomita Blvd
Irvine, CA 92605
(213) 325-3093

you to interact on a normal level, to type in a sentence, to ask questions," he says. "The technology exists now. There's no reason why it shouldn't be implemented."

The Arrakis Advantage series, available this fall, will initially include home programs that complement school curricula in algebra, geometry, biology, chemistry, physics, and statistics.

The Hakansson Touch

Another proponent of the construction set approach is Joyce Hakansson, whose independent software development firm has already produced 19 "playful educational" packages for CBS Software, Simon & Schuster, Spinnaker Software, and Milton Bradley.

"We like to build exploratory worlds for children to investigate—worlds full of sparkling graphics and music and a good measure of giggles," she says. "I want every aspect of a program, even the most subtle, to serve an educational purpose. If a child builds words, then building words should be a powerful tool to make something happen so that the reward is inherent in the activity. We feel a program should validate and support a child's natural intuition and enthusiasm for discovery."

Among the newer programs developed by Joyce Hakansson Associates is *The House That Jill Built* (CBS Software), available now on disk for the Commodore 64 and this fall for the Apple II family.

Build It Your Way

Created for children five years of age and older, the program lets the player design and build a house from the ground up. Youngsters furnish, decorate, and animate the environments simply and easily, but the program also can be used by older children and even adults in

more complex ways.

Working from electronic blueprints, you choose one of a variety of four-story houses to build. Doors, windows, and stairways must be placed throughout the house. Exterior styles must be selected (Victorian, modern, or colonial). And once the outside of the house is complete, you then design, decorate, and furnish the interior. Tips on design and notes on architecture are included in the manual.

As the installed base of computers has increased, some software producers who previously concentrated their attentions on a school-based market



Youngsters count as many crops as they can before the sun sets in DLM's Number Farm.

are coming into the home with programs to supplement their curricular packages.

It's "Arcademic"

DLM Teaching Resources of Allen, Texas, currently offers hundreds of educational materials for schools. DLM has made the transition into the home software market as well with its Arcademic Skill Builders series in math, language arts, and other areas.

Educational software companies with strength both in the school and in the home will have the best chance of survival, says DLM's Karen McGraw, project editor for microcomputer software and a

former teacher. DLM emphasizes content in its packages, she adds, but with a presentation that is also fun for the user and with programs that fully use the capabilities of the computer.

"But we don't want a product just because it is an innovative use of technology, if it's not married to educational validity. We don't build software and then make it fit the child."

Sunup, Sundown

In one of DLM's preschool educational games, for example, a timer is included to let the child know how much time is left in the program. Rather than using a clock, which might have no relevance to a four-year-old who can't yet tell time, the program employs a day-to-night cycle to accomplish the same thing.

At the start of the game, the sun comes up. As the game progresses, the sun crosses the sky and then starts to come down as the game draws to a close. When the sun sets and night comes onto the screen, the game is over.

"We use real-world things that are important to a child, that a child can understand," says McGraw. "Unless you really know about education, unless you really understand the mind of a child, you would never think of it." Drawing on its experiences as a curriculum-based, educational-software producer, American Educational Computer (AEC) is also among those school-oriented software companies which have entered the home market.

"Tested And Tried"

An educational program in the home can be much more effective if it's first been shown to be successful in the schools, argues AEC president, Thomas B. Garsh. "It's been tested and tried and is based on sound educational pedagogy," he says.

ONLY NRI GIVES YOU TOTAL COMPUTER SYSTEM TRAINING

Your hands-on training takes you inside your TRS-80 Model 4 computer to install integrated circuits and enlarge memory to 64K.

Built-in monitor displays up to 80 characters for easy word processing and spread sheet programs.

More practical experience as you install double-density floppy disk drive. Software includes TRSDOS®, DOSPLUS®, machine language monitor, and two game programs.

Electronics comes to life on your NRI Discovery Lab®.

Professional 3 1/2 digit multimeter with Action Audio Cassette to talk you through operation and use.

9 x 9 dot matrix printer completes your computer system.

Model 4 Technical Reference Manual enriches your training.

Bite-size lessons build knowledge and understanding step by step.

COMPUTER • MONITOR • DISC DRIVE • PRINTER • AND SOFTWARE...

It's all included with NRI at-home training in Microcomputers and Microprocessors. And only with NRI training.

If you really want to learn how to work on computers, you have to learn how to work on computer systems. Only NRI includes a complete system with your training... total training that gives you hands-on experience with computers, peripherals, and software.

Get Inside the Famous TRS-80 Model 4 Computer

You'll work with one of the most popular computers ever designed. Learn programming techniques for troubleshooting... go inside to expand its RAM from 16K to a powerful 64K... even install a double density floppy disc drive.

You'll become familiar with computer languages... run software that demonstrates computer operation... even become proficient at modifying programs to fit your business or family computing needs.

Add High Performance Peripheral Printer

Only NRI gives you total system training with the flexible Gemini 10X printer as part of your hands-on learning. Working with it, you'll get practical experience in adding peripherals, learn maintenance and servicing operations. And you'll use it for hard copies of important programs, business records, and word processing.

Understanding Built On Experience

You start with the basics, rapidly build

on the fundamentals of electronics with bite-size lessons to master advanced concepts like digital logic, microprocessors, and computer memories.

You'll use the exclusive NRI Discovery Lab® to see what makes transistors tick, build and test working electronic circuits that duplicate key computer circuitry, construct digital logic circuits that demonstrate computer performance. And, you'll probe into the very heart of your computer using the Discovery Lab and professional digital multimeter included in your training program.

Do It at Home in Your Spare Time
NRI trains you in your own home at your convenience. You learn at your own pace, backed at all times by your own NRI instructor and the entire NRI staff of educators and engineers. They're always ready to answer questions and help you over the rough spots to keep you moving toward your goal.

Free Catalog Tells Much More... Send Today

See all the interactive training equipment you get in this state-of-the-art course in today's technology. Look over the lesson outlines and descriptions of the exciting experiments you'll perform. And look at other high-tech career fields like Robotics, TV/Video/ Audio Servicing and Data Communications.

Mail the coupon today to see how NRI can give you the skills and confidence you need to start a good-paying career as a microcomputer technician.

NRI

SCHOOLS

McGraw-Hill Continuing Education Center
3939 Wisconsin Avenue, N.W., Washington, DC 20016

We'll give you tomorrow.

CHECK ONE FREE CATALOG ONLY

- Computer Electronics with Microcomputers
- Data Communications
- Robotics & Industrial Controls
- Color TV, Audio, and Video System Servicing
- Electronics Design Technology
- Digital Electronics

- Communications Electronics
• Mobile • Aircraft • Marine
- CB & Cellular Radio
- Industrial Electronics
- Basic Electronics
- Small Engine Servicing

- Appliance Servicing
- Automotive Servicing
- Air Conditioning, Heating, Refrigeration, & Solar Technology
- Building Construction

All Career courses approved under GI bill.

Check for details

Name (Please Print) _____

Age _____

Street _____

City/State/Zip _____

Accredited by the National Home Study Council

198-094

TRS-80 is a trademark of the Radio Shack division of Tandy Corp.

"We know that if a parent buys it for a fifth-grade student and he or she gets better grades, then the parent comes back, says it worked, and buys it for the sixth-grade child."

The movement of software from the school to the home is accelerating. Control Data Corporation, developers of the widely used Plato system of educational software, now has more than 12,000 hours of courses that include everything from instruction in basic skills and computer literacy to educational games and advanced calculus. And the company is in the process of converting many of its packages for use on personal computers like the Apple II family, Atari, IBM, and Texas Instruments.

The More The Merrier

A related trend over the last year or so is the entry of large corporations, especially established educational publishers, into the home software field. Companies like Random House, Prentice-Hall (Arrakis Systems), SFN Companies (MindScape), Xerox (Weekly Reader Software), Scholastic, Simon & Schuster, and Fisher-Price are bringing their talent, marketing muscle, and reputations into the computer learning field.

"And that's very good," says Fritz Luecke, manager of computer software for Weekly Reader Software. "Most of them bring something to the business that other traditional software companies might not bring, and that is a different kind of marketing expertise.

"They also bring, in many cases, a new way of packaging, a new way of adding things to a program to make it a total program, which is what we feel we have done with our products," he adds.

What Children And Parents Want

Giving children items with

Choosing The Best Educational Software

Selby Bateman, Features Editor
Sharon Darling, Research Assistant

Of the thousands of educational software programs available, which ones are worth your time and money? Here's a short lesson from the experts.

"One recommendation I always make to parents—one that not enough people are making—is that you should really begin to look for educational software for your three- or four-year old child," says William Bowman, chairman of Spinnaker Software.

"That's the time to begin thinking about buying a home computer and getting educational software. It's going to be easier for you to find things that are generally applicable to the learning skill areas of young children than it will be to find the more specific software for older kids," he adds.

Getting Involved

Spinnaker's educational software lines include the new Fisher-Price Learning Software for children from three to twelve years of age, as well as such best-selling programs as *Kindercomp*, *Alphabet Zoo*, *In Search of the Most Amazing Thing*, and *Kids On Keys*.


"The next real criterion is that the software's got to be fun," says Bowman. "If it's not fun to use, kids won't use it no matter what their ages are—and that's where an awful lot of educational software falls down. The next thing for a parent to do is to consider how much he or she is going to be involved with the child. A little involvement is always required. But some software, like Spinnaker's, really expects the parent to be more involved," he adds. "The software is a little bit deeper, it's a little more advanced in terms of what you can do with it."

Trying It On For Size

Getting educators and software developers to agree on a set of specific guidelines would be almost impossible, given the many conflicting views which abound in the computer-based learning field. But there are a few fundamental pieces of advice for anyone buying educational software. The following tips from educators, software houses, and leading independent program developers may be of help as you wade through the flood of educational software packages:

- **Shop at a software store that allows you to run some programs prior to purchase, or that lets you buy packages on approval.** Such stores may not be easy to find right now, but retailers are discovering that an increasing number of customers are demanding more than just the promises on the outside of a package to buy an educational software product.

IS YOUR 64™ STILL PLAYING GAMES WITH YOU?



If you've been having a hard time teaching your newly-adopted computer there's more to life than fun and games, you're not alone.

Now, you can introduce your Commodore 64™ to the Work Force: affordable, easy-to-use software and hardware that will unleash the power you always expected from your Commodore 64™, but thought you might never see.

PaperClip™

is simply the best word processing program of its kind—loaded with advanced features, yet so easy to use even a novice can get professional results. With **SpellPack™**, it even corrects your spelling! Once you've tried it, you'll never use a typewriter again.

The Consultant™

(formerly Delphi's Oracle)

is like a computerized filing cabinet with a brain. Organize files for recipes, albums, or the membership of your service club. Then search, sort, arrange and analyze your information with speed and flexibility that's simply astounding.

SpellPack™

teaches your 64 to spell. It checks an entire document in 2 to 4 minutes against a dictionary of over 20,000 words. And you can add up to 5,000 of your own specialized terms. Type letter perfect every time!



BusCard II™

is a magic box that lets you transform your humble home computer into a powerful business machine. It gives you the added power of BASIC 4.0, and lets you add IEEE disk drives, hard disk, virtually any parallel printer, and other peripherals without extra interfaces. Completely software invisible.

B.I.-80™ Column Adaptor

gives you crystal clear 80 column display. Using the highest quality hardware, we've eliminated the problems of snow, fuzziness and interference. Basic 4.0 commands greatly simplify disk drive access. Switches easily from 40 to 80 column display.

Discover the true power of your Commodore 64™. Ask your dealer about the Commodore 64™ Work Force, from Batteries Included—the company that doesn't leave anything out when it comes to making things simple for you.

BATTERIES INCLUDED

"Excellence in Software"

These products have been developed specifically for Commodore computers by Batteries Included and are totally compatible with each other. For a full color brochure write to:
186 Queen Street West, Toronto, Canada M5V 1Z1 (416) 596-1405 / 3303 Harbor Blvd., Costa Mesa, CA. 92626 (714) 979-0920

64 AND COMMODORE 64 ARE REGISTERED TRADE MARKS OF COMMODORE BUSINESS MACHINES

which they are familiar—books, stickers, posters—in addition to the software package makes it easier for the youngsters to relate to the product, Luecke says.

While numerous educational software companies are expanding their operations from school orientation to include the home market, the growth is very much a two-way street. Other companies, which have previously sold software strictly to the home, are approaching schools with their products. And the success which some microcomputer hardware manufacturers—especially Apple Computer—have had in donating products to school systems, is now spurring more software companies to try similar tactics.

Using the slogan, "Be a hero, software your school," Scarborough Systems of Tarrytown, New York, is embarking on a major school-donation project this fall.

Those who purchase Scarborough educational programs between September 15 and December 15 will find a coupon in each package enabling them to donate a piece of educational software to the school and teacher of their choice. The donated program does not have to be the same one purchased.

The purchaser sends the coupon and \$3.50 for postage and handling to Scarborough. The company will then donate the software to the school. A gift card telling the name of the donor and the name of the dealer where the software was purchased will be included in the donation.

"We think it's a unique program, and it may provide up to \$4 million in the value of computer software—that's 125,000 programs," says Sanford K. Bain, vice president of marketing for Scarborough Systems. The company has computer software for four machines—the Apple II family, Commodore 64, IBM PC/XT/jr, and the Atari

"Buying blind" is the way Dr. Sam Barkliss, chief executive officer of Computerose, Inc., an educational software firm, describes the predicament most parents and some teachers find themselves in when purchasing educational packages. They should be offered the opportunity to test the educational value of software before a purchase.

But What Does It Really Do?

• **Determine what age and learning levels the software is designed for.** Once that is established, find out exactly what the program intends to teach, says Leigh Mosley, an educational consultant at Peachtree Software. "A parent should ask, 'Is my son or daughter going to learn from it?'"

Some companies are better than others at telling you who the target audience is, what level of learning is required, and what the goals of the packages are. Always keep in mind the software user—the child's age, learning level, interests, and dislikes.

• **Be aware that the nature of "educational content" is often difficult to assess—and usually the subject of much debate among educators and software houses.** Many educators and software producers believe that specific learning objectives are crucial in producing good computer-based educational products. Others stress the validity of programs which invite youngsters to explore and "play" in a less structured learning environment.

The General And The Specific

For example, software that stimulates a student's creativity might be more useful than a program that deals with a specific learning problem in school, notes Kent Kehrberg, director of software for the Minnesota Educational Computing Consortium.

"It may be difficult for a parent to match up a very specific program with a problem a child is having in, say, algebra," he says. "In a case like that, it's very difficult for someone besides the teacher to pinpoint [the problem]."

• **Read published reviews and other articles about software packages and the goals of various software companies.** The more knowledgeable you are about manufacturers and their products, the easier your task when picking out new software.

Tutorials, Simulations, And Drill-And-Practice

For example, when shopping for software, parents should know the three basic types of educational programs—tutorials, drill-and-practice, and simulations, notes Sherwin A. Steffin, vice president for research and development at Eduware Services, Inc.

"Tutorials help you attain a new skill or understanding," he says. "They generally ask the question, 'How to?' With drill-and-practice, you already know how, but want to know better, so you need repetitive exercises." Simulations can offer examples of the way things work in just about any field.

• **Consider how much replay value, or depth, a product has.** Will the child use the package a few times and tire of it, or is there enough variety and challenge to offer a stimulating environment?


The Making Of A Legend.

Both tractor & friction feed are standard.

Prints a crisp original, plus up to three copies.

Mix & match more than 40 software-selectable type styles.

Bit image graphics add to Legend's versatility.



Centronics parallel interface standard; RS232C optional.

Serial impact dot matrix in two models: 80 & 100 cps.

New square dot technology for higher resolution & near letter-quality print (Model 800).

Up to 142 columns in compressed printing mode.

Bi-directional logic seeking for fast output.

Features like these make our new dot matrix impact printer a Legend. While a low price makes it a near miracle! Imagine, all this and more for less than \$350. That puts you into our 80-cps Legend 800 model. And if you're looking for something even faster, look into our 100-cps Legend 1000.

See them both at a dealer near you. Or drop us a line for facts by mail: CAL-ABCO/PERIPHERALS DIVISION, 14722 Oxnard Street, Van Nuys, CA 91401. Telephone (818) 994-0909. Toll free 1-800-321-4484. Telex 662436. Dealer inquiries invited.

LEGEND
PERIPHERAL PRODUCTS
Toll Free 1-800-321-4484

family.

"Obviously, we're doing it because we think it reflects a favorable image for the company," Bain says. "We strongly believe the validity for these programs has to come from the schools. And our donation program allows schools to sample software without great expense on their part."

To Network Or Not To Network?

One school-based trend that disturbs DLM President Andrew W. Bingham is the tendency for schools to network their computers, which Bingham says can work against innovative use of the computers.

"It almost scares me, because I think the evolution may ultimately lead us to miss the revolutionary potential of software," he says. "When there are just two or three computers in a school, teachers will use them flexibly and individually.

"When the school gets more computers, they bring them all together into one room, because it's easier to control, easier to administer. Then they want a networking system," says Bingham. "What you get is students being marched to the computer for their 20 minutes of instruction and marched back to their seats."

Bingham urges parents and teachers to explore innovative uses of the computer rather than trying to emphasize convenience of management.

No matter what the area of computer-based educational programs, software companies and educators all agree that the field is still in its infancy in many ways. And expectations for the future are bright. "I think we're going to see an explosion in the next couple of years," says Sam Barkliss, chairman of Computerose, Inc., an educational software company. "I think we're going to see some astonishing things."

As William Bowman puts it, "Does the software provide multiple paths to creativity, and does it accept multiple paces from different children?"

The Price Tag For Learning

• **Price and future availability of software from the same company can be important factors.** Depending on the needs of the student and the goals of a company's software line, you may wish to purchase an entire series of complementary programs over time. How much this will cost you and its effects on the student's learning goals then become very important.

"A lot of people out there are getting too great a price for what they're selling, and for what the market will support," says George Esbensen, national sales coordinator for MicroEd, a Minnesota-based company which produces educational software. "A lot of what's being passed off as educational software is not."

• **Take your child to the store when selecting software.** This can be especially helpful—and save you later disappointments—if the child can actually see the program working in the store. If that's not possible, at least you can get a better idea of some of the likes and dislikes of the youngster for whom you're purchasing the program.

Sophistication, Power, And Interaction

• **How flexible is the software program? Are there built-in options which allow a variety of challenges and motivational changes as the user works with the program?** As computers become more powerful and software becomes more sophisticated, the level of interactivity between user and program is increasing dramatically. The best educational software takes advantage of that power and sophistication.

• **Is the software both easy to use and error-free?** Educational programs which freeze up or frustrate a user can immediately discourage users, especially younger children. Be aware of both potential problems as you evaluate software you see or that you've purchased.


Fritz Luecke, manager of computer software for Weekly Reader Software, suggests that you determine how easy and helpful the program guide booklet is that comes with the package. Many parents, teachers, and students want to be able to insert a program into the computer and use it without having to use a guide, particularly if that guide is confusing or incomplete.

NEA Teacher Certified

Finally, you might want to look at the NEA catalog of educational software. With the proliferation of educational software packages, the job of separating the good from the mediocre gets tougher every day. For more than a year now, the National Education Association (NEA) has been trying to give some guidance in this area. Approximately 50 NEA reviewers have been testing educational programs submitted by software authors and publishers. Those which meet the NEA's stiff requirements are given an "NEA Teacher Certified" stamp of approval, and are included in a catalog of approved software.

The genius in your Commodore depends on you...

Let it out with
Wiley Computer Books.



MASTERING THE COMMODORE 64

A.J. Jones and G.H. Carpenter

Get the maximum performance from your Commodore for everything from games to educational, business, and home management applications. You'll learn simple BASIC commands and programming concepts, then progress to more advanced topics such as print formatting, string handling, and simple data structures. This easy-to-follow guide also gives shortcuts for writing faster, more powerful programs and shows you how to exploit the full sound, graphics, and moving graphics capabilities of your machine.

\$14.95

Book/Disk Set: \$39.90

BASIC SUBROUTINES FOR COMMODORE COMPUTERS

Eddie Adamis

\$12.95

WINNING GAMES ON THE COMMODORE 64

Terry Barrett and Stephen Colwill

\$12.95

Coming in November!

COMMODORE 64 DATA FILE PROGRAMMING

LeRoy Finkel, Jerald R. Brown and Glenn Fisher

\$14.95

Book/Disk Set: \$39.90

More than three million people have learned to program, use, and enjoy microcomputers with Wiley Press microcomputer paperbacks. Look for them at your local bookshop or computer store! For more information, write to Gwenth Jones, Dept. 5-1299

WILEY PRESS

a division of John Wiley & Sons, Inc.
605 Third Avenue, New York, N.Y. 10158
Prices subject to change and higher in Canada.

5-1299

WILEY PRESS

COMPUTERBOOKS

Software That Works For Generations

- 6 Types of Charts and Sheets
- Indices
- User Fields
- Notes, Footnotes and Sources
- No Limits
- Adapts to Your Hardware
- Comprehensive
- Easy to Use
- And Much, Much More

Send for brochure and sample printouts.

Family Roots includes detailed manual and 2 full diskettes of programs for your Apple II, IBM PC, Commodore 64 and CP/M *

Other genealogy software also available.

Price \$185. Satisfaction Guaranteed.

American Express, Visa & Mastercard Accepted

* Trademarks for Apple Computer, Inc., International



Business Machines, IBM, Inc. & Digital Research

QUINSEPT, INC.

P.O. Box 216, Lexington, MA 02173
(617) 641-2930

Put the Byte on Clutter!



with the



Computer Storage Cabinet

No more cluttered tables, tangled wires or upset spouses. GROP™ Computer Storage Cabinet puts everything in its place.



\$99.95

Patent Pending

CPU keyboard, disc-drives, printers, displays, you-name-it, all fit neatly and compactly in GROP. Wires and outlets are concealed FOREVER!!

Designed by computer users, GROP's all-steel cabinet with glare free, baked enamel cabinet, will fit with any decor and will handle Atari, Commodore 64, Vic 20, Pc Jr., TI-99 and other modular systems. ■ GROP is fully guaranteed. If you're not completely satisfied, your money will be refunded.

Send your check or money order today to:
21st Century Ind., Inc.
P.O. Box 141-A
Grandville MI 49418
(616) 530-0269

MasterCard & Visa Accepted
Mich. Order must include 4% Sales Tax.

Please send me a GROP Computer Storage Cabinet: My check or money order for \$99.95 is enclosed.

Name _____

Street _____ Phone _____

City _____ State _____ Zip _____

Circle color desired: Biege, Black, Gray, Brown

The Tester

Joseph Kattan

Multiple-choice tests have been standard for years. Now anyone who wants to create a multiple-choice test on his home computer can easily do so. Tests can be devised to teach youngsters anything from history to sports trivia. Just fill in the DATA statements with the questions and answers and the program will do the rest. Versions that work on the Commodore 64, VIC-20, PETs, Apples, Radio Shack Color Computer, Coleco Adam, IBMs and TI-99/4A are included.

One of the most frequently cited reasons for purchasing a personal computer is its great potential as an educational tool. The home computer is widely used to teach children to spell or perform simple arithmetic calculations and to drill adults on anything from foreign languages to organic chemistry. A well-designed instructional program can produce spectacular results in improving a student's command of a subject. A poorly designed program, on the other hand, will frustrate, rather than teach.

Computers, for better or worse, cannot yet think. If the programmer tells the computer that Washington is the capital of the United States, the program will be less than kind to the hapless user who responds that Washington, D.C., is the capital. If the programmer tells the computer that *avoir* means "to have," pity the French student who answers "to possess." These are, of course, soluble problems, but they illustrate one weakness in computerized instruction. No matter how well designed the program, there will always exist a correct answer to some question that the program will not recognize. You can instruct a program to accept Washington, Washington, D.C., and Washington, DC, as the answer to the capital question, but how do you cover all of the synonyms of a word like *fantastic* in a foreign language translation program?

No Ambiguity

There is one kind of testing that a computer handles exceptionally well, because it is not required to reason: multiple-choice. It takes little

effort to insure that the answers to a multiple-choice test are free of ambiguity, which is why all of the standardized testing in our schools tends to be multiple-choice. These tests, moreover, require less effort on the part of the user than answer-oriented tests, and can be used together with the more rigorous answer-oriented tests to form a very effective instructional package.

Remembering To Answer

Designing an effective program for a multiple-choice test is no easy matter, however. A simple and commonly used algorithm selects a question from DATA statements at random and then reads four or five different answers from the DATA statement, together with a code that identifies the correct answer.

There are several deficiencies to this solution. For one, it consumes tremendous amounts of memory, as it gobbles up bytes both for the correct answer and for the dummy answers that have no use other than to serve as the incorrect choices. In addition, the program user is always presented with the same set of choices, and in the same order, for each question. The user may well get into the habit of remembering that the answer to a question is C without learning the answer itself.

A more elegant solution should present truly random choices for each question. The user should rarely, if ever, encounter the same choices for a given question. The program, moreover, will be more compact because every answer in its DATA statements will be a correct answer to some question. With this method, the program will select a question from a DATA statement at random, will read the answer to that question from the same DATA statement, and then read four more answers at random to present as false choices. This method insures that the same answer is not presented as two separate choices (since random selection could cause that result) and arranges the order of the answers at random. The U.S. capital may be C on one run of the test, but A or B or D on another.

LOOKING FOR STRATEGY GAMES FOR YOUR ATARI®?



YOU'VE JUST FOUND SIX OF THE BEST.

OBJECTIVE: KURSK™ is the grand-tactical simulation of the southern half of the Battle of Kursk — the largest tank battle of World War II. Consider its scope: 12 German divisions and 9 Soviet corps — a sum total of more than 4000 tanks! It is the first computer game ever to resolve such a massive battle down to every tank, every gun, every infantry squad! \$39.95.

REFORGER '88™. Once every year, NATO embarks on "Reforger," a military exercise that tests its ability to transport American reinforcements from the U.S. to Frankfurt during a simulated Soviet strike of West Germany. Now, REFORGER '88 makes the simulation available to every ardent war-gamer. The Fulda Gap is chosen as the focal point of the Russian attack in this grand-tactical wargame. \$59.95.

All games are on 48K disk except for 50 MISSION CRUSH (40K disk).
ATARI® is a registered trademark of Atari, Inc.

COMPUTER AMBUSH™ is a gut-wrenching simulation of man-to-man combat in the middle of a half-ruined French town during World War II. You play a squad sergeant (U.S. or German) in command of nine other infantrymen. Each man has a name, individual combat skills, even a personal background! The fighting is so fast, so real and intense, you'll experience the sweat and death of war! \$59.95.

COMPUTER BASEBALL™. Voted "1982 BEST COMPUTER SPORTS GAME" by Electronic Games Magazine, Computer Baseball™ lets you manage any NL or AL team of past and present. All the options of a real manager are at your disposal. You can even make up your own imaginary teams! \$39.95.

50 MISSION CRUSH™. As the pilot of a World War II B-17 bomber in this role-playing game, can you survive 50 dangerous but exciting raids over France and Germany to earn the crushed cap of a true veteran? Find out as you travel back to 1942 as part of the 8th Air Force Bomber Group. \$39.95.

GALACTIC ADVENTURES™, a science-fiction role-playing, tactical combat, adventure game, will transport you literally out of this world — to a spaceport of a strange planet. You must acquire combat experience and advanced skills before you can fly off to different worlds in search of treasures and to do battle against alien monsters. You can even create your very own adventures. \$59.95.

Look for these games at your local computer/software or game store today!



STRATEGIC SIMULATIONS INC

If there are no convenient stores near you, VISA & M/C holders can order direct by calling 800-227-1617, ext. 335 toll free. (800-772-3545, ext. 335 in California.) To order by mail, send your check to: Strategic Simulations Inc, 883

Stierlin Road, Bldg. A-200, Mountain View, CA 94043. Please include \$2.00 for shipping & handling. (California residents, add 6.5% sales tax.) All SSI games carry a 14-day "satisfaction or your money back" guarantee.

FOR ALL SSI GAMES, WRITE FOR YOUR FREE COPY OF OUR COLOR CATALOG.

COMPUTE! BOOKS




COMPUTE!'s Second Book of Commodore 64 Games

Sixteen outstanding games, from detailed simulations to fast-paced machine language arcade games. Run for president in "Campaign Manager," defend yourself against sharks and acid rain in "The Frantic Fisherman," or defend a world in "Astro-PANIC!" Photograph the Loch Ness monster, battle in an arena, or establish trade routes to India. The best games from *COMPUTE!* and *COMPUTE!'s Gazette*, and some appearing here for the first time anywhere. Articles show you how to design a videogame and explain the intricacies of writing your own text adventure.

\$12.95

ISBN 0-942386-64-7




COMPUTE!'s Beginner's Guide To Commodore 64 Sound

Clear descriptions and numerous examples show how to program sound and music on the 64. Well-known Commodore author John Hellborn teaches both beginning and advanced programmers the ins and outs of the SID chip, explaining how to create simple sounds, how to utilize the computer's advanced sound features, and even how to combine sound and graphics in an arcade-style game. Also included are two sound editors, which make composing easy, and dozens of sample sound effects you can type in and hear.

\$12.95

ISBN 0-942386-54-X




COMPUTE!'s Machine Language Routines For The Commodore 64

Sometimes BASIC is just not fast enough, or versatile enough, for programming on the Commodore 64. Machine language (ML) is. But creating ML routines can be difficult for the beginning or intermediate programmer. This collection offers ready-to-use ML routines that can be easily inserted into BASIC programs, as well as stand-alone routines that make the 64 even more powerful. Valuable programming aids such as one-key commands, automatic line numbering, and program searches are here. Routines useful in games and graphic design are also included. There are even complete machine language programs to help in the creation of custom characters and sprites.

\$14.95

ISBN 0-942386-48-5




COMPUTE!'s Guide to TI Sound & Graphics

Using dozens of examples and clear, nontechnical explanations, *COMPUTE!'s Guide to TI Sound and Graphics* introduces you to the tremendous sound and graphics capabilities of your TI home computer. This book includes exciting arcade-style games, challenging educational programs, a versatile sprite editor and many more useful ready-to-type-in programs. Whether you're a beginning TI user or an experienced programmer, this is a book you'll refer to again and again.

\$12.95

ISBN 0-942386-46-9



COMPUTE!'s Second Book of VIC Games

There's an exciting mix of chases, challenges, and puzzles in this collection of games for the VIC. It includes many of the most popular games from recent issues of *COMPUTE!* and *COMPUTE!'s Gazette*, as well as several that have never before been published. Whether you want to explore misty dungeons, take on hostile aliens, unravel stimulating brain-teasers, or even learn how to create games of your own, *COMPUTE!'s Second Book of VIC Games* is for you.

\$12.95

ISBN 0-942386-57-4



COMPUTE!'s PC & PCjr Games For Kids

A complete library of educational games ready to type in and run on the PC and Pjr for children from preschool to high school. "Notecrafter" matches wits against the computer's perfect pitch. "Diamond Miner" explores a subterranean maze in search of treasure. "Movers and Shakers" tests knowledge of historical figures. There are also 26 other games which teach children skills from spelling to world geography. Create a quiz on any subject, or make it even easier to use the computer with the two utility programs included.

\$14.95

ISBN 0-942386-49-3



COMPUTE!'s Commodore Collection: Volume I

28 Original Programs For The VIC And 64

The Commodore Collection, an anthology of 28 previously unpublished programs for the VIC-20 and Commodore 64, continues the *COMPUTE!* tradition of practical programs in easy-to-use form. Includes exciting games, stimulating educational programs, valuable utilities, and useful applications to make your Commodore computer an exciting part of every day.

\$12.95

ISBN 0-942386-55-8



COMPUTE!'s Guide To Extended BASIC Home Applications On The TI-99/4A

TI owners who want to put their computers to work will appreciate the many useful programs: sorting routine, checkbook adder, data manager, spreadsheet program, electronic card file, appointment calendar, and more. The home applications are supplemented by a clearly written introductory chapter that explains the many features of TI Extended BASIC.

\$12.95

ISBN 0-942386-41-8

To order your copy, call toll-free **1-800-334-0868** or write: **COMPUTE! Books, P. O. Box 5406, Greensboro, NC 27403**

Segregated Data

Even this method, however, has a potential pitfall, and the solution discussed here resolves it. Let's take a U.S. history test as an example. The answers to such a test may be George Washington, or Philadelphia, or 1776. Obviously, it would be quite absurd to present Philadelphia or 1776 as possible answers to a question calling for the name of the first president. The solution to this problem is to segregate the DATA statements containing the questions and answers into different areas of the program and to select answers to each question only from a valid area. For example, DATA statements between 1000 and 1999 could contain questions concerning names of persons; DATA statements between 2000 and 2999 could contain questions concerning places; and so forth. The program chooses an area at random and then stays in that area to present the incorrect answers. If the answer to the question selected is George Washington, the four incorrect answers will always be names of persons.

This solution has an added advantage. It allows for the inclusion of diverse subjects on a single test, with the testing either confined to a subject chosen by the user or mixed at random by the computer. This program is intended primarily for single-subject tests that require the segregation of answers by types, as in the U.S. history example above.

How It Works

The program relies on two arrays—Q, which stores the number of questions in each category, and T, which selects the answers at random. The variable N is used to store the group of questions and answers to be called. The question and answer are selected by the computer at line 300. Since answer groups are stored in DATA statements beginning with 1001, 2001, and so forth, the program adds that number to a random number from 1 to the number of questions for the appropriate group, as indicated in the Q array. For example, if the question and answer are to come from group 1, for which questions and answers are stored in lines 1001 through 1011, the program looks to the variable Q(1) to ascertain the range of random numbers to generate.

Once a question and answer have been read, the program uses the same random number formula to look up the incorrect answers. It stores the random numbers (data line numbers) in a T array (line 330) and makes sure that none of the numbers in that array is equal to the line number of the correct answer or to the number of another element in the array (line 335). At line 340, the program chooses where to place the correct answer, which can be any choice from one to

five, and then proceeds to place all of the choices on the monitor or television screen. Once an answer is entered, the program indicates whether or not it was correct. In the case of a correct answer, the program waits for two seconds (lines 400 and 410) and then constructs a new screen. If the answer entered is incorrect, the program waits for the RETURN key to be pressed before moving on to the next screen.

Screening Keys


One other matter is the little subroutine beginning at line 800. The entire subroutine could be replaced with a single INPUT statement. The advantage of the subroutine is that it screens out unwanted keys (in this case, anything but a number) and maintains the integrity of the screen display. In addition, the subroutine does not attach a question mark to a prompt, allowing you to insert it where it is appropriate and omit it where it is not. Study the DATA statements beginning at line 1001 and you can see the flexibility afforded by the subroutine.

This program is obviously meant to be modified. When modifying it for your own use, pay special attention to the Q array. The array should be DIMENSIONED to the number of answer categories in the program. The same number should be placed in the variable SUBJ. The elements of the Q array should be equated to one more than the number of questions in the appropriate category. Finally, the questions and answers should be placed on the same DATA statement, and the DATA statements should be arranged in increments of one beginning with a line number of $N*1000+1$, N being the number of the group. Make sure that neither the questions nor the answers contain any commas, since the BASIC interpreter will take the commas to indicate the end of a string.

Program 1: The Tester, Atari Version

Refer to the "Automatic Proofreader" article before typing this program in.

```
PN 10 REM THE TESTER
DK 20 REM MULTIPLE-CHOICE TEST MAKER
BL 40 REM THIS PROGRAM WILL GENERATE
DJ 50 REM MULTIPLE-CHOICE TESTS FOR
    ONE
IB 60 REM OR MORE SUBJECTS
CI 100 POKE 710,78:POKE 712,78:POKE
    709,4:POKE 752,1:REM SET SCRE
    EN COLORS, TURN CURSOR OFF
MJ 110 OPEN #1,4,0,"K:"
JF 120 DIM TITLE$(38),QUES$(38),ANS$(
    30),TEMP$(30),NUM$(3),BL$(30
    ),Q(4),T(3)
DJ 130 TITLE$=" ":TITLE$(38)=TITLE$:
    TITLE$(2)=TITLE$:QUES$=TITLE$
    :ANS$=TITLE$(1,30):TEMP$=ANS$
    :BL$=ANS$
```

Simply Incredible. Incredibly Simple. CodePro-64 For Your Commodore. Instructional Software That Will Amaze You With What You Learn.

CodePro-64 is the easy way to learn.

CodePro-64 astonishes you with how much you can learn. And how easy learning can be. With CodePro-64, you'll learn to write your own programs. You'll develop advanced programming skills with graphics, sprites and music. And best of all, you'll learn visually.

CodePro-64 is a complete package.

First and foremost, it's a comprehensive BASIC language tutorial. With it, you learn by seeing as well as by doing. You watch variables change

value. You see statement branching occur. You can even see "For-Next" statements executed.

There's graphics instruction, too.

CodePro-64 also has a SPRITE Demonstrator and Generator. With it, you'll master the concepts and techniques of graphics programming with sprites. And you'll be able to create and save your own sprites for use in your programs.

And we don't forget the music.

You'll use the MUSIC Demonstrator and Generator to learn how to get the musical effect

you want. Exactly. And in seconds. You'll use it to compose simple tunes on the screen and then save the tune to a diskette file.

Discover how good CodePro-64 really is.

We ship CodePro-64 as a package of 16 integrated programs, distributed on two diskettes, and containing sample programs for unlimited use. It is supported by a 140-page manual and is packaged in an attractive three-ring binder.

CodePro-64. Incredible. And simple.

HOW TO ORDER

Send personal check, money order or MasterCard/VISA credit card information. Please add \$3.00 for shipping and handling per order; foreign orders must add \$15.00 per unit (except Canada). US funds only. Sorry, but no COD's. NC

residents add 4 1/2% sales tax. Corporate quantity discounts available. Dealer inquiries invited.

And for faster service on credit card orders call Toll Free 1-800-762-7874. In North Carolina call 919-787-7703.



SYSTEMS MANAGEMENT ASSOCIATES
3700 Computer Drive, Dept. CPC
Raleigh, North Carolina 27609

CodePro-64 is a trademark of Systems Management Associates. ©SMA 1984

Our Guarantee. Use CodePro-64 for 10 days. If you are not completely satisfied return it to us (undamaged) for a full refund.

Microsoft And TI-99/4A Version Notes

Jeff Hamdani, Editorial Programmer

The Microsoft version of "The Tester" (Program 2) runs on the Commodore 64, the VIC-20, all PETs, the Apple II+, IIc, and IIe, the Radio Shack Color Computer, the Coleco Adam, and the IBM PC and PCjr. If you have a VIC without memory expansion, remove all REMs and spaces when typing in the program. With an IBM PC or PCjr, make the following minor changes:

Add line 100:

```
100 RANDOMIZE(0)
```

Change line 220 to:

```
220 PRINT:PRINT "YOUR CHOICE:";
```

Add line 225:

```
225 Z$=INKEY$:RD=RND:N=VAL(Z$):IF
Z$="" OR (N<1 AND N>4) THEN 225 ELSE
PRINT N
```

Last, in Program 2, line 930 contains a statement to clear the screen. Replace this with the appropriate statement for your computer. For instance, on the Apple, line 930 would read:

```
930 HOME:RETURN
```

The TI-99/4A version of The Tester (Program 3) will run in either Console or Extended BASIC.

```

QL 140 Q(1)=11:Q(2)=11:Q(3)=11:Q(4)=
11:REM INSERT HERE ONE LESS T
HAN NUMBER OF QUESTIONS FOR E
ACH CATEGORY
DJ 200 ? "{CLEAR}{4 SPACES}PLEASE CH
OOSE ONE SUBJECT:"
MC 205 SUBJ=4:REM SUBJ IS NUMBER OF
SUBJECTS IN TEST
PK 210 ? :RESTORE 900:FOR I=1 TO SUB
J:READ TITLE$=? I;" " ";TITLE$
:NEXT I:?
FP 220 GOSUB 800:IF N1<1 OR N1>4 THE
N POSITION C,R:GOTO 220
DM 230 N=N1:? :? "HOW MANY QUESTIONS
?" ";
NB 240 GOSUB 800:IF N1<1 THEN POSITI
ON C,R:GOTO 240
HJ 250 TOTAL=N1:RESTORE 900:FOR I=1
TO N:READ TITLE$:NEXT I:TITLE
$(LEN(TITLE$)+1)=" TEST"
KJ 300 SCORE=0:FOR COUNT=1 TO TOTAL:
? "{CLEAR}":POKE 85,(40-LEN(T
ITLE$))/2:? TITLE$:?
N6 310 ANS=N*1000+1+INT(RND(0)*Q(N)
):RESTORE ANS:READ QUES$=? QUE
S$=? :READ ANS$
AI 320 FOR I=0 TO 3
NH 330 T(I)=N*1000+1+INT(RND(0)*Q(N)
):IF T(I)=ANS THEN 330
PJ 335 FOR J=0 TO 3:IF I<>J AND T(I)
=T(J) THEN POP :GOTO 330
DM 340 NEXT J:NEXT I:J=1+INT(RND(0)*
5):A=0:FOR I=1 TO 5:? I;" " ";
AK 350 IF I<>J THEN RESTORE T(A):REA
D QUES$:READ TEMP$=? TEMP$:A=
A+1:GOTO 370
ND 360 ? ANS$
JL 370 NEXT I:?
GD 380 GOSUB 800:IF N1<1 OR N1>5 THE
N POSITION C,R:GOTO 380
DE 390 IF N1<>J THEN 430
DH 400 SCORE=SCORE+1:? :POKE 85,18:?
"GOOD !":POKE 20,0
GF 410 IF PEEK(20)<90 THEN 410
GJ 420 GOTO 460
PK 430 ? :? "SORRY, THE ANSWER IS ";
:IF LEN(ANS$)>18 THEN ?
II 440 ? ANS$:? :? "{6 SPACES}PRESS
RETURN TO CONTINUE"
PD 450 POKE 764,255:GET #1,A:IF A<>1
55 THEN 450
GC 460 NEXT COUNT
EI 500 ? "{CLEAR}":POKE 85,(40-LEN(T
ITLE$))/2:? TITLE$:?
CM 510 ? "OUT OF ";TOTAL;" QUESTIONS
, YOU ANSWERED":? SCORE;" COR
RECTLY. YOUR SCORE IS ";
NM 520 ? INT((SCORE/TOTAL)*100+0.5);
"%."
HM 530 ? :? "RETURN FOR ANOTHER TEST
, * TO END"
OH 540 POKE 764,255:GET #1,A:IF A<>1
55 AND A<>42 THEN 540
AD 550 IF A=155 THEN 200
KM 560 ? "{CLEAR}":END
KG 800 C=PEEK(85):R=PEEK(84)
NG 805 POSITION C,R:? BL$:TRAP 805:Y
=1:S=0:NUM$=""
KH 810 POSITION C+Y-1,R:? "{T}";:POK
E 764,255:GET #1,A:POSITION C
+Y-1,R:IF A<>126 THEN 825

```

```

AP 815 IF Y>1 THEN Y=Y-1:? " "":NUM$
=NUM$(1,Y)
GM 820 GOTO 810
AI 825 IF A=155 THEN ? " "":GOTO 840
DG 830 NUM$(Y,Y)=CHR$(A):IF Y=1 THEN
S=A
DD 835 ? CHR$(A);:Y=Y+1:GOTO 810
ND 840 POKE ADR(NUM$),S:N1=VAL(NUM$)
:RETURN
EJ 900 DATA HISTORICAL FIGURES,WORLD
CITIES,NEWSMAKERS,COMPUTERS
KN 1000 REM HISTORICAL FIGURES
NK 1001 DATA THE FIRST PRESIDENT,GEO
RGE WASHINGTON
BK 1002 DATA FIRST CHIEF JUSTICE,JOH
N JAY
EL 1003 DATA WHO INVENTED COTTON GIN
? ELI WHITNEY
GL 1004 DATA PRESIDENT OF THE CONFED
ERACY,JEFFERSON DAVIS
FH 1005 DATA WHO DEBATED LINCOLN?,ST
EPHEN DOUGLAS
FK 1006 DATA FAMOUS ABOLITIONIST,FRE
DERICK DOUGLASS
DL 1007 DATA BRITISH NAVIGATOR,FRANC
IS DRAKE
IH 1008 DATA THE THIRD PRESIDENT,THO
MAS JEFFERSON

```



```

NF 1009 DATA HE PRESIDED OVER THE NE
W DEAL,FRANKLIN DELANO ROOSE
VELT
JM 1010 DATA WHO WAS ASSASSINATED IN
DALLAS?,JOHN F. KENNEDY
PD 1011 DATA RAILROAD MAGNATE,CORNEL
IUS VANDERBILT
HP 2000 REM WORLD CAPITALS
IM 2001 DATA WHAT IS THE CAPITAL OF
JAPAN?,TOKYO
IP 2002 DATA WHERE IS TRAFALGAR SQUA
RE?,LONDON
EC 2003 DATA WHERE IS THE WESTERN WA
LL?,JERUSALEM
NH 2004 DATA WHERE IS THE COLISEUM?,
ROME
OH 2005 DATA WHERE IS RED SQUARE?,MO
SCOW
KC 2006 DATA WHERE IS THE TAJ MAHAL?
,AGRA
CF 2007 DATA WHAT IS THE CAPITAL OF
AFGHANISTAN?,KABUL
AH 2008 DATA THE PARTHENON IS IN THI
S CITY,ATHENS
HO 2009 DATA CITY LEASED BY ENGLAND
FROM CHINA,HONG KONG
KH 2010 DATA WHERE IS THE LINCOLN ME
MORIAL?,WASHINGTON
CF 2011 DATA THIS CITY IS FAMOUS FOR
ITS CANALS,VENICE
KH 3000 REM NEWSMAKERS
KE 3001 DATA PRESIDENT OF FRANCE,MIT
TERAND
OD 3002 DATA FORMER SECRETARY OF STA
TE UNDER REAGAN,HAIG
ID 3003 DATA SOVIET FOREIGN MINISTER
,GROMYKO
NA 3004 DATA GERMAN CHANCELLOR,KOHL
EB 3005 DATA SECRETARY OF TREASURY,R
EGAN
KN 3006 DATA CHAIRMAN OF SOVIET COMM
UNIST PARTY,CHERNENKO
EB 3007 DATA CANADIAN PRIME MINISTER
,TRUDEAU
JA 3008 DATA JAPANESE PRIME MINISTER
,NAKASONE
ME 3009 DATA SECRETARY OF STATE,SHUL
TZ
HL 3010 DATA MAYOR OF NEW YORK,KOCH
FL 3011 DATA BRITISH PRIME MINISTER,
THATCHER
GY 4000 REM COMPUTERS
ME 4001 DATA THE BRAIN OF THE COMPUT
ER IS CALLED,CENTRAL PROCESS
ING UNIT
AN 4002 DATA THE FASTEST WAY TO PROC
ESS DATA,MACHINE LANGUAGE
CN 4003 DATA A SIMPLE COMPUTER LANGU
AGE,BASIC
CI 4004 DATA USES REVERSE POLISH NOT
ATION,FORTH
PI 4005 DATA 8 BITS ON THE 6502,BYTE
PM 4006 DATA A 16-BIT MICROPROCESSOR
,68000
GF 4007 DATA TRANSFERS DATA FROM MEM
ORY TO CPU,BUS
AA 4008 DATA DATA ARE PUSHED AND PUL
LED HERE,STACK
DO 4009 DATA USED FOR INDEXING,X REG
ISTER
NG 4010 DATA FASTEST COMPUTATIONS TA

```

```

KE PLACE HERE,PAGE ZERO
00 4011 DATA A NUMBERING SYSTEM,HEXA
DECIMAL

```

Program 2: The Tester, Microsoft Version

Refer to the "Automatic Proofreader" article before typing this program in.

```

20 REM *** MULTIPLE CHOICE TEST MAKER ***
:rem 9
110 DIM QA$(44),AN$(44):GOSUB 930:FOR I=1
TO 44 :rem 172
120 READ QA$(I),AN$(I):NEXT I:FORJ=1 TO 4
:Q(J)=10:READ TL$(J):NEXT J :rem 38
200 GOSUB 930:PRINT "PLEASE CHOOSE ONE SU
BJECT:" :rem 96
210 PRINT:FOR I=1 TO 4:PRINT I;" )";TL$(I
):NEXT I :rem 226
220 PRINT:PRINT "YOUR CHOICE";:INPUT Z$:N
=VAL(Z$):IFN<1 OR N>4 THEN 200
:rem 198
230 PRINT:PRINT:PRINT "HOW MANY QUESTIONS
";:INPUT Z$:N1=VAL(Z$) :rem 13
240 IF N1=0 THEN 230 :rem 213
300 TL=N1:SC=0:FOR CT=1 TO TL:GOSUB 930:P
RINT TL$(N);" TEST" :rem 212
310 ANS=INT(RND(1)*Q(N))+(N*11)-10:PRINT:
PRINT QA$(ANS) :rem 202
320 FOR I=0 TO 3:GOSUB 800:J=0 :rem 75
330 IF I<>J AND T(I)=T(J) THEN GOSUB 800:
J=0:GOTO 330 :rem 96
335 J=J+1:IF J<=3 THEN 330 :rem 76
340 NEXT I:J=1+INT(RND(1)*5):A=0:PRINT:PR
INT:FOR I=1 TO 5:PRINT I;" )";:rem 86
350 IF I<>J THEN PRINT AN$(T(A)):A=A+1:GO
TO 370 :rem 60
360 PRINT AN$(ANS) :rem 12
370 NEXT I:PRINT :rem 233
380 PRINT:PRINT "ENTER YOUR ANSWER";:INPU
T Z$:N1=VAL(Z$) :rem 251
390 IF N1<1 OR N1>5 THEN 380 :rem 116
395 IF N1<>J THEN 430 :rem 57
400 SC=SC+1:PRINT:PRINTTAB(9) "GOOD !":FO
R I=1 TO 1000:NEXT I:GOTO 460:rem 225
430 PRINT:PRINT "SORRY, THE ANSWER IS:"P
RINT AN$(ANS) :rem 46
440 PRINT:PRINT "<RETURN> TO CONTINUE"
:rem 146
450 INPUT Z$ :rem 167
460 NEXT CT :rem 112
500 GOSUB 930:PRINT TL$(N);" TEST"
:rem 154
510 PRINT:PRINT:PRINT "TOTAL QUESTIONS ";
TL:PRINT "CORRECT ANSWERS ";SC:rem 48
520 PRINT "YOUR SCORE IS ";INT((SC/TL)*10
0+.5);"%":rem 233
530 PRINT:PRINT "WANT ANOTHER TEST(Y/N)"
:rem 226
540 Z$="":INPUT Z$:IF Z$<>"Y" AND Z$<>"N"
THEN 530 :rem 98
550 IF Z$="Y" THEN 200 :rem 66
560 GOSUB 930:END :rem 200
800 T(I)=INT(RND(1)*Q(N))+(N*11)-10:IF T(
I)=ANS THEN 800 :rem 0
810 RETURN :rem 121
900 REM THIS SUBROUTINE CLEARS THE SCREEN
.FOR APPLE COMPUTERS USE "HOME"
:rem 195
910 REM FOR IBM PC AND PCJR., :rem 44
920 REM AND TRS-80 COLOR COMPUTERS USE "C
LS" STATEMENT. :rem 23

```



```

930 PRINT"[CLR]":RETURN           :rem 26
1000 REM HISTORICAL FIGURES       :rem 172
1001 DATA THE FIRST PRESIDENT,GEORGE WASH
    INGTON                         :rem 218
1002 DATA FIRST CHIEF JUSTICE,JOHN JAY
    :rem 26
1003 DATA WHO INVENTED COTTON GIN,ELI WHI
    TNEY                            :rem 12
1004 DATA PRESIDENT OF CONFEDERACY,JEFFER
    SON DAVIS                       :rem 138
1005 DATA WHO DEBATED LINCOLN?,STEPHEN DO
    UGLAS                           :rem 87
1006 DATA FAMOUS ABOLITIONIST,FREDERICK D
    OUGLASS                         :rem 90
1007 DATA BRITISH NAVIGATOR,FRANCIS DRAKE
    :rem 59
1008 DATA THE THIRD PRESIDENT,THOMAS JEFF
    ERSON                           :rem 135
1009 DATA HE PRESIDED OVER THE NEW DEAL,F
    RANKLIN DELANO ROOSEVELT        :rem 213
1010 DATA WHO WAS ASSASSINATED IN DALLAS?
    ,JOHN F. KENNEDY               :rem 156
1011 DATA RAILROAD MAGNATE,CORNELIUS VAND
    ERBILT                          :rem 243
2000 REM WORLD CITIES              :rem 239
2001 DATA WHAT IS THE CAPITAL OF JAPAN?,T
    OKYO                            :rem 140
2002 DATA WHERE IS TRAFALGAR SQUARE?,LOND
    ON                              :rem 143
2003 DATA WHERE IS THE WESTERN WALL?,JERU
    SALEM                           :rem 66
2004 DATA WHERE IS THE COLISEUM?,ROME
    :rem 215
2005 DATA WHERE IS RED SQUARE?,MOSCOW
    :rem 231
2006 DATA WHERE IS THE TAJ MAHAL?,AGRA
    :rem 162
2007 DATA WHAT IS THE CAPITAL OF AFGHANIS
    TAN?,KABUL                     :rem 37
2008 DATA THE PARTHENON IS IN THIS CITY,A
    THENS                           :rem 7
2009 DATA CITY LEASED BY ENGLAND FROM CHI
    NA,HONG KONG                   :rem 126
2010 DATA WHERE IS THE LINCOLN MEMORIAL?,
    WASHINGTON                      :rem 167
2011 DATA THIS CITY IS FAMOUS FOR ITS CAN
    ALS,VENICE                     :rem 37
3000 REM NEWSMAKERS                :rem 167
3001 DATA PRESIDENT OF FRANCE,MITTERAND
    :rem 164
3002 DATA FORMER SECRETARY OF STATE UNDER
    REAGAN,HAIG                   :rem 227
3003 DATA SOVIET FOREIGN MINISTER,GROMYKO
    :rem 131
3004 DATA GERMAN CHANCELLOR,KOHL :rem 208
3005 DATA SECRETARY OF TREASURY,REGAN
    :rem 65
3006 DATA CHAIRMAN OF SOVIET COMMUNIST PA
    RTY,CHERNENKO                 :rem 173
3007 DATA CANADIAN PRIME MINISTER,TRUDEAU
    :rem 65
3008 DATA JAPANESE PRIME MINISTER,NAKASON
    E                              :rem 144
3009 DATA SECRETARY OF STATE,SHULTZ
    :rem 196
3010 DATA MAYOR OF NEW YORK,KOCH :rem 123
3011 DATA BRITISH PRIME MINISTER,THATCHER
    :rem 91
4000 REM COMPUTERS                 :rem 106
4001 DATA THE BRAIN OF THE COMPUTER IS CA
    LLED,CENTRAL PROCESSING UNIT:rem 196
4002 DATA THE FASTEST WAY TO PROCESS DATA
    ,MACHINE LANGUAGE              :rem 13
4003 DATA A SIMPLE COMPUTER LANGUAGE,BASI
    C                               :rem 45
4004 DATA USES REVERSE POLISH NOTATION,FO
    RTH                             :rem 40
4005 DATA 8 BITS ON THE 6502,BYTE:rem 248
4006 DATA A 16-BIT MICROPROCESSOR,68000
    :rem 252
4007 DATA TRANSFER DATA FROM MEMORY TO CP
    U,BUS                          :rem 18
4008 DATA DATA ARE PUSHED AND PULLED HERE
    ,STACK                          :rem 0
4009 DATA USED FOR INDEXING,X REGISTER
    :rem 62
4010 DATA FASTEST COMPUTATIONS TAKE PLACE
    HERE,PAGE ZERO                 :rem 214
4011 DATA A NUMBERING SYSTEM,HEXADECIMAL
    :rem 238
5000 DATA HISTORICAL FIGURES,WORLD CITIES
    ,NEWSMAKERS,COMPUTERS         :rem 117

```

Program 3: The Tester, TI-99/4A Version

```

100 REM EXTENDED BASIC NOT REQUIRE
    D
110 DIM QA$(44),AN$(44)
112 CALL CLEAR
114 FOR I=1 TO 44
120 READ QA$(I),AN$(I)
122 NEXT I
123 SUBJ=4
124 REM SET SUBJ TO # OF CATEGORIE
    S OF QUESTIONS
125 FOR J=1 TO SUBJ
126 Q(J)=10
128 READ TL$(J)
129 NEXT J
200 CALL CLEAR
202 PRINT "PLEASE CHOOSE ONE SUBJEC
    T:":
210 FOR I=1 TO 4
212 PRINT I;" ) ";TL$(I)
214 NEXT I
220 PRINT
222 PRINT "YOUR CHOICE";
224 INPUT N
226 IF (N<1)+(N>4)THEN 224
230 PRINT ::::
232 INPUT "HOW MANY QUESTIONS ?":N1
234 IF N1=0 THEN 232
300 TL=N1
302 SC=0
304 FOR CT=1 TO TL
306 CALL CLEAR
308 PRINT TL$(N);" TEST"
310 RANDOMIZE
312 ANS=INT(RND*Q(N))+(N*11)-10
314 PRINT ::
316 PRINT QA$(ANS)
320 FOR I=0 TO 3
322 GOSUB 800
324 J=0
330 IF (I=J)+(T(I)<>T(J))THEN 335
332 GOSUB 800
333 J=0
334 GOTO 330
335 J=J+1
337 IF J<=3 THEN 330
340 NEXT I

```



```

341 RANDOMIZE
342 J=1+INT(RND*5)
344 A=0
346 PRINT ::
348 FOR I=1 TO 5
349 PRINT I;" " ;
350 IF I=J THEN 360
352 PRINT AN$(T(A))
354 A=A+1
356 GOTO 370
360 PRINT AN$(ANS)
370 NEXT I
372 PRINT
380 PRINT
382 INPUT "ENTER YOUR ANSWER: ":N1
390 IF (N1<1)+(N1>5)THEN 380
395 IF N1<>J THEN 430
400 SC=SC+1
402 PRINT
404 PRINT TAB(9);"GOOD !"
406 FOR I=1 TO 500
408 NEXT I
410 GOTO 460
430 PRINT
432 PRINT "SORRY, THE ANSWER IS:"
434 PRINT AN$(ANS)
440 PRINT
442 PRINT "HIT <ENTER> TO CONTINUE"
450 INPUT Z$
460 NEXT CT
500 CALL CLEAR
502 PRINT TL$(N)
510 PRINT ::::
512 PRINT "TOTAL QUESTIONS ";TL
514 PRINT "CORRECT ANSWERS ";SC
520 PRINT "YOUR SCORE IS ON THE ";T
L$(N);" TEST IS";INT((SC/TL)*10
0+.5);"%."
530 PRINT
532 INPUT "WANT ANOTHER TEST (Y/N)?
":Z$
534 IF (Z$<>"Y")*(Z$<>"N")THEN 530
550 IF Z$="Y" THEN 200
560 CALL CLEAR
562 STOP
800 RANDOMIZE
801 T(I)=INT(RND*Q(N))+(N*11)-10
802 IF T(I)=ANS THEN 800
810 RETURN
1000 REM HISTORICAL FIGURES
1001 DATA THE FIRST PRESIDENT,GEORG
E WASHINGTON
1002 DATA FIRST CHIEF JUSTICE,JOHN
JAY
1003 DATA INVENTED THE COTTON GIN,E
LI WHITNEY
1004 DATA PRESIDENT OF CONFEDERACY,
JEFFERSON DAVIS
1005 DATA WHO DEBATED LINCOLN?,STEP
HEN DOUGLAS
1006 DATA FAMOUS ABOLITIONIST,FREDE
RICK DOUGLASS
1007 DATA BRITISH NAVIGATOR,FRANCIS
DRAKE
1008 DATA THE THIRD PRESIDENT,THOMA
S JEFFERSON
1009 DATA HE PRESIDED OVER THE NEW
DEAL,F. D. ROOSEVELT
1010 DATA WHO WAS ASSASSINATED IN D
ALLAS?,JOHN F. KENNEDY
1011 DATA RAILROAD MAGNATE,CORNELIU
S VANDERBILT
2000 REM WORLD CITIES
2001 DATA WHAT IS THE CAPITAL OF JA
PAN?,TOKYO
2002 DATA WHERE IS TRAFALGAR SQUARE
?,LONDON
2003 DATA WHERE IS THE WESTERN WALL
?,JERUSALEM
2004 DATA WHERE IS THE COLISEUM?,RO
ME
2005 DATA WHERE IS THE RED SQUARE?,
MOSCOW
2006 DATA WHERE IS THE TAJ MAHAL?,A
GRA
2007 DATA WHERE IS THE CAPITAL OF A
FGHANISTAN?,KABUL
2008 DATA THE PARTHENON IS IN THIS
CITY,ATHENS
2009 DATA CITY LEASED BY ENGLAND FR
OM CHINA,HONG KONG
2010 DATA WHERE IS THE LINCOLN MEMO
RIAL?,WASHINGTON
2011 DATA THIS CITY IS FAMOUS FOR I
TS CANALS,VENICE
3000 REM NEWSMAKERS
3001 DATA PRESIDENT OF FRANCE,MITTE
RAND
3002 DATA FORMER SECRETARY OF STATE
UNDER REAGAN,HAIG
3003 DATA SOVIET FOREIGN MINISTER,G
ROMYKO
3004 DATA GERMAN CHANCELLOR,KOHL
3005 DATA SECRETARY OF TREASURY,REG
AN
3006 DATA CHAIRMAN OF SOVIET COMMUN
IST PARTY,CHERNENKO
3007 DATA CANADIAN PRIME MINISTER,T
RUDEAU
3008 DATA JAPANESE PRIME MINISTER,N
AKASONE
3009 DATA SECRETARY OF STATE,SHULTZ
3010 DATA MAYOR OF NEW YORK,KOCH
3011 DATA BRITISH PRIME MINISTER,TH
ATCHER
4000 REM COMPUTERS
4001 DATA THE BRAIN OF THE COMPUTER
IS CALLED,CENTRAL PROCESSING
UNIT
4002 DATA THE FASTEST WAY TO PROCES
S DATA,MACHINE LANGUAGE
4003 DATA A SIMPLE COMPUTER LANGUAG
E,BASIC
4004 DATA USES REVERSE POLISH NOTAT
ION,FORTH
4005 DATA 8 BITS ON THE 6502,BYTE
4006 DATA A 16-BIT MICROPROCESSOR,6
8000
4007 DATA TRANSFER DATA FROM MEMORY
TO CPU,BUS
4008 DATA DATA ARE PUSHED AND PULLE
D HERE,STACK
4009 DATA USED FOR INDEXING,X REGIS
TER
4010 DATA FASTEST COMPUTATIONS TAKE
PLACE HERE,PAGE ZERO
4011 DATA A NUMBERING SYSTEM,HEXADE
CIMAL
5000 DATA HISTORICAL FIGURES,WORLD
CITIES,NEWSMAKERS,COMPUTERS ©

```


A Beginner's Guide To Typing In Programs

What Is A Program?

A computer cannot perform any task by itself. Like a car without gas; a computer has *potential*, but without a program, it isn't going anywhere. Most of the programs published in COMPUTE! are written in a computer language called BASIC. BASIC is easy to learn and is built into most computers (on some computers, you have to purchase an optional BASIC cartridge).

BASIC Programs

Each month, COMPUTE! publishes programs for many machines. To start out, type in only programs written for your machine, e.g., "TI Version" if you have a TI-99/4. Later, when you gain experience with your computer's BASIC, you can try typing in and converting certain programs from one computer to yours.

Computers can be picky. Unlike the English language, which is full of ambiguities, BASIC usually has only one "right way" of stating something. Every letter, character, or number is significant. A common mistake is substituting a letter such as O for the numeral 0, a lowercase l for the numeral 1, or an uppercase B for the numeral 8. Also, you must enter all punctuation such as colons and commas just as they appear in the magazine. Spacing can be important. To be safe, type in the listings *exactly* as they appear.

Braces And Special Characters

The exception to this typing rule is when you see the braces, such as {DOWN}. Anything within a set of braces is a special character or characters that cannot easily be listed in a printer. When you come across such a special statement, refer to the appropriate key for your computer. For example, if you have an Atari, refer to the "Atari" section in "How To Type COMPUTE!'s Programs."

About DATA Statements

Some programs contain a section or sections of DATA statements. These lines provide information needed by the program. Some DATA statements contain actual programs (called machine language); others contain graphics codes. These lines are especially sensitive to errors.

If a single number in any one DATA statement is mistyped, your machine could "lock up," or "crash." The keyboard, break key, and RESET (or STOP) keys may all seem "dead," and the screen

may go blank. Don't panic – no damage is done. To regain control, you have to turn off your computer, then turn it back on. This will erase whatever program was in memory, so always SAVE a copy of your program before you RUN it. If your computer crashes, you can LOAD the program and look for your mistake.

Sometimes a mistyped DATA statement will cause an error message when the program is RUN. The error message may refer to the program line that READs the data. *The error is still in the DATA statements, though.*

Get To Know Your Machine

You should familiarize yourself with your computer before attempting to type in a program. Learn the statements you use to store and retrieve programs from tape or disk. You'll want to save a copy of your program, so that you won't have to type it in every time you want to use it. Learn to use your machine's editing functions. How do you change a line if you made a mistake? You can always retype the line, but you at least need to know how to backspace. Do you know how to enter inverse video, lowercase, and control characters? It's all explained in your computer's manuals.

A Quick Review

1. Type in the program a line at a time, in order. Press RETURN or ENTER at the end of each line. Use backspace or the back arrow to correct mistakes.
2. Check the line you've typed against the line in the magazine. You can check the entire program again if you get an error when you RUN the program.
3. Make sure you've entered statements in braces as the appropriate control key (see "How To Type COMPUTE!'s Programs" elsewhere in the magazine).

We regret that we are no longer able to respond to individual inquiries about programs, products, or services appearing in COMPUTE! due to increasing publication activity. On those infrequent occasions when a published program contains a typo, the correction will appear on the CAPUTE! page, usually within eight weeks. If you have specific questions about items or programs which you've seen in COMPUTE!, please send them to Readers' Feedback, P.O. Box 5406, Greensboro, NC 27403.



How To Type COMPUTE!'s Programs

Many of the programs which are listed in COMPUTE! contain special control characters (cursor control, color keys, inverse video, etc.). To make it easy to tell exactly what to type when entering one of these programs into your computer, we have established the following listing conventions. There is a separate key for each computer. Refer to the appropriate tables when you come across an unusual symbol in a program listing. If you are unsure how to actually enter a control character, consult your computer's manuals.

Atari 400/800

Characters in inverse video will appear like: **DOWN**. Enter these characters with the Atari logo key, {A}.

When you see	Type	See	
{CLEAR}	ESC SHIFT <	↵	Clear Screen
{UP}	ESC CTRL -	↑	Cursor Up
{DOWN}	ESC CTRL =	↓	Cursor Down
{LEFT}	ESC CTRL +	←	Cursor Left
{RIGHT}	ESC CTRL -	→	Cursor Right
{BACK S}	ESC DELETE	⌫	Backspace
{DELETE}	ESC CTRL DELETE	⌫	Delete character
{INSERT}	ESC CTRL INSERT	⌫	Insert character
{DEL LINE}	ESC SHIFT DELETE	⌫	Delete line
{INS LINE}	ESC SHIFT INSERT	⌫	Insert line
{TAB}	ESC TAB	↵	TAB key
{CLR TAB}	ESC CTRL TAB	⌫	Clear tab
{SET TAB}	ESC SHIFT TAB	⌫	Set tab stop
{BELL}	ESC CTRL 2	⌫	Ring buzzer
{ESC}	ESC ESC	⌫	ESCape key

Graphics characters, such as CTRL-T, the ball character ● will appear as the "normal" letter enclosed in braces, e.g. {T}.

A series of identical control characters, such as 10 spaces, three cursor-lefts, or 20 CTRL-R's, will appear as {10 SPACES}, {3 LEFT}, {20 R}, etc. If the character in braces is in inverse video, that character or characters should be entered with the Atari logo key. For example, {A} means to enter a reverse-field heart with CTRL-comma, {5⌫} means to enter five inverse-video CTRL-U's.

Commodore PET/CBM/VIC/64

Generally, any PET/CBM/VIC/64 program listings will contain words within braces which spell out any special characters: {DOWN} would mean to press the cursor down key. {5 SPACES} would mean to press the space bar five times.

To indicate that a key should be *shifted* (hold down the SHIFT key while pressing the other key), the key would be underlined in our listings. For example, S would mean to type the S key while holding the shift key. If you find an underlined key enclosed in braces (e.g., {10 N}), you should type the key as many times as indicated (in our example, you would enter ten shifted N's). Some graphics characters are inaccessible from the keyboard on CBM Business models (32N, 8032).

For the VIC and 64, if a key is enclosed in special brackets, {K >}, you should hold down the *Commodore key* while pressing the key inside the special brackets. (The Commodore key is the key in the lower left corner of the keyboard.) Again, if the key is preceded by a number, you should press the key as many times as indicated.

Rarely, you'll see in a Commodore 64 program a solitary letter of the alphabet enclosed in braces. These characters can be entered by holding down the CTRL key while typing the letter in the braces. For example, {A} would indicate that you should press CTRL-A.

About the *quote mode*: you know that you can move the cursor around the screen with the CRSR keys. Sometimes a programmer will want to move the cursor under program control. That's why you see all the {LEFT}'s, {HOME}'s, and {BLU}'s in our programs. The only way the computer

can tell the difference between direct and programmed cursor control is the quote mode.

Once you press the quote (the double quote, SHIFT-2), you are in the quote mode. If you type something and then try to change it by moving the cursor left, you'll only get a bunch of reverse-video lines. These are the symbols for cursor left. The only editing key that isn't programmable is the DEL key; you can still use DEL to back up and edit the line. Once you type another quote, you are out of quote mode.

You also go into quote mode when you INSerT spaces into a line. In any case, the easiest way to get out of quote mode is to just press RETURN. You'll then be out of quote mode and you can cursor up to the mistyped line and fix it.

Use the following tables when entering special characters:

VIC And 64

When You Read:	Press:	See:	When You Read:	Press:	See:
{CLR}	SHIFT CLR/HOME	⌫	{GRN}	CTRL 6	⬆
{HOME}	CLR/HOME	⌫	{BLU}	CTRL 7	⬅
{UP}	SHIFT ↑ CRSR ↓	⬆	{YEL}	CTRL 8	⬆
{DOWN}	↑ CRSR ↓	⬆	{F1}	F1	⬆
{LEFT}	SHIFT ← CRSR →	⬅	{F2}	F2	⬆
{RIGHT}	← CRSR →	⬅	{F3}	F3	⬆
{RVS}	CTRL 9	⬆	{F4}	F4	⬆
{OFF}	CTRL 0	⬆	{F5}	F5	⬆
{BLK}	CTRL 1	⬆	{F6}	F6	⬆
{WHT}	CTRL 2	⬆	{F7}	F7	⬆
{RED}	CTRL 3	⬆	{F8}	F8	⬆
{CYN}	CTRL 4	⬆	←	←	⬆
{PUR}	CTRL 5	⬆	↑	SHIFT ↑	⬆

All Commodore Machines

Clear Screen {CLR}	Cursor Left {LEFT}
Home Cursor {HOME}	Insert Character {INST}
Cursor Up {UP}	Delete Character {DEL}
Cursor Down {DOWN}	Reverse Field On {RVS}
Cursor Right {RIGHT}	Reverse Field Off {OFF}

Apple II / Apple II Plus

All programs are in Applesoft BASIC, unless otherwise stated. Control characters are printed as the "normal" character enclosed in braces, such as {D} for CTRL-D. Hold down CTRL while pressing the control key. You will not see the special character on the screen.

Texas Instruments 99/4

The only special characters used are in PRINT statements to indicate where two or more spaces should be left between words. For example, ENERGY {10 SPACES} MANAGEMENT means that ten spaces should be left between the words ENERGY and MANAGEMENT. Do not type in the braces or the words 10 SPACES. Enter all programs with the ALPHA LOCK on (in the down position). Release the ALPHA LOCK to enter lowercase text.

The Automatic Proofreader For VIC, 64, And Atari

Charles Brannon, Program Editor

At last there's a way for your computer to help you check your typing. "The Automatic Proofreader" will make entering programs faster, easier, and more accurate.

The strong point of computers is that they excel at tedious, exacting tasks. So why not get your computer to check your typing for you?

With "The Automatic Proofreader" nestled in your VIC-20, Commodore 64, or Atari computer, every line you type in will be verified. It displays a special code, called a *checksum*, at the top of the screen. The checksum, either a number (VIC/64) or a pair of letters (Atari), corresponds to the line you've just typed. It represents every character in the line summed together. A matching code in the program listing lets you compare it to the checksum which the Proofreader displays. A glance is all it takes to confirm that you've typed the line correctly.

Entering The Automatic Proofreader

Commodore (VIC/64) owners should type in Program 1. Program 2 is for Atari users. Since the Proofreader is a machine language program, be especially diligent. Watch out for typing extra commas, or a letter O for a zero, and check every number carefully. If you make a mistake when typing in the DATA statements, you'll get the message "Error in DATA statements" when you RUN the program. Check your typing and try again.

When you've typed in The Automatic Proofreader, SAVE it to tape or disk at least twice *before running it for the first time*. If you mistype the Proofreader, it may cause a system crash when you first run it. By SAVEing a copy beforehand, you can reLOAD it and hunt for your error. Also, you'll want a backup copy of the Proofreader because you'll use it again and again—every time you enter a program from COMPUTE!.

When you RUN the Proofreader, the program will be POKEd safely into memory, then it will activate itself. If you ever need to reactivate it (RUN/STOP—RESTORE or SYSTEM RESET will disable it), just enter the command SYS 886 (VIC/64) or PRINT USR(1536) for the Atari.

Using The Proofreader

Now, let's see how it works. LIST the Proofreader program, move the cursor up to one of the lines, and press RETURN. If you've entered the Proofreader correctly, a checksum will appear in the top-left corner of your screen.

Try making a change in the line and hit RETURN. Notice that the checksum has changed. All VIC and 64 listings in COMPUTE! now have a number appended to the end of each line, for example, :rem 123. *Don't*

enter this statement. It is just for your information. The rem is used to make the number harmless if someone does type it in. It will, however, use up memory if you enter it, and it will cause the checksum displayed at the top of the screen to be different, even if you entered the rest of the line correctly.

The Atari checksum is found immediately to the left of each line number. This makes it impossible to type in the checksum accidentally, since a program line must start with a number.

Just type in each line (without the printed checksum), and check the checksum displayed at the top of the screen against the checksum in the listing. If they match, go on to the next line. If they don't, there's a mistake. You can correct the line immediately, instead of waiting to find the error when you RUN the program.

The Proofreader is not picky with spaces. It will not notice extra spaces or missing ones. This is for your convenience, since spacing is generally not important. Occasionally proper spacing is important, but the article describing the program will warn you to be careful in these cases.

Nobody's Perfect

Although the Proofreader is an important aid, there are a few things to watch out for. If you enter a line by using abbreviations for commands, the checksum will not match up. This is because the Proofreader is very literal: It looks at the individual letters in a line, not at tokens such as PRINT. There is a way to make the Proofreader check such a line. After entering the line, LIST it. This makes the computer spell out the abbreviations. Then move the cursor up to the line and press RETURN. It should now match the checksum. You can check whole groups of lines this way. Atari users should beware of using ? as an abbreviation for PRINT—they're not the same thing in the Proofreader's eyes.

The checksum is a sum of the ASCII values of the characters in a line. VIC and 64 owners may wonder why the numbers are so small, never exceeding 255. This is because the addition is done only in eight bits. A result over 255 will roll over past zero, like an odometer past 99999. On the Atari, the number is turned into two letters, both for increased convenience and to make the Proofreader shorter. For the curious, the letters correspond to the values of the left and right nybbles added to 33 (to offset them into the alphabet). This number is then stored directly into screen memory.

Due to the nature of a checksum, the Proofreader will not catch all errors. Since $1 + 3 + 5 = 3 + 1 + 5$, the Proofreader cannot catch errors of transposition. In fact, you could type in the line in any order, and the Proofreader wouldn't notice. Anytime the Proofreader

seems to act strange, keep this in mind. Since the ASCII values of the number 18 (49+56) and 63 (54+51) both equal 105, these numbers are equal according to the Proofreader. There really is no simple way to catch these kinds of errors. Fortunately, the Proofreader will catch the majority of the typing mistakes most people make.

If you want the Proofreader out of your way, just press SYSTEM RESET or RUN/STOP—RESTORE. If you need it again, enter SYS 828 (VIC/64) or PRINT USR(1536) (Atari). You must disable the Proofreader before doing any tape operations on the VIC or 64.

Hidden Perils

The Proofreader's home in the VIC and 64 is not a very safe haven. Since the cassette buffer is wiped out during tape operations, you need to disable the Proofreader with RUN/STOP—RESTORE before you SAVE your program. This applies only to tape use. Disk users or Atari owners have nothing to worry about.

Not so for VIC and 64 owners with tape drives. What if you type in a program in several sittings? The next day, you come to your computer, LOAD and RUN the Proofreader, then try to LOAD the partially completed program so you can add to it. But since the Proofreader is trying to hide in the cassette buffer, it is wiped out!

What you need is a way to LOAD the Proofreader after you've LOADED the partial program. The problem is, a tape load to the buffer destroys what it's supposed to load.

After you've typed in and RUN the Proofreader, enter the following lines in direct mode (without line numbers) *exactly* as shown:

```
A$="PROOFREADER.T": B$="{10 SPACES}": FOR
  X = 1 TO 4: A$=A$+B$: NEXTX
FOR X = 886 TO 1018: A$=A$+CHR$(PEEK(X)):
  NEXTX
OPEN 1,1,1,A$:CLOSE1
```

After you enter the last line, you will be asked to press record and play on your cassette recorder. Put this program at the beginning of a new tape. This gives you a new way to load the Proofreader. Anytime you want to bring the Proofreader into memory without disturbing anything else, put the cassette in the tape drive, rewind, and enter:

OPEN1:CLOSE1

You can now start the Proofreader by typing SYS 886. To test this, PRINT PEEK(886) should return the number 173. If it does not, repeat the steps above, making sure that A\$ ("PROOFREADER.T") contains 13 characters and that B\$ contains 10 spaces.

You can now reload the Proofreader into memory whenever LOAD or SAVE destroys it, restoring your personal typing helper.

Incidentally, you can protect the cassette buffer on the Commodore 64 with POKE 178,251. This POKE should work on the VIC, but it has caused numerous problems, probably due to a bug in the VIC operating system. With this POKE, the 64 will not wipe out the cassette buffer during tape LOADs and SAVEs.

Program 1: VIC/64 Proofreader

```
100 PRINT "{CLR}PLEASE WAIT...":FORI=886TO
1018:READA:CK=CK+A:POKEI,A:NEXT
110 IF CK<>17539 THEN PRINT "{DOWN}YOU MAD
E AN ERROR":PRINT"IN DATA STATEMENTS.
":END
120 SYS886:PRINT "{CLR}{2 DOWN}PROOFREADER
ACTIVATED.":NEW
886 DATA 173,036,003,201,150,208
892 DATA 001,096,141,151,003,173
898 DATA 037,003,141,152,003,169
904 DATA 150,141,036,003,169,003
910 DATA 141,037,003,169,000,133
916 DATA 254,096,032,087,241,133
922 DATA 251,134,252,132,253,008
928 DATA 201,013,240,017,201,032
934 DATA 240,005,024,101,254,133
940 DATA 254,165,251,166,252,164
946 DATA 253,040,096,169,013,032
952 DATA 210,255,165,214,141,251
958 DATA 003,206,251,003,169,000
964 DATA 133,216,169,019,032,210
970 DATA 255,169,018,032,210,255
976 DATA 169,058,032,210,255,166
982 DATA 254,169,000,133,254,172
988 DATA 151,003,192,087,208,006
994 DATA 032,205,189,076,235,003
1000 DATA 032,205,221,169,032,032
1006 DATA 210,255,032,210,255,173
1012 DATA 251,003,133,214,076,173
1018 DATA 003
```

Program 2: Atari Proofreader

```
100 GRAPHICS 0
110 FOR I=1536 TO 1700:READ A:POKE I
,A:CK=CK+A:NEXT I
120 IF CK<>19072 THEN ? "Error in DA
TA statements. Check typing":END
130 A=USR(1536)
140 ? :? "Automatic Proofreader now
activated."
150 END
1536 DATA 104,160,0,185,26,3
1542 DATA 201,69,240,7,200,200
1548 DATA 192,34,208,243,96,200
1554 DATA 169,74,153,26,3,200
1560 DATA 169,6,153,26,3,162
1566 DATA 0,189,0,228,157,74
1572 DATA 6,232,224,16,208,245
1578 DATA 169,93,141,78,6,169
1584 DATA 6,141,79,6,24,173
1590 DATA 4,228,105,1,141,95
1596 DATA 6,173,5,228,105,0
1602 DATA 141,96,6,169,0,133
1608 DATA 203,96,247,238,125,241
1614 DATA 93,6,244,241,115,241
1620 DATA 124,241,76,205,238,0
1626 DATA 0,0,0,0,32,62
1632 DATA 246,8,201,155,240,13
1638 DATA 201,32,240,7,72,24
1644 DATA 101,203,133,203,104,40
1650 DATA 96,72,152,72,138,72
1656 DATA 160,0,169,128,145,88
1662 DATA 200,192,40,208,249,165
1668 DATA 203,74,74,74,74,24
1674 DATA 105,161,160,3,145,88
1680 DATA 165,203,41,15,24,105
1686 DATA 161,200,145,88,169,0
1692 DATA 133,203,104,170,104,168
1698 DATA 104,40,96
```


Missile Math

Garry S. Wick

Educational programs are usually designed to reward correct answers. "Missile Math" does this, but also gives extra points for speed. Here's an entertaining way for young students to learn their math. Versions for the Atari, Commodore VIC-20 and 64, the TI-99/4A, Apple, and IBM PC/PCjr.

"Missile Math" starts with an animated introduction screen, then a joystick-controlled menu appears on the screen. You have a choice of addition and subtraction or multiplication and division at a slow or fast speed. Using the joystick to select the menu item eliminates possible errors from incorrect typing. The joystick does not give any unacceptable entries when the fire button is pressed to start the game.

Different Difficulty Levels

After a short pause for the initialization of the player/missile figures, the player sees a screen that displays ENTERING LEVEL 1. As you advance from one level to the next, the math problems become increasingly difficult.

The problem appears at the top of the screen. On the bottom there are five possible answers, together with a missile gun which you control with the joystick. The object is to position the gun over the correct answer and launch a missile so that it destroys an enemy spaceship as it traverses the screen. On the upper left corner of the screen are spades representing the number of remaining guns. You begin with three guns. The score is displayed in the upper right corner of the screen.

A special kind of problem appears in random locations. For example, you could see $3+4=?$ or $3+?=7$ or $?+4=7$. Addition and subtraction are combined. It is similar for multiplication and division. The correct answer randomly appears in one of five possible locations, so the player never knows in advance where to position the gun. The values of the incorrect answers are chosen so that the correct answer is not obvious. This discourages guessing.

A Feisty UFO

The UFO moves across the screen at three different heights. The first height is near the top of the screen, and on the two successive flights, the

UFO moves closer to the position of the gun. Of course, if the player destroys the UFO on the first pass, it does not appear at the lower altitudes. Instead a new problem appears, and the UFO starts again at the highest position.


It is most difficult to destroy the UFO at the highest altitude because there is less time to calculate the correct answer and to fire the missile at the right time to hit the UFO. Destroying the UFO at the middle altitude is easier, and at the lowest altitude, it is easiest. Thus the player gets 25 points for a correct hit on the first pass, 10 points for the second pass, and 5 points for the third pass. When the gun is positioned over the correct answer and scores a hit, the UFO explodes with sound effects, disappears, and the number of points earned appears in its place. Then a new problem appears on the screen.

If you score a direct hit on the UFO, but have the gun over an incorrect answer, the UFO briefly changes colors, makes a funny sound and continues on its way. You must then try again on the next pass of the UFO. Three consecutive misses or incorrect answers and the UFO destroys the gun and one of the spades disappears. Sound effects accompany the disappearance of the spade and the correct answer blinks on and off as an encouraging message flies onto the screen. The game ends when all three guns have been destroyed.

To advance to the next level, you must score 50 points. If the present level is too easy, you can enter the next level by solving as few as two problems, receiving 25 points for each correct answer. If you only succeed in destroying the UFO on its third pass each time, then you will have to solve ten problems before moving to the next level. Thus you get more practice on problems that stretch your abilities. You can quickly pass by the problems that you find easy.

Bonus Points

You can earn the 50 points necessary to advance to higher levels with any combination of 5, 10, or 25 points, but you can earn bonus points for speed and accuracy. If the average score for the problems solved in a level is 25, the player receives 50 bonus points. The only way to get 50 bonus points is to score correct hits on the first two problems in a level during the first pass of



the UFO. If you average ten points or better per problem (but less than 25), you will earn 25 bonus points. There are no bonus points if you average less than ten points per problem. Bonus points are displayed with suitable fanfare.

There are a few features of Program 1 that require special mention. The joystick-controlled menu appears in Program 1 at lines 5000 through 5230. It uses screen memory locations to identify the choices available so that it is impossible to make an incorrect entry and cause an error.

Player/Missile Machine Language

The UFO is Atari Player 1 and the explosion character is Player 3. In order to rapidly exchange them when a correct hit has occurred, it is necessary that the two players always be at the same vertical position. (Then it is easy to POKE the UFO horizontally off the screen and to POKE the explosion at the former position of the UFO.)

BASIC was too slow to move both players vertically. A machine language program to move two players vertically lower on the screen is in lines 4000-4060. The parameters for the current location and length of the players are set by the subroutine at line 3500.

It is a little tricky and not at all obvious how to determine when the gun is over the correct answer. The playfield characters (the answers) and the players use different coordinate systems. It is necessary to establish an equation that maps one coordinate system to the other. The appropriate equations are:

$$X(P/M) = 4 * X(\text{Playfield}) + 45$$

$$Y(P/M) = 4 * Y(\text{Playfield}) + 17$$

where X and Y are the horizontal and vertical coordinates respectively. The X equation is used in line 2510 to determine whether the gun is over the correct answer, and the Y equation is used in line 3025 to position the number of points earned at the same height as the explosion of the UFO.

Program 1: Atari Missile Math

Refer to the "Automatic Proofreader" article before typing this program in.

```
JB 10 DIM M$(20), MIS$(13), BL$(40), A$(6), B$(6), C$(6), CH(5), KEEP$(21)
HL 15 GRAPHICS 2+16
BD 20 BL$=" ":BL$(20)=" ":BL$(2)=BL$
DB 30 MIS$="MISSILE MATH "
AN 60 FOR I=1 TO 15
BK 70 BL$(20-I,20)=MIS$
AI 80 SOUND 0,75-I,8,I
PA 90 POSITION 0,5: ? #6;BL$:NEXT I
HM 100 RESTORE 110:FOR I=1 TO 35:READ A:SOUND 0,A,10,8:FOR J=1 TO 45:NEXT J:NEXT I
```


COMPUTER AND SOFTWARE SALE

COMMODORE 64
(more power than Apple II at 1/3 the price)
\$188.00*

- 80 COLUMN
- TRACTION FRICTION PRINTER \$179.00 *
- 14" HI-RES COLOR MONITOR \$239.00 *
- * less coupon discounts

WE
HAVE
THE
BEST
SERVICE

WE
HAVE
THE
LOWEST
PRICES

COMMODORE 16
(the new learning computer)
\$99.00

- COM-64 POWER FOR VIC-20 \$79.00
- NEW VOICE SYNTHESIZER \$59.00 (Com-64 or VIC-20)

*** COMMODORE 64 COMPUTER \$188.00!**

You pay only \$188.00 when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your computer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied, your net computer cost is \$88.00!!

80 COLUMN

*** TRACTION FRICTION PRINTER \$179.00**

You pay only \$179.00 when you order the Comstar T/F deluxe line printer that prints 8 1/2 x 11 full size, single sheet, roll or fan fold paper, labels etc. 40, 66, 80, 132 columns. Impact dot matrix, bi-directional, 80 CPS. LESS the value of the SPECIAL SOFTWARE COUPON we pack with your printer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of saving applied your net printer cost is only \$79.00.

*** 14" HI-RES COLOR MONITOR \$239.00**

You pay only \$239.00 when you order this 14" COLOR MONITOR with sharper and clearer resolution than any other color monitors we have tested! LESS the value of the SPECIAL DISCOUNT COUPON we pack with your monitor that allows you to save over \$500 off software sale prices!! with only \$100.00 of savings applied your net color monitor cost is only \$139.00

*** 12" HI-RES AMBER MONITOR \$119.00**

This is a 1000 LINE 80 COLUMN, HIGH RESOLUTION MONITOR with crisp clear amber text that is easy to read, a must for word processing! Includes SPECIAL SOFTWARE DISCOUNT COUPON!!

80 COLUMN BOARD \$99.00

Now you program 80 COLUMNS on the screen at one time! Converts your Commodore 64 to 80 COLUMNS when you plug in the 80 COLUMN EXPANSION BOARD!! PLUS—you can get an 80 COLUMN BOARD WORD PROCESSOR with mail merge, terminal emulator, ELECTRONIC SPREAD SHEET List \$59.00 SALE \$24.95 if purchased with 80 COLUMN BOARD!! (Tape or Disk)

80 COLUMNS IN COLOR EXECUTIVE WORD PROCESSOR \$59.00

THIS EXECUTIVE WORD PROCESSOR is the finest available for the COMMODORE 64 computer! The ULTIMATE for PROFESSIONAL Word-processing application! DISPLAYS 40 OR 80 COLUMNS IN COLOR or Black and White! Simple to operate, powerful text editing with a 250 WORD DICTIONARY, complete cursor and insert/delete key controls line and paragraph insertion, automatic deletion, centering, margin settings and output to all printers! Includes a powerful mail merge, 20,000 WORD DICTIONARY - List \$24.95 SALE \$19.95. EXECUTIVE DATA BASE - List \$99.00 SALE \$59.00 (sk)

SPECIAL SOFTWARE COUPON

We pack a SPECIAL SOFTWARE DISCOUNT COUPON with every COMMODORE 64 COMPUTER DISK DRIVE-PRINTER-MONITOR we sell! This coupon allows you to SAVE OVER \$500 OFF SALE PRICES!!

(Examples)
PROFESSIONAL SOFTWARE COMMODORE 64

Name	List	Sale	Coupon
Executive Word Processor	\$99.00	\$59.00	\$49.00
Executive Data Base	\$69.00	\$39.00	\$29.00
20 000 Word Dictionary	\$24.95	\$19.95	\$12.50
Electronic Spreadsheet	\$59.95	\$49.00	\$39.00
Accounting Pack	\$49.00	\$39.00	\$29.00
Total 52			
Word Processor			
Tape	\$69.00	\$49.00	\$34.00
Disk	\$79.95	\$59.00	\$39.00
Total Text 26			
Word Processor			
Disk	\$49.00	\$39.00	\$27.00
Total Label 26			
Tape	\$24.95	\$18.00	\$12.00
Disk	\$29.95	\$23.00	\$15.00
Programmers			
Helper (Disk)	\$59.00	\$39.95	\$29.95
80 Column Screen (Disk)	\$59.95	\$39.95	\$29.95
Crush-Crumble Chomp (Tape/Disk)	\$29.95	\$24.95	\$19.95
Pistop (Cartridge)	\$39.95	\$29.95	\$24.95
Typing Teacher (Tape/Disk)	\$29.95	\$24.95	\$15.00
Sortie Designer (Tape/Disk)	\$16.95	\$14.95	\$10.00
Fireball Joy Stick	\$24.95	\$15.95	\$10.00
Light Pen	\$39.95	\$16.95	\$14.95
Dust Cover	\$ 8.95	\$ 6.95	\$ 4.60

(See 100 coupon items in our catalog!)

Write or call for

Sample SPECIAL SOFTWARE COUPON!

EXECUTIVE QUALITY PROFESSIONAL BUSINESS SOFTWARE

The Cadillac of business programs for Commodore 64 Computers

Item	List	*SALE	Coupon
Inventory Management	\$99.00	\$59.00	\$49.00
Accounts Receivable	\$99.00	\$59.00	\$49.00
Accounts Payable	\$99.00	\$59.00	\$49.00
Payroll	\$99.00	\$59.00	\$49.00
General Ledger	\$99.00	\$59.00	\$49.00

COMMODORE 16 COMPUTER \$99.00

This new LEARNING COMPUTER has 48K total memory (32K ROM and 16K RAM) 40 columns, 25 lines, 128 colors, 8 sound levels, upper-lower case High resolution graphics, 66 typewriter keys, extended 3 1/2 MICROSOFT BASIC with over 75 commands, machine language monitor, 12K useable RAM. FANTASTIC FOR PROGRAMMERS AND STUDENTS!!

COM-64 POWER FOR VIC-20 \$79.00

Just plug in our 32K RAM MEMORY EXPANDER and you get as much usable programming power as the Commodore-64 computer!! Master control switches on cover, Gold Edge connectors, five year warranty (FREE \$29.95, CARTRIDGE GAME)

NEW VOICE SYNTHESIZER \$59.00

For Com-64 or VIC-20 computers. Just plug it in and you can program words and sentences, adjust volume and pitch, make talking adventure games, sound action games and customized talkies!! FOR ONLY \$19.95 you can add TEXT TO SPEECH, just type a word and hear your computer talk—ADD SOUND TO "ZORK," SCOTT ADAMS AND AARDVARK ADVENTURE GAMES!! (Disk or tape)

16K RAM CARTRIDGE \$49.00

Increases VIC-20 programming power 4 times. Expands total memory to 41K (41,000 bytes). Memory block switches are an outside cover! CARDCO includes FREE \$29.95 game!!

8K RAM CARTRIDGE \$34.95

Increases VIC-20 programming power 2 1/2 times. Expands total memory to 33K (33,000 bytes) Includes FREE \$16.95 game

3 SLOT SWITCHABLE EXPANDER \$24.95

Allows you to add 3 cartridges at one time—switch select to turn slots on or off—PLUS reset button. A must for your VIC-20 computer!!

9" GREEN SCREEN MONITOR \$69.00

Excellent quality SANYO, easy to read, 80 columns x 24 lines, Green Phosphor screen with anti-glare, metal cabinet! Saves your T.V. PLUS \$9.95 for connecting cable. Com-64 or VIC-20.

12" GREEN OR AMBER MONITOR \$99.00

Your choice of green or amber screen monitor top quality, SANYO, 80 columns x 24 lines, easy to read, anti-glare, faster scanning! PLUS \$9.95 for connecting cable. Com-64 or VIC 20

- LOWEST PRICES • 15 DAY FREE TRIAL • 90 DAY FREE REPLACEMENT WARRANTY
- BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

PROTECTO ENTERPRISES (WE LOVE OUR CUSTOMERS)
BOX 550, BARRINGTON, ILLINOIS 60010
Phone 312/382-5244 to order

BIG FOUR

NEW 128K —MEGA BYTE DUAL DISK DRIVE—80 COLUMN

COMPUTER SYSTEM SALE!

HOME • BUSINESS • WORD PROCESSING



LOOK AT ALL YOU GET FOR ONLY **\$895.**

	LIST PRICE
• B128 COMMODORE 128K 80 COLUMN COMPUTER	\$ 995 00
• 8050 DUAL DISK DRIVE (over 1 million bytes)	1795 00
* 4023 100 CPS 80 COLUMN BIDIRECTIONAL PRINTER	499 00
• 12" HI RESOLUTION 80 COLUMN GREEN OR AMBER MONITOR	249 00
• BOX OF 10 LORAN LIFETIME GUARANTEED DISKS	49 95
• 1100 SHEETS FANFOLD PAPER	19.95
• ALL CABLES NEEDED FOR INTERFACING	102 05
TOTAL LIST PRICE	\$ 3717.95



Printer replacement options (replace the 4023 with the following at these sale prices)

	LIST	SALE
* Olympia Executive Letter Quality Serial Printer	\$ 699 00	\$ 399.00
* Comstar Hi-Speed 160 CPS 15" Serial-Business Printer	\$ 779 00	\$ 499.00
* Telecommunications Deluxe Modem Package	\$ 199.00	\$ 139.00

Plus You Can Order These Business Programs At Sale Prices

	LIST	SALE		LIST	SALE
Professional 80 Column Word Processor	\$149 95	\$99.00	Payroll Inventory	\$149 95	\$99.00
Professional Data Base	149 95	99.00	General Ledger	149 95	99.00
Accounts Receivable	149 95	99.00	Financial Spread Sheet	149 95	99.00
Accounts Payable	149 95	99.00	Program Generator	149 95	99.00

15 DAY FREE TRIAL We give you 15 days to try out this SUPER SYSTEM PACKAGE!! If it doesn't meet your expectations, just send it back to us prepaid and we will refund your purchase price!!

90 DAY IMMEDIATE REPLACEMENT WARRANTY If any of the SUPER SYSTEM PACKAGE equipment or programs fail due to faulty workmanship or material we will replace it IMMEDIATELY at no charge!!

Add \$50.00 for shipping and handling!!

\$100.00 for Canada, Puerto Rico, Hawaii orders.

WE DO NOT EXPORT TO OTHER COUNTRIES.


Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. We accept Visa and MasterCard. We ship C.O.D. to U.S. addresses only.

PROTECTO ENTERPRISES

(WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010
Phone 312/382-8244 to order

80 COLUMN PRINTER SALE—\$149.00*



COM-STAR T/F

Tractor
Friction
Printer

only \$ **179****

• 15 Day Free Trial - 180 Day Immediate Replacement Warranty

- Lowest Priced, Best Quality, Tractor-Friction Printers in the U.S.A.
- Fast 80-120-160 Characters Per Second • 40, 46, 66, 80, 96, 132 Characters Per Line Spacing
- Word Processing • Print Labels, Letters, Graphs and Tables • List Your Programs
- Print Out Data from Modem Services • "The Most Important Accessory for Your Computer"

*STX-80 COLUMN PRINTER—\$149.00

Prints full 80 columns. Super silent operation, 60 CPS, prints Hi-resolution graphics and block graphics, expanded character set, exceptionally clear characters, fantastic print quality, uses inexpensive thermal paper! Best thermal printer in the U.S.A.! (Centronics Parallel Interface).

**DELUXE COMSTAR T/F 80 CPS PRINTER—\$179.00

The COMSTAR T/F (Tractor Friction) PRINTER is exceptionally versatile. It prints 8½" x 11" standard size single sheet stationary or continuous feed computer paper. Bi-directional, impact dot matrix, 80 CPS, 224 characters. (Centronics Parallel Interface).

Premium Quality—120 CPS COMSTAR T/F SUPER-10X PRINTER—\$289.00

COMSTAR T/F (Tractor Friction) SUPER-10X PRINTER gives you all the features of the COMSTAR T/F PRINTER plus a 10" carriage, 120 CPS, 9 x 9 dot matrix with double strike capability for 18 x 18 dot matrix (near letter quality), high resolution bit image (120 x 144 dot matrix), underlining, back spacing, left and right margin settings, true lower decenders with super and subscripts, prints standard, italic, block graphics

and special characters, plus 2K of user definable characters! The COMSTAR T/F SUPER-10X PRINTER was Rated No. 1 by "Popular Science Magazine." It gives you print quality and features found on printers costing twice as much!! (Centronics Parallel Interface) (Better than Epson FX 80).

Premium Quality—120 CPS COMSTAR T/F SUPER-15½" PRINTER—\$379.00

COMSTAR T/F SUPER 15½" PRINTER has all the features of the COMSTAR T/F SUPER-10X PRINTER plus a 15½" carriage and more powerful electronics components to handle large ledger business forms! (Better than Epson FX 100).

Superior Quality SUPER HIGH SPEED—160 CPS COMSTAR T/F 10" PRINTER—\$399.00

SUPER HIGH SPEED COMSTAR T/F (Tractor Friction) PRINTER has all the features of the COMSTAR SUPER-10X PRINTER plus SUPER HIGH SPEED PRINTING—160 CPS, 100% duty cycle, 8K buffer, diverse character fonts, special symbols and true decenders, vertical and horizontal tabs. RED HOT BUSINESS PRINTER at an unbelievable low price!! (Serial or Centronics Parallel Interface)

Superior Quality SUPER HIGH SPEED—160 CPS COMSTAR T/F 15½" PRINTER—\$529.00

SUPER HIGH SPEED COMSTAR T/F 15½" PRINTER has all the features of the SUPER HIGH SPEED COMSTAR T/F 10" PRINTER plus a 15½" carriage and more powerful electronics to handle larger ledger business forms! Exclusive bottom paper feed!!

PARALLEL INTERFACES For VIC-20 and COM-64—\$69.00 For Apple Computers—\$79.00

NOTE: Other printer interfaces are available at computer stores!

Double Immediate Replacement Warranty

We have doubled the normal 90 day warranty to 180 days. Therefore if your printer fails within "180 days" from the date of purchase you simply send your printer to us via United Parcel Service, prepaid. We will IMMEDIATELY send you a replacement printer at no charge, prepaid. This warranty, once again, proves that WE LOVE OUR CUSTOMERS!

Add \$17.50 for shipping, handling and insurance. WE DO NOT EXPORT TO OTHER COUNTRIES EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. VISA — MASTER CARD ACCEPTED. We ship C.O.D.


PROTECTO ENTERPRISES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010
Phone 312/382-5244 to order

SUPER-10"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
ABCDEFGHIJKLMNOPQRSTUVWXYZ 1 2 3 4 5 6 7 8 9 0

Olympia EXECUTIVE LETTER QUALITY "DAISY WHEEL PRINTERS"



Executive Letter Quality Printer

World's Finest Computer Printer

List Price \$699 **SALE \$399**

- Daisywheel printer, bidirectional with special print enhancements.
- Print speed up to 20 characters per second.
- 10, 12, and 15 characters per inch.
- 256 character print buffer.
- 14.4" forms width.
- Print line width: 115, 138, and 172 characters.
- Serial RS-232-C and parallel Centronics interface ports built-in.
- Built-in bidirectional forms tractor.
- Operating status control panel.



Executive Letter Quality Printer/Typewriter

World's Finest "Combination" Printer/Typewriter

List Price \$799 **SALE \$489**

- Superb computer printer combined with world's finest electronic typewriter!
- Better than IBM selectric — used by world's largest corporations!
- Two machines in one — just a flick of the switch!
- Superb letter quality correspondence — home, office, word processing!
- Extra large carriage — allows 14-1/8" paper usage!
- Drop in cassette ribbon — express lift off correction or eraser up to 46 characters!
- Precision daisy wheel printing — many type styles!
- Pitch selector — 10, 12, 15 CPS, Automatic relocate key!
- Automatic margin control and setting! Key in buffer!
- Electronic reliability, built in diagnostic test!
- Centronics parallel interface built-in

15 Day Free Trial - 90 Day Immediate Replacement Warranty

COM64 — VIC-20 INTERFACE	\$59.00
APPLE INTERFACE	\$79.00

Add \$17.50 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$35.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APA-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTERCARD — C.O.D.

No C.O.D. to Canada, APO-FPO

PROTECTO
ENTERPRIZES (WE LOVE OUR CUSTOMERS)
 BOX 550, BARRINGTON, ILLINOIS 60010
 Phone 312/382-5244 to order


```

PE 110 DATA 81,81,81,60,60,60,60,60,60,
60,60,60,60,81,81,81,60,68,72
,81,81,81,81,81,81,81
CP 111 DATA 0,81,81,81,81,60,60,60,6
0,60,60,60
DJ 120 FOR I=0 TO 15
JG 130 BL$=BL$(2,20-I):SOUND 0,75-I,
8,I
CD 140 POSITION 0,5: ? #6;BL$:NEXT I :
SOUND 0,0,0,0
DA 150 FOR I=1 TO 250:NEXT I
NL 160 GOSUB 4000
NN 170 GOSUB 5000
NI 175 ? CHR$(125):? :? :? "TO PLAY:
":? "POSITION GUN OVER CORREC
T ANSWER":? "AND SHOOT THE UF
O."
GO 180 ? :? :? "BE CAREFUL NOT TO WA
STE SHOTS."
OL 185 ? :? :? :? :? "PLEASE WAIT A
MOMENT....."
NM 200 GOSUB 5500
CN 210 LVL=1:SC=0:NP=3:HIT=0:GUN=0:X
1=165
MM 220 ? CHR$(125):POKE 752,1:POSITI
ON 12,10:SETCOLOR 2,2,10:SETC
OLOR 1,2,0: ? "ENTERING LEVEL
";LVL
CB 225 PB=0:SCL=0
IF 226 RESTORE 110:FOR I=1 TO 35:REA
D A:SOUND 0,A,10,8:FOR J=1 TO
20:NEXT J:NEXT I:SOUND 0,0,0
,0
JE 230 A=INT(RND(0)*4+1)+4*(LVL-1)
IM 235 B=INT(RND(0)*4*LVL+1)
DE 240 IF MENU=1 THEN C=A+B:GOTO 255
ME 250 C=A*B
AJ 255 A$=STR$(A):B$=STR$(B):C$=STR$
(C)
NC 260 RP=INT(RND(0)*4)+1
FO 270 IF RP=1 THEN ANS=A:A$=CHR$(63
)
GC 280 IF RP=2 THEN ANS=B:B$=CHR$(63
)
BK 290 IF RP=3 OR RP=4 THEN ANS=C:C$
=CHR$(63)
GD 295 FOR I=1 TO 500:NEXT I: ? CHR$(
125):POSITION 13,5:SETCOLOR 1
,0,14:SETCOLOR 2,0,2
EJ 300 IF MENU=1 THEN ? A$;" " + ";B$;
" = ";C$:GOTO 320
AO 310 ? A$;" X ";B$;" = ";C$
EJ 320 FOR I=1 TO NP:POSITION 2*I,2:
? CHR$(123):NEXT I
NC 340 POSITION 25,2: ? "SCORE ";SC:P
B=PB+1
GC 345 IF ANS>90 THEN DEL=10:GOTO 36
0
DA 346 IF ANS>20 THEN DEL=5:GOTO 360
AF 350 DEL=INT((ANS/10)+1)
MK 360 DT=INT(RND(0)*5)+1
FO 370 FOR I=1 TO 5:CH(I)=ANS+(I-DT)
*DEL:POSITION 6*I,21: ? CH(I):
NEXT I
OH 375 GOSUB 3500
NG 380 POKE 53278,1:SHT=0
AH 390 FOR X0=200 TO 25 STEP -DX:POK
E 53248,X0
OC 400 ST=STICK(0):X1=X1+4*((ST=7)+(
X1<210)):X1=X1-4*((ST=11)+(X1
>40)):POKE 53249,X1
BN 410 IF STRIG(0)=0 AND SHT=0 THEN
GUN=1:POKE PMBASE+384+Y1,0:Y1
=102:XM1=X1+7:POKE 53253,XM1:
SHT=1
PC 415 IF GUN=1 THEN GOSUB 2000
AE 420 IF HIT=1 THEN HIT=0:GOTO 440
CE 430 NEXT X0:POKE 53253,250:SOUND
0,0,0,0:GUN=0
GO 435 GOTO 450
MH 440 IF SCL>=50 THEN LVL=LVL+1:POK
E 53249,250:GOTO 220
JO 445 POKE 53249,250:GOTO 230
OD 450 GOSUB 3700
IC 460 IF Y0<100 THEN GOTO 380
AM 470 FOR X0=205 TO 30 STEP -DX:POK
E 53248,X0
EO 480 IF PEEK(53260)<>2 THEN NEXT X
0
OE 490 POKE 53248,250:POKE 53249,250
:POKE 53250,X0
NP 500 GOSUB 2800
EM 530 POSITION 2*NP,2: ? "*"
IB 540 FOR I=1 TO 30:SOUND 0,250-4*I
,10,8:NEXT I:SOUND 0,0,0,0
OB 550 POSITION 2*NP,2: ? " ":FOR I=
15 TO 0 STEP -1:SOUND 0,100,0
,I:NEXT I
HC 560 NP=NP-1
EC 565 FOR I=1 TO 10
FF 570 POSITION 6*DT,21: ? "
{4 SPACES}"
FK 575 K=INT(RND(0)*15)
KI 580 FOR J=40 TO 25 STEP -1:SOUND
0,J-K,10,8:NEXT J
PF 590 POSITION 6*DT,21: ? ANS
FN 600 K=INT(RND(0)*15):FOR J=40 TO
25 STEP -1:SOUND 0,J-K,10,8:N
EXT J:NEXT I:SOUND 0,0,0,0
FB 610 BL$=" ":BL$(38)=" ":BL$(2)=BL$
GE 620 KEEP$="KEEP TRYING "
HK 630 FOR I=1 TO 23:BL$(38-I,38)=KE
EP$
GD 640 SOUND 0,90-I,8,INT(I/2)+3:POS
ITION 0,9: ? BL$:NEXT I
FF 650 BL$=" ":BL$(38)=" ":BL$(2)=BL
$
OH 660 KEEP$="I KNOW YOU CAN DO IT "
ID 670 FOR I=1 TO 28:BL$(38-I,38)=KE
EP$
FK 680 SOUND 0,100-I,8,INT(I/2):POSI
TION 0,11: ? BL$:NEXT I
IJ 690 RESTORE 110:FOR I=1 TO 35:REA
D A:SOUND 0,A,10,8:FOR J=1 TO
10:NEXT J:NEXT I:SOUND 0,0,0
,0
DG 700 IF NP=0 THEN GOTO 715
GN 710 SOUND 0,0,0,0:GOTO 230
DH 715 GRAPHICS 18:POSITION 5,2: ? #6
;"SCORE ";SC
PI 720 POSITION 4,6: ? #6;"PUSH TRIGGE
ER":POSITION 3,7: ? #6;"TO PLU
Y AGAIN"
KI 740 IF STRIG(0)=0 THEN SOUND 0,0,
0,0:GOTO 170
II 750 RESTORE 110:FOR I=1 TO 35:REA
D A:SOUND 0,A,10,8:FOR J=1 TO
12:NEXT J:NEXT I:SOUND 0,0,0,0

```




SPECIALS	
Wico Joystick	\$21
Wico Trackball	\$36
Compuserve	\$26
Covers	\$7
Maxells	\$25
Memorex	\$24
Elephants	\$18
Flip 'N File	\$20

COMMODORE

CALL
CBM 64
SX64
CALL
1701 MONITOR \$249

*ASTRA 1620 DISK DRIVE SYSTEM

MORE FOR YOUR MONEY
DOUBLE OR SINGLE DENSITY
TWO DRIVES
SPECIAL \$499

Printers/Etc.


STAR Gemini 10X	\$268	CITOH Prowriter	\$335
Gemini 15X	\$378	Prowriter II	\$648
Delta 10	\$378	Starwriter	\$1098
Star Letter Qual.	Call	Printmaster	\$1448
EPSON FX80	Call	OKIDATA 82A	Call
MX100	Call	84P	Call
RX 80 F/T	Call	92	Call
SMITH CORONA TP II	\$438	93	Call
JUKI AMDEK Color I	\$274	MANNESMAN 160L	\$588
V300	\$139	Spirit	Call
V300A	\$149	Color II	Call
Color II	\$449	Color I	\$274
SAKATA	Call	GRN (JB1260)	\$115
		GRN (JB1201)	\$149
		Color Composite	\$298
		RGB Color	\$598
		PANASONIC	Call

MONITORS

NOVATION J-Cat	\$99	HAYES Smartmodem	\$209
Apple Cal II	\$259	Smartmodem 1200	\$498
D-Cat	\$149	Micromodem II	\$259
		Micromodem IIe	\$239

MODEMS

NOVATION J-Cat	\$99	HAYES Smartmodem	\$209
Apple Cal II	\$259	Smartmodem 1200	\$498
D-Cat	\$149	Micromodem II	\$259
		Micromodem IIe	\$239



D = Disk
R = ROM (Cartridge)
C = Cassette

COSMIC COMPUTERS

UNLIMITED
727 BREA CANYON RD., SUITE 16
WALNUT, CA 91789

ORDER LINES OPEN MON-SAT 8 am - 8 pm

(800) 626-7642

PLEASE FOR ORDERS ONLY
SORRY, NO COD'S

IN CALIF. (714) 594-5204

FOR TECHNICAL INFO, ORDER INQUIRIES,
OR FOR CALIFORNIA ORDERS

Add \$2.50 shipping per software order in continental U.S. Add \$5.00 shipping per software order for AK, HI, FPO-APO. Add \$10.00 or 15% (whichever is greater) per software order for non-U.S. Call for cost of hardware shipping. Calif. residents add 6 1/2% sales tax. Cashiers checks or money orders filled within 24 hours for items in stock. Personal checks require 4 weeks to clear. MasterCard and Visa OK for software only within continental U.S., add 3% surcharge. Include card no., expiration date and signature. Due to our low prices, all sales are final. All defective returns must have a return authorization number. Please call to obtain one before returning goods for replacement or repair. Prices & availability subject to change.

600XL CALL
800XL CALL
© 1984 Atari, Inc. All rights reserved.

DISK DRIVES	
Indus GT	Call
Trak AT-D1	\$388
Trak AT-D2	\$319
Trak AT-D4	Call
Astra 1620 (Dual)	\$499
Peroom	Call
Atari 1050	\$349
Rana 1000	Call
MEMORIES	
Microbits 64K (XL)	\$126
Mosaic 48K (400)	\$98
Mosaic 64K (400/800)	Call
Mosaic 32K	\$68
Atari 64K (600XL)	Call
INTERFACES	
Axiom 846	Call
Ape Face	Call
Atari 850 (In Stock)	\$169
Interfast 1	\$150
Axiombits 1150	Call
Axiom Buffer	Call
DIRECT PRINTERS	
Axiom AT-100	\$219
Atari 1027	\$285
Axiom 550 AT	\$319
Axiom 700 AT	\$469
Atari 1025	\$395
DIRECT MODEMS	
Microbits 1000C	\$128
Atari 1030	\$114

OTHER ATARI	
400 Keyboard	Call
Koala Pad	\$67
Chalkboard Pad	\$75
Bit-380 Column	\$228
ATR-8000 (64K)	\$448
ATR-8000 (16K)	\$295
Alien Voice Box	\$98
1010 Recorder	\$74

ATARI SOFTWARE

ADVENTURE INT'L Ultra Disassembler (D)	\$33
Diskey (D)	\$33
Adv. 1-12 (each) (C)	\$18
Saga 1-12 (each) (D)	\$27
ATARI	
Atari Writer (R)	\$68
Paint (D)	\$30
Microsoft Basic II (R)	\$64
Visicalc (D)	\$139
Home File Mgr (D)	\$36
Assembler Editor (R)	\$44
Qik (R)	\$32
Dig Dug (R)	\$32
Atari Logo (R)	\$72
Robotron (R)	\$35
AVALON HILL	
Telengard (C) \$16 (D) \$19	
Close Assault (C) 20 (D) 23	
TAC (D)	\$27
BRODERBUND	
Arcade Machine (D)	\$39
Bank St. Writer (D)	\$46
Oper. Whirlwind (D)	\$27
Choplifter (D) \$23 (R) \$29	
David's Midnight (D)	\$23
CBS SOFTWARE	
CONTINENTAL Home Accountant (D)	\$48
Tax Advantage (D)	\$45
COUNTERPOINT SW	
DATASOFT Pooyan (C/D)	\$20
Teletalk (D)	\$33
Basic Compiler (D)	\$55
Graphic Gen (D)	\$17
Graphic Master (D)	\$23
Micropainter (D)	\$23
Zaxxon (C/D)	\$27
Text Wizard/Spell (D)	\$55
EASTERN HOUSE	
Monkey Wrench II	\$51
EDUCATIONAL SW	
Tricky 1,2,3 or 4	\$15
Tricky 5-13	\$22
EPYX	
Dragon Riders (C/D)	\$27
Temple APS (C/D)	\$27
Jumpman (C/D)	\$27
Pit Stop (R)	\$27
FIRST STAR	
Boulder Dsh (C/D) 20 (R) 27	
Bristles (C/D)	\$20
Flop Flop (C/D)	\$20
GAMESTAR	
Football (C/D)	\$21
Baseball (C/D)	\$21
INFOCOM	
Zork I, II or III (D)	\$27
Deadline (D)	\$34
Starcross (D)	\$27
Suspended (D)	\$34
Witness (D)	\$34
Planetfall (D)	\$34
Enchanter (D)	\$34
Infidel (D)	\$34
KRELL SAT	
Call	
INTELL. STATEMENTS	
Prof. Blackjack (D)	\$46
LJK	
Letter Perfect (D)	\$74
Data Perfect (D)	\$74
Spell Perfect (D)	\$56
Letter Perfect (R)	\$74
MICROPROSE	
Solo Flight (D)	\$26
Hellicat Ace (C/D)	\$23
MONARCH	
ABC Compiler (D)	\$55
Optimized Systems Action (R)	\$65
Basic XL (R)	\$65
Mac 65 (D)	\$58
C-65 (D)	\$58
Bug 65 (D)	\$23
PARKER BROS	
Astrochase (R)	\$33
Death Star (R)	\$33
O-Bert (R)	\$33
Popeye (R)	\$33
PENQUIN	
Graphics Magician (D)	\$39
Spy's Demise (D)	\$21
QUALITY SW	
Return of Hercules (D)	\$22
Alli Baba (D)	\$22
RESTON	
Moviemaker (D)	\$45
SCARBOROUGH SYS.	
Mastertype (D/R)	\$27
Songwriter (D)	\$27
SCHOOL WIZWARE	
Call	
SEGA	
Star Trek (R)	\$27
Buck Rogers (R)	\$27
Congo Bongo (R)	\$27
SIERRA ON-LINE	
Homeward (D)	\$46
Ultima II (D)	\$39
Dark Crystal (D)	\$26
Wiz. & Princess (D)	\$22
SPINNAKER	
Snooper Troop 1,2 (D)	\$30
Most Amazing (D)	\$27
Kids on Keys (D)	\$20
Trains (D)	\$27
Delta Drawing (R)	\$27
Aerobics (D)	\$34
STRATEGIC SIM.	
Broadsides (D)	\$27
Carrier Force (D)	\$39
Combat Leader (D)	\$27
Rails West (D)	\$27
Epidemic (D)	\$23
Eagles (D)	\$27
Cosmic Ball or II (D)	\$27
SUBLOGIC	
Flight Simulator II (D)	\$36
Pinball (C/D)	\$20
SYNAPSE	
Syn File + (D)	\$65
Syn Text (D)	\$65
File Manager (R)	\$54
Fort Apocalypse (C/D)	\$23
Dimension X (C/D)	\$23
Blue Max (C/D)	\$23
Encounter (D/R)	\$23
Zeppelin (C/D)	\$23
Pharaoh's Curse (C/D)	\$23
TRONIX	
S.A.M. (D)	\$39
P.M. Animator (D)	\$29
Juice (C/D)	\$20
Chatterbee (D)	\$27
MISCELLANEOUS	
Miner 2049 (R)	\$34
Millionaire (C/D)	\$45
Zombies (C/D)	\$23
Prisoner 2 (D)	\$27
Sargon II (D)	\$23
Gridrunner (R)	\$20
B-Graph (D)	\$65
Miles Invoices (D)	\$57
Castle Wolfenstein (D)	\$27
Odesta Chess (D)	\$46
Financial Wizard (D)	\$41
Ultima III (D)	\$39

DISK DRIVES	
MSD (170K)	\$349
MSD (Dual) (170Kx2)	\$539
Laser (170K)	\$325
Commodore 1541	\$239
Concord (170K)	Call
80 COLUMN BDS	
Batteries 80 Col	\$149
Video Pak 80	\$129
Z80 Video Pak	\$209
DIRECT MODEMS	
Hesmodem	\$53
1650 Automodem	\$99
1600 Modem	Call
INTERFACES	
The Connection	\$85
Bus Card	\$149
Cardco G+	\$69
Cardco B	Call
MSD (IEEE)	\$98
Cardco 5 Slot	\$48
RS-232	Call
DIRECT PRINTERS	
MPS 801	\$219
Commodore 1526	\$288
Cardco LQ/I	\$498
1520 Color Printer	\$129
RECORDERS	
Cardco Recorder	\$48
1530 Commodore	Call
Cassette Interface	\$29

64 SOFTWARE 64

ACCESS SOFTWARE	
Beached (D)	\$24
Neutral Zone (C/D)	\$24
Splitemaster (D)	\$25
AVALON HILL	
Nuke War (C)	\$12
Androm. Conquest (C)	\$14
Midway Campaign (C)	\$13
Computer Football (C)	\$13
Telengard (C) \$16 (D) \$19	
Flying Ace (C)	\$15
Moon Patrol (C)	\$17
BATTERIES INCLUDED	
Paper Clip (D)	\$69
Consultant (D)	\$75
Bus Card	\$138
80 Column BD	\$138
Paper Clip w/Spell (D)	\$85
Spell Pack (D)	\$37
Organizer Series (Ea)	\$22
BLUE SKY	
Calc Result Adv.	\$99
Calc Result Easy	\$57
BRODERBUND	
Bank St. Writer (D)	\$46
Operat. Whirlwind (D)	\$27
Choplifter (R)	\$27
Lode Runner (D) 23 (R) 27	
CBS SOFTWARE	
Success with Math (D)	\$17
Wbst. Word Game (D)	\$20
Learning Bridge (D)	\$55
COMMODORE	
Simon's Basic (R)	CALL
Magic Desk (R)	\$48
Logo (D)	\$45
Assembler 64 (D)	\$15
Easy Script 64 (D)	\$32
Accounting Pkgs (Ea)	\$32
COMPUTER ADV. IDEAS	
Game Show (D)	\$27
Win W/Words I or II (D)	\$15
Sports Facts (D)	\$15
CONTINENTAL S.W.	
Home Accountant (D)	\$48
Tax Advantage (D)	\$45
FCM (D)	\$34
COUNTERPOINT SW	
Early Games (Ea)	\$20
CREATIVE SOFTWARE	
Moon dust (R)	\$23
Save New York (R)	\$23
Pipes (R)	\$23
Household Finance (C)	\$20
DATASOFT	
Pooyan (C/D)	\$20
Moon Shuttle (D)	\$20
ENTECH	
Studio 64 (C/D)	\$28
Database 64 (D)	\$45
EPYX	
Temple of APS (C/D)	\$27
Jumpman (C/D)	\$27
Dragonriders (C/D)	\$27
Pitstop (R)	\$27
Gateway to APS (R)	\$27
FIRST STAR	
Astrochase (C/D)	\$20
Bristle (C/D)	\$20
Flop Flop (C/D)	\$20
FUTURE HOUSE	
Comp. Pers Account.	\$56
HES	
Synthesound 64 (D)	\$23
Omnicalc (D)	\$34
Omniwriter (D)	\$45
Hesmod (D)	\$27
64 Forth (R)	\$39
Multiplan (D)	\$65
Turtle Graphics (R)	\$39
INFOCOM	
Planet Fall (D)	\$34
Enchanter (D)	\$34
Infidel (D)	\$34
JINSAM	
Mini Jini (R)	\$75
MICROSOFTWARE INT'L	
Practical64 (C) 34 (D) 36	
Spreadsheet (C) 49 (D) 52	
Practifile 64 (D)	\$36
MIRAGE CONCEPTS	
Data Base (D)	\$68
Word Processor (D)	\$68
MICROSPEC	
Database (D)	\$44
Mailing List (D)	\$32
Checkbook Mgr (D)	\$47
G/L (D)	\$44
A/P (D)	\$47
A/R (D)	\$47
PARKER BROS	
Q-Bert (R)	\$33
Popeye (R)	\$33
Frogger (R)	\$33
PROFESSIONAL SW	
Wordpro W/Spell (D)	\$68
Spellright (D)	\$45
QUICKTEX	
Quick Br Fox (R)	\$49
RAINBOW	
File Assistant (D)	\$46
Writers Assistant (D)	\$46
Spreadsh. Assist. (D)	\$56
SCARBOROUGH	
Mastertype (D/R)	\$27
Song Writer (D)	\$27
SEGA	
Star Trek (R)	\$27
Buck Rogers (R)	\$27
Congo Bongo (R)	\$27
SOFTSMITH	
Touch Typing (C/D)	\$21
SOUTHERN SOLUTIONS	
Businessman (D)	\$48
Bill Payer (D)	\$48
Bill Collector (D)	\$48
Paymaster (D)	\$48
SPINNAKER	
Snooper 1 or 2 (D)	\$27
Aerobics (D)	\$34
Kids on Keys (D)	\$20
Most Amazing (D)	\$27
Kindercomp (D)	\$20
Alphabet Zoo (D)	\$20
Trains (D)	\$27
Delta Drawing (R)	\$27
Delta Music (R)	\$27
SUBLOGIC	
Flight Simulator II (D)	\$36
Pinball (C/D)	\$22
SYNAPSE	
Fl. Apocalypse (C/D)	\$23
Necromancer (C/D)	\$23
Zaxxon (D)	\$23
Blue Max (D)	\$23
Pharaoh's Curse (C/D)	\$23
Zeppelin (D)	\$23
Quasimodo (D)	\$23
SSI	
Combat Leader (C/D)	\$27
Computer Baseball (D)	\$27
Eagles (D)	\$27
Ringside Seat (D)	\$27
Tigers In Snow (C/D)	\$27
Battle Normandy (C/D)	\$27
TIMEWORKS	
Dungeons of Alg. (C/D)	\$17
Robbers Lost (C/D)	\$17
Money Mgr. (C/D)	\$17
Wall Street (C/D)	\$17
Data Manager (C/D)	\$17
Elec. Checkbook (C/D)	\$17
TOTL	
Totl Text (C) \$32 (D) \$34	
Label (C) \$15 (D) \$17	
Time Mgr. (C) \$24 (D) \$27	
Rsrch Asst. (C) \$24 (D) \$27	
TRONIX	
S.A.M. (D)	\$39
Juice (D)	\$23
Chatterbee (D)	\$27
MISCELLANEOUS	
Diskey (D)	\$33
Barrons Sat (D)	\$59
Millionaire (D)	\$39
Sargon II (D)	\$23
B-Graph (D)	\$59
Castle Wolfenstein (D)	\$20
Odesta Chess (D)	\$46
Ultima III (D)	\$39
Prof. Blackjack (D)	\$46
Homeward (D)	\$46
Pers. Accountant (D)	\$23
Karate Devils (D)	\$27
Final Flight (D)	\$22
MAE Assembler (D)	\$47


```

HR 760 GOTO 740
HF 770 END
EB 1999 REM MISSILE MOVEMENT
FL 2000 YH1=Y1
HG 2010 Y1=Y1-5
PF 2020 IF Y1<5 THEN GUN=0:SOUND 0,0
,0,0:RETURN
GJ 2030 POKE PMBASE+384+YH1,0:POKE P
MBASE+384+Y1,4:SOUND 0,Y1,8,
10
JB 2035 IF PEEK(53257)<>3 THEN RETURN
AN 2040 GOSUB 2500
MA 2050 POKE 77,0
AG 2100 POKE PMBASE+384+Y1,0:GUN=0:P
OKE 53278,1:SOUND 0,0,0,0:RE
TURN
HG 2499 REM CHECK COLLISION
KL 2500 REM
CL 2510 XCOR=4*6*DT+45
PH 2520 IF XM1<XCOR+15 AND XM1>XCOR-
3 THEN GOSUB 3000:HIT=1:GOTO
2540
BD 2530 GOSUB 2700
DM 2540 GUN=0:RETURN
HI 2699 REM UFO CLUNKS
CE 2700 POKE 704,14
EO 2710 FOR I=1 TO 25:SOUND 0,150+I,
10,8:NEXT I
PN 2720 SOUND 0,0,0,0:POKE 704,24:PO
KE 53278,1
KM 2730 RETURN
AJ 2799 REM EXPLOSION SOUND
BF 2800 FOR I=1 TO 2:N=INT(10*RND(0)
+1)*10
DC 2810 FOR L=15 TO 0 STEP -1:SOUND
0,N,0,L:SOUND 1,N+1,0,L:SOUN
D 2,N+2,0,L:SOUND 3,N/2,0,L
PH 2820 FOR J=1 TO 10:NEXT J:NEXT L
CE 2830 POKE 53258,3:NEXT I
IH 2840 POKE 53258,1:POKE 53250,250
KP 2850 RETURN
GR 2999 REM DIRECT HIT
AF 3000 POKE 53248,250:POKE 53250,X0
:POKE 53253,250
GO 3025 POSITION 6*DT,INT((Y0-14)/4)
JK 3030 IF Y0=40 THEN SC=SC+25:SCL=S
CL+25:? "25"
IL 3040 IF Y0=60 THEN SC=SC+10:SCL=S
CL+10:? "10"
AK 3050 IF Y0=80 THEN SC=SC+5:SCL=S
CL+5:? "5"
BH 3055 GOSUB 2800
GB 3060 POSITION 30,2:? " ";SC:FOR I
=1 TO 250:NEXT I
AJ 3070 IF SCL>=50 AND SCL/PB>20 THE
N POSITION 13,12:HU=5:? "50
BONUS POINTS":SC=SC+50:GOTO
3090
EJ 3080 IF SCL>=50 AND SCL/PB>=10 TH
EN POSITION 13,12:HU=4:? "25
BONUS POINTS":SC=SC+25:GOTO
3090
NA 3085 GOTO 3130
EA 3090 FOR I=1 TO 3
KF 3100 SETCOLOR 2,HU,4:SOUND 0,25,1
0,8:FOR J=1 TO 50:NEXT J
AN 3110 SETCOLOR 2,0,2:SOUND 0,75,10
,8:FOR J=1 TO 50:NEXT J:NEXT
I:SOUND 0,0,0,0:SOUND 1,0,0,0
IK 3120 POSITION 30,2:? " ";SC
KH 3130 RETURN
AG 3499 REM CHANGE UFO HEIGHT
PB 3500 FOR I=PMBASE+512+Y01 TO PMBA
SE+518+Y01:GOSUB 3600:POKE I
,0:NEXT I
AF 3510 FOR I=PMBASE+768+Y01 TO PMBA
SE+776+Y01:GOSUB 3600:POKE I
,0:NEXT I
PE 3520 Y0=40
BI 3530 RESTORE 3535:FOR I=PMBASE+51
2+Y0 TO PMBASE+518+Y0:GOSUB
3600:READ A:POKE I,A:NEXT I
FO 3535 DATA 24,60,255,255,255,60,24
HN 3540 RESTORE 3545:FOR I=PMBASE+76
8+Y0 TO PMBASE+776+Y0:GOSUB
3600:READ A:POKE I,A:NEXT I
GF 3545 DATA 16,68,82,137,66,161,34,
68,16
FC 3546 Y01=Y0
IJ 3550 PM1=PMBASE+512+Y0:PM2=PMBASE
+768+Y0
JK 3560 POKE 204,INT(PM1/256):POKE 2
07,INT(PM2/256)
OK 3570 POKE 203,PM1-(PEEK(204)*256)
-1:POKE 206,PM2-(PEEK(207)*2
56)-1
GB 3580 POKE 205,7:POKE 208,9
LB 3590 RETURN
BH 3600 ST=STICK(0):X1=X1+4*((ST=7)+
(X1<210)):X1=X1-4*((ST=11)+(
X1>40)):POKE 53249,X1
KK 3610 RETURN
OB 3699 REM UFO DOWN
KG 3700 Y0=Y0+20
GO 3710 FOR I=1 TO 20
PH 3720 AB=USR(1536):BA=USR(1551):GO
SUB 3600:NEXT I
FB 3725 Y01=Y0
KN 3730 RETURN
LP 3999 REM VERTICAL MOVEMENT DOWN
LB 4000 RESTORE 4050
HF 4010 FOR I=1536 TO 1565
AE 4020 READ A:POKE I,A:NEXT I
KH 4030 RETURN
NI 4050 DATA 104,164,205,177,203,200
,145,203,136,136,16,247,230,
203,96
OF 4060 DATA 104,164,208,177,206,200
,145,206,136,136,16,247,230,
206,96
PI 4999 REM MENU
AN 5000 GRAPHICS 0:? CHR$(125):POKE
752,1
CO 5020 POSITION 11,2:? "MISSILE MAT
H MENU"
NM 5030 ? :? "MOVE JOYSTICK AND PUSH
TRIGGER":? "TO SELECT GAME"
BC 5060 M$="(Q){W}{E}{DOWN}{3 LEFT}
{A}{D}{DOWN}{3 LEFT}{Z}{X}
{C}"
GE 5070 POSITION 8,11:? "ADDITION &
{4 SPACES}MULTIPLICATION"
KD 5075 POSITION 8,12:? "SUBTRACTION
{3 SPACES}& DIVISION"
EP 5080 ? :? :? "SLOW{4 SPACES}{UP}"
;M$
DN 5085 ? :? :? "FAST{4 SPACES}{UP}"
;M$

```



```

LK 5090 POSITION 25,14: ? M$: POSITION
      25,18: ? M$
HF 5100 SCR=PEEK(88)+256*PEEK(89): XC
      =611: MENU=1: DX=1
BN 5110 POKE SCR+XC,83: FOR DLY=1 TO
      50: NEXT DLY
OD 5120 POKE SCR+XC,0: FOR DLY=1 TO 5
      0: NEXT DLY
AB 5130 IF STRIG(0)=0 THEN GOTO 5230
LB 5135 ST=STICK(0)
DK 5140 IF ST=7 AND XC=611 THEN XC=6
      26: MENU=2
NB 5150 IF ST=13 AND XC=611 THEN XC=
      771: DX=3
NO 5160 IF ST=13 AND XC=626 THEN XC=
      786: DX=3
GH 5170 IF ST=11 AND XC=626 THEN XC=
      611: MENU=1
ND 5180 IF ST=14 AND XC=771 THEN XC=
      611: DX=1
EN 5190 IF ST=7 AND XC=771 THEN XC=7
      86: MENU=2
GP 5200 IF ST=11 AND XC=786 THEN XC=
      771: MENU=1
NJ 5210 IF ST=14 AND XC=786 THEN XC=
      626: DX=1
NJ 5220 GOTO 5110
KK 5230 RETURN
JP 5499 REM INITIALIZE PM GRAPHICS
JA 5500 X1=250: Y1=95: X0=250: Y0=40
OO 5510 J=PEEK(106)-8: POKE 54279, J: P
      MBASE=256*J
AE 5520 POKE 559,46: POKE 53277,3
LN 5530 POKE 53256,1: POKE 53257,1: PO
      KE 53258,1: POKE 53260,1
LK 5540 FOR I=PMBASE+384 TO PMBASE+8
      96: POKE I,0: NEXT I
PG 5570 RESTORE 5580: FOR I=PMBASE+64
      0+Y1 TO PMBASE+649+Y1: READ A
      : POKE I,A: NEXT I
AA 5580 DATA 8,8,8,8,8,28,127,127,54
      ,54
IC 5610 POKE 704,24: POKE 705,200: POK
      E 706,14
PH 5620 POKE 53248,X0: POKE 53249,X1:
      POKE 53250,X0
KO 5630 RETURN

```

Program 2:

VIC Missile Math, Machine Language

Refer to the "Automatic Proofreader" article before typing this program in.

```

12288 :160,000,141,106,003,152,050
12294 :153,064,003,200,192,120,226
12300 :208,248,169,001,141,068,079
12306 :003,032,102,048,096,032,075
12312 :001,049,173,062,003,072,128
12318 :168,169,035,153,206,017,010
12324 :200,169,036,153,206,017,049
12330 :200,169,037,153,206,017,056
12336 :104,168,162,000,173,068,211
12342 :003,153,206,149,200,232,229
12348 :224,003,208,244,172,062,205
12354 :003,096,172,062,003,162,052
12360 :000,169,032,153,206,017,137
12366 :200,232,224,003,208,245,166
12372 :172,062,003,200,169,032,210
12378 :153,184,017,169,007,153,005

```

```

12384 :184,149,172,062,003,096,250
12390 :169,207,141,019,145,173,188
12396 :017,145,141,070,003,169,141
12402 :127,141,034,145,173,032,254
12408 :145,073,255,041,128,013,007
12414 :070,003,041,176,141,074,119
12420 :003,169,255,141,034,145,111
12426 :173,074,003,201,048,240,109
12432 :054,201,016,208,019,173,047
12438 :112,003,205,100,003,240,045
12444 :005,169,001,141,092,003,055
12450 :173,100,003,141,112,003,182
12456 :173,074,003,201,032,208,091
12462 :010,172,078,003,192,000,117
12468 :240,003,206,078,003,201,143
12474 :176,208,010,172,078,003,065
12480 :192,003,176,003,238,078,114
12486 :003,172,078,003,185,252,123
12492 :048,141,062,003,072,152,170
12498 :072,032,023,048,104,168,145
12504 :104,172,078,003,204,066,075
12510 :003,240,012,172,066,003,206
12516 :185,252,048,141,062,003,151
12522 :032,068,048,172,078,003,123
12528 :140,066,003,173,092,003,205
12534 :240,003,032,065,049,096,219
12540 :003,007,011,015,019,024,075
12546 :173,062,003,105,206,133,172
12552 :253,169,017,105,000,133,173
12558 :254,056,165,253,233,021,228
12564 :133,253,165,254,233,000,034
12570 :133,254,024,165,253,105,192
12576 :000,133,253,165,254,105,174
12582 :132,133,254,169,002,160,120
12588 :000,145,253,056,165,253,148
12594 :233,000,133,253,165,254,064
12600 :233,132,133,254,169,038,247
12606 :145,253,096,169,022,141,120
12612 :104,003,162,005,160,021,011
12618 :189,021,050,133,163,189,051
12624 :253,049,133,164,202,189,046
12630 :021,050,133,168,189,253,132
12636 :049,133,169,032,212,050,225
12642 :177,163,201,038,144,061,114
12648 :201,040,176,057,072,177,059
12654 :168,201,057,144,013,104,029
12660 :140,110,003,032,203,049,141
12666 :172,110,003,076,129,049,149
12672 :104,145,168,024,165,168,134
12678 :105,000,133,168,165,169,106
12684 :105,132,133,169,169,002,082
12690 :145,168,056,165,168,233,057
12696 :000,133,168,165,169,233,252
12702 :132,133,169,169,032,145,170
12708 :163,136,016,183,232,232,102
12714 :224,023,208,154,206,104,065
12720 :003,173,104,003,016,144,107
12726 :169,032,141,092,016,141,005
12732 :096,016,141,100,016,141,186
12738 :104,016,136,169,000,141,248
12744 :092,003,096,072,173,133,001
12750 :003,205,078,003,208,015,206
12756 :032,228,050,104,169,000,027
12762 :072,169,003,141,132,003,226
12768 :076,231,049,104,177,168,005
12774 :072,104,096,024,169,206,133
12780 :109,062,003,133,253,169,197
12786 :017,105,000,133,254,169,152
12792 :000,141,065,049,096,016,103

```



```

12798 :016,016,016,016,016,016,094
12804 :016,016,016,016,016,017,101
12810 :017,017,017,017,017,017,112
12816 :017,017,017,017,017,000,101
12822 :022,044,066,088,110,132,228
12828 :154,176,198,220,242,008,002
12834 :030,052,074,096,118,140,032
12840 :162,184,206,228,250,173,219
12846 :106,003,208,029,169,110,159
12852 :133,251,169,016,133,252,238
12858 :160,019,140,096,003,169,133
12864 :005,141,098,003,169,001,225
12870 :141,106,003,169,000,141,118
12876 :100,003,096,173,100,003,039
12882 :201,003,144,013,169,000,100
12888 :141,106,003,169,002,141,138
12894 :132,003,076,211,050,172,226
12900 :096,003,169,058,145,251,054
12906 :200,169,060,145,251,200,107
12912 :169,062,145,251,172,096,239
12918 :003,200,200,200,169,032,154
12924 :145,251,200,145,251,200,036
12930 :145,251,172,096,003,024,053
12936 :165,251,105,000,133,251,017
12942 :165,252,105,132,133,252,157
12948 :173,098,003,145,251,200,250
12954 :145,251,200,145,251,056,178
12960 :165,251,233,000,133,251,169
12966 :165,252,233,132,133,252,053
12972 :206,096,003,173,096,003,237
12978 :208,031,169,032,145,251,246
12984 :136,145,251,136,145,251,224
12990 :024,165,251,105,132,133,232
12996 :251,165,252,105,000,133,078
13002 :252,160,019,140,096,003,104
13008 :238,100,003,096,072,152,101
13014 :072,138,072,160,050,136,074
13020 :208,253,104,170,104,168,203
13026 :104,096,169,015,141,014,253
13032 :144,169,128,141,013,144,203
13038 :162,255,032,212,050,202,127
13044 :208,250,169,000,141,014,002
13050 :144,169,032,145,168,172,056
13056 :096,003,200,169,000,145,101
13062 :251,200,169,000,145,251,254
13068 :200,169,000,145,251,024,033
13074 :165,251,105,000,133,251,155
13080 :165,252,105,132,133,252,039
13086 :172,096,003,200,145,251,129
13092 :200,145,251,200,145,251,204
13098 :056,165,251,233,000,133,112
13104 :251,165,252,233,132,133,190
13110 :252,162,255,032,212,050,249
13116 :202,208,250,202,208,253,103
13122 :096,160,000,185,000,128,123
13128 :153,000,020,200,208,247,132
13134 :160,000,185,000,129,153,193
13140 :000,021,200,208,247,160,152
13146 :000,185,000,130,153,000,046
13152 :022,200,208,247,160,000,165
13158 :185,000,131,153,000,023,082
13164 :200,208,247,160,007,185,091
13170 :172,051,153,000,020,136,134
13176 :016,247,160,031,185,180,171
13182 :051,153,024,021,136,016,015
13188 :247,160,007,185,212,051,226
13194 :153,208,021,136,016,247,151
13200 :160,007,185,220,051,153,152
13206 :224,021,136,016,247,160,186

```

```

13212 :007,185,228,051,153,240,252
13218 :021,136,016,247,169,205,188
13224 :141,005,144,096,146,073,005
13230 :164,073,018,164,146,000,227
13236 :000,000,001,003,031,063,022
13242 :112,240,024,255,255,255,047
13248 :255,255,000,000,000,000,190
13254 :128,192,248,252,014,015,023
13260 :000,033,030,030,030,033,104
13266 :000,000,000,000,000,007,217
13272 :031,063,127,127,000,000,052
13278 :000,255,255,255,255,255,217
13284 :001,007,031,255,255,255,008
13290 :255,255,013,013,013,013,028

```

Program 3: VIC Missile Math, BASIC

Refer to the "Automatic Proofreader" article before typing this program in.

```

5 POKE 36879,8:POKE56,48:CLR:SYS65017
:rem 156
10 PRINT"{CLR}[2 DOWN]{WHT}":A$="MISSILE
   {SPACE}MATH":GOSUB9000 :rem 159
15 POKE36869,192 :rem 109
20 PRINT"{3 DOWN}[5 RIGHT]{RED}DO YOU WAN
   T TO:" :rem 186
30 PRINT"{2 DOWN}[RIGHT]{CYN}ADD&
   {7 SPACES}{WHT}MULTIPLY" :rem 134
40 PRINT"{CYN}[DOWN][RIGHT]SUBTRACT
   {3 SPACES}{WHT}& DIVIDE" :rem 74
50 PRINT"{2 DOWN}[GRN]SLOW":PRINT"
   {2 DOWN}[CYN]FAST{YEL}":G=15:H=5
:rem 107
55 H=5 :G=15:GF=20 :rem 174
60 V1=37139:REM DDR FOR SWITCH UPDNLFTFIR
   E :rem 37
61 R1 =37137:REM PORTAB2=UP;B3=DN;B4=LFT:
   B5=FIRE :rem 141
62 V2=37154:REM DDR FOR RIGHT :rem 142
63 R2= 37152:REM PORTB;B7= RIGHT :rem 64
64 POKE37139,195:J1=PEEK(37137):POKE37139
   ,128 :rem 15
65 POKE37154,127:J2=PEEK(37152)AND128:POK
   E37154,255 :rem 114
66 B=J1ORJ2 :rem 131
70 IF B= 156THEN 90 :rem 169
80 IFB=172THENH=5 :rem 249
81 IFB=60THENH=14 :rem 246
82 IFB=184THENH=15:GF=20 :rem 148
83 IFB=180THENH=18:GF=10 :rem 147
84 POKE781,G:POKE782,H:POKE783,0:SYS65520
   :PRINT"Q" :rem 170
85 IF OG<>G OR OH<>H THENPOKE781,OG:POKE7
   82,OH:POKE783,0:SYS65520:PRINT" "
:rem 135
86 OG=G:OH=H:GOTO60 :rem 183
90 L=1:SC=0:S=3 :rem 93
100 PRINT"{CLR}[3 DOWN][2 RIGHT]{WHT}POSI
   TION GUN OVER{7 SPACES}CORRECT ANSWER
   " :rem 228
105 BN=0:BO=0:B=0:SH=0:SYS13123 :rem 41
110 PRINT"{4 DOWN}[4 RIGHT]AND SHOOT UFO"
:rem 101
120 PRINT"{3 DOWN}[4 RIGHT]{WHT}BE CAREFU
   L NOT{8 SPACES}TO WASTE SHOTS":rem 66
130 PRINT"{2 DOWN}[3 RIGHT]{CYN}ENTERING
   {SPACE}LEVEL";L :rem 216
135 GOSUB 1000 :rem 218
140 FORI=1TO5000:NEXT :rem 20
141 PRINT"{CLR}[11 SPACES]{WHT}SCORE{RED}
   "SC"{HOME}[BLU]"; :rem 222

```



```

142 FORI=1TOS:PRINT"[RIGHT]A";:NEXT
      :rem 200
150 A=INT(RND(0)*4+1)+4*(L-1)      :rem 243
160 B=INT(RND(0)*4*L+1)            :rem 231
170 IFH=5THENC=A+B:GOTO180        :rem 74
175 C=A*B                          :rem 202
180 A$=STR$(A):B$=STR$(B):C$=STR$(C)
      :rem 6
190 RP=INT(RND(0)*4)+1             :rem 212
200 IFRP=1THENANS=A:A$="?"        :rem 31
210 IFRP=2THENANS=B:B$="?"        :rem 35
220 IFRP>2THENANS=C:C$="?"        :rem 39
230 PRINT"[HOME]{2 DOWN}{4 RIGHT}";:IFH=5
    THENPRINTA$+"B$"+"C$":GOTO250
      :rem 181
240 PRINTA$+"X"B$"+"C$            :rem 114
250 IFANS>90THENDEL=10:GOTO270    :rem 93
260 IFANS>20THENDEL=5:GOTO270     :rem 43
265 DEL=INT((ANS/10)+1)           :rem 10
270 DT=INT(RND(0)*4)+1            :rem 201
275 PRINT"[HOME]{21 DOWN}"        :rem 231
277 SYS12288                       :rem 164
280 FORI=1TO4:CH(I)=ANS+(I-DT)*DEL:PRINTT
    AB((I*4)-2)STR$(CH(I));"{2 LEFT}";:NE
    XT
      :rem 92
285 FORI=1TO4:IFCH(I)=ANSTHENPOKE901,I-1
      :rem 236
286 NEXT:POKE880,255              :rem 176
290 W=PEEK(868):SYS 12307:FORQ=1TOGF*10:N
    EXT:IF PEEK(900)THEN300        :rem 47
293 SYS12845                       :rem 161
295 GOTO 290                      :rem 116
300 X=PEEK(900):SH=SH+1           :rem 64
310 IFX=3THEN500                  :rem 175
320 IFX=2THEN600                  :rem 176
500 IFW=0THENB=25                 :rem 253
510 IFW=1THENB=10                 :rem 249
520 IFW=2THENB=5                  :rem 207
525 BN=BN+B                        :rem 102
526 SC=SC+B:PRINT"[HOME]{8 DOWN}
    {10 RIGHT}"B                  :rem 125
530 IFBN>=50THENL=L+1:GOTO700     :rem 1
550 GOTO 140                      :rem 104
600 S=S-1:IFS=0THEN800            :rem 39
601 PRINT"[HOME]{BLU}{8 DOWN}":A$="KEEP T
    RYING":GOSUB 900               :rem 151
602 PRINT"[2 DOWN]":A$="I KNOW YOU CAN DO
    IT":GOSUB 900                 :rem 133
603 PRINT"[2 DOWN]":A$="THE ANSWER WAS":G
    OSUB900:PRINT"[PUR]{DOWN}":A$=STR$(AN
    S):GOSUB900                   :rem 210
610 FORI=1TO1000:NEXT:GOTO140     :rem 26
700 BO=INT(BN/SH+.5)              :rem 137
710 IFBO>=25THENBO=50:GOTO750    :rem 11
720 IFBO>=10THENBO=25:GOTO750    :rem 8
730 GOTO 760                      :rem 112
750 PRINT"[HOME]{14 DOWN}{5 RIGHT}B{CYN}O
    {GRN}N{YEL}U{BLU}S"BO:SC=SC+BO
      :rem 240
760 FORI=1TO5000:NEXT:GOTO 100    :rem 32
800 PRINT"[CLR]{3 DOWN}{6 RIGHT}{CYN}SCOR
    E ";SC                         :rem 201
805 PRINT"[3 DOWN]{6 RIGHT}{BLU}GAME OVER
    "                               :rem 196
820 PRINT"[5 DOWN]{4 RIGHT}{CYN}PRESS ANY
    KEY {DOWN}{8 SPACES}TO PLAY AGAIN"
      :rem 123
830 POKE198,0                     :rem 200
835 WAIT 198,1                    :rem 212
840 GOTO5                          :rem 10

```

```

900 X=LEN(A$):A$=A$+"{2 SPACES}" :rem 115
910 FORI=1TOX+10-INT(X/2+.5):POKE211,21-I
    :PRINTMID$(A$,1,I);           :rem 249
915 FOR T=1TO60:NEXTT:NEXTI      :rem 224
920 RETURN                        :rem 123
999 END                          :rem 130
1000 POKE36878,15:S2=36876:POKE36877,127
      :rem 218
1005 RESTORE                      :rem 234
1010 READ P,LE                    :rem 235
1020 IF P=-5THENPOKES2,0:RETURN  :rem 154
1025 POKES2,P                    :rem 248
1030 FOR T=1 TO LE*2:NEXT        :rem 118
1040 GOTO1010                    :rem 192
1050 DATA 173,50,127,50,173,50,192,200,12
    7,100,192,200,127,100       :rem 205
1060 DATA 192,200,192,50,189,50,181,50,17
    3,100,173,50,192,300,-5,-5 :rem 201

```

Programmer's Notes: VIC Version

The VIC-20 version of "Missile Math" requires at least an 8K expander. To make it easier to enter this version, the machine language portion of the program has been listed in MLX format. To enter Missile Math, you must enter Program 2 using the VIC MLX Program elsewhere in this issue. The starting address is 12288 and the ending address is 13295. After you have entered and saved Program 2, enter Program 3 as you would a normal BASIC program and save it to tape or disk.

To run Missile Math, you must first enter these POKES:
POKE 43,1:POKE 44,24:POKE 641,0:POKE 642,24:POKE 6144,0
Type NEW and load Program 2, bypassing the normal relocater by adding ,1 to the LOAD command. Here's how your LOAD command should look:

From tape:

LOAD "filename" ,1,1

From disk:

LOAD "filename" ,8,1

Now type NEW, then load and run Program 3.

Program 4: 64 Missile Math

Refer to the "Automatic Proofreader" article before typing this program in.

```

0 GOSUB 1000                      :rem 113
1 V=54272:FORI=0TO24:POKEV+I,0:NEXT
      :rem 176
5 POKE 53280,0:POKE 53281,0      :rem 138
10 PRINT"[CLR]{4 DOWN}{BLU}":A$="MISSILE
    {SPACE}MATH":GOSUB900:GOSUB 950:rem 51
15 PRINT"[DOWN]{9 RIGHT}USE JOYSTICK IN P
    ORT #2"                       :rem 219
20 PRINT"[3 DOWN]{13 RIGHT}{RED}PLEASE SE

```



```

LECT:" :rem 175
30 PRINT "{2 DOWN}{5 RIGHT}{CYN}ADDITION &
{7 SPACES}{7}MULTIPLICATION" :rem 192
40 PRINT "{5 RIGHT}{CYN}SUBTRACTION
{9 SPACES}{7}& DIVISION" :rem 216
50 PRINT "{2 DOWN}{GRN}SLOW":PRINT"
{2 DOWN}{6}FAST{YEL}":G=18:H=9:POKE830
,H:POKE831,G :rem 92
60 X=PEEK(56320):J=XAND15:B=XAND16:rem 14
70 IFB=0THEN90 :rem 61
80 IFJ=11THENH=9 :rem 205
81 IFJ=7THENH=29 :rem 213
82 IFJ=14THENH=18 :rem 1
83 IFJ=13THENH=21 :rem 251
84 POKE828,H:POKE829,G:SYS49152 :rem 110
85 GOTO600 :rem 12
90 L=1:SC=0:S=3 :rem 93
100 POKE 53269,0:PRINT"{CLR}{8 DOWN}
{4 RIGHT}{8}POSITION GUN OVER CORRECT
ANSWER" :rem 215
105 BN=0:BO=0:B=0:SH=0 :rem 246
110 PRINT"{2 DOWN}{14 RIGHT}AND SHOOT UFO
" :rem 101
120 PRINT"{3 DOWN}{5 RIGHT}{3}BE CAREFUL
{SPACE}NOT TO WASTE SHOTS" :rem 240
130 PRINT"{2 DOWN}{12 RIGHT}{PUR}ENTERING
LEVEL";L :rem 218
135 GOSUB 950 :rem 183
140 FORI=1TO3000:NEXT :rem 18
141 PRINT"{CLR}{30 SPACES}{GRN}SCORE{RED}
"SC"{HOME}{BLU}"; :rem 247
142 FORI=1TOS:PRINT" {RIGHT}A";:NEXT :rem 200
150 A=INT(RND(0)*4+1)+4*(L-1) :rem 243
160 B=INT(RND(0)*4*L+1) :rem 231
170 IFH=9THENC=A+B:GOTO180 :rem 78
175 C=A*B :rem 202
180 A$=STR$(A):B$=STR$(B):C$=STR$(C) :rem 6
190 RP=INT(RND(0)*4)+1 :rem 212
200 IFRP=1THENANS=A:A$="?" :rem 31
210 IFRP=2THENANS=B:B$="?" :rem 35
220 IFRP>2THENANS=C:C$="?" :rem 39
230 PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}";
:IFH=9THENPRINTA$+"B$"+"C$:GOTO250 :rem 182
240 PRINTA$+"X"B$+"C$ :rem 114
250 IFANS>90THENDEL=10:GOTO270 :rem 93
260 IFANS>20THENDEL=5:GOTO270 :rem 43
265 DEL=INT((ANS/10)+1) :rem 10
270 DT=INT(RND(0)*5)+1 :rem 202
275 PRINT"{HOME}{21 DOWN}{YEL}" :rem 133
280 FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINTT
AB(I*5)CH(I);:NEXT :rem 135
285 FORI=1TO5:IFCH(I)=ANSTHENPOKE901,I-1 :rem 237
286 NEXT :rem 223
290 SYS49195 :rem 166
300 X=PEEK(900):SH=SH+1 :rem 64
310 IFX=2THEN500 :rem 174
320 IFX=1THEN600 :rem 175
500 W=PEEK(833):IFW=0THENB=25 :rem 223
510 IFW=1THENB=10 :rem 249
520 IFW=2THENB=5 :rem 207
525 BN=BN+B :rem 102
526 SC=SC+B:PRINT"{HOME}{18 DOWN}
{17 RIGHT}{GRN}"B :rem 16
530 IFBN>=50THENL=L+1:GOTO700 :rem 1
550 GOTO 140 :rem 104
600 S=S-1 :rem 215
601 PRINT"{HOME}{7}{9 DOWN}":A$="KEEP TRY
ING":GOSUB 900 :rem 35
602 PRINT"{3 DOWN}":A$="I KNOW YOU CAN DO
IT":GOSUB 900 :rem 150
603 PRINT"{2 DOWN}":A$="THE ANSWER WAS:":
GOSUB900:PRINT"{PUR}":A$=STR$(ANS):GO
SUB900 :rem 251
610 GOSUB950:IFS=0THEN800 :rem 5
620 GOTO140 :rem 102
700 BO=INT(BN/SH+.5) :rem 137
710 IFBO>=25THENBO=50:GOTO750 :rem 11
720 IFBO>=10THENBO=25:GOTO750 :rem 8
730 GOTO 760 :rem 112
750 PRINT"{HOME}{14 DOWN}{14 RIGHT}{3}B
{CYN}O{GRN}N{YEL}U{BLU}S{RED}::{WHT}"B
O:SC=SC+BO :rem 230
760 FORI=1TO5000:NEXT:GOTO 100 :rem 32
800 POKE53269,0:PRINT"{CLR}{3 DOWN}
{15 RIGHT}{CYN}SCORE:{PUR}";SC :rem 114
805 PRINT"{7 DOWN}{18 RIGHT}{BLU}GAME" :rem 40
810 PRINT"{3 DOWN}{18 RIGHT}OVER":rem 227
820 PRINT"{5 DOWN}{6 RIGHT}{GRN}PRESS
{YEL}ANY KEY{GRN} TO PLAY AGAIN" :rem 223
830 POKE198,0 :rem 200
835 WAIT 198,1 :rem 212
840 GOTO5 :rem 10
900 X=LEN(A$):A$=A$+"{24 SPACES}":rem 115
910 FORI=1TOX+19-INT(X/2+.5):POKE211,39-I
:PRINTMID$(A$,I,I);:NEXT I :rem 205
920 RETURN :rem 123
950 V=54272:POKEV+24,15:POKEV+5,0:POKEV+6
,240 :rem 116
955 POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1
TO300:NEXT:POKEV+4,32 :rem 75
960 POKEV+1,33:POKEV,135:POKEV+4,33:FORI=
1TO900:NEXT:POKEV+4,32 :rem 130
970 POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1
TO400:NEXT:POKEV+4,32 :rem 73
980 POKEV+1,33:POKEV,135:POKEV+4,33:FORI=
1TO100:NEXT:POKEV+4,32 :rem 124
990 POKEV+1,29:POKEV,223:POKEV+4,33:FORI=
1TO100:NEXT:POKEV+4,32 :rem 128
992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1
TO100:NEXT:POKEV+4,32 :rem 87
994 POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1
TO700:NEXT:POKEV+4,32 :rem 82
996 FORI=1TO100:NEXT :rem 243
998 POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1
TO360:NEXT:POKEV+4,32 :rem 88
999 POKEV+1,33:POKEV,135:POKEV+4,33:FORI=
1TO600:NEXT:POKEV+4,32:RETURN:rem 165
1000 PRINT"{CLR}{10 DOWN}{8 RIGHT}LOADING
MACHINE LANGUAGE":I=49152:CK=0 :rem 232
1010 READ A:IF A=256 THEN 1030 :rem 246
1020 POKE I,A:CK=CK+A:I=I+1:GOTO 1010 :rem 65
1030 IFCK<>80338THENPRINT"ERROR IN DATA":
STOP :rem 28
1040 RETURN :rem 165
1050 DATA 174,63,3,172,62,3 :rem 41
1060 DATA 24,32,240,255,169,32 :rem 191
1070 DATA 32,210,255,174,61,3 :rem 136
1080 DATA 172,60,3,24,32,240 :rem 83
1090 DATA 255,169,209,32,210,255 :rem 43
1100 DATA 173,61,3,141,63,3 :rem 31
1110 DATA 173,60,3,141,62,3 :rem 30

```


Notes On The Commodore 64, TI, Apple, And IBM PC/PCjr Versions

Instructions for all these versions are included within the programs themselves. The 64 version (Program 4) requires a joystick in port 2. The TI-99/4A version (Program 5) requires Extended BASIC and may be played with either a joystick or the keyboard. The Apple version (Program 6) requires a paddle controller. The IBM PC/PCjr version (Program 7) is controlled from the keyboard.

1120	DATA	96,32,106,194,169,2	:rem	149
1130	DATA	141,64,3,169,0,141	:rem	84
1140	DATA	65,3,169,1,141,66	:rem	45
1150	DATA	3,169,100,141,67,3	:rem	87
1160	DATA	169,250,141,248,7,169	:rem	0
1170	DATA	251,141,249,7,169,252	:rem	252
1180	DATA	141,250,7,169,7,141	:rem	145
1190	DATA	21,208,169,6,141,39	:rem	150
1200	DATA	208,169,8,141,40,208	:rem	191
1210	DATA	169,15,141,41,208,169	:rem	245
1220	DATA	0,141,23,208,169,2	:rem	82
1230	DATA	141,29,208,169,255,141	:rem	41
1240	DATA	27,208,141,68,3,169	:rem	151
1250	DATA	0,141,70,3,173,30	:rem	28
1260	DATA	208,169,0,162,24,157	:rem	197
1270	DATA	0,212,202,224,255,208	:rem	231
1280	DATA	248,169,15,141,24,212	:rem	246
1290	DATA	173,61,3,201,21,208	:rem	135
1300	DATA	8,169,15,141,77,3	:rem	47
1310	DATA	76,164,192,169,22,141	:rem	249
1320	DATA	77,3,32,227,192,32	:rem	94
1330	DATA	54,193,32,160,193,32	:rem	193
1340	DATA	230,193,32,218,193,173	:rem	40
1350	DATA	68,3,208,236,169,17	:rem	157
1360	DATA	141,5,212,141,6,212	:rem	129
1370	DATA	169,129,141,4,212,169	:rem	252
1380	DATA	1,141,1,212,169,30	:rem	82
1390	DATA	141,76,3,32,218,193	:rem	150
1400	DATA	206,76,3,208,248,169	:rem	203
1410	DATA	0,170,157,0,212,232	:rem	125
1420	DATA	224,25,208,248,96,174	:rem	255
1430	DATA	64,3,189,82,194,141	:rem	155
1440	DATA	0,208,169,200,141,1	:rem	130
1450	DATA	208,173,67,3,141,2	:rem	93
1460	DATA	208,173,66,3,10,141	:rem	140
1470	DATA	16,208,174,65,3,189	:rem	159
1480	DATA	102,194,141,3,208,173	:rem	242
1490	DATA	70,3,201,1,240,14	:rem	29
1500	DATA	174,64,3,189,82,194	:rem	159
1510	DATA	141,4,208,169,200,141	:rem	233
1520	DATA	5,208,173,76,3,240	:rem	94
1530	DATA	20,206,76,3,173,76	:rem	97
1540	DATA	3,10,10,141,1,212	:rem	17
1550	DATA	201,0,208,5,169,128	:rem	142
1560	DATA	141,4,212,96,173,67	:rem	152
1570	DATA	3,208,3,206,66,3	:rem	250
1580	DATA	206,67,3,173,66,3	:rem	54
1590	DATA	24,109,67,3,201,0	:rem	40
1600	DATA	208,23,238,65,3,169	:rem	151
1610	DATA	1,141,66,3,169,80	:rem	44
1620	DATA	141,67,3,169,0,141	:rem	91
1630	DATA	70,3,169,8,141,40	:rem	44
1640	DATA	208,173,0,220,141,69	:rem	191
1650	DATA	3,41,8,240,18,173	:rem	44
1660	DATA	69,3,41,4,208,21	:rem	251
1670	DATA	173,64,3,240,16,206	:rem	145
1680	DATA	64,3,76,137,193,173	:rem	162
1690	DATA	64,3,201,16,240,3	:rem	38
1700	DATA	238,64,3,173,70,3	:rem	45
1710	DATA	201,1,208,15,206,5	:rem	80
1720	DATA	208,173,5,208,201,30	:rem	186
1730	DATA	208,5,169,2,141,70	:rem	95
1740	DATA	3,96,173,69,3,41	:rem	6
1750	DATA	16,201,0,208,36,173	:rem	139
1760	DATA	70,3,208,31,169,1	:rem	45
1770	DATA	141,70,3,173,64,3	:rem	45
1780	DATA	74,74,141,71,3,169	:rem	109
1790	DATA	17,141,5,212,141,6	:rem	91
1800	DATA	212,169,129,141,4,212	:rem	239
1810	DATA	169,10,141,76,3,173	:rem	146
1820	DATA	70,3,201,1,240,5	:rem	234
1830	DATA	169,5,141,71,3,96	:rem	55
1840	DATA	174,77,3,160,0,136	:rem	97
1850	DATA	208,253,202,208,250,96	:rem	44
1860	DATA	173,30,208,141,72,3	:rem	143
1870	DATA	41,1,141,73,3,173	:rem	42
1880	DATA	72,3,41,2,74,141	:rem	251
1890	DATA	74,3,173,72,3,41	:rem	2
1900	DATA	4,74,74,141,75,3	:rem	255
1910	DATA	173,73,3,45,74,3	:rem	0
1920	DATA	201,1,208,3,76,31	:rem	36
1930	DATA	194,173,74,3,45,75	:rem	111
1940	DATA	3,201,1,208,3,76	:rem	245
1950	DATA	52,194,96,169,253,141	:rem	9
1960	DATA	248,7,169,1,141,21	:rem	101
1970	DATA	208,169,1,141,132,3	:rem	145
1980	DATA	169,0,141,68,3,96	:rem	62
1990	DATA	173,133,3,205,71,3	:rem	96
2000	DATA	208,16,169,253,141,249	:rem	40
2010	DATA	7,169,2,141,132,3	:rem	33
2020	DATA	169,0,141,68,3,96	:rem	48
2030	DATA	169,1,141,40,208,96	:rem	143
2040	DATA	70,70,70,70,110,110	:rem	124
2050	DATA	110,110,150,150,150,150	:rem	57
2060	DATA	190,190,190,190,230,230	:rem	80
2070	DATA	230,230,100,133,167,200	:rem	65
2080	DATA	162,0,189,118,194,157	:rem	0
2090	DATA	128,62,232,208,247,96	:rem	1
2100	DATA	0,0,0,0,0,0	:rem	217
2110	DATA	0,24,0,0,24,0	:rem	70
2120	DATA	0,24,0,0,24,0	:rem	71
2130	DATA	0,24,0,0,24,0	:rem	72
2140	DATA	0,24,0,0,24,0	:rem	73
2150	DATA	0,60,0,0,60,0	:rem	74
2160	DATA	0,60,0,0,60,0	:rem	75
2170	DATA	1,255,128,15,255,240	:rem	192
2180	DATA	127,255,254,127,0,254	:rem	247
2190	DATA	112,0,14,96,0,6	:rem	192
2200	DATA	96,0,6,192,0,0	:rem	139
2210	DATA	0,0,0,0,0,0	:rem	219
2220	DATA	0,0,0,0,0,0	:rem	220
2230	DATA	0,0,255,0,1,255	:rem	182
2240	DATA	128,7,255,224,31,255	:rem	196
2250	DATA	248,255,255,255,255,255	:rem	105
2260	DATA	255,255,255,255,255,255	:rem	104
2270	DATA	255,31,255,248,7,255	:rem	206
2280	DATA	224,1,255,128,0,255	:rem	142
2290	DATA	0,0,0,0,0,0	:rem	227
2300	DATA	0,0,0,0,0,0	:rem	219
2310	DATA	0,164,0,24,0,0	:rem	125


```

2320 DATA 24,0,0,0,0,0 :rem 19
2330 DATA 0,0,0,0,0,0 :rem 222
2340 DATA 0,0,0,0,0,0 :rem 223
2350 DATA 0,0,0,0,0,0 :rem 224
2360 DATA 0,0,0,0,0,0 :rem 225
2370 DATA 0,0,0,0,0,0 :rem 226
2380 DATA 0,0,0,0,0,0 :rem 227
2390 DATA 0,0,0,0,0,0 :rem 228
2400 DATA 0,0,0,0,0,0 :rem 220
2410 DATA 0,0,0,0,0,247 :rem 74
2420 DATA 0,0,0,0,32,0 :rem 19
2430 DATA 40,128,64,0,136,0 :rem 34
2440 DATA 2,2,0,130,33,128 :rem 233
2450 DATA 2,18,196,16,168,0 :rem 50
2460 DATA 17,11,0,1,169,0 :rem 189
2470 DATA 1,45,72,17,146,8 :rem 1
2480 DATA 0,136,144,0,8,8 :rem 199
2490 DATA 8,120,0,2,24,128 :rem 243
2500 DATA 16,8,16,0,0,32 :rem 136
2510 DATA 2,3,0,1,32,0 :rem 25
2520 DATA 0,0,0,193,256 :rem 93

```

Program 5: TI-99/4A Missile Math

```

90 REM EXTENDED BASIC REQUIRED
100 DIM NOTE(14),DUR(14):: GOSUB 99
0 :: GOTO 150
110 CALL KEY(0,K,ST):: CALL KEY(1,K
K,S):: IF ST=0 THEN CALL JOYST(
1,X,Y)ELSE X=(K=83)-(K=68):: Y=
(K=69)-(K=88)
120 RETURN
130 FOR I=1 TO L :: B$=SEG$(E$,1,I)
:: DISPLAY AT(Y,X-I):B$ :: CALL
SOUND(-10,-6,4)::NEXT I ::RETURN
140 FOR I=1 TO 14 :: CALL SOUND(DUR
(I),NOTE(I),3):: NEXT I :: RETU
RN
150 E$="MISSILE MATH"
160 CALL CLEAR
170 CALL SCREEN(5)
180 Y=12 :: X=25 :: L=16 :: GOSUB 1
30 :: FOR T=1 TO 100 :: NEXT T
190 GOSUB 140 :: FOR T=1 TO 300 ::
NEXT T
200 FOR I=16 TO 24 :: DISPLAY AT(12
,25-I):B$ :: NEXT I :: FOR I=2
TO 13 :: B$=SEG$(E$,I,12):: DIS
PLAY AT(12,1):B$ :: NEXT I
210 GOSUB 840
220 CALL CLEAR :: CALL SCREEN(3)::
PRINT "TO PLAY:" : : : PRINT "P
OSITION GUN OVER CORRECT" : : :
PRINT "ANSWER AND SHOOT THE UF
O" : :
230 PRINT "WITH FIREBUTTON OR SPACE
BAR." : : : : PRINT "BE CAREF
UL NOT TO WASTE" : : : : PRINT "S
HOTS." : : : :
240 PRINT "FIRE OR <ENTER> TO START
." : : : :
250 GOSUB 110 :: IF (KK<>18)*(K<>13
)THEN 250
260 LEVEL=1 :: SC,HIT,GUN=0 :: NP=3
:: PT(1)=25 :: PT(2)=10 :: PT(
3)=5 :: SPR=136
270 CALL CLEAR :: CALL SCREEN(11)::
DISPLAY AT(12,7):"ENTERING LEV
EL";LEVEL :: GOSUB 140 :: FOR T
=1 TO 100 :: NEXT T
280 PB,SCL=0
290 RANDOMIZE :: Y0=4 :: PF=5 :: A=
INT(RND*4+1)+4*(LEVEL-1):: B=IN
T(RND*4*LEVEL+1)
300 IF MENU=1 THEN C=A+B ELSE C=A*B
310 A$=STR$(A):: B$=STR$(B):: C$=ST
R$(C)
320 RANDOMIZE :: RP=INT(RND*4)+1
330 IF RP=1 THEN ANS=A :: A$=CHR$(6
3)
340 IF RP=2 THEN ANS=B :: B$=CHR$(6
3)
350 IF (RP=3)+(RP=4)THEN ANS=C :: C
$=CHR$(63)
360 CALL CLEAR :: CALL SCREEN(15)
370 D$=" + " :: IF MENU=2 THEN D$="
z "
380 DISPLAY AT(4,10):A$;D$;B$;" = "
;C$
390 FOR I=1 TO NP :: CALL HCHAR(1,I
*2+1,112):: NEXT I
400 DISPLAY AT(1,17):"SCORE:";SC ::
PB=PB+1
410 IF ANS>90 THEN DEL=10 :: GOTO 4
40
420 IF ANS>20 THEN DEL=5 :: GOTO 44
0
430 DEL=INT((ANS/10)+1)
440 RANDOMIZE :: DT=INT(RND*5)+1
450 X1=256 :: X2=1
460 FOR I=1 TO 5 :: CH(I)=ANS+(I-DT
)*DEL :: LOK(I)=5*I-1 :: DISPLA
Y AT(24,LOK(I)):STR$(CH(I));::
NEXT I
470 CALL SPRITE(#2,96,6,150,LOK(PF)
*8+4)
480 SHT=0 :: SP=14 :: FOR X0=X1 TO
X2 STEP -DX :: CALL SPRITE(#1,1
28,SP,Y0*X8,X0):: SP=24-SP
490 CALL SOUND(-10,2000,3):: GOSUB
110 :: PF=PF+SGN(X):: PF=PF+(PF
=6)*5-(PF=0)*5 :: CALL LOCATE(#
2,150,LOK(PF)*8+4):: GOSUB 110
500 IF ((KK=18)+(K=32))*(SHT=0)THEN
CALL SPRITE(#3,124,2,150,LOK(P
F)*8+4,-20,0):: CALL SOUND(200,
-6,3):: GUN=1 :: SHT=1
510 CALL POSITION(#3,DR,DC):: IF (D
R<10)+(DR>192)THEN CALL DELSPRI
TE(#3)
520 CALL COINC(#1,#3,15,C):: IF C T
HEN GOSUB 730
530 IF HIT=1 THEN X0=X2
540 NEXT X0 :: IF HIT=1 THEN HIT=0
:: GOTO 550 ELSE CALL DELSPRITE
(#3):: GUN=0 :: GOTO 570
550 IF (SCL>=50)THEN LEVEL=LEVEL+1
:: CALL DELSPRITE(ALL):: GOTO 2
70
560 CALL DELSPRITE(#1,#3):: GOTO 29
0
570 Y0=Y0+4
580 IF Y0<13 THEN CALL DELSPRITE(#1
):: GOTO 480
590 FOR X0=X1 TO X2 STEP -DX :: CAL
L LOCATE(#1,150,X0)
600 CALL COINC(#1,#2,10,C):: IF C T
HEN CALL DELSPRITE(#2):: X0=X2
610 NEXT X0
620 FOR I=3 TO 15 STEP 3 :: SPR=276

```

```

-SPR :: CALL SPRITE(#1,SPR,I+1,
630 CALL DELSPRITE(#1)
640 CALL HCHAR(1,NP*2+1,42):: FOR I
=1 TO 30 STEP 3 :: FOR T=1 TO 3
0 :: NEXT T :: CALL SOUND(10,22
0,I):: NEXT I :: CALL HCHAR(1,N
P*2+1,32)
650 NP=NP-1 :: FOR T=1 TO 5 :: DISP
LAY AT(24,LOK(DT)):"(3 SPACES)"
:: CALL SOUND(30,220,3):: CALL
SOUND(40,440,3):: DISPLAY AT(2
4,LOK(DT)-1):ANS;
660 CALL SOUND(30,220,3):: NEXT T
670 E$="KEEP TRYING !" :: X=25 :: Y
=12 :: L=16 :: GOSUB 130
680 E$="I KNOW YOU CAN DO IT !" ::
X=26 :: L=22 :: Y=14 :: GOSUB 1
30
690 GOSUB 140 :: IF NP=0 THEN 700 E
LSE 290
700 DISPLAY AT(16,6):"FINAL SCORE "
;SC :: DISPLAY AT(18,9):"PLAY A
GAIN?" :: DISPLAY AT(20,4):"(<F
IRE> OR PRESS 'Y')"
710 GOSUB 110 :: IF (KK<>18)*(K<>89
)THEN 710 ELSE 210
720 REM CHECK COLLISION
730 IF ANS=CH(PF)THEN CALL DELSPRIT
E(#3):: GOSUB 770 :: HIT=1 :: G
OTO 750
740 CALL COLOR(#1,2):: CALL SOUND(1
00,147,4,587,4,294,4,-1,3):: CA
LL COLOR(#1,14)
750 GUN=0 :: RETURN
760 REM DIRECT HIT
770 FOR I=10 TO 30 STEP 5 :: SPR=27
6-SPR :: CALL SCREEN(I/10+8)::
CALL SOUND(-100,-6,I):: CALL
SPRITE(#1,SPR,2+I/4, Y0*8,X0)::
NEXT I
780 CALL SCREEN(15):: I=Y0/4 :: SC=
SC+PT(I):: SCL=SCL+PT(I):: DISP
LAY AT(14,9):PT(I);"POINTS"
790 IF (SCL>=50)*(SCL/PB>20)THEN DI
SPLAY AT(16,7):"50 BONUS POINTS
" :: SC=SC+50 :: GOTO 820
800 IF (SCL>=50)*(SCL/PB>=10)THEN D
ISPLAY AT(16,7):"25 BONUS POINT
S" :: SC=SC+25 :: GOTO 820
810 GOTO 830
820 FOR I=15 TO 3 STEP -1 :: CALL S
CREEN(I):: NEXT I :: FOR I=3 TO
15 :: CALL SCREEN(I):: NEXT I
830 DISPLAY AT(1,23):SC:: FOR I=1
TO 350 :: NEXT I :: CALL DELSPR
ITE(ALL):: RETURN
840 CALL CLEAR :: CALL SCREEN(14)::
PRINT TAB(6);"MISSILE MATH MEN
U" : : :
850 PRINT "POSITION BALL WITH JOYST
ICK/" :
860 PRINT "ARROW KEYS AND FIRE/ENTE
R TO" :
870 PRINT "SELECT GAME." :
880 PRINT "TO:" : : : PRINT TAB(7);
"ADD &";TAB(18);"MULTIPLY &"
890 PRINT TAB(7);"SUBTRACT";TAB(18)
;"DIVIDE" : : :
900 PRINT "SLOW" : : : : PRINT "F
AST" :
910 FOR J=17 TO 21 STEP 4 :: FOR CO
L=11 TO 13 :: CALL VCHAR(J,COL,
120,3):: CALL VCHAR(J,COL+11,12
0,3):: NEXT COL :: NEXT J
920 FOR J=18 TO 22 STEP 4 :: CALL H
CHAR(J,12,32):: CALL HCHAR(J,23
,32):: NEXT J
930 KHAR=122 :: PX=12 :: PY=18 :: M
ENU=1 :: DX=9
940 CALL HCHAR(PY,PX,KHAR):: GOSUB
110 :: KHAR=154-KHAR
950 IF ((SGN(X)=0)*(SGN(Y)=0))THEN
970
960 CALL HCHAR(PY,PX,32):: IF (SGN(
X)<>0)THEN MENU=3-MENU :: PX=35
-PX ELSE PY=40-PY :: DX=27-DX
970 IF (KK=18)+(K=13)THEN RETURN EL
SE 940
980 REM DEFINE CHARS, COLORS, & MUS
ICAL SCORE
990 CALL CHAR(120,RPT$("F",16),112,
"0000183C7E7E183C",122,"8142241
818244281")
1000 CALL CHAR(96,"00000000003030303
0303030F3F3F1818"&RPT$("0",22)
&"C0F0F06060"):: REM BASE
1010 CALL CHAR(124,RPT$("0",11)&RPT
$("10",6)&RPT$("0",51)):: REM
MISSILE
1020 CALL CHAR(136,"0000201000000002
800510300008"&RPT$("0",14)&"C4C
000AC088"&RPT$("0",12)):: REM
EXPLOSION 1
1030 CALL CHAR(140,"0010010000000080
001000002"&RPT$("0",18)&"800400
00000002000000000"):: REM
EXPLOSION 2
1040 CALL CHAR(128,"00000000000001F7
FFFE6E67F1F"&RPT$("0",18)&"F8F
EFF6767FEF8000000"):: REM UFO
1050 CALL MAGNIFY(4):: CALL COLOR(1
1,13,1)
1060 FOR I=1 TO 14 :: READ NOTE(I),
DUR(I):: NEXT I :: RETURN
1070 DATA 392,100,392,100,392,100,5
23,900,392,100,392,100,392,100
1080 DATA 523,100,466,100,440,100,3
92,700,40000,100,392,360,523,6
00
1090 RETURN

```

Program 6: Apple Missile Math

```

0 HOME : VTAB 10: HTAB 14: PRINT "LOAD
ING DATA"
1 GOSUB 1000
5 HOME
10 VTAB 4:A$ = "MISSILE MATH": GOSUB 9
00
11 PRINT
15 VTAB 6: PRINT " USE PAD
DLE 0"
20 VTAB 8
25 PRINT : PRINT " PRESS SPACE
TO SELECT"

```



```

26 PRINT : PRINT "          PRESS RETURN
   TO START"
30 VTAB 15: PRINT "          ADDITION &
   MULTIPLICATION"
40 PRINT "          SUBTRACTION          & DIVI
   SION"
45 G = 0
49 VTAB 18
50 PRINT : PRINT "SLOW
   "
60 PRINT : PRINT "FAST
   "
70 IF G = 0 THEN VTAB 19: HTAB 9
71 IF G = 1 THEN VTAB 21: HTAB 9
72 IF G = 2 THEN VTAB 19: HTAB 29
73 IF G = 3 THEN VTAB 21: HTAB 29
74 PRINT "*"
80 POKE - 16368,0
90 IF PEEK ( - 16384) < 128 THEN 90
100 GET A$: IF A$ = CHR$ (13) THEN 20
   0
110 IF A$ < > " " THEN 80
120 G = G + 1: IF G = 4 THEN G = 0
130 GOTO 49
200 L = 1: SC = 0: S = 3
205 IF G = 0 OR G = 2 THEN POKE 768,1
   40: GOTO 210
206 POKE 768,80
210 TEXT : HOME : VTAB 7: PRINT " P
   OSITION GUN OVER CORRECT ANSWER"
220 BN = 0: BO = 0: B = 0: SH = 0
230 PRINT : PRINT : PRINT "
   AND SHOOT UFO"
240 PRINT : PRINT : PRINT "          BE CAR
   EFUL NOT TO WASTE SHOTS"
250 PRINT : PRINT : PRINT "
   ENTERING LEVEL ";L
260 FOR I = 1 TO 5000: NEXT
270 GR : HOME : VTAB 23: HTAB 25: PRINT
   "SHIPS: ";S
280 HTAB 25: PRINT "SCORE: ";SC
290 A = INT ( RND (1) * 4 + 1) + 4 * (
   L - 1)
291 B = INT ( RND (1) * 4 * L + 1)
292 IF G < 2 THEN C = A + B: GOTO 294
293 C = A * B
294 A$ = STR$ (A): B$ = STR$ (B): C$ =
   STR$ (C)
295 RP = INT ( RND (1) * 4) + 1
300 IF RP = 1 THEN ANS = A: A$ = "?"
310 IF RP = 2 THEN ANS = B: B$ = "?"
320 IF RP > 2 THEN ANS = C: C$ = "?"
330 VTAB 23: IF G < 2 THEN PRINT A$"+
   "B$"="C$: GOTO 340
335 PRINT A$"X"B$"="C$
340 IF ANS > 90 THEN DL = 10: GOTO 370
350 IF ANS > 20 THEN DL = 5: GOTO 370
360 DL = INT ((ANS / 10) + 1)
370 DT = INT ( RND (1) * 5) + 1
375 VTAB 21
380 FOR I = 1 TO 5: CH(I) = ANS + (I -
   DT) * DL: HTAB I * 4 + 4: PRINT CH
   (I): NEXT
385 FOR I = 1 TO 5: IF CH(I) = ANS THEN
   POKE 800,I - 1
386 NEXT
390 CALL 24576
395 SH = SH + 1
400 X = PEEK (769): IF X = 35 THEN 600
500 IF X = 25 THEN B = 5
510 IF X = 15 THEN B = 10
520 IF X = 5 THEN B = 25
521 HOME
525 BN = BN + B
526 SC = SC + B: VTAB 23: A$ = STR$ (B)
   + " POINTS": GOSUB 900
530 IF BN > = 50 THEN L = L + 1: GOTO
   700
550 GOTO 260
600 S = S - 1
601 HTAB 1: VTAB 21: PRINT "
   ";A$ =
   "KEEP TRYING": GOSUB 900
602 PRINT : A$ = "I KNOW YOU CAN DO IT"
   : GOSUB 900
603 PRINT : A$ = "THE ANSWER WAS:": GOSUB
   900: PRINT : A$ = STR$ (ANS): GOSUB
   900
610 FOR I = 1 TO 1000: NEXT
620 IF S = 0 THEN 800
630 GOTO 260
700 BO = INT (BN / SH + .5)
710 IF BO > = 25 THEN BO = 50: GOTO 7
   50
720 IF BO > = 10 THEN BO = 25: GOTO 7
   50
730 GOTO 760
750 VTAB 21
755 A$ = "BONUS: " + STR$ (BO): GOSUB
   900: SC = SC + BO
760 FOR I = 1 TO 5000: NEXT : GOTO 210
800 TEXT : HOME : VTAB 5: PRINT "
   SCORE: "SC
810 PRINT : PRINT : HTAB 18: PRINT "GA
   ME": PRINT : PRINT : HTAB 18: PRINT
   "OVER"
820 VTAB 20: HTAB 5: PRINT "PRESS ANY
   KEY TO PLAY AGAIN"
830 POKE - 16368,0
840 IF PEEK ( - 16384) < 128 THEN 840
850 GET A$: GOTO 5
900 X = LEN (A$): A$ = A$ + " "
910 FOR I = 1 TO X + 19 - INT (X / 2 +
   .5)
920 HTAB 39 - I: PRINT MID$ (A$,1,I):
930 NEXT I
940 RETURN
1000 CK = 0
1010 FOR I = 24576 TO 25329: READ A: CK
   = CK + A: POKE I,A: NEXT
1020 IF CK < > 73926 THEN PRINT "ERR
   OR IN DATA": END
1030 RETURN
1100 DATA 76,22,96,255,160,160,232,16
   9
1110 DATA 201,197,160,160,176,165,162
   ,160
1120 DATA 128,6,10,14,18,22,32,46
1130 DATA 96,32,86,96,32,216,97,32
1140 DATA 111,98,32,175,98,173,16,96
1150 DATA 208,239,32,212,98,96,169,1
1160 DATA 141,16,96,141,4,96,169,2
1170 DATA 141,5,96,169,33,141,7,96
1180 DATA 141,8,96,169,5,141,12,96
1190 DATA 141,1,3,169,0,141,13,96
1200 DATA 169,9,141,14,96,96,173,4
1210 DATA 96,205,5,96,240,34,169,0
1220 DATA 32,100,248,173,4,96,141,3

```

```

1230 DATA 96,32,43,97,169,6,32,100
1240 DATA 248,173,5,96,141,3,96,32
1250 DATA 43,97,173,5,96,141,4,96
1260 DATA 169,0,32,100,248,173,7,96
1270 DATA 141,6,96,173,12,96,141,9
1280 DATA 96,32,126,97,173,14,96,32
1290 DATA 100,248,173,8,96,141,6,96
1300 DATA 173,1,3,141,9,96,32,126
1310 DATA 97,173,8,96,141,7,96,173
1320 DATA 1,3,141,12,96,173,13,96
1330 DATA 201,1,208,68,169,0,32,100
1340 DATA 248,172,2,3,185,17,96,24
1350 DATA 105,2,168,173,10,96,32,0
1360 DATA 248,172,2,3,185,17,96,24
1370 DATA 105,2,168,173,11,96,32,113
1380 DATA 248,201,0,208,28,169,15,32
1390 DATA 100,248,172,2,3,185,17,96
1400 DATA 24,105,2,168,173,11,96,32
1410 DATA 0,248,173,11,96,141,10,96
1420 DATA 96,173,32,3,205,2,3,240
1430 DATA 6,169,15,141,14,96,96,169
1440 DATA 0,141,16,96,169,15,141,14
1450 DATA 96,173,14,96,32,100,248,32
1460 DATA 126,97,32,187,98,206,14,96
1470 DATA 208,239,96,174,3,96,189,17
1480 DATA 96,24,105,2,168,169,36,133
1490 DATA 45,169,34,32,40,248,174,3
1500 DATA 96,189,17,96,168,200,24,105
1510 DATA 3,133,44,169,37,32,25,248
1520 DATA 174,3,96,189,17,96,168,24
1530 DATA 105,4,133,44,169,38,32,25
1540 DATA 248,174,3,96,189,17,96,168
1550 DATA 200,169,39,32,0,248,174,3
1560 DATA 96,189,17,96,168,200,200,20
0
1570 DATA 169,39,32,0,248,96,173,6
1580 DATA 96,168,24,105,5,133,44,173
1590 DATA 9,96,200,32,25,248,173,6
1600 DATA 96,168,24,105,6,133,44,173
1610 DATA 9,96,24,105,1,32,25,248
1620 DATA 173,6,96,168,24,105,6,133
1630 DATA 44,173,9,96,24,105,2,32
1640 DATA 25,248,173,6,96,168,24,105
1650 DATA 6,133,44,173,9,96,24,105
1660 DATA 3,32,25,248,173,6,96,168
1670 DATA 24,105,5,133,44,200,173,9
1680 DATA 96,24,105,4,32,25,248,96
1690 DATA 162,0,32,30,251,152,201,50
1700 DATA 144,17,201,100,144,18,201,1
50
1710 DATA 144,19,201,200,144,20,169,4
1720 DATA 76,7,98,169,0,76,7,98
1730 DATA 169,1,76,7,98,169,2,76
1740 DATA 7,98,169,3,76,7,98,141
1750 DATA 5,96,173,8,96,240,6,206
1760 DATA 8,96,76,55,98,169,33,141
1770 DATA 8,96,32,84,98,169,9,141
1780 DATA 14,96,169,0,141,13,96,173
1790 DATA 1,3,24,105,10,141,1,3
1800 DATA 201,35,208,3,76,147,98,173
1810 DATA 13,96,201,1,208,48,173,11
1820 DATA 96,201,2,144,15,206,11,96
1830 DATA 206,11,96,206,11,96,206,11
1840 DATA 96,76,110,98,169,2,141,13
1850 DATA 96,169,0,32,100,248,172,2
1860 DATA 3,185,17,96,24,105,2,168
1870 DATA 173,10,96,32,0,248,96,173
1880 DATA 97,192,48,1,96,173,13,96
1890 DATA 201,0,208,22,169,33,141,10

```

```

1900 DATA 96,141,11,96,169,1,141,13
1910 DATA 96,173,4,96,141,2,3,32
1920 DATA 198,98,96,169,0,141,16,96
1930 DATA 169,15,141,14,96,173,14,96
1940 DATA 32,100,248,32,43,97,32,187
1950 DATA 98,206,14,96,208,239,96,174
1960 DATA 0,3,160,0,200,208,253,202
1970 DATA 208,250,96,162,10,160,0,200
1980 DATA 208,253,202,208,250,96,162,
15
1990 DATA 173,48,192,169,4,32,168,252
2000 DATA 202,208,245,96,169,16,141,1
5
2010 DATA 96,160,1,162,1,169,80,32
2020 DATA 168,252,173,48,192,232,208,
253
2030 DATA 136,208,240,206,15,96,208,2
33
2040 DATA 96,255,0,0,255,255,0,0

```

Program 7: PC/PCjr Missile Math

```

10 WIDTH 40:KEY OFF:SCREEN 0,1:DEF SEG=0
:POKE 1047,64:DEFINT A-Z
20 GOSUB 610:GOSUB 450:GOSUB 480:GOSUB 5
10:GOTO 110
30 IF Y2=N21 THEN RETURN ELSE C$=INKEY$:
IF C$="." AND H<N28 THEN LOCATE N21,H:PR
INT " ":H=H+N5
40 IF C$="," AND H>N9 THEN LOCATE N21,H:
PRINT " ":H=H-N5:Z=RND(1)
50 IF C$=CHR$(N32) AND FIRE =N0 AND FI=N
0 THEN FIRE=N1:FI=N1:Y=N20:X=H+N1:PANS=C
H((H-N3)/N5):NS=NS+N1:Z=RND(1):RETURN
60 LOCATE N21,H:COLOR N3:PRINT BASE$:RET
URN
70 X2=X2-N1:IF X2=N1 THEN LOCATE Y2,X2+N
1:PRINT " ":Y2=Y2+N5:X2=N35:FI=N0:R=N
4
80 SP=SCREEN(Y2,X2):IF SP=21 THEN FL=2:K
=S:RETURN:ELSE IF SP=202 THEN FL=3:K=S:R
ETURN
90 LOCATE Y2,X2:COLOR R:PRINT SPCE$:RET
URN
100 COL=COL+1:IF COL=8 THEN COL =2
110 COLOR COL:CLS:W$="ENTERING LEVEL"+ST
R$(LVL):YY=12:GOSUB 590:GOSUB 630
120 IF NS THEN IF NS<3 THEN W$="50 POINT
BONUS":YY=14:GOSUB 600:ELSE IF NS<6 THE
N W$="25 POINT BONUS":YY=14:GOSUB 600
130 FOR TD=1 TO 1000:NEXT:SCL=0:NS=0
140 CLS:LOCATE 2,1:FOR J=1 TO NM:COLOR 1
3:PRINT CHR$(6) " ";:NEXT
150 LOCATE 2,29:PRINT"SCORE "SC
160 X2=36:Y2=6:T=INT(RND(1)*20)+40:FL=1:
FI=0:FIRE=0:R=4
170 A=INT(RND(1)*4+1)+4*(LVL-1)
180 B=INT(RND(1)*4*LVL+1)
190 IF P$="A" THEN C=A+B:GOTO 210
200 C=A*B
210 A$=STR$(A):B$=STR$(B):C$=STR$(C)
220 RP=INT(RND(1)*4)+1
230 IF RP=1 THEN ANS=A:A$=CHR$(63)
240 IF RP=2 THEN ANS=B:B$=CHR$(32)+CHR$(
63)
250 IF RP=3 OR RP=4 THEN ANS=C:C$=CHR$(3
2)+CHR$(63)
260 IF P$="A" THEN LOCATE 4,14:COLOR 7:P
RINT A$ " +B$ " =C$:GOTO 280

```



```

270 COLOR 7:LOCATE 4,14:PRINT A$ " X"B$ "
="C$
280 IF ANS>90 THEN DEL=10:GOTO 320
290 IF ANS>20 THEN DEL=5:GOTO 320
300 DEL=INT((ANS/10)+1)
310 DT=INT(RND(0)*5)+1
320 FOR I=1 TO 5:CH(I)=ANS+(I-DT)*DEL:LO
CATE 22,5*I+3:PRINT CH(I):NEXT I
330 GOSUB 30:GOSUB 410:T=T-N1:IF T<N0 TH
EN FOR K=N1 TO 5:GOSUB 410:GOSUB 70:NEXT
:GOSUB 410
340 ON FL GOTO 330,350,370
350 R=N7:FL=N1:IF ANS<>PANS THEN 330 ELS
E FOR TI=N1 TO N3:COLOR TI:LOCATE Y2-N1,
X2:PRINT E1$:LOCATE Y2,X2:PRINT E2$:LOCA
TE Y2+N1,X2:PRINT E3$:LOCATE Y2+N2,X2:PR
INT P(Y2) " POINTS":FOR TD=37 TO 45:SOUND
TD,.5:NEXT TD,TI:FIRE=0:FOR TD=1 TO 900
:NEXT
360 SC=SC+P(Y2):SCL=SCL+P(Y2):IF SCL>=50
THEN LVL=LVL+1:SCL=0:GOTO 100:ELSE 140
370 NM=NM-1:SOUND 100,20:FOR TD=1 TO 600
:NEXT:SOUND 37,20:FOR TI=1 TO 5:FOR TD=1
TO 600:NEXT:LOCATE 22,5*DT+3:PRINT "
":FOR TD=1 TO 60:NEXT:LOCATE 22,5*DT+3:
COLOR 4:PRINT CH(DT):FOR TD=1 TO 60:NEXT
:NEXT
380 IF NM>0 THEN W$="KEEP TRYING":YY=10:
GOSUB 590:GOSUB 630:GOTO 140
390 LOCATE 2,1:PRINT " ":W$="PLAY AGAIN
?(Y/N)":YY=10:GOSUB 590
400 I$=INKEY$:IF I$="Y" THEN RUN ELSE IF
I$="N" THEN CLS:END:ELSE 400
410 IF FIRE=N0 THEN FOR TD=1 TO 10:NEXT
:RETURN

```

```

420 Y=Y-1:IF Y=5 THEN FIRE=0:LOCATE Y+1,
X:PRINT " ":RETURN
430 SP=SCREEN(Y,X):IF SP <>32 THEN FL=2
440 SOUND 200-Y*3,.1:LOCATE Y,X:COLOR 14
:PRINT MISS$:RETURN
450 CLS:W$="MISSILE MATH !":YY=10:COLOR
2:GOSUB 590:FOR TD=1 TO 800:NEXT
460 COLOR 3:W$="< MOVES YOU LEFT":YY=12:
GOSUB 590:COLOR 4:W$="> MOVES YOU RIGHT"
:YY=14:GOSUB 600:LOCATE 16,11:COLOR 7:PR
INT "SPACE BAR TO FIRE":GOSUB 630:RETURN
470 FOR TD=1 TO 2000:NEXT:CLS:RETURN
480 SPCE$=CHR$(17)+STRING$(2,219)+CHR$(1
74)+CHR$(32)+CHR$(32):BASE$=CHR$(32)+CHR
$(202)+CHR$(32):MISS$=CHR$(21)+CHR$(31)+
CHR$(29)+CHR$(32):E1$=CHR$(92)+STRING$(2
,179)+CHR$(47):E2$=CHR$(196)+STRING$(2,3
2)+CHR$(196)+CHR$(32)
490 E3$=CHR$(47)+STRING$(2,179)+CHR$(92)
500 H=28:LVL=1:NM=3:N1=1:N21=21:N32=32:N
28=28:N0=0:N2=2:N3=3:N202=202:N5=5:N9=9:
N32=32:N20=20:N35=35:N4=4:N7=7:DIM P(16)
:P(6)=25:P(11)=10:P(16)=5:COL=2:RETURN
510 CLS:LOCATE 8,8,0:COLOR 7:PRINT "(A)D
DITION AND SUBTRACTION":LOCATE 10,19:PRI
NT"OR"
520 LOCATE 12,7 :PRINT"(M)ULTIPLICATION
AND DIVISION"
530 P$=INKEY$:IF P$<>"A"AND P$<>"M" THEN
530
540 LOCATE 15,12:PRINT "(F)AST OR (S)LOW
"
550 S$=INKEY$:IF S$="S" THEN S=1 ELSE IF
S$="F" THEN S=2 ELSE 550
560 LOCATE 21,11:PRINT "HIT ANY KEY TO S
TART"
570 Z=RND(1):I$=INKEY$:IF I$=""THEN 570
580 RETURN
590 W=LEN(W$):NW$=W$+STRING$(20-W/2,32):
FOR K=1 TO LEN(NW$):LOCATE YY,39-K,0:PRI
NT LEFT$(NW$,K):NEXT:RETURN
600 W=LEN(W$):NW$=STRING$(18-W/2,32)+W$:
FOR K=1 TO LEN(NW$):LOCATE YY,1:PRINT RI
GHT$(NW$,K):NEXT:RETURN
610 DIM NO(14,2):FOR A=1 TO 14:FOR B=1 T
O 2:READ NO(A,B):NEXT B,A:RETURN
620 DATA 196,1,196,1,196,1,261,9,196,1,1
96,1,196,1,261,1,232,1,220,1,196,7,32000
,1,196,3,261,6
630 FOR R1=1 TO 14:SOUND NO(R1,1),NO(R1,
2)*1.5:FOR TD=1 TO NO(R1,2)*90 :NEXT:NEX
T:RETURN

```

STOP PLAYING GAMES

NEW Disk
 Commodore 64



- Calculate odds on HORSE RACES with ANY COMPUTER using BASIC.
- SCIENTIFICALLY DERIVED SYSTEM really works TV Station WLKY of Louisville, Kentucky used this system to predict the odds of the 1980 Kentucky Derby. See *Popular Computing* (February, 1984) for a review of this program. This system was written and used by computer experts and is now being made available to home computer owners. This method is based on storing data from a large number of races on a high speed, large scale computer. 23 factors taken from the "Daily Racing Form" were then analyzed by the computer to see how they influenced race results. From these 23 facts, ten were found to be the most vital in determining winners NUMERICAL PROBABILITIES of each of these 10 factors were then computed and this forms the basis of this REVOLUTIONARY NEW PROGRAM
- SIMPLE TO USE Obtain "Daily Racing Form" the day before the races and answer the 10 questions about each horse. Run the program and your computer will print out the odds for all horses in each race. COMPUTER POWER gives you the advantage!
- YOU GET
 - 1) Program on cassette or disk.
 - 2) Listing of BASIC programs for use with any computer.
 - 3) Instructions on how to get the needed data from the "Daily Racing Form."
 - 4) Tips on using the odds generated by the program.
 - 5) Sample form to simplify entering data for each race.

MAIL COUPON OR CALL TODAY

3G COMPANY, INC. DEPT. CO (503) 357-5607
 RT. 3, BOX 28A, GASTON, OR 97119

Yes, I want to use my computer for FUN and PROFIT. Please send me "Play the Horses" for \$29.95. Circle the cassette you need: VIC-20, Color Computer, TRS-80, Sinclair Timex 1000, Atari, Commodore 64 (disk or cassette), Apple (disk), IBM (disk).

Enclosed is: check or money order MasterCard Visa

Card No. _____ Exp. date _____

NAME _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

START USING YOUR COMPUTER FOR FUN and PROFIT!

Maxell Floppy Disks

The Mini-Disks with maximum quality.



Dealer inquiries invited. C.O.D.'s accepted.
 Call FREE (800) 235-4137.



PACIFIC EXCHANGES
 100 Foothill Blvd
 San Luis Obispo CA 93401
 In Cal. call (800) 592-5935 or
 (805)543-1037




Lightsaver

Jon Rhees

The world is depending on you to save its supply of light bulbs. A quick eye and an even faster hand are the only two things that will help you. This arcade-style action game uses machine language for fast action. Versions are included for the Commodore 64 and VIC-20, the Atari home computers, and the IBM PC/PCjr.

Technology has backfired again! A dangerous power surge has transformed the light fixture in your room into a devilish lamp, which is trying to rid the world of light bulbs by tossing them to the ground. Only you can stop the lamp from carrying out its horrid plan. You must catch the bulbs in your baskets before they hit the ground and break. The more bulbs you save, the more angry the lamp will become, and the faster it will drop bulbs. How long can you survive the wrath of the lamp?

"Lightsaver" is a fast-action, arcade-style game which utilizes many of the capabilities of the Commodore 64. Most of the action in this game is written in machine language for speed, while the scoring and setup routines are written in BASIC. The game requires a set of paddle controllers, which should be plugged into port 1.

The object of the game is simple: catch as many light bulbs as you can without missing or dropping any. You must catch each bulb in your baskets. At the beginning of a game you start out with three baskets, stacked atop each other. You position the baskets by turning the paddle controller. Each time you miss a bulb, you lose a basket, and are set back one level. Each consecutive level has more bulbs to catch and faster action. Bonus baskets are awarded every 2000 points, but you can have only three baskets at a time. Also, the higher the level you are on, the more points each bulb you catch is worth.

There are 16 skill levels in Lightsaver and two basket sizes. The higher the skill level you choose, the faster the game. Bulbs are easier to catch with a large basket than with a small one. A large basket is twice as wide as a small one. You can change the basket size during the game by pressing the f1 key. Press the paddle fire button to start a new round.

Lightsaver takes advantage of the sprite, re-defined character, color, and sound capabilities of the 64. It contains two separate machine language routines—one for the game action, and another to quickly copy the character ROM into RAM for programmable characters. A demo mode is also included. The computer plays a game against itself if left alone. All eight sprites are used, as well as a redefined character set. The first two voices of the SID (Sound Interface Device) chip are used for sound effects, and the third voice is used as a random number generator for the machine language routine.

If you'd rather not type in the program, you can obtain tape or disk copies (64 version only). Send an SASE, a disk or tape, and \$3 to:

Jon Rhees
1660 S. Duneville
Las Vegas, NV 89102

Program 1: 64 Lightsaver

Refer to the "Automatic Proofreader" article before typing this program in.

```
1 GOSUB550 :rem 75
2 Z=646:POKE53280,0:POKE53281,0:POKEZ,1:X
  =58692:SYSX:V=53248 :rem 89
3 G=54272:POKEG+6,0:POKEG+5,0:POKEG+4,0:P
  OKEG+6,240:POKEG+4,17:POKEG+24,143
  :rem 122
4 POKEG+6,240:NS$="000000":GOSUB400
  :rem 187
10 T=49152:H=54273:B=832:C=1022:E=49550:F
  ORA=BT0C:READM:POKEA,M:POKEH,M:NEXT
  :rem 131
20 B=V+39:FORA=TTOE:READM:POKEA,M:POKEH,M
  :POKEB,M:NEXT:POKEG+5,186:POKEG+6,.
  :rem 124
26 POKE252,208:POKE251,..:POKE253,..:BL=872
  :POKE254,48 :rem 240
28 POKE56334,..:POKE1,51:SYS49490:POKE4951
  3,56:POKE49500,145:POKE49501,253
  :rem 208
29 POKE49502,200:POKE49503,234:SYS49490:P
  OKE1,55:POKE56334,1:GOTO600 :rem 214
60 POKE53280,3:SYSX:PRINT"{5 DOWN}"
  {7 SPACES}SELECT SKILL LEVEL (A-P) ";
  :rem 232
61 GETA$:SL=ASC(A$+" ")-59:IFSL<6 OR SL>2
  1 THEN 61 :rem 170
62 PRINTA$:POKE53280,14:PRINT:PRINT"
  {3 DOWN}"{7 SPACES}SELECT BASKET SIZE (
  S/L) "":P=. :rem 95
```


Notes For VIC-20, Atari, And IBM PC/PCjr Versions

In "Lightsaver," you must catch light bulbs that fall from a lamp at the top of the screen.

The VIC Version

Program 2, for the unexpanded VIC-20, is written entirely in machine language and offers five levels of play. The level selected affects the speed of the falling bulbs at the beginning of play. The speed increases when a light bulb is caught in your basket and decreases when light bulbs crash to the bottom of the screen. The game ends when three bulbs have been missed.

You move your baskets under the falling bulbs by using a paddle plugged into the control port.

Since the VIC version is written in machine language, you must use a special technique to enter the program. You must first type in the "Tiny MLX" program found elsewhere in this issue, and then use this program to type VIC Lightsaver. Be sure you read and understand the Tiny MLX article before you begin typing Lightsaver. Also, remove or disable any memory expanders. Once you have typed in Lightsaver, and saved it to tape or disk using MLX, you can load and run the program just as you would a BASIC program.

The Atari Version

To catch bulbs in the Atari version of Lightsaver, you must move your basket with the paddle controller and touch the bulbs before they hit the bottom of the screen. If a light bulb reaches the bottom of the screen, it will break and you will lose one of your three baskets. The number of points awarded for catching a bulb is equal to the current level. For instance, on the fourth level, every bulb that you catch is worth four points. You are given an additional basket every 2000 points. Each time you complete five levels, the speed of the light bulbs increases.

Atari Lightsaver has been split into two programs so it will work on 16K computers with DOS. Load and run Program 3. This program loads two machine language subroutines and the redefined character set. When finished, this program will load and run Program 4. Program 4 (the main program) contains the player missile graphics and the main game loop. Since Program 3 loads and runs Program 4, disk users must save both programs on the

same disk. Program 4 must be saved with filename LIGHTSAVER.

Cassette users must change line 1046 in Program 3 to:

```
1046 READ A: IF A=-1 THEN PRINT "HIT RETURN  
TO LOAD LIGHTSAVER": RUN "C:"
```

Next, rewind a tape to a blank section, press the PLAY and RECORD buttons, and enter SAVE "C:" to store Program 3. When the cassette is finished, type in Program 4. Save Program 4 immediately following Program 3 by once again entering SAVE "C:". To load and run the two programs, rewind the tape to the start of Program 3 and type RUN "C:".

The IBM Version

In the IBM version of Lightsaver (Program 5), you must catch bulbs before they fall below basket level. The IBM version has only one difficulty level and a constant basket size. Game play consists of several rounds, each consisting of a barrage of dropping bulbs. Between 10 and 20 bulbs are dropped before the round ends. Each additional round increases the motion of the lamp which drops the bulbs and increases the number of points awarded. The formula is simple: The number of points awarded equals the number of bulbs caught, multiplied by the difficulty level.

You can catch a bulb only if it drops into the basket from above. It is possible to break a bulb by hitting it with the rim of your basket. If you let a bulb break, the round ends and the difficulty level decreases by one.

IBM Lightsaver will run on PCs with Advanced BASIC (BASICA) and PCjr's with DOS and Cartridge BASIC. A Color/Graphics Monitor Adapter card is needed on PCs. A joystick is required to control the left-right movement of the baskets.

Since the video display processor of the IBM PC may refresh the screen while we are using the PUT statement to place graphics on the screen, a short machine language routine has been included to synchronize PUT with the vertical retrace interval.


```
MOV DX,3DAh  
CHECKPORT IN AX,DX  
AND AX,8  
JZ CHECKPORT  
RTF
```

This machine language routine reduces flicker when the baskets are moved around the screen.

SPECIALS on INTEGRATED CIRCUITS

6502 @ 4.90 6520 @ 4.00 6522 @ 5.00 4116 @ 1.85
2532 @ 5.90 2716 @ 4.45 6116 @ 6.45 4164 @ 5.50

Anchor Automation Signalman MODEMS



FREE SOURCE MEMBERSHIP WITH SIGNALMAN

All Signalman Modems are Direct Connect, and provide the best price-performance values. Dealer and OEM inquiries invited

Volksmodem with computer cable	68
Mark X Auto Dial/Auto Answer	129
Mark XII Smart Modem 1200/300	265
DC HAYES Smartmodem	219
DC Hayes Smartmodem 1200/300	519



WC 6420 AutoModem (like 1650)	65
Tech Sketch Light Pen + Micro Illustrator	44
PROM QUEEN for C64 or VIC	130
STAT Statistics Package for C64	95
Solid Oak 2 Level Stand for C64 or VIC	29
C64/VIC Switch (networking)	125
BACKUP V1.0 tape copier for C64 or VIC	20
CARDBOARD/5 Motherboard - C64	56
CARD PRINT G Printer Int. with Graphics	72
CARDCO C64/VIC Calculator Keypad	32
Complete CARDCO Line in stock	
CIE and VIE IEEE Interfaces in stock	85
MSD Dual SuperDrive for C64 + IEEE	570
MSD SuperDrive for C64 + IEEE	345
MAE Assembler for C64	50
Koala Pad Touch Tablet—C64 or VIC	75
CBC 4/12 Analog to Digital 4 chan/12 bit	179
MULTIPLAN for C64	79
Dust Cover for C64 or VIC	6
SAT Courses (Hayden) for C64 each	24
Grand Master Chess for C64	24
Musical Software for C64 in stock	
SM Software for C64 in stock	
BusCard II from Batteries Included	149
ULTRA BASIC - 64 with Turtle Graphics	37
COMAL Language for C64	15
Super Disk Utility - C64 - includes backup	19
Typing Tutor III with Letter Invaders	35
Trackball (Electra Concepts) C64	29
HES MODEM with software for C64	45
Commodore 64 Programmers Reference Guide	16
WordPro 3+/64 with Spellright	85
VICController (also C64) - BSR Controller	50
COM VOICE Synthesizer for C64 or VIC	139
VIC products in stock - call for extra discounts.	
Victory Software for VIC and C64 in stock.	
C-Scan Networking for C64	119
Share up to 8 computers, device transparent, with reset and automatic power-on.	

APPLE—FRANKLIN ITEMS

FRANKLIN—complete line in stock	
Swapper Stopper	26
automatic switch between paddles and joystick	
KRAFT Apple Joystick	32
Kraft Apple Paddle Pair	32
Koala Pad Touch Tablet-Apple/Franklin	90
SPINNAKER Software in stock	
Broderbund Software in stock	
16K RAM Card for Apple	59
Multiplan—Microsoft	129
Solid Oak 2 Level Stand for Apple	29
Serial Card for Apple	139
MPC RAM/BO column card for IIe (AP/TXT)	89
Z80 Softcard and CP/M (Microsoft)	235
Parallel Printer Interface/Cable	69
Microtek and MPC Interfaces in stock	
Grappier + Interface	135
DC Hayes Micromodem II, IIe with Smartcom	245
PFS: File or PFS: Report or PFS: Graph	95
Videx 80 Column Card	209
Apple Blue Book	19

commodore

See us for Personal, Business, and Educational requirements. Educational Discounts available.

PETSCAN I \$245 base price

Allows you to connect up to 30 CBM/PET Computers to shared disk drives and printers. Completely transparent to the user. Perfect for schools or multiple word processing configurations. Base configuration supports 2 computers. Additional computer hookups \$100 each.

COMPACT/STCP \$115

Intelligent Terminal Package for PET, CBM, C64
Includes ACIA Hardware / STCP Software

SCREENMAKER 80 Column Adapter for C64 139

Provide big screen capability for business applications

Copy-Writer Word Processor for C64 49

Full-featured package with 800 lines of text in memory Includes double column printing, graphic capability, full printer support.

Special Screenmaker/Copy-Writer Combo 179

PAPER CLIP Word Processor - CBM/C64 60

ORACLE (Consultant) Data Base by Batteries Included 89

SPINNAKER Software C64, Apple, IBM, Atari

VICTORY Software for C64 in stock

Computel Books in Stock

POWER ROM Utilities for PET/CBM 78

WordPro 4+ - 8032, disk, printer 285

VISICALC for PET, ATARI, or Apple 189

SM-KIT enhanced PET/CBM ROM Utilities 40

PET Spacemaker II ROM Switch 36

Dust Cover for PET, CBM, 4040, or 8050 8

CmC Interfaces (ADA1800, ADA1450, SADI in stock)

HES Software and Hardware in stock

UMI Products in stock

FlexFile for PET/CBM/C64 \$59

DataBase, Report Writer with calculations, Mailing Lists Easy to use, and can be modified.

FORTH for PET/C64 full FIG model - Cargile/Riley 50

includes all FORTH 79 Standard extensions, structured 6502 assembler with nested decision macros, standard 16x64 screens, ability to read/write BASIC sequential files, sample programs introductory + reference manual.

Metacompiler for FORTH for independent object code 30

Floating Point for FORTH 20

BRIDGE 2.2 for C64 \$25

Excellent Bridge program Computer bids and plays against you Hands are computer generated, but you may set up hands and modify contract Allows you to claim balance of tricks, replay hand, and review previous trick.

KMMM PASCAL IV for PET/CBM/C64 99

Virtually full Jensen-Wirth implementation is now suitable for advanced placement courses

EARL for PET/CBM/C64 Disk-based ASSEMBLER 65

DISK I.C.U. (Intensive Care Unit) \$40

COMPLETE DISK RECOVERY SYSTEM FOR 4040/1541

Edit disk blocks; duplicate disks, skipping over bad blocks, un-scratch scratched files, check and correct scrambled files, recover improperly closed files Includes complete diagnostic facilities, extensive treatment of relative files, optional output to printer, and comprehensive user manual (an excellent tutorial on disk operation and theory) Furnished on copy-protected disk Backup available \$10.

Smart Terminal Software for C64/VIC 10

CBM Public Domain Software—C64/PET 27 disks 75

BITTDISK 64 36

Disk copy utility for C64 Make your own disk copies, even if the original is copy protected

STAT for PET/CBM/C64 and Apple 95

Comprehensive Statistical Analysis Routines

Includes complete file handling capabilities, summary statistics, confidence intervals, hypothesis tests, exponential mean tests, multiple and power series regression, analysis of variance, histograms, and non-parametric tests.

PageMate 60 Command Word Processor 20

Full-featured package for all Commodore computers. Full screen editing, and supports disk, tape, and all printers.

DISK SPECIALS



Scotch (3M) 5" ss/dd	10/ 1.85	50/ 1.75	100/ 1.70
Scotch (3M) 5" ds/dd	10/ 2.50	50/ 2.35	100/ 2.30
Scotch (3M) 8" ss/dd	10/ 2.20	50/ 2.00	100/ 1.98
Scotch (3M) 8" ds/dd	10/ 2.80	50/ 2.50	100/ 2.47

We stock VERBATIM DISKS

Write for Dealer and OEM prices.

Sentinal 5" ss/dd	10/ 1.80	50/ 1.75	100/ 1.65
Sentinal 5" ds/dd	10/ 2.40	50/ 2.35	100/ 2.25

We stock Dyan disks

Wabash 5" ss/dd	10/ 1.25	50/ 1.22	100/ 1.18
Wabash 5" ss/dd	10/ 1.40	50/ 1.37	100/ 1.32
Wabash 5" ds/dd	10/ 1.75	50/ 1.72	100/ 1.65

We stock MAXELL DISKS

Write for dealer and OEM prices.

Disk Storage Pages	10 for \$4	Hub Rings 50 for \$6
Disk Library Cases	8"—3.00	5"—2.25
Head Disk Cleaning Kits	12	
AMARAY Disk Storage Systems + new MediaMate 5 in stock		
Innovative Concepts FLIP 'N' FILES in stock.		

CASSETTE TAPES—AGFA PE-611 PREMIUM

C-10	10/ .61	50/ .58	100/ .50
C-30	10/ .85	50/ .82	100/ .70

ZENITH data systems

ZVM-122A	99	ZVM-123G	89
ZVM-131	300	ZVM-135	490
Z100 16-bit/8-bit System			CALL
Z29 Terminal (DEC and ADM compatible)			680
Z-150 IBM PC COMPATIBLE			CALL
Z-160 PORTABLE PC			CALL
USI Video Monitors - Green or AMBER 20 MHz hi-res			
PI-2 (1200G) 12" 20 MHz Green			85
PI-3 (1200A) 12" 20 MHz Amber			89

WRITE FOR IBM PC COMPATIBLE PRICES

Multiplan—IBM or Apple	129
Quadboard for IBM available	
KOALA PAD Touch Tablets—Apple, Atari, IBM, CBM	
Peachtext 5000 Software Package	209
PFS Software for IBM and Apple in stock	
SPINNAKER Software C64/VIC, Apple, IBM, Atari	
VOTRAX Personal Speech System	269
BMC 9191 + Color Monitor	235
BMC 1201G 12" Green Monitor	.79
P99 for PET/CBM/C64	399
Brother HR-25 Daisy Wheel Printer (25 cps)	675
Brother HR-35 Daisy Wheel Printer (25 cps)	915
Itoh Prowriter Parallel Printer	359
Panasonic 1090 Printer with Correspondence Mode	279
Gemini 10X	285
EPSON, Okidata, Star Micronics printers in stock	
We Stock AMDEK Monitors	
A P Products	15% OFF

COMPUTER COVERUPS IN STOCK

BR00KS 6 Outlet Surge Suppressor/Noise Filter	54
Surge Suppressor-6 outlet	29
Electrohome 1302-2 13" Hi-res RGB Monitor	335
Panasonic 12" Monitor (20 MHz) with audio	135
Synertek SYM-1 Microcomputer	189
ALL BOOK and SOFTWARE PRICES DISCOUNTED	

Hewlett Packard



Write or call for prices

DATASHIELD BACKUP POWER SOURCE

Model PC-200 200 watt unit	265
Model XT-300 300 watt unit	370

ATARI - WE STOCK ENTIRE LINE SPINNAKER and Broderbund Software in stock.

215-822-7727
252 Bethlehem Pike
Colmar, PA 18915

A B Computers

WRITE FOR CATALOG. Add \$1.50 per order for United Parcel. We pay balance of UPS surface shipping charges on all prepaid orders (add extra for mail, APO/FPO, air). Prices include cash discount. Regular prices slightly higher. Prices subject to change.


```

63 GETS$:IFSS$<>"S"ANDS$<>"L"THEN63          :rem 253
64 PRINTS$"{5 DOWN}":POKE53280,6:LV=.:POKE    :rem 90
  E209,88:POKE210,6:IFBW=141THENGOSUB500     :rem 247
  :rem 146
65 PRINT"PRESS <F1> TO CHANGE BASKET SIZE     :rem 21
  IN PLAY":GOSUB700                          :rem 22
67 POKE63,.:POKE65,.:POKE67,.:SYSX:NS$="0    :rem 60
  00000":GOSUB202                            :rem 60
68 POKEV+29,-(S$="L"):GOSUB340:GOTO71        :rem 163
70 GOSUB200                                    :rem 121
71 PRINT"{HOME}{17 DOWN}{2 SPACES}{GRN}PR    :rem 226
  ESS FIRE BUTTON WHEN READY!"              :rem 226
72 N=244-PEEK(54297):N=N*-(N>=24)-24*(N<2    :rem 117
  4):POKEV,N                                 :rem 93
73 POKEV+29,(PEEK(V+29)-(PEEK(197)=4))AND    :rem 158
  1:IF(PEEK(56321)AND4)THEN72               :rem 158
74 PRINT"{UP}{31 SPACES}":POKE254,.:SYST:    :rem 252
  IFPEEK(68)THEN80                          :rem 252
76 M=54273:POKEV+11,.:N=5:I=125:J=53280:F    :rem 15
  ORA=NT0ISTEP3:POKEJ,A                    :rem 15
77 POKEM,AAND(LV+5)*2:NEXT:POKEF+5,186:PO    :rem 54
  KEF+6,.:POKEF+12,186:POKEF+13,.:rem 54
79 POKEJ,.:GOTO70                            :rem 29
80 POKEF+11,.:POKEF+4,.:POKEF+1,186:POKEF    :rem 30
  +4,129:POKEF+5,188:POKEF+6,.:rem 30
81 POKEV+4,PEEK((PEEK(781)+4)+V):POKEV+5,    :rem 175
  232:B=50:D=-.9:E=V+3:F=10264            :rem 175
82 FORA=BTO.STEPPD:POKEE,A:N=RND(.)*21:M=N    :rem 23
  *1.4:POKEN+BL,PEEK(N+BL)ANDRND(.)*256    :rem 23
83 POKEM+F,PEEK(M+F)ORRND(.)*256:POKE780,    :rem 47
  M:SYS49540:NEXT:POKEV+41,0:POKE53281,0   :rem 47
84 LV=LV-2:P=P+1:POKEV+2,.:LV=LV*-(LV>-1)    :rem 197
  :FORA=BLTOBL+20:POKEA,.:rem 197
85 NEXT:BL=BL-20:IFBW=141THENGOTO600        :rem 1
86 GOSUB200:IFP<3THENGOSUB340:GOTO71        :rem 41
88 IFVAL(NS$)=VAL(HS$)ANDVAL(NS$)>0THENGO    :rem 99
  TO900                                      :rem 99
90 POKEV+21,.:PRINT"{HOME}{7 DOWN}{CYN}"S    :rem 120
  PC(9)"** GAME OVER **":BL=872:P=.        :rem 120
96 GOSUB800:GOTO600                          :rem 87
100 DATA 255,255,255,109,182,218,27        :rem 144
  :rem 192
101 DATA 109,180,13,182,216,11,109,176     :rem 69
  :rem 69
102 DATA 7,255,224,0,0,0,255,255,255      :rem 220
  :rem 220
103 DATA 91,109,182,45,182,216,27,109     :rem 33
  :rem 33
104 DATA 176,13,182,208,7,255,224,0,0,0    :rem 109
  :rem 109
105 DATA 255,255,255,109,182,218,27,109    :rem 139
  :rem 139
106 DATA 180,13,182,216,11,109,176,7      :rem 231
  :rem 231
107 DATA 255,224,0,0,0,0,0,60,0,0,60,0    :rem 22
  :rem 22
108 DATA 0,60,0,0,60,0,0,60,0,0,60,0,0    :rem 11
  :rem 11
109 DATA 60,0,0,60,0,0,60,0,0,60,0,0,60   :rem 66
  :rem 66
110 DATA 0,0,60,0,0,60,0,0,60,0,0,60,0   :rem 4
  :rem 4
111 DATA 0,20,0,0,85,0,1,85,64,5,85,80    :rem 50
  :rem 50
112 DATA 21,85,84,170,170,170,0,0,0,0,0   :rem 90
  :rem 90
113 DATA 0,0,0,0,0,0,0,0,0,0,24,0,0,60,0   :rem 247
  :rem 247
114 DATA 0,60,0,0,36,0,0,126,0,0,126,0    :rem 21
  :rem 21
115 DATA 0,255,0,1,255,128,1,255,128,3    :rem 60
  :rem 60
116 DATA 253,192,1,253,128,1,251,128,0    :rem 66
  :rem 66
117 DATA 255,0,0,60,0,0,0,0,0,0,0,0,0    :rem 49
  :rem 49
118 DATA 120,173,2,220,72,169,192,141,2    :rem 117
  :rem 117
119 DATA 220,169,64,141,0,220,160,128     :rem 19
  :rem 19
120 DATA 234,136,16,252,56,169,220,237    :rem 79
  :rem 79
121 DATA 25,212,176,2,169,0,24,105        :rem 122
  :rem 122
122 DATA 24,141,0,208,104,141,2,220,88     :rem 54
  :rem 54
123 DATA 172,30,208,169,8,133,253,162,2    :rem 123
  :rem 123
124 DATA 254,5,208,189,4,208,240,33,169   :rem 135
  :rem 135
125 DATA 188,56,253,5,208,176,13,152,37   :rem 139
  :rem 139
126 DATA 253,240,8,169,0,157,4,208,76     :rem 35
  :rem 35
127 DATA 14,193,189,5,208,201,232,208,5   :rem 128
  :rem 128
128 DATA 169,1,133,68,96,232,232,6,253    :rem 88
  :rem 88
129 DATA 224,12,240,3,76,51,192,234,164   :rem 125
  :rem 125
130 DATA 197,192,4,208,17,165,255,201    :rem 32
  :rem 32
131 DATA 64,208,11,169,1,24,109,29,208    :rem 75
  :rem 75
132 DATA 41,1,141,29,208,132,255,164,64   :rem 120
  :rem 120
133 DATA 240,99,132,64,173,2,208,24,101   :rem 120
  :rem 120
134 DATA 254,141,2,208,198,2,16,84,169    :rem 86
  :rem 86
135 DATA 31,160,0,133,2,173,27,212,133    :rem 55
  :rem 55
136 DATA 254,56,237,2,208,176,8,173,2     :rem 37
  :rem 37
137 DATA 208,56,229,254,160,1,74,74,74    :rem 91
  :rem 91
138 DATA 74,74,133,254,56,233,4,176,225   :rem 140
  :rem 140
139 DATA 192,1,208,9,165,254,169,0,56     :rem 41
  :rem 41
140 DATA 229,254,133,254,230,66,230,66    :rem 79
  :rem 79
141 DATA 166,66,224,10,208,4,162,0,134    :rem 65
  :rem 65
142 DATA 66,169,80,157,7,208,173,2,208   :rem 90
  :rem 90
143 DATA 157,6,208,234,234,206,64,0      :rem 183
  :rem 183
144 DATA 169,146,133,150,198,150,165     :rem 247
  :rem 247
145 DATA 150,141,1,212,230,9,165,9,141    :rem 63
  :rem 63
146 DATA 8,212,201,30,208,3,141,11,212   :rem 50
  :rem 50

```

```

147 DATA 172,52,3,32,204,255,32,204,255      :rem 120
148 DATA 136,192,0,208,248,76,0,192,165      :rem 138
149 DATA 251,248,24,101,67,133,67,169,0      :rem 135
150 DATA 101,65,133,65,169,0,101,63,133      :rem 113
151 DATA 63,216,162,4,181,63,72,41,15        :rem 23
152 DATA 24,105,48,157,19,5,104,74,74        :rem 33
153 DATA 74,74,24,105,48,157,18,5,202        :rem 32
154 DATA 202,16,230,169,129,141,11,212        :rem 65
155 DATA 169,0,133,9,198,252,208,3,133        :rem 84
156 DATA 68,96,76,92,192,160                  :rem 122
157 DATA 0,177,251,17,253,145,253,177,251    :rem 86
158 DATA 230,252,230,254,165,254,201,52      :rem 123
159 DATA 208,230,96,234,238,0,201,174,0      :rem 124
160 DATA 201,189,0,200,168,138,105,109        :rem 71
161 DATA 170,173,2,208,157,0,200,234,140,    :rem 22
162 DATA 141,41,208,141,32,208,141,33,208,96,3 :rem 22
163 DATA 48,126,103,103,103,103,103,127      :rem 106
164 DATA 63,49,28,60,124,28,28,28,127        :rem 41
165 DATA 63,50,126,103,7,127,112,115,127     :rem 166
166 DATA 63,51,126,103,7,63,7,103            :rem 81
167 DATA 127,63,52,6,15,27,51,127,127       :rem 32
168 DATA 7,15,53,126,96,126,103,7,103        :rem 29
169 DATA 127,63,54,126,103,96,126,103        :rem 34
170 DATA 103,127,63,55,126,103,7,14,28       :rem 78
171 DATA 28,28,28,56,126,103,103,127        :rem 234
172 DATA 103,103,127,63,57,126,103,103      :rem 63
173 DATA 127,7,103,127,63,104,0,0,0,0        :rem 253
174 DATA 239,239,85,254                      :rem 125
200 NS$="":FORA=1298TO1303:NS$=NS$+CHR$(P     :rem 99
201 EEK(A)):NEXT
202 AA=INT(VAL(NS$)/2000)-INT(Q/2000):IFA      :rem 176
203 ATHENGOSUB300
204 Q=VAL(NS$):IFQ>=VAL(HS$)THENHS$=NS$      :rem 147
205 POKE53280,,:LV=LV+1:LV$=STR$(LV)+"        :rem 151
206 {2 SPACES}":IFLV>1THEN208
207 FORA=1024TO1057STEP2:POKEA,95:POKEA+1    :rem 199
208 ,105:POKE54272+A,4:POKE54273+A,10:NEX
209 T
210 FORA=1984TO2023:POKEA,104:POKEA+54272   :rem 138
211 ,12:NEXT
212 PRINTCHR$(19)CHR$(159)CHR$(18)SPC(34)    :rem 86
213 CHR$(169)"LIGHT"CHR$(146),:POKEZ,13
214 :rem 86
215 PRINTSPC(34)CHR$(127)CHR$(18)"SAVER":
216 POKEZ,7:PRINTSPC(74)"SCORE:"SPC(74);
217 :rem 152
218 PRINTCHR$(5)NS$:POKEZ,8:PRINTSPC(76)"
219 HI"SPC(76)"SCORE:"SPC(74)CHR$(5)HS$
220 :rem 89
221 PRINTSPC(34),:POKEZ,6:PRINT"*";:POKEZ
222 ,10:PRINTHU$,:POKEZ,6:PRINT"*"
223 :rem 252
224 POKEZ,14:PRINTSPC(74)"LEVEL:"SPC(75)C
225 HR$(5)LV$:F=54272:POKEF+20,128
226 :rem 194
227 POKE2040,13:POKE2041,14:POKEF+19,.
228 :rem 125
229 POKEV+1,205:POKEV+3,50:POKEV+23,3:POK
230 EV+28,2:POKEV+39,7:POKEF+18,,:rem 156
231 FORA=4TO14STEP2:POKEV+A,,:POKEV+A+1,A
232 *8+140:POKE2040+A/2,15:NEXT :rem 71
233 FORA=10240TO10303:POKEA,,:NEXT:POKE20
234 42,160:POKE66,,:POKE2,,:rem 34
235 POKEV+37,12:POKEV+38,14:FORA=41TO46:P
236 OKEV+A,1:NEXT:POKEV+21,255:POKEF+19,,:
237 :rem 238
238 POKEF+11,0:POKEF+7,0:POKEF+13,128:POK
239 EF+12,,:K=260-SL*LV:POKEF+20,128
240 :rem 248
241 POKE64,LV*2+9:POKE252,LV*2+9:LN=LV:PO
242 KEF+15,255:IFLN>100THENLN=100:rem 208
243 POKE251,INT(LN/10)*16+LN-INT(LN/10)*1
244 0:POKEF+14,,:POKEF+18,129:IFK<1THENK=
245 1 :rem 113
246 POKEF+1,,:POKEF+4,,:POKEF+5,,:POKEF+6
247 ,128:POKEF,,:POKEF+24,143:POKEF+4,33
248 :rem 24
249 POKE820,K:POKEV+41,,:RETURN :rem 156
250 F=54272:POKEF+4,,:POKEF+5,128:POKEF+6
251 ,128:POKEF+4,17:REM EXTRA BASKET
252 :rem 45
253 FORA=1TO4:ST(A)=PEEK(62+A):NEXT:BL=BL
254 +20*AA:IFBL>872THENBL=872 :rem 17
255 P=P-AA:P=P*(P>.) :RESTORE :rem 251
256 RESTORE:FORA=832TO832+20*(3-P):READM:
257 POKEA+1,,:POKEA,M :rem 18
258 POKEF+1,INT(RND(.)*256):NEXT:FORA=1TO
259 4:POKE62+A,ST(A):NEXT:POKEF+1,,:RETUR
260 N :rem 179
261 POKEF+4,,:POKEF+5,128:POKEF+6,128:POK
262 EF+4,33:B=28+INT(RND(.)*8)*32:C=.
263 :rem 216
264 FORA=CTOB:POKEV+2,A:POKEF+1,AAND10:NE
265 XT:POKEF+4,,:rem 63
266 POKEF+6,128:POKEF+5,,:POKEF+4,33:POKE
267 F+1,,:RETURN :rem 189
268 PRINT"{CLR}[6 DOWN][2][RVS][*]
269 [8 RIGHT][CYN] ":PRINT"[2][RVS]
270 [8 RIGHT][CYN] [4 RIGHT][6] ":POKE204
271 0,15 :rem 114
272 PRINT"[2][RVS] [8 RIGHT][CYN]
273 [4 RIGHT][6] ":POKEV+1,101:POKEV+39,1
274 :POKEV,32:POKEV+21,1 :rem 39
275 PRINT"[2][RVS] [RIGHT][YEL] [RIGHT]
276 [5][2][3 SPACES][RIGHT][CYN] [2][RVS]
277 [OFF][*][RVS][2 SPACES][RIGHT][PUR]
278 [2 SPACES][OFF][*][RVS][RIGHT][RED]
279 [2 SPACES][*][RIGHT][BLU] [2 RIGHT]
280 [RIGHT][GRN] [2][RIGHT][3] [2][RVS]":P
281 OKEV+29,,:rem 26
282 PRINT"[2][RVS] [RIGHT][YEL] [RIGHT]
283 [5] [2 RIGHT] [RIGHT][CYN] [OFF]
284 [RVS][RIGHT] [RIGHT][6] [2 RIGHT]
285 [PUR][OFF][*][2 RIGHT][RVS][RIGHT]
286 [RED] [2 RIGHT] [RIGHT][BLU]
287 [2 RIGHT] [RIGHT][GRN] [OFF][P][RVS]

```



```


[SPACE]{RIGHT}{3} [OFF]X[*]":POKEV+2
3,. :rem 185
440 PRINT"[2]{RVS} [RIGHT]{YEL} {RIGHT}
[5] {2 RIGHT} [RIGHT]{CYN} {2 RIGHT}
[SPACE]{RIGHT}{6} {RIGHT}X{2 RIGHT}
[PUR]{OFF}{T}{RVS}{*}{RIGHT}{RED}
[2 RIGHT] [RIGHT]{BLU}{OFF}{*}{RVS}
[*]X[OFF]X[RVS] {RIGHT}{GRN}
[3 RIGHT]{3} " :rem 87
450 PRINT"[2]{RVS} [RIGHT]{YEL}{OFF}{*}
[RIGHT]{5}{*}{RVS}{3 SPACES}{RIGHT}
[CYN] {2 RIGHT} [RIGHT]{6}{OFF}{*}
[RVS] {OFF}X[RVS]{PUR}X{2 SPACES}
[OFF]X[RIGHT]{RED}{*}{RVS} [OFF]X
[RVS] {2 RIGHT}{BLU}{OFF}{*}X
[2 RIGHT]{GRN}{*}{RVS} [OFF]X[RIGHT]
[RVS]{3} " :rem 18
460 PRINT"[2]{RVS} [6 RIGHT]{5} ":PRINT"
[2]{RVS} [3 RIGHT]{5}{OFF}{*}{RVS}
[2 SPACES]{OFF}X":PRINT"[2]{RVS}
[4 SPACES]{*}{3 DOWN}" :rem 123
470 PRINT"[WHT]{4 SPACES}USE PADDLES IN P
ORT ONE TO PLAY.":RETURN :rem 58
500 QW=49164:RW=49517 :rem 172
510 FORAW=.TO22:BW=PEEK(AW+QW):POKEAW+QW,
PEEK(AW+RW):POKEAW+RW,BW:NEXT:RW 109
520 IFBW=141THENPOKEA49262,96:POKE49230,63
:POKE49378,52:POKE49379,3:GOTO540
:rem 129
530 POKE49262,165:POKE49230,14:POKE49378,
64:POKE49379,0:POKE49481,252:RETURN
:rem 199
540 POKE49481,255:RETURN :rem 180
550 IFPEEK(51457)=114THENGOTO560 :rem 123
552 HS$="000000":HU$="C-64":GOSUB590
:rem 170
560 HT$="":FORA=51458TO51467:HT$=HT$+CHR$(
PEEK(A)):NEXT :rem 208
562 HS$=LEFT$(HT$,6):HU$=RIGHT$(HT$,4)
:rem 166
564 RETURN :rem 127
590 HT$=HS$+HU$+" ":FORA=1TOLEN(HT$):POKE
51457+A,ASC(MID$(HT$,A,1)):NEXT:RETUR
N :rem 179
600 POKE53269,.:IFPEEK(49164)=141THENGOSU
B500:IFSL=0THENSYSX:NS$="000000"
:rem 129
605 POKE53272,28:PRINT"{HOME}{12 DOWN}
{YEL}{6 SPACES}PRESS <F1> TO START...
" :rem 36
607 IFSL=0THENSL=6:GOSUB700 :rem 202
610 GOSUB202:GOSUB340:POKE254,0:POKE820,2
55:POKE68,0:SYST :rem 231
620 IFP=2THENP=1:BL=BL+20 :rem 243
630 IFPEEK(68)=1THENGOTO80 :rem 74
640 BL=872:SYSX:POKE54296,0:POKE53269,0:P
OKE53280,0:GOSUB800:GOTO60 :rem 38
700 RESTORE:B=589:FORA=.TOB:READM:NEXT:FO
RA=.TO10:READM:J=M*8+12288 :rem 252
710 FORB=.TO7:READM:POKEB+J,M:NEXTB,A:RET
URN :rem 132
800 RESTORE:FORA=832TO895:READM:POKEA,M:N
EXT:POKE54273,.:RETURN :rem 98
900 F=54272:FORA=0TO24:POKEF+A,.:NEXT:A$=
"* HIGH SCORER *":POKE646,6:GOSUB990
:rem 15
910 POKE646,7:POKEF+6,240:POKEF+4,17:POKE
F+24,143 :rem 68
920 FORA=1TOLEN(A$):FORB=.TO200STEP10:POK
EF+1,B:NEXT:PRINTMID$(A$,A,1)"[RIGHT]

```

```

":NEXT :rem 85
930 POKEF+24,140:A=1397 :rem 239
940 PRINT,"{13 DOWN}{CYN} TURN PADDLE TO
[SPACE]CHOOSE LETTERS..{DOWN}"
:rem 253
941 PRINT" PUSH BUTTON TO MOVE CURSOR"
:rem 67
942 PRINT"{HOME}{9 DOWN}{6}{15 SPACES}{@}
{@} {@}":HU$="" :rem 29
943 POKEA+40,30:POKEA+F+40,10:POKEF+A,1
:rem 221
945 B=29-PEEK(54297)/9:POKEA,B:POKE646,(P
EEK(646)+1)AND255:GOSUB990 :rem 125
950 POKEF+1,B*8+15:IFPEEK(56321)AND4THENG
OTO945 :rem 33
955 POKEF+4,129:FORC=0TO90STEP1.5:POKEF+1
,C:NEXT:POKEF+4,17:POKEA+40,32:rem 75
960 A=A+2:HU$=HU$+CHR$(B+64):IFA<1405THEN
943 :rem 231
962 PRINT"{4 DOWN}":POKEF+4,0:POKE51457,1
14 :rem 81
965 GOSUB590:PRINT"{HOME}":FORA=1TO13
:rem 183
970 PRINT"[32 SPACES]":NEXT:GOTO90
:rem 198
990 PRINT"{HOME}{2 DOWN}{RIGHT}U*****
*****I"SPC(9)"B"SPC(29
)"B" :rem 65
995 PRINT"{RIGHT}J*****
*****K{HOME}{3 DOWN}{2 RIGHT}":;RETU
RN :rem 191

```



The player just missed a light bulb in the 64 version of "Lightsaver."

Program 2: VIC Lightsaver/MLX

Be sure to read the "Tiny MLX" article before typing.

Version by Gregg Peele, Assistant Programming Supervisor

Refer to the "Automatic Proofreader" article before typing this program in.

6430 :011,016,000,000,158,052,011
6436 :049,048,057,000,000,000,190
6442 :169,000,141,092,003,141,076
6448 :093,003,169,024,141,015,237
6454 :144,032,078,020,032,100,204
6460 :016,032,236,017,032,042,179
6466 :017,169,007,141,074,003,221
6472 :169,003,141,064,003,173,113

6478 :076,003,016,024,032,203,176
6484 :017,172,074,003,196,251,029
6490 :208,003,076,077,016,032,246
6496 :015,019,032,246,018,169,083
6502 :010,141,076,003,206,076,102
6508 :003,032,108,017,032,125,169
6514 :016,032,038,019,032,179,174
6520 :019,173,072,003,208,207,034
6526 :076,205,018,169,000,141,223
6532 :060,003,141,061,003,141,029
6538 :074,003,032,042,017,169,219
6544 :003,141,072,003,169,010,030
6550 :141,076,003,096,169,000,123
6556 :141,019,145,169,127,141,130
6562 :034,145,173,008,144,074,228
6568 :074,074,074,073,015,056,022
6574 :233,003,016,002,169,000,085
6580 :141,064,003,168,162,002,208
6586 :185,162,031,208,008,169,181
6592 :032,153,162,031,032,023,113
6598 :017,185,184,031,208,008,063
6604 :169,032,153,184,031,032,037
6610 :023,017,185,206,031,208,112
6616 :008,169,032,153,206,031,047
6622 :032,023,017,200,202,016,200
6628 :213,172,064,003,196,252,104
6634 :240,071,164,252,169,032,138
6640 :162,003,153,184,031,153,158
6646 :206,031,200,202,016,246,123
6652 :172,064,003,169,027,153,072
6658 :184,031,153,206,031,132,227
6664 :252,169,000,153,184,151,149
6670 :153,206,151,200,169,028,153
6676 :153,184,031,153,206,031,010
6682 :169,000,153,184,151,153,068
6688 :206,151,200,169,029,153,172
6694 :184,031,153,206,031,169,044
6700 :000,153,184,151,153,206,123
6706 :151,096,173,082,003,240,027
6712 :003,206,082,003,238,060,136
6718 :003,173,060,003,208,003,000
6724 :238,061,003,162,004,160,184
6730 :016,024,032,240,255,174,047
6736 :060,003,173,061,003,032,156
6742 :205,221,056,173,060,003,036
6748 :237,092,003,133,170,173,132
6754 :061,003,237,093,003,005,244
6760 :170,144,012,173,060,003,154
6766 :141,092,003,173,061,003,071
6772 :141,093,003,162,008,160,171
6778 :016,024,032,240,255,174,095
6784 :092,003,173,093,003,032,012
6790 :205,221,096,169,206,133,140
6796 :167,169,031,133,168,173,213
6802 :141,002,208,251,169,228,121
6808 :133,170,169,031,133,171,191
6814 :169,228,133,180,169,151,164
6820 :133,181,162,021,160,021,074
6826 :177,167,208,012,072,169,207
6832 :032,145,167,104,145,170,171
6838 :169,000,145,180,136,016,060
6844 :237,056,165,167,233,022,044
6850 :133,167,165,168,233,000,036
6856 :133,168,056,165,170,233,101
6862 :022,133,170,165,171,233,076
6868 :000,133,171,056,165,180,149
6874 :233,022,133,180,165,181,108
6880 :233,000,133,181,202,016,221
6886 :193,096,032,148,224,165,064
6892 :142,162,003,010,202,208,195
6898 :252,024,101,142,010,101,104

6904 :142,105,003,133,142,074,079
6910 :074,056,233,012,176,252,033
6916 :105,015,133,251,096,169,005
6922 :128,141,019,145,169,255,099
6928 :141,034,145,169,147,032,172
6934 :210,255,162,011,160,005,057
6940 :024,032,240,255,160,000,227
6946 :185,193,019,032,210,255,160
6952 :200,192,012,208,245,169,042
6958 :014,032,210,255,162,013,220
6964 :160,005,024,032,240,255,000
6970 :160,000,185,205,019,032,147
6976 :210,255,200,192,012,208,117
6982 :245,032,228,255,240,251,041
6988 :201,049,144,247,201,054,204
6994 :176,243,056,233,048,073,143
7000 :255,141,063,003,169,147,098
7006 :032,210,255,174,063,003,063
7012 :024,169,000,105,048,202,136
7018 :208,251,141,082,003,162,185
7024 :003,160,016,024,032,240,075
7030 :255,160,000,185,010,020,236
7036 :032,210,255,200,192,007,252
7042 :208,245,162,006,160,016,159
7048 :024,032,240,255,160,000,079
7054 :185,017,020,032,210,255,093
7060 :200,192,012,208,245,162,143
7066 :010,160,016,024,032,240,124
7072 :255,160,000,185,029,020,041
7078 :032,210,255,200,192,007,038
7084 :208,245,162,013,160,016,208
7090 :024,032,240,255,160,000,121
7096 :185,036,020,032,210,255,154
7102 :200,192,015,208,245,162,188
7108 :022,160,001,024,032,240,163
7114 :255,160,000,185,059,020,113
7120 :032,210,255,200,192,019,092
7126 :208,245,173,017,145,041,019
7132 :016,208,249,160,021,169,019
7138 :032,153,228,031,136,208,246
7144 :248,096,160,002,162,022,154
7150 :024,032,240,255,160,000,181
7156 :185,217,019,032,210,255,138
7162 :200,192,018,208,245,032,121
7168 :228,255,240,251,201,089,240
7174 :240,007,201,078,240,006,010
7180 :076,226,018,076,029,016,197
7186 :000,164,251,140,074,003,138
7192 :162,001,024,032,240,255,226
7198 :160,000,185,235,019,032,149
7204 :210,255,200,192,016,208,093
7210 :245,096,172,074,003,162,026
7216 :001,024,032,240,255,160,248
7222 :000,185,251,019,032,210,239
7228 :255,200,192,014,208,245,150
7234 :096,160,021,185,228,031,019
7240 :208,028,169,036,153,228,126
7246 :031,169,000,153,228,151,042
7252 :072,152,072,032,142,019,061
7258 :032,179,019,104,168,104,184
7264 :206,072,003,076,076,019,036
7270 :136,208,220,169,032,153,252
7276 :228,031,162,011,160,016,204
7282 :024,032,240,255,173,082,152
7288 :003,205,084,003,240,013,156
7294 :160,000,185,051,020,032,062
7300 :210,255,200,192,008,208,181
7306 :245,173,082,003,141,084,098
7312 :003,056,073,255,170,169,102
7318 :000,032,205,221,162,015,017


```

7324 :160,016,024,032,240,255,115
7330 :174,072,003,169,000,032,100
7336 :205,221,096,169,015,141,247
7342 :014,144,169,129,141,013,016
7348 :144,162,010,138,072,032,226
7354 :179,019,104,170,202,208,044
7360 :246,169,000,141,014,144,138
7366 :024,173,082,003,105,016,089
7372 :141,082,003,096,172,082,012
7378 :003,162,080,202,208,253,094
7384 :136,192,255,208,246,096,069
7390 :144,076,073,071,072,084,230
7396 :083,065,086,069,082,032,133
7402 :076,069,086,069,076,032,130
7408 :040,049,045,053,041,063,019
7414 :080,076,065,089,032,065,141
7420 :071,065,073,078,032,089,148
7426 :032,079,082,032,078,063,112
7432 :031,094,157,017,094,157,046
7438 :157,017,095,033,035,017,112
7444 :157,157,144,064,144,032,206
7450 :157,017,032,157,157,017,051
7456 :032,032,032,017,157,157,203
7462 :017,028,083,067,079,082,138
7468 :069,144,030,072,073,017,193
7474 :157,157,083,067,079,082,163
7480 :069,144,156,083,080,069,145
7486 :069,068,144,066,085,076,058
7492 :066,083,017,157,157,157,193
7498 :157,157,076,069,070,084,175
7504 :032,032,032,032,157,157,010
7510 :157,157,080,082,069,083,202
7516 :083,032,070,073,082,069,245
7522 :032,084,079,032,083,084,236
7528 :065,082,084,160,000,185,168
7534 :000,128,153,000,028,200,107
7540 :208,247,160,000,185,000,148
7546 :129,153,000,029,200,208,073
7552 :247,160,007,185,150,020,129
7558 :153,000,028,136,016,247,202
7564 :160,039,185,158,020,153,087
7570 :216,028,136,016,247,160,181
7576 :007,185,198,020,153,008,211
7582 :029,136,016,247,160,015,249
7588 :185,206,020,153,024,029,013
7594 :136,016,247,169,255,141,110
7600 :005,144,096,024,024,024,237
7606 :036,066,066,102,060,000,000
7612 :000,234,117,058,029,014,128
7618 :007,000,000,170,085,170,114
7624 :085,170,255,000,000,175,117
7630 :094,188,120,240,224,024,072
7636 :024,024,024,024,024,024,100
7642 :024,000,001,003,007,015,012
7648 :031,063,127,255,255,255,186
7654 :255,255,255,255,255,000,225
7660 :128,192,224,240,248,252,240
7666 :254,000,024,024,060,086,178
7672 :203,000,000,000,000,000,195

```

```

MH 1025 RESTORE 1045: ? "REDEFINING C
HARACTER SET"
GO 1030 READ A: IF A=-1 THEN POKE 756
,CHSET/256:GOTO 1041
CN 1035 FOR J=0 TO 7:READ B:POKE CHS
ET+A*B+J,B:NEXT J
MC 1040 GOTO 1030
CJ 1041 ? "LOADING ML PROGRAM 1"
MC 1042 READ A: IF A=-1 THEN 1045
DJ 1043 POKE 1536+X,A:X=X+1
NJ 1044 GOTO 1042
CO 1045 ? "LOADING ML PROGRAM 2"
ID 1046 READ A: IF A=-1 THEN ? "RUNNI
NG LIGHTSAVER":RUN "D:LIGHTS
AVER"
HA 1047 POKE 13470+Y,A:Y=Y+1
NB 1048 GOTO 1046
CH 1050 DATA 16,126,103,103,103,103,
103,127,63
IC 1060 DATA 17,28,60,124,28,28,28,1
27,127
AF 1070 DATA 18,126,103,7,127,112,11
5,115,127
EI 1080 DATA 19,126,103,7,63,7,103,1
27,63
OC 1090 DATA 20,6,15,27,51,127,127,7
,15
KC 1100 DATA 21,126,96,126,103,7,103
,127,63
AB 1110 DATA 22,126,103,96,126,103,1
03,127,63
BF 1130 DATA 23,126,103,7,14,28,28,2
8,28
CN 1140 DATA 24,126,103,103,127,103,
103,127,63
NB 1150 DATA 25,126,103,103,127,7,10
3,127,63
AB 1190 DATA 1,2,11,14,10,11,14,5,5
NG 1191 DATA 2,128,224,160,240,160,1
60,80,80
IN 1192 DATA 3,21,85,85,85,85,21,21,
5
OM 1193 DATA 4,84,85,117,245,117,84,
84,80,-1
CN 1536 DATA 173,36,2,141,51,6
CN 1542 DATA 173,37,2,141,52,6
JL 1548 DATA 169,0,141,205,6,169
DB 1554 DATA 7,162,6,160,28,32
AA 1560 DATA 92,228,104,96,173,152
ML 1566 DATA 52,240,17,173,156,52
CN 1572 DATA 141,206,6,32,53,6
JK 1578 DATA 206,206,6,173,206,6
DK 1584 DATA 208,245,76,255,255,206
GB 1590 DATA 205,6,173,205,6,16
GI 1596 DATA 12,169,7,141,205,6
CC 1602 DATA 141,5,212,32,80,6
GH 1608 DATA 96,173,205,6,141,5
NO 1614 DATA 212,96,165,88,24,105
JF 1620 DATA 72,141,121,6,165,89
FF 1626 DATA 105,3,141,122,6,24
LH 1632 DATA 173,121,6,105,40,141
JB 1638 DATA 124,6,133,5,173,122
CF 1644 DATA 6,105,0,141,125,6
JB 1650 DATA 133,6,162,15,160,39
GP 1656 DATA 185,255,255,153,255,255
PN 1662 DATA 136,16,247,56,173,121
GA 1668 DATA 6,141,124,6,233,40
IO 1674 DATA 141,121,6,173,122,6
IH 1680 DATA 141,125,6,233,0,141
NG 1686 DATA 122,6,202,208,219,24

```

Program 3: Atari Data Loader

Refer to the "Automatic Proofreader" article before typing this program in.

```

DH 1000 X=0:Y=0: ? "{CLEAR}LOADING CH
ARACTER SET"
OM 1010 POKE 752,1
LN 1020 CHSET=14336:FOR I=0 TO 511:P
OKE CHSET+I,PEEK(57344+I):NE
XT I

```

JH 1692 DATA 173,124,6,141,173,6
 JP 1698 DATA 173,125,6,141,174,6
 NK 1704 DATA 169,0,160,39,153,255
 OO 1710 DATA 255,136,16,250,160,40
 JO 1716 DATA 136,177,5,208,5,192
 GA 1722 DATA 0,208,247,96,201,5
 PH 1728 DATA 176,242,169,0,141,152
 JD 1734 DATA 52,169,1,141,153,52
 NP 1740 DATA 96,-1
 PJ 13470 DATA 169,80,141,3,210,169
 NG 13476 DATA 1,141,152,52,165,45
 FE 13482 DATA 141,143,52,169,100,141
 PP 13488 DATA 144,52,169,0,141,146
 CB 13494 DATA 52,141,151,52,141,145
 PI 13500 DATA 52,141,153,52,165,88
 CE 13506 DATA 24,105,24,133,208,165
 PI 13512 DATA 89,105,1,133,209,165
 MC 13518 DATA 88,24,105,121,133,3
 JF 13524 DATA 165,89,105,2,133,4
 FG 13530 DATA 172,154,52,162,255,202
 CI 13536 DATA 224,0,208,251,136,192
 NF 13542 DATA 0,208,246,173,5,208
 IG 13548 DATA 201,0,240,6,32,106
 NN 13554 DATA 54,32,54,54,174,143
 PC 13560 DATA 52,236,144,52,240,14
 BH 13566 DATA 144,2,202,202,232,142
 HF 13572 DATA 143,52,142,0,208,76
 GM 13578 DATA 199,53,160,120,136,177
 HF 13584 DATA 208,201,0,208,7,192
 JK 13590 DATA 0,208,245,76,35,53
 AG 13596 DATA 201,5,176,238,76,134
 CH 13602 DATA 53,172,145,52,204,147
 PK 13608 DATA 52,16,222,238,145,52
 CF 13614 DATA 169,172,141,1,210,165
 HF 13620 DATA 67,141,3,210,169,55
 BH 13626 DATA 141,2,210,169,120,141
 LN 13632 DATA 0,210,173,143,52,56
 BC 13638 DATA 233,46,74,74,168,169
 NB 13644 DATA 1,145,208,169,2,200
 CJ 13650 DATA 145,208,152,24,105,39
 DD 13656 DATA 168,169,3,145,208,200
 NA 13662 DATA 169,4,145,208,173,5
 TH 13668 DATA 208,201,0,240,6,32
 MO 13674 DATA 106,54,32,54,54,165
 LH 13680 DATA 20,105,2,24,141,149
 AE 13686 DATA 52,166,20,236,149,52
 NL 13692 DATA 208,249,169,0,141,1
 OH 13698 DATA 210,141,3,210,173,10
 PH 13704 DATA 210,109,148,52,74,74
 EI 13710 DATA 170,173,10,210,205,143
 JB 13716 DATA 52,144,13,208,3,76
 CK 13722 DATA 134,53,138,24,109,144
 AG 13728 DATA 52,76,175,53,138,141
 AD 13734 DATA 149,52,173,144,52,56
 CL 13740 DATA 237,149,52,201,54,144
 JB 13746 DATA 211,201,198,176,207,141
 PF 13752 DATA 144,52,173,5,208,201
 FP 13758 DATA 0,240,6,32,106,54
 JH 13764 DATA 32,54,54,173,5,208
 ID 13770 DATA 201,0,240,6,32,106
 NN 13776 DATA 54,32,54,54,173,112
 NF 13782 DATA 2,73,255,201,42,144
 CO 13788 DATA 10,201,196,176,14,141
 NI 13794 DATA 1,208,76,244,53,169
 NF 13800 DATA 47,141,1,208,76,244
 PN 13806 DATA 53,169,192,141,1,208
 PC 13812 DATA 141,150,52,173,5,208
 IG 13818 DATA 201,0,240,6,32,106
 NL 13824 DATA 54,32,54,54,173,152

LK 13830 DATA 52,201,0,240,38,172
 CP 13836 DATA 145,52,204,147,52,208
 LK 13842 DATA 32,173,151,52,201,1
 CN 13848 DATA 240,11,238,151,52,165
 BP 13854 DATA 20,24,105,140,141,146
 PG 13860 DATA 52,165,20,205,146,52
 DB 13866 DATA 208,155,169,0,141,152
 NF 13872 DATA 52,104,96,76,218,52
 GI 13878 DATA 165,1,166,0,32,62
 DA 13884 DATA 54,96,134,212,133,213
 CF 13890 DATA 32,170,217,32,230,216
 NI 13896 DATA 160,0,132,2,177,243
 JH 13902 DATA 72,41,127,32,93,54
 JA 13908 DATA 104,48,5,164,2,200
 DJ 13914 DATA 208,238,96,170,173,71
 CP 13920 DATA 3,72,173,70,3,72
 AI 13926 DATA 138,160,146,96,169,0
 CD 13932 DATA 141,30,208,141,155,52
 KI 13938 DATA 169,6,133,85,169,0
 NK 13944 DATA 133,84,165,0,24,109
 JA 13950 DATA 148,52,133,0,165,1
 LN 13956 DATA 105,0,133,1,173,150
 JE 13962 DATA 52,162,0,56,233,42
 AJ 13968 DATA 74,74,24,105,160,168
 AI 13974 DATA 169,0,141,149,52,177
 IE 13980 DATA 3,201,1,240,45,201
 TH 13986 DATA 2,240,61,201,3,240
 NF 13992 DATA 77,201,4,240,93,169
 MC 13998 DATA 0,145,3,200,232,224
 OP 14004 DATA 13,144,228,162,1,238
 CE 14010 DATA 149,52,173,149,52,201
 LJ 14016 DATA 5,240,10,152,56,233
 NN 14022 DATA 52,168,169,0,76,155
 GK 14028 DATA 54,96,169,0,145,3
 OF 14034 DATA 200,145,3,152,24,105
 JA 14040 DATA 39,152,169,0,145,3
 JD 14046 DATA 200,145,3,96,169,0
 LD 14052 DATA 145,3,136,145,3,152
 MH 14058 DATA 24,105,40,168,169,0
 JA 14064 DATA 145,3,200,145,3,96
 LL 14070 DATA 169,0,145,3,200,145
 NJ 14076 DATA 3,152,56,233,40,168
 NG 14082 DATA 169,0,145,3,136,145
 DK 14088 DATA 3,96,169,0,145,3
 PK 14094 DATA 136,145,3,152,56,233
 TH 14100 DATA 40,168,169,0,145,3
 PC 14106 DATA 200,145,3,96,-1

Program 4: Atari Lightsaver

Version by Chris Poer, Editorial Programmer

Refer to the "Automatic Proofreader" article before typing this program in.

```
DL 2 POKE 13464,0:POKE 106,64:GRAPHI
CS 0:OPEN #1,4,0,"K:":HIGH=0:Q=
USR(1536):DIM A$(3),B$(1)
HK 5 GOSUB 700:GRAPHICS 0:GOSUB 800:
B$=""
KG 10 PUT #6,125:POKE 82,0
KB 13 POKE 752,1:SETCOLOR 2,0,0:GOSU
B 600:POKE 87,0
PB 15 BULB=13459:MEN=3:LEV=13460:SC=
0
IF 20 POKE BULB,20:POKE LEV,1:EX=200
0:XX=0:AM=20
DG 100 IF SC>HIGH THEN HIGH=SC
KL 110 GOSUB 900
GM 130 Q=USR(13470)
KL 135 SC=PEEK(0)+PEEK(1)*256
```



```

DL 137 IF SC>EX THEN EX=EX+2000: MEN=
MEN+1: FOR I=1 TO 100: SOUND 0,
INT(RND(1)*255), 10, 14: NEXT I:
SOUND 0, 0, 0, 0
EP 140 IF PEEK(13465)=1 THEN GOSUB 5
00
JH 145 IF XX=1 THEN XX=0: GOTO 100
KC 150 SOUND 0, 140, 10, 12: FOR I=1 TO
120: NEXT I: SOUND 0, 90, 10, 14
AJ 160 FOR I=1 TO 80: NEXT I: SOUND 0,
0, 0, 0
JE 180 POKE LEV, PEEK(LEV)+1
PJ 190 AM=AM+4: POKE BULB, AM+4
KI 200 POKE 13468, INT(PEEK(LEV)/5)+1
: IF INT(PEEK(LEV)/5)+1=7 THEN
POKE 13468, 6
FN 210 GOTO 100
DA 500 SOUND 0, 200, 12, 14: FOR I=1 TO
80: NEXT I: SOUND 0, 0, 0, 0: XX=1
CB 505 IF PEEK(LEV)>1 THEN POKE LEV,
PEEK(LEV)-1
ND 510 MEN=MEN-1: IF MEN=0 THEN 850
CH 515 POKE BULB, AM: IF INT(PEEK(LEV)
/5)+1<7 THEN POKE 13468, INT(P
EEK(LEV)/5)+1
HK 550 RETURN
DJ 600 A=56: POKE 54279, A: PMBASE=256*
A: POKE 756, 56
BJ 615 POKE 0, 0: POKE 1, 0: POKE 13468,
1
GO 627 POKE 53249, 90: POKE 53248, 90
HM 630 FOR I=PMBASE+512 TO PMBASE+76
8: POKE I, 0: NEXT I
PE 640 POKE 704, 216: POKE 705, 118
CD 650 RESTORE 670: FOR I=PMBASE+550+
Y TO PMBASE+562+Y: READ A: POKE
I, A: NEXT I
DB 660 FOR I=PMBASE+739+Y TO PMBASE+
750+Y: READ A: POKE I, A: NEXT I
FO 670 DATA 24, 24, 24, 24, 24, 24, 24, 24,
24, 24, 60, 126, 255
EB 680 DATA 255, 255, 255, 255, 255, 255,
126, 126, 126, 60, 60, 60
HH 690 POKE 53256, 1: POKE 53257, 1: POK
E 623, 1: RETURN
HN 700 GRAPHICS 18: POSITION 4, 3: ? #6
; "LiGhtsaver"
PI 710 FOR I=1 TO 120: X=INT(RND(1)*2
55): SOUND 0, X, 10, 12: NEXT I
NC 720 SOUND 0, 80, 10, 14: FOR I=1 TO 1
00: NEXT I
LK 730 SOUND 0, 0, 0, 0: GRAPHICS 18: POK
E 53248, 220: POKE 53249, 220
JD 740 POSITION 1, 4: ? #6; "Enter leve
l of play."
PK 750 POSITION 3, 6: ? #6; "[1/9] 1=HR
DDEST"
PD 760 GET #1, DIF: IF DIF>57 OR DIF<4
9 THEN 750
PB 770 DIF=(DIF-48): POKE 13466, DIF: R
ETURN
NJ 800 DL=PEEK(560)+4+PEEK(561)*256
PA 801 FOR I=2 TO 6: POKE DL+I, 6: NEXT
I: POKE DL-1, 6+64
FJ 810 FOR I=7 TO 24: POKE DL+I, 36: NE
XT I: POKE 87, 1: RETURN
JE 850 IF PEEK(0)+PEEK(1)*256>HIGH T
HEN HIGH=PEEK(0)+PEEK(1)*256
MH 855 POKE 53248, 220: POKE 53249, 220
MC 860 POKE 53277, 0: POSITION 1, 2: ? #

```

```

6; "(E) TO END PROGRAM (P) TO
PLAY AGAIN"
DH 870 GET #1, W: IF W=69 THEN Q=USR(5
8484)
DG 880 IF W<>80 THEN 870
JJ 890 GOSUB 700: GRAPHICS 0: GOSUB 80
0: GOTO 10
DI 900 POSITION 0, 0: ? #6; "SCORE "; SC
ED 910 A$=STR$(PEEK(LEV)): IF PEEK(LE
V)<10 THEN A$(LEN(A$)+1)=B$
CN 920 POSITION 0, 1: ? #6; "HI SCORE "
; HIGH: POSITION 12, 0: ? #6; "LEV
EL "; A$
HP 930 POSITION 15, 1: ? #6; "MEN "; MEN
: POKE 53248, 220: POKE 53249, 22
0
IO 940 POKE 53277, 0: FOR I=1 TO 200: P
OKE 13464, 1: NEXT I: POKE 13464
, 0
EN 950 POSITION 0, 2: ? #6; " hit paddl
e button{3 SPACES}to begin ro
und"
HB 960 IF PTRIG(0)=1 THEN 960
PE 970 POSITION 0, 2: ? #6; "
{35 SPACES}"
CB 980 POKE 559, 46: POKE 53277, 3: POKE
77, 0: RETURN

```

Program 5: IBM PC/PCjr Lightsaver

Version by Tim Victor, Editorial Programmer

```

5 CLEAR , &HD000
10 ON ERROR GOTO 20000: GOSUB 8000
65 NP=100: DF=15: LEVEL=1: MISSES=0
68 SC=0: C=0
70 CLS: GOSUB 4000
80 BP=JSF*(STICK(0)-3)
100 CALL BLANK: PUT (BP, 183), C%
110 LP=80: PUT (LP, 0), L%
114 FOR X%=0 TO 6: XP(X%)=0: NEXT
115 GOSUB 5000
120 X%=5: CF=1: Z=STRIG(0)
130 BNUM=INT(10*RND(1))+10: BN=1
135 GOSUB 2000: IF CF=0 THEN 310
137 GOSUB 3000
138 IF BN<BNUM THEN GOSUB 1000 ELSE XP(X
%)=0: X%=FNDEC(X%)
139 IF BN<BNUM+5 THEN BN=BN+1: X%=FNDEC(X
%): GOTO 135
140 DF=DF*1.1: GOTO 114
310 PUT (BB, 153), B%: PUT (BB, 185), B%
320 FOR I=1 TO 20: SOUND 2000, .2: SOUND 32
767, .2: NEXT
325 DF=DF/1.1: MISSES=MISSES+1
330 IF MISSES=4 THEN GOSUB 6000: GOTO 65
340 GOSUB 7000: GOTO 70
999 'move lamp and make new bulb
1000 NP=NP+4*INT(DF*(RND(1)-.479))
1010 IF NP>200 THEN NP=200
1020 IF NP<0 THEN NP=0
1030 CALL BLANK: PUT (LP, 0), L%: PUT (NP, 0)
, L%: LP=NP
1040 XP(X%)=NP+12: PUT (XP(X%), 28), B%
1045 SOUND 37, .1
1050 X%=FNDEC(X%)
1060 RETURN
1999 'is bulb about to break?
2000 BB=XP(X%)
2010 IF BB<>0 AND (BB<BP-3 OR BB>BP+26)
THEN CF=0: RETURN

```

```

2020 IF BB THEN PUT (BB,178),B%:C=C+1:SO
UND 2000,.1
2025 IF STRIG(0) THEN GOSUB 7000:WHILE S
TRIG(1):WEND:Z=STRIG(0)
2030 RETURN
2999 'drop all bulbs
3000 FOR I%=153 TO 23 STEP -25
3010 XP=XP(X%)
3020 IF XP THEN PUT (XP,I%),B%:PUT (XP,I
%+25),B%
3030 NBP=JSF*(STICK(0)-3)
3040 CALL BLANK:PUT (BP,183),C%:PUT (NBP
,183),C%:BP=NBP
3050 X%=FNDEC(X%):NEXT
3060 RETURN
3999 'draw scoreboard
4000 LINE (0,0)-(240,199),3,B
4005 LINE (240,0)-(319,199),1,B
4006 LINE (242,2)-(317,45),1,B
4007 LINE (242,47)-(317,86),1,B
4008 LINE (242,88)-(317,127),1,B
4009 LINE (242,129)-(317,168),1,B
4010 LOCATE 3,33:PRINT "LEVEL:"
4020 LOCATE 8,33:PRINT "SCORE:"
4030 LOCATE 13,33:PRINT "HIGH:"
4040 LOCATE 18,33:PRINT "BROKEN:"
4300 RETURN
4999 'update score
5000 SC=SC+C*LEVEL:C=0
5005 IF CF=0 THEN LEVEL=LEVEL-1 ELSE LEV
EL=LEVEL+1
5006 IF LEVEL=0 THEN LEVEL=1
5010 LOCATE 5,34:PRINT LEVEL
5020 LOCATE 10,34:PRINT FNFMT$(STR$(SC))
5025 LOCATE 15,34:PRINT FNFMT$(STR$(HI))
5030 LOCATE 20,34:PRINT MISSES
5200 RETURN
5999 'end of game
6000 LOCATE 20,12:PRINT "PRESS TRIGGER F
OR ANOTHER GAME"
6005 GOSUB 5000
6010 WHILE STRIG(1)=0:WEND
6020 IF SC>HI THEN HI=SC
6030 RETURN
6999 'wait for button press
7000 LOCATE 23,33:PRINT "PRESS";
7010 LOCATE 24,33:PRINT "BUTTON";
7020 WHILE STRIG(1)=0:IF INKEY$="e" OR I
NKEY$="E" THEN END
7030 WEND
7040 LINE (256,176)-(318,191),0,BF
7050 RETURN
7999 'initialize graphics
8000 SCREEN 1:COLOR 0,1:KEY OFF:CLS
8005 STRIG ON:RANDOMIZE TIMER
8010 DIM B%(25),C%(47),L%(119)
8020 DEF FNDEC(X%)=X%-1-7*(X%=0)
8030 DEF FNFMT$(A%)=LEFT$("0000",5-LEN(A
%))+RIGHT$(A%,LEN(A%)-1)
8040 BLANK=&HD000
8050 FOR I=BLANK TO BLANK+9:READ A
8060 POKE I,A:NEXT
8100 DRAW "bm117,10c2ta45d20ta0134"
8105 DRAW "ta-45u20bm117,15p2,2"
8110 LINE (116,0)-(118,11),3,BF
8115 LINE (100,24)-(134,25),3,BF
8120 GET (100,0)-(134,25),L%
8125 LOCATE 11,6:PRINT "THIS IS NO ORDIN
ARY LAMP."
8130 PRINT "ANGERED BY ITS BORING AND ME

```

```

NIAL JOB,"
8135 FOR I=1 TO 600:NEXT
8140 LINE (115,31)-(119,40),3,BF
8145 LINE (112,36)-(122,38),3,BF
8150 LINE (115,28)-(119,30),1,BF
8155 LINE (114,34)-(120,34),3
8160 LINE (113,35)-(121,35),3
8165 LINE (113,39)-(121,39),3
8170 PRESET (115,28):PRESET (119,28)
8175 LINE (117,38)-(119,38),1
8180 LINE (119,37)-(120,37),1
8185 PSET (120,36),1
8187 GET (112,28)-(122,40),B%
8190 LOCATE 14,4:PRINT "IT IS DROPPING F
RAGILE, HELPLESS"
8195 PRINT "LIGHTBULBS TO THEIR CERTAIN
DESTRUCTION."
8200 DRAW "C3BM103,183TA30D10TA0L12"
8205 DRAW "TA-30U10BM103,187P3,3"
8210 GET (97,183)-(109,192),C%
8215 PUT (97,183),C%,PRESET
8220 GET (97,183)-(109,192),C%
8225 FOR J=30 TO 63 STEP 4
8230 LINE (J,182)-(J+10,192)
8235 LINE (J,182)-(J-10,192)
8240 NEXT
8245 LINE (30,182)-(63,182),0
8250 LINE (30,183)-(63,183),3
8255 LINE (30,192)-(63,192),3
8260 DRAW "BM30,183TA30D10"
8265 DRAW "BM63,183TA-30D10"
8270 PUT (23,183),C%,AND
8275 PUT (58,183),C%,AND
8280 GET (30,183)-(63,192),C%
8285 LINE (0,182)-(120,192),0,BF
8290 LOCATE 17,1:PRINT "USING YOUR BASKE
T, YOU MUST SAVE THE"
8295 PRINT "BULBS FROM THIS PSYCHOPATHIC
APPLIANCE."
8300 BP=2*(STICK(0)-3)
8305 IF BP>210 THEN BP=210
8310 CALL BLANK:PUT (BP,183),C%
8400 LOCATE 20,1:PRINT "TO BEGIN, MOVE T
HE BASKET ALL THE WAY"
8410 LOCATE 21,3:PRINT "TO THE RIGHT AND
PRESS THE BUTTON."
8420 WHILE STRIG(1)=0
8425 NBP=2*(STICK(0)-3)
8430 IF NBP>210 THEN NBP=210
8432 CALL BLANK:PUT (BP,183),C%:PUT (NBP
,183),C%:BP=NBP:WEND
8435 JSF=210/(STICK(0)-3)
8440 RETURN
10000 DATA 186,218,3,237,37
10010 DATA 8,0,116,250,203
20000 IF (ERR=5 OR ERR=6) AND (ERL=3040
OR ERL=100) THEN BP=210:PUT (BP,183),C%
ELSE ON ERROR GOTO 0
20010 RESUME NEXT


```

COMPUTE!
The Resource.

THE WORLD INSIDE THE COMPUTER

Build A Computer In Your Mind

Fred D'Ignazio, Associate Editor



In my recent column, "The Morning After," in the May and June 1984 issues of *COMPUTE!*, I wrote about a new kind of programming that I believe people are beginning to do on their computer. I

called this "neoprogramming" to distinguish it from traditional programming in BASIC or Pascal and from "no programming" in which people treat the computer as a thinking machine and let it do their thinking for them.

In this month's column I'd like to explore neoprogramming and see how it can be related to computer activities that will help people develop thinking, learning, and communication skills that they can practice and refine using the computer, and that they can also take away from the computer and use, on their own, in all areas of their lives.

Neoprogramming

Neoprogramming can be defined as borrowing the most powerful ideas from programming languages and turning them into thinking skills that people can use, inside their head, in their daily life.

Another way to look at neoprogramming is as a toolbox that has three kinds of tools inside:

*Fred D'Ignazio is a computer enthusiast and author of several books on computers for young people. His books include *Katie and the Computer* (Creative Computing), *Chip Mitchell: The Case of the Stolen Computer Brains* (Dutton/Lodestar), *The Star Wars Question and Answer Book About Computers* (Random House), and *How To Get Intimate With Your Computer (A 10-Step Plan To Conquer Computer Anxiety)* (McGraw-Hill).*

*As the father of two young children, Fred has become concerned with introducing the computer to children as a wonderful tool rather than as a forbidding electronic device. His column appears monthly in *COMPUTE!*.*

- Tools to Help You Think
- Tools to Help You Learn
- Tools to Help You Communicate

These are practical tools that will be valuable no matter what people's goals are. Mastering these tools is more worthwhile than simply learning how to operate a computer.

Thinking, learning, and communication tools can be found in many places—in textbooks, in courses, in jobs, etc. But they can also be found, in a concentrated form, in the computer. And through extensive use and familiarity with these tools on a computer, people can learn how to use the tools to think better without the computer.

How Not To Use A Computer

Learning how to operate a computer, on its own, will not automatically guarantee people a successful career, help them learn how to use more advanced computers of the future, or give them thinking skills they can apply to other areas of their lives.

Also, it is possible to have a relationship with computers that actually deadens or stifles the ability to think. Many people, for example, use computers mechanically and passively. They spend their time in front of a computer entering information, making trivial, routine queries, or typing other people's documents.

The Thinking Appliance

There is a strong assumption in many people's minds that computers are labor-saving appliances. People ask, "What can I do on a computer?" But what they mean is, "What can the computer do for me?" The labor that many people hope computers will save is not mechanical labor but thinking labor. For most of us, thinking is work—work that we would avoid if we had the chance.

Many people would be happy (though few would admit it) if computers would do their thinking for them. In the near future, with the

advent of expert systems and friendlier computers, there is a great risk that computers will take over more and more of the thinking that people do. As a result, people and organizations will become increasingly dependent on computers.

Dumbo's Feather

For adults at work and at home, and for children in school, there is the risk that computers will become super calculators. When they want to do real work or thinking, they will, by habit, turn to the computer. The computer will become an adjunct to the person's mind. The computer will be like Dumbo's feather. Dumbo the elephant could fly because of his big ears, but he thought it was because of his magic feather. If he didn't hold on tight to his feather, he was afraid he couldn't fly. People may come to feel incapable of thought unless they do it using their computer.

The Computer Crutch

There is a real risk that many people will use computers as a crutch. They will expect computers to do their thinking for them, or they will be afraid that they cannot think without the aid of the computer. Either way, they will be tied to computers to help them carry on their daily affairs.

Also, if people use computers (or anticipate using computers) as a crutch, they will not get the most out of them. They will be using computers' powerful computational, communications, and information handling functions sloppily, indiscriminately, and inefficiently.

The Computer Lever

In fact, the computer is not a thinking machine, a magic feather, or a crutch. It is a complex lever. It amplifies our abilities to move information around, but we must position and guide it to get what we want.

In addition, we don't need to tie ourselves to the computer to use its lever. We can build the lever inside our head. The lever is, in fact, just an assortment of thinking skills embedded in general-purpose (BASIC, Logo, Pascal, Assembler, etc.) *procedural* languages and special-purpose (word processing, spreadsheet, file handling) *builder kit* languages. Once we have acquired these skills, we can employ them on the computer, or we can use them inside our heads. If we recognize and master these skills, we can get more out of using the computer, and we can become less dependent on it and more skilled, on our own, to think, learn, and communicate.

Building A Computer Inside Your Head

Burrell Smith, Apple's hardware wizard who

helped create the Macintosh, has written that he never just goes into a workshop and builds a new computer. Instead he first spends considerable time building mental prototypes inside his head. Burrell's prototypes are like a writer's rough drafts. Using mental prototypes, he takes a rough, simple idea and turns it into a cluster of complex ideas, and eventually into an advanced concept or design. Then he begins building the computer.

Burrell can create mental prototypes because he has a computer inside his head. Burrell has built this computer from an array of thinking skills he has learned from programming real computers and from his other experiences in life. These skills aren't mysterious, nor are they Burrell's alone. They can be mastered by anyone.

Environments For Thinking

Programming languages offer an environment for thinking—a place in which these skills can be learned, practiced, mastered, and then used. Learning a programming language offers an opportunity to explore new avenues of thought.

For example, if taught properly, BASIC, Pascal, Logo, and other languages can help people learn algorithmic thinking, how to break complex problems into smaller, simpler problems, and how to organize large quantities of information.

A word processing program can give people a feeling for the fluidity and mobility of words, ideas, thoughts, and knowledge. It can help them learn how to create several rough drafts, in quick succession, that sharpen an image, refine a concept, or lead to new ideas.

A spreadsheet program can help break a complex situation down into lists and arrays of smaller parts. It can display the whole forest and the individual trees in the forest, all at the same time. It can also reveal the relationships between all the parts.

A file-handling (data base) program can teach how to organize thoughts, feelings, experiences, and information. It can show how to group facts according to categories of likeness, how to sort and prioritize, and how to cross-reference facts that have certain traits in common.

Graphing languages, word processing languages, and telecommunications languages, singly or together, can teach how to better communicate feelings, ideas, and desires. They can teach how to use visual images and symbols, page layout and design, and grammar and style to communicate more effectively.

Magnets For Thinking, Learning, And Communication

Computers, like other media, can have a push-pull effect, depending on how people use them.

If computers are used inefficiently or inappropriately, they have to be pushed just to get meager, mediocre results.

On the other hand, computers can also exert a powerful pulling effect. They can be so attractive, so elegant that they will pull at the mind, like a magnet. They can almost seduce a person into performing a task or solving a problem.

Magnets And Road Maps

Computer tools can pull you like a magnet to the computer, but they can also become magnets inside your head that draw related information and ideas toward them. They can help you make sense out of chaos. They can let you mentally map out individual facts in some kind of logical, coherent, and practical order.

For example, what happens if you think about two things: a paper route and a spreadsheet? What kind of associations can you make? How might you map the paper route onto a spreadsheet?

You don't need to use a computer to do this exercise. Instead, you can perform what Albert Einstein called a thought experiment. You can build a mental prototype of a paper-route spreadsheet inside your head.

Associating spreadsheets and paper routes is not a dull, artificial, or mechanical activity. If you have the proper image, appreciation, and passion for using spreadsheets as a thinking skill, you start mapping the paper route onto the spreadsheet even before you know it. The spreadsheet, as a thinking tool, or metaphor, will draw your thoughts playfully and automatically. When you begin thinking about the paper route, your mind will unconsciously make an association with spreadsheets and figure out how the two are related.

For example, you might start thinking of the different houses on the paper route as columns. You might think of the people's names, addresses, telephone numbers, amounts owed, and your last collection date as rows in the spreadsheet.

You might also think of mapping the spreadsheeted paper route into a data base in which you could quickly determine who owes you for the papers, who is the most overdue, and what might be the most effective collection route for you to follow on your bicycle or in your car.

In fact, you might never put all this information onto the computer. It might be too much trouble entering the information and keeping it up-to-date. But this doesn't matter as long as you have a model of the spreadsheet or the data base inside your head.

For many, many applications in life, building a mental prototype inside your head is enough.

It's not practical to go any further. The value of the computer skills is not that you use them on the computer, but that you can organize information, perform tasks, and solve problems better inside your head. This helps you become a better thinker, learner, and communicator on your own. You don't need a real computer around. You can carry one inside your head.

Learning Through Play

One of our greatest joys in life comes when we play—or when we feel we are playing. We might be working, but if it feels like play, we will be more motivated, more intense, and do a better job.

Passion and joy are not attributes of work but of love. And when we love what we are doing, it is never work. No matter how difficult the activity is, it feels like play.

I think that people can use computers to think playfully, learn playfully, and communicate playfully. The real joy of computing doesn't come from getting a job done faster, easier, or cheaper; it comes from making the job more challenging and more fun while you're doing it.

Are You A Neoprogrammer?

How is your relationship with your computer? Does your computer challenge you to think, learn, and communicate better? Does it make work more fun and interesting? Have you been able to take your computer skills with you when you leave the computer? Can you think on your own when your computer is turned off?

If you can, congratulations. Maybe you are a neoprogrammer and you don't even know it.

Whether you think you are a neoprogrammer or not, I'd like to hear your thoughts. What do you think about building a computer inside your head? Please write to me:

Fred D'Ignazio
2117 Carter Road, SW
Roanoke, VA 24015

©

C-64 DIGITAL WIZARDRY C-64

3662A S. 15th St. Milwaukee, WI 53221 (414) 383-2503

HARDWARE and SOFTWARE (disk only) for COMMODORE 64

- MASTER COPY Backup FULL disk in under 5 MINUTES with single 1541 19.95
- MASTER LOCK Disk Security uses 6 different disk deception routines 19.95
- COMPUTER CUISINE Kitchen helper stores and prints up to 100 recipes 19.95
- BASIC TRAINER 1 Lessons in BASIC using text and understandable VOICE 19.95
- PROFESSIONAL TEACHER'S ASSISTANT GREAT student grading system 19.95
- COMPUTER COMEDIAN Joke after Joke HEARTY laughs guaranteed 19.95
- MATHWORKS Practical mathematical answers to everyday problems 19.95
- COM-DIALER 1000+ phone number storage with TV speaker tone dialer 19.95
- RESET SWITCH no soldering inside computer (warranty remains valid) 19.95
- MONITOR CABLE Best cable yet for all monitors (especially 1702-1701) 12.95
- TEMPERATURE PROBE Build it yourself with simple soldering tools 49.95
- A/D with over 14 BIT, 500mS conversion with LCD readout 179.95
- CHEX CHECKER Super simple, no accounting necessary, checkbook keeper 19.95
- LIBRARIAN Simple filing system for BOOKS, TAPES, RECORDS, VIDEO etc. 19.95

WE TAKE THE BYTE OUT OF HIGH COMPUTER SOFT & HARDWARES!

CALL 1-800-372-0214 AND SAVE!

CBS
SOFTWARE

ATARI

IBM

SHARP

COMMODORE


apple

SANYO

COLECO

AND
MANY, MANY
MORE!

MODEMS




Anchor Volksmodem \$59⁰⁰

Anchor Mark VI	\$159.00
Anchor Mark XII	\$289.00
Hayes Smart Com 11	\$ 75.00
Hayes 300	\$209.00
Anchor Mark VII	\$119.00
Auto Modem (Commodore)	\$ 69.95
MPP 1000C (Atari)	\$109.95

COMPUTERS

SANYO



COMMODORE 64



Commodore 64 CALL


Atari 800XL	CALL
SANYO 550, 550-2	CALL
SANYO 555, 555-2	CALL

SOFTWARE

Zork I, II or III \$29⁹⁵

Super Base 64	\$69.95
Paper Clip w/spell	\$79.95
Home Accountant	\$59.95
Bank Street Writer	\$49.95

DISK DRIVES



Commodore 1541 \$235⁰⁰

New Commodore Drive	CALL
Atari 1050	\$329.00
Rana 1000	\$289.00
Trak At-D2	\$369.00
Indus GT	\$369.00


DISKETTES



Computer Warehouse ss/dd \$15⁹⁵

Elephant ss/sd	\$16.95
Elephant ss/dd	\$19.95
Maxell MDI	\$24.95
Verbatim ds/dd	\$24.95
Ultra Magnetics ss/sd	\$15.95

PRINTERS




Commodore 801 \$219⁰⁰

Gemini 10X	\$269.00
Gemini 15X	\$395.00
Delta 10	\$489.00
Power Type	\$399.00
AX10M AT 700 (color)	\$499.00

AX10M AT 550 \$259⁰⁰

Atari 1025	\$249.00
Atari 1027	\$289.00
Commodore 1526	\$279.00
Okidata 82, 83, 84, 92, 93	CALL

MONITORS



Commodore Color \$249⁰⁰

BMC 13" color	\$229.00
Panasonic (composite & RGB)	\$329.00
SAKATA 13 color	\$235.00
BMC (green)	\$ 69.00
BMC (yellow)	\$ 99.00

COMPUTER WAREHOUSE

Computers and Software at warehouse prices.

Send for free monthly special sheet.
\$3 for software, hardware & educational catalogs

8764 S.W. 133 STREET
MIAMI, FL 33156

FREE
Computer
Warehouse
Diskette with
any purchase.

REVIEWS

Exodus: Ultima III For Commodore 64

David K. Peacock

Exodus: Ultima III ushers in an exciting new era of fantasy role playing. The combination of superb graphics, music, and excellent playability makes *Exodus* a modern-day masterpiece. The game presents challenges requiring clear, creative thinking plus the patience and determination to thwart hundreds of monsters during a quest to defeat the ultimate foe: *Exodus*.

Because there are so many options and tradeoffs involved, don't be surprised if some of your characters just don't cut it and you have to create new ones. The opportunity for multiple characters, with varying personalities and abilities, enhances the playing environment over the single character allowed in *Ultima II*.

An Adventure In The Box

Just opening the box is an adventure. Inside, you discover such magical items as a book of wizard spells, another full of incantations, a comprehensive playbook along with a quick reference guide, and a colorful cloth map of the realm to be explored. Also included is a key in the form of a black disk which, once booted, opens the way to the universe of *Sosaria*, where your dreams and fears materialize and your wits are your only hope.

After making a copy of the master side of the disk, you are ready to begin your journey. First you must create several characters to do your bidding. Up to 20 characters may reside per disk, and up to 4 may travel together at one time. Each character has a name, sex, race, profession, and the four attributes of strength, dexterity, intelligence, and wisdom. Take your time and choose wisely among the five possible races and eleven professions. Also, consider which attributes are important for different characters while using up as few points as pos-

Sosaria Awaits You

Once your party is formed, the quest begins. The disk spins for a moment, and you find yourself in the magical realm of *Sosaria* where the waves lap the shores and banners atop towns flap in the breeze. Walking along, you notice open grassy plains, tall mountains, and dark forests. Your ears are treated to enchanting medieval tunes throughout. Suddenly, a band of nasty orcs appear heading straight for you. You duck behind a range of hills where the monsters can't find you.

Now is the time to seek a town and outfit your party with much-needed supplies such as weapons and armor. Even though all your characters begin with cloth armor and a dagger apiece, better equipment could be a lifesaver. Remember, at the beginning, your characters are weak in every respect and must be nurtured until they have grown strong in body and mind and have gained knowledge along with experience. Until then, on to the safety of a town.

Weapon Trading

When you enter a town you'll

E M

COMPUTER TV!!

NEW!

MTR
8401
Color TV
Tuner



- To turn any composite monitor to TV.
- Both computer/TV Switchable
- UHF/VHF knob & more
- FCC approved. (TV antenna not included)

\$85.85


MTR
EV-2114
14" Composite
Color Monitor



- Compatible with Commodore • Apple • Atari • T.I.
- NTSC Composite
- FCC Approved • UL STD.
- Front Mounted Controllers For Easy Adjustment
- Built-In Speaker
- Green Screen Switchable

~~\$229.95~~
\$215.85

MTR
PM-4401C
Data Sette
Recorder



- Compatible with VIC-20 & Commodore 64
- Auto Stop
- Tape Counter
- Save LED
- Pre-Set Playback Level

\$39.95

- Monitor Cable** — Plug 5 Pin Din to 4 RCA plugs includes 3.5 mm adaptor. 3 ft **\$7.95**
- 6' Cable** — Computer to Printer or Disk Drive connects Commodore VIC 20 or C64 to Commodore Printer or Disk Drive 6 Pin Din to 6 Pin Din. Ideal if your space requires a longer cable **\$9.95**
- Dust Cover** — Commodore 64 Computer cloth backed vinyl highly anti-static media protects unit from spills, scratches, dust & static **\$2.95**
- Disk Drive Dust Cover** — for 1540 or 1541 **\$2.95**

E MART, INC.
1401-2 Capital Ave., P.O. Box 1328
Plano, Tx 75074

ORDER CALL: outside Texas

1-800-631-1113
1-214-423-4199

in Texas Telex 794789 ofia plno
OFFICE: Mon-Fri: 9:00-12:00 PM/1:00-5:00 PM
Sat: 9:00-1:00 PM Central Time

DELIVERY: For fast delivery, cashier checks, money orders or direct bank wires. Personal and company checks allow 3 weeks to clear. VISA/AE credit card add 3%. All prices are FOB net out Plano warehouse and subject to change without notice. Texas residents add 6% sales tax. All products with maker's warranty. All returns must be accompanied by return authorization number. Call (214) 423-4199 before returning goods for replacement. Any goods returned for credit are subject to 10% restocking charge plus shipping cost.

E M

cated, it will take cunning to get your party back out alive. If all the treasures had been packed into one or two dungeons, the game would have been almost perfect. Instead, vital things were spread out among many dungeons, decreasing the enjoyment of each one. After you've conquered one dungeon, the rest can become tedious. Of course, a true dungeon lover might see things differently.

A Four-Player Battlefield

A new combat routine has been implemented to accommodate up to four players. When a monster group is encountered, the scene shifts to a battlefield where all the monsters and all the players can be seen. Each player gets a turn in which he may reposition himself, attack an oncoming monster, or cast a spell. Then each of the monsters performs a similar act. The battle

rages on, turn by turn, round by round—gone are the days of instant destruction.

Though the combat sequence is well conceived, it is simply too slow considering the number of monster groups which must be dealt with. Granted, the pace does quicken once the characters' attributes have been raised, but most of the game is spent slugging it out. Then, for the effort, your party garners a single chest containing barely enough gold to sustain everyone. On rare occasions, a small weapon or cheap armor may be locked inside. If more items were found more of the time, agonizing money problems would diminish and the party could proceed with more interesting tasks.

Wizards And Clerics

One of the best aspects of *Ultima III* involves the extensive use of magic. Now wizards and clerics can demonstrate their true value as they cleverly choose just the right spell to save the party from a slew of poisonous balrons. At first, your spell casters will be limited and somewhat ineffective, but as time passes and they grow smarter and wiser, they will become indispensable. The wizards' spells mainly center on harming evil creatures, while the clerical spells are good for healing and resurrection. Both sets include very handy spells for maneuvering in dungeons. The two books of magic provide wonderful insights into the workings of each spell, making the game even more bewitching. Overall, the use of magic in *Ultima III* is well integrated with the obstacles to be overcome.

Moon Gates

Time affects many aspects of the game. If, for example, a member of the party is poisoned, the passage of time slowly brings about his death. Otherwise, wounds heal with time and spell points increase to their

Monkey Wrench II

Cut your programming time from hours to seconds, and have 33 direct mode commands and functions. All at your fingertips and all made easy by the MONKEY WRENCH II.

The MONKEY WRENCH II plugs easily into your ATARI and works with the ATARI BASIC.

Order your MONKEY WRENCH II today and enjoy the conveniences of these 33 features

- Line numbering
- Deletion of line numbers
- String exchange
- Move lines
- Copy lines
- Disk directory display
- Margins change
- Home key functions
- Cursor exchange
- Upper case lock
- Hex conversion
- Decimal conversion
- DOS functions
- Renumbering basic line numbers
- Machine language monitor
- Function keys
- Variable and current value display
- Location of every string occurrence
- Up and down scrolling of basic programs
- Special line formats and page numbering



\$49.95

for the ATARI 800 or XL

The MONKEY WRENCH II also contains a machine language monitor with 16 commands that can be used to interact with the powerful features of the 6502 microprocessor

"The Rabbit" \$39.95

for your VIC 20 or CBM 64



If you own a VIC 20 or CBM 64 and have been concerned about the high cost of a disk to store your programs on, worry yourself no longer. Now there's the RABBIT!

The RABBIT comes in a cartridge and at a much, much lower price than the average disk. And speed... this is one fast RABBIT. With the RABBIT you can load and store on your CBM datasette an 8K program in almost 30 seconds, compared to the current 3 minutes of a VIC 20 or CBM 64, almost as fast as the 1541 disk drive. The RABBIT is easy to install, allows one to Append Basic Programs, works with or without Expansion Memory, and provides two data file modes. The RABBIT is not only fast but reliable.

(The Rabbit for the VIC 20 contains an expansion connector so you can simultaneously use your memory board, etc.)

MAE NOW THE BEST FOR LESS

Please for your own protection consider the MAE first before you buy that other assembler. We've had numerous customers who wasted their money on some cheaper off brand assembler tell us how much better the MAE is. The most powerful Macro Assembler/Editor available for the Commodore 64 and other CBM PET computers, and also for the ATARI 800 XL and Apple II IIE.

MAE includes an Assembler, Editor, Word Processor, Relocating Loader, and more all for just \$59.95.

We could go on and describe the MAE but we thought you would like to read our customers' comments. The following are actual unedited comments from correspondence about the MAE

- "Excellent Development Package."
- "Compares to DEC and INTEL."
- "My Compliments to Carl Moser and EHS."
- "It is a superb program."

\$59.95

Eastern House

3239 Linda Dr.
Winston-Salem, N.C. 27106
(919) 924-2889 (919) 748-8446
Send for free catalog!



maximum. Also, if your party has fought pirates and gained control of their ship, only time will allow the winds to shift in your favor so that you may explore new lands. Perhaps the most important effect of time concerns the ever-present moons, Trammel and Felucca. As they pass through their cycles, strange events take place. Warps in space, called moon gates, appear only at certain times. Somehow, the moons and gates are thought to be connected, hence the name. There is a rumor of a city hidden in a vast forest. Not only hidden, but also not always there. Time, moons, cities, gates—all interwoven to challenge the best adventurers. Such is the spell *Exodus* weaves about its players.

Game designer Lord British has outdone himself with his latest work of art. *Ultima II* was a fantastic game, but *Exodus: Ultima III* makes it seem like child's play in comparison. *Exodus* has achieved an unparalleled blend of setting, multi-character development, magic, plus a strongly integrated plot. The animated graphics sparkle with speed and color, and the sound effects achieve nothing less than a complete, evocative sound track. Except for a few places that tend to drag, *Exodus* is a delight to play, and I eagerly await the perils and pleasures of the fourth installment in the ultimate series.

Exodus: Ultima III
Origin Systems
1545 Osgood St.
North Andover, MA 01845
(617) 681-0609
\$59.95
Apple II family, Atari 400, 800, Commodore 64, IBM PC & PCjr versions

The Seven Cities Of Gold

James V. Trunzo

There is nothing quite as frightening—or exciting—as the un-


IBASF DISKETTES
41.75 WITH LIBRARY CASE!!!
DIGITAL CASSETTES
C-10 for 35c (100 Lot)!!!!
FOR YOUR COMPUTER
ALL DISKS AND CASSETTES ARE
- 100% ERROR FREE (Diskettes Fully Certified) -
- LIFETIME GUARANTEED -
- CUSTOM LENGTHS AVAILABLE -
COMPUTER TAPE PRICES

	25 LOT	100 LOT	1000 LOT
C-10	.50/12.50	.35/36.00	.30/300.00
C-20	.50/13.75	.40/40.00	.35/350.00
C-30	.60/15.00	.45/45.00	.40/400.00

.....
- BASF DPS GRADE TAPES -
C-10 .55/13.75 .40/40.00 .35/350.00
C-20 .60/15.00 .45/45.00 .40/400.00
C-30 .65/16.25 .50/50.00 .45/450.00
.....
QUALITY NORESCO CASSETTE CASE... AND LABEL PRICES
(WITH CASSETTE ORDERS ONLY)
25-249 Cases/.20 Ea. 250/.13 Ea. 1000/.11 Ea.
Labels - Sheet .20 12/.20 120/1.70 1200/14.50
Tractor Feed Cassette Labels (1 up) 1000/14.50

- INTRODUCTORY OFFER -
BASF 5 1/4 Single Side Double Density Diskettes with...Hub Ring, Label, Jacket, W/Tractor Stickers
- Free Hard Library Case with Every 10 Disks -
10 LOT 20 LOT 50 LOT 100 LOT
2.00/20.00 1.95/39.00 1.80/90.00 1.75/175.00

All Prices Include U.S. Shipping & Handling
- Write For Volume Prices -
- Phone Orders Add \$2.50 C.O.D. Fee -
(Canadian Customers May Call or Write for Shipping Costs)
Send Cashier's Checks, Money Orders, & Checks to:
CASS-A-TAPES
BOX 8123-C
KANSAS CITY, MO. 64112
816-444-4851



ISOBAR...cleans up your line power! The most complete computer protection available

More features to prevent errors, false printout, disc skips! Only ISOBAR has 3-way spike protection, noise suppression for RFI PLUS isolated filter banks! Individual filter banks isolate each load from other loads minimizing data errors of any kind. MOV surge suppressors arrest both common mode and differential mode surges. L/C filter network rejects radio frequency noise at any amplitude. Toroidal coils!

Model IBAR 2-6 (2 outlets, 6 ft. cord) Only \$54.95	Model IBAR 4-6 (4 outlets, 6 ft. cord) Only \$79.95
Model IBAR 8-15 (8 outlets, 15 ft. cord) Only \$97.95	

Order toll free 1-800-662-5021
IN ILLINOIS, CALL 1-312-642-6871 OR MAIL COUPON

INDUS-TOOL, 325 W. Huron,
Dept. CPT, Chicago, IL 60610

Enclosed is \$ _____ or charge on
 MasterCard or Visa Expires _____
Card no. _____

Send model # _____

Name _____

Company _____

Address _____

City _____ State _____ Zip _____

COMMODORE 64	DISK RIOT	MONITORS
NEW 3.5" 64 688.00 Commodore 64 229.00 1541 Disk Drive 234.00 1620 Printer 299.00 MPS-801 Printer 218.00 1702 Monitor 244.00 RS-232 Interface 41.90 1030 Modem 49.90 1650 Modem 79.90 CP/M Module 49.90 CP/M Database 59.00 Concord Disk Drive Call MSD (Single) 349.00 MSD (Double) 499.00 Multiplex 34.90 Compasser Call Clone Machine 44.90 Super Expander 34.90 Z-80 Pack 198.00	5 1/4" DISKETTES MAXELL MFG-1 19.99/10 MFG-100 (50/70) 28.99/10 MFG-2 28.99/10 MFG-200 (50/70) 42.99/10 VERBATIM (DATALIFE) 31.99/10 VERBATIM (VEREX) 27.99/10 DYSAN (with FREE library case) 28.99/10 SKC 14.99/10 IBM 32.99/10 ULTRA-MAGNETICS (Bonus Package) 22.99/10 ELEPHANT 15.99/10 3M 18.99/10 BONUS: Purchase 10 or more boxes of disks and earn a 5% discount	Texas 12" Green 119.99 Texas 12" Amber 124.99 Texas #210 RGB & BTCC 243.99 BMC 1241W 12" Green 79.99 BMC 1201Y 12" Amber 89.99 BMC 125U W-Res Green 165.99 BMC 12 CUY Hi-Res Amber 199.99 BMC 0101U 12" Green 219.99 BMC 0101U 12" Color for IBM 379.99 Amdek 300G Green 139.99 Amdek 300A Amber 149.99 Amdek 310A (IBM Amber) 189.99 Amdek Color I 249.99 Amdek Color II (RGB) 399.99 Amdek Color III 339.99 Amdek Color IV 659.99 Leading Edge - Surline 12" Green 64.99 Leading Edge - Surline 12" Amber 64.99 Commodore 1702 244.99 NEC 201 12" Color w/Stand 239.99 NEC 12" Green 165.99 Priceline Graphics PGB 13-12 479.99
APPLE COMPATIBLE ADD-ONS 128K RAM Card 189.99 18K RAM Card 39.99 80 Column Card w/Inverse Video 79.99 80 Column Card w/Softswitch 48.99 Disk Controller 48.99 RAMA Disk Controller (Up to 4 Drives) 79.99 BMC Disk Controller (w/40 Track Utilities) 69.99 RS-232 (Printer) 79.99 RS-232 (Modem) 89.99 ALS CP/M Card (with CP/M+) 299.00 ALS Z Card II 129.00 ALS Smartman II 134.99 Kangaroo System Saver Fan 99.99 Cooling Fan 25.99 w/Surge Suppression 39.99 Graspler 114.99 Graspler Buffer 129.99 RF Modulator 12.99	5 1/4" BULK DISKETTES (No label) \$5/00 \$70.00/50 \$130.00/100 \$8/00 \$95.00/50 \$180.00/100	PRINTERS JUKI 2950 BMC 249.99 SILVER NEED 400, 500, 550, 770 ALL IN STOCK CALL FOR PRICES BROTHER 95018 999.99 95020 1099.99 STAR-MICRONICS 399.99 10X 299.99 15X 399.99 Delta 10 389.99 77X-1014 379.99 DIABLO 875.99 EPSON BX-80 (24-90) F.T. 10X 299.99 FX-100 FX-50 10X 299.99 FX-100 LX-1000 10X 399.99 ALL IN STOCK CALL FOR PRICES
ATARI 800XL 800XL Call 1050 Disk Dr 299.00 w/Smart DOS 299.99 INDUS DT Disk w/Bonus Software, Word Processing, Spread Sheet Database, & carrying case 349.00 1027 Printer 264.99 MPP 1150 99.99 Aperface 75.99 850 Interface 149.99 1030 Modem 99.99 Keypad 97.99 Atari Writer 58.99 Touchpad 69.99 Type Tutor 24.99 Graph II 18.99 64K RAM 99.99 Visicalc 139.99	Disk File Disk File for 50 5 1/4" Diskettes 12.99 Disk File for 75 5 1/4" Diskettes 15.99 Flip & File/50 with lead 27.99 Library Case for 5 1/4" Diskettes 1.95 Available in Beige, Gray, Black, Red, or Blue Library Case for 3 1/2" 8-Min Diskettes 3.00 Diskaddy for 8 1/2" Diskettes 4.50 Diskaddy for 12 1/4" Diskettes 6.99 Diskaddy for 25 1/4" Diskettes 8.99	STAR-MICRONICS Delta 10 389.99 77X-1014 379.99 DIABLO 875.99 EPSON BX-80 (24-90) F.T. 10X 299.99 FX-100 FX-50 10X 299.99 FX-100 LX-1000 10X 399.99 ALL IN STOCK CALL FOR PRICES

BROADWAY COMPUTER CORPORATION
423 Broadway, New York, NY 10013
CALL OUR ORDER DESK TOLL-FREE 1-800-255-5905
For information or to order from NY, Alaska, Hawaii call 212-219-2333

known. Imagine, then, what it must have felt like to be with Pizarro, Cortez, Ponce de León, or Columbus and to sail away from the familiarity of Spain in search of discovery, gold, and fame.

The ocean was wide and uncharted, and the lands were filled with strangely painted natives who were often hostile. The storms were fierce and could easily blow the ship far off course. Starvation and a slow and painful death would follow if land was not sighted. Yet even in the face of such obstacles, the conquistadors were lured by the promise of gold and treasure. The ship's captain just had to be brave, smart, and lucky enough to discover a new world.

Gold For Spain

One after one, the would-be explorers visited the court and on bended knees requested a grant to buy ships and hire men. In return they promised to establish missions for the church, forts to prove Spain's sovereignty, and gold to fill Spain's coffers.

Now you can experience the thrill of sighting land after a long, arduous sea voyage. You can also experience the pride in returning to Spain after having explored the Mayan Peninsula and discovered rich and fertile lands; or the shame of returning home after having lost most of your crew, several ships, and having no gold to show for your efforts.

Graphics And Strategy

Ozark Softscape, in conjunction with Electronic Arts, has produced a riveting new adventure game entitled *The Seven Cities of Gold* that places you at the helm of a fleet of ships and allows you to venture forth from Spain in search of a new world, wealth, and fame.

As in their award-winning game *M.U.L.E.*, the Bunten brothers have designed a graph-

ically enhanced strategy game that challenges and educates as well as entertains. Upon booting *The Seven Cities of Gold*, the player finds himself in front of a palace in Spain. He has just been given a commission by the Spanish court; and as captain of a fleet of four newly outfitted ships, he is ready for his first voyage.

Leaving The Old World

After scrolling past a pub, his home, and an outfitters building (all important places when returning home from an expedition), the player leaves the Old World and ventures forth in search of the new. Sailing is controlled by the joystick, as are all actions and options. While at sea, the player may navigate the ship, view the map, and keep track of how many days have elapsed. The latter is especially important for several reasons. For one thing, your food supply isn't unlimited.

Eventually you will sight land. At this point, you will have to decide how much of the on-board supplies, goods, and men you want to take to explore the uncharted mass into which you have just bumped. Now the real fun begins. There will be lush jungles, fertile plains, intimidating mountain ranges, dangerous swamps, major rivers, and natives.

Jungles And Swamps

Accomplishing all your objectives is no easy task. Ambushes in the thick jungles will take their toll as will sickness in the swamps. Food is a constant source of worry; men won't travel on an empty stomach, let alone fight on one. And as the land grows cold with the approach of winter, food becomes scarcer.

Once you decide that it is time to return home (a decision often made easy by the loss of men, goods, etc.), you must navigate back to Spain. Assuming that you make it back,

thwarting the best efforts of nature's storms, a trip to your home will provide you with a tally of what areas you have discovered, what forts and missions have been established, and how much wealth has been obtained. A trip to the court will give you a rating based upon your successes or failures. More gold, a promotion, or chastisement awaits you in the court. Finally, a trip to the pub allows you to record (save to disk) maps for future voyages. The outfitter? Most assuredly, it will be your first stop before weighing anchor for the next excursion. There you will buy food and goods, hire more men, and perhaps even purchase more ships.

Historical Accuracy

The mechanics of *The Seven Cities of Gold* are easily implemented and well-done. All movement, both on land or at sea, is handled by use of the joystick, as are all option selections and even combat. The graphics are well-done, and *Cities* contains over 2800 screens that represent the lands you will explore. The computer literally draws the map as you move about North, South, and Central America, all accurately depicted.

Your expedition is represented by an arrow moving over a variety of easily identified terrain. Symbols are used in various places to represent hundreds of different types of settlements, ranging from farmers and hunters to wealthy Aztec strongholds. It is upon entering one of these settlements that another of *Seven Cities'* delights is discovered.

Once the player has moved the arrow onto a settlement symbol, the screen symbol begins to magnify, increasing in size until it is replaced by a detailed graphic screen. The arrow is replaced by a conquistador who represents the expedition, and you find yourself in the middle of the settlement, rapidly

surrounded by natives. Find their chief and begin trading, or draw your sword.

An Enchanting Challenge

There are many more surprises in *The Seven Cities of Gold*. The program both challenges and enchants. It forces you to consider various strategies: What is the best way to outfit an expedition? Do you have enough men to establish forts? When should you return home for more supplies? Even the time of year can be an important factor.

And what happens after the player discovers the Mississippi or the Amazon, gold mines, the Fountain of Youth, and all the mysteries of the Americas? Is the game over? Not a chance. Aside from the fact that the game could be played again using different strategies and achieving higher rankings, *Seven Cities of Gold* provides a utility that randomly generates entire continents; no two are ever the same. Furthermore, all games can be played at one of three levels: novice, journeyman, or master.

Seven Cities of Gold
Electronic Arts
2755 Campus Drive
San Mateo, CA 94403
(415) 571-7171
\$39.95


Available for Atari now and for Commodore 64 soon.

Word Flyer

Steve Hudson, Assistant Editor,
COMPUTE! Books

Dozens of educational programs have been released—some good, some less than good—but one of the most interesting is *Word Flyer*.

Best known for dynamic and challenging games like *Archon*, *Pinball Construction Set*, and *Worms?*, Electronic Arts has developed a reputation for sophisticated programs. *Word Flyer* is no exception. Like most educational programs, it uses graph-



- Switch selectable Commodore graphics mode for Epson, StarMicro, C.Itoh, Prowriter, Okidata, Seikosha, Banana, BMC, Panasonic, Mannesman Talley & others.

NEW! Universal Parallel Graphics Interface


- Built-in self-test with status report
- Optional RAM printer buffer
- Provides virtually total emulation of Commodore printers for compatibility with popular software
- ASCII conversion, total test, Emulate & transparent mode
- Fully intelligent interface that plugs into standard Commodore printer socket
- Exclusive graphic key-match function

Micrografix MW-350 \$129.00
MW-302C Printer Interface also available at \$79.95

Universal Input/Output Board for VIC-20/64

- 16 channel 8-bit A/D converter with 100 micro-second sampling time.
- 1 D/A output.
- 16 high voltage/high current discrete outputs.
- 1 EROM socket.
- Use multiple boards for additional channels up to 6 boards

VIC-20 uses MW-311V \$205.00
CBM-64 uses MW-611C \$225.00



Dealer Inquiries invited

Micro World Electronix, Inc.

(303) 987-9532
or 987-2671



3333 S. Wadsworth Blvd., # C105,
Lakewood, CO 80227

SAVE BIG ON COMPUTER PRODUCTS

MODEMS	
HAYES	
Smartmodem 300	200
Smartmodem 1200	488
Smartmodem 1200B	525
Micromodem II E	240
Smartcom II Software (for IBM PC)	.80
Cables to Hayes Modems	CALL
NOVATION	
SmartCat Plus (NEW)	CALL
J. Cat 300B direct	.88
103 SmartCat 300B	158
103/212 Smart 300/1200 B	378
AppleCat II 300 baud for Apple	200
212 AppleCat 300/1200B for Apple	380
Access 1-2-3 1200B for IBM	379

MONITORS	
SUPER SPECIAL!!	
COMREX	
12" Green H. Res	75


AMDEK	
V3000 12" green	122
V300A 12" amber	145
V310A 12" amber (for IBM)	160
Color I+ 13" composite	280
Color II+ 13" RGB	425
Color IV 13" RGB analog	740
Monitor Cables	
CB 5890 Apple II to Monitor	7
CB 5891 IBM to RGB	18
CB 5892 for TI-99/4A or Commodore	15

QUADRAM	
MICROFAZER	
GRMP-8 Par/Par	135
GRMSP-8 Ser/Par	145
GRMMBS-8 Ser/Par	145
GRMPS-8 Par/Par	145
GUARDGARD (for IBM PC)	
QR 5310 (no mem. installed)	210
QR 5384 84K (mem. installed)	270
QR 4064 64K (mem. installed)	270
QR 8201 Quadcolor-1	200
QR 8202 Quadcolor-2 (upgrade kit)	200
QUADLINK	
QR 3000 for IBM	475
QR 3010 for Compaq	475
QR 3020 for Columbia	475

AST	
Six Pak Plus	270
Mega Pak II	270
1/0 Plus II	112

SAVE 31%-43%
OFF MFR. BUGG. RETAIL PRICES ON

PRINTERS
EPSON • OKIDATA • DIABLO
SCM • DELTA • GEMINI • TTX
RADIX • COMPUTE-MATE
MANNESMANN TALLY



CALL FOR PRICES



DISKETTES

10 - 5 1/4" Floppy Disquettes			
	88/80	88/80 DS/DD	DS/DD
Webtech	\$13.00	\$16.00	\$17.50
Maxell	NA	20.00	26.00
Dyanex	NA	23.00	30.00
Dyanex	NA	28.00	37.00

CALL FOR QUANTITY PRICING ON 10 OR MORE BOXES OF DISKETTES

HUGE DISCOUNTS all
RIBBONS • DUST COVERS
PAPER • POST CARDS • LABELS
for almost every make and model

CALL TOLL FREE 800-621-1269 EXCEPT Illinois, Alaska, Hawaii

Corp. Accts. Invited. Min. Ord. \$15.00. Mastercard or Visa by mail or phone. Mail Cashier's Check, Mon. Ord. Pens. Check (2 wks to circ) Add \$4.00 1st time (AK, HI, P.R., Canada add \$10.00 first item) \$1.00 ea. add'l shpg. & handl. Shipments to IL address add 7% tax. Prices subj. to change. WRITE for free catalog. RETURN POLICY: Defectives Only: Most products replaced within 30 days of purchase with identical merchandise only. Computer and large peripherals replaced only when defective on arrival (within 3 work days of delivery). Other problems covered by mfr. warranty. ALL ELEK-TEK MERCHANDISE IS BRAND NEW, FIRST QUALITY AND COMPLETE.

ELEK-TEK, inc.

6557 N. Lincoln Ave., Chicago, IL 60645
(312) 631-7800 (312) 677-7660

HEWLETT-PACKARD

CALCULATORS	
HP-11C	88
HP-15C	80
HP-18C	90
HP-18C	90
HP-41C	145
HP-41CX	245
HP-41CV	168
HP-87	580

all software & accessories too

PORTABLE COMPUTERS

HP-71B 399 HP-75D 799
series 70 software & peripherals
discounted too

HP-2225B ThinkJet Printer (MPL) 378



SHARP CALCULATORS	
EL 5100	43
EL 5500 Y	70
EL 512 T	28

SHARP HAND HELD COMPUTERS	
pc 1250A	80
pc 1260	CALL
pc 1281	CALL
pc 1500A	180

PRINTERS DISCOUNTED TOO	
CABLES — INTERFACES	
accessories for Computer Printers	
GRAPPLER PLUS	105
16K BUFFERED GRAPPLER	165
Apple Dumping GX	85
Cardco G	85
CB5809 10 ft. Par. Cable for IBM	25
CB5822 10 ft. 38x36 Parallel	25
CB5829 10 ft. 25x25 RS-232	25
CB5818 8 ft. TI-99/4A parallel cables	25
CB5820 8 ft. par. TRS80 mod. I-II-IV	25
ALL OTHER CABLES	CALL

ics and sound to reinforce learning, but uses them in a way that's both new and refreshing.

Word Flyer was developed by ChildWare, a programming group within Electronic Arts. Typically, ChildWare programs combine proven educational psychology with captivating programming, and *Word Flyer* is no exception.

The object of the game is straightforward: Use your joystick to maneuver word flyers and match zooming letters or words. It's a challenging and exciting game for young children. But there's learning amidst the laughter. Without realizing it, players are practicing valuable reading and vocabulary-building skills. On lower levels, the emphasis is on recognizing the letters of the alphabet; that makes the program valuable even for children who have not yet learned to read. Higher levels introduce words chosen from a built-in list of over 2000 entries. The approach is both original and nonviolent.

Booting The Birds

Two towers—built of the word *towers*—dominate the screen, one on the left and one on the right. Atop each tower sits a remarkably realistic-looking bird. A control panel runs across the bottom of the screen; it consists of flight level and speed indicators, a score bar, a timer, and a number-of-players indicator. On higher levels an alphabet bar appears too.

Play starts on flight 1, where emphasis is on the alphabet and on two-letter words. Flight 2 comes next, giving you the chance to match three-letter flyers. Subsequent flights introduce you to three- and four-letter flyers and faster speeds.

On flights 2 and above, you also gain access to the "alphabet bar." That allows you to select the first letter of your flyers. On levels 4 and 5 you can also change the color of your flyer to

match the color of various zooming words.

If you're playing a two-player game, the hourglass timer will clock each player's turn. Need to take a break? At any time, on any level, you can move your flyer to the "rest nest" (an unmistakable mass of sticks and twigs) and press the joystick button to stop the timer. Also, at the beginning of each game (and at any point during play), you have the option of entering the "control panel" and changing any of the game parameters.

Although it takes a few minutes to get the hang of it, game play is fundamentally simple. Use your joystick to select a word from either word tower—the chosen word will be highlighted for you—and then press the button to send the chosen word flyer soaring into the air. Move it into position to match one of the soaring words, and press the joystick button again. If the match is correct, one of the birds will nod approval. If your match is incorrect, the bird will pronounce the avian equivalent of "uh-oh!"

Cooperative Scoring

In either case, your score will change appropriately. The score is increased when a player matches the flyer with the correct letter or word. On higher levels, additional points are awarded if the words' colors match too. Incorrect matches lower the score slightly and return you to the word tower. In two-player games, an incorrect match ends that player's turn.

Many parents will be pleased with this departure from the winner/loser approach of other multiplayer games. *Word Flyer* emphasizes constructive cooperation instead of conflict and destruction. The total score increases whenever either player correctly matches a letter or word. By working together, two players can move through the different levels more quickly

than either could alone.

Parent and child can play together, working toward a common goal, and the child will learn to recognize letters, words, and colors. But he or she can learn the importance of cooperation too.

Where's The Word?

Word Flyer's graphics and sound are effective without being overpowering. Joystick control is responsive. The constantly changing list of letters or words holds interest, assuring many hours of satisfying and challenging play.

However, after several sessions, one odd quirk does become evident. In some cases, while exuberantly chasing down a zoomer, the flyer would fly off the top edge of the playing field. However, you can move the joystick to maneuver the flyer back onto the screen. Bothersome? A little, at first, and it might confuse very young children.

Also, at several points in the otherwise excellent manual, the reader is told that something will be described under a subsequent heading. It is mildly confusing (and occasionally annoying) to have to skip ahead to figure something out; in the case of instructions, at least, necessary redundancy is a feature that many software manuals still lack.

But once you figure it out—and it won't take long—control is simple and straightforward. Selecting flyers, colors, levels, and speeds quickly becomes second nature, allowing players to concentrate on the game itself. The educational goals underlying this game are pleasantly and effectively achieved. All in all, a deft piece of work.

Word Flyer

Electronic Arts

2755 Campus Drive

San Mateo, CA 94403

Atari 400/800/600XL/800XL/1200XL

\$35 (48K disk)

Lightning Sort

Russ Gaspard

Last September *COMPUTE!* published "Ultrasort," and we called it the fastest sorting program ever published for any home computer. It would sort a 1000-element array in less than eight seconds.

It's been improved. Here's "Lightning Sort." It does the same thing in a breathtaking 2.1 seconds. Add this extraordinarily powerful subroutine to any of your BASIC programs where you need to alphabetize something. For the VIC, 64, and PC/PCjr. Atari users should refer to the accompanying sidebar and program "Bulldozer Sort."

The "Ultrasort" routine for Commodore computers (*COMPUTE!*, September 1983, p. 194) isn't as fast as it could be. After disassembling the code to study the algorithm, I found several opportunities to compact the code (mainly to reduce disk loading time) and to speed up the execution time. Using the "Sort Test" program from the original article as a benchmark, my "Lightning Sort" routine sorts a 1000-element array in an average of 2.1 seconds, versus 7.8 seconds for Ultrasort. That few seconds savings isn't much. But when I tried it on random 4000-element arrays the routine took an average of 10 seconds, versus 40 seconds for Ultrasort. A 400 percent speedup in execution time can be significant in applications where the sort routine is called repeatedly, or in sorting very large arrays.

The time for this type of algorithm to sort an N-element array is $T \cdot N \cdot \log_2 N$ on the average, where T is about .21 milliseconds for the modified routine and .8 milliseconds for the original. Actual running time depends on the starting order of the array. Interestingly, whereas many sort algorithms run fastest when the original array is already in order, Hoare's Quicksort runs fastest on randomly ordered data. If you try it on an array which is already in correct order you'll find that it takes much longer (proportional to N^2).

Besides speeding up the execution, I was also able to reduce the amount of RAM needed from 908 bytes to 418 bytes. By storing the variables in RAM space above the actual sorting routine rather than within the routine, the actual program storage needed on disk is only 338 bytes. This means the saved program uses only two disk blocks, rather than the four required for the original.

Program 1 is a BASIC program which loads the machine language Lightning Sort routine for the Commodore 64. The routine is loaded into RAM from \$C000 to \$C152 (decimal 49152 to 49490), and writes variable data up to \$C1A2 (decimal 49570). It is used in exactly the same way as Ultrasort. However, I prefer to define the call address 49152 as variable QS (either within the BASIC program or in direct mode) and then call the routine with:

```
SYS QS,N,AA$(K)
```

where K and N are the first element and the number of elements to sort, and AA\$ is the array variable name, as in the Ultrasort article.

Program 2 is a BASIC loader for the VIC version of Lightning Sort. It automatically relocates the machine language to the top of available memory, regardless of the amount of expansion installed, and protects the sort routine from BASIC. The program also tells you the proper SYS to use to start the sorting.

Although Program 2 will run on an unexpanded VIC, we recommend that at least 8K expansion be used. With less than this, only a very few items can be sorted.

Program 3, the Sort Test program from the original Ultrasort article, can be used as a demonstration of Lightning Sort. The program creates an array, AA\$, of 1000 random elements, then sorts them into order. If you are using a VIC with limited memory, you'll need to reduce the number of elements.

Program 1: Lightning Sort Loader For The 64

Refer to the "Automatic Proofreader" article before typing this program in.

```
10 I=49152:SUM=0 :rem 136
20 READ A:IF A=256 THEN 40 :rem 54
30 SUM=SUM+A:POKE I,A:I=I+1:GOTO 20 :rem 79
40 IFSUM<>45295THENPRINT"ERROR IN DATA ST :rem 191
ATEMENTS":END
50 PRINT"LIGHTNING SORT READY.":END :rem 214
49152 DATA 32,253,174,32,158,173 :rem 52
49158 DATA 32,247,183,165,20,133 :rem 52
49164 DATA 253,165,21,133,254,32 :rem 46
49170 DATA 253,174,32,158,173,162:rem 104
49176 DATA 1,165,71,157,85,193 :rem 221
49182 DATA 157,125,193,165,72,157:rem 114
```

MICRO-SYS DISTRIBUTORS. THE COMMODORE CONNECTION.



SOFTWARE FOR C-64

Business

Multipan (Spreadsheet)	\$ 63.00
Calc Result (Easy)	\$ 45.00
Calc Result (Advanced)	\$ 95.00
Superbase 64	\$ 95.00
Mirage Concepts (Data Base)	\$ 89.00
Mirage Concepts (Word Processor) (40/80 c/m & 30K Dictionary)	\$ 89.00
Mirage Concepts (Report Generator)	\$ 49.00
Home Accountant (Continental)	\$ 49.00
Tax Advantage (Continental)	\$ 39.00
Southern Solutions Accounting G/L, A/R, A/P, P/R, I/M	each \$ 69.95

Utilities

Disk Utility Program (Fast Copy, File Copy, Disassembler & more)	\$ 49.00
Smart + 64 Terminal	\$ 49.00
TOOL 64	\$ 39.95
Simon's Basic	\$ 39.95
80 Column Expander (Cartridge)	\$ 60.00

ACCESSORIES

Solo Flight (Simulator)	\$ 34.95
Helicat Avenger	\$ 34.95
Oscar by Databar (Bar Code Reader)	\$ 79.95
CBM 1541 (new version)	\$ 269.00
Concord Parallel Disk Drive	\$ 345.00
Concord Slave Drive	Call
MSD Super Disk (Single)	\$ 395.00
MSD Super Disk (Dual)	\$ 695.00
1600 Modem	\$ 63.00
Vic 1650 Automatic Modem	\$ 109.95
Hayes Smart 300 Modem	\$ 249.00
Hayes Smart 1200 Modem	\$ 629.00
Vic 1530 Datasette	\$ 65.00
Cardco Datasette	\$ 55.00
5 Slot Expander (64)	\$ 65.00
Printer Utility Program (Cardco)	\$ 19.95
64 Relay Cartridge	\$ 45.00
Numeric Key Pad	\$ 49.00
Alien Voice Box (Talks & Sings)	\$ 119.00
When I'm 64 (Voice Box Sings)	\$ 35.00
Voice Box Dictionary	\$ 35.00
Texas Instruments LCD Programmer	\$ 55.95
Verbatim Diskettes:	
Single Sided/Single Density	\$ 26.00
Single Sided/Double Density	\$ 30.00
Double Sided/Double Density	\$ 42.00
Vic 20:	
3-Slot Expander	\$ 39.00
6-Slot Expander	\$ 79.95

16K Memory	\$ 79.95
CBM 4023 Ribbons	\$ 9.95
CBM 8023 Ribbons	\$ 9.95
Flip N' File 10, 15, 25, 50	Call
Power Strips w/surge stopper	Call
Computer Care Kit	\$ 19.95
Disk Cleaning Kit	\$ 12.95

INTERFACES

Superbox (Transparent IEEE, 3-Slot, Reset)	\$ 139.95
Interpod (Intelligent IEEE & RS-232) ..	\$ 139.95
The Connection (By Tymac) (Commodore Graphics - 2K Buffer) ..	\$ 95.00
Cardco + G Parallel Interface	\$ 89.00
Vic Switch	\$ 149.95
IEEE to Centronics	\$ 149.95
Pet-to-IEEE Cable	\$ 39.00
IEEE-to-IEEE Cable	\$ 49.00
4 Prong A/V Cable	\$ 15.00
Centronics Cable (male to male)	\$ 34.95
RS232 Cable (male to male)	\$ 31.95
Networking for C-64 & CBM Equipment	Call

MONITORS

CBM 1702 Color Monitor	\$ 269.00
Panasonic TR-120 (Green)	\$ 142.00
Panasonic TR-120 (Amber)	\$ 156.00
Panasonic DT-1300 Color	\$ 425.00
Monitor Stand (Tilt & Swivel)	\$ 29.95
RGB Monitor Cable:	
ET-100C (Apple)	\$ 33.80
ET-101C (IBM)	\$ 33.80
Green & Amber Monitors	\$ 95.00

LETTER QUALITY PRINTERS

CBM 6400 Printer	\$1425.00
Abati (20 CPS)	\$ 475.00
Cardco LQ/1 Printer	\$ 495.00
NEC Spinwriter	Call

DOT MATRIX PRINTERS

CBM MPS-801 Printer (50cps)	\$ 245.00
-----------------------------------	-----------

Call to Order

1-800-527-1738

All Others Call

1-214-231-2645

Micro-Sys

D I S T R I B U T O R S

CBM 4023 (100 CPS)	\$ 339.00
CBM 8023 (160 CPS)	\$ 565.00
Panasonic KX-P1090 (100 CPS)	\$ 285.00
Panasonic KX-P1091 (120 CPS)	\$ 325.00
Panasonic KX-P1092 (180 CPS)	Call
Panasonic KX-P1093	Call

COMMODORE BUSINESS MACHINES

Executive 64 Portable	\$ 795.00
B128-80 (128K 80 column)	\$ 695.00
SuperPet (5 languages)	\$1059.00
CBM 8032	\$ 595.00
CBM 8096	\$ 675.00
CBM 2031 single disk	\$ 295.00
CBM 8050 Dual Disk 1 meg.	\$ 995.00
CBM 8250 Dual Disk 2 meg.	\$1295.00
CBM 9060 Hard Disk/5 Meg.	\$2195.00
64K Expansion Board	\$ 275.00
SuperPet Upgrade Kit	\$ 695.00

BUSINESS SOFTWARE — 8032/8096

Wordpro 4+ or 5+	\$ 295.00
Calc Result	\$ 199.95
The Manager	\$ 199.00
Superbase (8096 only)	\$ 225.00
BPI Accounting System 6 Separate Modules	each \$ 325.00
Southern Solutions Accounting 5 Separate Modules	each \$ 285.00
McTerm Communications Package ..	\$ 175.00

BUSINESS SOFTWARE — B128

Superscript II (40K Dictionary)	\$ 199.00
Superbase (Data Base)	\$ 199.00
Complete Accounting System (G/L, A/R, A/P, O/E, P/R, I/M)	\$ 199.00
Calc Result	\$ 199.00

TERMS

Orders under 50.00 add 10.00 Handling fee
MasterCard, VISA, Money Order, Bank Check
COD (add 5.00)
Add 3% For Credit Cards

All Products In Stock Shipped Within 24 Hours

F.O.B. Dallas, Texas
All Products Shipped With Manufacturers
90 Day Warranty

PRICES ARE SUBJECT TO
CHANGE WITHOUT NOTICE.

DEALERS INQUIRIES WELCOME

Atari Bubble And Bulldozer Sorting

Christine C. Genet

While machine language data sorting is extremely fast, there still may be times you will want to insert a simple BASIC sorting routine into a program. When the list to be sorted is small, bubble sorting is a good method to use. For larger lists, a technique called bulldozer sorting may be better.

Using The Bulldozer Sort Program

The program is a demonstration of the bulldozer sort. It asks how many numbers you want to sort and the value of the highest number in the list. It then generates random numbers in the desired range. When finished sorting, it prints all nonzero values to the screen.

To use the bulldozer sort as a subroutine, delete lines 70 through 85 and add a line to the beginning of the program defining the number of data elements (RN) and the maximum value of the data (MV). Also, change line 111 so that it will input the data in the way that is needed for your program. For example, to input data from the keyboard, change the line to read:

```
111 INPUT DT:IF DT>MV THEN 111
```

If you would like the sorted list printed to the screen as part of your subroutine, change line 550 to read:

```
550 RETURN
```

If you don't want a screen print, delete lines 500 through 550 and add the following line:

```
200 RETURN
```

How Bubble Sorting Works

The bubble sort is a commonly used method of sorting small lists of data into numerical or alphabetical order. While bubble sorts are easy to understand and use in programs, they are often too slow to use for large sorting tasks—bubble sorting requires many comparisons.

A bubble sort compares each item against the other unsorted items. If the item tested is larger than the one it is tested against, their positions are switched. This way, after all of the values have been tested once, the first position in the array contains the lowest number in the list.

Sorting A Stack Of Cards

Suppose we have a small stack of index

cards that are out of order. We have four cards (numbered 1 through 4) to sort, and they are in the following order: 3, 2, 4, 1. To begin, we compare the first card (3) with the second (2). Since 2 is less than 3, we swap the cards and the order becomes: 2, 3, 4, 1.

Next we compare the first and third cards in the deck, and since 2 is less than 4, no swap occurs. Comparing the first and fourth cards, we see that they should be swapped (since 2 is greater than 1) and our stack of cards reads 1, 3, 4, 2.

Now we have placed the lowest card in the first position, so we can start our second series of comparisons with the second card in the deck. We compare the second and third cards (3 and 4) and make no swap, then compare the second and fourth cards, swapping 3 with 2. At this point, the first two positions in the deck are set and the order is 1, 2, 4, 3. Testing the third card is easy, since there is only one comparison left, and we switch the positions of 4 and 3 to finish our bubble sort with the array filled as follows: 1, 2, 3, 4.

Our mental sort took only six comparisons, and was pretty quick. But with longer lists, bubble sorting slows down greatly. The reason for this is that in any array with N elements, the number of comparisons required will be $N(N-1)/2$. This means that while a bubble sort of 20 items will require 190 comparisons, a list only four times as long (80 items) will require over 16 times as many comparisons (3160). In order to speed things up, we need to reduce the number of comparisons as much as possible.

A Faster Sort

An alternative is bulldozer sorting, first described by Isaac and Singleton, in *JACM* 3 (1956): 169-174. Bulldozer sorting uses *address calculation* to roughly position items in the array before sorting them. We bulldozer sort every time we use an index card file—we look for the correct section of files first, then sort the card into the specific place it belongs. On a computer, this sort works well for up to around 500 items and is faster than bubble sorting, although it uses more memory for the array.

Another feature of the bulldozer sort that makes it faster than the bubble sort is

that the bulldozer sort arranges the items one by one as the data is input—there is no long wait for the sort to finish after all of the data has been entered.

Address Calculation

To successfully predict where the data should be placed in the array before sorting, keep two requirements in mind:

1. The array used for sorting and storage of the data should be about 1.4 times as large as the data list, and
2. The formula for calculating the estimated address should be chosen to allow empty array spaces above, below, and between the sorted data elements.

The first requirement is easy to handle; just DIMension the data storage array to a value 1.4 times greater than the size of the data list.

Borrowing An Equation

To satisfy the second requirement—leaving extra space in the array—we need an equation that predicts a position for the lowest data element about 10 percent of the way into the array, and estimates the highest data element's position to be about 10 percent from the end of the array. Since the accuracy of the predicting equation is not critical, we'll use a simple one borrowed from geometry—the equation for a line—to put the data in the correct general area of the array. Then we'll sort the data into the exact location.

For example, if we had 200 job numbers (or other data elements) ranging in value from 0 to 500, we would DIMension the array to 280. We would also want the lowest value to be placed by the equation in the 28th array position and the highest value to be sent to the 252nd position.

The general equation for a line is $y=mx+b$, where m is the slope and b is the place where the line crosses the y -axis. The slope of a line is the rise (change in the value of y) divided by the run (change in the value of x). We want predicted points to be in the middle 80 percent of the array, so we multiply m in the above equation by 0.8. For the value of b , simply use 10 percent of the array size (28). The estimated array position for $x=250$ would be:

$$y=mx+b=0.8(280/500)x+28=0.448(250)+28=140$$

Note that of the 281 array positions created by DIMensioning, position 140 is very near

the center. Using the same equation to predict a position for $x=251$, though, yields a value of 140.448, which rounds to 140.

Obviously one array element can hold only one data value, and this is where sorting becomes necessary. When an array location is already being used, the bulldozer sort compares the two values and rearranges the list. It is this readjusting feature of the bulldozer sort that requires the 40 percent extra array storage. The program slows down as it sorts near the end of the data list because more of the predicted locations are filled and more sorting is necessary.

Bulldozer Sort

```

EL 70 PRINT "(CLEAR)HOW MANY RANDOM
DATA ELEMENTS";
JN 75 INPUT RN
PF 80 ? "WHAT MAXIMUM VALUE":
KA 85 INPUT MV
EL 90 AS=INT(.5+RN*1.4):DIM JN(AS):
DN=0:I=0
BP 95 PRINT "CLEARING THE ARRAY ":
OI 100 FOR A=0 TO AS:JN(A)=0:NEXT A
NG 105 PRINT "ARRAY CLEARED"
LN 110 I=I+1
GA 111 DT=(INT(100*MV*RND(0))+0.5)/10
0)
FD 115 PRINT "DATA ELEMENT: ";I;"
{4 SPACES}VALUE: ";DT
FN 130 APP=INT((0.8*AS*DT/MV)+0.1*AS
+0.5)
EJ 135 C=0
FN 138 REM ***** Lines 140-160 dete
rmine which subroutine to acc
ess to sort data correctly **
****
DF 140 IF JN(APP)=0 THEN JN(APP)=DT:
GOTO 180
IC 150 IF JN(APP)>=DT THEN GOSUB 500
0:GOTO 180
EF 160 IF JN(APP)<DT THEN GOSUB 6000
:GOTO 180
AO 180 IF I<RN THEN 110
CB 500 REM **** PRINTING SORTED NUMB
ERS ****
BO 505 PRINT "NUMBERS SORTED. NON PR
INTING."
JN 508 DN=0
GD 510 FOR B=0 TO AS
EJ 515 REM *** Array positions witho
ut numbers are not printed ou
t ***
GF 519 REM **** Zeros are not printe
d ****
IG 520 IF JN(B)=0 THEN 540
DO 530 DN=DN+1:? "ARRAY ELEMENT: ";D
N;"{4 SPACES}VALUE: ";JN(B)
BK 540 NEXT B
HB 550 END
GE 5000 REM **** Placing numbers les
s than job presently at loca
tion****
CD 5010 APP=APP-1
OE 5020 C=C+1

```



```

# 5030 IF JN(APP)=0 THEN JN(APP)=DT
:RETURN
# 5040 IF JN(APP)>=DT THEN C=C-1
# 5050 APP=APP-1
# 5060 C=C+1
# 5070 IF JN(APP)=0 THEN 5110
# 5080 IF JN(APP)>=DT THEN C=C-1:GO
TO 5050
# 5090 GOTO 5050
# 5100 IF C<=1 THEN JN(APP)=DT:RETU
RN
# 5105 REM **** Shifting other numb
ers to make room for new num
ber ****
# 5110 D=1
# 5120 IF D=C THEN JN(APP)=DT:RETUR
N
# 5130 JN(APP)=JN(APP+1)
# 5140 D=D+1
# 5150 APP=APP+1
# 5160 GOTO 5120
# 6000 REM **** Placing numbers gre
ater than # presently at loc
ation****
# 6010 APP=APP+1
# 6020 C=C+1
# 6030 IF JN(APP)=0 THEN JN(APP)=DT
:RETURN
# 6040 IF JN(APP)<DT THEN C=C-1
# 6050 APP=APP+1
# 6060 C=C+1
# 6070 IF JN(APP)=0 THEN 6110
# 6080 IF JN(APP)<DT THEN C=C-1:GOT
O 6050
# 6090 GOTO 6050
# 6100 IF C<=1 THEN JN(APP)=DT:RETU
RN
# 6105 REM **** Shifting other numb
ers to make room for new num
ber ****
# 6110 D=1
# 6120 IF D=C THEN JN(APP)=DT:RETUR
N
# 6130 JN(APP)=JN(APP-1)
# 6140 D=D+1
# 6150 APP=APP-1
# 6160 GOTO 6120

```

```

49188 DATA 105,193,157,145,193,165
:rem 167
49194 DATA 253,208,2,198,254,198 :rem 70
49200 DATA 253,160,3,24,189,125 :rem 249
49206 DATA 193,101,253,157,125,193
:rem 150
49212 DATA 189,145,193,101,254,157
:rem 155
49218 DATA 145,193,136,208,236,189
:rem 166
49224 DATA 85,193,133,80,189,105 :rem 60
49230 DATA 193,133,81,189,125,193:rem 108
49236 DATA 133,82,189,145,193,133:rem 111
49242 DATA 83,32,21,193,144,4 :rem 152
49248 DATA 202,208,228,96,165,82 :rem 64
49254 DATA 133,78,165,83,133,79 :rem 18
49260 DATA 160,2,177,78,153,250 :rem 2
49266 DATA 0,136,16,248,48,11 :rem 158
49272 DATA 24,165,80,105,3,133 :rem 200
49278 DATA 80,144,2,230,81,160 :rem 204
49284 DATA 2,177,80,153,247,0 :rem 160
49290 DATA 136,16,248,32,32,193 :rem 4

```

```

49296 DATA 144,230,56,165,82,233 :rem 59
49302 DATA 3,133,82,176,2,198 :rem 158
49308 DATA 83,32,21,193,176,31 :rem 208
49314 DATA 160,2,177,82,153,247 :rem 3
49320 DATA 0,136,16,248,32,32 :rem 145
49326 DATA 193,176,225,160,2,177 :rem 58
49332 DATA 80,145,82,185,247,0 :rem 210
49338 DATA 145,80,136,16,244,48 :rem 10
49344 DATA 183,160,2,177,80,145 :rem 4
49350 DATA 78,185,250,0,145,80 :rem 209
49356 DATA 136,16,244,24,189,85 :rem 17
49362 DATA 193,125,125,193,133,82:rem 105
49368 DATA 189,105,193,125,145,193
:rem 168
49374 DATA 133,83,102,83,102,82 :rem 254
49380 DATA 32,21,193,176,22,189 :rem 7
49386 DATA 85,193,157,86,193,189 :rem 88
49392 DATA 105,193,157,106,193,32:rem 106
49398 DATA 53,193,232,32,69,193 :rem 20
49404 DATA 76,71,192,189,125,193 :rem 67
49410 DATA 157,126,193,189,145,193
:rem 164
49416 DATA 157,146,193,32,69,193 :rem 68
49422 DATA 232,32,53,193,76,71 :rem 209
49428 DATA 192,165,81,197,83,208 :rem 72
49434 DATA 4,165,80,197,82,96 :rem 176
49440 DATA 160,255,200,196,247,176
:rem 155
49446 DATA 11,196,250,176,6,177 :rem 13
49452 DATA 248,209,251,240,241,96:rem 107
49458 DATA 196,250,96,24,165,80 :rem 20
49464 DATA 105,3,157,85,193,165 :rem 13
49470 DATA 81,105,0,157,105,193 :rem 253
49476 DATA 96,56,165,80,233,3 :rem 173
49482 DATA 157,125,193,165,81,233:rem 112
49488 DATA 0,157,145,193,96,256 :rem 23

```

Program 2: Lightning Sort Loader For VIC

Refer to the "Automatic Proofreader" article before typing this program in.

```

5 HI=PEEK(56)-2:S=HI*256:S1=S :rem 179
10 POKE 56,HI:POKE 55,0 :rem 231
20 READ A:IF A=256 THEN PRINT"TO RUN SORT
, USE:{5 SPACES}SYS"S1:END :rem 106
25 IF A<0 THEN POKE S,ABS(A+2)+HI:S=S+1:G
OTO 20 :rem 79
30 POKE S,A:S=S+1:GOTO 20 :rem 160
4608 DATA 32,253,206,32,158,205 :rem 249
4614 DATA 32,247,215,165,20,133 :rem 244
4620 DATA 253,165,21,133,254,32 :rem 242
4626 DATA 253,206,32,158,205,162 :rem 45
4632 DATA 1,165,71,157,85,-3 :rem 100
4638 DATA 157,125,-3,165,72,157 :rem 2
4644 DATA 105,-3,157,145,-3,165 :rem 241
4650 DATA 253,208,2,198,254,198 :rem 10
4656 DATA 253,160,3,24,189,125 :rem 207
4662 DATA -3,101,253,157,125,-3 :rem 233
4668 DATA 189,145,-3,101,254,157 :rem 52
4674 DATA 145,-3,136,208,236,189 :rem 54
4680 DATA 85,-3,133,80,189,105 :rem 204
4686 DATA -3,133,81,189,125,-3 :rem 200
4692 DATA 133,82,189,145,-3,133 :rem 255
4698 DATA 83,32,21,-3,144,4 :rem 49
4704 DATA 202,208,228,96,165,82 :rem 4
4710 DATA 133,78,165,83,133,79 :rem 214
4716 DATA 160,2,177,78,153,250 :rem 207
4722 DATA 0,136,16,248,48,11 :rem 98
4728 DATA 24,165,80,105,3,133 :rem 149

```

```

4734 DATA 80,144,2,230,81,160 :rem 144
4740 DATA 2,177,80,153,247,0 :rem 100
4746 DATA 136,16,248,32,32,-3 :rem 148
4752 DATA 144,230,56,165,82,233 :rem 255
4758 DATA 3,133,82,176,2,198 :rem 116
4764 DATA 83,32,21,-3,176,31 :rem 96
4770 DATA 160,2,177,82,153,247 :rem 208
4776 DATA 0,136,16,248,32,32 :rem 103
4782 DATA -3,176,225,160,2,177 :rem 202
4788 DATA 80,145,82,185,247,0 :rem 168
4794 DATA 145,80,136,16,244,48 :rem 215
4800 DATA 183,160,2,177,80,145 :rem 200
4806 DATA 78,185,250,0,145,80 :rem 158
4812 DATA 136,16,244,24,189,85 :rem 213
4818 DATA -3,125,125,-3,133,82 :rem 188
4824 DATA 189,105,-3,125,145,-3 :rem 242
4830 DATA 133,83,102,83,102,82 :rem 194
4836 DATA 32,21,-3,176,22,189 :rem 151
4842 DATA 85,-3,157,86,-3,189 :rem 162
4848 DATA 105,-3,157,106,-3,32 :rem 189
4854 DATA 53,-3,232,32,69,-3 :rem 94
4860 DATA 76,71,-2,189,125,-3 :rem 150
4866 DATA 157,126,-3,189,145,-3 :rem 0
4872 DATA 157,146,-3,32,69,-3 :rem 151
4878 DATA 232,32,53,-3,76,71 :rem 106
4884 DATA -2,165,81,197,83,208 :rem 216
4890 DATA 4,165,80,197,82,96 :rem 125
4896 DATA 160,255,200,196,247,176 :rem 113
4902 DATA 11,196,250,176,6,177 :rem 209
4908 DATA 248,209,251,240,241,96 :rem 56
4914 DATA 196,250,96,24,165,80 :rem 216
4920 DATA 105,3,157,85,-3,165 :rem 148
4926 DATA 81,105,0,157,105,-3 :rem 141
4932 DATA 96,56,165,80,233,3 :rem 113
4938 DATA 157,125,-3,165,81,233 :rem 0
4944 DATA 0,157,145,-3,96,256 :rem 158

```

Program 3: Sort Test

```

100 PRINT"{CLR}" :rem 245
110 N=1000 :rem 222
120 DIM AA$(N) :rem 178
130 PRINT"CREATING"N" RANDOM STRINGS" :rem 47
140 SD=-TI:A=RND(SD) :rem 183
150 FOR I=1 TO N :rem 37
160 PRINT"{UP}" :rem 66
170 N1=INT(RND(1)*10+1) :rem 221
180 A$="" :rem 127
190 FOR J=1 TO N1 :rem 91
200 B$=CHR$(INT(RND(1)*26+65)) :rem 81
210 A$=A$+B$ :rem 43
220 NEXT J :rem 29
230 AA$(I)=A$ :rem 119
240 NEXT I :rem 30
250 PRINT"HIT ANY KEY TO START SORT" :rem 151
260 GET A$:IF A$="" THEN 260 :rem 83
270 PRINT"SORTING..." :rem 26
280 T1=TI :rem 249
291 REM SYS 49152,N,AA$(1) FOR 64:rem 163
292 REM USE SYS VALUE GENERATED BY THE LO :rem 117
ADDER FOR VIC :rem 117
300 SYS 49152,N,AA$(I) :rem 125
310 T2=TI :rem 244
320 PRINT"DONE" :rem 140
330 PRINT"HIT ANY KEY TO PRINT SORTED STR :rem 72
INGS" :rem 72
340 GET A$:IF A$="" THEN 340 :rem 81
350 FORI=1 TO N:PRINT I,AA$(I):NEXT :rem 28

```

Programmer's Notes: PC And PCjr Version

Tim Victor, Editorial Programmer

The PC and PCjr version of "Lightning Sort" (Program 4) is based on the same algorithm as the version for Commodore computers, but runs in about one-third the time, due to the greater speed and power of the 8088 microprocessor used in the IBM computers. There are a couple of differences in the way that this program is loaded and used.

The BASIC loader program calculates a checksum from the DATA statements to help identify typing errors, then creates a disk file named "LSORT.BAS", containing the ML routine in binary form. The demonstration (Program 5) loads this file into memory using BLOAD and sets LSORT to the address of the sort routine. This variable is needed because IBM BASIC's CALL statement will only accept a variable name for the address of an ML routine.

Lightning Sort uses the first parameter in the CALL statement to find the array that it will sort. This is actually the address of the first string in the array, AA\$(1) in the demonstration program, not the address of the array itself. The second parameter, N%, tells Lightning Sort how many strings are in the array. Variable names also have to be used for parameters, which is the reason for using N% instead of just plain 1000, and this version expects the length parameter to be an integer variable (a variable whose name ends with a percent sign).

Lightning Sort is loaded at address hex FF00 in BASIC's default segment. During a sort, the 256 bytes starting at hex FE00 are also used. To protect this memory, both programs start with the instruction CLEAR,&HFE00, which sets the top of BASIC's workspace to hex FE00.

```

360 PRINT:PRINT N" ELEMENTS SORTED IN"(T2 :rem 181
-T1)/60"SECONDS"

```

Program 4: Lightning Sort Loader For PC/PCjr

```

100 CLEAR,&HFE00
110 ON ERROR GOTO 10000
120 DEF SEG
130 CHECKSUM = 0
140 ADDRESS = &HFF00
150 READ MLDATA
160 WHILE MLDATA <> -1
170 POKE ADDRESS,MLDATA

```



```

180 CHECKSUM = CHECKSUM + MLDATA
190 ADDRESS = ADDRESS + 1
200 READ MLDATA
210 WEND
220 IF CHECKSUM <> 22937 THEN ERROR 200
230 BSAVE "lsort",&HFF00,&HDC
240 END
1000 DATA 85,137,229,139,118,6,139,4
1010 DATA 72,185,3,0,247,225,139,86
1020 DATA 8,1,208,189,252,254,137,86
1030 DATA 2,137,70,0,252,41,192,80
1040 DATA 139,94,0,139,86,2,57,211
1050 DATA 127,3,233,129,0,135,211,232
1060 DATA 139,0,118,5,131,195,3,235
1070 DATA 246,135,211,57,211,126,31,131
1080 DATA 235,3,232,120,0,114,244,138
1090 DATA 15,139,71,1,135,211,134,15
1100 DATA 135,71,1,135,211,136,15,137
1110 DATA 71,1,135,211,235,214,139,118
1120 DATA 0,138,4,134,7,136,4,139
1130 DATA 68,1,135,71,1,137,68,1
1140 DATA 139,86,0,3,86,2,209,234
1150 DATA 57,218,114,23,139,70,2,131
1160 DATA 195,3,137,94,2,131,237,4
1170 DATA 131,235,6,137,94,0,137,70
1180 DATA 2,235,21,139,70,0,131,235
1190 DATA 3,137,94,0,131,237,4,131
1200 DATA 195,6,137,94,2,137,70,0
1210 DATA 88,64,80,233,114,255,88,72
1220 DATA 124,7,80,131,197,4,233,103
1230 DATA 255,93,202,4,0,139,118,0
1240 DATA 181,0,138,12,139,116,1,58
1250 DATA 15,118,2,138,15,139,127,1
1260 DATA 243,166,116,1,195,139,126,0
1270 DATA 138,13,58,15,195,-1
10000 IF ERR <> 200 THEN ON ERROR GOTO 0
10010 PRINT "Error in ML data: check for
typo's"
10020 RESUME 240

```

Program 5: PC/PCjr Sorting Demonstration

```

10 CLEAR,&HFE00 : DEF SEG : CLS
20 BLOAD "lsort",&HFF00:LSORT=&HFF00
30 NZ=1000
40 DIM AA$(NZ)
50 LOCATE 2,16 : PRINT "Creating ";NZ;"r
andom strings"
60 DEF SEG=&H40:RANDOMIZE PEEK(&H6C)
70 FOR I=1 TO NZ:LOCATE 3,16:PRINT I
80 J%=RND(1)*10+1
90 A$="":FOR K=1 TO J%
100 A$=A$+CHR$(INT(RND(1)*26+65))
110 NEXT K
120 AA$(I)=A$
130 NEXT I
140 CLS:LOCATE 2,16:PRINT "Any key to st
art sort:"
150 A$="":WHILE A$="" :A$=INKEY$:WEND
160 LOCATE 3,16:PRINT "sorting- ";
170 SS=PEEK(&H6C)+256*PEEK(&H6D)
180 DEF SEG:CALL LSORT(AA$(1),NZ)
190 DEF SEG=&H40:FS=PEEK(&H6C)+256*PEEK(
&H6D)
200 PRINT "done"
210 LOCATE 5,16:PRINT "Any key to print
sorted strings"
215 A$="":WHILE A$="" :A$=INKEY$:WEND
220 FOR I=1 TO NZ:PRINT AA$(I):NEXT
230 PRINT NZ;"elements sorted in";(FS-SS
)/18;"seconds"

```

Notes For Apple Version Of Lightning Sort

Tim Victor, Editorial Programmer

The Apple version of "Lightning Sort," shown in Programs 6 and 7, requires an Apple II with at least 48K of random access memory and one disk drive. It has been tested on an Apple II Plus under DOS 3.3 and on an Apple IIc under ProDOS as well as DOS 3.3. The Applesoft demonstration program in Program 7 uses the BLOAD command to load the file LIGHTNING.SORT. This is a binary file containing the Lightning Sort program that is entered from Program 6 using the Apple II's built-in ML monitor.

Boot your computer, then type "CALL-151" to use the monitor. When you hit RETURN, the Applesoft input prompt will be replaced by an asterisk ("*"), the monitor's prompt. To enter a line from the listing, replace the hyphen after the first four-digit hexadecimal number with a colon. The first line in the listing would be entered as

```
9400: 20 B1 00 20 05 E1 A5 A0
```

Since no checksums are used in the listing, it's a good idea to make sure that the program in memory is correct. You can ask the monitor to display the contents of any memory location by typing its address as a hexadecimal number and hitting return. To examine a range of memory locations, type the address of the first location in the range, a period ("."), and then the address of the last location in the range. For example, Program 6 was made simply by entering "9400.9551" in response to the asterisk prompt.

When you're sure that the program is entered correctly, save it to disk using the BSAVE command. All DOS commands work in exactly the same way when entered from the monitor as when they are used in Applesoft. You can CATALOG, BLOAD, BSAVE, DELETE, and even LOAD and SAVE BASIC programs. To save the program you just entered, type "BSAVE LIGHTNING.SORT,A\$9400,L\$152" and hit RETURN. DOS will create a binary file named "LIGHTNING.SORT" and store in it \$152 (338 in decimal notation) bytes beginning at memory location \$9400 (decimal 37888).

Program 6: Lightning Sort For The Apple

```
9400- 20 B1 00 20 05 E1 A5 A0
9408- 85 FE A5 A1 85 FD 20 B1
```

```

9410- 00 20 E3 DF A2 01 A5 B3
9418- 9D 52 95 9D 7A 95 A5 B4
9420- 9D 66 95 9D 8E 95 A5 FD
9428- D0 02 C6 FE C6 FD A0 03
9430- 18 BD 7A 95 65 FD 9D 7A
9438- 95 BD 8E 95 65 FE 9D 8E
9440- 95 88 D0 EC BD 52 95 85
9448- 1C BD 66 95 85 1D BD 7A
9450- 95 85 1E BD 8E 95 85 1F
9458- 20 12 95 90 04 CA D0 E4
9460- 60 A5 1E 85 1A A5 1F 85
9468- 1B A0 02 B1 1A 99 FA 00
9470- 88 10 F8 30 0B 18 A5 1C
9478- 69 03 85 1C 90 02 E6 1D
9480- A0 02 B1 1C 99 ED 00 88
9488- 10 F8 20 1D 95 90 E6 38
9490- A5 1E E9 03 85 1E B0 02
9498- C6 1F 20 12 95 B0 1F A0
94A0- 02 B1 1E 99 ED 00 88 10
94AB- F8 20 1D 95 B0 E1 A0 02
94B0- B1 1C 91 1E B9 ED 00 91
94B8- 1C 88 10 F4 30 B7 A0 02
94C0- B1 1C 91 1A B9 FA 00 91
94C8- 1C 88 10 F4 18 BD 52 95
94D0- 7D 7A 95 85 1E BD 66 95
94D8- 7D 8E 95 85 1F 66 1F 66
94E0- 1E 20 12 95 B0 16 BD 52
94E8- 95 9D 53 95 BD 66 95 9D
94F0- 67 95 20 32 95 E8 20 42
94F8- 95 4C 44 94 BD 7A 95 9D
9500- 7B 95 BD 8E 95 9D 8F 95
9508- 20 42 95 E8 20 32 95 4C
9510- 44 94 A5 1D C5 1F D0 04
9518- A5 1C C5 1E 60 A0 FF C8
9520- C4 ED B0 0B C4 FA B0 06
9528- B1 EE D1 FB F0 F1 60 C4
9530- FA 60 18 A5 1C 69 03 9D
9538- 52 95 A5 1D 69 00 9D 66
9540- 95 60 38 A5 1C E9 03 9D
9548- 7A 95 A5 1D E9 00 9D 8E
9550- 95 60

```

Program 7: Lightning Sort Loader For The Apple

```

10 HIMEM: 38400: HOME : HTAB 8: PRINT
  "APPLE LIGHTNING SORT DEMO"
20 HTAB 10: PRINT "LOADING LIGHTNING.SORT"
30 PRINT CHR$(4)"BLOAD LIGHTNING.SORT"
40 HIMEM: 37887
50 N = 1000
60 DIM AA$(N)
70 HOME : PRINT "CREATING "N" RANDO
  M STRINGS"
80 FOR I = 1 TO N
90 VTAB 2: PRINT I
100 N1 = INT ( RND (1) * 10 + 1 )
110 A$ = ""
120 FOR J = 1 TO N1
130 B$ = CHR$ ( INT ( RND (1) * 26 + 65) )
140 A$ = A$ + B$
150 NEXT J
160 AA$(I) = A$
170 NEXT I
180 PRINT "HIT ANY KEY TO START SORT"
190 GET A$: IF A$ = "" THEN 190
200 PRINT "SORTING..." CHR$(7)
210 CALL 37888,N,AA$(1)
220 PRINT "DONE" CHR$(7)
230 PRINT "HIT ANY KEY TO PRINT SOR
  TED STRINGS"
240 GET A$: IF A$ = "" THEN 240
250 FOR I = 1 TO N: PRINT I,AA$(I): NEXT ©

```

For the
Commodore 64

SuperTerm

New
low price **\$89⁹⁵**
Telecomputing
with a difference!



SuperTerm — the only software that communicates with them all! Information networks such as CompuServe; business and university mainframes; free hobby bulletin boards.

Professionals and students: SuperTerm's VT102 emulation gets you on-line in style. Advanced video features, graphics, full-screen editing, 80/132 column through sidescrolling, extended keyboard — perfect for EDT, DECmail, etc. Even download your workfiles and edit off-line! Full printer and editor support; other emulations available.

Researchers and writers: SuperTerm's built-in text editor helps you create, edit, print, save, send and receive text files — articles, stories, reports, inventories, bibliographies — in short, it's your **information work station**. Access CompuServe, Dow Jones Information Network, Dialog/Knowledge Index, Western Union's Easylink, The Source, and many more. Optional Sprinter accessory saves printing time and \$ (see below).

Computer hobbyists: Join in the fun of accessing hundreds of free bulletin board systems (BBS) for Commodore, Apple, TRS-80, etc. Text mode with all BBS systems; up/downloading with Commodore BBS systems (Punter protocol). Special protocol for up/downloading with other SuperTerm owners. Popular "redial-if-busy" feature for use with automodems.

Get the information you need, for business or for fun, with the software that communicates with them all!

Requires: Commodore 64, disk drive, and suitable manual- or auto-modem. Printer optional. Software on disk w/free backup copy. Extensive manual in deluxe binder.

SuperTerm's

SPRINTER Accessory \$69⁹⁵

With the Sprinter accessory, SuperTerm can perform **concurrent printing** — as text appears on your screen, it's simultaneously printed on your printer. Includes all necessary hardware for connecting your **parallel printer** and computer via the cartridge port. Simply plug-in and go. Free utility software for printing and listing as a stand-alone interface.

Requires: parallel printer such as Epson, Gemini, Microline, C. Itoh. (Min. speed 35 cps.)

Commodore 64 is a trademark of Commodore Electronics, Ltd.

(816) 333-7200

Send for a free brochure.



**MIDWEST
MICRO inc.**

MAIL ORDER: Add \$1.50 shipping and handling (\$3.00 for C.O.D.); VISA/MasterCard accepted (card# and exp. date). MO residents add 5.825% sales tax. Foreign orders payable U.S. U.S. Bank ONLY; add \$5 shipping.

311 WEST 72nd ST. • KANSAS CITY • MO • 64114

Learning With Computers

Glenn M. Kleiman

Aids For The Blind

Computers provide new and powerful aids for blind people. With special input and output devices and programs, computers enable blind people to more effectively substitute hearing and touch for sight and to use books, magazines, and newspapers that would otherwise be inaccessible to them. Computers can help blind people enjoy new opportunities for education, employment, social interaction, and recreation.

Much of this information about aids for the blind has been provided by the staff of the Sensory Aids Foundation of Palo Alto, California. They train blind people in job skills and help them find suitable jobs. They receive support from some of the major computer and electronics companies in Silicon Valley, and have placed workers at these companies. Other information has been provided by Telesensory Systems, Inc., the developers of Optacon and VersaBraille.

Computer Speech Synthesis

Speech synthesizers and text-to-speech conversion programs make it possible for computers to pronounce any word. The speech is not perfect, but people understand it easily after they get accustomed to it. During a visit to the Sensory Aids Foundation, I watched a demonstration of a talking terminal—a computer terminal combined with a speech synthesizer.

The blind user of the talking terminal has a control that lets him move a pointer to any line on the display screen. He can have the computer

announce what line the pointer is on and speak the words on that line. He can have it repeat any words or read letter by letter. He can use the keyboard to edit the line.

Talking terminals make almost all the capabilities of a computer accessible to blind people. At Sensory Aids, blind people learn to use talking terminals for data entry, information retrieval, word processing, and programming.

Many educational programs could be used by blind people if the computer spoke what appears on the display screen. Staff members at Sensory Aids are revising some popular programs so that blind people can use them. During my visit, I saw a version of *MasterType* that was adapted for the blind. In the *MasterType* program, letters and words "attack" a central station. The user defends the station by typing the letters and words before they reach the station. In the adapted version of this program, the computer says the letters and words to be typed, and announces whether they have been typed correctly and quickly enough to defend the station.

Large Print Displays

Many people with impaired vision cannot read normal print, but can read large, high-contrast print. There are several ways to create large letters on the computer screen with standard equipment. One is to simply use a television or video monitor with a large display screen. Another is to use the computer's graphics capability to create large letters. In addition, many computer printers can produce large type on paper. With a suitable printer, any information stored in the computer can be printed in large letters.

A special large-print display processor, manufactured by Visualtek, magnifies letters on personal computer screens up to 16 times their

*Dr. Glenn M. Kleiman is an educational psychologist and software developer. He is the author of *Brave New Schools: How Computers Can Change Education* (Reston/Prentice-Hall) and the designer of *Square Pairs*, an educational game program (Scholastic, Inc.).*

usual size. A control panel lets the user set the scanning rate at which the letters move across the display screen.

Tactile Forms

Many people cannot see any letters, no matter how large. But these people can read when the letters are converted to a tactile form. One device which does that, Optacon, is already used by many blind people.

Optacon consists of a small camera, an electronics unit, and a stimulator array. The array is composed of 144 miniature rods. The electronics unit interprets the light pattern received by the camera and sends signals that cause certain rods to vibrate, thereby producing a tactile analogue to the light pattern. Some training is necessary to learn to read the vibrating patterns, but once this is mastered the blind person has access to all printed materials. Special adapters are available so that Optacon can be used to read computer screens and calculator displays.

Other devices use Braille, a system of writing in which each letter is represented by a pattern of raised dots in a 2 × 3 grid. Blind people read by feeling the dot patterns.

Although widely used, Braille has several disadvantages. Braille books are extremely bulky: A standard student dictionary fills a three-foot-square box. Braille typewriters are noisy and slow. Errors in Braille type cannot be corrected, since the raised dots cannot be erased. Braille books are therefore expensive, and most books, newspapers, and magazines are never made available in Braille.

Braille Word Processing

Special Braille printers can be interfaced to computers so that any information in the computer can be transformed to Braille. This provides a remedy for the problem of Braille not being correctable. A word processing program can be used to produce a Braille text after all corrections have been made on the computer screen.

Other Braille output devices can be interfaced to computers. One example is a device that contains sets of pins arranged in the 2 × 3 Braille grid. Each pin can be raised or lowered, thereby providing a mechanical Braille display. This device can be controlled by computer programs to produce instant Braille for a blind computer user.

A special device called VersaBraille incorporates recent advances in computer technology. VersaBraille is composed of a mechanical Braille display, a cassette information storage component, and a specially designed Braille keyboard, all under the control of a built-in computer. Information can be entered from the keyboard,

revised and corrected (editing capabilities are built-in), stored on cassette, and transformed to Braille whenever needed.

VersaBraille provides a solution to the bulkiness of Braille. It is a self-contained unit that is easy to carry and can store 400 pages of Braille on a standard cassette tape.

A major advantage of VersaBraille is that it can be linked to a computer via a standard serial interface. A blind person can connect VersaBraille to a computer and quickly transfer information from the computer to VersaBraille's cassette storage system. The VersaBraille can then be taken away from the computer and read where and when convenient. A VersaBraille user can also take notes during class lectures, write reports, or enter any other information. He or she can then connect VersaBraille to a computer, transfer the information to the computer's memory, and use the computer to print the information, store it, or send it to others via an electronic mail system.

Computerized Letter Recognition

Speech synthesizers and text-to-speech programs can convert any words stored in a computer to speech. Other devices can convert information stored in a computer to large letter displays or to Braille or other tactile signals. However, much of the information people need is in books, not computers. To fully use the capability of computers to convert text to speech, Braille, or large print, we need efficient ways of transferring text from books to computers.

Special cameras and pattern recognition programs have been used for some time to recognize specially designed letters and numbers, such as the account numbers on checks. The camera converts the pattern of each letter into a binary code. A computer is programmed to process the binary code and determine which letter it represents.

In the last few years, devices and programs have been developed which make it possible for computers to recognize most typewritten characters and to adjust automatically for different type styles and sizes. In the next few years, this technology is likely to be perfected and become more widely available. (Only very limited success can be expected with handwritten letters, due to the large variations found in even one person's handwriting.)

Letter-recognition devices can be combined with appropriate output devices to produce large size displays, speech or Braille. Letter-recognition devices can also be combined with Braille printers to expedite the production of Braille books.

Converting Print To Speech

One impressive example of technology which serves the visually handicapped is the Kurzweil

Reading Machine that converts print to speech. This machine combines sophisticated pattern recognition, speech synthesis, and text-to-speech conversion capabilities. It lets blind users control how the material is read. They can set the speed of reading and adjust the tonality of the voice. They can stop the reading at any time, have the last few words or lines repeated, request the machine to spell out words or announce punctuation and capitalization, and mark certain words or phrases for later reference. This reading machine is currently a very expensive device. But as the technology advances and prices decrease, machines with these capabilities should become available to all blind people.

Technology For The Blind

Of 51 blind people who were assisted by the Sensory Aids Foundation during a one-year period, fifteen are now programmers, computer operators, or systems analysts. Other occupations include design engineer, word processor, medical transcriber, account clerk, attorney, cashier, clerk-typist, physicist, and college professor. Their employers include Apple, Hewlett-Packard, Pacific Telephone, Stanford Linear Accelerator, Department of Immigration, Internal Revenue Service, and other businesses, educational institutions, and government agencies.

Current technological aids include Optacon, VersaBraille, talking terminals, talking calculators, and closed circuit television systems that produce enlarged images of print on a television screen. These devices, and others now in development, can dramatically increase the opportunities available to blind people.

Kurzweil Computer Products, Inc.
33 Cambridge Parkway
Cambridge, MA 02142

Sensory Aids Foundation
399 Sherman Ave., Suite 12
Palo Alto, CA 94306

Telesensory Systems, Inc.
3408 Hillview Ave.
P.O. Box 10099
Palo Alto, CA 94303

Visualtek
1610 26th Street
Santa Monica, CA 90404

©

COMPUTE!

The Resource.

***REDUCES DISKETTE COST 50%!**



Make use of the back of your 5 1/4" Diskettes and SAVE

- **NIBBLE NOTCH** tools make it easy.
- Adds the precise notch where you need it.
- Doubles diskette space or MONEY BACK!

NIBBLE NOTCH I
Cuts square notch for users of Apple, II, II+, IIe, III, Franklin and Commodore.

only **\$14.95** each
add \$1.50 each P&H (\$4.50 each foreign P&H)

NIBBLE NOTCH II
Cuts square notch and 1/4 inch round "index hole." For use with computers other than those shown above.

only **\$21.90** each
add \$1.50 each P&H (\$4.50 each foreign P&H)

Florida Residents Add 5% Sales Tax

SATISFACTION GUARANTEED OR YOUR MONEY BACK!

ORDER TODAY!

CALL TOLL FREE: 1-800-642-2536
OR SEND CHECK OR MONEY ORDER TO:


NIBBLE NOTCH COMPUTER PRODUCTS
DIVISION OF CORTTRAN INTERNATIONAL
4211 NW 75th TERRACE • DEPT. 87 • LAUDERHILL, FL 33319
PAT. PEND. ALL TRADEMARKS ARE ACKNOWLEDGED



Program Your Own EPROMS

▶ **VIC 20**
C 64

\$99.50




PLUGS INTO USER PORT. NOTHING ELSE NEEDED. EASY TO USE. VERSATILE.

- Read or Program. One byte or 32K bytes!
- OR Use like a disk drive. LOAD, SAVE, GET, INPUT, PRINT, CMD, OPEN, CLOSE—EPROM FILES!
- Our software lets you use familiar BASIC commands to create, modify, scratch files on readily available EPROM chips. Adds a new dimension to your computing capability. Works with most ML Monitors too.
- Make Auto-Start Cartridges of your programs.
- The *promenade*™ C1 gives you 4 programming voltages, 2 EPROM supply voltages, 3 intelligent programming algorithms, 15 bit chip addressing, 3 LED's and NO switches. Your computer controls everything from software!
- Textool socket. Anti-static aluminum housing.
- EPROMS, cartridge PC boards, etc. at extra charge.
- Some EPROM types you can use with the *promenade*™


2758	2532	462732P	27128	5133	X2818A*
2516	2732	2584	27256	5143	52813*
2716	27C32	2764	68764	2815*	48016P*
27C16	2732A	27C64	68766	2816*	

▶ *Commodore Business Machines *Denotes electrically erasable types

Call Toll Free: 800-421-7731
In California: 800-421-7748



JASON-RANHEIM
580 Parrott St., San Jose, CA 95112



INSIGHT: Atari

Bill Wilkinson

Last month we discussed how to make programs designed for the Atari 400 and 800 load and run automatically on the new XL series without having to hold the option key down. We also looked at a way to make patches into Atari DOS 2.0s to enable it to work with the new enhanced density 1050 disk drive. The procedure is easy, but requires two disk drives. Just type in the source code (the portion printed last month and the continuation found in this issue) using an assembler capable of placing its object code directly in memory. Assemble it after LISTing or SAVEing the source code to disk. After assembling it once, change line number 1000 to read:

```
1000 .OPT NOLIST,OBJ
```

and assemble the code once more.

DOS should now be patched. Hit the SYSTEM RESET key and give the DOS command from your assembler. You should now be in the DOS menu (if you're not, something has gone wrong). Format a new disk using option I and then write the DOS files using option H. This will insure that everything is right and will give

you a safe copy of your newly patched DOS.

The Tricky Part

There's one more step necessary to finish the procedure. Turn off your computer, put your BASIC (or BASIC XL) cartridge into your machine, and turn the power back on, thus booting the disk that was just formatted. Place a blank diskette into the 1050 drive that you are using as drive 2 and, from BASIC, type the following command:

```
XIO 254,#1,0,34,"D2:"
```

Drive 2 should now contain an enhanced-density diskette. Now hit the SYSTEM RESET key so that DOS will recognize the new density. Finally, go into DOS and write the DOS files to the new diskette (D2), using option H from the menu.

If everything has been done properly, drive 2 should now have an enhanced-density diskette containing the patched DOS. Once you have this master completed, creating others is simple and can be done with the I and H options in the DOS menu.

Patches To Atari DOS 2.0s

```
1350 ;
1360 ; BEGIN THE ACTUAL PATCHES
1370 ;
1380 ;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;
1390 ;
1400 ; This patch allows either $21 or $22 as
1410 ; a format command.
1420 ;
0000 1430 *= $07B5
07B5 1440 PATCHFORMAT
07B5 A920 1450 LDA #$20 ; format cmds are $21 or $22
07B7 2D0203 1460 AND DCBCMD ; is this a format cmd?
07BA D002 1470 BNE $07BE ; bit $20 is set, so yes...read
1480 ;
1490 ; This patch modifies the drive type
1500 ; reported by DINIT for use in DRVTBL
1510 ;
07BC 1520 *= $0819
0819 1530 PATCHINIT
0819 ADEA02 1540 LDA $02EA ; get drive status
081C 0A 1550 ASL A ; and this sequence...
081D 08 1560 PHP ; ...will serve to
081E 0A 1570 ASL A ; ...convert the status
081F 2A 1580 ROL A ; ...$00, $20, and $80
0820 2A 1590 ROL A ; ...to the more usable
0821 2A 1600 ROL A ; ...$00, $01, and $80
0822 28 1610 PLP ; (more usable because what we
0823 6A 1620 ROR A ; want are $01,$02, and $81)
```



```

1630 ;
1640 ;
1650 ; This patch allows SETUP to call the main
1660 ; patch-it-all-up routine
1670 ;
0824 1680      *= $1184
1690 ; patch to SETUP code
1700 ;
1184 BE1113 1710      LDX DRVTBL,Y
1187 200115 1720      JSR PATCHSETUP ; the real work
118A A8      1730      TAY
118B F04E    1740      BEQ DERR1
.          1750 ;
1760 ;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;
1770 ;
1780 ; The major patch:
1790 ; Here we determine the type of drive for
1800 ; the current operation and patch various
1810 ; locations (including LDA # instructions)
1820 ;
118D 1830      *= $1501
1501 1840 PATCHSETUP
1501 8E7213 1850      STX TRUETYPE ; save true drive type
1504 E8      1860      INX          ; convert 0 or 1 to 1 or 2
1505 8A      1870      TXA
1506 2903    1880      AND #$03      ; mask off 1050 bit
1508 8DFE12 1890      STA DRVTYP  ; ...and save it
150B 48      1900      PHA          ; and keep it for later return
1910 ; now we set up the tricky stuff
1920 ;
1930 ; we need different VTOC bases and sizes
1940 ; and different disk sizes
1950 ;
150C A00A    1960      LDY #$0A      ; 810: start of vtoc
150E A964    1970      LDA #90+$0A ; 810: end of vtoc bytes
1510 A221    1980      LDX #DCBCFD ; 810: format command
1512 2C7213 1990      BIT TRUETYPE ; test drive type
1515 1005    2000      BPL SGLDBLJOIN ; 810, all ok
1517 A006    2010      LDY #$06      ; 1050: start of vtoc
1519 A980    2020      LDA #122+$06 ; 1050: end of vtoc bytes
151B E8      2030      INX          ; 1050: format command is ''
2040 ;
2050 ; now store these values into code (shudder!)
2060 ;
151C 2070 SGLDBLJOIN
2080 ;
151C 8E230D 2090      STX $0D23 ; where format command is loaded
2100 ;
2110 ; the various uses of START-OF-VTOC
2120 ;
2130 ;
151F 8C800D 2140      STY $0D80 ; in deallocation of boot
1522 8CEE10 2150      STY $10EE ; in FRESECT
1525 8C4211 2160      STY $1142 ; in GETSECTOR, displacement
1528 88      2170      DEY
1529 8C0711 2180      STY $1107 ; at start of GETSECTOR
2190 ;
2200 ; and the uses of END-OF-VTOC
2210 ;
152C 8D0A11 2220      STA $110A ; check end in GETSECTOR
152F 8D7A0D 2230      STA $0D7A ; a CPY in format code
1532 98      2240      TYA

```



ATARI is a trademark of ATARI INC

- Atari 800XL Call
- 1010 Program Recorder 77.00
- 1027 Letter Quality Printer ... Call
- 1050 Disk Drive Call
- Atari 850 Interface Call
- Atari Light Pen 82.95
- Numerical Keypad 104.95

INTERFACES

- Aid Interfast I... Call R-Verter Modem
- Ape Face Call Adaptor 39.95

DISK DRIVES

- Indus GT Call Rana 1000 Call
- Percom Call Trak Call

SUPER PRINTER PACKAGES

- Gemini 10X and Apeface 339.00
- Prowriter and Apeface 409.00
- Prowriter + Aid Interf. + Cable 485.00

MOSAIC

- 48K RAM 94.00
- 64K RAM/400 149.00
- 64K RAM/800 + Cable Kit #1 169.00
- Handyman-D 23.95
- Cable Kit #2 14.95
- Superdrive-D 23.95

MODEMS

- Hayes Smart Modem 300 Call
- Mark II 79.00
- Mark VII/Auto Ans/ Auto Dial Call
- Mark XII/1200 Baud Call
- MPP 1000 C Call
- Novation Call
- R-Verter Modem Adaptor 39.95

MONITORS

- AMDEK Color 1 + Call
- USI 12" Amber 149.00
- USI 12" Green 139.00
- USI 14" Color 269.00
- BMC 12" Color 229.00
- BMC 12" Amber 99.00
- BMC 12" Green 95.00
- Phillips 12" Green w/Sound 129.00
- Phillips 12" Amber w/Sound 139.00

Triangle Replacement Keyboard for 400 54.95

Alien Voice Box II 99.95

Expansion Memory for 600XL Call

COMMODORE 64

- CBM 64 Call
- SX-64 Portable Call
- 1541 Disk Drive Call
- 1526 Printer 279.00
- 1530 Datasette 66.00
- 1702 Monitor Call
- 1650 AD/AA Modem 89.00
- RS 232 Interface Call

TOUCH TABLETS

- Koala Pad-D 69.95
- Koala Pad-Cart 74.95

PRINTERS

- Alphacom 40C w/Interface 99.95
- Alphacom 80C w/Interface 189.95
- Axiom AT-550 329.00
- Epson Call
- Gemini 10X 269.00
- Okidata Call
- Prowriter I Call
- Riteman Call

Call for prices on loysticks, printer cables, blank floppy disks, books and other computer accessories.

A T A R I S O F T W A R E

- ATARI**
- Caverns of Mars-Cart 32.95
- Donkey Kong-Cart 37.95
- Donkey Kong Jr-Cart 39.95
- Eastern Front-Cart 32.95
- Joust-Cart 39.95
- Jungle Hunt-Cart 35.95
- Mano Bros-Cart 35.95
- Ms. Pac-Man-Cart 39.95
- Pengo-Cart 35.95
- Pele Position-Cart 39.95
- Oix-Cart 32.95
- Realsports Football-Cart 35.95
- Robotron 2084-Cart 35.95
- Star Raiders-Cart 32.95
- Tennis-Cart 35.95
- Atariwriter-Cart 74.95
- Family Finances-D 37.95
- Home Filing Manager-D 37.95
- Mailing List-T 19.95
- Syncaid-D 74.95
- Synfile-D 74.95
- Syntrend-D 74.95
- Logo-Cart 79.95
- My First Alphabet-D 26.95
- Atari Music I or II-D 29.95
- Conversational Lang.-T 44.95
- Final Legacy-Cart Call
- Ballblazer-Cart Call
- Plato-Cart Call
- Paint-D 33.95
- Microsoft Basic II-Cart 67.95
- Alan Macro-Assembler-Cart 67.95
- Atari Basic-Cart 41.95
- Assembler Editor-Cart 46.95
- BRODERBUND**
- AE-D 23.95
- Arcade Machine-D 41.95
- Bank Street Writer-D 49.95
- Choplifter-D 23.95
- Drol-D 23.95
- Gumball-D 20.95
- Lodrunner-D 23.95
- Mask of the Sun-D 27.95
- Operation Whirlwind-D 27.95
- DATASOFT**
- Basic Compiler-D 55.95
- Bruce Lee-D/T 23.95
- Dallas-D 23.95
- Healthcliff-D/T 23.95
- Letter Wizard Call
- Micropainter-D 23.95
- Money Wizard Call
- DATASOFT (cont'd)**
- Nibbler-U/I 20.95
- Spell Wizard-D 34.95
- Teletalk-D 34.95
- Zaxxon-D/T 27.95
- EPYX**
- Dragons/Pern-D/T 27.95
- Fun With Art-Cart 27.95
- Gateway to Apshai-Cart 27.95
- Jumman Jr-Cart 27.95
- Jumman-D/T 27.95
- Puzzlemania Call
- Summer Games Call
- Temple of Apshai-D/T 27.95
- INFOCOM**
- Deadline-D 34.95
- Enchanter-D 34.95
- Infidel-D 34.95
- Planetfall-D 34.95
- Sorcerer-D 34.95
- Starcross-D 27.95
- Suspended-D 34.95
- Witness-D 34.95
- Zork I, II, or III-D 27.95
- Sea Stalker-D 34.95
- MISCELLANEOUS ATARI**
- Omnimon 82.95
- Pitfall-Cart 31.95
- River Raid-Cart 31.95
- Diskey-D 34.95
- Ultra Disassembler-D 23.95
- Codewriter-D 69.95
- Star League Baseball-D/T 22.95
- Star Bowl Football-D/T 22.95
- Death in the Canbeand-D 27.95
- Dino Eggs-D 27.95
- The Heist-D 23.95
- Gyruss-Cart 34.95
- James Bond-Cart 34.95
- Popeye-Cart 34.95
- Q-Bert-Cart 34.95
- Star Wars-Cart 34.95
- Return of Heracles-D 26.50
- Master Type-D/Cart 27.95
- Songwriter-D 27.95
- Fight Simulator II-D 37.95
- Chatterbee-D 27.95
- S A M -D 41.95
- Castle Wolfenstein-D 20.95
- Compuserve Starter Kit 34.95
- Home Accountant-D 52.95
- Ken Uston's Blackjack-D 49.95
- MISC. ATARI (cont'd)**
- Megaloft-D 19.95
- Monkey Wrench II-Cart 49.95
- Movie Maker-D 41.95
- Pogo Joe-D 20.95
- Speilunker-D 27.95
- Ultima III-D 41.95
- Jupiter Mission-D 34.95
- Dreadnaught Factor-Cart 31.95
- Keystone Kapers-Cart 31.95
- Antica 4-D 37.95
- Boulder Dash-D/T 20.95
- Scraper Caper-Cart 34.95
- Miner 2049'er-Cart 34.95
- Beachhead-D/T 23.95
- OPTIMIZED SYSTEMS**
- Action-Cart 74.95
- Basic XL-Cart 74.95
- MAC/65-Cart 74.95
- DOS XL-D 27.95
- Action Aid-D 27.95
- SIERRA ON-LINE**
- Aquatron-D 20.95
- Dark Crystal-D 27.95
- Homeward Speller-D 34.95
- Homeward-D 49.95
- Oil's Well-D 23.95
- Prisoner-D 23.95
- Quest for Tires-D 23.95
- Ultima II-D 41.95
- Ultima I-D 23.95
- Wiztype-D 23.95
- Carrier Force-D 41.95
- Combat Leader-D/T 27.95
- Cosmic Balance II-D 27.95
- Cosmic Balance-D 27.95
- Broadsides-D 27.95
- War in Russia-D 55.95
- 50 Mission Crush-D 27.95
- Questron-D 34.95
- Rails West-D 27.95

C O M M O D O R E 6 4 S O F T W A R E

- ACCESS**
- Neutral Zone-D/T 23.95
- Sprintmaster-D/T 23.95
- Beachhead-D/T 23.95
- Master Composer-D 27.95
- BATTERIES INCLUDED**
- Consultant-D 69.95
- Paperclip w/Spellpak-D 84.95
- Super Busscard II Call
- Home Inventory-D 23.95
- Recipe-D 23.95
- Audio/Video Cat-D 23.95
- Mail List-D 23.95
- Stamps-D 23.95
- CARDCO**
- Cardprint/B 47.95
- Cardco + G 69.95
- Cardboard/5 59.95
- Cardkey 39.95
- Cassette Recorder 47.95
- Printer Utility-D/T 19.95
- Write Now-Cart 34.95
- Mail Now-D 29.95
- COMMODORE**
- Program Ref Guide 19.95
- Assembler-D 39.95
- Easy Finance I, II, III, IV-D 19.95
- Easy Calc-D 64.95
- Easy Mail-D 19.95
- Easy Script-D 44.95
- Easy Spell-D 19.95
- Logo-D 57.95
- The Manager-D 39.95
- General Ledger-D 39.95
- Accts Rec-D 39.95
- Accts Pay-D 39.95
- Magic Desk-D 52.95
- Zork I, II or III-D 32.95
- Suspended-D 32.95
- Starcross-D 32.95
- Deadline-D 32.95
- Soccer-Cart 29.95
- HANDIC**
- 64 Forth-Cart 29.95
- 64 Graf-Cart 23.95
- Stat 64-Cart 23.95
- Calc Result Easy-Cart 34.95
- Calc Result Advanced-D 74.95
- Calc Result Adv. Cart 69.95
- The Diary-Cart 23.95
- The Tool-Cart 29.95
- INSTA (CIMMARON)**
- Insta-Writer-Cart 39.95
- Insta-Mail-D 24.95
- Insta-File-D 49.95
- Management Combo 64.95
- Insta-Calc-Cart/D 31.95
- Insta-Graph-D 24.95
- Insta-Vestor-D 31.95
- Insta-Speed-D 99.95
- Insta-Sched-Cart/D 49.95
- Insta-Music-Cart/D 79.95
- Invest Combo 74.95
- MISC. COMMODORE**
- Ken Uston's Blackjack-D 49.95
- Quick Brown Fox-D/Cart 34.95
- Ultima III-D 41.95
- Flight Simulator II-D 37.95
- Night Mission/Pinball-D/T 20.95
- Praticarc PS-D 59.95
- M-File-D 64.95
- Word Pro 3+ /Spell-D 74.95
- Home Accountant-D 52.95
- Step By Step-D/T 44.95
- Barron's Sat-D 67.95
- Bristles-D/T 20.95
- Telesat 64-Cart 37.95
- Star League Baseball-D/T 20.95
- Castle Wolfenstein-D 20.95
- Masterype-D/Cart 27.95
- Vic Switch 124.95
- First Class Mail-D 34.95
- Aztec-D 27.95
- Miner 2049er-Cart 27.95
- Sea Dragon-D/T 23.95
- Diskey-D 34.95
- Hodge Podge-D/T 19.95
- Strip Poker-D 23.95
- Mr. Robot-D 23.95
- Paint Magic-D 34.95
- Pooyan-D/T 20.95
- Astro Chase-D/T 20.95
- Flip Flop-D/T 20.95
- MISC. COMM. (cont'd)**
- Basic Building Blks-D 54.95
- Critical Mass-D 27.95
- Rescue Squad-D 20.95
- Super Text Word Pro-D 69.95
- Beyond Wolfenstein-D 23.95
- Sam-D 41.95
- Chatterbee-D 27.95
- SPINNAKER**
- Adventure Creator-Cart 27.95
- Aerobics-D 30.95
- Aegean Voyage-Cart 27.95
- All in the Color Caves-C 27.95
- Alphabet Zoo-Cart 23.95
- Bubble Burst-Cart 27.95
- Cosmic Life-Cart 23.95
- Delta Drawing-Cart 27.95
- Facemaker-Cart 23.95
- Fraction Fever-Cart 23.95
- Grandma's House-D 23.95
- Jukebox-Cart 27.95
- Kids on Keys-Cart 23.95
- Kidwriter-D 23.95
- Kidnapper-Cart 20.95
- Ranch-Cart 27.95
- Rhymes/Riddles-D 20.95
- Search/Amazing Thing-D 27.95
- Snooper #1-D 30.95
- Snooper #2-D 30.95
- Story Machine-Cart 27.95
- Trains-D 27.95
- Up For Grabs-Cart 27.95
- SYNAPSE**
- Blue Max-D/T 23.95
- Dreils-D/T 23.95
- Fort Apocalypse-D/T 23.95
- Necromancer-D/T 23.95
- New York City-D/T 23.95
- Pharaoh's Curse-D/T 23.95
- Protector II-D/T 23.95
- Quasimodo-D/T 23.95
- Rainbow Walker-D/T 23.95
- Relax Stress/Reduction Sys. 64.95
- Shamus Case II-D/T 23.95
- Shamus-D/T 23.95
- Stam-Ball-D/T 23.95
- Survivor-D/T 23.95
- Zaxxon-D/T 27.95
- Zeppelin-D/T 23.95
- D-Disk T-Cassettes Cart-Cartridge**

To Order Call Toll Free
800-558-0003
 For Technical Info, Order
 Inquiries, or for Misc. Orders -
414-351-2007

NEW LOWER PRICES

ComputAbility

NEW PRODUCTS

NO SURCHARGE FOR MASTERCARD OR VISA

ORDERING INFORMATION. Please specify system. For fast delivery send cashier's check, money order or direct bank transfers. Personal and company checks allow 2 weeks to clear. Charges for COD are \$3.00. School Purchase Orders welcome. In CONTINENTAL USA, include \$3.00 shipping per software order. Include 3% shipping on all Hardware orders, minimum \$3.00. Mastercard & Visa please include card # and expiration date. WI residents please add 5% sales tax. HI, AK, FPO, APO, Canadian orders - add 5% shipping, minimum \$5.00. All other foreign orders, please add 15% shipping, minimum \$10.00. All goods are new and include factory warranty. Due to our low prices, all sales are final. All defective returns must have a return authorization number. Please call 414-351-2007 to obtain an RA# or your return will NOT be accepted for replacement or repair. Prices and availability are subject to change without notice.

COMPUTABILITY
 P O Box 17882
 Milwaukee, WI 53217

ORDER LINES OPEN
 Mon-Fri 11 AM - 7 PM CST
 Sat 12 PM - 5 PM CST


```

1533 18          2250      CLC
1534 692E       2260      ADC #46      ; adjust for ...
1536 8D840D    2270      STA $0D84    ; the directory dealloc in fmt
1539 AE0113    2280      LDX CURFCB  ; recover original value
153C 68        2290      PLA
153D 60        2300      RTS
                2310 ;
                2320 ;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;
                2330 ;
                2340 ;
                2350 ; This is another major patch...
                2360 ; instead of using set values for VTOC
                2370 ; info, we pick from one of two tables
                2380 ;
                2390 ;
153E           2400      *= $0D37
0D37          2410  PATCHXFORMAT
0D37 1027     2420      BPL XF0      ; same source, but XF0 has moved
                2430 ;
                2440 ;
0D39         2450      *= $0D52
0D52         2460  TBL810
0D52 02      2470      .BYTE 2
0D53 C302    2480      .WORD 707,707
0D55 C302
0D57 00FF    2490      .BYTE 0,$FF
0D59         2500  TBL1050
0D59 02      2510      .BYTE 2
0D5A C503    2520      .WORD 965,965
0D5C C503
0D5E 00FF    2530      .BYTE 0,$FF
                2540 ;
                2550 ;
                2560 ; we have moved the label xf0
                2570 ; ...to make room for the tables
                2580 ;
0D60         2590  XF0
0D60 A000    2600      LDY #0
0D62 B9520D  2610  XF01 LDA TBL810,Y
0D65 2C7213  2620      BIT TRUETYPE
0D68 1003    2630      BPL TYPEOK
0D6A B9590D  2640      LDA TBL1050,Y
0D6D         2650  TYPEOK
0D6D 9145    2660      STA (ZDRVA),Y
0D6F C8      2670      INY
0D70 C007    2680      CPY #7
0D72 D0EE    2690      BNE XF01
                2700 ;
0D74         2710  XF02
0D74 9145    2720      STA (ZDRVA),Y
0D76 C8      2730      INY
0D77 10FB    2740      BPL XF02
0D79 EA      2750      NOP
0D7A EA      2760      NOP
0D7B EA      2770      NOP
0D7C EA      2780      NOP
                2790 ;
                2800 ; This patch allows the user to choose
                2810 ; diskette type for formatting via
                2820 ; the 'XIO 254' command
                2830 ;
0D7D         2840      *= XFV      ; Where the format vector is

```

```

0BD6 4C7313      2850      JMP XFVPATCH
                2860 ;
                2870 ; The label 'Z' designates some unused
                2880 ; memory in the original DOS 2.0s
                2890 ;
0BD9            2900      *= Z
1372 00         2910 TRUETYPE .BYTE 0 ; Where PATCHSETUP saves true disk type
                2920 ;
                2930 ; This code becomes the beginning of
                2940 ; the FORMAT code
                2950 ;
1373            2960 XFVPATCH
1373 BD4B03     2970      LDA ICAUX2,X ; Get AUX2 value
1376 F003      2980      BEQ XFVP2 ; zero...don't do anything
1378 8D230D    2990      STA $0D23 ; non-zero...assume it is type of format
137B           3000 XFVP2
137B 4C180D    3010      JMP XFORMAT
                3020 ;
                3030 ;
                3040 ;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;
                3050 ;
                3060 ; end of patches for 1050 drive
                3070 ;
                3080 ;
                3090 ; BEGIN patches for BURST I/O
                3100 ;
                3110 ; from COMPUTE!, July, 1982
                3120 ;
                3130 ;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;
                3140 ;
137E           3150      *= $0A1F
                3160 ;
                3170 ; first, patch the code where WTBUR used to be
                3180 ;
0A1F           3190 WTBUR
0A1F           3200 BURSTIO
0A1F BD8213    3210      LDA FCBOTC,X ; open type code
0A22 490C     3220      EOR #$0C ; check for mode 12 (update)
0A24 F024     3230      BEQ NOBURST
0A26 6A       3240      ROR A ; move carry to MSB of A-reg
0A27 EA       3250      NOP ; filler only
0A28           3260 TBURST
                3270 ;
                3280 ; ... and STA BURTYP remains...but
                3290 ; BURTYP is negative if BURSTIO was
                3300 ; called from GET-BYTE and positive
                3310 ; if it was called from PUT-BYTE
                3320 ;
0A28           3330      *= $0A41
                3340 ; so we must patch here to count for the sense
                3350 ; of BURTYP being inverted from original
                3360 ;
0A41 1009     3370      BPL WRBUR
                3380 ;
0A43           3390      *= $0AD4
                3400 ;
                3410 ; finally, we must patch the GET-BYTE call
                3420 ; so that it JSR's to new location
                3430 ;
0AD4 201F0A   3440      JSR BURSTIO
                3450 ;
0AD7           3460      .END

```


Commodore Autoboot

David W. Martin

This utility makes loading and running programs quick and easy, and can also be used as a form of copy protection. For the VIC-20 and Commodore 64 with a disk drive.

Have you ever wondered how some commercial programs run automatically after they're loaded? "Autoboot" enables you to add this convenient feature to your own programs.

Type in and SAVE Autoboot. VIC users should substitute the following for lines 481 and 491 before saving:

```
481 DATA 165,175,133,46,165,174,133,45,32,89,198,32 :rem 234
491 DATA 142,198,76,174,199 :rem 77
```

To use Autoboot, first load the BASIC program that you want to make bootable. Then enter POKE 43,0:POKE 44,1 and SAVE the program using a different filename. This version of the program will be used by Autoboot. Now load and run Autoboot and enter the name of the modified version when prompted. Autoboot will then turn it into an autoboot program by directly changing certain disk sectors. The sector numbers are displayed on the screen as Autoboot runs.

Since the VIC and 64 automatically relocate programs when loading, all autobooted programs must be loaded using a nonrelocatable load as follows:

```
LOAD "filename",8,1
```

Of course, any BASIC program can be made to load and run from disk just by typing:

```
LOAD "filename",8:
```

and pressing SHIFT-RUN/STOP instead of RETURN. But the power of Autoboot lies in the copy protection it provides. To copy protect your autorun programs, add POKE 808,100 (VIC), or

POKE 808,234 (64) as the first line in your program before saving the modified version to be used by Autoboot. This will disable the RUN/STOP key, the RESTORE key, and the LIST command as soon as the program runs. Since the autobooted program will run as soon as it's loaded, the user won't be able to break out of the program to SAVE it.

Autoboot

Refer to the "Automatic Proofreader" article before typing this program in.

```
100 PRINT "{CLR} AUTOBOOT ":T=18:S=1:D$=""
      ":OPEN15,8,15,"I"+D$ :rem 248
110 OPEN2,8,2,"*"+D$ :rem 234
120 REM **** LOCATE TARGET :rem 158
130 INPUT "FILENAME",NA$:LN=LEN(NA$)
      :rem 139
140 GOSUB210:GOSUB300 :rem 245
150 IFT=0THENPRINTNA$ " NOT FOUND":GOTO540
      :rem 18
160 GOTO140 :rem 101
170 GOTO540 :rem 106
180 REM ***POINT TO BYTE AND GET IT INTO
      {SPACE}X. :rem 108
190 PRINT#15,"B-P: "2,L:GET#2,A$:IFA$="TH
      ENA$=CHR$(0) :rem 197
200 X=ASC(A$):RETURN :rem 206
210 PRINT "TRACK"T" SECTOR"S :rem 148
220 PRINT#15,"U1: "2,D$;T;S :rem 204
230 L=0:GOSUB180:T=X:L=1:GOSUB180:S=X:RET
      URN :rem 71
240 REM *** CHECK FOR FULL MATCH :rem 221
250 FORJ=ITOI+LN:L=J:GOSUB180:IFX=0ORX=16
      0THEN270 :rem 130
260 X$=X$+CHR$(X):NEXTJ :rem 101
270 IFX$<>NA$THENX$="":RETURN :rem 23
280 L=I-2:GOSUB180:TT=X:L=I-1:GOSUB180:SS
      =X:PRINT :rem 142
290 GOTO340 :rem 107
300 REM *** CHECK THROUGH ONE BLOCK FOR N
      AME MATCH :rem 54
310 FORI=5TO230STEP32 :rem 15
320 L=I:GOSUB180:IFCHR$(X)=LEFT$(NA$,1)TH
      ENGOSUB240 :rem 95
```

```

330 NEXTI:RETURN :rem 56
340 REM *** ACCESS 1ST SECTOR OF TARGET P
    ROGRAM :rem 199
350 T=TT:S=SS:GOSUB210 :rem 142
360 L=2:GOSUB180:AL=X:L=3:GOSUB180:AH=X:S
    A=AL+AH*256 :rem 183
370 IFSA<>256THENPRINT:PRINTNA$ " IS NOT P
    REPARED FOR AUTOBOOT":GOTO540:rem 142
380 REM *** ESTABLISH FALSE STACK:rem 125
400 PRINT#15,"U1:"2;DR;TT;SS:PRINT
    :rem 104
410 FORPB=173TO254STEP2:PRINT#15,"B-P:"2;
    PB :rem 74
420 PRINT#2,CHR$(96); :rem 160
430 PRINT#15,"B-P:"2;PB+1 :rem 113
440 PRINT#2,CHR$(3);:PRINT"*";:NEXT:PRINT
    :rem 22
450 PRINT#15,"U2:"2;DR;TT;SS :rem 167
460 GOSUB210:PRINT :rem 116
470 REM ***PUT AUTOBOOT CODE ONTO PAGE 3
    :rem 14
481 DATA165,175,133,46,165,174,133,45,32,
    89,166,32 :rem 229
491 DATA 142,166,76,174,167 :rem 67
500 PRINT#15,"U1:"2;DR;T;S :rem 251
510 FORPB=105TO121:READY:PRINT#15,"B-P:"
    2;PB :rem 194
520 PRINT#2,CHR$(BY);:PRINT". ";:NEXT:PRI
    NT:PRINTNA$ " CAN NOW BOOT ITSELF"
    :rem 0
530 PRINT#15,"U2:"2;DR;T;S :rem 255
540 CLOSE2:CLOSE15 :rem 87 ©

```

ATTENTION COMMODORE 64 OWNERS:

"Is **THE CLONE MACHINE** really dead?"

Yes, there comes a time when a product grows old and isn't the latest state of the art. Thank goodness we understand that here at Micro-W. Our all new version (known as **SUPER CLONE**) will surely prove that we are still number one in the back-up business.

You'll still get the old reliable Clone Machine but we've added the following:

- 1) A fast clone copy (approx. 14 minutes) that's simple to use
- 2) A Super Unguard utility that quickly handles errors 20 thru 29 (and you don't even have to disassemble your drive like some of our competitors suggest)
- 3) A new unique way to back-up formerly uncopyable software.

Don't worry if you are a registered owner of our earlier version, we've got you on file and this upgrade will only cost you \$10 plus shipping and handling. Dealers, call us for stock balancing on old merchandise.

STILL ONLY \$49.95*



Should've made back-ups with Super Clone

Available from:

Micro-W
DISTRIBUTING, INC.

1342B Route 23
Butler, N.J. 07405

CALL: (201) 838-9027 To Order
Dealer and Distributor Inquiries Invited.

* We will allow \$15 trade credit for any other copy program that you have purchased toward the purchase of SUPER CLONE at \$49.95. You must provide your original purchased product and state why you want ours instead. This offer may be withdrawn at any time.

Atari Paddle Fixer

· William Griner

Here's a quick fix for the Atari paddle jitters that still preserves the paddles' range.

The Atari paddles are so sensitive that the heat of a hand or any jarring can change their value. Some paddle-based games don't take the sensitivity into account, causing their characters to flicker annoyingly. Try this:

```

KN 1000 REM get the paddle value
16 1010 PV=PADDLE(PN): IF ABS(PV-OPV
    )>1 THEN OPV=PV: RETURN
1F 1020 PV=OPV: RETURN

```

where:

PN is the paddle number (0-7)

PV is the value read from the paddle

OPV is the old paddle value (initialized to whatever value you wish)

Centered Values

The above subroutine keeps the paddle centered between the adjacent values. It takes a difference of two steps or more to change the paddle value. This is not to say that the paddle will use only all even or all odd values. For example, if the paddle is at value 77, it will not be allowed to move directly to 76 or 78. If you want to move from 77 to 78, you will have to move to 80 or 75, then to 78.

Better Than Brackets

This method is better than dividing the paddle range by a number since doing so creates fixed brackets of possible values and does nothing to keep the paddle value from straddling the bracket boundaries. This method could also be used to keep the paddle in a wide bracket, allowing only for coarse movement, yet giving access to the entire range of the paddle's values. ©

Apple Editing Hints

Patrick Moyer

Most computer owners develop a love-hate relationship with at least one feature of their machines. For Apple owners, this feature is often the editing functions. Here is a review of Apple editing controls and protocols and some tips on making the process easier and more effective.

The Apple uses a combination of screen editing and line editing. Changes are made by moving the cursor to a particular line which has been listed on the screen and retyping that line. This retyping is usually accomplished with the right arrow key. As the right arrow is pressed, the cursor moves to the right, reentering all it passes over. A change is made by typing over what is already there, or by inserting the correction through a combination of cursor moves.

Physical, Logical

Therefore, to make a change, we must specify the line to be changed. In this case, we are talking about a line of BASIC, not a line displayed on the screen. The BASIC line is called a *logical line*, as opposed to the *physical line* that is displayed on the screen. A logical line may contain multiple BASIC commands and may be up to 255 characters long. The physical display line is the 40-letter width of the screen.

Before a BASIC line can be changed, it must be listed. It is best to clear the screen with the HOME command initially. This eliminates confusion about what was changed and what wasn't.

When a line is listed, the computer puts one space between words or variables, two spaces after the line number, seven spaces at the end of the first physical line, and five spaces on the right and left sides of the remaining physical lines.

Most of the time, these extra spaces and lines are of little consequence. One can just merrily right-arrow over them with no harm. The one exception occurs in string information (characters in quotes). This causes a problem. If a string is broken between two or more physical lines during the listing process, and you right-arrow to retype, 12 additional spaces will be inserted between the last character on the first line and the first character on the next line. Certainly not what's wanted. The common solution is to

avoid the right arrow and use the cursor with the <ESC>K sequence instead.

Simplified Cursor Control

There's an even simpler solution. Let's edit a line step by step to demonstrate this technique (<ESC> is the ESC KEY, <RET> is the RETURN KEY):

Here's the line as originally typed:

```
10PRINT"THIS IS A LONG LINE OF STRING  
DATA"<RET>
```

List the line. It looks like this:

```
LIST10<RET>  
10 PRINT "THIS IS A LONG LINE OF STR  
ING DATA"
```

We then type <ESC>I, repeating the I key until the cursor is over the second digit of the line number; J is pressed to move the cursor one space to the left. (This J keypress is important. If you forget it and continue the editing process, you will gain a line in your program. Line 0 will be created, but more about that later.)

Once you've moved left, leave <ESC> mode. This is done by pressing any key not having meaning in <ESC> mode. Because some keys not normally used for cursor movement do have special meaning, it's best to press the space bar. Remember, this will not move the cursor.

We can now use the right arrow to "retype" the line to the place of the change. The repeat key can be used to speed this process. Let's say you've used the right arrow until it appears after the last quote. The line on the screen looks no different. However, if we LIST the line, we now see this:

```
10 PRINT "THIS IS A LONG LINE OF STR  
ING DATA"
```

If we type RUN we get:

```
RUN<RET>  
THIS IS A LONG LINE OF STR  ING DAT  
A
```

Eliminating Problem Margins

The common solution, again, is to right-arrow to the R in STR, then type <ESC> and press K repeatedly to move the cursor until you reach the I in ING. Anyone who has done this often will know how easy it is to forget <ESC> K, and end up with a string of K's.

The solution is simply to eliminate those extra margins unless you need them. Let's start

with the same original line:

```
10PRINT"THIS IS A LONG LINE OF STRING  
DATA"<RET>
```

To edit the line we type:

```
HOME:POKE33,30:LIST10<RET>
```

The HOME gives us a clean screen to work with; the LIST puts the line to be edited on the screen. A POKE instruction places a single number into an "address" in the computer's memory. Address 33 controls the width of the screen display. Placing the number 30 in it reduces the size of the screen to 30 characters wide rather than 40.

Caution: The POKE must be done before the LIST for this method to work. The HOME is optional, but prevents a very confusing screen. (Try it. You'll see what I mean.) The screen will erase and display:

```
10 PRINT"THIS IS A LONG LINE OF S  
TRING DATA"
```

As you can see, the line is 30 characters wide without the extra margin spaces. Move the cursor to the line number as usual. The right arrow may be used without ill effect. It will go directly from the S on the first display line to the T on the second line without inserting any blanks. This eliminates the need to use the <ESC> K sequence.

Once you have finished editing, you will need to type TEXT. This command will return you to normal 40-character screen mode.

Duplicating Lines

One strength of Apple II editing is the ability to duplicate lines. Let's try an example:

```
HOME: POKE33,30:LIST10<RET>  
10 PRINT"THIS IS A LINE TO BE  
DUPLICATED"
```

Next move the cursor up to the line using the normal <ESC>I. When the cursor arrives over the number, move it left until it is over the first digit of the number. Then press the space bar as before; but prior to using the right arrow, retype the line number, say, 20. Then use the right arrow to "retype" the line as described above until you reach the end of the logical line. At this point, press RETURN. If you LIST the program, you'll see:

```
HOME:POKE33,30:LIST<ret>  
10 PRINT"THIS IS A LINE TO BE  
DUPLICATED"  
20 PRINT"THIS IS A LINE TO BE  
DUPLICATED"
```

Once you have moved your cursor up to the number and changed it, you do not have to reuse the entire line. You can treat it like any line to be edited further if necessary.

Easy Program Merge

This technique can also be used on a limited scale to merge two programs. Let's say you have a favorite subroutine of three or four lines which you wish to add to a program. You could use the merge function of the Renumber program on the Systems Master, or the program that is part of the Programmer's Toolkit. If you don't have these programs or you don't have them handy, here is a simple procedure:

1. Save the program you are working on.
2. Load the program which contains the lines to be copied to your new program.
3. Clear the screen, change width, and list lines (using HOME:POKE33,30:LIST statements).
4. Now, load the program the lines are to be added to.
5. Using the normal <ESC> and right-arrow commands, edit each line without changes. It's best to edit the last line first and work up the screen, entering each line one at a time. This is because when multiple lines are listed and edited, once <RET> is pressed, the line number below it is partially destroyed and has to be retyped by hand. There's nothing wrong with changing the line numbers to fit your new program if the current line numbers are a problem.
6. Once all lines are edited, save the program. If you list it, you'll find the lines are now part of your program.

Finally, if you want to cancel a particular change as long as you have not pressed <RET> yet, cancel the editing of the line by typing <CTL> X. Be sure that you press the <CTL> key first, then X. The machine will answer with a backward slash. If you list the line, it will be unchanged. ©

wabash[®]

**When it comes to Flexible Disks,
nobody does it better than Wabash.**

MasterCard, Visa Accepted.
Call Free: (800) 235-4137



**PACIFIC
EXCHANGES**

100 Foothill Blvd.
San Luis Obispo, CA
93401. (In Cal. call
(805) 543-1037)

Math And Tables

I'm frequently asked for addresses within ROM that do certain operations, usually mathematical functions. I do my best to talk programmers out of this approach if possible.

For one thing, the addresses of the ROM routines vary from machine to machine. I'd prefer to see a programmer borrow the code from the ROMs and include it in the program. At least that way, transportability is not a problem.

Using ROM math routines is often awkward. They often call for one or more values to be placed into floating point accumulators before calling, and return values in the same areas. A floating point number is often an inconvenient format and takes a fair-sized conversion routine to bring back to the more convenient "fixed point" notation used by most machine language programmers. The total effort can turn out to be greater than programming it yourself.

But the main reason that I try to discourage use of these routines is this: They are designed for a certain number of digits of accuracy, and your program usually wants either greater or less accuracy. If you need less, you're wasting processor time working out the extra places. If you need more, the built-in routine will not do the job for you.

A Question

I was recently asked by a user to supply the address of the logarithm routine within a certain computer. It would have been easy to just answer the question, but I balked. I asked the user to define his objective.

This makes an interesting case history, since the objectives were changed partway through the exercise. We have a chance to see a couple of approaches to avoiding the built-in routines.

My first thought was to replace the ROM log routine with a streamlined machine language version. There are several efficient ways of calculating a logarithm; any book on numerical analysis (or an encyclopedia) will supply information on this.

First Approach

After questioning the user closely, the objective appeared to be this: An eight-bit reading was being taken from a remote device. He desired to convert this reading to a base ten logarithm (with appropriate scaling) for display purposes, and the accuracy of the result was to be 16 bits.

My concept of the approach changed. The magic words, "eight bits," had been spoken. The objectives were still a bit fuzzy, since it's hard to get a full 16 bits of useful data when your original data was only 8 bits accurate; but not to worry on that score for the moment.

Here's the pitch: If you have an eight-bit value to work through any mathematical function, use a table. There are only 256 possible values to be worked out, 256 questions and 256 corresponding answers.

We'll need to have two tables—one for the low part of the answer and one for the high part—but that's no problem: 512 bytes of storage is usually not hard to come by.

Looking up things in a table of 256 values is the ultimate in simplicity. It's sometimes called a "list type lookup," and the principle is very simple. Put the original value into an index register, and read out the indexed answer. Our code might read something like the following:

```
LDX —input register—
LDA LOWTABLE,X
STA LOWRESULT
LDA HIGHTABLE,X
STA HIGHRESULT
```

No loops, no math, no complexity: Five instructions and it's done. We must be sure to prepare the table in advance, but that's a one-shot task. In fact, BASIC could do the job for us and POKE the values into the table.

Second Approach

When the requirement was examined more closely, the rules changed and the problem was inverted: Given a 16-bit reading, compute the base ten logarithm to 8 bits of accuracy. The eight bits, by the way, were to be used to draw a high-resolution graph; 256 points were quite sufficient for the resolution required.

This requirement makes a little more sense: Converting 16 bits into 8 involves a loss of accuracy, but that was compatible with the display objective.

We still have the magic words "eight bits" embedded in the problem, but this time they describe the result. We can still use our table approach if we invert the way we use the table.

Let's build our table this way: For each of the 256 entries, we'll put the corresponding "anti logarithm" in the table. When we search the table to find the closest match to our original value, the answer will turn out to be the number of the table entry.

An example might illustrate what I mean here. Suppose the 16-bit input number has a value of 2000. The desired result, allowing for the scale, will be 165. In slot 165 of the tables (high and low), I'll find a value that's quite close to 2000. My task: search the table to find the closest value.

Binary Splitting

This isn't hard to do. Most of us have learned to search a table by using a "binary split" method, splitting the table in half again and again until we find the value we want. And on a table of size 256, a computer can do a very efficient job of binary splitting. Eight comparisons and it's all over.

The code would follow these lines:

```
LDA #$80
STA MASK
```

This says, "we're going to split the table into chunks of 128 (hex 80) this time around."

```
LDX #$00
STX POINTER
```

We'll kick off starting at position zero in the table. Here comes the loop:

```
LOOP LDA POINTER
ORA MASK
TAX
```

We've added our offset of 128 to the starting position of zero, so our first comparison will be at the midpoint of the 256 table.

```
COMPARE .....
```

Let's fudge the COMPARE coding for the moment. We'll need to load our high and low bytes into A, compare to the table high and low (indexed, of course) and decide whether our value is higher or lower than the table entry. If our value is LOW, we'll branch ahead to LOW; otherwise, we continue with HIGH:

```
HIGH STX POINTER
```

If our value is high, we store the index. If not, we skip this instruction and continue with the old value in POINTER.

```
LOW LSR MASK
```

Our mask contained 128, the size of the "split." Now we are dividing it by two so that it becomes 64, and 32 the next time, followed by 16, and so on. Eventually, we'll end up with zero as the bit rolls out of the end of the byte.

```
BNE LOOP
```

We go back to do another comparison. Let's see what has happened. POINTER started at zero. If our input value is lower than table item 128, POINTER will stay at zero and the next comparison will be with item 64. On the other hand, if our input value is higher than table entry 128, POINTER will be changed to 128, and the next comparison will be with item 192. In other words, we'll split the upper half or the lower half depending on how the previous comparison went.

It's not hard to see how the program zeros in on the answer after eight comparisons. Finally, MASK becomes zero, the program stops looping, and the answer may be found in POINTER.

The user started out looking for a logarithm routine in ROM, and ended up with something much better: faster, more compact, and well-suited to the application.

And there was a free bonus. After looking at this approach, the user discovered that he could do something he had previously thought impractical: switch to a new display scale—linear, split scale, or whatever—with no difficulty. It was just a matter of turning the tables. ©

Commodore Disk Pattern Matching Part 1

Jim Butterfield, Associate Editor

*The flexible Commodore DOS allows the user to LOAD, Scratch, and obtain a directory of files using the symbols * and ? as pattern matchers. The quirks of these two symbols can, however, cause problems. For one thing, you might accidentally erase an entire diskette.*

Commodore disk drives are versatile; sometimes we don't realize how versatile they are. In this article, we'll discuss *pattern matching*: how it works, and how to use it to get rid of an annoying "comma" file that sometimes appears on your disk directory.

First, a recommendation: Unless you have 4.0 BASIC (in the PET/CBM series of computers), learn how to use the *Wedge* or *DOS Wedge* utility program. It's a great convenience. We'll refer to wedge commands within this article. The DOS Wedge has many handy features, but the two most important are these: You can find out about a disk error at any time by typing the @ key followed by a RETURN; and you can examine a disk directory without disturbing the program within your computer's memory by typing @\$ followed by RETURN.

Pattern Matching

It's possible to identify one or more programs on disk without specifying their full names. Match the missing part of the filename by using a pattern. The two characters used for this are:

- ? - to match any single character;
- * - to match any following characters.

If I have two files, one named DIG and the other, DOG, I can specify a name which matches both files with D?G—the question mark matches any character. If I have files named HOUSE, HO, HOTDOG, and HORRIBLE, I can match them all with HO*—the asterisk matches any group of characters, including no character.

This is good if you can't remember a filename exactly. If you have a file that might be called CATFOOD or might be called CAT FOOD, but you can't remember which, you can load it regardless of name with LOAD "CAT*",8. The first file whose name begins with CAT will be loaded. Unfortunately, you might discover that instead of the program you wanted, you have loaded something else, such as CATCH-MICE. The first name in the directory that matches will be the one loaded.

We can use pattern matching to get around this problem. If you load the directory using pattern matching, you'll see all programs that fit the pattern. To examine CAT programs, type:

```
LOAD "$0:CAT*",8
```

or, with the wedge program:

```
@$0:CAT*
```

You'll see a list of all programs (if any) whose names begin with the characters CAT, which allows you to select the one you want.

Command Variations

Note that LOAD picks the first program that matches, but the directory picks all programs that match.

It's probably obvious that SAVE must not al-

low pattern matching. You must save a real name, not an approximation. Thus, SAVE "CAT*",8 will produce a syntax error from the disk.

The Scratch command does accept pattern matching; all files that match will be removed from the disk. Use pattern matching with great care when using Scratch; you could remove more files than you planned.

To scratch all files from a disk that begin with the letter M, you would type the following:

```
OPEN 15,8,15
PRINT#15,"S0:M"
```

or, using the wedge:

```
@S0:M*
```

Be careful. There might be more files starting with M than you expected. Take a directory listing first (using pattern matching, of course).

Here's another example. Suppose you've been writing a BASIC program called DIS. As you write code, you save the program from time to time, creating DIS1 and DIS2. Then you start testing and correcting, saving new versions as you go, and create DIS3, DIS4, and DIS5. Finally, you're satisfied, and you save your final version as DISK/EDIT. How can you get rid of your five development programs, named DIS1 to DIS5? Easy. Scratch pattern DIS? and they will all go. DISK/EDIT will stay, since the ? character matches only a single character. Do not scratch pattern DIS* since that would definitely clobber DISK/EDIT.

But be careful. Just before you give the command to scratch pattern DIS?, take a directory with the same pattern. You might have other files called DISK or DISH that match the same pattern. So you might code:

```
LOAD "$0:DIS?"
LIST
```

or, with the wedge:

```
@$0:DIS?
```

You'll see the programs that match the name pattern. If they are exactly the ones you want, type the Scratch command; or with the wedge, you can go back and type over the dollar sign with the letter S; pressing RETURN will scratch these files.

New Patterns

There are other patterns that are less well-known. For example, a filename is a pattern; it must be matched exactly. Thus, if I have a file named HOG and I want to see that it is in the directory, and perhaps check the number of blocks, I can type:

```
LOAD "$0:HOG",8
LIST
```

or,

```
@$0:HOG
```

The only item in the directory will be file HOG (if it exists).

Let's take this a step further. Suppose I don't want to see any file details. All I need is the title of the disk, its ID, and the number of blocks free. That's easy: Just specify a file that does not exist on the disk. The directory will then consist of the title line and the blocks free information. I often ask for a directory using a filename such as 0:#\$&!%. This isn't an expletive; it's just a name that I know doesn't exist on the disk so that I'll get the blocks free count.

The Lone Asterisk

You would think that a pattern consisting of only a single asterisk would mean "any file." Thus, a command such as LOAD "***",8 would bring in the first file since anything will match. That's not quite correct: The asterisk often has a special meaning.

The single asterisk sometimes means "same name as last time." It may have been Commodore's intention to allow a user to load a program, and later save it with the same name with SAVE "***",8, the asterisk meaning "same name as before." This was never implemented fully, but you can see traces of this idea in the dual disk copy command. If you have a dual disk, type:


```
@C1:*=0:PROGNAME
```

We can see that this command asks to copy a file called PROGNAME to drive 1; but what name will the new file be given? The destination name is *—which in this case means "same name." Thus, the new file will be named PROGNAME, too. It seems that it was originally Commodore's intention to allow copying to take place with pattern matching, so that C1:*=0:RA* would copy all files whose names started with RA from drive 0 to drive 1 with the same name. If you have a dual drive, try it; it almost works correctly.

So it turns out that LOAD "***",8 does not always load the first file on the disk. Sometimes it loads the same file that was previously loaded.

Specifying Type

You may specify a file type by adding an equals sign to the pattern followed by the file designation: S for Sequential, P for Program, U for User, and R for Relative types. You may also type the three-letter designation such as SEQ or PRG if you wish. Thus, 0:*=S will reference all sequential files, 0:B*=P will reference all programs whose names start with B, and 0:?=P will reference all programs with one-letter names.

Next month we'll look at a common disk error and a way to fix it. 

Writing An Educational Program

I'm sure you already know or have read what a "good" educational program should contain. I'd like to discuss how you actually program an educational program. I decided that the best way I could describe the process was to write a program, then provide a step-by-step explanation of what I did.

The hardest part of writing any program is deciding the topic and the type of program—drill and practice, tutorial, simulation, game, etc. I picked a very popular topic for computer programs, the Morse code, and decided to do a drill-and-practice program. Quite a few readers have requested programs for secondary school students, so next month I'll present a tutorial on a high school subject.

Memorization Quiz

A drill-and-practice program is useful for any subject that requires memorization. The usual procedure is to ask a question, then have the student input an answer. If you can avoid INPUT and use CALL KEY instead, there will be much less chance for errors or "crashing" the program. In the "Morse Code" program, the quiz will be to press the letter or number after the computer displays a code.

I decided to use the numbers from 0 to 9 and the whole alphabet in the quiz. Since each number and letter corresponds to a code, I set up the array M\$ to contain the codes. M\$(0) through M\$(9) will hold the codes for the numbers in order from 0 through 9. The alphabet will be in M\$(10) through M\$(35). Since we need 36 elements for the array, line 160 dimensions M\$. Lines 170–190 READ the codes for M\$ from data in lines 200–250. The data items are in order—first the numbers then the alphabet—each item separated by a comma.

Dots And Dashes

I started out using periods for dots and minus

signs for dashes, but decided it was too difficult to type periods with commas—too much chance for typing errors in the DATA statements. Also, the minus sign requires the SHIFT key and the period doesn't, so the typing was a little more complex. I looked on the ASCII character code chart to see what symbols I wouldn't be using in regular printing and decided to use the ampersand (&) to represent a dash and the percent sign (%) to represent a dot.

I borrowed my son's Morse code chart and converted the dots and dashes into % and & signs. These codes are in the DATA statements of lines 200–250. You may use longer DATA statements if you like (the TI accepts up to four screen lines for each numbered line), but I kept the statements shorter to make it a little easier to type and debug.

The next step was to design the graphics—the dots and dashes. The % sign represents a dot in the DATA statement codes and is redefined in line 140 using a CALL CHAR statement so that it will draw a dot on the screen. The & sign is redefined as a bar-shaped figure in line 150. When a dash is printed on the screen, it will actually be three & signs placed together.

The subroutine in lines 360–470 is the main section of coding that translates a code in M\$ to the graphic representation on the screen. Looking at a code, if the symbol is % we need to draw a dot, and if the symbol is & we need to draw a dash. This process continues for the entire data, which can be from one to five dots and dashes. Line 360 instructs the computer to check from 1 to the length of the data (which will be from 1 to 5). Line 370 assigns a one-character value to A\$ for every increment of the FOR-NEXT loop in line 360. This one-character value is the symbol in the Jth place of the string in the DATA statements. Lines 380–430 instruct the computer to print a dot if the symbol is % and a dash (which

is &&&) if the symbol is &. I put a space after the dot or dash to separate them slightly on the screen. You could use CALL HCHAR instead if you wish, but I used PRINT. By printing with semicolons, everything will stay on the same line and be printed right after the previous printing.

Making Some Noise

Since the TI has sound, we can use sound in our Morse code program. Besides that, real Morse code transmission is by sounds. Line 390 plays a sound for a dash, and line 420 plays a different sound for a dot. I used a sound duration of 300 for the dash and 60 for the dot. As you learn the Morse code, you'll probably want to shorten those durations. You should also try different frequencies instead of the one I chose (131) or combinations of frequencies and noise numbers to get a sound you like. Line 440 stops the sound so that dots and dashes are distinct. If you don't have this statement, dashes would run together and you wouldn't be able to tell how many dashes there should be.

Line 450 forces the loop to go to the next symbol in the code. Line 460 PRINTs to get off the present line (colon means "go to the next line" in printing) and add an extra line between codes. Line 470 returns program execution from this subroutine.

Returning To The Menu

I thought it would be nice to review the numbers and letters before having to take the quiz, so there are three sections: Numbers, Alphabet, and Press a Key. Numbers will print each number and show the corresponding Morse code. Alphabet will go through the whole alphabet in order and print each letter with its code. In Press a Key the student can press any number or letter, and the computer will print the code. In any of these sections the student can at any time press ENTER, and the demonstration will stop and the program will return to the main menu screen.

The procedure to see the codes for the numbers is in lines 560-670. Line 570 begins the FOR-NEXT loop with the counter I varying from 0 to 9 for the numbers. The number is printed (by printing I), then the subroutine at 360 is called which deciphers the code M\$(I) into the dots and dashes and prints the code on the screen while playing the tones. Line 600 calls subroutine 480, which is simply a delay loop to create a slight pause between numbers. Lines 520-530 check to see if the student has pressed ENTER to return to the main menu screen and stop the numbers section.

The Alphabet section, lines 680-790 is similar to the Numbers section. This time the loop

counter I varies from 10 to 35, and the codes will go in order from M\$(10) to M\$(35), which are the letters from A to Z. To print the letters with the codes, line 700 uses the CHR\$ function. The ASCII codes of the letters are from 65 to 90. Since the loop counter I varies from 10 to 35, the ASCII codes for CHR\$ are 55+I.

In the Press a Key section, the student may press a letter or number and the computer will display the code. This section could be used as a quick review for students who want to study certain letters. The student may also spell words and phrases one letter at a time to see and hear the Morse code equivalent. Lines 840-920 detect which key is pressed. If the ENTER key (K=13) is pressed, the program branches back to the main menu screen. The IF-THEN statements make sure that only a number or a letter is pressed; all other keys are ignored. The variable K holds the ASCII value of the key pressed, and lines 900 and 930 relate K to the variable I which is used to print the code M\$(I).

The instructions are in lines 970-1040, and the quiz is contained in lines 1050-1490. The quiz consists of all ten numbers and 26 letters. An array N() is set up so each of the 36 elements from 0 to 35 is equal to 1. This is in lines 1050-1070. Later as one of the numbers or letters is answered correctly, N(I) will be set to zero so it cannot be chosen again. Line 1080 initializes the number of guesses G to zero for the scoring.

The quiz loop first chooses a random number (I) from 0 to 35 (line 1140). If the number has previously been answered correctly, N(I) will be zero and another number I is chosen. Lines 1160-1190 determine the correct answer L for the number I, which will be the ASCII code of the number or letter chosen. Line 1200 calls the subroutine to print and sound out the code chosen, and line 1210 increments the number of guesses.

Lines 1220-1290 detect the key the student presses; makes sure it is ENTER, a number, or a letter; and then prints the key pressed. If the key pressed is ENTER, the program branches back to the main menu and the quiz ends. Lines 1300-1390 determine if the key pressed is the correct answer. If the answer is incorrect, an "uh-oh" sound is played and the program branches back to line 1200 to display and sound the code again and wait for another answer. If the answer is correct, an arpeggio is played. After the code is answered correctly, line 1400 sets N(I) to zero so that code cannot be chosen again, and line 1410 goes to the next problem. The student must get the right answer to continue the quiz.

Quiz Variations

You can change the program to give the right

answer if the student misses. Instead of lines 1330 and 1340, print CHR\$(L) or CALL HCHAR or CALL VCHAR and put L on the screen, then branch to line 1400. In this case you might want to keep a score of number correct and number incorrect. You might want to allow that missed letter or number to be shown again. Branch to line 1410 instead of 1400, and before you branch set Z=Z-1. Another way would be to GOTO 1140 instead of changing the loop counter Z and going to the NEXT Z.

If you prefer to let the student guess two or three times before the correct answer is given, set up a flag (FLAG=0) at line 1155 then at line 1340 increment the flag (FLAG=FLAG+1). You could then branch, depending on the value of FLAG, either back for another guess or to give the answer and branch to the next problem.

You might prefer to have a quiz of a certain number of codes, say 10, rather than all 10 numbers and 26 letters. Change line 1130 to FOR Z=1 TO 10. Using lines 1150 and 1400 will still prevent the quiz from choosing the same number or letter more than once.

Another idea would be to have an infinite quiz. Take off the FOR-NEXT loop, lines 1130 and 1410. Also, you won't need lines 1150 and 1400 (and 1050-1070) because the numbers and letters can keep being chosen. Now the quiz keeps going until the student presses ENTER to return to the main menu screen.

In this type of quiz you may want to make sure the code is not the same as the previous one. We can use a variable PI for previous I chosen, and add these two lines:

```
1150 IF PI=I THEN 1140
1155 PI=I
```

You can change the Numbers and Alphabet sections to fit your needs also. To change the delay time between codes, change the upper limit in line 480. Instead of 200, put your own number; a larger number will be a longer delay. Instead of using a delay between numbers and letters, you can have the student press any key to continue, or press the appropriate number or letter. You can change the following lines:

```
650 IF K<>I+48 THEN 610
655 NEXT I
770 IF K<>I+55 THEN 730
775 NEXT I
```

The program is flexible enough that you can change it to do exactly what you want it to do. You can even change the graphics and make it a quiz to learn Braille, or sign language, or some other type of code. You can use words instead of the alphabet and make a quiz for reviewing a foreign language, or perhaps vocabulary words.

Structuring Your Programs

A couple of readers have suggested that I include flowcharts with my programs. My secret is that I haven't touched a flowchart since it was required in my college FORTRAN class years ago. In answer to your questions of how I plan a program, I just sit down at the computer and start typing. With this program, I got to line 350 and typed

```
350 ON K-48 GOTO 1000,2000,3000,400
      0,5000
```

then worked on a section at a time, not necessarily in order. The Numbers section started with line 1000, Alphabet with line 2000, Press a Key with line 3000, the quiz with line 4000, and 5000 was END.

As I realized I needed subroutines, I numbered them 400, 600, and 700, making sure I didn't get to line 1000. On the TI it doesn't really matter where you put the subroutines; you can put them all at the end if you prefer. Anyway, after everything was running properly and each section was tested, I used the RES command to get all the line numbers to look nice. Each programmer has his or her own way of planning, and there's really no right way or wrong way. I say if it works, you're successful.

If you wish to save typing effort, you may obtain a copy of Morse Code by sending \$3, a blank cassette or disk, and a stamped, self-addressed mailer to:

C. Regena
P.O. Box 1502
Cedar City, UT 84720

Be sure to specify the title and that you need the TI version.

Morse Code

```
100 CALL CLEAR
110 PRINT TAB(7); "*****"
120 PRINT TAB(7); "* MORSE CODE *"
130 PRINT TAB(7); "*****": :
  :
140 CALL CHAR(37, "3C7EFFFFFFFF7E3C"
  )
150 CALL CHAR(38, "0FFFFFFFFFFFF")
160 DIM M$(35), N(35)
170 FOR A=0 TO 35
180 READ M$(A)
190 NEXT A
200 DATA &&&&, %&&&&, %&&&&, %&&&&, %&&&&, %&&&&
  %&&&&
210 DATA %&&&&, &&&&, &&&&, &&&&, &&&&, &&&&
  &&&&
220 DATA %&, &&&&, &&&&, &&&&, %&, %&&&&, &&&&
  %
230 DATA %&&&&, %&, %&&&&, &&&&, %&&&&, &&&&, &&&&
  %
240 DATA &&&&, %&&&&, &&&&, %&&&&, %&&&&, &&&&, &&&&
  &
250 DATA %&&&&, %&&&&, &&&&, &&&&, &&&&, &&&&
```

```

260 PRINT "CHOOSE:"
270 PRINT :TAB(5);"1  NUMBERS"
280 PRINT :TAB(5);"2  ALPHABET"
290 PRINT :TAB(5);"3  PRESS A KEY"
300 PRINT :TAB(5);"4  QUIZ"
310 PRINT :TAB(5);"5  END PROGRAM":
   :::
320 CALL KEY(0,K,S)
330 IF (K<49)+(K>53)THEN 320
340 CALL CLEAR
350 ON K-48 GOTO 560,680,800,970,15
   00
360 FOR J=1 TO LEN(M$(I))
370 A$=SEG$(M$(I),J,1)
380 IF A$="%" THEN 420
390 CALL SOUND(300,131,0)
400 PRINT "&&& ";
410 GOTO 440
420 CALL SOUND(60,131,0)
430 PRINT "% ";
440 CALL SOUND(1,9999,30)
450 NEXT J
460 PRINT ::
470 RETURN
480 FOR D=1 TO 200
490 NEXT D
500 RETURN
510 PRINT : "PRESS <ENTER>";
520 CALL KEY(0,K,S)
530 IF K<>13 THEN 520
540 CALL CLEAR
550 RETURN
560 PRINT TAB(7);"** NUMBERS **":
570 FOR I=0 TO 9
580 PRINT TAB(4);I:"  ";
590 GOSUB 360
600 GOSUB 480
610 CALL KEY(0,K,S)
620 IF K<>13 THEN 650
630 CALL CLEAR
640 GOTO 260
650 NEXT I
660 GOSUB 510
670 GOTO 260
680 PRINT TAB(6);"** ALPHABET **":
   :
690 FOR I=10 TO 35
700 PRINT TAB(4);CHR$(55+I);"  ";
710 GOSUB 360
720 GOSUB 480
730 CALL KEY(0,K,S)
740 IF K<>13 THEN 770
750 CALL CLEAR
760 GOTO 260
770 NEXT I
780 GOSUB 510
790 GOTO 260
800 PRINT "PRESS A LETTER OR A NUMB
   ER."
810 PRINT : "ITS CODE WILL BE GIVEN.
   "
820 PRINT : "TO GET BACK TO THE MAIN
   "
830 PRINT : "MENU SCREEN, PRESS <ENT
   ER>.":::
840 CALL KEY(0,K,S)
850 IF K<>13 THEN 880
860 CALL CLEAR
870 GOTO 260
880 IF K<48 THEN 840
890 IF K>57 THEN 920
900 I=K-48
910 GOTO 940
920 IF (K<65)+(K>90)THEN 840
930 I=K-55
940 PRINT CHR$(K);"  ":
950 GOSUB 360
960 GOTO 840
970 PRINT "** MORSE CODE QUIZ **"
980 PRINT : "YOU WILL HEAR AND SEE
   A"
990 PRINT : "MORSE CODE FOR ONE OF T
   HE"
1000 PRINT : "LETTERS OR NUMBERS."
1010 PRINT : "TYPE THE TRANSLATION."
1020 PRINT : "PRESS <ENTER> TO END.T
   HE"
1030 PRINT : "QUIZ AND RETURN TO THE
   "
1040 PRINT : "MAIN MENU SCREEN."
1050 FOR I=0 TO 35
1060 N(I)=1
1070 NEXT I
1080 G=0
1090 PRINT : "PRESS <ENTER> TO STAR
   T.":::
1100 CALL KEY(0,K,S)
1110 IF S<1 THEN 1100
1120 RANDOMIZE
1130 FOR Z=0 TO 35
1140 I=INT(36*RND)
1150 IF N(I)=0 THEN 1140
1160 IF I>9 THEN 1190
1170 L=I+48
1180 GOTO 1200
1190 L=I+55
1200 GOSUB 360
1210 G=G+1
1220 CALL KEY(0,K,S)
1230 IF K<>13 THEN 1260
1240 CALL CLEAR
1250 GOTO 260
1260 IF K<48 THEN 1220
1270 IF K<58 THEN 1290
1280 IF (K<65)+(K>90)THEN 1220
1290 CALL HCHAR(22,28,K)
1300 IF K=L THEN 1350
1310 CALL SOUND(80,330,2)
1320 CALL SOUND(80,262,2)
1330 GOSUB 480
1340 GOTO 1200
1350 CALL SOUND(100,262,2)
1360 CALL SOUND(100,330,2)
1370 CALL SOUND(100,392,2)
1380 CALL SOUND(200,524,2)
1390 CALL SOUND(1,9999,30)
1400 N(I)=0
1410 NEXT Z
1420 PRINT : "OUT OF 36 NUMBERS AN
   D"
1430 PRINT "LETTERS, YOUR NUMBER OF
   "
1440 PRINT "GUESSES WAS";G:::
1450 FOR I=1 TO 25
1460 CALL SOUND(-99,INT(400*RND)+50
   0,2)
1470 NEXT I
1480 GOSUB 510
1490 GOTO 260
1500 END

```


64 EXPLORER

Larry Isaacs

This month let's discuss a few more things concerning the line-drawing and character-drawing routines presented in the last couple of columns. Some of you may have noted that the character-drawing routines did not support the multicolor mode. This could be done with some additional time and effort. However, because of the increased complexities of handling multicolor mode, there probably won't be room for the routines in the \$C000 to \$C7FF region of RAM where the other routines were located.

Multiuse Vector Bytes

There were some other things which were not implemented as well. First, vector byte strings were provided only for the uppercase character set. The remaining characters weren't implemented due to the space they would require. You could implement the remaining characters yourself, or even create an entire character set of your own design. Also, you are not restricted to drawing characters. The vector byte strings could be used to draw almost any design.

If you have studied the machine language listing for the character-drawing routines, you may have noticed there was some provision made for additional special function vector bytes. One I had in mind, but didn't get around to implementing, was a "clear character cell" special function code. This would clear a character cell of a specified size. The function would be useful if you wanted to draw characters on top of some other design. Another useful function would be contour fill function—that is, fill the area inside a boundary. With this, large solid characters could be made much more easily. Unfortunately, I doubt there is enough room in the code to have such a routine. Perhaps we can discuss contour filling in a future article.

As you might guess, there are lots of other things which could be implemented. Unfortunately, there isn't enough room to implement them all. This is where the machine language source code listing should come in handy. You can combine routines from various sources to construct the set of routines you require.

Easy To Understand

I hope the comments provided in the source code are sufficient to make most of the routines understandable. The thoroughness of the comments is not consistent throughout the source code. The variation is largely due to an effort to keep the source code from growing too large.

Having good comments in a program can be extremely useful. Unfortunately, there are a couple of factors which tend to discourage commenting. The first factor is that it makes the source code longer. With the speed of the 1541 disk drive, the extra size can noticeably affect the length of time it takes to edit or assemble the source file. The second factor is that it takes extra time to write the comments. Usually, writing the comments will be less interesting than writing the program.

However, if the machine language you plan to write will be of some importance, I highly recommend thoroughly commenting the program. You can use comments to understand how the program was intended to work after you've forgotten. You'd be surprised how fast you can forget.

Comment Fields

There are two basic places to put your comments. One is to the side of the machine language instructions, on the same line as the instructions. The other is between routines, where the comments would document the routine which follows. It is here that the extra effort commenting pays off the best. Ideally, the comments should include a description of what the routine is supposed to do, plus the entry and exit conditions that apply. This would allow you to use the routine, once it is written, without having to study the routine itself to determine what it does. In the long run, such comments can actually save a lot of time. Especially if someone else has to make use of your source code. In the source code I've provided so far, most of the time I've included the entry and exit conditions, but have omitted the description to conserve space.

Program 2 and Program 3 which follow are continuations of last month's column on drawing characters to the bitmap. They facilitate the drawing of letters to a hi-res screen.

Refer to the "Automatic Proofreader" article before typing these programs in.

Program 2: Data For Character Routines

```

1 READ LN,SA,EA:LN=LN+30           :rem 146
10 FOR I=0 TO EA-SA                :rem 232
20 READ BY:POKE SA+I,BY:SUM=SUM+BY :rem 120
                                     :rem 242
30 IF INT((I+1)/8)*8<>(I+1) THEN 60 :rem 242
                                     :rem 124
40 READ CS:IF CS<>SUM THEN 90       :rem 124
50 SUM=0:LN=LN+10                 :rem 254
60 NEXT                            :rem 165
70 IF INT(I/8)*8<>I THEN READ CS:IF CS<>S :rem 78
   UM THEN 90
80 PRINT "SUCCESSFUL LOAD":END     :rem 106
90 PRINT "ERROR IN LINE";LN:END   :rem 105
500 DATA 500                      :rem 68
510 DATA 50176                    :rem 179
520 DATA 51090                    :rem 176
530 DATA 76,220,197,76,230,197,76,99,1171 :rem 0
                                     :rem 67
540 DATA 199,76,109,199,76,138,199,76,107 :rem 67
   2
550 DATA 24,196,76,24,196,76,24,196,812 :rem 155
                                     :rem 213
560 DATA 96,0,208,0,0,0,0,0,304 :rem 213
570 DATA 0,0,0,0,0,0,0,0,0 :rem 198
580 DATA 0,0,0,0,0,0,0,0,0 :rem 199
590 DATA 0,0,0,0,0,0,0,32,32 :rem 50
600 DATA 253,174,32,138,173,32,247,183,12 :rem 72
   32
610 DATA 165,101,164,100,96,32,253,174,10 :rem 67
   85
620 DATA 32,158,173,36,13,48,3,76,539 :rem 42
                                     :rem 250
630 DATA 240,192,160,0,177,100,141,30,104 :rem 250
   0
640 DATA 196,200,177,100,133,20,200,177,1 :rem 102
   203
650 DATA 100,133,21,76,163,182,72,162,909 :rem 230
                                     :rem 72
660 DATA 0,201,32,144,5,233,32,232,879 :rem 72
                                     :rem 125
670 DATA 208,247,104,24,125,121,196,170,1 :rem 125
   195
680 DATA 96,128,0,192,224,192,192,128,115 :rem 34
   2
690 DATA 128,133,253,173,14,220,41,254,12 :rem 67
   16
700 DATA 141,14,220,165,1,41,251,133,966 :rem 166
                                     :rem 179
710 DATA 1,169,0,6,253,42,6,253,730 :rem 179
                                     :rem 132
720 DATA 42,6,253,42,133,254,24,173,927 :rem 132
                                     :rem 67
730 DATA 25,196,101,253,133,253,173,26,11 :rem 67
   60
740 DATA 196,101,254,133,254,162,0,160,12 :rem 61
   60
750 DATA 7,177,253,153,32,196,138,153,110 :rem 36
   9

```

```

760 DATA 41,196,136,16,244,165,1,9,808 :rem 93
                                     :rem 177
770 DATA 4,133,1,173,14,220,9,1,555 :rem 177
                                     :rem 84
780 DATA 141,14,220,96,160,7,162,7,807 :rem 84
                                     :rem 241
790 DATA 30,41,196,106,202,16,249,153,993 :rem 241
                                     :rem 153
800 DATA 32,196,136,16,241,96,169,7,893 :rem 153
                                     :rem 68
810 DATA 133,251,162,0,160,7,30,41,784 :rem 68
                                     :rem 130
820 DATA 196,106,136,16,249,164,251,153,1 :rem 130
   271
830 DATA 32,196,232,198,251,16,237,96,125 :rem 45
   8
840 DATA 160,7,162,7,94,41,196,42,709 :rem 44
                                     :rem 17
850 DATA 202,16,249,153,32,196,136,16,100 :rem 17
   0
860 DATA 241,96,172,29,196,208,1,96,1039 :rem 202
                                     :rem 211
870 DATA 162,7,189,32,196,157,41,196,980 :rem 211
                                     :rem 232
880 DATA 202,16,247,136,208,3,76,204,1092 :rem 232
                                     :rem 248
890 DATA 196,136,208,3,76,222,196,76,1113 :rem 248
                                     :rem 147
900 DATA 248,196,160,8,169,0,153,41,975 :rem 147
                                     :rem 72
910 DATA 196,136,16,250,169,255,141,40,12 :rem 72
   03
920 DATA 196,138,240,15,168,162,8,94,1021 :rem 238
                                     :rem 29
930 DATA 32,196,126,41,196,202,16,247,105 :rem 29
   6
940 DATA 136,208,242,96,32,97,192,173,117 :rem 45
   6
950 DATA 32,192,41,7,133,253,162,0,820 :rem 73
                                     :rem 152
960 DATA 160,0,177,251,45,49,196,29,907 :rem 152
                                     :rem 28
970 DATA 32,196,145,251,160,8,177,251,122 :rem 28
   0
980 DATA 45,40,196,29,41,196,145,251,943 :rem 202
                                     :rem 239
990 DATA 232,224,8,240,31,198,253,48,1234 :rem 239
                                     :rem 107
1000 DATA 8,230,251,208,219,230,252,208,1 :rem 107
   606
1010 DATA 215,169,7,133,253,24,165,251,12 :rem 65
   17
1020 DATA 105,57,133,251,165,252,105,1,10 :rem 58
   69
1030 DATA 133,252,208,196,76,114,192,140, :rem 162
   1311
1040 DATA 31,196,32,102,196,32,129,196,91 :rem 26
   4
1050 DATA 32,10,197,32,171,193,32,42,709 :rem 173
                                     :rem 203
1060 DATA 197,32,76,197,24,169,8,160,863 :rem 203
                                     :rem 9
1070 DATA 0,174,29,196,240,12,202,240,109 :rem 9
   3
1080 DATA 25,169,248,160,255,202,240,2,13 :rem 60
   01
1090 DATA 208,16,109,30,192,141,30,192,91 :rem 21
   8
1100 DATA 152,109,31,192,141,31,192,76,92 :rem 16
   4

```


1110	DATA	216,197,109,32,192,141,32,192,111	1460	DATA	32,29,198,141,54,196,76,179,905
		:rem 109			:rem 2
1120	DATA	172,31,196,96,32,55,196,141,919	1470	DATA	198,140,31,196,32,3,198,32,830
		:rem 243			:rem 187
1130	DATA	25,196,140,26,196,96,32,69,780	1480	DATA	29,198,176,99,32,59,198,201,992
		:rem 197			:rem 16
1140	DATA	196,36,13,48,3,76,151,197,720	1490	DATA	248,240,9,32,179,198,32,195,113
		:rem 138			:rem 41
1150	DATA	173,30,196,240,13,160,0,177,989	1500	DATA	194,76,247,198,174,54,196,208,1
		:rem 233			:rem 152
1160	DATA	20,32,151,197,200,204,30,196,10	1510	DATA	15,32,29,198,32,59,198,32,595
		:rem 48			:rem 150
1170	DATA	144,245,96,41,127,10,168,173,10	1520	DATA	179,198,32,159,193,76,247,198,1
		:rem 69			:rem 159
1180	DATA	27,196,133,251,173,28,196,133,1	1530	DATA	202,208,9,32,212,198,32,195,108
		:rem 132			:rem 27
1190	DATA	252,177,251,141,50,196,200,177,1444	1540	DATA	194,76,247,198,202,208,9,32,116
		:rem 174			:rem 40
1200	DATA	251,141,51,196,96,173,50,196,11	1550	DATA	212,198,32,159,193,76,247,198,1
		:rem 75			:rem 147
1210	DATA	133,251,173,51,196,133,252,160,1349	1560	DATA	202,208,6,32,24,196,76,247,991
		:rem 166			:rem 194
1220	DATA	0,177,251,72,238,50,196,208,119	1570	DATA	198,202,208,6,32,24,196,76,942
		:rem 24			:rem 196
1230	DATA	3,238,51,196,104,201,143,240,11	1580	DATA	247,198,202,208,6,32,24,196,111
		:rem 59			:rem 28
1240	DATA	1,24,96,72,41,15,201,8,458	1590	DATA	76,247,198,202,208,6,32,24,993
		:rem 231			:rem 201
1250	DATA	144,2,9,240,141,54,196,169,955	1600	DATA	196,76,247,198,76,247,198,172,1
		:rem 190			:rem 153
1260	DATA	0,141,53,196,104,74,74,74,716	1610	DATA	31,196,96,32,55,196,141,27,774
		:rem 133			:rem 197
1270	DATA	74,201,8,144,7,9,240,162,845	1620	DATA	196,140,28,196,96,32,69,196,953
		:rem 83			:rem 6
1280	DATA	255,142,53,196,141,52,196,96,11	1630	DATA	36,13,48,3,76,241,198,173,788
		:rem 82			:rem 152
1290	DATA	56,169,0,237,52,196,141,52,903	1640	DATA	30,196,240,13,160,0,177,20,836
		:rem 189			:rem 171
1300	DATA	196,169,0,237,53,196,141,53,104	1650	DATA	32,241,198,200,204,30,196,144,1
		:rem 26			:rem 116
1310	DATA	196,96,56,169,0,237,54,196,1004	1660	DATA	245,96,32,234,192,41,3,141,984
		:rem 243			:rem 190
1320	DATA	141,54,196,96,169,0,141,53,850	1670	DATA	29,196,96,321
		:rem 185			:rem 124
1330	DATA	196,173,52,196,174,54,196,141,1			
		:rem 138			
1340	DATA	54,196,142,52,196,16,5,169,830			
		:rem 192			
1350	DATA	255,141,53,196,96,174,29,196,11			
		:rem 89			
1360	DATA	208,1,96,202,208,6,32,124,877			
		:rem 132			
1370	DATA	198,76,96,198,202,208,6,32,1016			
		:rem 246			
1380	DATA	96,198,76,114,198,32,124,198,10			
		:rem 100			
1390	DATA	76,114,198,32,149,198,24,173,96			
		:rem 53			
1400	DATA	32,192,109,54,196,141,36,192,95			
		:rem 30			
1410	DATA	24,173,30,192,109,52,196,141,91			
		:rem 24			
1420	DATA	34,192,173,31,192,109,53,196,98			
		:rem 34			
1430	DATA	141,35,192,96,169,0,141,53,827			
		:rem 186			
1440	DATA	196,32,29,198,141,52,196,201,10			
		:rem 79			
1450	DATA	0,16,5,169,255,141,53,196,835			
		:rem 138			

Program 3: Illustration Of Character Routines

10	REM	DRAW CHARACTERS IN BIT-MAP	:rem 212
20	POKE	56,156:CLR	:rem 223
30	CT=PEEK(56)*256+PEEK(55):REM	CHAR DATA	
		PTR	:rem 54
40	J1=49152:REM	DRAWING JUMP TABLE	
			:rem 239
50	J2=50176:REM	CHAR. JUMP TABLE	:rem 47
60	GOTO	1000	:rem 96
1000	REM	MAIN ROUTINE	:rem 240
1010	GOSUB	10000:SYS J2+6,CT	:rem 12
1020	SYS	J1:SYS J1+6,0:SYS J1+9,6,14	
			:rem 185
1030	SYS	J1+12,10,180:REM MOVE	:rem 115
1040	SYS	J2+3,"EXAMPLE USE OF PUT "	
			:rem 149
1050	SYS	J2+3,"CHARACTER ROUTINE."	
			:rem 240
1060	SYS	J1+12,10,160:REM MOVE	:rem 116
1070	FOR	CH=32 TO 63	:rem 232
1080	SYS	J2+3,CH:NEXT	:rem 210
1090	SYS	J1+12,257,140	:rem 93

```

1100 SYS J2+12,2:REM ROTATE 180 DEG.
                                     :rem 173
1110 FOR CH=64 TO 95                   :rem 237
1120 SYS J2+3,CH:NEXT                  :rem 205
1130 SYS J2+12,0:REM NO ROTATION      :rem 85
2000 SYS J1+12,10,80:REM MOVE         :rem 64
2010 SYS J2+9,"EXAMPLE USE OF DRAW "
                                     :rem 206
2020 SYS J2+9,"CHARACTER ROUTINE":rem 198
2030 SYS J1+12,10,60:REM MOVE         :rem 65
2040 FOR CH=64 TO 90                   :rem 235
2050 SYS J2+9,CH:NEXT                  :rem 214
2060 SYS J1+12,217,40:REM MOVE        :rem 123
2070 SYS J2+12,2:REM ROTATE 180 DEG.
                                     :rem 180
2080 FOR CH=90 TO 64 STEP -1          :rem 137
2090 SYS J2+9,CH:NEXT                  :rem 218
2100 SYS J2+12,0:REM NO ROTATION      :rem 83
9000 GET Z$:IF Z$="" THEN 9000        :rem 231
9010 SYS J1+3                          :rem 162
9020 END                                :rem 162
10000 REM LOAD CHAR. VB DATA         :rem 243
10010 C=0:PT=CT+256:REM INIT POINTER
                                     :rem 143
10020 READ CH:IF CH<0 THEN RETURN:rem 105
10030 HB=INT(PT/256):LB=PT-HB*256:rem 142
10040 POKE CT+CH*2,LB:POKE CT+CH*2+1,HB
                                     :rem 171
10050 GOSUB 10100:REM LOAD VB DATA:rem 88
10060 GOTO 10020                       :rem 35
10100 REM LOAD CHAR. DATA AT PT     :rem 149
10110 READ VB                          :rem 167

```

Here comes the new generation of SM's

GOLDEN TOOL

program series for the 64.


ADREVA 64

Your personal professional address-file-system. Up to 620 addresses per disc in direct access. Including 5 extra lines for individual text/record. Totally menu-driven. Powerful editing and back-up facilities.

ONLY \$60

Several hardcopy features.

PLACE YOUR CHECK OR MONEY ORDER NOW!



SM SOFTWARE INC. 252 Bethlehem Pike Colmar, PA 18915

Here comes the new generation of SM's

GOLDEN TOOL

program series for the 64.

ONLY \$60

KIT 64

The famous programming tool with powerful basic extensions like merge, find, renumber, dump, trace, enhanced floppy-monitor (disc-doctor) and high efficient machine-language-monitor with built-in assembler, disassembler, trace and lots of more helpful features—really a golden tool!

PLACE YOUR CHECK OR MONEY ORDER NOW!



SM SOFTWARE INC. 252 Bethlehem Pike Colmar, PA 18915

```

10120 IF C>0 THEN C=C-1:GOTO 10180
                                     :rem 241
10130 IF ABS(VB)>7 THEN 10160         :rem 223
10140 READ DY:VB=(VB*16+(DYAND15))
                                     :rem 138
10150 GOTO 10180                       :rem 42
10160 IF VB=143 THEN 10190           :rem 30
10170 IF VB<>128 THEN C=2             :rem 22
10180 POKE PT,VBAND255:PT=PT+1:GOTO 10110
                                     :rem 129
10190 POKE PT,VBAND255:PT=PT+1:RETURN
                                     :rem 54
11100 REM ADD CHARACTER DATA FROM PROGRAM
      1 IN LAST MONTH'S ISSUE       :rem 24

```

©

To receive additional information from advertisers in this issue, use the handy reader service cards in the back of the magazine.

SYSound

Mike Steed

The Commodore 64 has an amazing sound chip, and anyone who has heard it knows this. However, anyone who has tried to program it may have been surprised or discouraged, because everything had to be done with POKEs. That is, until now. "SYSound" will make creating sounds much easier, using absolutely no POKEs at all. Also included is an example program to show how easy programming 64 music can be.

Type in Program 1 and be sure to save a copy before running it. Program 1 loads in SYSound, which is a machine language program, and one typing mistake can crash SYSound when you use it. You may wish to save a copy of just the machine language once it's loaded, if you have a machine language monitor. Program 1 will specify the start and end addresses.

To use SYSound, all you need to do is type SYS 49152 followed by any of several possible parameters, each separated by a comma. The

number 49152 could (and probably should) be put into a variable, such as S or SOUND.

A list of possible parameters for the SYS statement and their meanings follows:

- Vx, where x is the voice number used for the note (one, two, or three). More than one voice may be used at the same time.

- Ax, where x is the attack rate of the note. This is the time it takes the sound to reach its highest volume. The value of x must be between 0 and 15; the larger the number, the more time it takes. (See the figure for a further description of attack, decay, sustain, and release.)

- Dx, where x is the decay rate of the note (0-15). This is the time it takes the sound to soften to the sustain volume.

- Sx, where x is the sustain level of the note (0-15). The sound remains at this volume until the release starts.

- Rx, where x is the release rate of the note (0-15). The release rate is the time it takes the sound to drop from the sustain volume to silence.

- Wy[x], where y is a letter representing the waveform used for the sound. This can be N (noise), S (sawtooth), T (triangle), or P (pulse). If the pulse waveform is chosen, then a pulse rate x (0-4095) must be entered after the waveform letter, such as WP2048 for a square wave.


- Fx, where x is the frequency of the note (0-65535). Higher frequencies will produce higher notes.

- Lx, where x is the volume (loudness) of the note (0-15). Note that this is the overall volume, so all the voices will be affected by this setting.

- C clears the sound chip. This is equivalent to the following in BASIC:

```
10 S=54272:FOR I=0 TO 24:POKE S+I,0:NEXT
```

Once a parameter has been entered, it need



not be entered the next time the routine is used. For example, if all your sound effects are going to be done with voice 1, at volume 15, with the sawtooth waveform, attack 0, decay 9, and sustain and release 0, you could set all these at the beginning of your program:

```
10 S=49152:SYS S,C,V1,L15,WS,D9
```

(All parameters default to zero initially, so A, S, and R needn't be entered.) Then all that would need to be done to play a note would be:

```
20 SYS S,F5000
```

(Any valid numeric expression may be used after the parameter letter.) Also, if a parameter is entered more than once, only the last case will be considered. For example, SYS S,WS,WT,A0,A6 is effectively the same as SYS S,WT,A6.

Program 2 provides an example of SYSound in action, and shows how much simpler music programming can be accomplished.

If you would rather not type all those DATA statements, I will send you a copy of the program. Send a stamped, self-addressed mailer, a blank tape or disk (1540/1541), and \$3 to:

Mike Steed
712 W. 1280 S.
Provo, UT 84601

Program 1: SYSound

Refer to the "Automatic Proofreader" article before typing this program in.

```
100 DATA 32,121,0,208,3,76 :rem 234
110 DATA 241,192,201,44,240,3 :rem 127
120 DATA 76,67,193,32,115,0 :rem 44
130 DATA 162,8,221,76,193,240 :rem 144
140 DATA 6,202,16,248,76,67 :rem 52
150 DATA 193,138,10,170,189,85 :rem 205
160 DATA 193,133,251,189,86,193 :rem 6
170 DATA 133,252,32,50,192,76 :rem 145
180 DATA 0,192,108,251,0,32 :rem 33
190 DATA 55,193,201,1,144,4 :rem 40
200 DATA 201,4,144,3,76,72 :rem 241
210 DATA 193,202,142,114,193,96 :rem 243
220 DATA 32,55,193,10,10,10 :rem 25
230 DATA 10,141,123,193,173,120 :rem 227
240 DATA 193,41,15,13,123,193 :rem 139
250 DATA 141,120,193,96,32,55 :rem 145
260 DATA 193,141,123,193,173,120 :rem 34
270 DATA 193,41,240,13,123,193 :rem 190
280 DATA 141,120,193,96,32,55 :rem 148
290 DATA 193,10,10,10,10,141 :rem 72
300 DATA 123,193,173,121,193,41 :rem 237
310 DATA 15,13,123,193,141,121 :rem 177
320 DATA 193,96,32,55,193,141 :rem 153
330 DATA 123,193,173,121,193,41 :rem 240
340 DATA 240,13,123,193,141,121 :rem 228
350 DATA 193,96,32,115,0,162 :rem 95
360 DATA 3,221,103,193,240,6 :rem 84
370 DATA 202,16,248,76,67,193 :rem 160
380 DATA 224,1,240,6,32,115 :rem 34
390 DATA 0,76,196,192,32,44 :rem 56
400 DATA 193,192,16,144,3,76 :rem 99
```

```
410 DATA 72,193,142,117,193,140 :rem 243
420 DATA 118,193,162,1,189,107 :rem 199
430 DATA 193,141,119,193,96,32 :rem 204
440 DATA 44,193,142,115,193,140 :rem 243
450 DATA 116,193,96,32,55,193 :rem 159
460 DATA 141,122,193,96,169,0 :rem 151
470 DATA 162,24,157,0,212,202 :rem 134
480 DATA 16,250,169,0,141,115 :rem 141
490 DATA 193,141,116,193,76,115 :rem 255
500 DATA 0,173,115,193,208,5 :rem 89
510 DATA 173,116,193,240,37,174 :rem 248
520 DATA 114,193,189,111,193,133 :rem 41
530 DATA 251,169,212,133,252,160 :rem 34
540 DATA 6,185,115,193,145,251 :rem 201
550 DATA 136,16,248,160,4,173 :rem 149
560 DATA 119,193,9,1,145,251 :rem 101
570 DATA 173,122,193,141,24,212 :rem 240
580 DATA 96,165,122,208,2,198 :rem 161
590 DATA 123,198,122,76,121,0 :rem 146
600 DATA 32,166,173,32,247,183 :rem 199
610 DATA 166,20,164,21,96,32 :rem 94
620 DATA 44,193,152,208,11,224 :rem 191
630 DATA 16,176,7,138,96,162 :rem 111
640 DATA 11,76,58,164,162,14 :rem 101
650 DATA 208,249,86,65,68,83 :rem 124
660 DATA 82,87,70,76,67,53 :rem 20
670 DATA 192,72,192,94,192,112 :rem 209
680 DATA 192,134,192,152,192,203 :rem 45
690 DATA 192,213,192,220,192,78 :rem 2
700 DATA 80,83,84,128,64,32 :rem 54
710 DATA 16,0,7,14,0,0 :rem 33
720 DATA 0,0,0,0,0,0 :rem 175
730 DATA 0,0 :rem 64
740 FORI=49152TO49531:READJ:POKEI,J:K=K+J
: NEXT :rem 121
750 IFK<>44621THENPRINT"ERROR IN DATA STA
TEMENTS":STOP :rem 180
760 PRINT"{CLR}{3 DOWN}SYS SOUND{DOWN}
{9 LEFT}{9 T}":Q$=CHR$(34) :rem 178
770 PRINT"TO SAVE IN MONITOR:":PRINT"
{DOWN}.S "Q$SYS SOUND"Q$",01,C000,C1
7C :rem 85
780 PRINTSPC(15)"↑↑":PRINTSPC(15)"{DOWN}0
1 FOR TAPE,":PRINTSPC(15)"08 FOR DISK
:rem 32
```

Program 2: Sample Program Using SYSound

Refer to the "Automatic Proofreader" article before typing this program in.

```
120 S=49152:SYS S,C,L15:T=TIME :rem 251
130 READ D:IF D=0 THEN SYS S,C:END :rem 111
140 READ F1,F2,F3 :rem 113
150 SYS S,V1,F(F1),WT,A0,D9,S0,R0:rem 79
160 SYS S,V2,F(F2),WS,A2,D4,S2,R2:rem 82
170 SYS S,V3,F(F3),WT,A1,D2,S10,R10 :rem 177
180 T=T+10*D :rem 120
190 IF T>TIME GOTO 190 :rem 189
200 GOTO 130 :rem 95
300 DATA 1,13153,0,0 :rem 191
310 DATA 1,11060,0,0 :rem 187
320 DATA 2,8779,5530,2195 :rem 226
330 DATA 2,8779,6577,0 :rem 78
340 DATA 1,8779,4389,1644 :rem 236
350 DATA 1,9854,0,0 :rem 161
360 DATA 1,11060,6577,0 :rem 105
370 DATA 1,11718,0,0 :rem 203
400 DATA 2,13153,5530,2195 :rem 255
410 DATA 2,13153,6577,0 :rem 107
```


420 DATA 2,13153,4389,2463	:rem 10
430 DATA 2,11060,6577,2765	:rem 12
440 DATA 2,14764,5859,2930	:rem 23
450 DATA 2,14764,8779,0	:rem 126
460 DATA 2,14764,7382,2195	:rem 21
470 DATA 1,0,8779,0	:rem 169
480 DATA 1,13153,0,0	:rem 200
500 DATA 2,14764,5859,2930	:rem 20
510 DATA 1,0,8779,0	:rem 164
520 DATA 1,13153,0,0	:rem 195
530 DATA 1,14764,7382,2765	:rem 21
540 DATA 1,16572,0,0	:rem 205
550 DATA 1,17557,8779,2463	:rem 22
560 DATA 1,19708,0,0	:rem 311
600 DATA 2,22121,5530,2195	:rem 252
610 DATA 2,0,6577,0	:rem 160
620 DATA 2,0,4389,1644	:rem 63
630 DATA 1,17557,6577,0	:rem 122
640 DATA 1,13153,0,0	:rem 198
650 DATA 2,17557,5530,2195	:rem 18
660 DATA 2,0,6577,0	:rem 165
670 DATA 2,0,4389,2071	:rem 63
680 DATA 1,13153,6577,1845	:rem 21
690 DATA 1,11060,0,0	:rem 198
700 DATA 2,13153,5859,1644	:rem 14
710 DATA 2,0,6577,0	:rem 161
720 DATA 2,0,4927,2463	:rem 62
730 DATA 1,9854,6577,0	:rem 76
740 DATA 1,11108,0,0	:rem 197
750 DATA 2,8779,5530,2195	:rem 233
760 DATA 2,0,6577,1644	:rem 69
770 DATA 2,0,5530,1097	:rem 60
780 DATA 2,0,0,0	:rem 255
790 DATA 0	:rem 234 ©

COMMODORE 64 HACKERS ONLY

BOOKWARE FROM ABACUS



.....Unravel the mysteries of the misunderstood floppy disk. 300+ pages of in-depth information. Sequential, relative random files. Many useful utilities. 1541 ROM listing fully commented. \$19.95

..... A machine language reference guide specifically to the Commodore 64. All instructions fully explained. With these complete program listings for an ASSEMBLER, DISASSEMBLER & 6510 simulator. 200+ pages. \$19.95

..... 300+ page detailed guide to the internals of your favorite computer. Covers graphics, synthesizer, kernel, BASIC. Includes full commented ROM listings. \$19.95

OTHER TITLES COMING SOON!
ASK FOR FREE CATALOG
FOR QUICK SERVICE
PHONE 616-241-5510

Abacus  Software

P.O. Box 7211 Grand Rapids, MI 49510 Add \$2.00 postage and handling. Foreign add \$4.00. Michigan residence add 4%. MC, VISA, AMEX accepted.

Musical TI Keyboard

Randal J. Reifsnider


The TI music chip has long been regarded as an excellent sound chip, but few programs have yet demonstrated its capabilities. "Musical TI Keyboard" changes all that by turning your TI's keys into simulated piano keys.

In the book *Beginner's BASIC* that comes with the TI-99/4A computer, there is a short demonstration program illustrating how you can use the computer's keyboard to make musical tones. When you run this program and press the A key, the musical tone A will sound. The tone will continue as long as you hold down the key, with a slight gap of silence between repetitions of the tone. This sounds like a musical machine gun. It is an interesting program, but very limited. Since it uses only seven letters of the alphabet to represent musical notes, you could play only seven notes on the computer in this fashion (A

through G, with no sharps or flats).

Also, if you play the piano and are familiar with its keyboard arrangement, you'll find that looking for letters feels unnatural and difficult. Hence, "Musical TI Keyboard," which makes the computer's keyboard more closely resemble that of a piano.

This program first READs frequency values from DATA statements into an array, then mathematically converts the ASCII code returned by the CALL KEY statement, and uses that value in the CALL SOUND statement to locate the corresponding frequency value within the array. The figure shows the arrangement of the keyboard. Since not all the keys are used, the program includes a check to silence any unwanted keys. ASCII code numbers of silenced keys which fall within the array are assigned a DATA value of 1 as a filler. This allows the array to be easily filled and insures that the ASCII code for a given key corresponds to the proper frequency.



Program Variations

One variation of this program you may want to try would be:

```
90 CALL SOUND (100,NOTE(Q),1,1.26*NOTE(Q),5,
1.5*NOTE(Q),5)
```

This would produce a major chord for each key pressed. To create minor chords, try:

```
90 CALL SOUND (100, NOTE(Q),1,1.19*NOTE(Q),5,
1.5*NOTE(Q),5)
```

If you change the duration from 100 to -150, the computer will play continuous tones. A value for a noise (-1 through -8) could be added to the CALL SOUND statement for an interesting effect. The space bar could be assigned a noise value for use as percussion. Since this program requires that the ALPHA LOCK be on, additional tones or noises could be assigned to what would be the lowercase letters.

Even though we do have a piano, our four-year-old daughter would rather play the computer. However, you can take the program further. You could include a routine within the program to print out the duration, frequency, and sequence of the notes you play on the computer's keyboard. This could be extremely helpful when tackling the laborious task of transposing sheet music so that it can be played by the computer. You could also try creating a routine that would play back any song played on the computer.

To make playing your computer/piano keyboard easier, you might want to buy two different colors of small gummed labels, like those sold in office supply stores. These may be placed on the computer keys to distinguish the white keys from the black keys. Novice musicians may

also wish to write the name of the note on the label as an aid to playing. These labels can be easily removed when you are ready to let the computer go back to its regular keyboard functions.

Musical TI Keyboard

```
10 CALL CLEAR
20 DIM NOTE(47)
30 FOR C=1 TO 47
40 READ NOTE(C)
50 NEXT C
60 CALL KEY(0,N,S)
70 IF (N<44)+(N=45)+(N=49)+(N=52)+(
N=56)+((N>57)*(N<66))+(N=68)+(N=
72)+(N>90) THEN 60
80 Q=N-43
90 CALL SOUND(100,NOTE(Q),1)
100 GOTO 60
110 DATA 220,1,247,698,622,1,277,31
1,1,370,415,466,1,554,1,1,1,1,1
,1,1,1,165,131,1,330,139,156,1
120 DATA 523,185,208,233,196,175,58
7,659,262,349,117,392,494,147,2
94,123,444,110
```

To receive additional information from advertisers in this issue, use the handy reader service cards in the back of the magazine.

CAPUTE!

Modifications Or Corrections To Previous Articles

64 Jackpot ✓

The 64 version of this game from the August issue (Program 3, p. 89) requires the following two lines, which were accidentally omitted from the original listing:

```
5 PRINT "{CLR}";:POKE51,0:POKE55,0:POKE52,
48:POKE56,48:CLR:GOSUB 60 :rem 61
10 TT=50:S=54272:FORL=STOS+24:POKEL,0:NEX
T :rem 135
```

IBM PC/PCjr Blueberries

The IBM version (Program 3, p. 88) of this game in the July issue should work as published, but reader Michael Saletnik points out that the programmer used the VARPTR statement incorrectly in line 5000. VARPTR returns the starting address for the *descriptor* of the specified string variable. The descriptor is three bytes of data; the first byte tells the length of the string, and the other two hold the starting address within the current segment of memory where the characters that make up the string are stored. Thus, if you use a statement like $V = \text{VARPTR}(\text{ML}\$)$, then $\text{PRINT PEEK}(V)$ will show the length of $\text{ML}\$$, and $\text{PRINT PEEK}(V+1) + 256 * \text{PEEK}(V+2)$ will give the starting address of the characters in $\text{ML}\$$.

In line 5000, the calculated address ZZ does not point to the start of $\text{ML}\$$ as intended, but rather off into some other part of the variable area. "Blueberries" works as printed because the

programmer uses the computed address to POKE the machine language directly into memory in line 5010. A more standard way of transferring the machine language from DATA statements into $\text{ML}\$$ would have been:

```
READ A:ML$=ML$+CHR$(A)
```

If the technique used in line 5010 had not been used, then the program would not have performed correctly. To place the machine language data properly into $\text{ML}\$$, line 5000 should be changed to read:

```
5000 DEF SEG:ML$=SPACE$(48):V=VARPTR(ML$)
:ZZ=PEEK(V+1)+256*PEEK(V+2)
```

Bunny Hop For The 64 ✓

Characters were omitted in two lines of the Commodore 64 version (Program 1, p. 74) of this game from the July issue. The final number in line 35 should be 208 instead of just 2, and the final number in line 200 should be 33 instead of 3. The corrected lines should read as follows:

```
35 DATA40,169,32,145,253,96,160,41,177,25
3,136,145,253,200,200,192,81,208
200 POKEP,32:POKE37154,127:Y=PEEK(56320)A
NDPEEK(QQ):IF(YANDB)=0THENP=P+1:D=33
```

VIC Olympiad ✓

There is an error in one of the PRINT statements which defines the arena in the VIC version (Program 2, p. 56) of this game from the June issue. Ed Eyeran notes that there should be two spaces following the five SHIFTed spaces in line 3080. The line should read as follows:


```
3080 PRINT"-{2 SHIFT-SPACE}{5 SPACES}U[E]W
{2 SPACES}{Q}I{5 SHIFT-SPACE}
{2 SPACES}-";
```

Also, line 1045 in the VIC version is an unintentional carryover from the original Commodore 64 version, and can be deleted. ©

MEMOREX FLEXIBLE DISCS

WE WILL NOT BE UNDER-
SOLD! Call Free (800)235-4137
for prices and information. Dealer
inquiries invited and C.O.D.'s
accepted.

PACIFIC
EXCHANGES
100 Foothill Blvd.
San Luis Obispo, CA
93401. In Cal. call
(800) 592-5935 or
(805) 543-1037



Copy Atari 400/800/XL Series Cartridges to Disk
and run them from a Menu

ATARI CARTRIDGE-TO-DISK COPY SYSTEM \$69.95

Supercart lets you copy ANY cartridge for the Atari 400/800/XL Series to diskette, and thereafter run it from your disk drive. Enjoy the convenience of selecting your favorite games from a "menu screen" rather than swapping cartridges in and out of your computer. Each cartridge copied by Supercart functions exactly like the original. Supercart includes:

* DISKETTE with:
COPY PROGRAM - Copies the cartridge to a diskette (up to 9 cartridges will fit on one disk.)
MENU PROGRAM - Automatically runs and displays a menu prompting user for a ONE
keystroke selection of any cartridge on the disk.

* CARTRIDGE:
"Tricks" the computer into thinking that the original "copy protected" cartridge has been inserted.

To date, there have been no problems duplicating and running all of the protected cartridges that we know of. However, FRONTRUNNER cannot guarantee the operation of all future cartridges. Supercart is user-friendly and simple to use and requires no modifications of your hardware. **PIRATES TAKE NOTE:** SUPERCART is not intended for illegal copying and/or distribution of copyrighted software. . . Sorry!!!

SYSTEM REQUIREMENTS:

Atari 400/800 or XL Series Computer / 48K Memory / One Disk Drive
Available at your computer store or direct from FRONTRUNNER. DEALER INQUIRIES ENCOURAGED
TOLL FREE ORDER LINE: (24 Hrs.) 1-800-848-4780/In Nevada or for questions Call: (702) 786-4600
Personal checks allow 2-3 weeks to clear. M/C and VISA accepted.

Include \$3.50 (\$7.50 Foreign orders) for shipping.
FRONTRUNNER COMPUTER INDUSTRIES
316 California Ave., Suite #712, Reno, Nevada 89509 - (702) 786-4600
Others Make Claims. . . SUPERCART makes copies!!!
ATARI is a trademark of Warner Communications, Inc.

Tiny MLX Machine Language Entry Program

For Unexpanded VIC-20

Charles Brannon, Program Editor

MLX is a labor-saving utility that allows almost fail-safe entry of machine language programs published in COMPUTE!. You need to know nothing about machine language to use MLX—it was designed for everyone. "Tiny MLX" is a special version for the unexpanded VIC.

MLX is a new way to enter long machine language (ML) programs with a minimum of fuss. MLX lets you enter the numbers from a special list that looks similar to BASIC DATA statements. It checks your typing on a line-by-line basis. It won't let you enter illegal characters when you should be typing numbers. It won't let you enter numbers greater than 255 (forbidden in ML). It won't let you enter the wrong numbers on the wrong line. In addition, MLX creates a ready-to-use tape or disk file.

Using MLX

Type in and save "Tiny MLX" (you'll want to use it in the future). When you're ready to type in an ML program, run Tiny MLX. Unlike regular MLX, Tiny MLX does not ask for the starting and ending address of the program to be entered. Instead, this information must be included in line 210. The values currently shown in line 210 are for the "Lightsaver" program in this issue.

You'll see a prompt corresponding to the starting address. The prompt is the current line you are entering from the listing. It increases by six each time you enter a line. That's because each line has seven numbers—six actual data numbers plus a checksum number. The checksum verifies that you typed the previous six numbers correctly. If you enter any of the six numbers wrong, or enter the checksum wrong, the computer rings a buzzer and prompts you to reenter the line. If you enter it correctly, a bell tone sounds and you continue to the next line.

MLX accepts only numbers as input. If you make a typing error, press the INST/DEL key; the entire number is deleted. You can press it as many times as necessary back to the start of the line. If you enter three-digit numbers as listed, the computer automatically prints the comma and goes on to accept the next number. If you enter less than three digits, you can press either the comma, space bar, or RETURN key to advance to the next number. The checksum automatically appears in reverse video for emphasis.

MLX Commands

When you finish typing an ML listing, you can then save the completed program on tape or disk. Follow the screen instructions. If you get any errors while saving, you probably have a bad disk, or the disk is full, or you made a typo when entering the MLX program itself.

Since Tiny MLX has no provisions for reloading a partially completed program, you must enter the ML program all in one sitting.

Tiny MLX

```
100 POKE55,174:POKE56,23:CLR:POKE788,194 :rem 76
210 S=6063:E=7658 :rem 136
300 PRINT"[CLR]";CHR$(14):AD=S :rem 56
310 PRINTRIGHT$( "0000"+MID$(STR$(AD),2),5);":":FO
RJ=1TO6 :rem 234
320 GOSUB570:IFN=-1THENJ=J+N:GOTO320 :rem 228
480 IFN<0THENPRINT:GOTO310 :rem 168
490 A(J)=N:NEXTJ :rem 199
500 CKSUM=AD-INT(AD/256)*256:FORI=1TO6:CKSUM=(CKSU
M+A(I))AND255:NEXT :rem 200
510 PRINTCHR$(18);:GOSUB570:PRINTCHR$(20) :rem 234
515 IFN=CKSUMTHEN530 :rem 255
520 PRINT:PRINT"LINE ENTERED WRONG":PRINT"RE-ENTER
":PRINT:GOSUB1000:GOTO310 :rem 129
530 GOSUB2000 :rem 218
540 FORI=1TO6:POKEAD+I-1,A(I):NEXT :rem 80
550 AD=AD+6:IFAD<8THEN310 :rem 212
560 GOTO710 :rem 108
570 N=0:Z=0 :rem 88
580 PRINT"[+]" :rem 79
581 GETA$:IFA$=""THEN581 :rem 95
585 PRINTCHR$(20);:A=ASC(A$):IFA=13ORA=44ORA=32THE
N670 :rem 229
590 IFA>128THENN=-A:RETURN :rem 137
600 IFA<>20 THEN 630 :rem 10
610 GOSUB690:IFI=1ANDT=44THENN=-1:PRINT"{LEFT}
{LEFT}";:GOTO690 :rem 172
620 GOTO570 :rem 109
630 IFA<48ORA>57THEN580 :rem 105
640 PRINTA$;:N=N*10+A-48 :rem 106
650 IFN>255 THEN A=20:GOSUB1000:GOTO600 :rem 229
660 Z=Z+1:IFZ<3THEN580 :rem 71
670 IFZ=0THENGOSUB1000:GOTO570 :rem 114
680 PRINT",":RETURN :rem 240
690 S%=PEEK(209)+256*PEEK(210)+PEEK(211) :rem 149
692 FORI=1TO3:T=PEEK(S%-I) :rem 68
695 IFT<>44ANDT<>58THENPOKES%-I,32:NEXT :rem 205
700 PRINTLEFT$( "{3 LEFT}";I-1):RETURN :rem 7
710 PRINT"[CLR]{RVS}*** SAVE ***{3 DOWN}" :rem 236
720 INPUT"{DOWN} FILENAME";F$ :rem 228
730 PRINT:PRINT"{2 DOWN}{RVS}T{OFF}APE OR {RVS}D
{OFF}ISK: (T/D)" :rem 228
740 GETA$:IFA$<"T"ANDAS<"D"THEN740 :rem 36
750 DV=1-7*(A$="D"):IFDV=8THENF$="0":+F$ :rem 158
760 T$=F$:2K=PEEK(53)+256*PEEK(54)-LEN(T$):POKE782
,ZK/256 :rem 3
762 POKE781,ZK-PEEK(782)*256:POKE780,LEN(T$):SYS65
469 :rem 109
763 POKE780,1:POKE781,DV:POKE782,1:SYS65466:rem 69
765 POKE254,S/256:POKE253,S-PEEK(254)*256:POKE780,
253 :rem 12
766 POKE782,E/256:POKE781,E-PEEK(782)*256:SYS65496
:rem 124
770 IF(PEEK(783)AND1)OR(ST AND191)THEN780 :rem 111
775 PRINT"{DOWN}DONE.":END :rem 106
780 PRINT"{DOWN}ERROR ON SAVE.{2 SPACES}TRY AGAIN.
":IFDV=1THEN720 :rem 171
781 OPEN15,8,15:INPUT#15,E1$,E2$:PRINTE1$;E2$:CLOS
E15:GOTO720 :rem 103
782 GOTO720 :rem 115
845 POKE780,1:POKE781,DV:POKE782,1:SYS65466:rem 70
1000 REM BELL TONE :rem 250
1001 POKE36878,15:POKE36874,190 :rem 206
1002 FORW=1TO300:NEXTW :rem 117
1003 POKE36878,0:POKE36874,0:RETURN :rem 74
2000 REM BELL SOUND :rem 78
2001 FORW=15TO0STEP-1:POKE36878,W:POKE36876,240:NE
XTW :rem 22
2002 POKE36876,0:RETURN :rem 119
```


MLX Machine Language Entry Program For VIC-20

Charles Brannon, Program Editor

MLX is a labor-saving utility that allows almost fail-safe entry of machine language programs published in COMPUTE! You need to know nothing about machine language to use MLX—it was designed for everyone.

MLX is a new way to enter long machine language (ML) programs with a minimum of fuss. MLX lets you enter the numbers from a special list that looks similar to BASIC DATA statements. It checks your typing on a line-by-line basis. It won't let you enter illegal characters when you should be typing numbers. It won't let you enter numbers greater than 255 (forbidden in ML). It won't let you enter the wrong numbers on the wrong line. In addition, MLX creates a ready-to-use tape or disk file. You can then use the LOAD command to read the program into the computer:

```
LOAD "filename",1,1 (for tape)
LOAD "filename",8,1 (for disk)
```

To start the program, you enter a SYS command that transfers control from BASIC to machine language. The starting SYS number appears in the article.

Using MLX

Type in and save MLX for your 64 (you'll want to use it in the future). When you're ready to type in an ML program, run MLX. MLX asks you for two numbers: the starting address and the ending address. These numbers are given in the article accompanying the ML program.

You'll see a prompt corresponding to the starting address. The prompt is the current line you are entering from the listing. It increases by six each time you enter a line. That's because each line has seven numbers—six actual data numbers plus a *checksum number*. The checksum verifies that you typed the previous six numbers correctly. If you enter any of the six numbers wrong, or enter the checksum wrong, the computer rings a buzzer and prompts you to reenter the line. If you enter it correctly, a bell tone sounds and you continue to the next line.

MLX accepts only numbers as input. If you make a typing error, press the INST/DEL key; the entire number is deleted. You can press it as many times as necessary back to the start of the line. If you enter three-digit numbers as listed, the computer automatically prints the comma and goes on to accept the next number. If you enter less than three digits, you can press either the SPACE bar, or RETURN key to advance to the next number. The checksum automatically appears in inverse video for emphasis.

To simplify your typing, MLX redefines part of the keyboard as a numeric keypad (lines 581-584):

U	I	O		7	8	9	
H	J	K	L	become 0	4	5	6
M				1	2	3	

MLX Commands

When you finish typing an ML listing (assuming you type it all in one session), you can then save the completed program on tape or disk. Follow the screen instructions. If you get any errors while saving, you probably have a bad disk, or the disk is full, or you've made a typo when entering the MLX program itself.

You don't have to enter the whole ML program in one sitting. MLX lets you enter as much as you want, save it, and then reload the file from tape or disk later. MLX recognizes these commands:

```
SHIFT-S: Save
SHIFT-L: Load
SHIFT-N: New Address
SHIFT-D: Display
```

When you enter a command, MLX jumps out of the line you've been typing, so we recommend you do it at a new prompt. Use the Save command to save what you've been working on. It will save on tape or disk as if you've finished, but the tape or disk won't work, of course, until you finish the typing. Remember what address you stop at. The next time you run MLX, answer all the prompts as you did before, then insert the disk or tape. When you get to the entry prompt, press SHIFT-L to reload the partly completed file into memory. Then use the New Address command to resume typing.

To use the New Address command, press SHIFT-N and enter the address where you previously stopped. The prompt will change, and you can then continue typing. Always enter a New Address that matches up with one of the line numbers in the special listing, or else the checksum won't work. The Display command lets you display a section of your typing. After you press SHIFT-D, enter two addresses within the line number range of the listing. You can abort the listing by pressing any key.

What if you forgot where you stopped typing? Use the Display command to scan memory from the beginning to the end of the program. When you reach the end of your typing, the lines will contain a random pattern of numbers. When you see the end of your typing, press any key to stop the listing. Use the New Address command to continue typing from the proper location.

MLX: Machine Language Entry

```
100 PRINT "{CLR}{PUR}";CHR$(142);CHR$(8);
                                     :rem 181
101 POKE 788,194:REM DISABLE RUN/STOP
                                     :rem 174
110 PRINT "{RVS}{14 SPACES}"
                                     :rem 117
120 PRINT "{RVS} {RIGHT}{OFF}[*]£{RVS}
      {RIGHT} {RIGHT}[2 SPACES]*][OFF][*]
      £{RVS}£{RVS} "
                                     :rem 191
130 PRINT "{RVS} {RIGHT} [G]{RIGHT}
      {2 RIGHT} {OFF}£{RVS}£[*][OFF][*]"
```

```

[RV$] " :rem 232
140 PRINT"{RV$}{14 SPACES}" :rem 120
200 PRINT"{2 DOWN}{PUR}{BLK}A FAILSAFE MA
CHINE":PRINT"LANGUAGE EDITOR{5 DOWN}"
:rem 141
210 PRINT"{BLK}{3 UP}STARTING ADDRESS":IN
PUTS:F=1-F;C$=CHR$(31+119*F) :rem 97
220 IFS<256ORS>32767THENGOSUB3000:GOTO210
:rem 2
225 PRINT:PRINT:PRINT:PRINT :rem 123
230 PRINT"{BLK}{3 UP}ENDING ADDRESS":INPU
TE:F=1-F;C$=CHR$(31+119*F) :rem 158
240 IFE<256ORE>32767THENGOSUB3000:GOTO230
:rem 234
250 IFE<STHENPRINTC$;"{RV$}ENDING < START
{2 SPACES}":GOSUB1000:GOTO 230
:rem 176
260 PRINT:PRINT:PRINT :rem 179
300 PRINT"{CLR}";CHR$(14):AD=S :rem 56
310 PRINTRIGHT$( "000"+MID$(STR$(AD),2),5
);":":FORJ=1TO6 :rem 234
320 GOSUB570:IFN=-1THENJ=J+N:GOTO320
:rem 228
390 IFN=-211THEN 710 :rem 62
400 IFN=-204THEN 790 :rem 64
410 IFN=-206THENPRINT:INPUT"{DOWN}ENTER N
EW ADDRESS";ZZ :rem 44
415 IFN=-206THENIFZZ<SORZZ>ETHENPRINT"
{RV$}OUT OF RANGE":GOSUB1000:GOTO410
:rem 225
417 IFN=-206THENAD=ZZ:PRINT:GOTO310
:rem 238
420 IF N<>-196 THEN 480 :rem 133
430 PRINT:INPUT"DISPLAY:FROM";F:PRINT,"TO
";:INPUTT :rem 234
440 IFF<SORF>EORT<SORT>ETHENPRINT"AT LEAS
T";S;"{LEFT}, NOT MORE THAN";E:GOTO43
0 :rem 159
450 FORI=FTOTSTEP6:PRINT:PRINTRIGHT$( "000
0"+MID$(STR$(I),2),5);":": :rem 30
455 FORK=0TO5:N=PEEK(I+K):IFK=3THENPRINTS
PC(10); :rem 34
457 PRINTRIGHT$( "00"+MID$(STR$(N),2),3);"
,"; :rem 157
460 GETA$:IFA$>" THENPRINT:PRINT:GOTO310
:rem 25
470 NEXTK:PRINTCHR$(20);:NEXTI:PRINT:PRIN
T:GOTO310 :rem 50
480 IFN<0 THEN PRINT:GOTO310 :rem 168
490 A(J)=N:NEXTJ :rem 199
500 CKSUM=AD-INT(AD/256)*256:FORI=1TO6:CK
SUM=(CKSUM+A(I))AND255:NEXT :rem 200
510 PRINTCHR$(18);:GOSUB570:PRINTCHR$(20)
:rem 234
515 IFN=CKSUMTHEN530 :rem 255
520 PRINT:PRINT"LINE ENTERED WRONG":PRINT
"RE-ENTER":PRINT:GOSUB1000:GOTO310
:rem 129
530 GOSUB2000 :rem 218
540 FORI=1TO6:POKEAD+I-1,A(I):NEXT:rem 80
550 AD=AD+6:IF AD<E THEN 310 :rem 212
560 GOTO 710 :rem 108
570 N=0:Z=0 :rem 88
580 PRINT"[+]"; :rem 79
581 GETA$:IFA$=" THEN581 :rem 95
585 PRINTCHR$(20);:A=ASC(A$):IFA=13ORA=44
ORA=32THEN670 :rem 229
590 IFA>128THENN=-A:RETURN :rem 137
600 IFA<>20 THEN 630 :rem 10
610 GOSUB690:IFI=1ANDT=44THENN=-1:PRINT"
{LEFT} {LEFT}";:GOTO690 :rem 172
620 GOTO570 :rem 109
630 IFA<48ORA>57THEN580 :rem 105
640 PRINTA$;:N=N*10+A-48 :rem 106
650 IFN>255 THEN A=20:GOSUB1000:GOTO600
:rem 229
660 Z=Z+1:IFZ<3THEN580 :rem 71
670 IFZ=0THENGOSUB1000:GOTO570 :rem 114
680 PRINT",";:RETURN :rem 240
690 S%=PEEK(209)+256*PEEK(210)+PEEK(211)
:rem 149
692 FORI=1TO3:T=PEEK(S%-I) :rem 68
695 IFT<>44ANDT<>58THENPOKES%-I,32:NEXT
:rem 205
700 PRINTLEFT$("{3 LEFT}",I-1);:RETURN
:rem 7
710 PRINT"{CLR}{RV$}*** SAVE ***{3 DOWN}"
:rem 236
720 INPUT"{DOWN} FILENAME";F$ :rem 228
730 PRINT:PRINT"{2 DOWN}{RV$}T{OFF}APE OR
{RV$}D{OFF}ISK: (T/D)" :rem 228
740 GETA$:IFA$<>"T"ANDA$<>"D"THEN740
:rem 36
750 DV=1-7*(A$="D"):IFDV=8THENF$="0:"+F$
:rem 158
760 T$=F$:ZK=PEEK(53)+256*PEEK(54)-LEN(T$
):POKE782,ZK/256 :rem 3
762 POKE781,ZK-PEEK(782)*256:POKE780,LEN(
T$):SYS65469 :rem 109
763 POKE780,1:POKE781,DV:POKE782,1:SYS654
66 :rem 69
765 POKE254,S/256:POKE253,S-PEEK(254)*256
:POKE780,253 :rem 12
766 POKE782,E/256:POKE781,E-PEEK(782)*256
:SYS65496 :rem 124
770 IF(PEEK(783)AND1)OR(ST AND191)THEN780
:rem 111
775 PRINT"{DOWN}DONE.":END :rem 106
780 PRINT"{DOWN}ERROR ON SAVE.{2 SPACES}T
RY AGAIN.":IFDV=1THEN720 :rem 171
781 OPEN15,8,15:INPUT#15,E1$,E2$:PRINTE1$
;E2$:CLOSE15:GOTO720 :rem 103
782 GOTO720 :rem 115
790 PRINT"{CLR}{RV$}*** LOAD ***{2 DOWN}"
:rem 212
800 INPUT"{2 DOWN} FILENAME";F$ :rem 244
810 PRINT:PRINT"{2 DOWN}{RV$}T{OFF}APE OR
{RV$}D{OFF}ISK: (T/D)" :rem 227
820 GETA$:IFA$<>"T"ANDA$<>"D"THEN820
:rem 34
830 DV=1-7*(A$="D"):IFDV=8THENF$="0:"+F$
:rem 157
840 T$=F$:ZK=PEEK(53)+256*PEEK(54)-LEN(T$
):POKE782,ZK/256 :rem 2
841 POKE781,ZK-PEEK(782)*256:POKE780,LEN(
T$):SYS65469 :rem 107
845 POKE780,1:POKE781,DV:POKE782,1:SYS654
66 :rem 70
850 POKE780,0:SYS65493 :rem 11
860 IF(PEEK(783)AND1)OR(ST AND191)THEN870
:rem 111
865 PRINT"{DOWN}DONE.":GOTO310 :rem 96
870 PRINT"{DOWN}ERROR ON LOAD.{2 SPACES}T
RY AGAIN.{DOWN}":IFDV=1THEN800
:rem 172
880 OPEN15,8,15:INPUT#15,E1$,E2$:PRINTE1$
;E2$:CLOSE15:GOTO800 :rem 102
1000 REM BUZZER :rem 135
1001 POKE36878,15:POKE36874,190 :rem 206
1002 FORW=1TO300:NEXTW :rem 117
1003 POKE36878,0:POKE36874,0:RETURN
:rem 74
2000 REM BELL SOUND :rem 78
2001 FORW=15TO0STEP-1:POKE36878,W:POKE368
76,240:NEXTW :rem 22
2002 POKE36876,0:RETURN :rem 119
3000 PRINTC$;"{RV$}NOT ZERO PAGE OR ROM":
GOTO1000 :rem 89

```


the best prices

APPLE/FRANKLIN DISK DRIVES

MICRO-SOI	
A2.....	\$199.00
A20.....	Call
A40.....	\$299.00
A70.....	\$319.00
RANA	
Elite 1.....	\$279.00
Elite 2.....	\$359.00
Elite 3.....	\$399.00




APPLE IIc STARTER PACK
64K Apple IIc, Disk Drive & Controller,
80 Column Card, Monitor II & DOS 3.3
COMPLETE.....CALL
Call on all other Apple Models

ACE 1000 Color Computer.....CALL
ACE PRO PLUS System.....CALL
ACE 1200 Office Mgmt. SystemCALL
ACE PORTABLES.....CALL

SANYO

MBC 550.....	CALL
MBC 550-2.....	CALL
MBC 555.....	CALL
MBC 555-2.....	CALL



hp HEWLETT PACKARD



HP 71B.....	\$419.99
410V.....	\$159.99
410X.....	\$249.99

HP 11C.....	\$62.99
HP 12C.....	\$95.99
HP 15C.....	\$82.99
HP 16C.....	\$82.99
HP 75D.....	\$879.99
HPIL Module.....	\$95.99
HPIL Cassette or Printer.....	\$359.99
Card Reader.....	\$143.99
Extended Function Module.....	\$83.99
Time Module.....	\$83.99

SHARP



PC-1500A.....	\$165.99
PC-1250A.....	\$88.99
CE-125 Printer Cassette.....	\$128.99
CE-150 Color Printer/Cassette.....	\$171.99
CE-150 64K RAM.....	\$95.99
CE-161 128K RAM.....	\$134.99
CE-500 512K Memory.....	\$29.99

NEC



PC-8221A Thermal Printer.....	\$149.99
PC-8261A Data Recorder.....	\$99.99
PC-8301-06 5K RAM Chips.....	\$108.00
PC-8306A 32K RAM Cartridge.....	\$329.00

commodore

CBM 8038.....	\$659
CBM 8086.....	\$869.00
CBM 9000.....	\$999.00
B128-80.....	\$769.00
8032 to 9000 Upgrade.....	\$499.00
8081 LP Disk Drive.....	\$299.00
8080 Disk Drive.....	\$999.00
8200 Disk Drive.....	\$1249.00
4025 Printer.....	\$399.00
8023 Printer.....	\$589.00
6400 Printer.....	\$1449.00
Z-RAM.....	\$389.00
Silicon Office.....	\$699.00
The Manager.....	\$199.00
SoftPro.....	\$185.00
WinPro.....	\$189.00

SX-64 Portable.....	\$559
CBM 64.....	\$199
C1541 Disk Drive.....	\$249.00
C1530 Datasette.....	\$69.99
C1620 Color Printer/Plotter.....	\$189.00
M-801 Dot Matrix Printer.....	\$219.00
C1526 Dot Matrix/Serial.....	\$299.00
C1708 Color Monitor.....	\$399.00
G1311 Joystick.....	\$4.99
C1312 Paddles.....	\$11.99
C1600 VIC Modem.....	\$59.99
C1650 Auto Mdoem.....	\$89.99
Logo 64.....	\$49.99
Pilot 64.....	\$39.99
Word Pro 64 Plus.....	\$59.99
Calc Result 64.....	\$65.99
Calc Result Easy.....	\$39.99
MCS 801 Color Printer.....	\$499.00
DPS 1101 Daisy Printer.....	\$499.00
Magic Voice Speech Modu.....	\$64.99
Desk Organizer Lock.....	\$49.99
Vidtex Telecommunications.....	\$34.95
MSD	
SD1 Disk Drive.....	\$349.00
SD2 Disk Drive.....	\$399.00

PROFESSIONAL SOFTWARE	
Word Pro 2 Plus.....	\$189.00
Word Pro 3 Plus.....	\$189.00
Word Pro 4 Plus/5 Plus each.....	\$279.00
InfoPro.....	\$179.00
Administrator.....	\$399.00
Power.....	\$79.99

NEC PRINTERS	
NEC 2050.....	\$899.00
NEC 3550.....	\$1599.00

PERCOM/TANDON DISK DRIVES	
5 1/4" 320K Floppy.....	\$189.00
5 Meg Hard w/Controller.....	\$1049.00
10 Meg Hard w/Controller.....	\$1349.00
20 Meg Hard w/Controller.....	\$1899.00
VISICORP	
VisiCalc IV.....	\$189.00
VisiWord +.....	\$249.00
Visi-on 'Series'.....	CALL
Optical Mouse.....	\$189.99

IDM Associates	
5MB to 45MB Hard drives with removable Cart. backups low as \$1399	

AST RESEARCH	
Six Pak Plus.....	from \$249.00
Combo Plus II.....	from \$279.00
Mega Plus.....	from \$399.00
I/O Plus.....	from \$159.00
QUARREN	
Quadlink.....	\$479.00
Quadboard.....	as low as \$309.00
Quad 512 Plus.....	as low as \$259.00
Quadcolor.....	as low as \$239.00
Chronograph.....	\$89.99
Parallel Interface Board.....	\$89.99
64K RAM Chips Kit.....	\$49.99

MICROPRO	
WordStar Professional Pack	\$399.00
MICROMIM	
R:Base 4000.....	CALL
MULTIMATE INT.	
Multi Mate.....	\$289.00
MICROSTUP	
Crosstalk.....	\$106.00
MICROSOFT	
MultiPlan.....	\$159.00
ASTON-TATE	
dBASE II.....	\$299.00
dBASE III.....	\$429.00
Friday!.....	\$179.00
IUS	
EasyWriter II.....	\$249.00
EasySpeller.....	\$119.00
EasyFiler.....	\$229.00
CONTINENTAL SOFTWARE	
1st Class Mail/Form Letter.....	\$79.99
Home Accountant Plus.....	\$85.99
LOTUS	
Symphony.....	\$519.00
1-2-3.....	\$339.00
PROFESSIONAL SOFTWARE	
PC Plus/The Boss.....	\$309.00
SYNAPSIS	
File Manager.....	\$89.99



ZENITH | data systems

PC COMPATIBLE
16 BIT SYSTEMS
Call for price and configurations

SOFTWARE

	C-64	Atari	IBM	Apple
Electronic Arts				
One on One.....	\$29.99	\$29.99	\$29.99	\$29.99
Music Construction.....	\$29.99	\$29.99	\$29.99	\$29.99
Pinball Construction.....	\$29.99	\$29.99	\$29.99	\$29.99
Cut & Paste.....	\$29.99	\$29.99	\$29.99	\$29.99
Hard Hat Mask.....	\$27.99	\$27.99	\$27.99	\$27.99
InfoCom				
Witness.....	\$29.99	\$29.99	\$29.99	\$29.99
Infidel.....	\$29.99	\$29.99	\$29.99	\$29.99
Deadline.....	\$29.99	\$29.99	\$29.99	\$29.99
Planetfall.....	\$29.99	\$29.99	\$29.99	\$29.99
Enchanter.....	\$29.99	\$29.99	\$29.99	\$29.99
Zork! 2.3 ea.....	\$27.99	\$27.99	\$27.99	\$27.99
Suspended.....	\$29.99	\$29.99	\$29.99	\$29.99
Sorcerer.....	\$29.99	\$29.99	\$29.99	\$29.99
AtariSoft				
Joust.....	\$24.99	NA	\$24.99	\$24.99
Moon Patrol.....	\$34.99	NA	\$28.99	\$28.99
Ms PacMan.....	\$34.99	NA	\$28.99	\$28.99
PacMan.....	\$34.99	NA	\$28.99	\$28.99
Donkey Kong.....	\$34.99	NA	\$28.99	\$28.99
Pole Position.....	\$34.99	NA	\$28.99	\$28.99
Spinnaker				
Ambros.....	\$29.99	\$29.99	\$29.99	\$29.99
Trans.....	\$24.99	\$24.99	\$24.99	\$24.99
Adventure Creature.....	\$24.99	\$24.99	\$24.99	\$24.99
Angan Vagga.....	\$24.99	\$24.99	\$24.99	\$24.99
Snooper Troops 1.8 ea.....	\$29.99	\$29.99	\$29.99	\$29.99
Traction Fever.....	\$22.99	\$22.99	\$22.99	\$22.99
Alphabet Zoo.....	\$22.99	\$22.99	\$22.99	\$22.99
In Search of.....	\$24.99	\$24.99	\$24.99	\$24.99
Facemaker.....	\$22.99	\$22.99	\$22.99	\$22.99
Kinder Comp.....	\$17.99	\$17.99	\$17.99	\$17.99
Dynatech				
Code Writer.....	\$79.99	\$79.99	\$79.99	\$79.99
VisiCorp				
VisiCalc.....	\$159.99	\$149.99	\$159.99	\$159.99
VisiCalc Advanced.....	NA	NA	NA	\$299.99
PCS				
Write.....	NA	NA	\$89.99	\$89.99
Graph.....	NA	NA	\$89.99	\$79.99
Report.....	NA	NA	\$79.99	\$79.99
File.....	NA	NA	\$89.99	\$79.99
Solutions * as low as *Call on Titles	NA	NA	\$16.99	\$16.99

COMPUTER MAIL ORDER

west

canada

east



800-648-3311

Ontario/Quebec 800-268-3974
Other Provinces 800-268-4559

800-233-8950



In NV call (702)588-5654, Dept. 105
Order Status Number: 588-5654
P.O. Box 6889
Stateline, NV 89449

In Toronto call (416)828-0886, Dept. 105
Order Status Number: 828-0886
2505 Dunwin Drive, Unit 3E
Mississauga, Ontario, Canada L5L1T1

In PA call (717)327-9675, Dept. 105
Order Status Number: 327-9675
Customer Service Number: 327-1450
477 E. 3rd St., Williamsport, PA 17701

CANADIAN ORDERS: All prices are subject to shipping, tax and currency fluctuations. Call for exact pricing in Canada. INTERNATIONAL ORDERS: All orders placed with U.S. offices for delivery outside the Continental United States must be pre-paid by certified check only. Include 3% (minimum \$5) shipping and handling EDUCATIONAL DISCOUNTS Additional discounts are available to qualified Educational Institutions. APO & FPO: Add 3% (minimum \$5) shipping and handling

Lycy Computer Marketing & Consultants

TO ORDER
CALL US

TOLL FREE 800-233-8760

In PA 1-717-327-1824



DISKETTES

ELEPHANT

5 1/4" SSSD \$16.75
5 1/4" SSDD \$19.95
5 1/4" DSDD \$25.95

MAXELL

5 1/4" MD-1 \$24.75
5 1/4" MD-2 \$34.75

CERTRON CASSETTES

CC-10 (12) \$15.99
CC-20 (12) \$17.99



KOALA

KOALA TABLET \$84.75
PROGRAMMERSGUIDE \$12.75
GEOMETRIC DESIGNS \$22.75
LOGO DESIGN \$27.75
ILLUSTRATOR \$99.75
SONG WRITER D \$27.75
MASTER TYPE \$27.75

CONTINENTAL

HOME ACCOUNT D \$44.75
TAX ADVANTAGE \$35.75
BOOK OF APPLE
SOFTWARE \$16.95
GENERAL LEDGER \$179.95
ACCOUNTS PAY \$179.95
ACCOUNTS REC \$179.95
PAYROLL \$179.95
PROPERTY MGMT \$329.95

BRODERBUND

BANK STREET D \$44.75
CHOPLIFTER D \$24.95
DAVID'D MAGIC \$24.95
DROL D \$24.95
LODE RUN D \$24.95
SEAFOX D \$22.95
SPARE CHANGE D \$24.95
AE D \$24.75

SSI

KNIGHTS OF DESERT \$26.75
EAGLES \$26.75
TIGERS IN SNOW \$26.75
GERMANY 1985 \$36.75
BATTLE FOR
NORMANDY \$26.75
SHATTERED ALLIANCE \$39.75

PRINTING PAPER

3000 SHEETS
FANFOLD \$42.75
1000 SHEETS
FANFOLD \$19.75
1000 SHEETS LETTER \$21.95
200 SHEETS LETTER \$8.99
150 RAG STATIONERY \$10.99
MAILING LABELS (1 in) \$9.75
14x11 1000 FANFOLD \$24.75

SPINNAKER 64

KINDERCOMP D/R \$21.75
STORY MACH ROM \$24.75
FACE MAKER D/R \$24.75
SNOOPER TR D \$26.75
SNOOPER T2 D \$26.75
DELTA DRAW ROM \$26.75
FRACTION F ROM \$24.75
KIDS ON KEYS \$24.75

EPYX

JUMPMAN C/D \$27.75
JUMPMAN JR R \$27.75
PITSTOP R \$27.75
TEMPLE ASPHAI \$27.75
GATE T ASPHAI \$27.75
CRUSH, C&C C/D \$21.75

HES 64

TURTLE TUTOR \$22.75
TURTLE TRAINER \$22.75
TURTLE GRAPHICS \$37.75
SOUND BOX \$9.95
64 FORTH \$39.95
HESMON \$22.75
GRIDRUNNER \$19.75
ATTACK OF M C \$22.75
HESWRITER \$28.75
OMNI WRITER \$45.75
TYPE N WRITER \$24.75
PAINT BRUSH \$22.75
BENJI \$25.75
HOME MANAGER \$28.75
TIME MONEY MGR \$44.75
OMNI CALC \$33.75
SWORD POINT \$19.95
HES MODEM \$49.95
M. MULTIPLAN \$65.75

OVER 2000 SOFTWARE TITLES IN STOCK

CATALOG AVAILABLE

HARD DISK DRIVES

-FOR-

IBM, APPLE, TRS80

10 MEG \$975.00
20 MEG \$1399.00
30 MEG CALL

* D.O.S. EXTRA

ATARI

800XL CALL
1450XL CALL
1050 DRIVE \$299.00
1027 PRINTER CALL
1025 PRINTER \$299.00
1020 PRINTER \$219.00
1010 RECORDER \$74.00

ATARI

PACMAN \$29.75
DONKEY KONG \$29.75
DIG DUG \$29.75
DEFENDER \$29.75
CENTIPEDE \$29.75
DEADLINE \$34.75
ENCHANTER \$34.75
INFIDEL \$34.75
PLANETFALL \$34.75
STAR CROSS \$34.75
SUSPENDED \$34.75
WITNESS \$34.75
ZORK I \$34.75
ZORK II \$34.75
ZORK III \$34.75

ATARI

INFOCOM

DEADLINE \$34.75
ZORK 1,2, or 3 \$26.75
ENCHANTER \$34.75

EDUFUN

GULP ARROW
GRAPHICS \$24.75
FACE FLASH \$24.75

CONTINENTAL

HOME ACCOUNT D \$44.75
TAX ADVANTAGE \$35.75
BOOK OF ATARI
SOFTWARE \$16.95

BUSINESS

VISICALC \$159.75
LETTER PERFECT \$89.75
LETTER PERFECT R \$89.75
DATA PERFECT \$89.75
FILE MANAGER \$69.75
HOME FILE MGR \$69.75
BOOKKEEPER \$19.75
C.R.I.S. \$119.75
TEXT WIZZARD \$34.75
SPELL WIZZARD \$34.75

SPINNAKER

STORY MACHINE R \$26.75
FACE MAKER R \$24.75
KINDEROMP R \$20.75
FRACTION FEVER R \$24.75
DELTA DRAWING R \$26.75

PARKER BROTHERS

TUTANKHAM R \$33.75
SUPER COBRA R \$33.75
ASTRO CHASE R \$33.75
FROGGER R \$33.75
Q BERT R \$33.75
POPEYE R \$33.75
RISK R \$42.75
CHESS R \$42.75

SCARBOROUGH

SONG WRITER D \$27.75
MASTER TYPE \$27.75

EASTERN HOUSE

MONKEY WRENCH II \$52.75

DON'T ASK SOFTWARE

SAM \$39.75
ABUSE \$22.75
WORD RACE \$24.75

PROGRAM DESIGN

ANALOGIES \$14.50
PREP FOR SATS \$79.75
PRESCHOOL IQ
BUILDER \$16.75
READING COMP \$16.75
VOCABULARY BUILDER \$16.75
LET'S SPELL \$14.75

AMDEK

VIDEO 300 \$139.00
VIDEO 300A \$149.00
COLOR 1+ \$269.00
COLOR 11+ \$399.00

GORILLA

12" GREEN \$82.00
12" AMBER \$89.00

NEC

JB1260 GREEN \$99.00
JB1201 GREEN \$145.00
JB1205 AMBER \$145.00
JC1215 COLOR \$269.00
JC1216 \$399.00

SAKATA

SC100 COLOR \$229.00
SG1000 GREEN \$99.00
SA AMBER \$109.00

MONITORS

TAXAN

100 GREEN \$115.00
105 AMBER \$125.00
210 RGB COMPOSITE \$269.00
400 RGB MEDRES \$295.00
410 RGB HI RES \$349.00
420 RGB HI RES (IBM) \$475.00
121 GREEN \$145.00
122 AMBER \$149.00

ZENITH

ZVM 122A AMBER \$95.00
ZVM 123G GREEN \$85.00
ZUM 124IBM-PC \$129.00
ZUM COLOR \$275.00
ZUM 133 RGB \$389.00
ZUM 135 RGB \$449.00
ZUM 136 \$589.00

Lycy Computer Marketing & Consultants

LycO Computer Marketing & Consultants

TO ORDER
CALL US

TOLL FREE 800-233-8760
In PA 1 717-327-1824

MANNESMANN TALLY

SPiRiT 80\$299.00
MTL-160L\$559.00
MTL-180L\$775.00

NEC

NEC8023\$389.00
NEC8025\$699.00

PRINTER INTERFACING

AVAILABLE FOR COMMODORE VIC, APPLE, ATARI, IBM-PC, TRS 80, TI, AND OTHERS

BLUE CHIP

M12010\$279.00
M12010 C-84\$279.00
D4015\$1399.00

CARDCO

LQ1\$449.00
LQ2\$279.00
LQ3\$339.00
PRINTER INTERFACE\$39.75
PRINTER INTERFACE WITH FULL GRAPHICS\$65.75
LIGHT PEN\$29.75
5 Slot Expansion 64\$54.00
64 Write NOW\$39.00
64 Mail NOW\$29.00
2J Write NOW\$29.00
64 Keypad\$29.00
Universal Cass. Int.\$29.75
Printer Utility\$19.75
6 Slot Expansion\$79.95
3 Slot Expansion\$24.95

JUKI

6100CALL

RITEMAN

INFO RUNNERCALL

STAR SAVE ON THESE IN-STOCK PRINTERS

MICRONICS

GEMINI 15X\$379.00
DELTA 10\$449.00
DELTA 15\$525.00
RADIX 10\$575.00
RADIX 15\$675.00
POWERTYPE\$CALL
SWEET P (Model 100)\$549.00
STX80\$149.00

GEMINI 10X \$259.00



CITOH

GORILLA GX-100\$169.00
GORILLA SERIAL\$199.00
PROWRITER 8510\$335.00
PROWRITER II\$575.00
8600\$899.00
STARWRITER\$929.00
PRINTMASTER\$1199.00
SHEET FEEDER\$425.00
620\$929.00
630\$1699.00
8510 SP\$499.00
8510 SCP\$559.00
A10 LETTER QUAL\$499.00

EPSON

RX-80\$289.00
RX-80FT\$299.00
FX-80\$439.00
FX-100\$639.00

OKIDATA

80\$199.00
82A\$299.00
83A\$569.00
84\$959.00
92\$409.00

LEGEND

880\$259.00
1000\$279.00
1200CALL
1500CALL
1018CALL

PANASONIC

1090\$279.00
1091\$309.00
1092\$459.00

TIMWORKS

INVENTORY\$39.75
ACCOUNTS REC.\$30.75
ACCOUNTS PAY.\$39.75
GENERAL LEDGER\$39.75
PAYROLL\$39.75
INVENTORY MAN.\$39.75
CASH FLOW\$39.75
SALES ANALYSIS\$39.75
DATA MANAGER\$19.75
MONEY MGR C/D\$19.95
CHECKBOOK C/D\$19.95
FORGET-ME-NOT\$19.95
STAR BATTLE\$19.95
ROBOT REVOLT\$19.95
SPELLBOUND C/D\$19.95

KOALA 64

KOALA TABLET\$69.75
PROGRAMMERS GUIDE\$12.75
GEOMETRIC DESIGNS\$22.75
LOGO DESIGN\$27.75
SPIDER EATER\$22.75

CONTINENTAL 64

HOME ACCOUNT D\$44.75
TAX ADVANTAGE\$35.75
F.C.M.\$35.75
64 USERS OF ENCYC\$12.75
20 ENCYCLOPEDIA\$12.75

SCARBOROUGH 64

SONG WRITER D\$27.75
PHI BETA FILER\$32.75
MASTER TYPE\$27.75

MODEMS

ANCHOR MARK I\$45.75
ANCHOR MARK II\$45.95
HAYES SMART\$239.00
HAYES MICRO II\$309.00
MICROBIT 1000C\$129.00
CAT\$144.00
D-CAT\$155.00
J-CAT\$115.00
APPLE CAT II\$279.00
212 APPLE CAT\$589.00



COMPUTER CARE BIB

DISK DRIVE CLEANER\$12.75
COMPUTER CARE KIT\$19.75

NORTRONICS

DISK DRIVE CLEANER WITH SOFTWARE FOR IBM-PC, ATARI, VIC, APPLE, & TI\$29.75
DISK CLEANER REFILLS\$14.75
CASS DRIVE CLEANER\$9.95
MEDIA BULK ERASER\$46.75

LJK

LETTER PERFECT\$69.75
DATA PERFECT\$69.75
SPELL PERFECT\$69.75

INFOCOM

DEADLINE\$34.75
ZORK 1, 2, or 3\$34.75
ENCHANTER\$34.75
PLANETFALL\$34.75

PEACHTREE SOFTWARE

LIST MANAGER\$199.00
BUSINESS GRAPHICS\$225.00
GRAPHICS LANGUAGE\$299.00
REQUIRES COBAL RUNTIME

ACCTS PAYABLE I\$495.00
ACCTS PAYABLE II\$1695.00
PAYROLL I\$495.00
PAYROLL II\$1695.00
GENERAL LEDGER I\$495.00
GENERAL LEDGER II\$1695.00


CP/M VERSION

PEACHPACK 4\$295.00
ACCTS PAYABLE III\$549.00
ACCTS PAYABLE IV\$899.00
ACCTS REC III\$549.00
ACCTS REC IV\$899.00
GENERAL LEDGER III\$549.00
GENERAL LEDGER IV\$899.00
INVENTORY MGMT I\$549.00
INVENTORY MGMT II\$899.00
PAYROLL III\$549.00
PAYROLL IV\$899.00
SALES INVOICING I\$549.00
SALES INVOICING\$899.00

PERCOM

AT88S1\$249.00
AT88S1 PD\$299.00

ADD-ON DRIVESCALL
AT 88 DOUBLER\$119.00



INNOVATIVE CONCEPTS

FLIP-N-FILE 10\$3.75
FLIP-N-FILE 15\$8.95
FLIP-N-FILE 25\$18.95
FLIP-N-FILE 50\$17.75
FLIP-N-FILE (Rom Holder)\$17.75

DISK DRIVES

RANA 1000\$299
INDUS GT\$325

CONCORD

ATARI 176K MASTER\$289.00
ATARI 348K MASTER\$369.00
ATARI ADD-ON DRIVESCALL

TRACK DRIVES

AT-D2\$329.00
AT-D2 TURBO PAK\$22.95
AT-DHCALL
PRINTER CABLE\$22.95



TO ORDER



CALL TOLL FREE

800-233-8760

or send order to
LycO Computer
P O Box 5088

Customer Service 1-717-327-1825 Jersey Shore PA 1774C

POLICY

In stock items shipped within 24 hours of order. Personal checks require four weeks clearance before shipping. No deposit on C O D orders. Free shipping on prepaid cash orders within the continental U S. PA residents add sales tax. All products subject to availability and price change. Advertised prices show 4% discount offered for cash add 4% for Master Card or Visa. DEALER INQUIRIES INVITED

Verbatim Datalife Diskettes

Box of ten 5 1/4" Datalife diskettes with envelopes, labels and reinforced hub-rings. FREE PLASTIC LIBRARY CASE.

5 1/4" SS/DD	5 1/4" DS/DD
MD525-01	MD550-01
MD525-10	MD550-10
MD525-16	MD550-16
\$22.95	\$31.95
5 1/4" SS/QD	5 1/4" DS/QD
MD577-01	MD557-01
MD577-10	MD557-10
MD577-16	MD557-16
\$34.95	\$43.95

Printers

Gorilla/Banana Parallel or serial Dot Matrix 120CPS	\$121.00
Gemini 10X-120CPS Bi-Directional	\$259.00
Prowriter 8510AP 10"	\$348.00
Color printer/plotter, C. Itoh CX-4800. 4 colors, 10" Parallel or Serial	\$555.00
Powertype, Daisywheel Letter Quality	\$365.00

Shipping and Handling \$3.00 for any order of diskettes \$9.00 for printers C.O.D. orders add \$1.65 We accept Visa, Mastercard and American Express credit cards at no extra charge. Illinois residents please add 7% tax


Call us now toll free ANYWHERE in the U.S.
Orders only: 1-800-227-3800 Ask for "Smart Data"

7 Days a Week, 24 Hours a Day

Other information: (312) 256-4456
9am to 8pm (central), Mon. through Sat.



SMART DATA INC.
P.O. Box 297
Wilmette, IL 60091
(312) 256-4456



There is a road.

Many cancer patients need transportation to and from treatments. That's why the American Cancer Society has formed groups of volunteers across the United States who give a few hours of their time each month to drive them. The road to recovery can be a long and difficult one, but it can be that much easier when there are friends who can help along the way.

 American Cancer Society

COMMODORE 64 SOFTWARE

Access	Voice Synthesis (C)59.95	Time Money Mgr. (D)51.00	Story Machine (C)27.25
Beach-Head (D)23.95	Public Domain All Titles (D)8.95	Omnwriter (D)24.20	Trains (D)27.95
Neutral Zone (D)23.95	Accounting Series (ea) (D)49.95	Multiplan (D)59.95	Aerobics (D)30.95
Raid over Moscow (D)26.95	Continental	Hes Writer 64 (C)30.45	Scarborough
Master Composer (D)26.95	Home accountant (D)50.75	Gridrunner (C)20.95	Songwriter (D)35.95
Atari Soft All Titles	Tax Advantage (D)40.60	64 Forth (C)49.95	Master Type (D)31.95
Call	FCM (D)76.50	HES Games '84 (D)27.95	Synapse
Logo (D)59.95	Creative Software	Minnesota Fats Pool (C)20.45	Ft. Apocalypse (D,C)23.70
Pilot (D)42.95	Household Fin (D,T)19.95	HES Modem I (D)46.95	Shamus (D,C)23.70
Pet Emulator (D)18.95	Home Inv. (D,T)19.95	Microprose	Blue Max (D,C)23.70
Intro to Basic I (T)18.95	Loan Analyzer (D,T)19.95	Helicat Ace (D)23.95	Zaxxon (D)27.95
Screen Editor (D)18.95	Cymbal	Solo Flight (D)26.95	SSI
Super Expander VSP (D)37.95	English/Spanish (D)34.95	Nato Commander (D)26.95	Combat Leader (D)29.00
The Manager (D)59.95	Science (D)34.95	F-15 Eagle (D)36.95	Knights of the Desert (D)29.00
Simons Basic (C)45.95	History/Geography (D)34.95	subLogic	Computer Baseball (D)29.00
Music Machine (C)15.95	Music Theory (D)34.95	Flight Simulator II (D)44.95	Eagles (D)29.00
Music Composer (D)18.95	Mathematics (D)34.95	Night Mission Pinball (D)26.95	Ring Side Seat (D)29.00
Nevada Cobol (D)49.95	Entertainment Tonight	Splaxxaker	RFD 1985 (D)29.95
Nevada Fortran (D)49.95	Trivia (D)25.95	Alf in the Color Caves (C)27.95	Germany 1985 (D)34.95
Commodore	Epyx	Bubble Burst (C)27.95	Golf (D)29.95
Assembler (D)37.95	Pitstop (C)27.00	Juke Box (C)27.95	Broadside (D)31.95
Bonus Pack (D,T)16.95	Temple of Apshai (D)27.00	Kidwriter (D)23.95	Electronic Arts
CP M2 2 System (C,T)57.95	Jumpman (D,T)27.00	Face Maker (D,C)23.65	One on One (D)37.00
Easy Scrip (D)44.95	Gateway to Apshai (D)27.00	Hey Diddle Diddle (D)20.30	Music Construction (D)37.00
Easy Mail 64 (D)18.95	Jumpman Jr. (C)27.00	Kindercomp (D,C)20.30	Sky Fox (D)37.00
Easy Spell 64 (D)18.95	Oil Baron (D)39.95	Snooper Troops (D)27.00	Miscellaneous
Easy Calc 64 (D)64.95	Impossible Mission (D)25.95	Fraction Fever (C)23.65	Doodle (D)31.95
Easy Lesson Quiz (D)18.95	Greatest Baseball (D)25.95	Amazing Thing (D)27.00	Word Pro 3+ (D)76.95
Easy Finance (1-5) (D)18.95	Summer Games (D)29.95	Alphabet Zoo (D)23.65	Trivia Mania (D)33.95
Magic Desk (D)54.95	Silicone Warrior (D)25.95	Kids on Keys (D,C)23.65	Paper Clip /w Spell Pack (D)89.95
Zork (1-3) (D)30.95	Hes Software	Delta Drawings (C)27.25	Orical (D)79.95
Suspended (D)37.95	Hes Mon 64 (C)27.00	Up for Grabs (C)27.25	Musicalc (D)41.95
Starcross (D)30.95	Turtle Graphics II (C)40.60	Cosmic Life (C)23.65	Mr. Robot (D)26.95
Deadline (D)37.95			

64

Hardware

Commodore 64	
Executive 64	
1541 Disk Drive	
1530 Datasette	
MPS 801 Printer	
1650 Automodem	
1702 Color Monitor	
1600 Modem	
64 Prog. Ref. Guide	
BASF 21.95	
Soft Box (10) 23.80	
Joysticks	
Wico	
Command Ctrl 19.50	
Wico "Boss" 13.50	
Wico Red Ball 20.75	
Wico Power Grip 20.75	
Cardo	
Card + G 68.25	
Card B 37.85	
Cass. Interface 33.25	
5 Slot Expansion 60.25	
Numeric Keypad 30.25	
GEMINI Printers	
O'SULLIVAN	
Furniture	
MAXTRON	
Datasettes	

To order, call toll free or send by mail. We accept Visa, Master Card, American Express or Money Orders. Personal checks allow two weeks to clear. Add \$2.00 for shipping with an additional \$1.65 for C.O.D. orders. Other countries please call on shipping with a minimum of \$10.00. All prices are subject to change. Credit and exchange only please. For return authorization call (214) 759-8937.

ATARI, APPLE, IBM, SOFTWARE LISTS AVAILABLE

For further information and inquires call 214-759-8937

FOR ORDERS ONLY CALL TOLL FREE

Outside Texas

Inside Texas

1-800-527-8698

1-800-442-8717

SoftWare
Warehouse outlet

**P.O. BOX 2511
LONGVIEW, TX.
75606**

Only 10% of Software we carry is listed on this ad. Call if there is a title you need for all computers. We are here to serve you!

PRODUCT MART

20 PROGRAMS on 2 cassette tapes

for 16K
TS1000,
TS1500,
& ZX81
only
\$19.95.



*for TS2068, C-64, VIC-20, ATARI, TI99/4A, CoCo & MC-10 only \$29.95

Save money, learn about the exciting world of home computing and have fun doing it with the new HOME-PAC™.

The HOME-PAC™ with 21 page user manual covers educational, graphics, recreational, home finance and utility applications.

Great tool for learning to program in BASIC. Programs are listable and manual includes section on modification tips.

10 DAY MONEY BACK GUARANTEE

Please add \$2.00 shipping and handling to order.

Simplex Software, Dept C2
62 Crestview Drive
Willingboro, NJ 08046
MC, VISA & Checks Accepted
Orders & Inquiries State Computer Type
Dealer Inquiries Invited

SAVE MORE THAN EVER ON 3M Scotch® DISKETTES

LIFETIME WARRANTY!

\$169 ea 5 1/4" SSDD (744) **\$223** ea
Qty 20 5 1/4" DSDD (745) Qty 20

5 1/4" SSDD—96TPI (746) \$2.60 ea
5 1/4" DSDD—96TPI (747) \$3.25 ea
8" SSDD (740) \$2.05 ea
8" SSDD (741) \$2.50 ea
8" DSDD (743) \$3.10 ea
Shipping: 5 1/4" DISKETTES—Add \$3.00 per 100 or fraction thereof. 8" DISKETTES—Add \$4.00 per 100 or fraction thereof. OTHER ITEMS: Shipping charges as shown in addition to diskette shipping charges. Payment: VISA or MasterCard COD orders only, add \$3.00. Taxes: Illinois customers, please add 8%.

Hours: 9 AM-5 PM Central Time
For fast service call

Nationwide: 1-800-621-6827
In Illinois: 312-944-2788

DISK WORLD!

Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

Authorized Distributor
Information Processing Products **3M**

BREAK-THRU



ONLY
\$3495

SHIPPING
& HANDLING
ADD \$2.50

Dealer inquiries welcome

A compact and inexpensive Eprom eraser for the hacker. It erases two chips per exposure, so if you are one of those smart people who only makes little mistakes and only needs to erase two Eproms at a time, this eraser is for you.

WALLING CO.

4401 S. Juniper • Tempe, AZ 85282
(602) 838-1277

Arizona residents add 6% tax


SOFTWARE PROTECTION HANDBOOK

This book "BLOWS THE LOCKS OFF" protected DISKS, CARTRIDGES, and TAPES! Protection "secrets" are clearly explained along with essential information and procedures to follow for breaking protected software. An arsenal of protection breaking software is included with all listings, providing you with the tools needed! Programs include high speed error check/logging disk duplicator... Disk picker... Disk editor... Cartridge to disk/tape saver and several others for error handling and advanced disk breaking. The cartridge methods allow you to save and run cartridges from disk or tape! The tape duplicator has never been beaten! This manual is an invaluable reference aid including computer and disk maps, as well as useful tables and charts. (212 PGS 11 PGM)

C64 Book only.....\$16.95 US
Book & Disk of all programs.....\$29.95 US
Vic 20 book.....Cart. & Tapes only.....\$9.95 US
THIS MANUAL DOES NOT CONDONE PIRACY
*SHIPPING: \$2.00 ORDER FROM: PSIDAC—
DEPT. A, 7326 N. ATLANTIC, PORTLAND, OR 97217
—CHECK OR MONEY ORDER ONLY—

FREE CATALOG!

Features Precision Tools and Equipment for Computers



Jensen's new catalog features hard-to-find precision tools, tool kits, tool cases, test equipment and computer accessories used by sophisticated hobbyists, scientists, engineers, laboratories and government agencies. Call or write for your free copy today.

JENSEN TOOLS INC. | 7815 S. 46th Street
Phoenix, AZ 85040
(602) 968-6231

GREAT DISKETTES Super low prices SYNCOM

The low priced, high quality diskette with a LIFETIME WARRANTY! Packed in polybags of 10 with Tyvek envelopes, labels and reinforced hubs

One of the best buys we've seen **LIFETIME WARRANTY!**
\$139 ea. 5 1/4" SSDD **\$185** ea.
QTY 20 5 1/4" DSDD ea. QTY 20

OTHER GREAT VALUES:

DISKETTE 70—Holds 70 5 1/4" diskettes in dust free safety \$14.95 ea + \$3.00 Shpg
DISK CADDIES—Flip up style holds 10 5 1/4" diskettes \$1.65 ea + 20 Shpg

Shipping: 5 1/4" DISKETTES—Add \$3.00 per 100 or fraction thereof. OTHER ITEMS: Shipping charges as shown in addition to diskette shipping charges. Payment: VISA or MC COD orders only, add \$3.00. Taxes: Illinois customers, please add 8%.

Nationwide: 1-800-621-6827

In Illinois: 1-312-944-2788

Minimum Order: \$35.00

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE!

DISK WORLD!

Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

SYNCOM

Advertisers Index

Reader Service Number/Advertiser	Page	Reader Service Number/Advertiser	Page
Abacus Software	42	Pacific Exchanges	32
Abacus Software	148	Pacific Exchanges	90
102 AB Computers	93	Pacific Exchanges	133
Atari Inc.	4	Pacific Exchanges	150
Atarisoft	31	121 Parsec Research	36
103 The Avalon Hill Game Company	9	Powersoft Incorporated	36
Axiom Corporation	23	122 Pronto Software	113
104 Batteries Included	53	123 Protecto Enterprizes	74
105 Broadway Computer Corporation	109	124 Protecto Enterprizes	75
106 Cal-Abco/Peripherals Division	55	Protecto Enterprizes	76,77
107 Cardco, Inc.	IBC	Psidac	159
Cass-A-Tapes	109	125 Quinsept, Inc.	57
Commodore Computers	BC	Reston Computer Group	45
108 CompuServe	21	The Scarborough System	7
ComputAbility	43	Scholastic Inc.	38,39
ComputAbility	127	126 Simplex Software	159
109 Computer Mail Order	154,155	Smart Data Inc.	158
Computer Warehouse	105	SMC Software Systems	46,47
Cosmic Computers	79	SM Software Inc.	145
Creative Software	26,27	SM Software Inc.	145
Dennison	IFC	127 Software Warehouse Outlet	158
110 Digital Wizardry	104	Spinnaker	1
111 Disk World!, Inc.	107	128 Sprout	2,3
Disk World!, Inc.	113	Strategic Simulations Inc.	59
Disk World!, Inc.	159	129 subLOGIC Corporation	41
Disk World!, Inc.	159	130 Swintec Corporation	29
Disk World!, Inc.	159	131 Systems Management Associates	63
112 Eastern House	108	3G Company, Inc.	90
Elek-Tek, Inc.	111	132 Timeworks, Inc.	25
E Mart, Inc.	106	21st Century Ind., Inc.	57
Epyx	19	133 Vaisala Inc.	22
Fronrunner Computer Industries	150	Walling Co.	159
Harmony Video & Computers	113	134 John Wiley & Sons, Inc.	57
113 Hayden Software Company, Inc.	34,35	Xerox Education Publications	11
114 Indus-Tool	109		
Infocom	14,15		
J & R Music World	113		
Jason-Ranheim	124		
115 Jensen Tools Inc.	159		
Juki Industries of America, Inc.	49		
116 Lyco Computer Marketing & Consultants	156,157		
117 Microlab, Inc.	13		
Micro-Sys Distributors	115		
118 Micro-W Distributing, Inc.	32		
119 Micro-W Distributing, Inc.	131		
Micro World Electronix, Inc.	111		
Midwest Micro Inc.	121		
120 Nibble Notch	124		
NRI Schools	51		

COMPUTE! Books	60,61
COMPUTE!'s Subscription	17

The Editor's Feedback:

Computer: PET Apple Atari VIC-20 Commodore 64
 TI-99/4A Timex/Sinclair Radio Shack Color Computer
 Other _____ Don't yet have one ...

Are you a COMPUTE! Subscriber? Yes No I would like to see:

More	Just Right	Fewer		More	Just Right	Fewer	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Specific applications programs.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Games.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BASIC programs.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Reviews of game software.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Machine language programs.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Reviews of business software.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Tutorials.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Reviews of educational software.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Educational articles.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Reviews of hardware.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Detailed explanations of programs.				

What do you like best about COMPUTE! ?

What do you like least?



Place
Postage
Here

COMPUTE! Magazine

P.O. Box 5406

Greensboro, NC 27435-0406



COMPUTE!'s FREE Reader Information Service

Use these cards to request FREE information about the products advertised in this issue. Clearly print or type your full name and address. Only one card should be used per person. Circle the numbers that correspond to the key number appearing in the advertisers index.

Send in the card and the advertisers will receive your inquiry. Although every effort is made to insure that only advertisers wishing to provide product information have reader service numbers, COMPUTE! cannot be responsible if advertisers do not provide literature to readers.

Please use these cards *only* for subscribing or for requesting product information. Editorial and customer service inquiries should be addressed to: COMPUTE!, P.O. Box 5406, Greensboro, NC 27403. Check the expiration date on the card to insure proper handling.

Use these cards and this address only for COMPUTE!'s Reader Information Service. Do not send with payment in any form.

COMPUTE!

101	102	103	104	105	106	107	108	109	110	111
112	113	114	115	116	117	118	119	120	121	122
123	124	125	126	127	128	129	130	131	132	133
134	135	136	137	138	139	140	141	142	143	144
145	146	147	148	149	150	151	152	153	154	155
156	157	158	159	160	161	162	163	164	165	166
167	168	169	170	171	172	173	174	175	176	177
178	179	180	181	182	183	184	185	186	187	188
189	190	191	192	193	194	195	196	197	198	199
200	201	202	203	204	205	206	207	208	209	210
211	212	213	214	215	216	217	218	219	220	221
222	223	224	225	226	227	228	229	230	231	232
233	234	235	236	237	238	239	240	241	242	243
244	245	246	247	248	249	250	251	252	253	254
255	256	257	258	259	260	261	262	263	264	265
266	267	268	269	270	271	272	273	274	275	276
277	278	279	280	281	282	283	284	285	286	287
288	289	290	291	292	293	294	295	296	297	298
299	300	301	302	303	304	305	306	307	308	309
310	311	312	313	314	315	316	317	318	319	320
321	322	323	324	325	326	327	328	329	330	331
332	333	334	335	336	337	338	339	340	341	342
343	344	345	346	347	348	349	350			

Circle 101 for a one year new U.S. subscription to COMPUTE! you will be billed for \$24.

Please print or type your full name and address. Limit one card per person.

Name _____

Address _____

City _____

State/Province _____

Zip _____

Country _____

Please include zip code. Expiration 11/30/84.

CO984

Place
Postage
Here

COMPUTE! Reader Service
P.O. Box 2141
Radnor, PA 19089

Turn your CRT Monitor into a television set with Cardco's new monitor tuners.



With a flick of the switch you can turn your computer monitor to provide the most vivid television pictures available. Receive a sharper, clearer television picture on your CRT monitor than you ever thought possible. Model MT/1 includes a full wireless remote control sixty-channel cable ready tuner with separate video and audio output. Completely compatible with your composite input computer monitor. For composite color or monochrome.

separate video and audio output matched to your composite input computer monitor. For composite color or monochrome monitors. Backed by a full 90 day guarantee.

Write for illustrated literature and prices or see CARDCO Computer Accessories and Software wherever computers are sold.



Also available to turn your CRT monitor into a television set is CARDCO Model MT/2, a full UHF/VHF TV tuner with



cardco, inc.

300 S. Topeka Wichita, Kansas 67202
(316) 267-6525

"The world's largest manufacturer of Commodore accessories."



HOW TO BECOME COMPUTER LITERATE

FEATURES	COMMODORE 64™	APPLE IIe™	IBM PC jr™	ATARI 800XL™
Price*	\$219	\$699	\$669	\$299
Built-in Memory	64K	64K	64K	64K
Typewriter Keyboard	YES (66 Keys)	YES (62 Keys)	"CHICKLET" (62 Keys)	YES (61 Keys)
Upper/Lower Case	YES	YES	YES	YES
Programmable Function Keys	YES	NO	YES	NO
AUDIO				
Polyphonic Tones	YES	NO	YES	YES
Music Synthesizer	YES	NO	NO	NO
Hi-Fi Output	YES	NO	YES	YES
VIDEO				
TV Output	YES	EXTRA COST	EXTRA COST	YES
Video Monitor Output	YES	YES	EXTRA COST	YES
INPUT/OUTPUT				
Intelligent I/O Bus	YES	NO	NO	YES
RS-232 Communications	YES**	EXTRA COST	YES**	EXTRA COST
"Smart" Peripherals	YES	NO	NO	YES

*Prices shown are common retail and may vary slightly in different markets.
**Requires an adapter to operate.

First you need the right input.

Like \$219. That's what the Commodore 64™ costs. It's about one third the price of the Apple IIe™ or the IBM® PCjr.™

And 64K. That's how much memory the Commodore 64 has. It's also how much memory Apple IIe and the IBM PCjr have.

This computer lesson is brought to you as a public service by Commodore (certainly not by Apple or IBM), the only computer company that can afford to show you a chart like the one above.

But what you can't see above are the



thousands of software programs that make the Commodore 64 fully capable of doing anything any "triple the price" computer can do; for fun or profit, for every member of the family; anything from soccer to spread sheets to space exploration.

Because the Commodore is so affordable, you can load up on Commodore peripherals. Like a disk drive, a printer or a telephone modem. All together they cost just a tad more than an IBM PCjr by itself. With no peripherals.

No wonder Commodore sells more computers than Apple and IBM combined.

commodore
COMPUTERS
IT'S NOT HOW LITTLE IT COSTS,
IT'S HOW MUCH YOU GET.