
On-Line Shopping: Today's Computer Catalogs

\$2.95 OMPUTE November 1984 Issue 54 Vol. 6, No. 11 \$3.75 Canada 02193 ISSN 0194-347X **63**

The Leading Magazine Of Home, Educational, And Recreational Computing



TEST DRIVE AN ELEPHANT.




Elephant Floppy Disks are the perfect vehicle for storing and protecting data. Because Elephant never forgets. You'll get high performance that's 100% guaranteed for a lifetime of heavy use. So take them for a test drive. They re available now at your local computer showroom. And there's no waiting for delivery. For the Elephant dealer nearest you, call 1-800-343-8413. In Massachusetts, call collect (617) 769-8150.

Dennison

ELEPHANT NEVER FORGETS.

Catch Color Color Color Color Color Color Color Color The Hottest New Game In Town"



At \$39.95, Trivia Fever comes complete with Question and Answer Book, Category Selector, and Tally Sheets to be used when played without a computer.

Trivia Fever is absolutely unique — it's the only software entertainment package that can be enjoyed *with* or *without* a home computer! When played on your home computer, Trivia Fever is a refreshing alternative to all those shoot em up games. An elected "Master of the Game" uses the computer to randomly select subject categories, handicap players, generate questions and answers, keep score automatically, and more! Instructive by its very nature, Trivia Fever can be enjoyed by up to 8 individuals or teams. And when played without a computer, Trivia Fever has all the best features of the "popular" trivia games plus more — all without the cumbersome board, cards, and little game pieces. You can play in a car, on vacation, anytime, anywhere! And Trivia Fever is by far the best Trivia game available anywhere. Here's why:

Trivia Fever offers thousands of challenging questions in 7 interesting categories, so there's something for everyone. Each category

has questions with 3 levels of difficulty, which score comparable points. What's more, Trivia Fever allows players to HANDI-CAP all those so-called "trivia experts" three different ways, giving everyone a chance to win. And players can easily control the length of play from quick thirty minute



games to multi-hour party marathons!

Trivia Fever is unique, entertaining, educational, and most of all FUN. And at \$39.95, Trivia Fever is destined to quickly become the best selling software entertainment package of all time. There's even a \$5 rebate available to any non-computer users who return the computer diskette.

Trivia Fever can be enjoyed on the Commodore 64, IBM PC & PCjr and compatibles, Apple II series, and others. So don't delay. Catch Trivia Fever at your favorite software retailer today!

For additional information call 617-444-5224, or write to:





The Nice Family: Bill, Janet, Tom and Marybeth. Once upon a time (it was 1984, in fact) and not so far away (right in your neighborhood), there lived a Nice Family: Bill and Janet Nice, and their children, Tom and Marybeth. The Nices owned a home computer, and they liked what

they could do with it. But something was wrong. Every time they went to the store to buy a new game,

no one was ever happy. • "Oh no," said Janet Nice. "This won't do at all!

These games are not for us!"

"You're right," said Bill. "They're just not nice."

You see, all the games were about war and

killing and hurting for no good reason. Things that the
Nices didn't want the Nice children doing or even thinking
about doing. So Mr. and Mrs. Nice decided to buy educational
programs. But that made Tom and Marybeth unhappy, because
they thought educational programs were—you know—B-o-r-i-n-g.
What were these Nice people to do? ● Then, one day, they found
some new games called Adventures in Narnia, part of the new
LifeWare™ line from Word Publishing. The first two
games were Narnia and DawnTreader, and they were
based on the classic fantasies by C.S. Lewis. ● The Nice
kids were happy because these games were loaded
with action, adventure, excitement

and challenge. Why, they even included things usually found in board games! So everyone in the family could get in on the fun! Mr. and Mrs. Nice were happy with

Adventures in Narnia games, too, because they made their children


think. And, of course, because the stories by C.S. Lewis present sound concepts and values (no

paperback book and playing pieces other computer games do). "It's as if these games had our name on them!" said Janet Nice. • Which brings us to the end of the story. It might be too much to say this family lived happily ever

after. But they did live more happily with their computer-and And what could be nicer than that? with each other.

The End.

But not really. Your family's Adventures in Narnia are waiting for you at your local computer store or Waldenbooks store. Ask for Narnia and DawnTreaderthe first two games in the Adventures in Narnia interface series - they're compatible



Apple II series is a registered trademark of Apple Computer, Inc. Commodore 64 is a trademark of Commodore Electronics, Ltd.

An Adventures in Narnia

game includes diskette, a guide to Narnia, a free C. S. Lewis

usually found in board games.

THE BANK STREET APPROACH TO WORD PROCESSING:

SIMPLIFY! SIMPLIFY! SIMPLIFY!"



Using the Bank Street Writer is almost as simple as sitting down with a blank sheet of paper - just load the program and start writing.



n the weeks following its introduction, the Bank Street Writer became a leading best seller, and for some very simple reasons.


Here, finally, is a word processor that lives up to its promise to be easy to use. Most people (children included) can begin using it in a matter of minutes. Yet it puts you in full control of the powerful features most wanted in a sophisticated word processing program. All at a price that makes it as easy to buy as it is to use.

SIMPLY MORE SIMPLE.

The Bank Street Writer was developed in association with the Bank Street College of Education in New York. Designed to be its own tutor, the Writer will guide you along with on-screen prompts and easyto-follow menus so you can concentrate on what you're doing instead of how. On-screen prompts and selections are in plain English, so there's no memorizing complex computer codes, keys or symbols. You'll be writing, correcting and rearranging your words with just a few keystrokes.

SIMPLY MORE POWERFUL.

For all its simplicity, the Bank Street Writer offers some very impressive features. You can center titles or indent with ease, and automatic word wrap lets you forget about pressing "return" at the end



of each line. Never worry about changing your mind - you can add, move, insert or delete single words, lines or even entire blocks of text and then restore the deleted copy if you want it back. Using the search and replace option, the Bank Street Writer will scan your document for a particular word, replace it with another, and then verify the replacement. And when you're ready to print, you can format your text in any way you'd like. Answer a few simple questions and you can set margins and line spacing. The Writer will number pages either at the top or bottom or not at all-whichever you prefer. You can easily save your text on a disk, then retrieve it later to re-read, print or do more editing.

And to make your writing letter perfect, soon there will be a spelling checker available for use with the Bank Street Writer. Bank Street Speller finds errors instantly and corrects them by looking up entries in its electronic dictionary.

SIMPLY MORE AFFORDABLE.

Best of all, Bank Street Writer's suggested retail price of \$49.95 for the Commodore 64 makes it simply the best word processing value around. And it comes with everything you need, including complete documentation and a free back-up disk, to begin simplifying your life today.

THE BANK STREET WRITER is also available for the Apple, IBM and Alari home computers. Apple is a trademark of Apple Computer, Inc. Commodore 64 is a trademark of Commodore Electronics, Ltd. Atari is a trademark of Atari Corp. IBMs a trade-mark of International Business Machines, Inc. For more information about Broderbund and our products, write to us at: 17 Paul Drive, San Rafael, California 94903. © 1984 Broderbund Software.

SIMPLICITY. POWER. VALUE. IT MAKES GOOD SENSE. THE BANK STREET WRITER FROM BRØDERBUND.



November 1984 Vol. 6, No. 11

FEATURES

30	On-Line Shopping: Today's Computer Catalogs	Selby Bateman
32	Understanding Modems	Sharon Darling
40	The Bulletin Boarding Of America	Kathy Yakal
50	Bulletin Board Basics	Greaa Peele

EDUCATION AND RECREATION

30	Reflection	Sean Puckett
85	Spiders	Joe Rocke

REVIEWS

Dofloation

120	KoalaPad For PCjr Lee Noel
12/	Omnivitier & Omnispell
131	WizType James V. Trunzo

COLUMNS AND DEPARTMENTS

6	The Editor's Notes , Robert Lock
10	Readers' Feedback The Editors and Readers of COMPUTE!
108	The Beginner's Page Tom R. Halfhill
112	On The Road With Fred D'Ignazio: More Ways Computers Made Me Smarter
	After Only Thirteen Years Of Daily Use Fred D'Ignazio
132	Computers And Society
151	INSIGHT: Atari Bill Wilkinson
155	Machine Language: Stack Tricks
157	Programming The TI: Algebra Tutorial, Part 2
160	IBM Personal Computing Donald B. Trivette

THE JOURNAL

100	PC Monochrome Graphics Michael A. Covington Update On COMAL: A SuperBASIC Jim Butterfield
134	All About The Status Register, Part 2 Louis F. Sander
163	Enhanced Commodore 64 DOS Support Stephen S. Melsheimer
171	IBM Screen Formatter David Leithauser
172	Apple Disk Verify llan Reuben
174	Commodore Potpourri COMPUTE! Readers and Todd Heimarck
177	Atari Easy Scroll Eugene D. McMillin
179	FOR-NEXT Loop Etiquette Jim Butterfield

- 182 CAPUTEI Modifications Or Corrections To Previous Articles
- 184 COMPUTEI's Guide To Typing In Programs
- 187 MLX Machine Language Entry Program For Commodore 64 And Unexpanded VIC-20
- 195 Product Mart
- 196 Advertisers Index

NOTE: See page 184

NOTE: See page 184 before typing in programs.

TOLL FREE Subscription Order Line 800-334-0868 (In NC 919-275-9809)

COMPUTE! Publications, Inc.

One of the ABC Publishing Companies: ABC Publishing, President, Robert G. Burton 1330 Avenue of the Americas, New York, New York 10019 COMPUTE! The Journal for Progressive Computing (USPS: 537250) is published monthly by COMPUTE! Publications, Inc., P.O. Box 5406, Greensboro, NC 27403 USA. Phone: (919) 275-9809. Editorial Offices are located at 324 West Wendover Avenue, Greensboro, NC 27408. Domestic Subscriptions: 12 issues, 524. Send subscription orders or change of address (P.O. form 3579) to COMPUTE! Magazine, P.O. Box 914, Farmingdale, NY 11737. Second class postage paid at Greensboro, NC 27403 and additional mailing offices. Entire contents copyright © 1984 by COMPUTE! Publications, Inc. All rights reserved, ISSN 0194-357X.

GUIDE TO ARTICLES AND PROGRAMS

AT/64/V/TI/AP/PC/ PCjr/CC V/64/AP/PC/PCjr

> PCjr 64 AT/64/AP

AT .

TI PC/PCjr

PC/PCjr 64/V/P 64/P/AP/AT 64 PC/PCjr AP 64/V/P AT

AP Apple AT Atari, P PET/ CBM, V VIC-20, C Radio Shack Color Computer, 64 Commodore 64, TS Timex/ Sinclair, TI Texas Instruments, PCJr IBM PCJr, PC IBM PC, AD Coleco Adam, *All or several of the above,

EDITOR'S NOTES

Senior Editor Richard Mansfield writes about the end of the analog age in this month's Guest Editorial.

Robert Lock
Editor In Chief,
COMPUTE! Publications

We are moving into a digitized world of bar codes, synthetic music, computerized TV, and thousands of other kinds of computerization. This is a major technological and cultural shift, and it's already having an impact on the way we entertain ourselves, communicate, perhaps even on the ways we think.

To better understand what digitization means, let's reflect for a minute on the difference between analog and digital systems. A rotary-dial phone is analog: To dial a seven, you stick your finger in the seventh hole and drag the wheel around until you hit a bar. Then you release the wheel and there are seven clicks which the telephone company switching network can hear and register as the number seven. In other words, you've sent some information by counting off the number in a physical way. This isn't all that removed from communication via smoke signal or drum.

A digital (Touch-Tone) phone doesn't attempt to imitate the number seven. You just push a button labeled seven and a particular musical tone beeps. It doesn't beep seven times. By previous agreement, that tone represents the number seven.

A fundamental difference between analog and digital is that analog *imitates* the thing it's trying to communicate—it's a physical charade. If you could make yourself very small and walk along a groove in a record album, you'd see canyon walls of vinyl rising and bulging on either side. There would be various bumps in the walls which imitate the sounds of the music. In fact, if you saw big bulges at regular intervals, it's likely you'd be seeing the sound of a drum.

Historically, man has usually assumed that nature itself is based on analogies. For example, some Greek thinkers believed that a chair was composed of millions of little chairs, too small for us to see. There's something reassuring about analogies: They seem to suggest a chain of being, a continuity. But modern physics has revealed a stark, discontinuous, virtually random world of quanta. Tables, they tell us, are made up of accidental packets of reality, thrusting and bumping beneath the quiet surface we observe.

And now music is being quantized. Digital discs measure music by taking samples of it 44,000 times each second. Each of these samples is simply a number, like 1388, which represents what a microphone heard during a particular 1/44,000 second. These numbers are then stored on a small disc which can be read by a laser. On the laser disc, a song is a string of numbers: 1388 42778 42778 42758 and so on. It takes about eight million of these numbers to store a typical three-minute-long song. But a laser can read them and a computer can process them so fast that you think you're hearing real sounds.

They're working on digital TV, too. The picture will come in from the antenna, but it won't be immediately put on the screen. Instead, it will be held inside the TV for a brief instant, translated into numbers, analyzed, and then sent up so you can see it. During this analysis, any blurring, ghosting, or other degradation of the image will be fixed. What you will see will be a tighter, sharper image. You'll also be able to freeze a picture and print it out. A digitized picture, like digi-

tized music, is just a huge collection of numbers. And numbers have several advantages: They are easy to store and transmit, they can be efficiently manipulated, and they cannot be easily degraded.

If a tiny piece of dirt gets on a record, it will add its own sounds to those canyons of vinyl, hissing or popping sounds, depending on the size of the dirt. And with all the miles of phone lines and all the millions of switches, sooner or later there is bound to be an extra click or two when you're trying to dial a seven.

Analog records can be scratched; clicking rotary dials can be misunderstood by a switch-board; ordinary TV signals can suffer during a thunderstorm—the problems with analog are legion. But bad weather, dust, or scratches cannot hurt a number. 1388 is always 1388.


So everywhere you see the effects of digitization. You used to turn up the volume on a radio by turning a knob. Now you're likely to find a button or a pressure pad where the knob used to be. When you press it, nothing behind the button revolves, nothing analog happens. Numbers are simply increasing or decreasing in a microprocessor chip. Many electronic appliances now have no analog knobs at all.

Speed, efficiency, malleability, and integrity are the advantages of digitization. The analog world is in its twilight. It's too early to tell if there are any hidden, unpleasant side effects of digitization, any thrusting or bumping beneath the surface. Yet we increasingly depend on a reality composed of numbers so quick and so immense that we cannot watch them or feel them or even, in many ways, understand them. In a sense, we're turning things over to the computers. They have no trouble at all with numbers.

Introducing

New Improved MasterType"

and the newest members of the MasterType Family.



America's #1 educational software program now has the elements of a traditional touchtyping course in addition to being the most entertaining way ever to learn to type. New Improved MasterType now includes a second diskette of finger positioning drills and games to increase your typing speed and accuracy.

You'll become an expert typist faster than ever as you master the keyboard. Then you'll be ready to try two new programs in the MasterType Family.

MasterType's Writing Wizard.™ The easiest, friendliest full-function word processing program you'll ever find. And Writing Wizard will help you write effectively too. Color highlighting for easy editing, dual windows, a handy database with mail merge capability and multiple typefaces make it easy for you and your children to express yourselves clearly and creatively.

MasterType's Figures & Formulas.™ The "computing encyclopedia" of weights and measures for kids and adults. From centimeters to light years, you can calculate, convert and compare. Figures & Formulas will even

allow you to create customized quizzes for your kids.

The MasterType Family of programs makes learning more fun and easier than ever for both you and your children. Look for these programs at your dealer's now.

Availability:

New Improved Apple IIe/IIc,®

MasterType: IBM-PC/XT/PCjr,® Atari,® Commodore 64.®

All with 2 disks, only 1 disk

drive necessary. Macintosh disk.

Atari and Commodore

cartridges.

MasterType's Writing Wizard: Commodore 64.

Apple IIe (128k)/IIc,

Both with 2 disks, only 1 disk drive necessary.

Master Type's

Apple IIe/IIc, Commodore 64.

Figures & Formulas:

© Scarborough Systems, Inc., 25 N. Broadway, Tarrytown, New York 10591

Publisher Editor in Chief Director of Administration Gary R. Ingersol Robert C. Lock Alica S White

Senior Editor Managing Editor Editor, COMPUTEI Production Director Production Editor Editor, COMPUTEI'S GAZETTE Technical Editor Assistant Technical Editors Program Editor

Richard Mansfield Kothieen Martinek Tom R. Hatfhill Tony Roberts Gal Walker Lance File Ottis R. Cowper John Krause, George Miller Charles Brannon Selby Bateman Todd Heimarck, Philip Nelson Kathy Yakai

Features Editor Assistant Editor Feature Writer Sharon Darling Research Assistant Programming Supervisor Assistant Programming Supervis **Editorial Programmers**

Gregg Poele Kevin Martin, Tim Victor, Kevin Mykytyn, Gary Black, Rob Terrell Mark Tuttle, David Florance Juanita Lewis, Joan Rouleau, Ann Davies

Proofreaders Administrative Assistants

Programming Assistants

Copy Editors

Associate Editors

Ethel Silver, Dwight Smith, Marty Vicki Jennings, Julia Fleming, Susan Young, Ins Brooks, Jan Kretlow Jim Butterfield. Toronto, Canada

Harvey Herman, Greensboro, NC Fred D'Ignazio, 2117 Carter Road, 5 W , Roanoke, VA 24015

David Thomburg, P.O. Box 1317, Los Altos, CA 94022

Contributing Editor COMPUTEI's Book Division

Editor Assistant Editors Assistant Managing Editor Administrative Assistant Artists Director, Books Sales & Marketing

Assistant

Typesetting

Mustrator

Stephen Levy Gregg Keizer, J. Blake Lambert Rangati Fosner Loura MacFadden Janice Fary, Debbie Bray

Steve Voyatzis Corol Dickerson

Production Manager Art & Design Director Assistant Editor, Art & Design Mechanical Art Supervisor Artists

Janice Forv Lee Noel De Potter

Irma Swain

Loslie Jessup, Larry Sullivan Terry Cash, Carole Dunton

Director of Advertising Sales Assistant Advertising Manager Production Coordinator Production Assistant Sales Assistant Promotion Manage

Ken Woodard Patti Williams Joyce Margo Kathleen Hanlan Mindy K. Kutchel

Patty Jones

Circulation Manager Charles Post

Subscriber Services Supervisor Assistants

Chris Patty, Sharon Sebastian. Rosemane Davis Fran Lyons

Degler Soles Supervisor Assistants

Gall Jones, Sharon Minor, Rhonda Savage Dorothy Bogon

Individual Order Supervisor Assistants

Judy Taylor, Anita Roop, Debi Gotorth, Jenna Nash, Elizabeth Krusenstjerna, Mary Hunt, Gayle Benbow, Betty Atkins, Chris Gordon Jim Coward, Larry O'Connor, Dal Rees, John B. McConnell, Eric Staley Sam Parker, Eddle Rice, David Hensley, John Archibald, Mary Sprague (Mail Room Coordinator)

Data Processing Manager

Shipping & Receiving

Leon Stokes Chris Cain

Paul J. Mealiola

Vice President, Finance &

Director, Finance & Planning R. Steven Vetter Accountant Robert L. Bean Purchasing Manager Greg L. Smith **Financial Analysi** Kareri K. Rogalski JIII Pope, Anno Horris, Jane King,

Credit Manager Streff

Barry L. Beck Linda Miller, Doris Half, Anne Ferguson, Pat Fuller, Susan Booth, Sybil Agee

Robert C. Lack, Chief Executive Officer Gary R. Ingersoll, President Paul J. Megiola, Vice President, Finance and Planning Debi Nash, Executive Assistant Cassandra Robinson, Assistant A.P.A.



Coming In Future Issues

Personal Finance Made Simple

MSX Is Coming

Two Extraordinary Games: "Chess" And "Things in The Dark"

Commodore 64 Paintbox

Apple And TI-99/4A SuperFont Graphics **Design Programs**

Atari Disk RX **IBM Personalized Form** Letters

COMPUTE! Publications, Inc. publishes

COMPUTE COMPUTE'S

COMPUTE! Books COMPUTE'S OF A ZETTE DISK

Corporate Office: 324 West Wendover Ave., Suite 200 Greensboro, NC 27408 USA

Mailing address: COMPUTE! Post Office Box 5406 Greensboro, NC 27403 USA Telephone: 919-275-9809

Subscription Orders COMPUTE! Circulation Dept. P.O. Box 914 Farmingdale, NY 11737

TOLL FREE Subscription Order Line 800-334-0868 In NC 919-275-9809

COMPUTE! Subscription Rates (12 issue Year):

(one yr.) \$24 Air (two yrs.) \$45

(three yrs.) \$65 Canada and Foreign Surface Mail

\$42 Europe, Australia Middle Fast, Central

America and North \$52 Africa South America, South

\$72 Africa, Far East

Advertising Sales



2. Mid Atlantic

John Saval Eastern Regional Manager 5. Northwest/ 212-315-1665 Andy Meehan Marsha A. Gittelman 215-646-5700 212-567-6717 (NY)

3. Southeast & Foreign

Harry Blair 919-275-9809

4. Midwest Gordon Benson 312-362-1821

Mountain/Texas Phoebe Thompson (408) 345-5553 Jerry Thompson 415-348-8222

Southwest Ed Winchell 213-378-8361 Director of Advertising Sales Ken Woodard

COMPUTEI Home Office 919-275-9809.

Address all advertising materials to: Patti Williams Advertising Production Coordinator COMPUTEI Magazine

324 West Wendover Avenue, Greensboro, NC 27408

The COMPUTEI subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please send an exact copy of your subscription label to: COMPUTEI, P.O. Box 914, Farmingdale, NY 11737, Include a note indicating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to COMPUTEI are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTEI, authors acknowledge that such materials, upon occeptonce for publication, become the exclusive property of COMPUTEI. Publications, Inc., No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright to 1984, COMPUTEI Publications, Inc. Rights to programs developed and submitted by authors are explained in our author contract, Unsolicited materials not accepted for publication in COMPUTEI will be returned if author provides a self-addressed, stamped envelope. Programs (on tope or disk) must accompany each submission. Printed listings are optional, but helipful. Articles should be turnished as typed copy (upper- and lowercase, please) with double spacing. Each page of your article should bear the title of the article, date and name of the author. COMPUTEI assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of COMPUTEI.

PEL CBM, VIC-20 and Commodore 64 are trademarks of Commodore Business Machines Inc., and/or Commodore Electronics Limited Apple is a trademark of Apple Computer Company

ATARt is a trademark of Atari, Inc. 199/dA is a trademark of Texas instruments, the Radio Shack Color Computer is a trademark of Earldy, Inc. The enjoyment goes on forever!



For APPLE® II, ATARI®, COMMODORE® 64 and IBM® PC microcomputers

Strategy, Science Fiction, Fantasy, Adventure, Sports Illustrated®, Educational and even Arcade GAMES for the HOME COMPUTER from



microcomputer games°

The Avalon Hill Game Company

4517 HARFORD ROAD, BALTIMORE, MD 21214 (301) 254-9200

At leading Computer and Game Stores everywhere ... or CALL TOLL FREE 1-800-638-9292 for store locations or ordering information

> Use the coupon to send for a full-color brochure with pretty pictures and in-depth game descriptions.

The Avalon Hill Game Company • 4517 Harford Road, Baltimore, MD 212	214
Lucatta alau fasa ini Nasa ana ana ana un uful salar antala.	

(Enclosed is \$1.00 to cover postage and handling.)

Name

Address

City, State, Zip

Type of computer

READERS' FEEDBACK

The Editors and Readers of COMPUTE!

TI Reverse Flash

I own a TI-99/4A with Extended BASIC, but have programmed on a number of computers. Several of these computers, such as the Apple and Atari, have reverse video characters. Since the TI lacks reverse characters, I wrote the following short routine to simulate them:

```
100 REM INVERSE CHAR
110 CALL SCREEN(2)
120 FOR 1=65 TO 90 :: CALL CHARPA
    T(1,A$):: CALL CHARLI+32,A$J:
    : NEXT I
130 CALL CLEAR
140 FOR I=9 TO 12 :: CALL COLOR(I
    ,2,16):: NEXT | :: FOR |=5 TO
     8 :: CALL COLUR(1,16,2):: NE
    ΧT
150 A$ = "INVERSE"
160 B$="inverse"
170 DISPLAY AT(11,11): A$ :: FUR |
    = 1 TO 50 :: NEXT I :: DISPLAY
     AT(|1,11):B$ :: FOR |=1 10 5
    0 :: NEXT | :: GOTO 170
180 END
```

This routine replaces the lowercase letters (produced with the ALPHA LOCK key up) with inverse capitals. First, in line 120, the CHARTPAT and CHAR subprograms replace the lowercase letters (characters 97–122) with capitals. Next, in line 140, color codes are assigned to the redefined characters to create inverse characters.

For added effect, a flashing routine similar to that produced with the Apple's FLASH command has been added in line 170.

J. P. Lester

Thank you for contributing this handy routine.

Commodore 1541 Head Alignment

I own a Commodore 64 and a 1541 disk drive. I am having problems loading programs that were saved about two months ago. Programs that were recently saved don't present a problem. When I attempt to load the older programs, the red read/write light flashes the entire time the

program is loading. Some programs won't load, period. I've tried to clean my drive, but the problem persists. Can you please tell me what is causing this? I remember reading an article that said when programs are saved in different temperatures, problems may arise. If this is true, can this be the nature of my problem?

Gerry Robinson

Although temperature extremes can damage stored disks, it is probably not the source of your problem. As long as disks are used and stored within the recommended range of 50 to 125 degrees Fahrenheit, you shouldn't have any trouble.

The alignment of the read/write head in your disk drive may be skewed. The stepper motor sometimes slips out of alignment on some models of the 1541. This motor is responsible for precisely positioning the read/write head when the disk is reading or writing data. You should consider taking your drive to a Commodore Service Center to have it checked out.


If the red busy light on the front of the drive blinks while you're loading programs, this can indicate the drive is having trouble reading the data on the disk. This is not to be confused with the steadily blinking light encountered with a DOS (Disk Operating System) error. Ideally, the busy light should constantly glow red while reading data on the disk.

Computers And Laser Discs

I was wondering if Atari was planning to produce a laser disc machine for use with its computers. I had read they had planned to do so, but then decided to drop the idea. Is this true?

John Engman

Originally designed to store high-quality video images, the laser disc's power is only now being tapped. Unlike a videocassette recorder, which works like a computer tape drive, a laser disc player has fast random access to any frame, analogous to a computer disk drive. Theoretically, any computer can be interfaced with the relatively simple controls required to drive a laser disc. Digital Research, Inc.,



The road to floppy success is paved with our Gold Standards.

Maxell speeds your success in computing. Helping you avoid traps that can block the way to information you've stored. After all, our disk is an industry leader in error-free performance. Performance backed by a lifetime warranty.

Consider this: Disks travel through a disk drive where heat builds up. And up. So Maxell designed its protective outer jacket to defy 140°F. The disk keeps its shape and keeps your information on track.


How good is Maxell Gold? We're the disk that many floppy drive manufacturers trust to put new equipment through its final paces. And the unique way we pack our oxide particles and bind them together means quality for the long run.

Dropouts? Disk errors? Just pass them by. You're on the Gold Standard.





Picture a computer under \$1000 that runs over 1000 of the best programs written for the IBM PC.



Now picture this.

There's a lot that's new about PCjr and it's all good news for you.

PCjr now has a lower price. A new typewriter-style keyboard.

A new option that can give

user memory a dramatic boost.

And new business and personal programs to add to its fast-growing library of up-toon diskette (with Lotus 1-2-3 date programs.

> All of which can make PCir the most useful computer a little money

> can buy.

It comes standard with 128KB of user memory - twice the memory of its most popular competitor. An

advanced 16-bit processor. And a double-sided diskette drive that can store over twice as much information as most single-sided drives.

With all these all the way to a hefty 512KB. features. PCjr can run over a thousand of the most popular programs written for the IBM PC. And with the new optional 128KB Memory Expansion Attachment.

dimension of color: it can run over a thousand more.

Right now, PCircan run

the powerful Lotus 1-2-314

PCjr Installation Kit and

additional memory). The new cartridge version.

requiring no additional

Managing Your Money

by Andrew Tobias, new

on cartridge for PCjr. is a

comprehensive personal

financial advisor and

Turn your screen into

PCjr ColorPaint. lets you

create with the added

a canvas. The new

cartridge program.

manager

this fall

memory, will be available

PCjr also runs a growing number of powerful cartridge programs. They work faster than





The new PCjr Memory Expansion

quick lift to 256KB. Or, along with

a PCir Power Expansion Attachment.

Attachment can give memory a

diskettes, and don't take up a bit of user memory. The three newest examples being Lotus 1-2-3,™ the fascinating PCjr ColorPaint and Managing Your Monev™ by financial expert Andrew Tobias.

As its library of software keeps growing. PCjr keeps growing, too. By leaps and bounds. Because IBM designed it with 13 ports for add-on options. And a modular construction that will accept new capabilities down the road. Even those that haven't been invented yet.

All this in a

computer that weighs a mere 10 pounds.* Takes up just a bit

over a square foot of desk space. And costs less than \$1,000[†].

without monitor. Picture vourself with a PCir. Try one out and see what's new at an authorized IBM PCir

dealer or IBM Product Center:

For the name of the store nearest you. call

1-800-IBM-PCJR. In Alaska and Hawaii, call 1-800-447-0890.

More computer for your money. See how PCir compares with other

computers at its price Software

Memory User Memory (RAM): 128KB (expand-able to 512KB) Permanent Memor

Runs both diskette and (ROM) 64KB Display Diskette Drive 40- and 80-column

Double-sided. double density Capacity: 360KB

Processor 16-bit 8088

Keyboard Detached: cordless

Warranty warranty

4-color: 640h x 200v 16-color: 320h x 200v Expandability Open architecture Optional 128KB Memory Expansion

Runs over 1.000

Resolution

programs written for the IBM PC

cartridge programs

Attachment(s) 13 ports for add-ons. including built-in serial interface





Managing Your Money is a trademark of MECA 1-2-3 and Lotus are trademarks of Lotus Development Corporation

Weight does not include power pack and monitor *IBM Product Center price

Little Tramp character licensed by Bubbles Inc., s.a.

sells the VidLink, a \$49 hardware/software package that lets you interface a Commodore 64 to a laser disc player. Versions will soon be available for the IBM PC and Apple II.

Also, while not essential, it's useful if the interface can mix computer and laser disc images so you can superimpose sprites and text with the laser disc image. With a laser disc, surprising realism can be attained in computer backgrounds, but laser discs do not seem to be capable of entirely replacing the bitmapped raster graphics currently used by computers. A laser disc is limited to the available images, whereas computer graphics can be dynamically synthesized.

Since the laser disc can be accessed at random, video can be shown in nonsequential order, branching to different frames under computer control. The laser disc has already proved to be a valuable educational aid, especially when teamed with a

computer.

The new Atari 7800 Pro-System videogame machine has a jack on the side for mixing video from a laser disc. A computer keyboard that accepts standard Atari peripherals also was planned for the 7800 Pro-System. Several Japanese companies have shown machines (including a low-cost MSX computer) with laser disc control and video image mixing.

Laser discs have enormous storage capacity. A laser disc can store much more information than a comparably sized conventional magnetic disk, making it an attractive mass-storage alternative. Up to this point, laser discs have been read-only, since storing the information involves burning pits into the disk surface. New technologies such as optical-assisted magnetic recording permit both read and write access. Panasonic sells a read/write optical disk recorder using 8-inch disks. According to the press release, "Each disk can hold the equivalent of 10,000 letter-size documents." The list price is \$35,000.

Commodore Plus/64?

After reading about the new Commodore Plus/4, I loved the idea of their BASIC having 60K of user memory, even though I don't care for the reduced graphics and sound capabilities. Is it physically and electronically possible to install the Plus/4's BASIC ROM chip into the 64?

Ken Climer

Although the ROM chips used in the Plus/4 can plug into your 64 physically, as well as respond properly electrically, the software contained in the chips is incompatible with the hardware of the 64. Even though both machines use software-compatible microprocessors, the 64 does not map its memory, graphics, sound, or input/output in the same manner as the Plus/4. An experienced programmer

might be able to translate the BASIC, but it would be quite a task. The 64 Super Expander cartridge offers the same graphics commands found on the Plus/4, although there are no disk commands.

IBM Feedback

Here are some comments offered by a reader of COMPUTE!'s PC & PCjr magazine (now incorporated into COMPUTE!) on two "Feedback" answers published in the September 1984 issue.

With respect to the letter from John Bugianesi pertaining to a graphics dump to the Gemini 10X printer: Your suggestion to LPRINT CHR\$(27)"A"CHR\$(6) does set the proper linefeed for a graphics dump, but the GRAPHICS utility resets the linefeed to an incorrect value for the Gemini.

Also, it is possible to enter graphics characters from the PCjr keyboard. First, press the Fn key, then press N. This puts the keyboard into numeric mode. The cursor keys, when pressed, type out numbers. Now, hold down the ALT key and type in the ASCII value of the desired graphics character. When you let go of ALT, the character appears. To get out of numeric mode, press Fn-N again.

N. Thomas Lischer

Thanks for clarifying the problem with dumping graphics to the Gemini 10X printer.

Your second suggestion, however, still doesn't solve the problem of entering all the graphics characters from the PCjr keyboard. Even though ALT can be used to enter any ASCII value, there are still many graphics characters that can be displayed on the screen, but not typed from the keyboard. For example, when you press CTRL-A, a happy face character appears. CTRL-A returns CHR\$(1), the value of the happy face. The solid face, CHR\$(2), theoretically could be entered with CTRL-B, but this value causes BASIC to move the cursor, not print the character. Some graphics characters cannot be reached even with CHR\$, let alone from the keyboard. The only way to access some characters in BASIC is to POKE them directly into screen memory.

Expanding VIC Custom Characters

When the 16K memory expander is plugged into a VIC-20, the BASIC, color, and screen memory locations are moved around. I have used a technique published in your magazine to move these locations in the expanded VIC to the unexpanded VIC's locations. However, doing this sometimes causes the BASIC program to overwrite my programmable characters.

I have tried to protect my character set by moving down the top of user BASIC, but this



LAST NIGHT, 39 MUSICIANS HAD A COMPUSERVE CONFERENCE, SO DID 31 M.D.S, 49 SPORTS FANS AND 640 APPLE POLISHERS, AND NO ONE HAD TO LEAVE HOME.

The Electronic Forum, Cheaper than Long Distance and Much More Rewarding.

Every night on the CompuServe Information Service, professional and social groups discuss a wide range of subjects. From what's new in medical technology to what's nouvelle in continental cuisine.

And every day more computer owners who share a common interest are discovering this exciting new way to exchange ideas and even transfer hard copy data.

And besides electronic forums, they leave messages for each other on our national bulletin board,

"talk" informally on our CB simulator, and communicate via CompuServe's electronic mail.

But best of all, in most cases, CompuServe subscribers get all of these state of the art communications options, plus a world of on-line information and entertainment for the cost of a local phone call plus connect time.

To become part of this flexible communications network, all you

need is a computer, a modem and CompuServe. CompuServe connects with almost any personal computer, terminal, or communicating word processor.

To buy a Starter Kit, see your nearest computer dealer. To receive our informative brochure or to order direct, call or write:

CompuServe

Consumer Information Service. PO Box 20212 5000 Arlington Centre Blvd. Columbus. OH 43220

800-848-8199

In Ohio call 614-457-0802

An H&R Block Company

limits the memory so much that I may as well write my programs without my expander. Can you tell me how to locate my programmable characters higher in the user BASIC area without changing the screen, color, and BASIC locations?

Michael Worobec

The major problem encountered when using custom characters on a VIC-20 with 8K or more memory expansion is where to place them.

In the unexpanded VIC, a small amount of memory is usually reserved at the top of user BASIC for the characters. However, this cannot be done in the expanded VIC because the VIC chip (which controls character information) cannot see the expansion memory. In this case, the easiest solution is to move the start of BASIC up a few pages and place the custom characters below BASIC.

For example, if you're using an 8K expander, you can move the start of BASIC to 5632, and place the custom characters at locations 5120-5631. This reserves 512 bytes of memory, enough for up to 64 custom characters.

Here's an example. Clear the computer by turning it off, then on again. Then enter the following statements:

POKE 44,22:POKE 5632,0:NEW

To make your custom character set visible to the VIC chip, POKE 36869,205. To switch back to the standard set, POKE 36869,192.

Protecting Disks

I am planning to put some floppy disks into a safety deposit box and there is the possibility of some magnetized objects being in the box, too. Is there anything that I could store these disks in that would protect them from magnetism?

Bubba Woods

A magnetic field can penetrate wood, glass, plastic, aluminum, and most other nonferrous materials. However, magnetism cannot penetrate steel, iron, nickel, or cobalt (metals which are attracted to a magnet). Since nickel and cobalt boxes aren't widely available, simply find a small steel box in which to store your disks. However, if the magnetic field is strong, the box itself can become magnetized over time. Also remember that the strength of a magnetic field decreases rapidly with distance from the magnetic object. A steel box located a safe distance from the field would be your best bet.

Atari Telecommunications

I own an Atari 400 with 48K of memory, an 810 disk drive, and 1027 printer. I would like to expand my system with a modem, but I know nothing about them. What would be the best modem to buy? Who can I talk to? Am I limited

to conversing with Atari computers or can I converse with other computers? What is a direct-connect modem?

Paul S. Reyes

There are a huge number of third-party (non-Atari) modems available. The acoustic modem has two rubber cups into which you insert the telephone handset, whereas a direct-connect modem attaches directly to the telephone lines. All modems communicate by translating the ones and zeros of data into two tones, which are reconverted into data by the modem on the other end. The disadvantage of an acoustic modem is that outside noise can interfere with the modem tones. Also, some handsets just can't fit into the acoustic cups. The direct-connect modem sends its pulses directly over the phone line, and can automatically dial or answer the phone (although not all direct-connect modems have these features). Early phones without modular jacks must be adapted for use with direct-connect modems.


Almost all third-party modems plug into an RS-232C serial port. This is an extra option on many computers, including the Atari. The Atari 850 Interface Module has four RS-232C ports, but is hard to find these days. Some companies sell modems that plug into the joystick ports, and Atari sells a direct-connect modem that needs no additional interface. The Atari modem comes with its own software, but is not compatible with other modem software. You need this software to turn your computer into a dumb terminal, permitting you to see what's coming in over the modem, and letting you type to send out information over the modem. Advanced modem programs let you record everything coming in (downloading), or transmit a block of information to the other computer (uploading).

There's a huge world waiting for you on the other end of the modem. You are not limited to communicating with other Ataris. Large data base services like The Source, Dow Jones, and CompuServe offer news, stock quotations, electronic mail, games, even computer programming in FORTRAN, COBOL, and more. Prices for these services start at \$5 per hour of connect time.

Also, there are thousands of public-access bulletin boards. These boards are set up by individuals who dedicate their computer and modem to a kind of mass communication. Bulletin boards let callers read and leave messages, even send and receive public-domain programs. Special-interest bulletin boards range from ham radio boards to religious and adult-only programming.

Atari Keyboard Scanning

I own an Atari 800. When I OPEN #1,4,0,"K:", GET #1,N, press the letter A, and PRINT N, I get the number 65. But when I PRINT PEEK(764)



The Evelyn Wood Dynamic Reader.™ Now, the world's most renowned master brings the techniques of Dynamic Reading to your computer.

Learning to read faster isn't good enough. With the Evelyn Wood Dynamic Reader, you'll learn to read three to ten times faster—but with better comprehension and retention.

Only Timeworks brings this highly successful reading program into your

computer. It will guide you like a gifted teacher through the drills and exercises at your own comfortable pace, automatically record your progress, and let you graphically review your results

on colorful bar charts.

If it takes you more than 30 seconds to read this ad, you need Evelyn Wood.

Reading Dynamics is not a skimming or "key word" association technique. It is a totally different reading concept that registers every word, every idea, every shade

of meaning in the written material. You will use more of your mental capacity and learn to concentrate. Your mind won't wander while you read.

Reading dynamically is more enjoyable than reading the old way. Complete thought patterns and ideas emerge from the written

material in a smoothly moving picture. Instead of perceiving individual bits and pieces of information and putting them together as best you can, you will see total concepts. Reading dynamically is like living in the material.

The Evelyn Wood Dynamic Reader provides you with the exercises and tools you need to help you increase your reading



comprehension and speed. Your own personal computer helps you develop your skills at your own pace.

You learn the essential techniques of Dynamic Reading in your own home—at any time convenient for you. You can repeat exercises as often as you wish to assure that you maintain optimal reading efficiency. Each program contains 50 Skill-Builder exercises, 20 reading exercises and 40 quizzes.

Only Timeworks offers the *Evelyn Wood Dynamic Reader*. Now at your favorite dealer. Or contact Timeworks, Inc., 405 Lake Cook Road, Deerfield, IL 60015, Phone: 312-948-9200.

Available for Commodore 64, IBM, Apple, Atari.

Timeworks Programs:
Data Manager 2 Word Writer Swiftax
Money Manager Electronic Checkbook
Business System Series Dungeons of
Algebra Dragons Spellbound Cave of the
Word Wizard Computer Education Kits



and press A, I get a different number. Are there any PEEKs that will get me 65? Or is there another way to OPEN and GET so it doesn't pause?

Brian Worley

Location 764 holds the value of the last key pressed. This value is not in Atari ASCII (ATASCII), but represents the row and column of the key pressed. When no key has been pressed, PEEK(764) returns a 255. If you don't want to wait for a keypress, yet get the ATASCII value once the key is pressed, use something like this:

```
100 OPEN #1,4,0,"K:"
110 IF PEEK(764)=255 THEN 130
120 GET #1,N:PRINT N,CHR$(N):EN
D
130 PRINT "Stil-I waiting...":GO
TO 110
```

Commodore 64 Lost Leader

I have a program on tape for the Commodore 64, but the beginning was accidentally erased, wiping out the header. Because the 64 saves its programs twice, I was wondering if there is a way to load the second, undamaged copy.

Joe Monnin

It's true that Commodore computers automatically save programs twice on tape. However, if the tape header has been destroyed, there is very little hope for recovering the lost program. The header contains important information on the type of file and where the data it contains is to be stored. Without this, the LOAD routine won't know how to handle the program.

If the header was intact, but one of the copies of the program was damaged, it's likely that you could still recover the program (see "VIC/64 Tape Aids" in the November 1983 issue of COMPUTE!).

IBM Automatic Proofreader Enhancement

Some readers have been having problems with SAVE and LOAD on the IBM Automatic Proof-reader. A space must be used between the command and the filename. Leaving it off causes a syntax error:

SAVE "filename" [correct]
SAVE"filename" [incorrect]

Reader Mike Duch offers the following modification that lets you leave out the space between the command and the filename:

270 DELIMITER=INST(TEXT\$," "):COMMA
ND\$=TEXT\$:ARG\$="":IFDELIMITER T
HEN COMMAND\$=LEFT\$(TEXT\$,DELIMITER-1):ARG\$=MID\$(TXT\$,DELIMITER+1):GOTO280

275 DELIMITER=INSTR(TEXT\$,CHR\$(34))

:COMMAND \$= TEXT \$: ARG \$= "": IF DELI MITER THEN COMMAND \$= LEFT \$ (TEXT \$,DELIMITER-1): ARG \$= MID \$ (TEXT \$,D ELIMITER)

620 IF INSTR(ARG\$,".")=0 THEN ARG\$= ARG\$+".asc"

VIC Metamorphosis

Help! My VIC is changing. I recently noticed that my character set has been relocated. In the past, when I powered up my VIC, the location for the character set (36869) used to be 240. Now it is 192. Can you tell me why?

Scott D. Killen

Odds are that when you get the value of 192 at powerup, you have 8K or more of expansion memory plugged in. The normal powerup value for the unexpanded VIC is 240. Memory location 36869 does more than just indicate the location of the character set. It also points to the start of screen memory.

When you use 8K or more of expansion memory with the VIC, a few things change. Screen memory moves to 4096–4607, color memory to 37888–38399, and the start of user BASIC moves to 4608. In other words, the value of 36869 is not changing because the character set is moving, but because screen memory is relocating.

Moving The 64 Kernal

I was given two Commodore 64 games on a disk for Christmas, but could not get either of them to work. The disk drive returned the error message "Invalid command." My dad and I think that there is an error in our Kernal, because we've used the same disk drive with other 64s and both games have loaded and run fine. We saved the Kernal ROM from another 64 to disk, then loaded the Kernal into the RAM beneath the ROM. We then executed POKE 0,PEEK(0) AND 253 to disable the ROM, thus replacing the Kernal with the RAM-loaded one, but this did not work. Is this the right command to turn the Kernal off?

John Brooks

The Kernal is another name for the 64's operating system. Although it is responsible for communicating with the disk drive, it seems unlikely that this would cause the disk error, especially if you are having no other problems. A hardware malfunction in your 64 could just as easily be the culprit. Nonetheless, the command you should use is POKE 1,PEEK(1) AND 253. This will effectively remove the ROMs from \$A000-\$BFFF and \$E000-\$EFFF, revealing the underlying RAM. If you save both these ranges on another machine using a machine language monitor, you can load the two files into your 64. If you only want to load the Kernal from

A SECOND CHANCE to GET the NEW WORLD RIGHT.

FCOLUMBUS HAD LANDED IN NEW JERSEY; if Cortez had been nicer to Montezuma; if Pizarro had been a more generous soul, would the world today be any different?

If you've ever wondered about things like that, you'll like Seven Cities of Gold very much indeed.

It's a kind of adventure. An unusually rich and technically impressive one with new continents to explore, natives to encounter, resources to manage and trade routes to establish. But beyond all the neat stuff Seven Cities throws up on the screen, there's something else happening here.

It feels quite odd to look at the map and see nothing. Of course you have to explore the more than 2800 screen new world in order to map it. But the way the natives act, the way you get older,



This is Europe, in scrolling 3-D graphics. You outfit, visit the Crown, launch your ships, and if you're cut out for this, you return later to tell all sorts of wild stories about what it's like over there



There are over 2800 screens to explore in the new world. As you scroll through them, seasons change. reason to trust you. The drum beat quickens.



Animated natives surround you. They have no



Trading with the Aztecs is tricky You could wind up with enough gold to build an empire. Or as soup.



Home again you view your maps, pat yourself on the back, and consider your place in history

the way seasons change and your men behave, and the way your reputation preceeds you gives you a sort of feeling that's unexpected in computer games. It's deeper. Maybe a little disquieting. It plays as much in your head as it does inside your computer.

Seven Cities does all this with the real world or. better still (since the "new" world really isn't anymore), it will construct any number of completely detailed hemispheres for you to try your hand with.

Designed by Ozark Softscape (the people who made M.U.L.E., Infoworld's "Strategy Game of 1983"), Seven Cities is about as near a recreation of history as has ever been accomplished, with or without a computer.

Find it. Stomp around in it. See if you can't do a better job than all the celebrated figures who got us into the mess we have to deal with today.

SEVEN CITIES of GOLD

from ELECTRONIC ARTS."



the other machine, but don't want to change BASIC, you must copy the contents of the BASIC ROM to the underlying RAM with this statement:

FOR I=40960 TO 49151:POKE I,PEEK(I):NEXT

After the Kernal and BASIC have been copied or loaded into RAM, use the aforementioned POKE, or simply POKE 1,53.

A BASIC Sort

My daughter has written an inventory program to list our music cassettes. It uses DATA statements to list type of music, name of cassette, and performer. We have for several months attempted to write a routine whereby we can list all the performers in alphabetical order, but without success. Is there any way we can do this and not have the program running forever?

Don Cordry

There are a number of good, fast sorts, but the bubble sort is one of the shortest and easiest to understand and modify. It works by comparing every item to the one beneath it. If the two items are out of order, they are switched. The sort continues until no more exchanges are necessary.

The name comes from the way lower-ranked data tends to "bubble" upwards. The small subroutine below can be used to sort string arrays. It's easy to modify for whatever purpose you need. The variable N should be set to the number of performers, and all the performers should be read into the array prior to the sort. This program will work as is with most versions of BASIC, but would need to be modified to run on an Atari.

5000 EX=0
5010 FORI=1TON-1
5020 IFA\$(I)>A\$(I+1)THENT\$=A\$(I):A\$(I)=A\$
(I+1):A\$(I+1)=T\$:EX=1
5030 NEXT I
5040 IFEX<>0THEN5000
5050 RETURN

Commodore Compatibility

I have a Commodore 4032 computer with a Commodore 2031 disk drive. I am thinking about buying a Commodore 64, but only if the 2031 drive can be used with it. Is there any way this can be done?

Robert D. Byers

The 4032 computer and 2031 disk drive communicate over the IEEE-488 parallel bus. Bytes are sent eight bits at a time. The Commodore 64 and its 1541 disk drive use a serial bus that is similar to the IEEE-488, but it sends bytes one bit at a time. You cannot directly attach your IEEE-488 disk drive to the 64, but several manufacturers sell IEEE interfaces for the Commodore 64, some as low as \$100.

With an IEEE interface plugged into the cartridge port, your 2031 will transfer data faster than a 1541. There are also IEEE interfaces that attach through the serial port.

In addition, your drive is read and write compatible with the 1541, so you should be able to load most commercial software. Unfortunately, few of these interfaces are perfect. Some software just won't work with them, due to changes in the memory map caused by the addition of the interface.

VIC Paddle PEEKs

I own a Commodore VIC-20 and a set of paddle controllers, but cannot find the commands used to incorporate the paddles into my programming.

Brad Mills

Although there are no built-in commands in VIC BASIC for reading the paddles, there are two memory locations you can read. Location 36872 returns a value from 0 to 255 (corresponding to a counterclockwise rotation) for paddle 1. Paddle 2 is read by location 36873 in the same manner. In BASIC, use PEEK(36872) or PEEK(36873) to read the paddle position. The paddle buttons are read by checking the locations normally used to read the joystick. Paddle 1's fire button corresponds to a joystick position of west (left). Paddle 2's fire button is synonymous with a right deflection of the joystick. Also, be aware that Atari paddle controllers used on the VIC do not return the full 0-255 range provided by Commodore paddle controllers. Additional information can be found in the VIC-20 Programmer's Reference Guide, or COMPUTE!'s Mapping the VIC.

Commodore Colons

I have seen Commodore 64 programs that have a line number followed by a colon. What purpose does the colon serve?

Mike Wells

Most Microsoft BASICs allow you to put a colon as the first character in a line, and this has no effect on the running of the program (except to slow execution a bit). The superfluous colon is often used to merely insert a visual gap in the program listing, since you can't store a blank program line. Since many BASICs delete any leading spaces after a line number, the colon is also used to indent lines for increased readability, since spaces after a colon are preserved.

Atari Versus Commodore Disk Drives

I read in a lot of articles that the Atari disk drive is an intelligent drive like the Commodore 1541. But isn't it true that you have to load the disk operating system (DOS) into the Atari before it

SON of ARCHON.

If you took all the hours spent by all the people who've played Archon and put them together, there's a good chance it'd amount to more human effort

than it took to put a man on the moon.

What does this mean? Is it a good

thing? And why, in light of this, did the people pictured here decide to issue a scorching sequel named Archon II: ADEPT?

For starters, we don't really know what it means. Except that a lot of people who had a pretty good time with Archon are about to get more



of what they like. And people who've yet to experience the best-selling, award-winning, knuckle-whitening original

have two good things coming their way.

Point two: If there's a moral issue here, we see it this way: A wise man once said, "I ain't never had too much fun." We agree. And we think that once you get your hands on Archon II: ADEPT, you'll see his point.



Jon Freeman, Paul Reiche III and Anne Westfall created Archon, the 1983 "Game of the Year" according to Softline and Creative Computing Recent evidence, however, indicates they were not satisfied with this

Now for the third question. Why a sequel? Well, there are sequels and



there are sequels. The good ones happen because people just haven't had enough of a good thing. Obviously

we're here to tell you that Archon II: ADEPT falls into the right category.

Where Archon took inspiration from chess, fantasy role-playing

characters and arcade combat. ADEPT comes more from a world of its own making. Like Archon, it pits the forces of good against those of evil. But in place of the chessboard motif there is a map of elements-Earth, Air, Fire



and Water. The role of magic is greater. The strategies are deeper.

Things move faster. And the hidden algorithms that control the computer's play are considerably smarter.

Having already spent the better part of a month

playing ADEPT (in order to write this ad, of course), we're quite confident it will seduce you too.

And if, by some strange chance, there is a parallel universe in which computer simulations come to life, we are confident that a large part of its population has Jon Freeman, Paul Reiche III and Anne Westfall to thank for their brief and miserable existence.





ARCHON® ADEPT®

from ELECTRONIC ARTS."



Take our educat home. And be a




America's schools need your help!

The publishers of America's number one educational program make you this unusual offer: Take any of our educational programs home and be a hero once, because kids love the fun we bring to learning. As a bonus we'll send the program of your choice to your school, free**, including a gift card in your name. You'll help meet the acute need for superior software in our schools. You'll be a hero twice!

The Scarborough System has a complete range of programs to stimulate, challenge and help you or your children be more productive—including Your Personal Net Worth, that makes handling home finances fast and easy, Make Millions, an adult business simulation game, and PictureWriter,* a program that makes drawing on the computer fun. At your dealer's now.

The Scarborough Systems, Inc., 25 N. Broadway, Tarrytown, New York 10591

ional software hero twice!



MasterType^{TM*} Sharpen typing skills and increase computer facility. MasterType is the nation's best-selling educational program. It's an entertaining game that teaches typing as it increases the keyboard skills needed to be at home with a computer. And there's a bonus on top of this bonus: when we send a copy to your local school, at your request, your child will become even more proficient with a computer.





Run for the MoneyTM Learn to pursue profits in the real world by escaping from an alien planet. Here's an excitingly different, action-packed game of business strategy for two players. Your children will have fun as they learn a lot about business.



PatternMaker.TM An amazing software program. It's geometry, It's art, It's great fun. Kids can build dazzling patterns and learn a lot. PatternMaker builds a foundation that can be applied to many professions and crafts. It challenges creativity and effectively teaches symmetry, color and design, and it's just as much fun for grown-ups, too.

Our programs are available for: IBM-PC/PCjr, Apple II family, Commodore 64, Atari.





Phi Beta Filer^{TM*} New for children and adults. Organizes lists of addresses, dates, insurance and medical records, hobbies and collections—even school work—structures quizzes on any subject, quickly and easily. (Not available for Atari.)

C-11-84



Songwriter^{TM*} Kids and adults will love making music at the computer. Just press a key to listen, press a key to record, and you've started your own composition. It's a fun way to learn about music. And Songwriter can be played through your stereo or computer.

*National Education Association Teacher Certified Software.

Yes! I want to software a school!

**Enclosed is the completed warranty card and sales receipt for the purchase of a Scarborough product. I am enclosing my check for \$3.50 to cover handling, shipping and postage required to send a free copy of a Scarborough program to the school listed below. A gift card with my name will be enclosed.



copy of a Scarbor school listed belo name will be encl	ough progra w. A gift care	m to the	software your school
Your Name (for gi	ift card)		
Name of Principa			
Name of School_			
Address (school a	ddress only)	
City	State	Zip	
Software will be s	sent only to	verifiable sch	ool addresses.
		Offer Expir	es Dec. 15, 1984
Check computer u			mily 🗆 IBM
Check product to ☐ MasterType	be sent to so	chool: er 🔲 Phi B	leta Filer
□ PatternMaker	☐ PictureWr	iter† 🗌 Run 1	for the Money
+ Apple only.			
Make check payal Scarborough Sys	ble and mail tems, 25 N. I	to: Broadway, Ta	rrytown, N.Y. 10591

can use the disk drive, whereas the 1541 has DOS built in? Do you really think this qualifies the Atari as an intelligent drive?

Jerry Cole

Good question. An intelligent peripheral is merely one with its own microprocessor, making it a kind of computer in its own right. Intelligent modems can dial phone numbers automatically. Most printers are intelligent peripherals. Years ago, a printer couldn't even print characters on its own. The computer had to turn the daisywheel, strike the character, advance the carriage, and perform linefeeds by commanding the slave circuitry in the printer. Other "dumb" peripherals include the cassette drive, simple modems, and most joystick-type controllers. The television screen could be considered a dumb peripheral. Some computers use one smart drive with a controller, then add unintelligent slave drives which depend on the smart drive.

There's no question that the 1541 is more intelligent than the Atari drive. The 1541 does all disk operations on its own. The VIC or 64 merely has to give some commands. The original Commodore PET was not able to access the disk on its own, so a RAM-loaded DOS was impossible, forcing Commodore to put the DOS in its 4040 disk drive along with the extra RAM and ROM required to support the DOS in the drive. It was necessary to carry over this technique to the 1541 in order to preserve compatibility with PET/CBM 4040 disks.

The Atari 810 (or the new 1050) drive can only read sectors, write sectors, and format disks on its own. Nonetheless, there are real advantages to controlling the drive from the computer. If there is ever a bug in DOS, it's much easier to re-issue a new version of DOS than to have to replace ROM chips in the drive itself. It's also easier to customize and modify DOS when it's in RAM. When the computer controls primitive disk access, far more flexibility and even greater speed is possible. For example, on the 1541, disk errors must be requested from the drive, so it's easy to miss the blinking light, then later find your program wasn't saved. On the Atari, disk errors are tied right into BASIC.

On the other hand, no computer memory is used up when a 1541 is added to a VIC or 64, which is a vital consideration for a 5K VIC. The only real disadvantage of a RAM-loaded DOS is that some memory is made unavailable for other programming.

Electronic Spreadsheets

What is a spreadsheet? What is it used for?

Andrew Hansen

A spreadsheet is a computerized version of a ruled notepad like the ones often used by accountants. The electronic worksheet consists of a number of rows and columns. A cell, which can hold a number, a label, or a formula, is one of the spaces created by the intersection of row and column lines.

For example, a column could be labeled Expenses. Under Expenses you would list a column of numbers. The last cell could then hold a formula to add up everything in the column, so this sum always appears in the last cell. The power of spreadsheet software derives from the fact that you could change any number in the column, and the sum would then be updated instantly. And spreadsheets offer a wide range of mathematical and logical operations.

In effect, a spreadsheet is an intuitive and effective programming language for making calculations and setting up large, interactive models. The fact that you can change any value, then see the results instantly, gives you the ability to efficiently play "what if" on a massive scale, as you model complex situations.

Apple ML Disk Access

I own an Apple IIe computer and do a lot of my programming in machine language. One of the things I'm currently working on is a program that accesses the disk drive from ML using the RWTS and File Manager routines in DOS. The way to access these routines is to JMP to location \$3D9 for RWTS or to \$3D6 for File Manager. At each of these locations is another JMP that goes somewhere in DOS. In Apple's new Disk Operating System, ProDOS, there is nothing at these addresses to JMP to RWTS or File Manager. Could you tell me how to access RWTS and File Manager from ProDOS?

Daniel Wilson

Apple's ProDOS operating system might resemble DOS 3.3 when used from BASIC; but, as you have discovered, it is quite different when used from machine language. The RWTS ("Read or Write a Track and Sector") and File Manager subroutines are parts of DOS 3.3, not the Apple IIe, and aren't included in ProDOS. Instead, all operating system services are requested by calling the ProDOS MLI (Machine Language Interface). There are 24 functions that can be requested through the MLI, including many of the functions performed by the DOS File Manager.

Unlike DOS 3.3, which works only with Disk II drives, ProDOS is designed to work with many different disk drives, each with its own method of storing data. ProDOS organizes data into "blocks" of 512 bytes, which may or may not correspond to the size of the sector used by the storage device. The MLI contains functions to read and write individual blocks from disk, which are barely equivalent to RWTS's functions, but these are intended only for diagnostic and repair purposes. For ordinary use, direct disk access is not recommended because file

THE FIRST FAMILY OF PRODUCTIVITY FROM CREATIVE SOFTWARE

Creative Writer! Creative Filer™ and Creative Calc™-three low-cost, yet powerful programs designed to give you the most for your software dollar. All three programs are integrated for more computing power.

HASSLE-FREE WORD PROCESSING.

Creative Writer is a word processor you can start using in just 15 minutes. Now anything you do with your typewriter, you'll do better and faster with Creative Writer. It lets you concentrate on the words, not the processing.

Arrange and rearrange words or paragraphs at the touch of a key. Compose, edit, save, retrieve and print documents almost effortlessly.

- · Preview entire document
- Help screens
- · Search and replace
- · Move text
- · Headers and footers CREAT
- Unrestricted format
- · Report writer included

REATI

· Mix text and numeric data

CALC

- · Adjustable column width • 12 digit accuracy
- · Within cell editing
- · Menu of commands
- · Flexibility of design

EACH PROGRAM IS FULL-FEATURED WITH INTEGRATED CAPABILITIES. COMMODORE 641", IBM PC;" PCjr"
AND APPLE" VERSIONS AVAILABLE.

PUT YOUR FILING CABINET ON DISK.

Store your collection of index cards and faded notes in the attic where they belong. Now there's Creative Filer-the simplest way to organize and access all your files.

You can set up and maintain virtually any file with Creative Filer-names and addresses. home and auto records, club memberships, and inventories, all on a computer disk and automatically filed in alphabetical order for instant access.

IN EVERY BOX. A SPREADSHEET **PROGRAM THAT** REALLY ADDS UP.

TEN-PACK OFFER

Creative Calc automates any mathematical process.

It lets you ask the "what if" questions of financial analysis more easily than any other spreadsheet program in its

ALL THREE PROGRAMS ARE INTEGRATED FOR MORE COMPUTING POWER.

Creative Filer and Creative Calc work together with Creative Writer, allowing you to customize documents combining text, data, and numeric tables.

Ask for the first family of productivity software for your writing, filing and calculating.

New from Creative



R E W operations are provided which could do the same job.

The MLI is called by a JSR \$BF00 instruction, followed by three bytes of data. The first byte is the number of the MLI function being requested, and the second and third bytes contain the address of the parameter list for the request. These three bytes must be placed in your program immediately after the JSR \$BF00 instruction. The MLI function dispatcher increases the return address on the stack by three to skip over these bytes.

Although the MLI performs many of the same functions as the DOS File Manager, there is no compatibility between the two. ProDOS has a completely different set of function codes, error codes, and parameter list formats. Information about these codes, the structure of ProDOS, and lots more, is available in the Apple ProDOS Technical Reference Manual. This publication is available from most Apple dealers and is intended for advanced programmers who want to use ProDOS from machine language.

Commodore 64 Audio Input

I own a Commodore 64 and have had no problems with it at all. Documentation of all its features is another story. I know that the 64 has an audio input located on the audio/video port on the back of the unit. However, I have not been able to find any literature on how to access this feature. Could you please tell me how to use it? What memory locations are affected?

Kevin Caylor

The audio input pin is used to mix in an external sound source. You can test this by feeding the sound output of another 64 into the audio input. When mixing in another audio source, be sure it's at the same low level as SID chip output. (Feeding in an amplified signal could destroy your SID chip.) Intended for chaining SID chips together, the audio input becomes a kind of fourth voice, and is affected by the SID chip's volume and filter settings. Bit 3 of location 54295 enables the filtering of external audio. You cannot process sound per se, but you can use the SID chip's filter as a simple, programmable equalizer which will emphasize or reduce various frequencies.

IBM PC/PCjr BASIC Compatibility

I would like to know if a program written for the PCjr in Cartridge BASIC would work on the PC with a color/graphics adapter and BASICA.

Richard Bookal

PCjr Cartridge BASIC is a superset of BASICA, which means that it contains all the commands found in BASICA plus some new ones. Likewise, the PCjr has all the graphics and sound features found in an IBM PC equipped with the color/graphics

adapter, plus some enhancements. Therefore, programs written for a PCjr with Cartridge BASIC will run on a PC with a color/graphics adapter and BASICA only if the extra commands and features are not used.

An example of a new Cartridge BASIC command is PCOPY. Briefly, this command copies an image from one screen page to another. But only the PCjr with Cartridge BASIC has this capability. If you attempt to run the program on a PC, BASICA won't know how to interpret PCOPY and an error will result.

An example of an enhanced feature on the PCjr is SCREEN 5, a graphics mode with 320×200 -pixel resolution and 16 simultaneous colors. A program written for the PCjr using SCREEN 5 won't run on a PC equipped with the color/graphics adapter, because the PC's 320×200 graphics mode (SCREEN 1) is capable of displaying only four simultaneous colors.

If you want to write programs on a PCjr with Cartridge BASIC that will be compatible with a PC and BASICA, you'll have to avoid using all of these new commands and features. For your guidance, IBM's Cartridge BASIC manual generally states when a command is available only in Cartridge BASIC. It would also help to acquire a BASICA manual and familiarize yourself with a PC outfitted with the IBM color/graphics adapter.

Instant TI RUNs

Quite awhile ago I read about a command for the TI-99/4A which causes a program to RUN instantly after you hit ENTER. I looked through many books and articles and did not find this information. Can you help?

Dorr Wilson

It sounds like you are describing the pre-scan commands available with Extended BASIC. These commands (!@P—and !@P+) are documented on pages 7 through 10 in the Addendum of the TI Extended BASIC Manual.

When you enter RUN on the TI, there is a brief pause before the program executes. During this pause (most evident with long programs), the computer "pre-scans" the program and sets aside memory for variables, arrays, and data.

Only certain instructions in a TI BASIC program require pre-scanning. These include the first DATA statement, the first use of each variable and/or array, the first reference to each CALL statement of any subprogram, all DEF statements (for user-defined functions), and all SUB and SUBEND statements (and any variables introduced in the user-defined subprogram). So, rather than prescanning an entire program, you can pre-scan only part of it by appropriately positioning the pre-scan

BASF QUALIMETRIC" FLEXYDISKS. A GUARANTEED LIFETIME OF OUTSTANDING PERFORMANCE.

BASF Qualimetric FlexyDisks feature a unique lifetime warranty,* firm assurance that the vital information you enter on BASF FlexyDisks today will be secure and unchanged tomorrow. Key to this extraordinary warranted performance is the BASF Qualimetric standard... a totally new set of criteria against which all other magnetic media will be judged.

You can count on BASF FlexyDisks because the Qualimetric standard reflects a continuing BASF commitment to perfection in magnetic media. One example is the unique two-piece liner in our FlexyDisk jacket. This BASF feature traps damaging debris away from the disk's surface and creates extra space in the head access area for optimum media-head alignment. The result is a guaranteed lifetime of outstanding performance.

For information security that bridges the gap between today and tomorrow, look for the distinctive BASF package with the Qualimetric seal. Call 800-343-4600 for the name of your nearest supplier.

Visit BASF at Comdex/Fall, Booth 1372

*Contact BASF for warranty details.





commands (!@P+ to turn pre-scan on and !@Pto turn it off). in many cases, this greatly reduces the initial pause.

Although you can scatter the pre-scan commands throughout your program where necessary, there is a more efficient way to use this option. Simply collect all the statements you want pre-scanned on one line without regard to syntax and place a GOTO at the beginning of the line. This prevents the other statements on the line from executing during the program run. Here's an example of this technique:

```
100 DATA 5
110 GOTO 120 :: | :: | X :: | Y :: | Z :: | CALL | CLEAR :: | CALL | SCREEN | :: | CALL | CHAR | :: | CALL | CHAR | :: | CALL | CHAR | | CALL | CHAR | | CALL | CHAR | CALL | CALL | CHAR | CALL | CHAR | CALL | CHAR | CALL | CALL | CHAR | CALL | C
```

For other examples using these commands, consult the Extended BASIC Manual Addendum.

Upgrade A VIC To A 64?

I have expanded my VIC-20 to 32K. I want to know if I can run 64 software on it, because the expansion cartridge says, "Expands VIC to C-64 power."

Thomas A. Roznovsky

The VIC and 64 are inherently incompatible machines. The only similarity in power between a 32K VIC and a 64K Commodore 64 is that both machines would have roughly the same amount of BASIC programming space. If memory alone distinguished these machines, the expansion cartridge would suffice. But even though the VIC and 64 use almost identical microprocessors, the video, sound, and input/output hardware are completely different. The difference in screen width (22 versus 40 columns) is not a trivial consideration either. The VIC and 64 will never be able to run all of each other's software. Some BASIC programs that avoid hardware-specific features like sound and graphics will, however, run interchangeably on the VIC and 64.

Atari Numeric I/O

In the course of my Atari programming, I have found the need to store numbers on disk with BASIC. The Atari PUT/GET commands only store numbers from 0 to 255. I'd like to know if

there's any way to store larger numbers.

A. J. Allie

All input/output works a character (or byte) at a time. When you PUT a number to disk, you are sending a character in the range 0-255. GET retrieves a character as a number from 0 to 255. PUT and GET are indeed compact ways to store and retrieve numbers in this range, since only one byte is needed for what is printed on the screen as up to three digits. One way to store quantities outside the one-byte range is to break up a number into pieces. A number from 0 to 65535 can be broken into two bytes with a statement like this:

HIGHBY I E = INI (NUMBER / 256): LOWBY TE = NUMBER - HIGHBY TE * 256: PUI * I, LOWBY IE : PUT * I, HIGHBY TE

The variable NUMBER (in the range 0-65535) is broken into the two variables HIGHBYTE and LOWBYTE. You can then PUT these numbers to disk as characters. When you want to GET back the numbers, use a statement like this:

GET#1,LOWBYTE:GET#1,H1GHBYTE:NUMB ER=LOWBYTE+256*H1GHBYTE

There is a much easier way to store and recall numbers. This method does not limit the range of the number. You can store any number the Atari can hold in a variable. Although less memory-efficient, you merely PRINT# (print-file) the number to a file, then use INPUT# (input-file) to read the number back.

PRINT# and INPUT# work exactly like their normal BASIC counterparts, but instead of reading from the keyboard and writing to the screen, input/output is redirected to tape, disk, modem, etc. You must always INPUT# the numbers in the same order they were written to disk. Additionally, when writing the numbers, each number must end with a carriage return, just as you must use the RETURN key to terminate keyboard INPUT.

You can also PRINT# strings to disk and read them back into a string variable. INPUT# can read the data written from one variable into another variable name. VAL and STR\$ can be used to convert strings to numbers and vice versa. Try this small program to get an idea of how PRINT# and INPUT# work.

```
FG 100 DIM A$(1),F$(20):GRAPHICS O
IN 110 PRINT "(C)reate file, or (R)e
ad file";:INPUT A$

NC 120 PRINT "Enter filename (includ
e D: for disk":? "or use C: f
or cassette)";:INPUT F$

CN 130 IF A$="R" THEN OPEN #1,4,0,F$
:FOR I=1 TO 10:INPUT #1;A:PHI
NT I,A:NEXT I:CLOSE #1:END

KF 140 PRINT "Enter 10 numbers.":OPE
N #1,8,0,F$:FOR I=1 TO 10:PRI
NT I;:INPUT A:PRINT #1;A:NEXT
I:CLOSE #1:END
```

WE PROUDLY PRESENT OUR AWARD-WINNING STRATEGY GAMES:



CHARLES ROBERTS AWARD: 1983 BEST COMPUTER GAME

COMPUTER BASEBALL™

ELECTRONIC GAMES MAGAZINE: 1982 BEST COMPUTER SPORTS GAME

QUESTRON™ • COMBAT LEADER™ FORTRESS™ • RAILS WEST!™

CONSUMER ELECTRONICS SHOW 1984 SOFTWARE SHOWCASE AWARDS



All these games are available for the Apple®, Atari® and Commodore 64® except for COMBAT LEADER® (Atari® and C·64® only).

APPLE is a registered trademark of Apple Computer, Inc. ATARI is a registered trademark of Atari, Inc.

KNICHTS OF



COMMODORE 64 (C-64) is a trademark of Commodore Electronics, Ltd.

STRATEGIC SIMULATIONS INC

You can find these and all our games at your local computer/software or game store today. If you need help locating a dealer, write us: SSI, 883 Stierlin Road, Bldg. A-200, Mountain View, CA 94043. Or give us a call at (415) 964-1353. WRITE FOR A FREE COLOR CATALOG OF ALL OUR GAMES!

ON-LINE SHOPPING:

Today's Computer Catalogs



Selby Bateman, Features Editor

hen the going gets tough, the tough go shopping" is a tongue-in-cheek, modern American proverb which reveals a lot about our urge to browse, bargain, and buy. Of course, shopping, in one form or another, is one of the oldest and most popular customs in almost every society.

But shopping habits changed little until late in the nineteenth century, when a few astute retailers discovered that many people preferred to do at least some of their shopping the easy way—without trudging from store to store, without the disappointment of learning that their sought-after product was out of stock, and without fighting crowds of competing shoppers. At the same time, millions

Electronic shopping malls and on-line storefronts have emerged from science fiction into reality. You can already shop for, compare, order, and purchase literally thousands of products using your home computer. Within the next several years computer-based shopping services will offer far more—and increasingly sophisticated—buying options.

of people in rural America who lived far away from big cities simply were unable to shop for the things they wanted to buy. So retailers like Sears, Roebuck & Co. created a multibilliondollar business by popularizing catalog shopping—comparing and ordering products by mail and by telephone.

We're now on the verge of another shopping revolution, this time made possible by the rise of another new communications system: personal computing and telecommunications. Using your computer as a remote terminal, you can gain access to a growing number of computer-based shopping and banking services. Some examples are CompuServe, Inc.'s Electronic Mall, Compu-U-Card of America, Inc.'s Comp-U-Store, Chemical Bank's Pronto Home Information and Banking System, and Keycom Electronic Publishing's Keyfax Interactive Information Service in Chicago.



There are also experimental videotex systems for home use which feature dedicated video terminals capable of receiving and displaying signals with superior graphics and other advantages. Knight-Ridder's Viewtron system in Miami, with its AT&T Sceptre terminal, is perhaps the furthest along in this area. But major companies, including CBS; Sears, Roebuck; IBM, and many others are researching the possibilities of online shopping services.

Although in today's urbanized America practically everyone lives near a big city, shopping center, or suburban mall, the very popularity of modern marketplaces keeps alive some of the big advantages of catalog shopping: the absence of crowds and traffic, and the convenience of buying from your own living room. Coupled with credit cards, the climate for shop-at-home services might be even better than it was in the nineteenth century. Besides that, on-line stores can potentially offer greater discounts if volume is high enough, because their overhead can be lower. And all shoppers have one thing in common—everyone likes a good buy.

believe it's going to be a steady, geometric growth as the services become available and as the industry discovers which services people want," says Merrill Millman, president of American Home Networks. Based in Illinois, American Home Networks is scheduled in December to go

on-line with its American People/Link telecommunications system throughout the continental United States. The system will be accessible by virtually all home computers and will initially feature electronic mail service, a party-line communications service, an electronic bulletin board, and games.

"I think there will be success in areas connected with user interaction, electronic mail, information retrieval, games. And merchandise ordering—I think that's great," says Millman. "Right now on CompuServe, for instance, you can order from Sears, Roebuck & Co., and I think that's fantastic."

In fact, CompuServe, with a subscription base of more than

Understanding Modems

Sharon Darling, Research Assistant

While your computer is capable of doing thousands of jobs, from functional to recreational, there is one peripheral you can buy that will open up a whole new world of computing—a modem. With a modem, you can communicate over ordinary telephone lines with other computers also

equipped with modems.

Basically, a modem performs two jobs. At one end, the modem transforms the digital information from the computer into analog sounds that can be transmitted over the phone line. This is called *modulation*. The tones sound like high-pitched whistles, each blip and beep representing an individual bit of data. At the receiving end, the second modem translates the analog tones back into the original digital information (*demodulation*). Hence the term *modem* (*modulator-demodulator*). Coupled with terminal software that tells your computer how to communicate with another computer, a modem puts you in business to telecommunicate. (For a few more fundamentals, see "Bulletin Board Basics" elsewhere in this issue.)

While the basic job of modems is to serve as signal converters and translators, they are becoming more and more sophisticated. The new breed of modems can automatically dial phone numbers, answer phone calls, sign on to commercial information services, retrieve data, and perform other tasks under program control with no human

intervention.

That's not to say that people aren't buying less expensive modems—they are, and in great numbers, says Jerry Hussong, director of consumer sales for Anchor Automation, Inc., a modem manufacturer. "People are buying [inexpensive modems] and they're having a great time with them. Then they come back a couple of months later and say, 'Hey, this is nice, but I'm lazy—I want something that will automatically answer the phone.'

Besides making modems more sophisticated, modem designers and programmers are also trying to make the devices easier to use. They're trying to overcome the intimidation some people feel when they sit down to a desk filled with new technology—especially computers and modems. But that fear should fade as more people become involved

with personal computers, manufacturers feel.

"People are not so much intimidated by telecomputing as they are by the whole idea of computing itself," says

130,000 computer users, offers access to more than 80 merchants through its Electronic Mall service. Firms like WaldenBooks, American Express, Commodore, McGraw-Hill, Microsoft, and American Airlines are part of the system.

The Electronic Mall is open 24 hours a day, seven days a week. The on-line catalog contains not only descriptions of each product, but also a "mailbox" which allows you to query merchants for more details. Shipping information and order forms are also part of the Mall


system.

Sometimes, though, as this infant industry continues to mature, the terminology can become more confusing than the actual services themselves. For instance, terms such as teletext, videotext, videotext, and viewdata are being used in a multitude of ways, some inappropriately, to describe how your computer can communicate with other computers.

Teletext generally refers to the transmission of information to your computer screen or TV set via a standard broadcast signal, giving you access to that information without letting you fully interact with what you see. For example, some data base services might let you receive encyclopedia information. You can control what you see and the speed at which you view it, but you can't ask questions and get responses. What you see is what you get-basically a oneway link.

Videotex—sometimes referred to as videotext or viewdata—is interactive. What you see is just a starting point for what you can get by using your computer to talk to the remote computer, usually a mainframe system. Thousands of people can communicate with the mainframe at the same time. Examples of these interactive, or two-way, videotex systems





INTRODUCING OKIMATE 10... THE FIRST

The printer in a class by itself.

It's here! The new OKIMATE 10 Personal Color Printer. The first color printer that lets you show off and tell all. The printer that lets you print all the information you can create with your Atari® or Commodore® computer. But with the remarkable ability to create original drawings and graphics as well, in over 26 beautiful colors.

A class act! The OKIMATE 10 gives you crisp, clean term papers, school reports and homework. Word processing capability means everything you do can be printed letter quality in minutes, instead of typed

in hours. OKIMATE 10 color gives you the opportunity to print graphs, charts and pictures from popular graphics and drawing programs. OKIMATE 10's brilliant color means you'll shine, every time.

OKIMATE 10 feels right at home. Anywhere.


A special PLUG 'N PRINT™ package lets you plug your new OKIMATE 10 into your Atari or Commodore computer. And print. It's that easy. In minutes you'll be printing everything from soufflé recipes to needlepoint patterns. Party invitations to kitchen inventory. Love letters to gardening directions. At 240 remarkable words per minute. And not just in black and white, but in over 26 brilliant colors!

Financial statements will keep you tickled pink for very little green.

If you use your personal computer to keep track of mortgage payments, tuition payments, balance your checkbook or jump ahead of the Dow Jones', there's good news for you. You'll find that the new OKIMATE 10 gets down to business quickly. And easily.

A "Learn-to-Print" diskette and tape shows you how to set up your new personal color printer and start printing. A complete OKIMATE 10 Handbook will show you how you can take your imagination to places it's never been before.

^{*}Atari is a registered trademark of Atari Inc.



PERSONAL COLOR PRINTER UNDER \$250.

And while your imagination is soaring, you'll be glad to know that your new printer can keep right up with it! The new OKIMATE 10 is built with the same tradition of quality and manufacturing excellence that has made Okidata the most respected name in computer printers. Okidata craftsmen specially designed and engineered the new OKIMATE 10 to be incredibly small and lightweight. And they made it quiet as a whisper. But their imagination didn't

stop there. To help you and your personal computer keep within your personal budget, they made the OKIMATE 10 available at retailers everywhere for less than \$250. Something that should make every personal budget tickled

patible with a variety of software packages that will run on your Atari and Commodore with a

simple disk drive. Just load and you're off and running. Plotting charts. Designing special graphs. Creating original illustrations and pictures. Drawing special graphics. And printing them all beautifully for everyone. On most kinds of paper. In over 26 beautiful colors!





If you've been playing games on your personal computer, now you can get serious and still have fun. The new OKIMATE 10 is completely com-



ESILUNS VSW

2: Why do I need a printer?

. You might as well ask, "Why do I need crayons?" When it comes to communicating, "putting it on paper" is still the best way to get your message across. You can have lots of computer equipment, but without the OKIMATE 10, it doesn't mean very much. Unless you get your letter, report, term paper or party invitation off the screen and down on paper, nobody's going to see it.

. What makes the OKIMATE 10 better than any other printer?

Because the OKIMATE 10 is unlike any other printer. First, it prints in COLOR. Up to 26 beautiful colors. Second, it prints up to 240 words a minute, so quietly you can talk in a whisper right next to it and still hear every word! And third, it prints letter quality, every time.

• What about graphics and pictures?

The OKIMATE 10 does it all. Graphs. charts, symbols, pictures, illustrations. and special drawings! With a compatible drawing package, anything you create on your screen can be printed in full color, a disk drive is required for

color screen printing.

• What kind of paper can I use?

. Just about any kind of smooth paper you want. From continuous feed computer paper to single sheets. From mailing labels to plastic acetate for overhead transparencies. the OKIMATE 10 prints crisp, clean, colorful images you'll be proud to send to friends, teachers, business associates, or frame and hang right in your own living room!



: Is the OKIMATE 10 easy to use?

As easy as "PLUG 'N PRINT!" No other printer is easier to use than the OKIMATE 10. Connecting the printer to your Commodore or Atari computer is, literally, a snap. The exclusive PLUG 'N PRINT package snaps into the

printer. One cable connects it directly to your computer or disk/tape drive. Turn it on and you're in business. Once your OKIMATE 10 is up and running, the

"Learn-to-Print" software program (included) teaches you printer basics—the "Color Screen Print" disk (also included) automatically prints everything on the screen in a single stroke. As a matter of fact, most of your printing can be done with just one command.

What's the printer like in operation?

. In one word: easy! In-· credibly easy! The ribbon comes in a "Clean Hands' cartridge. So it's as easy to change as the tape in your audio cassette player.



What about reliability?

. Okidata has built the reputation of its com- plete line of printers on quality, dependability and rugged construction. The OKIMATE 10 is no exception. Don't let its light weight and compact size fool you. This printer is not a toy. It's a workhorse.



Available at retailers everywhere.

include home banking, services which let you buy stocks and bonds and make other financial transactions, on-line computer games, and electronic shopping.

elecommunications experts are convinced that teletext will be a widespread, though limited, mass-market technology since it can be made inexpensive. There is disagreement, however, about how widespread the penetration of videotex will be. Will it become a mass-market service?

"That depends on how you define mass," says Gary H.
Arlen, head of Arlen Communications, Inc., a Washington, D.C., research firm specializing in electronic communications.
The publisher of Videotex/
Teletext News, Arlen predicts that videotex will come into its own in the late 1980s.

"It's going to be widespread and cut across a number of

lines," he says.

But that doesn't mean, he cautions, that the great majority of American people who now have televisions will have access to videotex in the same way. There are limiting factors—chiefly cost and functionality—which to some extent will control the spread of videotex systems.

"The biggest problem in that whole general industry is that they've been mostly selling the glitter of this new technology—which really isn't a new technology—without bothering to explain to people in any real way why they would want to subscribe," says Steven Weissman, a videotex expert and the director of information services analysis for the market research firm of International Resource Development, Inc.

"The whole utility of it has been largely ignored until recently," says Weissman. "They love what the concept embodies—as do I. But as a consumer, Nick Wreden of Hayes Microcomputer Products, Inc., a pioneer in sophisticated modems for personal computers. "They're not just scared of a modem, they're scared of

everything connected with a computer."

"Modems, computers—no matter how sophisticated we all claim to be—are scary," adds A. W. Johnson, a vice president at Code-A-Phone Corporation. "They take us out and test our ability to learn, our ability to understand new things, and to remember and use the new tools. Risky business, because we might expose our ignorance."

Code-A-Phone makes a new telephone with a built-in modem. It's designed for business use and should help people get used to new technology, says Johnson, because "it's a nice, plain-looking, ordinary telephone that everybody

feels comfortable with."

Sounds Or Silence

There are several things to consider before buying a modem. First you'll have to decide which type to get. Modems can be either acoustic-coupled or direct-connect. Acoustic modems were developed first and used to be cheaper and more popular, but lately direct-connect models have drastically dropped in price and are pushing many acoustic modems off the market.

Acoustic modems have a pair of soft rubber cups into which the telephone handset fits snugly. One cup contains a speaker, which generates the tones to be transmitted over the phone line, and the other cup contains a microphone, which in turn receives the tones sent by the other modem. If you listen closely to an acoustic modem, you can hear the high-pitched whistling of the tones being transmitted.

Acoustic modems have two main drawbacks: Many newer phones have nonstandard handsets which won't fit into the rubber cups; and since acoustic modems depend on a tight seal between the handset and the cups, a poor fit means the telecommunications link can be garbled by outside room noises.

Direct-connect modems bypass the handset and the cups. They connect directly into any modular phone jack and work in total silence. Some direct-connect modems look



Acoustic-coupled modems like this Atari model grip the telephone handset with tightly fitting rubber cups to keep outside noises from interfering with communications.

just because I love it isn't enough to make me go and spend money on it. And a lot of consumers feel the same way."

The AT&T Sceptre terminal required by the Viewtron service costs subscribers \$600 each. Though quite sophisticated, the terminal can be used only with the Viewtron system itself—the Sceptre is essentially a videotex graphics decoder which lets the transmitter send high-resolution graphic images rather than the all-text or blocky computer graphics available on conventional computer-based shopping services.

While services such as CompuServe tap into a base of subscribers who already own computers, the hardware requirements for Viewtron and a few other videotex systems mean hefty expenditures of money to get started. The tradeoff, of course, is that with Viewtron an advertiser can present you with high-quality

images not yet possible through a system like the Electronic Mall, which depends primarily on text to sell its products.

"The Sceptre terminal being sold in Miami now will never see the light of day outside of Florida," says Gary Arlen. "AT&T admits that. The Model One, as they call it, is very limited-expensive, dumb, it doesn't do very much. At the same time, a lot of software for Commodore computers—as low as sixty bucks for a Commodore and typically two hundred to two hundred and fifty bucks for an IBM PC-does the same kind of thing. The only problem is that the software doesn't fully implement the NATLTS protocol—the presentation-level protocol that the system operators are using.

"The problem with that," explains Arlen, "is that the software may only have a color palette of eight or sixteen colors, depending on the board that

you have to put in your PC. If someone wants to advertise something and they want to display their logo, which is in Kodak Yellow, and the software or the board can't display that particular shade of yellow, the advertiser loses interest in offering his material on that system. So, obviously, the Sceptre terminal is dedicated to overcoming that problem."

What results is a classic Catch-22 situation: Advertisers won't advertise unless they can display their products in a sophisticated fashion; system operators can't produce that signal yet without charging subscribers for expensive terminals; and consumers aren't willing to pay that much.

hat will solve this problem in the next few years and allow a greater proportion of the population to take part in advanced on-line shopping is the develop-



features to sharpen text and graphics and deliver a display that's easy-on-the-eyes: Direct and split video inputs; 320-line resolution via a comb filter; plus a computer

For the name of your nearest dealer, call The GE Answer Center™nformation Service, 1-800-626-2000,

grade, .5mm-pitch Neovision picture system.

ment of cheaper, more flexible hardware and software.

"The most exciting things are those things coming from the electronic imaging world," says Arlen. "There are a lot of folks at IBM, Wang, and DEC [Digital Equipment Corporation], almost everywhere, working on new imaging systems to present photographic quality images rather than the computer graphic images.

"You start doing this with the AT&T concept—that is, with a box, hopefully cheaper, that can be used in connection with a standard TV set. Or more likely—and this is really the key-the digital TV sets that will be coming into the market next year," Arlen adds. "By the time the price comes down a little, and people start buying them-that's three or four years away—the equipment will then be out there to display the kinds of things that electronic marketers want to display."

Despite the so-called highresolution graphics available on today's personal computers, notes Arlen, when you try to display a picture of the latest Paris fashion, it still looks too much like a dress made out of a child's Lego blocks. Even the Sears, Roebuck catalogs of 80 years ago could plug their products with better pictures.

In the long run, then, today's text-based shopping services will give way to newer technologies.

"I'm impressed with what CompuServe and CompuCard have done, but that isn't for everybody," says Arlen. "It's worse than looking things up in a catalog. It's not as easy as flipping through pages and comparing prices.

"If you know you want to buy a digital watch, say, Seiko model LX2271, or whatever, and you know the model number, you're presented with an array of model numbers. But if you have to start reading and comparing which has the larger readout, which has the light on it, which has a videogame on it, you lose the value [of the system]."

n spite of the limiting factors which Arlen, Weissman, and others mention, they nonetheless have great expectations for the future of videotex. As with most types of computer technology, rapid advances seem to go hand-in-hand with dwindling prices.

And response to the new on-line systems has so far been quite good, says Robert McBride, a senior vice president with Chemical Bank's Pronto Home Information and Banking System, based in New York.

"We just hit the 10,000subscriber mark toward the end of July, and the rate of new signup has continued at a very good pace," he says. "We are actively pursuing now the



like cartridges and plug into an expansion port on the computer, while others are stand-alone units that hook up between the computer and your phone. There are also internal modems which fit into the expansion slots inside some computers, and modems built into telephones, such as Code-A-Phone's Tel-A-Modem 212A.

Fast Talking

Another factor to consider when buying a modem is the speed at which it communicates. Naturally, faster modems are more desirable, but they also cost more. Modem speeds are expressed in bits per second (bps) or baud rates (the latter term is technically incorrect but commonly used). Modems for personal computers generally work at either 300 bps (roughly 30 characters per second) or 1200 bps (120 characters per second). Although some very expensive modems can transmit up to 9600 bps, ordinary phone lines have trouble with anything coming over the wires faster than 2400 bps.

Faster modems save money as well as time, because they cut long-distance phone bills and reduce the access time on commercial information services, which charge by the hour. At 1200 bps, words stream by faster than most people can read, so the better terminal programs let you capture everything and save it on your disk drive or printer

for later perusal.

High-speed telecommunications in the future will depend on what phone companies can do to fix their lines, some of which have been in use since the 1920s, says Wreden. "As soon as they're upgraded to fiber optics or whatever, then you can speed up your transmission because you cut down line noise and that sort of thing."

For today, 1200 bps seems to be the new standard in offices. When large files are being uploaded (sent) or downloaded (received), the extra cost of a faster modem can

be recovered after just a few long-distance phone calls. But there's still a large market for the slower modems, explains Hussong, especially among home users. "There are too many local bulletin boards, and far too much out there



Direct-connect modems, such as this Volksmodem, plug right into the modular phone jack and are generally more reliable than acoustic modems.

small-business customer and applying the same home banking applications to business accounts. And the reception there has been quite strong."

Although Pronto does not vet offer home shopping services, Chemical Bank is aware

of the potential.

"What we envision is that the number of services that can be provided over a network such as Pronto is really mindboggling and limitless. At this point in time, the on-line securities and investment service seems to be something that is directly applicable to the financial role we play. But certainly telemarketing, shopping, purchasing airline or theater tickets, dictionary services, encyclopedia services—there's just a whole gamut of possibilities."

Pronto users can bank at home, pay bills, transfer funds, determine balances, see electronic statements, track budgets, and balance checkbooks.

Chemical Bank also has licensing agreements with eight other banks, ranging from San Francisco's Crocker National Bank to Bankers Trust of South Carolina.

In the Chicago area, the popularity of the Keyfax Interactive Information Service is being closely watched by videotex observers because of the system's relatively low cost (a \$10 to \$15 monthly base rate with a onetime \$40 software package), and because it is accessible by home computers. In addition to its data base services, financial options, home banking, and educational packages, home shopping will be offered as well.

ne indication of things to come is the introduction of a new videotex decoder by Telelogic, Inc., of Cambridge, Massachusetts, shown first at the Videotex 84 trade show last spring. The unit, called Tex, is being sold for

The next investment in your PC should be a small one.



Free software catalog direct from IBM.

The people who brought you your personal computer now bring you a catalog of programs to make it even more useful. It's *The Directory of Personally Developed Software* and it's direct from IBM.

You'll find new programs for business, personal productivity, education, entertainment, and graphics. There are scientific and engineering programs. Even programs for programmers. All the software was written by IBM people or members of their families. People who go about their programming with a special kind of enthusiasm.

People who go about their programming with a special kind of enthusiasm.

Half the programs are under \$20. Some are as little as \$14.95. But even the \$150 programs are exceptional values. And although the catalog itself carries a \$4 cover price, it's yours free if you order before December 31, 1984, Just fill out the coupon below or call:

1-800-IBM-PCSW

In Alaska or Hawaii. 1-203-237-4504.

One of the best investments you make in your PC may be the smallest.

Personally Developed Software Post Office Box 3266 Wallingford, Ct 06494 Please rush me my copy of <i>The De</i>	IBM' irectory.
Name	
Address	
City	
State	Zip

OUR ARCADE GAMES WE BROUGHT



Bally Midway's Spy Hunter puts you in the driver's seat of the hottest machine on four wheels. You're after enemy spies. The situation is life and death. You'll need every weapon you've got – machine guns, and guided missiles, oil slicks and smoke screens. But the enemy is everywhere. On the road, in the water, even in the air. So you'll have to be more than fast to stay alive in Spy Hunter. You'll need brains and guts, too.

Do you have what it takes?



Bally Midway's Tapper would like to welcome you to the fastest game in the universe.

You're serving up drinks in some of the craziest places you've ever seen. And the service better be good, or else. You'll work your way through the wild Western Saloon to the Sports Bar. From there to the slam dancing Punk Bar and on into the Space Bar full of customers who are, literally, out of this world.

Are you fast enough to play Tapper? If you have to ask, you probably already know the answer.




Bally Midway's Up 'N Down by Sega. In this game, a crash is no accident.

In fact, it's the whole object of the game. You'll race your baja bug over some of the worst roads south of any border. Leap dead ends, gaping canyons and oncoming traffic in a single bound. And if anyone gets in your way, crush 'em.


Crashing, bashing Up 'N Down. It's one smash hit that really is a smash.



The #1 Arcade Game of 1984.



Nominated as Most Innovative Coin-Op Game of 1984 by *Electronic Games* magazine.



#1 Arcade Hit, Play Meter Conversions Poll, 8/1/84.

WERE SUCH BIG HITS, THEM HOME.



Sega's Congo Bongo rocked the home game world when it shot up to Number 3 on the Billboard chart this summer.

And now it's available for even more home systems. So check the chart and get ready for jungle action. You'll pursue the mighty ape Congo up Monkey Mountain and across the Mighty River. Do battle with dangerous jungle creatures. Ride hippos, dodge charging rhinos and try to avoid becoming a snack for a man-eating fish.


Congo Bongo. It's fast and it's fun. But be careful. It's a jungle in there.



Sega's Zaxxon. If you haven't played Zaxxon, you must have been living on another planet for the past few years.

And now the ultimate space combat game is available for even more home systems. You'll pilot a space fighter through force fields and enemy fire on your way to do battle with the mighty Zaxxon robot. Countless others have gone before you in this Hall of Fame game. But this time your life is in your own hands.

Zaxxon killed them in the arcades. But compared to what it will do to



One of only ten games ever to make *Electronic Games*' Hall of Fame.

	SPY HUNTER	TAPPER	UP'N DOWN	CONGO BONGO	ZAXXON
Atari 2600 cartridge	NEW	NEW	NEW	4"	1
Atari 5200 cartridge				1	NEW
Atari Computers* cartridge	NEW	NEW	NEW	<	NEW
Atari Computers† diskette	NEW	NEW	NEW		1
ColecoVision & ADAM cartridge	NEW	NEW	NEW	NEW	1
Commodore 64 cartridge	NEW	NEW	NEW	1	NEW
Commodore 64 diskette	NEW	NEW	NEW	NEW	1
Apple II, IIe, IIc diskette	NEW	NEW	NEW	NEW	1
IBM PC diskette	NEW	** NEW	NEW	NEW	** NEW

- Published by Sega Enterprises, Inc.
 ✓ Published by Datasoft, Inc. under license from Sega
- Enterprises, Inc.
 Published by Coleco Industries, Inc. under license
- / Published by Coleco Industries, Inc. under license from Sega Enterprises, Inc.
 / Published by Synapse Software Corporation under license from Sega Enterprises, Inc.
 'Attari 400, 800, 600XL, 800XL and 1200XL.
 (Congo Bongo cartridge: 400, 800 and 800XL.)
 †Attari 800, 600XL, 800XL and 1200XL

 "Also available for IBM PCjr.

 All now appears are showled to be in your force for
- All new games are scheduled to be in your stores for Christmas. Check your local dealer.

© 1984 Sega Enterprises, Inc.
1Number of game levels varies on cartridges for Atari
and Commodore systems. Atari, 2600, 5200, 400, 800,
600XL, 800XL, and 1200XL are trademarks of Atari Corporation. Commodore 64 is a trademark of Com-modore Electronics, Inc. ColecoVision and ADAM are trademarks of Coleco Industries. Inc. Apple, II, IIe, and He are trademarks of Apple Computer, Inc. IBM, PC and PCjr are trademarks of International Business Machines PCjr are trademarks of International Business Machines Corp. UP'N DOWN is a trademark of Sega Enterprises, Ltd., manufactured under license from Sega Enterprises, Ltd., Japan. Videogame copyright © 1983 Sega Enterprises, Ltd. BALLY MIDWAY is a trademark of Bally Midway Mfg. Co. Package and program copyright © 1984 Sega Enterprises, Inc. TAPPER and SPY HUNTER are trademarks of Bally Midway Mfg. Co. Videogame copyright © 1983 Bally Midway Mfg. Co. Videogame copyright © 1983 Bally Midway Mfg. Co. All rights reserved. ZAXXON is a trademark of Sega Enterprises, Inc. Convigint © 1984. Sega Enterprises, Inc. CONGO Inc. Copyright © 1984, Sega Enterprises, Inc. CONGO BONGO is a trademark of Sega Enterprises, Inc. Copyright © 1983, Sega Enterprises, Inc.



Arcade and Home Smash. Hit #3 on Billboard magazine's Top Video Games survey.

available at 300....If you're only getting on there to talk to some friends, or to read a bulletin board, there's no need to spend the money for a 1200-it's actually more intelligent and economical to be at 300 baud."

Other features that add to the versatility-and priceof a modem are auto-answering (the modem can take phone calls from other computers by itself); auto-dialing (the modem can place calls by itself); auto-redialing (the modem automatically redials a call if the line is busy); and selftesting (the modem makes sure everything is hooked up and working properly).

Another consideration is the type of phone system you have. While some modems work with either Touch-Tone or rotary (pulse) phones, others work only with one or the other. Adapters are available to let certain modems work

with certain types of systems.

Like other computer peripherals, modems are not generic items. Some modems plug into RS-232 serial interfaces and will work with a number of different systems, while others are designed only for specific computers. Check advertisements and brochures carefully for this information.

Terminal software usually must be purchased separately, acquired through a user group, or typed in from a book or magazine.

Lower Prices Coming

Modem prices currently range from about \$49 to \$1000 or more. Last year the least expensive models cost about \$80. A few years earlier they were hardly available for less than \$200. Competition will continue to drive prices down, Hussong says, and by the end of this year 1200 bps modems should cost around \$300-\$500. In 1985, he estimates, 1200 bps modems will cost \$250-\$400 and 2400 bps modems should cost under \$1000. A major force behind the lower prices is a new modem-on-a-chip designed by Texas Instruments. More computers are starting to come with built-in modems as a standard feature, too.



Code-A-Phone's Tel-A-Modem 212A is a telephone with a built-in modem and two phone lines for simultaneous voice and data transmissions.

\$100 to providers of information services, such as banks, who can then offer the units to their own customers.

Using a Touch-Tone phone, you dial the service you wish to contact and place the phone handset on the Tex decoder. Menus displaying available services appear on your television screen, from which you make selections by using the telephone keypad. The one-piece unit includes a decoder that translates the information transmitted from the host computer plus a modulator which connects to a TV's antenna terminals. The computer service sends the text and graphics over the phone lines to be received and decoded by Tex.

The decoder uses the Prestel graphics protocol, which was developed for Great Britain's commercial videotex services.

The system is as easy to use as a bank's automatic teller machine, says Telelogic President William J. Harris. "This combination of low price and ease of use will help bring videotex technology to a large number of people."


Tex units are being tested already by the National Bank of Detroit for its Video Information Provider (VIP), a telebanking

pilot project.

While videotex may still be in its infancy, don't expect it to stay that way for long. The textbased shopping services you can access now will soon be joined by low-cost national videotex systems in just a few years. And telecommunications specialists agree that the market for those services will be the same people who today have been among the first to use personal computers, VCRs, and similar technological advances.

"No one's doing a satisfactory job yet," says Arlen. "But everyone is trying very, very

hard."



At first glance, they look like funny creatures right out of a computer game shoot 'em up. But underneath the funny surface, they represent one of the most serious approaches to home education you've ever heard of.

INTRODUCING SPROUT" SOFTWARE.
GAMES THAT TEACH.

These amazing teachers are called Tink and Tonk. They come from Sprout. Software for kids 4 to 8.

The beauty of Sprout is how we balance entertainment with a healthy dose of education.

While kids are having fun at home, they're reinforcing what they've learned at school. Things like the alphabet, spell-

ing, vocabulary, counting, adding, and pattern recognition.

You'll also like how Sprout prevents boredom. Our games grow up, instead of wear out. As kids get older, the game gets harder—with many variations

and many decisions to make.

Sprout didn't learn how to do all this overnight. You see, we've got a hundred years of experience to lean on. (Our parent company is SFN, the country's #1 text-book publisher for

elementary and high schools.)


We've also got the experience of Mercer Mayer, who has written or illustrated 80 children's books. He dazzles kids with ideas and pictures that keep them coming back for more.

So let TINK!TONK!" software teach your kids. And when they play at the computer, they won't be playing around. They'll be learning something.

Sproul

Games that grow up. Instead of wear out.

Compatible with Atan," Commodore," Apple" and IBM



According to dozens of recent magazine and newspaper articles, some psychologists are worried that personal computer hobbyists are spending so much time with their computers that they're becoming isolated from other people and the outside world.

But ironically, communication with people in the outside world is the focus of a fastgrowing application for personal computers today: telecomputing. Electronic Bulletin Board Systems (BBS's) are providing a forum for new friendships and the exchange of information between computer owners. And it's a forum not bounded by neighborhoods or physical distances. BBS's offer free publicdomain software, technical assistance, and contact with people across the street or across the country.

With the addition of a modem and a simple terminal program, a personal computer can help foster, rather than hinder, communication.

A Grassroots Movement

If you've ever logged on to a major information service such as CompuServe, you were probably overwhelmed by the wealth of menus and features available. A BBS is not nearly that sophisticated, but consider this: Most are operated by average people out of their homes, on equipment they purchased themselves or with a local user group.

The earliest BBS's came online in the late 1970s. Many served as information boards for fledgling user groups. Club officers would post important messages and meeting notices, and store public-domain software for members to download. Some computer stores also set up BBS's to allow customers easy and up-to-date access to prices and inventory information. And a few people-people who were willing to devote their computer system and a lot of timestarted boards simply because they enjoyed making it easier for computer owners to get in

touch with each other.

Hundreds of boards have come and gone since those early days, but hundreds more remain.

John Semenek, a Chicago, Illinois computer programmer/ analyst, bought an Atari 800 a couple of years ago. Intrigued by its sound and graphics capabilities, he joined a local user group and started looking for Atari bulletin boards in the Chicago area.

He found only one. Now there are at least 20 in that metropolitan area alone, and Semenek's is one of them.

"I started it as a service to our user group, though it's not limited to those people," he says. "It really extends the usage of a home computer." Semenek estimates that if someone normally spends five hours a week with their home computer, buying a modem boosts that figure by about 300 percent.

If you made a printout of all of the BBS phone numbers

THERE'S A COMPUTER BORN EVERY MINUTE... **GIVE IT A HOM**

For \$89.95 with the CS-1632 you can house your computer, peripherals, and accessories without spending a fortune



For those with a large computer family the CS-2748 gives you all the room you need for your computer, monitor, printer, peripherals, software, etc. at a price that's hard to believe: \$299.95.



The CS-1632 computer storage cabinets compact yet functional design fits almost anywhere while housing your computer monitor, joysticks, software, books and peripherals all for only \$89.95

The slide out shelf puts the computer at the right height and position for easy comfortable operation.

The fold up locking door keeps unwanted fingers off the key board when not in use.

To store joysticks just turn them upside down and slide them into the inverted storage rack. Twist tabs on the back of center

panel allow for neat concealed grouping of wires, while power packs rest hidden behind center panel on shelf.

The slide out software tray has room for 14 cartridges or cassettes and up to 30 diskettes. Most brands of software will fit between the adjustable partitions with a convenient hook for the spare key at rear. Stand fits Atari 400 & 800. Commodore 64 & VIC 20,

Ti 99/4A and TRS-80. Cabinet dimensions overall 36"

high x 33-7/8" wide x 16" deep.



To order CS-1632 send \$89.95 to:



To order CS-2748 send \$299.95 to:



P.O. Box 446 West Lynn, OR 97068

For Fast Phone Orders Call Toll Free 1-800-547-3100 Inside Oregon Call (503) 635-6667

Vame			
Address			
City	State	Zip	
QuantityCS-1632		Quantity	CS-2748
Golden Oak Finish	☐ Natura	al walnut finish	
My personal check, cashiers check of	r money ord	er is enclosed.	
Bill my VISA #		Ехр	. Date
Bill my MasterCard #		Ехр	. Date
My personal check, cashiers check of Bill my VISA # Bill my MasterCard # Please include freight charge on my	VISA or Mast	erCard.	
Card Holders Signature			

Immediate shipment if in stock. If not, allow 3-4 weeks for delivery, if personal check is sent allow additional 2 weeks. CS-1632 ships UPS freight collect from Oregon. CS-2748 ships by truck freight collect from Oregon. Prices subject to change. Shipment subject to availability.

Both the CS-1632 and CS-2748 ship unassembled in two cartons. Assembly requires only a screwdriver, harnmer, and a few minutes of your time.

Choice in simulated woodgrain of warm golden oak or rich natural walnut finish.

The two slide-out shelves put the keyboard at the proper operating height while allowing easy access to the disk drives. The bronze tempered glass door protecting the keyboard and disk drives simply lifts up and slides back out of the way during

Twist tabs on the back of the center panel allow for neat concealed grouping of wires while a convenient storage shelf for books or other items lies below. The printer sits behind a fold down door that provides a work surface for papers or books while using the keyboard. The lift up top allows easy access to the top and rear of the printer. A slot in the printer shelf allows for center as well as rear feed printers.

Behind the lower door are a top shelf for paper, feeding the printer, and a bottom shelf to receive printer copy as well as additional storage.


Stand fits same computers as the CS-1632 as well as the Apple I and II, IBM-PC, Franklin and many others.

The cabinet dimensions overall: 39-1/2" high x 49" wide x 27" deep.

Keyboard shelf 20" deep x 26" wide. Disk drive shelf 15-34" deep x 26" wide. Top shelf for monitor 17" deep x 27" wide. Printer shelf 22" deep x 19" wide.



Computer prog da Vinci, Shakesp Al Capp would ha



rams for kids that eare, Dickens and e loved.

If they were starting out today, this is what they could start with. Pixelwerks.

THE OTHER WAY TO DRAW AND WRITE

Instead of a brush and canvas, a pen and paper, they'd create on a computer. Because Pixelwerks is the first medium that can keep up with their imaginations.

MR. PIXEL'S PROGRAMMING PAINT SET

With Mr. Pixel's Programming Paint Set, da Vinci (or any 8-year old) could do more than paint a picture. He could also enlarge it, repeat it, move it around, and change colors. Instantly.

would be

And at the same time, he developing his programming skills. Painlessly.

SHOW DIRECTOR

On the other hand, Shakespeare would love to play around with Show Director.

He'd use it to create plots and think up one scene after another, and he'd get a big cast of characters, lots of backgrounds, props, and musical sound effects to act them out.

BANK STREET STORYBOOK

Dickens wouldn't be able to keep his hands off Bank Street StoryBook by George Brackett.

Not only could he write his own story, but he could also illustrate the scenes and characters he sees in his mind.

MR. PIXEL'S CARTOON KIT

Maybe Al Capp wouldn't be satisfied with cartoons that just sit on the page after he tried Mr. Pixel's Cartoon Kit. Because he could make his cartoons come to life by animating them. His characters could move around, and even react to each other.

Every kid has a touch of creative genius buried inside. The job of

Pixelwerks is to bring it out, with more features, more options and more flexibility than other programs.



In short, we supply the tools. Kids supply the imagination.



FANTASTIC LOW PRICES ON BASE OUALIMETRIC

DISKETTES!



BASE QUALIMETRIC DISKETTES have a lifetime warranty and are packed in plastic storage cases. TYVEK sleeves, reinforced hubs, user identification labels and write-protect tabs included.

\$ 139 514. SSDD

\$ 189°a.

SOFT SECTOR ONLY! 3M HEADCLEANING KITS

Stop swearing and start cleaning This non-abrasive cleaning kit has everything you \$18.00 \cdot \$15.00 \text{ Shpng}

AMARAY MEDIA-MATE 50: A REVOLUTION IN DISKETTE STORAGE



Every once in a while, someone takes the simple and makes it elegant. This unit holds 50 5½ diskettes, has grooves for easy stacking, nipples to keep diskettes from slipping and several other features. We like it.

\$10.95 ea \$2.00 Shpng

DISKETTE 70 STORAGE: STILL A GREAT BUY





DISK CADDIES
The original flip-up holder for 10 51/4" diskettes Beige or grey only

\$1.65 ea shong

PRINTER RIBBONS AT BARGAIN PRICES!

 Brand new ribbons produced to manufacturer's specs

 Epson MX-70/80
 \$3.58 ea
 25 Shpng

 Epson MX-100
 \$6.99 ea
 25 Shpng

 Okidata Micro 83
 \$1.48 ea
 25 Shpng

 Okidata Micro 84
 \$3.66 ea
 25 Shpng

Shipping: 51% DISKETTES—Add \$3.00 per 100 or fewer diskettes. Other Items: Add chipping charges as shown in addition to diskette shipping charges. Payment: VISA and MASTERCARD accepted. COD orders only, add. \$3.00 handling charge. Tames Illinois residents only add. \$3.00 sale: tax.

1-800-621-6827

1-312-944-2788 only!

HOURS 9AM - 5PM Central - ime Monday - Friday

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc.
Suite 4806 • 30 East Huyan Street - Chicago Hunger 606)

DISK Authorized Reseller Information Processing BASF WORLD! Media

Bulletin Board Basics

Gregg Peele, Assistant Programming Supervisor

When you press a key to send a character from your computer to another system, you set in motion a series of events.


First, your terminal software—the program that tells your computer how to communicate with another computer—sends the character to a device called a UART, which stands for Universal Asynchronous Receiver Transmitter, (The VIC-20 and Commodore 64 computers do not have a UART. Instead, they use special built-in software to emulate a UART.) The UART breaks the eight-bit byte that makes up the character into a serial stream of eight sequential bits, then adds special bits to the character. Start and stop bits are added to signal the beginning and end of the byte (character) being sent, and the parity bit is altered to allow any transmission errors to be detected. There are a couple of different systems for this error-checking, or paritychecking. Like most other factors in telecommunications, the most important thing is not which type of parity you use (you don't have to use parity at all), but that both the sending and receiving systems agree to use the same type of parity.

All the bits are then sent to the modem, which converts them from their digital form into analog tones which a telephone can transmit. A tone of a certain pitch represents a binary 0, and another tone represents a binary 1. Following the Bell 103 standard for modem *protocol*—the specific rules of the road for communications—both of these pitches are within a specific range determined by whether your modem is set to originate or answer a transmission. If you are linking to a bulletin board system (BBS), you should set your modem to originate. Bulletin board systems normally set their modems in answer mode. Modems use one set of frequencies to listen and another set to talk. That's how a computer can use a single telephone line to both send and receive.

The receiving computer's modem translates the analog tones back into digital data, which the BBS program uses to control some function or print a character on the system operator's (sysop's) screen. If the two computer systems are in full duplex mode, then the characters are echoed back to the sender from the receiver. These echoed characters are then printed on the sender's screen.

In half-duplex, the characters sent are automatically printed on the sender's screen before being transmitted, but

listed on the People's Message Service of Santee, California 619 561-7277), the list would stretch out to about the length of a good Carl Lewis long jump.
The list includes many
machine-specific boards; that is,
boards that cater to the special





When we introduced Pitstop, we created action in the pits. Now, with PITSTOP II, EPYX introduces true competitive auto racing, both on the track and in the pits. Auto racing is not a one man sport. With PITSTOP II, you can now experience the thrill

of speed and competition as you battle your opponent in a race against the clock. Now, more than ever, the strategy of when you make a pit stop and your pit crew's speed and performance, combined with your skill on the track, will determine the winner.


A split screen shows you your position and that of your

opponent, a digital clock displays time and a lap counter gives you your race position as you race against each other in pursuit of the checkered flag. You can also play against the computer and take a practice lap or race against the computer controlled pace car as you prepare for real head-to-head competition. Step up to PITSTOP II because auto racing is not a solo sport.

One or two players: joystick controlled.



Strategy Games for the Action-Game Player







54° 8SDD

514" DSDD

SSDD-96TPI 5¼' DSDD-96TPI

SOFT SECTOR ONLY! MINIMUM ORDER: 20 DISKETTES

These are factory-fresh 3M diskettes packed in boxes of 10 with Tyvek sleeves, reinforced hubs, identification labels and write-protect tabs

Add 5% for orders less than 50 on 5 1/4" only

ON ALL 3M SCOTCH DISKETTES!

SUPER SPECIAL!



Order 50 3M Scotch Diskettes on this special offer and you can get an Amaray Media Mate 50 for only \$9.99 (shipping included) Normally, a \$14 95 retail value, this is one of the best designed disk storage units we've seen Special slots

and ridges for stacking. A great buy With 50 3M Scotch 514" Diskettes \$9.99

Ordered alone \$10.95 - \$2 00 Shpng

8" 3M Scotch Diskettes

8" SSSD

\$2.50 ea \$2.05 ea 2.05 ea 8 SSDD 8 DSDD **\$3.10** ea

SOFT SECTOR ONLY! MINIMUM ORDER B' DISKETTES: 20

3M HEADCLEANING KITS

Stop swearing and start cleaning. This non-abrasive cleaning kit has everything you \$18.00 shpng.

DISKETTE 70 STORAGE: STILL A GREAT BUY

Dust-free storage for 70 514" disk-ettes. Six dividers included. An ex-\$11.95 - \$3 00 Shpng cellent value

DISK CADDIES The original flip-up holder for 10 514 diskettes Beige or grey only

\$1.65 ea Shpng

PRINTER RIBBONS AT BARGAIN PRICES!

Brand new ribbons produced to manufacturer's specs.

\$3.58 ea + 25 Shpng \$6.99 ea + 25 Shpng \$1.48 ea + 25 Shpng \$3.66 ea + 25 Shpng Enson MX-70/80 Okidata Micro 83 Okidata Micro 84

Shipping: 514 DISKETTES—Add \$3.00 per 100 or fewer diskettes 8" DISKETTES—Add \$4.00 per 100 or fewer diskettes 0 Diskettes—Add \$4.00 per 100 or fewer diskettes Other Items: Add shipping charges is shown in addition to diskette shipping charges Payment: VISA and MASTERCARD accepted COD orders only add \$3.00 handling charge. Taxes: Illinois residents only, add 8°s sales tax.

FOR ORDERS ONLY: 1-800-621-6827

INFORMATION & INQUIRIES: 1-312-944-2788 only!

HOURS: 9AM - 5PM Central Time, Monday - Friday

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc.
Suite 4806 • 30 East Huron Street • Chicago Illinois 60611



communication is only one-way; characters are not echoed. Full duplex is considered best since, with half-duplex, there is no direct way to tell whether the other system is receiving you, Full duplex lets you know immediately if your connection is working correctly.

Just as communication between humans requires a common language, the language of computers must be agreed upon by both parties. ASCII (American Standard Code for Information Interchange) is a standard code representing each letter, number, and punctuation mark, plus a few common control keys. The Commodore 64, VIC, and Plus/4 computers use a modified version of ASCII. To access an ASCII BBS system with these computers, you must have a terminal program which translates the normal Commodore codes to ASCII.

Even with such a program, certain incompatibilities may exist between systems which use ASCII. For instance, BBS systems may offer an option for an extra linefeed with each return character. If your terminal program includes a linefeed (moves the cursor down a line) when you hit RE-TURN, you won't need the extra linefeed. Other characters may also cause problems. The delete character, for instance, which is usually CHR\$(127), may be CHR\$(20) or even another character on some systems. Hopefully, your terminal program will allow you to alter the characters sent and received so you can match the computer you're communicating with. If you have questions about the codes used with a particular system, leave a note for the sysop. Most sysops are technically proficient and are glad to help you make your system work with their BBS.

Transferring programs and other files over the phone lines (uploading/downloading) is one of the most useful functions of BBS communications. This can be a complex procedure, often requiring a special terminal program designed specifically for a certain type of BBS. These programs are designed to compensate for noise in phone lines which may garble characters.

Often, to insure accuracy, a checksum is added to each block of transmitted data. The checksum indicates whether a bit has been scrambled during transmission. If an error occurs, the data is sent again. This process is repeated until the entire file is successfully transferred.

The two communicating computers handle all of this automatically. Such communication between two computers without human intervention is called handshaking. In this case, handshaking lets each computer know if the blocks of data were properly sent and received.

Since there are several different file transfer schemes, be sure that your particular program is compatible with the BBS you're calling. Again, the sysop can help you decide on the appropriate program to use with the BBS.

interests of people with Apples or Commodores or Ataris or TIs or IBMs or Radio Shack computers. No matter what kind of

computer you have, you can access any of these boards, but you won't be able to download any of the public domain





The 84 Olympics are over, but for you, the competition has just begun. How well can you score in track, swimming, diving, shooting, gymnastics and more? So realistic, there's even an opening ceremony and awards presentation after each event.

Unlike other "Olympics-Like" games, Summer Games has incredible realism, superb state-of-the-art graphics and sound effects (including national anthems from 18 countries), and it is a true action-strategy game. In each event you must plan and execute your game strategy in order to maximize your score. It is not just a matter of how fast you can move the joystick.

So change into your running shoes, grab your joystick and GO FOR THE GOLD!

One or more players; joystick controlled.







The best buy you'll ever find! Nashua... **Diskettes**

LIFETIME WARRANTY!

514" SSDD

Qty. 50

514" DSDD Oty. 50

(These are poly-bagged diskettes with reinforced hubs, Tyvek sleeves, user identification labels and write-protect tabs.)

SOFT SECTOR ONLY! Sold in multiples of 50 only. Prices good while sale quantities last.

INTRODUCTORY SPECIALI

NASHUA Corporation is a half-billion dollar cor-poration and a recognized leader in magnetic media. You've used these diskettes before and didn't know it...since Nashua has sold primarily to software duplicators.

SUPER SPECIAL!



Order 50 NASHUA Diskettes on this special offer and you can get an Amaray Media Mate 50 for only \$9.99 (shipping in-cluded). Normally, a \$14.95 retail value, this is one of the best designed disk

storage units we've seen for stacking. A great buy. n. Special slots and ridges

With 50 NASHUA 514" Diskettes \$9.99 Ordered alone: \$10.95 + \$2.00 Shpng.

3M HEADCLEANING KITS

Stop swearing and start cleaning. This non-abrasive cleaning kit has everything you \$18.00 \cdot \$1500 \text{ shpng}



DISKETTE 70 STORAGE: STILL A GREAT BUY

Dust-free storage for 70 51/4" disk-ettes. Six dividers included. An excellent value \$11.95 \$3.00 Shong



DISK CADDIES The original flip-up holder for 10 5¼ diskettes Beige or grey only.

\$1.65 ea. shpng

PRINTER RIBBONS AT BARGAIN PRICES!

Brand new ribbons produced to manufacturer's specs Epson MX-70/80 Epson MX-100

Okidata Micro 83 Okidata Micro 84

\$3.58 ea + 25 Shpng \$6.99 ea + 25 Shpng \$1.48 ea + 25 Shpng \$3.66 ea + 25 Shong

Shipping: 5¼ DISKETTES—Add \$3 00 per 100 or fewer diskettes. Other Items: Add shipping charges as shown in addition to diskette shipping charges. Payment: VISA and MASTERCARD accepted. COD orders only, add \$3 00 handling charge. Taxes: Illinois residents only, add 8% sales tax

MINIMUM ORDER: \$35.00

FOR ORDERS ONLY: 1-800-621-6827 (In Illinois: 1-312-944-2788)

INFORMATION & INQUIRIES: 1-312-944-2788 only!

HOURS: 9AM - 5PM Central Time, Monday - Friday WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc.

Suite 4806 • 30 East Huron Street • Chicago Illinois 60611

NASHUA Authorized Distributor MAGNETIC MEDIA

software.

There are boards containing nothing but movie reviews, religious boards, "Dial-Your-Match" boards (computer dating services), boards for people who work with CP/M, adventure game boards, boards for lawyers, boards for aviatorsboards tailored to just about any special interest.

Most BBS's, however different their reason for existence, follow a similar format. Once you've logged on to a few, you'll begin to recognize the general process of interacting with them, even though commands may differ.

Probably the first thing most people do when they call is check the message files. Nearly all BBS's let users read and write messages to individuals or the general public. In fact, some exist solely for that reason.

Many of the messages are technical queries or requests for information on hardware and software. Some messages advertise items for sale, or items sought. Some are just running conversations between different users. And quite often, one caller will start a debate on some topic that is picked up by others and carried on for weeks.

The second most popular BBS feature, say many sysops (system operators), is the ability to upload and download publicdomain software. This is especially true on boards run by user groups; instead of standing in a long line at a user group meeting to copy a disk, club members can call the BBS and download that month's offerings.

Other features commonly found on bulletin boards include ads from local computer stores; bulletin sections where callers can post meeting notices or industry news, or call attention to books or magazine articles; "chat mode," or on-line conversation with the sysop if he or she is available; a classified ad

section, which allows callers to advertise items for sale or trade; and lists of other BBS's.

Stan and Susie Subeck recently added an unusual feature to their Chicago-area Atari BBS: an on-line games section. Atari owners can choose from a few adventure games—even a trivia quiz—and play while connected to the board.


"At first, everyone said that would be impossible on an Atari," says Susie. "Actually, it's very simple. It just takes a lot of disk space."

Like many sysops, the Subecks started their bulletin board to provide support to other Atari owners. And, says Susie, as an educational tool for her 12and 13-year-old children. "The kids have learned a lot about computers by helping with the maintenance on the board."

It was their 13-year-old daughter's habit of talking in "Valspeak" (Valley Girl jargon) that sparked an idea for the board's theme. Called "Valley Girl BBS," the Subecks' board has command menus written in Valspeak, as well as a glossary to understanding the Southern California lingo. Callers to this BBS don't delete messages: They "bag" them. And you don't exit the board: you "de-val." Crude callers are "grody" or "nerds."

Try to be patient. BBS's are single-user networks (only one person may be on-line at a time), unlike commercial information services, which are multi-user networks capable of simultaneously handling thousands of callers. When calling a BBS, chances are you'll get lots of busy signals before you get through. A modem with autodial and auto-redial can ease the frustration.

Another problem you may encounter is finding numbers of bulletin boards that suit your interests. A good place to start





Meet the Alienators. A fiendish bunch who've planted bombs throughout your Jupiter Command Headquarters.

Your job? Use your lightning speed to scale ladders, scurry across girders, climb ropes and race

That's the kind of hot, non-stop action we've packed into the award-winning, best-selling Jumpman, and into Jumpman Jr., our new cartridge version with 12 all-new, different and exciting screens.

Both games force you to make tough choices. Should you avoid that Alienator, climb to the top *1983 C.E.S. award winner. and try to work your way down, or try to hurdle him and defuse the bombs closest to you before they go off?

If you move fast you'll earn extra lives.
But if you're not careful, it's a long way down.
So jump to it. And find out why Jumpman and Jumpman Jr. are on a level all their own.

One to four players; 8 speeds; joystick control. Jumpman has 30 screens. Jumpman Jr. has 12 screens.



STRATEGY GAMES FOR THE ACTION-GAME PLAYER.



looking is the People's Message Service mentioned above. The list is several thousand bytes long, so make sure you've got enough file space if you plan to download it. If you want, you can enter your area code and get a list of only those boards in your own region (to avoid a hefty long-distance bill).

Noisy phone lines and faulty hardware or software can give you a screenful of garbage, even on the most reliable boards. If this happens, disconnect and try again, checking to make sure your modem is connected properly. If it persists, wait a couple of days and call back: The sysop may have corrected the problem.

A few words about etiquette: Most BBS's run 24 hours a day, seven days a week, but some don't. Please observe the limited calling hours of those exceptions, and remember to

Software That Works For Generations

6 Types of Charts and Sheets
Indices
User Fields
Notes, Footnotes and Sources
No Limits
Adapts to Your Hardware
Comprehensive
Easy to Use
And Much, Much More

Send for brochure and sample printouts.

Family Roots includes detailed manual and 2 full diskettes of programs for your Apple II, IBM PC,

Commodore 64 and CP/M.*

Other genealogy software also available.

Price \$185. Satisfaction Guaranteed.

American Express, Visa & Mastercard Accepted

* Trademarks for Apple Computer, Inc., International



Business Machines, CBM, Inc., & Digital Research.

QUINSEPT, INC. P.O. Box 216, Lexington, MA 02173 (617) 641-2930 check what time zone you're calling. A phone call from Sacramento to Boston at 9:00 local time may awaken an East Coast sysop out of a midnight slumber. Limited BBS hours usually mean the phone line is also used for business or personal purposes.

Most BBS's don't tolerate obscenity and the uploading of copyrighted software, and sysops are quick to ban such callers from their systems. Many BBS's are switching to closed systems (requiring a password and sometimes a membership fee) for that reason.

When he wasn't acting in San Francisco Bay area theatrical productions, Kent Fillmore was working as a maintenance man at a local hotel in the late 1970s. The hotel manager was using an Apple for record-keeping, and suggested that Kent play around with it a bit.

"I went through the manual in a month," recalls Fillmore.
"Then I said to myself, 'I'm going to get one of these, and I'm going to change my job.'"

Fillmore now does research and development for Pacific Alchemical, a company specializing in educational software and programming utilities. His interest in bulletin boards led him to pitch a proposal for a nationwide network of BBS's to a software retail firm.

The plan is to have one franchise in every area code of the country, a BBS that will offer information on software available through retail company software brokers. It's primarily a commercial venture, but there's a bonus for user groups. Fillmore's system is set up so there can be several boards within one BBS, and he's offering those boards to local user groups to use for their own purposes.

The first BBS in the system, Draco-Net, has been running out of Fillmore's home on an Apple II for about three months now, and he's enjoying the interaction with fellow users. "I honestly don't know what the fascination is with bulletin boards," he says. "It's a whole new way of dealing with people. You can literally create your own personality if you want."

Sysops spend an average of more than \$3000 to put a BBS on-line and an additional \$50 per month to keep it running, according to a recent survey conducted by Ric Manning, editor of *Plumb*, a monthly telecommunications newsletter.

Besides this drain on the sysop's wallet, a lot of time is involved. Manning reports that general maintenance, data entry, and other chores can take up to 50 hours a month.

The biggest problem sysops encounter is heavy usage at peak times, which they defined as 6:00 p.m. to 11:00 p.m.


Tim Renshaw, sysop of the AVC Commodore BBS in Indianapolis, Indiana, tells of another problem. "The twits," he says, "the callers who have very little sense of good taste and like to leave obscene messages. That's really tapered off, though. It used to be a daily event."

Hundreds of boards have fallen by the wayside because the scales tipped too far for the sysops: The bad outweighed the good.

But Renshaw and other sysops anticipate even better things over the next year. Things like more graphics, increased storage space (enabling more users, on-line games, and room for more messages and programs), and BBS software that supports a wider variety of communication standards.

Sysops continue to support each other and improve their systems as manufacturers work on the cheaper, faster, easier-to-use modems anticipated in the future. The bulletin boarding of America is well on its way.

9 TO 5 TYPING. BECAUSE NOT ALL TYPING GAMES HAVE TO BE SHOOTING DOWN SPACESHIPS.





Why do typing programs have to involve shooting down spaceships? They don't!

9 TO 5 TYPING lets students and adults learn

to type using an effective method developed by college educators. We've taken the ten basic steps to learning typing and combined them with the fun of sequences from the movie, 9 TO 5*. What could be better than learning the key locations while helping Doralee lasso Hart. Or

increasing your speed while taking pot shots at Hart in a shooting gallery. All the fun of the movie combined with an innovative new approach to learning touch typing.

9 TO 5 TYPING. The typing game for everyone...Spaceships not included.



Strategy Games for the Action-Game Player

*9 TO 5 is a trademark of Twentieth Century-Fox Film Corp.



Reflection

Sean Puckett

"Reflection" is a fast-paced computer version of reversi. You can play it as a strategy game with two people or challenge the brain of the computer. It was originally written for the Atari (24K), and we've added versions for the Commodore 64, unexpanded VIC-20, TI-99/4A (16K and regular BASIC), Apple, IBM PC (with 64K, BASICA, and the color/graphics adapter), PCjr (with Cartridge BASIC), and TRS-80 Color Computer (with Extended Color BASIC). A joystick is required for the Atari, 64, VIC, and Color Computer.


Through the ages, people have devised many pastimes to exercise their minds. The most well-known match of wits is chess, with backgammon and checkers running close behind. Another board game, reversi, is not as popular, but combines the logic of these games with the action and excitement of a good football game.

The trouble is, some players can become so excited that they tend to get carried away and attempt a forward pass with the board, or they fumble and scatter the chips everywhere (a method most often employed by sore losers). A computer version of reversi is ideal. The computer can act as a referee, permitting only legal moves, or it can be a ruthless opponent.

"Reflection" gives you the option of playing either way—against another person or against the computer. The rules are quite simple. Players take turns placing chips on the board, one piece per turn. To capture your opponent's pieces, you sandwich a row of them between one of your existing pieces and the one you're laying down. You can capture one or several pieces this way. The row can be vertical, horizontal, or diagonal. Once a piece is captured, it turns into your color and effectively becomes one of your pieces.

In this example, the black player can capture pieces by placing one of his chips on any spot marked here with an X:

The best move is either the one that captures the most pieces, or the one which leaves your own



pieces less vulnerable—depending on the stage of the game. Sometimes you can place a single piece to capture more than one row of chips. Each player must capture at least one enemy piece per turn, or the turn is forfeited. When all of one player's pieces have been captured, or when neither player can make a legal move, the chips are tallied and the victory is awarded.

Because capturing an enemy piece converts it to your color, the game can reverse directions very quickly. A winning player can suddenly find himself far behind, with most of his chips flipped to the opponent's color.

Playing Reflection

The Atari version of Reflection uses one or two joysticks. You can play against another player or against the computer, and you can select whether black or white moves first. Move the large cursor with the joystick, then press the button to place your piece. You can put down only one piece per move, and only on empty squares. If you place your chip so it doesn't capture any enemy pieces, the program removes the piece and you forfeit your turn. You must purposely forfeit in this way if you can't make a legal move. If neither player can make a move, press E on the keyboard to end the game.

All other versions except the VIC version play much like the Atari version, but have extra options. When playing against the computer, there are two levels of computer intelligence. Level two plays better, but naturally it takes longer for the computer to make up its mind.

These versions also let you set up the board prior to play. On all computers except the Color Computer, press W to set down a white chip, B for a black chip, and space to skip a square. You continue left to right, top to bottom, until you reach the lower-right corner. On the Color Computer, use a joystick plugged into port 2 to move to any square, where you type W for a white chip, B for a blue chip, or space bar to leave an empty square.

The 64 version of Reflection requires a joystick plugged into port 2. The VIC-20 uses a single joystick for both players. Both the Apple and IBM versions use a diamond-shaped arrangement of keys to move the cursor: I for Up, M for Down, J for Left, and K for Right. The TI-99/4A version uses the arrow keys E, S, D, and X. When you've moved the cursor to the desired position, press the space bar to place your piece. As with the Atari version, you forfeit your turn and lose the piece if you place it so that no enemy pieces are captured. Press Q to end the game on the TI-99/4A, and E for all other versions.

Before loading the Apple version, first enter this direct statement:

POKE 104,64: POKE 16384,0: NEW

Similarly, enter PCLEAR 1 before loading the Color Computer version.

Program 1: Reflection For Atarl

Refer to "COMPUTEI's Guide To Typing In Programs" before entering this listing.

NL 1000 N1 = 1 : N2 = 2 : N0 = 0 : N3 = 3 : N4 = 4 : N 5 = 5 : N6 = 6 : N7 = 7 : N8 = 8 : N9 = 9 : O2 = N2

BB 1009 GRAPHICS 23:POKE 708,20:PO KE 709,0:POKE 710,15:POKE 712,198:POKE 711,30:GOSUB 1950:GOSUB 1720:UI=N1

LE 1010 DL=PEEK(560)+256*PEEK(561)
:POKE DL+N3,70:POKE DL+N6.
N6:DIM M\$(40):DL=DL+UI:H=I
NT(DL/256):L=DL-H*256

#: POKE 560, L: POKE 561, H

CI 1030 COLOR UI:FOR A=N1 TO 88:PL OT 16,A:DRAWTO 142,A:NEXT A

EL 1040 DIM X(N8), Y(N8): Z=UI: COLOR 0: FOR A=N1 TO 88 STEP 11: Y(Z)=A+N2: Z=Z+UI: PLOT NO, A : DRAWTO 142, A: DRAWTO 146, A +4: NEXT A

KC 1050 Z=UI:FOR A=16 TO 142 STEP
16:X(Z)=A+N4:Z=Z+UI:PLOT A
,UI:DRAWTO A,88:DRAWTO A+4
,92:NEXT A

JI 1051 COLOR NO:PLOT 143,N1:DRAWT O 143,89:DRAWTO 0,89

LN 1060 DIM BO(N9, N9)

BI 1070 FOR A=NO TO N9:FOR B=NO TO N9:BO(A,B)=N0:NEXT B:NEXT A

KC 1080 RESTORE 1080: FOR A=N1 TO N 4: READ B, C, D: BO(B, C) = D: NEX T A: GOSUB 1810: DATA 4, 4, 2, 5, 5, 2, 4, 5, 3, 5, 4, 3

00 1090 GOSUB 1940:E=PEEK(711)


BG 1110 IF PEEK(53279)=N6 THEN FOR A=53248 TO 53251:POKE A,N O:NEXT A:GOTO 1130

NA 1120 GOTO 1110

AJ 1130 MS="{4 SPACES}KO>NE PLRYER [8 SPACES}KC>WO Player":GO SUB 1940

JE 1132 OPEN #UI, 12,0,"K:":GET #UI , K: IF K=79 THEN PL1=1:GOSU B 2100

AC 1140 MS="[3 SPACES] (E) HITE FIRS



"Reflection," Atari version.

CO 1180 MOVE=N4:M\$=" USE JOUSTICK TC(7 SPACES) MOVE CURSOR" :GOSUB 1940:FOR D=N1 TO 10 00:NEXT D:NW=N2:NB=N2

#6 1190 M\$=" Press trigger to

[6 SPACES] enter Move": GOSU

B 1940: FOR D=UI TO 500: NEX

T D:DIM F\$(10): F\$=" MINIMED |

ack"

NE 1200 M\$(1)=" ":M\$(40)=" ":M\$(2) =M\$:XP=4:YP=4:M\$=" {4 SPACES}":M\$(5)=F\$(TURN* 5-4,TURN*5):M\$(10)="'S MOV E":M\$(22)="BLACK:"

H8 1210 M\$(28)=STR\$(NB):M\$(32)="WH |TE:":M\$(38)=STR\$(NW):GOSU | B 1940:DATA 243,1,121,4

ON 1215 IF TURN=2 AND PL1 THEN GOS
UB 2200:GOSUB 1355:GOTO 13

PO 1220 RESTORE 1210: IF TURN=N2 TH EN RESTORE 1220: DATA 121, 1 , 243, 4

DG 1230 TG=N2:GOSUB 1700:CO=N8:GOS UB 1690:F=N1:K=N1

GH 1240 POKE 77, NO: Q=STICK(NO): IF (O=10 OR Q=14 OR Q=N6) AND (YP>N1) THEN YP=YP-N1

AL 1245 IF PEEK(764)=42 THEN 1600 NP 1250 IF (Q=10 OR Q=11 OR Q=N9)

AND (XP>N1) THEN XP=XP-N1

BF 1260 IF (Q=N6 OR Q=N7 OR Q=N5)
AND (XP<N8) THEN XP=XP+N1

PL 1270 IF (Q=N9 OR Q=13 OR Q=N5) AND (YP<N8) THEN YP=YP+N1

```
JN 1530 FOR V=N1 TO I(U)-N1:B=XP+R
PL 1280 IF Q<15 THEN FOR A=NO TO 1
                                              X(U)*V:A=Y4+RY(U)*V
       2 STEP N3: SOUND 0,0,0,A:NE
       XT A: SOUND 0,0,0,0
                                      DI 1540
                                              IF BO(B.A) = N5-E THEN BO(B,
                                              A)=N5-BO(B,A):GOSUB 1820:T
ED 1290 IF Q=15 THEN 1310
                                              AKE = NO : GOTO 1560
BE 1300 GOSUB 1690
                                      EI 1550 NEXT V:NEXT U:RETURN
EH 1310 POKE 53248, 48+X(XP): Y1=Y(Y
       P)+P0+20:Y4=YP
                                      AB 1560
                                              IF E=N3 THEN NW=NW+N1:NB=N
AJ 1320 PM$(Y1, Y1+N7) = CUR$(F*N8-N7
                                              B-N1
       ,F*N8):POKE 704,CO:F=F+K:I
                                      AB 1570
                                              IF E=N2 THEN NB=NB+N1:NW=N
       F F=N4 OR F=N1 THEN K=-K
                                              W-N1
CE 1330 CO=CO+16: IF CO=264 THEN CO
                                      60 1580 NEXT V
       = 8
                                      HI 1590 NEXT U: RETURN
                                      KK 1600 WH=88:BL=88:FOR A=N1 TO N8
MF 1340 IF STRIG(NO) THEN 1240
BE 1343 GOSUB 1350
                                              :FOR B=N1 TO N8:C=N1:R=BO(
       IF WW=1 THEN WW=0:GOTO 124
                                              B,A)
PL 1344
                                             IF R=N3 THEN BL=BL-N1:COLO
                                      ND 1610
                                              R N3:PLOT NO,BL:DRAWTO N4,
       IF NB=NO OR NW=NO THEN 160
KA 1347
                                              BL+N1:DRAWTO N9,BL
       0
                                      BB 1620 IF R=N2 THEN WH=WH-N1:COLO
FN 1348 IF NB+NW=64 THEN 1600
                                              R 2:PLOT 150,WH:DRAWTO 154
D6 1349 TURN=3-TURN:GOTO 1200
                                              ,WH+N1:DRAWTO 159,WH
GN 1350 IF BO(XP, YP)>0 THEN RESTOR
                                      AF 1630 NEXT B: NEXT A
       E 1350:TG=3:GOSUB 1700:WW=
       1:RETURN : DATA 162, .5, 144,
                                      AP 1640 IF WH=BL THEN M$="
                                              16 SPACES I GIE Came": GOSUB
       .5,243,3
JD 1355 IF DE=1 THEN DE=0:RETURN
                                              1940:GOTO 1675
AN 1360 BO(XP, YP) = (N3-TURN) + 1 : B = XP
                                      EP 1650 Z=710:M$="[5 SPACES] WILLIAM
                                              MATOSU": IF BL>WH THEN Z=709
       : A = YP : MOVE = MOVE + 1
                                              :M$ = " (5 SPACES ) black wins!
KB 1365 GOSUB 1820:GOSUB 1420:GOSU
       B 1450:GOSUB 1520
                                      BL 1660 GOSUB 1940
MA 1380 IF TURN=N1 THEN NW=NW+N1
                                      IN 1670 FOR A=200 TO NO STEP -4:FO
JI 1390 IF TURN=N2 THEN NB=NB+N1
DD 1400 IF TAKE <> 1 THEN RETURN
                                              R B=A TO A+50 STEP 12.5:PO
                                              KE Z,B:SOUND NO,B,10,15:NE
FN 1401 B=XP:A=Y4:M$="
                         no piece t
       aken. 13 SPACES) FORFEITURE
                                              XT B: NEXT A: SOUND NO, NO, NO
        OF MOVE": GOSUB 1940: BO(B,
                                              , NO
                                      BK 1671 DATA 243,2,243,2,217,1,193
       A) = 0 : C = 1 : CX = X(B) : CY = Y(A)
FL 1402 GOSUB 1790:02=N2:TG=N3:RES
                                              ,1,217,1,243,1,162,2,162,2
       TORE 1402:GOSUB 1700:DATA
                                              , 162, 1, 144, 1, 193, 1, 182, 1, 2
       243,1,243,1,243,4
                                              17,2,217,2,217,1,182,1,193
NE 1403 FOR D=N1 TO 500:NEXT D:IF
                                              , 1
                                      AK 1672 DATA 217,1,243,8
       TURN=N1 THEN NW=NW-N1
                                      JH 1673 O2=N1:RESTORE 1671:TG=19:G
CH 1404 MOVE = MOVE - N1: IF TURN = N2 TH
       EN NB=NB-N1
                                              OSUB 1700: FOR D=N1 TO 500:
KK 1405 RETURN
                                              NEXT D:GOTO 1677
HK 1420 FOR A=N1 TO N8:1(A)=N1:NEX
                                      JA 1675 DATA 243,1,162,1,193,1,162
       T A: TAKE = N1
                                              ,1,243,1,162,1,193,1,162,1
DA 1430 FOR A=N1 TO N8:IF BO(XP+RX
                                              ,243,1,162,1,182,1,193,1,2
                                              43,8
       (A), Y4+RY(A))=NO THEN I(A)
                                      FA 1676 02=N1:TG=13:RESTORE 1675:G
       = N0
                                              OSUB 1700: FOR D=N1 TO 500:
HI 1435 ZZ=I(A)+ZZ
GD 1440 NEXT A:RETURN
                                              NEXT D
                                      CG 1677 D=N1^N1^N1^N1^N1^N1
JA 1450 FOR A=1 TO 8: IF I(A)=NO TH
                                      NL 1678 GOSUB 1690:M$="{4 SPACES}
       EN 1510
BN 1460 FOR B=1 TO 8:X2=XP+RX(A)*B
                                             ress start[10 SPACES] or br
       : Y2=Y4+RY(A)*B
                                             EER": GOSUB 1940
Hè 1470 IF X2 (N1 OR X2 ) N8 OR Y2 (N1
                                      GH 1679 POKE 53248.0: IF PEEK (53279
        OR Y2>N8 THEN B=10:1(A)=N
                                              ) <> 6 THEN 1679
                                      ME 1680 RUN
       0:GOTO 1500
JC 1480 J=BO(X2,Y2): IF J=E THEN I(
                                             PM$(N1)="{,}":PM$(2048)="
                                      BD 1690
       A) = B: ZZ = ZZ + B - 1: B = 10: GOTO 1
                                              {,}":PM$(2)=PM$:RETURN
       500
                                      GB 1700 FOR A=N1 TO TG:READ B,C:C=
EB 1490 IF J=NO THEN I(A)=NO:B=10
                                             C*02:G=14:FOR Q=N1 TO C:FO
EH 1500
       NEXT B
                                             R D=N1 TO 4:SOUND 0,B,10,G
68 1510 NEXT A:RETURN
                                              : G = G - (G > 0)
FL 1520 FOR U=N1 TO N8: IF I(U) < N2
                                      OK 1710 NEXT D:NEXT Q:NEXT A:RETUR
       THEN 1590
```

N

60 COMPUTEI November 1984

A Real Music Keyboard for Just \$99.00!

(Price Includes a Complete Music Software Package Featuring Four-Color Graphics, Recording and Playback!)

Tap the full power of your Commodore 64's* built-in musical instrument with the new Music-Mate[™] keyboard from Sequential.

The MusicMate keyboard is a fully functional, quality music tool with full-size keys that lets you play your music live and record it. Andit's polyphonic so you can play 3 notes at a time. Best of all, the MusicMate gives you this creative flexibility at a very affordable price!

Playing music on a typewriter keyboard or a plastic overlay of miniature-size keys limits your music. We know. We're the largest American manufacturer of professional synthesizers. Our Prophet keyboards are used by your favorite artists on stage and in the studio. We've put our extensive experience in making quality musical instruments into every MusicMate keyboard.

The MusicMate comes with the Model 970 software diskette package that lets you select many different instrument sounds and record and playback up to 10 continuous minutes of your music.

Unlike other remote keyboards, ours doesn't tie up any of your expansion slots. Just plug your MusicMate into your Commodore's joystick port.

Add any one of our exciting software packages to extend the MusicMate's capabilities. They're just \$39.95 each.

SONG BUILDER (Model 971)

Build your own songs by overdubbing up to 3 layers of notes (each with its own instrument sound!). Or record 1-2 layers of notes and play the third layer live. Also, change the key and speed of your music.

Commodore 64 is a registered trademark of Commodore, Inc. *MusicMate is a trademark of Sequential 1984, Sequential

SONG EDITOR (Model 972)

See the songs you write with the SONG BUILDER displayed on a four-color Grand Staff on your monitor. And conveniently edit vour songs.

SONG PRINTER (Model 973)

The SONG PRINTER prints out your songs in standard music notation.

SOUND MAKER (Model 974)

View a full color graphic display that looks like the front panel of a professional synthesizer to program the shape, volume and tone of your own personal sounds.


Express the music in yourself and your

If you're not completely satisfied with the MusicMate keyboard, just return it within 10 days of receipt to Sequential for a full refund.

We Listen to Musicians.

7EONEUL!YI

For a complete Sequential catalog including decals, send \$2.00 to: Sequential, Inc., 3051 North First Street, San Jose, CA 95134.




	MusicMate(s) @ \$99.00	
Name (Please Print)	SONG BUILDER @ \$39.95	
Street	SONG EDITOR @ \$39.95	
City/State Zip	SONG PRINTER @ \$39.95	
Check or American Money Order □ Visa □ MasterCard □ Express Please do not send cash.	SOUND MAKER @ \$39.95	\$4.00
Card #	CA residents add 6.5% Sales Tax	****
Valid from:to:	TOTAL PRICE	-full enfined
Signature	If not completely satisfied, return MusicMate to Sequential within 10 days for (Sorry, no returns on computer software, once opened)	rium reiuma.

```
MK 1990 CHIP$ = "[3 , ] [2 X] [5 , ] [X] <
JC 1720 DATA -1,-1,0,-1,1,-1,-1,0,
                                              < { X 3 [ 3 , ] < { 4 BACK S } < { 1, }
       1,0,-1,1,0,1,1,1
                                              EBACK SIEG INSERTIEBACK SI
80 1730 RESTORE 1720: DIM RX(8), RY(
       8), I(8): FOR A=N1 TO 8: READ
        B, C: RX(A) = B: RY(A) = C: NEXT
                                      KC 2000 RETURN
                                      FH 2100 RESTORE 2150: DIM E1(8,8), P
       A: RETURN
                                              T(8,8):FOR L=1 TO 8:FOR T=
EB 1760 DATA 204, 1, 217, 1, 230, 4, 114
                                              1 TO 8
       . 4
IN 1770 TG=21:GOSUB 1700
                                      CN 2110 READ A:PT(T,L)=A:NEXT T:NE
                                              XT L
LA 1780 RETURN
                                      KF 2120 RETURN
FL 1790 COLOR C: FOR DR=N1 TO N6:PL
                                      DN 2150 DATA 16,-6,6,2,2,6,-6,16,-
       OT CX, CY+DR: DRAWTO CX+N7, C
                                              6, -12, -2, -2, -2, -2, -12, -6
       Y+DR: NEXT DR: PLOT CX+N1, CY
                                      FJ 2160 DATA 6,-2,6,2,2,6,-2,6,2,-
       : DRAWTO CX+N6,CY
                                              2,2,1,1,2,-2,2
KN 1800 PLOT CX+N1, CY+N7: DRAWTO CX
                                      FK 2170 DATA 2,-2,2,1,1,2,-2,2,6,-
       +N6.CY+N7:RETURN
DD 1810 FOR A=N1 TO N8:FOR B=N1 TO
                                              2,6,2,2,6,-2,6
        N8:GOSUB 1820:NEXT B:NEXT
                                      DF 2180 DATA -6,-12,-2,-2,-2,-1
                                              2,-6,16,-6,6,2,2,6,-6,16
        A: RETURN
JO 1820 E=BO(B,A):LOCATE X(B)+N4,Y
                                       KL 2200 E=2:HI=-32000:FOR Y4=1 TO
                                              8:FOR XP=1 TO 8
       (A)+N4,F
NF 1830 IF F=N1 AND E>N1 THEN GOSU
                                       AB 2210 IF BO(XP, Y4)>0 THEN 2290
                                      E0 2220 ZZ=0:GOSUB 1420:IF ZZ=0 TH
       B 1900: RETURN
PK 1840 IF F=E OR (F=N1 AND E=N0)
                                              EN 2290
       THEN RETURN
                                       FC 2230 ZZ=0:GOSUB 1450: IF ZZ=0 TH
       GOSUB 1690: POKE 53249, X(B)
                                              EN 2290
OB 1850
       +48:YP=Y(A)+20+P1:POKE 705
                                       AN 2240 TT=NW+NB:QW=(TT/8)*(ZZ-1)+
       , 15 * (F = N3): R = N4
                                              PT(XP,Y4)*((65-TT)/8)
16 1860 PM$(YP, YP+N7) = CHIP$(R*N8-N
                                              IF QW>HI THEN HI=QW:H1=XP:
                                       NK 2250
       7, R * N 8 ) : C = N 1 : C X = X [ B ) : C Y = Y (
                                              H2=Y4:GOTO 2290
                                              IF HI=0 THEN 2290
       A):GOSUB 1790
                                      FI 2265
86 1870 FOR R=N4 TO N1 STEP -N1:PM
                                             IF QW/HI>0 8 AND QW/HI<1.2
                                      AK 2270
                                               THEN TR=INT(RND(1)*2)+1
       $(YP, YP+N7) = CHIP$(R*N8-N7,
                                             IF TRE1 THEN TRE0:HI=QW:H1
       R*N8):SOUND NO, R*10, 10, D:N
                                      HH 2280
                                              = XP: H2 = Y4
       EXT R
BL 1880 GOSUB 1900
                                      BF 2290 ZZ=0:NEXT XP:NEXT Y4
                                      JP 2300 IF HI = - 32000 THEN TAKE = 1 : D
LC 1890 RETURN
                                              E=1:M$="NO POSSIBLE MOVES.
JB 1900 GOSUB 1690: POKE 53249, X(B)
                                              ":GOSUB 1940:FOR I=1 TO 10
       +48:YP=Y(A)+20+P1:POKE 705
       , 15 * (E = N3)
                                              00:NEX1 |
GK 1910 FOR R=N1 TO N4:PM$(YP,YP+N
                                      DB 2310 IF (H1=1 OR H1=8) AND (H2=
                                              1 OR H2=8) THEN GOSUB 2350
       7)=CHIP$(R*N8-N7, R*N8):SOU
                                      FH 2320 XP=H1:YP=H2:Y4=H2:RETURN
       ND NO, R * 10, 12, N5: NEXT R
                                      PF 2350 IF H1=1 AND H2=1 THEN 2450
NO 1920 SOUND NO, NO, NO, NO
PO 1930 C=E:CX=X(B):CY=Y(A):GOSUB
                                      PJ 2360 IF H1=1 AND H2=8 THEN 2500
       1790:POKE 53249,0:RETURN
                                      PP 2370 IF H1=8 AND H2=1 THEN 2550
08 1940 POKE 87, N1: POSITION NO, NO:
                                      WL 2380 FOR 1=3 TO 8:PT(1,7)=1-3:N
       ? #6;"{40 SPACES}";:POSITIO
                                              EXT I
       N NO, NO:? #N6; M$; : POKE 87,
                                      MM 2390 FOR I=3 TO 8:PT(7,I)=I-3:N
       N 7
                                              EXT I
KP 1941 RETURN
                                      K6 2 4 0 0
                                              RETURN
KG 1950
       DIM PM$(2048):PM=INT(ADR(P
                                      MD 2450 FOR I=1 TO 6:PT(2,1)=6-1:N
       M$)/1024)*1024: IF PM<ADR(P
                                              EXT
                                                  - 1
       M$) THEN PM=PM+1024:ST=PM-
                                      ME 2460 FOR I=1 TO 6:PT(1,2)=6-1:N
       ADR(PM$):POKE 54279,PM/256
                                              EXT I
AF 1960 POKE 559,46:POKE 53277,N3:
                                      KN 2470 RETURN
                                      WE 2500 FOR I=1 TO 6:PT(1,7)=6-1:N
       POKE 623, N1
HF 1970 P0=ST+512:P1=P0+128:P2=P1+
                                              EXT
                                                  - 1
       128:P3=P2+128:DIM CUR$(100
                                      MG 2510 FOR I=3 TO 8:PT(7,1)=1-3:N
       ),CHIP$(100):PM$(N1)="{,}"
                                              EXT
                                                  1
       :PM$(2048)="{,}":PM$(2)=PM
                                      KJ 2520 RETURN
                                      WF 2550 FOR |=3 TO 8:PT(1,2)=1-3:N
FH 1980 CURS = " [BACK S] [6 E]
                                              EXT I
       {BACK S}[,]{BACK S}BBBB
                                      WK 2560 FOR I=1 TO 6:PT(7,I)=6-1:N
       {BACK S} {3 , } < $ < {5 , } {2 } {2}
                                              EXT I
       £3 , 3 "
                                      KO 2570 RETURN
```

Dual Personality.

Meet the Axiom GP-550. The First Real Personal Printer for Home and Business — Just \$299!





• Exceptional Graphics: Made possible by accurate placement of up to 640 dots per line.
•140 Character Set: You can print 96 ASCII characters plus 44 additional symbols. • Three Copies: Can be printed on 4.5" to 10" wide fan-fold or cut-sheet paper. • Other Features: Pin and friction feed,

friction feed, bottom feed for labels, and cassette ink ribbon.

Imagine doing all your word processing, data processing, graphics and documentation on a printer that sells for only \$299. You can stop imagining! The Axiom GP-550 — which offers both draft mode and Near-Letter-Quality printing — is here.

IBM-PC Compatible:

The GP-550 is available with control codes and character set that match with IBM-PC and all of its "Look Alikes." This means that your software, including Lotus I-2-3,

will work with our GP-550 PC model.

Direct-Connect to Atari, Apple, Commodore and T.L.:

More good news. Axiom has additional models of the GP-550 which include built-in interfaces for the most popular personal computers. These "Direct-Connect"™ versions of the GP-550 will work with your computer without additional interface or cable. Just plug our printer into your computer and start printing. Priced from \$319, including interface.



GP-550CD for VIC-20/C64



GP-550AT for All Atari



CD SSOAD for Apple Hills




GP-550Tl for 99/4A



1014 Griswold Avenue • San Fernando, CA 91340 • Telephone: (818) 365-9521 • TWX: 910-496-1746

GP-Series Printers Built for Lasting Quality by SEIKOSHA.



"Reflection," 64 version.

Program 2: Reflection For Commodore 64

Version By Chris Poer, Editorial Programmer
Refer to "COMPUTE!'s Guide To Typing In Programs"
before entering this listing.
10 POKE56,56:CLR:TU=1:POKE53281,15:CO=542

```
72:SC=13:CHIP$="%&{DOWN}{2 LEFT}#$":PL
20 DIM BO(80), TA(71), PT(71), A(71), PO(80)
                                   :rem 51
                                  :rem 170
3Ø GOSUB 2500
                                  :rem 129
4Ø GOSUB 76Ø
                                  :rem 172
5Ø GOSUB 1060
                                  :rem 133
60 GOSUB 960
70 IF DE=1 THEN GOSUB 1210:GOTO150
                                  :rem 105
                                  :rem 175
80 FORY=2TO5:FORX=2TO5
90 READA:PO(Y*9+X)=A:NEXT:NEXT
                                  :rem 159
100 BO(30)=2:BO(31)=1:BO(39)=1:BO(40)=2:B
    C=2:WC=2
                                  :rem 137
110 POKE646,1:POKE214,9:PRINT:PRINTTAB(10
                                  :rem 189
    ); CHIP$
120 POKE214,9:PRINT:POKE646,0:PRINTTAB(13
```

);CHIP\$:rem 192
130	POKE646, Ø: POKE214, 12: PRINT: PRINTTAB(1
	Ø); CHIP\$: rem 232
140	POKE214,12:PRINT:POKE646,1:PRINTTAB(1
	3); CHIP\$:rem 237
150	FL=1:X=4:Y=4:WC\$=STR\$(WC)+" ":BC\$=STR
	\$(BC)+" " :rem 203
160	IF TU=1 THEN M\$="{BLU}BLACK'S TURN":G
	OTO18Ø :rem 169
170	
180	POKE 214,4:PRINT:PRINTTAB(26);M\$:POKE
	214,10:PRINT:PRINTTAB(31);BC\$:rem 20
190	IF PL=1THENAL=BC+1:GOTO210 :rem 19
200	AL=WC+1 :rem 82
210	POKE214,16:PRINT:PRINTTAB(31);WC\$
	:rem 255
220	POKE214,9:PRINT:PRINTTAB(26)"BLACK'S
	{SPACE}CHIPS" :rem 111
230	POKE214,15:PRINT:PRINTTAB(26)"WHITE'S
	CHIPS" :rem 193
240	IF CM=1 AND TU=PL THEN GOSUB 1930:GOT
	045Ø :rem Ø
	POKE53269,1 :rem 44
260	JV=PEEK(56320):FR=JVAND16:JV=15-(JVAN
	D15):S=Ø :rem 162
270	IF JV=1 AND Y>0 THEN Y=Y-1:GOTO320
	:rem 84

28Ø	IF JV=2 AND Y<7 THEN Y=Y+1:GOTO320
200	:rem 89 IF JV=4 AND X>Ø THEN X=X-1:GOTO32Ø
290	:rem 86
300	IF JV=8 AND X<7 THEN X=X+1:GOTO320 :rem 85
	GOTO330 :rem 99
320	POKECO+4,17:POKECO+1,25:FORI=1TO20:NE
	XTI:POKECO+4,16[6 SPACES] :rem 191
330	GET AS:IF AS<>"E"THEN 380 :rem 214
340	POKE214, 20: PRINT: PRINTTAB(26) "ARE YOU
0.0	SURE"; SPC(27); "YOU WANT TO END"
	:rem 108
250	GET A\$:IF A\$="Y" THEN 1740 :rem 224
	IF A\$<>"N"THEN 350 :rem 96
370	POKE214,20:PRINT:PRINTTAB(26)"
	[12 SPACES]"; SPC(27); "[15 SPACES]"
	:rem 170
38Ø	POKE 53248,32+X*24:POKE53249,58+Y*24
	:rem 145
390	SC=SC+1:IFSC=16THENSC=13 :rem 202
400	
410	마리 프라이크 (CE) 이 경기 (CE) (CE
420	XY=Y*9+X:IF BO(XY)>Ø THEN 260 :rem 84
430	
	XTJ :rem 209
440	POKECO+4,32:FOR J=15TOØSTEP-1:POKECO+
	1,T:NEXT : rem 20
	IF FL=0 THEN 530 : rem 238
460	POKE 53269, Ø: POKE214, Y*3: PRINT: rem 215
470	POKE 646, TU-1: PRINTTAB(X*3+1); CHIP\$
	:rem 32
480	POKECO+4,33:POKECO+1,10:FORJ=1TO50:NE
	XTJ :rem 214
490	POKECO+4,32:FOR J=15TOØSTEP-1:POKECO+
	1 m vmvm
500	I, T:NEXT :rem 25 IF PO(XY)=0 THEN 530 :rem 249
510	GOSUB 1500 :rem 220
520	IF CHIPS>Ø THEN GOSUB 1610:BO(XY)=TU: GOTO65Ø :rem 67
F 2 G	v.
230	POKE214,20:PRINT:PRINTTAB(26)"[BLU]IL
	LEGAL MOVE"; SPC(29); "END OF TURN"
0.15	:rem 175
540	POKECO+4,33:POKECO+1,5:FORJ=1TO300:NE
	XTJ:POKECO+4,32:POKECO+1,0 :rem 115
55Ø	FORJ=1TO150:NEXTJ :rem 53
560	IF FL=0 THEN 630 :rem 241
570	POKECO+4,33:POKECO+1,10:FORJ=1T0150:N
	EXTJ :rem 7
580	POKECO+4,32:FOR J=15TOØSTEP-1:POKECO+
500	1,T:NEXT :rem 25 POKE646,15:POKE214,Y*3:PRINT :rem 168
000	PONEO40, 13: PONE 214, 1°3: PRINT : rem 168
600	PRINTTAB(3*X+1); CHIP\$:rem 223
610	POKECO+4,33:POKECO+1,10:FORJ=1TO50:NE
	XTJ :rem 209
620	POKECO+4,32:FOR J=15TOØSTEP-1:POKECO+
	1,T:NEXT :rem 20
63Ø	POKE214, 20: PRINT: PRINTTAB(26)"
	[12 SPACES]"; SPC(29); "[11 SPACES]"
	:rem 171
640	GOTO 700 :rem 106
	IF TU=1THENBC=BC+CHIPS+1:WC=WC-CHIPS:
	COMOCIA
660	110 110 20
670	DODO 1 moo
600	FORQ=ITO8 :rem 30
000	IF $XY+OF(Q)>-1$ THEN $PO(XY+OF(Q))=1$
	:rem 124
	NEXTQ :rem 47
	TU=3-TU :rem 134
710	IF WC=Ø OR BC=Ø OR WC+BC=64 THEN 1740
	:rem 78

:rem 78

Last Year Over 20,000 Americans Were Committed To Asylum.

nce people enter Asylum, they don't want to leave. And neither will you.

Inside this thrilling adventure game from Screenplay challenges lie around every corner, behind every door. There are hundreds of doors, too!

You've gone crazy

from playing too many adventure games. You've been placed in the asylum to act out your delusions. To cure yourself, you must make good your escape.

There's no one you can turn to for help. Almost every turn leads to a dead end. Or worse, vigilant guards stand in your way. If you can't outmuscle them, can you outthink them? Inmates line hallways offering help.

Asylum runs in 48K on the Atari, Commodore 64 Macintosh and IBM PC computers. See your local software dealer. \$29.95.

But can they be trusted?

While getting out of the asylum may take months, you'll get into our game instantly.

Smooth scrolling three dimensional graphics give you a very eerie sense of reality. This feeling is also heightened by the use of

full sentence commands.

No wonder thousands of people bought Asylum last year, and PC World recently named Asylum one of the top ten games for the IBM PC.

Play *Asylum*. All you have to be committed to is fun.



Box 566, Minden, NV 89423 800-334-5470, 702-782-3631

720 GOSUB 750 :rem 181	1190 POKE53272, (PEEK (53272) AND 240)+14
730 IF XY=0 OR XY=7 OR XY=63 OR XY=70 THE	:rem 236
N GOSUB 2350 :rem 116 740 GOTO 150 :rem 106	1200 RETURN : rem 163
	121Ø POKE53248,32:POKE53249,58:POKE53269,
750 FORI=0TO71:TA(I)=0:NEXT:RETURN	1 :rem 98
:rem 173	1220 PRINT" [HOME] [6 DOWN] [BLU]"; TAB (26) "T
760 PRINT" [CLR] [BLK]": PRINTTAB(14) "REFLEC	YPE (B) FOR":PRINTTAB(27) "BLACK CHIP
TION" :rem 20	{2 DOWN}" :rem 56
770 PRINTTAB(10)"{2 DOWN}(W)HITE MOVES FI	1230 PRINTTAB(26) "TYPE (W) FOR" : PRINTTAB(
RST" :rem 254	27) "WHITE CHIP{2 DOWN}" :rem 91
780 PRINTTAB(10)"(B)LACK MOVES FIRST"	1240 PRINTTAB(25) "TYPE SPACE FOR": PRINTTA
:rem 185	B(29) "NO CHIP" :rem 27 1250 FORY=0T07:FORX=0T07 :rem 15
790 GET A\$:IF A\$="W"THENTU=2:GOTO810	1250 FORY=0TO7: FORX=0TO7 : rem 15
:rem 62	1260 POKE53248,32+X*24:POKE53249,58+Y*24
800 IF A\$<>*B"THEN790 :rem 91	:rem 191
810 PRINTTAB(13)"[2 DOWN](N)ORMAL BOARD"	:rem 191 1270 GET A\$:XY=X+Y*9 :rem 118 1280 IF AS="w"THENWC=WC+1:BO(XY)=2:GOTO13
:rem 154	1200 11 My- W 11124WO WO.1120(111) 11001011
820 PRINTTAB(8)"(D)ESIGN YOUR OWN BOARD"	50 :rem 11
:rem 129	1290 IF A\$="B"THENBC=BC+1:BO(XY)=1:GOTO13
830 GET A\$:IF A\$="D"THENDE=1:GOTO850	50 :rem 204
:rem 9	1300 IFA\$=" "THEN POKECO+4,17:POKECO+1,25
840 IF A\$<>"N"THEN830 :rem 102	:FORI=1TO20:NEXTI:POKECO+4,16:GOTO14
850 PRINTTAB(14)"[2 DOWN](0)NE PLAYER"	50 :rem 207 1310 U=U+1:IFU=6THENU=1 :rem 139
:rem 29	
860 PRINTTAB(13)"(T)WO PLAYERS" : rem 102	1320 IFU=1THEN SC=SC+1:IFSC=16THENSC=13
870 GET A\$:IF A\$="T"THEN950 :rem 180 880 IF A\$<>"O"THEN870 :rem 111	:rem 117
88Ø IF A\$<>"O"THEN87Ø :rem 111	1330 POKE 2040, SC : rem 120
890 CM=1:PRINTTAB(11)"{2 DOWN}WHAT LEVEL?	:rem 117 1330 POKE 2040,SC :rem 126 1340 GOTO 1270 :rem 203 1350 POKE646,BO(XY)-1 :rem 181
(1-2)" :rem 34	1350 PUKE646, BU(XI)-1 : Fem 161
900 GET A\$:LE=VAL(A\$):IFLE<1ORLE>2THEN900	1360 POKECO+4,33:POKECO+1,10:FORJ=1TO50:N
:rem 176	EXTJ :rem 4
910 PRINTTAB(9)"{2 DOWN}COMPUTER PLAYS (B	1370 POKECO+4,32:FOR J=15TO0STEP-1:POKECO
)LACK" :rem 148	120G DOVESTA VESTEDTIME
920 PRINTTAB(9) "COMPUTER PLAYS (W) HITE"	+1,T:NEXT :rem 71 1380 POKE214,Y*3:PRINT :rem 59 1390 PRINTTAB(X*3+1);CHIP\$:rem 22
:rem 151	1390 PRINTTAB(X*3+1); CH1P\$: rem 22
	1400 POKECO+4,33:POKECO+1,10:FORJ=1TO50:N
930 GETASTIKASS"W" THEN PLAZIGUTUSOV	DVMT
930 GETA\$:IFA\$="W" THEN PL=2:GOTO950 :rem 50	EXTJ :rem 255
930 GETA\$:IFA\$="W" THEN PL=2:GOTO950 :rem 50 940 IFA\$<>"B" THEN 930 :rem 92	1410 FORE=1TO8 :rem 59
940 IFA\$<>"B" THEN 930 :rem 92 950 RETURN :rem 126	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO
940 IFA\$<>"B" THEN 930 :rem 92 950 RETURN :rem 126	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67
940 IFA\$<>"B" THEN 930 :rem 92 950 RETURN :rem 126	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1
940 IFA\$<>"B" THEN 930 :rem 92 950 RETURN :rem 126 960 A\$="EA]**ER]**ER]**ER]**ER]**ER]**ER]**ER]**	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1
1FA\$<>"B" THEN 930 1FA\$< 950 RETURN 126 960 A\$="\$A\$**\$R\$**\$R\$**\$R\$**\$R\$**\$R\$**\$R\$**\$R\$*	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1
1FA\$<>"B" THEN 930 1FA\$< 920	1410 FORE=1T08 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51
1FA\$<>"B" THEN 930 1FA\$< 920	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)"
1FA\$<> "B" THEN 930	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)"
1FA\$<> "B" THEN 930	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1
1FA\$<> "B" THEN 930	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2
1FA\$<> "B" THEN 930	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235
1 1 2 2 2 2 2 2 2 2	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2
18 18 18 18 18 18 18 18	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2 9)"{7 SPACES}" :rem 203
1 1 2 2 2 2 2 2 2 2	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2 9)"{7 SPACES}" :rem 203 1490 RETURN :rem 174
1 1 2 2 2 2 2 2 2 2	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2 9)"{7 SPACES}" :rem 203 1490 RETURN :rem 174 1500 CHIPS=0:FORI=1TO8:L=1:V=0:XX=0
1 1 2 2 2 2 2 2 2 2	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2 9)"{7 SPACES}" :rem 203 1490 RETURN :rem 174 1500 CHIPS=0:FORI=1TO8:L=1:V=0:XX=0 :rem 165
1650 1650	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2 9)"{7 SPACES}" :rem 203 1490 RETURN :rem 174 1500 CHIPS=0:FORI=1TO8:L=1:V=0:XX=0 :rem 165 1510 V=V+OF(I):IF XY+V>70 OR XY+V<0 THEN
	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2 9)"{7 SPACES}" :rem 203 1490 RETURN :rem 174 1500 CHIPS=0:FORI=1TO8:L=1:V=0:XX=0 :rem 165 1510 V=V+OF(I):IF XY+V>70 OR XY+V<0 THEN {SPACE}1550 :rem 227
1 cm 50 1 cm 92 1 cm 92 1 cm 92 950 RETURN 1 cm 126 960 A\$="&A]**&R]**&R]**&R]**&R]**&R]**&R]**&R]**	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2 9)"{7 SPACES}" :rem 203 1490 RETURN :rem 174 1500 CHIPS=0:FORI=1TO8:L=1:V=0:XX=0 :rem 165 1510 V=V+OF(I):IF XY+V>70 OR XY+V<0 THEN {SPACE}1550 :rem 227 1520 IF BO(XY+V)=5 THEN 1550 :rem 215
	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2 9)"{7 SPACES}" :rem 203 1490 RETURN :rem 174 1500 CHIPS=0:FORI=1TO8:L=1:V=0:XX=0 :rem 165 1510 V=V+OF(I):IF XY+V>70 OR XY+V<0 THEN {SPACE}1550 :rem 227 1520 IF BO(XY+V)=5 THEN 1550 :rem 215 1530 IF BO(XY+V)=3-TUTHENXX=1:L=L+1:GOTO1
18 18 18 18 18 18 18 18	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2 9)"{7 SPACES}" :rem 203 1490 RETURN :rem 174 1500 CHIPS=0:FORI=1TO8:L=1:V=0:XX=0 :rem 165 1510 V=V+OF(I):IF XY+V>70 OR XY+V<0 THEN {SPACE}1550 :rem 227 1520 IF BO(XY+V)=5 THEN 1550 :rem 215 1530 IF BO(XY+V)=3-TUTHENXX=1:L=L+1:GOTO1 510
1 1 2 2 2 2 2 2 2 2	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2 9)"{7 SPACES}" :rem 203 1490 RETURN :rem 174 1500 CHIPS=0:FORI=1TO8:L=1:V=0:XX=0 :rem 165 1510 V=V+OF(I):IF XY+V>70 OR XY+V<0 THEN {SPACE}1550 :rem 227 1520 IF BO(XY+V)=5 THEN 1550 :rem 215 1530 IF BO(XY+V)=3-TUTHENXX=1:L=L+1:GOTO1 510 :rem 164 1540 IF XX=1 AND BO(XY+V)=TUTHENGOSUB1570
	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2 9)"{7 SPACES}" :rem 203 1490 RETURN :rem 174 1500 CHIPS=0:FORI=1TO8:L=1:V=0:XX=0 :rem 165 1510 V=V+OF(I):IF XY+V>70 OR XY+V<0 THEN {SPACE}1550 :rem 227 1520 IF BO(XY+V)=5 THEN 1550 :rem 215 1530 IF BO(XY+V)=3-TUTHENXX=1:L=L+1:GOTO1 510 :rem 164 1540 IF XX=1 AND BO(XY+V)=TUTHENGOSUB1570 :rem 192
	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2 9)"{7 SPACES}" :rem 203 1490 RETURN :rem 174 1500 CHIPS=0:FORI=1TO8:L=1:V=0:XX=0 :rem 165 1510 V=V+OF(I):IF XY+V>70 OR XY+V<0 THEN {SPACE}1550 :rem 227 1520 IF BO(XY+V)=5 THEN 1550 :rem 215 1530 IF BO(XY+V)=3-TUTHENXX=1:L=L+1:GOTO1 510 :rem 164 1540 IF XX=1 AND BO(XY+V)=TUTHENGOSUB1570 :rem 192 1550 NEXT :rem 10
	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2 9)"{7 SPACES}" :rem 203 1490 RETURN :rem 174 1500 CHIPS=0:FORI=1TO8:L=1:V=0:XX=0 :rem 165 1510 V=V+OF(I):IF XY+V>70 OR XY+V<0 THEN {SPACE}1550 :rem 227 1520 IF BO(XY+V)=5 THEN 1550 :rem 215 1530 IF BO(XY+V)=3-TUTHENXX=1:L=L+1:GOTO1 510 :rem 164 1540 IF XX=1 AND BO(XY+V)=TUTHENGOSUB1570 :rem 192 1550 NEXT :rem 10
	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2 9)"{7 SPACES}" :rem 203 1490 RETURN :rem 174 1500 CHIPS=0:FORI=1TO8:L=1:V=0:XX=0 :rem 165 1510 V=V+OF(I):IF XY+V>70 OR XY+V<0 THEN {SPACE}1550 :rem 227 1520 IF BO(XY+V)=5 THEN 1550 :rem 227 1530 IF BO(XY+V)=3-TUTHENXX=1:L=L+1:GOTO1 510 :rem 164 1540 IF XX=1 AND BO(XY+V)=TUTHENGOSUB1570 :rem 192 1550 NEXT :rem 10 1560 RETURN :rem 172 1570 W=1:V=0 :rem 143
	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT"{HOME}{6 DOWN}{BLU}";TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES}{2 DOWN}" :rem 1 1470 PRINTTAB(26)"{12 SPACES}":PRINTTAB(2 7)"{10 SPACES}{2 DOWN}" :rem 235 1480 PRINTTAB(25)"{14 SPACES}":PRINTTAB(2 9)"{7 SPACES}" :rem 203 1490 RETURN :rem 174 1500 CHIPS=0:FORI=1TO8:L=1:V=0:XX=0 :rem 165 1510 V=V+OF(I):IF XY+V>70 OR XY+V<0 THEN {SPACE}1550 :rem 227 1520 IF BO(XY+V)=5 THEN 1550 :rem 227 1530 IF BO(XY+V)=3-TUTHENXX=1:L=L+1:GOTO1 510 :rem 164 1540 IF XX=1 AND BO(XY+V)=TUTHENGOSUB1570 :rem 192 1550 NEXT :rem 192 1550 NEXT :rem 192 1560 RETURN :rem 172 1570 W=1:V=0 :rem 143 1580 V=V+OF(I):TA(XY+V)=TU :rem 73
	1410 FORE=1TO8
	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT" {HOME} {6 DOWN} {BLU}"; TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES} {2 DOWN}" :rem 1 1470 PRINTTAB(26)" {12 SPACES}":PRINTTAB(2 7)" {10 SPACES} {2 DOWN}" :rem 235 1480 PRINTTAB(25)" {14 SPACES}":PRINTTAB(2 9)" {7 SPACES}" :rem 203 1490 RETURN :rem 174 1500 CHIPS=0:FORI=1TO8:L=1:V=0:XX=0 :rem 165 1510 V=V+OF(I):IF XY+V>70 OR XY+V<0 THEN {SPACE}1550 :rem 215 1530 IF BO(XY+V)=5 THEN 1550 :rem 215 1530 IF BO(XY+V)=3-TUTHENXX=1:L=L+1:GOTO1 510 :rem 164 1540 IF XX=1 AND BO(XY+V)=TUTHENGOSUB1570 :rem 192 1550 NEXT :rem 10 1560 RETURN :rem 172 1570 W=1:V=0 :rem 143 1580 V=V+OF(I):TA(XY+V)=TU :rem 73 1590 W=W+1:IF W <= L-1 THEN 1580 :rem 86 1600 CHIPS=CHIPS+W-1:RETURN :rem 236
	1410 FORE=1TO8
	1410 FORE=1TO8 :rem 59 1420 POKECO+4,32:FOR J=15TOØSTEP-1:POKECO +1,T:NEXT :rem 67 1430 IF XY+OF(E)>-1THEN PO(XY+OF(E))=1 :rem 142 1440 NEXTE :rem 77 1450 NEXTX:NEXTY :rem 51 1460 PRINT" {HOME} {6 DOWN} {BLU}"; TAB(26)" {12 SPACES}":PRINTTAB(27)" {10 SPACES} {2 DOWN}" :rem 1 1470 PRINTTAB(26)" {12 SPACES}":PRINTTAB(2 7)" {10 SPACES} {2 DOWN}" :rem 235 1480 PRINTTAB(25)" {14 SPACES}":PRINTTAB(2 9)" {7 SPACES}" :rem 203 1490 RETURN :rem 174 1500 CHIPS=0:FORI=1TO8:L=1:V=0:XX=0 :rem 165 1510 V=V+OF(I):IF XY+V>70 OR XY+V<0 THEN {SPACE}1550 :rem 227 1520 IF BO(XY+V)=5 THEN 1550 :rem 215 1530 IF BO(XY+V)=3-TUTHENXX=1:L=L+1:GOTO1 510 :rem 164 1540 IF XX=1 AND BO(XY+V)=TUTHENGOSUB1570 :rem 192 1550 NEXT :rem 10 1560 RETURN :rem 173 1590 W=W+1:IF W <= L-1 THEN 1580 :rem 86 1600 CHIPS=CHIPS+W-1:RETURN :rem 36 1610 FORI=0TO71 :rem 112 1620 IF TA(I)=0 OR TA(I)=5 THEN 1720
	1410 FORE=1TO8

BUY IT ON THE BEST AUTHORITY





Touchdown Football: "Without qualification, 'Touchdown' is the best football game available for the IBM...the game is a triumph in football programming." **Creative Computing**

Tournament Tennis: "...is the #1 selling game in the United Kingdom on the top 50 and top 20 charts."

PCN Charts

Dragonfire: "...clearly defines a new 'state-of-the-art' for game visuals. It is one of the most exciting arcade games." **Electronic Games**

IMAGIC 1-2-3: "The three-in-one format provides a terrific value to customers."

The Whizz Kid

Moonsweeper: "... is an arcade-quality space game with truly spectacular graphics. Play action is very involving... 'Moonsweeper' is a winner!"

Video Game Update

IMAGIC's Action Sports and Arcade Action games for lasting enjoyment. Vivid, exciting graphics and sounds and realistic game-play transport you to playing fields and magical worlds. Take some good advice and jump into the action today.

Available for IBM, Commodore, Apple, Tandy, Atari and ColecoVision/Adam systems.

IMAGIC

1640	POKE214,L*3:PRINT :rem 45	2080	GOSUB 750 Y=INT(XY/9):X=XY-Y*9 RETURN Al=AL:FORE=0TO71 A(E)=BO(E)	:rem 230
165Ø	POKECO+4,33:POKECO+1,10:FORJ=1TO15:N	2090	Y=INT(XY/9):X=XY-Y*9	:rem 31
	EXTJ :rem 7	2100	RETURN	:rem 103
1660	POKECO+4,32:FOR J=15TOØSTEP-1:POKECO	2110	A(E)=BO(E)	rem Ø
1677	+1,T:NEXTJ :rem 147	2130	IF $TA(E) > \emptyset$ THEN $BO(E) = TA(E)$	1+1A=1A+1
16/0	PRINTTAB((I-9*L)*3+1); CHIP\$:rem 53 POKECO+4,33:POKECO+1,10:FORJ=1TO15:N	2130	IF IR(D) PD INDA BO(D) = IN(D)	:rem 99
1980	EXTJ :rem 10	2140	NEXTE	:rem 75
1600	POKECO+4,32:FOR J=15TOØSTEP-1:POKECO		FORO=1TO8	:rem 73
1030	+1.T:NEXTJ :rem 150	0166	TH MILLIAM AND A THEIRIN DO / VILLO	2/01/-D0/V
1700	+1,T:NEXTJ :rem 150 BO(I)=TU :rem 217		Y+OF(Q))+1	:rem 213
	POKECO+4,32:FOR J=15TOØSTEP-1:POKECO	2170	NEXTO	:rem 90
	+1,T:NEXTJ :rem 143	2180	BO(XY)=TU	:rem 68
	NEXTI :rem 82	2190	NW=QW:REC=1:Y1=XY	:rem 138
	RETURN : rem 171	2200	TU=3-TU:GOSUB1940:REC=0	:rem 188
174Ø	PRINT" {HOME}": FORI=3TO24: PRINTSPC(25	2210	Y+OF(Q))+1 NEXTQ BO(XY)=TU NW=QW:REC=1:Y1=XY TU=3-TU:GOSUB1940:REC=0 QY=NW-HI:TU=3-TU IF QY>HY THEN HY=QY:H2=Y1 IF HY=0 THEN 2250	rem ob
)"{15 SPACES}";:NEXTI :rem 57	2220	IF QY>HY THEN HY=QY:HZ=YI	rem 10
1750	IF BC>WC THEN M\$="BLACK":HI=BC:LO=WC	2230	IF HY=0 THEN 2250 IF QY/HY>.85 AND QY/HY<1.1	110H 72
1760	:GOTO178Ø :rem 179	2240	INT(RND(1)*2):IFZZ=1THEN H	V=0V:H2=V1
T \ 60	IF BC <wc :hi="WC:LO=BC:</td" thenm\$="WHITE"><td></td><td>INT(RND(1)"2):IF22-IIIDA II</td><td>:rem 51</td></wc>		INT(RND(1)"2):IF22-IIIDA II	:rem 51
1770	GOTO1780 :rem 214 T1=1:HI=BC:LO=WC :rem 251	2250	YV=V1	:rem 65
	Z=INT(HI/6):FORY=ØTOZ:FORX=26TO31	2250	FORE=ØTO7Ø	:rem 109
1,00	:rem 162	2270	BO(E)=A(E):NEXT	:rem 127
1790	IF X+Y*6-26=HI THEN X=31:GOTO1840	2280	XY=Y1 FORE=ØTO7Ø BO(E)=A(E):NEXT GOSUB75Ø FORQ=1TO8	:rem 232
	:rem 103	2290	FORQ=1TO8	:rem 78
1800	POKECO+4,33:POKECO+1,X+Y*4:FORJ=1TO5	2300	IF Y1+OF(Q)<0 THEN 2330	:rem 163
	Ø:NEXTJ :rem 220	2214	TE BO(VILOR(O))=2 THEN PO(V1+OF(O))=
1810	POKECO+4,32:FOR J=15TOØSTEP-1:POKECO		1:GOTO2330	:rem 84
	+1,T:NEXT :rem 70	2320	$PO(Yl+OF(Q))=\emptyset$:rem 16
1820	IF X+6*Y-26 <bc poke1384+x+y*40,<="" td="" then=""><td>2330</td><td>NEXTQ</td><td>:rem 88</td></bc>	2330	NEXTQ	:rem 88
1020	81:POKE55656+X+Y*40,0 :rem 169 IF X+6*Y-26 <wc poke1384+x+7+y*4<="" td="" then=""><td>2340</td><td>RETURN</td><td>:rem 169</td></wc>	2340	RETURN	:rem 169
1936	0,81:POKE55656+X+Y*40+7,1 :rem 132	2350	IF XY=/ THEN 2410	.rem 110
1840	NEXT:NEXT :rem 133	2300	1:GOTO2330 PO(Y1+OF(Q))=0 NEXTQ RETURN IF XY=7 THEN 2410 IF XY=63 THEN 2440 IF XY=70 THEN 2470	:rem 170
	PRINT" [HOME] {3 DOWN}": IF T1=1 THENPR	2310	FORI=9T013:PT(I)=15-I:NEXT	erom ria
מספד	INTTAB(28)"TIE GAME":GOTO1880	2300	FORI=1T037STEP9:PT(I)=6-IN	T(I/9):NEX
`	.rom 116	2370	T	:rem 108
1870	PRINTTAB(27); M\$; "WINS" : rem 90 PRINTTAB(27)HI; "TO ";LO : rem 120	2400	RETURN	:rem 166
1880	PRINTTAB(27)HI; TO ;LO :rem 120		FORI=6TO42STEP9:PT(I)=6-IN	T(1/9):NEX
1890	PRINT" [5 DOWN] ": PRINTTAB(25) "PLAY AG		T	:rem 102
	AIN Y/N" :rem 254	2420	FORI=16TO12STEP-1:PT(I)=I-	10:NEXT
1900	GETAS:IF AS="N" THENPOKE197,0:SYS197			:rem 65
	:rem 65		RETURN	:rem 169
	IF A\$<>"Y" THEN 1900 :rem 207		FORI=54T058:PT(I)=60-I:NEX	
	GOTO10 :rem 102 HY=-32000:POKE53269,0 :rem 155	2450	FORI=64TO28STEP-9:PT(I)=IN	r(1/9)-1:N :rem 202
	HI=-32000:FORXY=0TO71 :rem 8	2460	EXT RETURN	:rem 172
	IF BO(XY)>Ø OR PO(XY)=Ø THEN NEXT:GO		FORI=61T058STEP-1:PT(I)=I-	
1930	TO2040 :rem 181	47/10	- 10X1-01103051BF-11F1(1/-1-	:rem 89
1960	GOSUB 1500: IFCHIPS=0THENNEXT: GOTO204	2480	FORI=69T033STEP-9:PT(I)=IN	
	Ø :rem 106		EXT	:rem 206
1970	TT=WC+BC:QW=TT/8*CHIPS+PT(XY)*(65-TT	2490	RETURN	:rem 175
)/8 :rem 194		FORI=1TO8	:rem 64
	IFLE=2ANDCHIPS=AlTHENQW=10000:rem 95		READ A	:rem 37
1990	IF LE=2 AND REC=0 THEN GOSUB 2110:NE		OF(I)=A:NEXT	:rem 239
2000	XT:GOTO2040 :rem 161		FORX=ØTO71	:rem 129
2000	IF QW>HI THEN HI=QW:H1=XY:NEXT:GOTO2		READA: PT(X)=A	:rem 45
2010	040 :rem 192 IF HI=0THENNEXTXY:GOTO2040 :rem 168		NEXTX	:rem 99
	IF QW/HI>.85 AND QW/HI<1.15THEN ZZ=I	2560	FORI=8T071STEP9:BO(I)=5:NE	XT :rem 66
2020	NT(RND(1)*2):IFZZ=1THENHI=QW:H1=XY	25/Ø	FORI=COTOCO+24:POKEI, Ø:NEX POKECO+5, 130:POKECO+6, 66:POKECO+6	T :rem 26
	:rem 31	2300	5	
2030	NEXT : rem 4	2590	RETURN	:rem 194 :rem 176
	IF LE=2 AND REC=1 THEN RETURN		DATA -10,-9,-8,-1,1,8,9,10	:rem 200
	:rem 127	2610	DATA 16,-8,5,2,2,5,-8,16,0	8122
2050	IF (HI=-32000 AND LE=1) OR (HY=-3200		,-2,-2,-12,-8,0	:rem 251
	Ø AND LE=2) THEN FL=Ø:CHIPS=Ø	2620	DATA 5,-2,8,2,2,8,-2,5,0,2	,-2,2,1,1.
	:rem 122		2,-2,2,0	:rem 20
	XY=H1 :rem 47	2630	DATA 2,-2,2,1,1,2,-2,2,0,5	,-2,8,2,2,
2070	IF LE=2 THEN XY=H2 :rem 239		8,-2,5,0	:rem 21
	SACRETURE Alexamber 1004			

EXPand Your Alarian Manager Mith Peripherals from Manager Mith Peripheral from Manager Mith Manager M



New Low Price \$149.95



™-1000C

- Auto Answer / Auto Dial
- Direct Connect to Phone Line
- No Atari 850[™]Interface Module Needed
- Includes AC Adapter/ Power Supply
- Free CompuServe DemoPak™
- 1 year warranty
- Connects to Joystick Port
- Works on ALL Atari Computers

SOPHISTICATED SMART TERMINAL SOFTWARE ON CARTRIDGE

FEATURES:

- Supports XMODEM Protocol
- ASCII/ATASCII Translation
- Allows Transfer of Files Larger than Memory
- Upload/Download of Text and Programs
- 100% Machine Language
- Multiple Buffers
- Off-Line Editing Variable Baud Rate
- Parity Options Full/Half Duplex

M22-1150

Only \$99.95

- Replaces Atari 850™ Interface Module
- Compatible with all software
- 3 foot cable with Centronics plug (compatible with Epson, NEC, Prowriter, etc.)
- 2 year warranty
- Connects to serial bus on computer
- Daisy chains with other Atari peripherals
- Works on ALL Atari Computers

Atari 850, THE SOURCE, and CompuServe DemoPak are trademarks of Atari, Inc. Readers Digest and CompuServe. Microbits is not affiliated with Atari, Readers Digest or CompuServe


MICROBITS PERIPHERAL PRODUCTS

Albany, OR 97321 | (503) 967-9075

2640	DATA -8,-12,-2,-2,-2,-12,	
	-8,5,2,2,5,-8,16,0	:rem 254
2650	DATA0,0,0,0,0,0,0	:rem 155
2660	DATAØ,Ø,Ø,Ø,15,240,Ø,15	:rem 110
2670	DATA240,0,12,48,0,12,48,0	:rem 225
2680	DATA12,48,0,12,48,0,15,240	:rem 24
2690	DATA0,15,240,0,0,0,0,0	:rem 59
2700	DATA0,0,0,0,0,0,0	:rem 151
2710	DATA0,0,0,0,0,0,0	:rem 152
2720	DATAØ,Ø,Ø,Ø,Ø,Ø,235	:rem 3
273Ø	DATAØ,Ø,Ø,Ø,Ø,63,252	:rem 60
2740	DATAØ, 63, 252, Ø, 48, 12, Ø, 48	:rem 232
2750	DATA12,0,48,12,0,48,12,0	:rem 173
2760	DATA48,12,0,48,12,0,48,12	:rem 234
2770	DATAØ, 48, 12, Ø, 63, 252, Ø, 63	:rem 232
2780	DATA252,0,0,0,0,0,0,0	:rem 8
2790	DATA0,0,0,0,0,0,0	:rem 160
2800	DATA0,0,0,0,0,0,0,235	:rem 2
2810	DATA255,255,0,255,255,0,192,	3
		:rem 184
2820	DATAØ,192,3,0,192,3,0,192	:rem 228
2830	DATA3,0,192,3,0,192,3,0	:rem 124
2840	DATA192,3,0,192,3,0,192,3	:rem 233
285Ø	DATAØ,192,3,Ø,192,3,Ø,192	:rem 231
286Ø	DATA3,0,255,255,0,255,255,0	:rem 81
287Ø	DATA0,0,0,0,0,0,0	:rem 159
2880	DATA0,0,0,0,0,0,8	:rem 168
2890	DATA63,63,63,63,31,15,7,0,0	:rem 82
2900	DATA252, 252, 252, 248, 240, 224,	0,0
		:rem 16
2910	DATA0,0,7,15,31,63,63,63	:rem 182
2920	DATAØ,Ø,224,240,248,252,252,	252
		:rem 18
2930	DATA 1,1,1,1,1,0,0,1,1,0,0,1	,1,1,1,1
		:rem 136

Program 3: Reflection For VIC-20Version by John Krause, Assistant Technical Editor Refer to "COMPUTEI's Guide To Typing In Programs" before entering this listing.

10	GOSUB540	:rem	122
20	IFJ=2ORF=64THEN47Ø	:re	em 2
3Ø	IFC1=1THENC1=2:C2=1:GOTO50	:rem	219
40	Cl=1:C2=2	:rem	100
50	IFC1=1ANDB\$="C"THEN270	:rem	155
60	IFC1=2ANDW\$="C"THEN270	:rem	178
70	GETA\$:IFA\$="P"THENJ=J+1:GOTO20	:rem	220
	POKE37154,127:A=PEEK(37152)AND		



"Reflection," VIC-20 version.

	=Ø)	:rem 183
	POKE37154, 255: A=PEEK(37151)	:rem 147
100	$R=R+((AAND8)=\emptyset)-((AAND4)=\emptyset)$:rem 124
110	C=C+((AAND16)=Ø)-B	:rem 121
120	IFR<ØTHENR=Ø	:rem 206
130	IFR>7THENR=7	:rem 223
140	IFC<ØTHENC=Ø	:rem 178
150		:rem 195
160	B=8Ø79-44*R+C+C	:rem 219
170	D=PEEK(B):D1=PEEK(B+30720)	:rem 156
180	POKEB+30720,C1-1:POKEB,D+128	:rem 16
190	FORE=ØTO99:NEXT POKEB+3Ø72Ø,D1:POKEB,D	:rem 193
200	FORE=ØTO99:NEXT	:rem 186
220	IF (AAND32)=ØTHENP=9*(7-R)+C:0	
220	II (MAIDOZ) - DIMBIN - S (/ K) (C)	:rem 247
230	GOTO7Ø	:rem 53
240	IFB(P)THEN50	:rem 156
250		
	720,46:POKEL,7:B(P)=0:GOTO50	:rem 1
260	J=0:F=F+1:GOTO20	:rem 131
270	M=-99:FORE=ØTO7Ø:IFB(E)THEN35	Ø :rem 7
28Ø	N=Ø:FORX=ØTO7:A=E:B=Ø	:rem 251
290	A=A+D(X):IFA<ØORA>7ØTHEN32Ø	:rem 51
300	IFB(A)=C2THENB=B+1:GOTO290	:rem 2
310	IFB(A)=ClTHENN=N+B	:rem 29
320	NEXT: IFN=ØTHEN35Ø	:rem 31
330	N=N+RND(1)*.9:IFF<55THENN=G(I)	
340	IFM <nthenm=n:p=e< td=""><td>:rem 96</td></nthenm=n:p=e<>	:rem 96
350	NEXT:IFM=-99THENJ=J+1:GOTO20	
360	J=0:F=F+1:GOSUB400:GOTO20	:rem 210
370	POKE36874,230:FORH=0TO99:NEXT	
	74,0	:rem 203
380	L=38491+26*INT(A/9)+A+A:POKEI	C1-1
200	2 00 172 120 2m1 (m, 5) 111 111 1 0m2	1,CI-I
		:rem 90
39Ø	B(A)=Cl:RETURN	:rem 90 :rem 59
39Ø 4ØØ	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81	:rem 90 :rem 59 :rem 41
39Ø 4ØØ 41Ø	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0	:rem 90 :rem 59 :rem 41 :rem 2
39Ø 4ØØ 41Ø 42Ø	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51
390 400 410 420 430	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0T07:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOT0420	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1
390 400 410 420 430 440	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<0ORA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A)<>Clorb=0THEN460	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1
390 400 410 420 430	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0T07:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOT0420 IFB(A)<>C1ORB=0THEN460 N=0:A=P:FORE=1T0B:A=A+D(X):G0	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2
390 400 410 420 430 440 450	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<0ORA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A)<>ClorB=0THEN460 N=0:A=P:FORE=1TOB:A=A+D(X):GOEXT	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 OSUB370:N :rem 243
39Ø 40Ø 41Ø 42Ø 43Ø 44Ø 45Ø	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0T07:A=P:B=0 A=A+D(X):IFA<0ORA>70THEN460 IFB(A)=C2THENB=B+1:GOT0420 IFB(A)<>ClorB=0THEN460 N=0:A=P:FORE=1T0B:A=A+D(X):GOEXT NEXT:RETURN	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 OSUB370:N :rem 243 :rem 243
390 400 410 420 430 440 450 460 470 480	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<0ORA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A)<>C1ORB=0THEN460 N=0:A=P:FORE=1TOB:A=A+D(X):GOEXT NEXT:RETURN FORE=0TO70:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 OSUB370:N :rem 243 :rem 243
390 400 410 420 430 440 450 460 470 480	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<0ORA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A)<>ClorB=0THEN460 N=0:A=P:FORE=1TOB:A=A+D(X):GOEXT NEXT:RETURN FORE=0TO70:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1 NEXT:PRINT"{HOME}[DOWN]{WHT}	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 :rem 29 :rem 68
390 400 410 420 430 440 450 460 470 480	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<0ORA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A)<>C1ORB=0THEN460 N=0:A=P:FORE=1TOB:A=A+D(X):GOEXT NEXT:RETURN FORE=0TO70:IFB(E)=1THENS1=S1-IFB(E)=2THENS2=S2+1 NEXT:PRINT"{HOME}{DOWN}{WHT}' THENPRINT" BLACK WINS"S1"TO"S	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 :rem 29 :rem 68
390 400 410 420 430 450 460 470 480 490	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<0ORA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A)<>ClorB=0THEN460 N=0:A=P:FORE=1TOB:A=A+D(X):GOEXT NEXT:RETURN FORE=0TO70:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1 NEXT:PRINT"{HOME}[DOWN]{WHT}' THENPRINT" BLACK WINS"S1"TO"S	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 :rem 29 :rem 68 ::FS1>S2 62:GOTO52 :rem 184
390 400 410 420 430 450 460 470 480 490	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A)<>C1ORB=0THEN460 N=0:A=P:FORE=1TOB:A=A+D(X):GOEXT NEXT:RETURN FORE=0TO70:IFB(E)=1THENS1=S1-IFB(E)=2THENS2=S2+1 NEXT:PRINT"{HOME}{DOWN}{WHT}'THENPRINT"BLACK WINS"S1"TO"S0 IFS1 <s2thenprint" td="" white="" wins"<=""><td>:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 :rem 29 :rem 68 ':IFS1>S2 S2:GOTO52 :rem 184 'S2"TO"S1</td></s2thenprint">	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 :rem 29 :rem 68 ':IFS1>S2 S2:GOTO52 :rem 184 'S2"TO"S1
390 400 410 420 430 450 460 470 480 490	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<0ORA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A)<>C1ORB=0THEN460 N=0:A=P:FORE=1TOB:A=A+D(X):GOEXT NEXT:RETURN FORE=0TO70:IFB(E)=1THENS1=S1-IFB(E)=2THENS2=S2+1 NEXT:PRINT"{HOME}{DOWN}{WHT}' THENPRINT" BLACK WINS"S1"TO"S0 IFS1 <s2thenprint" goto520<="" td="" white="" wins'=""><td>:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 :rem 29 :rem 68 ::IFS1>S2 :G2:GOTO52 :rem 184 'S2"TO"S1 :rem 37</td></s2thenprint">	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 :rem 29 :rem 68 ::IFS1>S2 :G2:GOTO52 :rem 184 'S2"TO"S1 :rem 37
390 400 410 420 430 450 460 470 480 490 500	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0T07:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOT0420 IFB(A)<>C1ORB=0THEN460 N=0:A=P:FORE=1TOB:A=A+D(X):GOEXT NEXT:RETURN FORE=0T070:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1 NEXT:PRINT"{HOME}{DOWN}{WHT}' THENPRINT" BLACK WINS"S1"TO"S 0 IFS1 <s2thenprint" a="" drawi<="" print"{4="" spaces}it's="" td="" white="" wins':got0520=""><td>:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 -1:rem 29 :rem 68 ':IFS1>S2 52:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236</td></s2thenprint">	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 -1:rem 29 :rem 68 ':IFS1>S2 52:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236
390 400 410 420 430 450 460 470 480 490 500	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0T07:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOT0420 IFB(A)<>C1ORB=0THEN460 N=0:A=P:FORE=1TOB:A=A+D(X):GOEXT NEXT:RETURN FORE=0T070:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1 NEXT:PRINT"{HOME}{DOWN}{WHT}' THENPRINT" BLACK WINS"S1"TO"S 0 IFS1 <s2thenprint" a="" drawigeta\$:ifa\$="" print"{4="" spaces}it's="" td="" then520<="" white="" wins':got0520=""><td>:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 :rem 26 :rem 68 ':IFS1>S2 :G2:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81</td></s2thenprint">	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 :rem 26 :rem 68 ':IFS1>S2 :G2:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81
390 400 410 420 430 450 460 470 480 490 500 510 520 530	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0T07:A=P:B=0 A=A+D(X):IFA<0ORA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A)<>C1ORB=0THEN460 N=0:A=P:FORE=1TOB:A=A+D(X):GOEXT NEXT:RETURN FORE=0T070:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+INEXT:PRINT"{HOME}{DOWN}{WHT}'THENPRINT"BLACK WINS"S1"TO"S0 IFS1 <s2thenprint" a="" drawigeta\$:ifa\$="" print"{4="" spaces}it's="" td="" then520<="" white="" wins':goto520=""><td>:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 :rem 26 :rem 68 ::IFS1>S2 ::rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141</td></s2thenprint">	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 :rem 26 :rem 68 ::IFS1>S2 ::rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141
39Ø 40Ø 41Ø 42Ø 43Ø 44Ø 45Ø 46Ø 47Ø 48Ø 49Ø 50Ø 51Ø 52Ø 53Ø 54Ø	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0T07:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOT0420 IFB(A) <c10rb=0then460 a="" drawlgeta\$:ifa\$="" fora="0T07:READD(A):NEXT</td" fore="0T070:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1" ifs1<s2thenprint"="" n="0:A=P:FORE=1TOB:A=A+D(X):GOEXT" next:print"{home}{down}{wht}'thenprint"black="" next:return="" print"{4="" run="" spaces}it's="" then520="" white="" wins"s1"to"s0="" wins'got0520=""><td>:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 SUB370:N :rem 243 :rem 243 :rem 243 :rem 268 :IFS1>S2 :G2:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 37 :rem 38 :rem 41 :rem 141</td></c10rb=0then460>	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 SUB370:N :rem 243 :rem 243 :rem 243 :rem 268 :IFS1>S2 :G2:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 37 :rem 38 :rem 41 :rem 141
39Ø 40Ø 41Ø 42Ø 43Ø 44Ø 45Ø 46Ø 47Ø 48Ø 49Ø 50Ø 51Ø 52Ø 53Ø 54Ø	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<0ORA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A) <c1orb=0then460 a="" black="" dimb(70),g(70):a="RND(-TI):F=4</td" drawigeta\$:ifa\$="" fora="0TO7:READD(A):NEXT" fore="0TO70:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1" ifs1<s2thenprint"="" n="0:A=P:FORE=1TOB:A=A+D(X):GOEXT" next:print"{home}{down}{wht}'thenprint"="" next:return="" print"{4="" run="" spaces}it's="" then520="" white="" wins"s1"to"s0="" wins':goto520=""><td>:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 :rem 243 :rem 68 ::IFS1>S2 ::rem 68 ':IFS1>S2 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 173</td></c1orb=0then460>	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 :rem 243 :rem 68 ::IFS1>S2 ::rem 68 ':IFS1>S2 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 173
39Ø 40Ø 41Ø 42Ø 43Ø 44Ø 45Ø 46Ø 47Ø 48Ø 49Ø 50Ø 51Ø 52Ø 53Ø 55Ø	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<0ORA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A) <c1orb=0then460 a="" black="" dimb(70),g(70):a="RND(-TI):F=478,15</td" drawigeta\$:ifa\$="" fora="0TO7:READD(A):NEXT" fore="0TO70:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1" ifs1<s2thenprint"="" n="0:A=P:FORE=1TOB:A=A+D(X):GOEXT" next:print"{home}{down}{wht}'thenprint"="" next:return="" print"{4="" run="" spaces}it's="" then520="" white="" wins"s1"to"s0="" wins'goto520=""><td>:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 :sum 70:N :rem 243 :rem 243 :rem 243 :rem 243 :rem 243 :rem 28 :rem 37 :rem 37 :rem 37 :rem 37 :rem 37 :rem 37 :rem 141 :rem 173 :rem 173 :rem 173</td></c1orb=0then460>	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 :sum 70:N :rem 243 :rem 243 :rem 243 :rem 243 :rem 243 :rem 28 :rem 37 :rem 37 :rem 37 :rem 37 :rem 37 :rem 37 :rem 141 :rem 173 :rem 173 :rem 173
39Ø 40Ø 41Ø 42Ø 43Ø 45Ø 46Ø 47Ø 48Ø 49Ø 51Ø 53Ø 55Ø 56Ø	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A) <c1orb=0then460 a="" black="" dimb(70),g(70):a="RND(-TI):F=478,15" drawigeta\$:ifa\$="" fora="0TO34:READB:G(A)=B:G(70-TT)</td" fore="0TO70:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1" ifs1<s2thenprint"="" n="0:A=P:FORE=1TOB:A=A+D(X):GOEXT" next:print"{home}{down}{wht}'thenprint"="" next:return="" print"{4="" run="" spaces}it's="" then520="" white="" wins"s1"to"s0="" wins'goto520=""><td>:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 :sum 243 :rem 243 :rem 243 :rem 243 :rem 243 :rem 243 :rem 243 :rem 243 :rem 26 :IFS1>S2 :2:GOTO52 :rem 184 :S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 141 :rem 141 :rem 141 :rem 76 -A)=B:NEX</td></c1orb=0then460>	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 :sum 243 :rem 243 :rem 243 :rem 243 :rem 243 :rem 243 :rem 243 :rem 243 :rem 26 :IFS1>S2 :2:GOTO52 :rem 184 :S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 141 :rem 141 :rem 141 :rem 76 -A)=B:NEX
39Ø 40Ø 41Ø 42Ø 43Ø 44Ø 45Ø 46Ø 47Ø 48Ø 49Ø 51Ø 53Ø 53Ø 55Ø 56Ø	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A) <c1orb=0then460 a="" black="" dimb(70),g(70):a="RND(-TI):F=478,15" draw1="" fora="8TO62STEP9:B(A)=3:NEXT</td" fore="0TO70:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1" geta\$:ifa\$="" ifs1<s2thenprint"="" n="0:A=P:FORE=1TOB:A=A+D(X):GOEXT" next:print"{home}{down}{wht}'thenprint"="" next:return="" print"{4="" run="" spaces}it's="" then520="" white="" wins"s1"to"s0="" wins'goto520=""><td>:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 0SUB370:N :rem 243 :rem 243 -1:rem 29 :rem 68 :IFS1>S2 62:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 173 :POKE368 :rem 76 -A)=B:NEX :rem 3</td></c1orb=0then460>	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 0SUB370:N :rem 243 :rem 243 -1:rem 29 :rem 68 :IFS1>S2 62:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 173 :POKE368 :rem 76 -A)=B:NEX :rem 3
39Ø 40Ø 41Ø 42Ø 43Ø 44Ø 45Ø 46Ø 47Ø 48Ø 49Ø 51Ø 53Ø 53Ø 55Ø 56Ø	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A) <c1orb=0then460 a="" black="" dimb(70),g(70):a="RND(-TI):F=478,15" drawigeta\$:ifa\$="" fora="0TO34:READB:G(A)=B:G(70-TT)</td" fore="0TO70:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1" ifs1<s2thenprint"="" n="0:A=P:FORE=1TOB:A=A+D(X):GOEXT" next:print"{home}{down}{wht}'thenprint"="" next:return="" print"{4="" run="" spaces}it's="" then520="" white="" wins"s1"to"s0="" wins'goto520=""><td>:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 0SUB370:N :rem 243 :rem 243 -1:rem 29 :rem 68 :IFS1>S2 62:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 173 :POKE368 :rem 76 -A)=B:NEX :rem 3</td></c1orb=0then460>	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 0SUB370:N :rem 243 :rem 243 -1:rem 29 :rem 68 :IFS1>S2 62:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 173 :POKE368 :rem 76 -A)=B:NEX :rem 3
39Ø 40Ø 41Ø 42Ø 43Ø 44Ø 45Ø 46Ø 47Ø 48Ø 49Ø 51Ø 53Ø 54Ø 55Ø 56Ø 57Ø 58Ø	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A) <c1orb=0then460 78,15="" a="" b(30)="2:B(31)=1:B(39)=1:B(40)</td" black="" dimb(70),g(70):a="RND(-TI):F=4" draw1="" fora="8TO62STEP9:B(A)=3:NEXT" fore="0TO70:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1" geta\$:ifa\$="" ifs1<s2thenprint"="" n="0:A=P:FORE=1TOB:A=A+D(X):GOEXT" next:print"{home}{down}{wht}'thenprint"="" next:return="" print"{4="" run="" spaces}it's="" then520="" white="" wins"s1"to"s0="" wins'goto520=""><td>:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 0SUB370:N :rem 243 :rem 243 -1:rem 29 :rem 68 :IFS1>S2 62:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 173 :POKE368 :rem 76 -A)=B:NEX :rem 3</td></c1orb=0then460>	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 0SUB370:N :rem 243 :rem 243 -1:rem 29 :rem 68 :IFS1>S2 62:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 173 :POKE368 :rem 76 -A)=B:NEX :rem 3
390 400 410 420 430 440 450 460 470 480 490 510 520 530 540 550 560 590	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A) <c1orb=0then460 a="" dimb(70),g(70):a="RND(-TI):F=478,15" drawigeta\$:ifa\$="" fora="0TO34:READB:G(A)=B:G(70-TFORA=0TO34:READB:G(A)=B:G(70-TFORA=0TO34:READB:G(A)=3:NEXTB(30)=2:B(31)=1:B(39)=1:B(40)</td" fore="0TO70:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1" ifs1<s2thenprint"white="" n="0:A=P:FORE=1TOB:A=A+D(X):GOEXT" next:print"{home}{down}{wht}'thenprint"black="" next:return="" print"{4="" run="" spaces}it's="" then520="" wins"s1"to"s0="" wins':goto520=""><td>:rem 90 :rem 59 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 0SUB370:N :rem 243 :rem 243 -1:rem 29 :rem 68 :IFS1>S2 62:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 173 -POKE368 :rem 76 -A)=B:NEX :rem 3 :rem 176 =2 :rem 232 :rem 158</td></c1orb=0then460>	:rem 90 :rem 59 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 0SUB370:N :rem 243 :rem 243 -1:rem 29 :rem 68 :IFS1>S2 62:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 173 -POKE368 :rem 76 -A)=B:NEX :rem 3 :rem 176 =2 :rem 232 :rem 158
390 400 410 420 430 440 450 460 470 480 490 510 520 530 540 550 560 590	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A) <c1orb=0then460 a="" dimb(70),g(70):a="RND(-TI):F=40-78,15" drawigeta\$:ifa\$="" fora="0TO34:READB:G(A)=B:G</td" fore="0TO70:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1" ifs1<s2thenprint"white="" n="0:A=P:FORE=1TOB:A=A+D(X):GOEXT" next:print"{home}{down}{wht}'thenprint"black="" next:return="" print"{4="" spaces}it's="" then520"run="" wins"s1"to"s0="" wins':goto520=""><td>:rem 90 :rem 59 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 :rem 243 :rem 243 :rem 243 :rem 243 :rem 28 :rem 88 :IFS1>S2 :2:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 173 :rem 173 :rem 173 :rem 173 :rem 176 -A)=B:NEX :rem 3 :rem 176 -CA)=B:NEX :rem 3</td></c1orb=0then460>	:rem 90 :rem 59 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 :rem 243 :rem 243 :rem 243 :rem 243 :rem 28 :rem 88 :IFS1>S2 :2:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 173 :rem 173 :rem 173 :rem 173 :rem 176 -A)=B:NEX :rem 3 :rem 176 -CA)=B:NEX :rem 3
390 400 410 420 430 440 450 460 470 480 490 510 520 530 540 550 560 590 600	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A) <c1orb=0then460 a="" dimb(70),g(70):a="RND(-TI):F=478,15" drawigeta\$:ifa\$="" fora="0TO34:READB:G(A)=B:G(70-TFORA=0TO34:READB:G(A)=B:</td" fore="0TO70:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1" ifs1<s2thenprint"white="" n="0:A=P:FORE=1TOB:A=A+D(X):GOEXT" next:print"{home}{down}{wht}'thenprint"black="" next:return="" print"{4="" run="" spaces}it's="" then520="" wins"s1"to"s0="" wins':goto520=""><td>:rem 90 :rem 59 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 -1:rem 29 :rem 68 :IFS1>S2 G2:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 173 -POKE368 :rem 76 -A)=B:NEX :rem 3 :rem 176 =2 :rem 232 :rem 158 :GOSUB77 :rem 61</td></c1orb=0then460>	:rem 90 :rem 59 :rem 59 :rem 41 :rem 2 :rem 51 :rem 1 :rem 2 SUB370:N :rem 243 :rem 243 -1:rem 29 :rem 68 :IFS1>S2 G2:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 173 -POKE368 :rem 76 -A)=B:NEX :rem 3 :rem 176 =2 :rem 232 :rem 158 :GOSUB77 :rem 61
390 400 410 420 430 440 450 460 470 480 490 510 520 530 540 550 560 590 600	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A) <c1orb=0then460 a="" dimb(70),g(70):a="RND(-TI):F=40-78,15" drawigeta\$:ifa\$="" fora="0TO34:READB:G(A)=B:G</td" fore="0TO70:IFB(E)=1THENS1=S1+IFB(E)=2THENS2=S2+1" ifs1<s2thenprint"white="" n="0:A=P:FORE=1TOB:A=A+D(X):GOEXT" next:print"{home}{down}{wht}'thenprint"black="" next:return="" print"{4="" spaces}it's="" then520"run="" wins"s1"to"s0="" wins':goto520=""><td>:rem 90 :rem 59 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 :rem 243 :rem 243 :rem 243 :rem 26 :rem 88 :I:rem 29 :rem 68 :IFS1>S2 :2:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 173 :rem 173 :rem 173 :rem 173 :rem 173 :rem 175 :rem 37 :rem 175 :rem 175 :rem 177 :rem 177</td></c1orb=0then460>	:rem 90 :rem 59 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 :rem 243 :rem 243 :rem 243 :rem 26 :rem 88 :I:rem 29 :rem 68 :IFS1>S2 :2:GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 173 :rem 173 :rem 173 :rem 173 :rem 173 :rem 175 :rem 37 :rem 175 :rem 175 :rem 177
390 400 410 420 430 440 450 460 470 480 490 500 510 520 530 540 550 560 570 580 600 610	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A) <c1orb=0then460 a="" dimb(70),g(70):a="RND(-TI):F=478,15" draw1geta\$:ifa\$="" fora="0TO34:READB:G(A)=B:G(70-TFORA=0TO34:READB:G(A)=B:</td" fore="0TO70:IFB(E)=1THENS1=S1+1FB(E)=2THENS2=S2+1" ifs1<s2thenprint"white="" n="0:A=P:FORE=1TOB:A=A+D(X):GOEXT" next:print"{home}{down}{wht}'thenprint"black="" next:return="" print"{4="" run="" spaces}it's="" then520="" wins"s1"to"s0="" wins':goto520=""><td>:rem 90 :rem 59 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 :rem 243 :rem 243 :rem 243 :rem 243 :rem 26 :rem 88 :IFS1>S2 :GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 173 :POKE368 :rem 176 -A)=B:NEX :rem 3 :rem 176 -A)=B:NEX :rem 3 :rem 176 -CA)=B:NEX :rem 3 :rem 176 -CA)=B:NEX :rem 176 -CA)=B:NEX :rem 176 -CA)=B:NEX :rem 176 -CA)=B:NEX :rem 180 :rem 180</td></c1orb=0then460>	:rem 90 :rem 59 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 :rem 243 :rem 243 :rem 243 :rem 243 :rem 26 :rem 88 :IFS1>S2 :GOTO52 :rem 184 'S2"TO"S1 :rem 37 :rem 236 :rem 81 :rem 141 :rem 173 :POKE368 :rem 176 -A)=B:NEX :rem 3 :rem 176 -A)=B:NEX :rem 3 :rem 176 -CA)=B:NEX :rem 3 :rem 176 -CA)=B:NEX :rem 176 -CA)=B:NEX :rem 176 -CA)=B:NEX :rem 176 -CA)=B:NEX :rem 180 :rem 180
39Ø 40Ø 41Ø 42Ø 43Ø 44Ø 45Ø 50Ø 51Ø 52Ø 53Ø 54Ø 55Ø 56Ø 57Ø 58Ø 60Ø 61Ø	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A) <c1orb=0then460 0="" 0:b\$="A\$" 78,15="" :gosub770:w\$="A</td" :goto520="" a="" b(30)="2:B(31)=1:B(39)=1:B(40)" black="" c\$="{WHT}WHITE" c1="2:C2=1" dimb(70),g(70):a="RND(-TI):F=4" drawi="" fora="8TO62STEP9:B(A)=3:NEXT" fore="0TO70:IFB(E)=1THENS1=S14" geta\$:ifa\$="" ifb(e)="2THENS2=S2+1" ifs1<s2thenprint"="" n="0:A=P:FORE=1TOB:A=A+D(X):GOEXT" next:print"{home}{down}{wht}'="" next:return="" poke36879,110:c\$="{BLK}BLACK" print"{4="" run="" spaces}it's="" t="" then520="" thenprint"="" white="" wins"s1"to"s="" wins'=""><td>:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 :rem 23 :rem 243 :rem 243 :rem 243 :rem 243 :rem 28 :rem 68 :IFS1>S2 :2:GOTO52 :rem 184 :rem 37 :rem 236 :rem 141 :rem 173 :POKE368 :rem 76 -A)=B:NEX :rem 3 :rem 176 =2 :rem 158 :GOSUB77 :rem 61 :\$:rem 180 :rem 180 :rem 180 :rem 180</td></c1orb=0then460>	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 :rem 23 :rem 243 :rem 243 :rem 243 :rem 243 :rem 28 :rem 68 :IFS1>S2 :2:GOTO52 :rem 184 :rem 37 :rem 236 :rem 141 :rem 173 :POKE368 :rem 76 -A)=B:NEX :rem 3 :rem 176 =2 :rem 158 :GOSUB77 :rem 61 :\$:rem 180 :rem 180 :rem 180 :rem 180
39Ø 40Ø 41Ø 42Ø 43Ø 44Ø 45Ø 50Ø 51Ø 52Ø 53Ø 54Ø 55Ø 56Ø 57Ø 58Ø 60Ø 61Ø	B(A)=C1:RETURN A=P:GOSUB370:POKEL-30720,81 N=1:FORX=0TO7:A=P:B=0 A=A+D(X):IFA<00RA>70THEN460 IFB(A)=C2THENB=B+1:GOTO420 IFB(A) <c1orb=0then460 a="" dimb(70),g(70):a="RND(-TI):F=478,15" draw1geta\$:ifa\$="" fora="0TO34:READB:G(A)=B:G(70-TFORA=0TO34:READB:G(A)=B:</td" fore="0TO70:IFB(E)=1THENS1=S1+1FB(E)=2THENS2=S2+1" ifs1<s2thenprint"white="" n="0:A=P:FORE=1TOB:A=A+D(X):GOEXT" next:print"{home}{down}{wht}'thenprint"black="" next:return="" print"{4="" run="" spaces}it's="" then520="" wins"s1"to"s0="" wins':goto520=""><td>:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 :rem 23 :rem 243 :rem 243 :rem 243 :rem 243 :rem 28 :rem 68 :IFS1>S2 :2:GOTO52 :rem 184 :rem 37 :rem 236 :rem 141 :rem 173 :POKE368 :rem 76 -A)=B:NEX :rem 3 :rem 176 =2 :rem 158 :GOSUB77 :rem 61 :\$:rem 180 :rem 180 :rem 180 :rem 180</td></c1orb=0then460>	:rem 90 :rem 59 :rem 41 :rem 2 :rem 51 :rem 2 :rem 23 :rem 243 :rem 243 :rem 243 :rem 243 :rem 28 :rem 68 :IFS1>S2 :2:GOTO52 :rem 184 :rem 37 :rem 236 :rem 141 :rem 173 :POKE368 :rem 76 -A)=B:NEX :rem 3 :rem 176 =2 :rem 158 :GOSUB77 :rem 61 :\$:rem 180 :rem 180 :rem 180 :rem 180

Micro Stuffer Printer Buffer

MicroStuffer PrinterBuffer

64K Printer Buffer

commodore

- Works with any computer. With standard Centronics parallel interface.
- Works with any printer.
 Centronics parallel standard
 RS 232 Serial optional

Only \$149.95



MICROBITS PERIPHERAL PRODUCTS

> 225 Third Avenue, SW Albany, OR 97321 (503) 967-9075

Clear button Multiple copy repeat function
Auto diagnostics Self test

The MicroStuffer Printer Buffer works with any computer with standard Centronics parallel interface, and with any printer (Centronics parallel - standard; RS232 Serial - Optional). Computers and printers listed in this ad are only a partial listing. Registered trademarks: Apple, Apple Computer, Inc.; Atari, Atari Corp.; AT&T, AT&T Information Systems; Commodore, Commodore Business Machines; Compac, Compac Microelectronics, Inc.; Epson, Epson America; IBM, International Business Machines; Kaypro, Kaypro; NEC, NEC Information Systems, Inc.; Okidata, OKI America Co.; Smith-Corona, Smith-Corona Marchant. MicroStuffer PrinterBuffer is a trademark of Microbits Peripheral Products, Inc.

640	PRINT" (DOWN) PRESS FIRE BUTTON TO
cea	{2 SPACES}MAKE YOUR MOVE." :rem Ø PRINT"{DOWN}PRESS P TO PASS."
036	:rem 226
660	IFZ=2THENPRINT" [DOWN] CURSOR COLOR IND
	ICATESWHOSE TURN." :rem 115
670	PRINT" [DOWN] PRESS SPACEBAR"
	:rem 87
	GETA\$:IFA\$<>" "THEN68Ø :rem 156
690	PRINTCHR\$(142)"[CLR] {WHT} {5 SPACES} RE
	FLECTION" :rem 220
700	PRINT"{2 DOWN}{2 RIGHT}{BLK}EA3******
	********ES3 :rem 208
710	FORA=1TO8: PRINT " (BLK) {2 SPACES}-{YEL}
720	PRINT"{2 RIGHT}-"TAB(18)"-":NEXT
	:rem 172
730	PRINT"{UP}{2 RIGHT} & Z 3 *** ** * * * * * * * * * * * * * *
	[X] :rem 190
740	PRINT" [HOME] [10 DOWN] "TAB(9)" [WHT]Q
	{BLK}Q :rem 227
750	
760	:rem 244
770	RETURN :rem 125 PRINTCHR\$(14)"[CLR][WHT]WHO WILL PLAY
110	THE" : rem 123
780	PRINT" [DOWN] [RVS] "C\$" [OFF] [WHT] PIECE
	S? :rem 171
790	PRINT"{2 DOWN}{2 RIGHT}{RVS}C{OFF}OMP
	UTER :rem 62
800	PRINT"[DOWN][2 RIGHT][RVS]H[OFF]UMAN
	:rem 47
810	GETA\$:IFA\$=""THEN810 :rem 85
820	IFAŞ="H"THENZ=Z+1 :rem 211
830	RETURN :rem 123
840	DATA-9,-8,1,10,9,8,-1,-10 :rem 164
850	DATA16,-4,4,2,2,4,-4,16,0,-4,-12,-2,-
	2,-2,-2,-12,-4,0 :rem 189
860	
	-2,2 :rem 128

Program 4: Reflection For IBM PC/PCjr

Version By Chris Poer, Editorial Programmer Refer to "COMPUTE!'s Guide To Typing In Programs" before entering this listing.


```
before entering this listing.
NJ 5 DEF SEG=0:POKE 1047,64:KEY OFF:WI
    DTH 40:DEFINT A-Z:TU=1:PL=1
 10 DIM BO(80), TA(71), PT(71), A(80), P
     O(81),BC(56),WC(56),CU(68)
BI 20 GOSUB 9000
NJ 30 GOSUB 1000
NO 40 GOSUB 3000
NF 50 GOSUB 2000
8C 60 IF DE=1 THEN GOSUB 4000:GOTO 100
LE 70 FOR Y= 2 TO 5: FOR X = 2 TO 5
IL 75 READ A:PO(Y*9+X) = A:NEXT X:NEXT
      Y
NC 80 BO (30) = 2:BO(31)=1:BO(39)=1:BO(
      40)=2:NB=2:NW=2
JN 85 PUT (81,81), WC, XOR: PUT (106,81),
     BC.XOR
```

OC 90 PUT (81,106), BC, XOR: PUT (106,106

IN 105 IF TU =2 THEN MS="WHITE'S TURN"

PF 100 FL=1:X=4:Y=4:NW\$=STR\$(NW)+"

NB\$=STR\$(NB)+"



"Reflection," IBM PC/PCjr version.

```
MA 120 LOCATE 5,28:PRINI M$
GH 130 LOCATE 7,28:PRINT"BLACK'S CHIPS
      ":LOCATE 8,34:PRINT NB$
GB 140 LOCATE 10,28:PRINT"WHITE'S CHIP
      S":LOCATE 11,34:PRINT NWS
HJ 145 IF PL=1 THEN AL=NB+1:GOTO 150
MO 147 AL=NW+1
NI 150 IF CM=1 AND TU=PL THEN GOSUB 80
      00:GOTO 300
GC 160 PUT (3+X*25,3+Y*25),CU,XOR
GC 170 AS=INKEYS
JN 180 IF A$ = "1" AND Y>0 THEN Y=Y-1:XX
      =0:YY=1:GOTO 240
LI 190 IF AS="M" AND Y < 7 THEN Y=Y+1:XX
      =0:YY=-1:GOTO 240
DD 200 IF A$="J" AND X>0 THEN X=X-1:YY
      =0:XX=1:GOTO 240
OK 210 IF AS="K" AND X<7 THEN X=X+1:YY
      =0:XX=-1:GOTO 240
CN 220 IF AS=" " THEN 270
NN 225 IF AS="E" THEN 800
FA 230 GOTO 170
GP 240 PUT (3+X*25,3+Y*25),CU,XOR
AD 250 PUT (3+(X+XX)*25,3+(YY+Y)*25),C
      U.XOR
FG 260 GOTO 170
II 270 XY=X+Y*9: IF BO(XY)>0 THEN 170
GH 280 PUT (3+X*25,3+Y*25),CU,XOR
06 300 IF FL=0 THEN 350
  305 IF TU=1 THEN PUT (6+X*25,6+Y*25
      1,BC,XOR:GOTO 320
WL 310 PUT (6+X*25,6+Y*25), WC, XOR
MO 320 IF PO(XY)=0 THEN 350
ON 330 GOSUB 5000
NO 340 IF CHIPS>0 THEN GOSUB 6000:BO(X
      Y)=TU:GOTO 420
KH 350 LOCATE 18,27:PRINT"ILLEGAL MOVE
      ":LOCATE 19,27:PRINT"END OF TUR
QN 360 BEEP: FOR I = 1 TO 2000: NEXT I
MK 370 IF FL=0 THEN 410
FP 380 IF TU=1 THEN PUT (6+X*25,6+Y*25
      ),BC,XOR:GOTO 410
OL 390 PUT (6+X*25,6+Y*25),WC,XOR
KH 410 LOCATE 18,27:PRINT"
```

:GOTO 120

EE 110 MS="BLACK'S TURN"

), WC, XOR

```
#1 2000 CLS:COLOR 0,1:LINE (0,0)-(199,
      ":LOCATE 19.27:PRINT"
        ":GOTO 470
                                                  199),2,BF
                                          NO 2010 FOR X = 0 TO 200 STEP 25
MK 420 IF TU=1 THEN NB=NB+CHIPS+1:NW=N
      W-CHIPS: GOTO 440
                                          EC 2020 LINE (X,1)-(X,200):LINE (X+1,1
NN 430 NW=NW+CHIPS+1:NB=NB-CHIPS
                                                  )-(X+1,200)
                                          NA 2030 LINE (0,X)-(200.X):LINE (0,X+1
KK 440 FOR Q= 1 TO 8
FN 450 IF XY+OF(Q)>-1 THEN PO(XY+OF(Q)
                                                  )-(200,X+1)
                                          AB 2040 NEXT X
      ) = 1
                                          OE 2050 LINE (0,198)-(200,198):LINE (0
  460 NEXT Q
  470 TU=(TU-2)*-1+1
                                                  .199) - (200.199)
DN
JD 480 GOSUB 900
                                          JO 2060 RETURN
  490 IF NB=0 OR NW=0 OR NW+NB=64 THE
                                          KN 3000 SCREEN 1:CLS:COLOR 0,1
                                          LB 3005 CLS:LINE (105,105)-(120,120),0
      N 7000
  500 IF XY=0 OR XY=7 OR XY=63 OR XY=
      70 THEN GOSUB 8800
                                          6J 3010 LINE (105, 105)-(121, 121), 3, B
AC 510 GOTO 100
                                          HA.3920 LINE (194,104)-(122,122),3,B
P8 800 LOCATE 18,28:PRINT"DO YOU WANT"
                                          IH 3030 LINE (103,103)-(123,123),3,B
       :LOCATE 19,27:PRINT"TO QUIT (Y/
                                          EC 3040 GET (103,103)-(123,123),CU
      N)"
                                          MA 3050 CLS
                                            3060 CIRCLE (113.113).7.1
GN 810 AS=INKEYS
                                          EB
OH 829 IF A$="Y" THEN FL=0:GOTO 849
                                          MD
                                            3070 PAINT (113,113),1,1
                                            3080 GET (106,106)-(120,120),WC
IB 830 IF A$ <> "N" THEN 810
                                          FM
                                            3090 CLS:LINE (105,105)-(120,120),0
IL 840 LOCATE 18,28:PRINT"
       ":LOCATE 19,27:PRINT"
                                                  .BF
                                          FK 3100 CIRCLE (113,113),7,2
NO 850 IF FL=0 THEN 7000
                                          08 3110 PAINT (113,113),2,2
                                          LG 3120 GET (106,106)-(120,120),BC
6N 860 GOTO 170
  900 FOR I= 0 TO 70:TA(1)=0:NEXT 1:R
                                          IB 3200 RETURN
                                          SH 4000 LOCATE 4.27: PRINT"TYPE (B) FOR
      ETURN
  1000 CLS:LOCATE 2,14:PRINT"REFLECTI
                                                  ":LOCATE 5,28:PRINT"BLACK CHIP
        ON"
                                                  S"
                                          IF 4010 LOCATE 8,27:PRINT"TYPE (W) FOR
  1010 PRINT: PRINT" USE THE (I-J-K-M
                                                  ":LOCATE 9,28:PRINT"WHITE CHIP
        ) KEYS TO MOVE THE
                                  CURSO
                                                  SII
          TYPE (E) TO END THE GAME"
  1020 LOCATE 7,10:PRINT"(W)HITE MOVE
                                            4020 LOCATE 12,27:PRINT"TYPE SPACE
                                                  FOR": LOCATE 13.30: PRINT"NO CHI
        S FIRST"
  1030 LOCATE 8,10:PRINT"(B)LACK MOVE
                                                  P۱۱
        S FIRST"
                                          6L 4030 FOR Y=0 TO 7:FOR X= 0 TO 7
  1940 AS=INKEYS: IF AS="W" THEN TU=2:
                                          PH 4050 PUT (X*25+3,Y*25+3),CU,XOR:C=C
        GOTO 1069
                                                  +1
EC 1050 IF A$ <> "B" THEN 1040
                                          #C 4060 A$= INKEY$: XY=Y*9+X
  1060 LOCATE 10,13:PRINT"(N)ORMAL BO
                                          81 4970 IF AS="W" THEN NW=NW+1:BO(XY)=
       ARD"
                                                  2:PUT(6+X*25,6+Y*25),WC,XOR:GO
PG 1970 LOCATE 11,8:PRINT"(D)ESIGN YOU
                                                  TO 4119
                                          FF 4080 IF AS="B" THEN NB=NB+1:BO(XY)=
       R OWN BOARD"
  1080 A$=INKEY$:Z=INT(RND(1)):IF A$=
                                                  1:PUT(6+X*25,6+Y*25),BC,XOR:GO
        "D" THEN DE=1:GOTO 1100
                                                  TO 4110
FG 1090 IF A$<>"N" THEN 1080
                                          E0 4090 IF AS=" " THEN 4130
KN 1100 LOCATE 13.13:PRINT"(1-2)PLAYER
                                          MN 4190 GOTO 4050
       S"
                                          BJ 4110 FOR E = 1 TO 8
                                          DD 4120 IF XY+OF(E) > -1 THEN PO(XY+OF
  1120 A$=!NKEY$:Z=!NT(RND(1)):!F A$=
       "2" THEN RETURN
                                                  (E))=1
DH 1130 IF A$ <> "1" THEN 1120
                                          EC 4125 NEXT E
FK 1140 CM=1:LOCATE 16,11:PRINT"WHAT L
                                          MC 4130 IF C/2 > INT(C/2) THEN PUT (X*2
       EVEL? (1-2)"
                                                  5+3,Y*25+3),CU,XOR
18 1150 A$=!NKEY$:Z=!NT(RND(1))
                                          FP 4140 C=0
  1160 LE = VAL(A$): IF LE <1 OR LE>2
                                          EG 4150 NEXT X:NEXT Y
       THEN 1150
                                          EL 4160 LOCATE 4,27:PRINT"
CI 1170 LOCATE 18,9:PRINT"COMPUTER PLA
                                                  ":LOCATE 5,28:PRINT"
       YS (B)LACK"
  1180 LOCATE 19.9: PRINT" COMPUTER PLA
                                          CG 4170 LOCATE 8,27:PRINT"
       YS (W)HITE"
                                                  ":LOCATE 9,28:PRINT"
EP 1190 A$=INKEYS: IF A$="W" THEN PL=2:
       RETURN
                                          EB 4180 LOCATE 12,27:PRINT"
MG 1200 IF A$<>"B" THEN 1190
                                                     ":LOCATE 13,30:PRINT"
```

IC 1210 RETURN

```
IC 4200 RETURN
                                          LD 8250 GOSUB 900
AF 5000 CHIPS=0:FOR I=1 TO 8:L=1:V=0:X
                                          KP 8260 Y=INT(XY/9):X=XY-Y*9
       X = 0
                                          KL 8270 RETURN
JN 5010 V=V+OF(I): IF XY+V>70 OR XY+V<0
                                          DN 8400 A1=AL:FOR E=0 TO 71
        THEN 5040
                                          PL 8410 A(E)=BO(E)
FN 5015 IF BO(XY+V)=5 THEN 5040
                                           EC 8420 IF TA(E)>0 THEN BO(E)=TA(E):A1
JN 5020 IF BO(XY+V)=3-TU THEN XX=1:L=L
                                                  = A 1 + 1
       +1:GOTO 5010
                                          EL 8430 NEXT E
01 5030 IF XX=1 AND BO(XY+V)=TU THEN G
                                          LN 8440 BO(XY)=TU
       OSUB 5100
                                          NO 8441 FOR Q=1 TO 8
                                          CA 8442 IF XY+OF(Q)>-1 THEN PO(XY+OF(Q
GP 5040 NEXT I
J0 5050 RETURN
                                                  )) = PO(XY + OF(Q)) + 1
BJ 5100 W=1:V=0
                                          NO 8443 NEXT Q
                                          AC 8450 NE=QW:REC=1:Y1=XY
MC 5110 V=V+OF(|):TA(XY+V)=TU
                                          MP 8460 TU=3-TU:GOSUB 8010:REC=0
CH 5120 W=W+1: IF W <=L-1 THEN 5110
                                          EB 8470 QY=NE-H1:TU=3-TU
KJ 5130 CHIPS=CHIPS+W-1:RETURN
                                          GD 8480 IF QY>HY THEN HY=QY:H2=Y1:GOTO
KA 6000 FOR != 0 TO 7: FOR L= 0 TO 7
                                                   8550
OC 6010 IF TA(1*9+L)=0 THEN 6050
                                          CP 8490 IF HY=0 THEN 8550
KO 6020 IF TU=1 THEN PUT (6+L*25,6+1*2
                                          CH 8500 IF QY/HY>.85 AND QY/HY<1.15 TH
       5), WC, XOR: PUT (6+L*25,6+1*25),
                                                  EN ZZ=INT(RND(1)*2):IF ZZ=1 TH
       BC, XOR: GOTO 6040
                                                  EN HY=QY:H2=Y1
#L 6030 PUT (6+L*25,6+1*25),BC,XOR:PUT
                                          BD 8550 XY=Y1
         (6+L*25,6+1*25),WC,XOR
                                          JC 8560 FOR E=0 TO 70
MF 6040 BC(1*9+L)=TU
                                          NB 8570 BO(E)=A(E):NEXT E
KC 6050 NEXT L:NEXT I
                                          NN 8580 FOR Q=1 TO 8
JC 6060 RETURN
                                          JA 8590 IF Y1+OF(Q) (0 THEN 8620
HF 7000 IF NW>NB THEN A$ = "WHITE WINS" :
                                          00 8600 IF PO(Y1+OF(Q))=2 THEN PO(Y1+O
       H1=NW:H2=NB:GOTO 7030
                                                  F(Q))=1:GOTO 8620
LO 7010 IF NB>NW THEN AS="BLACK WINS":
                                          DL 8610 PO(Y1+OF(Q))=1
       H1=NB:H2=NW:GOTO 7030
                                          NA 8620 NEXT Q
FH 7020 AS=" TIE GAME": H1=NW: H2=NB
                                          LF 8630 GOSUB 900
FF 7030 LOCATE 18,29:PRINT A$
                                          KK 8640 RETURN
IJ 7040 LOCATE 19,29:PRINT H1;" TO ";H
                                          EB 8800 IF XY=7 THEN 8860
                                          FG 8810 IF XY=63 THEN 8690
CF 7050 LOCATE 21,28:PRINT"PLAY AGAIN
                                          NJ 8820 IF XY=70 THEN 8920
       ? "
                                          PF 8830 FOR 1=9 TO 13:PT(1)=15-1:NEXT
JC 7060 AS=INKEYS
KL 7070 IF AS="Y" THEN RUN
                                          GF 8840 FOR I=1 TO 37 STEP 9:PT(1)=6-1
MG 7080 IF AS="N" THEN CLS:END
                                                  NT(1/9):NEXT |
BH 7090 GOTO 7060
                                          KB 8850 RETURN
KI 8000 HY=-32000
                                          GO 8860 FOR 1=6 TO 42 STEP 9:PT(1)=8-1
HF 8010 XY=0:HI=-32000:FOR XY=0 TO 70
                                                  NT(1/9):NEXT |
DC 8020 IF BO(XY)>0 OR PO(XY)=0 THEN'G
                                           WL 8870 FOR I=16 TO 12 STEP -1:PT(I)=1
       OTO 8200
                                                  -10:NEXT |
LH 8050 GOSUB 5000: IF CHIPS=0 THEN 820
                                          LK 8880 RETURN
                                          KA 8890 FOR 1 =54 TO 58:PT(1)=60-1:NEX
AE 8060 TT=NB+NW:QW=(TT/8)*CHIPS+PT(XY
                                                  TI
                                          EC 8900 FOR 1=64 TO 28 STEP -9:PT(1)=1
       )*(65-TT)/8
LI 8065 IF LE=2 AND CHIPS=A1 THEN QW=1
                                                  NT(1/9)-1:NEXT |
                                           JH 8910 RETURN
       0000
                                           KC 8920 FOR 1=61 TO 57 STEP -1:PT(1)=1
AA 8070 IF LE=2 AND REC=0 THEN GOSUB 8
                                                  -55:NEXT i
       400:GOTO 8200
EK 8080 IF QW>HI THEN HI=QW:H1=XY:GOTO
                                          HE 8930 FOR 1=69 TO 33 STEP -9:PT(1)=1
                                                  NT(1/9)-1:NEXT
        8200
                                          KA 8940 RETURN
MC 8090 IF HI=0 THEN 8200
                                           GN 9000 FOR I=1 TO 8
CH 8100 IF QW/HI>.85 AND QW/HI(1.15 TH
                                           NC 9010 READ A
       EN ZZ=INT(RND(1)*2):IF ZZ=1 TH
                                           NO 9020 OF(1)=A:NEXT
       EN HI=QW:H1=XY
                                           HL 9040 FOR X =0 TO 71
PH 8200 NEXT
                                           HL 9050 READ A:PT(X) = A
KI 8210 IF LE=2 AND REC=1 THEN RETURN
                                           80 9060 NEXT X
KL 8220 IF (HI=-32000 AND LE=1) OR (HY
                                           IL 9070 FOR I = 8 TO 71 STEP 9:BO(1) =
        =-32000 AND LE=2) THEN FL=0:CH
                                                   5:NEXT 1
        1PS=0
                                           MC 9099 RETURN
HO 8230 XY=H1
                                           OA 9100 DATA -10,-9,-8,-1,1,8,9,10
06 8240 IF LE=2 THEN XY=H2
```

74 COMPUTEI November 1984


Program 5: Reflection For TI-99/4A

Version by Pat Parrish, Programming Supervisor

Peter to "COMPLITEI's Guide To Typing In Program

Refer to "COMPUTEI's Guide To Typing In Programs" before entering this listing.

```
10 DIM BO(80), TA(71), PT(71), A(71), P
   0(80)
20 GOTO 70
30 FOR 1=1 TO LEN(A$)
40 CALL HCHAR(R,C+1,ASC(SEG$(A$,1,1
   333
50 NEXT I
60 RETURN
70 TU=1
80 RANDOMIZE
90 GOSUB 3850
100 GOSUB 1310
110 IF DE=0 THEN 130
120 GOSUB 4090
130 GOSUB 1540
140 IF DE=0 THEN 170
150 GOSUB 1650
160 GOTO 330
170 RESTORE 4080
180 FOR Y=2 TO 5
190 FOR X=2 TO 5
200 READ PO(Y*9+X)
210 NEXT X
220 NEXT
230 BO(30)=2
240 BO(31)=1
250 BO(39)=1
260 BO(40)=2
270 BC=2
280 WC=2
290 CALL HCHAR(11,13,128)
300 CALL HCHAR(11, 16, 120)
```



"Reflection," TI-99/4A version.


```
320 CALL HCHAR(14,16,128)
330 FL=1
340 X=4
350 Y=4
360 KH=128
370 IF TU(>1 THEN 390
380 KH=120
390 CALL HCHAR(4,28,KH)
400 A$=STR$(BC)&"
410 R=17
420 C=27
430 GOSUB 30
440 R=22
450 A$=STR$(WC)&" "
460 GOSUB 30
470 IF (CM (>1)+(TU(>1)THEN 500
480 GOSUB 2730
490 GOTO 900
500 KH=1
510 CALL GCHAR(3*Y+2,3*X+4,GG)
520 KH=1-KH
530 CALL HCHAR(3*Y+2,3*X+4,120+8*KH
540 CALL KEY(O,K,S)
550 IF S=0 THEN 520
560 IF (K <> ASC("E"))+(Y <1)THEN 600
570 CALL HCHAR(3*Y+2,3*X+4,GG)
580 Y=Y-1
590 GOTO 510
600 IF (K <> ASC("S"))+(X <1)THEN 640
610 CALL HCHAR(3*Y+2,3*X+4,GG)
620 X = X - 1
630 GOTO 510
640 IF (K <> ASC("D"))+(X>6)THEN 680
650 CALL HCHAR(3*Y+2,3*X+4,GG)
660 X=X+1
670 GOTO 510
680 IF (K -> ASC("X"))+(Y>6)THEN 720
690 CALL HCHAR(3*Y+2,3*X+4,GG)
700 Y=Y+1
710 GOTO 510
720 IF K (> ASC ("Q") THEN 870
730 AS="SURE YOU WANT TO END (Y/N)?
740 R=24
750 C=2
760 GOSUB 30
770 CALL KEY(O,K,S)
780 IF S=0 THEN 770
790 IF K > 89 THEN 820
800 EE=1
810 GOTO 830
820 IF K > 78 THEN 770
830 A = C & & " [ 3 SPACES] "
840 C=2
850 GOSUB 30
860 IF EE=1 THEN 2370
870 IF K <> ASC(" ")THEN 520
880 XY=Y*9+X
890 IF BO(XY)>0 THEN 520
900 IF FL=0 THEN 990
910 CALL HCHAR(Y*3+2, X*3+4, 120+(TU-
    1) * 8)
920 IF PO(XY)=0 THEN 990
930 CALL SOUND(100,440,2)
940 GOSUB 2060
950 IF CHIPS (1 THEN 990
960 GOSUB 2300
970 BO(XY)=TU
980 GOTO 1110
990 R=24
```

```
1000 CALL SOUND(100,110,2)
                                             SUM", B$, B$&" x:", A$, B$, B$, A$, B
1010 C=2
                                             $&" "&CHR$(128)&":",B$,A$,B$,C
1020 AS="ILLEGAL MOVE - LOSE TURN"
                                             $ ;
1030 GOSUB 30
                                       1610 CALL SCREEN(11)
1040 FOR I=1 TO 500
                                       1620 CALL COLOR(11,5,1)
1050 NEXT I
                                       1630 CALL COLOR(13,16,1)
1060 A$=C$
                                       1640 RETURN
1070 GOSUB 30
                                       1650 KH=0
1080 IF FL=0 THEN 1100
                                       1660 FOR Y=0 TO 7
1090 CALL HCHAR(3*Y+2,3*X+4,32)
                                       1670 FOR X=0 TO 7
1100 GOTO 1210
                                       1680 KH=1-KH
1110 IF TU()1 THEN 1150
                                       1690 CALL HCHAR(3*Y+2,3*X+4,120+8*K
1120 BC=BC+CHIPS+1
                                             H)
1130 WC=WC-CHIPS
                                       1700 CALL KEY(0,K,S)
1140 GOTO 1170
                                       1710 IF S=0 THEN 1680
1150 WC=WC+CHIPS+1
                                       1720 XY=X+Y*9
1160 BC=BC-CHIPS
                                       1730 IF K<>87 THEN 1770
1170 FOR Q=1 TO 8
                                       1740 WC=WC+1
1180 IF XY+OF(Q) < 0 THEN 1200
                                       1750 BO(XY)=2
1190 PO(XY+OF(Q))=1
                                       1760 GOTO 1850
1200 NEXT Q
                                       1770 IF K <> 66 THEN 1810
1210 TU=3-TU
                                       1780 BC=BC+1
1220 IF (WC=0)+(BC=0)+(WC+BC=64)THE
                                       1790 BO(XY)=1
     N 2370
                                       1800 GOTO 1850
1230 GOSUB 1270
                                       1810 IF K <> 32 THEN 1680
1240 IF (XY<>0)*(XY<>7)*(XY<>63)*(X
                                       1820 CALL HCHAR(3*Y+2,3*X+4,32)
     Y <> 70) THEN 1260
                                       1830 BO(XY)=0
1250 GOSUB 3540
                                       1840 GOTO 1900
1850 CALL HCHAR(3*Y+2,3*X+4,120+8*(
1260 GOTO 330
1270 FOR I=0 TO 71
                                             BO(XY)-1))
1280 TA(I)=0
                                       1860 FOR E=1 TO 8
1290 NEXT |
                                       1870 IF XY+OF(E) <=-1 THEN 1890
1300 RETURN
                                       1880 PO(XY+OF(E))=1
1310 CALL CLEAR
                                       1890 NEXT E
1320 CALL SCREEN(11)
                                       1900 NEXT X
1330 PRINT TAB(10); "REFLECTION": :
                                       1910 NEXT Y
                                       1920 A$ = "OK?"
1340 PRINT TAB(11); "1ST MOVE"
                                       1930 R=22
1350 INPUT "(5 SPACES)(B)LACK/(W)HI
                                       1940 C=27
     TE: ":A$
                                       1950 GOSUB 30
1360 PRINT : :
                                       1960 CALL KEY(0,K,S)
1370 IF (A$<>"B")*(A$<>"W")THEN 134
                                       1970 IF S=0 THEN 1960
                                       1980 IF (K<>78)*(K<>89)THEN 1960
1380 IF A$ = "B" THEN 1400
                                       1990 IF K +> 89 THEN 2020
1390 TU=2
                                       2000 CALL HCHAR(22,27,32,4)
1400 PRINT TAB(10); "GAME BOARD"
                                       2010 RETURN
1410 INPUT "
             (N)ORMAL/(D)ESIGN ONE
                                       2020 WC=0
     : ":A$
                                       2030 BC=0
1420 PRINT : :
                                       2040 GOSUB 1540
1430 IF (A$<>"D")*(A$<>"N")THEN 140
                                       2050 GOTO 1650
                                       2060 CHIPS=0
     ٥
1440 IF A$="N" THEN 1460
                                       2070 FOR I=1 TO 8
1450 DE=1
                                       2080 L=1
1460 INPUT "[3 SPACES] # OF PLAYERS
                                       2090 V=0
     [1/2] ?: ":CM
                                       2100 XX=0
1470 IF (CM<>1)*(CM<>2)THEN 1460
                                       2110 V=V+OF(1)
                                       2120 IF (XY+V>70)+(XY+V(0)THEN 2200
1480 PRINT : :
                                       2130 IF BO(XY+V)=5 THEN 2200
1490 CM=(CM=2)*2+CM
                                       2140 IF BO(XY+V) <> 3-TU THEN 2180
1500 IF CM=0 THEN 1530
1510 INPUT "{4 SPACES}SKILL LEVEL [
                                       2150 XX=1
     1/21 ?: ":LE
                                       2160 L=L+1
1520 IF (LE<>1)*(LE<>2)THEN 1510
                                       2170 GOTO 2110
1530 RETURN
                                       2180 IF (XX<>1)+(BO(XY+V)<>TU)THEN
1540 A$="pqrqqrqqrqqrqqrqqrqqr
                                             2200
1550 B$="s t t t t t t t t"
                                       2190 GOSUB 2220
1560 C$="uvwvvwvvwvvwvvwvvwvvwvvw"
                                       2200 NEXT I
1570 CALL SCREEN(2)
                                       2210 RETURN
1580 CALL COLOR(11,1,1)
                                       2220 W=1
1590 CALL COLOR(13,1,1)
                                       2230
                                            V = 0
1600 PRINT A$,B$,B$,A$&" 'S",B$,B$
                                       2240 V=V+OF(1)
                                       2250 TA(XY+V)=TU
     &" UP", A$, B$, B$, A$, B$, B$, A$&"
```

```
2910 RANDOMIZE
2260 W=W+1
2270 IF W<L THEN 2240
                                     2920 ZZ=INT(RND*2)+1
2280 CHIPS=CHIPS+W-1
                                      2930 IF ZZ<>1 THEN 2960
2290 RETURN
                                      2940 HI=QW
2300 FOR I=0 TO 71
                                      2950 H1=XY
2310 IF TA(1)=0 THEN 2350
                                      2960 XY=XY+1
2320 L=INT(1/9)
                                      2970 IF XY<71 THEN 2760
2330 CALL HCHAR(L*3+2,(1-9*L)*3+4,1 2980 IF (LE(>2)+(RE(>1)THEN 3000
     20+(TU-1)*8)
                                      2990 RETURN
2340 BO(1)=TU
                                      3000 IF ((HI (> - 32000) + (LE (> 1)) * ((HY
2350 NEXT !
                                           <>-32000)+(LE<>2))THEN 3030
2360 RETURN
                                     3010 FL=0
2370 REM WINNER
                                     3020 CHIPS=0
2380 IF BC = WC THEN 2430
                                     3030 XY=H1
2390 A$ = "BLACK"
                                     3040 IF LE (>2 THEN 3060
                                      3050 XY=H2
2400 HI=BC
2410 LO=WC
                                      3060 GOSUB 1270
                                      3070 Y=INT(XY/9)
2420 GOTO 2490
2430 IF BC=WC THEN 2480
                                     3080 X=XY-Y*9
2440 A$="WHITE"
                                     3090 RETURN
2450 HI=WC
                                     3100 A1=BC+1
2460 LO=BC
                                      3110 FOR E=0 TO 70
2470 GOTO 2490
                                      3120 A(E)=BO(E)
2480 A$="TIE GAME."
                                      3130 IF TA(E)<1 THEN 3160
2490 R=24
                                      3140 BO(E)=TA(E)
2500 C=3
                                      3150 A1=A1+1
2510 IF SEG$(A$,1,1)="T" THEN 2540
                                      3160 NEXT E
2520 CALL VCHAR(3,27,32,96)
                                      3170 BO(XY)=1
2530 A$=A$&" WINS "&STR$(HI)&" TO " 3180 FOR Q=1 TO 8
     &STR$(LO)&" !"
                                     3190 IF XY+OF(Q) <0 THEN 3210
2540 GOSUB 30
                                      3200 PO(XY+OF(Q))=PO(XY+OF(Q))+1
2550 BC=0
                                      3210 NEXT Q
2560 WC=0
                                     3220 NW=QW
2570 DE=0
                                     3230 RE=1
2580 TU=1
                                     3240 Y1=XY
2590 FOR I=0 TO 71
                                     3250 TU=2
2600 PO(1)=0
                                     3260 GOSUB 2740
2610 BO(1)=0
                                     3270 RE=0
2620 TA(1)=0
                                     3280 QY=NW-HI
2630 NEXT I
                                     3290 TU=1
2640 FOR I=1 TO 750
                                      3300 IF QY (= HY THEN 3340
2650 NEXT |
                                      3310 HY=QY
2660 A$=" PLAY AGAIN (Y/N)? "
                                      3320 H2=Y1
2670 GOSUB 30
                                      3330 GOTO 3410
2680 CALL KEY(0,K,S)
                                      3340 IF HY=0 THEN 3410
2690 IF S=0 THEN 2680
                                      3350 IF (QY/HY < . 86) + (QW/HY > 1.14) THE
2700 IF (K<>78)*(K<>89)THEN 2680
                                           N 3410
2710 IF K=89 THEN 100
                                      3360 RANDOMIZE
2720 STOP
                                      3370 ZZ=INT(RND*2)+1
2730 HY = - 32000
                                      3380 IF ZZ<>1 THEN 3410
2740 HI = - 32000
                                      3390 HY=QY
2750 XY=0
                                      3400 H2=Y1
2760 IF (BO(XY)>0)+(PO(XY)=0)THEN 2 3410 XY=Y1
     960
                                      3420 FOR E=0 TO 70
2770 GOSUB 2060
                                      3430 BO(E)=A(E)
2780 IF CHIPS=0 THEN 2960
                                      3440 NEXT E
2790 QW=(TT/8)*CHIPS+PT(XY)*(65-(TT
                                      3450 GOSUB 1270
     /8))
                                      3460 FOR Q=1 TO 8
2800 IF (LE <> 2) + (CHIPS <> A1) THEN 282
                                      3470 IF Y1+OF(Q) (0 THEN 3520
                                      3480 IF PO(Y1+OF(Q)) (>2 THEN 3510
2810 QW=10000
                                      3490 PO(Y1+OF(Q))=1
2820 IF (LE()2)+(RE()0)THEN 2850
                                      3500 GOTO 3520
2830 GOSUB 3100
                                      3510 PO(Y1+OF(Q))=0
2840 GOTO 2960
                                      3520 NEXT Q
2850 IF (QW<=HI)THEN 2890
                                      3530 RETURN
2860 HI = QW
                                      3540 IF XY=7 THEN 3640
2870 H1=XY
                                      3550 IF XY=63 THEN 3710
2880 GOTO 2960
                                      3560 IF XY=70 THEN 3780
2890 IF HI=0 THEN 2960
                                      3570 FOR I=9 TO 13
2900 IF (QW/HI < .86)+(QW/HI > 1.14)THE 3580 PT(I)=15-I
     N 2960
```

3590 NEXT (

```
3600 FOR I=1 TO 37 STEP 9
3610 PT(1)=6-INT(1/9)
3620 NEXT 1
3630 RETURN
3640 FOR 1=6 TO 42 STEP 9
3650 PT(1)=6-INT(1/9)
3660 NEXT |
3670 FOR 1=16 TO 12 STEP -1
3680 PT(1)=1-10
3690 NEXT I
3700 RETURN
3710 FOR 1=54 TO 58
3720 PT(1)=60-1
3730 NEXT I
3740 FOR 1=64 TO 28 STEP -9
3750 PT(1)=INT(1/9)-1
3760 NEXT I
3770 RETURN
3780 FOR 1=61 TO 57 STEP -1
3790 PT(1)=1-55
3800 NEXT |
3810 FOR 1=69 TO 33 STEP -9
3820 PT(1)=INT(1/9)-1
3830 NEXT I
3840 RETURN
3850 FOR 1=1 TO 8
3860 READ OF(1)
3870 NEXT I
3880 FOR X=0 TO 71
3890 READ PT(X)
3900 NEXT X
3910 FOR I=8 TO 71 STEP 9
3920 BO(1)=5
3930 NEXT 1
3940 FOR 1=0 TO 7
3950 READ A$
3960 CALL CHAR(1+112,A$)
3970 NEXT 1
3980 CALL CHAR(120, "003C7E7E7E7E3C0
     0 " )
3990 CALL CHAR(128, "003C7E7E7E7E3C0
     0 " )
4000 RETURN
4010 DATA -10,-9,-8,-1,1,8,9,10
4020 DATA 16,-6,6,2,2,6,-6,16,0,-6,
     -12,-2,-2,-2,-12,-6,0
4030 DATA 6,-2,6,2,2,6,-2,6,0,2,-2,
     2,1,1,2,-2,2,0
4040 DATA 2,-2,2,1,1,2,-2,2,0,6,-2,
     6,2,2,6,-2,6,0
4050 DATA -6,-12,-2,-2,-2,-12,-6
     ,0,16,-6,6,2,2,6,-6,16,0
4060 DATA FFFFC0C0C0C0C0C0,FFFF0000
     00000000, FFFF030303030303, COCO
     COCOCOCOCOCO
4070 DATA 0303030303030303,C0C0C0C0
     COCOFFFF,00000000000FFFF,0303
     03030303FFFF
4080 DATA 1,1,1,1,1,0,0,1,1,0,0,1,1
     , 1 , 1 , 1
4090 CALL CLEAR
4100 CALL SCREEN(13)
4110 PRINT TAB(3); "TYPE (B) FOR BLA
     CK CHIP": : : :
4120 PRINT TAB(3); "TYPE (W) FOR WHI
     TE CHIP": : : :
4130 PRINT TAB(3); "TYPE SPACE FOR N
     O CHIP": : : : : :
4140 FOR T=1 TO 750
4150 NEXT T
4160 RETURN
```



"Reflection," TRS-80 Color Computer version.

Program 6: Reflection For TRS-80 Color Computer

Version By Chris Poer, Editorial Programmer Refer to "COMPUTE!'s Guide To Typing In Programs" before entering this listing.

- 10 CLEAR: DIM BO(80), TA(71), PT(71), A (71),PO(80)
- 20 BT\$=CHR\$(161)+CHR\$(162):BB\$=CHR\$ (164)+CHR\$(168):WT\$=CHR\$(193)+CH R\$(194)=WB\$=CHR\$(196)+CHR\$(200)
- 30 CT3=CHR\$(177)+CHR\$(178):CB\$=CHR\$ (180)+CHR\$(184):ET\$=CHR\$(241)+CH R\$(242):E8\$=CHR\$(244)+CHR\$(248)
- 40 CLS: TU=1: PL=1
- 50 GUSUB 670
- 60 GOSUB 590
- 70 GOSUB 900
- 80 IF DE=1 THEN GOSUB 1040:GOTO 140 90 FOR Y=2TO5:FORX=2TO5
- 100 READA: PO(Y*9+X)=A: NEXTX: NEXTY 110 BO(30) = 2:BO(31) = 1:BO(39) = 1:BO(4
- 0)=2:8C=2:WC=2
- 120 PRINT@198,WT\$;:PRINT@200,BT\$;:P RINT@230, WB\$; : PRINT@232, BB\$;
- 130 PRINT@262, BT\$; : PRINT@264, WT\$; : P RINT@294, BB\$; : PRINT@296, WB\$;
- 140 FL=0:WC\$=STR\$(WC)+" ":BC\$=SIR\$ (BC)
- 150 IF TU=1 THEN AS = "BLUE'S TURN" : G OTO 180
- 160 AS = "WHITE'S TURN"
- 170 PRINT@51, "REFLECTION"
- 180 PRINTE146, AS: PRINTE210, "BLUE'S CHIPS": PRINT@248, BC\$
- 190 PRINT@306, "WHITE'S CHIPS": PRINT @344,WC\$
- 200 IF PL=1 THEN AL=BC+1:GOT0220
- 210 AL=WC+1
- 220 IF TU=PL AND CM=1 THEN GOSUB 16 20:GOTO340
- 230 A=JOYSTK(0):X=INT(JOYSTK(2)/8): Y=INT(JOYSTK(3)/8)
- 240 SP=Y*64+X*2:XY=X+Y*9
- 250 PRINTESP, CT\$; : PRINTESP+32, CB\$;
- FOR I = 1 TO 50 : NEXT |
- 270 IF (PEEK(65280)=253 OR PEEK(652 80)=125) AND BO(X+Y*9)=0 THEN 3 50

```
280 A$=INKEY$: |FA$="E" THEN 540
                                        780 PRINT:PRINT"(1-2) PLAYERS"
290 IFBO(XY)=OTHENPRINT@SP,ET$;:PRI
                                        790 A$=|NKEY$
    NT@SP+32,EB$;
                                           IF AS="2" THEN RETURN
                                        800
                                        810 IF A$<>"1" THEN 790
300 FORI=1T050:NEXTI
310 IF BO(XY)=1 THEN PRINTESP.BT$::
                                        820 CLS
    PRINT@SP+32.BB$::GOTO330
                                        830 CM=1:PRINT:PRINT:PRINT"WHAT LEV
                                            EL (1-2)"
320 IF BO(XY)=2 THEN PRINTESP, WT$;:
                                           A$=INKEY$:LE=VAL(A$):IF LE>2 OR
    PRINT@SP+32.WB$:
                                             LE<1 THEN 840
    GOTO 230
                                        850 PRINT: PRINT" COMPUTER PLAYS (W)H
340 IF FL=1 THEN 390
                                            ITF"
350 IF TU=1 THENPRINT@SP, BT$; : PRINT
                                        860 PRINT"COMPUTER PLAYS (B)LUE
    @SP+32,BB$;:GOTO370
                                        870 A$=|NKEY$:|F A$="W" THEN PL=2:G
360 PRINTESP, WT$; : PRINTESP+32, WB$;
                                            OTO 890
370 IF PO(XY)=0 THEN 390
                                        880 IF A$ <> "B" THEN 870
380 GOSUB 1330: IFCHIPS > OTHENGOSUB14
                                        890 RETURN
    40:BO(XY)=TU:GOTO440
                                        900 FORI=1TO8
390 PRINT@402,"ILLEGAL MOVE"
                                        910 READ A
400 SOUND 15.15
                                        920 OF(1)=A:NEXT |
410 PRINT@402,"{11 SPACES}"
                                        930 FORX = 0TO71
420 IF FL=1 THEN 490
                                        940 READ A:PT(X)=A
430 PRINTESP, ET$; : PRINTESP+32, EB$; :
                                        950 NEXT X
    GOTO490
                                        960 FOR I=8TO71STEP9:BO(I)=5:NEXT1
440 IF TU=1 THEN BC=BC+CHIPS+1:WC=W
                                        970 RETURN
    C-CHIPS: GOTO 460
                                        980 DATA -10,-9,-8,-1,1,8,9,10
450 WC=WC+CHIPS+1:BC=BC-CHIPS
                                        990 DATA 16,-6,6,2,2,6,-6,16,0,-6,-
460 FORQ = 1TO8: | FXY+OF(Q) > -1 THENPO(
                                            12,-2,-2,-2,-12,-6,0
    XY + OF(Q)) = 1
                                        1000 DATA 6,-2,6,2,2,6,-2,6,0,2,-2,
470 NEXTO
                                             2,1,1,2,-2,2,0
480
    IF XY=OORXY=7ORXY=63ORXY=70THEN
                                        1010 DATA 2,-2,2,1,1,2,-2,2,0,6,-2,
    GOSUB2040
                                             6,2,2,6,-2,6,0
490 TU=3-TU
                                        1020 DATA -6,-12,-2,-2,-2,-12,-6
500 IF WC=0 OR BC=0 OR BC+WC=64 THE
                                             ,0,16,-6,6,2,2,6,-6,16,0
    N 1500
                                        1030 DATA 1,1,1,1,1,0,0,1,1,0,0,1,1
510 GOSUB 530
                                             , 1 , 1 , 1
520 GOTO140
                                        1040 PRINTES1, "MOVE THE CURSOR"; : PR
530 FOR | = 0 TO 70 : TA( | ) = 0 : NEXT : RETURN
                                             INTell3, "WITH JOYSTICK2"
540 PRINT@400, "WANT TO QUIT Y/N";
                                        1050 PRINTE178, "TYPE (B) FOR": PRINT
550 A$=INKEY$:IF A$="Y" THEN 1500
                                             @211, "BLUE CHIP"
560 IF A$ <> "N" THEN 550
                                        1060 PRINT@274, "TYPE (W) FOR": PRINT
570 PRINT@400,"[16 SPACES]":
                                             @307, "WHITE CHIP"
580 GOTO 290
                                        1070 PRINT@370, "HIT SPACE IF": PRINT
590 CLS: FORY = 0 TO 7: FORX = 0 TO 7
                                             @403,"A MISTAKE"
600 XY=X*2+Y*64:PRINT@XY,ET$;:PRINT
                                        1080 PRINTE464, "TYPE (E) TO QUIT";
    @XY+32,EB$;
                                        1090 A=JOYSTK(0):X=INT(JOYSTK(2)/8)
610 NEXTX:NEXTY
                                             : Y = INT ( JOYSTK ( 3 ) / 8 ) : SP = X * 2 + Y * 6
620 RETURN
                                             4:XY=X+Y*9
630 SET(1, J, 6)
                                        1100 PRINTESP, CT$; : PRINTESP+32, CB$;
640 NEXTJ:NEXTI
                                        1110 FOR I = 1TO60: NEXT I
650 REM FORI=1TO56:SET(1,31,3):NEXT
                                        1120 PRINTESP, ET$; : PRINTESP+32, EB$;
                                        1130 A$= INKEY$
660 RETURN
                                        1140 FOR ! = 1TO 50 : NEXT !
670 PRINTTAB(11) "REFLECTION"
                                        1150 IF BO(XY)=1 THEN PRINTESP, BT$;
680 PRINT:PRINT"
                  USE JOYSTICK2 TO
                                             :PRINT@SP+32,BB$;:GOT01170
    MOVE THE (5 SPACES) CURSOR, PRESS
                                        1160 IF BO(XY)=2 THEN PRINTESP, WT :
     THE JOYSTICK (6 SPACES) BUTTON T
                                             :PRINTESP+32,WB$;
       MAKE YOUR MOVE."
                                        1170 IF A$ = "E" THEN 1230
690 PRINT"TYPE (E) TO END THE GAME
                                        1180 IF A$<>"E" AND A$<>" " AND A$<
                                             > "W" AND A$ <> "B" THEN 1090
700 PRINT: PRINT" (W) HITE MOVES FIRST
                                        1190 IF A$="W"THEN BO(XY)=2:PRINTES
                                             P, WT $; : PRINT@SP+32, WB $; : GOTO12
710 PRINT"(B) LUE MOVES FIRST"
                                             20
720 A$=|NKEY$:|F A$="W"THENTU=2:GOT
                                        1200 IF AS="B" THENBO(XY)=1:PRINTES
                                             P, BT$;: PRINT@SP+32, BB$;: GOTO12
730 IF A$ <> "B"THEN720
                                             20
740 PRINT:PRINT"(N)ORMAL BOARD"
                                        1210 BO(XY)=0:PRINTESP,ET$;:PRINTES
750 PRINT"(D)ESIGN YOUR OWN BOARD"
                                             P+32,EB$;
760 A$= INKEY$: IF A$="D" THEN DE=1:G
                                       1220 GOTO 1090
    OTO 780
                                        1230 FORI=OTO71: IFBO(1)=0 OR BO(1)=
770 IF A$<>"N" THEN 760
                                             5 THEN 1290
```

1240 FORE=1TO8 1750 XY=H1 IF LE=2 THEN XY=H2 1250 IF I+OF(E)>-1 THEN PO(I+OF(E)) 1760 1770 GOSUB 530 = 1 Y = | NT (XY/9) : X = XY - Y * 9 : SP = X * 2 + Y * 1260 NEXT E 1780 1270 IF BO(1)=1 THEN BC=BC+1:GOTO12 64 1790 RETURN 9.0 1280 WC=WC+1 1800 A1=AL:FOR E=01070 1290 NEXT I 1810 A(E)=BO(E) 1300 FORI = 64TO448STEP32: PRINTEI+16. 1820 IF TA(E)>0 THEN BO(E)=TA(E):A1 "[16 SPACES]"; = A 1 + 1 1310 NEXT | 1830 NEXT E 1320 RETURN 1840 BO(XY)=TU 1330 CHIPS = 0: FOR I = 1 TO8: L = 1: V = 0 1850 FORQ=1TO8 1340 V=V+OF(1): IFXY+V>70 OR XY+V<0 1860 IF XY+OF(Q)>-ITHENPO(XY+OF(Q)) =PO(XY+OF(Q))+1 THEN 1380 1870 NEXT Q 1350 IF BO(XY+V)=5 THEN 1380 1880 NW=QW:REC=1:Y1=XY 1360 IF BO(XY+V)=3-TU THENXX=1:L=L+ 1890 TU=3-TU:GOSUB 1630:REC=0 1:GOTO1340 1370 IF XX=1 AND BO(XY+V)=TU THENGO 1900 QY=NW-HI:TU=3-TU 1910 IF QY>HY THEN HY=QY:H2=Y1:GOTO SUB1400 1380 XX=0:NEXT 1940 1920 IF HY=0 THEN 1940 1390 RETURN IF QY/HY>.85 AND QY/HY<1.15 TH 1930 1400 W=1:V=0 1410 V=V+OF(1):TA(XY+V)=TU EN ZZ=INT(RND(0)*2):IFZZ=1THEN 1420 W=W+1:IF W<L THEN 1410 HY = QY : H2 = Y 1 1940 XY=Y1 1430 CHIPS = CHIPS + W-1: RETURN 1950 FORE = 0T070 1440 FORJ=0T07:FORI=0T07 1960 BO(E) = A(E): NEXT 1450 IF TA(I+J*9)=0 THEN 1490 1970 GOSUB 530 1460 SP=1*2+J*64: IF TU=2 THEN PRINT 1980 FORQ=1TO8 esp, wts;: Printesp+32, wbs;: Goto 1990 IF Y1+OF(Q) (0 THEN 2020 1480 2000 IF PO(Y1+OF(Q))=2 THEN PO(Y1+O 1470 PRINTESP, BT\$; : PRINTESP+32, BB\$; F(Q))=1:GOTO 2020 1480 BO(1+J*9)=TU 1490' NEXT: NEXT: RETURN 2010 PO(Y1+OF(Q))=0 2020 NEXT Q 1500 FOR I = 128TO384STEP32 2030 RETURN 1510 PRINT@I+16,"[16 SPACES]"; 2040 IF XY=7THEN2100 1520 NEXT I IF XY=63THEN2130 2050 1530 IF WC>BC THEN A\$ = "WHITE WINS" : 2060 IF XY=70THEN2160 H1=WC:H2=BC:GOTO 1560 2070 FOR != 9TO 13: PT(|) = 15 - |: NEXT 1540 IF BC>WC THEN AS="BLUE WINS":H 1=BC:H2=WC:GOTO 1560 2080 FORI=1T037STEP9:PT(1)=6-INT(1/ 1550 A\$ = " TIE GAME ": H1 = BC : H2 = WC 9):NEXT 2090 RETURN 1560 PRINT@147.A\$ 1570 PRINT@212, H1; "TO"; H2 2100 FOR I = 6TO 42 STEP9: PT(I) = 6-INT(I/ 1580 PRINT@304, "PLAY AGAIN (Y/N)"; 9):NEXT 1590 A\$= INKEY\$: IF A\$ = "Y" THEN 10 2110 FOR != 16TO 12STEP - 1: PT(|) = ! - 10: N 1600 IF A\$ (>"N" THEN 1590 EXT 2120 RETURN 1610 CLS: END 1620 HY = - 32000 2130 FOR I = 54TO58: PT(I) = 60-I: NEXT 1630 HI = -32000: FORXY = 0TO70 2140 FORI=64TO28STEP-9:PT(1)=INT(1/ 1640 IF BO(XY)>0 OR PO(XY)=0 THEN N 9)-1:NEXT EXT: GOTO 1730 2150 RETURN 1650 GOSUB 1330: IF CHIPS=0 THEN 172 2160 FORI=61T057STEP-1:PT(1)=1-55:N EXT 1660 TT=WC+BC:QW=(TT/8)*CHIPS+PT(XY 2170 FORI=69TO33STEP-9:PT(1)=INT(1/)*(65-TT)/8 9)-1:NEXT 1670 IF LE=2 AND CHIPS=A1 THEN QW=1 2180 RETURN 0000 IF LE=2 AND REC=0 THEN GOSUB 1 1680 **Program 7: Reflection For Apple** 800:GOTO 1720 Version By Chris Poer, Editorial Programmer 1690 IF QW>HI THEN HI=QW:H1=XY:GOTO Refer to "COMPUTEI's Guide To Typing In Programs" 1720 before entering this listing. 1700 IF HI=0 THEN 1720 1710 IF QW/HI > .85 AND QW/HI<1.15 T CLEAR : DIM BO(80), TA(71), A(71), P HEN ZZ=INT(RND(0)*2):IF ZZ=1TH O(80),PT(71) ENHI = QW: H1 = XY 10 TU = 1: ROT= 0: POKE 232,28: POKE 1720 NEXT 233,3: TEXT : HOME :FL = 1:PL = 1730 IF LE=2 AND REC=1 THEN RETURN

12


15

RESTORE

GOSUB 9000

1740 IF (HI=-32000 AND LE=1) OR (HY

=-32000 AND LE=2) THEN FL=1



"Reflection," Apple version

```
GOSUB 1000
20
30
    GOSUB 2000
40
    GOSUB 10000
50
    IF DE = 1 THEN GOSUB 3000: GOTO
     100
60
    HCOLOR= 4: SCALE= 1: DRAW 2 AT 1
     54,82: DRAW 2 AT 128,62
    HCOLOR= 7: DRAW 2 AT 127,82: DRAW
     2 AT 153.62
80 BC = 2:WC = 2: FOR Y = 2 TO 5: FOR
     X = 2 TO 5
    READ A:PO(Y * 9 + X) = A: NEXT :
      NEXT
100 FL = 1: IF TU = 1 THEN MS = "BLA
     CK'S TURN": GOTO 120
110 MS = "WHITE'S TURN"
    VTAB 21: PRINT TAB( 15)M$: VTAB
     (23): PRINT TAB( 10); BC; TAB(
     30); WC:"
     VTAB (22): PRINT "
                         BLACK'S CH
             WHITE'S CHIPS"
     IF PL = 1 THEN AL = BC + 1: GOTO
127
     130
128 AL = WC + 1
     IF COM = 1 AND TU = PL THEN
                                   GOSUB
     6000: GOTO 250
135 X = 4:Y = 4:Z =-1: POKE - 16368
     .0
140 Q = PEEK ( ~ 16384):X1 = X:Y1 =
     Y: POKE - 16368,0
     IF Q = 201 AND Y > 0 THEN Y = Y
150
     IF Q = 205 AND Y < 7 THEN Y = Y
160
170
     IF Q = 203 AND X < 7 THEN X = X
     IF Q = 202 AND X > 0 THEN X = X
180
183
     IF Q < > 197 THEN 188
184
    VTAB (23): PRINT "
                           ARE YOU S
    URE YOU WANT TO QUIT? " :: GET A
     $: IF A$ = "Y" THEN 7000
    SCALE = Z: HCOLOR = 6: DRAW 1 AT
185
    X1 * 26 + 39, Y1 * 20 + 2
186
    HOME : GOTO 100
```

IF BO(X1 + 9 * Y1) = 2 THEN OF =

1: GOTO 190

189 OF = 0


```
190
     SCALE = Z: HCOLOR = 6: DRAW 1 AT
     X1 * 26 + 39, Y1 * 20 + 2
200
     IF BO(X1 + 9 * Y1) ( > 0 THEN
      SCALE = 1: HCOLOR = 4 + (BO(X1 +
     9 * Y1) - 2) * 3: DRAW 2 AT X1 *
     26 + 49 + OF + (X1 > 4) * 2,Y1 *
     20 + 2
210 Z = Z + 3: IF Z > 16 THEN Z = 1
    IF X < > X1 OR Y < > Y1 THEN
215
      POKE 768,1: POKE 769,160: CALL
     770
     SCALE = Z: HCOLOR = 5: DRAW I AT
     X * 26 + 39, Y * 20 + 2
     IF Q < > 160 THEN 140
230
     IF BO(X + 9 * Y) > 0 THEN 140
233
     IF TU = 1 THEN OF = 1: GOTO 240
235
237 OF = 0
    SCALE = Z: HCOLOR = 6: DRAW 1 AT
240
     X * 26 + 39, Y * 20 + 2
     SCALE= 1: HCOLOR= 4 + (TU - 1) *
250
253
     IF FL = 0 THEN 280
     POKE 768,2: POKE 769,110: CALL
255
     770
     DRAW 2 AT X * 26 + 49 + OF + (X
260
      ) 4) * 2,Y * 20 + 2
     POKE 768,3: POKE 769,125: CALL
265
     770
267 XY = Y * 9 + X: IF PO(XY) = 0 THEN
     290
     GOSUB 4000
270
     IF CHIPS > 0 THEN GOSUB 5000:B
280
     O(XY) = TU + 1: GOTO 320
     VTAB (23): PRINT "
                           FALSE MOV
290
     E, FORFEITURE OF TURN."
     POKE 768,50: POKE 769,10: CALL
295
     770
     FOR 1 = 1 TO 500: NEXT |
296
     1F FL = 0 THEN 340
297
299
     POKE 768,3: POKE 769,125: CALL
     770
     HCOLOR= 6: DRAW 2 AT X * 26 + 4
300
     9 + OF + (X > 4) * 2,Y * 20 + 2
     POKE 768,2: POKE 769,110: CALL
310
     770: GOTO 340
     IF TU = 1 THEN BC = BC + CHIPS +
320
     1:WC = WC - CHIPS: GOTO 333
330 BC = BC - CHIPS:WC = WC + CHIPS +
333
     FOR Q = 1 TO 8
337
     IF XY + OF(Q) > - 1 THEN PO(XY
      + OF(Q)) = 1
338
     NEXT Q
340 TU = (TU - 2) * - 1 + 1
350
     IF WC = 0 OR BC = 0 THEN 7000
360
     IF WC + BC = 64 THEN 7000
370
     GOSUB 500
380
     IF XY = 0 OR XY = 7 OR XY = 63 OR
     XY = 70 THEN GOSUB 6800
400
     GOTO 100
500
     FOR I = 0 TO 71:TA(I) = 0: NEXT
     : RETURN
1000
     HOME : VTAB (2): HTAB (14): INVERSE
     : PRINT "REFLECTION": NORMAL
1001
      VTAB (4): PRINT TAB( 9)"(1-J-
     K-M) MOVES CURSOR."
      PRINT TAB( 8)"PRESS SPACE TO
1002
     MAKE MOVE."
1003
     PRINT : PRINT TAB( 11)"TYPE (
     E) TO QUIT."
```

```
VTAB (10): PRINT TAB( 11)"(W)
                                            3010 X = T * 26 + 38:Y = 1 * 20 + 2
     HITE MOVE FIRST"
                                            3020 POKE - 16368.0
     PRINT TAB( 11)"(B)LACK MOVE F
                                            3030 Q = PEEK ( - 16384)
     IRST"
                                            3040
                                                 IF Q = 160 OR Q = 194 OR Q = 2
     POKE '- 16368,0
1030
                                                 15 THEN 3080
1040
     IF PEEK ( - 16384) < 128 THEN
                                            3050
                                                  HCOLOR= 6: DRAW 1 AT X,Y:Z = Z
     1030
                                                  + 2: IF Z > 16 THEN Z = 1
     GET AS: IF AS = "W" THEN TU =
1050
                                            3060
                                                  SCALE = Z: HCOLOR = 5: DRAW 1 AT
     2: GOTO 1070
                                                 X,Y
1060
     IF A$ < > "B" THEN 1030
                                            3070
                                                  GOTO 3030
     VTAB (13): PRINT TAB( 10)"(N)
                                            3080
                                                  HCOLOR= 6: DRAW 1 AT X,Y
     ORMAL GAME BOARD"
                                            3090
                                                 IF Q = 215 THEN HCOLOR= 7:OF =
     PRINT TAB( 9)"(D) IFFERENT GAM
1080
                                                 0:WC = WC + 1:BO(T + 9 * 1) = 3
     E BOARD"
                                                 : GOTO 3110
     POKE - 16368,0
1090
                                                 IF Q = 194 THEN HCOLOR= 4:OF =
1100 IF PEEK ( - 16384) < 128 THEN
                                                 1:BC = BC + 1:BO(T + 9 * 1) = 2
                                                 : GOTO 3110
                                            3105 POKE 768,1: POKE 769,160: CALL
     GET AS: IF AS = "D" THEN DE =
     1: GOTO 1140
                                                 770: GOTO 3120
                                                 SCALE= 1: DRAW 2 AT X + 11 + 0
     IF A$ < > "N" THEN 1090
                                                 F + (T > 4) * 2,Y
1130 BO(30) = 2:BO(40) = 2:BO(31) =
                                            3115 POKE 768,3: POKE 769,125: CALL
     3:BO(39) = 3
     VTAB (16): PRINT TAB( 14)"(0)
                                                 770
1140
                                            3116
                                                 IF Q = 160 THEN 3120
     NE PLAYER"
                                            3117 FOR E = 1 TO 8
1150 PRINT TAB( 14)"(T)WO PLAYERS"
                                                  IF T + 9 * I + OF(E) > 0 THEN
                                            3118
     POKE - 16368,0
                                                 PO(T + 9 * I + OF(E)) = 1
1160
                                            3119
                                                 NEXT
     IF PEEK ( - 16384) < 128 THEN
1170
     1170
                                            3120
                                                  NEXT T: NEXT I
     GET A$: IF A$ = "T" THEN IF A$ < > "O" THEN 1160
                                            3130
                                                 HOME : RETURN
1180
                                RETURN
                                            4000 CHIPS = 0: FOR I = 1 TO 8:L = 1
1190
1200 COM = 1: VTAB (19): PRINT
                                TAB(
                                                 :V = 0
                                            4005 V = V + OF(1): IF XY + V > 70 OR
     13) "WHAT LEVEL (1-2)"
                                                 XY + V < 0 THEN 4040
     POKE - 16368,0
1210
                                            4006
                                                  IF BO(XY + V) = 5 THEN 4040
     IF PEEK ( - 16384) < 128 THEN
1220
                                            4010
                                                  IF BO(XY + V) = 4 - TU THEN XX
     1210
                                                  = 1:L = L + 1: GOTO 4005
1230
     GET AS:LE = VAL (AS): IF LE <
     1 OR LE > 3 THEN 1230
                                            4020
                                                  IF XX = 1 AND BO(XY + V) = TU +
                                                        GOSUB 4100
     VTAB (21): PRINT TAB( 9)"COMP
                                                 1 THEN
1240
                                            4040 XX = 0: NEXT 1
    UTER PLAYS (B)LACK"
                                            4060 RETURN
     PRINT TAB( 9)"COMPUTER PLAYS
1250
                                            4100 W = 1:V = 0
     (W)HITE"
                                            4110 V = V + OF(1):TA(XY + V) = TU +
     POKE - 16368,0
1260
     IF
         PEEK ( - 16384) < 128 THEN
1270
                                            4120 W = W + 1: IF W < L THEN 4110'
     1260
     GET AS: IF AS = "W" THEN PL =
                                            4130 CHIPS = CHIPS + W - 1: RETURN
1280
                                            5000
                                                 FOR I = 0 TO 7: FOR T = 0 TO 7
     2: GOTO 1300
     IF A$ ( > "B" THEN 1280
                                            5010
                                                  IF TA(T + 1 * 9) = 0 THEN 5080
1290
1300
     HOME : RETURN
                                            5020
                                                 HCOLOR= 6: DRAW 2 AT T * 26 +
                                                 49 + (T > 4) * 2,1 * 20 + 2
2000
     HGR
     FOR I = 0 TO 159
                                            5025
                                                 POKE 768,2: POKE 769,110: CALL
2010
     HCOLOR= 6: HPLOT 36,1 TO 244,1
2020
                                                 770
     HCOLOR= 2: HPLOT 0,1 TO 33,1
                                            5030
                                                 HCOLOR= 4 + (TU - 1) * 3: DRAW
2023
                                                 2 AT T * 26 + 49 + OF + (T > 4)
     HCOLOR= 5: HPLOT 245,1 TO 279,
2026
                                                  *2,1 *20 + 2
                                            5040 BO(T + I * 9) = TU + 1
2030
     NEXT I
                                            5055 POKE 768,3: POKE 769,125: CALL
2040
     HCOLOR= 4
                                                 770
     FOR I = 1 TO 8
2050
                                            5060
                                                  FOR Q = 1 TO 8
     HPLOT 1 * 26 + 36,0 TO 1 * 26 +
2060
                                            5070
                                                  IF XY + OF(Q) > 0 THEN PO(XY +
     36,159
     HPLOT 36,1 * 20 TO 244,1 * 20
                                                 OF(Q)) = 1
2070
                                            5075
     NEXT I
                                                  NEXT Q
2080
                                            5080
                                                  NEXT T: NEXT I
2130
     RETURN
                                            5090 RETURN
3000
      VTAB (22): PRINT "TYPE (W) FOR
      PLACING A WHITE CHIP HERE."
                                            6000 \text{ HY} = -32000: \text{OF} = (PL - 2) *
3003
      PRINT "TYPE (B) FOR PLACING A
                                            6010 HI = - 32000: FOR XY = 0 TO 70
     BLACK CHIP HERE."
                                                 : IF PO(XY) = 0 OR BO(XY) > 0 THEN
      PRINT " HIT THE SPACEBAR TO MO
     VE THE CURSOR."
                                                  NEXT XY: GOTO 6203
     FOR I = 0 TO 7: FOR T = 0 TO 7
                                            6030 GOSUB 4000
3009
```

```
6040
     IF CHIPS = 0 THEN NEXT XY: GOTO
                                                 1) = 1 - 19
                                            6880 RETURN
     6203
6060 TT = WC + BC:QW = (TT / 8) * CH
                                            6890
                                                 FOR I = 54 TO 59:PT(I) = I - 4
     IPS + PT(XY) * (65 - TT) / 8
                                                 8: NEXT
     IF LE = 2 AND CHIPS = A1 THEN
                                            6900
                                                 FOR I = 64 TO 28 STEP - 9:PT(
                                                 I) = INT (I / 9) - 1: NEXT
     OW = 10000
     IF LE = 2 AND REC = 0 THEN GOSUB
                                            6910
                                                 RETURN
                                            6920 FOR I = 62 TO 58 STEP - 1:PT(
     6400: NEXT XY: GOTO 6203
                                                 1) = 1 ~ 57: NEXT
     IF OW > HI THEN HI = OW:HI = X
     Y: NEXT : GOTO 6203
                                                 FOR I = 69 TO 33 STEP - 9:PT(
                                                 1) = INT (1 / 9) - 1: NEXT
     IF H! = 0 THEN NEXT XY: GOTO
                                            6940 RETURN
     6203
                                            7000 SCALE= 1:WI = 3: IF WC > BC THEN
     IF QW / HI > .85 AND QW / HI <
6110
     1.15 THEN ZZ = INT ( RND (1) *
                                                 GC = WC:BL = 4:M$ = "WHITE":WH =
     2): IF ZZ = 1 THEN HI = QW:H1 =
                                                 1: GOTO 7020
     XY
                                                 IF BC > WC THEN GC = BC:WI = 2
                                            7010
6200
     NEXT
                                                 :WH = 3:M$ = "BLACK":BL = 6: GOTO
6203 IF LE = 2 AND REC = 1 THEN RETURN
                                                 7020
                                            7015 TI = 1:GC = WC:WH = 1:BL = 6:WI
     IF (HI = -32000 \text{ AND LE} = 1) OR
                                                  = 0
     (HY = -32000 \text{ AND LE} = 2) \text{ THEN}
                                            7020
                                                  FOR I = 1 TO GC
     FL = 0:CHIPS = 0
                                            7030 IF WC > = I THEN HCOLOR= 3: DRAW
6210 XY = H1
                                                 2 AT 15,140 - I * 2
6220 IF LE = 2 THEN XY = H2
                                                 IF BC > = 1 THEN HCOLOR= 4: DRAW
6230 GOSUB 500
                                                 2 AT 266,140 - 1 * 2
6250 Y = INT (XY / 9):X = XY - Y *
                                                  POKE 768,2: POKE 769,80 + 1 *
     9
                                                 2: CALL 770
6260 RETURN
                                            7050
                                                  NEXT I
6400 A1 = AL: FOR E = 0 TO 70
6410 A(E) = BO(E)
                                            7060
                                                  HCOLOR= CO: FOR I = 1 TO GC
                                                  IF WC > = I THEN HCOLOR= WH:
     IF TA(E) > 0 THEN BO(E) = TA(E
                                            7070
                                                  DRAW 2 AT 15,140 - 1 * 2
     ):A1 = A1 + 1
                                                 IF BC > = I THEN HCOLOR= BL:
6430
     NEXT E
                                            7075
6440 BO(XY) = TU + 1
                                                  DRAW 2 AT 266,140 - 1 * 2
6441 FOR Q = 1 TO 8
                                                  POKE 768,2: POKE 769,80 + 1 *
                                            7080
     IF XY + OF(Q) > - 1 THEN PO(X
                                                 2: CALL 770
     Y + OF(Q)) = PO(XY + OF(Q)) + 1
                                            7090 NEXT I
                                                  HOME : VTAB (21): IF TI THEN PRINT
                                            7100
6446 NEXT Q
6450 NW = QW:REC = 1:Y1 = XY
                                                  TAB( 10) "THE GAME IS A TIE": GOTO
6460 TU = 3 - TU: GOSUB 6010:REC = 0
                                                 7120
                                                PRINT TAB( 12)M$" IS THE WINN
     :TU = 3 - TU:QW = NW - HI
                                            7110
                                                 ER"
     IF QW > HY THEN HY = QW:H2 = Y
                                                 PRINT " WOULD YOU LIKE TO PLA
     1: GOTO 6550
                                            7120
                                                 Y AGAIN? (Y/N)";
     IF HY = 0 THEN 6550
6490
    IF QW / HY > .85 AND QW / HY <
                                            7130 POKE - 16368,0
     1.15 THEN ZZ = INT ( RND (1) *
                                            7140 IF PEEK ( - 16384) < 128 THEN
                                                 7130
     2): IF ZZ = 1 THEN HY = QW:H2 =
                                                 GET AS: IF AS = "N" THEN
                                            7150
     Y 1
6550 XY = Y1
                                                 : HOME : END
                                                  IF A$ ( > "Y" THEN 7150
6560
     FOR E = 0 TO 70
                                            7160
6570 BO(E) = A(E)
                                            7170
                                                  GOTO 5
6580
      NEXT
                                            7200
                                                  END
      GOSUB 500
                                            9000
                                                  FOR I = 1 TO 8
6590
6600
      FOR Q = 1 TO 8
                                            9010
                                                  READ A
6610
     IF Y1 + OF(Q) < 0 THEN 6630
                                            9020 \text{ OF(I)} = A
     IF PO(Y1 + OF(Q)) = 2 THEN PO(
                                            9030
6615
                                                 NEXT I
     Y1 + OF(Q)) = 1: GOTO 6630
                                            9040
                                                  FOR X = 0 TO 71
                                            9050
6620 \text{ PO(Y1 + OF(Q))} = 0
                                                  READ A:PT(X) = A
6630
     NEXT Q
                                            9060
                                                  NEXT
6640
      RETURN
                                                  FOR I = 770 TO 795: READ M: POKE
                                            9070
      IF XY = 7 THEN 6860
6800
                                                 I,M: NEXT I
6810
      IF XY = 63 THEN 6890
                                            9080
                                                 FOR I = 8 TO 71 STEP 9:BO(1) =
     IF XY = 70 THEN 6920
6820
                                                 5: NEXT
     FOR I = 9 TO 13:PT(I) = 15 - I
6830
                                            9099
                                                  RETURN
     : NEXT
                                            9100
                                                  DATA -10,-9,-8,-1,1,8,9,10
     FOR I = 1 TO 37 STEP 9:PT(I) =
                                            9120 DATA 16,-8,5,2,2,5,-8,16,0,-8
6840
     6 - INT (1 / 9): NEXT
                                                 ,-12,-2,-2,-2,-12,-8,0
6850
     RETURN
                                            9130 DATA 5,-2,8,2,2,8,-2,5,0,2,-2
    FOR I = 6 TO 42 STEP 9:PT(I) =
                                                 ,2,1,1,2,-2,2,0
     6 - INT (1 / 9): NEXT
                                            9140 DATA 2,-2,2,1,1,2,-2,2,0,5,-2
```

6870 FOR I = 16 TO 12 STEP - 1:PT(

,8,2,2,8,-2,5,0





"STILL #1 FOR THE COMMODORE 64" "

VSA MonterCo

We've totally improved *THE CLONE MACHINE™* to bring you the finest back-up & utility program available for your system. Back-up all types of files including relative files, display & edit track/blocks in Hex or ASCII, alter directory, plus new *SUPER CLONE™* that provides one of the fastest copies known to date. Our *SUPER UNGUARD* which replaces the standard Unguard, allows you to easily do errors 20, 21, 22, 23, 27, and 29 without any disassembly of your drive (like some competitors' products suggest) and it works much more efficiently and faster than the now obsolete Unguard. We've added some new tricks which we didn't even know were possible, to allow you to back up what was formerly considered uncopyable by any means. Don't worry about your old obsolete Clone Machine because as long as you have registered your postcard with us, the new version is available for only \$10 plus shipping and handling.

STILL ONLY \$49.95

Check out these other fine Utility products

MR TESTER™ — A product that can test your complete Commodore™ system (including memory, joysticks and ports, 1541 drive load and save, SID chip, printer, screen and color display, recorder, plus more). A necessary addition to your software library that adds the assurance of a correctly operating system. — ONLY \$29.95

SCREEN DUMPER 64TM — How would you like to print what's on the screen (including hi-res graphics, text, multicolor sprites, and even what you have drawn with your KOALA PAD*)? Well this utility will easily transfer what's on the screen to your Commodore printer or other type matrix printer* by simply pressing the proper key sequence. Best of all, this program was designed to reside in a hidden area that will not steal memory from most programs allowing Screen Dumper 64 to be loaded along with many of the popular graphic software and games. That means it's easy to print out your favorite screens, business graphics, and/or text while your program is up and running. — A BARGAIN AT ONLY \$29.95

*Standard matrix printers require an intelligent graphics interface such as the Micro-World MW-350, Tymac Connection, or others.


FANTASTIC FILER™ — A thorough data base program that holds an average of 1000 records per disk. Fast access time with full menu driven subsections. A virtual steal at only \$29.95

Available from



201-838-9027

Dealer & Distributors Inquiries Invited





Spiders

Joe Rocke

A furiously fast and frenzied game, "Spiders" will keep your fire-button finger in top physical condition. It takes sharp reflexes and lots of stamina to resist the waves of alien spiders bent on attacking your solar system. Originally written for the unexpanded VIC-20, Spiders has been adapted for the Commodore 64 with joystick; Apple; IBM PC with 128K, color/graphics adapter, game port adapter, joystick, and Advanced BASIC (BASICA); and PCir with 128K, joystick, and Cartridge BASIC.

The Arachnid Empire is invading, and it's up to you to stop them. These venomous spiders have left their home web-world to seek fresh prey, and are attracted to the blue sphere of Earth.

As you sip coffee in your comfy chair, you're suddenly interrupted by screaming klaxons and flashing lights which alert you that a large Arachnid armada is speeding toward Earth. It's too late to send up manned fighters, so you activate the planetary defense system-radiocontrolled robot fighters. No longer comfortable, you poise before your video screen, thumb on the launcher button, awaiting the onslaught.

Your video screen shows the spider forma-

tion. Three rows of fighting spiders jockey for position, hoping to receive the signal that will dispatch them toward glorious conquest. The whole armada sways back and forth hypnotically. Individual fighters get the signal and careen away, dropping missiles. You must position your robot fighter beneath each spider, then squeeze off a shot. Down they come, firing missiles as they whirl toward seeming victory. If you miss, the spider will rejoin its comrades. Their orders are to eliminate the planetary defense system (you), then attack en masse.

Two Arachnidan generals radio orders from their safe positions at the top of the formations. A lieutenant waits beneath each general. The generals and lieutenants won't attack until you've eliminated all the fighters, but then will fight with surprising speed and fury. Until you've destroyed the fighters, these officers are impervious to your attack.

You get 10 points for shooting a fighter in formation, and 100 points for an attacking spider. You have three robot ships available, one at a time. You lose a ship when a spider hits it with a missile or crashes into it. When (not if) you lose a ship, the invaders victoriously swarm to the ground.









RAID ON BUNGELING BAY™

When you shopped for a computer, you wanted one with a lot of intelligence. This game may lead you to regret that choice, as your friendly little computer becomes the brains behind the most fantastic enemy you will ever face: The War Machine.

A monstrous artificial intelligence directs an endless army of self-replicating robot weapons and a complex of factories hidden on six heavily defended islands. Even as you strike at one island, robots beyond your field of vision continue to multiply...to repair the damage you've done...to attack and destroy.

Before all of Humankind is crushed beneath the Bungeling Empire's iron heel, one faint hope remains: you in your helicraft.

THE CASTLES OF DOCTOR CREEP™

Ever dream that you were locked in a haunted castle, wandering blindly through darkened corridors, never knowing what ghastly demons await you? Then you'll feel right at home in *The Castles of Doctor Creep*.

It's a maddening maze of 13 separate castles, more than 200 rooms in all. Sinister surprises await you behind every door: mummies and monsters, forcefields and death rays, trap doors and dead—very dead—ends. Remember where you've been and watch where you're going...there's got to be a way out somewhere!

Better hurry, or you'll wind up playing a rather unpleasant role in one of Doctor Creep's experiments.

SPELUNKER™

Who knows what fabulous treasures—and unspeakable dangers—await you in the world's deepest cave? This is one game you can really get into... and into...and into...

Wander through miles of uncharted passageways, swinging on ropes and ladders, tumbling over subterranean falls and plunging to the very depths of the earth on an abandoned mine railroad. Deadly steam vents and boiling lava pits threaten you at every turn. Chattering bats and the Spirits of dead Spelunkers beg you to join them, permanently.

Let's face it: you're in deep, deep trouble.

WHISTLER'S BROTHER™

You're the star of a full-fledged arcade adventure—and the big question is whether it'll turn out to be a comedy or a tragedy. That's because your co-star and beloved brother, Archaeologist Fenton Q. Fogbank, is rather absentminded and extremely accident-prone.

As you search for priceless treasures in steaming tropical jungles, ancient cliff villages, musty old tombs and glittering crystal caverns, you control both your character and your brother. The only way to keep him on track and out of trouble is to whistle and pray that he follows you to safety.

Poison arrows, runaway boulders, fearsome frogs and mysterious mummies are only a few of the hazards that'll make you wish you weren't your brother's keeper.

STEALTH™


You're all alone on a strange and forbidding planet. On the distant horizon, looming thousands of meters above the blasted landscape, lies your destination: The Dark Tower, home of the mysterious Council of Nine, cruel overlords of a conquered world.


You must maneuver your Stealth Starfighter through an unending assault by the Council's automated arsenal — jets and heat-seeking missiles, photon tanks and anti-aircraft batteries, vaporizing volcanoes and deadly energy fields. Outgunned and outmanned, you must press ever onward, with only your stealth to rely on.


You must reach the Tower. You must destroy it. There's no turning back.












NO MERCY

FOR COMMODORE.



CHAMPIONSHIP LODE RUNNER™

It has come to our attention that some of you out there think you're pretty good at Lode Runner, 1983's best computer game. For those foolhardy few, we offer a challenge of a higher order: Championship Lode Runner.

With fifty fiendish Treasury Chambers:


With fifty fiendish Treasury Chambers: more intricate, more elaborate, more insidious than anything you've seen before. You'll need lots of skill, lots of smarts, and every ounce of your lode-running experience to have any hope at all of survival.

And if you haven't yet paid your dues on the original *Lode Runner*, don't even think of attempting this championship round.





"Spiders," VIC-20 version.



"Spiders," Commodore 64 version.

The bonus round begins once you've eliminated all the fighters. Two at a time, the lieutenants and then the generals launch their attack. The bonus round scores ten times as much as normal play. Shooting an officer in formation gets you 100 points, and hitting an officer in flight is worth 1000 points. The bonus round ends when your ship is hit or when you've finished off the officers. You don't lose your ship if hit during the bonus round. After the round, a new (more difficult) formation appears.

VIC-20 Spiders

The VIC, 64, and Apple versions of "Spiders" each consist of two programs, one written in BASIC, the other in machine language.

Program 1 is the BASIC portion of Spiders for the unexpanded VIC-20. Program 2 must be typed in with "Tiny MLX," the machine language editor for the unexpanded VIC found elsewhere in this issue. Before typing in Program 2, make these modifications to the Tiny MLX program:

:rem 8 100 POKE55, 0: POKE56, 25:CLR :rem 136 210 S=6405:E=7676

After you have typed in and saved both programs, follow these steps to load and run Spiders on the unexpanded VIC:


- Load the BASIC program (LOAD) "filename",8 for disk or LOAD "filename" for
- Load the machine language program (LOAD "filename", 8,1 for disk or LOAD "filename",1,1 for tape).
 - 3. Plug in a joystick and enter RUN.

Commodore 64 Spiders

The 64 version is entered much like the VIC version. Enter the BASIC portion (Program 3) and



"Spiders," Apple version.



"Spiders," IBM PC/PCjr version.

66... facts attest to its

EXCELLE


FAMILY COMPUTING

"So far as we are concerned, Paper Clip is the top word processor running on a micro computer."

-Home Applications For The C-64

"Paper Clip is one of the easiest of the professional word processors to use, with a sensible manual and plenty of aids for the accident-prone."

-Computing Now



 Γ ROM CLAY TABLETS, THROUGH PARCHMENT, GUTENBERG AND BEYOND, MAN HAS SEARCHED FOR THE ULTIMATE METHOD TO STORE, SORT AND PRINT THE WRITTEN WORD. NOW, BATTERIES INCLUDED PROVIDES THAT METHOD, THE PAPER CLIP FAMILY. AN OUTSTANDING WORD PROCESSOR AND SPELLING CORRECTION SYSTEM FOR ALL COMMODORE COMPUTERS — AND COMING SOON FOR APPLE AND ATARI.



186 Queen St. West Toronto, Ontario, M5V 1Z1 Canada (416) 596-1405

'The Energized Software Company!" WRITE FOR A FULL COLOR BROCHURE

17875 Sky Park North, Suite P, Irvine, California USA 92714 save it to tape or disk. Then use the 64 MLX machine language editor to enter Program 4. Use a starting address of 7911 and an ending address of 9182. To load and run Spiders on the 64, follow these steps:

- 1. Load the machine language program (LOAD "filename",8,1 for disk or LOAD "filename",1,1 for tape).
 - 2. Enter NEW.
- 3. Load the BASIC program (LOAD "filename", 8 for disk or LOAD "filename" for tape).
 - 4. Plug a joystick into port 2, enter RUN.

Apple Spiders

The Apple version works on the Apple II Plus, Apple IIe, or Apple IIc with DOS 3.3. The keyboard is used instead of the joystick. Press the space bar to fire shots and the left- and right-arrow keys to position your ship.

Type in the BASIC portion (Program 5) and save it to disk. Enter the machine language portion (Program 6) with the Apple's machine language monitor. Follow these steps:

- 1. From BASIC, enter CALL -151. You'll see the asterisk (*) prompt of the monitor instead of the bracket () used by Applesoft.
- 2. To enter each line, type in the address of the line (the four-digit number), then a colon (:). Use this colon in place of the hyphens shown in the listing. Next, enter the eight two-digit numbers, separating each with a space. Press RETURN at the end of the line, then enter the address of the next line, and so on.
- 3. After you've entered the listing, press CTRL-C, then RETURN to exit to BASIC.
- 4. To save the machine language to disk, enter this command, using the exact filename given here:

BSAVE "SPIDER 2",A\$9000,L\$4C6

5. To play Spiders, simply run the BASIC program. It will automatically BLOAD the machine language portion as long as the disk with "SPIDER 2" is in the drive.

PC/PCjr Spiders

Due to programming considerations, the IBM PC/PCjr version of Spiders plays differently than the VIC, 64, and Apple versions.

Despite gallant efforts, the VIC, 64, and Apple players have let some of the invading spiders escape. Now the spiders are heading for the final battle, which takes place on your IBM. As mankind's last hope, you must thwart the ruthless aims of the Arachnid Empire. The evil Empire sends wave after wave of Spider ships with

only one purpose in mind—get past your defenses and conquer. As the lone defender, you must not let these ships escape. Line up your craft beneath the oncoming horde and press the fire button on your joystick to send a pulse of energy flashing skyward. The alien ships will not fire, nor will they attempt to dodge your shots. They depend on their strength in numbers to defeat you. The dreaded arachnids do not fear death and will happily fall upon you, detonating both of you in a flash.

You get more points for shooting the aliens when they're closer to your ship. Therefore, shooting a spider can be worth anything from 10 points to 200 points. After all the spiders have either fallen or been destroyed, you get a 10,000-point bonus, but watch out—you lose 1000 points for every spider you let escape. If your score falls to zero, you lose one of your three ships, as if you had been hit by a falling spider.

Program 1: VIC-20 Spiders (BASIC Portion)

Refer to "COMPUTEI's Guide To Typing In Programs" before entering these listings.

1 POKE45,88:POKE46,24:POKE55,5:POKE56,25:
CLR:SYS7651 :rem 140
<pre>2 DEF FNR(X)=INT(6*RND(1)+2):R\$="{RVS}</pre>
{22 SPACES}":H\$="000000" :rem 182
3 GOSUB12 :rem 22
4 RESTORE: FORI=ØTO6: READA: POKEI+6412, A:NE
XT:GOSUB23:GOSUB36:GOSUB27 :rem 148
5 SYS6431:IFPEEK(6423)=ØTHENGOSUB28
:rem 150
6 IFPEEK(6422)THEN8 :rem 112
7 GOTO5 :rem 165
8 POKE6422, Ø:L=L+1 :rem 252
9 FORI=ØTO6:POKEI+6412,1:NEXT:GOSUB52:FOR
I=1T050:SYS6437:NEXT :rem 182
10 GOSUB51:IFL=4THENGOSUB54:GOTO3:rem 139
11 W=W-1:GOTO4 :rem 82
12 POKE36869,242:PRINT"[CLR][3 DOWN][BLK] [7 SPACES][RVS]SPIDERS[2 DOWN]"
:rem 149 13 PRINT"{DOWN}{3 SPACES}{RVS}POINTS:
{DOWN}":PRINT"{3 SPACES}FORMATION = 10
{DOWN} :PRINT {3 SPACES}FORMATION = 10 {DOWN}":PRINT" {3 SPACES}ATTACKER
{2 SPACES}= 100{DOWN}" :rem 162
14 PRINT" [3 SPACES] PUSH [RED] FIRE BUTTON"
:PRINT" {4 SPACES] {BLK } {DOWN } {2 SPACES }
TO START" :rem 241
15 IFH\$<>"000000"THENPRINT"{DOWN}
{3 SPACES}HIGH: {2 SPACES}"H\$; :rem 209
16 D=250:B=102:S=36879:T=7680:C=38400:A=0
:S\$="000000" :rem 57
17 POKES, D: F=FNR(0): POKET+A, B: POKET+22*22
+A,B:POKET+22*A,B:POKET+21+22*A,B
:rem 161
18 POKEC+A, F: POKEC+22*22+A, F: POKEC+22*A, F
:POKEC+21+22*A,F :rem 30
19 IF(PEEK(37137)AND32)=ØTHEN22 :rem 253
20 A=A+1:IFA<22THEN17 :rem 190
21 A=Ø:D=D+1+5*(D=255):B=B+3+6*(B=1Ø5):GO
TO17 :rem 137
22 W=1:L=1:RETURN :rem 55

Strategy Arcade Game **By Bruce Carver**

The Soviets launch a nuclear strike against major cities in the United States and Canada. Our only hope is our space station equipped with stealth bombers, which can fly undetected in Soviet airspace. As squadron leader, you must first knock out the Soviet Launch sites and then proceed into the city of Moscow. Armed with only the weapons you can carry, you command an assault on the Soviet Defense center and destroy it to stop the attack. Top Multiscreen action!







Top Multiscreen Action Included in Raid Over Mosco







Joystick Controlled • Suggested Retail Price \$39.95 Disk: Comodore 64 (Available soon on Atari)

BEACH-HEAD

Arcade Game By Bruce Carver

General Quarters! Battle Stations!

As chief commander of land and sea forces in the Pacific, your mission is to obtain a quick naval victory and invade enemy territory with your land forces. Beach-Head is a 100% machine language game and offers multiscreen action with high resolution, three dimensional graphics.









Joystick Controlled *Suggested Retail Price \$34.95 Disk: Commodore 64, Atari 48K

Top Multiscreen Action Included in Beach-Head

Available for: Commodore 64 * Atari •











925 East 900 South SLC., Utah 84105 (801) 532-1134

23	POKE36879,110:POKE36878,15:PRINT"(CLR)	5
	":FORI=1TO2:PRINT"{YEL}"R\$;:NEXT:PRINT "{CYN}"R\$; :rem 231	5
24	PRINT" {PUR} "R\$; :FORI=1TO2:PRINT" {GRN}" R\$; :NEXT:FORI=1TO14:PRINT" {YEL} "R\$; :NE	5
	XT :rem 55	5
25	PRINT" {WHT} "R\$:PRINT" {RVS}ROBOT	6
	{2 SPACES}"S\$"{3 SPACES}WEB ";:POKE818 5.32 :rem 250	6
26	5,32 :rem 250 R=PEEK(6424):POKE8120+R,0:POKE8121+R,1	
	:RETURN :rem 115	P
27	FORJ=1T04:FORI=0T050:POKE36874,205+1:N	E
28	EXT:NEXT:POKE6421,0:RETURN :rem 8 GOSUB51:GOSUB52:BS=VAL(S\$) :rem 40	
29	FORI=1TO300:NEXT:SYS6453:IFPEEK(6423)=	6
	ØTHEN33 :rem 211	•
3Ø	SYS6527:IFPEEK(6422)THENPOKE6422,Ø:FOR I=1TO300:NEXT:GOTO33 :rem 43	6
31	IFPEEK(6423)THEN30 :rem 202	E
32	GOTO29 :rem 9	6
33	GOSUB52:GOSUB51:BS=(VAL(S\$)-BS)*9:S\$=S	6
34	TR\$(BS+VAL(S\$)) :rem 97 S\$=LEFT\$("000000",7-LEN(S\$))+RIGHT\$(S\$	6
	,LEN(S\$)-1) :rem 28	ϵ
35	FORI=1T06:POKEI+8171,ASC(MID\$(S\$,I,1)) +128:NEXT:GOSUB26 :rem 218	6
36	GOSUB52:PRINT" (HOME) (DOWN) (YEL) "R\$"	6
	{CYN}"R\$:rem 236	e
37		6
38	:rem 29 POKE36869,255:POKE8184,W+176:POKE8170,	6
	L+176:W=W+1:RETURN :rem 17	E
39	PRINT" [HOME] [DOWN] [3 RIGHT] [YEL] G {10 RIGHT] G[9 RIGHT] [CYN] HH [10 RIGHT] H	6
	H* :rem 236	6
40	PRINT" (UP) (6 RIGHT) (PUR) DDDDDDD (GRN)	6
	{14 RIGHT}DDDDDDDDDDD[10 RIGHT]DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD	6
41	DDDDDD" :rem 222 RETURN :rem 69	6
42	PRINT" {HOME } {DOWN } {3 RIGHT } {YEL } G	6
	{11 RIGHT}G{8 RIGHT}(CYN)HHH{9 RIGHT}H	6
43	HH" :rem 89 PRINT"{UP}{4 RIGHT}{PUR}DDD{5 RIGHT}DD	6
70	D[GRN] (10 RIGHT) DDDDD (3 RIGHT) DDDDD	6
	[8 RIGHT]DDDDDDDDR RIGHT]DDDDDDD"	6
4.4	rem 254 RETURN :rem 72	6
44	RETURN :rem 72 PRINT"{HOME}{DOWN}{3 RIGHT}{YEL}G	6
	[12 RIGHT]G[7 RIGHT]{CYN}HHH[10 RIGHT}	6
	HHH" :rem 121	6
46	PRINT"{UP}{5 RIGHT}{PUR}DDDDDDDDD {GRN}{11 RIGHT}DDDDDDDDDDDDDQ 9 RIGHT}DD	6
	DDDDDDDDDD" :rem 235	6
	RETURN :rem 75	6
48	PRINT" {HOME } {DOWN } {3 RIGHT } {YEL } GG {10 RIGHT } GG {7 RIGHT } {CYN } HHHH	6
	[2 RIGHT]DDDD[2 RIGHT]HHHH" :rem 194	6
49	PRINT"{UP}{6 RIGHT}{PUR}DDDDDDDDGGRN} {12 RIGHT}DDDDDDDDDDDDDD RIGHT}DDDDDDD	6
	DDDDDDD" :rem 160	6
5Ø	RETURN :rem 69	6
51	\$\$="":FORI=ØTO5:\$\$=\$\$+CHR\$(PEEK(8172+I	6
52)-128):NEXT:RETURN :rem 6 IFPEEK(255)THENPOKEPEEK(254)+256*PEEK(6
J &	255),160:POKE255,0 :rem 159	6
53	RETURN :rem 72	6
54	GOSUB52:IFVAL(S\$)>VAL(H\$)THENH\$=S\$:rem 241	6
55	PRINT" [HOME] [RVS] {3 SPACES } PLAY AGAIN?	6
	Y <n":fori=0to2:poke6419+i,0:next< td=""><td>6</td></n":fori=0to2:poke6419+i,0:next<>	6
	:rem 74	6

Program 2: VIC-20 Spiders (ML Portion, Enter With Tiny MLX)

```
6405 :000,000,000,000,000,000,000
6411 :000,000,000,000,000,000,0011
6417 :000,000,000,000,000,000,000
6423 :000,000,000,021,022,023,089
6429 :000,000,032,230,028,032,095
6435 :093,026,032,148,025,032,135
6441 :166,027,032,072,028,032,142
6447 :214,026,032,103,027,096,033
6453 :162,255,232,224,022,176,100
6459 :031,189,044,030,201,008,050
6465 :208,244,169,005,157,044,124
6471 :030,162,022,202,048,014,037
6477 :189,044,030,201,008,208,245
6483 :246,169,003,157,044,030,220
6489 : 208, 036, 162, 255, 232, 224, 182
6495 :022,176,029,189,022,030,051
6501 :201,007,208,244,169,005,167
     :157,022,030,162,022,202,190
65Ø7
6513 :048,012,189,022,030,201,103
6519 :007,208,246,169,003,157,141
6525 :022,030,032,072,028,169,222
6531 :160,141,010,030,032,214,206
6537 :026,032,103,027,032,230,075
6543 :028,032,093,026,096,173,079
6549 :009,025,240,001,096,173,181
6555 :016,025,141,009,025,173,032
6561 :025,025,208,034,173,044,158
     :030,201,160,208,059,160,217
6567
6573 :000,132,252,200,132,250,115
6579 :160,030,132,251,132,253,113
6585 :032,241,025,230,252,230,171
6591 :250,165,252,201,132,208,119
6597 :243,096,173,065,030,201,237
6603 :160,208,025,160,131,132,251
6609 :252,136,132,250,160,030,145
6615 :132,253,132,251,032,241,232
6621 :025,198,252,198,250,165,029
6627 :252,208,245,096,169,001,174
6633 :056,237,025,025,141,025,230
6639 :025,096,160,000,177,250,179
6645 :170,201,002,240,088,201,123
6651 :006,240,084,201,009,176,199
6657 :080,177,252,201,161,144,248
6663 :001,096,201,002,208,016,019
     :132,255,138,201,006,176,153
6669
6675
     :057,169,255,141,013,144,030
     :169,006,208,048,138,201,027
     :004,208,043,166,250,224,158
6687
6693 :110,176,037,174,025,025,072
6699 :208,004,160,023,208,002,136
6705 :160,022,072,177,252,201,165
6711 :160,240,003,104,208,016,018
6717 :173,025,025,208,004,160,144
6723 :023,208,002,160,022,104,074
6729 :145,252,169,160,160,000,191
6735 :145,252,096,177,252,201,178
6741 :003,144,004,201,009,144,078
```

6747	:239,096,173,006,025,240,102	7173	:012,012,031,000,128,000,188
6753	:001,096,173,013,025,141,034	7179	:128,224,128,192,224,000,139
	:006,025,165,255,208,001,251		:008,000,008,000,008,000,041
		7103	:008,004,104,025,031,108,047
	:096,032,050,027,160,000,218	1191	190,004,104,025,031,100,047
6771	:177,254,201,002,208,004,193		:146,018,032,066,090,102,227
6777	:169,160,145,254,056,165,046	72Ø3	:060,255,060,066,066,004,034
6783	:254,233,022,133,254,165,164		:072,073,054,120,152,024,024
		7215	:032,042,149,042,149,110,059
	:255,233,000,133,255,201,186		
6795	:031,240,000,177,254,201,018		:153,082,042,130,146,108,202
6801	:006,144,009,201,160,208,105	7227	:056,254,056,068,068,130,179
6807	:054,169,002,145,254,096,103	7233	:068,056,254,124,214,170,183
			:130,173,007,025,240,001,135
6813	:201,004,208,016,165,255,238		
	:201,031,240,010,165,254,040		:096,173,014,025,141,007,021
6825	:201,132,176,004,162,005,081	7251	:025,169,031,133,251,169,093
6831		7257	:205,133,250,160,000,177,246
6837			:250,201,006,176,074,201,235
	:208,008,169,176,157,235,116	7269	:003,144,070,072,032,148,058
6849	:031,202,016,238,169,006,087	7275	:224,104,168,185,023,025,068
6855	:145,254,169,255,141,013,152	7281	:168,177,250,201,032,208,125
	:144,169,000,133,255,141,023	7287	:013,169,160,160,000,145,254
			:250,169,004,141,010,030,217
	:021,025,096,173,008,025,047		
6873	:240,001,096,173,015,025,255	7299	:208,041,201,160,240,020,233
6879	:141,008,025,032,050,027,250		:201,002,176,033,174,024,235
6885	:165,255,240,006,169,160,200	7311	:025,169,006,157,184,031,203
			:157,185,031,238,022,025,039
	:160,000,145,254,169,205,144		:208,017,165,142,056,233,208
6897	:133,250,169,031,133,251,184		
69Ø3	:160,000,177,250,201,002,013	7329	:003,176,252,105,006,145,080
6909	:208,038,160,022,177,250,084	7335	:250,169,160,160,000,145,027
6915	:201,160,208,006,169,002,237	7341	:250,165,250,208,002,198,222
			:251,198,250,201,132,208,139
6921	:145,250,208,018,201,002,065		
6927	:176,014,174,024,025,169,085	7353	
6933	:006,157,184,031,157,185,229	7359	:156,160,000,177,250,201,111
6939		7365	:003,240,004,201,005,208,090
		7371	:021,170,168,185,023,025,027
6945		7377	
6951			:168,177,250,201,160,208,093
6957	:169,002,145,254,096,169,112	7383	:009,138,145,250,169,160,062
6963	:000,141,023,025,168,169,065	738 9	:160,000,145,250,198,250,200
6969	:205,133,250,169,031,133,210	7395	:208,219,096,173,005,025,185
		7401	:240,001,096,173,012,025,012
6975	:251,177,250,201,006,208,132		
6981	:006,169,160,145,250,208,239	7407	:141,005,025,165,255,208,014
6987	:009,176,007,201,003,144,103	7413	:026,173,021,025,240,021,239
6993	:003,238,023,025,165,250,017	7419	:169,016,205,007,028,169,077
6999		7425	:184,109,024,025,133,254,218
			:169,031,133,255,169,255,251
	:201,029,208,001,096,198,058	7431	141 611 144 150 610 605 614
7Ø11	:250,076,064,027,173,010,187		:141,011,144,173,019,025,014
	:025,240,001,096,173,017,145	7443	:240,008,169,000,141,019,084
7023	:025,141,010,025,169,031,000	7449	:025,032,044,029,173,020,092
		7455	:025,208,001,096,169,000,018
7Ø29	:133,251,160,000,032,148,073	7461	
7Ø35	:224,165,141,133,250,177,189		:141,020,025,032,084,029,112
7041	:250,201,003,144,026,201,186		:096,173,015,028,208,023,074
7Ø47	:006,176,022,152,024,105,108	7473	:173,024,025,208,001,096,064
7Ø53	:022,168,177,250,201,160,095	7479	:174,024,025,169,160,157,252
		7485	:184,031,157,185,031,206,087
7Ø59	:240,001,096,169,002,145,032	7491	:024,025,032,126,029,162,209
	:250,169,255,141,012,144,100		
7Ø71	:096,200,192,022,208,219,072	7497	:008,030,007,028,062,255,207
7077	:096,173,011,025,240,001,199	75Ø3	:027,202,208,247,096,173,008
	:096,173,018,025,141,011,123	75Ø9	:007,028,208,025,173,024,038
	The state of the s		:025,201,020,208,001,096,130
7Ø89	:025,032,148,224,165,141,144	7523	124, 204, 525, 206, 001, 096, 130
7Ø95	:056,233,003,176,252,105,240	7521	:174,024,025,169,160,157,038
71Ø1	:003,170,169,030,133,251,177	7527	:184,031,157,185,031,238,161
7107	:169,042,133,250,024,165,210	7533	:024,025,032,126,029,162,251
7113	:250,105,022,133,250,165,102	7539	:008,094,255,027,126,007,120
			.020 202 200 247 000 200 7.120
7119	:251,105,000,133,251,202,125	7545	:028,202,208,247,096,162,040
7125	:016,240,173,025,025,208,132	7551	:008,189,255,027,072,189,099
7131	:017,160,021,177,250,201,021	7557	:007,028,157,255,027,104,199
7137	:004,240,004,136,016,247,104	7563	:157,007,028,202,208,239,212
7143	:096,169,005,145,250,096,224	7569	•174 024 025 160 000 157 100
	.160 AAA 177 054 041 444 414	7507	:174,024,025,169,000,157,182
7149	:169,000,177,250,201,004,014	7575	:184,031,169,001,157,185,110
7155	:240,006,200,192,022,208,087	7581	:031,096,162,007,189,004,134
7161	:245,096,169,003,145,250,133	7587	:025,240,003,222,004,025,170
7167	:096,003,007,003,007,031,146		: 202, 208, 245, 169, 127, 141, 237
=	, , , , , ,		

759	9 :034,145,173,032,145,041,233)=160THENNEXT:RETURN :rem 147
760	5 :128,208,003,238,020,025,035	38Ø	P2=I:RETURN :rem 189
761	1:169,255,141,034,145,169,076	39Ø	GOSUB770:BS=VAL(S\$) :rem 113
761	7 :016,044,017,145,208,003,114	400	FORI=2TO6:POKEI+8271,DF(I)/2:DF(I)=DF
	3 :238,019,025,010,044,017,040		(I)*.9:IFDF(I) <ithendf(i)=1 215<="" :rem="" td=""></ithendf(i)=1>
	9 :145,208,003,238,021,025,077		NEXT :rem 212
	5 :162,003,189,010,144,240,191	420	VR=3:GOSUB360:IFI=BA+20THENVR=2:GOSUB
764	1 :003,222,010,144,202,016,046		360:IFI=BA+20THEN480 :rem 35
764	7 :245,108,029,025,120,173,155	430	FORI=VRTO6:POKEP1,160:POKEP2,160:P1=P
	3 :020,003,141,029,025,173,108		1+40:P2=P2+40:POKEP1,4:POKEP2,4
765	9 :021,003,141,030,025,169,112		:rem 135
	5 :159,141,020,003,169,029,250	440	FORJ=1TO2Ø:NEXT:NEXT:POKE8282,2
767	1 :141,021,003,088,096,013,097		:rem 201
		450	SYS8296:IFPEEK(8282)=OTHEN420:rem 213
		469	IFPEEK(8281)THENPOKE8281,0:FORI=1TO30
Dra	AGRAMO 21 44 Colders (DACIO Deutleu)		Ø:NEXT:GOTO48Ø :rem 149
PIC	Ogram 3: 64 Spiders (BASIC Portion)	470	POKE1044,160:GOTO450 :rem 98
vers	ion By Tim Victor, Editorial Programmer	480	GOSUB780:GOSUB770:BS=(VAL(S\$)-BS)*9:S
	er to "COMPUTEI's Guide To Typing In Programs"	40.5	\$=STR\$(BS+VAL(S\$)) :rem 7
perc	pre entering these listings.	490	S\$=LEFT\$("000000",7-LEN(S\$))+RIGHT\$(S
		500	\$,LEN(S\$)-1):GOSUB310 :rem 160
100	POKE55,200:POKE56,30:CLR:H\$="000000":	ששכ	PRINT" {HOME } {DOWN } {YEL } "R\$" {CYN } "R\$
IDD	SYS8299 :rem 194		:rem 247
110	FORI=9472TOI+7:POKEI,Ø:NEXT :rem 170	510	ONWGOSUB530,590,650:IFW>3THENGOSUB710
	FORI=36874TOI+3:POKEI,Ø:NEXT :rem 221		:rem ll
	DEF FNR(X)=INT(15*RND(1)):R\$="{RVS}	520	POKE53272, 24: POKE2013, W+176: POKE1996,
130	[40 SPACES]" :rem 164	F 2 0	L+176:W=W+1:RETURN :rem 244
140	FORI=ØTO6:READDF(I):NEXT :rem 254	530	PRINT" (HOME) (DOWN) (7 RIGHT) (YEL)G
	POKE255, Ø: POKE828Ø, Ø: W=1:L=1:S\$="0000	F 40	[20 RIGHT]G" :rem 200
	00" :rem 153	540	PRINT" (CYN) (6 RIGHT) HH (20 RIGHT) HH"
16Ø	RESTORE: FORI=2T06: POKEI+8271, DF(I):NE	550	:rem 27 PRINT"{UP}{14 RIGHT}[3]D{7 RIGHT}D"
	XT:GOSUB310:GOSUB500 :rem 130	330	
170	SYS8290: IFPEEK(8282) = 0THENGOSUB390	560	:rem 123 PRINT"{12 RIGHT}{GRN}DDDDDD{3 RIGHT}DD
	:rem 53	500	DDD" :rem 229
180	IFPEEK(8281)THEN200 :rem 50	570	PRINT" {UP} {10 RIGHT} DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
	GOTO170 :rem 107	3,0	":rem 164
200	POKE8281,0:L=L+1:GOSUB770 :rem 179	580	RETURN :rem 125
210	FORI=2TO6:POKEI+8271,1:NEXT:GOSUB780		PRINT" [HOME] [DOWN] [7 RIGHT] [YEL] G
	:rem 233		[20 RIGHT]G" : rem 206
220	FORI=1T050:POKE36875,255:SYS8293:NEXT	600	PRINT"{CYN}{6 RIGHT}HH{20 RIGHT}HH"
	:IFL<>4THENW=W-1:GOTO16Ø :rem 69		:rem 24
23Ø	GOSUB780: IFVAL(S\$) > VAL(H\$) THENH\$=S\$	610	PRINT"{UP}{14 RIGHT}[3]DDDDDDDDD"
	:rem 85		:rem 137
240	PRINT" (HOME) (RVS) (WHT) HIGH SCORE: "H\$	620	PRINT" [12 RIGHT] [GRN] DDDDDDDDDDDDD"
05.7	"[RIGHT] - PLAY AGAIN? Y -N" :rem 70		:rem 87
	FORI=8278T08280:POKEI, 0:NEXT :rem 217	630	PRINT" {UP} {10 RIGHT} DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
260	IFPEEK(8278)THENPOKE8278, Ø:POKE1Ø58,1		" :rem 161
276	88:POKE1059,173 :rem 12 IFPEEK(8279)THENPOKE8279,0:POKE1058,1		RETURN :rem 122
210	73:POKE1059,190 :rem 8	650	PRINT"[HOME][DOWN][6 RIGHT][YEL]G
000	IFPEEK(8280)=ØTHEN26Ø :rem 165	660	{22 RIGHT}G" :rem 232 PRINT"{CYN}{5 RIGHT}HHH{20 RIGHT}HHH"
280	IFPEEK(8280)=0THEN260	909	rem 145
290	00.4	670	PRINT"{UP}{12 RIGHT}&3\[DDDDDDDDDDD"
200	-	076	:rem 221
300	SYS65126 :rem 150 POKE53280,6:POKE53281,6:PRINT"{CLR}":	680	PRINT" [10 RIGHT] [GRN] DDDDDDDDDDDDDDD"
310	FORI=1TO2:PRINT" (YEL) "R\$;:NEXT:PRINT"	000	:rem 171
	{CYN}"R\$; :rem 110	690	PRINT" {UP} {8 RIGHT} DDDDDDDDDDDDDDDDDDDD
320	PRINT"E33"R\$;:FORI=1TO2:PRINT"[GRN]"R		D" :rem 245
320	\$;:NEXT:FORI=1TO16:PRINT"{YEL}"R\$;:NE	700	RETURN :rem 119
	XT :rem 98	710	PRINT" [HOME] [DOWN] [5 RIGHT] [YEL] GG
330	PRINT" [WHT] "R\$: PRINT" [4 SPACES] [RVS]		{22 RIGHT}GG" :rem 86
•	[3 SPACES]ROBOT[4 SPACES]"S\$"	72Ø	PRINT"(CYN) {4 RIGHT } HHHH (20 RIGHT) HHH
	[4 SPACES]WEB[SHIFT-SPACE][3 SPACES]		H" :rem l
	[OFF] [3 SPACES]";:POKE2023,32 :rem 76	730	PRINT"{UP}{11 RIGHT} [3] DDDDDDDDDDDDDDDD
340	R=PEEK(8283):POKE1904+R,0:GOSUB780		" :rem 137
	:rem 218	740	PRINT"{9 RIGHT}{GRN}DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
35Ø	RETURN : rem 120		D" :rem 87
36Ø	BA=984+VR*40:FORI=BATOBA+19:IFPEEK(I)	/50	PRINT"{UP}{7 RIGHT}DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
	=160THENNEXT:RETURN :rem 40	760	DDDD" :rem 161 RETURN :rem 125
37Ø	Pl=I:FORI=BA+39TOBA+2ØSTEP-1:IFPEEK(I	760	RETURN :rem 125

770 S\$="":FORI=0T05:S\$=S\$+CHR\$(PEEK(2000+ I)-128):NEXT:RETURN :rem 46 780 POKE255,0:POKE8280,0:RETURN :rem 119 790 DATA8,0,16,4,30,20,60 :rem 240

Program 4: 64 Spiders (ML Portion, Enter With 64 MLX)

7911 :120,173,020,003,141,096,016 7917 :032,173,021,003,141,097,192 7923 :032,169,082,141,020,003,178 7929 :169,035,141,021,003,165,015 7935 :001,041,251,133,001,162,076 7941 :000,189,000,208,157,000,047 :036,189,000,209,157,000,090 7947 7953 :037,232,208,241,165,001,133 7959 :009,004,133,001,088,162,164 :024,169,000,157,000,212,079 7965 :202,016,250,169,014,141,059 7971 :005,212,141,012,212,141,252 7977 7983 :019,212,165,015,141,024,111 7989 :212,096,173,076,032,240,114 7995 :001,096,173,083,032,141,073 8001 :076,032,173,092,032,208,166 8007 :034,173,080,004,201,160,211 8013 :208,059,160,000,132,252,120 8019 :200,132,250,160,004,132,193 8025 :251,132,253,032,148,031,168 8031 :230,252,230,250,165,252,194 8037 :201,240,208,243,096,173,238 8043 :119,004,201,160,208,025,056 8049 :160,239,132,252,136,132,140 8055 :250,160,004,132,253,132,026 8061 :251,032,148,031,198,252,013 8067 :198,250,165,252,208,245,169 8073 :096,169,001,056,237,092,020 8079 :032,141,092,032,096,160,184 8085 :000,177,250,170,201,002,181 8091 :240,088,201,006,240,084,246 8097 :201,009,176,080,177,252,032 8103 :201,161,144,001,096,201,203 8109 :002,208,016,132,255,138,156 8115 :201,006,176,057,169,255,019 8121 :141,013,144,169,006,208,098 :048,138,201,004,208,043,065 8133 :166,250,224,200,176,037,226 8139 :174,092,032,208,004,160,105 8145 :041,208,002,160,040,072,220 8151 :177,252,201,160,240,003,224 8157 :104,208,016,173,092,032,078 8163 :208,004,160,041,208,002,082 8169 :160,040,104,145,252,169,079 8175 :160,160,000,145,252,096,028 8181 :177,252,201,003,144,004,002 8187 :201,009,144,239,096,024,196 8193 :060,024,060,255,102,102,092 8199 :255,000,000,000,000,000,006 8205 :000,000,000,000,008,000,021 8211 :008,000,008,000,008,004,047 8217 :104,025,031,108,146,018,201 8223 :032,066,090,102,060,255,124 8229 :060,066,066,004,072,073,122 8235 :054,120,152,024,032,042,211 8241 :149,042,149,110,153,082,222 8247 :042,130,146,108,056,254,023 8253 :056,068,068,130,068,056,251 8259 :254,124,214,170,130,000,191 8265 :000,000,000,000,000,000,073 8271 :000,000,000,000,000,000,079 8277 :000,000,000,000,000,000,000,085 8283 :000,000,039,040,041,000,211 :000,076,110,032,076,113,248 8289 8295 :032,076,132,032,076,231,170 8301 :030,032,220,034,032,148,093 8307 :032,032,055,031,032,064,105 8313 :034,032,235,033,032,164,139 8319 :033,032,010,033,096,032,107 8325 : 220,034,032,148,032,032,119 8331 :064,034,032,010,033,032,088 8337 :164,033,096,173,073,032,204 8343 :240,001,096,173,080,032,005 8349 :141,073,032,165,255,208,007 8355 :001,096,160,000,177,254,083 8361 :201,002,208,004,169,160,145 8367 :145,254,056,165,254,233,002 8373 :040,133,254,165,255,233,237 8379 :000,133,255,201,004,144,156 8385 :064,177,254,201,006,144,015 8391 :009,201,160,208,054,169,232 8397 :002,145,254,096,201,004,139 8403 :208,016,165,255,201,004,036 8409 : 208,010,165,254,201,240,015 8415 :176,004,162,005,208,002,012 8421 :162,004,254,207,007,189,028 8427 :207,007,201,186,208,008,028 8433 :169,176,157,207,007,202,135 8439 :016,238,169,006,145,254,051 8445 :169,255,141,013,144,169,120 8451 :000,133,255,141,088,032,140 :096,173,075,032,240,001,114 8463 :096,173,082,032,141,075,102 8469 :032,032,112,033,165,255,138 8475 :240,006,169,160,160,000,250 8481 :145,254,169,151,133,250,111 8487 :169,007,133,251,160,000,247 8493 :177,250,201,002,208,035,150 8499 :160,040,177,250,201,160,015 8505 :208,006,169,002,145,250,069 8511 :208,015,201,002,176,011,164 8517 :174,091,032,169,006,157,186 8523 :112,007,238,089,032,160,201 8529 :000,169,160,145,250,165,202 8535 :250,208,008,198,251,169,147 8541 :004,197,251,240,005,198,220 8547 :250,076,045,033,165,255,155 8553 :240,004,169,002,145,254,151 8559 :096,169,000,141,090,032,127 8565 :168,169,151,133,250,169,133 8571 :007,133,251,177,250,201,118 8577 :160,240,019,201,006,208,195 8583 :006,169,160,145,250,208,049 8589 :009,176,007,201,003,144,169 8595 :003,238,090,032,198,250,190 8601 :208,227,198,251,165,251,173 8607 :201,003,208,219,096,173,035 8613 :077,032,240,001,096,173,016 8619 :084,032,141,077,032,032,057 8625 :151,224,169,003,037,140,133 8631 :208,001,096,024,105,004,109 :133,251,165,141,133,250,238 8643 :160,000,177,250,201,003,218 8649 :144,026,201,006,176,022,008 8655 :152,024,105,040,168,177,105 8661 :250,201,160,240,001,096,137 8667 :169,002,145,250,169,255,185 8673 :141,012,144,096,200,192,242 8679 :040,208,219,096,173,078,021 8685 :032,240,001,096,173,085,096 8691 :032,141,078,032,032,151,197

```
8697 :224,169,003,037,141,170,225
8703 :169,004,133,251,169,080,037
8709 :133,250,024,165,250,105,164
8715 : 040,133,250,165,251,105,187
8721 :000,133,251,202,016,240,091
8727 :173,092,032,208,017,160,193
8733 :039,177,250,201,004,240,172
8739 :004,136,016,247,096,169,191
8745 :005,145,250,096,169,000,194
8751 :177,250,201,004,240,006,157
8757 :200,192,040,208,245,096,010
8763 :169,003,145,250,096,173,127
8769 :074,032,240,001,096,173,169
8775 :081,032,141,074,032,169,088
8781 :007,133,251,169,151,133,153
8787 :250,160,000,177,250,201,097
8793 :006,176,072,201,003,144,179
8799 :068,072,032,151,224,104,234
8805 :168,185,090,032,168,177,153
8811 :250,201,032,208,013,169,212
8817 :160,160,000,145,250,169,229
8823 :004,141,020,004,208,039,023
8829 :201,160,240,017,201,002,178
8835 :176,031,174,091,032,169,036
8841 :006,157,112,007,238,089,234
8847 :032,208,018,169,003,037,098
8853 :142,208,002,169,002,105,009
8859 :001,145,250,169,160,160,016
8865 :000,145,250,165,250,208,155
8871 :002,198,251,198,250,201,243
8877 :239,208,164,165,251,201,121
8883 :004,208,158,160,000,177,118
8889 :250,201,003,240,004,201,060
8895 :005,208,021,170,168,185,180
8901 :090,032,168,177,250,201,091
8907 :160,208,009,138,145,250,089
8913 :169,160,160,000,145,250,069
8919 :198,250,208,219,096,173,079
8925 :072,032,240,001,096,173,067
8931 :079,032,141,072,032,165,236
8937 :255,208,026,173,088,032,247
8943 :240,021,169,016,205,007,129
8949 :032,169,072,109,091,032,238
8955 :133,254,169,007,133,255,178
8961 :169,255,141,011,144,173,126
8967 :086,032,240,008,169,000,030
8973 :141,086,032,032,034,035,117
8979 :173,087,032,208,001,096,104
8985 :169,000,141,087,032,032,230
8991 :057,035,096,173,091,032,003
8997 :208,001,096,174,091,032,127
9003 :169,160,157,112,007,169,049
9009:000,157,111,007,206,091,109
9015 :032,096,173,091,032,201,168
9021 :039,208,001,096,174,091,158
9027 :032,169,160,157,112,007,192
9033 :169,000,157,113,007,238,245
9039 :091,032,096,162,007,189,144
9045 :071,032,240,003,222,071,212
9051 :032,202,208,245,169,004,183
9057 :044,000,220,208,003,238,042
9063 :086,032,010,044,000,220,239
9069 :208,003,238,087,032,010,175
9075 :044,000,220,208,003,238,060
9081 :088,032,173,011,144,240,041
9087 :024,201,255,208,014,169,230
9093 :032,141,011,144,160,128,237
9099 :140,004,212,200,140,004,071
9105 :212,141,001,212,206,011,160
9111 :144,173,012,144,240,023,119
9117 :197,255,208,013,169,032,007
```

```
9123 :141,012,144,168,140,011,011

9129 :212,200,140,011,212,141,061

9135 :008,212,206,012,144,173,162

9141 :013,144,240,030,201,255,040

9147 :208,014,169,013,141,013,233

9153 :144,160,128,140,018,212,227

9159 :200,140,018,212,169,013,183

9165 :056,237,013,144,141,015,043

9171 :212,206,013,144,108,096,222

9177 :032,013,013,013,013,013,058
```

Program 5: Apple Spiders (BASIC Portion)

Version By Tim Victor, Editorial Programmer Refer to "COMPUTEI's Guide To Typing In Programs" before entering these listings.

```
100
     HIMEM: 128 * 256
110
     LOMEM: 80 * 256
120
     CLEAR
            CHR$ (4); "BLOAD SPIDER 2"
130
     PRINT
     FOR I = 36096 TO 36096 + 7: POKE I
140
     . O: NEXT
150
     POKE 6.0: POKE 7.141
     CALL 36884: POKE 54,0: POKE 55,3: CALL
160
     1002
170 HS$ = "000000"
180 W = 1:L = 1:SC$ = "000000":D = 30
     GOSUB 1000
200
210
     HTAB 1: VTAB 22: PRINT "
                                    ROBO
     T:"L"
              "SC$"
                        WEB: "W
300
     FOR I = 1 TO D
     IF I = 12 THEN
310
                     CALL 36881
320
     CALL 36872
330
     IF I < > 1 THEN 370
340
     IF
       PEEK (1280) < > 160 THEN
                                     POKE
     36868,1
350
         PEEK (1319) < > 160 THEN
                                     POKE
     36868,0
360
     CALL 36875
370
     IF I < > 8 * INT (I / 8) THEN 41
380
     CALL 36878
        PEEK (36865) THEN 500
390
     1F
     ۱F
         PEEK (36866) = 0 THEN 2000
400
410
     NEXT : GOTO 300
     GOSUB 1800:L = L + 1:RP = PEEK (3
     6867): POKE 36865,0
510
     FOR I = 1 TO 20: POKE 36870,1: POKE
     36869,255: VTAB 20: HTAB RP + 1: PRINT
     "F";: CALL 36881: CALL 36878: NEXT
520
     IF L < 4 THEN 200
530
     GOSUB 1800: IF VAL (SC$) >
                                   VAL (
     HS$) THEN HS$ = SC$
540
     VTAB 23: HTAB 11: PRINT "HIGH SCOR
     E: "HS$
550
     HTAB 10: PRINT "PLAY AGAIN? Y <- N
555
     POKE 49168,0
560 A = PEEK (49152): IF A < 128 THEN
570
     POKE 49168,0: IF A = 149 THEN A8 =
     "N": HTAB 24: PRINT "->";
580
     IF A = 136 THEN A$ = "Y": HTAB 24:
      PRINT " <- ";
590
     IF A < > 160 THEN GOTO 560
     IF AS = "N" THEN END
600
610
     GOTO 180
     HOME : HGR : VTAB 20: HTAB PEEK
1000
```

(36867) + 1: PRINT "@";: POKE 255, 255: POKE 49168,0 ON W GOTO 1010.1080.1143.1200: GOTO 1005 1200 1010 VTAB 2: HTAB 9: PRINT "G";: HTAB 30: PRINT "G": VTAB 3: HTAB 9: PRINT "H":: HTAB 30: PRINT "H"; VTAB 4: HTAB 16: PRINT "DDDDDDDD" 1030 1040 VTAB 5: HTAB 14: PRINT "DDDDDDDDDD DDD": VTAB 6: HTAB 12: PRINT "DDDDDDDDD 1050 DDDDDDD": 1070 RETURN VTAB 2: HTAB 9: PRINT "G";: HTAB 1080 30: PRINT "G": VTAB 3: HTAB 8: PRINT "HH":: HTAB 1090 30: PRINT "HH"; VTAB 4: HTAB 14: PRINT "DDDDDDDDD 1100 DDD": VTAB 5: HTAB 12: PRINT "DDDDDDDDD 1110 ". "GGGGGGG VTAB 6: HTAB 10: PRINT "DDDDDDDDD 1120 DDDDDDDDDDD": 1140 RETURN VTAB 2: HTAB 8: PRINT "G";: HTAB 1143 31: PRINT "G"; VTAB 3: HTAB 7: PRINT "HHH":: HTAB 1146 30: PRINT "HHH": VTAB 4: HTAB 13: PRINT "DDDDDDDDD 1150 DDDDD"; VTAB 5: HTAB 11: PRINT "DDDDDDDDD DDDDDDDDD"; VTAB 6: HTAB 9: PRINT "DDDDDDDDDD 1170 DDDDDDDDDDDD": 1190 RETURN VTAB 2: HTAB 6: PRINT "GG";: HTAB 1200 32: PRINT "GG"; VTAB 3: HTAB 5: PRINT "HHHHH";: HTAB 1210 31: PRINT "HHHH"; VTAB 4: HTAB 12: PRINT "DDDDDDDDD 1220 DDDDDDD"; VTAB 5: HTAB 10: PRINT "DDDDDDDDD 1230 DDDDDDDDDD": VTAB 6: HTAB 8: PRINT "DDDDDDDDDD DDDDDDDDDDDDD"; 1250 RETURN 1800 SC\$ = "": FOR S = 1761 TO 1766:SC\$ = SC\$ + CHR\$ (PEEK (S) - 128): NEXT : RETURN 2000 **GOSUB 1800** 2010 VR = 3: GOSUB 2040: IF I = BA + 20 THEN VR = 2: GOSUB 2040: IF I = B A + 20 THEN 2120 FOR I = VR TO 6: VTAB I: HTAB P1: 2020 PRINT " ";: HTAB P2: PRINT " "; VTAB I + 1: HTAB P1: PRINT "D";: HTAB P2: PRINT "D";: NEXT : GOTO 2070 VTAB VR:BA = PEEK (40) + 256 * 2040 PEEK (41): FOR I = BA TO BA + 19: IF PEEK (1) = 160 THEN NEXT : RETURN 2050 P1 = I - BA + 1: FOR I = BA + 39 TO - 1: IF PEEK (I) = BA + 20 STEP 160 THEN NEXT : RETURN 2060 P2 = I - BA + 1: RETURN FOR I = 1 TO D / 2: CALL 36872: IF I < > 4 THEN 2100 2080 CALL 36878: VTAB 2: HTAB 21: PRINT

" ":: IF PEEK (36866) = 0 THEN 20

10

2090 IF PEEK (36865) THEN POKE 36865
,0: GOTO 2120
2100 IF I = 6 THEN CALL 36881
2110 NEXT: GOTO 2070
2120 S1\$ = SC\$: GOSUB 1800:SC\$ = STR\$
(VAL (SC\$) + 9 * (VAL (SC\$) - VAL (S1\$)))
2130 SC\$ = LEFT\$ ("00000",6 - LEN (SC\$) + SC\$:W = W + 1:D = INT (.85 * D): IF D < 12 THEN D = 12

Program 6: Apple Spiders (ML Portion, Enter With Apple Monitor)

9000- 00 00 00 00 00 00 00 9008- 4C 17 90 4C 83 90 4C 81 9010- 91 4C 78 93 4C E4 93 20 9018- OE 91 A9 13 20 5B FB AD 9020- 00 CO 10 OF 2C 10 C0 C9 9028- 95 F0 09 C9 88 F0 1C C9 9030- A0 F0 32 60 AD 03 90 C9 9038- 27 FO F8 85 24 A9 A0 20 9040- 00 03 A9 C0 20 00 03 EE 9048- 03 90 60 AC 03 90 C0 00 9050- FO E1 CE 03 90 AD 03 90 9058- 85 24 A9 CO 20 00 03 A9 9060- A0 20 00 03 60 A5 FF 30 9068- 01 60 A9 13 85 FF 20 5B 9070- FB AC 03 90 84 FE A9 40 9078- 8D 05 90 A9 FC 8D 06 90 9080- 60 00 00 A5 FF C9 06 B0 9088- OC 20 5B FB A4 FE 84 24 9090- A9 A0 20 00 03 A9 00 20 9098- 5B FB A0 27 B1 28 C9 A0 90A0- D0 05 88 10 F7 30 43 8C 90A8- 81 90 8C 82 90 99 00 02 90B0- 88 30 08 B1 28 C9 A0 F0 90B8- F4 D0 EF AC 82 90 84 90C0- AD 04 90 F0 07 A9 A0 90C8- 00 03 E6 24 C6 24 B9 90D0- 02 20 00 03 CC 81 90 F0 90D8- 03 C8 D0 F2 AC 04 90 D0 90E0--05 A9 A0 20 00 03 A5 24 90E8- FO 02 E6 25 A5 25 C9 06 90F0- DO A5 A5 FF C9 06 B0 15 90F8- 20 5B FB A4 FE B1 28 C9 9100- A0 F0 03 4C 3C 91 A9 C2 9108- 84 24 20 00 03 60 A5 FF 9110- 10 01 60 20 5B FB A4 FE 9118- B1 28 C9 C2 D0 07 A9 A0 9120- 84 24 20 00 03 C6 FF 10 9128- 01 60 A5 FF 20 5B FB B1 9130- 28 C9 A0 D0 07 A9 C2 84 9138- 24 4C 00 03 C9 C6 90 05 9140- A9 FF 85 FF 60 C9 C2 F0 9148- 22 C9 C4 D0 0A A5 FF C9 9150- 06 B0 04 A2 05 D0 02 A2 9158- 04 FE EO 06 BD EO 06 C9 9160- BA DO 08 A9 BO 9D E0 06 9168- CA 10 EE A9 C6 84 24 20 9170- 00 03 A9 FF 85 FF A9 9178- 8D 05 90 A9 FF 8D 06 90 9180- 60 A9 00 8D 02 90 AC 03 9188- 90 8C 82 90 8C 81 90 A9 9190- 13 20 5B FB A0 00 A2 00 9198- B1 28 C9 A0 F0 1D CC 82 91A0- 90 B0 03 8C 82 90 CC 81 91A8- 90 90 03 8C 81 90 C9 C2

91B0-	90	09	FO	05	A9	C4	8 D	1.4
91B8- 91C0-	04 C0	A9 28	A0 D0	9D D4	00 A0	02	E8 A2	C8
9108-	C6	25	A5	25	20	5B	FB	B1
91D0-	28	C9	A0	DO	03	4 C	9F	92
91D8- 91E0-	C9	C3	B0 98	4C C5	A5 FE	25 D0	C5	FF 4C
91E8-	9F	92	BD	00	02	C9	AO	F0
91F0-	1 B	C9	C2	90	03	4C	9F	92
91F8- 9200-	90	A 0 9 D	91	28 02	A9 EE	C6	AE 90	03 90
9208-	03	4 C	9F	92	84	24	20	00
9210-	03	A9	C2	9 D	00	02	CC	82
9218- 9220-	90	B0 90	03 7C	8C 8C	82 81	90	CC BO	8 1 7 7
9228-	C9	C6	DO	OA	A9	AO	84	24
9230-	20	00	03	4C	9F	92	BO	67
9238- 9240-	EE 65	02 4E	90 85	A5 4E	4E 30	0A 48	OA B1	38 28
9248-	C9	C 4	F0	12	90	09	E8	E0
9250- 9258-	28 E0	D0 FF	OB DO	A2 02	00	F0	07	CA
9260-	02	C9	AO	F 0	A2 OB	27 C9	BD C2	00 B0
9268-	36	EE	01	90	A9	C6	DO	02
9270- 9278-	B1 24	28	9 D	00	02 EC	A9 82	90	84 B0
9280-	03	8E	82	90	EC	81	90	90
9288-	16	8 E	81	90	BO	11	A5	4E
9290- 9298-	29	03 69	C9	69	18 C0	F0	04 28	29 C8
92A0-	98	AA	CO	28	FO	03	4C	CF
92A8-	91	AC	82	90	88	CC	81	90
92B0- 92B8-	F 0	22 A5	AC 25	82	90 5B	84 FB	24 B9	E 6
92C0-	02	20	00	03	CC	81	90	FO
9208-	03	C8	DO	F2	CO	27	DO	02
92D0- 92D8-	C6 F0	25 28	C6 A0	25	A 5 8 C	25 81	C9	06 C8
92E0-	8C	82	90	20	5B	FB	AO	27
92E8- 92F0-	B 1 0 B	28 CC	99	90	90	C9	AO 8C	F 0 8 1
92F8-	90	CC	82	90	88	10	E9	4 C
9300-	C4	91	A9	14	20	5B	FB	A0
9308- 9310-	0 0 C 0	8 4 2 8	24 90	A9 F9	AO A9	9 1 0 5	28 A0	C8
9318-	20	5 B	FB	B 1	28	C9	C4	DO
9320-	05	EE	02	90	DO	46	C9	A0
9328- 9330-	D0 F0	37 3A	C6 A5	25 25	10	0 4 5 B	E6 FB	25 B1
9338-	28	C9	C4	DO	1A	A 9	AO	84
9340-	24	20 5B	00 FB	03 A9	E6 C4	25 84	A5 24	25 20
9348- 9350-	20	03	EE	02	90	DO	15	E6
9358-	25	A5	25	20	5B	FB	4C	6C
9360- 9368-	93	C9 20	C6	D0	07 C8	A9 CO	A0 28	84 D0
9370-	AA	C6	25	A5	25	10	9F	60
9378-	A9	05	20	5 B	FB	A5	4E	0A
9380- 9388-	0A 28	38 B0	65 FC	4E 69	85 28	4E AB	38 B1	E 9
9390-	C9	C4	DO	13	A9	A O	84	24
9398-	20	00	03	A9	06	20	5B	FB
93A0- 93A8-	A9	C4 20	8 4 5 B	24 FB	20 AC	00	90	A9 B1
93B0-	28	C9	C3	90	04	C9	C6	90
93B8- 93C0-	09 E8	C6	25 E6	A5 25	25 A5	C9	05 20	D0 5B
93C8-	FB	AC	03	90	BI		C9	AO
93D0-	DO	11	A9	C2	84	24	20	00
93D8- 93E0-	03 8D	A9 06	90	8D 60	05 A9	90 4C	A9 85	FF B1
	_	-	_	_	_	_		

```
93E8- A9 F3 85 B2 A9 93 85 B3
93F0- 4C 0E 94 2C 06 90 F0 0D
93F8- 2C 30 CO CE 05 90 D0 05
9400- A9 00 8D 06 90 E6 B8 D0
9408- 02 E6 B9 4C B7 00 A0 00
9410- B9 29 94 99 00 03 C8 C0
9418- 55 DO F5 AO OO B9 7E
9420- 99 00 8E C8 C0 48 D0 F5
9428- 60 85 45 86 46 84 47 A6
9430- 07 0A 0A BO 04 10 3E 30
9438- 04 10 01 E8 E8 0A 86 1B
9440- 18 65 06 85 1A 90 02 E6
9448- 1B A5 28 85 08 A5 29 29
9450- 03 05 E6 85 09 A2 08 A0
9458- 00 B1 1A 24 32 30 02 49
9460- 7F A4 24 91 08 E6 1A D0
9468- 02 E6 1B A5 09 18 69 04
9470- 85 09 CA DO E2 A5 45 A6
9478- 46 A4 47 4C F0 FD 08 1C
9480- 08 1C 7F 36 36 7F 00 00
9488- 00 00 00 00 00 00 08 00
9490- 08 00 08 00 08 00 10 56
9498- 58 38 36 49 48 04 22 22
94A0- 2A 1C 7F 1C 22 22 08
94A8- 2A 1C 3C 54 52 10 22 54
94B0- 2D 36 5D 14 4A 24 41 22
94B8- 1C 7F 1C 64 55 41 00 2A
94C0- 14 3E 55 1C 22 22
```

Program 7: IBM Spiders

Version By Charles Brannon, Program Editor Refer to "COMPUTEI's Guide To Typing In Programs" before entering this listing.

```
before entering this listing.
EP 110 CLEAR , 32768! : DEFINT A-Z: KEY OF
      F:STRIG ON:SCREEN 1:COLOR 0.2:G
      OSUB 600:GOSUB 660
EC 120 LR=3:A=RND(-TIMER)
AA 130 FOR I=1 TO 9:READ FM$(I):NEXT
60 140 CLS:FOR I=1 TO 50:PSET (320*RND
       ,80+110*RND),3*RND+1:NEXT:AL=0:
      WAVEOVER = 0: HITS = 0: WV = 0
JP 150 FOR I=1 TO 9:PRINT TAB(5);:AX$(
       1)="":FOR J=1 TO LEN(FM$(1)):A=
      ASC(MID$(FM$(I), J, 1)): IF A <> 32
      THEN AL=AL+1:AX$(1)=AX$(1)+CHR$
       (POS(0)):POKE &H4E,A-48:PRINT C
      HR$(128); ELSE PRINT CHR$(32);
MK 160 NEXT: PRINT: NEXT
IE 170 POKE &H4E, 1: LOCATE 25, 1. PRINT"
      Score: "; STRING$ (9-LEN(STR$ (SCR!
      )),48);MID$(STR$(SCR!),2);TAB(1
      8); "SPIDERS"; TAB(30); "Lives "; S
      TRING$(LR, 129);
CI 180 LINE (0,176)-(319,190),3,BF
```

BE 190 S!=1:FOR X=0 TO 104 STEP 8:LINE

IN 200 FOR Y=176 TO 190 STEP 4:LINE (0

L' 220 IF WAVEOVER THEN WV=WV+1:IF WV= 15 THEN 410 ELSE 230

2:S!=S!*2:NEXT

,Y)-(319,Y),2:NEXT FL 210 PLAY "t255o2f!4gg!8bccfe


(160-X,176)-(160-X-S!,190),2:LINE (160+X,176)-(160+X+S!,190),

W 230 IF SCREEN(22,BX)<>128 THEN 270 EJ 240 Z=1:FOR C=0 TO 15:COLOR 15-C,Z: Z=3-Z:FOR W=1 TO 5:NEXT:NEXT

- #0 250 LR=LR-1:FOR C=1 TO 3:FOR W=1 TO
 30-C*5:SOUND 37+W,_1:CIRCLE (B
 X*8-5,171),W,4-C:NEXT:NEXT
- EB 270 BX=STICK(0)/3:IF BX<1 THEN BX=1 ELSE IF BX>40 THEN BX=40
- HO 280 LOCATE 22, BX: PRINT CHR\$(129): IF STRIG(1)=0 THEN LATCH=0: GOTO 3
- NO 296 IF LATCH THEN 340
- FP 300 LATCH=1:FOR Y=21 TO 1 STEP-1:IF SCREEN(Y,BX)=0 THEN NEXT
- EJ 310 RX=BX*8-5:LINE (RX,167)-(RX,Y*8),2:SOUND 5000,1:LINE (RX,167)-(RX,Y*8),0
- EN 320 IF Y THEN LOCATE Y, BX:PRINT CHR
 \$(32):HITS=HITS+1:SOUND 37,2:SC
 R!=SCR!+Y*10:Z\$=STRING\$(8,48):A
 \$=MID\$(STR\$(SCR!),2):MID\$(Z\$,9LEN(A\$))=A\$:LOCATE 25,8:PRINT Z
 \$;
- KN 330 IF Y>0 AND Y<10 THEN R=INSTR(AX
 \$(Y).CHR\$(BX)):AX\$(Y)=LEFT\$(AX\$
 (Y),R-1)+MID\$(AX\$(Y),R+1)</pre>
- 6J 340 IF WAVEOVER THEN 400
- LI 350 Z=0:FOR I=1 TO 9 _=Z+LEN(AX\$(I)):NEXT:IF Z=0 THEN WAVEOVER=1:G OTO 400
- 61 360 Y=INT(9*RND+1):A\$=AX\$(Y):R=LEN(. A\$):IF R=0 THEN 360
- NO 370 R=INT(R*RND+1):X=ASC(MID\$(A\$,R)
):IF SCREEN(Y+1,X)=128 THEN 400
- JJ 380 AX\$(Y)=LEFT\$(A\$,R-1)+MID\$(A\$,R+
 1) ELSE 400
- #J 396 POKE &H4E,POINT(X*8-7,Y*8-7):LO CATE Y,X:PRINT CHR\$(32):LOCATE Y+1,X:PRINT CHR\$(128):POKE &H4E ,1:IF Y<9 THEN AX\$(Y+1)=AX\$(Y+1)+CHR\$(X)
- ME 400 Z!=FNML!(0):CALL Z!:PSET (319*R ND,72+8*RND),3*RND:GOTO 220
- 81 410 LINE (64,72)-(240,104),0,BF:LIN E (64,72)-(240,104),1,B
- DK 420 WAVENUM=WAVENUM+1:LOCATE 11,11:
 POKE &H4E,2:PRINT"Wave";WAVENUM
 ;"Completed.":POKE &H4E,1
- # 440 LOCATE 11,10:POKE &H4E,1:PRINT SPACE\$(20):LOCATE 11,17:PRINT"B ONUS":POKE &H4E.3
- ONUS":POKE &H4E,3
 LN 450 Z=0:FOR I!=SCR! TO SCR!+10000 S
 TEP 250:GOSUB 490:SOUND 100+Z,.
 1:Z=Z+1:NEXT:SCR!=SCR!+10000:I!
 =SCR!:GOSUB 490:IF AL-HITS=0 TH
 EN 480
- DE 460 LOCATE 11,13:PRINT"Penalty for"
 ;AL-HITS;:LOCATE 12,13:PRINT"sp
 iders escaped":POKE &H4E,2:Z=AL
 *10
- NJ 470 S!=SCR!:SCR!=SCR!-(AL-HITS)*100 0:SCR!=-SCR!*(SCR!>0):FOR I!=S! TO SCR! STEP -100:GOSUB 490:SO

- UND 100+Z, 1:Z=Z-1:NEXT: L!=SCR!
 :GOSUB 490
- OH 474 IF SCR!=0 THEN LOCATE 13,10:PRI NT" One life lost ":LR=LR-1 :IF LR=0 THEN 510
- KK 480 FOR W=1 TO 3000:NEXT:FOR I=1 TO 15:Z!=FNML!(0):CALL Z!:NEXT:GO TO 140
- MA 490 Y=13
- EF 500 Z\$=STRING\$(8,48):A\$=MID\$(STR\$(I
 !),2):MID\$(Z\$,9-LEN(A\$))=A\$:LOC
 ATE Y,13:PRINT"Score:";Z\$:RETUR
 N
- NI 510 CLS:FOR I=1 TO 150:PSET (320*RN D,199*RND),3*RND+1:NEXT:LINE (6 4,0)-(240,40),1,B
- PB 520 LINE (0,176)-(319,199),3,BF
- JI 530 S!=1:FOR X=0 TO 104 STEP 8:L!NE (160-X,176)-(160-X-S!,199),2:L !NE (160+X,176)-(160+X+S!,199), 2:S!=S!*2:NEXT
- EN 540 FOR Y=176 TO 199 STEP 4:LINE (0, Y)-(319,Y),2:NEXT
- HO 550 LOCATE 2,15:POKE &H4E,1:PRINT"G ame Over":POKE &H4E,3:LOCATE 3, 11:PRINT"Play Again? (Y/N)":!!= SCR!:POKE &H4E,2:Y=4:GOSUB 500
- KH 560 AS=INKEYS:!F AS<>"" THEN IF AS=
 "y" OR AS="Y" THEN RUN ELSE SCR
 EEN 0,0,0,0:END
- JF 570 LOCATE 10,38*RND+1:POKE &H4E,3*
 RND+1:PRINT CHR\$(128):Z!=FNML!(
 0):CALL Z!:PSET (319*RND,72+8*R
 ND),3*RND:GOTO 560
- JA 580 GOTO 580
- ON 590 'Redefine the character set
- 11 600 DEF SEG=0
- HP 610 POKE 124,0:POKE 125,0:POKE 126, 0:POKE 127,&H17
- IH 620 DEF SEG=&H1700:FOR I=0 TO 15:RE AD A:POKE I,A:NEXT.
- MG 630 RETURN
- NH 640 DATA 129.90,60,219,126,102,129,
- HN 650 DATA 24,24,60,126,126,255,219,1
- LD 660 DEF SEG:FOR I=1 TO 21:READ Z:ML \$=ML\$+CHR\$(Z):NEXT:V!=VARPTR(ML \$):DEF FNML!(Z)=PEEK(V!+1)+256* PEEK(V!+2):RETURN
- 6E 670 DATA &H55,&H1E,&HB8,1,7,&HB9,0,9,&HBA,39,21,&HBB,0,0,&HCD,16,&H1F,&H5D,&HCA,0,0
- 0E 680 DATA "3 1 2 2 2 2 1 3
- DJ 690 DATA " 2 3 313 3 3 3 313 3
- NN 700 DATA " 11 33 1 3333 1 33
- K6 710 DATA " 1 11 11 11 11 11 1
- AB 720 DATA " 3 2 3 1 3 1 3 1 3 2
- IN 730 DATA " 112323232323232323211
- PO 740 DATA " 2 3 2 3 2 3 2 3 2 3 2 3 8 7 7 5 0 DATA " 2 3 1 2 3 1 2 3 1 2 3
- AP 750 DATA " 2 3 1 2 3 1 2 3 1 2 3 1 1 1 3

2 **Q**




Michael A. Covington


Here are some graphics screens which don't require a color/graphics adapter—they'll work on any IBM PC (or PCjr), even those equipped only with the monochrome display board.


Owners of the IBM monochrome display often feel a bit left out because their systems do not support point-by-point graphics. The monochrome display adapter can produce a variety of special characters that could be used to construct drawings, but most programs never employ more than a few of them.

The brief program accompanying this article takes advantage of these special characters to create dramatic-looking patterns—actually contour maps of three-dimensional mathematical functions. Some of the displays look rather like Scottish tartans. The program runs on a PC or PCjr with any display, but the IBM monochrome display yields the best results.

Line 160 in the program defines the variable W as a function of ROW and COL. The function can be anything you wish. Here are some functions that result in attractive patterns:







W = ROW + COL

W = ROW*COL

W = LOG(ROW) - LOG(COL)

 $W = LOG(ROW^2 + COL^2)$

W = 5*SIN((ROW + COL)/10)


An almost infinite variety of other functions are possible. Just substitute your function for line 160, save, and then run the program. Exit with Ctrl-Break.

PC Monochrome Graphics

Refer to "COMPUTE!'s Guide For Typing In Programs" article before typing this program in.

BP 30 SCRNWIDTH = 80 CE 50 DIM A\$ (4)

KH 60 AS(0)=" " 79 A\$(1)=CHR\$(176) A\$(2)=CHR\$(177) A\$(3)=CHR\$(178) 100 A\$(4)=CHR\$(219) 110 CLS: KEY OFF CP 120 FOR ROW=1 TO 22 JN 130 FOR COL = 1 TO SCRNWIDTH-1 ' Change the following line NP 140 EK 150 ' to get different patterns OH 160 W = $SQR((2*(ROW-11))^2 + (COL-4)$ 0)^2) AF 170 PRINT AS(ABS(W) MOD 5); 180 NEXT 190 PRINT NO 200 NEXT



PP 210 BEEP

Update On COMAL: A SuperBASIC

Jim Butterfield, Associate Editor

COMAL is a computer language which was developed in Denmark as an offshoot of BASIC. Some programmers prefer it and think of it as a streamlined, extended, and systematized BASIC.

COMAL has been available for some time, mostly for Commodore 32K PET/CBM machines. Previous versions have had some success despite a few drawbacks and implementation problems. Now, new versions of COMAL are being released, and the new packages look promising.

The New Generation

COMAL has traditionally been available in the public domain (that means free). It's a sound language: The loose ends of traditional BASIC have been tightened into a much smoother system. The ease of use for beginners has been maintained, and added features significantly enhance the programming power. Yet this free, powerful language has enjoyed only modest success.

The problem has been limited resources. Traditional COMAL would fit only into a 32K PET/CBM; thus, only users with the biggest systems (of that era) could use COMAL. Second, the COMAL interpreter took up a good deal of memory, leaving room for only a small user program. To offset this difficulty, a "split" COMAL was developed which used a separate editor and interpreter; but this proved awkward to use.

Until recently, the best COMAL arrangement was obtained by using a CBM 8096 computer; with the extra 64K memory, there was plenty of room for both the interpreter and the user's program. Alternatively, a ROM board could be purchased to implement COMAL on a CBM 8032; this allowed large programs to be written, but the board was costly—about \$400.

It looks like things are changing. New versions of COMAL are being released that will make it an attractive language. A disk version for

the Commodore 64 is now in the public domain; a cartridge version is soon to be made available for sale; and even the ROM board for the PET/CBM 8032 is being redesigned to incorporate interesting new features.

What Is COMAL?

COMAL may be described in a number of ways. It's as easy as BASIC for beginners, but has the power of Pascal when advanced features are needed. It's a tightly defined superversion of BASIC, with much more precisely defined keywords and with statements that interrelate more closely. It's a BASIC extension, with extra graphics, sound, and sprite commands. COMAL is a structured version of BASIC, complete with IF-THEN-ELSE, WHILE-ENDWHILE, and similar features. It's an extensible language—you may even write your own keywords.


COMAL programs run as fast as—or faster than—the equivalent BASIC programs. COMAL will never have certain BASIC problems such as garbage collection.

For beginners, COMAL can be crudely described as follows: You type in a BASIC program; when you list it back, it looks as if it has been changed to Pascal. Indentation has been added and formats trimmed; it looks much neater. Some errors are checked at time of entry; some are checked before the run gets under way. Meaningful error messages are given.

Advanced programmers will be interested in other features of COMAL. The structured forms are all there, but there's more: procedures (subroutines) and functions with parameter passing; "closed" procedures that are isolated from the main coding; end-of-file and end-of-data flags; recursion; and in some versions, error trapping.

Users will find new commands and features that make graphics and sound easier. To change

Give your children more than the advantage of a computer. Give them the Scholastic Advantage.



You probably realize the computer is only the first step. Now you need Scholastic Software to turn it into both a powerful and entertaining learning tool for your child.

Scholastic Software is the only software that comes with the Scholastic Advantage. This means software which uses your child's own natural curiosity and love of adventure to make learning valuable skills fun. Software based on what your child is actually studying in school, which makes it relevant and practical. And software which is already being used successfully by millions of kids in schools around the country.

At Scholastic, we've put everything we've discovered about how youngsters learn into our new software line. It's the result of over 60 years' experience making

learning both challenging and fun. In fact, you probably grew up reading Scholastic books and magazines in school. Nobody else knows kids like we do and it shows in our new family of products. That's the Scholastic Advantage.

Our software family includes *Agent U.S.A.*, which turns geography into an exciting adventure trip around the country; *Story Maker*, a program that helps kids create their own illustrated story book, and *Math Man*, an action game that makes learning math fun. *Microzine* is America's most popular classroom software, featuring four fun learning programs on one disk. *Story Tree* is both a creative writing tool and a word processor, and *Operation: Frog* is a fascinating simulation of a biology lab.

So give the Scholastic Advantage. You'll be surprised how fast the computer becomes one of your child's favorite—and most exciting—teachers.











Agent U.S.A. available in Apple, Atars. Commodore and IBM-Story Maker and Microzine available in Apple. Math Man and Story Tree available in Apple and IBM-Operation: Frog available in Apple and Commodore. Spelldwer available in Apple, Atari and Commodore.



the background color to black, type BACK-GROUND 0. On the high-power end, COMAL 64 comes complete with turtle graphics commands: FORWARD 40 and RIGHT 45 have the same meaning as they would have in Logo.

Versions Of COMAL

Disk-based COMAL for the Commodore 64 is named COMAL 0.14. It's free in North America, but it's not public domain. The package prints a copyright statement, but permits unrestricted distribution and copying. COMAL 0.14 is available from clubs, user groups, and the COMAL user group in Madison, Wisconsin. It's a good language implementation, complete with graphics and a complete set of error messages drawn from disk as needed.

COMAL 2.0 is a plug-in cartridge for the 64 which is expected to be available from Commodore in 1985 for less than \$100. It's significantly more powerful than COMAL 0.14—it offers much more program memory and includes extra features such as error trapping and program chaining or overlaying.

The COMAL board has been redesigned for the 8032 computer. The price of the revised board is expected to be similar to the previous version—that is, around \$400—but there are some new features. First, if you don't want to use COMAL immediately, you can use BASIC, and the computer becomes an 8096 with 64K extra memory supplied by the COMAL board. Second, a video board can be added to the assembly to perform high-resolution graphics, including turtle geometry. Third, the board contains a time-ofday and date clock which is battery-powered and keeps good time even when the unit is off. I installed a board and checked the clock; before I reset it, it gave the correct time for Copenhagen, where it was manufactured.

Documentation

The COMAL Handbook, by Len Lindsay (published by Reston Publishing), is a reference manual for the language. It's just that: a reference manual, and not a tutorial. You can look things up, but it's not for learning the language.

Fortunately, most COMAL versions come with a disk of sample programs that illustrate the features of the language well. And to be fair to Lindsay's book, it contains a considerable quantity of sample programming.

If you're interested in the new 64 versions of COMAL, look specifically for the second edition of the COMAL Handbook. The publication date for this new edition hasn't yet been set. The original handbook gives a great deal of information on COMAL, but doesn't show the new color and graphics commands or other new features such

as error trapping.

Most users will benefit from the fact that COMAL is derived from BASIC. Their BASIC experience will generally carry over to the new language.

Beginning Characteristics

Users may start COMAL programming as they did BASIC. Direct commands are allowed so that statements such as PRINT 5+7 can be executed.

Spaces must be used after keywords. FORK=1TO5 must be written as FOR K=1 TO 5. There are two reasons for this: COMAL encourages legibility, and COMAL allows long variable names. FORK could be a variable; it won't be confused with FOR K because of the space. By the way, the whole variable name is used, so that FORK is distinct from FORM, and both are different from the variable called FOR'LOVE'OF'IVY.

Even though COMAL has a full set of structured statements available, it allows the use of a GOTO statement. However, you can't GOTO a line number; you must GOTO a labeled statement in your program. COMAL is quite insistent that line numbers should be used only for editing purposes. The use of GOTO is strongly discouraged; there are usually plenty of alternative ways of programming what you need.

Subroutines are called, not with GOSUB, but with EXEC for execute. COMAL uses the term procedure rather than subroutine; a procedure is given a name. So instead of GOSUB 500 we might code EXEC SUMMARY. Since procedures have names, we don't need the keyword EXEC. Instead of EXEC SUMMARY we may just write SUMMARY, and the interpreter will call the procedure when it reaches that point. In this way, the language is extensible. We might code a program starting as follows:

100 START 110 CONTINUE

120 FINISH

130

What this sequence means is: Call procedure START, then call procedure CONTINUE, then call procedure FINISH. Each of these will need to be defined as a procedure (a type of subroutine) somewhere in the program, but here's the point: The above coding is quite readable; and we have essentially defined new program commands.

It's impossible in this short article to deal with the whole spectrum of commands. Perhaps the above will give a flavor of how COMAL extends the capabilities of BASIC.

A Mix Of Features

COMAL isn't new, but there's a new COMAL. If languages interest you, this one is well worth a

Now your teenagers can learn from teachers who teach teachers how to teach.

Introducing The Series by Master Teachers from Thoroughbred.

This unique series offers your teenagers the rare opportunity to learn—to reinforce and integrate concepts studied in school—through software developed by Master Teachers.

Teachers who have been recognized by other teachers as being truly outstanding for their knowledge. And for their ability to inspire people to learn-not by rote, but through active participation So that learning is quick, thorough, and fun.

Master Teachers are so good at teaching, in fact, they teach teachers how to teach.

11 titles are available now

Biology

- Exploring that amazing food factory, the leaf
- ☐ Photosynthesis: unlocking the power of the sun
- The fascinating story of cell growth
- How plants grow: the inside story

Math

- Decimals made simple
- Mastering units of measurement
- Taking the mystery out of metrics

Social Science

- The U.S. Constitution: our guarantee of liberty
- The Constitutional amendments: what they mean to you

Chemistry

- Molecules and atoms: exploring the essence of matter
- The how's and why's of migrating molecules

More to come. Plus English, physics...

All, with advanced color graphics.

Level of knowledge covered: junior high to adult (except "Decimals," elementary to senior high).

For use with: IBM PC, PCjr.* Available soon for Apple IIe, IIc.**


Visit your dealer today. Or call us at 800-526-3968 (or 201-685-9000). Or write: SMC Software Systems, 1011 Route 22, Bridgewater, NJ 08807.

*IBM is a registered trademark of Infernational Business Machines Corporation.
 *Apple is a registered trademark of Apple Computer. Inc.

© Copyright 1984 Science Management Corporation. All Rights Reserved

The Series by Master Teachers

Exploring that amazing food factory, the leaf



Biology

Educational Software

SMC Software Systems

A Division of Science Management Composition

look. It's easy on the beginner, yet it's not limiting to the expert programmer. It's more than BASIC, not exactly a Pascal, and different from Logo—but it has some of the characteristics of all three languages.

It's inexpensive to try. You may find that it's just what you have been looking for.

Further information on COMAL may be obtained from:

COMAL User's Group 5501 Groveland Terrace Madison, WI 53716 Reston Publishing 11480 Sunset Hills Road Reston, VA 22090

COMAL Examples

The user may input what appears to be a BASIC program; when it is listed, it appears in a significantly different format, but does the same thing.

User Input				COMAL Listing					
10	FOR J=1	то	2Ø	0010	FOR J:=1 TO 20	DO			
2Ø	T=Ø			0020	T:=Ø				
3Ø	FOR K=1	TO	J	ØØ3Ø	FOR K:=1 TO J	DO			
40	T=T+K			0040	T : = T + K				
50	NEXT K			0050	NEXT K				
6Ø	PRINT T			0060	PRINT T				
7Ø	NEXT J			0070	NEXT J				

Note that the COMAL editor has provided indentation to more easily identify the loops, and has changed the syntax of FOR and assignment statements slightly.

An experienced COMAL programmer might streamline the coding along the following lines:

```
0010 FOR J:=1 TO 20 DO SUM

0020 PROC SUM

0030 T:=0

0040 FOR K:=1 TO J DO T:+K

0050 PRINT T

0060 ENDPROC
```

Here there are no NEXT statements, and both FOR statements are one-line loops. The coding within the FOR J-NEXT J loop has now been defined as a procedure called SUM and is called as needed. The statement T=T+K has been replaced by the more efficient T:+K. The program will run a little faster in its new coding, but its major advantage is that it's neater.

The user might take things a step further by using longer variable names and passing a value to the procedure:

Labels such as TOTAL and VALUE would be forbidden in BASIC (the keywords TO and VAL are there), but not in COMAL. The new program takes slightly more space than before and runs at the same speed. Procedure SUM could now be completely disconnected from the main routine (via PROC SUM(VALUE) CLOSED) since it is passed all the required data; it doesn't need to "raid" the main program variables.

We can go a step further by using a defined function in this case:

```
0010 FOR J:=1 TO 20 PRINT SUM(J)
0020 FUNC SUM(VALUE)
0030    TOTAL:=0
0040    FOR INDEX:=1 TO VALUE DO TOTAL:+IN
         DEX
0050    RETURN TOTAL
0060 ENDFUNC
```


The value of SUM is calculated each time it is used. Using a defined function can generate a very readable program. The statement RETURN is different from a BASIC subroutine RETURN. It means, "give back a value of TOTAL to the calling program."


Common Sense And COMAL

This program generates the sums of various series of numbers. It's meant to show COMAL options; it's certainly not the best way to do the job. As any math teacher will tell you, the sum of the numbers from 1 to J can be calculated by the formula (J+1)*J/2. We could therefore reduce the function to a single line and write the program as follows:

```
0010 FOR J:=1 TO 20 PRINT SUM(J)
0020 FUNC SUM(VALUE)
0030 RETURN (VALUE+1)*VALUE/2
0040 ENDFUNC
```

That's not an advantage caused by the language—that's just a little math and common sense.





IMAGINE IT. CREATE IT. EVEN PRINT IT. IT'S AMAZING WHAT YOU CAN DO WITH THE KOALAPAD.

You have the vision. Now you've got the touch. The KoalaPad™ touch tablet plugs right into your computer, and makes beautiful high-resolution graphics easy. For charts and graphs, for cartoons and electronic artwork, or just for doodling around. You don't need programming skills. You don't need to remember commands.

The KoalaPad comes complete with graphics software that displays a full array of colors, shapes, patterns and functions right on the screen. Just point to what you want, then draw right on your KoalaPad. Instantly, your visions turn into spectacular full-color images right on your screen.

You can save your designs to disk. And now, with our Graphics Exhibitor™ (for Apple®) or KoalaPrinter™ (for Commodore 64™) software, you can even print out your designs — for the best reproduction of on-screen graphics available. Your imagination knows no limits, with the KoalaPad and Koala software.

For the Apple, Atari,* Commodore 64, IBM* PC and PCir. computers.



Koala Technologies ₩ 800-KOA-BEAR

Koala Pad Touch Tablet

Apple, Atari, and IBM are registered trademarks of Apple Computer, Inc., Atari, Inc., and International Business Machines Corp., respectively. Commodore 64 is a trademark of Commodore Electronics, Ltd.

© Koala Technologies

THE BEGINNER'S PAGE

Tom R. Halfhill, Staff Editor

Starting this month, "The Beginner's Page" will be written by Tom R. Halfhill, editor of COMPUTE!. Halfhill's former column in COMPUTE!, "Questions Beginners Ask," will be incorporated into "The Beginner's Page."

A Column For Everybody

Welcome to the new Beginner's Page. A popular column in COMPUTE! since March 1981, "The Beginner's Page" was conceived as a way to introduce the main concepts of personal computing to beginners. But it's also a way to unite the users of the many different computers covered in COMPUTE!.

That's why "The Beginner's Page" will continue to involve every computer brand covered by COMPUTE!. It doesn't matter if you have a \$79 Commodore VIC-20 or a \$4000 IBM PC. If you have an interest in learning more about personal computing, that's enough. As always, we look forward to your questions, comments, and suggestions. We'll devote most of each month's column to a specific topic, and then conclude with an answer to a general-interest question, much like "Questions Beginners Ask." Sometimes the question will come from one reader's letter, and other times it will be culled from a number of letters asking pretty much the same thing. So keep the mail coming.

Emulators: An Impossible Dream?

Certain types of questions consistently recur in the mail we receive from readers. One such question has to do with *emulators*.

An emulator is an add-on accessory or adapter that lets a computer run programs designed for another computer which is normally incompatible. The concept of an emulator is fascinating, almost mesmerizing, especially for beginners. Imagine having access to the hundreds and even thousands of programs available for other computers. It seems that your software

problems would be solved overnight.

Unfortunately, it's not that simple. True emulators are very rare indeed. If ever there was reason to observe the warning "Let the buyer beware," you should heed it when encountering a sales pitch for an emulator.

For instance, when the Commodore 64 first hit the market, there were all kinds of rumors about forthcoming Apple emulators. Several companies, supposedly, were preparing plug-in modules that would let Commodore 64 owners simply load an Apple program off a disk and type RUN. Some companies even advertised their Apple emulators in magazines. But they never materialized.

Elusive Emulators

We received scores of letters from readers asking about these emulators, and we followed every lead. But each time we contacted the company involved, we got pretty much the same answer: "Available soon." Of course, "soon" stretched into "never."

At the time, the idea of an Apple emulator held great appeal for Commodore 64 owners because there wasn't much software for their brand-new computer. Now, two years later, there's a virtual glut of Commodore 64 software and the idea has lost some of its attraction. Even though the Apple has acquired a huge software library (estimated at 10,000 programs) after more than seven years on the market, the Commodore 64 software has all been written within the past two years and is generally more up to date. In fact, there are probably some Apple owners to-day who'd like to get their hands on a Commodore 64 emulator.


Over the years we've heard wishes, rumors, and announcements of other emulators, too: adapters to make Atari game machine cartridges compatible with Atari computers, or vice versa; a Commodore 64 emulator for the VIC-20; and even an IBM PC emulator for the Coleco Adam (actually announced by Coleco for tentative release in late 1984). But chances are you'll never

Me 20 Omnars

The ultimate reference book

The complete encyclopedia for the Commodore VIC-20 is now available. COMPUTE! Books, one of the leading publishers of application-oriented consumer computer books, has released *Programming the VIC* by Raeto Collin West. And we offer this extraordinary volume to you at a very special introductory price of \$22.45 if ordered by December 15, 1984, a 10% savings off the regular price of \$24.95.

For \$22.45 you can own the *definitive* book on the VIC-20. There has never been a book published for the VIC-20 that gives you what this one does.



Programming the VIC's 17 chapters address virtually every programming situation that you, a VIC user, are likely to encounter. The book contains hundreds of examples and dozens of complete programs published in ready-to-type-in form.

Beginning to advanced programmers alike will find *Programming the VIC* to be an indispensable VIC resource. Whatever your programming level and whatever your VIC needs, this is a book that you'll refer to again and again.

*Limited offer. Save 10	oies of <i>Programming the V</i> 0% if you order by December 1997	per 15, 1984.
All orders must be prepaid in U.S. tunds.	d \$3.00 shipping & handling N.C. Residents add 4.59 Total paymen	% sales tax.
- Daymont analoged (a	shock or money order)	
□ Payment enclosed (c □ Charge my □ Visa □ I	MasterCard American	Express /
Charge my D Visa D I	MasterCard □ American □	/
□ Charge my □ Visa □ l	MasterCard 🗆 American	/
Charge my Uisa I	MasterCard 🗆 American	/
Charge my Usa 1 Acct. No. Name	MasterCard - American Exp. D	/

see any of them. Or if you do, they'll scarcely be cost-effective.

Turning Mountains Into Prairies

There are two problems to overcome when designing an emulator: First, you have to exactly duplicate every hardware function of the computer you're trying to emulate (while avoiding patent- and copyright-infringement suits); and second, you have to match or exceed the performance and cost-effectiveness of the computer you're trying to emulate.

Let's tackle the first problem. It might seem that a Commodore 64 and an Apple IIe, for instance, have a lot in common: Both have 64K of Random Access Memory (RAM), 16 colors, high-resolution graphics modes, a standard 40-column screen format, built-in Microsoft BASIC, and compatible central processing units (the eight-bit 6502/6510 microprocessor). But these details are superficial. Internally, the computers are completely different.

Both computers may have 64K of RAM, but the way it's laid out is so dissimilar that it's like comparing 64 acres of Kansas prairie with 64 acres of Colorado mountains. The color capabilities, graphics modes, methods of screen display, BASICs, and internal operating systems are likewise totally different.

There are ways around these incompatibilities, but then you run into the second problem. It's been said that any computer can emulate any other computer—as long as expense and performance are not considerations. In other words, you could bulldoze the Rocky Mountains to turn them into prairies, and dump the rocks onto the Kansas prairies to turn them into mountains, but is it worth the trouble?

Emulator=Computer

The only practical way to build an emulator is to shrink the first computer down to a box or module that plugs into the second computer. Usually it's not worth it, because you could simply buy the first computer for not much more than the emulator would cost. For instance, once at a computer show we saw an Atari VCS game machine emulator for the VIC-20. It really worked, because essentially it was an Atari VCS in a plug-in module. However, it cost \$89.95, and Atari game machines at that time were selling for \$99.95. So the emulator cost \$10 less, but didn't come with a pair of joysticks, paddle controllers, or a free game cartridge as the VCS does.

Similarly, one Apple emulator that was announced for the Commodore 64 was to be priced at about \$800. But at some discount dealers, you

can buy an Apple IIe and a disk drive for not much more. Why buy the emulator?

For an emulator to be worthwhile, it should provide at least 90 percent compatibility at a price significantly less than what the other computer would cost. Even then you should balance the cost of the emulator against the benefits of running the other computer's software.

Admittedly, it would be nice if we could buy inexpensive emulators that would let us run software written for everybody else's computers, because then our choice of which computer to buy wouldn't be so difficult. It would also be nice if we could buy a Datsun or Renault and repair it with Chevrolet or Ford parts, and vice versa. But realistically, neither is likely to happen for a long time, and for many of the same reasons.

Questions Beginners Ask

In your September column ["Questions Beginners Ask"] you suggested using a bulk eraser or an audio recorder to erase tapes. There is a much simpler way that I have been using with my TRS-80 Color Computer, and there's no reason it shouldn't work with any other micro. Why not just rewind the tape, press PLAY and RECORD on the recorder, and type CLOAD "X"?

Ken McIsaac

Essentially this is identical to one of the methods I recommended—place the tape in an audio recorder, insert a null plug into the microphone jack or turn down the recording level, and press PLAY and RECORD. Either way, you're erasing the tape by recording silence over the previous material.

However, your method works only on TRS-80 computers; Commodore, Apple, TI, and IBM computers don't have a CLOAD command. Atari BASIC uses CLOAD, but if you try typing CLOAD and pressing RECORD and PLAY, the tape stops after a short while and the computer reports ERROR 138—device timeout. When the Atari detects no program on the tape, it stops the recorder motor. As mentioned in September's column, you can get around this by pressing RECORD and PLAY and entering POKE 54018,52 to start the motor, and POKE 54018,60 to stop the motor.

In any event, these methods are inefficient ways to erase a cassette. It takes a half-hour to erase a C-30, an hour to erase a C-60, etc. A bulk tape eraser does the same thing in a few seconds, and saves wear and tear on your recorder.

INACLASS BY HERSELF.



When Jennifer's parents discovered DesignWare programs, they put Jennifer in a class by herself.

Because unlike most educational software, DesignWare gives Jennifer individualized attention for months on end.

For starters, DesignWare focuses on important skills—the ones Jennifer learns in school. In fact, all DesignWare programs are developed by educators. And tested by kids.

The graphics, sound and game play are unquestionably superior. If they weren't, they couldn't keep learners like Jennifer involved for as long as they do.

DesignWare programs provide multiple levels of challenges, which let Jennifer continue to grow long after she first starts to use each program.

to use each program.

But best of all, Jennifer won't really outgrow a DesignWare program. Because they're designed to let her type in her own questions and problems.

So Jennifer's parents can tailor her DesignWare program to match her homework assignments. Or Jennifer can change her program to challenge her parents.

Jennifer's parents think DesignWare is in a class by itself. So it's not surprising they give her DesignWare. Because they think Jennifer's in a class by herself.

FOR ALMOST EVERY AGE, SUBJECT AND COMPUTER.

DesignWare offers programs for children ages 4 to 16, and for parents of all ages.

They cover a wide range of important subjects including math, geometry, algebra, geography, vocabulary, spelling, grammar, history, computer literacy, and music.

history, computer literacy, and music.
And they run on Apple, Atari,
Commodore 64, IBM PC and IBM PC Jr.
For the name of your nearest dealer or
to order our free catalog, call us toll-free
at (800) 572-7767. (415-546-1866 in
California.)



DerignWare

LEARNING COMES ALIVE®

Commodore 64 is a trademark of Commodore Electronics Ltd. IBM PC and IBM PC Jr. are registered trademarks of International Business Machines, Inc. Apple is a registered trademark of Apple Computer, Inc. Atari is a registered trademark of Atari, Inc.

On The Road With Fred D'Ignazio

More Ways Computers Made Me Smarter After Only Thirteen Years Of Daily Use

Last month, on the occasion of my third anniversary as a COMPUTE! columnist, I recounted some of the blessings computers have brought me: Cuisinart-brain thinking (the ability to process facts by slicing them, dicing them, and mixing them together); an algorithmic lifestyle (applying patterned thinking to problems of everyday life, such as how to turn off an unfamiliar shower faucet in a hotel bathroom); lightning-fast logic (like the time it took me only 24 hours to realize I was wearing a name badge upside-down); and new-found mechanical aptitude (as evidenced by my futile attempts to open up a new portable computer until rescued by my seven-year-old daughter).

But the blessings don't end there. No, 13 years of working with computers have enhanced my life in other ways as well. For example...

Blessing 5: I've Become A Whiz With Robots

My family and I live an "Erma Bombeck lifestyle." That means our house is a mess, our lives are chaotic, and we struggle through each day doing our best just to cope.

But last week was even worse.

Last week a film crew from the PBS program The New Tech Times descended on our house to shoot a profile of me and my family (and our 14 robots and 23 computers), and a robot product review.

The film crew arrived Thursday morning and spent the entire day taping program segments all over the house. They filmed in my study, in the dining room, the rec room, the hallways, and in our bedrooms.

At one point, late in the day, my wife Janet came into the house and gasped. She had absolutely forbidden us to shoot in the living room, yet there we were, complete with a dozen robots, giant, aluminum umbrella reflectors for the camera lights, and thick, snakelike cables draped over our new couch.

In total despair, Janet dashed into the room, and swiped up the Christmas cards that had been sitting over the mantelpiece for at least seven months. "I can see there are no wives and mothers on this film crew," she muttered as she stalked out of the room.

Earlier in the week, to get ready for the program, I had panicked and gone "over the top" (as the English say), and tried to get everyone in my life into the show. I had my mother fly in from Pennsylvania to show how she and Catie have become computer pen pals on The Source. I had helped my five-year-old son Eric set up cubbyhole "offices" under his bed and underneath my desk in my study so he could show

e Beartacts:

Now, you can get... NEW software programs featuring Stickybear™ the hottest-selling computer bear in America.

> Sophisticated color graphics for Commodore 64, Apple® and

Atari®, with 48 K.

New arcade-quality games for families to play together.

New fun learning programs for 3- to 6-year-olds created by a world-famous children's author.

Disk, plus hardcover book*or game,* poster and stickers in a sturdy, attractive vinyl binder – with each program.

There's something new for everyone in your family! The playful animation and bubble-gum colors in the educational programs will captivate your youngest. While Stickybear Basketbounce and Stickybear Bop - games of skill and sharp wits - challenge even dedicated arcade games-players.

Look for Stickybear software – developed by

*Apple and Atan only.

Stickybear is a registered trademark of Optimum Resource. Inc. Commodore, Apple, and Atari are registered trademarks of Commodore Electronics. Ltd. Apple Computer. Inc., and Atari. Inc., respectively.

Early Learning (Ages 3 to 6) Stickybear Opposites



Stickybear Shapes



Stickybear ABC



7 AS

Stickybear Numbers


Games for the family

Stickybear Basketbounce



Stickybear Bop






Optimum Resource, Inc. for Weekly Reader Family Software – in finer computer stores everywhere. Or, call toll-free 1-800-852-5000, Dept. AH-3.

Weekly Reader Family Software

A division of Xerox Education Publications Middletown, CT 06457



how he uses a portable computer to do

"gobbledygook processing."

I had organized two dozen neighborhood kids to try to teach one of our robots how to skateboard. We had bought Topo the robot a black cape and programmed him to breakdance with Eric, to the tune of Michael Jackson's "Beat It." We had enlisted the teachers and students in a preschool and two high schools to show how they were programming computers and robots and playing with them. And I had even managed to persuade Olga Pagenhardt, the 70-year-old director of Roanoke's "Programs for Retired People," to be present to show my concern for senior citizens and computers.

To get to all the schools and other sites for filming, we formed a caravan of vans and cars, loaded with people, cameras, computers, and robots, and we wound our way, in a big hurry, around the streets of Roanoke. Robots sat on car seats and on the floors of the vans, and peeked out of every window at fellow motorists and passersby. And each time we turned a sharp corner, a robot would tumble over and lose an arm or bend an antenna.

The house was literally crawling with robots. We had a HEROjr, we had a Talking Topo, we had a F.R.E.D. (Friendly Robotic Educational Device), a Maxx Steele, a Big Trak, an Armatron, and eight little crablike robots that bounced and hobbled their way across our kitchen floor.

The robots were the center of the show, but they were so *finicky* they almost caused me to have a nervous breakdown.

We had a HEROjr, for example, for two weeks before the program. He worked perfectly, he visited the kids at the preschool a couple of times, and he was a lovable addition to our family.

Then, inexplicably, he ceased to function. To bring him back to life, we tried human-to-robot resuscitation. We tried pulling off his head, taking off his clothes, and everything else we could think of. But no luck. He was in the Robot Happy Hunting Ground, and we couldn't bring him back.

That's just when Topo the robot decided to become a problem. Topo, too, had been A-OK for over a month. Then, in quick succession, he suffered memory lapses, his infrared "eye" stopped working, and, worst of all, his recharger disappeared. Anybody who has ever hung around with robots knows how serious it is when a robot can't find his recharger.

Wednesday afternoon, the day before the TV film crew came, was the worst. Topo wasn't working. HEROjr wasn't working. And we had just gotten a shipment of little robots in the mail, and the most important little robot was broken.

"I give up!" I cried. "I hate robots! I never want to see another robot! Get them out of my sight. I'm going back to bed."

Then Eric came to the rescue.

Eric had just come home from school and walked in on my tirade. In his own breezy, take-charge manner, five-year-old Eric barged into a kitchen filled with computers, robots, and adults, sat down at the table, and began fooling with the broken robot.

A moment later it beeped!

Then its lights came on. And it beeped again.

Then it began jerkily moving around the kitchen table. It crawled. It stopped. It lurched. It stopped. It looked like a tipsy turtle ambling across a fishing boat in high seas.

When I saw the robot work I grabbed Eric and gave him a big kiss and a hug. "I don't believe it," I said. "You fixed it. How did you do it?"

"I just pushed the buttons," Eric said. "Do

you have any more robots I can fix?"

Eric's dramatic rescue of the robot turned the whole day around. Within minutes we had found Topo's recharger, and we had lined up a new HEROjr to arrive before the TV crew showed up the following morning.

Eric and I sat on the kitchen floor having little robots bounce, jounce, and try to run up our pantlegs. Once again I was happy. Once again I felt like Fred D'Ignazio, Robot Tamer Extraordinaire.

Blessing 6: I Can Spot A Shortcut A Mile Away

Last spring, I took several computers and robots with me to London, England, to teach a "Robotics Literacy" course. I described my adventures in the October 1983 issue of COMPUTE!, in my column "There's A Robot In My Room."

In that column, I told how I tried to make a HERO robot I had taken with me into a robotic alarm clock that would wake me at 5:30 a.m. each morning so I could prepare the lectures for my students before class.

I went to extreme lengths to get HERO to become an alarm clock. I positioned him perfectly, right beneath my bedroom window. I wrote a program in hexadecimal and loaded it into HERO by punching the buttons on top of his head. I activated his light sensor, so he could look out the window and watch the sun coming up, then wake me just after dawn. The sunlight was supposed to trigger his light sensor, which in turn would trigger HERO to start talking. "Good morning, Fred. Time to wake up. Get out of bed, you sleepyhead," he was supposed to say. "It's 5:30 a.m."

And he did say it. But he didn't say it at 5:30 the next morning. He said it at 11:00 p.m.



You bought a computer to cultivate your kids minds. Make sure it's bearing fruit, not growing vegetables.

Introducing a whole crop of Learning Adventure games from Spinnaker.

When it comes to cultivating adventurous young minds, the computer's potential is endless

Unfortunately, the search for software that makes the most of that potential has been endless, too.

That is, until Spinnaker created the Learning Adventure Series. A unique collection of games that reward curiosity with



It's new! PRESIDENT'S CHOICE.™

Welcome to the White House you're the President of the United States! Make the right decisions and you'll win re-election. Ages 13-Adult.

hours of adventure and learning. So the time kids spend with our games will help them develop valuable skills. Instead of just tired thumbs.

But what really makes our Learning Adventure games unique – educational value aside - is how much fun they are. Which isn't too surprising when you consider you can do things like bargain with aliens, search a haunted house, or build your own railroad empire.



It's new! ROCK 'N' RHYTHM.™

It's your own recording studio, complete with instruments and equipment. Play and record existing music, or experiment with your own melodies and Thythms. Ages 10-Adult.

In fact, our games are so much fun, kids will really enjoy developing some very important skills. Deductive reasoning, note taking, and problem solving, for instance.

So, if you're in the market for software that will truly cultivate young minds, pick the Spinnaker Learning Adventure Series.

It's the best way to be sure your search will be fruitful.

Spinnaker Learning Adventure games are available for Apple, Atari, IBM and Commodore 64 home computers.




it's new! TRAINS.™

You're in charge of an old-time railroad - and whether it turns into a bonanza or a bust depends on how well you run it. But either way you'll find that working on this railroad is a challenge – and a lot of fun! Ages 10-Adult.



Disks for: IBM (PRESIDENT'S CHOICE), Atari and Commodore 64 (ROCK 'N' RHYTHM and TRAINS).

COMPUTE BOOK



Commodore Peripherals: A User's Guide

Julie Knott and David Prochnow

This easy-to-understand book guides the computer owner through the myriad of Commodore peripherals available for the 64 and VIC-20. Clear descriptions explain the use and function of disk drives, printers, expanders, cartridges, Datassette, modems, and CP/M. For all VIC and 64 users who plan to add to their basic computer

\$9.95 ISBN 0-942386-56-6



33 Programs for the TI-99/4A

Brian Flynn

Contains something for everyone: chapters on games ("Rings and Poles") games (kings and Poles"), money management ("IRA Planner"), business ("In-ternal Rate of Return"), sim-ple statistics ("Mean, Variance, and Standard Deviation"), and more. A wide variety of applications software, plus games. Thirty-three ready-to-type in Thirty-three ready-to-type-in programs at a low cost.

COLUMN ISBN 0-942386-42-6




VIC-20 and Commodore 64 Tool Kii: BASIC

Dan Heeb

This comprehensive guide to the BASIC ROM routines in the VIC-20 and Com-modore 64, thoroughly documented and clearly written, shows programmers how to call these routines from their own BASIC or machine language programs. Not only a "how-to," the Tool Kit is also an extensive reference guide to this important part of to this important part of Commodore BASIC. For intermediate to advanced programmers.

\$16.95 ISBN 0-942386-32-9



Easy BASIC Programs for the IBM PC and P©jr Brian Flynn

From games and money From games and money managers to statistical calculators, business forecasters, and household planners, this wide-ranging collection of 45 programs for your PC or PCjr has something for almost everyone. "Pie Plot" draws charts, "Computer Cash Register" turns your computer into an electronic register, and "Time-Series Forecasting" predicts future Forecasting" predicts future trends. "Household Budget," "Paycheck Analysis," and "Municipal Bond Buyer" help you organize your personal and household finances. Or play strategic games, com-pute calculus problems, and even analyze statistics.

\$14.95 ISBN 0-942386-58-2

To order your copy, call toll-free 1-800-334-0868 or write: COMPUTE! Books, P.O. Box 5406, Greensboro, NC 27403

Please include a \$2.00 shipping and handling charge per book on all book orders.



Finally, a computer keyboard kids can use.

A computer can help your child learn but the keyboard often gets in the way, It's a jumble of keys that's confusing and hard for little fingers to operate. And it's not much fun.

Introducing Muppet Learning Keys from Koala Technologies.

The first computer keyboard made especially for young children. And the only keyboard with Kermit, Miss Piggy and the Muppet gang right on it-ready to introduce your child to the magic of letters, numbers, and colors.

Imagine you're five years old. Now pick a keyboard.

An easy choice, isn't it? That's because Muppet Learning Keys was created by education specialists to make learning an adventure for your child.

Unlike conventional keyboards, all the letters and numbers are in order. So a child can find A-B-C and I-2-3 without hunting all over the keyboard.

Press any key on the keyboard and something always happens. Kermit flies a kite. Miss Piggy eats a pretzel. Fozzie puts out a fire.

That's how the fun begins. But soon, your child starts to explore and experiment. How many kites can Kermit fly? In how many colors? What do the other letters mean?

Muppet Learning Keys has things that every child knows and loves — a compass, a ruler, an eraser and a blackboard. Lots of stuff that a kid can't wait to get his hands on.



When it came time to test this new marvel, we turned to the experts. Children

We let them do their worst to it. Peanut butter. Teeth. Even Ketchup.

Then we wiped its washable mylar surface with a sponge, and plugged it in.

And those kids did their best with it - having fun while they experienced the joy and wonder of learning.

Give your child Muppet Learning Keys and make computer learning child's play.

Muppet Learning Keys. The hands-on keyboard for kids.

For the Apple IIc, Apple IIe, and Commodore 64 computers.

In-box software by Sunburst Communications. Muppet Learning Keys works with software that is designed or modified for it.

dore is a trademark of Commodore Business Machines, Inc. Apple is a registered trademark of Apple Computer Inc. Muppet Learning Keys, Muppet and character names are trademarks of Henson Associates, Inc.

© 1984 . Koala Technologies Corporation





and again at 11:45 p.m. The second time he said it, I was sound asleep. And I was not happy to be wakened—especially by a robot.

Of course it was not his fault. I had programmed his sensor to be so sensitive to light that even the tiniest amount of light would set off his robotic alarm clock. The first time he went off, his sensor had detected my bedside reading lamp. The second time, it responded to the headlight of a passing truck.

After these two experiences, I lowered the sensitivity of the sensor, went back to bed, and

happily slept through the night.

The next morning I heard banging on my door. It was my colleague at the robotics course, and it was 8:30 in the morning. I had overslept by three hours.

Why hadn't HERO awakened me? Later in the day, when I had had time to get dressed, teach a course, and grab a late breakfast, I calmed down enough to realize that I had now erred in the opposite direction. This time I had set HERO's sensor too low. It was now so low that only a supernova would turn him on.

When my article appeared in COMPUTE!, I received dozens of nice letters. The readers loved my stories about living with robots, and they wanted to know more about the robotics literacy

course.

Then, one day, I received a letter from a nine-year-old boy. He had enjoyed my article, too, he said. But he had one small question. Why, he asked, if HERO had a clock built inside him, couldn't I have written a little program to have HERO check his clock, and at 5:30 a.m. start talking and wake me up?

I wrote the boy a letter and answered his question simply and truthfully. "I didn't think of

it." I said.

I showed my wife the boy's letter. That's when she christened me "Do It the Hard Way, Fred."

I wince when I admit it, but it is a perfect nickname. After all, I have spent thirteen years programming and working with computers and robots. I have been on intimate terms with machines of all sizes and personalities. But am I any smarter? Have computers made me a quicker, more logical thinker?

Judging from my experience with HERO in London and from all my other experiences, the answer is no. And it took a letter from a sharp little nine-year-old boy to make me realize it.

"Put your heart and soul into computing," I advised him in my letter, "and, one day, you may be smart just like me."



Get the complete modem/software package for your Apple II, II+, or IIe that includes 300 Baud Modem card, easy menu-driven communications software and a subscription to the SOURCE* Ask your computer dealer about the **NETWORKER** or call us at 1-800-631-3116 and we'll tell you where to pick one up. The NETWORKER™ modem is made in the U.S.A. by ZOOM Telephonics, Inc.

SOURCE offer good through December 31, 1984.

ZOOM Telephonics/207 South St./Boston, MA/02111



KUKULCANTH ADVENTURE

A history "course" that's fun.

What an entertaining way to learn about Aztec history. The year -1519. The place · Tenochtitlan, the City State of the Aztecs. You are one of the citizens, an Aztec scribe. Your leader · Montezuma II. The great city falls prey to evil ornens. Montezuma calls for his scribes. You must go. This is your chance to earn a place in history.



\$39.95

A Class 4 (experienced) adventure game with outstanding graphics. Created by Michael Glitzow. For 48K Apple II, II+, Commodore 64.

Available at your local computer or software dealer. Or direct from us. Also call or write for the complete catalog.

Apple, Apple II. Apple II a registered trademarks of Apple Computer, inc. Commodore 64 is a registered trademark of Commodore Business Machines, Inc.



P.O. Box 46080 Lincolnwood, IL 60646 (312) 792-1227

1984 American Eagle Software, Inc.

OLLIE'S FOLLIES™

You've enjoyed Jumpman, Donkey Kong, Lode Runner, Now comes Ollie's Follies™.

24 fast-action boards make you wonder if you'd ever master the game. Innovative, fun-filled tricks - elevators, blowers, teleporters, springboards, high-wire tricks, laser walls, lightning bolts, robots. Ollie's Follies can get your adrenalin going like any of the hit games.



\$34.95

Created by Frank Cohen. For Commodore 64 and 48K Atari.

Available at your local computer or software dealer. Or direct from us. Also call or write for the complete catalog.

Jumpman is a registered trademark of Epyx Software. Donkey Kong is a registered trademark of Nintendo of America, inc. Lode Runner is a registered trademark of Broderbund Software. Commodore 64 is a registered trademark of Commodore 64 is a registered trademark of Commodore Business Machines. Inc. Atari is a registered trademark of Atari.



P.O. Box 46080 Lincolnwood, IL 60646 (312) 792-1227

#1984 American Eagle Software, Inc.

LUCIFER'S REALM" ADVENTURE

Pits you against history's most evil characters.

The good guy vs. the bad, and the bad don't come any badder. Hitler, Mussolini, Reverend Jim, Satan himself. You have to go against them all, just so that you can escape from hell (yes, the real thing).



\$39.95

A Class 5 (expert) adventure game with outstanding graphics. Created by Jyym Pearson and Norm Sailer. For 48K Apple [], [] +, Commodore 64, 48K Atari.

Available at your local computer or software dealer. Or direct from us. Also call or write for the complete catalog.

Apple. Apple | | Apple | | + are registered trademarks of Apple Computer. Inc. Commodore 64 is a registered trademark of Commodore Business Machines, Inc. Atan is a registered trademark of Atan, Inc.




P.O. Box 46080 Lincolnwood, IL 60646 (312) 792-1227

©1984 American Eagle Software, Inc.

MASQUERADE" ADVENTURE

"an adventure puzzle solver's piece de resistance...," Softalk, Nov. '83.

It turned out to be the toughest case of your detective career. Clues have led to nothing but dead ends. Meanwhile, the crime boss you are after is still operating from somewhere. You're about to throw in the towel. But wait! Something breaks. This could be the lead to solve the case. Maybe.



\$34.95

A Class 5 (expert) adventure game with outstanding graphics. Created by Dale Johnson. For 48K Appie [], [] +, Commodore 64.

Available at your local computer or software dealer. Or direct from us. Also call or write for the complete catalog.

Apple, Apple II. Apple II + are registered trademarks of Apple Computer, Inc. Commodore 64 is a registered trademark of Commodore Business



P.O. Box 46080 Lincolnwood, IL 60646 (312) 792-1227

#1984 American Eagle Software, Inc.

REVIEWS

KoalaPad For PCjr

Lee Noel, Assistant Editor, Art & Design

Requirements: IBM PCjr with 128K RAM, disk drive, DOS 2.1, and color display.

Long before I picked up the new PCjr KoalaPad, I was using the KoalaPad for the Commodore 64. In combination with its accompanying KoalaPainter program, it was—and still is—the most flexible and satisfying computer graphics tool I've ever used.

After testing the PCjr KoalaPad package for more than a month, I'm pleased to report that it's virtually identical to the Commodore 64 version. The essential features have all been retained, and the few differences are improvements.

A Screen in Your Lap

The KoalaPad is compact: about six by eight inches overall, with a pressure-sensitive drawing surface about four inches square. There are two large black buttons at the top. It's sturdily constructed of plastic and should withstand moderate abuse from children.

The KoalaPad plugs into one of the joystick ports on the rear of the PCjr with a 5-1/2 foot cord, and it works on the same principle as a game controller. But instead of reporting the position of a movable joystick, the KoalaPad reads the position of an object pressing against the pressure-sensitive



"Bluemoon," an imaginary world made with the KoalaPad and KoalaPainter. The blue spheres were designed on the alternate screen and then copied to the main screen. (All works reproduced here, except the fox, were created by author Lee Noel.)

membrane. (This can be the plastic stylus supplied with the package or even a finger.)

The program running in the computer then converts this input into some meaningful form. Not unexpectedly, the two buttons at the top of the pad act like fire buttons on a joystick. Unlike the joystick buttons, though, both buttons on the pad do exactly the same thing, so it never matters which one you press. Two buttons make the pad convenient for both left- or right-handed people.

It's up to the program to make use of the pad's readings. You could write your own programs to work with the KoalaPad, or even use it with some existing software. Of course, the pad comes with its own graphics program, KoalaPainter. It treats the pressure-sensitive surface as a representation of the computer's display screen. Pressing a certain point on the pad's surface causes a lighted arrow to appear at a corresponding point on the screen. Moving across the surface as you press also moves the arrow across the screen. Removing all pressure from the pad makes the arrow disappear. In computer jargon, the arrow is a cursor.

However, pressing two or more places at once does not make two arrows appear onscreen. The KoalaPad is designed to recognize only one contact at a time; more merely confuse it. Therefore, you have to keep stray fingers off the

Flight Simulator II

Arari, & Connnodore 64.



Put yourself in the pilot's seat of a Piper 181 Cherokee Archer for an awe-inspiring flight over realistic scenery from New York to Los Angeles, High speed color-filled 3D graphics will give you a beautiful panoramic view as you practice takeoffs, landings, and aerobatics. Complete documentation will get you airborne quickly even if you've never flown before. When you think you're ready, you can play the World War I Ace aerial battle game. Flight Simulator II features include ■ animated color 3D graphics ■ day, dusk, and night flying modes over 80 airports in four scenery areas: New York, Chicago, Los Angeles, Seattle, with additional scenery areas available ■ user-variable weather, from clear blue skies to grey cloudy conditions ■ complete flight instrumentation ■ VOR, ILS, ADF, and DME radio equipped ■ navigation facilities and course plotting ■ World War I Ace aerial battle game ■ complete information manual and flight handbook.

See your dealer . . .

or write or call for more information. For direct orders please add \$1.50 for shipping and specify UPS or first class mail delivery. American Express, Diner's Club, MasterCard, and Visa accepted.

Order Line: 800/637-4983



713 Edgebrook Drive Champaign IL 61820 (217) 359-8482 Telex: 206995 membrane. (This is a major difference between the KoalaPad and a competitive touch tablet, the PowerPad from Chalkboard, which can distinguish multiple contact points and report them all to the computer.)

The KoalaPad is easiest to use with its special stylus. The stylus moves smoothly across the surface and greatly aids accurate work. However, just about anything can be used as a stylus. Children often prefer just to press with a finger, in a fashion similar to fingerpainting. But even though the membrane is very durable, you should avoid sharp objects that might permanently damage it.

Easy To Run

Before using the KoalaPainter diskette for the first time, you must transfer parts of DOS 2.1 onto it. The procedure is very well explained in the manual, even for beginners. Once it's done, you'll never have to do it again; you boot up with this disk each time.

All you have to do is plug the pad into the rightmost (as you face the system unit) joystick port, then insert the prepared disk and turn on the computer. Everything runs automatically.

The KoalaPainter menu denotes various functions with tiny pictures on the screen, sometimes called icons. Even nonreaders can use this program. The menu is well-designed and extremely easy to understand. For example, a picture of two circles indicates the CIRCLE function, which lets you draw circles. It's that simple.

To activate the CIRCLE function—or any similar option—you just move the stylus across the pad so the screen arrow points inside the box containing the appropriate icon. Then press either of the KoalaPad's fire buttons. At once, the box changes color, verifying



This finely crafted picture of a red fox is included on the KoalaPainter disk.

your choice. The function remains active until you select another one.

Of course, you don't want to draw pictures over the menu, so the program has a blank screen ready. To reach it, stop pressing against the pad and press one of the buttons. Instantly, the blank screen appears. You can return to the menu anytime by removing pressure and pressing the button again. That's basically all there is to operating the system.

The KoalaPad system shows how easy computers can be. There's rarely a need to touch the keyboard, and there's no mysterious new computer language to learn. Naturally, taking advantage of KoalaPainter's many functions to create a detailed picture does take some practice, but you can start experimenting immediately. Thanks to the excellent manual (despite a few typographical errors), the task of learning the program is simplified considerably.



"Janus" shows one application of the KoalaPainter mirror mode.

Low-Resolution Graphics

For some reason, KoalaPainter only uses the PCjr's low-resolution 160 × 200 pixel graphics mode (SCREEN 3 in Cartridge BASIC). This mode does offer 16 simultaneous colors, but so does one of the medium-resolution (320 × 200) modes. The greater the resolution, the more detailed the pic-

tures you can draw.


Koala Technologies says it chose low-resolution graphics to conserve memory and to insure a clear display on ordinary TV sets and composite color monitors. While the latter point makes some sense—TVs may indeed have difficulty with the finer display-it's hard to understand why memory was a factor. The PCjr version of KoalaPainter requires 128K RAM, more than enough memory to support all the requirements of the program. The Commodore version runs easily in 64K, and similar programs for other computers can run in as little as 16K. Koala says the decision to use the low-resolution mode was a judgment call, but it seems a shame that KoalaPainter cannot take full advantage of the PCjr's excellent display capabilities.

Of course, a lot can be done even with 160 × 200 graphics, as the accompanying screen photos prove. The picture of the fox, one of several demos on the KoalaPainter disk, contains plenty of detail. And the resolution is comparable to that offered by competing graphics packages for other home

computers.

Still, it would be nice to have the highest full-color resolution the PCjr can support. Perhaps some RAM could be conserved if Koala supplied KoalaPainter on ROM cartridge instead of disk. That would, however, increase production costs, and therefore the retail

"A LIVING TAPESTRY . . ."



"The world of Ultima III can only be compared to a living tapestry — complex and beautiful . . . This is the best fantasy game in computing. Indeed, it is one of the best fantasy worlds in which to live. Lord British is a veritable JRR Tolkien of the keyboard." — Popular Mechanics

"Exodus: Ultima III, with a superior plot to match its superior gaming system, is a great game. It upgrades the market; in several ways it sets new standards for fantasy gaming state of the art." — Softline

"Exodus: Ultima III is Lord British's magnum opus — so far. It's fun and exciting to play and constantly intriguing. And the ending is marvelously unexpected and not a bit disappointing — except that it is the ending, and as with a good book, you'll probably wish there were more." — Softalk

Available on: Apple, Atari, Com64, IBM



price. As Koala says, it's a judgment call.

A Hundred Shades

You can actually simulate more than 16 colors with Koala-Painter. Although the PCjr is limited to displaying only 16 true colors-or, more accurately, two shades of eight colors-you can mix any two colors into a halftone dot pattern. This creates the effect of different shades. Further, there's a special new rainbow color feature that mixes lots of colors together for you-children should love this. All in all, there are more than a hundred shades and combinations to choose from.

The border on the drawing screen changes to match the drawing color selected. Otherwise, it's easy to try to draw in, say, white on a white background. Without the border, you might wonder for a long time why nothing was happening. However, the border can display only a single solid color—not the rainbow color or the halftones.

In addition to all the colors, KoalaPainter gives you eight different types of brushes. You can use a fine brush for drawing, a broad brush for rapid painting, a brush that makes several parallel lines, a brush that letters in italics, and more. Of course, the brushes are just a software illusion—you always use the same stylus or fingertip.

Drawing Options

Once you've selected your color and brush, you choose one of the drawing commands from the menu. There's everything from a freehand drawing mode to a Zoom command that magnifies a section of your picture so you can make precise changes to any dot of color on the screen. Here's a summary of KoalaPainter drawing options:

 Line, Lines, and Rays let you draw perfectly straight lines in various ways. They use a



"Icarus," the mythical Greek who flew too close to the sun.

technique called rubber-banding. First, you set an initial point by pressing the stylus against the pad and hitting the button. Then, maintaining pressure, you move the stylus. On the screen, you'll see a flashing line stretching back to the original point from the current stylus position. As you continue to move the stylus, the line moves to accommodate the new position. This looks a lot like a rubber band being stretched over the screen, hence the term.

When you're happy with the length and direction of your line, you press the button a second time. Then you can move the line (now of fixed length and direction) to any area of the screen. Pressing the button a third time locks the line in place. If you wish, you can continue putting identical lines all over the screen just by pressing the button repeatedly.

• Frame, Box, Circle, and Disk draw just what you'd expect. (A box is a solid frame and a disk is a solid circle.)

 Mirror lets you draw symmetrically in three different ways. For example, one of the mirror modes produces a topbottom mirror image—anything you draw in the top half of the screen appears simultaneously, but inverted, at the bottom of the screen, and vice versa. You could draw a reflection in a pond or some other flat, shiny surface with about half the effort you might otherwise expect.

 Fill is another readily grasped command. If you've got a child who loves coloring books but is frustrated by not being able to color pictures evenly, Fill will come as a blessing. (They can't draw on walls with it, either.) You can fill any completely closed outline with any color. Using it is really child's play: Select the Fill command and a color from the menu, move to the picture screen, put the cursor inside the closed outline, and press the button.

The KoalaPainter Fill command is not only fast, but also the most thorough I've seen in any graphics package. While Fill (sometimes called Paint) commands are common to lots of graphics programs, they are sometimes fooled by complex

Atari Inc. has cut all hardware and software prices. Please call for latest current prices.

Prowriter and Apeface	5
Prowriter and Cardoo + G	4

in near the heart day and he	
INTERFACES	DISK DRIVES
Aid Interfast I Call	Indus GT Call
Ape Face, Call	Percom Call
R-Verter Modem Adaptor 39.95	Trak
	Astra 2001 Call

Bring the trivia craze home with P.Q. The Party Quiz Game for the Atari and the CBM 64 Call

STAR MICRONICS
PRINTERS
Gemini 10X 259
Gemini 15X 389
Delta 10X 429
Delta 15X579
Radix 10X 579
Radix 15X 699
Powertype339
MOSAIC
48K RAM 94.00

Powertype339	l
MOSAIC	١
48K RAM 94.00	l
64K RAM/400.149.00	l
64K RAM/800 +	ı
Cable Kit #1 169.00	
64K Expander for	
con VI DO DE	

PRINTERS

COMMODORE 64

CBM 64	
SX-64 Portabl	eCall
1541 Disk Driv	eCall
1526 Printer	279.00
1530 Datasett	e66.00
	Call
1650 AD/AA M	lodem89.00
RS 232 Interfa	ceCall
	Mark XII/1200

HS 232 Interface	
MODEMS	Mark XII/1200
layes Smart	Baud Call
Modem 300 Call	MPP 1000 C Call
Mark II 79.00	R-Verter Modem
Mark VII/Auto Ans/	Adaptor39.95
Auto Dial Call	Prometheus Call
00554 00	F T W A D E

29.95 54 95

27.95

69.95 23.95 29.95

39.95

DORE64 SO COMMODORE (cont's)

Suspend - D . Startross - D Deadline - D Soccer - Cart Magic Voice

International

Dutthroats - 0 The Suspect-D

EPYX

War d's Greatest Basepall - D

Cala Result Easy - Cart Calo Result Adv - Cart The Diary - Cart The Tool - Cart

INSTA (CIMMARON)

Insta-Writer - Cart Insta-Mali - D

HANDIC 64 Forth - Carl 64 Graf - Carl Staf 64 - Carl

FLECTRONIC ARTS — See Atars section for items and prices

Barbie 0 27 95 6 i Joe - D 27 95 Hor Whees - D 27 95 Impossible Missian - D 27 95

MPP 1150	Call	Astra	2001	->->	, C	a
ATA	R	1	S	0 1		T
ACCESSORIES		INFOC	MC			
ton Lak	29 95		-		29	95
Big Foot 16K Buffer Big Foot 32K Buffer Big Foot 54K Buffer Germin 10X 8K Upgrade	Call	Deadline Enchant Infider - Planetia Sorgare Starcros Suspeni Witness Zork I	er - D		23	45
Big Foot 32K Butter	Call	Infider -	D		34	45
Bin Foot SAK Butter	Call	Planett a	1-7		24	95
Gemini 10X 8K Upgrade	Call	Sorrace	- D		34	35
Koala Pad - D Koala Pad - D Koala Pad - Carl Humpty Dump - D Monitors Compliance Starter	AG G5	Starrens	5 . 0		29	35
Khala Part - Cart	74 99	Sukhahi	test - D		75	99
Humaty Duma 11	29 95	Witness	- 0		34	95
Monitors	Call	Zork I I	Locality	. <u>a</u>	27	95
Compusarua Studer	27 95	Sea Sta	war - D		24	44
Monitors Compuserye Starter Elephant SS/SD	17.00	Cuttaro	15 - D		24	95
Elephant SS/SD Varbatimi SS/DD Elephant SS/DD	20.00	MIRCE		-	TAC	11
Flankant SS / 20	27.00	WISEE	LLAN	EOUS A	IAP	u.
Elephant SS / DD Triangle Replacement Keyboard for 400	20 20	Zombies	- 5		23	33
Kayboard for 400	50 06	COCEMI	let - L	asepali	65	32
Alien Voice Box II - D	00 05	STAT LE	igue s	42604	No.	24.2
Omarmon	82 95	2/1	15.00	ein Si	TOO	93
	45 93			1C (186	122	95
BRODERBUND	1000	Death in	the			area.
Bank Street Writer - D	49 95	Caupp	ean · O		21	42
	23 95	DIND FO	35 - D		21	33
Oral - 0	23 95	ine Hei	21 - 0		23	63
Gumball - U	23 95	Gyruss	- Cart		14	33
Gumball - U Loderunner - D	23.95	Star Wa	rs - Ca	id Differen	30	93
Mask of the Sun - 0	27 95	Max 21	I VIDE -	U / Latt	-61	93
	27 95	E 40,17 7	Tulati	n o I	31	33
	23 95	SAM			41	
Stelfh - D	23 95	C321.6 A	Applied	tein · D	-22	35
Whistler a Brother D	23.95			tarter Kil		
DATASOFT				ant + D	49	35
Bruce Lee - D / T	27 94	Ken Usi				
	23 95 23 95	BUCK	ock C)	49	95
Dallas - O Heathclift - D / T Letter Wizard - D Micropainter - D Spell Wizard - D Juno First - D / T Lost Tomb - D - T Mancopter - D - T Mancopter - D - T Mandopter - D - T	23 94	Megafor	11 - 0	Service and	19	95
Letter Wizard - D	34 95	Monkey	Wieu	⊈i h-∪a	73/	35
Micropainter - D	23 95	Move V	laver -	D.	41	
Spell Wirard - D	34 95	Page Jo	6.50		20	93
Juno First - D / T	20 95	Ultima I	11 - 0		41	32
Last tomb - D · T	27.95	Sublier	M155101	1 - 11	34	35
Mancopter D-T	27 95	Boulder	Dasu -	DAT	20	35
Mancopter D+T Meridan III - D+T	27 35	action,	Caper	n - D - D / T - Carl - Carl / T	34	95
ELECTRONIC ARTS		Militer 2	049 et	San /T	34	32
	on he	Reacht	ad - D	11	23	32
Pinnall Construction - D	29.95 29.95	Millions	ice - ()		37	45
MULE-D	29 95	Spy vs	Spy -	0	23	95
Murder / Zinderneut - D		Lifestyle	. 0	100.	34	33
One On One - D	20 05	WEL WO	Oaw D	cver - D	15	32
One On One - D Archen II - D	29 95	Microsil			34	32
	37 95	Microch		1	14	92
	29 95	Manrez	ima s			Ar.
EPYX	22 33	Heyen.	ic ba		34	90
		Mr 100	5 Ld516	a rigari	10	72
Dragons / Pern - D Fun With Art - Cart	27.95	1123391	. 69	Cart	24	33
run with An - can	27,95	NET WO	ru - D		54	95
bareway to Apenal Cart	27,95	PLICANDE	ar + U	dia .	21	40
Jumpman Ji - Cart	27.95	rischer	MILICE -	Uart .	19	32
Jumpman - D / T	27.95	William	of Persons	Mrs. n	3.4	3.7
Histop II - Carl	27.95	Umnitre	nd Uni	verse - 0	1 69	95
Puzziemania - D	23 95	Haid DV	er Mos	COW D	27	95
Fun win art Lan Gateway to Apphai Dant Jumpman Ji - Cart Jumpman - 0 / T Pitstop II - Cart Puzziemania - D Summer Games - D Summer Games - D	27.95	HEHO	CIL	art	31	95
Temple of Apsha - D / To	27 95	necating	iou · C	art	41	32

600	XL .	+-+	99.9	9.5
W	Α	R	Ε	
MISC.	ATAR	1001		
Dark C	rystal •	9	.27	95
Vitima	1-0		. 23.	
Unima	11 - D		D 74	95
Letter /	50e F	ertect	D ca.	33
S A.F		-6	59	95
	IZED	ever		
Action	Carl	0131	69	às,
Barne Y	O - Car	e .	69.	
MAC	L - Car	11		95
DOS XI	- 3		27.	
Action	Ad-T			95
085 -	0		59	35
Handy-	Writer	- D		
Posta.)		95
	001 - 0		41	95
SSI				4.
Carrier	Force	0	41	
Comba	Leade	-D/	27	
	Balanc		27	95 95
	ides - I			95
Was in	Aussla	. 0		95
50 Mis	Sion Or	157 - 1	3 27	95
Questo	n - D		34	
BAUS W	951 D			95
Barrio A	May - I)	41	95
Compu	ter Ami	bush -	D 41	95
Galacti	Adver	itures	- D 41	95
Compu	ler Bas	epall -	0 27	95
Retarge	er 88 - 1)		95
	ve Kurs	4-0	27	95
SYNA				
Syntile Syntax	- 0		54	
	1d - D		54	
Sunch	ם תב		29	
	um - D		29	
Synstol	CH - D		59	
Relax -	0		99	
Alley C	at - D/	+		95
_		-	-	
	D.	Disi	K	
	T-C	asse	itte	

	800 +	169.00	Toshiba 1340.	
	nder			
		.99.95	COMM	101
A	R	Ε	ACCESS	33.00
		rd.)	Neutral Zone - D / T Spritemaster - D / T Beachhead - D / T Master Composer - D	23.95
estal s	0	27 95	Beachhead - D / T	23 95
-0		27 95 23.95 41.95	Master Composer - D	27 95
			Raid Diver Moscow D/ Scroits di	12/ 33
ope !	Perfect :	D 74:35	Abadon - D/T	23 95
. 12	C.E.	59 95	Acadon D/T ACTIVISION	Call
			BATTERIES INCLUD	
Cart	0,0,0	69 95 69 95 69 95 69 95 27 95 27 95 27 95 41 95	Consultant - D	09 95
- Ca	75	69.95	Papercip	
5 - Ci	art	63.95	w / Spellpail - D	84 35
77		27.95	Super Busscard II	21 35
10-0		59 95	Recipe - 0	23 95
Ariter	. D	99.95	Audia / Video Cat - D	23 95
00 -	5	41 95	Mail 1/51 - 0	23 35
0 0		41 95	Stamps 3	23 35
		20.40	Papercila W/Spelipax - D Super Busscard II Home inventory - 0 Recipe - 0 Audio / Video Cat - 0 Mail List - 0 Stamps - 0 B + 80 Card CARROD CARROD CARROD	6.3
DICE	0 017	41 95 27 95	CARDCO Cardprint/B Cardoo * G Cardboard * S Cardboard * S Cardkey Cassette Recorder Printer Ubility - D * 7 Write Now - Cart Mail Now - D File Now - D Spell Now - D Spell Now - D L0-1 Printer L0-2 Printer L0-2 Printer	12.56
Ralane Ralane	ce 11 - 2	27 95	Cardon 1 G	64 95
Balane	ce - D	27 95	Cardboard/5	59 35
ies -	D	27.95	Cardkey	33 35
lussla	- D	55.95	Cassette Recorder	37 95
100 U	h2u - 0	27 90	Mere Man Cart	19 95
est - II		27 95	Mail Now - D	29 95
ley -	D	41 95	File Now - 0	27 95
at Am	Sush -	0 41 95	Graph Now - D	27 95
Adve	ntures -	D 41 95 0 27 95 41 95 27 95	Spell Now - D	27 95
98	D - 118099	41 95	LO-2 Printer	Çalı
e Kurs	G - 82	27.95	13-3 Printer	Sail
			RS-232 Interface	Call
- 0		54 95	L2-3 Printer L2-3 Printer R5-232 Interface COMMODORE	
- D		54 95	Assembler - U	33 35
1 - 0		54 95	Assembler - D Easy Finance I, II, III, IV - D	10.05
n - D		54 95 54 95 54 95 29 95 29 95 59 95 23 95	FASA CALL . D	64 95
1 - 5		59 95	Easy Mail - 3	19 95
)		99 95	Easy Script - D	44.95
D.	17	23 95	Easy Spell - D	19.95
			The Manager - D	30 05
	200	_	General Ledger - D	39 95
	- Disk		Acces Res - D	39 95
	asse		Accts. Pay - D	39.95
rt -	Cartri	dge	Easy Finance I, IL, III, IV -0 Easy Catc - D Easy Mail - D Easy Sperior - D Easy Sperior - D Easy Sperior - D Deneral Ledger - D Acots Rec - D Acots Rec - D Acots Rec - D Acots Ledger - D Acots	42 95 20 06
			22.4 (0.20) 0.20	42 33
- 0	To O	rder Ca	all Toll Free	
0	20	CE	0 0000	
ŏ	UU	- 55	8-0003	
_				

Insta-File - D	49	3
Management Combo	64	.9
Insta-Calc - Cart / D	31	9
Insta-Graph - D	24	9
Insta-Vestor - D	31	.9
Insta-Speed - 0	99	3
Insta-Sched - Cart/ D	49	9
Insta-Music - Cart / D	73	9
Invest Combo	.74	9:
MISC. COMMODOR	F	
Ken Uston's	_	
Blackjack - D	49	3
Quick Brown Fox-D/Ca	1134	9
Ultima I/1 - D	41	95
Flight Simulator II - D		
Night Mission /		
Pinball - D/T	20	95
Home Accountant - D	49	35
Step By Step D / T	44	95
Barron's Sat D	67	95
Bristles - 0 / 1	20	95
Felestar 54 - Cart	37	95
Star League		
Basepall - D / T	22	95
Castle Wolfenstein - D		
Mastertype D/Cart	27	95
Aztec · O	27	
Strip Paker - D	23	
Astro Chase - 0 / 1	30	
Filip Flop - D / T	50	35

F	Ţ	W	Α	н	E	_	
M	IISC	. CO	MM	. (25	nt:	2 1	
			tens	ein -			
	m ·					41	
			pier :			19	
			SIDA .	D		34	
		iker -	D			23	95
Si	eta	. 0			13	23	30
H	nudi	ud R	ay ·	0		20.	90
		260 -	Note	- 70		37	
			- 0			19	
			2.1			23	
D	i-Fir	ic Te	gnis	· D/		22	
G	aoh	CS B	asic	D		23.	95
Ai	r He	scue	1 - D	Μ.		23.	
C	halle	nger	: 3/	T		23	
			Eag		11	23.	95
			er - D			41	95
			ger II			34	
			. D			34	
		Maire:				37. 23	
			an . D			39	
			Mode			79	
	odie					27	
			BROS			C	
	SI		,,,,,,				all
						0	911
		NAK			- 4		n+
- 6	oven	tina i	Creat	or - C	an	46	90
		ine C				22	ac
			0 · C	art		23	05
			00 -			27	

acemaker - Cart	22 35
raction Fever - Cart	22 95
randma's House • 0	23 95
lids on Keys - Cart	22.95
adwriter - D	22.95
(indercomp - Cart	22.95
Search/	
Amazing Tring · D	27.95
incoper -1 - D	30 95
nooper -2 D	30 95
story Machine - Cars	22 95
rains D	27.95
YNAPSE	
liue Max - D / T	23.95
ort Apocalypse - D/T	23 95
lecromancer - D/T	23 95
lew York City - D/T	23 95
T.O. obomissis	23 95

Blue Max - D / T	23.95
Fort Apocalypse - D/T	23 95
Netromancer - D/T	23 95
New York City - D/T	23 95
Quasimodo - 0./ T	23.95
Rainbow Walker - D / T	23 95
Asian Stress	
Reduction Sys.	99 95
Zaxxon - D / T	27 95
TIMEWORKS	Call
TOUCH TABLETS	
Martin Best B	

Koala Pad - D Koala Pad - Cart Animation Station - D NEW PRODUCTS

LOWERPRICES

Lomput Ability.

For Technical Info, Order

inquirles, or for Wisc. Orders 414-351-2007

AN FISH WAY BE BAIT MAST ITYON FOR 🔑 OR MAA

ORDERING INFORMATION, Please specify system. For fast delivery send dashier's check, money order or direct bank transfers. Personal and company checks allow 2 weeks to clear. Charges for COD are \$3.00. School Purchase Orders welcome. In CONTINENTAL USA, include \$3.00 shipping per software order, include 3% shipping on all Hardware orders, minimum \$3.00. Mastercard & Visa please include card # and expiration date. WI residents please add 5% sales tax. HI, AK, FPO, APD, Canadian orders—add 5% shipping, minimum \$5.00. All other foreign orders, please add 15% shipping, minimum \$1.00. All goods are new and include factory warranty. Due to our low prices, all sales are final. All defective returns must have a return authorization number, Please call 414-351-2007 to obtain an RAW or your return will NOT be accepted for replacement or repair. Prices and availability are subject to change without notice.

COMPUTABILITY P.J. Box 17882 Milwaukee, WI 53217

ORDER LINES OPEN 19-Fti 11 AM - 7 PM GST 12 PM - 5 PM GST

outlines and fail to fill them completely. With KoalaPainter, as long as the outline is fully closed and the fill color doesn't conflict with the background color, Fill works flawlessly.


There are limitations, though. Remember that Fill actually "looks" for the border around the space it's supposed to fill. So you can't refill an area already filled with a halftone, for example; every point in a halftone pattern is surrounded by four others in a contrasting color. However, there are ways to get around this (see below).

Copy lets you select a portion of your picture and transfer it anywhere on screen. You can draw a detail once and use it over and over again.

 Swap lets you flip between two drawing screens, completely independent of each other. Apart from the obvious fun of working on two pictures at once, there are a couple of interesting applications that come to mind for this command. For one thing, you could reserve one screen for your picture, keeping the other as a work area where you create details for the main picture. Once the details are complete, the Swap and Copy commands can transfer the images from the work screen to the main screen. You can test and perfect certain elements of your picture before committing them to the main screen.

I've used some expensive graphics software that makes a big deal out of allowing you to create individual picture/detail libraries for various purposes. KoalaPainter provides the same capability with Swap and Copy, especially when used with the Zoom and Mirror modes.

Another (as yet untested) application for Swap is cartoonlike animation. You could copy an entire picture from one screen to the other, making the slight changes required to pro-



"Moons." The night has a thousand eyes.

duce the illusion of movement. This process could be repeated until the desired sequence was completed. The resulting frames could be filmed or videotaped.

Oops-Proof

 The Erase command blanks out a hopelessly botched screen, but only the one you were looking at most recently.
 The second screen is safe and can be reached with the Swap command.

 Oops fixes your minor mistakes. It nullifies the effect of your last menu selection. This is a very useful feature, and it's missing from lots of graphics software. Let's say you want to test a certain fill color in part of your picture. Just go ahead. If you don't like the way it looks, immediately go back to the menu and select Oops. The picture is restored exactly as it was before. But you have to use Oops immediately. If you fill, then select Draw, and suddenly decide you don't like the fill color, Oops can't rescue you. It would work only on the more recent Draw selection.

By the way, this is one method of remedying an unsatisfactory halftone fill. You just use Oops and try again with a different color.

 X-Color may seem a little weird at first, but it's a command I use a great deal. Amazingly, it will change all areas of a certain color in your picture to any other color. This is possible because the PCjr is the only

home computer besides the Atari that has a color-indirection system (although this feature can be simulated in software on other computers, as KoalaPainter does on the Commodore 64). Let's say you suddenly realize outer space isn't really black, it's purple. Just select X-Color and purple, go to the picture screen, place the cursor on any black area of the picture, and all the black turns purple. (That's all the black, so if something should have remained black, it's time to use Oops!)

X-Color can also extricate you from a halftone fill problem, especially if Oops won't work. You just use X-Color to make one of the tone colors the same as the other. Then you've got a solid color which can be filled in the normal way.

• Storage lets you name, save, and recall your pictures with the disk drive. It calls up a special disk menu which requires elementary reading skills. Picture files must be named and typed in on the keyboard. Parents may need to help young children at this point.

Jittery Drawing

• The Draw option lets you draw freehand, just like you would with a pen or brush. Marks appear on the screen only when the pad button is pressed. This mode ought to be simple and straightforward, but it's not.

First, the cursor is always jiggling around with KoalaPainter. It's almost impossible to draw a smooth line with Draw. Instead, Draw makes a spontaneous, lively line. This is fun for some purposes, but frustrating for others. When rigid control is required, you must switch to one of the precise drawing commands, such as Line.

More importantly, there is a relatively minor but annoying bug in the KoalaPad system. The pad keeps track of the

stylus's position by constantly comparing it with a theoretical pressure point at the upper-left corner of the pad. Sometimes, mostly when using the Draw command, if your stylus pressure is a little light, the pad suddenly decides it's you up there in the left-hand corner. Consequently, a line instantly splashes up to that corner of the screen. If this happens, go straight to Oops, unless you've drawn a great deal since the last menu selection. If that's the case, it's better to choose a thick brush and erase the pesky line by painting over it with the background color.

Be alert for this problem. It's built-in, but won't be a danger unless you forget what's

happening.

 Zoom is the ultimate command for the detail-minded. When you select Zoom, a small rectangle appears on your drawing screen. It can be moved to any area of your picture that needs close inspection or detailed revision. Then press the button. You'll see not only a greatly enlarged view of the area under the rectangle, but also a normal-sized view of that general part of the screen. A special palette display lets you change colors without going to the menu. You can use the magnified cursor to change any of the individual dots of color that make up your picture. The changes appear instantly in the normal-sized section of the picture. The only KoalaPainter command supported in Zoom is Draw. This means you are pretty well restricted to changing just one block of color at a

Other graphics packages offer Zoom commands that support more complex drawing functions, but you usually can't even tell what you're looking at unless you call back the main picture screen. The KoalaPad Zoom is far superior to any other I've seen or used.



"Geo," a symmetrical geometric abstraction created with rays, lines, and four-way mirroring.

Art Or Doodling?

As an instrument for creating art and graphics, the KoalaPad and KoalaPainter are a boon to the serious designer as well as the

computer doodler.

While personal computers are now widely recognized for their serious financial and communications applications, there seems to be some reluctance to acknowledge them as a viable medium for the graphic arts. Artists who make full use of the power of the KoalaPad system may help turn this around.

It would also help if KoalaPainter provided a way to make hardcopy printouts of its screen displays. At the moment, you can permanently save your creations only by storing them

on disk, recording them on videotape, or photographing them off the screen. Maybe someday a good programmer will write a utility to dump the images to a color printer.

There will always be skeptics who think the home computer is, at best, an art toy. After all, what do those dots of color on a TV screen have to do with real art? But traditional artists have created great works using similar techniques. One example is Georges Seurat (1859–1891), the famous French artist and champion of the Neo-Impressionist movement. His significant contribution was largely based on a system of isolated dots of color used to build up entire paintings. Although his unfortunately brief working life spanned a number of years, Seurat's demanding, precise technique limited his lifelong output to seven major paintings. I suspect that Georges Seurat might have been very interested in the efficient and powerful KoalaPad and KoalaPainter.

KoalaPad Koala Technologies Corporation 3100 Patrick Henry Drive Santa Clara, CA 95052-8100 \$124.95

0

OmniWriter & OmniSpell

Joseph R. Sutton

Requirements: Commodore 64, a disk drive, and a printer on either the serial bus or user port (parallel only). See text for the printers supported.

OmniWriter is a page-oriented word processor for the Commodore 64 which includes OmniSpell, a 30,000-word spelling checker. The package is best

suited for page-oriented writing applications, such as letters.

A bit of explanation: Word processors are either pageoriented, line-oriented, or character-oriented. For the sake of convenience, most word processors these days are characteroriented; you can move a cursor anywhere in the document, and all the writing and editing is done on the same screen. In other words, a characteroriented word processor does not treat a document traditionally as a group of pages during the writing and editing phases. Instead, the document is written and edited as if it were one very long page. Only when the document is printed (or printpreviewed, if the word processor has such a feature) is the text broken up into separate pages.

Page-oriented word processors work quite differently. Usually they treat a document as separate pages onscreen. Often there are separate screens for various functions. For instance, OmniWriter has a work page, header page, footer page, and text pages. The work page can be used for such things as comments and rearranging text. The header and footer pages, obviously, hold the header and footer information. The text pages hold your document. In addition, the first text page has a format line where you can specify right and left margins, tab settings, and other formatting options.

Any number of format lines are allowed on any of the pages. Lines can be up to 240 characters long, scrolling horizontally across the 40-column screen. Each tile can hold up to 34,000 characters, and files can be linked together for printing out

larger documents.

OmniWriter constantly displays useful information at the top of the screen: the title OmniWriter, your filename for the document in memory, the page number, number of pages, line number, and column number. Activating the page-width command highlights the W in the title OmniWriter. Prompts for other commands are just below the filename of the document. To use any command, you press the Commodore logo key and the appropriate letter. You can embed formatting commands in the text by pressing the CONTROL key, lighting up

a small white box in the lowerleft corner of the screen. Then you select the appropriate letter. This inserts a symbol in the document and performs the proper function, such as line centering, tabbing, and so on.

To help you remember all the commands, *OmniWriter* comes with a quick reference card and a function key overlay.

Merging And Printing

Like most word processors, OmniWriter lets you merge other documents or files into your text from disk or tape. It allows two types of merges: pasting text into the document with an editing command, and mail merging. The merged document can be created with OmniWriter, HESwriter, EasyScript, Wordcraft, WordPro, SuperScript, Micro-Script, or Busicalc—that is, it can be any standard Commodore sequential file. You can also merge disk directories. Mail merge takes place at the time of printing and is activated by the embedded merge command. The merged text (such as an address from a mailing list) is taken from either the work page or a disk file. This feature can be used for producing form letters.

The print command brings up a screen of options to make *OmniWriter* compatible with a number of different printers. It supports VIC, Epson, Que/Diablo, New Spinwriter, Triumph Adler TRD170S, Ricoh Flowriter, and ASCII printers. Unfortunately, *OmniWriter* does not support RS-232 serial printers.

As a page-oriented word processor, OmniWriter presents some advantages and disadvantages when printing out documents. Among the advantages: You can specify the starting and ending pages of the document to be printed. This can save you lots of paper, trouble, and time when you have to reprint only a portion of a document—after

making a minor last-minute change, for example. Also, the screen shows formatted text at all times, except for multipleline spacing. This too can save paper and labor.

But there are also some disadvantages. For one thing, page endings are not automatic. If you don't specify the page breaks, you'll have one long page. If you decide later that you want double-spacing, you have to do some arithmetic to rearrange the page breaks again. (Practically all characteroriented word processors calculate page breaks automatically.)

Headers and footers cannot be turned on and off from within the text, so if you want a header on all pages except the first, you must print the first page separately with the header turned off. Footers cannot be turned off at all. To remove a footer you must delete all information from the footer page.

A minor problem is that if you separate sentences by typing two spaces after periods, and if a sentence ends at the end of a line, *OmniWriter* prints the second space at the beginning of the next line. The solution is to type only one space after periods, although this runs counter to some typists' training.

Fast Spell-Checking

OmniSpell is included with OmniWriter to check for spelling errors. I was pleasantly surprised with its speed of operation. After it's loaded, it arranges all the unique words in the text in alphabetical order, then presents a menu:

F1—Spell-Check Document F3—Alphabetical Word List F5—High-Usage Word List F7—Dictionary Search F8—Return to OmniWriter

When you check the spelling, the words in the ordered list are displayed on the screen in two columns. The words are checked against a dictionary on

Now Available For ODORE

Looks like a Ferrari. Drives like a Rolls. Parks like a Beetle.



Ask your computer dealer to let you test drive the all new 1984 Indus GT.™

The most advanced, most handsome disk drive in the world.

Flip its power switch and... Turn your Atari into Ferrari. Unleash your Apple. And now turbocharge your Commodore.

Looks like a Ferrari.

The Indus GT is only 2.65" high. But under its front-loading front end is slimline engineering with a distinctive European-Gran flair.

Engaging its AccuTouch™ buttons lets you control the LED-lit CommandPost™ Marvel at how responsive it makes every Commodore, Apple and Atari personal computer.

Drives like a Rolls.

Nestled into its soundproofed chassis is the quietest and most powerful disk drive system money can buy. At top speed, it's virtually inaudible...whisper quiet.

Built into each Indus GT is a perfect combination of craftsmanship and advanced engineering. Luxurious styling reflects the personal tastes of each GT owner. And each GT comes with the exclusive GT DrivingSystem™ of software programs.* World-class word processing is a breeze with the GT Estate WordProcessor.™ Your dealer will describe the two additional programs that allow GT owners to accelerate their computer driving skills.

Also, the 1984 Indus GT is covered with the GT PortaCase. A stylish case that conveniently doubles as a 80-disk storage file.*

Parks like a Beetle.

The GT's small, sleek, condensed size makes it easy to park.

A WarrantyPlus™ package is included with every Indus GT, featuring full year parts and labor on the complete drive train.

Drive home a winner and park an Indus GT next to your personal computer.



The all-new 1984 Indus GT Disk Drive.

The most advanced, most handsome disk drive in the world.

Included as standard equipment.

For dealer information, call 1-800-33-INDUS. In California, 1-800-54-INDUS, (213) 882-9600.



the disk which has a file for each letter of the alphabet, and a user dictionary for your own new words. As each word is checked, it is highlighted. When no match is found, the word remains highlighted.

The alphabetical and highusage word lists, as well as various statistics about your document compiled beneath the menu, are useful when studying

your writing style.

The dictionary search option is used to look up words. If you're not exactly sure how to spell a word—after all, that's why you're looking it up, right?—you can type just a portion of the word with some wild card symbols (*,?). The wild cards are similar to those used when specifying filenames with some Disk Operating Systems.

To correct spelling errors, you return to *OmniWriter* and use the verify command. Verify scans the text and highlights the unrecognized word. Then you

have four choices:

EDIT—Change text.
SKIP—Continue scanning without taking any action.
ACCEPT—Treat the word as if it is recognized.
LEARN—Add the word to a list to update the user dictionary.

All the commands, except EDIT, return to verify mode when done.

One note: It's best to switch the screen into the 40-column mode when using verify; otherwise, some highlighted words may be partially off the screen, and there's no way to scroll them into view except to exit the verify mode.

When you're finished correcting errors, you should return to *OmniSpell* if you've used the LEARN command. Then you can add all new words to the

user dictionary.

OmniSpell comes on a single disk with all the programs and files. Unlike OmniWriter, it may be copied for backup purposes. Duplicate copies of the

entire disk are available from HES (for a nominal fee) if something happens to the original.

The OmniSpell disk also contains several utility programs: dictionary maintenance, interface software so you can convert the user port into a parallel printer port with BASIC, a backup program, and a program that makes the software work with the MSD IEEE-488 bus adapter (a parallel disk drive interface for faster disk access). There are also some useful example files.

The manual is clear and easy to understand. Overall, the software does a good job and is easy to use. However, when using *OmniWriter* to write this review, I found the lack of automatic page breaks to be a very real problem (especially with double-spacing). Rearranging text from one page to another is simple, but then you have to figure out the page breaks all over again. A better application for *OmniWriter*, perhaps, would be short letters and form letters.

OmniWriter & OmniSpell Human Engineered Software 150 North Hill Drive Brisbane, CA 94005 \$59.95

This Publication is available in Microform.

University Microfilms International

or 10		
lume		
Institution		
Street		
City		
State	Zip	

0

WizType

James V. Trunzo

WizType requires an Atari, Commodore 64, or Apple II-family computer with at least 32K RAM and a disk drive. The Atari version is reviewed here; other versions are similar.

Not so long ago you had to search through the fine print in computer software ads to find a program that would help teach you how to type. Now, practically any respectable computer dealer can show you an entire shelf of such products. A new program from Sierra (formerly Sierra On-Line) adds yet another program to this selection, and it just might be the best one yet. It's called WizType, and it's certainly a wizard of a product.

WizType is based on the characters who frequent the popular comic strip "The Wizard of Id." These include the Wizard himself; the spirit he conjures from the well; and Bung, the frequently inebriated court jester.

After booting the program disk, you are asked to enter your name, a standard feature of many programs. Next, however, a bar graph appears on the screen, illustrating the progress you've made during your lessons. Next there's a menu which shows the variety of options available in WizType:

- 1. Game
- 2. Drill
- 3. Practice
- 4. Words
- 5. Own Lesson
- 6. Paragraphs

Entertaining Graphics

The Game option, for example, is not just fun and play. It's a good example of the graphics and animation built into WizType. Three-fourths of the screen shows the Wizard of Id facing the spirit that has emerged from the well. Letter combinations begin to appear on

the screen midway between the two characters. As you correctly type the letters, the Wizard zaps the spirit with a lightning bolt, keeping it docile. If you make errors, the spirit begins to metamorphose into a ferocious dragon's head which eventually starts breathing fire at the Wizard, reducing him to a pile of ashes. The combination of smooth animation, facial expressions, and instructional lessons is hard to describe; you must see this program to appreciate it fully.

As you progress, the material you're supposed to type becomes more difficult and appears more frequently, demanding more speed and accuracy if you are to continue playing.

Even in the Game section, WizType does not simply display random letter combinations on the screen. Each level gears itself to a different set of keys in order of difficulty (that is, home row keys at the easiest, and numbers and symbols at the hardest). You're always shown which keys will be used, the correct finger positioning, and the finger reaches that will be exercised at each level of play.

Sierra has a good reputation for not cutting corners in its products. The Game section of WizType includes such touches as bonus rounds, multiple lives, and comic strip-type balloons in which the Wizard cracks jokes after you successfully complete each level.

A Little Literature

While Games contains some surprises and challenges, the Drill and Practice sections are exactly what they sound like. You can work on areas of weakness for as long as you want and select a comfortable typing speed, varying from 10 to 60 words per minute at 10-word intervals.

You can also control the typing speed after selecting the Words option from the menu. In Words, however, WizType assumes you are familiar with the

keyboard. You start out by typing two- and three-letter words and progress to longer, more difficult words as your skill improves.

The two options which really set WizType apart from most typing-practice programs are Paragraphs and Own Lesson.

With Paragraphs, you type parts of eight literary works saved on the program disk. You can type the introductory paragraphs from Charles Dickens's A Tale Of Two Cities or a few scenes from William Shakespeare's Hamlet. Or perhaps you'd prefer The Gettysburg Address or selections from Mother Goose. You can also choose to have Bung serve as a pacer, hopping along on his pogo stick above the sentence being typed, at a rate you select.

In any case, typing entire paragraphs helps you attain well-rounded typing skills and arrive at a true idea of your typing speed and competency. Typing letters and words is fine for the purpose it serves, teaching the keyboard. But typing lengthy paragraphs adds new elements—fatigue, consistency, and smoothness. You can learn to establish a rhythm (and see the importance of rhythm) that cannot be achieved merely by typing single words.

If you tire of typing "To be or not to be," no problem: WizType also lets you create your own lessons. There are two ways to do this. First, you can simply select the Own Lesson option. This accepts individual words only. Or you can select the Paragraph option and then choose Create Paragraph from a submenu.

There are many fine typing programs currently on the market. Sierra's *WizType* certainly meets their standards, and surpasses most of them.

WizType Sierra P.O. Box 485 Coarsegold, CA 93614 \$34.95

Computers And Society

David D. Thornburg

Over the past several months a considerable amount of mail has come in regarding a few of my columns. Although it isn't possible to respond to all of you individually, hearing from

you is appreciated.

The column on the PCjr and Macintosh stimulated a large response. Judging from many of the letters, PCjr owners should be careful not to move their computer with the cables plugged in. Apparently, this can break the connectors and require expensive repairs of the mother board. While many of you shared some sympathy with my views of IBM's entry into the consumer marketplace, IBM's new version of the PCjr addresses at least some of Junior's problems.

Some of you wrote to express concern that the Macintosh may not make it in the marketplace. If Macs have indeed been selling at an alleged monthly rate well in excess of the total installed base of PCjr's, it is logical to conclude that it already is a success. Of course, it takes more than machines to make a market—the software from third parties is an essential component of any computer system. While a recent check of local computer stores showed less than 20 Mac titles in stock, this computer is so popular that one has to drive as far as 90 miles from the San Francisco Bay area to buy blank disks for it. Since the 3.5-inch disks are made by Sony, Apple, Hewlett-Packard, BASF, and Memorex, the scarcity of these disks in the retail outlets is a pretty good measure of the Mac's popularity, at least locally.

Some of you felt that there wasn't enough

David Thornburg is an author and speaker who has been heavily involved with the personal computer field since 1978. His main interest is in making computers responsive to people's needs. He is the inventor of the KoalaPad graphics tablet and is the author of nine books about programming, including Computer Art and Animation: A User's Guide to Atari Logo, The KoalaPad Book, and Exploring Logo Without a Computer (Addison-Wesley). His 101 Ways to Use a Macintosh will appear soon from Random House. He has been called "an enthusiastic advocate for a humanistic computer revolution," and his editorial opinions have appeared in COMPUTE! since its inception.

sensitivity in the critique of Craig Brod's book, Technostress. It was never my intention to claim that technological change couldn't induce stress in people; clearly it can. But this stress is not technology-specific. We need only look at the attempts of the weavers to kill Jacquard, the inventor of the automatic loom, or the attempts of the Luddites to thwart the industrial revolution, to see that major societal changes induce stress in some people. My concern about Brod's book was that he directed it to the general public rather than to his fellow health-care professionals. As a result of being directed to a larger audience, his book has been used by some people as further support for their own belief that computer technology is intrinsically evil.

Technology is neutral. The computer that is used to help a handicapped author write a novel can be used to help rob a bank. The computer that allows one businessperson to spend more time with the family can be used by another as an excuse for withdrawal from society. Unless a single piece of technology can be shown to induce the same stress reaction in everybody, we would perform a greater service to our species by looking at the causes of stress within the human psyche rather than in the artifacts of man. This is not to say that technology can't be abused. It can, and it has. What is of critical importance is to realize that the source of the abuse is human,

not mechanical.

Videogame Microworlds

All of which brings us to a perennial topic: videogames. In his book *Mindstorms*, Seymour Papert, the father of Logo, talks about the samba schools in Brazil where children learn the dance from their peers, selecting the group that best represents their skill levels. This environment of peer teaching suggests to Papert a model of educational reform in our own classrooms, a model where children are free to explore computer-based microworlds and to acquire skills and knowledge in the context of these microworlds.

Of course, Papert had Logo in mind as the computational language to be used by the children. But, independently of our schools, and without the benefits of Logo, child-centered computational environments have sprung up in our society almost spontaneously. These are, of

course, the game arcades.

Whenever parents and teachers talk about videogames, there are always several strong opponents to the arcades. They talk about the arcades as hangouts for delinquents, they talk about the addictive nature of the games themselves, and they talk about the violence and mayhem represented by the nature of the games themselves. What they don't talk about is their own experience in the arcades because, almost without exception, the most vocal detractors of the arcades have never been inside one! Before giving views on what is happening in the arcades, let's explore the research of some people who have taken the time to study what is going on there.

Sherry Turkle, whose doctorate is in sociology and psychology from Harvard, has spent a lot of time in game arcades, including over 100 hours carefully studying 30 game-players of all ages. Her results are included in her book The Second Self—Computers and the Human Spirit (Simon and Schuster, \$17.95). She acknowledges the ambivalence felt by adults toward the game arcades. Their children are coming home from school with new skills, they are learning how to program, and they take computer technology for granted. Parents want their children to have these skills, but they also realize that their expertise in the computer world may create a new generation gap. Consequently, when a game arcade applies for a business license, this is a chance for the parents to say,"Let's wait." As Turkle says, "It feels like a chance to buy time against more than a video game. It feels like a chance to buy time against a new way of life." With respect to the commonly expressed belief that game players are caught in a "mindless addiction," she replies:

There is nothing mindless about a video game. The games demand skills that are complex and differentiated. Some of them begin to constitute a socialization into the computer culture: you interact with a program, you learn how to learn what it can do, you get used to assimilating large amounts of information about structure and strategy by interacting with a dynamic screen display. And when one game is mastered, there is thinking about how to generalize strategies to other games. There is learning how to learn.

It is this epistemological aspect of videogaming that gives it the power to become a good educational medium, if anyone wanted to really explore that field. But this still doesn't address the issue of "addiction." Turkle points out that, yes, some players can become addicted to their games. But she also points out, "Most people don't become addicted to video games just as most people who diet don't become anorexic."

A Man's World

In another in-depth study of videogaming, psychology professors Geoffrey and Elizabeth Loftus have examined many aspects of these games and their influence on players in their book Mind at Play—The Psychology of Video Games (Basic Books, \$14.95). Among many other things, they point out that, in addition to the eye-hand coordination skills acquired through playing these games, there are other indirect benefits as well. One of these is the development of intense interest in computers which can lead the game players into the computer field as a profession.

Another criticism leveled against arcades is that they appear to be male-dominated. Clearly the content of the games themselves has something to do with this. *Dragon's Lair*, a videodisc based game, has a male player that you control to help save the princess. If this game had the roles reversed, or otherwise took into consideration the types of fantasies that might appeal more to women, it would perhaps encourage more women to visit the arcades.

Of course, there have been some games that seem to appeal equally well to men and women. Among these are *Centipede* (which was written by a woman), *Pac-Man* (and its offspring), *QIX*, *Tempest*, and several other recent games. If the arcades are the breeding ground for interest in employment in the information sector, then we should do everything in our power to insure that the arcades attract men and women alike.

Of course, there is the additional argument that the games are too violent. But violence has to be viewed in a context. We don't have a videogame in which we see someone go into a restaurant and kill babies in their mother's arms, but we can see that on television if we watch the evening news. We don't have videogames in which the goal is to demoralize the opponent by killing his livestock, laying waste to his property, and killing his children, but we can read all about it in the Bible. If violence is bad in games, then violence is bad, period. Ban the violent games if you wish, but then ban the Bible, ban the news, ban Hans Christian Andersen's fairy tales, ban Prokofiev's "Peter and the Wolf."

It is one thing to say that our society is too violent, and another to say that videogames are too violent. One can make the argument that we should do something about violence in our society, but violence won't be reduced by removing the videogames. My opinion is that anyone who lets their children read fairy tales or the Bible, but who becomes concerned when the child plays a game defending the earth from alien invaders, is a hypocrite.

Some videogames may be violent, but at least they aren't hypocritical.

All About The Status Register Part 2

Louis F. Sander

Beginning machine language programmers are often confused by the 6502's status register, a collection of eight bits which act as status flags. Part 1, published last month, briefly described the function of each flag. Part 2 picks up with a more detailed explanation and includes a sample program for the Commodore 64, PET/CBM, Apple, and Atari.

Last month's short description of the 6502's eight-bit processor status register and the seven status flags it contains may have cleared some mystery away, but it surely wasn't comprehensive. That sort of description is found in most machine language programming books, to which you are now referred, and which will be much easier to understand once you've mastered what is presented here. Let's gain that mastery by running a simple test program, using a machine language monitor to observe its effects on the status register.

6502 Monitors

A monitor is nothing more than a machine language program that makes it easier to work with other ML programs, and there are many, many different monitors available for the 6502. Sometimes monitors are called debuggers. PET/CBMs and Apples have simple monitors built into their ROMs, while Ataris have one in the Assembler Editor cartridge. Commodore 64s can use "Supermon64," a program that appeared in COMPUTE! (January 1983). Our test program works identically on all those machines, but since

their monitors are somewhat dissimilar, we'll show the screen dialogue for each one.

The monitor is a wonderful tool for the beginning ML programmer, and if you've dabbled with ML, you've at least used it to examine memory locations and to save ML programs on tape or disk. I used mine for those things for many months, but never paid much attention to the registers display. That's the line of labeled numbers the monitor sometimes prints on the screen, and it looks like this on Commodore machines:

PC IRQ SR AC XR YR SP 0005 72E8 30 00 5E 04 F8

(If you have an Apple or Atari, please follow the Commodore explanation anyway. Your monitor is only slightly different.)

PC shows the address in the 6502's program counter, which is nothing more than the address of the next instruction to be executed. Because of various quirks, monitor PC displays are not all alike. Supermon64 and the Atari monitor show the address of the BRK instruction which activated them; the Commodore monitor shows the address one byte *after* the BRK; and the Apple shows the address two bytes after the BRK. Some monitors don't label the address, but all of them display it.

IRQ (not shown on many monitors) gives the so-called interrupt vector, a very important address, but one beyond the scope of our interest here.

SR gives the contents of the processor status register, expressed in hexadecimal form. (The

NRI gives you ALL the training you'll need to repair ALL microcomputers.

EPSON

When vou've learned the basics the NRI way. vou can troubleshoot the entire systemand earn good money doing it!

For business owners, lost computer time means lost money. For customers, it usually means frustration, delay and a strong temptation to take a walk to the nearest competitor.

But for the NRItrained computer service technician, a down computer can mean higher earnings or even the opportunity to start a profitable business.

Fixing computers: fastest growing occupation in the U.S.

Whether the flaw is in a circuit board, a disk drive or a printer. everybody wants it fixed-fast.

The U.S. Department of Labor recently projected that the number of computer service jobs wil double before 1995. Median earnings of fulltime computer service technicians are \$430 per week.

The trained computer technician can choose between: working for a large corporation or an independent; making office calls or staying in the shop; working for a retailer or for a specialized service firmeven starting his own computer repair business.

Total System Training from NRI.

As an NRI graduate, you'll be qualified to fix just about everything that can go wrong, for any major brand of desktop microcomputer. Only a person who knows and fully understands all the underlying fundamentals of microcomputers can hope to be able to tackle all microcomputers. NRI has known the need for thoroughly understanding fundamentals since 1914.

NRI's training is hands-on training. You get practical experience in writing programs in BASIC, testing and debugging systems. You'll learn how to install an expansion board,

Computer, disk drive and printer -all vours to keep

> As part of your training, you work with a TRS-80 Model 4, a powerful microcomputer with many of the features and capabilities of machines costing three times as much.

You'll install a doubledensity disk drive and a dotmatrix printer. And the entire system-computer, drive,

printer and manuals is vours to keep, as part of your training.

100-page FREE Catalog Tells More

Send the coupon today for NRI's big 100page free color catalog, which gives you all the facts about NRI training in Microcomputers, Robotics, Data Communications, TV/Video/ Audio Servicing and other

high-tech career fields. (If the coupon is missing, write to NRI, 3939 Wisconsin Ave., Washington, DC 20016.) Your NRI course includes this modern 64K RAM micro puter, dual-density disk drive, dot matrix sional LCD NRI DIRcovery Lab demonstrations and experiments, it's all yours to keep.

Epson is a Regist Epson America, I Apple and the Apple logo are Regist of Apple Computer, Inc.

Compaq is a Registered Trademark of COMPAQ Computer

: 1984 AT&T Technologies, Inc.

how to troubleshoot pesky circuit flaws. Using NRI's exclusive Discovery Lab®, you'll perform over 60 experiments. You'll learn how to fix the disk drives and printers.

You learn at your convenience, at your own most comfortable pace. Without classroom pressures, without rigid night-school schedules, without wasted gasoline. Your personal NRI instructor and the NRI staff will answer your questions, give you guidance-even give special help if you need it.

McGraw-Hill Continuing Education Center 3939 Wisconsin Avenue, Washington, DC 20016 We'll give you tomorrow. **CHECK ONE FREE CATALOG ONLY** ☐ Computer Electronics with Microcomputers **Data Communications** Basic Electronics

Communications Electronics Industrial Electronics

Robotics & Industrial Controls Color TV, Audio, and Video System Servicing

Electronic Design Technology ☐ Digital Electronics

Telephone Servicing Small Engine Servicing Appliance Servicing

Automotive Servicing Air Conditioning, Heating, Refrigeration, & Solar Technology

All Career courses approved under GI bill.

Check for details.

Building Construction Locksmithing & Electronic Security

Age

Name (Please Print)

City/State/Zip

Accredited by the National Home Study Council

198-114

Commodore 64

(more power than Apple II at 1/3 the price)

\$188⁰⁰*

- 170K Disk Drive \$249.00
- Tractor Friction Printer \$169.00 ★
- 14" Hi-Res Color Monitor \$219.00 *

 *less coupon discount

*COMMODORE 64 COMPUTER \$188.00

You pay only \$188.00 when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your computer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied, your net computer cost is \$88.00!!

* 170 DISK DRIVE \$249.00

You pay only \$249.00 when you order the 170K Disk Drive! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your disk drive that allows you to SAVE OVER \$100 off software sale prices!! With only \$500 of savings applied your net disk drive cost is \$149.00.

* 80 COLUMN 80CPS TRACTION FRICTION PRINTER \$169.00

You pay only \$169.00 when you order the Comstar T F deluxe line printer that prints 8 × 11 full size, single sheet roll or fan fold paper, labels etc. Impact dot matrix bidirectional, LESS the value of the SPECIAL SOFTWARE COUPON we pack with your printer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of saving applied your net printer cost is only \$69.00

★ 14" HI-RES COLOR MONITOR \$219.00

You pay only \$219 GO when you order this 14 COLOR MONITOR with sharper and clearer resolution than any other color monitors we have tested! LESS value of the SPECIAL DISCOUNT COUPON we pack with your monitor that allows you to save over \$500 off software sale prices!" With only \$100 of savings applied your net color monitor cost is only \$119 00 (16 Colors)

80 COLUMN BOARD \$99.00

Now you program 80 COLUMNS on the screen at one time! Converts your Commodore 64 to 80 COLUMNS when you plug in the 80 COLUMN EXPANSION BOARD!! PLUS 4 slot expander! Can use with most existing software

80 COLUMNS IN COLOR EXECUTIVE WORD PROCESSOR \$49.00

This EXECUTIVE WORD PROCESSOR is the linest available for the COMMODORE 64 computer! The ULTIMATE FOR PROFESSIONAL Word Processing DISPLAYS 40 or 80 COLUMNS IN COLOR or Black and White! Simple to operate, powerful text editing with 250 WORD DICTIONARY complete cursor and insert/delete key controls line and paragraph insertion automatic deletion centering margin settings and output to all printers! Includes a powerful mail merge.

COMPUTER AND SOFTWARE SALE

WE HAVE THE BEST SERVICE WE HAVE THE LOWEST PRICES

SPECIAL SOFTWARE COUPON

We pack a SPECIAL SOFTWARE DISCOUNT COUPON with every COMMODORE 64 COMPUTER DISK DRIVE-PRINTER-MONITOR we sell! This coupon allows you to SAVE OVER \$500 OFF SALE PRICES!!

(Examples) PROFESSIONAL SOFTWARE COMMODORE 64

Name	List	Sale	Coupon
Executive Word Processor	\$99.00	\$49.00	\$39 00
Executive Data Base	\$69.00	\$35.00	\$24 00
20,000 Word Dictionary	524 95	\$14 95	\$10.00
Electronic Spread Sheet	\$59 95	\$49.00	539 00
Accounting Pack -	\$49 00	639 00	629 00
Practicalc	559 95	\$46.95	\$39 95
Programmers Reference			
Guide	\$20.95	\$16.95	\$12.50
Programmers Helper			
(Disk)	\$59 95	\$39.95	\$29 95
80 Column Screen (Disk)	\$59 95	\$39.95	\$29 95
FUJI 5 - Floopy Disc			
(Box of 10)	\$39 95	\$29 95	\$19.95
Deluxe Tape Cassette	\$89 00	\$59 00	\$48 00
Pro Joy Stick	\$24 95	\$15.95	\$12.00
Light Pen	\$39 95	\$16.95	\$14.95
Dust cover	\$8 95	\$6.95	\$4 60
Pogo Joe	\$29 95	519 95	\$16.95
Pitstop II Epyx	\$39 95	529 95	\$26 00
		· Phus	One FREE
		,	

(See over 100 coupon items in our catalog)
Write or call for
Sample SPECIAL SOFTWARE COUPON!

EXECUTIVE QUALITY PROFESSIONAL BUSINESS SOFTWARE

The Cadillac of Business Programs for Commodore 64 Computers

List	'SALE	Coupon
\$99.00	\$49 00	\$35.00
\$99 OO	\$49 00	\$35 00
599 00	\$49 00	\$35.00
\$99 00	\$49 00	\$35 00
\$99 00	\$49 00	\$35 00
	\$99 00 \$99 00 \$99 00 \$99 00	\$99 00 \$49 00 \$99 00 \$49 00 \$99 00 \$49 00 \$99 00 \$49 00

128K System

(lowest price in the USA)

\$89500*

Includes

128K Commodore Computer
One Megabyte Dual Disk Drive
100CPS Tractor Friction Printer
12" Hi-Res Amber Monitor

★ 128K COMPUTER SYSTEM \$895.00

Includes 128K COMMODORE B 128 COMPUTER One megabyte Duai Disk Drive, 100CPS Bidirectional Tractor/Friction printer, 12" Hi Res Amber monitor, all for only \$895 List \$3718.00

COM-64 POWER FOR VIC-20 \$69.00

Just plug in our 32K RAM MEMORY EXPANDER and you get as much usable programming power as the Commodore 64 computer!! Master control switches on cover Gold Edge connectors five year warranty (FREE \$29 95 CARTRIDGE GAME)

NEW VOICE SYNTHESIZER \$59.00

For Com 64 or VIC 20 computers. Just plug it in and your can program words and sentences, adjust volume and pitch, make talking adventure games, sound action games, and customized talkies!! FOR ONLY \$19.95 you can add TEXT TO SPEECH, just type a word and hear your computer talk. ADD SOUND TO "ZORK, SCOTT ADAMS AND AARDVARK ADVENTURE GAMES!" (Disk or tape).

16K RAM CARTRIDGE \$49.00

Increases VIC-20 programming power 4 times Expands total memory to 41K (41,000 bytes) Memory block switches are on outside cover! CARDCO Includes FREE \$29.95 game!!

8K RAM CARTRIDGE \$34.95

Increased VIC-20 programming power 2 times Expands total memory to 33K (33,000 bytes) Includes FREE \$16.95 game!

3 SLOT SWITCHABLE EXPANDER \$24.95

Allows you to add 3 cartridges at one time —switch select to turn slots on or off —PLUS reset button. A must for your VIC 20 computer!!

9" GREEN SCREEN MONITOR \$69.00

Excellent quality SANYO easy to read 80 columns x 24 lines. Green Phosphorous screen with anti-glare metal cabinet! Saves your TV PLUS \$9.95 for connecting cable Com 64 or VIC 20.

12" GREEN OR AMBER MONITOR \$99.00

Your choice of green or amber screen monitor top quality. SANYO 80 columns x 24 lines easy to read, anti-glare faster scanning! PLUS \$9.95 for connecting cable Com-64 or VIC 20.

PHONE ORDERS 8AM - 8PM Weekdays 9AM - 12N Saturdays

• LOWEST PRICES • 15 DAY FREE TRIAL • 90 DAY FREE REPLACEMENT WARRANTY
• BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES

Enclose Cashiers Check Money Order or Personal Check, Allow 14 days for delivery 2 to 7 days for phone orders, 1 day express mail! VISA — MASTER CARD — C.O.D.


PROTECTO

ENTERPRIZES (WE LOVE OUR CUSTOMERS)

NEW 128K - MEGA BYTE DUAL DISK DRIVE-80 COLUMN

COMPUTER SYSTEM SALE!

HOME • BUSINESS • WORD PROCESSING



400=	
LOOK AT ALL YOU GET FOR ONLY \$ 895.	LIST PRICE
① B128 COMMODORE 128K 80 COLUMN COMPUTER	\$ 995.00
② 4023 - 100 CPS - 80 COLUMN BIDIRECTIONAL PRINTER	499.00
③ 8050 DUAL DISK DRIVE (over 1 million bytes)	1795.00
(4) 12" HI RESOLUTION 80 COLUMN MONITOR	249.00
BOX OF 10 LORAN LIFETIME GUARANTEED DISKS	49.95
1100 SHEETS FANFOLD PAPER	19.95
ALL CABLES NEEDED FOR INTERFACING	102.05

\$895 SALE PRICE

TOTAL LIST PRICE \$3717.95

PLUS YOU CAN ORDER THESE BUSINESS PROGRAMS AT SALE PRICES

	LIST	SALE		LIST	SALE
Professional 80 Column			Payroll	\$149.95	\$99.00
Word Processor	\$149.95	\$99.00	Inventory	\$149.95	\$99.00
Professional Data Base	\$149.95	\$99.00	General Ledger	\$149.95	
Accounts Receivable	\$149.95	\$99.00	Financial Spread Sheet	\$149.95	\$99.00
Accounts Payable	\$149.95	\$99.00			

PRINTER REPLACEMENT OPTIONS

(replace the 4023 with the following at these sale prices)

Olympia Executive Letter Quality Serial Printer \$699.00 \$399.00 \$779.00 \$499.00 Telecommunications Deluxe Modem Package \$199.00 \$139.00

15 DAY FREE TRIAL. We give you 15 days to try out this SUPER SYSTEM PACKAGE!! If it doesn't meet your expectations, just send it back to us prepaid and we will refund your purchase price!!

90 DAY IMMEDIATE REPLACEMENT WARRANTY. If any of the SUPER SYSTEM PACKAGE equipment or programs fail due to faulty workmanship or material we will replace it IMMEDIATELY at no charge!!

Add \$50.00 for shipping and handling!! \$100.00 for Alaska and Hawaii orders. WE DO NOT EXPORT TO OTHER COUNTRIES

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! We accept Visa and MasterCard. We ship C.O.D. to continental U.S. addresses only.

PROTECTO

ENTERPRIZES WELOVE DUR CUSTOMERS.

Commodore - 64

WORD PROCESSING BRICHEROUSER

SCRIPT-64 EXECUTIVE WORD PROCESSOR

(80 Columns in Color)

40 or 80 columns in color or black and white; turns your computer into a Business Machine!

This is the finest word processor available. Features include line and paragraph insertion/deletion, indentation, right and left justification, titles, page numbering, characters per inch, etc. All features are easy to use and understand. With tabs, etc. SCRIPT-64 even includes a 250 word dictionary/spelling checker to make sure your spelling is correct. The dictionary is user customizable to any technical words you may use. Furthermore, all paragraphs can be printed in writing and everyday letters are a snap. To top things off, there is a 100 page manual and help screens to make learning how to use SCRIPT-64 a snap. This word processor is so complete we can't think of anything it doesn't have. When combined with the complete database you have a powerful mailmerge and label program that lets you customize any mailing list with personalized letters. List \$99.95. **Sale \$49.95**. *Coupon Price \$39.00. (Disk only.)

SCRIPT-64 20,000 WORD DICTIONARY

Allows you to check spelling on 20,000 most often mispelled words! List \$29.95 Sale \$19.95. *Coupon Price \$10.00. (Disk only.)

SCRIPT-64 COMPLETE DATABASE

(PLUS MAIL MERGE AND LABELS)

This powerful DATABASE is user friendly and makes any information easy to store and retrieve. The user defines the fields and then can add, change, delete, and search for any category wanted! When combined with the Executive Word Processor you can search out any category (zip codes, even hair color, etc.) and print super personalized letters! 600 names can be sorted and formulated on each disk in any order or category! Will handle any size mailing list by changing or adding disks! List \$69.00. Sale \$34.00. *Coupon Price \$24.00.

• LOWEST PRICES • 15 DAY FREE TRIAL • 90 DAY FREE REPLACEMENT WARRANTY
• BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS


WE SHIP C.O.D HONOR VISA AND MASTER CHARGE ADD \$3.00 SHIPPING FOR C.O.D. ADD \$2.00 MORE SPECIAL SERVICES:

One Day — Express Mail add \$10.00

PROTECTO

ENTERPRIZES INVELOVE OUR CUSTOMERSI

FANTASTIC COMPUTER PRINTER SALE!!!



COM-STAR T/F

Tractor Friction Printer

only \$ 169**

- . Lowest Priced, Best Quality, Tractor-Friction Printers in the U.S.A.
- Fast 80-120-160 Characters Per Second 40, 46, 66, 80, 96, 132 Characters Per Line Spacing
 - Word Processing Print Labels, Letters, Graphs and Tables List Your Programs
- Print Out Data from Modem Services
 "The Most Important Accessory for Your Computer"

** DELUXE COMSTAR T/F 80 CPS Printer — \$169.00

This COMSTAR T/F (Tractor Friction) PRINTER is exceptionally versatile. It prints 8½" x 11" standard size single sheet stationary or continuous feed computer paper. Bi-directional, impact dot matrix. 80 CPS, 224 characters. (Centronics Parallel Interfact)

Premium Quality 120-140 CPS 10" COM-STAR PLUS+ Printer \$249.00

The COM-STAR PLUS+ gives you all the features of the COMSTAR T/F PRINTER plus a 10" carriage. 120 140 CPS. 9 x 9 dot matrix with double strike capability for 18 x 18 dot matrix (near letter quality), high resolution bit image (120 x 144 dot matrix), underlining, back spacing, left and right margin settings, true lower decenders with super and subscripts. prints standard, italic, block graphics and special characters. It gives you print quality and features found on printers costing twice as much!! (Centronics Parallel Interface) (Better than Epson FX80) List \$499.00 SALE \$249.00

Premium Quality 120-140 CPS 15½"COM-STAR PLUS+ Business Printer \$349.00

Has all the features of the 10" COM-STAR PLUS+ PRINTER plus 15" carriage and more powerful electronics components to handle large ledger business forms! (Better than Epson FX 100) List \$599

SALE \$349.00

Superior Quality 140-160 CPS 10" COM-STAR PLUS+ IBM IBM Pers/Bus Printer \$369.00

Has all the features of the 10" COM-STAR PLUS+PRINTER! It is especially designed for all IBM personal computers! 140-160 CPS HIGH SPEED PRINTING 100% duty cycle, 2K buffer, diverse character fonts, special symbols and true decenders, vertical and horizontal tabs.

A RED HOT IBM personal business printer at an unbelieveable low price of \$369.00 (centronics parallel interface)

List \$699 SALE \$369.00

Superior Quality 160-180 CPS 10" COM-STAR PLUS+HS Business Printer \$369.00

The Super Com-Star+ High Speed Business Printer 160-180 CPS has a 10" carriage with all the Com-Star+ features built in! The 15%" High Speed Business Printer is especially designed with more powerful electronics to handle larger ledger business forms! Exclusive bottom feed! (Centronics parallel interface) 15%" printer is also compatable with IBM Personal/Business Computers! 15%" Printer List \$799.00 SALE \$469.00

Olympia

Executive Letter Quality DAISY WHEEL PRINTER \$379.00

This is the worlds finest daisy wheel printer Fantastic Letter Quality, up to 20 CPS bidirectional, will handle 14.4" forms width! Has a 256 character print buffer, special print enhancements, built in tractor-feed (Centronics Parallel and RS232C Interface) List \$699 SALE \$379.

15 Day Free Trial - 1 Year Immediate Replacement Warranty

PARALLEL INTERFACES -

For VIC-20 and COM-64 — \$49.00 For Apple computers — \$79.00 Atari 850 Interface — \$79.00 For ALL IBM Computers — \$89.00

Add \$14.50 for shipping, handling and insurance. Illinois residents pleasepdd 6% tax. Add \$29.00 for CANADA, PUERTO RICO, HAWAII. ALAŞKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! VISA—MASTER CARD—We Ship C O.D. to U S Addresses Only

PROTECTO

ENTERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

COM-STAR PLUS+ ABCDEFGHIJKLMNOPGRSTUVWXYZ
Print Example: ABCDEFGHIJKLMNOPGRSTUVWXYZ 1 234547870


EXPAND YOUR VIC-20 TO COMMODORE-64 POWER! **FOR ONLY**

(PLUS A FREE \$29.95 CARTRIDGE GAME)

LIST PRICE \$159.95

Just plug in the 32K RAM MEMORY EXPANDER and you have as much usable programming memory as the Commodore-64 computer!!! This 32K RAM EXPANDER CARTRIDGE gives your VIC-20 computer 9 TIMES MORE PROGRAMMING POWER!!

5 YEAR WARRANTY



1/2 PRICE EXPANSION SALE!!						
	LIST	SALE				
3K Ram Expander	\$ 39.95	\$19.95				
8K Ram Expander (2% times more power)	\$ 69.95	\$34.95				
16K Ram Expander (4 times more power)	\$ 99.95	\$69.00				
32K Ram Expander (9 times more power)						
(PLUS \$29.95 FREE GAME CARTRIDGE)	\$149.95	\$79.00				
3 Slot Expander Board — Switch Selectable	\$ 49.95	\$29.95				

WE LOVE OUR CUSTOMERS!

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Conadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

CONNECTORS (

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! VISA - MASTER CARD - C.O.D.

No C.O.D. to Canada, APO-FPO

PROTE

ENTERPRIZES (WE LOVE OUR CUSTOMERS)

COMMODORE-64 or VIC-20

VOICE SYNTHESIZER





MAKE YOUR COMPUTER TALK

VOTRAX BASED HARDWARE



ONLY

5900

You can program any words or sentences • Adjust volume and pitch • Make adventure games that talk • Real sound action games • Make customized talkies • (Demo disk or tape included) • Requires Speaker

You can add TEXT TO SPEECH SOFTWARE that allows you to simply type what you want to hear!! Also allows you to add sound and voice to SCOTT ADAMS AARD-VARK and "ZORK" ADVENTURE GAMES List \$29.95 Sale \$19.95 (Disk or Tape).

LOWEST PRICES • 15 DAY FREE TRIAL • 90 DAY FREE REPLACEMENT WARRANTY
 BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS

80 COLUMN BOARD

FOR ONLY

Now you can program 80 columns on the screen at one time! Converts your Commodore 64 to 80 columns when you plug in the PROTECTO 80 Expansion Board. List \$199.00. Sale \$99.00.





Includes 4 Slot Expander and can be used with most existing software!!!

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA. APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO.

WE LOVE OUR CUSTOMERS

PROTECTO

ENTERPRIZES (WELOVE OUR CUSTOMERS)

label is P in Apple/Atari, but what it displays is exactly, absolutely, positively identical in all the monitors.) People with 6502's in their cerebral cortices may be able to determine individual flag statuses from a hex display, but it's a burdensome interpretation for the rest of us. Who can figure out whether \$FB means the Z flag is set or clear? Not me, I can guarantee you. The table is a handy guide for interpreting that byte. With it, you can tell at a glance which flags are set or cleared in a given status byte, and just what each flag means. And that ability can be a golden key to better machine language programming.

AC, XR, and YR show the contents of the accumulator, X, and Y registers, respectively, at the moment the monitor was activated. They're labeled A, X, and Y in some monitors, but mean the same thing, regardless of the label.

SP (or S) gives the value of the stack pointer, which is yet another useful value that's beyond our present scope. The value will vary from time to time and from machine to machine.

Figure 1: Apple Screen Dialogue

	To activate the monitor, type CALL-151, then press RETURN.	J CALL-1	51			
Step 2	Put the program into memory by making these entries					
	exactly as shown. Press RETURN at the end of each line.		0 A9 B0 00 0 00 A9 FF			
		*3318:69	7 01 00 C5	02 00	00 (00
	Check your work by entering this command and comparing your screen display with the program.	*3300L				
Step 4	Type the G'command, then press RETURN. When this line appears, return to the text.	*3300G	A=00. X=00) Y≃00.	P=30	S=F0
	This and the following steps are identical to Step 4, except for the numbers entered and	*33096 330D-	A=80 X=00) Y=00	P≃B0	S=EE
	displayed. As above.	*330CG				
		3310-	A=7F X=00	Y=00	P=30	S=EC
Step 7	As above.	*330FG 3313-	A=00 X=00	Y=00	P=32	S=EA
Step 8	As above.	*3312G 3316-	A=FF X=00	Y=00	P=B0	S=E8
Step 9	As above.	*33156 3319-	A=00 X=00	Y=00	P=33	S=E6
Step A	As above.	*33186 3310-	A=02 X=00	Y=00	P=30	S=E4
Step B	As above. This is the last step in our demonstration.	*3318G 331F-	A=02 X=00	Y=00	P=33	5=E2

Stepping Through Flags

Now that you've seen a description of the register display, plus that handy table, let's use them to experiment with the important flags. Our experiment will have the dual benefit of making us more fluent in ML, and giving us practice using the register display.

The program at the end of this article is an instructive, but do-nothing, ML program that occupies an innocuous corner of memory. From left to right, each line shows a memory address, the bytes held by it and maybe its upward neighbor, and the mnemonic for the instruction that those bytes represent. The program's first seven lines set all the 6502's flags and registers to zero, then break to the monitor, where we can review their status.

Single, Simple Operations

The rest of the program is a series of single, simple operations, each followed by a break to

the monitor. We're about to go through them one by one, and see what happens to the negative, break, zero, and carry flags. We'll leave V, D, and I for another day, for the reasons previously mentioned.

Figures 1–3, the different versions for PET/CBM, Apple, and Atari, will be used to track our demonstration. Find the version which applies to you, and follow it as you read on.

Steps 1–3. Our first step will be to put the ML demo program into memory. Do it now, by carefully following Steps 1, 2, and 3 of the appropriate version of Figure 1, 2, or 3. If you've never worked with ML before, don't worry—the process is easy, and we'll take you through it step by step. When you finish Step 3, come back here for further instructions.

At the end of Step 3, the monitor should still be active, and your screen should be showing you its distinctive monitor prompt. You're now ready to run the ML demo program, which you do by executing your monitor's G command.

The Making Of A Legend.

Both tractor & friction feed are standard.

Prints a crisp original, plus up to three copies.

Bit image graphics add to Legend's versatility.

selectable type styles.

Mix & match more

than 40 software-

LEGEND ABV

Centronics parallel interface standard; Serial optional. Serial impact dot matrix output.

New square dot technology for higher resolution & near letter quality print. Up to 142 columns in compressed printing mode.

Bi-directional logic seeking for fast output.

Check Legend 880's performance, and you'll look twice at the price. With new square dot technology and bi-directional logic seeking, this impact printer turns out near letterquality work at 80 cps. Prints in 80-column-or 142-column-with compressed print. Does the full ASCII character set and high-resolution bit image graphics in the bargain. Lets you mix and match more than 40 software-selectable type styles.

Produces a crisp original, plus three

copies. Includes tractor and

friction feed to handle fanfold paper and single sheets. All with Legendary reliability and a lifetime warranty on the print head.

With standard Centronics® and optional RS232C serial interfaces, it's a great match with any micro. See a Legend 880 in action.

For more information, contact: CAL-ABCO Peripherals Division 6041 Variel Avenue, Woodland Hills CA 91367. Telephone (818) 704-9100 Outside CA call toll free 1-800-321-4484 Telex 662436. Dealer inquiries invited

LEGEND
PERIPHERAL PRODUCTS

Figure 2: Atari Screen Dialogue

igure 2: Atari Screen Dialogue			
Step 1 To activate the monitor, insert the Assembler Editor cartridge,	DEBUG C3300KB	DEBUG G CKOO	DEBUG CKO1
and answer the EDIT prompt by typing BUG, then pressing RETURN.	DEBUG C<18	DEBUG CKA9	DEBUG C<00
ABIONA,	DEBUG CKA7	DEBUG C<7F	DEBUG C<69
	DEBUG CCOO	DEBUG CK00	DEBUG E<01
	DEBUG CKAA	DEBUG CKA9	DEBUG C<00
Step 2 Put the program into memory by making entries exactly as	DEBUG CKAB	DEBUG CK00	DEBUG CCC9
shown. Press RETURN at the end of each line.	DEBUG CCC9	DEBUG C<00	DEBUB C<02
	DEBUG CKFF	DEBUG CKA9	DEBUG EKOO
	DEBUG C<00	DEBUG CKFF	DEBUG C<00
	DEBUG CCA9	DEBUG CCOO	DEBUG
	DEBUG CKBO	DEBUG CK69	DEBUG
this command and comparing your screen display with the	3308 00 A	8 A9 OO AA 9 80 OO A9	7F 00 A
this command and comparing	3300 DB 1 3308 00 A 3310 00 0	8 A9 QQ AA	A8 C9 FI 7F 00 A 69 01 0
this command and comparing your screen display with the one shown.	3300 DB 1 3308 00 A 3310 00 0 3318 69 0	8 A9 00 AA 9 80 00 A9 0 A9 FF 00	A8 C9 FI 7F 00 A 69 01 0 60 00 0
this command and comparing your screen display with the one shown. Step 4 Type the G 3300 G 3300 COMMAND THE STEP STEP STEP STEP STEP STEP STEP STE	3300 DB 1 3308 00 A 3310 00 0 3318 69 0 00 A=00 3	8 A9 00 AA 9 B0 00 A9 0 A9 FF 00 1 00 C9 02 X=00 Y=00 I	A8 C9 FI 7F 00 A 69 01 0 60 00 0 DEBUG
this command and comparing your screen display with the one shown. Step 4 Type the G 3300 G 3300 COMMAND STEP STEP STEP STEP STEP STEP STEP STEP	3300 DB 1 3308 00 A 3310 00 0 3318 69 0 0 A=00 3 A=B0	8 A9 00 AA 9 B0 00 A9 0 A9 FF 00 1 00 C9 02 X=00 Y=00 I	A8 C9 F1 7F 00 A 49 01 0 00 00 0 DEBUG P=S0 S=0
this command and comparing your screen display with the one shown. Step 4 Type the G 3300 G 3308 DEBUT STORY OF THE PROPERTY	3300 DB 1 3308 00 A 3310 00 0 3318 69 0 0 A=00 3 A=80 BC A=7F S	8 A9 00 AA 9 B0 00 A9 0 A9 FF 00 1 00 C9 02 X=00 Y=00 I	A8 C9 F1 7F 00 A 49 01 0 00 00 0 DEBUG >=30 S=00
this command and comparing your screen display with the one shown. Step 4 Type the G 3300 G 3300 COMMAND THE STEP STEP STEP STEP STEP STEP STEP STE	3300 DB 1 3308 00 A 3310 00 0 3318 69 0 0 0 0 A=00 3 0 A=80 3 0 A=7F 5 0 F A=00 3	8 A9 00 AA 9 80 00 A9 0 A9 PF 00 1 00 C9 02 X=00 Y=00 I	A8 C9 FF 7F 00 A 49 01 00 60 00 00 DEBUG 2=30 S=00 2=30 S=00
this command and comparing your screen display with the one shown. Step 4 Type the G 3300 command, then press RETURN. When DEBUG appears, return to the text. Step 5 This and the following steps are identical to Step 4, except for the numbers entered and displayed. Step 6 As above. Step 7 As above. Step 8 As above. Step 9 As above. G 33.3311 DEBUG G 33.3311	3300 DB 1 3308 00 A 3310 00 0 3318 69 0 0 0 A=00 3 3 4=80 6 4=60	8 A9 00 AA 9 B0 00 A9 0 A9 FF 00 1 00 C9 02 X=00 Y=00 I X=00 Y=00 I	A8 C7 F 7F 00 A 49 01 0 00 00 0 DEBUG 2=30 S=00
this command and comparing your screen display with the one shown. Step 4 Type the G 3300 G 3300 Command, then press RETURN. When DEBUG appears, return to the text. Step 5 This and the following steps are identical to Step 4, except for the numbers entered and displayed. Step 6 As above. Step 7 As above. Step 8 As above. Step 9 As above. G 3300 DEBUG 330	3300 DB 1 3308 00 A 3310 00 0 3318 69 0 00 A=00 3 09 A=B0 6 0F A=00 6 12 A=FF 6 15 A=00 6 18 A=02	8 A9 00 AA 9 B0 00 A9 0 A9 FF 00 1 00 C9 02 X=00 Y=00 I X=00 Y=00 I X=00 Y=00 I	A8 C9 F1 7F 00 A 7F 00 A 69 01 0 60 00 0 DEBUG 9=30 S=00 9=30 S=00 9=30 S=00 9=33 S=00
your screen display with the one shown. Step 4 Type the G 3300 command, then press RETURN. When DEBUG appears, return to the text. Step 5 This and the following steps are identical to Step 4, except for the numbers entered and displayed. Step 6 As above. Step 7 As above. Step 8 As above. Step 9 As above. G 33311 DEBUG Step 9 As above. G 33311 DEBUG G 33311 DEBUG G 333311 DEBUG G 3333311 DEBUG G 33333	3300 DB 1 3308 00 A 3310 00 0 3318 69 0 00 A=00 3 A=80 3 A=FF 6 A=00 12 A=FF 15 A=00 18 A=02 18 A=02	8 A9 00 AA 9 B0 00 A9 0 A9 FF 00 1 00 C9 02 X=00 Y=00 I X=00 Y=00 I X=00 Y=00 I	A8 C9 FI 7F 00 A 69 01 00 69 00 00 DEBUG 2=30 S=00 2=30 S=00 2=33 S=00 2=30 S=00

Each monitor has its own syntax for this; yours is illustrated in the appropriate figure. Monitor commands are fussy about spaces, etc., so pay close attention to details at this point. Now go do Step 4, which will start execution of the machine language routine at address \$3300. That routine will run until a BRK instruction is executed, at which point processing will stop and the monitor's register display will appear on the screen. When that happens, which should be immediately, come back here.

Step 4. Study the register display, disregarding IRQ and SP, and observe that AC, XR, and YR are all set to \$00. (Non-Commodore people observe the same thing, labeled A, X, and Y.) Use the table to confirm that \$30 means that all SR (or P) flags are clear, except for the B and the meaningless bit that's always set. Remember what the B flag is for, and it will be easy to see why it's set. Our program was designed to zero everything out, and it worked as it was designed. So far, so good. (If things are not so good, you've made a mistake. Repeat your work from the beginning.)

Nothing Has Changed

Step 5. Now perform Step 5, and notice what has happened. The program has loaded \$80 (1000 0000) into the accumulator, and the monitor AC display so indicates. Since the high-order bit of \$80 is a 1, the computer set its own N flag. The program counter has advanced, but nothing else has changed. (If your stack pointer changed, never mind—the monitor, not our program, changed it.) The BRK brought us back to the monitor. Simple, isn't it?

Step 6. The LDA has loaded \$7F (0111 1111) into the accumulator, setting N to match its highest bit. The register display shows the \$7F, and proves

y dear, now that dinner is complete, let's do something that will work us into a passionate, writhing, intellectual frenzy. My mind is swirling with words I cannot explain. Please spend the night with me and Compuzzler.??



Tompuzzler.™ From Uptown Software,™ Inc. The "5 O'Clock" software that's proper for any social encounter.

Compuzzler. A strategy game based upon crossword puzzles. For people who have a love affair with crosswords. And for those who have never enjoyed the thrill.

Compuzzler comes with 70 competitive crossword puzzles. You can play them by yourself. Or against one or more people. There are five different ways to play. Once you've enjoyed these 70 puzzles, you can purchase 50 more at a time on additional disks.

Compuzzler. From Uptown Software. The first of many new ways to fall in love with your computer.

Ask your dealer about the upcoming National Compuzzler Tournament. And be sure to try our sizzling Uptown Double-Crostics™ and Uptown Trivia.™

For the dealer nearest you, call 1-800-824-7888, Operator 584, (In Hawaii and Alaska 1-800-824-7919, Operator 584) that N is now clear, while all other flags remain the same.

Now do Step 7.

Step 7. Putting \$00 (0000 0000) in the accumulator sets the Z bit, since zeros beget zeros. Notice how the PC is stepping right along with us, and do Step 8.

Step 8. \$FF (1111 1111) is not a zero, so the zero flag is cleared. Its high bit is a 1, so the N flag is set. Move on to the

next step.

Step 9. The ADC instruction adds 1 to the accumulator. Like driving another mile when the speedometer reads 99999, this rolls the accumulator over to \$00 (0000 0000). We can tell when this happens, because the rollover automatically sets the carry flag. The carry bit is often used in just this way, to tell when a counter has reached its maximum. In our example, Z is also set, since the operation resulted in a zero. When you've absorbed those simple details, go on to Step A.

Bump A Counter

Step A. The last operation did not roll over the accumulator, so the carry bit was cleared. What it did was to add 1 to the zero in the accumulator, giving a result of 2. How on earth does 1 + 0 = 2? The answer is in the carry bit. An ADC adds its operand plus the carry bit to the contents of the accumulator, then reconditions C based on the result. That's very useful, because often when a counter rolls over, we want to increment a higher-order counter, so nothing gets lost in the counting. Many programs look for the carry bit, and bump a counter if it's set. Our own little program didn't go that far, but it did show us how such things can be done. Now do the next G.

Step B. What's this? We compared a 2 to a 2, and the zero and carry flags got set. That's a special use of flags in comparing numbers. CMP and

Figure 3: Commodore Screen Dialogue

	To activate the monitor, type SYS 4, then press	SYS4	
	RETURN. (If you have a PET with original ROM, you must first load the	B*	PC IRQ SR AC XR YR SP
	monitor program from tape.)	• •	0005 E62E 30 00 5E 04 F8
	Type this command, then press RETURN.	.M 3	3300 331F
	You will see a display like this, but with different two-digit numbers. Care- fully change them to these numbers by typing over them. Press RE- TURN at the end of each line.	.:	3300 DB 18 A9 00 AA AB C9 F 3308 00 A9 80 00 A9 7F 00 A 3310 00 00 A9 FF 00 69 01 0 3318 69 01 00 C9 02 00 00 0
	Type the G 3300 command, then press	.G B*	3300
	RETURN. When this line appears, return to the text.	• •	PC 1RQ SR AC XR YR SP 3309 E62E 30 00 00 00 FB
1	This and the following steps are identical to Step 4, except for the numbers	.G B*	PC IRQ SR AC XR YR SP
	entered and displayed.	• •	330C E62E B0 B0 00 00 F8
step o	As above.	B*	PC ING SR AC XR YR SP
Step 7	As above.	•;	330F E62E 30 7F 00 00 F6
		B*	PC TRO SR AC XR YR SP
Step 8	Ås above.	.; .G B*	33 (2 E62E 32 00 00 00 F6
		• 9	PC TRO SR AC XR YR SF 3313 E62E BO FF OO OO F6
Step 9	As above.	.G B*	3315
		. 3	PC IRQ SR AC XR YR SP 3318 E62E 33 00 00 00 F6
Step A	As above.	.G B*	3318
		.,	PC IRQ SR AC XR YR SP 331B E62E 30 02 00 00 F4
Step B	As above, but when the registers display appears, type X and press RE-	.6 B*	331B
	TURN. Then go back to the text.	.,	PC IRQ SR AC XR YR SP 331E E62E 33 02 00 00 F4

LET'S CLEAR UPA 'BASIC' MISUNDERSTANDING ABOUT COMPUTERS.

YOU DON'T HAVE TO BE INTIMIDATED BY YOUR COMPUTER ANY LONGER.

If you're having a misunderstanding with your computer, it's probably not your computer's fault. It's the complicated owner's manual or software instructions that are hard to comprehend. But now you can learn to operate, program and use software easier and faster than ever.

INTRODUCING COMPUTUTOR'

CompuTutor, is a remarkable series of 90-minute plain language computer tutorials on pre-recorded videocassette. It will make learning to operate your personal computer a matter of hours,

computer a matter of hours, rather than days or weeks. No more wading through complex instruction manuals.

NOW YOU'RE IN CONTROL

CompuTutor is designed specifically for the IBM'-PC, Apple' IIe, the Radio Shack' TRS-80', Model 4, and over forty compatibles. It differs from manuals and other on-disk or on-tape tutorials in three very important ways. First, CompuTutor presents clear, "non-computerese," step-by-step instruction. You'll learn specific information about your machine, rather than catch-all generalizations. Second, CompuTutor is both entertaining and imaginative. And third, CompuTutor's self-teaching technique allows you the





schedule. Whether you're a novice or an experienced end user, Compullutor is a personal instructor, a private coach anytime, as close as your videocassette recorder.

WE'RE TEACHING YOUR FAVORITE PROGRAMS

Now popular software for your personal computer doesn't have to be complicated. We've made CompuTutor for the most popular business and home computing programs available for your machine:

"Using Your Machine" gets you started from assembly or hook-up, to learning to operate your machine and its disk operating system. You'll even write a short program in "BASIC" language.

"Using Word Processing"—
WORDSTAR' and SuperSCRIPSIT" shows the use and
application of popular word processing programs currently sold.

"Using VisiCalc'" teaches basic properties and applications of VisiCalc, the electronic spread sheet.

"Using Data Base Management"—dBASEII, dBASEIII" and Profile 4", teaches the most popular of the relational data base programs currently sold.

CompuTutor makes the best software for your personal computer perform even better, because we've made it easier to <u>learn</u> and <u>understand</u>. After all, isn't that the bottom line?

WHAT YOU CAN DO RIGHT NOW

Get the most out of your personal computer. Start with the right learning system! Compututor, the power of simplicity.

To find out more, ask your computer dealer or contact Jim Brown, Director of Sales/Marketing, Embassy Home Entertainment, 1901 Avenue of the Stars, Los Angeles, California 90067.



The Plain Language Video Tutorial

Marketed Exclusively by EMBASSY HOME ENTERTAINMENT

Computation of a trademan's of Chaire Securation, Inc. IBM PC is a requirered trademan's of International Business Machines Corporation. Apple life in a registered trademan's of Apple Computer, Inc. Radio Shork and TRS-80 are registered trademan's of the Tark of Computers of the Computer of trademan's of trademan's of the Computer of trademan's of trademan's of the Computer of trademan's of th

LL ADDS U

...CALL

\$279.00

\$289.00

\$105.00

\$139.00

\$399.00

\$149.00

\$299.00

\$399.00

\$179.00

\$119.00

\$229 00

\$88.99

\$319.00

\$69.99



IBM

MICROPRO

WordStar Professional Pack. \$339.00

MICROMIM

MULTIMATE INT.

MICROSTUF

MICROSOFT

ASKTON-TATE

IUS EasyWriter II..... EasySpeller.....

1st Class Mail/Form Letter \$79.99 Home Accounting Plus

LOTUS Symphony.....

PROFESSIONAL SOFTWARE

SYNAPSE

EasyFiler \$225

General Ledger. Accounts Payable...... Accounts Receivable.....

Payroll ...

Inventory

R:Base 4000.

Multi Mate..

Crosstalk ...

MultiPlan ..

dBASE II

Framework

Friday

PC Plus/The Boss ...

File Manager.

cBASE IIupgrade ...

dBASE III.





IDI	Ass	ociate	
45MB	Hard	drives	with
ola Car	. had	de 11 es 11	er Telane

BMB to

removable Cart, back up as	low 85
	\$1399.0
AST RESEARCH	
Six Pak Plus from	\$249.0
Combo Plus II from	
Mega Plus from	\$299.0
I/O Plusfrom	
QUADRAM	
Quadlink 64K	.\$479.0
Quadboard II as low as	. \$309.0
Quad 512 Plus as low as	\$259.0
Quadcolor I	.\$219.0
Chronograph.	
Parallel Interface Board	
64K RAM Chips Kit	\$49.9
SPI	
Open Access	\$380 A

SPI	
Open Access\$369.00	
HAYES	
Please (Data Base) \$289.00	١

	SOFT	WARE		
	C-64	Atari	IBM	Apple
ELECTRONIC ARTS				
One on One	\$29.99	N/A	\$29.99	\$29.99
Music Construction	\$29.99	\$29.99	\$29.99	\$29.99
Pinball Construction	\$29.99	\$29.99	\$29.99	\$29.99
Cut & Paste	\$39.99	\$39.99	\$39.99	\$39,99
Hard Hat Mack	\$27.99	\$27.99	\$27.99	\$27.99
INFOCOM				
Witness	\$29.99	\$29.99	\$29.99	\$29.99
Infidel	\$29.99	\$29.99	\$29.99	\$29.99
Deadline	\$29.99	\$29.99	\$29.99	\$29.99
Planetfall	\$29.99	\$29.99	\$29.99	\$29.99
Enchanter	\$29.99	\$29.99	\$29.99	\$29.99
Suspended	\$29.99	\$29.99	\$29.99	\$29.99
Sorcerer	\$29.99	\$29 99	\$29.99	\$29.99
Zork 1,2.3 ea	\$27.99	\$27.99	\$27.99	\$27.99
ATARISOFT				
Joust	\$34.99	N/A	\$34.99	\$34.99
Moon Patrol	\$34.99	N/A	\$34.99	\$34.99
Pole Position	\$34.99	N/A	\$34.99	\$34.99
PacMan	\$16.99	N/A	\$16.99	\$16.99
Ms. PacMan	\$34.99	N/A	\$34.99	\$34.99
The state of the s	894.00	22.00	#24 OD	#74 DO

Donkey Kong	\$34.99	N/A	\$34.99	\$34.99
DYNATECH Code Writer	\$75.99	\$79.99	\$175.99	\$155.99
VisiCorp VisiColo	\$159 99	\$139.99	\$159.99	\$159 99
PFS: Write Graph Report File Solutions: * as low as	NIA NIA NIA NIA	N/A N/A N/A N/A	\$89.99 \$89.99 \$79.99 \$89.99 \$16.99	\$89.99 \$79.99 \$79.99 \$79.99 \$16.99
THE LEARNING COMPANY Magic Spells Word Spinner Bumble Games Addition Magician Reader Rabbit *Call on Titles	\$22.99 \$22.99 \$22.99 \$22.99 \$24.99	\$22.99 \$22.99 \$22.99 NIA NIA	\$22.99 \$22.99 N/A \$22.99 \$24.99	\$22.99 \$22.99 \$22.99 \$22.99 \$24.99

-	2	E	77	TH

data systems

	PC	COB	IP.	TIBI) o
	16	BIT	SY	STEN	18
11	for pr	ice a	nd	confli	Ø1179



MBC 550-2.....\$749 MBC 555.....\$949. MBC 858-2\$1099.

A PPT.E

MCB

The state of the s			
APPLE IIe STARTER PACK	APPLE	II:	
64K Apple He, Disk Drive & Con- troller, 80 Column Card, Monitor	APPLE	IIc	
II & DOS 3.3CALL	MacINT	овн	

MONITORS

AMDEK	SAKATA
300 Green \$129.00	8C-100 Color \$269
300 Amber \$149.00	\$3-1000 Green \$129
310 Amber IBM Plug\$189.00	8A-1000 Amber\$139
Color 300/audio \$269.00	TAXAN
Color 500 Composite/RGB/VCR\$389.00	100 12" Green \$129
Color 600 Hires(640 x 240) . \$549 00	121 IBM Green\$149
Color 700 Hires(720 * 240)\$639.00	100 12" Amber\$
Color 710 Long Phosphor \$679.00	122 IBM Amber. \$159
BMC	210 Color RGB \$269
BMC 1201 (12" Green)\$88.99	400 Med-Res RGB
1201 Plus (12" Green Hi-Res).\$98.99	415 Hi-Res RGB
9191 Plus\$249.00	420 H1-Res RGB (IBM)\$466
GORILLA	UST
12" Green\$88.99	Pi I, 9" Green
12" Amber\$95.99	Pi 2, 12" Green \$119
NEC	Pi 3, 12" Amber \$129
JB 1206 Green\$109.00	Pi 4, 9" Amber
JB 1201 Green\$139.99	1400 Color \$269
JB 1205 Amber\$149.99	QUADRAM
JB 1215 Color\$269.00	Quadchrome 8400 Color \$499
JC 1216 RGB\$429.00	SENITH
JC 1460 Color\$389.00	ZVM 122 Amber\$99
PRINCETON GRAPHICS	ZVM 123 Green\$89
MAX-12 Amber\$199.00	
HX-12 RGB. \$489.00	
SR-12 RGB\$629.00	

MODEMS

ANCHOR	NOVATION
Volksmodem \$59.99	J-Cat\$99
Mark IL Serial	
Mark VII (Auto Ans/Auto Dial)\$99.99	
Mark XII (1200 Baud) \$259.99	
Mark TRS-80\$99.99	AutoCat\$219
9 Volt Power Supply\$9.99	
HAYES	Apple Cat II \$249
Smartmodem 300\$199.00	
Smartmodem 1200\$499.00	Apple Cat 212 Upgrade\$259
Smartmodem 1200B\$419.00	Smart Cat Plus\$369
Micromodem He\$289.00	ZENITH
Micromodem 100\$299.00	2T-1\$339
Smart Com II	ZT-10\$309
Chronograph \$199.00	
¥0.	ALA
Atari (ROM)\$79.99	IBM \$99

C-64.....\$79.99



west 800-648-3311

In NV call (702)588-5654 Order Status Number: 588-5654 P.O.Box 6689, Dept.105 Stateline, NV 89449

canada Ontario/Quebec 800-268-3974 Other Provinces800-268-4559

In Toronto call (416) 828-0866 Order Status Number: 828-0866 2505 Dunwin Drive, Unit 3B, Dept.105 Mississauga, Ontario, Canada L5LlTl

east 800-233-8950

In PA call (717)327-9575 Order Status Number: 327-9576 Customer Service Number: 327-1450 477E.3rdSt., Dept.105 Williamsport,PA 1770

Apple/Pranklin

No risk, no deposit on C.O.D. orders and no waiting period for certified checks or money orders. Add 3% (minimum \$5) shipping and handlin on all orders. Larger shipments may require additional charges. NV and PA residents add sales tax. All items subject to availability and price change. Call today for our catalog.



\$85

THE BEST PRICES



HOME COMPUTERS





AT-100	Atari Int	erfa	ce Print	co.88189.00	
AT-550	Atam B	dire	ctional	\$319.00	
GP-100	Parallel	Int	erface	\$189.00	
				\$489.00	
				\$269.00	
	No.	BM	0		١
401 Let	ter Qua	ity.		\$589.00	
				\$269,00	
		IT			
Scottin.				\$140.00	

BX-80 Dot Matrix	
C.ITOH	
Sorilla Banana	\$149.00
Prowriter 8510P	\$339.00
Prowriter 1580P	\$599.00
A 10 (18 cps) Son of Starwriters	\$569.00
Hot Dot Matrix	CALL
10-40 Starwriter	949.00
10-65 Printmaster \$1	249.00
COMREX	

Com	WriterII	Letter		y\$149.00
		DIAB	1.0	
	Letter C			\$949.00

	DAISY	WRITER	
2000			\$999.00
	E	PBON	
RX-80,	RX-SOFT,	RX-100	CALL
FX-80.	FX-100	NEW	CALL
LQ 150	O	LOW	CALL
JX-80	Color	PRICES	CALL

	JUNI	
6100	48+49565+4+++++ 4464}\$	\$469,00
-	AT HAMSSERS	LLY
160L		\$589.00
180L		\$749.00

Spirit 80 ...

NEC	
2010/18/30	\$74P.00
3810/15/30	\$1389.00
7710/15/30	\$1799.00
Pinwriter	CALL

		- 0	KID	ATA	
3,	84,	92,	93,	2350,	2410CALL

DR, DD, DE, GE, DD, DDD	,
OLYMPIA Compact 2	# Agn on
Compact RO	\$499.00
ESW 3000	
Needlepoint Dot Matrix.	\$329.00
SMITH COROL	N.A.
TP-1000	\$449.00

		SILVER REEL	
550	Letter	QualityQuality	\$469,00

1540	TOSHIBA	\$799,00
MAGULA	A9	
	15	
Radix	10	\$599.00
Serial	Board	\$75.00
	i 15X	
	1 10X	

1540\$799.0	20	
1381\$1369.0		
TRANSTAR		
120P\$469.0	00	
130P \$649.0	00	
315 Color\$459.0	00	
	1361 \$1369.0 TRANSTAN 120P \$489.0 130P \$649.0	

CALL	WHI	LE	SUP	PLIES	LAST
60	OXL.	80	OKL.	1200	KL

		000.
880 Interface	\$139.00	CX30Pad
1010 Recorder	\$69,99	CX40 Jo
1020 Color Printer	\$69.99	4011 Star
1025 Dot Matrix Printer		4022 Pag
1027 Letter Quality Printer.		4025 Def
1030 Direct Connect Modern.		8028 Dig
1050 Disk Drive		8031 Don
64 Memory Module (600)		8034 Pole
Touch Table/Software		8040 Don
Light Pen/Software	\$72.99	8043 Ms
CX22 Track Ball		8044 Jou
7097 Atari Logo	\$74.99	8045 Pen
4018 Pilot (Home)		8052 Med
405 Pilot (Educ.)		4003 Ass
5036 Atari Writer		8125 Mio
8049 VisiCalc		488 Com
DOTO FIGUREAU.	Total Section	TOO COUNT

CX30Paddles	\$11.99	
CX40 Joystick	\$7.99	
	0X40 Joystick 4011 Star Raiders 4022 Pac Man. 4028 Debander 5028 Dig Dug 8031 Donkey Kong 8034 Pole Position 8040 Donkey Kong Jr 8043 Ms Pacman 8044 Joust 8045 Pengo 8052 Mcon Patrol 4003 Assembler 8186 Microsoft Basio 1 or II.	CX30Paddles \$11 99 CX40 Joystick \$7.99 4011 Star Raiders \$12.99 4022 Par Man \$16.98 4023 Par Man \$16.99 4025 Defender \$32.99 5026 Dig Dug \$32.99 8031 Donkey Kong \$32.99 8034 Pole Position \$32.99 8040 Donkey Kong Jr \$32.99 8040 Donkey Kong Jr \$32.99 8044 Joust \$32.99 8044 Joust \$32.99 8046 Pengo \$16.90 8052 Moor Patrol \$32.99 4003 Assembler \$34.99 8185 Microsoft Basia I or II \$64.99

MEMORY BOARDS

DISK DRIVES FOR ATARI

3	ATARI	INDUS
xlon	48K874.99	GT Drive (Atari)
	128K\$299.00	AT-D2 \$389.00 AT-D4 \$539.00

HEWLETT PACKARD

410Y	\$189.99
410X	\$249.99
HP 71B	\$419.96
HP 11C	\$62.99
HP 12C	
HP 15C	\$92.99
HP 16C	
HP 75D	\$999.00
HPIL Module	\$98.99
HPIL Cassette or Printer	\$359,99
Card Resder	\$145.99
Extended Function Module	\$63.99
Time Module	

NEC

PC-8801 Portable Computer\$449.00
PC-8221A Thermal Printers. \$149.99
PC-8281A Data Recorder \$99.99
PC-8201-06 SK RAM Chips \$108.99
PC-52064 32K RAM Commune \$220 00

SHARP

PC-1800A	\$165.99
PC-1250A	\$88.99
CE-125 Printer/Cassette	\$128.99
CE-160 Color Printer Cassett	te\$171.99
CB-181 4K RAM	\$29.99
CE-186 8K RAM	\$49.99
CE-161 16K RAM	\$134.99
CE-SOO ROM Library en	\$20.00

(*commodore

CBM 8052	659.00
CBM 8096	\$869.00
CBM 9000	\$999.00
B128-80	\$769.00
8032 to 9000 Upgrade	\$499.00
2031 LP Disk Drive	\$299.00
8080 Disk Drive	\$999.00
8250 Disk Drive	1249.00
4025 Printer	\$399,00
8023 Printer	00.988\$
6400 Printer	1449.00
Z-RAM	\$369.00
Silicon Office	\$499.00
The Manager	\$199.00
SoftROM	\$125.00
VisiCalc	\$159.00
The second secon	

JisiCale	
MSD DISK DRIVE	
D1 Disk Drive	\$509.00
Word Pro 2 Plus Word Pro 3 Plus Word Pro 4 Plus'5 Plus each	\$159.00 \$189.00
nfo Pro Administrator	\$179.00 .\$399.00

SE-64 Portable	\$859.00
CBM 64	\$199.00
C1541 Disk Drive	.\$249.00
C1530 Datasette	\$69.99
C1520 Color Printer Plotter.	\$129.00
M-801 Dot Matrix Printer	\$219.00
C1526 Dot Matrix/Serial	\$299.00
C1702 Color Monitor	.\$269.00
C1311 Joystick	\$4.99
01512 Paddles	
01600 VIC Modem	\$89.99
01680 Auto Modem	\$89.99
Logo 64	
Pilot 64	\$39.99
Word Pro 64 Plus	\$59.99
Calc Result 64	
Calc Result Easy	\$39.99
MC8 801 Color Printer	
DPS 1101 Daisy Printer	
Magic Voice Speech Module.	
Deak Organiser Lock	
Vidtex Telecommunications	\$34.96

PRI	SCIS	ION SOF	TWARE
Superbase	64		\$59.99
PERS	ONA	L PERI	HERALS
Super Ske	tch	Graphics	Pad\$39.99

maxell.

51A"	MD-1	\$19.99
814"	MD-2	\$26.99
8" J	D-1	\$39.99
8" 1	D-2.	\$49.09
-	VERBAT	TM
5%	SS/DD	\$28,99
514"	DS/DD	\$34.99
	BIB	

54" Disk Head Cleaner \$14.99

Dennison

814"	88/8D	\$18.	99
544"	88/DD	\$17.	99
514"	D8/DD	\$24.	99
	54" 54" EMB)	54" 88/DD 54" D8/DD EMSP 54	84" 88/8D \$18. 54" 88/DD \$17. 54" DR/DD \$24. EMSP 54 \$54. DISK HOLDERS

INNOVATIVE CONCEPTS

Flip-in-File	10\$3.99
Flip-in-File	50\$17.99
Flip-in-File	50 w/lock\$24.99
Flip-in-File	(400/800 ROM)\$17.99



In NV call (702)588-5654 der Status Number: 588-5654 P.O.Box 6689, Dept.105 Stateline, NV 89449

Ontario/Quebec 800-268-3974 Other Provinces800-268-4559

In Toronto call (416) 628-0866 Order Status Number: 828-0866 2505 Dunwin Drive, Unit 3B, Dept.105 Mississauga, Ontario, Canada LSLITI

800-233-8950

In PA call (717)327-9575

Order Status Number: 327-9576 Customer Service Number: 327-1450 477E.3rdSt., Dept.105 Williamsport,PA 17701

CANADIAN ORDERS: All prices are subject to shipping, tax and currency fluctuations. Call for exact pricing in Canada. INTERNATIONAL ORDERS: All orders placed with U.S. offices for delivery outside the Continental United States must be pre-paid by certified check only. Include 3% (minimum \$5) shipping and handling.



the other comparison instructions don't store their results anywhere, but they do condition the N, Z, and C flags in a special way that facilitates branching after the comparison. Read up on the CMP, CPX, and CPY instructions for full information on how they set the flags.

We're now at the end of our flag-waving tour. If you kept with us this far, you're in the know about some elementary but important attributes of the processor status register, and you may have improved your knowledge of your monitor. Dig into those ML texts that you didn't understand last time, and you'll be surprised how easy they've become. If you're really feeling like an expert, come up with a branch instruction to take our program back to \$3300.

Machine Language Demonstration Program

3300	D8		CLD	
33Ø1	18		CLC	
3302	A9	ଉଷ	LDA	#\$ØØ
33Ø4	AA		TAX	
33Ø5	BA		TAY	
33Ø6	C 9	FF	CMP	#\$FF
3308	Q1Q1		BRK	
33Ø9	A9	80	LDA	#\$80
33ØB	ØØ		BRK	
33ØC	A9	7F	LDA	#\$7F
33ØE	ØØ		BRK	
33ØF	A9	ØØ	LDA	#\$ØØ
3311	ØØ		BRK	

Decoding Status Displays First Digit Second Digit 0 DIZC 1 DIZC 1 DIZC 2 NV-B 3 DIZC 3 NV-B 4 DIZC 4 5 5 DIZC NV-B DIZC NV-B DIZC 8 8 DIZC DIZC NV-B A DIZC B NV-B B DIZC C C DIZC D D DIZC NV-B E DIZC NV-B F DIZC This table decodes two-digit hex displays of the processor status register. Bold face indicates bit set; regular face, bit clear,

3312	A9	FF	LDA	#\$FF
3314	ØØ		BRK	
3315	69	Ø1	ADC	#\$Ø1
3317	ØØ		BRK	
3318	69	Ø1	ADC	#\$Ø1
331A	ØØ		BRK	
331B	C9	Ø2	CMP	#\$02
331D	ØØ		BRK	

0

SUPER FORTH 64.

TOTAL CONTROL OVER YOUR COMMODORE-64" USING ONLY WORDS

MAKING PROGRAMMING FAST, FUN AND EASY!

MORE THAN JUST A LANGUAGE...

A complete, fully-integrated program development system.

Home Use, Fast Games, Graphics, Data Acquisition, Business

Real Time Process Control, Communications, Robotics, Scientific, Artificial Intelligence

areas

 Vectored kernal words TRACE facility
 DECOMPILER facility

A Powerful Superset of MVPFORTH/FORTH 79 + Ext. for the beginner or professio SPRITE-EDITOR Access all C-64 peripherals including 4040

- e 20 to 600 x faster than Basic
- 1/4 x the programming time
 Easy full control of <u>all sound</u>, <u>hi res.</u>
 graphics, color, sprite, plotting line & circle
- Controllable SPUT-SCREEN Display
- Includes interactive interpreter & compiler
- Forth <u>virtual memory</u>
 Full cursor Screen Editor

- Provision for application program distribution without licensing
 FORTH equivalent Kernal Routines

- Conditional Macro Assembler
 Meets all Farth 79 standards+
 Source screens provided
 Compatible with the book "Starting Farth"
- Compatible with the book "Starting by Lea Brodie
 Access to all I/O ports R\$232, IEEE, including memory & interrupts
 ROMABLE code generator
 MUSIC-EDITOR

SUPER FORTH 64" is more



Access all C-64 peripherals including 40-drive
 Single disk drive backup utility
 Disk & Cassette based, <u>Disk included</u>
 Full disk usage—680 Sectors
 Supports all Commodore file types and Forth Virtual disk

Access to 20K RAM underneath ROM

Full String Handling
 ASCII error messages
 FLOATING POINT MATH SIN/COS & SQRT

Canversational user defined Commands
 Tutorial examples provided, in extensive

every way! At a low price of only

A SUPERIOR PRODUCT \$96

Drawer 1776, Fremont, CA 94538 re 64 & VIC-20 TAL of Co

 INTERRUPT routines provide easy control of hardware timers, alarms and devices USER Support SUPER FORTH 64° compiled code harames more compact than even assembly code! Program Functionality Call:
(415) 651-3160

PARSEC RESEARCH

Drawer 1774 Formula 1774 Formula 1774 Formula 1775



Copy Atari 400/800/XI. Series Cartridges to Disk

ATARI CARTRIDGE-TO-DISK COPY SYSTEM \$69.95

ATAIL VAIL THE CONTROL OF STATE OF THE CONTROL OF STATE O

CARTRIDGE:
 Tricks" the computer into thinking that the original "copy protected" carbridge has been

"Tricks" the computer into unitary uset us deganders of the protected cartridges that we know of However, FRONTRUNNER cannot guarantee the operation of all future cartridges. Supercart is user-friendly and simple to use and requires no modifications of your hardware. PIRATES TAKE NOTE: SUPERCART is not intended for illegal copyrig and/or distribution of copyrighted software. . SorryIII SYSTEM REQUIREMENTS:

Atarl 400/800 or XL Series Computer / 48K Memory / One Disk Drive
Available at your computer store or direct from FRONTRUNNER. DEALER INQUIRIES ENCOURAGED TOLL FREE ORDRE LINE: (24 Hs.) 1-300-484-4780/In Nevada or for questions Call; 7022 796-400
Personal checks allow 2-3 weeks to clear.

M/C and VISA accepted. Personal checks allow 2-3 weeks to clear.
Include 43,50 (87.50 Foreign orders) for shipping.
FRONTRUNNER COMPUTER INDUSTRIES

316 California Ave., Suite #712, Reno, Nevada 89509 - (702) 786-4600
Others Make Claims. . SUPERCART makes copies!!!
ATARI is a trademark of Warner Communications, Inc.

S 995 SA 00 handling	CENTER ATOTHETHE
Atari 1050 Disk Drive \$22995	Software – Accessories
Atari 1025 Printer \$ 19995	MPP 1150 Interface \$75
Atari 1027 Printer \$259	MPP 1000C Direct Connect Modern \$119
Commodore 1526 Printer \$278	Maxell MD1 Disk Box 10 \$ 1995
Monnesman Tally Spirit 80 Printer \$259	Walbash Single Density \$ 1395
N.E.C. 1215 Color Monitor \$225	Hes Modern II See See See See See See See See See
Postage Handling < Hardware	\$10 - Foreign \$14 - Software \$4

INSIGHT: Atari

Bill Wilkinson

Comparing Printers

After disk drives, probably the most frequently purchased peripheral for personal computer systems is a printer. But buying a printer is a lot harder than buying a disk drive. Usually your choice of drives is limited to the computer manufacturer's own unit plus a few produced by thirdparty companies. And despite some slight differences, they all deliver similar performance.

But printers are another story. There are hundreds of printers on the market for personal computers. Most of them can be made to work with your Atari. And they vary widely in terms of price, performance, features, and compatibility.

One of the main differences between printers is their printing speed. Usually this is measured in characters per second, abbreviated cps. By comparing the speed ratings, you can decide whether a certain printer is fast enough for your applications. But recently I discovered how misleading those speed ratings can sometimes be. It all started when those of us at Optimized Systems Software (OSS) began looking around for a new printer.

To begin, let me tell you that we have a rather unique requirement for a printer: We needed a good, fast, reliable printer which we could hook up to any of several computers. And, of course, it had to be compatible with all our software: several languages, four different operating systems, and a couple of word processors.

It is also time for a bit of history. For the last couple of years, our mainstay printer has been a venerable DEC LA-120 Decwriter. This is actually a printing terminal (remember, from the days of mainframe timesharing?) which operates via a serial RS-232-C connection at 120 cps. As reliable as this beast has proven to be, it has a few problems: Its print quality is marginal at best, without even descenders on lowercase letters; because it uses a serial instead of the more standard parallel interface, much software simply will not work with it; although it is rated at 120 cps, it is actually capable of only about 105 to 110 cps when printing typical documents.

At the time, the only other printers we had (or had significant experience with) were a Diablo daisywheel (also serial, at 30 cps), an Atari 825 (rated at 60 cps), and a C. Itoh Prowriter

(rated at 120 cps). All had performed adequately (or, in the case of the Prowriter, more than adequately), but all were too slow for our purposes.

And, of course, software compatibility was another big issue. Our primary problem in the past had been that some of our computers transmitted a linefeed after a carriage return (for example, the CP/M based machines), while others (our Atari computers) did not. We were well aware, also, that more problems would be coming as we acquired more software and wanted more capabilities.

Instantaneous Vs. Continuous Speed

For the sake of compatibility then, the first printer that came to mind was the Epson MX-80. Why? Simply because it is used on so many machines with so much software. Yet we immediately rejected the MX-80. Rated at only 80 cps, it is simply way too slow for our applications.

So we started looking for a fast printer which would be largely compatible with the MX-80. To make a long story short, we bought an Epson FX-100, a wide-carriage version of the FX-80. Imagine our surprise when this printer, rated at 160 cps, was only marginally faster than the Prowriter and actually *slower* than the Decwriter!

It turns out that with few exceptions, the printer speeds published by manufacturers and often faithfully reported by magazines are the maximum instantaneous speeds of which a machine is capable. This instantaneous speed rarely correlates to the actual number of lines a printer will produce in a minute.

What's more, even those companies which do admit that speed ratings are maximum values employ other claims to suggest that their printer is faster than the competition. For example, many claim that because their printers are bidirectional or logic-seeking, they are faster than the oldfashioned machines which print in only one direction (unidirectional).

Let me describe how the FX-100, for example, prints a typical program listing. First, it receives and prints a line (say, 50 characters), moving the print head from left to right, stopping at the end of the line. Then, it receives the command to print the next line (say, 70 characters). It moves the print head to the seventieth

column, stops, advances the paper to the next line, and prints backward from right to left. If the next line is indented (mine often are), it goes through the same sequence of stopping, moving the head, and advancing the paper once again.

But stopping, starting, moving paper, and starting again all take time. A lot of time compared to the actual printing time. Printers like the Prowriter, on the other hand, contain an internal buffer which they use intelligently. After printing a 50-character line, it checks to see where the right end of the next line needs to be and automatically continues to move the head to that position. One stop-and-start sequence eliminated. The results? See for yourself in the following chart, which records the time it took for three different printers to print the same moderatelength program listing:

Printer	Rated Speed (cps)	Time Required	Approx. Actual Speed (cps)
Decwriter	120	6 min 30 secs	110
Prowriter	120	7 min 45 secs	90
FX-100	160	7 min 30 secs	95

Oh, yes. Did I forget to mention that the Decwriter has no logic-seeking and prints unidirectionally only? That's a lot of stopping and starting. Sometimes raw power can accomplish what "logic" can't.

Throughput: True Speed

Well, I would like to report that we ran out and bought 30 or 40 different printers and tested them, too, just so I could bring you a full comparison chart. But our budget at OSS won't stretch that far.

I did, however, go to several dealers and informally time the speed of various printers. Since I had a couple of reference points (the speeds of the Prowriter and FX-100), it wasn't too hard to get a fair idea of true *throughput* figures: the printing speeds they could actually sustain.

Then I discovered another trick used by a few manufacturers. Many printers are capable of two or three (or more) character widths or fonts (typically 10, 12, and 17 characters per inch). It seems to me that at least a few printers are rated only for their smallest (and hardest to read) fonts.

Luckily we had an understanding dealer who allowed us to "trade up" our FX-100. And what printer did we then buy? Actually, we ended up buying two.

Because of our need for a printer capable of using the vast library of MX-80-compatible software, we got an Epson MX-100 (simply a widecarriage MX-80). We have been very happy with it, though I am sure any of several MX-80-

compatible printers would have done as well. True, the MX-80 is slow. But its throughput rate seems to be around 50 to 60 cps, which is respectable compared to its rated speed.

Because we needed speed, though, we disregarded MX-80 compatibility for our other new printer, an Okidata 2350 (the model number seems to reflect its retail price). It is rated at over 300 cps and surprised us by performing our little speed test in 1 minute 55 seconds, for a throughput rate of over 360 cps. However, sometimes it gets too hot while printing long listings and stops to wait for the head to cool off. Even so, it probably has a throughput rate of 300 cps or more.

So, did you learn anything from our experiences? I sincerely hope so.

When shopping for a printer, ask to see a demonstration of its speed. Many printers perform better with uniform-length lines (such as those produced by a word processor), so ask to see a program listing also. And make your own time trials.

Judge the print quality for yourself. Ask about replacement ribbon costs. (We found one printer that worked only with carbon ribbons. \$\$\$\$! But if you need good print quality, it might be worth it.)

Above all, be certain a particular printer is compatible with your computer and software. Few things are worse than saving \$50 on a printer only to find out you have to spend another \$100 because your current word processor isn't compatible with your new printer.

Of Memory And Machines

We've received a few letters recently on seemingly different subjects, but which all relate to what is obviously some confusion and uncertainty about the Atari XL computers. Let's address these letters and, at the same time, shed some light on the workings of these little gems.

First, Jacqueline Patton of San Antonio, Texas, asks whether she is "stuck with a problem computer [1200XL] and an unreliable disk drive [Atari 1050]." We'll discuss the 1200XL's compatibility problems in a moment. First, a few words about the 1050.

I have not personally observed the 1050 to be any more or less reliable than any other drive on the market. Disk drives, in general, tend to be like automobiles: Sometimes you get one which goes 100,000 miles with no maintenance, and sometimes you get a lemon, but most often you get one which will last a reasonable time with reasonable care and regular checkups. This is not surprising: Disk drives and cars are both mechanical nightmares, subject to extremely close manufacturing tolerances and acute material stresses.

If the 1050 has a problem, it may be simply that it cannot read all of the more strangely protected software disks that are flooding the market. There are antipiracy measures in use today that try the limits of many drives and their controllers. Yet most programs will load fine on any good Atari-compatible drive, including the 1050.

My objections to the 1050 are centered around only one point: Although every other Atari-compatible drive manufacturer has complied with the Percom-standard double-density format (derived in turn from Atari's defunct double-density 815 drive), only Atari chose to be different. Further, Atari's method gives you a maximum of 128K bytes per disk. The others get 180K bytes. There is no excuse for this. It results from Atari's typical blindness when it comes to outside vendors.

All this does not mean the 1050 is no good. It just means that, on a bytes per dollar basis, it is overpriced.

Use Your Options

Another letter, from Shahid Ahmal of London, England, was actually a complaint to OSS about the fact that some programs (including our diskbased *MAC/65*) would not load and run properly on his 800XL. The problem is that these programs require you to remove the BASIC cartridge before booting up—impossible on the 800XL and 600XL, since the BASIC "cartridge" is built into the newer computers as a standard feature. His solution was to write a program which switched off the built-in BASIC, changed RAMTOP, and closed and reopened the screen driver.

Whew! I am impressed. Doing all that in the proper order is not easy. But there really is a much simpler way.

This discussion applies only to disks containing programs which do not use Atari BASIC. Obviously, such things as assemblers, compilers, and utility programs fit this category. Not so obviously, many game disks will not run if Atari BASIC is present. In any case, if you own an 800XL (or, I assume, a 600XL with expanded memory), and the directions for a disk or program tell you to remove your BASIC cartridge, try this:

Turn on power to all devices *except* the computer. Insert the disk you wish to boot. Push *and hold down* the OPTION button. Turn on the computer's power. When the disk starts to load, you can release the OPTION button.

This has the effect of disabling the built-in BASIC. Atari's manuals tell you all this. But they don't emphasize enough that you should try this with any disk/program if it otherwise doesn't work. And they don't tell you about the

OPTION button when used with the *Translator Disk*. "What's that?" Glad you asked

I have mentioned the Atari Translator Disks before in this column, but only part of what I'll add is repetition.

If you own an Atari 1200XL, 800XL, or expanded 600 XL with a disk drive, run—do not walk—to your nearest Atari users' group and purchase (usually for about \$10) the pair of Atari Translator Disks. (You may still be able to get them from Atari directly.)

The instructions tell you to boot the version A disk first, wait for it to give you a message, insert your otherwise unbootable disk, and push the SELECT key. If that doesn't work, you are supposed to try the version B disk. (Both disks actually load an old Atari 800-style operating system into your XL machine's memory, thus hopefully assuring compatibility with programs that rely on the older operating system.)

What the instructions don't say is that you may also need to hold down the OPTION button. Why? Because otherwise, good old Atari. BASIC is still there, messing up the memory address space.

Six Ways To Boot

There are, then, no less than six ways to try booting a disk on an XL machine: with or without holding down the OPTION button alone or in combination with either of the two *Translator Disks*. This sounds like a real pain, but once you find the method that works with a given disk, you can write it down for future reference.

I should note that all of these methods still result in compatibility with only about 97 percent of all software (85 percent of heavily protected software). Is there anything you can do if your favorite piece of software won't boot using any of these methods? Yes, two things.

First, you can write, phone, telex, or otherwise cajole and threaten the software manufacturer. I have said before, and I am sure I will go hoarse saying again, that I believe the responsibility for the lack of compatibility does not rest with Atari. No other manufacturer has ever produced a series of computers with as many changes and improvements as the XL line and yet maintained as much compatibility as has Atari.

Second, you can try one of the commercial translator programs. I am aware of two at this time: XL BOSS from Allen Macroware and XL FIX from Computer Software Services. I have used neither, so I cannot comment on them. However, I recommend that to avoid unnecessary expense you should certainly seek verification from these manufacturers that the particular software package you want to use will work correctly with their product.

MAXIMIZE STORAGE CAPACITY ON YOUR ATARI 1050* DISK DRIVE WITH THE HAPPY 1050 MAXIMIZER™

Now you can store twice as much data on your ATARI 1050 disk drive with this easy to install high quality plug in adapter. Requires no soldering and no permanent modifications. Runs all popular true double density programs, utilities, and operating systems.



You can upgrade your HAPPY 1050 MAXIMIZER to a WARP SPEED HAPPY 1050 ENHANCEMENT". Improves reading and writing speed 500% and comes with the HAPPY COMPUTERS WARP SPEED SOFTWARE" package. Makes your ATARI 1050 the most powerful disk drive available. Easy plug in installation lets you upgrade your HAPPY 1050 MAXIMIZER to WARP SPEED at any time.

Take COMMAND with the HAPPY 1050 CONTROLLER™

When used with the ENHANCEMENT or MAXI-MIZER allows writing on the flip side of disks without punching holes. Selects protection from writing on valuable disks. Selection can be made both from software commands and a three position switch. When used with the ENHANCEMENT allows both switch and software control of reading and writing speeds. Plug in installation requires no soldering. May be used without ENHANCEMENT or MAXIMIZER with manual control of write protection.

Discount prices through Dec. 31, 1984:

HAPPY 1050 MAXIMIZER complete.......\$124.95

MAXIMIZER to ENHACEMENT UPGRADE\$129.95

(You must already have a Happy 1050 Maximizer)

HAPPY 1050 MAXIMIZER with factory installed
MAXIMIZER to ENHANCEMENT upgrade, same as
WARP SPEED HAPPY 1050 ENHANCEMENT \$249.95
HAPPY 1050 CONTROLLER.......\$49.95

WARP SPEED HAPPY 810 ENHANCEMENT*
for 810 disk drive (supports high speed
single density)......\$249.95

Price above include free delivery in the USA California residents add 6.5% sales tax.

*Note: ATARI 1050 is a trademark of Atari, Inc.

HAPPY COMPUTERS, INC. P.O. Box 1268, Morgan Hill, CA 95037 . (408) 779-3830

And More Memory

The commercial translator programs do have one interesting bonus: They give your XL computer an extra 4K of memory. Let's see why.

The original Atari 400 and 800 computers had a 10K operating system and a 2K input/output space. Since the maximum RAM they supported was 48K, that left 4K unused in the total address space of 64K (unless you bought a third-party RAM board—such as those from Mosaic—which placed RAM in this unused space). The empty 4K was located at address \$C000 (49152), just above the normal 48K RAM.

When the XL computers arrived, they sported more graphics modes, device downloaders, parallel bus support, self-diagnostics, and more, all of which pushed the size of the operating system up to 14K. Guess where Atari got the extra 4K from? Yep. No more "unused" space.

However, the commercial translators effectively emulate the original 10K operating system, leaving that 4K free again. But since an XL machine has 64K of RAM, the unused space becomes free RAM. If you are using a cartridge-based program (even the built-in Atari BASIC), this isn't a real big help. The 4K of RAM is still at address \$C000, above the cartridge address space. You could install machine language routines here, use it as a buffer for disk I/O or player/missile graphics, or even use it for any graphics screen up to the size of that of GRAPH-ICS 7. But the average beginner will have a hard time using this space.

On the other hand, programs which don't use a cartridge don't have this restriction. For example, if you use one of these translators to load *VisiCalc* into an XL machine, you'll gain 4K of valuable spreadsheet space. Try it sometime. It's easy.

And one more comment before we pause until next month: Since the Atari Translator Disks work much like the commercial translators, it may just be possible to modify them and gain the same 4K of RAM. I have not had the time to investigate this, but if any COMPUTE! readers discover anything in this regard, we'd be happy to hear about it.

To receive additional information from advertisers in this issue, use the handy reader service cards in the back of the magazine.

MACHINE LANGUAGE

Jim Butterfield. Associate Editor

Stack Tricks

The 6502 stack sits quietly in page 1 (typically addresses \$01FA down to about \$0140) and works behind the scenes. If you call a subroutine using JSR, a couple of entries push their way onto the stack; they pop back off when RTS is used. Everything is tidied up, and we don't need to think about the stack workings most of the

Once in a while, however, we want to squeeze a little more performance out of the stack. We may read the stack pointer by transferring it to the X register with TSX, or even set it by transferring the other way with TXS. We may set up a dummy return address by pushing values to the stack before an RTS. Often such tricks are more trouble than they are worth, but sometimes they can be useful.

A Subroutine Limitation

An early 6502 text suggested that an easy way to pass data to a subroutine would be to place it on the stack. It can be done, but it's not easy; I tend to discourage this kind of coding for beginners.

Here's the problem: You take one or more values and place them on the stack using the PHA (PusH A) command, then call a subroutine. The idea is that the subroutine can simply pull these values from the stack with PLA (PuLl A) and use them, but that won't work. When the subroutine is called with ISR, the last two values placed on the stack are the subroutine return address (to be exact, the address minus 1). So the pull command gets, not the data, but the return address. Annoying.

There are a couple of ways around the problem, but they are clumsy. First, you can pull the return address (two bytes) from the stack and save them. Then the data bytes are pulled and saved. Finally the return address is recalled and put back on the stack. That's a lot of work. It would be easier to have the calling routine store the data somewhere.

The second method is a little more workable, but still clumsy. If the stack pointer is transferred to the X register with TSX, we may now look directly at the stack as it lies in page 1. An instruction such as LDA \$0100,X would look at the stack memory area, but would miss the real stack: The effective address would be of the first

"empty" stack location. We'll have to climb a little higher to see the "live" stack. For example, LDA \$0101,X would look at the last item on the stack; LDA \$0102,X would look at the previous item, and so on.

Back to our original problem. There's a byte of data on the stack, behind a subroutine call. We can read it with TSX followed by LDA \$0103,X. But we can't remove it from the stack without setting up a loop to repack everything. We can also change this stack item with a STA command. When the subroutine returns, the main routine must pull the extra item back from the stack.

It's often more trouble than it's worth, but it does work. A small example will illustrate.

This routine prints a triangle of asterisk signs. There are better ways to do the job, but it does illustrate moderately advanced stack work.

```
Ø33C A9 Ø1
              LDA #$01
                        ;start count at 1
Ø33E 48
              PHA
                         ; pass to the stack
033F 20 4B 03 JSR $034B ; call print subrtn
Ø342 68
              PLA
                         ; get back the count
Ø343 18
              CLC
0344 69 01
              ADC #$01
                         ; add one to count
Ø346 C9 1Ø
              CMP #$10 ; stop at 16
Ø348 9Ø F4
              BCC $033E ;else do it again
Ø34A 6Ø
              RTS
          ; SUBROUTINE TO CHECK STACK
Ø34B BA
              TSX
                           ;get the pointer
034C BD 03 01 LDA $0103,X ; dig out the count
                           ;put it in Y
Ø34F A8
              TAY
              LDA #$2A
Ø35Ø A9 2A
                           ;asterisk character
Ø352 2Ø D2 FF JSR $FFD2
                           ;print it
Ø355 88
              DEY
                           ; count down
              BNE $0352
Ø356 DØ FA
                           ; if more, go back
Ø358 A9 ØD
              LDA #$ØD
                           ; carriage return
Ø35A 2Ø D2 FF JSR $FFD2
                           ;print it
                           ;quit
```

Call the above program from BASIC with SYS 828.

If you'd rather enter the program as BASIC DATA statements, the following program will do the job:

```
100 DATA 169,1,72,32,75,3,104,24
110 DATA 105,1,201,16,144,244,96
120 DATA 186,189,3,1,168,169,42
130 DATA 32,210,255,136,208,250
140 DATA 169,13,32,210,255,96
200 FORJ=828T0861
210 READX
22Ø T=T+X
230 POKEJ,X
240 NEXT J
```

More Muscle

Perhaps a more useful task for the stack is to streamline frequently used subroutines. For example, if there's a popular subroutine that I call a dozen times or more, it will be in my interest to make the calling sequence as brief and easy as possible.

Here's a common one. I often need to print various messages, and expect to use a subroutine to do it. The normal calling sequence would be to load the address of the particular message into a couple of registers—say, A and Y—and then have the subroutine use this address to print the message. This means that the subroutine will have an overhead of two instructions: the LDA and LDY before the call. The overhead might in fact be greater: I might need to save previous values in A and Y in order to continue my program after the message is printed.

Suppose I could do this: just call the sub-routine, and leave the *message itself* behind the calling routine. I could flag the end of the message text with a zero byte. Now, if I could make the subroutine smart enough to go after this message, I could save a lot of setup coding.

Not too hard. The subroutine would need to pull the return address from the stack and set it into an indirect address. The return address would need to be adjusted by a value of 1, since it has a built-in offset. Now the subroutine could walk through the message, printing out the characters as it found them. When it finds a zero, it's time to return; but we must adjust the return address so that we'll go to the address behind the message. All this takes a little careful work, but we can do it.

More Complex

Now let's make the task a little more complicated. Not only do we want our subroutine to print the message located behind the JSR instruction; we want it to do this without affecting any registers—A, X, or Y.

The natural thing to do is to push A, X, and Y to the stack, using the sequence PHA:TXA:PHA:TYA:PHA; just before we return, we'll pull everything back and restore the original register values. If we do this, however, we can't pull the return address from the stack, since it's buried beneath the new stuff we have just stacked. If we go this way, we must dig out the return address from midstack, using TSX and so on.

This kind of coding has been seen in various application programs; it's not new and revolutionary, just a little more careful work.

Commodore is using this technique for the first time in the ROM of its new computer series,

the Commodore 16 and the Plus/4. You can track the coding in one of the machines by using the built-in machine language monitor. Start the disassembler at address \$FBD8 with command DFBD8. You'll see code along the following lines:

Save all registers to the stack:

PHA:TYA:PHA:TXA:PHA

Copy the stack pointer, and adjust it to match the return address:

TSX:INX:INX:INX

Copy the return address to zero page, so that it can be used as an indirect address:

LDA \$0100,X:STA \$BC:INX:LDA \$0100,X:STA \$BD

The indirect address in \$BC and \$BD is one too low, since a JSR return is offset by one. Add one to it:

BUMP INC \$BC:BNE PASS:INC \$BD

Get a character—it will come from behind the calling JSR instruction. If it's zero, we're finished and go to EXIT:

PASS LDY #\$00 GETCH LDA (\$BC),Y:BEQ EXIT

If it's not zero, print it; then go back to bump the address and get another one:

ISR \$FFD2:INY:BNE GETCH

Y will never reach 255 (no messages are that long), so the BNE is an "always" branch. If we reach EXIT, we must get the count of characters from Y:

EXIT TYA

Now we recompute the position of the return address in the stack:

TSX:INX:INX:INX

We add the count to the indirect address, and put the new return address directly into its place in the stack:

CLC:ADC \$BC:STA \$0100,X LDA #\$00:ADC \$BD:INX:STA \$0100,X

And finally, we restore our three registers and return:

PLA:TAX:PLA:TAY:PLA:RTS

For many of us, this type of stack manipulation is overkill. It makes programs hard to disassemble for study purposes, and the memory saving on small programs is negligible. For that matter, what are you going to do with the few dozen bytes you save?

Nevertheless, it can be a great coding convenience to allow a programmer to simply "drop" his data in line with the coding. This can save extra coding for setup, extra labels—and possible mistakes.

And it can be satisfying and fun to know that you can get that extra ounce of control over the workings of your computer.

PROGRAMMING THE TI

C. Regena

Algebra Tutorial Part 2

Last month's column introduced "Algebra Tutorial," an educational program for students learning higher math. Part 2 presents the rest of the program listing and line-by-line explanation.

You'll recall that "Algebra Tutorial" is intended for students who already have some knowledge of algebra. It assumes the student is familiar with terms usually introduced before binomial multiplication. (A binomial is a numeric expression of two terms.) Basically, the tutorial covers the multiplication of one binomial by another—such as (x+5) times (x+4).

Last month's column included the program listing for lines 110 through 1300. Briefly, these lines redefine a few characters into special algebraic symbols (160–170); print a screen showing a comparison of binomial multiplication and numeric multiplication problems (190–300); display the general form of the multiplication problem and its answer (310–460); present a problem to the student (470–950); print a screen showing numeric coefficients for the first term (960–1110); present a problem to the student involving numeric coefficients (1120–1180 and the subroutine starting at 1960); and display a screen of information about using positive and negative numbers (1190–1300).

Picking up where we left off, lines 1310–1320 (and the subroutine at 1880) give the student a problem which may contain positive and negative numbers and coefficients in the first term. Lines 1330–1520 are two more screens of final information.

Helping Where It Is Needed

One advantage a computer tutorial has over a textbook is that a student can work at his or her own pace, yet get immediate feedback. Random numbers make the problems different each time so the student doesn't just memorize a sequence. If the student has trouble with one section, the computer can repeat the section many times. On the other hand, if the student knows the subject, the computer can keep track of the progress and advance accordingly.

Each time the student works on a problem, a flag F is set to zero. The student presses a key at each prompt. If the key pressed is incorrect, there is a low "uh-oh" sound, the flag F is set to 1, and the student must try again. For the numbers, the program won't continue until the correct numbers are pressed. On the + or — signs, however, the correct sign is printed and the program continues. If the problem is completed without any errors, the student has the option to try another problem or to continue the program. If an error has occurred, the flag F will be 1, and the student will be given another problem.

The program from line 1530 to the end contains subroutines which are used in several places. Lines 1530–1570 are the subroutine that checks if the ENTER key has been pressed. Lines 1580–1610 are the subroutine for an incorrect response—the computer plays an "uh-oh" sound and F is set to 1.

Lines 1620–1680 play a prompting beep, blink a question mark while waiting for the student to press a key, then print the key pressed.

The prompting is always done on the twenty-third row, or the row just printed. The column C is specified before the subroutine is called. Lines 1690–1730 play an arpeggio after the problem has been completed.

Lines 1740–1870 contain the subroutine to get an answer. P\$ is the string value of the correct answer. The numbers may be one or two digits, so this subroutine also determines the number of digits in the answer and where to place the prompting positions. CC and C are variables used for determining the columns.

Presenting Problems

Lines 1880-2690 are the subroutine to present a problem to the student. The first type of problem (T=1) is for positive numbers only, and the subroutine is entered at line 1960. For the second type of problem (T=2), the subroutine is entered at line 1880. SD and SE are the signs for the second terms, D and E. SD\$ and SE\$ are the corresponding symbols. For the first type of problem, SD and SE are 1, but for the second type they may be 1 or -1.

Lines 1970–2020 choose the coefficients of the first terms, A and B, and the constants D and E for the second terms. Lines 2010–2020 make sure there will be a middle term in the multiplication. F is the flag for error checking. A\$ and B\$ are the string values of A and B, which are necessary for ease in printing. X\$ is the variable in the binomials, which may be X, Y, or Z.

Lines 2070–2110 print the problem. Lines 2120–2600 print sections of the problem and get the student's answers. For each answer SS is the sign (plus or minus), C or CC is the column for the prompt and answer, and P\$ is the correct answer. SGN is a function used to determine the sign. SGN returns 1 for a positive number, 0 for zero, and -1 for a negative number.

Lines 2700–2840 are the subroutine to get the student's answer for the + or - sign. When a sign needs to be chosen, a plus, minus, and question mark blink in position while waiting for the student's answer. The student must press the plus or the minus sign. If the answer is incorrect, a low "uh-oh" sounds, then the correct sign is printed. Both symbols are shifted. The student should use the LEFT SHIFT key to type these symbols to avoid an accidental FCTN + (QUIT). If you prefer to let the student press only the keys without SHIFT, change lines 2770 and 2810.

Customizing The Tutorial

Using the ideas in this program, you can design more subroutines to cover positive and negative first terms, alphabetic coefficients, alphabetic characters in the second terms, multiplying polynomials, factoring, etc. If you prefer to save the typing time and effort, you may have a copy of this program by sending \$3, a diskette (please pack in stiff cardboard) or blank cassette, and a stamped, self-addressed mailer to:

```
C. Regena
P. O. Box 1502
Cedar City, UT 84720
```

Please be sure to specify the name of the program and that you need the TI version.

Algebra Tutorial, Part 2

173Ø RETURN

```
131Ø T=2
1320 GOSUB 1880
1330 CALL CLEAR
1340 CALL SCREEN(4)
1350 PRINT "THERE MAY BE CASES WHEN
1360 PRINT : "THE MIDDLE TERM BECOME
     S ZERO"
1370 PRINT : "SO YOU DO NOT NEED TO"
1380 PRINT : "SPECIFY A MIDDLE TERM.
139Ø PRINT :: " X + 3"; TAB(20); "4X
     + 2"
1400 PRINT "
               X = 3";TAB(20);"4X =
141Ø PRINT "
               ____";TAB(19);"____
1420 PRINT "{3 SPACES}^"; TAB(22); "^
143Ø PRINT "
               X - 9";TAB(19);"16X -
      4"::
144Ø GOSUB 153Ø
1450 PRINT "OTHER MULTIPLICATION"
146Ø PRINT : "PROBLEMS INCLUDE + AND
1470 PRINT : "NUMBERS IN THE FIRST T
1480 PRINT : "AND ALPHABETIC CHARACT
     ERS"
1490 PRINT : "FOR COEFFICIENTS."
1500 PRINT :: "THIS COMPLETES THIS U
     NIT"
151Ø PRINT : "OF INSTRUCTION."::
152Ø STOP
153Ø PRINT :: "PRESS <ENTER>"
1540 CALL KEY (0, K, S)
155Ø IF K<>13 THEN 154Ø
1560 CALL CLEAR
157Ø RETURN
1580 CALL SOUND(100,165,2)
1590 CALL SOUND (100, 131, 2)
1600 F=1
1610 RETURN
1620 CALL SOUND(150,1497,2)
163Ø CALL KEY(Ø,K,S)
1640 CALL HCHAR(23,C,63)
1650 CALL HCHAR(23, C, 32)
166Ø IF S<1 THEN 163Ø
167Ø CALL HCHAR(23,C,K)
168Ø RETURN
1690 CALL SOUND(100,262,2)
1700 CALL SOUND(100,330,2)
1710 CALL SOUND(100,392,2)
1720 CALL SOUND (200,523,2)
```

```
1740 L=LEN(P$)
1750 IF L=2 THEN 1770
176Ø CC=CC+1
177Ø C$=""
1780 FOR I=1 TO L
1790 C=CC+I
1800 GOSUB 1620
1810 C$=C$&CHR$(K)
182Ø NEXT I
1830 IF C$=P$ THEN 1870
1840 GOSUB 1580
1850 CALL HCHAR(23,CC+1,32,L)
186Ø GOTO 177Ø
1870 RETURN
1880 SD=(-1)^(INT(2*RND)+1)
189Ø SD$="+"
1900 IF SD=1 THEN 1920
1910 SD$="-"
1920 SE=(-1)^{(INT(2*RND)+1)}
193Ø SE$="+"
1940 IF SE=1 THEN 1960
1950 SE$="-"
1960 CALL CLEAR
1970 A=INT(7*RND)+1
1980 B=INT(7*RND)+1
1990 D=INT(7*RND)+1
2000 E=INT(7*RND)+1
2010 IF (A=B)+(D=E)=-2 THEN 1970
2020 IF (A*E*SE=(-1)*B*D*SD)THEN 19
     70
2030 F=0
2040 A$=STR$(A)
2050 B$=STR$(B)
2060 X$=CHR$(88+INT(3*RND))
2070 PRINT "MULTIPLY"
2080 PRINT TAB(19); A$; X$; " "; SD$; "
2090 PRINT : TAB(19); B$; X$; " "; SE$; "
     ";E
2100 PRINT TAB(18);"_
2110 PRINT : " "; STR$(E); "*TOP"; TAB(
     2Ø); X$:" +"
2120 IF T=1 THEN 2180
2130 IF SE=1 THEN 2150
2140 CALL HCHAR (23,3,45)
2150 SS=SE
216Ø C=18
217Ø GOSUB 27ØØ
2180 P$=STR$(A*E)
219Ø CC=19
2200 GOSUB 1740
2210 IF T=1 THEN 2250
222Ø SS=SGN(SE*SD)
2230 C=24
224Ø GOSUB 27ØØ
225Ø P$=STR$(D*E)
226Ø CC=25
2270 GOSUB 1740
228Ø PRINT TAB(14); "^"
2290 PRINT B$; X$; "*TOP"; TAB(13); X$;
        +{3 SPACES}"; X$
2300 P$=STR$(A*B)
231Ø CC=12
232Ø GOSUB 174Ø
233Ø IF T=1 THEN 237Ø
234Ø SS=SD
235Ø C=18
2360 GOSUB 2700
237Ø P$=STR$(B*D)
238Ø CC=19
```

239Ø GOSUB 174Ø

```
2400 PRINT TAB(11);"_____
2410 PRINT TAB(14); "^"
2420 PRINT "ADD"; TAB(13); X$;" +
     (3 SPACES)"; X$;" +"
243Ø P$=STR$(A*B)
2440 CC=12
245Ø GOSUB 174Ø
2460 IF T=1 THEN 2500
247Ø SS=SGN(A*E*SE+B*D*SD)
248Ø C=18
249Ø GOSUB 27ØØ
2500 P$=STR$(ABS(A*E*SE+B*D*SD))
251Ø CC=19
252Ø GOSUB 174Ø
253Ø IF T=1 THEN 257Ø
254Ø SS=SGN(SD*SE)
255Ø C=24
256Ø GOSUB 27ØØ
257Ø P$=STR$(D*E)
258Ø CC=25
259Ø GOSUB 174Ø
2600 GOSUB 1690
261Ø IF F=Ø THEN 264Ø
262Ø GOSUB 153Ø
263Ø IF T=1 THEN 196Ø ELSE 188Ø
264Ø PRINT :: "CHOOSE: 1 ANOTHER PR
     OBLEM"
265Ø PRINT TAB(1Ø); "2 CONTINUE PROG
     RAM"
2660 CALL KEY(0,K,S)
267Ø IF K=49 THEN 263Ø
268Ø IF K<>5Ø THEN 266Ø
269Ø RETURN
2700 CALL SOUND (150, 1497, 2)
2710 CALL KEY(0,K,S)
2720 CALL HCHAR(23,C,63)
2730 CALL HCHAR(23,C,43)
274Ø CALL HCHAR(23,C,63)
2750 CALL HCHAR (23, C, 45)
276Ø IF S<1 THEN 271Ø
277Ø IF (K=43)+(K=45)THEN 278Ø ELSE
      2710
278Ø S$="+"
279Ø IF SS=1 THEN 281Ø
2800 5$="-"
281Ø IF K=ASC(S$)THEN 283Ø
282Ø GOSUB 158Ø
283Ø CALL HCHAR(23,C,ASC(S$))
284Ø RETURN
                                   0
285Ø END
```



IBM Personal Computing

Donald B. Trivette


Editor's Note: We're pleased to welcome a new column to COMPUTE! this month—Donald B. Trivette's "IBM Personal Computing." Trivette will be covering topics of interest to users of all IBM microcomputers, including the IBM PC, PCjr, PC-XT, and Portable PC. (Much of the information will be useful to owners of compatibles, too.) Based in North Carolina, Trivette is a freelance writer, author, and consultant whose work has appeared in such magazines as INC, Business Computer Systems, PC World, and Softalk. He also wrote the "Getting Down To Business" column in COMPUTE!'s PC & PCjr magazine. From 1969 to 1981 he taught computer science courses and was the director of computing services for the University of North Carolina at Wilmington, and founded its Computing Center. His most recent book A BASIC Primer for the IBM PC (Scott, Foresman & Co.).

Hard Copy Color Graphics

There are two basic ways to generate a hard copy of the color graphics on your display screen: photographic techniques and color printers. Photography is ideal if you need a slide to project at a business meeting or presentation, but it requires special equipment and at least some photographic skill. That's why many people opt for the more direct method, color printers.

One of two technologies is used to print a color image. The printer either sprays colored ink through a tiny jet onto the paper (ink-jet technology), or it hammers the image onto the paper with a multicolored ribbon (impact technology). Although there are several IBM-compatible color printers made by independent companies including Quadram's Quadjet (ink-jet) and Centronics Data Computer's Model 358 (impact)—this month we'll discuss the IBM Personal Computer Color Printer, Model 5182. It's a dotmatrix impact printer that plugs into the parallel interface of a PC or PC-XT. (It also works with a PCjr equipped with a parallel interface, but not all software supports the Color Printer when attached to a Junior.)

The IBM Color Printer produces color printouts with a cartridge ribbon that has four bands.



If you need a hard copy of your color graphics, the IBM Color Printer can print at speeds up to 200 characters per second in eight colors.

It works like the old two-band black and red typewriter ribbons, except the printer automatically switches from one color to another and, of course, there are more colors. The Process Ribbon cartridge (\$19.95) has yellow, magenta (red), cyan (blue), and black bands. By printing one color on top of another, it can produce four additional hues—orange, green, violet, and brown. For example, when yellow is printed over magenta, the result is orange.

The Primary Ribbon cartridge (also \$19.95) is suitable for less colorful printouts. Its four bands are also red, blue, green, and black, but no overprinting is allowed.

Finally, for everyday correspondence, you can buy an all-black cartridge ribbon (\$12.95). It has automatic band shifting to extend the ribbon's life and snaps into place just like the other cartridges.

The IBM Color Printer is more than just a dot-matrix printer with a color ribbon. It has three speeds for printing text in various qualities. At 200 characters per second (cps) the print quality is good enough for preliminary drafts, informal notes, and program listings. At 110–150 cps the dot matrix is printed more densely to improve the character images, resulting in what is sometimes called correspondence quality. At 30–40 cps the printing approaches letter quality. In fact, the dot matrix pattern is hardly visible unless you examine the characters very closely.

Figure 1: Text Samples Generated On The IBM Color Printer

DATA-PROCESSING QUALITY:

Printing Speed: 200 characters per second Print Head Travel: Bi-directional, one pass

Printing Sizes: 10 characters per inch (fixed spacing) 12 characters per inch (fixed/proportional spacing)

17.1 characters per inch (fixed/proportional spacing)

TEXT QUALITY:

Printing Speed: Print Head Travel: 110 to 150 characters per second

Bi-directional, one pass

Printing Sizes: 10 characters per inch (fixed/proportional spacing)

12 characters per inch (fixed/proportional spacing)

17.1 characters per inch (fixed/proportional spacing)

NEAR-LETTER QUALITY:

Printing Speed: Print Head Travel: Printing Sizes:

30 to 40 characters per second Uni-directional, two passes

10 characters per inch (fixed/proportional spacing)
12 characters per inch (fixed/proportional spacing)

17.1 characters per inch (fixed/groportional spacing)

The IBM Color Printer can also print in boldface type, automatically justify text, underline, print subscripts and superscripts, and space proportionally. Three pitches are selectable to print 10, 12, or 17.1 characters per inch. In graphics mode the printer has a resolution of 168 dots per horizontal inch and 84 dots per vertical inch—more than enough to represent the circle of a pie chart or the bud of a rose.

Color Limitations

Since the PC can generate 16 colors and the Color Printer can reproduce only eight, there is a slight incompatibility. We say "slight" because actually the PC generates only eight basic colors; colors 8–15 are simply brighter luminances of colors 0–7. Therefore, the Color Printer reproduces the high-intensity colors as their lowintensity equivalents. Unfortunately, background colors are not reproduced. The colorful bar graph you've created with a blue background will have

a white background unless you can find blue computer paper.

Enough about the technology of color printing—the real question is how easy is it to get an image from screen to paper? By using a littleknown IBM utility program, it's as easy as pressing two keys. The IBM Personal Computer Print Screen Utility Program (product #6024186, \$35) sends a screen of text or graphics, color or monochrome, from the display buffer to the Color Printer when you press the Shift-PrtSc keys. You run the utility program once when starting up DOS, and then it remains quietly in memory until it's called forth to print a screen. It must be reloaded each time DOS is rebooted. Unfortunately, it works only with the eight-color Process Ribbon.

Some software, particularly graphics software, has color printer options built-in. IBM Graphing Assistant is one of these—it directly supports the IBM Color Printer. Simply issuing

Figure 2: Graphics Dumps Made With The IBM Color Printer XYZ Company Expenditures Administration Research & Development Manufacturing

the print command reproduces the graph on the screen in color. Two excellent graphics programs from Digital Research, DR Draw and DR Graph, also support color printers, but not the IBM Color Printer. At least, not yet. A spokesperson for Digital Research says the company plans to add an IBM Color Printer option for both of these popular programs.

Color printers vary in price from \$900 to \$9000; the IBM Color Printer retails for \$1995. The quality, as the accompanying printout shows, is quite good. (In fact, this is the printer that COMPUTE! recently started using to make program listings for IBM, Atari, Apple, Texas Instruments, and the TRS-80 Color Computer.) If you frequently need color graphics hardcopy, the output from a color printer may be better than a screen photograph.

Tougher Rules For Computer Deductions

Congress needs (wants) more money, so they recently changed the rules for deducting the purchase of personal computer equipment as a business expense. It used to be fairly easy to qualify for this deduction. But the 1984 Tax Bill limits the tax write-off for an employee who buys a computer to do company work at home.


Under the old rule, you could deduct the full

cost of the computer if it were used exclusively for business, and a proportional amount if it were used for both business and pleasure. Formerly I advised people that keeping a log of use would help document their claims should the Internal Revenue Service (IRS) come calling.

It's no longer that simple. According to a story in The Wall Street Journal: "For purchases made after June 18, employees won't be able to claim any business deduction unless the computer is 'required for the convenience of the employer and as a condition of employment." The story goes on to say that a letter from your employer stating that you are required to have a computer at home will not be sufficient to support a tax deduction.

It seems Congress anticipated that your employer might be too willing to provide such a letter. So even with a letter, you'll have to prove to the IRS that you really need a computer at home. A log of personal and business use is now required.

Two questions an IRS auditor would likely raise: "Why didn't you stay late at the office and use the equipment there?" and "If this is really a condition of employment, why didn't the employer purchase the computer for you?" Have your answers ready—April 15, 1985 isn't that far away.



Now use your own personal computer to place stock and option orders 24 hours a day, seven days a week. Get quotes, review your portfolios and more. And save up to 75% on brokerage commissions.* For more information, call toll free today:

1-800-343-8722.

*As compared with full-cost brokerage firms. Minimum commission is \$30.00



FIDELITY BROKERAGE SERVICES, INC. Member NYSE. SIPC. **KQC 110184**



Enhanced Commodore 64 DOS Support

Stephen S. Melsheimer

The wedge program that comes with every Commodore disk drive makes input/output much simpler. "Enhanced Commodore DOS Support" takes the wedge a few steps further by adding APPEND and VERIFY commands, allowing the use of wedge commands within a BASIC program, and several other features. There are also instructions on how you can further customize your wedge.

The Commodore 1541 disk drive used with the Commodore 64 and VIC-20 is intelligent—the disk unit contains a 6502 microprocessor, 16K of ROM holding the disk operating system (DOS), and 2K of RAM that serves as a buffer for information going to or from the disk. Thus, the computer is freed from the chore of managing the disk operations, and no computer memory is appropriated for a disk operating system when a disk drive is added.

Unfortunately, there are no simple commands in the computer's operating system to provide simple communication with the disk and its DOS. For example, there is no SCRATCH command to delete a file from the disk. Instead, you must use a cumbersome statement like:

OPEN 1,8,15,"S0:filename":CLOSE 1

To make up for this, Commodore provides a DOS support program named "DOS 5.1" (and a simpler "VIC-20 Wedge" for use with the VIC) to facilitate use of the disk. These programs appear on the TEST/DEMO disk which comes with the drive. This DOS wedge program is not needed to operate the disk, and adds no extra capabilities beyond those already present in the disk drive DOS ROM. What it provides is a set of shorthand commands that make things easier for the user. These commands do provide features that are vast improvements over what is possible directly from BASIC. In particular, the ability to display the disk directory without disturbing the program currently in memory is a great convenience.

The Theory Of Wedging

Programs like "DOS 5.1" are called wedge programs because they are wedged into the stream of BASIC interpreter processing. Central to the operation of BASIC is a subroutine called CHRGET (located at addresses \$73-\$8A in the 64 and VIC). This subroutine gets characters from a BASIC statement and delivers them to the interpreter. A wedge program intercepts each character and inspects it to see if it is a symbol recognized by the wedge. If not, control immediately returns to BASIC.

The "DOS 5.1" wedge also looks in the microprocessor stack and checks the return address of the BASIC routine which called CHRGET. If it is not an address which indicates the start of a new statement, control returns to BASIC. This allows the symbol characters to have their normal meaning in the middle of a statement. Finally, "DOS 5.1" checks whether BASIC is in direct or program mode, and exits to BASIC if in program mode. Obviously, all of this takes time—a couple of simple benchmark programs took about 15 percent longer to run when the wedge was active, even though it has no useful effect in program mode. Thus, the wedge should be deactivated before running any program where execution speed is important. For those who are curious about the details of "DOS 5.1," Table 1 gives an abbreviated memory map to facilitate exploring it with a machine language monitor.

Extending "DOS 5.1"

"DOS 5.1" provides a table of symbols, and a list of associated vectors that point to the routines for the various functions. Functions can thus be added by altering a vector to point to the new function, and changing the corresponding symbol to the desired character. Since "DOS 5.1" has seven distinct functions, but provides eleven symbols (several are redundant), it is not necessary to delete any existing functions to add new ones. While "DOS 5.1" is very handy, I

found that I wanted a few features that were not provided. The resulting "Enhanced DOS Support" program includes APPEND and VERIFY commands, provides a safety feature requiring user confirmation before erasing information on a disk, permits use of DOS commands within BASIC programs, and adds several other features. Still more commands could be added, and procedures for doing this are described below.

APPEND And VERIFY Commands

This revision of "DOS 5.1" originated because I wanted a simple procedure to append a BASIC program on disk to a BASIC program resident in memory. This would allow linking library subroutines or utility programs to other BASIC programs. Mark Niggemann presented an appending technique for the VIC-20 (COMPUTE!, March 1983) which is also applicable to the 64. All that is necessary to append a new program to an existing program is to determine the end address of the program in memory, and alter the starting address of the relocating loader accordingly. A LOAD command then executes as an APPEND. While this method is simple, it uses several direct-mode commands.

To automate the process, I made a patch in the LOAD section of the DOS support program at \$CE26 (see the memory map, Table 1). The patch causes the jump to a new routine at \$CF5F-\$CF7E which alters the starting address in a manner similar to that presented by Niggemann. & was selected as the symbol to be replaced, so to append a program on disk with the name PROG2 to a program in memory, one simply enters

&PROG2

It should be noted that this is not a merge: All statement numbers in the appended program must be higher than those in the program already in memory.

The ease with which APPEND was added encouraged me to add further enhancements to "DOS 5.1." Since the same 64 ROM routine handles both LOAD and VERIFY, it seemed reasonable to add a VERIFY command. The = character was assigned as the symbol. In order to produce the OK or VERIFY ERROR messages, a routine (\$CE36-\$CE6B) was written to check the error status byte for LOAD/VERIFY errors, and issue the appropriate messages. A typical application of VERIFY is

=PROG3

which compares PROG3 on disk with the program currently in memory.

The disk error status read by the @ command of "DOS 5.1" indicates errors detected

within the 1541 disk drive and is completely independent of the computer. Although it is essential to check the 64's status byte on VERIFY (and tape LOAD) operations, there is no great reason to check the status byte on disk LOAD operations, since most potential errors are monitored by the disk unit. However, Enhanced DOS Support reads the Commodore 64 error status on all LOAD/VERIFY operations, and does provide some useful messages even on disk LOADs (for example, BREAK ERROR).

Destruction Warnings


Certain disk commands may be disastrous if executed inadvertently—NEW erases an entire diskette, and SCRATCH deletes a file. BASIC 4.0 (used on larger Commodore PET/CBM computers) issues a warning on such commands, and requires user confirmation before executing them. Since "DOS 5.1" makes issuing commands to the disk very easy (and thus increases the prospect of careless errors), Enhanced DOS Support provides this safety feature for destructive commands issued via the DOS support program.

The portion of "DOS 5.1" (\$CD48-\$CD6E) that sends such commands to the disk was rewritten, and a new section was added at \$CFBD-\$CFEF that prints an ARE YOU SURE (Y/N)? message to the screen, and waits for a keyboard response. If N, the command is aborted. This revision also changed the scheme for decoding the commands for deactivating the wedge and for setting the device number. The effect was to free two vectors previously used, compensating for the two used for VERIFY and APPEND. In addition, the command for changing device numbers was simplified to @n rather than @#n.

Since SAVE&REPLACE also deletes a file, provision was made to issue the warning when the replace option is specified with SAVE operations. The revised SAVE routine is located at \$CFF0-\$CFFF.

Enabling Program Mode

While Enhanced DOS Support is mainly intended for direct-mode use, a few of the commands can be quite valuable in program mode. Thus, the portion of "DOS 5.1" (\$CED1-\$CED6) that prevented use of wedge commands within a program was deleted. Several other small changes were also needed to enable the commands to be used in program mode, and the LOAD/VERIFY routine (\$CE36-\$CE6B) was revised to facilitate program mode use of the % and & commands. With these changes some of the Enhanced DOS Support commands may be used within a program. The symbols =, \(\frac{1}{2}, \) and / are not allowed as DOS commands. In addition,



XREF-64 BASIC CROSS REFERENCE

This tool allows you to locate those hard-to-find variables in your programs. Cross-references all tokens (key words), variables and constants in sorted order. You can even add you own tokens from other software such as JLTRABASIC or VICTREE Listings to screen or all ASCII printers.

SYNTHY-64

his is renowned as the finest music synthesizers available at any price. Others may have a lot of onscreen frills, but SYNTHY-64 makes music better han them all. Nothing comes close to the performance of this package ncludes manual with tutorial, sample music

DISK \$27.95

ULTRABASIC-64

This package adds 50 powerful commands (many found in VIDEO BASIC, above) - HIRES, MULTI, DOT, DRAW, CIRCLE, BOX, FILL, JOY, TURTLE. MOVE, TURN, HARD, SOUND, SPRITE, ROTATE, more. All commands are easy to use. Includes manual with two-part tutorial and demo.

DISK \$27.95 **TAPE \$24.95**

CHARTPAK-64

his finest charting package draws pie, bar and line charts and graphs from our data or DIF, Multiplan and Busicalc files. Charts are drawn in any of formats. Change format and build another chart immediately. Hardcopy o MPS801, Epson, Okidata, Prowriter, Includes manual and tutorial.

DISK \$42.95

DISK \$17.95

CHARTPLOT-64

Same as CHARTPACK-64 for highest quality output to most popular pen iotters **DISK \$84.95**

CADPAK-64

This advanced design package has outstanding features - two Hires screens; draw LINEs, RAYs, CIRCLEs, BOXEs; freehand DRAW, FILL with patterns: COPY areas; SAVE/RECALL pictures, define and use intricate OBJECTS; insert text on screen; UNDO last function. Requires high quality lightpen. We recommend McPen. Includes manual with tutorial. McPen lightpen \$49.95 **DISK \$49.95**

MASTER 64

This professional application development package adds 100 powerful commands to BASIC including fast ISAM indexed files; simplified yet sophisticated screen and printer management; programmer's aid; BASIC 4.0 commands: 22-digit arithmetic, machine language monitor. Runtime package for royalty-free distribution of your programs. Includes 150pp. manual

DISK \$84.95

VIDEO BASIC-64

This superb graphics and sound development package lets you write software for distribution without royalties. Has hires, multicolor, sprite and turtle graphics; audio commands for simple or complex music and sound effects, two sizes of hardcopy to most dot matrix printers, game features such as sprite collision detection, lightpen, game paddle; memory management for multiple graphics screens, screen copy, etc.

DISK \$59.95

TAS-64 FOR SERIOUS INVESTORS

This sophisticated charting system plots more than 15 technical indicators on split screen, moving averages, oscillators, trading brands; least squares. trend lines, superimpose graphs; five volume indicators; relative strength. volumes, more Online data collection DJNR/S or Warner, 175pp, manual Tutorial. **DISK \$84 95**

DEALER INQUIRIES ARE INVITED

FREE CATALOG Ask for a listing of other Abacus Software for Commodore-64 or Vic-20

DISTRIBUTORS

Treat Britain: DAMSOFT 8 Norwich Ave. lochdale, Lancs. 06-524304

Vest Germany: Sweden: ATA BECKER 211/312085

Belgulm: Inter. Services AVGuilaume 30 Brussel 1160, Belguim

2-660-1447 TIAL TRADING lerowingerstr 30 PO 516 000 Dusseldorf 34300 Almhult 476-12304

France:

MICRO APPLICATION 147 Avenue Paul-Doumer Ruell Malmaison, France

1732-9254

Australia: **CW ELECTRONICS** 416 Logan Road Brisbane, Queens 07-397-080A

New Zealand:

VISCOUNT ELECTRONICS 306-308 Church Street **Palmerston North**

AVAILABLE AT COMPUTER STORES, OR WRITE:

P.O. BOX 7211 GRAND RAPIDS, MICH, 49510

For postage & handling, add \$4.00 (U.S. and Canada), add \$6.00 for foreign. Make payment in U.S. dollars by check, money order or charge card. (Michigan Residents add 4% sales tax).



FOR QUICK SERVICE PHONE 616-241-5510

ommodore 64 is a reg. T.M. of Commodore Business Machines

the * and ? symbols cannot be used as wild cards in filenames while Enhanced DOS Support is active. In program mode these symbols are all tokenized by BASIC with codes other than the ASCII codes, and thus are not recognized by Enhanced DOS Support.

Of the commands that are operable in program mode, % is especially useful for loading machine language routines or screen images since it does not cause BASIC to restart as a LOAD command does. Thus, constructions like line 100 of Program 1 or line 10 of Program 2, which prevents repeated LOADing, are not needed. The & command was also designed to permit a program to automatically append BASIC subroutines, though using it is a little tricky. A procedure like

10 IF(PEEK(2))<>1THENPOKE2,1:&SUBPROG 20 POKE2,0

must be used since & restarts BASIC after it is executed, and also CLRs all BASIC variables. Obviously, this should normally be done at the very beginning of the program. Memory location 2 is convenient to use as a flag since it is not used by the computer and has a value of zero on powerup. By using each bit of location 2 as a separate flag, up to eight subprograms could be appended in this manner. Another command that is valuable in program mode is @Q which deactivates the DOS wedge, thus speeding up program execution by about 15 percent. SYS52222 can activate the wedge from within a program, so it can be turned on only when needed.

Note that Enhanced DOS Support commands can be placed in multiple-statement lines, as illustrated in line 10 above. However, they must appear last on any line in which they are used, and thus only one DOS command can be placed on a line. Further, the Enhanced DOS Support symbol must be the first character of a statement for it to be recognized as such.

Other Changes

After SAVE operations, "DOS 5.1" reads the disk error status in order to verify a successful SAVE. A minor annoyance was that the disk status message appeared after the filename without any spacing or punctuation. Revision of \$CD9C-\$CDAE added a carriage return to provide a neater and cleaner error report.

The symbol table and list of vectors, located from \$CC03 to \$CC26, were revised considerably. The number of symbols was increased from 11 to 12, making the start of the symbol table \$CC1B rather than \$CC19 as given in the DOS 5.1 memory map of Table 1. Including the new & and = commands, seven distinct symbols have been used. For various reasons, > and .,

both synonyms for @, were added, thus using two more symbols. Since "Supermon64" (COM-PUTE!, January 1983) was used extensively in developing Enhanced DOS Support, a symbol (!) was added that branches to Supermon64 (or to any other monitor that is entered via the break vector). Of course, the monitor must have previously been loaded. With ten symbols now assigned, two remain available for future use.

Command Summary

Table 2 lists the commands currently available in Enhanced DOS Support. Note that the . symbol is indicated for most disk command functions, while > is shown for device code changes and @ for reading the disk error status. This is strictly a matter of taste since all three (@, >, and .) are synonyms that perform exactly the same functions. Program 2 is a BASIC boot program that writes a command summary to the screen as well as LOADing and activating Enhanced DOS Support (assuming you saved it with the program name used in line 10). Use Program 2 as you used "C-64 Wedge" to activate the original "DOS 5.1."

Entering The DOS 5.1 Enhancements

Program 1 will make all the necessary modifications to "DOS 5.1" to create the Enhanced DOS Support program. Before you run Program 1, make sure you have a disk containing the "DOS 5.1" program in the drive; otherwise, you will get the message FILE NOT FOUND ERROR IN 100. If any errors are detected in the DATA statements, the program will stop and report which lines contain errors. When Program 1 has finished, the cursor should be resting on a line of POKE statements. At this point you should insert the disk on which you want to store Enhanced DOS Support. Press RETURN, and the cursor should move to the line with the SAVE statement. Press RETURN again, and Enhanced DOS Support will be stored on the disk with the filename DOS 5.1E. At this point you will need to turn the computer off and back on (or reset with SYS 64738) to return the system to its normal configuration.

If you want to take the easy way out, send a diskette containing "DOS 5.1" with \$3 and a stamped, self-addressed mailer, and I will add the revisions for you.

Stephen S. Melsheimer Clemson University Department of Chemical Engineering Clemson, SC 29631

To use Enhanced DOS Support, load it from disk by running Program 2. The original "C-64 Wedge" supplied with "DOS 5.1" can also be

FOR COMMODORE-64 HACKERS ONLY! The ultimate source for Commodore-64 Computer information



OTHER BOOKS AVAILABLE SOON

THE ANATOMY OF THE C-64

is the insider's guide to the lesser known features of the Commodore 64. Includes chapters on graphics, sound synthesis, input/output control, sample programs using the kernal routines, more. For those who need to know, it includes the complete disassembled and documented ROM listings.

ISBN-0-916439-00-3

300pp

\$19.95

THE ANATOMY OF THE 1541 DISK DRIVE

unravels the mysteries of using the misunderstood disk drive. Details the use of program, sequential, relative and direct access files. Include many sample programs FILE PROTECT, DIRECTORY, DISK MONITOR, BACKUP MERGE, COPY, others Describes internals of DOS with completely disaddembled and commented listings of the 1541 ROMS

ISBN-0-916439-01-1

320pp

\$19.95

MACHINE LANGUAGE FOR C-64

is aimed at those who want to progress beyond BASIC. Write faster, more memory efficient programs in machine language. Test is specifically geared to Commodore 64. Learns all 6510 instructions. Includes listings for 3 full learns programs. ASSEMBLER, DISASSEMBLER and amazing 6510 SIMULATOR so you can "see" the operation of the '64.

ISBN-0-916439-02-X

200pp

\$14.95

TRICKS & TIPS FOR THE C-64

is a collection of easy-to-use programming techniques for the '64. A perfect companion for those who have run up against those hard to solve programming problems Covers advanced graphics, easy data input, BASIC enhancements, CP/M cartridge on the '64, POKEs, user defined character sets, joystick/mouse simulation, transferring data between comuters, more. A treasure chest ISBN-0-916439-03-8

GRAPHICS BOOK FOR

takes you from the fundamentals of graphic to advanced topics such as computer aided design. Shows you how to program new character sets, move sprites, draw in HIRES and MULTICOLOR, use a lightpen, handle IROs, do 3D graphics, projections, curves and animation. Includes dozens of samples.

ISBN-0-916439-05-4

280pp

\$19.95

ADVANCED MACHINE LANGUAGE FOR THE C-64

gives you an intensive treatment of the powerful '64 features. Author Lothar Englisch delves into areas such as interrupts, the video controller, the timer, the real time clock, parallel and serial I/O, extending BASIC and tips and tricks from machine language, more

ISBN-0-916439-06-2

200pp

\$14.95

IDEAS FOR USE ON YOUR C-64 is for those who wonder what you can do with your '64

is for those who wonder what you can do with your '64
It is written for the novice and presents dozens of
program listing the many, many uses for your
computer Themes include, auto expenses, electronic
calculator, recipe file, stock lists, construction cost
estimator, personal health record diet planner, store
window advertising, computer poetry, party invitations
and more

ISBN-0-916439-07-0

200pp 5

\$12.95

PRINTER BOOK FOR THE C-64

finally simplifies your understanding of the 1525, MPS/801, 1520, 1526 and Epson compatible printers. Packed with examples and utility programs, you'll learn how to make hardcopy of text and graphics, use secondary addresses, plot in 3-D, and much more. Includes commented listing of MPS 801 ROMs.

ISBN-0-916439-08-9

350pp.

\$19.95

SCIENCE/ENGINEERING ON THE C-64

is an introduction to the world of computers in science. Describes variable types, computational accuracy, various sort alogrithms. Topics include linear and nonlinear regression, CHI-square distribution, Fourier analysis, matrix calculations, more Programs from chemistry, physics, biology, astronomy and electronics. Includes many program listings

ISBN-0-916439-09-7

250pp

\$19.95

CASSETTE BOOK FOR THE C-64

(or Vic 20) contains all the information you need to know about using and programming the Commodore Datasette Includes many example programs. Also contains a new operating system for fast loading, saving and finding of files.

ISBN-0-916439-04-6

180pp.

\$12.95

DEALER INQUIRIES ARE INVITED

IN CANADA CONTACT:

The Book Centre, 1140 Beaulac Street Montreal, Quebec H4R1R8 Phone: (514) 322-4154

AVAILABLE AT COMPUTER STORES, OR WRITE:

Abacus Software

P.O. BOX 7211 GRAND RAPIDS, MI 49510
Exclusive U.S. DATA SECKER Publishers

For postage & handling, add \$4.00 (U.S. and Canada), add \$6.00 for foreign. Make payment in U.S. dollars by check, money order of charge card. (Michigan Residents add 4% sales tax.)



FOR QUICK SERVICE PHONE (616) 241-5510

Commodore 64 is a reg. T.M. of Commodore Business Machines

Table 1: "DOS 5.1" Memory Map \$CC00 Wedge activation entry (52224) CC03 Symbol vectors CC19 Symbol table CC27 Text buffer CC77 Device number CC78 Filename suffix CC7A Current symbol "DOS MÁNAGER 5.1 ..." text CC7B CCE1 Wedge activation routine CCF3 Normal entry point CCF8 CHRGET call address validation (\$A7E6 and \$A48C are allowed) CD0E Check character against symbol table Branch to execute routine if symbol matched CD30 CD48 Execute @ commands CD71 Send command string to disk (for example, @S0:filename) CD90 Read disk error status (@) CDB2 List directory (@\$) Execute LOAD (including /, %, and 1) CE22 CE6C Disable wedge (@Q) CE79 Execute SAVE (+) CE7E Set device code (@#N) CEA3 Process line into text buffer Print DOS MANAGER message CF4B CF5B End of "DOS 5.1"

used, if the filename in line 10 is changed from DOS 5.1E to DOS 5.1.

One caution: Commodore may in the future issue revisions of the DOS wedge. The enhancements given here may not work with versions different from the one on which it is based. If you get the message DOS MANAGER V5.1/071382 when you activate the original DOS 5.1, you have the correct version. If Program 1 checks out okay, but your program will not work, that may be the problem. The "easy out" mentioned above is still available in that case, of course.

Further Extensions

Two symbols remain unassigned in Enhanced DOS Support, and two of the three redundant command codes (@, >, and .) could be reassigned for other uses if needed. Thus, additional functions can easily be added to the program. One possibility is a command to link other utility programs (for example, a programmer's aid package) in a manner similar to the! monitor link. Another handy addition might be a help routine that could display a summary of the Enhanced DOS Support commands on the screen without disrupting the program in memory. This could also include monitor or even BASIC commands as well.

To add a command, put the ASCII value of the desired symbol character in location \$CC26. Then, put the high byte of the starting address of the new routine in \$CC0E, and put the low byte

Commands Directory Listing / filename Load † filename Load and run & filename Append ← filename Save + @0:filename Save and replace Verify filename % filename Absolute Load .S0:filename Scratch .R0:newname=0:oldname Rename .C0:newfile=0:oldfile Copy/Concatenate up to old2...old4 four files .N0: diskname, id Format disk Initialize disk .V Validate disk @ Read disk error status Break/Activate monitor Change disk device number >n

Table 2: Enhanced DOS Support

(Note: ., >, and @ can be used interchangeably in any command beginning with one of these symbols.)

SYS 52224

Disable DOS Support

Reactivate DOS Support

of the target address *less one* in \$CC1A. For a second command, decrement each of these addresses by one. The only other thing you must do is the hard part—writing the routine that will accomplish the new function. Locations \$CF7F-\$CFB1 are unused in DOS 5.1E, but extensive routines would have to be located outside the \$CC00-\$CFFF block. Remember that if a routine is to be used in program mode, the symbol must not be tokenized by BASIC (for example, do not use * as a symbol).


Program 1: Enhanced DOS Support

Refer to "COMPUTE!'s Guide For Typing In Programs" article before typing this program in.

```
100 IF A=0 THEN A=1:LOAD "DOS 5.1",8,1
                                  :rem 133
110 READ AD: IF AD=-2 THEN 180
                                  :rem 229
120 CK=0:FL=PEEK(64)*256+PEEK(63) :rem 72
130 READ DT: IF DT=-1 THEN 150
140 POKEAD, DT: CK=CK+DT: AD=AD+1: GOTO 130
                                   :rem 71
150 LL=PEEK(64)*256+PEEK(63)
160 READ CS: IF CS <> CK THEN PRINT "ERROR IN
     DATA: LINES";FL;"-";LL:STOP :rem 108
170 GOTO 110
                                   :rem 99
180 PRINT "{CLR}ENHANCEMENTS ADDED":PRINT
    "{2 DOWN}PO43,0:PO44,204:PO45,0:PO46,
190 PRINT "{2 DOWN}SAVE"+CHR$(34)+"DOS 5.
    1E"+CHR$(34)+",8":PRINT"{HOME}":END
                                  :rem 180
200 DATA 52232,207,205,205,205,204
                                  :rem 122
                                   :rem 79
210 DATA 205,205,33,33,33,33
```

SERIOUS 64 SOFTWARE

INDISPENSIBLE TOOLS FOR YOUR COMMODORE 64



PASCAL-64

This full compiler produces fast 6502 machine code. Supports major data Types: REAL, INTEGER, BOOLEAN, CHAR, multiple dimension arrays, RECORD, FILE, SET and pointer. Offers easy string handling, procedures for sequential and relative data management and ability to write INTERRUPT routines in Pascal! Extensions included for high resolution and sprite graphics. Link to ASSEM/MON machine language.

DISK \$39,95

DATAMAT-64

This powerful data base manager handles up to 2000 records per disk. You select the screen format using up to 50 fields per record. DATAMAT 64 can sort on multiple fields in any combination. Complete report writing capabilities to all COMMODORE or ASCII printers.

DISK \$39.93

Available November

TEXTOMAT-64

This complete word processor displays 80 columns using horizontal scrolling. In memory editing up to 24,000 characterrs plus chaining of longer documents. Complete text formatting, block operations, form letters, on-screen prompting.

Available November DISK \$39.95

ASSEMBLER / MONITOR-64

This complete language development package features a macro assembler and extended monitor. The macro assembler offers freeform input, complete assembler listings with symbol table (label), conditional assembly.

The extended monitor has all the standard commands plus single step, quick trace breakpoint, bank switching and more.

DISK \$39.95

BASIC-64

This is a full compiler that won't break your budget. Is compatible with Commodore 64 BASIC. Compiles to fast machine code. Protect your valuable source code by compiling with BASIC 64.

Available December

DISK \$39.95


ADA TRAINING COURSE

This package is an introduction to ADA, the official language of the Department of Defense and the programming language of the future. Includes editor, syntax checker/compiler and 110 page step by step manual describint the language. Available November

DISK \$79.95

OTHER NEW SOFTWARE COMING SOON!

All software products featured above have inside disk storage pockets, and heavy 3-ring-binder for maximum durability and easy reference.



DEALER INQUIRIES INVITED

AVAILABLE AT COMPUTER STORES, OR WRITE:

Abacus Software P.O. BOX 7211 GRAND RAPIDS, MI 49510

Exclusive U.S. DATA BECKER Publishers

For postage & handling, add \$4.00 (U.S. and Canada), add \$6.00 for foreign. Make payment in U.S. dollars by check, money order of charge card. (Michigan Residents add 4%)



VISA

FOR QUICK SERVICE PHONE (616) 241-5510

Commodore 64 is a reg. T.M. of Commodore Business Machines

220 DATA 33,239,71,71,71,220 :rem 90 230 DATA 71,71,37,47,38,94 :rem 8
230 DATA 71,71,37,47,38.94 :rem 8
240 DATA 61,95,64,46,62,33 :rem 3
250 DATA 64,64,83,-1,3203 :rem 198
300 DATA 52334,170,170,170,170,170
:rem 130
310 DATA 170,170,170,170,8,56 :rem 141
320 DATA 52,33,13,32,32,32 :rem 235
33Ø DATA 32,32,32,68,79,83 :rem 4
340 DATA 32,77,65,78,65,71 :rem 13
350 DATA 69,82,32,53,46,49 :rem 11
370 DATA 56,51,13,32,32,70 :rem 246
38Ø DATA 82,79,77,32,86,53 :rem 20
390 DATA 46,49,32,66,89,32 :rem 16
400 DATA 66,79,66,32,70,65 :rem 9
410 DATA 73,82,66,65,73,82 :rem 10
420 DATA 78,32,40,67,41,32 :rem 251
430 DATA 67,66,77,13,32,32 :rem 2
440 DATA 32,32,32,69,88,84 :rem 8
450 DATA 69,78,68,69,68,32 :rem 29
460 DATA 66,89,32,83,32,-1,6546 :rem 1
500 DATA 52497,11,221,27,-1,259 :rem 244
600 DATA 52548,15,-1,15 :rem 102
700 DATA 52555,173,39,204,201,36 :rem 44
710 DATA 240,96,201,48,144,9 :rem 100
720 DATA 201,58,176,5,198,183 :rem 160
730 DATA 76,127,206,201,81,208 :rem 197
740 DATA 3,76,108,206,201,78 :rem 100
750 DATA 240,4,201,83,208,3 :rem 39
760 DATA 32,189,207,-1,4950 :rem 55
800 DATA 52636,169,13,32,22,231 :rem 247
810 DATA 32,165,255,201,13,208 :rem 189
820 DATA 246,32,22,231,32,171 :rem 137
830 DATA 255,234,-1,2564 :rem 157
900 DATA 52774,32,95,207,201,37 :rem 1
910 DATA 208,3,169,1,44,169 :rem 54
920 DATA 0,133,185,165,10,32 :rem 88
93Ø DATA 213,255,144,3,76,249 :rem 156
940 DATA 224,165,10,240,3,76 :rem 94
950 DATA 126,225,32,183,255,41 :rem 200
960 DATA 191,240,3,76,156,225 :rem 155
970 DATA 173,122,204,201,37,208 :rem 243
980 DATA 1,96,134,45,132,46 :rem 56
990 DATA 32,94,166,173,122,204 :rem 205
1000 DATA 201,94,208,3,76,178 :rem 145
1010 DATA 207,76,161,225,234,162 :rem 33
1040 DATA 32,89,225,76,144,164 :rem 203
1050 DATA -1,11372 :rem 104
1100 DATA 52874,48,-1,48 :rem 160
1200 DATA 52882,48,-1,48 :rem 160



1300	DATA	52945,234,234,234,234,2	234
			:rem 192
131Ø	DATA	234,-1,1404	:rem 247
1400	DATA	53067,165,123,201,2,208	3 :rem 81
1410	DATA	13,162,0,189,123,204	:rem 183
1420	DATA	240,6,32,22,231,232	:rem 127
1430	DATA	208,245,96,169,0,133	:rem 201
1440	DATA	10,173,122,204,201,61	:rem 224
1450	DATA	208,4,169,1,133,10	:rem 87
1460	DATA	201,38,240,1,96,56	:rem 96
1470	DATA	165,45,233,2,170,165	:rem 197
1480	DATA	46,233,0,168,96,234	:rem 156
1490	DATA	-1,6489	:rem 77
1500	DATA	53168,234,234,169,0,32	:rem 42
151Ø	DATA	144,255,32,142,166,76	:rem 248
1520	DATA	174,167,162,0,189,219	:rem 255
153Ø	DATA	207,240,6,32,22,231	:rem 131
1540	DATA	232,208,245,32,228,255	:rem 41
155Ø	DATA	201,78,208,5,104,104	:rem 188
1560	DATA	76,175,205,201,89,208	:rem l
157Ø	DATA	240,96,65,82,69,32	:rem 113
158Ø	DATA	89,79,85,32,83,85	:rem 79
1590	DATA	82,69,32,40,89,47	:rem 67
1600	DATA	78,41,63,13,0,173	:rem 41
1610	DATA	39,204,201,64,208,3	:rem 138
1620	DATA	32,189,207,32,89,225	:rem 206
1630	DATA	76,144,205,-1,9669	:rem 109
1700	DATA	-2	:rem 65

```
Program 2: 64 Wedge
Refer to "COMPUTEI's Guide For Typing In Programs"
article before typing this program in.
10 IFA=0THENA=1:PRINT"{CLR}":LOAD"DOS 5.1
   E",8,1
                                     :rem 56
15 POKE53070,8:SYS52224:POKE53070,2:PRINT
   "{DOWN}{10 SPACES}{RVS} COMMAND SUMMAR
                                     :rem 81
20 PRINT".$ DIRECTORY[8 SPACES]@
   {2 SPACES}ERROR STATUS
                                    :rem 198
25 PRINT".V VALIDATE{8 SPACES}>N
   {2 \text{ SPACES}}DEVICE # = N
                                    :rem 206
30 PRINT".I INITIALIZE [7 SPACES] !
   {2 SPACES}MONITOR/BREAK
                                     :rem 88
35 PRINT".Q{2 SPACES}DISABLE DOS SUPPORT
                                    :rem 173
40 PRINT"SYS 52224{2 SPACES}REACTIVATE DO
   S SUPPORT
```

45 PRINT"/FILENAME{14 SPACES}LOAD: rem 168 50 PRINT" FILENAME { 14 SPACES } LOAD & RUN :rem 238

55 PRINT"&FILENAME{14 SPACES}APPEND

:rem 56 60 PRINT" FILENAME [14 SPACES] SAVE: rem 228 65 PRINT" 400: FILENAME { 11 SPACES } SAVE & RE

:rem 181 PLACE

7Ø PRINT"=FILENAME{14 SPACES}VERIFY

:rem 105 75 PRINT"%FILENAME{14 SPACES}LOAD ABSOLUT :rem Ø

80 PRINT".S0:FILENAME{11 SPACES}SCRATCH

:rem 75 85 PRINT".RØ:NEWNAME=Ø:OLDNAME{2 SPACES}R :rem 112 ENAME

90 PRINT".C0:NEWFILE=0:OLDFILE{2 SPACES}C OPY/MERGE 1-4 :rem 15

92 PRINT"{2 SPACES}, Ø:OLD2, --- Ø:OLD4 {6 SPACES}FILES :rem 100

95 PRINT".NØ:DISKNAME, ID(8 SPACES) FORMAT {SPACE}NEW DISK :rem 230 100 NEW :rem 123 C

IBM Screen Formatter

David Leithauser

Here's a simple programming trick that will help you write programs to be compatible with either 40or 80-column text screens. It works with all versions of IBM BASIC.

IBM Personal Computers have the option of using a 40-column or 80-column display in text mode. This is done primarily because you have a choice of various types of monitors (screens), ranging from special RGB (Red-Green-Blue) computer displays to ordinary TV sets. The 40-column option is necessary because on most TV sets the letters of an 80-column display are too small and fuzzy to be seen clearly. The resolution on TV screens is not as good as on special video monitors. For people who have invested in a dedicated computer monitor, however, the 80-column display allows twice as much information to be displayed on the screen.

While these options make IBM computers more versatile for users, they cause some problems for programmers. If a program is written in the 80-column mode, some of the words that are printed on the screen may be split when the program is run in the 40-column mode. For example, if your program displays the message PRESS M FOR MENU, R TO REPEAT COMPUTA-TIONS, the word COMPUTATIONS will be split between the O and the N when the program is run in the 40-column mode. One way to avoid this problem is to insert enough spaces before the word that would be split so it starts on the next line in 40-column mode. Unfortunately, this sometimes looks very strange in the 80-column mode. When printing PRESS M FOR MENU, R TO REPEAT COMPUTATION, for example, you would have to insert ten spaces before the word COMPUTATION, which would look odd on an 80-column screen.

A Better Solution

A more effective way to solve this problem is to take advantage of a feature built into the PRINT statement in IBM BASIC. When the PRINT statement is printing a series of strings separated by semicolons, it checks to see if each string will fit in the space remaining in the current screen line. If it won't, the string automatically starts on the next line.

For example, if A\$ and B\$ are both 30 characters long, the statement:

PRINT A\$;B\$

prints A\$ and B\$ on the same line if the screen is in the 80-column mode, but on different lines on a 40-column screen. B\$ starts printing on the next line because it won't fit completely on the same line with A\$.

Therefore, by splitting the text in your PRINT statement after a space within the first 40 characters, you can be sure the words will not be broken. Just count the characters until you get to the fortieth, then backtrack until you get to a space and split the text after the space into two sections separated by a semicolon. For example, the statement:

PRINT "PRESS M FOR MENU, R TO REPEAT COMPUTATION."

becomes

PRINT "PRESS M FOR MENU, R TO REPEAT ";"COMPUTATION."

You may need to split the text in the PRINT statement in several places if the second portion of the string is more than 40 characters long.

In some cases, you may be printing out a string variable (such as A\$) rather than a string literal (characters enclosed in quotes). Sometimes you may not even know the length of the string,

such as when the string was input by the user. In these instances, the following subroutine will print the contents of the string variable (in this case A\$) without splitting any words—regardless of the screen width or the length of the string (provided there's at least one space per 40 characters). The line numbers in this subroutine are arbitrary, so use whatever line numbers you like (omit lines 10–30 when using this as a subroutine). Just assign the text you want printed to A\$ and GOSUB 65000. (Be sure to put an END statement after your main code so the subroutine isn't accidentally executed twice.)

IBM Screen Formatter

Refer to "COMPUTEI's Guide To Typing In Programs" before typing in this program.

HO 10 CLS:A\$="THE IBM PERSONAL COMPUTE R HAS THE OPTION OF USING A 40-C OLUMN OR 80-COLUMN DISPLAY"

NB 20 GOSUB 65000

CF 30 END

11 65000 WS=1

NJ 65010 WE=INSTR(WS,A\$," ")

KA 65020 IF WE>0 THEN PRINT MID\$(A\$, WS, WE-WS+1);:WS=WE+1:GOTO 65010

JC 65030 PRINT MIDS(AS, WS)

JK 65040 RETURN

Q

Apple Disk Verify

llan Reuben

Here's a short but useful verification utility for checking BASIC programs saved on disk. It works with all Apple II-family computers.

The VERIFY command in Apple DOS 3.3 indicates only whether a saved program is legible. Sometimes this isn't enough. If you need to be absolutely sure that the program you just saved is safely stored on the disk, "Verify+" is the answer. It's a utility written in machine language which insures that the BASIC program saved on disk is exactly the same as the program in memory. Verify+ is only about 400 bytes long and uses two 256-byte buffers.

The program following this article is a BASIC loader which creates Verify+ by encoding the machine language (ML) in DATA statements. Type in the program and run it. If any errors are detected in the data, the program stops. When you see the message ML LOADED, save the ML by typing:

BSAVE VERIFY+,A\$8E00,L\$175

Now that you have saved the machine language for Verify+, you can reload it whenever it's needed by typing:

BLOAD VERIFY+

To run it, you can type this command: CALL 36352

If you plan to run Verify + frequently, there's an even easier way. First, load the utility

by typing BLOAD VERIFY+ as before. Then enter these two statements:

POKE 1014,0:POKE 1015,142

Then all you'll have to type to perform the verification is the ampersand symbol, &.

A Simple Test

After typing in Verify+ and saving it as described above, try this easy test. First, create a one-line BASIC program:

10 PRINT "HELLO"

and save it on disk with the filename TRIAL. Then, run Verify + by typing:

CALL 36352 "TRIAL"

(or, if you entered the appropriate POKEs, run Verifyby typing & "TRIAL"). If the program was properly verified, you'll see the message FILE OK.

Now, slightly modify the BASIC test program:

10 PRINT "JELLO"

and try verifying it again: CALL 36352 "TRIAL" or & "TRIAL". You should get the message VERIFY ERROR.

Unfortunately, Verify+ works only with BASIC programs. This is because of the different ways that BASIC, binary, and text files are stored on the disk. But if Verify+ ever keeps you from losing even one important BASIC program because of a faulty disk or other problem, you'll be glad you kept it handy.

,141,94,143 **Apple Disk Verify** DATA 13,93,143,240,49,32,79,143 180 .169,141,141,98,143,162,11,232, FOR ADRS = 36352 TO 36724 10 240,221,189,0 READ BYTE:X = X + BYTE 20 190 DATA 140,141,93,143,232,189,0,1 40,141,94,143,13,93,143,240,18, 30 POKE ADRS, BYTE 40 NEXT 32,79,143,177 50 IF X < > 47562 THEN PRINT "ERR 200 DATA 6,209,8,208,13,200,208,247 OR IN DATA STATEMENTS": END .240.221.169.0.240.29.169.30.20 DATA 160,31,169,160,153,43,143, 100 8,25,24,152 DATA 101,8,133,8,144,2,230,9,56 136, 16, 250, 200, 32, 177, 0, 166, 184 210 ,177,184,201,34 ,229,175,201,2,176,6,165,9,197, DATA 240,12,9,128,153,43,143,20 110 176,240 0,232,192,31,144,239,96,232,134 DATA 229,169,16,168,169,141,32, 220 ,184,169,140,141 240,253,185,5,143,200,32,240,25 120 DATA 98,143,169,17,141,93,143,1 3,201,141,208,245 69,0,141,94,143,32,79,143,173,1 DATA 96,135,198,201,204,197,160 230 ,206,207,212,160,198,207,213,20 ,140,141,93 130 DATA 143,173,2,140,141,94,143,1 6,196,141,135,214,197 3,93,143,208,3,76,210,142,32,79 DATA 210,201,198,217,160,197,21 240 0,210,207,210,141,198,201,204,1 ,143,169,11 DATA 133,6,169,140,133,7,160,32 97,160,207,203,141,197 140 ,185,40,143,209,6,208,7,136,192 250 DATA 160,207,203,141,203,141,20 ,2,208,244 0,160,160,160,160,160,160,160,1 150 DATA 240,11,165,6,24,105,35,133 60,160,160,160,160,160 ,6,208,231,240,198,160,0,177,6, 260 DATA 160.160,160,160,160,160,16 141,1,140 0,160,160,160,160,160,160,160,1 160 DATA 200,177,6,141,2,140,200,16 60,169,143,160,89,32 9,7,133,9,169,255,133,8,169,141 270 DATA 217,3,96,0,0,1,96,1,0,17,1 ,133,7,169 5,111,143,0,140,0,0,1,0,0 DATA 96,1,0,0,0,0,0,1,239,216 DATA 0,133,6,169,140,141,98,143 280 ,173,1,140,141,93,143,173,2,140 0 .0,254,255

90 CALL CALL 159 MONITORS SUPER SPECIAL!! COMREX 12" Green Hi. Res. 75 V300G 12" green ... V300G 12" green ... V300A 12" amber (for IBM) ... Color I+ 13" composite ... Color II+ 13" RGB analog ... Monitor Cebles ... CB 5890 Apple II to Monitor ... CB 5892 for II-99/4A or Commodore ... CB 5892 for II-99/4A or Commodore ... QUADRAM ORMP-8 Par/Par ORMSP-8 Bar/Par ORMSS-8 Bar/Par ORMSS-8 Ser/Ser ORMPS-8 Par/Ser ORMPS-8 Par/Ser OUADBOARD (for IBM PC) 145 OR 3010 for Compaq. . 475 . 475 AST

1/0 Plus II

SAVE 31%-43% OFF MFR. SUGG. RETAIL PRICES ON

PRINTERS EPSON · OKIDATA · DIABLO SCM • DELTA • GEMINI • TTX RADIX • COMPUTE-MATE

SAVE BIG ON COMPUTER PRODUCTS

MANNESMANN TALLY





DISKETTES 10 — 5¼" Floppy Disks 98 / 80 98 / 00 Wabash \$13.00 \$16.00 Maxell NA 20.00 Dysan NA 23.00 \$17.50 26.00 30.00 13.00 NA 20.00 NA 23.00 30.00 — 8" floppy diskettes 32.00 37.00 — 901CING ON 10 -CALL FOR QUANTITY PRICING ON 10 OR MORE BOXES OF DISKETTES

HUGE DISCOUNTS all RIBBONS • DUST COVERS PAPER • POST CARDS • LABELS for almost every make and model

HEWLETT-PACKARD

CALCULATORS HP-11C 56 HP-15C 90 HP-12C 90 HP-18C 90 HP-41C145 HP-41CX ...245 HP-41CV188 HP-97 560 all software & accessories too PORTABLE COMPUTERS

HP-718....389 HP-75D....799 series 70 software & paripherals discounted too HP-2225B ThinkJet Printer (HPIL) 375

HP-9114A Disk Drive (HPIL)....

(inner

	E400																
FL	5100 5500	Ť,		٠.	•	• •	*	٠	•	•	•	•	•	•	•	•	7
ĒĹ	512 1	٠.	:		:			1	:	:	:	1	ľ	1	Ĭ	•	2

рс	1250A																		8
рc	1260.												i						CAL
pc	1261.					,								÷	,				CAL
рc	1500A																		
	PRIN	1	ŀ	R5	1	Н	4	t	(3	L	`	1	ŀ.	n	- 1	ľ	16	1	

CABLES — INTERFACES
accessories for Computer Printers
GRAPPLER PLUB.
16K BUFFERED GRAPPLER.
165
Apple Dumpling GX.
65
Cardoo G.
C85609 10 tt. Par. Cable for IBM. 25
C85602 10 tt. 38x36 Parallel.
25
C85629 10 tt. 25x25 R9-232 25
C85618 6 ft. T1-89/4A parallel cable25
C85620 6 ft. par. TR880 mod. I-III-IV22
ALL OTHER CABLES.
CALL

ALL TOLL FREE 800-621-1269 EXCEPT Illinois, Alaska, H	800-621-1269 EXCEPT Illinois, Alaska	Hawa
---	--------------------------------------	------

Corp. Accts. Invited. Min. Ord. \$15.00. Mestercard or Visa by mail or phone. Mail Casher's Check. Mon. Ord., Pers. Check. (2 wks. to cir.) Add \$4.00. Ist item. (AK, HI, P.R., Canada add \$10.00 first item) \$1.00 ea add shipg. & hand! Shipments to it, address add 75 tax. Prices sub, to change WRITE for free catalog. RETURN POLICY: Defectives Only: Most products replaced within 30 days of purchase with identical merchandise only. Computer and large peripherals replaced only when defective on a religiously (within 3 work days of delivery). Other problems covered by mfr. warranty. ALL ELEK-TEK MERCHANDISE IS BRAND NEW, FIRST GUALITY AND COMPLETE.

ELEK-TEK, inc. 6557 N. Lincoln Ave., Chicago, IL 60645 (312) 631-7800 (312) 677-7660



DISK-OF-THE-MONTH CLUB P.O. BOX 116, FAIR LAWN, N.J. 07410-0116

NAME		
	•	
STREET ADDRESS		

CITY STATE ZIP

2

Commodore Potpourri

COMPUTE! Readers Compiled by Todd Heimarck, Assistant Editor

Who hasn't felt the thrill of finding a new programming technique that's a little faster, takes less memory, or somehow seems to be a more elegant way of doing things? Here are a few such techniques discovered by readers of COMPUTE! and COMPUTE!'s GAZETTE. For Commodore 64, VIC-20, and PET.

Random Access DATA Statements

Ian Adam

DATA statements are a handy way of feeding information to a program. You don't have to fool around with opening, reading, and closing tape or disk files. The information you need is right there in the program, waiting for a READ statement.

But there are two disadvantages to using DATA. First is that the program reads each item only once. After you use a piece of data, you can't go back and read it a few more times. Second is that, like tape files, DATA statements are sequential. You begin at the beginning and end at the end. Try to go past the last item and you get an ?OUT OF DATA error.

Of course, there is a way to solve the first problem. RESTORE resets the data pointer to the beginning of the list. RESTORE isn't too flexible, though. What we really need is a command to go back to a specific line number, like RESTORE to 1000. Some versions of BASIC, such as Atari BASIC, have this feature built-in.

Here's a way to do almost the same thing, with just a couple of POKEs:

POKE65, PEEK(61): POKE66, PEEK(62)

This resets the DATA pointer (at locations 65 and 66) to the current position of the program counter (at locations 61 and 62, also used for the CONTinue command). In other words, it tells the computer, "Please start reading right here."

If you want to play a specific tune encoded in the DATA lines, for example, you would make the POKEs the first line in a subroutine, followed by the DATA statements and the READ, POKE section. (Note to PET users: Depending on which ROM you have, the technique is the same, but the zero-page locations will be different—62, 63 and 58, 59 for BASIC 4.0 PET/CBM machines.)

Graphic REMarks

Daniel Shaffer

If you've ever tried to use capital letters or

graphics symbols in a REMark, you know it can be frustrating. For example, when you enter:

10 rem Designed by Frank Dow

What you see after LISTing is:

10 rem str\$esigned by ascrank str\$ow

The computer interprets the shifted letters as BASIC tokens and prints them in full. Sometimes this quirk can be useful (SHIFT-L is interpreted as SYNTAX ERROR and stops people from LISTing past the line containing it), but usually it's annoying. A simple way to get around the problem is to enter quote mode. After the REM, type a quotation mark. The rest of your message will appear as you typed it, graphics and all.

Embedded Carriage Returns

Hla T. Thein

It's common knowledge that a carriage return is built into the PRINT statement unless you follow it with a semicolon or comma. To print three different things on three different lines, you would have to use three PRINTs:

10 PRINT"QUICK": PRINT"BROWN": PRINT"FOX"

But most people don't know there's a way of embedding carriage returns in a string. First type this line:

10 PRINT"QUICK BROWN FOX"

If you run the program, everything goes on the same line. Now list the program and cursor up to the space between QUICK and BROWN. Press RVS ON (CTRL-9) and type a SHIFT-M. Move the cursor right and do the same thing between BROWN and FOX.

The program now thinks there is a SHIFT-RETURN between the letters, and it will print the words on three different lines. Note that this trick also affects the way the program lists.

(Editor's Note: The two hints above can be combined for some interesting effects. Enter this line: 10 REM". Press RETURN, move the cursor up, turn on reverse, and right after the quotation mark put a REVERSE-SHIFT-M followed by a REVERSE-SHIFT-S. Now try to list line 10. The screen clears. The line is, in effect, unlistable. The SHIFT-M forces a carriage return, which turns off quote mode. The reverse heart then causes the screen to clear. Adding such a REM to every program line can help you hide the listing from snoopy users. You can also include cursor movements with REMarks.)

NEW!

PRINTER ACCESSORIES FROM

DIGITAL DEVICES 3



Expand your Atari® or Commodore® computer with Digital Devices $U \bullet PRINT$. We make it simple to add any printer you choose. $U \bullet PRINT$ interfaces feature industry standard Centronics parallel connectors to hook up an Epson, Star, NEC, C.Itoh, Okidata, or any other printer.



- EXTRA SERIAL PORT FOR DAISY CHAINING OTHER PERIPHERALS.
- COMPATIBLE WITH ALL ATARI HARDWARE AND SOFTWARE.
 U • PRINT MODEL A
- EMULATION OF COMMODORE PRINTERS, INCLUDING GRAPHICS.




 COMPATIBLE WITH ALL COMMODORE HARDWARE AND SOFTWARE.

U • PRINT MODEL C

Compact, easy to install, and costing only \$89.95, U.PRINT gives you a choice!

PRINTER BUFFER

Ever get stuck while your printer catches up? The PRINTER BUFFER eliminates waiting by rapidly accepting data in memory, then relaying it at the printer's rate, freeing the computer for your next job. User-upgradable memory (16k to 64k) allows up to 32 pages of data to be stored.



Compatible with U•PRINT and other industry-standard hardware, the PRINTER BUFFER is the low-cost way to make your computer even more productive!

Quality Products Made In USA From

DIGITAL DEVICES D Corporation

430 Tenth Street, Suite N205 Atlanta, Georgia 30318 In Georgia (404) 872-4430; Outside Georgia (800) 554-4898

© 1984

Machine Language Backup On Tape

Willem Schaaij

A broken or worn-out tape can be a disaster if you don't have a backup. Duplicating BASIC programs is easy enough, but machine language (ML) programs are a headache to copy.

If you have a machine language monitor, and know the starting and ending addresses of the ML program, it's easy to make backups. But what if you don't have a monitor, or don't know

where the program begins or ends?

Looking through a memory map suggests an answer. The tape header contains the information we need. And after a LOAD, the header information is stored in the cassette buffer at locations 829–832. BASIC expects to find the program's beginning and ending addresses at locations 43–46. The solution:

1. LOAD "program name",1,1

2. Type NEW

3. POKE 43, PEEK(829)

POKE 44, PEEK(830)

POKE 45, PEEK(831)

POKE 46, PEEK(832)

4. SAVE "program name" (using a new tape)
Because you've changed the pointers, you'll
have to cold start the computer after the SAVE.
Either turn it off and then on again, or use the
SYS described below.

On PETs, the cassette buffer is in the same place (location 828), but the pointers to the beginning and end of the program may vary.

Saving Wear On The On/Off Switch

Shawn McDonald

A cold start (turning your computer off and then on) quickly clears memory and resets everything. But does it do any harm to the computer if you

do it frequently?

The good news is, it doesn't do any significant harm to the circuits or chips, although it does cause minimal wear to the power switch. One way to do the same thing is to use this line: SYS 64802 (VIC), SYS 64738 (64), SYS 64790 (PET/CBM). After entering this line, you should see the usual opening message.

This can be a useful way to end a game—for example, if the user answers no to PLAY AGAIN (Y/N)?—or to reset the computer if you are working with custom characters or a high-resolution screen.

There are a few things which may not be reset. If you have POKEd 128 into 650, to make the keys repeat, you will find that the keys still repeat after the cold start.

Slightly different from the cold start SYS is a warm start SYS, which preserves the pointers to the beginning and end of memory.

If you have partitioned a section of memory to be used for custom characters or machine language, SYS 58232 (VIC) or SYS 58260 (64) will simulate a warm start. If you want to set the pointers before this SYS, POKE the beginning of BASIC (in low-byte, high-byte format) into 641 and 642, and the top of BASIC into 643 and 644.

One more tip: Certain televisions, when connected to a VIC, display a wavy, jumpy picture. I've discovered that POKE 36864,133 corrects the problem, although RUN/STOP—RESTORE causes the picture to start bouncing again. Zenith TVs seem to be most affected by the bouncing.

Unlistable Programs

Shawn K. Smith

On the VIC and 64, locations 774 and 775 contain a vector pointing to the LIST routine. If you change the values with a POKE, the program in memory becomes unlistable. What I do is POKE 774,255. It's a good idea to use a PEEK to learn what number *should* be in address 774 in case you want to reenable the LIST command.

If a program containing the POKEs is loaded, but not run, it can be listed, so this method can be circumvented. But in combination with other tamperproofing methods (like REM SHIFT-L, described above), you can keep most prying eyes out of your programs.

If you look at a good memory map, you can find some other useful vectors in the same area of memory. Locations 808 and 809 point to the STOP routine (called when unshifted RUN/STOP is pressed); put some new values there and you can disable the STOP key.

Defining A Joystick Function

Richard Mehalick

DEFine FuNction can be very useful in a program that frequently reads the joystick. For example, to read the joystick in port 1 of the Commodore 64, use DEF FNJO(Y) = 15 - (PEEK (56320) AND 15).

To make it even easier to use, combine it with the ON-GOTO command:

10 DEFFNJO(Y) = 15 - (PEEK(56320)AND15)

20 ON FNJO(Y) GOTO 50,60,20,70,30,30,30,80

30 GOTO20

50 PRINT"NORTH":GOTO20

60 PRINT"SOUTH":GOTO20

70 PRINT"WEST":GOTO20

80 PRINT"EAST":GOTO20

To include the fire button, define a separate function, or change every 15 in the function above to 31.

Since a defined function can include PEEKs, you can take this idea a step further and use it to check current screen position, watch for collisions, or read the jiffy clock.

Atari Easy Scroll

Eugene D. McMillin

These short, simple BASIC scrolling routines demonstrate a method for scrolling using the Atari computer's string variables. For beginners, there is a detailed explanation of how both programs work.

Sooner or later most BASIC programmers find that they would like to set up multiple screens and scroll through them. For the advanced programmer who understands the inner workings of the machine, this usually isn't too difficult. But for most BASIC programmers, struggling with such things as bytes per line, display lists, write and screen memory locations, pointers, and interrupts can be confusing.

Fortunately the Atari offers a simple way to scroll vertically. This can be done in BASIC without even one PEEK or POKE. The method involves using string variables. With the Atari we have the ability to dimension string variables to almost any size and then to access any portion of them we want. For instance, a string variable named NAME\$, dimensioned to a size of 10, could contain two names of five characters each. If we want to view the first name, we PRINT NAME\$(1,5) and all the letters between the first and fifth are displayed. Or, if we want to view the last name, we PRINT NAME\$(6,10).

Scrolling An Entire Screen

Program 1 demonstrates how to use a string variable to simulate vertical scrolling of the entire screen. Here's how it works:

Line 10: Sets up a full GRAPHICS 1 screen. This technique will work with any graphics mode. However, in the higher resolution modes the memory requirements are unrealistic.

Line 20: Dimensions a string variable SC\$ large enough to accommodate three full screens. A GRAPHICS 1 + 16 screen contains 24 lines with 20 characters on each line. However, it seems that some Ataris won't print to position 19,23 without getting a CURSOR OUT OF RANGE error. In order to get around this, the screen size is reduced to 23 lines. With this in mind, each screen requires 20 characters per line multiplied by 23 lines for a total of 460 characters per screen. As a result, the three screens require a string variable consisting of three screens multiplied by 460 characters per screen, or 1380 characters.

Line 30: Sets the first 460 characters of the string variable to C. In other words, the first screen will consist entirely of the letter C.

Line 40: Sets the second screen to the letter J.

Line 50: Sets the third screen to the letter W.

Line 60: POS is a variable which designates the first position of the character string SC\$ that we will print to the screen. In this case it is the first character in the string.

Line 70: Sets a variable equal to the position of the joystick.

Line 80: If the joystick is forward, the screen will scroll down. As there are 20 characters in each line of GRAPHICS 1, the program subtracts 20 from the variable set up in line 60.

Line 90: The same as line 80 except the joystick is in the opposite direction. Therefore, we add 20 rather than subtract.

Line 100: Tests the variable POS to see if it's less than 1. If it is, resets it to 1 to avoid trying to print a portion of our string variable that is 0 or less, which would result in an error.

Line 110: We test the variable POS to see if it's greater than 921. If it's greater, reset it to avoid printing past the end of the dimensioned string.

Line 120: In order to print the entire screen, this line sets the cursor to the upper left-hand corner.

Line 130: This prints a full screen of 460 characters. The exact portion of the string variable SC\$ printed depends on the value of POS.

Line 140: Back up and sample the joystick and try it all over again.

Type in Program 1, hook up your joystick, and see what happens. It isn't quite as smooth or fast as machine language scrolling, but it gets the job done.

Scrolling Part Of A Screen

Program 2 demonstrates this same scrolling technique over a small portion of the screen. In a spreadsheet program or game, you might want stationary text at the top or bottom of your screen while the rest scrolls. For example, when you're looking out the window of an airplane cockpit, the horizon would rise or fall as you dive or climb, but the instrument panel would stay stationary on the screen. Here are the significant changes to Program 1.

Line 20: Sets up three screens; however, each screen will only have ten lines. Twenty characters per line multiplied by 10 lines multiplied by 3 screens gives us a variable size of 600.

Lines 30–50: The size of the FOR-NEXT loops is reduced to take into account the reduced size of the screens.

Lines 51–52: These are new lines. They provide a stationary text for the screen. This stationary text is positioned above and below the portion of the screen that will scroll.

Line 110: This line is changed to account for the reduced size of the string variable SC\$.

Line 120: The cursor is positioned part of the way down the screen. This is the top left position of the scrolling portion of the screen.

Line 130: Again the only change is to accommodate the reduced size of the screen,

Program 1: Vertical Scroll

HF 10 GRAPHICS 1+16
BD 20 DIM SC\$(1380)
HH 30 FOR I=1 TO 460:SC\$(I,I)="C":NE
XT I
DK 40 FOR I=461 TO 920:SC\$(I,I)="J":
NEXT I
HK 50 FOR I=921 TO 1380:SC\$(I,I)="W"

MG 6Ø POS=1
EK 7Ø ST=STICK(Ø)
BP 8Ø IF ST=14 THEN POS=POS-2Ø
BN 9Ø IF ST=13 THEN POS=POS+2Ø
AC 1ØØ IF POS<1 THEN POS=1
OH 11Ø IF POS>921 THEN POS=921
JE 12Ø POSITION Ø,Ø
JN 13Ø PRINT #6; SC\$ (POS, POS+459)

Program 2: Vertical Scroll With Stationary Section

DF 14Ø GOTO 7Ø

PRINTERS

HF 10 GRAPHICS 1+16 NN 2Ø DIM SC\$ (6ØØ) LP 3Ø FOR I=1 TO 2ØØ:SC\$(I,I)="C":NE XT I CL 40 FOR I=201 TO 400:SC\$(I,I)="J": NEXT I DN 5Ø FOR I=4Ø1 TO 6ØØ:SC\$(I,I)="W": NEXT I 60 51 POSITION Ø, Ø:? #6; "SCROLL DEMO NSTRATION" CK 52 POSITION Ø,5:? #6; "SPENT SORES K" POS=1 NG 60 EK 7Ø ST=STICK(Ø) BP8Ø IF ST=14 THEN POS=POS-2Ø 8N 9Ø IF ST=13 THEN POS=POS+20 A0 100 IF POS<1 THEN POS=1 NJ 110 IF POS>401 THEN POS=401 JK 12Ø POSITION Ø,6 J0 13Ø PRINT #6; SC\$ (POS, POS+199) DF 14Ø GOTO 7Ø



FREE GIANT CATALOGS: CALL TOLL PREE 800-426-6027 - 288 PAGE ALDRO/VIDED/COMPUTER CATALOG
-80 PAGE RECORD AND CASSETTE CATALOG -80 PAGE VIDED MOVIE CATALOG



FOR-NEXT Loop Etiquette

Jim Butterfield, Associate Editor

If you've ever run into problems with FOR-NEXT loops, maybe it's because you weren't minding your programming manners. This explanation of FOR-NEXT rules should clear things up. Although written for Commodore BASIC, the advice applies to nearly all versions of BASIC.

The FOR-NEXT loop structure is one of the foundations of efficient BASIC programs. It seems to be surrounded by a mystique: Can you or can't you exit a loop before it completes its allotted repetitions?

There's a maxim gaining ground which says: "Never jump out of a FOR-NEXT loop, or sooner or later you'll get an OUT OF MEMORY error." Partly right, partly wrong. You can jump out of a FOR-NEXT loop, but you must understand the rules.

The Problem

Let's suppose you have a list of 1000 cities around the world. You're writing a program to give the distance between any two cities. The list of city names is in an array called C\$, dimensioned to hold 1000 names.

The coding would start by asking the user to enter a city name. Then there would be a search through the table for a name match. The program would partly look like this:

INPUT "ENTER CITY NAME";N\$
FOR J=1 TO 1000
IF C\$(J)=N\$...
NEXT J

that PARIS was the second city in array C\$, it would seem to be a waste if the program was forced to look at the remaining 998 table entries. On the other hand, if we're forbidden to jump out of the loop (to a statement following NEXT J), we seem to have no choice but to allow the extra 998 iterations.

What Are Our Options?

First, we can indeed exercise the loop over its entire range. The coding would look something like this:

K=0 FOR J=1 TO 1000 IF C\$(J)=N\$ THEN K=J NEXT J

At this point, K will hold the city number; if the city is not found in the list, K will equal zero. It will work, but the loop will be slow; there will be a significant pause for each city, even if the name is found at the top of the list. It seems inefficient.

Second, we can force the loop variable outside its range on the assumption that this will cause the loop to terminate. The coding would look like this:

K=0 FOR J=1 TO 1000 IF C\$(J)=N\$ THEN K=J:J=1001 NEXT J

This works, but it seems to me to be dangerous. If the city list were expanded to 2000 items, it might be easy to overlook the change that would be needed to the J=1001 statement. We could fix that part by changing it to J=1E20, a high number we never expect to reach.

Changing the value of a loop variable is bad practice. Some languages (even some BASIC implementations) forbid this, and may even stop with an error such as LOOP VARIABLE CHANGED WITHIN LOOP. Here's the problem: The FOR-NEXT loop was designed to allow strict control over the number of repetitions made by the loop. Once we play around with the variable, we endanger the integrity of the loop. Doing this might create a situation where the loop will never end or will behave unpredictably.

Third, we can jump out of the loop when it has done the job we want: found the matching item, or whatever. The coding in this case might go:

```
K=0
FOR J=1 TO 1000
IF C$(J)=N$ GOTO 310
NEXT J
PRINT "NOT FOUND":GOTO ...
310 continue....
```

It seems natural, and in many languages it's heartily encouraged. Structured purists might look down their noses at the GOTO statement that gets you out of the loop, but it would be a syntax complaint rather than an objection to leaving the loop early. Very structured language might offer an EXIT command to escape the loop.

Departing from an incompleted loop has developed a bad reputation. The rumor has gotten around that if you do this, the loop will never go away and eventually you'll hang up on an OUT OF MEMORY error. Not true. There is, however, a slight chance that naive coding might produce a baffling NEXT WITHOUT FOR halt; in this case, a little understanding or application of good programming habits will eliminate the danger.

Some Theory

We don't want unclosed loops to hang around forever and clutter up our computer. There are four ways that a FOR-NEXT loop can be retired from service—apart from obvious extreme measures such as turning the computer off or typing NEW.

- 1. When the loop goes through its complete range, it will be scratched from the active loop liet
- 2. If a loop is within another loop, the inner loop will be scratched whenever the outer loop reaches a NEXT statement. Note that this doesn't mean the outer loop must complete its range; if it goes back for another repetition, that too will cancel the inner loop.
- 3. If a loop is opened within a subroutine, RETURN from that subroutine will automatically scratch the loop.
- 4. If a FOR statement is encountered, any existing loop using the same variable name will be scratched, together with any other loops nested within.

```
100 FOR J=1 TO 50 STEP 3
110 T=T+J
120 NEXT J
```

After these lines are executed, loop J will no longer be active. It has completed its range.

```
100 FOR I=1 TO 1
110 FOR J=1 TO 50 STEP 3
120 T=T+J
130 IF T>100 GOTO 160
140 NEXT J
```

```
150 STOP
160 NEXT I
```

After these lines are run, loops I and J will no longer be active. Why not? I has gone through its entire range. J has not; but the J loop was scratched from the active list the moment NEXT I was encountered. At first glance, the I loop seems to have no purpose, since there is no repetition of the lines between FOR and NEXT; but it does serve to clean away the J loop.

```
100 GOSUB 200

110 END

200 FOR J=1 TO 50 STEP 3

210 T=T+J

220 IF T>100 THEN RETURN

230 NEXT J

240 STOP
```

After these lines are executed (reaching line 110), loop J will no longer be active. Why not? Because it was opened in subroutine 200, and the RETURN at line 220 canceled its status. Program style experts might criticize the subroutine at line 200 because RETURN is not at the end; put it there if you like.

```
100 FOR J=1 TO 50 STEP 3
110 T=T+J
120 IF T>100 GOTO 150
130 NEXT J
140 STOP
150 K=J
160 FOR J=1 TO 1:NEXT J
```

When these lines are done, loop J will be inactive, even though the FOR-NEXT at 100–130 was not completed over its range. The opening of a new J loop in line 160 cancels the previous J loop.

Self-Repair

In most cases, rule 4 saves most programs from encountering loop problems. Opening a new loop cancels the old one even when we jump out of it. All we need to do is use the same variable name. Often, programs go back and repeat an early section; and the same loops are opened again, with old loops scrapped as the new ones come into force. We hardly need think about the question.

We can make this almost rigorous if we apply a simple rule: Give all your major loops the same loop variable name, and inner loops similar consistent variables. Any big loop will then automatically cancel the previous big loop, and so on.

But if we indulge in "barefoot" coding and pick variables according to the way that letters of the alphabet pop into our heads, we can run into trouble on rare occasions.

Horrible Example

Here's a horrible sample program. It doesn't do anything useful, but illustrates the puzzling problem that can occur when we let loops run free.

```
100 INPUT "YOUR AGE"; A
110 FOR J=1 TO 99
120
      A=A-J
      IF A<Ø GOTO 200
130
140 NEXT J
15Ø STOP
200 R=J:T=0
210 FOR M=1 TO R
      T=T+M
230
      FOR J=1 TO T
240
        V=V+J
250
      NEXT J
260 NEXT M
27Ø PRINT "I WISH YOU"; V; "JOYS"
```

Here's the puzzling thing. This program stops with a NEXT WITHOUT FOR error in line 260. It's baffling to the programmer: The NEXT M is clearly matched with the FOR M in line 210. How dare the computer say they don't match?

Let's carefully trace what happens here, and how an open loop gets us into peculiar trouble.

The FOR-NEXT loop in lines 110 to 140 is not completed; line 130 exits directly to line 200. There's still a live J loop when line 200 is reached.

Line 210 opens a new FOR loop using variable M. Since the J loop is still active—the new one doesn't cancel it—we now have two loops. The outer loop uses variable J and the inner loop uses variable M.

Line 230 wants to open another FOR loop, this time using variable J. But wait a minute; we have an active loop still in existence that uses J. Fine. Cancel the old J loop; that's what rule 4 says. And since the M loop is inside the J loop, it gets canceled too. What do we have now? A brand-new J loop and nothing else. The old J and the M are scrapped.

Line 250 finds the NEXT J statement quite acceptable. There's a J loop active, and it will be exercised however many times the values call for. When the loop completes going through its range of values, it is retired from duty. Now there are no active loops, and we may proceed to line 260.

Line 260 says NEXT M, but the computer doesn't have an active M loop anymore. It was canceled back at line 230, remember? So the computer stops and reports NEXT WITHOUT FOR, causing the programmer to tear out his or her hair.

Fixing It

How do we fix it? Let me count the ways:

1. We fix it by rule 1. We change the FOR-

NEXT loop at 110 to 140 to exercise its entire range. Line 130 would change to something like: IF A<0 THEN RJ; we'd eliminate the STOP in line 150 and change line 200 to just T0. Slower, but OK.

2. We fix it by rule 2. We insert the two lines:

```
105 FOR I=1 TO 1
205 NEXT I
```

The extra loop does nothing but cancel the J loop, but that makes everything OK.

3. We fix it by rule 3. The coding from line 110 to 150 is changed to a subroutine. RETURN cancels the open J loop.

4. We fix it by rule 4. We could insert a new line 205 that said FOR J=1 TO 1:NEXT J; this would certainly cancel the active J loop. It might be better, however, to use our variable hierarchy rule, making J the outer loop through the entire program. Lines 210 to 260 become:

```
210 FOR J=1 TO R

220 T=T+J

230 FOR M=1 TO T

240 V=V+M


250 NEXT M

260 NEXT J
```

Now the FOR J loop at line 210 immediately cancels the open J loop from earlier lines.

But perhaps it's not so much a problem of fixing a program gone wrong. If we develop good programming habits, using systematic variable names, there will never be anything to fix.

Conclusion: You can jump out of FOR-NEXT loops and still be considered a good person. It's sound programming. But you'd be well-advised to understand a little more about how these loops work, and to develop good habits in choosing loop variable names, to banish the possibility of these annoying—and puzzling—program halts.



CAPUTE!

Modifications Or Corrections To Previous Articles

VIC Canyon Runner ✓

Many readers have reported that parts of line 830 in Program 2 (p. 62) of this game from the October issue were blurred. The line reads:

83Ø DATA156,3Ø,31,158,169,128,141,19,145, 169,Ø,133,1,133,2,169,127,141,34,145, 162,119 :rem 141

Commodore Autoboot

One step in the process for creating programs that run automatically was not made immediately clear in this article from the September issue (p. 130). After typing the POKEs and saving your original program with a new filename, you must reset the computer by turning it off and back on before loading and running "Autoboot."

Programs created by Autoboot may not run when loaded immediately after the computer is turned on or immediately after a cold start reset. The solution is to load anything—even the disk directory—before loading the autorun program. Once any other file has been loaded, the autorun programs will behave as expected.

READing DATA

Our mail indicates that many readers have problems typing DATA statements. Some letters insist that programs containing DATA statements never work properly. Typing mistakes in DATA lines often result in cryptic error messages or in mysterious program crashes, which often baffle the beginning programmer.

If any program stops with a SYNTAX ERROR, ILLEGAL QUANTITY, or OUT OF DATA message (ERROR 3, ERROR 6, or ERROR 8 on an Atari), check the line where the program was reported to have stopped. If that line contains a READ statement, the error is probably not in the line for which the error was reported. Instead, it's almost certain that you've typed something incorrectly in one or more of the DATA statements.

Errors in DATA can be hard to find. A common mistake is typing a period for a comma. These two characters appear side by side on the keyboard, and they can be difficult to distinguish on the screen. This mistake would, for example, cause the two DATA items 165,15 to be interpreted as one item, 165.15. Other frequent problems are transposing digits in DATA items (for

example, typing 236 as 263) and adding extra commas at the ends of lines.

Other messages may signal a flaw in the program, but any of the error situations mentioned above point toward a typing mistake. Check carefully before you blame the program.

Proofreader And MLX Caveat

Many readers may be unaware that BASIC programs entered with the aid of "The Automatic Proofreader" or machine language programs entered with "MLX" can still contain typing errors. While these two utilities greatly reduce the chances of making a typing mistake, there are errors that are not detected.

The Commodore and Atari Proofreader programs check only that the correct characters are present, not whether they are in the correct order. The following line has a Commodore Proofreader checksum of 117:

100 POKE 214,12:A=19.7:PRINT A

If you scramble the line and type: 100 PKOE 241,21:A=17.9:PNIRT A

the Proofreader still reports a checksum of 117. This is an extreme case; more subtle mistakes are more difficult to detect. One reader insisted that COMPUTE! had made an error, since his program didn't work even though the Proofreader showed his typing to be correct. However, the listing he sent along showed that in one line he typed GOTO 535 where he should have had GOTO 355. That mistake was invisible to the Proofreader—all the right characters were presentbut it made the program crash without warning. The Proofreader can also cause you to overlook typing errors in DATA statements. The numbers 169 and 196 look the same to the Proofreader, but in the DATA for a machine language program such a difference will cause a prompt crash.

MLX, on the other hand, can detect the transposition of individual digits within a single number—if you type 196 where you mean 169, MLX will report the mistake—but it cannot detect transposition of entire numbers. For example, given the following line from an MLX-format listing:

49188 :160,000,185,071,201,201,086

MLX will *not* notice the mistake if you instead type:

49188 :160,185,000,201,071,201,086

COMPUTE!The Resource.

0

Be part of it.



Make your voice heard on November 6th when we choose America's leaders.

The health of our democracy depends on the participation of every man and woman. Yet voting levels have been dropping ever since 1960.

In recognition of this problem and the threat it poses, the American Broadcasting Companies and Harvard University sponsored a symposium entitled "Voting for Democracy." There, former Presidents Jimmy Carter and Gerald Ford met with

leaders from many fields to questions:

Why do so many Americans choose not to vote? Can we reverse the trend? How do we begin?

In answer, ABC and its affiliated stations have worked throughout this election year to encourage greater voter participation.

ABC Television, ABC Radio and ABC Publishing have enlisted the support of prominent politicians.entertainers and athletes to join them in this effort.

Betty Ford, Reggie Jackson, Barry Goldwater, address several David Hartman, Coretta Scott King, Henry Kissinger, Dinah Shore, Harry Belafonte, Edward Kennedy, Joan Lunden, Rafer Johnson, Donna de Varona, Dom DeLuise, George McGovern and many others gave their time and thought to TV, radio and print messages urging all Americans to register and vote.



Now, it depends, as it always did. on you. As we move closer to Election Day, let's all remember: one vote does make a difference.

Leonard H. Goldenson Chairman of the Board



COMPUTE!'s Guide To Typing In Programs

Before typing in any program, you should familiarize yourself with your computer. Learn how to use the keyboard to type in and correct BASIC programs. Read your manuals to understand how to save and load BASIC programs to and from your disk drive or cassette unit. Computers are precise—take special care to type the program exactly as listed, including any necessary punctuation and symbols. To help you with this task, we have implemented a special listing convention as well as a program to help check your typing—the "Automatic Proofreader." Please read the following notes before typing in any programs from COMPUTE!. They can save you a lot of time and trouble.

Since programs can contain some hard-toread (and hard-to-type) special characters, we have developed a listing system that spells out in abbreviated form the function of these control characters. You will find these special characters within curly braces. For example, {CLEAR} or {CLR} instructs you to insert the symbol which clears the screen on the Atari or Commodore machines. A symbol by itself within curly braces is usually a control key or graphics key. If you see {A}, hold down the CONTROL key and press A. Commodore machines have a special control key labeled with the Commodore logo. Graphics characters entered with the Commodore logo key are enclosed in a new kind of special bracket. A graphics character can be listed as [<A>]. In this case, hold down the Commodore logo key as you type A. Our Commodore listings are in uppercase, so shifted symbols are underlined. A graphics heart symbol (SHIFT-S) would be listed

If a number precedes a symbol, such as {5 RIGHT}, {6 S}, or [<8 Q>], you would enter five cursor rights, six shifted S's, or eight Commodore-Q's. On the Atari, inverse characters (printed in white on black) should be entered with the Atari logo key. Since spacing is sometimes important, any more than two spaces will be listed, for example, as: {6 SPACES}. A space is never left at the end of a line, but will be moved to the next printed line as {SPACE}. There are no special control characters found in our IBM PC/PCjr, TI-99/4A, and Apple program listings. For your convenience, we have prepared this quick-reference key for the Commodore and Atari special characters:

Atari 400/800/XL

WI	en you see	Туре	See	
	(CLEAR)	ESC SHIFT <	-	Clear Screen
	(UP)	ESC CTRL -	+	Cursor Up
	(DOWN)	ESC CTRL =		Cursor Down
	(LEFT)	ESC CTRL +	+	Cursor Left
	(RIGHT)	ESC CTRL #	+	Cursor Right
	(BACK S)	ESC DELETE	4	Backspace
	(DELETE)	ESC CTRL DELETE	E	Delete characte
	(INSERT)	ESC CTRL INSERT	LJ.	Insert characte
	(DEL LINE)	ESC SHIFT DELETE		Delete line
	(INS LINE)	ESC SHIFT INSERT		Insert line
	(TAB)	ESC TAB	-	TAB key
	(CLR TAB)	ESC CTRL TAB	4	Clear tab
	(SET TAB)	ESC SHIFT TAB	D	Set tab stop
	(BELL)	ESC CTRL 2	G	Ring buzzer
	(ESC)	ESC ESC		ESCape key

Commodore PET/CBM/VIC/64

When Ye Read:	ou Pre:	ss:	See:	When 'Read:	Continue of the	ess:	See:
(CLR)	SHIFT	CLR/HOME		[GRN]	CTRL	6	+
{HOME}		CLR/HOME		{BLU}	CTRL	7	+
[UP]	SHIFT	CRSR		{YEL}	CTRL	8	T
[DOWN]		CRSR	M	{F1}	fl		
{LEFT}	SHIFT	CRSR -		[F2]	f2	ĺ	1
(RIGHT)		CRSR -		[F3]	f3		
{RVS}	CTRL	9	H	[F4]	f4	disable) modern	V.
[OFF]	CTRL	0		{F5}	f5		
(BLK)	CTRL	1		[F6]	f6		J
(WHT)	CTRL	2	A	{F7}	f7		ī
{RED}	CTRI.	3	E	[F8]	f8		
[CYN]	CTRL	1	-	4	-		
[PUR]	CTRL	5	*	1	SHIFT	4	TT

The Automatic Proofreader

Also, we have developed a simple, yet effective program that can help check your typing. Type in the appropriate Proofreader program for your machine, then save it for future use. On the VIC, 64, or Atari, run the Proofreader to activate it, then enter NEW to erase the BASIC loader (the Proofreader will still be active, hidden in memory, as a machine language program). Pressing RUN/STOP-RESTORE or SYSTEM RESET deactivates the Proofreader. You can use SYS 886 to reactivate the VIC/64 Proofreader, or PRINT USR(1536) to reenable the Atari Proofreader. The IBM Proofreader is a BASIC program that lets you enter, edit, list, save, and load programs that you type. It simulates the IBM's BASIC line editor.

Using The Automatic Proofreader

Once the Proofreader is active, try typing in a line. As soon as you press RETURN, either a number (on the Commodore) or a pair of letters

(Atari or IBM) appears. The number or pair of letters is called a *checksum*. Try making a change in the line, and notice how the checksum

changes.

All you need to do is compare the value provided by the Proofreader with the checksum printed in the program listing in the magazine. In Commodore listings, the checksum is a number from 0 to 255. It is set off from the rest of the line with rem. This prevents a syntax error if the checksum is typed in, but the REM statements and checksums need not be typed in. It is just there for your information.

In Atari and IBM listings, the checksum is given to the left of each line number. Just type in the program, a line at a time (without the printed checksum) and compare the checksum generated by the Proofreader to the checksum in the listing. If they match, go on to the next line. If not, check your typing: You've made a mistake. On the Commodore and Atari Proofreader, spaces are not counted as part of the checksum, and no check is made to see that you've typed in the characters in the right order. If characters are transposed, the checksum will still match the listing. Because of the checksum method used, do not use abbreviations, such as ? for PRINT. However, the Proofreader does catch the majority of typing errors most people make. The IBM Proofreader is even pickier; it will detect errors in spacing and transposition. Also, be sure you leave Caps Lock on, except when you need to enter lowercase characters.

Special Proofreader Notes For Commodore Cassette Users

The Proofreader resides in the cassette buffer. which is used during tape LOADs and SAVEs. Be sure to press RUN/STOP-RESTORE before you save or load a program, to get the Proofreader out of the way. If you want to use the Proofreader with tape, run the Proofreader, then enter these two lines exactly as shown, pressing RETURN after each one:

A\$="PROOFREADER.T":B\$="{10 SPACES}" :FORX=1TO4:A\$=A\$+B\$:NEXT

FORX = 886TO1018: A\$ = A\$ + CHR\$(PEEK(X)):NEXT:OPEN 1,1,1,A\$:CLOSE1

Then press RECORD and PLAY on a blank tape, and a special version of the Proofreader will be saved to tape. Anytime you need to reload the Proofreader after it has been erased, just rewind the tape, type OPEN1:CLOSE1, then press PLAY. When READY comes back, enter SYS 886.

IBM Proofreader Commands

Since the IBM Proofreader replaces the computer's normal BASIC line editor, it has to include

many of the direct-mode IBM BASIC commands. The syntax is identical to IBM BASIC. Commands simulated are LIST, LLIST, NEW, FILES, SAVE, and LOAD. When listing your program, press any key (except Ctrl-Break) to stop the listing. If you enter NEW, the Proofreader will prompt you to press Y to be especially sure you mean yes.

Two new commands are BASIC and CHECK, BASIC exits the Proofreader back to IBM BASIC, leaving the Proofreader in memory. CHECK works just like LIST, but shows the checksums along with the listing. After you have typed in a program, save it to disk. Then exit the Proofreader with the BASIC command, and load the program into the normal BASIC environment (this will replace the Proofreader in memory). You can now run the program, but you may want to resave it to disk. This will shorten it on disk and make it load faster, but it can no longer be edited with the Proofreader. If you want to convert a program to Proofreader format, save it to disk with SAVE "filename", A.

Program 1: VIC/64 Proofreader

100 PRINT"{CLR}PLEASE WAIT...":FORI=886T010 18: READA: CK=CK+A: POKEI, A: NEXT

110 IF CK <> 17539 THEN PRINT" [DOWN] YOU MADE [SPACE] AN ERROR": PRINT" IN DATA STATEMEN TS. ": END

120 SYS886:PRINT"[CLR][2 DOWN]PROOFREADER A CTIVATED.": NEW

886 DATA 173,036,003,201,150,208

892 DATA Ø01,096,141,151,003,173

898 DATA 037,003,141,152,003,169

904 DATA 150,141,036,003,169,003

910 DATA 141,037,003,169,000,133 916 DATA 254,096,032,087,241,133

922 DATA 251,134,252,132,253,008

928 DATA 201,013,240,017,201,032

934 DATA 240,005,024,101,254,133

940 DATA 254,165,251,166,252,164 946 DATA 253,040,096,169,013,032

952 DATA 210,255,165,214,141,251

958 DATA 003,206,251,003,169,000

964 DATA 133,216,169,019,032,210

970 DATA 255,169,018,032,210,255

976 DATA 169,058,032,210,255,166

982 DATA 254,169,000,133,254,172 988 DATA 151,003,192,087,208,006

994 DATA 032,205,189,076,235,003

1000 DATA 032,205,221,169,032,032

1006 DATA 210,255,032,210,255,173

1012 DATA 251,003,133,214,076,173

1018 DATA 003

Program 2: Atari Proofreader

100 GRAPHICS 0

110 FOR I=1536 TO 1700:READ A:POK

E I, A: CK = CK + A: NEXT I

IF CK +> 19072 THEN ? "ERROR IN DATA STATEMENTS CHECK TYPI NG.": END

A=USR(1536) 130

? :? "AUTOMATIC PROOFREADER N OW ACTIVATED."

150 END

1536 DATA 104,160,0,185,26,3 1542 DATA 201,69,240,7,200,200 1548 DATA 192,34,208,243,96,200 1554 DATA 169,74,153,26,3,200 1560 DATA 169,6,153,26,3,162 1566 DATA 0,189,0,228,157,74 1572 DATA 6,232,224,16,208,245 1578 DATA 169,93,141,78,6,169 1584 DATA 6,141,79,6,24,173 1590 DATA 4,228,105,1,141,95 1596 DATA 6,173,5,228,105,0 1602 DATA 141,96,6,169,0,133 1608 DATA 203,96,247,238,125,241 1614 DATA 93,6,244,241,115,241 1620 DATA 124,241,76,205,238,0 1626 DATA 0,0,0,0,32,62 1632 DATA 246,8,201,155,240,13 1638 DATA 201,32,240,7,72,24 1644 DATA 101,203,133,203,104,40 1650 DATA 96,72,152,72,138,72 1656 DATA 160,0,169,128,145,88 1662 DATA 200, 192, 40, 208, 249, 165 1668 DATA 203,74,74,74,74,24 1674 DATA 105,161,160,3,145,88 1680 DATA 165,203,41,15,24,105 1686 DATA 161,200,145,88,169,0 1692 DATA 133,203,104,170,104,168 1698 DATA 104,40,96

Program 3: IBM Proofreader

- 100 DIM L\$(500), LNUM(500): COLOR 0,7,7:K EY OFF: CLS: MAX=0: LNUM(0)=65536!
- 110 ON ERROR GOTO 120:KEY 15, CHR\$(4)+CH R\$(70):ON KEY(15) GOSUB 640:KEY (15) ON:GOTO 130
- 120 RESUME 130
- 130 DEF SEG=&H40:W=PEEK(&H4A)
- 140 ON ERROR GOTO 650:PRINT:PRINT"Proof reader Ready."
- 150 LINE INPUT L\$:Y=CSRLIN-INT(LEN(L\$)/
 W)-1:LOCATE Y,1
- 160 DEF SEG=0:POKE 1050,30:POKE 1052,34 :POKE 1054,0:POKE 1055,79:POKE 1056 ,13:POKE 1057,28:LINE INPUT L\$:DEF SEG:IF L\$="" THEN 150
- 170 IF LEFT\$(L\$,1)=" " THEN L\$=MID\$(L\$, 2):GOTO 170
- 180 IF VAL(LEFT\$(L\$,2))=0 AND MID\$(L\$,3,1)=" " THEN L\$=MID\$(L\$,4)
- 190 LNUM=VAL(L\$):TEXT\$=MID\$(L\$,LEN(STR\$ (LNUM))+1)
- 200 IF ASC(L\$)>57 THEN 260 'no line num ber, therefore command
- 210 IF TEXT\$="" THEN GOSUB 540: IF LNUM= LNUM(P) THEN GOSUB 560: GOTO 150 ELS E 150 'delete line
- 220 CKSUM=0:FOR I=1 TO LEN(L\$):CKSUM=(C KSUM+ASC(MID\$(L\$,I))*I) AND 255:NEX T:LOCATE Y,1:PRINT CHR\$(65+CKSUM/16)+CHR\$(65+(CKSUM AND 15))+" "+L\$
- 230 GOSUB 540: IF LNUM(P)=LNUM THEN LS(P)=TEXTS: GOTO 150 'replace line
- 240 GOSUB 580:GOTO 150 'insert the line
- 250 'command processor. step 1: conver t to uppercase
- 260 TEXTS="":FOR I=1 TO LEN(L\$):A=ASC(M ID\$(L\$,I)):TEXT\$=TEXT\$+CHR\$(A+32*(A >96 AND A<123)):NEXT

- 270 DELIMITER=INSTR(TEXT\$," "):COMMAND\$
 =TEXT\$:ARG\$="":IF DELIMITER THEN CO
 MMAND\$=LEFT\$(TEXT\$,DELIMITER-1):ARG
 \$=MID\$(TEXT\$,DELIMITER+1) 'separate
 command from argument
- 280 IF COMMANDS (>"LIST" THEN 410
- 290 OPEN "scrn:" FOR OUTPUT AS #1
- 300 IF ARG\$="" THEN FIRST=0:P=MAX-1:GOT O 340
- 310 DELIMITER=INSTR(ARG\$,"-"):IF DELIMI TER=0 THEN LNUM=VAL(ARG\$):GOSUB 540 :FIRST=P:GOTO 340
- 329 FIRST=VAL(LEFT*(ARG*,DELIMITER)):LA ST=VAL(MID*(ARG*,DELIMITER+1))
- 330 LNUM=FIRST:GOSUB 540:FIRST=P:LNUM=L AST:GOSUB 540:IF P=0 THEN P=MAX-1
- 340 FOR X=FIRST TO P:N\$=MID\$(STR\$(LNUM(X)),2)+" "
- 350 IF CKFLAG=0 THEN A\$="":GOTO 370
- 360 CKSUM=0:A\$=N\$+L\$(X):FOR I=1 TO LEN(A\$):CKSUM=(CKSUM+ASC(MID\$(A\$,I))*I) AND 255:NEXT:A\$=CHR\$(65+CKSUM/16)+ CHR\$(65+(CKSUM AND 15))+" "
- 370 PRINT #1, A\$+N\$+L\$(X)
- 380 IF INKEYS (>"" THEN X=P
- 390 NEXT : CLOSE #1: CKFLAG=0
- 400 GOTO 130
- 410 IF COMMAND\$="LLIST" THEN OPEN "IPt1 :" FOR OUTPUT AS #1:GOTO 300
- 420 IF COMMAND\$="CHECK" THEN CKFLAG=1:G OTO 290
- 430 IF COMMAND\$ (> "SAVE" THEN 450
- 440 GOSUB 600:OPEN ARG\$ FOR OUTPUT AS # 1:ARG\$="":GOTO 300
- 450 IF COMMAND\$ (>"LOAD" THEN 490
- 460 GOSUB 600:OPEN ARGS FOR INPUT AS #1 :MAX=0:P=0
- 470 WHILE NOT EOF(1):LINE INPUT #1,L\$:L
 NUM(P)=VAL(L\$):L\$(P)=MID\$(L\$,LEN(ST
 R\$(VAL(L\$)))+1):P=P+1:WEND
- 480 MAX=P:CLOSE #1:GOTO 130
- 490 IF COMMANDs="NEW" THEN INPUT "Erase program Are you sure"; L\$:IF LEFT \$(L\$,1)="Y" THEN MAX=0:GOTO 130:ELSE 130
- 500 IF COMMAND\$="BASIC" THEN COLOR 7.0, 0:ON ERROR GOTO 0:CLS:END
- 510 IF COMMAND = "FILES" THEN FILES: GOTO
- 520 PRINT"Syntax error": GOTO 130
- 530 'find line
- 540 P=0:WHILE LNUM>LNUM(P) AND P<MAX:P= P+1:WEND:RETURN
- 550 'delete line
- 560 MAX=MAX-1:FOR X=P TO MAX:LNUM(X)=LN UM(X+1):L\$(X)=L\$(X+1):NEXT:RETURN
- 570 'insert line
- 580 MAX=MAX+1:FOR X=MAX TO P+1 STEP -1: LNUM(X)=LNUM(X-1):L\$(X)=L\$(X-1):NEX T:L\$(P)=TEXT\$:LNUM(P)=LNUM:RETURN
- 590 'filename adjustments
- 600 IF LEFT\$(ARG\$,1)<>CHR\$(34) THEN 520 ELSE ARG\$=MID\$(ARG\$,2)
- 610 IF RIGHT\$(ARG\$,1)=CHR\$(34) THEN ARG \$=LEFT\$(ARG\$,LEN(ARG\$)-1)
- 620 IF INSTR(ARG\$,".")=0 THEN ARG\$=ARG\$
 +".BAS"
- 630 RETURN
- 640 PRINT"Stopped.":RETURN 150
- 650 PRINT "Error #"; ERR: RESUME 150

Machine Language Entry Program For Commodore 64 And Unexpanded VIC-20

Charles Brannon, Program Editor

MLX is a labor-saving utility that allows almost fail-safe entry of machine language programs published in COMPUTE!. You need to know nothing about machine language to use MLX—it was designed for everyone.

MLX is a new way to enter long machine language (ML) programs with a minimum of fuss. MLX lets you enter the numbers from a special list that looks similar to BASIC DATA statements. It checks your typing on a line-by-line basis. It won't let you enter illegal characters when you should be typing numbers. It won't let you enter numbers greater than 255 (forbidden in ML). It won't let you enter the wrong numbers on the wrong line. In addition, MLX creates a ready-to-use tape or disk file.

Using MLX

Type in and save the appropriate version of MLX (you'll want to use it in the future). When you're ready to type in an ML program, run MLX. MLX for the 64 asks you for two numbers: the starting address and the ending address. These numbers are given in the article accompanying the ML program. Tiny MLX for the unexpanded VIC does not ask for the starting and ending address of the program to be entered. Instead, this information must be included in line 210. The values in line 210 of Tiny MLX as listed here are for the "Spiders" program in this issue. Line 100 will also have to be adjusted for each program you type in with Tiny MLX. Refer to the program's article for details.

When you run MLX, you'll see a prompt corresponding to the starting address. The prompt is the current line you are entering from the listing. It increases by six each time you enter a line. That's because each line has seven numbers—six actual data numbers plus a *checksum number*. The checksum verifies that you typed the previous six numbers correctly. If you enter any of the six numbers wrong, or enter the checksum wrong, the computer rings a buzzer and prompts you to reenter the line. If you enter it correctly, a bell tone sounds and you continue to the next line.

MLX accepts only numbers as input. If you make a typing error, press the INST/DEL key;

the entire number is deleted. You can press it as many times as necessary back to the start of the line. If you enter three-digit numbers as listed, the computer automatically prints the comma and goes on to accept the next number. If you enter less than three digits, you can press either the space bar or RETURN key to advance to the next number. The checksum automatically appears in inverse video for emphasis.

To simplify your typing, 64 MLX redefines part of the keyboard as a numeric keypad (lines 581–584):

64 MLX Commands

When you finish typing an ML listing (assuming you type it all in one session), you can then save the completed program on tape or disk. Follow the screen instructions. If you get any errors while saving, you probably have a bad disk, or the disk is full, or you've made a typo when entering the MLX program itself.

You don't have to enter the whole ML program in one sitting. MLX lets you enter as much as you want, save it, and then reload the file from tape or disk later. 64 MLX recognizes these commands:

SHIFT-S: Save SHIFT-L: Load SHIFT-N: New Address SHIFT-D: Display

When you enter a command, MLX jumps out of the line you've been typing, so we recommend you do it at a new prompt. Use the Save command to save what you've been working on. It will save on tape or disk as if you've finished, but the tape or disk won't work, of course, until you finish the typing. Remember what address you stop at. The next time you run MLX, answer all the prompts as you did before, then insert the disk or tape. When you get to the entry prompt, press SHIFT-L to reload the partly completed file into memory. Then use the New Address command to resume typing.

To use the New Address command, press SHIFT-N and enter the address where you previously stopped. The prompt will change, and you can then continue typing. Always enter a New Address that matches up with one of the line numbers in the special listing, or else the checksum won't work. The Display command lets you display a section of your typing. After you press SHIFT-D, enter two addresses within the line number range of the listing. You can abort the listing by pressing any key.

Tiny MLX Commands

To squeeze Tiny MLX into the unexpanded VIC and still leave room for the ML program being entered, all the special commands of the 64 version had to be omitted, as well as the provision for the redefined keyboard. Since Tiny MLX has no provisions for reloading a partially completed program, you must enter all the ML data in one sitting. When you finish typing an ML listing, you can then save the completed program on tape or disk. Follow the screen instructions. If you get any errors while saving, you probably have a bad disk, or the disk is full, or you made a typo when entering the MLX program itself.

Program 1: 64 MLX

10	REM LINES CHANGED FROM MLX VERSION	ON 2.00
	[SPACE] ARE 750,765,770 AND 860	:rem 50
20	REM LINE CHANGED FROM MLX VERSION	1 2.01 I
98.	C 300	rem 147
100	PRINT"{CLR}E63"; CHR\$(142); CHR\$(8	B);:POKE
	53281,1:POKE53280,1	:rem 67
101	POKE 788,52: REM DISABLE RUN/STOR	
		rom 110
110	PRINT" [RVS] [39 SPACES]";	rem 176
120	PRINT"[RVS][14 SPACES][RIGHT][OF	F} [*]£
	[RVS] [RIGHT] [RIGHT] [2 SPACES] [{OFF}
-	[*]£[RVS]£[RVS][14 SPACES]"; :re	em 250
130	PRINT." [RVS] [14 SPACES] [RIGHT] [0	KE
	[RIGHT] [2 RIGHT] [OFF] £[RVS] £[. 3
	{OFF}E*}{RVS}{14 SPACES}"; PRINT"{RVS}{41 SPACES}"	:rem 35
140	PRINT" [RVS] [41 SPACES]"	rem 120
200	PRINT" [2 DOWN] [PUR] [BLK] MACHINE	
	GE EDITOR VERSION 2.02[5 DOWN]":	rem 238
210	PRINT"[5][2 UP]STARTING ADDRESS	
26.5	[8 SPACES][9 LEFT]";	rem 143
	INPUTS:F=1-F:C\$=CHR\$(31+119*F)	
220	IFS<2560R(S>40960ANDS<49152)ORS	
	ENGOSUB3000:GOTO210	rem 235
		rem 180
230	PRINT"[5][2 UP]ENDING ADDRESS? [8 SPACES][9 LEFT]";:INPUTE:F=1-	D 00-011
		:rem 20
240	R\$(31+119*F) IFE<256OR(E>40960ANDE<49152)ORE>	
240		rem 183
250	IFE < STHENPRINTC\$; " {RVS} ENDING <	CMADW
250	[2 SPACES]":GOSUBI000:GOTO 230:	SIARI
260		rem 179
	PRINT"{CLR}";CHR\$(14):AD=S	:rem 56
310		(AD) 2)
310	,5);":";	:rem 33
315	FORJ=ATO6	:rem 33
	GOSUB570:IFN=-1THENJ=J+N:GOTO320	
1		rem 228
390	IFN=-211THEN 710	:rem 62
100		

	IFN=-206THENPRINT: INPUT" { DOWN }E	
	ADDRESS"; ZZ	:rem 44
415	IFN=-206THENIFZZ <sorzz>ETHENPRI</sorzz>	
	OUT OF RANGE":GOSUB1000:GOTO410	
417	IFN=-206THENAD=ZZ:PRINT:GOTO310	
	IF N<>-196 THEN 480	:rem 133
430	PRINT: INPUT "DISPLAY: FROM"; F: PRI	NT, "TO";
	:INPUTT	:rem 234
440	IFF < SORF > EORT < SORT > ETHENPRINT "A	
	;S; "{LEFT}, NOT MORE THAN"; E:GO	TO43Ø
		:rem 159
450	FORI=FTOTSTEP6:PRINT:PRINTRIGHT	\$("0000"
	+MID\$(STR\$(1),2),5);":";	:rem 30
451		T\$("ØØ"+
	MID\$(STR\$(N),2),3);",";	:rem 66
460	GETAS: IFAS> " "THENPRINT: PRINT: GO	T031Ø
		:rem 25
470	NEXTK: PRINTCHR\$ (20); : NEXTI: PRIN	T:PRINT:
	GOTO310	:rem 50
480	IFN<Ø THEN PRINT:GOTO31Ø	:rem 168
490	A(J)=N:NEXTJ	:rem 199
	CKSUM=AD-INT(AD/256)*256:FORI=1	
	M=(CKSUM+A(I))AND255:NEXT	:rem 200
510	PRINTCHR\$(18);:GOSUB570:PRINTCH	
		:rem 94
511	IFN=-1THENA=6:GOTO315	:rem 254
515		:rem 122
520	PRINT:PRINT"LINE ENTERED WRONG	: RE-ENT
320	ER":PRINT:GOSUBIØØ0:GOTO310	:rem 176
E 20	GOSUB2000	:rem 218
And the second second		The second secon
540	FORI=1T06:POKEAD+I-1,A(I):NEXT:	
	2,0:POKE54273,0	:rem 227
550	AD=AD+6:IF AD <e 310<="" td="" then=""><td>:rem 212</td></e>	:rem 212
560	GOTO 710	:rem 108
570	N=Ø:Z=Ø	:rem 88
580	PRINT"E£3"; GETA\$:IFA\$=""THEN581	:rem 81
581	CEPTAS • TEAS=""THENSE!	
		:rem 95
582	AV=-(A\$="M")-2*(A\$=",")-3*(A\$="	.")-4*(A
582	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L")	.")-4*(A :rem 41
	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(.")-4*(A :rem 41 (A\$="0"):
582 583	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø"	.")-4*(A :rem 41 (A\$="O"): :rem 134
582 583 584	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV)	")-4*(A :rem 41 A\$="0"): :rem 134 :rem 134
582 583	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13	:")-4*(A :rem 41 (A\$="0"): :rem 134 :rem 134 30RA=440R
582 583 584 585	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø	.")-4*(A :rem 41 (A\$="0"): :rem 134 :rem 134 30RA=440R :rem 229
582 583 584 585 590	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN	.")-4*(A :rem 41 (A\$="0"): :rem 134 :rem 134 :ORA=44OR :rem 229 :rem 137
582 583 584 585 590 600	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<>2Ø THEN 63Ø	.")-4*(A :rem 41 (A\$="0"): :rem 134 :rem 134 :ORA=440R :rem 229 :rem 137 :rem 10
582 583 584 585 590	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<>2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E	.")-4*(A :rem 41 (A\$="0"): :rem 134 :rem 134 :ORA=440R :rem 229 :rem 137 :rem 10
582 583 584 585 590 600 610	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<>2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF}{LEFT} {LEFT}";:GOTO69Ø	")-4*(A :rem 41 (A\$="0"): :rem 134 :rem 134 :RA=440R :rem 229 :rem 137 :rem 10 PRINT" :rem 62
582 583 584 585 590 600 610	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<>2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E	")-4*(A :rem 41 (A\$="0"): :rem 134 :rem 134 :RA=440R :rem 229 :rem 137 :rem 10 PRINT" :rem 62 :rem 109
582 583 584 585 590 600 610 620	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<>2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF}{LEFT} {LEFT}";:GOTO69Ø	")-4*(A :rem 41 (A\$="0"): :rem 134 :rem 134 :RA=440R :rem 229 :rem 137 :rem 10 PRINT" :rem 62
582 583 584 585 590 600 610 620 630 640	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA>2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF}{LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<48ORA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48	")-4*(A :rem 41 (AS="0"): :rem 134 :rem 134 :rem 137 :rem 137 :rem 10 PRINT" :rem 62 :rem 109 :rem 105 :rem 106
582 583 584 585 590 600 610 620 630 640	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<>2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:F {OFF}{LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<48ORA>57THEN58Ø	")-4*(A :rem 41 (AS="0"): :rem 134 :rem 134 :rem 137 :rem 137 :rem 10 PRINT" :rem 62 :rem 109 :rem 105 :rem 106
582 583 584 585 590 600 610 620 630 640	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA>2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF}{LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<48ORA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48	")-4*(A :rem 41 (AS="0"): :rem 134 :rem 134 :rem 137 :rem 137 :rem 10 PRINT" :rem 62 :rem 109 :rem 105 :rem 106
582 583 584 585 590 600 610 620 630 640 650	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<>2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF} {LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<48ORA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<3THEN58Ø	")-4*(A :rem 41 AS="0"): :rem 134 :rem 134 :rem 137 :rem 137 :rem 10 PRINT" :rem 62 :rem 109 :rem 105 :rem 106
582 583 584 585 590 600 610 620 630 640 650 660 670	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF} {LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<48ORA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø	")-4*(A :rem 41 AS="0"): :rem 134 :rem 134 :rem 134 :RA=440R :rem 129 :rem 137 :rem 10 :rem 109 :rem 105 :rem 106 :rem 106 :rem 106 :rem 229
582 583 584 585 590 600 610 620 630 640 650 660 670	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF} {LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<48ORA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø	")-4*(A :rem 41 AS="0"): :rem 134 :rem 134 :RA=440R :rem 229 :rem 137 :rem 10 PRINT" :rem 62 :rem 109 :rem 105 :rem 106 06000000000000000000000000000000000
582 583 584 585 590 600 610 620 630 640 650 660 670 680	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<>2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF} {LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<48ORA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<3THEN58Ø	")-4*(A :rem 41 A\$="0"): :rem 134 :rem 134 :rem 29 :rem 10 ?RINT" :rem 62 :rem 109 :rem 105 :rem 105 :rem 105 :rem 229 :rem 229 :rem 229 :rem 114 :rem 240
582 583 584 585 590 600 610 620 630 640 650 660 670 680	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA>2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF} {LEFT} {LEFT}";:GOTO69Ø GOTO57Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN S%=PEEK(2Ø9)+256*PEEK(21Ø)+PEER	")-4*(A :rem 41 A\$="0"): :rem 134 :rem 134 :rem 29 :rem 10 ?RINT" :rem 62 :rem 109 :rem 105 :rem 105 :rem 105 :rem 229 :rem 229 :rem 229 :rem 114 :rem 240
582 583 584 585 590 600 610 620 630 640 650 660 670 680 690	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA>2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF} {LEFT} {LEFT}";:GOTO69Ø GOTO57Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN S%=PEEK(2Ø9)+256*PEEK(21Ø)+PEER	")-4*(A :rem 41 A\$="0"): :rem 134 :rem 134 :RINT": :rem 109 :rem 109 :rem 109 :rem 105 :rem 106 :rem 229 :rem 106 :rem 229 :rem 114 :rem 240 ((211):rem 149
582 583 584 585 590 600 610 620 630 640 650 660 670 680 690	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA>2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF} {LEFT} {LEFT}";:GOTO69Ø GOTO57Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN S%=PEEK(2Ø9)+256*PEEK(21Ø)+PEER	")-4*(A :rem 41 A\$="0"): :rem 134 :rem 134 :RINT": :rem 109 :rem 109 :rem 109 :rem 105 :rem 106 :rem 229 :rem 106 :rem 229 :rem 114 :rem 240 ((211):rem 149 :rem 67
582 583 584 585 590 600 610 620 630 640 650 660 670 680 690	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF} {LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<480RA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN \$%=PEEK(2Ø9)+256*PEEK(21Ø)+PEEK FORI=1TO3:T=PEEK(\$%-I)	")-4*(A :rem 41 A\$="0"): :rem 134 :rem 134 :RINT": :rem 10 PRINT": :rem 109 :rem 105 :rem 105 :rem 106 CO600 :rem 229 :rem 114 :rem 240 ((211):rem 149 :rem 67
582 583 584 585 590 600 610 620 630 640 650 660 690 691 695	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:IFA=13 GOTO57Ø IFA<48ORA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN S%=PEEK(2Ø9)+256*PEEK(21Ø)+PEER FORI=1TO3:T=PEEK(S%-I) IFT<>44ANDT<>58THENPOKES%-I,32:	")-4*(A :rem 41 A\$="0"): :rem 134 :rem 134 :RORA=440R :rem 229 :rem 109 :rem 109 :rem 109 :rem 106 :rem 229 :rem 106 :rem 229 :rem 114 :rem 240 ((211) :rem 149 :rem 149 :rem 67
582 583 584 585 590 600 610 620 630 640 650 660 690 691 695	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF} {LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<480RA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN \$%=PEEK(2Ø9)+256*PEEK(21Ø)+PEEK FORI=1TO3:T=PEEK(\$%-I)	")-4*(A :rem 41 A\$="0"): :rem 134 :rem 134 :RINT": :rem 109 :rem 109 :rem 105 :rem 106 :rem 229 :rem 106 :rem 229 :rem 106 :rem 229 :rem 114 :rem 240 ((211): :rem 149 :rem 67 :NEXT: :rem 205
582 583 584 585 590 600 610 620 630 640 650 660 670 680 691 695 700	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA>128THENN=-A:RETURN IFA>2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF}{LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<48ORA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOTO Z=Z+1:IFZ<3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN S%=PEEK(2Ø9)+256*PEEK(21Ø)+PEEK FORI=1TO3:T=PEEK(S%-I) IFT<>44ANDT<>58THENPOKES%-I,32:PRINTLEFT\$("{3 LEFT}",I-1);:RET	")-4*(A :rem 41 AS="0"): :rem 134 :rem 134 :rem 134 :rem 137 :rem 137 :rem 137 :rem 137 :rem 145 :rem 145 :rem 146 :rem 248 ((211) :rem 149 :rem 245 :rem 24
582 583 584 585 590 600 610 620 630 640 650 660 670 680 691 695 700	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:IFA=13 GOTO57Ø IFA<48ORA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN S%=PEEK(2Ø9)+256*PEEK(21Ø)+PEER FORI=1TO3:T=PEEK(S%-I) IFT<>44ANDT<>58THENPOKES%-I,32:	")-4*(A :rem 41 AS="0"): :rem 134 :rem 134 :rem 134 :rem 129 :rem 10 :rem 114 :rem 240 ((211) :rem 149 :rem 67 :NEXT :rem 205 :rem 7 DOWN}"
582 583 584 585 590 600 610 620 630 640 650 680 690 691 695 700	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<>2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF}{LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<48ORA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOTO Z=Z+1:IFZ<3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN S%=PEEK(2Ø9)+256*PEEK(21Ø)+PEEK FORI=1TO3:T=PEEK(S%-I) IFT<>44ANDT<>58THENPOKES%-I,32: PRINTLEFT\$("{3 LEFT}",I-1);:RETURN PRINT"{CLR}{RVS}*** SAVE ***{3	")-4*(A :rem 41 AS="0"): :rem 134 :rem 134 :rem 134 :rem 137 :rem 10 PRINT" :rem 62 :rem 109 :rem 105 :rem 106 PRINT" :rem 106 PRINT" :rem 114 :rem 240 (211) :rem 149 :rem 67 :NEXT :rem 205 PURN :rem 7 DOWN}" :rem 236
582 583 584 585 590 600 610 620 630 640 650 680 690 691 695 700	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN-A:RETURN IFA<\2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF}{LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<48ORA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN S%=PEEK(2Ø9)+256*PEEK(21Ø)+PEEF FORI=1TO3:T=PEEK(S%-I) IFT<>44ANDT<>58THENPOKES%-I,32: PRINTLEFT\$("{3 LEFT}",I-1);:RETURN PRINT"{CLR}{RVS}*** SAVE ***{3} PRINT"{2 DOWN}(PRESS {RVS}RETUR)	")-4*(A :rem 41 A\$="0"): :rem 134 :rem 134 :rem 134 :rem 137 :rem 16 PRINT" :rem 62 :rem 109 :rem 105 :rem 106 PRINT" :rem 114 :rem 240 (211) :rem 149 :rem 67 :NEXT :rem 205 PURN :rem 7 DOWN}" :rem 236 RN{OFF} A
582 583 584 585 590 600 610 620 630 640 650 660 670 680 691 695 700 715	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<\2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:F {OFF} {LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<480RA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN S\$=PEEK(2Ø9)+256*PEEK(21Ø)+PEEF FORI=1TO3:T=PEEK(\$\$-I) IFT<>44ANDT<>58THENPOKES\$-I,32: PRINTLEFT\$("{3 LEFT}",I-1);:RET PRINT"{CLR}{RVS}*** SAVE ***{3} PRINT"{2 DOWN}(PRESS {RVS}RETUILONE TO CANCEL SAVE){DOWN}"	")-4*(A :rem 41 A\$="0"): :rem 134 :rem 134 :rem 134 :rem 137 :rem 16 PRINT" :rem 62 :rem 109 :rem 105 :rem 106 PRINT" :rem 106 PRINT" :rem 106 PRINT" :rem 107 :rem 108 PRINT" :rem 240 PRINT :rem 240 PR
582 583 584 585 590 600 610 620 630 640 650 670 680 690 691 695 700 715	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN-A:RETURN IFA<\2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF} {LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<48ORA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN S%=PEEK(2Ø9)+256*PEEK(21Ø)+PEEK FORI=1TO3:T=PEEK(S%-I) IFT<>44ANDT<>58THENPOKES%-I,32: PRINTLEFT\$("{3 LEFT}",I-1);:RET PRINT"{CLR}{RVS}*** SAVE ***{3} PRINT"{2 DOWN} (PRESS {RVS}RETUR LONE TO CANCEL SAVE){DOWN}" F\$="":INPUT"{DOWN} FILENAME";FS	")-4*(A :rem 41 A\$="0"): :rem 134 :rem 134 :rem 134 :rem 137 :rem 16 PRINT" :rem 62 :rem 109 :rem 105 :rem 106 PRINT" :rem 114 :rem 240 (211) :rem 149 :rem 67 :NEXT :rem 205 PURN :rem 236 RN{OFF} A :rem 106 \$:IFF\$=""
582 583 584 585 590 600 610 620 630 640 650 680 690 691 695 700 715 720	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<\2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:F {OFF} {LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<\48ORA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<\3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN S\$=PEEK(2Ø9)+256*PEEK(21Ø)+PEEF FORI=1TO3:T=PEEK(S\$-I) IFT<\44ANDT<\>58THENPOKES\$-I,32: PRINT"{CLR} {RVS}*** SAVE ***{3} PRINT"{2 DOWN} (PRESS {RVS}RETUR) LONE TO CANCEL SAVE) {DOWN}" F\$="":INPUT"{DOWN} FILENAME";FSTHENPRINT:PRINT:GOTO31Ø	")-4*(A :rem 41 A\$="0"): :rem 134 :rem 134 :rem 134 :rem 137 :rem 18 PRINT" :rem 62 :rem 109 :rem 105 :rem 106 PRINT" :rem 14 :rem 240 (211) :rem 149 :rem 67 :NEXT :rem 205 PURN :rem 236 PRINT" :rem 240 (211) :rem 149 :rem 67 :NEXT :rem 205 PURN :rem 7 DOWN}" :rem 236 PRINT = 106 \$\frac{8}{8} \frac{1}{1} \text{Coff} A \frac{1}{1
582 583 584 585 590 600 610 620 630 640 650 680 690 710 715 720 730	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<\2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:F {OFF} {LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<\480RA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<\3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN S\$=PEEK(2Ø9)+256*PEEK(21Ø)+PEEK FORI=1TO3:T=PEEK(S\$-I) IFT<\44ANDT<\>58THENPOKES\$-I,32: PRINT"{CLR} {RVS}*** SAVE ***{3} PRINT"{2 DOWN} (PRESS {RVS}RETUR) FORI=1TO3:T=PEEK(S\$-I) IFT<\94ANDT<\958THENPOKES\$-I,32: THENPRINT"{2 DOWN} FILENAME";FS THENPRINT:PRINT:GOTO31Ø PRINT:PRINT"{2 DOWN} fRVS}T{OFF	")-4*(A :rem 41 A\$="0"): :rem 134 :rem 134 :rem 134 :rem 137 :rem 18 PRINT" :rem 62 :rem 105 :rem 105 :rem 105 :rem 105 :rem 105 :rem 149 :rem 248 (211) :rem 149 :rem 67 :NEXT :rem 205 FURN :rem 205 FURN :rem 236 RN{0FF} A :rem 106 :IFF\$="" :rem 71 APE OR
582 583 584 585 590 600 610 620 630 640 650 680 690 710 715 720 730	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<\2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:E {OFF} {LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<\480RA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<\3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN S\$=PEEK(2Ø9)+256*PEEK(21Ø)+PEEE FORI=1TO3:T=PEEK(S\$-I) IFT<\44ANDT<\>58THENPOKES\$-I,32: PRINT"{CLR} {RVS}*** SAVE ***{3} PRINT"{2 DOWN} (PRESS {RVS}RETUR) FORI=TO CANCEL SAVE) {DOWN}" F\$="":INPUT"{DOWN} FILENAME";FSTHENPOKES\$-I,32: THENPRINT:PRINT:GOTO31Ø PRINT:PRINT"{2 DOWN} {RVS}T{OFF} {RVS}D{OFF}ISK: (T/D)"	")-4*(A :rem 41 A\$="0"): :rem 134 :rem 134 :rem 134 :rem 137 :rem 18 PRINT" :rem 62 :rem 105 :rem 105 :rem 106 PRINT" :rem 14 :rem 240 (211) :rem 149 :rem 67 :NEXT :rem 205 PURN :rem 205 PURN :rem 205 PURN :rem 206 PURN :rem 208 PURN :rem 206 PURN :rem 206 PURN :rem 206 PURN :rem 206 PURN :rem 208 PURN :rem 2
582 583 584 585 590 600 610 620 630 640 650 680 690 710 715 720 730	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=" \$="J")-5*(A\$="K")-6*(A\$="L") AV=AV-7*(A\$="U")-8*(A\$="I")-9*(IFA\$="H"THENA\$="Ø" IFA\$="H"THENA\$="Ø" IFAV>ØTHENA\$=CHR\$(48+AV) PRINTCHR\$(2Ø);:A=ASC(A\$):IFA=13 A=32THEN67Ø IFA>128THENN=-A:RETURN IFA<\2Ø THEN 63Ø GOSUB69Ø:IFI=1ANDT=44THENN=-1:F {OFF} {LEFT} {LEFT}";:GOTO69Ø GOTO57Ø IFA<\480RA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48 IFN>255 THEN A=2Ø:GOSUB1ØØØ:GOT Z=Z+1:IFZ<\3THEN58Ø IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø PRINT",";:RETURN S\$=PEEK(2Ø9)+256*PEEK(21Ø)+PEEK FORI=1TO3:T=PEEK(S\$-I) IFT<\44ANDT<\>58THENPOKES\$-I,32: PRINT"{CLR} {RVS}*** SAVE ***{3} PRINT"{2 DOWN} (PRESS {RVS}RETUR) FORI=1TO3:T=PEEK(S\$-I) IFT<\94ANDT<\958THENPOKES\$-I,32: THENPRINT"{2 DOWN} FILENAME";FS THENPRINT:PRINT:GOTO31Ø PRINT:PRINT"{2 DOWN} fRVS}T{OFF	")-4*(A :rem 41 A\$="0"): :rem 134 :rem 134 :rem 134 :rem 137 :rem 18 PRINT" :rem 62 :rem 105 :rem 105 :rem 106 PRINT" :rem 14 :rem 240 (211) :rem 149 :rem 67 :NEXT :rem 205 PURN :rem 205 PURN :rem 205 PURN :rem 206 PURN :rem 208 PURN :rem 206 PURN :rem 206 PURN :rem 206 PURN :rem 206 PURN :rem 208 PURN :rem 2

400 IFN=-204THEN 790

410 IFN=-206THENPRINT: INPUT" { DOWN } ENTER NEW

:rem 64

750 DV=1-7*(A\$="D"):IFDV=8THENF\$="0:"+F\$:OP	48Ø IFN<ØTHENPRINT:GOTO31Ø :rem 168 49Ø A(J)=N:NEXTJ :rem 199
EN15,8,15, "S"+F\$:CLOSE15 :rem 212	490 A(J)=N:NEXTJ :rem 199
760 T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(T\$):	500 CKSUM=AD-INT(AD/256)*256:FORI=1T06:CKSU
POKE782,ZK/256 :rem 3 762 POKE781,ZK-PEEK(782)*256:POKE780,LEN(T\$	M=(CKSUM+A(1))AND255:NEXT :rem 200 510 PRINTCHR\$(18);:GOSUB570:PRINTCHR\$(20)
):SYS65469 :rem 109	:rem 234
763 POKE78Ø,1:POKE781,DV:POKE782,1:SYS65466	515 IFN=CKSUMTHEN53Ø :rem 255
:rem 69	520 PRINT: PRINT"LINE ENTERED WRONG": PRINT"R
765 K=S:POKE254,K/256:POKE253,K-PEEK(254)*2	E-ENTER":PRINT:GOSUB1000:GOTO310
56:POKE780,253 :rem 17	:rem 129
766 K=E+1:POKE782,K/256:POKE781,K-PEEK(782)	53Ø GOSUB2ØØØ :rem 218
*256:SYS65496 :rem 235 77Ø IF(PEEK(783)AND1)OR(191ANDST)THEN78Ø	540 FORI=1T06:POKEAD+I-1,A(I):NEXT :rem 80 550 AD=AD+6:IFAD <ethen310 212<="" :rem="" td=""></ethen310>
:rem 111	560 GOTO710 :rem 108
775 PRINT"{DOWN}DONE.{DOWN}":GOTO310	570 N=0:Z=0 :rem 88
:rem 113	560 GOTO710 :rem 108 570 N=0:Z=0 :rem 88 580 PRINT"E+3"; :rem 79
780 PRINT" [DOWN] ERROR ON SAVE. [2 SPACES] TRY	581 GETA\$:1FA\$=""THEN581 :rem 95
AGAIN.":IFDV=1THEN720 :rem 171	585 PRINTCHR\$(20);:A=ASC(A\$):IFA=130RA=440R
781 OPEN15,8,15:INPUT#15,E1\$,E2\$:PRINTE1\$;E	A=32THEN67Ø :rem 229 59Ø IFA>128THENN=-A:RETURN :rem 137
2\$:CLOSE15:GOTO720 :rem 103 790 PRINT"{CLR}{RVS}*** LOAD ***{2 DOWN}"	600 IFA<>20 THEN 630 :rem 10
:rem 212	61@ GOSUB69@:IFI=1ANDT=44THENN=-1:PRINT"
795 PRINT" [2 DOWN] (PRESS [RVS] RETURN [OFF] A	{LEFT} {LEFT}";:GOTO690 :rem 172 620 GOTO570 :rem 109 630 IFA<480RA>57THEN580 :rem 105 640 PRINTA\$;:N=N*10+A-48 :rem 106
LONE TO CANCEL LOAD)" :rem 82	620 GOTO570 :rem 109
800 F\$="":INPUT"{2 DOWN} FILENAME";F\$:IFF\$=	63Ø IFA<480RA>57THEN58Ø :rem 105
""THENPRINT:GOTO310 :rem 144	640 PRINTAS;:N=N*10+A-48 :rem 106
810 PRINT:PRINT"{2 DOWN}{RVS}T{OFF}APE OR {RVS}D{OFF}ISK: (T/D)" :rem 227	650 IFN>255 THEN A=20:GOSUB1000:GOTO600 :rem 229
820 GETA\$:IFA\$<>"T"ANDA\$<>"D"THEN820:rem 34	GGG 7-7-11-TER COMUENTOG - rem 71
830 DV=1-7*(A\$="D"):IFDV=8THENF\$="0:"+F\$	670 IFZ=0THENGOSUB1000:GOTO570 :rem 114
:rem 157	680 PRINT", ";:RETURN :rem 240
840 T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(T\$):	69Ø S%=PEEK(209)+256*PEEK(210)+PEEK(211)
POKE782, ZK/256 :rem 2	692 FORI=1T03:T=PEEK(S%-I) :rem 68
841 POKE781, ZK-PEEK(782) * 256: POKE780, LEN(T\$): SYS65469 :rem 107	695 IFT<>44ANDT<>58THENPOKES%-I,32:NEXT
845 POKE780,1:POKE781,DV:POKE782,1:SYS65466	:rem 205
:rem 70	700 PRINTLEFT\$("{3 LEFT}", I-1);:RETURN
850 POKE780,0:SYS65493 :rem 11	:rem 7
860 IF(PEEK(783)AND1)OR(191ANDST)THEN870	710 PRINT"{CLR}{RVS}*** SAVE ***{3 DOWN}" :rem 236
:rem 111	720 INPUT"{DOWN} FILENAME";F\$:rem 228
865 PRINT"{DOWN}DONE.":GOTO310 :rem 96 870 PRINT"{DOWN}ERROR ON LOAD.{2 SPACES}TRY	730 PRINT: PRINT" {2 DOWN} {RVS}T{OFF}APE OR
AGAIN. (DOWN) :: IFDV=1THEN800 :rem 172	<pre>{RVS}D{OFF}ISK: (T/D)" :rem 228</pre>
880 OPEN15,8,15:INPUT#15,E1\$,E2\$:PRINTE1\$;E	740 GETA\$:IFA\$<>"T"ANDA\$<>"D"THEN740:rem 36
2\$:CLOSE15:GOTO800 :rem 102	750 DV=1-7*(A\$="D"):IFDV=8THENF\$="0:"+F\$
1000 REM BUZZER :rem 135	:rem 158 76Ø T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(T\$):
1001 POKE54296,15:POKE54277,45:POKE54278,16 5 :rem 207	POKE782,ZK/256 :rem 3
5 :rem 207 1002 POKE54276,33:POKE 54273,6:POKE54272,5	762 POKE781, ZK-PEEK (782) *256: POKE780, LEN (T\$
:rem 42):SYS65469 :rem 109
1003 FORT=1T0200:NEXT:POKE54276,32:POKE5427	763 POKE780,1:POKE781,DV:POKE782,1:SYS65466
3,0:POKE54272,0:RETURN :rem 202	:rem 69 765 POKE254,S/256:POKE253,S-PEEK(254)*256:P
2000 REM BELL SOUND :rem 78	OKE780,253 :rem 12
2001 POKE54296,15:POKE54277,0:POKE54278,247 :rem 152	766 POKE782, E/256: POKE781, E-PEEK(782)*256:S
2002 POKE 54276,17:POKE54273,40:POKE54272,0	YS65496 :rem 124
:rem 86	770 IF(PEEK(783)AND1)OR(ST AND191)THEN780
2003 FORT=1T0100:NEXT:POKE54276,16:RETURN	775 PRINTE (POLIN) PONT # TWO
:rem 57	775 PRINT"{DOWN}DONE.":END :rem 106 780 PRINT"{DOWN}ERROR ON SAVE.{2 SPACES}TRY
3000 PRINTCS;" RVS NOT ZERO PAGE OR ROM":GO TO1000 :rem 89	AGAIN. ":IFDV=1THEN720 :rem 171
icia os	781 OPEN15,8,15:INPUT#15,E1\$,E2\$:PRINTE1\$;E
	2\$:CLOSE15:GOTO720 :rem 103
	782 GOTO720 :rem 115
Program 2: VIC Tiny MLX	845 POKE780,1:POKE781,DV:POKE782,1:SYS65466
	1000 REM BELL TONE :rem 250
100 POKE55,0:POKE56,25:CLR :rem 8	1001 POKE36878,15:POKE36874,190 :rem 206
210 S=6405:E=7676 :rem 136	1002 FORW=1T0300:NEXTW :rem 117
300 PRINT"{CLR}";CHR\$(14):AD=S :rem 56	1003 POKE36878,0:POKE36874,0:RETURN :rem 74
310 PRINTRIGHT\$("0000"+MID\$(STR\$(AD),2),5); ":";:FORJ=1T06 :rem 234	2000 REM BELL SOUND :rem 78
":";:FORJ=1T06 :rem 234 320 GOSUB570:IFN=-1THENJ=J+N:GOTO320	2001 FORW=15TOØSTEP-1:POKE36878,W:POKE36876 ,240:NEXTW :rem 22
:rem 228	2002 POKE36876,0:RETURN :rem 119
	, 15m 119

		Printer DIABLO 630 Letter Qual 51648	o/Eta	COMM
	A I J I B	riiilei	S/ElG.	COMMO
	AKI	DIABLO	CITOH	
		630 Letter Qual \$1648	Prowriter \$335 Prowriter II \$569	INTERFACES
		SILVER REED	Prowriter II \$569	The Connection \$85 Bus Card \$149
600XL	CALL	EXP 400 Ltr. Qual \$310	Starwriter \$929 Printmaster \$1198	Cardco G + \$69
ROOXI	CALL	EXP 500 Ltr. Qual \$379 EXP 550 Ltr. Qual \$449	OKIDATA	Cardoo B Call (
© 1984 Atari, Inc., All rig	ter annual	EXP 770 Ltr. Qual. \$888	82A Catl	MSD (IEEE) \$98 (Cardco 5 Slot \$48
		STAR	84P	Grappler C D \$109
DISK DRIVES	INTERFACES	Gemini 10X . , . , \$259 Gemini 15X \$378	92 \$409 93 Call	DIRECT MODEMS
Rana 1000 \$298	Axiom 846 Call Ape Face Call	Gemini 15X \$378	DAISYWRITER	Hesmodem \$53
Astra 2001 \$549 Indus GT \$309	Atari 850 (In Stock) \$169	Delta 10 \$378 Delta 15 \$519	2000 \$995	1650 Automodem \$99
Trak AT-D2 \$329	Interfast 1 \$150 Microbits 1150 Call	Radix 10 \$549	MANNESMANN	1600 Modem Call Westridge Modem Call
Trak AT-1 \$319	R-Verter Call	Radix 15 \$645	160L \$559	80 COLUMN BDS
Trak AT-D4 Call Astra 1620 (Dual) \$499	DIRECT PRINTERS	Power Type Call	Spirit \$299 JUKI	Batteries 80 Col \$149
Percom Call	Axiom AT-100 \$195	TOSHIBA 1340 , \$788	6100 \$419	Video Pak 80 \$129
Atari 1050 \$249	Atari 1027 \$269 Axiom 550 AT \$259	1351\$1299	ABATI	Z80 Video Pak \$209
MEMORIES	Axiom 550 AT \$259 Axiom 700 AT \$469	NEC	LQ 20P Ltr. Qual \$378	64
Microbits 64K (XL) \$115 Mosaic 48K (400) \$98	Atari 1025 \$299	3510 \$1259	PANASONIC	04 SOFTW
Mosaic 64K (400/800) Call	DIRECT MODEMS	3530 \$1259	1090 \$255	MISCELLANEOUS
Mosaic 32K \$68 Atari 64K (600XL) Call	Microbits 1000C \$128	3550	1091 \$309	MAE Assembler (D) \$47
Atari 64K (600XL) Call				VIP Terminal (D) \$38
OTHER	ATARI	MONI		Star Wars (R) \$33 Super Base 64 (D) \$68
400 Keyboard Call	ATR-8000 (64K) \$489	AMDEK V300 G	SAKATA SC100 (Color) \$220	Doodle City (D) \$27
Koala Pad \$87 Chalkboard Pad \$75	ATR-8000 (16K) . \$359 Alien Voice Box \$98	V300 A \$1.40	SC100 (Color) \$239 1000G (Green) \$99	Summer Games (D) . \$27
Bit-3 80 Column \$228	1010 Recorder \$74	V310 G (IBM) \$155	TAXAN	Pitfall II (D) \$25 Decathlon (D) \$25
1 4745166		V310 G (IBM) \$155 V310 A (IBM) \$165	100 Green \$115 105 Amber \$125	Decathlon (D) \$25 50 Mission Crush (D) , \$27
ATARI SO	FIWAKE	Color I+ \$269 Color II+ \$399	105 Amber \$125	IFR. (C/D)
MISCELLANEOUS	GAMESTAR	Color III \$349	210 RGB/Composite \$269 400 RGB Med-Res. \$296	Master Composer (D) . \$27
Syn Calc (D) \$59	Football (C/D) \$21	Color IV (IBM) , \$699	415 RGB Hi-Res \$429	Donkey Kong (R) \$29
Sun File (D) C60	Baseball (C/D) \$21	PRINCETON GRAPHICS	420 RGB Hi-Res.(IBM)\$479	Bruce Lee (D) \$23 Pro Football Stat. (D) . \$56
Syn Trend (D)	INFOCOM Zork I, II or III (D) \$27	MAX 12 (Amber) \$178	NEC	Seastalker (D) \$27
Syn Chron (D) \$29	Deadline (D)\$34 Starcross (D)\$27	HX 12 (RGB) \$489 SR 12 (RGB) \$619	JB 1260 (Grn) \$99 JB 1201 (Grn) \$145	Seastalker (D) \$27 Koala Coloring I , \$20
Decathlon (R) \$29	Starcross (D) \$27	SUPER 5	JB 1201 (Grn) \$145 JB 1205 (Amber) \$145	Koala Logo Design \$27
Drois (D)	Suspended (D) \$34 Witness (D) \$34	100A (Amber) \$99 500G (IBM with tilt) . \$126	ZENITH	Rockys Boots (D) \$33 Bumble Games (D) \$27
Gyruss (R) \$31 Heist (D) \$23	Planettall (D) \$34	500G (IBM with tilt) . \$126	Green \$85	Beyond Wolfenstein \$23
Heist (D) \$23 Bruce Lee (C/D) . \$27	Enchanter(D) \$34	500A (IBM with tilt) \$126	Amber \$95	Peachtree Account Call I
Universe (D) Call	Infidel (D) \$34 KRELL SAT Call	MOD	DEMS	Odesta Chess (D) \$46
Questron (D) , \$34 Koala Coloring I , \$20 Koala Logo Design \$27	INTELL. STATEMENTS	NOVATION	HAYES	Ultima III (D) \$39 Prof. Blackjack (D) \$46
Kosla Loop Design \$27	Prof. Blackjack (D) \$46	J-Cat\$99	Smartmodem \$209	Homeword (D) \$46 Pers. Accountant (D) . \$23
Bumble Games (D) . \$27	LJK	Apple Cat II \$259 D-Cat \$149	Smartmodem 1200 \$498 Micromodem II \$259	Pers. Accountant (D) . \$23
Miles Accounting Call	Letter Perfect (D) \$74 Data Perfect (D) \$74		Micromodem lie \$239	Karate Devils (D) \$27 Final Flight (D) \$22
World Gtst. Baseball , \$23	Cool Declar (D) #60	et a	PROMETHIUS	Diskey (D) \$33
Gridrunner (R) \$20 Sargon II (C/D) \$23	Letter Perfect (R) \$74	Old Hage	Promodem 1200 \$349	Barrons Sat (D) \$59
Millionaire (D) \$34	MICROPROSE Solo Flight (D) \$26	O E COM TE		Millionaire (D) . \$39 Sargon II (D) \$23
Castle Wolfenstein (D) \$20	Helicat Ace (C/D) \$23	OHILE SEE!		B-Graph (D) \$59
Odesta Chess (D) \$46 Financial Wizard (D) \$41	MONARCH	ERE CAS /		Castle Wolfenstein (D) \$20
Ultima III (D) \$39	ABC Compiler (D) \$55	OFEN HON-SHI	V . /	ACCESS SOFTWARE Beached (D)\$24
ADVENTURE INT'L	OPTIMIZED SYSTEMS Action (R) \$65	4.51	No.	Neutral Zone (C/D) \$24
Ultra Disassembler (D) \$33	Basic XL (R) \$65	MOIL	300	Spritemaster (D) \$25
Diskey (D) \$33	Mac 65 (D) \$58	CH II	1/1	AVALON HILL Nuke War (C) \$12
Adv. 1-12 (each) (C) \$18 Saga 1-12 (each) (D) \$27	C-65 (D)	OPE	1/11	Androm, Conquest (C) \$14
ATARI	PARKER BROS			Midway Campaign (C) \$13 Computer Football (C) \$13
Atari Writer (R) \$68	Astrochase (R) \$33			Telephard (C) \$16 (D) \$19
Paint (D) \$30 Microsoft Basic II (R) . \$64	Death Star (R) \$33		TM /	Telengard . (C) \$16 (D) \$19 Flying Ace (C) \$15
Visicalc (D) \$139	Q-Bert (R) \$33 Popeye (R) \$33			Moon Patrol (C) \$17
Home File Mar (D) \$36	QUALITY SW			Paper Clip (D) \$69
Assembler Editor (R) . \$44 Qix (R) \$32	Return of Hercules (D) \$22 Ali Baba (D)\$22		•	Consultant (D) \$75
Dig Dug (R) \$32	RESTON	1	\sim	Paper Clip w/Spell (D) \$85
Atari Logo (R) \$72	Moviemaker (D) \$45			Spell Pack (D) \$37 Organizer Series (Ea) . \$22
Ms. Pac Man (R). \$33	SCARBOROUGH SYS.			BLUE SKY
Joust (R) \$33 Donkey Kong Jr. (R) \$35	Mastertype (D/R) \$27	1/	\	Calc Result Adv \$99
Computer Chess (R) \$24	Songwriter (D) \$27 SCHOOL WIZWARE , Call	COS	RAIC	Calc Result Easy \$57
AVALON HILL	SIERRA ON-LINE	1.11.	IVI I I -	BRODERBUND Bank St. Writer (D) \$46
Telengard . (C) \$16 (D) \$19 Close Assault (C) 20 (D) 23	Homeword (D) \$46			Operat. Whrlwnd (D) \$27
TAC (D) \$27	Ultima II (D) \$39 Dark Crystal (D) \$26	COMP	ITEDO	Choplifter (R)\$27 Lode Runner . (D) 23 (R) 27
BRODERBUND	Wiz. & Princess (D) \$22		IIEKN	CBS SOFTWARE
Arcade Machine (D) \$39	SPINNAKER	UUIIII I		Success with Math (D) \$17
Bank St. Writer (D) \$46 Oper. Whirlwind (D) \$27	Snooper Troop 1,2 (D) , \$30		ON RD., SUITE 16	Wbstr Word Game (D) \$20
Choplifter , (D) \$23 (R) \$29	Most Amazing (D) \$27 Klds on Keys (D) \$20			COMMODORE Simons Basic (R) Call
CBS SOFTWARE Call	Trains (D) \$27	WALNUT.	CA 91789	Magic Desk (R) \$48
CONTINENTAL	Delta Drawing (R) \$27 Aerobics (D) \$34			Logo (D) \$50
Home Accountant (D) \$48 Tax Advantage (D) \$45	STRATEGIC SIM.	ומחמן בי	26-7642	Assembler 64 (D) \$36
COUNTERPOINT SW Call	Broadsides (D) \$27		LU-1U4L	Easy Script 64 (D) . \$52 CONTINENTAL S.W.
DATASOFT	Carrier Force (D) \$39			Home Accountant (D) \$48
Pooyan (C/D) \$20	Combat Leader (D) \$27 Rails West (D) \$27		ORDERS ONLY	Tax Advantage (D) \$45
Teletalk (D) \$33 Graphic Master (D) \$23	Epidemic (D) \$23	SORRY, I	NO COD'S	FCM (D) \$34 COUNTER POINT SW
Micropainter (D) \$23	Eagles (D)\$27 Cosmic Ball or II (D)\$27			Early Games (Ea) \$20
Zaxxon (C/D), \$27	SUBLOGIC	CALIF. (714) 5	94-57II4	CREATIVE SOFTWARE
EASTERN HOUSE	Flight Simulator II (D) . \$36			Moondust (R) \$23
Monkey Wrench II \$51 EDUCATIONAL SW	Pinball (C/D) \$20	FOR TECHNICAL INF	O, ORDER INQUIRIES,	Save New York (R) \$23 Pipes (R) \$23
Tricky 1,2,3 or 4 \$15	SYNAPSE File Manager (R) \$54			Househid Finance (C) \$20
Tricky 5-13 \$22	File Manager (R) \$54 Fort Apocalypse (C/D) \$23		order in continental U.S. Add \$5.00 , HI, FPO-APO. Add \$10.00 or 15%	DATASOFT
EPYX Dragon Riders (C/D) \$27	Dimension X (C/D) \$23	(whichever is greater) per software	order for non-U.S. Call for cost of	Pooyan (C/D) \$20 Moon Shuttle (D) \$20
Temple APS (C/D) \$27	Blue Max (C/D) \$23 Encounter (D/R) \$23	hardware shipping. Callf. residen	its add 61/2 % sales tax. Cashiers	ENTECH
Jumpman (C/D) \$27	Zepplin (C/D) \$23		Ithin 24 hours for items in stock.	Studio 64 (C/D) \$28 Database 64 (D) \$45
FIRST STAR	Pharoah's Curse (C/D) \$23		o clear. MasterCard and Visa OK for S., add 3% surcharge. Include card	Database 64 (D) \$45 EPYX
Boulder Dsh (C/D) 20 (R) 27 Bristles (C/D) \$20	TRONIX S.A.M. (D) \$39	no., expiration date and signature.	Due to our low prices, all sales are	Temple of APS (C/D) \$27
Flip Flop (C/D) \$20	P.M. Animator (D) \$29	final. All defective returns must hi	ave a return authorization number.	Jumpman (C/D) \$27
	Juice (C/D) \$20	Please call to obtain one before repair. Prices & availability subject	eturning goods for replacement or	Dragonriders (C/D) \$27
	Chatterbee (D) \$27	- upan . I nuce or availability subject	· · · · · · · · · · · · · · · · · · ·	Gateway to APS (R) \$27
	Chatterbee (b) 111111 421			

COMM	OPURE
INTERFACES	DISK DRIVES
The Connection \$85 Bus Card \$149	MSD (170K)
Cardeo G + S89	Commodore 1541 \$239
Cardco B Call MSD (IEEE) \$98 Cardco 5 Slot \$48 Grappler C D \$109	Concord (170K) Call
Grappler C D \$109	RECORDERS Carden Recorder 548
DIRECT MODEMS	Cardco Recorder \$48 1530 Commodore Call
Hesmodem \$53 1650 Automodem \$99 1600 Modem Call	Cassette Interface \$29 Phonemark Rec \$37
1600 Modem Call Westridge Modem Call	DIRECT PRINTERS
80 COLUMN BDS	MPS 801 \$219 Commodore 1526 \$288 Cardco LQ/I \$498 1520 Color Printer \$129
Batteries 80 Col \$149 Video Pak 80 \$129	Cardco LQ/I \$498
Video Pak 80 \$129 Z80 Video Pak \$209	
64 SOFT	WARE 64
MISCELLANEOUS	FUTURE HOUSE
MAE Assembler (D) \$47	Comp. Pers. Account. \$56
MAE Assembler (D) \$47 VIP Terminal (D) \$38 Star Wars (R) \$33	HES Omniwriter (D) \$45
Super Base 64 (D) \$68 Doodle City (D) \$27	Hesmon (D) \$27 64 Forth (R) \$39 Multiplan (D) \$65 Turtle Graphics (R) \$39
	Multiplan (D) \$65
Pitfall II (D)	INFOCOM
50 Mission Crush (D) . \$27	Planet Fall (D) \$34 Enchanter (D) \$34 Infidel (D) \$34
Master Composer (D) 527	Infidel (D)\$34 JINSAM
Donkey Kong (R) \$29	Mini Jini (R) \$75
Donkey Kong (R) \$29 Bruce Lee (D) \$23 Pro Football Stat. (D) . \$56 Separation (D)	MICROSOFTWARE INT'L Practicale 64 , (C) 34 (D) 36
Seastalker (D)	Practicalc 64 . (C) 34 (D) 36 Spreadsheet . (C) 49 (D) 52 Practifile 64 (D) \$36
Koala Logo Design \$27	MIRAGE CONCEPTS
Sestatker (D) . \$27 Koala Coloring I , \$20 Koala Logo Design . \$27 Rockys Boots (D) . \$33 Bumble Games (D) . \$27 Beyond Wolfenstein . \$23 Peachtree Account Call	Data Base (D) \$68 Word Processor (D) \$68
Beyond Wolfenstein \$23 Peachtree Account Call	MICDOSPEC
	MICHOSPED Database (D) \$44 Mailing List (D) \$32 Checkbook Mgr (D) \$47 G/L (D) \$44 A/P (D) \$47 A/R (D) \$47 PARKER BROS
Prof. Blackjack (D) \$46	G/L (D)\$44
Pers. Accountant (D) \$46	A/R(D)\$47
Odesta Chess (D) 346 Ultima III (D) 339 Prof. Blackjack (D) \$46 Homeword (D) \$46 Pers. Accountant (D) \$23 Karate Devils (D) \$27 Final Flight (D) \$22 Diskey (D) \$33	PARKER BROS Q-Rert (R)
Diskey (D) \$33 Barrons Sat (D) \$59	Q-Bert (R) \$33 Popeye (R) \$33 Frogger (R) \$33
	DROEESSIONAL SW
Sargon II (D) \$23 B-Graph (D) \$59 Castle Wolfenstein (D) \$20	Wordpro W/Spell (D) \$68 Spellright (D) \$45
Castle Wolfenstein (D) \$20 ACCESS SOFTWARE	QUIKTEX
Beached (D) \$24	Quick Br. Fox (R) \$49 RAINBOW
Beached (D)\$24 Neutral Zone (C/D)\$24 Spritemaster (D)\$25	File Assistant (D) \$46 Writers Assistant (D) . \$48 Spreadsht Assist. (D) . \$56 SCARROROUGH
AVALON HILL Nuke War (C) \$12	Spreadsht Assist. (D) . \$56
Nuke War (C)	Mastertype (D/R) \$27
Computer Football (C) \$13	Song Writer (D) \$27 SOFTSMITH
Telengard . (C) \$16 (D) \$19 Flying Ace (C) \$15 Moon Patrol (C) \$17	Touch Typing (C/D) \$21 SOUTHERN SOLUTIONS
BATTERIES INCLUDED	Rusinessman (D) \$48
Paper Clip (D) \$69 Consultant (D) \$75	Bill Payer (D) \$48 Bill Collector (D) \$48
Paper Clip w/Spell (D) \$85 Spell Pack (D) \$37	Paymaster (D) \$48 SPINNAKER
Organizer Series (Ea) . \$22	Snooper 1 or 2 (D) \$27
Calc Result Adv \$99	Aerobics (D) \$34 Kids on Keys (D) \$20
Calc Result Easy \$57 BRODERBUND	Most Amazing (D) \$27 Kindercomp (D) \$20
Bank St. Writer (D) \$46	Alphabet Zoo (D) 20 Trains (D) \$27
Bank St. Writer (D) \$46 Operat. Whrlwnd (D) \$27 Choplifter (R) \$27 Lode Runner . (D) 23 (R) 27	Delta Drawing (R) \$27 SUBLOGIC
Lode Runner . (D) 23 (R) 27 CBS SOFTWARE	Flight Simulator II (D) . \$36
Success with Math (D) \$17 Wbstr Word Game (D) \$20	Pinbali (C/D) \$22 SYNAPSE
COMMODORE	Ft. Apocalypse (C/D) . \$23 Necromancer (C/D) \$23
Simons Basic (R) Call Magic Desk (R) \$48	Zaxxon (D) \$23 Blue Max (D) \$23
Logo (D) \$50	Pharoah's Curse (C/D) \$23
Assembler 64 (D) \$36 Easy Script 64 (D) \$52	SSI Combat Leader (C/D) . \$27
CONTINENTAL S.W. Home Accountant (D) \$48	Computer Baseball (D) \$27
Home Accountant (D) \$48 Tax Advantage (D) \$45 FCM (D)\$34	Eagles (D) \$27 Ringside Seat (D) \$27 Tigers In Snow (C/D) \$27
COUNTER POINT SW	Battle Normandy (C/D) \$27
Early Games (Ea) \$20 CREATIVE SOFTWARE	TIMEWORKS Dungeons of Alg. (C/D) \$17
Moondust (R) \$23 Save New York (R) \$23	Robbers Lost (C/D) \$17 Money Mar. (C/D) \$17
Pipes (H)	Wall Street (C/D) \$17
DATASOFT	Dungeons of Alg. (C/D) \$17 Robbers Lost (C/D) \$17 Money Mgr. (C/D) \$17 Wall Street (C/D) \$17 Data Manager (C/D) \$17 Elec. Checkbook (C/D) \$17
Pooyan (C/D) \$20 Moon Shuttle (D) \$20	IUIL
ENTECH	Totl Text (C) \$32 (D) \$34 Label (C) \$15 (D) \$17 Time Mgr (C) \$24 (D) \$27 Resch Appl . (C) \$24 (D) \$27
Studio 64 (C/D) \$28 Database 64 (D) \$45	Rarch Asst. (C) \$24 (D) \$27 TRONIX
Temple of APS (C/D) \$27	S.A.M.(D) \$39
Jumpman (C/D) \$27 Dragonriders (C/D) \$27	Juice (D) \$23 Chatterbee (D) \$27
Gateway to APS (R) \$27	

WE TAKE THE BYTE OUT OF HIGH COMPUTER SOFT & HARDWARES!

L 1-800-372-0214 AND SA


















AND MANY, MANY MORE!

MODEMS



\$6995 Auto Modem (Commodore)

Anchor Mark VI	\$159.00
Anchor Mark XII	\$289.00
Hayes Smart Com 11	\$ 75.00
Hayes 300	\$209.00
Anchor Mark VII	\$119.00
Anchor Volksmodem	\$ 59.00
MPP 1000C (Atari)	\$109.95

COMPUTERS



COMMODORE 64%



Commodore 64 CALL

Atari 800XL	NEW LOW	PRICE
SANYO 550,	550-2	CALL
SANYO 555,	555-2	CALL

SOFTWARE

Zork I. II or III

\$2995

\$36.95
\$69.95
\$79.95
\$59.95
\$49.95

DISK DRIVES



Commodore \$23200

New Commode	ore Drive	CALL
Atari 1050	NEW LC	W PRICE
Rana 1000		\$289.00
Trak At-D2		\$369.00
Indus GT		\$369.00
MSD (Commo	dore)	\$319.00
MSD Dual Driv	e	\$569.00

DISKETTES



Computer Ware- \$1595 house ss/dd

Elephant ss/sd	\$16.95
Elephant ss/dd	\$19.95
Maxell MDI	\$24.95
Verbatim ds/dd	\$24.95
Ultra Magnetics ss/sd	\$15.95

PRINTERS



Commodore \$2000

\$259.00
\$385.00
\$489.00
\$399.00
\$499.00

AXIOM AT 550 \$25900

Atari 1025	\$229.00
Atari 1027	\$249.00
Commodore 1526	\$279.00
Okidata 82, 83, 84	
92. 93	CALL

MONITORS



Commodore \$24900 Color

BMC 13" color	\$229.00
Panasonic (composite	
& RGB)	\$329.00
SAKATA 13 color	\$235.00
BMC (green)	\$ 69.00
BMC (yellow)	\$ 99.00

Computers and Software at warehouse prices.

Send for free monthly special sheet. \$3 for software, hardware & educational catalogs

7222 S.W. 117th Avenue Miami, FL 33183 In Florida call: 1-800-432-0368



Lyco Computer Marketing & Consultants

TO ORDER

TOLL FREE

800-233-8760

CALL US

In PA 1-717-398-4079

KOALA	1
KOALA TABLET	\$84.75
PROG. GUIDE	\$12.75
GEOMETRIC DES	\$22.75
LOGO DESIGN	\$27.75
ILLUSTRATOR	\$99.75
SONG WRITER D	\$27.75
MASTER TYPE	\$27.75
CONTINE	ITAL

CONTINENTAL
HOME ACCOUNT D \$44.75
TAX ADVANTAGE \$35.75
BOOK OF APPLE
SOFTWARE . \$16.95
GEN. LEDGER . \$179.95
ACCOUNTS PAY \$179.95
ACCOUNTS REC, .\$179.95
PAYROLL \$179.95
PROP. MGMT\$329.95

BRODERBUND

0110001100	
BANK STREET D	\$44.75
01101 211 1211 2	\$24.95
DAVID'D MAGIC	\$24.96
DROL D	. \$24.95
LODE RUN D	\$24.95
SEAFOX D	\$22.95
SPARE CHANGE D	\$24 95
AE D	\$24 95
SSI	
KNIGHTS OF DES	\$26.75
EAGLES	, \$26.75
TIGERS IN SNOW	. \$26.75
GERMANY 1985	\$36 75
BATTLE FOR	
NORMANDY	\$26 75

TAXAN

12" Green

12" Amber

SHATTERED ALL

1141 000111
BOOXL COMPUTER CALL
1050 DRIVECALL
1010 RECORDER \$55.00
1020 PRINTER\$59.00
1025 PRINTER\$189.00
1027 PRINTER\$249.00
1030 MODEM\$59.00
KOALA
SUPER SKETCH \$69.95
KOALA TOUCH
TABLET \$69.95
THE ILLUSTRATOR \$99.95
SPIDER EATER\$22.50
SPEEICOPTER\$27.75
PROG. GUIDE\$12.75
GEOMETRIC DESIGN\$22.50
CRYSTAL FLOWERS \$22.50
KOALA GRAMS
SPELLING \$27.50
LOGO DESIGN
MASTER \$27.50
STRATEGIC
SIMULATIONS
EAGLES\$26.75
THE SHATTERED ALL \$26 75
TIGERS IN THE SNOW \$26 75
BATTLE FOR
NORMANDY, \$26.75
KNIGHTS OF DESERT \$26.75
COSMIC BALANCE\$26.75
COSMIC BALANCE II \$26.75
CYTON MASTERS\$26.75
COMBAT LEADER \$26 75
SCARBOROUGH

SONG WRITER D..... \$27 75

MASTER TYPE\$27 75

INFOCOM

ATARI	
DEADLINE	\$34.75
ENCHANTER	
INFIDEL	\$34.75
PLANETFALL	\$34.75
STAR CROSS	
SUSPENDED	
WITNESS	
ZORK I	
ZORK II	
BUSINES	S
VISICALC	
LETTER PERFECT	
LETTER PERFECT R	
DATA PERFECT	
FILE MANAGER	
HOME FILE MGR	
ADVENTU	₹E
INTERNATIO	NAL
PREPPIE 16KC/32KD	. \$24.85
RALLY SPEEDWAY	
ROM)	.\$32.75
REAR GUARD 16KC	. \$14 95

PHEFFIE TONG/SEND 324.03	
RALLY SPEEDWAY	
ROM) \$32.75	
REAR GUARD 16KC\$14 95	
SEA DRAGON	
16KC/32KD \$25.00	
STRATOS	
16KC/32KD \$25.00	
DISKEY 32KD \$34.75	
CONTINENTAL	
COMMENTAL	

HOME ACCOUNT D.... \$44.75 TAX ADVANTAGE......\$35.75 BOOK OF ATARI SOFTWARE\$16.95 **EASTERN**

HOUSE

MONKEYWRENCHII.. \$52.75

OMMODORE

LIGHT DEN

COMMODORE
C64 COMPUTER CALL
SX 64 COMPUTERCALL
C1541 DISK DRIVE \$239.00
C1526 PRINTER \$269.00
MPS801 PRINTER\$215.00
C1702 MONITOR \$249.00
C1650AUTOMODEM\$84.00
C1530 DATASETTE \$65.00
C64101 ASSEMBLER \$29.00
C64105 LOGO 64\$45.00
C64106 PILOT 64\$35.00
SIMON'S BASIC \$29.00
HES
64 FORTH\$39.95
HESMON\$22.75
HESWRITER \$28.75
OMNI WRITER \$45.75
TYPE N WRITER \$24.75
HOME MANAGER \$28.75
TIME MONEY

MANAGER S	44.7
OMNI CALC S	33.75
HES MODEM\$	49.96
M MULTIPLANS	65.75
TIMEWORK	S
INVENTORYs	39.75
ACCOUNTS REC\$	39.75
ACCOUNTS PAT 3	39.75
GEN. LEDGER \$	39.75
PAYROLL \$	39.75
INVENTORY MANS	39.75
CASHFLOWS	39.75
DATA MANAGER	19.7
MONEY MGR. c/d,\$	19.9
ΚΩΔΙ Δ 64	

	5 SLOT EXPAN. 64	\$54.00
	64 WRITE NOW	\$39.00
	64 MAIL NOW	\$29.00
	20 WRITE NOW	\$29.00
	64 KEYPAD	\$64.00
	UNIVERSAL CASS.	
	INT	
	PRINTER UTILITY	
	6 SLOT EXPAN	
	3 SLOT EXPAN	
	SPINNAKER	64
	KINDERCOMP D/R	\$21 75
	STORY MACH ROM	\$24.75
	FACE MAKER D/R	
	SNOOPER TR. D	\$26.75
	SNOOPER T2 D	\$26.75
	DELTA DRAW ROM	\$26.75
i	CONTINENTA	L 64
	HOME ACCOUNT D	\$44.75
ŀ	TAX ADVANTAGE	-
	***************************************	-
	***************************************	\$35.75 \$35.75
	F.C.M	\$35.75 \$35.75 \$12.75
	F.C.M 64 USERS OF ENCYC	\$35.75 \$35.75 \$12.75 \$12.75
	F.C.M 64 USERS OF ENCYC 20 ENCYCLOPEDIA SCARBOROU	\$35.75 \$35.75 \$12.75 \$12.75
	F.C.M 64 USERS OF ENCYC 20 ENCYCLOPEDIA SCARBOROU 64	\$35.75 \$35.75 \$12.75 \$12.75 IGH
	F.C.M 64 USERS OF ENCYC 20 ENCYCLOPEDIA SCARBOROU 64 SONG WRITER D	\$35.75 \$35.75 \$12.75 \$12.75 \$12.75 IGH
	F.C.M 64 USERS OF ENCYC 20 ENCYCLOPEDIA SCARBOROU 64 SONG WRITER D PHI BETA FILER	\$35.75 \$35.75 \$12.75 \$12.75 \$12.75 IGH \$27.75 \$32.75
	F.C.M 64 USERS OF ENCYC. 20 ENCYCLOPEDIA. SCARBOROU 64 SONG WRITER D PHI BETA FILER MASTER TYPE	\$35.75 \$35.75 \$12.75 \$12.75 IGH \$27.75 \$32.75 \$27.75
	64 SONG WRITER D PHI BETA FILER WASTER TYPE BATTERIE	\$35.75 \$35.75 \$12.75 \$12.75 \$12.75 IGH \$27.75 \$32.75 \$27.75 S
	F.C.M 64 USERS OF ENCYC. 20 ENCYCLOPEDIA. SCARBOROU 64 SONG WRITER D PHI BETA FILER MASTER TYPE	\$35.75 \$35.75 \$12.75 \$12.75 \$12.75 IGH \$27.75 \$32.75 \$27.75 S
	64 SONG WRITER D PHI BETA FILER WASTER TYPE BATTERIE	\$35.75 \$35.75 \$12.75 \$12.75 \$12.75 IGH \$27.75 \$32.75 \$27.75

64W/SPELLPAK

CARDCO

MONITORS

, , , , , , ,	
210 Color RGB	\$259.00
100 Green	\$115.00
105 Amber	\$125 00
400 Color RGB	\$295 00
410 Color RGB	\$349.00
420 Color RGB-IBM .	\$459.00
121 Green-IBM	\$145.00
122 Amber-IBM .	\$149.00
ZENITH	
ZVM122A Amber .	S 95 00
ZVM123G Green	\$ 85.00
ZVM124 Amber-IBM .	\$129.00
ZVM131 Color	\$275.00
ZVM133 RGB	\$389.00
ZVM135 Composite	\$449.00
ZVM136 HI RES Color	\$589.00
GORILLA	

\$ 82.00

\$ 89.00

. \$39 75

AMDEK	
300 Green	\$139 00
	\$149.00
310 Amber-IBM	\$159.00
Color I Plus	\$259 00
Color 4T-IBM	\$589 00
NEC	
JB 1260 Green .	\$ 99.00
JB 1201 Green	\$145.00
JB 1205 Amber	\$145.00
JC 1215 Color .	\$255.00
JC 1216 RGB	\$399.00
JC 460 Color	\$349.00
SAKATA	
SC-100 Color	\$229.00
STSI Till Stand	
SG 1000 Green	
SA 1000 Amber	\$109.00



MICROBITS

. \$359 00

KOALA TABLET . ..

PROG GUIDE

MPP1000C		. \$109.00
NOV	ATI	ON

Ca1 .	\$89.00
at	\$129.0
nart Cat 103/	\$169.00
nart Cat 103/21	2 . \$389.0
ıtoCat	\$209.00
2 Auto Cat	\$539.00
pie Cat II	\$239.0
2 Apple Cat	\$439 0
pole Cat 212	\$249.0

(Upgrade)

Smart Cat Plus ...

Haves

Smartmodem 300	,	\$189.00
Smartmodem 1200		\$489.00
Smartmodem 1200b		\$439 00
Micromodem IIe.		\$259 00
Micromodem 100		\$289.00
Chronograph		\$179.00

MITEY MO79.95

ANCHOR

,,,,,	
Volksmodem	\$55 99
Mark VII	S95 99
(auto ans/dial)	
Mark VII	\$259.00
(1200 band)	

AMERICA'S MAIL ORDER HEADQUARTERS COMPUTER

WORLD'S LEADER IN SALES & SERVICE

TO ORDER CALL TOLL FREE 800-233-8760 or send order to **Lyco Computer** P.O. Box 5088 Jersey Shore, PA 17740

\$69.75 .\$69.75 THE CONSULTANT 64 .. \$54.95 \$22 75 BI-80 COL CARD.\$139.95



IN-STOCK

PRINTERS



PRINTER INTERFACING Available for Commodore, VIC, Apple, Atari, IBM-PC, TRS 80 TI, and Others

, una ouit	
APEFACE	\$59.95
TYMAC CONNECTION	. CALL
AXION	. CALL
MICROBITS	. CALL

BLUE CHIPS

M1201	0	٠,			٠.		 	\$2	79	.00
M1201	0	C-	64	١.,		٠.	 	\$2	79	.00
D4015				٠.	٠.	٠.	 \$	13	99	.00

	C	ITC	n			
а	GX1	00		 	s	1

Gorilla GX100	\$119.00
Gorilla Serial	\$129.00
Prowriter 8510	. \$315.00
Prowriter II	\$575.00
8600	\$899.00
Starwriter	\$929.00
Printmaster	\$1199.00
Sheet feeder	\$425.00
620	., \$929.00
630	\$1699.00
8510Sp	\$499.00
8510SCP	\$559.00
A10 Letterqual	\$499.00

PANASONIC

1090	 \$229.00
1091	 \$299.00
1092	 , \$439.00

EPSON

RX-80	 	 	 \$259.00
RX BOFT	 	 	 \$299.00
FX-80	 	 	 \$439.00
FX-100	 	 	 \$639.00

OKIDATA

80					 ,					C	ΑI	LL	
82A									\$2	99	9.0	00)
83A	٠.	 		٠.					\$5	69	9.0	o)
84 .									\$9	59	9.0	ж)
92 .									\$3	99	9.0	00)
93									\$6	8	5.0	ж)

LEGEND

880	\$259.00					
1000	\$279.00					
1200	CALL					
1500.,	CALL					
1081	CALL					

STAR **MICRONICS**

GEMINI 15X \$359.00
DELTA 10\$375.00
DELTA 15\$475.00
RADIX 10 \$509.00
RADIX 15\$559.00
POWERTYPE CALL
SWEET P
(MODEL 100) \$549.00
STX 80\$149.00

CARDCO

LQ1\$449.00
LQ2\$279.00
LQ3\$339.00
PRINTER INTERFACE\$39.75
PRINTER INTERFACE W/
FULL GRAPHICS\$65.75

GEMINI 10X

\$249.00

MANNESMANN TALLY

SPIRIT 80	\$299.00					
MTL-160L	\$559.00					
MTL-180L	\$775.00					
1100						

NEC

NEC 8025	 \$699.00
NEC 8027	 \$359.00

IBM-PC COMPATABLE

CORONA IBM PC Compatable

PPC22A	
Portable 256K-Amber	\$1995
PPC22G	
Portable 256K-Green	\$1995
PPCXTA	
Portable 256K-10Meg.	\$3295
COR128K 128K-RAM	. \$ 159

NEC

PC8201 Portable ,		5429
NECB1 64K Computer		
System	S	049
NECB2 128 K Compute	er	
System .,	S	299
PC8221 Thermal Printer	S	139
PC8281 Data Recorder	5	89
PC82018KRAMChip	\$	99
PC820632KRAMCart	S	299
PC300 Modem	5	65
PC8801 MSDOS		
16 Bit Card.	S	339
PC8025 132 Column		
Printer	S	639
PC8027 80		
Column Printer	5	349
15LO Letter Quality	. s	479

p

OVER 2000 SOFT-WARE TITLES IN STOCK

HARD DISK DRIVE

IBM, APPLE **TRS80**

10 MEG\$975.00
20 MEG\$1399.00
30 MEG
*D.O.S. EXTRA

INNOVATIVE CONCEPTS

DISK STORAGE	(10		\$4.95
DISK STORAGE	(15)	\$9.95
DISK STORAGE	(25)	\$19.95
DISK STORAGE	(50)	
w/lock.			\$25.75
DISK STORAGE			\$17.95
ROM STORAGE			\$24.75

DISKET

SKC

SKC-SSSD	 	 \$14	75
SKC-SSDD,		 517	75
SKC-DSDD		\$21	75

FIEDHANT

	_	•
5'4"SSSD		515.99
5'4"SSDD		\$17.99
514"DSDD		\$22.99

MAYELL

514"MD-1	S19	9
514"MD-2	\$24	9

COMPUTER CARE

BIB

DISK DRIVE										
CLEANER		٠.			٠.		S1	2	7	ŧ
COMPUTER	CA	R	Ε	K	ΙT	z.	 S	9	.7	5

NORTRONICS **DISK DRIVE CLEANER**

with software for IBM-PC, Atari, Vic,

DISK DRIVE CLEANE	R with
software for IBM-PC.	Atan, Vic
Apple, Tl.,,	\$29.75
DISK CLEANER	
REFILL	£1476

HEFILL	\$14.75
CASSDRIVE CLEANER.	\$9.95
MEDIA BULK ERASER	. \$46.75

PRINTING PAPER

3000 SHEE 12	
FANFOLD .	\$42.75
1000 SHEETS	
FANFOLD	.,\$19.75
1000 SHEET LETTER	. \$21.95
200 SHEETS LETTER.	\$8.99
150 RAG STATIONARY	\$1099
MAILING LABELS (1 in.)	\$9 95
14 x 11 1000	
FANFOLD	\$24.75

2000 SHEETS

INNOVATIVE CONCEPTS

FLIP-N-FILE 10 .	\$3.75
FLIP-N-FILE 15 .	\$8.95
FLIP-N-FILE 25	\$18.95
FLIP-N-FILE 50	\$17.75
FLIP-N-FILE	
(ROM HOLDER)	\$17.75

DISK DRIVES

MSD

SD1 DRIVE	 5309.00
SD2 DRIVE	 \$499.00



PERCOM

AT88S1 .	\$249.00
AT88S1 PD .	\$299.00
ADD-ON DRIVES .	CALL
AT 88 DOUBLER	\$119.00

RANA 1000 5299.00 INDUS GT . \$325.00

CONCORD

ATARI 176K	
MASTER	\$289 00
ATARI 348K	
MASTER	\$369 00
ATARI ADD-ON	
DRIVE	, CALL

AT D2	\$329 00
AT-D2 TURBO PAK	\$22 96
AT-DH	CALI
PRINTER CABLE .	\$22.95

TRACK DRIVES

6

Lyco Computer Marketing & Consultants

TO ORDER CALL TOLL FREE 800-233-8760





or send order to Lyco Computer P.O. Box 5088 Jersey Shore PA 17740

CUSTOMER SERVICE

1-717-327-1825

POLICY


Risk Free •

No deposit on C O D $\,$ orders: free shipping on prepaid cash orders within the continental U.S.

APO, FPO, and international orders add \$5.00 plus 3% for priority mail service PA residents add sales tax. Advertized prices show 4% discount for cash; 4% for Master Card or Visa



This Publication is available in Microform.



University Microfilms International

Please send additional information
for
Name
Institution
Street
City
StateZip

300 North Zeeb Road Dept. P.R. Ann Arbor, Mi. 48106



It's compact, economical, and reliable. It's so fast and easy to use you can operate it with one hand. And it's not even Japanese . . . well, not all

And now with Automatic
2-8 min. adjustable timer \$54.95

4401 S. Juniper • Tempe, AZ 85282

(602) 838-1277

Arizona residents add 6% tax

FLIGHT SIMULATOR GAMES



• 100% Machine Language

• Windshield View • 7 Airports

Tape \$2995

Disk \$3195

\$25

\$25

Runway 64 (Commodore 64)

Runway 20 (VIC-20

\$18 Sky Pilot (VIC-20)

ADD \$200 FOR DISK VERSION

COD ORDER PHONE WE SHIP WITHIN 48 HOURS

(312) 577-5154

🕰 SUSIE SOFTWARE

874A E. N.W. Highway Mt. Prospect, IL 60056

DISKETTE

Our box of 10 diskettes costs \$14.00 and it comes with a money back guarantee. To order call 1-800-252-9253 or 612-944-8751. Visa and MasterCard accepted. Or send us your check. 2 box minimum.

ISCOUMU

P.O. Box 444005 Eden Prairie, MN 55344



LIFETH

514" DSDD \$210 ea.

54° SSDD-96TPI \$2.33 ea. 54° DSDD-96TPI \$2.94 ea. 8° SSSD \$2.05 ea 8" SSDD \$2.50 ea. 8" DSDD ..\$3.10 ea

Add 5% for orders less than 50 5%" diskettes.

All diskettes are boxed in 100 swith Typek sleeves, reinforced hubs on 5 %, user identification labels and write-protect labs. Bippleng 5 % OISKETTES—Add \$4.00 per 100 or fewer diskettes 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes 8" OISKETTES—Add \$4.00 per 100 or fewer diskettes 8" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 5" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 9" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 or fewer diskettes Payments 6" OISKETTES—Add \$4.00 per 100 pe

For orders only: 1-800-621-6827 (In Illinois: 1-312-944-2788) (All other calls: 1-312-944-2788) Hours: 9AM-5PM Central, Mon.-Fn.

DISK WORLD!, Inc. Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611


WORLD!



and EDGE GUIDE

PUNCH OUT IS ALWAYS IN THE RIGHT POSITION Available for IMMEDIATE Shipment

only \$9.50 add \$1.50 shipping



(215) 884-6010

1138 BOXWOOD RD. JENNUNTOWN PA 19046

NOW AVAILABLE MATHCOMP

A menu driven mathematical program Over 100 mathematical formulae

Contains • areas

volumes

· logarithms

exponentials

sums for series

hyperbolic functions

trigonometric functions

metric system conversions

permutations and combinations

• and MUCH, MUCH MORE ONLY

HF ENTERPRISES P.O. BOX 10195 GREENSBORO, N.C. 27404 (919) 854-0169

Compare the price! **BRONZE PLASTIC PRINTER STANDS**



AVAILABLE IN TWO SIZES

MODEL 2208 – 16"x13"x4" \$2495 FOR 80 COLUMN PRINTERS Add \$2.00 for shipping

MODEL 2212 – 24"x13"x4" \$3595 FOR 132 COLUMN PRINTERS

Add \$2.00 for shipping

HRS. 1-800-227-3800 DAYS

Please ask for Extension 10 and use your VISA or MASTERCARD

For additional information/custom orders
Call (702) 322-4613
QUALITY PLASTICS
2212 Dickerson Road/Reno, Nevada 89503

DISK-N-DATA
EDUCATIONAL SOFTWARE AND DISKS
SYNCOM BULK DISKETTE LIFETIME
WARRANTY

OT I NO OF IT (##OP FREE 100% CENTRIED | MONTHON TO SYNCOM diskettes with a lifetime warranty High quality packed in polybages of 10 with TYVEC envelopes, Labels and Hubring 100 % errorfree with a Lustrum Finish, a new process that enhances electrical performance. High PlayBack a ginal, low noise, syncom has a increasing media life, a Quality Disk

SSDD ea-\$ 439 DSDD ea-\$ 185 51/4 Qty 20 1 51/4 Qty 20

MICROPHS A name in Educational Software dedicated to education Micropha Program designed for use on Apple Ittle IBM PC Radio Shack 178 80, Commodore 64, PETICIBM, MC 20
Physics 9 Chemistry 6 Calciulus 9 Probability 9 Scholastic Apiliude Test Analogias, Mathematics, Vocabulary 9 Physical Science 9 Spelling 9 in 55: High Mathematics 9 School Attendance System 9 Exam Analysis 9 Exam Generating System 9 Rolladex System Mathematics 9 School Attendance System 9 Exam Analysis 9 Exam Generating System 9 Rolladex System Mathematics 9 School Attendance System 9 Recreational Word Games EDUCATIONAL CATALOG \$1.00 Free with Order

Flexible Disk Tray

Vinyi Storage Sleeves for three ring notebox 5'n 2 Disks per page Catalog Cards includ



Catalog of Computers and Supplies

Our Prices are WHOLESALE +10%

Samples!!!

ATARI 850 INTERFACE - \$220 Compucat - \$163

MSD DUAL DISK DRIVE — \$695 Compucat — \$548.90 INDUS GT DISK DRIVE — \$449 Compucat — \$325.60

We support the complete ATARI and COMMODORE product lines. Ask for our free price list.

(408) 353-1836

Instant shipping (or as fast as we can). Mastercard & Visa Accepted (no extra charge). Shipping & handling add 5% California customers add 6.5% sales tax. Order by phone (Mon. - Fri 10 am - 5 pm PST). Order by modem (daily 8 pm-9am) from our online TeleCatalog. Prices subject to change without notice.

COMPUCAT

24500 Glenwood Hwy., Los Gatos, CA 95030

Advertisers Index

Rea	der Service Number/Advertiser	Page	Reader Service Number/Advertiser	Page
102	Abacus Software	165	Indus Systems	129
103	Abacus Software	167	128 J & R Music World	
	Abacus Software		129 Koala Technologies Corporation	
105	Access Software Incorporated		130 Koala Technologies Corporation	
	American Broadcasting Companies, Inc		131 Legend Peripheral Products	143
106	American Eagle Software, Inc	119	132 Lyco Computer Marketing & Consultants	
	The Avalon Hill Game Company			,193
108	Axiom Corporation		Maxell	. 11
	BASF Systems Corp		133 Microbits Peripheral Products	
	BASIX		134 Microbits Peripheral Products	
	Batteries Included		135 Micro-W Distributing, Inc	
	Brøderbund		Mindscape, Inc.	
	Brøderbund 8		Mindscape, Inc 4	8,49
	Brooks Marketing Corp		136 MME Computer Center	150
112	Cardco, Inc.		137 Nibble Notch Computer Products	
	Commodore		N.P.S. Inc.	
	Compucat		NRI Schools	
113	CompuServe		Okidata	
	ComputAbility		138 Origin Systems Inc.	
	Computer Mail Order148		Pacific Exchanges	
115	Computer Warehouse		Pacific Exchanges	
	Cosmic Computers		Pacific Exchanges	
114	Dennison		Pacific Exchanges	
	DesignWare		140 Professional Software Inc.	
118	Digital Devices Corporation	175	141 Protecto Enterprizes	
110	Discount	105	Protecto Enterprizes	
120	Disk-of-the-Month Club/Unlimited	170	Protecto Enterprizes140	1/1
	Software, Inc.	173	Quality Plastics	105
121	Disks-N-Data	195	142 Quinsept, Inc.	. 56
	Disk World!		143 The Scarborough System	7
	Disk World!		144 The Scarborough System 2	2,23
	Disk World!		Scholastic Software	103
	Disk World!		145 Screenplay	. 65
	Electronic Arts		146 Sega Enterprises 4	2,43
	Electronic Arts		147 Sequential	. 59
	Elek-Tek, Inc.		148 Smart Data Inc.	178
	E Mart, Inc.		149 SMC Software Systems	105
125	Embassy Home Entertainment		Spinnaker	115
	Epyx		Strategic Simulations Inc.	. 29
	Epyx		150 subLOGIC Corporation	105
	Epyx		151 Timeworks, Inc.	173
	Fidelity Investors Xpress		152 Uptown Software, Inc.	1/5
	Frontrunner Computer Industries	150	Walling Co	105
	General Electric Co	8.39	153 Word Publishing	23
	Happy Computers, Inc.	154	154 Xerox Education Publications	113
	Harmony Video & Computers	118	155 Zoom Telephonics, Inc.	118
126	HF Enterprises	195	, , , , , , , , , , , , , , , , , , , ,	
	Hytec Systems	. 47		
	IBM	2,13	COMPUTEI Books	31
	IBM		COMPUTEI's Programming the VIC 10	09
	IMAGIC	. 67		

COMPUTE!'s FREE Reader Information Service

Use these cards to request FREE information about the products advertised in this issue. Clearly print or type your full name and address. Only one card should be used per person. Circle the numbers that correspond to the key number appearing in the advertisers index.

Send in the card and the advertisers will receive your inquiry. Although every effort is made to insure that only advertisers wishing to provide product information have reader service numbers, COMPUTEL cannot be responsible if advertisers do not provide literature to readers.

Please use these cards *only* for subscribing or for requesting product information. Editorial and customer service inquiries should be addressed to: COMPUTEI, P.O. Box 5406, Greensboro, NC 27403. Check the expiration date on the card to insure proper handling.

Use these cards and this address only for COMPUTE!'s Reader Information Service. Do not send with payment in any form.

COMPUTE!

				•						
101	102	103	104	105	106	107	108	109	110	111
112	113	114	115	116	117	118	119	120	121	122
123	124	125	126	127	128	129	130	131	132	133
134	135	136	137	:38	139	1.10	141	142	143	144
145	146	147	148	149	150	151	152	153	154	155
150	157	158	159	150	161	162	63	164	165	166
167	168	169	170	171	172	173	7.4	175	176	177
178	179	180	181	182	183	184	185	186	187	188
189	190	191	192	193	194	195	190	197	198	199
200	201	305	203	204	205	206	207	208	209	210
211	212	213	244	215	216	217	218	210	220	221
222	223	224	225	226	227	228	229	230	231	232
233	234	235	236	237	238	239	240	241	242	243
244	245	246	247	248	249	250	251	252	253	254
255	256	257	258	259	260	261	262	263	264	265
266	267	268	269	270	271	272	273	274	275	276
277	278	279	280	281	282	283	284	285	286	287
288	289	5.50	584	292	293	294	295	296	297	298
299	300	301	302	303	304	305	306	307	308	309
310	341	312	313	314	315	316	317	318	319	350
321	322	323	324	325	326	327	328	329	330	331
332	333	334	335	336	337	338	339	340	3.41	342
343	344	345	346	347	348	349	350			
Circle 101 for a one year new U.S. subscription to COMPUTEL you will be billed for \$24.										
	ii cric	, 00				-				
Please print or type your full name and address Limit one card per person.										
Name										
										_

Name	
Address	_
City	_

Country

State/Province

Please include zip code. Expiration 1/31/84.

CO1184

Zip

Place Postage Here

COMPUTE! Reader Service P.O. Box 2141 Radnor, PA 19089

The Editor's Feedback:

	9/4A		□ Apple □ Atari □ VIC ex/Sinclair □ Radio Sh □ Don't yet h	ack Colo	r Com		54		
Are you a COMPUTE! Subscriber?					Iwou	I would like to see.			
More	Just Right	Fewer		More	Just Right	Fewer			
			Specific applications programs		믐		Games. Reviews of game		
			BASIC programs.				software.		
1_			Machine language programs				Reviews of business software.		
			Tutorials				Reviews of educational		
			Educational articles Detailed explanations of programs				software. Reviews of hardware.		


What do you like best about COMPUTE: ?

What do you like least?

Postage Here

COMPUTE! Magazine P.O. Box 5406 Creensboro, NC 27435-0406


Intitulizabili de la fatta della fatta de la fatta de





Cardco offers a new class of products



PS- NEW CARDCO










MT/1 MONITOR TUNER with REMOTE CONTROL for any composite color monitor to TURN YOUR MONITOR into a TELEVISION SET. Receive sharper, clearer television pictures on your composite color monitor with a flick of the switch. Separate audio and video outputs; also for stereo sound systems.





cardco, inc.

300 S. Topeka Wichita, Kansas 67202 (316) 267-6525

"The world's largest manufacturer of Commodore accessories."

LOOK WHAT'S ON TELEVISION TONIGHT.

6:00

THE HULK

The first comic attraction in the QUESTPROBE™ Adventure Series You become a super hero A joint (adiventure of Scott Adams, Inc. and Marvel Comics Group (Diskette)



6:30

MATH FACTS

(Ages 5 to 10) (Micro School) Educational TV Practice in basic math facts Several levels (Easy to hard) (Diskette)



7:00

FUE MANA

FRENZY/ FLIP FLOP

(Ages 6 to 14) (Milliken Edufun) FRENZY (subtraction and division) The hungry galor arrives save the fish play the BONUS game FLIP FLOP (transformed geometry) look at the two ligures do they need to fip turn or slide? (Diskette)

7:30

SOLAR FOX

It's erase or be erased as you navigate spaceship over a grid of colorful pulsating entities, armed with laser. Unlimited levels. A BALLY MIDWAY original. (Cartridge)



8:00

EASY SCRET

EASY SCRIPT

Our best wordprocessor. Displays 764 lines by 40 characters Prints over 130 columns Global/local search/replace/hunt/find. Super/subscripts Insent/ delete characters, lines, sentences, paragraphs. (Diskette)

8:30

THE MANAGER

A powerful database management system. For business, educational or personal files. Not for Rocklord's files. With four built-in applications. Or design your own (Diskette)



9:00




MAGIC DESK I

The scene opens on an office desk, complete with digital clock type-with wastebasket and file cabinat. Select functions (typing, filing, editing) by pointing animated finger (Cartridge).

9:30

INTER-NATIONAL SOCCER

(Gold Medallion Game) Sports highlight. With passing, kicking, diving goalies, even trophies! Great color, 3-D realism No (ocker room interviews (Cartridge)



10:00

SIMONS'

Rated PG Expands Commodore BASIC by an additional 114 commands. Convenient programming commands such as RE-NUMBER and TRACE plus graphics piolling command (Cartridge)



Announcing the most exciting variety show on television.

Featuring many of the stars of arcade games, education and the business world.

Produced by (and for) Commodore, the people who bring you the Commodore 64, a 64K computer that would be a value at three times its price. In fact, many of its competitors are three times its price.

Produced in living high resolution graphics with 16 available colors and with eight 3-dimensional sprites. With a real high fidelity sound that covers a 9-octave range.

And a supporting cast of lowprice, high capacity disk drives, printers, monitors (a better way to watch Commodore 64) and modems.

So, if you're not pleased with what's on your tv set tonight, simply turn on your Commodore 64.

COMMODORE 64

IT'S NOT HOW LITTLE IT COSTS, IT'S HOW MUCH YOU GET.

