

Worlds of Fill Chill



Not A Game - A Very Realistic Flight Simulation







WORLDS OF FLIGHT (WOF) is a "view" oriented flight simulation for the TRS-80 Color Computer, written entirely in Machine Language. "View" oriented means that the pilot may determine his or her position by actually viewing the surrounding landmarks as opposed to using instruments which sense navigational references. This is a major departure from "instrument only" simulations which can be achieved through BASIC programs. Most instrument maneuvers and procedures may be practiced. The craft is a light-weight, single-engine airplane with low wings. A nose wheel which is both steerable and retractable is also modeled. Some aerobatics are possible including sustained inverted flight, alleron rolls, spins and stalls.

JOYSTICKS REQUIRED 32K MACHINE LANGUAGE **TAPE \$29.95 DISK \$32.95**



The Experts Say:

C.L. — "As a pilot I found "Flight" to be an outstanding simulation.

> M.H. -- "No one has created a more realistic flight simulator for the Color Computer."

> > D. HOOPER, pilot for major airline -"An outstanding flying experience. Very realistic."



TOM MIX SOFTWARE

4285 BRADFORD N.E. GRAND RAPIDS, MI 49506 ADD \$1.50 POSTAGE & HANDLING TOP ROYALTIES PAID MICHIGAN RESIDENTS ADD 4% SALES TAX.



LOOKING FOR NEW SOFTWARE ARCADE ACTION GAMES

TO ORDER CALL 616/957-0444



From Computer Plus to YOU...


PLUS after PLUS after PLUS



Model 100 8K \$495 Model 100 24K \$625



Color Computer II w/16K Ext. Basic \$165 w/64K Ext. Basic \$210



Model 4 16K \$679 Model 4 64K 2 Disk & RS232 \$1215



DMP120 \$385 DMP200 \$520



Color Computer Disk Drive Drive 0 \$289 Drive 1 \$220



BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS

COMPUTERS		ETC.			Colorpede	29.95
Model 4 Portable		Disk Drive Cor	troller	139	Juniors Revenge	28.95
64K w/2 Drives	1149	Extended Basi	c Kit	39.95	Pac Attack	24.95
Model 2000 2Dr	2299	PBH Ser/Par Co	onv.	69	Block Head	26.95
Model 12 1 Drive	2360	64K Ram Chip	S	62.95	Froggie	24.95
Model 16B 1Dr 256K	3965	Deluxe Keybo	ard	35.95	Lunar Rover Patrol	24.95
MODEMS		HJL Keyboard		79.95	Lancer	24.95
	205	CCR-81 Recor	der	52	Typing Tutor	23.95
Hayes Smartmodem II	225	Deluxe Joystic	k (each)	35.95	Galagon	24.95
AC-3	125	Joysticks (pair		22	Scott Adams Adventures	19.95
DC Modem I	89	Video Plus (me	onitor adapter)	24.95	Sea Dragon	34.95
DC Modem II	160	Video Plus IIC		39.95	Colorcome	49.95
PRINTERS		Amdek Color	1 + Monitor	299	Telewriter 64	49.95
Silver Reed EXP400 D.W. Par.	309	Amdek Video	300 Green	145	O-Pak (disk)	34.95
Silver Reed EXP550 D.W. Ser.	525	Amdek Video	300 Amber	159	Key-264K	39.95
CGP115	159	Taxan Color 2	10 Monitor	285	Elite-Calc	59.95
CGP220 Ink Jet	545	Taxan Green		130	VIP Writer	59.95
DMP110	305	Taxan Amber		139	VIP Calc	59.95
Toshiba 1340 (24 wire head)	779				VIP Terminal	49.95
Gemini 10X	289	SOFTWARE	(Tape V	ersion)	VIP Database (disk)	59.95
Gemini Powertype	345	Zaxxon		34.95		
Panasonic P1091	305	The King		26.95	Order any 2 software piece	es listed
Smith Corona Fastext	195	Trap Fall		27.95	and take 10% off their lister	
Prowriter 8510	345	Buzzard Bait		27.95	All Radio Shack software 10	
Okidata and Epson	CALL	Devil Assault		27.95	Send for complete list.	

CALL TOLL FREE 1-800-343-8124

- LOWEST POSSIBLE PRICES
- BEST POSSIBLE WARRANTY
- KNOWLEDGEABLE SALES STAFF
- TIMELY DELIVERY
- SHOPPING CONVENIENCE







computer

P.O. Box 1094 480 King Street Littleton, MA 01460 plus SINCE 1972

IN MASSACHUSETTS CALL (617) 486-3193











NEXT MONTH: September is back to school time, which means THE RAINBOW will emphasize education for students, parents, and teachers. From a lesson on how to tell time to a lesson on making Simulation games, THE RAINBOW will give you the ABCs of the classroom and the CoCo. We'll have word puzzles, a math logic program, a quiz on past presidents, two educational columns, as well as our usual colorful blend of programs, tutorials, games, utilities and reviews.

Look for the September RAINBOW for more on the Color Computer than is available from any other source.

The small cassette tape symbols beside features and regular columns indicate that the program listings with those articles are on this month's RAINBOW ON TAPE, ready to CLOAD and RUN. For tult details, check our RAINBOW ON TAPE ad on Page 126.

Advertiser Index___

Letters To Rainbow _

The Pipeline _____

Corrections __

Rainbow Info _

Back Issue Information ___

Received And Certified ___

'ER art © by Fred Crawford

FE	ATURES	
	Surviving On Safari/Robert Rogers	18
	Disk Files Of Data/Bill Nolan	_22
X	DISK TUTORIAL Developing a database manager program	
	GAME But watch out for the dragon	_ 25
	Catching Those Gremlins/H. Allen CurtisUTILITY An error-trapping program	_61
X=	Incoming Wounded!/Milt TanzerGAME M*A*S*H trivia quiz	_ 67
₽Œ	CoCo Takes Flying Lessons/William G. FranklinSIMULATION Flight Simulation update	_74
	Making Sense From Your Dollars/Leonard HyreFINANCE Projecting your IRA earnings	_ 84
¥ _E	On The Road Again/Jacques Bourgeois	_ 90
	An Addition To Your CoCo Manual/Andy Kluck TUTORIAL A new series on helpful techniques	109
	Another 'Simulating' Lesson/Robert K. Tyson, Ph.D SIMULATION TUTORIAL On creating Simulations	.119
	Convert Those Paddles/Helene M. LaBonville HARDWARE TUTORIAL An Atari-to-CoCo paddle conversion	131
		400
	Part II/T. Whit Athey, Susan C. Athey HARDWARE TUTORIAL Circuits to add to your interface board	.138
	Air Raid On The Keyboard/Gil Cummings	148
	Salute Our Athletes/Bill Duke	156
	Speed Check Your Disk Drives/Roger Schrag DISK UTILITY This utility can save you repair costs	164
	Cooking With CoCo/Colin J. Stearman EXPANDING BASIC Part II on enhancing your DOS	170
	Back Up Those Diskettes/Wayne Duncan UTILITY Backup your disk, on cassette	229
D	EPARTMENTS	

259

130

___6

152

_73

194

Reviewing Reviews _____

Subscription Information ___

These Fine Stores _____

Scoreboard Pointers _ **Submitting Material**

To Rainbow

Scoreboard_

198

266

268

231

270



COLUMNS BASIC Training/Joseph Kolar _____ 158 Having fun with graphics characters Bits And Bytes Of BASIC/Richard White 115 A little string printing Building August's Rainbow/Jim Reed _____ A discussion of our product reviews 236 Byte Master/R. Bartly Betts A new assembly language column CoCo Graphics/Don Inman ___ 134 Learning takes shape with Color LOGO Earth To Ed/Ed Ellers_ 240 Beam up those "tech" questions 107 Education Notes/Steve Blyn_ CoCo can be a plus in learning signed numbers Education Overview/Dr. Michael Plog 51 The microcomputer grows in the classroom 12 PRINT #-2,/Lawrence C. Falk_ Editor's Notes School Is In The Heart Of A Child/ Bob Albrecht. 53 Ramon Zamora _ Words worth learning 190 Turn Of The Screw/Tony DiStefano _ Clearing up popular misconceptions Wishing Well/Fred Scerbo ____ 38 Programs to get you ready for school Dale Peterson's "Greetings From Uncle Bert" will return next month. RAINBOWTECH Downloads/Dan Downard __ 244 Answers to your technical questions hogg_wash/Frank Hogg 246 Building logical pathways KISSable OS-9/Dale L. Puckett 257 Some assembly language tips 250 Personable Pascal/Daniel A. Eastham _____ Expressions and statements

PRODUCT REVIEWS

Product Review Contents

VOLIV NO 1

Editor and Publisher Lawrence C. Falk

Managing Editor James E. Reed Senior Editor Courtney Noe Technical Editor Dan Downard Copy Editor Susan Remini Submissions Editor Jutta Kapfhammer Editorial Assistants Valarie Edwards, Wendy Falk, Suzanne Kurowsky, Lynn Miller, Shirley Morgan, Noreen Morrison, Kevin Nickols

Technical Assistant Ed Ellers

Contributing Editors Bob Albrecht, Steve Blyn, Tony DiStefano, Dan Eastham, Frank Hogg, Don Inman, Joseph Kolar, Dale Peterson, Michael Plog, Dale Puckett, Fran Saito, Paul Searby, Fred Scerbo, Richard White

Art Director Sally Nichols
Assistant Art Director Jerry McKiernan Designers Peggy Henry, Neal C. Lauron, Kevin Quiggins

Advertising Manager Charlotte Ford Advertising Assistant Debbie Baxter (502) 228-4492

General Manager Patricia H. Hirsch. Asst. General Manager for Finance Donna Shuck Bookkeeper Diane Moore Advertising Accounts Doris Taylor Dealer Accounts Judy Quashnock Administrative Assistant to the Publisher Marianne Booth

RAINBOWfest Site Management Willo Falk Director of Fulfillment Services Bonnie Shepard Asst. Customer Service Manager Deidra Henry Customer Service Representative Sandy Apple Word Processor Manager Lynda Wilson
RAINBOW ON TAPE Subscriptions Monica Wheat Research Assistants Laurie Falk,

Wanda Perry, Loretta Varda, Kara Voit Dispatch Mark Herndon Production Assistant Melba Smith

Advertising and Marketing Office for the Western states and provinces: Cindy Shackleford, director, 12110 Meridian South, Suite 8, P.O. Box 73-578, Puyallup, WA 98373-0578, Phone: (206) 848-7766. Ferritories included: AK, AZ, CA, CO, HI, ID, MT, NV, NM, OR, UT, WA, WY, Cahadian Provinces of Alberta, British

Columbia, Saskatchewan.
THE RAINBOW is represented in the Eastern United States by Garland Associates, Inc., P.O. Box 314, S.H.S., Duxbury, MA 02331, (617) 934-6464 or 934-6546. Advertisers east of the Mississippi may contact them for further information. Territories included: AL, CT, DE, DC, FL, GA, IL, IN, KY, ME, MD, MA, MI, MS, NC, NH, NJ, NY, OH, PA, RI, SC, TN, VA, VT, WV, WI, Canadian Provinces of Ontario, Quebec.

THE RAINBOW is published every month of the year by FALSOFT, Inc., 9529 U.S. Highway 42, P.O. Box 385, Prospect, KY, 40059, Phone (502) 228-4492, THE RAINBOW, and THE RAINBOW logotypes are ® trademarks of

FALSOFT, Inc.
Second class postage paid Prospect, KY and additional offices. USPS N. 705-050 (ISSN No. 0746-4797). POSTMASTER: Send address changes to THE RAINBOW, P.O. Box 385, Prospect, KY 40059. Forwarding Postage Guaranteed. Authorized as second class postage paid from Hamilton, Ontario by Canada Post, Ottawa, Ontar-

Guaranteed. Adhinized as section draw, ontario, Canada.

Entire contents by FALSOFT, Inc., 1984. THE RAINBOW is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever.


TRS-80, Color BASIC, Extended Color BASIC, Scripsit and Program Pak are b trademarks of the Tandy Corp. CompuServe is a b trademark of CompuServe Inc.

Subscriptions to THE RAINBOW are \$28 per year in the United States. Canadian and Mexican rates are U.S. \$35. Surface mail to other countries is U.S. \$65, air mail U.S. \$100. All subscriptions begin with next available issue. Limited back issues are available. Please see notice for issues which are in print and costs. Payment accepted by VISA, MasterCard, American Express, Cash, Check or Money Order in U.S. currency only.

193

LETTERS TO THE RAINBOW

ARTS AND LETTERS



A FLOWERY THANKS

Editor:

On behalf of the entire Garden State CoCo Users Group, we would like to thank THE RAINBOW staff for the excellent job they did with the New Brunswick RAINBOW-fest. All the seminars were very helpful, the exhibitors were very friendly, and best of all, it was great meeting all the other CoCo users from around the U.S. Our group was very happy to help THE RAINBOW by manning a booth, and distributing posters and T-shirts. We are all looking forward to the Princeton RAINBOW fest.

Darren Nye, Secretary Garden State CoCo Users Group

Editor's Note: We appreciate all your club did to make it a successful show.

HINTS AND TIPS

Editor:

If anyone ever asks you why their printer will not work on the Color Computer you can be nearly certain that the reason is that pin two on the serial I/O port is not being held high by the printer. I got the clue to this from reading the green technical manual put out by Radio Shack, which I was given at my local Radio Shack store when no one there knew the answer. For anyone making a cable, here is the way to do it.

Buy a cable with four pin connectors on each end from Radio Shack and cut it in two. Splice to one of these four-pin half cables a standard 25-pin D.B. plug and connect the following pins.

From the computer: On

computer: On the printer side: pin 1 not used

pin 2 green receive

pin 20 or any other +12

pin 3 red signal ground pin 4 white send

pin 7 signal ground pin 3 receive

The technical manual defined "high" as above three volts but I found that even an eight- or nine-volt line would not work. Most printers will have a pin 20 output which is 12 volts, and if not they generally will have another pin with +12 which will do just as well. It is a little peculiar that the computer's receive pin instead of its carrier detect pin is the one needing to be held high, but every machine has its idiosyncracies. And it took me a while to find this one, so I thought you might appreciate my passing it on.

Caution also on print speeds chosen (with the above-mentioned corrections) since the CoCo has no busy detect. So if it sends data faster than your printer can print it or buffer it, you will lose text.

> Tom Lott Savannah, GA

Editor:

You can turn your CoCo into a jukebox if you CSAVE the ML program generated by Composer or Music+.

1) Save each ML program to tape, leaving a short blank between them.

2) Press Reset if you have turned AUDIO ON. Typing AUDIOOFF or NEW or deliberately creating a SN Error won't do. The ML program will EXEC, but with no sound.

3) In the command mode type FOR T=1 TO number of tunes on the tape: CLOADM: FOR R=1 TO number of times to repeat each tune: CLSRND(8):EXEC:FOR P=1 TO 700 a short pause: NEXT:NEXT:NEXT.

4) Rewind tape, press *PLAY* then press. ENTER.

The above can also be entered and run as a BASIC program, with an ON T GOSUB to some graphics routines instead of CLSRND(8).

Composer music will not load into Music+. But all that work is not lost, CSAVE ML music from both programs on an all music tape. The above program will EXEC them all.

Now your CoCo sounds like an organ, works like a record player, with colors for flair

I hope you will put more music in RAIN-BOW ON TAPE. CTRYROAD is number one on my Top 40.

Your magazine is the greatest!

Robert H. Little Utica, MS

IT'S A CHECK PLUS

Editor:

I am one of your subscribers and I have been wondering for a while about a rectangle with a check mark and a lot of numbers. I have tried to unravel the mystery but I have not been albe to do so.

Will you please indicate to me if there is an explanation to what is inside the rectangle or if it is just some numbers without any explanation.

Editor's Note: Please read "Rainbow Check Plus" under RAINBOW Info on Page 73 of this issue for a full explanation.

BOUQUETS AND BRICKBATS

Editor:

I want to compliment two of your advertisers. One is Computer Plus for their super fast shipments to a very impatient CoCo

The other is VIP Software. I doubt that there is anyone that has such a feature packed word processor for such a low price. To make it even more amazing, they "throw in" a 50,000 word speller at no additional cost

> Paul Frank Buffalo Grove, IL

Editor:

I was most interested to read the letters from Joe Cain and John Spataro in the May 1984 issue, Page 206, because I have encountered some of the same problems with VIP Terminal.

Like Mr. Cain, I suffer from considerable loss of data when I use the default 51 characters-per-line screen which was one of the main reasons I bought VIP Terminal. And like Mr. Spataro, I encountered the same lack of interest on Softlaw's part when

I tried to get some help.

A full month after I wrote to Softlaw, I received a form letter telling me that my question could be answered only if I would call them at an inconvenient hour of the afternoon. I found it rather difficult to understand how the manufacturer of VIP Writer, a truly excellent word processor, would be unable to communicate by letter. But in the interest of getting the problem solved, I managed to be near a phone at the proper hour one day and I called.

I spoke to Mr. Tom Saag of Softlaw's customer relations department. He was somewhat unsympathetic, and only moderately helpful. He suggested I ask the Bulletin Boards and databases with which I communicate to send nulls for line delay. But that is only a partial solution, because many of these services, including MCI Mail, are

not equipped to send nulls.

I find it highly significant that Cer-Comp, in its advertisements for its new Data Pack II terminal program, puts "No lost information when using Hi-Res display on line" first on the list of features. On top of that, Data Pack II seems to have all the same bells and whistles that VIP Terminal has, and it has a buffer editor that VIP Terminal lacks - all for \$15 less! Obviously, Cer-Comp found that a problem existed and did something about it. Why can't Softlaw do the same?

In its own advertising, Softlaw likes to emphasize its "professionalism," but the company is anything but professional in its

treatment of its customers.

Neil Edward Parks Beachwood, OH

GOOD SUPPORT

Editor:

I would like to publicly thank Software Support Inc. for their honesty and responsiveness in handling my disk drive order and the ROM change that was needed on it. "Support" is, in fact, their middle name. I hope all CoCo product companies follow their example.

Robert Shepard Versailles, KY

Editor:

I recently ordered a program tape called Custom Flashcards from one of your advertisers, Creative Technical Consultants. After it arrived, I found that it took two or three tries to get past an I/O Error and get it loaded. I wrote the company and within two weeks I received a new Custom Flashcard. tape, along with a 50 percent discount coupon "by way of apology for any inconvenience the defective tape may have caused me." The new tape works fine and the program is just great. I used the coupon to order another one of their programs called Alphabet Soup, and it worked perfectly too. (Now if I can just get my kids to quit playing Alphabet Soup long enough for me to study my Flashcards...) Anyway, it's great to deal with a company that cares about their product and my "inconvenience."

J.W. Abel Denver, CO

SPREADING THE WORD

Editor:

Let me express my appreciation for the quality of RAINBOW. It by far outshines all other CoCo publications on the market.

I am the pastor of Grace Covenant Church in St. Louis. We are a small church, presently meeting in a home. I am writing to express a need we have for a printer. I have a 64K CoCo which I intend to use for word processing. It will be used for sermons, writing Sunday school materials, printing articles, and typesetting leaflets and tracts. Because of the size of the church, neither I nor the church can afford to purchase a printter at this time. I am hoping that one of your Christian readers might consider donating a printer to us, or selling us one at a low price. Your donation would be used for the glory of God. Please contact me at Grace Covenant Church, P.O. Box 1165, 63011 or call (314) 227-3238.

Pastor Mark S. Camp Ballwin, MO

INFORMATION PLEASE

Editor:

I am an avid reader and user of RAINBOW magazine (the best of all the ones for the TRS-80). I've been wondering for quite some time if there is a Bible Concordance program availabe for disk? Write to: 7031 9th Avenue, H2A 3B5.

> Dick Svendsen Montreal, Quebec

LOOKING FOR POKE

Editor:

My friend and I are working on a computer program and we were wondering if there was a poke to disable the reset command: Also, we would really appreciate it if you knew if there was a poke to immediately make a program run afer CLOADing it. Thanks for any information you can possible give us. 125 Guinea Road, 04005

> Marc Labbe Biddeford, ME

Publisher's Clearance!

Official Version

Frogger

Leapin Lizards. Thousands sold \$Q95 at 24.95

Avenger

Shoot'm up fun Reg sold at 24.95

Scarfman

Eat em up Pac Man® Reg sold at 24.95

Robot Attack

Robot, Robot, everywhere Reg sold at 19.95

Happy Hurdler

Run fast and jump high. Reg. \$95 sold at 24.95

Supplies Limited 603-924-9882

arnival

- 145 Grove Street
- Peterborough
- New Hampshire 03458
- 603-924-9882

GRAIN OF AN IDEA?

Éditor:

We have a TRS-80 CoCo 2 and have found our best source of program has been your magazine. We have enjoyed the games and business programs.

There is a type of program we haven't been able to find. We are grain farmers and we would love to be able to use our computer more in our farm operations. We are looking for any program that would help us with grain farm management.

If you know of any programs or any other farmers that might know of some programs, we would like to hear from you. RT #2,

83420.

Dennis Rogers Ashton, ID

A REAL SCOUT

Editor:

I would like to inform your readers of my experience with a program that I have not seen reviewed anywhere. A few months ago l purchased Compu Scribe B.S.A. from Color Connection Software. The ad states you can keep tabs on the whole troop, and create a printout by scout rank or alphabetically. This is true and looks rather impressive, especially if a scout has really worked hard. The program is rather worthless though because there are no provisions for keeping track of dates of advancement or when merit badges were earned. So, in effect, you must still keep another set of books. The program might be more effective if the 132-character format were eliminated and more space provided to allow for more information on the other half of the page.

I would like to install a video buffer and am confused about the new chip numbers in CoCo 2. 1 am running two Radio Shack drives, a DMP 120 printer and a modem 1.

I would be interested in hearing from readers who may have modified Compu Scribe or have other useful programs dealing with scouting or those who have added a video buffer to their CoCo 2. What buffer did they use? Write: P.O. Box 321, 45390.

Paul McKee, Jr. Union City, OH

Editor:

I would like an opinion on two printers, the Okidata 92 and the Gemini 10X. I have seen both of them print and I lean toward the Okidata 92.

Could you please give me your opinion on which printer would be best suited for use with the CoCo 2 and which would be best supported by software available for each printer.

William C. Mulvey Patchogue, NY

Editor's Note: The Okidata ML 92 was reviewed in the October 1983 (Page 227) issue of THE RAINBOW. The Gemini 10 was reviewed in June 1983 (Page 109) while the Gemini 10X review appeared in the June 1984 (Page 265) issue.

PIGGYBACK BLUES

Editor:

Help! Back in the legendary days of the "D" board, memory upgrades were mysterious and awesome. Financial and technical considerations led some of us into the realms of piggy-back 32K. By now everyone knows that this creates the obscure memory-overlay syndrome. The problem is what to do about it! Simply put, when encountering programs that combine BASIC and ML across the 16384 border in this modification, anything can happen! Some work, some don't, and some frustratingly partially work before the dreaded (most frequently) FC Error message occurs. If you stick to BASIC everything is fine, but addressing the ML seems to be up for grabs. The standard answer seems to be "get good 64K chips," but for nonelectronic types, 64K for the "D" board is fearsome, not to mention expensive for those who started with 4K and have scrimped for those chips and other needed peripherals. I find it hard to believe that the only answer for the "piggy-back" owners is "tough luck, buddy!"

Maybe the vendors of this modification have a fix, or more likely, other owners with a technical bent have found one. If so, publish! Many programs sit in my inactive box because of this glitch and I am sure there must be others in the same situation out there in CoColand. Write me: Box 28,

61426.

Richard Gordley Castleton, IL



The Best Selling Program for Young Children Now Available for: TRS-80 Color Computer-16K disk or cassette and TRS-80 Models I/III-32K disk or 16K cassette

Nine fun educational games for children ages 21/2 to 6

counterpoint software, inc. 4005 West Sixty-Fifth Street Minneapolis, Minnesota 55435

Model I Disk

Please rush me Early Games for Young Children

Color Computer Disk Model I/III Cassette

Model III Disk	Color Computer	Cassette
Name		
Address		
City	. State	Zip
My check for \$29.95	is enclosed (Minnesota resi	dents add 6% sales tax).
☐ Charge to VISA [Charge to Mastercard	
Acct. No.	Expiration Date	

Phone Orders: 800-328-1223 Minnesota: 612-926-7888

Educators Endorse: "Early Games can help children learn new concepts, information and skills, and also introduces them to the joys and benefits of home computers.

> Peter Clark, Faculty Institute of Child Development University of Minnesota

No adult supervision required. The Picture Menu gives children control. They can:

- Match Numbers
- · Count Colorful
- Blocks · Add Stacks of Blocks
- Subtract Stacks
- of Blocks Draw and 5ave Colorful

Pictures

nine games

· Learn the Alphabet

· Spell their Names

· Compare Shapes

· Match Letters

for \$29.95

Color Power II

Expands Your CoCo to CP/M° 2.2

Plug Color Power II into the expansion port of your 64K CoCo or CoCo 2, plug your disk controller into Color Power II, and insert our disk into your drive. You are now ready to run thousands of CP/M programs such as WordStar®, MailMerge®, SpellStar®, and StarIndexTM and to run Ultra Term + to create an 80 column by 24 line terminal.

Your CoCo is now a CP/M compatible computer that includes CP/M 2.2 and generates an 80 column by 24 line display on your 80 column monitor with upper and lower case characters.

Introductory Prices:

Color Power II (includes CP/M 2.2)	.\$329.00
Add Ultra Term +	\$ 55.00
Color Power II plus WordStar® & MailMerge®	\$498.00
Add SpellStar® and StarIndex™ for only	\$ 79.00

Call or send check, money order, Visa or MasterCard number with expiration date to the address below. N.J. residents add 6% sales tax.



Color Power Unlimited, Inc.

1260 Springfield Ave., P.O. Box 606-F, New Providence, N.J. 07974 (201) 665-9646



A fantastic strategic arcade game with animated movement. 11 different hi-res screens and several enjoyable musical selections make this game a fun but difficult challenge. Saving the forest from the evil monster spiders of Dageth can require considerable quick thinking and planning. You must avoid the spider and falling coconuts while at the same time trying to destroy the vile web, free the sacred birds, and recover the stolen treasures. 100% machine language! Joystick required.

32K cas \$21.95

COLOR CONNECTION SOFTWARE

NEW PUZZLER

Superb puzzle creation system with built in editor. Will create three different puzzles from any set of words that you type in. Puzzles available, wordsearch, wordscramble, and most surprising of all, a crossword puzzle. Great for parties, classes, or as a simple diversion. Inquire for pricing and availability.

COMING SOON: DESIGNER 64
An unbelievable and highly advanced Graphics development system! Watch for more info.

COLOR DESIGNER

Use Color Designer and you CoCo to create amazing hi-res color pictures. Many features available, including a fill command that paints the screen in over 1000 different color/texture combinations. Has machine language subroutines. April 84 Rainbow, "... I would not hesitate to recommend [Color

Designer] to someone in the market for a graphics editor." NEW LOW PRICE!

16/32K cas \$23.95 disk \$25.95

QUIZ ALL

A versatile quiz program. Great for individual study or creation of a quiz for a group. Quiz can be taken on the computer or printed for others. Even has an option for the computer to generate multiple choice answers! dune 1984 Rainbow, "...! found Quiz All to be an excellent program..."

cas \$18.95 disk \$20.95

OKI DUMP

An excellent hi-res screen dump for the Okidata 80 series without Okigraph. Printed pictures aren't miniatures! Manual includes hints on printing game screens; The King by Tom Mix is the example. 100% machine language!

16K cas \$8.95

16K disk \$10.95

Call or write for our free newsletter,

All cassette orders include disk version on cassette with instructions to transfer to disk. Unless otherwise specified, programs require 16K extended for cassette or 32K extended for disk. Add \$2.00 shipping. Utah residents add 5.3/4.% sales tax. Orders paid by personal check allow 1.2 weeks; all others sent within 48 hours COD add \$2.00.

To order, call 24 hours a day or write COLOR CONNECTION SOFTWARE 1060 Buddlea Drive, Sandy, Utah 84070



(801) 571-5023 For information:



Call weekdays between 6:30 pm and 10 pm MT

Editor:

Has anyone out there ever heard of the Impact Data Printer Company or know where we can get replacement ribbons for their printers? We have an Impact Data model 800 printer with its ribbon in shreads from overwork. It requires a 1-yard loop of cloth ribbon and no one we have talked to at major office and computer supply stores has ever even heard of a ribbon like that. It is getting to be a headache to slide carbon paper into the printer between the sheets of blank paper. This works fine when you run out of ribbon but gets tiresome after a while. I also would like to know: does anyone know of a screen dump for these printers? They print no graphics characters - just alphanumerics and punctuation.

Rogers George, IV Terrace, MN

KUDOS

Editor:

I have read the many plaudits that you receive in the "Letter's To Rainbow." You deserve every one and I can only add a job well done unless I take a different tact.

Our grandson, since receiving RAINBOW, has gone to the head of his class in typing as well as improving his grades in all other classes at least one full grade letter point and in some subjects more. His mother tells me he has gone from a C- average to a B+ average overall. His reading comprehension has improved tenfold. Your subscription rate is a small price to pay for this improvement in his overall education.

Even if you have a sore arm, pat yourselves on the back just once more for me.

Alex M. Parker Central Valley, CA

Editor:

THE RAINBOW is tops. Every once in a while I'll glance at another, but as it's been said so many times and by so many people, there's none other that compares. THE RAINBOW is my only source of information on the CoCo.

Continue the excellent work. I am a true believer that the CoCo will never get cold!

Daryl Judd Nampa, ID

Editor:

Thank you for producing such an informative, comprehensive magazine. Richard White's "Marrying Machine Language to BASIC" (May 1984, Page 31) was the most informative article I have ever read in any computer magazine. After becoming proficient at BASIC, the average CoCo user faces a difficult task in attempting to learn machine language.

Mr. White's contribution has provided us with a basic understanding of how machine language works and some direction in finding the proper sources for reference. More articles aimed at the machine language learner would be greatly appreciated; especially anything that would clarify the infamous "Hidden 32K" and the difference between "C" and an assembler!

Ralph M. Greco, Jr. Providence, RI

EVALUATORS NEEDED

Editor:

I have developed a federal income tax program and would like to have it evaluated by some of your readers. In exchange, they may keep the program. All CoCo system configurations are needed. Write me at: Alpha Byte, 1008 Alton Circle, 29501.

John M. Gregg Florence, SC

BULLETIN BOARD SYSTEMS

Editor:

I would like to inform your readers of a CoCo BBS in the 312 area code. It is called Cream De CoCo BBS. It can be reached at (312) 597-8485. Erik Thred is the Sysop of the BBS. It also has downloads for the CoCo. Call today!

Darren O'Neill Palos Heights, IL

Editor:

It is with great pride that I announce the start of a new bulletin board service called the Next Step Board. The board supports member messages, downloads, uploads, and other general interest categories. It is a full support board for *Pro-Color-File* by Dennis Derringer. Owners of the program can contact other owners and converse at will. We also support the Pro-Color-File Users Group headed by Jorge Mir. There is a special section set aside especially for these members.

We support Colorcom/E(C) and Videotex(C). Call (213) 690-4589. We may just have the program you have been looking for.

Paul L. Kush (SYSOP) Yorba Linda, CA

A CLEAN DREAM

Editor:

I had a dream the other night. I was buying a washing machine. The salesman told me how powerful this machine was, the many features it had, how it could handle all sorts of tasks and how it would be the answer to all of my needs.

I was impressed until I asked about the warranty. I was told that it was sold as is. However, the manufacturer did guarantee that I would be able to load it. It was not warranted to be free from defects and it was not warranted as to whether or not it would wash clothes. I was also cautioned that before I used this machine I should make a duplicate so that if anything happened I would have a backup. I was also told that if something should happen and I needed information that there would be an additional fee.

I awoke with a start. I thought about the reason for such an odd dream when I realized that the day before I had purchased some software. Ridiculous, isn't it?

Juit M. Divet Tacoma, WA

Don't Take Chances!

Instead use the revised


DATABASE/MAILER 64

LETTER WRITER 64

REVISION C

for FAST, EASY single page letters or 1000's of form letters & labels with our new

30DAYMONEY-BACK GUARANTEE!* RAINBOW



ACCOUNTS . INSURANCE . PROPOSALS . BULK MAIL . DENTAL RECALL . CHRISTMAS LISTS . CHURCHES . CLUBS . REALTORS . SALES

- · Active menus guide you to valid operations.
- Won't "hang up" your system.
- . 32K system allow 68 to 440 records per file.
- . 64K system allows 91 to 610 records per file.
- Up to 10 fields, 270 characters/record.
- · All user definable with default values easy.
- Sort any field alpha/numeric, full or partial.
 Adjusts for empty address lines no gaps.
- .
- · Create new files from all or part of old file.
- Auto select "special" records for saving to new file.
- Change lengths, add or delete fields of existing files.
- Auto copy identical data to all records in file.
 Combine unfilled files to create new file from old.
- Full memory sense adjusts to your system.

- . Up to 9 line labels with up to 500 copies each.
- Master two column printout with field names.
- Master printout includes date, paging & filename.
- Selective printing by any field or field range.
- Accepts alpha or numeric zip codes up to 10 digits.
- · Partial or whole item search by any chosen field.
- Single screen 10 record display by any field.
 Single key entry for hard copy of screen data.
- . Disk to tape data file transfer.
- Tape to disk data file transfer.
- Archive files to tape for security.
- 1 key VERIFY ON/OFF for secure copying.
 Interim save allows multiple file copies.
- · User friendly error checking.

- · Fast single page letter writing with wordwrap.
- Embedded commands center, tab and line skip.
- Full screen edit allows delete, insert & change.
- Headings are tabbed, spaced automatically.
- No "Database Adventure" over 50 page manual.
- Manual includes program operation flowcharts.
- Not needed, but included is user modification section.
- · Access up to 4 drives in disk version.
- Prints sorted disk directory to printer.
- Directory printout fits on disk jacket.
- Copy files/programs between disks.
- 2 key kill of old files/programs on disk.
- Complete file maintenance made easy.
 Fully menu driven for fast, easy response

DARE TO COMPARE: GUARANTEE FEATURES PRICE

The most complete package available for only...\$99.95 plus shipping & handling.

Tired of waiting? we ship 1st Class Mail within 48 hours.

When ordering please provide:
NAME
ADDRESS
CITY/STATE
ZIP CODE
PHONE
TAPE or DISK
CREDIT CARD NO.
EXP. DATE

Master Card holders -

include interbank no.

Call our 24 hour orderline 619-695-1385

or 619-566-6013, 9 — 5 p.m. PST weekdays or send check or money order to:

EUS ENGINEERING

9528 Suite 35, Miramar Road San Diego, CA 92126

"Serving the Defense and Space Industry since 1979"

Please include the following: \$3 postage and handling U.S. funds only CA residents add 6% tax COD orders add \$4 Amdek disk add \$4

Dealer inquiries invited Personal checks - OK we won't make you wait.

*from date of invoice excluding non-refundable postage/handling/ COD charges.





PRINT #-2,



Scratch And Sniff Adventure last month. We certainly did get a lot of response, and all of it was good. Or, at least, most of it was good. One lady called in saying that she stayed up late typing the whole program in, caught a cold, and wasn't able to smell the scents. Well, we're easy. We told her what they are. I guess she's happy now!

We did attract some attention in the media for the Scratch And Sniff Adventure, and we plan to be doing some more "wild and crazy things" as time goes by. That, to my mind, is what is nice about CoCo — while you can use it for a whole range of significant applications, you can have a lot of fun with it, too. Perhaps this is the reason CoCo is still there and going strong while virtually all the "highly-touted" home computers have bitten the dust. It is called a "shakeout," but maybe we should call it a "Shackout," because guess who is shaking the others out of the market?

Our RAINBOWfest in Chicago was a huge success: the largest of the shows we have had — both in terms of attend-

ance and number of firms exhibiting. Are we doing it again? You bet! And what we'd like to see is you folks in other parts of the country trying to beat the Chicago attendance record. The east held it for a time, but the midwest came storming back. And, how about you westerners? We'll be back in California in February.

I know no one cares but me, but RAINBOWfest in Princeton, N.J., (Sept. 28-30) is the week before my birthday. And, while most people who start getting a little older like I am try to forget their birthdays, I have always had this thing about the occasion. So, we're planning something a little special for what Jim Reed has dubbed as "Lonnie's Birthday at RAINBOWfest." I hope you will come and help me celebrate in Princeton.

Yes, the rumors have been flying about a new Color Computer. Will there be one? Of course. But don't expect anything anytime real soon.

We can't tell you a great deal at this point, but one of the things we can point out is to expect "upward" software compatibility with the new CoCo. That means that what you see running now will be able to run right away on the new machine — or will require only a little modification. Contrast that, if you will, with Commodore's dumping of the VIC-20 when the Commodore 64 became available. And, when Commodore tried to do it again a few months ago, there was such a hue and cry from users and dealers that they have gone back and looked at the whole issue again —significantly delaying the introduction of the new machine.

While some changes are necessary in bringing out a new model, you don't see this planned obsolescence from Radio Shack. Perhaps that's why Radio Shack is the "shaker" instead of the "shakee" in the home computer market.

Thanks to a friendly computer store in the area, I have been playing with a Macintosh computer for the past several days. I am sure most of you have seen or heard something about this one — from our friends at the Apple Computer Company.

I have seen the Macintosh — known as the Mac among friends — at three or four shows now, always with an extra-big projection TV and a lot of people looking. (In fact, at the West Coast Computer Faire in San Francisco, it was a little hard to get into the main exhibit hall because doors were narrow and the Mac exhibit was right in front of them.)

Mac addicts (at this point, mostly Apple people and dealers and the people who are planning the software for this new addition) are touting the Mac as the newest and greatest thing since sliced bread. I thought you might be interested in some observations, so here we are.

Ido not see the Mac as a particularly great computer. I do see the software as a major innovation in user-friendliness. In fact, for the most part, the software is not only user-friendly, it is user-affectionate. Mac uses 3½-inch disks, similar to those with the AMDISK system available for the CoCo, and each one (single-sided) holds a little over 400K. That sounds fine, except the system and applications software take up a lot of space. To do word processing for instance, I can clear about 160K on my disk. Not bad, but not great, either.

The single worst thing about the Mac is the disk drive access. It is s-l-o-w. If you think any other

Telewriter-64 the Color Computer Word Processor

- 3 display formats: 51/64/85 columns × 24 lines
- True lower case characters
- User-friendly full-screen editor
- Right justification
- Easy hyphenation
- Drives any printer
- Embedded format and control codes
- Runs in 16K, 32K, or 64K
- Menu-driven disk and cassette I/O
- No hardware modifications required

THE ORIGINAL

Simply stated, Telewriter is the most powerful word processor you can buy for the TRS-80 Color Computer. The original Telewriter has received rave reviews in every major Color Computer and TRS-80 magazine, as well as enthusiastic praise from thousands of satisfied owners. And rightly so.

The standard Color Computer display of 32 characters by 16 lines without lower case is simply inadequate for serious word processing. The checkerboard letters and tiny lines give you no feel for how your writing looks or reads. Telewriter gives the Color Computer a 51 column by 24 line screen display with true lower case characters. So a Telewriter screen looks like a printed page, with a good chunk of text on screen at one time. In fact, more on screen text than you'd get with Apple II, Atari, TI, Vic or TRS-80 Model III.

On top of that, the sophisticated Telewriter full-screen editor is so simple to use, it makes writing fun. With single-letter mnemonic commands, and menu-driven 1/O and formatting, Telewriter surpasses all others for user friendliness and pure power.

Telewriter's chain printing feature means that the size of your text is never limited by the amount of memory you have, and Telewriter's advanced cassette handler gives you a powerful word processor without the major additional cost of a disk.

...one of the best programs for the Color Computer I have seen...

- Color Computer News, Jan. 1982

TELEWRITER-64

But now we've added more power to Telewriter. Not just bells and whistles, but major features that give you total control over your writing. We call this new supercharged version Telewriter-64. For two reasons.

64K COMPATIBLE

Telewriter-64 runs fully in any Color Computer — 16K, 32K, or 64K, with or without Extended Basic, with disk or cassette or both. It automatically configures itself to take optimum advantage of all available memory. That means that when you upgrade your memory, the Telewriter-64 text buffer grows accordingly. In a 64K cassette based system, for example, you get about 40K of memory to store text. So you don't need disk or FLEX to put all your 64K to work immediately.

64 COLUMNS (AND 85!)

Besides the original 51 column screen, Telewriter-64 now gives you 2 additional high-density displays: 64 × 24 and 85 × 24!! Both high density modes provide all the standard Telewriter editing capabilities, and you can switch instantly to any of the 3 formats with a single control key command.

The 51×24 display is clear and crisp on the screen. The two high density modes are more crowded and less easily readable, but they are perfect for showing you the exact layout of your printed page, all on the screen at one time. Compare this with cumbersome "windows" that show you only fragments at a time and don't even allow editing.

RIGHT JUSTIFICATION & HYPHENATION

One outstanding advantage of the full-width screen display is that you can now set the screen width to match the width of your printed page, so that "what you see is what you get." This makes exact alignment of columns possible and it makes hyphenation simple.

Since short lines are the reason for the large spaces often found in standard right justified text, and since hyphenation is the most effective way to eliminate short lines, Telewriter-64 can now promise you some of the best looking right justification you can get on the Color Computer.

FEATURES & SPECIFICATIONS:

Printing and formatting: Drives any printer (LPVII/VIII, DMP-100/200, Epson, Okidata, Gentronics, NEC, C. Itoh, Smith-Corona, Terminet, etc).

Embedded control codes give full dynamic access to intelligent printer features like: underlining, subscript, superscript, variable font and type size, dotgraphics, etc.

Dynamic (embedded) format controls for: top, bottom, and left margins; line length, lines per page, line spacing, new page, change page numbering, conditional new page, enable/disable justification.

Menu-driven control of these parameters, as well as: pause at page bottom, page numbering, baud rate (so you can run your printer at top speed), and Epson font. "Typewriter" feature sends typed lines directly to your printer, and Direct mode sends control codes right from the keyboard. Special Epson driver simplifies use with MX-80.

Supports single and multi-line headers and automatic centering. Print or save all or any section of the text buffer. Chain print any number of files from cassette or disk.

RAINBOW

File and I/O Features: ASCII format files — create and edit BASIC, Assembly, Pascal, and C programs, Smart Terminal files (for uploading or downloading), even text files from other word processors. Compatible with spelling checkers (like Spell 'n Fix).

Cassette verify command for sure saves. Cassette autoretry means you type a load command only once no matter where you are in the tape.

Read in, save, partial save, and append files with disk and/or cassette. For disk: print directory with free space to screen or printer, kill and rename files, set default drive. Easily customized to the number of drives in the system.

Editing features: Fast, full-screen editor with wordwrap, block copy, block move, block delete, line delete, global search and replace (or delete), wild card search, fast auto-repeat cursor, fast scrolling, cursor up, down, right, left, begin line, end line, top of text, bottom of text; page forward, page backward, align text, tabs, choice of buff or green background, complete error protection, line counter, word counter, space left, current file name, default drive in effect, set line length on screen.

Insert or delete text anywhere on the screen without changing "modes." This fast "free-form" editor provides maximum ease of use. Everything you do appears immediately on the screen in front of you. Commands require only a single key or a single key plus CLEAR.

...truly a state of the art word processor...
outstanding in every respect.

— The RAINBOW, Jan. 1982

PROFESSIONAL WORD PROCESSING

You can no longer afford to be without the power and efficiency word processing brings to everything you write. The TRS-80 Color Computer is the lowest priced micro with the capability for serious word processing. And only Telewriter-64 fully unleashes that capability.

Telewriter-64 costs \$49.95 on cassette, \$59.95 on disk, and comes complete with over 70 pages of well-written documentation. (The step-by-step tutorial will have your writing with Telewriter-64 in a matter of minutes.)

To order, send check or money order to:

Cognitec 704 Nob Street Del Mar, CA 92014

Or check your local software store. If you have questions, or would like to order by Visa or Mastercard, call us at (619) 755-1258 (weekdays, 8AM-4PM PST). Dealer inquiries invited.

(Add \$2 for shipping. Californians add 6% state tax. Allow 2 weeks for personal checks. Send self-addressed stamped envelope for Telewriter reviews from CCN, RAINBOW, 80-Micro, 80-U.S. Telewriter owners: send SASE or call for information on upgrading to Telewriter-64. Telewriter-compatible spelling checker (Spell 'n Fix) and Smart Terminal program (Colorcom/E) also available. Call or write for more information.)

Apple II is a trademark of Apple Computer, Inc.; Atari is a trademark of Atari, Inc.; TRS-80 is a trademark of Tandy Corp; MX-80 is a trademark of Epson America, Inc.

system is slow, try Mac. Those disk drives grind and grind and grind. Oh, for some fast I/O!

Too, Mac is a black and white computer. There is no mention anywhere of color — coming or available at some future time. To some degree, this really does not upset you as much as you would think: But, given an absolutely fantastic graphics package called *MacPrint*, it is a shame that the people who pioneered color computing end up now with a one-color computer. And, the resolution in the graphics mode (and it is always in the graphics mode) is less than CoCo. Hmmmm.

One of the things which is important is the "footprint," that is, the amount of space the Mac takes on a desk. Basically, the footprint is rather small, but, if you add the need for space in which to operate the "mouse" (more on this later), it is pretty big. The disk drive is built in, but that is only for a single drive. The second has to be outside the computer. Given the small amount of available storage on a single disk after the applications are added, you almost have to have a second drive (not yet available).

If you get the idea that I am not particularly impressed with the Mac, you are right. And, at \$2,500 (plus \$500 for a C.Itoh graphics printer) that's a hefty price, in my humble opinion. You do get *MacPaint* and *MacWrite* (a word processing package) with the computer but BASIC costs extra (like, \$199 extra).

As much as I am not impressed by the Mac, I am impressed by the software! This stuff is super. I do not go so far as to say it is the answer to interfacing people and computers, but it makes a giant step.

As I mentioned, everything involving the Mac is in a graphics mode. It uses a "desktop" in which your programs and/or applications are graphically represented on the screen. Your major tool is the mouse, and you can use it to select different applications, rearrange the desktop, make each "window" larger or smaller, scroll and the like.

All of this is super. It really is. One of the major assets is that you do not have to remember a bunch of commands to do things like save programs, edit letters, draw lines and the like. Instead of typing SAVE "LETTER" all you have to do is move a pointer controlled by the mouse to a label at the top of the screen which reads "File" and then move the pointer down (again with the mouse) until the word SAVE is highlighted. You press the mouse button and the save starts to take place.

\$ LOTTO PLAYERS LOTTO \$ LET YOUR TRS-80 COLOR COMPUTER SELECT YOUR NUMBERS-TAPE ONLY SEND \$5.95 CHECK OR M.O.TO RAM 1088 POPLAR TREE DRIVE ANNAPOLIS MARYLAND, 21401 FREE WITH EACH ORDER FREE
PICK 3 & PICK 4

Oh, oh. A screen comes up asking you what you wish to name the document. All of a sudden, you have to get to the keyboard and type it in. This means, in effect, switching from the mouse to the keyboard. To my mind, this is a fault of the system.

Let's take word processing — an application a whole lot of people use a computer for. You have to use the mouse to get yourself into the word processor, use the mouse to set margins and the like, and then go to the keyboard, just like always. It seems to me you are switching systems.

Oh, yes, the word processor is nice. It lets you type in nine different type styles, six different types (like underline, italics and so on), and in five different sizes. But, if you want to change from "regular" type to underline, you either have to "leave" the keyboard and go to the mouse to make these changes, or you have to memorize a bunch of control keys!

My point, exactly. Mac is billed as a computer system where you do not have to memorize things. Yet, it is abundantly easier to memorize Control-I to get italics than to take your hands off the keybaord, move the mouse around and then do some clicking of the mouse button.

I see this as a fallacy in the entire system. While the graphics program works extremely well with the mouse, you still need to go to the keyboard to label anything. In the edit mode of the word processor, you are basically going back and forth between the mouse and the keyboard. It drives you nuts.

Maybe it is me. I am used to computers and feel comfortable with the commands. I've memorized most of them so long ago that I do not realize I have memorized them. But, it does bother me to have to switch back and forth between the mouse and the keyboard. And, especially when I want to edit, it is frustrating not to have cursor keys on the keyboard itself. In word processing the keyboard is where it's at — not the mouse.

Let me suggest three things. First of all, go take a look at the Mac. I do think you will be impressed with the total concept. I know I am. Spend a few minutes playing. And, then, looking at things objectively, I believe you will be able to see past the gee-whiz and discover some of the problems this sort of system brings about.

Second, let me ask you to consider that the Tandy 2000 machine will soon have a mouse available, along with Microsoft's Windows program. The 2000 costs less than the Mac, and can do oh, so much more!

Third, and most important here, I wish to remind you that there are some applications which can use, in a very effective way, the graphics capabilities and the mouse that Apple has used in making its Mac. And, remembering that all it takes is software to do this, I believe some very excellent programs can be (and are being) developed for the Color Computer (which already has a mouse, too, along with better graphics) using this concept.

Then, you have a *truly* excellent opportunity to teach people to get friendly with a computer —using the same techniques applied by Mac — without sacrificing any of the ease flexibility necessary in keyboard-necessary applications. Just as will appear with the Mac, I foresee a whole range of programs made available to use mouse "technology." But, by using CoCo, we will have them at a fraction of the cost, in color — and on a superior computer, too!



NEW GOOD STUFF FOR EVERY COLOR COMPUTER

Turn your Color Computer into a graphic design center with the ease of a keystroke! MagiGraph makes it simple to create highly detailed figures up to and including an entire high-resolution screen. Designed for those with some experience in Basic and Assembly Language programming, MagiGraph includes lots of special features:

- A full set of logical and pixel manipulation functions simplifies the development of complex figures.
- An editor lets you zoom in and work on every detail of your design.
 Toggle between the ''macro'' and ''micro'' screens for perspective on your creations.
- Nine animation buffers allow you to preview each sequence to ensure continuity and smooth flow.
- Versatile I/O routines store a graphic screen on cassette or floppy disk; recall it later for use by another program or revise it with MagiGraph.

If you're looking for the finest graphic development utility available for your Color Computer, THIS IS IT. Maximize your machine's potential, while you push your imagination to the limit — with MagiGraph!

By Kevin Dooley. Cassette \$34.95 (16K required); Disk \$39.95 (32K Extended Color BASIC required); Amdisk cartridge \$44.95.

CSPOOL Color Computer Print Spooler

Stop Waiting Around for the Printer! CSPOOL allows you to use your printer and computer concurrently, takes only 26 bytes of Color Basic's memory, and gives you 32K of print buffer. It's like having two computers in one! By intercepting characters sent to the printer and storing them in the upper 32K of RAM, CSPOOL allows you to run other programs while your printer is doing its job. CSPOOL is FREE with the purchase of a 64K RAM UPGRADE KIT from The Micro Works, or it may be purchased separately on cassette or diskette for \$19.95. Requires 64K; not for FLEX or OS9.

64K MEMORY UPGRADE KIT: For Rev. levels E, ET, NC, TDP-100s, and Color Computer II. Eight prime 64K RAM chips, instructions, and CSPOOL: \$64.95.

SYSTEMS SOFTWARE

MACRO-80C: DISK-BASED EDITOR, ASSEMBLER AND MONITOR—With all the features the serious programmer wants, this package includes a powerful 2-pass macro assembler with conditional assembly, local labels, include files and cross referenced symbol tables. MACRO-80C supports the complete Motorola 6809 instruction set in standard source format, incorporating all the features of our Rompack-based assembler (SDS-80C), MACRO-80C contains many more useful instructions and pseudo-ops which aid the programmer and add power and flexibility. The screen-oriented editor is designed for efficient and easy editing of assembly language programs. MACRO-80C allows global changes and moving/ copying blocks of text. You can edit lines of assembly source which exceed 32 characters. DCBUG is a machine language monitor which allows examining and altering of memory, setting break points, etc.

Editor, assembler and monitor—along with sample programs—come on one Radio Shack compatible disk. Extensive documentation included. By Andy Phelps. \$99.95

SDS-80C: SOFTWARE DEVELOPMENT SYSTEM—Our famous editor, assembler and monitor in Rompack. Like MACRO-80C, it allows the user to write, assemble and debug assembly language programs with no reloading, object patching or other hassles. Supports full 6809 instruction set. Complete manual included. \$89.95

MICROTEXT: COMMUNICATIONS VIA YOUR MODEM! Now you can use your printer with your modem! Your computer can be an intelligent printing terminal. Talk to timeshare services or to other personal computers; print simultaneously through a second printer port; and re-display text stored in memory. Download text to Basic programs; dump to a cassette tape, or printer, or both. Microtext can be used with any printer or no printer at all. It features user-configurable duplex/parity for special applications, and can send any ASCII character. You'll find many uses for this general purpose module! ROMPACK includes additional serial port for printer. \$59.95

MICRO WORKS COLOR FORTH

- Faster to program in than Basic
- · Easier to learn than Assembly Language
- · Executes in less time than Basic

The MICRO WORKS COLOR FORTH is a Rompack containing everything you need to run Forth on your Color Computer. COLOR FORTH consists of the standard Forth Interest Group (FIG) implementation of the language plus most of FORTH-79. It has a super screen editor with split screen display. Mass storage is on cassette. COLOR FORTH also contains a decompiler and other aids for learning the inner workings of this fascinating language. It will run on 4K, 16K, and 32K computers. And COLOR FORTH contains 10K of ROM, leaving your RAM for your programs! There are simple words to effectively use the Hi-Res Color Computer graphics, joysticks, and

Includes a 112-page manual with a glossary of the system-specific words, a full standard FIG glossary and complete source listing.

MICRO WORKS COLOR FORTH ... THE BEST! From the leader in FORTH, Talbot Microsystems. \$109.95

MACHINE LANGUAGE

MONITOR TAPE: A cassette tape which allows you to directly access memory, 1/0 and registers with a formatted hex display. Great for machine language programming, debugging and learning. It can also send/receive R\$232 at up to 9600 baud, including host system download/upload. 19 commands in all. Relocatable and reentrant. CBUG TAPE: \$29.95

MONITOR ROM: The same program as above, supplied in 2716 EPROM. This allows you to use the entire RAM space. And you don't need to reload the monitor each time you use it. The EPROM plugs into the Extended Basic ROM Socket or the Romless Pack I. CBUG ROM: \$39.95

SOURCE GENERATOR: This package is a disassembler which runs on the Color Computer and generates your own source listing of the BASIC interpreter ROM. Also included is a documentation package which gives useful ROM entry points, complete memory map, 1/0 hardware details and more. A 16K system is required for the use of this cassette. 80C Disassembler: \$49.95

HARDWARE

PARALLEL PRINTER INTERFACE—Serial to parallel converter allows use of all standard parallel printers. Pi80C plugs into the serial output port, leaving your Rompack slot free. You supply the printer cable. Pi80C: \$59.95

SUPER-PRO KEYBOARD—\$69.95 (For computers manufactured after Oct. 1982, add \$4.95)

ROMLESS PACKS for your custom EPROMS — call or write for information.

BOOKS

6809 ASSEMBLY LANGUAGE PROGRAMMING, by Lance Leventhal, \$18.95

TRS-80 COLOR COMPUTER GRAPHICS, by Don Inman, \$14.95

ASSEMBLY LANGUAGE GRAPHICS FOR THE TRS-80 COLOR COMPUTER, by Don Inman, \$14.95 STARTING FORTH, by L. Brodie, \$17.95

GAMES

ZAXXON—The real thing. Excellent. What more can we say? Cassette requires 32K, \$39.95

STAR BLASTER—Blast your way through an asteroid field in this action-packed Hi-Res graphics game. Available in ROMPACK; requires 16K. \$39.95

PAC ATTACK—Try your hand at this challenging game by Computerware, with fantastic graphics, sound and action! Cassette requires 16K. \$24.95
HAYWIRE—Have fun zapping robots with this HiRes game by Mark Data Products. Cassette requires 16K. \$24.95

ADVENTURE—Black Sanctum and Calixto Island by Mark Data Products. Each cassette requires 16K. \$19.95 each.

CAVE HUNTER—Experience vivid colors, bizarre sounds and eerie creatures as you wind your way through a cave maze in search of gold treasures. This exciting Hi-Res game by Mark Data Products requires 16K for cassette version. \$24.95

WORKS

P.O. BOX 1110-A Del Mar, CA 92014 [619] 942-2400

California Residents add 6% Tax Master Charge/Visa and COD Accepted



BUILDING AUGUST'S RAINBOW

Starting Our Fourth Year . . .

The Annual Games Issue . . .

And, Some Comments on Reviews . . .

Burbank as a security guard assigned to *The Tonight Show*. Both starstruck and awed by the power of network television, I reveled in my good fortune at having the opportunity to peek behind the curtains of what is probably the world's most famous TV show. Over the past two decades, Johnny Carson has developed such a following it's reported — and who would doubt it — that, at the conclusion of his monologue, the pressure in water mains across the country drops as people scramble to America's kitchens and bathrooms during the ensuing commercial break.

I was reminded of that "Johnny phenomenon" recently when one of our major advertisers told me that his sales drop conspicuously each month in the week right before THE RAINBOW comes out, then pick up noticeably when the next issue hits the mailboxes and newsstands. Also, he reports that THE RAINBOW's reviews of his company's products can bring feast or famine, depending on the reviewer's conclusions. This underlines to me

the importance of THE RAINBOW review process.

Each month, we agonize over the two to three dozen reviews published in THE RAINBOW. We are not cavalier about the responsibility we have: to the software/hardware marketing company, to the reviewer, and, most importantly, to our readers. To ensure impartiality and objectivity, the review process has become quite tedious. To begin with, we do not accept unsolicited reviews: the theory being that many of these come from those with either a bone to pick, or, possibly a vested interest. Rather, we have a stable of reviewers whose qualifications and interests — and affiliations — we know. Jutta Kapfhammer, our submissions editor, makes a determined effort to match review material with those most qualified to review it. (This is more difficult than many imagine, and, if you think we need your expertise, write her.) Our reviewers do it for love, not the token expense money, and they must follow extensive guidelines under the pressure of hard deadlines. They respond like troopers and put their hearts in it. Therefore, once a given item is assigned for review, we feel a strong commitment to edit the resulting review as little as possible in order to preserve the integrity of the review process and give the reviewer his rightful say.

In recent months, however, we have elected to give companies a chance to respond — in the same issue — if we feel there may be strong exception to our reviewer's conclusions; this is the purpose of our "Reviewing Reviews" section — to state the other side of the case, so to speak, and to clear up any possible factual errors before they might cause irreparable damage. The review process can sometimes make or break a small distributor! Candidly, some of our reviewers have bristled at the idea of their review being reviewed. But, while this eventuality may cause a bit of inhibition, we feel that it encourages reviewers to do their homework when they know that someone may saw off the limb they've ventured out on.

Respondents to our "Reviewing Reviews" section have taken our reviewers to task for being both "too easy" and "too hard" on a given product. This suggests we may have achieved a delicate balance or, at least, that we can err in either direction.

This brings me to the sum and crux of what I want to share with our review audiences—the reviewers, the reviewees and our readers: the purpose of RAINBOW reviews is to provide information, to arm our readers with the facts they need to make their own decision on whether to buy a given product. This does not dictate that we always have lengthy reviews; I am amazed at how much a one-sentence description in the local paper's TV section guides me in what I select to view. It does mean a reviewer should impart as much information as needed, as concisely as possible.

I fully agree with Dale Puckett's comments in the second issue of *FHL Soft News*, the Frank Hogg Laboratory newsletter: "Reviews are meant to be used. . . . Writers are too fast to supply subjective opinions and too slow to give you objective data that backs up their position. . . . The real problem is that opinions aren't worth much and we have a

surplus of them. . . . What we need is information."

Dale says it succinctly; substance is much more important than sytle. Hopefully, we can have both but, clearly, the prime purpose of a review is to tell the reader all one can about a product he or she may not be able to examine firsthand. We want our reviewers' opinions but, above all, we want our reviewers to tell our readers enough that they can form their own. That's when a review serves its purpose.

- Jim Reed

WHERE'S-IT

by C.E. Laidlaw

What programs are on this disk? Which disk is my WIDGET program? WHERE'S-IT will answer these questions for you and maintain disk directory index files with up to 972 programs in each. Completely user-friendly, just run WHERE'S-IT and follow the prompts to: Create index files holding up to 972 programs

Load or save existing index files

Add, delete or update index files for a

specific disk

Sort index files alphabetically with a machine language sort
List index files to screen

Print index out with 162 programs to the page

Disk only.....\$19.95 (32K Extended Color BASIC)

We are also a dealer for the following companies:

Moreton Bay Software
Computerware
Spectrum Projects
Mark Data, Amdek, Epson
Pal Creations, Tom Mix
PBH Computer, Inc.
Spectral Associates,
Cognitec, Elite Software
Prickly Pear, Botek
Cobra Software
and many more fine companies.



1636 D Avenue, Suite C National City, CA 92050 After hours: BBS 619-474-8981 Orderline: 619-474-8982



FEATURES

Creates stand-alone programs

Up to 100 rooms, 60 objects, 30 command words, and 9 conditional flags Supports tape and disk output

Optional printer output of important sections during creation of ADVENTURE Complete documentation

Includes sample ADVENTURE

Works with all models of the CoCo except MC-10

Requires 32K Extended Color BASIC




by Terry A. Steen

Control your submarine in its efforts to destroy the enemy fleet. You must launch your sub to surface missiles while avoiding the depth charges. Five different types, hi-res graphics and spectacular sounds. Also a talking version included at no extra charge for those who have an SC01 based voice pack. Four screens and progressive difficulty make this all machine language program a real bargain.

Cassette: \$19.95 Disk/Amdisk: \$24.95

U.S. COD orders accepted, no charge cards please. Shipping and handling \$3.00 California residents please add 6% sales tax

A Journey



By Robert Rogers



Through The Jungle

The Jungle is a graphics game for the 4K, non-Extended BASIC Color Computer, It is in response to 4K owners who ask for programs for their machines. Having started with 4K, I understand the feeling of being lost in a sea ... or jungle of 16K CoCos.

After upgrading to 32K and disk-printer system, I more or less forgot about my "old" programs. Then I came across a game I had written and enjoyed. So I spruced it up a bit (remembering not to use the other 29,000 bytes of memory I have). And here it is in its current state. Despite the small memory it still has quite a bit (byte?) of color, sound, graphics and action.

Upon running The Jungle, the title will appear. The theme song will play and then you will be given the chance to select your skill level. One is the easiest, while three is the most difficult. Next, the graphics are drawn.

The object of the game is to maneuver your man (orange, flashing cursor) through the jungle from the upper left-hand corner to the lower right. In the lower right corner is the safari camp (safe zone). In between are dozens of green trees. If too many are "walked into," you lose one man. The number of trees you are allowed to hit is determined by the skill level. On skill level one you can hit eight; two, you can

hit five; three, you can hit three.

Control is through the use of the keyboard's arrow keys (see, you don't even need joysticks). Because of the use of PEEKs rather than INKEYS statements, you need not hit the key every time you want to move — just hold it down as long as you want in a particular direction. Also, you can go on diagonals, which saves time and can help you get out of some impossible situations by jumping between trees. Other obstacles include two blue lakes, yellow quicksand, purple bottomless pit, and a vertical river (blue). If you hit any of these you lose one man. The river must be crossed at "dry spots" (black) areas. Usually there are five such spots.

During each play the timer in the upper right of the screen


shows how much time you have. If the timer hits zero, night falls and you can't see how to go to the camp, so you lose a man. At the completion of each screen your score is shown and you start over with a new maze of trees. Other indicators on the screen are from left to right: number of completed screens; men left; trees hit so far on current screen; and timer.

Your score is computed as follows: time left times remaining trees plus screen number times 1,000; plus other bonus points for your level. The score is always multiplied times the skill level. The highest score is displayed at the end of each game.

One thing which might cause the program to crash is if you glide your man into the timer/men-left area of the screen. For some reason, POINT statements give FC Errors if they are made to test text. This is an incentive for you not to go the wrong direction.

I hope 4K CoCo users enjoy The Jungle, although those with larger systems will enjoy it too.

Have fun!



The listing:

Ø 'COPYRIGHT (C) 1982 BY ROBERT T. ROGERS

1 CLS8: PRINT@224. "**** THE JUNG LE ADVENTURE *****"; :PRINT@Ø, " R OBERT ROGERS PRESENTS

2 GOSUB4ØØØ: N=4: U=Ø

3 CLS:PRINT@224, "SKILL LEVEL (1-3) ";: INPUTL: IFL=2THENNT=6: AT=200 :ELSEIFL=3THENNT=3:AT=100:ELSENT =8: AT=300

9 N=N-1: IFN=ØTHEN261Ø

10 A=AT: X=0: Y=0: R=0: GOSUB8000: GO SUB7ØØØ

(Robert Rogers, a junior at Forest Hill High School in West Palm Beach, Fla., has been a self-taught programmer for two years. His interests include performing professionally on the organ and model railroading.)

2Ø X=Ø 30 SET(X,Y,8):SET(X+1,Y,8):SET(X ,Y+1,8):SET(X+1,Y+1,8) 100 IFPEEK (341) = 247 THEN Y=Y-2: I FY<ØTHENY=Ø 110 IFPEEK (342) = 247 THEN Y=Y+2: I FY>3ØTHENY=3Ø 120 IFPEEK (343) = 247 THEN X=X-2: I FX<ØTHENX=Ø 130 IFPEEK (344) = 247 THEN X=X+2: I FX>62THENX=62 200 A=A-1 210 PRINT@27, As 211 IFA<ØTHEN6ØØØ 300 RESET(XX, YY): RESET(XX+1, YY): RESET(XX, YY+1): RESET(XX+1, YY+1) 650 GOTO1000 700 XX=X:YY=Y 800 GOTO30 1000 P=POINT(X,Y):PP=POINT(X,Y+1 1010 IF PP=1 THENGOSUB2000 1020 ON P GOSUB2000.2200.2400,26 00,700,700,2800 1030 GOTO700 2000 SOUND200,1:R=R+1:PRINT@25,R : IF R>NT THEN 2100 ELSE RETURN 2100 CLS:PRINT@224, "YOU KNOCKED

YOURSELF OUT RUNNING INTO SO MAN Y TREES. YOU DIED !!" 2110 FORM=1TO20:SOUNDRND(230),1: NEXT: GOSUB9000 212Ø GOTO9 2200 CLS2:PRINT@224, "**** STUCK IN QUICK SAND *****; 2210 FORM=1T060:SOUNDRND(20),1:N EXT: GOTO9 2400 CLS3:PRINT@224,"**** YOU D ROWNED. TOO BAD! ****"; 2410 FORM=1T030:SOUNDRND(100),1: NEXT: GOSUB9ØØØ: GOTO9 2600 U=U+1:S=S+A*INT(((R/NT)*10))+(U*1000):CLS2:PRINT@224, "SCORE SO FAR="S*L:GOSUB4000:GOTO10 2610 S=S*L:CLS2:PRINT@224, "SCORE = "S 262Ø PRINT"LEVEL="L 263Ø IFS>HS THENHS=S: PRINT"NEW H IGH SCORE!!!!":SOUND200,10 264Ø PRINT"HIGH SCORE TODAY="HS 2645 GOSUB4000 2650 GOSUB9000: GOTO2 2800 CLS7: PRINT@224, " YOU FELL I N THE BOTTOMLESS PIT -HAVE A NI CE FALL!! HA! HA! HA!"; 2810 FORM=255T01STEP-5

HARDWARE PRODUCTS FOR THE TRS-80 COLOR COMPUTER®

SERIAL SWITCHERS

These bi-directional switchers allow you to expand your serial port to two or three peripherals or to connect one peripheral to two or three computers. They are a compact $2 \times 3 \times 11/2$ inches and are available with a mounted pilot light.

2 Ports 25°° 3 Ports 30°° Add *500 for Pilot Light

ROMs BASIC ROM 1.1 ... *45** BASIC ROM 1.2 ... *35** D.E.C.B. ROM 1.1... *3500 RAMS

4164-64K RAM ... Set of Eight *50°° 4116-16K RAM *110 *800 Set of Eight I.C.s

6809E-1 MHz MPU . *25° 68B09E-2 MHz MPU . *30° 6821—1 MHz PIA . . . *8° 68B21—2 MHz PIA . . *10° 1 MHz Set of Four .. *6500 2 MHz Set of Four .. *70°° 6822-H.D. PIA.... *15**

64K FOR \$7500

Price includes expert installation, a 64K RAM Button, 64K Software (Specify disk or cass.), a 64K User Sheet, Return Shipping, and a 90-DAY UNCONDITIONAL WARRANTY. Requires 1.1 or newer BASIC ROM. Send your operating 285 (F) Series Color Computer, TDP-100, or Color Computer 2 with a Cashler's Check or Money Order for fastest return. For D, or E Series boards, add *20°°. If necessary, add *35°° for new ROM.

MISC *3** *300

TERMS: Cashier's checks and money orders for immediate delivery ● Personal checks allow 2 weeks ● Orders \$100 to \$199 save 10% ● \$200 and over save 15% ● California residents add 6% ● Orders under \$25 add \$2 shipping ● C.O.D. add \$4



4418 E. Chapman Ave., Suite 284 Orange, CA 92669 (714) 639-4070

*FREE * CATALOG

SEMIGRAPHICS SYSTEM FOR

EXTENDED COLOR BASIC USERS

POWERFUL, YET EASY TO USE UTILITY TO PERFORM GRAPHIC FUNCTIONS IN THOSE SEMICRAPHIC MODES WHICH ARE NOT SUPPORTED BY EXTENDED COLOR BASIC. USE EIGHT COLORS ON BLACK BACKGROUND, UP TO A MAXIMUM RESOLUTION OF 64 x 192 POINTS, COMBINE TEXT AND CRAPHICS.

GRAPHICS UTILITY FUNCTIONS

SET/TEST POINT DRAW LINE DRAW/FILL RECTANGLE DRAW CIRCLE PAINT AREA TRANSFORM COORDINATES

PAGE ALLOCATION IN RAM COPY PAGES/SELECTED AREAS PACE PANNING/SCROLLING SELECT HODES/COLORS

SAVE/LOAD IMAGE ON TAPE/DISK DISPLAY/CLEAR PAGE

OTHER FEATURES: USER CREATED SOUNDS, ERROR CODES, COMPREHENSIVE USERS MANUAL, AND DEMO PROGRAM.

SGS is a 5.5K, position-independent Machine Language system that can be accessed from Extended Color Basic while using the standard graphics commands.

CASSETTE.....\$29.95

Diskette.....\$34.95

Send Check or Money Order to:

MICRO COMPUTER SYSTEMS

1404 SUNSET DRIVE FRIENDSWOOD TX 77546

2820 SOUNDM, 1: NEXTM 283Ø CLSØ: GOSUB9ØØØ: GOTO9 4000 DATA58,4,78,4,89,8,78,4,89, 4, 125, 8, 108, 16 4010 FORM=1T03:FORZ=1T03:READK.K 4020 SOUNDK, KK: NEXTZ: IFM<3THENRE STORE: NEXTM 4030 FORM=1TO4: READK, KK: SOUNDK, K K: NEXTM: RESTORE: RETURN 5000 CLS0:PRINT@224. "IT IS ALREA DY NIGHT---YOU LOST!!"; 6100 FORM=1T030:SOUND99,1:SOUND8 9.1:NEXT 6200 GOTO9 7000 FORH=4T017 7010 FORV=10TO17 7920 SET (H, V, 3) 7030 NEXTV.H 7100 FORH=44T055 7110 FORV=8T015 712Ø SET (H, V, 3) 713Ø NEXTV.H 7200 FORH=30TO31 721Ø FORV=ØT031 722Ø SET (H, V, 3) 723Ø NEXTV.H

731Ø V=RND(3Ø) 7315 IF INT (V/2) <> (V/2) THENV=V-1 732Ø RESET (30, V) 7325 RESET (30, V+1) 733Ø RESET (31, V) 7335 RESET (31.V+1) 734Ø NEXTT 7400 FORH=16T023 741Ø FORV=2ØT027 742Ø SET(H, V, 2) 743Ø NEXTV.H 7500 FORH=36T045 751Ø FORV=22T027 752Ø SET(H.V.7) 7530 NEXTV.H 7600 FORH=56T063 761Ø FORV=3ØT031 762Ø SET(H, V, 4) 763Ø NEXTV.H 7900 RETURN 8000 CLS0 8Ø1Ø FORT=1T017Ø 8030 C=RND(2) 8040 IFC=1THENC=137ELSEC=134 8050 PRINT@(RND(509)), CHR\$(C); 8060 NEXT: PRINT@15, U; "MEN="N: RET URN 9000 FORM=1T02000:NEXT:RETURN

*** NEW ***

the fastest, most complete office package yet!

Totally Menu Driven Customize with company information & printer Complete "on screen" instructions

FORMS letter invoice quote purchase order mail order confirm order receipt

7300 FORT=1T05

STORES complete forms quantity item list list subquotes net letters

footnotes customer info tax

SEPARATE CONFIGURE **PROGRAM**

Challenger Software

for company info printer options quote & inv. # w/auto sequencing auto date

3703 131st Ave N

Clearwater, FL 33520

or Call (813) 577-3998

32K disc \$49 send for more information and catalog of other fine software

FIGURES

discount subtotals freight, etc.

PRINTS

form feed letterhead envelope multiple copy emphasized

Screen Scrolling Extend a Line Home the Cursor Kill a Line Limit the Cursor Insert Characters Down Page Delete Characters Up Page

SOFTWARE

PRODUCTS FOR THE TRS-80 COLOR COMPUTER

SAVES YOU TIME!

Let EDITTRON cut your programming time in half!
You will appreciate the absolute ease at which this
Full-Screen Editor allows you to INPUT, EDIT, and DEBUG

your BASIC programs. EDITTRON performs these functions:

EDITTRON T.M. **Full-Screen BASIC Program Editor**

> Move a Line Split a Line Copy a Line

 Merge Two Lines Auto-Numbering

SCREEN-EDITING

Change Characters

Other features include: Auto-Repeating keys, Key Tone, user-friendly Prompts and Error Messages, and 24 pages of comprehensive, easy-to-read Documentation.

EDITTRON is a 3K, fully position-independent Machine Language program that requires a minimum 16K of RAM, and Extended Color BASIC.

CASSETTE.....\$ 35 DISKETTE.....\$ 40

CURSOR-CONTROL

Directional Movement

Search a Line

Call a Line

Find a String

Repeat Find

TALOG



4418 E. Chapman Ave., Suite 284 Orange, CA 92669 (714) 639-4070

21

DISK TUTORIAL

This is the second installment in a six-part series on creating a disk mailing list program.

Theory And Structure Of Direct Access Files — Part II

By Bill Nolan Rainbow Contributing Editor

ast month we introduced this series with an article about the *INSTR* function and its use on the Color Computer. This month we will talk about the theory and structure of direct access files, and in the upcoming months we will learn about and develop a working database manager program. The particular program we will develop is a mailing list program.

When we are talking about disk files of data, we need to have some terms in common. A database is a group of related pieces of information arranged in some way. A database manager is a program designed to create, sort, search, or otherwise manipulate a database. To sort means to arrange in some order, such as alphabetically, or by ZIP code. To search means to look through the whole file and find all the data related in some way you have chosen. For example, you might search through a mailing list to find all of the people who live in Ohio.

Some additional terms we will be using are field, record, and file. A good way to illustrate these is by considering a mailing list program. This program will store information about several people. We may choose to keep track of the name, address, city, state, ZlP, and phone: six pieces of information about each person. Each one of these pieces of information is called a field. The name is a field, the address is another field, and so on. All of the information about one person is called a record, and all of the information about all of the people is called the file. Thus, we have files which are made up of records, while the records are made up of fields.

Whenever you are working with direct access files on any computer, including the Color Computer, all of the records must be the same length. That is, each record must have exactly the same number of characters as every other record in the file. The reason for this is that we may want to remove

a record from the file and put another in its place, and if they aren't exactly the same size, the new record won't fit in the spot the computer has allocated for it.

For the same reason, you must decide ahead of time how long each field in the record will be, and that is then a fixed figure. For instance, considering the mailing list again, we might decide ahead of time to allow 30 characters for the name, 30 for the address, 15 for the city, two for the state code, nine for the ZIP code, and 13 for the phone number. This will make each and every record 99 characters in length, and even if we don't use all of those 30 spaces for the name, the record will still be 99 characters long. As you can see, it is important to decide on the length of each field very carefully.

Since names and addresses differ in length, the CoCo has a special command that will make everything fit. This command is SET, and it can be used in two forms, LSET and RSET. If you use LSET, the computer adds spaces to the beginning of your name to make it 30 characters long, while if you use RSET, the computer achieves equality of length by adding spaces to the end. If the name is too long, the computer just chops it off at the predetermined length. If it won't fit, don't worry, we'll make it fit.

If you allocate too much space for one of your fields, then a lot of space will be wasted on the disk, while too little space allocated will result in loss of data as the computer chops off the extra. Be sure to put a lot of thought into this when you choose your field length. In general, you must have enough space to accommodate the longest possible item, but no more. Let's consider names again. Many people have short names like Bill, John, Mary, Jill, and Bob, but the publisher of this magazine has the first name of Lawrence, and some other long first names are Archibald, Georgette, and Theodore. First names can easily be nine or 10 letters long.

Last names are also quite variable, ranging from Ho to Schlotzhauer, with a few even longer. Fifteen letters is not too many to allow for the last name. In addition to the first and last name, we have to allow for the space between the two names and also for something following the name, such

(Bill Nolan, who teaches "Programming In BASIC" at the college level, owns Prickly-Pear Software Co. and has written several commercially successful software packages.) as Jr. or M.D. As you can see, 30 characters is just about right for the name. You will find the other figures I mentioned above are not too far off, either, so we will want to allocate 99 spaces for each record in our mailing list.

What we are doing right now is the sort of planning ahead you should do before you start to write any program. You first need to decide what the program will do for you. In this case, we decided that we wanted a program that would keep a mailing list on disk, sort that list, and search it for us.

We have also decided that we are going to keep track of six pieces of information about each person, and we have decided how much space to allocate for each piece of information. The next thing to be decided is what main sections we will need in our program in order to fulfill our objectives.

"The final mailing list will be a pretty nice one, with the ability to search or sort on any field, and a fairly fast sort method utilizing a temporary directory."

Most programs need a section in the beginning to set things up. This is where we can clear space for strings, set up any initial variables, and print out the main menu of the program. Our main menu will have choices on it for such things as Add Names, Search, Sort, Print List, and Print Labels. We will need a section for each of these things.

Let's start by considering some of the commands we will need to use for the disk access portion of our program.

10 OPEN "D", #1 "MAILLIST/DAT", 99

This line does several things for our program. First, the command OPEN creates a channel of communication between the computer and the disk drive. The "D" tells the computer that we will be using the direct access mode of storage. The #1 tells the computer to use buffer #1 for temporary storage of the information passing back and forth between the computer and disk drive. "MAILLIST/ DAT" is the name of our file, and the 99 is the length of each record in the file. When this command is executed, the computer will look on the disk in the drive to see if there is already a file named "MAILLIST" out there, and if there isn't, the computer will create one. Try running that line, and you will see that the disk directory gets a new entry. By the way, when working with disk files it is a good idea to type the command UNLOAD before removing a disk from the drive. This will close all open channels, and help prevent data loss.

20 FIELD#1, 30 AS N\$, 30 AS A\$, 15 AS C\$, 2 AS S\$, 9 AS Z\$, 13 AS P\$

This line tells the computer how we are going to divide up the 99 spaces into fields, and which variable names will be used to refer to which fields.

25 FOR R=1 TO 3

The FOR loop set up here will let us type in the information about three people and store it on the disk.

- 30 INPUT"NAME"; X\$: LSET N\$=X\$
- 40 INPUT"ADDRESS";X\$:LSET A\$=X\$
- 50 INPUT"CITY";X\$:LSET C\$=X\$
- 60 INPUT"STATE";X\$:LSET S\$=X\$
- 70 INPUT"ZIP CODE";X\$:LSET Z\$=X\$
- 80 INPUT"PHONE #";X\$:LSET P\$=X\$

These six lines let us input the information about a person, and then "make it fit" our pre-decided field lengths by applying the *LSET* command.

90 PUT #1,R

This line puts the information on the disk. The #1 is the buffer number, and is the same as the #1 in Line 10. The R is the record number. Every record in a direct access file is numbered, and the file is called a direct access file because we can go directly to the information we want if we know its number. The number is like the address of that record.

95 NEXT R

Line 95 sends us back to Line 25 so we can input the information for the next person. This loop will continue until we have input the information about all three people.

97 CLS 100 FOR R = 1 TO 3

Now we've re-established the loop because we are going to go out on the disk, get the information about the five people, and print it on the screen.

110 GET #1, R

The GET command is the opposite of PUT. PUT writes the information on the disk as the record number specified, while GET retrieves the information.

120 PRINT N\$:PRINT A\$:PRINT C\$,S\$,Z\$,P\$:PRINT 130 NEXT R

Line 120 prints out the information about one of the people in the file, and 130 completes the loop. All we have to do now is tell the computer we are finished with this file for the present. The command to do that is:

140 CLOSE #1

This tells the computer that we are finished communicating with the disk drive through buffer #1.

In the next four columns we will write each of the sections we talked about above almost as though they were separate programs, and then combine them together into our mailing list. The final mailing list will be a pretty nice one, with the ability to search or sort on any field, and a fairly fast sort method utilizing a temporary directory. Our program will be designed to handle about 400 names. Between now and next month, you start getting your names together, and I'll finish writing the mail list program. See you next month with part three.







WE CHALLENGE YOU!

WAR GAMES! GAMES! GAMES!



CLASSICAL AGE EUROPE...


The Winds of War are blowing across the northern frontier, the Emperor issues orders to his field commanders, who little realize the doubts tormenting their leader! There is too little in the treasury, too little known of the enemy, and too vulnerable are the imperial cities and their precious farm lands to pilliage and capture. And if this is not enough, his armies are green as May grass. But ... JACTA ALEA EST! The die is cast. The campaign must begin... Printer recommended.











A 1 or 2 player game that places you in North Africa in 1943. Patton has just been recalled to Europe to help plan the invasion of Sicily; Rommel is in Berlin. You have the opportunity to replace two of history's greatest generals in this challenge for control of Tunisia. Each player controls

the actual ground forces present at the time.

In the one player game, you control the Axis forces and try to do what Rommel's veterans couldn't: Hold Tunis!

Play is on a battle screen with an overall strategy map available for general reconnaissance. Intelligence and status reports, as well as air power, are also available.

GUADALCANAI

NEW!!! LEGATUS-32K COLOR EXT \$29.95 DISK ONLY



among the complete feetings the Mannes must be a permeter. Complete feetings the Mannes must be a demonstrated from the constant the modificate enemy, and put up with the increasant days to mention the spine-shattening cry of BARAI Histopi that this time YOU command the Lst Mannes Send to a terming jumple, capture Japanese camps, sortie air diction and search, pray for that supply ship. Go for d. k. SEMPR AT 1.

WATERLOO 32k CASSETTE.... \$24.95

KAMIKAZE 32k CASSETTE.... \$24.95

ACROSS THE RUBICON CASSETTE.... \$24.95 32k

GUADALCANAL 32k EXT CASSETTE.... \$24.95

BOMBER COMMAND

CASSETTE.... \$22.95

16k EXT

P. O. Box 14806 Jacksonville, FL 32238 904-786-8603

OTHER ARK ROYAL GAMES...

STARBLAZER — 32K	17.95
KAMIKAZE — 16K	14.95
ACROSS THE RUBICON — 16K	14.95

Prices on All games include shipping. Florida Resident add 5% tax.

All Programs require Color ComPuter™ (Tandy Corp) or TDP System 100 ComPuter™ (RCA)

We pay shipping on all prepaid orders to USA and CANADA. Foreign orders add 10%.

NEW!!! BATTLE FOR TUNIS—32K COLOR EXT \$24.95





Quest Of The

GAME

Dragon's Gold

By Charles Husak

nce upon a time in a far away land lived a dragon who guarded a fabulous fleece of gold. In this land there also lived a poor farmer named Arnold, who dreamed of the day when he could climb to the top of the dragon's lair, slay him, and take his golden fleece.

The trip to the top of the lair is very dangerous, but Arnold has learned from a sorcerer the secrets of the lair — that there is a staff of Ora at the very top which will destroy the dragon. But you must reach the top, get the staff, and push your joystick button to fire the magic light that will destroy the dragon. Getting the staff is difficult. You must jump over the Hornbobers that come from under the ladders. Then you must climb the one-way ladders. Once you start you cannot climb down. Beware of the pits that open and close. You must wait till the pit closes before you can cross.

August 1984

(Charles Husak, who holds a bachelor of science degree in education, is a computer technician and the author of The Little Runner.)

THE TOP 4 COCO GAMES...



By Spectral Associates, Very much like the arcade smash! Jump little Cubix around the 3D maze trying to change the color of all the squares. With Death Globes, Discs, Snakes, etc. 32K Tape: \$24.95

ZAKSUND

From Elite Software comes this fantastic arcade style space action game with 3 different stages of moving 3-D graphics. You've never seen anything like this on your CoCo! Great sound too! 32K Tape: \$24,95





Previously called 'Donkey King', you simply cannot buy a more impressive game for your CoCo. With 4 different screens and loads of fun! From Tom Mix Software. 32K Tape: \$25.95

GHOST GOBBLER

From Spectral Assoc, This "PAC" theme game has been improved several times. It is definitely the best of its type. Brilliant color, action and sound, just like an arcade. 16K Tape:



COLORCADE SUPER JOYSTICK MODULE



JOYSTICK INTERFACE/RAPID FIRE/6 FT. EXTENDER ALL IN ONE! The Colorcade allows connection of any Atari type joystick to your CoCo (including the Wico Red Ball). These switch type sticks are extremely rugged and have a faster and more positive response. They will improve the play of almost any action game.

An adjustable speed rapid fire circuit is built in. Press your fire button and get a great burst of fire instead of just a single shot! You get a real advantage in shooting games that do not have repeat fire.





WICO FAMOUS "RED BALL"

ROM/PROJECT/ PRODUCT CASE



Give a professional look to your project or product! High quality 3 piece injection molded plastic with spring loaded door. Designed especially for the CoCo ROM

2 - 4 pcs.	. ,				,		,	,	ŀ			\$5.50 Ea.
												\$3.50 Ea.
												\$2.75 Ea.
100 & UP		٠	,								۰	Call Us.

P.C. board for 27XX EPROMS...\$4.00 Ea.

COLORWARE LIGHT PEN



ONLY \$19.95

WITH SIX FREE PROGRAMS ON CASSETTE!

The Colorware Light Pen plugs directly into your joystick port and comes with six fun & useful programs on cassette. Easy instructions show how to use it with Basic and it's compatible with light pen software such as Computer Island's "Fun Pack." Order yours today. Only \$19.95 complete.

TELEWRITER-64

DISK \$59.95 CASSETTE. . . \$49.95

Colorware researched the word processors available for the Color Computer. This is the best. Telewriter-64 is a truly sophisticated system that is marvelously easy to use. It works with any 16K, 32K or 64K system and any CoCo compatible

TOP-RATED COCO **WORD PROCESSOR**





TOLL FREE ORDERING

ORDERS ONLY. N.Y. & INFO CALL (212) 647-2864

'REAL TALKER'

HARDWARE Voice Synthesizer

NEWfrom COLORWARE.. only... \$59.95

THINKING OF BUYING A COCO VOICE SYNTHESIZER? READ THIS....

Making your computer talk couldn't be any easier! 'Real Talker' is a full featured, ready to use, HARDWARE voice synthesizer system in a cartridge pak. It uses the Votrax SC-01 phoneme synthesizer chip to produce a clear, crisp voice.

FREE TEXT-TO-SPEECH

Included free with 'Real Talker' is Colorware's remarkable Text-to-Speech program. This is a truly powerful machine language utility. What it does is automatically convert plain English to speech. And it has an unlimited vocabulary! For example, use it in the direct mode: Type in a sentence or a paragraph, even mix in numbers, dollar signs, etc., then press enter. The text is spoken. At the same time a phoneme string is generated which can be saved to cassette or disk, modified or used in a Basic program.

We originally planned to sell this major piece of programming for about \$40.00 but decided it was so useful that no 'Real Talker' user should be without it. Besides, it really shows off the capability of 'Real Talker'.

Also included with 'Real Talker' is our unique Phoneme Editor program. It allows you to explore and create artificial speech at the phoneme level. Phenomes are the fundimental sounds or building blocks of word pronunciation. There are 64 different phenomes, as well as 4 inflection levels at your disposal. Creating and modifying speech at the phenome level is both fascinating and educational. The Phenome Editor may also be used to customize the pronunciation of speech produced by the Text-to-Speech program.



You don't have to use any of our utility programs though. If you write your own Basic Programs, you will find the pocket sized Votrax Dictionary (included free) is all you need to make your own Basic programs talk. This dictionary gives you quick access to the phenome sequences used to create approximately 1400 of the most used words in the English language.

How about compatibility? 'Real Talker' is compatible with any 16K, 32K, 64K, Extended or non-extended Color Computer. It works with any cassette or disk based system, with or without the Radio Shack Multi-slot expander. No other synthesizer under \$100 can make this claim. Most other CoCo voice synthesizers require an expensive Multi-slot expander in order to work with the disk system. 'Real Talker' requires only an inexpensive Y-adapter. This is an important consideration if you plan on adding a disk or have one already.

YOU DECIDE....

Order yours today on our Toll-Free Order Line. If you are not delighted with your 'Real Talker' system, simply return it within 30 days for a prompt, courteous refund.



COLORWARE INC. 78-03F Jamaica Ave. Woodhaven, NY 11421 (212) 647-2864



* * * ORDERING INFORMATION * * *

ADD \$2:00 PER ORDER FOR SHIPPING & HANDLING.
C.O. U.S: ADD \$3.00 EXTRA.
SHIPPING & HANDLING FOR CANADA IS \$4.00
WE ACCEPT VISA, MASTER CARD, M.O. 'S, CHECKS.
N.Y. RESIDENTS MUST ADD SALES TAX.

The Dragon's Gold, requiring 32K ECB, is a game of arcade action which I wrote for my eight-year-old daughter, Dianne. For those who can use the higher computer speed, enter 5 POKE 65495,0. Speeding up the computer will also increase the difficulty. To start the game after the title either push the Space Bar or the joystick button. And here's a hint before you begin the quest: Keep moving because if you stop, the Hornbobers will speed up.

V	100 41	2756 51
	195 94	3030 122
	430 52	3155 1
	2100 123	3240 57
	2302 81	END 215

The listing:

6 DIM R(10), S(10)

7 TR=1

8 CLS:GOSUB3000:CLS

9 CLS: GOTO2000

10 T=&H1A: Z=1:POKE&H415A, Ø

11 C=183: D=162: P=Ø

12 POKE&H4123, &H59: POKE&H4125, &H

46: POKE&H4127, &H59

13 KL=Ø: POKE&H3F58, &H1A

15 PMODE4: SCREEN1, 1: PMODE3

2Ø PCLS

3Ø DRAW"BMØ, 184; C7; R255"

4Ø PAINT(8,188),7,7

5Ø DRAW"BMØ, 144; C7; R255"

55 DRAW"BMØ, 152; C7; R2Ø8U8R18D8R3

Ø"

57 PAINT (250, 148),7,7

60 PAINT (8, 148),7,7

70 DRAW"BMØ, 112; C7; R33U8R18D8R21

0"

75 DRAW"BMØ, 104; C7; R255"

77 PAINT (250, 108), 7, 7

80 PAINT (8, 108),7,7

90 DRAW"BM0,72;C7;R208U8R18D8R30

95 DRAW"BMØ, 64; C7; R255

97 PAINT (250,68),7,7

100 PAINT (8,68),7,7

110 DRAW"BMØ, 44; C7; R24U4R2ØD8R4D

4R4D4R4D4R4D4"

12Ø PAINT (20,48),7,7

125 GOSUB13Ø

126 GOTO160

130 DRAW"BM212, 184; C7; U4R8D4UBL8

D4U8R8D4U8L8D4U8R8D4U8L8D4U8R8D4

USLSD4USRSD4"

140 DRAW"BM36, 144; C7; U4R8D4U8L8D

4U8R8D4U8L8D4U8R8D4U8L8D4U8R8D4U

8L8D4U8R8D4"

150 DRAW"BM212, 104; C7; U4R8D4U8L8 D4U8R8D4U8L8D4U8R8D4U8L8D4U8R8D4

For Your TRS-80 Color Computer 320 Full-time Audio Talk/Tutor Programs







We're Your Educational Software Source

Course No. of Programs Language Arts (Spelling) 16 Programs 64 Programs Reading Comprehension 32 Programs **Phonics** 32 Programs English as a Second Language 32 Programs 64 Programs Mathematics Basic Algebra 16 Programs **Physics** 16 Programs **Effective Writing** 16 Programs History 32 Programs

In Color, with Pictures and Text!

All of our TRS-80 Color programs have easy to understand professional announcer narration, not synthesized, robotic voices. All text is displayed in easy to read upper- and lower-case characters. Video clearly illustrates key concepts in each frame of the program.

Only \$4.40 per program (\$8.80 for 2, one on each side of a half-hour cassette). \$59.90 for 16 programs (8 cassettes) in an album. Send for catalog of over 1000 programs for Atari, TRS-80, Apple, etc.

Dealer inquiries welcome For more information, or to order call:

TOLL FREE 1-800-654-3871

IN OKLAHOMA CALL (405) 288-2301





U8L8D4U8R8D4"

-155 RETURN

160 DRAW"BM8, 44; C6; U4H4G2; BM10, 4 4; U6E6U2; BM8, 4Ø; U3H6U2; BM1Ø, 4Ø; U 1ØE3"

165 DRAW"BM18, 30; C8; D6R2U6L2"_

1.70 DRAW"BM70, 63: C6: U2R6U2R6U2R6 U2R6U2R6D2R5D2R6U2R4U2R4D2R2E8R3 D2L1D2L2D2L2D2L2D2R1Ø"

173 DRAW"BM240,63; C8; U15L3E5F5L4

18Ø DRAW"BM7Ø, 63; C6; R15U3F3R4U4F 4R2ØU2L4U2R22U2"

185 PAINT (72,62),6,6:PAINT (89,60),6,6

187 PSET(118,55,7)

188 POKE&H3F58, &H1A: POKE&H3F59, &

189 EXEC&H3FØØ: Y=65

190 POKE&H3F07, &H3F: POKE&H3F08, &

H5B

192 EXEC&H4Ø99

195 A=JOYSTK(Ø)

200 IF A>50 THEN GOSUB2300

210 IF A<10 THEN GOSUB2330

215 B=JOYSTK(1)

220 IF B<10 AND PEEK(&H3F59)=&H5 A THEN GOSUB265Ø

23Ø IF B<1Ø AND PEEK(&H3F59)=&H4 4 AND C=143THEN GOSUB 2660

24Ø Z=Z+1

25Ø IF Z=8 THEN GOSUB4Ø5

26Ø IF Z=2Ø THEN GOSUB 43Ø

265 IF PEEK(&H3F59)>77 AND PEEK(

&H3F59)<82 THEN 266 ELSE 27Ø

266 IF Z>8 AND Z<20 THEN GOSUB47

27Ø IF PEEK (339) = 254 THEN GOSUB1 000

272 EXEC&H4Ø99

275 EXEC&H3FØØ

278 EXEC&H413Ø

279 IF PEEK(&H415A)=100 THEN 480

28Ø IF PEEK(&H3F58)=&HØB THEN 27 80

31Ø SC=SC+1Ø

400 GOTO190

4Ø5 DRAW"BM12Ø, 112; C1; U8R2ØD8L2Ø

":PAINT(125,108),1,1

41Ø DRAW"BM12Ø,152;C1;U8R2ØD8L2Ø

":PAINT(125,149),1,1

420 RETURN

7430 DRAW"BM120,112;C7;U8R20D8L20 ":PAINT(125, 108),7,7

44Ø DRAW"BM12Ø,152;C7;U8R2ØD8L2Ø

":PAINT(125,149),7,7

450 Z=0

46Ø RETURN

47Ø IF PEEK(&H3F58)<15 THEN RETU

475 IF PEEK(&H3F58)>25 THEN RETU RN

-48Ø SR=SR+1

481 PLAY"L2Ø; 04; 1; 2; 3; 4; 5; 6; 7; 8;

9; 10; 11; 12"

483 IF SR>2 THEN 490

484 GOTO1Ø

49Ø TR=4

491 PLAY"L20; 04; 1; 2; 3; 4; 5; 6; 7; 8;

9; 10; 9; 8; 7; 6; 5; 4; 3; 2; 1"

495 GOTO9

1000 A=PEEK (&H3F58)

1005 EXEC&H3F3C

1010 A=A-1

1020 POKE&H3F58, A

1030 EXEC&H3F1E

1033 FORX=1TO4: EXEC&H4099

1034 PLAY"03L30;4;5":NEXTX

1035 EXEC&H3F3C

1040 A=A+1

1050 POKE&H3F58, A

1055 EXEC&H3F00

AUTOSTART, PROTECT & PROFESSIONALIZE YOUR PROGRAMS with HIDE-A-BASIC 1.1

AT LASTI A program that combines autostart with complete protection of your valuable basic programs. IMPORTANT FEATURES:

Autostarts your programs.

- A ML program that modifies your program and NOT just 'Stands Apart'.

- Option to disable Break-key, Clear key & Reset button.

- Disables LIST, LLIST, EDIT, DEL, TRON, TROFF, CSAVE(M), CLOAD(M).

- Disables POKE, PEEK, EXEC & USR to prevent 'Back-door entry' to your program.

· Disables disk functions to avoid access thru Disk System.

- Creates an 'ONERR GOTO' routine to trap errors.

- Your Basic program is loaded as a ML program - with CLOADM.

- Full documentation.

WITH HIDE-A-BASIC 1.1 THERE IS PRACTICALLY NO WAY ANYONE CAN 'GET INTO' YOUR PROGRAM.

Buy Now & Protect your Profits. For 16K ECB Cassette System. Tape - Only \$24.95.

To Order: VISA, MC, Check, MO, COD (\$2.50). Please add \$2.00 shipping and handling. NYS Residents, please add Sales Tax. Immediate Shipment.





 $(716) 425 \cdot 1824$ (9AM-9PM Mon-Sat) **Dealer Inquiries Welcome**



29

Elite-File

THIS IS IT! ELITE FILE is the Data Base Manager that Color Computer users have been waiting for. ELITE FILE is for everyone who needs to store and retrieve information. ELITE FILE is a full-featured relational Data Base Manager with all the editing and report formatting features that are typically found on much larger computer systems. Compare record structure flexibility, total record capacity, information processing ability, speed of program response, printed output flexibility, and you'll agree that ELITE FILE may very well be the most powerful/useful program ever written for the Color Computer.

MAJOR features include:

All machine language for speed . Flexible, user defined, data record structures . Up to 255 characters per record field • Up to 255 fields per record • Up to 2000 characters per record • Up to 4000 records per file • Up to 16 files can be open at the same time for information processing . Edit, Scan, Sort, Select Record information; all done FAST . Output reports to Screen, Printer, or ASCII Disk file . Place output data by Field Name, with Custom Text anywhere on the printed page . Perform math operations (+, -, *, /) between Field contents . Produce tabulated reports from multiple record contents . Generate column totals across record field contents.

Compatible with Elite•Calc and Elite•Word files • User friendly combination of Menu driven input, and single key commands . Supports up to 4 drives . Minimum 32K RAM, Disk required . Nested sub-field definitions . Up to 8 fields in Primary Key . Copy record definition from file to file . View/Print record definition . Input/Add records with easy to use field name format display . Edit records with full screen "type over" editor . Copy records to repeat identical data . Load Elite. Calc worksheets into random access data files. Scan mode for quick data retrieval . Locate any record by field contents · Select specific groups of records by field content with full logic combination capabilities . Sort records in ascending or descending order by any field, or group of fields . Calculate values from combinations of field contents . Output any subset of fields in any order for printed reports • User setable print formats; Page Title, Top and Bottom Margin, Line Spacing, Page Length, Page Pause, Form Feeds and more . Output format also supports TAB, VTAB, CR, PAGE, text, HEX printer controls, and more . Join up to four sub-files to extend data record for printing . Produced detailed repetitive reports, for output on preprinted forms, using output formats written on Elite•Word • Variable Text Insert feature of Elite•Word is fully supported . Refile old record data into NEW record structures . Data, Field Definitions, Indices all stored on a single file . Memory resident, no program overlays from disk . Single program performs all features . List disk Directories and "Kill" files without leaving the program . Data files also accessible from BASIC programs.

- Disk Only
- Shipping NOW
- Add \$2.50 Shipping
- PA residents add 6% sales tax
- Dealer inquiries invited

THE BEST FOR ONLY

Elite-Calc"

ELITE CALC is a powerful, full featured worksheet calculator designed especially for the Color Computer. Answer "what if" questions, prepare reports, maintain records and perform other tasks that, until now, required sophisticated business computers. ELITE CALC is a serious tool for those who want to do more than play games.

MAJOR features include:

Ease of use . Individual cell formulas . Copy Blocks of cells . Full cell-edit capability . Easy 132 column page width . Changeable Baud rates . Graph format for bar charts . Sort (ascending or descending) . Sample worksheets included.

Single character commands . Help displays . 255 maximum rows . 255 maximum columns . Available memory always displayed . Rapid Entry modes for text and data . Selectable, automatic, cursor movement • Insert, Delete, Move entire rows or columns • Replicate one cell to fill a row or column with selectable formula adjustment . All machine language for speed • Extended BASIC required for ROM routine calls . Automatic memory size detection for 16K, 32K, or 64K • > 20K bytes storage available in 32K systems • Math operators: +, -, x, /, ∱, (,) • Relation operators: =, >, <, <=, >=, <> • Logic Operations: AND, OR, NOT . Conditional Formula: IF, THEN, ELSE • Trig Functions: SIN, COS, TAN, ATN • Log Functions: LOG, EXP, SQR • Misc. Functions: INT, FX, ABS, SGN, RND • Range Functions: SUM, AVERAGE, COUNT, MIN, MAX, LOOKUP . Definable constant table . User definable printer set-up commands . Individual column width settings . Adjustable row height to insert blank lines without wasting memory . Hide columns or rows . Alternate print font selectable on a cell by cell basis . Display/Print formats set by cell, row, or column . Dollar format, comma grouping, prefix or postfix sign . Scientific notation, fixed point and interger formats . Left and Right cell contents justification . Full page formatting . All formats stored with worksheet on disk (tape) . Save/ Load Disk (tape) files in compact memory form . Scan disk directories . Output ASCII file for word processor input capability . Memory resident code ... no repeated disk calls.

THE BEST FOR ONLY

Specify: Disk or Tape

- Shipping from stock NOW

- Dealer Inquiries Invited Add \$2 Postage & Handling PA residents add 6 sales tax

'Elite® Calc is a great spreadsheet program! This professional quality program has the performance required for serious home applications as well as small businesses."

-Stuart Hawkinson, RAINBOW

'Truly one of the best programs I have seen."

— John Steiner, MICRO

"Elite. Calc is an extremely powerful worksheet. -Jack Lane, COLOR MICRO JOURNAL

"Bruce Cook's Elite*Calc is a very fine program indeed; potentially one of the great Color Computer Programs." "...a very impressive product."

-Scott L. Norman, HOT COCO

ite-Word Also Available On OS

THE SECOND GENERATION WORD PROCESSOR IS HERE! ELITE•WORD is a high performance, all machine language, Full Screen Editor which offers an ease-of-use that is simply incredible. ELITE. WORD has many powerful features not found in other word processors for the Color Computer. ELITE • WORD also offers a printed output flexibility that can handle your sophisticated home and business applications.

MAJOR features include:

Very easy to use . Top screen line reserved for HELP display/Command prompts • Excellent for BOTH program editing and word processing . TWO text entry modes; Insert or Exchange • Auto Key-Repeat • Smooth display scroll for easier proof reading . True Upper/Lower case display with lower case descenders . Hi-Res text "View" mode displays text exactly as it will be printed; including text Justification, Auto Line Centering, dynamic Margin changes, Top and Bottom Margins, Page Numbering, and Page Breaks . Include feature (disk only) permits including several file names within one output document; total document will have sequential page numbering if desired • Fast Disk I/O; no loading of overlay files to slow down operation • Variable Text (Mail Merge) capability for Form Letter generation

32K Extended Basic Required for ROM routine calls . Variable TAB stops . User definable Headers and Footers . Smooth cursor movement over text; in any direction (including vertical) • Page Forward or Backward through text • Jump to beginning or end of text • Automatic text centering • Automatic text Word-Wrap if desired • True Block text Move, Delete, or Copy . Delete entire screen line . Backspace and Delete Character . Delete character above cursor . Find a string of characters . Global Replace character string . Two Hi-Res screen displays; 32 x 19 for text entry/editing, 64 x 19 for formatted text viewing . Continuous Memory display . Over 22K file size in 64K machines • Easy generation of ASCII files • Save/Load text files (in ASCII if desired) • Program remembers last File Name loaded or saved, and will write to it by default if desired • All I/O errors trapped and recoverable . Disk commands for Change Drive, Directory and Free Space . Print Format features allow user to specify Left Margin, Line Length, Line Spacing, Top and Bottom Margin, Duplicate Copies, Right-Side text Justification, Page Pause, Page Numbering, and more . Dynamically change any print Format features within text . Imbed Hex codes and printer Font changes within text

Additional OS-9 version features:

Edit two files simultaneously . Save or Print only a portion of the text buffer • Edit files larger than memory (uses disk as buffer) • Block Copy from one file to another • Execute any OS-9 command from Editor

OS-9 is a trademark of Microware and Motorola.

THE BEST FOR ONLY Shipping from stock NOW

Specify Tape - Dealer Inquiries Invited. \$59.95 RS Disk \$59.95 Add \$2 Postage & Handling OS-9 Disk \$79.95 PA residents add 6% sales tax \$109.95 OS-9 & RS Disk

"Elite•Word is a terrific word processor with an impressive list of features, yet it's easy to learn and use."
—Stuart Hawkinson, HOT COCO

"I was more than satisfied with Elite•Word . . After the review, I would not hesitate to compare it with the two best selling word processors. And my comparison places it at the top of the list."

-A. Buddy Hogan, RAINBOW

Elite•Spel™

This program cannot spell AARDVARK or SALUBRIOUS or VICHYSSOISE, but it is very easy to use and it's FAST! All potentially misspelled words are identified in a single pass through it's 24,000 word dictionary. ELITE SPEL is fully compatible with ELITE. WORD and supplements the best word processor for the Color Computer. By the way, if you often use the word AARDVARK, ELITE SPEL can learn it and up to 4,000 other words that are in your common vocabulary. Dictionary maintenance for adding and deleting words is included as an integral part of the program, not as separate programs.

MAJOR features include:

Easy to use, menu commands . Single pass dictionary search • 1,000 word memory dictionary of common words . 20,000 word dictionary included . Room for 4,000 of your own words . List suspect words on screen or printer . List all words used with number of occurrences . Learn individual words that were correct in file . Learn entire files of words . Delete words from dictionary . Apply corrections to file in batch or interactive modes . Works in single or multiple drive systems . All machine language for maximum speed • 32K disk required.

- Disk Only
 Snipping NOW
 Add S2 Snipping
 PA residents add 5% sales tax
 Dealer inquiries invited

19995

When bought with ELITE-WORD ONLY \$ 15.00

Elite Software

Productive Programs for Serious Users

All software features:

- * Superior Ease of Use
- ★ Cross-file Compatability
- ★ Printer Compatability
- ★ Comprehensive Manual
- * Nationwide User-group Support
- ★ Handsome Vinyl Binder
- ★ Revision Upgrade Program



Shipping from stock NOW

Add \$2.00 Shipping (\$2.50 for Elite•File) PA Residents add 6% Sales Tax

Dealer Inquiries Invited

Box 11224 • Pittsburgh, PA 15238 • (412) 795-8492

253Ø EXEC&H3F1E 1060 RETURN 2535 EXEC&H4130: IF PEEK (&H415A) = 2000 SR=0 2080 FORV=1TO8:GOSUB2200:NEXT:FO 100 THEN 480 RV=1T08: GOSUB2200: NEXT 254Ø GOSUB13Ø 2090 FORV=1T08:GOSUB2210:NEXT:FO 255Ø EXEC&H3F3C RV=1TO6: GOSUB221Ø: NEXT 2555 IF PEEK(&H3F59)=&H4Ø THEN19 2100 FORV=1TO8:GOSUB2220:NEXT:FO RV=1T07: GOSUB2220: NEXT 2595 Y=Y-1 2105 POKE1534, 143: POKE1535, 143 2598 EXEC&H3FØØ 2600 RETURN 211Ø DEFUSRØ=16515 2120 PRINT@136, "THE DRAGON'S GOL 265Ø C1=21Ø:D1=225 D";:PRINT@207,"BY"; 2655 GOTO27ØØ 213Ø PRINT@233, "CHARLES A HUSAK" 2660 C1=35: D1=48 2700 IF C1=210 AND P=10 THEN RET 2140 IF TR=4 THEN PRINT @ 393, "S URN ORRY YOU LOSE "; 2702 IF C1=210 AND P=30 THEN RET 2145 IF TR=5 THEN PRINT @ 389, "Y URN OU HAVE WON THE GOLD"; = 2705 POKE&H3F07, &H40:POKE&H3F08, 217Ø SCREENØ, 1 **&H2B** 2172 W=1 2710 EXEC&H3F00 2175 R\$="CFCFCFCFGFEFGCECECEFE 2715 GET(C1,C)-(D1,D),R,G DEFCEFEDEFCAF" 273Ø POKE&H3FØ8, &H57 2176 N\$="T602L5" 274Ø EXEC&H3FØØ 2180 A=USR0(0): IFW=36 THEN W=1 2745 GET(C1,C)-(D1,D),S,G 2181 Ms=MIDs(Rs,W,1):W=W+1 2751 PUT(C1,C)-(D1,D),R,PSET 2182 PLAY"XN#; XM#; " 2752 GOSUB13Ø:C=C-2:D=D-2:EXEC&H 2183 A=USRØ(Ø) 4099 2185 IF INKEY = " OR PEEK (339) = 2753 LINE(C1,C+2)-(D1-2,D+2),PRE 254THEN1Ø ELSE218Ø SET, BF 2200 PRINTSTRING\$ (2,127+16*V);:R 2754 PUT(C1,C)-(D1,D),S,PSET ETURN 2755 FORX=1T040:NEXT:C=C-2:D=D-2 221Ø PRINTSTRING\$(2,127+16*(9-V) 2756 LINE(C1,C+2)-(D1,D+2),PRESE) TAB (3Ø) STRING\$ (2, 127+16*V); : RET T, BF 2757 DRAW"BM30.104; R22" 222Ø PRINTSTRING\$(2,127+16*(9-V) 2758 DRAW"BM2Ø6,64;R22");:RETURN 2759 DRAW"BM206,144;R22" 2760 P=P+1: IF P=10 THEN 2765 2300 POKE&H3F26, &H87: POKE&H3F08, 2762 IF P=20 THEN 2765 **&H5B** 2763 IF P=3Ø THEN 2765 23Ø2 EXEC&H3F3C: EXEC&H3FØØ 2304 FORX=1T030: NEXT 2764 GOTO2751 2305 EXEC&H3F3C 2765 POKE&H3FØ7, &H3F: POKE&H3FØ8, 12306 EXEC&H3F1E &H5B 2307 GOSUB130:EXEC&H4130:IF PEEK 2767 T=T-5 (&H415A)=100 THEN 480 2768 POKE&H3F58, T 23Ø8 EXEC&H3F3C 277Ø RETURN 2310 IF PEEK(&H3F59)=&H5C THEN19 278Ø XX=22Ø 2782 IF KL=9 THEN 2900 2312 POKE&H3F59, Y 2783 EXEC&H4Ø99 2314 Y=Y+1 2784 A=JOYSTK(Ø):KL=KL+1 2315 EXEC&H3FØØ 2785 IF A>50 THEN GOSUB2300 2786 IF A<10 THEN GOSUB2330 2316 RETURN 2330 POKE&H3F26, &HEF: POKE&H3F08, 2787 IF PEEK(&H3F59) >&H5A THEN G OSUB 285Ø &HC3 2788 IF PEEK (&H3F59) <82 AND KL<1 2500 EXEC&H3F3C: EXEC&H3F00 2510 FORX=1T030:NEXT 6 THEN GOSUB480 2515 EXEC&H3F3C 279Ø IF PEEK(&H3F59)=&H48 THEN 2 930 2520 POKE&H3F59, Y

GRAPHICOM

The hit of the Pasadena Color Expo, GRAPHICOM is the best graphics program ever written for the COCO! GRAPHICOM was three years in the making, and you can see every minute in its quality and ease of use. GRAPHICOM has features you would expect from systems costing hundreds of times more

**Powerful drawing tools: "rubber band" graphics, "stamps", rotating pictures, mirrored, masked, and reversed images, and lots more!

**Easy to use: Uses two joysticks, or one joystick and koala pad, to operate a big, simple picturebased menu.

**Incredible output capacity: Transmit pictures over modems or ameteur radio! GRAPHICOM even has a screen dump function that works with over 20 different printers!

GRAPHICOM is simple enough that anyone can use it, yet it's so powerful that a seasoned artist can use it to explore new frontiers of creativity.

Requires 64K and disk drive Only \$29.95

ART MAN: THE POOR MAN'S GRAPHICOM?

ART MAN has a remarkable resemblence to GRAPHICOM; they're almost the same! The biggest difference is that ART MAN will run on a 32K system! Tape or Disk......\$29.95

GRAPHICOM PICTURE DISKS

Marvel at the wonders of computer aided art with the amazing gallery of picture disks for use with GRAPHICOM:

Picture Disk #1: Features drawings, and tutorials for GRAPHICOM.

Disk #2: Features Elvira, mistress of the dark, and friends (great drawings and digitized photos).

Disk #3: Excellent drawings, tutorials, and examples of use of the "X-PAD".

Disk #4: Electronic circuits and symbols.

GRAPHISET - More than 16 font screens: Roman, Greek, Cursive, special symbols and more!


Picture Disks are \$19.95 for one, and \$10.00 for each additional disk, or \$39.95 for all fivé.

NEWBASIC

This impressive package will save you hundreds of tedious hours trying to do those "impossible" little things in BASIC. NEWBASIC adds over 30 commands to regular BASIC: expanded directory, text "window", inverse video, keyboard click, BREAK on or off, underline, word "wrap", ten definable function keys, ON ERROR GOTO, text screen dump, a function to help you type in programs from RAINBOW magazine, and MUCH, MUCH MORE!

Requires 64K and disk drive \$49.95

COMPUTER PROGRAM DATA RECORDER



OT ALARON INC. RY-295

DON'T REPAIR YOUR TAPE RECORDER! Buy a new one at this special price of only \$39.95. Get a new Computer Data Recorder.

Disk Drive and Controller only \$329.95. This may not be the lowest price you will find in the Rainbow, but we can guarantee it will be the best disk drive you can buy. Most special prices are for big, old, outdated full size drives. We are offering you the newest design, Slim Line TEAC disk drives. These are exceptional quality 40 track disk drives. They are guaranteed for 6 months, twice as long as most disk drives. For a controller we will offer the J & M with gold plated contacts. As a special bonus with each disk drive, we will include a dual power supply and case. Now or at a later date you can add a second disk drive for very little money:

1 TEAC 40 Track Slim Line Disk Drive and Controller 2 TEAC 40 Track Slim Line Disk Drives and Controller

1 TEAC 40/40 With Case Power Supply

\$339.95

\$499.95

\$239.95





6655 Highland Road Pontiac, MI 48054 Orders & Information (313) 666-4802

Master Charge and VISA OK. Add \$3.00 for shipping in the USA - \$5.00 in Canada. Dealer Inquires invited.

2840 IF XX<200 THEN 2783 2845 GOTO 2782 285Ø IF PEEK(339)=254 THEN 2852 ELSE RETURN 2852 XX=220: YY=57 2853 CIRCLE(XX, YY), 4,8:CIRCLE(XX , YY), 4, 1 2854 XX=XX-3 2855 IF PPOINT(XX-4, YY)=6 THEN 2 857 ELSE 2853 2857 LINE (70,63) - (136,44), PRESET , BF 2858 RETURN 2900 XS=136: YS=57 2905 CIRCLE(XS, YS), 4,6:CIRCLE(XS , YS) , 4, 1 2907 XS=XS+3 2910 IF XS=220 THEN GOSUB480 ELS E GOTO 2905 292Ø GOTO278Ø 293Ø T=T-1 2932 EXEC&H3F3C 2935 POKE&H3F58.T 2936 GOSUB233Ø 2947 FORX=1T0100:NEXTX 2948 IF PEEK (&H3F58) = &HØ8 THEN 2 955 295Ø GOTO293Ø 2955 GOSUB233Ø 2956 TR=5 2957 FORE=1T01ØØØ:NEXTE 296Ø GOTO9 3000 PRINT @232, "ONE MOMENT PLEA SE" 3001 FOR A=16128 TO 16730 3005 READ D\$ 3Ø1Ø V=VAL("&H"+D\$) 3015 POKE A, V 3020 NEXT 3Ø25 RETURN 3Ø3Ø DATA 86,16,87,3F,56,1Ø,8E,3 3Ø35 DATA 5B, BE, 3F, 58, C6, Ø2, A6, A 3Ø4Ø DATA A7,8Ø,5A,26,F9,3Ø,88,1 3045 DATA 7A, 3F, 56, 26, EF, 39, 86, 1 3050 DATA B7,3F,5A,10,8E,3F,87,B 3Ø55 DATA 3F,58,C6,Ø3,A6,AØ,A7,8 3060 DATA 5A,26,F9,30,88,1D,7A,3 3065 DATA 5A, 26, EF, 39, 86, 16, B7, 3 3070 DATA 57, BE, 3F, 58, 86, 00, C6, 0

3075 DATA A7,80,5A,26,FB,30,88,1 3080 DATA 7A, 3F, 57, 26, F1, 39, FF, Ø 3085 DATA 1A,5E,FF,0A,80,0A,80,2 3090 DATA A8,0F,C0,2B,70,2B,FC,A 3095 DATA FC, AB, CØ, ØF, FØ, ØF, FØ, 3 E 3100 DATA 80,3E,80,3E,80,3E,A0,3 3105 DATA 88,3F,08,0F,08,0A,A0,0 3110 DATA 80,0A,80,0F,F0,0F,FC,0 3115 DATA AB,00,00,AB,00,02,AA,8 3120 DATA 00,FC,00,02,B7,00,02,B 3125 DATA CØ, ØA, BF, CØ, ØA, BC, ØØ, Ø 313Ø DATA FF, ØØ, ØØ, FF, ØØ, 3F, AF, Ø 3135 DATA 3F, AF, FC, ØØ, AF, FC, ØØ, A 3140 DATA 00,00,AA,00,0E,AA,8C,0 3145 DATA AA, AC, ØE, AØ, AC, ØC, ØØ, A 3150 DATA ØC, ØØ, ØØ, Ø2, AØ, Ø2, AØ, 2 3155 DATA AB, Ø3, FØ, ØD, E8, 3F, E8, 3 3160 DATA EA,03,EA,0F,F0,0F,F0,0 3165 DATA BC, Ø2, BC, Ø2, BC, ØA, BC, 2 317Ø DATA FC, 20, FC, 20, FØ, ØA, AØ, Ø 3175 DATA AØ, Ø2, AØ, ØF, FØ, 3F, FØ, Ø 318Ø DATA 2A, ØØ, ØØ, 2A, ØØ, Ø2, AA, 8 3185 DATA ØØ,3F,ØØ,ØØ,DE,8Ø,Ø3,F 3190 DATA 80,03,FE,A0,00,3E,A0,0 3195 DATA FF,00,00,FF,00,30,FA,F 3200 DATA 3F, FA, FC, 3F, FA, 00, 00, A 3205 DATA 00,30,AA,00,32,AA,B0,3 3210 DATA AA, BØ, 3A, ØA, BØ, 3A, ØØ, 3 3215 DATA ØØ,ØØ,3Ø,Ø2,AØ,Ø2,AØ,Ø 3220 DATA AB, 03, FØ, 02, AØ, 02, AØ, 3 3225 DATA AB, 3A, AB, 33, FØ, 3F, BC, 3 323Ø DATA BC, Ø2, AC, Ø2, AC, Ø2, AC, Ø 3235 DATA AØ, Ø2, AØ, Ø2, AØ, Ø3, 2Ø, Ø 324Ø DATA 20,00,20,00,30,00,3C,0 3245 DATA AØ, Ø2, AØ, ØA, AB, Ø3, FØ, Ø 3250 DATA AØ, Ø2, AØ, ØA, AB, ØA, AB, Ø 3255 DATA F3, ØF, BF, ØF, BF, ØE, AØ, Ø 3260 DATA AØ, ØE, AØ, Ø2, AØ, Ø2, AØ, Ø 3265 DATA AØ, Ø2, 3Ø, Ø2, 3C, Ø2, ØØ, Ø 3270 DATA 00,0F,00 328Ø DATA BE, Ø3, FF, 3Ø, Ø1, A6, 84, 2 C. Ø4 329Ø DATA 8B, 1Ø, 8A, 8Ø, A7, 8Ø, 8C 3300 DATA 06,01,2F,F1,39 331Ø DATA 12, BE, 41, 22, 30, Ø1, BF, 4

1,28,8D,56,BE,41,24,30,1F,BF,41 3320 DATA 28,8D,4C,BE,41,26,30,0 1, BF, 41, 28, 8D, 42, BE, 41, 22, 8C, 12 3330 DATA 41,27,4D,8D,1A,30,1F,B F, 41, 22, BE, 41, 24, 8D, 10, 30, 01, BF 334Ø DATA 41,24,BE,41,26,8D,Ø6,3 Ø, 1F, BF, 41, 26, 39, 1Ø, 8E, 41, 2A, BF 3350 DATA 41,28,C6,06,A6,A0,A7,8 Ø, 3Ø, 88, 1F, 5A, 26, F6, A6, 9F, 41, 22 3360 DATA B7,41,21,BE,41,28,39,B E, 41, 28, 86, Ø, C6, Ø6, A7, 8Ø, 3Ø, 88 3370 DATA 1F, 5A, 26, F8, BE, 41, 28, 3 9,8E,12,59,BF,41,22,8E,17,46,BF 338Ø DATA 41,24,8E,1C,59,8F,41,2 6,7E,4Ø,99,Ø,12,59,17,46,1C,59 339Ø DATA 12,5D,41,41,14,14,55,5 3400 DATA BE, 41, 22, 30, 01, 8D, 0F, B E, 41, 24, 30, 1F, 8D, Ø8, BE, 41, 26 3410 DATA 30,01,8D,01,39,A6,84,8 1,41,26,97,39,86,64,B7,41,5A 3420 DATA 39, A6, 84, 81, 00, 26, F4, 3 9,0

GRAPHICOM has established itself as the premium graphics program for the Color Computer. One of the outstanding features of this program is its ability to use a picture disk with lots of designs on it, to incorporate these pictures into other designs such as greeting cards, business announcements, school projects, electronics, etc.

At the last two RAINBOWfests, demand for the picture disks has been overwhelming. We at MichTron are now going to come out with a new picture disk every month. If you would like to subscribe to this service for a year, it will be at a substantial savings. Picture disks are normally \$19.95 each, plus \$3.00 shipping and handling. A one year subscription is only \$199.95. You can save over 100 dollars by subscribing now!

Join now, and you can pick any TWO disks from our ad on Page 35 for your first month's subscription!





6655 Highland Road Pontiac, Michigan 48054 Orders & Info: (313) 666-4802

Master Charge and VISA OK. Add \$3.00 for shipping in the U.S.A. \$5.00 in Canada Dealer inquires invited.







Computer rules to live by, programming, and educational shortcuts in . . .

Getting Ready For The Fall

By Fred B. Scerbo Rainbow Contributing Editor

Editor's Note: If you have an idea for our "Wishing Well," send it directly to Fred or c/o THE RAINBOW. We don't promise that any given wish will be granted, but you may be lucky if a certain program looks like a challenge or is educational. All programs developed from your ideas are for your use, but remain the property of the author.

ere we are in the middle of summer vacation and what does the "Wishing Well" have in store for you? What else, but a set of programs which will help you when you go back to school in the fall.

Actually, spending the summer months in preparation for school is not that unusual. Quite often the summer is the only time teachers have to actually try any type of curriculum development. (There is a reason for this. Can you imagine trying to map out your navigational route halfway through a journey? It is the same with teaching. Ad-

(Fred Scerbo is a special needs instructor for the North Adams Public Schools. He holds a master's in education and published some of the first software available for the Color Computer through his software firm, Illustrated Memory Banks.) vance planning is essential.) Since a large number of responses and phone calls have been from educators and parents who want to help their children with their Color Computers, I decided to dip into the "Wishing Well" to come up with two programs which I have used quite often in my classroom during the last three years. (These programs are not three years old, but have evolved. In fact, I must have had at least two dozen variations on these programs. What you will see here are the most current refinements.)

Over the most recent articles, some of you may have been able to discern what my philosophy of computers is. (A philosophy of computers?) To sum it up in just a few words, the Scerbo Rules of Computer Use go something like this:

- 1) Never do by hand what can be done more easily by computer.
- 2) Never do by computer what can be done more easily by hand.

Sound logical? Sound like something that nearly every computer user would take for granted?

You would be amazed to discover that many computer users do not readily subscribe to this philosophy. (Note that I said users and not programmers.) Quite often when a person gets a new computer, he or she will want to do nearly every simple task imaginable with the computer. One request which I receive at least twice a week is for a program to pick random numbers for our state lottery, "The Megabucks." Sure, writing a program like this is simple, but I have yet to hear of anyone writing one which regularly picked the winning numbers. (Don't you think that if I could write such a program I would have written it months ago and stopped writing columns and teaching?)

On other occasions, people have asked me to help develop filing programs to keep track of names and phone numbers of clients in small businesses. My argument is always the same. Why do this with a computer when the same task can be done much more easily with a simple set of file cards? Who really wants to waste time loading files if a file card can be more quickly looked up? Such computer efforts are often a waste of time. If a computer is needed for this type of work and we are talking about massive numbers of clients, then we can talk about getting a database program which will let us sort by a number of different factors. (Example: Give me the names of all clients in a given town who are left-handed, etc.) Since there are a number of programs on the market that can do these tasks, why bother to re-invent the wheel? This brings us to the third Scerbo rule:

 Never rewrite a program that already exists unless you can make it better and the improvements warrant the extra time invested.

Some of the programs which I have listed in the first few "Wishing Wells" have been exactly that, such as the Screen Quiz programs, which were inspired by other programs. Improvements were made in those programs which made the programs much more flexible for those wanting to use them, thus justifying the time spent.

The first two rules which I discussed have actually come to play recently as well as in the development of the two programs you see listed here. I'll get to those recent developments by the end of the article, but for now, let us get down to the business at hand: the two pro-

grams listed here.

Remember my first rule: Never do by hand what can be done better by computer. Well, this rule can be especially well suited in the teaching of math. Some of my students come to my resource room for math remediation. Since some of them may be operating on a third or fourth grade math level, I often use my Color Computers for addition and subtraction remediation. However, not all of my students respond well to just sitting at a computer. No matter how much time a student spends learning from a computer, the actual skills still have to be applied to paper.

In most cases, this is simple. There are countless math workbooks available which have the problems a student needs to master in order to improve his or her math skills. There is one catch, however. Most commercially available books will only spend a single chapter on a given skill. Add to that a page or two with examples and then it's on to the next chapter. Nearly all these books assume that the skill will be mastered in a single chapter.

This is rarely the case when working with students who need math remediation. It might take months to master a single skill, such as borrowing in sub-

traction.

What is a parent or teacher to do in such cases? They do what teachers have done for decades: they create math worksheets and problem papers by hand. Believe me, this can be very time consuming. Just try to sit down and think up a pattern of random numbers that you haven't used before. After a short period of time, this task becomes complicated if not tiring when done manually.

If you had to name the one thing that a computer does easily, what would you say it was? The answer would most likely be — select random numbers, right? Therefore, if we want to use this function to help create our own math sheets, the task should be relatively simple.

(We do have one caution to consider, however. All computers do not generate true random numbers. Instead, they generate a sequence of numbers which appear to be random. Therefore, to avoid a repeat of the same sequences, we can solve this problem by making a random number equal to the value of -TIMER, a negative TIMER value. Since we can never predict that value of the TIMER at any given point, the effect will be to reset our random number generator.)

Both programs listed will generate these worksheets. The first is called Super Math Worksheet Generator and will generate, on an 8½ by 11-inch sheet of plain or tractor feed paper, a problem sheet of 18 math problems equally

"Super Math Worksheet Generator ... is the one program which I have used every day of teaching for over the last two years."

spaced on the page. The program naturally requires a line printer. One that works with a Color Computer should be suitable unless you are using the color pen plotter or thermal printer. (The results with these would tend to be too small to be of any use.) The page prints out the problems in the enlarged print CHR\$(31) mode. The largest digit any problem will contain will be four digits wide.

The first rule also comes to play in the special feature of the program: it creates a coded answer sheet. When I first started creating these random sheets, there was no answer sheet. Instead, I would often spend time correcting my students' papers either by hand or with a pocket calculator. This was once again a foolish waste of time since the computer

had the ability to create the answers as well as the problems. The special feature of the answer section is also contained in the fact that it gives each set a random sheet identification number which can be matched with the answer sheet.

This feature can be used in several ways. Sometimes I will print the answers at the bottom of the sheet and fold the bottom of the paper so that they are not visible to the student. The bottom can even be torn off. In other cases where the student might not be so trustworthy, I would let the program save the answer sheets for up to six different problem sheets. These can then be printed up on a separate sheet of paper which is held until you choose to print them, or until you have made a total of six worksheets. The program will hold the answers and the corresponding identification numbers so they can be matched up later.

On running the program, you will be presented with a menu which includes addition, subtraction, multiplication, division and the exit program. When you select subtraction, the program will ask for a maximum digit up to 999. This will in fact create a four digit problem when a three digit number is entered, insuring that the minuend is always larger than the subtrahend. If we select addition or multiplication, we can enter up to 9999 as our maximum number. Any larger number will not be accepted and pressing ENTER with no number will return us to the menu. When we use division, we will be asked to select a number between 99 and 999. This will generate division problems from a low of two or three digits to a maximum of four digits. Playing around with these input numbers will help you to select the type of problems you wish to generate.

Math Worksheet Generator? Let me give you a hint. It is the one program which I have used every day of teaching for over the last two years. I begin every day by creating the worksheets that I need for my students. I am never at a shortage of math materials since I can always load in MATHGEN (its disk filename) and create what I need at the learning level I need. Try it and let me know what your comments are on it.

Now let's take a look at Listing 2 which is titled Written Math Problem Generator. This program is very different from MATHGEN in that it creates verbal problems along the lines of "If Johnny has three dollars and wants to

REAL TIME CLOCK

RTC-10

Full featured, yet very easy to use. RTC-10 is a quartz-based, Time/Date clock contained in a compact ROM case. RTC-10 makes it simple to access the time and date with just a few Basic PEEKS. A 2-year + replaceable battery (included) keeps time accurate when the computer is off and even when the cartridge is unplugged.



ONLY \$89.00

Compatible with any 16K or greater, Extended or non-extended Color Computer, RTC-10 may be used with or without a Radio Shack or any other Multi-Slot unit. To use it with a disk, without a Multi-Slot, order the Y-cable below.

Completely assembled, tested and ready to plug-in and use, with programs included for clock setting and for continuosly displaying the Time/Date in the upper right corner of the video screen. ONLY.....\$89.00

COCO CABLES

Top quality cable and connectors with all gold plated contacts.....

Y-CABLE- 40 conductor, 1 ft. long, 1
Male, 2 Females. Allows you to connect
your disk controller pack and the RTC-10
Clock or most voice synthesizers, etc.
ONLY \$29.95

DISK PACK EXTENDER CABLE- 40
Conducter, 2 ft. long, 1 Male, 1 Female.
Lets you place your disk controller pack
where you want it, out of your way.
ONLY \$22.95

CUSTOM FLAT CABLES- Call-in or send us your requirement. We will quote a reasonable price for the cable you need.

Custom Computer Products 6 Dogwood Court Goshen, NY 10924 (914) 469-9780

ADD \$3.00 PER ORDER FOR SHIPPING & HANDLING FOR C.O.D., INCLUDE AN ADDITIONAL \$3.00 NY RESIDENTS MUST INCLUDE SALES TAX.

buy..." etc. The program is designed to write 12 problems on two sheets of paper. It is designed so that the computer prints the first six problems and then waits for a prompt while you prepare the second sheet, or, if you choose, to reverse the paper so as to print on the reverse side of the same sheet. Printing on the reverse side can be a wise idea if you are using a line printer which accepts single sheets. It can help save paper, which is in increasingly short supply in many school systems.

If you check the DATA statements, you will notice many names listed. I have included these names to be used, at random, for the creation of these written problems. You may wish to substitute the names of your own children or students so that they will enjoy working with the worksheets that much more. (Just keep most names around eight or nine letters long.) You will also find the names of products (tapes, food, etc.) which you may wish to alter. Just be sure you change the number of data items or you will get an OD Error.

MATHPROB, as it is called, will create an answer sheet, but will not store successive sheets like MATHGEN will. You may wish to print the sheet at the bottom of the second side, or put it on another sheet. The choice is yours.

Both programs should be immense time savers for you and should prove valuable if you do teach. I have mentioned that some of my educational programs have been translated to Apple or Pet BASIC. These programs would be very difficult to translate into APPLE-SOFT because there is no PRINTUSING command in APPLESOFT. The next time one of your friends tries to tell you that the Apple IIe is a better computer, ask that person if the Apple can print numbers with decimals for dollars and cents. The answer will be no. You would have to write an algorithm to work around this deficiency. Good luck if you want to try! Just thank your CoCo that you don't have to do the same as the Apple

Once again, I want to thank you for your suggestions and wishes. I hope these two programs have granted some of your wishes. Keep those ideas coming.

I did mention earlier that there was one more development which had to do with my rule about using the computer to save time with things you would normally have to do by hand. If you remember my articles from recent months, I have mentioned that the members of my high school wrestling team were wondering when I would write a sports program that had to do with wrestling.

Well, the task was finally completed, but not in the way that I originally had intended. The normal high school wrestling season ends in late February. However, during the spring and summer months, many high school wrestlers participate in freestyle wrestling sponsored by the USA Wrestling Federation or under AAU tournaments. Since the start of the freestyle season, I have gone to a tournament with our wrestlers nearly every week. At these tournaments, fellow coach Brian Collins and I have helped with the pairings and bout sheets which have to be completed before any wrestling starts (usually an hour and a half before!).

After trying this time consuming process by hand, it didn't take long for me to realize that the computer could do the same task more easily. As a result, my program for pairing and bout sheets was used recently at the Northeastern Regional Kids Freestyle Tournament in Easton, Pa., as well as the New England Regional Junior Freestyle Tournament at the University of New Hampshire in Durham, N.H.

If things go as planned, by the time you read this, I may have actually had the opportunity to use this program as part of the selection of the June USA Olympic Wrestling Team in Michigan as well as the actual event this summer in Los Angeles. There are still many details to be worked out as of the time of this writing, but the thrill of just being asked to help out the USA Wrestling Federation in this big event was just too much not to share.


Therefore, in an upcoming "Wishing Well," I will try to share an off-shoot of these programs which can be used for any sport or any type of competition. Since these would be much more useful than strictly a wrestling program, I'll share the more general versions that would be of greater interest to more of you.

Just keep in mind that when you set a goal with your CoCo, great things can often come of it. With a little luck, by the time you read this I may have gotten a summer vacation in Los Angeles using my computer for a once-in-a-lifetime opportunity.

I'll keep you posted. In the meantime, keep those letters coming.

Your College Future **Starts Today**







WITH This Node DO

Next: Next: Next; READ (A,B); WAITELN ('RESULT, 32E5*SIN(A));

CASE This Month OF.

The Education Testing Service (ETS, famous for managing the SATs) have based the college computer science advanced placement (AP) test on Pascal.

DEFT Pascal \$79.95

DEFT Pascal Compiler

TYPE Month = (Jan, Feb,..

complete Pascal language generates machine language object **DEFT Linker**

combines multiple program objects into one binary program

DEFT Pascal Workbench \$119.95 (DEFT Pascal And DEFT Bench Together)

DEFT Bench \$49.95

DEFT Debugger

debug Pascal machine programs symbolically

DEFT Macro/6809

supports entire 6809 instruction set lets you define your own instructions **DEFT Edit**

Full screen editor

DEFT Linker

(see DEFT Pascal)

DEFT Lib

create and maintain program object

DEFT Products are available through these fine

THE PROGRAM STORE computer plus DELKER **OWL-Ware** Follett Library Book Co.

For Product Questions Call 1-301-253-1300 For Credit Card Orders Call Toll Free 24Hrs 1-800-368-3238 Operator 8 In Virginia 1-800-542-2224 Operator 8 Or Fill Out Our Order Coupon And Mail To: DEFT Systems, Inc. Suite 4, Damascus Centre Damascus, MD 20872

DEFT is a Trademark of DEFT Systems, Inc. TRS-80 is a Trademark of TANDY Corporation

All DEFT software and programs developed with DEFT software are BASIC ROM independent and use all of the memory in your Color Computer without OS-9. All you need is DEFT software and a TRS-80 Color Computer with Extended Disk BASIC, at least 32K of RAM and One Disk Drive. All orders are shipped UPS within 24 hours of receipt. Add 3% for shipping and handling; Maryland residents add 5% for State Sales Tax; add \$2.00 for COD. Software licensing arrangements are available for schools. Dealer inquiries welcome.

Quantity of Each: DEFT Pascal DEFT Bench DEFT Pascal Workbench
Method of Payment (check one) ☐ Check Enclosed ☐ VISA ☐ Master Card ☐ COD
Account Number
Card Expiration Date /
Signature
Name
Street
City State Zip

-	1	
V	50 1	15
1	150 1	87
	340 2	15
	570	1
	730 2	02
	790 1	23
	END 1	67

Listing 1:

1 "******************* 2 ** SUPER MATH WORKSHEET GEN * 3 ** BY FRED B.SCERBO (C)1984 * 4 ** 149 BARBOUR ST. N. ADAMS * 5 ** MASSACHUSETTS Ø1247 * 6 '* ILLUSTRATED MEMORY BANKS * 7 ****************** 10 DIM U(6,36), D(6,36), SN(30), QK \$ (30) 20 CLS3: SCREENØ. 1: LC\$=CHR\$ (175)+ CHR\$ (170): RC\$=CHR\$ (165)+CHR\$ (175):EB\$=CHR\$(175)+CHR\$(175):GOSUB3 Ø: GOTO4Ø 3Ø CLS5:PRINTSTRING\$(32,172);:PD KE1056, 32: PRINT@33, "super"; : POKE 1062,32:PRINT@39, "math";:POKE106 7,32:PRINT@44,"worksheet";:POKE1 Ø77,32:PRINT@54, "generator";:POK E1087.32: PRINT@64, STRING\$ (32, 163); CHR\$ (175); : RETURN 4Ø FORI=ØTO8: PRINT@127+(I*32), EB \$; : NEXT: PRINT@133, CHR\$ (175); CHR\$ (174);STRING\$(18,172);CHR\$(173); CHR\$(175); 5Ø PRINT@165, LC\$; " (A) DDITION ";RC\$;:PRINT@197,LC\$;" (S)UB ";RC\$;:PRINT@229,LC\$ TRACTION ;" (M)ULTIPLICATION ";RC\$;:PRINT @261.LC\$;" (D) IVISION ":RC \$;:PRINT@293,LC\$;" (E)XIT PROGRA "; RC\$; 6Ø PRINT@325, CHR\$ (175); CHR\$ (171) ;STRING\$(18,163);CHR\$(167);CHR\$(7Ø PRINT@384, STRING\$(32, 172);:PO KE1440, 32: POKE1441, 32: POKE1442, 3 2: POKE1443, 32: POKE1444, 32: PRINT@ 421, "press"; : POKE1450, 32: PRINT@4 27, "desired";: POKE1458, 32: PRINT@ 435, "category"; : POKE1467, 32: POKE 1468,32 80 POKE1469, 32: POKE1470, 32: POKE1 471,32:PRINT@448,STRING\$(32,163) ;STRING\$(31,128);:POKE1535,128:I F NC=>6 THEN 750 90 X\$=INKEY\$:KE=RND(-TIMER):IFX\$ ="S"THENGOSUB12@ELSEIFX\$="A"THEN GOSUB29@ELSEIFX\$="M"THENGOSUB43@ ELSEIFX = "D"THENGOSUB56 ØELSEIFX \$ ="E"THEN73ØELSE9Ø

100 GOTO20 110 REM SUBTRACTION SECTION 120 NC=NC+1:GOSUB30:FORI=127T019 1STEP32: PRINT@I.EB\$;: NEXT: PRINT@ 192, STRING\$ (32, 172); 130 QK\$(NC)="S":PRINT@132," SUBT RACTION WORKSHEETS ";:PRINT@224; INPUT NUMBER SPAN": PRIN TSTRING\$ (32, 32); :PRINT@256," 3 DIGITS-MAX.999)"; INPUTWW: IF W W>999THEN13@ELSEIF WW=@THEN NC=N C-1:GOTO2Ø 140 SN(NC)=TIMER:L=1:W=1:GOSUB15 Ø:GOTO18Ø 150 PRINT#-2, CHR\$(31); "NAME"; STR ING\$ (24, &H5F); "DATE"; STRING\$ (7, 9 5); CHR\$ (3Ø) 16Ø PRINT#-2, "SHEET IDENTIFICATI ON NO."; SN(NC): PRINT#-2," " 17Ø PRINT#-2, CHR\$(31); : RETURN 18Ø FORK=1T06 190 FORS=0TO2:PRINT#-2,USING"##. ";S+L;:PRINT#-2." XTS:PRINT#-2,"" 200 FORI=1TO3: A=RND(WW)+(RND(8)* (WW+1)):U(NC,L)=A:PRINT#-2," ";:PRINT#-2,USING"####";A;:PRIN T#-2," ";:L=L+1:NEXTI:PRINT#-2, "" 210 FORI=1T03: A=RND(WW): D(NC, W)= A:PRINT#-2," -";:PRINT#-2,USI NG"####"; A; : PRINT#-2, " "; : W=W +1:NEXTI:PRINT#-2."" 22Ø GOSUB23Ø:GOTO24Ø 230 FORI=1TO3:PRINT#-2," ";:NEXTI:PRINT#-2, "":RETURN 240 FORI=1TO4:PRINT#-2," ":NEXTI ,K 250 GOSUB690 26Ø GOTO77Ø 27Ø RETURN 280 REM ADDITION SECTION 29Ø NC=NC+1:GOSUB3Ø:FORI=127TO19 1STEP32:PRINT@I, EB\$;:NEXT:PRINT@ 192, STRING\$ (32, 172); 300 QK\$(NC)="A":PRINT@133," ADDI WORKSHEETS ";: PRINT@224," INPUT NUMBER SPAN": PRINTS TRING\$ (32,32); :PRINT@256," DIGITS-MAX. 9999) ";: INPUTWW: IF WW >9999THEN3ØØELSEIF WW=ØTHEN NC=N C-1:GOTO20 310 SN(NC)=TIMER:L=1:W=1 320 GOSUB150 330 FORK=1TO6 340 FORS=0TO2:PRINT#-2,USING"##. ":: NE ";S+L;:PRINT#-2," XTS:PRINT#-2,""

THE COLORSOFT™ BUSINESS SYSTEM

INTEGRATED BUSINESS SOFTWARE DESIGNED FOR THE COLOR COMPUTER
WRITTEN FOR USE BY THE NON-ACCOUNTING ORIENTED BUSINESSMAN
CONCISE USERS MANUAL WITH SAMPLE TRANSACTIONS TUTORIAL
PROFESSIONALLY WRITTEN AND FULLY TESTED
HIGHLY USER FRIENDLY AND MENU DRIVEN
AFTER THE SALE SUPPORT

SMALL BUSINESS ACCOUNTING (Version 2.0) This sales-based accounting package is designed for the non-accounting oriented businessman. It also contains the flexibility for the accounting oriented user to set up a double entry journal with an almost unlimited chart of accounts. This package includes Sales Entry, transaction driven Accounts Receivable and Accounts Payable, Journal Entry, Payroll Disbursement, and Record Maintenance programs. Screen and hardcopy system outputs include Balance Sheet, Income Statement, Customer and Vendor Status Reports, Accounts Receivable and Payable Aging Reports, Check Register, Sales Reports, Account Status Lists, and a Journal Posting List. The number of accounts is limited only by the number of disk drives.

ACCOUNTS RECEIVABLE (Version 2.0) This package is designed to meet the requirements of most small business users. The system includes detailed audit trails and history reports for each customer, prepares invoices and monthly statements, mailing labels, aging lists, and an alphabetized customer listing. The user can define net terms for commercial accounts or finance charges for revolving accounts. This package functions as a standalone A/R system or integrates with the Small Business Accounting package to build a complete accounting/receivables system. \$59.95

PAYROLL (Version 2.0) This integratable package is designed for maintaining personnel and payroll data for up to 200 hourly and salaried employees with 8 deductions each. This system calculates payroll and tax amounts, prints checks and maintains year-to-date totals. These amounts can be automatically transferred to the SBA package for financial reporting. It computes each pay period's totals for straight time, overtime, and bonus pay and determines taxes to be withheld. Additional outputs include mailing list, listing of employees, year-to-date federal and/or state tax listing, and a listing of current misc. deductions. This system is suited for use in all states except Oklahoma and Delaware.

\$69.95

All programs require a minimum of 32K and 1 disk drive but will take advantage of 64K and multiple drives. Each package features a hi-res 51 x 24 black on green screen. 16K versions available without hi-res screen. Specify 16K or 32K versions when ordering. Future integrated packages will include: Inventory Control, Sales Analysis, Accounts Payable.

INCLUDE \$5.00 Shipping/Handling Per Order

Write for Free Catalog

BRANTEX, INC.

COLOR SOFTWARE SERVICES DIV.

BUSINESS SOFTWARE GROUP P.O. BOX 1708 GREENVILLE, TEXAS 75401



TELEPHONE ORDERS (214) 454-3674 COD/VISA/MASTERCARD

ATTENTION DEALERS: WE OFFER THE BEST DEALER PLANS AVAILABLE

350 FORI=1TO3: A=RND(WW): U(NC.L)= A:PRINT#-2." ";:PRINT#-2,USI NG"####"; A; : PRINT#-2, " " : : | = | +1:NEXTI:PRINT#-2,"" 360 FORI=1TO3: A=RND(WW): D(NC, W)= A:PRINT#-2." +" | : PRINT#-2, USI NG"####"; A; : PRINT#-2, " " # : 씨=씨 +1:NEXTI:PRINT#-2,"" 37Ø GOSUB23Ø 380 FORI=1T04:PRINT#-2, " ":NEXTI ,K 390 GOSUB690 400 GOTO770 410 RETURN 420 REM MULTIPLICATION SECTION 43Ø NC=NC+1:GOSUB3Ø:FORI=127T019 1STEP32:PRINT@I.EB\$;:NEXT:PRINT@ 192, STRING\$ (32, 172); 440 QK\$ (NC) = "M": PRINT@130, " MULT WORKSHEETS "::PRINT@ IPLICATION INPUT NUMBER SPAN":P RINTSTRING\$ (32, 32); :PRINT@256," (4 DIGITS-MAX.9999)";:INPUTWW: IF WW>9999THEN44ØELSEIF WW=ØTHEN NC=NC-1:GOTO20 45Ø SN(NC)=TIMER:L=1:W=1:GOSUB15 Ø

46Ø FORK=1T06 47Ø FORS=ØTO2:PRINT#-2.USING"##. "; S+L; : PRINT#-2," ":: NE XTS:PRINT#-2."" 480 FORI=1T03: A=RND(WW): U(NC, L)= A: PRINT#-2." ";:PRINT#-2.USI NG"####"; A; : PRINT#-2, " " 5 : L=L +1:NEXTI:PRINT#-2."" 49Ø FORI=1TO3; A=RND(WW); D(NC.W)= A:PRINT#-2," X";:PRINT#-2,USI NG"####"; A; : PRINT#-2." ":: W=W +1:NEXTI:PRINT#-2."" 500 GOSUB230 51Ø FORI=1TO4:PRINT#-2," ":NEXTI ,K 52Ø GOSUB69Ø 53Ø GOTO77Ø 540 RETURN 550 REM DIVISION SECTION 56Ø NC=NC+1:GOSUB3Ø:FORI=127T019 1STEP32: PRINT@I, EB\$; : NEXT: PRINT@ 192, STRING\$ (32, 172); 570 QK\$(NC)="D":PRINT@133," DIVI SION WORKSHEETS ";:PRINT@224," INPUT NUMBER SPAN": PRINTSTR ING\$ (32, 32); :PRINT@256, " ENTER ' 999' FOR EASY OR '9999' ": PRINT@2

Metric Industries

For the color computer and TDP100

Model 101 Interface \$54.95

- Serial to Parallel Interface
- Works with any Centronics Compatible Printer including Radio Shack, TDP, Gemini, Epson, Gorillia and many others
- Six switch selectable baud rates (300) to 9600)
- 90 day warranty
- Power Supply included



- Switches all three data lines
- Indicator lights let you know computer
- · 3 position switch has silver plated contacts for high reliability
- · Color coded lights indicate switch
- Color coded labels for your printer, modem etc., supplied







- Prints five lines of information on pinfeed cassette labels
- Menu driven easy to use




- · Uses special features of your printer for standard, expanded and condensed
- 24 free labels included with program
- · Auto centering features for each line of
- 16K ECB required

General Items

- Gemini 10X Printer \$319.00
- Special Save Printer & Interface \$360.00
- C-10 Cassettes \$7.50/dozen
- Hard plastic boxes \$2.50/dozen
- Pin-feed Cassette labels \$3.00 per 100
- Free shipping on all orders over \$50.00
- Add \$3.00 for shipping on orders under
- \$50.00
- Ohio residents add 5.5% sales tax
- · Phone order line for VISA and MASTERCARD, orders accepted 24 hrs. a day, call 513-677-0796 or send check or money order to:

Metric Industries Department R P.O. Box 42396 Cincinnati, OH 45242

Dealer Inquiries Invited



Personal Productivity Tools for Modern Times

RAINBOW CERTIFICATION SEAL

The Library Concept

State of the Art, Quality, Integrity, Compatibility and Affordability. Five things good software must possess. Five things that epitomize the VIP Library. Each program is the diamond of its class, true excellence. These programs are first in features, first in power, first in memory, and all are affordably priced. And for your convenience all disk programs can be backed up.

State Of The Art

All Library programs are written in machine code specifically for the Color Computer, to work without the interference of a separate operating system such as FLEX. From this comes speed and more workspace for you. Unlike other programs for the Color Computer which are said to be 64K compatible, VIP Library™ programs are not limited to between 24 and 30K of workspace in 64K. Library programs have Memory Sense with BANK SWITCHING to 'fully use all 64K, thus giving up to 51K with a disk version and up to 53K with a tape version.

Easy To Use

Each Library program was carefully designed to be extremely easy to use. Built-in on-screen help tables are at your fingertips, as are menus of all kinds. Every effort is made to use logical, intuitive and easy-to-remember commands. The manuals have been thoughtfully prepared to cover every aspect of the program, and they have complete tutorials to get you going right away. We set the standard!

Lowercase Displays

State-of-the-Art graphics allow instant use of four display colors, and eight lowercase displays featuring descending lowercase letters. You can select from 51, 64 or 85 columns by 21 or 24 lines per screen, with wide or narrow characters in the 64 display. These screens provide a pleasant and relaxing way to perform your tasks, with as much text on the

"... PICTURE getting your instantaneous investment report over the phone, using it in your spreadsheet calculation, generating a report, and writing a memo including that report and data from your database with your word processor, and all this with VIP Library programs ..."

screen as is possible. Each program is easy to learn and a joy to use. We take pride in the stringent testing done to make these programs perform flawlessly. Every feature, every convenience, sleek, simple and elegant.

Total Compatibility

All **Library** programs are compatible. Transfer and use of files between programs is easy and carefree. What's better, when you have learned one program the others will come easy. And every program is the best of its kind available.

The Library Programs

For your writing needs is the VIP Writer™, and its spelling checker, the VIP Speller™. For financial planning and mathematical calculations you can use the VIP Calc™. To manage your information and send multiple mailings there is the VIP Database™. For sending all these files to and from home or the office and for talking to your friends you can have the VIP Terminal™. Finally, to fix disks to keep all your Library files in good repair we offer the VIP Disk-ZAP™.

Mini Disk Operating System

The Disk versions each have a Mini Disk Operating System which will masterfully handle from 1 to 4 drives. It offers smooth operation for such features as the ability to read a directory, display free space on the disk, kill files, save and automatically verify files, and load, rename and append files. Library programs simply do not have the limitations of BASIC.

Professionalism

The **Library** will grace your work area with the professionalism it deserves. Welcome the **VIP Library™** into your home and office.

©1983 by Softlaw Corporation

additional RATED TOPS IN RAINBOW, HOT COCO, COLOR COMPUTER MAGAZINE & COLOR COMPUTER WEEKLY

The most powerful and easy-to-use word processor is available in the showpiece and workhorse of the Library: The VIP Writer. Because of its undisputed superiority over all Color Computer word processors, it was selected by Dragon Data Ltd. of England and TANO in the U.S., to be the Official Word Processor for their line of Dragon microcomputers.

The result of two years of research, the VIP Writer™ offers every feature you could desire from a word processor. It is the most powerful, fastest, most dependable and most versatile. With the hi-res display, workspace and compatibility features built into the Library the Writer is also the most usable.

". Nearly every feature and option possible to implement on the Color Computer. The design of the program is excellent; the programming is flawless . . . Features for the professional, yet it is easy enough for newcomers to master ... Certainly one of the best word processors available for any computer ... "October 1983 "Rainbow"

Word processing with VIP Writer is like driving a high-performance vehicle ... This Ferarri of a package has more features than Telewriter, Easywriter (for the IBM PC), or Applewriter." October 1983 "Hot CoCo"

The Writer will work with you and your printer to do things you always wanted to do. Every feature of your printer can be put to use, every character set, every graphics capability at any baud rate, EVEN PROPORTIONAL SPACING. All this with simplicity and elegance. You can even automatically print multiple copies.

Although all versions feature tape save and load, the disk version provides the Mini Disk Operating System common to the whole **Library**, plus disk file linking for continous printing.

Professional features of particular note:

- Memory-Sense with BANK SWITCHING to fully utilize 64K, giving not just 24 or 30K, but up to 61K of workspace with the rompak version and 50K with the disk version.
- TRUE FORMAT WINDOW allowing you to preview the printed page ON THE SCREEN BEFORE PRINTING, showing centered lines, headers, FOOTNOTES, page breaks, page numbers, & margins in line lengths of up to 240 characters. It makes HYPHENATION a snap.
- A TRUE EDITING WINDOW in all 9 display modes for those extra wide reports and graphs (up to 240 columns!)
- FREEDOM to imbed any number of PRINTER CONTROL CODES anywhere, EVEN WITHIN JUSTIFIED TEXT.
- Full 4-way cursor control, sophisticated edit commands, the ability to edit any BASIC program or ASCT textfile, SEVEN DELETE FUNCTIONS, LINE INSERT, LOCATE AND CHANGE, wild card locate, up to TEN SIMULTANEOUS block manipulations, word wrap around, programmable tabs, display memory used and left, non-breakable space, and headers, footers and FOOTNOTES.
- Automatic justification, automatic pagination, automatic centering, automatic flush right, underlining, superscripts, subscripts, pause print, single-sheet pause, and print comments.
- Type-ahead, typamatic key repeat and key beep for the pros, ERROR DETECTION and UNDO MISTAKE features, 3 PROGRAMMABLE functions, auto column creation, and an instant on-screen HELP TABLE.

32K (Comes with tape & disk) \$59.95

(Includes VIP Speller)

WITH A 50,000 WORD INDEXED DICTIONARY! By Bill Argyros

Gone are the eyestrain, boredom and fatigue from endless proof-reading. VIP Speller is the fastest and most user-friendly speller for your CoCo. It can be used to correct any ASCII file - including VIP Library" files and files from Scripsit" and Telewriter". It automatically checks files for words to be corrected, marked for special attention or even added to the dictionary. You can even view the word in context, with upper and lowercase. VIP Speller* comes with a specially edited 50,000 word dictionary which, unlike other spellers for the CoCo, is indexed for the greatest speed. The shorter your file, the quicker the checking time. And words can be added to or deleted from the dictionary or you can create one of your own. VIP Speller* also comes with the Library's mini disk operating system for easy disk manipulation.

DISK ONLY \$39.95 Lowercase displays not available with this program.



By Kevin Herrboldt



You can forget the other toy calcs — The real thing is here! No other spreadsheet for the Color Computer gives you:

- 20 ROWS BY 9 COLUMNS ON THE SCREEN AT ONCE LOWERCASE LETTERS WITH DESCENDERS
- **UP TO 16 CONCURRENT DISPLAY WINDOWS**
- FLOATING-POINT MATH

Includes VIP Speller at no

- CHOICE OF SINGLE AND DOUBLE PRECISION
- WORKS WITH BASE 2, 10, AND 16 NUMBERS UP TO 512 COLUMNS BY 1024 ROWS
- USER DEFINABLE WORKSHEET SIZE FOR MORE MEMORY
- LOCATE FUNCTION TO FIND CHECK NUMBERS, NAMES, ETC.
- COLUMN/ROW MULTIPLE SORTS
- PROGRAMMABLE FUNCTIONS
- IMBEDDABLE PRINTER CONTROL CODES
- 21 ALTERABLE PRINT FORMAT PARAMETERS
- ON-LINE HELP TABLES
- DOES NOT REQUIRE FLEX OR BASIC

VIP Calc™ is truly the finest and easily the most powerful electronic worksheet and financial modeling program available for the Color Computer. Now every Color Computer owner has access to a calculating and planning tool better than VisiCalc™, containing all its features and commands and then some, WITH USABLE DISPLAYS. Use Visicalc templates with **VIP Calc[™]!**

There's nothing left out of **VIP Calc¹⁸.** Every feature you've come to rely on with VisiCalc™ is there, and then some. You get up to 5 TIMES the screen display area of other spreadsheets for the Color Computer and Memory-Sense with BANK SWITCHING to give not just 24, or 30, but UP TO 33K OF WORKSPACE IN 64K!!! This display and memory allow you the FULL SIZE, USABLE WORKSHEETS you require. You also get: User definable worksheet size, up to 512 columns by 1024 rows! * Up to SIXTEEN VIDEO DISPLAY WINDOWS to compare and contrast results of changes * 16 DIGIT PRECISION * Sine, Cosine and other trigonometric functions, Averaging, Exponents, Algebraic functions, and BASE 2, 8, 10 or 16 entry * Column and Row, Ascending and Descending SORTS for comparison of results * LOCATE FORMULAS OR TITLES IN CELLS * Easy entry, replication and block moving of frames * Global or Local column width control up to 78 characters width per cell * Create titles of up to 255 characters per cell * Limitless programmable functions * Typamatic Key Repeat * Key Beep * Typeahead * Print up to 255 column worksheet * Prints at any baud rate from 110 to 9600 * Print formats savable along with worksheet * Enter PRINTER CONTROL CODES for customized printing with letter quality or dot matrix printer * Combine spreadsheet tables with VIP Writer documents to create ledgers, projections, statistical and financial reports and budgets.

Both versions feature Tape save and load, but the disk version also has the Mini Disk Operating System of the entire Library.

32K (Comes with tape & disk) \$59.95

32K has no hi-res displays, sort or edit.

Check These Library Prices:

- **Fully CoCo 2 Compatible**
- Nine Display Formats: 32 by 16 51, 64, 85 by 21 or 24
- **True Lowercase & Descenders**
- **Four Different Display Colors**
- 32 & 64K Compatible
- Memory Sense Bank Switching
- Up to 51K Disk, 53K Tape
- Mini Disk Operating System
- **Compatible With All Printers**

RATED BEST IN JANUARY 1984 "RAINBOW"

By Dan Nelson

From your home or office you can join the communication revolution. The VIP Terminal¹⁸ opens the world to you. You can monitor your investments with the Dow Jones Information Service, or broaden your horizons with The Source or Compuserve, bulletin boards, other computers, even the mainframe at work.

For your important communication needs you've got to go beyond software that only lets you chat. You need a smart termnal so that you can send and receive programs, messages, even other VIP Library** files. VIP Terminal** has "more features than communications software for CP/M, IBM and CP/M 86 computers." Herb Friedman, Radio Electronics, February 1984.

FEATURES: Choice of 8 hi-res lowercase diplays * Memory-Sense with BANK SWITCHING for full use of workspace * Selectively print data at baud rates from 110 to 9600 * Full 128 character ASCII keyboard * Automatic graphic mode * Word mode (word wrap) for unbroken words * Send and receive Library files, Machine Language & BASIC programs * Set communications baud rate from 110 to 9600, Duplex: Half/Full/Echo, Word length: 7 or 8, Parity: Odd/Even or None, Stop Bits: 1-9 * Local linefeeds to screen * Save and load ASCII files, Machine Code & BASIC programs * Lowercase masking * 10 Keystroke Multiplier (MACRO) buffers to perform repetitive pre-entry log-on tasks and send short messages * Programmable prompt or delay for send next line * Selectable character trapping * Send up to ten short messages (KSMs), each up to 255 characters long, automatically, to save money when calling long distance.

All versions allow tape load and save of files and KSMs, but the disk version also has the Mini Disk Operating System common to the Library.

32K (Comes with tape & disk) \$49.95

(Tape comes in 16K but without hi-res displays)



TRS-80 is a trademark of Tandy Corp. VisiCalc is a trademark of VisiCorp.

VIP Database

INCLUDES MAIL MERGE CAPABILITIES TOO!

By Tim Nelson

This high speed MACHINE LANGUAGE program fills all your information management needs, be they for your business or home. And it does so better than any other database program for the Color Computer, featuring machine code, lowercase screens and mailmerge capabilities. Inventory, accounts, mailing lists, family histories, you name it, the **VIP Database™** will keep track of all your data, and it will merge VIP Writer™ files.

The VIP Database™ features the Library Memory Sense with BANK SWITCHING and selectable lowercase displays for maximum utility. It will handle as many records as fit on your disk or disks. It is structured in a simple and easy to understand menu system with full prompting for easy operation. Your data is stored in records of your own design. All files are fully indexed for speed and efficiency. Full sort of records is provided for easy listing of names, figures, addresses, etc., in ascending or descending alphabetic or numeric order. Records can be searched for specific entries, using multiple search criteria. With database form merge you may also combine files, sort and print mailing lists, print "boiler plate" documents, address envelopes - the list is endless. The math package even performs arithmetic operations and updates other fields. Create files compatible with the VIP Writer and VIP Terminal. Unlimited print format and report generation with the ability to imbed control codes for use with all printers.

As with all other **Library** programs, the **Database** features the powerful Mini Disk Operating System.

64K Required for math package & mail merge



RAVED ABOUT IN THE APRIL 1983 "RAINBOW!" BAINBOW

By Tim Nelson

Your database file disk, form letter disk, or BASIC program disk goes bad. An I/O error stops loading, or even backing up of the disk. Weeks, even months of work sit on the disk, irretrievable. Now catastrophic disk errors are repairable, quickly and with confidence, using the VIP Disk-ZAP¹⁴. It is the ultimate repair utility for simple and quick repair of all disk errors. Designed with the non-programmer in mind, the VIP Disk-ZAP¹⁴ will let you retrieve all types of bashed files, BASIC and Machine Code programs.

This high-speed machine code disk utility has a special dual cursor screen display to look at the data on your disk. You are able to: Verify or modify disk sectors at will * Type right onto the disk to change unwanted program names or prompts * Send sector contents to the printer * Search the entire disk for any grouping of characters * Copy sectors * Backup tracks or entire disks * Repair directory tracks and smashed disks * Full prompting to help you every step of the way * 50plus page Operators Manual which teaches disk structure and repair.

16K DISK \$49.95
Lowercase displays not available with this program.



RAINBOW

For Orders ONLY - Call Toll Free -



Order Status and Software Support call (612) 881-2777

Available at Dealers everywhere. If your Dealer is out of stock ORDER DIRECT!

In Canada distributed by Kelly Software Distributors, LTD. P.O. Box 11932, Edmonton, Alberta T5J 3L1 (403) 421-8003

MAIL ORDERS: \$3.00 U.S. Shipping (\$5.00 CANADA; \$10.00 OVER-SEAS). Personal checks allow 3 weeks.

All Disk Programs are also available on 3" Diskettes for the Amdek Color AMDISK-III Micro-Floppy Disk System for an additional \$3.00 each. @1983 by Softlaw Corporation

88, STRING\$ (32, 32); 580 PRINT@288, STRING\$ (32, 32); :PR FOR DIFFICULT";: I INT@288." NPUTWW: IF WW>9999THEN57ØELSEIF W W-ØTHEN NC=NC-1:GOTO2Ø 59Ø SN(NC)=TIMER:L=1:W=1 609 GOSUB150 61Ø FORK=1TO6 620 PRINT#-2," ";:FORS=0T02:PRIN T#-2, USING"##. "; S+L; : PRINT#-2, " ";:NEXTS:PRINT#-2," " 63Ø PRINT#-2," ";:FORI=1T03 :FORYY=1TO6:PRINT#-2,CHR\$(&H5F); :NEXTYY:PRINT#-2," "::NEXTI 64Ø FORI=1TO3: IN=RND(INT(WW/1ØØ)): A=RND(INT(WW/100)): B=A*IN: U(NC .L)=B:D(NC,L)=A:PRINT#-2,USING"# ###"; A; : PRINT#-2, ") "; : PRINT#-2, U SING"####";B;:PRINT#-2." L+1:NEXTI:PRINT#-2,"" 65Ø FORI=1T05:PRINT#-2," ":NEXTI ,K 660 GOSUB690 67Ø GOT077Ø **68Ø RETURN**

PRESS (ENTER) FOR ANS

OR <M> FOR MORE WOR


KSHEETS" 700 'RETURN 710 X\$=INKEY\$: IFX\$="M" THEN20ELS EIFX == CHR = (13) THENRETURN ELSEIFX \$=" "THENPRINT#-2," " ELSE 710 72Ø GOTO71Ø 73Ø PRINT@384, STRING\$ (32, 172);" PRESS <E>ND OR <A>NSWER SHEETS": PRINTSTRING\$ (32, 163); STRING\$ (31, 128);:POKE1535,128 740 X\$=INKEY\$:IFX\$="E"THEN85ØELS EIFX\$="A"THEN77ØELSEIFX\$=CHR\$(13) THEN2ØELSE74Ø 750 CLS5:PRINT@192,STRING\$(32,17 2); CHR\$ (128) "ready"; : POKE1254, 32 :PRINT@231, "printer"; :POKE1262, 3 2:PRINT@239, "then"; :POKE1267, 32: PRINT@244, "press"; : POKE1273, 32: P RINT@250, "enter "CHR\$ (128) STRING\$ (32, 163); 76Ø X\$=INKEY\$:IFX\$=CHR\$(13)THEN7 7ØELSE76Ø 77Ø CLS5:PRINT@192,STRING\$(32,17 2); "now"; : POKE1251, 32: PRINT@228,

HARDWARE FOR YOUR CO-CO

KEYBOARDS HJL MICRONIX \$79.95

690 PRINT"

WER SHEET



WICO

Atari to CO-CO Adapter \$17.95

PBH CORDLESS JOYSTICK

\$99.

PBH JOYSTICK

\$49.95

DRIVE 0 \$379. DRIVE 1 \$229.

TANDON DISK DRIVES

Perfect for replacement or add on drive for any 5" drive system.
TM100-1 40 Track Single Sided
TM100-2 40 Track Double Sided
TM50-1 6ms trk-trk Single Sided Thinline \$179 \$279 \$169 TM50-2 6ms trk-trk Double Sided Thinline . . . Single case with extenders with drive above \$219. \$49.95

Dual case with extenders for drives above Two Drive Cable \$79,95 \$24.95

NEW! HARD DRIVE SPECIALIST



COCO HARD DRIVE COMING SOON!

Radio Shack" Color Computer Our Interface allows your CoCo to connect with most, currently nanufactured, printers and offers such features as

"printing";:POKE1260,32:PRINT@23

7, "coded";: POKE1266, 32: PRINT@243

"answer";: POKE1273.32: PRINT@250

- [] Switch selectable baud rates fram 300 to 9600 3 Switch selectable printer o
- modern operations. 3 Elimination of recableing It comes cobled with stan "DIN" connectors for CoCo and Modern Also "Centronics"
- standard 36 pin connector for printers ☐ Self contained Power Supply

\$74.95



64K COCO KIT \$62.95



SS/DD

\$25.95



NEW!

Verex SS/DD \$19.95

CORPORATION

orderline 1-800-231-6671 local orders and shipping info 1-713-480-6000

16206D Hickory Knoll Houston, Texas 77059

, "sheets"; STRING\$ (32, 163); : IF NC = ØTHEN85Ø

78Ø NW=NC:FOR NC=1 TO NW

790 IF QK\$(NC)="8"THEN810ELSEIF QK\$(NC)="A"THEN820ELSEIF QK\$(NC)="D"THE N840


800 FOR JK=1T03:PRINT#-2," ":NEX T JK:NEXT NC:RUN

81Ø PRINT#-2, CHR*(3Ø) "SHEET #"; S N(NC):FORI=1T013STEP6:FORL=ØT05: PRINT#-2, TAB(2+(L*12));:PRINT#-2, USING"##.";I+L;:PRINT#-2," ";U(NC, I+L)-D(NC, I+L);:NEXTL:PRINT#-2."":NEXTI:GOT08ØØ

820 PRINT#-2, CHR\$ (30) "SHEET #"; S N(NC): FORI=1T013STEP6: FORL=0T05: PRINT#-2, TAB(2+(L*12)); : PRINT#-2, USING"##. "; I+L; : PRINT#-2, " "; U(NC, I+L)+D(NC, I+L); : NEXTL: PRINT#-2, "": NEXTI: GOTO800

83Ø PRINT#-2, CHR\$(3Ø) "SHEET #"; S N(NC):FORI=1T016STEP3:FORL=ØT02: PRINT#-2, TAB(9+(L*2Ø));:PRINT#-2, USING"##.";I+L;:PRINT#-2, USING" ###, ###, ###";U(NC, I+L)*D(NC, I+L) ;:NEXTL:PRINT#-2, "":NEXTI:GOT08Ø

84Ø PRINT#-2, CHR\$(3Ø) "SHEET #"; S N(NC): FORI=1T013STEP6: FORL=ØT05: PRINT#-2, TAB(Ø+(L*13)); : PRINT#-2, USING"##. "; I+L; : PRINT#-2, USING" #, ###, ###"; U(NC, I+L)/D(NC, I+L); : NEXTL: PRINT#-2, "": NEXTI: GOTO8ØØ 85Ø CLSØ: SCREENØ, Ø: END



Listing 2:

1 ***********

RETIRE EARLY? WHY NOT!

HOW? PRACTICE THRIFT AND PLAN WISELY. THE THRIFT IS UP TO YOU, BUT FOR PLANNING...

YOU NEED THE

RETIREMENT PLANNING MODEL



ABOUT RETIREMENT PLANNING

By the year 2010, today's \$8800 auto will cost \$40,000 if inflation averages 6%. Inflation makes retirement planning essential. Proper retirement planning requires a complex year-by-year analysis which must consider these factors:

- * Your investment program
- * Inflation
- * Tax-deferred savings
- * Pension
- * Social Security
- * Taxes

START NOW

Start your planning now. Try different retirement ages and vary your investment program goals. The objective is to develop a plan for early retirement which eases doubt regarding your future financial security.

WHAT THE MODEL DOES

First, the model helps you organize your present assets. The model then projects these assets, along with estimated pension and social security, to the retirement age you select. Based on this projection, a detailed cash flow analysis is conducted for each year of your retirement.

The factors listed above are considered in all calculations. Each analysis stops when your funds deplete or when the analysis carries to the age of 100. The model is designed for "what if" analysis and optional printer output.

AN-ESSENTIAL TOOL FOR COMPREHENSIVE RETIREMENT PLANNING

FULLY DOCUMENTED

ABOUT THE AUTHOR

From the author of "Real Estate Investment," "Bond Analysis," "Owner Financed Real Estate" and "Homeowner Selling Analysis" as featured by Petrocci Freelance Associates.

REQUIRES 16K EXTENDED COLOR BASIC

ILL. RESIDENTS ADD 8% SALES TAX

SEE RAINBOW REVIEW
JULY 1984

"...RPM does exactly what it says it will do in fine style."

TAPE \$34.95 DISK \$39.95

A&P SOFTWARE P.O. Box 202 Glenview, IL 60025



NEXTI

120 PRINTSTRING\$ (32, "="); " WRITT EN MATH PROBLEM GENERATOR.

BY FRED B. SCERBO ";STRI NG\$(32,"="):PRINT@164,"PREPARE P APER AND PRESS":PRINT@204,"<ENTE R>."

130 IFINKEY\$=CHR\$(13)THEN140ELSE 130

14Ø PRINT#-2, "NAME.....

INT#-2," ":FORI=1TO11STEP2:ZZ=RND(-TIMER)

150 PRINT#-2, USING"##. "; I; :PRINT #-2," "; A\$ (G(I,1)); " NEEDS TO PU RCHASE"; G(I,2); B\$ (G(I,3)); " ON S ALE AND PRICED AT A COST OF" 160 PRINT#-2," "; :D=(G(I,4)): PRINT#-2, USING"\$. ##"; D; :PRINT#-2," EACH. HOW MUCH WILL THE TOTAL BILL BE IF"; G(I,5); B\$ (G(I,6)); " ARE ALSO"

170 PRINT#-2," PURCHASED AT A COST OF ";:D=(G(I,7)):PRINT#-2, USING"\$.##";D;:PRINT#-2," EACH?" 180 FOR J=1TO6:PRINT#-2," ":NEXT J

STOCK & FUND INVESTING

with the

TRS-80* COLOR COMPUTER

USE FUNDGRAF AND FUNDFILE

FUNDGRAF is a stock market analysis program that not only graphs and analyzes funds or stocks, but also makes decisions on when to BUY and SELL. Improve market timing using your COCO.

GRAPHS fund's progress (up to 200 weeks). SUPERIMPOSES for comparison: a line of constant percent growth or a graph of any other fund (or stock).

CALCULATES over any time span: the percent price change and the moving average (any span). INDICATES BUY and SELL signals. FUNDGRAF requires 16 K ECR min

16 K ECB min. 16/32 K Tape \$49.95 16/32 K 5 in. Disk \$69.95 ADD \$2 bandling on all orders. FUNDGRAF—A STOCK MARKET ANALYSIS PROGRAM FOR 16K EX TRS-80 COLOR COMPUTER

TRS-80 COLOR COMPUTER - TM TANDY CORP.

FUNDFILE is a portfolio and account management program for securities. Manage single or multiple portfolios of stocks, mutual funds, bonds, money market funds, etc. FUNDFILE allows easy maintenance of all your records for accurate portfolio evaluation. NEW 32 K VERSION of FUNDFILE summarizes all transactions (dividends, interest, purchases and sales) between any two dates of your choice—weekly, yearly, etc. Categorizes interest and dividends paid as to tax liability (tax free, etc.) and capital gains as long or short term. Great for

 FUNDFILE REQUIRES 16 K ECB min. and 80-COL PRINTER.

 5-in. Diskette only for 16 K ECB
 \$27.95

 5-in. Diskette only for 32 K ECB
 \$37.95

ADD \$2 handling on all orders.

Write for free brochure for details. Dealer inquiries invited.

PARSONS SOFTWARE, DEPT. G 118 WOODSHIRE DRIVE PARKERSBURG, WV 26101 190 SN=G(I+1,1):PRINT#-2,USING"#
#.";I+1;:PRINT#-2," ";A*(SN);" W
ANTS TO PURCHASE";G(I+1,2);B*(G(I+1,3));" AT A SALE COST OF JUST
";:D=(G(I+1,4)):PRINT#-2,USING"
*.##";D

200 PRINT#-2," EACH. HOW MUCH MONEY WILL "; A\$ (SN); " HAVE LEFT FROM ";: H= (G(I+1,5)): PRINT#-2, U SING"\$##.##"; H;: PRINT#-2, " ?"

210 IF I+1=12 THEN 250

22Ø IF I=5THEN24Ø

23Ø FORJ=1T07:PRINT#-2," ":NEXTJ

240 IF I=5 THENGOSUB330

250 NEXTI

260 FOR T=1T08:PRINT#-2," ":NEXT T:Z=0:FOR Y=1T07STEP6

27Ø FORI=Y TO Y+5STEP2

28Ø PRINT#-2, TAB((I-Z)*12-9); PR
INT#-2, USING"##. "; I; PRINT#-2, US
ING"*###. ##"; (G(I, 2)*G(I, 4))+(G(I, 5)*G(I, 7));

290 PRINT#-2, TAB((I+1-Z)*12-9); PRINT#-2, USING"##. "; I+1; PRINT#-2, USING"*###. ##"; (G(I+1,5)-(G(I+ 1,4)*G(I+1,2)));

300 NEXTI: Z=6:PRINT#-2: NEXTY

310 PRINT: PRINT" ANOTHER SHE ET (Y/N) ?"

32Ø IFINKEY\$="Y"THEN RUN ELSE IF INKEY\$="N"THEN6ØØØELSE32Ø

330 PRINT: PRINT" PREPARE SECOND SIDE AND PRESS <ENTER> TO PR INT REMAINDER."

340 X\$=INKEY\$: IFX\$=CHR\$(13) THEN3 50ELSE340

350 RETURN

1000 DATA HARRY, SAM, DEBRA, SALLY, BILL, BOBBY, RHONDA, LUCY, WADE, DALE 1010 DATA DARLENE, MILTON, NOREEN, JANET, BARBARA, RUSTY, LARRY, JOE, MARK, DEREK, JAY, GLEN, TERRY, JIM, TORY 1020 DATA RAY, STEVE, DONNA, ADAM, JENNIE, BRENDA, JOHN, PETE, LEE, PAUL, MARYANN, ROSE, ANNIE, KAY, FLO, IRVING, DICK, ROGER, CHRIS, TIM, ERIC, GORD ON, DAN, TOM, DARRIN

1030 DATA CARROTS, CANDY APPLES, S PICE CAKES, CANDY BARS, LETTUCE HE ADS, BATTERIES, PAPERBACK NOVELS, B OXES OF TISSUES, PAPER TOWELS, CAR PET LINERS, COFFEE ROLLS, BARS OF SOAP

1040 DATA ORANGES, TV DINNERS, BAG S OF CHIPS, LUNCH SNACKS, CUPS OF YOGURT, BLANK TAPES, MAGAZINES, VIT AMIN PACKS

6000 CLS:END

The Rise Of The Microcomputer

By Michael Plog, Ph.D. **Rainbow Contributing Editor**

ongratulations to South Dakota and Minnesota! Those states have a higher microcomputer per student ratio than any other state in the nation. In South Dakota, there are 62 students for every microcomputer in a school. In Minnesota, there are 63 students for each microcomputer. Nationwide, each school microcomputer is "shared" by 136.7 students (Did you ever wonder about that "point seven" student?) The poor state of Hawaii has only 156 microcomputers in the entire school system in the state, with 1,072 students for each microcomputer. Hawaii has less than one micro per school, while Jefferson County, Colo., has 15 microcomputers per school.

There are nine states with less than 100 students per microcomputer: Colorado, Iowa, Kansas, Minnesota, Montana, South Dakota, Utah, Vermont, and Wyoming. Seven states have between 200 and 400 students per microcomputer; all are in the southeast part of the country: Alabama, Georgia, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee. Thirty-four states (including the District of Columbia) have between 100 and 200 students

per microcomputer.

These facts are brought to you by a research study conducted by Quality Education Data, Inc., located in Denver, Colo. They conducted a telephone survey of every school district in the country. This is a massive undertaking, and the company has provided invaluable information to people interested in microcomputer research. Of course, by the time

(Michael Plog received his Ph.D. degree from the University of Illinois. He has taught social studies in high school, worked in a central office of a school district, and currently is employed at the Illinois State Board of Education.)

you read this, the numbers will have changed; schools are purchasing microcomputers every day.

Across the nation, about two-thirds (66.5 percent) of schools have microcomputers. Across all school types, student enrollment is an extremely strong predictor of microcomputer use. The larger the enrollment, the more likely the school is to have microcomputers. Also, the grade level of the school is a strong predictor of microcomputer use. Senior high schools are more likely to have microcomputers than junior high schools, which are more likely to have microcomputers than elementary schools. For example, 91.1 percent of senior high schools with enrollment over 1,500 students have microcomputers. About a third (33.9 percent) of elementary schools with less than 100 students have microcomputers.

Use of microcomputers has increased at all school levels during the past three years. The following table shows the percentages of schools in each category having microcomputers during each of three years:

	Elementary	Junior High	Senior High
1982	9.4%	20.3%	42.6%
1983	27.4%	46.2%	62.5%
1984	61.0%	72.2%	78.5%

The growth of microcomputers in elementary schools is phenomenal! Of course, all school levels show an increase, even a rapid increase, in microcomputer use. But in just two years, this country has gone from less than one out of 10 elementary schools having microcomputers to more than three out of five elementary schools with microcomputers.

What are elementary schools doing with all those microcomputers? Well, we can find out from a survey of members of the National Association of Elementary School Principals. The results of that survey showed that 29 percent use the school's microcomputer exclusively for management purposes; while 50 percent use the equipment to teach computer literacy and drill in other subjects. I do not know how many elementary principals are members of this organization, nor what type of school is most represented by this group. I would hazard a guess that the members of the organization would be more likely to have microcomputers in their schools than elementary principals who are not members.

Let's get back now to the research study by Quality Education Data, Inc. One of their findings related to the school's community type. Urban and suburban schools are more likely to have microcomputers than rural schools. Nationwide, 72.6 percent of suburban schools have micros; 69.1 percent of urban schools; and 59.5 percent of rural schools. Typically, suburban and urban school districts have more funds to spend than rural school districts. Also, parents in suburban and urban areas will be more likely to work in a job requiring some knowledge of microcomputers than parents in rural areas. This is probably changing quickly, however. There is a large increase in computer software for farming and related industries.

Microcomputer use is also related to ethnic minority enrollment of a school. The greater the percentage of black students in a school, the less likely that school is to have microcomputers. The same is true of Hispanic students—the smaller the percentage of Hispanic enrollment, the more likely the school will own microcomputers. The report did not cover other ethnic groups, such as Asians and American Indians.

After considering the data, it is easy to conclude that microcomputers in schools is not a passing fad. Purchases of microcomputers are increasing in all areas, even though inequities still exist (and probably will in the future). Schools are spending money on microcomputers, and every indication is that educational leaders will continue to invest funds for this type of educational aid.

The report also contained information about brands of microcomputers. The predominant brand is Apple, but we knew that already. The different Radio Shack types of computers were not differentiated. A total of 35.1 percent of school districts in the country own Radio Shack computers, including Models I, II, III, and our favorite, the Color Computer.

School districts are not the only educational institutions interested in microcomputers. Several organizations involved with education have taken an interest in microcomputers, and are using electronic technology to help their members. Probably the most prestigious educational group is the American Education Research Association (AERA). The AERA includes educational leaders from all over the world, not just the United States. While membership includes teachers, the organization is mostly composed of superintendents, university-type people, and researchers. Recently, a Special Interest Group (SIG) for microcomputers in education was founded. This SIG has just started a teleconferencing network for members to share resources and ideas

Another group, the Midwestern AERA, has a SIG for microcomputers, available to members through Compu-Serve. Of course, CompuServe has a SIG devoted to education, which anyone can access. Researchers are not the only people interested in using microcomputers. It is difficult these days to attend any type of educational conference without seeing a session on microcomputers. Many educational special interest groups have networks which use microcomputers to share information. The field of special education (education for the handicapped) has an electronic communication system called SpecialNet. The bilingual community supports the network BLNG (pronounced "bling"). Vocational education has a similar electronic "board" for interested parties.

What use are all these special interest electronic communication systems? Well, take just one example to illustrate the possibilities. A bill affecting one of these groups is scheduled for debate and voting in Congress. Representatives in Washington put this notice on the electronic system. People all over the country read the notice that same day. They can immediately call their representatives and express their views. Now, if you were a representative, and suddenly received a few hundred telephone calls urging passage of that bill, plus possibly a thousand telegrams, would that not help you decide to support the bill? It has apparently worked in the past, and every indication is that such activities are extremely powerful.

A second, more mundane (but not less important) example can be given. A special education director in a local school needed to change the budget provided by the state education agency. The director composed a letter requesting this change, and sent it via electronic mail to the state education agency. The next day, the state agency sent approval of the change, also via electronic mail. The normal procedure would have been to send the request through the postal service, requiring several days (or weeks) for the entire process. As a result, a teacher can be hired and serving students in the same amount of time that would be taken just to get approval to open a new position.

As a third example, consider children of migrant workers, and their schooling. These children move around the country with the different harvest seasons. Their parents work for a while in one area, then move on to another job. Migrants usually cover several states during the course of a year. Migrant children can receive education in many school districts during any single year. In fact, the family may have moved on to another job before past school records are received. Well, no longer, thanks to electronic communication. There is a central repository of records of migrant school children, which any local district (or state education agency) can contact. The date after a child enters a new school, past school records can be printed for the local teacher to view. This means the teacher knows what subjects the child was taking last week, what level of achievement the child demonstrated, and what special handling may be required. Information like this is invaluable for a teacher.

Educational use of microcomputers covers a lot more than just classrooms. Our current technology is valuable for many facets of education, including (but not limited to) classroom instruction.

There is really no point, no editorial stand, to the column this month. The purpose of the article is to share information with you; information you may be able to use in your local area or just for your own store of knowledge. I hope the information is worthwhile to you. If you can use it, please let me know. My address is 829 Evergreen, Chatham, 1L, 62629.

Letters, Books And Dreams Of The Future

By Bob Albrecht and Ramon Zamora Rainbow Contributing Editors

"School Is In The Heart of a Child" is for parents of quite young children. We want to help you work and play with your three- to eight-year-old child and learn to use computers as a joyful family experience. We want to suggest ways to incorporate the home computer as another means to encourage your child's independence, growth, and control over his own life. See the pride on her face as she directs the computer to do what she with deliberation selects. See her head gears switch to "on" as she progresses step-by-step with your presence and caring direction.

We will explore (we hope, with your help) the following:

- Specific "teaching" techniques so that the discovery can be the child's own
- Critical evaluation of software based on extensive playtesting in family and related environments.
- Additional resources to consult: books, magazines, software publishers, networks, etc.
- Suggestions for interludes and fun times away from the computer (a must); call the librarian for specific information; watch a TV program together and discuss it; work together as volunteers in a community project; take a spring (or fall or winter or summer) awareness walk
- Whatever we learn from families we work with in Menlo Park of from you, our readers. Let's pool our knowledge. Let's share our experiences as we all learn from our children.

We also provide small programs you can type in and use right now.

Copyright® 1984 by DragonQuest, P.O. Box 310, Menlo Park, CA 94026.

(Well-known author Bob Albrecht also writes the "Game Master's Apprentice" feature for The Rainbow each month. Ramon Zamora is author and co-author of several books, co-founder of Computer Town USA!, and currently designing computer games for kids at Child Ware Corp. in Menlo Park, Calif.)

Farewell, Fran and Hello, Ramon

Fran's blithe spirit has decided against jousting with monthly deadlines, so she has turned over her lance to Ramon Zamora. Fran and Mariko will still be around, however, to lend help and inspiration to all of us in the "School Is In the Heart of a Child" project.

Ramon is author or co-author of several books, co-founder of ComputerTown, USA!, and currently designing computer games for kids at ChildWare Corporation in Menlo Park, Calif. Welcome, Ramon, to RAINBOW's computer sandbox.

We love the letters!

Thanks again, people, for sending us letters about your experiences with your kids and your CoCo. More, please. If it is okay for us to reprint all or part of your letter, please include permission when you write to us. Here is a letter from Denise Lambird sharing her experiences in CoCo play with her 18-month-old son!

Dear Fran and Bob:

As the parent of a very young child, I would like to say that I found your column in THE RAINBOW March issue to be one of the greatest interest to me.

We just recently purchased the TRS-80 Color Computer, having decided that, since my son will be growing up in a world of computers, it would be a good idea to begin learning myself to be able to help him learn. Although you refer to your column as being designed for the age group from three to eight, my son David, who is only 18 months old, finds the computer to be thoroughly fascinating. Previous to purchasing the

53

computer, we had gotten him several books designed for his age group and attempted to read to him, showing him the pictures as we went. However, being a very active little boy, he did not find this the least bit interesting. But he thoroughly enjoys sitting at the keyboard and watching on the TV the various things that appear when he pushes the keys. As a matter of fact, you almost have to fight him to get to use it yourself.

I know 18 months may seem a little early for a child to start using one, but we purchased the software Early Games for Young Children and use it quite often. He finds the Draw program to be great fun and I have found that, with a lot of patience pointing at the picture and then at the top row of numbers, he is learning to distinguish the difference between numbers in the "match the numbers" program. He may only get three or four right out of 10 attempts, but when he gets one right, I clap and tell him that was very good, which makes him laugh with delight and he wants to try again. You can see the concentration on his face as he keeps looking back and forth for the right one — yet he really enjoys doing it.

David is my first child and I am only now realizing just how much they really can learn at such young ages and wish that there were more programs designed with colors and sounds to interest and teach the very young.

I like your idea of a bulletin board for sharing children's programs and think it would be wonderful. We don't have a modem and honestly, since I am just

learning, I don't know how to use one. But, if such a project were to come into existence I would buy a modem and learn how to use it.

Please let me know of any programs that my son and I might find helpful. Also, please encourage more parents of the very young to let them use the CoCo, too. Even though they haven't developed much speaking skill yet, they still understand, learn and like to be a part of what the older children and parents are doing.

Thanks again for the wonderful column and any information you can give will be gratefully appreciated. As I said, my son and I are both just learning.

Denise A. Lambird

Thanks, Denise. We covered Early Games in the July 1984 issue of THE RAINBOW. It is from Counterpoint Software, Inc., Suite 218, 4005 West Sixty-Fifth Street, Minneapolis, Minn., 55435.

Denise, since you are "just learning," we will send you a copy of Bob's beginner's book, TRS-80 Color BASIC, and for David, a friendly, cuddly stuffed dragon.





DragonSmoke

An important new book, hot off the press: Parents, Kids, and Computers by Lynne Alper and Meg Holmberg — 145 pages of good information for only \$4.95. Lynne is a math and computer teacher who has been sharing computer fun and learning with her own children since 1980, when her kids were five, seven, and nine years old. Meg is a technical writer and editor who works closely with educators who are developing new ways for children to learn with computers.

From the Preface:

This book is for parents who want their kids to know about computers, but aren't sure where to begin learning about them. It's also for parents who have already purchased a home computer and wonder what more their children could be doing with it than playing arcade-like games.

Some parents want to know how their children can use a computer on their own [Bob: Solo mode]. Others might also want to know how they can work with their children on the computer [Bob: Dual mode]. This book is for both.

Here are a few chapter titles:

- 1) The Computer: Opportunity for Learning
- 2) Simulations Windows on the World
- 3) Learning Games
- 4) Programming Is Kid Stuff
- 5) Computers and Writing
- 6) Working With Your Child

- 7) Girls and Computers
- 10) Where to Find Good Programs
- 13) Computers in the Schools

We recommend this book. Get it at your local bookstore or from the publisher: SYBEX, Inc., 2344 Sixth Street, Berkeley, CA, 94710, \$4.95. Parents, Kids, and Computers is dedicated: "To the first generation of children to grow up with computers."

Since we began this department in your favorite CoCo magazine, we have mentioned an assortment of books for you to read. Would you like an up-to-date list? If so, send a self-addressed, stamped envelope to School, P.O. Box 310, Menlo Park., CA, 94026. If you do, please include a note.

Your Dream Machine

The next generation of home computers is coming.

- From the Apple tree, an almost-clone and a mutation. The Apple IIc bundles a lot of old stuff into one neat package. Will there someday be an Apple IIz? The Macintosh brings the creative ideas of Doug Englebart and Alan Kay, for the first time, to we, the people. Read *Info World*, June 11, 1984. The cover story is "Alan Kay: Portrait of a High-Tech Dreamer."
- The Japanese are coming out with part or all of the home computer built-in to the TV and the MSX machines, with 80K and 32 sprites.
- What if Radio Shack had included the TI sprite chip in the CoCo? We sure wish they had done so. Imagine: 32 sprites carrying shapes of your choice, in colors of your



AUTOTERM

TURNS YOUR COLOR COMPUTER INTO THE

WORLD'S SMARTEST TERMINAL!

YOU'LL ALSO USE AUTOTERM FOR SIMPLE WORD PROCESSING & RECORD KEEPING

EASY TO USE

ON-SCREEN EDITING via cursor. Full prompting and error checking. Key Beep and Error Beebop. Scroll bkwd/fwd while on line. Save/load files while on line. Maintain a disk copy of session. Automatic graphics. True lower case. Screen widths of 32, 40, 42, 50, 64. No split words on screen/printer. Print all or part of text. Search for strings. Well written manual goes step-by-step and has many KSM examples. Back cover is a cheat sheet.

RECOMMEND 32K to 64K
EASY UPGRADE
Price Difference +\$13

PLEASANTLY POWERFUL

Total communications ability, 128 ASCII chars, 1200 baud, etc. Send text, graphics, BASIC, ML. Scan/Edit current data while receiving more data. Any modem. Fully supports D.C. Hayes and others. Any printer, page size, margins, etc. Override narrow text width of received data. Examine/change parameters, KSMs and disk directories at any time. Handles files which are larger than memory.

CASSETTE \$39.95
DISKETTE \$49.95
Add \$3 shipping and handling
MC/VISA/C.O.D.

TRULY AUTOMATIC

Create, edit, print, save and load Keystroke Multipliers (KSMs). KSMs automate almost any activity. Dial via modem, sign-on, interact, sign-off. Perform entire session. Act as a message taker. KSM may include parameter changes, disk operations, editing, time delays, looping, execution of other KSMs, waiting for part-specified responses, branching based upon responses.

PXE Computing 11 Vicksburg Lane Richardson, Texas 75080 214/699-7273 choice, without using the "computer" in your CoCo. Then little kids could learn to do animation in a few minutes, even if they had never before touched a computer!

How many people read this magazine? 100,000? 200,000? More? Are you getting your Dream Machines? No? You can, if you put out a little energy. Send your wants to THE RAINBOW. Together, we can be a GIANT SQUEAKY WHEEL. Next time, we will squeak a bit and tell you what we would like for children, dragons, and others.

Wordsworth

In May 1984, we challenged you to answer a bunch of Wordsworth problems, using the Sesame Street Dictionary. Only one kid responded! Thanks, Justin Wireman, who is 4½ years old. Did your parents help you? We hope so. Thanks, Justin's parents. Here are our questions and Justin's answers.

- 1) What three-letter word has the smallest Wordsworth? BAD
- 2) What three-letter word has the largest Wordsworth? TRY
- 3) What four-letter word has the smallest Wordsworth? FACE
- 4) What four-letter word has the largest Wordsworth? YOYO
- 5) What is the first word (alphabetically) to have a Wordsworth of exactly 100?

 CARPENTER

**** HARVARD DESIGN PRESENTS: ****

The Directory Alphabetizer: Alphabetize disks which have hard-to-follow directories. 16K...... \$15.95 disk

Lettering Services: This banner generator allows stretching of letters, printing both across and down the paper. Any printer. 32K......\$17.95 cass / \$20.95 disk

Shandria and Pendicadia: This adventure is for one who appreciates real challenges, not useless frustration. First in a trilogy. 32K......\$14.95 cass / \$17.95 disk

The Waxen Furnace: A multi-scene, high-res graphics adventure based on underground prison escapes. Available July 30, 1984. 32K......\$24.95 disk

We accept personal checks and money orders. Foreign orders must be in US funds. Dealer and author inquiries invited. Catalog for \$1.50, deductible from next purchase. Send orders to HARVARD DESIGN, P.O. Box 40, Harvard, MA, 01451

6) In the entire dictionary, what word has the largest Wordsworth?

HIPPOPOTAMUS

7) What is the longest word (most letters) having a Wordsworth of exactly 100?

CARPENTER, LIGHTNING, TELEPHONE

Again, thanks, Justin and his parents. *Please* (Wordsworth = 58) write to us and tell us how you and Justin did this. In the meantime, we will send Justin a friendly, cuddly, stuffed dragon.

Why only one problem-solver? Probably because we picked a dictionary only a few of you have. So, let's make it easy for all of you out there who want to play Wordsworth.

1) Tell us what children's dictionary you have.

2) Invest in an inexpensive paperback dictionary. This one: The American Heritage Dictionary of the American Language, paperback edition, published by Dell Publishing Co., Inc., 1 Dag Hammarskjold Plaza, New York, NY, 10017, \$3.95. From now on, we will base all Wordsworth problems on this inexpensive paperback dictionary.

So, here are two programs called Wordsworth #1 (WWI) and Wordsworth #2 (WW2). WWI asks for a word, assigns a letter score (LS) from one for A to 26 for Z, adds the letter scores and tells you the total score. WW2 asks for a word, assigns a letter score (one to 26), multiplies the letter scores, and tells you the total score —well, maybe it's called the product score.

Here is Wordsworth #1, almost as you might have seen it in the May 1984 issue.

100 REM**WORDSWORTH #1 SCH 7-1

11Ø CLS

200 REM**ASK FOR A WORD

21Ø PRINT

220 INPUT "YOUR WORD"; WRD\$

300 REM**WL IS LENGTH OF WORD

310 WL = LEN(WRD\$)

400 REM**START WORDSWORTH AT 0

410 WW = 0

500 REM**ADD LETTER SCORES

51Ø FOR L=1 TO WL

520: L\$ = MID\$(WRD\$,L,1)

53Ø : IF L\$<"A" THEN 57Ø

540 : IF L\$>"Z" THEN 570

550 : LS = ASC(L\$) - 64

560 : WW = WW + LS

57Ø NEXT L

600 REM**PRINT THE WORDSWORTH

61Ø PRINT "THE WORDSWORTH IS" WW


700 REM**GO FOR ANOTHER

71Ø GOTO 21Ø

Use this program to check out some of Justin's answers.

YOUR WORD? BAD
THE WORDSWORTH IS 7

YOUR WORD? TRY
THE WORDSWORTH IS 63



YOUR WORD? ... and so on

That's WWI. Most of the work and play in answering our questions is people play: browsing a dictionary, thinking about what to do, creating strategies — most enjoyable! People are well-equipped to do this kind of work/play.

Some of the work is grungy stuff: looking up letter scores, adding numbers. Let the CoCo do that. Now, on to *Wordsworth #2 (WW2)*. Note changes in Lines 100, 400, 410, 500, and 560.

```
100 REM**WORDSWORTH #2 SCH 7-2
11Ø CLS
200 REM**ASK FOR A WORD
210 PRINT
22Ø INPUT "YOUR WORD"; WRD$
300 REM**WL IS LENGTH OF WORD
310 WL = LEN(WRD$)
400 REM**START WORDSWORTH AT 1
410 WW = 1
500 REM*MULTIPLY LETTER SCORES
51Ø FOR L=1 TO WL
520
    : L$ = MID$(WRD$, L, 1)
     IF L$<"A" THEN 57Ø
530 :
      IF L$>"Z" THEN 570
540
        = ASC(L$) - 64
550
560 : WW = WW*LS
57Ø NEXT L
600 REM**PRINT THE WORDSWORTH
610 PRINT "THE WORDSWORTH IS"
700 REM**GO FOR ANOTHER
71Ø GOTO 21Ø
```

In Wordsworth #2, the letter scores are multiplied instead of added.

- The WW2 of BAD is 2*1*4 = 8.
- The WW2 of TRY is 20*18*25 = 9000.

If a word is in your children's dictionary, it is probably also in the American Heritage Dictionary. So you and your child first browse your dictionary, then perhaps also look it up in the one we recommend. Work together, play together to answer these questions for Wordsworth #2.

In the American Heritage Dictionary, paperback edition:

- 1) Pick any number of letters, two, three, four, your choice. Find the words having this many letters with the smallest Wordsworth #2 and largest Wordsworth #2.
- 2) What is the first word (alphabetically) to have a Wordsworth #2 exactly equal to 100, 1000, 5040, or any number you pick.
- 3) A party game. Select a number. Everyone gets 15 minutes (or 12 or 20 or . . .) to find a word whose WW is close to the chosen number. Winner is the one who comes closest. Try this with both WWl and WW2.
- 4) The numbers 2, 3, 5, 7, 11, 13, and so on are called prime numbers. The numbers 4, 6, 7, 9, 10, and so on are called composite numbers. For each composite number up to 100, find a word whose *Wordsworth #2* is equal to the composite number. For example, 50 is a composite number. Here's a word: BEE. The *WW2* of BEE is 2*2*5 = 50.

NEW

Parents!
Teachers!



WANT TO GET A KID HOOKED ON COMPUTERS?

Send for our **LOGO STARTER** program. Use it with your 16K Color Computer and Color LOGO from Radio Shack (Cat. No. 26-2722).

LOGO is the best way to introduce children to computers. With LOGO STARTER you won't have to read a book or instruction manual. Just load the LOGO STARTER tape.

Your child will draw exciting designs right from the start. You won't waste your time on a lot of tedious typing. And your child will be on the way to computer literacy.

Only \$13.95

SPEED READING



RAINBOW

Busy executives! Students! Increase your reading speed dramatically.

Best available speed reading program for the CoCo. Reading material appears on the TV screen at the speed you select, training you to read faster. You can even change the speed while reading.

Complete with 6 different text selections.

Plus a drill to improve visual span and perception.

\$17.95

WILD PARTY

A naughty, sexy computer game for 2 to 6 couples. RAINBOW: "Would definitely liven up most parties."

\$35.00 \$\$27.9

All programs on cassette tape for 16K Color Computer. Extended BASIC not required. Send SASE for FREE copy of instructions for any program. Prices include postage (PA resid. add 6%). Send check to P.O. Box 210, Jenkintown, PA 19046.

b & b software

Good News for CoCo Users

Computerware is a federally registered trademark of Computerware

Box 668 . Encinitas, CA 92024 . (619) 436-3512

New OS-9 Utilities from Brian Lantz Computerware offers "Text Tools"

Noted OS-9 programmer and author **Brian Lantz** has joined with leading OS-9 vendor Computerware to offer an impressive group of **OS-9 utilities** called "**Text Tools**" which sells for **\$29.95**. Review the list of powerful commands that follow and you will see why every OS-9 user will be adding the **Text Tools** to his library! You'll see similar "Unix-type" commands from other companies with prices of up to \$50. But why pay more than Computerware's \$29.95 when you can get top quality from real experts? Order the OS-9 Text Tools today!

CAT QSORT UNIO	FGREP RPL UNPACK	LOWER SPLIT UPPER	LS TAIL UPS	PACK TIME WC	PR TR
----------------------	------------------------	-------------------------	-------------------	--------------------	----------

New Ruler Crowned in Middle Kingdom

Ending Fierce Battles and Bloodshed

Sanctuary - Finally, a brave adventurer returned the three golden rings to the Sanctuary and was crowned ruler of the *Middle Kingdom*. This ends the gruesome carnage of warriors, merchants, and magicians that have been murdered and mamed by all varieties of monsters as they searched the dangerous Catacombs. Temple, and Pyramid for the precious rings. This Middle Kingdom *adventure* can be replayed in *graphics* for \$24.95 on cassette or \$27.95 on disk. Could you be crowned ruler? (Req. 32K)

JDOS - Available Separately

Computerware announced they have a limited supply of JDOS (rom and manual) sets available for \$39.95. JDOS is the new J & M disk operating system which supports double sided drives and has many other attractive features.



If you like to take things apart to see how they tick - if you want to see the hows and whys of assembly language programs - the **Sourcerer** is your tool! It's an easy-to-use, menu-driven **disassembler** that produces symbolic source code that can be assembled by most of the popular editor/assemblers. (Yes, OS-9 users, it will disassemble the mysterious OS-9!) It's available on cassette or disk; disk versions for RSDOS, FLEX, & OS-9. So anyone can take a closer look! At \$39.95 on disk or \$34.95 on tape, you owe it to your curiosity!

Disk System Specials!

Disk systems included top quality drives, J. & M. controller, cable, & manual. (Add \$15 for R\$DOS.).

Single drive, single-sided	\$400
Single drive, double-sided	\$435
Dual drives, single-sided	\$595
Dual drive, double-sided	\$650
Amdisk System	\$595
Amdisk drives only	\$475
J & M controller, w/JDOS	\$135
J & M controller, w/RSDOS	\$155
JDOS w/manual	\$39.95

Bio Detector Results Not Admissable In Court

The truths and untruths have been exposed. The suspect's inner mind has been tapped through the "galvanic skin response" sensors of the Bio Detector. The reaction to every question was displayed with color and sound on the CoCo screen for everyone to see. Yet the culprit is freed on a technicality - Bio Detector results were not admissable in court, But at least the truth is out! You too can tap into the truth by hooking up your family, friends, and "others" to Computerware's **Bio Detector** and your CoCo. Just ask guestions and watch the graphic screen. The truth will come out! (Just \$29.95 for all hardware, software, and fun. Req.

Programmers Applaud New Basic Utilities and Print Spooler

A new aid to the serious Basic programmer released by Computerware has proven to be essential. It gives the 32K system a 2K print buffer and the 64K system a 32K print buffer. WOW! Other utilites include a Basic cross reference program, a dump for values of all Basic program variables, a 51 x 24 screen display for 64K users and more. At \$19.95 for cassette or \$24.95 for disk, every programmer should have one!

Computerware® Disk System Breakthrough!

Buyers Warried About:

- buying pieces from several different vendors & having to assemble them together - if something's wrong, who do you go to?
- reliability!!
- getting the most advanced features like fast step rates, extended tracks, slim line size
- · adequate power supply
- technical documentation


.

Computerware® Offers Solutions like:

- complete systems assembled & tested by expert technicians. We've been selling disk systems since 1977 so we know what you need & we make sure you get it!
- highest quality components including TEAC & Hitachi drives. J & M
 Systems controller, all GOLD connectors, heavy duty cabinet, power supply.
 & cable.
- totally adequate power supplies to insure reliability. We know dual drives need heavier power supplies!
- all TEAC & Hitachi drives with 6 ms step rate, full 40 tracks, slim line. & 1 year warranty.
- in addition to the DOS manual, a 20 page technical manual documenting every detail of disk drive performance & specification.

from Computerware®

CoCo Owners Use Video Plus to Interface Monitors



New NAP Monitors Have Built-In Audio Speaker!

Computerware has made special arrangements with North American Phillips (familiar for Magnavox & Sylvania brands). Their green and amber composite video monitors are the only monochromes on the market with built-in audio. And they are still very affordable! Check out Computerware's full line of monitors.

NAP green \$109.95 NAP amber \$119.95 Color (Comrex or Amdek) \$265.00

Flexi Filer Price Slashed -Now Only \$54.95!!!

Computerware's popular data base system now includes the powerful file manager, making Flexi Filer a super buy at the new reduced price. !t comes with a useful personal inventory format as a starter and has been used for such applications as sales analysis, sophisticated mailing lists, property locator & descriptor, business inventory - the lists goes on! Flexi Filer can be tailored to meet almost any need and is now affordable to all. (Req. 32K

modem selection

CoCo users can now take advantage of the crisp display of a composite video monitor by installing one of Computerware's Video Plus interfaces. They are inexpensive, completely assembled, and easy to install. It also provides audio output for monitors with audio. There are three models depending on the kind of monitor and whether you have the original CoCo or CpCo II.

Video Plus \$24.95 (original CoCo & either color or monochrome monitor)

Video Plus IIM \$26.95 (CoCo Il & monochrome monitor)

Video Plus IIC \$39.95 (CoCo II & either color or monochrome monitor)



PASCAL Price Reduced!!!

Now anyone can explore the advanced language of Pascal with Computerware's affordable 32K subset of standard Pascal. Though it omits floating point and some sophisticated data structures, the user can enjoy learning the basics of this popular language and accomplish virtually any programming task. The cassette version (\$39.95) includes compiler, P-code interpreter, supervisor, editor and sample programs. The disk version (\$54.95) has added features like graphics, joystick, sound and directed I/O and includes compiler, P-code interpreter, supervisor and samples. The disk version with the Advanced Editor is available at \$74.95. Finally, an affordable Pascal!

OS-9 Users Turn To Computerware®

OS-9 users are finding quality products at Computerware! The Advanced Editor is a much needed, comprehensive program editor. The Disk Fix & OS-9 Utilities package allows full use of drives like double sided, extended track, and fast step rates plus some very powerful and useful utilities. To explore how things "tick" the Sourcerer disassembler is a handy tool! Random Basic offers some significant advantages like extended precision and graphics. Computerware also carries Elite Word, O-Pak, and C-Compiler. Write for a complete catalog from the OS-9 experts!

Advanced Editor	\$39.00
Disk Fix & Utilities	\$29.95
Sourcerer	\$39.95
Random Basic	\$75.00
Elite Word	\$72.95
O-PAK	\$34.95
C-Compiler	\$59.95

Synther 77 Users Form **Band - Play Tunes** Right From Their Keyboards

With Synther 77 you can tune your keyboard to any of a hundred different voices (or instruments) then play music right on the keyboard. Some users groups have formed CoCo bands, playing familiar tunes together and saving their favorites to disk or tape. The pro musicians love the technical fine tuning factors like vibrato, bender, boing, attack, sustain, and decay. While the novices can enjoy just playing along and experimenting. Sunther 77 requires 32K and costs only \$24.95 on cassette or \$27.95 on disk. It will bring hours of listening and playing enjoyment to all.

C CHOR)				
Hardware SALE		Call or Write to:	COMPUTE (618	
Volksmodem 300 baud, direct connect, with CoCo cable	\$89.95	Name	Box 668 • Encinite	
WICO adapter interfaces 2 Atari-type joysticks	18.95	City Yes! Send me your FREE of VISA MasterCard	State	Zip
Kraft Joystick	129.95	Card #	Exp.	
Video Clear reduces RF interference from CoCo to TV	116.95	Signature	Format	Price
CCP-1 Printer Interface parallel to serial interface with selectable bauc	\$59.95 d rates			-
CCP-2 Printer & Modern Interface CCP-1 plus extra connection for modern & switch	\$79.95 ch for printer	Surface — \$2 minimum.	00 Shipping*	

5% for orders over \$100 Checks are delayed for bank clearance Okay, how about another contest? Send us answers to these four questions.

- Q1) What magic word has a Wordsworth #1 equal to the number of weeks in a year?
- Q2) What five-letter word has the smallest Wordsworth #2?
- Q3) What five-letter word has the largest Wordsworth #2?
- Q4) What is the longest word (most letters) that has a Wordsworth #2 less than 20,000?

We'll put all answers received by August 31, 1984, in a box, shake 'em up, and draw a winner. The winner will receive, of course, a stuffed dragon. If we get lots of answers, we'll draw for more stuffed dragons and perhaps some other prizes.

Simulations — Powerful Learning!

Schools use computers primarily to preserve old ways of teaching. So they use computers mostly as automated flash-cards and for mundane drills and practice. These uses blend easily into traditional lesson plans. They can be done in one-to 10-minute chunks once or twice a day without disturbing 19th century teaching methods. No creative thinking is

required on the part of the teacher. As always, the kids learn to memorize and regurgitate facts.

The most powerful computer tools for learning are Simulations, Simulation games, and Adventure games. Unfortunately, these take time, sometimes lots of time. In fact, an unpredictable amount of time. Of course, that doesn't fit in with the rigid scheduling of schools. Do you know any school that lets kids spend hours in creative problem-solving?

Earlier, we recommended the book *Parents, Kids, and Computers* by Lynne Alper and Meg Holmberg. This book is subtitled: *Learning Adventures Beyond the Classroom*. Chapter two, "Simulations — Windows on the World" is the best concise description we have seen of Simulations as learning tools.

"The most powerful computer tools for learning are Simulations, Simulation games, and Adventure games."

WANTED!

Young men and women seeking adventure, excitement and thrill-a-minute action. No experience necessary—just you and your Color Computer. See below:

FOR THE 32K THRILLSEEKER

FUR THE 32N THRILLSEENER				
	TITLE	DISK	CASS.	
NEW!	MR. DIG	\$27.95	\$25.95	
NEW!	CANDY CO.	29.95	29.95	
NEW!	WILLIE'S WAREHOUSE	29.95	29.95	
NEW!	ICE HOCKEY		21.95	
	ZAXXON	29.95		
	PROTECTOR II		29.95	
	DESERT PATROL		21.95	
	ICEMASTER		21.95	
	FOODWAR		22.95	
	WACKY FOOD		19.95	
	CASHMAN		24.95	
	CHOPPER STRIKE		24.95	
	TIME BANDIT		24.95	
	LOTS OF PLAY FO	R 16K		
	MOONSHUTTLE		\$26.95	
	FROG TREK	16.95	14.95	
	3-D TIC-TAC-TOE	18.95	16.95	

OELRICH PUBLICATIONS, INC. 4040 N. NASHVILLE CHICAGO, IL 60634

Credit card orders call: 800-621-0105 (In Illinois call: 312-545-9286) NO SHIPPING CHARGES!!! We especially like text Adventure games. We can think of no better way to encourage a kid to learn several skills: reading, reasoning, learning by trial-and-error, mapmaking, problem-solving, and working together.

Wanted: Adventure games suitable for general audiences or okay with PG (parental guidance). We want games with these characteristics:

- Mostly non-violent. Focus on exploration, storytelling, and problem-solving instead of "kill monster, get treasure."
- Difficulty range from easy to moderately difficult. How about some easy games for beginners, parent and child?
- Reading level suitable for younger kids.
- Good documentation showing how to make maps and other ways of organizing information.
- Creative ways of imbedding things to learn in the game without sacrificing fun or playability.


We have received Adventure games from Prickly-Pear Software and Owls Nest Software. Look for their ads in this issue of THE RAINBOW. We are playtesting these games with parent and child playing together.

Help!

If your home has a kid, three to eight years old, and a CoCo, please share your experiences in using your CoCo with your child. If you write to us, please tell us if it is okay to print all or part of your letter in this column. ComputerKid, P.O. Box 310, Menlo Park, CA, 94026.

16K ECB





hen the Color Computer is compared with the TRS-80 Model III by those who have used both, usually the Color Computer is favored. However, it is generally agreed that the Color Computer's keyboard and character set (no true lowercase) are inferior to the Model III's. Use of kits can eliminate the keyboard inferiority. Use of software can give the Color Computer a high resolution character set with a true lowercase. Sometimes the Color Computer is criticized because of its lack of BASIC commands for error trapping. The purpose of this article is to overcome this criticism.

The vehicle for overcoming the criticism is a program that adds to the Color Computer's repertoire of BASIC command analogs of the Model III's ON ERROR GOTO, ERROR,

(H. Allen Curtis resides in Williamsburg, Va. He is interested in 17th and 18th century history and enjoys biking through the colonial capital. He balances past and present with his computer work.)

ERL, ERR/2+1 and RESUME commands. Before the program called *Trapperr* is presented, a brief description of the new commands will be given. Then, after the presentation of *Trapperr*, there will follow a set of examples illustrating in detail the workings and applications of the new commands.

The ETRAP command is analogous to the Model III's ON ERROR GOTO. The format of ETRAP is simply as follows:

ETRAP line number

With ETRAP you provide a means of entry to an errortrapping routine which will permit your program to analyze an error when it occurs, take suitable action, and continue the program without any break in execution. The errortrapping routine starts at the line specified in the ETRAP command.

The next command, ER#, allows you to simulate a specified error. Its format is ER# code where code is any integer from one through 27 for Extended Color BASIC or from one through 38 for Disk BASIC. Associated with each code is a



Learning to type the right way can save you hours of tedious work when entering programs into your CoCo, and this is just what ETT was designed to do. Devote a little time every day practicing with ETT and before you know it you will be typing with confidence. Entering those programs will no longer he the chore it used to be.

ETT's video keyboard lets you practice with all the keys labeled, all the keys blank or only the "home" keys labeled. The visual cues guide you while you learn to type without watching your fingers. ETT shows your accuracy, response time, and words per minute. You will quickly see that you are improving with practice.

With the sentences provided by ETT learning to type can be fun. Over 1000 variations chosen because they include every letter in the alphabet. You can also create your own practice sets. This outstanding program was written by a certified teacher and professional programmer and comes with a ten page student manual-study guide. Requires 16K Extended Basic.

Cassette

\$21 95

ETT NOW AVAILABLE FOR COMMODORE 64 CASSETTE \$24.95 DISK \$29.95

MASTER **CONTROL II**

The best doesn't always cost more and MASTER CONTROL II is a good example. What would you be willing to pay for a program that would cut your typing time by more than 50% and eliminate hours of debugging because you misspelled a command word? For example the command STRING\$ (requires nine strokes) with MASTER CONTROL II you only require two strokes, just hit the down arrow key twice and it's done, and no mistakes. That is just one of the 50 pre-programmed commands available to you. If that isn't enough you also have the ability to customize your own key to enter a statement or command correctly, automatically every time. But that's not all, how about automatic line numbering. Just enter the starting number and the increment you want and MASTER CONTROL II will do it for you. You also have direct control of MOTOR, AUDIO and TRACE plus a direct RUN key. Sounds great? Well, thousands of color computer owners have been enjoying these features for years. But now the new MASTER CONTROL II also has the following features:

*New plastic overlay that can be removed when you are not using MASTER CONTROL II.

*New documentation, to help you get the most from the program. %New repeating keyboard.

\$21.95

Include \$2.50 Shipping and Handling in U.S.-\$5.00 Foreign



FREE CATALOG

Where Shopping By Mail is "USER FRIENDLY" 500 N. DOBSON - WESTLAND, MI 48185 Phone (313) 722-7957

DEALER INQUIRIES INVITED

distinct type of error. Table 1 shows the codes and their associated errors. Execution of the ER# command will cause the computer to react as though the associated error had occurred. This command is a handy tool in the composition and testing of error-trapping routines. The ER# command is not generally used in your program once it has been completely developed.

The ERL command of the Color Computer is a function that returns the line number in which an error has occurred. ERL is primarily used in an error-trapping made accessible by an ETRAP command. If an error occurs in the direct

mode, ERL returns -1.

The ERR command is the Color Computer analog of the ERR/2+1 command of the Model III. ERR is a function that returns the code number (see Table 1) associated with the error that occurred. ERR, like ERL, is primarily used in an error-trapping routine accessed by an ETRAP command.

The final error handling command to be added to BASIC's command repertoire is RESUME. RESUME is used to terminate an error-trapping routine by specifying where normal execution is to resume. RESUME followed by a line number causes the computer to resume execution at the specified line. RESUME without a following line number causes the computer to return to the statement in which the error occurred. RESUMENEXT causes the computer to go to the statement directly after that in which the error occurred. If a programming bug causes the error-trapping routine to be reached without the occurrence of an error, you will receive an ID Error message. The ID Error message in such a case is intended to inform you that a RESUME has been executed without the occurrence of any of the errors in Table 1.

Trapperr, the program that adds ETRAP, ER#, ERL, ERR and RESUME to the BASIC command repertoire of your computer is shown in Listing 1. Trapperr employs a combination of two languages — BASIC and machine language. Each value in the DATA statements of Lines 90 through 500 is a byte of the machine language portion of Trapperr. This machine language routine consists of two distinct sections. The first section, found in Lines 90 through 190, initializes the mechanism that adds the error-trapping commands to the computer's command repertoire. The second section, found in the rest of the DATA statements, acts as an extension of the BASIC ROM and executes each error-trapping command when issued.

The purpose of the BASIC portion of Trapperr is to generate the machine language routine, reserve and protect high RAM, and transfer the routine to the reserved memory area. Lines 10 and 20 take care of the reservation and protection of the high 336 bytes of RAM. Lines 30 through 60 generate and transfer the machine language routine to the protected RAM. Line 70 provides a check on the accuracy of your typing the DATA statement values. Line 80 causes the execution of the initialization section of the machine language routine. This section is no longer needed after its completion and return to BASIC. Therefore, its 90 bytes are released from protection. The addition of the five error-trapping commands comes at a memory cost of only 246 bytes. There is an additional cost for those without Disk BASIC; you may no longer employ the first three USR functions USRO, USRI and USR2.

After you have correctly keyed in *Trapperr*, run it; it takes about five seconds. Then save Trapperr on tape or disk.

Table 1

Code	Error	Description			
1	NF	NEXT without FOR	20	DN	Device number error
2	SN	Syntax error	21	10	Input-Output error
3	RG	RETURN without GOSUB	22	FM	Bad file mode
4	OD	Out of DATA	23	NO	File not open
5	FC	Illegal function call	24	IE	Input past End of file
6	OV	Overflow	25	DS	Direct statement
7 8	OM	Out of memory	26	UF	Undefined function
8	UL	Undefined line	27	NE	Can't find file
9	BS	Bad subscript	28	BR	Bad Record Number
10	DD	Redimensioned array	29	DF	Disk full
11	/0	Division by zero	30	OB	Out of Buffer space
12	ID	Illegal direct	31	WP	Write Protected
13	TM	Type mismatch	32	FN	Bad filename
14	OS	Out of string space	33	FS	Bad file structure
15	LS	String too long	34	AE	File already exists
16	ST	String formula too complex	35	FO	Field Overflow
17	CN	Can't continue	36	SE	Set to non-field string
18	FD	Bad file data	37	VF	Verification
19	AO	File already open	38	ER	Past End of Record

Erase *Trapperr* by typing and entering *NEW*. Now, you are ready to become more familiar with the error-trapping commands via illustrative examples.

Example 1: Type and enter the following:

10 ETRAP1000 900 STOP 1000 PRINT"TEST"

Then type RUN and press ENTER. The result is the message, BREAK IN 900. In Line 10 the entry Line 1000 is established for the error-trapping routine. Because no error occurred in Lines 10 and 900, the error-trapping routine was never reached.

Try typing and entering RUN2000. Ordinarily, you would receive a UL Error message, but because of the previous execution of the ETRAP command, the occurrence of the UL Error caused entry to the routine at Line 1000 and the subsequent printing of the word TEST on the screen.

Again, type and enter RUN2000. This time the message UL Error is indeed displayed. This illustrates that once an error has occurred, another ETRAP command must be issued in order to trap the next error.

Example 2: Add to the Example 1 program the following:

20 PRINT"THIS IS A ";:ER#16:STOP

Then change Line 1000 to:

1000 PRINT"TEST": RESUME

Displayed on the screen as a result of running this program is:

THIS IS A TEST ?ST ERROR IN 20 This display shows that after the completion of the *PRINT* statement of Line 20, the *ER#16* command simulated an ST Error that caused an interruption of the execution of Line 20 and an entry to the routine at 1000. At Line 1000 following the printing of TEST on the screen, the *RESUME* command brought about a return to the *ER#16* command in Line 20. Because there was no second execution of an *ETRAP*, *ER#16* this time produced the message, ?ST ERROR 1N 20. Change Line 1000 to 1000 PRINT "TEST": RESUMENEXT and then run the program again. Now, you should get printed on the screen the following:

THIS IS A TEST BREAK IN 20

Because of the RESUMENEXT in Line 1000, the return was made to the STOP statement just after and next to the ER#16 command. Thus, ER#16 was only executed once in the changed version of the example program. The STOP in Line 20 accounted for the "BREAK IN 20" message.

Example 3: In the program of Example 2 change Line 1000 to:

1000 PRINT"TEST":PRINTERL:PRINTERR: RESUMENEXT

Running this program yields the display:

THIS IS A TEST 20 16 BREAK IN 20

The execution of *PRINT ERL* and *PRINT ERR* in Line 1000 caused the printing of 20 and 16, respectively, before the execution of the *STOP* command in Line 20. The printed

What Does Dugger's Growing Systems Grow?

We grow C Compilers (\$120 value) generate fast, efficient code longs, floats, most operators FLEX* \$75.00 new OS-9* \$59.95 COCO DOS \$49.95

We grow Relocatable Macro Assemblers

(\$150 value)
Assembler, linker, library builder symbols up to 32 characters
"fortran-like" common
FLEX* \$75.00
new OS-9* \$75.00
COCO DOS \$49.95

We grow Orchids

Odontoglossums
write for catalog and price list

We grow HI RES OS-9 "Windows"

new cursor control multi-window displaying OS-9* \$34.95

We grow Orchids

intergeneric hybrids write for catalog and price list

We grow OS-9 Experts

Over 6 years experience with OS-9 Used in development of major project Experts in both levels 1 and 2

Quality

quality at an affordable price all products tested and proven

Solid Authorship Royalties

royalties up to 20% of selling price Only quality products accepted

ORDER NOW! YOU OWE IT TO YOURSELF

All orders add \$3.00 for shipping VISA and MC welcomed Foreign orders add 15% California orders add 6%

For more information write or call:

Post Office Box 305 Solana Beach, Calif. 92075 (619) 755-4373

Technical information 6 am to 8 am PDT only Dealer inquiries welcome

*Flex-trademark of TSC, OS-9 trademark of Microware

number 20 is the line in which the error occurred and 16 is the code number of the error.

Now, add the following line: 30 ER#5 and change Line 20 to 20 PRINT THIS IS A ":: ER#16. As you would now expect, running this program should produce the following display:

THIS IS A TEST 20 16 ?FC ERROR IN 30

Change Line 1000 to:

1000 ETRAP1000:PRINT"TEST":PRINTERL: PRINTERR:RESUMENEXT

Running this program yields the following:

THIS IS A TEST
20
16
TEST
30
5
BREAK IN 900

The insertion of ETRAP1000 in Line 1000 permitted the trapping of the error produced by the ER#5 command in Line 30. The printing of 30 and 5 announced that the error occurred in Line 30 and was of the type having a code number 5.

Delete Line 900. Now the program has a bug: the errortrapping routine can be reached without the occurrence of an error. Run the program to get the following:

THIS IS A TEST
20
16
TEST
30
5
TEST
30
5
TEST
1000

12


The first half of the display is not surprising. The second printing of TEST, 30 and 5 is explained as follows: After the ER#5 error at Line 30, the RESUMENEXT caused a return to the statement, immediately after ER#5, which happens to be the ETRAP 1000 statement of Line 1000. The ERL and ERR values did not have a chance to change; hence, 30 and 5 were again printed after TEST. Because the error-trapping routine was reached illegally, an ID Error resulted. The occurrence of the ID error caused a legal entry to the error-trapping routine and thus the printing of 1000 and 12 after TEST. The error was at Line 1000 and was an error with code number 12. The final RESUMENEXT set up a return to the statement following the final statement of Line 1000. Since no line follows 1000, the program ended.

Example 4: Using *NEW*, erase the program of Example 3. Then key in the program of Listing 2. After you respond to the program's request to enter a message, the program forms

a string consisting of a repetition of your message. The string formation continues until the program consumes all the string space allotted. Then the string is printed on the screen. This example illustrates the ERL function in an IF ... THEN statement; it also demonstrates the use of a RESUME followed by a line number.

Example 5: Erase the program of Listing 2 and type the program of Listing 3. The ER#s in Lines 20 through 50 are included for illustrative and testing purposes only and would be deleted in an actual working program. Have you ever wished that the Color Computer provided more than abbreviated error messages? This example indicates how you can go about replacing the abbreviated error messages with descriptive ones.

Before the conclusion of this article, there is an important comment which should be made. Trapperr must be loaded and run before you load and run any program containing error-trapping commands. Furthermore, it is a good policy to load and run Trapperr before keying in any program using error-trapping commands. Trapperr must be present to permit the error-trapping commands to be tokenized. If you should start composing a program containing errortrapping commands without Trapperr residing in the computer, all is not lost. Merely save the program in ASCII format. When you wish to use that program, load and run Trapperr first; then the error-trapping commands will be automatically tokenized upon the loading of your program.



Listing 1:

- 10 CLS: X=256*PEEK(116)-81
- 20 CLEAR100, X
- 3Ø X=256*PEEK(116)-8Ø
- 4Ø FORZ=X TOX+335
- 50 READA\$: A=VAL ("&H"+A\$): W=W+A
- 60 POKEZ, A: NEXT
- 7Ø IFW<>36869THENPRINT"DATA ERRO
- R":STOP
- 8Ø EXEC X:CLEAR200, X+89
- 90 DATA CE,1,34,F6,1,92,C1,C2,26
- 100 DATA 17,30,8C,6C,86,E4,A7,81
- 11Ø DATA 86,E1,A7,8,86,52,A7,D
- 120 DATA 86,50,30,F,A7,4,33,4A
- 130 DATA 30,8C,2B,C6,B,BD,A5,9A
- 14Ø DATA E7,44, DC, 74, 33,56, A7, C1
- 15Ø DATA A7, C1, A7, 41, A7, 43, 3Ø, 8C
- 160 DATA 34,C6,5,A7,81,5A,26,FB
- 170 DATA CE, 1,8E,A7,41,86,7E,A7
- 18Ø DATA C4,86,7A,A7,42,39,3,3F
- 19Ø DATA 10,3F,28,2,3F,A,3F,37,0
- 200 DATA 45,52,CC,45,52,D2,45,52
- 210 DATA A3, 45, 54, 52, 41, DØ, 52, 45
- 22Ø DATA 53,55,4D,C5,3F,45,3F,4D
- 23Ø DATA 3F,53,3F,5D,3F,A7,81,D1

24Ø DATA 25,3,7E,B2,77,3Ø,8C,FØ 250 DATA 80, CE, 7E, AD, D4, C1, 46, 23 260 DATA 2,20,EF,C0,44,30,8C,DC 27Ø DATA 7E, B2, CE, 3Ø, 8C, 5B, EC, 84 28Ø DATA 7E, B4, F4, 3Ø, 8C, 5Ø, 7E, B7 290 DATA 52,9D,A5,BD,AF,67,5A,58 300 DATA 7E, AC, 46, DC, A6, 34, 6, BD 31Ø DATA AE, A4, 33, 8C, 3E, AF, C4, 35 320 DATA 6, DD, A6, 9D, 9F, 27, 4, 81 330 DATA 3A, 26, F8, C6, 1, E7, 59, 39 340 DATA 34,12,30,80,1F,A6,84,26 350 DATA 2,35,92,6F,80,A7,80,57 360 DATA 5C, E7, 80, DC, A6, ED, 81, DC 37Ø DATA 68, ED, 81, EC, 81, DD, A6, 9E 38Ø DATA 21,32,1D,39,0,0,0,0,0,0 390 DATA 0,0,0,30,80,F5,A6,84,27 400 DATA 46,6F,81,9D,A5,27,1A,81 410 DATA 3A, 27, 16, 81, 8B, 27, 3, 7E 420 DATA AE, A6, 8D, 38, A6, C0, 27, 4 43Ø DATA 81,3A,26,F8,33,5F,DF,A6 440 DATA 39,8D,29,9E,19,30,2,EC 450 DATA 84,10,93,68,27,4,AE,1E 460 DATA 20,F3,30,2,9F,2B,11,93

Listing 2:

- 5 CLEAR5ØØ
- 10 ETRAP1000

500 DATA DD, 68,39

20 CLS: PRINT@259, "ENTER A MESSAG E"

470 DATA 2B, 27, 8, A6, C2, 81, 3A, 26

48Ø DATA F5,2Ø,DB,33,1B,2Ø,D7,C6

490 DATA 16,7E,AC,46,EE,81,EC,84


- 30 LINEINPUTA\$
- 4Ø B\$=" "+A\$
- 50 IFI<101THENA\$=A\$+B\$: I=I+1:GOT
- 050
- 60 PRINT@288, A\$
- 900 STOP
- 1000 IFERL=50THENRESUME60ELSERES UME

Listing 3:

- 1Ø ETRAP2ØØØ
- 2Ø ER#2
- 3Ø ER#3
- 4Ø ER#1
- 50 ER#10
- 900 STOP
- 1000 PRINT"NEXT without FOR": RET URN
- 1010 PRINT"SYNTAX error": RETURN 1020 PRINT"RETURN without GOSUB"
- : RETURN
- 2000 ON ERR GOSUB1000, 1010, 1020
- 2010 IFERR>3THENRESUMEELSEETRAP2 ØØØ: RESUMENEXT

65

UPER SCREEN



- A big 51 character by 24 line screen.
- Full upper and lower case characters.
- · Easily combine text with hi-res graphics.
 PRINT @ is completely functional on
- the big screen.
- The powerful ON ERROR GOTO is fully implemented.
- Auto-key repeat for greater keyboard convenience. Control codes for additional functions.
- Works with 16K, 32K or 64K com-
- Available on disc or cassette.
- Works with extended and/or disc BASIC.

51 CHARACTERS BY 24 LINE DISPLAY

Super Screen is a powerful, machine language program that significantly upgrades the performance and usefulness of 16K or greater, Extended and Disc Basic Color Computers. The standard Color Computer display screen is totally inadequate for serious, personal or business applications so Super Screen replaces it with a brand new, 51 character wide by 24 line screen including full upper and lower case characters. Instead of a confusing checkerboard appearance, you now have true lower case letters along with a screen that is capable of displaying 1224 characters. The difference is startling! Your computer takes on new dimensions and can easily handle lines of text that were simply too long and complex to display on the old

COMBINE TEXT WITH HI-RES GRAPHICS

You can now write truly professional looking programs that combine text with hi-res graphics. Super Screen allows you to create graphics displays with the Basic LINE, DRAW and CIRCLE statements and then notate the graphics with descriptive text. You can even use PRINT @ if you wish for greater programming convenience. Super Screen's versatility will amaze you.

PRINT @ IS FULLY IMPLEMENTED

The PRINT @ statement is a valuable asset to the programmer when formatting text on the screen. The standard Color Computer will report an error if you specify a location higher than 511 but Super Screen allows locations all the way to 1223! You get a big screen and a powerful formatting tool as well. Of course, Super Screen also supports the CLS command allowing you to clear the big screen using standard Basic syntax.

ON ERROR GOTO

That's right! Super Screen gives you a full implementation of ON ERROR GOTO including the ERR and ERL functions. Now you can trap errors and take corrective action to prevent crashed programs and lost data using the same standard syntax as other computers. The ON ERROR GOTO capability overcomes a serious deficiency of Color Computer Basic and greatly improves your capability to handle sophisticated tasks. All well written, 'user friendly' programs use error trapping techniques and yours can too! Now that's power!

AUTO KEY REPEAT

No more frustration as you edit a long line in your Basic program; just hold the space bar down and automatically step to the desired position in the line. Need a line of asterisks? Hold the key down and auto repeat will give them to you. Those of you who spend many hours at your keyboard will appreciate this outstanding addition to Super Screen's long list of impressive capabilities.

CONTROL CODES FOR ADDITIONAL FUNCTIONS

Super Screen recognizes several special control code characters that allow selection of block or underline, solid or blinking cursor and other functions. You can 'Home Up' the cursor or you may erase from the cursor to the end of a line or to the end of the screen just like many other computers. These special codes give you an extra dimension of versatility and convenience that put Super Screen in a class by itself.

AND MORE GOOD NEWS...

Super Screen comes with complete, well detailed instructions and is available on cassette or disc. It adjusts automatically to any 16K or greater, Extended or Disc Basic Color Computer or TDP-100 and uses only 2K of memory in addition to the screen memory reserved during power up. Guaranteed to be the most frequently used program in your software library...once you use it, you won't be without it! Super Screen's low price will really please you; only \$29.95 on cassette or \$32.95 on disc!

64K Memory Expansion Kit

All parts and complete instructions

\$64.95





Mark Data Products SUPER BUG is a powerful, relocatable machine code monitor program for your Coco. If you are a beginner, the program and documentation are an indispensable training aid, helping you to gain a better understanding of your Color Computer and machine code programming. If you are an accomplished computerist, SUPER BUG's capabilities, versatility and convenience will prove invaluable during programming and debugging.

SUPER BUG offers so many outstanding features that we are unable to list them all in this limited space, hex and alpha numeric memory display, modify, search and test; full printer support with baud rate and line feed select; up to 220 breakpoints; mini object code disassembler; 64K mode setup; decimal, hex and ascil code conversion routines and extensive documentation, Only \$29.95 on cassette or \$32.95 on disc.

ORDER ENTRY SYSTEM

The Mark Data Products sales order processing system will give a fast, efficient means to enter orders, print shipping papers and invoices, prepare sales reprots, and monitor receivables. The system automatically enhances the monitor screen to a 51 character by 24 line display. 32K of memory is required along with an 80-column printer, and one or more disc drives.

The MDP order entry system is a family of programs which operate interactively by means of a "menu" selection scheme. Up to 900 products may be defined and a single disc system can hold over 600 transactions. When the operator selects a task to be performed, the computer loads a program designed to handle that task from the system disc. The system disc contains all of the programs required to create, update and maintain data files and prepare the necessary paperwork including shipping and invoice forms, daily sales reports, a monthly (or other period) sales report and a receivables report.

The MDP system:

- Is accurate, user friendly and simple to use.
- Is easy to customize for specific user requirements.
- Produces a traceable invoice.
- Handles receivables as well as closed orders.
- In capable of future expandability.

This accounting software equals or exceeds higher priced packages for other computers and includes a detailed operating manual. For just \$99.95.

ACCOUNTING SYSTEM

The Mark Data Products accounting system is ideal for the small businessman needing a fast, efficient means to process income and expenses, prepare detailed reports and maintain most of the information required at tax time. The system is a family of programs which operate by means of a "menu" selection scheme. When the operator selects a task to perform, the computer loads a program designed to handle that task from the system disc. The system disc contains all of the programs required to create, update and maintain data files and prepare the necessary accounting reports including a transaction journal, a P&L or income report, an interim or trial balance and a balance sheet.

Up to 255 separate accounts may be defined and a single disc system can hold over 1,400 transactions. This system automatically enhances the monitor screen to a 51 character by 24 line display. 32K of memory is required along with an 80-column printer and one or more disc drives.

The MDP system:

- Is accurate, user friendly and simple to use.
- Is easy to customize for specific user requirements.
 Immediately updates the chart of accounts.
- Provides an audit trail. Includes end of period procedures.
- Is capable of future expandability.

This order entry software equals or exceeds higher priced packages for other computers and includes a detailed operating manual. For just \$99.95.

IMPORTANT NEW BOOKS

- Your Color Computer" by Doug Mosher. Over 300 pages of detailed information-A CoCo encyclopedia. \$16.95
- "Programming the 6809" by Rodnay Zaks and William Lablak. One of the best 6809 machine language texts available—required reference material. \$15.95.

WE STOCK SOFTLAW PRODUCTS

The VIP WRITER Text Processor is rated tops by Rainbow, Hot CoCo and Color Computer Magazine. After evaluation we rate it tops too. Disc \$59.95.




Mark Data Products

24001 ALICIA PKWY., NO. 207 • MISSION VIEJO, CA 92691 • (714) 768-1551

All Orders: Please add \$2.00 shipping and handling in the continental U.S. All others, add air shipping and \$3.00 handling. California residents add 6% sales tax. Foreign orders please remit U.S. funds. Software authors—Contact us for exciting program marketing details. We accept MasterCard and VISA. Distributed in Canada by Kelly Software



"M*A*S*H" Trivia Quiz



By Milt Tanzer

or several years (I won't say how many because that is one of the questions) the TV series M*A*S*Hstayed at the top of the charts as one of the most watched programs on TV. It even topped the Super Bowl game on viewing audience.

One evening, after the series had ended, our family sat reminiscing about the program. "Remember how Hawkeye and B.J. used to pick on Frank Burns?" someone said. "Sure, it started with the pilot episode when they put him in a full body cast," someone else answered. "That wasn't B.J. He wasn't on the show yet. That was Hawkeye and Trapper." Before we knew it, we were totally involved in testing each other's memory about the many characters and happenings at the M*A*S*H unit. Over the next few months we made a list of 200 trivia questions and answers about the series, spanning the entire 11 years the show ran. (Oh, I just gave you one answer.)

I decided to write a program for the CoCo that would give all M*A*S*H fans the opportunity to share the fond memories of everyone's favorite TV series.

Since I could not find a way to have the computer accept a correct answer that varies slightly from the data line answer, I suggested to the player in the instructions not to take a missed question too seriously... after all, it's only a game.

The listing which follows is the 16K version of the game and can be found on this month's RAINBOW ON TAPE. Additionally, a longer (32K) version with many more M*A*S*Htrivia questions is also on RAINBOW ON TAPE.

(Milt Tanzer, a commercial/investment realtor and author of three books on real estate investing, uses his CoCo primarily for word processing book manuscripts. This is his first venture into game programming.)

1		
Y/	135	152
	245	2
	370	47
	465	84
	540	70
	END	43

The listing:

- 1 'BY MILT TANZER
- 2921 NE 46TH ST.
- ' LIGHTHOUSE POINT, FLA. 33064
- 5 CLEAR 1000
- 10 CLS:PMODE 3,1
- 15 PCLS: SCREEN1, 1
- 2Ø DRAW"C3; BM44, 156; D18; R12; U18"
- 25 CIRCLE (38, 168), 10, 4, 1, .25, .85
- 3Ø CIRCLE(32,164),16,4,1,.12,.9Ø
- 35 LINE (44, 156) (120, 156), PSET
- 4Ø LINE (56, 171) (12Ø, 16Ø), PSET
- 45 DRAW"BM48, 137; D18; R3; U18; L3"
- 5Ø DRAW"BM1,14Ø;R1ØØ;U1;L1ØØ"
- 55 DRAW"BM12, 182; F4; R6Ø
- 6Ø CIRCLE(122, 158), 9, 4
- 65 DRAW"BM37, 184; E9; R8; F9
- 7Ø DRAW"BM56, 171; E14; F1Ø; E1Ø; F7;
- E7; F5; E5"
- 75 DRAW"BM2Ø, 181; F2; R52"
- 8Ø PAINT (47, 165), 3,3
- 85 FORT=1T01000:NEXT
- 9Ø DRAW "BM16, 10; D40; R8; U28; F12;
- E12; D28; R8; U4Ø; L8; G12; H12; L8"
- 95 PLAY"D; L7; C; L4; D; C; D; C; P4"
- 100 LINE (92,52) (76,92), PSET

HARDWARE & PROGRAMS

MONITORS

BMC MEDIUM-RES COLOR

13" BMC w/ sound	\$303.95
14" USI w/ sound	324.95
12" Taxon Composite & RGB.	335.95

COMREX HI-RES MONOCHROME

12" Amb	er or	Green	Hickory	, 140.95
9" Amb	er or	Green	erene .	. 125.95
Sorry.	no	COD	an ino	witzer

COMPOSITE MONITOR INTERFACES

Double Driver	.95
Video Plus	
Both work great with color	
or monochrome on CoCo I	

Coco Double Driver.	. 28.95
Video Plus II M	. 26.95
Video Plus II C.	39.95
For CoCo II Only	

JARB DISK DOUBLER

Why spend twice as much as you need to for double sided diskettes? With our doubler, you can make your own and pay for it with the first box you double. A must for disk drive users.

BASF DATA CASSETTES

	C-05	6.10
1-10	.60 ea.	.65 ca.
11-20	.55 ea.	.60 ca.
Soft Poly C	Cases	Ea. \$.20
Hard Shell	ed Cases	Ea. \$.22
Cassette La	abels (12)	Sh. \$.36
Cassette La	abels Tractor (1000))\$21.95

MEMORY UPGRADE KITS

16K RAM CHIPS	1.50 ca.
5V, CoCo II 16K	

'64K RAM CHIPS

Eight 200 NS Factory Prime 64K RAM Chips. Allows you to upgrade 'all' board easily. No soldering needed. \$52.50

*16K/32K

Eight 200 NS Factory Prime Chips with Piggy Backed Sockets, Sam Socket, Bus Wire. Comprehensive Instructions. Recommended for "D" or earlier, but may be used on "E". Only 9 simple solder connections to kit, None to computer. \$25.95 NOT FOR CoCo 2



BY Terry A. Steen

An excellent hi-res, areade quality game program for two players. Joysticks and 32K are required in this all machine language program.

Cassette . \$19.95 Disk/Amdisk . \$24.95

JUNGLE TREK

Lost in a jungle with wild animals lurking; your only survival is to find a safe compound before you are lunch for lions; high resolution; multi-color.

16K EXT.....

BIORHYTHM/PSYCHIC APT.

- 1) Prints biorhythm charts of nearly unlimited length; attractively formatted for use on most printers.
- 2) Your psychic ability is determined through questions evaluating your psychic

16K Ext Both for \$15.95

PROGRAMS FOR THE SPECTRUM PROJECTS VOICE-PAK OR SPEECH SYSTEMS VOICE

TALKING **FINAL COUNTDOWN**

(by Bill Cook)

For 32K EXT	neberer	 , \$19.95
Standard cass		
FINAL COUN	NTDOWN	 .\$14.95

TALKING SPELL-A-TRON

The program allows the user to build a dictionary of words. During testing, the words are spoken. If an incorrect response is given, the word is spoken again and spelled, Tape (32K EXT) \$22.95

TALKING SCORE E-Z

A yahtzee type program. Up to six players can compete. All scoring and record keeping is done by the computer. Tape (32K EXT) \$19.95 Standard SCORE E-Z \$15.95

TALKING COLOR MATH

The perfect educational game to aid the student in learning addition, subtraction, multiplication and division. Allows one to specify difficulty level. Tape (32K EXT) \$22.95

TALKING

SHIP HUNT by Cobra Software

Play Battleship against your computer. 32K w/ joystick needed. Graphics and sound. Can be played without voice, Cassette\$10.95

SCHEMATIC DRAFTING PROCESSOR (disk) can draw large scale schematics in hi-res (has six overlapping screens) and then print them out to any of several popular printers, fast!! A must for serious hardware computerist.

Now only.....\$49.95

CoCo Chips

Sam, Pia, CPU, Ext, Basic

We carry products from many manufacturers. If you don't see it, ask.

SOFTWARE HARDWARE

COD orders accepted, no charge cards please. Shipping and handling \$3.00 California residents please add 6% sales tax

Order Line (619) 474-8982

After Hours BBS (619) 474-8981

1636 D Avenue, Suite C National City, CA 92050

```
1Ø5 LINE(76,92)-(84,92),PSET
110 LINE (84,92) - (88,84), PSET
115 LINE(88,84)-(104,84),PSET
120 LINE(104,84)-(108,92), PSET
125 LINE(108,92)-(116,92), PSET
13Ø LINE(116,92)-(1ØØ,52),PSET
135 LINE(100,52)-(92,52), PSET
14Ø LINE(96,64)-(88,76),PSET
145 LINE (88,76) - (104,76), PSET
15Ø LINE(1Ø4,76)-(96,64),PSET
155 PLAY"L6;C;L4;D;L6;C;L4;D;C;D
; C; P4"
160 DRAW"BM144, 96; G8; D8; F8; R26; D
8; L32; F8; R24; E8; U8; H8; L24; U8; R32
; H8; L24"
165 PLAY"L4;C; 02; A; L4; 03; C; D; F"
17Ø DRAW"BM196, 14Ø; D4Ø; R8; U16; R2
4; D16; R8; U4Ø; L8; D16; L24; U16; L8"
175 PLAY"L4; GFDC; L2; D"
18Ø PAINT (20, 12), 4, 3: PAINT (96, 54
),4,3
185 PAINT (148, 98), 4, 3: PAINT (200,
144), 4, 3: FOR X=1T05ØØ: NEXT
19Ø COLOR4,3
195 LINE (64, 52) - (76, 64), PSET
200 LINE (76,52) - (64,64), PSET
205 LINE (64,58) - (76,58), PSET: FOR
X=1T05ØØ: NEXT
210 LINE(120,88)-(132,100),PSET
215 LINE(132,88)-(120,100), PSET
220 LINE(120,94)-(132,94), PSET:F
OR X=1T05ØØ:NEXT
225 LINE(18Ø, 132)-(192, 144), PSET
23Ø LINE(192,132)-(18Ø,144),PSET
235 LINE(18Ø, 138) - (192, 138), PSET
:FORX=1T05ØØ:NEXT
240 PLAY"L4;C;O2;A;O3;CDFGFDC;L1
; D"
245 DRAW"BM18Ø, 16; D16; L16; D2Ø; R1
6; D16; R2Ø; U16; R16; U2Ø; L16; U16; L2
Ø"
25Ø PAINT (188, 24), 4, 4
255 FOR T=1T01000:NEXT
26Ø PRINT@71, "WELCOME TO..."
265 PRINT@138, "M*A*S*H"
270 PRINT@202, "TRIVIA"
275 PRINT@385, "DO YOU WANT INSTR
UCTIONS?(Y/N)": INPUT I$
28Ø IF I$="Y" THEN GOTO45Ø
285 CLS: PRINT@165, "PLEASE BE PAT
IENT"
29Ø PRINT@322, "I'M THINKING UP Q
UESTIONS"
295 PLAY"D; L6; C; L4; D; C; D; C; P4"
300 DIM Q$(20),A$(20)
305 FORX=1TO20
310 READ Q$(X), A$(X)
315 NEXTX
```

32Ø CLS: C=Ø

325 FOR Y=1T02Ø 33Ø CLS:PRINT@64." * * * * * * * * * 335 PRINTQ\$(Y): INPUT Z\$ 340 IFZ\$=A\$(Y) THEN GOTO375 345 SOUND100.10 350 IF Z\$<>A\$(Y) THEN PRINT@266, "MY ANSWER IS: 355 PRINT@320,A\$(Y) 36Ø FOR T=1T025ØØ: NEXT 365 NEXTY 37Ø GOTO415 375 R=RND(5):PRINT"" 38Ø FORX=1T05:SOUND5Ø,1:SOUND15Ø . 1: NEXT 385 IFR=1 THEN PRINT"THAT'S RIGH T. YOU'RE PRETTY GOOD" 390 IFR=2 THEN PRINT"HEY, YOU'RE OK" 395 IF R=3 THEN PRINT"TERRIFIC... .RIGHT AGAIN" 400 IFR=4 THENPRINT"YOU DID IT A GAIN 4Ø5 IFR=5 THENPRINT"RIGHT...YOU SURE KNOW MASH" 410 C=C+1:FOR T=1T01500:NEXT:GOT 0365



August 1984

Tired of the same old utilities?

Diracy-cracking opnilar copy programs

Would you like to protect your disk software from unauthorized copying, but still allow your users to make back up copies? Then



Don't waste your valuable time and effort concocting antipiracy schemes. Spend your time developing new programs and then Piratect® them. Piratector will protect your Basic or ML programs using many different sophisticated techniques, while still allowing your users to create (nonexecutable) backups that can be used to recover a "crashed" master disk.

Piratector offers much more than just software protection. Several ML utilities are provided including:

COMBINER -

appends ML subroutines with your Basic program.

SEMIGRAF -

full featured high-resolution 8 color semigraphic graphic editor to build title screens for your

programs.

GETLIN -

keyboard input subroutine for easy development of MENU oriented software (Basic or ML)

PIRATECTOR features:

- Protects Basic or ML programs
 - Encryption
 - ML AUTO Loader
 - Basic Break Disabler
 - Error catcher
 - Reset Button Disable
- Utility subroutines included
- Automate your duplication if multiple drives are used
- Each copy will be "finger printed" with incrementing serial numbers

SMICRAF **Graphics Editor**

Tape - \$19.95 Disk - \$24.95

- Graphics editor to create and modify your own pictures
- Pictures can be used as a title screen for a program
- Create a series of pictures to make a slide show
- Both Extended and non-Extended Basic versions on the same tape
- High Resolution
- Semigraphic modes 8, 12, and 24 (64 x 64, 64 x 96 and 64 x 128)
- 8 colors
- Combine text with graphics
- Auto-repeat and "magic" delete
- Requires 16K



AUTO RUN 64

\$24.95

Software that you design and sell can be enhanced by using the Auto Run Loader. Sugar Software will allow you to do this without requesting royalties.

- Starts up your Basic or ML program automatically - no need to type EXEC or RUN
- Locate your program anywhere in memory
- Graphics editor helps you create attractive title screens for your program
- Gives your program the professional touch
- Provides an audio introduction for your program
- Create "slide shows" with a series of title screens
- Used by many CoCo software houses
- Requires 16K ECB



A complete catalog of other sweet Sugar Software products is available.

SUGAR SOFTWARE

2153 Leah Lane Reynoldsburg, Ohio 43068 (614) 861-0565






Something New!

How far out in the Pacific Ocean can you see Mt. St. Helens? Could you talk via VHF radio between 2 airplanes flying 1,000 feet off the ground if they were 100 miles apart? Answer these questions with

Radio System Design Saleslations



For the amateur radio enthusiast! For radio technicians or engineers who design or maintain systems! For the electronics, radio, engineering or physics student! For the pilot!

Radio System Design Calculations does 14 different calculations commonly used in the design or evaluation of a land mobile radio system, satellite TV or satellite data acquisition systems, TV and Broadcast FM systems, microwave systems and aircraft radio systems.

\$29.95 - Tape \$32.95 - Disk 32K ECB


SUGAR SOFTWARE 2153 Leah Lane Reynoldsburg, Ohio 43068 (614) 861-0565





Add \$1.00 per tape for postage and handling. Ohioans add 5.5% sales tax. COD orders are welcome. CIS orders EMAIL to 70405, 1374. Dealer inquiries in-

A complete catalog of other sweet Sugar Software products is available.



Flying Tigers

16K Tape - \$24.95 32K Disk - 27.95 Joystick required

Somewhere in the far future, while flying home from an alien skirmish, your squadron of Warhawk II's is ambushed by aliens from hyperspace. In the battle that follows, all 10 of your wingmates are shot down. They eject to relative safety on a small asteroid. **YOU** are their only defense as the aliens close in for the kill!

- 100% ML
- Arcade quality
- 5 levels of difficulty
- Super hi-res graphics and animation
- Sensational space sound effects
- Skill and strategy needed

The CoCo Calligrapher

32K ECB Tape - \$24.95 32K ECB Disk - \$29.95

Turn your CoCo into a calligrapher's quill. Three separate print styles! Upper and lower case!

Gay Ninety
7890ABCD:
NOPORSTU
efghijklmnop
wxyz.,!?-;:"()

Requires a Bit Mode Printer. Works with Epson, Okidata, Gemini 10X, R.S. Line Printer VII, DMP 100 or equivalent.

Old English
90ABCDE;
NOTORS
abcdefghijkl

36 point (1/2 inch) letters are variably spaced — great for flyers, invitations, signs, etc. Input up to 17 lines of text at a time; save and retrieve data.

7890ABCDEF RSTUYWXYZa 415 CLS:PRINT:PRINT"THAT'S 20 QU ESTIONS"

420 PLAY"D; L6; C; L4; DCDC; P4"

425 PRINT:PRINT"YOU GOT ";C;"RIG

430 RESTORE: PRINT"CARE TO TRY MO RE? (Y/N) ": INPUT C\$

435 IFC\$="Y"THEN GOTO320

440 PRINT: PRINT" THANKS FOR PLAYI

445 PLAY"L4;C;02;A;L4;03;CDF;L3; GFDC;L2;D":END

450 'INSTRUCTIONS

455 CLS:PRINT:PRINT:PRINT"YOU WI LL BE ASKED 20 TRIVIA QUES TIONS ABOUT THE TV SERIES

M*A*S*H

460 FOR T=1T02500:NEXT:CLS

465 PRINT:PRINT"TYPE IN YOUR ANS WER AND <ENTER>"

470 PRINT:PRINT"HINT: EXCEPT WHE RE ASKED TO GIVE FULL NAMES

USE ONLY THE CHARACTER'S NICK NAME (RADAR, HAWKEYE, ETC.)

475 PRINT"IF THE CHARACTER HAS NO NICKNAME USE THEIR LAST NAME ONLY (POTTER, MULCAHY, ETC.)

48Ø PRINT@418, "PRESS (ENTER> TO

The

ORACLE II



The Ultimate CoCo Monitor.

The ORACLE II is not a rehashed r

The ORACLE II is not a rehashed monitor program adapted to the CoCo, but a state of the art monitor designed to compliment the CoCo and its unique abilities.

Compare some of our features:

- 64K Compatible the ORACLE II can relocate itself and its monitor screen above disk basic.
- Single Stepper a single variable speed stepper that allows you to step both rom and ram.
- Disassembler -
- Graphics Support allows you to step a program while watching any graphic screen, in any graphic mode, and toggle between the monitor screen and back, with one key.
- ASCII/hex search-up to a 10 byte search.
- Full screen display and editing of memory.
- Over 40 commands.

CoCo disk or tape (both versions included) \$35.95 Spectral or FHL Flex version 45.95

(+ \$2.00 shipping and handling)



MICRO MAGIC





CONTINUE": INPUT C

485 CLS

490 PRINT"AT TIMES, THE COMPUTER
MAY TELL YOU YOUR ANSWER IS NOT
CORRECT JUST BECAUSE YOUR WORD

ED IT DIFFERENTLY.

495 PRINT"PLEASE DON'T TAKE A MI SS TOO SERIOUSLY": PRINT

500 PRINT"AFTER ALL...IT'S ONLY A GAME!!"

505 PRINT: PRINT"...SO IF YOU'RE READY TO RELIVE YOUR MEMOR IES OF"

51Ø PRINT@362, "M*A*S*H

515 PRINT@418, "PRESS<ENTER> TO S TART": INPUT C

52Ø CLS: GOTO285

525 DATA H.Q.PHONE OPERATOR, SPAR

530 DATA POTTER'S HOBBY, PAINTING 535 DATAWHO PLAYED TRAPPER, WAYNE ROGERS

540 DATAMULCAHY'S SISTER'S OCCUP ATION, NUN

545 DATANEIGHBORHOOD BAR, ROSIE'S

55Ø DATAWHAT DOES MASH STAND FOR ,MOBILE ARMY SURGICAL HOSPITAL 555 DATANAME AND RANK OF INTELLI GENCE OFFICER, COLONEL FLAGG 56Ø DATAWHO QUIT DRINKING WHEN HE SAW HIS BAR BILL, HAWKEYE 565 DATARADAR'S GUINEA PIG, DAISY 57Ø DATAONLY ACTOR TO STAR BOTH IN THE TV SERIES AND THE MOVIE, GARY BURGHOFF

575 DATANAME AND RANK OF THE SHR INK, MAJOR SIDNEY FREEDMAN

580 DATAPOTTER'S HOMETOWN AND ST ATE, "HANNIBAL, MISSOURI"

585 DATAWHAT DID B.J. DO THAT BU GGED HAWKEYE, COMBED HIS MUSTA CHE

590 DATABURNS' FAVORITE DRINK, SH IRLEY TEMPLE

595 DATANAME AND RANK OF NURSE W HO WAS PRIZE IN A RAFFLE, LT. DI SH

600 DATAWHO KEPT BOMBING THE MAS H UNIT, FIVE O'CLOCK CHARLIE

605 DATAHOW DID BURNS PASS HIS M EDICAL EXAMS, BOUGHT THE ANSWERS 610 DATAKLINGER'S FAVORITE TEAM, TOLEDO MUD HENS

615 DATAWHERE DID BLAKE'S PLANE

CRASH, SEA OF JAPAN 620 DATANAME OF BARBECUE RIB PLA CE IN CHICAGO, ADAM'S RIB

RAINBOW Info

How To Read Rainbow

Please note that all the BASIC program listings you will find in the Rainbow are formatted for a 32-character screen — so they will show up just as they do on your CoCo screen. One easy way to check on the accuracy of your typing is to compare what character "goes under" what. If the characters match — and your line endings come out the same — you have a pretty good way of knowing that your typing is accurate.

We also have "key boxes" to show you the *minimum* system a program needs. But, do read the text before you start typing.

Finally, the little cassette symbol on listings indicates that program is available through our Rainbow On Tape service. An order form for this service is on the insert card bound in the magazine.



The Rainbow Seal

The Rainbow Certification Seal is our way of helping you, the consumer. The purpose of the Seal is to certify to you that any product which carries the Seal has been physically seen by us and that it does, indeed, exist.

Manufacturers of products — hardware, software and firmware — are encouraged by us to submit their products to the Rainbow for certification. We ascertain that their products are, in actuality, what they purport to be and, upon such determination, award a Seal. This lets you know that we have seen the product and that it does, indeed, exist.

The Seal, however, is not a "guarantee of satisfaction." The certification process is different from the review process. You are encouraged to read our reviews to determine whether the product is right for your needs.

There is absolutely no relationship between advertising in the Rainbow and the certification process. Certification is open and available to any product pertaining to CoCo. A Seal will be awarded to any commercial product, regardless of whether the firm advertises or not.

We will appreciate knowing of instances of violation of Seal use.

Using Machine Language

Machine Language programs are one of the features of the Rainbow. There are a number of ways to "get" these programs into memory so that you can operate them.

The easiest way is by using an Editor-Assembler, a program you can purchase from a number of sources.

An editor-assembler allows you to enter mnemonics into your CoCo and then have the editor-assembler assemble them into specific instructions that are understood by the 6809 chip that controls your computer.

When you use an editor-assembler, all you have to do, essentially, is copy the relevant instructions from the Rainbow's listing into CoCo.

Another method of getting an assembly language listing into CoCo is called "hand assembly." As the name implies, you do the assembly by hand. This can sometimes cause problems when you have to set up an ORIGIN statement or an EQUATE. In short, you have to know something about assembly to hand assemble some programs.

Use the following program if you wish to hand assemble machine language listings:

10 CLEAR200,&H3F00;I=&H3F80 20 PRINT "ADDRESS:";HEX\$(I); 30 INPUT "BYTE";B\$ 40 POKE I,VAL("&H"+B\$) 50 I=I+1:GOTO 20

This program assumes you have a 16K CoCo. If you have 32K, change the &H3F00 in Line 10 to &H7F00.

What's A CoCo

CoCo is an affectionate name which was first given to the TRS-80 Color Computer by its many fans, users and owners. As such, it is almost a generic term for three computers, all of which are very much alike.

When we use the term CoCo, we refer to the TRS-80 Color Computer, the TDP System-100 Computer and the Dragon-32 Computer. It is easier than using the three "given" names throughout the Rainbow.

In most cases, when a specific computer is mentioned, the application is for that specific computer. However, since the TDP System-100 and TRS-80 Color are, for all purposes, the same computer in a different case, these terms are almost always interchangable.

Rainbow Check PLUS

The small boxes that you see accompanying programs in the *Rainbow* "Check system," which is designed to help you type in programs accurately.

Rainbow Check PLUS will count the number and values of characters you type in. You can then compare the numbers you get to those printed in the Rainbow. On longer programs, some benchmark lines are given. When you reach the end of one of those lines with your typing, simply check to see if the numbers match.

To use Rainbow Check PLUS, type in the program and CSAVE it for later use, then type in the command RUN and press [ENTER]. Once the program has run, type NEW [ENTER] to remove it from the area where the program you're typing in will go.


Now, whenever you press the down arrow key, your CoCo will give you a checksum based on the length and content of the program in memory. This is to check against the numbers printed in the Rainbow. If your number is different, check the listing carefully to be sure that you typed in the correct BASIC program code. For more details on this helpful utility, refer to H. Allen Curtis' article on page 21 of the February 1984 Rainbow.

Since Rainbow Check PLUS counts spaces and punctuation, be sure to type in the listing exactly the way it's given in the magazine.

10 CLS:X=256*PEEK(35)+178 20 CLEAR25,X-1 30 X=256*PEEK(35)+178 40 FOR Z=X TOX+77 50 READ Y:W=W+Y:PRINT Z,Y;W 60 POKE Z,Y:NEXT 70 IFW=7985THEN80ELSEPRINT "DATA ERROR":STOP

80 EXEC X:END
90 DATA 182,1,106,167,140,60,134
100 DATA 126,183,1,106,190,1,107
110 DATA 175,140,50,48,140,4,191
120 DATA 1,107,57,129,10,38,38
130 DATA 52,22,79,158,25,230,129
140 DATA 39, 12, 171,128,171,128
150 DATA 230,132,38,250,48,1,32
160 DATA 240,183,2,222,48,140,14
170 DATA 159,166,166,132,28,254
180 DATA 189,173,198,53,22,126,0
190 DATA 0,135,255,134,40,55
200 DATA 51,52,41,0





SOPWITH COCO' FLIES AGAIN!

By William G. Franklin

or all you Sopwith flyers who have stuck with it, we are going to clean up a little and then really get serious about navigational aids.

If you had trouble in Line 170 of the *Instrument Flight Simulator* in the June 1983 issue, check the data statements carefully in the 7000 series lines to see that you have not inserted a semicolon in place of a comma. These are *DRAW*

strings and the letters must be correct or you will get a Function Call Error when the program attempts to draw the character in error. Disk system users please note that the variable AS in Lines 390, 400, 405, 410, 1190, 1510, and 8030 should be changed to some other designation, i.e., AV or VQ. Finally, if you remove the semicolons altogether in the 7000 series data statements you should be able to run the 16K version without having to CLEAR 100 prior to running.

This update will: allow 26 stations to be input; install a course deviation indicator (CDI) feature coupling the path deviation indicator to TACAN and ADF stations; require a field elevation input when entering ILS location data (this means you will no longer be landing at 0 on the altimeter, but at the barometric altitude, or field elevation, you set in). It will also give you some instrument labels if you wish, and clean up some of the techniques.

The increase to 26 stations now uses the alphabet to identify the stations: A through F for ILS, G through P for TACAN, and Q through Z for ADF. A significant difference is that when entering station data, the letter identifying the station need only be pressed. The rest of the information must still be entered. However, if you make a mistake, the information still may be re-entered the next time as only the last data entered for a particular station is valid. You will also be entering a field elevation — more on this later.

The CDI feature includes a read out in the window just above the DME window, a dot indication on the outside of the D/F dial, and an indication by the path deviation pointer if you are within $\pm 15^{\circ}$ of the selected course.

Course selection is made with the '1', '2', and '3' keys. The '1' key increments the hundreds digit, the '2' key increments the tens digit, and the '3' key increments the ones digit. Values above 360° are not allowed. For example, if the current course selected is 276° and the hundreds digit is incremented, the tens digit will reset to 0. This should not present any difficulty so long as the operation is understood. As a new course is selected, the dot on the outside of the D/F dial will be placed accordingly, representing the course selected.


If you are *inbound* to a station and want to fly a particular radial, the course selected must be the reciprocal, 180° opposite, of the radial you wish to fly. Example 1: You are flying inbound on the 44° radial, the selected course should be 224°. Example 2: You are inbound on 286° radial, the course selected should be 106°. If you are outbound, the selected course should be that of the radial. Example: You are flying away from a station on the 318° radial, select course 318. In all of these cases the path deviation pointer will indicate where the correct path is and you must fly toward that path — operation of this indicator is the same as in the ILS mode. As a course deviation indicator the calibration is 5° per division up to ±15°. Greater than 15° deviation from the selected course disconnects the CDI and removes the pointer.

The CDI indicates the selected path, left or right of your airplane, regardless of the aircraft heading. Therefore, it is important that you understand the inbound outbound and course select relationship so that you can properly interpret the CDI movement when flying across a radial and using that station to cross check your position.

When an ILS station, for which you have input a position, is selected, the runway heading will be displayed in the course set window and the indicator on the D/F dial will be set accordingly. Course select can not be changed while an ILS station is selected.

The field elevation feature allows you to insert a 0 to 2000 foot field elevation and, when landing, the ILS glideslope will indicate properly so that you will touch down with an altimeter reading of the field elevation. If you are not using

(Bill Franklin has worked in communications and electronics for over 26 years. He is currently a flight simulator technician at Little Rock Air Force Base.)



an ILS, the terrain elevation reverts to 0. Important: If you enter an ILS airspace at below the field elevation, then punch up the ILS station, the program will pause with a reminder of your error. You may continue by pressing ENTER. The ILS station will be turned off and you should climb to above the field elevation before reselecting that station. The "aircraft elevation" input allows you to place the airplane "on the field" at the beginning. However, as soon as you are airborne and select a valid nav-aids station, terrain elevation reverts to 0 or to that input for an ILS if you are in range.

The three features just described should enable you to use the FAA low-level charts and let-down plates to realistically simulate instrument flying techniques. These charts are available at FAA flight stations. Correspondence I have received from pilots has been enthusiastic about the Sopwith CoCo and these improvements are the ones most frequently requested.

Finally, the change in step 5670 puts the turn rate indicators close to the four minute and two minute turn rates, and Line 5810 will label the top two instruments on each side. More efficient methods are used in Lines 50, 60, and 1835; some interesting input techniques in Lines 56 and 1610-1625; and the course set control in lines 1660-1700.

If you do not wish to key in the program yourself, you may send \$7 to William G. Franklin, 31 Preston Ct., Jacksonville, AR 72076 for a tape of the complete updated Sopwith CoCo. Likewise, if anyone wants the original version for 16K, the same offer applies and please specify you want the 16K version.

72 207	2039 203
145 190	3005 18
380 73	5300 169
560 192	5540 126
1510 23	5810 26
1685 245	7010 101
1830 154	END 224

The listing:

1 PRINT"COPYRIGHT WILLIAM G. FRA NKLIN 1983"

2 'SIM 16A1 JUL 1983

20 DIMN\$ (26):DIMN(26):DIMSX(26):

DIMSY(26) 30 FOR X=0 TO 26: READ N\$(X):N(X) =Ø:NEXT 4Ø GOTO 55 50 CLS:PRINT"YOU HAVE ENTERED CO ORDINATES FORTHE FOLLOWING STATI ONS: " 53 FOR S=1 TO 26: IF N(S)=1 THEN PRINTCHR\$(S+64);CHR\$(32); 54 NEXT 55 PRINT: PRINT" WHAT STATION NUMB ER (A-Z)? ": 56 S\$=INKEY\$: IF S\$=""THEN 56 ELS E S=ASC(S\$)-64: IF S=-16 THEN 110 58 IF S<1 OR S>26 THEN 56 59 PRINTS\$ 60 IF S>16 THEN 90 ELSE IF S>6 T HEN 8Ø 70 PRINT: PRINT"STATION "; CHR\$ (S+ 64); " IS AN ILS": INPUT"STATION B EARING (0-360)": A: A=A/57.29: INPU T"STATION DISTANCE (MILES) "; D: D= $D*528\emptyset:SX(S)=D*COS(A):SY(S)=D*SI$ N(A): INPUT"RUNWAY HEADING (Ø-36Ø "; X:RB(S)=INT(X)/57.29:N(S)=172 INPUT"FIELD ELEV. (Ø-2000 FEE T)"; X: IF X<Ø OR X>2000 THEN 72 E LSE FE(S)=X 74 GOTO 5Ø 80 PRINT: PRINT"STATION "; CHR\$(S+ 64); " IS A TACAN": GOTO 100 90 PRINT:PRINT"STATION "; CHR\$(S+ 64);" IS AN ADF" 100 INPUT"STATION BEARING (0-360)":A:A=A/57.29:INPUT"STATION DIS TANCE (MILES) "; D: D=D*5280: SX(S) = D*COS(A):SY(S)=D*SIN(A):N(S)=1:G**OTO 50** 110 CLS:PRINT: INPUT"AIRCRAFT BEA RING (0-360)"; A: A=A/57.29: INPUT" AIRCRAFT DISTANCE (MILES) "; D: D=D *528Ø:TX=D*COS(A):TY=D*SIN(A):IN PUT"AIRCRAFT HEADING (Ø-36Ø)":X: CS=INT(X) 112 INPUT"AIRCRAFT ELEV. (0-2000 FT)":X:IF X<Ø OR X>2000 THEN 112 ELSE AL=X 120 PRINT: INPUT"GALLONS OF FUEL (MAX 24. USES 6 GPH @ 2000 RPM)" :X:IF X>24 THEN FR=12 ELSE IF X< Ø THEN FR=-12 ELSE FR=X-12 130 PRINT: INPUT"WIND DIRECTION (Ø-36Ø)"; X: WA=INT(X)+18Ø: INPUT"WI ND VELOCITY (MPH) "; X: WS=INT(X) 135 CLS: PRINT: PRINT 14Ø Z=JOYSTK(Ø):X=JOYSTK(1):IF X <63 THEN PRINT@64. "PLEASE PULL T HROTTLE BACK": GOTO 140 145 CLS 150 PRINT: PRINT: PRINT"PLEASE STA ND BY. AIRCRAFT IS BEING SERV ICED." 170 S=0:DIMA\$(10):FOR X=0 TO 10: READ A\$(X):NEXT X 210 PMODE4,1:PCLS0:GOSUB5000 290 RX=30:RY=100:AX=30:AY=40:VX= 224: VY=1ØØ: L1=224: L2=4Ø: LX=224: L Y=40:FX=224:FY=180:SX=30:SY=160: IX=128: IY=40 300 Q7=1:Q6=1:Q5=1:Q8=.01:H=0:AZ =AL:C7=9:G6=9:C5=9:LR=40:P1=1:TI MFR=Ø 320 H=TIMER: TIMER=0: TH=TH+H 33Ø Z=JOYSTK(Ø):R=63-JOYSTK(1):B =JOYSTK(2)-31:EP=(JOYSTK(3)-31)/ 340 IF B<>B1 OR EP<>PE THEN GOSU B 8000 360 IF AL>AZ OR R>12 THEN R=1260 +R*2Ø ELSE R=R*116 365 IF FR=-12 AND AL>AZ THEN R=7 ØØ ELSE IF FR=-12 AND AL=AZ THEN 367 IF R1<3Ø THEN R1=Ø 37Ø R=R1+((R-R1)*.6):R1=R:X=3Ø+(SIN(R/636.6) *15): Y=100-(COS(R/63 6.6) *15) : LINE (30, 100) - (RX, RY), PR ESET: LINE (30, 100) - (X, Y), PSET: RX= X:RY=Y 38Ø AP=(SIN(6*((R-2000)/4488)+.5 7) - .54) / 6390 AS=(R*(1-AP)*(1-EP))/16.66:A S=A1+((AS-A1)*.1): IF AS<10 THEN AS=Ø 4ØØ X=3Ø+(SIN(AS/39.46)*15):Y=4Ø -(COS(AS/39.46)*15):LINE(30,40)-(AX,AY), PRESET: LINE $(3\emptyset,4\emptyset)-(X,Y)$.PSET: AX=X: AY=Y: A1=AS 4Ø5 IF AS<5Ø THEN EP=-1 410 IF SGN(VV)=-1 THEN VV=((AP+E P) *AS) / 15 ELSE VV= (1-AL/10000) * ((AP+EP) *AS) /15 420 IF AL=AZ AND SGN(VV)=-1 THEN VV=Ø 43Ø V1=V5+((VV-V5)*.3):X=224-(CD S(V1)*15):Y=100-(SIN(V1)*15):LIN E(224, 100) - (VX, VY), PRESET: LINE (2 24,100)-(X,Y),PSET:VX=X:VY=Y:V5= V1 440 Z=JOYSTK(0):B=JOYSTK(2)-31:E P=(JOYSTK(3)-31)/188:P=INT(100*(EP+(SIN(6*AP-.57)+.54)/6)):IF B<

HARD DISK for the co co

5 meg \$1295

for the CO CO 10 meg \$1595

----- COMPLETE SYSTEM ----- JUST PLUG IN -----

HARD DISK - OPERATING SYSTEM features

- FULLY INTEGRATED INTO COLOR DISK BASIC
- TAPE TO HARD DISK
- DISK TO HARD DISK
- HARD DISK TO TAPE
- HARD DISK TO DISK
- .DUPLICATE
- COLD START
- M-RUN
- ALL EXTENDED DISK BASIC COMMANDS



without hard cirive ...
INTERFACE CARD & H-DOS

operating system only \$425.00

PERIPHERAL H-DOS UTILITY PACK \$129.00
BOOT STRAPS OS-9 OR FLEX, MDIR (master directory)

128 K - RAM CARD

INCREASE YOUR 64 K CO-CO OR CO-CO II TO 128 K RAM

- ☐ FITS COMPLETELY INSIDE YOUR COMPUTER.
- SWITCHES TWO NEW 32 K BANKS OF RAM IN AND OUT OF MEMORY.
- □ BANKS CAN BE MAPPED IN THE UPPER HALF OR LOWER HALF, OR CAN ALSO BE A SECOND COMPLETE 64 K BANK.
- ☐ SWITCH TABLES INCLUDED.
- ☐ SIMPLE INSTALLATION AND DOCUMENTATION.
- ☐ A MUST FOR OS-9 USERS.
- COMPLETE WITH 8 (4164) RAM CHIPS.
- □ PAL CHIP HANDLES ALL BANKING*
 COMMANDS.

\$149.95



DISK DRIVES COCO


TANDON DISK DRIVES

40 track - 6 ms trk-trk
FULLY COMPATIBLE

TEAC DISK DRIVES

FD-55 series

Smodels of 5-1/4" floppy disk drives
12 the helpin of conventional drives
12 the helpin of conventional drives
10 the helpin of conventional drives
10 the helpin of conventional drives
10 the helpin of the helpin




Super Sale on New Disk Drives

MODEL III & 4
DISK CONTROLLER KIT

- OR SLIM LINE DRIVES
- EASY INSTALLATION
- ☐ FULLY TESTED AND ASSEMBLED
- □ COMPLETE WITH EASY INSTRUCTIONS.
- ☐ J & M SYSTEMS CONTROLLER →





Distributor for - SOFTWARE SUPPORT, INC. Framingham, MA.

USA RGS MICRO INC.

MAIN STREET
DERBY LINE, VERMONT
ZIP 05830
TEL: 802-873-3386

TEL: 802-873-3386 ORDER LINE 800-361-4970



CANADA

RGS MICRO INC.
759, VICTORIA SQUARE 405
MONTRÉAL H2Y 2J3
TEL.:(514) 287-1563
ORDER LINE ONLY ** *
QUEBEC - ONTARIO - MARITIMES
800-361-5338
WESTERN CANADA 800-361-5155

TERMS: VISA - MASTER CARD - AMERICAN EXPRESS

HOURS: MONDAY - SATURDAY 10:00 AM - 6:00 PM

>B1 DR EP<>PE DR P<>P1 DR AS<40 THEN GOSUB 8000 450 AL=AL+(VV*H)/4.6: IF AL<=0 TH EN AL=Ø ELSE IF AL<=AZ THEN AL=A 46Ø X=224+(SIN(AL/159)*15);Y=4Ø-(COS(AL/159) *15): LINE(224, 40) -(L $X_LY)$, PRESET: LINE (224, 40) - (X, Y), PSET:LX=X:LY=Y 470 X=224+(SIN(AL/1592)*8):Y=40-(COS(AL/1592) *8):LINE(224,40)-(L 1, L2), PRESET: LINE (224, 40) - (X, Y), PSET:L1=X:L2=Y 56Ø FR=FR-((R*H)/72ØØØØØØ):IF FR =<-12 THEN FR=-12 57Ø X=224+SIN(FR/25.2) *26: Y=18Ø-COS (FR/25.2) *26: LINE (224.180) - (F X, FY), PRESET: LINE (224, 180) - (X, Y) .PSET:FX=X:FY=Y 58Ø Z=JOYSTK(Ø):B=JOYSTK(2)-31:E P=(JOYSTK(3)-31)/188:IF B<>B1 OR EP<>PE THEN GOSUB 8000 1190 IF AS<=0 THEN 1310 1200 BC=-10*(COS((B/31)+1.570796 3)):CS=CS+BC:IF CS>360 THEN CS=C S-360 ELSE IF CS<=0 THEN CS=CS+3 60 1310 C=INT(CS+.5): IF C=C1 THEN 1 350 ELSE C2=INT(C/100):C3=INT(C/ 10)-(10*C2):C4=C-(100*C2)-(10*C3):C1=C:DRAW"CØ;BM134,23;XA\$(C7); C1; XA\$ (C4); ": C7=C4 1320 IF C3=C6 THEN 1350 ELSE DRA W"CØ; BM126, 23; XA\$(C6); C1; XA\$(C3) ;":C6=C3 133Ø IF C2=C5 THEN 135Ø ELSE DRA W"CØ; BM118, 23; XA\$(C5); C1; XA\$(C2) ; ": C5=C2 135Ø X=3Ø+SIN(C/57.2)*1Ø:Y=16Ø-C OS(C/57.2)*10:CIRCLE(CX,CY),1,0: CIRCLE(X,Y),1,1:CX=X:CY=Y 136Ø Z=JOYSTK(Ø):B=JOYSTK(2)-31: EP=(JOYSTK(3)-31)/188: IF B<>B1 0 R EP<>PE THEN GOSUB 8000 1510 IF AS=0 THEN 1610 ELSE CD=(AS*5.28*H)/216:A=CS/57.29:X=CD*C OS(A):Y=CD*SIN(A):TX=TX+X:TY=TY+ 1520 IF AL=AZ OR WS=0 THEN 1610 ELSE WD=(WS*5.28*H)/216:A=WA/57. 29: X=WD*COS(A): Y=WD*SIN(A): TX=TX +X:TY=TY+Y 1610 S\$=INKEY\$: IF S\$="" THEN 164 1615 X=VAL(S\$): IF X>Ø AND X<4 AN D S>6 OR S<1 THEN ON X GOSUB 166 0,1670,1680 1620 X=ASC(S\$)-64: IF X=-16 THEN

 $X = \emptyset$ 1625 IF X<Ø OR X>26 THEN 164Ø EL SE GOSUB 1710 163Ø DRAW"CØ; BM126, 17Ø; XN\$(S); C1 ; XN\$ (X); ": S=X: GOSUB 1710 1635 IF S<7 AND N(S)=1 GOSUB 174 1640 IF S=0 OR N(S)=0 THEN GOSUB 1710 ELSE GOSUB 1810 1645 Z=JOYSTK(Ø):B=JOYSTK(2)-31: EP=(JOYSTK(3)-31)/188:IF B<>B1 0 R EP<>PE THEN GOSUB 8000 1650 GOTO 2100 1660 F=F+1: IF F>3 THEN F=0 1665 DRAW"CØ; BM66, 151; XA\$ (FS); C1 ; XA\$(F); ": FS=F: GOTO 1690 167Ø G=G+1: IF G>9 THEN G=Ø 1675 DRAW"CØ; BM73, 151; XA\$ (GS); C1 ; XA\$ (G); ": GS=G: GOTO 1690 168Ø I=I+1:IF I>9 THEN I=Ø 1685 DRAW"CØ; BM8Ø, 151; XA\$(IS); C1 ; XA\$(I); ": IS=I 169Ø J=(F*1ØØ)+(G*1Ø)+I:IF J>36Ø THEN G=-1:GOTO 1670 1695 JB=J/57.2 1700 X=30+SIN(JB)*28:Y=160-COS(J B) *28: CIRCLE (FA, FB), 1, Ø: CIRCLE (X , Y) , 1, 1: FA=X: FB=Y: RETURN 1710 IF D7=10 AND N(S)=0 THEN RE TURN ELSE LINE (30, 160) - (SX, SY), P RESET: DRAW"C0; BM83, 170; XA\$ (D7); B M-1Ø, Ø; XA\$ (D6); BM-7, Ø; XA\$ (D5); C1 ; XA\$(1Ø); BM+7, Ø; XA\$(1Ø); BM+1Ø, Ø; XA\$(10); ":LINE(128, 40)-(IX, IY), PRESET: CIRCLE(162, 92+GX), 1, Ø, .1:D 7=10: D6=10: D5=10 1712 IF AZ<AL THEN AZ=Ø 1730 SCREEN1, Ø: RETURN 174Ø F=INT(RB(S)*.5729):G=INT(RB (S)*5.729)-(10*F):I=INT(RB(S)*57.29)-(100*F)-(10*G):DRAW"C0;BM66 , 151; XA\$ (FS); BM+7, Ø; XA\$ (GS); BM+7 ,Ø; XA\$(IS);C1; XA\$(I);BM-7,Ø; XA\$(G); BM-7, Ø; XA\$(F); ": FS=F: GS=G: IS= I:JB=RB(S):GOTO 1700 181Ø BX=SX(S)-TX:BY=SY(S)-TY:SD= SQR (BX^2+BY^2) 1811 IF BX=Ø THEN BX=.ØØ1 1812 IF BY=Ø THEN BY=. ØØ1 1820 X=BY/BX:IF BX<0 THEN 1830 E LSE SB=ATN(X):GOTO 1835 183Ø SB=ATN(X)-3.1416 1835 IF S>16 THEN 2039 ELSE IF S >6 THEN 1939 1839 IF SD/5280>10 THEN 1710 1840 CA=SB-(RB(S)-1.5708):DB=COS (CA): IF ABS(DB) > . 2588 THEN 1710 ELSE IF DB>.0523 THEN DB=.0523 E

MORETON BAY SOFTWARE

DOUBLE DRIVER

The BEST monitor driver available, unlike some monitor drivers the Double Driver provides TRUE monochrome and color composite output. Audio Output. Solderless installation. \$24.95



RESET YOUR COMPUTER

A REAL Improvement

Move the power switch and reset where they belong. An LED power on light too! High quality parts. Totally solderless kit.

CoCo I \$24.95 CoCo II \$27.95



64K UPGRADES

Instantly access 64K via M/L Totally solderless kit to upgrade E Boards. Kit includes eight 4164 prime chips and chips U29 and U11 already soldered. E Board Kit \$69.95

Color Computer II kit requires soldering. \$64.95



GRAPHICOM

The Ultimate Graphic Utility

You must see this program to believe it! Create pictures and text on the same screen. Now you can create pictures as good as any graphic you have seen on the color computer. Write graphic adventures or educational programs. Requires 64K EXB, Disk Drive and Joy Sticks \$29.95

MORETON BAY SOFTWARE

A Division of Moreton Bay Laboratory



316 CASTILLO STREET SANTA BARBARA, CALIFORNIA 93101 (805) 962-3127

Ordering Information

Add \$2.00 shipping and handling per order. We ship within 24 hours on receipt of order. Blue Label Service available. California residents add 6% sales tax.

BUSINESS UTILITIES

MORE BUSINESS -Ver 3.12 The *preferred* business package. Completely interactive. General Ledger. Accounts Receivable. Accounts Payable. Customer Statements. Mailing Labels. Profit/Loss. Balance Sheet Statements. Our most powerful business package. Buy the best!

32K Disk R/S DOS \$99.95

MORE INVENTORY - Maintain an inventory of more than 1000 items. Know when to order, what has been ordered, quantity and value of any item. Calculate inventory value with single keystroke.

32K Disk R/S DOS \$44.95

UTILITIES FOR EVERYONE

COCOWRITER II — Powerful and full featured. An excellent word processor at an affordable price. 32, 51, 64 or 85 characters per line, justify right, left, center, insert, delete, move blocks. Menu driven printing and formatting. Tabs, etc. One of the best values in word processing today!

16 K EXB Cassette \$34.95, 16K EXB Disk \$44.95

THINKING GAMES

TRIVIA — THE EINSTEIN EDITION - A one to four player trivia game. More than 1900 challenging questions. Great for parties or family fun.

16K Non Extended \$19.95 Cassette, \$21.95 Disk

CUT-N-GLUE


A Companion to the Coco-Writer II
Super User Friendly 100% Machine Language

Graphic windows and icons guide you every step of the way. Small pictures show you what exactly is happening, or what steps you can do next. Up to seven text windows on the same screen!

You can now have a filing cabinet in the computer's memory with up to six file folders. Each folder can contain a word processor document or part of a document. The document(s) being edited can be cut up, glued together in any way you wish, swapped between folders and the edit memory and ultimately saved. You will now have 17,664 characters of edit memory and 29,183 characters of file cabinet memory (for the six folders). More than 46K of document space!

Requires: 64K Extended and the CoCo Writer II. A disk drive is strongly recommended but not essential.

CUT-N-GLUE Disk \$26.95, Tape \$24.95



S(DB*2Ø)*15:LINE(128,4Ø)-(IX,IY) ,PRESET: LINE (128, 40) - (X, Y), PSET: IX=X: IY=Y 1855 AZ=FE(S): AR=AL-AZ: IF AR<Ø T HEN 3000 1860 X=((AR/(SD-1000))-.04366)*1 ØØØ: IF X>18 THEN X=18 ELSE IF X< -18 THEN X=-18 187Ø CIRCLE(162,92+GX),1,Ø,.1:CI RCLE(162, 92+X), 1, 1, 1; GX=X:GOTO 1939 IF SD/528>999 THEN 1710 1940 X=30+SIN(SB)*15:Y=160-COS(S B) *15: LINE (3Ø, 16Ø) - (SX, SY), PRESE T:LINE(3Ø, 16Ø) - (X, Y), PSET:SX=X:S Y=Y:IF S>6 GOSUB 2050 1950 SD=INT(SD/528): IF SD=D1 THE N RETURN ELSE D2=INT(SD/100):D3= INT(SD/10)-(10*D2):D4=SD-(100*D2)-(1Ø*D3):D1=SD:DRAW"CØ;BM83,17Ø ; XA\$(D7); C1; XA\$(D4); ": D7=D4 1960 IF D3=D6 THEN RETURN ELSE D RAW"CØ; BM-10, Ø; XA\$ (D6); C1; XA\$ (D3);":D6=D3 1970 IF D2=D5 THEN RETURN ELSE D RAW"CØ; BM-7, Ø; XA\$ (D5); C1; XA\$ (D2) ; ": D5=D2: RETURN 2039 IF SD/528>1999 THEN 1710 2040 X=30+SIN(SB)*15:Y=160-COS(S B) *15: LINE (30, 160) - (SX, SY), PRESE T:LINE(3Ø, 16Ø) - (X, Y), PSET:SX=X:S Y=Y 2050 CA=SB-(JB-1.5708):DB=COS(CA): X=128-SIN(DB*4)*15: Y=4Ø+COS(DB *4) *15: LINE (128, 40) - (IX, IY) . PRES ET: IF ABS (DB) > 2588 THEN RETURN ELSE LINE(128, 40) - (X, Y), PSET: IX= X: IY=Y: RETURN 2100 Q1=INT(TH/3600):IF Q1=Q8 TH EN 320 ELSE Q2=INT(TH/216000):Q3 =INT(TH/36000)-(6*Q2):Q4=Q1-(10* Q3)-(60*Q2):Q8=Q1:DRAW"C0;BM184. 17Ø; XA\$(Q7); C1; XA\$(Q4); ": Q7=Q4 2130 IF Q3=Q6 THEN 320 ELSE DRAW "CØ; BM-7, Ø; XA\$ (Q6); C1; XA\$ (Q3); ": 2140 IF Q2=Q5 THEN 320 ELSE DRAW "CØ; BM-10, Ø; XA\$(Q5); C1; XA\$(Q2);" :Q5=Q2:GOTO 32Ø 3000 CLS:PRINT:PRINT"YOUR ALTITU DE IS LESS THAN TERRAIN ELE CONTINUE BY VATION. YOU MAY PRESSING <ENTER>. THE ILS STA TION SELECTED WILL BE TURNED O FF AND YOU SHOULD BE ABOVE"; FE (S); "FT. BEFORE SELECTING"

LSE IF DB<-.0523 THEN DB=-.0523

185Ø X=128-SIN(DB*2Ø)*15:Y=4Ø+CO

3005 PRINT"STATION '"; CHR\$(S+64) " AGAIN." 3010 INPUT""; X:SCREEN1, 0 3020 DRAW"C0; BM126.170; XN\$(S);C1 ; XN\$ (Ø); ": S=Ø: D7=Ø: AZ=Ø: TIMER=Ø: **GOTO 1710** 5000 FOR X=30 TO 224 STEP 194:FO R Y=40 TO 160 STEP 60:CIRCLE(X,Y), 25, 1: NEXT Y: NEXT X 5010 CIRCLE(128,92),55,1 5020 LINE(84,92)-(88,92), PSET:FO R X=74 TO 110 STEP 6:LINE(86, X)-(88, X), PSET: NEXT X 5030 LINE(168.92)-(172.92).PSET: FOR X=74 TO 110 STEP 9:LINE(168, X)-(17Ø, X), PSET: NEXT X 5040 FOR Z=1 TO 3:GOSUB 5060:NEX TZ 5050 FOR Z=5 TO 7:GOSUB 5060:NEX T Z:GOTO 5100 5060 X=SIN((6.2832/10)*Z):Y=COS((6.2832/10)*Z) 5070 XA=30+(20*X):XB=30+(24*X):Y A=40-(20*Y):YB=40-(24*Y)5080 LINE(XA,YA)-(XB,YB),PSET:RE TURN 5100 DRAW"BM28, 24; XA\$(0); BM39, 58 ; XA\$(1); BM1Ø, 36; XA\$(2);" 5200 FOR Z=1 TO 9 STEP 2 521Ø X=SIN((6.2832/10)*Z):Y=COS((6.2832/10)*2)522Ø XA=224+(2Ø*X):XB=224+(24*X) :YA=40-(20*Y):YB=40-(24*Y) 523Ø LINE(XA, YA) - (XB, YB), PSET: NE 525Ø DRAW"BM222, 24; XA\$(Ø); BM239, 36; XA\$(2); BM233, 58; XA\$(4); BM210. 58; XA\$ (6); BM2Ø4, 36; XA\$ (8); " 5300 FOR Z=2 TO 8 STEP 2: X=COS((6.2832/10) *Z): Y=SIN((6.2832/10) * 532Ø XA=224+(2Ø*X):XB=224+(24*X) :YA=100+(20*Y):YB=100+(24*Y) 5330 LINE(XA, YA) - (XB, YB), PSET: NE XT Z 534Ø DRAW"BM237,113; XA\$(2); BM215 ,121;XA\$(1);BM2Ø3,1Ø2;XA\$(Ø);BM2 15,85; XA\$(1); BM237,92; XA\$(2);" 535Ø LINE(114,15)-(142,25), PSET, B:CIRCLE(128, 19), 18, 1 5400 FOR Z=1 TO 5 STEP 2 541Ø X=SIN((6.2832/8)*Z):Y=COS((6.2832/8) *Z) 5420 XA=30+(20*X):XB=30+(24*X):Y A=100-(20*Y):YB=100-(24*Y)5430 LINE (XA, YA) - (XB, YB), PSET: NE 545Ø DRAW"BM28,84; XA\$(Ø); BM47,1Ø 3; XA\$(1); BM2B, 122; XA\$(2); BM9, 103; XA\$(3); "

5500 FOR Z=2 TO 11 STEP 3:GOSUB 5510:NEXT

5505 FOR Z=1 TO 10 STEP 3:GOSUB 5510:NEXT:GOTO 5540

5510 X=SIN((6.2832/12)*Z):Y=COS((6.2832/12)*Z)

552Ø XA=3Ø+(2Ø*X):XB=3Ø+(24*X):Y A=16Ø-(2Ø*Y):YB=16Ø-(24*Y)

553Ø LINE(XA, YA) - (XB, YB), PSET: RE TURN

554Ø DRAW"BM28,144; XN\$(14); BM47, 163; XN\$(5); BM28, 182; XN\$(19); BM9, 163; XN\$(23); "

5600 FOR Z=-1 TO 1

5610 X=SIN((6.2862/24)*Z):Y=COS((6.2862/24)*Z)

5620 XA=224+(30*X):XB=224+(33*X):YA=180-(30*Y):YB=180-(33*Y)

563Ø LINE(XA,YA)-(XB,YB),PSET:NE

5650 DRAW"BM206, 154; XN\$(5); BM238 ,154; XN\$(6); "

566Ø CIRCLE(128,Ø),14Ø,1,1,.23,.

567Ø DRAW"BM128,135;ND5;BM+11,Ø; ND3;BM+9,Ø;ND2;BM-31,Ø;ND3;BM-9, Ø;D2;"

5680 LINE(62,142)-(88,153), PSET, B:LINE(62,161)-(91,172), PSET, B:LINE(163,161)-(192,172), PSET, B:LINE(122,161)-(134,172), PSET, B:DRAW"BM80,169;U1;BM+94,0;N;D1;BU2;U1;"

5705 FOR Z=-3 TO 3:A=Z/57.29:X=S IN(A*20):Y=COS(A*20):XA=128-(19*X):XB=128-(21*X):YA=40+(19*Y):YB =40+(21*Y)

571Ø LINE(XA, YA) - (XB, YB), PSET: NE XT

5800 DRAW"BM126,170;XN\$(0);BM66, 151;XA\$(0);BM+7,0;XA\$(0);BM+7,0; XA\$(0);"

581Ø DRAW"BM5Ø, 65; XN\$(13); BM+7, Ø; XN\$(16); BM+7, Ø; XN\$(8); BM+Ø, +6Ø; XN\$(13); BM-7, Ø; XN\$(16); BM-7, Ø; XN\$(18); BM+151, Ø; XN\$(9); BM-7, Ø; XN\$(22); BM-7, Ø; XN\$(1); BM+7, Ø; XN\$(12); BM+7, Ø; XN\$(2Ø); "

5900 RETURN

6000 DATA BU1U4E1R2F1NG4D4G1L2H1 BD1,U5E1R2F1D2NL4D3BL4,U6R3F1D1G 1NL3F1D1G1L3,BU1U4E1R2F1BD4G1L2H 1BD1,U6R2F2D2G2L2,U6R4BD3BL1L3D3 NR4

6010 DATA U6R4BD3BL1L3D3, BU1U4E1

R3BD4NL1D2L3H1BD1, U6BR4D3NL4D3BL 4, BU6BR1R2L1D6NR1L1BL1, BU6BR4D5G 1L2H1BD1, U6D3R1NE3NF3BD3BL1

6020 DATA NU6NR4, U6F2ND1E2D6BL4, U6D1F4NU5D1BL4, BU1U4E1R2F1D4G1L2 H1BD1, U6R3F1D1G1L3D3, BU1U4E1R2F1 D3G1NH1NF1G1L1H1BD1

6030 DATA U6R3F1D1G1L3R1F3BL4,BU 5BR4H1L2G1D1F1R2F1D1G1L2H1BD1,BU 6R4L2D6BL2,BU1U5BR4D5G1L2H1BD1,B U6BR4D2G1D1G1ND1H1U1H1NU2BD4,NU6 E2NU1F2NU6BL4

6040 DATA BU6D1F2E2NU1BD4ND1H2G2 D1,BU6BR4D1G2ND3H2NU1BD5,BU6R4D1 G4D1NR4

7000 DATA BU1U4E1R2F1NG4D4G1L2H1 BD1, BU6BR2NG1D6R1L2BL1, BU5E1R2F1 D1G1L1G2D1NR4, BU5E1R2F1D1G1NL1F1 D1G1L2H1BD1, BU2NR4U1E3D6BL3

7010 DATA BU6NR4D3E1R2F1D2G1L2H1 BD1, BU6BR2NR2G2D3U2R3F1D1G1L2H1B D1, BU6R4D1G3D2BL1, BU1U1E1NR1H1U1 E1R2F1D1G1NL1F1D1G1L2H1BD1, BU4NF 1U1E1R2F1D2NL3D1G2L2

7020 DATA BU6D1F2E2NU1BD4ND1H2G2 D1

8000 TR=INT(B*COS(B/41)+.5):IF T R=LR THEN 8020

8010 LINE(126+LR,130)-(130+LR,13 0),PRESET:LINE(128+LR,130)-(128+ LR,133),PRESET:LINE(126+TR,130)-(130+TR,130),PSET:LINE(128+TR,13 0)-(128+TR,133),PSET:LR=TR

8020 P=INT(100*(EP+(SIN(6*AP-.57)+.54)/6)):IF P>20 THEN P=20 ELS E IF P<-20 THEN P=-20

8025 IF AL<5+AZ THEN AL=AZ

8030 IF AL=AZ AND AS<50 OR AL=AZ AND SGN(P)=-1 THEN P=0

8040 IF P=P1 AND B=B1 THEN RETUR

8050 BB=B/93:IF AL=AZ THEN BB=0 8060 X=INT(COS(BB)*25):Y=SIN(BB)

8070 LINE(128+PX,92-P1+PY)-(128-PX,92-P1-PY), PRESET: CIRCLE(128,9 2-P1),5,0

8080 LINE(128+X,92-P+Y)-(128-X,9 2-P-Y),PSET:CIRCLE(128,92-P),5,1 :P1=P:PX=X:PY=Y:B1=B:PE=EP:RETUR N



COLOR TERM

If you're looking for the finest terminal software you can buy, look no further! And now we've added a **high-res screen** display that gives you 32 by 16, 42, 51, or 64 by 24 lines.* And you can switch between the high-res screen and the normal screen without destroying what you have in the buffer! + PLUS + we have a buffer editor, complete up and down load support, on-line cassette or disk reads and writes, off-line and on-line scrolling, pre-entry of data before calling, word wrap, buffer printing, selective printing, change any parameter so you can communicate with any other computer. You can send and receive Basic programs, ASCII file, as well as machine code, +PLUS+ you can save your buffer to tape (Tape or Rom version) or disk (Disk version). You can communicate with the local BBS, CompuserveTM, The SourceTM, the main frame at work or school, other color computers, Apples, IBM PC'S, TRS-80 Model I, II, III, IV, 12, 16, 100, or any other computer via RS-232.

Compare these features with any other terminal program:

 $32 \times 16, 42, 51, 6 \times 24$ Screen

Communications BAUD Rate: 110-19200

Printer Baud Rate: 600-9600 Select Half or Full Duplex.

Select Odd, Even, or no Parity.

Select 7 or 8 Bit Words.

Send Control Characters.

Send a True Line Break.

Separate Keys for Escape and Rubout.

Select All Caps If Needed.

Word Wrap — Eliminate Split Words. (32 Character Mode)

Selectable Reverse or Normal Video.

(32 Character Mode)

*Disk and Rom Pack only (not on tape). PRICE: \$29.95 (TAPE) \$39.95 (ROM PACK) \$39.95 (DISK)

Scroll Protect Up to 9 Lines.

Automatic Capture of Incoming Files, Send One Line At a

Time From Your Buffer.

Has Programmable Prompt for "Send Next Line!!"

Buffer Size Indicator.

Complete Up and Down Load Support.

Improved Buffer Editor.

On/Off Line Scrolling of Buffer.

On/Off Cassette or Disk Reads and Writes.

Pre-Enter Data Before Going On-Line.

Save/Load Machine Code, Basic Programs or Files.

Select Printer Line Feeds If Needed or Ignore All Line Feeds

in Buffer.

BBS 817-387-8381

HARDWARE

SUPER PRO KEYBOARD — Mark Data replacement. . \$64.95 **DOUBLE SWITCH I** — This is our original switch box. Two LEDs show you which port is being used, 1 or 2. High quality parts, and a new great looking yellow face plate \$29.95 DOUBLE SWITCH II - Same as the above switch box, but we have added three RCA jacks, and a switch which allows you to switch between your 80 column board output, and your computer output at a touch instead of unplugging......\$39.95 VIDEO SWITCH - Switch between your 80 column board, and your computer's output. Two LEDs display the \$19.95 **DOUBLE CABLE** — If you don't have a lot of money to spend, you can hook a modem and a printer up at the same time using this Y-Cable. Works with most printers..... WORD PAK (80 Column Board) - This is one of the finest pieces of hardware to come along since the CoCo. Allows you to display a real 80 column screen, not the graphics that are sometimes difficult to read. Comes with a software driver that will interface basic into the 80 column board. Y-CABLE — Used with the WORD PAK when disk drives are being used. Not needed if you own some type of multi-port device, the Multi-Pak interface for instance... \$29.95 DOUBLE DRIVER - Best video driver available for the Color Computer. Made by our friends at Moreton Bay Software. Specify regular CoCo or CoCo II.....

DOUBLE SPEAKER — This plug-in device gives you sound with a monitor. Plugs right in, nothing to solder \$19.95

HARD DISK DRIVE FOR THE CoCo WITH CONTROLLER:

5 MEG HARD DISK DRIVE.....\$1299.95 10 MEG HARD DISK DRIVE.....\$1599.95

\$2.00 shipping and handling on all orders. \$3.00 charge on C.O.D. orders, Mastercard and VISA accepted. Texas residents add 5% sales tax. Allow two weeks for personal checks.

Send 20 cent stamp for free catalog.

Double Density Software



920 Baldwin Street Denton, Texas 76205 Phone 817/566-2004



DOUBLE DOS II

NEW AND IMPROVED!! Double Dos II is an enhanced version of our original DOUBLE DOS program. The original Double Dos was so well received that we decided to add even more capabilities, and fix some of the limitations in the original program. With Double Dos you can use 35, 40 or 80 track (double and single sided) drives all on one system, all at the same time. (The use of double sided drives will limit you to three drives.) Works with all types of 54 or 3 inch drive systems and All commands are supported in Double Dos! Double Dos is totally transparent to your basic programs! If your system selection is 80 tracks, a FREE command will return 158 granules! Compare this to the 68 granules your system now returns. You get 78 granules with a 40 track drive, 10 more than the 35 track system. EVERY command in basic is supported by Double Dos. There is only one limitation, you can only open any number of files to one drive at a time, otherwise everything else is the same. Plus you get some great new commands!! Look at what Double Dos will allow as new disk basic commands:

BAUD 1-6 ... change the BAUD rate with a command, no pokes

TRACK 35,36,40,80 ... change the number of tracks.

DOUBLE ... enable the double sided option.

PDIR ... print your directory to the printer.

DUMP ON/OFF ... send a basic program to a friend without using a terminal program!

RATE 6,35 ... change the head stepping rate.

VIDEO ON/OFF ... will give you a reverse screen without a hardware modification.

SCROLL 1-255 ... change the screen scrolling speed.

COMMAND ... will list all new commands.

DUPE 0-2 ... will allow copy & backup from one side of a disk to the other side on double sided systems!

DATE ... you can enter the month, day, and year which will be stored in the directory of your disk each time you save a program or file, and you can see it when you use the DIR command! Very useful when looking for the most current file or program!

AND, all commands can be used inside basic programs because they have been added to disk basics list of commands! You also get full reset protection, which means that you will stay in the 64K mode until you power-down.

PRICE: \$29.95 (DISK ONLY) 64K Required

REAL EIGHTY-COLUMN DISPLAY!

JUTRA TERM -



PROFESSIONAL PROFESSIONAL PROFESSIONAL PROFESSIONAL

This program is the ultimate in coco communicating!! *Ultra* Term + is used with a plug-in 80 column board* that gives you True 80 columns, not the graphics display that is unreadable at 80 columns. This is truly a Professional Package that is so easy to use that once you have used it, you'll wonder why other packages are so difficult to use, (except for Color Term + Plus + that is!) After using a terminal program that cannot give you True mainframe terminal emulation, you will find Ultra Term + indispensable! Ultra Term + even has a host mode that allows you to echo characters like full duplex mainframes do! There are also 10 macro keys which will allow you to save passwords, phone numbers, modem programming information, etc. + PLUS + you can save them to disk. Also, like all Professional terminal programs you can save your current parameters. This saves you set up time when moving from one system to another. +Plus+ when used with the parallel printer port** you can print what is coming in. And what about documentation? Every feature is explained in detail and indexed for fast look up! There is also a comprehensive help section to aid those unfamiliar with telecommunications. Although this program was designed for the Professional a total novice can use it with ease. Check all the features listed below and then you decide who has the world's smartest terminal!

Baud Rates: 110-4800 (communicate) 600-9600 (printer).

Screen Format: 80 x 25 w/true upper & lower case.

Select half, full duplex or echo. Select odd, even, mark, space or no parity. Send all 128 characters from keyboard. Select 7 or 8 bit words. Select 1 or 2 stop bits. Send a true line break Select all caps if needed. Automatic capture of incoming files. X on/X off capabilities. Merge text or programs in buffer. 53,000 character buffer (64K) Send and receive BASIC, FILES and machine code.

10 macro keys.

Four buffer send modes (dump, prompted, manual & time delay). Buffer size indicators (bytes used & bytes remaining)

Buffer editor w/auto key repeat. Scroll forward & reverse to view buffer & print viewed screen option. Selectable printer formats (line feeds,

Selectable trapping of incoming characters.

Print while receiving data* Buffer editor has these features: Move forward and reverse through buffer. Insert, type over, delete lines or characters

Block deletion or start to end of buffer delete.

Save and load macros. Save and load parameters. Use 1-4 disk drive (w/SAVE, LOAD, DIR. & granule display)

Easy to use MENU driven format. Comprehensive users manual Works with ALL Radio ShackTM Disk

Systems and ail models of color computers.

Still not convinced? How about a 15 day, money back guarantee? If you don't like the package for any reason, we will refund your money upon return of a likenew package.† Who out there is offering you this kind of deal? And customer support was never better. Simply fill out your registration card and send it back to us and you will be notified when new features, improvements, etc. become available because all registered owners will receive Free upgrades for a \$5:00 shipping and handling fee).

As with all good Professional programs, Ultra Term + is all machine code. This program has been tested by those both familiar and unfamiliar with communications programs. And when you call for some technical support, you won't get an answering machine during our business hours (10-5 CST M-Sat.) under normal circumstances. Technical help is usually available all day.

PRICE: Ultra Term + - \$55.95 (Disk)

Word-Pak (80-column board: includes a software driver so you can use your basic programs with no modification in most cases!)....**\$139.95** + **\$**3.00 S&H

Y-Cable...\$29.95 (Required if expansion port not used with disk drives)

Complete Package Ultra Term + Word Pak & Y Cable [subtract \$20.00 if not needed] is only \$210.00

*Ultra Term + supports the 80 column board made by PBJ, Inc. If you already have the board, simply order the program, but those of you who don't can get a good deal.

**Parallel Printer Port from PBJ, Inc. †Less \$10.00 restocking charge

DOUBLE SPOOLER

Tired of waiting for your listings? printouts? etc.? This is THE Spooling Program!! No need to save your programs in ASCII. You can also spool your files and you can spool ANYTHING you print on the screen while a program is running! Requires a minimum of 32K AND the 64K computer can spool really LARGE files!! Plus more!! PRICE: \$19.95 (Tape) \$21.95 (Disk)

DOUBLE MAILER

At last a powerful, easy to use, mailing list program for a reasonable price. Up to 200 names can be held in memory for you to change, modify, search or print as you like. Plus, you can print out up to 1800 names without touching the keyboard. Save thousands of names on each disk. The machine language sort routine will sort 200 names in as little as 6 seconds! Supports single or double wide labels. Three and four line labels can be intermixed without leaving gaps in your listings! All menu driven, and easy to use. Printer support gives 600-9600 BAUD selection, and different print sizes if you wish. 16K Extended



Double 80 Plus



Announcing a BREAK-THROUGH! Now you can own an 80 column board for \$99.95. And you can choose the software you want to buy instead of being charged for something you don't want. Y-Cable available for use with disk drives. Look at these features and compare:

TRUE 80 COLUMN OUTPUT BUILT IN SWITCH FOR COCO OR DOUBLE 80 PLUS ADJUSTABLE VIDEO OUTPUT GOLD PLATED EDGE CONNECTOR DRIVERS AVAILABLE FOR BASIC, OS9 and FLEX DISPLAY ALL ASCII CHARACTERS ALTERNATE CHARACTER SETS AVAILABLE METAL CASE (not cheap plastic) ULTRA TERM + available for this board BACKED BY A 90 DAY PARTS AND LABOR WARRANTY

PRICES: DOUBLE 80 PLUS (80 column	board)	 \$99.95
Y-CABLE		 29.95
BASIC DRIVER		 12.95
OS9 DRIVER		 12.95
FLEX DRIVER (available soon)	 12.95
ULTRA TERM + (disk only)		

Watching it all add up + with . . .

The IRA Projection

By Leonard Hyre

ne of the best ideas the federal government has had in the last decade has to be the Individual Retirement Account (IRA). It gives the average person the chance to build a future retirement fund without paying the price of taxation now on the money he puts away. People who are considering such accounts invariably wonder about just how it all adds up, and rightly so! I love to plug in the various figures and watch the theoretical interest come pouring in. You can get some practical use out of my IRA Projection program and, at the same time, kick around lots of figures just to be sure you are making the right choice of planning or financial institution.

One of the reasons I bought the CoCo is that it is a Color Computer. So why does a practical program have to be blah? It doesn't! Programs can be colorful, have lots of bells and whistles, and still perform a quality service for the user. I've tried to emphasize this theme with IRA Projection.

A nifty looking title screen is always a big plus to me when I RUN or EXEC a program. It doesn't have to eat up 6K of memory and require two or three machine language subroutines to be effective. The screen should have a little color, be theme oriented (to the program) and possibly make a bit of noise. Now let's see about the screen for this program. Color? Well, IRAs are money and money is traditionally

green in the United States, so that kind of takes care of itself. It is green and black. (Take a look, it really has more color than you might think.)

Theme? Once again, IR As go with money so a big dollar sign will do nicely. Now put the title on the screen by popping the letters into place with a tiny blip of noise and the deed is done. Tell the folks who wrote the program, "I used a single *DATA* statement to list the letters needed and then used several loops to put them in place." These are at Lines 110-180 in the listing.

Now we get down to business. Line 200 changes the screen to the alternate red/orange color set. Data to be required of the user is now gathered with a few simple *INPUT* commands. The screen is cleared and the formula applied to the data to give us the required figures. A loop made up of the number of years required is set up in 350. When the calculation is done, we have our answer for the year represented by the value G at that time. The formula is standard, which can be obtained from any financial institution.

After getting the data, we need to display it. Here is where the CoCo can shine. The *PRINT USING* command makes these things easy for CoCo users. Owners of many other machines can't even tell the computer where or how to print without writing major subroutines. If you skipped over this one in *Going Ahead With Extended Basic*, do yourself a favor and go back and learn to use it. It's one of my favorites. (Do you have to be nuts to have a favorite BASIC command?) Anyway, we have it all on the screen.

Only one thing left to do now, let those with printers have an option to obtain hard copy of the information. Lines 430-670 deal with the printer routine and may be totally left out by those of you who do not own a printer. Just take the

⁽Leonard Hyre, employed by the Social Security Administration as a claims representative, is the author of Harness Handicapper, Thoroughbred Handicapper, and Greyhound Handicapper, from Federal Hill Software. He is also the author of several RAINBOW articles and other published programs)



ENDICOFF COMPUTER SOFTWARE AND ACCESSORIES

MONITORS

(SEE MONITOR INTERFACE BELOW)

ALL WITH NONGLARE SCREEN

NEW PRICE BY AMDEK



PRINTERS

(SEE PRINTER INTERFACE BELOW)

SPIRIT (SAME AS MX80).....\$319.00 OKIDATA 92P (160 CPS).....\$445.00 CORRESPONDENCE QUALITY!

* NEW! * NEW! *

ABATI LQ-20P (PARALLEL). 18 CPS-DAISY WHEEL-LETTER QUALITY
RACTOR FEED TRACTOR FEED..... \$ 79.00

PRINTER INTERFACE pbh SERIAL/PARALLEL

SWITCHABLE: 300 TO 9600 BAUD. PRINTER AND MODEM CONNECTIONS. NOTHING ELSE REQUIRED.

PURCHASED WITH PRINTER \$64.00

COLOR 1+(INCLUDES HEAD PHONES). \$299.00 VIDEO 300(G) \$149.00 VIDEO 300(A) \$164.00 GORILLA (GREEN)... \$ 99 00 GORILLA (AMBER) \$109.00

ENDICOTT JOYSTICK

\$19.95....EACH \$37.95 FOR TWO ANALOG TYPE - PLUGS RIGHT IN!

"In use, we found the ENDICOTT JOYSTICK to be smooth and responsive. ...built to last, the Endicott model is a solid buy". the RAINBOW, October 1982

provided the best feel of all the joysticks tested. ...(a) rugged unit at an affordable price. -80 micro, March 1983

MONITOR INTERFACE

MOINTON II	TILLIII NOL
VIDEO PLUS	\$24.95
(COLOR OR MON	OCHROME)
PURCHASED WITH M	ONITOR \$20.95
VIDEO PLUS IIM	\$26.95
(MONOCHROME	FOR COLOR II)
PURCHASED WITH M	
VIDEO PLUS IIC	\$39.95

(COLOR FOR COLOR II)

PURCHASED WITH MONITOR

D

BASF QUALIMETRIC DSDD. \$28.95 C-10 CASSETTES (ONE DOZ)...\$ 7.50

ELEPHANT SSDD.

ELEPHANT DSDD.

WICO ATARI JOYSTICK ADAPTER \$17.95

D

D

00

b

COLOR GOLF.

"NEW" BLANK MEDIA "PRICES"

ELEPHANT SSSD......\$20.95

BASF QUALIMETRIC SSDD. \$23.95

. \$22.95

.....\$26.95

MEDIA STORAGE TAPE

TAPE CAROUSEL (HOLDS 25) ... \$13.00

DISKETTE

FLIP'N'FILE	10.			,	٠					,	,		,	,	. \$	5	.4	5
FLIP'N'FILE	25.	4		ı		,			,	,					\$2	24	.9	5
FLIP'N'FILE	50.		٠		,		,	,		٠					\$3	13	.9	5

SUPER-PRO KEYBOARD

NEW

BY: MARK DATA

PRICES ADAPTER REQUIRED ON

KEYBOARD.....

VOLKSMODEM

\$33.95

BY: ANCHOR AUTOMATION 300 BAUD, DIRECT CONNECT MANUAL ANSWER, MANUAL DIAL

INCLUDES CABLE \$74.95

WICO JOYSTICK

SPRING RETURN OR FREE FLOAT ANALOG TYPE — PLUGS RIGHT IN! \$38.95 EACH

Look at These Discounts and Compare...Remember WE PAY SHIPPING!

SOFTWARE PRICES SHOWN ARE 20% OFF LIST PRICE!

SPECTRAL ASSOCIATES

		Т	D
D	GALGON	\$19.95	\$23.15
D	PENGON	\$19.95	\$23.15
	COLOR PANIC		\$23.15
	CUBIX		\$23.15
D	LANCER		\$23.15
D	MS GOBBLER		\$23.15
	WHIRLYBIRD RUN		\$23.15
	STORM ARROWS		\$23.15
	LUNAR ROVER PATROL	\$19.95	\$23.15

COMPUTERWARE

▶ MR. DIG\$22.35	\$24.75
DJUNIOR'S REVENGE\$23.15	\$25.55
RANDOM BASIC (OS-9).	\$60.00
COLOR BASIC COMPILER	\$31.95
64K SCREEN EXPANDER (64K)\$19.95	\$22.35
*THE SOURCERER (R DOS)\$27.95	\$31.95
THE SOURCERER (OS-9)	.\$31.95
MACRO ASSEMBLER & XREF (R DOS)	.\$39.95
MACRO ASSEMBLER & XREF (OS-9)	.\$39.95
COLOR EDITOR\$19.95	\$23.95
COLOR MONITOR\$19.95	\$22.35
► MOON HOPPER\$19.95	\$22.35
BLOC HEAD (CUBER TYPE)\$21.55	\$23.95
DOODLE BUG (LADY BUG)\$19.95	\$22.35
**	

SOFT LAW

T & D INCLUDED

VIP WRITER (INC. SPELLER!),\$47.95	
□ VIP SPELLER\$31.95	
□ VIP CALC\$47.95	
□ VIP TERMINAL\$39.95	
☐ VIP DATA BASE \$47.95	(DISK)
□ VIP DISK-ZAP\$39.95	(DISK)
WRITER/SPELLER-CALC-	
DATA BASE \$139.00	
ENTIRE LIBRARY \$210.00	

ELITE SOFTWARE

FII FII	IE-WORD.			\$47.95	\$47.95
D ELI	TE-CALC			\$47.95	\$47.95
D ELI	TE-FILE				.\$59.60
EN.	TIRE LIBRA	RY (DISH	0		\$145.00

PROGRAMMERS INSTITUTE

COMPLETE PERSONAL	Т	D
	95	\$63.95

SPECIAL SALE! 30% OFF

PRICKLY-PEAR SOFTWARE

▶ MUSIC READER\$24.45	\$27.95
* ERLAND\$17.45	\$20.95
TRAVELIN'TOAD\$17.45	\$20.95
▶ OCKYWOKY\$17.45	\$20.95
➤ ADVENTURE IN WONDERLAND\$17.45	\$20.95
THE DISK MANAGER	.\$20.95
THE DISK MASTER	.\$17.45
* VIKING\$13.95	\$17.45
* GANGBUSTERS\$13.95	\$17.45
COLORKIT\$24.45	\$27.95
FLIGHT\$13.95	\$17.45

COGNITEC

	Т	U
TELEWRITER 64	\$39.95	\$47.95

TOM MIX

	Т	D
QUIX	. \$19.95	\$22.35
elec*TRON	. \$19.95	\$22.35
WORLDS OF FLIGHT	\$23.95	\$26.35
SKRAMBLE	. \$19.95	\$22.35
SR-71	. \$23.15	\$25.55
CU*BER	. \$22.35	\$24.75
BUZZARD BAIT	,\$22.35	\$24.75
AIR TRAFFIC CONTROLLER	,\$23.15	\$25.55
SPACE SHUTTLE	.\$23.15	\$25.55
THE 1444 IO	404 FC	200 05

.....\$14.35

.....\$14.35

TAPE TO DISK......\$14.35 ---

SCREEN PRINT ROUTINE \$15.95 \$17.55

ADVENTURE INTERNATIONAL

		U
* FIRE COPTER	\$19.95	
* SAIGON: THE FINAL DAYS	\$19.95	
* EARTHQUAKE	\$19.95	
* AIRLINE	\$19.95	
SEA DRAGON	\$27.95	
▶ TRIAD	\$27.95	
DISKEY (Disk Access & Repair Kit and		
Computer Diagnostics)		.\$39.95

B5 SOFTWARE

NOTE: ALL SALES FINAL, NO RETURNS UNLESS DEFECTIVE. ADDITIONAL LISTINGS IN OUR FREE CATALOG — CALL OR WRITE.

*Requires 16K Ext. Basic Minimum.

▶Requires 32K Ext. Basic Minimum. □ We Recommend 32K or 64K.

Others 16K Ext. Std. Basic Minimum

WE PAY SHIPPING TO U.S.A., CANADA, AND MEXICO. C.O.D. ADD \$2.00 (U.S.A. ONLY). ALLOW 2 WEEKS FOR CHECKS TO CLEAR, NO P.O. BOXES! MUST HAVE STREET ADDRESS. SHIPPING - OTHER COUNTRIES: ADD \$2.00 EACH SOFTWARE ITEM AND EACH JOYSTICK, ADD \$5,00 EACH ALL OTHER ITEMS (NO MONITORS OR PRINTERS SHIPPED OUTSIDE U.S.A.). ITEMS TO BE SHIPPED AIR MAIL. PRICES SUBJECT TO CHANGE

WITHOUT NOTICE.

Computer Software And Accessories

2806-A S. MEMORIAL PARKWAY **HUNTSVILLE, ALABAMA 35801**

VISIT OUR STORE PRICES IN AD ARE MAIL ORDER ONLY

PHONE ORDERS 205/536-4400

(PHONE OPEN 7 DAYS A WEEK)




WE PAY SHIPPING!



'P' option out of Line 400 and modify 420 to read: 420

I often use the same routine for screen and printer format using a Print #-X type of style. However, the display of the information given here requires a different display for the printout if we want it to be attractive. Notice that 'A' and 'B' values are reset to 0 in Line 570. Data input earlier is then used to recalculate and print out the year by year accumu-

IRA Projection is a relatively short program and should not present much of a typing challenge to you. I believe you will find the program worthwhile.



The listing:

10 ************ **IRA PROJECTION* (C) 2/84 30 2 × 40 L. HYRE * CAMBRIDGE MD * ********** 70 80

Quality Christian Software

MONEY BACK GUARANTEE

If for any reason you are not fully satisfied with any program you purchase from Quality Christian Software just return the original program (Cassette or Diskette) and we will refund the purchase price of the program.

* * * * * 4 NEW PROGRAMS

PILGRIM'S PROGRESS: An interactive adaptation of Pilgrim's Progress in the form of an adventure game. Your progress is directed away from the city of destruction and towards the Celestial City. Important Biblical Doctrines are grasped as the player proceeds. Requires 16k E.C.B. - \$17.99 Cassette.

CHURCH TIME: A light hearted non-theological adventure for the whole family. You're almost late for church and to top it off you forgot your Bible. Rushing back into your house you find that the sticky front door has bolted behind you. The object is to find your Bible and get outside so that you won't be late for church. 32k E.C.B. -\$10.99 Cassette.

BIBLE REFERENCE PROGRAM: Topographical Bible Reference Program covering 27 Topics with 60 Biblical References. 16k E.C.B. not required—\$10.99 Cassette.

3-GAME PACK #3: Reversed Sword Drill game #2, "Who Did That" Game #2 & "Who Said That" Bible Quote game #2.—16k E.C.B.-\$10.99 Cassette.

JUDE: A full text commentary and reference study on the Epistle of St. Jude. See the review in the December 1983 Issue of RAINBOW. Page 286. Requires 32k E.C.B. Cassette \$13.99 Disk \$16.99

3-GAME PACK #1: Books of the Bible Game, Bible Character Word Scramble game & "Who Said That" Bible quote game. Requires 16k E.C.B. - Cassette \$10.99

3-GAME PACK #2: Reversed Sword Drill game, "Who Dld That" game & Bible Places Word Scramble game. Req. 16k E.C.B.—Cassette Version \$10.99.



Please Add \$2.00 for freight C.O.D.'s add \$4.00 Overseas add \$6.00

QCS P. O. Box 1899 Duncan, OK 73534 405/255-5696

24 Hour Phone Service





90 ' 16K EXTENDED BASIC REQUIRED 100 DATA I,N,D,I,V,I,D,U,A,L,R,E ,T,I,R,E,M,E,N,T,A,C,C,O,U,N,T,S ,b,y,,1,e,o,n,a,r,d,,h,y,r,e 110 CLSØ:A1\$=STRING\$(5,143):A2\$= CHR\$ (143) 120 POKE359, 126: SCREENØ, 1 13Ø PRINT@16, A2\$; : PRINT@43, A1\$+A 2\$+A1\$;:PRINT@75,A2\$+STRING\$(4,1 28) +A2\$+STRING\$(4,128) +A2\$; :PRIN T@107, A2\$+STRING\$ (4, 128) +A2\$; :PR INT@139, A2\$+STRING\$(4,128)+A2\$;: PRINT@171, A1\$+A2\$+A1\$; :PRINT@208 ,A2\$+STRING\$(4,128)+A2\$; 140 PRINT@240, A2\$+STRING\$ (4, 128) +A2\$;:PRINT@267,A2\$+STRING\$(4,12 8) +A2\$+STRING\$ (4, 128) +A2\$; :PRINT @299,STRING\$(11,143);:PRINT@336, A2\$5 150 PR=34:FORI=1TO10:READA\$:PRIN T@PR-1.CHR\$(143)+A\$+CHR\$(143)::P R=PR+32:PLAY"T25504CE05CE":NEXT I 160 PR=62:FORR=1TO10:READAs:PRIN T@PR-1, CHR\$(143)+A\$+CHR\$(143);:P R=PR+32:PLAY"T25504CE05CE":NEXTR 170 PR=428:FORAT=1TO8:READA\$:PRI NT@PR, A\$;:PR=PR+1:PLAY"T25504CEO 5C3": NEXTAT 180 FOR DL=1T0300:NEXT:PR=456:F0 RNA=1T015: READA\$: PRINT@PR, A\$; : PR =PR+1:PLAY"04CC":NEXT NA 190 FORDL=1T0700:NEXT 200 POKE359,57:SCREENØ,1:CLS 210 PRINT:PRINTSTRING\$(32,205);: PRINT" INDIVIDUAL RETIREMENT AC COUNT ";:PRINTSTRING\$(32,203);:P LAY"V31T2Ø03C04C05C" 220 A=0:B=0 230 INPUT"YOUR NAME: "; N\$: IF LEN (N\$)>12 THEN PRINT"SHORTER PLEASE ":PLAY"T801ECE":GOTO 23Ø 240 PLAY"T2004CE" 250 INPUT"TOTAL DEPOSIT PER YEAR " 5 C 260 PLAY"T2004CE" 270 INPUT"ANTICIPATED % INTEREST " ; D 280 PLAY"T2004CE" 290 INPUT"NO. TIMES COMPOUNDED/YR

";E

300 PLAY"T2004CE"

310 INPUT"NO.YEARS TO PROJECT... ";F

32Ø PLAY"T2Ø04CE"

330 CLS:GOSUB430

340 FOR G=1TO F

 $350 A = (1+D/(100*E)) \triangle (A+C)$

SUPER PRO KEYBOARD*



- Original layout—no unsupported keys.
- No special software required.
- Fast, simple installation—no soldering.
- Individually boxed with full instructions.
- Professional, low profile, finished appearance.
- U.S. made—highest quality, go
- Smooth, responsive "Touch Typist" feel.
- Fits all 'D', 'E', and 'F' board models.

*Computers produced after approximately October 1982 require an additional plug adapter. Please add \$4.95.

Color Computer News, June '83

Mark Data Products is well known to us "longtimers"... Every bit as finished as if Tandy had done it...The Mark Data Super-Pro is your best buy...The one that is in my CoCo to stay...

Color Computer Magazine, June '83

The installation procedure is well detailed and quite simple...Has a professional feel, reacts well to the touch... has held up to some purposeful pounding...

Hot CoCo, August '83

Like putting leather upholstery in your Volkswagen...Very impressed with the appearance and performance...Could easily pass as original equipment...Installation is very simple...

Rainbow, April '83

A fine piece of hardware from Mark Data Products...It is super and it is professional too...If you are searching for a replacement keyboard, it is an excellent buy...



Mark Data Products

24001 ALICIA PKWY., NO. 207 • MISSION VIEJO, CA 92691 • (714) 768-1551

All Orders: Please add \$2.00 shipping and handling in the continental U.S. All others, add air shipping and \$3.00 handling. California residents add 6% sales tax. Foreign orders please remit U.S. funds. Software authors—contact us for exciting program marketing details.

360 B=FIX((100*A)+.5)/100 37Ø PRINTUSING"##";G;:PRINTUSING \$######## ## B: PLAY"T250V3101 CE" 38Ø IF G/10=INT(G/10) GOSUB 440 390 NEXT G 400 PRINT:PRINT" [PRESS 'P' F OR PRINTOUT 1":PRINT"[ANY OTHER = ANOTHER PROJECTION1":FORS=1T03 :PLAY"T5ØV3103C05C":NEXTS 410 ANS=INKEYS: IFANS=""THEN 410 420 IF AN\$="P"THEN 480 ELSE 200 430 PRINTSTRING\$ (32, 133); "IRA PR OJECTION FOR ";N\$:PRINTSTRING\$(3 2.133); : RETURN 440 PRINT" [PRESS ANY KEY TO CONT. 3 "4 450 ANS=INKEYS: IFANS=""THEN 450 460 CLS: GOSUB430 470 RETURN 48Ø POKE359,126:SCREENØ,1:CLS 490 PRINT:PRINTSTRING\$ (33, 159);" PRINTING OPERATION IN PROCESS "; STRING\$ (33, 159); 500 PRINT: PRINT: PRINT: PRINT" ONE MINUTE PLEASE" 510 PRINT#-2, STRING\$ (80, "=") 520 PRINT#-2, "INDIVIDUAL RETIREM ENT ACCOUNT PROJECTION FOR: ";N\$

530 PRINT#-2. "BASED ON DEPOSITS OF \$";C;" OVER ";F;" YEARS" 540 PRINT#-2, "ANTICIPATED INTERE ST RATE IS ";D;"% COMPOUNDED ";E " TIMES/YEAR" 550 PRINT#-2, STRING\$(80,"-") 560 H=Ø 57Ø A=Ø:B=Ø 58Ø FOR G=1 TO F 590 A=(1+D/(100*E))^E*(A+C):B=FI X((100*A)+.5)/100 600 PRINT#-2, TAB(25); 610 PRINT#-2, "YEAR # ";:PRINT#-2 ,USING"##";G;:PRINT#-2," ";:P RINT#-2.USING"\$####### ##"; B 620 NEXT G 63Ø PRINT#-2:PRINT#-2, TAB(13);"T OTAL DEPOSITS=";:PRINT#-2.USING" \$####### ##"; C*F; : PRINT#-2, " FOR NET INCREASE OF ";:PRINT#-2,USIN G"\$####### ##" (B-(C*F) 640 PRINT#-2:PRINT#-2,STRING\$ (80 "=") 650 PRINT:PRINT:PRINT" OPER ATION COMPLETE": FORS=1T03: SOUND 225,1:NEXTS 660 FOR DL=1T0400:NEXT 670 POKE359,57:SCREENØ,1:CLS:PRI NTSTRING\$ (32, 207): GOTO 400

Hint . . .

Simplified Saves

For disk users:

3 GOTO 10

5 KILL "PROGRAM/BAS": SAVE"PROGRAM": END

10 'THIS IS FIRST LINE OF PROGRAM

To use, first SAVE "PROGRAM" (your program name) in the usual fashion. Thereafter, just type RUN 5 ENTER. This is especially handy during debugging.

For cassette users, change Line 5 to read:

5 FOR S = 1 TO 3: CSAVE"PROGRAM"; MOTORON : FOR DL* 1 TO 460 *3 : NEXT DL : MOTOROFF : SOUND 200,1: NEXT S: END

To use, set the recorder to record mode, then type GOTO5 ENTER or RUN5 ENTER. Line 5 will then CSAVE the program three times, putting a three second "rewind gap" between each of the saves and after the last save. The SOUND command may be deleted, but it's a handy signal which reminds you to jot down the tape counter number.

A special note to Worksaver users, cassette or disk: store the applicable Line 5 from the above as a key definition, then to do a whole save routine it takes only two (at most three) keystrokes!

Sonburst Software

233 S.E. ROGUE RIVER HWY. GRANTS PASS, OR 97527 1-503-476-5977

We are proud to announce our new utilities for the 64K Disk Color Computer, featuring.....

- Full use of 64K RAM • 100% Machine Language Parameters easily changeable in basic loader
- No ROM calls "Cold start" exit to basic
- Easy-to-read, informative documentation Keyklik
- Selectable drive stepping rate Support 1-4 drives
- Easy to use, with menu selected functions

To make life with your disks easier, may we suggest . . .

- 1. The Sector Inspector Alphabetize, backup, and printout directory; repair crashes, LLIST basic programs, name disks, read in and edit 23+ grans, 3-swap backups, and more. Has 35-page manual and gran table print program ... \$29.95
- 2. The Deputy Inspector Alphabetize, re-sort, and backup directory; fast 3-swap backups, copy files or programs to same or other disks, can auto-reallocate granules during backup for faster loading, and more\$21.95
- 3. The Archivist Make long-lasting tape backups of your valuable disks, erase and format disks \$14.95
- 4. The Chief Inspector \$ave 10%! Order all 3 \$59.95
- 5. EDT effortless full (51 x24) screen editing w/2 way cursor, disk commands allow easy save/backup/append. Text files to 48K+. Copy, save, move, delete or print blocks. Much more. Normally \$39.95, now only \$35.95 (10% OFF)



• Please add \$1.50 for shipping, \$2.50 for C.O.D. THIS MONTH: APO's /FPO's - FREE SHIPPING

Chris W. Brown Siloam Springs, AR



The Joystick that sets you free!

The one-hand operation of this fantastic new joystick will truly set you free and increase the pleasure of playing your favorite video games. The smoothness and responsiveness of this unique joystick that operates completely

without a base is something to be experienced. Available direct from us or from your independent computer retail store. (See below)

\$49.95 suggested retail

STOP changing Printer and Modem Cables! Our Parallel Printer Interface provides Switch Selectable Printer or Modem operations for both CoCo and MC10. It features switchable baud rates from 300 to 9600. It comes complete with power supply, modem cable and "Centronics" type printer cable. For Basic 1.1 and later revisions.

Available direct from us or from your independent computer retail store. (See below)

Only \$89.95 suggested retail

Computer Products, Inc.

P. O. Drawer 55868 Houston, Texas 77055

713/956-0207

When ordering direct from PBH please enclose \$3.00 per item for shipping.



Stocking Distributors

Compukit Houston, TX. 77059

Spectrum Projects Woodhaven, N.Y. 11421

Authorized Dealers

Endicott Computer Huntsville, AL. 35801 The Computer Store Jasper, IN. 47456 The Software Connection Ft. Lauderdale, FL. 33319 Colorware, Inc. Woodhaven, N.Y. 11421

TRS TECH Computer Services Houston, TX. 77033 Computers & More Huntsville, TX. 77340 The Photo Shop Radio Shack Wilmar, MN. 56201 Patterson Electronics Mountain View, AR. 72560


Computers, Etc. Austin, TX. 78745

Cinsoft Cincinnati, OH. 45237 **EDC Industries** Los Angeles, CA. 90042 Sound Center Radio Shack Whiterock, N.M. 87644 & Los Alamos, N.M. 87544 Chips, Incorporated Atlanta, GA. 30340

Computer Associates West Fargo, N.Dak. 58078 Computer Plus, Inc. Littleton, MA. 01460 Turtle Micro Ware East Lime, CT. 06333

By Jacques Bourgeois





It is a mix of Adventure and arcade-type games. Luck is involved as well as skill and head work. Most of the elements of the game are random, so you can play it over and over again and find it challenging every time.

It is not easy to get through, and even a skilled *Tripper* may take two hours to finish it or make a wrong move and be killed.

Free your friend Joe, prisoner of the evil forces. At the start of the game, you do not know where the evil forces hide, and you have nothing in your possession.

You are represented by the flashing dot on the screen and can move around using your right joystick. Be careful, however, because moving in some positions may get you into trouble.

To get into action, you have to use your fire button. For example, if you see a sign moving in front of you, push the fire button and you will be able to read it. The computer will react by flashing a message for a few seconds or by changing the graphics. If nothing happens, it means that you are not in the right position on the screen, or that there is nothing to do there.



You can press 'I' any time the cursor is present on the screen to get an inventory of what you have. Pressing the Space Bar in the same conditions will automatically bring you back to the car (if you have one) and it can sometimes help in difficult situations. 'I' and the Space Bar will not work when there is text on the screen.

The car, you will find, is very sophisticated. It will give you instructions the first time you will get into it by speaking to you. The program makes use of the audio possibilities of your CoCo, but for that, you will have to prepare a short recording.

Make a save of the program on an empty cassette. Right after the program, record the following text with a microphone, pinching your nose to give the impression that a computer is talking:

I am the Car.

Please listen carefully because I will not repeat these instructions.

l am an all push button car. You have to push a button to turn me ON or OFF, to move around or to open the door to get out of me.

Once on the main road, you will encounter a number of side roads. Each one bears a number which will appear at the upper-left or right side of your screen. You can turn on a side road as long as you can see the road and the number. If you turn when there is no road, you will end up in the field and lose control of me.

Once on a side road, your screen will become blank. You then have to open the door and get out to see what happens there.

To get back to me and the main road, try hitting the Space Bar.

Good luck and have a good trip.

This recording will self-destruct within 10 seconds.

If you leave the recorder on play after loading the game, the message will be heard through your TV the first time you enter the car. The recorder will shut off after one minute of play, so make your recording less than one minute long.

The computer will be in a long loop during that time and will not accept any command. If you want to get rid of that feature, delete the end of Line 99 from :IFPEEK. This program will not run with the disk drive plugged in.

As with any Adventure game, you will have to find your way through it. If you are stuck somewhere, you can write to me, including 50 cents to cover the cost of postage, and I will be glad to help. Those who do not have the RAINBOW ON TAPE and do not want to type in the long program can send me \$10 to purchase a cassette. A disk version is also available for \$15. It is somewhat better and faster, but it does not have the message from the car. Write me at 105 Poincare, Lonqueuil, Quebec J4L 1B2.

(Jacques Bourgeois is an audio-visual technician who became involved in computers because they will soon replace the video and audio equipment he uses every day.)

100 10	5 179 9
122 6	7 201 18
133 20	1 208
138 14	6 218 18
147 20	0 228 9
156 1	0 238 15
162 24	8 244 20
	3 100

The listing:

- 1 CLEAR2, 32766: CLEAR300: POKE6549 5, 0: IFPEEK (32767) < 7THENPOKE32767 ,8: GOTO16ELSE22
- 2 FORX=1T01ØØØ:NEXT:RETURN
- 3 FORX=1T03ØØØ:NEXT:RETURN
- 4 IF (JOYSTK(Ø) < 40RJOYSTK(Ø) > 590R JOYSTK(1) < 40RJOYSTK(1) > 59) AND (PE EK (6528Ø) = 1260RPEEK (6528Ø) = 254) T HEN4
- 5 IFC8=1THENT=T+1:IFT>30THENT=0: TX=TX-1:IFAP=1THENLINE(TX,144)-(TX,152),PSET
- 6 A\$=INKEY\$:IFA\$=" "ANDA8=1ANDAT =ØANDC6=ØTHEN91ELSEIFA\$="I"THENC LS:GOSUB241
- 7 IFINKEY\$="I"THENCLS:GOSUB241 8 IFAT=1THENCX=JOYSTK(Ø)*4:CY=JO
- YSTK(1)+1Ø8:GET(CX,CY)-(CX+3,CY+3),M::PUT(CX,CY)-(CX+3,CY+3),A2:FORX=1TO9:NEXT:PUT(CX,CY)-(CX+3,CY+3),M:RETURN
- 9 PUT(CX,CY)-(CX+3,CY+3),M:IFJOY STK(Ø)<4THENCX=CX-8:IFCX<1THENCX =1:GET(CX,CY)-(CX+3,CY+3),M ELSE GET(CX,CY)-(CX+3,CY+3),M:SOUND12 5,1
- 10 IFJOYSTK(0)>59THENCX=CX+8:IFC
 X>252THENCX=252:GET(CX,CY)-(CX+3,CY+3),M ELSEGET(CX,CY)-(CX+3,CY+3),M:SOUND125,1
- 11 IFJOYSTK(1)<4THENCY=CY-3:IFCY <1THENCY=1:GET(CX,CY)-(CX+3,CY+3),M),M ELSEGET(CX,CY)-(CX+3,CY+3),M :IFJOYSTK(Ø)>3ANDJOYSTK(Ø)<6ØTHE NSOUND125,1
- 12 IFJOYSTK(1)>59THENCY=CY+3:IFC
 Y>188THENCY=188:GET(CX,CY)-(CX+3,CY+3),M ELSEGET(CX,CY)-(CX+3,CY+3),M:IFJOYSTK(Ø)>3ANDJOYSTK(Ø)<
 6ØTHENSOUND125,1
- 13 IFPPOINT(CX-1,CY-1)=10RPPOINT(CX-1,CY-1)=5THENPUT(CX,CY)-(CX+3,CY+3),A2:RETURNELSEPUT(CX,CY)-

(CX+3, CY+3), A1: RETURN 14 FORX=1TO2000: NEXT: RETURN 15 DATAt, h, e, , t, r, i, p 16 A\$=STRING\$(32," "):CLSØ:PRINT @226, "WELCOME";:PRINT@234,"TO";: PRINT@160, A\$; : PRINT@288, A\$; 17 PLAY"L301EEEL1C": Y=236 18 FORZ=1TO8: Y=Y+2: READA\$: PRINT@ Y.As;:IFAs<>""THENSOUND250.3:GDS UB2: NEXTELSEGOSUB2: NEXT 19 PLAY"L301AAAL1F":GOSUB2 2Ø PRINT@352," C. JACQUES BOURG EDIS - 1983 21 FORX=1TO255STEP3:SOUNDX,1:NEX 22 CLSØ:PRINT@256." WE HOPE YOU WILL STAY ALIVE HA! HA! HA!" 23 DIMA1(3,3),A2(3,3),M(3,3),R(1 Ø),RS(1Ø),C(16,16),D(3,3),E(3,3) F(3,3)24 Y=RND(10):FORX=1TO10:IFR(X)=Y THEN24 25 IFR(X)=ØTHENR(X)=Y:IFX=1ØTHEN 26ELSEGOTO24ELSENEXT 26 Y=RND(10):FORX=1TO10:IFRS(X)= Y THEN26 27 IFRS(X)=ØTHENRS(X)=Y: IFX=1ØTH

EN28ELSEGOTO26ELSENEXT 2B PMODE3:PCLS4:GET(10,10)-(26,2 6), C: PCLS: GET (Ø, Ø) - (3, 3), A1 29 BO\$="U48R48D48NL48H48 30 LINE(0,0)-(9,9), PSET, BF::PAIN T(2,2),2,1:GET(1,1)-(4,4),A2 31 PMODE3: PCLS: SCREEN1.Ø 32 DRAW"BMØ, 96C3R255": DRAW"BMØ, 8 ØE2F2":FORX=1T063:DRAW"BM-4,+1;E 2F2BU1E2F2": NEXT: PAINT (2,84), 2,3 :PAINT(1,1),3,3:DRAW"BMØ,96C2R25 5 33 FORZ=1TO50: X=RND(255): Y=RND(9 5):PSET(X,Y,2):NEXT:CIRCLE(50.20),10,2:PAINT(50,20),2,2 34 AT=Ø:COLOR4,1:LINE(8,96)-(56, 68), PSET, BF: LINE (84, 104) - (220, 52), PSET, BF: CIRCLE (182, 52), 24, 4: PA INT (182,51), 4, 4: DRAW"BM182, 28C1U 35 DRAW"BM16,76;C3R32D2ØL32U2Ø": PAINT (32,84), 2,3: DRAW BM16,80; R3 2":FORY=1T03:DRAW"BM-32,+4;R32": NEXT: DRAW"BM170,88; R24D16L24U16" :PAINT(182,96),3,3 36 LINE (84,52) - (220,56) PRESET.B F:FORX=164T0196STEP8:IFX<>180THE NLINE(X,56)-(X+4,1Ø4), PRESET, B:P

It's time we put our chips on the table

... and showed you our best deals on computer hardware.

HARDWARE SPECIALS

Extended Basic W/bk \$ 39.95 64k (DEI) Memory Upg \$ 59.95 Amdek Disk Drives \$ 499.95 66-3029 Coco Drive 0 \$ 329.95 6-3029 Coco Drive 1 \$ 239.95 HJL Keyboard (D.E.F. 2) \$ 79.95 Super Pro Keybd (D.E. 5) \$ 64.95 26-3127 64k Extended CoCo 2 \$ 229.95 26-3801 Model 100 8k 26-3816 P 8k Upgrade Model 100 \$ 99.95 6-316 P 8k Upgrade Model 100 \$ 99.95 C. Itoh 8510 AP Printer /Plotter \$ 66-1271 DMP-110 Printer 50 cps \$ 349.95 C. Itoh 8510 AP Printer 120 cps \$ 349.95 Gorilla/NAP Video Monitor (Grn) \$ 109.95 \$ 109.95 C. 109.95 S 109.9

ACCESSORIES

RS D.C. Modern IB Novation J-Cat Modem RS D.C. Modem II \$129 95 \$179.95 Signalman MK X Modem \$179.95 Hayes SM 300 Modem \$239.95 USR Password 1200/300 \$429.00 CoCo Switcher Elephant Disks ssdd 26-3030 OS-9 (64k) \$ 22.95 \$ 64.95 64.95 (disk) Basic-09 (req. 0S-9)
"C" Compiler (0S-9)
FHL 0-Pak (req. DS-9) 87.95 (disk \$ 87.95 (disk) \$ 34.95 (disk) Elite Word 59.95 (d&c) 59.95 (d&c) Flite Calc Color Term Plus \$ 29.95 (cass)

MSI SOFTWARE

MSI DISKUTIL

COLOR FINANCE 1

COLOR FINANCE 11

MSI NAMEFILE

MSI CALENDAR

NEW

\$19.95

\$49.95

ANNOON

ANNO

Call for prices and availability of your favorite software and hardware. All advertised items subject to availability. Prices do not include shipping and handling. All of the above units are covered by our 120 day carry-in warranty.

TRS-80 Trademark Tandy Corporation. Prices subject to change without notice. Write for our FREE newsletter.

TOLL FREE TENNESSEE 1-800-545-2502 | TOLL FREE 1-800-251-5008



DELKER ELECTRONICS, INC. P.O. Box 897 Dept. R 408C Nissan Blvd. Smyrna, TN 37167



800-251-5008 800-251-2502 (TENNESSEE) 615-459-2636 (TENNESSEE) 615-254-0088 (NASHVILLE) AINT(X+2,57),1,1:NEXTELSENEXT:LI
NE(182,20)-(182,28),PSET:LINE(84,104)-(220,104),PSET
37 COLOR4,1:FORX=88TO148STEP20:L
INE(X,64)-(X+12,76),PRESET,BF:PA
INT(X+2,65),2,4:LINE(X+6,60)-(X+6,80),PSET:NEXT:LINE(86,70)-(162,70),PSET:FORY=64TO88STEP24:LINE(204,Y)-(216,Y+12),PRESET,BF:PAI
NT(212,Y+1),2,4:LINE(202,Y+6)-(218,Y+6),PSET:NEXT
38 LINE(210,60)-(210,102),PSET:FORX=92TO128STEP36:LINE(X,84)-(X+28,100),PRESET,BF:PAINT(X+2,90),2,4:NEXT:FORY=80TO96STEP4*;INE(8

28, 100), PRESET, BF: PAINT (X+2, 90), 2,4: NEXT: FORY=80T096STEP4: LINE (8 8, Y) - (160, Y), PSET: NEXT: FORX=98T0 114STEP8: LINE (X, 83) - (X, 101), PSET: N : LINE (X+36, 83) - (X+36, 101), PSET: N EXT

39 COLOR3,1:LINE(4,172)-(16,96), PSET:LINE(48,96)-(60,172),PSET:L INE(158,172)-(170,104),PSET:LINE -(194,104),PSET:LINE-(206,172),P SET:DRAW"BM0,172R4BR56R98BR48R50 ":PAINT(30,191),3,3:DRAW"BM160,1 04C4R40

40 COLOR2,1:FORX=1T0255:Y=RND(10)-2:LINE(X,191)-(X,191-Y),PRESET:NEXT:DRAW"BM136,168U12L8U12R16D12L8BR92L8U12R16D12L8D12":PAINT(132,148),2,2:PAINT(226,148),2,241 FORX=132T0224STEP92:FORY=148T

Hint . . .

More Disk For The Money

Disk drive users can save a great deal of money by doublesiding their single-sided disks. This can be accomplished by notching the left corner, as is the right, with a sharp razor (and ruler for accuracy). Then (using a ruler again), a hole must be punched opposite the hole already in the disk jacket. Both sides must be done, taking extreme care not to scratch the disk surface. (The jacket may be pulled away from the disk surface far enough to facilitate punching.) A standard hole punch does the job nicely. This hole punch is necessary due to the LED inside the drive which begins reading/writing after touching off a photo-circuit on the opposite side of the disk through the hole.

> Davé Raun Jacksonville, IL

0152STEP4: FORW=ØT09STEP2: PSET (X+ W, Y, 3): NEXTW, Y, X 42 IFPEEK (32766) = 7THENCX=36: CY=1 1ØELSECX=18Ø: CY=17Ø 43 A1=Ø:A2=Ø:GET(CX,CY)-(CX+3,CY 44 IFA1=1THENDRAW"BM16,76C4R32D2 ØL32U2Ø":PAINT(32,84),3,4:PAINT(32,78),3,4:PAINT(32,92),3,4 45 IFA2=1THENDRAW"BM179,88C2R7D1 5L7U15": PAINT (183, 9Ø), 2, 2 46 GOSUB4 47 IFCY<172ANDCX>ØAND(CX<173DRCX >189) THENIFPPOINT (CX-1, CY-1)=10R PPOINT (CX+4, CY+4) = 1 THENCLS: PRINT @1Ø1, "YOU HEAR A DOG BARKING": A3 =A3+1:GOSUB14:ELSEA3=Ø 48 IFA3>1THENA3=Ø:PRINT@192."YOU STAYED TOO LONG ON THE GRASSTHE INVISIBLE DOG COMES AND EATSYOU .":IFAC=1THEN243ELSE248 49 SCREEN1, Ø: IF (CX<84 ANDA1=Ø AN DCY<96) OR (CX>84ANDA2=ØANDCY<1Ø4) THENPUT (CX, CY) - (CX+3, CY+3), M: CY= CY+4: GET (CX, CY) - (CX+3, CY+3), M 5Ø IFA2=1ANDCX>172ANDCX<19ØANDCY <104THEN58 51 IFA1=1ANDCX<48ANDCX>12ANDCY<9 6THEN61 52 IF (PEEK (6528Ø) = 1260RPEEK (6528 Ø) = 254) THEN53ELSEGOT046 53 IFCX<48ANDCX>12ANDA1=ØANDCY>9 4ANDCY<100THENA1=1:GOTO44 54 IFCY<172THEN56ELSEIFCY<182AND CX>126ANDCX<142THENCLS:PRINT@232 , "THE SIGN READS: ": PRINT@295, "KE EP OFF THE GRASS": GOSUB3: GOSUB2: SCREEN1, Ø 55 IFCY<182ANDCX>218ANDCX<238THE NCLS: PRINT@232, "THE SIGN READS: " :PRINT@290, "BEWARE OF THE INVISI BLE DOG": GOSUB3: SCREEN1, Ø 56 IFA2=ØANDCX>172ANDCX<19ØANDCY <107THENA2=1:GOT045 57 GOTO46 58 CLSØ:PRINTSTRING\$ (32, CHR\$ (159));:FORX=3ØT034:FORY=31T01STEP-1 :SET(X,Y,2):NEXTY, X:PRINT@96, "A TRAP OPENS ";:PRINT@128, "UNDER Y OU AND";:PRINT@160, "YOU FALL IN A";:PRINT@192, "DEEP DARK PIT"; 59 FORY=1T031:SET(32, Y, RND(8)):S OUNDY*8, 2: SET (32, Y, 2): NEXT: FORX= 31T034: SET(X, 31, 4): NEXT: PRINT@14 ";:PRINT@210, "R 6, "YOU ARE THE ED BLOB ";:PRINT:GOSUB3:IFAC =1THEN243ELSE248 6Ø GOTO46 61 CX=244:CY=18Ø

62 POKE32766,7:AH=RND(5)-1:SCREE N1,0:PCLS3:FORW=1T08:X=RND(18)+1 62:Y=RND(42)+58:PSET(X,Y,2):NEXT :LINE(220,108)-(228,116),PRESET, BF

63 COLOR4,3:FORX=ØTO1:FORY=ØTO1: LINE(162+12*X,58+22*Y)-(162+12*(X+1),58+22*(Y+1)),PSET,B:NEXTY,X :FORY=6ØTO84STEP24:NEXT:COLOR2,1 :LINE(223,11Ø)-(224,111),PSET,BF :GET(CX,CY)-(CX+3,CY+3),M 64 GOSUB4

65 IFPEEK (6528Ø) = 1260RPEEK (6528Ø) = 254THEN66ELSEGOTO64

66 IFCX>16ØANDCX<189ANDCY>54ANDCY
Y<1Ø2THENCLS3:PRINT@166,"NICE WE
ATHER OUTSIDE";:PRINT@225,"THE F
ULL MOON GIVES A STRANGE";:PRINT
@259,"LOOK TO ALMOST EVERYTHING"
;:GOSUB3:SCREEN1.Ø:GOTO64

67 IFCX>218ANDCX<23ØANDCY>1Ø6AND CY<114THENIFA6=1THENA6=Ø:GOTO62E LSE69

68 IFA6=1THEN78ELSE64

69 A6=1:LINE(Ø,56)-(136,100),PSE T,BF:FORX=12T0108STEP24:LINE(X,6 4)-(X+20,92),PRESET,BF:CIRCLE(X+ 5,84),3,2:NEXT

70 LINE(0,164)-(255,191), PRESET, BF:LINE(0,163)-(100,128), PSET, BF :FORX=4T076STEP24:LINE(X,136)-(X +20,162), PRESET, BF:CIRCLE(X+4,14 4),3,2:NEXT

71 COLOR4,1:FORY=1TO3:LINE(4,102 +Y)-(100,102+Y),PSET:LINE(4,114+ Y)-(100,114+Y),PSET:NEXT:FORX=14 TO86STEP12:FORY=1TO3:LINE(X+Y,10 4)-(X+Y,116),PSET:IFX=14ORX=50OR X=86THENLINE(X+Y+7,102)-(X+Y+7,1 06),PRESET:NEXTY,X ELSENEXTY,X 72 IFAG=1THEN78ELSEFORX=86TO198S TEP28:IFX=86ORX=170ORX=198THENCI RCLE(X,166),14,3:PAINT(X,176),3, 3:CIRCLE(X,166),7,2:PAINT(X,166),2,2:A\$="BM"+STR\$(X):DRAWA\$+",16 6C3NU7ND7NE7NF7NG7NH7NR7L7":NEXT ELSENEXT

73 COLOR2,1:FORX=ØTO1:LINE(163+X,58+X)-(188-X,1Ø1-X),PSET,B:LINE(175+X,58)-(175+X,1Ø1),PSET:LINE(163,79+X)-(188,79+X),PSET,B:NEXT:LINE(159,1ØØ)-(192,1Ø4),PSET,B

74 DRAW"BM24,168C4R44BR36R48BR64 R12BM24,152M92,128NM108,108R8BE8 U12R60BM182,114L34ND14BL8ND14L26 D14R26BR8R54BM222,152R6D10BL30BU 4L28

DYNAMITE+**

"THE CODE BUSTER"

disassembles any 6809 or 6800 machine code program into beautiful source

- · Learn to program like the experts!
- Adapt existing programs to your needs!
- Convert your 6800 programs to 6809!
- · Automatic LABEL generation.
- Allows specifying FCB's, FCC's, FDB's, etc.
- · Constants input from DISK or CONSOLE.
- Automatically uses system variable NAMES.
- Output to console, printer, or disk file.
- Available for all popular 6809 operating systems.

FLEXTM \$100 per copy; specify 5" or 8" diskette. OS-9TM \$150 per copy; specify 5" or 8" diskette. UniFLEXTM \$300 per copy; 8" diskette only.

For a free sample disassembly that'll convince you DYNAMITE + is the world's best disassembler, send us your name, address, and the name of your operating system.



CoCo os-9 version

\$59.95

DISASSEMBLES OS-9, FLEX, DOS FILES

Order your DYNAMITE+ today!

See your local DYNAMITE + dealer, or order directly from CSC at the address below. We accept telephone orders from 10 am to 6 pm, Monday through Friday. Call us at 314-576-5020. Your VISA or MasterCard is welcome. Orders outside North America add \$5 per copy. Please specify diskette size for FLEX or OS-9 versions.

Computer Systems Center 13461 Olive Blvd. Chesterfield, MO 63017 (314) 576-5020



UniFLEX software prices include maintenance for the first year.

DYNAMITE + is a trademark of Computer Systems Center.



FLEX and UniFLEX are trademarks of TSC.
OS-9 is a trademark of Microware and Motorola.

Dealer inquiries welcome.



75 CIRCLE (32, 175), 24, 4, 1, .63, .7: CIRCLE (24, 144), 16, 4, 1, . Ø5, . 3: CIR CLE (36, 144), 28, 4, 1, .32, .4: CIRCLE (100, 120), 8, 4, 1, 0, . 25: CIRCLE (86, 18Ø), 22, 4, 1, .6, .9: CIRCLE (17Ø, 18Ø),22,4,1,.6,.75:CIRCLE(198,180), 22,4,1,.75,.9 :CIRCLE(145,255),8 8,4,1,.81,.96 76 PAINT (24, 164), 4, 4: PAINT (24, 15 6),2,4:COLOR2,1:LINE(114,113)-(1 41,129), PSET, B: DRAW"BM179, 113C2L 33D16R58": PAINT (226, 154), 4, 4 77 CIRCLE(64, 168), 20, 3, 1, .5, .75: CIRCLE (64, 168), 24, 3, 1, .5, .75: DRA W"BM40,168C3R4BM64,148R158H4L152 ":PAINT(210,145),3,3:CIRCLE(145, 255),88,4,1,.81,.96:PAINT(44,165),3,3:DRAW"BM110,168U58R34D58":C L=RND(5):DRAW"BM114,138C2R8D1L8D 1R8" 78 IFCX<125ANDCX>111ANDCY>134AND CY<142THEN79ELSEGOT08Ø 79 IFA7=1ANDAG=ØTHEN89ELSECLS7:P RINT@230, "THIS DOOR IS LOCKED";: GOSUB2: SCREEN1.Ø 8Ø FORX=14T011ØSTEP24: IFCX>=X AN DCX<X+8ANDCY<87ANDCY>79THENPAINT (CX+9, CY), 3, 2: CIRCLE(X+3, 84), 3, 3 :GET(CX,CY-4)-(CX+3,CY-1),M:GOTO 81ELSENEXT: GOTO64 81 X=12+24*AH: IFA7=ØORAG=1THEN82 ELSEGOT064 82 IFCX>X ANDCX<X+18THEN83ELSEGO T064 83 IFAR=@ANDAG=1THENGOTO88ELSEIF AR=ØTHENFORW=X+4TOX+16STEP4:FORY =68T088STEP4: PSET (W, Y, RND (2) *2): NEXTY, W: GOSUB2: CLS3: PRINT@96. "TH ERE IS A PANEL FILLED WITH REDAN D YELLOW KEYS": PRINT"DO YOU WANT A KEY (Y/N)"; ELSEGOTO64 84 INPUTA\$: IFA\$="Y"THEN85ELSESCR EEN1, Ø: GOTO64 85 PRINT@327, "WHAT COLOR (Y/R)"; :INPUTZ\$: A7=1:IFZ\$="R"THENCLS: A6 =Ø:FORY=1T01@:PRINT@234,"***ALAR M***":FORW=1TO200STEP25:SOUNDW.1 :NEXTW:PRINT@234, "***alarm***":N EXTY: CLS: PRINT"THE INVISIBLE DOG COMES AND EATSYOU. ": IFAC=1THEN2 43ELSEGOTO248 86 IFZ\$<>"Y"THEN85 87 SCREEN1, Ø: GOTO64 88 CLS: X=RND(2000):PRINT:PRINT"Y OU FIND"X"GOLD COINS":G=G+X:GOSU B241: AR=1: GOTO64 89 IFPEEK (32767) <>7THENA5=1:AUDI OON: MOTORONELSEA5=1

9Ø AU=Ø:A7=Ø:A8=1:C5=Ø:C8=Ø:PX=1 Ø4: PY=161: TX=156: T=Ø 91 IFC8=ØTHENZ1=3: Z2=2: GOTO94ELS EZ1=2: Z2=3: IFTX>92THENCLS: PRINT: PRINT"YOU FORGOT TO TURN THE MOT OR OFFWHEN YOU LEFT THE CAR. YO U ARE LUCKY THERE IS SOME GAS LE FT. BECAREFUL NEXT TIME": GOSUB3: GOTO94ELSEGOTO92 92 CLS:PRINT:PRINT"YOU LEFT THE CAR WITHOUT TURNINGTHE MOTOR OFF . IT RAN OUT OF GAS ":PRINT:PRINT"the game is ove r":GOTO249 93 IFC8=1THENZ1=2: Z2=3 94 A6=Ø:PCLS1:SCREEN1, Ø:AE=Ø:DRA W"BM24, 24C3MØ, 1Ø8R255M232, 24BM2Ø 8, ØL16Ø": CIRCLE (52, 27), 28, 3, 1, .5 2,.73:CIRCLE(204,27),28,3,1,.77, .98: PAINT (Ø, 26), 4, 3: PAINT (255, 26 95 A\$="R28D2ØL28U2Ø":DRAW"BM4.12 Ø"+A\$+"BM72,12Ø"+A\$+"BM116,12Ø"+ A\$+"BM160,120"+A\$+"BM224,120"+A\$:COLOR3, 2:LINE (92, 144) - (168, 152) ,PSET,B:LINE(TX,144)-(TX,152),PS ET: PAINT (166, 150), 3, 3: LINE (100, 1 60)-(160, 188), PSET, B:LINE(10, 164)-(48,176),PSET,B 96 LINE (208, 164) - (228, 176), PSET, B:LINE(230, 164) - (250, 176), PSET, B :PAINT(120,1),3,3:PAINT(0,109),4 ,3:COLORZ1, Z2:LINE (208, 164) - (228 ,176), PSET, B:LINE(230,164)-(250, 176) PRESET B 97 DRAW"BM28, 132C3U4L12U4M-8, +6M +8, +6U4R12BM228, 132U4R12U4M+8, +6 M-8,+6U4L12":PAINT(27,129),3,3:P AINT (230, 130), 3, 3: DRAW"BM80, 136U 12R1@F2D2G2L1@M92,136BR32R1@E2U2 H2L8H2U2E2R1ØBR32R1ØF2D8G2L1ØU12 ":C\$="U4R2F1D2G1L2BR7":A\$="BR1H1 U2E1R1F1D2G1L2BR7 98 B\$="U4R4D2L4F1M+2.+1R1":DRAW" BM17, 172"+C\$+"BR1"+A\$+"BL1"+A\$+B \$+"54" 99 AT=1:DRAW"BM213,17255"+A\$+"S4 U4F4NU4BR8"+A\$+"BL1U2NR2U2R3BR3N R3D2NR2D2BM88, 152C1L4U4NR4U4R4BM 172.152U4NR4U4R4": IFPEEK(32767)< >7ANDA5=1ANDAN=ØTHENFORX=1TO44ØØ Ø:NEXT:FORX=1TO25:SOUNDRND(255). 1:NEXT: AN=1:POKE32767, 7: AUDIOOFF :MOTOROFF:GOTO103 100 IFA5=1THEN103 101 DRAW"BM22, 32C1R210M255, 108BL 255M22, 32BM3, 96M128, 32M253, 96":P

AINT(118,35),1,1:PAINT(138,35),1

PRO-GOLOR-SERIES

\$1984 BY DERRINGER SOFTWARE INC.

NOBODY, BUT NOBODY HAS DONE IT LONGER AND BETTER THAN US!

A fully intergrated series of programs that offers a full range of information tracking capability.

PRO-COLOR-FILE *Enhanced*

This is the main link in the series. With PRO-COLOR-FILE, you can design a full featured database that is custom tailored to your needs. Its ability to allow the user to custom define formats is unmatched by anything else on the market. A full range of features for information handling is available for any application you might have:

- 60 Data Fields for storing data
- 1020 bytes capacity per record
- Variable record length capability
- Multi-drive drive ability
- Allows maximum system storage
- 4 Custom designed screen formats
- 28 Equation lines (+ * /) 8 Custom designed report formats
- Send reports to printer or screen
- Summarize file by groups of records Column totals and averages
- Posting routine performs file wide calculations and updates fields
- 6 Custom designed mailing label formats
 Custom designed menus for selection of reports and label formats
- Selectable password protection for data entry screens and reports
- Sort any size file
- 3 level sort capability
- Select options for sorting or reporting sub-sets of a file
- Duplicate records and fields
- Cursor controlled text editing
- Fast record selection via indexing
- Global file searching

As a database is created, all of the formats are stored in a file which means you won't have to enter it each time you want to print a report or label. Once your database is up and running, you can install a limited menu that will lead even the most timid user through the program. Since menu selection of report formats are custom made, you'll know exactly which format does what.

PRO-COLOR-FILE is also supported by a NATIONAL USERS' group. Their quarterly newsletter is packed with ideas for using PRO-COLOR-FILE to its fullest. A listing of database programs that have already been created is also provided for comparing notes with other users. Useful database information such as magazine articles are available on a data disk for use on your own system.

Think about it, how can a program exist for over a year and a half, be sold in every state and overseas, and have the support of a national users' group? Simple, it's that good!

PRO-COLOR-FORMS**

\$39.95

This is the second link in the series. PRO-COLOR-FORMS offers the ability to merge data files with text files. Just imagine being able to place the data you enter with PRO-COLOR-FILE anywhere on a sheet of paper, either by itself or within an external source of text, then you'll have the picture. This means you could write a general letter to a list of people but have each one custom printed with their name and address. You can pre-enter checks into a data base and then have the checks printed on form-feed checks. You might even use form-feed statements for sending out to customers at the end of each month. All of the parameters can be modified to indicate just what size "page" you need for any application:

- 6 Menu Selectable formats
- Page width from 40 to 133 characters
- Lines per page from 7 to 66
- Supports printer control codes
- Converts any ASCII file for use
- Prints multiple copies
- Interfaces with PRO-COLOR-FILE
- Password protection

If you need to generate forms from your data files then chances are you can do just that with PRO-COLOR-FORMS. Form letters, billing statements, index cards, or even post cards can be used easily.

PRO-COLOR-DIR**

The latest addition to the series is a utility for organizing disk directories into one nice listing. PRO-COLOR-DIR reads the directory of a diskette and then stores valuable information about each program into a master data file. This data file can then be accessed by PRO-COLOR-FILE for sorting, searching and reporting. PRO-COLÓR-DIR will create a record for each filename on a diskette and store the following information about each one:

- Diskette ID name
- Date diskette was created
- Last date diskette was updated
- Filename and extension
- File type (BASIC, ML Text, Data) Number of Grans allocated
- Number of sectors allocated and used
- Machine Language program addresses

PRO-COLOR-DIR allows for hardcopies of a single diskette's files and has a versatile label printing routine. A global replace function can re-store a diskette's files with deleted files being removed or new ones appended automatically.

**PRO-COLOR-FORMS & PRO-COLOR-DIR Require PRO-COLOR-FILE to be used ** *Requires 32K Disk Basic*


Give your Color Computer a Masters Degree in Business.

SALE Checks \$79.95 PRO-COLOR-FILE *Enhanced* Money Order Visa \$39.95 PRO-COLOR-FORMS Master Card PRO-COLOR-DIR \$24.95 COD Add \$3.00 for ALL THREE PROGRAMS \$124.95 (Best Value) Shipping & Handling Over seas add \$15.00

Derringer Software Inc., P.O. Box 5300, Florence, S.C. 29502 — (803) 665-5676 9 a.m. - 5 p.m.

Note: All of our programs have registration cards - If you've purchased one from another dealer, then you should be registered with us. If not, send your name, program ID# and where the program was purchased. We want to keep you informed about changes.

PETROCCI FREELANCE ASSOCIATES



Maintains data on 255 people in first eight generations of your family tree. Prints 3 charts; 5 generation pedigree - graphic display of lineage; Family group charts; ancestors by reference number. Easy to use. 32K EXT 14.95 Inspector Clueseau



INSPECTOR CLUESEAU

The No. 1 Murder Mystery for the CoCo! (Every game is different.) 32K EXT 19.95

ASTRO CAST


ASTROLOGY MADE FAST & SIMPLE

Data files saved on each chart. (Makes record keeping easy and provides instant access to data).

Quick calc routine calculates planet positions to .5 min. accuracy.

Precision calc routine provides exact figures necessary for planets on cusps & wide orb aspects.

Calculates Ascendant, Midheaven, NODE



Calculates Equal & Placidian house systems.

Formatted printout of all data.

Graphic screen display of chart, Dumps to LPVII/DMP100 printers.

Written by Professional Astrologer Excellent documentation & after purchase support.

32KT - 29.95

32KD - 34.95

BOWLING SECRETARY

(New Super Second Edition)

Now includes handicap routines for both men and women, pin spotting, selection of up to 15 players per team, plus the standard team standings, individual average, high and total pins, team won/lost, high series, cumulative total team points.

Printer Output & Screen Display 32K EXT - 24.95 Std. 16K Version Still Available

WEATHER PRO

Over 4 years of research and testing are behind this program. Provides accurate area-specific forecast for current day, next day, and following day. Also gives deviance from the norm. Attractive printout for future reference. Well documented.

32KT - 24.95

32KD - 29.95

Voice synthesized version compatible with colorware's Real Talker. 32KT - 29.95 32KD - 34.95

Statistical Analysis 32K EXT 2 Programs for 34.95

Stress Evaluator 16K EXT 24.95 **Medical Terminology** 32K EXT 19.95 **Heart Lung Circulatory** Weather Forecaster

32K EXT DISK 19.95 Weather Watch

Hurricane Tracker 16K EXT

Print Spooler

Master Graphics Tool Kit

32K EXT 39.95

Text Master Graphics 32K EXT 19.95

All Programs 16K Tape Unless Otherwise Specified All Programs Available on Disk - Add \$5.00 Special Sale Prices - Retail Only

Include \$1.50 for handling for each program. Arizona residents add 7% sales tax. Quantity Discounts to Dealers



Super Disk Utility 32K EXT DISK

Real Estate Investment 16K EXT 24.95 Homeowner Selling

Analysis Owner Financed

Real Estate

KIDS KORNER Preschool Package, ABCs.

123s, Shapes, Big-Bigger Guillotine Spelling Game 16K EXT

Alphabet Song 16K EXT

```
,1:FORW=1T020: X=RND (208) +24: Y=RN
D(31): IFPPOINT(X.Y)=3THENPSET(X.
Y. 2): NEXTELSENEXT
102 COLOR3, 2: LINE (122, 108) - (128,
32), PRESET: LINE-(134, 108), PRESET
:LINE-(122, 108), PRESET: PAINT(128
,100),2,2:COLOR4,3:LINE(0,0)-(25
5,191),PSET,B
103 COLOR3, 2: SCREEN1, 0: AP=1: GOSU
B5: IFTX<92THENCLS: PRINT: PRINT"YO
U RAN OUT OF GAS":PRINT:PRINT"th
e dame is over": GOTO249
104 IF (PEEK (65280) = 1260RPEEK (652
8Ø) = 254) THEN1Ø5ELSE122
105 IFCY<176ANDCY>162THEN106ELSE
110
106 IFAQ=1ANDCX>8ANDCX<47THENC6=
1:GOT0232
107 IFCX>206ANDCX<227ANDC8=0THEN
C8=1:LINE(208, 164)-(228, 176), PRE
SET, B: LINE (230, 164) - (250, 176), PS
108 IFCX>230ANDCX<251ANDC8=1THEN
C8=0:LINE(208, 164)-(228, 176), PSE
T.B:LINE(230,164)-(250,176), PRES
ET. B: C5=0
109 GOTO103
110 IFC8=00RAQ=1THEN103
111 IFCX>158ANDCX<187THENC5=1:IF
A5=1THENCLS: AS=1: AU=1: A7=0: AT=0:
A6=Ø:AG=Ø:PRINT:PRINT"YOU CRASHE
D INTO THE WALL OF THEGARAGE. ": G
OSUB2: IFAC=1THEN243ELSECLS: GOTO2
112 IFCX>7@ANDCX<99THENC5=@ELSEG
113 IFA5=1THENCLS:PRINT:PRINT"YO
U ARE OUT OF THE GARAGE": GOSUB2:
A5=Ø:GOTO114ELSECLS:PRINT:PRINT"
YOU CAN'T GO BACKWARD ON THE
ROAD. ": GOSUB3: SCREEN1. Ø: GOTO1Ø1
114 PRINT: PRINT"THE CAR IS PROGR
AMMED TO GET YOUDUT OF TOWN AUTO
MATICALLY. IT
                 THEN STOPS AND W
                 INSTRUCTIONS. ": G
AITS FOR YOUR
OSUB3: GOSUB2: SCREEN1, Ø: GOTO1Ø1
115 IFCX<144ANDCX>114THENC5=Ø
116 IFC5=ØTHEN1Ø3
117 IFCX<31ANDCX>2ANDC5=1ANDC8=1
THENC1=1ELSEIFCX>222ANDCX<251AND
C5=1ANDC8=1THENC2=1
118 IFC1=1THENIFAA=1THENR=RG:GOT
013@ELSEIFC1=1ANDC5=1THEN121
119 IFC2=1THENIFAB=1THENR=RD:GOT
013ØELSEIFC2=1ANDC5=1THEN121
12Ø GOT0123
 121 FORX=1TO1Ø:SCREEN1,1:SOUND1,
 2: SCREEN1, Ø: SOUND2ØØ, 2: NEXT: CLS:
 PRINT: PRINT"YOU TURNED WHEN THER
```

```
E WAS NO
             SIDE ROAD SO YOU ENT
ERED THE
             FIELDS AT HIGH SPEED
 AND LOST
             CONTROL OF THE CAR":
AS=1:C1=Ø:C2=Ø:AU=1:A7=Ø:AT=Ø:A6
=Ø: AG=Ø: GOTO243
122 IFC5=ØORAQ=1THEN1Ø3
123 T=T+2:COLOR3, 1:IFAB=1THENLIN
E(SD, YD) - (XD, YD), PRESET: SD=SD+.5
:XD=XD+4:YD=YD+2:IFXD>25@THENPUT
(235, 4) - (252, 20), C: AB=ØELSELINE (
SD, YD) - (XD, YD), PSET: GOTO125
124 X=RND(20): IFX=10THENX=RND(10
): IFX=RG THEN125ELSEGOSUB229: DRA
W"BM235, 20C2"+L$: RD=X: AB=1: XD=12
8: YD=32: SD=233
125 COLOR3, 1: IFAA=1THENLINE (SG. Y
G) - (XG, YG) , PRESET: SG=SG-.5: XG=XG
-4:YG=YG+2:IFXG<4THENPUT(4,4)-(2
Ø, 20), C: AA=ØELSELINE(SG, YG) - (XG.
YG), PSET: GOTO127
126 X=RND(2Ø): IFX=1ØTHENX=RND(1Ø
): IFX=RD THEN127ELSEGOSUB229: DRA
W"BM4, 20C2"+L$:RG=X:AA=1:XG=128:
YG=32:SG=22
127 PUT (PX, PY) - (PX+3, PY+3), A1:PX
=PX+4: IFPX>157THENPX=1Ø4: PY=PY+4
: IFPY>184THENPY=161
128 PUT (PX, PY) - (PX+3, PY+3), A2
129 GOT0103
13Ø GOT0232
131 SCREEN1, 1: PCLS5: CIRCLE (128, 9
6),125,6,.75:PAINT(Ø,Ø),6,6:COLO
R6,7:LINE(Ø,176)-(255,176),PSET.
BF: PAINT (128, 177), 6, 6: LINE (32, 16
8)-(224,175), PRESET, BF
132 BR$="BE4E12F4G16U7"
133 DRAW"BM4Ø.168S4C8U132BE12R52
BF12D132L74BM60,34R32BD24L32":CI
RCLE (50, 35), 12,8,1,.5,.75: CIRCLE
(106, 35), 12, 8, 1, .75, 1: CIRCLE (60,
46), 12, 8, 1, .25, .75: CIRCLE (92, 46)
,12,8,1,.75,.25:PAINT(41,167),8,
8:LINE(60, 40) - (92, 44), PSET, BF:PA
INT (44, 167),8,8
134 LINE (60, 48) - (92, 52), PRESET, B
F: DRAW"BM112, 60C7"+BR$: PAINT (120
,56),7,7:LINE(48,72)-(1Ø4,148),P
SET, BF: DRAW"BM1Ø4, 148C5L56M76, 72
M1Ø4, 148": PAINT (76, 76), 5, 5: CIRCL
E(76, 130), 14, 7: PAINT (76, 130), 7,7
135 CX=126:CY=182:GET(CX,CY)-(CX
+3, CY+3), M: AD=RND(2): IFAD=1THEND
RAW"BM132, 167C8S7"+BO$+"S4":PAIN
T(136, 163), 8, 8: PAINT(187, 122), 7,
136 IFOW=ØTHEN138ELSECLS:PRINT:P
RINT"YOU OWE"OW"COINS":PRINT:IFO
WG THENG=G-OW: OW=Ø: PRINTTAB(8)"
THANK YOU!":GOSUB3:SCREEN1,1:GOT
```

0138

137 PRINT"YOU DO NOT HAVE ENOUGH MONEY TO PAY YOUR DEBT. WE TAKE WHAT YOU HAVE AND YOU WILL HAVE TO COME BACK TO GET GAS.":OW=OW-G:G=Ø:GOSUB3:GOSUB2:GOTO131
138 GOSUB4:SCREEN1,1:IFPEEK(6528Ø)=1260RPEEK(6528Ø)=254THEN139EL SEGOTO138

139 IFCX>12ØANDCX<13ØANDCY>41AND CY<56THENPUT(CX,CY)-(CX+3,CY+3), M:DRAW"BM112,6ØS4C5"+BR\$:PAINT(1 2Ø,56),5,5:DRAW"BM112,6ØA1C7"+BR \$:PAINT(12Ø,69),7,7:FORX=1T025:S OUND24Ø,1:SOUND255,2:NEXT:CLS8:P RINT@229,"YOUR TANK IS NOW FULL" ::ELSE142

14Ø W=166-TX:TX=166:PRINT@288,W"
LITERS * 15 COINS/LITER":PRINT"T
OTAL COST: "W*15"COINS":GOSUB3:IF
G-W*15<ØTHENPRINT@384, "YOU HAVE
ONLY"G"COINS, SO YOU OWE"ABS(G
-W*15)"COINS":OW=ABS(G-W*15):G=Ø
:GOSUB3:ELSEG=G-W*15:GOTO141
141 SCREEN1,1:DRAW"BM112,6ØC5"+B
R\$:PAINT(12Ø,69),5,5:DRAW"BM112,
6ØAØC7"+BR\$:PAINT(12Ø,56),7,7:CO
LOR8,6:LINE(116,52)-(116,78),PSE
T:PAINT(114,64),8,8

142 IFAD=1ANDCX>134ANDPPOINT(CX-1,CY-1)=8ANDPPOINT(CX+4,CY+4)=8T HENGOSUB237:SCREEN1,1:GOTO138ELS E138

143 R=RND(4):PCLSR:SCREEN1, Ø:CX= 128:CY=96

144 V=RND(4): IFV=R THEN144ELSECO LORV, R: LINE(Ø,Ø)-(3,3), PSET, BF: G ET(Ø,Ø)-(3,3), D

145 Z=RND(4): IFZ=R ORZ=V THEN145 ELSEPAINT(1,1), Z,R: GET(Ø,Ø)-(3,3),E

146 FORX=ØTO255STEP8:FORY=ØTO188 STEP8:IFINT(Y/8)-Y/8=ØTHENPUT(X, Y)-(X+3,Y+3),D:NEXTY,X

147 W=RND(4):IFW=R ORW=V ORW=Z T HEN147ELSEFORZ=1TO5:X=RND(215)+2 Ø:Y=RND(151)+2Ø:CIRCLE(X,Y),2Ø,W:PAINT(X,Y),W,W:SOUND2ØØ,3:NEXT 148 CX=RND(251):CY=RND(187):IFPP OINT(CX-1,CY-1)=W ORPPOINT(CX+4,CY+4)=W THEN148ELSEGET(CX,CY)-(CX+3,CY+3),M

149 X=RND(249)+1:Y=RND(185)+1:GE T(X,Y)-(X+3,Y+3),F:PUT(X,Y)-(X+3,Y+3),E:ZZ=RND(28):FORV=1TOZZ:GO SUB4:IFPPOINT(CX-1,CY-1)=W ORPPO INT(CX+4,CY+4)=W THENGOSUB2:CLS: GOTO243ELSEIFCX<X+4ANDCX>X-4ANDC

COLOR COMPUTER Buyers Club

- Members enjoy a 25-40% savings on software!
- Over 500 programs from 38 companies to choose from!
- More software constantly being added!
- Hardware & accessories at substantial savings!
- Special order service for members!
- No service charge for VISA or MC!
- Your savings can far exceed your dues!

Join Today and Start Saving!

ATTENTION CANADIAN DEALERS! Kelly Software Distributors Ltd. manufactures and distributes software to over 100 stores throughout Canada for the following firms: Aardvark, Bob Van Der Poole, Cer-comp, Cheshire Cat, Chromasette, ColorQuest, The Computer House, Computerware, Double Density. Dr. Preble's Programs, DSL Products, Elite, Jarb, Mark Data Products, Michtron, Moreton Bay, Petrocci Freelance, Prickly-Pear, Rainbow Connection, Rainbow on Tape, Shooting Star, Silverware, Softlaw, Spectral Associates. To provide complete dealer support, Kelly Software can guarantee fast delivery of over 500 products to anywhere in Canada. We also provide an excellent opportunity for software authors and publishers to have their products distributed to stores across Canada. Call or write immediately for further Kelly Software Distributors Ltd. details and your free catalogue. Edmonton, Alberta T51 3L1 (403) 421-8003 Y<Y+4ANDCY>Y-4THEN151ELSENEXT:PU T(X,Y) - (X+3,Y+3),F150 IFAF=1THENAF=0:SCREEN1,0:GOT 0149ELSEAF=1:SCREEN1,1:GOT0149 151 PCLS6: SOUND132, 16: DRAW"BM160 ,64C7"+BO\$:PAINT(162,25),7,7:PAI NT (162,62),8,7:SCREEN1.Ø 152 GOSUB4: IFPPOINT (CX-1, CY-1)=3 ANDPPOINT (CX+4, CY+4) = 3AND (PEEK (6 528Ø) = 1260RPEEK (6528Ø) = 254) THENG OSUB237ELSE152 153 GOSUB4: GOTO153 154 PCLS5: R=RND (3) +5: SCREEN1, 1 155 V=RND(3)+5: IFV=R THEN155ELSE FORZ=1T029: W=RND(15)+10: X=RND(25 5):Y=RND(191):SOUND1.1:CIRCLE(X. Y), W, V: PAINT (X, Y), V, V: NEXT: X=RND (232)+10:Y=RND(168)+10:CIRCLE(X. Y), 15, R: PAINT (X, Y), R, R 156 X\$=STR\$(X-6):Y\$=STR\$(Y+6):DR AW"BM"+X\$+","+Y\$+"S1C5"+BO\$+"S4" :PAINT (X-4, Y+4), R, 5 157 CX=RND(251)+1:CY=RND(187)+1: IFPPOINT(CX-1,CY-1)=V OR PPOINT(CX+3,CY+3)=V THEN 157 ELSEGET (CX ,CY)-(CX+3,CY+3),M:PUT(CX,CY)-(C X+3, CY+3), A1 158 GOSUB4: PUT(1,1)-(4,4), M: IFPP DINT(1,1)=V OR PPDINT(4,4)=V THE

NGOSUB2:CLS:GOTO243ELSEIFPPOINT(CX-1,CY-1)=R OR PPOINT(CX+4,CY+4)=R THENGOSUB2:GOSUB237:GOTO158E LSE158

159 CLS3:IFAV<>1THENPRINT@192,"
IT IS NOT POSSIBLE TO TURN ON
THAT ROAD, A POLICEMAN ASK YOU
TO GO BACK ON THE MAIN ROAD.":AV
=AV+1:GOSUB3:C1=Ø:C2=Ø:SCREEN1,Ø
:GOTO1Ø3ELSE234

160 AV=AV+1:CLS:PRINT:PRINT"THE POLICEMAN HAS FALLEN ASLEEP.DO Y OU WANT TO GO ON (Y/N)";:INPUTA\$:IFA\$="Y"THEN161ELSEIFA\$="N"THEN 94ELSE160

161 X=RND(3):IFX=2THEN163ELSECLS
:PRINT"YOU GO ON THE ROAD FOR A
WHILE. SUDDENLY, YOU HEAR A STRA
NGE NOISE.":FORX=255T015ØSTEP
-1:SOUNDX,1:NEXT:CLS5:SOUND1,19:
CLS:PRINT"SOMETHING HITTED YOUR
CAR WHICH EXPLODED. YOU ARE BADL
Y INJURED.

162 AU=1:PRINT"THIS IS A TESTING GROUND FOR NEWWEAPONS.":GOSUB3: GOTO243

163 X=RND(10000):CLS:PRINT"YOU COME TO THE SCENE OF AN ACCIDENT WHICH SEEMS TO HAVE TAKEN

PARALLEL PRINTER INTERFACE

FOR THE RADIO SHACK COLOR COMPUTER

- * Runs any parallel printer from the Color Computer serial I/O port.
- * No hardware modifications or software patches needed. Works with all standard Color Computer commands including graphics.
- * Switch selectable baud rates from 300 to 9600.
- * All cables and connectors included.
- * 1 year warranty.
- * Most printers supply power at the parallel port. With these printers you may order your interface without the power module.

(Printers known to require the power module are: Epson, Panasonic, and Mannesman Tally.)

* PRICE: Model CCP-2 with modern connector & switch----- \$84.

Model CCP-1 without modern connector & switch-----\$69.

Either model without power module deduct———— \$3. Shipping costs included in price.

Michigan residents add 4% sales tax.



CCP-1 OWNERS

UPGRADE YOUR CCP-1 TO A CCP-2 !!

Send us your CCP-1 plus \$17 (includes shipping) we will add the necessary cable and switch.

BOTEK INSTRUMENTS

313-739-2910

4949 HAMPSHIRE, UTICA, MICH., 48087

Dealer inquiries invited

PLACE ABOUT AN HOUR AGO. ACAR I S STILL BURNING. NEAR IT ANARMY TRUCK IS LYING ON ONE SIDE, DOORS OPEN. IT IS FILLED WITH ":G=G+X:Z1=2:Z2=3:AA=Ø:AB 164 PRINT"A FEW SOLDIERS ARE AWA Y IN THE FIELDS, LOOKING ON THE GROUND ATSOMETHING YOU DO NOT S EE. YOU GRAB ONE OF THE BAGS A ND GO AWAYWITH IT. WHILE DRIVING BACK TO THE MAIN ROAD, YOU OPE N IT AND FINDS THAT IT CONTAINS "X:PRINT@448, "GOLD COINS: 165 PRINT@48Ø, "PRESS <ENTER> TO GO ON.";: IFINKEY\$=""THEN165ELSEC LS: GOSUB241: GOTO94 166 CLS5:PRINT@448, "IT IS SNOWIN G SO MUCH THAT YOU CAN'T SEE. ": GOSUB3 167 IFS=ØTHENPRINT"DO YOU WANT T O (1)-COME BACK ON THE MAIN ROAD (2)-STAY ON THIS ROAD";: INPUTX :IFX=1THENAA=Ø:AB=Ø:C1=Ø:C2=Ø:C5 =1:GOTO93ELSEIFX<>2THEN167 168 CLS5: PRINT@416, "THE CAR IS S TUCK IN THE SNOW ANDCANNOT MOVE ANYMORE. DO YOU WANTTO USE A BAG OF SALT TO MELT THESNOW AND FRE E YOU (Y/N)";:INPUTA\$:IFA\$="Y"TH EN169ELSEIFA\$="N"THEN171 169 IFS>ØTHENS=S-1:PRINT"IT WORK ED, YOU ARE NOW MOVING": GOSUB3: G OT0172 170 PRINT: PRINT"YOU DO NOT HAVE A BAG OF SALT": GOSUB3: GOSUB241 171 AA=Ø:AB=Ø:C5=Ø:C8=Ø:CLS5:PRI NT@Ø, "AFTER LONG HOURS OF FREEZI YOU FALL ASLEEP. ": GOSUB3: G OSUB3: GOTO243 172 $X=RND(1\emptyset)$: IFRS(X)=30RRS(X)=6 THEN172ELSEC6=1: C8=Ø: GOTO234 173 AG=1:GOTO31 174 R=RND(3)+5: V=RND(3)+5: IFV=R ORV=7THEN174ELSEPCLS5:SCREEN1,1: COLORV, R: U=Ø: FORZ=1T035 175 X=RND(252):Y=RND(188):W=RND(100) +Y: IFW>1880R(X>234AND Y<16) T HEN175ELSELINE(X,Y)-(X+4,W),PSET ,BF:NEXT:FORZ=1T025 176 Y=RND(187):X=RND(245):IFX>23 40R Y<16THEN176ELSELINE(X,Y)-(X+ 10, Y+4), PSET, BF: NEXT: W=0 177 W=W+1: IFW=V ORW=R THEN177ELS ECOLORW, R: DRAW"BM24Ø, 16C7S1"+BO\$ +"S4":PAINT(250,6),8,7:PAINT(242 ,14),7,7:CX=4:CY=185:GET(CX,CY)-(CX+3, CY+3), M: TIMER=0 178 PUT(CX,CY)-(CX+3,CY+3),M:SX=

CX: TY=CY: GET (SX, TY) - (SX+3, TY+3). D:GOSUB4: IFPPOINT (CX-1, CY-1)=V O R PPOINT(CX+4,CY+4)=V THENPUT(CX ,CY) - (CX+3,CY+3), M:PUT(SX,TY) - (SX+3.TY+3).D:CX=SX:CY=TY:GET(CX.C Y) = (CX+3, CY+3), M: PUT(CX, CY) = (CX+3.CY+3).A2 179 IFTIMER>1200THENLINE(U,0)-(U ,191), PRESET: U=U+4: IFCX+4<U ORU> 252THENGOSUB2: CLS: GOTO243ELSEIFU >128THENU=U+2 18Ø IFCX>236ANDCY<16AND(PEEK(652 8Ø) = 1260RPEEK (6528Ø) = 254) THENGOS 181 GOTO178 182 PCLS4: SCREEN1, Ø: DRAW"BM24Ø, 1 6C3S1"+BO\$+"S4":PAINT(250,6),3,3 :PAINT(242,14),1,3:CX=1:CY=188:G ET(CX,CY)-(CX+3,CY+3),M:COLOR2,1 183 GOSUB4 184 X=RND(255): Y=RND(191): W=RND(255): Z=RND(191): IF(X>236ANDY<16) OR(W>236ANDZ<16) THEN184ELSELINE (X.Y) - (W.Z) . PSET: SOUNDRND (255) . 2 185 IFCX>236ANDCY<16THEN189 186 FORU=CX TOCX+3:FORV=CY TOCY+ 3: IFPPOINT (U, V) = 2THENGOSUB2: SCRE ENØ, Ø: FORUE=ØTO9: CLS(UE): SOUNDRN D(255), 2: NEXT: GOTO188 187 NEXTV. U: GOTO189 188 CLS:PRINT:PRINT"YOU HAVE BEE N HIT. YOU ARE VERYWEAK AND UNA BLE TO GO ON. ": GOSUB2: GOTO243 189 IFPEEK (6528Ø) = 1260RPEEK (6528 Ø)=254THENGOSUB237:GOTO183ELSE18 3 190 CLS:PLAY"EEEC":FORX=0T0351:P RINT@X, CHR\$ (RND (117) +128): NEXT: I FAM=ØTHENAL=RND (5000) +5000: AM=1 191 IFC8=1THENTX=TX-3 192 PRINT@352, "YOU HAVE FOUND US . DO YOU HAVE "AL"GOLD COINS, HE ELIXIR ANDTHE BAG OF SALT? 193 A\$=INKEY\$: X=RND(351):PRINT@X ,CHR\$(RND(117)+128);:IFA\$="N"THE N2Ø6ELSEIFA\$="Y"THEN194ELSE193 194 PRINT@352, "": IFG>=AL ANDS>=1 THENIFB>=1THEN2ØØELSEIFBP>=1THEN 195 PRINT@384, "YOU ARE A LIAR. Y OU DO NOT HAVE ENOUGH";: IFG<AL T HENPRINTTAB (11) "GOLD 196 IFB=ØTHENPRINTTAB(11)"ELIXIR 197 IFS<1THENPRINTTAB(11) "SALT 198 GOSUB3:CLS:GOSUB241:GOTO91 199 PRINT@352, "THE BOTTLE YOU HA VE CONTAINS A GREEN LIQUID WHIC H IS POISON. YOU WANTED TO KIL SEND FOR FREE CATALOG



Dealer inquiries invited

ABC'S IN COLOR

In the ABC program, all 26 letters spring up in color to the familiar ABC tune. Then, colorful detailed pictures depicting each individual letter of the alphabet appear one by one. Your child's fascination will mount as he or she correctly presses the letter on the keyboard and is rewarded with a musical tune before the next detailed picture is drawn line by line onto the screen: AIRPLANE for A, BUS for B, CLOWN for C and so on to ZEBRA for Z. Truly a must program for the preschool to first grade age group!

CoCo 16K ECB Tape: \$19.95 Disk: \$25.95

level ADDITION AND SUBTRACTION program.



SPELL BOMBER

As captain of your ship, you must destroy the enemy bomber by spelling the mystery word. In this exciting and educational game the bomber gets closer with each inaccurate letter. You have only EIGHT tries to guess the mystery word or your ship will be bombed! If you guess the word correctly, GENERAL QUARTERS will sound and your ship will fire a missile to destroy the bomber, Three levels are available: EASY, MEDIUM, and HARD. Challenging for all ages!

 Atari16K
 Tape: \$18.95

 CoCo 16k ECB
 Tape: \$18.95
 Disk: \$22.95

 Vic 20 13k
 Tape: \$18.95

SPELLING BEE

The word is pronounced vocally and it is up to you to type in the correct spelling. If wrong, the computer will be your friend and flash the word on the screen for just an instant. OK! Try typing the word in again. STILL WRONG! The computer wants success and allows you to see the word again this time a little longer. If you just can't spell the word, the computer realizes you need to learn to spell the word and leaves the word on the screen for you to copy. Try your best and the computer has a surprise for your reward!

CRISS-CROSS MATH

As the program begins, your child is presented with a nine square

playing board. It is your choice as to which square you choose. After a

choice is made, a MATH PROBLEM appears in the square. You score

your first X by answering the problem correctly. If your answer is

incorrect, the square clears and your opponent is allowed his choice of

squares. The game is over when three squares vertically, horizontally, or

diagonally are won by the same player. When playing against the computer, every answer you get wrong is won by the computer. Multi-

SIDE ONE: Fraction Lessons, explains fractions with the aid of graphics. Child studies the different ways fractions can be represented. Lessons include:

IMPROPER FRACTIONS MIXED FRACTIONS PROPER FRACTIONS

Many educators have praised the use of motion and color to display the fractional equivalents.

JOYSTICK DRAW

Joystick Draw is the simple way to explore your artistic talents! Program operation is easy enough for a child to use, but effective enough that TCE uses it to design many sophisticated high-resolution graphic screens. Joystick Draw's design allows you or your child to save those masterpieces for future revisions or for use in other programs (instructions included). Your child will spend many hours enjoying this program and at the same time improving his or her eye hand coordination! You will find Joystick Draw to be an easy way to design those more sophisticated graphics for your own programs!

TC-INVENTORY

Many insurance companies offer a discount for policy holders which have complete inventories on file. TC — Inventory is designed to help you organize, maintain, and compile the personal belongings of your home. Program is user friendly and menu driven. TC — Inventory allows input for location of item, price of item, serial number of item, date of purchase, and a text written description of the item. Don't put off recording your personal belongings until its too late. Requires printer for hard copy.

TEACHING CLOCK



CoCo 16k ECB Disk: \$19.95 Tape: \$16.95



Additional Educational Software available for Color Computer, TDP 100, Atari [®], Apple [®], Commodore 64 [®], and VIC 20 [®]



P.O. Box 2477 Gaithersburg, Maryland 20879 (301) 963-3848

L US. YOU WILL DIE": GOSUB3: FORX= 352T051Ø:PRINT@X,CHR\$(RND(117)+1 28);:NEXT:PLAY"L301EEEL1CP2L301A AAL1F": GOTO248

200 PRINT@384, "THERE IS ONE MORE THING YOU MUSTDO BEFORE WE GIVE YOU BACK YOUR FRIEND: you must drink poison! ARE YOU READY TO DO SO?

201 As=INKEYs: X=RND(351):PRINT@X .CHR\$(RND(117)+12B);:IFA\$="N"THE N2Ø2ELSEIFA\$="Y"THEN2Ø3ELSE2Ø1 202 PRINT@352."":PRINT"TOO BAD F WE KEEP YOUR T OR YOU! FRIEND. HANK YOU FOR THE GOODIES." :GOSUB3:GOSUB3:CLS:GOTO249

203 IFAC=1ANDBP>=1THENCLS:PRINT: PRINT"THE ELIXIR YOU DRANK SOONE PROTECTS YOU AND YOU DO NO T DIE WHEN YOU DRINK THE POISON. YOUR FRIEND JOE IS FREE AN

D YOU GO AWAY WITH HIM. ": PRINT: P E IT": GOTO249

T HAVE ANY POISON. WHEN YOU'LL HAVE SOME. ": GOSUB3: GOT091 206 PRINT@352, "": PRINT"THEN GO A ND TRY TO FIND WHAT ":GOSUB3:GOTO91 207 AT=1:CLS:PRINT"****main roa general store****":PRINT"WE SE LL AND BUY. WE HAVE THE PRICES THIS SIDE OF THE AND WE GIVE THE BEST MONEY FOR Y OUR GOODIES.":PRINT"THE DEALS WE OFFER ARE SO GOOD TO FIX A LIMIT OF 208 IFC8=1THENTX=TX-3 209 PRINT"ONE TRANSACTION BY CUS TOMER. ": PRINT: PRINT" DO YOU WANT TO BUY, SELL OR)? 210 AS=INKEYS: IFAS="S"THEN211ELS EIFA\$="B"THEN222ELSEIFA\$="L"THEN 91ELSE210 211 X=RND(4): IFX=1THENZ=S: A\$="BA GS OF SALT"ELSEIFX=2THENZ=BP: A\$= "BOTTLES OF POISON": ELSEIFX=3THE NZ=B:A\$="BOTTLES OF ELIXIR OF LO NG LIFE"ELSEA\$="EMPTY BOTTLES": Z 212 Y=RND(5ØØ): IFX=1THENY=RND(25 Ø) ELSEIFX=4THENY=RND (5Ø) O BUY VE"W: GOTO216 :GOSUB241:PRINT

COME BACK

YOU NEED.

THAT WE HAD

LEAVE (B/S/L

ROAD

RINT"congratulations! YOU'VE MAD 204 IFBP>=1THENCLS:PRINT:PRINT"Y OU DRINK THE POISON AND YOU DIE" : GOTO249 205 PRINT@352,"":PRINT"YOU DO NO Co Co - Cooler Brings operating temperature to ambient. regardless of accessory load Reduces temperature of ENTIRE computer . . . not just the SAM chip Easy 1-minute installation • \$39.95 Companion Keyboard Cover \$7.95 Co Co Software NOW SHIPPING Co Co - Cooler Too (Same Price, Same Fit, For Color Computer II) For Fastest Service Send Money Order Or Certified Check or rastest service send Money Order Or Certified Check

• Add \$2.00 Shipping For Continental U.S.

• Add \$4.00 Shipping For Alaska, Hawaii, Canada, & APO's

• Add \$15.00 Shipping For Overseas

• Add \$3.00 For 220-250 Voit Model

• Calif. Residents Add 6½% Sales Tax

• Will Ship C.O.D. On U.S.A. Shipments Only

• All Merchandise Shipped From Stock REM Industries, Inc. 9420 "B" Lurline Ave., Chatsworth, CA 91311 (818) 341-3<u>719</u>

213 CLS:PRINT:PRINT"WE WOULD BE INTERESTED IN BUYING": PRINTA\$: PR INT"AND WILL PAY"Y"GOLD COINS":G OSUB241: IFZ=ØTHENPRINT: PRINT"WE SEE THAT YOU HAVE NONE AND HING ELSE INTERESTS US. "ELSE216 214 PRINT"MAYBE YOU WOULD LIKE T SOMETHING (Y/N)?" 215 As=INKEYs: IFAs="Y"THEN222ELS EIFA\$="N"THEN219ELSE215 216 PRINT:PRINT"HOW MANY DO YOU WANT TO SELL";: INPUTW: IFW>Z THEN GOSUB241:CLS:PRINT"YOU DO NOT HA 217 IFW=ØTHEN214ELSEG=G+W*Y: IFX= 1THENS=S-W ELSEIFX=2THENBP=BP-W ELSEIFX=3THENB=B-W ELSEBV=BV-W 218 CLS:PRINT:PRINT"IT'S A DEAL" 219 AT=Ø:CLS:PRINT"IT'S CLOSING TIME NOW, YOU HAVE TO LEAVE.":GO SUB3: GOT091 220 PRINTTAB (5) "ARE YOU INTEREST ED (Y/N)?" 221 A\$=INKEY\$: IFA\$=""THEN221ELSE IFA\$="Y"AND(G-Y)<0THENCLS:PRINT: PRINT: PRINT"YOU DO NOT HAVE THE" Y"COINS":GOSUB3:A\$="":RETURNELSE

RETURN

222 CLS:PRINT"**** ON SALE TODAY

****":PRINT:Y=RND(1500)+500:IFR
ND(2)-1THENPRINT"1 BOTTLE OF ELI
XIR:"Y"GOLD":PRINT"COINS":GOSUB2
20:IFA\$="Y"THENG=G-Y:B=B+1:GOTO2
18

223 IFRND(2)=1THENY=RND(1000)+50 0:PRINT"1 BOTTLE OF POISON:"Y"GO LD":PRINT"COINS":GOSUB220:IFA\$=" Y"THENG=G-Y:BP=BP+1:GOTO218

224 IFRND(2)=2THENY=RND(500)+100 :PRINT"1 BAG OF SALT: "Y"GOLD":PR INT"COINS":GOSUB220:IFA\$="Y"THEN G=G-Y:S=S+1:GOTO218

225 IFRND(2)=1THENY=RND(2000)+50 0:PRINT"1 SURPRISE BOX:"Y"GOLD": PRINT"COINS":GOSUB220:IFA\$="Y"TH ENG=G-Y:GOTO227

226 GOTO219

227 X=RND(4):Y=RND(4):Z=RND(4):I FX=Y ORZ=X ORZ=Y THEN227ELSEPCLS X:SCREEN1,0:COLORY,Z:DRAW"BM100, 9588"+BO\$+"S4":PAINT(178,27),Z,Y :PAINT(102,90),Y,Y:GOSUB2

228 W=RND(2):FORZ=1TOW:AE=Ø:GOSU B237:NEXT:GOTO219

229 IFX=1THENL\$="BR6U16"ELSEIFX= 2THENL\$="NR16U4E4R12U4H4L12D2"EL SEIFX=3THENL\$="R16U8NL8U8L16"ELS EIFX=4THENL\$="BR12U16G12R16"ELSE IFX=5THENL\$="BU4F4R1ØE2U4H2L14U8 R16

23Ø IFX=6THENL\$="R16U8L16D8U16R1 6D2"ELSEIFX=7THENL\$="E16L16"ELSE IFX=8THENL\$="R16U16L16D16U8R16"E LSEIFX=9THENL\$="NU2R16U16L16D8R1 6"ELSEIFX=1ØTHENL\$="U16BR4D16R8U 16L8

231 RETURN

232 FORX=1TO10:IFR(X)=R THEN233E LSENEXT

233 IFRS(X)<>6ANDRS(X)<>3THENPAI NT(126,2),4,4ELSEONRS(X)/3GOTO16 6,159


234 AB=0:AA=0:C1=0:C2=0:C5=0:AR= 0:AP=0

235 IFRS(X)=6THEN16ØELSEIFC6=1TH ENAQ=Ø:C6=Ø:GOTO236ELSEAQ=1:GOTO 103

236 AT=0:ONRS(X)GOTO143,131,,190,154,,173,207,182,174

237 IFAE=1THENRETURNELSEAE=1:X=R ND(6):CLS:PRINT:PRINT"THE BOX OP ENS.":PLAY"L1A#P8V1ØT3L2B-9":PRI NT"IT CONTAINS:

238 IFX<3THENY=RND(2000):G=G+Y:P RINTTAB(10)Y"GOLD COINS



NEW!! FROM THE CREATORS OF HOMEBASE!!

ALL-IN-ONE INTEGRATED PACKAGE: DATABASE, SPREADSHEET, WORD PROCESSING & MAILMERGE INTRODUCTORY PRICES: WORKBASE I \$64.95 400 RECORDS — WORKBASE II \$79.95 1200 RECORDS CALL TOLL FREE: 1-800-334-0854 (EXT 887) WORKBASE DATA SYSTEMS OR SEND CHECK OR MONEY ORDER TO: P.O. BOX 3448, DURHAM, NC 27702







PAL CREATIONS

Specializing in 32K ECB Text Adventures
And Simulations On Cassette

*SAC For those against nuclear disarmament - pilot a B52 to any one of the 36 Soviet cities, destroy it with a nuclear bomb, and make it back to the base. 9 difficulty levels. You can use keyboard or joystick or both. This simulation takes a lot of pre-planning and the Union? If so, run for president in this 1 or 2 player simulation complete with scandals, national disasters, and debates . . . \$14.95 * PRIVATE INVESTIGATOR Murder! Could Sherlock Holmes have solved this whodunit adventure simulation? \$14.95 ISLE OF FORTUNE You are a fisherman in a waterfront bar. The old salt just told you a tale of treasure on an island, before the poison dart struck Sail your ship to dangerous adventure awaiting you on the Isle of Fortune \$19.95 SCAVANGE HUNT Find the items on the list and return them to Hickory Ridge to free your niece Rebecca from the hermit * BOMB SCARE A terrorist group has planted 8 bombs in a city. Your mission: locate and disarm all 8 before time runs out. Rom has been abducted by the evil wizard. Destroy the wizard and MANSION OF DOOM Destroy the Vampire, rescue Princess * WITCHES KNIGHT Back to the days of old, where knights were bold and magic ruled the land. Many enchanted surprises await you on your quest to free Sir Noble from the witches evil spell......\$15.95 BEACON Can you signal the ship before it runs aground? . \$14.95 * SPACE ESCAPE Explore a death-ridden alien spacecraft in search of a way back to Earth \$14.95 STALAG Escape the German prison camp before its bombed . * EVASION Sequel to STALAG! Get out of Germany * FUNHOUSE Work your way through this unique * SCATTERBRAIN Help wanted: Put Commodore Winslow's 85-room mansion in order in this graphic adventure \$14.95

Buy any 1 of the programs above and get any of the bonus programs below FREE!

*SKI LODGE Times are tough, weather is bad. Manage a Vermont ski lodge successfully to win this 1-4 player simulation.

MOTHER LODE You just inherited your great-grandfather's goldmine. Did he die penniless?

ENO You inherited a million dollars. Just one catch — first you have to find it!

BETTER A better betting game for 1-4 players. You choose the winning criteria.

MATCH-IT A challenging word game in which you identify your opponent's 5-letter word using deduction, 1-4 players.

* DIFFERENT EVERY TIME

Send check or money order to:

PAL CREATIONS 10456 Amantha Ave., San Diego, CA 92126

UN

Calif. residents add 6% sales tax.

239 TEX=4THENS=S+1:PRINTTAB(10)" A BAG OF SALT"ELSEIFX=5THENBP=BP +1: PRINTTAB (5) "A BOTTLE OF GREEN LIQUID": INPUT"DO YOU WANT TO DR INK IT (Y/N)"; As: IFAs="Y"THENPRI NT"YOU DRINK AND IT IS POISON": B P=BP-1:BV=BV+1:GOSUB3:GOTO243 240 IFX=6THENPRINTTAB(10)"NOTHIN G"ELSEIFX=3THENPRINTTAB(5)"A BOT TLE OF RED LIQUID": B=B+1: INPUT"D O YOU WANT TO DRINK IT (Y/N)":A\$:IFA = "Y"THENBV=BV+1:B=B-1:CLS:P RINT"YOU JUST DRANK ELIXIR OF LO LIFE. YOU ARE NOW SURE THAT YOU WILL NOT DIE. ": AC=1 241 PRINT:PRINT"YOU NOW HAVE: ":P RINTG"GOLD COINS": PRINTS BAGS OF SALT": PRINTB"BOTTLES OF ELIXIR LIFE": PRINTBP"BOTT OF LONG LES OF POISON": PRINTBY "EMPTY BOT TLES": PRINT: PRINT" --- PRESS ANY K EY TO CONTINUE. --" 242 IFINKEY\$=""THEN242ELSESCREEN 1,Ø:RETURN 243 C2=Ø:C1=Ø:IFAC=ØTHEN245ELSEP RINT: PRINT"YOU SHOULD BE DEAD NO W. YOU ARE LUCKY YOU DRANK ELIXI R OF LONG LIFE. "; 244 IFAU=1THENPRINT"HOWEVER, YOU DON'T HAVE A CAR SO YOU WILL HA VE TO FIND ONE":GOSUB3:GOSUB3:C8 =Ø:A7=Ø:AG=Ø:GOTO31ELSEC8=Ø:PRIN T"THIS WAY I CAN SEND YOU BACK ON THE ROAD. ": GOSUB3: GOTO91 245 X=RND(3):IFX=2THENPRINT:PRIN T"YOU ARE LUCKY, YOU COULD HAVE DIED. YOU SPEND SOME TIME AT T HEHOSPITAL AND NOW YOU ARE OK. YOU STILL HAVE EVERYTHING":: IF AU=1THENPRINT" EXCEPTTHE CAR WHI CH WAS DESTROYED IN THE ACCIDEN T. ": C8=Ø: AG=Ø: AR=Ø 246 IFX=2THENPRINT:PRINT"PRESS < ENTER> WHEN YOU WILL FEELREADY T 0 GO ON. "ELSE248 247 IFINKEY = ""THEN 247ELSEIFAU=Ø THEN91ELSEAU=Ø:PRINT:PRINT"YOU L OST THE CAR, SO YOU WILL HAVE TO FIND ANOTHER ONE": GOSUB3: A7=Ø :C8=Ø:A5=Ø:AS=Ø:GOTO31 248 PRINT@331, "YOU'RE DEAD"; 249 PRINT@448, "***** ANOTHER GA ME (Y/N)? ***** 250 AS=INKEYS: IFAS="Y"THENRUNELS EIFA = "N"THENPOKE 65494. Ø: ENDELSE IFA#=""THEN25ØELSEGOT0249 251 A\$=INKEY\$: IFA\$=""THEN251ELSE PRINT@231, "ONE MOMENT PLEASE!":R



Learning The Signs

By Steve Blyn **Rainbow Contributing Editor**

his month's article deals with signed numbers. Those are the little nasties that have signs in front of the numbers. Mastery of signed numbers is an important skill needed in many areas of mathematics. Teachers introduce signed numbers when they deal with the set of positive and negative integers.

It is always best to introduce new concepts to children by relating to real life situations. There are two such readily available situations in the life of all children — money and

the weather.

All children love to make purchases. We have successfully used a game of checks and bills to teach the addition of signed numbers. Checks represent money received and are positive or '+' numbers. Bills represent money spent and are negative or '-' numbers.

A game is played with the students by choosing a check and a bill for a purchase. The learning is in the computation of the resulting balance. When this is mastered, the result of a set of checks and bills can be computed. This approaches the later skill of balancing a checkbook.

Temperature changes are another good way of teaching the addition of signed numbers. Our game adds a change in temperature to the last reported temperature to find the new temperature. Let's suppose the current temperature is 60 degrees. If the temperature goes up three degrees, a plus three is added to 60. If the temperature falls three degrees, a minus three is added to 60 degrees.

The difficulty really begins when the temperature falls below zero. It is a surprising fact that many children believe that zero degrees is the lowest possible temperature. If the temperature is three degrees and falls eight degrees, the new temperature is five degrees below zero or minus five. If the

(Steve Blyn teaches both exceptional and gifted children, holds two master's degrees and has won awards for the design of programs to aid the handicapped. He and his wife, Cheryl, own Computer Island.)

temperature is minus five and rises six degrees, the new temperature is plus one.

Teaching subtraction of signed numbers is a more difficult task. The rule for subtraction of these numbers is to change the sign of the second number and add: (plus 15) minus (minus three) becomes (plus 15) plus (plus three). The answer is plus 18.

The program opens by giving a menu choice of addition or subtraction of signed numbers or of exiting the program. This is contained on Lines 40 to 110. Lines 120 through 300 contain the addition routines. Lines 310 through 490 contain the subtraction routines. After each example, you may either continue or return to the menu.

We felt that students would continue to practice these examples until they are mastered; therefore, there is no set number of examples to do. We have included a counter of the number of right and wrong examples attempted. This is on the screen at all times.

The difficulty of the examples is preset on Lines 150, 160, 340 and 350. We set the difficulty for a beginner's level. Please feel free to adjust the level of difficulty to your students' needs. As this skill becomes mastered, change the level to create more difficult examples for added practice.

In closing, we would like to mention a new product that has come to our attention which may be of interest to the educational community. It is called Word-Pak and is manufactured by PBJ, Inc. It is a program and a ROM pack that contains a driver to turn the CoCo's screen into a professional 80-column board. Of course, the main use of this device is in running business software. It does, however, also convert your screen into a very professional looking screen for educational programs that you may write. One of the biggest criticisms of the CoCo is its use of inverse capitals for lowercase letters. Word Pak produces the normal lowercase letters with which children are familiar. Light on dark or dark on light backgrounds are available. The dark letters on light background option also creates lines which make the screen resemble notebook paper. This product certainly opens new avenues for the creative user.



The listing:

10 REM"(C> STEVE BLYN, 1984

20 REM"COMPUTER ISLAND, NY

3Ø S\$=STRING\$(32,239)

4Ø CLS8

5Ø PRINT@44, "MENU";

60 PRINT@135, "1. ADDITION";

70 PRINT@199, "2. SUBTRACTION";

80 PRINT@263, "3. END THE PROGRAM

17 9


9Ø PRINT@484, "PRESS THE CORRECT


AT WITS END

(C) 1984 by Derringer Software, Inc.

You may lose your sanity while playing this new game from Derringer Software! As the resident caretaker at the local "Home for burned-out programmers", your job is to keep the public safe by keeping the patients within the confines of the central compound. But, every now and then the somewhat erratic patients start running about and you find yourself having to open and close doors to get them to safety. Of course as one gets in, another may jump out! Three separate display screens with nine levels of play for each. Play against the clock for the best time. Score kept for each game and level.







CRAZY MAZE

SPIRALMANIA

BEGINNER'S BOX

The CRAZY MAZE is completely different each time you play, SPIRALMANIA will be a true test of mental strength. The BEGINNER'S BOX is for those short on patience!

\$2495

Requires joysticks and can be played on 16K Extended tape or disk systems! Please indicate tape or disk when you order. Send check or money order to: Derringer Software, Inc. P. O. Box 5300, Florence, S.C. 29502-2300. Visa or Master Card customers can call (803) 665-5676 9:00am to 5:00pm Mon-Fri. Please include \$2.00 for shipping and handling — No COD's.

★ See the ad for Double Buster also ★

NUMBER": 100 GS=INKEYS 110 IF G\$="1" THEN 120 ELSE IF G \$="2" THEN 310 ELSE IF G\$="3" TH EN 500 ELSE 100 120 CLS:PRINT@7, "add signed numb ers"; 130 PRINT@32, S#; 140 PRINT@320." CORRECT=" (C;" WRONG=" ; W 150 M=RND(10)-RND(15) 160 N=RND(5)-RND(10) 17Ø K=M+N 180 IF M>0 THEN PRINTE 103."+"; 190 PRINT@104, M; " + "; N; " = "; 200 IF N>0 THEN PRINT@111."+"; 21Ø PRINT@114.""; 22Ø INPUT J 230 PRINT: PRINT 240 IF J=K THEN PRINT" CORRECT": C=C+1: SOUND240, 3 250 IF J<>K THEN PRINT" SORRY. THE ANSWER IS ":K:W=W+1:SOUND1.1 260 PRINT@320." CORRECT=";C;" WRONG=":W 27Ø PRINT@448,5\$; 280 PRINT@480, "'C' TO CONTINUE O R 'M' FOR MENU"; 290 AS=INKEYS 300 IF As="M" THEN RUN ELSE IF A \$="C"THEN 120 ELSE 290 310 CLS:PRINT@4, "subtract signed numbers"; 32Ø PRINT@32,5\$; 33Ø PRINT@32Ø," CORRECT="; C; " WRONG=" ; W 340 M=RND(10)-RND(15) 35Ø N=RND(6)-RND(1Ø) 360 K=M-N 370 IF M>0 THEN PRINT@103, "+"; 380 PRINT@104, M; " -" INS" = " 3 390 IF N>0 THEN PRINT@111."+"; 400 PRINT@114,""; 41Ø INPUT J 420 PRINT: PRINT 43Ø IF J=K THEN PRINT" CORRECT": C=C+1: SOUND240, 3 440 IF J<>K THEN PRINT" SORRY. THE ANSWER IS ";K:W=W+1:SOUND1,1 45Ø PRINT@32Ø," CORRECT=" ; C; " WRONG=";W 460 PRINT@448, 5\$; 47Ø PRINT@48Ø, "'C' TO CONTINUE O R "M" FOR MENU"; 48Ø B\$=INKEY\$ 490 IF B\$="M" THEN RUN ELSE IF B \$="C" THEN 310 ELSE 480 500 CLS: END

The first in a five part series on . . .

Everything

n response to the introductory page of the first section of Radio Shack's Getting Started with Color BASIC, which invites the reader to "prove us wrong (if you can)," I have made an attempt to compile a list of some of the major errors and omissions in the Color Computer's documentation. In this article and in the following installments, I will also outline some of the techniques that can be helpful in using the CoCo that were not mentioned in the manuals. One of the examples assumes that the PLUCK function has been previously defined with the Extended BASIC DEF FN statement:

100 DEF FN PL(X) = PEEK(X)*&H100+PEEK(X+1)

This function returns the value of the two-byte integer at the address specified by the argument, and is useful for examining Color BASIC's pointers. Hexidecimal numbers in this text are identified by the dollar sign; this should be replaced by &H in Extended BASIC expressions. I will refer to Radio Shack's Getting Started with Color BASIC, Going Ahead with Extended Color BASIC, and Color Computer Disk System Owners Manual and Programming Guide as the Cbasic, Xbasic, and Dbasic manuals respectively. Some of this information has been previously published, and is included here in the interest of completeness. If you find any mistakes, please be advised that they are intentional; I tried to include something for everyone, and some people are always looking for mistakes. (I'll bet you had fun with Radio Shack's manuals.)

Release Numbers — When Extended or Disk BASIC is activated, the sign-on message gives the revision number of the highest level ROM in the system, ignoring the revision numbers of the other ROM or ROMs. These statements may be used to determine the hidden revision numbers of the Color BASIC and Extended ROMs:

PRINT PEEK(41301)-48 'Revision of Color BASIC PRINT PEEK(33023)-48 'Revision of Extended BASIC, if applicable.

General Information — Color BASIC only accepts line numbers from 0 to 63999. Whenever program lines are added, edited, renumbered, or deleted, a *CLEAR* is executed. A question mark may be used as an abbreviation for *PRINT*, and a single quote (shifted 7) may be substituted for : *REM*.

Variables and Spacing — According to the Chasic manual, variable names may be any combination of one or two letters. Actually, the second character may be a letter or a digit, and they may be followed by as many letters and digits as you want; however, only the first two are significant, so

You Always
Wanted To
Know About
The CoCo But
Radio Shack
Didn't Tell
You

By Andy Kluck

(Andy Kluck is an electrical engineering student at the University of Texas at Austin.)

AB and ABC are the same variable. Also, variable names may not begin with any BASIC keyword. These rules also apply to array names and defined functions. Note that unlike Level II BASIC, Color BASIC allows BASIC variables to contain BASIC keywords as long as they don't begin with them; XPRINT is a legal name for the variable XP. The Color BASIC manual says that spaces in a program may be removed to save memory. This is true in most cases, but there is an important exception. Wherever a variable or Hex constant or octal constant with the optional 'O' included is followed by a BASIC keyword without an intervening space, the tokenize routine will consider the keyword as part of the variable or constant, usually causing a Syntax Error. The most common examples are statements like:

IFA=BANDC=DORE=FTHENG=HELSEEND
(Needs spaces before AND, OR, THEN and ELSE)
FORA=&H1FTO&H3FSTEP2 (Needs spaces before TO and STEP)

ONXGOTO 100,200 (or GOSUB; Needs space before GO)

PRINT XTAB(10)Y (with spaces means PRINT X;TAB(10); Y. Without spaces means PRINT XT(10); Y)

Examples where the extra spaces are not necessary include:

IFA=3ANDC=5ORE=7THENG==2ELSEEND FORA=31TO63STEP2 ONX+1GOTO 100,200

Reset — There are several sensitive routines in BASIC that will cause the BASIC program or variables to be scrambled if

they are interrupted by Reset, so Reset should in general be used only when the BREAK key is repeatedly ignored, such as during PAINT or a machine language program. It is generally safe to use Reset to stop tape I/O, but not disk I/O, except in special circumstances, such as when you accidently DSKINI the wrong disk. Note that Reset leaves all open files open. At least one version of the Extended BASIC manual explains the Reset sequence on Page 208, mentioning the restart flag RSTFLG and restart vector RSTVEC, but doesn't give their addresses. RSTFLG is at \$71, and RSTVEC is in bytes \$72-\$73.

Errors — Whenever an error occurs, Color BASIC turns off the cassette motor and does an *AUDIO OFF*. In Disk BASIC, it also closes all disk files.

CONT — Any of these statements and actions: CLEAR, PCLEAR, FILES, pressing Reset, any error, or changing the program, disables the CONTinue statement until the next STOP, END or BREAK in the program. The reason for this is that all these conditions re-initialize BASIC's stack area, including records of subroutine calls and FOR...

NEXT loops, so that if a CONTinue were allowed, the program would probably not work right anyway.

CLEAR — Besides clearing variables as described in the Color BASIC manual, CLEAR cancels all DEF FN statements and performs a RESTORE. Statements of the form: CLEAR 200 allocate the specified number of bytes for string space. To prevent an OS Error, there must be one byte allocated for each character in a string variable except variables that are fielded in disk buffers, read from data statements, or defined as literals in the program: 50 A\$="str"



+"ing" uses six bytes of string space, but 50 B\$="string" uses no string space because the BASIC only needs to remember where the string is located in the program text. There also must be enough string space for temporary strings that are formed while expressions are evaluated. Usually it is best to overestimate the amount of string space by a few hundred bytes unless the program and variables use up almost all the RAM, since INPUTed strings may be up to 249 bytes long. To allocate half of the available memory to strings:

CLEAR 0:CLEAR MEM/2

It is often helpful to know how much string space is left unused. In Level II BASIC, the FRE function, when used with a string argument, causes the free and "in use" string space to be separated and returns the number of free string bytes. Color BASIC doesn't have this function, but it can be duplicated by using the Color Computer's "garbage collection" routine and then taking the difference between the bottom of used strings and bottom of string space pointers:

EXEC 46481:FRE= FNPL(35)- FNPL(33)

gives the amount of free string space. According to the Color BASIC manual, "Without CLEAR, the Computer reserves 200 characters." Actually, a CLEAR 200 is done only when BASIC is first entered. The number of reserved string bytes is not affected by LOAD or RUN and is inherited from the last program; therefore, no program should assume that 200 bytes are reserved, since the last program run may have reserved 0 or 10000. For this reason, all substantial programs should use CLEAR to reserve string memory. Statements of the form: CLEAR 200,23999 allocate the first

COLOR COMPUTER. DISK DRIVE AND PRINTERS

number of bytes for string space and set the end of the string pool to the address of the second number minus one. Since the end of the string pool plus one is the highest RAM area used by BASIC, the area starting with the given address plus one, 24000 in this case, is made available for the user's machine language routines. Note that BASIC positions the stack to build down from the bottom of the string pool, so in this example the stack will be in the area just below 24000-200 = 23800.

PCLEAR — According to the Extended BASIC manual, a PCLEAR 4 is done automatically, and PCLEAR is necessary only "when you want to reserve a different number of pages." In fact, the number of PCLEARed pages is also inherited from the last program run, so this number may be anything from one to eight when a new program is loaded, and no program should make assumptions about this number. The manual also says that PCLEAR should be the first or second statement in the program, right after CLEAR. This advice could cause problems in many cases because the PMODE parameters are also unaffected by LOAD operations. For example, if the last program used PMODE 4,5 and the new program tries to PCLEAR any fewer than eight pages without first setting PMODE to a reasonable value, an FC Error will occur. Furthermore, whenever PCLEAR is used with a different number of pages than the last PCLEAR, the BASIC program is moved up or down in memory according to the new number of pages. This, in itself, wouldn't cause any problems, except for the now infamous PCLEAR bug in the Xbasic 1.0 ROM—after PCLEAR copies the program to its new position, it doesn't set the interpret pointer at \$A6 to the new copy. This can

SESSA COWSRIES?

COLOR COMPUTERS

CALL TOLL FREE 1-800-248-3823

COLOR COMPUTER SOFTWARE

	LIST	i	OUR		OUR
26-3027 16K Color Computer 2\$	199.00	\$	169.00	Telewriter 64 Tape\$	49.95
26-3127 64K Color Computer 2	259.00	\$	220.00	Telewriter 64 Disk\$	59.95
26-3029 Disk Drive 0\$	399.00	\$	310.00	VIP Writer\$	59.95
26-3023 Disk Drive 1, 2, 3,	279.95	\$	230.00	VIP Speller\$	49.95
26-1271 DMP-110 \$	399.00	\$	310.00	VIP Database	59.95
26-1255 DMP-120	499.00	\$	400.00	RADIO SHACK Software	15% Off

OTHER PRINTERS AND ACCESSORIES	5			MONITORS	OUD
OTHER PRINTERS AND ACCESSORIES	-	-		MONITORS	
26-1257 DWP-210	799.00	\$	630.00	SPECTRAL ASSOCIATES\$	CALL
26-1254 DMP-200			520.00	TOM MIX Software\$	CALL
26-1255 DMP-120	499.00	\$	400.00	RADIO SHACK Software	15% Off
26-1271 DMP-110	399.00	\$	310.00	VIP Database	59.95
26-3023 Disk Drive 1, 2, 3	279.95	\$	230.00	VIP Speller\$	49.95
26-3029 Disk Drive 0\$	399.00	\$	310.00	VIP Writer\$	59.95

	OUR		OUR
EPSON Printer\$	CALL	COMREX 12" Monitor	95.00
OKIDATA Printer\$	CALL	COMREX 13" Color Monitor\$	285.00
STAR GEMINI 10X Printer\$	300.00	AMDEK 300A Monitor\$	155.00
TRANSTAR Daisy Wheel Printer	465.00	AMDEK Color I Plus\$	335.00
C.ITOH 8510 Prowriter Printer\$	380.00	VIDEO PLUS Monitor Adaptor\$	CALL
BOTEK Serial to Parallel Interface	59.00	GORILLA Monitor\$	85.00

COLOR ACCESSORIES					
	LIST	OUR		LIST	OUR
26-2226 RS-232 Program Pak	79.95	\$ 68.00	26-3008 Joysticks		\$ 21.00
26-3012 Deluxe Joystick (EACH)		34.00	26-3016 Keyboard Kit\$	39.95	\$ 34.00
26-3017 64K RAM Kit	69.95	\$ 59.00	26-3018 Ext. BASIC Kit\$	39.95	\$ 34.00
26-3025 Color Mouse	49.95	\$ 42.50	26-1175 Modem I\$	99.95	\$ 85.00
26-1173 Modern II			Hayes Modems		\$ CALL

All prices and offers may be changed or withdrawn without notice. Advertised prices are cash prices. (Installation and shipping are not included in price.)

C.O.D., Visa, MasterCharge, and American Express welcome. Please call (517) 625-4161 for free price list or information.

PERRY COMPUTERS • DEPT. NO. A1 • 137 NORTH MAIN STREET • PERRY, MI 48872

have several results. Sometimes an unexplained Syntax Error occurs on the line with PCLEAR. Often the program runs normally until the PCLS statement is present, which erases the old copy of the program, since it is now in the area of the graphics screen, and causes either an error or a forced END. In rare cases, PCLEAR may result in a jump to another part of the program. Usually, when PCLEAR causes an error, the program will work if it is RUN a second time, since it has already been moved to the correct address. To prevent this problem in the first place, two steps have been suggested. First, if PCLEAR reduces the number of graphics pages, it should be at the end of the program, and if it increases the number of pages, it should be at the beginning. This prevents the immediate error that occurs when the PCLEAR statement is overwritten by another part of the program. Second, to set the interpret pointer to its correct position after PCLEAR, use a GOTO statement that references a line number less than the current line. To prevent as many errors as possible, I recommend using something like:

For PCLEAR 1:

10 GOTO 63990

20 CLEAR 500

30 REM PROGRAM STARTS HERE

63980 END

63990 PMODE 0,1:PCLEAR 1:GOTO 20

For PCLEAR 2 through 8:

10 GOTO 63990

20 GOTO 40

30 CLEAR 500: PCLEAR 5: GOTO 20

40 REM PROGRAM STARTS HERE

Aurora Computing

49 Brookland Ave., Aurora, Ontario Canada L4G 2H6

FAMILY GAMES

The popular STOCKBROKER and CRIBBAGE 32K

......\$14.95 each.

ADVENTURE GAMES: Sea Quest and Shenanigans from MARK DATA only \$24.95(C); \$27.95(D) each

From BRANTEX, PIRATE TREASURE 16K \$13.95

EDUCATIONAL GAMES

Also from BRANTEX

EDU-COMBO (Math Derby, Peek 'N' Spell Metric Converter)

BUSINESS: HOUSEHOLD EXPENSE MANAGER 16K\$19.95

NEW AND MARK DATA

NEW from MARK DATA

The amazing TIME FIGHTER 16K	
Also the ever popular GLAXXONS 16K	\$24.95(C)

32K \$27.95(D)

UTILITIES: ROMDISK: Run your rom pack games from a disk!

64K \$15.95

 63980 END 63990 PMODE 0,1:PCLEAR 1:GOTO 30

Here the *PMODE* statement in Line 63990 prevents a possible FC Error in the *PCLEAR 1*, which, in turn, prevents an error in the *CLEAR 500*, which might occur, for example, if the last program used *PCLEAR 8* and there is not enough free memory for *PCLEAR 8* and 500 bytes for strings. The extra *GOTOs* force BASIC to recover from the bug. The *CLEAR* statements and the *PCLEAR* in Line 30 of the second example should be adjusted according to the needs of your program. A shorter version, for example: *10 PMODE 0,1:CLEAR 0:PCLEAR 5:CLEAR 500* would be sufficient for use with Xbasic 1.1, but since many users are stuck with 1.0, programs to be distributed to others should allow for the bug. Note that *PCLEAR* also does an implied *CLEAR*, erasing variables and defined functions.

PCLEAR 0 — They said it couldn't be done, and they were right — Various methods have been suggested for effecting a PCLEAR 0. An often published example is:

POKE 25.6:NEW

There are two problems with this. First, it moves the BASIC program to \$601, which is only correct for plain Extended BASIC. If this is used in Disk BASIC, it jumbles system pointers and variables with the likely result that when you try to load a BASIC program, part of it will be written out on the disk in place of the File Allocation Table. (I hope you made backups.) Second, BASIC will give an error if you try to execute a NEW or RUN without a zero in the byte before the program. If Xbasic has just been started, there is a zero in this location, but use of graphics page I may change this. To fix these problems, try this revised PCLEAR 0:

POKE 25,PEEK(&HBC):POKE PEEK(&HBC)*256,0: NEW

Address \$BC contains the high byte of the start address of graphics page one, which is 6 for non-Disk Extended BASIC and varies with *FILES* in Disk BASIC. But this is still not a real *PCLEAR 0*; I would call it a *PNEW 0*. To *PCLEAR 0* from inside a program, part of the *PCLEAR* routine can be used to do the necessary moving of the program:

10 GOTO 63950

20 CLEAR 200 'or whatever

30 REM PROGRAM STARTS HERE

63940 END

63950 POKE & H3C0, & H5F: POKE & H3C1, & H5C

'CLRB, INCB-\$01 in B, Clear Carry

63960 POKE &H3C2,&H96:POKE &H3C3,&HBC

`LDA \$BC 63970 POKE &H3C4,&H1F:POKE &H3C5,&H02

'TFR D,Y

63980 POKE &H3C6,&H7E:POKE &H3C7,&H96: POKE &H3C8,&HA3 'JMP \$96A3

63990 EXEC & H3C0: GOTO 20 ' PCLEAR 0

This works with Xbasic 1.0 and 1.1. Of course, since any *PCLEAR 0* places the BASIC program where the graphics screens are supposed to be, any use of graphics statements afterwards should be avoided unless special arrangements have been made. For example, the addition of these lines:

30 POKE & HBA, & HE6: POKE & HB7, & HFE 40 POKE & HB9, & H20: POKE & HB6, 3



Compare it with the rest. Then, buy the best.

If you've been thinking about spending good money on a new keyboard for your Color Computer, why not get a good keyboard for your money?

Designed from scratch, the HJL-57 Professional Keyboard is built to unlock ALL the potential performance of your Color Computer. Now, you can do real word processing and sail through lengthy listings...with maximum speed; minimum errors.

At \$79.95, the HJL-57 is reasonably priced, but you can find other CoCo keyboards for a few dollars less. So, before you buy, we suggest that you compare.

Compare Design.

The ergonomically-superior HJL-57 has sculptured, low profile keycaps; and the three-color layout is identical to the original CoCo keyboard.

Compare Construction.

The HJL-57 has a rigidized aluminum baseplate for solid, no-flex mounting. Switch contacts are rated for 100 million cycles minimum, and covered by a spillproof membrane.

Compare Performance.

Offering more than full-travel, bounce-proof keyswitches, the HJL-57 has RFI/EMI shielding that eliminates irritating noise on displays; and four user-definable function keys (one latchable), specially-positioned to avoid inadvertent actuation.

Free Function Key Program

Your HJL-57 kit includes usage instructions and decimal codes produced by the function keys, plus a free sample program that defines the function keys as follows: F1 = Screen dump to printer. F2 = Repeat key (latching). F3 = Lower case upper case filp (if you have lower case capability). F4 = Control key; subtracts 64 from the ASCII value of any key pressed. Runs on disc or tape; extended or standard Basic.

Compare Installation.

Carefully engineered for easy installation, the HJL-57 requires no soldering, drilling or gluing. Simply plug it in and drop it right on the original CoCo mounting posts. Kit includes a

new bezel for a totally finished conversion.

Compare Warranties.

The HJL-57 is built so well, it carries a full, one-year warranty. And, it is sold with an exclusive 15-day money-back guarantee.

Compare Value.

You know that a bargain is a bargain only so long as it lasts. If you shop carefully, we think you will agree...The HJL-57 is the last keyboard your CoCo will ever need. And that's real value.

Order Today.

Only \$79.95, the HJL-57 is available for immediate shipment for either the original Color Computer (sold prior to October, 1982) or the F-version and TDP-100 (introduced in October, 1982), and the new 64K CoCo. Now also available for CoCo 2.

Call Toll Free 1-800-828-6968

n New York 1-800-462-4891



PRODUCTS

Div. of Touchstone Technology Inc. 955 Buffalo Road * P.O. Box 24954 Rochester, New York 14624

Telephone: (716) 235-8358

Ordering Information: Specify model (Original, F-version, or CoCo 2). Payment by C.O.D., check, MasterCard or Visa. Credit card customers include complete card number and expiration date. Add \$2.00 for shipping (\$3.50 for Canada). New York state residents add 7% sales tax.

Dealer includes: Applied For dealer information in Eastern U.S. and Canada, call collect.

Dealer Inquiries Invited. For dealer Information In Eastern U.S. and Canada, call collect: 617-586-7814, Advanced Computer Services (distributor), 74 Plain Street, Brockton, MA 02401.

will direct the action of any graphics statements to the area \$E600 through \$FDFF. This prevents graphics statements from causing problems; and, in the 64K BASIC in RAM mode, it allows normal use of one PMODE 3 or 4 screen in otherwise unused RAM. For example,

50 PCLS 1:SCREEN 1,0:CIRCLE (128,96),90,4 60 GOTO 60

draws a big *PMODE 3* circle using "free" memory with PCLEAR 0 still in effect if the SAM has already been set to the 64K RAM mode and BASIC has been copied into the upper page of RAM with a MOVEROM program. The PCLEAR 0 effectively disables PMODE, but PMODE3 or 4 may still be selected by POKEing the 3 or 4 into location &HB6; PMODEs 0 through 2 require some additional *POKEs* to set up correctly. Because *PCLEAR* is disabled by Line 30, the only way to bring the system back to normal is something like:

POKE &HBA, PEEK(&HBC):POKE &HB7, PEEK (&HBC)+6:PCLEAR 1:PMODE 0,1

PCLEAR 0 graphics should not be used if Extended BASIC has been relocated for extra free memory or any RAM in the range \$F600-\$FDFF is in use. Finally, FILES should be avoided while this is in effect.

FILES — According to the Disk BASIC manual, the statement FILES 1,400 reserves space for 1 file and 400 bytes of buffer space for it. Actually, the first number specifies only the number of files that can be accessed by OPEN; one extra file control block is reserved for use by LOAD(M), SAVE(M), MERGE, and COPY. The second specifies the number of

bytes to be reserved for random file buffers. To prevent an OB Error, this number must be >= the sum of the record lengths of random (direct) files to be open at the same time. Since this buffer space is not used by files opened for sequential access, the program on Page 55 demonstrating the necessity of FILES 1,400 would work just as well without it. A more appropriate example would have been to open a random (direct access) file with a record length of 400. There are also problems in the FILES routine itself. Use of FILES involves displacement of the graphics area, and FILES will sometimes set the start of page one to an odd page boundary in Dbasic 1.0. Since the SAM chip can only handle graphics on even pages, this results in garbage appearing at the top of the high resolution picture. To prevent this, test your FILES statement on a computer with Dbasic 1.0 (In RAM, if necessary, I hope to soon publish a routine to install different BASICs from disk files into the upper-half of the 64K RAM.) before putting it in the program and check the contents of location \$BC. If PRINT PEEK(&HBC) gives an odd number after FILES, add 256 to the second number in FILES and try again. FILES also may require moving the BASIC program, and in Disk BASIC 1.0 it has the same bug, with similar solutions, that PCLEAR does. Note that many BASIC and machine language programs assume that graphics Page I begins at \$E00 and makes use of this area. If FILES causes Disk BASIC's file handler variables to move into this area, these programs could cause a crash; therefore, it is a good idea to print a warning to the user when a program's use of FILES causes PEEK(&HBC) to exceed 14. Finally, executing FILES closes all disk files and does an automatic CLEAR.

Educational Programs for the TRS-80 Color Computer

Used successfully in classrooms across the country on a daily basis, B-5 programs make learning fun! Each program can be geared to the individual needs of each student.

Instructive programs on:

- **☆MATH FUNCTIONS**
- **☆LANGUAGE ARTS**
- **☆LEARNING TO COUNT MONEY**
- **☆LEARNING TO TELL TIME**

and more!

Priced from \$9.95 to \$26.95

- **☆Graphics**
- ☆Sound/Color
- ☆Individualized Lessons
- ☆Positive Feedback



Write today for a free catalog, or ask for a dealer demonstration.



B-5 Software Co.

1024 Bainbridge Place Columbus, Ohio 43228 Phone (614) 276-2752

Teachers: Have you written the "ultimate" program? We'd like to take a look

SOFTWARE-HARDWARE

FOR RADIO SHACK'S TRS-80 MODEL 1/3 TRS-80 COLOR COMPUTER


·SEND FOR FREE CATALOG ·

UTILITY PROGRAMS ON CASSETTE

SU-1 CASSETTE COPY \$10º SPECIFY \$100 SU-2 CASSETTE DUMP COMPUTER

Y-PAK

TRS-80 COLOR COMPUTER



TURN YOUR COMPUTER INTO A 2-SLOT SYSTEM, SWITCH BETWEEN THE TWO WITH EASE.

RECORDER STAND



MADE OF STURDY PLASTIC. HOLDS RECORDER AT A PERFECT ANGLE

RAM/ROM USER-PAK FOR TRS-80 COLOR \$30

·GAMES ALSO AVAILABLE ·

B.ERICKSON SOFTWARE POBOX 11099 CHICAGO IL 60611

CALL (312)276-9712ØINFORMATION

Weird And Wonderful

By Richard White Rainbow Contributing Editor

Perhaps that is why many of us keep at it in spite of its many frustrations. This month, we are going to play with a program sent in by James Shera of Altus, Okla. Jim took me up on my challenge to write a *PRINT USING* routine for Color BASIC in April 1984 "Bits and Bytes." Jim's code is not the general subroutine I had in mind, but addresses right justified printing of strings and formatting a number to print with alignment on the decimal point. There is a lot to comment on in the logic of his routines. He also added a few pokes I had not seen before which open a whole box full of surprises. Now a surprise may be good or bad, and there are some of both in what we will examine here.

Jim's program essentially makes a formatted listing of outstanding checks, adds the amounts and prints the total amount to the screen or printer. A simple program that will not distract us from studying the how rather that the what is done. The whole program, along with some experiments I added, is at the end of the column.

The jewels begin in Line 53.

53 POKE 298,0:POKE303,0 'DISABLES EXTENDED BASIC

Line 53 turns both Extended and some of Disk BASIC off.

(Richard White has a long background with microcomputers and specializes in BASIC programming. With Don Dollberg, he is the author of the TIMS data base management program.) It is used here to assure that the program really will work in Color BASIC. I made a few tests from the keyboard just like any doubter would. If you temporarily add 54 END, you can type GOTO 53 from the keyboard and RUN that line only and come back to the keyboard mode. Then type PRINT USING"##.##";22.897 and ENTER. The computer will respond:

0 ##.## 22.897 OK

Color BASIC does not recognize USING as a keyword and thinks it is just another variable which, not having been defined before, equals zero. It then dutifully prints the string and the number following exactly as entered from the keyboard. SAVE PROGNAME returns an SN Error as expected. But, I could open a disk data file, save data to it and close it with Extended BASIC "off." Obviously, the OPEN and PRINT#D statements use routes through BASIC that are not affected by the above POKEs. BASIC is assuredly "off" only when it has not been "on." When the CoCo comes up in Extended and Disk BASIC, a variety of addresses are set differently than they are in the lower level BASICS.

Two pokes change only two of these "hooks." It's like the front and back doors are locked, but we can climb in through the basement window to get into part of the house.

Let's now turn Extended BASIC back on and try again.

288 POKE298,25:POKE303,14 'ENABLES EXTENDED BASIC 290 CLOSE:END

Type GOTO288. Then from the keyboard mode type PRINTUSING"##.##";22.897. The computer replys:

22.90 OK

Now the result is as we expect with PRINT USING functioning. Note that an Error was not reported in Color BASIC because it could treat USING as a variable. We talked last month about variables longer than two characters being accepted by CoCo and will review the topic below.

Observe Line 55 and then I will give you the good news and the bad news.

55 POKE360,162:POKE361,191 'ENABLES SCREEN PRINT

The good news is that these pokes cause text to be written to the screen and to the printer at the same time. But, there is bad news. Once you have done this poke, you will not be able to save a data or ASCII file to disk. The file is opened and closed correctly, but no data is stored.

285 POKE360,130:POKE361,115 'DISABLES SCREEN PRINT

Line 285 stops the dump to the printer and restores the capability to send files to the tape. I am running Disk BASIC and this indeed does stop the dump to the printer, but still redirects ASCII file text to the screen. After a cold start in Disk BASIC, addresses 360 and 361 contain 203 and 74 rather than 130 and 115. This is a good example of that magical device called a hook. Together, 360 and 361 contain an address to code in the highest level of BASIC in your machine. This hook directs control to the highest level BASIC available which then calls routines in lower level ROMS. If you are running a disk change the line to the following:

285 POKE360,203:POKE361,74 'DISABLES SCREEN PRINT

Now I got a surprise here; I had to do some digging to find out why the expected result was not obtained and learned something along the way. No damage was done. You can expect surprises when you poke numbers in memory sections that are controlling CoCo's operation. You co also expect that what works with Extended BASIC will not work with Disk BASIC, ROM updates will have code at different addresses and POKEs that work with Disk BASIC 1.0 will not work with the greatly revised Disk BASIC 1.1. Radio Shack has taken pains to make sure that published BASIC works the same in both versions. Version and level considerations are one reason I have made very little use of POKEs in the column. However, you can POKE and PEEK all you want. You will learn a lot about your machine and the worst that can happen is that it may "go west." Just turn it off and then back on and start over.

Lines 60 to 90 set up a menu and allow the user to choose whether to send the output to the screen or printer. But we just went through something like that didn't we? First, Jim wants to have a different format to the printer than he would use on the screen. Second, the Line 55 POKEs provide the ability to put the screen format to both the screen and printer for program development and documentation purposes. The user might not want to do this very often. In fact the program listing I received has Line 55 code preceded by a single quote, turning it into an inoperative REM.

55 'POKE360,162:POKE361,191 'ENABLES SCREEN

PRINT

60 Q\$=CHR\$(34)'QUOTATION MARKS

70 CLS:PRINT@228, "PRESS "Q\$"ENTER"Q\$"FOR SCREEN"

:PRINT@260,"PRESS "Q\$"P"Q\$" FOR HARD COPY"

80 A\$=INKEY\$:IFA\$=""THEN80

90 IFA\$
"P"THEN D=0:X=4:Y=10:Z=31:WIDTH
=32 ELSE

D=-2:X=30:Y=40:Z=60:WIDTH=80

Lines 60 and 70 show you how to print quotation marks to the screen. Here Q\$ is defined as CHR\$(34), the ASCII value for a quotation mark. Q\$ then appears in the code following the PRINT statement. In this case ENTER and P will be enclosed by quotes. Line 80 is the conventional INKEY\$ routine and Line 90 tests for a P as input and sets tabs (X,Y and Z) and WIDTH depending on the INKEY\$ entry. From here on we will see a number of long variable names. They do make the code more readable. You have to be very careful since only the first two letters are significant and conflicts with reserved words are more likely. I think Jim edited the program to add long variables after he got it up and running. One variable he used was TOTAL, which seems like a good name for carrying the total in. But it bombs the program since CoCo sees TO, a reserved word and calls SN Error. SUM works and is descriptive.

Earlier, I mentioned the fact that I was able to make a file on disk even though Extended BASIC was "off." I wanted to do this so I could route the program output to an ASCII file and then bring it into this article through the Append Mode of *Telewriter*. Jim had already set up his *PRINT#D* statements with a variable so device numbers could be chosen by the program. D is set in Line 90 as 0 for the screen and -2 for the printer. I added code Lines 94 through 96 to provide the file option.

94 IFA\$<>"P"THENA\$="SCREEN"ELSEA\$=
"PRINTER"

95 PRINT@324,"PRESS 'D' FOR DISK FILE"
96 B\$=INKEY\$:IFB\$="D"THEND=1:OPEN"O",#1,
A\$ ELSEIFB\$=""THEN96

In Line 94, A\$ is checked for a "P" and redefined as SCREEN or PRINTER to provide file names. Line 95 prints the option to the menu. Line 96 is an *INKEY*\$ loop that sets D=1 and opens a disk file for output, using #1 buffer, whose name is in A\$. Any key other than "D" drops to the next line without opening the file.

Normally, there would be some sort of routine for data input. Since the program was designed to demonstrate some BASIC procedures, data is provided in *DATA* statements. This is a good temporary approach when developing and debugging a program. You can later write the input code after the processing routines work. Lines 100 through 160 include initialization of two variables and the *DATA* statements.

100 ITEM\$="OUTSTANDING CHECKS"

110 UNIT=1

120 DATA 89, FEB 29, 100

130 DATA 999, APR 15,21.35

140 DATA 1000, APR 16, 1872.99

150 DATA 1001, APR 18,21.90

160 DATA 9999, EOF, 0

A DATA statement consists of the keyword DATA followed by fields of data separated by commas. You do not have to make a distinction between string data and numbers in the data statement itself. You make the destinction in defining your variables in the READ statements. The above DATA statements consist of a check number which will be treated as a string, a date string and a value which will be treated as a number. Line 190 READs the data.

190 READ CHECKS\$, DATE\$, AMOUNT

We are going to print a table and all tables need headings. Lines 170 and 180 perform these chores. The name of the table is held in the variable *ITEM\$*. Line 170 performs a calculation to center this name. It's a simple subtract the text length from the line *WIDTH* and divide by two to establish the location to start printing.

170 CLS:PRINT#D,TAB((WIDTH-LEN(ITEMS\$))/2) ITEM\$:PRINT#D," "

180 PRINT#D,TAB(X-3)"NO.";TAB(Y+1)"DATE"; TAB(Z-6)"AMOUNT":PRINT#D,"

Column headings are trickier. Check number and amount are to be right justified so the tab values X and Z refer to the last right column to contain a character. Dates are left justified so the tab position Y is the first column from the left to print. In Line 180, print locations for NO. and AMOUNT are counted back left from X and Z while the heading DATE is centered one character right of the date tab Y.

Data processing occurs in lines 200 through 250. First DATE\$\(\) is checked for an EOF. In this case EOF was included in the terminating record date field in Line 160. This method could be used for a keyboard input routine. Plenty of alternates exist such as -1 in the check number (surely nobody numbers their checks in a series using a -1). If an EOF is found, the program goes to Line 260 to develop totals and finish the table.

200 IF DATE\$="EOF"THEN260 210 SUM=SUM+AMOUNT 220 COUNTER=COUNTER+UNIT 230 N=AMOUNT:GOSUB1010

COUNTER simply counts the number of outstanding checks. UNIT was defined as one in Line 110. View it as a constant that might need to be changed at some future time. If all constants used in a program are grouped together and

defined at one place in the program, changes to the constants are easy and one change will affect all places that a constant is used in the program. Here the application is trivial, but demonstrates the procedure.

In Line 230 is a subroutine call to 1010. A good subroutine will be general in nature so it can be called from a number of places in the program. This subroutine takes a number, N, and returns a formatted string N\$. Here the number we want to format is in AMOUNT so we make the assignment N=AMOUNT and GOSUB~1010.

240 PRINT#D,TAB(X-LEN(CHECK\$))CHECK\$;TAB
(Y)DATE\$;TAB(Z-LEN(N\$))N\$
250 GOTO190

Line 240 prints the data much like we printed headings except the computer is given the task of calculating the lengths of strings CHECK\$ and N\$ and counting back from tab locations X and Y.

260 N=SUM:GOSUB1010
270 PRINT#D:PRINT#D,TAB(X)COUNT"CHECKS"
280 PRINT#D,TAB(X)"TOTAL AMOUNT"TAB(Z-L
EN(N\$)-1)"\$"N\$

285 ... 288 ...

290 CLOSE:END

Line 260 is the second call to 1010 and N now carries the value from SUM. In Line 270 COUNT is the same variable as COUNTER (remember only the first two characters are meaningful). Note in Line 280 the position to print is moved left by one to allow for the \$. In Line 290 a CLOSE is included just in case we had the file open. If it were not opened, nothing is lost. And here is how the result looks on the screen. The printer output is similar, but more spread out and is centered on the page.

OUTSTANDING CHECKS

NO.	DATE	AMOUNT
89	Feb. 29	100.00
999	Apr. 15	21.35
1000	Apr. 16	1,872.99
1001	Apr. 18	21.90
4 Checks		
Total Amount		\$2,016.24

"Plug in Kits" for CoCos* Including the new CoCo II from ... MelroKit Retrofit

- 1. EYE-BALL SAVER. Flip easily from NORMAL VIDEO when using games, to REVERSE VIDEO when you write text. Ready to plug in. Price \$19.95....Order # MK 1233
- COCO SOUND. Did you buy one of those video things to drive a monitor and now can't hear
 the sweet sounds of CoCo? No TV or external amp required. Price \$24.95....Order #MK 1235,
 for COCO IIs, order #MK 1235A
- 3. COCO DRIVE. Monochrome video driver. Make that text really readable. An improvement really worth plugging in. Price \$19.95....Order #MK 1236
- 4. DELUXE VERSIONS for #1 and #3 combination. Price \$29.95....#MK 1239

METRO ELECTRONICS, 5131 Mission St., San Francisco, CA 94112 (415) 333-1917 Established 1963

Terms: Check, Money order, Visa/Master. Add \$2.00 for Shipping and handling.

* D & E Board will require soldering. [California residents add sales tax]

++++++For COCO IIs, add "A" to part number. ←←←←

Now we come to the subroutine all the foregoing program was written to demonstrate. It is the equivalent of *PRINT USING* with the format string "###,###.##". Instead of printing the string, the subroutine returns a formatted string that is printed later. *PRINT USING* rounds the second decimal place so that's the first thing done in Line 1010 as well as converting the result to a string without a decimal (*100).

1010 N\$=STR\$(INT((N+.005)*100))

1020 IFLEN(N\$)>6THEN1050 1030 N\$=MID\$(N\$,2,LEN(N\$)-3)+"."+RIGHT\$(N\$,2) 1040 GOTO1060 'ALTERNATE 1040 RETURN 1050 N\$=MID\$(N\$,2,LEN(N\$)-6)+","+ MID\$(N\$,LEN(N\$)-4,3)+"."+RIGHT\$(N\$,2) 1060 RETURN

A string made from a number using STR\$ carries a leading space. Line 1020 takes this space into account in testing whether there are six or more digits and the comma insertion, Line 1050, is to be used. Line 1030 takes a five digit or smaller number and inserts a decimal point before the second digit from the right. Basically a left-hand portion of the string is obtained, a point is added and the right two digits are added. The GOTO1060 only sends the program to a RETURN statement. My preference is to throw out the GOTO and use a return. Line 1050 is like 1030 except a comma is added.

This subroutine is specific to a particular need, formatting a number and returning it as a string. Now that you have an example of how it is done, try your own.



The listing:

10 REM **COLOR BASIC PRINT USING ROUTINE** 21 APR 84 JAMES SHER A

20 REM WITH EXAMPLES OF MULTIPLE DEVICE CENTERING AND TABBING

30 REM D...DEVICE NO.

40 REM X, Y, & Z...TAB LOCATIONS 50 REM TOTAL ... 2ND CHARACTER = ZERO

53 'POKE 298,0:POKE303,0 'DISABL ES EXTENDED BASIC

55 'POKE360,162:POKE361,191 'ENA BLES SCREEN PRINT 60 Q\$=CHR\$(34)'QUOTATION MARKS 70 CLS:PRINT@228, "PRESS "Q\$"ENTE R"Q\$"FOR SCREEN ": PRINT@260, "PRE SS "Q\$"P"Q\$" FOR HARD COPY" 8Ø AS=INKEYS: IFAS=""THEN8Ø 90 IFA\$<>"P"THEN D=0: X=4: Y=10: Z= 31:WIDTH=32 ELSE D=-2:X=30:Y=40: Z=60: WIDTH=80 94 IFA\$<>"P"THENA\$="SCREEN"ELSEA \$="PRINTER" 95 PRINT@324, "PRESS 'D' FOR DISK FILE" 96 B\$=INKEY\$:IFB\$="D"THEND=+1:OP EN"O", #1, A\$ ELSEIFB\$=""THEN96 100 ITEM\$="OUTSTANDING CHECKS" 11Ø UNIT=1 12Ø DATA 89, FEB 29, 10Ø 13Ø DATA 999, APR 15, 21.35 14Ø DATA 1ØØØ, APR 16, 1872.99 15Ø DATA 1ØØ1,APR 18,21.9Ø 16Ø DATA 9999, EOF, Ø 17Ø CLS: PRINT#D, TAB ((WIDTH-LEN (I TEMS\$))/2)ITEM\$:PRINT#D," " 18Ø PRINT#D, TAB(X-3) "NO. "; TAB(Y+ 1) "DATE"; TAB(Z-6) "AMOUNT": PRINT# D, " " 190 READ CHECKS\$, DATE\$, AMOUNT 200 IF DATES="EOF"THEN260 21Ø SUM=SUM+AMOUNT 22Ø COUNTER=COUNTER+UNIT 23Ø N=AMOUNT: GOSUB1Ø1Ø 24Ø PRINT#D, TAB(X-LEN(CHECK\$))CH ECK\$; TAB(Y) DATE\$; TAB(Z-LEN(N\$)) N 25Ø GOTO19Ø 260 N=SUM: GOSUB1010 27Ø PRINT#D:PRINT#D, TAB(X)COUNT" CHECKS" 28Ø PRINT#D. TAB(X) "TOTAL AMOUNT" TAB (Z-LEN (N\$)-1) "\$"N\$ 285 POKE360,130:POKE361,115 'DIS ABLES SCREEN PRINT 288 POKE298, 25: POKE303, 14 'ENABL ES EXTENDED BASIC WITH DISK BASI C 29Ø CLOSE: END 1000 REM ** PRINT USING NUMBER F ORMATTER ** 1010 N\$=STR\$(INT((N+.005)*100)) 1020 IFLEN(N\$)>6THEN1050 1030 N\$=MID\$(N\$,2,LEN(N\$)-3)+"." +RIGHT\$ (N\$, 2) 1040 GOTO1060 'ALTERNATE 1040 RE TURN 1050 Ns=MIDs(Ns, 2, LEN(Ns)-6)+"," +MID\$(N\$, LEN(N\$)-4,3)+"."+RIGHT\$ (N\$, 2)1060 RETURN



Computer Simulation For Fun And Prophet

Part II: Exogenous Human Interaction Simulation — The Stock Market

By Dr. Bob Tyson

h, I can do better than that!" We've all said that one time or another. "If I were the teacher ... If I were the Commander-in-Chief . . . If I were the pole sitter " Computer Simulations give us the opportunity to prophesy our capability if we were someone that we might never be. "The pilot, the astronaut, the quarterback, are all possibilities if we let the computer do the work for us by just acting as "the other side." Part one of this series, last month, dealt with the components of a Simulation and how prophecy-by-computer is accomplished. The universe and the initial boundary conditions were defined so that anyone with an idea, a computer, and a little programming ability might be able to write a Simulation. One of the most difficult tasks in any Simulation is the art of simulating human thought or the world's reactions to our human thought. This article describes a few of the details of simulating human thought with emphasis on seeing how we might do if conditions were not known in a stock market Simulation.

After deciding what you want to simulate, defining your universe, and setting your initial and final boundary conditions, you can begin to simulate the human thought processes that go into your Simulation. There are two types of simulated human thought. One is called endogenous, which means "from within." An endogenous Simulation is one which lets the program do "the thinking." In an exogenous ("from without") Simulation, the player runs the program and does the thinking. Both are equally difficult to do. Endogenous Simulations are limited by their universe. They can only think certain things. They are not complete human

brains. On the other hand, an exogenous Simulation will let the "player" think anything, but the computer programmer must have anticipated every possible thought that may arise.

I say these are equally difficult after examining my Strategy Football Simulation. In it, the program had both endogenous and exogenous human thought Simulations. The endogenous part came about when the computer had to play one of the teams. It chose plays, punts and onside kicks based on my own perception of the need for certain plays. I programmed it so that it would not try to kick a 95 yard field goal since that wasn't reasonable. One of the bugs in the published version of the Simulation allowed a very good chance of success for a 95-yard field goal. The exogenous part, the part where the player entered the plays, allowed for that possibility. Thus, a go-for-broke player might just try such an absurd thing and be successful. That, unfortunately, was the case. The universe for the exogenous human interaction just was not well enough defined. That is a pitfall in any complicated human thought Simulation.

Some endogenous thinking can be done with random numbers. For instance, if the best play to call would be a punt, but one out of 15 times, a forward pass might be successful, the computer could simply generate a random number RND(15) and see if it was equal to 1. If so, it would run the unlikely, but surprising play. Another approach to programming endogenous human thought is the IF statement. These can be quite complicated. For instance a chess Simulation — which is the epitome of human thought Simulations — generally runs through dozens of IF... THEN type statements (in BASIC or Machine Language) before it decides on the best one. It loses because the programmer didn't have the right one in there, not because it made a mistake. The state-of-the-art of endogenous human thought Simulations is called "artificial intelligence," which I will be writing about next month. The crux of this month's article is really exogenous human thought Simulation which is the basis for the Stock Market Simulation.

(Dr. Bob Tyson is a senior systems engineer at United Technologies Research Center, where he designs and analyzes high energy laser systems using computer simulations. His CoCo Simulations include Strategy Football [August 1983 issue] and Election '84 [November 1983 issue].)

The Stock Market Simulation

Key in the listing shown or load it from RAINBOW ON TAPE. It takes more than 16K after it is run. The Simulation allows up to five players to test their skill buying and selling securities as the market rises and falls. If you think you are a latter-day E.F. Hutton then this Simulation, since it is exogenous, lets you prove it. This is more than a simple buy low-sell high Simulation . . . everybody writes those. This program allows buying and selling stocks, short selling, options (puts and calls), borrowing against the prime rate, and the purchase of fixed rate bonds. It also provides a description of 10 different stocks along with a plot of their performance at any time.

The universe for this Simulation is the 10 stocks from 10 diverse companies, fixed rate bonds, up to seven options-to-buy, borrowing and paying on a debt, exercising the option-to-buy, and long and short selling on the 10 stocks. The Simulation provides for stock splitting and bankruptcies. If you don't know exactly what I'm talking about, just play it with buying and selling and buy a book on the subject, or ask a teacher or a broker, then let them play it and see how well they do. Most importantly, enjoy yourself. You just might learn something.

The Simulation is menu driven. After watching the logo when all the data arrays are initialized in lines 10-90, the main menu will appear. This will step through the players with the "day" shown on the screen. The "day" really simulates about two weeks in an actual market like the New York Stock Exchange. However, if you change the names and initial conditions in Lines 9000-9017 you can simulate any exchange. If you try a commodities exchange, my computer "day" simulates only a few minutes. Each player has many options (not to be confused with his "options" listed). He can look at his own portfolio; this tells him what he owns and what he owes. It also tells him the condition of any option that he owns. From the main menu, any player can review the current market status. This will tell him the current price of the 10 stocks and their high and low value over the last 12 days. (Remember a "day" is not a day.) The current market status menu will also tell you the prime rate, the market average, and the increase or decrease from the last period. From this menu, you can also get a "description" of each stock. The description routine will ask you for the ticker symbol of the stock (that's a three-letter abbreviation). It will give you a brief market analysis and a graphic plot of its performance over the last 12 days. The number on the upper left of the plot is the maximum of the vertical axis. It's also a clue to when the stock might split. This is useful when you've got a half dozen stocks floating around and you forgot what they were. From this menu you can also get a list of the options for sale. You can't purchase or sell anything from this menu, you can just get information.

From the main menu you can choose to place an order. This will allow you to buy, sell, and do just about everything except call Merrill Lynch. Investing allows you to buy a stock at its current market price and pay the commission. The Simulation will tell you how many shares you can afford and then prompt you for the number of shares you wish to buy.

Don't enter fractional or negative shares; it was debugged, but I'm not perfect. Divesting allows you to sell shares, also with the commission fee. If you don't own any, the Simulation will stop you. After all, the Securities and Exchange Commission must do its job.

A "short sell" is a gamble that the stock price will go down, rather than up. If you short sell a stock you essentially

borrow the shares and sell them. This money is added to your cash on hand. The shares will show up in your portfolio with an 'S' beside them (for Short). If you bought the shares outright, by INVESTING, the shares will have an "L" beside them in the portfolio (for Long). This looks like a way to borrow money, and it is, but it really becomes a debt you incurred. Cancelling the short sell is the opposite. You must have enough cash to "buy back" the shares that you borrowed. If you want to cancel the short sale, just borrow enough to buy back all the shares, and then do it. This Simulation Universe doesn't allow someone to own a stock "long" and "short" at the same time. If you can't decide whether it's going up or down, I can't either.

Another investing trick of the trade is the "option." This Simulation provides only for an option-to-buy. The option-to-sell just makes it that much more complicated. When you purchase an option, you purchase a chance to buy the stock at a fixed price before a fixed expiration date. All this is spelled out on the option. If the price of the stock goes above the option price then you should exercise the option and "buy the stock at a bargain." If nothing happens before the option expires, just let it die. The price of the option is always much less than the price of the shares. In real life you could also sell the option itself, since it has value. But, in this Simulation you must "exercise it" to buy the shares and then take your profit by selling them.

Sooner or later you may need more money. You can simply borrow what you need here. The rate is based on the prime interest rate that is shown. But, as in real life, the more you borrow, the lower the rate becomes. Don't overdo it; you can easily go into debt too far. At any time you can also pay back all or part of the loan. That will save you a lot of interest.

The last player has an extra choice at his main menu. He, or she, can EXIT to see the results. This ends the Simulation. You can compare yourself with the other players by looking at your total net worth. If the last player decides to continue to the next "day" they just press 'G'. The Simulation will then do all the updating. This takes place in lines beginning with 5000. The new stock prices are computed based on bull (rising) or bear (falling) market conditions. The new averages are computed. The arrays holding the stock price histories are updated. If a stock price has gone too high, depending on its market analysis, it will split. This is where each owner of the stock will get two shares for each one he owns and the price of the stock will be halved. By itself, it is meaningless, but say, for instance, that the stock rises, on the average, \$2 a day. If the stock sells for \$20/share that's 10 percent. But now, if it splits, and the price goes to \$10/share the same \$2 increase amounts to 20 percent. In general, if you own a stock when it splits, that's good. On the other hand, if the stock price goes to zero, the company becomes bankrupt. Any shares that you hold are generally worthless, but the Simulation gives you a break, it only takes 90 percent of your unfortunate shares. The company will start over, cautiously.

Also during the update period, dividends are paid to owners of stock. You will be able to see this by your cash increase. If you have any outstanding debt, the bank will deduct the interest and you will see a cash decrease. All these operations are automatic since the broker and banker of the Simulation are endogenous.

Good luck, capitalists. Don't let greed and longing for power overcome your senses. This mainly exogenous Simulation doesn't have a conscience. The prophecy you make may be your own.

100	89 5310 251
2070 16	62 6200 24
3270 1	17 8106 20
3450 3	30 8850 119
3690 14	18 9006 233
3898 4	11 END 113

The listing:

10 DIM S(5,24),V(11,7),OP(7,6),N \$(5),T\$(10),PH(10,24) 15 CLS0:PRINT@132," S T O C K

15 CLSØ:PRINT@132," S T O C K
M A R K E T ";:PRINT@196," SIMUL
ATION BY BOB TYSON ";

17 Is="% %% %###### % %\$\$#,###,# ##.##"

20 PMODE 3,1:PCLS(1):COLOR 2,4 21 LINE (10,180)-(230,20),PSET,B F:COLOR 3,4:LINE(10,180)-(230,20),PSET,B

22 DRAW"BM20,30;R20L20D20R20D20L 20;BR40U40L10R16;BR10D40R20U40L2 0;BR50L20D40R20;BR10U40D20R7E14G 14F14D7"

23 DRAW"BM1Ø, 16Ø; E4ØF1ØE25F2ØE5Ø

F2ØE22F8E25":PAINT(19Ø,175),4,3
24 DRAW"BM5Ø,172;U4ØF1ØE1ØD4Ø;BR
1ØU4ØR2ØD2ØL2ØR2ØD2Ø;BR1ØU4ØR2ØD
2ØL2ØR14D3R3D3R3D14;BR1ØU4ØD2ØR7
E14G14F14D7;BR1ØR2ØL2ØU2ØR14L14U
2ØR2Ø;BR1ØR2ØL1ØD4Ø"

25 SCREEN 1,0:FOR X=1 TO 10:GOSU B 9900:NEXT

29 SCREEN Ø,Ø:CLS::PRINT"ENTER N UMBER OF PLAYERS 1-5":INPUT NP

3Ø DA=1:P=1:PR=11+RND(2Ø)/1Ø:DN=

35 IF NP<Ø OR NP>5 THEN 29

40 FOR S=1 TO 10:READ V(S,1):V(S,2)=V(S,1):V(S,4)=V(S,1):READ V(S,6),V(S,7):NEXT:FOR I=1 TO 7:READ V(11,I):NEXT

50 FOR PP=1 TO NP:FOR I=1 TO 24: S(PP,I)=0:NEXT I:S(PP,22)=25000: NEXT PP

40 LA=0:FOR S=1 TO 10:FOR X=1 TO 12:PH(S,X)=V(S,1):PH(S,X+12)=0: NEXT X:LA=LA+V(S,1):NEXT S:LA=LA/10:DN=10

70 FOR PP=1 TO NP:CLS:PRINT @65,
"ENTER NAME OF PLAYER ";PP,"":IN
PUT N\$(PP):NEXT PP

Computer Servo Controlled Robot Arm



Call or Write for Free Catalog

Analog Micro Systems

5660 Valmont Road - Boulder, Colorado 80301 - Tel: (303) 444-6809

Robot -

Keyboard or Joystick Control

Remembers Everything It Did & does it again

Typical System Includes:

- · Robot-1 & Cables
- 6 Channel Servo Controller
- · Power Supply
- All Software with source code

Modular Robotic Accessories:

- Mobile Cart for Traveling Robot
- Radio Links between all Functions
- Robot-mounted MicronEye
- · Ultrasonic Range Finder

Robot-1 Series

starting at \$289.00 for the Color Computer and 6809 \$350 Computers

Additional Systems Available
Robot-1R for Radio Control Systems

80 FOR S=1 TO 10:READ T\$(S):NEXT S 90 GOSUB 8400: LA=AV: FOR I=1 TO 7 :OP(I,6)=-1:NEXT I:GOSUB 8700 100 CLS3:PRINT @40," M E N U "; 101 PRINT @102," "+N\$(P)+" ";:PR INT @134," DAY= ";DA;" " 102 PRINT @160," V -- VIEW PORTFOLIO C -- CURRE NT MARKET STATUS P -- PLACE ORDER 103 IF P=NP THEN PRINT" -- GO TO NEXT WEEK -- EXIT TO SEE RESULTS "; ELSE P G -- GO TO NEXT PLAY RINT" ER 110 K\$=INKEY\$: IF K\$="" THEN 110 ELSE IF K\$="V" THEN 1000 ELSE IF K\$="C" THEN 2000 ELSE IF K\$="P" THEN 3000 ELSE IF K\$="X" THEN 8 ØØØ ELSE IF (K\$="G" AND P=NP) TH EN 5000 ELSE IF (K\$="G" AND P<>N P) THEN 4000 ELSE 110 1000 CLS:PRINT N\$(P) 1010 PRINT"ITEM SHARES TYPE VA LUE " 1020 FOR S=1 TO 10 1030 IF S(P,S)<>0 THEN 1050 1040 IF S(P,S+10)<>0 THEN 1070 E LSE 1100 1050 PRINT USING I\$; T\$(S);" S(P,S); L ";S(P,S)*V(S,1)1060 GOTO 1100 1070 PRINT USING I\$; T\$(S);" S(P,S+1Ø);" S ";S(P,S+1Ø)*V(S, 1) 1100 NEXT 1110 IF S(P,21)<>0 THEN 1120 ELS E 1130 1120 PRINT USING"% %##### % %\$ \$#, ###, ###. ##"; "BONDS "; S(P, 21); ";S(P,21)*1000 1130 PRINT USING"% 7.7. \$#, ###, ###. ##"; "CASH H = H ";S(P, 22) 114Ø PRINT USING"% 7.7. \$#, ###, ###. ##"; "DEBT ";S(P,23) 115Ø X=Ø:FOR S=1 TO 1Ø:X=X+(S(P. S)-S(P,S+10))*V(S,1):NEXT116Ø X=X+1ØØØ*S(P,21)+S(P,22)-S(P. 23) 117Ø PRINT USING"% \$###, ###. ##"; "TOTAL VALUE "; X 1175 IF S(P, 22) >Ø THEN 118Ø ELSE PRINT"YOU MUST BORROW FUNDS":GO SUB 9900:GOTO 3400 118Ø PRINT" < M> FOR MENU, <P> TO PLACE ORDER <N> TO VIEW OPTION

OWNED" 1190 K\$=INKEY\$: IF K\$="" THEN 119 Ø ELSE IF K\$="N" THEN 1200 ELSE IF K\$="M" THEN 100 ELSE IF K\$="P " THEN 3000 ELSE 1190 1200 I=1 1210 IF OP(I,6)=P THEN 1240 1220 I=I+1: IF I<8 THEN 1210 ELSE 123Ø PRINT"YOU OWN NO OPTIONS":G OSUB 9900:GOTO 100 1240 PRINT"YOU OWN AN OPTION TO BUY":PRINT OP(I,2); " SHARES OF " ;T\$(OP(I,1)):PRINT"AT \$";OP(I,3) ; "/SHARE": PRINT"EXPIRES ON "; OP (I,4) 125Ø GOTO 118Ø 2000 CLS:PRINT" CURRENT MARKET" 2010 PRINT"ITEM HIGH... LOW... CLOSE..." 2020 FOR S=1 TO 10 2025 GOSUB 8800 2030 VV=V(S,2):GOSUB 8100:X\$=K\$: X=VI:V(S,2)=VV2040 VV=V(S,4):GOSUB 8100:Y\$=K\$: Y=VI:V(S, 4)=VV 2050 VV=V(S,1):GOSUB 8100:Z\$=K\$: Z=VI:V(S, 1)=VV 2070 PRINT USING"% %###% 7.## #% 7###7 %";T\$(S)+" ";X;X\$; Y; Y\$; Z; Z\$ 2080 NEXT S 2090 PRINT "BONDS \$ 1000" 2100 PRINT "PRIME="; PR; " % "; : GO SUB 8400:PRINT USING"% #. ##"; "AVERAGE "; AV 2107 X=INT(ABS(AV-LA)*1000)/1000 :IF AV>LA THEN K\$=" UP "+STR\$(X) ELSE IF AV<LA THEN K\$=" DOWN "+ STR\$(X) ELSE K\$="NO CHANGE" 2108 PRINT K\$ 2110 PRINT"<M> MENU, <D> DESCR., < V> OPTIONS"; 2120 K\$=INKEY\$: IF K\$="" THEN 212 Ø ELSE IF K\$="M" THEN 100 ELSE I F K\$="D" THEN 6000 ELSE IF K\$="V " THEN 2200 ELSE 2120 2200 GOSUB 2300 221Ø GOTO 211Ø 2300 CLS:PRINT"OPTIONS AVAILABLE 231Ø FOR I=1 TO 7 2320 IF OP(I,6)<>0 THEN 2350 2330 PRINT "#"; I; "-"; OP(I, 2); " S HARES OF "; T\$ (OP (I, 1)) 2335 PRINT "AT \$"; OP(I,3); "/SH:

EXPIRES "; OP(I,4)

234Ø PRINT"OPTION COSTS \$"; OP(I, 5) 2345 PRINT"HIT KEY FOR NEXT" 2346 K\$=INKEY\$: IF K\$="" THEN 234 6 ELSE 235Ø 235Ø NEXT I 236Ø RETURN 3000 CLS:PRINT" P L A C E DER" 3010 PRINT:PRINT"(I) INVEST(BUY) <D> DIVEST(SELL <S> SHORT SELL <C> CANCEL SHOR T SELL" 3015 PRINT" (N) PURCHASE OPTION <E> EXERCISE OPTION BORROW FUNDS <T> PAY TOWARDS DEBT" 3020 PRINT:PRINT"(M) MENU <P>> PLACE ANOTH ER ORDER" 3030 K\$=INKEY\$: IF K\$=""THEN 3030 ELSE IF K\$="I" THEN 3100 ELSE I F K\$="D" THEN 3200 ELSE IF K\$="S " THEN 3300 ELSE IF K\$="B" THEN 3400 3040 IF K\$="T" THEN 3500 ELSE IF K\$="M" THEN 100 ELSE IF K\$="P" THEN 3000 ELSE IF K\$="C" THEN 36 00 ELSE IF K\$="N" THEN 3700 ELSE IF K\$="E" THEN 3800 ELSE 3030 3100 CLS:PRINT" I N V E S T I N G" 3110 PRINT "CURRENT CASH AVAILAB LE \$";S(P.22) 3120 GOSUB 8200 3122 IF S=Ø THEN 312Ø 3125 IF S=11 THEN VV=Ø ELSE VV=V (S, 1) 3126 IF S<>11 AND S(P.10+S)<>0 T HEN 3199 ELSE GOSUB 8100 3128 IF S=11 THEN 3130 ELSE PRIN T "CURRENT PRICE IS "; VI; K\$ 3129 X=INT(INT(S(P, 22)/V(S, 1)/10 Ø)*100)-100:PRINT"YOU CAN AFFORD "; X; " SHARES": GOTO 3140 3130 X=INT(S(P,22)/1000)-1:PRINT "CURRENT PRICE IS \$1000.00 EACH ":PRINT"YOU CAN AFFORD "; X; " BON DS" 3140 PRINT"HOW MANY DO YOU WISH TO BUY?": INPUT NS: GOSUB 8600: IF FLAG=1 THEN 3129 ELSE IF NS>X TH EN 3140 315Ø DL=NS*V(S,1):GOSUB 85ØØ 3155 CV=INT(DL+CM*DL/100) 3160 PRINT "YOUR COST IS \$"; CV:P RINT"INCLUDING A "; CM; " % COMMIS SION"

317Ø PRINT"VERIFY SALE (Y/N)" 3180 K\$=INKEY\$: IF K\$="" THEN 318 Ø ELSE IF K\$="N" THEN 100 ELSE I F K\$="Y" THEN 3190 ELSE 3180 3190 IF S=11 THEN S(P,21)=S(P,21) +NS 3192 IF S<11 AND S>Ø THEN S(P,S) =S(P,S)+NS 3194 S(P, 22)=S(P, 22)-CV 3198 GOTO 100 3199 PRINT"YOU OWN THESE SHARES SHORT, YOU CANNOT BUY THEM LONG" :GOSUB 9900:GOSUB 9900:GOTO 100 3200 CLS:PRINT" DIVESTIN 3210 GOSUB 8200: IF S=0 THEN 3210 3220 IF S=11 THEN 3250 3230 IF S(P,S)=0 THEN 3231 ELSE 3235 3231 PRINT "YOU DO NOT OWN ANY S HARES": GOSUB 9900: GOTO 100 3235 PRINT "YOU OWN ";S(P,S);" S HARES @";: VV=V(S, 1): GOSUB 8100:P RINT VI;K\$ 3240 X=S(P,S):GOTO 3260 325Ø X=S(P,21):VV=V(11,1) 3260 PRINT"HOW MANY DO YOU WISH TO SELL?": INPUT NS: GOSUB 8600: IF FLAG=1 THEN 3235 327Ø IF X<NS THEN 326Ø 3275 DL=NS*VV: GOSUB 8500 328Ø CV=DL-CM*DL/100 3285 PRINT"YOUR REVENUE IS \$";CV :PRINT"INCLUDING A "; CM; " % COMM ISSION": PRINT" VERIFY SALE (Y/N)" 3287 K\$=INKEY\$: IF K\$="" THEN 328 7 ELSE IF K\$="N" THEN 100 ELSE I F K\$="Y" THEN 3290 ELSE 3287 329Ø IF S=11 THEN S(P,21)=S(P,21)-NS 3291 IF S<11 AND S>Ø THEN S(P.S) =S(P,S)-NS 3292 S(P, 22) = S(P, 22) + CV 3294 GOTO 100 3300 CLS:PRINT" SHORT SELL A COM MON STOCK" 3320 GOSUB 8200 3322 IF S=Ø OR S=11 THEN 332Ø 3323 IF S(P,S)>Ø THEN 3325 3324 VV=V(S,1):GOSUB 8100:GOTO 3 328 3325 PRINT"YOU CAN NOT SHORT SEL L A STOCK THAT YOU OWN LONG; YO U HAVE": PRINT S(P,S); " SHARES OF IT": GOSUB 9900: GOTO 100 3328 PRINT "CURRENT PRICE IS "; V I;K\$ 334Ø PRINT"HOW MANY DO YOU WISH TO SHORT SELL?": INPUT NS

3350 DL=NS*V(S,1):GOSUB 8500 3355 CV=DL-CM*DL/100 336Ø PRINT "YOUR GAIN IS \$";CV:P RINT"INCLUDING A "; CM; " % COMMIS SION" 3370 PRINT"VERIFY SALE (Y/N)" 338Ø K\$=INKEY\$:IF K\$="" THEN 338 Ø ELSE IF K\$="N" THEN 100 ELSE I F K\$="Y" THEN 3390 ELSE 3380 339Ø S(P,S+1Ø)=S(P,S+1Ø)+NS 3394 S(P, 22)=S(P, 22)+CV 3398 GOTO 100 3400 CLS:PRINT" B O R R O W I N G" 3410 PRINT: PRINT"THE PRIME RATE IS ":PR:" %"

3420 PRINT"HOW MUCH DO YOU WISH TO BORROW?": INPUT NS: IF NS<Ø THE N 3420

3424 IF NS=Ø THEN 100

3425 IF NS>100000 THEN X=PR ELSE X=PR+1.5

3430 CV=NS*X*.01/26:PRINT"YOUR B IWEEKLY INTEREST PAYMENT WILL B E ";:PRINT USING"\$######.##";CV 344Ø PRINT"VERIFY TRANSACTION (Y /N) "

3450 K\$=INKEY\$:IF K\$="" THEN 345 Ø ELSE IF K\$="N" THEN 100 ELSE I



From the leading supplier of Computer Cassettes, new, longer length C-12's (6 minutes per side) provide the extra few feet needed for some 16K programs.

- . BASF-LHD (DPS) world standard tape.
- Premium 5 screw shell with leader.
 Internationally acclaimed. Thousands of
- repeat users.
 Error Free Money back guarantee

Call: 818/700-0330 FOR IMMEDIATE DELIVERY on Credit Card Orders.

500 C-12's or C-10's — 38 e each wilabels, add 4 e • Shipping \$17/500 500 Boxes 13 e ea. • Shipping \$10/500 (Free Caddy offer does not apply)

TRACTOR FEED • DIE-CUT
BLANK CASSETTE LABELS
WHITE \$3 00/100 \$20.00/1000
COLORBO LABELS • Pastels •
NEW Red, Blue, Green, Yetliow, Lavender
\$4,00/100 \$30.00/1000



ORDER NOW... MAIL TO –
YORK 10 9525 Vassar Ave. #R1
Chatsworth, CA 91311


				ORDER FORM
ITEM	1 DOZEN	2 DOZEN	TOTAL	#R1
C-05	7.00	□ 13.00		Each cassette includes 2 labels only. Boxes sold separate-
C-06	7.00	□ 13.00		ly. In Continental U.S. shipment by U.P.S. If Parcel Post
C-10	7.50	14.00		preferred, check here.
C-12	7.50	□ 14.00		Charles M.O. and B. Charles Ch
C-20	8.75	□ 16.50		Check or M.O. enclosed ☐ Send Quantity Discounts ☐
C-24	9,00	□ 17.00		Charge to credit card: VISA MASTERCARD
C-32	11.00	□ 21.00		
Hard Box	2.50	4.00		Card NoExo
Wht Labels		20.00/1000	-	
	4.00/100	30.00/1000		Name
Color				Name
Stcrage Cad	idy @ 2.95 ea			
2.11		SUB TOTAL		Address
Calif residen	is add sales tax			
Shipping/hani	fling		3.50	CityState/Zip
Outside 48 Co	intinental States	- Additional \$1.		
per caddy, pe	doz cassettes	or boxes		SignaturePhone
		TOTAL		
		TOTAL		Ask about our DUPLICATING SERVICE
				ASK about our bor Eleviting CENTICE

F K\$="Y" THEN 3460 ELSE 3450 346Ø S(P, 24)=(S(P, 24)*S(P, 23)+X* NS)/(S(P, 23)+NS):S(P, 23)=S(P, 23)+NS:S(P,22)=S(P,22)+NS347Ø GOTO 1ØØ 3500 CLS:PRINT" PAYMENT ON DEBT" 3505 PRINT:PRINT"YOU OWE \$";S(P. 3510 PRINT"HOW MUCH DO YOU WISH TO PAY?": INPUT NS: IF NS(S(P, 22) THEN 3525 3520 PRINT"YOU DON'T HAVE THAT M YOU ONLY HAVE \$";S(P. 22):GOSUB 9900:GOTO 3510 3525 IF NS(S(P,23) THEN 353Ø ELS E PRINT"YOU DON'T OWE THAT MUCH 3526 GOSUB 9900:GOTO 3510 353Ø PRINT"THAT WILL LEAVE YOU W ITH \$";S(P,22)-NS 3540 PRINT"THE PRIME RATE IS ";P R: " %" 3550 PRINT"VERIFY SALE (Y/N)" 3560 K\$=INKEY\$:IF K\$="" THEN 356 Ø ELSE IF K\$="N" THEN 100 ELSE I F K\$="Y" THEN 3570 ELSE 3560 357Ø S(P, 22)=S(P, 22)-NS:S(P, 23)= S(P, 23)-NS:GOTO 100 3600 CLS:PRINT" CANCEL A SHORT S OLD STOCK" 3620 GOSUB 8200 3622 IF S=Ø OR S=11 THEN 362Ø 3623 IF S(P,S+10)=0 THEN 3625 3624 VV=V(S,1):GOSUB 8100:GOTO 3 628 3625 PRINT"YOU DO NOT HAVE ANY S HARES THAT ARE SHORT SOLD": GOSUB 9900:GOTO 100 3628 PRINT "CURRENT PRICE IS ":V 363Ø X=INT(INT(S(P, 22)/V(S, 1)/1Ø 0) *100) -100: IF X>S(P,S+10) THEN X =S(P,S+1Ø) 3635 PRINT"YOU CAN AFFORD ":X:" SHARES" 3640 PRINT"HOW MANY DO YOU WISH TO BUY BACK?": INPUT NS: GOSUB 8600: IF FLAG=1 THEN 3630 ELSE I F NS>X THEN 364Ø 3650 DL=NS*VV:GOSUB 8500 3660 CV=DL+CM*DL/100 3662 PRINT "YOUR COST IS \$"; CV:P RINT"INCLUDING A "; CM; " % COMMIS SION" 3670 PRINT"VERIFY SALE (Y/N)"

3680 K=INKEY=: IF K="" THEN 368 Ø ELSE IF K\$="N" THEN 100 ELSE I F K\$="Y" THEN 3690 ELSE 3680 3690 S(P,S+10)=S(P,S+10)-NS

3694 S(P, 22)=S(P, 22)-CV 3698 GOTO 100 37ØØ K=Ø 37Ø1 FOR I=1 TO 7: IF OP(I,6)=P T HEN K=I 37Ø2 NEXT I 37Ø3 IF K=Ø THEN 37Ø9 ELSE 37Ø4 3704 PRINT"YOU OWN AN OPTION ALR EADY":GOSUB 9900:GOTO 100 3709 GOSUB 2300 371Ø PRINT"CHOOSE OPTION # , Ø F OR MENU" 3720 INPUT I: IF I <= 0 THEN 100 373Ø IF OP(I,5)(S(P,22) THEN 375 3740 PRINT"YOU CAN'T AFFORD IT": GOSUB 9900:GOTO 100 375Ø OP(I,6)=P:S(P,22)=S(P,22)-0 P(I,5) 376Ø GOTO 1ØØ 3800 CLS:K=0 3810 FOR I=1 TO 7: IF OP(I,6)=P T HEN K=I 382Ø NEXT I 3830 IF K=0 THEN 3840 ELSE 3850 3840 PRINT"YOU OWN NO OPTIONS":G OSUB 9900:GOTO 100 385Ø IF S(P,OP(K,1)+1Ø)<>Ø THEN 3898 3860 X=0P(K,2)*0P(K,3):Y=0P(K,2) *V(OP(K,1),1) 3865 IF X>S(P, 22) THEN 3740 3870 PRINT "YOUR COST IS \$";:PRI NT USING"###### ##"; X 3880 PRINT "MARKET PRICE IS \$";: PRINT USING"###### . ##"; Y 3890 PRINT"VERIFY OPTION SALE (Y /N) " 3895 K\$=INKEY\$: IF K\$="" THEN 389 5 ELSE IF K#="Y" THEN 3896 ELSE 100 3896 S(P, 22)=S(P, 22)-X:S(P, 0P(K, 1))=S(P,OP(K,1))+OP(K,2)3897 OP(K,6)=-1:GOTO 100 3898 PRINT"YOU OWN THIS STOCK SH ORT CANCEL THE SHORT SELL FIRST": GOSUB 9900: GOSUB 9900: GO TO 100 4000 P=P+1: IF P=NP+1 THEN 5000 4001 GOTO 100 5000 CLS: DA=DA+1:P=1: Z=RND(0) 5005 IF Z>.7 THEN 5008 ELSE IF Z <.3 THEN 5007 ELSE 5006 5006 PRINT"MIXED MARKET": GOSUB 9 900:GOTO 5010 5007 PRINT"BEAR MARKET": GOSUB 99 ØØ:GOTO 5Ø1Ø 5008 PRINT"BULL MARKET": GOSUB 99 ØØ:GOTO 5Ø1Ø

5010 FOR S=1 TO 10 5020 M=V(S,1)+Z*V(S,6):V=V(S,6) 5030 GOSUB 8300 5040 V(S, 1)=T:V(S, 3)=T:PH(S, 24)= 5050 IF V(S,1) <=0 THEN 5100 ELSE IF V(S, 1) >V(S, 7) THEN 5200 5060 NEXT S 5070 FOR X=1 TO NP 'DEDUCT INTE REST 5080 Y=S(X,23)*S(X,24)/2600 5090 S(X,22)=S(X,22)-Y:IF S(X,22)>Ø THEN 5Ø96 5092 S(X, 23) = S(X, 23) + Y5096 NEXT X 5098 GOTO 5300 5100 V(S,1)=0:V(S,3)=0:PRINT T\$(S); " DECLARED BANKRUPCY": PRINT"T EMPORARY HALT IN TRADING; ALL S HAREHOLDERS ARE PAID 1 SHARE OR EACH 10 CURRENTLY OWNED." 5110 GOSUB 9900:GOSUB 9900 5120 FOR X=1 TO NP 514Ø IF S(X,S)<>Ø OR S(X,S+1Ø)<> Ø THEN 515Ø ELSE 518Ø 5150 S(X,S) = INT(S(X,S)/10):S(X,S)+10) = INT(S(X,S+10)/10)518Ø NEXT X



5190 GOTO 5060 5200 V(S,1)=V(S,1)/2:PRINT T\$(S) " SPLIT 2 FOR 1" 5210 GOSUB 9900:PH(S, 24)=1 5220 FOR X=1 TO NP 523Ø IF S(X,S)<>Ø OR S(X,S+1Ø)<> Ø THEN 524Ø ELSE 525Ø 5240 S(X,S)=2*S(X,S):S(X,S+10)=2*S(X,S+10) 525Ø NEXT X 5260 GOTO 5060 5300 LA=AV: FOR I=1 TO 10: T=V(I, 1):V(I,1)=V(I,3):V(I,3)=T:NEXT 5310 GOSUB 8400: FOR I=1 TO 10:T= V(I,1):V(I,1)=V(I,3):V(I,3)=T:NE5320 X=0:FOR I=1 TO 10:X=X+V(I,1):NEXT 533Ø DN=X/AV 5340 FOR S=1 TO 10:FOR I=2 TO 12 :PH(S, I-1)=PH(S, I):PH(S, I+11)=PH (S, I+12):NEXT I:PH(S, 12)=V(S, 1): NEXT S 5350 FOR S=1 TO 10 5352 V(S, 2) =Ø: V(S, 4) =5ØØ 5354 FOR I=1 TO 12 5356 IF PH(S, I)>V(S, 2) THEN V(S, 2) =PH(S, I)

5358 IF PH(S, I) < V(S, 4) THEN V(S, 4) = PH(S, I)536Ø NEXT I 5370 FOR I=1 TO NP 538Ø S(I,22)=S(I,22)+3.85*S(I,21 539Ø NEXT I 5400 IF (2*INT(DA/2)<>DA) THEN 5 5410 FOR I=1 TO NP:FOR X=1 TO 10 5420 S(I,22)=S(I,22)+V(X,1)*S(I,X)/(1200*V(X,6)) 543Ø NEXT X 5432 NEXT I 544Ø FOR I=1 TO 7 5450 IF DA>OP(I,4) THEN OP(I,6)= -1 546Ø NEXT I 547Ø GOSUB 87ØØ 5471 FOR S=1 TO 10: IF V(S,1)=0 T HEN V(S, 1)=10 5472 NEXT S 548Ø GOTO 1ØØ 6000 GOSUB 8200 6050 RESTORE: FOR X=1 TO 37: READ Y:NEXT:FOR X=1 TO 10:READ K\$:NEX 6060 FOR X=1 TO S:READ K\$:NEXT

ARE YOUR WALKING FINGERS GETTING FOOTSORE?

Tired of typing in those long, but wonderful, programs from issues of **THE RAINBOW**? Now, you can get **RAINBOW ON TAPE** and give those tired fingers a rest. With **RAINBOW ON TAPE**, you'll be able to spend your time enjoying programs instead of just typing . . . typing them! All you need to do ever again is pop a **RAINBOW ON TAPE** cassette into your recorder, *CLOAD* and *RUN* any one you want.

Think of it! Not 10 or a dozen — but between 20 and 30 — programs every month from **RAINBOW ON TAPE**. All the really good programs from **THE RAINBOW!** All the long ones . . . so you don't have to type them in. Just *CLOAD* and *RUN!*



Now...The Best Color Computer Magazine Offers The Best Tape Service

RAINBOW ON TAPE single issue rate is: within the US, \$8, Canadian and Mexican rate, \$10, all other countries, \$10.00 RAINBOW ON TAPE subscription rate is: within the US, \$70, Canadian and Mexican rate, 80, all other countries, \$95.

US FUNDS ONLY PLEASE

VISA, MasterCARD and American Express accepted. All subscriptions begin with the current issue and back issues are available beginning with April, 1982. Tapes are sent first class mail to arrive approximately the same time as your current issue of THE RAINBOW.



ORDER RAINBOW ON TAPE TODAY!
HANDY ORDER CARD BETWEEN PAGES 34 & 35

6070 CLS:PRINT K\$:PRINT:PRINT "< M> FOR MENU, <P> FOR PLOT" 6080 K\$=INKEY\$:IF K\$="" THEN 608 Ø ELSE IF K\$="P" THEN 6100 ELSE IF K\$="M" THEN 100 ELSE 6080 6100 IF S=11 THEN 100 ELSE PMODE 3,1:PCLS(1):SCREEN 1,0:COLOR 3, 'S=# OF STOCK V(S,7) IS MAXI MUM 6110 LINE(10,180)-(230,20), PSET, 6115 COLOR 2,3 612Ø FOR I=1Ø TO 23Ø STEP 2Ø 613Ø LINE(I,176)-(I,18Ø), PSET:NE 614Ø X=1Ø:Y=18Ø-16Ø*PH(S.1)/V(S. 615Ø FOR I=2 TO 12 616Ø V=(I-1)*2Ø+1Ø:Z=18Ø-16Ø*PH(S. I)/V(S. 7) 617Ø LINE(X,Y)-(V,Z), PSET 618Ø X=V:Y=Z 619Ø NEXT I 6192 COLOR 3,2 6193 DRAW"BM18Ø.1" 6195 ON S GOTO 6200,6220,6240,62 60,6280,6300,6320,6340,6360,6380 6200 GOSUB 8901:GOSUB 8907:GOSUB 8911: DRAW"BM1Ø, 1": GOSUB 8924: GO SUB 8925: GOTO 6500 6220 GOSUB 8903:GOSUB 8911:GOSUB 8912:DRAW"BM1Ø,1":GOSUB 8925:GO SUB 8920: GOTO 6500 624Ø GOSUB 89Ø4:GOSUB 8918:GOSUB 8910:DRAW"BM10,1":GOSUB 8929:GO SUB 8920:GOTO 6500 626Ø GOSUB 89Ø9:GOSUB 89Ø9:GOSUB 89Ø8:DRAW"BM1Ø,1":GOSUB 8925:GO SUB 8920:GOTO 6500 628Ø GOSUB 891Ø: GOSUB 8916: GOSUB 8909:DRAW"BM10,1":GOSUB 8924:GO SUB 8920:GOSUB 8920:GOTO 6500 6300 GOSUB 8913:GOSUB 8911:GOSUB 8910: DRAW"BM10, 1": GOSUB 8922: GO SUB 8925: GOTO 6500 632Ø GOSUB 8913:GOSUB 8917:GOSUB 8903: DRAW"BM10, 1": GOSUB 8922: GO SUB 8925:GOSUB 8920:GOTO 6500 634Ø GOSUB 8914:GOSUB 89Ø9:GOSUB 8906:DRAW"BM10,1":GOSUB 8921:GOS UB 8920:GOSUB 8920:GOTO 6500 636Ø GOSUB 8915:GOSUB 89Ø1:GOSUB 8902:DRAW"BM10,1":GOSUB 8925:GO SUB 8920:GOTO 6500 638Ø GOSUB 8916:GOSUB 89Ø7:GOSUB 8905:DRAW"BM10,1":GOSUB 8922:GO SUB 8925:GOTO 6500 6500 FOR I=1 TO 12 651Ø IF PH(S,12+I)<>1 THEN 655Ø

6530 CIRCLE((I-1) *20+10,10),4,4 655Ø NEXT I 6560 K#=INKEY#: IF K#=""THEN 6560 ELSE 100 8000 CLS: PRINT"COMPARATIVE RESUL TS":PRINT"AFTER ";DA;" INVESTING PERIODS" 8010 FOR P=1 TO NP 8020 PRINT N\$(P) 8030 X=0:FOR S=1 TO 10:X=X+(S(P. S)-S(P,S+1Ø))*V(S,1):NEXT 8Ø4Ø X=X+1ØØØ*S(P,21)+S(P,22)-S(P. 23) 8050 PRINT USING"% 7.\$ \$###, ###. ##"; "TOTAL VALUE " : X 8060 NEXT P 8070 END 8100 VI=INT(VV):VD=VV-VI:IF VD<1 /16 THEN 811Ø 8101 IF VD>=1/16 AND VD<3/16 THE N 8120 8102 IF VD>=3/16 AND VD<5/16 THE N 813Ø 8103 IF VD>=5/16 AND VD<7/16 THE N 8140 81Ø4 IF VD>=7/16 AND VD<9/16 THE N 8150 8105 IF VD>=9/16 AND VD<11/16 TH EN 8160 8106 IF VD>=11/16 AND VD<13/16 T HEN 817Ø 8107 IF VD>=13/16 THEN 8180 811Ø K\$=" ": VD=. Ø: VV=VI+VD: RETURN 812Ø K\$=" 1/8 ": VD=. 125: VV=VI+V D: RETURN 813Ø K\$=" 1/4 ": VD=. 250: VV=VI+V D: RETURN 814Ø K\$=" 3/8 ": VD=. 375: VV=VI+V D: RETURN 815Ø K\$=" 1/2 ": VD=.500: VV=VI+V D: RETURN 8160 K\$=" 5/8 ": VD=. 625: VV=VI+V D: RETURN 817Ø K\$=" 3/4 ": VD=. 750: VV=VI+V D: RETURN 8180 K\$=" 7/8 ":VD=.875:VV=VI+V D: RETURN 8200 CLS:S=0:PRINT "ENTER TICKER SYMBOL OF STOCK OR BOND" 8202 PRINT: FOR I=1 TO 5: PRINT T\$ (I)+" ";:NEXT:PRINT T\$(6) 8203 FOR I=7 TO 10:PRINT T\$(I)+" ";:NEXT:PRINT" BONDS" 8208 INPUT K# 8210 FOR S=1 TO 10: IF K\$=T\$(S) T HEN 8240 822Ø NEXT S 8230 IF K#="BONDS" THEN S=11 ELS

RETURN E S=Ø 8915 DRAW"BM+6, +0; D8F4E4U8": RETU 824Ø RETURN 8300 'RANDOM NORMAL DISTRIBUTION 8916 DRAW"BM+6, +Ø; D12E4F4U12":RE T. M=MEAN, V=VARIANCE TURN 831Ø T=V*(RND(Ø)+RND(Ø)+RND(Ø)-1 .5) /. 497 + M: RETURN 8917 DRAW"BM+6.+Ø;F4D4G4BR8H4U4E 8400 AV=0:FOR I=1 TO 10:AV=AV+V(4": RETURN 8918 DRAW"BM+6, +Ø; F4D8U8E4": RETU I, 1) /DN: NEXT: RETURN 8500 CM=5: IF DL>100000 THEN CM=2 8920 DRAW"BM+6, +0; D12R8U12L8R8": ELSE IF DL>10000 THEN CM=3.5 851Ø RETURN RETURN 8921 DRAW"BM+6, +Ø; BR2; R2D12L2R4L 8600 IF NS<0 THEN FLAG=1 ELSE FL AG=Ø 2U12; BR2": RETURN 861Ø RETURN 8922 DRAW"BM+6, +Ø; R8D6L8D6R8BU12 8700 FOR I=1 TO 7 ": RETURN 8924 DRAW"BM+6, +Ø; D6R8L2D6U12BR2 871Ø IF OP(I,6)<>-1 THEN 878Ø ": RETURN 872Ø OP(I,6)=Ø:K=RND(1Ø):OP(I,1) 8925 DRAW"BM+6, +Ø; D6R6F2D2G2L6BU 873Ø OP(I,2)=1ØØ*RND(5):Y=RND(1Ø 12R8": RETURN 8929 DRAW"BM+6, +Ø; D6R8D6U12L8R8")+5:OP(I,3)=INT(V(K,1)+Y*V(K,6)/2):OP(I,4)=DA+Y:OP(I,5)=INT(OP(I : RETURN ,3)*OP(I,2)/100) 9000 DATA 10,2,45,4,.2,50 9001 DATA 30,3,90,17,1,50 878Ø NEXT I 9002 DATA 40, 10, 400, 6, .5, 25 879Ø RETURN 9003 DATA 34,6,250,20,2,100 8800 V(S.2)=0:V(S.4)=10000 881Ø FOR I=1 TO 12 9004 DATA 9,.5,50,8,.5,25 9005 DATA 1000,1000,0,1000,0,0,9 8820 IF PH(S, I)>V(S, 2) THEN V(S, 999 2) =PH(S, I) 9006 DATA AGR, CRS, DYN, MML, NWM, TR 883Ø IF PH(S, I) < V(S, 4) THEN V(S, N, TXC, UMI, VAB, WGE 4) =PH(S, I) 9007 DATA AGRICON FOODS 884Ø NEXT I STABLE GROWTH COMPANY 885Ø RETURN AGR DEALING IN WHOLE GRAINS AND PR 8901 DRAW"BM+6, +0; R8D12U6L8D6U12 FROZEN FOODS. OCESSED R8": RETURN AFFECTED BY WEATHER CONDITIONS. 8902 DRAW"BM+6.+0; D12R6U2R2U4L8R 9008 DATA CROSS DISCOUNT STORES 6U2R2U2L2U2L6BR8": RETURN 8903 DRAW"BM+6, +0; D12R8L8U12R8": CRS CHAIN OF DISCOUNT DEP ARTMENT STORES. USUALLY SUBJEC RETURN T OF LIGHTTRADING WITH VARIATION 8904 DRAW"BM+6.+0; D12R6U2R2U8L2U S DUE TO CONSUMER ECONOMIC SITU 2L6BR8": RETURN ATIONS. 8905 DRAW"BM+6, +0; D12R8L8U6R4L4U 9009 DATA DYNATRONICS **6R8": RETURN** DYN VERY VOLATILE HIGH TE 8906 DRAW"BM+6,+0;R4D12L4R8L4U12 CHNOLOGY GROWTH COMPANY. R4": RETURN ALIZES IN MILITARY HARDWARE. 8907 DRAW"BM+6, +0; R8L8D12R8U6L4D 9010 DATA MIDWEST MERCHANTS LIFE 2BU8L4R8": RETURN MML A LARGE CONGLOMERATE 8908 DRAW"BM+6, +0; D12R8BU12": RET LIFE IN- SURANCE COMPANY WITH A SSETS OVER40 BILLION DOLLARS. V 8909 DRAW"BM+6, +0; D12U12F4E4D12U ERY STABLEUSUALLY PAYS GOOD DIVI 12": RETURN DENDS. 8910 DRAW"BM+6, +0; D12U12F4D4F4U1 9011 DATA NORTHWEST MINERALS 2": RETURN A SPECULATIVE MINING NWM 8911 DRAW"BM+6, +Ø; R8D6L8U6D12BR8 COMPANY. RARELY PAYS DIVIDENDS H6BE6": RETURN BUT CAN 8912 DRAW"BM+6, +Ø; D6R8D6L8BU12R8 WITH ": RETURN 8913 DRAW"BM+6, +Ø; R8L4D12U12R4": TRN RETURN R WITH 8914 DRAW"BM+6, +Ø; D1ØF2R4E2U1Ø":

128

CAN BE

SPECI



PRICKLY-PEAR SOFTWARE

QUALITY PROGRAMS FOR YOUR COCO & TDP-100 PROGRAMS REQUIRE 16K EXTENDED BASIC FOR TAPE, AND 32K DISK UNLESS OTHERWISE NOTED.

COLOR DISK TRIVIA WITH DEVELOPMENT SYSTEM FOR EDUCATIONAL USE

Here it is! The first new program offered by the author of the famed **VIKING!** in nearly two years, and worth the wait.

Color Disk Trivia

is simply a very good, and very fun to play game. It has everything going for it: The challenge of trivia, ease of use, a good social game encouraging conversation, and you may even learn something! The development system (included) even lets you easily create your own custom question disks.

The play of the game is easy to understand, because the computer does all the work for you. It even looks up and presents the proper question!

On each question disk there are five categories, and there are an amazing 1100 questions on each disk. No, that's not a misprint, we said 1100 questions per question disk! Yes, that is a pretty full disk. Because the questions are stored on the disk, instead of in memory, you can play COLOR DISK TRIVIA on any size Color Computer system with one disk drive — 16K, 32K, or 64K.

There are already five question disks available, and you get the GENERAL disk when you purchase the game. That's correct, there are already FIVE question disks with a total of 5500 questions available for shipment RIGHT NOW, with more on the way shortly.

All question disks have five categories and 1100 questions. The disks available now are:

GENERAL: (Included with the game) The categories for this disk are history, the written word, movies & television, science & the world, and sports.

ENTERTAINMENT: These categories are movies, the stage, television, music, and literature.

BIBLE: 1100 questions in five categories on the Old and New Testaments

SPORTS: This disk will challenge even the very knowledgeable sports fan. All major sports (and some minor ones) are represented.

CHILDREN: No, this isn't questions ABOUT children, it's questions FOR children. 1100 fun questions just for the younger set

The game of **COLOR DISK TRIVIA** can be played by from 1 to 4 people (or teams), and you set the length of the game at the start when you decide how many questions must be answered in each category to win. The computer chooses the categories randomly, though sometimes it will let you choose the category for yourself (or let your opponents choose for you). Because of this category selection by the computer, a single category can often hold you up while one of your opponents slips by to win. The outcome is always in doubt, and no player is ever eliminated.

Trivia lovers will enjoy the fact that you can play without other people if you desire, because the computer will provide plenty of challenge. We want to emphasize that this is, first and foremost, a fun game.

Your Personal check is welcome - no delay. Include \$1.50 shipping for each program ordered. (Shipping free on \$50.00 or larger orders). AZ residents add 7% sales tax. Orders shipped within two days.

The Development System

Naturally, in order for our programmers to type in thousands of questions easily and accurately, a good development program to create the question disks had to be written, and we include this program with the game at no additional charge!

The program is all menu-driven and very user-friendly. That means that no knowledge of programming is needed to use it. If you can turn on your computer and type, you're all set! Now sit back and imagine the educational possibilities.

Yes, our question disks have 1100 questions, but the game program will handle question disks having any number of questions from 5 up to a full disk of 1100, so a teacher can type in 50 or 100 questions and answers (the questions are multiple choice), and then the students can play the "game" and have a great time, while accidently picking up the lesson. Let the natural spirit of competition fuel the learning process.

The development program is very easy to use, and gives you options to add questions, change or delete a question, and print the questions and answers on the screen (or a printer, if you have one). You can develop a question disk and easily add questions to it any time you wish.

This program finally gives parents and teachers the opportunity to easily create a custom learning program for any level student, and if we keep it a secret, no-one need know it's more than a game.

TECHNICAL INFORMATION: COLOR DISK TRIVIA is a mixture of Machine Lan uage and BASIC. It uses Fielded Direct Access Disk Files. COLOR DISK TRIVIA requires 16K and at least one disk drive.

ORDERING INFORMATION:

COLOR DISK TRIVIA GAME with QUESTION DEVELOPMENT SYSTEM and GENERAL question disk containing 1100 QUESTIONS: \$29.95

ADDITIONAL QUESTION DISKS:

THE BIBLE: 1100 questions on the Bible. \$19.95

ENTERTAINMENT: 1100 questions on movies, TV, stage, music, and literature, \$19.95

SPORTS: 1100 questions for the sports fan. \$19.95

CHILDREN: 1100 questions for the younger set. \$19.95 FOR A LIMITED TIME, buy the game for \$29.95 and select an additional disk of your choice for ½ price! That's a \$49.90 value for just \$39.95. You save \$10, and we will

pay the shipping.

Dealer and author inquiries are always welcome. Canadian dealers should contact Kelly Software Distributors, Ltd., P. O. Box 11932, Edmonton, Alberta T5J-3L1 (403) 421-8003

Stocked by Quality Dealers, or

Send Order To: PRICKLY-PEAR SOFTWARE



8532 E. 24th Street Tucson, Arizona 85710 (602) 886-1505



ALLAS. PRIMARILY A FOOD TRAN SPORTER BUT CAN ALSO HANDLE I NDUSTRIAL AND HIGH TECH PRODUCT

9013 DATA TEXCAL DIL

TXC A SMALL TEXAS-BASED O
IL EXPLOR-ER WITH SPECULATION IN
OKLAHOMA AND TEXAS REAL ESTATE
WITH MIN- ERAL RIGHTS.

9014 DATA UNITED MOTORS INC.

UMI THIRD LARGEST PRODUCE R OF AUTOSIN THE U.S. EMPLOYS OV ER 400000 GROWTH ORIENTED WITH G OOD DIVI- DENDS.

9015 DATA VIRGINIA BANK & TRUST
VAB LARGEST INTRASTATE BA
NKING CON-CERN IN VIRGINIA. HAN
DLES MANY LARGE GOVERNMENT ACCOU
NTS. DIVI-DENDS ARE STABLE BUT S
MALL.

9016 DATA WESTERN GAS & ELECTRIC
WGE A LARGE MULTI-STATE U
TILITY IN THE NORTHERN ROCKIES.P
AYS GOOD DIVIDENDS AND HAS GROW
TH POSSI- BILITIES.

9017 DATA NATIONAL BANK BONDS
BONDS A SECURE FIXED INTER
EST FIXEDPRICE BOND. EACH BOND
COSTS \$1000 AND PAYS 10% (APR
) INTEREST ... \$3.85 PER PERIOD
PER BOND.

9900 FOR I=1 TO 1600: NEXT: RETURN

Corrections

This note for non-disk users of the electronic spreadsheet program in "MoCalc — MiniCalc Gets a Big Brother" (April 1984, Page 186), author Barry Spencer says those who don't have Disk BASIC should replace the command WRITE with PRINT in Line 1020 and change KILL to PRINT in Line 1040.

H. Allen Curtis writes that we mistakenly indicated the minimum system for his Bandy program (June 1984 issue) to be Disk BASIC. This was done because of the use of SAVE, LOAD, and WRITE in the listing, but Curtis says, "The program logic is such that the lines containing those commands are bypassed when there is no disk controller connected." Thus, Bandy can be used in cassette-based 16K ECB — as indicated in the third paragraph of his article.

Curtis adds, however, that LOAD, SAVE and WRITE will not tokenize when used with a cassette-based system.

Therefore, the last Rainbow Check Plus value for Listing 2 will be 187 for cassette users instead of the 101 value given in the "checkbox" on Page 144. The 101 value is correct for disk-based systems.

In the July 1984 first installment of our "Cooking With CoCo" series, Listing 1 (BASLOAD) was inadvertently left out. This omission led to Listings 2 and 3 being mislabeled 1 and 2. The missing Listing 1 is appended to the end of this month's "Cooking With CoCo" article and begins on Page 187.

Reader Steven Ostrom, Minnetonka, Minn., tells us that there is an error in the "Simply Load and . . . Bingo!" program (Page 92, April 1984 issue). The beginning of Line 520 should read *IF BB*=>10 (not, *IF BB*>10). You need to add the "equal" symbol because, otherwise, when L=3 and BB=10, the middle row of the Bingo card will not have a free space.

Steven adds, "For my DMP-120, I had to add a printer delay (*POKE 151,25*) in addition to changing the elongation commands that the author noted. This *POKE* is necessary for many programs that print, due to a bug in the DMP-120, even after the Radio Shack upgrade."

Damon Swanson writes, "There is an occasional but potentially deadly bug in my modification to Steve Good's Spooler, ("Make the Good Spooler Better," May 1984, Page 23). The disaster will strike if an interrupt occurs while in the RAM (Type 1) memory map.

"The bug rarely bites because the program is only at risk during 11 of the almost 15,000 clock cycles between interrupts, and it causes disaster only when the print buffer is empty, i.e., when printing the first character to the buffer. Under these conditions, the interrupt handler, START, detects the empty buffer and jumps to high memory expecting ROM but finding random code in RAM.

"If the buffer has at least one character, START gets that character from RAM and sets the map back to ROM before calling any ROM routines. We can still have an error—dropping one character. The program is at risk for seven clock cycles yielding an error rate of about one in 2,000 characters."

"Bugs of this species are hard to recognize, impossible to test, and often ignored. But a good programmer will find them and destroy them. Fortunately, this bug is easily exterminated."

Continues Swanson, "Add an ORCC #\$50 (Line 743) to kill the potential interrupt before switching to the RAM page and ANDCC #\$AF (Line 757) to turn it on again in the modified spooler listing. Also correct the start address to allow the four extra bytes (ORG \$7F61 or \$7CF0 with SCRPRT).

"Note there is no problem in the interrupt handler, START, which is synchronized with the interrupt and finishes long before another one comes along."

Thanks, Damon, your discussion calls attention to one of the more subtle problems of interrupt handling.

Get Your Feet Wet With These Paddles!

By Helene M. LaBonville

am a tinkerer. So, when the Atari died, I just couldn't throw away a perfectly good set of paddles! Although I have no electronics background, I set out to convert the paddles to work on our system. It was easier than I had imagined. As a matter of fact, the hardest part of this project was obtaining the joystick plugs and 5-conductor cable.

I will illustrate two conversions. One is quite simple, the other is easy. I will not go into the theory of operation of the D/A converter nor of the JOYSTK command itself, as these topics have been well covered in prior articles.

Single Direction Model — Simple

Materials required for each paddle:

1 5-pin (240) DIN plug 5-inch length of hook-up wire (preferably black)

Atari Paddles are sold in pairs which are joined together by a mutual DB-9 plug. Remove the plug, unscrew the case, and refer to Figure 1 which is the current configuration of an Atari paddle. All that needs to be done to convert this paddle to CoCo (see Figure 2) is:

- 1) Add a jumper wire between one of the lugs of the momentary switch and lug 1 of the potentiometer. Disconnect the black terminal wire from the switch and solder the jumper wire directly onto the bullet connector. Reconnect. Next, solder the other end to lug 1 of the pot.
- 2) Install the DIN plug as per Figure 2. Place the plug's cable

sheath over the cable, now! Strip one inch of outer insulation from the cable, then strip and tin about ¹/₁₆" from each wire. Solder the connections as indicated and reassemble the plug.

Switch Selectable Model — Easy


The addition of the switch and the fifth wire in this conversion allows each paddle to do double duty, i.e., you can select either horizontal or vertical directions with each unit.

Materials required for each paddle:

- l 5-pin (240) DIN plug 6 foot 5-conductor cable (stranded)
- 1 SPDT submini slide switch
- Open the case, disconnect the terminals from the button switch and snip off the wires from the pot lugs. Remove the strain relief from the Atari cable and save the cable for future projects — I reuse everything!
- 2) Mount the slide switch to the top of the case. I drilled two holes side by side with a $^3/_{16}$ " bit and enlarged them with a knife and file until the switch fit.
- 3) Carefully strip 4½" of outside insulation from the five conductor cable. Strip and tin about ½16" from each wire. Solder the connections as indicated in Figure 3. Note: In order to prevent damage (from overheating) to the button switch, I reused the bullet connectors from the Atari cable.
- 4) Install the DIN plug as per Figure 3. Place the plug's cable sheath over the cable, now! Strip one inch of outer insulation from the cable, then strip and tin about 1/16" from each wire. Solder the connections as indicated and reassemble the plug.
- 5) Screw the cover(s) back on. Plug in the paddle(s) and test it/them with the following program:

(Helene M. LaBonville holds a B.S. degree in medical technology and has done post-graduate work in clinical chemistry. She has had her CoCo for three years and started HAC Labs, Ltd. after having difficulty obtaining parts needed to complete hardware projects.)

131



Price: \$140.

NEW VERSION 2.5

- Plugs into ROM pack port.
- Now programs 8K X 8 EPROM in 15 Seconds.
- On board firmware included.
- No personality modules required.
- Will program most EPROM's.
- High quality zero insertion force EPROM socket.

Enclosed in Molded Plastic Case



SPLC-1 Lower Case

FULLY ASSEMBLED, TESTED

FOR THE COLOR COMPUTER & TDP-100 & GUARANTEED FOR 90 DAYS

☐ TRUE LOWER CASE CHARACTERS ☐ NO CUTTING OR SOLDERING ☐ FULLY COMPATIBLE WITH ALL TRS-80C (SPECIFY REVISION BOARD) [NOT COMPATIBLE WITH COCO 2] | INVERTED VIDEO AT A FLIP OF A SWITCH

YOUR SOURCE FOR THE

ı	*DRIVE 0 FOR COCO	-		
١	*DRIVE 1 FOR COCO* *GUARANTEED FOR ONE FULL YEAR	- \$1	198	
Į	+GOARANTEED FOR ONE FULL TEAR			
	• DISK CONTROLLER FOR COCO	. \$1	139	
	• RS-232 PORT EXPANDER	.\$	30	
	• POWER-ON L.E.D. KIT	.\$	6	
	• FRONT RESET SWITCH KIT	.\$	7	
	• LIBRARY CASE HOLDS 70 DISKS	.\$	23	
	• NEW MULTI-COLOR RAINBOW DISKS .	. 4		
	• ELEPHANT DISKS SSDD			
	•8 PRIME 64K RAM-CHIPS			
	• GEMINI 10X PRINTER			
	• HAYES SMART MODEM 300			
	F-A-S-T- UPGRADE SERVICES \$	CA	LL!	

NEW SOFTWAR

MULTI-USER CAPACITY FASTER THAN MOST BBS's MULTI-TASKING (NO LONGER COMPLETELY TIES UP YOUR COCO) REQUIRES OS-9 AND BASIC 09

•9 40-Track

NOW OPERATE 35/40/80 DOUBLE SIDE, DOUBLE DENSITY DRIVES UNDER 05-9

64K Terminal

AFFORDABLE REQUIRES 64K MEMORY GIVES YOU 52-58K BUFFER WRITES TO DISC READS IN FROM DISC STANDARD DISPLAY



(Dealer Inquiries Invited)

- MINIMUM \$2.00 SHIPPING & HANDLING.
- NYS RESIDENTS ADD SALES TAX.
- ALL OTHER ORDERS ADD 4% SHIPPING.


Peripherals Corporation

62 COMMERCE DRIVE FARMINGDALE, NY 11735

249.3388

Formerly Saturn Electronics Company Inc.

*OS-9 IS A REGISTERED TRADEMARK OF MICROWARE, INC.



10 PRINT JOYSTK(0);TAB(5) JOYSTK(1);TAB(10) JOYSTK(2);TAB(15) JOYSTK(3);TAB(20) PEEK (65280) 20 GOTO 10

JOYSTK(0) and (1), of course, correspond to the right joystick port while (2) and (3) are the left one. PEEKing location 65280 checks to see if the fire buttons are pressed. If not "fired," this spot contains either the number 255 or 127. When the right button is pressed, this memory location contains either a 126 or 254. For the left button the PEEK should read either 125 or 253. Refer to the Radio Shack BASIC Manual for further elucidation. As you rotate the pot, the values should range from 0 to 63 for the channels which you are testing. The values for unused channels will hover between 20 and 40.


As a finishing touch, I marked off the midpoint (reading of 32) on each paddle with a dab of correction fluid.

Materials


As I have mentioned, obtaining the parts proved to be the most difficult aspect of this project. For some unknown reason, Radio Shack does not carry the 240 5-pin DIN plugs, five conductor cable, or SPDT submini switches (one is enclosed, however, in (RS #275-327). Alternatively you could use one bank of a DPDT submini switch (RS #275-407) as in Figure 3.

I have bought a substantial supply of the plugs and cable. The Switch-craft plugs (12BL5M) can be purchased for \$3 each, while the budget plugs (actually 6-pin DINs) are available for \$1.75 each and the cable is available at 25°/foot. USA orders please enclose an additional \$1.50 to cover the cost of postage and handling. Others please add \$3 S/H.

Atari paddles can be purchased for as little as \$2.95/pair (JAMECO Electronics — Belmont, Calif.)



Plug Connections — Single Direction Model



Plug Connections - Switch Selectable Model

Education Through Graphics

Don İnman Rainbow Contributing Editor

Problems and Education

One of the greatest weaknesses of public school education is the overpowering obsession to teach facts rather than how facts can be acquired and used to solve problems. Facts are blocked off into subject matter areas with little crossfertilization. As the body of knowledge (facts) acquired by the human race accelerates in size, the traditional teaching methods become overwhelmed by the task of cramming all this information into tidy blocks of school time.

We, as parents and friends, can provide meaningful learning experiences for children after the classroom doors are locked at the end of the school day. The Color Computer is an ideal tool for this purpose outside (as well as inside) the classroom. It is inexpensive and quite powerful when compared to other personal computers. Its ease of use and friendliness make it ideal for first-time computer users. A beginner can immediately use the CoCo with the introduction of a minimum of facts. Attention can then be turned to solving real-life problems.

Problem solving is the key to successful learning. The traditional method of education teaches a block of facts, supposedly logically arranged. Then an attempt is sometimes made to apply the "learned" facts to a set of similar problems which have right or wrong answers. When an arbitrary percentage of problems have been "solved" with matching right answers, students are rewarded with the next logical block of facts.

(Don Inman taught in the public school system for over 21 years. After a one-year sabbatical to investigate educational uses of computers, he never went back to the classroom.)

Problems faced in the real world do not have cut and dry "2+2=4" solutions. Real results are not black or white, right or wrong. There are many solutions to real problems, some better than others in a given situation.

Color LOGO provides one of the most free-form ways of learning that I have found. Anyone of any age can immediately encounter creative experiences with a minimum of factual knowledge with Color LOGO. The first LOGO

"We, as parents and friends, can provide meaningful learning experiences for children after the classroom doors are locked at the end of the school day. The Color Computer is an ideal tool . . ."

commands encountered have a direct relationship to bodymovements that are already familiar to a child.

Examples:

FOR WARD, BACK, LEFT, RIGHT which can be abbreviated: FD, BK, LT, RT.

Shapes and turtle movements can be explored before the child is even aware of the concept of programs or procedures. In fact, the child will naturally develop a desire to write a complete LOGO procedure after experimenting with a few basic LOGO commands.


As you work with a child, listen closely for questions such

as: "How can I...?", "What if...?" These are clues that the child is ready to move forth to new learning experiences. Be careful that you do not provide a solution to the problem raised. The child is merely seeking clues, or new tools, for solving the problem.

The Problem Develops

Let's suppose that a young child, named Sue, is experimenting with Color LOGO.

Figure 1:




Sue, "That looks like the shape the bees use when making a honeycomb. How can I make two of them alongside each other? Is there a short way to make a shape? Can the computer remember how I made the last shape?"

This sounds like the time to introduce procedures. A procedure is simply a way to have the computer remember the steps that Sue has previously used in drawing her hexagon.


xagon.		
TO HE	procedure's na	me
FD :	15	
RT 6	60	
FD :	15 The	procedure can be
RT 6	60 shor	rtened by introducing
FD :	· · ·	REPEAT command:
RT 6		HEV
FD	13	HEX
RT 6	ENI	EPEAT 6(FD 15 RT 60)
FD		,
RT 6		
FD		
RT 6	60	
END		


To make a second hexagon alongside the first, Sue could pick up the turtle's pen and move it to the right side of the first hexagon. Then the pen could be lowered in preparation for drawing another hexagon.

Figure 2:



A second procedure is added to control the placement and drawing of the hexagons.





Notice that the turtle ended at the point where the second hexagon was started. Now Sue asks, "Can I make a complete circle of shapes around the first one?"

Your answer, "Well it might be possible. Where would you have to move the turtle to start the next one?"

Sue, "I think I'd try moving it FORWARD 15 from the second shape and then turn LEFT 60. In fact, if I did that six times, I might get them all."

You, "Why don't you try it?"

Sue, "Okay. I'll change the PAIR procedure and call it BEE. I'll call my new procedure HEX6."





Figure 4:



Sue, "It works! WOW! Now, I want to put another circle of shapes around that."


You, "How many little shapes do you think it will take?"

Sue, "I can try to fit them in my mind, or I can draw them on paper and count them."

You, "I have some paper here that has a grid made of the same shapes that you are working with. You can shade in the shapes you have so far, and then see how many you will

Sue drew them out like this:

Figure 5:



Sue discovered that she needed 12 new shapes to encircle the others. After a few false starts, Sue came up with the additional procedure HEX12. Of course she also needed to change the BEE procedure to call HEX12.

RADIO SHACK, COLOR COMPUTER ADVANCED MATH PROGRAMS for **ENGINEERS • PHYSICISTS • STUDENTS**

FUNCTION GRAPHING MODULE 16K EXT-\$19.95

- HIGH RESOLUTION GRAPHS
- GRAPH ANY FUNCTION 4 AT ONCE
- PARAMETERS EASY TO CHANGE
- AUTO-SCALING OPTIMIZES GRAPH SIZE
- COMPUTE FUNCTION VALUES & ZEROS
- INTERSECTION OF FUNCTIONS
- COMPLETE MANUAL PROGRAM ON TAPE

CALCULUS MATH MODULE 32K EXT-\$37.95

- INCLUDES THE GRAPHING MODULE ABOVE
- LOAD UP 9 FUNCTIONS AT ONCE
- FIND AND COMPUTE MAXIMA & MINIMA
- NUMERIC INTEGRATION & DIFFERENTIATION
- **COMPOSITE AREAS**
- HANDLES PIECEWISE CONTINUOUS FUNCTIONS
- HARD COPIES OF DATA AND/OR GRAPH
- <u>COMPLETÈ</u> MANUAL ON TAPE OR DISK



CALCSOFT P.O. BOX 401 ST. ANN, MO 63074



SEND CHECK OR MONEY ORDER Add \$2.00 for shipping


CERTIFICATION SEAL

TO BEE CLEAR HEX HEX6 HEX12 - new line **END** TO HEX REPEAT 6(FD 15 RT 60) END TO HEX6 PU RT 120 FD 15 LT 60 FD 15 LT 60 PD REPEAT 6(HEX FD 15 LT 60) **END** TO HEX12 PU RT 120 FD 15 LT 60 FD 15 LT 60 PD new procedure REPEAT 6(HEX FD 15 LT 60 HEX FD 15 RT 60 FD 15 LT 60)

Depending upon the child you are working with (age, ability, interest, or whatever), this development of HEX procedures may continue. By following the previous procedures with similar logic, can you write another HEX procedure to circle the outside 12 hexagons? How many small hexagons will be needed? If you draw it on a Hex-grid as we have, you will see that 18 new hexagons are needed.

Figure 6:

END



Study the figure, and see if you can come up with the necessary additions. If you want to go still farther, you will have to shorten the sides of the hexagons. How many hexagons would be needed in the next ring? Let's see . . . first one, then six, then 12, then 18, then . . .?

Now that you have seen the beginning of drawing HEX RINGS, send me a general Color LOGO procedure for drawing any desired number of HEX RINGS. The number of rings is to be included as a variable in the name of the program so that:

HEXRING 3 would draw three rings of Hex shapes around the center hexagon.

HEXRING 5 would draw five rings of Hex shapes around the center hexagon.



federal Hill Software

FINE PRODUCTS FOR THE COLOR COMPUTER, DRAGON AND MC-10



These delightful 16K Extended Basic programs will teach your youngsters a basic French or Spanish vocabulary. Each language package contains two programs with a total of 1,000 words in a colorful game format that teaches children to think as well as memorize. They'll have great fun as they watch the letters hop across the screen and slip into place. Perfect for home or classroom. We include a list of the vocabulary words for study guides or lesson plans. Spanish or french, only \$24.95 on tape, \$27.95 on disk. Both languages only

\$39.95, tape or disk.



Use the power of your computer to improve your performance at the track! Separate programs for harness and thoroughbred horses make it a snap to rank the horses in each race! Using information readily available from the thoroughbred Racing Form or harness track program, you can handicap a race in five minutes and a whole card in less than an hour! We even provide diagrams showing where to get the information you need.

Factors include speed, class, post position, past performance, jockey or driver's record, weight, parked out signs, beaten favorite and other attributes. Complete instructions and betting guide. Versions for all Color Computers, MC-10's and Model 100's. State computer type and memory when ordering. Harness or thoroughbred, \$27.95 each, tape or disk.

\$27.95 each, tape or disk.

NEW GREYHOUND HANDICAPPER! Now use your Color Computer for greyhounds, too! This fine handicapping program, written by a successful greyhound trainer, does it all. Using speed, breaking ability, favorite box, kennel performance, and other factors, it ranks the dogs in each race and recommends quinnella, trifecta and exacta bets. For Color Computer only, \$27.95 tape or disk.

SPECIAL! Any two handicappers, only \$39.95. All three only \$54.95.

Tax Relief!

Were your taxes a hassle this year? Then you need Coco-Accountant II. This 32/64K home and small business accounting program is everything you need to keep track of your finances and make income tax time a breeze. Use your canceled checks, credit

card receipts, payroll and bank stubs. Coco-Accountant II will list and total expenditures by year, month, account and payee or income source. It tracks tax deductible expenses and payments subjects to sales tax. It even calculates the sales tax you paid.

The program offsets income and expenditures to produce net cash flow reports. It prints out a spreadsheet showing your year at a glance, balances your checkbook and prints a monthly reconciliation statement. The 32K version handles 450 entries in RAM.The 32K disk version stores 500, while the 64K tape and disk versions store an amazing 900 entries. State memory size when ordering. Only \$27.95, tape or disk.

Baseball Statpak

Whether you're in little league, Pony League, high school or a company softball league, your players will love these Big League statistics. Keep track of 180 hitters--AB, Hits, Avg., RBI, HR, SO, Walks and lots more. Pitching records include Won-Lost, PCT., IP, ER, ERA, SO, BB and HR. Team records and league standings, too. Superfast sort by any stat for beautiful screen displays and printouts. Only \$28.95 on 16K tape, \$31.95 on 32K disk.

Use All 64K!

Did you feel gypped when you found out your 64K computer had only 32K of memory in BASIC? We sure did. So we invented HID 'N RAM, the most powerful 64K programming tool on the market. With HID 'N RAM you can access that hidden 32K of memory from a BASIC program and use it to store and sort your data. Write a 28K program and still have more than 30K left to store numbers, names, addresses or other data. It even has a machine language sort routine! The package includes complete instructions and a demonstration program--a mailing list that holds 450 names and addresses IN RAM! Only \$27.95, tape or disk.



<u>federal Hill Software</u>

FINE PRODUCTS FOR THE COLOR COMPUTER, DRAGON AND MC 10



We accept checks, money orders, Visa and Master Card. Add \$1.50 for shipping and handling of software, \$5.00 for disk drives. Credit Card orders should include card number, exp. date and signature.

825 William St. Baltimore, Md. 21230 301-685-6254

Interfacing Your Own Circuits

By T. Whit Athey and Susan C. Athey

In the first article of this series (July, Page 138), I described a general-purpose I/O interface for the Color Computer. The interface consists primarily of an 8255A Programmable Peripheral Interface (PPI) chip, installed on a modified Radio Shack printed circuit (PC) board which plugs into the cartridge slot. You can add your own circuits to the board where they can communicate with your CoCo.

In this article I will describe some examples of circuits which can be added to the interface board. By building the interface and connecting it to other devices, you can learn about the way the CoCo works and about digital circuits in general.

The 8255A has three eight-bit I/O ports, designated A, B, and C. In the main circuit I will describe, port A will be used as a data bus, and two lines of port C will be used as control lines, to communicate with and control a General Instruments AY-3-8910 Sound Generator Chip.

The AY-3-8910

The AY-3-8910 is a 40-pin LSI chip. It has 16 internal registers which control the frequency and amplitude of three independent tone generators, a noise generator, an envelope generator, and two 8-bit I/O ports. Almost any kind of sound can be produced under program control. The production of sound is dependent only on the contents of the internal registers, and these will change only when the register contents are overwritten. Continuous microprocessor attention is not required.

The 16 PSG registers are not directly addressable in the way that the four registers of the 8255A are. There is only the one 8-bit data bus over which data and addresses must be transmitted to the AY-3-8910, so the selection of the desired register must be done separately. You can think of the 16 registers of the PSG as being connected to its data bus through a multiport switch. Only one register at a time can be connected to the data bus (for reads or writes). This process of "connecting" a register to the bus is called "latching."

To latch a sound chip register to the data bus, two operations must be carried out. First, both control lines (from the

(Whit Athey works for the federal government near Washington, D.C. Susan Athey is a 12-year-old student at Tilden Intermediate School in Rockville, Md. She wrote part of this article, and assembled nearly all of the hardware for this project and last month's I/O board, for a science fair project.)

Table 1. PSG Pin Functions							
Pin							
No.	Label	Function					
1	GND	Ground					
2	N.C.	(Not connected)					
	AUDIO-A	Audio channel A					
000000	AUDIO-B	Audio channel B					
	N.C.	(Not connected)					
6	10B7	I/O port B, bit 7					
7	10B6	I/O port B, bit 6					
8	10B5	1/O port B, bit 5					
9	10B4	1/O port B, bit 4					
10	10B3	I/O port B, bit 3					
11	10B2	I/O port B, bit 2					
12	10B1	I/O port B, bit 1					
13	10B0	I/O port B, bit 0					
14	10A7	1/O port A, bit 7					
15	10A6	I/O port A, bit 6					
16	10A5	1/O port A, bit 5					
	10A4	I/O port A, bit 4					
18	10A3	I/O port A, bit 3					
19	10A2	1/O port A, bit 2					
20	10A1	1/O port A, bit 1					
21	10A0	I/O port A, bit 0					
	CLOCK	Clock reference signal					
23	RESET	Logic zero resets registers to "0".					
24.8	A/A	Extra "address" or "chip select lines,					
	A9	logic 0 selects A9, logic 1 selects A8.					
25	A8	These should be tied to GND and					
		VCC if only one PSG chip					
26	TEST2	is being used.					
27	BDIR	A test point — not used here. Bus direction control line					
28	BC2	Bus control line 2 — not used here					
29	BC1	Bus control line 1					
	DA7	Data/address bit 7					
31	DA6	Data/address bit 6					
32	DA5	Data/address bit 5					
33	DA4	Data/address bit 4					
	DA3	Data/address bit 3					
	DA2	Data/address bit 2					
36	DAI	Data/address bit 1					
37	DA0	Data/address bit 0					
38	AUDIO-C	Audio channel C					
39	TESTI	A test point — not used here					
40	VCC	To +5 volts					

Part II —

The Programmable Chip

8255A port C) must go high (to +5 V). This is a signal to the chip that the byte about to arrive over the data bus is the register number of the register to be latched. Second, the register number must be transmitted through port A, e.g., with a *POKE &HFF40*,[reg. no.], over the data bus.

Once a register is latched it will remain latched until another register is latched. While it is latched, any write (or read) operation to the 8255A port A will also be a write to the sound chip register currently latched. The two control lines from port C must be set for a write (C0 = 1, C1 = 0) during the write operation.

For example, the following sequence of operations would be carried out to write the byte 3B (Hex) to register two (assuming that both A and C ports of the 8255A are already programmed for output).


First, latch register 2:

POKE &HFF42,3 POKE &HFF40,2 (set C0 and C1 high) (send register no. to data bus)

POKE &HFF42.0 (reset control lines)

Then, write the byte 3B:

POKE & HFF40, & H3B (put byte on data bus)



POKE &HFF42,1 POKE &HFF42,0 (set control lines for write) (reset control lines)

These instructions illustrate the simple steps required to latch and write to a register, but unfortunately, they don't work in practice because of a timing problem resulting from the slowness of BASIC. The problem is that the sound chip wants to see the write indication on its control lines for no longer than 10 microseconds, while the BASIC POKE instruction requires about 4500 microseconds (that's still a lot less than a second!). The latch routine above will work okay, but the write routine will have to be done in machine language (using only three simple instructions). This can still be handled from BASIC using a USR subroutine (or EXEC statements for those of you without Extended BASIC). This will be discussed further in the software section.

The AY-3-8910 Programmable Sound Generator Chip

A pin diagram for the programmable sound generator chip (PSG) is shown in Figure 1, and the function of each line is given in Table 1. A functional block diagram is shown in Figure 2. The lines labeled BDIR and BC1 are the two control lines which were discussed above. The functions of the chip are determined by these two lines as shown in Table 2.

All functions of the PSG chip are controlled by the computer through a series of writes to the 16 registers (designated R0-R15). Registers R0-R5 are used to select the frequencies (actually the periods) of the three-tone generators. Register R6 selects the frequency of the noise generator (white noise). Register R7 is for mixer control and I/O enable (for the two I/O ports). The amplitudes of the signals generated by the three tone channels are controlled by registers R8-R10 when in the level amplitude mode. Registers R11-R13 are for control of the envelope generator, and the last two registers, R14 and R15, are the two I/O ports. The operation of these 16 registers will now be discussed in more detail.

Tone Generator Control (Registers R0-R5)

The frequency of each square wave generated by each of the three tone generators is controlled by Registers R0-R5. Register R0 and the lower four bits of Register R1 form a 12-bit tone period value (the reciprocal of the frequency). The exact frequency of the tone which is produced depends on the reference clock signal. The period values needed to produce musical notes for two clock frequencies are shown in Table 3. The upper (most significant) four bits of Register




Figure 2. Programmable Sound Generator Block Diagram

Table 3. Notes, frequencies, and codes

Note	Frequency (1.97 MHz clock) Hz	Frequency (.897 MHz clock) Hz	Hex Code	Note	Frequency (1.97 MHz clock) Hz	Frequency (.897 MHz clock) Hz	Hex Code
С	32,7	16.3	D5D	C	522.7	261.4	0D6
C#	34.6	17.3	C9C	C#	553.8	276.9	0CA
D	36.7	18.4	BE7	D	588.7	294.4	OBE
D#	38.9	19.4	B3C	D#	621.5	310.7	0B4
E	41.2	20.6	A9B	E	658.0	329.0	0AA
F	43.7	21.8	A02	F	699.1	349.6	0A0
F#	46.2	23.6	973	F#	740.8	370.4	097
G	49.0	24.5	8EB	G	782.2	391.1	08F
G#	51.9	25.9	86B	G#	828.6	414.3	087
A	55.0	27.5	7F2	Α	880.8	440.4	07F
A#	58.3	29.1	780	A#	932.2	466.1	078
В	61.7	30.9	714	В	989.9	495.0	071
C	65.4	32.7	6AE	C	1045.4	522.7	06B
C#	69.3	34.6	64E	C#	1107.5	553.8	065
D	73.4	36.7	5F4	D	1177.5	588.7	05F
D#	77.8	38.9	59E	D#	1242.9	621.4	05A
E	82.4	41.2	54D	E	1316.0	658.0	055
F	87.3	43.7	501	F.	1398.3	699.1	050
F#	92.5 98.0	46.3	4B9	F#	1471.9	735.9	04C
G G#	103.9	49.0 51.9	475 435	G G#	1575.5 1669.6	787.8 834.8	047 043
A	110.0	55.0	3F9	A A	1747.8	873.9	040
A#	116.5	58.2	3C0	A#	1864.3	932.2	03C
В	123.5	61.7	38A	В	1962.5	981.2	039
С	130.8	65.4	357	C	2110.6	1055.3	035
C#	138.6	69.3	327	C#	2237.2	1118.6	033
D	146.8	73.4	2FA	D	2330.4	1165.2	030
D#	155.6	77,8	2CF	D#	2485.8	1242.9	02D
Е	164.7	82.4	2A7	E	2663.4	1331.7	02A
F	174.5	87.3	281	F	2796.5	1398.3	02A 028
F#	184.9	92.4	25D	F#	2943.7	1471.9	026
G	195.9	97.9	23B	G	3107.2	1553.6	024
G#	207.5	103.8	21B	G#	3290.0	1645.0	022
A	220.2	110.1	1FC	A	3495.6	1747.8	020
A#	233.0	116.5	1E0	A#	3728.7	1864.3	01E
В	246.9	123.5	1C5	В	3995.0	1997.5	01C
С	261.4	130.7	IAC	C	4143.0	2071.5	01B
C#	276.9	138.4	194	C#	4474.4	2237.2	019
D	293.6	146.8	17D	D	4660.9	2330.5	018
D#	310.7	155.4	168	D#	5084.6	2542.3	016
E	330.0	165.0	153	E#	5326.7	2663.3	015
F	349.6	174.8	140	F	5593.0	2796:5	014
F#	370.4	185.2	12E	F#	5887.4	2943.7	013
G G#	392.5	196.2	IID	G G#	6214.5 6580.0	3107.2	012 011
G# A	415.8 440.4	207.9 220.2	10D 0FE	A A	6991.3	3290.0 3495.7	010
A#	466.1	233.0	0F0	A#	7457.4	3728.7	00F
В	495.0	247.5	0E2	B	7990.1	3995.0	00E

R1 are not used. The other two tone generators are controlled in exactly the same way with Registers R2-R5.

Noise Generator Control (Register R6)

The frequency of the noise source is controlled with Register R6. The lower five bits of this register form a five-bit period value. You can try stepping through the range of periods available (&H01 to &H1F) to select the period with the desired effect.

Mixer Control-I/O Enable (Register R7)

Register R7 is a multi-function enable/disable register which controls which of the tone or noise sources is connected to the mixers, and also defines the direction for the bidirectional I/O ports. The control bits and their functions are shown in Table 4.

		l'able	4. Mix	er-I/O C	ontrol		
				ole Truth			
	100 100	R7 Bits			Noise Enabled		
N. C. 3100	B5	B4			Chan	nel	
	0	0	0	C	В	A	
1770	0	0		C	В		11111
1, 187 ₂	0	1.00	0	C		A	
	0	1	1	C	= (4	-	
	1	0	0		В	A	
	1.00	0	1		В	3	1
	1	1	0		94	A	1 0
	1	1	1		友坚!	_	
				le Truth			
· / _n	F	R7 Bit			ne Ena		
	B2	B1	BO		n Chan		
	0	0	0	C	В	A	
	0	0	1	C	В	7	
¢*	0	1	0	C C C	9 75)	A	
	0	1	1	C			
1111	1	0	0	r garagia	В	Α	
	1	0	1		В	· ·] :=	
	1	1	0	je, vi se je n		A	
and I	1		1		<u>-</u> -	i i	
		1/0	Port T	ruth Tab	le		The state of the s
	R7	R7 Bits I/O Port Status					
	В7	В6			IOA		
MY COLD	0	0			Input		
AVa T	0	1			Output		1
		0	De Ni	Output			
	1	To a		Output C			- 1
					T. F. W.		

Amplitude Control (Registers R8-R10)

The amplitudes of the three tone channels are determined by the contents of the lower five bits of registers R10, R11, and R12. The upper three bits are not used. The fifth bit is used to select either fixed level or variable (envelope) amplitudes (0 = fixed, 1 = variable). The lower four bits contain the amplitude value when bit five is zero, and are ignored when bit five is one. There are 16 amplitude levels, 0000 -1111 (binary), which can be selected.

When bit five is one, the envelope control is enabled. A description of the envelope generator and its control follows.

Envelope Generator Control (Registers R11-13)

The shape of the envelope is determined by the contents of the lower four bits of register R13. The envelope shape is the time history of the amplitude (amplitude as a function of time). Figure 3 shows the different shapes which are available and the control values which select each shape.

Registers R11-R12 contain the time for one cycle of the envelope. These two registers are used as one 16-bit register, R12 containing the most significant bits and R11 containing the least significant bits. R12 can be considered the course tune value and R11 the fine tune value. The envelope periods available range from a value of 0001 (Hex) to FFFF (Hex), corresponding to .285 milliseconds to 18.7 seconds (assuming a .897 MHz clock).

I/O Ports (Registers R14-R15)

The PSG chip has two 8-bit I/O ports which can be used in a manner similar to the three I/O ports of the 8255A chip. When an 8-bit word is written to register R14, the data also appears on the eight PSG pins for port A. When the PSG ports are in the input mode, any data present on the pins will be present in the corresponding register (R14 or R15). A read of the register will retrieve the data to the computer for processing. The mode of the ports (input or output) is determined by the contents of the two highest bits of R7 as discussed earlier.

Adding The PSG To Your I/O Board

If you have finished your I/O board according to last month's article, the addition of the PSG will be fairly easy. You will need only the PSG chip and a 40-pin socket (see the previous article for socket sources). Unfortunately, General Instruments, the manufacturer of the PSG, and their distributors are not really very interested in the hobbyist business, and this makes the purchase of a PSG chip a little tricky. Arrow Electronics is a General Instruments distributor with many offices around the country, but they usually have a \$50 minimum order. If you have a lot of other things to order anyway, then try Arrow. You might also find it at some Pioneer outlets. If you can't find a source, HIB Associates (3505 Hutch Place, Chevy Chase, MD 20815) has again agreed to fill mail orders (include \$2 shipping and handling on all orders, five percent sales tax on Maryland orders). The PSG is priced at \$9.50, and the 40-pin socket is \$1.

 anic 2. I	SO COM	trol Line Functions
BC1	BDIR	Function
0	0	Inactive
Q	1	Write
1	0	Read
1	1	Latch

A suitable location for the PSG is directly across the board from the 8255 (use the same row numbers), on the last black rectangle. In this position, as was the case for the 8255, all of the pins will be accessible without removing the computer cover when the board is plugged in. Bend and solder the corner pins of the socket to the copper pads, and bend and solder two more pins near the center of the socket. Now follow the wiring list in Table 3. Make sure that all pins to be connected via the copper pads are bent and soldered to the pads. When you are finished, recheck your work against the

wiring list until you are sure you have it right (improper connections may damage the chip or the computer). Now you can test the circuit using the test program shown in the next section.

In this design, the CoCo's clock signal (.897 MHz) on pin 6 of the cartridge connector is used as the clock signal for the PSG. Using a 1.79 MHz pulse would be better, allowing another octave of higher frequency tones. An external clock circuit may be used for this purpose if necessary. I will be glad to send you a simple clock circuit diagram if you include a self-addressed, stamped envelope with your request (6913 Breezewood Terrace, Rockville, MD 20852).

Table 5. Wiring List

Connect the copper strip running down underneath the new 40-pin socket to the ground bus. The two nearest strips parallel to the ground bus should be connected to Vcc (+5 V), forming a Vcc bus (one of these may already be connected to Vcc. Connect a 1000 ohm resistor between pin 38 of the AY-3-8910 and the ground bus. Connect a 0.1 µF capacitor between Vcc and ground near pin 40 of the AY-3-8910 (or between its pin 40 and ground).


From	To	Signal
Vcc bus	AY-3-8910-25	Vcc
Vcc bus	-28	Vcc
Vcc bus	-40	Vcc
GND bus	-1	Ground
GND bus	-24	Ground
8255-14	-27	Port C, line 0
		(control)
-15	-29	Port C, line l
		(control)
1 21	-37	DO
-4 -3	-36	$\mathbf{D1}$
-2	-35	D2 (Data lines
1	-34	D3 from
-40	-33	D4 Port A)
-39	32	D5 Port A)
-38	-31	D6
-37	-30	\mathbf{D}^{7}
AY-3-8910-3	-4	Audio
-3	-38	Audio
-3	CC Cartr35	Audio
CC Cartr6	AY-3-8910-22	Clock (.89 MHz)
-5	-23	Reset

You may also want to connect AY-3-8910-3 (audio out) to an audio jack for playback through a separate sound system.

Software

The most important routines for controlling the PSG are the three which latch, write, and read. These must be written in machine language for proper timing and for maximum speed. Listing 1 shows these routines along with a short test program. It is assumed that the control lines are connected to PPI C-0 and C-1, and that the eight data lines are connected to port B.

The machine language instructions are shown in annotated assembly language in Listing 2. The statement numbers of the corresponding data statements are given in parentheses.



This example of assembly language programming is so simple that no previous experience should be necessary to understand the way it works. Only four instructions are used, although one of them (STA) is used in two different addressing modes. In Listing 2 the operation code is in the left column and the number or address it operates on is in the right column. The dollar sign means that the number following is in Hex, and the "#" sign means that the number following should be treated as a number rather than as an address. LDA #\$80 means that the CPU A register should be loaded with the Hex number 80. STA \$FF43 means that the contents of the CPU A register should be transferred to address FF43 (which, in our case is the control register of the PPI). LDA \$FF40 means that the contents of address FF41 should be transferred to the A register. CLRA simply clears the CPU A register, and RTS returns control back to the program which is called the routine.

Listing 1 has a few statements which require Extended BASIC, but it may be modified to get around this problem. If you don't have Extended BASIC, simply make the following changes:

220 EXEC PA

260 EXEC PA+&H17 290 EXEC PA+&H2A

Delete Lines 8910, 8920, 8930

Radio Shack doesn't advertise the fact the EXEC works in this manner, but it does.

To test the PSG, RUN the test program. In response to the prompt, OP, REG, DATA:, enter the operation (1 for write, 2 for read), the PSG register number, and the data to be written (enter zero here when reading). To get a tone from audio channel A, we must write and enable code to register 7 (see Table 4), a frequency value to register 0 (and sometimes to register 1 as well), and an amplitude code to register 8.

For example, try the following: OP, REG, DATA: 1,7,&H3E OP, REG, DATA: 1,0,&HD6 OP, REG, DATA: 1,8,&H0F

The note C should sound. Now test the read feature by reading the contents of register 7 (which we just set to 3E, or 62 in decimal, in the above procedure):

OP, REG, DATA: 2,7,0

The computer should respond by printing 62 on the screen. Test out the other features of the PSG in a similar manner.

Many sophisticated sound effects are possible with the PSG, and making the sounds does not tie up the CPU full time. Listing 3 shows a few of the examples which my 12-year-old daughter wrote for a science fair project. These statements should be added to the test program (Listing 1), replacing Lines 100-140.

As a different example of the possibilities with the PSG, I have added a second PSG to my board (a third control line to PSG pin 25 serves as a chip selector). I then connected the lines of the two additional I/O ports on each chip to switches under the keys of an old three-octave chord organ keyboard. With a few more subroutines, I now have a six-voice (realtime) electronic organ. My next step will be (just through additional software) to add synthesizer effects. As you can see, with the PSG you are only limited by your imagination.

The sound generator chip is only one example of the kinds of circuits which you can add to your interface board. A great security system could be built with each on/off or indicator switch from critical locations around your house wired in (through a buffer chip like the 74LS241) to the PPI I/O port lines.

The important thing is to build something. It's the best way to start learning about the wonderful world of digital circuits.

Listing 1: 310..... 43 END 136 10 CLEAR1000, &H2FFF 2Ø PA=&H3ØØØ 30 'SELECT CARTRIDGE SOUND 4Ø AUDIOON 50 POKE&HFF01,&H34 60 POKE&HFF03, &H3C 7Ø GOSUB89ØØ 90 3 100 'TEST PROGRAM 105 ' 110 INPUT"OP, REG, , DATA: "; OP, R, S 120 GOSUB210 130 IFOP=1THENGOSUB240ELSEGOSUB2 90 14Ø GOTO11Ø

```
200 'LATCH
210 POKEPA+&HØB,R
22Ø X=USR1(Ø)
23Ø RETURN
240 'WRITE
250 POKEPA+&H18, S
26Ø X=USR2(Ø)
27Ø RETURN
280 'READ
290 X=USR3(Ø)
300 PRINT"CONTENTS="; PEEK (PA+&H2
9)
310 RETURN
8900 'READ AND STORE MACHINE LAN
GUAGE ROUTINES
8910 DEFUSR1=PA
892Ø DEFUSR2=PA+&H17
893Ø DEFUSR3=PA+&H2A
8940 'LOAD USR1, USR2, & USR3
895Ø FORI=PA TOPA+&H41
8960 READY: POKEI, Y
897Ø NEXTI
898Ø RETURN
9000 'REGISTER LATCH ROUTINE
9010 DATA&H86.&H80
9020 DATA&HB7, &HFF, &H43
9030 DATA&H86, &H03
9040 DATA&HB7, &HFF, &H42
9050 DATA&H86,0
9060 DATA&HB7, &HFF, &H40
9070 DATA&H4F
9080 DATA&HB7, &HFF, &H42
9090 DATA&HB7, &HFF, &H40
9100 DATA&H39
9110 'WRITE DATA ROUTINE
9120 DATA&H86.0
9130 DATA&HB7, &HFF, &H40
9140 DATA&H86, &HØ1
915Ø DATA&HB7, &HFF, &H42
916Ø DATA&H4F
917Ø DATA&HB7, &HFF, &H42
9180 DATA&HB7, &HFF, &H40
919Ø DATA&H39
9195 DATAØ
9200 'READ ROUTINE
921Ø DATA&H86, &H82
9220 DATA&HB7, &HFF, &H43
923Ø DATA&H86,&HØ2
924Ø DATA&HB7, &HFF, &H42
925Ø DATA&HB6, &HFF, &H4Ø
9260 DATA&HB7, &H30, &H29
927Ø DATA&H4F
9280 DATA&HB7, &HFF, &H42
 9290 DATA&HB7, &HFF, &H40
9300 DATA&H39
Listing 2:
09000 *REGISTER LATCH ROUTINE
         LDA
                   SET PPI REG. FOR
09010
              #$89
99920
         STA
              $FF43
                    B/C PORT OUTPUT.
```

```
09030
          LDA
                #$03
                     SET BOTH CONTROL LINES
                                               1540 R=8: S=A: GOSUB210: GOSUB250
09040
          STA
                $FF42
                      (C PORT) HIGH.
                                               1550 NEXTA
09050
          LDA
                     OPERAND GETS POKED REG. NO.
                                               1560 FORA=&HØFTOØSTEP-1
99969
          STA
                $FF41
                     WRITE REG. NO. TO PORT B.
                                               1570 R=8:S=A:GOSUB210:GOSUB250
09070
          CLRA
                     ZERO A REGISTER.
                                               1580 NEXTA
                $FF42
          STA
                     CLEAR CONTROL LINES.
09989
                                               1590 FORDLY=1TO200: NEXTDLY
          ATE
                $FF41
09090
                     CLEAR DATA LINES.
                                               1595 RETURN
          RTS
99100
                     RETURN.
                                               1600 3
09110 *WRITE DATA ROUTINE
                                               1601 'SWEEP FREQUENCY
                     OPERAND GETS POKED DATA.
09120
          LDA
                                               1602 *
09130
          STA
                $FF41
                     WRITE TO DATA LINES.
                                               1610 R=7: S=&076: GOSUB210: GOSUB25
99140
          LDA
                #$61
                     SET CONTROL LINES FOR
                                               0
                $FF42
09150
          STA
                       WRITE DATA.
                                               1620 R=8:S=&HØF:GOSUB210:GOSUB25
09160
          CLRA
                     ZERO A REGISTER.
                                               O
99179
          STA
                $FF42
                     CLEAR CONTROL LINES.
                                               163Ø FORI=1TO3
99189
          STA
                $FF41
                     CLEAR DATA LINES.
                                               1640 FORN=&HD6TO&H6BSTEP-1
          RTS
09190
                     RETURN.
                                               1650 R=0:S=N:GOSUB210:GOSUB250
09200 *READ DATA ROUTINE
                                               1660 NEXTN
09210
          LDA
                #$82
                     SET PPI CONTROL REG. FOR
                                               167Ø NEXTI
09220
          STA
                $FF43
                       B PORT INPUT.
                                               1680 RETURN
09230
          LDA
                #$02
                     SET PSG CONTROL LINES
                                               1700 3
                $FF42
99240
          STA
                       FOR READ.
                                               1701 'GUNSHOTS AND EXPLOSION
09250
          LDA
                $FF41
                     READ DATA ON DATA LINES.
                                               1702 '
09260
          STA
                (PA+$3F)
                           SAVE IN SPARE LOCATION.
                                               171Ø V=16:G=15:F=Ø
99270
          CLRA
                CLEAR A REGISTER.
                                               172Ø FORY=1T05
09280
                $FF42
          STA
                     CLEAR CONTROL LINES.
                                               1730 R=6:S=G:GOSUB210:GOSUB250
09290
          STA
                $FF41
                     CLEAR DATA LINES.
                                               1740 R=7:S=7:GOSUB210:GOSUB250
                                                175Ø R=8:S=16:GOSUB21Ø:GOSUB25Ø
                                               176Ø R=9:S=16:GDSUB21Ø:GDSUB25Ø
                          1590 .... 202
                                                177Ø R=10:S=16:GOSUB210:GOSUB250
                          1840 .... 159
                                               1780 R=12:S=V:GOSUB210:GOSUB250
                          END .... 140
                                               179Ø R=13:S=Ø:GOSUB21Ø:GOSUB25Ø
Listing 3:
                                                1800 FORDLY=1TO10:NEXTDLY
100 PRINT"SOUND EFFECTS BY SUSAN
                                                1810 NEXTY
 ATHEY"
                                               1820 IFF=5THENRETURN
105 PRINT
                                                1830 FORDLY=1TO200: NEXTDLY
110 PRINT"TYPE THE LETTER OF YOU
                                                184Ø V=56:F=5:G=Ø:GOTO172Ø
R CHOICE."
                                                1900 '
115 PRINT
                                                19Ø1 'SIREN
120 PRINT" (A) SWEEP AMPLITUDE"
                                                1902 *
125 PRINT"(B) SWEEP TONE FREQUEN
                                                1910 FORT=1T010
CY"
                                                1920 R=7:S=&076:G0SUB210:G0SUB25
130 PRINT"(C) GUN SHOTS + EXPLOS
ION"
                                                193Ø R=8: S=&HØC: GOSUB21Ø: GOSUB25
135 PRINT"(D) EUROPEAN SIREN"
                                               0
140 A$=INKEY$: IFA$=""THEN140
                                               1940 R=9:S=&HØB:GOSUB210:GOSUB25
145 IFA$="A"THENGOSUB151Ø
150 IFA$="B"THENGOSUB1610
                                                1950 R=0:S=&H6B:GOSUB210:GOSUB25
155 IFA$="C"THENGOSUB1710
                                               0
160 IFA$="D"THENGOSUB1910
                                               1960 R=2:S=&H69:GOSUB210:GOSUB25
165 CLS: GOTO100
170 '
                                                1970 FORDLY=1TO100: NEXTDLY
1500 'SWEEP AMPLITUDE
                                                1980 R=0:S=&H47:GOSUB210:GOSUB25
1501 '
                                               1990 R=2:S=&H46:GOSUB210:GOSUB25
1510 R=0:S=&HD6:GOSUB210:GOSUB25
                                                2000 FORDLY=1T0100:NEXTDLY
1520 R=7:S=&076:GOSUB210:GOSUB25
                                                2010 NEXTT
                                                2020 RETURN
153Ø FORA=ØTO&HØF
```

The affordable step up in home computing.

Radio Shack's Best Is Now



TRS-80° Color Computer Even Better.

Multi-Pak Interface

The Heart of a Professional Disk-Based System. Add a Color Computer disk drive for an extra 156,000 characters of storage and quicker access to your data. You can add up to four disk drives for a vast 626,000 characters of total storage. For advanced programmers, our new OS-9 operating system (26-3030, \$69.95) allows you to utilize the full 64,000-character memory for assembly language programs. OS-9 includes a text editor, assembler and debugger. You can develop and edit your own assembly language programs, convert them into machine language for execution, then test them for errors.

Easily Expandable. Best of all, your 64K Color Computer 2 will grow with your future needs. Add our Deluxe Joysticks for more accurate cursor control and faster response with your favorite games. Or choose our Multi-Pak Interface, which lets you connect up to four Program Paks to your Color Computer at once. When you're ready to change programs, just move the selector switch. Go on-line with the world with our deluxe RS-232 Program Pak (26-2226, \$79.95). You can communicate with national information services and local bulletin boards by telephone—just add a modem. You can also add a printer, a Color Mouse cursor controller and more!

See It Today. The 64K Extended BASIC Color Computer 2 is available today at over 1200 Radio Shack Computer Centers and at participating Radio Shack stores and dealers nationwide.



RadioThaok

Disk Drive #0 Kit


\$28 PER MONTH Send me a free TRS-80 Computer Catalog.

Mail To: Radio Shack, Dept. 85-A-103 300 One Tandy Center, Fort Worth, Texas 76102

COMPANY ADDRESS

The biggest name in little computers® A DIVISION OF TANDY CORPORATION





y daughter took an instant shine to my computer. When it was new I couldn't power up without hearing a little voice pipe up, "Daddy, can I sit down and type RUN?" She had already seen the canned games that run on the Atari 2600 so she wasn't much impressed with my early efforts at programming. Every day she wanted to see something new and better. I found a winning formula pretty quick — use all the colors, lots of different sounds and plenty of visual and verbal rewards and go lightly on the "you lose" routines.

Even so, Julie's favorite game soon became, "Let's get Daddy away from the computer." I'd have something half baked in the RAM and when she tried to run it, it would throw an RG Error or some such put down. Then I'd tell her to wait until it runs a little better and instantly the face would cloud over with the "Oh, what a bummer!" look.

Or worse, the game would call for a lot of inputs, making the pace grind to a halt as she hunted for the keys. That kind of thing would end in something like "Oh, I can never win."

I've been at this for about two years now and in the process I've learned a little about computer programming and, more importantly, about fathering — a few things that I would never have known without access to a small computer. The Color Computer is the best kind of computer for this activity. Color and Extended Color BASIC make it easy to achieve the rewards of creativity, a real sense of satisfaction in seeing your dreams come true. Whatever you can dream you can bring into being through your CPU.

This little game helps kids make finding the right key a conditioned reflex. A small drama takes place above the

keyboard as the bomber flits in and takes aim on a key. A bomb falls and it's up to the player to defend the helpless by pressing the targeted key, warding off the attack. The key colors and letters are stored in *DATA* statements, along with a symphony of inflight music. The graphics are all Lo-Res, the better to put all nine colors to work at once.

Line 2 provides room and board for an array in two dimensions, LC\$ (level, character). There are four rows of keys, 10 keys in each row. I put '@:' in the bottom row since they get a lot of action when programming. Lines 8 to 14 are subroutines for firing at the bomber, keeping score and making sure the bomber doesn't take aim on a key that's out of play.

The difficulty factor makes use of the tempo feature of the *PLAY* command. The lower the difficulty number, the slower the bomb whistles and the more time you have to respond with anti-aircraft fire. Lines 30-87 load in the colors and sounds, allowing the colors of the keys to change with each round of play. The bomber's inflight music corresponds to the key color.

Lines 100-165 draw the keys. Line 170 changes the row of keys presented with each round and awards bonus points for hitting five in a row. Line 190 paints the bomber (64 dazzling color combinations). Lines 200-290 control the play and build suspense as you wait for the bomb to drop. If the player presses the right key in time, it computes the score (more points for higher difficulty and quicker response). If the player misses, the key is out and a new round begins. A round is over when the player gets five in a row or loses the last key. A game is over after three rounds; then you get blue skies and a chance to do it again.

Instructions are in Lines 300-390, winning takes you to Lines 400-420 and losing all the keys gets you another chance at Line 500.


⁽Gil Cummings is an employee of Chevron U.S.A. in credit card customer assistance.)

NEW DISK **DRIVES**

STARTING AT

\$159,00

WITH CASE & POWER SUPPLY \$189.95



TANDON MPI TEAC

Speed 5ms tk to tk and up Capacity 250k unformatted Tracks 40 Warranty now 1 YEAR



Even	more	savings!!	
------	------	-----------	--

ALL DRIVES FULLY TESTED & WARRANTEED

Complete Disk Drive with Power Supply&Case	\$189.95		
Two Drives in Dual Case & Power Supply	\$359.00		
1/2 ht double sided double density Disk Drives (Panasonic)	\$219.95		
1/2 ht double sided double density Disk Drive with ps & case	\$249.95		
2 double sided double density drives with ps&case	\$489.95		
Single ps&case	\$39.95		
Color Computer Controller (J&M)	\$129.95		
DRIVE Ø FOR RADIO SHACK COLOR COMPUTER TANDON, MPI OR TEAC DRIVE (SINGLE SIDED 40 TRACKS SPEED 5 MS TRK TO TRK & UP)			
POWER SUPPLY and CASE, TWO DRIVE CABLE WITH ALL GOLD CONNECTORS J&M CONTROLLER, MANUAL and DOCUMENTATION \$329.95 \$	308.00		
DRIVE Ø FOR RADIO SHACK COLOR COMPUTER PANASONIC 1/2 HEIGHT DOUBLE SIDED DOUBLE DENSITY DRIVE 500K unformatted			
POWER SUPPLY and CASE, 2 DRIVE CABLE WITH ALL GOLD CONNECTORS J&M CONTROLLER, MANUAL and DOCUMENTATION	SALE!		
TAKE ADDED SAVINGS ON LWO DRIVE SYSTEMS			
Unadvertised Specials			
Drives cleaned, aligned & tested	\$29.95		

TECHNICAL STAFF ON DUTY, PLEASE CALL FOR ASSISTANCE.

CALL US TODAY!!

(617)234-7047 *DEALER INQUIRIES INVITED.



TRUE DATA PRODUCTS

195 Linwood Street, P.O. Box 546 Linwood, Massachusetts 01525

(617) 234-7047

HOURS MON-SAT 9-6 (EST)

We welcome

- Visa/Master Charge
- Checks (allow 2 weeks for clearing)
- . C.O.D. Add \$2.00



The listing:

2 DIM CB\$(8), LC\$(4, 10); WB\$=CHR\$(128) + CHR\$ (128) + CHR\$ (128) : KC=Ø: SC =Ø:GC=1:SS=1:GOSUB3ØØ:GOTO3Ø 8 FOR I=23TO 3 STEP -1:SET(H, I,C):SET(H-1,I,C):PLAY"05T64GGGE":R ESET(H, I): RESET(H-1, I): NEXT I:PR INT@KC+3-2, WB\$;:SC=SC+DF*(31-V): GOSUB1Ø: RETURN 10 PRINT@487, USING" **SCORE #####** "; SC, SS; : RETURN 12 CR=Ø:SS=1:C=Ø:LE=RND(4):FOR I =1 TO 10:XC(I)=1:NEXTI:RETURN 14 FORI=1 TO 10: IF XC(I)=1 THEN RETURN ELSE NEXTI: GOTO500 30 CLSØ: INPUT" EASY - HARD (1 -16) "; DF: DL==STR=(DF+4): CLSØ: FORC =1TO8:READ CC 4Ø CB\$(C)=CHR\$(CC)+CHR\$(CC)+CHR\$ (CC) 50 NEXT C

60 FOR I=1 TO 4:FOR J=1 TO 10 70 READ LC\$(I,J) 80 NEXT J. I 85 FOR I=1 TO 8: READ FL\$(I): NEXT 87 GOSUB12 100 J1=RND(7):J2=J1+10 11Ø FOR I=Ø TO 2 115 L=385+I*32 120 FOR J=J1 TO J2 130 IF J<9 THEN C=J ELSE C=J2-J 140 PRINT@L, CB\$(C); 15Ø L=L+3 160 NEXT J 165 NEXT I 170 IF SS>5 THEN PRINT @487,"!!! !BONUS!!500!!!!";:FORI=1 TO 5:PL AY"D"+STR\$(I)+"T16CDEFGAB":NEXTI :SC=SC+5ØØ:GOSUB1Ø:GOSUB12:GC=GC +1: IFGC>3THEN4ØØ 172 FOR LO=418 TO 445 STEP 3 175 CR=CR+1 180 PRINT @LO, LC\$ (LE, CR); NEXT L O:GOSUB1Ø 190 BC=RND(8):WC=RND(8):BR\$=CHR\$ (115+WC*16)+CHR\$(124+BC*16)+CHR\$ (115+WC*16): IF SS>5 THEN100 200 KC=RND(10): IF XC(KC)=0 THEN

COLORFORTH^{IM} FORTH COMPILER

THERE IS LIFE AFTER BASIC! COLORFORTH is a figFORTH language compiler designed for use on the Color Computer. COLORFORTH Version 2.0 is available now with all these features and more: Can access ALL available RAM from 16K through 64K and will work with any current ROM Executes 10 to 25 times faster than BASIC and can be programmed much faster 50 additional commands are included beside the standard figFORTH commands You get BOTH cassette and RS/DOS versions, PLUS a resident figEDITOR, and an B2 page manual A special command that allows you to copy your program so that it can be run on a CoCo without first loading COLORFORTH ALL OF THE ABOVE FOR ONLY.....

DECISION MAKERIM

IF YOU HAVE EVER HAD TROUBLE MAKING UP YOUR MIND, THEN THIS PROGRAM IS FOR YOU!

DECISION MAKER is a new concept in programs for the Color Computer. DECISION MAKER is ..

A step by step, interactive program to help

you solve any problem
Designed using standard analytic techniques

A learning tool to discover the exact processes used in reaching a decision valuable asset for anyone

DECISION MAKER requires 32K and Ext. Basic Complete with 16 page manual, only..... \$24.95

RAINBOW

BIO-PSYCHOMETER tm

NOW YOU CAN INVESTIGATE THE HIDDEN REALMS OF THE HUMAN MIND!

BIO-PSYCHOMETER is an authentic Bio-feedback device complete with software BIO-PSYCHOMETER includes:

Bio-feedback graphing, Stress Reduction, and Memary Improvement modes

Machine Language, high speed graphics

Very sensitive hardware for optimum results

Printed manual with instructions and suggestions for use

BIO-PSYCHOMETER requires 32K and Ext. Basic Complete, with manual, only......\$39.95

We accept U.S. funds drawn on U.S. banks, VISA & MASTER CARD, & UPS C.O.D.s Add \$2.50 shipping & handling Texas residents add 5%

ARMADILLO INT'L SOFTWARE

P.O. BOX 9351 AUSTIN, TEXAS 78766





PHONE (512)835-1088

200 ELSE DR=RND(4):PRINT@KC+3-2, BR\$; 205 H=KC*6-1:C=POINT(H, 29):PLAYF L\$(C): IFDR=4THEN22ØELSEPRINT@KC* 3-2. WB\$;:GOTO200 22Ø H=KC*6-1 24Ø FOR V=3 TO 24:SET(H,V,C):SET (H-1, V, C):PLAY"04T"+DL\$+"B-":RES ET(H, V-1): RESET(H-1, V-1): IFINKEY \$=LC\$(LE,KC)THENSS=SS+1:GOSUB8:G OTO19ØELSENEXTV 250 XC(KC)=0:PRINT@416+H/2,CHR\$(12B);:PLAY"O1T2B-AGFE-DC":PRINT@ KC+3-2, WB\$;:SS=1:GOSUB14:GOSUB1Ø 29Ø GOTO 19Ø 300 CLS:PRINT:PRINTTAB(42) "KEY B OMBER" 302 PRINT: PRINT 3Ø4 PRINT" LOOK OUT! UP IN T HE SKY! IT'S THE KEY BOMBER! TRYING TO BOMB YOUR HE'S KEYS. DON'T LET HIM COMPUTER WHEN HE DROPS HIS BOMB YO U HAVE TO PRESS THE KEY BEF ORE THE BOMB LANDS ON IT. HEN YOUR KEY IS SAFE!" 306 PRINTTAB (43) "GOOD LUCK!" 390 IFINKEY = ""THEN 390 ELSE RETU RN 400 CLS5: PRINT@ (40), "THE SKIES A BOVE"; : PRINT@(103), "YOUR KEYBOAR D ARE";:PRINT@(173), "SAFE!"; 405 GOSUB 10 41Ø PRINT@266, "PLAY AGAIN?"; 420 Is=INKEYs: IFIs=""THEN420ELSE IFI\$<>"N"THENRUNELSE PRINT@324," OK, TURN OFF THE COMPUTER. "; : END 500 PRINT@262, "TH-TH-TH-THAT'S A LL!"; 510 PRINT@331, "TRY AGAIN?"; 520 Is=INKEYs: IFIs=""THEN520 ELS EIFI = "N" THENEND 54Ø RUN 899 IF INKEY\$=""THEN 899 ELSE CL S:LIST-888 900 DATA 143,159,175,191,207,223 , 239, 255 910 DATA 1,2,3,4,5,6,7,8,9,0 912 DATA Q, W, E, R, T, Y, U, I, O, P 914 DATA A,S,D,F,G,H,J,K,L,; 916 DATA Z, X, C, V, B, N, M, "@", ":", " __11 920 DATA 02T8GAG, 02T16CDEFEDC, 02

T16EECCDGE, O3T8CDE, O3T8EDC, O3T16

EEECDDDB, 05T32CDEFGABAGFEDC, 05T8

BAG

NEW PRICE REDUCTIONS

DISK SYSTEMS FOR THE COLOR COMPLETER

THESE PACKAGES INCLUDE DRIVE, *CONTROLLER, POWER SUPPLY & CABINET, CABLE, AND MANUAL.

* SP	ECIFY WHAT	CONTROLLER	YOU	WANT	JEM.	OR	RADIO	SHACK.
------	------------	------------	-----	------	------	----	-------	--------

* SPECIFY WHAT CONTROLLER YOU WANT JEM, OR RAD	IO SHACK.
PAK #1 - 1 SINGLE SIDED, DOUBLE DENSITY SYS. PAK #2 - 2 SINGLE SIDED, DOUBLE DENSITY SYS. PAK #3 - 1 DOUBLE SIDED, DOUBLE DENSITY SYS. PAK #4 - 2 DOUBLE SIDED, DOUBLE DENSITY SYS. PAK #5 - 2 DOUBLE SIDED, DOUBLE DENSITY SYS.	\$639.95 \$439.95 \$699.95
THINLINE DRIVES, HALF SIZE	\$659.95
COLOR COMPUTER II 64K W/EXT. BASIC	\$189.95
CONTROLLERS	
J&M DISK CONTROLLER W/ JDOS OR RADIO SHACK DISK BASIC, SPECIFY WHAT DISK BASIC.	\$139.95
RADIO SHACK DISK CONTROLLER 1.1	\$134.95
DISK DRIVE CARLES	
CABLE FOR ONE DRIVE CABLE FOR TWO DRIVES	\$ 19.95 \$ 24.95
MISC	
64K UPGRADE W/MOD. INSTRUCTIONS,	
C,D,E,F, AND COCO 2	\$ 49.95
HJL KEYBOARDS MICRO TECH LOWER CASE ROM ADAPTER	\$ 69.95 \$ 74.95
RADIO SHACK BASIC 1.2	\$ 29.95
RADIO SHACK DISK BASIC 1.1 RADIO SHACK EXT. BASIC	\$ 29.95 \$ 39.95
SCREEN CLEAN CLEARS UP VIDEO DISTORTION	\$ 39.95
MEMOREX DISKS 5" SS, DD	\$ 24.00
SHIPPING INCLUDED ON DISK PRICES	C 40 05
SINGLE SIDED, DOUBLE DENSITY 5" DISK DRIVE	\$ 49.95
DISK DRIVE CABINET & POWER SUPPLY SINGLE SIDED, DOUBLE DENSITY 5" DISK DRIVE DOUBLE SIDED, DOUBLE DENSITY 5" DISK DRIVE	\$249.95
PRINTERS	
EPSON RX-80	\$325.00
EPSON RX-80FT	\$375.00
EPSON MX-100 EPSON FX-100	\$650.00
EPSON FX-8Ø	\$549.00
EPSON MX-70	\$200.00
SERIAL BOARDS FOR PRINTERS	
MX-SERIES	\$119.95

USA ADD 2% SHIPPING FOREIGN ADD 5% SHIPPING

For Ordering Call TOLL FREE



FX-SERIES


1-800-338-6800



\$ 99.95

DATA-COMP

PO BOX 794 HIXSON, TN 37343



KRT SOFTWARE has announced that they are taking over CoCoData Enterprises' complete line of software. The line includes: Graphics Program Generator II, Electricity Consumption Monitor, Household Budget Worksheet, LLIST-RITE, Match2, Screen Reference Program, and the Programmer's Worksheet.

The programs are available at individual prices or the Super Bonus Pak of all programs for the single price of \$49. For more information, contact KRT Software, P.O. Box 41395, St. Petersburg, FL 33743; phone (813) 321-2840.

"BULLETIN BOARD" BOB continues to tame the wild, wild West after extending his operation to California. Bob Rosen, president of Spectrum Projects, has now placed into operation the fifth of his popular Rainbow Connection bulletin board systems — and the first on the sunny Pacific Coast. The BBS operates from Spectrum Project's West Coast office in San Jose and can be accessed through the number (408) 984-7937.

The question now is: If it never rains in California — how can they have a Rainbow?

CO-PRODUCED BY COCO. Triad Pictures Corp. has announced a first for the Color Computer — what purports to be an "animation program that can turn a home computer into a Hollywood cartoon studio."

The Animator, to be available in late July, features professional motion picture animation techniques, 12 "help" screens and a comprehensive manual. The average non-programmer can create original animated cartoons of up to 1½ minutes (600 frames) with a frame rate roughly equal to a standard Bugs Bunny cartoon. Thirty-two "cels," or character positions, are cycled and recycled to create the illusion of motion. Sound effects can be included as well.

At \$35 for the three-cassette package, The Animator sounds like it might be a real show stopper. It requires 32K and Extended Color BASIC and includes a library of cels, backgrounds and sound effects, as well as the "Animation Studio" itself.

If you would like to know more about *The Animator*, contact Triad Pictures Corp., 134 Simders Rd., Sequim, WA 98382; phone (206) 683-6459.

PRINTER THRONES from Royal Seating are featured in a new two-page brochure being distributed by the company. A full line of stands designed to accommodate any type printer is offered, incorporating various size slots and cutouts for front, center or rear feed and optional paper baskets for forms retrieval.

If you're interested in the brochure and a list of prices, contact: Royal Seating Corporation, Attn: Lorraine Moore, P.O. Box 753, Cameron, TX 76520; phone (817) 697-6421.

BAR CODE READING capability is being offered for the Color Computer by Peripheral Connections (PERCON) with a newly enhanced bar code reader that will connect to any computer that supports RS-232 ASCII communications. The E-Z-READER bar code reader features the Hewlett Packard digital wand and can read the three most popular industrial codes: Code 3 of 9, Interleaved 2 of 5, and Codabar/ABC.

The E-Z-READER is designed to read dot-matrix printed bar, codes, as well as those printed conventionally. The pen design enables it to read through thin protective plastic and poorly printed bar codes. Also, it can detect the code over a range of angles and pen speeds as well as variable bar code densities. A "good read" audible signal is a standard feature.

The ability to read bar codes into your computer not only has several management and industrial applications, the potential exists for BASIC listings to be printed in bar code, such as those for the Radio Shack Model 100 being printed in PCM, THE RAINBOW's sister publication.

The E-Z-READER bar code reader is currently priced at \$495. For more information, contact: Peripheral Connections, 2190 W. 11th St., Eugene, OR 97402; phone (503) 344-1189.

dreaded or praise-worthy restrictions (depending on your view), and consumer lawsuits are inevitably coming to the software marketplace, according to Bill Shoneman, vice president of XXCAL, Inc., a software testing firm. "The software industry is becoming big business and is developing a high profile both among consumers and the government," Shoneman says. "Sooner or later, they are going to start insisting on some assurances about the reliability of our products."

Shoneman finds the problem evident in the typical "non-warranty" disclaimer statement that appears on most software: This program is provided as is without warranty of any kind — the entire risk as to the quality and the performance of the program is with you, the user. "That kind of a statement," says Shoneman, "doesn't exactly inspire consumer confidence.

"Magazine reviews and newsletters can be very helpful," he continues, "but they shouldn't have to take the place of manufacturer testing, which the manufacturer should pay for as part of the product development cost. Unfortunately, too few companies are investing in testing — either their own or that of an outside firm."

XXCAL, of 1901 Avenue of the Stars, Los Angeles, CA 90067, provides such testing, ranging from a brief overview to an in-depth analysis and covering everything from technical content to documentation and ease of use. "Future successful software firms will be those that recognize the value of testing," says Shoneman. "They must realize that software success will only come to those who market programs that work."

Even if your views are a bit self-serving, Mr. Shoneman, we think they're very, very well put.

A LANGUAGE COMPILER that converts BASIC programs to machine code is being offered by LLOYD I/O for FLEX and OS-9 systems. K-BASIC has three general data types: Real, String and Integer. There are four integer sizes (8, 16, 32 and 64 bit) and Real numbers are 15 digit precision with an exponent of +/-99. There are directives, statements and functions not found in BASIC interpreters.

K-BASIC is available for all FLEX, OS-9 and Color Computer OS-9 systems for \$199 from: LLOYD I/O, 19535 NE Glisan, Portland, OR 97230; phone (503) 666-1097.



OFFER EXPIRES AUG. 31, 1984
ORDERS SENT TO CALIFORNIA
NO OTHER DISCOUNTS APPLY
ON RETAIL PRICES ONLY

\Diamond

SPECTRUM PROJECTS SOFT AND HARD WARES FOR COLORFUL COMPUTING

SPREADSHEET

ELITE CALC - 255 Rows, 255 Columns, Help Displays, Repeat Text Entries, Insert, Delete, Move Entire Rows, Selectable Auto Cursor Movement, Formulas 255 chars. Disk/Tape \$59.95 (see Aug '83 Rainbow Review)

SAVE \$40!



DATA BASE MANAGER

PRD-COLOR FILE - 60 Data Fields, 8 Report Formats, 1020 bytes/record, Sorts 3 Fields, Screen and Summary Reports, Duplicate Records and Fields, Page Titles - Disk \$79.95 (see June '83 Rainbow Review)

DISK DRIVES

DRIVE O System - 40 trks, Gold Platted Connectors - \$299.95

AMDEK System - 624K Bytes with 3" Disk Cartridge - \$499.00

DISK CONTROLLER - \$139.95
(Systems include controller)

DISK Drive 1, 2 or 3 - \$169.95
Single Drive PS & CASE - \$59.95



GAME CONTROLLERS

WICO Command Adaptor - Hookup
2 Atari type joysticks- \$19.95
With 2 Atari joysticks- \$39.95
MACH II Joystick - Beats the
competition! 360 Degree control
with spring or positive true
positioning and electrical trim
adjustment on both axes- \$39.95

UTILITIES (DISK)

1	1.	FHL 0-PAK\$34.95
		Adventure Generator\$39.95
11	3.	Super Forth\$39.95
	4.	Super Screen Machine.\$49.95
11	5.	05-9\$69.95
11.	6.	FHL Flex\$69.95
11	7.	DEFT Pascal\$79.95
11	8.	MicroWorks MACRO-8DC.\$99.95

WEST DIVISION

Spectrum Projects

PO Box 9866 San Jose, CA 95157-0866 Add \$3.00 S/H NY Res Add Tax

NEW PRODUCTS

POKES & PEEKS Manual\$7.95

YELLOW Mail Labels (1K) .\$14.95

Disk Head Cleaning Kit .\$24.95

6 Outlet Surge Protector \$59.95

Green Monitor w/Audio .\$119.95

Bare Disk Drive\$129.00

Amber Monitor w/Audio .\$139.95

CoCo Koala Pad\$139.95

EAST DIVISION

Spectrum Projects

PO Box 21272 Woodhaven, NY 11421

SPECTRUM PROJECTS SOFT AND HARD WARES FOR COLORFUL COMPUTING

COMMUNICATION

COLORCOM/E - A complete smart terminal package! Upload, Download, Hi-Res (51X24) screen, 300/1200 Baud, Offline Printing and much more. Rompak or Disk - \$49.95 (see Feb '84 Rainbow Review)



WORD PROCESSING

TELEWRITER-64 - Top CoCo Word Processor for 2 years! Three Hi-Res screens, true lowercase characters, right justification, full screen editor. Tape \$49.95 Disk \$59.95 (see June '83 Rainbow Review)

MODEMS

MINI-MODEM - 300 Baud, Driginate/Answer, Full Duplex, Direct Connect - \$79.95

J-CAI Modem - Lowest priced auto/answer modem - \$129.95

HAYES Auto Dial/Answer \$239.95

ANCHOR - 300/1200 Baud \$299.95

Prices include Modem cable.




PRINTERS

GEMINI 10X* - 120 cps, 9X9 dot tractor/friction feed \$299.95 EPSON RX-80* - Faster than the MX-80 plus Graftrax! - \$349.95 * Parallel interface required. PBH Parallel Interface - Save \$40 if ordered with above printers! - \$49.95 (Reg.\$89.95)

KEYBOARDS

SUPER-PRO (Mark Data) \$59.95
PREMIUM (Micronix) \$69.95*
HJL57 PROFESSIONAL \$79.95*
* - Includes free software for
4 function keys. Specify Model
Revision 80ard. PREMIUM board
fits CoCo II w/adaptor. Add \$5



MONOCHROME Monitors - 80X24

MONITORS

screens plus Hi-Res:
Green - \$99.95 Amber - \$119.95
BMC Color Monitor - \$269.95
VIDEO PLUS - Video Interface
for above monitors - \$24.95
CoCo II (Monochrome) - \$29.95
CoCo II(Color) Version - \$39.95

Buy any Modem and Save \$10 off Colorcom/E

Order Line 807 212-441-2558 408-243-4558

Buy any Printer, and


Reyboard or Monitor and

Save \$10 off Telewriter-64



RING IN THE **OLYMPICS!**

By Bill Duke



This is a 16K ECB graphics program that displays the five connecting rings universally known as the symbol of the Olympics. What better time to salute our athletes than in our games issue. Good luck, USA!

The listing:

10 PMODE4, 1: PCLS: SCREEN1, 1

2Ø GOSUB9Ø

3Ø CIRCLE(126,8Ø),3Ø

40 CIRCLE (53,80),30

5Ø CIRCLE(200,80),30

60 CIRCLE (90, 110), 30

7Ø CIRCLE(163,110),30

8Ø GOTO8Ø

90 DRAW"BM55, 10; G30R30E30L10G20L

1ØE2ØL1Ø

100 DRAW"BM90, 10; G15R10G5L10G10R

20E20L10E5R10E5L20

110 DRAW"BM115, 10; G30R10E10R10G1

ØR1ØE3ØL3Ø

12Ø DRAW"BM12Ø, 15; G1ØR1ØE1ØL1Ø

13Ø DRAW"BM145, 15; D1ØR1ØU1ØL1Ø

14Ø DRAW"BM159, 15; D1ØR1Ø

15Ø DRAW"BM172, 15; F5E5G5D5

160 DRAW"BM187, 15; D10U10F5E5D10

17Ø DRAW"BM2Ø1,15; D1ØU1ØR1ØD5L1Ø

18Ø DRAW"BM215, 15; D1Ø

190 DRAW"BM219, 15; R10L10D10R10

200 DRAW"BM231, 15; R10L10D5R10D5L

21Ø DRAW"BM171,31;D1ØR5L1ØR5U1ØG

22Ø DRAW"BM181,31; D5R1ØU5L1ØR1ØD

23Ø DRAW"BM195,31;D5R1ØD5L1ØU5R1

(Bill Duke, a freshman in high school, has a 64K CoCo with one drive, printer and modem. He mainly works with graphics and his printer.)

ØU5L1Ø

24Ø DRAW"BM2Ø9,31;D5R1ØL2U5D1Ø

25Ø LINE(33,185)-(31,155),PSET

260 LINE (36, 185) - (38, 155), PSET

27Ø DRAW"BM32,155;R5

28Ø DRAW"BM33,185;R3

29Ø PAINT(33,175),5

300 DRAW"BM31,155;H5R18G5E5R2U5L

22D5R2

31Ø CIRCLE(29,14Ø),4,,2,.3Ø,.85

32Ø CIRCLE(29,128),4,,1,.85,.25

33Ø CIRCLE(33,142),10,,2,.70,.95

34Ø CIRCLE(43,145),5,,2,.47,.7Ø

350 CIRCLE(22,127),30,1,1,.0,.12

360 DRAW"BM50,128;G4

37Ø CIRCLE(48,129),4,,2,.35,.85

38Ø CIRCLE(47,151),3Ø,,1,.69,.75

39Ø CIRCLE (35, 186), 4,,.5

400 LINE(213, 185)-(211, 155), PSET

41Ø LINE(216, 185) - (218, 155), PSET

42Ø DRAW"BM212,155;R5

430 DRAW"BM213,185;R3

44Ø PAINT (213, 175), 1

450 DRAW"BM211,155; H5R18G5E5R2U5

L22D5R2

460 CIRCLE(209,140),4,,2,.30,.85

47Ø CIRCLE(2Ø9,128),4,,1,.85,.25

48Ø CIRCLE(213,142),1Ø,,2,.7Ø,.9

49Ø CIRCLE(223,145),5,,2,.47,.7Ø

500 CIRCLE(202,127),30,1,1,.0,.1

2

51Ø DRAW"BM23Ø, 128; G4

520 CIRCLE(228, 129), 4,, 2,.35,.85

53Ø CIRCLE(227,15Ø),3Ø,,1,.69,.7

540 CIRCLE (215, 186), 4,,.5

550 RETURN



THE SPECTRUM VOICE PAK

\$49.95 SPECIAL

Price good with purchase of any Talking Software below! Offer expires August 25, 1984

\$69.95 CoCo I

New Features! Single key echo and phoneme printouts! Works w/\$29.95 Disk"Y" cable!

\$79.95 CoCo II

Includes adapter to work on 16K-64K CoCo II's. Same features as CoCo I. In stock!

TALKING SOFTWARE

Talking Final Countdown - You must stop the mad general from launching a missle at the Russians and causing WW III! Has multiple voices for added realism. 32K EXT \$24.95

Educational Software - Computer Island's educational programs turn your CoCo into a true teaching machine. Reinforce basic lessions with the aid of voice. Three/pak special includes Math Drill, Spelling Tester and Foreign Languages. 16K EXT **\$24.95**

Talking Score E-Z - An excellent adaptation of a Yahtzee type program with added speech. Up to 6 players can compete at a time, and all scoring and record keeping is done by the computer. 32K EXT **\$24.95**

See JUNE'84 Rainbow Review



Term Talk - A speaking smart terminal program for your CoCo. It contains all the features of an intelligent communications package, plus it talks! (Shades of War Games) 16K EXT Tape \$39.95 Disk \$49.95

All orders plus \$3.00 S/H - NY Residents add sales tax
SPECTRUM PROJECTS

WEST DIVISION:

PO BOX 9866 SAN JOSE, CA 95157-0866 EAST DIVISION:
PO BOX 21272

WOODHAVEN, NY 11421

408-243-4558 / 212-441-2807

Imagination And A Few Simple Graphics Techniques

Joseph Kolar Rainbow Contributing Editor

ne of the interesting features of the CoCo is the graphic character set. Refer to your manual for a review of CHR\$(128) through CHR\$(255).

Using these graphic characters is fun. They allow any newcomer to CoColand to express him/herself artistically. Surprisingly, artistic ability is not a prerequisite to utilizing this capability of the CoCo. You might just as well learn how to use this effective enhancement of the CoCo and get your money's worth.

There are seven small listings that will help walk you

through this tutorial.

Key in Lines 0, 10, 200, before you work on each program. At any time, you can *RUN* the program as you proceed to verify what you have added. Or, if you prefer, key in each

program and follow along.

[20 PRINT@40, CHR\$(128)]. A black box at screen location 40! Add another black box next to it. [+CHR\$(128)]. To add two more black boxes, (squares), next to it, add [14A\$=CHR\$(128)]. Now, the black box has been assigned a name, A\$. Add [+A\$+A\$] to Line 20. To add two more blocks, insert [15B\$=A\$+A\$]. Two boxes, A\$+A\$ have been assigned a special name, B\$. Add [+B\$] to Line 20.

Note that you will be using concatenation, '+', exclusively in all of the programs. Think of concatenation as adding box cars to a freight train. You attach them to the end of the train

using the plus sign.

Let's make a small design in the lower left-hand corner. Line [100PRINT@360,B\$+B\$] gives us four boxes that create a small horizontal bar. Note that you could have added [16C\$=B\$+B\$] and changed line [100PRINT@360,C\$]. Let's be simple as well as lazy. There are 32 columns

(Joseph Kolar is a free-lance writer and programmer dedicated to proselytizing for computers in general, and the CoCo specifically.)

to a screen line. We want to put a pair of boxes underneath and two spaces to the left. So, being lazy, we create line [101PRINT@360+32-2,].[360] is the starting location of our first row, [+32] positions us directly below the first box in the top row; [-2] moves over two spaces to the left. In effect, [PRINT@360+32-2,] is equivalent to [PRINT@360+30,] or [PRINT@390,].

For a beginner, it will be more meaningful to do calculations with small numbers to visualize what is happening as we move from one location to another. So, let's add

[101PRINT@360+30,B\$]

We wanted to skip four spaces and repeat the design element. Again, we consider: [360], the original location, [+32-2] or [+30], the beginning of the lower block; [+2], the spaces this block occupies; [+4], the four blank spaces we want to skip.

Line [102 PRINT@360+30+2+4,B\$] adds the right-hand

block in the desired location.

Remember, any time you want, just RUN your program to check it out and see if you follow the progress of the program.

We will close up the design by adding a block of four boxes, (squares), to the next row, directly under the top row. Since each row has 32 spaces, we want to add 64 spaces to our starting location, [360].

103 PRINT@360+64,B\$+B\$

Note that the first element, [B\$], does not require a '+' because it is the locomotive of our imaginary freight train. However, you may insert it if you prefer. It won't do any harm. But, each succeeding element of the train must have the plus sign prefixed in front of the variable of the particular box car to be added to the train.

We have this blank space in our design. Blank spaces cry out to be filled. The first thing that comes to mind is that four empty spaces allow us to print a four letter word. The second most obvious choice is, 'COCO'.

Referring to Line 102, we can pick up the location of the first letter, 'c'. [360] is the starting location; [+30], the starting location of the left element on the second line; [+2], the spaces taken up by the block. Now, we have reached the location of the first of the four blank spaces.

104 PRINT@360+30+2, "COCO";

Did you add [;] at the end of the line? Omit it and RUN. What alternative to [;] could you use to add the right-hand block?


You may rightly ask, "Why couldn't I have inserted 'COCO' into Line 102?" Creativity, being unpredictable, as it is, I didn't think of it until the design was finished. 'COCO' was an afterthought.

For practice, insert ['] in front of Line 104 to hold it but not to include it in the display and rewrite Line 102 to include 'COCO'. Then *DEL 104*. You have now tightened up your program to eliminate an unnecessary program line.

Line 102 should read:

102 PRINT@360+30+2, "COCO"+B\$

For practice, change Line 14 to whatever solid color you prefer. A solid color will give you the most simple, but pleasing border. You might just as well DEL20. Check your manual, or the training aid you made a few months ago



if you followed this author's articles, to see how I got the blue graphic element. I used CHR\$(143+32). Could you have used CHR\$(175) instead? This is Design Tutorial 2.

All well and good! You may as well move the design to the center of the screen.

For the purpose of this tutorial, we will relocate Line 100 first. You can figure out your desired location by referring to the "PRINT@ Screen Location" chart in the manual.

However, creativity knows no rules. So, we will be real lazy and locate it by trial and error. Pick a location number that you think is in the middle. Say, 220. Change Line 100 to [PRINT@220] and RUN. Whoops! It's in the middle all right, but away off to the right. Move it over to the left, say, about 10, or [210]. Try it! N.G.! Well, move it over some more. Try [204] and RUN. Too much! How about [207]? Ah, that looks fairly well centered.

The design looks centered, but if you get a ruler and check the blank area on both sides, you will see that it is off center. Correct it by changing the location -1 or [206]. While you are at it, check with the ruler to see if it is neatly centered vertically.

Now, move the rest of the design by changing the [360] in Lines 101, 102, and 103 to [207]. Check it out! Why did it move over so nicely by changing all the locations to the same number?

The secret is that every line was based on the original starting location in this program. Do you see why the simple 'plus or minus' algorithm worked so effortlessly?

From what you have learned, can you change Line 102 to include the information in Line 101, effectively eliminating the need for Line 101?

Here is the solution. Compare Lines 101 and 102. Note that [B\$] in Line 101 falls where [+2] is shown in Line 102. Put [7] in front of Line 101 to hold it for reference. RUN and note that you were right. Line 102 begins with 'COCO'. Adjust line 102 by changing [+2] to [B\$+]. Did you remember to put in [+]? RUN it! If it is okay, [DEL 101]. This is Design Tutorial 3.

Finally, if you feel that this is the final location of your design, you may tighten up the tutorial. Change Line 102 to [PRINT@236,], instead of [PRINT@206+30,] and Line 103, to [PRINT@270,] instead of [PRINT@206+64,].

When we complete our design, we plan to move it to the top of the screen page. It will be a lot more difficult to move your design around the screen because you now have three distinct reference locations in your program rather than one. Also, if you add more elements to the design, (Who can resist improving a design?), you will have difficulty in locating the new elements. So, for this tutorial, let's not tighten it up.

Looking over the design, I wonder how it would look with small squares in the four corners? See Figure 1.

It would look better if the blue was changed back to black. Change Line 14 to [14 A\$=CHR\$(128)].

Since you know the system, do this on your own. Use 206 as your base location. Compare your results with Design Tutorial 4. It was no problem to concatenate the proper elements to the ends of Lines 100 and 103. Lines 101 and 104 were added because it was the simplest and laziest way to locate the two left-hand elements. If you fail to end these two lines with [;], you would wipe out the balance of the top and bottom rows. The final result should be Design Tutorial 4.

You can eliminate Lines 101 and 104 by changing Lines 100 and 103, just as you had done before to get Design Tutorial 3. This will give you Design Tutorial 5.

RUN it and then look over the listing carefully. The two arms in the middle row look too long. They could be altered so that they don't extend so far out. We may be creative but we are also lazy. Suppose we added a bit more black to the top and bottom rows? Wouldn't that make the design more symmetrical? See Figure 2.

We want to go one line above Line 100 and one space to the right to start our new elements. We calculate: [206] is the base location; [-32] locates us directly above Line 100 and [+1] moves us over one space.

99PRINT@206-32+1,CHR\$(140)+CHR\$(140)

To get the new bottom location, we pick up the location of the bottom row, Line 103. The location of Line 103 is [206], the starting location: [+64], two rows down; [-1], one space to the left. We add to these figures, [+32], one line below the base location of the line; [+2], two spaces to the right.

104 PRINT@206+64-1+32+2,CHR\$(131)+CHR\$(131)

This is Design Tutorial 6. RUN. That looks better! The four corners we added previously were too narrow. Can you change Line 100, using [CHR\$(140)] and Line 102, using [CHR\$(131)] on both ends to make it even more visually attractive? Just substitute!

We could continue to change and improve the design. For you persistent puzzle-solvers, try to change Lines 100 and 102 so that there is a little blank area above and below 'COCO' to give it a 'step' look. See what you come up with.

As a final exercise, to get Design Tutorial 7, we will move the entire design to the top of the screen, centered horizontally.

Use Line 99, the new top line of the design and relocate it. If you use the trial and error method, you may get an FC error. Keep at it! When you get it located to your satisfaction, change the [206] in Lines 100; 102; 103; 104; to your new value. RUN. If all looks fine, as a final test, simplify the locations in all the lines by appropriately adding or subtracting, to get a conventional, one-number location. For example, Line 99 would be changed from [PRINT@46+1-32,] to [PRINT@15,].

That blank area under your design is screaming for you to fill it in. I leave it to your imagination to work something up.

We got a lot of experience locating, inserting and moving elements of a design. We used a few simple techniques, by no means the only ones available, to fool around with graphic characters. If you read your final listing, you could suggest that, heck, we could have programmed Design Tutorial 7, in the first place. Sure — if we knew what we were going to create and where we were going to locate it on the screen.

Keep in mind that we started with a black square that we placed on the screen. We were creating. One thing suggested the next and who knew what the end result would be?

When you are bored, sit in front of the keyboard. Start with a graphic character and let your imagination run wild. No two people have the same creative thoughts. Your end result will surely be an original creation that may lead down some unexpected byway. Always pose problems and each time you solve them, you can go on dreaming up additional problems and then have fun solving them.

```
Listing 1:
Ø 'DESIGN TUTORIAL 1
1Ø CLS
14 A$=CHR$(128)
15 B$=A$+A$
20 PRINT @ 40, CHR$(128)+CHR$(12
8) +A$+A$+B$
100 PRINT@360, B$+B$
101 PRINT@360+30, B$
102 PRINT@360+30+2+4, B$
103 PRINT@360+64, B$+B$
104 PRINT@360+30+2, "COCO";
200 GOTO200
Listing 2:
Ø 'DESIGN TUTORIAL 2
10 CLS
14 A$=CHR$(143+32)
15 B$=A$+A$
100 PRINT@360, B$+B$
101 PRINT@360+30, B$
102 PRINT@360+30+2. "COCO"+B$
103 PRINT@360+64, B$+B$
200 GOTO 200
Listing 3:
Ø 'DESIGN TUTORIAL 3
10 CLS
14 A$=CHR$(143+32)
```

```
102 PRINT@206+30, B$+"COCO"+B$
103 PRINT@206+64, B$+B$
200 GOTO 200
Listing 4:
Ø 'DESIGN TUTORIAL 4
10 CLS
14 As=CHR$(128)
15 B$=A$+A$
100 PRINT@206, B$+B$+CHR$(141)
1Ø1 PRINT@2Ø6-1, CHR$ (142);
102 PRINT@206+30, B$+"COCO"+B$
103 PRINT@206+64, B$+B$+CHR$(135)
104 PRINT@206+64-1, CHR$(139);
200 GOTO 200
Listing 5:
Ø 'DESIGN TUTORIAL 5
10 CLS
14 A$=CHR$(128)
15 B$=A$+A$
100 PRINT@206-1, CHR$ (142)+B$+B$+
CHR$ (141)
102 PRINT@206+30, B$+"COCO"+B$
103 PRINT@206+64-1, CHR$(139)+B$+
B$+CHR$(135)
200 GOTO 200
Listing 6:
Ø 'DESIGN TUTORIAL 6
10 CLS
14 A$=CHR$(128)
15 B$=A$+A$
99 PRINT@2Ø6+1-32, CHR$ (14Ø)+CHR$
(140)
100 PRINT@206-1, CHR$(142)+B$+B$+
CHR$ (141)
102 PRINT@206+30, B$+"COCO"+B$
103 PRINT@206+64-1, CHR$(139)+B$+
B$+CHR$ (135)
104 PRINT@206+64-1+32+2, CHR$ (131
)+CHR$(131)
200 GOTO 200
Listing 7:
Ø 'DESIGN TUTORIAL 7
10 CLS
14 A$=CHR$(128)
15 B$=A$+A$
99 PRINT@46+1-32, CHR$(14Ø)+CHR$(
140)
100 PRINT@46-1, CHR$ (140) +B$+B$+C
HR$ (14Ø)
102 PRINT@46+30, B$+"COCO"+B$
103 PRINT@46+64-1, CHR$(131)+B$+B
$+CHR$(131)
104 PRINT@46+64-1+32+2, CHR$(131)
+CHR$(131)
200 GOTO 200
```

15 B\$=A\$+A\$

100 PRINT@206, B\$+B\$

A CHIP OFF THE OLD ...

6821 Standard PIA	. \$9.95
6822 Industrial Grade PIA	\$14.95
6847 VDG Chip	\$17.95
68764 (Fits Ext Basic Skt) Eprom	
64K RAM Checker (ROMPAK)	
16K-32K Upgrade Kit*	
6883 SAM Chip w/heat sink	
6809E CPU Chip	
Basic ROM 1.2 Chip	\$39.95
Disk ROM 1.1 (New DOS Command)	
Extended Basic 1.1 ROM	
CoCo First Aid Kit (Be Prepared)	
(2 6821's, 6809E & 6883)	\$69.95
Intronics Eprom Programmer- 15	seconds
for a 68764! All popular EPROM's	\$139.95
* NOT compatible with CoCo II	

COCO LIBRARY...

Color Computer Tech Manual\$7.95
The World Connection - All about
Bulletin Boards, Modems and the World's
Most Famous Sysop (Bob Rosen)!\$9.95
GoCo Memory Map\$12.00
CoCo Secrets Revealed\$14.95
Color Computer Interfacing\$14.95
Basic 09 Tour Guide\$18.95
CoCoINDX (1,800 articles)\$19.95
New! CoCo II Service Manual\$19.95

MORE GOOD STUFF...

Spectrum Light Pen\$24.95
CoCo Voice Chip - Votrax SCO1A\$34.95
PBH Parallel Interface - Beats Botek!
300-9600 baud w/ptr-modem switch .\$69.95
The Spectrum Switcher - Have your Disk &
Cartridge too! Dual Slot System \$69.95
Disk Interface (Spectrum Special)\$139.95
PBJ 80X24 Video Board\$139.95
Microfazer SER/PAR print buffer .\$179.95
Sanyo MBC550 - 16 bit 8088 MS-DOS system
128k, 1 drive, 640X200 graphics .\$895.00
W/Hi-Res green screen monitor\$995.00

ALL ORDERS PLUS \$3.00 S/H
NY RESIDENTS ADD SALES TAX

COCO CABLES AND...

OTHER GOOD STUFF...

STAR	Edward Commencer of the
6-10	tapes in any quantity 49 cents
	4 Diskettes in any quantity\$1.99
	tick plug\$3.99
64K I	RAM Button\$4.99
	NI 10X Ribbon\$4.99
	k 3" diskettes in any quantity.\$5.99
Lpsoi	n MX/RX 80 Cartridge\$6.99
Rompa	ak w/Blank PC Board\$9.95
	isk Controller Case\$9.95
	<u> Disk Doubler - Doubleside your 5 1/4</u>
disk	ettes\$14.95
	o Clear - Cleanup TVI !!\$19.95
	ette Recorder Stand- Put your CTR80
CCKR	1 at a 45 degree angle\$19.95
The I	Data Defender- Store 70 diskettes in
a ha	rd plastic case w/key lock\$29.95
	Cooler (D & E Rev. boards)\$49.95
New!	CoCo Cooler II (CoCo II)\$49.95
CoCo	Stereo Music Synthesizer\$69.95

SPECTRUM PROJECTS

EAST DIVISION :

PO BOX 21272 WOODHAVEN, NY 11421

WEST DIVISION :

PO BOX 9866 SAN JOSE, CA 95157-0866

212-441-2807 / 408-243-4558

COLORFUL UTILITIES

DOUBLE DOS - Now access 10 more granules from your 40 track drive and still be compatible with RS DOS! Also works with double-sided and 80 track drives! DISK \$24.95

MULTI-PAK CRAK - Save ROMPAKs to your 64K Disk system using the RS Multi-Pak Interface. Eliminate constant plugging in of ROMPAKs now by keeping all your PAK software on disk. DISK \$24.95

TAPE OMNI CLONE - Easily handles programs with auto loaders, no headers, no EOF markers, unusual size blocks and more! Now is the time to get your tape software collection protected against loss. TAPE \$24.95

DISK OMNI CLONE - Back everything up! This amazing program handles "non standard" disks with ease. We haven't found any disk yet that it can't handle. Lowest price too! 32K DISK \$29.95

DISK MANAGER - Rescue crashed disks, date files on the disk directory, print a Super directory with ML addresses, maintain and sort a catalog of up to 300 files from a collection of disks! 16K DISK \$29.95 (see Nov '83 Rainbow Review)

DISK UTIL — A multi-featured enhancement that makes disk handling <u>USER FRIENDLY</u>. Utilize a directory window to sort, move and copy file entries, backup by file or by track, interrogate disk sectors or the GAT table, single command execution of both BASIC and ML programs plus much more! 64K DISK **\$24.95** (see May '84 Rainbow Review)

MASTER DESIGN — A text designer/editor to generate graphics mode lettering with multiple font sizes, textures, shadowing and thicknesses, plus special patterns for creative backgrounds. Comes with a screen print routine and a Letter Head Utility that interfaces with $\overline{\text{Telewriter-64}}$ and $\overline{\text{BASIC}}$. DISK **\$34.95**

BASIC COMPILER - Convert your BASIC programs into fast efficient machine language. Produces code more compact and up to 50Xs faster than original BASIC. Integer compiler with no Extended BASIC needed. 16K-64K versions included. TAPE \$39.95

SCHEMATIC DRAFTING - Save hours of work and design professional looking electronic diagrams using a 480X540 pixel worksheet with 6 viewing windows. Over 30 electronic symbols with 10 user definable symbols are provided. Dump hard copy to the printer and save the created schematics to disk. 64K DISK \$49.95 (see Jan '84 Rainbow Review)

COLORAMA - A first-class Bulletin Board package... especially geared towards CoCo users... has an ordering section for those who want to run a mail-order business... one nice piece of work. 64K DISK \$99.95 July '84 Rainbow

MASTER MAIL - Quite easy to use... Capable of handling 1000 addresses on a single disk... FORM LETTER allows you to produce multiple letters from the address database... A program for serious applications. 32K DISK \$49.95 Jan'84 Rainbow

IN CANADA CALL
TOLL FREE
800-361-5155







COLORFUL UTILITIES

FAST DUPE - The fastest Disk copier ever! Will format and backup a diskette in only one pass and can make up to 4 Disk copies at once! The must utility for every Disk owner. 64K DISK \$19.95 (see May '84 Rainbow Review)

HIDDEN BASIC - Protect your BASIC programs. Mask your code so CLOAD, CSAVE, LIST, EDIT, DEL and LLIST will not function. TAPE \$19.95 (see Sept '83 Rainbow Review)

64 COL MOD I/III EMULATOR - Give CoCo a 64X16 screen. Run Model I/III graphics code without retyping the BASIC statements. 64K DISK \$19.95 (see May '84 Rainbow Review)

64K DISK UTILITY PACKAGE - Take advantage of an expanded 64K machine. Make an additional 8K of RAM available. Copy ROM cartridges to disk and create a 32K SPOOL buffer for printing. DISK \$21.95 (see July '83 Rainbow Review)

TAPE UTILITY - A powerful package that transfers tape to disk and disk to tape automatically. Does an automatic copy of an entire disk of programs and data to tape. TAPE/DISK \$24.95 (see Sept '83 Rainbow Review)

E-X-T-E-N-D-E-D DISK BASIC - Add new powerful commands to your 64K Disk system. Inverse Video (GREAT for monitors!), Wild Card Directory, Double POKE and PEEK, NSAVE, NLOAD, LDIR, OLD and TYPE. DISK \$24.95 (see April '84 Rainbow Review)

GRAPHICOM - The ultimate CoCo graphics development tool with sophisticated editing, preview animation, telecommunications and printer support. Hi-Res graphics for only **\$24.95.** W/Spectrum's Menu Foot Switch **\$34.95.** 64K DISK (see April '84 Rainbow Review)

EZ BASE - A truly user friendly data base program at an affordable price. Maintain inventories, hobby collections, recipes, greeting card lists and much, much more! Hi-Res screen, up to 500 records with 15 fields, record or field search, and a Mailing Labels option. 32K DISK \$24.95 (see July '84 Rainbow Review)

BLACKJACK ROYALE - A <u>Hi-Res</u> graphics casino blackjack simulation and <u>card counting</u> tutor. Fully realistic play includes: double down, splits, surrender, insurance bets, 1-8 decks, burnt cards, shuffle frequency and more! "This <u>fine</u> program is a <u>must</u> for the CoCo Blackjack player." (Aug '83 Rainbow Review) 32K TAPE/DISK **\$24.95**

SHIPPING \$3.00 - NY RESIDENTS ADD SALES TAX

SPECTRUM PROJECTS

WEST DIVISION PO BOX 9866 SAN JOSE, CA 95157-0866 408-243-4558

HEW!

HEM!

EAST DIVISION PO BOX 21272 WOODHAVEN, NY 11421 212-441-2807



Disk Drive Speed Check

By Roger Schrag

ave you ever suddenly been barraged by I/O Errors when trying to load a program from disk? Sometimes this is a sign that your disk drive needs some routine adjusting.

One of the things that can periodically slip out of line within your disk drive is its rotational speed. The disk drive is supposed to spin your diskettes at 300 revolutions per minute (rpm), give or take five percent.

Inside your disk drive there is a little knob which you may turn to adjust your disk drive's speed. This BASIC program will tell you how fast your drives are running. By repeatedly turning the knob slightly and then running the program, you may easily adjust your disk drives to perfect operating speed, thus saving a hefty repair bill.

If one of your drives is giving more than its fair share of I/O Errors, then run this program to see if indeed your drive's speed is off. The program will ask which drive you would like to check, and then will prompt you to insert an initialized diskette in the drive and press ENTER. Any diskette will do, as long as it has been initialized previously with the DSKINI command. The program then will draw up a chart of your drive's speed on 10 consecutive readings and the overall average.

If your drive is consistently more than about five rpm off from 300, you may wish to adjust the speed control. First, remove the outer cabinet by removing the four exterior

(Roger Schrag, currently studying computer science at the University of California at Berkeley, enjoys working with the CoCo and writing articles for THE RAINBOW. He also designs and translates programs for Adventure International.)

screws. If your disk drive is a Radio Shack model, then the speed control is the bright yellow knob on the small circuit board on the same side of the drive as the large belt connecting the motor to the hub which grips the diskette.

Use a flat blade screw driver to turn the knob *slightly* in one direction or the other. Then run the speed check program again. Do this repeatedly until your drive's speed is within about five rpm of 300. Your drive does not need to operate at exactly 300 rpm, and fluctuations of one or two rpm is perfectly normal.

This little program lets you determine if the source of your disk problems is a drive motor running off speed. This program lets you also fix it if you are somewhat mechanically inclined. Please note that opening your drive may void your warranty. However, this should not be a problem; if your drive were still under warranty, you would take it back to the store if it exhibited any kind of problems whatsoever.

The program uses a short machine language subroutine to perform the actual timing. The data statements are set up so as to show the actual assembly language code that is being *POKEd* into memory.

All diskettes for the Color Computer have a pinhole in them called a "sector index hole." This pinhole passes in front of a sensor in the disk drive exactly once on each revolution. By reading this sensor, the machine language subroutine times how long it takes for the diskette to complete one revolution. From this information, the BASIC program is able to calculate how many revolutions the diskette would make in one minute if it continued spinning at that exact rate. This is the disk drive's rotational speed, measured in revolutions per minute.

If you have any questions or comments, please feel free to drop me a line. My address appears at the top of the program listing. Please include a self-addressed, stamped envelope, so that I may reply.



The listing:

REM ************** 2 REM * DISK DRIVE SPEED CHECK * REM **************** 3 4 REM 5 BY: ROGER SCHRAG REM 2054 MANNING AVENUE 6 REM 7 LOS ANGELES, CA 90025 REM 8 REM 9 REM 100 CLS: CLEAR 500 110 READ B\$: IF B\$="END" THEN 130 120 A\$=A\$+B\$: READ DUMMY\$: GOTO110 13Ø FOR X= 1 TO LEN(A\$)/2 14Ø Y=VAL("&H"+MID\$(A\$, X*2-1,2)) 150 POKE X+3585, Y:C=C+Y:NEXT X 16Ø IF C<>4ØØ1 THEN 49Ø 17Ø S\$=STRING\$(32,61) 18Ø F1\$="TRIAL ## SPEED ###.##" 19Ø F2\$="AVERAGE ###. ##" 200 PRINT "DRIVE SPEED CHECK" 210 PRINT S\$ 22Ø PRINT@128, "WHICH DRIVE"; 23Ø INPUT DV:PRINT@142," " 24Ø IF DV<Ø OR DV>3 THEN 22Ø 250 PRINT: PRINT"PLEASE MOUNT ": 26Ø PRINT"AN INITIALIZED" 27Ø PRINT"DISK IN DRIVE"; DV; 28Ø INPUT"& PRESS ENTER": X 29Ø CLS:PRINT"SPEED CHECK -- "; 300 PRINT"DRIVE"; DV: PRINT S\$; 310 DSKI\$ DV, 17, 1, A\$, B\$ 32Ø POKE &HFF48,3 330 TL=0: FOR TR=1 TO 10 340 POKE 2437,120 :EXEC 3586 35Ø SP=PEEK (3584) *256+PEEK (3585) 360 IF SP=0 THEN 450 37Ø SP = SP * Ø.Ø26779174 38Ø PRINT USING F1\$; TR.SP 390 TL=TL+SP: NEXT TR 400 AV=TL/10 41Ø PRINT TAB(9)"-----420 PRINT USING F2\$; AV 43Ø PRINT@498, "PRESS ENTER"; 44Ø INPUT X:CLS:GOTO 17Ø

45Ø PRINT@384, "**** ERROR ****"

46Ø PRINT"PLEASE CHECK DISK ";

47Ø PRINT"IN DRIVE"; DV


48Ø GOTO 43Ø 490 PRINT"DATA ITEM INCORRECT" 500 STOP REM 510 520 REM MACHINE LANGUAGE ROUTINE 530 REM , "ST PSHS A, X, CC 54Ø DATA"3413" 55Ø DATA"1A5Ø" ORCC #\$50 56Ø DATA"9E8A" LDX \$8A * 57Ø DATA"86Ø2" LDA #\$02 "L1 LEAX 1, X 58Ø DATA"3ØØ1" ** 59Ø DATA"2719" BEQ EX 11 600 DATA"B5FF48" BITA \$FF48 61Ø DATA"27F7" BEQ L1 62Ø DATA"9E8A" LDX \$8A "L2 LEAX 1,X 63Ø DATA"3ØØ1" 64Ø DATA"271Ø" BEQ EX DATA"B5FF48" BITA SFF48 450 66Ø DATA"26F7" BNE L2 "L3 LEAX 1, X 67Ø DATA"3ØØ1" 68Ø DATA"27Ø5" BEQ EX 69Ø DATA"B5FF48" BITA \$FF48 700 DATA"27F7" BEQ L3 , "EX STX 71Ø DATA"BFØEØØ" \$EØØ 72Ø DATA"3593" PULS CC, X, A , PC 73Ø DATA"END", "MARK END OF DATA

> TRS-80+ MOD I, III, COCO, T199/4a TIMEX 1000, OSBORNE, others



GOLD PLUG - 80

Eliminate disk reboots and data loss due to oxidized contacts at the card edge connectors. GOLD PLUG 80 solders to the board edge connector. Use your existing cables. (if gold plated)



COCO Disk Module (2) Ground tab extensions Disk Drives (all R.S.) Gold Disk Cable 2 Drive Four Drive Cable

MA new

\$16.95 INCL \$7.95 29.95

39.95

USA shipping \$1.45 Don't wait any longer

Can/Mex \$4. **TEXAS 5% TAX**

Available at your favorite dealer or order direct from



Foreign \$7

E.A.P. CO. P.O. BOX 14



KELLER, TEXAS 76248

(817) 498-4242

+ trademark Tandy Corp

MC/VISA





SR-71 is a fast action game in which you are the pilot on a mission to take photographs of missile sites in Russia and deliver them to our processing laboratory in Japan. So real you will feel as if you are in the cockpit on a real spy mission. Elude Russian missiles as well as their detection devices. Another Tom Mix exclusive. A must for the adventurous. Fantastic graphics, color and sound. 32K Ext. Basic **TAPE \$28.95 DISK \$31.95**

SKRAMBLE

Your mission is to penetrate the enemy skramble system and destroy their headquarters. You destroy their neadquarters. You will start with three of our latest spacefighters equipped with repeating cannon and twin bomb launcher. If you succeed in evading the elaborate ground defenses, you will arrive at the Cave where flying becomes more difficult, in the cave are



UFOs, after which you must avoid a hail of meteorites. Very few pilots succeed this far, but if you do, then you must enter the Fortress, followed by the Maze. One or two player game. Machine Language, high speed, Arcade action. Full color graphics with sound. Keyboard or joystick controi

16K MACHINE LANGUAGE

TAPE \$24.95

DISK \$27.95



GRABBER

A pac type game. Two complete mazes jump from one to the other. Probably the most outstanding sound you have ever heard. Arcade Action. Method of play, you are the Grabber. The object is to grab the 8 treasures and store them in the center boxes. You start with 3 Grabbers and get extra ones at 20,000 points. Watch out for the googlies! Super high resolution oraphics. graphics.

S. 32K MACHINE LANGUAGE 27 QE DISK \$30.95 TAPE \$27.95

CU * BER

Approaches the excitement and challenges of any Video Arcade. The hazards of CU*BER are many. Help CU*BER change the colors on the pyramid while avoiding many of the dangers always present. Vipers, the Nurd, the Dork, bonus points all add up to another exciting release from Tom Mix Software.

32K MACHINE LANGUAGE TAPE \$27.95 DISK \$30.95



AIR TRAFFIC CONTROLLER

Air Traffic Controller is a computer model of an air traffic control situation for the TRS-80 Color Computer. Remotely Piloted Vehicles (RPV's) are operated by the controller in a situation similar to that of a commercial airline in that you must regulate landings and takeoffs of the vehicles.

32K EXT. BASIC TAPE \$28.95


DISK \$31.95

KATERPILLAR II

The color computer has needed a The color computer has needed a perfect centipede type game since day one. You will throw all imitations aside when you see this. So close to the arcade you will start digging for quarters. Grapic to equal "The King" and "Buzzard Bait." Joysticks required.

16K MACHINE LANGUAGE
TAPE \$24.95 DISK \$27.95

TAPE \$24.95 DISK \$27.95



TRAPFALL

The "Pitfalls" in this game are many. Hidden treasures, jump over the pits, swing on the vine, watch out for alligators, beware of the out for alligators, beware of the scorpion. Another game for the Col-or Computer with the same high resolution graphics as "The King." 16K MACHINE LANGUAGE TAPE \$27.95 DISK \$30.95



FANGMAN

Fangman is a high-resolution graphics arcadetype game based on the Dracula legend. Plot of Game: You're Dracula in your castle, stalking through a labrynth of passages in search of invading villagers seeking to destroy you
by blocking your every path with deadly
crosses. Their ally the Sun also wanders your
halls, trying to touch you and turn you to bones
and dust. Fortunately, you have allies of your
own, the vampire bats who cahse down the
villagers, holding them till you arive. Joysticks
required. 16K MACHINE LANGUAGE
TAPE \$24.95

BUZZARD BAIT

We've done it again. You thought The King was great? Wait til you see this!! Outstanding high resolution graphics, tremendous sound make this "loust" type game a must for your software collection. As you fly from cloud to cloud you will enjoy sky high excitement dealing with the challenges presented to you by this newest release by Tom Mix Software. Joysticks required.

32K MACHINE LANGUAGE TAPE \$27.95



SCREEN PRINT ROUTINE Prints contents of your graphic screen to an Epson, Microline or Radio Shack DMP Printers. Prints positive or reverse format. Horizontal or vertical, small and large printout. Print left, right or center of page. Specify printer when ordering. TAPE \$19.95 DISK \$21.95 TAPE TO DISK New version works on both 1.0 and 1.1 DOS. Load the contents of most tape to disk automatically. Machine Language TAPE \$17.95

COLOR MONITOR Written in position Independent code. (May be located in any free memory). Very compact. Only occupies 1174 bytes of memory. Full featured, includes Break-Pointing of machine language programs, register display and modify, memory display and modify, and block memory move commands. Displays memory in hex and ascil format on one line 8 bytes long. Machine Language

TAPE \$24.95

DISK \$27.95



TOM MIX SOFTWARE

4285 BRADFORD N.E. GRAND RAPIDS, MI 49506 ADD \$2.00 POSTAGE & HANDLING TOP ROYALTIES PAID MICHIGAN RESIDENTS ADD 4% SALES TAX.




LOOKING FOR NEW SOFTWARE ARCADE ACTION GAMES

(616) 957-0444







DRACONIAN


You brace yourself as your ship materializes in the enemy sector. Your engine roars to life, and you consult the long-range scanner for the position of the nearest enemy base. As you head for the base, blasting asteroids and space-mines in your path, you suddenly notice a monstrous space-dragon looming before you. Reacting quickly, you dodge his deadly fire-breath and blast him out of existence.

Finally, the enemy base comes into view. Avoiding the enemy fire, you destroy the gun turrets one by one with your rapid-fire torpedoes. Then, with the explosions still echoing around you, you rescue the astronaut who was being held prisoner by the enemy. Your mission is far from over, however, as there are more bases to destroy and more astronauts to rescue before the sector will be secured. And all must be done quickly; if you are too slow, the invincible DRACONIAN will surely seek you out as its next victim.


This is it — the single most impressive, awe-inspiring arcade game you can buy for your Color Computer. High-resolution graphics, awesome sound effects, four-voice music, and quality you have to see to believe! Experience the realism of DRACONIAN today!

JOYSTICKS REQUIRED 32K MACHINE LANGUAGE

DISK \$30.95 TAPE \$27.95







CRASH

This game is a high resolution Machine Language program with outstanding Arcade type graphics. The game consists of 4 obstacles. Piloted by "Mario" who also ap-peard in "The King". The object is to conquer one screen after another but don't "Crash" Great fun for the whole family. For 1 or 2 players. Uses joysticks.

32K MACHINE LANGUAGE


TAPE \$24 95 DISK \$27.95

CHAMBERS

Exciting high resolution graphics game. Multi-ple screens. Outstanding sound, Chambers is loosely based on Cosmic Chasm. The object in each level is to destroy all of the evil creatures in each room and then go into the main reactor room and blow up the base.

JOYSTICKS REQUIRED 32K MACHINE LANGUAGE DISK \$27.95





WAREHOUSE MUTANTS


Journey through the warehouse seeking out the Mutants who are out to destroy you. WATCH OUT! They will push crates trying to crush you! Outstanding realism-high resolution graphics-multiple screens.


JOYSTICKS REQUIRED 16K MACH, LANGUAGE **TAPE \$24.95 DISK \$27.95**

OUIX

This one is after a popular arcade game with a similar name. Simply frustrating—you'll love it. Done in high resolution graphics with Super Sound.

JOYSTICKS REQUIRED 32K MACH. LANGUAGE **TAPE \$24.95 DISK \$27.95**





MS. MAZE


MS. MAZE is remarkable in that it combines billiant color, high resolution, detailed graphics, and music with a very playable game. Anything that could be done to make the Color Computer look and play like the arcade version has been done. MS. MAZE is without question the closest thing to the ar-cade Pac games that I have seen for the Coco.

JOYSTICKS REQUIRED 32K MACHINE LANGUAGE **TAPE \$24.95**

PAK-PANIC

Pakman is steered thru a maze eating dots and powerpills. Pakman is pursued by four monsters who try to catch and kill him. If Pakman eats a powerpill he becomes power-ful and can eat monsters. Monsters try to avoid a powerful Pakman. As monsters are eaten their ghosts appear on the top of the screen. When seven ghosts have appeared one will fly across the screen or they will link together forming a centipede that will travel thru the maze. Pakman has no power against ghosts and centipedes and must avoid them or be killed. JOYSTICKS REQUIRED

32K MACHINE LANGUAGE TAPE \$24.95 DISK \$ DISK \$27:95



PAK TWINS BOTH MS. MAZE & PAK PANIC FOR

44.90 TAPE 50.90 DISK



TOM MIX SOFTWARE

4285 BRADFORD N.E. GRAND RAPIDS, MI 49506 ADD \$2.00 POSTAGE & HANDLING TOP ROYALTIES PAID



ARCADE ACTION GAMES

(616) 957-0444



Tom Mix Software Now Offers The Complete VIP Library System

VIPLIBRARY

VIP Writer™
RATED TOPS IN RAINBOW, HOT
COCO, COLOR COMPUTER
MAGAZINE & COLOR COMPUTER WEEKLY

32K (Comes with tape & disk) \$59.95 (Includes VIP Speller)

VIP Speller™
WITH A 60,000 WORD INDEXED
DICTIONARY! It can be used to
correct any ASCII file—including
VIP Library™ files and files from
Scripsit™ and Telewriter™. 32K
DISK ONLY \$39.95

VIP CalcTM


You can forget the other toy calcs—The real thing is here! No other spreadsheet for the Color Computer gives you so many features! 32K (Comes with tape & disk) \$59.95 32K does have hi-res displays, sort or edit.

VIP Terminal™
RATED BEST IN JANUARY 1984
"RAINBOW" Choice of 8 hi-res
lowercase displays * MemorySense with BANK SWITCHING for
full use of workspace. 32K (Comes

with tape & disk) \$49.95 (Tape comes in 16K but without hi-res displays)

VIP Database™
INCLUDES MAIL MERGE
CAPABILITIES TOO! 32K DISK
\$59.95 64K Required for math
package & mail merge.


VIP Disk-ZAPTM
Repairs crashed disks.
16K DISK \$49.95 Lowercase
displays not available with this
program.






ELECTRON

Electron is composed of four subgames. You must complete one level in order to advance to the next. Supplied with four men, you are subjected to more difficult games as you move ahead. Beam Buggy, Prachnids, Force Fields and a Mazel JOYSTICKS REQUIRED, 16K MACHINE LANGUAGE TAPE \$24.95 DISK \$27.95






THE KING

This game contains all 4 full graphic screens like the popular arcade game. Exciting sound and realistic graphics. Never before has the color computer seen a game like this. Early reviews say simply outstanding. JOYSTICKS REQUIRED

32K MACHINE LANGUAGE

TAPE \$26.95


DISK \$29.95



THE FROG

This one will give you hours of exciting play. Cross the busy highway to the safety of the median and rest awhile before you set out across the swollen river teaming with hidden hazards. Outstanding sound and graphics. Play from keyboard or joysticks.

16K MACHINE LANGUAGE TAPE \$27.95 DISK \$30.95



KING TUT

Journey through the caverns of King Tut's tomb. You are on a quest to find treasures hidden in the cavrns below. You light your way with only a small candle that grows dimmer as time passes. Watch out for the snakes and the ghost of King Tut himself. Five screens challenge your abilities every step of the way. Joysticks required.

16K MACHINE LANGUAGE TAPE \$27.95 DISK \$30.95



THE TOUCHSTONE

You are one of many priests of Ra who has accepted the challenge of the touchstone. The challenge is a way for any of Ra's followers to become a favored high priest. Given limited use of Ra's powers, you will battle hidden dangers. Entering the mazes, you must be ready for anything.

32K MACHINE LANGUAGE TAPE \$27.95 DISK \$30.95



TOM MIX SOFTWARE

4285 BRADFORD N.E. GRAND RAPIDS, MI 49506


•ADD \$2.00 POSTAGE & HANDLING•TOP ROYALTIES PAID•

•MICHIGAN RESIDENTS ADD 4% SALES TAX•
LOOKING FOR NEW SOFTWARE



ARCADE ACTION GAMES

(616) 957-0444



SPACE SHUTTLE

This program gives you the real feeling of flight. Full instrumentation complete to the max. Radar, altimeter, air speed, artificial horizon, fuel gauge, a mission status panel and much more. Actual simulation of space flight, weather conditions must be considered.

JOYSTICKS REQUIRED 32K EXTENDED BASIC TAPE \$28.95 DISK \$31.95

EDUCATIONAL VOCABULARY MANAGEMENT SYSTEM 16K Extended basic/32K for printer output

TAPE \$39.95

DISK \$42.95

The Vocabulary Management System (VMS) is a series of programs designed to aid a parent or teacher in helping children to learn and practice using vocabulary and spelling words. The 9 programs that comprise the VMS include a full feature data entry/edit program, three printer output programs and 5 vocabulary/spelling game programs. The system's many outstanding features include:

-As many as 300 vocabulary words and definitions may be in the computer's memory at one time.

-Words and definitions may be saved on disk or tape.

Remarks and/or comments can be saved with word files.

A disk loading menu allows students to load disk files without typing file names.

-Word lists may be quickly alphabetized

The three printer segments allow you to create and print individualized tests, puzzles, word-searches and worksheets.

Answer keys may be printed for all worksheets and puzzles. -The printer segments allow full use of your printer's special features

The 5 game programs are based on sound educational principles and provide practice in identifying words and matching them with their definitions in a fast-paced set of activities.

STORY PROBLEMS

STORY PROBLEMS is a program that is designed to give practice in solving story problems (sometimes called statement thought or word problems) on the Color Computer. It is suitable for use in either a home or echool environment. It is also a tool that will allow you to create new story problems to suit your children's needs and ability levels. It has

many features that make it particularly attractive:

Story problems involving addition, subtraction, multiplication, division or a combination of the four are presented to the student by slowly scrolling each letter of each problem onto the screen.

Up to 5 students may use the program at the same time.

There are 4, user modifiable, skill levels.

16K EXT. BASIC

TAPE \$19.95

MATH DRILL

MATH DRILL is a program designed to help children to practice addition, subtraction, multiplication and division skills on the Color Computer. It has several features that make its use particularly attractive:

• Up to 6 students may use the program at the same time.

• Answers for addition, subtraction and multiplication are entered from right to left, just as they are written on paper.

• Commas may be included in the answers.

- Partial products for the multiplication problems may be computed

Partial products for the multiplication problems may on the screen.

Division answers that have a remainder are entered as a whole number followed by the letter "R" and the remainder. The are ten, user modifiable, skill levels.

A "SMILEY FACE" is used for motivation and reward, its size increases relative to the skill level.

Skill levels automatically adjust to the student's ability.

A timer measures the time used to answer each problem and the total time used for a series of problems.

After a problem has been answered incorrectly the correct answer appears under (above in division) the incorrect answer.

REQUIRES 16K EXT. BASIC

TAPE \$19.95 DISK \$22.95

ESTIMATE

ESTIMATE is a program designed to help children to practice estimating the answers to addition, subtraction, multiplication and division problems on the Color Computer. It has many features that make its use

particularly attractive:

Up to 5 students may use the program at the same time.

There are 5, user modifiable, skill levels.

The acceptable percent error may be changed as a student's skill improves.

A timer measures the number of seconds used to answer each pro-

A timer measures the number of seconds used to answer each problem and the total time used for a series of problems.
 If a problem has been answered incorrectly, the student is told the percent error and asked to try again.
 If a problem is answered incorrectly a second time, the student is told the correct answer and the range of acceptable answers is

displayed.

oisplayed.

A report is given at the end of each set of problems that includes the number of problems done, the number of problems answered correctly on the first try and the average percent error.

The (BREAK) key has been disabled so that a child will not inadvertently stop the program from running.

REQURIES 16K EXT. BASIC
TAPE \$19.95 DISK \$22.95

TEACHER'S DATABASE

TEACHER'S DATABASE is a program designed to allow a teacher to keep a computerized file of information about his/her students. There are many features that make this program particularly attractive:

• Information on as many as 100 students (or more) may be in the com-

puter at one time.

Each student may have as many as 20 (or more) individual items of data in his/her record.

The program will run from cassette or disk.

Cassette and disk files are completely compatible.

The program is menu driven.

Records may be easily changed, deleted, combined or added. Information about students may be numerical or text. Records may be quickly alphabetized. Records may be sorted by various criteria. Records may be reordered (ranked) based on test scores or other

Data displayed during a sort may be printed on a printer or saved on

disk or cassette as a new file.

A full statistical analysis of data may be done and sent to the printer.

Student test scores may be weighted.
REQURES 32K EXT. BASIC **TAPE \$39.95** DISK \$42.95

PRE-ALGEBRA I INTEGERS

INTEGERS is a series of four programs designed to give students practice in working with addition, subtraction, multiplication, division and the comparison of integers. It has many features that make a very valuable tool for introducing and/or maintaining skills:

• Up to 4 students may use the program at the same time.

• There are 9, user modifiable, skill levels.

• Students are given two opportunities to answer a problem.

• A detailed report of student performance, including number correct on first try, number wrong, total time used and percentage score, is presented at the end of a series of problems.

• The programs will run on a 16K TRS-80 Color Computer with or without disk drive.

Four distinct problem formats are presented. The first presents pro-

Four distinct problem formats are presented. The first presents problems in this format: -12 + -9 = ?. The second program presents a problem with missing numerals in this format: -7 -? = 18. The third program presents a problem with a missing sign: 8 - ?6 = 14. The last program asks the student to determine the relationship (=, = 1) between the program as (=, = 1) between (=, =ween two statments 3-9 (??) -4-5.

TAPE \$29.95

DISK \$32.95



TOM MIX SOFTWARE 4285 BRADFORD N.E. GRAND RAPIDS, MI 49506



 ADD \$2.00 POSTAGE & HANDLING TOP ROYALTIES PAID MICHIGAN RESIDENTS ADD 4% SALES TAX LOOKING FOR NEW SOFTWARE

ARCADE ACTION GAMES (616) 957-0444







PART II

In which we construct a simple plugin cartridge programmer for the 2764 8K EPROM.

By Colin J. Stearman

his month we continue to build the tools needed to enhance the CoCo Disk Operating System (DOS). Last month we developed a means to store the complete BASIC operating system on a special system floppy disk. Now I will describe a simple construction project to build a plug-in programmer for one of the most popular (and hence cheapest!) 8K EPROM's currently available—the 2764. The primary purpose of this project is to allow us to put the modifications into an EPROM which will replace the ROM containing the original DOS. But once built, the programmer can be used to put any code you wish into a 2764.

Design Philosophy

I'm a firm believer in the "KISS" principle I learned many years ago ("Keep It Simple, Stupid!"). So this programmer uses three integrated circuits, a transistor and a few resistors and capacitors. The bulk of the work is done by the driving software. This means there are no timing circuits or other complex logic to worry about. The result is a simple project to build and get working.

Circuit Description

I do not propose to provide a long description of how a

(Colin J. Stearman is an electronics engineer educated in the U.K. He has worked with all kinds of computers and has been a CoCo enthusiast for over two years.)

2764 is programmed. In general, it is programmed by presenting the address and data to the chip, then pulsing the program input pin while supplying 21 volts to another.

If you look at the schematic in Figure 1, you will see that the key to the programmer's simplicity lies in the two 6821 peripheral interface adapters (PIA). These are the same chips used inside the CoCo for interfacing with the outside world. These two chips provide the 2764 with all address and data information along with other control lines. The only other chip is an inverting buffer to decode the address information to the PIAs.

One of the PIA outputs drives a transistor which activates a relay to control the 21-volt source. It's not the most elegant way of doing it, but certainly the simplest. A light emitting diode (LED) tells you when the programmer is programming. The diode around the relay suppresses transients during switching and the other two stop currents flowing to the wrong places. The capacitors are all for power supply filtering. These are not shown in Figure 1 for clarity. Locate a 0.1uF disk capacitor from +5V to 0V at each integrated circuit (polarity is not important) and one 10uF 12V electrolytic capacitor anywhere on the board across these same lines (polarity is important here, the wire labelled "+" goes to the +5V line).

The PIA is a programmable device and its external connections may be programmed as inputs or outputs. This makes it possible for the software to both program the 2764 and then read back the resulting data.

The 21 volt source is easily obtained from three nine-volt batteries and a few other components as shown in Figure 1. This circuit is not built on the board and may not be needed if you already have an adjustable power supply.

Finally, the two sockets shown at U4 and U5 have nothing to do with the programmer itself, but provide a convenient method of putting two programmed 2764s into the CoCo memory map. One socket is wired to fill the address space from \$C000 to \$DFFF and the other from \$E000 to \$FFFF. (The last 256 bytes are not accessible in the latter because the addresses \$FF00 to \$FFFF are used internally as system input/output and vector addresses.)

Construction Hints

Radio Shack sells a printed circuit breadboard with the correct 40-pin edge connect for the CoCo expansion port. Check the parts list in Figure 1 for the number. This board is ideal for the project. The photograph shows the construction method I used. The components were conveniently laid out and then hooked up using a combination of the copper tracks on the board and solid hook-up wire. Maybe it's not the most elegant, but it's serviceable and functional. You could lay out and etch a custom printed circuit board and make a more professional job if you wished.

Take your time during the construction! The finished project will be plugged into your precious CoCo and could cause some nasty problems if you make an error. Use a meter or continuity tester to make sure you have wired correctly and that there are no shorts. The most likely cause of damage is having the power supply voltages coming out of CoCo going to the wrong places. The only internal supply used is the five-volt source from pin nine of the connector so check this line carefully. Pins one and two, which supply -12 volts and +12 volts are not used, so make sure they do not go anywhere on your board. Check Figure 2 for the edge connector pin numbering.

Source For Components

Those parts available from Radio Shack have been listed

in Figure 1. The PIAs and 2764s are not available from them, nor is the Zero Insertion Force (ZIF) socket. The ZIF socket is not essential but is a good idea as it saves wear and tear on the 2764s. Most mail order houses can supply these components and I can recommend ACTIVE Electronics (800-343-0874) in Westboro, Mass. as a reputable firm. When ordering the 2764 ask for the 2764-3 which has an access time of 300nS. This is fast enough to work in the familiar "speed-up mode" that some CoCo programs use. An enclosure for the board can be obtained from The Microworks or Colorware who both advertise in RAINBOW.

The only other major item you might want to consider is an EPROM eraser. EPROMs are erased by exposure to ultraviolet light and can usually be programmed and erased many times. It is probable that you will wish to erase an EPROM you have programmed at some point and will need an eraser. If you live in the Sun Belt you might try leaving them outside in the sun for a week or two. But if you live in the north like me and forget what the sun looks like you'll have to buy an eraser. Hobby models are available for around \$60 (also from ACTIVE). They do the job in about 15 minutes and can erase 15 chips at once. UV is dangerous to the eyes and skin and these inexpensive models have no safety interlocks, so if you get one treat it with respect and NEVER look into the lighted lamp.

"Take your time during the construction! The finished project will be plugged into your precious CoCo and could cause some nasty problems if you make an error."

Software

Listing 1 shows the source code for the EPROM programmer. It is fully position independent and is an ideal candidate for loading into an EPROM. I put such a programmed EPROM into one of the sockets on the board so that the cartridge had both the hardware and software ready to go.

The program is menu driven and provides a variety of functions. Menu selection one will verify that all locations in the EPROM are erased. A colored bar shrinks as the EPROM is checked and if fully erased, this is reported. If not, the first unerased memory location is reported and the checking process stops. An EPROM is fully erased when all memory bits are a one. The programming process can only convert 1s to 0s, not the reverse. You can program a partially erased EPROM however, as long as the memory locations you do wish to program are erased.

Menu item two allows the data stored in any section of CoCo's memory to be programmed into the EPROM. This does not have to be the whole 8K and can be as little as one byte. All memory addresses are entered as hexadecimal and the EPROM memory locations are numbered from \$0000 to

\$1FFF. As the programming proceeds, the cell being programmed is indicated and also automatically verified. If a cell does not return the same data as was programmed in it, the address is shown and a "BAD EPROM" message issued. If it is just not erased, this will be reported as such. In either case the programming stops.

The third menu item allows the contents of the EPROM to be dumped as a hexadecimal and ASCII character table. This is useful for inspecting the contents of the EPROM. The EPROM start and stop addresses are supplied and the output can be directed to the screen or printer. If the screen is chosen, the output will pause and wait for any key-press after each screen is filled. In either case the BREAK key will stop output and return to the request for dump range. Pressing the ENTER key for this returns to the main menu.

Menu item four permits individual inspection and programming of EPROM memory locations. The up and down arrows scan through consecutive memory locations displaying their contents. If a new value is entered an attempt is made to program that cell. This is done by pressing the 'P' key at the appropriate address and then entering the data. Sometimes it is possible to correct minor errors in a programmed EPROM this way. A new address may be selected by pressing 'N' and entering the desired address. 'X' will return to the main menu.

The fifth menu item will return the load start and end addresses of a cassette binary file, along with the execution address. This is used to find out where a binary file from tape went in memory so that it can be transferred to the EPROM. This display does not take into account any load offset you might have used in the *CLOAD* command.

Menu item six simply returns you back to BASIC.

"When all 8K have been checked the 2764 will be declared fully erased. Pressing ENTER will return you to the menu. If you get this far, things are looking pretty good."

Assembling the Program

As I mentioned in the previous installment, I use MAC by Computerware as my assembler. However, many of you may have EDTASM+ or some other brand. Generally they are compatible, but there are some differences. For example, MAC allows binary numbers in the operand field. These are preceded by a percent sign. For other assemblers simply figure out what the number is in hexadecimal and enter it with a dollar sign in front instead.

MAC also has an FCS (Form Constant String) mnemonic. This is similar to FCC (Form Constant Characters), but allows hexadecimal codes to be imbedded in the string by enclosing them in angle brackets. Also it automatically adds a zero byte at the end of the string. Every FCS instruction can be replaced by a series of FCC and FCB (Form Constant Byte) mnemonics. For example, this line:

FCS /<OD> Sample program <OD>Enter?/

would become:

FCB \$0D return FCC /Sample program/ FCB \$0D return FCC /Enter?/ FCB 0 terminating zero byte

You may also see mnemonics OPT, NAM and TTL in the listings. These are just directives to MAC and can be omitted.

Once you have entered the source code and it assembles without error, save a copy of the machine code binary file to a cassette. This will be needed to first "fire up" the programmer as the disk system will be disconnected.

Testing the Project

After you have thoroughly checked the circuit board for errors there is nothing else but to plug it in and try it. If you have a meter you might monitor a five-volt point somewhere on the board before powering up. Owners of the Multi-Pak Interface should plug the programmer into slot one and select this on the front switch. If you do not own one, remove the disk controller and plug the programmer directly into the computer.

Now cross your fingers and power up. (If you have the Multi-pak, just power that up and verify the five-volt line with your meter first.) Now power up CoCo. If the screen does not clear and the copyright notice does not appear in the normal time, power down immediately and further check your construction.

If everything is alright so far, CLOADM and EXEC the programmer driver software from your cassette. The title and menu should appear. If not, recheck your typing of the source code.

Without a 2764 in the ZIF socket, select menu item one. If the programmer is working you will see a purple horizontal bar which shrinks from the right as each of the 1024 bytes are verified. (If there is no 2764 chip in the socket, it looks like a fully erased chip to the programmer.) When all 8K have been checked the 2764 will be declared fully erased. Pressing ENTER will return you to the menu. If you get this far, things are looking pretty good.

Now try menu item five and verify that the start, end and execute addresses of the programmer software just loaded from cassette are returned. Make a note of these numbers.

Next is a dry run at programming. Connect the 21.5 volt external source using clip leads. Still without a 2764 in the ZIF socket, select menu item two. For the start and end address in RAM use the start and end address from the previous steps. For the EPROM target address use 0. As soon as you enter the zero, the program will announce the attempt to program the EPROM at address zero and then indicates you have a bad EPROM at the location. As you have not plugged in an EPROM, this is to be expected. You should have heard the relay actuate briefly and the LED may have flashed on momentarily. Press ENTER twice to return to the main menu. Things are still looking good.

Now plug in an erased 2764 into the ZIF socket. Use menu item one to verify it is erased. If so, return to menu item two and reenter the RAM start and end values as before. Target the code to begin at EPROM address \$0000. When you press ENTER the relay should "click" in and the LED come

on. As each address is programmed its EPROM address is shown on the screen. Remember that data for each address is being verified as it goes along, so there is little likelihood of wrong data being programmed in, unless it was wrong in the first place. It takes 50mS to program each location, so an entire 8K takes a little over six minutes. This is not a limitation of the software but rather a requirement of the EPROM. The programmer software is not 8K long so will not take that long.

When the last byte of the block has been programmed, the addresses of the range of bytes programmed is displayed. Pressing ENTER once would allow you to program another part of this EPROM or another one. (You could put some other program in the unused portion of the EPROM just programmed, if you wish.) Pressing ENTER again returns you to the main menu.

It would be a good idea to dump the data just programmed to double check it. This is done with menu item three. Dump the range programmed and spot check the data for errors. It should be alright.

Now power down the system and remove the 2764 from the ZIF socket and put it into the spare socket on the programmer labelled \$E000 - \$FEFF. Power up again and type in EXEC&HE000. The EPROM programmer software should immediately start up.

If you got this far without problems I think you can breathe a sigh of relief. . . the unit seems to be working fine. If not, check and double check everything and after all else fails, drop me a line and a SASE and I'll try to figure out what went wrong.

Using the Programmer with the Disk

It is a good idea to get a copy of the unmodified Disk BASIC on to a cassette and if you have the Multi-Pak to also put it into an erased EPROM. The latter is the case because the Multi-Pak Interface allows you to use the programmer with the disk system. Put the disk controller in slot four and the programmer in slot one. Initially select slot four.

To save disk BASIC to cassette, with the disk system running and a blank cassette in the tape drive, type: CSAVEM"DBASIC",&HC000,&HDFFF,&HA027.

If you have the Multi-Pak interface, the next few steps will put Disk BASIC into an EPROM so that it can be put into the other socket on the programmer. If you don't have this interface there is little point in doing this as the CoCo cannot have the programmer and disk controller available to it at the same time. However, Disk BASIC on a cassette will come in useful later.

For those with the interface, continue by powering down and selecting slot one. Then power up to Extended Color BASIC. Type in the following commands:

CLEAR 200,&H3FFF CLOADM"DBASIC",&H4000-&HC000+65536 EXEC &HE000

Assuming you have the programmer software in an EPROM in the socket as \$E000, it should start up and you can program a fully erased 2764 with the data stored in RAM at \$4000 though \$5FFF. This, of course, is Disk BASIC.

When the EPROM is programmed, power down and put the EPROM in the other socket on the programmer (\$C000 to \$EFFF, the normal addresses for Disk BASIC). With the selector still in position one, power up the system. You should get the normal Disk Extended Color BASIC banner. You are now running Disk BASIC from the EPROM. How-

ever, it will not work properly because the secondary chip select signal is going to slot one (because of the position of the switch) and it needs to go to the controller in slot four. This is accomplished by entering *POKE 65407,3*. Now the system will act normally until you press Reset. Then you'll have to do this *POKE* again.

You can now load machine code files from disk and then activate the programmer code. This is done by redirecting the secondary chip select to slot one with a *POKE65407.0*, then *EXEC&HE000* to start up the programmer code. Menu item six returns to Disk BASIC where the secondary chip select can once again be directed to slot four.

Wrapping It Up

If this was your first construction project and you got here with no problem, congratulations — you are now a qualified "hardware hacker." For those "old hands" this should have made a simple but rewarding project.

We now have all the necessary tools to enhance the DOS, so next month we will start that in earnest by revising some commands and maybe adding one or two new ones. Until then!

Listing 1:

EPROM.NAC COMPUTERMARE MACRO ASSEMBLER PAGE 1
2764 EPROM PROGRAMMER By C.J.STEARMAN (C)1984

```
8881 +*****************************
                  EPRON PROGRAMMER
                  COLIN STEARNAN
          8984 #
          9885 +
                     (C)1984 C.J.Stearman
          8889 . THIS IS POSITION INDEPENDENT
          8818 e
          8811 +
          ##13 ·····
BERR
          8814
                  ORG $E88
          8815 +
          ##16 #
          8818 + SOME EQUATES
          8619
                              BASIC CLEAR SCREEN ROUTINE
4928
          8828 CLEAR EQU $A928
ØIDA
          8021 RUFFER EQU $10A
                              USES THE CASSETTE BUFFER
```

THE ROMPACK COPIER

- · Copy and run rompacks from cassette or disk.
- Works even on so called "problem packs" 64K required. cassette \$16.95

TRIVIAL CHASE

This is the one! The game that has become a cult phenomena finally comes to the Co Co. The board you play on is represented by graphics. 2000 trivia questions included. Not an imitation! ECB req. 16,32,64K all included. cassette \$24.95


EXTERNAL EVENTS SOFTWARE CO. P.O. BOX 892 • MADISON, TN 37116

```
BABR
                                            NUMBER OF K IN EPRON
                                                                                                #EF3 55414C2#43
1FFF
               8823 TOPADD ERU (NUMK+1824)-1 TOP EPRON ADDRESS
                                                                                                BEF8 454C4C53
               8674 .
                                                                                                SEFC SD
                                                                                                                467R
                                                                                                                           FCB
               8425 #
                                                                                                SEFD 26
                                                                                                                           FCC
                                                                                                                                / 5 - CASSETTE FILE DATA/
               ##75 *******************************
                                                                                                GEFE 2635262020
               6827 .
                                                                                                8F83 4341535345
               8828 . MAINLINE OF PROGRAM
                                                                                                6F88 5454452646
               8829 +
                                                                                                #F#D 494C452#44
               8838 e
                                                                                                ØF12 415441
#E88 178138
               8831 EPRON LBSR INIT
                                             SET UP THE PIAS
                                                                                                #F15 #D
                                                                                                                8888
               8832 . MORMAL EPROM HODE IS TO READ THE EPROM
                                                                                                6F16 26
                                                                                                                6681
                                                                                                                                 / & - RETURN TO BASIC/
BE83 BDA928
               8833 MENU JSR CLEAR
                                           CLEAR SCREEN
                                                                                                #F17 2036202020
                           LEAX MENUT, PCR
0E04 308D0043
               8934
                                            POINT TO MENU TEXT
                                                                                                ØF1C 5245545552
8E8A 17894E
               0035
                           LBSR OUTSTS
                                            OUTPUT THE NEW
                                                                                                0F21 4E20544F20
               8836 #
                                                                                                0F26 4241534943
               6637 46ET RESPONSE
                                                                                                OF2B COCD
                                                                                                                8897
                                                                                                                           FDR
                                                                                                                                 16060
8E8D 1788FA
               8838
                           LBSR INSTRO
                                            BET RESPONSE INTO BUFFER
                                                                                                8F2D 28
                                                                                                                6683
                                                                                                                           FCC
                                                                                                                                 / SELECTION? /
               8839 . FIRST SEE IF ONLY 1 CHARACTER ENTERED
                                                                                                #F2E 2#53454C45
BEIS BOSIDC
               8848
                           LDA
                                BUFFER+2
                                            SHOULD BE ZERO
                                                                                                8F33 4354494F4E
SE13 26EE
               8841
                           BNE
                                MENU
                                            IT WASNT
                                                                                                0F38 3F20
8E15 B681DA
               8842
                           LDA
                                BUFFER
                                            GET FIRST CHARACTER IN BUFFER
                                                                                                SEJA SE
                                                                                                                4684
                                                                                                                           FCB 0
                                                                                                                                              MESSAGE TERMINATOR
BE18 8131
                           CHPA
                                #11
                                            VERIFY ERASE
                                                                                                                0085 P
BE1A 2585
               8844
                           BNE
                                 . COPY
                                                                                                                8888 B
BE1C 17821F
               8845
                           LBSR
                                ERASE
                                                                                                                8E1F 28E2
               8846
                           BRA
                                 MENU
                                                                                                                #888 ******************************
ØE21 8132
               6947 .CDPY
                           CHPA
                                1'2
                                            COPY RAM
                                                                                                                ##89 . EPROM ACCESS ROUTINES
8E23 2685
               8848
                           BNE
                                 . DUMP
                                                                                                                8898 ******************************
ØE25 176318
               ....
                           LBSR
                                COPY
                                                                                                                8891 4
8E28 28D9
               0050
                           RRA
                                 MENU
                                                                                                                8892 .
8E2A 8133
               8851 . DUMP
                           CHPA
                                9'3
                                            DUMP EPROM
                                                                                                FF41
                                                                                                                6893 CONREB EQU
                                                                                                                                 SFF41
                                                                                                                                            LOWEST CONTROL REGISTER
8F2C 2685
               8857
                           BNE
                                 . CELL
                                                                                                FF44
                                                                                                                8894 LOWADD EQU
                                                                                                                                 9FF44
                                                                                                                                             LOW ADDRESS OUTPUT
GE2E 178543
               8853
                           1 858
                                DUMP
                                                                                                FF46
                                                                                                                8895 HIADD EQU
                                                                                                                                             HIGH ADDRESS DUTPUT
8F31 26D8
               8854
                           RRA
                                MENU
                                                                                                FF48
                                                                                                                8896 DATARG EQU
                                                                                                                                 8FF48
                                                                                                                                             DATA RESISTER
8E33 B134
               8855 . CELL
                          CMPA
                                11.1
                                            INDIVIDUAL CELL PROGRAM
                                                                                                FF42
                                                                                                                8897 CLINES EQU
                                                                                                                                 $FF42
                                                                                                                                            CONTROL LINES REGISTER
8E35 7885
                                 FRE
               8854
                           RNE
                                                                                                FF43
                                                                                                                8898 VOLTS EQU
                                                                                                                                 SFF43
                                                                                                                                             RELAY CONTROL REGISTER
0E37 1786CB
                           LBSR
               8857
                                CELL
                                                                                                                8899 #
8E3A 28C7
               8858
                           BRA
                                 MEND
                                                                                                                8188 +
9E3C 8135
               8859 FILE CHPA
                                4'5
                                            CASSETTE FILE DATA RETURN
                                                                                                               $181 ******************************
8E3E 2685
               8868
                           BNE
                                 . BASIC
                                                                                                               $182 . INITIALIZING ROUTINE
8E48 178818
               8861
                           LASR
                                CELLE
                                                                                                               #183 +
6E43 28BE
               8862
                           BRA
                                 MENU
                                                                                                #F3B 4F
                                                                                                               #184 INIT
                                                                                                                           CLRA
                                                                                                                                            EXPOSE ALL THE DDRS
#E45 8136
               8863 . BASIC CMPA
                                #º 4
                                            IS IT EXIT TO BASIC?
                                                                                                #F3C BD1F
                                                                                                                           BSR DDRSET
                                                                                                               8185
8E47 268A
               9864
                           BNE
                                 HENU
                                            NO 90 DO MENU AGAIN
                                                                                                               8186 e
SE49 BDA928
               6665
                           JSR
                                CLEAR
                                            BEFORE GOING TO BASIC
                                                                                                                       NOW ALL DATA DIRECTION REBISTERS ARE EXPOSED
                                                                                                               #187 B
8E4C 39
               ##66
                           RTS
                                            EXIT FOR CHECK SO FAR
                                                                                                               #188 #
               8867 e
                                                                                                OF3E CAFF
                                                                                                               8189
                                                                                                                                            SET ALL ADDRESS LINES TO DUTPUTS
ØE4D 45
               8868 MENUT FCC
                               /EPROM
                                             PROGRANNER/
                                                                                                8F48 F7FF44
                                                                                                               8118
                                                                                                                           STB
                                                                                                                                 LOWADD
BE4E 2050205220
                                                                                                SF43 F7FF46
                                                                                                               6111
                                                                                                                                 HIADD
8E53 4F284D2828
                                                                                                               Ø112 #
8E58 2020502052
                                                                                                0F46 C687
                                                                                                               #113
                                                                                                                                            SE CONTROL LINES TO DUTPUTS
8E5D 284F284728
                                                                                                ØF48 F7FF42
                                                                                                               6114
                                                                                                                           STB
                                                                                                                                 CLINES
8E62 522841284D
                                                                                                               8115 P
$Eb7 2940284528
                                                                                                SF4B 7FFF48
                                                                                                               8116
                                                                                                                           CLR
                                                                                                                                 DATAR6
                                                                                                                                            TO MAKE IN INPUTS
8E&C 52
                                                                                                               8117 :
SEAD 30
               8869
                           GEAF RAGA
                                                                                                               6118
                                                                                                                           LDA
                                                                                                                                            RESET THE CONTROL REGISTERS
                                                                                                                                 84
BEAF 3030303030
                                                                                                8F58 BD8B
                                                                                                               6119
                                                                                                                           BSR
                                                                                                                                 DDRSET
                                                                                                                                            TO OUTPUTS
0E73 3030303030
                                                                                                               $128 s
€E78 3D3D3D3D3D
                                                                                                ØF52 8634
                                                                                                               #121
                                                                                                                           LDA
                                                                                                                                 47.4
                                                                                                                                            SET CONTROL REB FOR RELAY DUTPUT
BEID RORDRORDE
                                                                                                8F54 B7FF43
                                                                                                               8122
                                                                                                                           STA
                                                                                                                                 VOLTS
                                                                                                                                            ENABLES CB2 AS OUTPUT AT ZERO
6E82 3D3D3D3D3D3D
                                                                                                               8123 ±
ØE87 3030303030
                                                                                                8F57 8681
                                                                                                               6124
                                                                                                                           LDA
                                                                                                                                            SET UP CONTROL LINES FOR READ
8E8C 3D
                                                                                                0F59 B7FF42
                                                                                                               8125
                                                                                                                           9TA
                                                                                                                                 CLINES
                                                                                                                                              DE, C9=6 PGR=1
gean aban
               6076
                          FDR
                                SEDED
                                           TWO (CR)
                                                                                                               6126 e
BEBF 28
               8871
                           FCC
                               / 1 - VERIFY ERASURE/
                                                                                                8F5C 39
                                                                                                               #127
                                                                                                                           RIS
#E9# 2#312#202#
                                                                                                               8128 s
ØE95 5645524946
                                                                                                               6129 ##
8E9A 5928455241
                                                                                                               $138 ****** SUBROUTINES ******
BE9F 53555245
                                                                                                               #131 . SET CONTROL REGISTERS TO CONTENTS OF A
BEAS BD
               8872
                          FCB SOD
                                                                                                #F5D C6#4
                                                                                                                                            OF CONTROL REGISTERS
                                                                                                               0132 DDRSET LDB
8EA4 28
               8873
                           233
                               / 2 - PROGRAM EPRON FROM MEMORY/
                                                                                                ØFSF BEFF41
                                                                                                                               OCONREG
                                                                                                               8133
                                                                                                                           LDX
                                                                                                                                            POINT X TO CONTROL REGISTERS
8EA5 2832282D28
                                                                                                                               , 1++
                                                                                                ØF62 A781
                                                                                                               8134 CLRREG STA
                                                                                                                                            CLEAR AND DOUBLE INCREMENT
8EAA 58524F4752
                                                                                                8F64 5A
                                                                                                               6135
                                                                                                                           DECB
                                                                                                                                            DECREASE COUNTER
BEAF 414D284558
                                                                                                8F65 26F8
                                                                                                               #136
                                                                                                                           BNE CLRRES
                                                                                                                                            DO NEXT REGISTER
BEB4 524F4D2846
                                                                                                8F67 39
                                                                                                               8137
                                                                                                                           RTS
BEB9 524F4D284D
                                                                                                               8138 ******************************
BEBE 454D4F5259
                                                                                                               #139 #
BEC3 BD
               8874
                           FCB
                               160
                                                                                                               #148 e
BEC4 28
                               / 3 - DUMP EPROM CONTENTS/
                                                                                                               SEC5 2833282D26
                                                                                                               8142 + PROGRAM EPRON ROUTINE
8ECA 4455405828
                                                                                                               ØECF 4558524F4D
                                                                                                               8144 ±
ØED4 28434F4F54
                                                                                                               8145 . THIS PROGRAMS THE PROM FROM DATA STARTING
BED9 454E5453
                                                                                                                #146 . AT ADDRESS IN "START", FOR THE NUMBER OF
BEDD BD
               9976
                          FCR
                                                                                                                6147 . BYTES IN "COUNT", AT EPROM ADDRESS "TARGET"
BEDE 28
               6877
                           FCC
                               / 4 - PROGRAM INDIVIDUAL CELLS/
                                                                                                                $148 . THESE LOCATIONS ARE RESERVED IN THIS ROUTINE
BEDF 2834282D28
                                                                                                                $149 . START ENDS UP WITH LAST ADDRESS DATA WAS
BEE4 58524F4752
                                                                                                                8158 . TAKEN FROM RAM. TARBET HAS LAST ADDRESS
BEE9 414D28494E
                                                                                                               8151 . WRITTEN TO IN EPRON.
BEEE 4449564944
                                                                                                                #152 . B HAS ERROR CODE
```

	0153 • 1= NCT ERASED	#FF6 C682 #242 LDB #2 VERIFY ERROR CODE
	#154 * 2= BAD EPROM LOCATION #155 # #= NO PROBLEM	0FF8 2010 0243 BRA PEXIT
	\$156 ************************************	#245 * END PROGRAMMING LOOP
	8157 ·	\$246 ***************************
61D1	#158 START EQU \$1D1 USED CASSETTE NAME AREA	#FFA AD9FA666 6247 VERIOK JSR {POLCAT] BREAK PRESSED?
61D3	#159 COUNT EQU START+2	OFFE 2785 8248 BED DOWNET NO SO DECREASE COUNT
#1D5	#16# TARGET EQU START+4	1868 5F 8249 CLRB READY FOR RETURN CODE
AFID DIFFAR	0161 *	1881 8183 8258 CKPA 83 BREAK YALUE 1883 2785 8251 BEQ PEXIT YES SO EXIT
8F58 B5FF43 8F5B BA88	#162 PROSRM LDA VOLTS GET REG VALUE #163 ORA #286661888 SET BIT 8 TO APPLY 21V	1883 2785 8251 BEQ PEXIT YES SO EXIT 1885 301F 8252 DOWNCT LEAX -1, X REDUCE COUNT
8F6D 87FF43	6164 STA VOLTS	1887 2688 8253 BNE PLOOP NOT DONE YET
	\$165 * 21V IS NOW APPLIED	1889 SF 8254 CLRB NO ERROR CODE
	#166 * WAIT A WHILE FOR RELAY TO CLOSE	188A 335F 8255 PEXIT LEAU -1,U DECREASE TO LAST LOADED ADDRESS
6F78 8EFFFF	8167 LDX #SFFFF	188C FF81D5 8256 STU TARGET
8F73 381F	8168 RLYDLY LEAX -1, X DECREMENT X	188F 313F 8257 LEAY -1.Y DO SAME FOR RAM ADDRESS
8F75 26FC	0169 BNE RLYDLY	1811 188F@1D1 8258 STY START SAVE LAST RAM ADDRESS
	#17# + PRESERVE Y AND U REGISTERS	1815 B6FF43 8259 PREXIT LDA VOLT9 GET VOLTS REBISTER 1818 84F7 8256 ANDA \$Y11118111 TURN OFF 21V
8F77 3468	0172 PSH9 U,Y	181A B7FF43 8261 STA VOLTS
	6173 e	1810 35E8 \$262 PULS U.Y.PC RECOVER REGISTERS & RETURN
	#174 +	6263 ·
6F79 18BE81D	1 8175 LDY START POINT Y TO RAM START	#264 **************************
8F7D FE91D5	8176 LDU TARGET POINT U TO TARBET	8265 *
9F8# 5F	8177 CLRB	#266 * THIS PULSES THE POM LINE LOW FOR SOMS
#F81 BE#103 #F84 1#27##91	8178 LDX COUNT GET BYTE COUNT	#267 ₽ 1#1F B6FF42 #26B PULSE LDA CLINES GET LINES
at 04 16518891	0 6179 LBEG PREXIT ALL DONE PROGRAMMING 8188 *	181F 86FF42
	\$181 P MOVE CURSOR AHEAD 4	1824 87FF42 #27# STA CLINES
efee Fcees	8182 LDD CURLOC	8271 a
0F88 C38884	\$183 ADDD \$4	1827 3418 8272 PSHS X FOR DELAY COUNT
FRE FD##88	6164 STD CURLOC	1829 1858 6273 ORCC #X81618868 PREVENT INTERRUPTS
	8185 ******************	1028 BE1606 8274 LDX 681666 FOR 56 MS
	#186 * PROGRAMMING LOOP	102E 301F 0275 DLOOP LEAX -1.X REDUCE COUNT
8F93 3341	#187 PLOOP TFR U,D SET UP EPRON ADDRESS	1838 26FC
8F95 B7FF46	## THE PROPERTY OF THE PROPERT	1632 1CAF
8F98 F7FF44	6196 STB LOWADD	1834 BAFF42 8279 LDA CLINES SET LINES
	0191 e	1837 8A81 8288 ORA \$188888861 SET PSH HI
	#192 * DISPLAY WORKING ADDRESS	1939 87FF42 #281 STA CLINES
8F9B 3436	0193 PSHS Y, X, D	183C 3598 8282 PULS X,PC RECOVER X AND RETURN
eF9D FCe1D3	8194 LDD COUNT DONT IF IT IS 1	4283 *****************************
8FA9 1883888		8284 ******************************
BFA4 278F	6196 BEQ NODISP NO DISPLAY	8285 * VERIFY ROUTINE *
OFAS BEDORS	6197 LDD ,S RECOVER VALUE IN D 6198 LDX CURLOC MOVE CURSOR BACK 4	#286 ************************************
SFAB 381C	8199 LEAX -4,X	#288 * THIS VERIFIES ERASURE OF THE EPROM
SFAD BFSSSS	6286 STX CURLOC	#289 * PROVIDES A GO/NOGO RESPONSE
9F89 1F61	#281 TFR D,X MOVE VALUE TO X	#29# # OF ERASURE OF ENTIRE EPROM
#F82 17#816	0202 LBSR HEIDUT DISPLAY IT	#291 ÷
8FB5 3536	8283 NODISP PULS Y, X, D RECOVER VALUES	103E BDA928 0292 ERASE JSR CLEAR CLEAR SCREEN
ØFB7 E&AØ	6264 + GET DATA TO BE LOADED INTO REG B 6265 LDB .Y+ AND INCREMENT ADDRESS	1841 3428 8293 PSHS Y PRESERVE REGISTER Y
BLB1 FCHB	6265 LDB ,Y+ AND INCREMENT ADDRESS	1843 38808878
ØFB9 B&FF48	8287 LDA DATARS SET DATA AT THIS ADDRESS	9296 #
OFBC BIFF	8288 CMPA 88FF SHOULD BE THIS	#PUT UP PROGRESS MONITOR
ØFBE 2784	6289 BEQ EMPTY	184A BE8888 8298 LDX CURLOC SET CURSOR LOCATION
BFCB C681	#21# LDB #1 NOT ERASED CODE	1840 3888 8299 LEAX NUMK, X MOVE OVER NUMBER OF K IN EPROM
ØFC2 2046	6211 BRA PEXIT	184F BF8888 8388 STX CURLOC AND SAVE IT
AFEA 0/5540	8212 *	1852 CCBFBF 8381 LDD ##BFBF 2 RED SQUARES
ØFC4 B6FF42 ØFC7 BAØ2	8213 EMPTY LDA CLINES GET CONTROL LINES 9214 DRA \$188888818 RAISE DE	1855 1886888 8382 LDY NUMK COUNTER
ØFC9 87FF42	8215 STA CLINES	1859 EDB1 8383 PUTMON STD , X++ STORE ON SCREEN 1858 313F 8384 LEAY -1, Y DECREASE COUNT
	\$216 +	1850 26FA 8385 BNE PUTMON
ØFCC 7FFF41	8217 CLR CONREG MAKE DATA LINES OUTPUTS	6366 +
OFCF 86FF	8218 LDA ##FF	185F 188E8888 8387 LDY \$6 START ADDRESS
ØFD1 B7FF40	0219 STA DATARG	1863 AD9FA888 8388 VLOOP JOR [POLCAT] TEST FOR BREAK
8FD4 8684	6226 LDA 64 RESET TO OUTPUT REG	1867 2786 8389 BED NOBRK HE KEY PRESSED
ØFD& B7FF41	#221 STA CONREG #222 *	1869 8183 8318 CMPA 83 BREAK?
	#223 * SAVE DATA IN B IN EPROM	106B 2502 0311 BNE NOBRK 106D 35A0 0312 PULS Y,PC RETURN
GFD9 F7FF48	#224 STB DATARG PUT ON DATA LINES	6313 +
	8225 *	186F 1F28 8314 NOBRK TFR Y.D
ØFDC 8D41	8226 BSP PULSE THE POM LINE LOW	1871 B7FF46 8315 STA HIADO SET UP ADDRESS ON PIA
	0227 ÷	1874 F7FF44 8316 STB LOWADD
APAC SCREEN	#229 +NOW YERIFY	1077 B6FF40 0317 LDA DATARB SET DATA
OFEL 7FFF48	8229 CLR CONREG MAKE DATA LINE INPUTS 8236 CLR DATARO	187A 81FF 8318 CMPA 80FF 19 IT ERASED 187C 261C 8319 BNE NOTHTY NOT ERASED
8FE4 8684	#231 LDA #4	1876 23121 8329 LEAY 1,Y INCREASE
0FE6 B7FF41	9232 STA CONREB	#321 * ADJUST PROGRESS COUNTER IF WEEDED
2. 3	8233 +	1988 1F28 #322 TFR Y, 0
	#234 * ENABLE CHIP	1882 5D #323 TSTB IF NOT ZERO CONTINUE
øFE9 B&FF42	6235 LDA CLINES	1883 2689 8324 BNE DONEYT DONE YET
GFEC BAFD	8236 ANDA \$211111181 DE LOW	1085 8483 0325 ANDA 010000011 SEEE IF THESE ARE ZERO
SFEE B7FF42		1687 2685 8326 BME DONEYT NO SO SY.IP
	8238 • MOW COMPARE DATA ON DATARS WITH CONTENTS AT Y	1889 CC8F8F #327 LDD ##8F8F BREEN SQUARES 188C ED83 #328 STD ,X DECREASE MONITOR FROM RIGHT
8FF1 F1FF48		#329 #
8FF4 2764	6241 BER VERIOK IT WAS THE SAME	108E 168C2880 0330 DONEYT CMPY @TOPADD+1 ADDRESS LIKIT

```
BNE YLOOP
                                                                                               1173 5D
                                                                                                               8394
                                                                                                                           TSTB
                                                                                                                                            DID WE BET ERROR?
               6331
1692 26CF
                           LEAK GOOD, PCI
                                             IS FULLY ERASED
                                                                                                                          BNE
                                                                                                                                COPY
1894 38808879
               #332
                                                                                               1174 25CA
                                                                                                               #395
                           BRA
                                 VEXIT
                                                                                                               8396 . I NOW HAS ENDING
1898 2819
               #333
                                                                                               1176 1F18
               #334 #
                                                                                                                                X,D
                                                                                                                                            PUT INTO ACC D
189A FC8888
                8335 NOTHTY LDD
                                 CURLOC
                                                                                               1178 B301B1
                                                                                                                           SUBD
                                                                                                                               START
                                                                                                                                            FIND DIFFERENCE
1890 C38828
               #336
                           ADDD #32
                                             MOVE TO NEXT LINE
                                                                                               1178 2542
                                                                                                               #399
                                                                                                                               DERROR
                                                                                                                                             DATA ERROR MESSAGE
                                 CURLOC
                                                                                                               6486
                                                                                                                           ADDD #1
                                                                                                                                             TO MAKE IT ACTUAL COUNT
1848 FD8688
               #337
                           STD
                                                                                               117D C38681
                           LEAX ADDNMT, PCR SET ADDRESS MESSAGE
                                                                                                               8461
                                                                                                                               COUNT
18A3 38808859
               #138
                                                                                               1188 FD81D3
                                                                                                                           STD
                                                                                                                                             SAVE IT
                                                                                                               8482 ±
18A7 1786B1
               #339
                           LBSR
                                 OUTST$
                                                                                                               6483 -NOW BET TARGET ADDRESS
18AA 1F21
                           TER
                                 Y,X
                                 HEXOUT
                                             PUT LAST ADDRESS UP
                                                                                               1183 3#8D#166
                                                                                                               8484
                                                                                                                           LEAX TOTMSG, PCR
18AC 17871C
                           LBSR
18AF 36808858
                           LEAT
                                 BAD. PCR
                                                                                               1187 176635
                                                                                                               8485
                                                                                                                           LBSR INPUTA
                                                                                               118A B601DA
                                                                                                               8486
                                                                                                                           LDA
                                                                                                                                 BUFFER
                                                                                                                                             NULL ENTRY?
1883 1786A5
                6343 VEXIT
                           LBSR
                                 OUTST#
1084 30800043
                           LEAX
                                VERFY, PCR
                                                                                               1180 816D
                                                                                                               6467
                                                                                                                           CHPA BEED
                                                                                                                                             (CR)
188A 17869E
                8345
                           LBSR
                                DUTSTS
                                                                                               118F 27C7
                                                                                                               8488
                                                                                                                           RED
                                                                                                                                 CEXIT
                                                                                                                                             SO EXIT ROUTINE
                #346 F
                                                                                                               8489 1
1080 17864A
               8347
                           LBSR INSTRA
                                             SET KEYRAARD RESPANSE
                                                                                               1191 1785CC
                                                                                                               ....
                                                                                                                           IRCR
                                                                                                                                 HEYINT
                                                                                                                                             BET VALUE IN X
                                                                                                               4411
18C8 35A8
               #348
                           PULS Y, PC
                                             RECOVER Y AND RETURN
                                                                                               1194 5D
                                                                                                                           TSTR
                                                                                                                                             FRRARS
               4749 a
                                                                                               1195 26A9
                                                                                                               6412
                                                                                                                           BNE
                                                                                                                                 COPY
                                                                                                                                             RESTART
               #35# ERAMSO FCC / EPROM ERASURE VERIFICATION/
1002 20
                                                                                                                8414 + Y
                                                                                                                        NOW HAS START ADDRESS
1803 2828435852
                                                                                                1197 BF#1D5
                                                                                                               8415
                                                                                                                           STX TARGET
19C8 4F4D264552
                                                                                                119A SCIFFF
                                                                                                               9416
                                                                                                                           CMPY STOPADD
                                                                                                                                             HIGHEST ALLOWED VALUE
10CD 4153555245
                                                                                                119D 2229
                                                                                                                6417
                                                                                                                           BHT
                                                                                                                                 TOOHI
                                                                                                                                              GO TO ERROR MESSAGE
1802 2856455249
                                                                                                TIPE TATA
                                                                                                               ALIR
                                                                                                                           PSHS Y
                                                                                                                                             PUT TARGET ONTO STACK
16D7 4649434154
                                                                                                11A1 CC2666
                                                                                                                6419
                                                                                                                           LDD
                                                                                                                                 ONUNK+1824 EPROM SIZE
18DC 494F4E
                                                                                                                                             SUBTRACT TARGET & CLEAN STACK
                                                                                                                           SUBD ,S++
                                                                                                LIAA ASEL
                                                                                                               8428
                6351
                           FCB ##D
                                            (CR)
INDE AD
                                                                                                                        NOW HAS AVAILABLE BYTES ABOVE TARBET
                                                                                                                8421 B
                                    18E6 28
                6352
                           FCS /
                                                                                                11A6 189381D3
                                                                                                               #422
                                                                                                                           CMPD COUNT
10E1 20203D3D3D
                                                                                                                                NOROOM
                                                                                                11AA 2525
                                                                                                                6423
                                                                                                                           BLO
                                                                                                                                              NOT ENDUGH ROOM
18E6 3D3D3D3D3D
                                                                                                                8424 . ALL SEEMS OK 60 PROBRAM
IGEA TOTOTOTOTO
                                                                                                                #425 . FIRST DISPLAY WORKING ADDRESS TEXT
18F8 3D3D3D3D3D
                                                                                                               8426
                                                                                                11AC 3#8D#1AC
                                                                                                                           LEAX WRKADD, PCR
18E5 303030303030
                                                                                                11B# 17#5A8
                                                                                                                8427
                                                                                                                           LBSR DUTSTS
18FA 3D3D3D8D8D
                                                                                                                8428
IGEF 66
                                                                                                11B3 17FDB2
                                                                                                                6429
                                                                                                                           LOSE PROGRM
                #353 #
                                                                                                                8438 a
                #354 ADDNMT FCS /(#D>(#D>ADDRESS /
1166 6D
                                                                                                                8431
                                                                                                1185 5D
                                                                                                                                             FOR ERROR CODE
1181 8D41444452
                                                                                                1187 2729
                                                                                                                8432
                                                                                                                                  600DPR
                                                                                                                                              GOOD PROBRAM
                                                                                                                            BEQ
 1186 4553532888
                                                                                                1189 C181
                                                                                                                6433
                                                                                                                            CMPB 01
                                                                                                                                              NOT ERASED
                                 / NOT /
 1108 20
                6355 BAD
                            FCS
                                                                                                1188 2741
                                                                                                                8434
                                                                                                                            888
                                                                                                                                  UNERAS
 119C 4E4F542888
                                                                                                1180 284E
                                                                                                                8435
                                                                                                                           BRA BADLOC
                                                                                                                                              BAD PROM LOCATION
 1111 8D
               #356 8000 FC9 /(#0>(#D> FULLY /
                                                                                                                8436 *****************************
 1112 6028282844
                                                                                                                6437 ##
1117 5540405924
                                                                                                                8438 +
 1110 88
                                                                                                LIBE JASDAARS
                                                                                                                8439 DERROR LEAK DIFF, PCR
                                                                                                                                             START ABOYE END MS6
                #357 VERFY FCS /ERASED(#D)(#D)PRESS "ENTER" TO CONTINUE /
 1110 45
                                                                                                1103 176595
                                                                                                                4445
                                                                                                                            LBSR OUTSTS
 111E 5241534544
                                                                                                1106 2016
                                                                                                                4441
                                                                                                                            BRA
                                                                                                                                  . KEY
 1123 ADAD585245
                                                                                                                8442 4
 1128 5353262245
                                                                                                LICA 300DesAs
                                                                                                                8443 TOOH! LEAX HIGH.PCR
                                                                                                                                             TARGET TOO HIGH
 112D 4E54455222
                                                                                                11CC 17#58C
                                                                                                                RAAA
                                                                                                                            LBSR DUTSTS
 1132 20544F2043
                                                                                                11CF 2867
                                                                                                                8445
                                                                                                                            BRA
                                                                                                                                  . KEY
 1137 4F4E54494E
                                                                                                                444A #
 1130 55452000
                                                                                                11D1 368D9682
                                                                                                                #447 NORDON LEAY NROOM, PCR
                                                                                                                                             NOT ENOUGH ROOM IN EPROM
                 8448
                                                                                                1105 174583
                                                                                                                            LBSR OUTSTS
                                                                                                                6449 1
                           EPROM PROGRAMMING
                 $365 +
                                                                                                1108 38804407
                                                                                                                6456 .KEY
                                                                                                                           LEAY EKEY PCR
                                                                                                                                             WALT FOR ENTER
                 8361 *******************************
                                                                                                11DC 1765E6
                                                                                                                8451
                                                                                                                            LBSR
                                                                                                                                 INPUTS
                 0362 €
                                                                                                11DF 16FFSE
                                                                                                                #452
                                                                                                                                 COPY
                                                                                                                            LBRA
                 #363 +
                                                                                                                6453 e
                 #364 . THIS GETS START ADDRESS AND END ADDRESS IN
                                                                                                11E2 388D611E
                                                                                                                #454 BOODPR LEAX
                                                                                                                                 SOODPI, PCR 8000 PROBRAM
                 #365 . RAM AND START TARGET ADDRESS IN EPROM
                                                                                                11E6 178572
                                                                                                                8455
                                                                                                                            LBSR
                                                                                                                                  DUTSTS
                 #366 * CHECKS FOR ERRORS THEN TRANSFERS DATA
                                                                                                11E9 BESIDI
                                                                                                                            LDX
                                                                                                                                  START
                                                                                                                                              BET LAST RAM ADDRESS
                 4367 ******************************
                                                                                                11EC 1705DC
                                                                                                                6457
                                                                                                                            LBSR
                                                                                                                                  HEXOUT
                                                                                                                                              OUTPUT IT
                 #368 #
                                                                                                11EF 38800120
                                                                                                                            LEAX 600DP2.PCR
                                                                                                                #458
 1146 BDA928
                 #369 COPY
                             JSR CLEAR
                                              SCREEN
                                                                                                 11F3 178565
                                                                                                                 8459
                                                                                                                            LBSR OUTSTS
 1143 388088CC
                 6376
                             LEAX CPYTTL, PCR BET HEADER
                                                                                                                                              GET LAST PROM ADDRESS
                                                                                                11F6 BE#105
                                                                                                                8468
                                                                                                                            LDX
                                                                                                                                  TARGET
 1147 178611
                 8371
                             LBSR OUTSTS
                                              PHT IT UP
                                                                                                 11F9 1785CF
                                                                                                                 8461
                                                                                                                            LBSR HEXDUT
                                                                                                                                              OUTPUT IT
                 6372 1
                                                                                                LIFC 28DA
                                                                                                                 6462
                                                                                                                            BRA
                                                                                                                                  . KEY
                 #373 + BET START ADDRESS IF NULL THEN RETURN
                                                                                                                 8463 +
 114A 368D#171
                 8374
                             LEAX STRIXT, PCR
                                                                                                 11FE 38808139
                                                                                                                 8464 UNERAS LEAK
                                                                                                                                  UNERSD. PCR NOT ERASED
 114E 17866E
                 #375
                             LBSR INPUTS
                                                                                                 1202 170556
                                                                                                                 8465 .LEAVE LBSR
                                                                                                                                  OUTST$
                 8376 . DID WE BET A NULL
                                                                                                 1285 BE8105
                                                                                                                 4466
                                                                                                                            LDX
                                                                                                                                  TARGET
                                                                                                                                               GET LAST EPROM ADDRESS
                                               BET FIRST BYTE
 1151 9661DA
                 6377
                             LDA
                                   BUFFER
                                                                                                 1268 1785C#
                                                                                                                 8467
                                                                                                                             LBSR
                                                                                                                                  HEXOUT
                                                                                                                                               OUTPUT IT
                             CHPA 446D
 1154 R18D
                 6378
                                               IS IT CR?
                                                                                                 126B 26CB
                                                                                                                 6468
                                                                                                                            BRA
                                                                                                                                 . KEY
                 #379
                             BNE
                                   BETST
 1156 2681
                                                                                                                 8469 +
                 #38# CEXIT RTS
  1158 39
                                                                                                 128D 388D813B
                                                                                                                 8478 BADLOC LEAX BADPRM, PCR BAD PROM LOCATION
                 #381 ·
                                                                                                 1211 20EF
                                                                                                                 8471
                                                                                                                            BRA .LEAVE
                 #382 GETST
                             LBSR
                                   HEXINT
                                               CONVERT INTO REB X
  1159 176664
                                                                                                                 8472 B
  115C BFØ1D1
                             STE
                                   START
                                               SET START ADDRESS
                 8383
                                                                                                                 8473 ****
                                               CHECK FOR ERRORS
  115F 5D
                 6384
                             TST8
                                                                                                                 8474 +
                                   COPY
  1160 26DE
                  6385
                              BNE
                                                                                                 1213 26
                                                                                                                 8475 CPYTTL FCC /
                                                                                                                                        RAM TO EPROM TRANSFER/
                  $386 B
                                                                                                 1214 2828282852
  1162 36806176
                  9387
                              LEAX
                                   ENDMS6, PCR
                                              BET ENDING RAM ADDRESS
                                                                                                 1219 414D26544F
  1166 176656
                              LBSR
                                   INPUTS
                                               GET ENDING ADDRESS
                  6388
                                                                                                 121E 204550524F
  1169 B681DA
                  #3B9
                              LDA
                                   BUFFER
                                               TEST FOR NULL
                                                                                                 1223 4D26545241
                              CHPA
  116C 818D
                  6398
                                   8560
                                               IS IT CR?
                                                                                                 1228 4E53464552
  116E 27E8
                  4391
                              BEQ
                                   CEXIT
                                                                                                 1220 BD
                                                                                                                            FCS /(#D)
                                                                                                                                            *******************(*D)(*D)/
                  #392 #
                                                                                                 122E 2626262628
  1178 1785ED
                             LBSR HEXINT
                                               GET VALUE ENTERED
                 #393
                                                                                                 1233 3030303030
```

PROGRAMMER'S SKETCH PAD



Durable & Attractive

Have Fun & Learn



Would You Like To Design:

- a) **BUDGETS**
- b) INVENTORY LISTS
- c) GAMES, GRAPHICS

The Kit includes: Two thick mylar coated graphs of the color computer's screen; step by step instructions for the beginner; two demo programs, and easy to follow "how to personalize" budgets that you write.

Each Sketch Pad has print locations on one side and set screen locations on the other, along with their corresponding commands and color codes.

Don't delay, order yours today. . . Write for catalog of other fine products

CANADA—\$13.50
EUROPE—\$14.50

Add an additional \$1.50 for Hi-Res

TO ORDER:

CALL (707) 722-4280 or WRITE TO:



Calif. residents add 6% sales tax. (Postage paid.)

P.O. Box 257
REDCREST, CALIFORNIA 95569

This Month's Special
1 FREE SYNTACTICS' DISKETTE
with each order.

Offer expires September 5, 1984

NEW!

Syntactics Single-Sided Double-Density Soft Sectored Diskettes

10 Diskettes with case \$18.00
Plus \$2.00 Shipping and Handling
5 Year Guarantee

ORD	FR	FO	RM	CDI
OND	PIL	TU		SPI

Quantity

Name_____

Address_____

City ____State___

Country____Zip _


Acct. No.

Charge: MusterCard

Expiration Date _____

Signature _____

DEALER INQUIRIES INVITED



Introducing

MEGADISK

5 to 20 Megabyte, ready to run on the TRS 80 Model I/III/IV/4P, color computer, I.B.M. PC, Apple, Franklin

DRIVE A HARD BARGAIN [™] Complete Systems Starting at \$999.95


Call Toll Free Ordering 1-800-343-8841



High Quality Lowest Price Drive 0, 1, 2, 3

for the

Color Computer Starting at \$199.95



Disk Drive Upgrade

for model III/IV easy to install system Starting at \$369.95 Call for new lower price

One Edgell Road, Framingham, MA 01701 (617) 872-9090 Hours: Mon. thru Fri. 9:30 am to 5:30 (E.S.T.) Sat. 10 am to 4:30 pm

DISK DRIVES DEALER INQUIRIES INVITED.

DISK DRIVES

DISK DRIVES

DISK DRIVES

DISK DRIVES

DISK DRIVES

DISK DRIVES

DISK DRIVES

DRIVES

M.C./Visa/Amex and personal checks accepted at no extra charge. C.O.D., please add \$3.00. Shipping: Please call for amount. Not responsible for typographical errors.

CANADA

MICRO R.G.S. INC.

751, CARRE VICTORIA, SUITE 403 MONTREAL, QUEBEC, CANADA, H2Y 2J3

Regular Tel. (514) 845-1534 Canadian Toll Free 800-361-5155

All in stock products are shipped within 24 hours of order. Repair/Warranty service is performed within 24 hours of receipt unless otherwise noted. We accept C.O.D., foreign and APO orders. School and D&B corporate P.O.s accepted.

Service! Service!

Apple Registered Trademark Apple Computer Corp. TRS/80 Registered Trademark Tandy Corp. IBM-PC Registered IBM Corp. Max/80 Registered Trademark Lobo Int. Franklin Registered Trademark Franklin Corp.

DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES

DISK DRIVES DISK DRIVES

DISK DRIVES

DISK DRIVES DISK DRIVES

DISK DRIVES

DISK DRIVES

FOR Repair Services Now Offered — FAST Turn-a-Round..... NEW PRICES Apple/Franklin Compatible Add-On Drives with Case & Cable Diskettes in Library Cases

Printer Buffers 8K to 512K starting at \$143.95

Holmes Model I/III Speed-up Mod starting at \$90.00

Cables — Printer/Disk Drive starting at \$23.00

Warranty on Disk Drives — 6 Months to 1 Year

One Edgell Road, Framingham, MA 01701 (617) 872-9090 Hours: Mon. thru Fri. 9:30 am to 5:30 (E.S.T.) Sat. 10 am to 4:30 pm

DEALER INQUIRIES INVITED.

DISK DRIVES

M.C./Visa/Amex and personal checks accepted at no extra charge. C.O.D., please add \$3.00. Shipping: Please call for amount. Not responsible for typographical errors.

CANADA

MICRO R.G.S. INC.

751, CARRE VICTORIA, SUITE 403 MONTREAL, QUEBEC, CANADA, H2Y 2J3

Regular Tel. (514) 845-1534

Canadian Toll Free 800-361-5155

Service! Service!

All in stock products are shipped within 24 hours of order. Repair/Warranty service is performed within 24 hours of receipt unless otherwise noted. We accept C.O.D., foreign and APO orders. School and D&B corporate P.O.s accepted.

TRS/80 Registered Trademark Tandy Corp. IBM-PC Registered IBM Corp. Apple Registered Trademark Apple Computer Corp. Max/80 Registered Trademark Lobo Int. Franklin Registered Trademark Franklin Corp.

DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES **DISK DRIVES**

DISK DRIVES

```
12DC 414D26454E
1238 3DTDTDTDTDTD
                                                                                                    12E1 4428414444
1230 3030303030
                                                                                                    12E& 524553533A
1242 3030303030
                                                                                                    12EB 2086
1247 3Depades
                                                                                                    12ED 45
                                                                                                                   #484 TRIMSG FCS /EPROM TARGET ADDRESS: /
                                                                                                    12EE 50524F4020
               8478 DIFF FCS /(8D>CAD>START HISHER THAN END ADDRESS(8D)/
124C #D53544152
                                                                                                    12FT 5441524745
1251 5428484947
                                                                                                    12FR 5428414444
1256 4845522854
                                                                                                    12FD 524553533A
1258 48414E2#45
                                                                                                    1382 2686
1268 4E44284144
                                                                                                    1364 AD
                                                                                                                   #485 GOODP1 FCS /(#D)(#D) LAST RAM ADDRESS USED: /
                                                                                                    1385 8D28284C41
1265 4452455353
126A 8D#6
                                                                                                    1380 5354285241
125C 00
                                                                                                    136F 4D26414444
               $479 HIGH FCS /($D)($D)TARGET ADDRESS TOO HIGH($D)/
                                                                                                    1314 5245535328
1260 8054415247
                                                                                                    1319 555345443A
1272 4554284144
                                                                                                    131E 2888
1277 4452455353
                                                                                                    1328 80
                                                                                                                   #486 GOODP2 FCS /(#D)LAST EPRON ADDRESS USED: /
127C 28544F4F28
                                                                                                    1321 4041535420
1281 484947488D
                                                                                                    1326 4556524F4D
1286 68
                                                                                                    132B 2041444452
1287 8D
               8498 NROOM FCS /(8D)(8D)NOT ENGUSH ROOM IN EPROH(8D)/
                                                                                                    1330 4553532055
1288 8D4E4F5428
                                                                                                    1335 5345443A28
1280 454E4F5547
                                                                                                    1774 88
1292 4820524F4F
                                                                                                    1338 OD
                                                                                                                   #487 UNERSD FCS /(#D)(#D)NOT ERASED AT /
1297 4D2#494E2#
                                                                                                    133C 0D4E4F5420
129C 4556524F4D
                                                                                                    1341 4552415345
1281 #D##
                                                                                                    1346 4428415428
12A3 60
               $481 EKEY FCS /($D)PRESS "ENTER" TO CONTINUE /
                                                                                                    134B 86
1244 5652455353
                                                                                                    134C BD
                                                                                                                    6488 BADPRM FCS /(#D)(#D)BAD EPROM AT /
12A9 2622454E54
                                                                                                    134D #D4241442#
12AF 4552222854
                                                                                                    1352 4558524F4D
1283 4F26434F4F
                                                                                                    1357 2041542009
1288 54494E5545
1280 2000
                                                                                                    135C 40
                                                                                                                   #489 WRKADD FCS /(#D>(#D>PROGRAMMING EPROM AT /
                                                                                                    1350 #D5#524F47
128F 26
               ##82 STRIXT FCS / RAM START ADDRESS: /
12C# 2#2#52414D
                                                                                                    13A2 52414D4D49
1205 2853544152
                                                                                                    1367 4E47284558
12CA 5428414444
                                                                                                    136C 524F4D2#41
                                                                                                    1371 542988
12CF 524553533A
1204 2060
                                                                                                                    8494 ****************************
1206 20
               #483 ENDMSB FCS / RAM END ADDRESS: /
                                                                                                                    8491 ********************************
1207 2020202052
                                                                                                                    #492 * DUMPS EPROM CONTENTS TO SCREEN OR PRINTER *
```

The KEY-264K is here!!

DO YOU HAVE A 32K SYSTEM WITH 64K MEMORY CHIPS ??

ARE YOU STILL BEING TOLD YOU CAN ONLY USE 32K FROM BASIC ??

DON'T BELIEVE IT !! - KEY COLOR SOFTWARE brings you the KEY-264K. An exciting NEW SOFTWARE utility that allows any STANDARD 32K COLOR COMPUTER TO ACCESS 64K RAM FROM BASIC, and with NO HARDWARE MODIFICATIONS REQUIRED!!!

*** Works with CASSETTE based systems! ***

*** Works with DISK based systems! ***

The KEY-264K divides the 64K ram memory into two 32K banks or sides, each of which can be utilized independently by the BASIC interpreter, with the ability to switch instantly from one side to the other. IT'S LIKE HAVING TWO COMPUTERS IN ONE!! Have your BASIC program on one side and keep your variables on the other side, or have your main program on one side and your subroutines on the other side, or have your program on one side and use the other side for 4 additional HI-RES pages, or any combination you like. The possibilities are endless because the KEY-264K allows full communication between sides plus the ability to switch back and forth at will, all from within BASIC. You could also have different programs in each side and switch back and forth between them using simple keystrokes. simple keystrokes, even while the programs are running!! Or run them both at the same time in the FOREGROUND/BACKGROUND MULTI-TASKING mode. Don't buy that printer buffer yet! With the KEY-264K you can be printing in the background side while utilizing your computer normally in the foreground side AT THE SAME TIME!!! Debugging a program? Use either a BASIC command or simple keystrokes to instantly duplicate your program, in it's present status, on the opposite side. Switch to the opposite side later and pick up exactly where you were before!

For DISK users, the <u>KEY-264K</u> allows you to alternate between DISK and EXTENDED BASIC on the same side with simple keystrokes. No need to pull your controller or power down. You can be in EXTENDED BASIC on one side and in DISK BASIC on the other side and still switch back and forth and have full communications between the two sides.

The KEY-264K does this and MORE thru extensions to BASIC. No need to learn a new language! The KEY-264K adds 15 NEW COMMANDS and 1 function to BASIC, including powerful new BLOCK MEMORY MOVE and GRAPHICS VIEWING commands.

The KEY-264K works on 32K systems with "E", "F", or even modified "D" boards and requires EXTENDED or DISK BASIC with GOOD 64K MEMORY CHIPS! Systems with piggy-back 32K or half-good 64K memory chips WILL NOT WORK!!

ORDER YOUR KEY-264K CASSETTE TODAY by sending check or money order for \$39.95 plus \$2.00 postage U.S.A. (\$5.00 outside U.S.A.) Mass. residents add 5% sales tax.

KEY COLOR SOFTWARE
MASTERCARD, VISA, OR COD
P.O. BOX 360
RAINBOW
COLOR COMPUTER TOO!!

MASTERCARD, VISA, OR COD CALL (617) 263-1737

HARVARD, MA. 01451

				No. of Concession, Name of Street, or other Designation, Name of Street, or other Designation, Name of Street, Original Property and Name of Stree
	4107			
	8494 #	*****	************	***************************************
1374 BDA928		JSR	CLEAR	SCREEN
1377 30800121				DUMP TITLE
1379 176300	8497		OUTSTO	
	6498 ¢			
137E 30000148	8499	LEAX	DSTRT, PCR	BET START ADDRESS
1382 17643A			INPUT	
1385 B681DA	6561 * DID N		BUFFER	
1288 8140	6563	CHPA		(CR)
138A 24#1	6564		DCONT	CONTINUE ROUTINE
	#595 +			
138C 39		RTS		RETURN TO MENU
	9597 ÷			
13BD 1763D6	6568 DCONT		HEXINT	INTO X REB
1396 5D 1391 26EI	8589 8518	TSTB	DUMP	AN ERROR RESTART 1F SO
1393 BC1FFF	8511	CHPI		CHECK RANGE
1396 22DC	#512	IHE		RESTART IF OVER
1398 3416	#513	PSHS	I	PRESERVE START
	#514 #			
139A 38BD813C			ESTRT, PCR	GET END ADDRESS
139E 17841E			INPUTS	THIE Y DED
13A1 17#3BC 13A4 5D	8517 8518	LBSR	HEXINT	INTO X REG FOR ERROR
13A5 2665			RSTART	RESTART IF 90
	8528 . CHEC			
13A7 BC1FFF	4521		PTOPADD	
13AA 23#4	#522	BLS	SDUMP	RANGE OK
13AC 3262	\$523 RSTART			CLEAN STACK
13AE 28C4	8524 8525 SDUMP	BRA	DUMP	RESTART
1388 1F18 1382 A3E4		SUBO		TO SEE IF START IS AFTER END START ON STACK
1384 28F6	#527	BMI	RSTART	NOT SO RESTART
	#528 ÷	•		
1385 3418	#529	PSHS	X	PRESERVE END ADDRESS
1388 308D012E			DEV, PCR	WHICH DEVICE?
138C 178488	6531		INPUT\$	S OR P
138F 86#1DA	8532	LDA		SET FIRST LETTER
13C2 C684 13C4 8158	8533 8534	LDB	4*P	FOR SCREEN DUMP WIDTH 15 1T PRINTER?
1306 2607	8535		SCR	NO SO LEAVE DEVNUM
13C8 86FE	6536		9-2	PRINTER DEVICE CODE
13CA 87886F	8537		DEVNUM	
13CD C618	8538	LDB		FOR ITEM COUNT
13CF 3538 13D1 58	6539 SCR	PULS		X HAS END, Y START FOR MASK
1302 3484	8549 8541	PSHS		SAVE ON STACK
13D4 1F28	Ø542		Y.D	ROUND DOWN START
1305 E4E4	8543	ANDB		ROUNDED DOWN NOW
1308.1F82	8544	TFR	- / -	PUT IT BACK IN Y
130A 341B	8545	PSH9		SAVE END ON STACK
13DC 861#	8547	LDA	COUNT FOR SC	# OF LINES
13DE 8701D3	8548		COUNT	4 OF LINES
	8549 +			
13E1 1F21	8558 DMLODE	TFR	Y.Y	OUTPUT ADDRESS
13E3 3420	6551	PSHS		SAVE Y
13E5 860D	8552	LDA	###D	CTART NEW 1 THE
13E7 A09FA682 13E8 1783DD	8553 8554	J9R LBSR	HEXOUT)	START NEW LINE DUTPUT ADDRESS
13EE 3520	#555	PULS		RECOVER Y
13F8 C686	#556	LDB		SPACES COUNT
13F2 17889B	0557	LBSR		DUTPUT THEM
13F5 1F28	8558 INLDO			GET START ADDRESS
13F7 B7FF46 13FA F7FF44	#559 #56#	STA STB	LOWADD	SET UP EPROM ADDRESS
13FD 3121	8561		1.Y	INCREMENT ADDRESS
9 0.21			THE HEY CH	
13FF F6FF48	8563	FD8	DATARS	GET FROM EPROM
1482 3428	8564	PSHS		PRESERVE VALUE
1484 178398	8565		HYPAIR	PUT IN BUFFER
1487 8E81DA 1488 17834E	8566 8567	LBSR	#BUFFER OUTST#	POINT TO IT
1400 3528	8568	PULS		RECOVER Y
148F C681	8569	LDB	#1	
1411 8070	6578	BSR	SPACES	
	8571 +			APANUES ANNUE SU
1413 1F28	8572	TFR	Y, D	RECOVER COUNT IN D
1415 6362 1417 E462	8573 8574	ANDS		FOR LOOK AT LOWER BITS COUNT MASK
1419 3401	8575	PSHS		PRESERVE TEST RESULT
1418 5363	8575	COM		PUT IT BASK AS IT WAS
141D 35#1	6577	PULS	300	RECOVER TEST RESULT
1415 2504	0578	BNE	INLOOP	NOT AT END OF LINE YET
	8579 ÷			
1421 C682	#581	LD8	#2	SPACES

1423 8068	6582	BSR	SPACES	OUTPUT THEM
1425 E662	#583	LDB	2,5	SET COUNT AS NEB
6584 * B NOW HAS -16 IN IT				
1427 38A5	#585 CHLOOP	LEAT	B, Y	GET FIRST ADDR. IN GROUP
1429 3484	#586	PSHS		SAVE COUNT
142B 1F16	6587	TFR	X,D	PUT IT TO EPROM
142D B7FF46	#598	STA	HIADD	
1438 F7FF44	6589	STB	LOWADD	
1433 3584	8598	PULS	В	RECOVER COUNT
1435 B6FF49	\$591	LDA	DATARB	BET EPROM DATA
1438 8128	0592	CMPA	#32	HIGHER TO PRINT
143A 2589	8593	BLO	DOT	CHANGE TO DOT LESS THAN 3
143C 7D##6F	8594		DEVNUM	TO PRINTER?
143F 2786	8595	BEQ	OKPRNT	TO SCREEN SO OK
1441 8188		CMPA	**80	HIGHEST PRINTABLE?
1443 2502	#597	BLO		
1445 862E	859B DOT			REPLACE WITH DOT
1447 AD9FA##2		JSR	[CHROUT]	
144B 5C	8688	INCB		
144C 2009	6661	BLT	CHLOOP	GOES ZERO WHEN DONE
	8682 ****			
	8683 FARE W			
144E 18ACE4	0584	CMPY	1 -	END ON STACK
1451 2228	9685	BHI	DMPXT	YES SO EXIT LOOP
	8686 +			
1453 70006F	6667	TST		TO PRINTER?
1456 2788	8688		MXLINE	DELETE SCREEN LINE COUNT
1458 ADPFASSS	8689	JSR	[PDLCAT]	BREAK PRESSED?
145C 8183	8618	CMPA		BREAK
145E 2718	8611	BEB	DMPXT	EXIT ROUTINE
1468 14FF7E	#612	L8RA	DHLOOP	CONTINUE OUTPUT
	8613 #			
1463 7A01D3				LINE COUNTER
1466 1926FF77	9515		DHLOOP	NOT DONE YET
146A 8618	\$616	LDA	#16	RESE LINE COUNT
146C 87#1D3		STA		
146F AD9FABBB	#618 DWAIT			WAIT FOR KEY
1473 27FA	8619	BEÖ		NO KEY YET
1475 B103	8626	CMPA		19 IT BREAK
1477 1#25FF66	8621	LBNE	DHLODF	NOSO CONTINUE
	8622 *			
1478 3263	8623 DMPIT	LEAS	3,5	CLEAN STACK



Pan American

ELECTRONICS

800-231-3680

800-531-7466

Radio Shack TRS-80's °

People you Trust to give you the very best!






- Lowest
 Price
- Reliable
 Service
- Quality Products






22511 Katy Fwy., Katy (Houston) Texas 77450 (713) 392-0747 Telex 774132

HI-RES GRAPHIC





small pub.

Obvious exits are Hest.

You see: a sign on the bar, the barkeep, small groups of customers, a glass of beer.

SHENANIGANS

Countless legends tell of a magnificent Pot of Gold hidden at the end of the rainbow. Many have attempted to find the marvelous treasure but success has eluded them and it remains hidden to this day. You, as a dedicated adventurer, have determined to search for the fabled gold and succeed where others have failed. This one is great fun! 32K required.



CALIXTO ISLAND

A valuable museum treasure has been stolen, can you recover it??? This is a challenging puzzle with an occasional twist of humor. You'll visit a secret laboratory, a Mayan pyramid and you'll meet crazy Trader Jack—all in living color and exciting detail. You will really love this hi-res graphic version of the classic Calixto Island Adventure. 32K required.

Rainbow-April, '84. "It was enough to keep my wife and 8 year old son glued to the computer for an entire weekend and two week nights.



You see: a table, a chair, ladder, a broken window:

SEA SEARCH

Get your shark repellant and scuba tanks ready! The graphics in this adventure are truly outstanding and the under water scenes are unforgettable. You'll run into a pirate, a mermaid and some hungry sharks in this colorful and unique treasure hunt. 32K required.

Hot CoCo-April, '84. "The fine graphics accent you



I'm in rugged mountain country, Snow is falling,

Obvious directions: North, South, West

I see: pine trees, a cabin in the distance.

OK,

BLACK SANCTUM

Encounter the forces of black magic as you roam around an old 18th century monastery. You'll see all the evil locations in this spooky adventure, you'll love searching out and destroying the evil in this classic tale. A MUST for every adventure game fanl 32K required.

Rainbow—May, '84—"It's the graphic screens that are the shining stars..." "Some of the best I've seen."



Mark Data Products

24001 ALICIA PKWY., NO. 207 • MISSION VIEJO, CA 92691 • (714) 768-155 FREE—Send for our new, 24 page catalog.




INFO4

TIME FIGHTER

Pilot your MD-64 fighter through a hazardous time tunnel. Your mission is to destroy the dreaded Time Guardian who threatens the natural order of the universe. In order to reach this menace you must fight aerial dangers from strange and different time zones. If you like fast action, this one's for you! 16K required.


Rainbow—March, '84. "One of the best in your library of computer games. . . It is a real gem.



TUT'S TOMB

Explore the ancient, mystical tomb of the great Pharoah. Find the magical keys which lead you to unbelievable treasures as you out maneuver the creatures that slither and swarm about you. Super fast arcade action—this one will knock your socks off with 16 screens of incredible color and sound. Fabulousl 32K required.

Hot CoCo-April, '84. "State-of-the-art CoCo graphics. . A first




A truly great maze game. Especially exciting when two players compete simultaneously. Tension mounts as you wildly race through a hidden obstacle course. Barrier walls are invisible until you bump into them and you must proceed cautiously as each dead end has a hidden booby trap. 16K required.




GLAXXONS

Pit your playing skill against squadrons of swooping, diving spacecraft. Fast and furious with seven selectable skill levels and automatic game acceleration... guaranteed to blister your joystick finger. The object of the game is to achieve the highest score by eliminating as many attacking spacecraft as possible while avoiding your own destruction. Dynamittel lók required.




EL BANDITO

El Bandito has to be a crafty little hombre to stay alive as he loots the local countryside. Escape into a tunnel to avoid that angry spider...race around the corner towards your lair. Two players may compete simul-taneously in this unusual game. Selectable skill levels provide a challenge for beginners as well as experts. 16K required.




The best Color Computer version of the Berzerk arcade game you can get. A real hi-res classici This challenging combination of angry robots and the evil menace will provide many hours of fun and excitement. Haywire combines joystick and fire button action and is great as a two player game. 16K required.



ASTRO BLAST

Wave after wave of alien attackers—each one different and unique. A great space "shoot-em-up" with hi-res graphics, lots of color and dramatic sound effects. Three selectable skill levels coupled with automatic game acceleration provide a challenge for novice and expert alike. One of our all time best sellers! 16K required.



COSMIC CLONES

Clonial Warriors, Super Klones, Double Bombs and "the Death Layer" relentlessly challenge the most skillful player in this unique, fast action game. Your goal is to achieve the highest score by eliminating the Clonial invasion forces thus protecting your starbase fuel cells. Fast Funl One of our favorites. 16K required.

Products Mark Data

				1555 863	TE I	6693	1	DA I	1.5	PROMPT
147D 8680	8624 LDA	458D	CR AT END	1557 ADS		8694				DISPLAY IT
147F AD9FA882	9625 JSR	[CHROUT] DEVNUM	ALSO CLRS BUFFER IN PRINTER RESET TO SCREEN			8695 e				
1483 7F886F 1486 388DFE19	#626 CLR #627 LEAX	EKEY, PCR	ENTER MESSABE	1558 AD9			TKEY J			BET RESPONSE
148A 176332		INPUTS		155F 27I		6697 6698 #	- 5	EQ I	BTKEY	WAIT FOR KEY
1480 15FEE4		DUMP	RESTART				VAL10	RESPO	SES ARE:	
	8928 ****								ADDRESS (WRA	
	#631 *************		TN D						NEXT ADDRESS	DITTO
1496 8620	8633 SPACES LDA	#32	SPACE						ADDRESS HIS ADDRESS	
1492 AD9FA002	9634 DLOOP JSR						I EXII			
1496 5A	9635 DECE		COUNT							************
1497 1#26FFF7		OLOOP				8786 e				
1498 39	#637 RTS			1561 81		6767		MPA		UP ARROW
149C 28	6639 DMPTTL FCC		EPROM DUMP/	1563 26 1565 FC		6788 6789			.DARROW TARGET	BET TARGET VALUE
1490 2020202020				1568 83		8718		GUBD		REDUCE BY ONE
14A2 2020202020				156B 2A		9711			NOTNEG	NO NEED TO WRAP
14A7 4558524F41				156D CC		6712			#TOPADD	TO WRAP ADDRESS
14AC 2044554D50 14B1 0D	6646 FCB	\$#D		1378 FD			IOTNES S		TARGET	51501 Au 17
1482 20	8641 FCS		=======(#D>(#D>/	1573 26	IAY	8714	*****	BRA	DISDAT	DISPLAY IT
1483 2020202020				1575 81	6A		DARROW	CMPA	#58A	DOWN ARROW
1488 2020202020				1577 26		9717			NEWADD	GET NEW ADDRESS FOR TARGET
14BD 3D3D3D3D3D3 14C2 3D3D3D3D3D3D				1579 FC	00105	8718		LDD	TARGET	
14C7 #D#D##				157C C3		8719		ADDD		INCREASE IT
14CA 53	#642 DSTRT FCS	/START ADDR	RESS: /		8832888	8728			NTOVER	WRAPPED AROUND?
14CB 5441525426				1583 28 1585 48		6721 6722		CLRA	MINAEK	
14D8 4144445245				1586 5F		Ø723		CLRB		
14D5 53533A2886 14DA 28	#643 ESTRT FCS	/ PNR ARRE	ree. /	1587 F	DØ1 D5	8724	NTOVER	STD	TARGET	
14DB 28454E4428		/ END ADDR	(23); /	158A 2	992	8725		BRA	DISDAT	
1468 4144445245				LEGO D	145		******		h110	ENTER A NEW ADDRESS
14E5 53533A2886				158C 8:		9728	NEWADD	BNE	#'N NEWDAT	ERIER H NEW MUURESS
14EA 28	8644 DEV FCS	/(P)rinter	or (S)creen? /		68DØØAC		T00H16		NADDRS, PCR	GET NEW ADDRESS MESSAGE
14EB 502972596E				1594 1		9738			INPUTS	GET NEW VALUE
14F5 722#2#5329				1597 1	78106	8731			HEXINT	GET VALUE IN 1
14FA 637265656E				1504 6					OR ERROR CO	DE B(># FOR ERROR
14FF 3F2000				159A 5	926FF7F	8733 8734		TSTB	DISDAT	BAD SO DO NOTHING
			**********	159F 8		6735			#TOPADD	MUST NOT BE HIGHER THAN THIS
			INDIVIDUAL CELL #	15A2 2		6736		BHI	TOOHIG	
			144444444444444444	15A4 B		8737		STX	TARBET	
	8549 .			15A7 1	6FF74	6738	*****	LBRA	DISDAT	BO DISPLAY IT
	6450 *			15AA 8	154		NEWDAT	CMPA	#*P	PROGRAM THE LOCATION
1502 BDA92B	6651 CELL JSR		SCREEN	15AC 2		0741	ME WORT	BNE	DEXIT	EXIT ROUTINE
1585 388D88F7 1589 17824F		CELMSB, PCR	BET TITLE		88D869D	6742	TOBIG	LEAX	NDATA, PCR	HEW DATA MESSAGE
1307 170241	8654 #	, 001313		1582 1		8743		LBSR	INPUT®	GET DATA
		TO I AND STA	ART TO RAM LOCATION	1585 1	7#1AB	6744	- 7507		HEXINT	BET VALUE IN X
	#656 + TO STORE	ENTERED DATA		1588 5	sn.	8745 8746	* 1551	TSTB	ERKUK LUVE	B()# FOR ERROR
#1D7	8657 TEMP EQU	TARGET+2			#26FF61	6747			DISDAT	DO NOTHING
150C CC0001	8659 LDD	#1	SET COUNT	15BD 8		874B			BSFF	HIGHEST ALLOWED DATA
158F FD#1D3		COUNT	JET COUNT	1500 2		8749			TOB16	
1512 CC#1D7		TEMP	GET TEMPORARY ADDRESS	1502 1		9759 4751			X, D	COD DDOCDAMMING
1515 FD61D1		START	PUT IT AS START	15C4 F		9751 9752			PROGRM	FOR PROGRAMMING TRY TO PROGRAM IT
	8663 * CLEAR TAR	DET TO 1500		15CA :		8753		TSTB		
1518 7F#1D5		TARGET			#27FF4F				DISDAT	ALL OK
1518 7F61D6	9666 CLR	TARBET+1		15CF 0		9755 4754		CMPB		NOT ERASED
	9667 ÷		7.000	15D1 2	1110	8756 8757		DER	NOERSD	NOT ERASED
ISIE DIAN	#468 . DISPLAY D						# BAD	EPRO	1	
151E 860D 1520 AD9FA602	#669 DISDAT LDA #67# JSR	[CHROUT]	CR MOVE DOWN A LINE		368DFD75	8759		LEAX	BADPRM, PCF	
1524 FC01D5		TARGET	SET EPROM ADDRESS		178181				OUTSTO	
1527 B7FF48	6672 STA				BE0105	8761			TARGET	
152A F7FF44		LOWADD			1701EB 16FF3B	9752 9763			DISDAT	
1520 1F#1	8674 * 8675 TFR	2 4	BIAN AN ARREST		,	8764		20,		
152F 178299		D,X R HEXOUT	DISPLAY ADDRESS		3#8DFD54					UNERASED HESSAGE
1532 1766BB		RHOVERS	PLACE TO RIGHT	15E7	28EE	9766			WRITE	
	067B +			15E9	8158		DEXIT		#*X	IS IT EXIT?
1535 F6FF40		DATARB	BET EPROM DATA		1#26FF2F	8769			DISDAT	NO SO REDISPLAY
1538 3464	8688 * 8681 PSHS	3 B	SAVE VALUE	15EF		8778		RTS		RETURN TO MENU
153A 17#262		R HXPAIR	MAKE IT A HEX STRING				*****			
153D BEBIDA	9683 FDX	#BUFFER	The state of the s				# THIS		e Libeup (t	RIGHT IF NOT AT END OF SCREEN
1546 176218		R OUTST\$	OUTPUT CONTENTS	15F6	FC##88		MOVERS		CURLOC	ATOM IT HO! HI EAD OF SCREEN
1543 1788AA	#685 + LBSI	R MOVERS	MAKE A SPACE		168365FF	8775		-	##SFF	AT END?
1546 3502		S A	RECOVER CHARACTER IN A	15F7	2786	8776		BED	ATEND	
1548 8128	#688 CMP#	A #32	LOWEST PRINTABLE CHARACTER		C36681	8777		ADDD	#1	MAKE A SPACE
154A 2292		CHARCT	OUTPUT AS A CHARACTER		FD##88	8778			CURLOC	
154C 862E 154E AD9FA882	8698 LDA 8691 CHARCT JSR	freeouts	REPLACE BY A DOT	15FF	24		ATEND		********	*******
1552 178698		R MOVERS	DVER A PLACE	1688	20					IDUAL CELL PROGRAMMING/

```
1661 2028494E44
                                                                                                           1464 4954494455
                                                                                                           1688 4140284345
                                                                                                           #833 . UTILITY LIBRARY
1616 4040265652
                                                                                                           8834 *******************************
1615 4F4752414D
                                                                                                           #835 *******************************
161A 4D494E47
                                                                                                           6836 *INSTR* GETS A STRING FROM KEYBOARD AND PUTS*
161E #D
              4782
                         FCB SED
                                                                                                           8837 *IT INTO "BUFFER" TERMINATED BY A ZERO BYTE.
                         FCS /
161F 2#
              1783
                                                                                                           8838 ***************************
                                  1620 2820303030
                                                                                                           #839 + BASIC POINTERS
1625 3030303030
                                                                                            8888
                                                                                                           6840 CURLOC SET 688
                                                                                                                                       CURSOR LOCATION
162A 3D3D3D3D3D
                                                                                            A886
                                                                                                           8841 POLCAT SET
                                                                                                                           $A868
                                                                                                                                       KEYROARD POLL
162F 3D3D3D3D3D
                                                                                            A862
                                                                                                           #842 CHROUT SET
                                                                                                                           $A882
                                                                                                                                       CHARACTER OUTPUT
1634 3030303030
                                                                                            99 AF
                                                                                                           8843 DEVNUM SET 66F
                                                                                                                                       # FOR SCREEN, -2 FOR PRINTER
1639 3030303000
                                                                                                           8844 *******************************
163E 6006
1646 6D
              8784 NADDRS FC9 /(#D>NEW ADDRESS? /
                                                                                            176A 168E81DA
                                                                                                           #846 INSTRO LDY
                                                                                                                           #BUFFER
                                                                                                                                       POINT Y TO BUFFER START
1641 4E45572841
                                                                                             176E 8D46
                                                                                                           8847 CRSR BSR
                                                                                                                           CURSOR
                                                                                                                                       PUT BLACK SQUARE UP
1646 4444524553
                                                                                             1718 AD9FA866
                                                                                                           #848 GETKEY JSR
                                                                                                                            [POLCAT]
                                                                                                                                       LOOK FOR KEY
1648 533F2888
                                                                                             1714 27FA
                                                                                                                      BED
                                                                                                                            BETKEY
                                                                                                                                       NOTHING ENTERED YET
164F #D
              $785 NDATA FCS /(#D)NEW DATA? /
                                                                                             1715 8188
                                                                                                           0850
                                                                                                                      CMPA
                                                                                                                           418
                                                                                                                                       BACKSPACE
1658 4E45572844
                                                                                                                      8NE
                                                                                             1718 2617
                                                                                                           0851
                                                                                                                            CHKRET
1655 4154413F28
                                                                                             171A 108C01DA
                                                                                                           6852
                                                                                                                      CMPY
                                                                                                                           #BUFFER
                                                                                                                                       AT START OF BUFFER
185A 68
                                                                                             171E 27EE
                                                                                                           #853
                                                                                                                      BED
                                                                                                                           CRSR
                                                                                                                                       NO BACKSPACE POSSIBLE
              1720 8660
                                                                                                           6854
                                                                                                                      LDA
                                                                                                                            4168
                                                                                                                                       BLANK
              #787 . RETURNS CASSETTE FILE DATA
                                                                                             1722 A79F##8B
                                                                                                           4855
                                                                                                                      STA
                                                                                                                           [CURLOC]
                                                                                                                                       STORE AT CURRENT LOCATION
              1726 313F
                                                                                                           8854
                                                                                                                      LEAY
                                                                                                                                       DECREASE CURSOR LOCATION
                                                                                                                           -1, Y
              #789 #
                                                                                             1728 DCBR
                                                                                                           8857
                                                                                                                      LDD
                                                                                                                           CURLOC
                                                                                                                                       BET CURSOR LOCATION
                                                                                             172A 838681
              $795 . THIS RETURNS THE ADDRESSES OF THE LAST CLOADM
                                                                                                           #858
                                                                                                                      SUBD 41
                                                                                                                                       REDUCE D BY ONE
              6791 #
                                                                                             172D DD88
                                                                                                                            CURLOC
                                                                                                           6859
                                                                                                                      SID
                                                                                                                                       RESET CURSOR LOCATION
              8792 e
                                                                                             172F 28DD
                                                                                                           BRAB
                                                                                                                      BRA
                                                                                                                           CRSR
ØIE7
              0793 STADD EQU
                              487
                                          START ADDRESS
                                                                                                           8861 +
867E
              #794 ENDADD EQU
                                                                                                           8862 * IF CR THEN PUT INTO BUFFER, WITH A ZERO BYTE
                                          END ADDRESS
                              126
#1E5
              0795 EXECAD EQU
                              485
                                          EXEC ADDRESS
                                                                                                           8863 . THEN EXIT
              879h e
                                                                                             1731 818)
                                                                                                           #864 CHKRET CMPA
                                                                                                                           8440
                                                                                                                                       CARRIAGE RETURN
165B BDA92B
               8797 CFILE JSR
                              CLEAR
                                          SCREEN
                                                                                             1733 2689
                                                                                                           8865
                                                                                                                      RNF
                                                                                                                            INKEY
                                                                                                                                       NO SO PUT INTO BUFFER
165E 3#8D##35
              $798
                         LEAX FILMS8, PCR
                                           HEADING
                                                                                             1735 A7A@
                                                                                                           ARAL
                                                                                                                      ATP
                                                                                                                            44.
                                                                                                                                       PUT CR INTO BUFFER
1662 1788F6
              1799
                         LBSR QUISTS
                                                                                             1737 AD9FA662
                                                                                                           8867
                                                                                                                      JSR [CHROUT]
                                                                                                                                       PUT RETURN ON SCREEN
1665 BE81E7
              8888
                              STADD
                                          BET START ADDRESS
                                                                                             1738 6FA4
                                                                                                           #868 .EXIT CLR
                                                                                                                                       SET LAST BYTE TO ZERO
                                                                                                                           Y
1668 176166
              #8#1
                         LBSR
                              HEXOUT
                                          OUTPUT IT
                                                                                             1730 39
                                                                                                           8869
                                                                                                                      RTS
              8882 e
                                                                                                           #87# ₽
1668 36806671
              #B#3
                         LEAX ENDIXI,PCR BET END MESSAGE
                                                                                                           6871 - PUT CHARACTER INTO BUFFER, CHECK FOR
166F 1768E9
              8864
                         LBSR OUTSTS
                                                                                                           #872 * SPACE FIRST. IF BUFFER HAS 254 PUT IT
1672 9E7E
              #B#5
                         LDX
                              ENDADD
                                                                                                           $873 . THEN SET 256 BYTE TO ZERO AND EXIT
1674 381F
              BREA
                         LEAX -1, X
                                          MOVE TO ACTUAL END
                                                                                                           6874 ÷
1676 178152
              4867
                         LBSR HEXDUT
                                                                                             173E 8120
                                                                                                           8875 INKEY CMPA
                                                                                                                           #32
                                                                                                                                       FIRST PRINTARIE CHARACTER
              #R#R #
                                                                                             1748 25CC
                                                                                                           6874
                                                                                                                      BLO CRSR
                                                                                                                                       NOT PRINTABLE SO LOOP
1679 36804478
              6889
                         LEAX EXEMSG, PCR BET EXE MESSAGE
                                                                                             1742 A7A6
                                                                                                           6877
                                                                                                                      STA
                                                                                                                            . Y+
                                                                                                                                       PO INTO BUFFER
167D 1786DR
              6816
                         LBSR OUTSTS
                                                                                             1744 AD9FA882
                                                                                                                            ECHROUT1
                                                                                                           8878
                                                                                                                      JSR
                                                                                                                                       OUTPUT ENTERED CHARACTER
16B# BE#1E5
              4R11
                         LDX EXECAD
                                                                                             1748 188C82D8
                                                                                                           #879
                                                                                                                      CHPY
                                                                                                                           #BUFFER+254 BUFFER FULL?
1683 178145
              8812
                         LBSR HEXOUT
                                                                                             174C 25C#
                                                                                                           8888
                                                                                                                      BLO
                                                                                                                            CRSR
                                                                                                                                         NOT FULL
              6813 a
                                                                                             174E 20EB
                                                                                                           #881
                                                                                                                      BRA
                                                                                                                            .EXII
              #814 * MOVE CURSOR DOWN 2 LINES
                                                                                                           #882 #
1686 FC##88
              #815
                         LDD CURLOC
                                                                                                            #983 + CURSOR ROUTINE
1689 C36626
              6816
                         ADDD #32
                                                                                             1756 868#
                                                                                                            #884 CURSOR LDA #128
                                                                                                                                       BLACK SQUARE
148C FD##88
              8817
                         STD CURLOC
                                                                                             1752 A79F##88
                                                                                                           6985
                                                                                                                      STA
                                                                                                                            [CURLOC]
              #818 ·
                                                                                             1756 39
                                                                                                            6886
                                                                                                                       RTS
MARE 388DEC18
              8919
                         LEAX EKEY, PCR
                                         GET ENTER MESSAGE
                                                                                                           6997
1693 178129
              #82#
                         LBSR INPUTS
                                                                                                           #821 #
                                                                                                            #89# #OUTSTS TAKES A STRING POINTED TO BY REG I
1696 39
              8822
                         RTS
                                                                                                            8891 *AND PUTS IT TO OUTPUT DEVICE. TERMINATED *
              8823 ********************************
                                                                                                           #892 #8Y A ZERO BYTE IN BUFFER
1697 26
              8824 FILMS6 FCC /
                                      CASSETTE FILE DATA/
1698 2020202020
                                                                                                            #893 *******************************
                                                                                                           8894 + BASIC POINTER
169D 2043415353
                                                                                                            6875 CHROUT SET $4662
                                                                                             A892
16A2 4554544526
                                                                                                                                       DUTPUT ROUTINE
                                                                                                            8894 .
16A7 46494C4528
16AC 44415441
                                                                                             1757 AD9FA002
                                                                                                           #897 . DSPLY JSR
                                                                                                                           [CHROUT]
                                                                                                                                       OUTPUT CHARACTER
                                                                                                                            , 1+
              8825
                                                                                             1758 A686
                                                                                                            6898 DUTSTS LDA
                                                                                                                                       BET CHARACTER
LARE AD
                         FC8 $60
                                                                                             175D 26F8
                                                                                                            #899
                                                                                                                      BNE
                                                                                                                            . DSPLY
                                                                                                                                       DISPLAY IF NOT ZERO
1681 26
              6826
                         FCC /
                                      ***************/
                                                                                             175F 39
                                                                                                            8988
                                                                                                                       RTS
1682 2020202020
                                                                                                            8981 *****************************
1687 2630303030
                                                                                                            8982 ********************************
16BC 3D3D3D3D3D
                                                                                                            8983 *HEXINT GETS A HEX NUMBER FROM BUFFER AND #
16C1 3D3D3D3D3D
                                                                                                            6984 *PUTS IT IN REG X. REB 8 IS ZERO IF NO
1606 30303030
                                                                                                            8985 PERROR. WILL GET FIRST 4 CHARACTERS IN
16CA 8080
              #827
                         FD8 sepen
                                                                                                            8986 *BUFFER OR TO (CR) OR ZERO BYTE
16CC 20
                         FCS /
                                  START ADDRESS: /
              #828
16CD 2020205354
                                                                                                            8987 ****************************
16D2 4152542841
                                                                                                            4958
                                                                                             1748 188E61DA
1507 4444524553
                                                                                                           8989 HEXINT LDY
                                                                                                                            #BUFFER
                                                                                                                                       POINT Y TO BUFFER
16DC 533A2868
                                                                                             1764 BE8888
                                                                                                           8918
                                                                                                                       LDI
                                                                                                                            40
                                                                                                                                       CLEAR X FOR NUMBER
                                                                                             1767 8684
                                                                                                           #911
I SEE OD
              8829 ENDIXI FCS /(80)
                                         END ADDRESS: /
                                                                                                                       LDA
                                                                                                                            #4
                                                                                                                                       CHARACTER COUNTER
                                                                                             1769 ESAB
16E1 2020202020
                                                                                                           6912 6THEX
                                                                                                                      LD8
                                                                                                                             .Y+
                                                                                                                                       GET CHARACTER FROM BUFFER
                                                                                             1768 271E
                                                                                                                       REG
                                                                                                                            HEXIT
18E6 26454E4426
                                                                                                           6913
                                                                                                                                       AT END OF BUFFER
                                                                                             176D C18D
16EB 4144445245
                                                                                                           8914
                                                                                                                                       IS IT A (CR)?
                                                                                                                      CHPB ###D
16F8 53533A2888
                                                                                             176F 271A
                                                                                                           8915
                                                                                                                       BED
                                                                                                                            HEXIT
                                                                                                                                       YES SO AT END
                                                                                             1771 C13#
16F5 8D
              8838 EXEMS6 FCS /(8D) EXECUTE ADDRESS: /
                                                                                                           8916
                                                                                                                      CMPB 4'8
                                                                                                                                       IS IT LESS THAN #?
16F6 2828455845
                                                                                             1773 2524
                                                                                                           6917
                                                                                                                       810
                                                                                                                            HEXERR
                                                                                                                                       NO SO ERROR
                                                                                             1775 C139
16FB 4355544526
                                                                                                           6918
                                                                                                                      CHP8 4'9
                                                                                                                                       GREATER THAN 9
 1788 4144445245
                                                                                             1777 2214
                                                                                                            8919
                                                                                                                       BHI
                                                                                                                            ALPHA
                                                                                                                                       MAY BE A - F
                                                                                             1779 C#3#
 1705 53533A2000
                                                                                                           6928
                                                                                                                       SUBS 0'#
                                                                                                                                       MAKE A NUMBER
```

	8921 *	179F 188E8IDA 8934 HXPAIR LDY &BUFFER POINT TO BUFFER
	8922 *B NOW HAS VALUE ENTERED	8955 * GET HIGH NIBBLE FROM B
1778 1E#1	8923 HEX EXG D.X SWAP REGISTERS FOR SHIFT	17A3 1F98 8956 TFR B,A INTO A
TILD TEAT	8924 • SHIFT D LEFT 4 PLACES	8884 8957 RPT 4 MOVE DOWN 4 PLACES
8884	8925 RPT 4	6958 LSRA
P004	6926 ASLB	8959 ENDR
	6927 ROLA	17A5 44 + LSRA
	8928 ENDR	17A6 44 + LSRA
177D 58	+ ASLB	17A7 44 + LSRA
177E 49	+ ROLA	17A8 44 + LSRA
	+ ASLB	
177F 58	A.	8968 *
1788 49	+ ROLA	17A9 8D89 8951 BSR HEXASC
1781 58	+ ASLB	17AB 1F9B 6962 TFR B, A GET LOW MIBBLE
1782 49	+ ROLA	17AD BABF 8953 ANDA #60F GET LOW 4 BITS
1783 58	+ ASLB	17AF 8003 8964 BSR HEXASC CONVERT AND STORE
1784 49	+ ROLA	1781 6FA4 8965 CLR Y SET NEXT BUFFER LOCH TO 8
1785 1E#1	6929 EXG D, X PUT IT BACK INTO X	1783 39 6986 RTS
1787 3A	8938 ABX ADD VALUE INTO REBISTER X	8967 *
1788 4A	8931 DECA	4968 +
1789 26DE	8932 BNE GTHEX	#969 → HEX TO ASCII CONVERSION ROUTINE
178B 5F	8933 HEXIT CLRB	1784 8189 8978 HEXASC CMPA #9 IS DATA 9 OF LESS?
17BC 39	8934 RTS	1786 2382 #971 BLS ASCZ
	8935 ***	1788 8867 6972 ADDA 4'A-'9-1 NO, ADD OFFSET FOR LETTERS
1780 C141	8936 ALPHA CMP8 8'A LESS THAN "A"	17BA BB38 8973 ASCZ ADDA *'8 CONVERT DATA TO ASCII
178F 2568	8937 BLO HEXERR YES SO ERROR	L7BC A7AB 8974 STA ,Y+ PUT INTO BUFFER
1791 C146	893B CMPB 0'F HISHER THAN "F"	17BE 39 6975 RTS
1793 2284	6939 BHI HEXERR YES SO ERROR	8976 *
1795 C#37	6946 SUBB 6'A-16 SET TO VALUE	\$977 ****************************
1797 28E2	8941 BRA HEX	8978 ****************************
	#942 **	#979 * INPUTS OUTPUTS A STRING POINTED TO BY REG *
1799 C6#1	8943 HEXERR LDB 01	6988 * X, THEN RECEIVES A STRING FROM KEYBOARD *
1798 BE8888	8944 LDX #8	#981 * AND PUTS IT INTO "BUFFER" TERMINATED WITH *
179E 39	8945 RTS	6982 * A ZERO. IF X IS ZERO NO STRING IS OUTPUT, *
	8946 ********	#983 * MAX. CHARACTERS IN BUFFER IS 255. *
	#947 ***********************************	9984 *****************************
	#948 * HXPAIR CONVERTS CONTENTS OF REG B INTO A .	8985 * BASIC POINTERS
	8949 * STRING IN BUFFER TERMINATED BY A ZERO *	8888 8986 CURLOC SET 188 CURSOR LOCATION
	#958 * BYTE. NO (CR) IS ADDED TO THE STRING .	ADDD #987 POLCAT SET \$ADDD KEYBOARD POLL
	8951 ************	A882 8988 CHROUT SET \$4882 CHARACTER OUTPUT
	6952	986F 8989 DEVNUM SET 66F 6 FOR SCREEN, -2 FOR PRINTER
	8953 F	8998 **********************************

One Stop Shopping For The Color Computer

Reitz Super Disk Charger

Now you can run R.S. DOS at up to 6 times the speed of normal DOS. Diskcharger will work with single or double sided disk drives at step rates up to 6 ms. and in both DOS 1.0 and 1.1 with no equipment modification. Step up to FLIP IT! first class color computer operation today with the Reitz Super Disk Charger.

64K COLOR COMPUTER

New From Reitz

Reitz Serial to Parallel Interface Three WAy RS-232 Switcher with power light

New From Sugar Software

COCO CALLIGRAPHER... Prints Old English, Gay Nineties, and Cartoon fonts on your EPSON, GEMINI, OKIDATA, LPVII. OR DMP-100 PRINTER.

32KECB...TAPE...\$24.95

DISK...\$29.95

5**Q** 95

Punch

your

Disks

for

double

the

storage

1-(800)-242-2626 (Outside Ohio)

1-(419)-537-8937 (Computer Order Line)



3170 W. Central Westgate Meadows Shopping Center Toledo, Ohio 43606 1-419-537-1432





Please include phone number with all orders. Include \$5.00 for all hardware orders and \$2.00 for all software orders. Ohio residents please add 6% state sales tax.

```
8991 #
              6997 a
178F 8C6686
              6993 INPUTS CHPY OF
                                         ANY TEXT TO OUTPUT
1702 2763
              8994
                         RFO
                              MATERY
17C4 17FF94
              6995
                         LBSR
                                         DUTPUT TEXT STRING
                              DUTSTS
17C7 17FF48
              8994 NOTEXT LBSR
                              INSTRA
                                          AFT INPUT STRING
17EA 39
              #997
                         RT9
              $998 +
              1999 ±
              1888 4
              1882 ********************************
              1883 . HEXOUT TAKES CONTENTS OF X AND PUTS IT ON .
              1884 . SCREEN. USES HXPAIR TO DO IT IN 2 PARTS .
              1885 . DUTSTS IS ALSO USED
              1886 ********************************
17CB 1F1#
              1868 HEXOUT TER
                              X,D
                                          PUT DATA INTO RES D
                         EX6 A,B
17CD 1E89
              1669
                                          PUT HIGH BYTE IN B
17CF 17FFCD
                              HIPAIR
              1818
                         LBSR
                                          PUT INTO SCREEN
1702 3416
              1811
                                          PRESERVE VALUE
1704 8E#1DA
               1012
                         LDX
                               #BUFFER
                                          POINT TO START OF STRING
1707 17FF81
                         LBSR OUTSTS
                                          PUT OUT THE STRING
              1813
17DA 3566
               1614
                         PULS
                              D
                                          RECOVER VALUE IN D
17DC 17FFC#
              1815
                         LBSR HXPAIR
                                          PUT LOW BYTE ON SCREEN
17DF SEGIDA
              1816
                         LDX
                               BUFFER
                                          POINT TO START OF STRING
17E2 17FF76
              1617
                         LBSR DUTSTS
                                          PUT DUT THE STRING
                              COMPUTERWARE MACRO ASSEMBLER PAGE 22
EPRON. NAC
2764 EPROM PROGRAMMER By C.J. STEARMAN (C) 1984
17E5 39
              1818
               1819 +
              1621 *
                               2764 EPROM PROBRAMMER By C.J. STEARMAN (C) 1984
              1422
               1823
                         MAN
                               EPROM. NAC
              1824 #
6F66
               1625
                         END
                               EPRON
        NO ERROR(S) DETECTED
```


SYMBOL TABLE:

```
.CELL BE33
                                .COPY SE21
                                                . DARRO 1575
.BASIC #E45
                                                FILE #E3C
DSPLY 1757
               DUMP
                      SE2A
                                .EXIT 1738
                LEAVE 1282
                                WRITE 1507
                                                ADDNMT 1188
.XEY 1108
ALPHA 17RD
                      178A
                                ATEND 15FF
                                                RAD
                                                       1167
               ASC2
               BADPRM 134C
                                BUFFER BIDA
                                                CELL
                                                       1502
BADLOC 1260
                                CFILE 165B
                                                CHARCT 154E
CELNSS 1488
               CEXIT 1138
                                CHROUT A##2
                                                CLEAR A928
               CHLOOP 1427
CHKRET 1731
               CLRRES 0F62
                                CONREG FF41
                                                COPY
                                                       1146
CLINES FF42
               CPYTTL 1213
                                CRSR
                                       176E
                                                CURLOC #688
COUNT #103
CURSOR 1756
               DATARB FF48
                                DCONT 1380
                                                DDRSET #F50
DERROR LIBE
               DEV
                       14EA
                                DEVNUM 886F
                                                DEXIT
               DISDAT 151E
                                DLOOP 102E
                                                DMLOOP 13E1
DIFF 124B
DMPTTL 149C
                DMPXT
                       147B
                                DONEYT 18BE
                                                DOT
                                                DWAIT 146F
DOWNET 1885
                DSTRT
                       14CA
                                       1374
EKEY
      12A3
                EMPTY
                       BFC4
                                ENDADD ##7E
                                                ENDMS8 12D6
ENDIXT 16E8
                       SESS
                                ERAMSB 18C2
                                                 ERASE 183E
                EXECAD #1ES
                                EXEMSO 16F5
                                                FILM98 1697
ESTRT
      14DA
EDUMP 1388
                BETKEY 1718
                                BET9T 1159
                                                 8000
                                                       1111
6000P1 1384
                800DP2 1328
                                600DPR 11E2
                                                6THEX 1769
STKEY 155B
                HEX
                       177B
                                HEXASC 1784
                                                 HEYERR 1799
HEXINT 1768
                HEXIT 1788
                                HEXOUT 17CB
                                                 HIADD FEAL
HISH
      1260
                HYPRIR 179F
                                INIT
                                       6F3B
                                                 INKEY 173E
INLOOP 13F5
                INPUTS 17BF
                                INSTRA 178A
                                                 LOWADD FF44
HENU BEB3
                 MENUT BEAD
                                MOVERS 15F#
                                                 NADDRS 1648
NDATA 164F
                NEWADD 1580
                                NEWDAY 1544
                                                 NORRE 18AF
NODISP #FB5
                NOERSD 15E3
                                NOROOM 1101
                                                 NOTEXT 1707
NOTHTY 189A
                NOTNEB 1576
                                NROOM 1287
                                                 NTOVER 1587
                                OKPRNT 1447
                NXLINE 1463
                                                 OLOOP
                                                        1492
NUMK
      8668
OUTSTS 1758
                PEXIT 188A
                                PLOOP
                                       8F91
                                                 POLCAT ABBB
PREXIT 1813
                 PROBRM 6F68
                                PULSE 181F
                                                 PUTHON 1059
RLYDLY 8F73
                 RSTART 13AC
                                       13CF
                                                 SPACES 1498
STADD BIE7
                 START #1D1
                                 STRIXT 12BF
                                                 TARBET #105
                 TOTHSB 12ED
                                 TOBIS 15AE
                                                 TOOHI 11CB
                 TOPADD 1FFF
                                 UNERAS 11FE
                                                 UNERSD 133B
 T00HIG 1598
                 YERIOK SFFA
                                 VEXIT 1#83
                                                 VLOOP 1863
 VOLTS FF43
                 WRKADD 1350
                                 MARB
                                       6688
```

CMD=#: EPROMSRC.SRC /P

Correction for Cooking With Coco:

In the July installment, Listing 1 (BASLOAD) was inadvertently left out. Listing 2 and 3 were labeled 1 and 2. Here is last month's Listing 1 (which is also on the August RAINBOW on Tape):



Listing 1 (BASLOAD):

```
'THIS WILL TRANSFER BASIC
  'EXTENDED BASIC AND DISK
     BASIC TO ROM
30
     CORRECT IT,
40
                 THEN
50
     COLD START IT.
60
     IT WILL WORK WITH OR WITHOU
T
70
     EXTENDED BASIC OR DISK BASI
C
  ' IN ROM
80
  'NOTE: For Color Basic 1.1 on
ly.
100 'Revs of Ext. and Disk not i
mportant
11Ø CLEAR 200,32511
120 DATA 32512,41044,41092
130 'RELOCATION PROGRAM
14Ø DATA 26,8Ø,142,128,Ø,166,132
, 183, 255, 223, 167, 128, 140, 224, 0, 3
9, 5, 183, 255, 222, 32, 239, 28, 175, 57
15Ø ' PATCH #1
160 DATA 198,13,189,160,137,18,1
8
170 ' PATCH #2
18Ø DATA 142, 127, 254, 32, 10, 167, 1
93, 90, 38, 251, 206, 255, 224, 57
190 READ S1, S2, S3
195 TT=S1+S2+S3
200 ' LOAD RELOCATION PROGRAM
21Ø FOR A=S1 TO S1+24
220 READ CODE
225 TT=TT+CODE
230 POKE A, CODE
24Ø NEXT A
245 IF TT<>117877 THEN PRINT"PRO
GRAM ERROR. PLEASE CHECK": STOP
250 '*SUBROUTINE IS NOW IN
260 'GO EXECUTE IT
27Ø EXEC 32512
280 SOUND 120,1' ANNOUNCE COMPLE
TION
      OVERLAY PATCH #1 PREVENTS
MEMORY TYPE
```

August 1984

300 ' FROM BEING SWITCHED BACK T O ROM/RAM 31Ø FOR A=S2 TO S2+6 320 READ CODE 325 TT=TT+CODE 330 POKEA, CODE 34Ø NEXT A 345 IF TT<>11861Ø THEN PRINT "ER ROR IN PATCH #1, PRESS RESET, RE LOAD 'BASLOAD' AND CHECK": POKE11 3,Ø:STOP 350 ' PATCH #2 360 ' INITIALIZE PARALLEL PIA 370 FOR A=S3 TO S3+13 380 READ CODE 390 POKE A, CODE 395 TT=TT+CODE 400 NEXT A 405 IF TT<>120656 THEN PRINT "ER ROR IN PATCH #2. PRESS RESET. RE LOAD 'BASLOAD' AND CHECK": POKE11 3, Ø: STOP 410 ' CLEAR COLD START FLAG 42Ø POKE 113,Ø 43Ø 'START UP BASIC 44Ø EXEC4Ø999 450 ' THIS IS THE ASSMEBLY SOURC E FOR THE 460 ' ABOVE CODE SEGMENTS 470 ****************** 480 '* BASIC RELOCATOR 490 ' ORCC #\$50 DISABLE INTERRUPTS 500 ' LDX #\$8ØØØ BASIC START ADDRESS LDA , X GET A BYTE 510 'LOOP 520 ' STA \$FFDF SWITCH TO RAM MAP 530 ' STA , X+ PUT BYTE IN RAM 540 ' CMPX #\$EØØØ END O F BASIC

NEW FOR YOUR COCO!!! CHROMART! A NEW HI-RES ART PROGRAM.

No knowledge of BASIC required!
 For a 32K ECB CoCo, Joystick optional

Ultra fast M.L. routine
Lets you: autoload, box, circle, save, load, fill, get, put, joystick or
keyboard control, line, move, change pmode and color set,
pcopy, clear - all using single letter commands!

FOR ONLY \$19.95 + \$1 S&H (Add \$3 for DISK version)

CHROMATIC COMPUTER COMPANY 801 Eldridge Rd., Fairless Hills, PA 19030 (215) 946-0263 or 493-5423 Check or Money Order Only!

55Ø ? BEQ DONE ALL MOVE D LEAVE IN RAM MAP STA \$FFDE SWITCH 560 ' BACK TO ROM MAP BRA LOOP CONTINUE 57Ø ' MOVING 58Ø ' DONE ANDCC #\$AF ENABLE INTERRUPTS 59Ø ? RTS RUNNING IN AL L RAM SYSTEM 600 ************** **** 610 **PATCH 1 PREVENTS SAM FROM BEING SWITCHED 620 **BACK TO ROM MAP TYPE DURIN G BASIC STARTUP 630 2 ORG \$AØ54 649 " LDB #ØD ADDRESSES TO SET IN SAM JSR \$AØ89 JUMP TO **650** NEW SETUP CODE 660 '* SPACE FOR THIS NEW ROUTIN E IS MADE 670 '* AVAILABLE BY THE REMOVAL OF THE MEMORY 680 '* SIZING ROUTINE IN PATCH # 2. MEMORY MUST 69Ø '* BY 32K TO EVEN BE DOING T HIS. 700 **************** **** 710 '*REMOVE MEMORY SIZE ROUTINE AND INSTALL 720 **SAM SETUP ROUTINE FOR PATC H #1 73Ø ? ORG \$AØ84 740 2 LDX #\$7FFE MEMORY SIZE 750 7 BRA CONT DO REST OF ORIGINAL CODE 760 ****** 770 '* INITIALIZE SAM 78Ø 'INIT STA ,U++ WRITE TO SAM 790 " DECB COUNTER DOWN 800 3 BNE INIT DONE ALL ADDRESSES? 810 ' LDU #FFEØ RESET U FOR REST OF CODE 820 " RTS TO CODE AFTER PATCH #1 NOP FILLER BYTE 830 * 84Ø 'CONT EQU * FIRST BYTE OF OLD CODE 850 ' END 860 ****************

1



INTERNATIONAL



THE SPOOLER

Whenever you use your printer your COCO is totally dedicated to feeding it with data. This isn't such a problem when you just want to print out a couple of lines, but LLISTing a long program can be very boring. If you have better things to do than sit around waiting for your printer, our program is just what you need. THE SPOOLER will work on any COCO from 16K Basic to 64K with Disks.
\$12.95CAN \$10.95US

COCO from 16K Basi to 64K with Disks. \$12.95CAN \$10.95US

presents

The BEST BARGINS in

UTILITIES



EXECCART

EXECCART is a M/L program that allows you to copy ROMPAC programs to tape. They can then he loaded back into a 64K COCO programs to tape. They can then be loaded back into a 64K COCO and examined or modified. You can run most of your RDMPAC'S from disk without ever having to remove the disk controller This saves tremendous wear end tear on the contacts. EXECCART may also be used to add a loader to your programs to turn on 64K and copy Basic RDMs to RAM so that you can modify them \$17.95CAN \$14.95US

NEWERROR will provide four extra functions and abilities for extra functions and abilities for your Color Computer. It will

1. Give BASIC a ON ERROR GOTO command

2. Give full English error messages

3. Allow simulated error debugging

4. Give an sudible error warning

As an added bonus we include a second M/L program that you add to your own Basic programs to provide them with the ON ERROR GOTO

NEWERROR

feature. \$19.95CAN \$16.95US



VISA

SUPER EDIT



This powerful new utility program from the author of "IN ASSEMBLY LANGUAGE" adds many new editing commands to Basic. You can Print one screenful at a time, DELETE a line or lines, JOIN several lines together and hide your programs or FIND strings and variables. Also included are commands to INSERT, COPY MOVE & REPLACE one line or a block of lines. Super edit does listing Dealer Inquiries characters. lines, Super edit does not require EXT Besic \$19.95CAN \$16.95US

Add 3% Shipping Minimum \$2.50

Invited



Five much needed features are added to Basic with this new machine language utility program from Australia.

SCREEN .

. Line by line progrem listing. Motor on / off from the keyboard Hotor on / off from the keyboard, fully automatic line numbering 4. Your choice of light or dark orange, green or black acreen with light or dark orange; r green cheracters 5. New Auto key repeat

\$12.95CAN \$10.95US



420 Ferguson Ave.N. HAMILTON ONTARIO CANADA **L8L 4Y9**



125 S. Fifth St. LEWISTON N.Y. U.S.A. 14092

416-529-1319

Ont. or N.Y.

For CANADIAN orders call

comp store

Your personal computer link to Canada's best shopping — anytime!

does

Residence

Add 7% Tax.



British Columbia 122-800-361-7330 1-800-361-7330 Prairies Ontario, Quebec, Atlantic 1-800-361-3090 Montreal 849-5365

Send \$3.00 for our NEW 100 Page Catalogue

Popular Misconceptions And Common Problems

Tony DiStefano Rainbow Contributing Editor

In the past three and a half years I have learned much about the Color Computer. Playing and poking around inside I compiled lots of information about how this computer works. I listen to everyone that has something to say about it, in case I learn something new. If I do, I immediately race home and try it out. To see if what I heard or what I saw really works or is true. However, not everything I hear is right. This brings me to this month's topic. I will try to clear up the "hearsay" and "did you know" about the Color Computer. Some of them are started by good ol' Radio Shack and others are started by well known people in the Color Computer circles, but most are started by people who misunderstand something and repeat it to someone else. Nevertheless, where ever they come from, I would like to clear up the ones I am familiar with.

The first one pertains to disk drives and disk controllers. Some believe that the new 1.1 disk controller needs and gets its 12 volts from the power inside the disk drive. That means that the 1.1 controller can only work with the newer white drives. This is simply not true. The new 1.1 controller does not get 12 volts from the disk drive. The fact is the engineers at Radio Shack redesigned the 1.1 disk controller so that it does not use 12 volts. They used a different controller chip and data separator in the 1.1 controller. They did this so one could use this controller in the newer CoCo 2. You see, the CoCo 2 has no 12 volts inside, so the older controllers would not work with it. This is the way it is. The older 1.0 controller will work with the regular CoCo only. The newer 1.1 controller will work with both the regular CoCo and the CoCo 2. The older gray disk drives will work with either controller without any modification. The newer white disk

(Tony DiStefano is well known as an early specialist in Color Computer hardware projects. He is one of the acknowledged experts on the "insides" of CoCo.)

drives will work with either controller without any modification.

The next misconception is that some software can damage your hardware. This, in most cases, is not true. The software cannot hurt the hardware. If the software crashes (does not work right), then at most, you could erase a disk if it was not write protected and the door to the disk drive was closed. You will lose what you have in memory, or turn the cassette player on and if it is in the record mode, you could write on top of something important. If you see garbage on the video screen or see the sync break up and the picture tear all across the screen, just turn the computer off, wait for 15 seconds, then turn it on again and all is well. This will not hurt the computer. The only case where I can see a problem is if the software turns the cassette relay on and off repeatedly at a high speed. If you were to leave this condition for a extended length of time, it could burn out the relay. I have never seen this happen to my computer. Another highly unlikely problem could exist with a disk drive. If the software were to bang the read/write head repeatedly to track 0, the head could get out of alignment. But again, you could stop it before any damage could result.

The third misconception involves memory. So many people call me and say, "I just had a 64K upgrade put in my computer. How come when I type PRINT MEM I get less than 32K? Did I only get 32K? Where are the other 32K?" I covered this topic in an article last year but the amount of times I hear this question warrants me to explain it again. The CPU inside the CoCo and the CoCo 2 is an MCM6809. This CPU can only access or work with 64K memory total, ROM and RAM total. When you turn on your computer, a total of 32K memory is reserved for BASIC, Extended BASIC, and Disk Extended BASIC. This right away leaves only 32K left for PRINT MEM. The rest of the memory difference is being reserved for such things like video area, graphics

pages, I/O buffers, and variables. The other 32K of RAM is sleeping. BASIC cannot get to it because it does not know how to wake it up. It takes programs that are written with 64K in mind. Programs that know how to wake up the sleeping 32K are usually advertised as being able to make use of the full 64K. They will perform a test to see how much memory is available and make use of all of it.

The second part of this month's article is about common problems. There are a lot of little quirks that bother the average user about the CoCo. The biggest one I can think about is with disk drives. The ever popular I/O Error. What a nightmare when the project you were working on for hours is lost to an I/O Error. There are a lot of so called "fixes" for I/O Errors, like hiding the directory on track 35 or backups of backups of backups. Then there are those programs that try to recover your lost files. Don't get me wrong, they are good programs and I did have to recover files myself, but if you have a lot of I/O Errors, it might be wise to take a look at your hardware. I get a lot of letters from people who have these problems.

Here are some good tips on how to prevent disk I/O Errors. The most common cause of errors is the connection between the controller and the computer. The Radio Shack controllers have lead-coated contacts and they get dirty. They oxidize and prevent the signal from going through. Some say to clean the contacts with a soft pink eraser. Others say that it is no good and say to use alcohol and a Q-Tip. I say use both. First the eraser to clean the big dirt and then the alcohol to mop up. It works great!

Some of the older disk drives have problems with speed. The speed drifts and causes I/O Errors because the drive belt slips due to excess oils present in that area. What you have to do is remove the cover and clean the belt. Clean your heads regularly. Finally, remember to always open the drive door whenever you are not doing I/O to disk. If your program crashes, there is no chance that it will garble your disk. Always have the door open when turning your computer on.

The next common problem is the Radio Shack keyboard. Sometimes the older keyboard keys can stick or give double characters. The best way to clean this would be to take it all apart and clean each key one by one. But if you take it apart you will be greeted with a springy surprise. Yes, many little springs are inside the keyboard. A much easier way to clean a key is to squirt a little shot of lighter fluid into the space around the key and quickly press the key several times. Do this again if the problem persists.

The last problem that is common to the CoCo user (especially the old "D" and "E" boards) is in the power supply. The symptoms are strange. At first, it might look like the software has crashed. Then, the screen might go blank . . . all white, no control. Hitting the Reset is no help, but turning it on and off fast sometimes fixes the problem. It sounds like the power switch is defective, but that is not the problem. The current sensing resistor is likely out of tolerance. It is supposed to be a .33 ohm two-watt resistor. The resistance in one case was up to .47. That gave a false reading to the current sensing amplifier. Then the five-volt section of the power supply shut down, thinking that there was a short, causing the computer to fail. The 12 volts to the RF adapter was still on. That gave the blank screen effect. To solve this problem change the resistor, with the same value, of course. On the "D" and "E" board it is R66 and on the "F" board it is R24.

Plan to Attend ANNUAL OS-9 USERS SEMINAR

August 17, 18, 19, 20 Pre-Registration Only!

- MORE INFORMATION
 - MORE EXHIBITS
 - MORE SPEAKERS
 - HARDWARE
 - SOFTWARE





• TECHNICAL SESSIONS FOR 6809 & 68K

Plan now to attend the 3rd Annual OS-9 User Seminar. This is an event you won't want to miss if you use, sell or are interested in systems that use Microware 6809/68000 software. Informative round-table discussions on almost every aspect of the design and use of Microware software will be held. A bigger and better exhibit area will have display booths from many of the leading suppliers of OS-9 compatible hardware and software. Don't miss this chance to increase your knowledge and skill in the latest microcomputer software technology — Register today!!!

Fee:

\$125

Location:

Marriott Hotel Des Moines, Iowa

Don't Miss It: Pre-Register Now! Call: 515/279-8844 or Write:



0S-9 and BASIC09 are trademarks of Microware and Motorola.

CONNECT WITH CONFIDENCE



PRINT SPEED—120 cps, Bidirectional Logic Seeking

PRINT SIZE-10, 12, 17, 5, 6, 8.5 cpi

NUMBER OF COLUMNS-80, 96, 136, (40, 48, 68 in

Double Wide)

CHARACTER MATRIX—9 x 9 Standard, with True Descenders • 18 x 9 Emphasized • 18 × 18 Double Strike • 6 x 6 Block Graphics • 60 x 72 Low Resolution, Bit Image Graphics • 120 x 144 Hi Resolution, Bit Image Graphics • 240 x 144 Ultra Hi Resolution, Bit Image Graphics

CHARACTER SETS-96 Standard ASCII Characters • 96 Italics • 64 Special Characters • 32 Block Graphic Characters • 96 Downloadable Charac-

ters • Super and Sub Script

LINE SPACING—Programmable by n/144"

PAPER HANDLING-Roll Paper • Cut Sheet • Tractor Fanfold • Copies: 3 Carbonless Sheets

COMPLETE SYSTEM

NOTHING MORE TO BUY

180 DAY WARRANTY

BLUE STREAK INTERFACE

SCREEN DUMP SOFTWARE

31995+ \$10 Shipping and Insurance 15X System 43995

BLUE STREAK SERIAL TO PARALLEL INTERFACE

RUN COCO I or II to PARALLEL PRINTER


300, 600, 1200, 2400, 4800, 9600 SWITCHABLE BAUD RATES
AC POWER OPTIONAL—NOT NEEDED WITH GEMINI PRINTER

COMPLETE WITH ALL CABLES AND CONNECTORS

180 DAY WARRANTY



5495 SHIPPING



COMPLETE DATA COMMUNICATIONS PACKAGE

VOLKSMODEM™—Connects Directly to Wall Phone Jack • Telephone Jack with Voice/Data Switch • 300 Baud (bits per second) • Originate/Answer Mode Automatically Selected • Battery Powered, Low Drain for Long Life (batteries included) • Lifetime Warranty • Includes All Cables for COCO YOUR CHOICE OF SOFTWARE!

TSP (Terminal Software Package)—51 x 24 Hi-Res Display • Buffer Auto Adjusts for 16K to 64K • Permits Communication to Virtually All BBS and Networks

AUTOTERM™—World's Smartest Terminal Program

INCLUDES SUBSCRIPTION TO THE SOURCE LIMITED TIME OFFER

\$7995 + \$2.00 Shipping with TSP

\$9995 + \$2.00 Shipping with AUTOTERM™



OHIO CHARTER CORPORATION • DUN & BRADSTREET LISTED
7201 CLAIRCREST BLDG. C • DAYTON, OHIO 45424
(513) 236-1454
OHIO RESIDENTS ADD 6% SALES TAX

C.O.D. ADD \$2.00

Free Limited Time Offer

Over \$100 In **Discount Coupons** On Software And Supplies

With Purchase Of Complete System

RAINBOW REVIEWS



Adventure Cracker	
A Great Tool For Solving Those Hard Adventures/Classical Computing, Inc.	210
Alpha-Dir Arrange Your Disk Directory Alphabetically/Microcom Software	201
The Black Sanctum	201
Excitement And Adventure In Every Byte/Mark Data Products	212
CGP-115SD	
A Screen Dump For The CGP-115/Derby City Software	203
Victory Is Sweet/Intracolor Communications	225
Chopper Strike	
A Bit Too Rough/MichTron	227
CoCo Cookbook Deserves A Chef's Salute/Computerware	210
Cocoindx	
A Convenient Index To CoCo's Literature/Cocoindx	216
DMAGIC (Parison Mana Dublish San Dublish S	040
A Disk Utility For Organization/Dorison House Publishers, Inc	213
A High-Flying Space Odyssey/Sugar Software	208
Fractions	
A Low-Cost Teacher's Aid/Shamrock Software	228
An Education Game That Grows On You/Radio Shack	201
The Gunfighter	221
You'll Get A Bang Out Of It/Jarb Software	207
Ice Bird	
A Fun, Heart Warming Game/Crystal Software	219
A Contest Of Avian Agility/Spectral Associates	224
MCI Color Colordor	
Organize Your Time/Delker Electronics	206
Model 102-RS232 Switcher A Big Help/Metric Industries	220
Percents A Low-Cost Teacher's Aid/Shamrock Software	228
The Sector Inspector	
A Good Disk Utility With 'Zap'/Sonburst Software	220
Shrink For Extra Bytes/Elite Software	216
Spectrum DOS	
An Added Attraction For CoCo/Spectrum Projects	215
Super Color Biorhythms Plotting Your Highs And Lows/Armadillo International Software	223
Super Guide/XPNDR1	ZZO
A Well-Constructed Breadboard/Robotic Microsystems	208
Swiss Army Knifé A Sharp Disk Utility/The Dataman	205
Type Trek Typing Can Be Fun/CoCo Chips	198
Witches' Knight	
Will Cast A Spell On You/Pal Creations	231
Worlds Of Flight An Uplifting Flight Simulation/Tom Mix Software	200
	1

RECEIVED & CERTIFIED

The following products recently have been received by THE RAINBOW, examined by our magazine staff and approved for the *Rainbow Seal* of *Certification*, your assurance that we have seen the product and have ascertained that it is what it purports to be.

This month the *Seal* of *Certification* has been issued to:

Personal Bookkeeping, a personal accounting program requiring 32K Extended BASIC, one disk drive and a printer. The program handles 25 accounts, supports 26 expense categories, records taxable and nontaxable income, and allows for notations to each check or expense. File searches can be performed on nine different fields and a user-definable password access system protects the confidentiality of your data. AMDT-Stardancers, 762 Brady Avenue, Bronx, NY 10462, disk \$27.95 plus \$1.50 S/H

Spooler, an ML utility requiring 64K of RAM and Extended Color BASIC. The program sets up a software printer buffer of nearly 8,000 characters in high RAM and permits the user to regain control of his CoCo faster than during normal operation. It is totally transparent and uses memory not ordinarily used. Spooler is being marketed through the freeware concept — forward a blank cassette tape or formatted disk and postage-paid mailer to obtain a copy. The CoCo Freeware Clearinghouse, P.O. Box 1084, Morgantown, WV 26507, free on supplied medium — contributions accepted

MegaMunk, a 32K ML strategic arcadetype game requiring one joystick. As a soldier of fortune in a civilization of monkeys, you accept the King of Ledonia's challenge to save the forest from the invading monster spiders. The game features 11 different Hi-Res screens, artifacted color and several musical selections. Color Connection Software, 1060 Buddlea Drive, Sandy, UT 84070, cassette \$21.95, disk \$23.95 plus \$2 S/H

OKI DUMP, a 16K Hi-Res screen dump utility for the Okidata 80 series printers without Okigraph. The pictures are nearly the full paper width and can be inverted or normal. The manual includes hints on printing game screens. Color Connection Software, 1060 Buddlea Drive, Sandy, UT 84070, cassette \$8.95, disk \$10.95 plus \$2 S/H

OS-9 Dynamite+, a Color Computer OS-9 disassembler for disassembling any 6809 or 6800 machine code program into source code. The program aids in converting 6800 programs to 6809. It automatically generates labels and allows for specifying FCBs, FCCs, FDBs, etc. Constants can be input from disk or console and output can be to either the console, disk or printer. Computer Systems Center, 13461 Olive Blvd., Chesterfield, MO 63017, disk \$59.95

Middle Kingdom, a composite arcade graphics Adventure game requiring 32K of RAM. Movement is controlled by the arrow keys as

you search the Pyramid, the Temple, and the Catacombs for the three magic rings. When you return with them to the Sanctuary, you will become the new ruler of the Middle Kingdom. Computerware, P.O. Box 668, Encinitas, CA 92024, cassette \$24.95, disk \$27.95, plus \$2 S/H

Star Trader, a graphics Adventure and Simulation requiring 32K for cassette and 64K for disk, Extended Color BASIC, and either a joystick or mouse. You assume the role of a merchant ship captain, traveling between solar systems and trading for cargo. Your goal is to collect 1,000 credits so you can retire in luxury from the dangerous life of solar trading. Gauges in the cockpit indicate your location, current damage status, credit balance, cargo destination, location of nearby starships, fuel supply, laser power levels, and the current date. Computerware, P.O. Box 668, Encinitas, CA 92024, cassette \$24.95, disk \$27.95, plus \$2 S/H

The Music Collection, Part I, a BASIC compilation of music requiring 16K of RAM and Extended Color BASIC. The program is an assortment of favorite melodies, including folk songs, Christmas songs, classics, and songs to entertain children. Creative Chris Enterprises, 3701 Shannon Drive, Harvey, LA 70058, cassette \$5.95

Adventure in Bipland, a graphics Adventure for the MC-10. After having fled from the Exjecters generations ago, the Bips are now being pursued by them again. To restore peace to Bipland, you must slay the Exjecter king and halt production of their new invention. The Dataman, 420 Ferguson Ave. N., Hamilton, Ontarlo, Canada L.8L. 4Y9, or 125 S. Fifth St., Lewiston, NY 14092, cassette \$13.95 U.S., \$15.95 Can., plus 3 percent S/H (\$2.50 min.)

Club Controller, a 16K ML program that will assist in the tasks associated with running a club. The Dataman, 420 Ferguson Ave. N., Hamilton, Ontario, Canada L8L 4Y9, or 125 S. Fifth St., Lewiston, NY 14092, cassette \$16.95 U.S., \$19.95 Can., plus 3 percent S/H (\$2.50 min.)

Alphatalk, an educational program for preschoolers requiring 16K ECB and designed for use with the Spectrum Voice Pak, although it is not required. The program presents a letter in either upper- or lowercase, speaks the letter, and then waits for the child to press the correct letter on the keyboard. HARMONYCS, 1747 Patricia Way, Salt Lake City, UT 84116, cassette \$\$11.95

Stellar Life Line, an ML, arcade-type space game requiring at least 16K of RAM; joy-stick control is optional. As the commander of a fleet of spaceships, your mission is to clear a path among the stars so that your fleet can travel from one starbase to another. But blocking your path are asteroids, magnetic mines and alien attack ships that threaten to destroy you. Radio Shack Stores nationwide, Cat. No. 26-3047, ROM Pak \$19.95

System Secrets, a comprehensive guide to PEEKs, POKEs and EXECs for the Extended BASIC and Color BASIC Color Computers. Put power into your programming with this 18-page booklet printed on 8½ x 11-inch, single-sided pages. RC Creations, 17251 Palatine N., Seattle, WA 98133, \$5.95 plus \$1.50 S/H

Super-Disk Charger 1.12, a machine language program that increases the disk step rate by 2.5 to six times over the normal step rate of 30 ms. This speeds up all disk operations, decreases mechanically generated noise from the drive head, and helps the drive last longer. The program supports both single-and double-sided disk drives. Reitz Computers And Electronics, 3170 W. Central Avenue, Toledo, OH 43606, disk \$21.95

Dapper, a disk "mapper/zapper" utility program requiring 32K and Disk Extended BASIC. It enables the user to certify disk quality; to backup to and restore from tape; and to recover data from, repair, and restructure bad disks. Sadare Software, P.O. Box 3891, Gaithersburg, MD 20878, disk \$14.95

The Archivist, an ML utility requiring 64K Disk Extended BASIC. The program is primarily for making backups of disks to tape. Also, it will erase and format disks. Sonburst Software, 233 S.E. Rogue River Hwy., Grants Pass, OR 97527, disk \$14.95 plus \$1.50 S/H

The Deputy Inspector, an ML disk management utility requiring 64K Disk Extended BASIC. The program will alphabetize directories, sort the entries by extensions, or move them around wherever the user wishes. Then the disk can be backed up to another disk, rearranging the gran allocations of each program as it is copied so that the program sreside on consecutive grans. The program will also format disks and produce backups in three swaps. Sonburst Software. 233 S.E. Rogue River Hwy., Grants Pass, OR 97527, disk \$21.95 plus \$1.50 S/H

EDT, an assembly language text editor requiring 64K and Disk Extended BASIC. Features include menu selected functions, an optional "center of screen" work area, and a 49-page manual. Sonburst Software, 233 S.E. Rogue River Hwy., Grants Pass, OR 97527, disk \$35.95 plus \$1.50 S/H

Quizspin, an educational game for two players requiring 32K ECB. Based on the TV program "The Joker's Wild," a multiple-

choice question is asked by the computer from the category selected by the player. There are five categories to choose: presidents, states and capitals, mystery, chemistry and math. Hi-Res graphics are featured. Spectral Associates, 3416 S. 90th, Tacoma, WA 98409, cassette \$24.95, disk \$28.95, plus three percent S/H (\$2 min.)

ADOS, an enhanced version of Disk BASIC that requires 64K for RAM use or can be burned into an EPROM to replace the Disk BASIC ROM. Features include: repeat and edit of the last direct-mode command; control key abbreviated entry of BASIC commands; automatic line number prompts for program entry; lowercase command entry; DOS command for booting OS-9; one- or two-column directory with free grans to screen or printer; COPY "filename" TO (drive number) command; AE Error override option for COPY and RENAME; RUNM command to load and execute machine language programs; RAM command for ROM-to-RAM transfers; SCAN command lists ASCII files to screen or printer and gives start, end and execution address for binary files; PEEP command provides movable window for inspecting memory contents; compatible with all commercial software. SpectroSystems, 11111 N. Kendall Drive, Suite A108, Miami, FL 33176, disk \$27.95 plus \$2 S/H

The Peeper, an ML utility requiring 16K of RAM. The program is an interrupt-based program tracer that allows the monitoring of machine language programs while they are running. Switching can be accomplished between watching the program's regular output and watching Peeper's trace output of registers and stack, either on screen or printer. Execution speed can be varied while the program is running, from moderate slowdown up to several thousand times slower than normal. It supports singlestepping, break points, memory examine/ change, and movable windows to view memory in any graphics mode. Spectro-Systems, 1111 N. Kendall Drive, Suite A108, Miami, FL 33176, cassette (copyable to disk) \$21.95, with assembler listing \$24.95, plus \$2 S/H

Blackjack Royale, a new version of the Hi-Res graphics casino blackjack simulation and card counting tutor requiring 32K of RAM. Playing features include: double down, splits, surrender, insurance bets, one to eight decks, burnt cards and shuffle frequency. Improvements over the older version include: graphics are done in machine language for faster play; the deck point value bug has been corrected; and a new pit boss feature has been added. Spectrum Projects. P.O. Box 9866, San Jose, CA 95157-0866, or P.O. Box 21272, Woodhaven, NY 11421, cassette/disk \$24.95, plus \$3 S/H

Radio Systems Design Calculations, a program requiring 16K ECB for the tape version and 32K ECB for disk. It can be used to design, evaluate and modify land mobile radio systems, satellite TV and satellite data acquisition systems, TV and Broadcast FM systems, microwave systems and aircraft radio systems. Sugar Software, 2153 Leah Lane, Reynoldsburg, OH 43068, 16K/32K cassette \$29.95, 32K disk \$32.95, plus \$1 S/H

Concordance, a 32K ML program that allows you to list the correlated references in a BASIC program, thereby aiding in debugging efforts. In addition to a standard listing, the program outputs a pretty print type listing which breaks each BASIC line into a more readable form, and the concordance listing, which provides a correlation of all GOTOs, GOSUBS, PEEKs, POKEs, and variables that reference the same line. Echosoft, 17 Skyline Dr., Shalfont, PA 18914, cassette \$19.95, disk \$24.95, plus \$2 S/H

Continents and Oceans, a three program educational package designed for ages eight to 13 requiring 16K ECB. Through games, quizzes, and Hi-Res graphics representations, the programs help children to establish the locations, shapes and proper spellings of the continents and oceans of the world. Thompson House, P.O. Box 58, Kamloops, British Columbia, Canada V2C 5K3, three cassette package \$24.95

WP, a BASIC word processor program requiring 32K of RAM. The program also functions as a database manager with complete control over printing every character. Also, special graphics alphabets can be generated, including large multiline characters. The program is user-modifiable and is accompanied by a 57-page instruction booklet. Bob Vercler, R.R.#2, Chenoa, IL 61726, cassette \$35

Workbase I & II, two database systems designed for business and requiring 32K of RAM, Disk Extended BASIC and at least one drive. The program includes database, spreadsheet, mailmerge and word processing capabilities all in a single integrated package. Workbase I can handle up to 400 records and Workbase II can handle 1,200. Both can be defined to support all currently available printers and include a demonstration disk. Workbase Data Systems, P.O. Box 3448, Durham, NC 27702, Workbase I \$64.95, Workbase II \$79.95

The Seal of Certification program is open to all manufacturers of products for the TRS-80 Color Computer, the TDP-100, or the Dragon-32, regardless of whether they advertise in THE RAINBOW. By awarding a Seal, the magazine certifies the program does exist, but this does not constitute any guarantee of satisfaction. As soon as possible, these hardware or software items will be forwarded to THE RAINBOW'S reviewers for evaluation.

— Kevin Nickols

SPECIAL It's easy for **SAVE \$5.00** See offer the novicehelow sophisticated enough for the expert!

> The power of the TRS-80® color computer

This illustrated book is compiled with 29 NEW programs for fun and education. A guide to programming the full-range of color computer capabilities, it helps users write intelligent and well thought out programs.

The program listings in the book are exactly as you would see them on the screen. Inside the book you'll find: How to Use This Book • 10 Games and Puzzles • 8 Graphics Programs • 4 Business & Financial Programs - 7 Utilities So You're Program Doesn't Work **Adding Two Programs Together**

The structure of each program contains the program type, objective, background, summary, graphic explanation, program structure, taking it further, and suggested hints to expand to other applications.

Only \$14.95. Money back guarantee. We accept Master Card, Visa, check or money order. Add 5% Mass. sales tax if you're a resident of Massachusetts.

These programs are also available on floppy disk or cassette for the special price of \$14.95. These NEW items are all available NOW!

Send for information.on 2 new software packages. SPECIAL OFFER: 2 new disk utilities for the color computer-DMAGIC & PRO-LOC. \$14.95 each, regularly \$19.95.

Please send me: TRS-80 Book @ \$14.95 TRS-80 Floppy Disk @ \$14.95	
TRS-80 Cassette (# \$14.95 DMAGIC (# \$14.95 PRO-LOC (# \$14.95	
Add 5% sales tax if a resident of Massachusetts TOTAL	
NAME	
ADDRESS	
CREDIT CARD NUMBER	
EXPIRATION DATE	·
DORISON HOUSE PUBLISHER	S, INC.

824 Park Square Building Boston, Massachusetts 02116

REVIEWS

XPNDR1

Editor:

In this issue of THE RAINBOW, Dan Downard summarizes his review of the XPNDR1 bare breadboard by suggesting that it be redesigned. Certainly, to an experienced hardware person, the XPNDR1 may lack specific features preferred by one individual or another, but what of all the adventuresome CoCo users who have yet to build their first circuit; what does the XPNDR1 offer them? I don't think they need more space nor a more complex pattern of holes. I do think they need simplicity in a technically correct design. That's what the XPNDR1 is all about; those are the people I had in mind when I designed the board and wrote the eight-page application notes to go with it.

Since there are very few high quality CoCo breadboards available, though, the XPNDR1 is also for the skilled experimentalist who will have no problem obtaining results. (Need a lot of holes? Cut out the center of the XPNDR1 and epoxy in a section of perf board. Got a few resistors and capacitors to add? Insert them into the holes and go ahead and wirewrap to them. Wirewrap pins are square so the wire can bite into the sharp corners; in the case of round leads, a tiny dab of solder will ensure long-term reliability.) I favor wirewrap and would encourage anyone attempting to build expansion hardware to do the same; the tools can be inexpensive and the technique can be learned in a few minutes. In professional electronics, breadboard and wirewrap are nearly synonymous.

When designing the XPNDR1, my first specification was that all copper traces terminate on plated-through holes because they provide far superior solder connections. This introduces two constraints, however; the holes must be drilled rather than punched and the board must be rigid glass/ epoxy. You can't plate punched holes (too ragged) and a flexible board will crack the plating. But drilled holes are two for a penny and it would be easy to have a very expensive board. The trick becomes getting the most utility from a reasonable number of holes. I think I did pretty well. Too many holes would also compromise the wide power and ground buses which are intended to eliminate potential noise problems many users would have no way of understanding.

Not to be overlooked is the CoCo power supply. While the XPNDR1 card will not hold enough CMOS to cause trouble, CMOS can be tricky to work with in the CoCo environment and many users will choose TTL and NMOS. In this case, the

power supply current limits will be reached long before the board is stuffed to capacity. The XPNDR1 card fully supports the vast majority of digital ICs that will be interfaced to the CoCo; one or two LSI chips, a few smaller ICs for discrete logic and the user can have an awesome interface to the world outside the CoCo — with room to spare. What the XPNDR1 does not support well is a large analog application with the concomitant multitude of components (that's why digital was invented — to eliminate that stuff!).

The SuperGuide, incidentally, is really a breakthrough gadget for the CoCo and will probably work with almost any printed circuit board that can be plugged into the ROM connector.

Reviewing products for a magazine is no doubt a tough assignment at times. The main thing Mr. Downard could not know is that XPNDR1 is intended to be exactly what it is — a simple but very useful introductory product and that I designed it knowing what the more advanced XPNDR2 looks like. Thanks.

Herb Hart Robotic Microsystems

ATTENTION PROGRAMMERS

Mr. Szlucha's review of CGP115SD was correct in that it takes a long time for this program to dump a screen to the CGP-115 printer. But he was less than accurate when he said this was a "simple program designed to reproduce color for color, dot for dot. CGP115SD not only reproduces what is on the screen exactly, it does it twice, so that the printed picture is enlarged to twice the size of what a simple "color for color, dot for dot ..." would be able to produce. Therefore, this program is not reproducing the usual 49,152 pixels; it is sending almost 150,000 pixels to the printer. The time that it takes to dump this large a picture is more than compensated for by that quality of the final printout. There are other programs on the market that do dump faster, but all that I have worked with do not compare to the quality of the CGP115SD printouts. Art, in any form, is a matter of quality, not quantity

When I want to dump a screen, I do it just before I go to bed. I first check to make sure the dump has started with no errors and then I leave it on its own. When I awaken in the morning, the dump is finished and the time it took does not interfere with any of my other activities with my CoCo.

I do agree with Mr. Szlucha that this type of program needs the speed of machine language, but as is the case with most CoCo owners, I do not know machine language. Derby City Software is just one person me. I had originally written CGP115SD for myself, because I was not happy with the quality of the screen dumps that were currently on the market. Other owners of the CGP-115 that I shared my program with were impressed enough with CGP115SD that they suggested that I should try to make it available to other hobbyists who own the CGP-115 printer. A friend who knows machine language is currently rewriting CGP115SD for me. When it is finished, it will be made available. For those persons who have already bought CGP115SD in the BASIC language form and wish to have the new machine language version, they will be allowed to make a straight exchange at no extra charge.

Mr. Szlucha was also very unfair to the readers of THE RAINBOW who are owners of the CGP-115 in that he failed to mention any of the other features that this program also makes available to the user. What follows is a list of these features:

- 1) The CGP115SD dumps all PMODEs, not just PMODE4 or PMODEs 3 & 4.
- To save ink and time, the user may easily delete the background color from the dump.
- 3) CGP115SD takes in the fact that there are alternate color sets, such as the black, buff, cyan and orange color set used by many of the game programs (which, by the way, Radio Shack doesn't mention in its documentation).
- 4) In *PMODEs 0*, 2 and 4, *CGP115SD* allows easy reversal of the foreground and background colors.

All of the features of the CGP115SD program are extremely user friendly. In fact, most of these features are accomplished by the program in a way that is invisible to the user.

Mr. Szlucha also states in his caustic review of the CGP115SD, and I quote, "... this program is overpriced. CGP115SD is selling for about twice the price...." At the time I submitted CGP115SD to THE RAINBOW for review, there were two other companies advertising screen dumps for the CGP-115 printer, both of which had fewer features and a lesser quality final printout than the CGP115SD. I choose an in-between price.

Mike Standefer Derby City Software

Saguaro Software


Kidstuf

Picture, Letter, or Number Association. Play an old-time tune with correct answer (7 songs), buzzes when wrong & waits for correct choice. 8 screens.

Tape - \$19.95 Disk - \$24.95

Amdek Color I Plus Color Monitor \$299

Video Driver - \$20 W/Purchase



Amdisk 3 Amdek Dual 3" Disk Drive

New Low Price

\$450

Includes 2 Diskettes And 2 Drive Cables (One Amdek, One 51/4")

First Box Of Diskettes - \$45.00 (Reg. \$55) R.S. Controller - \$135 With Amdisk 3

GAMES

GAIVIES	
PRICKLY-PEAR	
Travelin' Toad	32K 18.75
* Ockywoky	32K 18.75
* Light Runner	18.75
* Jumbo Jet	18.75
Color Disk Trivia	22.75
Question Disk	14.75
* With Color Trivia	7.50
Adventure in Wonderland	32K 18.75
Decipher	18.75
ERLAND	32K 18.75
Right	14.75
Football	14.75
Gangbusters	14.75
Great Word Game	14.75
Monsters & Magic	32K 14.75
Naked Gamer	16.75
Teeeofff	18.75
Viking!	14.75
TOMANNY	
TOM MIX	20/22 75
• SR-71	32K 22.75
*The King	32K 20.75 32K 21.75
*Touchstone	32K 21.75 32K 22.75
• Junior's Revenge	Tape-32K 21.75
Air Traffic Controller	1gpe-32k 21.73
0 0	21.75
Space Shuttle	21./5
PFA	
* Guillotine	7.75
• Flasher	14.75
Dunk-a-Duck	Tape 14.75
Inspector Clueseau	14.75
Patti Pak	16.75
Stagecoach	14.75
TYCOON	Tape-32K 14.75
SUGAR	
Flying Tigers	16K 19.75
Syntax Stories	8.75
Silly Syntax	16.75
3" Diskettes	10 for \$55
Paper - 3,000 Sheets	32.75
Blank C-15 Tapes	.75
100% Tested Disk SSDD 5 1/2"	Box of 10 \$20
10 Year Guarantee	50x 01 10 420
R.S. Disk Manual	\$17
The Electronical	

* Denotes New Programs

EDUCATION

LDOCATION	
PRICKLY PEAR	
Music Reader	26.7
Phonics 1 or 2 (tape only) Prereader 1, 2 & 3	18.75 18.75
Spelling	37.75
	• • • • • • • • • • • • • • • • • • • •
PFA : Alababat	8.7
*Alphabet Chalkboard Math	15.75
Ed. Pack 123's, ABC's, Big-Bigger	
Biggest, Shapes	18.75
Heart-Lung-Circulatory Medical Terminology	26.75 14.75
	14.74
SUGAR	24.74
Bible Stories Great U.S.A.	21.75 15.75
Prereader	15.75
Presidents of the U.S.	16K 19.75
APPLICATIONS	
PRIORITY PEAR	
PRICKLY PEAR Family Income Organizer (disk)	22.75
*Colorcal	18.75
Satellite Tracker	59.7
Super Astrology	32K 18.7
PFA	
Family	11.7
*Little Leaguer	32K 18.7
Stock Manager Super Bowling Secretary	31.75 32× 19.75
Hurricane Tracker	11.7
Stress Evaluator	18.75
SUGAR	
Co-Co Calligrapher	32K 19.7
UTILITY	
Filmastr	23.75
PRICKLY PEAR Clone Master	Tape-32K 29.75
Color Kit	26.7
Tape Omni Clone (tape)	22.7
Super Scroll	64K 18.7
Rom Free Modern Master	64K 18.75
	100 10.71
PFA Complian	204 44 04
*Text Master Graphics Super Disk Utility (alsk)	32K 11.95 35.75
*Master Graphics Tool Kit	32K 29.7 5
SAGUARO Move-it!	15.99
	.0.70
SUGAR	20.75
Auto Run Semigraf 32K 45.75 Tim's Mail	
32h 13.73 /11115 1414	

NEW FROM SAGUARO SOFTWARE

Treasure Hunt

A graphics text adventure. You walk with our graphics character through desert, mountains and city to seek the elusive treasure of gold. Super graphics with a person who walks with you at each turn. 64K. Tape-\$24,95, Disk-\$29,95.

Co-Co Receivables

Keep track of all those accounts with current list of accounts, statement printing, last activity date, and current month's transactions, debits & credits. Disk storage of dato, 32K disk, \$29.95.

Ultimate Bingo

& Jackpot

Do you want the ultimate in bingo? Use your LP7 or 8 to print the number of cards you desire. You can choose from 3 speeds & even pause the game to check the winner.

Jackpot

Pull the one arm bandit's arm & see if you can beat the odds. Both only: tape-\$19.95. Disk-\$24.95, Amaek-\$29.95

NNFUSICOO CONFUSION

3 modes of play, 3-4/5-6/7 letter words. You select time to govern how long (30 or 60 seconds) to unscramble the words. First person with ten correct wins. 1-4 can play. Tape-\$19,95, Disk-\$24,95, Amdek-\$29,95.

Co-Co Keno

Bring Las Vegas' Keno game home with Co-Co Keno. Bet \$1, \$3 or \$5 & mark off 1 to 15 spots...can you beat the odds & win \$50,000? 16K high resolution screen Keno chart print included. Tape-\$24.95, Disk-\$29.95. Amdek-\$34.95.

Loveless Manor

Trapped in a bedroom by your evil aunt, you've admired Queen Cinderella's castle in the distance...and you've just discovered she's a distant cousin. Can you escape to her protection? 32K. Great Word Adventure Tape-\$19.95, Disk-\$24.95, Amdek-\$29.95.

Add \$3.00 For Disk, \$6.00 For Amdisk



Arizona Residents Add 7% Tax • Add \$1.00 Per Program For Shipping (\$4.00 Maximum) - Dealer Inquiries Welcome • Some Quantities Limited • Ask About Royalties

7331 E. Beverly - Tucson, AZ 85710 - (602) 885-6508



Arrange Your Disk Directory Alphabetically With *Alpha-Dir*

Having a disk drive hooked up to my Color Computer is a nice feeling. I enjoy it. Having a large library of programs for the many applications I use my computer for is even a nicer feeling. The storage of data on this particular medium has its own nuances though. One of them is if you have a disk full of programs and you decide to kill one of them. The next time you save any program to that disk, the name of the newly saved program will occupy the "slot" or space of the one you previously killed. It gets even more confusing if you kill a number of programs.

A certain way to know which slot a given program will occupy would be to alphabetize each disk's directory. It would make things easier.

Alpha-Dir from Microcom Software is just such a program and it operates very simply. After the program is loaded you should insert the disk that you wish to alphabetize and type RUN.

At this point Alpha-Dir will read in your directory from

track 17, sectors two through 11, sort it, and write it back out in alphabetical order. When finished, you will be told how many of your disk's granules are unused and the quantity that are occupied. Also displayed are the number of bytes used and free.

When using Alpha-Dir, one should take care to remove any write-protect tabs that may be in place, otherwise you won't get much of a result!

The time it takes for Alpha-Dir to finish a run is very quick indeed. However, for some unknown reason, the author of the program put a POKE 113,0 EXEC 40999 into the program that does a cold start after the directory is sorted. If I were to use this program, I would probably sort all of the directories in my whole collection at once and would not appreciate a restart after each sort. However, if you list the program and remove the above pokes, you can keep rerunning the program.

The documentation enclosed with the program consists of a single sheet of paper. There really isn't need for more since the program is automatic and only performs one function.

Alpha-Dir performs as advertised, although the cassette version did not load and I thought that it was high priced, especially since most popular Bulletin Boards have this as a standard download selection.

(Microcom Software, P.O. Box 214, Fairport, NY 14450, \$6.95 tape, \$14.95 disk)

- Steve Schechter

MUL- -SCREEN



COLOR CHARACTER GENERATOR A NEW DIMENSION IN COLOR COMPUTING



- Now includes a character generator and sample graphic space game at no extra cost.
- Full 224 text and graphic characters. Underline in all PMODES.
 Prints vertically.
- All machine language, user transparent. Supports all BASIC, EXTENDED BASIC and DISK commands.
- Automatic loader recognizes 16K, 32K & 64K computers.
- Mix up to 5 character sizes in 4 colors all on one screen. A total of 10 sizes available from 8*4 to 42*24 or 32*32 in vertical mode.
- Use up to 4 defineable window screens of any size, Also includes horizontally scrolling (crawling) one line screens.
- Includes positive & negative screen dumps in 2 sizes for R/S,
 Epson & Gemini printers. (Please specify)
- Special Trace Delay can be used to debug programs one line at a time (even graphics),
- A special printer control can output characters to the screen & printer simultaneously.
- A must for all color computer owners. Once you try it you won't write another program without it.

(519) 681-0133

P.O. BOX 323 STATION B LONDON ONTARIO CANADA N6A 4W1 P.O. BOX 7281 PORT HURON MICHIGAN 48301 U.S.A.

MINIMUM REQUIREMENT 1 TAPE - 24.95 US or 2 DISK - 27.95 US or 3

16K BASIC 29.95 CDN 32.95 CDN



MasterCard

Tape to Disk upgrade available for \$8US or \$10CDN. We pay postage within US & CANADA on orders over \$20, otherwise please add \$1. Other countries please add \$2. Charge orders please add \$1.



Show Schedule:

Friday evening — Exhibit Hall open from 7 p.m. to 10 p.m.

Saturday — Breakfast at 8 a.m.
Exhibit Hall opens at 10 a.m. and closes at 6 p.m.

Sunday — Exhibit Hall open from 11 a.m. to 4 p.m.

PRINCETON

The fun and excitement of RAINBOWfest is coming your way . . . and now there will be a RAINBOWfest near you!

For the 1984-85 season, we've scheduled three **RAINBOWfests** in three parts of the country. Each one will offer fun, excitement, new products, seminars and information for your CoCo! And for those who (perish the thought) don't like CoCo as much as you, we've scheduled each **RAINBOWfest** in an area that will provide fun and enjoyment for the whole family.

Our Princeton, New Jersey, show is being held at the Hyatt Regency Princeton, which offers special rates for RAINBOWfest. The show opens Friday evening with a 7 p.m. to 10 p.m. session. It's a daytime-only show Saturday — the CoCo Community Breakfast

RAINBOWfest-Princeton, New Jersey
Date: September 28-30, 1984
Hotel: Hyatt Regency Princeton
Rooms: \$64 per night, single or double
(Special Rate Deadline,
September 7)

Advance Ticket Deadline: September 21, 1984 is at 8 a.m., then the exhibit hall opens promptly at 10 a.m. and runs continuously until 6 p.m. There will be no exhibition hours or seminars Saturday evening. On Sunday, the exhibit hall opens at 11 a.m. and closes at 4 p.m.

Our highly popular CoCo Community
Breakfast will again feature a well-known
figure from the Color Computer
Community. And the exhibition will be
interspaced with a number of seminar
sessions on all aspects of CoCo — from
writing in machine language to making your
BASIC work better.

But most of all, there will be exhibitors. Lots of them. All ready to demonstrate products of every kind. Some with special programs and hardware items to introduce. Others with show specials.

RAINBOWfest-Irvine, California (L.A. area)

Date: February 15-17, 1984

Hotel: The Marriott Inn

Rooms: Price To Be Announced

Advance Ticket Deadline:

February 8, 1985

Tickets can be secured directly from THE RAINBOW. We'll also send you a special reservation form so you can get your special room rate.

Come to RAINBOWfest . . . help us all celebrate CoCo Community at its finest.

United Airlines and THE RAINBOW have joined together to offer a special discounted fare to attendees of **RAINBOWfest**-Princeton. Simply by calling United at the toll free number listed below and identifying our meeting, with account number 481-I, you will be eligible for a 20 percent discount on the Easy Saver Fare. The only requirement is a Saturday night stay.

(800) 521-4041 Account Number 481-I

RAINBOWfest-Chicago, Illinois
Date: May 17-19, 1985
Hotel: Hyatt Regency Woodfield
Rooms: \$49 per night, single or double
Advance Ticket Deadline:
May 10, 1985

Q.P.INBOWfest SM

FREE Rainbow poster for first 500 tickets ordered. FREE T-Shirt to first five people from each state who buy tickets.

Make checks payable to: THE RAINBOW

MAIL TO: RAINBOWfest P.O. BOX 385 Prospect, KY 40059 (502) 228-4492

advance sale price. Send me tic	kets for (check one):	
☐ Princeton, New Jersey	☐ Irvine, California	☐ Chicago, Illinois
three day tickets at one day tickets at Circle one: Friday /	7 each total Saturday / Sunday	
TOTAL ENCLOSED (U.S. FUND	S ONLY, PLEASE) \$	
—Also send me a hotel reservati	on card for Princeton	
NAME (please print)		
STREET & NUMBER		
TELEPHONE	ZIP CODE	
COMPANY		
Orders received less than two we	eeks prior to show opening will be	held for you at the door.
VISA, MasterCharge, American I	Express accepted.	
My Account #	Ex. Date:	

YES, I'm coming to RAINBOWfest! I want to save by buying tickets now at the special

Worlds Of Flight — An Uplifting Flight Simulation

By Dr. Laurence D. Preble

Preflight check is complete, radio and lights off, master switch on, brakes on hold, ignition switch on both, clear prop and start! Great, the engine kicked right over. We're idling about 600 rpm.

Radio is set, proper frequency. "Dahlgren Tower, this is CoCo three six zero two Alpha, ready for takeoff with information Zulu. Requesting radar service eastbound to

the practice area."

"Roger, zero two Alpha. After departure, fly heading zero niner zero, climb and maintain 1500 feet, squawk 4237.

Departure frequency will be 124.5."

Now I read back the departure instructions to the tower and prepare for takeoff. "Read back is correct zero two Alpha, cleared for takeoff. Wind check 030 at fifteen knots."

I tell myself, "Be careful, we've got a crosswind and those rudder pedals are touchy. I don't want a ground loop." The sweat is pouring off my brow. I release the brakes, throttle up. We're rolling! We pick up speed, we rush by the tower on the left. Careful now, a little light back pressure, rotate and we're off! Set trim control for normal climb attitude. The bridge, and power plant loom in the distance. Keep her climbing...

"Zero two Alpha, right turn out is approved. Contact departure." I thank the tower and bank her gently to the right. A little extra back pressure on the stick is needed in the turn. Oops! We're side slipping. Center that ball with a little

extra right rudder. We're on our way!

I feel a gentle tap on my shoulder. Oh, it's Peggy, my wife. "Dinner is ready," she says. What a great hostess! "Thanks, honey, I'll take it here." She flashes me one of her wry smiles, "Nope, Ace, you'll take it in the dining room."

"Dining room! But..." Oh well, I press ENTER and the view out the window freezes in place. I'll just have to finish this flight later. The engine sounds stop. But we're not falling!

No, this is not where Rod Serling walks in from the "Twilight Zone." It's Tom Mix Software's new Worlds of

simulator for the Color Computer.

Tom Mix and company have outdone themselves, again. The Worlds of Flight simulator is surprisingly realistic. Worlds of Flight is a view-oriented flight simulator which contrasts sharply with previous instrument-only simulators for the CoCo. The software comes on cassette (soon on disk, too) with 22 pages of instruction. Believe me, you need the instructions. This is not really a game.

The Worlds of Flight simulator experience bears considerable resemblance to real flight. No, it is not a game, but it

sure is fun!

All of the basic flight controls and primary instruments are simulated. In addition, there are several special features available such as the overhead radar view of the flight path.

The view out the "window" is simulated with "wire" (or line) graphics. The view changes in real time and appears three dimensional. Worlds of Flight gives you nine different "Worlds" from which to choose. Some of these "Worlds" are computer representations of real places, like Dahlgren, Virginia. Some are imaginary. There are mountains to watch out for and bridges to fly under — if you are nuts!

The "aircraft" is a single engine, light sport model capable of some aerobatic maneuvers. The landing gear is retracta-

ble. Even flaps are provided.

The software provided is auto-executing and is protected against unauthorized copying. The initial display of the program shows a picture of a single engine light plane doing an aileron roll. Press the ENTER key to exit this display.

The next operation is the Define Worlds mode. Here, the user can choose the location and weather conditions for his flight. If the user does not choose a world, he is left at the practice field (World 5) by default. Press ENTER when ready to begin the Simulation.

The flight Simulation begins with the aircraft positioned on the southern end of the runway facing north. The run-

ways on all the fields face north and south.

Two joysticks are necessary for flight. The buttons on each joystick are pressed simultaneously to start the engine. The right joystick controls ailerons and elevator while the left joystick controls rudder and throttle. If you are already a pilot, it takes an effort to accommodate to this new control configuration.

From the runway threshold, it is possible to begin the takeoff roll. Alternatively, you may opt to taxi the aircraft about the field. There is a nifty refueling station available which you will need to visit sooner or later. Your fuel tank only holds 1.5 gallons!

The scenery at or near the airport is maintained in a bit more detail than the enroute representation. This is necessary since a pilot requires the most visual cues during the takeoff, landing and taxi phases of aircraft operation.

The takeoff roll is best handled with a light touch. Center the rudder control before you begin. Maintain a partial backward deflection of the elevator control throughout the roll. Too high a deflection will result in a stall shortly after liftoff. The aircraft will lift off when airspeed reaches about 42 knots.

In flight, the Simulation approximates real flight operations with reasonably good fidelity. For example, in a turn, lift requirements increase, necessitating an increase in elevator control input. A major (but unavoidable) shortcoming is the lack of control feedback to the pilot. In a real aircraft (or multi-thousand dollar simulator) the flight controls will exert varying amounts of pressure on the pilot's hands and feet. These varying pressures provide much of the kinesthetic information a pilot needs to fly the aircraft. By contrast, model airplane enthusiasts should feel more at home with the lack of pressure cues.

A big help to the simulator pilot is the overhead plan (or radar) view. By pressing the SHIFT and CLEAR keys at the same time, the view will switch to the "bird's-eye" (downward looking) view of the world. A crosshair will mark the position of the aircraft. It is possible to vary the magnification factor (zoom) by pressing a couple of keys. It would be neat if real aircraft had such a feature!

The normal straight-ahead view can also be altered. You can look from side to side and even directly behind the aircraft. You can also change the pitch angle of your view up or down by as much as eight degrees.

The aircraft performance specifications are a bit unusual.

Maximum Gross Weight
Engine Horsepower
Fuel Capacity
Best Rate of Climb (Vy)
Best Climb Angle (Vy)
Maximum Cruise Speed
(Clean)
Maximum Dive Speed
(Vne)
Service Ceiling
Stall speed (Clean)
Stall speed (Gear & Flaps)
Minimum Takeoff Roll
Minimum Landing Roll
Fuel Consumption Rate

Maximum Range and Endurance

Maximum Roll Rate Inverted Flight Time

600 lbs 40 hp 1.5 gallons 1020 FPM @ 60 kts 900 FPM @ 50 kts

90 kts

120 kts 8960 feet 46 kts 42 kts 864 feet 506 feet

2.1 gal/hr @ max. Throttle

109 mi in 1.9 hrs @ 50 kts @ Less Than 1500 ft @ 960 rpm 20 deg/sec Unlimited

The aircraft specifications read more like a sophisticated Ultralight than a normal aircraft. I feel this is a weak point. I would have much preferred that the program simulate the parameters of a real, recognizable aircraft. A Cessna 150, Piper Tomahawk or similar trainer could have been appropriate.

I suspect the limits of a 32K CoCo are being stretched to the maximum to accommodate the Worlds of Flight simulator. Naturally, one ought not to expect the extreme realism available on today's airline simulators costing millions of dollars. Still, what Worlds of Flight does accomplish is impressive.

I found the flight controls to be a little touchy. Of course, I am used to flying with a real yoke and rudder pedals — not two CoCo joysticks. I am tempted to cobble up a reasonable facsimile of the cockpit controls and hook them to the CoCo.

Also, this simulator is not FAA approved. So you overambitious throttle jockeys shouldn't try to log your required flight time on it! I'm serious! As it does with all flight instructors, the FAA sends me a safety newsletter. It seems that some jokers really are trying to get flight simulator credit from two joysticks and their personal computers!

Overall, the Tom Mix Worlds of Flight simulator has plenty of the "right stuff."

(Tom Mix Software, 4285 Bradford N.E., Grand Rapids, MI 49506, tape \$29.95, disk \$32.95)

Hint . . .

Single-Line Scroll

A hint for those of you who are trying to write scrolling games in BASIC — use Lo-Res graphics and use *PRINT* @ 511, ""; to scroll the screen up one line.

Rogers George IV Terrace, MN

TRS-80 COMPUTER DISCOUNTS



COLOR COMPUTERS

26-3026 16k color II	139.95
26-3027 16k ext color II	165.00
26-3127 64k color comp	210.00
26-3029 1st disk drive	299.95
26-3023 2nd disk drive	229.95

PRINTERS

26-1271 DMP-110	299.95
26-1254 DMP-200	510.00
26-1255 DMP-120	395.00
26-1257 DWP-210	620.00

MODEL 4 and 100's

26-1067 mod 4 16k	699.95
26-1068 mod 4 64k 1 dr.	1000.00
26-1069 mod 4 64k 2dr.	1289.95
26-1080 mod 4 p	1239.95
26-3801 mod 100 8k	525.00
26-3802 mod 100 24k	659.95

We Carry the Complete Line of TRS-80
Computer Products at Discount Prices
CALL FOR A FREE PRICE LIST 800-257-5556
IN N.J. CALL 609-769-0551

WOODSTOWN ELECTRONICS

Rt. 40 E. WOODSTOWN, N.J. 08098

RESULUT

Bell Screen unperling Featuring:

Line lengths of 85,128 & 255 are unreadable but; can be very useful for seeing display layouts

All Functions are easily programable thru BASIC FULLY BASIC COMPATIBLE including CLS & PRINT &

- FULLY BASIC COMPATIBLE
- DISPLAY FORMATS OF 28 to 255 CHARACTERS PER LINE
- FULL 96 UPPER LOWER CASE CHARACTERS
- . MIXED GRAPHICS & TEXT OR SEPARATE GRAPHIC & TEXT SCREENS
- INDIVIDUAL CHARACTER HIGHLIGHTING
- REVERSE CHARACTER HIGHLIGHT MODE
- WRITTEN IN FAST MACHINE LANGUAGE
- · AUTOMATIC RELOCATES TO TOP OF 16 32K
- · AUTOMATICALLY SUPPORTS 64K of RAM WITH RESET CONTROL
- REVERSE SCREEN
- · ON SCREEN UNDERLINE

- OURLE SIZE CHARACTERS
- · ERASE TO END OF LINE
- . ERASE TO END OF SCREEN
- · HOME CURSOR
- . BELL TONE CHARACTER
- . HOME CURSOR & CLEAR SCREEN
- . REQUIRES ONLY 2K OF RAM
- . COMPATIBLE WITH ALL TAPE & DISK SYSTEMS



INTRODUCING **EXTPR**

"The Professionals" Word Processing System



- 9 Hi-Resolution Display Formats: from 28 to 255 Columns by 24 lines
- True Upper/Lower Case Display
- Three Programmable Headers
- **Programmable Footer**
- **Automatic Footnote System**
- **Automatic Memory Sense 16-64K**
- Up to 48K of Workspace on 64K
- 10 Programmable Tab Stops
- 7 Tab Function Commands
- Automatic Justification
- · On Screen Underlining and Double Size Characters
- **Change Formatting at Any Time**
- **Edit Files Larger Than Memory**
- Compatible with All Printers
- Easily Imbed Any Number of Format and Control Codes
- **Typist Friendly Line and Command** Format Entry
- · Automatic Key Repeat

TEXTPRO III is the most advanced Text Editing and Word Processing System available for the Color Computer. One of the reasons for this is, Textpro works in a totally different way than the other Color Computer Word Processing programs. It uses simple 2 character abbreviations of words or phrases for commands. These commands are used at the beginning of a line and are preceded by a "." period. Several commands can be chained together on the same line for ease of use. Thru these commands you tell the Word Processor how you want the margins set, line length, indenting information, and so on. You can change the way you want a document formatted at any point in the document. You also have the freedom to write without worrying about how long the line is or where the margins are and so on. The Word Processor automatically takes words from one line to the next and fills out the printed line to the desired length. You can even use the command to Input Text from the Keyboard while a document is being processed, and use that information to change the formatting or enter any other valid text Processor command. With this kind of flexibility and an extensive set of commands and functions available, its no wonder that TEXTPRO III is the most advanced Word Processing System.

> 5566 Ricochet Avenue Las Vegas, Nevada 89110

Screen Formatting

Textpro III has 9 Hi-Resolution Upper/Lower case display formats available, from 28 to 255 characters per line by 24 lines. You also have advanced screen commands such as double size characters and on screen underlining. You can also use the standard 32 by 16 display for systems having lower case hardware kits installed. The display defaults to a 51 by 24 format that is easily switched to any other format available. Along with the Hi-Resolution screen we added automatic repeating keys "Typomatic." The rate is fully adjustable from ultra fast to super slow or can be turned off entirely for your convenience.

64K Support

Textpro III fully supports the use of 64K on the Color Computer. It has fast automatic memory sensing and configures itself accordingly. Textpro III does not require Extended Basic or Flex to take full advantage of a 64K RAM system. On a 64K Disk System there is over 64K of workspace available and files larger than memory are fully supported. Tape based systems have up to 48K available for workspace.

Text Editor

Textpro III has a full featured, line oriented screen editor. It supports single or multiple line copy and move, global or local search and replace of any character string, character insert and delete, block delete, adjustable speed automatic key repeat, single and automatic line edit, programmable underline and double width control coded, change screen background color and line lengths, automatic line numbering, line resequencer, and insert and delete line numbers.

Disk & Tape I/0

Textpro III uses fully compatible ASCII formatted files that do not have to be converted like some of the other Word Processing Systems. It will load, save and verify basic ASCII formatted tape files. The disk version supports Load, Save, Directory, Kill, Append, Text Process file from Disk, Roll part of file to disk and get next portion of file from disk

DISK \$59.95

TAPE \$49.95



Standard Commands

Textpro III features a whole host of Document Formatting commands. The setup command section includes: Line Length, Top, Left, and Bottom Margins, Page Length, Page Numbering on/off and Automatic Word Fill and Justification on off.

Some of the vertical control features include: test for number of lines left on the page, skip to next page, set page number, wait at top of page, single and multi line spacing, and skip blank lines.

Textpro III features 3 programmable header lines that can be centered, left or right justified. It also has one pro-grammable footer line. 3 commands for continues, single and paragraph indenting, center text, underline and double width print commands.

Footnotes and Special Commands

Some of the special features allow imbedded control codes to access intelligent printer features like; superscript, subscript, change type font and even graphics. You can even imbed control codes within justified text. There is a command that automatically places footnotes at the bottom of the page, which can be very handy for term papers, etc. Another command allows you to display a message on the screen and input text from the keyboard. This text is then printed as if it has been part of the original text, thus you can produce things like a personalized form letter. There is also a repeat command that allows you to repeat an entire document or a part of one as many times as needed up to 255 times. This can be used to produce mailing labels or combined with the previous command to produce a selected number of personalized form letters.

Tab Functions

Textpro III features an elaborate system of tab commands for complete control over column formatting. There are 10 programmable tab stops that can be defined or re-defined at any time in the text file. They can be used with the following tab commands; Center Over Tab Column, Right Justify to Tab Column, Decimal Align Over Tab Column, Left Justify to Tab Column (Normal Tab) and Horizontal Tab. Tab functions may also be used with a numeric tab column position for maximum flexibility. You can also define the Tab Fill Character to any printable character to fill in the blanks with dots,

> All Orders Shipped From Stock Add 52.50 Postage

CGP115SD — A Screen Dump For The CGP-115

Doesn't everyone who has a CGP-115 printer want to have his own color picture of "Mario" fighting "the King" to carry in his wallet. After all, there has to be some practical use for all this hardware, especially the new CGP-115 printer that you just bought.

To obtain a printed copy of a CoCo screen display you need software called a "screen dump." This type of software is written to interface the graphics display with a specific printer. *CGP115SD* is a program designed to create screen dumps on the CGP-115.

Unfortunately, this review is rather unfavorable. You may decide to look around for other software to create your colored picture of "Mario."

I know that THE RAINBOW's review editor tries very hard to match reviews with people having the appropriate experience and interest in a specific subject. She hit the nail on the head with this graphics screen dump assignment. You see, in addition to having used a variety of screen dumps, I have written several of my own including a couple which work specifically with the CGP-115. Having gone through the exercise, I have a very good feel for what can be done with a software package like this.

CGP115SD is a simple program designed to reproduce color for color, dot for dot, a picture drawn on the graphics screen display of the Color Computer with the CGP-115. To reproduce a picture, it is first drawn on the screen or loaded into memory. Then, the screen dump software is loaded and run.

At start-up, there are a few simple questions to establish the color set, verify that the correct picture is in memory, etc. Then the dump to the printer starts. Up to this point everything is fine. From this point on, take your time coming back to check on the progress of the picture drawing. The screen dump takes a long, long time. Here is a quote directly from the instruction sheet provided with this program. "Depending on the complexity and the number of colors to be dumped, it will take one to three hours to dump one screen."

Working with the program, I will confirm this speed (or lack of), but I cannot agree with the next statement made in the instructions. "Because of the mechanics of the CGP-115 printer, this is as fast as it can be done." This is not an accurate statement. Although admittedly, the CGP-115 is not a fast printer, the problem with the lack of speed with this program is that it is written in BASIC. This is not the language of choice for a program requiring so much raw computation. A high resolution screen contains over 49,000 pixels to scan, the process takes a lot of time with BASIC. I ran a timing test on a solid color screen. To reproduce a single solid line the program takes twice as long to compute what is to be drawn as it takes to actually draw the line on the printer.

To add injury to insult, this program is overpriced. *CGP115SD* is selling for about twice the price of machine language screen dumps that are available for the Color Computer.


I think my bottom line is obvious from these observations. Don't bother with this program if you value your time and money. Life is too short to wait for three-hour screen dumps and a twenty dollar bill is still a lot of money to most people. The maturity level of Color Computer software is well beyond the sophistication of this BASIC program. Perhaps this would be a viable product if written in machine code and priced more competitively.

(Derby City Software, 3141 Doreen Way, Louisville, KY 40220, ECB cassette \$19.95 plus \$1.50 S/H)

- Tom Szlucha

Look into the depths of your CoCo with S Y S T E M S E C R E T S
Over 210 Peeks, Pokes, & Execs, with a token table & easy-to-use memory map For use with any Color Computer All for the low, low price of \$5.95 Add \$1.50 for postage & handling Washington residents add 46¢ tax RC CREATIONS: 17251 Palatine N., Seattle, WA 98133 (206-546-5206)





HOLDS 70 MINI-DISKETTES
A LOCKING STORAGE SYSTEM FOR 5 1/4"
DISKETTES, INCLUDES A HINGED LID, TWO
BUILT-IN CARRYING HANDLES. COMPLETE WITH
INTERIOR DIVIDERS, TWO KEYS. INJECTION
MOLDED OF HIGH IMPACT PLASTIC.

\$24.75 + \$2.00 S/H MARYLAND RESIDENTS ADD 5% SALES TAX

P.O. BOX 443 COCKEYSVILLE, MD 21030



PARALLEL PRINTER INTERFACE

WORKS WITH ALL STANDARD

PARALLEL PRINTERS

\$59.95


MODEL 1 (with modem connector and switch)

without power module----\$54.95

\$49.95

MODEL 2 (without modem connector and switch)

without power module----\$45.95



COMPUTER

Printer Connector highest quality with metal shell and gold contacts

PRINTERS

- * C-ITOH 8510AP PROWRITER-----\$329
- * C-ITOH 1550P PROWRITER 2-----\$510
- * C-ITOH 85108PI------\$389 switch selectable between IBM compatible or Prowriter
- * C-ITOH 8510SP------\$435
- * C-ITOH 8510SCP-----\$499
 new]! 180 cps. color printer
- * GEMINI 10X-----\$275
- * GEMINI 15X-----\$399
- * DELTA 10X-----\$ 415

SPECIAL SYSTEM PRICE 11

When a printer and the TRI-TECH interface are purchased at the same time you may deduct \$10 from the system price.

SPECIAL OF THE MONTH

PRINTER/INTERFACE SYSTEM

* C-ITOH PROWRITER-8510AP

120 c.p.s.

Excellent print quality

1-year warranty on parts and labor

* TRI-TECH PARALLEL INTERFACE

Mod

*359.95

with TRI-TECH parallel interface i

\$

369,95

EFFECTIVE THRU AUGUST 31, 1984

DISK DRIVES

- TEAC FD54A DISK DRIVE-----\$119 single sided, half height, 40 track, 180K bytes.
- TEAC FD55B DISK DRIVE-----\$189 double sided, half height, 40 track, 360K bytes.
- TEAC FD55F DISK DRIVE-----\$239 double sided, half height, 80 track, 720K bytes.
- TANDON TM100-1 DISK DRIVE----\$175 single sided, full size, 40 track, 180K bytes.
- TANDON TM100-2 DISK DRIVE----\$209 double sided, full size, 40 track, 360K bytes.
- J&M DISK CONTROLLER-----\$129 your choice: JDOS or RSDOS ROM (totally Radio Shack compatible with RSDOS ROM)
- DUAL DRIVE CASE AND
 POWER SUPPLY-----\$59
- DUAL DRIVE CABLE ----\$23

TRI-TECH ELECTRONICS

P.O. BOX 8100 ROCHESTER, MI. 48308 313 254-4242

Swiss Army Knife — A **Sharp Disk Utility**

Swiss Army Knife? Well, a catchy name, and appropriate. A Swiss army knife has many different blades to do many different things. The same with the program from The Dataman called Swiss Army Knife. It contains many different parts, each doing a specific function. Swiss Army Knife is a general disk utility program for the Color Computer written in position independent machine language code. It can be used with any Disk Extended BASIC formatted disk as well as some parts of a FLEX formatted disk. It is used to look at any byte on the disk and make changes if necessary.

Swiss Army Knife's commands allow the following: 'R'ead a sector from the disk; 'W'rite a sector to the disk; 'V'erify all or part of the sectors on the disk; 'M'odify the contents of any byte on the disk; change the number of the working 'D'rive if you have more than one disk drive (as well as change the number of tracks the program will recognize); display the 'H'exadecimal equivalents of the buffer used by Swiss Army Knife on the screen; 'S'ave the contents of the buffer being used into a secondary buffer for safekeeping; 'U'nsave the secondary buffer back to the primary buffer or display buffer; get the 'N'ext sector and read it into the display buffer; get the 'L'ast sector read and read it into the display buffer; and 'E'xit the program.

Read allows five different ways to read in a sector. A specific sector can be read in; a granule number can be entered, reading the first sector of the granule; a file name can be entered, reading the first sector of the filename, if it exists on the specified disk, and setting a special internal switch that allows the Next command to step through all the sectors of your filename; the first sector of the directory of the disk can be read in; or the file allocation table of the disk can be read in. The screen displays the ASCII representations of the bytes contained in the display buffer.

The program is easy to use if you are familiar with some of the workings of Disk Extended BASIC. For those not familiar, included in the manual is a tutorial on how the CoCo uses disks. It is well written and should be read by all users of this program. The rest of the manual is also well written and easy to follow.

Disk-O-Tier

Holds 11 disks (54" or 8") securely in or out of their jackets. Organizes & protects, with labels clearly visible for fast, easy access. Ideal for temporary storage of disks while in daily use... Available only w/purchase of D-O-T: NASHUA brand 5%" SS,DD disks w/tyvek sleeves & labels 5 yr. warr.

DISK-O-TIER \$9.00 each + \$FREE S/H!
NASHUA disks \$1.69 each * limit 20

Check or M.O.-U.S. Funds-Ohio residents add 6% tax. Bulk discounts and outside U.S. S/H-send S.A.S.E..

EVANS ENTERPRISES (513) 859-3529

609 APPLEHILL DR. W.CARROLLTON, OH 45449



When using the Verify command, the screen shows an ASCII dump of a sector on the top half of the screen (256) bytes) and the track and sector number, as well as an error code of the read operation on the bottom half. But the screen flashes with every sector read to rewrite all of the values shown on the screen. It would have been much nicer to leave the bottom half of the screen intact, updating only the appropriate numbers and changing the top half with every sector read. Also, it would have been nice to have used the BREAK key to exit commands back to the main menu in case a command was chosen in error.


The program is a nice utility but incomplete. For example, no hardcopy of anything is available. I have been in contact with the supplier, The Dataman, and they inform me that a new program is on the way that is much more extensive and includes the Swiss Army Knife program in its package.

Features versus cost make this program acceptable and a good utility to add to your library.

(The Dataman, 420 Ferguson Ave. N., Hamilton, Ontario, Canada, L8L 4Y9, \$25.50 U.S., \$29.95 Can.)

- Eldon Doucet

6809 SYSTEM DEVELOPMENT



EXPANSION HARDWARE FOR THE TRS-80 COLOR COMPUTER

XPNDR1"

CoCo Expander Card

Gold edge connector plugs into the CoCo cartridge connector. Signals are labeled on the bottom (wire side) with ground and power buses; plated through holes. The 4.3 × 6.2 inch glass/ epoxy card is drilled for ICs and components. The finest bare breadboard for your CoCo. Includes 8 page Application Notes to help you get started.

\$19.95 each or 2 for \$36

Super Guide™

Precision molded plastic insert designed specifically to align and support printed circuit cards in the CoCo cartridge slot; an unbreakable removable card guide. Patent Pending.

\$3.95 each



Available now from:



BOX 30807 SEATTLE, WA 98103

Organize Your Time With MSI Color Calendar

When I first received MSI Color Calendar for review I was somewhat at a loss. A program to help keep track of appointments, birthdays, regular payments and such sounded like it could be very useful to most people, and as I had a couple of weeks to work with, the best way to test it would be to use it that way myself. The only trouble is that I am currently on vacation and I have few appointments to keep

While pouring over a ground plan and complicated planting chart for the garden, the light dawned. An hour later the information was entered, and in the course of the next 20 plus days, the program proved to be a very useful planning tool.

MSI Color Calendar is designed to run on a 32K disk system with Extended BASIC. Using its own 42 x 32 screen display, it provides a clear and readable screen (of the sort we wish CoCo had). Color Calendar uses an interesting protection system as well, using a jack which plugs into the left joystick port. Internal circuitry, contained in a translucent block, gives a value to the joyport which is checked when the disk is loaded. If the jack is missing, the screen flashes and the loading sequence is interrupted. If you use joysticks, and have an installation such that it is difficult to get to the back of your CoCo, this might be a problem, but I

COMPILER BASIC

Create Machine Language Programs from Basic Programs

Thats right, with this powerful integer Compiler, called INTBASIC, one can translate Basic programs to Machine Language. Those who do not want to learn Assembly Language can use this utility programs to create smachine lands machine language can use this utility programs of the language reasons of the language programmers and from the language programmers will find INTBASIC a very valuable utility. INTBASIC was designed specifically to produce efficient 6808 machine code by utilizing the powerful instruction set available.

INTERSIC, developed by WASATCHWARE, features all standard Basic command words including two-dimensional arrays, multiple commands per line and strings. In addition, INTERSIC offers commands that are not svailable with Color or Extended Color Basic. All 64k of RAW can be used for program storage and/or variable storage, and all 32k of ROW can be accessed within the m.l. program. Compiled programs can be called from a Basic program, thus making interfacing easy.

INTEASIC has many features that some of the lower priced Basic Compilers can't offer. Here are just some of them: -Mo Disk system is required, although it can run from disk -Extended Color Basic is NOT required -Inables the full 64k of EAN to be used -16k machises can run INTEASIC

In addition, INTERASIC is written in Machine language, not Basic. This means that compile times are very short. How short INTERASIC can compile a 10 thousand byte Machine Language program in as little as 30 seconds?

Some other reasons to buy INTRASIC

-By converting Basic programs to machine language, program execution times are decreased by a factor of 50!

-Machine Language programs can perform many things that a Basic program cannot do. Unlimited possibilities exist when using machine language.

-Variable access to constant to the program of t

language.

-Variable storage is efficiently allocated, and therefore large arrays may be used. For example, the integer array A(30000) is allowable on 64k machines.

-Nore than one program can reside in memory at once. As apposed to Basic which only allows one program at a time in the computer.

-System utility moftware can be easily developed using INTBLSIC.

-Nachine language programs that take pages and pages of Assembly Language source to create, can be created with less than a page of a comparable Basic source, when compiled with INTBASIC.

-Versions for 16,32 and 64k computers are all included for the mane low price.

DON'T HESITATE ... BUY INTHABIC TODAY

Versions for the Color Computer II are available. Please specify computer type (I or II).

TAPE- \$39.95

Utah res. add 5% tax. Add \$3.00 Shipping & Handling Checks or Money Orders (No C.O.D.)



WASATCHWARE 7350 Nutree Drive Salt Lake City, Utah 0W 84121 Call (801) 943-6263

Send for out current list of other software available

had no difficulty and left the jack in for day-to-day operation.

A consequence of this form of protection is that Micro Services suggests making a backup of the program. A normal BACKUP routine provided a working copy and, except for a few initial entries, was the copy used for evaluation.

MSI Color Calendar comes with a well-written and complete, 10-sheet, 8½ x 11 instruction book. After the introduction page (which lists required equipment — 32K Extended BASIC, disk system, and optional printer — comes the main body of the text, which tells how to initialize the program on its first running, and gives a concise explanation of the calendar menu.

The main menu lets you choose from a number of options. The first is to INITIALIZE the calendar file; this must be done the first time the program is run and may be ignored thereafter.

LIST ALL ENTRIES gives the option to list all entries in the calendar, and to delete any that are no longer pertinent. or to return to the main menu.

DISPLAY CALENDAR puts a calendar on the screen for a month you designate, with a number on appropriate dates indicating the number of appointments for that day. The option is to print a hard copy, which has a listing of the appointments keyed to the calendar printed at its bottom. You may also return to the main menu.

ADD ENTRIES is the main menu option that allows entry of appointments by month, day and time, and provides for a 25-character comment line. To return to the main menu from here requires that an "EE" be entered as the first entry on a line.

DELETE ENTRY lists all entries and gives the option to delete any one by entering the sequence number specific to that entry.

Last, but perhaps most important, is the END CALEN-DAR PROGRAM option. This updates and closes the disk file which stores all entries.

MSI Color Calendar has proven to be easy and pleasant to use and, in the weeks I have been working with it, it has shown no bugs or flaws in its execution. As an excellent planning tool and daily reminder, it does all that is promised, and does it well - so well in fact, that prior to returning the package to my editor, I intend to run off my summer planting schedule for my file.

Now, when is that next square of radishes due for planting?

(Delker Electronics, P.O. Box 897, Dept. D, Smyrna, TN 37167, \$19.95 plus \$2.00 postage paid, or \$3.50 C.O.D.; manufactured by Micro Services Inc.)

- Nevin J. Templin

the MEMO MINDER

REQUIRES 16K ECB

Get organized - that's why you bought your CoCo. Type in memos, phone numbers, dates, reference notes, anything. Enter a phrase, keyword, even a few letters and locate a record - fast. It's an easy to use program and just right for odds and ends that won't "fit" in a structured data base.

\$9.95 M.O. or Check - No Delay Cassette includes

MERRICK & CO P.O. Box 73 Conifer, CO 80433

Tape & Disk Version

You'll Get A Bang Out Of The Gunfighter

As the wagon clears out you suddenly realize you're being ambushed. You reach for your gun, but it's too late. The other cowboy has his six-shooter drawn already. He shoots and you die. No, you are not in an old, old west shootout, you're playing The Gunfighter, a new release from Jarb Software.

The Gunfighter is a high resolution, arcade-quality twoplayer game written for a 32K Extended BASIC Color Computer. Joysticks are required for this game.

The scenario is as follows. You are the top gun in the territory, and life is just great, until "the kid" rides into town. He challenges you to a shootout and you accept in fear. You have to outdraw and outshoot the kid. You also have to

dodge his bullets.

PRINTERS +

VIDEO MONITORS + DISKS

After you begin play, you can fire your gun. You will have only six shots, as indicated by the large bullets at the bottom sides of the screen. If you and your opponent run out of bullets before someone gets killed you both reload and get six more bullets. Every time somebody gets killed, that person gets a point. The first player that gets 12 points dies and loses.

You will see many things on the game screen, such as cacti, rocks, skulls, and covered wagons. You can shoot through caeti, but you can't run through them. Rocks will

ricochet your shots and obstruct your movement. Skulls and the wagon absorb your bullets and block your path.

During a game if you want to restart, just push the Reset button. If you are not satisfied with the present screen, push the BREAK key and the computer will transport you to a new

The instructions to The Gunfighter are fairly good and tell you the primary objectives of the game.

I think The Gunfighter is an above average game and it deserves four out of five stars. Meanwhile, have fun in the old west, and remember to shoot first and ask questions

(Jarb Software, 1636 D Avenue, Suite C, National City, CA 92050, \$19.95 tape, \$24.95 disk/Amdisk)

- Pat Downard

Aurora Computing

49 Brookland Ave., Aurora, Ontario Canada L4G 2H6

PRESENTS: TEACHER'S PET - A must for every teacher. The features include: 40 students per file, 4 terms with up to 9 tests per term, alphabetical order, letter grades, numeric grades, averaging and weighting, class lists, term and year end reports, search, delete, add, screen and printer output, enter classes and grades any time of year, disk 1/0, and more in fast Machine Language, 32K Disk System.

..... \$34.95

+ MODEMS

+ COMPUTERS

SOFTWARE

emerald computer services



NORTHWEST COLOR COMPUTER CENTER 208-778-9828

- **\$255** .B4K COLOR COMPUTER
- **\$375 395 \$575-595**
- AMDISK 0/1 DUAL 8595 "CALL FOR SYSTEM CONFIGURATIONS"

EPSON · Okidata · Mannesman Tally · Star Micronics ·

Transtar · Comrex · NEC · Amdek · Qume · Tandon ·

TEC · Teac · Panasonic · BMC · HJL · Hayes · Zenith ·

Softlaw · Computerware · Elite · Moreton Bay ·

C. Itoh · Mark Data · Homebase · Derringer ·

COMMODORE

LEADING EDGE PC

MORROW DESIGNS micro DECISION

"IBM Compatible"

IBM PC

Master Card

Mountlake Terrace, Wa 98043 .

SUPPORT FOR HOME, PERSONAL & BUSINESS

Flying Tigers — A High-Flying Space Odyssey

Flying Tigers is a very good copy of the Defenders arcade game that has been around for some time now. The game is available on tape or disk from Sugar Software, and the instructions include loading on none Extended or Extended BASIC computers. Flying Tigers is written in machine language and requires 16K for cassette and 32K for disk-based systems. If you buy the cassette version now and upgrade to disk later, you can get a disk copy by returning the original tape along with \$5 to cover handling.

The documentation is nicely done, and put into book form. The instructions are very precise and to the point. The player comes away with all the knowledge he needs to play the game. The documentation includes diagrams of the main game screen and the movements for the joystick on the backside of the cover. Off to the top right of the main screen is a long range scanner showing us a long distance view of all the aliens and all our downed comrades.

Flying Tigers has five skill levels: Flying Lessons, Easy Game, Difficult, Challenging, and Impossible. The Flying Lessons level isn't really a game; it helps the player learn the feel of how the ship moves and the general feel of the game.

The real fun starts in level two (Easy Game). Here you have some time to move around and destroy the aliens, and each level increases the speed of the aliens, giving you less time to think before you have to move. You have at your disposal three ships and three Deathrays. By holding down the fire button, the the Deathrays will destroy all aliens on the main screen. Any not seen on the main screen will not be destroyed. The object of the game is to survive and kill as many aliens as you can.

The game includes extras such as a pause mode (by hitting the BREAK key), and a Deathray. You can always go back to the main menu during the game by hitting the Space Bar—this also has the effect of resetting the game. Pressing the CLEAR key will exit to BASIC, and when the game has come to an end, hitting the fire button will restart the game at the same difficulty level you just played. If you would like to advance to another difficulty level at this time, hitting the ENTER key will return you to the main menu so you can move up. A bonus ship and an extra Deathray are awarded for every 10,000 points. Score is given for each surviving comrade and destroying each alien.

My friends and I found that Flying Tigers plays better with the new Radio Shack Deluxe Joystick, but a good score and play can be accomplished with either of the joysticks. I have no complaints with the game. The instructions did have a few spelling errors though.

Good luck, flyers, and may you never run short of Deathrays.

(Sugar Software, 2153 Leah Lane, Reynoldsburg, OH 43068, 16K tape \$24.95, 32K disk \$27.95)

- Stephen M. Hess

A Well-Constructed Breadboard With XPNDR1 And SuperGuide

Attention, hardware hackers! Have you been contemplating an outboard ROM, or maybe an EPROM programmer? A nice looking, and well constructed, breadboard is available for your next project. Robotic Microsystems has introduced a product called the XPNDR1, a 5¾ x 4¼-inch breadboard that plugs into your ROM port. The unit is constructed of heavy fiberglass with plated-through hole construction and solder identification of bus signals. Gold plated connectors are used for connection to the CoCo.

A molded plastic guide, called the SuperGuide, assures perfect alignment when the XPNDR1 board is plugged into the ROM port. The SuperGuide is inserted into the ROM slot and holds the spring door open, preventing foreign objects from entering the ROM slot.

The board has several nice features. Each CoCo bus signal is extended to a plated-through hole that is labeled with its corresponding signal notation on the bottom of the board. Ample +5 volt and ground buses are provided on both sides of the board for Vcc and Gnd connections to the chips. Fourteen rows of .1-inch holes, 34 holes to a row, are available for mounting IC sockets and components.. A little elementary math produces the deduction that this is enough space for approximately 28 14-pin IC's. The rows are on .3-inch centers for standard socket mounting. Enough room is provided for any small projects we could envision.

For all of the good points there are corresponding drawbacks to the layout of the board. First of all, many holes do not have solder pads. This necessitates the use of wirewrap sockets for proper construction of circuits. By providing solder pads, alternate construction methods would have been feasible.

On the end of the board opposite the computer there are three rows of holes on .1-inch centers. This space was allocated for connectors for peripheral devices, etc. Other than the space I just referred to, space is limited on the board proper for "breadboarding." I suppose any components other than IC sockets would have to be wire-wrapped between the sockets.

Too much of the space on the board is allocated to bus expansion, as opposed to component mounting, in my opinion. Bus expansion occupies nearly 25 percent of the real estate. To the serious user, this is valuable space for components, more ICs, etc.

I would not recommend this unit for the above reasons. If the board were redesigned such that the above features were incorporated I think this would be an excellent product. As it is presently configured it makes construction tedious for some applications to say the least.

(Robotic Microsystems, Box 30807, Seattle, WA 98103, XPNDR1 \$19.95 or two for \$36, SuperGuide \$3.95)

- Dan Downard

1983 unit sales	Jan	Feb	Man	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Average	Best	Worst
Bach	136	139	119	161	130	104	84	121	95	115	75	161	1440 B	161	75
Chalone	120	170	152	170	182	102	89	157	162	129	64	158	(B)	182	64
Dol an	188	157	103	112	161	122	99	145	145	103				188	97
Feagan	105	94	127	115	157	97	61	132	113					174	61
6rahan	135	135	183	116	151	104	86	149				1		183	63
Harpe i	134	102	190	161	180	85				W					
Jordan	105	109	188	171	120					1					~
Latour	112	128	124	129											
Lucido	158	110	,	1											
Phelps	167	Contract of the Contract of th					-	A					TING SYS	N	EDEU
Prats	-	1	9				7					7	CVS	TEM IN	75
Schaeferle \										H	11	' A	TING ST	193	78
Taylor				THE	7			1		,,,	U	OPF	RA 145	190	88
Torres					131		M		4	2017	OTHE	7	1620 135 1635 136	177	105
Turner				127	131	1	A 1			NO	15	178	1635 136	190	75
Wehlen			145	142	154			137	125	106	60	151	1495 125	154	60

2312 2166 2387 2321 2401 1699 1439 2276 2242 2011 1318 2631 25203 2100

THE BEST OF BOTH WORLDS!

available from




920


COMPUTER SYSTEMS CENTER
13461 Olive Blvd.
Chesterfield, MO 63017 USA
(314) 576-5020

or your local DYNACALC dealer


Price \$150 postpaid in US & Canada. Outside North America add \$10 postage. Plain Cheese Pepper oni

Sausage Mushroom





an Feb Mar Apr May Jun Jul Aus Sep Oct Nov Dec



CANADA

MICRO R.G.S. INC.
751, CARRE VICTORIA, SUITE 403
MONTREAL, QUEBEC, CANADA, H2Y 2J3
Regular Tel. (514) 287-1563
Canadian Toll Free 800-361-5155



FREE PROGRAMS!!

We are having a Summer Sale! Now through August 31, 1984, buy any two programs at the regular price and take take a third program of your choice FREE.



FILE CABINET - Data Management System With FILE CABINET you can create and maintain records on anything you choose. Recipes, coupons, household inventory, financial records - you name it. You create records containing up to five fields you define. You can search, sort, modify, delete, save on tape and display on the screen or send to the printer. The program is user friendly and user proof. Error trapping and prompting are extensive. A comparable program would cost you much more. Cassette 16K EXT - Postpaid \$19.95



(Reviewed in Nov. 83 Rainbow) With LABELIII you can develop and maintain a mailing list. Display on screen or printer. Print lists or labels in your choice of 1, 2, or 3 wide. Supports 3 or 4 line addresses with phone optional. Fast machine language sort on last name, first name, or zip code. Cassette 16K EXT - Postpaid



ATLANTIS ADVENTURE (Reviewed in May 84 Rainbow) This one is tough! We challenge you to complete this in 30 days. If you can we will send you any cassette program we sell at no charge. (We will even pay the postage.) You start on a disabled sub, near the lost city of Atlantis. Your object is to get the sub and yourself safely to the surface. Cassette 16K EXT - Postpaid \$21.95



ADVENTURE STARTER (Reviewed in Feb. 84 Rainbow) Learn to play those adventures the painless way. You start with a simple adventure and then move into an intermediate. We also include hints and tips on adventuring. Your 16K EXT cassette includes both "MYHOUSE" and "PIRATES" adventures. Finish this and you are ready for "ATLANTIS." Cassette 16K EXT - Postpaid



FOUR MILE ISLAND (Reviewed in May 84 Rainbow) You are trapped inside a disabled nuclear Power Plant. The reactor is running away. You must bring the reactor to a cold shutdown and prevent the "China Syndrome." Can you save the plant (and yourself)? It's not easy!
Cassette 16K EXT - Postpaid \$



ESPIONAGE ISLAND (Reviewed in June 84 Rainbow) You have been dropped off on a deserted island by a submarine. You must recover a top secret microfilm and signal the sub to pick you up. Problems abound in this 32K text adventure.

Cassette 32K EXT - Postpaid



PROGRAM FILE (Reviewed in Oct. 83 Rainbow) Organize your cassette programs. Let your computer find that program for you. Create and maintain a four field file. You can search, sort, modify, delete and display on screen or printer. Sorting may be done by name, type or location. Cassette 16K EXT - Postpaid \$14.95

KINGDOM OF BASHAN



Our most involved adventure to date. Bashan has a large vocabulary and some unique problems to solve. You must enter Bashan (not easy) collect the ten treasures of the kingdom while staying alive (even harder) and then return to the starting point with the treasures (even harder). If you can get the maximum 200 points in this you are an expert! Cassette 32K EXT - Postpaid \$17.95

*C.O.D. orders please add \$1.50
*No delay for personal checks

IN A HURRY? CALL OUR HOOT LINE: (615) 238-9458



OWLS NEST SOFTWARE

P.O. BOX 579, OOLTEWAH, TN 37363



Adventure Cracker — A Great **Tool For Solving Those** Hard Adventures

How many times have you encountered an Adventure game that just defied all logic? What about the time you hammered on the keys until 2 a.m. and were no closer to solving the challenge than when you had started six hours earlier.

It's kind of hard to read somebody's mind you've never met isn't it? What turns a lot of people off about Adventure games is that you have no way of knowing where an author is coming from sometimes.

The next day at work you silently curse the creator for ruining your nights while you try to remain invisible to the boss. You pretend to write rough drafts of memos but you are actually jotting down new commands to try when you get home, aren't you?

That night you make a little progress, but not enough to brag about. As the wee hours again approach, you throw up your hands in frustration and file the program, pledging someday when you have all the time in the world to get back to the Adventure.

Usually that time never arrives and the program sits in the file gathering dust. "Who needs that aggravation?" you ask yourself.

If this scenario is one you can identify with, you will greatly appreciate Adventure Cracker, a program created by Classical Computing of Chapel Hill, N.C., just for folks like

All you have to do is load (don't EXEC or RUN) it in the program you wish to examine. Then load in Adventure Cracker and type EXEC 490.

And whammo! All of the commands and responses are unveiled right before your widely stretched eyes. That's right, there is now hope for those old Adventure programs of which you can't even remember the names!

It's like the old saying about the weather in Kentucky: "If you wait long enough, you're likely to see anything." CoCo lovers are learning that the adage applies to them. There are just too many folks out there tinkering around for a problem to gather dust for long.

Adventure Cracker also is recommended for autoload games. The creators recommend that you try a CLOADM" , 500 command, loading the program 500 bytes beyond where it is intended to go. It works fine on most autoloads.

Thus far, however, there is no cracker for graphics Adventures. But that doesn't mean we won't be getting one soon.

From all of us who have suffered from Adventure-game depression in the past, a well-deserved "Thank You" goes to those considerate and creative folks at Classical Computing for Adventure Cracker.

(Classical Computing Inc., P. O. Box 3318, Chapel Hill, NC 27515, tape \$14.98)

- Charles Springer

Free



SPELL 'N FIX II

SPELL 'N FIX II is not just for spelling mistakes — it catches typos too. Regardless of whose text processor you use, let SPELL 'N FIX II find and fix your spelling and typing mistakes, and your word processing output will look professional and be perfect. It finds mistakes even experienced proofreaders often miss.

SPELL 'N FIX II is easy to use. As it proofreads your text file, it displays it (in full upper and lower case) right on the screen for you to see. It looks up each word in the text in its own computerized dictionary file (which is compressed and indexed to save space on the disk and make access super fast) and tells you whenever it finds a word which is not in the dictionary. At this point, you have several options - let it be (if it's OK), add it to the dictionary (if it's a word you expect to use often), or change it (if it's wrong). If you decide to change it, then SPELL 'N FIX II even helps you find the correct spelling in the computerized dictionary, or you can use an entirely new word or phrase. If you make a change, SPELL 'N FIX II will look it up in the dictionary one more time to check up on your typing. Once you make a change, SPELL 'N FIX II will then remind you about it the next time it sees the same wrong word in your text.

Since the computerized dictionary is expandable, you can customize it with your own pet words or technical terms, and can even develop specialized dictionaries for special uses or foreign languages.

SPELL 'N FIX II is part of our Pass-the-Hat (tm) program. If you send us a disk and stamped mailer for it, we will send you a copy of SPELL 'N FIX II with a request that you send us a fair contribution after you have had a chance to evaluate the program.

SPELL 'N FIX II is available on disk only. For tape systems, order SPELL 'N FIX I at \$49.39; CoCo version for Flex or STAR-DOS disk operating systems costs \$89.29.

EARN \$1 ... IF YOU CAN!

What do Absorbancy, Accidently, Solicarity, Pickpicketing, Technacalities, and Reprhasing have in common? They are all misspelled words in our competitors' dictionaries!

We've taken great pains to make sure the dictionary file of SPELL 'N FIX II has no mistakes. We're so confident about it that we will pay you \$1 for every misspelled word you can find in it. I don't expect this offer to cost us a cent, but in case several people find the same word, the earliest postmark wins.

HUMBUG® — THE SUPER MONITOR

A complete monitor and debugging system which lets you input programs and data into memory, list memory contents, insert multiple breakpoints, single-step, test, checksum, and compare memory contents, find data in memory, start and stop programs, upload and download, save to tape, connect the Color Computer to a terminal, printer, or remote computer, and more. HUMBUG on disk or cassette costs just \$39.95, special 64K version for FLEX or STAR-DOS 64 costs \$59.95, MC-10 version \$29.95.

STAR-DOS

A Disk Operating System specially designed for the Color Computer, STAR-DOS is fully compatible with your present Color Computer disk format — it reads disks written by Extended Disk Basic and vice versa. STAR-DOS for 16K through 64K systems costs \$49.90. STAR—DOS Level I for 6809 SS-50 systems costs \$75.

ALL-IN-ONE

Text editor, processor, and mailing list program combines three most used functions in one program. Requires STAR-DOS or FLEX. \$50.

CHECK 'N TAX

Home accounting package combines checkbook maintenance and income tax data collection. Written in Basic for either RS Disk or Flex, \$50.

REMOTERM

REMOTERM — makes your CoCo into a host computer, operated from a remote terminal. \$19.95, disk or cassette.

COMMTERM

A terminal program for your CoCo or MC-10. Part of our Pass-the-Hat software program. Send a cassette and stamped envelope for your free copy.

NEWTALK

NEWTALK — a memory examine utility for machine language programmers which reads out memory contents through the TV set speaker. \$20, disk or cassette.

SHRINK

SHRINK — our version of Eliza, in machine language and extremely fast. \$15, disk or cassette.

EDUCATIONAL SOFTWARE

Introduction to Numerical Methods — college level course on computer math, \$75.00, disk or cassette.

DOUBLE SIDED DISK SYSTEM

Complete disk system with double-sided drive, cabinet, power supply, cable, and controller, \$400. A half-height drive in full size cabinet (has room for a second drive for future expansion) costs \$25 extra. Either way, you get double the storage capacity - 320K on one disk.

We accept cash, check, COD, Visa, or Master Card. NY State residents please add appropriate sales tax. Add \$3 to above price for AMDEK 3" disk versions.

(FLEX is a trademark of Technical Systems Consultants, Inc. Everything else in this ad is a trademark of Star-Kits.)

MASTER DES

DOES MORE THAN JUST DRAW PICTURES

IT'S A TEXT DESIGNER

Master Design has the ability to generate lettering in the graphics mode from sizes 2 to 32 and in a wide range of styles. Size 2 offers a 42 x 22 line format while size 32 creates letters that take up over half the screen. Lettering can be skinny, bold, textured, tall, drop shadow, raised shadow and in different thickness. There's nine different settings for thickness and nine different settings for creating open lettering.

IT'S A GRAPHICS EDITOR

Take full advantage of hi-res commands including GET. PUT. CIRCLE. PCOPY. PMODE, LINE, BOX, BOX FILL, PAINT and other special features available only with Master Design. Master Design utilizes a "two cursor" concept to allow quick formatting of boxes, lines and special patterns such as dot patterns for shading and diagonal, vertical or horizontal lines for creative backgrounds. You can create designs and use the TEXT designer to label areas or place titles. You can also create mirror images of the display.

COMES WITH A SCREEN PRINT ROUTINE

Master Design comes with a 7 bit and 8 bit version of a hi-res screen print routine so no matter what your printer is, we have it covered. Works in any pmode and can print normal or reversed images.

DISK and CASSETTE I/O

Save and load your creations to and from disk or cassette. You can even load hi-res displays created by other programs to make changes.

INTERFACES WITH TELEWRITER-64

Wouldn't it be nice if you could design your own letter head in hi-res graphics and then print it out while using Telewriter-64? Master Design offers just that capability! The Letter Head Utility will let you convert any hi-res display so that it can be accessed while using Telewriter-64! The BASIC program modules are provided with step by step instructions. These BASIC modules can also be used in your own BASIC programs for printing displays without having to use the graphic pages. You can have upto 88 pages of graphics linked together for printing!





DERRINGER SOFTWARE



Send Check or Money Order to: Derringer Software. Inc.. P. O. Box 5300 Florence. S. C. 29502-2300

Visa/MC customers can call: (803) 665-5676 - 9:00 - 5:00 edt

Requires 32K with at least one disk drive (Include \$2.00 for shipping and handling)

Telewriter-64 (C) 1983 by Cognitec

The Black Sanctum — **Excitement And Adventure** In Every Byte

As most of you are aware, programmers of the CoCo are just now scratching the surface of spectacular graphics, for instance, Adventure games. Don't you wish that in addition to the plain old words there was a picture of the scene? Your dreams have come true with Mark Data's Adventure game, The Black Sanctum.

As far as playing Adventure games, no word-type games were really good enough to keep my interest for very long. When I played this Adventure game I was glued to my TV set for hours. From the cold outdoors to the library inside the monastery this is a great game.

The Black Sanctum is a 32K high resolution 100 percent machine language Adventure game. After you CLOADM the program (which automatically executes), you will see either a blue or a red screen. If the screen is red you must push the Reset button until the screen is blue. If the screen is blue you can press any key and continue with the program.

The object of The Black Sanctum is to kill all of the black magic that lurks in an old 18th century monastery. This is no easy task. Of all the Adventure games I've ever played, The Black Sanctum seems to be the hardest. Every instrument is used in this game, so don't anticipate that an object has little or no use. Some objects can even be used two or three times.

The commands are unlimited in this game. All commands are two words, a noun and a verb. It is good to have a thesaurus with you to see if there is another word with the same meaning as the word you are using. The directions in the game are pretty skimpy and do not tell you a whole lot about the game. At the same time, the game is very easy to understand and play.

In my opinion this is a great game and it should get all five stars (on my five-star scale). Every scene is chilling from the hallway to the bishop's coffin. I recommend this game highly and Adventure game fans should not be without it.

(Mark Data Products, 24001 Alicia Pkwy., #207 Mission Viejo, CA 92691, \$24.95 tape, \$27.95 disk)

- Pat Downard

16K ADVENTURE GENERATOR TAPE \$19.95 Create your own adventure with this program. Should be familiar with proper basic syntax to use. Writes adven-

ture game directly to tape.

16K ADVENTURE STARTER PACKAGE ... TAPE \$14.95 Three graduated adventure games designed to guide you from beginner to tackling the expert level adventure games with confidence.

> SOFTECH P.O. BOX 3330 Cheyenne, WY 82003

DMAGIC: A Disk Utility — Tomorrow We Gotta Get Organized

Remember when you were still playing with tape storage and dreaming of the day you might get a disk drive? When you really believed that all that wonderful storage space meant you probably wouldn't require more than one or two

disks for all your programs?

And now, my friend? You say you've got 27 full disks and no real idea of what's on any of them? You say you really don't feel like typing DIR and then playing the famous CoCo game of SHIFT-@? You say you could POKE and then PRINT out all of those directories, but then you still would have to go through them one by one to find what you wanted because the CoCo disk directory isn't alphabetized? And, to top it all off, you need to run a bunch of the programs anyway because you don't even recognize the filenames anymore?

Well, what you need is a utility to help manage those disks. There are a lot of them on the market these days, each with its own features and emphases; and one of the new-

comers is DMAGIC.

RUN the program, type 'N' (for "new disk"), and put in the first disk you want to whip into shape. Let's sort the DIR listing. Just type 'S' and DMAGIC not only sorts the disk directory but also rewrites it on the disk in alphabetical order.

Want to take a look through the directory now? Simply push the "up" or "down" arrow, and DMAGIC displays one filename at a time, forward or backward, allowing you at any time to LOAD, KILL, COPY, or RENAME the program on display. It also will give you the hexadecimal addresses for machine language programs, and permit you to change drives, change disks or exit to BASIC.


Want a quicker view of the directory? Type 'P' and DMAGIC displays up to 26 entries at a time, with a red graphic block appearing in front of the current active file. Typing 'R' at any point returns you to the main menu.

A copy of *DMAGIC* on each of your disks (using *DMAGIC* to put it there, of course!) can go a long way toward giving you substantial control over that multiplying disk collection. While I personally would like to see addition of a *PRINT* function (to allow easier updating of a directory printout for each disk sleeve), *DMAGIC* is a good, easy-to-use utility and may prove to be exactly what you need. Its instructions are clear and straightforward. Although it will work well enough with only 16K, the author indicates 32K will mean exchanging disks a lot less often when you use the *COPY* function; the program takes about 5.8K of RAM. Single and multiple drives are supported.


So what's keeping you? Let's get organized . . . tomorrow of course.

(Dorison House Publishers, Inc., 824 Park Square Building, Boston MA 02116, 16K+ disk, \$21.95)

- Warren S. Napier



Nobody Does It Better In Speech or Music



THE VOICE

You get CoCo's best hardware speech synthesizer using the VOTRAX SC-01, THE VOICE (was \$119.95).

Included is a text to speech ML program FREE to allow any BASIC program to speak in minutes (was \$29.95).


You also get 6 education and fun programs FREE (a \$34.95 value).

You will have access to an ever growing library of software.

Disk owners don't despair, THE VOICE works in all multi-pac units including our own Y-CABLE.

You can find speech units for less and a lot for more, but you won't find any better.

\$79.95 All hardware and software (tape or disk)



Speech thru TV speaker Yes Speech thru external speaker Yes Volume control Yes Outside Pitch control adjustment Demo Programs 5 Yes Phoneme Editor Text-to-Speech program Yes Documentation 30 pages Software 2 tapes IC count 6 Case material Aluminum Case size 15/16 x 51/2 x 41/4 CoCo 2 version Yes **Expansion Unit Compatibility**

RS Multi-pak Yes BT-1000 Yes Spectrum Switcher Yes Y-Pak Yes Y-Cable Yes

NOTE: All software (except Termtalk) will work on either unit, so you can buy our software and their hardware or vice versa



Photol

MUSICA

4 Notes produced simultaneously. Input notes from keyboard or joystick. Develop your own unique sounding instruments.

Vary tempo as music plays. Save or load music from tape or disk.

Call music from your own BASIC program. Music produced in stereo when used with the STEREO

COMPOSER. All features are fast because it's all machine language.

It doesn't get any better than this. Tape \$34.95 (16K) (32K) Disk \$39.95

MUSIC LIBRARY

Play these 4 part music selections without any additional software, or use as source for Musica. Over 100 tunes. Comes on tape, may be copied to disk. Ten or more tunes on each tape.

32K Ext

Each \$9.95 Old Time Favorites

- · Music from Stage, Screen and Television
- . Pop Songs of the 70's
- . Pop Songs of the 60's
- . Pop Songs of the 50's
- · Classical
- · Christmas Music (Sacred)
- · Christmas Music (Popular)

STEREO COMPOSER

CoCo's one and only stereo music synthesizer. Plug it into the cartridge slot, connect to external speakers or your home stereo and you're ready for music realism. Comes with the COMPOSER 4 voice software. Separate left and right channel volume controls. Two 8 bit D to A's for perfect reproduction. May be used with our best software "MUSICA." Disk owners may use any expansion unit or our Y-CABLE.

Tape or Disk \$69.95

Dealer Inquiries Invited

If your dealer doesn't stock our products, ask for them.

We accept CASH, CHECK, COD, VISA, and MASTER CARD orders. Shipping and handling US and Canada Shipping and handling outside the US and Canada COD charge Illinois residents add 61/4% sales tax for the STEREO COMPOSER or THE VOICE.

38W255 DEERPATH ROAD

BATAVIA, ILLINOIS 60510 (312) 879-6880 (24 HR. VOICE) (312) 879-6811 (24 HR. BBS)

CALL ANY DAY, ANYTIME TO ORDER. ALSO ORDER BY MAIL OR BBS. WE SHIP FROM STOCK WITHIN 48 HOURS.

Spectrum DOS: An Added Attraction For CoCo

By Ed Ellers

As soon as the hard-core computer nuts got hold of the Color Computer, the complaints started to fly. Some of them were even valid. "No error trapping!" "No lowercase!" "s-l-o-w disk I/O!" The CoCo's been around for nearly four years now, and Extended Color BASIC and disk drives have been with us for more than three years, so you can imagine that a lot of attempts have been made to fix what people saw as the machine's flaws. The number of lowercase boards, Hi-Res text drivers and other goodies on the market are testimony to this. Spectrum DOS is an attempt to provide many of the features desired by CoCo enthusiasts in a single program.

Spectrum DOS actually patches the Disk BASIC ROM program to add its new commands. For this you need a 64K Extended BASIC machine. The program can be supplied for whichever combination of ROMs your system has; the copy 1 used for test was set up for the "old" chips (1.1 Color BASIC and 1.0 Disk BASIC), and it caused a problem with the keyboard response on my machine (which has the 1.2 Color BASIC ROM) The DOS can also be burned into an EPROM, which will replace the Disk BASIC chip in the controller; the Hi-Res text feature and a few other commands will be lost unless you use a 16K EPROM (such as a 27128).

One of the strong points of Spectrum DOS is its ability to make use of faster disk drives as well as larger capacities. The Radio Shack (and TDP) disk drives used by most CoCo users have only 35 tracks, and are rated to go from track to track in 30 milliseconds (though they are actually capable of 20 ms operation). The drives that Radio Shack sells now (in white cases) are actually the same as the drives in the Model 4, and can use 40 tracks and step at 6 ms. Sadly, both the old and new Disk BASIC ROMs are stuck at 35 tracks and 30 ms operation.

Spectrum DOS has the ability to specify both step rate and number of tracks (35, 40 or 80), and you can use different settings for each drive. The system I'm using has one old Radio Shack drive and two Hitachi 3" compact floppy drives; these are 40-track and are rated by Hitachi to step at 3 ms(!). I have set up Spectrum DOS to run drive 0 at 35 tracks and 20 ms, and drives 1 and 2 at 40 tracks and 3 ms. The Radio Shack drive doesn't seem to be much faster, but, when the head has to move a great distance, it now does it in one smooth motion, so the grinding sound is pretty much gone. As for the Hitachi 3" drives, I had to guess at the correct setting for 3 ms operation (the manual only gives values down to 6 ms), and I don't know if they are actually going that fast; they do work well, though.

The setup procedure is done with a program called SETUP/BAS. This asks you how many drives are in your system, how many tracks for each drive, the step rate for each and the printer Baud rate you usually use. You can also select a prompt (the default is "READY" instead of the standard "OK") and a new cursor character. The cursor no

longer changes colors, which should please quite a few people.

Spectrum DOS does have a good Hi-Res text driver, which gives your choice of 32, 51 or 64 characters per line (still 16 lines on the screen) and has a full ASCII character set with lowercase characters. The PRINT@ command has been extended to the full numerical range of the mode you select. In PMODE 4, you can draw graphics over text and print text over graphics.

Another "key" feature is the programmable function keys. Any of the keys I through 9 can be set up to represent any desired command string. When you press the downarrow key, an inverse 'F' will appear in the upper left corner of the screen; when you press a number key, the pre-

programmed string is executed automatically.

The ERROR command lets you specify a line in the program where it should go in case of an error. For example, if you use an ERROR 1000 statement, any error (whether in the program or in an INPUT statement) will cause the program to go to 1000 instead of stopping. (On many other computers this is called ON ERROR GOTO.)

There are far too many other neat things in Spectrum DOS for me to describe in full; things like printer echoing, advanced BASIC line editing features, commands to boot OS-9 and FLEX directly and even a help screen! Spectrum DOS is certainly something to look into if you are getting tired of the constraints of Disk BASIC.

(Spectrum Projects, 93-15 86th Drive, Woodhaven, NY 11421 or Box 9866, San Jose, CA 95157, \$49.95 plus \$3 S/H)

FLY at MACH 2!

F-16 Instrument Flight Simulator

Don't chug around at 90 knots with other simulators. F-16 flys Mach 2.6, is fully aerobatic, very realistic. \$21.95



DESCENDERS

TSPOOL

100% ML SOFTWARE SPOOLER FOR TELEWRITER-64® ONLY. \$24.95

TELEWRITER-64

THE BEST COCO WORD PROCESSOR AVAILABLE TODAY!
TAPE......\$49.95 DISK.....\$59.95

We now handle all CoCoData Ent. programs: Graphics Program Generator II\$16.95

ELECTRICITY CONSUMPTION MONITOR\$10.95 HOUSEHOLD BUDGET WORKSHEET\$ 6.95 LLIST-RITE\$ 5.95

CALL (813) 321-2840 FOR MORE INFORMATION.



KRT Software, Inc. P. O. Box 41395 St. Petersburg, Florida 33743

Shrink For Extra Bytes

Have you ever needed extra memory space or had a BASIC program that was just a little too big to fit into your available memory? If so, Shrink by Elite Software could help.

Shrink is a machine language utility that removes unnecessary spaces from BASIC programs. The resulting code is still legitimate BASIC, which can be edited, run and saved. Unnecessary spaces are, in general, spaces around BASIC tokens. A few examples of some common reductions are illustrated below:

A = Ibecomes A=I GOTO 10 becomes GOTO10 NEXTI becomes NEXTI PRINT "A B C" becomes PRINT"ABC" IF P = 2 THEN RETURN becomes IFP=2THENRETURN

Note that Shrink does not operate on strings like "A B C" or on comments like REM THIS IS A COMMENT. Since it is written in machine language, Shrink requires less than 350 bytes of storage and can reduce a 12K program in about 15 seconds.

Running Shrink is simple. After CLEARing space at the top of memory, Shrink is loaded into store followed by the BASIC program to be shrunk. EXECing the utility causes all the unnecessary spaces to be removed and the modified program may then be edited, run or saved. Using PRINT MEM before and after running Shrink shows exactly how many bytes were gained.

Shrink worked as advertised on every BASIC program I tried, yielding an average space savings of 10 to 25 percent. Of course, the amount of savings you get depends on the amount of white space in your code. As a last resort, comments can also be removed from the BASIC source to free additional memory. If you write much BASIC code, Shrink is a useful tool to have.

(Elite Software, Box 11224, Pittsburgh, PA 15238, \$14.95 tape, \$17.95 disk)

- Gary E. Epple

Cocoindx — A Convenient Index To CoCo's Literature

Cocoindx is just what the title might lead you to believe a rather complete printed index of articles which have been written for and about the Color Computer.

There are 70 pages of listings of articles about the CoCo in this spiral-bound book. The index covers 13 publications including: 68 Micro Journal, 73, 80 Micro, Hot Coco, 80 U.S., Basic Computing, Byte, The Color Computer Magazine, Color Computer News (now defunct), Computers and Electronics, CQ Magazine, Ham Radio Magazine and THE RAINBOW.

At first I had some doubts about the usefulness of the product, but the day it came, I had a chance to use it for a good purpose. I wanted to go back to the source article for the program I have for printing custom statements. I knew it was in one of the pile of magazines in this CoCo-nest, but I did not know exactly where.

I looked in Cocoindx and voila! There was the listing of Ron Garrett's program on Page 36 of the index. Now, finding the November 1982 RAINBOW in this mess — that's another matter.

The index file is set up with fields for Type, Magazine, Article name, Author, Page, Language, System and Notes.

The notes are a brief key to what the article is about. The rest of the fields should be self-explanatory.

The type of article is an abbreviation for which there is no key printed. The types are easy to understand, but I was fooled at first by the name SPEC, which I thought referred to articles about Spectaculator. I now suspect it means "special."

I appreciate the work which Dean Norris put into this very useful book, but I think the price is high. I know the cost of printing. I know the effort which must have been made in the project, but I can't help thinking CoCo-nuts may not be willing to shell out \$20 for an index.

(Cocoindx, P.O. Box 23654, Tempe, AZ 85282, \$19.95)

- Howard Lee Ball

L

0

S

A

N

G

E

L

E

S

LOCAL* IN* LOS *ANGELES * LOCAL* IN * LOS *ANGELES * LOCAL * IN * LOS * ANGELES *

* SOFTWARE * L

0 Bertamax, Inc. (Educational) Cheshire Cat (Graphicom +) S

Computerware (All)

Custom Software (No Disc.) Frank Hogg Labs (OS-9 & Flex)

A Key Color Software (Key 264K)

N Tom Mix (All)

G Petrocci Freelance (All)

Platinum Software (!)

Prickly Pear (All) L Silicon Rainbow (BBS's +) E

Soft law (VIP & Colorquest) S Speech Systems (All)

* E.D.C. INDUSTRIES *

Software • Hardware • Support Educational • Small Business • Games

CALL TO VISIT OFFICE

VOICE (213) 258-6593 10 A.M.-10 P.M. BBS (213) 258-0640 24 HRS.

POST OFFICE BOX 42718 LOS ANGELES, CA. 90050

CA Res. plus 6.5% Tax. Include \$2.00 S & H for mall order.

* HARDWARE *

GREAT DISCOUNTS ON: Printers


Diskettes Drives Modems Monitors Interfaces

From: Amdek J & M Systems Basic Tech. Gemini **EMS** Hayes Gorilla Novation **PBH** Speech Systems Zenith Many More

CALL US LAST!

* * LOCAL * IN * LOS * ANGELES * LOCAL * IN * LOS * ANGELES * LOCAL * IN * LOS * ANGELES * *

Sugar Software



RAINBOW SCREEN MACHINE

SCREEN MACHINE

- The Rolls Royce of graphics/text screen enhancers - more features than all others combined!
- Add these features to your computer/program: ML extension of Basic loads on top of 16, 32, or 64K machines to enable easy mixture of hi-res graphics and text in your programs. Dense text or large lettering for children, visually impaired or VCR title screens with no programming!
- User definable 224 character set featuring lower case descenders, Greek, cars, tank, planes, etc., completely interfaced with all keys, commands, and PMODES. 12 sizes (most colored) from 16 x 8 to 64 x 24. PRINT @, TAB and comma fields are fully supported.
- 2 distinct character sets automatically switch for sharpest lettering featuring underline, subscript, superscript, reverse video, top and bottom scroll protect, double width, colored characters in PMODE 4, and help screen.
- Simple 2-letter abbreviated commands inside your program or control key entry from keyboard, even during program execution!
- Includes demo program, character generator program and manual. 16K Ext. Basic required 32K recommended. \$29.95 Tape; \$32.95 Disk.

Screen Machine can be used in games, word processors, utilities, etc. In addition, the custom graphics characters can be used to develop easy, effective hi-res character-graphics programs. The potential is truly unlimited.

paired simply by typing.

- Revolutionary heralded as the most useful, powerful and versatile state-of-the-art utility ever developed for the Color Computer!
- All of the features of Screen Machine and more:
- Variable SMOOTH Scroll for professional displays, listings, business use.
- Variable volume KEY Click (tactile feedback).
- EDTASM + command for instant compatibility with disk EDTASM.
- Superpatch + command for instant compatibility with disk EDTASM.
- True Break key disable and recognition.
- 10 User Definable commands used to activate your special drivers or subroutine.
- Dynamic Screen Dump command for use with Custom Software Engineering's Graphic Screen Print program for simple printer "Snapshots" of your screen even during program execution!
- The new standard Upgradeable at any time from previous Rainbow-Writer or Screen Machine purchase. Return old program, manual, plus cost difference and \$7.00 shipping and handling.
- Super Screen Machine \$44.95 Tape; \$47.95 Disk.

Screen Machine is fully interfaced with all keys and commands. Although some Basic programming knowledge is rec-Screen Machine can be used to directly create video recorder ommended just a few minutes spent studying and referencing title screens or large lettering for children or the visually im- your computer's Basic manuals will turn you on to the power of computing with Screen Machine.



A complete catalog of other sweet Sugar Software products is available.

SUGAR SOFTWARE

2153 Leah Lane Reynoldsburg, Ohio 43068 (614) 861-0565



VISA

Add \$1.00 per tape for postage and handling. Ohioans add 5.5% sales tax. COD orders are wel-come. CIS orders EMAIL to 70405, 1374. Dealer inquiries in-

CoCo Cookbook Deserves A Chef's Salute

It's nice when you discover a program that serves a useful purpose in addition to showing your computer's capabilities.

CoCo Cookbook, by Computerware, is such a program and it should be greeted with open arms by everyone who has spent hours fumbling through kitchen drawers, sorting index cards, and wondering what in the world could have happened to Aunt Bessie's age-old recipe for chocolate marble cake.

For those who collect recipes like some computer fanatics who seem to collect programs, CoCo Cookbook will be quite a catch, containing 50 delicious-sounding delectables that will be among the treasures in your collection. Are you ready for Oxtail with Herbs, Hunters Chicken Wings, and Deviled Beef Bones? Or, how about Lobster a l'Americaine?

I personally enjoyed Chocolate Devil's Food Cake, a traditional favorite that my wife prepared for the family using the recipe included in the program. It provided a definite twist from the normal review process.

Of course, the real value of CoCo Cookbook is the ability to store your own recipes, enabling you to once and for all rid yourself of that endless assortment of paper scraps that hinder the housekeeping process.

CoCo Cookbook will store up to 270 recipes on a single

No Disk? No Printer?

- YOU CAN STILL HAVE A CUSTOM-BUILT FILING SYSTEM!

DISK & PRINTER ARE OPTIONAL IN THE SUPER-FRIENDLY DO-FILE SYSTEM: NEEDS ONLY TAPE, 32K & EXT. BASIC. ALL WORK DONE IN MEMORY. NO PROGRAMMING REQUIRED TO BUILD HOUSEHOLD INVENTORY, WINE LIST, ANY LIST. YOU DESIGN YOUR OWN RECORDS. AND — YOU DON'T HAVE TO GET IT RIGHT THE FIRST TIME. EXPAND ANY FIELD, ADD NEW FIELDS — WITHOUT LOSING ANY EXISTING DATA. CREATE, REMOVE AND CHANGE RECORDS — SEARCH, SORT, LIST AND TOTAL THEM — LOAD AND SAVE FILES USING CASSETTE OR DISK (OR BOTH). DISPLAY YOUR RECORDS ON THE SCREEN AND/OR PRINTER IN ORIGINAL OR SORTED SEQUENCE (OR BOTH). SELECT AND SORT (ASCENDING OR DESCENDING) RECORDS ON UP TO 3 FIELDS. YOUR FILES CAN BE AS BIG AS 16,500 CHARACTERS. DO-FILE HAS EASY, ONE-KEY COMMANDS AND A HELP MENU, TOO. IT IS EVEN DESIGNED TO PROTECT YOU FROM MAKING MISTAKES! DO-FILE IS EDUCATIONAL — YOU LEARN FILE MANAGEMENT USING A 35-PAGE TUTORIAL GUIDE & SAMPLE DATA FILE!

CALL FREE! 1-800-334-0854, EXT. 856, TO ORDER. OR. SEND \$29.95 (CHECK OR MONEY ORDER) PLUS \$2.00 FOR POSTAGE/HANDLING (PA RESIDENTS ADD \$1.92 TAX), TO:



disk using a special compression technique with up to 3,040 characters per recipe, including title, ingredients and instructions—all in "free form" format. You don't have to take any shortcuts to conserve space either—thereby preserving those precious personal touches so necessary for the perfect dish. You can write and write and write, it seems.

The first 50 recipes in the program are provided by Computerware. You can keep them or delete them, but you'll

probably want them.

You can access each recipe by title, number or by a special keyword search. You can list the ingredients to the screen or to the printer simply by using the Find Recipe option. There's also an automatic option that allows you to page through the recipe at your own pace.

Recipes also can be called up alphabetically or numerically, and you can keep a printed index file handy that lists them both ways should you forget how you entered a recipe,

making it easy to retrieve the needed file.

Sorry, you folks without disk drives and with only 16K;

CoCo Cookbook does require a disk and 32K.

The program is definitely user-friendly, making a complex filing job very easy. It also is fun, a real showpiece during parties, and very practical. If Mom still needs convincing about the value of your computer and its relevance to the home, CoCo Cookbook will do the job. The difficult part for her will be finding all the recipes she wants (or wants you) to file. Once you've got them all on disk, Mom's days of searching are over. A touch of a few keys will produce that priceless recipe in print in just a few seconds. Be warned, however, it's so easy you may wind up over the stove!

(Computerware, P.O. Box 668, 4403 Manchester Avenue, Suite 102, Encinitas, CA 92024, disk \$27.95)

Charles Springer

Hint . . .

Amazing Graphics

Here is a program your readers might enjoy:

0 DIMA(39,40):SCREEN1,1:GET(0,0)-(255,191),A,G 1 PUT(0,0)-(255,191),A,NOT:GOTO1

Before it is used, however, a picture must be on a Hi-Res screen. When it is in memory, type NEW and enter the program. Type RUN, ENTER and wait a few seconds. Amazing! The key to this program is the statement not in Line 1. If a point is PSET, it PRESETS it and vice versa. Try this: while the computer is PUTting it on the screen, press the Reset button in back. Now type RUN and ENTER again. What do you think will happen?

Mark Raphael Englishtown, NJ

Ice Bird Is A Fun, **Heart Warming Game**

Every once in a while a game is introduced that, while not completely original in concept, generates a new kind of appeal.

Ice Bird, while very similar to another game called Ice Master but not as fast or difficult, easily overcomes anything resembling redundancy with its charmingly quaint graphics.

The hero of the situation is a cute little blue penguin, complete with vest, who desperately but slowly waddles about in his efforts to avoid being killed by menacing pursuers equipped with deadly stingers.

There is also an assortment of blocks of ice, which Ice Bird uses to defend himself against the stingers. The object of the game is to connect three diamond blocks in a row before running out of blocks of ice.

A quaint element of suspense is added as seemingly innocent blocks suddenly start flashing, just before being transformed into pursuers of our hero. To destroy a pursuer, Ice Bird must hit it with a sliding block of ice or crumble the flashing block before it hatches.

Strange thing about those pursuers: They seem to vary in intelligence so you really have to be on your toes. They will live up to their names.

Players earn 1,000 points when all diamonds are connected. If none of the diamonds are touching a wall, an additional 1,000 points are awarded. If they are in a straight line, another 1,000 points are yours. If both of the latter are true, there's an additional 1,000 points. You can earn as many as 4,000 points on one turn.

The remaining blocks of ice are worth 100 points each. A crumbled block is worth only 10 points, but crushing a flashing block is worth 400.

There are several maze levels, each unique in its design and level of difficulty. Every third maze is a bonus maze.

Ice Bird is so cute that you tend to identify strongly with this little character. You will find yourself pulling the toggle switch frantically in order to protect him from harm.

If things really get desperate, you can push the SHIFT '@' combination to "freeze" the action.

One or two players can play, and the scores, including the high total in the current series of games, are displayed at the top of the screen.

I really enjoyed *Ice Bird* and I believe the character is so likable that he could be put in a series of arcade challenges. That's one aspect of computer games that we have not seen and it could be a winning concept. If Bugs Bunny could be in 2,000 or 3,000 cartoons, why couldn't an Ice Bird or another character do the same thing?

(Crystal Software, 6591 Dawsey Road, Rock Creek, OH 44084, tape \$24.95; disk \$28.95)

- Charles Springer



UNLIMITED EXPANSION

- **6 SLOT EXPANSION BUS**
- PARALLEL PRINTER CARTRIDGE DUAL RS232 CARTRIDGE
- PROTOTYPING BOARD
- 80 COLUMN VIDEO CARTRIDGE
- REAL TIME CLOCK CARTRIDGE
- 16K RAM/ROM CARTRIDGE
- MORE TO COME

WRITE OR CALL FOR OUR CATALOG



The Sector Inspector — Good Disk Utility With A 'Zap'

I think one of the most unusual terms in computerese is "zapping" a disk. If someone out there knows the origin of this term I would sure enjoy hearing about it. As most of you are aware, we use the term "zapping" to mean altering the contents of a disk, on purpose of course. There are several programs on the market that perform an adequate job of zapping, including *The Sector Inspector*, by Sonburst Software.

The Sector Inspector is a disk maintenance utility that is menu driven and very user friendly. It is written in disk BASIC and machine language requiring no other equipment for proper operation. A 50-page instruction manual can be described as adequate. It contains a good explanation of all commands along with 21 examples of the program's uses.

Hint . . .

Handy Label Printer

I simply got tired of seeing the hand written labels on my disks. Some were very sloppy, and some were in different colors of ink. The following is a short program that will print out a nice looking disk label. You can use gummed labels that will feed through your printer or simply print them out on regular paper and then cut them out and, using a "glue stick," stick them on your disks.

Edit the following lines:

50 enter your name

60 enter the date

70 enter the software manufacturer's name if the label is for a copyrighted program.

Format is for the Epson printer, and all CHR\$s should be changed to your printer's needs.

10 POKE150,1 'SETS UP 900 BAUD RATE

20 CLS

40 PRINT@32,"ENTER FILE NAME/NUMBER"

:INPUTA\$

50 B\$="DISK OWNERS NAME"

60 C\$="DATE DISK FORMATTED"

70 D\$="SOFTWARE MFG'S TITLE"

80 PRINT#-2, CHR\$(14); 'DOUBLE WIDTH

90 PRINT#-2,CHR\$(27);"G"; 'DOUBLE STRIKE MODE

100 PRINT#-2,CHR\$(27);"E"; "SETS EMPHASIZED MODE

110 PRINT#-2,A\$

120 PRINT#-2,D\$

125 PRINT#-2, CHR\$(27); "F"; 'CANCELS

EMPHASIZED MODE

130 PRINT#-2,CHR\$(15); 'SETS CONDENSED MODE

140 PRINT#-2,B\$

150 PRINT#-2,C\$

160 PRINT#-2, CHR\$(27); "e"; CHR\$(1); CHR\$(4); 'SET

HORIZONTAL/VERT TAB UNIT

165 PRINT#-2,CHR\$(11) 'VERTICAL TAB MODE

170 CLS:GOTO40

Barry L. Baker Pacific Beach, CA One section is devoted to common questions about disk systems in general. The programs are not protected and can be backed up for those who so desire. The original disk contains several copies of the main program in case of problems.

A BASIC loader program can be user modified for use with disk drives with faster step rates. Instructions are also given regarding the default printer Baud rate and how to add line feeds after carriage returns for those of us with printers requiring line feeds. My standard printer driver worked fine, though.

A main menu is invoked by RUN"SI". Eight choices are available as follows:

D - Directory Menu

R - Rough Stuff Menu

O - Default Drive

M — Multiple Drives/One Drive

B — Change Printer Baud RateV — Verify On/Off

K - Key Click On/Off

C - Disk Backup

Directory Menu

The Directory Menu allows reading information from Track 17. Several different options are available in addition to just reading the directory. One command allows you to alphabetize your directory. This can be a real plus for a disk full of programs. No longer do you have to search through every program name to find that certain one you're looking for.

Two commands in this menu are the heart of the directory system. 'S' and 'R' save and retrieve the directory from Track 17 to/from Track 34. The more you use the CoCo disk system the more you realize that it is wise to back up your directory track. This takes care of the function automatically, or close to it.

Another nice feature is the 'T' command. This command tracks a file through the disk giving you a sequence of granules for that particular file. This is a necessity for file reconstruction.

Rough Stuff Menu

Why do they call it rough stuff? Well, there is nothing more dangerous than a novice programmer with a disk zapper. Entire disks have been known to disappear by the careless use of a disk write command.

In addition to the normal disk read/write commands, a disk scan command is included for verifying the integrity of a disk. This is the easiest way I know of to find a destroyed track on a disk. After finding the bad sector(s), you can attempt repairing them using the read/write commands.

Disk information can be dumped to a printer in several formats depending on whether the program is tokenized. This feature is also necessary for the serious disk zapper.

Comments

I think *The Sector Inspector* is a good utility for zappers and is reasonably priced for comparable programs. I suppose this is a moot point for normal programs, but it would be nice to be able to read more than 18 sectors on a track and 35 tracks. Sometimes there might be something there. You never know until you look.

(Sonburst Software, 233 E. Rogue River Hwy., Grants Pass, OR 97527, disk \$29.95)

- Dan Downard

Grobot An Education Game That Grows On You

Grobot, by Children's Computer Workshop, at first glance appears to have little or no educational benefit; it plays like a game, it looks like a game, and it sounds like a game. Kids think it is a game, but it is supposed to be educational. This is the best part of this program. The game is intended for children 10 to 13 and requires careful planning to attain high scores.

This program is very professional and very well thought out from start to finish. First the documentation is clear and concise with color and illustrations that really look like the computer screen. It covers everything from turning on the computer to thought-provoking questions in the back of the book to aid the child in realizing what the game is all about.

The game loads and runs with no hitches and there is a backup on side two of the tape. The game itself starts out by asking the player to pick four plants to grow and supplies a weather forecast. The planet of Kaldasian on which our farm is located has four different climates. The climate determines which plants grow best and the point value for each. There are 16 different plants to choose from, each with its own good and bad qualities. We are aided in making this decision by an almanac in the rear of the book. This is a simple cross reference chart of point values for each plant in each climate. To further complicate things, some of the point values are missing and must be obtained by the player



Every advertiser compares their product to "THE OTHER GUY'S." WHY IS THAT? It's because we make the best product for the best price. Other companies claim their general ledgers will handle at least 500 accounts and 1000 data entries on a 64k system. Look and compare "'KEEP-TRAK" with it's 16k version which holds 740 entries. Our 32k version handles 900 accounts with over 2400 entries. (Disk Only)

THEIR PRICE \$79 and UP - OUR PRICE \$14.95

NEW THIS MONTH "O MEGA FILE"

Omega File is a very fine, simple to use, data base for anything and everything. "OMEGA FILE" is limited only by your disk storage space. You may define any number of fields up to 16, with field length being up to 255 characters. (Total record length, if you wish, of 4080 characters) Sort, match, and print any field. (Disk Only)

THEIR PRICE \$69 and UP — QUR PRICE \$14.95

ALSO NEW THIS MONTH — "G R A D E E A S Y"

Grade Easy is simply the best educators data base available! Keep complete student profiles (I.D. no., name, address, telephone, age, birthday and S.S. no.) Grade Easy allows for weighted grades or true grades. Fully menu driven, very simple to use. (Disk Only)

A BARGAIN AT \$70 - NOW ONLY \$29.95 THE ONE AND ONLY "A M T"

AMT starts where everyone else ends. AMT calculates almost any sales or purchase outcome. Total interest, total principle, total payment are all figured. AMT is not just an amortization scheduling program, but a cost forcasting and prediction program. Useful to anyone who plans to sell or buy something with interest. (Disk Only) — \$14.95

"PI FILE" — Personal Information File \$14.95

This program stores names, addresses, phone numbers and brief notes. PI File is for client lists, church groups, Scouting, clubs, user groups or any other similar use. Prints

mailing labels. Sorts on any field. (Disk Only)
"Home Inventory" \$14.95 - "Memo File" \$14.95 - "Billing File" \$14.95

COMPARE FEATURES AND PRICE, then buy "THE OTHER GUY'S SOFTware!" ALL PRICES ARE FOR A LIMITED TIME ONLY!

(add \$1.50 for postage and handling) Send check or money order, US funds to:

THE OTHER GUY'S SOFTware • 875 S. Main • Logan, UT 84321 Phone: (801) 753-7620

during game play.

Once the crops are chosen, all that is left is harvesting in our harvester, right? Wrong! As with any farm, there are pests to be disposed of. The farming is done on the CoCo's Hi-Res graphics screen using one joystick. As the fun begins the Grobot is hovering above his field in his harvester. Soon the crops begin sprouting and making their way up the screen. The object is to wait until the plant blooms and pick the bloom to score points. As the plants get taller, below the ground's surface the Verms begin to appear and munch on the plants. You must make the Grobot jump out of the harvester and chase them away so you can go back to the harvester and pick blooms.

The action starts out slowly and builds with the points. As the plants start to bloom, they attract flying insects called gnats, which go straight to the blooms and must be chased away by moving the harvester to the plant. To pick blooms, move the harvester to the plant and push the fire button. The bloom only lasts a short time, so you must be fast. When the power runs out, the game ends. The game begins again with another weather forecast and the chance to select new crops.

Overall this is an excellent educational game, just what I would expect of a subsidiary of Children's Television Workshop. This game keeps the attention of the children and allows them to develop their skills at planning and problem solving. It is the best educational program I have seen so far.

(Radio Shack stores nationwide, Cat. No. 26-2527, 16K ECB, tape \$19.95)

James McCracken

Meet the direct-connect Signalman MODEM

Meet the direct-connect SIGNALMAN MODEM designed for use with RS-232C type Interface ... the smallest, lightest, most compact modem available today. Its long life 9-volt internal battery and exclusive audible Carrier Detect Signal allow you to install the SIGNALMAN anywhere ... out of the way, and out of signit Now, there's no need for messy cables, and no need to look at a LED to verify carrier.

Anchor's SIGNALMAN is designed to operate only with modular telephones having plug-in handsets. Bell TRIMLINE^{IM} type telephones which combine handset and dial are not suitable

Your SIGNALMAN transmits both voice and data over all com Your SteinAuman Itansinis both voice and over an earlier and not telephone lines, and is fully compatible with Bell 103 modems – putting your computer in instant communications with thousands of other computers. And when you're in the data position, your SIGNALMAN automatically changes from ORIGINATE to ANSWER and back again as the need arises – ending all that canfusion

Anchor Automation has taken the fuss out of communications For business or fun, SIGNALMAN is the ideal modern

A.C. Adapter \$59.95

with each modem \$100. VALUE Subscription to

COLUBCOM E SMART TERMINAL PACKAGE

- Complete Upland and Downland Support Online Cassette/Dalt Reads and Wittes 110, 300, 600, or 1200 Boud Full or Half Doples Preenter Data Before Coffing (Saves ST's) Office and Online Scrotling ROM Pack or Dalt
- Automatic Capture of Files Send All 127 ASCII Charact Word Life

COLORCOM/E

COLOR TERM + PLUS + \$29.95 Now even more PLUS + (estures than before!!! Mrss and Improved!! (TAPE) An Intelligent Terminal Program For The Color Computer or TDP 100. \$29.95

Time.

FREE ...

The SOURCE +

One Hour Hook-Up

SOFTWARE PLUS

6201 C Greenback Lane Citrus Heights, CA 95610

Phone (916) 726-8793



Plotting Your Highs And Lows With Super Color Biorhythms

Super Color Biorhythms, from Armadillo International Software, is a small program written in Extended BASIC

with a machine language graphing routine.

Some claim biorhythms are "biological rhythms" that begin at birth and continue regularly through life. I am not going to make any statements in this respect. I have been asked to review this program and I will restrict my comments to the performance of the program and the documentation that accompanies it. Incidentally, Armadillo International Software also makes a disclaimer in this respect.

Super Color Biorhythms is very easy to use. The package, on cassette tape, actually consists of two programs. The first one, called Biorhythm, is an Extended BASIC program which is loaded in the usual way. After running Biorhythm, a machine language routine called Graf automatically positions itself in memory, and everything is ready to go.

The first screen requests the basic information required for the program; that is, your birthdate, the beginning date

for the chart and the number of days desired.

The plotting consists of three sinusoidal wave functions with periods of 23, 28 and 33 days in three colors; yellow,

blue and red. The curves are labeled with color lettering at the bottom of the graph. The high resolution sine curves are plotted on a grid, representing days. At the top of the chart the date changes as the curves are drawn. You can halt the disply with SHIFT'@', and pressing any key will resume the plotting.

The program will display graphs for periods ranging from one day to 1,500 days, with the screen holding the plots corresponding to 14 days simultaneously. As the curves reach the right edge of the grid, the display scrolls to the left, permitting subsequent days to be plotted. This is a very nice touch.

The documentation is adequate. The four-page booklet contains all the necessary information to run the program and includes some explanation on the interpretation of the plots, something I said I wasn't going to touch. If you think biorhythms have any validity, this program will nicely plot your "cycles" for you.

(Armadillo International Software, P.O. Box 7661, Austin, TX 78712, tape \$10.95)

- Dr. Carlos Calle

See You At RAINBOWfest Princeton September 28-30, 1984



To make the most of your new Dragon microcomputer from Dragon-Tano, you need Dragon User the international, independent magazine for Dragon owners.

Each issue of Dragon User contains:

- reviews of the latest software
- programming advice for beginners
- hardware projects

The Dragon microcomputer was launched in the UK last year. Since then we have developed a knowledge and mastery of the machine's abilities. You can benefit from our experience by subscribing to Dragon User, which is expanding its coverage to include all US developments.

To make sure that you receive a copy of Dragon User regularly, subscribe direct to us. This costs only \$29.95 for 12 issues airspeeded to you - or take advantage of our special offer to long-term subscribers. Individual copies of the magazine can be obtained from your Dragon dealer.

- program listings covering games and utilities
- reviews of Dragon peripherals and add-ons
- technical advisory service
- programming articles for users .

Subscription order form. Receive a free book and save money by taking out a long-term subscription — a two-year subscription saves 10%, a three-year subscription saves 20%. In addition, long-term subscribers will receive a free copy of either □ *The Working Dragon or* □ *Dragon Games Master.* Please send a check, made payable to *Dragon User*, with this form. Start my subscription from the following issue

Signed...... Date.....

Subscription rates US and Canada airspeeded ☐ US\$29.95 for 12 issues/1 year ☐ US\$53.90 for 24 issues ☐ US\$71.90 for 36 issues. Send this form to Dragon User, % Business Press International, 205 E. 42nd St., New York, NY 10017.

Lancer Is A Contest Of Avian Agility

You are in the middle of a fierce combat in the skies. Your steed pivots, climbs and dives to meet the enemy and to better him. You use an outcropping of rock to hide from the enemy above and to position yourself to drop on an unsuspecting foe. You dive and nail your opponent only to have several of his comrades drop on you. This is just one of many possible outcomes in this Joust-type arcade game.

Lancer plays much like the description above. Your player is a knight with lance mounted upon some large bird of prey. Flying your mount is accomplished by hitting the fire button of your joystick. The faster you hit the fire button the faster your bird flies. Your opponents are equally armed and mounted. Your purpose is to stand and defeat all oncomers as wave after wave of enemies are sent after you. To kill the other riders you must run into them from a higher level of flight, or get the drop on them so to speak. If you attack the enemy from below, your knight will be killed even if you think you are on the offensive. When you dismount an enemy, his life force will be transformed into a white ball which will drop to the ground. If left alone, the life force balls will be reincarnated into new riders and new mounts will come and pick them up. The reincarnated riders are smarter and more agile fighters, so it's better to take care of them before they hatch. The white balls can be disposed of by running into them from any direction. The field of combat is composed of several "floating islands" or rocky outcrops. These are good both for maneuvering around and resting on when your trigger finger gets tired. Part way into the game the bottom of the screen turns into a lava pit, which is definitely not a place to land. Finally, to make the array of obstacles complete, there is the dragon — an almost unbeatable foe.

Most of the types of scoring in Lancer are covered above. You get points for dismounting your opponents, for disposing of the life energy balls and for defeating the dragon. In addition to this, you can get bonus points for survival in the single player game and for player cooperation in the two-player game. Lancer has 16 increasingly difficult levels from zero to 15. In the lower levels your mount moves slower and

SO. CALIFORNIA SHINES



RESIDENTS & VISITORS—WE ARE THE COLOR COMPUTER SPECIALISTS IN LOS ANGELES. SOFTWARE, MODEMS, BOOKS, PRINTERS, MONITORS, ACCESSORIES

POLYGON CO.

1316 Wilshire Blvd. • Suite 206 • Los Angeles, CA 90017 (213) 483-8388

the other riders are slower and less aggressive, also the dragon doesn't appear quite as often. The change in difficulty between any two close levels, such as level six through eight is hardly noticeable. The difference becomes much more apparent if you jump from the lower five levels to the higher five. The game, at all levels, is divided up into waves. A wave starts with a title and a message announcing what bonus points are available, then the enemy riders start appearing. A wave ends when all present enemies have been destroyed. As *Lancer* progresses, more riders are sent with each wave. The dragon also appears more frequently in later waves of a game.

Lancer rates high in "playability" as an arcade graphics game for several reasons. It can be played as a two-player game. Each can fly their mounts at the same time. Both have the option of cooperating against the common foe or fighting against each other, Lancer provides incentives, in terms of bonus points, for both of these strategies at different times of a game. The speed of the game is good, though this is not at first apparent. The players are a little slow in responding to the controls, both for flying and running along the ground. This means you have to flap your wings harder to get going. Once you get going, however, you move along at a pretty good rate. It also takes an equal amount of work to slow down once you get going. This slight slowness in response doesn't really detract from the game, instead, it adds more to the strategy as you have to think ahead of what you are doing.

There are only a few things I didn't like about Lancer. In later game waves as more riders are sent at you there is a noticeable slowdown in the action. This is not all that common an occurrence, so I don't see it as a very serious problem. The only thing that really bothered me about Lancer is that there is no squealing brakes sound as the mounts are pulled to a halt. This is more a problem with me than with Lancer, as I'm used to the arcade game that Lancer is based on.

The graphics in Lancer are some of the best I've seen in a machine language arcade game. Shape movement is very smooth with little or no detectable flickering. The animation of the birds flapping their wings is also handled well — the players and riders looked like they are flying. The shape of the player and enemy riders is such that they actually appear to be knights mounted on large birds. The sound generated with Lancer is not spectacular, but is adequate and well suited to the game.

The documentation received with Lancer is short, but more than adequate. The documentation includes loading instructions, a short description of how to play Lancer, and how to contact Spectral Associates if you have any problems. Lancer is provided on copy-protected media. Replacement tapes and disks are available at a reasonable price.

Lancer is a high quality machine language game. This unique style of game has been one of my favorites in the arcade. Compared to games of equal quality, Lancer is competitively priced. I would recommend this game as a good addition to any serious video gamers software library.

(Spectral Associates, 3418 South 90th Street, Tacoma, WA 98409, 32K RAM, joysticks, Extended BASIC *not* required, \$24.95 cassette, \$28.95 disk)

- Richard D. Uglum

Victory Is Sweet With Candy Co.

Ever wonder what it would be like to work in a candy factory? The aroma alone would have to be among the employee benefits, especially if a lot of different kinds of goodies were produced there.

The down side of the equation would be coming home from work all sticky faced and a few pounds heavier every day if you couldn't resist sampling the delicacies.

After a few weeks or months, however, you would risk getting burned out on so much sugar intake, start taking your diet seriously and yearn for some other distractions.

That's exactly what you get in Candy Co., a recent release from Intracolor that turns the factory into chaos as a bunch of bad guys invade trying to kidnap Q.P. Doll, your partner in this mouth-watering escapade. As Candy Dan, you've got to rescue Q.P. while keeping productivity levels up to meet the demands of your customers.

There are seven different types of candy that you must pick up on constantly moving conveyor belts, which move horizontally and vertically across the screen. If you pick up all the candy without losing a "thinking cap," your current frame (there are 1,000 frames of increasing difficulty in the game), number is multiplied by the level of difficulty (from one to 10) and then added to 100 to compute bonus points.

Individual point values for collecting jelly beans, bubble gum, candy canes, lollipops, chocolate bars, soda pops, and double dip cones.

Look out, though, because you could accidentally pick up a cherry bomb, which probably has been placed on one of the conveyor belts by one of the three bad guys—Phoodin

Drog, Korprut Spy, or Pyro Wurx.
Drog is there to steal greedy units, the really sticky stuff.

He will try to knock you off the conveyor belts.

Mr. Spy's mission is to steal the secret formula for an Invent Oid, a device that gives you and Q.P. Doll super powers.

Wurx is around to help out the other villains and the most likely suspect to have planted the cherry bombs.

There also are a couple of fellow workers, Doc D. Kay and M.C. Squared, but they are not much help, just riding



around on conveyor belts. Doc is the designer of the greedy units. M.C.'s contribution is the invention of the Invent Oil, which enables you to knock the bad guys off the conveyor belts.

Of course, you and Q.P. Doll are never safe in Candy Co. because the object of the game, as in many arcade-type challenges, is to collect as many points as possible. If you are doing exceptionally well and want to take a break, you can pause by pressing the Space Bar.

The opening of the game includes some nice graphics effects and even a vocal announcement of the upcoming game. Unfortunately, you have one of those "If the square is red, press the Reset button until it is blue" nuisances that will try your patience because it sometimes takes several attempts to get the right colors.

The game also includes the ability to save high scores, which you almost expect these days, but there's already an incredibly high total on the board that will require a lot of

games over several days to surpass.

I personally found the game a little monotonous, but my eight-year-old son seemed to be fascinated with it. Of course, there are several years separating our appreciation of arcade games. It definitely offers a high level of continuing challenge and if that's your bag, you'll probably enjoy it.

(Intracolor Communications, P.O. Box 1035, East Lansing, MI 48823, tape \$34.95, disk \$34.95.)

- Charles Springer

THE SOFT SHOP

"For all your personal computer needs"	
64K Ram Chip Set\$	55.95
Super Pro Keyboard Kit	65.95
Prowriter Printer (8510A)	365.95
Drive #0	359.95

-- ARCADE ACTION --

ALIONDE AUTION		
	TAPE	DISK
Zaxxon (Datasoft) (32K)	29.95	32.95
Pooyan (Datasoft) (32K)	27.95	30.95
CU*BER (Tom Mix)	26.95	29.95
Color OUthouse (Computer Shack)(32K)	26.95	29.95
Calixto Island (Mark Data)(32K)	23.95	26.95

* SUMMER SPECIAL * FREE SHIPPING ON ANY GAME * ** For the serious Coco user **

		TAPE	DISK
Basic09 (Req. 0S-9)	(64K)		89.95
Dynastar/Dynaform (Reg. 0S-9) .			95.99
VIP Writer (Softlaw Corp.)			55.95
VIP Terminal (Softlaw Corp.)	(16K)	**	45.95
VIP CALC (Softlaw Corp.)			55.95

**Tape Version Included **

Call or write for a catalog
Call our BBS on-line from 10 p.m. to 7 a.m. EDT!
Phone (803) 288-0613

Terms: Money Orders and Personal checks welcome (Please allow an additional 2 weeks for personal checks).

Shipping: \$3.00 for Software, 3% for Hardware.

Shipping: \$3.00 for Software, 3% for Hardware.
C.O.D.: Please add \$3.00, Blue label add \$3.00 - S.C. residents add
4% sales tax.

Handling: Handling Charges will be added to orders outside the continental U.S.

VISA and MASTERCARD ACCEPTED.

THE SOFT SHOP
P.O. Box 878 Mauldin, S.C. 29662
10 a.m. (803) 297-1067 8 p.m.

Custom Software Engineering, Inc.

807 Minutemen Causeway (D-2), Cocoa Beach, Florida 32931 (305) 783-1083 For information or technical support, please call between 5:30 and 8:30 P.M. Eastern time.

DISK DATA HANDLER - 64K

Provides the growth capability needed for your increasingly sophisticated applications.

- Designed to use the full 64K RAM... may also be configured for 32K
- Uses standard ROM's... No special operating system required!
- Allows you to design disk data files for your specific needs. You define a basic record of up to 14 fields and 246 characters.
- Provides fast selection and sorting based on any field or combination of fields in this record.
- Powerful in-screen input and update.
- User defined output of reports to screen, printer, or disk files which may be read by your BASIC programs for any computational or special formatting requirements.
- Printer reports allow headings, page breaks and page numbering, and let you pass control codes to drive your printer's special features.
- Maximum number of records you may work with at one time will depend on RAM configuration and record size...64K(32K) 1850 (500) - 21 char records...179 (49) -246 char records.
- An optional Extended record linked to the basic record may also be defined. Size of this Extended record is not a factor in determining maximum number of records.
- NOW...also includes DDH DIRECTORY FILE BUILDER...a listing of a short program to read directory information from your disks and produce a combined file index.

\$54.95 in BASIC with Machine Language subroutines.

That's INTEREST-ing

Let your computer do some REAL computation!

- Helps you solve problems dealing with time, money, and INTEREST!
- Amortization tables any way YOU want them ... even lets you change any terms mid-schedule!
- Calculates Present Value, Future Value, Capital Recovery for any combination of payments you specify.
- Rate of Return computation predicts how hard your money will be working for you!
- Computes Bond yields . . . current and to redemption.
- All answers available on screen or printer.

\$29.95 in BASIC

DATE-O-BASE CALENDAR

Puts YOU in charge of your schedule!

- Graphically displays any monthly calendar between 1700 and 2099. You put in up to twelve 28 character memos per day... calendar shows where the memos are...call up of day shows details.
- Use for appointments or a log of past activity.
- Search capability allows you to list or print all memos between two specified dates or only ones meeting key-word criteria.
- Date computation shows elapsed time between two dates in days, weeks, months and years.
- Requires 32K in BASIC

TAPE DATE-O-BASE CALENDAR - \$16.95 (max. 400 memos/tape file)

DISK DATE-O-BASE CALENDAR-\$19.95 (over 4000 memos/disk ... max. 300 memos/month)



ALL PROGRAMS require Extended Color Basic and are delivered on cassette. All, except Tape Date-O-Base Calendar, are DISK System compatible.

U.S. and CANADA add \$1.00 per order for shipping. Overseas \$2.50 per order. All prices in U.S. dollars. Florida residents add 5% sales tax. Return within two weeks if not completely satisfied.

DISK DOUBLE ENTRY

If you have spent hours trying to balance your Debits and Credits, this program is for youl

- Designed for small business, club and personal use.
- Enter transactions in a journal type format. Program will maintain current account balances, produce Trial Balance, Income, and Balance Sheet reports and complete Account Ledgers.
- Will handle up to 300 accounts including report headings and totals.
- Up to 1400 average transactions on a diskette.
- Summary reports and four levels of subtotals available.
- Requires 32K and an understanding of standard double entry accounting concepts.

\$44.95 in BASIC with Machine Language subroutines.

********* STATEMENT WRITER

For use with (and requires) Disk Double Entry

- Produces statements suitable for billing from your Receivables accounts.
- Provides mailing labels to use with your statements and account summaries.
- Designed and documented to allow you to change formats to accommodate your own special needs.

\$34.95

COMMAND STREAM PROCESSOR

Powerful, versatile utility adds a new dimension to your Color Computer.

- A program to run your other programs!
- Will allow you to prepackage a stream of direct system commands as well as INPUT and LINE INPUT to your BASIC program. This results in a totally automated stream of activity.
- If you understand your computer and the flow of activity required for your total operation, you are ready for the power of COMMAND STREAM PROCESSOR!

\$19.95 Completely relocatable . . . Machine Language

GRAPHIC SCREEN PRINT PROGRAM

Works in all PMODES and lets you shift screen image anywhere on the printed page.

- Relocatable code lets you use all of your 16K or 32K machine.
- Available for Color Basic 1.0 and 1.1/1.2. Use EXEC 41175 to see which you have and SPECIFY WITH ORDER.
- SPECIFY PRINTER TYPE ... in Machine Language

\$7.95 - TRS-80° LP-VII/VIII & DMP 100/200/400/420

\$9.95 - Epson GRAFTRAX*, NEC* PC 8023 A-C, IDS 440/445, Paper Tiger* 460/560, Micro Prism* 480, Prism* 80/132 (with dot plotting), TRS-80* DMP-120, TDP-1, PROWRITER* Centronics 739, Microline* 82A/83A (with Okigraph 1) /84/92/93, Star Micronics, Inc. GEMINI 10/10X/15 and Gorilla Banana.

(Trademarks of Tandy Corp., Epson America, Inc., C-Itoh, NEC America, Okidata Corp., Integral Data Systems, Inc.)

ALPHA-DRAW

Works great with GRAPHIC SCREEN PRINT PROGRAMI

- Subroutine designed to let you add any keyboard character to your graphic displays.
- You define X and Y coordinates and a string variable of one or more characters... ALPHA-DRAW does the rest!
- BONUS includes instructions for a true line-numbered merge of tape files.

\$8.95 in BASIC



For VISA and Master Card orders: Include type, account number, expiration date, signature and phone number. Sorry! No COD's.



Chopper Strike A Bit Too Rough

Only minutes into my first session with this game, I knew that I was going to have trouble with the review and I've had trouble with it ever since. I've come to see how inherently impossible it is to write an objective review on a program that is strictly entertainment. The facts are few and not very informative; the rest has got to be very subjective opinion. And, as we can all attest, different opinions in this world will often range light-years apart. So with this very important fact tucked away, we can now see what MichTron's arcadegraphics game, Chopper Strike, has to offer.

Chopper Strike is a helicopter attack-style game (obviously enough) that requires one joystick and either 16K or 32K of RAM. Both versions of the program are available on disk and cassette and are — as usual — copy protected. Mich-Tron claims there are 105 different screens in the 32K ver-

sion. Frankly, I lost count.

Chopper Strike is what I think of as an "endless loop" game: one where the action is continuous, the screen changes are subtle, and there is never a pause in sight. As you fly through enemy territory, your targets are oil tanks, gun turrets and ICBM launchpads. The oil tanks make nice easy targets, but the guns and the ICBMs shoot back. Among the enemy emplacements your own men can be seen, waving their arms to be picked up. When you rescue 20 of them by coming in contact with them, you gain 10,000 bonus points and another ship. But if you accidentally shoot one of them, you destroy yourself as well.

After you reach the 5,000 and 10,000 point marks in the game, horizontally flying missiles begin trying to blast you out of the sky. These cannot be destroyed, only avoided. And by this time you will have entered the underground fortress screens where your men can be seen between the same enemy emplacements, but now in underground caverns with wall clearance only pixels beyond your chopper blades. There can be no doubt about this game being challenging.

In order to form a better opinion about this game, I pulled three of the other popular chopper games from the archives and gave them a whirl. I have to say that I found *Chopper Strike* vastly superior to two of them and at least modestly superior to the other. That, by no means, means that it's perfect though. It could well be only a reflection on the others.

An aggravating thing that I found while playing Chopper Strike is the manner in which the screen scrolls. As it scrolls from right to left, it jerks across the screen, and I can see no reason for it. It affects not only the terrain, but control of the chopper as well. If it was done for effect, then someone must have been very misguided into believing that the terrain jerks by when you're in a helicopter. In truth, the choppy motion and the continuous choppy sound tend to turn 30

minutes of Chopper Strike into a three Excedrin headache.

Another forgettable feature of *Chopper Strike* is the two monitor fields in the upper-right corner of the screen. One is a three-position indicator that shows which direction your gun is currently pointed and the other is a field that flashes a representation of whatever it is that happens to blast you out of the sky. Both border on being totally useless. You know what direction your gun is pointed because your ship will be traveling in that direction and you would have to fall asleep at the stick not to notice what hit you. Gadgets and gauges don't hold the interest very long if they don't accomplish anything useful.

And, conveniently speaking of interest, that brings me to my last observation about *Chopper Strike*—I simply didn't find it very interesting. Nor did the others that I spoke to who had tried it. But the truth is, I found the other three chopper games that I tried to be uninteresting as well.

Luckily, this loop is not endless and the end is in sight. What I've tried to convey is that the appeal of entertainment such as a computer game is purely personal. I know Chopper Strike is a game that will be enjoyed by thousands of people even though I didn't. If you're a die-hard fan of chopper attack games, then you've got a winner for your collection here. If you're not, I suggest that you take a hard look at this one before you lay your money down.

(MichTron, 6655 Highland Road, Pontiac, MI 48054, 16K/32K cassette \$27.95, disk \$29.95, plus \$3 S/H)

- Kevin Nickols

DOUBLE BUSTER

(C) 1984 by Derringer Software, Inc.

No more fighting over who gets to play next! Double Buster lets two play this classic game at the same time. Players compete against each other and against the clock. Single player action is also available. Four levels of play allows beginners to have fun at slow speed and the more advanced players at high speed! Score is based on the amount of "bustin' out" you can accomplish within the allocated time. Scores kept for singles and doubles game in all levels.



DOUBLES

SINGLES

Requires joysticks and can be played on 16K Extended tape or disk systems! Please indicate tape or disk when you order. Send check or money order to: Derringer Software, Inc. P. O. Box 5300, Florence, S.C. 29502-2300. Visa or Master Card customers can call (803) 665-5676 9:00am to 5:00pm Mon-Fri. Please include \$2.00 for shipping and handling — No COD's.

★ See the ad for AT WITS END also ★

Fractions And Percents — Two Low-Cost Teacher Aids

Fractions and Percents are two small BASIC programs from Shamrock Software that generate worksheets for elementary school students.

Fractions provides problems in addition, subtraction, multiplication, and division of fractions. You can generate as many worksheets as you want with up to 60 problems per page. The problems are numbered, and answers are provided along the right side of the paper. The teacher would have to cut the answers off the worksheets before they are given to the students, and then either let them use the answers to check their work or use them as an answer key for grading. Since the program is written in BASIC, the output could easily be modified to suit your needs. This option, however, is not provided with the program, and the teacher who doesn't know BASIC would be at a loss trying to adapt the program.

The second program, *Percents*, is very similar to *Fractions*

Both programs are very simple and remind me of the public domain programs that are available for the Commodore computers. These programs have not been available in large enough quantities for the Color Computer, however. On the other hand, the author of these programs thinks he deserves some remuneration for his work and is trying to make an honest buck, and you can't blame him for that. And at \$9.95 each, you could almost think of them as free. For a teacher with a need of worksheets for the students, these programs could be of some help.

(Shamrock Software, 4382 Norton Road, Radnor, OH 43066, \$9.95 each)

- Dr. Carlos Calle

RS-232 Switcher A Big Help

A lot of CoCo owners have more than one RS-232 driven device (such as a printer or a modem), and it gets tiring to have to keep pulling the plugs every time you want to go from one to the other. It's certainly easy enough to make a switch to select between two or more devices (all you need is a three-pole switch with the appropriate number of positions), but the Metric Industries Model 102 switch box includes a number of "bells and whistles" that make it a very nice unit.

The Model 102's main feature is the set of indicator lights for each position (the 102 handles up to three peripherals). These lights are red, yellow and green, and light up anytime the corresponding RS-232 jack is selected with the computer switched on (so they serve as pilot lights as well). The three jacks are labeled with red, yellow and green dots, and a set of stickers in the three colors is provided to label your equipment.

Aside from that, the 102 is no better or worse than an ordinary RS-232 switch. It is well constructed in an aluminum case with an attractive blue finish. The cable going to the computer is only about a foot long, so the switch will have to sit very close to the CoCo (this may be a benefit if you have a lot of cables — and who doesn't?).

If you don't mind paying a little extra for special features and durability, the Metric Industries Model 102 may be your best choice.

(Metric Industries, Dept. R, Box 42396, Cincinnati, OH 45242, \$35.95 plus \$3 S/H)

— Ed Ellers

"ROOTS" GENEALOGY PROGRAM KEEPS FAMILY TREE DATA, FOR 7-8 GENERATIONS (MEM DEP), PEOPLE, ANIMALS. ASSEMBLES ORGANIZES, PHOTOREADY PRINTS. 32K EXT TAP/DSK \$20.00 "INVENTORY ONE" (ALAN ROUSE) EFFICIENT FOR BUSINESS, HOME, CLUB. 32K TAPE = 148 RECORDS, DSK FAR MORE. CAN PRINT STATUS, REORDER REPORTS. 16K EXT TAP/DSK \$30.00 "KWIK GRAF" 80-COLUMN PRINTER WITH TRS-80 MODE BLOCK GRAPHICS PRINTS PHOTOREADY BARGRAPHS. NO SCREENPRINT PROGRAM REQUIRED. EXCEPTIONAL! 16K EXT TAPE \$20.00 "ADDRESS ONE" ADDRESS FILE DATABASE. SEARCH, PRINT, VIEW 1-UP LABELS. OTHER DATA. 16K EXT TAP/DSK \$20.00 "FILE ONE" SHOULD BE 1ST PROGRAM IN YOUR LIBRARY. IS DATABASE FOR FILES, RECORDS, INVENTORY, MEDICAL DATA, ADDRESSES, COLLECTIONS, OTHER. 16K EXT DISK \$20.00

"SPEED MATH" (T. GRAY) LEARNING GAME FOR PARENTS AND CHILDREN, TEACHERS. MAKES MATH FUN FOR ALL AGES. GAME SCORING AND SKILL LEVELS. PROVEN. 16K EXT TAPE \$ 8.00

"CAVE OF ALLAH" YOUR RESPONSE TO MARKET TEST NOW LETS US REDUCE PRICE. HIGH RESOLUTION GRAPHICS ADVENTURE. ONLY MINDPOWER CAN HELP YOU FIND THE TREASURE, ESCAPE THE VALLEY OF MYSTERY.MINDPOWER! 32K EXT TP/DK \$15.00

WEST BAY COMPANY





ROUTE 1, BOX 666 WHITE STONE, VIRGINIA 22578

POSTPAID. VA ADD 4% TAX. SEND SASE FOR PROGRAMS LIST



The Disk To Tape Transfer. Track By Track

By Wayne H. Duncan


ost of my diskettes were backed up with other diskettes so nothing major would be lost. Somewhere along the way came the idea, why waste 50 percent of my diskettes? Why not use tapes as backup?

After a little programming time, now my important diskettes are on tape. To speed up the fairly slow process, machine code is used to transfer the data to and from buffer. Dump | Restore may be modified to load all or part of the tape. By loading just track 17, the directory may be restored. Be careful not to start a restore to a good diskette since the program assumes it to be initialized and blank.

Dump/Restore dumps a diskette to cassette one track at a time. The command DSKI\$ is executed against track 17 cylinder two to read the directory. Only those tracks which have a used granule are read by the DSKI\$ and copied to a

buffer area. A VARPTR is used to locate the two variables of the DSKIS and machine code then copies the data serially into the buffer. After one track is in the buffer a CSAVEM is made to move the data to cassette. Almost the reverse is done to move the data to diskette. Lines 300 to 370 do the EXEC to move the data and Lines 500 to 560 are the machine code to move the data from or to buffer. The restore may be started at any program on the tape to restore one or more tracks since the programs on tape are named for the corresponding track.

(Wayne Duncan has been in the computer field for 18 years, doing everything from repair to programming, and is now a field manager for a major computer company.)



The listing:

1 'DUMP/RESTORE

2 'BY WAYNE H. DUNCAN

5 CLS: PCLEAR1: CLEAR2000, 9240

6 PRINT"DUMP/RESTORE - ENTER (D/

R) ": INPUTZ\$: IF Z\$= "R"THEN 200 EL

SE IF Z\$="D" THEN 7 ELSE 2

7 CLS:PRINT"STARTING DUMP - ENTE

R WHEN TAPE IS READY TO RECORD A

ND DISKETTE IS READY": INPUTZZ#:D

SKI\$ Ø, 17, 2, C\$, D\$

8 CLS:FOR Z=1TO67 STEP2:C=ASC(MI D\$(C\$, Z, 1)):C1=ASC(MID\$(C\$, (Z+1)

,1)):IF C=255 AND C1=255

EXTZ ELSE Y=INT(Z/2)

9 M=10240:POKE9242,40:POKE9243,0

:PRINT@32, "SECTOR":PRINT@43, "TRA CK"

10 IF Z>67 THEN 40

11 FORX=1T018

20 DSKI\$ 0,Y,X,A\$,B\$

22 GOSUB300

25 PRINT@65, X: PRINT@76, Y

30 NEXTX: POKE&HFF40, 0: CSAVEM STR \$(Y), 10240, M, M: IF Z<68 THENNEXTZ

40 CSAVEM"END", 10240, 10250, 10240

:PRINT"DUMP COMPLETE":STOP

200 'RESTORE

205 CLS:PRINT"STARTING RESTORE"

210 PRINT"MAKE RESTORE TAPE READ

FORMATTED DISK READY": Y AND

INPUTZ1\$

215 FORY=ØT034:N\$=""

220 CLOADM: POKE9242, 40: POKE9243,

Ø: M=10240: FORL=0T07: N\$=N\$+CHR\$ (P

EEK (475+L)): NEXTL: Y=VAL (N\$)

225 IF LEFT\$ (N\$,2)="ND" THEN CLS

:PRINT"RESTORE COMPLETE":STOP

23Ø A\$=STRING\$ (128, 65):B\$=A\$:CLS

:PRINT@32, "SECTOR":PRINT@43, "TRA

CK" 24Ø FORX=1T018

250 GOSUB300: DSKO\$ 0, Y, X, A\$, B\$

255 PRINT@65, X: PRINT@76, Y

260 NEXT X:POKE&HFF40, Ø:NEXTY:ST OP

300 'MOVE - VARIABLE TO STORAGE

OR STORAGE TO VARIABLE

305 IF PEEK (9244) <>190 THEN GOSU

229

B500

31Ø A=VARPTR(A\$):POKE924Ø,PEEK(A

+2):POKE9241.PEEK(A+3)

320 IF Z = "D" THEN EXEC9244 ELSE

IF Z\$="R" THEN EXEC9344

34Ø A=VARPTR(B\$):POKE924Ø,PEEK(A

+2):POKE9241,PEEK(A+3)

350 IF Z\$="D" THEN EXEC9244 ELSE

IF Z#="R" THEN EXEC9344

36Ø M=M+256

37Ø RETURN

500 FORR=0T022: READD: POKE (R+9244

),D

51Ø NEXTR

52Ø FORR=ØT022: READD: POKE (R+9344

) , D

53Ø NEXTR

540 RETURN

55Ø DATA 19Ø, 36, 24, 16, 19Ø, 36, 26,

198, 0, 166, 128, 167, 160, 92, 193, 128

,38,247,16,191,36,26,57

560 DATA 190, 36, 24, 16, 190, 36, 26,

198, Ø, 166, 160, 167, 128, 92, 193, 128

,38,247,16,191,36,26,57

Submitting Material To THE BAINBOW

Contributions to THE RAINBOW are welcome from everyone. We like to run a variety of programs which will be useful/helpful/fun for other CoCo owners.

Program submissions must be on tape or disk and it is best to make several saves, at least one of them in ASCII format. We're sorry, but we do not have time to key in programs. All programs should be supported by some editorial commentary, explaining how the program works. We're much more interested in how your submission works and runs than how you developed it. Programs should be learning experiences.

We do pay for submissions, based on a number of criteria. Those wishing remuneration should so state when making submissions.

For the benefit of those who wish more detailed information on making submissions, please send a SASE to: Submissions Editor, THE RAINBOW, P.O. Box 209, Prospect, KY 40059. We will send you some more comprehensive guidelines.

Please do not submit programs or articles currently submitted to another publication.

OS-9™ SOFTWARE FOR COCO

SDISK — Standard disk driver module allows the use of 35, 40, or 80 track single and double sided drives with CoCo OS-9 plus you gain the ability to read/write/format the standard OS-9 single and double density disk formats used on other OS-9 systems, \$29.95

BOOTFIX — To make bootable double-sided disks \$9.95

SDISK + BOOTFIX — when ordered together \$35.95

FILTER KIT #1 — Eleven utilities used as filters (with pipes) to give you "wild card" directory lists, copies, deletes, moves, lists, pagination, etc. \$29.95

HACKER'S KIT #1 - Disassembler and memory dump/fill utilities allow you to disassemble OS-9 assembly code from disk or memory. \$24.95

Send SASE for current catalog.

Terms: Prepaid check, MO, Visa, Mastercard or COD. Add \$1 S&H, (COD \$3 extra).

D.P. Johnson, 7655 S.W. Cedarcrest St. Portland, OR 97223 (503) 244-8152

(We appreciate your calling between 9-11 AM Pacific Time.)

OS-9 is a trademark of Microware and Motorola Inc.

ENHANCED 1248-EP EPROM PROGRAMMER

Directly compatible with EPROMs 2508, 2716, 2532, 2732, 68732-O-1, 68764 & 64766. No personality modules required. Adapter extends capability for 2564. Menu driven, the 1248-EP is suitable for both experienced and novice operators.

Functions include: 1) ERASURE VERIFICATION; 2) COMPARE EPROM TO REFERENCE; 3) BLOCK PROGRAMMING; 4) BYTE PROGRAMMING; 5) DUMP EPROM TO RAM; 6) JUMP; 7) RETURN TO EPROM MENU.

Other features: 1) Error detection & location; 2) Intelligent algorithm reduces programming time; 3) Textool ZIF socket; 4) On-board programming supply; 5) Extra PIA port supports parallel communications with handshake; 6) Firmware in on-board EPROM.

Comes with complete documentation.

Price is \$129.95

A/D-80C ANALOG TO DIGITAL CONVERTER

- 16 A/D channels
- 8 or 10 bit resolution
- 9K conversions/second Auto-ranging or sample/hold.
- · Large wirewrap area for custom signal conditioning & growth.

 On-board PIA provides user control
- of stimulus · On-board EPROM location for user
- software. Documentation includes: data sheets on key parts, BASIC and machine language programming
- examples, and signal conditioning circuit diagrams.

Price is \$149.95

2-PORT EXPANSION INTERFACE


- Buffered expansion interface.
- Splits *FF40-*FF5F area in half.
 Disc port uses *FF40-*FF4F.
- Second port uses *FF50-*FF5F. Enables simualtaneous use of disc &
- other devices, e.g., the 1248-EP or the A/D-80C

Price is \$89.95

ORDERING INFORMATION

U.S. residents add \$3.00, Canadians add \$10.00 for shipping/handling. Arizona residents add 5% sales tax. Make checks/money orders payable to

COMPUTER ACCESSORIES OF ARIZONA 5801 E. VOLTAIRE DRIVE SCOTTSDALE, ARIZONA 85254 (602) 996-7569



I, Sir Gallant Gallant, have once again returned from another great Adventure. With nothing but my wits to aid me (well, almost nothing), I have traveled through many damp and dreary forests and have bested (almost) every foe in sight.

After returning from battle, I found my homeland to be enchanted by an evil sorceress. Being terribly alarmed, I began my struggle to try to rid the land of the evil witch while returning my brother, Sir Noble (our family names tend to be on the modest side) to his rightful throne (he has been turned into a frog).

I have been playing an Adventure called *Witches' Knight*, by PAL Creations. The game, you may have guessed, is a text Adventure game set in the medieval age.

The game requires practically every byte of the 32K machine, so you are going to have to unplug that disk drive. The game was supplied to me on cassette and I experienced some difficulty in loading the tape. Fortunately, it is recorded on both sides, so after a short struggle, I was off to Adventureland.

After the program is loaded you are greeted with a song and a short poem. Shortly, you are greeted with a list of verbs — a nice feature because you don't have to guess what strange sort of dialect some Adventure authors seem to have concerning verbs. After a quick look at the verbs, the actual Adventure begins.

When starting out, you begin in a forest that is somewhat confusing, but seems to be a fairly standard practice in Adventures: the directions seem to be constantly scrambled, so you never are really sure which way anything is. In other words, you may be standing by a rock. Suppose you decide to go west. You are now standing by a tree. Sounds easy enough. (That's what you think.) Feeling adventurous, you decide to go west again. Suddenly you are standing by that same rock. If this confuses you, you ought to try navigating through it when all directions carry equal consistency. Actually, this is supposedly a spell the witch has cast on the area to make you lose your sense of direction; and is to give the player a sense that the program is different every time; but it really seems to be more of a nuisance than anything else.



The Adventure does, however, offer lots of variety, and everything that is required will come fairly logically. (For example, if you find a door, you would not think of submerging it in the tuna salad, you should open it.) The Adventure allows the brave (?) Adventurer to bargain with creatures, to fly across the sky magically, to become a fish to help discover the pond, and to climb a beanstalk. As you can tell, the game is never dull.

The next item brings me to the one thing I am a real stickler for — documentation. Although the game does include some documentation, I do not really consider it ample enough, especially for a beginning Adventurer. The only documentation takes the form of one side of a 9½ x 11-inch sheet with loading directions and a few brief notes on how to play.

Sir Gallant can wholeheartedly recommend this program to any semi-experienced Adventurer who likes a good challenge. Fortunately, this is not a "solve-it-in-one-day-Adventure," and will take a great deal of time before it is completely solved. If the documentation were improved, and the seemingly random movement was changed, I would rank this one of the best Adventures available for the Color Computer. (Sir Gallant also notes that for the price it is a great deal).

Happy Adventuring and good luck! (You'll need it.)

(PAL Creations, 10456 Amantha Avenue, San Diego, CA 92126, \$14.95)

- Eric W. Oberle

About Your Subscription

Your copy of THE RAINBOW is sent second class mail and, for subscribers in the United States, the date of mailing is printed on the label. If you do not receive your copy by the 25th of any month, send us a card and we will mail another immediately via first class mail.

You must notify us of a new address when you move. Notification should reach us no later than the 15th of the month prior to the month in which you change your address. Sorry, we cannot be responsible for sending another copy when you fail to notify us.

Your mailing label also shows an "account number" and the subscription expiration date. Please indicate this account number when renewing or corresponding with us. It will help us help you better and faster.

For Canadian and other non-U.S. subscribers, there may be a mailing address shown that is different from our editorial office address. Do not send any correspondence to that mailing address. Send it to our editorial offices at P.O. Box 209, Prospect, KY 40059. This applies to everyone except those whose subscriptions are through our distributor in Australia.

Setting The Scene

By George Firedrake and Art Canfil

Hi, We're Back

Yes, following the May 1984 issue, "GameMaster's Apprentice" took a vacation. Back in May we said Art Canfil would join us and so he has. From now on, your "GMA" authors will be George Firedrake (You probably know that he is an alter ego of Bob Albrecht — the dragon who lives within) and Art Canfil. Well, as you might suspect, a new person means new directions. Here are some things we might do. What we actually do depends somewhat on feedback from you, our readers.

- Art Canfil, Karl Albrecht, and Jim McClenahan have recently completed book and software called *TAIPAN: A Game in Context*, to be published by Hayden Book Company. Karl is 15, Jim is 16, and Art is somewhat older. We will share with you our ideas on contextual game design, beginning this time.
- In 15 years of writing how-to-do-it computer books, George Firedrake never got around to writing about disk files. In fact, George and Bob never really learned how to use disk files. So, we'll start a slow tutorial on disk files soon.
- We suspect many of you have never played a fantasy role playing game such as *Dungeons & Dragons* or *Rune-Quest*. So we'll start including some beginner's stuff on how to play. We'll use excerpts from *Adventurer's Handbook: A*

(George Firedrake, a.k.a. Bob Albrecht, is one of the most prolific authors in the microcomputer world today. A specialist in writing for beginners, he is author of numerous books including TRS-80 Color BASIC. Art Canfil enjoys designing games and writing. He is co-author of Taipan: A Game In Context.)

Guide to Role Playing Games, mentioned elsewhere in this article.

- Surely, but slowly, we'll build software tools to help GameMasters and players play a role playing game. This will be software to help manage "worlds of IF": software to store, retrieve, manage, and use information; software to help you design, and even optimize characters to play in games.
- Is anyone interested in a series of tutorials on how to write *computer* Adventure games? We'll consider doing this

"We will be especially interested in designing games that parents and quite young children can play together as an enjoyable family learning experience."

— of course, it means we will have to learn how to do it! If we do, we will focus on games that feature story-telling, problem-solving, and exploration, not on "kill monster, get treasure." We will be especially interested in designing games that parents and quite young children can play together as an enjoyable family learning experience.

TAIPAN: A Game in Context

What is a contextual game? Home computers make possible a type of electronic game less based on exercising the reflexive speed of a person's brain stem than on your exercising the wonderful gray matter with which humans think. Some of the best of such games are those in which a complex environment is simulated by the program, and the player interacts in a "lifelike" manner with the game environment. We call these contextual computer games, or games in context. In TAIPAN: A Game in Context we want to give the CoCo user three things:

- 1) an understanding of some fundamental principles of game design;
- 2) a historical background of a particular game context, the turbulent China trade of the 1800's;
- 3) a step-by-step approach to actually writing a game in CoCo Extended BASIC.

We hope to make an enjoyable game that will provide many hours of challenging entertainment. We also hope to spark an interest in the historical background, the context in which the game is set.

Next time, we will set the scene: Hong Kong in the mid-1800's. In the meantime, we suggest you read *Tai-pan* by James Clavell and *Dynasty* by Robert S. Elegant. May you live in interesting times.

FANTASY ROLE PLAYING GAMES

Millions of young people, and many not-so-young, play fantasy role playing games. A role playing game is a game in which one or more players create and control characters (adventurers) who live their imaginary lives in a specially made game world. The game world is created, managed, and operated by a GameMaster (GM), also called a referee, or dungeon master (DM).

Most people who play role playing games use a formal rule system. Some of the best known are listed below.

Champions. From Hero Games, 92A 21st Avenue, San Mateo, CA 94402.

Dungeons & Dragons. From TSR, P.O. Box 756, Lake Geneva, WI 53147.

RuneQuest (RQ). From Chaosium, P.O. Box 6302, Albany, CA 94706.

Tunnels & Trolls (T&T). From Blade, Box 1467, Scottsdale, AZ 85252


Beginners beware! The rule books are formidable. If you are a beginner, we suggest you start with the following books, both from Reston Publishing Company, 11480 Sunset Hills Road, Reston, VA 22090.

Adventurer's Handbook: A Guide to Role Playing Games by Bob Albrecht & Greg Stafford.

Through Dungeons Deep by Robert Plamondon.

Copyright © 1984 by DragonQuest, P.O. Box 310, Menlo Park, CA 94026.





\$60 Software Bonus With Memory Upgrade

That's right—Skyline's famous 64K Upgrade is an even better deal than before! 8 guaranteed 200 n.s. 64K memory chips, solderless installation instructions (one solder connection required on Color Computer 2), Skyline's 64K BOOT and PAGER programs, PLUS the Wizard 64 adventure game, PLUS a handy new utility, SETUP 64 (allows you to configure your tape or disk system in a myriad of ways!) Still only \$59.95. Order now—this offer may be withdrawn at any time!

Skyline Software

Super Stats	\$29.95
Page Plus (improved doc) tape	\$27.95
Page Plus disk	\$29.95
Structured Macros	\$19.95
C.C. Three	\$49.95
SETUP 64	
MDISK (source code included).	\$27.95
MDISK disk	\$29.95

Skyline Software

ROMBACK	.\$16.95
Mystic Mansion (disk)	. \$29.95
QUICKSORT (cassette)	.\$12.95
64K BOOT/Pager	.\$19.95
Wizard's Tomb	
Wizard 64 tape	
Wizard 64 disk	.\$23.95
Simplex	. \$29.95
C.C. Mailor	

Call for the latest prices on:

- monitors by AMDEK & NEC
- printers by STAR, NEC, OKIDATA TELEVIDEO, JUKI & TRANSTAR
- modems by HAYES & NEC
- · disk drives by AMDEK and more. . .

Money orders, Visa and Master Card and UPS C.O.D. orders gladly accepted, \$2.00 additional. MODEM ORDER LINE: 312 • 286-9015


Dealer inquiries invited

Skyline Marketing Corp. 4510 W. Irving Park Rd. Chicago, IL 60641 312 • 286-0762

Learning*Leisure:

THE QUIZ MAKER for Students and Teachers by David Stanley

Now be able to create a test for any purpose. You choose the subject area and control the format. The many options of this program make studying interesting rather than tedious. You may have a question presented and you must type in the answer. You may have the answer flash on the screen, and you must type in the question. You may have a mixture of the above two formats. You may choose the flashcard feature that allows you to study before taking the test. You may add or change questions and answers. You may use short answer, fill-in, true/false, or multiple choice test. You may change the time limit for questions. Many more features, too. The printing command allows you to obtain hard copy of the entire test, or questions only, with space allowed for manual fill-in of the answer. This feature permits teachers to create exams or homework assignments. All tests may be saved and reloaded for future use. A program that does it all! Available in 32K E.B. \$27.95 disk or \$24.95 cassette.





NEW

The Factory: FROM SUMBURST Strategies in Problem Solving

Grades 4-adult. Winner 1983 Learning Software Award, Recommended in Classroom Computer Learning, Courseware Report Card and Electronic Learning Unique three-level program challenges students to create geometric 'products' on a simulated machine assembly line which the student designs. In the first part of the program, students learn how the available machines work. In the second part, they design their own assembly lines. In the third part, the computer challenges students to design an assembly line that will produce the product displayed on the screen. Three levels of difficulty develop inductive thinking, integrate skills such as visual discrimination and spatial perception, and promote an understanding of sequence, logic and efficiency. Diskette for 32K TRS-80 Color Computer with Extended Color BASIC.



(212) 948-2748





KING AUTHOR'S TALES by Steve Blyn

The creative writing tool you've been waiting for! This innovative program allows children in grades 2 to 6 to write compositions, book reports, or short stories and save them to files. The material can be reviewed, corrected, rewritten, saved, and reloaded at any time. It can then be changed over and over again, if desired. Included, as well, is a question and answer optional feature. The user may write a question and answer for each page of text. When the story is run, the question will appear after each page. The user types in the answer and the program responds, "Correct" 'Incorrect''. Teachers may use this feature to create reading comprehension material for their classes. The child also has the option of creating a title page picture on the screen for each story. The drawing section has automatic key repeat for line drawing and allows for change of line colors. Pictures may also be saved. We have included a selection of stories and pictures with each program. King Author's Tales is available in 32K E.B. disk or 16 K E.B. cassette at \$29.95 for either version. Printer is optional, but recommended.

Now available — Talking King Author, a version made especially to work with Spectrum's and Speech Systems Voice Pak. You'll hear your story, too! Same great features at the same price.

Ed. Programs For THE SPEGTRUM SPEAKER

TALKING MATH DRILL
TALKING SPELLING TESTER
TALKING FOREIGN LANGUAGES
TALKING POETRY CREATOR
TALKING SHORT STORY MAKER
\$9.95 each, any 3 for \$24.95

MATH TUTOR SERIES DIAGNOSTIC DISKS By Ed Guy

NEW

These disks contain program series to give students practice in various mathematical operations and to give the teacher feedback on their progress. The feedback will give a "number right" report and also a diagnostic listing of where the student made an error, and how many times he used the "HELP" command featured in each program. Each student may do up to 10 examples, with at least 30 class sesesions per disk. A password system prevents students from seeing the reports of others in the class. Results may be printed out on screen or line printer. The Arithmetic Diagnostic Disk provides practice in division, multiplication, factor operations and algebraic evaluation (primarily intended to teach the hierarchy of operations). The Fractions Diagnostic Disk provides practice in addition, subtraction, multiplication, and division of fractions. All problems lead students step by step through examples and contain many "HELP" commands. ARITHMETIC DIAGNOSTIC DISK — 32K E.B., — \$49.95. FRACTIONS DIAGNOSTIC DISK — 32K E.B. - \$49.95 DISK ONLY.

NEW

The Pond: FROM SUMBURST Strategies in Problem Solving

Grades 2-adult. Winner 1983 Learning Software Award. Recommended in Classroom Computer Learing. A small green frog, lost in a pond of lily pads, helps students recognize and articulate patterns, generalize from raw data and think logically. In the practice option, students choose from six levels ofdifficulty, in which lily pads are displayed in increasingly complex patterns. The student must determine a pattern that will get the frog across the pond. In the game, students collect points by directing their frogs through as many ponds as possible. in the fewest number of moves. Diskette for 32K TRS-80 Color Computer with Extended Color BASIC, \$39.95

est in software for kids!

THE MONEY SERIES BY STEVE BLYN

DOLLARS & SENSE 16K ECB \$14.95 Player buys familiar items using dollars and coins to practice using money correctly.

Mo0000's MENU 16K ECB \$14.95 Learn to buy and add up your pur-chases from a typical fast-food restaurant menu.

MONEY-PAK 32K ECB A combined and menu driven version of the above programs. Includes play money, Reviewed - Rainbow 7/83

18K ECB **CROCODILE MATH** \$17.95 E.B.

An animated math game using hires graphics. A fish containing a problem moves toward a crocodile containing a possible answer. If the answer is true, open the crocodile's mouth with the joystick to eat the fish. If false, keep his p mouth closed. Addition, subtraction, and multiplication examples on 3 levels, 3 speeds. Tape only. By Art Provost

COLORGRADE 32K EOB \$29.95 A great aid to teachers. Records and calculates grades for up to 6 classes of up to 40 students each. Uses number or letter grades, named or numerical periods and gives a weighted average. Easy to use. Full directions. DISK ONLY. By David Lengyel.



NEH

BEYOND WORDS 32K ECB \$19.95 Each These Language Arts programs cover common misspellings, and synonyms/antonyms on each level. Additionally, Level 1 tests contractions and abbreviations, Level 2 tests homonyms, and Level 3 tests analogies. Each program has 3 parts and contains over 400 questions and uses over 800 words. All tests are grade appropriate. User modifiable (directions included). Printer option.

Level 1 Grades 3-5 Level 2 Grades 6-8 Level 3 Grades 9-12 DISK VERSION Each \$23.95

THE MATH TUTOR SERIES 16K Ext. These tutorials take the child through each step of the example. All programs include HELP tables, cursor and graphic aids. All allow user to create the example, or let the computer choose. Multi-level. Great teaching programs. By Ed Guy.

LONG DIVISION TUTOR \$14.95 **MULTIPLICATION TUTOR** \$14.95 **FACTORS TUTOR** \$19.95 FRACTIONS TUTOR (Addition) FRACTIONS TUTOR (Subtraction) \$19.95
FRACTIONS TUTOR (Multiplication) \$19.95 Any 2 FRACTIONS programs

EQUATIONS TUTOR32K EB\$19.95



NEW

ARROW GAMES by Penny Bryan 32K EB, tape \$21.95 disk \$24.96 Six menu driven games for young children (ages 3-6) to teach directions. All games involve using the arrow keys. Games include LADYBUG, BUTTERFLY, ARROW MATCH, KALEIDOSCOPE, RAB-BIT, and DOODLE. Colorful

graphics.



by Penny Bryan FIRST GAMES 32K EB. tape \$24.95 disk \$27.95 First Games contains 6 menudriven programs to delight and teach your early learners (ages 3-6). These games enrich the learning of colors, numbers, lowercase letters, shapes, memory, visual discrimination and counting.

MATH INVADERS by David Steele \$17.95 16K EB. A multi-level 'Space Invaders' type game to reinforce the 4 basic math operations (addition, subtraction, multiplication and division). Problems become more difficult as you progress. Hi-res. graphics, joystick required.

TAPE ONLY each \$11.95

MORE LEARNINGWARE

(ALL PROGRAMS IN 16-K EXTENDED EXCEPT WHERE NOTED)

CONTEXT CLUES - by Steve Blyn - Multiple choice reading each \$17.95 programs. Specify grade 4,5,6 or 7.

VOCABULARY BUILDERS - 32K - Great for test preparations. 200 questions, multiple choice, modifiable, printer option. I (grades 3-5), II (6-8) or III (9-12) each \$19.95

READING AIDS 4-PAK - Child creates own reading material. \$19.95

\$14.95 GRAPH-IT - by D.Steele - Graph sets of algebraic equations.

HISTORY GAME-32K-by J. Keeling-"Jeopardy" type US facts game \$14.95 \$19.95

KHOW YOUR STATES-32K-by J.Keeling-Name all hi-res. states

MUSIC DRILL - by D. Steele - Identify notes of many scales. \$19.95

GRAPH TUTOR - 32K - by C. Phillips - Create, use line, bar, pie \$19.95 pictographs. Hi-res

each \$11.95 PRESCHOOL SERIES - By J. Kolar.

Pre. 1-Counting, number recognition; Pre. 2 - Simple Addition; Pre. 3 - Alphabet Recognition.

FRENCH OR SPANISH BASEBALL - By S. Blyn

Vocabulary practice. 200 words. Modifiable. Specify language. \$19.95

HEBREW BULLETIK BOARD-by J.Kolar-utility to print words. \$15.95 HEBREW ALPHABET - Learn the letters of this alphabet. \$11.95

***A BYTE OF COLOR BASIC - Beginner's manual & exercises \$ 4.95

FUN and GAMES

(ALL PROGRAMS IN 16-K EXTENDED EXCEPT WHERE NOTED)

CIRCUS ADVENTURE-by Steve Blyn 16K-Kids adventure game. \$11.95 \$11.95

SCHOOL MAZE - by Steve Blyn 16K - Kids graphic adventure.

HAMSTER HUNT - by L&D Weston 32K - Beautiful graphics in \$19.95 this charming new kids adventure game.

MR. COCOHEAD - by Steve Blyn - Create over 10,000 funny faces.

\$16.95 Surprise commands. Very creative. NAME THAT SONG I - 72 kid's songs to guess. \$14.95

NAME THAT SONG 11 - 72 adult hits from the past 30 years. \$14.95

HORSERAGE - by R&P Armstrong - Hi-res. race for all ages.

\$11.95

ALL PAYMENTS IN U.S. FUNDS

OVERSEAS ORDERS PLEASE ADD \$5.00 FOR SHIPPING



Dealers inquiries invited.



SOFTWARE NOW AVAILABLE IN AUSTRALIA FROM SDFTWARE SPECTRUM, GPO BOX 2101, ADELAJOE, SA 5001 FOR YOUR CONVENIENCE

3 For \$ 2.00 Blank Cassettes with Labels 3 For \$10.00 Popular Brand Diskettes each \$25.00 Disk Head Cleaner Kit Looseleaf Diskette File (hold 4) 2 For \$ 3.00



(212) 948-2748 Dept. R 227 Hampton Green, Staten Island, N.Y. 10312



A new beginner's assembly language tutorial column

Covering The Bases With Assembly Language

By R. Bartly Betts with Programs by Chris Bone

ou and I are going to try something different. "What is new about an assembly language tutorial?" you ask. Assembly language tutorial columns are not new. There have been lots of them and I have always had difficulty following the concepts they teach. Perhaps it is because the authors knew too darn much about their subject. They weren't writing on my level. Things they thought were too basic to need explaining just didn't exist in my repertoire. Although I have done a bit of research since then, I am very much in the beginner's stage and still have most of my beginner's questions.

"What is a beginner doing writing a column in a reputable magazine?" you exclaim! Well, when the RAINBOW asked me if I felt qualified to write a column on assembly language, I

was just too excited to say no.

"A piece of cake," I told them, while trying to wash away a tell-tale green from around my assembly language ears. Anyway, I figured, if the problem with other assembly language tutorials was too much knowledge on the part of the author, I was super-qualified, in the reverse direction.

So, if you are an assembly language beginner, or want to be, then stay tuned; we speak the same language. For those who are further advanced, well, don't turn us off yet. I can

(Bartly Betts is a former reporter and magazine editor now operating a retail store and custom leather shop in Brooks, Alberta, Canada. He has owned and operated a Color Computer for over three years and is presently taking an electronics and computer course by correspondence. Chris Bone is a college computer science major and has been programming for more than three years. He averages between six and nine hours a day on the CoCo.)

guarantee that, with the help of my friend, Chris Bone, who is an assembly language wiz, this column is going to have some pretty useful programs.

What It Takes

If your first questions have to do with what it takes to begin assembly language programming and how much trouble it is to learn, then here are your first answers:

You will need time and the desire to learn. In some ways assembly language is easier to learn than BASIC and in some ways it is harder. I counted 72 commands in the EDTASM+ instruction manual but, because they are mnemonic (i.e., designed to represent actual English equivalents), they are easy to learn. There are also a few editor commands, assembler commands and switches, ZBUG commands, pseudo codes and error messages to learn. They are all easy to remember once you begin working with them. The hard part comes when you have to manipulate bits and bytes and accumulators and registers and stacks and pointers. However, in case you're feeling discouraged, take my assurance, you can do it — if I can, anyone can. I do want you to realize that there is pain with the gain and you will have to put in a long-term effort to become proficient.

You will need an editor assembler to write and edit the code. It would be difficult to provide instructions for more than one, so we will be using Radio Shack's EDTASM+. I have the ROM Pak version converted to run on disk.

It would be handy to have at least one good book on 6809 assembly language. I am using Lance A. Leventhal's 6809 Assembly Language Programming, published by Osborne/ McGraw-Hill. Pretty well any large computer store would carry it or could order the book for you. Radio Shack also has come out with a 6809 assembly language instruction book that I understand is quite good.

Having a calculator on hand can be quite useful for some of the conversions you will be wanting to do, but they can all be done by hand or on the computer. In fact *EDTASM*+++ has a ZBUG calculator built in that is very useful.

Of course, you must have at least a minimum of a 16K Color BASIC Computer.

Getting On Second

One thing that kept me confused about assembly language for a long time was the difference between it and machine language. The two terms are often used interchangeably. Assembly language, like BASIC, FORTRAN or PASCAL, is a language. It is not code that the computer can understand without interpretation. The product of an assembly language program is called source code. The computer must translate this code into machine language, the code which directs the computer on the paths that accomplish a particular job. Pure machine code is in binary. That is, in a numbering system of base two.

Despite what some authors have said, an understanding of binary and hexadecimal (base 16) numbering systems is essential to assembly language programming.

Binary Is Easy

The secret to any numbering system is memorizing what each number column represents. You are most familiar with a base 10 system. That is, from left to right, the first column represents ones, the second column tens, the third hundreds, the forth thousands, the fifth ten thousands, etc. The number 12345, when put under the appropriate column looks like this:

1	ten thousands	thousands	hundreds	tens	ones
	1	2	3	4	5

The actual calculation would look like this: $(1 \times 10,000)+(2 \times 1000)+(3 \times 100)+(4 \times 10)+(5 \times 1)$.

Another way of looking at the value of the columns is to realize that the rightmost column is 10 to the power of zero. The next column is 10 to the power of one, the third 10 to the power of two, the forth is 10 to the power of three, etc.

When using binary numbers (remember that they are a base two) you can read them exactly the same way except the columns represent different values. The binary columns look like this:

The rightmost column has a value of one, the next a value of two, the next a value of four, etc. An easy way to remember the values is to note that, from right to left, each column has double the value of the preceding column.

Now, with this in mind, let's look at the binary number of 11010011. Put under its columns it would look like this:

Thus you have $(1 \times 128)+(1 \times 64)++(0 \times 32)+(1 \times 16)+(0 \times 8)+(0 \times 4)+(1 \times 2)+(1 \times 1)$, or 128+64+0+16+0+0+2+1 totaling 211 in the decimal numbering system we are most familiar with. As you can see, the rightmost column is two to the power of zero, the next column is two to the power of one, the next is two to the power of two, etc.

And this is the numeric language that almost all compu-

ters understand. These columns are like switches in the computer and each switch has only two positions, off or on. Each switch is called a bit and a gang of eight switches is called a byte. If you split a byte in half, the two four-bit sections become a nibble. A computer's memory is divided into memory units of bytes, each with a specific numeric location. Thus, in BASIC, when you poke a number into a memory location (each memory location consists of eight bits), the computer converts the decimal number into binary code and each of the eight bits is turned either off or on. Those eight bits, or each byte, represents either an instruction to the computer or is an actual number to be used by an instruction.

This is what assembly language is all about — putting instruction codes into memory along with the necessary numeric data that the instructions will act upon. For instance, the binary code 10001011 tells the 6809 microprocessor in your computer to add a number to accumulator A.

A Hex On Hexadecimal

"Ah," you say. "Now I am ready to learn how to put those instructions into the computer."

"But, not quite yet," I say. "There is still hexadecimal to contend with."

"And what the blazes is hexadecimal?" you ask.

"To explain such mysteries is what I am here for," says I. Hexadecimal is just another numbering system; this time, to the base of 16. Put into its columns, it looks like this:

4096 256 16 1

As with the other numbering systems, each column is a power of 16... 16 to the power of zero, 16 to the power of one, 16 to the power of two, etc. But, there is one other little problem. Whereas base 10 numbers are represented by the single-digit symbols zero through nine, hexadecimal needs single-digit symbols for the numbers zero through 15. What can be used for numbers after nine? Whether for good or bad, the symbols for 10 through 15 have been chosen as A, B, C, D, E and F. Thus the count of zero through 15 in hexadecimal is 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A, B, C, D, E, F. In hexadecimal, the number 11 would be written 'B'.

"If hexadecimal has to look that bad, why use it?" you might ask. Personally, I hated the whole concept until I actually started trying to do some assembly language programming. Then it comes in mighty handy, but I still don't like it. The conversion between Hex and decimal is time consuming and I just can't get a mental picture of a number represented in Hex. Like, what the heck does AB6C mean in real life?

But Hex and binary are bosom buddies and that is why you need Hex, even if you can't love it. Hex to binary and binary to Hex conversion is a snap, and seeing as binary to decimal and decimal to binary isn't too difficult, knowing all three makes transitions much easier.

The hard way of converting decimal to Hex is by division. Let's take the decimal number 121 and convert it to Hex: The highest Hex column that will divide into 121 is 16...121 divided by 16 equals 7 with a remainder of nine. The seven now goes into the 16's column of the Hex number as illustrated and we are left with a remainder of 9 which is too small to be divided by anything larger than the one's column. Thus the nine will go into the one's column of the

Hex number and the resulting Hex number is 79; decimal 121 = Hex 79.

That looked quite easy, too easy in fact, so lets try another one . . . how about 2755? The process looks like this: The decimal number 2755 is divided by 256 and the result is 10 in decimal or A in Hex. So A goes into the 256 column. There is a remainder of 195 which is divided by 16 and equals 12 in decimal or C in Hex with a remainder of three. The Hex C goes into the 16's column and, as there is no more division possible, the three goes into the one's column. Thus 2755 in decimal equals AC3 in Hex.

4096 256 16 1

By now you are probably screaming that your computer can do all this slick as a whistle using *HEX\$*. You are right, but often your computer is tied up doing other things and is not available.

Third Base And Going Home

A C 3

So, how do they all tie together? Well, you will be using all three when you do assembly language. For, instance, suppose you want to display some graphics at memory location 4112 decimal, (this is graphics memory in the first *PMODE 4* page) and you want to turn on the first three pixels or dots in that memory location.

Can you guess why it is desirable to know binary and Hex? I'll bet you got it. Turning on the first three bits in a byte will require a binary number of 11100000. In binary, one equals "on" and zero equals "off." But how do you get that binary number in graphics screen memory location 4112? Here is where Hex comes in handy.

First, break the binary number into two nibbles of 1110 and 0000. Binary 1110 is converted to decimal 14. Of course binary 0000 in decimal is zero. To convert the entire binary number to decimal takes a bit more work, but not so for Hex. In Hex the decimal 14 becomes 'E' and the decimal zero is still zero. Binary 11100000 is E0 in Hex. Now, turn on your computer and type in and RUN:

10 PMODE 4,1 20 SCREEN 1,1 30 PCLS

40 POKE 4112,&HE0

50 GOTO 50

If you look closely at the screen you should see three little dots. Hit BREAK and change the Hex number. How about a dot pattern like this (.....)? In binary that is 11011011. Converted to two nibbles you have 1101 and 1011. That is 13 and 11 in decimal, or DB in Hex. Put & HDB in Line 40 instead of & HEO.

Now you realize that this is the second way of converting decimal to Hex. First convert the decimal to binary and then convert the binary to Hex. For most of us it is a lot quicker than the division method.

Perhaps you would like to do something a little more

impressive. Listing 3 is a short BASIC program to create the letter 'A' on the graphic screen in the same manner described above, (Listing I must be in memory for it to work). Line 110 contains the data for the dot pattern of the letter 'A'. This pattern is then poked into the graphic screen memory and there it is. If you would like to have an illustration of how the bytes are formatted to form the character, ENTER and RUN Listing 3.

Where Does It Lead?

Now you are operating in all three numeric bases and, hopefully, you are doing so with ease. If I have been successful, I have transferred several months of searching on my part into just a few minutes reading on your part. I have also introduced a concept we will be using to provide a neat utility that when complete will allow you to run your BASIC programs on a 51-column screen with upper- and lowercase letters. That is the assembly language program that we will be leading up to in the next two or three columns. At the same time we plan to provide you with lots of sample programs and routines.

Next month we will be looking into the actual use of the editor/assembler program and the operation of the assembly code. You now have the background to get into the real meat of things. In the course of this column, I plan to explain all of the assembly language or "op codes," how and where they are used and how they operate. I will assume you have no previous knowledge and will keep things as simple as I can make them. This will mean that, if you are going ahead on your own, the column might seem a bit slow at times. For this reason I will also try to provide some information at a higher level.

Decimal, Binary and Hex Hardcopy

To make life easier in your conversions, running Listings I and 2 will produce a decimal, binary and Hex conversion printout over a selected range from zero to 255. The assembly language source code is well commented so those who are already into assembly language programming can follow its logic. Even if you are a beginner, study your EDTASM+manual and learn how to enter and assemble it. Then CLOADM or LOADM the resultant machine language program. CLOAD or LOAD the BASIC program in Listing 2 and RUN it. You will get a printout of the 256 numbers in all three bases.

We Would Like To Hear From You

Both Chris and I would be very interested in your comments. If you have any reactions you would like to share with us please communicate by letter or phone. If you call, make it in the evenings between 7 and 10 p.m. (but not collect, please). Chris's number is (403) 362-5650 and my number is (403) 378-4550. You can write to me at P.O. Box 184, Rosemary, Alberta, Canada, TOJ 2WO. We welcome comments, both good or bad and would be pleased to answer any questions we can. If they are assembly language questions call Chris. I will field the comments. Chris says to be kind though, he is a temperamental artist.

Listing 1:

64656 + PRINTED (6-255) 88868 **************** 8866 BD BSED 66676 START JSR *B3ED *BET ARBUHENT =>D 6663 86 **** LDA 88 #8 RITS/RYTE 66696 1 008 *SAVE CURRENT BIT COUNT 8885 34 PSHS #2 A 6647 58 86188 ASLB *MOVE BIT 7 OF B => C FLAG OF CC 9988 24 68118 BCC ZERO *IF C FLAG=# BRANCH 888A 86 88128 **1 *PUT ASCII CODE FOR 1 =>A 31 LDA 888C 28 66136 BRA PRINT *80 CUPUT #2 686E 86 38 88148 ZERO LDA *PUT ASCII CODE FOR # =>A [\$A882] +OUTPUT CHR\$(A) 9F A482 88158 PRINT JSR GGIA AD 8814 35 82 98168 PULS *GET CURRENT BIT COUNT 9916 4A 88179 DECA +A=A-1 *IF A()# 60TO LOOP LOOP 8817 26 FC 44194 RNF 0019 39 88198 RTS *RETURN TO BASIC 8888 88288 END 49444 TOTAL ERRORS

1 CLEAR 20,&H3EFF
10 'SAMPLE USE OF ROUTINE TO PR
INT A TABLE OF VALUES
20 INPUT"SCREEN TO PRINTER (S/P)
";SP\$
21 INPUT"RANGE (0-255)-(0-255)";
R1,R2
30 IF SP\$="S"THEN S1=0:S2=0ELSES
1=-2:S2=254
40 DEFUSR0=&H3F00
50 FOR X=R1 TO R2
60 PRINT#S1,X;TAB(6);
70 POKE&H6F,S2:A=USR0(X)

8Ø PRINT#S1, TAB(16) HEX\$(X) 9Ø NEXT 1ØØ GOTO 2Ø

Listing 3:

10 ' POKE THE LETTER A INTO GRAP HICS MEMORY

20 ' LINE 60 CHANGES THE CODE TO PRINT A 0 TO A SPACE

30 ' THIS ALLOWS EASIER VIEWING OF THE PRINTED OUTPUT

40 INPUT"DO YOU WANT TO SEE THE GRAPHICS OR BINARY OUTPUT (G/B)" BG\$

50 DEFUSRØ=&H3FØØ

60 POKE&H700F, 32

7Ø PMODE4, 1: PCLS: SCREEN1, 1

8Ø FOR X=1 TO 1Ø

90 READ A

100 IF BG\$="B" THENA=USR0(A):PRI

11Ø POKE&H1Ø1Ø+32*X,A

12Ø NEXT

13Ø GOTO13Ø

140 DATA 16,40,68,130

15Ø DATA 13Ø, 13Ø, 254, 13Ø

160 DATA 130,130

The Companion

Expansion Interface Units


Basic Technology offers you the most features and best quality for the money!

Compare these features:

	BT	TRS-80
	COMPANION	Multi-Pak
Power ON Indicator Light	YES	NO
Cold Start Reset	YES	NO
Gold Socket Connectors	YES	NO
 Socketed Integrated Circuits 	YES	NO
Manual Cartridge Selector	Pushbutton	Slide Switch
Keyboard/Program Selection	YES	NO
Cartridge ON Indicator	YES	NO
Extension Cable	YES	NO
Warranty	180 days	90 days
 User's Manual w/schematics, parts layouts and parts lists 	YES	NO

Also for the Color Computer:
BT-1010 Parallel Printer Interface . . . \$ 79.95
BT-1020 Real Time Clock/Calendar . \$109.00
BT-1030 Versatile Interface Port \$ 69.95

Add \$5 shipping and handling. Check, money order, VISA, MC (Account # and expiration date). COD charge \$2 (req. certified check or M.O.). Michigan residents add 4% sales tax.



The Companion — New Price .. \$225.00
BT-1000 \$250.00

with 8K RAM\$275.00



Dept. Q

ORDER TODAY OR SEND FOR FREE BROCHURE!

LECHNOLOGY

P.O. Box 511 Ortonville, MI 48462

August 1984 THE RAINBOW

(313) 627-6146

239





Sure, You Can Swap Keyboards — Maybe

By Ed Ellers Rainbow Technical Writer

• Recently I purchased a new keyboard for my CoCo and set the old keyboard aside. I now find myself purchasing a 16K CoCo 2 with a damaged keyboard. Instead of buying another keyboard, I decided I would try to install the keyboard from my old CoCo (which I purchased in 1982) into the CoCo 2. Is this possible?

Eric Wilson Peterborough, NH

You can stick an old CoCo keyboard in the CoCo 2 if the older machine is an NC board (otherwise known as ET, 285 and F). The C. D and E version machines used a pair of matching headers (one on the main board, the other on the keyboard ribbon cable) to connect the two; the NC board and the CoCo 2 have a flexible printed circuit in the keyboard, and it extends via a pigtail to plug into an edge connector on the main board. All CoCo keyboards rest on the mounting posts in the same way, so the old keyboard will fit properly in the case. Be very careful in handling the ribbon cable pigtail, as it is somewhat delicate. You may also have some problems with RF interference; the CoCo 2 depends on a metal plate on the bottom of the keyboard to cut down on RFI radiated by the keyboard, but the old keyboard won't have this plate.

(Ed Ellers, a RAINBOW and PCM staff member, is a self-confessed electronics fanatic whose other interests include science fiction.)

A Missing Bit

• I have an old CoCo with the 1.0 Color BASIC ROM. This ROM only sends seven bits to the printer instead of eight. Because of this I can't get the MSB to work on my Epson MX-80 printer when trying to generate dot patterns. I plan to get my machine upgraded soon. Will this solve my problem with the MSB?

Tory Lyon Morrison, CO

Depends on which upgrade you want to do. The 1.0 ROM's two flaws were that it used seven-bit ASCII, rather than eight-bit, for printer output (to match the old Quick Printer II) and that it could not initialize the SAM chip's addressing for 64K RAM chips. If you have Radio Shack put in the 64K upgrade, they will install a newer BASIC ROM at no extra charge to make it work. Getting the ROM by itself may be a problem; I don't know if they will stick a new ROM in simply on request (or how much they might charge). If you had bought a Radio Shack printer (current models require eight-bit output), they would install the new ROM for you to make your printer work, but whether they will do it for someone who bought "somebody else's" printer is another matter. Radio Shack also offered at one time an eight-bit driver patch program (part number 700-2013); this may still be available.

Preserving Memories

• I was wondering if it is possible to make a small device which can be fitted to the CoCo which will keep the memory powered while the rest of the computer is switched off?

> Richard Goodman College Station, TX

Sadly, it isn't as easy as that. The CoCo (as with most other microcomputers) uses "dynamic" memory chips, rather than the more expensive "static" RAMs. A static memory system will hold its data as long as power is going into the chips, but with dynamic memory you have to constantly "refresh" the memory; in the CoCo it's done simply by accessing the memory every few milliseconds, and the job is handled nicely by the SAM chip. To keep dynamic RAMs running while the system is shut down, you would need to keep the refresh cycles going in some way, and you would have to keep your circuit from interfering with the SAM chip's operation. One false move in the transition from one to the other and you'll lose your data faster than you can say "6883!"

Higher Resolution

• There are a few boards on the market (like WordPak by PBJ) that give an 80-column display for a monitor. The way I understand it, a different video generator chip is used. This gives more pixels to form characters with. Could this higher resolution be used in the graphics pages?

David Moulton Cody, WY

If you're talking about addressing the external system the way you would the CoCo's own 6847 video chip, forget it. These boards are very different from the CoCo's video circuitry, and all the ones I've heard of are designed for high-density text display only.

Byting the Apple

· I'm looking for someone who has a program to read Apple II disks on a CoCo using either Disk BASIC or OS-9.

> Larry Owen Phoenix, AZ

I haven't heard of any, and there's a very good reason why it isn't done routinely. The CoCo and most other personal computers use a special disk controller chip, and these are usually designed to use a standard format developed by IBM some 10 years ago (although there are many variations and two different encoding schemes used now). The Apple II uses a rather ingenious circuit that Apple co-founder Steve Wozniak designed using readily available chips; it has stood the test of time so well that an improved singlechip version is used in the new Apple IIc and Macintosh, but it doesn't seem to be compatible with the "standard" disk controllers! (I'm sure that some of the more intrepid hackers among us will take this as a dare rather than a fact of life; I'd like to see somebody bridge this gap.)

CoCo Meets Model I

 Another teacher and I have personal Color Computers. Our school has three Model I cassette systems. Next fall, these will be transferred from the "computer room" to the library and the other teacher's classroom. We are very anxious to be able to use CoCo and Model I programs interchangeably.

We are able to write and convert BASIC programs, if not too complex, but cannot handle machine language and hardware adaptations ourselves. What do we need to accomplish our purpose?

> Barbara Hass Fallsburg, NY

About the only things the Model I and the CoCo have in common are that they are both made by Radio Shack and both use Microsoft BASIC. "Converting" machinelanguage programs from one to the other will actually mean writing an entirely new program, because the CoCo's 6809 processor just isn't compatible with the Z80 used in the Model I, III and 4. There is a program from Spectral Associates called Magic Box that will allow Model I (BASIC only) cassettes to be loaded directly into the CoCo.

Snow - in New Mexico - in August?

 I have a D board CoCo with 32K "piggyback" RAM. My problem is that I cannot use the upper 16K for Hi-Res video display: all I get when I try it is a lot of snow. This has kept me from using a lot of programs. Is there anything I can do to fix this? Would the same thing happen if I go to 64K?

Michael Kromeke Albuquerque, NM

You seem to have a better idea of the problem than many others I've heard this complaint from. The problem is that the usual "piggyback" modification doesn't make the right connections for video RAM access. When you try to use a Hi-Res screen placed in the upper bank, the plotting takes place in the upper bank, but the CoCo's video chip displays what's in the the corresponding area in the lower 16K bank. Some hardware nuts have tried to fix this problem. with varying degrees of success; with 64K RAM chips priced at \$40 or so a set, I'd suggest a 64K upgrade as a better solution, as Hi-Res displays work fine in the full 32K

available in BASIC.

Who's On First?

 People talk of CoCo third-party software companies. Radio Shack is obviously the CoCo's first-party software company. Where can I go to buy some second-party software?

Confused in California

You don't! Look at it this way, Bob. Radio Shack has the computer to sell; that makes them the first party in the transaction. You buy it; that makes you second. When you go to someone else for software, that makes them the third party. Obviously, second-party software is stuff you write yourself!

Packing It In

 When I type in a program line, I can only make it 249 characters long. After the 249th character, the keyboard will not respond to anything except ENTER. If this is not a problem with my machine but a characteristic of the CoCo's design, why do you print programs in your magazine that contain lines longer than 249 characters (such as Line 75 of "Para-Jumper" on Page 179 of the December 1983 Rainbow)? If it is a problem, can you help me?

Steve Bernstein Union Grove, WI

Although the normal limit is 249 characters, the EDIT mode will let you pack a few more characters on the end of a line, to a certain limit. Unfortunately, in a few extreme cases, packing too many extra characters into a line will prevent the "detokenizing" routine in BASIC from doing its job completely, and LLISTings and ASCII saves of the program will be missing a few characters. Those who are submitting programs for publication in THE RAINBOW should avoid any temptation to pack the program lines. Packing is done for two reasons: to reduce the minimum memory requirements and to speed up execution of the program. In reality, it has only a minimal effect in this respect and holds the potential for causing considerable problems. "Stripping" utilities, programs especially designed to pack lines and remove unneeded spaces should be used with caution, as programs can be "overpacked," resulting in characters being left out of screen LISTs and LLISTings - even though the characters, or commands, are actually in the program and workable. When someone tries to type in a listing that has been overpacked, he will miss those few characters that are dropped from the tail end of overpacked lines.

In Search of Artifacts II

 I often see programs for artificial colors in PMODE 4, but I can't get them. A program I wrote to draw vertical lines in every other dot column (to create solid colors) will only produce vertical yellow/blue, mixed with black, stripes, etc. What is the reason for this? Is it possible it is because my TV is for the PAL system? Or because my CoCo is the European version? If there are differences for Europe, I would like to know them.

Cornelius Caesar Hofheim, West Germany

The problem you're having is due primarily to the difference between the German PAL system and the American NTSC (National Television Systems Committee, an industry group) system. PAL stands for Phase Alternation Line, and it is a modification to the NTSC system to keep the various stages in the transmission chain from altering the colors of TV pictures (something most Americans will tell you happens all too often here). The artifact colors of red and blue, as I discussed in a previous column, are caused by the dots produced by the CoCo being locked to the color signal; in the PAL CoCo this is no longer so because of the phase alternation, and the colors produced (the yellow and blue) change from line to line. Most European sets have a delay line to complete the PAL error-cancellation process; the delay line is filtering out most of the false colors, as the comb filter in some American sets (based on the same type of delay line) does on broadcast signals (but not CoCo displays).

****** SELECTED SOFTWARE *******

FOR THE COLOR COMPUTER

UPGRADE YOUR COLOR COMPUTER!

Complete solderless kits with easy-tofollow instructions.

4K-16K FOR ALL BOARDS \$19.95 4K-32K FOR ALL BOARDS \$54.95 16K-32K FOR ALL BOARDS \$39.95

64K For E & F BOARDS

\$59.95 & COCO 2 ...

*IF POSSIBLE, PLEASE SPECIFY BOARD REVISION WITH ORDER

NOTE: All ICs used in our kits are first quality 200NS Prime Chips and carry one full year warranty.

****** SPECIAL OF THE MONTH

JUNIOR'S REVENGE (32K) TAPE ONLY \$21.50

THE HJL-57 KEYBOARD

WITH FREE SOFTWARE FOR FOUR FUNCTION KEYS. \$79.95 *Please specify model (original, F version or COCO 2)

VOLKSMODEM

300 baud, direct connect, orig/answer automatically selected. Comes with all COCO cables and battery. \$74.95

DISKETTE CAROUSEL

- Precision Rotary
- With 72 color-coded envelopes.

\$29.95

BOOKS

Color Basic Unravelled Extended Basic Unravelled . . . \$19.95 Disk Basic Unravelled . . . \$19.95 ALL 3 BOOKS ONLY \$49.95

'REAL TALKER' With enhanced software on Tape and User's Manual

Cartridge \$59.95

'REAL TALKER II'

\$69.95

Y-BRANCHING CABLE For Disk Systems . . . \$29.95

STAR PRINTERS

Gemini 10X Gemini 15X	120 cps	\$279 \$399
Delta 10 Delta 15	160 cps & 8K buffer	\$415 \$549
Radix 10 Radix 15	200 cps & 16K buffer	\$615 \$715
PowerType	DaisyWheel	\$399
PBH Serial to	Parallel switch se	electable

printer and modem interface \$79.95 Purchased with Printer \$59.95

MONITORS AND INTERFACE

Zenith ZVM-123 Green \$129.95 Zenith ZVM-122 Amber \$149.95

BMC 9191 U + medium res. w/sound

\$289.95 \$5 OFF Monitor with Video Plus purchased. VIDEO PLUS Color or monochrome \$24.95 for COCO VIDEO PLUS II C ...\$39.95 Color for COCO 2

VIDEO PLUS II M \$26.95

Monochrome for COCO 2

and chills.

TAKE 20% OFF ANY SOFTWARE ORDER

All games are in 16K machine language unless noted.

TORE BALL CONTINUED

TOM MIX SUFTWARE		
	TAPE	DISK
* DRACONIAN (32K) Will you be the next victim?	\$27.95	\$30.95
** SKRAMBLE Challenging destroy mission.	\$24.95	\$27.95
* CRASH (32K) Mario is back again!	\$24.95	\$27.95
* WORLDS OF FLIGHT (32K) Super realistic.	\$29.95	\$32.95
* SR-71 (32K Ext. Basic) A must for the adventurous.	\$28.95	\$31.95
* TOUCHSTONE (32K) Excellent graphics.	\$27.95	\$30.95
* BUZZARD BAIT (32K) Just outstanding!	\$27.95	\$30.95
* TRAP FALL Just like Pitfalls.	\$27.95	\$30.95
* THE KING (32K) Just outstanding!	\$26.95	\$29.95
005000041 4000014750		
SPECTRAL ASSOCIATES		
* GALAGDN (32K) Truly state-of-the-art.	\$24.95	\$28.95
* COLOR PANIC (32K) Excellent.	\$24.95	\$28.95
* CUBIX (32K) Outstanding with 16 skill levels.	\$24.95	\$28.95

\$24.95 \$28.95 ** FROGGIE (32K) The best of its type. * LUNAR-ROVER PATROL (32K) Just outstanding. \$24.95 \$28.95 GEOGRAPHY PAC Excellent learning tool with 4 \$32.95 color hi-res. maps. Extended Basic required. * LANCER (32K) Excellent Joust-type game. \$24.95 \$28.95 * MS. GOBBLER (32K) Outstanding with 4 different \$24.95 \$28.95 mazes and 16 skill levels.

* WHIRLYBIRD RUN Excellent.	\$24.95	\$28.95
* GHOST GOBBLER Highly rated Pac Man-type with 16 skill levels and lots of action.	\$21.95	-

INTRACOLOR

** INTRACOLOR GRAND PRIX Exciting racing game.	\$34.95	\$34.95
** WILLY'S WAREHOUSE (32K) Excellent graphics	\$34.95	\$34.95
& sound.		
** CANDY CO. (32K) Can you save Q.P. Doll?	\$34.95	\$34.95

Over 1000 frames. ** COLORPEDE Just like the arcade. \$29.95 \$34.95 * ROBOTTACK Just like the arcade. \$24.95 \$27.95

DATA SOFT

\$39.95 * ZAXXON (32K) Sega's official version. \$39.95 ** POOYAN (32K) Konami's official version. \$29.95

** MOON SHUTTLE Nichibutsu's official version. Tape and disk included.

Tape & disk included.

COMPUTERWARE

* JUNIOR'S REVENGE (32K) Exciting!	\$28.95	\$31.95
* GRAN PRIX (32K) Challenging race.	\$21.95	\$24.95
* DOODLE BUG Just like Ladybug.	\$26.95	\$29.95

ANTECO SOFTWARE

ROMPAK ONLY

* 8-BALL For the pool-table lover.	\$29.95
* GHOST GOBBLER by Spectral Associates	\$26.95
* WHIRLYBIRD RUN by Spectral Associates	\$26.95

ADVENTURE INTERNATIONAL

SAIGON: THE FINAL DAYS The most truly unique adventure eyer.	\$24.95	-
ADVENTURELAND Wander through an enchanted realm and try to recover the 13 lost treasures.	\$19.95	-
EARTHQUAKE You will fear for more than your own life.	\$24.95	-
** SEA DRAGON (32K) Outstanding underwater thrills	\$34.95	_


UTILITIES AND APPLICATIONS

RAINBOW SCREEN MACHINE	\$29.95	\$32.95	
SUPER SCREEN MACHINE	\$44.95	\$47.95	
TELEWRITER-64	\$49.95	\$59.95	
MASTER DESIGN	-	\$34.95	
PRO-COLOR-FILE *ENHANCED*	-	\$79.95	
COLORCOM/E Rompak or Disk	\$49	\$49.95	
CCEAD	\$ 6.95	_	
64K DISK UTILITY	_	\$21.95	
TAPE UTILITY	\$24.95	\$24.95	
MULTIPAK CRACK	-	\$24.95	
HOME BASE	-	\$49.95	
WORK BASE I	-	\$64.95	
WORK BASE II	-	\$79.95	

^{*}Requires Joystick

\$29.95

^{* *} Joystick Optional



Downloads/Dan Downard	244
Answers to your technical questions	
hogg_wash/Frank Hogg	246
Building logical pathways	
KISSable OS-9/Dale L. Puckett	257
A technical potpourri	0.00
Personable PASCAL/Daniel A. Eastham	250
Expressions and statements	

August 1984

DOWNLOADS

A Little Understanding Goes A Long Way

By Dan Downard Rainbow Technical Editor

• I like your articles and I hope you will be able to help me with a problem I am having with a machine language program. The program is the BWDUMP/BIN that Radio Shack sells to dump a graphic screen to a printer.

BWDUMP/BIN was originally on a tape. I used the start address (14848) of the program and I chose an end address of 16127 to use with the SAVEM command to store it on my disk. I actually saved a few extra memory locations. I wanted to be sure that I collected the entire program from memory. Now I can use the LOADM command to reload the program, but I have to use an offset of 16384 to load the program in the upper part of RAM on my 64K CoCo 2. Radio Shack had originally loaded it at address 14848 and I guess they expected it to be used only with a 16K machine?

The program as is, does run with the offset added. It fits nicely at location 30783 out of the way of my BASIC programs. I have made a number of attempts to relocate the machine code, and when I relocate the program to any other address it locks up the computer. I have to do a cold start to recover. I have EDTASM+ and I have disassembled the machine code. I hope you can help. The solution is not obvious to me. My question is this:

1) Why can I load the program with the

(Dan Downard is an electrical engineer and has been involved in electronics for 24 years through ham radio [K4KWT]. His interest in computers began about five years ago and he has built several 68XX systems.)

offset of the LOADM command which works okay, but I am unable to relocate the machine code? Yes, I know I can use it this way, but the lazy side of me would like to be able to just type LOADM "BWDUMP" and be done with it.

2) What exactly does the offset portion of the LOADM command do that makes it possible to run this program in the new location?

3) The manual doesn't say much about the SAVEM command. So as long as I have your attention, will you also include a more detailed explanation of this command.

Terry E. Blake Dayton, OH

Sounds like you're on the right track, Terry, but need a little understanding of the *SAVEM* command. The following format must be used:

SAVEM"file name", start address, end address, execute address

You didn't mention the value of the execution address. You can find this address with the following direct command after loading your tape program:

?PEEK(487)*256+PEEK(488)

This will be your "exec address." Write this value down and do the following:

- 1) CLOAD"BWDUMP",16384
- 2) SAVEM"BWDUMP",31232,32511, exec address+16384

See if that doesn't cure your problem. When you offset load a program the computer just increments every byte of your program by the amount of the offset. Since BWDUMP is written in PIC (Position Independent Code), it will run anywhere in memory. Well, anywhere there is free RAM space in the case of your CoCo.

Normal Procedure

• I think I have a problem with one of my disk drives. First, I own a 64K CoCo (Rev. E), with Color BASIC 1.1, Extended Color BASIC 1.0 and Disk Extended BASIC 1.0. I also own one disk drive from Radio Shack and one from MPI; Model 51S, S/N S661337, manufactured April, 1983. I purchased the 51/4 SSDD floppy disk drive at RAINBOWfest in New Brunswick, NJ.

When I access drive I the disk starts spinning, the 'LED' goes on and my file is loaded. But when I access drive 0, not only does drive 0 find my file but drive I just spins until drive 0 has found the file.

Jon D. Abbott Norwalk, CT

This is the normal way that CoCo disks operate, Jon. There is only one motor "on" line going to your drives. When you turn on one drive, you turn all of them on.

Hardware Problem

• I have a 16K "E" board that I upgraded to 64K, using 4164's. I want to purchase a disk drive and upon the advice of my local Radio

Shack Computer store representative, I had them install a 1.2 Color BASIC ROM, because he told me that I would be able to use the new CoCo 2 disk drive and run OS-9. I have heard horror stories from CoCo owners that have plugged in the wrong disk drive. HELP, which drive do I buy, the gray case or the white case? I saved the 1.1 ROM, just in case.

Larry B. Evans Key West, FL

Larry, the 1.2 BASIC ROM has nothing to do with OS-9, or your disk drive selection. The problem of compatibility with disk drives is a hardware problem. Radio Shack redesigned the newer disk controller (white case) so that 12 volts is no longer required for operation, since the CoCo 2 no longer has 12 volts at the ROM port. The older disk controller (gray case) required 12 volts for operation. In a nutshell this means you can use the new disk controllers with the old CoCos but not vice versa. There is a way around this problem, though. If you purchase a Multi-Pak Interface for your CoCo 2 you can use the old disk controller since the Multi-Pak Interface supplies the 12 volts necessary for proper operation.

Tidying Up

Last month, Jack Thompson wrote about a disk problem and you suggested a head alignment kit. I have a similar problem on my one-disk system. I have no trouble with programs that are written on my drive, but every program I buy will not load. They start to load, then hang up with the motor running and the keyboard dead. If I can manage to get one loaded, and it's not copy protected, I can save it and then load it with no more troubles. But most will just not load. Where can such a kit be found? I have not seen one in the ads, and Radio Shack doesn't carry one. Better still, has an article been published which gives the procedure? I have test equipment and technical experience, but I need information.

> Mickey Kaylor Cleveland, TN

Mickey, we have received several requests similar to yours. The head alignment kit we referred to is actually a head alignment disk. Several companies manufacture them. Radio Shack specifications are based on a "CAT'S-EYE" diskette.

These disks have a 125 kHz signal precisely recorded on tracks 00 and 34. By using an oscilloscope connected to the electronics in your disk drive you can measure the phase of the read head and "align" your heads. We do not recommend this for amateurs. If you're still game, obtain a copy of *Radio Shack Service Manual* #263022/3023. This is the floppy disk drive service manual and gives complete alignment procedures.

The only normal maintenance that should be necessary for your drive is cleaning your heads. Remove all of the accumulated oxide and dirt with a lint-free cloth using isopropyl alcohol. Be careful not to touch the head. Another method of cleaning your heads is by use of a head cleaning disk available from Radio Shack.

A Simple Solution

• I just bought the DMP-100 Printer to add to my 64K CoCo and one disk drive.

Would you please help me. How can I print whatever is on the TV screen without including a PRINT#-2, in the program. I noticed that this can be done on other larger computers like the Model 4.

M.B. Harada Kailua, HI

You need a screen dump program such as BWDUMP from Radio Shack.

Fill Er Up

• I have a problem that may or may not be of interest to the readers of RAINBOW. I am having a great problem saving programs on tape. The tape that I am using may be the problem. I need a program that will fill the tape with a program. It should give the start and then run till the computer is shut off. This way I could load the tape, then using SKIPF"X" verify that the tape had no bad spots in it.

It seems that this could be done, but I have not been able to do it.

Robert Lister, Jr. Aston, PA

Robert, try the following BASIC program:

10 FOR X=ITO1000 20 CSAVE"TEST" 30 NEXT X

This should record the program TEST 1,000 times on your tape. By using SKIPF"X", after rewinding the tape, you should be able to check for bad tapes. There is one problem with this method. It doesn't check the part of the tape between programs. I would also recommend bulk erasing the tape before further use.

Getting A Running Start

• I am writing a menu program for the Color Computer disk system. I have everything in the program finished except one thing. I cannot tell the CoCo to run a variable (RUNF\$). You can LOAD, SAVE, LOADM, and SAVEM a variable but not RUN. How can I do this?

Andy Dater Medford, OR

If your program name is F\$ Andy try: LOAD"F\$",R

Index Addressing

• I am a frustrated programmer. I have done fairly well with BASIC programming and have jumped off the deep end into the world of assembly language. With my trusty Assembly Language Book by William Barden, Jr., I have entered a quest of sleepless nights and much frustration.

I wrote a simple BASIC program that uses Graphics, Pages one through seven to draw a panoramic scene. Then I displayed Page eight with Page four memory transferred to Page eight memory location; thus, Page four is on the screen. With the left or right arrow keys, I can pan from left to right and see all the landscape. But, I have to wait 15 seconds for the screen to shift, even with POKE 65495,0. Thus, to give the program realism, I decided to make this my initial project for using assembly language. I have learned that:

LDA #55 Load 'A' register with the number 55 (decimal)
LDA #\$55 Load 'A' register with the hexadecimal number 55 (85 decimal)
LDA \$55 Load 'A' register with contents of memory location \$55 (decimal)

Suppose I have a value that starts in a register (lets say 'X'), the value is used in calculations and the result is returned to the 'X' register. I now want the value of the contents located at the memory location in the 'X' register. How do I do it? If I store 'X', STX \$3000, then I have a value stored in a specific memory. But, I want, not the value at \$3000 but the value of the location indicated by the value at \$3000. If you can help, I sure would appreciate it.

Clyde R. Vasey III Durant, OK

You must use indexed adddressing, Clyde. If I'm reading you correctly, you want to store the value in, let's say, the 'A' register at the memory location indicated by the 'X' register. The assembly nmemonic for this step would be STA A,X.

Since you gave me a hint about what you are up to, you may try the following assembly source for moving any memory to another location.

LDX #\$xxxx xxxx="from"address LDY #\$yyyy yyyy="to"address LOOPLDD ,X++ STD ,Y++ CMPD #\$zzzz zzzz="end" address BNE LOOP

This method will work as long as the two areas of memory do not overlap.

Your technical questions are welcomed. Please address them to: Downloads, THE RAINBOW, P.O. Box 209, Prospect, KY 40059. We reserve the right to publish only questions of general interest and to edit for space and clarity.

RAMBOWTECH

hogg_wash

Structure Out Of Chaos: Building Logical Pathways

By Frank Hogg Rainbow Contributing Editor

58,752 sectors free

available when you use your computer. On our office system this is the number of sectors available for our use, plus another 19,584 on the removable hard disk that is used for backup. Of course, I am talking about the Gimix III and a 19 meg hard disk. Now you can even get 47 and 72 meg hard disks. The 47 gives you something like 130,000 free and the 72 about 240,000 free. That is an incredible amount of space. This all seems wonderful until you consider what happens when a dozen different people use the system at the same time with directories helter-skelter and files all over the place. Pretty soon you have thousands of files in hundreds of directories and nobody but nobody knows where anything is!

This is the situation I found myself in a few months ago. We bought our Gimix III in January of 1983 and started using it right away. I had never had much experience with a multiuser system before so I didn't have any clear idea how to set up the disk for use other than giving everyone a directory of their own and letting them have a go at it. Chaos soon prevailed when, after about 10 months we started losing files on the disk. You knew you put it somewhere but you couldn't remember where or what name you used when you saved it. It was like trying to find a needle in a haystack.

About 14 months from day one, I embarked on the project of organizing this mess before it got totally out of hand. I started cleaning the disk of files that didn't need to be where they were, At the time I started there were almost 3,000 files

(Frank Hogg is the president of Frank Hogg Laboratory, one of the world's targest suppliers of software for 6809 based computers. He and his wife, Linda, live in Syracuse, N.Y.)

in about 80 directories. When I finished there were a little over 1,000 files in only 65 directories. I did most of this by organizing the files into separate logical directories and then archiving some of those off to floppy disks. I also removed old files that were not needed anymore.

Since it was quite a task and it took a long time to complete, I didn't want to have to do it again so I worked on a structure to keep the disk organized and make it easier to both backup the disk and to properly archive the files from the disk. That would also make it easier to find things on the disk.

I started off with some basic rules, then I tried not to break them wherever possible. However, sometimes that was not always practical.

The rules:

- 1) The "root" directory should only have other directories, not files in it. This is a pretty solid rule.
- Directories of a like type should be grouped in master directories. For instance, the users' directory contains directories of each user.
- 3) Master directories should be treated like root directories and not have files in them. The idea is to make each directory reasonably small so that it will be easy to find things by following a logical path.
- Groups of files of like type should be in directories of their own.
- 5) Whenever there are more files than can be displayed on the screen at one time with dir, it is time to consider breaking the directory up into smaller directories.

Here is an example of the root directory of the hard disk: Master directories have a '*' after them.

directory of / H0 23:41:52

CMDS DEFS SYS SYSTEM*
USERS* INVOICE* MAILING* MINT*
STY LIB SPELL MISC

The "CMDS," "DEFS" and "SYS" directories are familiar to OS-9 users because all OS-9 systems have them. The CMDS directory has all the user commands in it. The DEFS directory has the system definitions in it and the SYS directory has things like the system password and other system stuff in it. SYS is for OS-9 system files such as "password" and "motd."

SYSTEM is the superuser's master directory. USERS is a master directory and contains a directory for each logged-on user type which I will also explain later. The INVOICE, MAILING and MINT directories are our business directories. INVOICE is the series of business programs for our office. MAILING is our mailing list and MINT is for our dental office package that is under development. STY is a directory that is needed by the Siylo word processor. They should have put it in the SYS directory which would have made my disk neater. LIB is used by the C programming language. SPELL is for the DynaSpell spelling checker and, like Stylo should be in the SYS directory. MISC is a catchall to prevent things from being dumped into the root directory when someone is in a hurry.

Here is a "dir" of the SYSTEM directory:

directory of SYSTEM 23:41:55

STAGING SOURCE BOOT ARCHIVE BACKUP

STAGING is a directory used to dump new software in preparation for installing it on the system. Once installed, it would then be deleted from STAGING. SOURCE is a directory of system source code. BOOT is the directory of files that are used to create a new OS-9 Boot. As new versions of OS-9 are released they can be installed from this directory.

ARCHIVE is a directory of files or commands that we want to remove from the system but are not quite sure we should. This would be where we would put a copy of an old program when we install a new version. In case the new one doesn't work we can retrieve the old one from ARCHIVE. Files in this directory should be deleted on a regular basis.

BACKUP is a directory that is logged into by other than the superuser. Special programs let any user do a major backup of the system as the superuser, but under program control to prevent damage. This was done so that I would not have to be stuck with backing up the system. A user logs in as "backup" and he/she is presented with a menu and instructions on what to do to run the backup procedures.

This is a directory of the USERS directory: (Note: all of these are "master" directories.)

directory of USERS 23:41:57

FRANK	JERI	CAROL	JIMI
DEB	DAVE	COLET	LÉTTERS
FLEX	MANUALS	SOFTNEWS	RICH

To be in this directory, a directory has to be one that is logged into. By that I mean that these are the default data directory upon login. The names of the directories follow the actual users' names until you get to LETTERS.

LETTERS contains answers to customers' letters in a

special *DynaStar* mail/merge format. FLEX is the directory for O-Flex. MANUALS contains directories of the various manuals that we are working on. SOFTNEWS contains directories of each issue of our new *SoftNews* publication.

This is an example of a users' directory:

directory of USERS/FRANK 23:41:59

MISC ARCHIVE DOC

MISC is a "catchall" to prevent garbage cluttering up the master directory. ARCHIVE is used to hold files previous to deleting them. DOC is for various documents such as letters, memos, etc. The individual may and should use other directories to prevent clutter from obscuring what is in his/her directory.

All users except the superuser log on into the user directory under the name they logged on as. The superuser logs on into the SYSTEM directory as user zero. The exception is the "backup" user who logs on into SYSTEM/BACKUP as the superuser for backup purposes.

System protection prevents anybody except the superuser from accessing the SYSTEM directory.

Here is a map of the system disk.

CMDC			
CMDSf		CTAC	CINC C
			GINGf
SYSf			RCEf
SYSTEM*			Г
USERS*	+		HIVEf
INVOICE*D		BACK	KUPf
MAILING*D			MISCf
MINT*D	FRANK*		+ARCHIVEf
STYf	JERI*	D	DOCf
LIBf	CAROL*		,
SPELLf	JIMI*	D	
MISCf	DEB*		
	DAVE*		
	COLET*		
LETTERS*D			
	FLEX*D		
	MANUALS		
	SOFTNEWS		
	RICH*	D	

--D infers that the directory has other directories in it.
--f infers that the directory has only files in it.

We have been using this system for about a month and so far it is working very well. I hope that in a year from now I will be able to find this file without too much trouble. Let's see, I put it under MISC, or was it in the SOFTNEWS directory? Well, you can see that it is not going to be easy to keep track of files, even with this setup.

Put a filter in your pipe

OS-9 has a neat feature where you can redirect the output of a program somewhere else. Gee, that's nice, but what can be done with it? You can, of course, direct it to a printer or a file, but you can also direct it through a filter before going to the printer or anywhere else for that matter. This is called "piping" and is similar to a regular pipe if you think of the data as water in the pipe and the filter program as a filter in the pipe that will do something to the water as it passes through. Got the idea? Suppose you wanted to remove all the line feeds (\$0A) from a text file before going to the printer. Normally you would write a program to read in the file, remove the line feeds, then write it out to another file. With OS-9 you could use the same program without the files and do the same thing.

Standard input and standard output

When programs refer to using these two things it means that I/O (input/output) can be redirected and used in a pipe. "List" is one of these commands as well as "build." Try this, first build a file with build like so:

OS9:build junk

? junk

? junk

? junk

?

Then do this:

OS9:list junk! build test

OS9:list test

junk junk junk

Wasn't that an interesting and useful thing to do? Here is what happened. First we created a file called appropriately "junk," then we listed that file through a pipe (!) to "build" which created a file called "test" that had what "junk" had in it. The "?' appeared on the screen because we did not change the output of "build," it still went to standard output (the screen). If you typed this:

OS9:list junk! build test >test1

the same thing would have happened except that the "????" would end up in the file called "test1." If you have "UtiliX" which has a utility called "wc" that counts words then you could have typed:

OS9: list junk! build test! wc

and "wc" would have reported that you had 8 characters and 4 words with 0 lines from the "?'s.

All of the above is quite useless of course but it is just an example of how pipes work and how I/O redirection can be used to do some fun things.

Thank you all for writing in suggestions and please keep them coming. I will get into the letters next month.

Stylograph III and WordPak are "United" by Color OS9 to provide a dazzling display of Word Processing Power

Stylo III has many enhanced features

Printer configuration program
 Continuous overwrite mode

• Programming mode

Enhanced cursor control

WordPak adds a new dimension to the overall performance of the Color Computer.



Stylograph III + WordPak \$239.95 Stylograph III + WordPak \$359.95

(Stylograph III + Mail Merger + Spell Checker)

Send for catalog
Flex Versions also available

Great Plains Computer, Inc. P.O. Box 916 Idaho Fálls, Idaho 83402 208-529-3210

The Color Computer is transformed into a quality professional work station when you put the right combination together.

OS9 is a trademark of Microware

WordPak is a trademark of PBJ, Inc.

Flex is a trademark of TSC, Inc.

Get the most out BASIC



The OFFICIAL BASIC09 TOUR GUIDE is skillfully written in a friendly and easy-to-read style. Just perfect for those new to computers and to BASIC09. It's also a valuable reference book for programmers, engineers, students and hobbyists, providing an in-depth look at BASIC09 plus an overview of the OS-9 operating system. Comprehensive reference sections on BASIC09 and OS-9 commands are also included.

The book "maps" out your route through the Mercedes of Basics... BASIC09 and puts you in the driver's seat in no time. Fasten your seatbelt, sit back and enjoy the ride to perfecting your programming skills.

MICROWARE . . .

The OFFICIAL BASIC09 TOUR GUIDE comes from the people who wrote BASIC09. As the leader in 6809 system software, we at MICROWARE care about our users and want to help you get the most from our products.

It's Easy to Order.

Phone orders are accepted from MasterCard or VISA cardholders or for COD shipment. You can also order by mail using the coupon below. Quantity discounts are available to educational organizations and dealers. For further information contact Microware.

Microware Systems Corporation 1866 N.W. 114th Street Des Moines, Iowa 50322 Telephone 515/224-1929 Telex 910-520-2535

Please send ______copies of the Basic09 Tour Guide book at \$18.95 each. Add \$2.00 for UPS shipping in the U.S. or \$5.00 for overseas air mail per book. lowa residents add 4% sales tax.

Name _____

City _____

Zip___

☐ I have enclosed a check

Expiration_

☐ Charge to my bank card:

MasterCard ☐ VISA ☐

Card Number ____

microware*

Specialists in system software for 68-family microprocessors since 1977.

OS-9 and BASIC09 are trademarks of Microware and Motorola.

PERSONABLE PASCAL

Expressions And Statements

By Daniel Adams Eastham Rainbow Contributing Editor

or many programmers, the real "beef" of a program is in its executable statements. These statements direct the computer to actually perform a task. Without them, the program (and computer) would be useless. PASCAL has many different types of executable statements and a powerful expression syntax for use within these statements.

In the last column, we saw that a PASCAL program is divided into two major sections:

PROGRAM (header); (declaration statements) BEGIN

(executable statements)

END.

We also learned about some of the fundamental statements for declaring data and operating on it. As you can see above, the executable statements are those between the BEGIN and END. They are executed sequentially beginning with the statement immediately following the BEGIN and continue until the END statement is reached.

One statement that every programming language has is an assignment statement. For example:

Sum := Amount + 5;

This statement contains a variable (Sum) which is to receive a new value, an assignment operator (:=) and an expression (Amount + 5) which represents the value to be assigned.

(Daniel Adams Eastham holds a B.S. degree in computer science and has 13 years experience in systems and communications programming, including work on the original Telenet packet switching network. He is the author of the DEFT PASCAL Workbench and is currently president of DEFT Systems, Inc.)

Expressing Yourself

Expressions in PASCAL are similar to those in BASIC. However, the rules of precedence are not the same, and in many situations you need parentheses in PASCAL where you do not need them in BASIC. The following is a list of operators in order of precedence (highest is first) for Real, Integer and Boolean expressions:

Unary Operator:

NOT Boolean Logical Negate

Multiplying Operators:

* Multiply, Real or Integer

Real Divide

MOD Integer Divide, Quotient
Integer Divide, Remainder
AND Boolean Logical And

Addition Operators

+ Addition, Real or Integer
- Subtraction, Real or Integer

OR Boolean Logical Or

Relational Operators

EqualsLess ThanGreater ThanNot Equals

Less Than or Equal
Greater Than or Equal

Note that not all the operators can be used with the different data types. For example, AND, OR, and NOT can only be used with Boolean data (or expressions), DIV and MOD operators are only allowed with Integer data and '/' always produces a Real result even if either or both operands are Integer. All relational operators can be used with any

simple data type and produce a Boolean result.

As a result of all these rules, we can see some similarities and differences with BASIC. For example:

$$R + 13 / 2$$

The Integer constants 13 and two (Real constants have decimal points in them, i.e., 13) are converted to Real, divided, and the quotient is added to R. The following legal BASIC expression:

is not a legal PASCAL expression. This is because the AND operator has a higher level of precedence in PASCAL than it does in BASIC implying that the Real constant 3.5 should be ANDed with the Integer variable I before the first = comparison is done. To make this expression legal, we must add some parentheses:

```
(R=3.5) AND (I=2)
```

This forces the = comparisons to be completed first, providing two Boolean results which can then be ANDed together. In the following Boolean expression:

BI OR B2 AND NOT B3

The Unary operation NOT is performed first followed by the AND and finally the OR operation.

In addition to these, there is also the relational operator IN for Sets. We will learn about Sets in a future column.

Compounding The Problem

In the last column we saw that the IF statement in PASCAL looks like this:

```
IF (Boolean expression) THEN (statement) [ ELSE (statement) ]
```

The only problem with this is that many times you want to execute many statements as the result of a test in an IF statement. In BASIC, you can do this by making a long line and separating the statements with colons. In PASCAL, you use the BEGIN statement:

```
BEGIN (statement);
...
(statement)
END
```

This is called a compound statement and allows you to insert many statements into the program at any point that a single statement is allowed. All the statements inside the BEGIN END are sequentially executed. Although standard PASCAL syntax does not allow a semicolon following the last statement, most PASCAL implements a null statement which allows you to include the last semicolon.

In our IF statement, we can therefore do the following:

```
IF (R=3.5) AND (I>=2) THEN BEGIN
Sum := Amount + 5;
IF Sum = 200 THEN Amount := 3;
END
ELSE Sum := Amount - 5;
```

The Boolean expression (R=3.5) AND (I>=2) is evaluated and if True the compound statement following the THEN is executed. If the Boolean expression is False then the statement following the ELSE is executed. This ELSE immediately follows the END of the compound statement.

Inside the compound statement you see another IF statement. This ability to allow any number of any type of statement at any point in your program is one of three major constructs in the PASCAL language that makes writing structured programs easy.

Easy Loops

The second major structured programming construct of PASCAL is its looping statements (the third construct is Procedures/Functions which will be described in a future column). In addition to the standard FOR statement which we talked about last time, PASCAL has two conditional looping constructs:

```
WHILE (Boolean expression) DO (statement)
REPEAT (statement; . . . ; (statement) UNTIL (Boolean expression)
```

The WHILE statement repetitively executes the statement following the DO as long as the value of the Boolean expression is true. An equivalent IF and GOTO setup would look like this:

```
100: IF (Boolean expression) THEN BEGIN (statement);
GOTO 100;
END;
```

The REPEAT statement repetitively executes the statements between the REPEAT and UNTIL, until the Boolean expression is False. An equivalent IF and GOTO setup for the REPEAT looks like this:

```
(statement);
```

IF NOT (Boolean expression) THEN GOTO 100;

The primary difference between the two statements is when the Boolean expression is evaluated. Because it is evaluated first in the WHILE statement, the statement following the DO may never be executed (much like the THEN part of an IF statement). Whereas in the REPEAT statement, the statements between the REPEAT and UNTIL are guaranteed to execute at least once since the Boolean expression is not evaluated until the end of the loop. For example:

```
WHILE R > 3 DO R := R - 2;
REPEAT R := R - 2 UNTIL R \le 3;
```

You will notice that if R has an initial value of three going into each of the above loops, it will come out with a different value three in the WHILE and one in the REPEAT.

Multiple Choice

100: (statement);

Making a comparison and choosing between two courses of action is what the IF statement is all about. But sometimes you need to choose between more than two courses of action. This is where the CASE statement comes in:

CASE (ordinal expression) OF (constant),...,(constant): (statement);

(constant)....(constant): (statement) **END**

In this statement, the ordinal expression (cannot be a Real type) is evaluated and then compared with each of the constants. If a match is found, then only the statement corresponding to the constant is executed and control then falls through to the statement following the CASE. In standard PASCAL, if none of the constants are equal to the value of the expression, the result of the CASE is undefined. However, in most PASCALs the result is that no statement is executed.

Many PASCAL compilers extend the CASE statement with an ELSE or OTHERWISE clause:

CASE (ordinal expression) OF (constant),...,(constant): (statement);

(constant),...,(constant): (statement) ELSE (statement) END

When the ELSE (or OTHERWISE) clause is present and

the expression does not equal any of the constants, then the statement following the ELSE is executed. For example:

CASE Ch OF A',E',I',O',U':I:=I;Y': 1 := 3ELSE I := 4 END

In this example, Chis a Char type variable and we want to know if it is vowel, a 'Y' or a consonant and the value of the variable 'I' is set accordingly.

Example Program

This example program finds the prime factors of an integer. First it prompts you for the number to be factored and then checks to see if the number is negative. If so, it negates it (makes it positive) and displays a factor of -1. Then it begins trying all the prime numbers (and some that are not prime numbers) up to the square root of the number. Each time that it finds a factor that will divide evenly into the number, it divides the number by that factor (more than once if possible) and displays that factor as well as the number of occurrences of that factor.

This continues until a factor is picked which is greater than the square root of the remaining number. If the remaining number is greater than one, then it is the last prime factor.

In the next column we will begin learning about the many ways that PASCAL lets you represent information.



Games by: Computerware Colorquest Spectral

Tom Mix Prickly Pear Mishtron

20% RETAIL

All business programs VIP library \$210.00 VIP business library \$139.95 Elite library \$150.00 All utilities and programming aids

RIZONA DISCOUNT SOFTWARE 310 EAST DUNLAP #103 . PHOENIX, ARIZONA 85020

Prices effective through August 15, 1984

TO ORDER

24 Hour Order Line: 800-221-9280 Ext. 988 (Orders Only) Inquiries, Arizona Orders (602) 943-2602 Phone answered personally 9:00 a.m. to 1:00 p.m. MST

> Please note new address and phone number

We accept Master Charge and Visa, Money Orders and personal checks welcome. No delay, Continental U.S. orders please include \$2.00 postage and handling except VIP orders which are \$2.00 per piece. All international orders please add 10% shipping and handling fee. Arizona residents add 6% sales tax.





```
Prime Factors Program
```

```
(* This program factors an integer *)
00 0000
00 0000
          (* into its prime components.
00 0000
00 0000
          PROGRAM PrimeFactor (Input, Output);
00 0000
00 0000
          VAR Number, Factor, Exponent : INTEGER;
00 0000
00 0000
          BEGIN
01 0006
            PAGE;
01 0012
            WRITELN:
            WRITELN;
01 001A
            WRITELN ('FIND PRIME FACTORS');
01 0022
01 0046
            WRITELN;
01 004E
01 004E
            WRITE ('ENTER NUMBER: ');
Ø1 ØØ6D
            READLN (Number);
01 0081
01 0081
            IF Number < 0 THEN BEGIN
             Number := -Number;
Ø2 ØØ8E
02 0097
              WRITELN (-1)
Ø2 ØØAE
              END;
Ø1 ØØB1
Ø1 ØØB1
            Factor := 2;
Ø1 ØØB6
            WHILE Factor <= Number DIV Factor DO BEGIN
02 00D0
02 00 D0
              IF Number MOD Factor = 0 THEN BEGIN
Ø3 ØØEA
               WRITE (Factor);
Ø3 ØØFD
                Exponent := 0;
Ø3 Ø1Ø1
               REPEAT
03 0101
                Number := Number DIV Factor;
Exponent := Exponent + 1
03 0101
Ø3 Ø112
               UNTIL Number MOD Factor <> 0;
Ø3 Ø119
Ø3 Ø135
03 0135
                CASE Exponent OF
                  1 : WRITELN;
Ø3 Ø137
                  2 : WRITELN (' SQUARED')
Ø3 Ø14A
                  ELSE WRITELN (' ** ', Exponent)
Ø3 Ø169
Ø3 Ø18E
                  END;
03 0191
03 0191
                END;
02 0191
              IF Factor = 2 THEN Factor := 3 ELSE Factor := Factor + 2
02 01AE
              END;
Ø1 Ø1B5
Ø1 Ø1B5
            IF Number > 1 THEN WRITELN (Number)
01 01D4
            END.
                                                                 LOW HIGH SIZE
SYMBOL
             CLASS
                       STRUCT ALLOC
                                           DATA TYPE
                                                          VALUE
                              AUTOMATIC
                                           INTEGER
                                                            -1Ø -32768 32767
                                                                                  2
             VARIABLE
EXPONENT
             VARIABLE
                               AUTOMATIC
                                           INTEGER
                                                             -8 -32768 32767
                                                                                  2
FACTOR
                               AUTOMATIC
                                           INTEGER
                                                             -6 -32768 32767
                                                                                  2
NUMBER
             VARIABLE
                     28
STACK REQUIREMENTS:
CODE SIZE
                      475
UNUSED STACK
                    33406
MAX SYMBOLS
                      99
TOTAL ERRORS
                        Ø
SOURCE FILE: FACTOR:1
OBJECT FILE: FACTOR:1
```

1

LETS GET SERIOUS

ABOUT SOFTWARE FOR FLEX AND OS-9

A-BASIC COMPILER

This BASIC compiler generates pure, fast efficient 6809 machine code from easy to write BASIC source programs. Uses ultra fast integer math, (no floating point), extended string functions, boolean operators and run-time operations. Output is ROMable and RUNS WITHOUT ANY RUN-TIME PACKAGE. Supports IF-THEN-ELSE structure and random access.

OS-9 or FLEX OBJECT ONLY \$75.00

UTILIX

A UNIX-like utility package for RS OS-9. It consists of fifteen different utilities that aid you in manipulating your text files. Most of the utilities are designed to utilize the pipe and filter capabilities of OS-9 which offers many powerful alternatives to file handling. Utilix includes the following utilities: CAT, CODE, CRYPT, DIFF, DISPLAY, GREP, LOWER/UPPER, PACK/UNPACK, PR, SORT, TAIL, TIME, WC.

RS OS-9

\$49.95

eFORTH

NEW eFORTH conforms closely to the FORTH 1983 standard to give you a simpler, more powerful set of words that behave more consistently, hundreds of definitions provided in source code, easy redirection of input and output and much more!

FLEX, CCFLEX, and RS DOS \$79.95

TSC PASCAL

A true native code compiler, based on the Jensen and Wirth User Manual, which produces assembly language mnemonics. Both integer and double precision floating point math are supported with the standard trigonometric, exponential and square root functions and a random number generator. Records, arrays, sets, pointers, dynamic storage, file I/O with GET and PUT, and calling another Pascal program from a Pascal program are all implemented. FLEX version supports only sequential file access. The user may pass parameters, such as file names and options, from the command line to the user's Pascal program. Note that both the operating system and run-time library must be resident to execute a user's program. The FLEX version of Pascal requires a 56K system in order to function, and the minifloppy version requires two diskettes.

6809 FLEX Pascal

\$200

TSC Extended BASIC

Ideal for business or advanced scientific applications where extended math precision and formatting capabilities are essential. Supports standard BASIC statements and functions and provides strings which are fully dynamic and unrestricted in size. Provides a floating point math package precise up to 16.8 digits plus many more features too numerous to mention here.

FLEX

\$100.00

PL/9

PL/9 is a complete co-resident Editor/Compiler/Trace Debugger for 6809 FLEX. It features a built in EDITOR which loads and saves files, finds and changes strings, appends comments, inserts and deletes lines, prints selected lines on the terminal or printer, passes commands to FLEX and calls the co-resident single pass Compiler and Debugger; a TRUE COM-PILER that produces pure 6809 machine code and does not require a run-time interpreter; a TRACE DEBUGGER allows you to single step or breakpoint a PL/9 program a source line at a time examining variables as you go; plus many more powerful aspects too numerous to list here.

FLEX

\$198.00

SDISK

Use 40 or 80 track, single or double sided disk drives with RS OS-9. Programmable head step rates are allowed. Read, write, and format any of the standard OS-9 single or double density disk formats used by other OS-9 systems.

RS OS-9 \$29.95 w/BOOTFIX \$35.95 (Required if you plan to use double sided 40 or 80T drives, it allows you to create bootable DS disks.

CRASMB

CRASMB is a cross assembler which allows the user to cross-assemble source code to machine code for the various cpu's listed: 6800-2-8, 6801-3, 6804, 6805, 6809, 6811, 6502, 1802, 8048, 8051, 8080-5, Z-8, Z-80, 7000.

OS-9 or FLEX

\$399.00



THE REGENCY TOWER • SUITE 215 • 770 JAMES ST. • SYRACUSE, NY 13203 • PHONE(315)474-7856

LETS GET SERIOUS

ABOUT SOFTWARE FOR FLEX AND OS-9

FHL Color FLEX

Licensed from Technical Systems Consultants, Inc. by FHL, Color FLEX is an enhanced version of their FLEX Disk Operating System for the Radio Shack TRS-80 Color Computer. FHL Color FLEX allows the Color Computer to be used with a wide array of hardware and software products, far beyond the capabilities of the basic system as supplied by Radio Shack.

FHL Color FLEX

\$69.95

DBASIC

A command for the FHL implementation of FLEX for the Radio Shack TRS-80 Color Computer. It allows the use of the standard Disk Extended Color BASIC under FLEX.

FHL Color FLEX w/DBASIC \$99.95

DYNASPELL

Check your text against three separate dictionaries comprising over 22,000 words: the dictionary based on a major publication, the dictionary unique to your profession and the common word dictionary. Dynaspell is thorough and fast, so if you want the security and confidence of knowing you have each and every word spelled as it should be, you can not afford to be without it.

Standard FLEX or OS-9 \$134.95 (includes LOOKUP) CCFLEX or OS-9 \$ 59.95 w/LOOKUP \$94.95

CRUNCH COBOL

Supports a large subset of the AN-SII Level I COBOL with many of the useful Level II features included.

FLEX INTRODUCTORY PRICE \$100.00

DYNA-C

A new small-C derivative which produces compact, ROMable, position independent, re-entrant, optimized code that runs circles around anything in its price class.

OS-9 (including RS OS-9) \$59.95 FLEX (including CCFLEX) \$59.95

DYNASTAR

Dynastar is a powerful, menu driven screen editor equally suited to the tasks of program preparation and document processing. With the addition of the optional Dynaform print formatter/mail merge program it is a complete word processing package for your OS-9/FLEX system.

Standard FLEX or OS-9

Dynastar \$149.95 Dynaform \$149.95 Package \$275.00

CoCo FLEX or OS-9

Dunastar \$49.95 Dynaform \$49.95 Package \$99.90

Requires O-Pak.

O-Pak

O-Pak is a three part utility package. It is designed to enhance the OS-9 Operating System of the TRS-80 Color Computer.

O-Pak consists of HIRES, CSEdit, and four "X" commands. HIRES provides a higher resolution screen display than the standard 32 by 16 characters supplied by Radio Shack. CSEdit is the character set editor designed to make modification of your character sets simple and fun.

If you wish to transfer some data files from a disk BASIC or FLEXformatted disk to an OS-9 disk, the four "X" commands will assist you.

RS OS-9

\$34.95

DYNASOFT PASCAL

A portable p-code implementation of a PASCAL subset which includes the control structures of standard PASCAL and supports the data types INTEGER, CHAR, BOOLEAN, scalar (enumerated), subrange, pointer, and ARRAY, along with the dynamic memory management functions NEW, MARK, and RELEASE. Dynasoft PASCAL is COMPLETE. It includes a fast one-pass compiler, a p-code interpreter, a supervisor program and program SAVE, and LOAD routines.

STANDARD OS-9 or FLEX

\$59.95

COCO OS-9 or FLEX \$59.95

\$89.95

w/runtime source



THE REGENCY TOWER • 770 JAMES ST. • SUITE 215 • SYRACUSE, NY 13203 • PHONE(315)474-7856

COLOR COMPUTER MAILLIST

RENT OR TRADE

- ★ OVER 12,000 OWNERS AVAILABLE
- * AVAILABLE ON LABELS OR DISKETTES
- ★ MINIMUM ORDER 1000 NAMES
- ★ WE TRADE 1 FOR 1 (ON DISK PLEASE)
- **★** ZIP SORTED LIST
- ★ C.O.D. ORDERS AVAILABLE
- ★ WE WELCOME YOUR BUSINESS CHECK

PRESSURE SENSITIVE LABELS \$40[∞] per 1,000 COCO FORMATTED DISKS \$7000 per 1,000

USE ORDER FORM BELOW

I HAVE SOMETHING TO SAY!

For as little as 46 cents a program you can enjoy great games like FROGJUMP, FRENZY, CATERPILLAR CAVE, SHOOTIN GAL-LERY, and great adventures. Use powerful home management programs such as BUDGET, STOCK MARKET, BARTENDER, TINY CALC, and COST OF LIVING. Also, enjoy the use of powerful programming utilities such OS COCO MONITOR, GRAPHIC SCREEN PRINT, RAM TEST, HIGH RESOLUTION TEXT, and SINGLE DISK COPY. Increase your knowledge with educational programs such as BASIC SPEED UP TUTORIAL, FLASH CARD. TRIGONOMETRY TUTOR, and our 8 PART SERIES ON MACHINE LANGUAGE.

**Many programs use machine language! **



Every month you will receive a cassette tape with 10 ready to run documented prog-

16 K Extended Required

ORDERS SENT SAME DAY! FIRST CLASS SHIPPING! Bock Issues Avoilable from July, 1982.
Call or write for our free catalog. Dealer Inquiries Invited.

NO CHARGE ON SHIPPING PLEASE USE ORDER FORM BELOW

- PRICES 1 YR (12 ISSUES) . \$55.00 6 MO (6 ISSUES) \$30.00 SINGLE COPIES \$ 6.00 MICHIGAN RESIDENTS ADD 4% TO ORDER

OVERSEAS ADD \$10 00 TO SUBSCRIPTION AND \$1 00 TO SINGLE COPIES

PERSONAL CHECKS WELCOMEDI





COMPUTER CASSETTES

AS LOW AS \$1.25 EACH!

- ★ 51/4 Single Sided Double Density
- ★ Meet All Industry Specifications **Dynamaal**

by harriag.		100 /0 Ellollic
Quantity	Price	Shipping
1-15	\$1.60	\$1.75
16-35	1.50	2.00
36-75	1.45	2.25
76-199	1.40	3.00
200-499	1.35	3.75

1.25

ADD 10¢ EACH FOR BLANK SLEEVES

100% Error Free!

★★ FREE PROGRAMS ★★

on any order of 20 or more tapes, you will receive two color computer programs of the above product!

- ★ 5 Screw Shell
- ★ Error Free Tape
- ★ Computer Grade
- ★ Lowest Prices Around

	1-29	30-59	00-3
C-10's	\$.55	\$.50	\$.45
C-20's	.65	.60	.55
C-60's	.80	.75	.70
C-90's	.90	.85	.80
Cases	.18	.16	.15
Shipping	2.00	3.00	4.00
BLANK	LABELS AD	D 34 EA	CH



500-?

T & D Computer Products P.O. BOX 256-C HOLLAND, MI 49423 Phone: 616-396-7577

PERSONAL CHECKS WELCOME

NAME **ADDRESS**

CITY, STATE, ZIP

5.00

'IMMEDIATE SHIPPING'
Specify UPS or PARCEL POST CREDIT CARD/EXP.

QUAN TOTAL Subtotal Outside U.S.A. Double Shipping Shipping 4% U.S.A. Funds ONLY MI Res.

KISSABLE OS-9

Genius, Assembly Tips And A Bilingual Benchmark

Dale Puckett Rainbow Contributing Editor

here's a genius lurking around every corner, at least it seemed that way during the past month. Dr. Bud Pass, noted 68XX author and owner of Computer Systems Consultants gave us a call with some suggestions for improving Ivan Helmrich's interrupt driven replacement for the CoCo OS-9 RS-232 module. Then, not more than 30 minutes after we returned from a two week vacation in Kansas, Brian Lantz called from Tampa, Fla. Wait till you see what he's been up to. UNIX systems, look out!

Additionally this month we'll pass along some assembly language tips and a mathematical benchmark written in both BASIC09 and C. That should keep

you busy for one month.

(Dale L. Puckett is a free-lance writer and programmer who has worked with the Motorola family of microprocessors since 1976. He just completed his first book, The Official BASIC09 Tour Guide, this summer. It has been published by Microware and was debuted at the Chicago RAINBOWfest. He is the author of DynaSpell, Readtest, Esther and Help, which are available from Frank Hogg Laboratories. He serves on the Info World Software Review Board and is a Chief Warrant Officer'in the U.S. Coast Guard.)

"Ser" Improvements

Dr. Pass noted that the new RS-232 module worked, but he thought you would be interested in these improvements. First, he feels the Baud rate constant for 600 Baud needs to be changed to \$DF. To make that change, substitute the new line below for the old:

Old: B600 SET \$DF New: B600 SET \$D8

A syntax error slipped into the listing that ASM did not catch. You would notice the problem if you tried to run a terminal that requires the X-ON and X-OFF protocol. Again substitute the New for the Old.

Old: LDA #\$XONC LDB #\$XOFFC New: LDA #XONC LDB #XOFFC

In the routine named SLEEP, you should check for the task being killed. Bud added the check by inserting the following code after the call to F\$SLEEP.

LDX D.PROC LDB P\$SIGNAL,X BEQ SLEEP90 CMPB #\$INTRPT BLS SLERR SLEEP90 CLRA LDA P\$STATE,X
BITA #CONDEM
BNE SLERR
PULS D,X,PC
SLERR LEAS 6,X
COMA
RTS

When Helmrich coded the original GETSTA routine, he set it up so that OS-9 would always return a "ready" indicator, whether or not the queue had any characters in it. Bud needed a valid ready indication to work with a terminal program he was getting ready for the market so he added five lines of code to GETSTA. Here's the new version:

GETSTA CMPA #1
BNE BR12
LDB INCNT,U Check Ready
BNE BR13
LDB #\$E6 Not Ready
ORCC #1
RTS
BR13 CLRB
RTS

Bud also pointed out that operation could be improved by checking to see if a NULL has been received. If so, the checks for the keyboard interrupt, keyboard abort and keyboard pause characters may be bypassed. Insert the following two lines between the first and second line of the routine SRIRQO.

TSTA BEQ SRIRQI

Finally, Bud gave me some information about an undocumented change in some OS-9 serial drivers. He says that if there are characters in an input queue, the carry bit is cleared in response to a GETSTAT call. But, the B-register contains the number of characters in the queue, not zero, as specified in the

Computer Systems Consultants, 1454 Latta Lane, Convers, GA 30207 hopes to have released their intelligent terminal program for CoCo OS-9 by the time you read this. I understand it will even give you the ability to reliably upload and download programs from the popular bulletin boards that use the CP/M XMODEM protocol. Thanks for the tips, Bud.

Assembly Language Tips

We have received many letters asking us to give some assembly language tips to beginners. To do this, I cut some pieces out of DynaSpell. We'll look at a routine at a time and see if we can help clear up a few of your questions regarding assembly language programs for OS-9. We assume that you have looked

over the Radio Shack manuals and have a general idea of how the system works. We'll start at the beginning of a program. Fair enough?

NAM SPELL IFP1 USE / D0/DEFS/os9defs USE / D0/DEFS/li.equates **ENDC**

TTL An OS-9 Utility to find misspelled words

prog MOD SPLEND, SPLNAM, PRG RM+OBJCT, REENT+1, SPELL, SPL **MEM**

USE DPEQUATES

prybuf rmb 32 lkbuf rmb 32 rmb 255 room for stack SPLMEM equ.

SPLNAM FCS / SPELL/ COMF1 FCS '/d0/spell/common.dat' mywf1 fcs '/d0/spell/MYWORDS.

DICTFI FCS '/D0/spell/DICTION

ARY.DAT' shistr fcs 'shell' dirstr fcc / dir/ fcb \$0D

USE SPELL STRINGS **EMOD**

SPLEND EQU *

The first line above tells ASM the name of the program. Several lines later, the pseudo operator TTL gives it some more information to print in the header of your listing.

Make special note of the lines that say, IFP1 ... ENDC. The IFP1 conditional tells ASM to use the lines between it and the ENDC if the assembler is on its first pass. That's why you don't see the "USE / D0/ DEFS/ OS9 DEFS" line in listings that are output from ASM. The actual listing of the program is done

during ASM's second pass.

The line with the label PROG is used to tell ASM how to set up the module header in your program. If you read a lot of OS-9 programs you'll notice that the MOD line in all programs is almost the same. Usually, only the name of the program you are reading has been changed. In a nutshell, SPLEND causes ASM to form a double byte equal to the length of the program. It's actually the offset from the beginning of the module to the label SPLEND. Remember, OS-9 programs always start at zero.

666-1097 Marshmallows for your CoCo THE SUPERIOR PROGRAMMER'S EDITOR (503) A combination screen/line editor which addresses specific lines by line number. ASM 6809 STANDARD MACRO ASSEMBLER LISAN OR 97230 OSM 6809 EXTENDED MACRO ASSEMBLER CAASMB 8 BIT MACRO CROSS ASSEMBLER GL 19535 NE G PORTLAND, Cross assembles these CPU types: 6800-2-8 6801-3 6804 6811 6502 6809 8080-5 7.-8 7-80 CRRSMB 16 and/or 32 BIT CROSS ASSEMBLER 16.32 Exclusively supports the 68,000 CPU. DO SHELL COMMAND LANGUAGE Intended to be used for batch processing. Similar appearance to BASIC, with nine string and 26 number variables for parameter passing. MPILER LEVEL 1 (Available 1/84) ... \$199 K-BASIC BASIC LANGUAGE COMPILER for OS-9 or FLEX A BASIC to Machine Language compiler, Level 1 supports sequential files, floating point, three sizes of integers, string variables, and arrays. Includes 6809 run time package and OSM assembler.PLEASE SPECIFY OS-9 OR FLEX, AND INDICATE DISK SIZE

-"Very impressed." -"Equally useful in the home and office. - "Meticulous, handhold-ing documentation." RAINBOW. July *83 100 BUILT-IN SCREENPRINT FOR R/S PRINTERS: LP VII/VIII & DMP 100/200 (Actual output) Calendar Year (Jan. 1 to Dec. 31) (Shown reduced) Unconditional Money Back Guarantee GRAFPLOT 1.1 includes everything you need to go effortlessly from raw data to professional-quality printed graphs in minutes. Ferfect for business, personal, educational, scientific and engineering applications. Free screenprint for R/S printers. Automatically scales and draws graph for best appearance. Full ASCII upper and lower case in 4 on-screen labels. Two fully labeled Y-axes. 200 or more data points per axis. 9 graphing symbols with unlimited overlay of data. Full function data editing add. change, delete and sort. Universal Bcreenprint Loader- Automatically interfaces ANY screenprint program for non-Radio Shack printers. Graphs and data output to screen, printer, tape or disk. Plots user-defined functions: projections, regressions, etc. Calculates moving averages (binomial smoothing), cumulative totals and integrals of data or user-defined functions. Saves completed graphs for instant reloading. Menu driven with complete error trapping and auto-prompting. Comprehensive manual w/ tutorials and sample data. Disk Only: display or print directory, kill or rename files. Many other labor-saving and time-saving features. Automatically scales and draws graph for best appearance. GRAFPLOT is available for 16K E.C.B. (\$55.00) and 3ZK E.C.B. (\$40.00) on cassette and for 3ZK disk (\$45.00) (U.B.). Send check or money order to: HAWKEB REBEARCH SERVICEB, 1442 Blwth St., Berkeley, CA, 94710. Manual available separately for \$10.00 + shipping, refundable with purchase. Include \$3.00 shipping on all orders. California residents add sales tax.

Continuing across the line, SPLNAM forms two bytes holding the offset from the start of the module to the label, SPLNAM. A few single bytes follow that tell OS-9 what type of program it is, i.e., 6809 object code, BASIC09 I-code, etc.

Finally, at the end of the MOD line you'll see the labels SPELL and SPLMEM. SPELL causes ASM to form a double byte that contains the offset from the beginning of the module to the start of the executable code in the module and SPLMEM tells OS-9 how much memory the program needs to run.

Notice that with OS-9 you always use two memory areas when you run a program. One area contains the program, the other the data used by the program. Nothing in the program area can change during execution. That is why all variables must be defined and stored in the data area. The line, "SPLMEM EQU." tells ASM that this is the end of the data

Lines containing the USE pseudo operator tell ASM to insert the code contained in the file named in place of the line. USE follows all standard OS-9 rules, i.e., if a filename only is given, it is assumed to be located in the user's current data directory. If a full pathlist is given, it will read the file using that pathlist.

Notice that since the DEFS files are most always located in the DEFS directory on device / D0, you usually need to use a full path list to reach them. The other USE lines in the code above are filenames only, therefore they are read from the current data directory. The source code to *DynaSpell* contains more than a dozen USE files.

Finally, notice the line containing the EMOD operator. It tells OS-9 that this is the end of the program and automatically generates the modules CRC and inserts it at this point in the object code. Let's look at some more code:

*CHARACTER EQUATES

BELL EQU 7 LF EQU \$A CR EQU \$D SPACE EQU \$20 NULL EQU 0

This code is contained in a USE file I called DPEQUATES. The file holds the names and locations of all constants and variables in *DynaSpell*. This means

that I can go into this one file and edit a single constant instead of editing the same constant everywhere it appears in a program.

After it has read the lines above, ASM will substitute the decimal number 7 every time it sees the word BELL. Likewise, it will put the value 10 decimal or A hexadecimal in the object code everytime it sees the word LF. Moving right along.

RDICST FDB RDILEN
FCB CR, LF, LF
FCC / DynaSpell is looking for
your words in its dictionary./
RDILEN EQU *-RDICST-2

The code above shows you a handy way to define a string using ASM. The label RDICST marks the beginning of a string definition. When printed, it will display the words between the slashes on your terminal. The trick can be found at the label RDILEN. It computes the length of the string by subtracting the location of the beginning of the string and two additional bytes from its location. Notice also that this value is stored by the assembler at the label RDICST by the FDB pseudo operator. Okay, you say, but how do we print this string?


pstr pshs a,y ldy ,x++ lda opath os9 l\$writ lbcs error puls a,y,pc

This routine does the job. We call it with the 6809's X-register pointing to the location of the length of the string, RDICST in this case. Then, we must push the value of the A-register and Y-register on to the stack. We're going to need them later.

This done, we can load the Y-register with the length of the string. We do this by loading it with the value stored at an offset of zero from the X-register. Remember, we entered this routine with the X-register pointing to — or containing — the location of RDICST, the string length.

Notice now that when we loaded the length of the string in the Y-register we also incremented the X-register twice. This means that it is now pointing to the first character in our string. In this case that character is a carriage return.

We now load the OS-9 path number into the A-register and make a call to the operating system with the line, "OS9



Back copies of many issues of THE RAINBOW are still available.

All back issues sell for the single issue cover price. In addition, there is a \$3.50 charge for the first issue, plus 50 cents for each additional issue, for postage and handling if sent by United Parcel Service and \$6 for orders sent U.S. Mail. UPS will not deliver to a post office box or to another country. This charge applies whether you want one back issue or all of them.

Issues July 1981 through June 1982 are available on white paper in a reprint form. All others are in regular magazine form. VISA, MasterCard and American Express accepted. Kentucky residents please add 5 percent state sales tax. We do not bill and no C.O.D. orders accepted.

Due to heavy demand, we suggest you order back issues you want now while supplies last.

To order, just fill out the form on the next page and mail it with your payment to:

THE RAINBOW 9529 U.S. Highway 42 P.O. Box 385 Prospect, KY 40059

BACK ISSUE ORDER FORM

☐ Please send me the following back issues:

(Payment must accompany back issue orders.)

orders.)						
			UME 1			
	MONT					_
NO			MICD IO	CLIE	PRIC	
1 2	JULY '81 AUG. '8		MIER IS	SUE	\$2.00	
3	SEPT 'S	d EDI	CATION		\$2.00	
4	SEPT. '8	PRI	NTER	•	\$2.00	
5	NOV. '8				\$2.00	
6	DEC. '8		IDAY		\$2.00	
7	JAN. '82				\$2.00	
8	FEB. '82				\$2.00	
9	MAR. '8	2			\$2.50	
10	APR. '82				\$2.50	
12	JUNE '8				\$2.50	
	FED. 100		UME 2		40.05	_
8	FEB. '83		INESS		\$2.95	
9	MAR. '83 APR. '83	CIM	LEAR JLATION	10	\$2.95	
11	JUNE '8	SIMI	NTERS	45	\$2.95 \$2.95	
12	JULY '83		IVERSA	RV		
12	0021 00		UME 3		ψε.σσ	
1	AUG. '8				\$2.95	
2	SEPT. '8	3 EDU	CATION		\$2.95	
3	OCT. '8	GRA	PHICS		\$3.95	
4	NOV. '8	DAT	A COM	VI.	\$3.95	
5	DEC. '83	HOL	IDAY		\$3.95	
6	JAN. '84		INNERS		\$3.95	
7	FEB. '84	ADV	ENTURE			
	MAR. '84	BUS	INESS		\$3.95	
9	APR. '84 MAY. '84	GAN	IING		\$3.95	
11	JUNE '8		NTER		\$3.95	
12	JULY '84		IVERSA	DV	\$3.95 \$3.95	
12	JOLI 0		UME 4	ra i	φυ.συ	
1	AUG. '84				\$3.95	
	7100. 0		BOW IN	IDEY		
		DAID	IDOW III	IDEX	Φ2.00	ч
			TOTAL			
	SHIPPIN	G & HA				1
	011111111		CHARGE			
			AIL \$6.00			
	KY RE		TS ONLY			
			ADD 5%	6		_
	7	OTAL A	MOUNT	Γ		
		EN	CLOSE			
- 1	- 1				1	1
		-				
i						
						3
		1				1
		0				
		Z				

I\$WRIT. If there is an error, OS-9 will return with the carry set and we go worry about it. Otherwise, we simply return by pulling the values of the two registers we stored and the program counter off the stack. The string will have been printed to the output path named in opath.

How do we get a single character from the standard input path — keyboard? How do we print a single character, a carriage return and line feed or, even a decimal number? Read on.

keyin pshs x,y,b,u
bsr getchr
pshs a
puls x,y,b,a,u,pc

getchr pshs x,y
leax chrbuf,u
lda #0 standard input only
ldy #1
os9 I\$read
lbcs error
lda chrbuf
puls x,y,pc

First, to get a character we call the routine "keyin." It saves the required 6809 registers on the stack, gets a character from the routine "getchr," puts that character on the stack and returns by pulling all the registers including the program counter. The character is in the 6809's A-register when we return from "keyin."

"Getchr" shows how you set up a routine to get a single character from the standard input path. Remember, most of the time you can equate standard input path with keyboard. When you use the OS9 I\$READ call, the X-register must point to a buffer in memory where you are going to store the character. The A-register must contain the path number.

Remember, the standard input path is always zero. Notice also that I\$READ leaves the character stored at "chrbuf" so we must load it into the A-register before we return.

When you get a chance, check the description of the I\$READ call in the manual — the Blue one — and you'll find that you can read any number of characters at a time. The number is put in the Y-register before the call. "Getchr" is a special case that reads only one character.

You can speed up your programs by reading or writing more than one character at a time. Let's take a look at a routine that puts out a single character.

- * routine to output just one
- * character to the standard output path

putchr pshs a,x,y
leax chrbuf,u
sta chrbuf
lda opath
ldy #1
os9 i\$writ
lbcs error
puls a,x,y,pc

pcrlf lda #cr lbsr putchr lda #lf lbra putchr hidden rts

The output routines are almost the direct opposite of the getchr routine. The only difference — they use the OS9 I\$WRIT call instead of I\$READ. "Perlf" gives you an easy way to output a carriage return and linefeed to the standard output path. The names of these routines should be familiar to FLEX programmers. Effectively they are OS-9 routines to emulate the equivalent FLEX subroutine calls. Here's a bonus for the month, a routine to put out a decimal number.

- * Routine to output a decimal
- * number from the d-register

outdec pshs a,b,x leax dectab,pcr clr,-s clr,-s dec3 clr,s dec2 inc ,s subd ,x bhs dec2 addd .x++ pshs a,b lda 2.s deca tfr a,b orb 3,s stb 3,s beg dec4 adda #'0 bsr putchr dec4 puls a,b tst 1,x bne dec3

leas 2,s

puls a,b,x,pc

dectab fdb 10000,1000,100,10,1,0

Sometimes you will want to change the status of a device descriptor from within your assembly language program. For example, you may want to turn off the pause feature. Here's one way to do it.

Address

OW C

□ VISA

CARD ;

State

DSL UTILITY BELT ALL THREE ONLY \$49.95

SUPER DISK ZAP

by G. EGGART
FORMAT ANY TRACK
COMPLETE MASTER DIRECTORY
MODIFY ANY TRACK/SECTOR
MULTI DRIVE COMPATABLE
COPY BY FILE OR TRACK/SECTOR
....AND MORE.

NEW LOW PRICE \$19.95

COCO SCREEN EDITOR

by J. PORKKA
FULL SCREEN EDITOR FOR
THE COCO, GLOBAL EDITOR
OF BASIC PROGRAMS.
AUTOMATIC LINE NUMBERING
WITH UP TO 30 CHARACTER
KEYWORD INPUT. FORWARD AND
REVERSE LISTING ABILITY. 16-64K

....AND MORE. \$19.95

SUPER TAPE/DISK UTILITY

by A. HUBBELL
AUTOMATICLLY MOVES TAPE
PROGRAMS TO DISK, APPENDS
RELOCATION ROUTINE IF NEEDED
DISK TO BUFFER/TAPE OPTION
SAVE BUFFER TO DISK

\$19.95

GAMES

GAMES		
TRAPFALL	27.95 (C)	
AIR TRAFFIC		
CONTROLLER	28.95 (C)	
GRABBER	27.95(C)	
WORLDS OF FLIGHT	29.95(C)	
DEVIL ASSAULT	27.95 (C)	
BUZZARD BAIT	27.95 (C)	
THE KING	26.95 (C)	
DOODLEBUG	24.95 (C)	
DEATH PLANET		
ADVENTURE	19.95 (C)	
ROBOTTACK	24.94 (C)	
) 27,95 (C)	
COLORPEDE	29.95 (C)	
BIRD ATTACK	21.95 (C)	
STELLAR SEARCH	24.95 (C)	
STELLAR SEARCH	27.95 (D)	
AIRLINE	24.95 (C)	
STORM	24.95 (C)	
INATAK	24.95	
CASHMAN	27.95 (C)	
OUTHOUSE	27.95 (C)	
AREX	34.95 (C)	
ZAXXON	39.95 (C)	
	29.95 (C/D)	
CHOPPER STRIKE	27.95 (C)	
DEMON SEED	27.95 (C)	
ELECOTRON	24.95 (C)	
WORLD OF		
	D) 29.95 (C)	
BLOC HEAD	26.95 (C)	
HYPER ZONE	26.95 (C)	
JUNIORS REVENGE	28.95 (C)	
BUMPERS	24.95 (C)	

HI - RES ADVENTURES SHENANIGANS 24.94 CALIXTO ISLAND 24.95 BLACK SANCTUM 24.95 TOUCHSTONE 27.95 TIME BANDIT 27.95

The second second second second second	
KING TUT	29.95
SEA QUEST	24.95
UTILITIE	S
PRINTER SPOOLER 6	4K 9.95
COLOR GRAPHIC	
EDITOR	19.95 (C)
SUPER SCREEN	29.95 (C)
GRAPHIC SCREEN PE	RINT
EPSON	9.95 (C)
OKIDATA	9.95 (C)
GEMINI	9.95 (C)
PROWRITER	9.95 (C)
LP VII/RS	7.95(C)
EDTASM 4	49.95(R)
TAPE DIRECTORY	14.95 (C)

ACCESSORIES EPSON RIBBONS 7.49 BLACK, BLUE, RED, BROWN. **GREEN GEMINI RIBBONS** 2.95 .95 **DISK MAILERS** 8.95 10 PACK LP VII, DMP100 RIBBONS 4.95 DISKS SENTENIAL SS/SD 19.95 SENTENIAL SS/DD 22.95 34.95 VERBATIM **GRAND SLAM 64K KIT** 75.00 16-32K RAM SLAM 49.95 2 WAY RS 232 SWITCHER 29.95 3 WAY RS 232 SWITCHER 39.95 **COCO REPLACEMENT** KEYBOARD 39.00 CASSETTE CABLE 5.95 **64K RAM EMBLEM** 2.95 59.95 **BOTEK INTERFACE** 69.95 FOR EPSON **HJL-57 KEYBOARD** 79.95 MARK DATA KEYBOARD 69.95

\$5.95 BLACK RIBBONS FOR GEMINI

26.61\$

OR ONE OF EACH COLOR

\$4.95 EACH

BROWN.

COLORED NYLON RIBBONS FOR THE GEMINI OR OKIDATA RED, BLUE, GREEN, PURPLE OR

APPLICATION

COLOR FINANCE	59.95 (D)
ELITE CALC	59.95
ELITE-CALC	59.95
ELITE-WORD	59.95
ELITE-FILE	7450
VIP WRITER	59.95
VIP DATABASE	59.95
VIP SPELLER	39.95
VIP TERMINAL	49.95
VIP DISK ZAP	39.95
SPELL N FIX	59.29
DISK MAILER	24.95
TELEWRITER	TAPE 49.95
TELEWRITER	DISK 59.95
VIP CALC	59.95

TALKING PROGRAMS

SPECTRUM VOICE PA	K 69.95
TALKING TERM	39.95
COLOR SCORE-EZ	24.95(C/D)
FOREIGN LANGUAGE	24.95(C)
ULTRA-CONTESTOR	39.95 (C)

DSL COMPUTER PRODUCTS INC.



313-582-8930

P.O. BOX 1176 DEARBORN, MI 48121

Michigan Residents Add 4% Sales Tax to Order. Please include \$2.00 for S. & H.



BREE

Published Monthly by Computer Publishing Inc., Hixson, TN.

\$1.95



U.S. Postage PAID Chattanooga, TN

Color Micro Journal

The Color Computer Monthly Magazine

\$1.95 per issue Vol. 1, Issue 2 October, 1983

THIS 'N THAT

The BUG NEWS this month is that OS-9 has finally arrived for the Color Computer. The ASTOUNDING part of the Radio Shack OS-9 Package, besides the price, is the DDCUMENTATION. You 'Old Time Radio Shack Followers' will not believe what you see. Jon Shirley has been telling us that the main reason for the "lack" of documentation with a lot of their products was the restrictions placed on

OS-9 on the COLOR COMPUTER

One of the "Operating Systems of the Future" is now available for the "little old Color Computer"; OS-9. Freely translated, OS-9 means "Operating System We had been running a preliminary release

Color Computer OS-9; the Package

for the 6809 (OS-9 is now being written of OS-9 on the Color Computer for a few for the 68000, also). Since it is fairly weeks, and received the "Official Radio obvious that UNIX and "UNIX-Type" Shack" version for Review a couple of Operating Systems will be running on just about every computer to come out in the is IMPRESSIVE! For \$69.95 (Radio Shack next few years, a whole new language is Catalog Number 26-3636), you receive a 9 releasing that information by Microsoft; I beginning to appear on the horizon. 1/2" x 7 5/8" x 2" package containing 4

FREE SAMPLE ISSUE

1-800-338 6800

MON.-FRI. 9-5 E.S.T.

USA-\$12.50 per year. Canada& Mexico-\$19.50 per year Surface Foreign-\$24.50 per year. Airmail Foreign-\$48.50 per year

Color Micro Journal

TM Color Micro Journal is a trademark of Computer Publishing Inc.

5900 Cassandra Smith Rd.

Hixson, TN. 37343

* get status packet

* and set -pause and -lf

clra
clrb
leax stapak,u
os9 i\$gstt
lbcs error
lda 7,x get pause condition
sta pausav
clr 7,x set no pause
lda 5,x get lf condition
sta lfsav
clr 5,x set no auto line feeds
clra path number
clrb write status packet
os9 i\$sstt setstat call
lbcs error

The routine above uses OS-9's get status call to retrieve the table in memory that holds device descriptor data. You must tell it where to save the information. We put it in a buffer named stapak,u. Once we have the information stored in a buffer we can modify it.

First, we retrieved the pause condition and saved it so that we could restore everything to the same condition when we exit our program. We knew it was located at an offset of seven from the beginning of the table from reading the blue book.

Then, we set the pause location to -pause, or zero, with the "clr 7,x" instruction and did the same with the "lf" location. After storing the condition we wanted in our table we copied that table back into OS-9's table by setting up and issuing the I\$sstt, or set status call.

That takes care of the initial table change. When we leave the program we must put everything back the way it was. Here's the way we did it during a normal exit from the program. Of course, we used a similar routine when we needed to exit because of an error.

done lbsr clrscn clear screen before leaving

leax stapak,u return pause
lda lfsav and lf to prior
sta 5,x condition before exiting
lda pausav
sta 7,x
clra
clrb
os9 i\$sstt do it!
lbcs error
clrb report no errors
os9 f\$exit

Have you ever wondered how you can call another program, i.e., start

another OS-9 process from within one of your own assembly language programs? Study this routine.

* now do dir
leax shlstr,pcr "shell"
ldy #4 size
leau dirstr,pcr "dir"
lda #1 object code
clrb
os9 f\$fork
lbcs error
os9 f\$wait

The code above sets up a call to a shell that runs the OS-9 dir utility. DIR must be in memory or in your current execution directory when the code runs. The instructions that load the registers show how you tell OS-9's F\$FORK what process you want to start. "Leax shlstr,pcr" points to a string in memory that holds the characters: s-h-e-l-l. The eighth bit is set on the last "l". This is how OS-9 knows that it is at the end of the name.

By the same token we point the U-register to the location of our parameter string — the name of the program we want our new shell to execute. In this case the string contains the letters, d-i-r, followed by a carriage return. You can find the actual strings in the first assembly code in this tutorial.

After we make the F\$FORK call we tell *DynaSpell* to go to sleep and wait for our new shell to die. We do this with the OS9 F\$WAIT call. Here's how it works. When the DIR command is finished the shell that ran it will die and send a signal to OS-9 to wake up the process that called it.

As we wrap up our assembly language tutorial we'll give you three more routines to ponder. Hopefully you'll learn how to check for and handle an end-of-file condition, open a file so you can write information to it and make simple menu selections.

eofchk cmpb #e\$eof end of file?

lbne error no, go

lda ipath yes, close read file
os9 i\$clos
lbcs error
lda opath standard output?
cmpa #1
beq eofcl yes, go
os9 i\$clos no, close it
lbcs error
lda #1 and set up for
sta opath standard output
eofcl deca and standard input
sta ipath

orcc #1 set carry to indicate puls x,pc exit_needed

* Open a file for write writon clr reflag leax filnam,u open file lda #read. os9 i\$open sta ipath

writ1 leax temstr,per now open "temp" ldd #write.*256+updat.+pread.+

os9 i\$crea bcs wtemchk sta opath

- * A small segment from a menu selec-
- * decision tree

chkff cmpa #'f want formatted read?
bne chku no, is character a "u"
lbsr reasty yes, do formatted read
lbra query and go back to main
menu

chku cmpa #'u want to use another dictionary?

bne chko no, see if want to quit lbsr use yes, go to it

lbra query and return to main menu chko cmpa #'o want to go back to operating system?

bne chkfb no, want to save accepted words?

lbra done back to OS-9 yes, go back chkfb cmpa #'b build new dictionary list bne chkfw

lbsr savwrd

lbra query and the beat goes on

More Benchmarks

The following procedures show you the similarity between a BASIC09 program and a C program. They also show you the speed difference between two programs running on the same machine.

Since BASIC09 is interactive it is a handy tool to use to develop an algorithm. Once the program flows smoothly, you can recode it in C and pick up the speed, etc.

The routines came from Tim Grovac who rewrote them from a *Byte* magazine published last year. First, let's look at the run times. The BASIC09 procedure below takes 86 seconds to run on a Color Computer, 39 seconds on a GIMIX Level II system running at two megahertz. The C code executed in 33 seconds on my Color Computer. It took only 15 seconds on the GIMIX.

How do we stack up to the CP/M crowd? When Tim ran the same procedure on a four megahertz Compustar



Because of the immense popularity of Simulations and the superior quality of the programs submitted in last year's competition, THE RAINBOW has announced plans for the Second Annual Simulation Contest.

Last year, our contest judges relived the Civil War, traveled to the moon, to Mars and beyond, went bankrupt running a restaurant, made a million bucks as a manufacturer, survived a flood, lobbied for bills in Congress, assumed responsibility for mid-air collisions as an air-traffic controller, drowned while learning to sail, experienced the thrill of victory in the seventh game of baseball's World Series, and made it big with our own software business (Many of the entries in the 1983 contest are featured in a book on Simulations, which THE RAINBOW plans to publish in early fall.)

We're looking for an even greater variety of situations this year and expecting to see great improvements in graphics presentations because of the advancements in programming tools and knowledge since the first

contest.

Many of THE RAINBOW's generous advertisers will be donating some exciting prizes as they did last year (and in our recent Adventure contest) when our winners carted off Radio Shack disk drives, an Epson printer, and dozens of other prizes that included a wide variety of peripherals and high quality software. Among those companies donating prizes:

Cancoco Software
CoCo Indx
Cognitec
Color Connection Software
D. P. Johnson
DSL Computer Products
Dugger's Growing Systems
E.D.C. Industries
Elite Software
Emerald Computer Services

EVS Engineering
Great Plains Computer Company, Inc.
Hawkes Research Services
Kage Engineering
Lloyd I/O
Mark Data Products
Merrick & Co.
Metro Electronics
Tom Mix Software

Robotic Microsystems
SOFTECH
Sonburst Software
Speech Systems
Sugar Software
Syntactics
Vidtron
Wasatchware
York-10

Contest submissions must be on tape or disk and it is best to make several saves, at least one of them in ASCII format. We really do not have the time to key in programs, obviously. All entries should be supported by some editorial commentary, explaining how the program works and loads. Please do not submit entries that are currently submitted to another publication.

REM Industries

Your entry must be received by THE RAINBOW no later than September 1, 1984, to be eligible for the competition.

This promises to be the THE RAINBOW's most exciting contest yet, and, as usual, the winning entries will be published when we announce the results in an upcoming issue.

RULES: All programs must be original works, no "conversions."
Entries must be postmarked by September 1, 1984, and become the property of Falsoft, Inc., publisher of THE RAINBOW. Decision of the judges is final. Duplicate prizes will be awarded in the case of ties. Winning programs to be featured in a special RAINBOW Simulation issue. Mark entries "Simulation Contest Editor" and send to THE RAINBOW, P.O. Box 385, Prospect, KY 40059.

Z80 CPU it took 33 seconds. The same machine ran a JRT PASCAL version in 131 seconds. There's something you can talk about at your next computer club meeting. Here is the code:

PROCEDURE benchmark

```
0000
    (* A short Math Benchmark rou-
    tine *)
0024
    DIM x,j,k: INTEGER
0033
    FOR x=1 TO 10000
0044
      i = 240
004B
      k = 15
0052
      j=k*(j/k)
0062
      j=k*(j/k)
0072
      k+k+k+k+k+k
00B6
      k-k-k
00FA NEXT x
0105 END
```

And, in C.

NineCom Update

Here's an update on *NineCom*. Ken tells me that this program is designed to run on the new deluxe Color Computer that should be in your local Radio Shack by the time you read this column. Reportedly, the new CoCo has a 6551 ACIA port built in and *NineCom* uses it. *NineCom* will not run on the original RS-232 port. The drivers for the new ACIA port will be in a new release of OS-9 to hit the stands soon.

UNIX Look Out!

We've saved the best for last. We mentioned at the beginning of this column that Brian Lantz was a genius. Now, we'll prove it. First, his strategy.

Brian examined all the OS-9 toolkits that had been released earlier in the year. Then, he checked the list of standard UNIX utilities. He decided that there was really no need to reinvent the wheel so he struck out to break new

ground and fill the gap between utilities available on UNIX and OS-9.

In the past several months he has moved us 36 utilities closer. Ken Kaplan should put him on the payroll. About a dozen of the utilities will be marketed by Paul Searby at Computerware. The remainder will be added to the FHL lineup soon.

We won't be able to go into a lot of detail this month because we're still testing and we're out of space, but in a nutshell, Brian's programs all obey the UNIX conventions. Each one of his OS-9 utilities uses the same command line and does the same thing as its UNIX equivalent. He did them in assembly language so they are also an order of magnitude shorter than the UNIX versions which are written in C.

These tools recognize the meta characters and regular expressions we wrote about the toolkit from Microware. In fact, Brian has added a utility called META that preprocesses meta characters for commands that don't recognize them. For example, you use these command lines:

OS9: meta del test* <ENTER>
OS9: meta list /d0/LISTINGS/e*
<ENTER>

If you type meta <ENTER> you enter a meta shell.

Here's a listing of some of the others. We'll try to add more details and a review in a future column.

AT	set up a procedure file AT
	a future date and time
ATRUN	run a procedure file set up
	by AT
CAL	print a calendar of any year
CAT	copy input from stdin, con-
0.22	catenate it to stdout
CHECK	catenate it to stabat
MAIL	talls you when you have
WAIL	tells you when you have
	mail
CHMOD	changes attributes of file or
	directory
CHOWN	changes ownership of a file
COMM	compares two files
CONFER	
ENCE	stdin goes to selected users
	on line
CRON	run tasks periodically
CRYPT	encrypt standard input to
	standard output
DU	check usage of disk space
ERROR	list error message
EXPAND	add input from stdin to a
EVIVID	add input from stuff to a

"pathname"

FGREP	Fast Grep to find strings in
FINGER	a file find information about
	users on line
HEAD	print first few lines of file
LOGIN	similar to Microware's,
	checks for mail
LOWER	convert UPPER case letters
T.C	to lower
LS	Lists filenames, accepts
BAATT	meta characters
MAIL	Send and receive mail from user to user
MAN	On line system manual
META	expands meta characters
	from command line
MV	moves file
PACK	compresses spaces in file
	change and encrypt login
	password
PR	format stdin to standard
	output
QSORT	quick sort, requests
	memory when needed
RPL	replaces one string with
	another
SND	output tone on CoCo
	speaker
SOUND	same as SND
SU	Switch Users without
	LOGIN
TAIL	display last NUM lines of a
TEE	UNIX equivalent, over-
	writes existing file
TIME	execute and time a
	command
TR	substitute, compress and
	delete characters
TTY	Display name of stand-
	ard input device
UDATE	display current date and
-	time, UNIX format
UNIQ	reduce multiple, consecutive
YINYE . CO	lines to one unique line
UNPACK	puts spaces PACKed back
HDDED	in
UPPER	converts lower case letters to UPPER case
UPS	Repeatedly process a
015	command
VIS	display non printing char-
. 20	acters as /nnn
VOICE	adds system call for
	SOUND
WALL	write file to all users on
	system
WC	word count utility
WHO	tells who is on system and
	where they are logged on
WRITE	write message to a specific
	user

Give us your best: Join the ranks of these courageous CoCoists in showing the Color Computer world your high score at your favorite micro-diversion. We want to put your best effort on record in THE RAINBOW'S Scoreboard column. All entries must be received by the first of the month to be eligible for the following month's Scoreboard. They must include your full name, address, game title, company name and, of course, your high score. Each individual is limited to three score entries per month. Send your entries to Scoreboard, c/o THE RAINBOW.

* New Number One

Last Month's Number One

ADVENTURE (Flex)	47,400 David Figel, Sardis, OH	EL BANDITO (Mark Data)
65 *Bryan Teel, Martintown, Ontario	42,100 Brian Peterson, Muskegon, MI	955 *Michael Rosenburg, Prestonsburg, K
ALCATRAZ II (Spectral Associates) 16,230 Steve Manderschied, Cincinnati, OH	CLOWNS & BALLOONS (Radio Shack)	ELECTRON (Tom Mix)
16,230 *Steve Manderschied, Cincinnati, OH	110,475 *Andrew Truesdale, Ferguson, MO	45,510 *John Sandberg, Concord, CA
ASTRO BLAST (Mark Data)	104,270 Ken Bird, Delaware, OH	41,750 Michael Rosenberg, Prestonsburg, K
158,000 *Larry Plaxton, Medley, Alberta	92,480 Martin Careau, Quebec City, Quebec 89,430 Perry Denton, New Baden, IL	22,990 Alan Morris, Chicopee, MA 19,500 Robby Presson, Florissant, MO
157,000 Scott Drake, Pine City, NY 104,464 Jim Baker, Florissant, MO	89,430 Perry Denton, New Baden, IL 88,900 Cheryl Pratt, Moab, UT	19,500 Robby Presson, Florissant, MO FIRE COPTER (Adventure International)
104,464 Jim Baker, Florissant, MO 98,000 Tim Warr, Bellingham, WA	COCO TREK (Chromasette)	97,390 ★Sam Hughes, Colton, CA
97,000 Bernard Parent, Ste-Foy, Quebec	2,500,000 *Ted Warren, Morgan, ID	78,860 • Woody Farmer, Acme, Alberta
BAG-IT-MAN (Aardvark)	COLOR OUTHOUSE (MichTron)	FLYBY (Chromasette)
101,400 *Daniel Belisle, Montreal, Quebec	528,694 *Benjamin Hebb, Bridgewater,	104,980 ★David Finberg, Annandale, VA
BASEBALL (Radio Shack)	Nova Scotia	28,910 Ron Suedersky, Universal City, TX
169-0 ★Rene Belisle, Montreal, Quebec	160,200 David Lazar, Englishtown, NJ	20,110 Rick Mansell, Calgary, Alberta
118-0 Jerry Morgan, Independence, MO	101,650 Davey Devlin, Clyde, NC	16,670 Michael Rhattigan, Cory, NC
108-0 Kevin Sobiski, Dyer, IN	69,848 Phillip Laurell, Lansing, MI	4,830 Jeff Roberg, Winfield, KS
107-0 Glenn Wasson, Castleton, NY	48,663 Bruce March, Barrie, Ontario	FOOTBALL (Radio Shack) 217-0 ★Glen Giacomelli, Woodbridge, Ontario
100-0 Glen Giacomelli, Woodbridge, Ontario	42,182 Bernd Pruetting, Scheibenhardt, West Germany	217-0 ★Glen Giacomelli, Woodbridge, Ontario THE FROG (Tom Mix)
45-0 Brian Zywicke, Mishicot, WI 39-0 Steve Lowry, Waterford, MI	COLORPEDE (Intracolor)	452,800 ★James Baker, Salt Lake City, UT
38-0 /John Marcogliese, Eastchester, NY	10,001,051 *Mark Smith, Santa Ana, CA	118,200 Ray Boyko, Whitby, Ontario
BEAM RIDER (\$pectral Associates)	3,355,248 Scott Drake, Pine City, NY	109.500 Pat Craddick, Janesville, WI
178,270 *David Lazar, Englishtown, NJ	2,614,230 Jerry Petkash, Warren, MI	95,790 Eileen Kaakee, Royal Oak, MI
BERSERK (Mark Data)	2,547,299 Rich McGervey, Morgantown, WV	68,850 Scott Kubota, Whitby, Ontario
24,600 *Chip Lilley, Finleyville, PA	2,471,342 Vincent Lok, Ontario, Canada	FROGGIE (Spectral Associates)
8,500 Mark Wooge, Omaha, NE	1,054,348 Randall Edwards, Dunlap, KS	84,440 ★Bill Ide, Newark, DE
7,900 Martin Careau, Quebec City, Quebec	295,789 Jon Kroll, Greendale, WI	74,050 Mike Garozzo, Morrisville, PA
7,650 David Garozzo, Morrisville, PA	224,450 Ellen Ballinger, Uxbridge, Ontario	68,680 Carmen Thew, Surrey,
7,100 Scott Calberg, Hilton, NY	CRASH (Tom Mix)	British Columbia
BLACKJACK (Radio Shack)	155,000 ★David Lazar, Englishtown, NJ CU*BER (Tom Mix)	GALAGON (Spectral Associates)
39,450 *Michael Rosenberg, Prestonsburg, KY 11,820 •Woody Farmer, Acme, Alberta	196,090 ★Randall F. Edwards, Dunlap, KS	286,741 ★Rod Moore, Fork Union, VA 188,130 Daryl Judd, Nampa, ID
BLOC HEAD (Computerware)	94,940 Martin C. Klein, Skokie, IL	136,510 Mike Ashworth, Huntington, WV
1,006,200 *Lindi Wolf, Fairbanks, AK	49,510 Doug Kleir, Grand Rapids, MI	113,900 Graham Baird, York Haven, PA
999.825 Brian Spak, Keswick, Ontario	42,850 Mike Schwartz, Otsego, MI	95,600 Kyle Keller, Overland Park, KS
819,425 Keith Denhoed, Coalhurst, Alberta	38,180 Kevin Schwartz, Otsego, MI	GALAX ATTAX (Spectral Associates)
781,350 Joe Golkosky, Portage, MI	36,960 Blossom Mayor, E. Greenbush, NY	253,900 ★Shawn McAlpin, Louisville, KY
819,425 Keith Denhoed, Coalhurst, Alberta 781,350 Joe Golkosky, Portage, MI 395,175 Jeff Roberg, Winfield, KS	CUBIX (Spectral Associates)	113,650 Darrin Filand, WA
BUSTOUT (Radio Shack)	67,400 *Patricia Lau, York, PA	104,550 Mitch Hayden, Univ. of Minn.
42,000 Derrick Kardos, Colonia, NJ	45,056 Bonnie Kretschmer, Oxford, OH	82,650 Steve Hargis, Tucson, AZ
42,000 ★Martin Klein, Skokie, IL 34,700 Sara Hennessey, Golden Valley, MN	38,500 Randall Edwards, Dunlap, KS 28,760 Michael Rosenberg, Prestonsburg, KY	74,550 John Gosselin, Campbell River, British Columbia
28,720 Perry Denton, New Baden, IL	27,780 Britt Landrum, Pensacola, FL	GHOST GOBBLER (Spectral Associates)
27,880 Mike Wells, Pittsburgh, PA	DANGER RANGER (Med Systems Software)	1,007,430 *Todd Brannam, Charleston Hts., SC
BUZZARD BAIT (Tom Mix)	1,962 Michael Rosenberg, Prestonsburg, KY	825,250 Randy Gerber, Wilmette, IL
2,902,700 *Michael Popovich, Nashua, NH	1,890 Fred Thompson, Saugus, MA	423,390 Rich McGervey, Morgantown, WV
2,087,650 Edmund Greene, Nashua, NH	DEFENSE (Spectral Associates)	255,000 John Osborne, Kincardine, Ontario
1,134,600 Richard Buttermore, Grand Rapids, MI	103,660 ★Mary A. Brickles, Allen Park, MI	228,290 Patricia Lau, York, PA
756,550 Andrew Truesdale, Ferguson, MO	DESERT GOLF (Spectral Associates)	51,750 Wendy Weinschenk, Wickenburg, Az
688,550 David Casterson, Livermore, CA	31 *Kenton Fifield, Fort Francis, Ontario	GONE FISHING (THE RAINBOW)
612,650 James Whitt, Gonzales, TX	DEVIL ASSAULT (Tom Mix)	8 *Jeffrey Kocks, Grove City, OH
480,300 Blossom Mayor, E. Greenbush, NY 139,050 Nick Ruggeri, Wenonah, NJ	1,762,980 *Michael Rosenberg, Prestonsburg, KY 1,294,300 •John Statham, Strathroy, Ontario	GRABBER (Tom Mix)
CANDY CO. (Intracolor)	625,000 Simon Dickson, Bangor, N. Ireland	129,100 ★Blossom Mayor, E. Greenbush, NY 70,600 Michael Corman, Lafayette, IN
418,325 *Randall Edwards, Dunlap, KS	318,550 Kanti Dinda, Kingston, Ontario	HEIST (THE RAINBOW)
CANYON CLIMBER (Radio Shack)	294,300 Chip Lilley, Finleyville, PA	1,500 Andy Dater, Medford, OR
8,990,000 *Glen Giacomelli, Woodbridge, Ontario	289,300 Michael Rosenberg, Prestonsburg, KY	1,300 Richard King, Houston, TX
1,571,300 Jeff Weaver, Gordonville, PA	271,106 Peter Niessen, Carlisle, MA	INTERGALACTIC FORCE (Microdeal)
1,400,200 James Stevenson, Marshall, TX	DOODLE BUG (Computerware)	254,650 ★Christopher T. Grey, Hollywood, CA
999,900 Andre Wagner, Bangor, PA	3,149,330 ★Eiko Cary, National City, CA	113,600 Alex Taylor, Manchester, England
615,500 Randy Hankins, Tabor, FL	2,577,515 •Tim Brown, Clio, MI	JUNIOR'S REVENGE (Computerware)
212,800 Mike Trisel, Willshire, OH	1,767,630 Perry Denton, New Baden, IL	3,007,000 *Tim Brown, Clio, Mi
126,500 Matt Corwine, Michigan Valley, KS CASHMAN (MichTron)	109,660 Byron Albertson, Williams Lake, British Columbia	2,154,900 Scott Kubota, Whitby, Ontario 2,099,300 Shawn McAlpin, Louisville, KY
\$19,650 Perry Denton, New Baden, JL	DOUBLE BACK (Radio Shack)	1,115,300 Ryan Van Manen, Grand Rapids, MI
\$16,000 Scott Oberholtzer, Lexington, MA	1,125,000 *Mark Hurst, Sheridan, OR	1,081,700 Bruce March, Barrie, Ontario
\$11,130 Ricky Susfalk, Grand Island, NY	1,080,000 Phillipe Duplanties, St. Jerome,	223,900 Patrick Kochaniec, Windsor, Ontario
\$10,000 Tim Brown, Clio, MI	Quebec	KATERPILLAR ATTACK (Tom Mix)
CAVERN COPTER (THE RAINBOW)	605,890 Peter Sherburne, Highland, CA	31,672 ★Scott Fairfield, Williamstown, MA
747 ★Susan Ballinger, Uxbridge, Ontario	474,040 Paul Moritz, Butte, MT	25,949 James A. Lafare, Williamstown, MA
CHAMELEON (Computerware)	435,570 Phillippe Morsan, St. Jerome, Quebec	18.949 Vadim Gotovsky, Toronto, Ontario
	DRACONIAN (Tom Mix)	15,821 Alex Gotovsky, Toronto, Ontario
15,100 *Janeil Stroshane, Ashland, WI		Total delevany Total Citatio
CHOPPER STRIKE (MichTron) 67,900 *Matt McCann, Louisville, KY	71,930 ★Michael Corman, W. Layfayette, IN DUNKEY MUNKEY (Intellectronics)	5,426 Russ Rosen, Cardiff, CA

KEYS OF THE WIZARD (Spectral Associates)
662 ★Susan Ballinger, Uxbridge, Ontario
662 ★Pegi Tindle, Soquel, CA
★Ellen Ballinger, Uxbridge, Ontario THE KING (Tom Mix) ★Mark Smith, Santa Ana, CA Andy Truesdale, Ferguson, MO Corey Friedman, Minnetonka, MN Candy Harden, Birmingham, AL 1,0,000,100 3,343,000 2,410,200 2,367,900 Richard Lacharite, Sherbrooke, Quebec 198,100 134,700 Simon Dickson, Bangor, N. Ireland Blossom Mayor, E. Greenbush, NY KRON (Oregon Color Computers)
224,080 ★Steve & Scott Schneider, OR Christopher Porter, Naranja Lakes, FL LADY BUGGY

36 980 *Tony Cummings, Abington, MA 36,980 *Tony Cummings, Abington, MA

LANCER (Spectral Associates)
2,797,450 *Randall Edwards, Dunlap, KS
2,354,000 Alex State, Las Vegas, NV
875,150 Larry Capen, Folsom, CA
51,500 Donna Willoughby, Brookfield, IL

LASERWORM & FIREFLY (THE RAINBOW)
94,748 *Brian Chafin, Weyers Cave, VA
54,672 Michael Rosenberg, Prestonsburg, KY
43,420 Eric Morrell, Sayreville, PA
37,250 Rene Belisle, Montreal, Quebec
19,872 Theodore Latham Jr., Rich Square, NC 1 neodore Latham Jr., Hich Sql.
162,100 *Sara Aliff, Northeast, MD
154,650 Tom Aliff Jr., Northeast, MD
98,500 Ima Wong, Williamstown, WV
Wayne Johansen, Rocanville,
Saskatchewan Randali Edwards, Duniap, KS Jefferson Hatch, West Chester, PA 66.850 44,100 MADNESS & THE MINOTAUR (Radio Shack)
240 ★Pegi Tindle, Soquel, CA
MARATHON (THE RAINBOW)
101,520 ★David Dean, West Mansfield, OH
Larry Evans, Elk Grove Village, IL
55,110 Michael Rhattigan, Cory, NC MEGA-BUG (Radio Shack)

MOON SHUTTLE (Datasoft)
113,642 ★Rod Moore, Fork Union, VA

156,800 147,400 124,400

113,642 **Rod Moore, Fork Union, VA

MR. DIG (Computerware)
223,600 **Tommy Wald, Minneapolis, MN
207,800 Phillip Laurell, Lansing, MI
40,350 Barney A. Sadler, Northwood, ND

MS. GOBBLER (Spectral Associates)
22,680 **Cliver Banta, Lincoln, NE

MUDPIES (MichTron)
156,800 **Glepp Wasson, Castleton, NY

West Germany
18,500 Steve Springer, Louisville, KY
NINJA WARRIOR (Programmer's Guild)
108,300 *Bud Seibel, Tumbler Ridge,
British Columbia

★Glenn Wasson, Castleton, NY Chris Hafey, Auburn, CA Bernd Pruetting, Scheibenhardt,

102,400 Christopher Gelowitz, Claresholm, Alberta 75,300 Brad Gaucher, Hinton, Alberta 46,400 Daniel Milbrath, Ann Arbor, MI 36,800 Greg Lowry, Davisburg, MI PAC-ATTACK II (Computerware) Ray Boyko, Whitby, Ontario Scott Kubota, Whitby, Ontario Lisa Welte, Baxter, TN Jeff Weaver, Gordonville, PA 214,210 56.014 PAC 'FM (THE BAINBOW) ★Dr. James Peterson, Radcliff, KY Steve Olson, Calgary, Alberta Kenneth Bergenham, Lawton, MI Rupert Young, Sheffield, MA Jeff Loeb, Mobile, AL Susan Ballinger, Uxbridge, Ontario 1.870 1,572 1,556 669 429 PAC-TAC (Tom Mix)
129,770 ★Andrew Lehtola, Mound, MN 100,630 61,025 David Dean, West Mansfield, OH John Tyson, Superior, WI Saskatchewan
Marc Hassler, Gainesville, FL
Gille Giroux, North Bay, Ontario
Susan Ballinger, Uxbridge, Ontario 1,306 1,126 858 PINBALL 2,800,090 ★Glen Ewing, Brooklin, Ontario 1,110 *Roger Buzard, Lima, OH
1,062 Kent Prehn, Carol Stream, IL
1,030 Anita Howe, Jackson, NJ
838 Johnny Fritsch, Whitehall, PA
PLANET INVASION (Spectral Associates) 177,900 Russ Rosen, Cardiff, CA POLARIS (Radio Shack)
63,053 **Paschal Wilson, Kentwood, LA
POYAN (Datasott)
890,850 **Jerry Morgan, Independence, MO
480,450 Bernd Pruetting, Scheibenhardt,
West Germany
279,450 Chip Lilley, Finleyville, PA
273,450 Davey Devlin, Clyde, NC
249,900 Erika Oldale, Athabasca, Alberta
Daniel Belisle, Montreal, Quebec
Templar Beaton, Coleman, Alberta Zeo,930 Daniel Bensie, indirean, Odebec 216,200 Templar Beaton, Coleman, Alberta 167,150 Fred Thompson, Saugus, MA 98,000 Andy Dater, Medford, OR POPCORN (Radio Shack) Ado Shack)

**Jeff Weaver, Gordonville, PA
Nicole Freedman, Wellesley, MA
Brad Gray, Olive Branch, MS
Wendy Weinschenk, Wickenburg, AZ
Lisa Welte, Baxter, TN
Brian Chafin, Weyers Cave, VA 43,970 39,470 36,210 33,910 32,000 PROJECT NEBULA (Radio Shack)

1,120

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065

1,065 960 Ian Clark, Albion, Mi

PYRAMID (Radio Shack)
220/147 ★Ssg. Danial Pierce, APO San
Francisco, CA
220/224 Tony & Hazel Rye, Ingleside, Ontario
220/236 Pat McWhinney, Key Largo, FL
200/289 Douglas G. Oxenreider,
Montevideo, MN
220 Jerome Galba Jr., Rochester, MI
200 Date Roman, Bellaire, OH

CAMERO (THE RAINBOW) O-NERD (THE RAINBOW)

27,800
3,740
2,380
RAAKA-TU (Radio Shack)

40 *David Joyner, Raleigh, NC
RAINBOW ROACH (THE RAINBOW)
124,800 *Cheryl Englich, Perry Hall, MD

Andrew Smith, Columbia, SC John Statham, Strathroy, Ontario Bill Grubbs, Columbus, IN Catherine Collingwood, Greenville, SC 113,500 102,000 69 600 REACTOIDS (Radio Shack)
931,395
203,800
88,615
41,100
BETURN OF THE JET-I (ThunderVision)
372,782
148,112
135,306
Peter Niessen, Carlisle, MA REACTOIDS (Radio Shack) 148,112 Matt Griffiths, Stilwell, KS
135,306 Peter Niessen, Carlisle, MA

ROBOTTACK (Intrecolor)
2,216,950 #Randy Hankins, Tabor, IA
1,922,200
1,512,200 Bobert Kiser, Monticello, MS
1,424,300
1,219,810 Steve Skrzyniarz, Tacoma, WA

SANDS OF EGYPT (Radio Shack)
82 *Shawn Hobbs, Hutchinson, KS
82 *John Allocca, Yonkers, NY
87 Kim Van Camp, State Center, IA
98 Sean Haynes, Naples, ME

SCARFMAN (Cornsolt)
412,050 *Michael Cerami, Springfield, VA
253,920 Scott Boulanger, Columbus, OH

SEA DRAGON (Adventure International)
430,200 *Asid Lazar, Englishtown, NJ
137,500 Peter Niessen, Carlisle, MA
75,750 Steve Schrweitzer, Sewell, NJ
56,760 SEA QUEST (Mark Data)

140 *Shawn Hobbs, Hutchinson, KS

SEA QUEST (Mark Data) SEA QUEST (Mark Data)

140 *Shawn Hobbs, Hutchinson, KS
230 Casey Stein, Binghamton, NY

SHARK TREASURE (Computerware)

245,000 *Manon Bertrand, Hauterive, Quebec Maurice Boyle, Saskatoon, Saskatchewan 175,000 SHOOTING GALLERY (Radio Shack)

120,640
59,520
44,870
44,480
41,480
R. Duguay, St. Bruno, Quebec
Martin Peterson, Lynchburg, VA 44,4eu 31,340 Martin Peters SKIING (Padio Shack)

12,08 *Kelly Kerr, Wentzville, MO
12,08 *Kelly Kerr, Wentzville, MO
12,08 *Rroshane, Ashland, Rrosh Janell Stroshane, Ashland, WI Jean-Claude Taliana, Brossard, Canada Andrew Truesdale, Ferguson, MO 29.52
44.02
SLAY THE NEREIS (Radio Shack)
328,521

SNAIL'S REVENGE (THE RAINBOW)
34,860
11,380
4,860
21,380
32,301

*Michael Rosenburg, Prestonsburg, KY
Varunee Turner, Kamloops,
British Columbia
9,230
Jose Cacho, Ft. Knox, KY
6,880
6,150
Alan Sadler, Northwood, ND
SOLO POKER (Radio Shack) 29.52 6,150 Alan Sadler, Northwood, ND

SOLO POKER (Radio Shack)
910 *Carol D. Fitzgerald, Moscow, ID
850 Granville Bonyata, Tallahasse, FL
740 Allan Mercurio, Portsmouth, RI

SPACE ASSAULT (Radio Shack)
1,632,450 *Walter Brokx, Granisle,
British Columbia
537,200 Martin Careau, Quebec City, Quebec
358,660 Mike Snelgrove, Oshawa, Ontario
354,660 Bruce Madariaga, College Park, MD
238,580 Bruce Madariaga, College Park, MD
248,620,40 *F.U. Ingham, Clyde, WI
36,960 Space Race (Spectral Associates)
4,862,040 *F.U. Ingham, Clyde, WI
36,960 Space Race (Spectral Associates)
60,125 *Mark Neison, Kent, WA
Michael Rosenberg, Prestonsburg, KY

SPACE SHUTTLE (Tom Mix)

595

Kenton Fifield, Fort Francis, Ontario
Randall F. Edwards, Dunlap, KS David J. Banks, Greendale, British Columbia Fred Weissman, Brookline, MA 5/5 Fred Welsshain, Brookins, SPACE WAR (Spectral Associates)
400,190 **Mark Felps, Bedford, TX
80,190 **Mark Felps, Bedford, TX
116,000 **Peter Niessen, Carlisle, MA
52,380 **Jim Baker, Florissant, MO 15,420 SR-71 (Tom Mix) 4,443 Mark Nelson, Kent, WA ★Jay Johnson, Puyallup, WA Dominique Hall, Williamstown, WV STARBLAZE (Radio Shack)
10,000 ★Dan Burner, Fowler, IL Judith Simon, Warrendale, PA Lee Van Dyke, Lansing, MI 9.050 7,350 James Hawerbier, Elmburst, IL
6,850 Jonathan Judge, Oconto, WI
STAR TREK (Adventure International)
95 ★Granville Bonyata, Tallahassee, FL
John Brackett, Chicago, IL TIME BANDIT (MichTron)
243,620 *Mark Wooge, Omaha, NE Brian Larrson, Fridley, MN Sally Naumann, Hailey, ID 129,240 110,220 Glen Heidebrecht, Topeka, KS Fred Naumann, Hailey, ID Andy Van Dijk, Barrie, Ontario Rosa Maria Paparis, Williamsburg, VA 106,720 66,700 21,570 8.640 Demetra Palantzas, Williamsburg, VA

TRAILIN' TAIL (THE RAINBOW)
76,275 *Michael Rosenberg, Prestonsburg, KY
33,454 Kenneth Bergenham, Lawton, MI
26,640 Dr. James Peterson, Radcliff, KY Kentong Fifield, Fort Frances, Ontario TRAPFALL (Tom Mix) om Mix)

**David Joyner, Raleigh, NC

**Rich Trawick, N. Adams, MI
Kanti Dinda, Kingston, Ontario
Russ Rosen, Cardiff, CA
Simon Dickson, Bangor, N. Ireland
Brennan Baybeck, Traverse City, MI
Robert Cattral, Ottawa, Ontario
John Osborne, Kincardine, Ontario 114,322 113,408 112,596 106,620 104,456 TRIPLE YAHTZEE (Software Factory)
2,319 ★Betty Gable, Poulsbo, WA TUBE FRENZY (Aardvark)
544,560 Perry Denton, New Baden, ILL
240,060 Randall Edwards, Dunlap, KS
230,000 Ken Felix, Crystal Lake, IL 101,650 Lloyd Albertson, Williams Lake, British Columbia TUT'S TOMB (Mark Data) 158,000 106,460 *Chris Russo, Miami, Fl CChris Russo, Miami, FL Eileen Kaakee, Royal Oak, MI Gary Marshall, Layton, UT George Kaakee, Royal Oak, MI Oliver Banta, Lincoln, NE Mickey McCafferty, Oceanside, CA Allen Bifano Richard Shelton, Bakersfield, CA 98,600 84,420 84,320 82,000 78,280 71,160 41,060 Paul Rumrill, Gales Ferry, CT Guy Silliman, High Bridge, NJ 4,1,000

VENTURER (Aardvark)
6,718,200
4,126,200
4,126,200
2,657,350
Brian Panepinto, Spencerport, NY
Mike Sitzer, Roslyn, NY
1,769,400

Todd Hauschildt, Red Wing, MN

516,450 283,100 ★Dan Shargel, Arroyo Grande, CA Nathan Russell, Minco, OK Hughens Bien-Aime, Montreal, Quebec 157,000 103,900 Dann Fabian, Crestview, FL 98,400 Dave Lubnow, Sussex, NJ 91,850 David Joyner, Raleigh, NC 64,000 Russ Rosen, Cardiff, CA WILDCATTING (Radio Shack) A (Hadrio Shack)

KNicholas Siclari, Staten Island, NY
Michael Rosenberg, Prestonsburg, KY
David Rodgers, Carbondale, IL
Ellen Ballinger, Uxbridge, Ontario
Kerri Dutton, Goose Bay, Labrador 110,579 63,723 48,682 38,318 ZAKSUND (Elite Software) *Robert Conyer, Willingboro, NJ Richard Minton, West Frankfort, IL Andy Mickelson, Granville, OH Michael Rothman, Solon, OH Steve Schweitzer, Sewell, NJ 1,256,000 1,128,050 1,008,100 950,500 910 000 ZAXXON (Datasoft) asoft)

**James Quadrella, Brooklyn, NY
Mike Hughey, King George, VA
Chris Coyle, Selden, NY
Roger Buzard, Lima, OH
Rich McGervey, Morgantown, WV
Matthew Connoly, Merrick, NY
Billy Connoly, Merrick, NY
Michael Cerami, Springfield, VA
Paul Elchlepp, U.S.S. Enterprise
Jimmy Connoly, Merrick, NY
rk) 1,510,000 401,900 370,400 260,600 235,200 140,200 116,100 115,500 113,900 104,600 **ZEUS** (Aardvark 89,100 69,900 ★Mike Schwartz, Otsego, MI Kevin Schwartz, Otsego, MI Brian Schwartz, Otsego, MI 62,800

- Kevin Nickols

SCOREBOARD

In conjunction with THE RAINBOW's Scoreboard, we offer this column of pointers for our game-playing readers' benefit. If you have some interesting hints and tips, we encourage you to share them by sending them to the Scoreboard, c/o THE RAINBOW.

HISTORY LESSON

Lately it seems that there are more and more letters printed concerning the game Pyramid. I, too, have reached the 220 mark in this game and I think that I know a few things that your readers might find interesting. No, not more hints; this time let's talk about history.

The game *Pyramid* is taken almost word for word from the original Adventure game called, appropriately enough, Adventure. Adventure was written by Will Crowther and Don Woods in FORTRAN and placed into the public domain in 1975. The game spread to many universities through ARPAnet, one of the first computer networks. It became so popular and was taking up so much time on some university computers that it was banned or restricted.

Since then, scores of versions of the original have appeared in many different lan-

guages and for many different computers. Pyramid only contains about half of the rooms of the original (which takes approximately 48K), but it still incorporates most of the game's toughest puzzles (with the sad exception of the friendly bear).

CoCo users who have enjoyed Pyramid might want to check with users groups for a complete version of Adventure. Those with 64K and CP/M can get a copy from The Software Toolworks, from whom I got

much of this information.

Steve Hicks Raleigh, NC

Scoreboard:

I am having a little trouble on the Adventure game Pyramid. I can only get the following treasures: an emerald, a jewel-encrusted key, a gold nugget, a few diamonds, a few silver bars, precious jewelry and a nest full of golden eggs for a total of 160 points. If

anyone has any hints or clues on finding the rest of the treasures or how to open the sarcophagus, please send them to me at 55 Joanne Road, 02072.

> Scott Nelson Stoughton, MA

Scoreboard:

I have scored 220 in 236 turns in Pyramid by Radio Shack and I thought I would send in a hint. If you carry two treasures and let the mummy take them, you can carry many treasures after that, which lessens your trips back to the entrance. When you find the chest in the maze, the other two treasures will be there.

I need some help in draining the pool in Sands of Egypt. If you can help, write me at 809 S. Emerald Dr., 33037.

Pat McWhinney Key Largo, FL



DON'T GET BURNED

THE COLOR BURNER FROM GREEN MOUNTAIN MICRO

ately I've been hearing that you want to program erasable read-only memories (EPROMs). It seems you want to create your own program cartridges, or make changes to your Basic ROMs, or turn your CoCo into some different animal.

The problem is, most EPROM programmers cost over \$100, and \$100 is big dues to pay. You want to burn EPROMs, not get burned in price — or quality.

So, I've put together the Color Burner, an EPROM programmer that will burn all the "27" family — 2716, 2732, 2764, 27128. Yes, it will also burn 68764 replacements for your Basic ROMs and, no, it won't break your budget.

Although my Color Burner doesn't cost a whole lot, you won't get burned over quality. I don't cut corners in hardware. I use the best fiberglass boards, with gold edges, protective solder masking and silk-screened legends. Before I send you a Color Burner, I test it by actually programming an EPROM.

So how can it be good if it's so inexpensive? First of all, you can only get a Color Burner from Green Mountain Micro. No dealers are adding to its price. Second, it isn't fancy. No high-tech power supplies are in sight. You've got to add three homely, low-tech 9-volt batteries to get it

going. Finally, it won't set new standards of complexity. It's simple, hardworking and reliable.

You can get your Color Burner complete or *a la carte*: try an assembled and tested unit, a kit, or just a bare board. Order it with or without programming software. Both kits and assembled units come with over 40 pages of documentation, complete program listings, and schematics. Nothing is hidden.

You'll burn those EPROMs, you won't get burned, and my technical support staff will keep you from getting burned up if you have a question or need help.

You Won't Get Burned with The Color Burner

- Assembled/tested with software, \$69.95.
- Assembled/tested only, \$64.95.
- Complete kit with software, \$56.95.
- Complete kit only, \$49.95.
- Board/documentation with software, \$30
- Board/documentation, \$23
- Bare board only, \$20
- ColorPack 8/16K ROM/RAM cartridge kit, \$19.95.
- 2716 and 2732 EPROMs available.

Specifications:

Programs 24/28-pin EPROMs, providing 21/25-volt programming pulses under software control. Includes unwired personality module. Requires three 9-volt batteries (not included). Tape software supports 2716 through 27128 and 68764/66 EPROM families, and requires 32/64K Extended Color Basic.

ALSO AVAILABLE FROM GREEN MOUNTAIN MICRO

Lowerkit II*, \$79.95 /\$49.95 kit

64K Color memory upgrade kit, \$49.95

MC-10 added 4K upgrade kit, \$19.95

CoCoPort interface, \$49.95 /\$39.95 kit

RAM/ROM pack, \$29.95 /\$19.95 kit

Scroll-A-Roll software video text display, \$24.95

TV Buff II *, improved to handle virtually all monitors, \$14.95

Color Quaver, Software Music Synthesizer, \$19.95

(Add \$2.50 shipping and handling)
*Specify Color Computer or CoCo II


The Micro Language Lab Presents "Learning the 6809"

- Authored by TRS-80® Color Computer columnist Dennis Bathory Kitsz
- 24 half-hour lessons on twelve cassettes
- 236 pages of text and complete dox for all the smart chips, including 6809E, 6821, 6847, and 6883
- 35 sample programs ready to load, list, and run
- 1,500 programmed question and answer system
- Learn not only how to put a dot on a screen, but also where and why.

\$99.00 (plus \$3.50 shipping and handling).

Dealer and club inquiries invited.

Not sure? Request our sample page and table of contents.



Green Mountain Micro

Bathory Road, Box R Roxbury, Vermont 05669 802-485-6112

Hours: 9am-5pm, Monday-Friday COD/VISA/MASTERCARD TRS-80 is a trademark of Tandy Corporation

THESE FINE STORES CARRY THE RAINBOW

The retail stores listed below carry THE RAINBOW on a regular basis and may have other products of interest to Color Computer users. We suggest you patronize those in vour area.

ALABAMA

Birmingham Florence Gardendale Huntsville Madison Montgomery Jefferson News Co. Anderson News Co.

The Fine Line Endicott Software

Madison Books Trade 'N' Books

Electronic World

Home Brew Computers

The Computer Shop

Tri-Teck Computers Data Concepts Softwareland Corp

Computer Library Anderson News Co.

Anderson News Co.

The Computer Supply Store Strawflower Electronics

L&H Electronics Emporium OPAMP Technical Books

All Systems Go

Books Etc.

Soft Shop

Electrobrain

Software Plus

The Floppi Disk Radio Shack

Software City R&V Sound

Dessert Sound, Inc.

Levity Distributors

Software Galeria

Software Mart JARB Software

Willy's Electronics Pro Am Electronics

Tower Magazine Computer Dimension

The Computer Store Cost Plus Software

Disney's Electronics

Color Computing
Hardings Way News

Computer Literacy Softwaire Centre Int.

Aurora Newsland

Radio Shack

News On 24 Software 1st

Dimensional Software

Printers, Inc. Softwaire Center

Road Runner Computer Products Personal Computer Place Software Center

ALASKA Fairbanks ARIZONA

Glendale Mesa Phoenix

Scottsdale

Tempe Tucson

ARKANSAS

CALIFORNIA Atwater Citrus Heights

Downey El Cajon Exton Fortuna Gretna Half Moon Bay Hesperia Hollywood Livermore Lompoc Los Angeles Modesto National City

Pacific Beach Sacramento

San Diego

San Francisco Santa Rosa Southgate Stockton Sunnyvale

Torrance COLORADO

Aurora Colorado Springs Westminster

Hathaway's Magazines Software City CONNECTICUT

Danbury Computer Serv of Danbury The Aetna Life Club Store Hartford Monroe Orange Mackey's Software City DELAWARE

Normar, Inc.—The Smoke Shop DISTRICT OF COLUMBIA
The Program Store

FLORIDA

Clearwater Cocoa Coconut Creek

Et Lauderdale

Jacksonville

The Avid Reader Soenen & Wilmoth Books Village Book Shop Data Base Software Plus More Mike's Electronics Distributor Software Connection The Book Nook

Kissimmee Longwood Melbourne

Miami Orange Park Orlando

Panamo City

Pensacola Sarasota South Pasadena Stuart Tallahassee Tampa

GEORGIA Atlanta

> Columbus Cummings Jesup

Marietta IDAHO Blackfoot Boise

ILLINOIS Aurora Champaian Chicago

Radio Shack & Elec. Hut Adventure International Store City Newsstand The Little Store Micro Byte The News Rack Software City The Alamo Software Unlimited Camputer Systems Group Boyd-Ebert Corp. Anderson News Co. Family Computers

Poling Place Caribbean Engineering Corp. Anderson News Co. Fine Print Bookstore Software Store Sound Trader & Computer Center

Chips, Inc. Guild News Agency Software City Muscogee News Co. Software City Kent Radio Shack Kannon Music Radio Shack Act One Video Martin Music Radio Shack

F/M Systems Electronics Magnum Computer Products Johnson News Agency

Kroch's & Brentano's Book Market B. Dalton Booksellers N. Walbash St. West Jackson St. Bob's in Newtown Bob's News Emporium Bob's Rogers Park Book Market East Cedar North Cicero West Diversey E.B. Garcia & Associates Guild Books & Periodicals Kroch's & Brentano's South Walbash

West Jackson 516 N. Michigan 835 N. Michigan Parkway Drugs Parkwest Books Sandmeyer's Bookstore Univ. of Chicago Bookstore Univ. of Illinois Bookstore Videomat, Inc.

Danville DeKalb Evanston Geneseo Lisle Newton Oak Brook Oak Park

Schaumberg

Peoria

Skokie West Frankfort Wheeling Wood Dale

Book Market
Appletree Computers
Chicago-Main News
B & J Supply Book Nook Bills TV Radio Shack Kroch's & Brentano's B.I.E.S. Systems Kroch's & Brentano's Book Market Illinois News Service Data Domain Kroch's & Brentano's Kroch's & Brentano's Abacus Computers Paper Place North Shore Distributors Pace-Micro Softwore Centers INDIANA

Berne Garrett Greenwood Indianapolis

Jasper

Lawrencebura Madison Martinsville Mishawaka New Haven Scottsburg Walbash

IOWA Ames Bettendorf Davenport

KANSAS

Topeka

Wichita KENTUCKY

Hopkinsville Louisville Maysville Paducah Paintsville Pikeville Padeliff

LOUISIANA Crowley Shreveport Slidell

MAINE Brockton E. Wilton Lewiston South Portland Waterboro

MARYLAND **Baltimore** Kensington Lexington Park

MASSACHUSETTS Cambridge

Danvers Farmingham Fitchburg Ipswich Littleton Lynn Mansfield MICHIGAN

Ann Arbor

Brooklyn Charlotte Dearborn Durand Fenton Flint Greenville

Lowell Mt. Morris

Kalamazoo

Lapeer

White Cottage Electronics Finn News Agency The Computer Experience Bookland, Inc. Game Preserve Indiana News Computer Store
Elex Mart
Bauer Electronics Arcs Office Supplies Radio Shack Carrico's Radio Shack Advanced Color Software

Myers' TV & Stereo Repair Cosmos Computers Interstate Book Store Software City

Radio Shack of Scottsburg

Mitting's Electronics

III H's Sterea Palmer News, Inc. Town Crier of Topeka, Inc. Amateur Radio Equipment Co. Lloyd's Radio

Hobby Shop The Computer Store Radio Shack Radio Shack Gus-Stan Enterprises Gus-Stan Enterprises **Bluebird Computers**

Acme Book Co. Acadiana Newsstand Computer SOS Radio Shack 7181

Voyager Bookstore O'brian's Electronic Svc. Ctr.
Computer Software & Education Centers Portland News Co. Radio Shack

The Program Store The Program Store Books, Etc. Bowes Books

Vogager Bookstore Ninis Corner, Inc. Out Of Town News The Program Store Microcon Computer & Software Store Program Store

Corners Book Shop Ipswich News Computer Plus North Shore News Co. Software Shop Microcon Softwarecenters

Book Nook, Inc Community News Center Software City Weatherwax Radio Shack Computer Options
DSL Computer Products Robbins Electronics Tri-County Electronics Radio Shack Robbins Electronics John Rollins Computer Corner User Friendly

Curt's Sound & Home Arcade Center Shop And Save The Eight Bit Corner

270

MI Software Dist. Inc. Novi Marion Boomers Rhythm Center Software City
C/C Computer Systems Okemos Raleigh D.J.'s Book and News Murray Deseret Book Softmart Owosso Ogden Computer City Hi-Fi Audio Co. Winston-Salem K & S News Stand Salt Lake City Quality Technology Perry Computers Perry Oil & Gas Computer Shack Perry NORTH DAKOTA VIRGINIA Fargo Computer Associates Alexandria Alonso Book & Periodical Pontiac Falls Church OHIO The Program Store Roseville New Horizons Little Professor Book Center Software Centre International Canton Gafton Electronics Marketing Royal Oak Software City Norfolk I-O Computers St. Johns Southfield Clinton Electronics Software City Cincinnati Cinsoft Richmond Software City Jerry's Computer Cleveland Columbus WASHINGTON Sterling Book Center Byte By Byte Sterling Heights The Program Store Utopia Software Wilke News Bellevue Software City Utica Coshocton Dayton Mount Lake Wyoming Gerry's Book Co. Terrace Renton **Emerald Computer Services** MINNESOTA News-Readers The News Shop Fairborn Data Borne Minneapolis MISSISSIPPI Read-More News Kent Adams News Co., Inc. Bits, Byfes & Nibbles Seattle T.W. Hogan & Associates Lakewood International News Kenton Spokane Grenada Stereo Store of Grenada, Inc Lakewood Igcomo Nybbles 'N Bytes Brunner News Agency Edu-Caterers Gulfport Computerland Lima WEST VIRGINIA MISSOURI Stan's Electronics & Radio Shack Valley News Service Logon Parkersburg Kansas City Midwest CoCo Systems Lorgin Computer Network Magic World Mansfield PCLEAR 80 St. Louis WISCONSIN Softwaire Centre Mavfield Badger Periodicals Appleton Computer Xchange Heights Programs Unlimited Cudahy Cudahy News & Hobby University City Final Edition Software City Janesville Book World Wilke News Computer Showcase MONTANA Miamisburg Ladysmith Milwaukee Electronics, Etc. Tomalino's Electronics Niles Book Tree Programs Unlimited Leo's Book & Wine Shop NEBRASKA Rocky River Booked Solid Booked Solid II Toledo Lincoln Hobby Town Reitz Electronics Home Computer Store Computers & Components Harvey Schwartz Bookshop Univ. of Wisconsin Bookshop Westerville NEVADA **OKLAHOMA** Las Vegas Hurley Electronics WYOMING Computers 'N' Stuff NEW HAMPSHIRE Duncan The Computer Store Caspe Radio Shack Merit Micro Software Muskogee Radio Shack Portsmouth Computers Peterborough Oklahama City Portsmouth AUSTRALIA: D. Data Stillwater West Lebanon Verham News Corp. SYDNEY The Computer Store Tuisa **NEW JERSEY** Kingsford Paris Radio Electronics OREGON Bergenfield Cedar Knolls Software City B. Color Computer and Software Village Computer & Software Aloha CANADA: Hermiston Lee's TV & Radio Clinic Cherry Hill Software City Micro World II ALBERTA Jahn's News Stand Medfard Clinton Athabasca McLeans Ltd. 80-Plus Portland PENNSYLVANIA The Program Stare
Micro Can Software Center
Software City Barrhead Sound 1982 Ltd. Double "D" A.S.C. Radio Shack Fatontown Barrhead Lawrenceville Brooks Allison Park Software City Imperial Computer Ltd.
Radio Shack Associated Stores Linwood Calgary Camrose Altoona Newborn Enterprises Marmora Outpost Radio Shack Greensburg The Program Store Montvale Software City Claresholm Radio Shack Associated Stores Coaldale Sight & Sound Harrisburg News Co. Personal Software City Software Center Morristown Software City
Computer Discount of N.J. Harrisburg Coaldale Malvern Philadelphia Drayfon Valley Nahwahi Langard Electronics CMD Micro Dave's Elect, Radio Shack Software City Pennsville Edmonton Newsy Stevens Radio Shack Kelly Software Distributors Pinebrook Phoenixville River Edge Software City Software Station Edson Radio Shack Pittsburgh Pleasant Hills All-Pro Souveniers Pitt Computer & Software Rockaway Fairview D.N.R. Furniture & TV Software City Software City Fox Creek Ft. Macleod Fox City Color & Sound Radio Shack Summit Plymouth Meeting Teaneck The Program Store Wayne Wayne Software Grande Cache Grande Centre The Stereo Hut The Book Nook Pottstown Shippensburg Video Programming, Inc. Rainbow Adventure NEW MEXICO East West Enterprises Page One Newsstand Northern Computer Service Technics TV Ltd. Grande Prairie Albuquerque The Donna Comm. Co. Software—N—Stuff Tunkhannock Hanna Warrington Salt of the Earth Leduc Radio Shack Associated Stores Radio Shack Associated Stores Software City Lloydminster Whitehall Sound Center - Radio Shack Los Alamos Williamsport Peace River Pincher Creek **NEW YORK** Radio Shack Associated Stores Lift Bridge Book Shop, Inc. York The Computer Center of York Thornton & Son's Brockport RHODE ISLAND East Syracuse The Data Phile Co Software City Red Deer St. Paul Computerworld Newport Warwick Kelly's Variety Tele-Logic Fairport Software Connection Hudson Falls Pynewood Sight & Sound Don's Radio Shop G.A. West & Co. Unicom Electronics Tabe SOUTH CAROLINA Valleyview Johnson City Charleston Hts. Melville Imperial News Software City SoftwareHaus, Inc. Vermillon Photocraft Vermilion Ltd. Radio Shack Beaufort Greenville Data Byte Computer Center Palmetto News Co. Mt. Kisco Barnes & Noble—Sales Annex Coliseum Books BRITISH COLUMBIA New York Hilton Head Megatron Corporation Software City Burnaby Spartanburg Eastern Newsstand
Grand Central Station, Track 37
200 Park Ave., (Pan Am #1)
55 Water Street Ft. St. John Ken Dawson Microwest Distributors Union Fleming's Electronics N. Vancouver TENNESSEE Victoria International Software Chattanooga Dicksan Anderson News Co. MANITOBA Highland Electronics Winnipeg World Trade Center #2 J & J Electronics Ltd. Anderson News Co. First Byte Computer Co. First Stop News Knowille NOVA SCOTIA Idle Hours Bookstore Dartmouth Halifax Sector Software International Smoke Shop Memphis Computer Center Software, Inc. Atlantic News Jonil Smoke ONTARIO Tobacco Corner Newsroom Penn Book Bowmanville Bowmanville Audio Vision LTD Campus Computer Corp. Nashville State News NEPCOM Galls Book World Etobicoke Usercom Systems, Inc. Walden Books Mills Book Store Hamilton Mosko's Book Store Kincardine Kingston Prism Software T.M. Computers Smyrna World Wide Media Services Software City Delker Electronics N. White Plains Multi-Mag National News Co., Ltd. London Plattsburg Adirondack Computer Supplies Austin Ottawa Austin News Agency, Inc. Rochester Village Green Capitol Microcomputers QUEBEC Beeville Bee Electronics World Wide News Messageries de Presse Benjamin Enr. LaSalle Programs Plus Crouchet Electronics Syracuse Sherbrooke Soc. De Loc Spectrum Projects Dallas Dallas Computer Center Woodhaven SASKATCHEWAN Software Concepts The Homing Pigeon NORTH CAROLINA Regina Saskatoon George Glass King Electronics Radio Shack Elgin Ft. Worth Computertime Byteworks, Inc RFI Electronics

Also available at all Waldenbooks, Coles and selected B. Dalton Bookseller stores in the United States and Canada.

Coles Computer Center

Software Terminal

Software Access Software Solutions

MicroSolutions

Houston

Irving

Paris San Antonio

It's Just For You, Inc. Software City Newsstand Int'l

Papers & Paperback Computer Concerns C² Books & Comics

Carv

Charlotte

Havlock

Hickory

YUKON

Whitehorse

PLIERTO RICO

San Juan

Big Byte Computer Services

H & H Electronics

Software City

August 1984

ADVERTISER'S INDEX

We encourage you to patronize our advertisers — all of whom support the TRS-80 Color and TDP System-100 computers. We will appreciate your mentioning THE RAINBOW when you contact these firms.

A & P Software 49	Dugger's
Analog Micro Systems 121	E.D.C. IN
Arizona Discount Software 252	EAP Co.
Ark Royal Games 24	Eaton Co
Armadillo International Software	Elite Sof
150	Emerald
Aurora Software 112, 207	Endicott
B & B Software 57	B. Ericks
B5 Software	Evans Er
Basic Technology 239	EVS
Botek Instruments 101	External
Calc-Soft	Co.
	Federal
Carnival House 7	
Cer-Comp	GIMIX .
Challenger Software 21	Great Pl
Chromatic 188	Inc.
CoCoINDX 213	Green M
CoCo Warehouse 62	Harvard
Cognitec	Hawkes
Color Connection Software 10	HJL
Color Micro Journal 262	Frank Ho
Color Power Unlimited, Inc 9	
Color Software Services 43	Howard
	Incentive
Colorware	
Compukit 48	Intracol
Computer Accessories of Arizona	JARB Sc
	The JBM
Computer Island 234, 235	D.P. Joh
Computer Plus 3	Kelly So
Computer Systems Center	Key Cold
	KRT Sof
Computerware 58, 59	Lloyd I/O
Computize, Inc 273	Mark Da
Cosmos Computer Services, Inc.	
	Maryma
Counterpoint Softward Inc.	Merrick
Counterpoint Software, Inc 8	
Custom Computer Products 40	Metric Ir
Custom Software Engineering	Metro El
226	MichTro
Data-Comp	Micro Co
Dataman 189	Micro Ma
Dayton Associates Of W.R. Hall,	Micro R.
Inc	The Mici
Deft Systems, Inc 41	Microco
Delker Electronics 93	Microwa
Derringer Software	
97, 108, 212, 227	Tom Mix
DISK-HAVEN PRODUCTS 203	
	Moreton
Dorison House Publishers,	
Inc	Nelson S
Dorsett	
Double Density Software82,83	Oelrich I
Dragon User 223	The Other
DSL Computer Products 261	Owl's Ne
DSS Pheripherals	Owl-War
Corporation 132	P.B.H

Dugger's Growing Systems	. 64
E.D.C. INDUSTRIES	216
EAP Co	165
EAP CoEaton Computer Products	100
Elita Coffmana	100
Elite Software 30	, 31
Emerald Computer Service	207
Endicott Software	. 85
B. Erickson	114
Evans Enterprises	205
EVS	. 11
EVSExternal Events Software	
Co,	173
Federal Hill Software	137
CIMIV	074
GIMIXGreat Plains Computer Compa	214
Great Plains Computer Compai	ıу,
Inc	248
Green Mountain Micro	269
Harvard Design	. 56
Hawkes Research Services	258
HJL	
Frank Hogg Laboratory	
	255
Howard Medical	200
howard wedical	. 34
Incentive Software	198
Intracolor	. 54
JARB Software 17	', 68
The JBM Group, Inc	222
D.P. Johnson	230
Kelly Software Distributors Key Color Software	100
Key Color Software	180
KRT Software	215
Lloyd I/O	250
Mark Data Products	200
Mark Data Products	100
66, 87, 182,	183
Marymac Industries	181
Merrick & Co	206
Metric Industries	. 44
Metro Electronics	117
MichTron	. 37
Micro Computer Systems	. 20
Micro Magic	72
Micro Magic	77
The Micro Works	
Microcom Software	. 10
Microcom Software	. 29
Microware Systems Corporatio	n
Tom Mix Software	249
Tom Mix Software	
IFC, 166, 167, 168, Moreton Bay	169
Moreton Bay	. 79
Nelson Software Systems	
45, 46	. 47
Oelrich Publications	60
The Other Guys Software	221
Owl's Nest Coffiners	240
Owl's Nest Software	
Owl-Ware	. 69
P.B.H	. 89

Del Obsetions 100
Pal Creations106
Parsons Software 50
PBJ, Inc 219
Perry Computers 111
Petrocci Freelance Associates
08
98 Polygon Co
Polygon Co
Dr. Preble's Programs IBC
Prickly-Pear Software 129
PXE Computing 55
PXE Computing 55 QCS (Quality Christian Software)
86
Rainbow Simulation Contest
RAINBOW ON TAPE 126
RAINBOW ON TAPE 126
RAINBOWfest 199
Ram Publications 14
RC Creations 203
Reitz Electronics 186
REM Industries 104
Robotic MicroSystems 205
Saguaro Software 197
Selected Software 242
Six-Pack Ribbons 16
Skyline Marketing 233
The Soft Shop 225
SOFTECH
Softlaw Corporation 45, 46, 47
Software Connection 225
Software Plus
Coftware Current Inc. 170 170
Software Support, Inc 178, 179
Solid Software
Sonburst Software 88
Spectral AssociatesBC
Spectrum Projects 153, 154 155, 157, 161, 162, 163 Speech Systems 214
155, 157, 161, 162, 163
Speech Systems
Star-Kits 211
Sugar Software 70, 71, 217
Syntactics
T & D Software
T&D Software
TCE Programs, Inc 103
Tri-Tech Electronics 204
True Data Products 149 Vidtron
Vidtron 20, 21
Wasatchware 206
The West Bay Company 228
Woodstown Electronics 201
Woodstown Electronics 201 Workbase Data Systems 105
YGS 231
York-10 124, 125
1018 10

GIMIX STATE OF THE ART 6809 SYSTEMS FOR THE SERIOUS USER.



GIMIX has 19MB or high performance 47MB Winchester Drive Systems and/or Floppy Disk Drive Systems. For the user who appreciates the need for a bus structured system using STATIC RAM and powered by a ferro resonant constant voltage transformer.

GIMIX has single user systems that can run both FLEX and OS-9 or Multi user systems for use with UniFLEX or OS-9.

GIMIX versions of OS9 and UniFLEX include maintenance and support by Microware (90 days) and TSC (1 year). Mainte-

nance and support after this period are available at extra

cost.

(NOTE: this support and maintenance is only for use with approved GIMIX hardware)

GIMIX 6809 systems support five predominant operating systems:

OS-9 GMX III,
OS-9 GMX II,
UniFLEX,
OS-9 GMX I,
FLEX

and a wide variety of languages and development software.

Whatever your application: software development, instrumentation, process control, educational, scientific or business; whether you need single or multi-user capabilities, GIMIX has hardware and the operating systems to get the job done reliably.

Please phone or write if you need further information.

For the ultimate in performance, the Unique GMX 6809 CPUIII, using either OS-9-GMXIII or UniFLEX GMXIII (available shortly), gives protection to the system and other users from crashes caused by defective user programs. e.g. During program development, a programmer who crashes goes back to the shell or the debugger, while the other users are not even aware anything occurred.

The intelligent serial I/O processor boards significantly reduce system overhead by handling rou-

tine I/O functions, thereby freeing up the host CPU for running user programs. This speeds up system performance and allows multiple terminals to be used at 19.2K baud.

spe for mu use

BASIC-09 and OS-9 are trademarks of Microware Systems Corp. and MOTOROLA, Inc. FLEX and UniFLEX are trademarks of Technical Systems Consultants, Inc. GIMIX, GHOST, GMX, CLASSY CHASSIS, are trademarks of GIMIX, Inc.



...WITH S.B.U. FROM COMPUTIZE - YOU'LL NEVER NEED ANOTHER BACK-UP UTILITY FOR YOUR COCO!!! SUPER BACK-UP UTILITY WILL PERFORM ALL
OF THE FOLLOWING FUNCTIONS:

- TAPE TO TAPE (Regardless of most protection schemes!)
- TAPE TO DISK (Move Cassette programs to Disk!)
- AUTO RELOCATE (For those Cassette programs that conflict WITH Disk operating systems.)

 DISK TO TAPE (Place Disk programs onto Cassette)
- DISK TO TAPE DISK TO DISK (Our powerful Spit-N-Image Program, *Regardless of protection schemes!)

- MENU DRIVEN!
 REQUIRES 32K EXTENDED COCO
 REQUIRES 1 OR 2 DRIVES (For Disk Functions)
 ALL MACHINE LANGUAGE!!!

COMPARE WITH OTHER INDIVIDUAL PROGRAMS
COSTING IN EXCESS OF \$100.00 OR MORE!!!

***ONLY \$49.95!** (SUPPLIED ON DISK)

SPIT-N-IMAGE (C)

M/L Oisk Back-Up Utility

RAINBOW Image will create a There is no need to suffer the heartbreak of crashed disks any longer Spit-Nmirror image of your valuable disk programs which do not respond to normal back-up functions Will also initialize and back-up in one pass. Data processing experts always insist on haviang a back-up - it's good practice - Don't wait!

REQUIRES 32K CC AND 1 OR MORE DRIVES CASSETTE \$29.95 **DISKETTE \$34.95**

T.T.U. - TRIPLE TRANSFER UTILITY (C)

M/L For Cassette & Disk Program Transfer

Transfer contents of disk to tape * Transfer content of tape to disk * "Select" or "All" Option * Will automatically relocate those cassette programs that conflict with the disk operating system! Will display machine language program address * Copies ASCII Basic & Machine Language Programs 1 All contained in 1 menu driven program 11 RAINBOM M

REQUIRES 32K CC EXT. Cassette \$19.95 Disk \$24.95



This high quality M/L Utility will CONVERT Standard OS-9 Formatted Files/Oisks (51/4") to Radio Shack OS-9 to run on your COCO Will also convert 40 track to 35 track if you require Runs under COCO OS-9

REQUIRES 64K COCO AND 2 DRIVES

SUPPLIED ON DISK ONLY \$49.95

A Unique Interrupt-Based Program Tracer From Spectro Systems

Imaging being able to monitor the operation of a machine-language program While It Is Hunning To display any portion of memory in any of Coco's 26 documented display modes, and to move through memory using the arrow keys. To slow the action to a crawl, or freeze it at will. Instantly switch between watching the output of your program and watching Peeper dynamically display (on screen or printer) the contents of the 6809's registers and stack, showing changes as they are happening. In the slowest speed mode. Peeper provides continuous single-stepping, faster modes give a coarser trace. Or half the action and single-step by repeatedly pressing the space har Peeper supports breakpoints memory examine/change, and more. Think how much easier it would be to modify someone else's ML software if you could determine what routines were being executed at any given point!

For fun (and this requires no ML experience), use Peeper with arcade games, watching the fine details of the animation effects in slow motion. See how the game looks and plays in other graphics modes. Or watch what is happening on "hidden screens" you never see (Makes a superh demonstration i

REQUIRES 16K COCO ON CASSETTE (COPYABLE TO DISK) WITH ASSEMBLER LISTING

\$24.95

Simply stated - the finest graphics program written for the COCO (or any other computer)!

FEATURES



U-S-E-R F-R-I-E-N-D-L-Y !

- 4 Mode (Including Hi-Res Artifact)
- Animate Mode
- Color Palate with over 15 color patterns for use with Hi-Res Artifact
- Send/Receive pictures over standard modern at 300, 600 or 1200 baud
- Supplied utility allows capturing Hi-Res Screens from most COCO arcade type games (Even protected ones)
- Multiple Hi-Res character fonts (user changable & definable)
- Supplied utility for transferring graphicom screens to basic or other M/L Programs
- Supplied utility for loading screens from basic or other sources
- Built in Screen print i Pre-defined for Epson; C-floh, RS I,P VII, LP VIII, DMP 100, DMP 200, DMP 120, GGP 115, GEMINI 10, and OKI) 110 to 9500 baud
- Slow scan television send/receive options
- Many additional features, operating hints, hardware mods and suggestions, etc. etc.!

★ EASY TO LEARN GRAPHIC MENU ★ REQUIRES 64K COCO - 1 DRIVE - JOYSTICKS

\$24.95

New!

- * MULTI DRIVE COPY PICTURE FROM ONE DISK TO ANOTHER.
- * KILL (BLANK OUT) INDIVIDUAL PICTURES ON A PIX DISK.
- EASILY LOAD BINARY FILE TO PICTURE LOCATION.
- * DISPLAY INDIVIDUAL PICTURE.

Disk \$19.95

Send for your GRAPHICOM Picture Disk Catalog

- Re-direct printer output to cassette for later printing or archival
- Uses 310 byte machine language driver which is appended to basic programs After 1 call all print # -2 basic statements redirect all printer output to cassette
- Can be turned on and off while your basic program is running
- Can write to cassette and printer at same time
- Absolutely no change to printer formats
- All control codes normally sent to printer will be captured to the cassette with printed data
- Supplied whilely will print from tape, convert the tape to a disk file, print the converted disk file and print multiple oppies of either the tape or disk (multiple copy function cannot process files greater than 14,790 characters).
- Great for generating 2 separate reports from the same file on a single pass.

 Use as a "printing press" for generating multiple copies of meeting multiple ads circulars.
- Share a printer!! Take your "Saved Printout" on tape to a friend that has a printer!

REQUIRES 32K EXT. COCO & CASSETTE (DISK · PRINTER OPTIONAL)

CASSETTE \$21.95

FLOPPY DISK

One sided Double Density Soft-Sectored With Hub Ring

Box of 10 — \$26.95

fransfers to your printer the ASCII and Hexidecimal contents of a disk by entire file, individual De-Bugging or sectors or grandules

REQUIRES for tax

& PRINTER

DRIVES,

COCO, 1 OR MORE

32K EXT.

\$2.00 add Add

Þ 5



- memory like a fast disk drive.
- Un-DISK can store BASIC and MACHINE LANGUAGE programs.
- Un-DISK is INVISIBLE. Yup! Un-DISK does not interfere with normal Color Computer Operation.
- Un-DISK appears only when you type the magic word VDOS.
- Un-DISK comes with comprehensive instructions which you may not need because:
- Un-DISK is self-prompting and easy to use!
- Un-DISK is provided on cassette.
- Un-DISK is faster than a slow clumsy DISK DRIVE and best of all . . .
- Un-DISK is CHEAPER than a DISK DRIVE!
- Un-DISK will work even if you already own a disk but WHY BUY A DISK AT ALL?
- . Un-DISK should be in the library of every serious CoCo user even if you own a disk says Frank J. Esser, independent reviewer for RAINBOW Magazine!

But if your finances are limited, the Un-DISK can give you much of the power of the mechanical drive. Even if you already own a disk the Un-DISK can work like a super fast extra disk.

EXTRA...EXTRA...EXTRA...EXTRA... Additional Power For \$14.95

Only with VDUMP for the Un-DISK!

- VDUMP lets you make a cassette backup copy of everything stored in the Un-DISK.
- VDUMP lets you save 5, 10, 15 or more programs on a single cassette tape file.
- VDUMP lets you switch Un-DISKs. With a single load operation replace a group of financial programs with a set of children's programs. (The new VDUMP tape overwrites the old.)
- VDUMP can allow you to save a whole lot of RAINBOW ON TAPE in a SINGLE file.
- · VDUMP is the perfect companion to the Preble VDOS Un-DISK.

Available from Doctor Preble's Programs, naturally! Bringing you fine Color Computer Products Since 1983!

The Preble VDOS Un-DISK \$49.95
The Preble VDUMP\$14.95
Shipping & handling
U.S. and Canada
or \$5.00 to other foreign points

VISA and MasterCard accepted



Order From: Dr. Preble's Programs 6540 Outer Loop Louisville, KY 40228 (502) 966-8281

Canadians may order from Kelly Software

COLOR BASIC UNRAVELLED



wonderful tricks it does?

little diskette? Now you can find out for yourself.

Color Basic is a set of three books that will provide you with a COMPLETE COMMENTED SOURCE LISTING OF TRS-80 COLOR, EXTENDED and DISK BASIC.

The listing will enable you to determine exactly how Basic works. An explanation of the Color Basic Interpreter is in

> ORDERS ONLY 1-800-426-1830 EXCEPT WA, AK, HI

MOST RECENT ROM VERSIONS

COLOR BASIC UNRAVELED EXTENDED BASIC UNRAVELED DISK BASIC UNRAVELED

\$19.95

All 3 for \$49.95

BUSINESS OFFICE HOURS MONDAY - FRIDAY

8:30 - 4:30 P.D.T. (206) 581-6938