

From Computer Plus to YOU ...

PLUS after PLUS after PLUS



Tandy 1100 FD \$559* Tandy 102 32K \$439 Tandy WP-2 \$279



Tandy 2500 SX \$999.00 Tandy 4020 SX \$1499



Tandy 1000 RL \$439 Tandy 1000 TL/3 \$429*







BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS

COMPUTERS		COLOR COMPUTER MISC.			Tandy Educatioal Software		2.00
Tandy 1000 RLX HD 1 Drive 1 Meg RAM	999.00	Tandy Drive Controller	89.0	00 *	Spinnaker Software		2.00
Tandy 1500 HD 1 Drive 640K	1015.00 *	Extended Basic Rom Kit (28 pin)	14.9	95	Max 10 by Colorware		79.95
Tandy 2810 HD 1 Drive 1 Meg RAM	1859.00 *	64K Ram Upgrade Kit (2 or 8 chip)	39.	00	AutoTerm by PXE Computing 29	95	39.95
Tandy 1000 RL HD-1 Drive-512K	769.00	Tandy Deluxe Keyboard Kit	24.	95	TW-80 by Spectrum (COCO 3)		39.95
Tandy 1100 FD 1 Drive 640K	559.00 *	HI-RES Joystick Interface	8.5	95	TeleWriter 64 49.	95	59.95
PRINTERS		Color Computer Deluxe Mouse	44.1	00	TeleWriter 128		79.95
Tandy DMP-107 120 CPS	129.00 *	Multi Pak Pal Chip for COCO 3	14.	95	Elite Word 80		79.95
Tandy DMP-302 270 CPS	469.00	COCO 3 Service Manual	29.	95	Elite Calc 3.0		69.95
Tandy DMP-202 180 CPS	299.00	Serial to Parallel Converter	59.	95	CoCo 3 512K Super Ram Disk		19.95
Tandy DMP-442 300 CPS	539.00	Tandy Deluxe Joystick	19.	95	Home Publishing by Tandy (CoCo 3)		35.95
Tandy LP-950 Laser Printer	1299.00	Magnavox 8135 RGB Monitor	299.	00	Sub Battle Sim. by Epyx (CoCo 3)		26.95
Tandy DMP-240 192 CPS 8 color	399.00	Magnavox Green or Amber Monito	r 99.		Thexder by Sierra (CoCo 3)		22.45
Panasonic KXP 1180 192 CPS	189.00 *	CoCo 3 Gime Chip	29.	95	Kings Quest III by Sierra (CoCo 3)		31.45
Panasonic KXP 1123 24 Wirehead	259.00 *	Tandy Pistol Grip Joystick	17	95 *	Flight Sim. II by SubLogic (CoCo 3)		31.45
Panasonic KXP 1124 i300 CPS	329.00	PBJ OK COCO 3 Upgrade Board	29.	95	OS-9 Level II by Tandy		71.95
Okidata 320 300 CPS	369.00	PBJ 512K COCO 3 Upgrade	89.	00	OS-9 Development System		89.95
Okidata 380 180 CPS 24 Wire HD	239.00	Tandy OK COCO 3 Upgrade Board	39.	95	Multi-View by Tandy		44.95
OKI Laser 400 4PPM	699.00 *	Tandy 512K COCO 3 Upgrade	99.	00 *	VIP Writer (disk only)		69.95
		COLOR COMPUTER SOFTWARE			VIP Integrated Library (disk)		149.95
MODEMS			TAPE DIS	SK	Prices are subject to change without n	ntice	Please

Tandy DCIM-7
Cardinal 1200 Baud External
Cardinal 2400 Baud
Cardinal 2

52.00

The Wild West (COCO 3)
Worlds of Flight
Mustang P-51 Flight Simul.

TAPE
UISK
25.95
25.95
34.95
34.95
34.95
34.95
*Sale pri

Prices are subject to change without notice. Please call for shipping charges. Prices in our retail store may be higher. Send for complete catalog.

*Sale prices through 12-15-91

CALL TOLL FREE 1-800-343-8124

- LOWEST POSSIBLE PRICES
- BEST POSSIBLE WARRANTY
- KNOWLEDGEABLE SALES STAFF
- TIMELY DELIVERY
- SHOPPING CONVENIENCE



Tandy DCM-6





computer

P.O. Box 1094 480 King Street Littleton, MA 01460 DUS SINCE 1973

IN MASSACHUSETTS CALL (508) 486-3193

serving the CoCo Community for

Table of Contents

December 1991 Vol. XI No. 5

Features



30 The CoCo Sound Generator

Walt Noon

Add bells and whistles to your BASIC creations

46 Pirate's Treasure

Jon Dueck A text adventure for use with the CoCo 1, 2 and 3

Columns

44
BreakPoint Greg Law
The procedure generator

26 CoCo Consultations Marty Goodman Monitor conversions

32 Delphi Bureau Eddie Kuns Submission ideas

Print#-2 Lonnie Falk Editor's notes

14

A New Approach THE RAINBOW Staff A look at the 68070-based MM/1 personal computer

14 Spicy Dice

Francois Dubuc Rolling for a win with OS-9 The cassette tapertisk symbols beside features and columns indicate that the program Istings with those articles are on this morth's RANBOWONTAPE and RANBOWONTAPE. For deals dreak the RANBOWONTAPE For deals dreak the RANBOWONTAPE and RANBOWONDISK adonpage 50.

Departments

Advertisers Index	49
Back Issue Info	24
etters to Rainbow	4
Received & Certified	42

Novices Niche

Press Continue Bill Bernico

20 File Size Darren Blaine Day

21
PMODE 4 Snapshot Steiran Kenny

21 Improved Directory Geoff Friesen

22 Peggity Seorge Aftamonow

25 Palette Tints Keiran Kenny

December 1991

Product Reviews

In the Limelight	
Cybervoice/Burke & Burke	36
CIII PagesE 2.5/Coless Computer Design	39
OS-9 Calendar Utilities/MV Systems	38
ZClock/Burke & Burke	38

THE RAINBOW is published every month of the year by FALSOFT, Inc., The Falsoft Building, 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059, phone (502) 228-4492. THE RAINBOW, RAINBOWfeat and THE RAINBOW and RAINBOWfeat togotypes are registered trademarks of FALSOFT, Inc. Second class postage paid Prospect, KY and additional offices. USPS N. 705-050 (ISSN No. 0746-4797). POSTMASTER: Send address changes to THE RAINBOW, P.O. Box 385, Prospect, KY 40059, Authorized as second class postage paid from Hamilton, Ontario by Canada Post, Ottawa, Ontario, Canada, Sentre contents copyright by FALSOFT, Inc., 1991. THE RAINBOW is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever. Tandy, Color BASIC, Extended Color BASIC and Program Pak are registered "trademarks of the Tandy Corp. Subscriptions to THE RAINBOW are \$31 per year in the United States. Canadian rates are U.S. \$38. Surface mail to other countries is U.S. \$68, air mail U.S. \$103. All subscriptions begin with next available issue. Elizable Suses are available. Please see notice for issues that are in print and their costs. Payment accepted by VISA, MasterCard, American Express, cash, check or money order in U.S. currency only. Full refund after mailing of one issue. A refund of 10/12ths the subscription amount after two issues are availed. No refund after mailing of three or more magazines.

THE RAINBOW

Editor and Publisher Lawrence C. Falk

Managing Editor Cray Augsburg
Associate Editor Sue Fomby
Submissions/Reviews Editor Tony Olive
Technical Editor Greg Law
Technical Assistants Ed Ellers,
Gregory Shultz
Editorial Assistant Julie Hutchinson

Editorial Assistant Julie Hutchinson Contributing Editors

Tony DiStefano Martin Goodman, M.D. Eddle Kuns

Art Director Heidi Nelson

Designers Sharon Adams, Teri Kays,

Debbee Diamond

Consulting Editors Judi Hutchinson, Laurie D. Falk Typesetter Debbee Diamond

Falsoft, Inc.

President Lawrence C. Falk

General Manager Peggy Lowry Daniels
Asst. General Mgr. for Finance Donna Shuck
Admin. Asst. to the Publisher Kim Thompson
Editorial Director John Crawley
Director of Creative Services O'Neil Arnold
Chief Bookkeeper Diane Moore
Dealer Accounts Judy Quashnock
Asst. Gen. Manager For Administration
Tim Whelan

Corporate Business Technical Director Calvin Shields

Customer Service Manager Beverly Bearden Customer Service Representative

Patricia Eaton

Chief of Printing Services Melba Smith Business Assistant Wendy Falk Barsky Chief of Building Security and Maintenance Lawrence Johnson

Asst. General Manager for Advertising, Development and Production Ira Barsky Advertising Representatives Belinda Kirby, Kim Lewis

Advertising Assistant Carolyn Ferwick (502)228-4492

For RAINBOW Advertising and Marketing Office Information,see Page 49

Aetters to the RAINBOW

Users Unite

Editor:

I want to thank THE RAINBOW for bringing me news about the CoCo since October 1987 (when I discovered it). I have been programming since I got a CoCo 2 in 1986 and have been upgrading my system ever since. Without THE RAINBOW, I (like so many others) would have "upgraded" my CoCo 2 by purchasing an MS-DOS computer, not a CoCo 3.

This letter is primarily in response to the September 1991 issue entitled "A New Era." It is indeed just the beginning; it marks the end of Radio Shack's involvement, and it means we need to rely heavily on THE RAINBOW and modern networks.

THE RAINBOW is the most influential publication available for the CoCo. The products it has deemed the best for the CoCo are the ones that have lasted throughout the CoCo era, with only a few minor exceptions. The fact that Delmar's System IV was the first to be reviewed by THE RAINBOW staff makes it a very serious candidate for the "CoCo 4" title so sought after by vendors in this market.

It also makes me worry. Already, there are the MM/I and the TC9 Tomcat. Many have ordered MM/Is in the expectation that it will be the next step in the CoCo evolution. Others have gone out on a limb and ordered the TC9, and maybe the Tiger to go with it. I didn't consider this Delmar System IV to be a major contender in the battle for the title—that is, until the September issue. This makes three different contenders for the title, which could cause serious confusion in the CoCo community. It seems to be leading to diversification, which could spell downfall.

THE RAINBOW may find itself in a particular place of power now. If the CoCo community is going to stick together, it needs THE RAINBOW to guide it. When THE RAINBOW gets the other two systems, it should give them equal coverage to what was given the System IV — no more, no less. Then the community should discuss what it really wants, and not just listen (while grinning like children) to what these new systems have to offer.

There are only two things I can safely do at this point: resubscribe to THE RAINBOW and write letters. I urge all CoCo users and RAINBOW readers to do the same. Also, since I have a modem, I'll be using both Delphi and the national echo bases on the BBSs. The choice as to the winner of the "CoCo 4" title is still ours. It is our job to

make our individual choices. To keep the community together, THE RAINBOW should do its part by letting everyone else know what those choices are.

Well, I've put in my two cents. I want to know what everyone else is thinking. In order for the community to survive as it is, we have to communicate. In order for it to grow, we have to be active about it. It comes down to what the ad from IMS said a while back: "For the first time, a community has banded together to design their next computer." We are that community.

James Wilcox Epping, New Hampshire

The new computers affecting this market are a natural extension of the power we have come to know with the CoCo. However, these machines are not CoCos, and the title "CoCo 4" seems inappropriate.

Each of the new computers has individual strong points, and choosing the right one for you can be difficult. We're doing what we can to bring you information now that the machines are actually becoming available. (See this month's article on Page 10 regarding evaluation of the MM/1. The TC9 was discussed in the November issue on Page 10).

At the same time, the System IV, the TC70 and the MM/1 all run OS-9/68000. This sounds more like unification than diversification.

It is our opinion that all of these machines can be winners at the same time—none of them currently holds a particular advantage in all areas. There is no reason to limit ourselves to just one "replacement." Besides, nothing can truly replace the CoCo. But these computers do increase our options.

Packet Radio

Editor:

I am an amateur radio operator, and I am looking for a packet-radio terminal program. I have a CoCo 3 and a Kantronics Packet Communicator TNC. Does anyone know where I can get a disk program for this?

Steve Baker P.O. Box 5151 Quincy, IL 62305-5151

Help for Tape Users

Editor:

I noticed your response to the letter regarding recovering tape software (September 1991, Page 5). I have also lost programs, after spending an hour or more

CBASIC Editor/Compiler The ULTIMATE Color Computer Basic Compiler!!!

If you want to write fast machine language programs but you don't want to spend the next few years trying to write them in Assembly Language, then CBASIC is the answer!!!

CBASIC is the only fully integrated Basic Compiler and program editing system available for the Color Computer. It will allow you to take full advantage of all the capabilities available in your color computer without having to spend years trying to learn assembly language programming. CBASIC allows you to create, edit and convert programs from a language you are already familiar with Extended Disk Color Basic, into fast efficient machine language programs easily and quickly.

"The most complete Editor/Compiler I have seen for the CoCo... "-The RAINBOW March 1986

CBASIC is a powerful tool for the Beginner as well as the Advanced Basic or M.L. programmer, CBASIC features well over 150 compiled Basic Commands and Functions that fully support Disk Sequential and Direct access files, Tape, Printer and Screen VO. CBASIC supports ALL the High and Low Resolution Graphics, Sound, Play and String Operations available in Enhanced Color Basic, including Graphics H/GET, H/ PUT, PLAY and H/DRAW, all with 99% syntax compatibility.

Specify Coco 1, 2 or 3 Disk \$149.00

DataPack III Plus V1.1

AUTOPILOT and AUTO-LOG Processors X-MODEM DIRECT DISK FILE TRANSFER VT-100 & VT-52 TERMINAL EMULATION

- · No lost data even at 2400 Baud on the Serial I/O port.
- 8 Selectable Display Formats, 32/40/64/80 columns
- ASCII & BINARY disk file transfer via XMODEM.
- · Directly record receive data (Data Logging).
- VT-100 emulation for VAX, UNIX and other systems.
- VT-100/52 cursor keys, position, PF & Alt. Kbd. keys.
- · Programmable Word Length, Parity, Stop Bits
- · Complete Full and Half Duplex operation.
- Send full 128 character set from Keyboard
- · Complete Editor, Insert, Delete, Change or Add
- · 9 Variable length, Programmable Macro Key buffers,
- · Programmable Printer rates from 110 to 9600 Baud.
- · Send Files from the Buffer, Macro Key Buffers or Disk. · Display on Screen or Print the contents of the Buffer.
- · Freeze Display & Review information On line .
- Built in Command Menu (Help) Display.

Supports: Modem-Pak & Deluxe Pak or Serial Port. Specify Coco 1, 2, 3 Disk \$49.95

EDT/ASM III


EDT/ASM III is a Disk based co-resident Text Editor & Assembler. It is designed to take advantage of the new features of the COCO 3. It has 8 Display formats from 32/40/64/80 columns. The disk also contains a free standing ML Debug Monitor.

EDT/ASM III has the most powerful, easy to use Text Editor available in and Editor/Assembler package for the Color Computer.

- Local and Global string search and/or replace.
- * Full Screen line editing.
- * Load and Save standard ASCII formatted files.
- * Block Moce & Copy, Insert, Delete, Overtype.
- Create and Edit files larger than memory.
- The Assembler features include:
- · Conditional II/Then/Else assembly.
- * Disk Library files up to 9 levels deep.
- Supports standard Motorola directives.
- Allows multiple values in FCB/FD8 directives.
- * Allows assembly from Buffer, Disk or both Specify Coco 1, 2 or 3 Disk \$59.95



Window Master V3.0



The Ultimate User Friendly Point & Click operating System for your Coco 3. Simple enough even for children to use, just point and click to run programs, select files, do disk or file maintenance or almost any



task you currently do by typing commands. You also get things like a print spooler, Programmable Function Keys, a Buffered Keyboard,

Ramdisk, Serial VO port and Deluxe Pak support along with Windows, Icons, Buttons, Pull Down Menus, Edit Fields and Mouse functions all in one program. It has multiple fonts in 54 possible sizes and styles. Enhanced Basic Editing and much much more. It add over 50 commands and Functions to Basic to fully support the Point & Click System without OS9. "...it offers so many features that it is probably underpriced. I recommend this software to all CoCo3 owners." -The Rainbow Feburary 1989

It is completely compatible with existing Basic programs and takes absolutely no memory away from basic. It requires 1 Disk Drive, R.S. hires interface & Joystick or Mouse.

Includes 128 & 512K Versions Only \$69.95



"The Source"

The SOURCE will allow you to easily and quickly Disassemble machine language programs directly from disk and generate beautiful, Assembler Source Code. And " The Source" has all the features and functions you are looking for in a Disassembler .

- Automatic Label generation.
- * Allows specifying FCB, FCC and FDB areas.
- Disassembles programs directly from Disk.
- * Automatically locates addresses.
- Output listing to the Printer, Screen or both.
- * Generates Assembler source directly to disk.
- Built in Hex/ASCII dump/display.
- * 8 Selectable Display formats 32/40/60/80.
- * Built in Disk Directory and Kill file commands.
- Menu display with single key commands.
- * Written in Ultra fast machine language, Specify Coco 1, 2 or 3 Disk \$49.95

Window - Ware

Window Writer- A point & click Word Processor, powerful formatting capability, works with any printer. On screen Italic, bold etc. WYSIWYG... "Window Writer is a powerful word processor that is fun to use, very user friendly The Enviornment compares favorably to that of Microsoft Windows " - RAINBOW Dec. 1989 Window Writer/W- for non W/M owners... Window Basic Compiler-similar to CBASIC...\$99.00 Window Edt/Asm- A full featured Assembler...\$49.95 Font/Icon Editors- Basic & M.L. versions....... \$19.95 Advanced Programmers Guide ... \$24.95 The Memory game - Concentration game\$19.95 Desk Accessory Pak-7 resident programs\$39.95

Deluxe Terminal V1.0

A Completely New and Easy to use Terminal Program designed specifically for the Coco III.

With advanced features you would expect to find only in a Hi-Priced MS-Dos program. It has a 26 Entry Phone Directory with complete Configuration information for Communications and Automatic logon. Supports the Serial I/O Port up to 2400 baud, Deluxe & Modern Pak and the Disto Serial I/O board up to 9600 baud. It has a Full Screen Text Editor, X/Y Modern File transfer support, Split Screen Conference Mode, Macro Keys. Full Disk Support including Multifile Copy, Kill, Rename, Arc/Un-Arc and Disk Initialize and it is Completely Compatible with ADOS.

Requires 128K, Disk & 80 Col Display

Introductory Prices only \$34.95

CoCo III Tool Kit

Disk Commands Backup, Initialize, Deckup, Initialize, Directory, Verify, Compere, Search, Edit, Erase, Spoed Tost, Step Rate Test, Gran Table Analysis & Repair

File Commands Arcive, Copy, Kill, Rename, Erase, View, Edit, Print, Compere, Salvage, Search, Verify, Test Arcive, Un-Arcive, Xmodem Send/Rec.

The Disk Utility Program that you always dreamed of is now a Reality.

Coco Tools is a comprehensive set of disk utilities, providing the most complete set of functions available for the standard R.S. DOS disk system. Comparable in scope and functionality to that of the famous utility available for MS-DOS computers "PC-TOOLS"!

Coco Tools is also the most Comprehensive Disk Repair program available, it Automatically ciagnosis and repairs file allocation errors, locates corrupt directory information and cross linked files. It provides fast and easy recovery of deleted files without the drudgery normally associated with killed file recovery. Requires 128K, Disk and 80 col. display \$49.95

Christmas Specials Savings Up To 35%

Coco III Tool Kit\$39.95 EDT/ASM and The Source\$89.95 CBASIC Editor/Compiler.....\$99.95 Window Master & Desk Acc Pak....\$69,95

VISA, MASTERCARD or COD Call Toll Free 1-800-383-8529

(Monday thru Saturday, 8am to 5pm PST). To order by mail, send check or money order for the amount of the program plus \$4.00 for shipping to:

Cer-Comp Ltd. 5566 Ricochet Avenue Las Vegas, NV 89110 702-452-0632

entering them, due to I/O errors. This is very

annoying.

One of the first things I do when confronted with this problem is clean and demagnetize the tape-recorder heads. I use a Radio Shack head cleaner and demagnetizer (Cat. No. 44-631). I have been lucky in some cases — the demagnetizer eliminated the 1/O error, and the program loaded. In other cases I was not so lucky. (Perhaps I should have cleaned and demagnetized the heads before trying to CSAVE programs.)

There are some things that might happen for which there is no solution other than to retype the program: a defective tape section, a power failure or voltage change, an unwanted noise signal or a disconnected cable. To counter some of these effects, make two saves of a program when saving it to tape. Also consider using two tapes for each program — if something happens to one save, chances are that you can recover the second.

It is sometimes helpful to listen for excessive noise on the tape. To do this, put the tape into the recorder, press the Play button and enter the following commands

MOTOR ON AUDIO ON

Turn up the volume and listen to the sounds. For the best results, the sound should be high in pitch and crystal clear. You can adjust the head alignment by using a small jeweler's screwdriver in the hole just above the cassette compartment. However, any adjustments may cause difficulties when you try to load older tapes; you may have to readjust the alignment for those tapes.

Another trick I sometimes use is to save programs (at least one save) in ASCII format. Then if a problem occurs, I can load the program into Scripsit II (a ROM-Pakbased word processor sold by Tandy). Scripsit II can usually load most of the ASCII-saved BASIC program, and I can edit any errors and save the program to another tape.

John Buchwald San Francisco, California

Formatting Listings

Editor:

Here's a trick I discovered several years ago. I found it is possible to indent BASIC program lines, making listings far more readable. For example, nested FOR/NEXT loops normally look like this:

- 10 FOR X-1 TO 3
- 20 FOR Y=1 TO 4 30 PRINT X+Y
- 40 NEXT Y
- 50 NEXT X

Using the Insert function of the EDIT command, insert a space after the line

number in Line 20. To do this, enter EDIT 20, then press I (to get into the Insert mode) followed by a space and ENTER. Similarly, insert two spaces after the 30 in Line 30 and one space after the 40 in Line 40. When you list the program, the screen displays

- 10 FOR X-1
- 20 FOR Y-1 TO 4
- 30 PRINT X+Y
- 40 NEXT Y
- 50 NEXT X

The program is far more readable. Program operation is not affected in any way, and this new format is preserved when printed on the printer.

Also, this past July I bought a Tandy ROM-cartridge game called SokoBan (Cat. No. 26-1361) for my CoCo 3. I was totally addicted to it until mid-August, when I solved the 50th and final board. I would like to correspond with other users to share solutions, ideas and approaches.

My thanks to all of you for a most enjoyable magazine. Some of us die-hard CoCo owners often feel like an endangerd species (Beta-format VCR owners may be able to empathize), but I am "reborn" with each issue of THE RAINBOW.

Robert Kurosaka 16 Grapevine Avenue Lexington, MA 02173

A Cool Response

Editor:

Regarding the recent question on how to reduce heat buildup in the CoCo, I found that a small venting fan obtained from Radio Shack fits nicely into the computer and works well. The fan is powered by a 12-volt AC adapter with a 300-mA capacity. Since the fan makes some noise, I put a small switch in the positive side of the line and turn the fan on only occasionally to keep the temperature down to a safe level. You can leave the fan on continuously if the noise level is not objectionable.

Clifford Goddard Bay City, Michigan

Random Agreement

Editor:

I agree with Ross Chamberlain's letter (September, 1991, Page 4) in which he points out that a routine to randomize a list can be very useful. An application of this technique can be seen in lines 190 through 270 of Car Bingo, a program I wrote (November 1989, Page 42).

Warren Cheves Bristol, Tennessee

Programmer Needs Assistance

Editor:

I recently purchased a CoCo 3, and I am trying to write a graphics adventure using the Hi-Res screens. I have not been able to make the game remember what items the player gets — the game uses seperate programs for each room. I am also having problems making the commands appear as the user types them. Will someone please help me fix these problems, or show me how to add a point-and-click interface to the program. Since the separate programs are so long, I think combining them into one program won't work.

Patrick Dixon 1183 Spartan Avenue Carson City, NV 89701

Worth the Price

Editor:

I've had a CoCo 3 for almost four years now, and I'm sorry that I didn't subscribe to THE RAINBOW until November of last year. In the middle of this year, I wrote a letter to the editor, which was published in the August 1991 issue. Let me tell you of the royal service I've received so far.

Since the letter was published, I have received helpful replies from two people. One reader sent me disks with some utilities he wrote, and the other knew of dealers that offer books I needed. I, too, have offered help to another reader. That person is now my computer penpal.

On another occasion, I sent a suggestion to Bill Nee, author of "The Assembly Line." Several days after that, I received a polite response from him, and he even offered his assistance to me. He mentioned also that he would try to use my suggestion in one of his articles.


I subscribe to four magazines, and of the four, I find THE RAINBOW is the best. It is an invaluable source of information for me, and it is well worth the price.

Jason Smith Tamaqua, Pennsylvania

THE RAINBOW welcomes letters to the editor. Mail should be addressed to: Letters to Rainbow, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. Letters should include the writer's full name and address. Letters may be edited for purposes of clarity or to conserve space.

Letters to the editor may also be sent to us through our Delphi CoCo SiG. From the CoCo SiG> prompt, type RAI to take you into the Rainbow Magazine Services area of the SiG. At the RAINBOW> prompt, type LET to reach the LETTERS> prompt and then select Letters for Publication. Be sure to include your complete name and address.

Make Christmas magic with your CoCo





Save \$100 BOTH CoCo Max III and Max-10 for \$1.990,04 \$49 95



Christmas Bonus: THE WORKS for an amazing \$79.95

The Works is: CoCo Max III + Max-10 plus ALL the additional fonts at a super low price

About Max-10

What the CoCo Community needs is a word processor that's rock solid, blindingly fast, feels like a Macintosh, makes all the others look boring, and does not cost \$80.

Max-10 is just that and more, it allows on screen mixing of graphics and text, large

screen mixing of graphics and text, large headlines, multiple columns and full page preview (with graphics). We swear that Max-10 will add excitement

We swear that Max-10 will add excitement to your word processing, and that's no small task!

PRINTERS SUPPORTED: EPSON FX.MX.RX.LX AND COMPATIBLES: DMP 105,108,130: CGP220 (B&W); OKI 182,92,192; STAR NX-10, NX-1000.

Max-10 Add-ons

System Requirements

Max-10 and CoCo Max III Require: any CoCo 3: 1 or more disk drives; joystick or mouse: Radio Shack Hi Resolution joystick interface; a video or RGB monitor or a TV.

About CoCo Max III

Whether you doodle for fun or design graphics for a living. CoCo Max will amaze you. It's simply that good! Its major features include: Huge picture area (2 full hi-res 320x192 screens). Large

Its major features include: Huge picture area (2 full hi-res 320x192 screens). Large editing window. Zoom mode for detail work. 28 point and click drawing tools. Shrink and stretch. Rotation at any angle (1.5° steps). 512K memory support (all features work with 128K too). Undo (Oops) feature to fix mistakes. Animation. Special effects. Color sequencing (8 colors, variable speed). 13 fonts (more available). Each font has 8 sizes and 5 styles for thousands of possible combinations. Translate program to convert most types of pictures. CoCo Show "slide show" program. Miniload program to help use pictures with your software. Color editing of patterns. Prints in single or double size. Select 16 of 64 available colors, all 64 colors are shown at once for easy selection. Pull-down menus. 40 paint brush shapes, Two color lettering. Spray can, Amazing "flowbrush". RGB and composite monitor support. Colors print in 5 shades of gray.

PRINTERS SUPPORTED: EPSON RX.FX.MX.LX AND COMPATIBLES; STAR/GEMINI NX-10.NX-1000; DMP100.105.106.110,120.130.200; OKI 82A.182.192; CSP-220/BAWA

Color Drivers available. See next column.

CoCo Max III Add-ons

Max Fonts disks, 95 fonts on 4 disks, For those thousand words your picture equals, Now only \$29.95
Or two sets of two disks each \$14.95

Max Edit Don't like our fonts? Make your own or edit existing ones. Creativity literally from scratch. Don't pass this offer




Happy Holidays from all of us at Colorware



Call or Write Now

(203) 259-7713 Weekdays 9-5 EST

Ordering Information: We accept Visa, Mastercard, Checks and M.O. C.O.D. is \$4 extra Purchase orders are subject to credit approval. Connecticut residents add 8% sales tax. Shipping: \$4 per order (usually UPS ground). UPS 2nd Day Air: \$4 extra. Next Day service available. Canada: \$6 per order (Airmail). Outside U.S. & Canada: Add 10% of order total.



Colorware 303 Linwood Ave. Fairlield, CT 06430



Play'n'Learn

ince the subject of this month's issue is entertainment and garnes, let me share some thoughts about "play." When Tandy first developed the Color Computer and people began to see the power that was stored on its Motorola 6809 processor, they chastised Tandy for developing a "game machine" when the computer was capable of so much more.

Some of the most popular games in the early days of the PC world did (and some still do) have what is affectionately known as a "boss screen." If the boss walks into your office, you press a key combination and a fake spreadsheet appears so it looks like you are working.

On one occasion when I went to visit my accountant, I happened to look at the receptionist's computer screen. I was somewhat surprised to see she was not doing anything more accountingly than playing a hot game of Mah Jongg while answering the telephones.

Games and entertainment and play seem to have a bad rap. This is too bad.

When I was a little kid, my big treat on Sundays was my father driving me to the corner drug store, where I was able to buy a dollar's worth of comic books. In those days, that meant 10 comic books, and that would be enough to keep me busy most of the day.

The Walt Disney characters were among my favorites, especially Donald Duck. But what would surprise my father the most, I think, is that I actually learned things from those comic books. Some time during the week, we would all be eating dinner and I would add some fact or another. My father would always ask me where I learned that, and I would always tell him from a comic book. He would usually dismiss that with a statement to the general effect that I was trying to ensure a continuing supply of comic books on Sunday.

One night my father's boss, Mr. Widders, came to dinner and, since my father worked for Remington Rand — which sold computers, a relatively new business back then — talk that evening turned from business to science to,

somehow, time

Mouse

travel. I remarked how dangerous time travel might be, since someone going back in time might inadvertently destroy something that would affect things in the future.

Mr. Widders remarked what an astounding statement that was from a kid of seven or so and asked me where I came up with it. "From a Captain Marvel comic book," I told him. In one single stroke, I suppose I ensured my comic book supply for all the Sundays to come.

The point of all this is that the comic books, a form of play, contained a lot of interesting and educational material. Disney's Donald Duck wandered off to all sorts of places, and readers found out the name of the capital of Argentina or the highest mountain in the European Alps when they went along.

So, too, with computer entertainment.

Many adventure games teach us all about the power of logical thinking and reasoning. Often, too, we learn interesting facts and information when these games are set in real-world locations. How many of us have learned more about astronomy, not by reading a book, but by playing a game about space exploration?

The Carmen Sandiego series of games is brimming with educational information, of course. And the players don't seem to mind learning it while they solve the puzzles. Similarly, there are a host of simulations that teach a whole lot of things about a subject. You have to master the subject to win the game.

Sometimes this learning is somewhat overt, like in the Carmen Sandiego series, but sometimes it is much less so, as with The Microscopic Mission. Much of what is in Mission is fact, from anatomical and disease names to processes of the human body.

The list could continue for a long while, but the basic theme here is that games are usually educational in nature — even the war games, many of which require a great deal of knowledge about history.

If someone in your house wants a game, don't just dismiss it. Games and entertainment often lead the way to knowledge.

- Lonnie Falk



Finally, there's NO need to leave O5-9 to produce sophisticated-looking newsletters, signs, or documents! Create headlines & columned text, utilizing different fonts, clipart pictures, fill patterns. and text, and create publications that have that PRO-look! Comes complete with fonts, pictures, and fills, ready-to-run! Requirements: 256k CC3, OS-9 lv 2, mouse or joystick. Printers currently supported include Epson-compatibles (Star, etc.), Tandy DMP-105/6, 130/2.

CoCoPRO! RS-232 PAK & KIT

Created by Marty Goodman, FULLY-compatible with the Slotpak, Multipak, or Y-cable. Buy the pak complete, or purchase the kit and convert your own DCM pak into a usable, working RS-232!

Pak- \$44.95 Kit- \$26.95

512k Upgrade w/Lightning software The BEST! New 120ns DRAM, PP board

\$69 \$95 AMT Star 2400-baud modem \$299 Magnavox 1CM135 w/cable Slotpak-3 Multipak replacement. \$89

\$15 12-volt adapter for above

\$79 IBM Keyboard interface \$89 Disto Super Controller 1

Disto HDISK/232 board

20-meg Hard Disk

\$69

Complete, ready to plug-n-run! Ken-Ton interface. Fully tested & formatted. Requires MPI, Slotpack, or Y-cable. Can be partitioned for both DECB & OS-9 **\$**399 with optional RGB-DOS and OS-9 drivers.

Presto-Partne	\$29.95	Data Windows	\$59.95
Data Merger	\$19.95	Level II Tools	\$24.95
		The Zapper	
Multi-Menu		059 Lv2 BBS	
EZGen	MADONE - NOTE -	File Recov. Sys	A CONTRACTOR OF THE PARTY OF TH
File Sys Repac			\$19.95
RSB	101.2.7574 · 107.0520		\$21.95
MVBanner	Section Control	MVCanvas	\$49.95
The second secon	AND DESCRIPTION OF THE PERSON	\$54.95	

Checkbook Plus/OS-9! JUST released! Incredible new point & click checkbook manager from Sub-Etha. Includes full graphing, so you can see just where your money goes. Includes pull-down menus, full editing, popdown calculator, and many other features not found elsewhere...except, of course, in the RSDOS version! Please specify RSDOS or OS-9 when ordering.

NewsART

NewsART09 A thru Z is an incredibly diverse collection of ClipArt for use with Newspaper09, including over

1300 usable images! With this package in your publishing "arsenal", you can produce high-quality printed documents, with appropriate illustrations for virtually any subject. Individual sets A-Z are \$9.95 ea, 26 for \$99.95. Reg. DS 40-track drive.

Introducing a NEW set of 27 OS-9 lv 2 tools to make your life easier! Get Window Utilities (such as a screen-saver,

global search & replace w/wildcards, a go command to easily change dirs, and more), Process Scheduling utils such as demon (background task mgr., w/scheduling), Script File utils like dircopy, I/O Port utils like an autodialer for voice calls, and many more not listed. You'll wonder how you've done without these!

imply Better sor ever, is NOW ON SALE!

The BEST CC3 word-proces-SB is easy for a novice to

learn, yet powerful enough to satisfy the needs of the most advanced user! Features include windowing (2 documents open at once), print spooling, pop-up calculator, type-ahead buffer, auto-saving of work as you go, easy creation of table of contents or indexes, serial-numbering, onscreen representation of fonts and underlining (instead of cryptic codes), filling in of pre-printed forms, French-language characters, and MUCH more! All these features, plus dozens more, at HALF the price of competing wordprocessors. Includes new, professionally-typeset manual. Owners of earlier version may upgrade to v. 2.0

Reviewed in Feb. '90

DISK MANAGER'S APPRENTICE

for \$20 + original disks.

DMA is a new file management utility set for use with the CoCo-3 under DECB, Each utility in the set has been created to aid in organizing disks and the files they contain. These utils are combined into a single,

memory-resident environment. DMA's features include full wildcard file-handling, point-and-select filename features w/tagging, and 8 online help screens. MANY more features than any similar product. At last, you can get your disks organized quickly and easily, with the Disk Manager's Apprentice!



P.O Box 763 YPSILANTI MI 48197


Include \$4 S&H on all U.S. orders, \$5 CDN. COD \$4 additional. VISA/MC add 5%. Call for shipping on HDs & monitors

VISA/MC ORDERS 1.800.937.7746 (TOUCH-TONE PHONE REQUIRED)

1.313.481.3283 ALL OTHER CALLS 1-9 PM EST MON-SAT

For a 12-mo. subscription to our catalog of used soft- & hardware at INCREDIBLE prices (20-90% off), send \$15

A New pproach



A look at the 68070-based MM/1 personal computer

he 68000 microprocessor has been around a long time. While some 68000-based machines are known in the personal computer market (Atari, Macintosh, Amiga), the microprocessor provides computing power for numerous industrial applications, and there is a flood of such machines operating in that market, And whereas the Atari, Macintosh and Amiga use their own operating systems, industrial uses for the 68000 often rely on the OS-9 operating system. It is true the other machines are capable of running OS-9, but the operating system has not caught on in those areas of the market. OS-9 is a natural part of the CoCo market, and by extension should work very well as CoCo users decide to opt for more power.

This is not to say other "industry-intended" machines cannot be used by end users for personal purposes. However, prohibitive hardware and software costs (designed for the industrial market) are part of the reason many have not ventured there for computing satisfaction. Interactive Media Systems, Inc. (IMS) is working to deliver a relatively inexpensive 68000-based computer that is user-friendly and is designed for personal use (though it can be used well in many other applications).

The MM/I from IMS is built around the Phillips/Signetics 68070 microprocessor (a 68000-compatible chip) and the 66470 Video and System Controller. Respectively, these chips provide affordable 16-bit power and a platform for application development that can result in some very user-friendly applications for personal enjoyment, business purposes and everything in-between. Indeed, IMS is putting a lot of effort into the development of good applications software that makes the MM/I useful from the start.

Because of unforeseen production problems, IMS has chosen for the time being to ship the MM/t circuit boards and cases as a kit to be assembled by the end user. Therefore we'll be working from the ground up as we discuss the computer.

Assembling the MM/1

The MM/1 we received for evaluation included all boards and cables, the case and power supply, a 3½-inch high-density floppy drive, a 45-Meg SCS1 hard drive, three megabytes of RAM and a Chicony keyboard. IMS also provided an installation guide giving step-by-step instructions for assembling the computer.

Assembling the MM/I components into a working computer takes less than 30 minutes. You must first mount the CPU board in the case and connect cables for the Reset button, the power indicator, the speaker and the floppy drive. Next, you install and connect the floppy drive. After this is finished, you are instructed to connect a monitor and boot the system. (The MM/I CPU board contains one megabyte of system memory, and the computer works fine as a floppy-based system using only this part of the motherboard set.) The installation guide provides troubleshooting ideas in the event the computer does not work at this point.

When you are sure the computer boots, you can proceed to install the I/O board, which mounts on top of the CPU board. If you plan to install the extra two megabytes of RAM, you must place a jumper on the CPU board before mounting the I/O board. There are two SIMM sockets on the I/O board to hold the extra memory.

The CPU and I/O boards are electronically connected by what IMS refers to as the Minibus. This small circuit board has two connectors for the power supply and two 50-pin header connectors for mounting the motherboard set. Because the individual holes in the 50-pin connectors don't have bevelled edges (at least on our MM/I), mounting the Minibus and the I/O board are the most difficult part of assembling the MM/I. The pins on the CPU and I/O boards must be perfectly aligned with the holes in the connectors, and getting all 100 pins to line up at the same time is not easy.

After the I/O board is installed, all that remains is to connect the parallel-port cable and mount the DB-25 connector to the rear of the case. (You can install the hard drive and connect its SCSI cable at this time.) Once again you are instructed to turn the computer on and boot OS-9 to ensure all is in working order.

All in all, assembling the MM/I is easy and takes very little time. And the installation guide covers most everything you need to know to get the MM/I running properly.

A Closer Look

The MM/I motherboard set has connectors for video, two serial ports, one parallel port, a keyboard, a joystick and sound. In addition to support circuitry, the CPU board holds one megabyte of RAM, two system ROMs, the 68070 microprocessor (which runs at 15 MHz) and the 66470 Video and System Controller (VSC).

The computer uses a low-profile case that includes a 200-watt power supply. Despite the compact size of the case, there is a surprising amount of room inside for disk drives and cables. As with most PC cases, the case used for the MM/I can hold two 5¼-inch, half-height drives and three 3½-inch drives (two accessible and one internal), though the power supply provides power connectors for only four devices.

Currently the MM/I does not include a driver for Microware's universal disk format. However, we have been told such a driver is in development. Also the MM/I boots OS-9 from the floppy drive rather than from ROM or the hard drive. This is a minor inconvenience, necessary at this time because of the wide array of configurations for the MM/I. We consider this a minor point.

The MM/I provides analog-RGB video via a DB-9 connector mounted on the CPU board. (All connectors and ports are accessible through a custom backplate mounted to the case.) The computer we received was set for use with a monitor that syncs at 15.75 KHz; the Tandy CM-8 and similar Magnavox monitors work well. We used an adapter, available from IMS, to connect our CM-8 to the computer.

Jumpers on the CPU board allow you to set the MM/I for use with just about any analog-RGB monitor. We used a CM-8, but the computer is also capable of working with MultiSync monitors. It also supports both composite and TTL monochrome monitors, providing a cost effective way of getting started. IMS offers cables that work with the MM/I for most monitors.

The MM/I uses a 24-bit palette controller that, depending on screen resolution, allows the selection of either 16 or 256 colors from a palette of 16.7 million colors. In conjunction with the VSC, this setup lets the MM/I decode RLE graphics images in real-time (on-the-fly) without CPU intervention. This is great for cartoon animation, games and instructional software.

The interlaced video supported by the VSC chip looks crisp on the CM-8. While interlaced video does result in noticeable screen flicker (a monitor with long phospor persistence may help eliminate this), it is useful and particularly advantageous for viewing graphics images. It is possible to see effective screen resolutions up to 320-by-416 in 256 colors and 640-by-416 in 16

colors. In addition, the overscan/interlaced mode supports up to 720-by-480 (in 16 colors) — all visible on a CM-8 monitor. Needless to say, the graphics capabilities of the MM/I far exceed what we expected from the CM-8, yet the CM-8 stood well in our tests.

One of the MM/1's serial ports is located on the CPU board. This port, /t0, is a general-purpose serial port and can be used to communicate with modems or terminals (via a null-modem adapter). We had no problem communicating in either setup via this port.

The second serial port, /t2, is mounted on the I/O board and is powered, meaning it supplies voltage to be used by certain external devices, such as a mouse. Drivers for a Logitech C7 mouse (or compatible) are included with the system software. Unfortunately, Logitech discontinued the three-button C7 mouse. However, several vendors offer compatible mice, and IMS can point you in the right direction. Also, drivers for the Microsoft mouse are currently being developed.

At the present time, the mouse driver is designed so that the left button is the Select button and the right button changes windows. In the future, this scheme will be revised so the left button is Select, the middle button is Accept (for those dialog boxes requesting an OK), and the right button calls a help box providing information about the program option you are currently using. Though this sounds nice, it is limiting. Considering the Microsoft two-button mouse is highly touted as one of the best and most-comfortable mice available, we feel the choice of a two- or three-button device should be left to the user. Still, the IMS implementation follows the UNIX standard.

Also available from IMS is a satellite board that lets you add up to three more serial ports (/t1, /t3 and /t4) to the MM/I. In addition, an optional MIDI board with MIDI OUT only is currently available. (A version with both MIDI IN and MIDI OUT is being developed.) It requires that you have the serial satellite board with /t1 installed. /t1 must be reconfigured, which is a simple matter of changing two jumper settings.

The MM/I parallel port is on the I/O board and works with standard IBM-type printer cables, available at computer stores across the country. We had no problems sending control codes to the printer and printing text on either dot-matrix or LaserJet printers. In view of some of the software currently in development for the MM/1, it will be interesting to see a graphics driver.

For input, the MM/I accepts a standard XT-compatible PC Keyboard. The keyboard connector is located on the CPU board and is accessible at the rear panel. Alternatively, the case we received with the MM/I has a front-mounted keyboard connector with an extension cable. It would be no problem to plug the extender into the CPU board and the keyboard into the front of the computer, if we had a reason to do this.

The keyboard driver on the system we received is hard-coded so that the function keys work to select different windows. This is fairly handy, but we'd like to see it done a little differently to allow the use of the function keys with applications software. For example, we were unable to run SMART, an integrated desktop package, because it requires use of the function keys. IMS is currently working on a different approach for window selection.

MM/1 Software

Without software, a computer is nothing more than a bunch of parts and wires. IMS knows this and is working hard to provide utilities and other programs that help make the MM/I useful and relatively user-friendly.

Included Software

The MM/I comes with Professional OS-9/68000 and a windowing system, written by Kevin Darling, that works like the windows for OS-9 Level 11 on the CoCo 3. IMS includes a display command that uses the same control codes accepted by the Level II display command. Equally as important to some is that the MM/I windowing system fully supports alternate screen fonts created for Level II windows. These features provide a welcome level of familiarity for those who have worked with OS-9 on the CoCo 3. While the current windowing system seems somewhat rudimentary, especially considering the power and capabilities of the 68070 and the 66470 VSC, it forms the fundmental platform for which highpower applications can be designed. Further, it's inclusion with the MM/I shows IMS' dedication to providing a userfriendly package. Down the road, we expect to see a full-blown graphical user interface (GUI) for the MM/I.

Because of the way the windowing system is designed, the computer is always in the graphics mode. Those who are familiar with Level II understand the screen output is much slower when using graphics windows on the CoCo 3. In contrast, the MM/I doesn't feel slow with graphics windows.

For those who enjoy exploring graphics, or who are interested in multi-media applications, IMS includes several demonstration sound files and picture files, along with utilities for viewing/playing them. Utilities are provided for converting GIF images to the MM/1's CDI/IFF graphics format. This was enough to whet our appetites, and we found ourselves scouring Delphi and CompuServe looking for more.

We are impressed by the speed with which our hard drive-based MM/1 is able to retrieve and display images. Even when working with 150K+, photo-quality digitized images, it takes the MM/1 only a second or two to pop them on the screen. This speed results from the way the VSC chip works and also the speed of the SCSI hard drive we have. And the VSC specifi-

cations indicate the chip is capable of much more, making the MM/1 ideal for animation applications.

Along the graphics line, also included is a version of *Paint*, a pixel-hased graphics editor soon to be released commercially hy HyperTech Software. You can't save images with this demo version, but it does provide you with another creative outlet.

To help meet your text editing needs, the MM/I includes Emacs, a big brother of Microware's Umacs (also included), and Proff. While this text editor/formatter pair isn't the most user-friendly way to write (they are no replacement for a good word processor), they feature a lot of capabilities and do get you started. Emacs allows you to personalize the commands it uses and supports other features, such as cutand-paste and search functions, needed for editing.

For telecommunications, the MM/I comes with Sterm. This application isn't fancy — no pull-down menus and icons — but offers a solid implementation of the Xmodem protocol. The MM/I also comes with an IntroPak, an introductory subscription to CompuServe. We would like to see this practice spread to other systems, including Delphi.

Included with Professional OS-9/68000 is Microware's C compiler, to which IMS adds a cgfx library allowing access to the

A CoCo-type joystick connector (6-pin DIN) is provided on the rear panel and is mounted on the 1/0 board. The driver for this port has not been completed, yet, but it will make the port a nice feature for arcadestyle games when it is.

Audio I/O is supported through a 5-pin DIN connector on the MM/1's rear panel. The port is installed on the I/O board. Provided are two sound output lines for stereo and two input lines used for sound sampling (necessary software forthcoming). It would be nice had IMS simply put four RCA connectors for audio I/O on the computer. Still, you can purchase an appropriate adapter cable from IMS, or you can make your own.

The sound port is a nice addition sound quality is high and its inclusion adds another dimension to computing. We can't wait to see applications take advantage of this.

As stated earlier, the MM/I comes with one megabyte of RAM installed on the CPU board. The computer can be upgraded to three megabytes by installing two SIMMs (available from IMS for \$150) on the I/O board. Performing this upgrade is not difficult except that you must remove the 1/0 board to set a single jumper on the CPU board. (If you plan to get three megabytes, it is easier if you get it when you purchase the machine, then install it when assembling the MM/1.)



The MM/1 case provides alot of room for expansion. The SCSI cable has been removed for this photo.

This is one aspect of the MM/I motherboard design we don't like. To use a different monitor or to upgrade the memory, you must temporarily remove the 1/0 board. As we said before, this task is the most difficult part of assembling the MM/1 and seems to be a hassle. Of course you probably won't need to change your memory configuration or monitor settings often, but it would be nice if it were easier to make the changes when you do.

Summary

IMS is doing a good job of providing what they intended from the start - a powerful (but user-friendly) computer with fast graphics and a wealth of applications. The MM/1 works well - we experienced no problems using the system in a variety of configurations. The MM/I is easy and enjoyable to use. Its graphics and sound capabilities make it a good choice for use in multimedia applications, specifically computer animation, retail business and education.

We are particularly pleased with IMS' philosophy that hardware alone does not a computer make. They offer a relatively complete package, with hardware and userfriendly software. Our feelings about the MM/I can be summed up with one word: impressed! Now we want to see more.

graphics functions of the windowing system. For those not interested in the C language, IMS includes Microware BASIC (reviewed September 1991, Page 54). A graphics library is forthcoming for this language.

Among the several other utilities is the OddJob Script Interpreter from TechnoTeacher Incorporated. OddJob supports a wide array of script commands, allowing even novice to intermediate users more control over the system. Based on UNIX's awk and chat, OddJob is a professional language with process synchronization features helpful for creating multimedia applications. With C-style syntax you can create interpreted programs to automate simple and complex tasks. OddJob is used by Compact-Disk-Interactive firms to create CDI files.

More along the line of firmware, IMS includes a users guide with the MM/1. This manual explains the set-up and operation of the MM/I and its included software. It is written for novice users and undergoes many revisions as new products are developed. It does not contain a lot of detailed technical information - IMS offers a complete technical manual separately.

The manuals for OS-9/68000 (including the C compiler) and Microware BASIC are included with the MM/1. Also included are Using OS-9 Net, a manual for the Network File Manager, and Programmer's Toolkit, which covers Umacs, electronic mail, print spooling and more,

Most of the OS-9/68000 commands include the standard help option - just enter the command name followed by -? for a fairly comprehensive overview of the command's usage. The developers of the public domain and third-party products we have seen have done a good job of sticking with the idea of providing this help option with their software.

Third-Party Software

In addition to including software with the MM/1. IMS encourages and supports the development of third-party applications. As mentioned before, HyperTech Software is planning to release Paint in the near future. Also from HyperTech is Tetrix, a game that plays much like a program with a similar name. Dave Myers at CoCo PRO! has been busy porting his products, including Data Windows (a database) and Presto Partner (a personal secretary) from OS-9 Level II to OS-9/68000 for the MM/1. Also available are several system and user utilities from Brett Wynkoop.

On the MIDI front is UMuseK from Kala Software. This product, originally available as UltiMusE III for the CoCo 3, was written and ported by Mike Knudsen. On the way are two game packs from ColorSystems. We were able to play

Pyramid Solitaire and enjoyed it quite a bit. ColorSystems is also working on products for barcode I/O and home control using the BSR X-10 controller.

For more intense applications, there are Calc9 and VED. Calc9 is a full-blown spreadsheet program produced by Pan Controls Ltd. and distributed by Windsor Systems. It supports graphs, complex numbers and more. VED is a very userfriendly text editor written for OS-9/68000. In terms of its ease-of-use, consider it the Telewriter for OSK. Its hallmarks are intuitive controls, online help, powerful yet simple macros, and easily remapped key commands. Its author, Bob van der Poel, is currently working on an OS-9/68000 version of VPrint, for printing formatted

Equally as important as commercial software are public domain and shareware offerings. We obtained OSK versions of ar (a popular archive utility), ded (a full-featured disk editor) and more (which allows reading text files, forward and backward, one page or line at a time).

Also, Scott Griepentrog of StG, Inc., has been busy and has submitted several utilities to the public domain (these are available on Delphi and CompuServe). The one we most like is pop, which opens new windows on the fly. It supports the full range of MM/1 graphics/text resolutions and adds several useful options.

13

Spicy Dice

by Francois Dubuc



hile OS-9 is a powerful operating system, and there are many utilities available to help harness its power, I have seen few games written for it. To help balance this lopsided situation, I wrote *Dice Game*. This program is the OS-9 user's road to the glamour, glitter and

iniz w1 merge /d0/sys/stdfonts >/w1 wcreate /w1 -s=6 00 00 40 24 02 00 02 shell i=/w1&

Figure 1: Commands for a 16-Color Window

gamble of Las Vegas.

The object of *Dice Game* is simple. The screen displays six 6-sided dice, and you place a bet that the CoCo will roll four, five or six of a kind. Since we're dealing with funny money (CoCo cash?), you won't have to forego that new hard drive if you lose. *Dice Game* requires a 512K CoCo 3 and OS-9 Level II.

Entering the Program

To enter the listing for Dice Game, you should first start BASIC09. To do this, put a

Francois Dubuc is a student and independent computer programmer. His other interests include tennis, golf and listening to music. He may be contacted at 635 Brouillette, St-Hyacinthe, Quebec 121 2G4, Canada. Please include an SASE when requesting a reply.

backup of the BASIC09/Boot/Config disk from your OS-9 Level II package into Drive 0 and enter the following two commands:

chd /d0 chx /d0/cmds

The first command tells OS-9 to change the current data directory to the root directory of the disk in Drive 0. This is the directory where the system will save the program you enter. The second command tells OS-9 to set the current execution directory to the CMDS directory. This is the directory on that disk where BASIC09 and several other executable programs are stored. After you have done this, start BASIC09 by entering basic09 at the OS9 prompt. To tell BASIC09 you want to enter (edit) a program, enter

edit Dice Game

Entering the program listing is easy, but you must remember to press the space bar as the first character on each line. As explained in the BASIC09 portion of the OS-9 Level II manual, the space character is a special command that tells the editor to keep the text you enter after it. (For more complete information about the editor, refer to Chapter 4 of the BASIC09 manual.) Enter each line by typing a space followed by the line itself, pressing ENTER after each one. Don't worry about indenting the lines. BASIC09 takes care of this for you.

When you have entered all the lines, exit the program editor by typing Q as the first character on the line and pressing ENTER. Now save the program to disk by entering

save Dice Game

This saves the file to the current data directory. After saving the program, exit BA-SIC09 by entering bye at the B: prompt. Since Dice Game includes graphics calls to the graphics modules, gfx2 must be in the current execution directory or in memory.

1 wrote *Dice Game* to run on a 320-by-192, 16-color graphics window. You must create such a window before running the program. To do this, first put a backup of the OS-9 System Master in Drive 0 and enter

chd /d0 chx /d0/cmds

This tells OS-9 you have put a different disk in the drive, so it knows where to find the files it needs. Now enter the commands shown in Figure 1. As an alternative, use OS-9's edit command to build a procedure file with the commands in Figure 1 in it (you could call the file win, 16color). In either case, once the window is created press the CLEAR key to switch to it. Then put the disk with Dice Game back into Drive 0 and enter the chd and chx commands as shown above. At this point you can run the game by typing

basic09 dice game

and pressing ENTER.

Taking Your Chances


After you run *Dice Game*, the program draws the six possible faces of a die, then displays the game and title screens. Press any key to start the game, and the computer prompts you for your bet. Your bank starts at \$1000—you can bet any amount up to the amount you have in the bank or \$5000, whichever is lower.

After you enter your bet, the computer rolls the dice. You are prompted for the dice you want to keep and which ones you want to roll again — you are given two chances to come up with four, five or six dice with the same value showing. If you achieve this, your bet is multiplied by 5, 10 or 20, respectively, and added to the bank. Otherwise, the amount you bet is subtracted from the bank. The game ends when you have no money left.

One last note: If an error occurs during game play and the computer gets stuck in an overlay window, enter

\$display 1b 23 1b 23

to kill the overlay windows. You'll then see the BASIC09 prompt onscreen.



```
RUN gfx2("scalesw","off")
RUN gfx2("curoff")
RUN gfx2("tcharsw","off")
RUN gfx2("boldsw","off")
RUN gfx2("clear")
RUN gfx2("curhome")
004D
                                                                                                                     PRINT
0062
                                                                                                    Ø51D
                                                                                                                    PRINT
                                                                                                                    PRINT "
9979
                                                                                                   051F
                                                                                                                                           DICE GAME"
9985
                                                                                                   053A
                                                                                                                    PRINT
0099
                                                                                                    Ø530
                                                                                                                    PRINT
                                                                                                    053E
                                                                                                                                                      BY"
                                                                                                                    PRINT
                RUN gfx2("color",2)
00B5
                                                                                                    0551
                                                                                                                     PRINT
MACS.
                PRINT
                                                                                                    0553
                                                                                                                    PRINT "
                PRINT
                                                                                                                                             FRANCOIS DUBUC"
aac7
                                                                                                   0555
                PRINT " 0 "
                                                                                                                    FOR t=1 TO 20
1-INT(RND(1)*6)+1
RUN gfx2("put",1,1,5,50)
RUN gfx2("put",1,1,1,87,50)
9909
                                                                                                    056F
gani
                PRINT
                                                                                                    057F
00D3
                GOSUB 10
                                                                                                    0592
                PRINT
0007
                                                                                                    Ø5AB
                PRINT "
aana
                                                                                                    Ø5C4
                                                                                                                    RET #0,key
RUN gfx2("owend")
RUN gfx2("owend")
RUN gfx2("boldsw","off")
RUN gfx2("tcharsw","off")
gans
                PRINT
                                                                                                    Ø5CF
BBE 7
                PRINT
                                                                                                    0508
                GOSUB 10
PREF
                                                                                                    Ø5F5
ØØF3
                PRINT
                                                                                                    05F2
                PRINT " O"
ØØF5
                                                                                                    0606
                PRINT "
ØØFB
                              0"
                                                                                                    061B 30
                                                                                                                     REM game
                PRINT "
0102
                                0"
                                                                                                                     RUN gfx2("owset",0,2,9,21,13,2,4)
                GOSUB 10
BIBA
                                                                                                    0647
                                                                                                                    REPEAT
010E
                PRINT
                                                                                                                        REPEAT
                                                                                                    9549
0110
                PRINT " 0 0"
                                                                                                                           RUN gfx2("clear")
PRINT
                                                                                                    264B
                PRINT "
0118
                                                                                                    0658
                PRINT " O O"
                                                                                                                           PRINT "YOU HAVE:"; amount: "$"
0120
                GOSUB 10
0128
                                                                                                    066F
                                                                                                                           PRINT
                                                                                                                           PRINT "How much do you"
0120
                PRINT
                                                                                                    9671
                                                                                                                           PRINT "want to bet
                PRINT " 0 0"
012F
                                                                                                    0684
Ø136
                                                                                                                           INPUT bet
                                                                                                    0694
                 PRINT " O O"
                                                                                                                           IF bet <- 0 OR bet amount OR bet >5000 THEN
013E
                                                                                                    0699
                                                                                                                               RUN gfx2("owset",1,1,6,38,5,3,3)
RUN gfx2("owset",0,2,7,36,3,2,0)
RUN gfx2("clear")
0146
                GOSUB 10
                                                                                                    96B7
GIAL
                PRINT
                                                                                                    Ø609
                PRINT " 0 0"
914C
                                                                                                    06FR
                 PRINT " 0 Q"
0154
                                                                                                    0708
                                                                                                                               IF bet <- 0 OR bet>5000 THEN
Ø15C
                 PRINT " 0 0"
                                                                                                                                  PRINT
                                                                                                    971F
                GOSUB 10
                                                                                                    0720
0164
                                                                                                                                  PRINT "You have to bet between 1 and 5000"
                 GOTO 20
0168
                RUN gfx2("box",4.4,34,33)
RUN gfx2("color",1)
RUN gfx2("fill",5,15)
RUN gfx2("color",2)
RUN gfx2("get",1,t,4,4,31,30)
RUN gfx2("curhome")
016C 10
                                                                                                    0748
                                                                                                                               IF bet>amount THEN
                                                                                                                                  PRINT
Ø186
                                                                                                    0755
                                                                                                                                  PRINT "You have only "; amount: "$"
0196
                                                                                                    0757
BAIG
                                                                                                    9771
                                                                                                                               ENDIF
                                                                                                                              GET #0.key
RUN gfx2("owend")
0188
                                                                                                    0773
Ø1D7
                                                                                                    077C
01E6
                 t-t+1
                                                                                                                               RUN gfx2("owend")
01F1
                 RETURN
                                                                                                    0796
                                                                                                                           ENDIF
Ø1F3 20
                 REM
                                                                                                                        UNTIL bet>0 AND bet<-amount AND bet<5001
PRINT
                                                                                                    0798
                REM

RUN gfx2("clear")

RUN gfx2("box",5,5,314,60)

RUN gfx2("box",10,10,309,55)

RUN gfx2("color",1)

RUN gfx2("fill",6,6)

RUN gfx2("color",2)

FOR 1-1 TO 6
                                                                                                    Ø785
                                                                                                                        PRINT "press 'ENTER' to spin"
0206
                                                                                                    Ø7B7
                                                                                                                        GET #0.key
RUN gfx2("owend")
0236
                                                                                                    0709
0246
                                                                                                    07F6
                                                                                                                        FOR t-1 TO 6
                                                                                                                           FOR i=1 TO 5
n(t)=INT(RND(1)*6)+1
RUN gfx2("put".1,n(t),t*40.18)
0258
                                                                                                    07F6
0268
                                                                                                    0806
                    RUN gfx2("put",1,1,1*40,18)
                                                                                                    0810
Ø293
                                                                                                    Ø83D
                 FOR i=1 TO 6
RUN gfx2("setdptr",1*40+1.17)
RUN gfx2("draw","ne4,e30,sw4,ne4,s29,sw4")
029F
                                                                                                    0848
                                                                                                                        RUN gfx2("owset",0,2,9,21,13,2,4)
RUN gfx2("clear")
FOR 1-1 TO 6
02AF
                                                                                                    DAS3
Ø2CA
                                                                                                    9875
DZFB
                 NEXT i
                                                                                                    Ø882
                                                                                                                           RUN gfx2("clear")
92FB
                 amount:-1000
                                                                                                    0892
                amount:-1000
RUN gfx2("box",200,65,314,190)
RUN gfx2("box",205,70,309,185)
RUN gfx2("color",1)
RUN gfx2("fill",201,66)
RUN gfx2("color",2)
RUN gfx2("tcharsw","on")
RUN gfx2("curxy",27,9)
PRINT "DICE - GAME"
PRINT TAB(29): "-----"
PRINT TAB(27); "6 identical:"
PRINT TAB(27); "6 identical:"
PRINT TAB(27); "76 identical:"
PRINT TAB(27); "80 identical:"
0304
                                                                                                                           PRINT "Do you want to"
PRINT "hold dice #": 1: "?"
Ø310
                                                                                                    Ø8A1
0334
                                                                                                    Ø883
                                                                                                                           REPEAT
0344
                                                                                                    BRCA
                                                                                                                           GET #0, key
UNTIL key-"y" OR key-"n"
IF key-"y" THEN
0356
                                                                                                    BACC
0366
                                                                                                    08D5
037A
0380
                                                                                                    Ø8F6
                                                                                                                               hold(1)-1
Ø39C
                                                                                                    0901
                                                                                                                           ENDIF
                                                                                                                           IF key="n" THEN
@3AD
                                                                                                    0903
                                                                                                                               hold(i)-0
0301
                                                                                                    9918
0304
                 PRINT
                                                                                                    091B
                                                                                                                           ENDIF
                                                                                                                        NEXT 1
0306
                 PRINT TAB(27): "5 identical:"
PRINT TAB(27): " x10"
Ø3D8
                                                                                                    0928
                                                                                                                        RUN gfx2("clear")
Ø3EC
                                                                                                    9935
                                                                                                                        PRINT
                                                                                                                        PRINT "Do you want to"
03FF
                 PRINT
                                                                                                    0937
                                                                                                                        PRINT "change something"
PRINT "[y/n] ?"
0401
                PRINT
PRINT TAB(27); "4 identical:"
PRINT TAB(27); " x5"
RUN gfx2("box",5,65,195,190)
RUN gfx2("box",10,70,190,185)
RUN gfx2("color",1)
RUN gfx2("fill",6,66)
RUN gfx2("fill",0,0)
RUN gfx2("fill",0,0)
RUN gfx2("owset",1,5,5,30,14,4,2)
RUN gfx2("owset",0,6,6,28,12,2,0)
RUN gfx2("clear")
RUN gfx2("boldsw","on")
                 PRINT
                                                                                                    0949
0403
                                                                                                    0950
                                                                                                                        REPEAT
0417
                                                                                                    8968
                                                                                                                     GET #0.key
UNTIL key-"y" OR key-"n"
UNTIL key<>"y"
042A
                                                                                                    096A
8441
                                                                                                    9973
0458
                                                                                                    9997
                                                                                                                     RUN gfx2("clear")
PRINT
0468
                                                                                                    0993
947A
                                                                                                    09A0
                                                                                                                     PRINT "Press 'ENTER' to spin"
048A
                                                                                                    09A2
                                                                                                                     GET #0.key
RUN gfx2("owend")
Ø49C
                                                                                                    0988
Ø4BE
                                                                                                    Ø9C4
                                                                                                                     FOR t-1 TO 6
IF hold(t)-Ø THEN
04F0
                                                                                                    0901
                 RUN gfx2("boldsw", "on")
PRINT
04ED
                                                                                                    09E1
                                                                                                                           FOR 1-1 TO 5
0500
                                                                                                    MAFR
                 PRINT "
                                                                                                                               n(t)-INT(RND(1)*6)+1
0502
                                            WELCOME TO :"
                                                                                                    DADO
```

```
ØA17
                      RUN gfx2("put".1.n(t).t*40.18)
ØA37
                   NEXT I
BA42
                ENDIF
GAAA
             NEXT t
0A4F 100
             REM
ØA55
              FOR 1:-1 TO 6
                hold(1)-0
ØA65
0A70
              NEXT
ØA7B
             win:-0
MAR3
              result:-0
              FOR 1:-1 TO 6
MARA
                hold(n(1)):=hold(n(1))+1
APAG
ØAB2
ØABO
              FOR t:=4 TO 6
ØACD
                FOR 1:-1 TO 6
                   IF hold(1)-t THEN
IF t-6 THEN
MADD
MAFD
MAFO
                        win:-20*het
                         result:-6
0805
ØBØC
                      ENDIE
ØBØE
                      IF t-5 THEN
ARIA
                        win:-10*bet
                         result:-5
0826
0820
                      ENDIE
                      IF t-4 THEN
ØB2F
                        win:-5*bet
ØB47
                         result:-4
ØB4E
                      ENDIF
GRSO
                   ENDIF
                NEXT i
ØB52
Ø850
              NEXT t
              IF result-0 THEN
0874
                win: =- (bet)
ØR7D
              ENDIF
             RUN gfx2("owset",1,5,5,30,14,2,2)
RUN gfx2("owset",0,6,6,28,12,2,0)
RUN gfx2("clear")
PRINT "DICE-GAME RESULT:"
PRINT "-
ØR7F
BBA1
ФВСЗ
ØBDØ
ØBE5
             PRINT "current amount:"; amount
PRINT "you bet :"; bet
0004
              PRINT "you bet
If result-0 THEN
OC1B
ØC32
ØC3E
                PRINT "you got no good combination"
              ENDIF
ØC5F
              IF result>0 THEN
                PRINT "you got a combination of "; result PRINT "identical dices"
GC 6R
BCSC.
             PRINT "your amount is change by:"
PRINT win: "$"
PRINT "
ØC9F
ØCBE
OCC.7
              amount:-amount+win
PRINT "new amount:"; amount: "$"
BCF6
ØCF2
ØDØ9
              GET #0.key
              IF amount <- 0 THEN
ØD12
                amount(==0 IHEN
RUN gfx2("owset",1,2,9.36,6,2,3)
RUN gfx2("owset",0,3,10,34,4,2,0)
RUN gfx2("clear")
PRINT "*** YOU LOST ALL YOUR MONEY ****
ØD1F
9041
ØD63
0D70
ØD95
                PRINT
                PRINT "-----GAME
                                                OVER-----
0097
                GET #0.key
RUN gfx2("owset",1.10.4.20,16.1.1)
RUN gfx2("owset",0.11.5.18.14.2.0)
SOBC
ØDC5
ODE7
                REPEAT
ØEØ9
                   RUN gfx2("clear")
PRINT
ØEØB
ØE18
ØE1A
                   PRINT
                   PRINT TAB(7); "PLAY"
ØFIC
                   PRINT
ØE28
ØE2A
                   PRINT
ØEZC
                   PRINT
                   PRINT TAB(7): "AGAIN"
ØF3B
                   PRINT
ØE3D
                   PRINT
ØE3F
                   PRIN
0F41
                   PRINT TAB(7): "[Y/N]?"
                GET #0, key
UNTIL key<>"y" OR key<>"n"
FOR 1-1 TO 6
ØE4F
DE58
ØE6C
                   RUN gfx2("owend")
ØE7C
ØE89
                NEXT 1
                RUN gfx2("clear")
IF key-"y" THEN
ØE94
CEAE
                   RUN dice game
ØFR2
                ENDIF
ØEB4
                END
ØEB6
              ENDIF
ØEB8
              FOR 1-1 TO 2
                RUN gfx2("owend")
ØFD5
              GOTO 30
DEED
```



A revolutionary new computer, conceived by you.

And, an unbeatable value.

The Hardware You Want. The MM/1 multimedia computer comes standard with everything you've been wanting in a computer system. Vivid graphics, fast CPU, and smooth multitasking that beats PC compatibles, Amigas, and STs hands-down with dual channel Direct Memory Access and pre-emptive realtime performance. Expand your MM/1with more serial ports (up to 5), Musical Instrument Digital Interface (MIDI), tape drive, digitizer, CD-ROM, serial terminals, extra memory, and more. Network 128 MM/1s with its built-in network interface and the included network software. You can use your CM-8 monitor, popular disk drives, Tandy™ joystick, and your existing modem. Save money. Expand easily.

The Software You Want. The MM/1 is the best-supported OS-9/68000 consumer platform, with software from your favorite vendors, including CoCoPro!, HyperTech Software, StG Computers Inc., Burke & Burke, Color Systems, Kala Software, BeW Software, and many others. Already written for the MM/1: VED text editor, SENDFAX, GAMES from Color Systems and HyperTech, ULTIMUSEK, FILE SYSTEM REPACK, DATA WINDOWS, TASCOM (OSTerm for MM/1), PRESTO PARTNER, and more. The MM/1 already comes with thousands of dollars of software. The MM/1 includes: C compiler, assembler, BASIC, networking, email, print spooling, two text editors, text formatter, professional scripting language (OddJob), Windows, PC File Manager, Sterm and Kermit telecommunications, GIF picture viewer, Tetrix game, demos, and lightning fast drivers for serial ports and hard disk drive. All at no extra charge.

The Price You Can Afford. If you bought another computer, you would waste what you have learned about windows, multitasking, and how to run your favorite programs. What other computer lets your run your source code programs virtually unchanged? If you bought another computer, you wouldn't get fantastic software bundled with it. At \$975, your MM/1 KIT can use your existing monitor and a PC keyboard. Easy to assemble, it's a 15 MHz OS-9/68000 system that's fun to use and powerful enough for business and industry.

The MM/1, conceived by the Color Computer community, made powerful with the support of Color Computer vendors. Join the revolution you helped create. Order your MM/1 today,

Interactive Media Systems, Inc.

Sales and Marketing • 1840 Biltmore Street NW Suite 10 • Washington DC 20009 Information: 202-232-4246 Orders Only: 800-866-9084



Proven

On the Razor's Edge of

NOW

4MB RAM STANDARD

In Our 10th Year

CALL (215) 837-1917

We Are One Of The Oldest Computer Stores In The Country!

SOME OF THE LOWEST PRICES AND



the OWL SUPER ATOM-386/486

Much Faster Power than Major Brand 386' at a fraction of the cost!

- 25/33 MHz 80386/80486.0 Wait State
- 25/35 MH2 0030000000 Walt State Sockets for the 80287, 80387, or Weitek Coprocessors 2 Serial, I Parallel Port, Clock System and Video BIOS in Cache
- 8 Option Slots Modern Small Footprint Case
- FCC Class B Approved Class A on 486

AT Style Case with 200-Watt Power Supply
System Price Includes 40 Meg HD, Monochrome VGA Monitor, and 1.2 Meg Floppy
Drive, MS DOS & Basic, Hr. Res. VGA Card

486 EISA BUSS Complete 40 Meg, VGA Mono Systems (Add \$150 for 80 Meg Drive)

Shown with Standard VGA Monochrome Monitor. Color VGA or Non-Interlaced Monitor available. \$200 to \$500 additional.

3-Year Warranty! on all systems

Including One Full Year on Parts and Labor


NEW OWL ATOM -16/20



NOW VGA

- Fully AT Compatible 2 MB RAM 6/16 or 6/20.0 Wait State Small Footprint Case 200-Watt PS
- FCC Class B Approved 2 Serial, 1 Parallel Port 7 Full-Sized Slots
- True AT Speed HD

Complete System Price Includes 40 Meg HD VGA Mono Monitor 1.2 Meg Floppy Drive Choice of Keyboards



NEW LOW PRICES!

⁵1425

\$1545

20 MHZ (386 SX) 16 MHZ (386SX) Complete 40 Meg Mono Systems

386-SX Notebooks Available

386-SX, 16MHz, 7.7 LBS! 40MB HD, 1.44MB FD, 2MB RAM Standard (exp. to 5MB) VGA 640x480 LCD Screen w/32 Shades of Gray. Ports: 2 SER, 1 PAR, 1 VGA


20 MHz Notebooks Available Call!

There is no small print in this ad-

\$2145 1-800-245-6228

OWL ATOM (ET) —

- 1 Meg-RAM Small Footprint Case 200-Watt PS
- Monochrome or VGA
- Monitor
- 12 or 16 MHz 80286
- 8 Slots 4 Drive Slots
- 40-Meg Drive, 1.2 Mg





\$1045/\$1245 VGA Color

Complete 40-Meg Mono or Color Systems!

New! 16 MHz 80286 Same Price!

OWL Computer Services



5950 Keystone Drive Bath, PA (215) 837-1917

Kids & US/Radio Shaek

Pottstown Ave., Rt. 663, Pennsburg (215) 679-3389

St. Onge Systems Wescosville

Call For Appt. (215) 481-9775

Computers & Games

Muhlenberg Shopping Plaza Reading (215) 929-0540

Technology the Color Computer Frontier

DISK DRIVES



Floppy Drive Systems

The Highest Quality for Years of Service

Drive 0 Systems (Half Height, Double Sided,

Direct Drives) \$189.

Drive 0 systems complete with drive, controller, legal DOS, cable, case, power supply, and manual

Drive 1 Systems (Half Height, Double Sided,

Direct Drives) \$115.

New 3.5", 720K Drives for OS-9 with case

& Power Supply \$149.

Drive 1 Systems have drive, case, power supply. (You may require optional cable and/or DOS chip to use)

Special for 0/1 Combos (0,1,2,3) \$259. SALE Prices on Drives!

HALF- HEIGHT DRIVE UPGRADES FOR RS HORIZON-TAL CASES

Why only double the capacity of your system when you can triple in the same case? Kit includes: double-sided to fit your case, chip to run both sides of new drive, hardware, and detailed instructions. Easy! Takes only 5 minutes!

Model Only \$119. 500, 501, or 502 All drives are new and fully assembled. We ship only FULLY TESTED and CERTIFIED at these low prices. We use Fuji, YE Data, and other fine brands. No drives are used or surplus unless otherwise stated to you when you order. We appear to be the one of the few advertisers in Rainbow who can truly make this claim. We have 7 years experience in the CoCo disk drive market! We are able to provide support when you have a problem.

Drives 1 Year Warranty

OWL Phones

Order Numbers (only) 1-800-245-6228 1-215-682-6855 Fax: 1-215-837-1942 Technical Help 1-215-837-1917

OWL WARE Software Bundle

Disk Tutorial/Utilities/Games DISK TUTOR Ver 1.1

Learn how to use your disk drive from this multi-lesson, machine language program. This tutor takes you through your lessons and corrects your mistakes for a quick, painless disk drive introduction. (This professionally written tutor is easily worth the bundle's total price.)

3 UTILITIES

A copy verify, copy, and DOS utility.

2 GAMES

We will select 2 games from our stock. These are sold for more than \$20 each.

Do not mistake this software with cheap "Public Domain" software which others offer. All of this software is copyrighted and professional in quality. The tutor is unique with us and has helped thousands of new users learn their disk drive.

only \$27.95 (or even better) only \$6.95 with any Disk Drive Purchase!!

512K Upgrade

Again at a popular price. Fully assembled and tested before shipping. Easy to install. Uses fast 120 ns. chips.

Only \$85.

Now includes memory test, Ram Disk Lighting, Printer Lighting, and Backup Lighting. All with an upgraded manual exclusive with OWL!

Our prices include a discount for eash but do not include shipping.

CWL-WARE has a liberal warranty policy. During the warranty period, all defective items will be repaired or replaced at our option at no cost to the buyer except for shipping costs, Call our tech number for return. Return of non-defective or unauthorized returns are subject to a service charge.

OWL-WARE P.O. BOX 116 Mertztown, PA 19539

Novices Niche



Program Aid/16K Extended

Press Continue... by Bill Bernico

I often look for ways to make the ordinary seem a little more exciting. Continue is a perfect example. You have no doubt used programs that pause, allowing you to catch up. These programs usually provide some message, such as "Press Any Key to Continue." My subroutine adds to this, making sure you won't fall asleep or forget to press a key.

The Listing: PRESCONT

- 1 'PRESS CONTINUE
 - ** WRITTEN BY BILL BERNICO
 - ** COPYRIGHT (C) DECEMBER 1991

To use Continue in your own programs, put your message in Variable A\$, as shown in Line 3. Start the rest of your program at Line 13 - when the user presses a key, program execution continues here. Alternatively, you can relocate the subroutine. Then your program could call it using GOSU8 and RETURN.

** BY FALSOFT, INC. 2 CLS: PRINT"THIS SUBROUTINE IS U SPRUCE UP YOUR ORDIN SED TO

ARY INKEYS PAUSE ROUTINE. 3 A-480:A\$-"press any key to con tinue": PRINT@A, STRING\$(31,46)::B -LEN(A\$): IFB>26THENB-26 4 C-INT(A+(34-B)/2)+B:B\$-MID\$(A\$.1.8):A\$-","+B\$+" 5 D-0: E-LEN(A\$): B-E: F-1 6 IFB->D THENB-D+1 7 C\$-MID\$(A\$,F,B):PRINT@C-D.C\$:: FORG-1TO20: NEXT 8 I\$-INKEY\$: IFI\$<>""THEN12 9 IF D-E THEN11 10 D-D+1: IFD<E THEN6 11 B-B-1:F-F+1:IFB<0THEN5ELSE6 12 PRINT@A.STRING\$(31," ")::A\$-M ID\$(A\$,2,LEN(A\$)-3) 13 CLS:PRINT"YOUR PROGRAM CONTIN UES FROM HERE

Utility/16K Disk

File Size by Darren Blaine Day

Have you ever needed to know exactly how many bytes are in a disk file? If so, File Size can help. This utility calculates the length of any file on disk and prints the information onscreen. To use the program, simply enter the drive number and filename. It isn't necessary to use a slash or period to separate the filename from the extension, but do be careful to follow the onscreen prompts.

File Size finds the file's directory entry (lines 1000 through 1055), obtains the starting disk granule for the file (Line 30), and traces the file's occupied granules through the file allocation table (lines 2000 through 2015). It then calculates the size of the file, based on the number of full granules used, and the number of sectors and bytes used in the last granule (Line 45). All of the data File Size needs is located on Track 17 of the disk. To learn more about Track 17, consult the technical section of your disk drive manual.

The Listing: FILESIZE

'FILE SIZE WRITTEN BY DARREN DAY 3 'COPYRIGHT (C) DECEMBER 1991 4 'BY FALSOFT, INC. 5 CLEAR 1000:CLS 10 INPUT "DRIVE #"; DN: PRINT "TYP E FILENAME UNDER LINES AND EXT ENSION UNDER STARS. FILL BLA NKS WITH SPACES. ": PRINT " ---***":LINE INPUT F\$ 15 GOSUB 1000 20 DSKI\$ DN.17, X.A\$, B\$ 25 C\$-A\$+LEFT\$(B\$,127) 3Ø BG\$-MID\$(C\$,N*32+14,1) 35 NB\$-MID\$(C\$.N*32+15,2) 40 GOSUB 2000 45 SZ-ASC(LEFT\$(NB\$,1))+ASC(RIGH T\$(NB\$,1))+(NG*23Ø4)+((ASC(BG\$)-&HCØ-1)*256) 50 PRINT SZ; "BYTES LONG. ": PRINT OR ABOUT"::PRINT USING "###.# %";SZ/1024;"KILOBY TE(S)" 55 PRINT "PRESS ANY KEY FOR ANOT HER": EXEC 44539: RUN 1000 FOR X-3 TO 11

1005 DSKI\$ DN.17.X.A\$.B\$ 1010 C\$-A\$+LEFT\$(8\$.127) 1015 N\$(0)-LEFT\$(C\$,11) 1020 FOR N-1 TO 1025 N\$(N)-MID\$(C\$,N*32+1.11) 1030 NEXT N 1035 FOR N-0 TO 7 1040 IF F\$-N\$(N) THEN RETURN 1045 NEXT N 1050 NEXT X 1055 PRINT "FILE NOT FOUND": PLAY "P2": RUN 2000 DSKI\$ DN.17.2.A\$,B\$ 2005 BG\$-MID\$(A\$, ASC(BG\$)+1.1) 2010 IF ASC(BG\$)>=&HCØ THEN RETU 2015 NG-NG+1:GOTO 2005

Graphics Utility/32K Extended

PMODE 4 Snapshot by Keiran Kenny

Snapshot allows you to save a selected part of any PMODE 4 graphics screen. You can use the program with PMODE 4 pictures already in memory (e.g., drawn by a BASIC program) or you can have Snapshot load the image for you from tape or disk. If the image is to be drawn by another program, run that program first and press BREAK.

After you run Snapshot, select Option 1 to save a part of a picture. You are prompted for whether the picture is in memory. If so, press Y. Otherwise, Snapshot asks you for the filename of the previously saved PMODE 4 image. If you are using a disk drive, Snapshot knows it and uses the drive for loading and saving files. Otherwise the program saves and loads from tape. Line 100 sets DV=1 (for disk) or DV=-1 (for tape) accordingly.

Once the image is loaded, select the portion you want to save. Move around the screen using the arrow keys. To move diagonally, press two arrow keys at the same time. Press X while also pressing an

The Listing: PM4PTSCR

Ø 'SAVE PMODE4 PART SCREENS
1 'WRITTEN BY KEIRAN KENNY
2 'COPYRIGHT (C) DECEMBER 1991
3 'BY FALSOFT, INC.
4 'RAINBOW MAGAZINE
10 DIMD(1228)
20 CLS:PRINT@160,"1. SAVE A PART PIX".,,"2. LOAD A PARTPIX":PRINTTAB(4)"PRESS 1 OR 2"
30 K\$-INKEY\$:IFK\$<>"1"ANDK\$<>"2"
THEN30
40 IFK\$="2"THEN390

arrow key to speed the movement of the cursor. When the cursor is positioned at the upper-left corner of the section you want to save, press U. Then move to the lower-right corner of the section and press L. When you press L, the screen clears, leaving only the portion of the image you have selected. At this point you can move the selected image by placing the cursor where you want the upper-left corner and pressing M.

To save the image, press S. Snapshot prompts you for the filename. (As long as you enter a different filename, your original PMODE 4 image remains unaffected.) Again, the program automatically saves to disk (if you have one) or tape. It is important to note that the saved file is actually a complete PMODE 4 image, with the unwanted portion removed, and it occupies the same amount of storage space as the original image. To load a saved portion or a different PMODE 4 image for viewing, select Option 2 when you start Snapshot.

50 CLS:PRINT@224,"IS FULL PIX IN MEMORY? Y/N"
60 K\$-INKEY\$:IFK\$<>"Y"ANDK\$<>"N"
THEN60
70 IFK\$-"Y"THEN90
80 PRINT:INPUT"LOAD PIX:";PX\$
90 PMODE4,1:COLOR0,5
100 IFPEEK(&H15F)=196THENDV=1ELS
EDV--1
110 IFK\$-"Y"THEN130
120 IFDV-1THENLOADMPX\$ ELSECLOAD
MPX\$

Utility/CoCo 3 Disk

130 SCREEN1.1 140 X-128:Y-96:N-1 150 IFPEEK(341)-247THENY-Y-N 160 IFPEEK(342)-247THENY-Y+N 170 IFPEEK(343)=247THENX=X-N 180 IFPEEK(344)-247THENX-X+N 190 IFPEEK(338)-247THENN-6ELSEN-200 IFPEEK(135)-85THENX1-X:Y1-Y 210 IFP ANDPEEK(135)=83THEN340EL SEIFP-ØANDPEEK(135)-83THENX-X1:Y -Y1:GOT0340 220 IFPEEK(135)-76THENH-X-X1:V-Y Y1:GET(X1,Y1)-(X1+H,Y1+V),D,G:P CLS: PUT(X1, Y1) - (X1+H, Y1+V), D, PSE T:POKE135.0 230 IFPEEK(135)=77THENP=1:PCLS:P UT(X.Y)-(X+H,Y+V),D,PSET:POKE135 240 IFX<0THENX-0 IFX+H>255THENX-255-H 250 260 1FX>255THENX=255 270 IFY COTHENY-0 28Ø IFY+V>191THENY-191-V 290 IFY>191THENY-191 300 DR-PPOINT(X,Y): IFDR-0THENCL-5ELSECL-0 310 PSET(X.Y.CL):FORD-1T0100:NEX T: PSET(X,Y,DR): GOT0320 320 GOT0150 33Ø GOTO33Ø 340 POKE135.0:CLS:PRINT@224."SAV E PARTPIX NAME:";:INPUTPP\$ 350 SCREEN1.1 360 IFDV-1THENSAVEMPP\$, 3584, 9727 .40999:GOT0380 370 CSAVEMPP\$, 1536, 7679, 40999 380 CLS:PRINT@224, "PARTPIX "+CHR \$(34)+PP\$+CHR\$(34)+" SAVED.":ENO 390 CLS:PRINT@224,"LOAD PARTPIX NAME: ":: INPUTPP\$ 400 PMODE4.1:COLORØ.5:PCLS:SCREE N1.1 410 IFPEEK(&H15F)-196THENLOADMPP \$ ELSECLOADMPP\$ 420 SOUND128,4 430 EXEC44539:CLS:END

Improved Directory by Geoff Friesen

IDIR is a short utility that enhances the CoCo 3 DIR command, causing it to display the total number of files on the disk and the number of granules occupied. (A granule equals 2304 bytes and is the basic unit of allocation for disk files.) This information is useful when you need to know if there is enough room on a disk to store more files.

The program requires a CoCo 3 and

Disk BASIC Version 2.1. To install *IDIR*, simply run the BASIC program. The patch also redirects the reset vector. When the Reset button is pressed, the program automatically reinitializes itself — it is not lost.

IDIR should be installed after other machine-language routines, if any. Also keep in mind that since IDIR makes several modifications to the DIR command, it

most likely won't work with other utilities that patch this command.

I hope you enjoy using IDIR.

The Listing: IDIR

100 'IDIR 110 'WRITTEN BY GEOFF FRIESEN 120 'COPYRIGHT (C) DECEMBER 1991 130 'BY FALSOFT, INC. 140 'RAINBOW MAGAZINE

150	•
160	CLEAR 200, PEEK(&H27)*256+PEE
K(&	H28)-176
170	SA-PEEK(&H27)*256
180	SA-SA+PEEK(&H2B)+1
190	FOR I-SA TO SA+176
200	READ B\$
210	POKE I. VAL("&H"+B\$)
220	NEXT I
230	EXEC SA+10: CLS
240	PRINT "IDIR INSTALLED": NEW
	DATA 12.87.FF.DF.8D.ØF.6E.9D

```
260 DATA 00.5A.9E.72.AF.80.00.54
270 DATA 30.8C.ED.9F.72.86.8D.87
280 DATA CC.A9.30.8D.00.4A.BF.CC
290 DATA AA, 87, CC, D7, 30, 80,00,49
300 DATA BF,CC,D8.86,7E,B7,CC.FB
310 DATA 30,80,00,43,BF,CC,FC,B7
320 DATA CD.12,30,80,00,49,8F,CD
330 DATA 13,87,CD,15,30,8D,00,47
340 DATA BF, CD, 16, 86, 42, 12, 12, 12
350 DATA B7.CC.D2.39.00.46,49.4C
360 DATA 45.53.3A.20.20.47.52.41
370 DATA 4E,53,3A,20,00,00,00,00
```

38Ø DATA 6F.8C.FB.6F.8C.F9.7E.D2 390 DATA 4F.6C.8C.F2.7E.89.A2.8D 400 DATA CD.1E.34.02.AB.8C.E8.A7 410 DATA 8C.E5.35.04.7E.CC.FF.5C 420 DATA C1.0C.22.03.7E.CC.BB.30 430 DATA 8C.C2.C6.08.BD.B9.A2.E6 440 DATA 8C.CC.4F.BD.BD.CC.30,8C 450 DATA BB.C6.08.BD.89.A2.E6.8C 460 DATA BE, 4F, BD, BD, CC, BD, 89, 58 470 DATA 39,*

Game/CoCo 3

Peggity by George Aftamonow

Peggity is a one-player game for the CoCo 3. The object of the game is to fill each box on a diamond-shaped grid with one of five colors. You must do this in such a way that no two adjacent boxes (horizontally, vertically or diagonally) are of the same color. To make things just a little more difficult, you can fill only squares that are next to already-colored squares - Peggity gets you started by filling four squares. If you manage to color all the boxes, a new grid appears and the game continues. The game is over

2 'WRITTEN BY GEORGE & ELLEN AFT

3 'COPYRIGHT (C) DECEMBER 1991

20 I\$-INKEY\$: IFI\$-""THEN20

12.38: PALETTE14.51: GOT055

-PUR 9-DRKRED 10-LT RE 55 HCLSØ: HSCREEN2: HCOLOR2

The Listing: PEGGITY

4 'BY FALSOFT, INC.

6 'for the coco 3

N2:HCLSØ:HCOLOR5.Ø

'PEGGITY

5 DIMB(81)

N5ØELSE2Ø

AMONDW

when you can't legally fill any more boxes on the grid.

The color you must use to fill boxes is randomly selected and is shown on the upper-left part of the screen. The number of each color remaining is shown on the right of the screen. Press the arrow keys to position the blinking-square cursor, and press ENTER to fill the square. Press Q to quit the game at any time. Game play is simple, but filling even one entire grid is quite challenging. Good luck!

65 HCOLOR9: HLINE(0.50) - (320,150) PSET.B:HLINE(56.80)-(0,50).PSET :HLINE(0,150)-(60,120), PSET:HLIN E(270.80)-(320.50).PSET:HLINE(25 8.120)-(320,150), PSET 90 HCOLOR2: HLINE(50,162)-(270,18 Ø).PSET.B:HPRINT(9,21)."NEED INS TRUCTIONS Y/N?" 91 IS-INKEYS: IFIS-"THEN91 92 IFIS-"N"THEN99ELSEHCLS 93 HLINE(2.15)-(318.152), PSET, B: HLINE(4,17)-(316,150), PSET, 8:HPR INT(3,5), "THE OBJECT IS TO FIL L EVERY BOX": HPRINT(3,6), "SO TH AT NO TWO OF THE SAME COLORS":H PRINT(3,7), "ARE NEXT TO EACH OTH ER, VERTICALLY,": HPRINT(3,8), "HOR IZONTALLY. OR DIAGONALLY. 94 HPRINT(3,9), "ONCE A COLOR IS PLACED, IT MAY NOT": HPRINT(3,10) "BE REMOVED OR CHANGED.": HPRINT (3,11), "COLORS MUST BE PLACED NEXT TO AN": HPRINT(3,12), "EXISTI NG COLORED BOX."

96 HPRINT(3.13). "USE ARROW KEY T

O MOVE BLINKING BOX": HPRINT(3.14


HIT Q TO

"THEN PRESS ENTER.

61 HDRAW"BR14L12H2UBUU14E2R12F2B D2ND4L1@D12R6U4L2U4R6D1@G2BR16 L 12H2BU16E2R12F2NU2BD2ND4L10D12R6 U4L2U4R6D1ØNG2D2 R6U16NR6UBUU2NL 6"

62 HDRAW"R18DBDD2L6ND16BL6D16R6B R18 L6U10H6BU4R2F6R2E6R2D4G6D10" 63 HPAINT(68,118),4,2

64 HLINE(1,50)-(319,150), PSET, B: HLINE(6.54)-(312.146), PSET, B:HLI NE(16,60)-(300.140), PSET, B: HLINE (34,70)-(284,134), PSET, B: HPAINT(2,51),9,2:HPAINT(7,55),2,2:HPAIN T(33,68),10,2





TO START." 98 IFINKEYS-"" THEN98 99 SC-4 100 HCLSØ 110 B\$="L20U16R20D16BR30" 120 HDRAW"C3BM140.25S4"+B\$:HDRAW "BM110.50"+B\$+B\$+B\$ 125 HDRAW"BM80,75":FORB-1T05:HDR AW"XBS: ": NEXT 130 HDRAW"BM50,100":FORB-1T07:HD RAW"XB\$: ": NEXT:: HDRAW"BM80, 125": FORB-1T05: HDRAW"XB\$:": NEXT 135 HDRAW"BM110,150"+B\$+B\$+B\$:HD RAW"BM140.175"+B\$ 140 HCOLOR2: HLINE(251,10)-(315,1 00), PSET, B: HLINE(249, 150) - (315,1 BØ). PSET. B: HDRAW"BM45, 48"+B\$ 150 HPRINT(0,2), "NEXT COLOR": HPR INT(33,17), "SCORE" 200 C-0:Y-20:FORZ-1T05:X-260:C-C +1:FORX-260T0300STEP10:HCOLORC:H LINE(X,Y)-(X+6,Y+B), PSET, BF: NEXT X:Y-Y+15:NEXTZ 210 P-14:FORZ-1T05:P(Z)-5:NEXT 220 X=138:Y=23:E=14:FORZ=1T04:A= RND(5):AX=250+P(A)*10:AY=5+A*15: HCOLORØ: HLINE(AX, AY) - (AX+6, AY+8) , PSET, BF: P(A)-P(A)-1: HPAINT(X,Y) .A.3:B(E)-A:IFZ-1 THENX-48:Y-98: E-38:ELSEIFZ-2 THENX-228:Y-98:E-44:ELSEIFZ-3 THENX-138:Y-173:E-6 230 NEXT: X-140: Y-25 250 C-RND(5): IFP(C)-0 THEN250 260 XC-250+P(C)*10:YC-5+C*15:HCO LORØ: HLINE(XC, YC) - (XC+6, YC+8), PS ET.BF:P(C)=P(C)-1 270 HCOLORC: HLINE(44,47) - (26,33) , PSET, BF 300 PALETTE15,63:HDRAW"BM-X;,-Y; C15XB\$;" 310 IS-INKEYS: IFIS-"" THENPALETT E15.0: PALETTE15.63: GOTO310ELSEHD RAW"BM-X: ,-Y: C3XB\$:" 320 IFIS-CHR\$(13) ANDB(P)-OTHENI FB(P-9)<>0 ORB(P-1)<>0 ORB(P+1)< >Ø ORB(P+9)<>Ø THEN400 330 1F1\$-CHR\$(9) ANDP<>14 ANDP<> 24 ANDP<>34 ANDP<>44 ANDP<>52 AN DP<>60 ANDP<>68 THENP-P+1:X-X+30 :GOT0300 340 IFI\$-CHR\$(8) ANDP<>14 ANDP<>

22 ANDP<>30 ANDP<>20 ANDP<>38 AN DP<>48 ANDP<>58 ANDP<>68 THENP-P -1:X-X-30:GOT0300 350 IFI\$-CHR\$(94) ANDP<>14 ANDP< >22 ANDP<>24 ANDP<>30 ANDP<>34 A NDP<>38 ANDP<>44 THENP-P-9:Y-Y-2 5:GOT0300 360 IFI\$-CHR\$(10) ANDP<>38 ANDP< >44 ANDP<>48 ANDP<>52 ANDP<>58 A NOP<>60 ANDP<>68 THENP-P+9:Y-Y+2 5:GOT0300 370 IFI\$-"0" THEN425 38Ø GOT05ØØ 400 IFB(P-10)-C ORB(P-9)-C ORB(P -8)-C ORB(P+1)-C ORB(P+10)-C ORB (P+9)=C ORB(P+8)=C ORB(P-1)=C TH ENSODELSEHPAINT(X-1,Y-1),C.3:HCO LORØ: HLINE(44,47)-(26,33). PSET. B F:B(P)-C 410 HLINE(270,160)-(300,175), PSE T.BF:SC-SC+1:HCOLOR4:HPRINT(34.2 0).SC:1FSC/25<>1NT(SC/25) THEN25 420 SC-SC+4: PALETTE15.53: HCOLORI 5: HPRINT(2,22), "NEXT SCREEN": FOR Z-1T05:PLAY"T250L200EAGAEAGAEAGE

Introducing Desk Tamer!!!

At last, a desk top companion for *OS9* and *Multi-Vuel* Desk Tamer* is a full featured point and click desk top companion program that is certain to help you stay organized. *Desk Tamer* includes a card file, a free form note pad, and a phone directory and dialer. Additionally, an excellent appointment calendar/idally reminder is included to help you keep track of your daily activities on an ongoing basis. *Written by Ted Jaeger, Desk Tamer* is supplied in compact *BasicO9 I-Code* format. *Desk Tamer* is fully compatible with *Multi-Vue. Desk Tamer* requires a *Tandy Color Computer 3 or 100% compatible computer with 512K, at least one disk drive, and the OS9 Level 2 operating system. Additionally a modern is required to use the telephone dialer function. Desk Tamer* is compatible with both the RS and Disto RS232 paks. Available for a limited time at just \$34.95.

High Finance...

Perform a variety of financial analysis calculations and create schedules periodic data with this easy to use Multi-Vive application. Intelligent financial decisions are just a point and click away! Includes fantastic on-line tutorials that help you learn to use the program quickly and easily. Includes present/future value, sinking fund, loan amortization, depreciation, and much amortization, depreciation, and much more! Requires Tandy Color Computer 3 or compatible computer w/128k (256k or more recommended), disk drive, mouse/joystick, and OS-9 Level 2 wWindint module. Multi-Vue recommended. \$24.95.

OS-9 Calendar Utilities

Ever wish you could display your schedule for the day automatically on start up? Or, perhaps you have wanted to perform repetitive maintenance tasks on your Gcal data files quickly and easily? Or, maybe you have given up on Gcal totally because you couldn't print your calendar data. MV Systems' OS-9 Calendar Utilities will handle all these tasks for you, and more! You can OS-9 Calendar Utilities will handle all these tasks for you, and morel You can use these popular utilities as companions to Multi-Vie's Gas program, or by themselves to perform many handy scheduling tasks! Requires Tandy Color Computer 3 or compatible computer wi128k, disk drive, and OS-9 Level 2. Multi-Vie optional. Still just \$14.95f

OS-9 Budget System.

MV Systems is proud to offer this fine Basic09 program written by Make Dean. More than just a budget program, this system allows you to track and analyze your financial transactions and prepare useful reports to fit your financial needs. Runs in text or graphics screens. Requires Tandy Color Computer 3 or 100% compatible computer w256k, disk drive, and OS-9 Level 2. Multi-Vue optional. \$21.95!

Free View Utility!!!

All orders received prior to January 1, 1992 will include a free OS9 text file view/scroll utility program! This handy program allows you to page back and forth through a text file. Our Christmes present to you!

Software Developers: MV Systems needs quality OS-9/OSK software to market. MV Systems is actively involved in helping software developers like you bring their products to market. We can help you put the finishing touches on your program or its documentation, if needed, and then help you market your product effectively. We can also assist you in porting your product between OS9 and OSK (Version 2.4). So, if you have written (or are writing) software you would like to market, contact us for details. You'll be glad you did!

All products carry the Rainbow Certification Seal. VISA and MasterCard orders accepted. Please add \$2.50 (U.S.) or \$5.00 fibreign) for shipping and handling to all orders. Colorado residents please add 3% sales tax.

MV Systems P.O. Box 818 Arvada, CO 80001

(303) 420-7777

The OS-9 and Multi-Vue specialists!

* * * * WINTER SOLSTICE CELEBRATIONS

Yule be glad you read this ad when you see the savings we have in store for you this season.

000000 ១ 0 [0]

SOLITAIRE CARD GAMES All three play on 128K CoCo3, with

joystick and disk. DuoDeck: Double Deck Solitaires.

Play Sly Fox or Windmill - both games of skill. \$19.95 La Belle Lucie: A true game of skill. \$14.95

Classic Solitaire: Klondike, Canfield and Pyramid on one disk for just \$14.95

BUY DUODECK FOR THE INTROPRICE OF \$15.00 OR BUY ALL THREE FOR JUST \$40.00

NEW! GEMS: Play Columns on your Coco! Fit colors together tic-tac-toe fashion as they slide down your screen. Stereo sound effects. 128K \$24.95

SOVIET BLOC: Super Tetris-style game. \$19.95

SPECIAL!!! **BOTH FOR \$39.00**

ARCADE Crystal City \$34.95 Zenix

OS9/LII (512K)

Tazman \$24.95 \$29.95 Kyum-Gai (To Be Ninja) \$29.95

0

FAMILY SPECIAL

Deception Path (CoCo3 Disk) \$19.95 Armchair Admiral (CoCo3 Disk) \$14.95

Games Pack (CoCo3/CoCo2 Disk) \$10.00 SAVE!! BUY ALL THREE FOR JUST \$38.00

Software submissions invited

Checks, Money Orders, MasterCard & Visa \$2.50 S&H COD \$2.00 extra. WA addresses add 8.2% sales tax.

Eversoft Games, Ltd P.O. Box 3354 Arlington, WA 98223

(206) 653-5263 30 day money back guarantee



Yes! They're still available

Rainbow Back Issues



BACK ISSUES STILL AVAILABLE

Have you explored the wealth of information in our past issues? From our very first, four-page issue to many with more than 300 pages of material, it's all just for CoCo users — a great way to expand your library!

A WORLD OF INFO AT A BARGAIN PRICE

All back issues sell for the single issue cover price. In addition, there is a \$3.50 charge for the first issue, plus 50 cents for each additional

D AUG 83

issue for postage and handling if sent by United Parcel Service. There is a \$5 charge for the first issue, plus a \$1 charge for each additional issue on orders sent by U.S.Mail. UPS will not deliver to a post office box or to another country.

MOST ISSUES STILL AVAILABLE

Available issues through June 1982 are provided on white paper in a reprint form. All others are in regular magazine form. VISA, MasterCard and American Express accepted. Kentucky residents please add 6 percent sales

tax; Canadian residents, 7 percent GST. In order to hold down costs, we do not bill, and no C.O.D. orders are accepted.

Due to heavy demand, we suggest you order the back issues you want now while supplies last. To order, review and fill out the form below and mail it with your payment.

For greater convenience, order through the Rainbow Magazine Services area of our Delphi CoCo SIG.

A complete index for, July 1981 through June 1984, is printed in the Graphics Business APR 88 MAY 88 \$3.95 Home Help \$3.95 July 1984 issue. Separate copies are available for \$2.50 plus 50c handling. Indexes for subsequent years are published annually in the APR 84 MAY 84 Gamino \$3.95 **JUN 88** Music \$3.95 July issues of THE RAINBOW. Music \$3.95 VOLUME 8 **KY RESIDENTS ADD 6%** VOLUME 4 Education SEP 88 \$3.95 OCT 88 Graphics Games CANADIAN RESIDENTS ADD 7% GST Education 000000000 NOV 88 Data Comm \$3.95 Roliday Graphics U.S. MAIL CHARGE Beginners Home Help Hardware Data Comm. JAN 89 **NOV 84** \$3.95 \$3.95 FEB 89 \$3.95 SHIPPING & HANDLING JAN 85 Beginners \$3.95 MAR 89 \$3.95 APR 89 MAY 89 Business Printer **FEB 85** \$3.95 \$3.95 U.P.S. CHARGE Business \$3.95 Summer Fun Anniversary TOTAL AMOUNT APR 85 MAY 85 Simulations Printer \$3.95 \$3.95 JUN 89 **ENCLOSED** JUIN 85 Music \$3.95 Anniversary AUG 89 Beyond BASIC Education \$3.95 In instances where a given issue is now out of print and not available for **VOLUME 5** purchase, we do provide photocopies of specific articles. The cost for this service AUG 85 OCT 89 Graphics \$3.95 is \$1.50 plus 50 cents S/H per article. This service is provided only in the case of SEP 85 OCT 85 \$3.95 \$3.95 Education pagagggggggg Data Comm Graphics **DEC 89** Holiday Beginners \$3.95 NOV 85 DEC 85 \$3.95 \$3.95 Data Comm. JAN 90 \$3.95 Roliday FEB 90 Home Help \$3.95 Beginners Utilities JAN 86 \$3.95 MAR 90 Hardware \$3.95 Address APR 90 Business Printer Summer Fun MAR 86 Business \$3.95 MAY 90 \$3.95 Home Help Payment Enclosed, or **MAY 86** Printer \$3.95 JUL 90 Anniversary \$3.95 Charge to my: U VISA U MC AE VOLUME 10 Anniversary 05-9 CARD# VOLUME 6 Education SEP 90 OCT 90 \$3.95 EXPIRATION DATE PHONE () Games Education 0000000000000 Graphics **NOV 90** Data Comm \$3.95 SIGNATURE OCT 86 Graphics Data Comm. \$3.95 **JAN 91** Beginners Home Help \$3.95 Holiday **DEC 86** \$3.95 **FEB 91** TO ORDER BY PHONE (credit card orders only) call (800) 847-0309, **MAR 91** Hardware \$3.95 **FEB 87** Utilities \$3.95 APR 91 MAY 91 Music \$3.95 9 a.m. to 5 p.m. EST. All other inquiries call (502) 228-4492. Business Printer \$3.95 send to: THE RAINBOW, The Falsoft Building, P.O. Box APR 87 \$3.95 Summer Fun Home Help Anniversary 385, Prospect, KY 40059 Music AUG 91 SEP 91 OCT 91 NOV 91 Graphics Education Please send me the following back issues: **VOLUME 7** 0000 Games OS-9 \$3.95 \$3.95 Education \$3.95 \$3.95 Data Comm. VOLUME 1 OCT 87 Graphics **DEC 91** Holiday \$3.95 JUN 83 JUL BY Premier Issue \$2.00 Printers \$2.95 Data Comm. \$3.95 Holiday **VOLUME 3** NOV BI JAN BB

\$2.95

":PALETTE15.0:PALETTE15.53:NEXT: GOTO440 425 HCOLOR4: HPRINT(2,24), "PLAY A GAIN?":SC-4 430 I\$=INKEY\$:IFI\$="" THEN430

435 IFIS="N" THENCLS: RGB: END: ELS EIFIS-"Y" THEN440ELSE430 440 FORZ-1T081:8(Z)-0:NEXT:GOTO1 00:ELSE430 500 HCOLOR4: HPRINT(6,23), "ILLEGA L": PLAY"T255L20001BAD02BAD03BAD" :FORZ-1T050:NEXT:HCOLORO:HPRINT(6,23), "ILLEGAL": GOT0300

Utility/CoCo 3

Palette Tints by Keiran Kenny

I have seen numerous programs in THE RAINBOW that display all 64 palette tints available on the CoCo 3. However, I needed one that groups the tints, allowing me to choose between all the reds, all the blues, etc. Tint Pal is my solution.

When you run the program, you see a menu from which you can select any of seven different color groups. After you select a category, Tint Pal displays all the

colors available in that category, along with the corresponding color values.

The color groups are set using PL\$ in lines 120 through 170. The color numbers are given as consecutive two-digit values. Like beauty, color is in the eye of the beholder - feel free to vary the values to reflect the way your eyes interpret color. Also, as written, Tint Pal gives appropriate colors only on RGB monitors. You'll have to change the values to use the program with a composite monitor.

I find it useful to have Tint Pal accessible when I write other programs. To do this, you can renumber the program by entering RENUM 10000, 10. Also add the line 9990 G0T09990. Then start writing your program at Line 10. When you want to check a color value, just enter RUN 10000. Press BREAK to exit.

The Listing: TINTPAL

EN100ELSEHCLS

Ø 'PALETTE TINT GROUPS 'WRITTEN BY KEIRAN KENNY 'COPYRIGHT (C) DECEMBER 1991 'BY FALSOFT, INC. 4 'RAINBOW MAGAZINE 10 POKE65497.0 20 ONBRKGOTO310 30 ONERRGOTO320 40 PALETTEØ.0: HSCREEN2: HCOLOR1 50 HPRINT(0,0), "CHOOSE PALETTE T INTS:" 60 HPRINT(0.2),"(1) GREENS":HPRI NT(20.2)."(2) YELLOWS" 70 HPRINT(0.4),"(3) BLUES": HPRIN T(20,4),"(4) REDS" 80 HPRINT(0,6)."(5) PURPLES":HPR INT(20,6)."(6) BROWNS/ORANGES" 90 HPRINT(0.8)."(7) GRAY & WHITE 100 K\$-INKEY\$: IFK\$<"1"ORK\$>"7"TH

110 ONVAL(K\$)GOTO120.130.140.150 .160.170.180 120 PL\$="02061617181920212223263 Ø58":C\$-"GREENS":GOTO190 130 PL\$="484950515253545562":C\$= "YELLOWS": GOTO190 140 PL\$-"01030809101112131415242 5262728293Ø31575859":C\$-"BLUES": GOT0190 15Ø PL\$="Ø4323334353637383944":C \$-"REDS":GOT0190 160 PL\$-"04053340414243444546476 1":C\$="PURPLES":GOTO190 170 PL\$="34385253":C\$="BROWNS/OR ANGES": GOTO190 180 PL\$="075663":C\$="GRAY & WHIT 190 DM-LEN(PL\$)/2 200 X-0:Y-16 210 FORT-ITOLEN(PL\$)STEP2 220 PT-PT+1:IFPT>15THENSOUN0128.

3: HPRINT(14,21). "PRESS ANY KEY": EXEC44539: HCLS: PT-0: X-0: Y-16: GOT 0220 230 PL=VAL(MID\$(PL\$,T,2)) 240 PALETTEPT, PL 250 HPRINT(20-LEN(C\$)/2.0).C\$ 260 HCOLORPT: HLINE(X,Y)-(X+32,Y+ 32). PSET. BF 270 HPRINT(X/8.(Y+40)/8).PL 280 IFPT-8THENX-0:Y-Y+56ELSEX-X+ 40 290 NEXTT 300 HPRINT(14,21), "PRESS ANY KEY ":EXEC44539:PT-0:HCLS:PALETTE1,5 4:GOT040 310 POKE65496,0: RGB: CLS: END 320 POKE65496,0:RGB:CLS:PRINT@22 4. "ERROR#"ERNO"IN LINE"ERLIN: END

First Prize (Awards, Certificates)............ \$29.95 9 _ CGDP (Signs, Banners, Greeting Cards) . \$29.95 or CoCo II _ Label Designer (Graphics & Text Labels) \$29.95 Radio Shack 1-button Mouse...... \$15.00 CoCo III Flight Simulator by subLOGIC. \$10.00 _ 64K Picture disks 1 to 6 each contain 132 pictures for use with On the CGDP and LD and Colorware's CoCo Max and Max-10. PD #1 Education, People, School, Science, S7.45 PD #2 America, Sports, Party, Office......\$7.45 & LD PD #3 Animals, Religion, Nature, Travel. \$7.45 ___ PD #4 Holiday Collection..... \$7.45 CGDP. PD #5 Hobbies, Vehicles, Astrology \$7.45 PD #6 Maps of the 50 US States...... \$7.45 Border Disk #1 (176 Borders for CGDP)....\$7.45

Font Disk A (10 fonts for CGDP & LD....)\$7,45 Font Disk B (10 fonts for CGDP & LD)....\$7.45 SALE! Used equipment liquidation, CoCo II's, disk drives, controllers,

monitors, etc. Send SASE

for price list, no phonecalls.

Subtotal S & H \$3.00 COD's add \$4.00 PA Res. add tax 6%

Total

Check Enclosed __ COD __ VISA/ MC Card #

Signature_ Mail orders are preferred, but you can also leave orders on the Zebra phone answering machine.

Zebra Systems, Inc., 121 S. Burrowes Street, State College, PA 16801, (814) 237-2652

0

Monitor Conversions

by Marty Goodman Contributing Editor

Can IBM monochrome or VGA monochrome monitors be used with the CoCo 3's RGB video output?

Francis Swygert (DESTFOX)
Robins AFB, Georgia

The Color Computer's horizontalsync frequency is 15.75 KHz while the horizontal-sync frequency of IBM monochrome monitors is around 19 KHz. This difference is enough that many IBM monochrome monitors can't sync to the Color Computer's horizontal-sync signal unless you adjust the ferrite slug in the horizontal oscillator or make some other modification. Once the horizontal-sync discrepancy is dealt with, you still need a means of converging the three analog RGB signals together and turning them into luminance and intensity signals at TTL levels. Second City Software was selling such a circuit at the last RAINBOWfest. The problem is that even if you get the monitor to sync to the lower frequency, the image will occupy only the center two-thirds of the screen. VGA monitors sync at many different frequencies, but the lowest of those is 31.5 KHz. Thus, there is no reasonable way that a VGA monochrome monitor is likely to sync to a CoCo 3 video signal. In fact, connecting a VGA monitor to the CoCo might damage the monitor.

Martin H. Goodman, M.D., a physician trained in anesthesiology, is a longtime electronics tinkerer and outspoken commentator — sort of the Howard Cosell of the CoCo world. On Delphi, Marty is the SIGOP of KAINBOW'S CoCo SIG and database manager of OS-9 Online. His non-computer passions include running, mountaineering and outdoor photography. Marty lives in San Pablo, California.

PIA Chips

What's the story with that mystery PIA chip used for the keyboard in the CoCo 3? The other PIA is a standard 68B21, but the keyboard PIA has a weird, proprietary-looking part number, yet appears to be used just the same as one would use a 68B21.

Douglas Berry (DBBB) Leland, North Carolina

Original revision D and E motherboards used ordinary 6821s for the keyboard. With the revision F motherboard and CoCo 2 models, a 6822 open-collector PIA was used, in association with the needed pull-up resistors. Recently Jim Harrison (JIMHARRISON) ordered a replacement keyboard PIA for his CoCo 3 from National Parts and received a regular 68B21 chip! He was rather suprised, as was I when he told me of it. But he tried the chip in his CoCo 3, and it appears to work just fine. Thus, while I am not at all sure what is special about the chip Tandy supplies as the keyboard PIA for the CoCo 3, I can tell you that Jim Harrison's experience is that a 68B21 works fine as a replacement. Jim points out that there are no pull-up resistors on the circuit for the CoCo 3. So you would not expect Tandy to use an open-collector version of the PIA. It seems as if Tandy went full circle, from ordinary PIA to open-collector PIA and back to ordinary PIA in its design.

Star/Commodore Printer

My son was given a Commodore 128 and a Star SL-10C printer. Can he use the printer with a CoCo 3?

Stephen H. Wallace (SPARKYWALL) Kellyville, Oklahoma

A Commodore computers often send data to the printer via a Commodore-

only varient of RS-232 protocol. More specifically, older Commodore computers and printers (and modems) communicated via a 5-pin DIN connector that carried RS-232 signals at TTL voltage levels. If your printer has a 5-pin DIN connector, it likely is one of those printers custom produced for use with the Commodore. If you are a hacker, you can fix this by adding level-converter chips (either Max 232, or 1488 and 1489 line drivers and receivers) to appropriate lines on the interface to turn the Commodore-only serial interface into a general-purpose RS-232 interface. Alternatively, if your printer has a parallel port (and assuming you know the DIP switch setting to activate that port), you can use a serial-to-parallel converter with your CoCo 3. The argument against using a serial-to-parallel converter is that such converters cost about \$50 or more. The argument for using such a converter is that most printers now available include parallel interfaces, and whatever printer you buy in the future for your CoCo 3 will also likely require such a converter.

Null-Modem Cables

What is the pin-out for a null-modem cable that I can use between my AT-compatible and my CoCo 3? I have an RS-232 Pak on the CoCo 3. I have DB-25 connectors on both the RS-232 Pak and on the AT serial port.

Ted Jaeger (TEDJAEGER) Fayetteville, North Carolina

I recommend using what is called a "non-handshaking" null-modem cable. This cable involves only three wires between the two computers, plus some extra jumpers on the connectors that go to each computer. Between the two computers, connect Pin 7 of one to Pin 7 of the other,

and Pin 2 of each computer to Pin 3 of the other computer. Now, connect together pins 6, 7 and 20 of the connector at each end of the cable. Also short pins 4 and 5 together at each end of the cable. You now have a null-modem cable that should work fine for file transfers. I have used such a cable for the transfer of many megabytes of data between my CoCo and PC-compatibles.

Monitor Conversions

What is involved in converting a Magnavox 8CM652 or 8CM762 monitor so it can accept analog RGB signals, the way the Magnavox 8CM515 can?

Barry L Brooks Omaha, Nebraska

The Magnavox 8CM652 and 8CM762 use exactly the same circuit board as the Magnavox 8CM515. However, the circuit board is not as fully populated. Roughly 50 components, all having to do with the RGB analog input, are left out. This includes the 6-pin DIN connector and a large number of resistors, transistors, diodes and capacitors. Interestingly the total cost of the missing components is under \$10 (excluding the 6-pin DIN connector). In fact, if you are a patient and dedicated tinkerer, and if you have the service manual for that line of

Magnavox monitors (available from Magnavox for about \$15), you can determine exactly what parts are missing (the silk screening on the circuit board helps a lot). When you add all the missing components, you'll get, in effect, a Magnavox 8CM515 monitor.

I actually did this for Howard Medical on one occasion when they were investigating what was involved in doing just such a conversion. It turns out the conversion is possible, and the parts cost is quite low (resistors and small-signal diodes cost about a penny apiece at most electronic supply houses, and the required general-purpose, small-signal transistors are about 15 cents each). However, the conversion is rather tedious and time consuming. You must first remove the solder from over a hundred holes on the wave-soldered circuit board, then add the required components, with careful reference to a comparison of the two schematic diagrams. Note that you will not fill in all the missing components, as some of the missing components on an 8CM672 relate to a missing (and unneeded) comb filter or to other minor differences between it and the 8CM515 that do not need to be rectified. Just add only those components that are part of the analog input circuitry and that appear on the schematic for the

8CM515 but not on the schematic for the 8CM862. This includes some video-input components and some extra power supply circuitry.

Sendless Modem

I have an older modem that will not send data when I connect it using a standard CoCo-to-modem cable. Any suggestions?

Dennis McMillian (COCOKIWI) Pittsburgh, California

Many older modems require a valid signal (Logic 1 or High) on the RTS (request to send) line before they can send data. Most of these older modems have a source of +12 volts on Pin 9. So, just pull up Pin 4 (RTS) of the modem, possibly by merely tying it to Pin 9 of your modem (if Pin 9 is in fact a source of 8 to 12 volts). This is not likely to be a problem using the Tandy RS-232 Pak, but it could be a problem if you are using the 4-pin serial port or if you are using a Disto or CoCoPRO! RS-232 pak that does not support CTS and RTS lines.

A Mountain of Questions

My computer system was hit by lightning, and my modem was destroyed. I got the CoCo fixed, but it still fails to work



EVERYONE'S TALKING ABOUT ...

DUAL HI-RES JOYSTICK ADAPTER Colorware Hi-Res Tandy Hi + Low Res, cassette jack \$40

HI & LO-RES JOYSTICK ADAPTER
Tandy Hi + Lo-Res \$27

HAWKSoft keyboard cable \$25 DOMINATION war game \$18 MYDOS extended DOS for you! \$15

HAWKSoft

P.O. Box 7112 Elgin, II 60121 (708) 742-3084 eves and ends SASE for more info and price list. S/H (US & CAN) always included M.O. Check C.O.D. no credit cards I year warranty on ALL hardware!!

Deluxe Terminal V1.0

A Completely New and Easy to use Terminal Program designed specifically for the CoCo III.

With advanced features you would expect to find only in Hi-Priced MS-Dos programs. It has a 26 Entry Phone Directory with complete Configuration information for Communications and Automatic Logon. It supports the Serial I/O port up to 2400 baud, Deluxe & Modem Pak and the Disto Serial I/O board up to 9600 baud. It has a Full Screen Text Editor, X/Y Modem and ASCII file transfer support, Split Screen Conference Mode, Programmable Macro Keys, Full Disk Support including Multifile Copy, Kill, Rename, Arcive, Un-Arcive and Disk Initialize and it is completely compatible with ADOS. It allows complete customization of Display Colors, Printer & Serial Communications, Drive Step Rates and Directory Sorting preference. It requires a 128K Coco III, 1 Disk drive and an 80 Column display. Special Introductory price of \$34.95

To order by VISA, MASTERCARD or COD Call Toll Free 1-800-383-8529

(Monday thru Saturday, 8am to 5pm PST).

To order by mail, send check or money order for the amount of the program plus \$4.00 for shipping and handling to:

Cer-Comp Ltd. 5566 Ricochet Avenue Las Vegas, NV 89110 702-452-0632



Special Back Issue Offer — Magazines \$1 each Disks \$6 each while supplies last!







To order, call (800) 847-0309 9 a.m.-5 p.m. EST.

> BONUS OFFER: Soft Sector Binders \$3 Each

with my RS-232 Pak and Multi-Pak, though the rear serial port still works. I have MikeyTerm, VTerm and the DeskMate terminal program for the CoCo 3. What do you suggest? Tandy says it will not repair my RS-232 Pak if it is broken. I cannot at this time log onto Delphi to get your answer.

I was given an IBM monochrome monitor, which I hooked to my Tandy 1000 HX computer. But I get a double image. The screen seems divided in half (top and bottom) where the image repeats. How do I fix this?

> Alan Lundaberg Altoona, Pennsylvania

It is possible your RS-232 Pak or Multi-Pak was damaged during that lightning hit. First try making a modem cable that connects your modem to the 4-pin serial port of the CoCo, and see if (after configuring VTerm for use with the bitbanger serial port) you can get the modem to work. That, at least, should get you back on Delphi. The cable to use is as follows:

CoCo 3	Modem			
4-pin DIN	DB-25			
1	8			
2	4			
3	7			
4	3			

As for your RS-232 Pak, you need to check it fully. Hook it to an RS-232 line-indicator box (the kind that flashes lights when signal levels change). Set the terminal to 300 bps. Now press some keys and see if the outgoing data light flashes. If not, you may have zapped the level-converter chips in the RS-232 Pak. Check the signals going into and out of the 1488 and 1489 chips. If the signals are incorrect, desolder those two chips and replace them. If the RS-232 Pak still does not work, you may have to replace the 6551 chip. If the 6551 chip is dead, replace it with a 6551A chip.

I recently had a disaster at my house, where I accidentally routed 110 volts AC into my RS-232 Pak's serial port due to a faulty wall transformer for a modem. The ground trace in my RS-232 switch box was vaporized. Both the 1488 and 1489 levelconverter chips in the RS-232 Pak were destroyed (one of them was literally blown to pieces), and the 6551 chip was also zapped. However, the rest of the RS-232 Pak (the voltage-inverter block and the address decode circuitry) was OK, as was (miraculously) the rest of my system (Multi-Pak and CoCo 3). This experience might be similar to the experience of the modem getting zapped with lightning.

The Tandy 1000 HX, to my knowledge,

puts out only a CGA-type video signal, CGA is quite different from IBM monochrome, for TTL monochrome syncs at 19 KHz while CGA syncs at 15.75 KHz. The IBM monochrome monitor was never meant to work with the CGA output of your 1000 HX. Don't try to use it with the 1000 HX.

Multi-Pak Interface

Can I use an old gray-case Multi-Pak Interface (Cat. No. 26-3024) with a CoCo 2 (Cat. No. 26-3134B)?

Paul Kemp Independence, Montana

Yes. All Multi-Pak Interfaces can be used with older CoCo 1's and 2's. The old gray-case Multi-Pak has exactly the same circuit as the newer white-case Multi-Pak that bears the same catalog number (26-3024). Actually, any model 26-3024 Multi-Pak can also be used with a CoCo 3, although you will have to remove the old PAL chip and put in a different one to avert an address conflict with the CoCo 3's GIME chip.

CoCo Keyboard

How do I install a CoCo 2 keyboard in an old gray-case CoCo 1? Erwin D. Hansen (ERWINH) Atoka, Indiana

The lines on the CoCo 2 keyboard exactly match the keyboard pins of the CoCo I keyboard connector. No special circuitry, transistors or resistors are needed. What is needed are appropriate connectors and a cable to hook the mylar ribbon cable from the CoCo 2 keyboard to the pins on the CoCo I motherboard. Do-it-yourselfers can probably make an appropriate adapter cable with a bit of tinkering using a 34-pin dual-row header connector, a 34-pin edge connector, some ribbon cable, and a bit of custom tinkering. Contact me via Delphi if you want the connector that fits the mylar ribbon cable. I still have a few I can spare.

Your technical questions are welcomed. Please address them to CoCo Consultations, THE RAINBOW, P. O. Box 385, Prospect, KY 40059.

We reserve the right to publish only questions of general interest and to edit for brevity and clarity. Due to the large volume of mail we receive, we are unable to answer letters individually.

Questions can also be sent to Marty through the Delphi CoCo sig. From the CoCo sig> prompt, pick Rainbow Magazine Services. Then at the RAINBOW> prompt, type ASK (for Ask the Experts) to arrive at the EXPERTS> prompt, where you can select the "CoCo Consultations" online form, which has complete instructions.

Bright Idea: Order some of these CoCo programs today:



ISSUE #99, AUGUST 1990 ISSUE #99, SEPT., 1990 FLIPPY TUTORIAL IDEA TREE
RECIPE/MEAL/GROCERY MASTER'S LABYRINTH
DUNOGEON MAZE
SNOW SKI
HOT LOAD
SHIP WAR
ERROR TRAP
SPACE WAR 3
MAGIC PUMPKIN
DP. WHO JARPT A SPACE WAR 3 MAZE MASTER 3

ISSUE #104, FEB. 1991 WINE CELLAR

PIG OUT CRYPTOGRAM 3 GHOST HUNTER

HI-COPY

DR. WHO3 PART 4

ABCS 123/S ANTIQUE COLLECTOR FOUR SCORE QUICK TAX HI-LOAD QUAD EDUCATION 3

SMURF QUEST

SUPER TEXT EDITOR
SUPER TEXT FORMATTER
TURTLE SEARCH 3
COAST TO COAST DRAGON ADVENTURE WRITE OUT UTILITY EASY BASIC 3 post (pilitum) ISSUE #105, MARCH 1991 ISSUE #106, APRIL, 1991 ROBOCROOK STOCK PORTFOLIO CREDIT CARD ACCT.

THE BARREL SERVICE MANAGER SERVICE MANAGE CROSUMS PUZZLE DIAMOND QUEST JOB SKILLS JOB APPLICANT ELDUS 3

ISSUE #100, OCT, 1990 ZOT MIND GAME

ISSUE #101, NOV. 1990 COST ESTIMATOR PERSONAL STATISTICIAN ALAIX - 3 DEATH HUNT SIZK RAM CATALOGER 3 THETROG

ISSUE #102, DEC. 1990 REAL ESTATE ANALYSIS COCO PAYROLL DR. STRANGE ADV. TANNING SALON TREASURE HUNT RIVERBOAT BLACKJACK TURTLE RACE 3 SUPER SCREEN DUMP CRAMI

LOST TREASURE

SNACK SHACK CIVII, WAR 3 SPELLING QUIZ COCO 3 CLOWN

BLACK BEARD

ISSUE #103, JAN. 1991 FAMOUS PEOPLE FAMOUS PEOPLE LABRYNTH 3 DATA ANALYSIS MEDICAL FILE WORD GENERATOR 3 PRIVATE EYE ADV. REARTS 3 COCO JOKESTER DIRECTRON

ISSUE #108, JUNE, 1991 SOUND GENERATER HIDE DIRECTORY ISSUE #109, JULY, 1991 DESTINATION UNKNOW! FISHERMAN'S QUIZ BETTING ODDS 3 BETTING ODDS 3 COCO 3 CHESS 2 TV SCRABBLE FORM LETTER DIVIDING FRACTIONS KEYBOARD PROTECT



Last 12 issues shown here!

Tom Mix Arcade Games

MATH DERBY

BLOOD PRESS.

COBRA ATTACK MONOGRAM COUNTRY CLUB SCREEN BLANKER COLOR GLU

ISSUE #107, MAY, 1991 DESERT STORM BUSSINESS PLAN ULTIMATE RULER

Get Some of these Public Domain too!

Music 1-7

M1 - 8 Utilities & 8 Songs

M2 - 17 Musica Files M3 - 16 Musica Files

M4 - 16 Musica Files

M5 - 25 Orchestra Files M6 - 23 . Bin Files ready to play

M7 - 23 .Bin Files ready to play

Graphics 1-14

GR1 - Raindrop, Celtic, Space + GR2 - Donald, Snoopy, Worldmap, + GR3 - 9 Coco 3 Graphic programs.

GR4 - 22 Coco Max Pictures

GR5 - 22 Coco Max Pictures GR6 - 22 Coco Max Pictures

GR7 - 15 Coco Max Pictures GR8 - 22 .BIN Pictures

GR9 - 22 BIN Pictures

GR10 - 14 Large, BIN Pictures GR11 - 8 MGE Pictures GR12 - Coco Max 3 Pictures GR13 - Macpaint Graphic Editor GR14 - 5 Macintosh Pictures

Adventures 1,2
A1 - CIA, Death Ship, Gargoyle, Kingdom, Kingtut
- Odeysey, Nuclear Sub, Werewand, Willsadv
A2 - Andrea Doria, Curse, Ghoestship, Hogjowl · Icewar, Quest, Sorcerer, Survival, Adv. Gen.

Telecommunications 1-3 T1 - Haysae, Kermit, Mikeyterm, Teleterm T2 - Cobbs BBs Terminal Package

T3 - Geterm Communications

Education 1-4
E1 - 12 Programs for young kids.
E2 - 12 Programs for High School Kids
E3 - 11 Programs Teach the Coco's Communds
E4 - 5 Graphic Programs About Australia

HOME MANAGEMENT 1-4

*12 Programs Each Disk/Tape H1 - Chidoook, Wrdproc, Typing Tutor, * H2 - Check, Last Will, Word Processor, *

H3 - Envelope, Life, Finance, Interest Rate, + H4 - Speeling Fix, Spelling Checker, +

Ottuties 1-8
12 Programs Each, U1-U4 Require Disk
U1 - 105DT, Disk Zapper, Rom Copy, Basic Map, +
U2 - Backup, Disktest, Customize, Offset, Backdir, +
U3 - Convert, Disk Library, C64pic, Relocate, +
U4 - Bin-Hasic, Disk Master, Unarc, Zap, Unlock, +
U5 - Assembler, Basic 64, 51x34, Recover, +

U6 - 64 Look, HGR Color, LLIST 32, Recover, *

U7 - Letter head peint with 30 mini pictures U8 - Fig Forth language with tutorials!

GAMES 1-11

*Each Disk/Tupe Contains 12 Programs * GA1 - Blackbox, Poker, Robodice, Startick *


GA2 - Amazing, Rider, Rubic, Vapor worm, + GA3 - Backgaramon, Gremlin, Python, Robots, +

GA4 -Hawks, Lunar World, Saucer, Shootem, GA5 - Battleship, Chicken, Raceway, Lizer, +

GA6 - Kings Army, Navyguns, Shipsub, Shuffle, * GA7 - Connect 4, F-16, Pizza, Rubic, Life +

GA8 - Football, Germ Attack, Othello, Slither, + GA9 - Buttle, 3DTTT, Max Graphics, Prix, +

GA10 - Blockade, Life, Missile2, Scramble, * GA11 - Bunker 3, Tirek, Nuke Attack, Traders,



Prices:

T&D Subscription Software

2490 Miles Standish Drive Holland MI 49424 (616) 399-9648

Single Issue (Tape or Disk)... \$ 8.00 2-5 ISSUES...... \$ 6.00 Ea. 6-10 Issues...... \$ 5.00 Ea. 11 or more Issues...... \$ 4.50 Ea. All Our Software(192 Disks)... \$ 279.00

One Year Subscription...... \$ 60.00

*All issues conatain 6-15 ready to run *programs on disk or tape.

*All original software includes documentation.

*We send first class! No charge.

*Personal checks welcome.

*Write for a free catalog.

*Programs are for a Coco 1, 2, or 3.

			Oriela	mal Sol					Public D	ornain		
	16	44		61		-	106	MI	GRI	Et	111	GAL
2	17	32	47	62	77	92	107	M2	GR2	F7	U1 U2	GA2
3	18	333	48	63	78	93	100	M3	GR3	EX	U3	GAS
4	16 17 18 19 20 21 22 23 24 25	34	49	64	76. 77. 79. 80. 81. 83. 84. 85. 86. 87. 88.	94	109	M4	GR4	E1 E2 E3 E4	114	GA1 GA2 GA3 GA4 GA5 GA6 GA7
5	20	35	50	65	80	95		MS	GR5	24	115	OAF
4	21	36	51	66	_81	96		MO	UKS		U5 U6 U7	UAS
7	22	37	52	67	17	97		M6	GR6	H	100	GAO
	23	36	53	-68	83.	96		M7	GR7	H2	U7	GA7
9.	24	39	54	69	84	99			GR8	H3	UB	GA8
10	25	(40)	55	70	85	100		A1 A2	GR9	H4		GAS GAS GAIO
13	26	41	36	71	86	101		A2	GR10			CAIO
13	84	42	37	74	2.0	102		-	GRII			QAIL
10	26 27 28 29	44	50	24	80	104		T1	OR 12			SAFE E
14	30	31 32 33 34 35 37 39 41 42 44 45	46 47 48 49 50 51 52 53 54 55 56 57 58 59 60	62 64 65 66 67 71 72 73 74 75	90	91 92 93 94 95 96 97 99 100 101 102 103 104			GR13			
10	200	40	30	100	-	140		TZ				
								13	GR 14			

Name Address_ City State. Zip Credit Card # _ Total \$ Expiration .

Please Circle: TAPE or DISK

The CoCo Sound Generator

by Walt Noon

ou already know, as a CoCo user, the Color Computer is one of the most powerful, easy-to-use computers ever created. You also know that the graphics images you can produce from within BASIC (and the options to manipulate them) are pretty darn spectacular.

If you are like me, when you first got your CoCo you were off and running designing one program after another, constantly searching for the edge of the CoCo's creative envelope. I don't think we have found it yet. Maybe it will be that next

One of the few things I feel was left out of my grasp in the CoCo's powerful BASIC language was the ability to create good sound effects. If you have used the SOUND command in your own programs, you know what I mean. Even the little tricks for getting strange sounds using the SOUND command will never really satisfy serious game programmers. (Is there any other kind?) This is the reason I wrote Sound Generator.

Sound Generator allows you to create many sound effects, including explosions, machine-gun fire, lasers, even screams (sort of) — all the important things in a programmer's life. You first create the sound effects from within the Sound Generator program. Then, once you find the effects you want, you can add them to your own program.

Using The Program

Sound Generator is very easy to use. To

Walt Noon owns and operates an audioanimatronics (Disney-type robotics) business. In addition to writing books and articles, he enjoys piloting ultralight aircraft, scuba diving and playing music. He can be contacted at 3283 Belvedere, Riverside, CA 92507, or you can leave a message on his BBS at (714) 369-6094. Please include an SASE when requesting a reply.

get started, enter the program and save it to tape or disk as SOUNDGEN. BAS. When you run SOUNDGEN, a title screen appears and you hear a demonstration of many random sound effects. Press any key to see the Main

The program provides two ways to create sound effects: random and manual. The Random Sound Creator is the fastest way to find new sounds. When you select this option, you are asked if you want to keep the generated sounds short. Be aware that if you press N (for No) in response to this question, the random sound generator may create sounds that take several minutes to play. Such long sounds may be irritating when used for game programs, and may cause the user to think the program has crashed. You'll find you almost always answer yes at this prompt.


After answering the question, you will see a new menu and hear a sound. To hear the sound again press A. To hear a new sound press the space bar. Pressing M takes the program back to the Main menu.

When you find a sound you like using the Random Sound Generator, write down the numbers you see on the screen that correspond to the variables N, D, S and E. When you give these variables the same values in your BASIC program and call a short machine-language routine, your program will produce the sound for you.

The Manual Entry mode allows you to set the variables to specific values. Since some sounds can be quite long, this feature takes some getting used to, but it is very powerful. With Manual Entry, you can create and customize sound effects.

Interfacing with BASIC

Using Sound Generator sounds with your own BASIC programs is very easy. To do this, you must include some portions of SOUNDGEN in your own program. First you must run the assembly-language routine in



The Listing: SOUNDGEN

10 'SOUND GENERATOR 20 'WRITTEN BY WALT NOON

30 'COPYRIGHT (C) DECEMBER 1991 40 'BY FALSOFT, INC.

50 'RAINBOW MAGAZINE

90 GOTO280

100 A\$-CHR\$(128) 110 CLS(0):FORA-1TO64:PRINTCHR\$(RND(10)+145)::NEXT:PRINTSTRING\$(

34.A\$); "coco"; A\$; "sound"; A\$; "eff

ects": A\$: "generator": STRING\$(34. A\$)::FORA-1T0351:PRINTCHR\$(RND(1 @)+145)::NEXT

120 PRINT@239. "by"::PRINT@299."w alt"; A\$; "noon"; : PRINT@396, "any";

A\$; "key"; 130 FORA-1TO20: B\$-INKEY\$: IFB\$-"" THENNEXT: N-RND(5): D-RND(255): E-2 3: S-24: GOSUB500: GOTO130

140 CLS2:PRINT@37."coco";A\$;"gam e";A\$:"sounds";A\$:"menu";:SOUND1

lines 280 through 370 of SOUNDGEN. You can add this routine to the beginning of your BASIC program. Alternatively, you can run it by itself before loading your BASIC program. This routine has to be run only once,

Next you need to copy the sound-player portion of SOUNDGEN (lines 500 through 540) to your BASIC program. This part is used as a subroutine, so placement within your program is up to you.

To create a sound from within your program, assign the values you recorded above to variables N, D. S and E. Then use a

GOSUB statement to transfer program control to the line where you placed the soundplayer routine. That's all there is to it.


Here's a tip for creating great machinegun and laser sounds: Find an effect that sounds like one "shot" and repeat it several times. Once the program has played a sound by going through the sound-player subroutine, it will repeat the sound by immediately executing the A-USRO(0) statement again. Remember, though, when you change the variables and send the program through the subroutine, the sound will be different. Though I have had no problems using Sound Generator sound effects with my own programs (even those that use other assembly-language routines), I recommend you add these sound effects after all other work is done on your program. Sound Generator uses a short machine-language routine, and it is always wise to make sure your BASIC program runs smoothly before interfacing with such a routine.

Have fun with Sound Generator. And keep pushing the CoCo envelope!

```
.1:FORI=98T0124:PRINT@I.A$::FORJ
-1TO10: NEXTJ: NEXTI: SOUND1.1: PRIN
T@166."a":A$:"information"::PRIN
T@236."b":A$:"manual":A$:"entry"
::PRINT@290, "c";A$; "random";A$;"
sound": A$: "creator"
150 PRINT@360."d":A$:"exit":A$:"
program";
160 B$-INKEY$: IFB$=""THEN160 ELS
ESOUND255,1
170 IF B$-"A" OR B$-"a" THEN 760
180 IF B$="B" OR B$="b" THEN 700
190 IF B$="C" OR B$="c" THEN 570
200
   IF B$="D" OR B$="d" THEN CLS
:END
210 GOTO 160
    ************
220
     ... BASIC SOUND DRIVER
230
   'MAKE THE NEXT 10 LINES
    'THE FIRST LINES OF YOUR
250
    'BASIC PROGRAM ...
260
270
280 CLEAR200, &H3EFF
290 DATA 182,255.1.132.247.183.2
55,1,182,255,3
300 DATA 132,247,183,255,3,182,2
55.35.138.8.183
310 DATA 255,35,16,190,63,0,190,
63,3,166,128,132,255,183
320 DATA 255,32,141,10,188,63,5,
38.242,49,63,38,235,57
33Ø DATA 182,63,2,74,38,253,57
340 FORI-&H3F07 TO &H3F07+56
350 READ A: POKE I.A
360 NEXT 1
370 DEFUSR0-4H3F07
    ********
380
390 GOTO100
400 'N-TIMES (0-255)
410
    'D-DELAY (0-255)
    'S-START (0-255)
420
    'E-END (0-255)
430
440
450
         SOUND PLAY
    'ADD THE NEXT 5 LINES TO
460
    YOUR PROGRAM TO PLAY BACK
470
    'SOUNDS FROM BASIC.
480
490
500 POKE &H3F00, INT(N/256): POKE
&H3FØ1.N-INT(N/256)*256
510 POKE &H3F02.D
520 POKE &H3F03, INT($/256): POKE
&H3F04,S-INT(S/256)*256
530 POKE &H3F05.INT(E/256):POKE
&HFØ6, E-INT(E/256)*256
540 A-USR0(0)
    *********
550
560 RETURN
570 Z-0:PRINT@453, "keep": A$: "sou
nds":A$:"short":A$:"y/n":
580 B$-INKEY$:IFB$-""THEN580 ELS
```

```
EIFB$="Y" OR B$="y"THENZ=1
590 CLSO: FORI-1T015: SOUND255/1.1
:PRINTSTRING$(32, CHR$(169));:NEX
T:PRINT@69, "generate"; A$; "random
": A$: "sounds"
600 PRINT@150,"
                      ";:PRINT@204,
     ";:PRINT@269,"
                          "; : PRINT@
         ";:N=RND(255):D=RND(255
):5-RND(255):E-RND(255):GOSUB610
: GOTO600
610 IFZ-1 THENN-RND(5): D-RND(255
):E-23:S-24
620 PRINT@131, "n"; A$; A$; "number"
:A$: "of": A$: "times": A$: N:: PRINT@
195, "d"; A$; A$; "delay"; A$; D; : PRIN
T@259, "s"; A$; A$; "start"; A$; S;: PR
INT@323, "e"; A$; A$; "end"; A$; E; : PR
INT@389, A$; A$; A$; A$; A$; "playing"
:A$; "sound"; A$; A$; A$; A$; A$;
630 GOSUB500
640 PRINT@389."spacebar": A$: "for
":A$: "next":A$: "sound":: PRINT@45
3."a": A$: A$: "again": A$; A$; A$; A$;
A$; A$; A$; A$; "m"; A$; A$; "menu";
650 B$-INKEY$: 1FB$-""THEN650
660 IFB$="A" OR B$="a" THEN A-US
RØ(Ø):GOTO65Ø
670 IFB$-"M" OR B$-"m" THEN140
680 RETURN
69Ø A$-CHR$(128)
700 CLS0: Z-0: FORI-1T015: SOUND255
/1,1:PRINTSTRING$(32,CHR$(185)):
:NEXT:PRINT@39.A$;A$;"create";A$
 "a"; A$; "sound"; A$; A$;
710 N=2:0=117:S=24:E=23:GOSUB500
720 PRINT@196, "n"; A$; "is"; A$; "fo
r"; A$: "number"; A$: "of"; A$; "times
 :: A-USRØ(Ø): PRINT@260, "d": A$: "i
s":A$;"for":A$;"delay"::A-USRØ(Ø
):PRINT@324,"s";A$;"is";A$;"for"
:A$:"start"::A-USRØ(Ø):PRINT@3B8
."e":A$:"is":A$:"for":A$:"end"::
A-USRØ(Ø)
730 N=5:D=1:S=1:E=1:GOSUB500
740 PRINT@96,STRING$(32," ")::PR
INT@96, "ENTER NUMBER 0-255 FOR N
:":: INPUTN: A-USRØ(0): PRINT@121.
":PRINT@119,"D:";:INPUTD:A-U
SRØ(Ø):PRINT@121," ";:PRINT@
                          "::PRINT@
119."S:";: INPUTS: A-USR0(0): PRINT
@122."
           "::PRINT@119."E:"::INP
UTE: A-USRØ(Ø)
750 PRINT@92.CHR$(185)::B$-STRIN
G$(32.CHR$(185)):FORI-1TO10:PRIN
TB$::NEXT:GOSUB620:GOTO700
760 CLS0:CLEAR1000:DIMB$(37):B$(
1) - "WELCOME TO THE COCO SOUND" : B
                    THIS PROGRAM W
$(2)="GENERATOR!
ILL": B$(3)~"ALLOW YOU TO DESIGN
REAL": B$(4)-"ARCADE SOUNDS FOR Y
OUR BASIC": B$(5)="PROGRAMS.
```

```
ADDING JUST A FEW": 8$(6)-"LINES
OF THIS PROGRAM TO YOUR"
770 B$(7)="BASIC PROGRAM, YOU WI
LL BE ABLE": B$(8)-"TO ADD ANY SO
UND YOU MAKE HERE": 8$(9)="TO YOU
R GAME.
        FIRST, USE THIS": B$(10)
-"PROGRAM TO MAKE A SOUND YOU": B
$(11)="LIKE, THEN WRITE DOWN THE
":B$(12)="NUMBERS (N.D.S.E) THAT
MADE"
780 B$(13)-"THE SOUND, WHEN YOU
HAVE AS": B$(14)="MANY SOUNDS AS
YOU LIKE, ADD": 8$(15)-"THE 'SOUN
D PLAY' LINES IN THIS": B$(16)="P
ROGRAM TO YOUR PROGRAM. RUN": B$(
17) - "THE 'POKE' ROUTINE TO SET U
P":B$(18)="THE ML, THEN SIMPLY G
TVF"
790 B$(19)="THE VARIABLES (N.D.S
E) IN": B$(20)-"YOUR BASIC PROGR
AM THE VALUES": B$(21)-"FOR THE S
OUND YOU WANT AND GOTO": B$(22)-"
THE 'SOUND PLAY' PART OF THIS": B
$(23)="PROGRAM THAT YOU COPIED
O":B$(24)-"YOUR PROGRAM.
                          NOTE: Y
OU MAY'
800 B$(25)="WANT TO KEEP SOME VA
RIABLES": 8$(26)="(SUCH AS 'S' AN
D 'E') SMALL": B$(27)-"SO THAT TH
E SOUND EFFECT WON'T": B$(28)-"GO
 ON TOO LONG.": B$(29)="(SOME SOU
ND COMBINATIONS": 8$ (30) - "PRODUCE
 VERY LONG SOUND'
810 B$(31)-"PLAYBACKS...) HAVE F
UN WITH THE": B$(32)-"PROGRAM, AN
D, GOOD LUCK WITH": B$(33)="ALL Y
OUR PROGRAMMING EFFORTS. ": B$(34)
-"THANKS!": B$ (35) - "WALT NOON": B$
(36)="3283 BELVEDERE":B$(37)="RI
                     KEY>
VERSIDE, CA 92507
820 N-1:D-37:S-24:E-23:GOSUB500
830 I-I+1: PRINT
840 IFI-10 THEN N-3:D-9:5-24:E-2
3:G0SUB500
850 IFI-15 THEN N-1:0-121:5-116:
E-199:GOSUB500
860 IFI-20 THEN N-1:D-40:S-24:E-
23:GOSUB500
870 IFI-29THEN N-1:D-211:S-24:E-
23:GOSUB500
880 IFI-30THEN N-5:D-13:S-24:E-2
3:GOSUB500
890 IF I-35 THEN N-4:D-28:S-24:E
-23:GOSUB500
900 FOR B-1 TO LEN(B$(1)):PRINT
MID$(B$(1),B,1);
910 A-USR0(0)
920 NEXTB
930 IFI<37THENB30
940 B$-INKEY$: IFB$-""THEN940 ELS
ERUN
                                0
```



Submission Ideas

by Eddie Kuns 0S-9 SIG Database Manager

ast month I defined all parts of the description for a database entry. Now we're ready to submit a group of files to the database. Before beginning the submission process, enter the database topic in which you will be submitting the group. For example, if you are submitting a group to the General Information topic of the CoCo SIG, enter DATABASE GENERAL (or DAT GEN for short) at the CoCo SIG Main prompt, and enter SUBMIT to begin the submission process. At this point, you will see the menu shown in Figure 1.

Delphi will prompt you for the necessary information if you enter BEGIN, or you can enter each item individually by using the other commands shown in the menu. Generally, you need only type the first three characters of each command for Delphi to understand what you want to do. For the sake of brevity, I've deleted the menus in this discussion; refer to Figure 1 to see the list of possible commands.

You will notice that as you use each menu item, it disappears from following menus; Delphi keeps track of what you have entered and what you have not. If you want to change something, use the REVIEW-EDIT command to edit the group. In other words, keep entering new information until each item of the group is entered, then edit the items you want to modify. To review, the necessary items in a database group are the group's name, description, topic, filetype

Eddie Kuns is pursuing a PhD in physics at Rutgers University. He lives in Aurora, Illinois, and works as a programmer and researcher at Fermilab. Eddie is co-manager of the CoCo SIG; his username is EDDIEKUNS. Database Submit Menu:

Begin Submit (Step by step)
Description of Group
Topic of Group
Filetype of Group
Keywords for Group
Name of Group
Choose Upload Protocol

Upload File 1 Batch Upload Files Review-edit Group Copy File 1 from Workspace Help Exit

Figure 1: Database Submit Menu

and keywords, as well as a download name and title for each file.

Before we start, one final comment: If you are not the author of the group you are uploading, please make certain that you have the author's permission to upload the group to Delphi. This permission doesn't have to be in writing; a verbal or E-Mailed agreement is fine. The fact that a program or article has been uploaded elsewhere does not necessarily mean that it's OK to upload it to different systems. For example, on the computer networks and USENet it's considered rude to take a person's E-Mail and post it elsewhere without the permission and knowledge of the author.

Down to Business

The following text is taken directly from submitting a sample group to the databases. To help avoid confusion, all text displayed by Delphi is shown in Letter Gothic (like this), all text I entered is shown in bold (like this) and the comments I added are shown in Times Roman (like this).

COCO> database general information

I could have typed DAT GEN instead to

enter the General Information database. The following command tells Delphi we want to submit a new database group into the current database topic:

DBASES: Gen> submit

Looking at Figure 1, I notice the first item to be entered is the group's description. So I type

SUBMIT> description

NOTE: You must have the legal right to distribute any material you contribute. Type /COPYRIGHT at any prompt for details.

Enter a BRIEF description of the file(s) you are submitting. Control-Z when Complete. /HELP for Help.

This group is a sample to illustrate the process one follows to upload.
^Z.

This is the same editor used in Forum. If you type /EDIT, you are taken into the chosen editor — either EDT or Oldie, depending on your settings. The text is for-

Program or Program Pack Newsletter Article(s) Transcript Documentation Data (Graphics, etc.) Miscellaneous Text

Figure 2: File Types

matted in the same manner as forum messages and accepts the same dot commands. Please keep the description brief and to the point.

SUBMIT> topic Topic? [General Information]

Notice that Submit knows I'm in the General Information database. Thus, I press ENTER to use the default topic. If you start Submit from General Information but then realize the group would be more appropriate in Product Reviews & Announcements, for example, you could type PRO at this prompt to select the appropriate topic. You need only type enough of the database topic name to be unique. Please make sure you are in the appropriate database topic or enter it at this prompt. Remember, in the

OS-9 SIG, files are automatically moved into New Uploads so don't use New Uploads as the topic.

SUBMIT> filetype

Filetype: misc

Enter the appropriate filetype to describe your group. If you aren't sure which filetype to use, you can enter? to see the options or refer to Figure 2 for a complete list of the available file types.

SUBMIT> keywords

Primary Keyword: other Primary Keyword: Other

You may now supply any optional keyword(s) of your choice, subject to review by the Database Manager.

Enter /LIST to display the keywords or /EDIT to change them. Control-Z when Complete. /HELP for Help.

eddiekuns sample example submit

If you type ? at the primary keyword prompt, you will see the primary keywords fully spelled out. Each database topic has a separate list of primary keywords. If none of the primary keywords fit, this may not be the appropriate database for this group. When you are entering the remainder of the keywords, enter one keyword per line. This allows Delphi to search for keywords much more efficiently and faster. Each keyword should be two or three words maximum usually one word per keyword is sufficient.

SUBMIT> name


Name for Group/Set: just a sample upload

This is the group name that appears at the top of the screen when you are looking at a database entry. Make it as descriptive as possible, keeping in mind there is a 32character limit, and use a version number if appropriate. At this point, you have done everything except upload the files. Let's check the options left.

SUBMIT> ?

Database Submit Menu:

Choose Upload Protocol



GRANITE COMPUTER SYSTEMS

MODEMS

NEW 9600 Based V.32/V.42/V.42bis data modems. MNP1-5+LAPM. Ever Correction and data compression (much higher effective throughp External — call for price 38400 Raud).

NEW PRICE 2400 Baud V.42/V.42ble data moderns. MNP1-5+LAPM. Error correction and data compression (much higher effective through 9600 Baudi. External \$169 (+\$7 S&H).

NEW PRODUCT 9600 Baud Send/Receive Fax moderns. Send/Receive text/graphics files from/to your computer/any Fax machine in the world. Full 2400 Baud data modern capabilitiy. Includes software. External \$159/Internal \$149 (+\$5 S&H)

NEW PRICE 9600 Baud SendFax modems.

Send tent/graphics files from your computer to any Fax machine in the world. Full 2400 Baud data modern capability. Includes software. External \$129/Internal \$119 (+\$5 S&H)

NEW PRICE 2400 Baud Data moderns

External \$109/Internal \$99 (+\$5 S&H)

These are all high quality moderns made by Zoom Telephonics in the USA. Fully Hayes compatible. Two year mig warranty. Software available

S&H Canada (Air PP and Ins) V.32, V.42/V.42bis \$12.00 Send(ax/Data \$8.00

GCS FILE TRANSFER UTILITIES — Version 3.0

The GCS File Transfer Utilities provide a simple and quick method to transfer text/binary files from/to a variety of floppy disk formats.

PC, RS, FLEX disks: Dir, Dump, Read, Write PC disks: Rename, Delete, Format

Handles most 5.25 and 3.5 formats. Any level sub-directories (PC). Binary files, Use pipes for multiple file transfers. Multi-Vue version can be used under Multi-Vue or as stand alone Shell commands.

Requires OS-9 L2 for COCO 3, L1 for COCO 1 or 2. 2 drives fone can be hard/ramdisk, one floppy 40 T DD DS). Multi-Vue for Multi-Vue version. SDISK3 for COCO3 - SDISK for COCO 1 or 2. Multi-Vue version \$54.95 Standard version \$44.95

V3.0 updates (provide disk number)

D.P. Johnson Software SDISK or SDISK3 \$29.95 L1+L2 Utils \$75.00 Shipping and handlling — any software \$2.00 U.S.A., \$3.00 Canada Orders must be prepaid or COD. VISA/MC accepted. COD is additional.

571 Center Road, Hillsboro, NH 03244 USA

(603) 464-3850

mark of Microware Systems Corporation an domark of Microsoft Cosp. FLEX is a trade

Upload File 1 Batch Upload Files Review-edit Group Copy File 1 from Workspace Help Exit

Now we're ready to copy a file from our workspace or upload a file. Be warned that you cannot upload a file until you have entered all the above information. Your best option is to upload while in submit this way you don't pay for the time spent uploading the file. When you upload or copy a file from your workspace (except when using a batch protocol), you are prompted for a download filename. Assign a meaningful name, please. Be warned: Delphi cannot handle filenames with more than one period. Extra periods in the filename are converted to an x when the files are downloaded via a batch protocol. If you use Ymodem Batch, Zmodem or Kermit to upload files. Delphi automatically assigns the download name as the name sent during the batch transfer.

Remember each file has a title. After uploading or copying each file, Delphi prompts you for the title for that file. If you assign a download filename, this title will not be used as a filename. Thus, try to make the title meaningful as shown in last month's example.

If you are uploading a file, you must choose which protocol to use. If you already have a default file-transfer protocol, you may skip this step.

SUBMIT> choose

Do you want to use YB (YMODEM batch) to upload? yes

You have selected YB (YMODEM batch) for uploading.

You will be uploading files using a batch protocol. You can change this by using the Choose command.

Above, the Submit program notices that I already have a default file transfer protocol (Ymodem Batch). I enter YES to use this protocol. Menus here allow you to choose any protocol supported by Delphi. I can now upload files by using the BATCH or UPLOAD command. The UPLOAD command allows uploading one file at a time while the BATCH command allows uploading multiple files at once using one of the batch protocols (Ymodem Batch, Zmodem or Kermit).

SUBMIT> batch

You may now upload your files. If you have trouble uploading, just do the SUBMIT procedure again, and it will

remember what you have already uploaded.

Will you be sending text files only (Type ? for help)? no Type three consecutive (Control-C)'s to abort.

YMODEM batch mode Ok. send! (non-text)

FINAL STATUS - 1 file successfully transferred.

What is the Title for "report"?

Database Report

Be careful if you are uploading a binary file — graphics or digitized sound, any file with an extension of .BIN and any executable file are all binary files. Make certain that you answer no to the above prompt if you are uploading binary files. If you are uploading a combination of ASCII and binary files, you should upload the binary and ASCII files separately. If you are using a batch protocol, upload the ASCII files in the first batch upload, then upload the binary files in the next batch upload. In this way, the ASCII files (such as the documentation) can be read online to help other users determine if they want to download this group.

Once you have uploaded all the files and have reviewed the group to make sure everything is correct, exit the submission process by pressing CTRL-Z or type EXIT and press ENTER.

SUBMIT> exit

Thank you for your submission.

You are taken back to the database prompt. Next month I will describe the commands available at the Review-Edit prompt.

July Uploads

In the OS-9 SIG databases, Paul Ward (PKW) and Frank Hogg (FHOGG) uploaded several news bulletins and information about their products. Don Vaillancourt (DONVAIL) released more information about the new OS-9 Users Group that is being formed. Jason Bucata (JBUCATA) contributed two files from the Free Software Foundation that contain information about this organization and the software practices they are trying to encourage. Mike Hanewinckel (MIKEHAN) released MAKEB09. This program takes any binary file and creates a BASIC09 program that re-creates the file.

Several patches to OS-9 drivers were posted to the Device Drivers database: Guy Loucks (GUYLOUCKS) released a new version of his patch to the Kernel that allows filenames to be more compatible with OS-9/68000 filenames. Paul Seniura (PAULSENI-URA) is still looking for information to help

construct a device driver for the CoCo's 12bit timer. Saul Bendersky (SAUL) contributed a patch to Tandy's CC3D1sk driver that allows it to cache floppy sectors.

Rick Adams (RICKADAMS) released the latest version (3.0) of his UUCP package for the CoCo. Mike Hanewinckel contributed PATHFINDER, a subroutine written in BASICO9 that uses pull-down menus to prompt the user for a filename. This subroutine returns the full path of the selected file to the calling program.

In the CoCo SIG databases, Don Hutchison (DONHUTCHISON) uploaded the entire text of the U. S. Constitution, including all amendements. Michael Trammell (LLEMMART) released Rasgo Color View Edition 4.0 for displaying IMG pictures. Joe Sannucci (SANNUCCI) released Version 2.0 of Roger Taylor's graphics viewer The Projector, which displays a variety of graphics formats.

Art Flexser (ARTFLEXSER) released a patch to *Telewriter-128* that increases compatibility with *Extended ADOS-3*. Judy Emge (JEMGE) contributed a demo of *Soviet Bloc*, a game written by John Strong. Joe Sannucci uploaded CUTS — a file encoder that is popular on some computer networks. CUTS collects a group of files and encodes them so that they may be safely transmitted over most networks.

Database Report

OS-9 SIG

General Information

MM1 DISK #3 PKW Paul K. Ward TC-XT ANNOUNCEMENT FHOGG Frank Hogg NEW OSSUG UPDATE DONVAIL Don Vaillancourt CD-I UPDATE PKW Paul K. Ward TC9/TIGER TECH INFO Frank Hogg FHOGG MM/1 SOFTWARE INFO#2 PKW Paul K. Ward MM1 SOFTWARE SPECS Paul K. Ward PKW NEW OS-9 USERS GROUP DONVAIL Don Vaillancourt FREE SOFTWARE FOUNDATION INFO **JBUCATA** Jason Bucata A PLEA FOR COPYLEFTING **IBUCATA** Jason Bucata SOFTWARE SUPPORT FOR MM/1 PKW Paul K. Ward IMS PROVIDES SHIPPING UPDATE PKW Paul K. Ward

Applications (6809)

WHATS - HEX, DEC, BIN CONVERTOR
DONTHRASH Donald Thrash

MAKEBO9 MIKEHAN Mike Hanewinckel DSCAN VERSION 2.0 01GEN40 Eugene Anderson MD, COLOR CODED MDIR TBIRT Tom Birt SCAND - CHECK DISKS **JSUTEMEIER** Jim Sutemeier R3 SYSTEMS UT LITIES DONRGOOD Donald Good MANDELO9 - PLOT THE M-SET OS9BERT Bert Schneider DBL NEW VERSION WOAY Jim Martin UNIX-LIKE LS HERMAN Chris Strickland PRINTER CONTROL THUNDERFNGRS

Bruce Moore

Philip Brown

Device Drivers

PSHELL SOURCE

THEFFRRET

CACHING FOR CC3DISK SAUL Saul Bendersky TIMER DRIVER DESCRIPTION 2 **PAULSENIURA** Paul Seniura OSK FILENAMES KERNAL PATCH **GUYLOUCKS** Guy Loucks ADAPTEC INFO 07ESRTIMOTHY Tim Fadden

Telcom

RICK ADAMS' UUCP 3.0 RICKADAMS Rick Adams CPREADER ONLINE CATALOG EMTWO Paul M. Fitch, Jr. DOMINIONSO9 V1.91 **EMTWO** Paul M. Fitch, Jr.

BBS ON-LINE GAMES EARTHER Shawn Driscoll

Graphics & Music MAHNAMAHNA. UME

OS9BERT Bert Schneider MACPIX OF AIR SUPPORT GRAPHICSPUB Bob Montowski WHITNEY HOUSTON MACPIX GRAPHICSPUB Bob Montowski MORE MANDELO9 GRAPHICS OS9BERT Bert Schneider COMMANDO SOUND FILE OS9BERT Bert Schneider

Programmers Den

PATHFINDER SUBROUTINE MIKEHAN Mike Hanewinckel

CoCo SIG

General Information CONSTITUTION OF THE U.S. DONHUTCHISON Don Hutchison

CoCo 3 Graphics MISC. CM3 PICS RICKMAC Richard McNabb GRAB BAG CM3 SCRAPBOOKS RICKMAC Richard McNabb RASGO CVE 4.0 Michael Trammell LLEMMART

SADDAM.CM3 DRILLMASTER Johnny Williams

MTCAM2C LLEMMART Michael Trammell MTCAM2B LLEMMART Michael Trammell RGBHELLO.BAS Michael Trammell LLEMMART PAL640D. ARC LLEMMART Michael Trammell THE PROJECTOR V2.0 Joe Sannucci SANNUCCI PLAYBOY PLAY MATE TWINS SCOTTJ Scott Corley

Utilities & Applications TW-128 PATCHER FOR EXT. ADOS-3 ARTFLEXSER Art Flexser

Games TABLOID HEADLINE GENERATOR **ESCHULMAN** Erich Schulman

ASCIIPIX **TOMTHOMAS** Tom Thomas

Classic Graphics

Music & Sound FROMART.ZIP BOOG Art Doud MUSIC

TMB Terry M. Blackwell

Product Reviews & Announcement BLOCDEMD.BIN **JEMGE**

Judy Emge Telecommunications

CUTS SANNUCCI Joe Sannucci

1



From E.Z. Friendly Software Leonardo's Paintbox. \$26.95 Super Comics+ \$21.45 Picture Bingo. Data Form III. Letter Form III. Math Games . . \$19.95 Keyboard Commander \$19.95 Jack Rabbit Story Writer From Forrest Enterprises

Inventory Manager. \$24.95 From 5-Star Software Baseball Stats . Quick Stats Ball Scoreboard. \$22.95 Ball Cards Database. Check Writer . . Bankman Checkbook Keeper Envelope Writer. . . . Coco Labels. Printing Calculator. General Statistics \$24.95

Specify Coco 1, 2 or 3. Disk Only Send Check or Money Order, Add \$3,00 S/H. Canadian & Overseas MO Welcome

Brainbusters Test Writer

HI & LO-RES JOYSTICK ADAPTER




\$24.95

Review Limelight

Digital Sound

OS-9 Level II



high-performance product comes along that makes you sit up and take notice. Imagine having a CoCo that can laugh, cry, sing, talk, whistle and make other sound effects. Combining Cybervoice and a CoCo 3 with OS-9 can give you the power to do just that. Technology that can make a difference at a reasonable price is one of those rare gems, and Cyber-voice is such a diamond, in the rough, ready for shaping into a variety of forms.

Cybervoice is a bundled hardware and software package. You must have a minimum of 256K RAM to use Cybervoice. It combines a well-designed circuit assembly packaged in a ROM pack that works with the Multi-Pak Interface, a Y-cable or the Disto Super Controller II. The Super Controller II requires setting a jumper and using an alternate device driver set provided by Disto. As it turns out, the versatile software that accompanies Cybervoice is also compatible with the old Supervoice cartridge from Speech Systems. An appendix in the manual tells you how to modify the Supervoice cartridge to work with the Cybervoice software. This permanent modification prevents further use of the Supervoice cartridge under Disk BASIC.

Cybervoice is designed with very few electronic components and is fully hardware decoded and Multi-Pak slot independent. The Votrax International SC02 chip set used in the cartridge is a phoneme-based speech synthesizer, or phoneme generator, which has a seven-octave range and is easily controlled at a number of different register levels. The *Cybervoice* unit can produce a wide range of sound effects. It can even sing and allows for foreign accents!

Included with Cybervoice are several programs that operate voice servers, which allow you to control the Cybervoice under OS-9 Level II. A Cybervoice device driver with a built-in data pipe, a text-to-speech device descriptor and a synthesizer I/O device descriptor all allow an incredible range of fine-tuned control over the synthesizer. Using the CTTS (Cybervoice Text-To-Speech) program, an OS-9 command, and some embedded control codes, I was able to get Cybervoice to re-create some excellent sound effects, a Swedish accent, and the song "The Rose." Once you get the hang of using the control codes, which are embedded in text as printer commands are, it is fun to try new sounds and voices. You can make the CoCo sound like several people talking to one another.

Besides entertainment value, Cybervoice has a lot of potential for educational uses as well as being an aid for the sight-impaired or people learning English or a foreign language. To an extent, you are limited more by your own knowledge and skills than by the software and hardware. For example, I bad a lot of difficulty encoding the pronunciation of Russian words, due to some of their sound complexities. As a fluent speaker of Russian, I was horrified by some of what I produced in the name of language, Still, it was fun.

Burke & Burke was very thorough in designing and implementing the Cybervoice package. The hardware design is excellent, the included software superb, and the documentation very detailed and thorough. The manual is well-thought-out, and divided into introduction, hardware, software, and application-theory sections. There are a few typographical errors, such as the reference to an Appendix E that does not exist, or the consistent misspelling of the word vowel. However, none of them is enough to confuse or mislead the user. The manual includes a substantial amount of information - more than enough to get anyone started - on the elements of speech and sound production. A special section on the elements of elocution is included to help users understand how the software and hardware combine to mimic the human brain (CTTS) and voice box (VOICE) using the synthesizer cartridge.

In addition to the drivers, the speech server and device descriptors, several other software tools are included. The first is the well known Burke & Burke product EZGen, which allows users to quickly and easily create a new boot file and boot disk with the new drivers. Even potential problems, such

as IRQ (Interrupt Request) polling discrepancies, are covered so that users can get themselves smoothly underway.

Five rules tables help you produce quality speech. The tables include preprocessing rules, stress and syllabication rules, phonics rules, and dialect rules, which give direct control to the very smallest elements of speech. It was using the final dialect rules that I was able to add a lot of inflection to the accents I was trying to produce.

Dictionaries incorporated into the CTTS server are helpful. A set of maintenance tools for the dictionary allow you to check the existence of a word in the dictionary, add a word, delete a word, or to list all the words in the dictionary and pronunciations for them. Cybervoice has about 75 words in its dictionary when you get it. The average person uses about 10,000 out of approximately 100,000 words in the English language. Because of the size of the dictionaries and the need for speed when accessing them, a hard drive is practically a must when using Cybervoice. Using any of the utilities is extremely easy. A file may be used as input, or individual words may be added to the dictionary.

One particularly interesting and flexible filter controls immediate inflection in the pronunciation of a word or sound. This filter is especially helpful when you want Cybervoice to sing. By selecting a particular frequency range with control codes, you can create many different types of voices, such as a slow-motion voice, a low or high male/female voice, chipmunk or space alien.

In some ways Cybervoice can be very challenging. It is more an engine and drive train than a whole car. The user must be willing to learn how to handle data registers and control codes to get the full use of Cybervoice. This takes some learning and patience. Although the manual is extremely successful in its treatment of the various elements of speech and their relationship to

\$9.95

\$69.95

\$99.95

\$19.95

the use of the program, the subject of artificial speech generation is rather complex. Its uses, while myriad, require a lot of consideration and careful planning to be properly implemented. It is beyond the scope of the manual to tell you how to do this. The manual, however, tells you everything you need to know to develop applications using Cybervoice and to implement speech synthesis in several different ways on the CoCo. If you are interested in speech synthesis, need it for a custom application, or are simply experimenting with it, Cybervoice for OS-9 Level II is an excellent, cost-effective and complete way to start.

(Burke & Burke, P.O. Box 733, Maple Valley, WA 98038; 800-237-2409; \$75.95 for hardware with OS-9 software, \$24,95 for software only; plus \$3 minimum S/H)

- Jeffrey S. Parker



Burke Barbe

P.O. Box 733 Maple Valley, WA 98038

U.S. ORDER DESK: (800) 237-2409 INT'L & TECHNICAL: (206) 432-1814

This time of year comes and goes so quickly. It's been a busy year for the CoCo, with new computers following in the footsteps of the CoCo 3. We hope you have a lot to be thankful for! Thanks for loving the CoCo, and for choosing products from Burke & Burke.

OS9 Software (* >= 256K; ** >= 512K required): WORLD CLASS CHESS* -- Use Cyrus Chess w/ Level 2 \$29.95 FILE SYSTEM REPACK 1.1 -- Faster disk defragmenter \$29.95 \$24.95 FILE RECOVERY SYSTEM -- Helps rebuild crashed disks R. S. B.* -- Disk BASIC for Level 2 (BASIC ROM required). \$39.95 EZGEN 1.09 -- Handy & powerful OS9 bootfile editor \$19.95 CYBERVOICE (S/W only)* -- Use SuperVoice w/ Level 2 \$24.95 PERTASCII* -- Multi-user scrambled letter word game. \$19.95 WILD & MV -- Wildcard & move directory entry utilities. \$19.95

Affordable Color Computer Hardware:

COCO XT -- Use PC hard drive w/ CoCo I OS9 S/W incl. COCO XT-RTC -- CoCo XT, plus H/W real-time clock. XT-ROM -- Boots OS9 from B&B hard disk automatically.

ZCLOCK - Continuous time / date display on Level 2 screen

COMING FOR CHRISTMAS, OSK YERSIONS OF YOUR

FAVORITE BURKE & BURKE 059 SOFTWARE

WARESIDENTS ADD 8.2% SALES TAX. MasterCard & VISA accepted, U.S. COD's add \$3.75. Min. U.S. shipping \$4.00. Min. to Canada \$5.00. Please allow 2 weeks for delivery. Overnight or 2nd- day available for in-stock items. Software upgrades \$5.00 each w/receipt, including U.S. shipping. Call or write for our free catalog!

FOR ONLY ALL RICK'S SOFTWARE CC3 FLAGS - "the best Risk playslike for the CoCo" rev. 8/89 \$10.00 VOCAB - "a great Scrabble playalike"....rev. 3/90 \$10.00 3 MASTER DIR - "a very good disk cataloger"....rev. 10/89 \$10.00 4 PROGRAMS FOR FRIENDS - 3 educational progs, plus 1 fun game \$10.00 5 THE RAINBOW INDEXES - 3 databases of RAINBOW articles, reviews tape/dlsk, new 11 year version....BEST SELLER...rev. 2/91 \$15.00 NIB COMPRESSOR/RICK'S COCO GALLERY - "graphics compressor" \$ 2.50 GALLERY MAKER - "make personalized CoCo galleries" \$10.00 PUZZLES - "8 HI Res, 188 piece ilg-saw puzzles, plus utilities 8 \$10.00 9 TETRA - "my TETRIS playalike - a most addicting game" \$10.00 MASTER DIRECTORY 3 - "absolutely tantastic disk cataloger for 10 COCO 3." (RGB monitor required).....NEW \$15.00 STEVE RICKETTS PIC'S - "24 unbellevable HSCREEN4 pictures from STEVE RICKETTS." THE SPORTSware PACKAGE \$29.00 SUPER DISK - tutorial on program protection.... "professional in conter BARBARIAN QUEST - super 512 game.... "great sound and graphics" \$29.00 3 WEEKLY WINNER - lotto aide.... "enhance chance with meaningful system \$15.00 WAR GAME DESIGNER II - design your own or play the four included: ATTACK ON MOSCOW, FORT APACHE, INVASION NORTH, & R.O.T.C \$24.00 WAR GAME DESIGNER ICON DISK....hundreds of icons for your games SPECIAL OFFER A COMPLETE SET OF BACKUPS FOR EITHER OF THE ABOVE OFFERS IS AVAILABLE FOR AN ADDITIONAL \$10 WITH YOUR ORDER (ANY OF THE ABOVE PROGRAMS ARE AVAILABLE AT THEIR REGULAR PRICE) SEND CASH, CHECK OR MONEY ORDER FOR FAST RETURN. INCLUDE \$2.00 FOR SHIPPING HANDLING COMPUTER ENTERPRISE LIBERTY, KY. 42539

Home Help

OS-9 Level II

OS-9 Calendar Utilities

Those of you who use Multi-Vue under OS-9 should by now be quite familiar with the Tandy desk accessories. Included in the Multi-Vue package is a calendar program (gcal) that is quite useful for keeping track of appointments. The calendar is very easy to use and reasonably flexible. However, as is the case with most software, the Multi-Vue calendar could stand some improvements — especially in the area of multiple entries, i.e, a particular appointment that spans a number of days.

MV Systems has released Os-9 Calendar Utilities, which greatly improves the operation of gcal. Included in this utilities package are four programs: dcal, ical, scal and remind. These utilities read and write gcal's data files, allowing the user to make insertions (ical) or deletions (dcal) of text messages for any date or combination of dates, scal provides the ability to sort text lines for any date or dates into lexicographic order, remind reads and displays the text messages in a gcal file for any date or combination of dates.

Now you may be asking, what is the advantage over the original gca1? Let's take an example. I plan to attend a seminar on August 13 and 14. With gca1 I select August 13 and enter text for the seminar. Next I select August 14 and enter the same information. This isn't too bad, but what if the course were for two weeks? That's 10 entries of the same text. Using 1ca1, I simply enter:

ical -d=08/13/91:08/14/91

ical prompts for the appropriate text (e.g., HPLC seminar), and then I enter the information for the date range specified. At a later date, I can delete these same entries using dcal.

dcal -d=08/13/91:08/14/91

Unfortunately, dcal deletes all entries for this date range. Obviously, dcal is intended for what may be called global deletions. Individual entries can still be deleted directly through gcal. These two utilities thus provide a high degree of versatility in the insertion and deletion of text in the gcal file for ranges of dates.

remind is essentially a search utility that provides a listing of text messages contained in the calendar for a combination of dates. An interesting use of remind is to put it in the startup file and obtain a listing of messages for a date combination. For example:

remind -d=+++

provides a listing of messages for today and the next three days.

The scal utility is used to sort the text messages for a date or range of dates. This is useful if the messages are out of order (for example, the appointment times are not in sequential order). Using some excellent suggestions provided in the manual, you can come up with a scheme for entering text messages that makes scal quite useful.

Using the calendar utilities is quite easy. They run from the standard shell command line and do not require a graphics window. Or, using the provided icons, you can run the utilities (including gcal) directly from Multi-Vue. I should emphasize that these utilities run separately from gcal. They perform their functions directly on the gcal file.

A very important plus point for these utilities is the identical command-line syntax used for all utilities. This syntax provides excellent capability of specifying date information. The general format is:

-d=[begin date]:[end date]:[incrementation value]

Several examples from the manual illustrate this point:

-d=04/01/91:04/30/91

operates on all days between April 1 and 30;

-d-01/01/91:

operates on all days between January 1 and the current system date; and

-d=04/01/91:04/01/00:0/0/1

operates on April 1 between 1991 and 2000. As you can see, there is quite a degree of power in these utilities for operating on the calendar file.

If any of you read my review of High

Finance (September 1991, Page 52), a previous product from MV Systems, you know I think very highly of software from this company. The OS-9 Calendar Utilities are of equally high quality as previous products. This goes for both the software and the documentation. Both are first rate and I highly recommend them for your software library.

(MV Systems, P.O. Box 818, Arvada, CO 80001-0818, 303-420-7777; \$14.95)

- Donald Dollberg

Time Utility

OS-9 Level II

ZClock

The ZClock utility allows for continuous display of the time and date on OS-9 Level II windows. The display appears onscreen in the upper-right corner. You can use either a 12- or 24-hour time format, and the clock can be displayed on one or all windows (as long as they're not VDG screens).

You can start ZClock from the OS-9 prompt using the zclock & command. This command may also be included in your startup file, making ZClock run whenever you boot your system. Three display options are included with zclock: -a to display the clock in all windows; -d to display current time and date; and -m to display 24-hour format. If no options are included, the time appears in 12-hour format only on the window from which the program is run.



To turn off the clock, you need to kill the process ID from the OS-9 prompt. If you have forgotten the process ID, which is echoed when ZClock is launched, you can find it by using the procs command.

zclock does not require the installation of a SmartWatch. The package contains the program on floppy disk and a brief fourpage manual of instructions for getting the program up and running, Requirements for zclock are a CoCo 3, a floppy-disk drive and the OS-9 Level II operating system.

zclock is easy to install and can be a handy tool for monitoring events that do not require precise timing. (The clock varies depending on the number of times you access a disk and the accuracy of the 60second timing interrupt.)

(Burke & Burke, P.O. Box 733, Maple Valley, WA 98038, 800-237-2409; \$9.95 plus \$4

- Tony Olive

Desktop Publishing

CoCo 3

CIII PagesE 2.5

You can achieve impressive desktop publishing with a CoCo and the aid of CIII Pages E 2.5 from Coless Computer Design.

THE RAINBOW actually sent me pieces of a desktop publishing package that must be purchased separately, but I'll cover all of them here since they work together, forming a complete set of publishing tools.

CIII Pages E 2.5 requires a CoCo 3 (running Disk BASIC, OWLDOS, or ADOS3), and the Tandy Hi-Res joystick interface (it will not work with the interface included with the CoCo Max or Max-10 software). It supports Epson, Gemini, Panasonic, DMP-105/106, CGP-220 B/W, Imagewriter/Prowriter, C.Itoh 8510 Prowriter, NX-1000, NX-1000 II, NX-1020 and the NX-1000 Rainbow printers.

The CIII PagesE package I received consists of an 88-page manual, a handy quick-reference guide and an addendum for the Version 2.5 upgrade. The upgrade came on a flippy: Side A is the new system disk and Side B contains the font-conversion files necessary to convert 2.0 font sets for Version 2.5. You must replace the FONT, BAS files on each font disk.

The upgrade adds a "sculptured frame" of icons representing program choices. This frame reminds me of the toolbars and toolboxes you see in Microsoft Windows software. Support for the second button on the Tandy mouse has been added, and you can now scroll while in the Magnifier/Zoom feature. Version 2.5 also allows easy creation of Max-10 clip files (you must have TRANSML. BIN from the Max-10 system disk), and you can now set the drive with which to save and load your files.



The detailed manual provides a glossary of desktop-publishing terms and an explanation of the various cursor and function keys used by CIII PagesE. Screen shots accompany the explanations. The back of the manual is full of appendices on printing. handling errors, the paste options, page composition, creating Max-10 clip files, using CHI PagesE on single-versus mul-

WT Enterprises

attention! MM1 programmers wanted. Many prospective projects already planned. Write for more information.

Optimize Utility Set 1 NEW!

Optimize your disks by eliminating fragmented files and compacting your directories for faster file access. Also includes a utility to assess file fragmentation and directory fragmentation as well as excess directory padding.

Optimize Utility Set 1 \$29.95 Foreign postage, add \$3.00

Christmas Special!!!

For all orders from Nov. 20th to Dec. 20th, take 85.00 off of the price of a Nine-Times Subscription. That's only \$29.95 for a one year subsciption or renewall And sign a friend up at the same time for only \$27.95- the perfect Christmas gift! Canadian customers, add \$1.00 P/H. all foreign orders add \$8.00 P/H.

ram

retir ottoni qo to o

rearengh position uniono

Back Issues: Available for the May 1989 through May 1991 issues. Please write for information on Back Issue contents.

Back Issue, ea. \$7.00 Foreign postage, add \$2.00 ea.

Magazine Source: Due to many inquiries, the source code for the magazine graphic shell is being provided as an informational tool. Included is the actual Basico9 source code and compiled modules on disk, as well as documentation and a printed copy of the source code

Source, \$25.95

bu pr un

Foreign postage, add \$5.00

Foreign postage excludes U.S. Territories and Canada. New rates eff. May 31, 1991

To order, please send U.S. JWT Enterprises check or money order to: 5755 Lockwood Blvd.

Youngstown, OH 44512

RAINBOW CERTIFICATION SEAL

All products for Local 2 05-9 Sorry, no C.O.D.'s or credit cards; Foreign & Canadian orders, please use U.S. money U.S. checks, allow 3-4 weeks for receipt of first issue/back issue. Copyright (C) 1991 05-9 is a trademark of Microware Systems Corp. and Materola, Inc

Kyuen-Gai: to be Ninja (OS-9 Version) is the culmination of a project started almost a year ago. The talents of Glen R. Dahlgren (RS-DOS game writer for Sundog Systems), Kevin Darling (a legend for his work in OS-9), and Eddie Kuns (author of KBCom) have been pooled to create a masterpiece of game software under the OS-9 operating system. Fast martial arts action with outstanding graphics, great digitized sound effects, and incredible animation are featured in this arcade game, all in the OS-9 environment. Always wanted to play the great CoCo 3 games but didn't want to sacrifice your OS-9 features? Multitask while playing Kyum-Gai. Have multiple Kyum-Gai's running in memory. Don't worry about switching windows, because Kyum-Gai: OS-9 auto-pauses, to wait for your return. Put simply, this is an unprecedented piece of software for the CoCo; a landmark game sure to be a major part of the Color Computer history. Don't miss out on this game! Req. 512K CoCo III with OS-9 Level 2 and joystick. VISA, Mastercard, Money Order, and COD (USA only, please) accepted. All foreign orders must be sent in US cur-rency Money Orders. Include \$2.50 for shipping in USA and Canada, \$5.00 Foreign. \$3.00 extra for COD orders. VA residents please add 6% sales tax. P.O. Box 766 looking for new software! lassas. VA 2211 (703) 330-8989

tiple-drive systems, clip art samples, fonts samples, icon clip art, border clip art and hints and tips. Coless spent a lot of time getting the manual into shape.

CITI PagesE is really too large a program to cover in depth here, so I will just mention some of its neat functions. You must remember that it is a desktop publishing program. This means it facilitates page layout/composition but is not supposed to be a word processor or a graphics/drawing program. It has some capabilities of both, but they are weaker than those found in a dedicated product.

The icons of the "sculptured frame" interface border the drawing area. Across the top is the menu bar for selecting pulldown menus: File, Edit, Special, Fonts, Graph, Fill and 512K.

The File menu allows you to clear pages. set the file drive, load and save pages, load ASCII files, view a disk directory, kill a file, save or load a Max-10 clip, access utilities, print and quit. The ASCII file import menu has various options for placing formatted text (formatting done in the word processor) or unformatted text onscreen. You can put the text in two or three columns or in standard word-processing format. You can also pull up a form so that text can be imported into it. The CIII PagesE utilities allow you to convert PMODE4 graphics to HSCREEN3 format, convert Color Max 3/ Color Max Deluxe pictures, import RAT picture files, save the current HSCREEN3 to disk, load and save a compressed page, and view PMODE4.1, PMODE4.5, HSCREEN3 and HSCREEN4 pictures.

The Edit menu provides the standard Undo, Cut, Copy, Paste, Stamp, Move, and Qsave and Qload options. Qsave and Qload allow for quick saves and loads of the entire screen.

The Special menu allows you to flip a selected object horizontally or vertically, rotate it 45 or 90 degrees, enlarge it 4x or t6x, stretch it, reduce it 4x, view the clipboard, swap screens, and lighten or soften screen images.

CIII PagesE comes with 14 banner fonts, nine type fonts and two graphic fonts. It is possible to import CoCo Max fonts into CIII PagesE. The program allows you to perform manual kerning, a help to anyone working with desktop publishing.

The Graph menu allows you to import any PMODE picture saved in binary format. Once placed onscreen, a picture can be cropped or used as-is. You can also load clip art under the Graph menu.

The Fill menu provides several options for filling objects. Select Paint and a small dialog box appears with different paint patterns that cycle as you move the mouse up or down. It takes a little while to get the right pressure to move up or down just one pattern. Boxfill allows you to select a pattern, then create a filled box on the drawing screen. The Patterns choice provides you with 48 patterns to use as stamps. They cannot be used to paint objects. They are mainly for use as brush options; I would like to see them be used as paint options.

The last pull-down menu option is the 512K choice. A 512K CoCo has two extra pages to work with, and you select them via this menu. One suggestion is to use Page 1 as your composition page and use pages 2 and 3 to hold fonts or clip art. You can copy from any page to any other page. The Batch function allows you to import larger portions of ASCII text, making them flow onto pages 2 and 3.

The final function found on the menu bar is Scroll/View—when you click on this choice, the frame disappears and you can see the entire page, navigating via mouse. The rest of the sculptured frame contains icons or buttons that represent a program function. The left side of the frame contains basic drawing primitives. Here you find icons for diagonal, horizontal or vertical lines, circles, boxes, polygons, rays, line width choices and a trash can. Most of these icons are self-explanatory. The trash can serves as an easy screen eraser.

Along the top of the frame, immediately under the pull-down menu, are the editing functions — magnifier/zoom, text input, pencil, eraser, brush, shapes, copy-and-paste panel, page preview, rulers, toggle box, screen slide, and foreground/background color.

If you need guides to place text or pictures, select the Rulers icon. Guide lines help you determine the center of the screen, horizontally and vertically. The screen-slide icon provides you with choices on moving or sliding the screen to see hidden areas.

The right side of the frame contains icons for movement. The solid up and down arrows at the top and the bottom of the icon bar scroll quickly to the top or bottom half of the page (you only see one half of the page onscreen at a time.) The two solid arrows scroll the screen in eight-pixel increments. The double up and down arrows once again allow you to scroll up or down but at a different speed.

I have only a few minor suggestions to improve CIII PagesE — I would like to see the changes in Version 2.5 listed in an upgraded manual. The addendum is a big help, but some of the examples are no longer valid, due to the 2.5 update. My only other criticism is not of the program itself, but one due to the environment in which I work. I'm used to laser-printed output and my nine-pin dot matrix printer just doesn't stack up. CIII PagesE gives CoCo users a

strong desktop-publishing base — wouldn't the output look great on a laser printer?

CIII PagesE Font Set 2 & 3

Also developed by Coless Computer Design and included with your purchase of CIII PagesE 25, CIII Pages Font Sets 2 & 3 give you a variety of fonts from which to choose. Font sets 2 and 3 each contain 14 banner fonts, used mostly for signs and headers. Owners of CoCo Max III will immediately recognize most of these fonts, as they are almost identical to some included in that package. The fonts come on flippy disk with a three-page manual. The disks are not copy-protected and you are encouraged to make backups. You are referred to the CIII PagesE users manual for instructions on loading the fonts. The manual has a sample of each font, so you can easily choose the one you want. Also included as a bonus in each package is a clip-art file. Font Set 2 has extra brush shapes, which are selected from the Graph pull-down menu, while Font Set 3 contains animal clip art. The fonts are easy to select through the menu and are a nice addition.

CIII Clipart E

A necessary addition to any desktoppublishing package is clip art. In CIII Clipart E, Coless Computer Design gives you more than 1500 pieces of Clipart for CIII PagesE. The package contains a 36-page manual, which describes how to view the clip art with the included viewing utility and how to incorporate the clip art into CIII PagesE. The bulk of the manual is a catalog of each clip included in the package.

Loading and viewing clip art are simple procedures. The art comes on five double-sided, nonprotected disks. To encourage you to back up the originals, Coless has included disk labels and write-protect tabs for the backups.

With 1500+ clips, you can imagine this package contains something for everyone. You get famous cartoon characters, art for holidays and special seasons, signs of the Zodiac, office and school symbols, letters of the alphabet, symbols for transportation and government, sports, animals, state outlines and many more. I consider this a must-have for any desktop publisher, and it's priced right for what it contains.

(Coless Computer Design, 1917 Madera St., No. 8, Waukesha, WI 53186, 414-549-0750; CHI PagesE 2.5, including Font Sets 2 & 3, \$29.95 plus \$3 S/H; CHI Clipart E, \$19.95 plus \$3 S/H. Owners of CHI PagesE 2.0 may upgrade to 2.5 for \$7)

- Kay Cornwell

Star Printers of Choice



stair≤	NX-2420 RAINBOW	NX-2420 MULTIFONT	NX-1001 MULTIFONT	NX-1020 RAINBOW
#Pins	24	24	9	9
Speed	222CPS	222CPS	180CPS	225CPS
Fonts	5 LQ 2 DRAFT 14 OPTIONAL	5 LQ 2 DRAFT 14 OPTIONAL	4 NLQ 2 DRAFT	4 NLQ 2 DRAFT
Graphics	9 MODES	9 MODES	7 MODES	7 MODES
Buffer	30K	7K	4K	16K
Color	Yes	No	No	Yes
Warranty	2 Yr.	2 Yr.	2 Yr.	2Yr.
System Package including the Blue Streak and Software Support Disk.	\$349 ⁹⁵	\$289 ⁹⁵	\$18888 - \$10 Shipping & Insurance	\$23995 . \$10 Shipping & Insurance

The Smallest, Sleekest, **Fastest Serial To Parallel** Converter You Can Buy!

7 Switchable Baud Rates 300 • 600 • 1200 • 2400 • 4800 • 9600 • 19200

Use this "smart" cable to connect a Centronics parallel printer to any version CoCo or use it to improve performance of your current printer. The cables are long-life, high quality shielded cables with moulded plugs for extra durability.

Powered version add \$6.00



Software Support Disk \$1995

(free with purchase of printer)

TYPE SELECTION/ TUTORIAL

Online instructional program that will select 24 special features of your printer or display methods to incorporate them into your programs.

SUPER GEMPRINT
Will transfer a Pmode 0, 1, 3, or 4
picture screen to printer 8'x11"
hardcopy Black/white, white/black
or grey level shading for color.

HI-RES SUPER GEMPRINT

Disk software that will transfer a Hscreen 1, 2, 3, or 4 picture screen to printer. Grey level shading for color

COLOR SUPER GEMPRINT

Transfers color screens to Color NX-1020 8"x11" hardcopy in any Pmode or Hscreen mode.

Order Your System Today... Call (513) 885-5999

DAYTON ASSOCIATES "Hall, INC.

9644 Quailwood Trail • Spring Valley, Ohio 45370

Visa & Mastercard Accepted within the continental U.S. and Canada, Ohio residents add 6.5% sales tax COD add \$4.00

a 30 day moneyback guarantee.

Price and Specifications are subject to change



The following products have recently been received by THE RAINBOW, examined by our magazine staff and issued the Rainbow Seal of Certification, your assurance that we have seen the product and have ascertained that it is what it purports to be.

DIR, a disk utility that allows directory manipulation. Options exist for removing the entire filenames of killed files (instead of changing just the first letter) and writing the revised directory to disk. Other functions include displaying and printing a directory. You can exit the directory in memory and get a new one from disk. Also of use are functions in a Copy/Kill menu. This program can work in conjunction with BED, a binary disk editor. You can call BED and the help routine via a keystroke, Soft & Friendly, 129 Prairie, Virden, 1L 62690, (217)965-4199; \$9 plus \$3.95 SiH.

The MIDI Manual, a guide to help you master the mysteries of MIDI. Learn how to integrate your computer with a MIDI system. You'll also learn: MIDI components, functions, and fundamentals: MIDI's full range of production techniques; the science of synchronization; how to combine MIDI and sync pulse timing: and the art of sequencing. SAMS. 11711 N. College Ave., Carmel, IN 46032, (317) 573-2500; \$24.95.

CF83-4 Double Numbers Extension Word Set, a word set that requires the BDS Software's product, CF83 Forth. The three-page manual is available on disk or in hardcopy form. You can view and print the manual using the reader program supplied on disk. Requires a 64K CoCo 2 or a CoCo 3 with at

least one disk drive. BDS Software, P.O. Box 485, Glenview, IL 60025-0485; \$5.75.

The Printer Bible, a guide to printers, offering hints, troubleshooting tips, printer management techniques and things to consider when buying hardware and software. Que Corp., 11711 N. College Ave., Carmel, 1N 46032, (317) 573-2500; \$24.95.


CoCo Cassette #110, a variety of programs presented monthly for the CoCo 1, 2 and 3. This offering includes: Wedding Planner, intended to help plan financial aspects of a

wedding; Paladin Legend, a text adventure; To-Do List, a planner featuring an onscreen display or hardcopy of your agenda; 5 Printer Graphics, five CoCo 3 pictures; Old-Time Penny Scale, this program, like the old fair scales, will try to predict the future; Multiply Fractions, an educational math program: Siege on Sirius 3, a CoCo 3 graphics game for one or two players; Diskbase 3, a CoCo 3 disk database program requiring two disk drives; Biorhythmic Theory 3, charts biorhythms; Mazey, a Pacman-type maze game; and NFLINS, a prediction helper for the 1991 NFL season, T & D Software, 2490 Miles Standish Dr., Holland, Mt. 49424, (616) 399-9468; \$8.

The Seal of Certification is open to all manufacturers of products for the Tandy Color Computer, regardless of whether they advertise in THE RAINBOW.

By awarding a Seal, the magazine certifies the program does exist
— that we have examined it and have a sample copy — but this
does not constitute any guarantee of satisfaction. As soon as
possible, these hardware or software items will be forwarded to
THE RAINBOW reviewers for evaluation.

DELPHI'S 20/20 ADVANTAGE, VISIBLY SUPERIOR



\$20

\$124

\$120-\$256

COST OF 20 EVENING HOURS
OF DOWNLOADS AND CHAT

On DELPHI's 20/20 Advantage Plan, you get 20 hours of connect time each month for only \$20. Additional time is only 2 cents/minute. No other full-featured online service even comes close!

And those are 20 hours of real online fun and productivity. Download files, chat with friends, send electronic mail, play multi-player games, and make travel reservations.

Join DELPHI now for only \$39.95 and your first 20 hours are free. With your CoCo and modem:

Dial 1-800-365-4636


• At Username: type JOINDELPHI

At Password: type COCO20



800-544-4005 • 617-491-3393

Already a DELPHI member? Type GO USING ADVANTAGE



The Procedure Generator

by Greg Law Technical Editor

Stephen Goldberg, that reads an executable binary file on disk and creates a BASIC09 program that re-creates the original file.

ProcGen is useful here at THE RAINBOW because it allows us to print OS-9 assembly-language listings in the magazine as well as provide a listing useful to those of you without an OS-9 assembler. It is also useful in that it contains a wealth of information on handling file I/O with both binary and ASCII files.

The program begins with the standard variable declaration and initialization, and then asks you to enter the filename or pathlist of the file to convert. It then opens the file for reading (Offset \$01AD) and reads two bytes into variable length. You might wonder why it uses GET instead of READ or INPUT; the reason is that INPUT is used for interactive input (such as from a keyboard) and READ is used primarily with ASCII and sequential-access data files. While GET is primarily used with direct-access data files, it often provides the best method of reading data from a binary file.

If the first two bytes in the file are not \$87CD, the program prints a warning and program execution ends. This check is used to ensure the file contains an OS-9 memory module and is important because the next two bytes in an OS-9 memory module contain the length of the module. The module length is used in a FOR loop in the generated

In addition to being OS-9 Online SIGOP, Greg Law enjoys programming on all types of computers and has worked on systems ranging from the CoCo to the Burroughs B6700 super mainframe. He lives in Louisville, Kentucky. BASIC09 program (Offset \$041E) to re-create the module. Once the length is determined, SEEK is used (Offset \$0247) to start input back at the beginning of the file.

The REPEAT loop at Offset \$028A is used to extract the actual filename from the pathlist. For example, if you enter /d0/CMDS/Format, ProcGen extracts the filename (Format) and stores it in infile. The first pass through the loop results in d0/CMDS/Format, the second pass CMDS/Format, and finally Format. Once the filename is extracted, variable outfile is assigned Make plus infile. This results in the filename MakeFormat that is used as the name of the BASIC09 procedure created.

The statement at Offset \$0339 creates a file in the Write mode and writes a short BASIC09 procedure to the file. Examine the two REPEAT loops (offsets \$04F0 and \$04FF) closely. The outer loop (Offset \$04F0 through \$0556) begins each DATA statement and re-

peats until all data in the file has been read (end-of-file is reached). The inner loop (Offset \$04FF through \$053C) reads the next byte from the file and appends it to the DATA statement. The IF statement (Offset \$0519) appends a comma to the DATA statement if the length of the line is less than 50 characters (width) and if end-of-file has not been reached. If a comma is appended to the DATA statement, the inner REPEAT loop continues. Finally the input and output files are closed and the program ends.

Making Improvements


Run through the program listing a few times mentally and try to imagine each of the steps taken while converting a module to a BASIC09 program. Now imagine that you merge two or more modules into a single file and use *ProcGen* to convert that file. Since the file contains an OS-9 memory module, it performs the conversion but not

```
OS-9
The Listing: ProcGen. b09
PROCEDURE
               DIM infile:STRING[100] \(* input path list *)
DIM outfile:STRING[29] \(* output filename *)
DIM dataline:STRING[80] \(* DATA statement line *)
 0000
 0021
 0042
 0067
               DIM cls.bell:STRING[1]
               DIM inpath.outpath.byt:BYTE
 0077
               DIM count, length, width: INTEGER
 BBB6
 0095
               cls=CHR$(12) \(* clear screen *)
bell=CHR$(7) \(* terminal bell *)
width=50 \(* maximum DATA line length *)
 0096
 0080
 OOFO
               PRINT cls; "CREATE A BASIC-89 PROGRAM TO GENERATE A BINARY MODULE"
 00F1
               PRINT
 912F
 0167
                INPUT "Enter BINARY SOURCE filename or pathlist: ".infile
 0169
                If infile-"" THEN
 0190
 01A8
                ENDIF
 DIAA
 Ø1AC
```

```
OPEN #inpath.infile:READ
0189
                GET #inpath.length \(* get sync bytes $87CD *)
0100
                IF length<>$87CD THEN
MIDE
Ø1EB
                   PRINT bell: "**** ": infile: " is not an OS-9 memory module ****"
0221
0223
                ENDIF
0225
                GET #inpath,length \(* get module length *)
SEEK #inpath.0 \(* rewind file *)
8226
0247
0261
0262
                (* Extract module name from pathlist *)
0289
028A
                   count-SUBSTR("/", infile)
02BC
                    infile-RIGHT$(infile.LEN(infile)-count)
0298
0249
                UNTIL count-8
Ø284
Ø2B5
                outfile-"Make"+infile
02C4
                PRINT
Ø2C6
                PRINT
                PRINT "Now generating your program '"; outfile; "'"
PRINT "Please be patient . . ";
02CB
                PRINT "Please be patient . . .
02F1
0312
0313
                (* Generate the Basic-09 procedure *)
0338
               CREATE #outpath.outfile:WRITE
PRINT #outpath."PROCEDURE ": outfile
PRINT #outpath."(* Generates the binary module ": infile; " *)"
PRINT #outpath."(* Level I - change all /dd to /d0 *)"
PRINT #outpath."DIM path.byt:BYTE"
PRINT #outpath."DIM count:INTEGER"
PRINT #outpath."CREATE #path.""/dd/cmds/"; infile; """:WRITE"
PRINT #outpath."FOR count=1 TO ": length
PRINT #outpath."READ byt"
PRINT #outpath."PUT #path.byt"
PRINT #outpath."NEXT count"
PRINT #outpath."CLOSE #path"
PRINT #outpath."SHELL ""attr /dd/cmds/"; infile; " e pe"""
PRINT #outpath."SHELL ""attr /dd/cmds/"; infile; " e pe"""
0339
0345
035C
Ø38E
Ø3BC
0306
03F0
041E
843A
0448
0461
0474
0488
MAR3
04BF
04C0
                 (* Generate DATA statements from binary code *)
Ø4EF
04F0
                 REPEAT
04F2
                    dataline-"DATA "
BAFE
94FF
                    REPEAT
0501
                       GET #inpath, byt
050B
                       dataline-dataline+STR$(byt)
0518
                       IF LEN(dataline)\text{width AND NOT(EOF(#inpath)) THEN
dataline—dataline+"."
0519
Ø52D
                       ENDIF
0539
053B
                    UNTIL RIGHT$ (dataline.1) <> "."
Ø54B
                PRINT #outpath.dataline UNTIL EOF(#inpath)
054C
0556
Ø55F
0560
                 CLOSE #inpath
                 CLOSE #outpath
Ø566
Ø56C
                 PRINT
056E
                 PRINT
0570
                 PRINT
                 PRINT "Your program '"; outfile; "' is ready."
0572
0596
                 END
```

completely. Follow along as I explain why.

The length of the first memory module is obtained at Offset \$0226. Also the BASIC09 procedure created (Offset \$0345 through \$04B3) uses a FOR loop (Offset \$041E) to reproduce exactly that many bytes — FOR count-1 TO length. However, the REPEAT loop (Offset \$04F0) stores every byte in the file into DATA statements in the created BASIC09 procedure file. For that reason,



several modules may be stored in the DATA statements but only the first module would be re-created.

What methods might be used to overcome this limitation? One method you might
use is to change the REPEAT loop (Offset
\$04F0 and \$053C) to a F0R loop — F0R
count=1 T0 length. This modification
would store only the first module in the
DATA statements if more than one module is
contained in the file. Another method is to
use the \$S.\$ize Get Status call to get the
size of the file instead of the size of the
memory module. This modification would
re-create the entire file instead of a single
memory module.

But suppose you wanted to use *ProcGen* to re-create data files as well as memory modules. What methods might be used to accomplish this? One method I can think of is to remove the code between Offset \$01B9 and \$0261, and replace it with a call to SysCall using the SS.Size Get Status call to get the size of the file.



Rulaford Research P.O. Box 530328 San Diego, CA 92153 (619) 690-3648

MIDI BBS 300-1200-2400 24 hour 8N1 619) 662-2428 RULAFORD RESEARCH still supports CoCo!

If you are into music and MIDI, I have the software your Color Computer needs

LYRA.... music notation program
LYRA LYBRARY. 400+ ready to play files
COCO MIDI PRO . Sequencer 512K required
MUSICA MIDI . play MUSICA files to MIDI
DX-100 FB-01 CZ-101 K1 librarians/editors

Tell your friends that gave up their CoCo's that there is PC-LYRA

A text adventure for use with the CoCo 1, 2 and 3

Pirate's Treasure

by Jon Dueck

an explorer, you have wandered the world in search of hidden treasures. In your travels you come across a secluded cave by the sea. After checking your charts and asking the locals, you discover this abandoned cave was once used by several bands of pirates for storing their loot. Ignoring rumors of black magic, you stand at the door of the cave, thinking only of the greatest treasure believed to be hidden inside: an enormous ruby called the Demon's Eye.

Demon's Eye is a text adventure that accepts standard, twoword commands. The program is in BASIC and was written using a CoCo 3, but it should work on any CoCo with at least 32K and a disk drive. As it uses no special commands, Demon's Eye also runs on the Tandy 1000 under GW-BASIC, assuming you transfer the file to an MS-DOS disk in ASCII format.

This adventure game is two-dimensional, with 64 rooms arranged in an eight-by-eight pattern (though there are some Ups and Downs — hint, hint). Unlike many other adventures, your score when playing *Demon's Eye* is based on the number of treasures you find, not the number of turns it takes you to finish.

Demon's Eye accepts commands such as Examine, Go, Get, Drop, and Inventory, which are standard fare for adventures. For movement, use the abbreviations N, S, E, W, U and D. The game has a rather small vocabulary, so if one of your commands is not accepted, try a synonym.


As an interesting aside, when I was nearly finished with the

Jonathan Dueck enjoys programming in BASIC and BASIC09. He also sings and plays the trumpet. Jonathan's favorite sports are soccer and ice hockey.

program, I made the mistake of formatting a new disk on which to save it. Of course this wiped the program from memory. Then I remembered Geoff Friesen's BASIC+ (THE RAINBOW, June 1991, Page 32), which provides an OLD command. While OLD is intended for recovering programs mistakenly

erased with the NEW command. I found it can also be used after memory is trashed by DSKINI. Needless to say, I learned a few lessons from this experience: Where there is a will, there is a way to overcome problems; and keep your old RAINBOWs - they may save you hours of frustration.

Demon's Eye is a fairly simple adventure. However, I think you will find the game entertaining. So go ahead, fire up your CoCo, and challenge Demon's Eye to a rollicking round of adventure. And good luck!



580 REM END ROUTINE

ERE!": RETURN

1020 IF OB-2 AND RM-36 AND F(B)< 2 AND L(B)<>36 THEN PRINT "A SMA LL SQUARE OF ROCK WHERE THE BAG RESTED POPS UP AND THE CIELING C WITH A RESOUNDING CRA AVES IN SH. ONE OF THE STALACTITES IMPAL ES ME.":GOTO 580 1030 C(08)-1:L(08)-65:M\$="I'VE G OT 1T." 1040 RETURN 1050 REM VERB 12 -- EXAMINE 1060 MS-"NOTHING SPECIAL FOR A " +W\$ 1070 IF RM-36 AND OB-2 THEN MS-" I SEE A SMALL SQUARE TRACING IN THE STONE AROUND THE COINS." 1080 IF RM-60 AND 08-11 THEN MS-"IT LOOKS LIKE I MIGHT BE ABLE T O MOVE IT." 1890 IF RM-50 AND OB-12 THEN MS-"I DISCOVER A BEAUTIFUL PEARL NE CKLACE HIDDEN WITHIN THE RUBBLE! ":F(1)=0 1100 IF RM-37 AND OB-13 THEN MS-"ONE BEARS THE INSCRIPTION 'LIKE A ROLLING STONE'. FUNNY BOB WA S ARDUND IN THE 1600'S, EH?" 1110 IF RM-34 AND OB-14 THEN MS-"ON ONE OF THE BONY FINGERS ON I TS TIGHLY CLENCHED HANDS I SEE T HE BLOODY GLINT OF A RUBY RING! ":F(4)=0 1120 IF RM-1 AND DB-16 THEN MS-" I GASP AS I NOTICE ONE OF THE EY ES ON THE DEMON WATCHING ME -- IT' S A RUBY THE SIZE OF MY FIST! THIS IS THE DEMON'S EYE!": F(5)= 1130 RETURN 1140 REM VERB 13 & 17 -- OPEN & UN LDCK 1150 IF RM-30 AND F(16)-0 AND C(9)-1 THEN MS-"THE KEY TURNS RELU CTANTLY IN THE RUSTY LOCK AND TH E DOOR SWINGS OPEN. ": F(16)-2:R\$(30)-"SW" 1160 RETURN 1170 REM VERB 14 -- LIGHT 1180 IF C(6)-0 THEN MS-"NOTHING TO LIGHT IT WITH." 1190 IF OB=7 AND C(7)=1 AND C(6) -1 THEN MS-"THE ANCIENT BRASS LA NTERN LIGHTS SPUTTERINGLY.": F(7) =2 1200 RETURN 1210 REM VERB 15 -- PUT 1220 IF OB<>8 THEN GOTO 1270 1230 IF C(8)=0 THEN MS="I DON'T HAVE IT.": RETURN 1240 MS-"IT FALLS OVER AND I PIC K IT UP AGAIN." 1250 IF RM-36 THEN MS-"IT FITS U NDER ONE OF THE STALACTITES AND FORMS A PILLAR SUPPORTING THE CI ELING. ": F(8)-2:C(8)-0:L(8)-36 1260 RETURN 1270 REM VERB 16 -- DROP 1280 IF C(OB)-0 THEN MS-"I DON'T HAVE IT.": RETURN 1290 MS-"DONE." 1300 IF OB-7 THEN MS-"AS I DROP IT. THE LIGHT SNUFFS OUT. ": F(7)-1310 C(OB)-0 1320 L(08)=RM 1330 RETURN 1340 REM VERB 18--ROLL

1350 IF RM-60 AND OB-11 AND F(11)-0 THEN MS-"MY MUSCLES STRAIN T O THEIR LIMIT. BUT WITH A FINAL GROAN I MANAGE TO ROLL THE BOIL LDER AWAY TO REVEAL A ROUND BLAC K HOLE.": R\$(60)-"WE": F(11)-2 1360 RETURN 1370 REM VERB 19 -- SAVE 1386 OPEN "O", #1, "DEMON. SAV" 1390 PRINT #1.RM 1400 FOR I-1 TO G 1410 : PRINT #1, L(I), C(I) 1420 NEXT I 1430 FOR I-1 TO W 1440 : PRINT #1, F(1) 1450 NEXT I 1460 FOR I-0 TO 63 1470 : PRINT #1, R\$(1) 1480 NEXT I 1490 CLOSE 1500 M\$-"SAVED." 1510 RETURN 1520 REM VERB 20 -- LOAD 1530 OPEN "I",#1,"DEMON.SAV" 1540 INPUT #1, RM 1550 FOR I-1 TO G 1560 : INPUT #1, L(1), C(1) 1570 NEXT I 1580 FOR I-1 TO W 1590 : INPUT #1, F(1) 1600 NEXT I 1610 FOR I-0 TO 63 INPUT #1.R\$(1) 1620 : 1630 NEXT I 1640 CLOSE 1650 MS="HERE I AM AGAIN!" 1660 RETURN 1670 RETURN 1680 REM VERB 21--QUIT 1690 INPUT "ARE YOU SURE YOU WAN T TO QUIT":Q\$ 1700 IF Q\$="Y" THEN GOTO 580 1710 MS-"OK" 1720 RETURN 1730 REM VERB 22 -- SCORE 1740 SC-0 1750 IF C(1)-1 THEN SC-SC+5 1760 IF C(2)=1 THEN SC-SC+10 1770 IF C(3)-1 THEN SC-SC+2 1780 IF C(4)=1 THEN SC=SC+5 1790 IF C(5)=1 THEN SC=SC+18 1800 MS-"YOUR SCORE IS"+STR\$(SC) +" OUT OF A POSSIBLE 40." 1810 RETURN 1820 REM **READ DATA SUBROUTINE* 1830 FOR I-0 TO 63 1840 : READ D\$(1) 1850 NEXT I 1860 FOR 1-0 TO 63 1870 : READ R\$(1) 1880 NEXT I 1890 FOR I-1 TO W 1900 : READ OS(I) 1910 NEXT I 1920 FOR I-1 TO V 1930 : READ V\$(I) 1940 NEXT I 1950 FOR 1-1 TO G READ L(I) 1960 . 1970 NEXT I 1980 FOR I-1 TO W 1990 : READ F(I) 2000 NEXT I 2010 RETURN 2020 REM DESCRIPTIONS DATA 2030 DATA BEACH NEXT TO CLIFFS.R

OOM WITH DEMON STATUES, FROZEN RO OM. FREEZING NARROW BLACK CORRIDO 2040 DATA FREEZING NARROW BLACK CORRIDOR, CHILLY NARROW BLACK COR RIDOR, CHILLY NARROW BLACK CORRID OR, CHILLY NARROW BLACK CORRIDOR 2050 DATA BEACH, DARK ALCOVE, NARR OW PASSAGEWAY, DAMP PASSAGE 2060 DATA ROOM WITH WATER-COVERE D FLOOR, DAMP PASSAGE, GLOOMY CORN ER, COOL NARROW BLACK CORRIDOR 2070 DATA BEACH COVERED WITH SHE LLS AND SEAWEED, HALL SMELLING OF DEATH. DUSTY WORN STAIRS. DAMP PA SSAGE 2080 DATA PIT FILLED WITH WATER. RODM WITH CAVE DRAWINGS, COLD ROO M. COOL NARROW BLACK CORRIDOR 2090 DATA MOUTH OF CAVE, DIM PATH MAUSOLEUM ENTRANCE, DAMP PASSAGE 2100 DATA DAMP ROOM, ARMORY COVER ED WITH WEAPONS, ROOM WITH CRUMBL Y DRY MOSS, NARROW BLACK CORRIDOR 2110 DATA CAVERN ENTRANCE, POOL O F LIGHT, MAUSOLEUM, DAMP PASSAGE 2120 DATA LOW ROOM WITH STALACTI TES. ROOM WITH DARK STATUES, MOSSY WALLS, NARROW BLACK CORRIDOR 2130 DATA GLOOMY HALL, THIN PATH. THIN PATH, ROUNDED CORRIDOR 2140 DATA SLOPING CORRIDOR, SLOPI NG CORRIDOR, HIGH CORNER ABOVE WA LL, NARROW BLACK CORRIDOR 2150 DATA DEPRESSION IN GROUND, T HIN PATH, CORNER STREWN WITH RUBB LE, ROUNDED CORRIDOR 2160 DATA COBWEBBY ROOM, FALLEN P EBBLES, CRUMBLING WALL, NARROW BLA CK CORRIDOR 2170 DATA HALL WITH DRIPPING STA LACTITES, VAULTED HALL, VAULTED HA LL. VAULTED HALL 2180 DATA VAULTED HALL, NARROW BL ACK CORRIDOR, NARROW BLACK CORRID OR. NARROW BLACK CORRIDOR 2190 REM ROUTES DATA 2200 DATA S.WE.WE.WE.WE.WE.WS 2210 DATA NS.SE, WE, SWE, SWE, WE, SW .NS 2220 DATA NS.NSE.WD.NS.,E.NW.NS 2230 DATA NS.NS.SU.NSE.NSW.E.S.N 2240 DATA S.NS.N.NS.NE, WE.NW.NS 2250 DATA NS. NSE. WE. NSWE. WE. WE.S W. NS 2260 DATA NS.NE.W.NS,E.WE,NW.NS 2270 DATA NE, WE, WE, NWE, W, E, WE, NW 2280 REM OBJECTS DATA2290 DATA NECKLACE, CDINS, GOBLET, RING, RUBY, FLINT, LANTERN, LOG, KEY 2300 DATA DOOR, BOULDER, RUBBLE, ST ATUES, SKELETON, GHOST PIRATE, STAT UE, NORTH, SOUTH 2310 DATA WEST. EAST. UP. DOWN 2320 REM VERBS DATA 2330 DATA HELP, INVENTORY, GO. N. S. W.E.U.D.GET, TAKE, EXAMINE, OPEN, LI GHT.PUT.DRDP, UNLOCK.ROLL, SAVE, LO AD, QUIT, SCORE 2340 REM LOCATIONS OF OBJECTS DA TA 2350 DATA 50,36,52,34,1,48,29,21 .34.30,60,50.37.34.2.1 2360 REM FLAGS DATA 2370 DATA 1.0.0.1.1.0.0.0.0.0.0. 0.0.0.0.0.0.0.0.0.0.0.0

Advertisers Index

Burke & Burke	37
CerComp	5
CerComp	27
CoCoPRO!	9
Colorware	7
Computer Plus	IFC
Dayton Associates	
of W.R. Hall, Inc.	. 41
Delphi	43
Delphi	BC
Eversoft Games, Ltd	23
Granite Computer Systems	33
Hawksoft	27
Interactive Media Systems, Inc	17
JWT Enterprises	39
MV Systems	23
Owl-Ware	18
Owl-Ware	19
Rainbow Back Issues	24
Rainbow on Tape and Disk	50
Rick's Computer Enterprises	37
Rulaford Research	45

SoftSector	28	T & D Software	29
Spectro Systems	33	T & D Software	49
Sundog Systems	39	Trading Post	35
Sundog Systems		Zebra Systems	25



Call:
Kim Lewis
Advertising Representative

Call:
Belinda Kirby
Advertising Representative

The Falsoft Building 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059 (502) 228-4492 • FAX (502) 228-5121

We appreciate your mentioning THE RAINBOW when you contact these advertisers.

SUPER SUPER SPECIAL

All 530 Public Domain Programs-\$145 Value All 1,020 Subscription Programs-\$260 Value All 250 Graphic Pictures-\$70 Value ENTIRE PACKAGE Regularly \$475



Over 250 Quality Pictures



Only \$35.00!
Buy 2, Get One Free!

Set #1 Set #2 Set #3
Clipart Celebrities Adult Only
Space Pictures Cartoon Characters R-Rated
Animals Great Graphics Beautiful Women
More More

T&D Subscription Software • 2490 Miles Standish Dr., Holland, Mi 49423 • 616-399-9648



Subscribe to these convenient services and receive each month's programs in a ready-to-run form. No more long tedious hours wasted typing! No more red eyes and sore fingers! All you do is load and run, using the current issue of THE RAINBOW as documentation.

OS-9 programs are available too! One side of the RAINBOW ON DISK is formatted for the OS-9 operating system (OS-9 programs cannot be put on tape) so you can get all the great programs in the magazine.

A one-year subscription to THE RAINBOW and RAINBOW ON TAPE is only \$91 in the U.S., \$108 in Canada, \$153 foreign surface rate and \$188 foreign airmail.

A one-year subscription to THE RAINBOW and RAINBOW ON DISK is only \$115 in the U.S., \$138 in Canada, \$183 foreign surface rate and \$218 foreign airmail. U.S. currency only. Back issues of both RAINBOW ON TAPE and RAINBOW ON DISK are also available! (see our back issue ad in this issue)
RAINBOW ON TAPE back issues are available beginning with the April 1982 issue. A single copy of RAINBOW ON TAPE is \$10 within the U.S., \$12 in all other countries. The annual subscription for RAINBOW ON TAPE is \$80 within the U.S.;\$90 in Canada; and \$105 for all other countries. U.S. currency only.

RAINBOW ON DISK back issues are available beginning with the October 1986 issue. A single copy of RAINBOW ON DISK is \$12 within the U.S., \$14 in Canada, \$16 in all other counries. The annual subscription for RAINBOW ON DISK is \$99 within the U.S.;\$115 in Canada; and \$130 for all other countries. U.S. currency only please.

Subscribe today and start enjoying THE RAINBOW and your CoCo the easy way, without the fuss!

and Save Money Too!

☐ THE RAINBOW and Rainbow on Tape	☐ THE RAINBOW and Rainbow on Disk		
☐ New ☐ Renewal (attach labels)			
Name	☐ My check in the amount of is enclosed.		
Address	charge to: UVISA UMasterCard UAmerican Expre		
City	Account Number		
	5 A F A F A F A F A F A F A F A F A F A		

Use our convenient subscription envelope inserted in this magazine. For credit card orders call(800) 847-0309, 9a.m. to 5 p.m. EST. All other inquiries call (502) 228-4492

* Payment must accompany order, we do not bill. U.S. currency only, please. Kentucky residents add 6% sales tax; Canadian residents, 7% GST. Please allow 6 to 8 weeks for delivery of first copies. All subscriptions begin with the current issue.

Please note: While group purchases of RIANBOW ON TAPE and RAINBOW ON DISK are permitted (and multiple subscriptions are even discounted, if purchased in one order from a club), no license to make copies is conveyed or implied. Unauthorized coping of any copyright product is strictly illegal.

SUNDOG SYSTEMS





Energy is everything, your force which depends on it intervent contents of agreeting in south statement if way. As you would not intervent or agreeting the second was in the appearance of agreeting the second contents of your most clear you would represent the remaining this remains a second response to the second contents to enterpt, and in expens the free training blood (force Units of France Energy) in methory has remaining Planta Drode. By souther Energy in methory has remaining Planta Drode. By southers there in the south state could state the second of his finance of the second of the second

GRAF 2.0 EXPRESS

Brail Expenses 2.0 in a comparing expenses also whose professionarily provided in interest of the secondary of the professional process of the secondary of the secondary of the professional process of the secondary of the secondary process of the secondary of t

\$34.95

War Monger



The world in an united. Proved revenyly visiteds and any analysms are conceptly from the control of the control

\$29.95

The Quest for * THELDA CO




An immunity popular 128K CoCu 3 stocker acyes late. Over 5431 across of fact tablely soften and puzzle soving. Great graphers are seven effects 134, 95. Herd book cox. 54, 95.

ALSO AVAILABLE

Warrior King CoCo 3	\$29.95
In Quest of the Star Lo CoCo 3 Hint Sheet	rd \$34.95 - \$ 3.95
Hell of the King 1, 2 or CoCo 1 · 3	3 \$29.95 ea
Hall of the King Trilogy	\$74.95
White Fire of Eternity CoCo 1 - 3	\$19.95
Dragon Blade CoCo 1 - 3	\$19.95
Champion CoCo 1 - 3	\$19.95
Peladin's Legacy CoCo 1 - 3	\$24.95

Visa, Mastercard, Check, Money Order, and COD (USA only, please) accepted. All foreign orders must be sent in USC currency Money Orders. Include S2.50 for shipping in USA and canada. \$5.00 Foresign, \$3.00 extra for COD orders, PA residents add. 6% safes tax. Dealer inguiries welcome. Authors, we're looking for new software!

* THE * CONTRAS



A STATE Pulse information committee states game. Fair content thought barriers including and smooth streament Back-ground much stone and much stream \$170 Good with \$4.00 Strepping board.

SinistaaR



Energone lines that \$12K arcade game 2 class palladed with specialistic progress and encode ground englal sound effect. \$12K CoCo 3 64 v. \$34.95.

Congested City



This was THE game of this since has soon action with hardware obnising on a 1289 Gold II Wale sound white and an Magabyes of processing

光山U川-宮太江 Eco Be NINUX



The best selling 1264 Colord rearrainests arborn game. Now available in both RC-005 and 05-9 versions. This like increasing commat increasing you've down mixing under the pare Aling Ayrian of you've down 1529 36.

Zenix



Sphing little trade game in the 1280 Cube 3 leafer 370-275 grapher, but grand even care and source these, and as or again game on \$29-95.

SOUNDTRAX



A programme regular shortd exportment program to the 1734 STON OCE A Wife a profit region plant tod-cipo sprame estate. Displanting science with that and statems as from the many we provide \$44.485.

Sample and owner share it water of samples rounds minimum this Chiry \$12.95 above or \$29.50 for all three.





P.O. Box 766 • Manassas, VA 22111 703/330-8989



Expanding Horizons

Take your CoCo beyond the limits of floppy diskettes — connect to DELPHI, your complete online business and personal resource. With your modem and a local phone call, select from thousands of downloadable programs, meet friends from across the globe, or tap into the world's most comprehensive databases to expand the horizons of your CoCo.

Your Resource for Color Computers

posted by the people who bring you RAINBOW.

Access extensive databases where you can upload your favorite files and download programs written by other personal computer enthusiasts. Chat with other members and resident experts in Conference, use electronic mail, and post or respond to messages in Forum.

OS-9 Online

In OS-9 Online, DELPHI's interest group for fans of the OS-9 operating system, you'll meet other members, download files, and get tips to help you make the most of your CoCo.

What your CoCo was really meant for.

RAINBOW Online

RAINBOW.

DELPHI is your online connection to RAINBOW. You can renew your subscription, meet other Color Computer owners, order software or hardware, or inquire about products. You can even download programs published in

Wallet-Friendly

You can reach DELPHI with a local phone call from almost anywhere. Standard connect rates are only \$6/ hour. The basic fee of \$5.95 per month includes your first hour of usage. For even lower rates, join DELPHI's 20/20 Advantage Plan and enjoy 20 hours of usage per month for only \$20!

FREE Membership

As a RAINBOW subscriber, you get a FREE DELPHI membership AND we'll waive your first monthly fee!
If you don't already subscribe to RAINBOW, just request a subscription when you sign-up to DELPHI, and, for the \$31 subscription fee, you'll get the same great deal!

No Risk

With DELPHI there is no risk. If, for any reason, you are not satisfied, simply cancel your account. You will be responsible only for usage beyond the initial one-hour credit.

Join now online for FREE:

Dial 1-800-365-4636 (by modem)

When connected, press RETURN once or twice

At Password:, type RAINBOW, if you already subscribe to RAINBOW.

Type SENDRAINBOW, if you do not yet subscribe and wish to do so.

Questions? Call DELPHI Member Services at 1-800-695-4005.

DELPHI

Being Online Never Felt So Fine

