
Serving the CoCo Community for




THE COLOR COMPUTER MONTHLY MAGAZINE
January 1992 Vol. XI No. 6 Canada \$4.95 U.S. \$3.95

Utilities: Tools for nailing down

Tools for nailing down disk problems, squeezing file archives...



Make Christmas magic with your CoCo



The Famous Graphics Creator \$395 000 \$3995

Save \$100 BOTH CoCo Max III and Max-10 for \$1.49 90 \$49 95



Christmas Bonus: THE WORKS for an amazing \$79.95

The Works is: CoCo Max III + Max-10 plus ALL the additional fonts at a super low price

About Max-10

What the CoCo Community needs is a word processor that's rock solid, blindingly fast, teels like a Macintosh, makes all the others look boring, and does not cost \$80.

Max-10 is just that and more. It allows on screen mixing of graphics and text, large headlines, multiple columns and full page preview (with graphics).

preview (with graphics).
We swear that Max-10 will add excitement to your word processing, and that's no small tack!

PRINTERS SUPPORTED: EPSON FX.MX.RX.LX AND COMPATIBLES: DMP 105.106.130: CGP220 (B&W); OKI 182,92,192: STAR NX-10, NX-1000.

Max-10 Add-ons

- Max-10 Fonts. 36 super fonts on 2 disks. Send for list. Order #C-23\$14.95 \$14.95 NOTE: Max-10 and CoCo Max Fonts aren't interchangable. - Spell Checker 35,000 word dictionary for online spell checking and dictionary lookup. Perfect seamless integration with Max-10. Order #C-24.....\$14.95

System Requirements

Max-10 and CoCo Max III Require: any CoCo 3: 1 or more disk drives; joystick or mouse; Radio Shack Hi Resolution joystick interface; a video or RGB monitor or a TV.

About CoCo Max III

Whether you doodle for fun or design graphics for a living, CoCo Max will amaze you. It's simply that good!

Its major features include: Huge picture

Its major features include: Huge picture area (2 full hi-res 320x192 screens). Large editing window. Zoom mode for detail work. 28 point and click drawing tools. Shrink and stretch. Rotation at any angle (1.5° steps). 512K memory support (all features work with 128K too). Undo (Oops) feature to fix mistakes. Animation. Special effects. Color sequencing (8 colors, variable speed). 13 fonts (more available). Each font has 8 sizes and 5 styles for thousands of possible combinations. Translate program to convert most types of pictures. CoCo Show "slide show" program. Miniload program to help use pictures with your software. Color editing of patterns. Prints in single or double size. Select 16 of 64 available colors, all 64 colors are shown at once for easy selection. Pull-down menus. 40 paint brush shapes. Two color lettering. Spray can. Amazing "flowbrush". RGB and composite monitor support. Colors print in 5 shades of gray.

PRINTERS SUPPORTED: EPSON RX.FX.MX,LX AND COMPATIBLES; STAR/GEMINI NX-10,NX-1000; DMP100,105,106,110,120,130,200; OKI 82A,182,192; CGP-220(B&W)

Color Drivers available. See next column.

CoCo Max III Add-ons

- Max Fonts disks. 95 fonts on 4 disks. For those thousand words your picture equals. Now only \$29.95


Now only \$29.95
Or two sets of two disks each \$14.95
- Max Edit Don't like our fonts? Make your own or edit existing ones. Creativity literally from scratch. Don't pass this offer



Call or Write Now

(203) 259-7713 Weekdays 9-5 EST

Ordering Information: We accept Visa, Mastercard, Checks and M.O. C.O.D. is \$4 extra Purchase orders are subject to credit approval. Connecticut residents add 8% sales tax. Shipping: \$4 per order (usually UPS ground). UPS 2nd Day Air: \$4 extra. Next Day service available. Canada: \$6 per order (Airmail). Outside U.S. & Canada: Add 10% of order total.




Colorware 303 Linwood Ave. Fairfield, CT 06430

January 1992 Vol. XI No. 6



Features



10 Archiving Files

Tim Kientzle

Stretch and shrink to improve your computing efficiency

20

The Assembly Line

William P. Nee The game of Mill

The cassette tape bisk symbols beside features and columns indicate that the program listings with those articles are on this month's RAIN-**BOWONTAPE and RAINBOWON** DISK. Those with only the disk symbolarenotavalable on PAINBOWON TAPE. For details, check the RAIN-**BOWONTAPE and RANBOWON** DISK adon page 50.

Product Reviews

All Rick's Software/Rick's Computer Enterprise	44
CoCo Calculator/The Trading Post	46
HideScreen/N*Johnson Software	44
World Class Chess/Burke & Burke	47
WPShel/ColorSystems	46

THE RAINBOW is published every month of the year by FALSOFT, Inc., The Falsoft Building, 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059, phone (502) 228-4492. THE RAINBOW, RAINBOWfest and THE RAINBOW and RAINBOWfest togotypes are registered trademarks of FALSOFT, Inc. ● Second class postage paid Prospect, KY and additional offices, USPS N. 705-050 (ISSN No. 0746-4797). POSTMASTER: Send address changes to THE RAINBOW, P.O. Box 385, Prospect, KY 40059. Authorized as second class postage paid from POSTMASTER: Send address changes to THE RAINBOW, P.O. Box 385, Prospect, KY 40059. Authorized as second class postage paid from Hamilton, Ontario by Canada Post, Ottawa, Ontario, Canada. e Entire contents copyright by FALSOFT, Inc., 1991. THE RAINBOW is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever. • Tandy, Color BASIC, Extended Color BASIC and Program Pak are registered "trademarks of the Tandy, Corp. • Subscriptions to THE RAINBOW are \$31 per year in the United States. Canadian rates are U.S. \$38. Surface mail to other countries is U.S. \$58, air mail U.S. \$103. All subscriptions begin with next available issue. • Limited back issues are available. Please see notice for issues that are in print and their costs. Payment accepted by VISA, MasterCard, American Express, cash, check or mone pyorder in U.S. currency only. Full return after mailing of one issue. A return of 10/12ths the subscription amount after two issues are mailed. No refund after mailing of three

26 Directory Helper

Kathy Rumpel Manipulate disk files with ease

32 The Separator •

Joseph Cheek An OS-9 utility for breaking down merged modules



Columns

30

CoCo Consultations Marty Goodman

Installing a disk drive

16 Delphi Bureau Eddie Kuns Editing submissions

Print#-2 Lonnie Falk Editor's notes

36

Turn of the Screw

Tony DiStefano Hard drives and SCSI

Novices Niche

39

Christmas Home Danny and Peggy Eary

39

Poke Text Keiran Kenny



40

Disk Table Steve Ricketts



40

DeSpace, DeSpace John Musumeci



40

Screen Selector Jim Knoppow

41

Check Disk Mark Page

42

Photo Database David Polonsky



42

By the Numbers Bill Bernico



Departments

Advertisers Index	49
Back Issue Info	15
Letters to Rainbow	4
Received & Certified	48
Submitting Material	48

THE RAINBOW

Editor and Publisher Lawrence C. Falk

Managing Editor Cray Augsburg
Associate Editor Sue Fomby
Submissions/Reviews Editor Tony Olive
Technical Editor Greg Law
Technical Assistants Ed Ellers,
Gregory Shultz

Editorial Assistant Julie Hutchinson Contributing Editors

Tony DiStefano Martin Goodman, M.D. Eddie Kuns

Art Director Heldi Nelson

Designers Sharon Adams, Teri Kays,

Debbee Diamond

Consulting Editors Judi Hutchinson, Laurie D. Falk

Typesetter Debbee Diamond

Falsoft, Inc.

President Lawrence C. Falk

General Manager Peggy Lowry Daniels
Asst. General Mgr. for Finance Donna Shuck
Admin. Asst. to the Publisher Kim Thompson
Editorial Director John Crawley
Director of Creative Services O'Neil Arnold
Chief Bookkeeper Diane Moore
Dealer Accounts Judy Quashnock
Asst. Gen. Manager For Administration
Tim Whelan

Corporate Business Technical Director Calvin Shields

Customer Service Manager Beverly Bearden
Customer Service Representative
Patricia Eaton

Chief of Printing Services Melba Smith Business Assistant Wendy Falk Barsky Chief of Building Security and Maintenance Lawrence Johnson

Asst. General Manager for Advertising, Development and Production Ira Barsky Advertising Representatives Belinda Kirby, Kim Lewis

Advertising Assistant Carolyn Fenwick (502)228-4492

For RAINBOW Advertising and Marketing Office Information,see Page 49

Aetters to the RAINBOW

CoCo 2 Compatibility

Editor:

In "Letters to THE RAINBOW" (October 1991, Page 4) two people indicate they are having problems using the Plug 'n Power controller with their systems. There may be a poke that will enable these units to work with the CoCo 3.

I don't have access to Plug 'n Power equipment, so I can't give any guarantee. However, I experienced problems running several commercial programs when I first got my CoCo 3. After quite a bit of frustration, I learned about a poke that puts the CoCo 3 into the CoCo 2 mode.

POKE 65502,0 disables all CoCo 3 features, making the computer compatible with the CoCo 2. POKE 65503,0 enables the CoCo 3 features.

This solution may work, it may not. In any case, it might help others who are having problems running CoCo 2 programs on their CoCo 3's.

Ken Yarley 1091 Belford Avenue Columbus, OH 43207

Thanks for the information. While the poke you mention does enable some CoCo 2 programs to work on the CoCo 3, the main problem with using the Plug'n Power controller involves the CoCo 3's lack of support for the semi-graphics modes of the CoCo I and 2. The software for the controller is designed to run in these modes.

Checking the Situation

Editor:

I have to write numerous checks each month to the same listing of vendors, but with amounts that vary from month to month. I am looking for a program that prints monthly checks and, if possible, maintains a running total that I can reconcile with my checking account. I am using a 64K Color Computer. Can anyone help me find a program that meets these requirements?

H. James Schroeer 3424 Valley Creek Drive Tallahassee, FL 32312

Prodigal Son

Editor:

After about a year of absence, I have

returned home to THE RAINBOW to enhance my enjoyment of the CoCo 3. It feels good to be back.

Can you tell me where to find a stillpicture digitizer similar to those for MS-DOS computers? I'm talking about the handheld units that you just glide over a picture in a book or magazine? Is there any way of making those for the PC-compatibles work on the CoCo 3?

> Charles Hulen 1309 Hart Avenue Lawrenceburg, TN 38464-2218

The most popular video digitizer for the CoCo is the Microworks DS-69. Then there is Rascan. However, no vendors we know of currently offer a hand-held unit like those used with MS-DOS machines. Chris Burke of Burke & Burke demonstrated, at the most recent Chicago RAINBOW fest, an interface he designed to go between such a digitizer and a CoCo 3 running OS-9. You might give Chris a call.

Elliott, Elliott, Elliott

Editor:

Thank you for printing *Country* in the September 1991 issue of THE RAINBOW. When I opened the magazine and saw my program, I was very happy. However, you spelled my name wrong three times! Now, I'm sure you'd be more than happy to print an apology and a correction in the next issue.

Phil Elliott, Jr. 1211 S.W. Emma Des Moines, IA 50315

We apologize for spelling your name incorrectly, and we hope your letter will be correction enough.

Building Up

Editor:

I started using the CoCo in 1985. My current CoCo 3 system uses a separate keyboard, an internal switching power supply, a 3½-inch 80-track floppy drive and a 3½-inch 20-Meg hard drive. The computer, drives and power supply are inside a homemade 2½-inch rectangular cover on the lower part of the original CoCo 3 case.

OS-9, along with *Multi-Vue*, provide the operational "glue" that holds the system

The Ultimate CoCo Storage System

Put away that pile of RSDOS and OS9 floppies and speed up your work!

Put virtually every file you own at your fingertips with the new CoCoPROI/Ken-Ton 65-meg SCSI harddrive! Featuring a fast 28ms drive, this unique system gives you up to 255 35-track drives of RSDOS storage (compatible with virtually all ML & BASIC software!), along with MEGS of OS-9 storage! You can easily auto-boot any file...even auto-boot OS-9 upon startup! Comes completely formatted and ready-to-run. Choose 10, 50, 100, or 255 RSDOS drive setup when ordering, and we'll format the rest for OS-9. Req. MPI, Slotpak, or Y-cable.

HARDWARE

512k upgrade w/Lightning software	\$69
Slotpak-3 w/12v adapter	\$104
Magnavox 1CM135 w/cable	\$299
Infotel 2400 modem w/cable	\$99
CoCoPRO! RS-232 pak	\$45
CoCoPRO! RS-232 kit (for DCM)	\$27
Ken-Ton Dual Serial port	\$89
Ken-Ton SCSI HD Interface	\$99
SmartWatch RTC	\$29
Adaptec 4000a HD controller	\$79
Burke & Burke CoCo/XT	\$69
Burke & Burke XT/RTC	\$99
Hard drive case w/60w supply	\$89
IBM Keyboard interface	\$85
Keyboard Extension cable (CoCo	\$15
Multipak upgrade (3024 or 3124)	\$15
Epson 720k 3.5" drive (bare)	\$59

OS-9 SOFTWARE

VED	\$24.95	VPrint	\$24.95
OS9 Maillist	\$19.95	OS9 Ultra Label	\$19.95
Newspaper09	\$48.95	NewsART09	\$99.95
NewsFONTS	\$10.95	Presto-Partner	\$29.95
UltiMusE III	\$54.95	Checkbook+	\$24.95
Data Windows	\$59.95	Data Merger	\$19.95
Level II Tools	\$24.95	Disk Mgr. Tree	\$29.95
The Zapper	\$19.95	Multi-Menu	\$19.95
OS9 Lv2 BBS	\$29.95	Tools II	\$34.95
Solitaire pak	\$29.95	Game pak	\$29.95
Kyum-Gai OS9	\$29.95	PertASCII	\$19.95
File Recov. Sys	\$24.95	File Sys Repack	\$29.95
Wild & MV	\$19.95	RSB	\$39.95
WPShel	\$21.95	MVBanner	\$19.95

ZFRRA

First Prize	\$39
	529

SUNDOG

Warmonger	\$29
GrafXpress 2.0	\$34
Crystal City	\$34
Zenix	\$29
Quest for Thelda	\$34
Sinistaar	\$34

Art Deli (440 pt)	\$79
Art Dell II (220 pin)	\$39
Art Deli Holiday "	\$39
Art Dell Utilities	\$15
V-Term	\$35
Simply Better	\$35
DMA	\$30
RGB-DOS	\$30
RGB-059 Utto	\$25
Hyper I/O	\$29
Newspaper Plus	\$45
Overland	\$25
Cataduril	\$15
BASH!	\$15
Schematic Draft.	\$10
Columna	\$10
Wico Joystick	512
Anti-Ciutier Nit	\$12

SUB-ETHA

MiniBa	nners		19
AND THE PERSON NAMED IN		1 1 1	
Multi-B	ASIC		29
Checkb	noka		24
ULICURE	OURT.		

DAMOSOFT

Big BASIC	\$39
Super Big BASIC	\$49
Utilities Pak	\$18
Big RAMDish	\$15
Memory Master	\$24
CoCo Archiver	\$18

Coming Soon for CoCo OS9!

REMOVABLE 22-meg SCSI Floptical drives!

High-density (1.2 & 1.44 meg) SCSI floppy drives!

Watch our ads for details!



P.O. BOX 763 YPSILANTI MI 48197

Include \$4 S&H on all U.S. orders, \$5 CDN min. COD \$4 additional. MI residents add 4%.

Call for shipping on HDs & monitors

ORDERS ONLY

1.800.937.7746 1.313.481.3283

TO AM-6.30 PM EST MON-FRI

For a 12-mo. subscription to our catalog of used soft- & hardware at INCREDIBLE prices (20-90% off), send \$15

together. All my "old" BASIC programs work with Burke & Burke's RSB, and those that I still use are in their own directories on the hard drive.

As you can tell, I enjoy working with the system. I have taught my three sons how to use Window Writer, VI (TSEDIT), Profile and many other programs. They will be ready for UNIX on their own computers because of OS-9 and the CoCo.

In the meantime I am looking for a new or used copy (original package only, with documentation) of the relational-database, *Sculptor*. I am also looking for the *OS-9 Development System* (Cat. #26-3032). Can you help?

Harold Mech 5601 Cresta Luna Court NE Albuquerque, NM 87111

You may be able to get both packages through CoCo PRO! In addition, you might try Tandy's Express Order service for the OS-9 Development System.

A Printer for the ST

Editor:

I have a DMP-130A printer. I want to know if I can hook it to an Atari 1040 ST and make it work.

Peter Cortes 170 Belmont Blvd. Elmont, NY 11003

As long as you have a standard parallelprinter port on the ST (we don't have access to an Atari), there should be no problem using the DMP-130 with it. Otherwise you may have to make a special cable.

Keyboard Templates

Editor:

Where can I purchase a keyboard template for my CoCo 3? How much does such a template cost?

Paul Knudsen 227 Barbara Lane Steger, IL 60475

You can purchase a variety of keyboard templates from P&M Products, 1003 Shalimar Drive, High Point, NC 27262, (919) 887-2236. The cost is \$6.95 plus \$2 S/H.

Help From Abroad

Editor:

Many congratulations for your birthday! The CoCo lives and flourishes in Europe. Can you help me with the following problems? First, I cannot get *Home Publisher* to run. Radio Shack has ignored my queries. Second, I have OS-9 Level II but have done nothing with it yet. I have the CoCo 3 and one floppy drive. Do I need a second drive for OS-9? If so, can I use my present controller and drive, or do I have to start all over again? Finally, can the CoCo be connected to the Canon BJ-10E Bubble Jet printer?

David Burkhart Hauzenberger Strasse 20/X111 W-8000 Muenchen 21 Germany

OS-9 doesn't require that you have two disk drives, but it helps if you do. Several RAINBOW advertisers offer second drives for existing Drive 0 systems. We are unfamiliar with the Bubble Jet. Perhaps another reader can offer advice on that.

Needs Help Booting OS-9 From HD Editor:

I want to boot OS-9 directly from a hard drive, as stated in THE RAINBOW (March 1989, Page 55), but the manual doesn't indicate how to do this. I bought RGB-DOS from CRC Computers at the same time I bought my hard drive, but they have not been able to help me. I have also written to RGB Computers, but the letters have been returned. Can anyone help?

Claude Cote 660 Labarre Hebertville, PQ GOW 1S0 Canada

Adding a Second First Drive

Editor:

I have a CoCo 3 with an FD-502 Drive 0 system. I recently bought a second Drive 0 (also an FD-502), and I was assured by the salesman that I could use it as a second drive in my existing system. After I had it installed, I attempted to format a disk. When I entered DSKINI1, I got an I/O error message. I then tried formatting a disk on Drive 0, and the lights on both drives came on and the drives would not stop running. I had to shut the system off to stop them. I went back to the Radio Shack salesman to get help and advice, but he couldn't tell me what was wrong. Can a primary Drive 0 be used as a secondary drive, and if so, how? I need to know as soon as possible since I've ordered software that requires two drives.

> Victor Almeyda 845 Bergen Ave., Suite 350 Jersey City, NJ 07306

Most likely both drives are still set to act as Drive 0. There should be a set of jumpers on the rear of the drives where the cable connects to them. On Drive 0, the jumper should be set to DS0. On Drive 1, make sure the jumper is set to DS1. For more information about adding disk drives, see "Disk Drives and the CoCo" (March and April 1990) by Marty Goodman.

Where There's a Will ...

Editor:

I've had my CoCo only a year now. I'm not much of a programmer, but I use my CoCo 3 with a shortwave radio to decode RTTY and FAX signals. I needed a way to get my list of over 250 radio frequencies in numerical order, and after a few unsuccessful tries at writing a program to do this, I discovered the CoCo could do it without a program!

I simply entered the different frequencies (all four- or five-digit numbers) in random order, along with station IDs as remarks (i.e., 1017 'BAF, Betjing, China). The CoCo interpreted this as a BASIC program. When I enter LIST, the log appears onscreen in numerical order.

To refine the list, I save the file in ASCII, then reload it into Max-10. This makes it easy to edit, and I can print the list in a neat, three-column format.

Dave Maunder Box 38 Brigus, NF A0A 1K0 Canada

That sounds like a very interesting and excellent solution. But then, CoCo users are known for their ingenuity.

THE RAINBOW welcomes letters to the editor. Mail should be addressed to: Letters to Rainbow, The Falsoft Building, 9509 U.S Hwy 42, P.O. Box 385, Prospect, KY 40059. Letters should include the writer's full name and address. Letters may be edited for purposes of clarity or to conserve space.

Letters to the editor may also be sent to us through our Delphi CoCo SIG. From the CoCo SIG> prompt, type RAI to take you into the Rainbow Magazine Services area of the SIG. At the RAINBOW> prompt, type LET to reach the LETTERS> prompt and then select Letters for Publication. Be sure to include your complete name and address.



What Will 1992 Bring?

ho could ever have predicted the events of 1991?
Well, we were fairly sure about this time last year there would be a war in the Persian Gulf—but could even the most optimistic of us have guessed that it would have provided such a stunning and rapid victory for the Allied forces? I do not think any of us could.

Of even more significance, who could possibly have predicted the rapid changes in the Soviet Union? Yes, there were signs. But that was all. That the breakup of that vast country could occur so rapidly—even with the one-year-old history lesson we learned last year in Eastern Europe—has been nothing short of astonishing. I happen to think that, with the exception of the abortive coup in Moscow, the easy part is over.

Even now, as we in the West prepare to celebrate our Holiday season, there is little food available in the Soviet Union. Even less will be available by Spring, when the cold Russian Winter begins to loosen its grip. Will that bring anarchy to the Soviets? I happen to think there is a good possibility of that happening.

None other than Vladimir Lenin, the catalyst of the Russian revolution of 1917, once said something to the effect that all he needed to overthrow the government was one printing press. Lenin said this because the most important single thing a revolutionary can do is communicate with his followers — or those he wants to be his followers.

This, in effect, goes back to the old philosophical question of whether a tree, falling in the forest when no one is around, makes a sound. If the tree crashes to the forest floor but no one hears it fall, it, for all purposes, does not make any noise; if you decide to foment rebellion and cannot

communicate with your followers, there will be no followers to lead.

Computers are the ultimate means of communication.

Revolutionaries have been using one means or another to communicate for a long time. Martin Luther, as an example, didn't just have things to say about the Roman Catholic Church—he nailed his 95 Theses onto the door of the cathedral at Wittenberg in 1517 so everyone could read them. Thomas Paine, in his pre-1776 campaigns against George III, used pamphlets extensively to address the Colonies' grievances against the crown. Where would Ghandi's civil disobedience protests have led India without extensive coverage in the media of the day?

It is interesting, perhaps, to note that, with the exception of Moses' rebellion against pharaoh, the popular revolutions of history — those involving a large number of people rather than small "palace" groups — essentially antedated the invention of the printing press.

Does this have anything to do with

computers? Of course. Computers are the ultimate means of communication. Whether we use large mainframe-based systems such as Delphi or CompuServe, whether we log on to local bulletin boards, whether we just use the "host mode" of some communications programs to transfer files or converse, computers have the ability to move vast amounts of information between large groups of people in record time.


Add word processors and, if you will, page-layout programs, and you have the ability to communicate pretty easily. You can make newsletters and banners, political signs and broadsides. Tom Paine would have been in hog heaven with a computer and a dot-matrix printer.

The most civilized yet least computerintensive nation in the world is the Soviet Union. Yet, computers and computing are making more and more inroads there every day. And I believe technology will be easier for the Soviets to come by in the future a direct result of the demise of the "evil empire."

What this will mean in the near future is that every Soviet splinter group that has something to say will have the means to communicate it to those who believe similarly. As that happens, unfortunately, there will be continued unrest in that vast and unhappy country for several years.

Although unrest is not a happy thought, it does mean more information will flow back and forth. Russia's two "greats," Peter and Catherine, sought more open communication with the West. With the computers that will be increasingly finding their way into the people's hands in the Soviet Union, there will certainly be more communication in 1992—and, happily, more freedom as well.

-Lonnie Falk



Proven

On the Razor's Edge of

NOW


4MB RAM STANDARD

CALL (215) 837-1917

In Our 10th Year

We Are One Of The Oldest Computer Stores In The Country!

SOME OF THE LOWEST PRICES AND BEST WARRANTIES ANYWHERE!



the OWL SUPER ATOM-386/486

Much Faster Power than Major Brand 386' at a fraction of the cost!

- 25/33 MHz 80386/80486.0 Wait State
- Sockets for the 80287, 80387, or Weitek Coprocessors 2 Serial, 1 Parallel Port, Clock System and Video BIOS in Cache
- 8 Option Slots Modern Small Footprint Case FCC Class B Approved Class A on 486

- AT Style Case with 200-Watt Power Supply
 System Price Includes 40 Meg HD, Monochrome VGA Monitor, and 1.2 Meg Floppy
 Drive, MS DOS & Basic, Hr. Res. VGA Card

2895

33MHz-486 25MHz-386 33MHz-386 486 EISA BUSS Complete 40 Meg, VGA Mono Systems (Add \$150 for 80 Meg Drive)

Shown with Standard VGA Monochrome Monitor. Color VGA or Non-Interlaced Monitor available. \$200 to \$500 additional.

3-Year Warranty! on all systems

Including One Full Year on Parts and Labor

NEW OWL ATOM —



NOW VCA

- Fully AT Compatible 2 MB RAM 6/16 or 6/20.0 Wait State Small Footprint Case 200-Watt PS FCC Class B Approved 2 Serial, 1 Parallel Port 7 Full-Sized Slots

True AT Speed HD

Complete System Price Includes 40 Meg HD VGA Mono Monitor 1.2 Meg Floppy Drive Choice of Keyboards

Color or Non-Interlaced System Monitors and Other Hard Drives are Available. CALL!

NEW LOW PRICES!

^{\$}1425

^{\$}1545

16 MHZ (386SX) 20 MHZ (386 SX) Complete 40 Meg Mono Systems

386-SX Notebooks Available

386-SX, 16MHz, 7.7 LBS! 40MB HD, 1.44MB FD, 2MB RAM Standard (exp. to 5MB) VGA 640x480 LCD Screen w/32 Shades of Gray. Ports: 2 SER, 1 PAR, 1 VGA

20 MHz Notebooks Available Call!


There is no small print in this ad.

\$2145 1-800-245-6228

OWL ATOM (ET) -

- 1 Meg-RAM Small Footprint Case 200-Watt PS Monochrome or VGA

- Monitor 12 or 16 MHz 80286
- 8 Slots 4 Drive Slots
- 40-Meg Drive, 1.2 Mg.



New! 16 MHz 80286 Same Price!

OWL Computer Services



5950 Keystone Drive Bath, PA (215) 837-1917

Kids & US/Radio Shack

Pottstown Ave., Rt. 663, Pennsburg (215) 679-3389

St. Onge Systems Wescosville Call For Appt. (215) 481-9775

Computers & Games

Muhlenberg Shopping Plaza Reading (215) 929-0540

Technology

the Color Computer Frontier

DISK DRIVES



Floppy Drive Systems

The Highest Quality for Years of Service

Drive 0 Systems (Half Height, Double Sided,

Direct Drives) \$189.

Drive 0 systems complete with drive, controller, legal DOS, cable, case, power supply, and manual

Drive 1 Systems (Half Height, Double Sided,

Direct Drives) \$115.

New 3.5", 720K Drives for OS-9 with case

& Power Supply \$149.

Drive 1 Systems have drive, case, power supply. (You may require optional cable and/or DOS chip to use)

Special for 0/1 Combos (0,1,2,3) \$259. SALE Prices on Drives!

HALF- HEIGHT DRIVE UPGRADES FOR RS HORIZON-TAL CASES

Why only double the capacity of your system when you can triple in the same case? Kit includes: double-sided to fit your case, chip to run both sides of new drive, hardware, and detailed instructions. Easy! Takes only 5 minutes!

Model Only \$119. 500, 501, or 502

All drives are new and fully assembled. We ship only FULLY TESTED and CERTIFIED at these low prices. We use Fuji, YE Data, and other fine brands. No drives are used or surplus unless otherwise stated to you when you order. We appear to be the one of the few advertisers in Rainbow who can truly make this claim. We have 7 years experience in the CoCo disk drive market! We are able to provide support when you have a problem.

Drives 1 Year Warranty

OWL Phones

Order Numbers (only) 1-800-245-6228 1-215-682-6855 Fax: 1-215-837-1942 Technical Help 1-215-837-1917

OWL WARE Software Bundle

Disk Tutorial/Utilities/Games DISK TUTOR Ver 1.1

Learn how to use your disk drive from this multi-lesson, machine language program. This tutor takes you through your lessons and corrects your mistakes for a quick, painless disk drive introduction. (This professionally written tutor is easily worth the bundle's total price.)

3 UTILITIES

A copy verify, copy, and DOS utility.

2 GAMES

We will select 2 games from our stock. These are sold for more than \$20 each.

Do not mistake this software with cheap "Public Domain" software which others offer. All of this software is copyrighted and professional in quality. The tutor is unique with us and has helped thousands of new users learn their disk drive.

only \$27.95 (or even better) only \$6.95 with any Disk Drive Purchase!!

512K Upgrade

Again at a popular price. Fully assembled and tested before shipping. Easy to install. Uses fast 120 ns. chips.

Only \$85.

Now includes memory test, Ram Disk Lighting, Printer Lighting, and Backup Lighting. All with an upgraded manual exclusive with OWL!


Our prices include a discount for cash but do not include shipping.

OWL-WARE has a liberal warranty policy. During the warranty period, all defective items will be repaired or replaced at our option at no cost to the buyer except for shipping costs. Call our tech number for return. Return of non-defective or unauthorized returns are subject to a service charge.

OWL-WARE P.O. BOX 116 Mertztown, PA 19539 Stretch and shrink to improve your computing efficiency

Archiving Files

by Tim Kientzle



he terms archiving and compression are tossed about a lot in the computer market, yet many people are not quite sure what they mean. It seems reasonable to address these topics and help people understand the terms, the functions and what to expect from programs that use them. Let's first clear the air by defining what each of these terms mean, and what some of the common misconceptions are. Then we'll look at an OS-9 program to unarchive TC-format archives created with Disk BASIC.

File Compression

Intuitively, the term compression simply means 'making something smaller.' For computer applications, this means encoding a file so that it occupies less space (fewer bytes) than the original. Ideally, for any given compression routine there should be a decompression routine that decodes the file into its original form.

There are many reasons why compression is desirable. The most obvious is that compressed files require less space on a disk, thus allowing you to store more data on each disk. Also, people who transfer files by modem can appreciate the fact that compressed files take less time to transfer. Both of these uses can save money, in the first case by reducing your disk space needs, and in the second by cutting down on long-distance telephone bills and connect-time charges.

A complete understanding of compression requires a good deal of mathematics, and we won't get that detailed here. (For a more complete discussion of graphics compression techniques, see my series on "Displaying Picture Files" in the October through December 1990 issues of THE RAINBOW.) However, there are some situations for which certain compression techniques work best, and there are a few limitations with compression programs in general. It is important that you understand these situations to make efficient use of compression programs.

No compression program can shorten every file. Well-written compression pro-

Tim Kientzle is currently pursuing a doctorate in mathematics at the University of California at Berkeley. He is the author of V-Term and has worked with the Color Computer since 1982.

grams will try to compress a file, but will quit if the compressed file would be larger than the original. (Yes, this can happen.) The amount of compression you can expect depends on the type of data and the compression method used. For example, runlength encoding (RLE) works well for simple graphics files but not as well for text files. Huffman encoding works well for text files. On the other hand, Limpel-Ziv-Welch (LZW) compression works well for most graphics files. Few methods perform a very good job of compressing executable programs.

It is also important to remember that file compression takes time and memory. (The popular Unix program compress, for instance, is only 25K, but requires over 400K of memory to run.) These requirements are a major reason why compression methods are not more widely used.

File Archiving

As the term applies here, archiving means packing several files together into a single file that can be unpacked later. An important application of this procedure is to combine groups of files before transferring them over a modem — it is almost always easier and faster to transfer one large file than to transfer many small files. Another common use is for backing up hard disks onto floppy disks or tapes in order to improve speed and to make more efficient use of the disk or tape.

To be useful, archiving programs must store a lot of information about the files that are archived. At a minimum, they should store the filenames. More sophisticated programs store the file types, the directories where the original files were stored, the dates on which the files were created, the owner IDs of the files, the files' permissions, and other relevant information. (Not all of this information applies to Disk BASIC, of course.)

Today most good archiving programs also support some form of file compression. As I've mentioned, given a choice, you should compare the compression obtained from several programs, keeping in mind such factors as speed and ease of use. No program is useful if you won't use it because of difficulties with the way it works.

A Case Study

John Lauro created *The Compressor* (also known as *TC*), which is currently the

OS-9 •

The Listing: UnTC


```
/* UnTC
   Unarchive archives created by John Lauro's TC RSDOS archive programs
   Usage: untc [-d] [files ...]
   Options:
   If -d is specified, unto will display a directory of all files in the archive(s). If no option is specified, it will extract
   all files from the archive(s).
   General file format:
 * A TC-format archive consists of a series of entries of the following 
* form: a one-byte sequence number, denoting which file this is in the
   archive starting at one (this sequence number is also used for EOF
   detection); a header for each file of the format outlined in TCHeader, below (all existing TC programs use a version number of 1) followed by the file data itself. Further information on the
   compression can be found in the comments at the beginning of the
   uncompress() function.
   Contributed to the public domain by Tim Koonce Kientzle.
#include <stdio.h>
#include <ctype.h>
struct TCHeader { char name[8];
                                          /* RSDOS file name */
                      char ext[3];
                                          /* RSDOS extension */
                                         /* RSDOS file type */
/* RSDOS ascii flag */
                      char type:
                      char ascii:
                                          /* Must be 1 */
                      char version;
                      char length1;
                                          /* First byte of three-byte length */
                      int length;
                                          /* Length of file in archive
                                          /* Type of compression used */
                      char marker
main(argc,argv)
int argc:
char *argv[]:
    FILE *infile:
                            /* The input file */
   int dir-0:
                            /* Set to non-zero if we're just listing a dir */
   pflinit(); /* So the long-integer printf routines will be linked */
   if ( argc==1 ) usage(); /* Usage message if no arguments given */
                                       /* For each file */
       while(--argc > 0) {
            ++argv;

/* If it's "-d", then turn on "dir" flag */

if( (*argv)[0]--'-' && ( (*argv)[1]--'d' || (*argv)[1]--'D'))


dir=TRUE;
            else
                 unpack(infile):
                                                                 /* Unpack the file */
                      fclose(infile);
                                                                 /* Close the file */
                 ) else
                      printf("UnTC: Can't open '%s'.\n", *argv);
/* Display usage message */
usage()
    printf(" -d Give directory of specified archives.\n");
printf(" If no options are given, extract all files from archives.\n\n");
printf("Released into Public Domain 5Nov89. Author: Tim Koonce Kientzle\n");
printf("Based on TC3 bý John Lauro.\n");
/* Display a directory for a TC3 archive */
```

most popular archiving/compression program for Disk BASIC. The drawbacks of the simple compression method *TC* uses are outweighed by the fact that it is fast and easy-to-use, and it is available in versions for the CoCo 1 and 2 (TC12), the CoCo 3 (TC3) and the 512K CoCo 3 (TC31). All three programs read and write the same files. The difference is that the CoCo 3 versions can handle larger archives.



Because of TC's popularity and because many Disk BASIC users also use OS-9, I wrote a decoding program for TC files that runs under OS-9 (see the listing). Since the format of TC archives is fairly simple, it makes a good case study of how archiving programs work.

A TC archive consists of a series of entries for each file in the archive. Each file is stored with a header that contains a sequence number for the file, the filename, fundamental Disk BASIC directory information, the version of the file format, the size of the file, and the type of compression used. The actual file data follows this header. Compressed files are stored using a form of run-length encoding that uses an "escape byte" to mark encoded runs in the data.



Three of the header fields deserve some special discussion. The sequence number simply counts the file's position in the archive. (Sequence Number 0 is used to mark the end of the archive.) The sequence number serves as an error check to make sure the file is valid and also as an end-of-archive check. Having some code within the archive to mark the end is a useful way to guard against one common source of

```
directory(infile)
FILE *infile:
    struct TCHeader TCH:
     int next:
     int sequence:
     int i:
    long size;
                                                                   Archive length.\n");
    printf("Filename.ext
                               Type/ASCII
                                               Compressed?
    /* Keep going as long as the sequence numbers match up */
for ( next-1; sequence-getc(infile) ; sequence -- ++next)
          fread(&TCH,sizeof(TCH),1,infile); /* Get one header */
          if (TCH.version !- 0x01)
              printf("Warning: file compressed with an incompatible");
printf(" version of TC.\n");
          for(i=0;i<8;i++) putchar(TCH.name[i]); /* print filename */
         for(i=0; i< TCH.length; i++) getc(infile); /* Skip the actual file */
    /* After all the files must come a zero sequence number */
if (sequence !- Ø) printf("UnTC: Error in file!\n");
}
/* Unpack an archive */
unpack(infile)
FILE *infile;
                               /* Header of the file */
     struct TCHeader TCH:
                               /* Expected sequence number of next file in archive*/
     int next:
     int sequence;
                               /* Actual sequence number of next file */
                               /* Counter variable */
/* Output filename */
/* Output file handle */
     int i;
     char filename[32];
FILE *outfile;
                               /* Size of file in archive */
     long size;
     for ( next-1; sequence-getc(infile) ; sequence -- ++next) {
          fread(&TCH,sizeof(TCH),1,infile);
size = (TCH.length1 & Øxff) * Øx10000L + ((long)TCH.length & ØxffffL);
          printf("Decoding RSDOS file \"");
          for(i-0;i<8;i++) putchar(TCH.name[i]); /* Print the RSDOS filename */
          putchar(
          for(i=0;i<3;i++) putchar(TCH.ext[i]);</pre>
          convert name( filename, TCH.name, TCH.ext);
          findname(filename);
printf("\" to OS9 file \"%s\".\n",filename);
          if(outfile=fopen(filename,"w")){
    decode(infile, outfile, size, TCH.marker);
                    fclose(outfile):
          } else {
                    printf("UnTC: Couldn't open %s. Skipping file.\n",filename);
                    for (i=0; i<TCH.length; i++) getc(infile);
     if (sequence != Ø)
              printf("UnTC: Error in file! -- Incorrect sequence number.\n");
 /* Make sure file with this name doesn't already exist.
 * If one does, change the filename to a name that isn't already used * by adding '.Ø', ..., '.9' to it until we get a name that isn't used.
 findname(fname)
char *fname;
    char *p;
FILE *tmp;
    for (p=fname; *p != '\0'; p++)
    if (tmp = fopen(fname, "r")) {
                                          /* If it already exists */
                                         /* close the file */
/* Append .0 */
       fclose(tmp);
*p++='.';
p[1] = '\0';
```

```
for ( *p = '0'; tmp = fopen(fname, "r"); (*p)++)
            fclose(tmp):
   }
/* Convert RSDOS filename to acceptable OS9 filename
   Filenames beginning with a non-alphabetic char get 'tc_' prepended.
* Illegal chars are converted to underlines.
convert_name( os9name, rsname, rsext)
char *os9name, *rsname, *rsext;
        char *p;
        int i:
        p-os9name:
         if (!isalpha(*rsname)) { *p++ = 't'; *p++ = 'c'; *p++ = '_'; }
        for(i=0; i<8; i++){
            while (*--p--'_') /* backup before _ chars */
         p++;
         *p++ = '.'; /*
for(i=0; i<3; i++){
                           /* Add a period to separate the extension */
             *p = rsext[i];
if (isupper(*p))  *p = tolower(*p);
if (!isalpha(*p) && !isdigit(*p) && (*p != '.'))
    *p='_';    /* Convert illegal chars to underlines */
         while (*--p--'_')
         *++p' - '\Ø';
   Decode one entry in the archive
   Marker value determines type of compression used.
```

errors: "junk" information being appended to the end of the file. Such junk is commonly a result of transferring files using Xmodem or Ymodem protocols.



The version number is the version number of the file format, not the version number of the program. While there have been at least three different TC programs, they all use exactly the same file format, and so the version number is always a one. This type of version marker is very common and is very rarely changed.

The compression type information is used to indicate how the file data is stored. TC currently stores data either uncompressed or by using a form of run-length encoding, whichever results in a smaller archive. Allowing the data to be stored uncompressed has two nice benefits: It is a "last-resort" if none of the compression methods can successfully shorten the file, and it makes it easy for other programs to create TC-format files.


The C program I wrote to decode TC archives is heavily commented, so I will only make a few comments about it here.

SUPER SUPER SPECIAL

All 530 Public Domain Programs-\$145 Value All 1,020 Subscription Programs-\$260 Value All 250 Graphic Pictures-\$70 Value ENTIRE PACKAGE Regularly \$475



Over 250 Quality Pictures



Each Set Of 10 Disks Only \$35.00! Buy 2, Get One Free!

Set #1 Clipart	Set #2	Set #3
Clipart	Celebrities	Adult Only
Space Pictures	Cartoon Characters	R-Rated
Animals	Great Graphics	Beautiful Women
Animals More	More	

T&D Subscription Software • 2490 Miles Standish Dr., Holland, Mi 49423 • 616-399-9648

Since OS-9 has fairly strict requirements on the format of filenames, UnTC includes a routine that converts the Disk BASIC filenames into something more familiar to OS-9. This includes converting the filename into lowercase, making sure that the first character is a letter, and replacing characters that aren't allowed in OS-9 filenames with an underscore. For user convenience, the program is also careful to not overwrite files that already exist, unlike many other OS-9 programs that overwrite existing files without any warning. Both of the routines, convert_name and findname, may be useful to other OS-9 programmers.



RAINBOW ON DISK

Included on the Disk BASIC side of this month's RAINBOW ON DISK are TC12, TC3 and TC31 by John Lauro. These three versions of TC are distributed as shareware—if you use any of them, please have the courtesy to read the documentation files and register the software. We appreciate Mr. Lauro's gracious permission to provide you with these programs in this manner.

The term compression simply means "making something smaller," but no compression program can shorten every file.

Along with the OS-9 TC-decoder program, UnTC, the OS-9 side of this month's RAINBOWONDISK includes ar, Version 1.3. Written by Carl Kreider, ar has become the most widely used archive/compression program available for OS-9 Level I and II. We thank Mr. Kreider for his permission allowing us to provide you with this excellent OS-9 program.

```
0 -> No compression
      1 -> RLE compression used
decode(infile,outfile,length,marker)
  FILE *infile, *outfile;
   long length;
  int marker;
  if(marker--0)
                           copy(infile,outfile,length);
  else if(marker--1) uncompress(infile,outfile,length); else printf("UnTC: Unrecognized compression type %d.\n",marker);
/* Copy length bytes from infile to outfile
   Used by uncompressed files
copy(infile, outfile, length)
FILE *infile, *outfile;
long length;
   int byte:
    for (;length>0;length--) {
       byte - getc(infile);
       putc(byte,outfile);
1
/* Uncompress a compressed entry
   Compression format:
      First byte is a reference value, 'ref'.

Any byte other than 'ref' represents itself.

Occurences of 'ref' mark sequences encoded in one of the following
               formats:
          ref,Ø
                                      encodes a single occurence of ref
          ref.1.cnt,val
ref.2.cnt0,cnt1,val
                                      encodes cnt+256 occurences of val
                                      encodes cntØ*256+cnt1+512 occurences of val
      ref,cnt,val en
Note that ref,3 is illegal.
                                      encodes cnt occurences of val, cnt > 3.
 */
uncompress(infile, outfile, count)
FILE *infile, *outfile;
long count;
      int reference;
      int i:
      int repeat:
      int val:
      int byte;
      int type;
      reference -getc (infile); /* First byte of data is reference byte */
      while (count >0) {
           byte = getc(infile);
count--;
              (byte != reference) putc(byte,outfile);
               type - getc(infile);
               if (type -- 0 ) {
                   putc(byte);
                   count --:
               else if (type--1) {
   repeat = 0x100 + (getc(infile) & 0xff);
   val = getc(infile);
   for (i-0; i<repeat ; i++) putc(val,outfile);</pre>
                   count -= 3;
                   repeat += (getc(infile) & 0xff)*256);
repeat += (getc(infile) & 0xff);
val = getc(infile);
for (i=0; i<repeat ; i++) putc(val,outfile);
                   count --4;
               else if (type=-3) {
    printf("UnTC: Error in decoding file... illegal file format.\n");
                   exit(1):
               else {
                   repeat - type;
                   val = getc(infile);
                   for (i=0; i<repeat ; i++) putc(val,outfile); count -= 2;
         }
      }
}
                                                                                                 0
```



Yes! They're still available

Rainbow Back Issues



BACK ISSUES STILL AVAILABLE

Have you explored the wealth of information in our past issues? From our very first, four-page issue to many with more than 300 pages of material, it's all just for CoCo users — a great way to expand your library!

A WORLD OF INFO AT A BARGAIN PRICE

All back issues sell for the single issue cover price. In addition, there is a \$3.50 charge for the first issue, plus 50 cents for each additional

issue for postage and handling if sent by United Parcel Service. There is a \$5 charge for the first issue, plus a \$1 charge for each additional issue on orders sent by U.S.Mail. UPS will not deliver to a post office box or to another country.

MOST ISSUES STILL AVAILABLE

Available issues through June 1982 are provided on white paper in a reprint form. All others are in regular magazine form. VISA, MasterCard and American Express accepted. Kentucky residents please add 6 percent sales

tax; Canadian residents, 7 percent GST. In order to hold down costs, we do not bill, and no C.O.D. orders are accepted.

Due to heavy demand, we suggest you order the back issues you want now while supplies last. To order, review and fill out the form below and mail it with your payment.

For greater convenience, order through the Rainbow Magazine Services area of our Delphi CoCo SIG.

RAINBOW INDEX A complete index for, July 1981 through June 1984, is printed in the July 1984 issue. Separate copies are available for \$2.50 plus 50¢ APR 88 Home Help \$3.95 \$3.95 handling. Indexes for subsequent years are published annually in the **MAY 84** Printer MAY 88 Printer IIIN 84 \$3.95 Music July issues of THE RAINBOW. 000 JUN 88 Music \$3.95 Anniversary JUL 84 Anniversary TOTAL JUL 88 \$3.95 **VOLUME 4** KY RESIDENTS ADD 6% AUG 84 SEP 84 **VOLUME 8** \$3.95 **AUG 88** \$3.95 Education \$3.95 CANADIAN RESIDENTS ADD 7% GST Education OCT 84 NOV 84 **SEP 88** \$3.95 \$3.95 OCT 88 NOV 88 Graphics Data Comm. \$3.95 00 Data Comm. \$3.95 U.S. MAIL CHARGE DEC 84 \$3.95 \$3.95 Holiday DEC 88 JAN 89 \$3.95 Beginners Holiday **JAN 85** \$3.95 SHIPPING & HANDLING **FEB 85** Utilities \$3.95 00 Beginners \$3.95 **FEB 89** Home Help \$3.95 U.P.S. CHARGE **MAR 85** Business \$3.95 **APR 85** Simulations 00 **MAR 89** Hardware \$3.95 \$3.95 APR 89 MAY 89 TOTAL AMOUNT **MAY 85** Printer \$3.95 **JUN 85** 00 Printer \$3 95 Music **ENCLOSED** JUN 89 Summer Fun JUL 85 Anniversary \$3.95 **JUL 89** Anniversary \$3.95 а VOLUME 5 In instances where a given issue is now out of print and not available for **VOLUME 9** AUG 85 SEP 85 purchase, we do provide photocopies of specific articles. The cost for this service **AUG 89** Beyond BASIC \$3.95 $\bar{\Box}$ Education \$3.95 Education is \$1.50 plus 50 cents S/H per article. This service is provided only in the case of 00000 **SEP 89** \$3.95 OCT 89 out-of-stock issues. NOV 85 Data Comm. \$3.95 Graphics \$3.95 Holiday **NOV 89** Data Comm. \$3.95 Name **DEC 89** Holiday **JAN 86** Beginners \$3.95 \$3.95 Beginners **FEB 86** JAN 90 \$3.95 Address Home Help FEB 90 **MAR 86** Business \$3.95 00000 \$3.95 APR 86 MAR 90 APR 90 Hardware \$3.95 State Home Help \$3.95 נוםמם **MAY 86** Printer \$3 95 Business \$3.95 Printer **MAY 90** \$3.95 Payment Enclosed, or Summer Fun **JUN 90 JUL 86** Anniversary \$3.95 \$3.95 Charge to my: ☐ VISA ☐ MC ☐ AE JUL 90 Anniversary VOLUME 6 CARD# **AUG 86 VOLUME 10** Games EXPIRATION DATE _____ PHONE () ___. AUG 90 \$3.95 \$3.95 **SEP 86** Education 05-9 \$3.95 000000 SEP 90 Education \$3.95 Graphics SIGNATURE NOV 86 Data Comm \$3.95 OCT 90 Graphics \$3.95 Holiday \$3.95 Data Comm. \$3.95 Holiday Beginners Utilities **JAN 87** \$3.95 **DEC 90** \$3 95 TO ORDER BY PHONE (credit card orders only) call (800) 847-0309, \$3.95 Beginners \$3.95 **MAR 87** Business \$3.95 **FFB 91** Home Help \$3.95 9 a.m. to 5 p.m. EST. All other inquiries call (502) 228-4492. Home Help \$3.95 Hardware \$3.95 send to: THE RAINBOW, The Falsoft Building, P.O. Box Music MAY 87 Printer \$3.95 APR 91 \$3.95 Music **MAY 91** Printer \$3.95 \$3.95 385, Prospect, KY 40059 JUL 87 Anniversary \$3.95 II IN 91 Summer Fun Anniversary \$3.05 JUL 91 \$3.95 **VOLUME 7** Please send me the following back issues: AUG 87 SEP 87 Games \$3.95 **VOLUME 11** \$3.95 \$3.95 AUG 91 SEP 91 Education 00 Graphics VOLUME 3 OCT 87 Graphics Education \$3.95 AUG 83 OCT 91 NOV 91 .II II 81 \$2.00 Games NOV 87 Data Comm. \$3.95 00 OS-9 SEP 83 Education ā **DEC 87** \$3.95 FEB 82 \$2.00 Holiday Data Comm. \$3.95 OCT 83 Graphics \$3.95 00 JAN 88 Beginners \$3 95 Utilities \$3.95 **JAN 92** Utilities \$3.95 JUN 83 \$2.95 ☐ APR 84 Gaming **MAR 88** Business

Editing Submissions

by Eddie Kuns 0S-9 SIG Database Manager

n the past two months, I have guided you through the process of uploading files to Delphi. The information I've presented so far is sufficient when everything progresses smoothly. Sometimes, however, something goes wrong: An upload fails, you make a typo, or you change your mind about what you want to name the group or a file within the group.

You may have just finished submitting the group or you may have left the group incomplete earlier, and are now returning to finish. In either case, you can re-enter Submit by entering the appropriate database and typing SUBMIT. You will be prompted if you have any pending submissions that have not been processed by the database manager. If the submission has already been processed, send mail to me (EDDIEKUNS) or Paul Jerkatis (MITHELEN).

Once you are in Submit, type REVIEW. This places you at the Edit menu; the commands available in this menu are listed in Figure 1. Note that Delphi does not allow you to edit your submission until after you enter all the basic information. You can edit all features of your group from this menu. When you are finished editing your submission, type EXIT or press CTRL-Z at the EDIT> prompt. This returns you to the SUB-MIT> prompt. Type EXIT or press CTRL-Z at this prompt to complete your submission.

It's more straightforward to demonstrate most of these commands than to describe

Eddie Kuns is pursuing a doctorate in physics at Rutgers University. He lives in Aurora, Illinois, and works as a programmer and researcher at Fermilab. Eddie is the OS9 Online database manager; his username is EDDIEKUNS.

Upload or Copy More Files
Display Description
Show Contents List
Review Group
Next Group
Change All Keywords
Group Name Change
Description Edit
Topic Change
Keyword Change
Filetype Change

Title Change Download Name Change Delete Item Rearrange Items

Erase Download Names

HELP Exit

Figure 1: Database Edit Menu

them. The group I am editing is AR V1.3: FILE ARCHIVING UTILITY in the Applications (6809) database of OS9 Online. As with last month's column, all text displayed by Delphi is shown in Letter Gothic (like this), all text I entered is shown in bold (like this) and the comments I added are shown in Times Roman (like this).

EDIT> display

Description of "AR V1.3: FILE ARCHIV-ING UTILITY":

A new version of the popular AR archiving utility. Completely compatible with previous versions. This version now stores file attributes.

This command simply displays the group's description, applying all formatting and dot commands. This allows you to see the description as it will be displayed normally.

EDIT> show

Which item (? for list): 2

2 AR DOCUMENTATION (Size: 5732 Count: 360)

EDIT> show *

- 1 AR BINARY (Size: 13312 Count: 436)
- 2 AR DOCUMENTATION (Size: 5732 Count: 360)
- 3 AR SOURCE (Size: 14592 Count: 189)

Notice that SHOW prompts you for the item number if you don't supply one. The asterisk (*) is a wildcard meaning all items. You can also type SHOW 1 to show the title, file size, and download count for Item 1.

EDIT> review

Name: AR V1.3: FILE ARCHIVING UTILITY

Type: PROGRAM

Date: 9-OCT-1990 22:07 by DODGECOLT

A new version of the popular AR archiving utility. Completely compatible with previous versions. This version now stores file attributes.

Keywords: ARCHIVERS, DODGECOLT, AR

Contents:

1 AR BINARY (Size: 13312 Count: 436)

2 AR DOCUMENTATION (Size: 5732 Count: 360)

3 AR SOURCE (Size: 14592 Count: 189)

REVIEW shows the group as you would see it when browsing the databases. This allows you to check the "big picture."

EDIT> group

Current groupname is AR V1.3: FILE ARCHIVING UTILITY.

New Group Name: Unchanged.

The GROUP NAME command allows you to modify the name of the group. Remember that a group name may consist of up to 32 characters. If you press ENTER by itself at the prompt, the name is not changed.

EDIT> topic app

Current topic: Utilities

The TOPIC command displays the topic

in which this group will be moved (after spending one month in New Uploads for files in the OS-9 SIG). If you don't specify a topic on the command line, you are prompted for the topic after being shown the current topic. If you do enter the topic name on the command line, you are shown the current topic. This might be confusing because the "current topic" shown is actually the topic previously stored in the group, not the topic you entered on the command line. Please make sure you assign a topic other than New Uploads for uploads to the OS-9 SIG.

EDIT> filetype

Current Filetype: PROGRAM

New type:

Unchanged.

You may change the file type of the group using this command. The file types are the same categories listed last month and are shown in Figure 2. If you type? at the prompt, you'll see a full list of the categories.

EDIT> title 2

Current Name: AR DOCUMENTATION

New Name:

Unchanged.

Again, if you press ENTER by itself at the prompt, the title is not changed. Please keep the title descriptive for multiple-file groups. Single-file groups do not use the title.

EDIT> download 3

Unchanged.

Current Download Name: ar13.ar New Name:

> Program or Program Pack Newsletter Article(s)

Transcript Documentation Data (Graphics, etc.) Miscellaneous Text

Figure 2: File Types

If you didn't supply a download filename before, or want to check or change the download filename associated with a file, use this command. Press ENTER to leave the name unchanged, or enter a new download filename. Remember that Delphi allows download filenames to contain a single

The TRADING POST

P.O. BOX 3453, CARBONDALE, IL 62902

From E.Z. Friendly Software Leonardo's Paintbox. \$26.95 Super Comics+ \$21.45 Picture Bingo. \$19.95 Data Form III. \$19.95 Letter Form III. . . \$19.95 Math Games . . . \$19.95 \$19.95 Keyboard Commander . Jack Rabbit Story Writer . . \$24.95 From Forrest Enterprises Inventory Manager. \$24.95 From 5-Star Software File Conversions, COCO to MSDOS and MSDOS to COCO (per disk). \$9.95 Question & Answer Game \$14.95 Baseball Stats \$24.95 Quick Stats Ball Scoreboard. \$22.95 Ball Cards Database. \$19.95 \$19.95 Check Writer . Bankman Checkbook Keeper . . . \$24.95 Envelope Writer. \$17.95 \$19.95 Coco Labels. . Printing Calculator. . . \$14.95 \$24.95 General Statistics Brainbusters Test Writer \$24.95 HI & LO-RES JOYSTICK ADAPTER \$24.95

Specify COCO 1, 2 or 3. Disk Only. Send Check or Money Order. Add \$3.00 S/H. Canadian & Overseas M.O. in US currency welcome! COD \$2.00 extra.



"DMA has so many features you must see it to believe it." "...without a doubt the best disk file utility I have ever seen..."

-Rainbow Magazine review, Nov. 1991

NOT just another filehandling utility, DMA is a complete, easy-to-use environment designed to put you in charge of your disks and the files they contain.

Wildcard file handling is at your fingertips for copying, killing, renaming, moving, and viewing files...and a special dry-run feature lets you ask "what if?" questions about the wildcard string you've just entered. With the special reverse logic option, you can copy, kill, move, or view all but the files with a certain specification (such as all files that do not have a .txt extension). With the point-and-select filename tagging DMA offers, file handling will become a pleasure!

Process chaining allows you to define a chain of commands like format, copy, kill, rename, move, cat, dir, etc...and then execute the chain in an uninterrupted, unattended process.

Display and print OS9 directories from within RSDOS! No special handling of OS9 disks is required, as DMA will automatically detect the OS9 formations

At the mere touch of the ALT key, 8 In-memory help screens will pop up to remind you of the features of DMA and how to use them.

The Disk Formatting Factory allows you to automatically format a large number of disks.

Sort directories, call up single- or five-column directory listings, save snapshot portions of files to disk or printer, enter filenames with or without quotes, manipulate files by number, instantly recall the last command used...the list goes on and on, and so will your enjoyment of what DMA has to offer!

\$29.95



Add \$4 \$&H on US orders. \$5 CDN, COD is \$4 add'tnl. MI residents add 4%.

period — additional periods are changed to x if you download the file using a batch protocol.

EDIT> change

Enter /LIST to display the keywords or /EDIT to change them. Control-Z when Complete. /HELP for Help.

new keyword /EDIT

1 ARCHIVERS


*TYPE 1:9

- 1 ARCHIVERS 2 DODGECOLT
- 3 AR
- 4 new keyword

*EXIT

Exiting EDT. Saved 4 lines

The CHANGE ALL KEYWORDS command takes you into a mock-editor in which you can enter a list of new keywords to be appended to the original keywords. As shown above, I entered one new keyword (NEW KEYWORD) that is appended to the end of the original keywords. If you want to edit the existing keywords, type /EDIT to enter the editor. As shown when I listed lines 1 through 9, each keyword appears on a separate line. Although the last keyword is shown exactly as I entered it, the keywords are converted to uppercase after I exit the editor to the EDIT> prompt. If you are changing or adding many keywords, it may be faster to use the CHANGE ALL KEYWORDS command along with /EDIT rather than KEYWORD EDIT. Also note that when I exit EDT, I am returned to the mock editor.



Continue (4 lines so far). Control-Z when complete, Control-C to quit: /LIST

[4 Lines, 39 Bytes]

ARCHIVERS DODGECOLT

AR

new keyword

۸Z

EDIT>

Type /LIST to see the existing keywords. Again note that the last keyword is shown exactly as I entered it. As you will see in a moment, the keywords are converted to uppercase. I was satisfied with the keywords, so I exited by pressing CTRL-Z. Typing /EXIT also works.

EDIT> keyword

Keyword Edit.

Enter keyword you wish to change or delete. To add a new keyword, just type it in. Repeat as needed, and type CTRL/Z when complete.

KW EDIT> ?

Keyword Edit Menu:

ARCHIVERS DODGECOLT AR

NEW KEYWORD

KW EDIT> Which Keyword (or CTRL/Z)?

NEW KEYWORD New Value: Delete? (Y/N) ves

KW EDIT> ^Z

Save changes? (Y/N) yes

The KEYWORD EDIT command allows you to add, change or delete individual keywords by name. As shown here I decided to delete NEW KEYWORD, so I entered NEW at the prompt. At the next prompt I pressed ENTER and Delphi asked if I wanted to delete the keyword, to which I responded by entering YES. If you want to change a keyword, perhaps to correct a spelling error, enter the old keyword at the first prompt, then enter the new keyword at the next prompt. If you enter a keyword that is not in the list, Delphi asks if you want to add that keyword to the list.

These are the simplest commands in the edit menu. The handful of additional commands I'll leave for next month.

August Uploads

In the OS-9 General Information database, **Stephen Castello** (STEPHENC) released *Peruse*, a file viewer that uses virtual memory techniques. **Hugo Bueno** (MRGOOD) uploaded **Pete Lyall**'s *X10 Home Control* package allowing you to use an X10 Computer Interface via an RS-232 port.

In the Telcom database, Carmen Izzi, Jr. (CIZZUR) and Chris Serino (CSERINO) contributed updates and utilities for the AcBBS bulletin board system. Jay Truesdale (JAYTRUESDALE) posted Bruce MacKenzie's strchar program in Pro-

grammers Den — this program converts C source using string initializers for multidimensional arrays to a format compatible with the Microware C compiler.

In the CoCo 3 Graphics database in the CoCo SIG, Joe Sannucci (SANNUCCI) presents a fantastic 512K CoCo 3 graphics demo by Chet Simpson. Michael Trammell (LLEMMART), Steve Ricketts (STEVEPDX), and Richard P. Trasborg (TRAS) vie over who could contribute the most submissions to the database this month!

In Utilities & Applications, M. David Johnson (MDJOHNSON) uploaded a demo of FORTH-83, and Bill Vergona (CERCOMPBILLV) released an update of the CoCo Tools demo. Clyde Johnson (CLYDEJ) contributed a patch to DELPHIterm 4.1 in the Telecommunications database that allows printing at 9600 and 19,200 baud. It also fixes a couple of bugs in previous versions of DELPHIterm.

Database Report

OS-9 SIG

General Information

HISTORY OF OS-9 LEVEL2 UPGRADE JENG John Eng

Applications (6809)

PERUSE - FILE VIEWER STEPHENC Stephen Castello DBG 1.0 - A LEVEL II DEBUGGER SAUL Saul Bendersky X10 HOME CONTROL MRGOOD Hugo Bueno GRAPH: GRAPHS MATH FUNCTIONS **BFRSYS** Bernie Ruddock DPRINT: PRINT AT X,Y ON GFX SCRE COLINMCKAY Colin McKay

Telcom

ANSILIST FOR ACBBS Carmen Izzi Jr. CIZZIJR FIX MESSAGE BASE (ACBBS) CIZZIJR Carmen Izzi Jr. ACBBS RISK GAME CIZZIJR Carmen Izzi Jr. GH SERIES <ACBBS> **CIZZIJR** Carmen Izzi Jr. ACBBS V2.4 GAMES Chris Serino **CSERINO** ACBBS VERSION 2.4 Chris Serino **CSERINO** ACBBS VERSION 2.4 INFORMATION **CSERINO** Chris Serino

Graphics & Music

BATTLESHIP PROGRAM
HERMAN Chris Strickland
A LITTLE BIT OF LATIN-JAZZ.
DMACIAS DAVID Macias
DESERT STORM PICTURE
DRDUDE Andy DePue
MACZTANDY MACPIX DUMP AND SAMPLE
GRAPHICSPUB Bob Montowski

MOUNTAIN KING OS9BERT

Bert Schneider

Programmers Den

STRCHAR.AR **JAYTRUESDALE** Jay Truesdale TRAP ARGUMENTS OF FORKED MODULES Mark Wuest WUESTM

68K-OS9

OSK LHARC ARCHIVER

EMTWO Paul M. Fitch Jr. OSK ZOO ARCHIVER

EMTWO

Paul M. Fitch Jr.

OSK PORTS

CoCo SIG

CoCo 3 Graphics

SPINDEMO

SANNUCCI

DAVIDSHAM

LLEMMART

STEVEPDX

JESSIE ST. JAMES

READY

TRAS

TRAS

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

.....

EMTWO Paul M. Fitch Jr. TERMCAP ENTRIES

Ed Gresick **EDELMAR**

MAC PIX CONVERTED TO CM3

UEOF2.BAS ** UPDATED **

NIBTOCM3TOCLP NUDES FOR MAX-10

NIB-TO-CM3 CONVERSIONS II

NIB-TO-CM3 CONVERSIONS III

Steve Ricketts

Steve Ricketts

Steve Ricketts

NIB-TO-CM3 CONVERSIONS IV STEVEPDX Steve Ricketts MAC TO CM3 CONVERSION RICKMAC TP20-GIF UEOF PATCH UTILITY LLEMMART

TRAS

STEVEPDX

STEVEPDX

STEVEPDX

BELTS

TRAS

TENNIS01 TRAS

MELANIE GRIFFITH LLEMMART

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

TWINS TRAS

Richard P. Trasborg NIB-TO-CM3 CONVERSIONS I

Joe Sannucci

David Sham

Michael Trammell

Richard P. Trasborg

Steve Ricketts

Richard McNabb Michael Trammell TWINS-B Richard P. Trasborg MTCAM2D LLEMMART Michael Trammell

Richard P. Trasborg

Richard P. Trasborg EXPLOITATION Michael Trammell

Richard P. Trasborg

RASCAN 4096 MOD-TEST IMAGES LLEMMART Michael Trammell

Utilities & Applications

CGP115 HSCREEN2 DUMP, SHAREWARE DAVIDSHAM David Sham CF83DEMO, V.1.01: FORTH-83 DEMO M. David Johnson **MDJOHNSON**

EARTH QUIZ

GAYCRAWFORD Gay Crawford

DSXFER13.BAS LLEMMART

Michael Trammell WESFILES.ZIP

WESTILSON Wesley Tilson CF83DEMO: 1983 STD. FORTH DEMO. **MDJOHNSON** M. David Johnson

COCO TOOLS DEMO V1.1

CERCOMPBILLV Bill Vergona

Games

CHESS KEEPER VER 1.3 Johnny Williams DRILLMASTER CAPELLA DEFENSE (CC1/2/3)

LLEMMART

Michael Trammell

Music & Sound

LYRA ROCK TUNES

Mike Nelson **MICHAELJN**

Product Reviews & Announcement

DOCS FOR DSDISK#1-4, BY MR.DAVID DAVIDSHAM David Sham

Telecommunications

DELPHITERM 4.1 PATCHES CLYDEJ

Clyde Johnson



OSk Software

TasCOM- Vaughn Cato's popular OSterm comes to OSk! This robust task-oriented telecommunications program features VT-100 and ANSI emu-lations, autodialing with phonebook and "learn mode" for easy parameter setupof commonly called systems, batch file transfers, rem mode with multi-level password security, and much more! Requires MM/1, or TC-70 running K-Windows.

Presto Partner- This OS9 favorite is now available for OSk/Kwindows! This is an indispensible set of desktop accessories that will help you organize your life! As a RAM-resident utility, PP awaits you at all times. Clear organize your life; as a KAM-resident unity, Pr awaits you at all unites. Clear off that pile of little scraps of paper around your desk, and use PP for writing notes, doing calculations, scheduling and reminding you of events, storing and autodialing phone numbers, and maintaing your address book. Requires MM/I or TC-70 w/K-Windows.

Data Windows- A complete database and mailmerge package for K-Windows. Speedy and user-friendly, Data Windows takes an innovative approach to database handling by allowing you to manipulate data using windows (hence the name). The use of windows makes database display much more attractive and handling of data much easier. This package also includes mailmerge capabilities for easy creation of form letters, custom address labels, and more! Requires MM/1.

\$89.95

PO BOX 763 (313) 481-3283 10 AM-6:30 PM EST

Add \$4 S&H on US orders, \$5 CDN. COD is \$4 add'tnl. ... MI residents add 4%.

GRANITE COMPUTER SYSTEMS MODEMS

NEW 9600 Baud V.32/V.42/V.42bis data modems. MNP1-5+LAPM. Error Correction and data compression (much higher effective throughput — as much as External - call for price 38400 Baud).

NEW PRICE 2400 Baud V.42/V.42bis data moderns. MNP1-5+LAPM. Error correction and data compression (much higher effective throughput External \$169 (+\$7 S&H).

NEW PRODUCT 9600 Baud Send/Receive Fax mode

Send/Receive text/graphics files from/to your computer/any Fax machine in the world. Full 2400 Baud data modern capabilitiy. External \$159/Internal \$149 (+\$5 S&H) Includes software.

NEW PRICE 9600 Baud SendFax modems.

Send text/graphics files from your computer to any Fax machine in the world. Full 2400 Baud data modern capability. Includes software. External \$129/Internal \$119 (+\$5 S&H)

NEW PRICE 2400 Raud Data modems

External \$109/Internal \$99 (+\$5 S&H)

These are all high quality moderns made by Zoom Telephonics in the USA. Fully Hayes compatible. Two year mfg warranty. Software available

S&H Canada (Air PP and Ins) V.32, V.42/V.42bis \$12.00 Sendfax/Data \$8.00

GCS FILE TRANSFER UTILITIES — Version 3.0

The GCS File Transfer Utilities provide a simple and quick method to transfer text/binary files from/to a variety of floppy disk formats.

PC, RS, FLEX disks: Dir, Dump, Read, Write PC disks: Rename, Delete, Format

Handles most 5.25 and 3.5 formats. Any level sub-directories (PC). Binary files. Use pipes for multiple file transfers. Multi-Yue version can be used under Multi-Yue or as stand alone Shell commands.

Requires OS-9 L2 for COCO 3, L1 for COCO 1 or 2. 2 drives (one can be hard/ramdisk, one floppy 40 T DD DS). Multi-Vue for Multi-Vue version. SDISK3 for COCO3 - SDISK fo Multi-Vue version \$54.95 Standard version \$44.95 V3.0 updates (provide disk number) \$15.00

D.P. Johnson Software SDISK or SDISK3 \$29.95 L1+L2 Utils \$75.00

Shipping and handlling — any software \$2.00 U.S.A., \$3.00 Canada Orders must be prepaid or COD. VISA/MC accepted. COD is additional.

571 Center Road, Hillsboro, NH 03244 USA (603) 464-3850

OS-9 is a trademark of Microwere Systems Corporation and Motorola, Inc. MS-DOS is a trademark of Microsoft Corp. FLEX is a trademark of TSC, Inc.

The Assembly Line The Game of Mill

by William P. Nee

he game of Mill is several thousand years old, making it one of the earliest games played by humans. It's fitting that we should update this ancient game of skill using modern computers. The objective of the game is to remove and capture your opponent's stones until you have taken at least half of them. After reading descriptions of the game, I've made some modifications to it, adding an element of chance.

Mill involves two rows of eight boxes that are numbered sequentially from 1 to 16 as shown in Figure 1. One player controls each row. Each box is filled with three, four or five stones. The first player picks up all the stones from one of his eight boxes and puts one into each next-higher numbered box (after Box 16, continue with Box 1), until he runs out of stones. This increases the total number of stones in each of those boxes by one.

Bill Nee bucked the snowbird trend by retiring to Wisconsin from a banking career in Florida. The success of his 13-part series, "Machine Language Made BASIC" (July 1988 to July 1989), prompted him to continue writing articles about Color Computer machine-language programming. You may contact Bill at Route 2, Box 216C, Mason, WI 54856-9302, (715) 746-2952. Please include an SASE when requesting a reply.

If there are exactly two or three stones in the last box affected, and if that box is one of the opponent's boxes, the player captures the stones in that box. If this happens, he may then remove the stones from the next to last box if it, too, contains exactly two or three stones and is on the opponent's row. This continues until the player can no longer take any stones, at which point it becomes the other player's turn.

The first player to capture more than half of the original number of stones wins the game. Another way to win is to remove all of your opponent's stones in one move. If a player moves all stones to the other side and still has none on his next turn, he must pass.

The Program

I wrote Mill without using the graphics screens. This is in response to a number of letters I've received from people wanting games that can be played on computers with less memory — this program runs in 16K. The program also shows different ways of printing variables, messages, and registers from within machine language, another subject requested in a lot of letters.

During play, the computer controls the top row of boxes and you control the bottom. There are three skill levels. In the easiest level, the computer makes a random move about 75% of the time. At the hardest level, the computer evaluates its choice 75% of the time. You always start first.

The machine-language program shown

in Listing 2 calls several macros at the beginning. While I could have written them as subroutines, these macros make the program flow easier to follow. Where necessary, the macros save values in certain registers.

The BOARD macro sets up the playing board and prints box numbers 16 through 9 starting at Location \$0424 and box numbers 1 through 8 starting at \$04A4. CSCORE and HSCORE print the computer's score and human player's score, respectively, on the board. The UPDATE macro prints the number of stones currently in each block.

RANDOM puts three, four or five stones in each block, CRANDOM picks a random computer move (between 8 and 15) for boxes 9 through 16. INPUT checks the human player's move for boxes 1 through 8, determines if there are stones in the block, and prints the move if it is legal. DELAY slows the updating as stones are moved. If it's too slow for you, remove lines 1400 through 1410 or use the high-speed poke. Macro WHICH allows you to choose the skill level.

The actual program starts at Line 1750. After you pick the skill level, the program displays the board and prompts you to make a move. When you attempt a move, the program first checks to see if you can move (lines 1930 through 2030). If you can move, the stones are redistributed (lines 2080 through 2150). Lines 2170 through 2240 remove any captured stones. If you've captured more than half of the original number of stones or removed all the computer's stones, you win the game (lines 2250 through 2390).

After checking to make sure the computer can make a move (lines 2510 through 2630), the program gives the computer a turn. But, how do we make the computer think? The general solution is to evaluate all possible moves, assign a score to each

move, then pick the best one. I went one level deeper than this: After studying each possible move it can make, the computer checks each possible move by the human player, assigning a score to each one. At this level, the computer must evaluate 64 (8 times 8) complete moves. (If you wanted to go two levels deeper, the computer would have to check 4096 moves! Imagine

evaluating all possible moves up to the end of the game each time the computer takes a turn.)

This type of reasoning requires an additional array at each level to hold the trial moves. Line 2840 starts the computer's evaluation by clearing the scores for the first box. The number of stones in each box, which is stored in ARRAYB, is now transferred to a trial array, ARRAYC (lines 2930 through 2980). The stones for the box are removed and distributed (lines 2990 through 3070). If any stones can be captured, they are added to the computer's trial score for that box (lines 3080 through 3220).

Now all the player's moves are evaluated based on the trial move the computer just made. The box information for ARRAYC,

the trial array, is transferred to another trial array, ARRAYH (lines 3240 through 3340). The stones are removed from the first box, redistributed and, if possible, captured (lines 3350 through 3550). Any captured stones increase the human's trial score for the computer's original box. This continues until all eight possible moves by the human player have been checked. The program

I chose a more conservative approach. The program checks to see which possible move has the lowest player score (will capture the least stones). If more than one move has this same score, the program checks to see which one would result in the highest computer score (lines 3690 through 4200). This means that even if the computer could capture several of your stones, it


would move one of its stones just to avoid having it captured. Of course, each skill level uses some random moves, so some computer choices may surprise you.

After entering the program listing, check for errors by entering A/NO/NS/WE. Save the source code using WMILL.SRC, and assemble it using AMILL.BIN /NS/WE. Listing 1 is a short BASIC routine that loads the machine-

language program. Enter Listing 1 and save it as MILL. BAS. Now enter RUN "MILL" and watch how the computer plays.

Some modifications you could make include changing the random factors in each skill level, evaluating the possible moves down to four levels, picking the move giving the best overall score, and converting the program for the graphics screen (perhaps using a joystick to pick your move).

Next time I'll update my very first blackand-white computer game for the CoCo, adding some color and speeding it up. Until then, if you have any questions about machine language or suggestions for future articles, please write and let me know.



then checks the next possible computer move and evaluates all eight corresponding player moves. In this way, the computer checks all eight of its choices (lines 3560 through 3670).

When this routine ends, there are eight computer scores for each computer box (9 through 16), showing the number of stones the computer removed, and eight scores for those same boxes showing the number of stones you could capture for each computer move. What the computer does with this information dictates how the game will be played. We could, for example, have the program subtract the two scores for each box and pick the highest (best) one. But this could result in a win for the player if more than half the original stones were captured.

16K Disk	
Listing 1: MILLDRY	· · · · · · · · · · · · · · · · · · ·
DM"MILL":POKE&HI 40 X-RND(-TIMER 50 EXEC &H3000:	ILLIAM P. NEE) DECEMBER 1991 INC. ZINE R1 3000-1 00)<>189 THEN LOA

Listing 2: MIL	L.ASM				
00100 BOARD	MACRO		00260	LEAX	1,X
00110	LDU	#BLOCKS	00270	PULS	A
00120	LDX	#\$424	00280	DECA	
00130	LDA	#8	00290	BNE	\.B
00140 \.A	PSHS	A	00300	ENDM	
00150	LDD	,U++	00310		
00160	STD	, X++	00320 CSCORE	MACRO	
00170	LEAX	1,X	00330	PSHS	D
00180	PULS	A	00340	LDD	#\$405
00190	DECA		00350	STD	\$88
00200	BNE	\.A	00360	LDX	#MSG1
00210	LDX	#\$4A4	00370	JSR	\$B99C
00220	LDA	#8	00380	LDB	TC
ØØ23Ø \.B	PSHS	A	00390	CLRA	
00240	LDD	, U++	00400	JSR	\$BDCC
00250	STD	. X++	00410	PULS	D

0420		ENDM		Ø119Ø \.A	JSR	[\$AØØØ]	01960	BNE	HPICK
0430	UPDATE	MACDO		01200	CMPA	#1	01970	DECA	IIMA
	UPDATE		D	01210	BLO	\.A	01980	BPL	HM1
0450		PSHS	D	01220	CMPA	#*8	01990	LDD	#\$524
0460		LDA	#16	01230	BHI	\ . A	02000	STD	\$88
0470		LDY	#ARRAYB	01240	SUBA	# 1	02010	LDX	#MSG8
0480		LDX	#LOC	01250	TST	A,Y	02020	JSR	\$B99C
1490	\.B	PSHS	A	01260	BEQ	\.A	02030	LBRA	CMOVE
3500		LDU	, X++	01270	ADDA	# 1	02040	٠.	
0510		STU	\$88	01280	JSR	[\$AØØ2]	Ø2Ø5Ø HPICK	INPUT	
3520		PSHS	Χ	01290	SUBA	#1	02060	UPDATE	
0530		LDB	, Y+	01300	LDB	A,Y	02070	DELAY	
0540		CMPB	# 9	01310	STB	V	Ø2Ø8Ø HP1	LDY	#ARRAYB
9550		BHI	\.A	01320	CLR	A,Y	02090	INCA	TAKKAID
560		LDA	#32	01330	ENDM	Λ, Ι	02100		#15
570		JSR	[\$AØØ2]	01340	ENDM			ANDA	
580	\ A	CLRA	[DAMMZ]				02110	INC .	A,Y
	\ . A		* DD00	01350	****		02120	UPDATE	
1590		JSR	\$BDCC	Ø136Ø DELAY	MACRO	"-	02130	DELAY	
1600	,	PULS	X	01370	LDX	#0	02140	DEC	٧
610		PULS	A	Ø138Ø \.A	LEAX	-1,X	02150	LBNE	HP1
1620		DECA		01390	BNE	\.A	02160		
1630		BNE .	\.B	Ø14ØØ \.B	LEAX	-1,X	02170 HTAKE	CMPA	#8
640		PULS	D	01410	BNE	\.B	02180	LBLO	CMOVE
650		LDY	#ARRAYB	01420	ENDM		02190	LDB	A,Y
1660		ENDM	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	01430	2.1011		02200	CMPB	#1
167Ø		LHUH		Ø1440 WHICH	MACRO		02210	LBEQ	CMOVE
	HSCORE	MACRO	•	Ø145Ø		# # A 2 A			
	HOUKE		D		LDD	#\$42A	02220	CMPB	#3
690		PSHS	D	01460	STD	\$88	02230	LBHI	CMOVE
700		LDD	#\$4C8	01470	LDX	#TITLE	02240	CLR	A,Y
710		STD	\$88	01480	JSR	\$B99C	02250	ADDB	TH
720		LDX	#MSG2	01490	LDD	#\$445	02260	STB	TH
730		JSR	\$B99C	01500	STD	\$88	02270	UPDATE	
740		LDB	TH	01510	LDX	#WHICHØ	02280	HSCORE	
750		CLRA		01520	JSR	\$B99C	02290	DELAY	
760		JSR	\$BDCC	01530	LDD	#\$467	02300	CMPB	TT
77Ø		PULS	D	01540	STD	\$88	02310	LBHS	HWIN
780		ENDM	Ь	01550	LDX	#WHICH1	02320	DECA	HATH
7790		LINDIN		Ø156Ø	JSR				#15
1000	DANDOM	MACDO		01570	USK	\$B99C	02330 ALLZ	LDB	#15
	RANDOM	MACRO	4.5	01570	LDD	#\$48A	02340 AZ1	TST	B,Y
810		CLR	\$6	01580	STD	\$88	02350	LBNE	HTAKE
820		CLR	TC	01590	LDX	#WHICH2	02360	DECB	
830		CLR ·	TH	01600	JSR	\$B99C	02370	CMPB	<i>#</i> 7
0840		CLR	TT	01610	LDD	#\$4AD	02380	BHI	AZ1
085Ø		LDY	#ARRAYB	01620	STD	\$88	02390	LBRA	HWIN
860		LDA	#16	01630	LDX	#WHICH3	02400		
0870	\.A	PSHS	A	01640	JSR	\$B99C	Ø241Ø CMOVE	LDX	#\$540
0880		LDB	#3	Ø165Ø \.A	JSR	[\$A000]	02420	LDA	#96
890		JSR	\$BC7C	01660	CMPA	#'1	02430	LDB	#96
900		JSR	\$BF1F	Ø167Ø	BLO	\.A	02440 CCLEAR		, X+
910		JSR	\$B3ED	Ø168Ø	CMPA	# 3			, ^ -
							02450	DECB	CC1 540
920		ADDB	#2	01690	BHI	\. A	02460	BNE	CCLEAR
930		STB	, Y+	01700	SUBA	#\$30	02470	LDD	#\$540
940		ADDB	TT	01710	STA	GAME	02480	STD	\$88
950		STB	TT	01720	ENDM		02490	LDX	#MSG4
960		PULS	Α .	01730			02500	JSR	\$B99C
197Ø		DECA		01740	ORG	\$3000	02510	LDY	#ARRAYB
1980	-	BNE	\.A	Ø175Ø START	JSR.	\$A928	02520	LDA	#15
1990		LSR	TT	01760	WHICH		02530	LDB	#8
000		INC	ŤŤ	01770	RANDOM		Ø254Ø CM1	TST	A,Y
010		ENDM		01780	JSR	\$A928	02550	BNE	CGAME
020		2.1011		01790	BOARD	77.020	02560	DECA	Janie
	CRAND	MACRO		01800	CSCORE		Ø257Ø	DECA	
	CKAND		*6						CM1
040		CLR	\$6 #ADDAYD	01810	UPDATE		02580	BNE	CM1
1050	1	LDY	#ARRAYB	01820	HSCORE		02590	LDD	#\$564
1060	\ . A	LDB	#8	Ø183Ø HMOVE	LDX	#\$500	02600	STD	\$88
1070		JSR	\$BC7C	01840	LDA	# 96	02610	LDX	#MSG8
1080		JSR	\$BF1F	01850	LDB	#6Ø	02620	JSR	\$B99C
1090		JSR	\$B3ED	Ø186Ø HCLEAR	STA	, X+	02630	LBRA	HMOVE
100		ADDB	#7	Ø187Ø	DECB		02640		
1110		TST	B,Y	Ø188Ø	BNE	HCLEAR	Ø265Ø CGAME	LDB	#100
1120		BEQ	\.A	Ø189Ø	LDD	#\$500	Ø266Ø	CLR	\$6
1130		PSHS	В .	01900	STD	\$88	02670	JSR	\$BC7C
1140		INCB		01910	LDX	#MSG3	02680	JSR	\$BF1F
1150		ENDM		01920	JSR	\$B99C	02690	JSR	\$B3ED
1160				01930	LDY	#ARRAYB	02700	LDA	GAME
1170	INPUT	MACRO		01940	LDA	# 7	02710	CMPA	#3
1180		LDY	#ARRAYB	Ø195Ø HM1	TST	A,Y	02720	BEQ	HARD

Confused?

Let us help.

PCM covers the complete line of popular Tandy MS-DOS and portable computers. Each month PCM brings you a valuable assortment of utilities, business applications, graphics and games, along with tutorials and reviews to help you get the most from your computer. Add to this our monthly columns by some of the industry's finest writers, and we think you'll find we're one of the most informative magazines on the market.



Subscribe to PCM <u>today</u>— you'll find it's worth more than ever.

Subscriptions to PCM are \$34 a year in the United States; Kentucky residents add 6% sales tax. Canadian rate U.S. \$46 plus 7% GST. Surface rate to other countries U.S. \$78. Air mail is U.S. \$126. *Canadian and foreign subscribers, inquire about multiple-year rates. U.S. currency *only*, please. In order to hold down non-editorial cost, we do not bill. Allow 6 to 8 weeks for first copy.

02730	CMPA	#2	03490	BEQ	HDONE	04250	CLDA	
02740	BEQ	MEDIUM	03500	CMPB	#3	04250	JSR	\$BDCC
Ø275Ø EASY	CMPB	#25	03510	BHI	HDONE .	04270	DELAY	
Ø276Ø	LBHS	NEWR					DELAY	A
02770		CDICK	03520	LDA	C	04280	PULS	
02780 MEDIU	BRA	CPICK	03530	LDU	#SH	04290	LDB	A,Y
		#50	03540	ADDB	A,U	04300	CLR	A,Y
02790	LBHS	NEWR	03550	STB	A,U	04310	STB	٧
02800	BRA	CPICK	03560	LDA	XH	04320	UPDATE	
Ø281Ø HARD	CMPB	#75	03570	DECA		04330	DETAY	
02820	LBHS	NEWR	03580	CMPA	#7	Ø434Ø CT1	INCA	
02830			03590	BHI	CL6	04350	ANDA	#15
Ø284Ø CPICK	LDY	#ARRAYB	Ø36ØØ HDONE	LDA	Н	04360	INC	
Ø285Ø	LDA	#8	03610	INCA		04370	UPDATE	
Ø286Ø CL8	STA	C	03620	CMPA	# 7	04380	DELAY	
02870	LDX	#SC	03630	BLS	CL7	04390	DEC	٧
02880	LDU	#SH	Ø364Ø CDONE	LDA		04400	LBNE	CT1
02890	CLR	A,X	03650	INCA	C	04410	CMPA	#7
02900	CLR	A,Û	03660	CMPA				
02910	TST	A,Y	03670		#15	04420	LBHI	HMOVE
02920		A, I		LBLS	CL8	Ø443Ø CT2	TSTA	
	LBEQ	CDONE	03680		""	04440	LBMI	HMOVE
02930	LDU	#ARRAYC	03690 CEVAL	LDB	#8	04450	LDB	A,Y
02940	LDB	#15	03700	LDX	#SC	04460	СМРВ	#1
Ø295Ø CL1	LDA	B,Y	03710	LDU	#SH	04470	LBEQ	HMOVE
Ø296Ø	STA	B,U	Ø372Ø CE1	TST	B,X	04480	CMPB	#3
02970	DECB		03730	BNE	CE2	04490	LBHI	HMOVE
02980	BPL	CL1	03740	TST	B,U	04500	CLR	
02990	LDA	C	03750	BNE	CE2	04510	ADDB	TC
03000	LDB	A,U	03760	INCB		04520	STB	TC
03010	CLR	A,U	03770	CMPB	#15	04530	UPDATE	
03020	STB	V	03780	BLS	CEI	04540	CSCORE	
Ø3Ø3Ø CL2	INCA		03790	BRA	NEWR	04550	DELAY	
03040	ANDA	#15	Ø38ØØ CE2	LDB	#8	04560	CMPB	TT
03050	INC	A,U	03810	LDY	#ARRAYB	04500	CMPB	CHIA
03060	DEC					04570	BHS	CWIN
		V	Ø382Ø CE3	TST	B,Y	04580	DECA	
03070	BNE	CL2	03830	BNE	CE4	04590	LDB	#7
03080	CMPA	<i>‡</i> 7	03840	INCB		Ø46ØØ CT3	TST	B,Y
03090	BHI	HUMAN	03850	BRA	CE3	04610	LBNE	CT2
Ø31ØØ CL3	STA	XC	Ø386Ø CE4	LDA	B,X	04620	DECB	
03110.	LDB	A,U	03870	STA	C	04630	BPL	CT3
03120	CMPB	#1	03880	LDA	B,U	04640	BRA	CWIN
03130	BEQ	HUMAN	Ø389Ø	STA	Н	04650		
03140	CMPB	#3	03900	STB	MOVE	Ø466Ø HWIN	LDD	#\$524
03150	BHI	HUMAN .	Ø391Ø CE4A	TST	B,Y	04670	STD	\$88
03160	LDA	С	03920	BEQ	CE5	04680	LDX	#MSG6
03170	LDX	#SC	03930	LDA	B,U	04690	JSR	\$B99C
Ø318Ø	ADDB	A,X	03940	CMPA	H	04700	LDD	#\$54Ø
03190	STB	A,X	03950	BHS	CE5		LDD	
03200		M, A				04710	BRA	CW1
	LDA	XC	03960	STA	Н	04720		*****
03210	DECA	01.0	03970	LDA		Ø473Ø CWIN	LDD	#\$564
03220	BPL	CL3	03980	STA	C	04740	STD	\$88
03230			03990	STB	MOVE	04750	LDX	#MSG7
Ø324Ø HUMAN			Ø4ØØØ CE5	INCB		04760	JSR	\$B99C
Ø325Ø CL7	STA	Н	04010	CMPB	#15	04770	LDD	#\$580
03260	LDU	#ARRAYC	04020	BLS	CE4A	Ø478Ø CW1	STD	\$88
03270	TST	A,U	04030	LDB	#8	04790	LDX	#MSG9
Ø328Ø	BEQ	HDONE	Ø4Ø4Ø CE6	LDA	B.U	04800	JSR	\$B99C
03290	LDX	#ARRAYH	04050	CMPA	H	Ø481Ø CW2	JSR	[\$AØØØ]
03300	LDB	#15	04060	BNE	CE7	Ø482Ø	BEQ	CW2
Ø331Ø CL4	LDA	B,U	04070	LDA	B,X	04830	CMPA	#'N
03320	STA	B,X	04080	CMPA	C C	04840	LBNE	START
Ø333Ø	DECB	U , A	04090	BLS	CE7			START
Ø334Ø	BPL	CL4				04850	RTS	
Ø335Ø			04100 04110	STA	C	Ø486Ø	EDE	*2120
	LDA	H		STB	MOVE	Ø487Ø BLOCKS		\$3136
03360	LDB	A,X	Ø412Ø CE7	INCB	11.5	04880	FDB	\$3135
03370	CLR	A,X	04130	CMPB	#15	04890	FDB	
03380	STB	V	04140	BLS	CE6	04900	FDB	\$3133
Ø339Ø CL5	INCA		04150	LDB	MOVE	04910	FDB	\$3132
03400	ANDA	#15	04160	TST	B,Y	04920	FDB	\$3131
03410	INC	A,X	04170	BEQ	NEWR	04930	FDB	\$3130
03420	DEC	V	04180	PSHS	В	04940	FDB	\$8039
03430	BNE	CL5	04190	INCB		04950	FDB	\$8031
03440	CMPA	#8	04200	BRA	CTAKE	04960	FDB	
03450	BLO	HDONE	04210	DIV	CIAKL			
Ø346Ø CL6				CDAND		04970	FDB	\$8033
	STA	XH	04220 NEWR	CRAND		04980	FDB	\$8034
Ø347Ø Ø348Ø	LDB	A,X	04230	100	# A D E 1 1 1 2	04990	FDB	\$8035
	CMPB	#1	Ø424Ø CTAKE	LDY	#ARRAYB	05000	FDB	\$8036

05010		D #C	0027
05010	FD		3037
05020	FD		3038
05030 AR			
Ø5Ø4Ø AR	RAYC RM	B 16	
Ø5Ø5Ø AR	RAYH RM	B 16	5
Ø5Ø6Ø SC	RM		5
Ø5Ø7Ø SH	RM		
Ø5Ø8Ø TC			
Ø5Ø9Ø TH			
05100 TT			
Ø511Ø V	RM		
Ø512Ø C	RM		
Ø513Ø H	RM		
Ø514Ø XC	RM	B 1	
Ø515Ø XH	RM	B 1	
Ø516Ø MO			
Ø517Ø GA		7	
Ø518Ø MS			COMPUTER
		(COMPUTER
'S SCORE			
05190	FC		
05200 MS	G2 FC	C /	YOUR SCO
RE - /			
05210	FC	B Ø	
Ø522Ø MS			YOUR MOV
E - /	. 0	- '	
05230	FC	В Ø	
05240 MS			MY MOVE
	G4 FC	C /	MT MUVE
/.			
05250	FC		
05260 MS	G5 FC	C /	THINKING
/			
05270	FC	B Ø	
Ø528Ø MS	G6 FC	C /	YOU WIN!
! /		,	100 HIM
05290	FC	B Ø	
			T LITALL !
Ø53ØØ MS	G7 FC		I WIN!!
/			
05310	FC	_	
Ø532Ø MS	G8 FC	C /	NO MOVE
/			
05330	FC	B Ø	
Ø534Ø MS	G9 FC	C ?	PLAY ANO
THER GAM		-	
05350	FC		
Ø536Ø TI			GAME OF
	ILL IC	, ,	GANL OF
MILL/			
05370	FC	B Ø	Wan 11
Ø538Ø WH		C /	DO YOU W
ANT TO P			
05390	FC		
05400 WH	ICH1 FC	C /	1> EASY/
05410	FC		
	ICH2 FC	_	2> MEDIU
M/		,	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
05430	, FC	B Ø	
	ICH3 FC		3> HARD/
	FC		37 HARD/
05450	. 10	B Ø	
05460			404
Ø547Ø LO		-	484
05480	FD		487
05490	FD		48A
05500	FD	B \$4	48D
05510	· FD		490
05520	FD		493
05530	FD	-	496
05540	FD		499
05550	FD		459
05560	FD		456
05570	FD		453
05580	FD		450
05590	FD	B \$4	44D
05600	· FD	NB \$4	44A
05610	FD		447
Ø562Ø	FC		444
05630	EN		TART
5000	LI	3	1731/1

0

The Rainbow Bookshelf

The Rainbow Book of Simulations, 20 award-winning entries from THE RAINBOW's first Simulations contest.

The Second Rainbow Book of Simulations, the 16 Winners from our second Simulations contest.

The Complete Rainbow Guide to OS-9, authors Dale Puckett and Peter Dibble demonstrate OS-9's multitasking and multiuser features.

The Complete Rainbow Guide to OS-9 Level II Vol.I: A Beginners Guide to Windows, Puckett and Dibble uncover the mysteries of the new windowing environment.

The First Rainbow Book of Adventures, contains 14 winning programs from our first Adventure contest.

The Second Rainbow Book of Adventures, featuring 24 of the most challenging Adventure games ever compiled.

The Third Rainbow Book of Adventures, the Excitement continues with 19 new Adventures. The Fourth Book of Adventures, fourteen fascinating new Adventures from the winners of our fourth Adventure competition.

A Full Turn of the Screw

The Rainbow Introductory Guide to Statistics, Dr. Michael Plog and Dr. Norman Stenzel give a solid introduction to the realm of statistical processes.

Address City State
State Zip Payment Enclosed, or Charge to: VISA MasterCard American Express Account Number Card Exp. Date Signature The Rainbow Book of Simulations (first) \$.8.95 \$ 3.50 Rainbow Simulations Tape (first) \$.8.95 \$ 3.50 First Simulations Package \$19.90 \$ 6.00 The Second Rainbow Book of Simulations \$.9.95 \$ 4.95 Second Rainbow Simulations Tape Second Rainbow Simulations Disk \$10.95 \$ 4.95 Second Rainbow Simulations Disk \$10.95 \$ 4.95 Second Simulations Package with Tape \$19.90 \$ 8.95 Second Simulations Package with Disk \$20.90 \$ 8.95 The Complete Rainbow Guide to OS-9 Rainbow Guide to OS-9 Disk Set (2 disks) \$31.00 \$19.95 Rainbow Guide to OS-9 Package \$47.95 \$29.95 The Windows & Applications Disk for The Complete Rainbow Guide
State Zip Payment Enclosed, or Charge to: VISA MasterCard American Express Account Number Card Exp. Date Signature The Rainbow Book of Simulations (first) \$.8.95 \$ 3.50 Rainbow Simulations Tape (first) \$.8.95 \$ 3.50 First Simulations Package \$19.90 \$ 6.00 The Second Rainbow Book of Simulations \$.9.95 \$ 4.95 Second Rainbow Simulations Tape Second Rainbow Simulations Disk \$10.95 \$ 4.95 Second Rainbow Simulations Disk \$10.95 \$ 4.95 Second Simulations Package with Tape \$19.90 \$ 8.95 Second Simulations Package with Disk \$20.90 \$ 8.95 The Complete Rainbow Guide to OS-9 Rainbow Guide to OS-9 Disk Set (2 disks) \$31.00 \$19.95 Rainbow Guide to OS-9 Package \$47.95 \$29.95 The Windows & Applications Disk for The Complete Rainbow Guide
□ Payment Enclosed, or □ Charge to: □ VISA □ MasterCard □ American Express Account Number Card Exp. Date Signature □ The Rainbow Book of Simulations (first) \$.9.95 \$ 3.50 □ Rainbow Simulations Tape (first) \$.9.95 \$ 3.50 □ The Second Rainbow Book of Simulations \$.9.95 \$ 4.95 □ Second Rainbow Simulations Tape \$.9.95 \$ 4.95 □ Second Rainbow Simulations Disk \$.9.95 \$ 4.95 □ Second Rainbow Simulations Disk \$.9.95 \$ 4.95 □ Second Simulations Package with Tape \$19.90 \$ 8.95 □ Second Simulations Package with Disk \$20.90 \$ 8.95 □ The Complete Rainbow Guide to OS-9 □ Rainbow Guide to OS-9 Disk Set (2 disks) \$3.4.00 \$19.95 □ Rainbow Guide to OS-9 Package \$4.7.95 \$29.95 □ The Windows & Applications Disk for The Complete Rainbow Guide
Account Number Card Exp. Date Signature Signature The Rainbow Book of Simulations (first) Rainbow Simulations Tape (first) First Simulations Package The Second Rainbow Book of Simulations Second Rainbow Simulations Tape Second Rainbow Simulations Tape Second Rainbow Simulations Disk Second Rainbow Simulations Disk Second Simulations Package with Tape Second Simulations Package with Disk Second Simulations Package with Disk The Complete Rainbow Guide to OS-9 Rainbow Guide to OS-9 Disk Set (2 disks) Rainbow Guide to OS-9 Package The Windows & Applications Disk for The Complete Rainbow Guide The Windows & Applications Disk for The Complete Rainbow Guide
Card Exp. Date Signature The Rainbow Book of Simulations (first) \$.9.95 \$ 3.50 Rainbow Simulations Tape (ffirst) \$.9.95 \$ 3.50 First Simulations Package \$19.90 \$ 6.00 The Second Rainbow Book of Simulations \$.9.95 \$ 4.95 Second Rainbow Simulations Tape \$.9.95 \$ 4.95 Second Rainbow Simulations Disk \$10.95 \$ 4.95 Second Simulations Package with Tape \$19.90 \$ 8.95 Second Simulations Package with Disk \$20.90 \$ 8.95 The Complete Rainbow Guide to OS-9 \$19.95 \$12.95 Rainbow Guide to OS-9 Package \$47.95 \$29.95 The Windows & Applications Disk for The Complete Rainbow Guide
Card Exp. Date Signature The Rainbow Book of Simulations (first) \$.9.95 \$ 3.50 Rainbow Simulations Tape (ffirst) \$.9.95 \$ 3.50 First Simulations Package \$19.90 \$ 6.00 The Second Rainbow Book of Simulations \$.9.95 \$ 4.95 Second Rainbow Simulations Tape \$.9.95 \$ 4.95 Second Rainbow Simulations Disk \$10.95 \$ 4.95 Second Simulations Package with Tape \$19.90 \$ 8.95 Second Simulations Package with Disk \$20.90 \$ 8.95 The Complete Rainbow Guide to OS-9 \$19.95 \$12.95 Rainbow Guide to OS-9 Package \$47.95 \$29.95 The Windows & Applications Disk for The Complete Rainbow Guide
□ The Rainbow Book of Simulations (first) \$.9:95 \$ 3.50 □ Rainbow Simulations Tape (first) \$.9:95 \$ 3.50 □ First Simulations Package \$19:90 \$ 6.00 □ The Second Rainbow Book of Simulations \$.9:95 \$ 4.95 □ Second Rainbow Simulations Disk \$10:95 \$ 4.95 □ Second Rainbow Simulations Disk \$10:95 \$ 4.95 □ Second Simulations Package with Tape \$19:90 \$ 8.95 □ Second Simulations Package with Disk \$20:90 \$ 8.95 □ Second Simulations Package with Disk \$20:90 \$ 8.95 □ Second Simulations Package with Disk \$20:90 \$ 8.95 □ Rainbow Guide to OS-9 Disk Set (2 disks) \$31:00 \$19.95 □ Rainbow Guide to OS-9 Package \$47:95 \$29.95 □ The Windows & Applications Disk for The Complete Rainbow Guide
□ Rainbow Simulations Tape (first) \$_9.95 \$ 3.50 □ First Simulations Package \$_19.90 \$ 6.00 □ The Second Rainbow Book of Simulations \$_9.95 \$ 4.95 □ Second Rainbow Simulations Tape □ Second Rainbow Simulations Disk \$_16.95 \$ 4.95 □ Second Rainbow Simulations Disk \$_16.95 \$ 4.95 □ Second Simulations Package with Tape \$_18.90 \$ 8.95 □ Second Simulations Package with Disk \$_28.90 \$ 8.95 □ The Complete Rainbow Guide to OS-9 \$_19.95 \$_12.95 □ Rainbow Guide to OS-9 Disk Set (2 disks) \$_31.00 \$_19.95 □ The Windows & Applications Disk for The Complete Rainbow Guide
□ Rainbow Simulations Tape (first) \$_9.95 \$ 3.50 □ First Simulations Package \$_19.90 \$ 6.00 □ The Second Rainbow Book of Simulations \$_9.95 \$ 4.95 □ Second Rainbow Simulations Tape □ Second Rainbow Simulations Disk \$_16.95 \$ 4.95 □ Second Rainbow Simulations Disk \$_16.95 \$ 4.95 □ Second Simulations Package with Tape \$_18.90 \$ 8.95 □ Second Simulations Package with Disk \$_28.90 \$ 8.95 □ The Complete Rainbow Guide to OS-9 \$_19.95 \$_12.95 □ Rainbow Guide to OS-9 Disk Set (2 disks) \$_31.00 \$_19.95 □ The Windows & Applications Disk for The Complete Rainbow Guide
□ Rainbow Simulations Tape (first) \$_9.95 \$ 3.50 □ First Simulations Package \$_19.90 \$ 6.00 □ The Second Rainbow Book of Simulations \$_9.95 \$ 4.95 □ Second Rainbow Simulations Tape □ Second Rainbow Simulations Disk \$_16.95 \$ 4.95 □ Second Rainbow Simulations Disk \$_16.95 \$ 4.95 □ Second Simulations Package with Tape \$_18.90 \$ 8.95 □ Second Simulations Package with Disk \$_28.90 \$ 8.95 □ The Complete Rainbow Guide to OS-9 \$_19.95 \$_12.95 □ Rainbow Guide to OS-9 Disk Set (2 disks) \$_31.00 \$_19.95 □ The Windows & Applications Disk for The Complete Rainbow Guide
□ First Simulations Package \$19.90 \$ 6.00 □ The Second Rainbow Book of Simulations \$9.95 \$ 4.95 □ Second Rainbow Simulations Disk \$10.95 \$ 4.95 □ Second Rainbow Simulations Disk \$10.95 \$ 4.95 □ Second Simulations Package with Tape \$19.90 \$ 8.95 □ Second Simulations Package with Disk \$20.90 \$ 8.95 □ The Complete Rainbow Guide to OS-9 □ Rainbow Guide to OS-9 Disk Set (2 disks) \$31.00 \$19.95 □ Rainbow Guide to OS-9 Package \$47.95 \$29.95 □ The Windows & Applications Disk for The Complete Rainbow Guide
□ The Second Rainbow Book of Simulations □ Second Rainbow Simulations Tape □ Second Rainbow Simulations Disk □ Second Rainbow Simulations Disk □ Second Simulations Package with Tape □ Second Simulations Package with Disk □ The Complete Rainbow Guide to OS-9 □ Rainbow Guide to OS-9 Disk Set (2 disks) □ Rainbow Guide to OS-9 Package □ The Windows & Applications Disk for The Complete Rainbow Guide
□ Second Rainbow Simulations Tape □ Second Rainbow Simulations Disk □ Second Simulations Package with Tape □ Second Simulations Package with Disk □ The Complete Rainbow Guide to OS-9 □ Rainbow Guide to OS-9 Disk Set (2 disks) □ Rainbow Guide to OS-9 Package □ The Windows & Applications Disk for The Complete Rainbow Guide
□ Second Rainbow Simulations Disk □ Second Simulations Package with Tape □ Second Simulations Package with Disk □ The Complete Rainbow Guide to OS-9 □ Rainbow Guide to OS-9 Disk Set (2 disks) □ Rainbow Guide to OS-9 Package □ The Windows & Applications Disk for The Complete Rainbow Guide
□ Second Simulations Package with Tape □ Second Simulations Package with Disk □ Second Simulations Package with Disk □ The Complete Rainbow Guide to OS-9 □ Rainbow Guide to OS-9 Disk Set (2 disks) □ Rainbow Guide to OS-9 Package □ The Windows & Applications Disk for The Complete Rainbow Guide
□ Second Simulations Package with Disk \$28.90 \$ 8.95 □ The Complete Rainbow Guide to OS-9 Disk Set (2 disks) \$3±.00 \$19.95 □ Rainbow Guide to OS-9 Package □ The Windows & Applications Disk for The Complete Rainbow Guide
□ The Complete Rainbow Guide to OS-9 □ Rainbow Guide to OS-9 Disk Set (2 disks) □ Rainbow Guide to OS-9 Package □ The Windows & Applications Disk for The Complete Rainbow Guide
□ Rainbow Guide to OS-9 Disk Set (2 disks) \$31:00 \$19.95 □ Rainbow Guide to OS-9 Package \$47:95 \$29.95 □ The Windows & Applications Disk for The Complete Rainbow Guide
□ Rainbow Guide to OS-9 Package \$47.95 \$29.95 □ The Windows & Applications Disk for The Complete Rainbow Guide
☐ The Windows & Applications Disk for The Complete Rainbow Guide
The Complete Rainbow Guide
10 O5-9 Level II, VOI, I
☐ The Rainbow Book of Adventures (first) \$ 7.95 \$ 2.00
□ Rainbow Adventures Tape (first) \$ 7.95 \$ 2.00
☐ First Adventure Package \$15.90 \$ 3.50
☐ The Second Rainbow Book of Adventures \$12.95 \$ 6.95
□ Second Rainbow Adventures Tape \$18.95 \$ 6.95
☐ Second Adventure Package \$27.90 \$11.95
☐ The Third Rainbow Book of Adventures \$11.95 \$ 6.95
☐ Third Adventures Tape \$.9.95 \$ 6.95
☐ Third Adventures Disk Set (2 disks) \$14.95 \$ 7.95
☐ Third Adventure Package with Tape \$21.90 \$11.95
☐ Third Adventure Package with Disk \$26.90 \$12.95
☐ The Fourth Rainbow Book of Adventures \$10.95 \$ 7.95
☐ Fourth Adventures Tape \$.9.95 \$ 6.95
□ Fourth Adventures Disk \$14.95 \$11.95
☐ Fourth Adventure Package with Tape \$29.90 \$13.90
Fourth Adventure Package with Disk \$25.90 \$18.90
□ A Full Turn of the Screw \$19.95
Introductory Guide to Statistics \$ 6.95 \$ 2.95
☐ Guide to Statistics Tape or Disk (indicate choice) \$ 5.95 \$ 2.95
☐ Guide to Statistics Package \$12.90 \$ 4.95
(indicate choice of tape or disk)
Add \$2 per book Shipping and Handling in U.S.
Outside U.S., add \$4 per book
Kentucky residents add 6% sales tax
Canadian residents add 7% GST
(Allow 6 to 8 weeks for delivery) Total



Mail to: Rainbow Bookshelf, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. To order by phone (*credit card orders only*) call (800) 847-0309, 9 a.m. to 5 p.m. EST. For other inquiries call (502) 228-4492. Please note: The tapes and disks offered by The Rainbow Bookshelf are not stand-alone products. That is, they are intended to be an adjunct and complement to the books. Even if you buy the tape or disk, you will still need the appropriate book for loading and operating instructions. OS-9 is a registered trademark of the Microware Systems Corporation.

Directory Helper



by Kathy Rumpel

isk drives provide an excellent way to store lots of data quickly. However, as anyone who uses them knows, it takes only a few weeks to end up with a bunch of cluttered disks. This is true regardless of the operating system you may be using.

Clearly the solution is to be careful and organize your files on disk so you know where they are. I wrote *Direct Help* to aid this process. This utility for the CoCo 3 allows you to manipulate files with ease. It gives you the ability to see a wide directory and to use wildcards for directories, copying and deleting.

Program Operation

When you run *Direct Help*, the Main menu appears, showing you icons for the different options. Use the up and down arrow keys to move the "mouse" cursor to the icon for the option you want, then press ENTER.

The first option on the menu is Wide

Kathy Rumpel lives in Arcadia, Wis-

Directory. With this option you can print a directory listing of the disk in Drive 0 on the screen or printer. The filenames are printed three across, and the number of free granules is given at the end of the listing.

If you tell the program to send the listing to the printer, you get a chance to name the directory. This can help you identify which hardcopy goes with which disk. Initially, *Direct Help* is set for a printer speed of 2400 baud. If your printer requires a different speed, adjust Line 52 accordingly.

The second menu option is Wild List. This option gives you the ability to list files according to the beginning characters of the filename or the filename extension.

Wild Copy, the third option, allows you

to copy files from one disk to another, using the same wildcard setup described for Wild List. As each file is copied, its name is displayed onscreen. If no matching filenames are found, no files are copied. As written, the program is designed to use only Drive 0, making it useful for people with only one disk drive. If you have a two drive system, change lines 111 and 113 as follows:

111 F1\$-N\$(N)+"."+E\$(N)+":0":F2\$
-N\$(N)+"."+E\$(N)+":1":COPY F1\$ T
O F2\$

113 REM DELETE

Wild Delete also works with wildcards, allowing you to delete unnecessary files or files you have copied to other disks. As each file is deleted, its name is displayed.

To help make sure no files are inadvertently affected, it is wise to use Wild List with the wildcards you want before you use Wild Copy or Wild Delete. Once you have a list, you'll be able to tell if any wanted files might acci-

dentally be deleted. Then you can choose a different wildcard scheme if necessary.

The final option on the menu is Exit. When it is selected, *Direct Help* returns you to BASIC.

I hope you find Direct Help useful when organizing your disk files.



consin, where she works as a computer operator. In addition to programming, she enjoys sports and drumming. Kathy can be contacted at Route 1, Box 67-A, Arcadia, WI 54612,

(608) 323-7046. Please include an SASE when re-

questing a reply.

CoCo 3 Disk



The Listing: DIRECT

'DIRECT HELP 'WRITTEN BY KATHY RUMPEL 'COPYRIGHT (C) JANUARY 1992 'BY FALSOFT, INC 'RAINBOW MAGAZINE 6 RGB:PALETTEØ,57:PALETTE2,8:POK E &HFF9A,57:POKE 65497,Ø HSCREEN2: POKE &HFF9A, 57: HCOLOR 2,0 8 CLEAR1500:Q=0:Z=0:FI=0:S1\$-STR ING\$(10," "):S2\$=STRING\$(9," "): X1-75:Y1-7:X2-110:Y2-42 9 HLINE(X1, Y1) - (X2, Y2), PSET, B 10 HLINE(X1.Y1+37)-(X2,Y2+35),PS ET.B 11 HLINE(X1,Y1+72)-($X2,Y2+7\emptyset$), PS ET.B 12 HLINE(X1,Y1+107)-(X2,Y2+105), 13 HLINE(X1,Y1+142)-(X2,Y2+140), PSFT B

14 HPRINT(18.0)."** DIRect HELP **": HPRINT(19,23), "BY: Kathy Rum pel" 15 HDRAW"BM8Ø.10:C8S8BD4D8R12U8L 12BD2BRR3BRR3BRR2BD2L2BLL3BLL3BD 2R3BRR3BRR2": HPRINT(20,4), "WIDE DIRECTORY" 16 HDRAW"BM8Ø,45;C8S8BD2BRGDFREU HLR8FD2L8D5BDBRR7U7BD7DGL7EUHLGD FRBR2BU3R4BUL4BUR4BUL4BUR4BUL4": HPRINT(20,8), "WILD LIST" 17 HDRAW"BM8Ø.8Ø;C8S8BD4D9R4U9L4 BR8D9R4U9L4": HPRINT(20,12), "WILD COPY" 18 HDRAW"BM8Ø.115:C8S8BD2DRDRDRD RDRD2LGD2FR2EU2HLBU2R4GD2FR2EU2H L2BL3ULULULULULU": HPRINT(20,16), "WILD DELETE" 19 HDRAW"BM80,150;C8S8BD3BR2D10B R8U4BLS4LDLULURURDRDBR2S8U6L8":H PRINT(20,20), "EXIT"

20 CURSOR\$="S4H4L2D4L8G4L4G3NL5B E3BR4F4R8D4R2E6U4H2" 21 H=55: V=20 22 HDRAW"BM=H:.=V:C2"+CURSOR\$:HP AINT(55,V+5),2,2 23 I\$=INKEY\$:IF I\$="" THEN 23 24 IF I\$=CHR\$(10) THEN HDRAW"BM= H;,=V;CØ"+CURSOR\$:HPAINT(55,V+5) ,Ø,Ø:V=V+35 25 IF I\$-CHR\$(94) THEN HDRAW"BM-H: .=V:CØ"+CURSOR\$: HPAINT(55.V+5) .Ø.Ø:V=V-35 26 IF I\$=CHR\$(13) THEN GOTO 30 27 IF V>16Ø THEN V=16Ø 28 IF V<20 THEN V=20 29 GOT022 30 POKE65496.0:WIDTH80:PALETTE0. 63: PALETTE8, Ø: CLS1 31 IF V=20 THEN PICK=1 32 IF V=55 THEN PICK=2 33 IF V=90 THEN PICK=3

MLBASIC 2.0 - BASIC Compiler

If you want your BASIC programs to run up to 50 times faster, or want more programming features without learning another language, MLBASIC is for you. MLBASIC is the most compatible BASIC compiler available for the Color Computer. WHY? Because MLBASIC fully supports:

- Low- and high-resolution graphics - All types of I/O (disk, screen, printer, RS232) - All available commands offered with BASIC

- Floating point functions and expressions Integer, floating point and string type variables and arrays
 Use of all available 512K RAM in the COCO 3

-80,40 or 32 column text displays

MLBASIC not only contains everything that you would expect a BASIC programming language should contain, MLBASIC has features that offer flexibility of other languages like C, Pascal, FORTRAN and even assembly language. These features will allow programmers to directly access the CPU registers on the COCO, produce modular program code with SUBROUTINES, manipulate memory in blocke, and even call ROM routines in other areas of memory.

MLBASIC revision 2.0 has incorporated all enhancements that were suggested by MLBASIC 1.0 users and more. Revision 2.0 did away with all the in-


compatibility problems that existed with revision 1.0.

MLBASIC allows for the first time user to quickly compile a program using default compiler settings. The advanced user has the capability of controlling over a dozen settings which control where the program is compiled, which medium to compile to (memory or disk), string space, compiler listings and

With all this going for MLBASIC, your might expect the cost to be a little out of your budget. After looking at prices of other BASIC compilers for the COCO 3 you might be correct. But look again at this ad; for only \$59.95, you can have a programming language that will spark your interest once again in the COCO.

Before you buy another BASIC compiler for the COCO, find out if it supports everything MLBASIC supports. Then look at the price tag. We feel that it won't be long before you place an order for MLBASIC.

> "MLBASIC is a fine program for any serious programmer," said David Gerald in the December 1987 RAINBOW.



COCO 3 WITH DISK REQUIRED -Add \$4.00 Postage. Check, Money Order or COD accepted Foreign orders use U.S. MONEY ORDERS only

WASATCHWARE

7350 Nutree Drive Salt Lake City, Utah 84121 Phone (801) 943-1546



Burke & Burke

P.O. Box 733 Maple Valley, WA 98038

U.S. ORDER DESK: (800) 237-2409 INT'L & TECHNICAL: (206) 432-1814

This time of year comes and goes so quickly. It's been a busy year for the CoCo, with new computers following in the footsteps of the CoCo 3. We hope you have a lot to be thankful for! Thanks for loving the CoCo, and for choosing products from Burke & Burke.

OS9 Software (* >= 256K; ** >= 512K required):

WORLD CLASS CHESS* -- Use Cyrus Chess w/ Level 2 \$29.95 FILE SYSTEM REPACK 1.1 -- Faster disk defragmenter \$29.95 FILE RECOVERY SYSTEM -- Helps rebuild crashed disks \$24.95 R. S. B.* -- Disk BASIC for Level 2 (BASIC ROM required). \$39.95 EZGEN 1.09 -- Handy & powerful OS9 bootfile editor \$19.95 CYBERVOICE (S/W only)* -- Use SuperVoice w/ Level 2 \$24.95 PERTASCII* -- Multi-user scrambled letter word game. \$19.95 WILD & MV -- Wildcard & move directory entry utilities. \$19.95 ZCLOCK - Continuous time / date display on Level 2 screen \$9.95

Affordable Color Computer Hardware:

COCO XT -- Use PC hard drive w/ CoCo ! OS9 S/W incl. \$69.95 COCO XT-RTC -- CoCo XT, plus H/W real-time clock. XT-ROM -- Boots OS9 from B&B hard disk automatically.

\$99 95 \$19.95

COMING FOR CHRISTMAS: OSK YERSIONS OF YOUR FAYORITE BURKE & BURKE 059 SOFTWARE

WA RESIDENTS ADD 8.2% SALES TAX.

MasterCard & VISA accepted. U.S. COD's add \$3.75. Min. U.S. shipping \$4:00. Min. to Canada \$5.00. Please allow 2 weeks for delivery. Overnight or 2nd- day available for in-stock items. Software upgrades \$5.00 each w/receipt, including U.S. shipping. Call or write for our free catalog!

34 IF V-125 THEN PICK-4 35 IF V-160 THEN PICK-5 36 ON PICK GOTO 37,62,86,116,143 37 'WIDE DIRECTORY 38 ON ERR GOTO 5:ON BRK GOTO 5:C LS:LOCATE30,5:PRINT"**WIDE DIREC TORY**":LOCATE23.8:PRINT"1> SCRE EN (or) 2> PRINTER? ": 39 A\$-INKEY\$: IFA\$-""THEN 39 40 IF A\$<"1" OR A\$>"2" THEN 39 41 ON VAL(A\$) GOSUB 43,51 42 PRINT: PRINT TAB(25); "Press an y key to return...";:EXEC44539:C LS:GOTO5 43 'SCREEN 44 CLS:PRINT TAB(29):" Director y": PRINT 45 FOR X=3 TO 11:GOSUB 145 46 FOR N=ØTO7: IFLEFT\$(N\$(N),1)<> CHR\$(Ø) AND LEFT\$(N\$(N),1)<>CHR\$ (255) THEN GOSUB 48 47 NEXT N:NEXT X:PRINT:PRINT:PRI NTQ;" File(s)"::PRINT" ":FREE(Ø); granules free": Q=0: RETURN 48 Q=Q+1:Z=Z+1 49 PRINT" ":N\$(N):"/ ":F\$(N):" ";:IF Z=3 THEN PRINTS2\$;:Z=0:RE TURN 50 PRINTS1\$;:RETURN 51 'PRINTER 52 POKE 150,18: 2400 BAUD 53 CLS:PRINT"DIRECTORY NAME: ":: LINEINPUT DNS 54 CLS:PRINT"Directory sent to p rinter... 55 PRINT#-2:PRINT#-2,TAB(15):" Directory: ":DN\$:PRINT#-2 56 FOR X=3T011:GOSUB 145 57 FOR N=ØTO7: IF LEFT\$(N\$(N),1)< >CHR\$(Ø) AND LEFT\$(N\$(N),1)<>CHR \$(255) THEN GOSUB 59 58 NEXT N:NEXT X:PRINT#-2:PRINT# -2:PRINT#-2,Q;" File(s)";:PRINT# ";FREE(Ø);" granules free" :Q=Ø:RETURN 59 Q=Q+1:Z=Z+1 60 PRINT#-2," ";N\$(N);"/ ";E\$(N);" ";: IF Z=3 THEN PRINT#-2,S2\$:: Z-Ø: RETURN 61 PRINT#-2,S1\$;:RETURN 'WILD LIST 63 ON BRK GOTO 64: ON ERR GOTO 64 64 CLS:LOCATE3Ø,5:PRINT"**WILD L IST**":LOCATE30.8:PRINT"1> BEGIN NING": LOCATE30,9: PRINT"2> EXTENS ION": LOCATE30, 10: PRINT"3> MENU": LOCATE30,12:PRINT"SELECTION? "; 65 A\$=INKEY\$: IFA\$="" THEN 65 66 IF A\$<"1" OR A\$>"3" THEN 65 67 ON VAL(A\$) GOSUB 69,77,85 68 GOTO 64 69 'BEGINNING 70 CLS:LOCATE9,5:PRINT"List all files that begin with a certain letter or letters.":LOCATE20,10: PRINT"ENTER BEGINNING LETTER(S): ";:LINEINPUTX\$:LE=LEN(X\$):CLS 71 IF X\$="" THEN GOTO 64 72 FOR X=3T011:GOSUB145 73 FOR N=ØTO7: IF LEFT\$(N\$(N), LE) -X\$ AND LEFT\$(N\$(N),1)<>CHR\$(Ø) THEN PRINT TAB(30); N\$(N);" \$(N):0=0+1:FI=FI+1 74 IF FI=20 THEN PRINT: PRINT TAB (25); "Strike a key to continue... ":EXEC44539:PRINT:FI=0 75 NEXTN: NEXTX: PRINT: PRINT TAB(3

0);Q;" File(s)":Q-0:FI-0 76 PRINT: PRINT TAB(25): "Press an y key to return...";:EXEC44539:R ETURN 77 'EXTENSION 78 CLS:LOCATE18.5:PRINT"List all files with a certain extension" :LOCATE25.10:PRINT"ENTER EXTENSI ON: ";:LINEINPUTX\$:LE-LEN(X\$):CL 79 IF X\$="" THEN GOTO 64 80 FOR X=3T011:G0SUB145 81 FOR N=ØTO7: IFLEFT\$(E\$(N), LE)= X\$ AND LEFT\$(N\$(N),1)<>CHR\$(Ø) T HEN PRINT TAB(30); N\$(N);" ";E\$(N):Q=Q+1:FI=FI+1 82 IF FI-20 THEN PRINT: PRINT TAB (25); "Strike a key to continue.. ": EXEC44539: PRINT: FI=0 83 NEXTN: NEXTX: PRINT: PRINT TAB(3 0);Q;" File(s)":Q=0:FI=0 84 PRINT: PRINT TAB(25); "Press an y key to return...";:EXEC44539:R FTURN 85 CLS: GOTO5 86 'WILD COPY 87 ON BRK GOTO 88:ON ERR GOTO 88 88 CLS:LOCATE30,5:PRINT"**WILD C OPY**":LOCATE3Ø.8:PRINT"1> BEGIN NING": LOCATE30, 9: PRINT"2> EXTENS ION":LOCATE30,10:PRINT"3> MENU": LOCATE30.12: PRINT"SELECTION? 89 A\$=INKEY\$:IFA\$="" THEN 89 90 IF A\$<"1" OR A\$>"3" THEN 89 91 ON VAL(A\$) GOSUB 93,101,109 92 GOTO 88 93 'BEGINNING 94 CLS:LOCATE9,5:PRINT"Copy all files that begin with a certain letter or letters.":LOCATE20.10: PRINT"ENTER BEGINNING LETTER(S): ";:LINEINPUTX\$:LE-LEN(X\$):CLS 95 IF X\$-"" THEN GOTO 88 96 SOUND10,5:PRINT:PRINT"INSERT SOURCE DISK AND PRESS ANY KEY TO BEGIN...":PRINT:EXEC44539 97 FOR X=3T011:G0SUB145 98 FOR N=ØTO7: IF LEFT\$(N\$(N), LE) =X\$ AND LEFT\$(N\$(N),1)<>CHR\$(Ø) THEN GOSUB110 99 NEXTN: NEXTX: PRINT: PRINT TAB(3 0);Q;" File(s) copied":Q-0 100 PRINT:PRINT TAB(25); "Press a ny key to return...";:EXEC44539: RETURN 101 'EXTENSION 102 CLS:LOCATE18.5:PRINT"Copy al 1 files with a certain extension ":LOCATE25,10:PRINT"ENTER EXTENS ION: ";:LINEINPUTX\$:LE=LEN(X\$):C LS 103 IF X\$="" THEN GOTO 88 104 SOUND10,5:PRINT:PRINT"INSERT SOURCE DISK AND PRESS ANY KEY T O BEGIN...":PRINT:EXEC44539 105 FOR X=3T011:GOSUB145 106 FOR N=0T07: IFLEFT\$(E\$(N), LE) -X\$ AND LEFT\$(N\$(N),1)<>CHR\$(Ø) THEN GOSUB110 107 NEXTN:NEXTX:PRINT:PRINT TAB(30);Q;" File(s) copied":Q-0 108 PRINT: PRINT TAB(25); "Press a ny key to return...";:EXEC44539: RETURN 109 CLS:GOTO5 110 'COPY 111 F\$=N\$(N)+"."+E\$(N):COPY F\$

112 PRINT: PRINT: PRINT TAB(30); N\$ (N);".";E\$(N);" copied" 113 SOUND10,5:PRINT:PRINT"INSERT SOURCE DISK AND PRESS ANY KEY T O CONTINUE...": PRINT: EXEC44539 114 0-0+1 115 RETURN 116 'WILD DEL 117 ON BRK GOTO 118: ON ERR GOTO 118 118 CLS:LOCATE30,5:PRINT"**WILD DELETE**":LOCATE30,8:PRINT"1> BE GINNING": LOCATE30,9:PRINT"2> EXT ENSION": LOCATE30, 10: PRINT"3> MEN U":LOCATE30,12:PRINT"SELECTION? 119 A\$-INKEY\$: IFA\$-"" THEN 119 120 IF A\$<"1" OR A\$>"3" THEN 119 121 ON VAL(A\$) GOSUB 123,130,137 122 GOTO 118 123 'BEGINNING 124 CLS:LOCATE9,5:PRINT"Delete a ll files that begin with a certa in letter or letters.":LOCATE20, 10: PRINT"ENTER BEGINNING LETTER(S): ";:LINEINPUTX\$:LE-LEN(X\$):CL 125 IF X\$="" THEN GOTO 118 126 FOR X=3T011:G0SUB145 127 FOR N=ØTO7: IF LEFT\$(N\$(N).LE)-X\$ AND LEFT\$(N\$(N).1)<>CHR\$(Ø) THEN GOSUB138 128 NEXTN: NEXTX: PRINT: PRINT TAB(30);Q;" File(s) deleted":Q-0 129 PRINT: PRINT TAB(25); "Press a ny key to return...";:EXEC44539: RETURN 130 'EXTENSION 131 CLS:LOCATE18,5:PRINT"Delete all files with a certain extensi on": LOCATE25, 10: PRINT"ENTER EXTE NSION: ";:LINEINPUTX\$:LE=LEN(X\$) :CLS 132 IF X\$="" THEN GOTO 118 133 FOR X-3T011:G0SUB145 134 FOR N=ØTO7: IFLEFT\$(E\$(N).LE) -X\$ AND LEFT\$(N\$(N),1)<>CHR\$(Ø) THEN GOSUB138 135 NEXTN: NEXTX: PRINT: PRINT TAB(30);Q;" File(s) deleted":Q-0 136 PRINT:PRINT TAB(25);"Press a ny key to return...";:EXEC44539: RETURN 137 CLS:GOT05 'DELETE 138 139 PRINT TAB(30); N\$(N); "."; E\$(N);" deleted" 140 KILL N\$(N)+"."+E\$(N) 141 Q=Q+1 142 RETURN 143 'EXIT 144 WIDTH32: END 145 DSKI\$ Ø,17,X,A\$,B\$:C\$-A\$+LEF T\$(B\$.127):N\$(Ø)=LEFT\$(C\$,8):E\$($\emptyset) = MID * (C*, 9, 3)$ 146 FOR N=1T07:N\$(N)=MID\$(C\$,N*3 2+1,8):E\$(N)=MID\$(C\$,9+N*32,3):N EXT N 147 RETURN

Bright Idea: Order some of these CoCo programs today!



ISSUE #99, AUGUST 1990 ISSUE #99, SEPT., 1990
FLIPPY TUTORIAL IDEA TREE
RECIPE/MEAL/GROCERY MASTER'S LABYRINTH
DUNGEON MAZE
SNOW SKI TELESALE CONTACTS
HOT LOAD PROMISED LAND QUIZ
SHIP WAR PROPOSAL WRITER
ERROR TRAP SPACE WAR 3
MAZE MASTER 3
MAZE MASTER 3
DR. WHO3 PART 4
MATCH MASTER 3
MASTE

ISSUE #104, FEB. 1991 WINE CELLAR BOMB RUN SPLIT/APPEND FILES INITIALIZE 35 + PIG OUT CRYPTOGRAM 3 GHOST HUNTER

WIZARD S DEN

LANGMAN

ABCS 123'S ANTIQUE COLLECTOR FOUR SCORE FOUR SCORE
QUICK TAX
HI-LOAD
QUAD EDUCATION 3
SMURF QUEST 3
BUZZWORM

ISSUE #100, OCT. 1990 ZOT MIND GAME SUPER TEXT EDITOR SUPER TEXT FORMATTE TURTLE SEARCH 3 COAST TO COAST EASY BASIC 3 DRAGON ADVENTURE WRITE OUT UTILITY

TRY THIS

ISSUE #105, MARCH 1991 ISSUE #106, APRIL, 1991 ROBOCROOK STOCK PORTFOLIO THE BARREL ABCS '123'S SERVICE MANAGER CROSUMS PUZZLE CROSUMS PUZZLE DIAMOND QUEST JOB SKILLS JOB APPLICANT ELDUS 3 BREAK-IN3 PART 2 KATERPILLAR II

ISSUE #101, NOV. 1990 GOSSIP COST ESTIMATOR SALO INVENTORY PERSONAL STATISTICIAN ALAIX -DEATH HUNT 512K RAM CATALOGER 3 Bingo Caller 3 DUCK HUNT

ISSUE #107, MAY, 1991 DESERT STORM BUSSINESS PLAN ULTIMATE RULER MATH DERBY BLOOD PRESS.3 COBRA ATTACK MONOGRAM COUNTRY CLUB SCREEN BLANKI SCREEN BLANK

ISSUE #102, DEC. 1990 REAL ESTATE ANALYSIS COCO PAYROLL DR. STRANGE ADV. TANNING SALON TREASURE HUNT TREASURE HUNT
RIVERBOAT BLACKJACK
TURTLE RACE 3
SUPER SCREEN DUMP
KEYBOARD REMAP
CKISH

ISSUE #103 JAN 1991 ISSUE #103, JAN. 1991 FAMOUS PEOPLE LABRYNTH 3 DATA ANALYSIS MEDICAL FILE WORD GENERATOR 3 PRIVATE EYE ADV. HEARTS 3 COCO JOKESTER TETRAPAK 3 ELLCTRON

ISSUE #108, JUNE, 1991 SOUND GENERATER HIDE DIRECTORY ISSUE #109, JULY, 1991 DESTINATION UNKNOWN FAX COVERSHEET FISHERMAN'S QUIZ LOST TREASURE CLUB REGISTER BETTING ODDS 3 COCO 3 CHESS 2 SNACK SHACK CIVIL WAR 3 SPELLING QUIZ COCO 3 CLOWN TV SCRABBLE FORM LETTER DIVIDING FRACTIONS KEYBOARD PROTECT BLACK BLARD

RAINBOW CERTIFICATION

Last 12 issues shown here! **Tom Mix Arcade Games**

Get Some of these Public Domain too!

M1 - 8 Utilities & 8 Songs M2 - 17 Musica Files M3 - 16 Musica Files

M4 - 16 Musica Files

M5 - 25 Orchestra Files M6 - 23 . Bin Files ready to play

M7 - 23 .Bin Files ready to play

Graphics 1-14

GR1 - Raindrop, Celtic, Space + GR2 - Donald, Snoopy, Worldmap, + GR3 - 9 Coco 3 Graphic programs.

GR4 - 22 Coco Max Pictures

GR5 - 22 Coco Max Pictures GR6 - 22 Coco Max Pictures GR7 - 15 Coco Max Pictures

GR8 - 22 .BIN Pictures GR9 - 22 .BIN Pictures

GR10 - 14 Large .BIN Pictures GR11 - 8 MGE Pictures

GR12 - Coco Max 3 Pictures GR13 - Macpaint Graphic Editor

GR14 - 5 Macintosh Pictures

E1 - 12 Programs for young kids. E2 - 12 Programs for High School Kids E3 - 11 Programs Teach the Coco's Commands

HOME MANAGEMENT 1-4

Telecommunications 1-3

T3 - Geterm Communications

Adventures 1.2

Education 1-4

*12 Programs Each Disk/Tape H1 - Chkbook, Wrdproc, Typing Tutor, + H2 - Check, Last Will, Word Processor, +

E4 - 5 Graphic Programs About Australia

A1 - CIA, Death Ship, Gargoyle, Kingdom, Kingtut
- Odeysey, Nuclear Sub, Werewand, Willsadv
A2 - Andrea Doria, Curse, Ghostship, Hogjowl

T1 - Haysae, Kermit, Mikeyterm, Teleterm
T2 - Cobbs BBs Terminal Package

- Icewar, Quest, Sorcerer, Survival, Adv. Gen.

H3 - Envelope, Life, Finance, Interest Rate, + H4 - Speeling Fix, Spelling Checker, +

Uttities 1-3
12 Programs Each, U1-U4 Require Disk
U1 - 105DT, Disk Zapper, Rom Copy, Basic Map, +
U2 - Backup, Disktest, Customize, Offset, Backdir, +
U3 - Convert, Disk Library, C64pic, Relocate, +
U4 - Bin-Pasic, Disk Master, Unarc, Zap, Unlock, +
U5 - Assembler, Basic 64, 51x34, Recover, +

U6 - 64 Look, HGR Color, LLIST 32, Recover, + U7 - Letter head print with 30 mini pictures

U8 - Fig Forth language with tutorials!

GAMES 1-11

*Each Disk/Tape Contains 12 Programs *

GA1 - Blackbox, Poker, Robodice, Startrek + GA2 - Amazing, Rider, Rubic, Vapor worm, + GA3 - Backgammon, Gremlin, Python, Robots, 4 GA4 - Hawks, Lunar World, Saucer, Shootem, +

GA4 - Hawks, Lunar World, Saucer, Shootem, + GA5 - Battleship, Chicken, Raceway, Lizer, + GA6 - Kings Army, Navyguns, Shipsub, Shuffle, + GA7 - Connect 4, F-16, Pizza, Rubic, Life + GA8 - Football, Germ Attack, Othello, Slither, + GA9 - Battle, 3DTTT, Max Graphics, Prix, +

GA10 - Blockade, Life, Missile2, Scramble, + GA11 - Bunker 3, Ttrek, Nuke Attack, Traders, +

Mail To:

T&D Subscription Software

2490 Miles Standish Drive Holland MI 49424 (616) 399-9648

Prices:

Single Issue (Tape or Disk)... \$ 8.00 2-5 ISSUES......\$ 6.00 Ea. 6-10 Issues...... \$ 5.00 Ea. 11 or more Issues...... \$ 4.50 Ea. All Our Software (192 Disks)... \$ 279.00 One Year Subscription...... \$ 60.00

- *All issues conatain 6-15 ready to run *programs on disk or tape.
- *All original software includes documentation.
- *We send first class! No charge.
- *Personal checks welcome.
- *Write for a free catalog.
- *Programs are for a Coco 1, 2, or 3.

			Orinia	mal Sof	farancia.				Public D	niamo		
ı	16	31	46	61	76	91	106	MI	GR1	Ei	Ul	GA1
2	17	32 33	47	62	77	92 93	107	M2 M3	GR2 GR3	E2 E3	U2 U3	GA2 GA3
5	19	34 35	49	64	79 80	94	109	M4	GR4	E4	U4	GA4
6	21	36 37	50 51 52	66	81	95 96		M5 M6	GR5 GR6	***	U5	GA5
8	22	37	52	68	82 83	97 98		MO M7	GR7	H1 H2	U6 U7	GA6 GA7
9	24	39 40	54	69 70	84 85	100			GR8	H3	U8	GA8
1.1	26	41	55 56	71	86	101		A1 A2	GR9 GR10	H4		GA9 GA10
12	27	42	57 58	72 73	87 88	103			GR11			GAII
14	29 30	44	59	74 75	89	104		T1 T2	GR12 GR13			
13	30	-	w	13	30	100		T3	GR 14			

Name	
Address	
City	State Zip
Credit Card #	
Expiration	Total \$

Please Circle: TAPE or DISK



CoCo Consultations

Installing a Disk Drive

by Marty Goodman
Contributing Editor

Where can I get Amphenol power connectors for 5½-inch drives? Also, when adding a drive to my FD-501, the 34-pin connectors are spaced too closely together for me to connect a second drive of a different brand. Any suggestions?

Bob Post (BIGB) Batavia, New York

Radio Shack now sells power connectors (Catalog No. 278-767) for 51/4-inch disk drives. The price is rather steep (\$2.49), but if you don't live near an electronics parts or surplus house, at least the power connector is available. Radio Shack also sells spare IDC (crimp-on) 34-pin female edge connectors (Catalog No. 276-1564). You can purchase one of these and crimp it onto the 34-conductor ribbon cable at a spot that allows you to connect the second drive. Be sure you remove the terminator resistor from that second drive.

Switching vs. Linear Power Supplies

I was told by a Radio Shack employee that the power supply in the CoCo 3 uses a switching regulator. Is this true? What are the advantages of switching power supplies versus linear power supplies? What suggestions can you give me

Martin H. Goodman, M.D., a physician trained in anesthesiology, is a longtime electronics tinkerer and outspoken commentator — sort of the Howard Cosell of the CoCo world. On Delphi, Marty is the SIGop of RAINBOW'S CoCo SIG and database manager of OS-9 Online. His non-computer passions include running, mountaineering and outdoor photography. Marty lives in San Pablo, California.

regarding connecting a PC power supply to the CoCo?

Lucas B. Korytkowski Scarborough, Ontario Canada

No model of Color Computer ever used a switching power supply. All CoCo power supplies from the first CoCo 1 through the CoCo 3 are relatively simple linear power supplies. The CoCo 1 used an LM723 (generic) voltage regulator, and the CoCo 2 and CoCo 3 use Tandy's custom SALT chip to generate a regulated source of 5 volts and control a power transistor at that voltage. The power supply in the CoCo could have been made somewhat more simple by employing a single 7805 monolithic voltage regulator, but Tandy's engineers apparently chose to do things in a slightly (and needlessly) more convoluted fashion.

Switching power supplies have the advantages of being physically smaller and lighter than a linear power supply of corresponding power capacity. They are also considerably less expensive to produce in large quantities. They enjoy this advantage because they operate at rather high frequencies, where much smaller transformers can be employed for the same power capacities. Switching power supplies are vastly more difficult to repair than corresponding linear power supplies, partly because they employ up to 10 times as many components but mainly because they operate using feedback circuits, which makes it much more difficult to trace a problem to faulty components. Switching power supplies are more difficult to design, too.

A linear power supply is a good choice for one-of-a-kind and other small production runs. They tend to be heavy, bulky, simple and rugged. Frankly, I am glad Tandy chose to use a relatively simple linear power supply in the CoCo and Multi-Pak.

Last month in this column I went into some detail on connecting a PC-compatible power supply to a CoCo 3. The principle of the procedure is to provide regulated 5 volts to the main Color Computer and feed +12 and -12 volts from the PC power supply to pins 15 and 16 of the SALT chip. Various other details need to be attended to, of course, and I covered those last month.

Memory Upgrades

How can I upgrade an older 4K CoCo 1 to 64K?

E. Schulman (ESCHULMAN)
Oak Ridge, Tennessee

All 4K CoCo 1's I've ever seen use either revision B, C, or D motherboards. Revision B and C motherboards pretty much cannot be upgraded at all. Revision D motherboards can, in theory, be upgraded (I still use an upgraded CoCo with a revision D motherboard for some projects) but the upgrade is very tedious. The upgrade involves taking the machine completely apart, removing the ground sheet, cutting and jumpering several traces, and running several jumpers. Further, you have to buy a set of eight 64K DRAM chips for the upgrade. With 64K Extended BASIC CoCo 2's selling for as little as \$20 at gararge sales and swap meets, it seems foolish to embark on an upgrade of a Revision D motherboard. Thus, I would not recommend the attempt.

Adding Disk Drives

Can I use three drives with the power supply in my FD-501 case? Can I use a 40-track double-sided drive as a 35-track

single-sided drive on occasion for compatibility with Disk BASIC?

Chris Deierlein (CDEIERLEIN)
Peekskill, New York

Most likely you will not be able to use three drives with the power supply in the FD-501 case. Of course, different drives require different amounts of power, but it is my understanding that the FD-501 power supply has barely enough power for two drives. Adding a third drive will almost certainly overload the power supply.

Yes, you can use any 40-track single- or double-sided drive as a 35-track drive. No hardware modification is needed. Merely running software that treats the drive as a 35-track single-sided drive makes it behave like one.

Erasing EPROMs

Can you suggest some guidelines for erasing EPROMs?

John Burke (JBURKE) Fremont, California

To calibrate an EPROM eraser, program several of the same make, model and brand of EPROM you plan to use with all zeros. Now put them in your eraser, turn on the UV light for 15 seconds, then remove and check the EPROMs to see if they are all erased (set to all ones). If not, put them back for another 15 seconds of UV, and repeat the process. Eventually, you will determine the minimum time to apparent erasure. If this time is less than one minute, readjust your EPROM eraser so the chips are farther from the bulb. Otherwise the EPROMs may be damaged. Once you have the time required to erase the EPROMs greater than one minute, use three to five times the minimum time to apparent erasure as your exposure when erasing EPROMs. Note that ancient chips such as the Motorola 68766 may take considerably more time than others to be erased, and the most modern chips with ultra small cells may take considerably less time to be erased than their predecessors. It is wise to calibrate your eraser for various different types of EPROMs.

VT100 Emulation

Can I get VT100 emulation in a CoCo 3 terminal program? Can I find support for Kermit?

John W. Handis (MRINTENSITY)
Pittsburgh

VTerm (a commercial terminal program for the CoCo 3) includes the best VT100 emulation I know of for the CoCo and runs under Disk BASIC. Ultimaterm (available on Delphi) also offers

VT100 emulation, although users report its VT100 emulation is less complete and accurate. There are some OS-9 terminal programs that also offer VT100 emulation. While Kermit packages exist for OS-9, I know of no reasonably usable Kermit implementation running under Disk BASIC.

Blowing Bubbles

When I try to connect a Cannon BJ-300 Bubble Jet printer to the parallel output of my serial-to-parallel converter, I get nothing. Any suggestions? The printer works fine when connected to the parallel port of a PC-clone, and my serial-to-parallel converter works with another printer I have.

Robert R. Wharton, Jr. (BOBWHARTON)
Parkersburg, West Virginia

Most serial-to-parallel converters for the CoCo are designed to be powered either by 5 volts from the printer or via an external wall transformer. It is possible your older printer supplies the necessary 5 volts on Pin 18 of the parallel port, but the Cannon does not. You can either check the manual of the Cannon printer to see if 5 volts is listed on Pin 18, measure the voltage on Pin 18 with a VOM, or check the documentation for your serial-to-parallel converter. It may be necessary to use an external power supply, so be sure to purchase a wall transformer of the correct voltage and polarity, and with the correct connector.

Switching Disk Drives

How would you suggest I employ a physical switch to select between one of two or more disk drives? Can I just connect most of the lines in parallel and switch the drive select lines?

Bob Kemper (BOBKEMPER) Fort Stewart, Georgia

The clever approach you suggest may work, but it could cause problems related to termination or overloading various signals. Note that you can buy two- and four-way 25-pin switch boxes, and 25 pins are more than enough to switch all used disk drive signals plus a respectable number of ground lines as well. If you made a custom DB-25 to 34-pin female edge connector cable, you could employ such a switch box to completely and cleanly select among disk drives. Two- and four-way 37-pin switch boxes are also available, although for about twice the price of 25-pin switch boxes. If you can't find these switch boxes available cheaply in your area, call Rogers Specialists at (805) 251-3085. Rogers Specialists has the best prices I have seen for

switch boxes and DB-25 solder-cup connectors if you buy in lots of five or more.

Dial ZAP for Lightning

During a thunderstorm the power and phone lines near me were hit by lightning. The 2400-bps Hayes modem I had connected at the time does not work. The power supply seems to overheat. I replaced a blown fuse, but the overheating problem continues. Any suggestions?

Jim Reed (JIMREED)
Louisville, Kentucky


The most common cause of overheating in a power supply (that formerly was working properly with the same load) is one or more fused diodes in the rectifier bridge. Your Hayes modem likely uses a simple linear power supply with four diodes in a bridge formation, Desolder and check the diodes for conduction in both directions with an ohmmeter set on Rx10 scale. The diodes should have infinite resistance in one direction and read about midscale in the other direction. If one or more of the diodes conducts fully or nearly so in both directions, it is fried and must be replaced. I suggest using standard, generic 1N5400 diodes (rated at 3 amps, 50 PIV), which are available at Radio Shack (Catalog No. 276-1141), although any 1N5400series or 1N4000-series diode will likely work fine. The 1N5400-series will likely be more rugged than whatever diode Hayes originally used. I suggest replacing all four diodes if one diode tests bad.

If this does not fix the problem, check the filter capacitors. At this point, an oscilloscope would be helpful to trace the circuit to look for ripple where filtered DC should be. By the way, I use a Hayes 2400 V-series modem that suffered from exactly the same problem (although not due to lightning) and, after I replaced some bad diodes, it worked fine, and has continued to work finefor the last three years.

Your technical questions are welcomed. Please address them to CoCo Consultations, THE RAINBOW, P.O. Box 385, Prospect, KY 40059.

We reserve the right to publish only questions of general interest and to edit for brevity and clarity. Due to the large volume of mail we receive, we are unable to answer letters individually.

Questions can also be sent to Marty through the Delphi CoCo SIG. From the CoCo SIG> prompt, pick Rainbow Magazine Services. Then at the RAINBOW> prompt, type ASK (for Ask the Experts) to arrive at the EXPERTS> prompt, where you can select the "CoCo Consultations" online form, which has complete instructions.



hen I first got OS-9 Level II, I fell in love with it. There are so many things I can do using this operating system. Having a CoCo 3 with only 128K, however, the system quickly runs

out of memory. Let's review briefly how OS-9 allocates memory for modules (loaded programs).

Level II assigns memory to modules in 8K blocks — every module loaded into memory takes up the smallest possible

@SEP

amount of memory evenly divisible by 8K. A single module takes up an 8K block even if its actual size is only 12 bytes. To solve the low-memory problem, I discovered I could merge several mod-

ules into single files, each slightly less than 8K in size. When one of these files is loaded, the individual modules it contains more completely fill each 8K block, providing much more efficient use of the available

memory.

A problem with this approach, though, is getting the merged modules separated, should the need arise (i.e., if I accidentally delete one or more of the original files and need to get it back). I originally thought the solution to this would be to load the merged file and save the individual module(s) from memory to disk. Unfortunately OS-9 Level II does not include a save command. (The save command comes with the Development System package.) What I needed was a utility that would take a merged file and separate it into its component modules. I didn't have access to one, so I wrote Sep to do the job.

Making it Go

Sep is a BASIC09 program that bursts modules from a merged file. There are two ways to run Sep: With or without a starting filename. If you enter

sep ("filename") .

the program separates all the merged modules in the named file and saves them as

individual files on disk. In this mode, nothing except error messages are displayed onscreen.

If you enter sep without naming a file, the program prompts you to enter a fileprompt, as you can with my Touch utility Sep finds only one module in the file, it asks

Syntax: sep [("<filename>")]
Usage : A utility that separates Merged modules on disk. Prompts for <filename> if not supplied on command line. Written in BASICO9,

Figure 1: Text for Help File

uses runb run-time package.

the file sep from the CMDS directory of the RAINBOW ON DISK to the CMDS directory of their system disk. (The CMDS directory should also contain both syscall and runb.) Then enter chd /dd/cmds and go to Step 7.

2) Start BASIC09 and enter (or load) the program in Listing 1. If you enter it, make sure to save the source code in a file for later use.

3) Run the program in BASIC09's workspace and debug it.

4) Kill syscall from BASIC09's workspace by entering

5) Pack the

kill syscall

program into the current execution directory (which should also contain syscall) by enter-

ing the command

pack* sep

6) Exit BASIC09 and change your current data directory to the directory into which you packed sep.

7) Merge sep and syscall into a file called s by entering

merge sep syscall >s

8) Delete sep and rename s to sep. Copy it to your normal system execution directory (usually CMDS) if necessary. This directory should contain the file runb.

9) Make sep an executable file using

attr sep e pe

10) Use edit or a text editor to add the text in Figure 1 to the helpmsq file in your SYS directory.

11) You can now use Sep.

Notes on Using Sep

• Sep will not separate text files! It works for merged executable modules only. There are other utilities for text files.

• Only the superuser can use Sep. This is not a problem if you are running a singleuser system.

• You cannot use the chd, dir or ident commands when running Sep on a Hi-Res screen (anything other than 32-column) if you have only 128K.

I find Sep to be a real lifesaver. I hope you have as much use for it as I have! If you have any questions or comments, please call or write me.

name. You may enter chd and dir at this (October 1989, Page 72), to change and list directories. When you find the desired file and enter its filename, Sep first checks the file to see how many modules it contains. If

Joseph Cheek began using a CoCo 1 nine years ago and has been programming since then. He particularly enjoys using OS-9 and writing programs in BASIC09 and C. He can be contacted at 6007 West Eaton Way, Salt Lake City, UT 84118-8215, (801) 968-5579. Please include an SASE when requesting a reply.

you for another filename. If there is more than one module in the file, however, Sep proceeds to list the names and number of all the modules in the file. After displaying this information, the program asks if you want to verify the integrity of the merged modules. If so, press Y and the program uses the ident command to check for bad modules. Finally Sep separates all the modules in the file, displaying each module's name as it goes.

Before running Sep, use chx to set the current execution directory to the directory where the file you want to split is located. Use chd to set the current data directory to the one where you want the separated modules saved. Sep checks for the filename you select in the current execution directory, which is where such files are usually stored. Any file you want to separate must be executable or you will receive an Error 214 (No Permission).

It is important to note that Sep saves the individual modules as separate files in the current data directory, and it uses each module's name as the filename. Therefore, to avoid conflicts with existing files, make sure you select different data and execution directories. You should also rename the file if it contains a merged module that uses the same name. As a safety measure, consider doing this always.

Regardless of the way you run Sep, once it has finished bursting the desired file, it stops execution. To separate another file, you must run Sep again.

Entering the Program

The following is a step-by-step approach to getting Sep working on your system:

1) RAINBOW ON DISK users should copy



The Listing: sep.b09

```
PROCEDURE sep
 0000
              TYPE regs=cc,a,b,dp:BYTE; x,y,u:INTEGER
                                                                                                   Ø3F3
                                                                                                                   PRINT "Now separating..."
              DIM r:regs
                                                                                                   0408
                                                                                                                ENDIF
 ØØ2E
              TYPE head-sync, siz, oname: INTEGER
                                                                                                   040A
                                                                                                                 c1 = .0
 0041
              DIM h:head
                                                                                                                OPEN #ipath, file: READ+EXEC
                                                                                                   0415
 004A
              DIM s128:STRING[128]
                                                                                                   0421
                                                                                                                FOR c3-1 TO c2
SEEK #ipath,c1
 0056
              DIM file, file2: STRING[99]
                                                                                                    0432
 9966
             DIM mname:STRING[29]
DIM s16:STRING[16]
                                                                                                                   GET #ipath,h
                                                                                                    Ø43C
 0072
                                                                                                                   GOSUB 200
                                                                                                    0446
             DIM key,s1:STRING[1]
DIM c1:REAL
 ØØ7E
                                                                                                    Ø44A
                                                                                                                   IF NOT(parm) THEN
 ØØ8E
                                                                                                    Ø454
                                                                                                                      PRINT mname; "...";
 0095
              DIM c,c2,c3,c4: INTEGER
                                                                                                    0460
                                                                                                                   ENDIF
 ØØA8
              DIM errnum, ipath, opath, ccode, ltr, ccode: BYTE
                                                                                                    0462
                                                                                                                   CREATE #opath, mname: WRITE
 ØØC3
              DIM parm: BOOLEAN
                                                                                                                   c4-h.siz
SEEK #ipath.c1
                                                                                                    Ø46E
              PARAM pfile:STRING[99]
parm-FALSE
 ØØCA
                                                                                                    0479
 ØØD6
                                                                                                                   WHILE c4>127 DO
GET #ipath,s128
PUT #opath,s128
                                                                                                    0483
              ON ERROR GOTO 100
 aanc
                                                                                                    Ø48F
 00F2
              ccode=12
                                                                                                    0499
              CCOGE=12
RUN syscall(ccode,r)
IF r.y<>0 THEN
PRINT #2,"sep: user must be superuser"
 00F9
                                                                                                    Ø4A3
                                                                                                                      c4-c4-128
 ØØF8
                                                                                                    Ø4AE
                                                                                                                   ENDWHILE
 0107
                                                                                                                   WHILE c4>15 DO
GET #ipath,s16
PUT #opath,s16
                                                                                                    Ø4B2
 Ø12A
                                                                                                    Ø4BE
 Ø120
              ENDIF
                                                                                                    0408
 Ø12E
              file-pfile
                                                                                                   Ø4D2
                                                                                                                   c4-c4-16
ENDWHILE
              parm=TRUE
GOTO 3
PRINT CHR$(12);
PRINT "Sep OS9 diskfile separator"
PRINT "Written by Joseph Cheek for CSS"
 0136
                                                                                                    Ø4DD
                                                                                                                   WHILE c4>0 DO
GET #ipath,s1
 0130
                                                                                                    Ø4E1
 0140 1
                                                                                                    Ø4ED
 Ø149
                                                                                                                      PUT #opath,s1
                                                                                                    Ø4F7
 Ø167
                                                                                                    0501
                                                                                                                      c4-c4-1
 Ø18A
              PRINT
                                                                                                    Ø5ØC
                                                                                                                   ENDWHILE
 Ø18C 2
              INPUT "Name of file to separate? ", file
                                                                                                                   IF NOT(parm) THEN PRINT "done"
                                                                                                    0510
               file2-file
 Ø1B1
                                                                                                    051A
 Ø1B9
              RUN ltou(file2)
                                                                                                    9522
                                                                                                                   FNDIF
 Ø1C3
              IF LEFT$(file2,3)="DIR" THEN
                                                                                                                   CLOSE #opath
                                                                                                    0524
                SHELL file2
GOTO 2
 Ø1 D5
                                                                                                                   c1-c1+h.siz
                                                                                                   Ø52A
 OIDA
                                                                                                                 NEXT c3
                                                                                                    Ø53A
 Ø1DE
              ENDIF
                                                                                                    Ø545
                                                                                                                 IF NOT(parm) THEN
              IF LEFT$(file2.4)="CHD " THEN
 Ø1EØ
                                                                                                    Ø54F
                                                                                                                   PRINT
                                                                                                                          "Done separating."
                CHD RIGHT$(file2, LEN(file2)-4)
 Ø1F3
                                                                                                    Ø563
                                                                                                                 ENDIF
 0200
                                                                                                    0565
                                                                                                                 CLOSE #ipath
 0204
              ENDIF
                                                                                                    056R
                                                                                                                END
 0206
              PRINT "These files are currently part of "; file; ":"
                                                                                                          100
                                                                                                                errnum-ERR
                                                                                                    056D
 0234
              PRINT
                                                                                                                 IF errnum-56 THEN
                                                                                                    0576
              c1-.0
c2-0
 0236 3
                                                                                                    Ø582
                                                                                                                   GOTO 1
 0244
                                                                                                    Ø586
                                                                                                                 ENDIF
 Ø24R
              OPEN #ipath,file:READ+EXEC
SEEK #ipath,c1
                                                                                                    Ø588
                                                                                                                 IF errnum-211 THEN
 Ø257 4
                                                                                                    Ø594
                                                                                                                   GOTO 5
 Ø264
              GET #ipath,h
                                                                                                    Ø598
                                                                                                                 ENDIF
              IF h.sync<>$87CD THEN
PRINT CHR$(7); "Module header is incorrect!"
 Ø26E
                                                                                                    Ø59A
                                                                                                                 PRINT #2, "ERROR #"; errnum
 Ø27E
                                                                                                    Ø5AD
                                                                                                                 END
                 IF NOT(parm) THEN
 Ø2A1
                                                                                                    05AF
                                                                                                          200
                                                                                                                C=0
 Ø2AB
                   PRINT
                                                                                                                mname-""
                                                                                                    Ø5B9
 Ø2AD
                   GOTO 2
                                                                                                                 REPEAT
                                                                                                    Ø5CØ
 02R1
                 ELSE
                                                                                                    Ø5C2
                                                                                                                   SEEK #ipath.h.oname+c+c1
 Ø285
                   FND
                                                                                                                   GET #ipath.ltr
                                                                                                    Ø5D8
                ENDIF
 02R7
                                                                                                    05E2
                                                                                                                   mname=mname+CHR$(LAND(ltr,127))
 Ø2B9
              ENDIF
                                                                                                    Ø5F2
                                                                                                                   c=c+1
 Ø2BB
              GOSUB 200
                                                                                                    05FD
                                                                                                                 UNTIL c>28 OR ltr>127
 Ø2BF
              IF NOT(parm) THEN
                                                                                                    060F
                                                                                                                 c2-c2+1
 Ø2C9
                 PRINT mname,
                                                                                                                 RETURN
                                                                                                    Ø61A
 Ø2CF
              ENDIF
              c1-c1+h.siz
GOTO 4
 Ø2D1
                                                                                                   PROCEDURE
                                                                                                               Itou
 Ø2E1
                                                                                                                DIM workstring: STRING[40]
                                                                                                    0000
              CLOSE #ipath
IF NOT(parm) THEN
 Ø2E5 5
                                                                                                                DIM count: INTEGER
                                                                                                    0000
 02FF
                                                                                                                 DIM char: BYTE
                                                                                                    0013
                PRINT
                                                                                                                PARAM answer:STRING[40]
workstring=""
FOR count=1 TO LEN(answer)
char=ASC(MID$(answer,count,1))
IF char>96 AND char<123 THEN
 Ø2F8
                                                                                                    ØØ1A
 Ø2FA
              ENDIF
                                                                                                    0026
                 c2<2 THEN
PRINT "Doesn't need separating!"
 Ø2FC
                                                                                                    002D
 0308
                                                                                                    003F
 Ø324
                 IF
                    parm THEN
                                                                                                    004F
 Ø32D
                   END
                                                                                                                      char-char-32
                                                                                                    0061
 Ø32F
                 ELSE
                                                                                                    ØØ6C
                                                                                                                   ENDIF
                   PRINT
 Ø333
                                                                                                    006F
                                                                                                                   workstring-workstring+CHR$(char)
                   GOTO 2
 0335
                                                                                                    ØØ7B
                                                                                                                 NEXT count
 0339
                 ENDIF
                                                                                                    0086
                                                                                                                 answer-workstring
 Ø33B
              ENDIF
                                                                                                    008E
                                                                                                                 FND
 Ø33D
              IF NOT(parm) THEN
                 PRINT "Total of "; c2; " files listed. Run Ident on file?"
PRINT "(Ident must be in current ex. dir or in mem) [y/N]? ";
 Ø347
 Ø37D
                 GET #Ø, key
RUN ltou(key)
 Ø3B6
 Ø3BF
 0309
                 PRINT
                 IF key="Y" THEN
SHELL "Ident "+file+" -s -x"
 Ø3CB
 Ø3D8
 Ø3EF
                 ENDIF
 Ø3F1
                 PRINT
                                                                                                                                                       0
```

Protect

your important magazine collection



Distinctive, Durable, Attractive RAINBOW Binders

THE RAINBOW is a vital resource to be referred to again and again. Keep your copies of THE RAINBOW safe in our quality distinctive binders that provide complete protection.

These attractive red vinyl binders showcase your collection and ensure your RAINBOWS are in mint condition for future use. Each binder is richly embossed with the magazine's name in gold on the front and spine. They make a handsome addition to any room.

Put and End to Clutter

Organize your workspace with these tasteful binders. Spend more time with your CoCo and eliminate those frustrating searches for misplaced magazines.

A set of two binders, which holds a full 12 issues of THE RAINBOW, is only \$13.50 (plus \$2.50 shipping and handling).

Special Discounts on Past Issues

To help you complete your collection of THE RAINBOW, we're offering a special discount on past issues of the magazine.

When you place and order for six or more back issues of THE RAINBOW at the same time you order binders, you are entitled to \$1 off the regular back issue price. To order, please see the "Back Issue Information" ad in this issue.

Know Where to Look

You may purchase the "Official and Compleat Index to THE RAINBOW" for \$1 when you purchase a set of binders. This comprehensive index of RAINBOW's first three years (July 1981 through July 1984) is usually priced at \$2.50.

Yes! Please send me	e set(s) o	of Rainbow binders
Name		
Address		
City		
State	Zip	
☐ My check in the ar	nount of	is enclosed.
charge to: VISA		
Account Number _		
Expiration Date		
I want to take advanta purchase:	age of these special	offers with my binder
purchase.		
Minimum order of 6	single issue cover p magazines .Please en ssue indicating maga	price for back issues. close a back issue order azines wanted.
	Official and Comp 61. (Regular price \$	leat Index to THE 62.50.)
Special offers good only w	ith the nurchase of a R A	AINBOW hinder set. Binders

Special offers good only with the purchase of a RAINBOW binder set. Binders are \$13.50 per two-binder set plus \$2.50 shipping and handling, If your order is to be sent via U.S. mail to a post office box or foreign country, please add \$2. Kentucky residents add 6% sales tax; Canadian reidents, 7%GST. U.S. currency only please. In order to hold down non-editorial costs, we do not bill.

Mail to: Rainbow Binders, The Falsoft Building, P.O. Box 385, Prospect KY 40059. For credit card orders call(800) 847-0309, 9a.m. to 5 p.m. EST. All other inquiries call (502) 228-4492

Turn of the Screw

Hard Drives and SCSI

by Tony DiStefano Contributing Editor

hen I bought my first Color Computer, the only way to save and retrieve programs or data was with a cassette recorder. Today most of us have two floppy drives, and many of us have a hard drive as well. All of these devices are mass-storage devices. In the past, I described cassette players and floppy drives. Now I'll spend some time with hard drives. We'll start with some general descriptions and then look at a hardware project in which we connect a hard drive to the CoCo.

THINKING THINKING THINKING

A hard drive is very similar to a floppy drive, at least in theory. It consists of two or more read/write heads and one or more platters coated with a magnetic substrate. The platters spin faster (typically 3600 rpm) and the heads step with finer precision. But the principal of magnetic-pulse recording is the same. Because of the greater precision and finer tolerances, the recording surfaces and head assembly are sealed in a dust-free housing. And the platters are made from rigid aluminum, hence the name hard disk. There are other physical differences, but the theory is the same. When hard drives first appeared on the market, they were slow, bulky and not too efficient. But they were still faster and could store much more data than floppy drives.

A hard drive, like a floppy drive, requires a controller and supporting electron-

Tony DiStefano is a well-known early specialist in computer hardware projects. He lives in Laval Ouest, Quebec. Tony's username on Delphi is DISTO.

ics. Adding a hard drive to an existing computer system means redesigning much of the I/O area of the computer. In order to make this easier, one hard-drive company developed a standard protocol for hard drives. This protocol made hard drives interchangeable and easier for a hacker to connect to his or her system. The protocol I am talking about is called SASI (pronounced sassy), which stands for Shugart Associates System Interface. This protocol was popular for a long time. A computer "host" was able to communicate relatively easily with the SASI-compatible controller. In turn, the controller was able to transfer data to and from the hard drive.

As time went by, changes and improvements were made to this protocol until it finally became an ANSI specification (ANSI X3.131-1986) called SCSI (pronounced scuzzy), which stands for Small Computer System Interface. Today, no one uses the SASI protocol. The SCSI protocol, though certainly not the only protocol, is very popular with such computers as the Apple Macintosh, Atari ST, Commodore Amiga and our own Color Computer.

To fully describe the SCSI protocol would require a book at least twice the size of this magazine. Instead I will give you only the basics. After we finish with the next few articles, you'll know enough to build a CoCo adapter for a SCSI drive.

SCSI is a protocol for communication between a host computer and other devices. The host in our case is the CoCo. In SCSI terms, the host is also known as the Initiator because it starts, or initiates, a sequence of events that usually results in some form of data transfer. The SCSI device used for data transfer is known as a Target, and it responds only when it is addressed. In most cases the Target is a SCSI-compatible hard-

drive controller, but this isn't always the case. There are many other SCSI-compatible devices, such as streaming tape drives, CD-ROM drives, laser printers and even video-digitizing equipment. I will be discussing hard drives only. We won't look at systems with more than one host. That would require learning about bus arbitration and its supporting hardware, which is




Figure 1: SCSI Connector Pinouts

beyond what I want to accomplish here. Besides, most CoCoists use only one computer at a time.

A typical system starts with a computer. Connected to the computer's I/O bus is a SCSI host adapter, which has two sections. The first section is the hardware interface connected to the computer. The second section is the SCSI interface connected to other SCSI devices. This is the SCSI bus. Connected to the other end of the SCSI bus is the controller. A SCSI controller also has two sections. The first section of the controller is connected to the SCSI bus. The second section is connected to a hard drive or other device.

At this point I need to explain a few things and clear up some confusion. SCSI is a data-transfer protocol - a method whereby data is transferred from one device to another. FM, MFM, NRZ and RLL (which stand for Frequency Modulation, Modified Frequency Modulation, Non-Return to Zero and Run Length Limited, respectively) are techniques used to actually record the data onto magnetic media. I often hear people ask, "Do you have a SCSI drive or an RLL drive?" One has nothing to

do with the other. You may have both or neither, depending on your system. So remember: FM, MFM, NRZ and RLL are recording methods while ST-506, ST-412, SASI, SCSI, IDE and ESDI are data-transfer protocols. Usually you need one of each. For more information on recording methods and protocols, see "A Hard Drive for Your CoCo" (March 1989, Page 44) by Marty Goodman.

TANADAN TANADAN TANADAN

The SCSI Bus

The SCSI protocol is defined by a finite set of parameters. One of these parameters is the cable through which the data is transferred. The SCSI protocol uses 50-pin cable with a maximum length of six meters, or about 19 feet. This cable must be terminated at each end with a 220- or 330-ohm resistor array. Up to eight separate devices can be connected to this cable at one time, each using one of eight bits as a device ID. Figure 1 shows the pin-out for a SCSI cable.

Note that all the odd-numbered pins (except Pin 25, which is not connected) are signal ground. This separates every signal pin from its adjacent neighbor and provides a good ground plane. Pins 20, 22, 24, 28, 30 and 34 are unused and are also connected to the signal ground.

The even-numbered pins from 2 to 16 are used for the eight-bit bidirectional data bus (*DB0 to *DB7) that transfers all data and commands between the Host and the Target. These pins are also used to select one of the eight devices during the select phase. Pin 18 is used for parity (*DBP). When the parity option is enabled, this pin is used to generate or receive a parity bit, which is used to verify that the data transferred is valid with no transmission errors.

Pin 26 is labeled TERMPWR and is used to send power (4 to 5.25 volts) to the

MV Systems and ColorSystems have teamed up ...

WP Shel

A Multi-Vue style environment for access to any OS9 text editor, text formatter, & spelling checker (that you supply). Create a word procassing system with your favorite "pleces." Req. Color Computer 3 wt256k, disk drive, OS-9 Levê 2, & Windint module (avail. wt/Multi-Vue). Only \$20.95!

Variations of Solitaire.

FIVE solitaire games! Inci: Pyramid, Klondike, Spider, Poker, & Canfield. All games include color graphics, & mouse support! Req. Color Computer 3 WISSER, disk drive, OS-9 Level 2, & mouse five properties. mouse/joystick. Color mo recommended. Fantastic! \$32.95!

OS9 Level 2 Game Pack,

Five FUN Coco gamest Includes: Sea Battle, Minefield, KnightsBridge, CoCothello (Monochrome monitor) support included), & CoCOYahtzee (Req. 80 column monitor). Includes color graphics & mouse support! Req. a Color Computer 3 w/256k, disk drive, & OS9 Level 2. Color monitor OS9 Level 2. Color monitor recommended. Wow! \$32.95!

MV Banner,

A Multi-Vue style banner generator with two fonts, three char. sizes, twenty seven images, & image editor! Req. Color Computer 3 w/256k, OS9 Level 2, disk drive, Multi-Vue, 80 col. monitor, & mouse/joystick. Incredible! \$18.95!

DeskTamer,

A point & click desk top companion for OS9 & Multi-Vue! Certain to help you stay organized, DeskTamer includes: a card file, note pad, phone directory/dialer & appointment calendar! directory/dialer & appointment calendar! Written by Ted Jaeger, DeskTamer is supplied in compact Basic09 I-Code format. DeskTamer is fully compatible with Multi-Vue. Req. Color Computer 3 w/512K, disk drive, & OS9 Level 2. Additionally a modern is required to use the telephone dialer. Compatible with both the RS and Disto RS232 paks. Just \$34 95

More great values ...

High Finance. Simply the best financial analysis tool for the CoCol Req. Color Computer 3 w128k (256x or more recommended), clisk drive, mousefjoystick, & OS-9 Level 2 wWiMindint module (avail. wMwItti-Vue). Multi-Vue recommended. \$24.95.

OS9 Calendar Utilities. Create, view, and maintain Gcal compatible calendar files quickly and easily! Recolor Conputer 3 w1728k, disk drive, & OS-9 Level 2. Multi-Vue optional. Still

OS9 Budget System. More than just a budget program, allows you to track and analyze your financial transactions and prepare useful reports to fit your financial needs. Runs in text or graphics screens. Req. Tandy Color Computer 3 wt256k disk drive, & OS-9 Level 2. Multi-Vue optional. \$21.95!

Send for free catalog!

Free Program Offer! Orders received prior to 1/1/92 will receive a free OS9 text file view/scroll utility! Our Christmas present to you!

Software Developers: We need quality OS-9/OSK software to market. MV Systems is actively involved in helping software developers (like you) bring their products to market. We can help you market your product effectively! So, if you have written (or are writing) software you would like to market, contact us for details.

All products carry the Rainbow Certification Seal. VISA and MasterCard orders accepted. Please add \$2.50 (U.S.) or \$5.00 (foreign) for shipping and handling to all orders. Colorado residents please add 3% sales tax.

MV Systems P.O. Box 818 Arvada, CO 80001

(303) 420-7777

... and you're the winner!!!

器 業 * * WINTER SOLSTICE CELEBRATIONS

Yule be glad you read this ad when you see the savings we have in store for you this season.

added ! গি 0 ា

SOLITAIRE CARD GAMES

All three play on 128K CoCo3, with joystick and disk.

NEW! DuoDeck: Double Deck Solitaires. Play Sly Fox or Windmill - both games of skill. \$19.95 La Belle Lucie: A true game of skill. \$14.95

Classic Solitaire: Klondike, Canfield and Pyramid on one disk for just \$14.95

BUY DUODECK FOR THE INTROPRICE OF \$15.00 OR BUY ALL THREE FOR JUST \$40.00

GEMS: Play Columns on your Coco! Fit colors together tic-tac-toe fashion as they slide down your screen. Stereo sound effects. 128K \$24.95

SOVIET BLOC: Super Tetris-style game. \$19.95

SPECIAL!!! **BOTH FOR \$39.00**

ARCADE

Crystal City \$34.95 Zenix

OS9/LII (512K)

Tazman \$24.95 \$29.95 Kyum-Gai (To Be Ninja) \$29.95

FAMILY SPECIAL

Deception Path (CoCo3 Disk) \$19.95 Armchair Admiral (CoCo3 Disk) \$14.95 Games Pack (CoCo3/CoCo2 Disk) \$10.00 SAVE!! BUY ALL THREE FOR JUST \$38.00

Software submissions invited

Checks, Money Orders, MasterCard & Visa \$2.50 S&H COD \$2.00 extra. WA addresses add 8.2% sales tax.

Eversoft Games, Ltd P.O. Box 3354 Arlington, WA 98223

(206) 653-5263 30 day money back guarantee

terminating resistors. This pin is used to establish signal termination even while the devices are turned off.

The Attention pin (*ATN, Pin 32) carries an active-low signal that is used by the Host to signal any device that it has a message waiting. This signal can be started at any time except during the arbitration or bus-free phases.



The even-numbered pins from 36 to 50 also carry active-low signals, as indicated by the asterisks preceding their designations. Their functions are as follows:

Pin 36—*BSY: The Busy pin; an "ORtied" signal indicating the bus is in use. This signal stays active throughout the entire function cycle.

Pin 38 — *ACK: The Acknowledge pin; a double-edged signal that is driven by the Host as part of the Request/Acknowledge (REQ/ACK) handshaking method of data transfer.

Pin 40 — *RST: The Reset pin; an "OR-tied" signal used to terminate any and all functions and to restore the bus to its idle state.

Pin 42 — *MSG: The Message pin; used by the Host to tell the Target that a message phase has begun.

Pin 44—*SEL: The Select pin; used by the Host to select a Target. This pin is used along with one of the eight data lines to activate one of eight possible devices.

Pin 46 — *C/D: The Command/Data pin; is driven by the Target and indicates whether Control or Data information is present on the data bus. A Low signal indicates Control information.

Pin 48 — *REQ: The Request pin; a double-edged signal driven by the Target to

indicate a request for a REQ/ACK data-transfer handshake.

Pin 50 — *I/O: The Input/Output pin; driven by the Target. This signal controls the direction of data flow through the data bus. A Low indicates input to the Target.

SCSI Phases

The SCSI architecture uses eight phases, and the bus can never be in more than one phase at any given time. These phases are

- Bus free
- Arbitration
- Selection
- Reselection
- Command
- Data
- Status
- Message

As its name implies, the SCSI system is in the first phase, bus-free, during periods of inactivity on the bus. Both the *SEL and *BSY signals are False (either deselected or inactive).

The arbitration phase occurs when more than one Host "fights" to see who will get to use the bus next. (Since we are dealing with only one Host, there is no need to fight.) After the dust settles, and a winner emerges, the next phase is device selection. In our case, since there is only one Host, the only test needed before going into the selection phase is to see that both *SEL and *BSY are false.

The selection phase allows the Initiator (Host) to select a Target for the purpose of initiating a function (e.g., a Read or Write command). In a single-host system, the Initiator (that's the CoCo) must output the desired Target's SCSI ID on the data bus and assert *SEL.

The next phase, reselection, can be skipped since it works in conjunction with the arbitration phase. In a single Initiator system, no arbitration or reselection phases are needed. After the selection phase is complete, the addressed Target responds by asserting the *BSY signal. At this point, the SCSI bus reaches the information-transfer phases.

The command, data and message phases are grouped together as information-transfer phases because they all use the data bus to transfer information. The *C/D, *I/O and *MSG signals are used to distinguish between the different information-transfer phases. The Target outputs these three signals and therefore controls all changes from one phase to the next. All information-transfer phases require the use of the data bus. All data on the bus, regardless of phase of the bus, is transferred by the same method. This method is the REQ/ACK handshake.

In a normal sequence of events, the first information-transfer phase is the command phase. The command phase allows the Target to request command information from the Initiator. The Initiator must then transmit a command. A SCSI command consists of six or more bytes, depending on to which group the command belongs. The most often used commands, such as read and write, require six bytes. Other commands may require as many as 12 bytes.

After the command phase is complete, the Target executes the given command. If the command requires data to be transferred, the Target changes the current phase to a data phase. This phase can be a data-in phase or a data-out phase, depending on the type of command issued. At this point all necessary data is transferred via the data bus. The Target determines when all data has been transferred and changes from the data phase to the status phase.

The status phase allows the Target to request status information be sent to the Initiator. The Initiator must then recognize the status phase and read the status information. This phase is used to detect an error. If for any reason a function is not completed normally, the status byte indicates a check condition. It is up to the Host to determine what went wrong.

Upon completion of the status phase, the Target goes into the final phase, the message phase. The message phase allows the Target to request a single message to be sent to the Initiator. After the Initiator reads the message data, the Target considers the function finished and releases all control lines, including the *BSY line. At this point, the operation can start again.

WWW WWWW WWW

At any time, the Initiator may inform a Target that it has a message ready by asserting the *ATN signal. The Target may respond with the message phase.

To recap the complete operation described above, let's follow an example. The Host (your CoCo) initiates a read-sector command. The sequence of events is as follows: The Initiator checks that the bus is free, then selects the drive. The Target drive responds by asking for a command. The command is transferred, followed by the data the CoCo requested. The Initiator reads data until the Target changes the phase to the status phase. The Initiator reads the status bytes, then reads the message byte. It then frees the bus for the next function.

By now you should have a basic understanding of how the SCSI protocol works. Next time, I will continue by discussing timing and commands used for the SCSI protocol.

Novices Niche



Christmas Home by Danny and Peggy Eary

16K Extended

Sitting around the house, watching the snow fall, gave us the idea for this program. Enter the program and run it, and let the Color Computer join your holiday festivities. We were fairly new to the CoCo when we wrote this, but we found it very easy to create. It should not be too difficult to modify for your personal use. If we can do it, you can, too.

The Listing: XMASHOME

```
'CHRISTMAS HOME
 'BY DANNY AND PEGGY EARY
3
  'COPYRIGHT (C) DECEMBER 1991
4 'BY FALSOFT, INC.
  'RAINBOW MAGAZINE
10 PMODE 1,1:PCLS
15 SCREEN1, Ø
20 PCLS 3
25 COLOR 1,0
3Ø CIRCLE(200,25),5
40 LINE(100,185)-(180,125), PSET,
45 LINE-(140,90), PSET
50 LINE-(100,125), PSET
55 PAINT(135,115),4,1
60 LINE(110.160)-(125.130).PSET.
65 LINE(155,160)-(170,130), PSET,
70 PSET(134,157,1)
75 PAINT(120,180),0,1
76 LINE(130,130)-(149,185).PSET.
77 LINE (160,105)-(160,90), PSET
 'CHIMNEY
78 LINE- (175,90), PSET 'CHIMNEY
79 LINE- (175,115), PSET 'CHIMNE
    'SMOKE STARTS HERE
81 X-167:Y-89 'CIRCLE CENTERPOI
85 SP-0:EP-0: 'C-IRCLE START AND
 END POINT
90 FOR R-1 TO 50 STEP 3
100 CIRCLE(X+R, Y-R), R, 4, 1, SP, EP
 'SMOKE
105 NEXT R
120 LINE(101,135)-(41,185), PSET,
130 LINE(91,140)-(51,185), PSET, B
140 PAINT(55,138),0,1
145 PAINT(89,183),4,1
150 FOR X-1 TO 500:NEXT X
160 PAINT (89,183),2,1
```

```
170 FOR X-1 TO 500:NEXT X
171 PAINT(89,155),4,1
172 CIRCLE (200,40),30,,1,.13,.6
173 CIRCLE(230,10),52,,1,.29,.48
174 PAINT(89,155),4,1
176 CIRCLE (20,20),5
196
    Y=RND (192)-1
197 C=RND (9)-1
198 PSET (X,Y,C)
199 CIRCLE (117,150),4,2
200 CIRCLE (155,180),4,1
201 CIRCLE(175,180),4,1
202 CIRCLE (165,180),4,1
203 CIRCLE(163,150),4,2
204 CIRCLE (125,180),4,1
205 CIRCLE (115,180),4,1
206 CIRCLE(105,180),4,1
207 CIRCLE (140,110),15,2
208 CIRCLE (60,50),4,1
209 CIRCLE (230,55),4,1
210 CIRCLE(115,40),4,1
211 CIRCLE (150,20),4,1
212 CIRCLE (139,145),9
213 X=RND (300)-1
214 Y=RND (192)-1
215 C-RND(9)-1
216 PSET (X,Y,C)
217 CIRCLE (70,160),12
218 CIRCLE (140,85),4,2
219 CIRCLE (200,180),4,1
220 CIRCLE (210,180),4,1
221 CIRCLE(220, 180), 4,1
222 CIRCLE (230,180),4,1
223 CIRCLE (205,170),4,1
224 CIRCLE (215,170),4,1
225 CIRCLE (225,170),4,1
226 CIRCLE(211,160),4,1
227 CIRCLE (220,160),4,1
228 CIRCLE (215,150),4,1
```

Poke Text by Keiran Kenny

300 GOTO 213

229 CIRCLE (70,165),4,2

230 CIRCLE (140,110),4,6

16K Standard

As most CoCo users know, one way to get text on the screen is by using BASIC's PRINT command. Less known, though, is a method of poking text directly to the screen.

Memory locations 1024 through 1535 are the character locations for the 32-column screen. By poking the ASCII values of characters into these locations, we can tell the CoCo to print text on the screen.

POKETEXT is designed to provide an onscreen tutorial for using the POKE command in this manner. Enter the listing, run it and learn. Alternatively, read the listing and start using this method in your programs right away. One note on using direct-poked text, however: Programs that use this technique will not work properly on the CoCo 3's 40- and 80-column screens. Keep this in mind when writing your own programs.

The Listing: POKETEXT

```
1 'POKE TEXT
2 'BY KEIRAN KENNY
3 'COPYRIGHT (C) DECEMBER 1991
4 'BY FALSOFT, INC.
5 'RAINBOW MAGAZINE
10 POKE65494,0:CLS0:GOTO60
20 FORX=1TO LEN(A$):AA$=MID$(A$,
X.1)
30 IFAA$>CHR$(31)ANDAA$<"@"THENA
-ASC(AA$):GOTO50
40 A=ASC(AA$)-64
50 POKEPP, A:PP=PP+1:NEXT:RETURN
60 PP=1032:A$="<<<POKETEXT>>>":G
OSUB20
70 PP=1088:A$="BY KEIRAN KENNY.
THE HAGUE, 1986":GOSUB20
80 A$="***INSTRUCTIONS***": PP=11
67-INT(LEN(A$)/2):GOSUB2Ø
90 PP=1216:A$="1) THE POKE POSIT
ION (PP) IS THEPRINT@ POSITION +
1024":GOSUB20
100 PP=1312:A$-"2) PUT TEXT IN A
 STRING LABELLEDA$. ENCLOSE IT I
                GOSUB20": GOSUB20
N QUOTES AND
110 PP=1440:A$="3) USE THE SPACE
BAR TO FILL OUT LINES FOR A NEAT
DISPLAY": GOSUB20
120 A$-"PRESS ANY KEY.":PP-1519-
INT(LEN(A$)/2):GOSUB20
130 EXEC44539:CLSØ
140 PP=1024:A$="4) TO CENTER TEX
T EASILY FOLLOW THE EXAMPLES IN
LINES 80 & 120.":GOSUB20
150 PP=1120:A$="5) YOU CAN ALSO
PRINT LOWER CASELETTERS ON A BLA
CK (CLSØ) SCREENBUT YOU CANNOT P
RINT NUMBERS OR PUNCTUATION AND
MATH SIGNS LIKE THESE: 123456789
Ø#$%&'()*:=-+;?/>.<,[]\!";GOSUB2
160 PP=1344:A$="6) TO USE THE DO
UBLE QUOTE AS IN": GOSUB20: POKE13
76,34:PP=1377:A$="TITLE":GOSUB20
:POKE1382,34:PP=1384:A$="SEE LIN
E 180.":GOSUB20
170 A$="PRESS ANY KEY.":PP=1455-
INT(LEN(A$)/2):GOSUB20:EXEC44539
```

:CLSØ

180 PP=1088:A\$="I HOPE YOU WILL FIND 'POKETEXT' EASY TO USE IN Y OUR PROGRAMS. IT'S UP TO YOU N OW TO EXPERIMENTWITH IT AND USE IT FOR ATTRAC- TIVE TITLE SCREE NS OR WHATEVER YOU LIKE TO USE IT FOR.":GOSUB20 190 A\$="TO END PROGRAM PRESS ANY KEY.":PP=1327-INT(LEN(A\$)/2):GO SUB20:EXEC44539:POKE65494,0:CLS:END 200 GOTO200

Disk Table by Steve Ricketts

16K Disk

If you fiddle with disk utilities, especially disk editors, you no doubt tire of having to flip back and forth between decimal and hexadecimal values. I have done this for years and finally decided there was a better way. So I wrote *Disk Table*.

Disk Table lists to your printer a reference chart showing tracks 0 through 39 and their respective granule allocations for a disk. The output provides both decimal and Hex values. With this reference at your side, you won't have to make the conversion yourself anymore.

To fit the entire table on one page I used my Epson printer's condensed mode (15 characters per inch, 8 lines per inch). You may have to edit Line 10 to insert the code your printer requires to use condensed print. Also, if your printer is set up to use a different baud than the CoCo's default of 600, either poke location 150 with the appropriate value before running the program, or add such a line to the program itself.

The Listing: DISKTABL

```
Ø 'DISK TABLE
  'Written by Steve Ricketts
  'Copyright (C) December 1991
  'by Falsoft, Inc.
  'Rainbow Magazine
  'This program will print out
   a reference table which can
   be used to easier mess with
   disk utilities, saving the
  'hassle of converting hex to
   decimal and decimal to hex.
8
9
10 PRINT#-2, CHR$(27); CHR$(15)
   'Above is Epson code for
    condensed print. Replace
    with the code for your
    individual printer
20 PRINT#-2,"Track DEC/HEX Secto
             Gran DEC/HEX"
r DEC/HEX
30 PRINT#-2, STRING$ (44,"-"): PRIN
```

T#-2,"";

40 FOR T=0 TO 39

50 IF T=17 THEN NEXTT

60 PRINT#-2,"Track ";RIGHT\$(STR\$(T),2);" / ";:T\$="0"+HEX\$(T):PRI
NT#-2,RIGHT\$(T\$,2);:T\$="":PRINT#-2," Sector 1";"/01","Gran ";RI
GHT\$(STR\$(G),2);" / ";:G\$="0"+HE
X\$(G):PRINT#-2,RIGHT\$(G\$,2):G\$="
":G=G+1

70 PRINT#-2,"Track ";RIGHT\$(STR\$(T),2);" / ";:T\$="0"+HEX\$(T):PRI
NT#-2,RIGHT\$(T\$,2);:T\$="":PRINT#-2," Sector 10";"/0A","Gran ";RI
GHT\$(STR\$(G),2);" / ";:G\$="0"+HE
X\$(G):PRINT#-2,RIGHT\$(G\$,2):G\$="
":G=G+1

80 NEXTT

DeSpace, DeSpace by John Musumeci

32K Disk

When writing BASIC programs, most people use spaces liberally. Sometimes, though, these extra spaces take up memory the program could use. *DeSpace* is a small utility that allows you to remove unnecessary spaces from your BASIC programs. It does not remove the necessary spaces from text statements such as PRINT and INPUT, though.

To use *DeSpace*, first save your program in ASCII (using the ,A option). Then run DESPACE, enter the name of your program at the prompt, and your program is rewritten to disk without the extra spaces.

The Listing: DESPACE

```
'DESPACE
  'WRITTEN BY JOHN MUSUMECI
  'COPYRIGHT (C) DECEMBER 1991
3 'BY FALSOFT, INC.
 'RAINBOW MAGAZINE
10 CLEAR9000:M=200:DIMA$(M),C$(M
):CLS
20 PRINT@70."NAME OF PROGRAM TO
BE":PRINT@100, "MODIFIED";:SOUND2
00,1
30 INPUTD$:D$=D$+"/BAS"
35 PRINTD$
40 CLS:PRINT@73,"L I S T I N G"
50 OPEN"I",#1,D$:A=0
60 IFEOF(1)=-1 THEN100
7Ø LINEINPUT#1,A$(A):PRINTA$(A)
80 FOR X= 1 TO 250:NEXT X:A=A+1
9Ø G0T06Ø
100 CLOSE#1:A-A-1
125 CLS:PRINT"MODIFIED PROGRAM L
ISTING": PRINT: PRINT
130 FOR I=0 TO A:C$(I)="":S-0
140 L=LEN(A$(I))
150 FOR B-1 TO L
160 B$=MID$(A$(I),B,1)
170 IF B$-CHR$(32) AND S-0 THEN
S=1:G0T0190
```

```
18Ø IF B$=CHR$(32) THEN NEXT B
190 C$(I)-C$(I)+B$
195
   IF B$=CHR$(34) THEN 510
197 IF B$=CHR$(39) THEN 550
200 NEXT B
205 PRINTC$(I)
210 NEXT I
300 OPEN "O",#1,D$
310 FOR I=0 TO A
320 PRINT#1,C$(I)
330 NEXT I
340 CLOSE #1
500 CLS:PRINT"COMPLETED":SOUND20
Ø,1:END
510 B=B+1:FOR BB=B TO L:B$=MID$(
A$(I),BB,1):C$(I)=C$(I)+B$
520 IF BB=L THEN B=BB:GOTO205
530 IF B$<>CHR$(34) THEN NEXT BB
540 IF B$=CHR$(34) THEN B=BB:GOT
0 200
550 B=B+1:FOR BB=B TO L:B$=MID$(
A$(I),BB,1):C$(I)=C$(I)+B$:NEXT
BB
56Ø GOTO 2Ø5
```

Screen Selector by Jim Knoppow

CoCo 3

When programming, I often need to determine a good set of colors and other values to make my programs look good. I wrote SCREENS to help with this chore. When you run the program, you can adjust the foreground, background and border colors, and the shape and blink rate of the cursor for the 40- and 80-column text screens. When you are satisifed, choose the menu option to see the current settings, then poke those values in your own program as directed.

The Listing: SCREEN

```
'SCREEN SETUP UTILITY
  'WRITTEN BY JIM KNOPPOW
  'COPYRIGHT (C) DECEMBER 1991
3
 'BY FALSOFT, INC.
5 'RAINBOW MAGAZINE
10 0=126:CLS:PRINT@134, "SCREEN D
EFRUSTRATOR": PRINT@168. "BY JIM K
NOPPOW": PRINT@229, "PRESS BREAK T
O RETURN TO":PRINT@263,"MENU AT ANY TIME":FOR X=1T0900:NEXT:CLS:
ON BRK GOTO2Ø
20 WIDTH32:CLS:PRINT@14,"MENU":P
RINT@66,"1. STOP CURSOR BLINK":P
RINT@98,"2. CURSOR BLINK RATE":P
RINT@130,"3. SCREEN COLORS":PRIN
T@162,"4. CURSOR TYPE":PRINT@194
 "5. BORDER COLOR":PRINT@226,"6.
SEE VALUES CHOSEN": PRINT@258,"7
 ORIGINAL SCREEN
30 G=VAL(INKEY$): IFG>7 OR G<1 TH
EN 30 ELSE ON G GOSUB 50,60,70,8
0,90,100,110
4Ø GOT02Ø
5Ø WIDTH4Ø: POKE&HF77F, &H12: PRINT
"POKE &HF77F, &H12. DEFAULT VALU
E= 7": PRINT"PRESS ANY KEY TO RE
```

TURN": EXEC44539: RETURN 60 WIDTH40: POKE&HF77F,7: INPUT"FE ED ME A NUMBER FROM 1 TO 255";S: POKE&HF78C, S:LINE INPUT"HIT ENTE R TO RETURN": D\$: RETURN 70 WIDTH40:CLS:FORX-0T0255:POKE& HFEØ8, X:CLS:PRINT"TESTING POKE & HFEØ8, ";X;" DEFAULT=Ø":PRINT"HI T ENTER": EXEC44539: NEXT: RETURN 80 WIDTH40:CLS:FORX-0T0255:POKE& HF7A3, X:CLS:PRINT"TESTING POKE&H F7A3,";X;" DEFAULT=64":INPUT"PRE SS ENTER"; D\$: NEXT: RETURN 90 WIDTH40:CLS:FORX=0T063:POKE&H FF9A, X:0-X:CLS:PRINT"TESTING POK E &HFF9A,";X;" DEFAULTS ALWAYS T O 126 WHEN CHANGING WIDTH": PRINT "WORKS ONLY WHILE RUNNING PROGRA MS":INPUT"PRESS ENTER"; D\$:NEXT:R 100 WIDTH40:CLS:H=PEEK(&HF78C):I -PEEK(&HFEØ8):J-PEEK(&HF7A3):PRI NT"BLINK F78C=";H:PRINT"SCREEN FEØ8=":I:PRINT"CURSOR F7A3=":J:P

RINT"BORDER FF9A=";0:PRINT"QUIT PROGRAM": INPUT"TYPE <Y>ES OR <N> 0"; X\$: IF X\$="Y" OR X\$="N"GOTO120 ELSEGOT0100

110 WIDTH40:POKE&HF77F,7:POKE&HF 78C.11:POKE&HFEØ8.Ø:POKE&HFF9A,1 26:POKE&HF7A3,64:RETURN
120 IF X\$-"Y" THEN END ELSE RETU

Check Disk by Mark Page

CoCo 3 Disk

I wrote CHKDSK as a mock-up of the MS-DOS utility of the same name. This program reads the directory track and tells you the total number of bytes used by each entry, the number of bytes used for system controls and the directory, and also the number of free bytes remaining on the disk.

The program is written in such a way as to work with 35-, 40- and 80-track disks. However, because Disk BASIC does not set the granule allocation table (GAT)

until a file is saved, CHKDSK returns erroneous readings on newly formatted disks. The program also sets the pokes for double-sided drives - if your drives can handle this, CHKDSK reads sides 0, 1, 2 and 3. Finally, the program sets the drives for a step rate of 6 milliseconds.

CHKDSK runs on any text screen, but it was designed for the 32-column screen. You can alter the values in Line 200 to set the screen pause for 40- and 80-column screens. The printer speed is set to 4800 baud in Line 20, but since the CPU is set to double speed with the high-speed poke, the effective printer speed is 9600 baud. Change the value poked into Location 150 in Line 20 to 41 for 2400 baud or 180 for 600 baud. Make sure you slow the CPU by entering POKE 65496,0 before saving the program to disk.

The Listing: CHKDSK

- 1 'CHKDSK UTILITY
- 'WRITTEN BY MARK PAGE
- 3 'COPYRIGHT (C) DECEMBER 1991
- 4 'BY FALSOFT, INC.
- 5 'RAINBOW MAGAZINE
- *********
- 10 POKE&HD89F,65:POKE&HD8A0,66:P

OKE&HD7CØ.Ø:POKE&HD816.2Ø 20 POKE150.7:POKE65497.0:CLS:CLE

AR2500:DIML\$(78),GR(78),BT(78):P RINT"CHECK DISK ON WHICH DRIVE ?

"::EXEC44539:D=VAL(INKEY\$):PRIN TD: IFD>3THEN2ØELSEPRINT: PRINT"DO

YOU WANT A PRINT-OUT ? ";: EXEC4 4539:PO\$=INKEY\$:PRINTPO\$

30 PRINT: PRINT" CHECKING DISK ON DRIVE":D"...

40 POKE65496,0:DSKI\$ D,17,2,AA\$,

BB\$: POKE65497,Ø 50 FOR QQ=1T0128:LE\$-MID\$(AA\$,QQ

,1):IFLE\$-CHR\$(Ø)THEN6ØELSENEXTQ 60 GS=QQ-1:FORCG=1TOGS:IFMID\$(AA

\$,CG,1)=CHR\$(255)THEN8ØELSE7Ø

70 NEXTCG:GOTO90 8Ø GR=GR+1:G0T07Ø

90 DF=0:FORX=3T011 100 POKE65496,0:DSKI\$ D,17,X,CC\$

.DD\$:POKE65497.Ø 11Ø FORK=1T0128STEP32:G0SUB12Ø:N

EXTK:CC\$=DD\$:FORK=1T0128STEP32:G OSUB120: NEXTK, X: GOTO270

120 SB\$=MID\$(CC\$,K,16):AC=ASC(MI D\$(SB\$,13,1)):IFAC=ØTHENII\$="B"E LSEII\$="A"

130 I\$-LEFT\$(SB\$,1):IFASC(I\$)=0T HENRETURNELSEIFASC(I\$)=255THEN20 ØELSEDF=DF+1

10 Disks of **Awards** Certificates Licenses and Diplomas for Just \$29.95

Just \$3 per disk!

BOWLING AWARD

mented by the members o FRED WATSON or having bowled a perfect se during the Eastdale Fall 1998 Championship Games

Fred Souther

First Prize™ features an extensive collection of templates with superbly crafted art and titles. After selecting a template, you choose a border, fill in the date and signature lines, and type in whatever you want to say in the main text area. Categories include business, education, family, general, home, humor, religion, and sports. First Prize includes nine template disks, program disk, labeled disk-storage box, 32 Page User's Manual, and 64 page Template Directory. Program requires a mouse or joystick, 64K CoCo

II or 3, disk drive and compatible printer. Printer support is similar to our CGDP, but please specify your printer(s) when ordering. US orders add \$3 S&H, Canada \$4. UPS COD (cash) add \$4 more. VISA/MC Accepted. PA residents add sales tax.

Mail orders are preferred, but you can leave orders on the Zebra phone answering machine.

Zebra Systems, Inc., 121 S. Burrowes Street, State College, PA 16801, (814) 237-2652

140 Y=ASC(MID\$(SB\$,14,1))+1 150 GR(DF)=GR(DF)+1:Z=ASC(MID\$(A A\$,Y,1)): IFZ<78THENY=Z+1:GOTO150 ELSEIFZ>192THENGOSUB160:GOTO170 160 BE=Z-192:BT(DF)=BE*256:RETUR 170 L\$(DF)=LEFT\$(SB\$,8)+"."+MID\$ (SB\$,9,3)+STR\$(ASC(MID\$(SB\$,12.1)))+" "+II\$+STR\$(GR(DF))+STR\$(((GR(DF)-1)*2304)+BT(DF)):TG=TG+(((GR(DF)-1)*23Ø4)+BT(DF)) 18Ø TT-TT+GR(DF) 190 RETURN 200 CLS:PRINT"DIRECTORY OF DRIVE ":D:PRINT:IFPO\$<>"Y"THEN21ØELSEI FPEEK(65314)<>4THEN21ØELSEPRINT# -2," Directory of Drive"; D: PRIN T#-2 210 FORHM=1TODF:CL=CL+1:IFCL>13T HENGOSUB23ØELSEPRINT" ";L\$(HM):I FPO\$<>"Y"THEN22@ELSEIFPEEK(65314)<>4THEN22@ELSEPRINT#-2, TAB(10); L\$(HM) 220 NEXTHM:GOSUB230:GOTO240 230 PRINT: PRINT" STRIKE ANY KEY. :EXEC44539:CL=Ø:PRINT:RETURN 240 GF=GR:IFPO\$<>"Y"THEN270ELSEI FPEEK(65314)<>4THEN270 250 PRINT#-2:PRINT#-2,(GS+2)*230 4; "Bytes total disk space in"; GS +2; "clusters": PRINT#-2, TG; "Bytes in";DF;"user files in";GS-GR;"c lusters":PRINT#-2,((GS+2)-GF)*23 Ø4-TG; "Bytes in Directory and co ntrol data" 260 PRINT#-2, GF*2304; "Bytes free in"; GF; "clusters"; CHR\$(12) 270 GF=GR:PRINT:PRINT(GS+2)*2304 "BYTES TOTAL DISK SPACE":PRINT" IN"; GS+2; "CLUSTERS": PRINT: PRINT TG; "BYTES IN"; DF; "USER FILES": PR INT" IN"; (GS-GR)-HF; "CLUSTERS" 28Ø PRINT: PRINT((GS+2)-GF)*2304-TG; "BYTES IN DIRECTORY": PRINT" A ND CONTROL DATA": PRINT: PRINTGF*2 304; "BYTES FREE": PRINT" IN"; GF; " CLUSTERS" 290 CL=0:PRINT:PRINT" R)eview Q)uit": EXEC44539: KY D)rive \$=INKEY\$:IFKY\$="R"THENPO\$="N":GO TO200ELSEIFKY\$="D"THENRUNELSEIFK Y\$-"Q"THEN3ØØELSE29Ø 300 POKE65496.0:WIDTH32:RGB:CLS:

Photo Database by David Polonsky

16K Disk

EXEC&HC000

Camera is a miniature database photographers can use to store information on disk about the shots they take. Simply run the program and follow the prompts. You are given options to Store data, Retrieve data or Quit the program. When retrieving data, enter the appropriate photo number. When you are finished, enter -1 to return to the menu.

As written, *Camera* stores the date, location, lens setting, camera and exposure setting for 36 entries. The file used to hold the data is named PHOTO.DAT. For

this reason, you can store information for only one 36-exposure roll of film on any one disk. Try your hand at BASIC, and include a routine that allows you to store multiple rolls on one disk, perhaps by appending a roll number to the filename.

The Listing: CAMERA

'CAMERA -- PHOTO DATABASE 'BY DAVID POLONSKY 'COPYRIGHT (C) DECEMBER 1991 'BY FALSOFT, INC. 'RAINBOW MAGAZINE 10 CLS:PRINT:PRINT 20 PRINT"STORE DATA, RETRIEVE DA TA OR": PRINT"QUIT PROGRAM?": PRIN T:INPUT "S, R OR Q => ";A\$
30 IF A\$="S" THEN 100 ELSE IF A\$ ="R" THEN 200 ELSE IF A\$="Q" THE N END ELSE GOTO 10 99 END 100 REM store data 110 GOSUB 300:GOTO 120 120 ST=1 13Ø PRINT 140 PRINT "photo #"ST 150 PRINT: LINE INPUT"DATE (MM/DD /YY):";DD\$:LINE INPUT"PLACE:";PP \$:LINE INPUT"LENS:":LL\$:LINE INP UT"CAMERA:"; CC\$:LINE INPUT"EXPOS URE:"; EE\$ 160 LSET D\$=DD\$:LSET P\$=PP\$:LSET L\$=LL\$:LSET C\$=CC\$:LSET E\$=EE\$ 170 PUT #1,ST:ST=ST+1:IF ST<=36 THEN 130 ELSE CLOSE #1:GOTO10 200 REM retrieve data 210 CLS:GOSUB 300 220 PRINT: INPUT"PHOTO #":ST 225 IF ST=-1 THEN CLOSE #1:GOTO1 230 GET #1,ST:PRINT:PRINT"DATE:" ;D\$:PRINT"PLACE:";P\$:PRINT"LENS: ;L\$:PRINT"CAMERA:";C\$:PRINT"EXP OSURE: ": E\$ 24Ø PRINT:GOTO22Ø 300 CLS:OPEN"D",#1,"PHOTO/DAT",5 8:FIELD #1,8 AS D\$,20 AS P\$,10 A

By the Numbers by Bill Bernico

CoCo 3

Numbers is a nifty little subroutine that converts numeric input (without decimal points) into its written equivalent. Run it a few times to get the idea, then incorporate it into your BASIC programs. While the version printed here is intended for the CoCo 3, it shouldn't be too difficult to convert the routine for use with the CoCo 1 or 2.

S L\$,10 AS C\$,10 AS E\$:RETURN

The Listing: NUMBERS

1 'NUMBER SPELLER 2 'BY BILL BERNICO

3 'COPYRIGHT (C) DECEMBER 1991

4 'BY FALSOFT, INC. 5 'RAINBOW MAGAZINE

10 'THIS PROGRAM WILL SPELL OUT YOUR NUMBERED AMOUNTS WITH WORDS REPRESENTING THOSE AMOUNTS...JUST LIKE WRITING OUT THE AMOUNT ON A CHECK

2Ø GOT017Ø 30 P\$="": IF N<=20 THEN P\$=NU\$(N) : RETURN 40 TV=10000000000:GOSUB 90:IF Z\$< >"" THEN P\$=P\$+Z\$+"BILLION " 50 TV=10000000:GOSUB 90:IF Z\$<>"" THEN P\$=P\$+Z\$+"MILLION " 60 TV=1000:GOSUB 90:IF Z\$<>"" TH EN P\$=P\$+Z\$+"THOUSAND " 70 N1=N:GOSUB 110:IF Z\$<>"" THEN P\$=P\$+Z\$ 80 RETURN 90 Z\$="":N1=INT(N/TV):IF N1<1 TH EN RETURN 100 GOSUB 110: N=N-N1*TV: RETURN 110 Z\$="":NH=INT(N1/100):N2=N1-N H*100 120 NT=INT(N2/10):N0=N2-NT*10 130 IF NH>=1 THEN Z\$=NU\$(NH)+" H UNDRED 140 IF NT<1 THEN 150 ELSE IF N2< 21 AND N2>Ø THEN Z\$=Z\$+NU\$(N2)+" ":GOTO 160 ELSE Z\$=Z\$+NT\$(NT):I F NQ>=1 THEN Z\$=Z\$+"-" ELSE Z\$=Z 150 IF NQ>=1 THEN Z\$=Z\$+NU\$(NQ)+ 16Ø RETURN 170 CLEAR4000:ON BRK GOTO 330:DI M NU\$(20),NT\$(10),NM\$(4),ND(12), MN\$(12), LP\$(30): FOR I=1 TO 20: RE AD NU\$(I):NEXT:FOR I=1 TO 10:REA D NT\$(I):NEXT:FOR I-1 TO 2:READ NM\$(I):NEXT 180 DATA ONE,TWO,THREE,FOUR,FIVE,SIX,SEVEN,EIGHT,NINE,TEN,ELEVEN ,TWELVE, THIRTEEN, FOURTEEN, FIFTEE N, SIXTEEN, SEVENTEEN, EIGHTEEN, NIN TEEN, TWENTY, TEN, TWENTY, THIRTY, FO RTY, FIFTY, SIXTY, SEVENTY, EIGHTY, N INETY, HUNDRED, THOUSAND, MILLION, 1 ,1,1,1,1,1,1,1,1,10,150 190 CL=18:FOR I=1 TO 5:READ PX(I), PY(I), PL(I): NEXT 200 DATA1,1,1 210 WIDTH 80: PALETTE 8.63: PALETT E Ø,0:ATTR Ø,0:CLS:INPUT"ENTER A MOUNT (NO DECIMAL POINTS)"; AM: GO SUB 220:GOTO 210 220 FOR I=1 TO CL:LP\$(I)=STRING\$ (130,32):NEXT:FOR I=1 TO 5 230 IF I=4 THEN N-AM:GOSUB 30:T\$ =P\$:XG\$=RIGHT\$(FP\$,2) 240 MID\$(LP\$(PY(I)),PX(I),PL(I)) -T\$:NEXT 250 FOR I=1 TO CL 260 IF LP\$(I)=STRING\$(130,32)THE N 280 270 LOCATE Ø,2:PRINT LP\$(I) 28Ø NEXT:GOSUB 32Ø:RETURN Y\$=MID\$(STR\$(Y),2) 300 IF LEN(Y\$)<2 THEN Y\$="0"+Y\$ 310 RETURN 320 LOCATE 5,20:ATTR 3,2,B:PRINT "HIT ANY KEY TO TRY AGAIN"; : EXEC 44539:ATTR Ø,Ø:RETURN 330 ATTR 0,0:WIDTH 32:END

Being Online Never Felt So Fine

Free to Explore — Discover a worldwide community on DELPHI.

Download from thousands of programs for your PC. Join groups for nearly every type of computer and many other special interests.

Participate in discussions with other members in conference and message forums. Challenge your skills in lively multi-player games.

Free to Choose — Choose from two low-cost membership options: \$6 an hour or \$1 an hour with the 20/20 Advantage Plan!*

Free Hour — Join DELPHI today and your first \$5.95 fee will be waived. This means you'll receive a membership and your first evening/weekend hour of use for free.

Free to Decide — With DELPHI there's no risk. Take an hour to explore and if you decide DELPHI is not for you, simply contact Member Services and request your account be cancelled.

* Rates apply for evening and weekend access via Tymnet from within the mainland U.S. DELPHI's Basic Plan is \$5.95/month including the first hour of use. The 20/20 Advantage Plan is \$20/month including the first 20 hours of use. There is also a \$19 entry fee for members who choose the 20/20 option.

Now featuring "Custom Forums!"

Create Your Own Online Network

Announcing "Custom Forums" on DELPHI. Having one is like running your own personal network. As the forum host, you'll control who has access to your personal message area. Discussions can be limited to a few members or open to thousands. You can create a custom forum for your family, your business, or for any group of people sharing a common interest. Join DELPHI and start your own online network today!

Your first hour is FREE Sign on now!

Dial 1-800-365-4636 (by modem) When connected, press RETURN.

At Password: enter RB23

Questions? Call 1-800-695-4005 (voice)

DELPHI

The online service with personality

Potpourri

CoCo 2 & 3

All Rick's Software

As shadows grow longer in autumn, car dealers offer "fantastic" deals, and garage and tag sales spring up like mushrooms. Bargain hunters should be thrilled to learn that Rick's Computer Enterprise has come out with an unbelievable offer by making All Rick's Software available in one neat package. The package contains many different types of programs such as: CC3 Flags, a computer version of Risk; Master Dir, a database manager for your disk files; Gallery Maker, a personalized program to view your own pictures on the CoCo; Vocab, a CoCo version of Scrabble; Rainbow Indexes, another database program that helps you locate information about articles that have appeared in THE RAINBOW; Nib Compressor, a graphics utility that compresses Hi-Res CoCo 3 pictures, thereby saving disk space; Master Dir 3, a rewrite of Master Dir for the CoCo 3; Games for Friends, four educational games; Tetra, an addictive game; Steve's Pics, 24 digitized pictures for your viewing pleasure; and Puzzles, a computer jigsaw puzzle. Regular readers of THERAINBOW may recognize some of these titles and rightfully so, as all but the last four have already been reviewed. So this review only mentions those that have not already been raked over the coals.



Master Directory 3

Master Directory 3 is a database manager for disk directories. Once loaded, the Main menu allows the user to do the following: alphabetize filenames in each directory; clear all memory; delete filenames or entire directories; list all directories in the database; print hard copies of directories; report memory as to how many disks have been filed, how many filenames there are

and how much memory is left; search for any specified or partial filenames; and write everything to disk.

Please note that the program and files occupy the entire memory area normally set aside for BASIC, and some of the data from *Master Dir 3* may be stored in locations needed by BASIC. For this reason, it is recommended that the computer be turned off for a few seconds after using this program. *Master Dir 3* is a machine language program.

Games for Friends

Games for Friends consists of educational programs. CANADA shows a map of the provinces of Canada and offers the option of either naming the provinces or their capitals. EUROPE has the same scenario as CANADA: You have the option to name the countries or their capitals. Note, in both CANADA and EUROPE, spelling counts, and you are charged with a wrong answer if you spell Czechoslovakia, or such, a bit creatively. SMARTY is a math tutorial for very young children or extremely bright dogs. A set of single-digit numbers are to be added or subtracted. If the answer is correct, a wolf appears. With the next answer a pot is placed in a room. Then a fire is started and the wolf is cooked. The program does not allow a wrong answer to be entered. WACKO is the computer version of a card game called Racko. The goal is to place 10 randomly stacked cards in descending order. The game can be played by up to four players.

Steve's Pics

Steve's Pics is an array of 24 digitized pictures ranging in subject matter from Jay Leno hawking chips, to horses, a guitar picker, Mt. Hood and a few close-ups of some female delights. A loader is conveniently supplied with the disk. The pictures can be loaded in black and white or in glorious color as seen on a composite or RGB monitor.

Tetra

Unless you have been in a deep coma for the last two years, you undoubtedly have heard of *Tetris*, an addictive little game that originated in Russia. The object of *Tetra* is to build a row of blocks across the screen by maneuvering random falling blocks into empty spaces. Once a row is completed, it disappears from the screen. You gain one level for every 16 completed rows. However, with each advance in level, the blocks

drop more rapidly until they are a mere blur on Level 9. Movement is by arrow keys and nimble fingers.

Puzzles

Leaving the best for last, we come to Puzzles, a computerized version of a jigsaw puzzle. This is not a picture divided into 16 or 24 neatly cut rectangles. Rather, each piece has unique, irregularly cut edges that interlock with adjacent pieces. One of 188 playing pieces is shown in a box at the bottom center of the screen. You may move this piece, using the joystick, to any empty piece on the screen. If it fits, it is placed in its proper position. If it is not the right piece, you'll hear a buzz and have to try again. All playing pieces may be viewed in the center box by pressing the left/right arrow keys. You can get a quick start by looking over the pieces and placing the easy ones with the straight edges along the borders first. But it takes a while to fill in the rest of the puzzle. Although there are eight pictures provided with the game, the program comes with a utility that allows you to put your own pictures into the puzzle gallery. Of course, there is one drawback: If you get stuck, you can't blame the dog or cat for carrying off that key piece you can't find.

Everything listed, including a 36-page manual that adequately covers each program, plus seven disks (six of which are double-sided), is included in *All Rick's Software*. The entire package, which costs roughly \$2.70 per side, is certainly at a bargain basement price.

(Rick's Computer Enterprise, P.O. Box 276, Liberty, KY 42539; 606-787-5783; \$33 plus \$2 S/H)

- George Aftamonow

Graphics Utility

CoCo 3

HideScreen

A handy machine-language graphics utility written for your 128K/512K CoCo 3, HideScreen allows you to move any Hi-Res screen to any block of user memory and recall it with a simple BASIC USR command. HideScreen occupies a mere 328 bytes at Hex addresses \$0E00 to \$0F48. So when using this utility, make sure you don't overwrite this area with other programs.

Printers of Choice



star	NX-2420 Rainbow	NX-2420 MULTIFONT	NX-1001 MULTIFONT	NX-1020 Rainbow	
#Pins	. 24	24	9	-9	
Speed	222CPS	222CPS	180CPS	225CPS	
Fonts	5 LQ 2 DRAFT 14 OPTIONAL	5 LQ 2 DRAFT 14 OPTIONAL	4 NLQ 2 DRAFT	4 NLQ 2 DRAFT	
Graphics	9 MODES	9 MODES	7 MODES	7 MODES	
Buffer	30K	7K	4K	16K	
Color	Yes	. No	No ·	Yes	
Warranty	2 Yr.	2 Yr.	2 Yr.	2Yr.	
System Package including the Blue Streak and Software Support Disk.	\$34995 + \$15 Shipping & Insurance	\$289 ⁹⁵ + \$15 Shipping & Insurance	\$18888 + \$10 Shipping & Insurance	\$23995 +\$10 Shipping & Insurance	

The Smallest, Sleekest, **Fastest Serial To Parallel Converter You Can Buy!**

7 Switchable Baud Rates

300 • 600 • 1200 • 2400 • 4800 • 9600 • 19200

Use this "smart" cable to connect a Centronics parallel printer to any version CoCo or use it to improve performance of your current printer. The cables are long-life, high quality shielded cables with moulded plugs for extra durability.

Powered version add \$6.00



Software Support Disk \$1995

(free with purchase of printer)

TYPE SELECTION/ TUTORIAL

Online instructional program that will select 24 special features of your printer or display methods to incorporate them into your programs.

SUPER GEMPRINT

Will transfer a Pmode 0, 1, 3, or 4 picture screen to printer 8"x1" hardcopy. Black/white, white/black or grey level shading for color.

HI-RES SUPER GEMPRINT
Disk software that will transfer a
Hscreen 1, 2, 3, or 4 picture screen to
printer. Grey level shading for color.

COLOR SUPER GEMPRINT

Transfers color screens to Color NX-1020 8"x11" hardcopy in any Pmode or Hscreen mode.

Order Your System Today... Call (513) 885-5999

DAYTON ASSOCIATES of W.R., INC.

9644 Quailwood Trail • Spring Valley, Ohio 45370

Visa & Mastercard Accepted within the continental U.S. and Canada, Ohio residents add 6.5% sales tax COD add \$4.00

All Dayton Associate's products have a 30 day moneyback guarantee.

> Shipping charges to Canada, P.R., HI, AK, APO, FPO are double. Triple charge to all other countries Price and Specifications are subject to change without notice.

Using HideScreen is simple. You LOADM "HIDESCRN" but don't execute it. Next you set the DEFUSR statements as follows:

DEFUSR - &HEOO 'STORE DEFUSR1- &HFO3 'RECALL

Since different HSCREENs require different numbers of memory blocks, the author includes a table showing the number of blocks required for the four HSCREENs available on the CoCo 3. Using this information, you could for instance hide an image on HSCREEN2 by using A=USR(4), because HSCREEN2 requires four blocks. To recall the image, you use A=USR1(32), which transfers the HSCREEN saved at the beginning of Block 32 to the screen. This transfer is quick — it takes roughly one second.

The supplied disk contains a demo program that shows how easy *HideScreen* is to use. The program does a memory check and loads 15 blocks of Hi-Res graphics. You can list the program to see how it works and model your own programs in a similar manner. The provided documentation is rather technical, but then so is the program. *HideScreen* can be very useful for programmers or those interested in learning more about what makes the CoCo 3 tick.

(N*Johnson Software, 5830A Reinke Drive, Crestview, FL 32536; \$7.95)

- Robert Gray

Home Help

CoCo 1, 2 & 3

CoCo Calculator

CoCo Calculator is an easy-to-use program that turns your CoCo into a deluxe calculator. It can be used for addition, subtraction, multiplication, division, square roots, powers, rates, and percentages. Included are seven memories for the storage of constants or other intermediate answers that you want to recall for final calculations. A handy counter feature lets you keep



track of the number of entries made into the calculator. You can set the display to round up to nine decimal places.

CoCo Calculator works on any CoCo and provides the user with a selection of monitor types — RGB, composite or TV. It's supplied on a single 5¼-inch unprotected floppy disk, so you can make a backup copy. The program loads and runs when you enter RUN "BOOT.

CoCo Calculator
is an easy-to-use
program that turns
your CoCo into a
deluxe calculator.
It can be used for
addition,
subtraction,
multiplication,
division, and more.

The operating screen consists of a menu of all the math functions and memory storage options. You simply select which math function you want and enter the number to calculate. A highlighted box tells you what to do next. For example, if you have chosen the Sums function, enter the numbers you want to add, one at a time, and press ENTER after each entry. The calculated answer is shown in the upper-right corner of the display.

Once a final figure is obtained, you can store it in memory by pressing M. The number in memory then appears alongside its corresponding math function. The number can be recalled at any time by pressing the letter used to designate its math function. You can delete a memorized number by pressing D. You can also put numbers in memory by transferring them to storage using the menu option STO, for Storage. STO allows you to enter pi, at which time you will see the circle constant displayed.

The color of the screen is used to make you aware of which mode you are in. For instance, if the screen is blue, you are in one of the seven calculator modes and ready to enter calculations. If it's red, you are in the Main Menu mode and can select a math function from the displayed list. At any time you need assistance, you can activate the onscreen help. This same information is provided in the four-page instruction booklet that comes with the program.

CoCo Calculator is a handy program. About the only feature missing is a solar panel.

(The Trading Post, P.O. Box 3453, Carbondale, IL 62902-3453; \$14.95, \$3 S/H)

- Jerry Semones

Utility

OS-9 Level II

WPShel

Wouldn't it be nice if you could take your favorite text editor, viewer, formatter and spell checker, and roll them up into one package with point-and-click menus? Wouldn't it be convenient to pull down a menu and choose the calendar or use the calculator in the same program? Well, this dream is now a real possibility, thanks to ColorSystems' WPShel. Not only does WPShel allow all this, it allows you to easily manipulate your text files and printing options as well.

To start, you need a CoCo 3 with at least 256K, OS-9 Level II, a disk drive, and the WindInt module from Multi-Vue. You also need a text editor of some kind. To really get the most out of WPShel, I recommend 512K, a second disk drive, a Hi-Res mouse, and also a text viewer, formatter and spell checker. You can use any type of monitor your editor and viewer will support.

I strongly urge the user to read the manual and readme file completely before setting up WPShel. I found the documentation quite unclear on how to make a disk that works with WPShel. As a result, I don't recommend this product for anyone not familiar with OS-9. I had pipe-device errors on startup when I first installed WPShel on my Multi-Vue and OS-9 system master. The manual never mentioned that you must have the pipe devices and WindInt in your boot file or how to accomplish this. Being well acquainted with OS-9, I was able to figure out how to make a boot disk that worked. Otherwise all you need to do is run the installation program and it automatically installs WPShel onto either an OS-9 or Multi-Vue disk. You then edit the environment file to accommodate your system and software.

WPShel comes with several patch files. Most are fixes to improve the operation of device drivers, which I found would be used only as a matter of preference. The only necessary patch is if you use the more utility for a text viewer.

When you start WPShel, you see the main screen with the date, the day of week, the time, your disk directory (folder) and file with which you are currently working, your printer device and current screen-width settings. The menus are like Multi-Vue's and include a Quit box. The Tandy menu lets you access the Multi-Vue Control feature, Calendar, Calculator and even fork a Shell. I wish that I could also change the printer speed from this menu, as I like to use 9600 baud.

The Documents menu lets you select, create, edit, delete and rename any file. One handy feature is the pop-up menu that allows a choice of working on the current document indicated on the main screen, selecting a new one, or entering a complete pathname when selecting a working document. Files can be selected with a mouse as well.

Since I write a lot and need to know how many words and lines are in my text, I really appreciate the Analyze feature. It even tells how fragmented (split up) the file is on the disk. You can exit WPShel in this and the Utility menu, too.

From the Print menu, you can print, view or format your text, and tell the printer to eject or go to the top of the page. When formatting your text, you can choose to send the output to a file, null device or the printer. If I had a spell checker, I could check the document, filter and display misspelled words, or look up a word, all from the Spell Checker menu. The Utility menu lets you change your working disk, drive, or folder, see how much space is left on your disk, and change your printer device and screen width. Other choices tell you what version of WPShel you have and allow you to shut down your system by parking the hard-drive heads. I don't have a hard drive and wish I could park the floppy drives to prevent banging into Track 0 on startup.

I have tried several programs with WPShel and found that not everything works in this environment. You cannot use programs that do not use windows. Programs like DeskMate 3, which uses a VDG screen, or JTRead, which requires a text window, will not work. T/S Word did not work well either. I must stress, however, that success lies in how familiar you are with the programs you use in WPShel. I found good results using Sled23 or Ed31 for a text editor, more for a viewer and mroff for a formatter.

Even though WPShel has it's disadvantages, I am impressed with its ability to

integrate several text-processing programs into one shell. With the right software, WPShel is a powerful word-processing system for both the home user and professional alike. If you don't have any software to use with WPShel, Zack Sessions offers free copies of Shareware and Public Domain programs that work well in this environment (see the WPShel manual for details). All in all, I think this program is well worth the price.

(ColorSystems, P.O. Box 540, Castle Hayne, NC 28429; (919)-675-1706 Voice; (919) 675-1847 BBS; \$22)

- Tika Carr

Game

OS-9 Level II

World Class Chess

My new chess opponent arrived in the mail today — an intelligent rival lacking any knowledge of the word humility. This is the way of most computer chess programs, and World Class Chess from Burke & Burke is certainly living up to the haughty standards.

World Class
Chess for OS-9
allows you to run
Cyrus from disk,
without fiddling
with a cartridge.

Cyrus World Class Chess was first reviewed way back in August of 1985. This version is in the form of a Tandy ROM Pak, and it is an excellent program. Burke & Burke remedied the need to fiddle with a

cartridge each time the game is to be loaded by enabling a transfer of the cartridge to disk. The chess program is not supplied on disk, just the means to do the transfer—you still need the original *Cyrus* cartridge to carry out the process. (*Cyrus World Class Chess*, #26-3064, is available for \$29.95 via Express Order by calling 1-800-321-3133.) You'll also need a 256K (minimum) CoCo 3, a 35-track floppy disk drive, a Multi-Pak, and OS-9 Level II.



The transfer involves covering Pin 8 on the Cyrus ROM Pak and running an installation program, which is supplied on disk. Upon completion of the transfer, World Class Chess runs from disk under OS-9 Level II.

Not only has the media been changed, the program has been enhanced. Users can save games to and load games from a floppy disk or hard drive. Game logs can be sent to a printer or disk. There is improved joystick support, and the program now supports a Hi-Res mouse. All three *Cyrus* screens now appear on one graphics screen.

The chess board, even with all the graphics and menu displays, does not appear cluttered. The game pieces are represented by simple, though distinguishable, figures; not by the cheesy alphabet warriors I've seen in other programs.

The computer can play at 12 different skill levels. Even at the lowest levels it is no slouch. Its ability to look ahead a certain number of moves increases with each higher level. Sometimes on the higher levels, the only way I've managed to get out of a jam is by forcing the computer to move before it has finished accounting for the move. Even this unorthodox approach has proven futile at times. *Cyrus* is one tough cookie, insensitive to misfortune.

If you enjoying playing chess, I heartily recommend World Class Chess.

(Burke & Burke, P.O Box 733, Maple Valley, WA 98038; 800-237-2409; \$29.95 plus \$4 S/H)

- Tony Olive

Submitting Material To Rainbow

Contributions to THE RAINBOW are welcome from everyone. We like to run a variety of programs that are useful, helpful and fun for other CoCo owners.

WHAT TO WRITE: We are interested in what you want to tell our readers. We accept for consideration anything that is well-written and has a practical application for the Tandy Color Computer. If it interests you, it will probably interest lots of others. However, we vastly prefer articles with accompanying programs that can be entered and run. The more unique the idea, the more the appeal. We have a continuing need for short articles with short listings. These are especially appealing to our many beginners.

FORMAT: Program submissions must be on tape or disk, and it is best to make several saves, at least one of them in ASCII format. We're sorry, but we do not have time to key in programs and debug our typing errors. All programs should be supported by some editorial commentary explaining how the program works. We also prefer that editorial copy be included in ASCII format on the tape or disk, using any of the word processors currently available for the Color Computer. Also, please include a double-spaced printout of your editorial material and program listing. Do not send text in all capital letters; use upperand lowercase.

COMPENSATION: We do pay for submissions, based on a number of criteria. Those wishing remuneration should so state when making submissions.

For the benefit of those wanting more detailed information on making submissions, please send a self-addressed, stamped envelope (SASE) to: Submission Guidelines, THE RAINBOW, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. We will send you comprehensive guidelines.

Please do not submit material currently submitted to another publication.

Received and Certified

The following products have recently been received by THE RAINBOW, examined by our magazine staff and issued the Rainbow Seal of Certification, your assurance that we have seen the product and have ascertained that it is what it purports to be.

Super Boot, a utility that allows you to configure your Disk BASIC system by entering DOS. It configures your system to the chosen printer baud, sets the drive step rate, and sets the number of tracks and sides for your drives. It can also set the text-screen colors on a CoCo 3. Requires a CoCo 1, 2 or 3 and a disk drive. Sub-Etha Software, P.O. Box 152442, Lufkin, TX 75915, (409) 639-3842; \$14.95

TV, for OS-9 Level II, is a simple utility program that can be used to view text files. You may use it as a replacement for the list utility. It can also be used as a text viewer in the WPShel environment. TV allows for displaying a text file one screen at a time, and allows for paging up and down within the file. TV works with files of any size and on any screen type. The display also adjusts for any size window. Requires OS-9 Level II and a disk drive. MV Systems, P.O. Box 818, Arvada, CO 80001-818, (303) 420-7777; \$8.95 plus \$2.50 S/H.

Gems, a second-generation *Tetris* game that requires the player to match colored gems as they drop down the screen. Getting three or more of one color in a straight or diagonal row removes those gems from play. The colors can be rotated to the player's advantage. *Gems* features both keyboard and joystick control, plus stereo sound effects through the Orchestra-90 cartridge, and a scoreboard. Requires a CoCo 3 and a disk drive. *Eversoft Games Ltd.*, *P.O. Box 3354*, *Arlington*, *WA 98223*, (206) 653-5263; \$24.95 plus \$2.50 S/H.

Duo Deck Solitaire, contains two double-deck solitaire games. The first is *Sly Fox*, in which the player must manipulate twenty wastepiles in order to keep key cards in play to build eight foundations. The second game is *Windmill*, also known as *Propeller*. While a good bit of skill is required for this game, there is also the element of chance. System requirements are a CoCo 3, a disk drive, and a joystick or mouse. *Eversoft Games Ltd.*, *P.O. Box 3354*, *Arlington*, *WA 98223*, (206) 653-5263; \$19.95 plus \$2.50 S/H.

The Seal of Certification is open to all manufacturers of products for the Tandy Color Computer, regardless of whether they advertise in THE RAINBOW.

By awarding a *Seal*, the magazine certifies the program does *exist* — that we have examined it and have a sample copy — but this *does not* constitute any guarantee of satisfaction. As soon as possible, these hardware or software items will be forwarded to THE RAINBOW reviewers for evaluation.

Advertisers Index

Burke & Burke	27
CoCoPRO!	17
CoCoPRO!	19
CoCoPRO!	5
Colorware	IFC
Computer Plus	BC
Dayton Associates	
of W.R. Hall, Inc.	45
Delphi	43
Eversoft Games, Ltd	37
Granite Computer Systems	19
JWT Enterprises	
MV Systems	
Owl-Ware	
Owl-Ware	9
PCM Magazine	23
Rainbow Back Issues	
Rainbow Binders	35
Rainbow Bookshelf	25
Rainbow on Tape and Disk	50
Sundog Systems	49
Sundog Systems	

T & D Software	Wasatchware27
	Zebra Systems 41
Trading Post	



Call: Kim Lewis **Advertising Representative**

Call: **Belinda Kirby** Advertising Representative

The Falsoft Building 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059 (502) 228-4492 • FAX (502) 228-5121

We appreciate your mentioning THE RAINBOW when you contact these advertisers.

Reg. 512K CoCo III with OS-9 Level 2 and joystick.

VISA, Mastercard, Money Order, and COD (USA only, please) accepted. All foreign orders must be sent in US cur-

rency Money Orders. Include \$2.50 for shipping in USA and Canada, \$5.00

Foreign. \$3.00 extra for COD orders.

VA residents please add 6% sales tax. Dealer Inquiries welcome. Authors: we're

looking for new software!

WT Enterprises

Attention! MM1 programmers wanted. Many prospective projects already planned. Write for more information.

Optimize Utility Set 1 NEW!

Optimize your disks by eliminating fragmented files and compacting your directories for faster file access. Also includes a utility to assess file fragmentation and directory fragmentation as well as excess directory padding.

Optimize Utility Set 1 \$29.95 Foreign postage, add \$3.00

Nine-Times: Each issue contains: 9 helpful and useful programs to help build your OS-9 library * Instructions, examples, and samples of Basic09 procedures and subroutines to help with your own programs and your understanding of BasicO9 ° C programs and programming examples ° Hints, Help columns, and informative articles to advance your knowledge of OS-9 ° Supplied totally of 5.25" disk * Bound manual sent to each new subscriber for help in getting Nine-Times up and running, as well as tips on using it with a ram disk or hard disk * All graphic/joystick interface for ease of use.

1-Year Subs, \$34.95

Foreign postage, add \$8.00

Back Issues: Available for the May 1989 through May 1991 issues. Please write for information on Back Issue contents.

Back Issue, ea. \$7.00 Foreign postage, add \$2.00 ea.

Magazine Source: Due to many inquiries, the source code for the magazine graphic shell is being provided as an informational tool. Included is the actual BasicO9 source code and compiled modules on disk, as well as documentation and a printed copy of the source code.

Source, \$25.95

(216)-758-7694

Foreign postage, add \$5.00

Foreign postage excludes U.S. Territories and Canada. New rates eff. May 31, 1991

To order, please send U.S. JWT Enterprises check or money order to: 5755 Lockwood Blvd.

Youngstown, OH 44512



All products for Level 2 OS-9

Sorry, no C.O.D.'s or credit cards; Foreign & Canadian orders, please use U.S. money orders


U.S. checks, allow 3-4 weeks for receipt of first issue/back issue. OS-9 is a trademark of Microware Systems Corp. and Motorola



P.O. Box 766

(703) 330-8989

nassas. VA 22111



Subscribe to these convenient services and receive each month's programs in a ready-to-run form. No more long tedious hours wasted typing! No more red eyes and sore fingers! All you do is load and run, using the current issue of THE RAINBOW as documentation.

OS-9 programs are available too! One side of the RAINBOW ON DISK is formatted for the OS-9 operating system (OS-9 programs cannot be put on tape) so you can get all the great programs in the magazine.

A one-year subscription to THE RAINBOW and RAINBOW. ON TAPE is only \$91 in the U.S., \$108 in Canada, \$153 foreign surface rate and \$188 foreign airmail.

A one-year subscription to THE RAINBOW and RAINBOW ON DISK is only \$115 in the U.S., \$138 in Canada, \$183 foreign surface rate and \$218 foreign airmail. U.S. currency only.

Back issues of both RAINBOW ON TAPE and RAINBOW ON DISK are also available! (see our back issue ad in this issue) RAINBOW ON TAPE back issues are available beginning with the April 1982 issue. A single copy of RAINBOW ON TAPE is \$10 within the U.S., \$12 in all other countries. The annual subscription for RAINBOW ON TAPE is \$80 within the U.S.;\$90 in Canada; and \$105 for all other countries. U.S. currency only.

RAINBOW ON DISK back issues are available beginning with the October 1986 issue. A single copy of RAINBOW ON DISK is \$12 within the U.S., \$14 in Canada, \$16 in all other counries. The annual subscription for RAIN-BOW ON DISK is \$99 within the U.S.;\$115 in Canada; and \$130 for all other countries.U.S. currency only please.

Subscribe today and start enjoying THE RAINBOW and your CoCo the easy way, without the fuss!


and Save Money Too!

Yes! Sign me up for a joint 1-year subscription of THE RAINBOW and Rainbow on Tape	☐ THE RAINBOW and Rainbow on Disk
☐ New ☐ Renewal (attach labels)	. The Kindson and Kantoon on Plak
NameAddress	charge to: ☐ VISA ☐ MasterCard ☐ American Express
StateZip	

* Payment must accompany order, we do not bill. U.S. currency only, please. Kentucky residents add 6% sales tax; Canadian residents, 7% GST. Please allow 6 to 8 weeks for delivery of first copies. All subscriptions begin with the current issue.

Please note: While group purchases of RIANBOW ON TAPE and RAINBOW ON DISK are permitted (and multiple subscriptions are even discounted, if purchased in one order from a club), no license to make copies is conveyed or implied. Unauthorized coping of any copyright product is strictly illegal.

SUNDOG SYSTEMS



Energy is everything; your home world depends on it. However, someone or something is slowly siphoning it away. As your world is champion, you must climb into the experimental Power Tank to challenge this nemesis and his minions. Your key lies with the ability to teleport solid mass. Use this to manipulate and explore the endless stronghold of the enemy, and to exploit the free-floating DUPES (Dense Units of Photon Energy) to destroy the menacing Plasma Droids. Be cautious, though; those DUPES can be deadly, tool Photon, a fantastic new arcade game for your Coco3, contains spectacular 320x200 resolution, 16 color graphics, ultra-smooth 60 Hz animation, and loads of real-time music and sound effects. It will send your mind racing over endless possibilities, requiring quick decisions and reactions. Quite simply, Photon is incredibly addictive; it will deliver hours of excitement. Will you become your world's greatest hero, or just another energy slave? Req. 128K CoCo 3 and disk drive

GRAF 2.0 EXPRESS

vironment. From the beginner to the accomplished professional, you can use Graffexpress to create lightning fast arcade games, graphic applications and utilities, and windowing multimedia demonstrations! The Graffexpress package includes two incredible systems. Graffexpress 16 works on all monitor types and offers support in 12 graphic resolutions (from 128x192 to 160x225 on a composite monitor) in an astounding 256 colors! Ever see a CoCo do that before? Both systems include standard graphics commands (CIRCLE, FILL, etc.) that blow away the competition. For example, the BOX command peaks out at over 2 MegaPixels/second; that's 300 times faster than BASIC! 255 separate sprites of up to 100x100 pixels each are supported with window clipping and high-res pixel level collision checking. The 8-octave/4-voice music synthesizer has independent envelope, waveform, and volume controls, a 7 + KHz sampling rate, and much more. Other features include text/graphics mixing, different font sizes, fast window copying and scrolling, picture save/load, easy implementation from both BASIC and assembly language, multiple screen animation, and support for 128K/512K, double speed, and the high-res joystick interface. The package also contains support programs that are worth the purchase price of GrafExpress alone! These include an introductory demo, a picture editor, a waveform editor, and an art program that supports 256 consts GrafExpress alone comes with a 50 page manual that fully explains all of its incredible features. If you do any graphics programming or simply want to see what

\$34.95

War Monger



The world is in unrest. Power-hungry villains and evil warlords are readying their forces. It falls to you to lead your people against these armies, and only your best strategic plans can save the day. Fight the good fight in any era or locale. Play a simple game of capture the flag armed with water balloons, or climb into the cockpit of a 100 tool high armored warrier. Explore the deepest dungeons, defend you galaxy, or create your own scenarios with this incredible war game construction set/simulator. Your imagination is your only limit. You will deploy your forces with total control over hostile terrain while you scroll a graphic bird's-eye window over an immense world. War Monger has terrific 320x200 resolution, 16 color graphics and includes a tile editor to create or edit your own. Play against the computer, battle with another player, or simply watch the computer plot against itself. The enemy is everywhere. Are you ready to take on the challenge as the War Monger? Req.

\$29.95

The Quest for THELDA



An immensely popular 128K CoCo 3 arcade/adventure, Over 500 screens of tast fanlasy action and puzzle solving. Great graphics and sound effects. \$34.95. Hint book only \$4.95.

ALSO AVAILABLE

Warrior King CoCo 3	\$29.95
In Quest of the Star Lord CoCo 3 Hint Sheet	\$34.95 \$ 3.95
Hall of the King 1, 2 or 3 CoCo 1 - 3	\$29.95 ea.
Hall of the King Trilogy	\$74.95
White Fire of Eternity CoCo 1 - 3	\$19.95
Dragon Blade CoCo 1 - 3	\$19.95
Champion CoCo 1 - 3	\$ 19.95
Paladin's Legacy CoCo 1 - 3	\$24.95

Visa, Mastercard, Check, Money Order, and COD (USA only, please), accepted. All foreign orders must be sent in US currency Money Orders. Include \$2.50 for shipping in USA and canada. \$5.00 Foresign, \$3.00 extra for COD orders. PA residents add 6% sales tax. Dealer inquiries welcome. Authors, we're looking for new software!

★ THE ★CONTRAS



A 512K two player futuristic combat arcade game. Full screen 320x225 hardware scrolling and smooth animation. Back-ground music score and sound effects! 512K Coco3 only. 34.95. Shipping soon!

SinistaaR



Everyone loves this 512K arcade game, 3 disks packed with spectacular graphics and eerie background digital sound effects, 512K CoCo 3 on[V. 53.05]

Conystal City



This was THE game of '91! Ultra-fast space action with hardware scrolling on a 128K CoCo 3. Wild sound effects and over 30 MegaBytes of amazing

光出UJT-思太主 七0 BE NINUX



The best selling 128K CoCo 3 martial arts arcade game. Now available in both RS-DOS and OS-9 versions. Play the incredible combat experience you've been missing under the operating system of your choice! \$29.95

Zenix



Lightning fast arcade game for the 128K CoCo 3 Terrific 320x225 graphics, back-ground music score and sound effects, and out-of-sight game play \$29.95.



A polyphonic digital sound sequencing system for your 128K/512K CoCo 3 with a user-friendly pointand-click graphic editor. Create music scores with your own sounds or from the many we provide. \$34.95.

pampie instrument disks: 6 sides of sampled counds/instruments. Only \$12.95 each or \$29.95 or all three.





P.O. Box 766 • Manassas, VA 22111 703/330-8989



From Computer Plus to YOU... PLUS after PLUS after PLUS



Tandy 1100 FD \$559* Tandy 102 32K \$319* Tandy WP-2 \$219*



Tandy 2500 SX \$999.00 Tandy 4020 SX \$1499



Tandy 1000 RL \$439 Tandy 1000 TL/3 \$429*







BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS

COMPUTERS		COLOR COMPUTER MISC.		Tandy Educatioal Software	2.00
Tandy 1000 RLX HD with VGM-220	1099.00 *	Tandy Drive Controller	89.00 *	Spinnaker Software	2.00
Tandy 1110 HD 1 Drive 640K	1019.00	Extended Basic Rom Kit (28 pin)	14.95	Max 10 by Colorware	79.95
Tandy 2810 HD 1 Drive 1 Meg RAM	569.00 *	64K Ram Upgrade Kit (2 or 8 chip)	39.00	AutoTerm by PXE Computing 29.95	
Tandy 1000 RL HD with WCM-5	839.00 *	Tandy Deluxe Keyboard Kit	24.95	TW-80 by Spectrum (COCO 3)	39.95
Tandy 1100 FD 1 Drive 640K	559.00 *	HI-RES Joystick Interface	8.95	TeleWriter 64 49.95	
PRINTERS		Color Computer Deluxe Mouse	44.00	TeleWriter 128	79.95
Tandy DMP-107 120 CPS	219.00	Multi Pak Pal Chip for COCO 3	14.95	Elite Word 80	79.95
Tandy DMP-302 270 CPS	469.00	COCO 3 Service Manual	29.95	Elite Calc 3.0	69.95
Tandy DMP-202 180 CPS	299.00	Serial to Parallel Converter	59.95	CoCo 3 512K Super Ram Disk	19.95
Tandy DMP-442 300 CPS	539.00	Tandy Deluxe Joystick	19.95	Home Publishing by Tandy (CoCo 3)	35.95
Tandy LP-950 Laser Printer	1299.00	Magnavox 8135 RGB Monitor	299.00	Sub Battle Sim. by Epyx (CoCo 3)	26.95
Tandy DMP-240 192 CPS 8 color	399.00	Magnavox Green or Amber Monitor	99.00	Thexder by Sierra (CoCo 3)	22.45
Panasonic KXP 1180 192 CPS	189.00 *	CoCo 3 Gime Chip	29.95	Kings Quest III by Sierra (CoCo 3)	31.45
Panasonic KXP 1123 24 Wirehead	259.00 *	Tandy Pistol Grip Joystick	17.95 *	Flight Sim. II by SubLogic (CoCo 3)	31.45
Panasonic KXP 1124 i300 CPS	329.00	PBJ OK COCO 3 Upgrade Board	29.95	OS-9 Level II by Tandy	71.95
Okidata 320 300 CPS	369.00	PBJ 512K COCO 3 Upgrade	89.00	OS-9 Development System	89.95
Okidata 380 180 CPS 24 Wire HD	239.00	Tandy OK COCO 3 Upgrade Board	39.95	Multi-View by Tandy	44.95
OKI Laser 400 4PPM	699.00 *	Tandy 512K COCO 3 Upgrade	99.00 *	VIP Writer (disk only)	69.95
		COLOR COMPUTER SOFTWARE		VIP Integrated Library (disk)	149.95
MODEMS		TARE	DICK	* ()	

			INFL	DIOK
andy DCM-6	52.00	The Wild West (COCO 3)		25.95
andy DCM-7	85.00	Worlds of Flight	34.95	34.95
Cardinal 1200 Baud External	99.00	Mustang P-51 Flight Simul.	34.95	34.95
Cardinal 2400 Baud	129.00	Flight 16 Flight Simul.	34.95	34.95

Prices are subject to change without notice. Please call for shipping charges. Prices in our retail store may be higher. Send for complete catalog.

*Sale prices through 12-31-91

CALL TOLL FREE 1-800-343-8124

- LOWEST POSSIBLE PRICES
- BEST POSSIBLE WARRANTY
- KNOWLEDGEABLE SALES STAFF
- TIMELY DELIVERY
- SHOPPING CONVENIENCE







P.O. Box 1094 480 King Street Littleton, MA 01460

plus

IN MASSACHUSETTS CALL (508) 486-3193