

UpTime

The newsletter for: RS-DOS, OS9, OSK, CoCos, and 68xxx's.

Volume 2, Issue 9

May 1994

Editorial

Well, I guess this issue of UpTime has finally made it to your doorstep. We ended up about two weeks behind schedule due in part to the CoCoFest and partially due to a few billing problems which we have been trying to iron out. Hopefully we will be back on schedule for the June and July issues... please try to bear with us!

Traditionally, the summer months have been the slow months for the CoCo market because of the number of developers and users who like to spendalittle time out of doors. However, there are two new (or relatively new) packages that have recently been introduced. The first is the Home Pak for OS-9, written originally be Terry Simons and ported to OS-9 by Chris Dekker. This package includes all of the features of the original RS-DOS version and more. Contact Terry Simons (from the MI&CC club advertisement elsewhere in this magazine) for more information. Also, Jeff Vavasour has recently released a CoCo II Emulator for the IBM PC. What this allows you to do is run all of your CoCo programs on the IBM system, often at speeds exceeding the original

In this issue...

Editorial 1	
BasicO9 Steps 2)
Life on the Internet 8	}
Pipeline	,



It's about that time again...

CoCo rate. You may obtain a copy by sending \$5 to Rick's Computer Enterprises, whose address is contained in an advertisement elsewhere in the magazine. Rick is also trying to form a mailing list of CoCo users—to help out, simply fill out the form provided in his advertisement and mail it in. You can later purchase a disk containing the information gathered at a very modest price, and you may receive mailings from other advertisers which choose to use it as a source for direct mailings.

Recently, a few users have asked where they may obtain the **Planet Engine** program from Lee Veal. We could not contact Lee directly or indirectly, and at the time I received some information that said the MI&CC club was distributing that as part of their library. Since then I have talked with Dave Wordell and Lee Veal himself, so here is the official distribution information from Dave Wordell:

The program was written by and is still owned by Paul Light. He has licensed DalTrug, our local club, as the sole distributor of this product. Lee Veal, a member in good standing, goes to various Fests and distributes the product there. I'm not sure if Lee would have the time to process orders at his home, but I certainly would be glad to if he cannot. We sell the program for \$25 plus \$2 shipping and handling.

The program requires the Tandy Color Computer 3 and the OS-9 Level 2 Operating System with 128K minimum memory. The program is ideally run with 512K of memory from the Multi-Vue window with a mouse and a color monitor.

David A. Wordell 833 Woodhaven Lane Grand Prairie, TX 75051.

So there you have it— if you would like to order the program, please drop Dave a line. Until next month, have a great summer!

-Jordan Tsvetkoff

UpTime

Editor: Jordan Tsvetkoff

UpTime is published 12 times a year by JWT Enterprises, 5755 Lockwood Blvd., Youngstown, OH, 44512. Yearly subscription rates are \$15.00, or \$7.50 in two installments. Foreign orders (except Canada and Mexico) add \$7.00 postage. Copyright © 1994 by JWT Enterprises. Quotation not permitted. Material may not be reproduced in whole or in part in any form whatsoever without the express written permission of JWT Enterprises.

Postmaster: Send address changes to UpTime, JWT Enterprises, 5755 Lockwood Blvd., Youngstown, OH, 44512. Readers: Direct all subscription inquiries, payments, and changes of address to UpTime Subscriptions, JWT Enterprises, 5755 Lockwood Blvd., Youngstown, OH, 44512.

Purpose: To provide information about products, services, and activities relating to the Tandy Color Computer and OSK/68xxx-based machines.

Submissions: Submissions of any form can be sent to *UpTime Submissions*, **JWT Enterprises**, 5755 Lockwood Blvd., Youngstown, OH, 44512. Please note that article/editorial submissions are preferred, although short program listings will also be considered. If reimbusment is requested, please indicate in writing with the initial submission.

To order a subscription to Up-Time, please send a U.S. check or money order for \$7.50 to:

UpTime, JWT Enterprises 5755 Lockwood Blvd. Youngstown, OH 44512.

You will be billed for the second installment of \$7.50. Canadian orders, \$9.00 installments. Foreign orders, \$11.00 installments. Ohio residents add 6% sales tax.

Basic09 in ?? Easy Steps

Today I will discuss the matter of setting up graphics windows in Basic09. It is, after all, a little bit of a disillusion if you have a wonderful program but can't get its output on the screen. From Basic09, you have access to 2 text screens (40 and 80 column) and 4 types of graphics screens.

If you are familiar with DECB you will see that these choices coincide with the so called high resolution screens made available with the introduction of the CoCo 3. You can also access the older low and medium resolution screens from within Basic09 through the Gfx module, but I doubt many people are interested in using those.

So here we will focus on accessing the high resolution screens. As I stated earlier you cannot access the screens directly from within Basic09, but you must use a module called Gfx2. Well, that is what we begin with anyway.

This module doesn't really deal with the windows, but it allows you to use English language commands to tell the computer what to do. It translates those commands. checks any parameters that you may have used and then tries to

UPCOMMO EVENT!

5th Annual Atlanta CoCoFest

October 1st and 2nd, 1994 9am to 5pm Saturday, 9am to 3pm Sunday Holiday Inn, Northlake Resv: (800)-465-4329 or (404)-938-1026


Sponsored by:
Atlanta Computer Society

Contact:
Atlanta Computer Society
P.O. Box 0694
Atlanta, GA 30366
BBS: (404)-636-2991

Tickets:

\$10 for entire show \$35 for vendor table and one admission

run the appropriate ML subroutine(s) to execute your idea. The actual subroutines are found in a module called Grfdrv, so make sure you load this module into memory if you want to work with



The Glenside Color Computer Club of Illinois Presents...



May 21st & 22nd, 1994

Holiday Inn Elgin

(a Holidrome Indoor Recreation Center)

345 W. River Road (a city block from 190 & 10.315)

Elgin, Illinois (Same great location as last year)

Overnight room rate \$52.00 (plus 10% tax)

Call 1(708) 695-5000 for reservations

Be sure to ask for the "CoCoFest" rate!

Admission is \$15.00 at the door (2 day pass only) Advance ticket sales \$10.00+SASE (or \$10.00 + 50¢ P&H)

> George Schneeweis, Treasurer, Glenside Color Computer Club RR#2, Box 67, Forrest, IL 61741-9629


Tony Podraza, Fest Chairman (708) 428-3576 (voice) (708) 428-0436 (BBS) Delphi: TONYPODRAZA

Carl Boll, Vice President GCCCI (312) 735-6087 (voice) (312) 735-3355 (BBS) Delphi: **CBI**

Brian Schubring, President GCCCI (708) 529-3539 (voice) Delphi: **THESCHU**

Deipni: IntSCHU

As express of Authorit



windows.

There is sometimes confusion about screens and windows, not in the least because it is very easy to mix both words in a text (or sentence) in such a way that their real meaning gets changed. Technically speaking though, the screen is the physical (monitor) screen you are looking at. A window is that part of the screen the computer uses for its output. It is analogous to a window being the part of a wall you can look through. (unless, of course you are super(wo)man)!

This is a very important distinction under OS-9 (and Basic09) and makes for a powerful programming tool. You can, for instance, put 3 or 4 windows on one screen and run a program in each of the windows. This way you can keep an eye on all of them without ever touching a key.

However, we will start out doing something easier. The following listing is a program that draws about 1000 circles on the screen arranging their size and place in such a way that it forms a symmetrical structure. Actually this structure is called a Pythagoras tree, although I am not exactly sure why.

PROCEDURE pyth

BASE 0

DIM path,RI,x3,y3,x4,
 y4,col(11):INTEGER

DIM RA(11),XA(11),
 YA(11),Z(11):REAL

ON ERROR GOTO 200

OPEN #path,"/w1":WRITE

RUN gfx2(path,"dwset",

8,0,0,40,24,1,2,2RUN gfx2 (path, "curoff") RUN gfx2(path, "select") $P=10 \ \ E=SQRT(C)$ FOR i=1 TO P READ col(i) NEXT i DATA 0,9,1,10,2,12,4, 14,9,1,10,2,12,4,14 $X=0 \ Y=1 \ M=0 \ G=0 \ R=C$ REPEAT IF G<P THEN $M=M+1 \ \G=G+1$ GOSUB 100 $X=X1 \ Y=Y1 \ R=E*R$ $XA(M) = X2 \setminus YA(M) = Y2$ $Z(M) = G \setminus RA(M) = R$ ELSE $X=XA(M) \setminus Y=YA(M)$ $G=Z(M) \setminus R=RA(M)$ M=M-1ENDIF UNTIL M<0 RUN gfx2("select") CLOSE #path \ END

100 X1=C*(X-Y+1)-1

Y1=C*(X+Y+1)X2=C*(X+Y-1)+1Y2=C*(-(X)+Y+1)x3=320+X1*640/4.8y3=116-Y1*192/3.6x4=320+x2*640/4.8y4=116-Y2*192/3.6RI=130*R RUN gfx2(path, "color", col(G)) RUN gfx2(path, "circle", x3,y3,RIRUN gfx2(path, "circle", x4,y4,RIRETURN 200 errnum=ERR RUN gfx2("select") CLOSE #path

For the time being I won't go into the whys and whats of all the formulas, variables, etc. I first want to concentrate on the screen commands. OS-9 considers a window a device, just like a printer or a disk drive. For this reason, you cannot directly access the screen



□□

The

▣

⊡

⊡

⊡

•

▣

⊡

▣

•

▣

⊡

▣

ß

▣

▣

▣

▣

•

• ⊡

⊡

◙

⊡

•

₫

ū

0

ē

COCO TRADER

The COURTRADER is a news letter for buyers, sellers, and traders of any COLOR COMPUTER related items. Since Tandy has dropped the COLOR COMPUTER, and since the demise of The Rainbow, and so many sortware ceelers, it is hard to find alot of the items that you may be tacking for So the CDCS TRADER will be a place to

A lot of us have bought out the COCO items at our local Radio Shack but we don't know where to trade them for what we really want the COCC TRADER will give you a place to do it.

for \$250 you can list any items that you have for sale, or trade, and any items that you may be looking for You may use up to 1/8 of a page (about 5 lines) per listing It is \$2.00 more for each additional 1/2 of a page This size type Please include your name, address, and also your phone number, which will not be fisted unless you ask for " to be Your ad will be listed for as long as you aske, until you call, or write and tell us to take it out. If you wish to change it, there will be another \$250 charge

For now the COCO TRADER will be bi-monthly if the responde is great enough, we will make it monthly. There is a \$6.90 subscription rate for a one year subscription. If at such time the COCO TRADER becomes a monthly issue, the renewels after that time will become \$10.00 for a year (12 issues) Send ads and or subscriptions to

James Sternett

2861 Tasy St

for more into PLEASE call (615)-428-1220 After 530 PM.

Send check, or M.D. Please make it hus to James Sternett

FLASH!!

Ō In celebration of the HIME CHANGE, all add of 1/8 page or less are FREE, and each additional 1/8 page is \$150 until further notice. ₪ ᡚ If you wish to buy a Book of sell a Coco send us an ad FREE Either way the COLO TRADER CAN HELP. • ▣

The COCO TRADER has been publishing for over a year, and has over 100 subscribers in more then 30 states. So let us help you

HAWKSOFT HAS GONE CUCKOO!!! Now KLOCK program 'crikoes' the hours away!!

MM/1 Products

XLOCX-\$20.00 Optional Cuckoo on the hour and half hour!! Continuous on screen digital clock display! On all screens or /term!

CDPLAYER-\$50.00 Play audio CDs on your MM/1!! Looks and functions like a

SOUND or 1.4-\$30.00 Now supports BSVX (.iff) sound files! Record, Play, and Edit sound files thru the sound port! Requires I/O board and cable for Record & Play ACM TEASIDAL

MM/1 SOUND CABLE—\$10.00 Connects sound port to stereo equipment.

HAWKSoft HOME CONTROL MM/1-\$20.00 Use your Tandy Plug in Power Controller with your MM/1!!!! Dust off that old controller and put if to work!! I/O board req. **ACW**I

GNOP-\$5.00 Award winning version of Pong for the MM/1!! It'll drive you nuts!!

CoCo Products

HAWKSoft HOME CONTROL-\$20.00 Use your Tandy Plug in Power Controller with your CoCo 3!! Dust off that old controller and put it to work!!

9/1 & LO RES JOYSTICK ADAPTER - \$27.00 High or Low resolution at the flip of a switch!

HAWKSoft KEYBOARD CABLE—\$25.00 5 foot keyboard extension cable!

-\$15.00 The commands Tandy left out Supports RS Speech Pak!



US & CDN S&H always included. Terms MO, check, or COD in US funds

244 S Randall Road Suite #172

New address:

(708) 742-3084 eyes and end.

Elgan, II. 60123

QUALITY SOFTWARE

DOWN TO EARTH PRICES

#GS01 -

П

П

П

n

Θ

П

П

Θ

Θ

•

П

•

⊡

П

Θ

•

▣

▣

•

▣

▣

▣

⊡

▣

0

▣

▣

◙

Ō

Pensave Graphic System

Disk Includes.

- Pen and Paint 3-Doodle Program
- · Pensave-HS2 Drawing Program
- PN640-HS4 Drawing Program
- . Coco Colorbook-HS2 Paint Program
- PPrint Graphics Print Program
- Plus 6 Graphics

#GEOL -

Graphic Disk for Pensave

Disk Includes:

- Penload-H52 & H54 Graphic Loader
- SRcofor Loads and Paints Sunrise
- Plus Graphic Files-J3CUB J100, AL, ALIOO, TWONTREE, PA1921. DOGSDAY, C7BULLET, and SUNRISE

Reg. 128K Coco fll & Disk Drive \$3.95 per disk or \$7.95 for both 5&H-\$1 00 U.S. and Canada, \$3 00 other Check or Money Order MO residents add 4.725% sales tax

Southern Missouri Softworks

HCR7, Box 218 Doniphan, MO 63935 (314) 255 3722

Summertime is "obb" season for a lot of CoCoists. If you are one of those: look forward to new releases and upgrades this ball. Ib you use your CoCo all year round the following titles are currently available:

CoCoTop version 1.0	\$24,95
CoCoTop version 1.1	\$19.95
CoCoTop 1.1 + Tools 3	\$34.95
OScopy/RScopy	\$10.00
TOOLS 3 version 1.1	\$29.95
Quickletter version 2.0	\$19.95
Accounting level 2	\$34.95
Investing level 2	\$24.95
Level II graphics 1.2	\$34,95
upgrades \$5.00	

Chris Dekker RR #4 (506) 276-4841 Centreville NB EOJ 1HO Canada

shipping+handling: US/Canada \$3.00 others \$5.00 Prices in US dollars Canadian dollar prices, call Send cheque or money order NO COD s Mention the name of this magazine in your order and you will receive a free bonus disk.

<u>, 0</u>00 000 000 000 000 000 000 000 000

The COCO Registry

6

6

õ

O

õ

õ

õ

000

000

900

Since the disappearance of the RAINBOW, no publication or organization has been able to reach all sectors of the CoCo Community. Hence, we have lost track of many who are still actively using their CoCos. The many different groups that still support the CoCo have made it possible for our computer to stay active and relatively strong..but there is a need for centralization. A new effort to alleviate that situation is the CoCo Registry Project. We invite, beg, implore you to make yourself known by filling out the enclosed questionaire and mailing it to the address given.

the returned forms From a valuable database will be created and made available to all at a very affordable fee. This proposed database will be valuable to CoCo companies as they make the members aware of their products. It will also serve it's members as a database of interests and locations. I feel that this project will be of great value and interest to all CoCoists.

Please make this project a success by simply filling out a form and putting it in the mail!

coco coco coco coco coco coco coco

Looking For Full and Real CoCo Support? Look to: Mid Iowa & Country CoCo's "The UPGRADE" Disk Magazine!

- Is not hard copy, though it will dump to your printer.
 Displays first rate 16 color H2 graphics, with articles
 Does keep you informed with news from around the country
 includes ads and recommendations of better dealers.
 Does have OS-9 articles concerning the CoCo. Has a Level II tutorial
 series and others, with extensive OS-9 library.
 Does have Resigner recommendations and page the printing of the color of of th
- series and uniters, with extensive US-9 library.

 Does have Basic programing technique article and tutorials.

 Does have a full vanety of RS-DOS & OS-9 indepth articles and reviews with tips for all, where to buy printers, drives, and hardware Does have a free buy/sell CoCo hardware listing. With CoCos and drives plus the hard to find items.
- Some are double disk issues!

This is a News disk, not a software disk. That we leave to the "Mid Iowa Rountry CoCo" library "available wherever you are at". You can select from a variety of the best available RS & OS Public Domain, Shareware, and Orphanware for only a filing, backup, and mailing fee Plus a Christian software sub-chapter ROM burn and other support to "all" members. Gosh what don't we offer? Bonus disks? Yes, we've had a bonus disk or two per year too!

Now in our ninth year, four as a national Diskmagazine! With "The UPGRADE National Diskmagazine", we've grown to be one of the largest CoCo outreaches! With over 250 satisfied subscribers in over 40 states and 5 provinces of Canada; plus Australia and England Join with those who write "Here's my renewal, I don't want to miss an issue!" May we also serve you?

Your UPGRADE subscription includes:
•1-year membership in MI&CC and • UPGRADE Diskmagazine subscription with
•bonus disks and double issues (Reg: 128K CC3, w/1 drive, RGB or TV)
\$16.00 US •\$21 Canada •\$31 Foreign Air

Say, "I saw it in **Up Time"** and receive,,, an UPGRADE Disk plus added bonus disk via return mail

Terry Simons (MI&CC Treas.), 1328 48th St. Des Moines, IA. 50311 (515) 279-2576 after 8:00 PM include your Phone & System information

coco coco coco coco coco coco coco 9

The COCO Registry Name Address_

9 City State

Your Interests: (Circle all that apply.) RSDOS OS9 ADOS Graphics Utilities Games Printers BBS MSDOS Clubs Fests Forums Education Emulators Databases
Hardware Projects Spreadsheets Misic
Word Processing Other

Organizations you support: (Circle)
CFDM UPTIMES 68micros MI&CC
Adventure Survivors The CoCo Trader
OS9 Underground Glenside CoCo Club
Atlanta Computer Society Delphi Internet
CoCo Link UP-2-DATE
Others

Your System(s) (Circle) CoCo3 CoCo2 CoCo1 PC Apple Commodore RAM size ______ Monitor: TV RGB CMP Disk Drives: 0 1 2 3 35 track 40 track Hard drive (size

0000 0000

000

000

comments:

Please fill out your data form as completely as possible. Mail to:

> The CoCo Registry P.O. Box 276 Liberty, KY 42539

You will be notified when the database is complete. At that time you will be able to obtain a copy at a very reasonable price.

PLEASE SUPPORT THIS PROJECT!

coco coco coco coco coco coco coco

JWT Enterprises

Ge Time

A monthly magazine for CoCo's and OSK machines. In each issue: Find out about new products and upgrades for your favorite computers. - Learn about what new technical breakthroughs are on the horizon. This cover what programs really can do and what they cannot. - Published monthly in newsletter format. One Year Subscription, two installments of \$7.50; Canadian Orders, two installments of \$9.00; Foreign Orders, 2 X \$11,00 Can also be paid in one installment

Op There Dech-Issues

From September 1992. Limited supplies. \$1.50 each; Foreign Orders, add \$1.25 each; Bulk orders of six or more, \$1.25 each; Foreign Orders add \$1.00 each

Co Thre Volume 1 Pech

All 12 issues of UpTime's first year of publication are contained in a three-ring folder for their protection. If you missed them the first time around, now is your last chance as there are only a limited number available. September 1992 - August 1993. Volume One Pack, \$18.00; Canadian Orders, \$9.00; Foreign Orders, \$11.00

21 Assistance & III (21 E) -758-7694

ad Blad ---- OH 44512



Foreign postage excludes U.S. Territories and Canada. These products for OS-9 Level 2 on the CoCo 3. Sorry, so C.O.D.'s or credit cards; Foreign & Canadian sedara, pi um U.S. money orden. U.S. checks, allow 4 weeks for

but you must open a communications line with the device. This is done with the OPEN statement. As you can see this program uses a device called /w1. If you are not sure which window you can use you can address it as /w. This is a generic descriptor which tells OS-9 to use the first window that is available.

After we open the path, we must establish the type of window we want to use. This is done with the first call to gfx2. DWSET tells gfx2 we want to SET up a Device Window. The numbers define the window, while the path variable tells gfx2 where to set up the window.

The numbers are defined as follows:

- 8 screen type: 320x192, 16 colors
- 0,0 coordinates upper left corner of window
- 40 width of window in columns (=320 pixels)
- 24 height of window in lines (=192 pixels)
- 1 register number of foreground color
- 2 register number of background color
- 2 register number of border color

Note that under DECB you would use the HSCREEN 2 command to achieve the same results. We don't want a blinking cursor in a corner of the screen so we turn it off with the CUROFF command. Then we want to actually see the new window which is accomplished by the SELECT

command.

I will tell you right here to be very careful with this command. It not only shows the window, but it also sends any key presses to that window and no longer to our program. Under circumstances this is not a problem, but if you are debugging the program and have a PAUSE statement inserted somewhere, the program will execute until it encounters the PAUSE and wait for your input. But since you are looking at the image and cannot send input to the program, the whole thing is deadlocked. If you have multiple shells running, you can kill the program and then restart Basic09, reload the program and try again. If you don't have any other shells running, it's going to be a trip to the reset button.

The easiest way to prevent these problems is to put the following line just before the pause: run gfx2("select"). This will switch the keyboard back to the program and allow you to proceed. Also make sure you have the same statement in your error trapping routine (for obvious reasons).

To round off the SELECT statement: if you execute it before you close the path to the window, the screen display will switch back to your program. If you close it after you close the path, OS-9 will link the keyboard back to the program but continue to display the graphics image. You must then press the CLEAR key to switch the display.


The three lines near the

bottom of the subroutine set the color and draw the circles. We must first use the COLOR statement because you cannot specify the color with the CIRCLE command as you would under DECB. As far as Gfx2 is concerned, a circle is a circle and nothing else. If you want to specify a color, you must use a different call, and if you want to draw off-beat circles, you must use the ELLIPSE function. So in our program we just have to specify the centerpoint and the radius.

Before we move on: one more thing about windows. This program works fine because we have not INIZialized the window (or used an I\$Attach system call) before opening the path to the window. If you type INIZ w1 at the OS9: prompt before running the program, you will get an error 184 message. The reason for this is that you can establish only one device window per device. If you still want the program to run hassle free you must trap that error, execute a run gfx2(path,"dwend") statement and loop to the dwset statement. Alternately, if you send the dwend command to a non-existing window, you will get error 196 upon which you can loop back to the dwset statement.

Oh, and please do some experimenting before you move on!

- Chris Dekker



Life on the Internet

In the last installment of this column, we went into some of the background information on the Internet. Basically, the Internet is a global network connecting millions of computers. In the beginning, its sole purpose was to connect various military, governmental, and educational institutions for the purpose of research. Since then, the market has expanded into the commercial sector, and in the next few years, products of the Internet will probably be affecting many of us

When the net was first developed, various standards had to be set so that the computers connected to the net would be able to communicate easily with one another. At the very lowest level, a protocol called Transmission Control Protocol/Internet Protocol (TCP/IP) was chosen to be the primary carrier of packets across the network. To understand what a packet is, imagine that each computer is a person and everyone communicates by yelling one word of their thoughts at one other person. Now, each word that you yell can be considered a packet. By listening for packets and combining them into the original sentence, the other person can reconstruct your speech even though they didn't hear the entire sentence at one time. This is essentially how all traffic on the Internet (and in fact most computer networks) is handled.

Now to carry this analogy a little further, let's look at how the network is organized physically.

The Internet itself can be considered a network of networks... each network, such as one university's net, is connected to other local networks. Imagine a building with many individual rooms and various people in each room. Consider each room to be a local network and the various people to be computers connected to their respective local nets. Now, when somebody wants to talk to somebody else in the room, they simply speak up and hope that the other person heard them. This is one of the essential artifacts of the Internet-there is no guarantee that your message got through-the packet can get garbled, or two people could be trying to yell at the same time. In order to be sure, you would have to have worked out a system with the other person where your partner would then yell back something to the effect of "Yes, I heard you... you don't have to tell me again." If you do not hear this within a certain amount of time, you may try to yell out the information again. You can sec that many problems could arise, such as the person hearing you the first time and yelling that they heard you, but their confirmation itself gets lost, and you yell the information again. For some types of information, this is fine. But for something touchy, such as the ATM machines at your local bank, you would only want to convey the message "Delete \$100 from Joe's account" only once.

Now, when you want to communicate with somebody in another room, it is highly doubtful that you will be able to yell out loud enough to get to them. In addition, if everybody was on the same local network, there would be so much

yelling going on that nobody would ever be able to get a good message through. For these reasons, only so many computers are put together on the same network, and these local networks are connected together with devices called routers. A router listens to all of the messages on both of the networks it is connecting, and passes only those messages that are not intended for the same network. In this way, the "yells and screams" from one network will not spill over into the other network. Only a carefully controlled traffic stream will actually make it across. This would be similar to guards at each door in our building which did not let anybody speak directly to anybody on the other side, but instead listened for messages to the other side and repeated those messages when necessary. By using this scheme, it is quickly easy to see how the thousands of networks that make up the Internet do not clog up from all of this informationmost network traffic remains inside each local network, and only the few messages intended for other nets has to be transmitted between sites.

Currently, the backbone of the network is run by the National Science Foundation and is called NSFNet. Most of the local networks feed into regional distribution nodes of the NSFNet, and the NSFNet takes care of moving packets at the regional (and international) level. Lately, however, a lot of consumer and commercial traffic has begun to appear on the net, which has led to some questions about who should be footing the bill for this backbone. Of course, it is mostly supported

Quality OS-9 Software from

ColorSystems

NEW! K-Windows Chess for MM/1	• • • • • • • • • • • • • • • • • • • •	\$24.95
NEW! X10 Master Control Program for MM/1		\$29.95
Variations of Solitaire	\$29.95	(MM/1)
Pyramid, Klondike, Spider, Poker & Canfield	\$19.95	(CoCo3)
OS-9 Game Pack	\$29.95	(MM/1)
	\$19.95	(CoCo3)
WPShel	\$14.95	(CoCo3)
Using AWK with OS-9	\$14.95	(MM/1)

To Order Send Check or Money Order to ColorSystems PO Box 540 Castle Hayne, NC 28499 (910) 675-1706

Call or write for a free catalog! Demo Disks also available!

Owned and Operated by Zack C Sessions

NC Residents please add 6% Sales Tax

Come see us at Chicago! Mention this advertisement and get a special discount!



t w 3801 brown bark drive greensboro, n.c. 27410 ---- u.s.a. -

919/294-1558

hours 8:00 a.m. — 7:00 p.m. ..., at technical support 2:00 p.m. -- 6:00 p.m.



All orders add \$3,00 \$/H G.O.D. orders add an additional \$3.00

Ulti*Music®* Library

Kala Software's UltiMusic® Library is a collection of Classis Rock, Soft Rock, New Age & Jazz arrangements.

TRANSCRIBED SCORES:

The following scores are complete 'Off the Record' arrangements. Every sound has been caputred to the best of our ability and arranged in such a way that best duplicates the original score.

,g	
THE BEATLES - Volume 1	
THE BEATLES - Volume 3	
THE BEATLES - Volume 4	\$ 9 .95
BILLY JOEL - Volume 1	
	🗸 0.00
THE WHO	
Double Disk Set	. \$ 12.95
LED ZIPPELIN - Volume 1	\$ 9 .95
BLOOD SWEAT & TEARS - Volume 1	\$ 9 .95
STEELY DAN - Volume 1	\$ 9 .95
ROCK YOUR SYNTH - Volume 1	\$ 9.95
ROCK YOUR SYNTH - Volume 2	
PIANO SCORES:	

The following scores were arranged for 3 or 4 Channel MIDI keyboards. All arrangements were scored in the standard 2 or 3 stave format. However, each disk is LOADED with GREAT sounds

THE BEATLES - Volume 1	\$12.95
THE BEATLES - Volume 2	\$ 12.95
UltiROCK - Volume 1	\$ 12.95
Ulti ROCK - Volume 2	\$ 12.95

SERIAL TO MIDI CABLE\$ 19.95



The Ultimate MIDI Music Notation Editor for the ColorComputer~3

UltiMusE-III and UltiMusE/K are the most complete MIDI Music Notation Editor for either the 512k ColorComputer~3 or the new OSK machines. Compose detailed music scores to simple piano runs or just mouse in your favoriate sheet music score. The UltiMusE system is perfect for the novist music lover to the professional musician.

It just doesn't get any better than this!

The Ultimate MIDI Music Notation Editor for the MM/1 and OSK machines



by governmental funds at this point (imagine that, you tax dollar actually working for you!) but may be moved to the commercial sector in the future.

And just how the heck does everybody know how to address each other? After all, there are literally millions of computers to choose from when you send a packet of information out. TCP/IP is based on a 32-bit addressing protocol which allows for a possible 4,294,967,296 unique addresses at any one time. Each network site is allotted a range of numbers which they can then distribute to all of the computers on their local networks. Special routing protocols enable a packet to find its way to any destination... as a gross example, a higher level router may know that any packets beginning with a certain code all go to one particular site, so it is relatively easy to direct those packets to their destination. In fact, addresses are usually given in one of two ways: the dot specification or the name specification. For the dot specification, the 32-bit address is broken into four 8-bit sections. You may know from your binary arithmetic that 8-bits can be represented by the numbers 0 to 255, and that is exactly how it is done. For example, 128.2.10.5 is a valid Internet address. However, it is extremely difficult to remember strings of numbers, so a naming system was developed. It too separates individual names with dots, but these separations are purely hierarchical and do not correspond to any bit sections of the actual address. For example, sumex-aim.stanford.edu is a valid address for a computer at Stanford University that provides a large library of public domain software to anyone on the net. Typically, you can tell where these addresses are coming from by looking at the rightmost identifier. Edu represents an educational institution, usually a university, com is a commercial user, mil is a military institution, and gov is a governmental branch. Outside of the United States, you typically have an international identifier tacked on to the end, such as au for Australia or no for Norway. The rest of the address depends upon the individual site, and names range from the understandable (as the Stanford one appears to be) to the indecipherable.

In order to resolve a name, your computer will typically send out a Domain Name Server (DNS) query to translate an address name that you type into the actual 32-bit number. Basically, if the computer is on your local net, a local name server will translate the address

directly and send the result back immediately. However, a name from a remote institution will typically get sent to that institution (through various higher level routers which can use part of the name to get the request to the correct name server). Eventually the numbered address is returned to your computer which can then use this number to address all of its outgoing packets.

Well, that turned out to be a little more in-depth then I was planning, but at least that gives you a really good look at how the Internet actually operates. In the next installment, I hope to get to some of the higher level protocols, such as electronic mail applications and the transferring of files across the network.

- Jordan 7svetkoff






Burke & Burke

P.O. Box 733 Maple Valley, WA 98038 ORDER DESK & TECHNICAL ASSISTANCE (206) 432-1814 WARESIDENTS ADD 8.2% SALESTAX, MC & VISA accepted, U.S. COD's add \$3.75. Min. shipping \$4.00 US, \$5.00 to Canada. Please allow 2 weeks for delivery. Overnight or 2nd-day available for in-stock items. Software upgrades \$5.00 each w/receipt, including U.S. shipping. Call / write for free catalog¹

CoCo-XT Hard Disk Interfaces

Hundreds of Color Computer enthusiasts in the US, Canada, Europe, South America, and Australia love our affordable high-performance hard disk interfaces! Look at these features



NO HALT • 1 or 2 hard drives • 30% faster than SASI • Uses PC-type hard disk drives & MFM / RLL controllers • 5 Meg to 120 Meg per drive • Does not use interrupts • Multi-PAK recommended • Works with 12 Volt Y-cables • Includes EZGen boot file editor for easy installation

Each interface includes a user manual and software for use with HYPER-I/O or OS-9. The CoCo XT hard disk interface is \$69.95. The CoCo XT-RTC model, \$99.95, adds a battery-powered real time clock / calendar for OS9 and BASIC.

Native Mode for \$34.95!

Burke's \$34.95 PowerBoost kit replaces your CoCo's 6809 with a high- performance Hitachi HD63B091; microprocessor PowerBoost comes with our exclusive "tuneup" program, which uses the HD63B091; advanced instructions to speed up many OS9 operations by an average of 40%. PowerBoost now includes software to run the 63B091; microprocessor in Native Mode for a 10% average speed increase over previous versions. Our implementation of Native Mode updates only the REL, BOOT, OS9P1, OS9P2, and CC3DISK modules. other modules require no modification

March Children Control of the Contro

POWERBOOST (INCLUDES HD63B09E MICROPROCESSOR) \$34.95. POWERBOOST (SOFTWARE ONLY) \$24.95.

XT-ROM - allows OS-9 startup from CoCo XT hard disk	\$19.95	2nd
THEXDER-OS9 (requires THEXDER cartridge)	\$29.95	''The 630
PERTASCII - OS-9 Multi-User & BBS word game	\$19.95	Learn about new
OS9 World Class Chess (requires CYRUS cartridge)	\$29.95	address modes d
File System Repack - OS-9 graphical disk defragmenter	\$29.95	disassembler, an
File Recovery System - Helps recover damaged OS-9 disks EZGEN - Fast OS-9 boot file editor (uses RAMDisk work files) WILD & MV · OS-9 wildcard and file moving utilities ZCLOCK - Continuous date / time on Level 2 OS-9 windows	\$24.95 \$19.95 \$19.95 \$9.95	SCSI-512 Use SCSI hard For DISTO 4 in
RSB - Complete CoCo BASIC, for OS-9 (requires DECB ROM) OS-9 is a trademark of Microware Systems Corp. and Motorola Daggorpatch for RS-DOS (requires DAGGORATH cartridge) HYPER-I/O - Use 720K floppy disks, hard disk from BASIC	\$39.95 \$9.95 \$24.95	MC68B09E 2N HD63B09E 2M 27128 EPROM

2nd Edition of The 6309 Book", \$29.95

earn about new 6309 instructions and iddress modes. Includes OS-9 assembler, lisassembler, and debug patches.

SCSI-512 Drivers, \$29.95

lse SCSI hard drives with 512-byte sectors or DISTO 4 in-1 and HDISK, OS 9 only

MC68B09E 2MHz uP	\$14.95
HD63B09E 2MHz aP	\$19.95
27128 EPROM (Blank)	\$9.95

4. .

CoCo Classifieds

For Sale

Printed:

- Rainbow Magazine (Aug '82 to Feb '92). Incomplete set, will sell all or part.
- Complete Rainbow Guide to OS-9 Level 2

Software:

- OS-9 Level 1
- DeskMate 3
- Where in the World is Carrier Sandiego
- The Microscopic Mission
- Sub-Battle Simulator
- Flight Simulator 2

Hardware:

- 108 MB RLL Hard Drive. Works with B&B Hard Disk Interface. Only used 10 hours, auto head parking \$120 US
- CGP 115 Printer. \$30

Best offer will be taken for magazines and software. Please have offers in as soon as possible. Mail to Alan Bayko, PO Box 1350, Saskatoon, SK. \$7K 3N9, Canada.

To place an ad, simply print out your ad copy, specify which classification you wish it placed under, and send it to UpTime Classifieds, 575\$ Lockwood Blvd., Youngstown, OH, 44512 along with your name, address, phonenumber, and payment. We reserve the right to refuse any ad we deem inappropriate (such as offers to trade commercial software vendor ads, etc.). Cost for an ad is \$5 for the first 120 words, \$3 for each additional 20 or

portion thereof. Ad deadline is the 25th of each month for publication in the following month's issue. Ad copy will not be taken by phone. *UpTime* shall not be held responsible for any transactions that take place in this section.

UpTime

JWT Enterprises 5755 Lockwood Blvd. Youngstown, OH 44512

Address correction requested