

TANDY®* Color Computer Deluxe Joystick Owner's Manual



*TRADEMARKS OF RADIO SHACK DIVISION, TANDY CORPORATION

TERMS AND CONDITIONS OF SALE AND LICENSE OF RADIO SHACK COMPUTER EQUIPMENT AND SOFTWARE PURCHASED FROM A RADIO SHACK COMPANY-OWNED COMPUTER CENTRE RETAIL STORE OR FROM A RADIO SHACK OF FALER AT 175 AUTHORIZED LOCATION.

I IMITED WARRANTY

I. CUSTOMER OBLIGATIONS

- 4. The terms and conditions of this Warranty are applicable as between RADIO SHACK and CUSTOMER to either a sale of the Equipment and or Software License to CUSTOMER or to a transaction whereby RADIO SHACK sells or conveys such Equipment to a third party for lease to CUSTOMER
- The limitations of liability and Warranty provisions herein shall inure to the benefit of RADIO SHACK, the author, owner and or licensor of the Software and any manufacturer of the Equipment sold by Radio Shack.

RADIO SHACK LIMITED WARRANTIES AND CONDITIONS OF SALE

- A. For a period of menty (80) calendar days from the date of the Radio Shack sales document received upon purchase of the Equipment ANDIO SHACK warrants to the original CUSTOMER that the Equipment and the medium upon which the Software's storied is free from manufacturing defects. This WARRANTY IS ONLY APPLICABLE TO PURCHASES OF RADIO SHACK EQUIPMENT BY THE ORIGINAL CUSTOMER TYPING MADIO SHACK COMPANY-OWNED COMPRITE CENTERS. Rich as STORES AND PROM KARDO. Explained to Software the Software Company of the Compan
- B. RADIO SHACK makes no warranty as to the design capability capacity or suitability for use of the Software except as provided in this paragraph Software is lossed on an ASIS basis, without warranty. The original CUSTOMER'S exclusive remedy in the event of a Software manufacturing defect, is its repair or replacement within their y (30) calendar days of the date of the Radio Shack and the second secon
- Except as provided herein no employee, agent, or other person is authorized to give any warranties of any nature on behalf
- Except as provided herein RADIO SMACK MAKES NO WARRANTIES. INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A
 PARTICULAR PURPOSE.

II. LIMITATION OF LIABILITY

- LIMITATION OF LIMINITY OF SPROYDED HEREIN. RADIO SHACK SHALL HAVE NO LIABILITY OR RESPONSIBILITY TO CUSTOMER OR ANY OTHER PERSON OR ENTITY WITH RESPECT TO ANY LIABILITY. LOSS OR DAMAGE CAUSED OR ALLEGED TO BE CAUSED DIRECTLY ON HOMEOUT AND ANY DEPOSITION OF SERVICE LOSS OF BUSINESS OF MATICAL PROPERTY OF SERVICE LOSS OF BUSINESS OF MATICAL PROPERTY SHALL HADIO SHACK RELIABLE FOR LOSS OF PROPERTY OR ANY WINDERS TESTICAL OF CONSEQUENTIAL DAMAGES RAISING OUT OF ANY BEACH OF THIS WARRANTY OR IN ANY MANNER ANISING OUT OF OR CONNECTED WITH THE SALE LEASE LICENSE USE OR ANY CITY THE WARRANTY OR IN ANY MANNER ANISING OUT OF OR CONNECTED WITH THE SALE LEASE LICENSE USE OR ANY CITY THE USE OF THE FEOUR PROPERTY OF WARRENTY OR IN ANY MANNER ANISING OUT OF OR CONNECTED WITH THE SALE LEASE LICENSE USE OR ANY CITY THE USE OF THE FEOUR PROPERTY OF WARRENTY OR IN ANY MANNER ANISING OUT OF OR CONNECTED WITH THE SALE LEASE LICENSE USE OR ANY CITY TO USE OF THE FEOUR PROPERTY OF WARRENTY OR THE ANY MANNER ANISING OUT OF OR CONNECTED WITH THE SALE LEASE LICENSE USE OR ANY CITY TO USE OF THE PROPERTY OF WARRENTY OR THE ANY MANNER ANISING OUT OF OR CONNECTED WITH THE SALE LEASE LICENSE USE OR ANY CITY TO USE OF THE PROPERTY OF WARRENTY OR THE PROPERTY OF WARRENTY OR THE PROPERTY OF THE PROPERTY OF WARRENTY OR THE PROPERTY OF WARRENTY OR THE PROPERTY OF WARRENTY OR THE PROPERTY OF THE PROPERTY OF WARRENTY OR THE PROPERTY OF THE PROPERTY
 - NOTWITHSTANDING THE ABOVE LIMITATIONS AND WARRANTIES RADIO SHACK'S LIABILITY HEREUNDER FOR DAMAGES INCURRED BY CUSTOMER OR OTHERS SHALL NOT EXCEED THE AMOUNT PAID BY CUSTOMER FOR THE PARTICULAR "EQUIPMENT OR "SOFTWARE" INVOLVED.
- B. RADIO SHACK shall not be liable for any damages caused by delay in delivering or furnishing Equipment and or Software. No action arrising out of any claimed breach of this Warranty in ratiascrions under this Warranty may be toxogith more than 1021 years after the cause of action has accrued or more than four (4) years after the date of the Radio Shack sales document for the Equipment or Software. Whichever first occur.

RADIO SHACK SOFTWARE LICENSE

RADIO SHACK grants to CUSTOMER a non-exclusive baid-up license to use the RADIO SHACK Software on one computer, subject to the following provisions

- ing provisions.
 Except as otherwise provided in this Software License, applicable copyright laws shall apply to the Software.
 Title to the medium no which the Software is recorded trassette and/or disketter or stored (RDM) is transferred to CIISTOMER huit AR not title to the Software
- CUSTOMER may use Software on one host computer and access that Software through one or more terminals if the Software
- permits this function
 CUSTOMER shall not use make manufacture or reproduce copies of Software except for use on one computer and as is specifically n provided in this Software License. Customer is expressly prohibited from disassembling the Software CUSTOMER is permitted to make additional copies of the Software only for backup or archival purposes or if additional copies are
- required in the operation of and computer with the Software but only to the extent the Software allows a backup copy to be made.

 However, Io., TRSDOS Software CUSTOMER is permitted to make a limited number of additional copies for CUSTOMER'S own use CUSTOMER may resell or distribute unmodified copies of the Software provided CUSTOMER has purchased one copy of the
- Software for each one sold or distributed. The provisions of this Software License shall also be applicable to third parties receiving copies of the Software from CUSTOMER C
- All copyright notices shall be retained on all copies of the Software

APPLICABILITY OF WARRANTY

- The terms and conditions of this Warranty are applicable as between RADIO SHACK and CUSTOMER to either a sale of the Equipment and or Software License to CUSTOMER or to a transaction whereby RADIO SHACK sells or conveys such Equipment to a third party for lease to CUSTOMER
- The limitations of liability and Warranty provisions herein shall inure to the benefit of RADIO SHACK. The author, owner and or licensor of the Software and any manufacturer of the Equipment sold by Radio Shack.

PROVINCE LAW RIGHTS

The warranties granted herein give the original CUSTOMER specific legal rights, and the original CUSTOMER may have other rights which vary from province to province

TANDY Color Computer Deluxe Joystick Owner's Manual

Copyright © 1985, Tandy Corporation, All Rights Reserved.

Reproduction or use without express written permission from Tandy Corporation, of any portion of this manual is prohibited. While reasonable efforts have been taken in the preparation of this manual to assure its accuracy, Tandy Corporation assumes no liability resulting from any errors or omissions in this manual, or from the use of the information obtained herein.

Introduction

Congratulations for purchasing the **TANDY Color Computer Deluxe Joystick** — the Joystick that is specifically designed to increase your screen positioning power while playing games and creating Color Computer graphics. Whether you are having a quiet, but back-stabbing match of Roman Checkers (26-3071), or defending your planet from a nerve-shattering alien blitz with Galactic Attack (26-3066), you'll find this Joystick to be a definite enhancement to your **TANDY** Color Computer system.

The **TANDY** Color Computer Deluxe Joystick features:

- Easy installation just connect the 6-Pin connector to either JOYSTK Connector at the rear of the Color Computer. If you have two Deluxe Joysticks, connect both of them to the JOYSTK Connectors.
- Separate X and Y axis controls which give you precise screen positioning.
- Selectable "Free-floating" or "Spring Center Return" Control Stick adjustments which let you tailor the stick action to the software you are using.
- Convenient "Fire" button lets you execute game or program functions quickly and efficiently.

1/ Description of the Color Computer Deluxe Joystick

Along with its attractive "high tech" appearance, this Joystick offers features not common to most Joysticks.

The following diagram shows the components of this amazing product.




Figure 1. Top view of Deluxe Joystick with Directional Scheme.

- Control Stick. Move this lever in the direction of your choice. (See Figure 1.)
- ② Fire Button. Press this button to fire missiles or initiate a program function.
- A:Axis Adjustment Switch. Move this switch to the left or right to adjust your horizontal position as close as possible to the screen's center.
- § Y-AxIs Adjustment Switch. Move this switch up or down to adjust your vertical position as close as possible to the screen's center.

Control Stick Operating Modes

The Control Stick has two modes of operation — "Spring Center Return" and "Free-Floating."

When you first connect your Deluxe Joystick, it will be in Spring Center Return mode — meaning that the Control Stick will automatically return to center position when you release the lever. Also, when you release the lever, the screen position will be at (or near) dead center.

You can make the Control Stick "Free-Floating" for the X, Y, or both Axes. *Free-Floating* means that the Control Stick will remain in its present position when you release the lever.




Figure 2. Deluxe Joystick Mode Switches

T-Axis Mode Switch. To change the X-Axis mode from Spring Center Return to Free-Floating, hold the Control Stick at any of the corners. Then, set the switch to FREE.

Caution: Do not move the switches to the **FREE** position with the stick in its erect position. Doing so will virtually freeze the lever motion in the straight-up position.

- 2 Y-Axis Mode Switch. To change the Y-Axis mode from Spring Center Return to Free-Floating, hold the Control Stick at any extreme corner. Then, set the switch to FREE.
- 3 Changing both Axes. To change both Axes from Spring Center Return to Free-Floating, hold the Control Stick at a corner position. Then make sure that both mode switches are set to FREE.

To re-engage either or both Axes to Spring Center position, move the mode switch(es) away from the **FREE** position.

2/Connecting the TANDY Color Computer Deluxe Joystick




Figure 3. Connecting the Joystick

- Make sure that your Color Computer and any other connected peripherals are OFF.
- Connect the Joystick's 6-Pin connector to either JOYSTK Connector at the rear of the Color Computer. (Your Program Pak manual will specify either the RIGHT or LEFT JOYSTK Connector.)
- 3. Turn the system ON.

Adjusting the Electrical Center

The two levers on the control stick housing (one located below and one to the left of the control stick) allow fine adjustments to the electrical center of your Joystick. Each lever controls a separate axis (X or Y).




Figure 4. Electrical Center Directions

- Move this switch up or down to adjust the screen position vertically.
- Move this switch left or right to adjust the screen position horizontally.

The Fire Button

Frequently, a program or action game will require that you use a "fire button." Press the red Fire Button to fire a missile or to start a new game.

Note: The black button does not function with the colour computer or the colour computer 2.

3/Specifications

Dimensions 4" Long \times 3.25" High \times 4"

Deep

 $(10.16 \times 8.25 \times 10.16 \text{ cms.})$

Weight 8 ounces (226.8 grams)

Temperature and Humidity Range

Operating 41°F-104°F (5°C-40°C)


40%-80% Humidity

Storage $-40^{\circ}\text{F-}160^{\circ}\text{F} (-40^{\circ}\text{C-}71^{\circ}\text{C})$

20%-90% Humidity

Cable Length 5 feet (1.52 Meters)

Joystick Controller Jack Pinouts



- Comparator Input (Right-Left)
- 2. Comparator Input (Up-Down)
- 3. Ground
- 4. Fire button 1 (High when open, Low when closed)
- 5. Vcc, current-limited, + 5VDC
- 6. Fire button 2 (High when open, Low when closed)

SERVICE POLICY

Radio Shack's nationwide network of service facilities provides quick, convenient, and reliable repair services for all of its computer products, in most instances. Warranty service will be performed in accordance with Radio Shack's Limited Warranty. Non-warranty service will be provided at reasonable parts and labor costs.

Because of the sensitivity of computer equipment, and the problems which can result from improper servicing, the following limitations also apply to the services offered by Radio Shack:

- If any of the warranty seals on any Radio Shack computer products are broken, Radio Shack reserves the right to refuse to service the equipment or to void any remaining warranty on the equipment.
- 2. If any Radio Shack computer equipment has been modified so that it is not within manufacturer's specifications, including, but not limited to, the installation of any non-Radio Shack parts, components, or replacement boards, then Radio Shack reserves the right to refuse to service the equipment, void any remaining warranty, remove and replace any non-Radio Shack part found in the equipment, and perform whatever modifications are necessary to return the equipment to original factory manufacturer's specifications.
- The cost for the labor and parts required to return the Radio Shack computer equipment to original manufacturer's specifications will be charged to the customer in addition to the normal repair charge.

RADIO SHACK DIVISION, TANDY ELECTRONICS LIMITED

CANADA: BARRIE, ONTARIO L4M 4W5 U.S.A.: FORT WORTH, TEXAS 76102

TANDY CORPORATION

AUSTRALIA	U.K	BELGIUM
91 KURRAJONG AVENUE	BILSTON ROAD WEDNESBURY	PARC INDUSTRIEL DE NANINNE
MOUNT DRUITT, N.S. W. 2770	WEST MIDLANDS WS10 7JN	5140 NANINNE

Printed in Korea