Multi-Vue



TANDY®

TERMS AND CONDITIONS OF SALE AND LICENSE OF TANDY COMPUTER EQUIPMENT AND SOFTWARE PURCHASED FROM RADIO SHACK COMPANY-OWNED COMPUTER CENTERS. RETAIL STORES AND RADIO SHACK FRANCHISEES OR DEALERS AT THEIR AUTHORIZED LOCATIONS

USA LIMITED WARRANTY

CUSTOMER OBLIGATIONS

CUSTOMER assumes full responsibility that this computer hardware purchased (the "Equipment"), and any copies of software included with the Equipment or licensed separately (the "Software") meets the specifications, capacity, capabilities, versatility, and other requirements of CUSTOMER.

CUSTOMER assume: full responsibility for the condition and effectiveness of the operating environment in which the Equipment and Software are to function, and for its installation.

LIMITED WARRANTIES AND CONDITIONS OF SALE

- For a period of ninety (90) calendar days from the date of the Radio Shack sales document received upon purchase of the Equipment. RADIO SHACK warrants to the original CUSTOMER that the Equipment and the medium upon which the Software is stored is free from manufacturing defects. This warranty is only applicable to purchases of Tandy Equipment by the original customer from Radio Shack company-owned computer centers, retail stores, and Radio Shack franchisees and dealers at their authorized locations. The warranty is void if the Equipment or Software has been subjected to improper or abnormal use. If a manufacturing defect is discovered during the stated warranty period, the defective Equipment must be returned to a Radio Shack Computer Center, a Radio Shack retail store, a participating Radio Shack franchisee or a participating Radio Shack dealer for repair, along with a copy of the sales document or lease agreement. The original CUSTOMER'S sole and exclusive remedy in the event of a defect is limited to the correction of the defect by repair, replacement, or refund of the purchase price, at RAOIO SHACK'S election and sole expense. RADIO SHACK has no obligation to replace or repair expendable items.
- RADIO SHACK makes no warranty as to the design, capability, capacity, or suitability for use of the Software, except as provided in this paragraph. Software is licensed on an "AS IS" basis, without warranty. The original CUSTOMER'S exclusive remedy, in the event of a Software manufacturing defect, is treatire or repair or replacement within thirty (30) calendar days of the date of the Radio Shack sales document received upon license of the Software. The defective Software shall be returned to a Radio Shack Computer Center, a Radio Shack retail store, a participating Radio Shack franchisee or Radio Shack dealer along with the sales document.

a participating radious stack intactioned in Adulto Shakok dealer along with the sales document.

Except as provided herein no employee, agent, franchisee, dealer or other person is authorized to give any warranties of any nature on behalf of RADIO SHACK.

EXCEPT AS PROVIDED HEREIN, RADIO SHACK MAKES NO EXPRESS WARRANTIES, AND ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS LIMITED IN ITS DURATION TO THE DURATION OF THE WRITTEN LIMITED WARRANTIES SET FORTH HEREIN.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitation(s) may not apply to CUSTOMER.

III. LIMITATION OF LIABILITY

EXCEPT AS PROVIDED HEREIN, RADIO SHACK SHALL HAVE NO LIABILITY OR RESPONSIBILITY TO CUSTOMER EXCEPT AS PROVIDED HEREIN, RADIO SHACK SHALL HAVE NO LIABILITY OR RESPONSIBILITY TO CUSTOMER OR ANY OTHER PERSON OR ENTITY WITH RESPECT TO ANY LIABILITY, LOSS OR DAMAGE CAUSED OR ALLEGED TO BE CAUSED DIRECTLY OR INDIRECTLY BY "EQUIPMENT" OR "SOFTWARE" SOLD, LEASED, LICENSED OR FURNISHED BY RADIO SHACK, INCLUDING, BUT NOT LIMITED TO, ANY INTERRUPTION OF SERVICE, LOSS OF BUSINESS OR ANTICIPATORY PROFITS OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR OPERATION OF THE "EQUIPMENT" OR "SOFTWARE." IN NO EVENT SHALL RADIO SHACK BE LIABLE FOR LOSS OF PROFITS, OR ANY INDIRECT, SPECIAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY BREACH OF THIS WARRANTY OR IN ANY MANNER ARISING OUT OF OR CONNECTED WITH THE SALE, LEASE, LICENSE, USE OR ANTICIPATED USE OF THE "EQUIPMENT" OR "SOFTWARE."

NOTWITHSTANDING THE ABOVE LIMITATIONS AND WARRANTIES, RADIO SHACK'S LIABILITY HEREUNDER FOR ADMAGES RIVILIPATED VECISIONER BOD ANY INCIPATED SHALL RADIO SHACK BUT AND THE PROPERTY OR "SOFTWARE."

DAMAGES INCURRED BY CUSTOMER OR OTHERS SHALL NOT EXCEED THE AMOUNT PAID BY CUSTOMER FOR THE PARTICULAR "EQUIPMENT" OR "SOFTWARE" INVOLVED.

BAOJO SHACK shall not be liable for any damages caused by delay in delivering or furnishing Equipment and/or

- Software
- No action arising out of any claimed breach of this Warranty or transactions under this Warranty may be brought more than two (2) years after the cause of action has accrued or more than four (4) years after the date of the Radio Shack sales document for the Equipment or Software, whichever first occurs.

 Some states do not allow the limitation or exclusion of incidental or consequential damages, so the above

limitation(s) or exclusion(s) may not apply to CUSTOMER.

SOFTWARE LICENSE

RADIO SHACK grants to CUSTOMER a non-exclusive, paid-up license to use the TANDY Software on one computer, subject to the following provisions:

Except as otherwise provided in this Software License, applicable copyright laws shall apply to the Software.

Title to the medium on which the Software is recorded (cassette and/or diskette) or stored (ROM) is transferred to

CUSTOMER, but not title to the Software.

- CUSTOMER may use Software on a multiuser or network system only if either, the Software is expressly labeled to be for use on a multiuser or network system, or one copy of this software is purchased for each node or terminal on which Software is to be used simultaneously.
- CUSTOMER shall not use, make, manufacture, or reproduce copies of Software except for use on one computer and as is specifically provided in this Software License. Customer is expressly prohibited from disassembling the Software
- CUSTOMER is permitted to make additional copies of the Software only for backup or archival purposes or if additional copies are required in the operation of one computer with the Software, but only to the extent the Software allows a backup copy to be made. However, for TRSDOS Software, CUSTOMER is permitted to make a limited number of additional copies for CUSTOMER'S own use.

CUSTOMER may resell or distribute unmodified copies of the Software provided CUSTOMER has purchased one copy of the Software for each one sold or distributed. The provisions of this Software License shall also be

applicable to third parties receiving copies of the Software from CUSTOMER.

All copyright notices shall be retained on all copies of the Software APPLICABILITY OF WARRANTY

- The terms and conditions of this Warranty are applicable as between RADIO SHACK and CUSTOMER to either a sale of the Equipment and/or Software License to CUSTOMER or to a transaction whereby Radio Shack sells or conveys such Equipment to a third party for lease to CUSTOMER.
- The limitations of liability and Warranty provisions herein shall inure to the benefit of RADIO SHACK, the author, owner and or licensor of the Software and any manufacturer of the Equipment sold by Radio Shack.

STATE LAW RIGHTS

The warranties granted herein give the **original** CUSTOMER specific legal rights, and the **original** CUSTOMER may have other rights which vary from state to state.

Multi-Vue

For OS-9 Level Two

Multi-Vue (software): Copyright 1987, Microware Systems Corporation. Licensed to Tandy Corporation All Rights Reserved.

All portions of this software are copyrighted and are the proprietary and trade secret information of Microware Systems Corporation and/or its licensor. Use, reproduction or publication of any portion of this material without prior written authorization by Microware Systems Corporation is strictly prohibited.

Multi-Vue (manual): Copyright 1987, Tandy Corporation. All Rights Reserved.

Reproduction or use of any portion of this manual, without express written permission from Tandy Corporation and/or its licensor, is prohibited. While reasonable efforts have been made in the preparation of this manual to assure its accuracy, Tandy Corporation assumes no liability resulting from any errors in or omissions from this manual, or from the use of the information contained herein.

Tandy is a registered trademark of Tandy Corporation.

OS-9 is a trademark of Microware Systems Corporation.

10 9 8 7 6 5 4 3 2 1

Contents

Part 1 The Multi-Vue System

Getting Started/ 1	
Multi-Vue Windowing	1-1
Getting Started	1-2
Make a Backup of Multi-Vue	1-2
If You Have 128K	1-4
If You Have 512K	1-5
Do This If You Have 512K	1-6
Setting the Date and Time	1-8
GShell/ 2	
The Graphics Shell	2-1
Graphics Controllers	2-2
Entering GShell	2-3
Selecting GShell Options	2-4
Scroll Markers	2-6
Exiting GShell	2-7
GShell File Icons	2-8
Using Menus	2-9
Double Clicking	2-11
Executing Programs	2-11
Executing Object Files	2-12
Changing Drives	2-12
Changing Folders	2-13
Opening Multiple Windows	2-16
Sizing Windows	2-17
Desktop Applications	2-18
Help Function	
Creating a Standard OS-9 Shell	2-19

The Control Panel/ 3	
Accessing the Control Panel	3-1
Setting the Monitor Type	3-4
Controller Resolution	3-4
Designating the Mouse /Joystick Port	3-5
Setting Screen Color	
Selecting the Register	3-7
Mixing Colors	3-7
Keyboard Repeat	
Canceling Entries	3-9
Saving the New Environment	3-9
The Calendar/ 4	
Accessing the Calendar	4-1
Setting the Date	
Selecting Other Dates	4-3
Making Notes	
Notes for the Day	4-5
Writing and Editing Notes	4-5
Saving Notes	
Recalling Notes	4-9
Adding Notes to an Existing File	4-10
Leaving the Calendar	
The Clock/ 5	
Selecting the Clock	
Setting the Date	5-4
Setting the Time	
Setting the Alarm	5-5
Checking and Clearing the Alarm	
Leaving the Clock	5-7

The Calculator/ 6	
Selecting the Calculator	6-2
Using the Calculator	6-3
Leaving the Calculator	6-6
Port and Printer Setups/ 7	
RS-232 Port Configuration	7-1
Changing the Baud Rate	7-4
Changing Parity	7-5
Selecting Word Length	7-5
Selecting Stop Bits	7-5
Selecting Line Feed	7-6
Selecting Pause	7-6
Selecting XON, XOFF and EOF	7-7
Completing Your Selections	7-8
Exiting Port Configuration	7-9
Printer Configuration	7-10
Setting the Printer Format	7-10
Exiting from Printer Formatting	7-13
The Eller Piel and Wisser Many of O	
The Files, Disk, and View Menus/ 8	
Files Menu	8-2
Disk Menu	8-4
View Menu	8-5

Part 2 Programming Information

Programmer's Notes/ 9	
Window Types	9-1
Window Regions	9-2
Framed Windows	9-2
Shadowed Box	9-6
Double Box	9-6
Plain Box	9-7
No Box	9-7
Window Conventions	9-8
Creating Windows	
Menu Bar and Pull-Down Menu Support	9-10
Using the Mouse	
Setting Up The Menus	9-13
Updating Menus	
Menu Selection	
Standard Menus	9-18
Using Application Information Files	9-22
Setting 16 Colors	
The Clipboard Function	
The Environment File Layout	
The Environment File	

C Language Graphics Library Support/ 10	
A. Standard Windowing Commands	10-3
B. Get/Put Commands	10-10
C. Configuration Commands	10-15
D. Font Handling Commands	10-22
E. Standard Text Commands	10-26
F. Drawing Commands	10-33
G. General System Status Functions	10-46
H. Mouse Handling Functions	10-55
I. Alarm Functions	10-58
J. Multi-Vue Windowing Functions	10-61
Writing Applications for Multi-Vue in C	10-73
Defining and Initializing an Application Window	10-73
Defining and Initializing Menus for a Window	10-75
Defining and Initializing the Items of a Menu	10-77
Using a Mouse on a Framed Window with Menus	10-79

Appendix

Glossary

Index

Part 1 The Multi-Vue System

Getting Started

Chapter 1

Multi-Vue is a working environment that uses the Color Computer 3 and OS-9 Level Two. With the keyboard, a joystick, or a mouse, you can make selections through the environment's pull down menus. Your selections include special Multi-Vue functions, selected OS-9 commands and utilities, and application programs.

Multi-Vue Windowing

As you pull down menus and make selections, Multi-Vue opens windows that it uses to execute the programs you choose. By opening several windows, several programs can share your computer's facilities and even share the same screen at the same time. With the press of a key, you can cycle through programs and you won't lose your place or terminate an operation.

Getting Started

To use Multi-Vue, you need:

- A Color Computer 3
- OS-9 Level Two Operating System
- One or more disk drives
- A TV or monitor

Also, you must prepare your software before you can use it. The rest of this section will carefully lead you through the process of making bootable copies of Multi-Vue. By carefully reading this chapter first, you can make this process easier. You might also find your OS-9 reference materials to be very helpful.

Make a Backup of Multi-Vue

Before you begin using Multi-Vue, make at least one set of backup copies of the Multi-Vue diskette. After making the backups, use them as your working disks. Don't use the original diskette unless your working copies are damaged. Then, use the original only to make other backups. The cost and time involved in making backups is small compared to the inconvenience of accidentally destroying your program.

To make copies of the Multi-Vue diskette, select two new diskettes, or ones that contain data you no longer want to keep. Format the diskettes you selected:

- 1. Turn on your computer and insert OS-9 Level Two Disk 1 into Drive 0.
- 2. Type **DOS** [ENTER]. If you don't have Disk Extended Color BASIC Version 2.1 or higher, see Appendix A.
- 3. At the OS-9 prompt, enter the time and date in the format shown or push [ENTER].
- 4. At the OS-9 prompt, type format /d0 [ENTER]. Remove the OS-9 diskette and put in a blank diskette. Follow the prompts.
- 5. Remove the formatted diskette from Drive 0, reinsert the OS-9 Level Two Diskette and repeat the formatting process.

Now you can copy the contents of the Multi-Vue diskette onto the newly-formatted diskettes. To do this:

- 1. Reinsert the OS-9 diskette back into Drive 0.
- 2. Type backup [ENTER], and insert Multi-Vue Side A into Drive 0. Follow the prompts. (You will be using Multi-Vue's Side A to make Diskette 1).
- 3. Remove the copy of Side A from Drive 0, and reinsert OS-9 Level Two.

- 4. Repeat the backup process using Side B. Be sure to flip the Multi-Vue diskette when you copy side B.
- 5. When the process is finished, you will have two working-copies for Multi-Vue. Label the copy of Side A as Diskette 1, and the copy of Side B as Diskette 2.

For more detailed directions, Chapter 3 of Getting Started With OS-9 describes how to format diskettes and how to make copies using either one or two disk drives.

If You Have 128K

If your computer has 128 kilobytes of memory, you can keep only one window open at a time. When you finish running an application, GShell clears its main screen, loads the new program, and draws a new window. GShell will need to clear the screen for every application you run.

Because of the limited amount of memory space, you must also use a low resolution display (16K). There is not enough free RAM to maintain a high resolution screen. See the OS-9 windowing manual for screen types and RAM recquirements.

If You Have 512K

If your computer has 512 kilobytes of memory, GShell creates concurrent windows if you want to run more than one application. Since 512K allows for a true multi-tasking environment, it dosen't need to reload the application and redraw the screen everytime you quit one application and select another. Once a screen is created, it is kept, and you can cycle from window to window and from application to application by pressing [CLEAR].

With 512K, you can use the high resolution mode for the screen.

The limit to the number of windows and processes you can have is the number of windows and the amount of physical memory that exists in your operating system. (Each GShell will allow the creation of 8 to 13 windows, depending on the operations being performed.)

GShell needs at least one background window for each full screen of active windows. If you run an application that automatically requires a full screen, such as the calendar, only one window will be required.

However, if you run an application that allows you to size a window, such as the calculator, there will be two windows: one for the calculator's image and the other for the background seen behind it. Additional applications that require sizing can be placed on that same background window until the window becomes full or memory is exceeded.

Do This If You Have 512K:

Your system will automatically default to 128K, even if you have a 512K system. The RAM size is set for 128K in the environment file of the Multi-Vue software, so you must adjust the parameter by entering the following sequence:

- 1. Boot your OS-9 Level 2 system diskette
- 2. Type load edit [ENTER]
- 3. Insert Multi-Vue diskette 1 in drive 0.
- 4. Type edit /do/sys/env.file [ENTER]
- 5. Type +3 [ENTER]
- 6. Type c/R/*R/ [ENTER]
- 7. Press the [ENTER] key
- 8. Type c/*R/R/[ENTER]
- 9. Type Q [ENTER]
- 10. Type unlink edit [ENTER]

Your Multi-Vue diskettes cannot be booted until you make a bootable version on the *working copy* of Diskette 2. When you make Diskette 2 bootable, it retrieves the operating system modules that it needs from the computer's memory. After you do this the first time, you won't have to do it again. You will be able to start your computer without the OS-9 Level 2 system diskette.

First, be sure that you're using the original system diskette, not one that's been customized.

- 1. Boot your computer with your OS-9 system diskette, and wait for the OS-9 prompt.
- 2. Put Multi-Vue Disk Two in Drive 0.
- 3. Type: chd /d0 [ENTER]
- 4. Type: chx d0/cmds [ENTER]
- 5. At the "OS9:" prompt, type: **BuildMV** [ENTER]
- 6. Wait for the process to complete itself. You will be prompted to change diskettes.

You now have a bootable version of Multi-Vue. This diskette will boot your system, and it will load part of the Multi-Vue environment. The remainder of Multi-Vue will be loaded when you insert Diskette 1 in place of Diskette 2.

Place Multi-Vue's Diskette 2 in Drive 0. (If you don't have Disk Extended BASIC Version 2.1 or higher, see Appendix A.) Type:

DOS [ENTER]

After a short pause, the screen displays the OS-9 copyright and sign-on message:

OS-9 LEVEL TWO VR. 02.00.01 COPYRIGHT 1986 BY MICROWARE SYSTEMS CORP. LICENSED TO TANDY CORP.

All Rights Reserved

- * Welcome to Multi-Vue
- * for OS-9 Level Two
- * on the Color Computer 3 *

yy/mm/dd hh:mm:ss

Time?

Setting the Date and Time

A prompt asks you for the date and time in the format:

yy/mm/dd hh:mm:ss

Type the current date and time. For example, to enter May 28, 1987 and 2:30 pm:


87/05/28 14:30:00

You can use spaces, commas, or other punctuation marks in place of the slashes and colons.

To completely skip this step, press [ENTER] when you see the prompt. By doing this, you choose to indicate a date and time if you need to later. However, if you don't enter the date and time, OS-9 can not accurately date files it creates, nor can you use all of the Multi-Vue Calendar, Time, and Alarm functions.

A few moments after you press [ENTER], you see the copyright screen. Follow the prompt by inserting Diskette 1 (the one that isn't bootable) into Drive 0.

Next, press any key. In a few moments you will enter GShell:



This is the main screen. In the next chapter you will learn how to access all of the GShell functions.

GShell

The Graphics Shell

OS-9 uses an interpreter, OS-9 Shell, that converts your word commands into codes that your computer can understand. But what about Multi-Vue? It uses icons as its commands. What does the OS-9 Shell do then?

Multi-Vue centers its operations around a graphics version of that OS-9 Shell. This other shell is called a graphics shell or more commonly, GShell. GShell provides a simple and friendly environment in which you can run applications, manipulate files and peripherals, and use the built-in desktop functions such as Calendar and Clock. GShell responds to mouse, joystick, or special keyboard operations.

Because GShell uses symbols for OS-9 actions and objects, you can learn to use its advanced windowing capabilities quickly. GShell's functions are easy to use, and in a short time you will be able to access those functions without referring to your manual.

Graphics Controllers: Using the Keyboard, Joystick, or Mouse

Multi-Vue centers its operations around icons instead of word commands, so the controller you use determines how easily you can manipulate Multi-Vue's graphics. A mouse is the easiest to use, requiring only one hand, but a joystick can be just as fast with a little practice.


To use the keyboard as your controller, press [CTRL][CLEAR]. This allows you to use the four arrow keys to move the pointer. Pressing [SHIFT] while using the arrow keys moves the pointer in smaller increments. In place of the mouse or joystick button, use [F1]. Press [CTRL] [CLEAR] again to return to mouse or joystick operation.

While you are using the keyboard as your controller, the left arrow is not available as a backspace key. You can press [CTRL] [CLEAR] to turn off the keyboard mouse temporarily, or you can use [CTRL] [H] to backspace.

If you plan to use a mouse or joystick, use the *right* joystick port in the back of your computer. For more information on how to use the *left* port, see "Designating the Mouse/ Joystick Port."

Entering GShell

To enter GShell, boot your computer with Multi-Vue diskette 2, and change the diskettes as you are prompted. You will enter GShell:



This is the main screen. Through only a few icons, you can access all of the GShell functions.

Selecting GShell Options

By moving a small arrow-shaped pointer, you point to what you want to do, and GShell understands. If you are using a joystick or mouse, connect it to the right joystick port on the back of your computer. If you're not using a mouse or joystick, press [CTRL][CLEAR]. Then, you can move the pointer using the arrow keys on your keyboard.

To select functions, move the screen pointer to one of the icons, and click the button.

Icon Function



Terminates the current program or process and returns to the previous level.



Accesses Multi-Vue desktop functions:

Calc

Clock

Calendar

Control

Printer

Port

Help

Shell

Clipboard

Files Accesses OS-9 file manipulation commands:

Open List

Copy Stat Print

Rename Delete Ouit

Disk Accesses OS-9 disk management commands:

Free

New Folder Format Backup Set Execute

Set Devices

View Establishes screen resolution:

Lo Res High Res



Selects the specified disk drive

There are also three screen pointers:

Screen Pointers

Function



Make all of your selections with this pointer. Simply position it over icons or menu selections, and click the joystick or mouse button (or press [F1]).



When your pointer changes to this, it's telling you that it's not in a valid location.



If your pointer changes to this (an hour glass icon), the system is accessing the disk drives and it wants you to wait.


Scroll Markers

The Multi-Vue main menu also uses a simple system of position indicators that become especially helpful when only part of a file's contents can be displayed. These *GShell scroll bars* appear along the right side and at the bottom of the main menu.

As you move through the file, the scroll markers indicate your relative position. For example, if you are halfway through a written document, you'll notice that the scroll marker on the right side of the page is halfway down the scroll bar. The same is true for the bottom scroll bar, except it indicates right/left overflow.

Exiting GShell

To exit GShell, point and click on the closed window icon in the upper left corner of the GShell screen. A dialogue box will appear:




Point and click on the YES or NO boxes.

You may also exit by simply using the keyboard. Press Q to quit and then Y or N to answer yes or no.

You can access other keyboard controls also. By pressing \$ you will select shell from the Tandy Menu. If you press [=], GShell will reread the current folder and redraw the screen

GShell File Icons

GShell recognizes three types of files: directory files (folders), data files (formatted or unformatted text files), object files (applications and utilities). GShell symbolizes these items with the following icons:



Directory files have icons shaped like file folders. In essence, a directory is a file folder that contains information about other files.

Data files have icons shaped like sheets of paper. (Note the bent upper-right corner.) These files contain data you will use in your application programs. This data can be unformatted text, specially formatted text from a word processing application or a data management system, graphic images, or other forms of data.

Object files have icons shaped like small Multi-Vue windows. Since object files contain executable programs, the open window icon represents the new window that needs to be opened to run the program. This type of object file is called a general object file.


Using Menus

The GShell screen contains five menus. You can access these menus through their names or icons, which you'll find at the top of the window, in the *menu bar*.

If you are using a mouse or a joystick, position the screen pointer on the menu name, and click the button on your controller.

If you decide to use the keyboard, press [CTRL][CLEAR]. Now you can use the arrow keys to control direction and [F1] as the click button. You can toggle back to your mouse or joystick controller by pressing [CTRL][CLEAR] again.

In either case, a menu window opens and displays the options.



- The first icon is a small box with a dot in the middle.
 Think of it as a closed window, because that's what it will do. It lets you exit GShell and return to the OS-9 system or exit any program.
- The next icon is shaped like an hourglass. This represents the Tandy Menu, and it lets you select desktop functions.
- The Files menu contains options for file manipulation.
- The **Disk** menu lets you select commands for disk management.
- The **View** menu lets you select high or low resolution screens.

Multi-Vue lets you highlight only those items that are appropriate for selection. They appear in the menu in boldface type. If an option can't be selected, then it will not appear in boldface or highlight.

When Multi-Vue displays a list of options, make your choice by moving the screen pointer through the menu. When the option you want becomes highlighted (reverse colors), click the mouse or joystick button once, or press [F1] if you are using the keyboard.

Double Clicking

Some GShell functions require that you double click (press the button twice). For example, when you double click on a folder icon, GShell displays the files in the folder and gives you access to them.

If you enter a folder and then you double click on an application data file icon, the application chooses that data as its input.

However, entering a general folder and double clicking on a standard data file has no effect. The same is true for double clicking on an object file.

Executing Programs

There are three ways to execute an application. The first can be done by simply moving the screen pointer to the application icon and clicking. That application runs without any stored input.

You can also double click on an application data file icon. The application uses the selected data file as input.

A third way is to single click on a data file instead of double clicking. Then choose the **Files** menu, and select the **Open** option. Like the second method, this one supplies data to the application.

Executing Object Files

You can execute a general object file (small window icon), but you won't be doing it with two clicks. It's still simple, though. All you need to do is:


- 1. Select the file by clicking once on its icon.
- 2. Go to the Files menu and select Open.

An overlay menu asks you for any parameters that exist. For example, if you selected Copy, the old file name and the new file name would be the parameters.

If there are no parameters, press [ENTER]. GShell executes the application in the overlay window that drops down over the top of GShell's screen.

Changing Drives

If you have two or more disk drives, you'll need to access the drive that has the files you need. To access the contents of the disk drive you need, click on its icon. You'll find the drive icons on the left side of the GShell screen:




If you have drives other than those shown on the screen, you can add icons for them, too. From the GShell screen, select the Disk menu and the Set Devices option. An overlay window appears with a list of current devices. Press [ENTER] until the cursor is positioned at the end of the list, and type in the new device, for instance, /d3.

If you add a non-existent drive, its icon appears on the screen, however OS-9 won't let you access the device when it's not there.

You can indicate a maximum of five devices. If you already have five devices set, you can change a device by re-entering the SET DEVICES command. (Set Devices always starts with the device list in the environment file and then lets you add up to a total of five devices.

Changing Folders

When you begin looking for folders, you'll need to remember that the GShell structures its contents into various levels. The first level is the root level. By simply clicking on a disk drive icon, you can display the root level contents of a diskette. For example, if you have the Multi-Vue System Disk in Drive 0, and you click on the Drive 0 icon, then its root level contents are displayed with folder icons like this:




The next level occurs when you read what's in one of those folders. To do that, double click on one of the folders in that window. Now you'll see a new set of folders appear, with the name of their root folder on the title bar at the top of the window. The title bar names each level that you choose, like this:

disk drive / first folder / second folder / etc.

Multi-Vue

If you double click on the SYS folder, your screen looks like this:

GShell/ 2



If you use an application program which creates new files, GShell will not automatically update itself. The current folder can be updated by clicking on the striped part of the title bar, or by pressing [SHIFT] [=]. GShell will reread the folder and display the current information.

To trace your steps backward through the chain, you need to close each window. You can do this by clicking on the small closed window icon. Notice that there are two of these now. The one that you want to use is on the shorter bar with the stripes, not on the higher one that's solid.

If you choose the closed window icon in the upper left corner of the screen, an overlay window appears. It asks if you're sure you want to exit. If you answer "yes," you will make a complete exit of GShell to OS-9. "No" maintains the current screen.

Opening Multiple Windows

If you have a 512K system, you can have two or more applications running on the same screen at one time:

- 1. Select and execute the first application.
- 2. Press [CLEAR] to return to the main screen.
- 3. Select and execute the second application. GShell executes it on the same screen as the original application, if there is enough space.

You can repeat this method to install applications on the screen until you run out of room. Use [CLEAR] to cycle through applications. If one application is still running when you exit the screen, it continues after you exit.

If a screen is full or you wish to start an application on a new screen, press the spacebar. GShell then creates a new screen and its background window.

Multi-Vue

Sizing Windows

If an application you choose requires the full screen, it begins execution immediately. However, if it dosen't require a full screen, one of two symbols appears on the screen when you call the application.

If a circle with a slash appears, move the symbol toward the middle of the screen. This symbol means that the pointer is positioned too close to a window boundary to allow for minimum window size.

If a rectangle appears, move the rectangle to the screen position where you want the application to run. To establish a position for the upper left corner of the window, click the button or press [F1]. Then drag the opposite corner of the box to make it larger or smaller. You can drag the window by moving the mouse, the joystick, or the arrow keys. (The minimum size of each box is set by the AIF file of each application.)

When the window is the size you want, push the button a second time. GShell draws the application window and begins execution.

Desktop Applications

The Tandy Menu contains desktop applications that you can access through the hourglass icon:

- A calculator, complete with memory functions and decimal/hexadecimal conversions
- A clock, complete with an alarm
- A calendar (and memo book) that lets you select dates and write reminders for upcoming events
- A *control* panel from which you can adjust screen and keyboard settings
- A printer panel from which you can adjust printing formats
- A port panel from which you can control communication settings with other devices
- A *help* function to give you information on selected subjects. (Press [ENTER] for a subject listing, when the "What Subject(s)?" prompt appears in the Help overlay window.)
- A *shell* facility for starting a standard OS-9 shell from within Multi-Vue.
- A clipboard for moving data between files

Multi-Vue GShell/ 2

Help Function

The help function accesses a file of Multi-Vue subjects. By selecting Help from the Tandy Menu (hourglass-shaped icon), you will see a window open and a prompt that asks "What Subject(s)?"

If you answer by pressing [ENTER], you will get a listing of the eight subjects available. If you want to broaden the list, you can merge other help files in with this one. You'll find help files with OS-9 Level Two software or in applications packages. See MERGE in the *Commands* section of *OS-9 Level Two Manual* for more details on how to expand the file.

Creating a Standard OS-9 Shell

By choosing the Shell option from the desktop menu, you can create a standard OS-9 shell that you can size to fill the screen or to use only a small amount of space. You can even place several OS-9 shells on the same screen.

The Control Panel

Chapter 3

The climate of the Multi-Vue environment can be easily adjusted. Through the control panel, you adjust everything from the type of monitor you're using to the colors and shades you prefer on your screen.


Something that you might want to reset right away is your monitor. The environment is originally set for an RGB monitor. You'll notice this when you access the control panel. You might even notice it earlier if you are using a composite monitor (TV type) because the colors will look odd. By using the control panel utility, you can change this along with other environment parameters. Even if you have an RGB monitor, you might still want to use the control panel to select your own screen colors.

Besides selecting monitor type and screen colors, you can also adjust keyboard response values and joystick resolution. The joystick resolution setting lets you use the high resolution joystick interface.


Accessing the control panel

Since the control panel is one of the desktop functions, you'll need to begin from the Multi-Vue main menu. Use your mouse, joystick, or keyboard to position the screen pointer on the Tandy Menu icon (hourglass shape) in the menu bar, then click the

button once. (If you are using the keyboard to position the pointer, press [F1].) A pull-down menu appears and displays the following options:




Move the pointer down until it highlights the word Control. Select the control panel by clicking the button once, or by pressing [F1] if you're using the keyboard. The control panel will be displayed as a window in the left half of the GShell screen:




Setting the Monitor Type

The upper left corner of the control panel contains a monitor icon and three small boxes that let you indicate the type of monitor connected to your computer:



The three small boxes, labeled CMP, RGB, and MON, refer to Composite, RGB, and Monochrome. If you have something other than an RGB monitor connected to your computer, you'll need to move the pointer to the appropriate box, and click the button once. A highlight fills the box you selected.

Controller Resolution



The control panel offers high (HI) and low (LO) resolution for your mouse or joystick. In this option, resolution refers to the size of the steps that the pointer takes as it moves across the

screen. The low resolution pointer takes visible steps, but the high resolution pointer uses much smaller steps that allow it to move more smoothly.

To access this function, move to the window in the upper-right corner of the control panel. The icon in this window is a mouse. The HI and LO boxes to the right let you make your resolution choice.

You should choose HI only if you have a high resolution adapter for your joystick. Move the screen pointer to the small box labeled HI, and click the button once. The HI box becomes highlighted.


When you choose to exit the control menu (through the small closed window icon), an overlay window appears asking if you accept your changes. After you accept your choice by exiting the screen, connect your high resolution adapter into the cassette port and the designated port.

Designating the Mouse/Joystick Port

Below the mouse icon are two boxes. They are labeled L and R for the Left and Right ports. Since GShell requires the input from only one pointer, you only need to use one port. You can switch to the other port by positioning the screen pointer on the box and clicking. That box becomes highlighted. When you exit the control menu and accept the change, connect your mouse or joystick into the newly designated joystick port.

Setting Screen Color

The lower left part of the control panel has everything you need to adjust the colors in the Multi-Vue environment. If you are using a color monitor, you can customize the colors of your display. If you have a monochrome monitor, you can adjust your display for the sharpest possible picture.



The lower left corner of the control panel contains two rows of boxes. The two rows represent this color mixing palette register configuration:

Row 1: 0 1 2 3 4 5 6 7 Row 2: 8 9 10 11 12 13 14 15 Although the registers may have different assignments for each application, in general, the first four palettes have the following assignment:

Palette 0: **Background Color** (the color of the screen)
Palette 1: **Foreground Color** (the color of the graphics)

Palette 2: Icon Color (the color of the icons)

Palette 3: Highlight Color (the color of highlighted icons)

The color palette is separated into two parts. The vertical columns are for blending the colors, and the horizontal rows of boxes (color registers) are for selecting and displaying them. First, you need to choose the color register that you want to remix, then you can mix the right color.

Selecting The Register

To select the color register, simply click on the one that you want to change. The color register can't be highlighted because the highlight would block out the actual color, so it is outlined by a second box instead.

Mixing Colors

The vertical columns represent the Red, Green, and Blue mixing colors. You can mix these three colors in proportion with each other to blend 64 different colors. You set the proportions by positioning the pointer in one of the color columns, and clicking. The box moves up or down to the pointer's location. The important part is the number that appears. It tells how much you're mixing.


For example, if you set your R,G, and B columns to three, zero, and zero, you get a pure red color. That's because the proportions have been set to three parts red, zero parts green, and zero parts blue.

Notice that the mixed color depends on the proportionate amounts of all three colors. When you've finished mixing, you see the color change in the outlined color palette below.

Since GShell operates on a four-color screen, only four of the 16 color palettes can be displayed at one time. That's why you'll only see the first four palettes, even though you've set all of them.

However, an example will be given later which shows how to display all 16 palettes at the same time.

Keyboard Repeat



The area to the right of the vertical color columns lets you change keyboard repeat parameters. The two scales control the keys. Larger values in the top scale increase the length of time between when you press a key and when it begins to repeat. By selecting a repeat start value of 1, you can stop the keys from repeating.

Selecting larger values in the bottom scale makes the keys repeat faster.

Canceling Entries

CANCEL

You can use this function if you decide not to make the changes you selected. To access CANCEL, move the screen pointer into the CANCEL box and click the button. The CANCEL function restores all values to the default conditions stored in the environment file.

You will also delete all of your changes if you forget to save the new environment.

Saving the New Environment

If you are satisfied with your new environment, you can save the changes on the diskette. To save your changes, position the pointer over the word Files on the menu bar, and click the button once. An overlay menu appears:



Move the pointer until you highlight Save Env. Click the button once. Your disk drive turns on, and in a moment the changes are stored in the environment file.

If you choose Read Env. off of the menu, the screen is restored to the parameters stored on the environment file.

Selecting Abandon adjusts the screen to the parameters currently stored in the environment file and exits the control panel. Quit will also exit the control panel, but still keeps the changes until you end your session.

If you decide to exit the control panel by clicking on the small window icon, all of your changes remain intact until you save them, end your session, or run Control again.

Saving them allows you to store your changes on disk so that they can be recalled after a reboot or in subsequent uses of the control program.

The Calendar

Chapter 4

Multi-Vue's Calendar provides a way for you to keep track of past and upcoming events and dates. You can look back to see what day of the week particular events occurred, or you can plan ahead and make notes for upcoming events. With the Calendar function, you can work with monthly calendars from January, 1901 until January, 2100.

Accessing the Calendar

If you are at a place where you can access the Tandy menu (hourglass-shaped icon), then you can access the Calendar. Use your mouse or joystick to position the screen pointer on the hourglass icon on the menu bar. Click the button. If you are using the keyboard to position the pointer, press [F1].

A pull down menu appears and displays the following options from which you can select:

Calc Clock Calendar Control Printer Port Help Shell Clipboard Move the screen pointer until it highlights Calendar, then click the button or press [F1]. Your disk drive becomes active and then the calendar appears.

If you entered the date when you booted OS-9, a calendar for the current month and year appears, similar to the following:

■ File		ive ay	Edit 19	87			
Sun	Mon	Tue	Wed	Thu	Fri	Sat	
					1	2	
3	4	5	6	7	8	9	
10	11	12	13	14	15	16	
17	18	19	20	21	22	23	
24	25	26	27	28	29	36	
31							₩

Setting the Date

If you did not enter the date when booting OS-9, the calendar is blank, and a window opens and asks you to type a date:



Type the date in the format indicated and press [ENTER]. The overlay window disappears and the calendar of the month you specified is displayed. The specified month and year appears at the top of the calendar, and the specified day is highlighted.

The date you specify is for the calendar display, and it doesn't change the system date.


Selecting Other Dates

You can flip through the months (backward or forward) by:

- Using the month and year scroll bars on the right side of the screen.
- o Selecting the Date option from the menu bar and typing in another date.

To use the scroll bars, simply put the pointer in the month or year bar, depending on which you want to change. Then, place the pointer over one of the small solid triangles, and click. To move into the past, use the triangles at the bottom of the bars. To move into the future, use the triangles at the top.

The other way to change the calendar is to use the pointer to select the Date option from the menu bar and click the button or press [F1]. A pull down file appears:



Move the screen pointer down until it highlights New Date, and then click the button. The date selection window opens in the middle of the screen:



Type the date using the format shown, and press [ENTER]. Multi-Vue displays the new calendar.

If you select Todays Date, then the calendar uses the system date.

Making Notes

Multi-Vue's Calendar also lets you write notes that will appear everytime you select a particular date.

Notes for the Day

The first thing you need to do is select the right date. For instance, suppose you want to remind yourself of several things on May 28, 1987. You can select the correct date by using the side bars, or by typing a new date.

If you are already in the right year and month, but the day is wrong, there are three ways to change days within the month. The first is to move the pointer to the right day and click the button.

The second way is to use the four large triangles in the lower left corner. By placing the pointer on one of the triangles and clicking, you can move the highlighting through the month until it rests on the right date. Clicking on a triangle moves the highlighting in the direction that the triangle points.

By using the arrow keys, you can control the calendar functions. Use the arrow keys to highlight any day of the month. By pressing SHIFT while you use the up and down arrow keys, you can change the months. By pressing CONTROL while you use the up and down arrow keys, you can change the years.

Writing and Editing Notes

When you have the correct date, you can begin writing your notes. To begin writing, select Edit from the menu bar, and click the button. You can also enter the edit mode by moving the pointer into the window along the bottom of the screen and clicking the button, or pressing ENTER.

In both cases the note cursor highlights the upper left corner of the window at the bottom of the screen. When that happens, you can write your notes.

The following control keys will be helpful as you edit your calendar notes:

Edit Function Keys

Key(s)	Function
	Moves the note cursor up one line
$\llbracket \ 4 \ \rrbracket$	Moves the note cursor down one line
	Moves the note cursor left one character
	Moves the note cursor right one character
ENTER	Terminates the current line and moves the cursor to the beginning of the next line
ALT EN	TER Exits the edit mode
SHIFT	Moves to the top of the edit box
SHIFT	Moves to the bottom of the edit box
SHIFT	Moves to the beginning of the current line
SHIFT	Moves to the end of the current line

Edit Function Keys Key(s) Function			
	Deletes the previous line if one exists		
ALT	Deletes the next line if one exists		
[ALT] [Deletes the character to the left of the cursor		
ALT C	Deletes the line to the right of the cursor		
CTRL] [1	Moves to the top of the day's buffer		
CTRL	Moves to the bottom of the day's buffer		

The note cursor begins from the upper left corner of the Edit box. As you type, the cursor moves ahead of each character. If you make a mistake, use the arrow keys to position the cursor over the incorrect letter and type over the characters you don't want.

To move quickly through the type, hold down both the shift key and an arrow key.

When you finish typing a line, or if you reach the right margin of the box, you must press [ENTER] to continue your notes. Pressing [ENTER] moves the cursor down one line and back to the left side of the box, just like the carriage return on a typewriter.

When you finish typing, exit by clicking the pointer anywhere outside of the Edit box at the bottom of the screen or by pressing [ALT] [ENTER].

Notice that when you exit the Edit mode, the current day is highlighted on the Calendar. This tells you that there are notes for that day. Calendar also highlights all other dates for which you enter notes.

Saving Notes

If you want the Calendar to retain the notes, you need to save the data you enter. You do this by positioning the screen pointer over the word Files in the Calendar menu bar and clicking the button or pressing [F1]. A pull down menu appears:



(The menu options shown in boldface type are valid options for you to choose. You cannot execute an option that is not shown in boldface type).

To save your notes, move the screen pointer down until it highlights Save As..., and then click the button.

Selecting Save As... causes a new overlay window to open in the center of the Calendar box. The new window asks you to type a filename in which Calendar can save your data.



Type a filename, such as *Reminders*, and press [ENTER]. This tells Calendar to save your notes in a file named *Reminders*. If you want to store the *Reminders* file in a directory other than the current directory, specify a full pathname, such as:

/d0/dates/Reminders [ENTER]

Recalling Notes

Once you have saved your notes into a file, you can recall them from the Calendar at any time. Next time you enter the Calendar, call the Files menu by moving the screen pointer over the word Files and click the button or press [F1]. The Files menu again appears:



This time, move the screen pointer down until it highlights Open, then click the button or press [F1]. Again, an overlay window appears on the screen. Type the name of the file you previously saved and press [ENTER]. If you select (highlight) the same year, month, and day (May 28, 1987), the notes you typed appear in the box at the bottom of the screen.

You'll have an easy time using the note feature if you use the same filename each time. For example, if you use *Reminders* the first time, it will be easier to continue using it.

Adding Notes to an Existing File

You can add additional information to one of your note files any time you are operating in Calendar and have a note file open. (A note file is opened whenever you step through the process of selecting Open.)

After you type new notes, add them to the current file by highlighting Save and clicking the button. Calendar saves the file using the current file name.

Leaving the Calendar

You can exit Calendar in two ways:

- Position the screen pointer over the closed window icon in the corner of the Calendar menu bar. Click the button or press [F1].
- Select Quit from the Files menu.

The Clock

Chapter 5

Multi-Vue's Clock is an easy way for you to set and view your system's time. As an added feature, the Clock has an alarm that beeps at any predetermined time, using your monitor or television's speaker.

Selecting the Clock

You can access the Clock using the hourglass icon (Tandy menu). Then, position your pointer on that icon, and click the button. If you are using the keyboard to position the pointer, press [F1]. A pull down menu appears and displays the following options from which you can select:


Calc Clock Calendar Control Printer Port Help Shell Clipboard Multi-Vue

Move the screen pointer until it highlights the word Clock, and then click the button or press [F1]. Your disk drive begins to run, and in a few moments, a blank screen appears displaying either a rectangle or the circle/slash symbol.

If the circle/slash symbol appears, there's not enough room for GShell to draw the clock. Use the mouse, joystick, or keyboard to move the symbol until a rectangle appears. Position the upper left corner of the rectangle at the screen location where you want the clock, and click the button or press [F1].

If you want a larger window, use your mouse, joystick, or arrow keys to expand the window. The rectangle you see becomes the Clock's window. When it is the right size, push the button or [F1] a second time. (If a rectangle never appears, then the current screen dosen't have enough room. Simply press the space bar, [F2] or the second joystick button, and GShell allocates a new screen).

The clock screen will look like this:



This screen provides an analog timepiece (represented by the moving hands on a circular clock face), a digital display, and the date.


If you did not type in the correct date and time when you booted OS-9, you can do it now by moving the screen pointer over the word Clock in the Clock display menu bar and clicking the button or pressing [F1]. A menu appears:



Multi-Vue The Clock / 5

Setting the Date

To set a new date, move the pointer until it highlights Set Date. Click the button or press [F1]. An overlay window opens in the center of the Clock window and prompts you for a new date:



Type the date in the format indicated. For example:

87/05/28 [ENTER]

When you press [ENTER], your system date changes to match what you typed (May 28,1987).

Setting the Time

To set a new time, move the screen pointer until it highlights Set Time, and click the button or press [F1]. An overlay window opens in the center of the Clock window and prompts you to enter the time.

Type the time in the format indicated. For example:

1/45/15 p.m [ENTER]

When you press [ENTER], your system time changes to match what you typed. Both the analog and the digital clocks are reset to the time you entered.

Setting the Alarm

To set the alarm, move the screen pointer to the word Alarm in the Clock display menu bar and click the button or press [F1]. A menu displays:



To set your alarm, you must set both a date and a time. First, move the screen pointer to highlight Set Date, and click the button or press [F1]. When you do, an overlay window opens and prompts you for the Alarm date:



Multi-Vue The Clock / 5

Type the date you want the alarm to sound. For instance:

87/05/28 [ENTER]

If you have not previously set an alarm date, Clock assumes that the alarm date is the current date.

Again, select the Alarm menu, and this time choose the Set Time function. When you do, an overlay window opens, and Multi-Vue prompts you for the Alarm Time:.

Type the time you want the alarm to sound. For instance:

5/30/00 pm [ENTER]

When you press [ENTER] the alarm time is updated to the time you set.

If your computer is on at the time you set, the alarm sounds even if you have exited the Clock and Multi-Vue. (Be sure that the volume on your monitor or television is turned up.) Remember, the alarm is cleared when the computer is turned off.

Checking and Clearing the Alarm

The Alarm menu has two other functions, Clear and Query. You can clear the Alarm setting by highlighting Clear in the Alarm menu and clicking the button or pressing [F1].

You can display the alarm setting by selecting Query in the Alarm menu and clicking the button or pressing [f1].

Leaving the Clock

To exit the Clock function, move the screen pointer to the closed window icon on the far left of the Clock menu bar, and click the button or press [F1]. You can also exit by selecting Quit on the Clock menu.

The Calculator


Chapter 6

Multi-Vue's Calculator lets you make quick calculations while using the OS-9 system or OS-9 application programs. The Calculator provides:

- Memory save, recall, clear, add and subtract functions
- Decimal add, subtract, multiply, and divide functions
- Hexadecimal add, subtract, multiply and divide functions
- Hexadecimal memory functions
- Base conversion between decimal and hexadecimal values
- Hexadecimal numeric range from 80000000 to 7FFFFFFF
- Decimal numeric range of $\pm 1.2 \times 10^{38}$
- Positive and negative signing of decimal numeric values

Selecting the Calculator


Position the screen pointer on the hourglass icon in the menu bar. Click the button. If you are using the keyboard, press [F1]. A pull-down menu appears:



Move the pointer until it highlights Calc. Click the button or press [F1].

If the circle/slash symbol appears when the new window opens, the box is too close to a window margin or there is not enough space for the calculator to fit on the screen.

Move the circle/slash symbol away from the margins until a rectangle appears. Position the upper left corner of the rectangle where you want the Calculator to appear and click the button or press [F1]. If the rectangle is the size you want it to be, click the button or press [F1] again. Otherwise, use the mouse, joystick, or arrow keys to enlarge the box to the the size you want, and then click the button or press [F1].



Using the Calculator

The Calculator looks like any other calculator: buttons and a display window.

You can *press* the keys by moving the screen pointer onto a Calculator key and clicking the joystick or mouse button, or by pressing [F1]. Or, you can activate the calculator keys by pressing an appropriate keyboard key.

The following table defines the calculator keys, their functions, and the keyboard keys that activate the calculator keys.

Key	Function	Keyboard Key
0	Produces the value of 0	0
1	Produces the value of 1	1
2	Produces the value of 2	2
3	Produces the value of 3	3
4	Produces the value of 4	4
5	Produces the value of 5	5
6	Produces the value of 6	6
7	Produces the value of 7	7
8	Produces the value of 8	8
9	Produces the value of 9	9
A	Produces the value of 10	A or a
В	(hex mode only) Produces the value of 11 (hex mode only)	B or b
С	Produces the value of 12 (hex mode only)	C or c
D	Produces the value of 13 (hex mode only)	D or d
E	Produces the value of 14 (hex mode only)	E or e
F	Produces the value of 15 (hex mode only)	F or f
+	Performs addition	+
-	Performs subtraction	-
X	Performs multiplication	*
÷	Performs division	1
	Produces a decimal point	•
=	Performs the equals evaluation	=
MC	Clears memory storage	T or t
MR	Recalls memory storage	R or r
М-	Subtracts the current display from the contents of memor	M or m
M+	Adds the current display to the contents of memory	P or p

1	r	lti.	T 2	
IV	111	$\iota\iota\iota\iota$	- v	ue.

The Calculator / 6

DEC/ HEX	Toggles between decimal and hexidecimal operations modes	ALT-D
CE	Clears all entries since the last operator function	ALT-E
CA	Clears all current Calculator entries	ALT-A
NEG	Changes the sign of the value	N or n

To try the Calculator, from your keyboard, type:

99*44=

The answer, 4356, appears in the display. Clear the Calculator's current operation by pressing [ALT] [A]. Then type:

1/.9=

The answer, 1.1111111111, appears.

Type:

/.9=

The number, 1.2345679012 appears.

You can also perform all the calculator functions by moving the screen pointer to a calculator key and clicking the button or pressing [F1].

Leaving the Calculator

To exit the calculator, position the screen pointer on the window icon on the Calculator menu bar. Click the button or press [F1]. In a few moments, the Calculator screen is replaced with the Multi-Vue screen.

You can also push the Q key to quit.


Port and Printer Setups

Chapter 7

Multi-Vue has two functions for setting up RS-232 ports and controlling the operation of your printer. You can access two functions, Printer and Port, from the Tandy Menu (hourglass-shaped icon).


RS-232 Port Configuration

Move the screen pointer to the hourglass icon in the menu bar, and click the mouse or joystick button or press [F1]. This menu appears:



Move the screen pointer until it highlights the Port option. Then, click the button or press [F1].

The Port window overlays the current screen:




You'll notice another overlay window inside the port overlay window. Its prompt asks you for the name of the port you need to use for the new device. The names that you can use are:

- /p (printer)
- /t1 (built-in Color Computer 3 serial port)

You can use these devices also, after you install them in your boot file. (See your OS-9 Level II manual for more information on the OS9gen command.):

/t2 and /t3 (optional Deluxe RS-232 Paks)
/m1 and /m2 (optional Modem Paks)

Type the name of the port you want to change and press [ENTER]. The second window closes and reveals the full configuration menu:



The values shown (or highlighted) for each of these options are the current setting of that port. By using your mouse, joystick or keyboard, you can move the screen pointer among these options and change the configuration of the specified port.

Changing the Baud Rate

Baud rate is the speed at which data is transmitted (in bits per second).

Since the equipment you work with will have pre-assigned baud rates, you need to select a baud rate that matches the equipment with which you want to exchange data. For example, if your printer accepts data at a baud rate of 2400, but your computer's printer port (/P) is configured for only 600 baud, then your computer will only transmit at 600 baud. To quadruple the transmission speed, set both your printer and the port to 2400 baud. If your printer is capable of a higher baud rate, refer to its owner's manual to determine how to select that option.

To change the baud setting, move the screen pointer to the triangle immediately after Baud on the Multi-Vue Port menu. Click the button or press [F1] to increase the baud rate to the new setting.

If you increase the baud rate too far, use the other triangle to lower the setting. Continue clicking until you cycle back to the baud rate you want.

Changing Parity

Parity is a method used by your equipment to detect transmission errors. Choose the parity that matches the equipment with which you are exchanging data (EVEN, ODD, MARK, SPACE, or NONE). Since some devices do not support all types of parity, see your OS-9 manuals for the supported values of your device. You do not need to set parity for sending data to a printer.

Position the screen pointer at one of the small triangles near the Parity indicator. Click your button or press [F1] to scroll through the options, one at a time.

Selecting Word Length

Word length describes how many bits form a byte. Most equipment you connect to your computer expects eight bits per byte. However, some equipment will expect only seven bits per byte.

Set the word length to match the equipment with which you are exchanging data by positioning the screen pointer on either the 7 or the 8 near WordLen. Click your button or press [F1].

Selecting Stop Bits

Transmitting equipment sends either one or two bits following a unit of data to indicate that the transmission of each unit is complete. You need to match the stop bit setting of your computer with the stop bit setting of the equipment to which it is connected. To do this, move the screen pointer to either the 1 or 2 following the Stop Bits option, and click the button or press [F1] to highlight your choice.

Selecting Line Feed

By turning LineFeed OFF or ON, you can match your computer's output to the requirements of the device to which it is connected. Some devices add a linefeed character (Character \$0A) whenever your computer sends them a carriage return character (Character \$0D), while others expect a linefeed to follow a carriage return.

If you send text to your printer and it prints all of the lines on top of each other, you need to select LineFeed ON. To do this, move the screen pointer to the ON selection opposite the LineFeed option, and click the button or press [F1].

Selecting Pause

The pause option lets you select a pause in transmission at the end of each page of information you send to a device such as a printer or terminal. A page of information is determined by the lines-per-page setting of the device to which you are transmitting data.

If Pause is ON, your computer stops transmission at the end of a page and waits for you to press a key. If you want your printer to pause, so that you can insert the paper yourself (you might want to use letterhead). See the printer configuration section in this chapter.

To activate Pause ON, move the screen pointer to the ON selection opposite Pause, and click the button or press [F1].

If Pause is OFF, your computer sends data uninterrupted until transmission is complete. To activate Pause OFF, move the screen pointer to the OFF selection opposite Pause, and click the button or press [F1].

Selecting XON, XOFF and EOF

Transmission on, transmission off, and end of file are protocol communication characters that you can activate easily from the bottom of the port menu. When their values are set at 00, they are disabled.


To activate them at their standard values, move the pointer onto XON, XOFF, or EOF. Click the button or push [F1]. The standard value is displayed. Click again to turn them off (00). (You can toggle back and forth). Their standard values are:

XON \$11 XOFF \$13 EOF \$1B

If you choose to use a different value, you can change the numbers by using the small triangles to the sides of the values. Cycle through the numbers by clicking the button or using the [F1] key.

Completing Your Selections

When you are satisfied with the changes, move the screen pointer to the word Port in the Port menu bar and click your button or press [F1]. A pull-down menu appears:



Make Changes is the equivalent of the standard OS-9 TMODE utility.

With it you can make changes to your terminal's input paths. However, Make Changes only makes temporary changes that will be cancelled when you exit the current process.

Save Changes is the equivalent of the standard OS-9 XMODE utility.

With it you can make changes to your terminal's input paths that will last until you reset or turn off your computer.

If you wish to make your changes permanent:

- 1. Make changes using PORT
- 2. Generate a new OS9 Boot onto your disk using the cobbler Command that comes wih OS9.

The changes will be in place every time you start. See OS-9 Commands Reference for more information.

Restore Port lets you reset the parameters to the initial values (or last values that were previously saved) before any changes were made to the port.

New Port lets you select another port for reconfiguration. When you select this option, an overlay window appears in which you type the name of a new port to configure. You can make changes to the new port by using Make Changes and Save Changes.

Quit closes the port configuration screen and returns to the Multi-Vue main screen. Quit does not save new changes. Select either Make Changes or Save Changes before selecting Quit if you want the changes you made to take effect.

Exiting Port Configuration

To leave the port menu and return to the Multi-Vue main screen, click on the Quit option in the Port menu, or click on the closed window icon on the Port menu bar. The port menu disappears, and the previous screen is restored.

Printer Configuration

The Printer option provides a way for you to set up the page configuration of graphic printouts and screen dumps. By selecting Printer, you can establish page margins, line length, and page length.


Printer does not directly affect your printer's operation. Rather, it sets parameters in Multi-Vue's environment file. Application programs can then use these parameters for graphic printing operations. For Printer to be effective, you must be running an application program that expects to find its printer format information in the Multi-Vue environment file.

When you choose Print from the Files menu, Print will fork COCOPR, which looks at the values in the environment file when formatting the text on the page.

Setting the Printer Format

From the Main menu select Printer from the Tandy menu by positioning the screen pointer on the hourglass icon at the top of

the screen and clicking the button or pressing [F1]. Then click a second time on the Printer option. Your disk drive turns on and in a moment the Printer screen appears:



This display shows a printer page with marked margins. Change the size of these margins by moving the screen pointer to the value you wish to change. Click the button on the value. An overlay screen appears, and asks for the setting value.

Type a new value and press [ENTER]. The values on the screen will change to match the values you type.

Save the values you select by moving the screen pointer to the word Files in the Printer menu bar and clicking the button or pressing [F1]. A pull-down menu appears with several options.

Move the screen pointer to highlight Save Format and click the button or press [F1]. After you have entered a new value, it will appear in the space for that margin.

If you don't like your changes, and you decide to restore the original format, choose the Restore Format option.

The values are set as follows:

Left Margin the distance between the left edge of your

paper and the the printed image

Top Margin the distance from the top of the paper to the

printed image

Bottom the distance from the bottom of the paper to

Margin the printed image

Page the length of the sheet of paper, usually 66

Length inches

Line Length the number of characters printed per line

Page Width the width of the page, measured in characters

Other options, such as Printer Name, Printer Port, and Page Pause can be accessed through the Printer option on the menu bar.

Printer Name enables graphics dump applications to send appropriate commands to your printer. The default printer and name is "DMP 100." To change it, select the Printer Name option. An overlay will prompt you for the new name.

Printer Port is the /p descriptor that receives printer data. If you have a special printer device descriptor that you need to change, you should change it through this function.

Page Pause is the last printer option. It asks how many pages need to be printed until output is paused. The default value, zero, turns pause off. A value of one will cause the printer to pause after each page.

Exiting from Printer Formatting

You can exit Printer by clicking on the small closed window icon in the Printer menu bar, or by selecting Quit from of the files menu. Be sure to save your new formats before exiting.

The Files, Disk, and View Menus Chapter 8


GShell uses three other menus that allow you to easily execute tasks that would otherwise require difficult commands. By simply clicking on the appropriate menu name in the menu bar, you can access functions that control data filing, disk storage, and screen resolution.

When you use these menus, you'll need to remember to highlight the appropriate drive and file icons (current drive, current file).

Also, remember that Diskette 1 should be kept in Drive 0. Diskette 1 contains the information GShell needs to manipulate the files.

Files Menu

When you choose Files from the menu bar, a menu will appear:



These commands offer the following functions for complete file manipulation:

Open executes an object file. Since you can't double-click on an object file, the Open command substitutes for the double-clicking process.

List displays the contents of the current datafile to an overlay window in the GShell screen.

Copy duplicates data or object files to any of your disk devices. It requires a new name for the new file.

Enter the new name in one the following formats:

- 1. DIRECTORY / NAME
- 2. /DRIVE / NAME
- 3. /DRIVE / DIRECTORY / NAME
- 4. NAME (to be saved in the current directory of the current device)

Stat gives extended statistics about a file or folder. Since Stat gets its information by calling the FSTAT command, you can access this this same information inside or outside of GShell. Use FSTAT outside of GShell (on a comand line), and Stat inside GShell.

Print lists a data file to a standard printer path. The data file must be a text file. Print may be accessed outside of GShell, also, using COCOPR. Any printing jobs will use the parameters from "/dd/sys/env.file."

Rename assigns a new name to a file or folder. An overlay window willask if you're sure. You can respond by using the Y or N keys. A second window will ask you for the new name. (Remember, if you want to exit any of these sequences, press the BREAK key.)

Delete deletes a file or folder. An overlay window will ask if you're sure.

Quit exits GShell. This function is the same as choosing the closed window icon in the upper left corner.

DISK Menu

The DISK option has six commands that give you control of disk operations. By clicking on DISK in the menu bar, the following menu will appear:

Free New Folder Format Backup Set Execute Set Devices

Free gives the total free disk space available on the current drive.

New Folder creates a new file folder. You will need to specify a new folder name.

Format allows you to format a diskette without exiting GShell. You need to choose a format device. By choosing /d0, you'll need to exchange the Multi-Vue diskette with the disk being formatted.

Backup makes a backup of an entire disk device. A prompt will ask you for your source device and your destination device.

Set Execute allows you to reassign your execution directory.

Set Devices enters new devices into the environment file. The new device will be displayed as an icon in the icon column on the left side of the screen.

View Menu

You can change the resolution (scale) of the display by accessing the VIEW menu:



By choosing Hi Res, the icons and all other screen characters will become condensed. Although they will be smaller, twice as many icons will fit on the screen. This is especially helpful if you have many files on one diskette; they can all be displayed at the same time. This option is only available on 512K machines.

Lo Res is the default screen. Its icons are twice as large and easy to read, but there are fewer per window.


Programmer's Notes


Chapter 9

Multi-Vue's enhanced windowing system provides programmers with the tools to establish and manipulate windows with ease. Not only do you have all of the standard OS-9 Shell's windowing support, but Multi-Vue adds bordered windows and provides the SetStat and GetStat calls to manage them. It also adds calls for monitoring mouse and joystick ports.

Window Types

The types of bordered windows are: framed window, framed window with scroll bars, shadowed box, double box, and plain box. The system also supports a borderless window called *No Box*.





Window Regions

Multi-Vue defines windows in terms of regions. All types have a user region and a content region, in addition to a border region. The user region is the area in which a user can select icons and menus to perform actions. The content region is the area that an application program can directly control and in which it can display its data.


Some bordered windows also have special *control regions* reserved for system use.

Framed Windows

Application programs run in either framed windows or framed windows with scroll bars. Within the user region, framed windows have:

• The Control Region -- This region contains the menu bar, so if the user clicks the screen pointer in this region, the application performs the appropriate action.

- The Close Region -- This region allows the user to quit the application and close the window by clicking on the the closed window icon.
- The Scroll Region -- When applicable, the user can click in these regions to scroll the display (only on a framed window with scroll bar).



Both types of window have a 1-pixel border around the sides and bottom and either a title bar or a menu bar at the top. As shown, one type of framed window has areas for scroll bars while the other does not.

You can write programs that expand the content region to include all of a framed window (except for the title bar). To do this, use the "Change Working Area" system call. However, your program must ensure that the border lines of the window are not destroyed.

Because OS-9 is a multi-tasking operating system, you can have more than one application running at a time on the same screen. Although many processes can concurrently transmit output to their windows, only one process can receive input from the keyboard at a time. If you have several processes running on a screen, it is important to know which process *owns* the keyboard input (which window is *active*).

The windowing interface helps you keep track of the active window. When a framed window is *passive* (not receiving keyboard input) the system displays the title bar at the top. When a framed window is active, the system displays the menu bar in place of the title bar.

Use [CLEAR] to select a new active window and make the current window passive. To select a new active window, but in the reverse direction of the rotation, press [SHIFT] [CLEAR].

Clicking on a scroll bar arrow causes the menu select call to return a value specifying which scroll arrow you selected. Your application must scroll the display and call the system to manage the scroll marker located within the scroll bar. Use the SetStat, SS.SBar, as outlined in the following example, to handle the scroll marker.

SETSTAT SS.SBar -- Update Scroll Bar

Entry Conditions:

A = path

B = function code (SS.SBar)

X = x coordinate of horizontal scroll marker

Y = y coordinate of vertical scroll marker

Exit Conditions:


Scroll marker updated if no IO error occurs *Error code* returned if out of bounds

Your application must calculate the coordinates to use for the scroll markers. It can use the SS.ScSize Getstat call to provide the information for the computation (the horizontal and vertical size of the content region of the window). The scroll bar size is one character cell less than the vertical and horizontal sizes returned from the SS.SCSiz GetStat call.

When the window is first created, the content area is the size returned by the SS.ScSize Getstat call. The content region is smaller than the window and its borders by two character widths horizontally, and three character heights vertically.

Shadowed Box


Multi-Vue applications commonly use shadowed box windows with pull-down menus. The shadowed box is outlined with a 1-pixel border with a 2-pixel shadow on the right and bottom borders. The window interface automatically creates a shadowed box whenever you initialize a pull-down menu.



Double Box

Programs usually use double box windows for *alert* or *dialog* boxes. An alert box usually indicates an error situation. It can also provide the information needed to remedy the error. A dialog box usually asks for specific information needed to complete an action, such as the name of a file for a Load operation.

The double box has a 1-pixel border on all sides, a 1-pixel space, then a 2-pixel inside border.



Plain Box

The *plain box* is a utility window that you can use for a variety of purposes, such as tool box utilities and notes. It has a 1-pixel border around the window.

No Box

A no box is a window without a border. Normally, you use this type for text screen windows in pull-down menus, dialog boxes, and alert boxes. You can distinguish this window from other areas by changing the background color when you create it. The content area consists of the entire window.

Window Conventions

The Multi-Vue environment does not enforce the previously described uses of window types. However, adopting these conventions provides consistency and makes it easier to learn how to use the Multi-Vue system.

Creating Windows

When an application begins execution, GShell automatically opens a window as the standard output path for that application. However, before the application can use that window, it must specify the type of window (framed, plain box, double box, shadowed box, no box) for the system. If the application uses menu bars and pull-down menus, the window must be one of the framed types.

If the application needs overlay windows for alert or dialog boxes, it must use the OWSet command to set the overlay windows.

If it uses another device window, it must open a path to the selected /w device. Then, it must use DWSet to set the device window's size, location, and type.

Use the OS-9 SetStat command as follows to specify the window type:

SETSTAT SS.WnSet - Window Setup

Entry Conditions:

A = path

B = function code (SS.WnSet)

Y = window type definition

WT.FWin = Framed window

WT.FSWin = Framed window with scroll bars

WT.SBox = Shadowed box WT.DBox = Double box WT.PBox = Plain box WT.NBox = No box

X = pointer to window/menu data for framed windows (unused for other window types)

Example call to set up framed window:

lda #1 use stdout

ldb #SS.WnSet get function code ldy #WT.FWin get the type code

leax WinDat,u point to the window and

menu data

os9 I\$SETSTT call the setstat

Example call to set up a double box:

lda #1 use stdout

Idb #SS.WnSetget the function codeIdy #WT.DBoxget the type codeos9 I\$SETSTTcall the setstat

When you establish a framed window, Register X must point to a data structure that defines the window title, the menu bar, and any menus for the pull-down windows. This data structure is defined in full in the following section and is illustrated in the assembly language and C language definitions.

Menu Bar and Pull-Down Menu Support

The framed window is the only type of window that supports a menu bar. Therefore, any application that uses a menu bar and pull-down menus must run in a framed device window.

The menu bar is located at the top of the window as long as the window is active. When a window is passive, the title bar appears in that location.

If you properly set the menu bars and pull-down menus, the system handles most of their operations. Your application must provide the system with a pointer to the required data structure at the time a command to set a framed window is executed. This data structure must hold the title of the window, the title of all menus, and the items for each pull-down menu. Once the setup is complete, the system creates the menu bar, the pull-down menus, and the entire selection process.

Using the Mouse

To access the menu-handling capabilities of the system, the application must be able to make use of the mouse and the system-wide graphics pointer. Under the enhanced windowing environment, you can link the mouse to the graphics cursor, with the cursor acting as a pointer for the mouse. You can then direct

this screen pointer to the appropriate screen location, such as a menu title, by moving the mouse. The application monitors the mouse status and takes action based on the mouse position and the click information.

The simplest method of using the mouse in an application is to use the SS.Mouse GetStat call to constantly monitor the mouse status. This call returns information on the mouse location, the number of clicks made, and the state of the button (up or down). Use this method for handling the mouse during command processing--for example, to draw graphic images on the window.

Almost all mouse-driven events use the initial mouse click to tell an application that the user is ready to take action. Therefore, an application's initial code can look for a signal from the SS.MsSig SetStat call after setting-up the appropriate signal handler, using the F\$lcpt service request. When you click the mouse button (change the state from up to down) the application receives a signal indicating the change. The application can then read the mouse status using the SS.Mouse GetStat call, and determine the action to take.

The application can check the *valid flag* Pt.Valid to determine whether it has *ownership* of the keyboard and mouse. If it has lost ownership, it must take the appropriate action. This action might be nothing more than repeatedly checking the mouse or sending a series of sleep calls followed by a mouse check. If the application does own the mouse, it can examine the *location flag* Pt.Stat to determine whether the pointer is in the content region or in the control region of the window.

If the mouse is in the content region, the application can respond with the appropriate action based on the coordinates of the pointer. If the mouse is in the control region, the application can request a menu selection via the SS.MnSel GetStat function. (See "Setting Up the Menus.")

The following is an example of the basic structure for an application using the mouse:

```
/* application initialization routine */
intercept(intfun); /* set up signal intercept routine */
_ss_msig(0,msig); /* set up for mouse click signal */
/* main processing loop of program */
if (moussig) {
   _gs_mous(0,mspacket); /* read the mouse */
   if (mspacket->pt valid == 0){
      /* not owned any longer, take action */
   } else {
      /* still own mouse, check location */
      if (mspacket->pt stat == CONTREG) [
         /* take action for click on window region */
      } else {
         /* mouse on control region now */
         /* request menu selection */
         menid = _gs mnsel(wpath,&item);
         switch (menid){
            /* base action on menu id and item */
      }
   }
```


Setting Up The Menus

To set up the menu bar and pull-down menus, an application must create a data structure in its address space that contains all the information needed by the system to handle the menus.

If the structure is not to be modified, it can be in the code area. Use the fcs, fcc, fdb, and fcb assembler pseudo-opts to create the code. If you install the data structure in the code area, your application cannot change the menus while operating. (It is not possible to enable or disable menu items or entire menus interactively because OS-9 does not allow for self-modifying code.)

If you want your application to be able to modify menus while operating, keep the data structure in the process's data area.

The following illustration represents a data structure layout:



The following assembly code defines the data structure code that is required:

- * descriptor for window title/menu bar line
- * one required for each process running in a framed
- * window

	org	0	
WN.TTL	rmb	20	title for window title bar
WN.NMNS	rmb	1	number of menus in menu bar
WN.XMIN	rmb	1	min. horizontal window size
WN.YMIN	rmb	1	min. vertical window size
WN.SYNC	rmb	2	sync bytes \$C0C0
WN.RES	rmb	7	reserved bytes
WN.BAR	rmb	2	pointer to an array of menu
*			descriptors
WN.SIZ	equ		size for window data structure

- * menu descriptors:
- * One is required for each menu in the menu bar
- * The Menu array descriptor is pointed to by a pointer
- * in the previous structure in the MB.MPTR area.

	org	0	
MN.TTL	rmb	15	menu title (15 chars max)
MN.ID	rmb	1	menu id number (for selection 1-255)
MN.XSIZ	rmb	1	horizontal size of desired pull-down
MN.NITS	rmb	1	number of items in the menu
MN.ENBL	rmb	1	enable flag
MN.RES	rmb	2	reserved bytes
MN.ITEMS	rmb	2	pointer to menu item
*			descriptor's array
MN.SIZ	equ		size of menu descriptor

- *
- * menu item descriptor:
- * One is required for each menu item in a pull-down
- * menu
- The ITEMS menu array is pointed to by the ITEMS
- * pointer in the previous data struture

org 0	
rmb 15	item name (15 chars max)
rmb 1	enable flag
rmb 5	reserved bytes
equ	size of menu item descriptor's
-	array
	rmb 15 rmb 1 rmb 5

Note: All strings are terminated with a NULL (\$00) byte. The data structure definitions are also in the C language and assembly language Defs.

When you make a SS.WnSET SetStat call to set up a framed window, set Register X to point to the WN.TTL item of the data structure. The WindInt interface uses that pointer to locate the data structure in the process's address space. It then sets up the title bar or the menu bar using the information in the data structure.

You can have a maximum of ten menus for any menu bar, and each menu can have a maximum of 20 items. Keep the number of menus and items as small as possible so that users can make selections easily and quickly. One of the major benefits of a window environment is its simplicity.

The MN.ID field in the menu descriptor selections is the menu ID number, in the range 1-255. The system uses this ID as a return value in the menu selection call to identify the menu from

which a selection is made. Microware uses values in the range 1-127 to identify standard menus (discussed in the following section). If you want to add items to the menu ID list, use values in the range 128-255.

Microware has reserved WN.RES, MB.RES, and MI.RES for future updates and applications. Do not use these definitions. If you do, your application might not run under future releases of the Multi-Vue package.

Updating Menus

Your application must have a way to update the menu bar information in order to change the menu bar or menu item status (to enable and disable items). You can provide this ability using the SS.Umbar SetStat call. This call forces the system to re-read the menu bar data and update the menu bar accordingly:

SETSTAT SS.UMBar - Update Menu Bar

Entry Conditions:

A = path

B = function call (SS.UMBar)

Exit Conditions:

None

Menu Selection

The WindInt interface module handles most menu selections. However, your application must monitor the pointer position using the mouse data GETSTAT call. If the mouse is in the control region, the program can call the menu selection routine.

The call for menu selection is outlined as follows:

GETSTAT SS.MnSel - Menu Selection

Entry Conditions:

A = path

B = function call (SS.MnSel)

Exit Conditions:

A = 0 (if no selection was made)

= menu id (if selection was made)

B = item number (if selection was valid)

Example call:

lda	#path	get the path
ldb	#SS.MnSel	get the code
os9	\$GETSTT	make the call

When this call returns without error, Register A has the menu information and Register B has the item information. Your application can test these values to determine the action to take:

```
IF (A) = 0 THEN no selection
ELSE take action for ID=A and item=B
ENDIF
```

If the menu does not have pull-down items, the item number returned is 0. You can use this feature to set up special menus for selecting graphic items. For example, you might create a menu, Tools, that has no items in it. When you select Tools, the call returns the menu ID, and B contains a value of 0. The application can now open a menu with the tools drawn in it and let the user make a selection among these tools.

Standard Menus

Standard menus in Multi-Vue provide consistency. They make it easier for a user to move from one application to another, because of similar menu organization. The system does not enforce these standards.

As previously noted, the standard menu ID values range from 1-127. The currently defined menus are:

ID Number Definition

- 2 Close Box. The close application box is selected. Your application must follow the necessary procedures to exit.
- 4 Scroll Up. The scroll up arrow is selected. The application must scroll the screen up and make the appropriate call to move the vertical scroll marker to the new location. This function applies only to a WT.FSWin window.
- 5 Scroll Down. The scroll down arrow is selected. The application must scroll the screen down and make the call to the system to move the vertical scroll marker accordingly. This function applies only to a WT.FSWin window.
- 6 Scroll Right. The right scroll arrow is selected. The application must scroll the screen horizontally to the right and make the call to move the horizontal scroll marker. This function applies only to a FT.FSWin window.

- 7 Scroll Left. The left scroll arrow is selected. The application must scroll the screen horizontally to the left and make the call to move the horizontal scroll marker. This function applies only to a FT.FSWin window.
- 8 Character Pressed. A keyboard character is pressed. The application needs to read one character to identify the key. You can use this function to let your application associate keys with menu items.
- Tandy Menu. The Tandy menu hourglass icon is selected. The Tandy menu displays the list of desktop utilities available with Multi-Vue. When one is chosen, fork to the specified utility, and wait for its execution to complete before returning control. If your application adds new desktop utilities, be sure it adds them at the end of the list. The format of the menu is:

Item #1 = Calculator

#2 = Clock

#3 = Calendar

#4 = Control

#5 = Printer

#6 = Port

#7 = Help

#8 = Shell

#9 = Clipboard

21 Files Menu. The File menu is selected. The format of this menu is:

Item #1 = New #2 = Open ... #3 = Save #4 = Save As... #5 = Abandon #6 = Print #7 = Ouit

> The application must perform any actions associated with the menu selections. The system does nothing but return the menu ID and item numbers.

The Open and Save As items are followed by three dots. These dots indicate that a dialog box asking for a filename is to follow when the user selects one of these options:

New starts a new, unnamed file. Use Save As to name the file.

Open reads an existing file into the application.

Save saves a named file.

Save As gives a newly created file a name and saves it or saves an existing file under a new name.

Abandon erases the file in memory and does not save it.

Print sends the current file to the printer device. First, configure the printer with the Port utility.

Quit ends the application and closes the window.

ID Number Definition

Edit Menu. The Edit menu is selected. The layout for this menu is:

Item #1 = Undo #2 = Cut #3 = Copy #4 = Paste #5 = Clear #6 = Show

> Undo reverses the last operation performed on the file to let the user correct an error.

> Cut removes and saves a marked portion of the display. It moves the data into a GET/PUT buffer for later use by Paste.

Copy saves a marked portion of the display without removing it. It moves the data into a GET/PUT buffer for later use by paste.

Paste inserts previously Cut or Copied data into the screen display and the file.

Clear erases the marked area of the file.

Show displays the contents of the buffer, such as the last text cut or copied.

With the exception of Undo, all edit options should remain disabled until an area of the file is marked for editing by the application. If you want to add new edit options, put them at the end of the file.

Using Application Information Files (AIF)

When GShell reads a disk, it classifies each file into a file-type. The files are listed in the main screen, and each file-type is indicated through an associated icon.

The algorithm for this process is structured like this:

- 1. If it's a folder, display a folder icon.
- 2. If it's executable, display an object icon.
- 3. If it's neither a folder nor executable, then it must be a data file. Check if:
 - A. File is named "aif.xxx"(xxx represents three legal filename characters).
 - B. File is named "yyyyy.xxx" and ".xxx" matches the extension of an AIF encountered previously on this device.

When neither A nor B is true, then a data icon is displayed. But when either A or B is true, GShell tries to load an icon file that is designated in the third line of the AIF. That file should be a 24x24 pixel 4 color bitmap that will be loaded as a Get/Put buffer. If GShell is unable to load the icon file into a Get/Put buffer, it will display the data file icon.

The path to the icon file will be assumed to begin in the current execution folder unless a full path is given. For example, if the current execution folder is /D0/CMDS and the AIF contains "ICONS/icon.scred," then GShell attempts to load "/D0/CMDS/ICONS/icon.scred." (The file must have its execution attribute set for it to be recognized.) The 24x24 pixel bitmap will then be displayed as the icon for the file.

A folder can contain multiple AIF's and corresponding data files. Once an AIF has been recognized by GShell, all corresponding data files subsequently processed will be identified with it. They need to be on the same device, yet the folder that they're in dosen't matter.

An Application Information File provides the following information to GShell:

- 1. Name of application program
- 2. Parameters
- 3. Name (or path) of icon file
- 4. Memory modifier (0=use default) specified in pages
- 5. Screen type
- 6. Defined window width (in decimal)
- 7. Defined window length (in decimal)
- 8. Background palette register
- 9. Foreground palette register

For example, an AIF for Scred can be set up as follows:

Scred	Application's name (executable program)			
	Parameters (blank line if no parameters)			
ICONS/icon	scred Name of icon file for GShell to display			
0	Use Default Memory			
7	Screen type			
80	Screen width			
24	Screen Length			
3	Background Palette Register			
2	Foreground			

These parameters set up an AIF with Scred as the application. GShell will use an 80x24 graphics screen for Scred with black characters on a green background (assuming standard palettes are used).

The following is a dump of "/DD/SYS/ICON/icon.scred"	The	following is	a dumi	of "/DD/	SYS/ICON/ic	on.scred":
--	-----	--------------	--------	----------	-------------	------------

Addr	0 1	2 3	4 5	6 7	8 9	АВ	CD	EF
0000	0000	0000	0000	0000	0000	0000	0000	0000
0010	0000	0000	0000	0000	0000	0000	0555	0000
0020	0000	1004	0000	0000	4010	0000	0001	0040
0030	0000	0004	0100	0000	0010	0400	0000	0040
0040	1000	0000	0100	4000	0000	0401	0000	0000
0050	1004	0000	0000	4010	0000	0001	0040	0000
0060	0004	0100	0000	0010	0400	0000	0055	5000
0070	0000	0055	0000	0000	0050	0000	0000	0040
0800	0000	0000	0000	0000	0000	0000	0000	0000

0		2		4		6		8		Α		С		Ε	
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	U	•	•
•	•	•	•	•	•	•	•	@	•	•	•	•	•	•	@
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	@
•	•	•	•	•	•	@	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	@	•	•	•	•	•	•	@	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	U	Ρ	•
•	•	•	U	•	•	•	•	•	Ρ	•	•	•	•	•	@
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

If the user double-clicks on a directory, then GShell will open that folder and any AIF files will be displayed with the icon and the name of the application. Clicking on the AIF causes GShell to fork that application with no data file as an parameter. Double-clicking on a data file that has the same suffix as an AIF file, or clicking once on a data file and then selecting OPEN in the files menu will cause GShell to fork the application with the name of that data file as an arguement. The data file does not need to be in the same directory as the AIF, but GShell must process the AIF before it processes the data file, if the two are to be associated with each other.

Setting 16 Colors

From the Control Panel, you can adjust the four color palettes that you use with Multi-Vue. If you would like to set all 16 color palettes, then you'll need to do this by calling Control as a standalone program on a 16-color screen.

The following procedure will open a 16-color graphics window by calling control:

- 1. Reboot the system using the OS-9 Level II disk.
- 2. OS9: merge sys/stdfonts >/w
- 3. OS9: iniz w2
- 4. OS9: display 1b 20 8 0 0 28 18 1 0 0 >/w2
- 5. OS9: shell i=w2&
- 6. Press [CLEAR] and you should see a white screen with "OS9:" in blue letters. While that screen is displayed, place Multi-Vue Diskette #1 in Drive 0.
- 7. OS9: chx /d0/cmds
- 8. OS9: chd /d0
- 9. OS9: control

The control panel will appear with the 16 blocks at the bottom displaying the 16 colors currently in the color palette.

An alternate approach can be taken if you have 512 K. Create a file called AIF.CON that looks like this:

CONTROL (blank line) ICONS/icon.demo 0 8 40 24

1

This AIF will start the control program on a 16-color, 40x24 screen with blue foreground on a white background. For simplicity it uses the icon for the Demo program. You can design your own icon instead.

This application will not have any data files associated with it. Clicking on it will start control in a full 16-color screen.

The Clipboard Function

When you worked with the desktop functions, you might have noticed that an extra function, clipboard, was inaccessable. This function is intended to be used to transfer data between files or applications. It will be implemented in future applications that require this type of transfer. This is presented now to promote uniformity and compatibility

The menu that will appear when clipboard is selected includes:

Undo

Cut

Copy

Paste

Clear

Show

The Environment File Layout

System-wide parameters are used by the current OS-9 device drivers to form the environment. Here are some important values:

<u>Variable</u> MONTYPE	Values 0=Composite 1=RGB 2= Monochrome	Function Determines monitor type	Set By Control panel
RAM	128 512	Determines RAM Size	Text Editor
REPSPD	1= slow to 5= fast	Key Repeat Start	Control Panel
REPSTR	1= no key repeat 2= long delay 3= short delay	Key Repeat Start	Control Panel
PTRRES	0=lo res 1=hi res	Mouse Resolution	Control Panel

Variable PTRSID	Values 0=left side 1=right side	Function Determines port for mouse/ joystick	Set By Control Panel
EXEC	<pathlist></pathlist>	Default Execution	Text Editor
Palet0 through	0-3, 0-3, 0-3	Palette Colors	Control Panel
Palet15	0-3, 0-3, 0-3		
RBFDEV	/d0, /d1, .	RBF devices supported	Text Editor
SCFDEV	/p, /t1,	SCF devices supported	Text Editor
PRNAME	name	Identify type of printer	Printer
PRPORT	/p	Device for printer	Printer
PGLEN	0-255	Printer page length	Printer
PGWDTH	0-255	Printer page width	Printer
LFTMRGN	0-255	Left margin	Printer
LNLEN	0-255	Printer Line Length	Printer
HDRSIZ	0-255	Header size	Printer
TRLSIZ	0-255	Trailer size	Printer
PGPAUS	0-255	Pages until pause	Printer

The Environment File

The following is a copy of the environment file with its original settings. Note that lines beginning with an asterisk are comments, and they are ignored by programs that read the env.file:

RBFDEV= /d0, /d1 SCFDEV=/p,/t1 MONTYPE=1 RAM=128 *RAM=512 EXEC= /d0/CMDS *PROGRAM= Shell *PARAM= i= /term REPSTR= 3 REPSPD= 4 PTRRES= 0 PTRSID= 1 LFTMRGN= 5 LNLEN= 70 PGWDTH= 80 HDRSIZ = 5TRLSIZ= 5 PGLEN= 66 TABSIZ= 4 PGPAUS= 0 PRPORT=/p PRNAME= DMP100 PALET0= 3,3,3 PALET1= 1,0,2 PALET2= 0,0,0 PALET3 = 0,3,0PALET4= 3,0,2 PALET5 = 0.0.0

PALET6= 3,2,3 PALET7= 0,2,0 PALET8= 3,2,1 PALET9= 0,0,3 PALET10= 0,1,0 PALET11= 2,3,0 PALET12= 3,1,1 PALET13= 3,3,0 PALET14= 2,0,3 PALET15= 0,3,3

C Language Graphics Library Support

Chapter 10

C language support of the windowing/graphics primitives and high-level commands for the Color Computer 3 is provided by a linkable library named CGFX. This library contains routines that you can access to perform the functions outlined in the OS-9 Level Two Windowing manual when programming in C. It also contains the extensions for the Multi-Vue environment.

In addition to CGFX, header files also exist for C. These files contain all the definitions for the high-level window environment and structure definitions for the required data structures.

To use CGFX functions, you must link the CGFX library--along with the other required libraries--to your C program. If you are going to use other high-level window commands, you must include the Wind.h header file in your program. If you are going to use the mouse, you must include Mouse.h. To access standard patterns, fonts, or pointers, include the Buffs.h and Stdmenu.h files. See the codes for the header files later in this chapter.

Compile the C program to a .r file using the -r option on your compiler command line. Then link the program. The lines that you use to create the object file are as follows:

OS9: cc1 prog.c -r OS9: c.link /d1/lib/cstart.r prog.r -l=/d1/lib/cgfx.l -l=/d1/lib/clib.l -l=/d1/lib/sys.l -o=prog

These lines link the program with the C graphics library, the standard C library, and the OS-9 C system library. The output file, Prog, is now fully executable and able to perform all the graphics/window functions.

The following sections describe the functions included in the CGFX library. The remainder of the chapter includes:

- A. Standard Windowing Commands
- B. Get/Put Commands
- C. Configuration Comands
- D. Font Handling Commands
- E. Standard Text Commands
- F. Drawing Commands
- G. General System Status Functions
- H. Mouse Handling Functions
- I. Alarm Functions
- J. Multi-Vue Windowing Functions

As well, the section "Writing Applications for Multi-Vue in C" provides specific information on producing programs to operate in the Multi-Vue environment.

All the calls explained in this chapter return a value of -1 on error. The system places the error number in the global parameter *errno*.

A. Standard Windowing Commands

The following commands define, alter, or deallocate device and overlay windows.

To create a device window, first open a path to it using OPEN, and then define it, using DWSet. The path to a device window must be an OS-9 path number, and not a C file pointer. Therefore, use open(), not fopen(), for all device window paths.

Overlay windows do not require opening. They are defined in full when you use the OWSet call.

DWSet Device Window Set

Usage:

DWSet(path,sty,cpx,cpy,szx,szy,fprn,bprn,bdprn) int path,sty,cpx,cpy,szx,szy,fprn,bprn,bdprn;

DWSet(path,sty=0,cpx,cpy,szx,szy,fprn,bprn) int path,sty,cpx,cpy,szx,szy,fprn,bprn;

Description:

Creates a device in a window of type sty.

If sty=0, the system opens the window on the current screen. If sty=0, do not include a border palette (bdprn).

The window has its upper left corner located at *cpx,cpy*, and its size is set to *szx,szy*. Note that the coordinates and size values are in standard character cell (8x8) coordinates.

The window uses *fprn* as the foreground palette and *bprn* as the background palette. If you are using a new screen (*sty* is not equal to 0), the border palette is *bdprn*.

Parameters are:

path = OS-9 path number for the window

sty = window type

cpx = horizontal character position for upper left corner

of the window

cpy = vertical character position for upper left corner of

the window

szx = size (width) of the window (in character positions) szy = size (height) of the window (in character positions)

fprn = foreground palette number bprn = background palette number

bdprn = border palette number

DWEnd Device Window End

Usage:

DWEnd(path) int path:

Description:

Deallocates the device window associated with the specified path. If the deallocated window is the last device window on the screen, DWEnd deallocates the screen.

The parameter is:

path = OS-9 path number for the window

OWSet Overlay Window Set

Usage:

OWSet (path,svs,cpx,cpy,szx,szy,fprn,bprn) int path,svs,cpx,cpy,szx,szy,fprn,bprn;

Description:

Creates an overlay window of size szx,szy at location cpx,cpy on the current device window.

If the save switch (svs) is 0, the system does not save the area under the overlay window. If svs is 1, the system saves the area under the window if possible and restores it when OWEnd is called.

The parameters are:

path = OS-9 path number for the window

svs = save switch value

cpx = horizontal character position for the upper left corner of the window

corner of the window

cpy = vertical character position for the upper right corner of the window

szx = size (width) of the window (in character positions) szy = size (height) of the window (in character positions)

fprn = foreground palette number bprn = background palette number

OWEnd Overlay Window End

Usage:

OWEnd(path) int path;

Description:

Deallocates the top overlay window. If you created the window with a save switch value of 1, the area under the screen is restored.

The parameter is:

path = OS-9 path number for the window

Select Select

Usage:

Select(path) int path;

Description:

Displays the window associated with the specified path.

The parameter is:

path = OS-9 path number for the window

CWArea Change Working Area

Usage:

CWArea(path,cpx,cpy,szx,szy) int path,cpx,cpy,szx,szy;

Description:

Changes the working area of a window to the new location given by *cpx*, *cpy*, which is an offset from the position of the original window area. The size is *sxz*,*szy*.

This call cannot make a window larger than originally defined; it can only change the working area inside the window.

The parameters are:

path = OS-9 path number for the window

cpx = horizontal character position of the working area's upper left corner

cpy = vertical character position of the upper left corner for the working area

szx = size (width) of the working area in character positions

szy = size (height) of the working area in character positions

DWProtSw Device Window Protect Switch

Usage:

DWProtSW(path,bsw) int path,bsw;

Description:

Sets device window protection. Normally a window is protected (bws=1). Setting bws to 0 unprotects the window.

The parameters are:

path = OS-9 path number for the window bws = protect switch value

B. Get/Put Commands

Get/Put buffers provide a means of moving and storing data. Use the Get/Put commands for the allocation and deallocation of these buffers and for transferring data.

DfnGPBuf Define Get/Put Buffer

Usage:

DfnGPBuf(path,grpnum,bufnum,length) int path,grpnum,bufnum,length;

Description:

Defines and allocates storage for a get/put buffer by specifying the buffer's group, number, and size.

Parameters are:

path = OS-9 path number for the window

grpnum = group number associated with the buffer

bufnum = buffer number length = buffer size

KilBuf Deallocate Get/Put Buffer

Usage:

KilBuf(path,grpnum,bufnum) int path,grpnum,bufnum;

Description:

Deallocates the specified get/put buffer. To deallocate an entire group of buffers, set *bufnum* to 0.

Parameters are:

```
path = OS-9 path number for the window
grpnum = group number associated with the buffer
bufnum = buffer number
```

GPLoad Get/Put Buffer Pre-Load

Usage:

```
GPLoad(path,grpnum,bufnum,sty,sizex,sizey,length) int path,grpnum,bufnum,sty,sizex,sizey,length;
```

Description:

Prepares to load a get/put buffer with data. After receiving a GPLoad() call, the system loads the next bytes written to that path into the specified get/put buffer.

```
path= OS-9 path number for the windowgrpnum= group number associated with the bufferbufnum= buffer numbersty= screen type for the datasizex= horizontal size for the datasizey= vertical size for the datalength= size of the buffer in bytes
```

GetBlk Get Block

Usage:

GetBlk(path,grpnum,bufnum,x,y,sizex,sizey) int path,grpnum,bufnum,x,y,sizex,sizey;

Description:

Copies a block of screen data from x,y to x+sizex,y+sizey. Stores the data in the buffer specified by grpnum,bufnum.

The OS 0 noth number for the window

pain	= The OS-9 pain number for the window
grpnum	= group number associated with the buffer
bufnum	= buffer number
x	= beginning x-coordinate of the screen portion
	to save
y	= beginning y-coordinate of the screen portion
	to save
sizex	= added to x , gives the ending x-coordinate of
	the screen portion to save
sizey	= added to y, gives the ending y-coordinate of
	the screen portion to save

PutBlk Put Block

Usage:

PutBlk(path,grpnum,bufnum,x,y) int path,grpnum,bufnum,x,y;

Description:

Puts a block of data from the buffer specified by grpnum,bufnum onto the screen at location x,y.

path	= OS-9 path number for the window
grpnum	= group number associated with the buffer
bufnum	= buffer number
x	= x-coordinate location for gpbuffer on screen
y	= y-coordinate location for gpbuffer on screen

C. Configuration Commands

Use configuration commands to set up the patterns, logic and colors to be used by the drawing commands in a window.

PSet Pattern Set

Usage:

PSet(path,grpnum,bufnum) int path,grpnum,bufnum;

Description:

Specifies the group and buffer numbers that provide the buffer pattern to be used for fill and draw functions.

Parameters are:

path = OS-9 path number for the window device grpnum = group number associated with the buffer bufnum = buffer number

LSet Logic Set

Usage:

LSet(path,logiccode) int path,logiccode;

Description:

Defines the logic to be used in all draw commands used on the specified window.

Parameters are:

path = OS-9 path number for the window logiccode = one of the following values:

0 = no logic 1 = AND logic 2 = OR logic 3 = XOR logic

DefColr Default Color Set

Usage:

DefColr(path) int path;

Description:

Sets the colors associated with the specified window to the default colors.

The parameter is:

path = OS-9 path number to the window

Palette Palette Set

Usage:

Palette(path,prn,colno) int path,prn,colno;

Description:

Sets the palette register number defined by prn to contain the color defined by colno.

Parameters are:

path = OS-9 path number to thewindow

prn = palette register number
colno = color number to install

FColor Foreground Color Set

Usage:

FColor(path,prn) int path,prn;

Description:

Specifies the palette register that contains the color to be used for foreground drawing.

Parameters are:

path

= OS-9 path number for the window

prn

= palette register number

BColor Background Color Set

Usage:

BColor(path,prn) int path,prn;

Description:

Specifies the palette register that contains the color to be used for background drawing.

Parameters are:

path = OS-9 path number for the window

prn = palette register number

Border Border Color Set

Usage:

Border(path,prn) int path,prn;

Description:

Specifies the palette register that contains the color to be used for the screen border.

Parameters are:

```
path = OS-9 path number for the window
prn = palette register number
```

ScaleSw Scaling On/Off Switch

Usage:

```
ScaleSw(path,bsw) int path,bsw;
```

Description:

Turns scaling on and off for a window.

```
path = OS-9 path number for the window
bsw = 0 for off or 1 for on
```

SetGC Set Graphics Cursor

Usage:

#include <buffs.h>

SetGc(path,grpnum,bufnum) int path,grpnum,bufnum;

Description:

Select the Get/Put buffer to be used for the graphics cursor. Standard pointer shape group and buffer numbers are defined in the Buffs.h header file. The default pointer is an arrow, defined by GRP_PTR and PTR_ARR.

Parameters are:

path = OS-9 path number for the window

grpnum = group number of the Get/Put buffer holding

the cursor image

bufnum = buffer number

D. Font Handling Commands

The following functions set up the fonts and attributes for software generated text on graphics screens. In addition to the boldface and proportional spacing attributes, discussed here, you can also user reverse video and underlining, discussed in "Standard Text Commands."

Font Selection

Usage:

#include <buffs.h>

Font(path,grpnum,bufnum) int path,grpnum,bufnum;

Description:

Specifies the get/put buffer from which to get font data for generating graphics text. The OS-9 system comes with three standard fonts: an 8x8 font, a 6x8 font, and an 8x8 graphics font. The standard fonts are defined in the Buffs.h header file. The default is GRP FNT,FNT S8X8.

Parameters are:

path = OS-9 path number for the window

grpnum = group number of the buffer

bufnum = buffer number

TCharSw Transparent Character Switch

Usage:

TCharSw(path,bsw) int path,bsw;

Description:

Turns the character transparency mode on and off.

Parameters are:

path = OS-9 path number for the window device

bsw = one of the following values:

0 = draw characters in an opaque character cell 1 = draw characters in a transparent character cell

BoldSw BoldFace Attribute Switch

Usage:

BoldSw(path,bsw) int path,bsw;

Description:

Turns boldface on and off for the characters.

Parameters are:

path = OS-9 path number for the window devicebsw = one of the following values:

0 = display characters in normal type face 1 = display characters in boldface type

PropSw Proportional Spacing Attribute Switch

Usage:

PropSw(path,bsw) int path,bsw;

Description:

Turns proportional spacing on and off.

path = OS-9 path number for the window device

bsw = one of the following values:

0 = turn off proportional spacing

1 = turn on proportional spacing

E. Standard Text Commands

The following commands let you manipulate the text cursor and text attributes in both standard hardware-generated text and graphics-generated text. The only functions not supported on graphics screens are the blinking text functions.

The functions in this section are self-explanatory and require only a path parameter.

CurHome Home Cursor

Usage:

CurHome(path) int path;

CurOn Turn Cursor On

Usage:

CurOn(path) int path;

CurOff Turn Cursor Off

Usage:

CurOff(path) int path;

CurLft Move Cursor Left

Usage:

CurLft(path) int path;

CurRgt Move Cursor Right Usage:

CurRgt(path)

int path;

CurUp Move Cursor Up

Usage:

CurUp(path) int path;

CurDwn Move Cursor Down

Usage:

CurDwn(path) int path;

CurXY Move Cursor TO X,Y

Usage:

CurXY (path,x,y) int path,x,y;

Erline Erase Line

Usage:

Erline(path) int path;

ErEOLine Erase to End Of Line

Usage:

ErEOLine(path) int path;

ErEOScrn Erase to End Of Screen

Usage:

ErEOScrn(path) int path;

Clear the Screen

Usage:

Clear(path) int path;

Bell Ring Bell

Usage:

Bell(path) int path;

CrRtn Output Carriage Return

Usage:

CrRtn(path) int path;

ReVOn Turn On Reverse Video

Usage:

ReVOn(path) int path;

ReVOff Turn Off Reverse Video

Usage:

ReVOff(path) int path;

UndlnOn Turn On Underline

Usage:

UndinOn(path) int path;

UndlnOff Turn Off Underline

```
Usage:
```

UndlnOff(path) int path;

BinkOn Turn On Blink (hardware text only)

Usage:

BlnkOn(path) int path;

BlnkOff Turn Off Blink (hardware text only)

Usage:

BlnkOff(path) int path;

InsLin Insert Line

Usage:

InsLin(path) int path;

DelLine Delete Line

Usage:

DelLine(path) int path;

F. Drawing Commands

These comands draw graphics primitives in the window specified by the parameter *path*.

By default, the system draws all graphics primitives in relation to the current position of the draw pointer, and you can set the draw pointer to any position in a window. Also by default, all drawing is scaled on a 640x192 coordinate grid.

The ScaleSw() function turns scaling off and on. The system uses the upper left corner of the window as its reference point.

The system clips all drawings at the edges of the window's working area. It produces all images in the foreground color set by FColor() and uses the pattern and logic set by PSet() and LSet(). The default setting for pattern and logic is off.

SetDPtr Set the Draw Pointer Position

Usage:

```
SetDPtr(path,x,y) int path,x,y;
```

Description:

Positions the draw pointer at position x,y, in relation to the upper left corner of the window.

Parameters are:

```
    path = OS-9 path number for the window
    x = x-coordinate position for the draw pointer
    y = y-coordinate position for the draw pointer
```

RSetDPtr Set the Draw Pointer Relative to the Current Position

Usage:

```
RSetDPtr(path,xo,yo) int path,xo,yo;
```

Description:

Positions the draw pointer at offset *xo*, *yo* from the draw pointer's current position.

Parameters are:

path = OS-9 path number for the window

xo = x-coordinate offset from the draw pointer's

position

yo = y-coordinate offset from the draw pointer's

position

Point Draw a Point

Usage:

Point(path) int path;

Description:

Draws a point at the draw pointer's current position.

The parameter is:

path = OS-9 path number for the window

RPoint Draw a Point Relative to the Draw Pointer

Usage:

RPoint(path,xo,yo) int path,xo,yo;

Description:

Draws a point at offset xo,yo from the draw pointer's current position.

Parameters are:

path = OS-9 path number for the window

xo = x-coordinate offset from the draw pointer's current position

yo = y-coordinate offset from the draw pointer's current

position

Line Draw a Line

Usage:

Line(path,x,y) int path,x,y;

Description:

Draws a line from the draw pointer to x,y. This function does not update the draw pointer.

Parameters are:

```
    path = OS-9 path number for the window
    x = x-coordinate for the end of the line
    y = y-coordinate for the end of the line
```

RLine

Draw a Line Relative to the Draw Pointer

Usage:

```
RLine(path,xo,yo) int path,xo,yo;
```

Description:

Draws a line from the draw pointer to offset xo,yo. This function does not update the draw pointer.

Parameters are:

```
    path = OS-9 path number for the window
    xo = x-coordinate offset from the draw pointer's current position
    yo = y-coordinate offset from the draw pointer's current position
```

LineM Draw a Line and Update the Draw Pointer

Usage:

```
LineM(path,x,y) int path,x,y;
```

Description:

Draws a line from the draw pointer to x,y and updates the draw pointer to the new position.

Parameters are:

```
    path = OS-9 path number for the window
    x = x-coordinate for the end of the line
    y = y-coordinate for the end of the line
```

RLineM Draw a Relative Line and Update the Draw Pointer

Usage:

```
RLineM(path,xo,yo) int path,xo,yo;
```

Description:

Draws a line from the draw pointer to offset *xo*, *yo* and updates the draw pointer to the new location.

Parameters are:

path = OS-9 path number for the window

xo = x-coordinate offset from the draw pointer's current position

yo = y-coordinate offset from the draw pointer's current position

Box Draw a Box

Usage:

Box(path,x,y) int path,x,y;

Description:

Draws a rectangle with one corner at the draw pointer's current position and the opposite corner at x,y. This function does not update the draw pointer.

Parameters are:

path = OS-9 path number for the window

x = x-coordinate for the corner opposite the draw pointer's current position

y = y-coordinate for the corner opposite the draw pointer's current position

RBox Draw a Box Relative to the Draw Pointer

Usage:

RBox(path,xo,yo) int path,xo,yo;

Description:

Draws a box with one corner at the draw pointer's current position and the opposite corner at offset *xo*, *yo*. This function does not update the draw pointer.

Parameters are:

path = OS-9 path number for the window

xo = x-coordinate offset from the draw pointer's current position

yo = y-coordinate offset from the draw pointer's current position

Bar Draw a Bar

Usage:

Bar(path,x,y) int path,x,y;

Description:

Draws a filled rectangle with one corner at the draw pointer's current position and the opposite corner at x,y. This function does not update the draw pointer.

Parameters are:

path = OS-9 path number for the window

x = x-coordinate for the corner opposite the draw pointer's current position

y = y-coordinate for bar corner opposite the draw pointer's current position

RBar Draw a Bar Relative to DP

Usage:

RBar(path,xo,yo) int path,xo,yo;

Description:

Draws a bar with one corner at the draw pointer's current position and the opposite corner at offset *xo*, *yo*. This function does not update the draw pointer.

Parameters are:

path = OS-9 path number for the window

xo = x-coordinate offset from the draw pointer's current

position

yo = y-coordinate offset from the draw pointer's current

position

FFill Flood Fill Area

Usage:

FFill(path) int path;

Description:

Sets the pixels surrounding the draw pointer to the foreground color. The fill operation continues outward until it reaches either the edge of the screen or pixels that are a color other than the pixel at the draw pointer.

The parameter is:

path = OS-9 path number for the window

Circle Draw a Circle

Usage:

Circle(path,radius) int path, radius;

Description:

Draws a circle with the draw pointer position as the center.

Parameters are:

```
path = OS-9 path number for the window
radius = radius of the circle, based on the x axis
```

Ellipse Draw an Ellipse

Usage:

Ellipse(path,xrad,yrad) int path,xrad,yrad;

Description:

Draws an ellipse with an x-radius of xrad and a y radius of yrad. The center is located at the draw pointer.

Parameters are:

```
path = OS-9 path number for the windowxrad = width of the ellipse
```

yrad = height of the ellipse

Arc

Draw an Arc

Usage:

```
Arc(path,xrad,yrad,xo1,yo1,xo2,yo2) int path,xrad,yrad,xo1,yo1,xo2,yo2;
```

Description:

Draws an elliptical or circular arc. The center of the arc is at the draw pointer. The offsets xo1,yo1,xo2, andyo2 define a clipping line for the arc.

Parameters are:

```
path = OS-9 path number for the window
```

xrad = width of the arc yrad = height of the arc

xo1,yo1 = beginning and ending coordinates of a line that

xo2,yo2 dissects the arc and clips it

PutGC Put the Graphics Cursor

Usage:

```
PutGC(path,x,y) int path,x,y;
```

Description:

Positions the graphics cursor at x,y. If you are using an autofollow mouse, do not call this function. See _ss_mous().

Parameters are:

```
    path = OS-9 path number for the window
    x = x-coordinate for the cursor position
    y = y-coordinate for the cursor position
```

G. General System Status Functions

The following functions correspond to the GetStat and SetStat calls under OS-9. Use them to read or set the status of system devices and global parameters. See the Technical Reference

_gs_opt Get the Path Options

Usage:

```
#include <sgstat.h>
    _gs_opt(path,buffer)
int path; struct sgbuf *buffer;
```

Description:

Gets the options for the specified *path* and places them in the area pointed to by the specified *buffer*.

_ss_opt Set the Path Options

Usage:

```
#include <sgstat.h>
_ss_opt(path,buffer)
int path; struct sqbuf *buffer;
```

Description:

Uses the options from the specified buffer to set the options for the specified path.

_gs_size Get the File Size for RBF Devices

Usage:

long _gs_size(path)
int path;

Description:

Returns the size of the file specified by path.

_ss_size Set the File Size for RBF Devices

Usage:

_ss_size(path,size) int path; long size;

Description:

Sets the file size to the specified number of bytes.

_gs_rdy Check for Characters Ready on Input

Usage:

```
int _gs_rdy(path)
int path;
```

Description:

Checks for available data on the input path. If data is available, the function returns the number of bytes; otherwise, it returns a value of -1.

_ss_ssig Set up for Signal on Data Ready

Usage:

```
_ss_ssig(path,signo) int path,signo;
```

Description:

Tells the system to send a signal when data is available on a device. signo is the number of the signal to send.

_ss_rel

Release a Device from a Send Signal Request

Usage:

_ss_rel(path) int path;

Description:

Releases the process specified by *path* from a previous _ss_ssig() call or from a ss msig() mouse signal setup call.

_gs_scsiz Get the Size of the Window

Usage:

```
_gs_scsiz(path,horsiz,versiz)
int path,*horsiz,*versiz;
```

Description:

Sets the horizontal and vertical sizes of a screen window.

Parameters are:

```
path = OS-9 path number for the window
```

horsiz = horizontal size versiz = vertical size

_gs_pait Get Palette Information

Usage:

```
_gs_palt(path,palbuf)
int path; char *palbuf;
```

Description:

Returns the values for the 16 palette registers in the character buffer pointed to by *palbuf*.

_ss_mgpb Map a Get/Put Buffer Into User Address Space

Usage:

```
char *_ss_mgpb(path,grpnum,bufnum)
int path,grpnum,bufnum;
```

Description:

Maps the requested get/put buffer into the user address space and returns a pointer to the buffer. If the function does not successfully map the buffer, it returns a null value.

Parameters are:

```
path = OS-9 path number for the window
grpnum = group number of the buffer
bufnum = buffer number
```

_gs_styp Get Screen Type

Usage:

_gs_styp(path,type)
int path,*type;

Description:

Returns in the parameter *type* a value indicating the type of screen associated with *path*.

_gs_fbrg Get Foreground/Background Colors

Usage:

_gs_fbrg(path,fore,back,bord) int path,*fore,*back,*bord;

Description:

Gets the palette registers used for foreground, background, and border colors and returns them in the specified parameters.

The parameters are:

path = OS-9 path number for the window
 fore = the parameter for the foreground color
 back = the parameter for the background color
 bord = the parameter for the border color

_ss_gip Set the Global Information Parameters

Usage:

_ss_gip(path,msres,msport,kbdstrt,kbdrpt) int path,msres,msport,kbdstrt,kbdrpt;

Description:

Sets the global information parameters for the system, including the mouse resolution, the active mouse port, the keyboard repeat speed, and the keyboard repeat start count.

Parameters are:

_ss_dfpl Set the Default Palette Information

Usage:

```
_ss_dfpl(path,palbuf) int path; char *palbuf;
```

Descripton:

Sets the default palette register values to be those passed in palbuf.

_ss_mtyp Set the Monitor Type

Usage:

```
_ss_mtyp(path,montype) int path,montype;
```

Description:

Establishes the monitor type for the system to the type specified by *montype*.

Montype can be:

0 = composite monitor or television

1 = analog RGB monitor

2 = monochrome composite monitor

H. Mouse Handling Functions

The following functions set up and read the mouse/joystick information, allowing interactive programs to use mouse input instead of keyboard input. The structures required for mouse information are defined in the mouse.h header file, which you should include in your program.

_ss_mous Set the Mouse Status

Usage:

_ss_mous(path,sample_rate,timeout,follow) int path,sample_rate,timeout,follow;

Description:

Sets the mouse parameters as required by an application.

Parameters are:

path

= OS-9 path number for the window

sample rate

= rate, in ticks, at which you want the mouse read(sample = 0 only when getstat is called)

timeout follow = time, in ticks, for the buttons to timeout

= a flag that tells whether the system

automatically reads the mouse position and updates the graphics cursor (follow=1), or whether the system won't follow mouse

values (follow =0)

_ss_msig Send a Signal on Mouse Click

Usage:

_ss_msig(path,signo) int,path,signo;

Description:

Causes the system to send a signal to the process when a mouse button click occurs.

Parameters are:

```
path = OS-9 path number for the window signo = signal number to send
```

_gs_mous Get the Mouse Status

Usage:

```
#include <mouse.h>
```

_gs_mous(path,*mspacket)
int path; MSRET mspacket;

Description:

Returns the mouse's location, button status, and so on, as defined in the MSRET structure in Mouse.h.

I. Alarm Functions

The following functions access the alarm capabilities of the OS-9 Level Two system. You can set one alarm event in the system at a time. The bell (a beep through the TV or monitor speaker) sounds for the first 15 seconds of the minute for the set time.

SetAlarm Set the Alarm Time

Usage:

```
#include <time.h>
struct sgtbuf *timbuf; SetAlarm(timbuf)
```

Description:

Sets the system alarm to sound at the time stored in the buffer pointed to by timbuf.

GetAlarm Get the Alarm Time

Usage:

```
#include <time.h>
struct sgtbuf *timbuf; GetAlarm(timbuf)
```

Description:

Returns the alarm time and date in the buffer pointed to by timebuf.

CirAlarm Clear the Alarm

Usage:

CIrAlarm()

Description:

Turns off the system alarm and clears it.

J. Multi-Vue Windowing Functions

You can use the following functions with the WindInt interface module instead of the standard GrfInt interface module.

GrfInt lets you establish windows without borders or windows for which you want to design your own borders. However, Multi-Vue uses the WindInt module to support framed windows, menu bars, pull-down menus, and scroll bars. The structures required for these functions are defined in the Wind.h header file. You should include this header file in your program. The StdMenu.h file defines standard system menus and you should include it in application programs running under Multi-Vue.

_ss_wset Set the Type of Window

Usage:

_ss_wset (path, wintype, windat) int path, wintype; wndscr*windat;

Description:

Sets the type of frame that a window is to have.

Windint provides six types of windows. These are defined in Wind.h as WT_'s. For framed windows (WT_FWIN and WT_FSWIN), you must pass a pointer to the window data structure using _ss_wset(). This establishes the menu and title bar for the window. For other window types, set this pointer to NULL.

The types of windows and their uses are:

WT_FWIN	Framed window for applications.
WT FSWIN	Framed window with scroll bars for
_	applications.
WT SBOX	Shadowed box for pull-down menus.
$\overline{WT}DBOX$	Double box for dialog/warning messages.
WT PBOX	Plain box for general application use.
WT NBOX	No box window. This is a standard GrfInt
_	window type.

_gs_msel Get Menu Selection

Usage:

int _gs_msel(path,*itemno)
int path,itemno;

Description:

Call this function when the mouse is in the control region of a window. The function automatically checks to determine whether the mouse is on a menu bar item. If it is, the function handles the pull-down menu routine.

If the menu selection is valid, the function returns the menu id and sets the *itemno* parameter to the item selected within the menu. If the selection is invalid, or if the user does not make a menu selection, the function returns 0.

_ss_umbar Update the Menu Bar

Usage:

_ss_umbar(path) int path;

Description:

Causes the system to reread the menu bar information from the user space and redraws the menu bar accordingly. Use this call to enable or disable menus and menu items.

_ss_sbar Set Scroll Marker Positioning

Usage:

_ss_sbar(path,horbar,verbar) int path,horbar,verbar;

Description:

Positions the scroll markers on a WT_FSWIN window. This function expects the positions of the horizontal and vertical markers to be absolute character coordinates from either the far left scroll region or from the top scroll region.

Parameters are:

path = OS-9 path number for the window horbar = horizontal scroll marker position verbar = vertical scroll marker position

Wind.h Code

/ *Wind.h - Defs for window data structure */

```
/* window type defs */
#define WT NBOX 0
#define WT FWIN 1
#define WT FSWIN 2
#define WT SBOX 3
#define WT DBOX 4
#define WT PBOX 5
#define MNENBL 1
#define MNDSBL 0
#define WINSYNC 0xCOCO
/* default menu ids */
#define MN MOVE 1
#define MN CLOS 2
#define MN GROW 3
#define MN USCRL 4
#define MN DSCRL 5
#define MN RSCRL 6
#define MN LSCRL 7
#define MN TNDY 20
#define MN FILE 21
#define MN EDIT 22
#define MN STYL 23
#define MN FONT 24
```

```
/* window - menu data structures */
    typedef struct mistr { /* menu item descriptor */
   char _mnttl [15]; /* name of item */
char _mienbl; /* is item available? */
   char _mienbl;
   char mires[5];
                        /* reserved */
                          /* menu descriptor */
} MIDSCR;
typedef struct mnstr {
   char _mittl[15];
                        /* name of menu */
   char mnid,
                          /* menu id number */
       _mnxsiz,
                          /* width of menu */
                          /* # of items in menu */
        mnnits,
         _mnenabl,
                          /* is item available? */
    struct mistr$* _mnitems; /* pointer to menu */
                          /* item descriptor array */
} MNDSCR:
typedef struct wnstr {
                          /* window descriptor */
    char _wnttl[20];
                        /* title of window */
    char _nmens;
                          /* # of menus on window */
    char wxmin,
                         /* min. window width */
                        /* min. window height */
         wymin;
    short wnsync;
                          /* synch bytes $COCO */
                          /* reserved */
    char wnres[7];
    struct mnstr$* wnmen; /*pointer to menu descriptor's array */
} WNDSCR:
```

StdMenu.h Code

```
/* StdMenu.h - standard menu definitions */
/* Default Tandy Menu */
#ifndef MAIN
extern
#endif
MIDSCR _tanitms[]
#ifdef MAIN
 = {
     {{'C', 'a', 'l', 'c'}, 1},
     {{'C','|','o','c','k'},1},
     {{'C','a','l','e','n','d','a','r'},1},
     {{'C','o','n','t','r','o','l'},1},
     {{'P','r','i','n','t','e','r'},1},
     {{'P','o','r','t'},1},
     {{'H', 'e', 'l', 'p'}, 1},
     {{'S','h','e','l','l'},1}
     {{'C','l','i','p','b','o','a','r','d'},0},
}
#endif
```

```
/* Default Files Menu */
#ifndef MAIN
 extern
#endif
 MIDSCR _filitms[]
#ifdef MAIN
  = {
     {{'N', 'e', 'w'}, 1},
     {{'O', 'p', 'e', 'n'}, 1},
     {{'S','a','v','e'},1},
     {{'S', 'a', 'v', 'e', ', 'A', 's', ', ', ', ', ', }, 1},
     {{'A','b','a','n','d','o','n'},1},
     {{'P','r','i','n','t'},1}.
     {{'Q','u','i','t'},1}
}
#endif
/* Default Edit Menu */
#ifndef MAIN
extern
#endif
MIDSCR _editms[]
#ifdef MAIN
 = {
     {{'U','n','d','o'},1},
     {{'C','u','t'},1},
     {{'C','o','p','y'},0},
     {{'P','a','s','t','e'},0},
     {{'C','l','e','a','r'},0}
     {{'S','h','o','w'}0}
}
#endif
```

- #define TNDY_MN {'T','a','n','d','y'},MN_TNDY,10,\
 sizeof(_tanitms)/sizeof(_tanitms[0]),1,0,0,_tanitms
- #define FILE_MN {'F','i','I','e','s'},MN_FILE,10,\
 sizeof(_filitms)/sizeof(_filitms[0]),1,0,0,_filitms
- #define EDIT_MN {'E','d','i','t'},MN_EDIT,6,\
 sizeof(editms)/sizeof(_editms[0]),0,0,0,_editms

Mouse.h Code

```
/* Mouse h -Defs for mouse data structures */
/* structure for reading mouse info packet */
typedef struct rmousin [
    char pt valid,
                          /* is info valid ? */
                          /* active side */
         pt actv,
                          /* timeout initial value */
         pt_totm,
         pt_rsrv0[2],
                          /* reserved */
                         /* time till timeout */
         pt ttto,
         pt_tsst[2],
                         /* time since start counter */
                         /* current button state Button A */
         pt_cbsa,
                         /* current button state Button B */
         pt cbsb.
                         /* click count Button A */
         pt ccta,
                         /* click count Button B */
         pt cctb,
                         /* time this state Button A */
         pt ttsa,
                         /* time this state Button B */
         pt_ttsb,
                         /* time last state Button A */
         pt tisa,
                          /* time last state Button B */
         pt_tlsb,
         pt_rsrv1[6],
                         /*reserved */
                          /* window pointer type location */
         pt stat,
                         /* resolution */
         pt res;
                         /* actual x value */
    int
         pt acx,
         pt_acy,
                         /* actual y value */
                          /* window relative x value */
         pt wrx,
                           /* window relative y value */
         pt wry;
} MSRET;
/* window regions for mouse */
#define WR CNTNT 0
                                 /* content region */
                                 /* control region */
#define WR CNTRL 1
                                 /* off window */
#define WR OFWIN 2
```

Buff.h Code

/* Buff.h - definitions for standard get/put buffer usage */

```
/* buffer group numbers */
#define GRP_FONT 200
#define GRP_CLIP 201
#define GRP_PTR 202
#define GRP_PAT2 203
#define GRP_PAT4 204
#define GRP_PAT6 205
```

```
/* font buffers */
#define FNT_S8X8 1
#define FNT_S6X8 2
#define FNT_G8X8 3
```

```
/* mouse pointer buffers */
#define PTR_ARR 1
#define PTR_PEN 2
#define PTR_LCH 3
#define PTR_SLP 4
#define PTR_ILL 5
#define PTR_TXT 6
#define PTR SCH 7
```

```
/*pattern buffers */
#define PAT_SLD 0
#define PAT_DOT 1
#define PAT_VRT 2
#define PAT_HRZ 3
#define PAT_XHTC 4
#define PAT_LSNT 5
#define PAT_RSNT 6
#define PAT_SDOT 7
#define PAT_BDOT 8
```

You can use the graphics font (Fnt_G8X8) in applications other than Multi-Vue. The graphics font supports the following graphics characters:

Char Code Character

\$C1	right arrow (for scroll bars)
\$C2	left arrow
\$C3	down arrow
\$C4	up arrow
\$C5	triple bar (for title bar)
\$C6	resize box icon (unused)
\$C7	close box icon (for menu bar)
\$C8	move box icon (unused)
\$C9	vertical box (for scroll markers)
\$CA	horizontal box
\$CB	hourglass (for Desk Utilities on menu bar)
\$CC	triple bar with open right side
\$CD	triple bar with open left side

Writing Applications for Multi-Vue in C

Defining and initializing an Application Window:

Use the following structure to define a window for an application that uses menus:

```
/* Window Descriptor */
typedef struct wnstr {
   char wnttl[20];
                             /* title of window */
   char nmens;
                              /* # of menus on window */
   char wxmin,
                              /* min. window width */
        _wymin;
                             /* min. window height */
   short_wnsync;
                             /* synch bytes $COCO */
   char _wnres[7];
                              /* reserved */
   struct mnstr* wnmen;
                              /* pointer to menu
                                descriptors' array */
}WNDSCR;
The components of the structure are as follows:
           title of the window that is displayed at the top of a
wnttl
           framed window when it is not the currently selected
           active window
           number of menus on the framed window
 nmens
           minimum horizontal size of the window (in character
wxmin
           cells)
```

```
_wymin minimum vertical size of the window (in character cells)

_wnsync synchronization flag that OS-9 uses to indicate an active menu-driven window

_wnres reserved

_wnmen pointer to the array of menu descriptors for the window's menus

The declaration and initialization of a window descriptor might look like this:

#define WXMIN 40
```

Defining and Initializing Menus for a Window

Use the following structure to define a number of menus for a framed window. This is the type of structure that is pointed to by the wnmen parameter in the window descriptor.

```
/* Menu Descriptor */
typedef struct mnstr {
   char_mnttl[10];
                         /*name of menu */
   char mnid,
                         /* menu ID number */
        _mnxsiz,
                         /* width of menu */
        mnnits,
                         /* number of items in menu */
                         /* is this menu available ? */
        mnenabl.
         mnres[2];
                         /* reserved */
   struct mistr _mnitems; /* pointer to array of menu item*/
                         /*descriptors */
} MNDSCR;
The components of the structure are:
           title of a menu that is displayed at the top of the
mnttl
           framed window when the window is active (currently
           selected)
 mnid
           identification number (in the range 128-255) of the
           menu
 mnxsiz
           maximum size of the pull-down menu (the length of
           the longest menu)
           number of items in the menu
mnnits
mnenabl flag that indicates whether or not a menu is currently
           enabled (whether it can be selected and pulled down)
```

```
mnres
           reserved
           pointer to an array of the item descriptors for the
mnitems
           menu
The declaration and initialization of a menu descriptor might
look like this:
#define NULL 0
#define ENABLE 1
#define DISABLE NULL
#define TNDY_MN {'T','a','n','d','y'},\
       MN TNDY,\
        10,\
       sizeof (tanitms/sizeof(tanitms[NULL]),\
        ENABLE.\
        NULL,\
        NULL,\
        tanitms
#define FILE_MN {'F','i','l','e','s'},\
        MN FILE.\
        10,\
        sizeof(_filitms)/sizeof(_filitms[NULL),\
        ENABLE.\
        NULL.\
        NULL,\
        filitms
```

Defining and Initializing the Items of a Menu

Use the following structure to define a number of items within menus. This is the type of structure that is pointed to by the mnitems parameter in the menu descriptor.

The components of the structure are:

_mittl title of the item that appears in the menu's pull-down window when the menu is selected

_mienbl flag to indicate whether or not the item is currently enabled (whether it can be selected)

mires reserved

The declaration and initialization of a number of items within a menu might look like this:

```
/* Default Tandy Menu */
MIDSCR tanitms[] = {
     {{'C','a','l','c'},ENABLE},
     {{'C','I','o','c','k'},ENABLE},
     {{'C', 'a', 'l', 'e', 'n', 'd', 'a', 'r'}, ENABLE},
    {{'C','o','n','t','r','o','l'},ENABLE},
     {{'P','r','i','n','t','e','r'},ENABLE},
     {{'P','o','r','t'},ENABLE},
     {{'H', 'e', 'I', 'p'}, ENABLE},
     {{'S','h','e','l','l'},ENABLE},
     {{'C','|','i','p','b','o','a','r','d'},ENABLE}
};
/* Default Files Menu */
MIDSCR filitms[] = {
     {{'N', 'e', 'w'}, ENABLE},
     {{'O','p','e','n'},ENABLE},
     {{'S', 'a', 'v', 'e'}, ENABLE},
     {{'S','a','v','e','','A','s','.','.'},ENABLE},
     {{'A','b','a','n','d','o','n'},ENABLE},
     {{'P','r','i','n','t'},ENABLE},
     {{'Q','u','i','t'},ENABLE},
};
```

Using a Mouse on a Framed Window with Menus:

Step 1. Setup a framed window. To create a window in C, use the _ss_wset command. To set up a Multi-Vue window on an already existing standard window, you need to use a type specification and a pointer to a window data structure. For usage:

```
if (_ss_wset(path,WT_FWIN,&windat)<0)
    exit(errno);</pre>
```

Step 2. Set up the signal handling capabilities for mouse communication.

OS-9 handles mouse communication with signals. Therefore you need a signal handler to catch (save) the mouse signals. To create the handler in C, make an intercept call with the name of your signal handler as an argument.

For more information on signals, consult the OS-9 Level Two Technical Reference manual and the C Compiler User's Guide. For usage:

```
static int sigcode;
sighandler(sig)
int sig;
{
    /* save the code of the signal */
    sigcode = sig;
}
main()
{
    /* set up the signal handler */
    intercept (sighandler);
    ...
}
```

Step 3. Activate the mouse by making a call to <u>ss_mous</u>. This call requires parameters for the *cursor update rate*, the *state change timeout value*, and an *auto-follow flag*.

The cursor update rate specifies the rate at which the system checks the mouse for movement to new coordinates. For usage, an update rate of 3 causes the system to check the mouse for new coordinates every three clock interrupts. A value of 0 causes the mouse coordinates to be read only when the getstat of ss.mouse is called.

The state change timeout value specifies the time in clock interrupts before all mouse counters are cleared.

The auto-follow flag indicates whether or not the system updates the graphics cursor to the new mouse coordinates when the mouse changes position. For usage:

```
#define UPDATE 3 /* check for change every
three interrupts */

#define TIMOUT 10 /* timeout in ten tics. */

#define FOLLOW 1 /* update graphics cursor
when mouse is read and has
changed position*/

/* set up the graphics cursor */
SetGC(path,GRP_PTR,PTR_ARR);
```

ss_mous(path,UPDATE,TIMOUT,FOLLOW);

/* get the mouse going */

code (sigcod) you want sent. For usage:

Step 4. Set up for a mouse signal. Make a call to <u>ss_msig</u> to request that your process receive a specific signal at the occurrence of a mouse click. As a parameter, indicate the signal

```
/* define value mouse signal, must be greater than three */
#define MOUSSIG 10
/* first clear your signal code parameter */
sigcode = 0;
_ss_msig(path,MOUSSIG);
```

Step 5. Wait for the mouse signal before continuing with processing. Do this by making a call to tsleep, sending a parameter of zero to make the user process sleep until it receives a signal:

```
if (sigcode == 0)
  /* no mouse signal yet so wait for one */
  tsleep(0);
```

Note: This step is optional. The program can continue processing without waiting for the signal. However, if it does, it must check *sigcode* periodically to see whether a mouse signal has occurred (whether sigcode contains a value greater than 0). In most instances, it is best to wait for a mouse signal before continuing.

On receiving a mouse signal, the system executes the signal handler routine *sighandler*. This signal handler saves the signal and terminates. Program processing resumes at the statement after the tsleep function call. You can now validate that a mouse signal is received, and act accordingly:

```
if (sigcode == MOUSSIG) {
     .
     .
/* process mouse signal */
```

Step 6. Process the mouse signal.

To begin, you need to acquire a *mouse packet*. The mouse packet contains all information pertaining to the mouse's status and functionality. You can acquire the packet by making a call to _gs_mous, passing a pointer to a mouse packet structure.

For a complete description of the mouse packet structure, see the Mouse.h header file in your DEFS directory.

```
/* declare the mouse packet structure */
MSRET msinfo;
/* make the call */
_gs_mous(path,&msinfo);
```

After acquiring the mouse information, process it in the following manner:

```
int intemno:
```

```
if ((msinfo.pt_valid) && (msinfo.pt_stat!=WR_OFWIN)) {
    if (msinfo.pt_stat == WR_CNTRL) {
        /* mouse was clicked on the control region */
        switch (_gs_msel(path,&intemno)) {
            case NM_CLOS:
                 quit = TRUE;
                 break;
            case MN_TNDY:
                  do_tandy_menu(itemno);
                 break;
            case MN_FILE:
                  do_file_menu(itemno);
                  break;
```

The preceding section of code first determines that the mouse packet is valid for its window. It does this by verifying that the parameter msinfo.pt_valid contains a value other than 0. It then checks the parameter msinfo.pr_stat to see if the mouse was clicked on the window. If it was, further checking determines whether or not the mouse was clicked in the control portion or the content portion of the window.

If the mouse is clicked in the control region (on the menu bar) the routine performs a pull-down of the associated menu by making a call to _gs_msel. This call requires a pointer to an integer as its argument. The _gs_msel function returns the number of the menu selected and the item number in the menu selection chosen by an additional click.

In this usage, the item number of the menu is returned in the parameter *intemno*. The program can then continue processing according to the selections.

Note that the pull-down that is associated with the menu continues in existence until another mouse click makes another selection. If the mouse is clicked on a location other than an item in the pull-down, *itemno* is set to 0.

The code makes provisions for the mouse to be clicked on the control portion of the window. You can determine where on the content region the mouse is clicked by accessing the location information in the mouse packet. The formula for determining the mouse location in 640x192 coordinates on a scaled window is as follows:

```
/*declare parameters */
MSRET msinfo;
int xsz,ysz;
int xwindsz,ywindsz; /* declare parameters as integers */
int mousx,mousy;

/* acquire size of window */
if (_gs_scsz(path,&xsz,&ysz)< 0) exit (errno);

/*convert character values to pixel values */
xwindsz = xsz * 8;
ywindsz = ysz * 8;

...

/* now each time the mouse location within the
content region is desired, the following
formula is applied */
mousx = ((long)640 * msinfo.pt_wrx) / xwindsz;
mousy + ((long)192 * msinfo.pt_wry) / ywindsz;
```

Appendix

Installing Multi-Vue

Disk Extended Color Basic will use either a DOS or a RUN boot command. To determine the boot command you need to use, do the following:

- 1. Be sure all equipment has been properly connected.
- 2. Turn on your computer. The Color Computer 3 displays the following:

DISK EXTENDED COLOR BASIC X.X COPR. 1982, 1986 BY TANDY UNDER LICENSE FROM MICROSOFT AND MICROWARE SYSTEMS CORP.

OK

3. Look at the numbers at the end of the first line (indicated by X.X in the sample above). If X.X is less than 2.1, you need to boot OS-9 using the RUN command and a BASIC program. If X.X is 2.1 or greater, you system will boot with the DOS command.

If X.X is 2.1 or greater, create your Multi-Vue working diskettes as described in Chapter One. Then, whenever you want to start Multi-Vue, insert Diskette 2 into Drive 0 and type:

DOS [ENTER]

If X.X is less than 2.1, you'll need to install the following BASIC program:

- 10 REM *****
- 20 REM *BOOT OS-9 FROM BASIC
- 30 REM *****
- 40 FOR I= 0 TO 70
- 50 READ A\$
- 60 POKE &H5000+I, VAL("&H"+A\$)
- 70 NEXT I
- 80 CLS: PRINT "INSERT MULTI-VUE DISK 2 INTO"
- 90 PRINT "DRIVE 0 AND PRESS THE SPACE BAR."
- 100 A\$= INKEY\$: IF LEN(A\$)=0 THEN 100
- 110 EXEC &H5000
- 120 DATA 86, 22, 8E, 26, 00, 8D, 0D
- 130 DATA FC, 26, 00, 10, 83, 4F, 53
- 140 DATA 26, 03, 7E, 26, 02, 39, 34
- 150 DATA 20, 10, BE, C0, 06, A7, 22
- 160 DATA 86, 02, A7, A4, 6F, 21, 6F
- 170 DATA 23, 6C, 23, AF, 24, 10, BE
- 180 DATA C0, 06, A6, 23, 81, 13, 27
- 190 DATA 12, AD, 9F, C0, 04, 4D, 27
- 200 DATA 06, 6C, 23, 6C, 24, 20, E9
- 210 DATA 7F, FF, 40, 35, A0, 4F, 20
- 220 DATA F8

Multi-Vue

Save this program on a formatted diskette by using the following command:

Label the diskette for future use.

Create your Multi-Vue working diskettes as described in Chapter One. Then, whenever you want to start Multi-Vue, insert the diskette containg this BASIC program into Drive 0 and type:

When the *Insert Multi-Vue* prompt appears, insert Multi-Vue Diskette 2 into Drive 0 and press the space bar. Set the time and date prompts when requested. Multi-Vue's copyright message will appear and you will be instructed to place Multi-Vue Disk 1 into Drive 0 and press a key. When you have done this, the GShell screen will come up as described in Chapter 1.

Glossary

Application Information File (AIF). A special file containing an application name, parameters, and screen information that tell GShell how to run an application.

application. A process or group of processes designed to accomplish specific tasks, such as word processing, data management, game playing, and so on.

backup. An identical copy of the contents of one diskette on another diskette.

baud. Bits-per-second. A unit for measuring the speed of data flow between devices.

binary. A numbering system using only two digits, 0 and 1. In this system, shifting the position of a digit to the left raises the value of the digit by the power of 2. For instance, 1 = 1, 10 = 2, 100 = 4, 1000 = 16, and so on.

bit. The smallest unit of a computer's memory. Eight bits form a byte. Each bit can have a value of either 0 or 1.

bitmap. A special module that contains the information that Multi-Vue uses to form an icon.

boot. To load and initialize a system or program.

button. The pad on a mouse or joystick that you press to select an action from a screen display or menu.

click. To press and release the mouse or joystick button.

close. To deallocate the path to a device or file.

command. The name of an OS-9 program or function.

command. The name of an OS-9 program or function.

composite monitor. A type of monitor (TV-type device) that accepts screen information for all screen colors through one input line as a mixed signal.

control panel. A Multi-Vue utility that lets you set environmental parameters, such as screen colors and keyboard response.

current directory. The directory in which OS-9 looks for data files or in which it stores them unless you specify otherwise.

data directory. The directory in which OS-9 automatically saves files unless you specify otherwise.

data file. A file that contains information to be processed by a program.

device. A data source, destination, or both. OS-9 devices can exist in your computer's memory (as in the case of a window or a RAM disk), or they can be external equipment (as in the case of a printer or disk drive).

directory. A file in which OS-9 stores information about other files, including their names, locations on the disk, and attributes.

double click. To press and release the mouse or joystick button twice in quick succession.

env.file. A special Multi-Vue file that contains Multi-Vue format information, such as screen color, monitor type, and keyboard response.

environment. The conditions that exist (screen color, screen size, keyboard response, and so on) while a window is active.

error code. A code that OS-9 displays when it cannot understand what you want it to do or when your computer or a

peripheral malfunctions. Use the displayed code number to look up a description of the error.

execute. To start a procedure, program, or command (cause it to run).

file. A block of information your computer uses for a particular function or program. A file can contain an operating system, a language, an application program, or text.

filename. A set of characters that uniquely identifies and locates a block of data stored on a disk.

fire button. See button.

folder. The Multi-Vue name for a disk directory. See directory.

font. A character set. A group of characters (letters, numbers, and symbols) of a particular style and shape.

fork. To initialize one procedure from another.

format. To magnetically organize a diskette so that the computer can use it to store data.

get/put buffer. A buffer in which you or the system can store fonts, screen patterns, graphic displays, overlay windows, and other recallable data.

GShell. An OS-9 graphics shell that interprets commands from the user through keyboard and pointer inputs.

hexadecimal. A numbering system to a base of 16. The 16 hexadecimal digits are 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A, B, C, D, E, and F. Shifting a hexadecimal digit one place to the left causes its value to be multiplied by 16.

icon. A picture or image representing an OS-9 object (directory, device, or file) or an OS-9 action.

keyboard mouse. An OS-9 function that lets you use the keyboard arrow keys instead of an external mouse device. Press [CTRL][CLEAR] to toggle the keyboard mouse on and off.

keyboard repeat. The function that causes a keypress to repeat if you hold a key down for a predetermined length of time (about one second unless you select otherwise).

line feed. To move the paper in a printer up one line.

load. To transfer data from an external device into your computer's memory.

memory. The portion of your computer that stores data and values.

menu. A screen display from which you select an action for your computer.

module. An OS-9 program or block of data residing in your computer's memory.

monitor. The video display device connected to your computer.

monochrome monitor. A TV-type device that displays characters and graphics in black and one color (white, amber, or green).

mouse. A device you use to control a pointer on the display screen.

object file. A file that contains a program or utility--an executable file.

open. To create a path to a file or device over which data can be transferred.

palette. A register (storage area) that contains a numeric code representing a color.

parity. A system in which the numbers of a code are converted to either even-bit numbers (an even number of 1's or 0's) or odd-bit numbers (an odd number of 1's or 0's).

pointer An image that you can move on the screen to indicate selections from a menu or other display.

port. A junction between devices, through which data flows. An electrical connection between your computer and a peripheral.

program. Code that causes your computer to perform a function or a series of functions.

read. To transfer data from a device into the computer's memory.

resolution. The number of individual screen points (pixels or picture elements) that can be turned on or off.

RGB monitor. A TV-type device that requires color information from three separate signals. One signal represents red, another represents green, and a third represents blue.

run. To execute a program or procedure.

shell. The OS-9 command interpreter. The shell converts input from the keyboard or some other device into code that controls your computer's performance.

start up. To begin operating. To initialize your system or a program.

stop bits. One or two bits that a terminal program sends after each unit of data to indicate that the transmission of the unit is complete.

system. (1) A group of files and programs that provide you with control over your computer. (2) Your computer with all its attached devices.

utility. A short program that performs a frequently required task, usually for the maintenance of your computer system or files.

window. All or a portion of your video screen with a specific format (columns, lines, size, colors, and so on) and type (graphics, text, or both). An area of a screen in which you can run a process or that can receive input.

word length. The number of bits to transmit as one unit.

write. To transfer data from the computer's memory to a device.

Index

Numbers and Symbols

```
128K computers 1 4
512K computers 1 5-6
```

\$ keyboard control 2 7 = keyboard control 2 7

A

Abandon command 3 10

AIF. See Application Information Files
alarm
checking and clearing 5 6
setting 5 5-6
alarm functions. See C language commands--alarm functions
Application Information Files
algorithm for file classification 9 22
example, for Scred 9 24-25
icon files in 9 22
information contained by 9 23
path to icon file 9 23
applications. See also C language applications
executing 2 11
Arc command 10 44

В Background Color Set command 10 19 backing up Multi-Vue 1 2-4 Backup command 8 4 Bar command 10 40-41 baud rate, changing 74 BColor command 10 19 Bell command 10 29 BlnkOff command 10 31 BlnkOn command 10 31 Boldface Switch command 10 24 BoldSw command 10 24 bootable version of Multi-Vue 17 Border Color Set command 10 19-20 Border command 10 19-20 Box command 10 39 boxes. See windows Buff.h code 10 71-72 buffer commands. See C language commands--Get/Put commands

C
C language applications
defining and initializing
application window 10 73-74
menu items 10 77-79
menus 10 75-77
using a mouse on framed window with menus 10 79-85
C language commands
alarm functions 10 58
ClrAlarm 10 60
GetAlarm 10 59
SetAlarm 10 59

configuration commands 10 15

BColor 10 19

Border 10 19-20

DefColr 10 17

FColor 10 18-19

LSet 10 16-17

Palette 10 18

PSet 10 16

ScaleSw 10 20

SetGC 10 21

drawing commands 10 33

Arc 10 44

Bar 10 40-41

Box 10 39

Circle 10 43

Ellipse 10 43-44

FFill 10 42

Line 10 36-37

LineM 10 38

Point 10 35

PutGC 10 45

RBar 10 41-42

RBox 10 40

RLine 10 37

RLineM 10 38-39

RPoint 10 36

RSetDPtr 10 34-35

SetDPtr 10 34

font handling commands 10 22

BoldSw 10 24

Font 10 23

PropSw 10 25

TCharSw 10 23-24

```
general system status functions 10 46
 _gs_fbrg 10 52-53
 _gs_opt 10 47
 _gs_palt 10 51
 _gs_rdy 10 49
 _gs_scsiz 10 50
 gs_size 10 48
 _gs_styp 10 52
 _ss_dfpl 10 54
 _ss_gip 10 53
 ss_mgpb 10 51
 ss mtyp 10 54
 ss opt 10 47
 ss rel 10 50
 ss size 10 48
 ss ssig 10 49
Get/Put commands 10 10
 DfnGPBuf 10 11
 GetBlk 10 13
 GPLoad 10 12
 KilBuf 10 11-12
 PutBlk 10 14
mouse handling functions 10 55
 gs_mous 10 57
 ss mous 10 56
 ss msig 10 56-57
Multi-Vue windowing functions 10 61
 _gs_msel 10 63
 ss_sbar 10 64
 ss_umbar 10 63-64
 ss wset 10 62
```

```
standard text commands 10 26
  Bell 10 29
  BlnkOff 10 31
  BlnkOn 10 31
  Clear 10 29
  CrRtn 10 29
  CurDwn 10 28
  CurHome 10 26
  CurLft 10 27
  CurOff 10 26
  CurOn 10 26
  CurRgt 10 27
  CurUp 10 27
  CurXY 10 28
  DelLin 10 32
  ErEOLine 10 28
  ErEOScrn 10 29
  Erline 10 28
  InsLin 10 31
  ReVOff 10 30
  ReVOn 1030
  UndlnOff 10 31
  UndlnOn 10 30
 standard windowing commands 10 3
  CWArea 108
  DWEnd 105
  DWProtSw 109
  DWSet 10 4-5
  OWEnd 10 7
  OWSet 10 6
  Select 10 7
C language graphics library 10 1-2
C language header files
 Buff.h code 10 71-72
 Mouse.h code 10 70
 StdMenu.h Code 10 67-69
 Wind.h code 10 65-66
```

```
calculator
 function keys for 6 4-5
 leaving 66
 screen display 6 3
 selecting 6 2-3
 uses for 61
 using 6 3-5
calendar
 accessing 4 1-2
 date, setting 43
 dates, selecting 4 3-4
 leaving 4 10
 notes 4 4-5
  adding to an existing file 4 10
  recalling 49-10
  saving 4 8-9
  selecting the day 45
  writing and editing 4 5-8
 screen display 42
cancelling entries 39
CGFX library 10 1-2
Change Working Area command 10 8
Character Pressed (standard menu) 9 19
Check for Characters Ready on Input function 10 49
Circle command 10 43
Clear Alarm function 10 60
Clear command 5 6, 10 29
Clear the Screen command 10 29
click button 2 9-10
 double clicking 211
clipboard function 9 27-28
```

```
clock
alarm
checking and clearing 5 6
setting 5 5-6
date, setting 5 3-4
screen display 5 3
selecting 5 1-3
time, setting 5 3, 4-5
Close Box (standard menu) 9 18
ClrAlarm function 10 60
colors
mixing 3 7-8
programming notes 9 26-27
register, selecting 3 7
setting 3 6-7
```

commands. See also C language commands

Abandon 310

Backup 84

Clear 56

Copy 8 2-3

Delete 83

Format 8 4

Free 84

GetStat 9 5, 11, 12

List 82

Make Changes 78

New Folder 84

New Port 7 9

Open 82

Print 83

Query 56

Quit 79,83

Read Env. 3 10

Rename 83

Restore Port 79

Save As 4 8-9

Save Changes 7 8-9

Save Env. 3 10

Set Devices 8 5

Set Execute 8 4

SetStat 95,9

Stat 83

communications port. See RS-232 port configuration configuration commands. See C language commands-configuration commands

control panel accessing 3 1-3 cancelling entries 39 controller resolution 3 4-5 keyboard repeat 3 8 monitor type, setting 34 mouse/joystick port, designating 35 saving the environment 39 screen color, setting 3 6-7 screen display 3 3 uses for 31 controller resolution 3 4-5 Copy command 8 2-3 copying the Multi-Vue diskette 1 2-4 CrRtn command 10 29 CurDwn command 10 28 CurHome command 10 26 CurLft command 10 27 CurOff command 10 26 CurOn command 10 26 CurRgt command 10 27 CurUp command 10 27 CurXY command 10 28 CWArea command 10 8

D data file icons 2 8 data structure for menus assembly code for 9 14-15 MN.ID field 9 15 reserved fields 9 16 sample layout 9 13

```
date
 selecting, in the calendar 43-4
 setting 18-9
  in the alarm 5 5-6
  in the calendar 43
  in the clock 5 3-4
Default Color Set command 10 17
DefColr command 10 17
Define Get/Put Buffer command 10 11
Delete command 8 3
Delete Line command 10 32
DelLin command 10 32
desktop applications. See also names of specific
  applications, such as calculator
 overview 2 18
Device Window End command 10 5
Device Window Protect Switch command 10 9
Device Window Set command 10 4-5
devices, setting. See Set Devices command
DfnGPBuf command 10 11
directory file icons 28
disk drives
 adding 2 13
 changing 2 12-13
Disk menu 8 4-5
display
 high resolution 15
 low resolution 14
double clicking 2 11
Draw Arc command 10 44
Draw Bar command 10 40-41
Draw Bar Relative to DP command 10 41-42
Draw Box command 10 39
Draw Box Relative to Draw Pointer command 10 40
Draw Circle command 10 43
Draw Ellipse command 10 43-44
Draw Line and Update Draw Pointer command 10 38
```

Draw Line command 10 36-37
Draw Line Relative to Draw Pointer command 10 37
Draw Point command 10 35
Draw Point Relative to Draw Pointer command 10 36
Draw Relative Line and Update Draw Pointer command 10 38-39
drawing commands. See C language commands—drawing commands drives. See disk drives
DWEnd command 10 5
DWProtSw command 10 9
DWSet command 9 8, 10 4-5

 \mathbf{E} Edit Menu (standard menu) 9 21 editing notes 4 5-8 function keys for 4 6-7 Ellipse command 10 43-44 entering GShell 23 environment, adjusting. See control panel environment file layout 9 28-29 original settings 9 30-31 EOF, selecting 7 7-8 Erase Line command 10 28 Erase to End of Line command 10 28 Erase to End of Screen command 10 29 ErEOLine command 10 28 ErEOScrn command 10 29 Erline command 10 28 executing object files 2 12 programs 2 11

exiting
calculator 6 6
calendar 4 10
clock 5 7
GShell 2 7
port configuration 7 9
printer configuration 7 10-13

F FColor command 10 18-19 FFill command 10 42 file icons 28 Files menu 8 2-3 standard menu 9 20 Flood Fill and Area command 10 42 folders, changing 2 13-16 Font command 10 23 font handling commands. See C language commands--font handling commands Font Selection command 10 23 Foreground Color Set command 10 18-19 format, printer. See printer configuration Format command 8 4 formatting diskettes 13 Free command 84 function keys. See also keyboard calculator 64-5 editing notes 4 6-7

G

general system status functions. See C language commandsgeneral system status functions Get Alarm Time function 10 59 Get Block command 10 13 Get File Size for RBF Devices function 10 48

```
Get Foreground/Background Colors function 10 52-53
Get Menu Selection function 10 63
Get Mouse Status function 10 57
Get Palette Information function 10 51
Get Path Options function 10 47
Get/Put Buffer Pre-Load command 10 12
Get/Put commands. See C language commands--Get/Put commands
Get Screen Type function 10 52
Get Size of Window function 10 50
GetAlarm function 10 59
GetBlk command 10 13
GetStat command
 SS.MnSel call 9 17
 SS.ScSize call 9 5
GPLoad command 10 12
graphics controllers 2 2. See also joystick; keyboard;
  mouse
 resolution for, setting 3 4-5
graphics font (Fnt G8X8) 10 72
graphics printouts. See printer configuration
Graphics Shell. See GShell
GrfInt interface module 10 61
gs fbrg function 10 52-53
gs mous function 10 57
gs_msel function 10 63
gs opt function 10 47
_gs_palt function 10 51
_gs_rdy function 10 49
_gs_scsiz function 10 50
gs size function 10 48
gs styp function 10 52
```

GShell changing drives 2 12-13 folders 2 1?-16 definition 21 desktop applications 2 18 entering 23 executing object files 2 12 programs 2 11 exiting 27 file icons 28 help function 2 19 main screen 1 10, 2 3 menus, using 29-11 screen pointers 26 scroll markers 2 6-7 selecting options 2 4-6 Shell option 2 19 windows opening multiple 2 16 sizing 2 17

H hardware requirements 1 1-2 128K computers 1 4 512K computers 1 5-6 header files Buff.h code 10 71-72 Mouse.h code 10 70 StdMenu.h Code 10 67-69 Wind.h code 10 65-66 help function 2 19 high resolution display 1 5 Home Cursor command 10 26

I icons 21,2 file icons 28 selecting 24-6
Insert Line command 1031
InsLin command 1031

J joystick as graphics controller 2 2 port designation 3 5

K
keyboard. See also function keys
keyboard repeat 3 8-9
selecting for graphics controller 2 2, 4, 9
keyboard controls
\$ 2 7
= 2 7
KilBuf command 10 11-12
Kill Buffer command 10 11-12

L leaving. See exiting
Line command 10 36-37
line feed, selecting 7 6
LineM command 10 38
List command 8 2
Logic Set command 10 16-17
low resolution display 1 4
LSet command 10 16-17

```
M
main screen, GShell 1 10, 2 3
Make Changes command 7 8
Map Get/Put Buffer function 10 51
memory requirements
 128K computers 14
 512K computers 1 5-6
 setting RAM size 16
menu bar 29
 programming notes 9 10
menus. See also menus, programming; standard menus
 Disk menu 8 4-5
 Files menu 8 2-3, 9 20
 selecting and using 2 9-11
 Tandy Menu 2 10, 9 19
 View menu 8 5
menus, programming
 data structure
  assembly code for 9 14-16
  MN.ID field 9 15-16
  reserved fields 9 16
  sample layout 9 13
 defining and initializing, in C applications 10 75-77
 maximum number of 9 15
 menu items
  defining and initializing, in C applications 10 77-79
 menu selection 9 16-17
 standard menus 9 18-21
 updating menus 9 16
monitor type, setting 34
mouse
 on framed windows with menus, in C language applications
   10 79-85
 as graphics controller 2 2
 port designation 3 5
 programming notes 9 10-12
```

mouse handling functions. See C language commands--mouse handling functions

Mouse.h code 10 70

Move Cursor Down command 10 28

Move Cursor Left command 10 27

Move Cursor Right command 10 27

Move Cursor to X, Y command 10 28

Move Cursor Up command 10 27

Multi-Vue, definition 1 1

Multi-Vue windowing functions. See C language commands-Multi-Vue windowing functions

N

New Folder command 8 4 New Port command 7 9 notes 4 4-5 recalling 4 9-10 saving 4 8-9 selecting the day 4 5 writing and editing 4 5-8

0

object file icons 2 8
object files, executing 2 12
Open command 2 11, 8 2
options, selecting 2 4-6
OS-9 Level Two operating system 1 1-2
creating in GShell 2 19
Output Carriage Return command 10 29
Overlay Window End command 10 7
Overlay Window Set command 10 6
OWEnd command 10 7
OWSet command 9 8, 10 6

quitting. See exiting

```
P
Palette command 10 18
Palette Set command 10 18
parity, changing 75
Pattern Set command 10 16
pause, selecting 7 6-7
Point command 10 35
pointers. See screen pointers
ports. See also printer configuration; RS-232 port
  configuration
 configuration menu 73
 mouse/joystick port, designating 35
 selecting for configuration 7 1-4
Print command 8 3
printer configuration. See also RS-232 port configuration
 exiting 7 13
 format, setting 7 10-12
 purpose of 7 10
 screen for 7 11
programs, executing 2 11
Proportional Spacing Attribute Switch command 10 25
PropSw command 10 25
PSet command 10 16
pull-down menus 1 1
 programming notes 9 10
Put Block command 10 14
Put Graphics Cursor command 10 45
PutBlk command 10 14
PutGC command 10 45
0
Query command 5 6
Ouit command 7 9, 8 3
```

```
R
RAM requirements. See memory requirements
RBar command 10 41-42
RBox command 10 40
Read Env. command 3 10
regions. See windows
Release Device from Send Signal Request function 10 50
Rename command 83
reserved fields, menu data structure 9 16
resolution
 controller resolution 3 4-5
 high resolution display 1 5
 low resolution display 14
Restore Port command 7 9
ReVOff command 10 30
ReVOn command 10 30
Ring Bell command 10 29
RLine command 10 37
RLineM command 10 38-39
root level 2 14
RPoint command 10 36
RS-232 port configuration
 baud rate 7 4
 completing selections 7 8-9
 exiting 79
 line feed 76
 make changes option 7 8
 new port option 79
 parity 75
 pause 7 6-7
 quit option 79
 restore port option 79
 save changes option 7 8-9
 screen for 7.2
 selecting from the menu 7 1-4
 stop bits 75
 word length 75
```

XON, XOFF, and EOF 7 7-9 RSetDPtr command 10 34-35 running object files 2 12 programs 2 11

 \mathbf{S} Save As command 4 8-9 Save Changes command 7 8-9 Save Env. command 3 9-10 ScaleSw command 10 20 Scaling On/Off Switch command 10 20 screen color, setting. See color screen dumps. See printer configuration screen pointers 2 6 Scroll Down (standard menu) 9 18 Scroll Left (standard menu) 9 19 scroll markers 2 6-7 SetStat SS.SBar and 9 5 SS.ScSize GetStat call and 9 5 Scroll Right (standard menu) 9 18 Scroll Up (standard menu) 9 18 Select command 10 7 Send Signal on Mouse Click function 10 56-57 Set Alarm Time function 10 59 Set Default Palette Information function 10 54 Set Devices command 2 13, 8 5 Set Draw Pointer Position command 10 34 Set Draw Pointer Relative to Current Position command 10 34-35 Set Execute command 8 4 Set File Size for RBF Devices function 10 48 Set Global Information Parameters function 10 53 Set Graphics Cursor command 10 21 Set Monitor Type function 10 54

Set Mouse Status function 10 56

text commands

Set Path Options function 10 47 Set Scroll Marker Positioning function 10 64 Set Type of Window function 10 62 Set Up for Signal on Data Ready function 10 49 SetAlarm function 10 59 SetDPtr command 10 34 SetGC command 10 21 SetStat command creating windows with 9 9 SS.SBar call 9 5 SS.UMBar call 9 16 Shell option 2 19 ss dfpl function 10 54 ss gip function 10 53 ss mgpb function 10 51 ss mous function 10 56 ss msig function 10 56-57 ss mtyp function 10 54 ss opt function 10 47 ss rel function 10 50 ss sbar function 10 64 ss size function 10 48 ss ssig function 10 49 ss umbar function 10 63-64 ss wset function 10 62 SS.MnSel GetStat function 9 12 SS.Mous GetStat call 9 11 SS.SBar SetStat call, for scroll markers 9 5 SS.ScSize Getstat call, for scroll markers 9 5 SS.UMBar SetStat call 9 16 standard menus 9 18-21 standard text commands. See C language commands--standard starting
GShell 2 3
Multi-Vue 1 8
bootable version of 1 7
date and time, setting 1 8-9
main screen 1 10
Stat command 8 3
StdMenu.h Code 10 67-69
stop bits, selecting 7 5

T Tandy Menu icon for 2 10 standard menu 9 19 TCharSw command 10 23-24 time, setting 18-9 in the alarm 56 in the clock 53, 4-5 Transparent Character Switch command 10 23-24 Turn Cursor Off command 10 26 Turn Cursor On command 10 26 Turn Off Blink command 10 31 Turn Off Reverse Video command 10 30 Turn Off Underline command 10 31 Turn On Blink command 10 31 Turn On Reverse Video command 10 30 Turn On Underline command 10 30

U
UndlnOn command 10 30
UndlOff command 10 31
Update Menu Bar function 10 63-64

```
View menu 8 5
W
Wind.h code 10 65-66
WindInt interface module 9 15, 10 61
windows. See also C language commands--standard windowing
  commands; memory requirements
 active 94
conventions 9 8
creating 9 8-10
defining and initializing, in C applications 10 73-74
 definition 1 1
 double box 9 6-7
framed 9 2-5
  close region 93
  control region 9 2
  mouse with, in C applications 10 79-85
  scroll region 93
 menu bar and pull-down menus 9 10
 mouse control 9 10-12
 no box 97
 opening multiple 2 16
 passive 94
 plain box 9 7
 pull-down menus 9 10
 regions 9 2
 shadowed box 9 6
 sizing 2 17
 types (borders) 9 1
word length, selecting 75
X
```

XON, XOFF, and EOF, selecting 77-9

RADIO SHACK A Division of Tandy Corporation Fort Worth, Texas 76102